



U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** **



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 366-0123



CASE SUMMARY

PSU 12 CASE NO. 163A TYPE OF ACCIDENT _____

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers.)

See Attached

B. VEHICLE PROFILE(S)

Vehicle No.	Class of Vehicle	Year/Make/Model	Most Severe Damage Based on Vehicle Inspection		Component Failure
			Damage Plane	Severity Description	

DO NOT SANITIZE THIS FORM

C. PERSON PROFILE(S)

Vehicle No.	Person Role	Seat Position	Restraint Use	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
				Body Region	Injury Type	AIS	Injury Source

Body Region

Abdomen
 Ankle—foot
 Arm (upper)
 Back-thoracolumbar spine
 Brain
 Chest
 Ears
 Eye
 Elbow
 Face
 Forearm
 Head—skull
 Heart
 Kidneys
 Knee
 Leg (lower)
 Liver
 Lower limbs(s) (whole or unknown part)
 Mouth
 Neck—cervical spine
 Nose

Pelvic—hip
 Pulmonary—lungs
 Shoulder
 Spleen
 Thigh
 Thyroid, other endocrine gland
 Upper limb(s) (whole or unknown part)
 Vertebrae
 Whole body
 Wrist—hand

Injury Type

Abrasion
 Amputation
 Avulsion
 Burn
 Concussion
 Contusion
 Crush
 Detachment, separation
 Dislocation

Fracture
 Fracture and dislocation
 Laceration
 Other
 Perforation, puncture
 Rupture
 Sprain
 Strain
 Total severance, transection
 Unknown

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

DO NOT SANITIZE THIS FORM

CASE 163A

TYPE OF ACCIDENT: VEHICLE HEAD ON FATALITY

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

VEHICLE 1 WAS SOUTHBOUND ON A 2 LANE RURAL ROADWAY TRAVELLING OVER THE CENTER LINE INTO THE PATH OF NORTHBOUND TRAFFIC. VEHICLE 2 WAS NORTHBOUND NOTICING THAT THE PATH OF VEHICLE 1 WAS ENTERING IT'S TRAVEL LANE THE DRIVER BEGAN BRAKING AND STEERING RIGHT TOWARD THE RIGHT SHOULDER WHEN THE TWO VEHICLES IMPACTED SPINNING APPROXIMATELY 80 DEGREES COUNTERCLOCKWISE TO FINAL REST. BOTH VEHICLES WERE TOWED AND THE DRIVER OF VEHICLE 1 WAS ENTRAPPED BY HIS LEGS AGAINST THE INSTRUMENT PANEL AND LATER EXPIRED AT THE HOSPITAL DUE TO SEVERE INJURIES. THE STEERING WHEEL IN VEHICLE 1 IS BELIEVED TO HAVE COME OFF THE BOLT ON THE COLUMN AT THE TIME OF AIRBAG DEPLOYMENT AS WELL.

01

PSU12

1995 Case Summary Form

CASE 163A

TYPE OF ACCIDENT: VEHICLE HEAD ON FATALITY

B. VEHICLE PROFILE(S)

V e h. No	Class of Vehicle	Year/Make/ Model	Damage Plane	Severity Descr.	Component Failure
1	COMPACT	1995 SATURN SL	FRONT	SEVERE	S WHEEL
2	COMPACT PICKUP TRUCK	1987 FORD RANGER XLT 4X4 SUPERCAB	FRONT	SEVERE	LEFT FRONT LATCH/DOOR

01

C. PERSON PROFILE(S)

V e h. No	Person Role	Seat Position	Restraint Use	Body Region	Injury Type	A	
						I S	Injury Source
1	DRIVER	LEFT FRONT	AIRBAG/BELT NOT USED	<i>brain heat</i>	<i>subdural 7 hemorrhage 5</i>	<i>1</i>	<i>cockpilot front windshield hood</i>
1	PASSENGER	RIGHT FRONT	LAPSHOULDER/AIRBAG		<i>face abrasion</i>	<i>1</i>	<i>airbag</i>
2	DRIVER	LEFT FRONT	NOT USED	<i>foot</i>	<i>fracture</i>	<i>2</i>	<i>tail po</i>



U.S. Department of Transportation
National Highway Traffic Safety
Administration

ACCIDENT COLLISION DIAGRAM


RECEIVED [REDACTED] 1996

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

PSU No. 12

Case Number—Stratum 463A

Indicate
North





ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number 1 2

Case Number—Stratum 1 6 3 A

ACCIDENT COLLISION DIAGRAM

Document the physical plant:

- * all road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, parked vehicles, poles, signs, etc.)
- * all traffic controls (e.g., speed limit)
- * north arrow placed on diagram
- * roadway surface type and condition of applicable roadways
- * grade measurements for all applicable roadways and at location of rollover initiation
- * roadway curvature


Document vehicle dynamics including:

- * reference point and reference line relative to physical features present at the scene
- * scaled documentation of all accident induced physical evidence
- * scaled documentation of all roadside objects contacted
- * scaled representations of the vehicle(s) at pre-impact, impact, and final rest based upon either:
 - a) physical evidence, or
 - b) reconstructed accident dynamics

CRASH DATA

	VEH. #1	VEH. #2	VEH. #3
Heading Angle	<u>175</u>	<u>003</u>	___
Surface Type	<u>Asphalt</u>		
Surface Condition	<u>dry</u>		
Coefficient of Friction	___	___	___
Grade (v/h) Measurement (between impact and final rest)	<u>9/21</u>	<u>9/21</u>	___
Grade (v/h) Measurement (at location of rollover initiation)	___	___	___

Reference Point: sewer conduit on rd. in ditch



Reference line: E edge [redacted] Rd.

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
PoI gorges	5.2-6.3 N	.3E-x line-.1W
post impact gorges	3.2-4.2 N	.2E-x line
V2 oil spill	1.8-2.9 N	2.2-2.7 E
V2 UC scrape @ ditch bank	.8-1.3 N	2.4-3.5 E
V2 (L) rear tire @ F.R.	.9 S	3.9 E
RP to center	0.0	6.8 E
B V2 skid (L) ^{front} rear	5.8 S	1.4 W
V2 Mid skid	1.6 S	1.1 W
V2 skid ends	5.7 N	.4W EW
B. oil streak on rd.	5.9 N	.8 W
E oil streak on rd.	8.2 N	.2 W
Do NOT Pass Sign	20.6 S	4.7 E



ACCIDENT FORM

1. Primary Sampling Unit Number 12
2. Case Number - Stratum 163A

IDENTIFICATION

3. Number of General Vehicle Forms Submitted 02
4. Date of Accident (Month, Day, Year) ██████ 19 5
5. Time of Accident 1245
Code reported military time of accident.
NOTE: Midnight = 2400
Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. 0 SS15 Administrative Use
7. 0 SS16 Pedestrian Crash Data Study
(Data for this special study available in a separate file.)
8. 0 SS17 Impact Fires
9. 0 SS18 Unsafe Driver Actions
10. 0 SS19 _____

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01
Code the number of events which occurred in this accident.

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object in the right columns.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>01</u>	13. <u>01</u>	14. <u>02</u>	15. <u>F</u>	16. <u>02</u>	17. <u>30</u>	18. <u>F</u>
19. <u>02</u>	20. _____	21. _____	22. _____	23. _____	24. _____	25. _____
26. <u>03</u>	27. _____	28. _____	29. _____	30. _____	31. _____	32. _____
33. <u>04</u>	34. _____	35. _____	36. _____	37. _____	38. _____	39. _____
40. <u>05</u>	41. _____	42. _____	43. _____	44. _____	45. _____	46. _____

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

CODES FOR CLASS OF VEHICLE

- | | |
|--|---|
| (00) Not a motor vehicle
(01) Subcompact/mini (wheelbase < 254 cm)
(02) Compact (wheelbase ≥ 254 but < 265 cm)
(03) Intermediate (wheelbase ≥ 265 but < 278 cm)
(04) Full size (wheelbase ≥ 278 but < 291 cm)
(05) Largest (wheelbase ≥ 291 cm)
(09) Unknown passenger car size
(14) Compact utility vehicle
(15) Large utility vehicle (≤ 4,500 kgs GVWR)
(16) Utility station wagon (≤ 4,500 kgs GVWR)
(19) Unknown utility type
(20) Minivan (≤ 4,500 kgs GVWR)
(21) Large van (≤ 4,500 kgs GVWR)
(24) Van Based school bus (≤ 4,500 kgs GVWR)
(28) Other van type (≤ 4,500 kgs GVWR)
(29) Unknown van type (≤ 4,500 kgs GVWR)
(30) Compact pickup truck (≤ 4,500 kgs GVWR) | (31) Large pickup truck (≤ 4,500 kgs GVWR)
(38) Other pickup truck (≤ 4,500 kgs GVWR)
(39) Unknown pickup truck type (≤ 4,500 kgs GVWR)
(45) Other light truck (≤ 4,500 kgs GVWR)
(48) Unknown light truck type (≤ 4,500 kgs GVWR)
(49) Unknown light vehicle type
(50) School bus (excludes van based)(> 4,500 kgs GVWR)
(58) Other bus (> 4,500 kgs GVWR)
(59) Unknown bus type
(60) Truck (> 4,500 kgs GVWR)
(67) Tractor without trailer
(68) Tractor-trailer(s)
(78) Unknown medium/heavy truck type
(79) Unknown light/medium/heavy truck type
(80) Motored cycle
(90) Other vehicle
(99) Unknown |
|--|---|

CODES FOR GENERAL AREA OF DAMAGE (GAD)

- | | | | |
|---|--|---|---|
| CDS APPLICABLE
AND OTHER
VEHICLES | (O) Not a motor vehicle
(N) Noncollision
(F) Front | (R) Right side
(L) Left side
(B) Back | (T) Top
(U) Undercarriage
(9) Unknown |
|---|--|---|---|

- | | | | |
|-------------------------------|--|--|---|
| TDC
APPLICABLE
VEHICLES | (O) Not a motor vehicle
(N) Noncollision
(F) Front
(R) Right side | (L) Left side
(B) Back of unit with cargo area
(rear of trailer or straight truck)
(D) Back (rear of tractor) | (C) Rear of cab
(V) Front of cargo area
(T) Top
(U) Undercarriage
(9) Unknown |
|-------------------------------|--|--|---|

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

- | | |
|---|---|
| (01-30) – Vehicle Number

Noncollision
(31) Overturn – rollover (excludes end-over-end)
(32) Rollover – end-over-end
(33) Fire or explosion
(34) Jackknife
(35) Other intraunit damage (specify):

(36) Noncollision injury
(38) Other noncollision (specify):

(39) Noncollision – details unknown

Collision With Fixed Object
(41) Tree (≤ 10 cm in diameter)
(42) Tree (> 10 cm in diameter)
(43) Shrubbery or bush
(44) Embankment
(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post
(50) Pole or post (≤ 10 cm in diameter)
(51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
(52) Pole or post (> 30 cm in diameter)
(53) Pole or post (diameter unknown)

(54) Concrete traffic barrier
(55) Impact attenuator
(56) Other traffic barrier (includes guardrail)
(specify): _____ | (57) Fence
(58) Wall
(59) Building
(60) Ditch or culvert
(61) Ground
(62) Fire hydrant
(63) Curb
(64) Bridge
(68) Other fixed object (specify):

(69) Unknown fixed object

Collision with Nonfixed Object
(70) Passenger car, light truck, van, or other vehicle
not in-transport
(71) Medium/heavy truck or bus not in-transport
(72) Pedestrian
(73) Cyclist or cycle
(74) Other nonmotorist or conveyance

(75) Vehicle occupant
(76) Animal
(77) Train
(78) Trailer, disconnected in transport
(79) Object fell from vehicle in-transport
(88) Other nonfixed object (specify):

(89) Unknown nonfixed object
(98) Other event (specify):

(99) Unknown event or object |
|---|---|

PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction 0
 (0) Non-interchange area and non-junction
 (1) Interchange area related
Non-Interchange junctions
 (2) Intersection related
 (3) Driveway, alley access related
 (4) Other junction (specify) _____
 (5) Unknown type of junction
 (9) Unknown
20. Trafficway Flow 0
 (0) Not physically divided (two way traffic)
 (1) Divided trafficway-median strip without positive barrier
 (2) Divided trafficway-median strip with positive barrier
 (3) One way traffic
 (9) Unknown
21. Number Of Travel Lanes 2
 (1) One
 (2) Two
 (3) Three
 (4) Four
 (5) Five
 (6) Six
 (7) Seven or more
 (9) Unknown
22. Roadway Alignment 1
 (1) Straight
 (2) Curve right
 (3) Curve left
 (9) Unknown
23. Roadway Profile 1
 (1) Level
 (2) Uphill grade (>2%)
 (3) Hill crest
 (4) Downhill grade (>2%)
 (5) Sag
 (9) Unknown
24. Roadway Surface Type 2
 (1) Concrete
 (2) Bituminous (asphalt)
 (3) Brick or block
 (4) Slag, gravel, or stone
 (5) Dirt
 (8) Other (specify): _____
 (9) Unknown

25. Roadway Surface Condition 1
 (1) Dry
 (2) Wet
 (3) Snow or slush
 (4) Ice
 (5) Sand, dirt, or oil
 (8) Other (specify): _____
 (9) Unknown
26. Light Conditions 1
 (1) Daylight
 (2) Dark
 (3) Dark, but lighted
 (4) Dawn
 (5) Dusk
 (9) Unknown
27. Atmospheric Conditions 0
 (0) No adverse atmospheric-related driving conditions
 (1) Rain
 (2) Sleet/hail
 (3) Snow
 (4) Fog
 (5) Rain and fog
 (6) Sleet and fog
 (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
 (9) Unknown
28. Traffic Control Device 0
 (0) No traffic control(s)
 (1) Traffic control signal (not RR crossing)
Regulatory
 (2) Stop sign
 (3) Yield sign
 (4) School zone sign
 (5) Other regulatory sign (specify): _____
 (6) Warning sign (not RR crossing)
 (7) Unknown sign
 (8) Miscellaneous/other controls including RR controls (specify): _____
 (9) Unknown
29. Traffic Control Device Functioning 0
 (0) No traffic control device
 (1) Traffic control device not functioning (specify): _____
 (2) Traffic control device functioning properly
 (9) Unknown

OCCUPANT RELATED

- 37. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
- 38. Number of Occupants This Vehicle 02
 (00-96) Code actual number of occupants
 for this vehicle
 (97) 97 or more
 (99) Unknown
- 39. Number of Occupant Forms Submitted 02

AIR BAG RELATED

- 40. Is this an AOPS Vehicle? 1
 (0) No (includes unknown)
 (1) Yes - researcher determined
 (2) VIN determined air bag system
 (3) VIN determined automatic (passive) belts
 (4) VIN determined air bag and automatic (passive) belts
- 41. Air Bag(s) Deployment, First Seat Frontal 6
 (0) Not equipped or not available
 (1) No air bags deployed
Single Air Bag Vehicle
 (2) Driver air bag deployed
 (3) Driver air bag, unknown if deployed
Multiple Air Bag Vehicle
 (4) Driver side only deployed
 (5) Passenger side only deployed
 (6) Driver and passenger side deployed
 (7) Driver and passenger side unknown if deployed
 (8) Air bag(s) deployed, details unknown
 (9) Unknown
- 42. Air Bag(s) Deployment, Other Than First Seat Frontal 0
 (0) Not equipped with an "other" air bag
 (1) Deployed during accident (as a result of impact)
 (2) Deployed inadvertently just prior to accident
 (3) Deployed, details unknown
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 (5) Unknown if deployed
 (7) Nondeployed
 (9) Unknown

Specify type of "other" air bag present: _____

VEHICLE WEIGHT ITEMS

- 43. Vehicle Curb Weight 1,090
 Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown
2,404 lbs X .4536 = 1,091 kgs
 Source: 1995 _____

- 44. Vehicle Cargo Weight 0,020
 Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
 _____ lbs X .4536 = _____ 16 kgs
 Source: _____

ROLLOVER DATA

- 45. Rollover 00
 (00) No rollover (no overturning)
Rollover (primarily about the longitudinal axis)
 (01-16) Code the number of quarter turns
 (17) Rollover, 17 or more quarter turns (specify): _____
 (98) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (99) Rollover (overturn), details unknown
- 46. Rollover Initiation Type 00
 (00) No rollover
 (01) Trip-over
 (02) Flip-over
 (03) Turn-over
 (04) Climb-over
 (05) Fall-over
 (06) Bounce-over
 (07) Collision with another vehicle
 (08) Other rollover initiation type specify): _____
 (98) Rollover--end-over-end
 (99) Unknown rollover initiation type
- 47. Location of Rollover Initiation 0
 (0) No rollover
 (1) On roadway
 (2) On shoulder—paved
 (3) On shoulder—unpaved
 (4) On roadside or divided trafficway median
 (8) Rollover--end-over-end
 (9) Unknown
- 48. Rollover Initiation Object Contacted 00
 (Note: Applicable codes on back of page)
- 49. Location on Vehicle Where Initial Principal Tripping Force Is Applied 0
 (0) No rollover
 (1) Wheels/tires
 (2) Side plane
 (3) End plane
 (4) Undercarriage
 (5) Other location on vehicle (specify): _____
 (6) Non-contact rollover forces (specify): _____
 (8) Rollover--end-over-end
 (9) Unknown
- 50. Direction of Initial Roll 0
 (0) No rollover
 (1) Roll right - primarily about the longitudinal axis
 (2) Roll left - primarily about the longitudinal axis
 (8) Rollover--end-over-end
 (9) Unknown roll direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

- | | |
|--|---|
| <p>(00) No rollover
(01-30) — Vehicle Number</p> <p>Noncollision
(31) Turn-over — fall-over
(32) No rollover impact initiation (end-over-end)
(34) Jackknife</p> <p>Collision With Fixed Object
(41) Tree (\leq 10 cm in diameter)
(42) Tree ($>$ 10 cm in diameter)
(43) Shrubbery or bush
(44) Embankment</p> <p>(45) Breakaway pole or post (any diameter)</p> <p>Nonbreakaway Pole or Post
(50) Pole or post (\leq 10 cm in diameter)
(51) Pole or post ($>$ 10 cm but \leq 30 cm in diameter)
(52) Pole or post ($>$ 30 cm in diameter)
(53) Pole or post (diameter unknown)</p> <p>(54) Concrete traffic barrier
(55) Impact attenuator
(56) Other traffic barrier (includes guardrail)
(specify): _____</p> | <p>(57) Fence
(58) Wall
(59) Building
(60) Ditch or culvert
(61) Ground
(62) Fire hydrant
(63) Curb
(64) Bridge
(68) Other fixed object (specify):
_____</p> <p>(69) Unknown fixed object</p> <p>Collision with Nonfixed Object
(70) Passenger car, light truck, van, or other vehicle not in-transport
(71) Medium/heavy truck or bus not in-transport
(76) Animal
(77) Train
(78) Trailer, disconnected in transport
(79) Object fell from vehicle in-transport
(88) Other nonfixed object (specify):
_____</p> <p>(89) Unknown nonfixed object</p> <p>(98) Other event (specify):
_____</p> <p>(99) Unknown event or object</p> |
|--|---|



EXTERIOR VEHICLE FORM

1. Primary Sampling Unit Number <u>12</u>	3. Vehicle Number <u>01</u>
2. Case Number - Stratum <u>163A</u>	<u>9520840</u> <u>9521246</u>

VEHICLE IDENTIFICATION

VIN 1G8ZK5272SZ [REDACTED] Model Year 95

Vehicle Make (specify): Saturn Vehicle Model (specify): SL

LOCATOR

Locate the end of the damage with respect to the vehicle longitudinal center line or bumper corner for end impacts or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L	Location of Max Crush
1	beg. ① front bumper corner	whole front clip	② C1
unk.	beg. 86 cm ahead ② rear axle to ③ rear bumper corner	same as direct damage	

CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

- ① cord set 448 cm from veh. OAL
- ② set 86 cm from center of veh.

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.

Use as many lines/columns as necessary to describe each damage profile.

Specific Impact Number	Plane of Impact C-Measurements	Direct Damage		Field L	Max C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
		Width (CDC)	② C ₁ Max Crush								
1	front bumper	126	108	86	108	91	69	47	32	24	0
	free space		13		13	5	2	2	5	13	
	result		95		95	86	67	45	27	11	
			② C1		MAX						
unk.	mid ② panel	162	6	162	6	2	2	1	4	6	-143
	free space		4		4	2	1	1	4	2	
	result		2		2	0	1	0	0	4	
	This is not an applicable impact for this accident.										


ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	<u>102.4</u>	inches	x 2.54	=	_____	cm
Overall Length	<u>176.3</u>	inches	x 2.54	=	_____	cm
Maximum Width	<u>67.6</u>	inches	x 2.54	=	_____	cm
Curb Weight	14 <u>2,405</u>	pounds	x .4536	=	_____	kg
Average Track	<u>56.4</u>	inches	x 2.54	=	_____	cm
Front Overhang	_____	inches	x 2.54	=	<u>99</u>	cm
Rear Overhang	_____	inches	x 2.54	=	<u>89</u>	cm
Undeformed End Width	_____	inches	x 2.54	=	_____	cm
Engine Size: cyl./displ.	_____	cc	x .001	=	_____	L
	_____	CID	x .0164	=	_____	L

VEHICLE DAMAGE SKETCH

<p>TIRE - WHEEL DAMAGE</p> <p>a. Rotation physically restricted</p> <p>RF <u>2</u> LF <u>1</u> RR <u>2</u> LR <u>2</u></p> <p>b. Tire deflated</p> <p>RF <u>2</u> LF <u>1</u> RR <u>2</u> LR <u>2</u></p> <p>(1) Yes (2) No (8) NA (9) Unk.</p>	<p>ORIGINAL SPECIFICATIONS</p> <p>Wheelbase <u>260</u> cm</p> <p>Overall Length <u>448</u> cm</p> <p>Maximum Width <u>172</u> cm</p> <p>Curb Weight <u>1091</u> kg</p> <p>Average Track <u>143</u> cm</p> <p>Front Overhang <u>99</u> cm</p> <p>Rear Overhang <u>89</u> cm</p> <p>Undeformed End Width <u>158</u> ^{126 front} _{rear} cm</p> <p>Engine Size: cyl./displ. <u>24/1.9</u> L</p>	<p>WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only)</p> <p>RF ± <u> </u> ° LF ⊕ <u>05</u> ° RR ± <u> </u> ° LR ± <u> </u> °</p> <p>Within ± 5 degrees</p>
<p>TYPE OF TRANSMISSION</p> <p><input type="checkbox"/> Manual <input checked="" type="checkbox"/> Automatic</p> <p>END SHIFT ≥ 10 CM</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>DRIVE WHEELS</p> <p><input checked="" type="checkbox"/> FWD <input type="checkbox"/> RWD <input type="checkbox"/> 4WD</p>	
		<p>Approximate Cargo Weight <u>3516</u> ^{apprx.} kg</p>

MEASUREMENTS IN CENTIMETERS



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>01</u>	5. <u>02</u>	6. <u>12</u>	7. <u>F</u>	8. <u>D</u>	9. <u>A</u>	10. <u>W</u>	11. <u>04</u>

Second Highest Delta "V"

12. _____	13. _____	14. _____	15. _____	16. _____	17. _____	18. _____	19. _____
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

20. L	21. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	22. ±D
<u>126</u>	<u>095</u>	<u>086</u>	<u>067</u>	<u>045</u>	<u>027</u>	<u>011</u>	<u>000</u>

Second Highest Delta "V"

23. L	24. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	25. ±D
_____	_____	_____	_____	_____	_____	_____	_____

26. Undeformed End Width
 (Coded when highest severity impact is an end plane impact.) 158
 _____ Code to the nearest centimeter
 (250) 250 centimeters or more
 (998) No highest severity end plane impact
 (999) Unknown

27. Direct Damage Width
 (For highest severity impact) 086
 _____ Code to the nearest centimeter
 (250) 250 centimeters or more
 (999) Unknown

28. Original Wheelbase
 _____ Code to the nearest centimeter 260
 (650) 650 centimeters or more
 (999) Unknown
102.4 inches X 2.54 = _____ centimeters

29. Original Average Track Width
 _____ Code to the nearest centimeter 143
 (185) 185 centimeters or more
 (999) Unknown
56.4 inches X 2.54 = _____ centimeters

		FUEL SYSTEM	
<p>30. Are CDCs Documented but Not Coded on The Automated File? <u>0</u></p> <p>(0) No (1) Yes</p>		<p>35. Location of Fuel Tank-1 Filler Cap <u>2</u></p>	
<p>31. Researcher's Assessment of Vehicle Disposition <u>1</u></p> <p>(0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown</p>		<p>36. Location of Fuel Tank-2 Filler Cap <u>0</u></p> <p>(0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle) on left side plane (3) Aft of center of the rear wheels (rear axle) on right side plane (4) Forward of center of the rear wheels (rear axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane (6) Over the center of the rear wheels (rear axle) on left side plane (7) Over the center of the rear wheels (rear axle) on right side plane (8) Other (specify): _____ (9) Unknown</p>	
<p>32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? <u>0</u></p> <p>(0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify): _____ _____ _____ (Include photograph of CERTIFICATION PLACARD in case report) (9) Unknown if vehicle is modified</p>		<p>37. Type of Fuel Tank-1 <u>2</u></p> <p>38. Type of Fuel Tank-2 <u>0</u></p> <p>(0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown</p>	
FIRE OCCURRENCE			
<p>33. Fire Occurrence <u>0</u></p> <p>(0) No fire</p> <p>Yes, fire occurred (1) Minor (2) Major (9) Unknown</p>		<p>39. Location of Fuel Tank-1 <u>4</u></p> <p>40. Location of Fuel Tank-2 <u>0</u></p> <p>(0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered (2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side (4) Forward of center of the rear wheels (rear axle) centered (5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear axle) right side (7) Over center of the rear wheels (rear axle) (8) Other (specify): _____ (9) Unknown</p>	
<p>34. Origin of Fire <u>0</u></p> <p>(0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system (3) Fuel tank (and other fuel retention system parts) (4) Engine compartment (5) Cargo/trunk compartment (6) Instrument panel (7) Passenger compartment area (8) Other location (specify): _____ (9) Unknown</p>		<p>41. Damage to Fuel Tank-1 <u>1</u></p> <p>42. Damage to Fuel Tank-2 <u>0</u></p> <p>(0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped) (6) Abraded (scraped) (7) Filler neck separation from the fuel tank (8) Other damage (specify): _____ (9) Unknown</p>	

<p>43. Leakage Location of Fuel System-1 <u> 1 </u></p> <p>44. Leakage Location of Fuel System-2 <u> 0 </u> (0) No fuel tank (1) No fuel leakage</p> <p><i>Primary Area Of Leakage</i></p> <p>(2) Tank (3) Filler neck (4) Cap (5) Lines/pump/filter (6) Vent/emission recovery (8) Other (specify): _____ (9) Unknown</p> <p>45. Fuel Type-1 <u> 0 1 </u></p> <p>46. Fuel Type-2 <u> 0 0 </u></p> <p><i>Single Fuel Type</i></p> <p>(00) No fuel tank (01) Gasoline (02) Diesel (03) CNG (Compressed Natural Gas) (04) LPG (Liquid Petroleum Gas) also known as Propane (05) LNG (Liquid Natural Gas) (06) Methanol (M100 or M85) (07) Ethanol (E100 or E85) (08) Other (Hydrogen or others) (specify): _____</p> <p>_____</p> <p><i>Electric Powered or Electric/Solar Powered Vehicles</i></p> <p>(10) Lead Acid Battery (11) Nickel-Iron Battery (12) Nickel-Cadmium Battery (13) Sodium Metal Chloride Battery (14) Sodium Sulfur Battery (18) Other (Specify): _____</p> <p>(98) Other Hybrid (specify): _____</p> <p>_____</p> <p>(99) Unknown fuel type</p>	<p>47. Is This Vehicle Equipped With More Than Two Fuel Tanks? <u> 0 </u> (0) No (one or two tanks only)</p> <p><i>Yes - More Than Two Tanks</i></p> <p>(1) Yes -- <u>no damage</u> to any tank or filler cap and <u>no fuel system leakage</u></p> <p>(2) Yes -- <u>no damage</u> to any tank or filler cap but <u>there is fuel system leakage</u> (specify leakage location): _____</p> <p>(3) Yes -- <u>damage</u> to an additional tank or filler cap and <u>there is fuel system leakage</u> (specify the following): Type of tank _____ Tank location _____ Filler cap location _____ Tank damage _____ Location of leakage _____ Type of fuel _____</p> <p>(9) Unknown if more than two tanks</p>
<p>COMMENTS</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED ***

(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.



INTERIOR VEHICLE FORM

GLAZING

1. Primary Sampling Unit Number 12
2. Case Number - Stratum 163A
3. Vehicle Number 01

INTEGRITY

4. Passenger Compartment Integrity 98
(00) No integrity loss

Yes, Integrity Was Lost Through

(01) Windshield
(02) Door (side)
(03) Door/hatch (back door)
(04) Roof
(05) Roof glass
(06) Side window
(07) Rear window (backlight)
(08) Roof and roof glass
(09) Windshield and door (side)
(10) Windshield and roof
(11) Side and rear window (side window and backlight)
(12) Windshield and side window
(13) Door and side window
(98) Other combination of above (specify):
side-backlight i.w.s.
(99) Unknown

Door, Tailgate or Hatch Opening

5. LF 3 6. RF 1 7. LR 1 8. RR 1 9. TG/H 0

(0) No door/gate/hatch
(1) Door/gate/hatch remained closed and operational
(2) Door/gate/hatch came open during collision
(3) Door/gate/hatch jammed shut
(8) Other (specify):

(9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code 0

10. LF 0 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0

(0) No door/gate/hatch or door not opened

Door, Tailgate or Hatch Came Open During Collision

(1) Door operational (no damage)
(2) Latch/striker failure due to damage
(3) Hinge failure due to damage
(4) Door structure failure due to damage
(5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage
(6) Latch/striker and hinge failure due to damage
(8) Other failure (specify):

(9) Unknown

Type of Window/Windshield Glazing

15. WS 1 16. LF 2 17. RF 2 18. LR 2 19. RR 2
20. BL 2 21. Roof 0 22. Other 2

- (0) No glazing
- (1) AS-1 - Laminated
- (2) AS-2 - Tempered
- (3) AS-3 - Tempered-tinted (original)
- (4) AS-2 - Tempered-with after market tint
- (5) AS-3 - Tempered-tinted (with additional after market tint)
- (6) AS-14 - Glass/Plastic
- (7) Glazing removed prior to accident
- (8) Other (specify):

- (9) Unknown

Window Precrash Glazing Status

23. WS 1 24. LF 9 25. RF 2 26. LR 2 27. RR 2
28. BL 1 29. Roof 0 30. Other 1

- (0) No glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (7) Glazing removed prior to accident
- (9) Unknown

Glazing Damage from Impact Forces

31. WS 3 32. LF 6 33. RF 1 34. LR 1 35. RR 1
36. BL 6 37. Roof 0 38. Other 1

- (0) No glazing
- (1) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (9) Unknown if damaged


Glazing Damage from Occupant Contact

39. WS 9 40. LF 9 41. RF 1 42. LR 1 43. RR 1
44. BL 1 45. Roof 0 46. Other 1

- (0) No glazing
- (1) No occupant contact to glazing
- (2) Glazing contacted by occupant but no glazing damage
- (3) Glazing in place and cracked by occupant contact
- (4) Glazing in place and holed by occupant contact
- (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (6) Glazing out-of-place by occupant contact and holed by occupant contact
- (7) Glazing removed prior to accident
- (8) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

INTRUSION WORKSHEET

Note: Sketch intruded areas



* measurements taken to B Pillar

LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measurements Are In Centimeters)			DOMINANT CRUSH DIRECTION
		COMPARISON VALUE	INTRUDED VALUE	INTRUSION	
11	IP	74	39	35	long.
12	IP	74	34	40	
13	IP	74	54	20	
11	toe pan	109	67	42	
11	seatback	22	19	3	
13	seatback	22	17	5	
13	w.s.	64	61	3	
12	w.s.	64	60	4	
11	w.s.	64	62	2	
11	hood	116	109	7	
11	steering column	80	33	47	
11	A pillar	64	49	15	
11	w.s. header	64	45	19	

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

	Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st	47. <u>11</u>	48. <u>01</u>	49. <u>5</u>	50. <u>2</u>
2nd	51. <u>11</u>	52. <u>05</u>	53. <u>4</u>	54. <u>2</u>
3rd	55. <u>12</u>	56. <u>03</u>	57. <u>4</u>	58. <u>2</u>
4th	59. <u>11</u>	60. <u>02</u>	61. <u>4</u>	62. <u>2</u>
5th	63. <u>13</u>	64. <u>04</u>	65. <u>3</u>	66. <u>2</u>
6th	67. <u>11</u>	68. <u>16</u>	69. <u>3</u>	70. <u>2</u>
7th	71. <u>11</u>	72. <u>06</u>	73. <u>3</u>	74. <u>2</u>
8th	75. <u>13</u>	76. <u>20</u>	77. <u>1</u>	78. <u>2</u>
9th	79. <u>12</u>	80. <u>15</u>	81. <u>1</u>	82. <u>2</u>
10th	83. <u>13</u>	84. <u>15</u>	85. <u>1</u>	86. <u>2</u>

INTRUDING COMPONENT

Interior Components

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Side panel - forward of the A1/A2-pillar
- (11) Door panel (side)
- (12) Side panel - rear of the B-pillar
- (13) Roof (or convertible top)
- (14) Roof side rail
- (15) Windshield
- (16) Windshield header
- (17) Window frame
- (18) Floor pan (includes sill)
- (19) Backlight header
- (20) Front seat back
- (21) Second seat back
- (22) Third seat back
- (23) Fourth seat back
- (24) Fifth seat back
- (25) Seat cushion
- (26) Back door/panel (e.g., tailgate)
- (27) Other interior component (specify): _____

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify): _____
- (32) Other exterior object in the environment (specify): _____
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): _____
- (99) Unknown

LOCATION OF INTRUSION

Front Seat

- (11) Left
- (12) Middle
- (13) Right

Second Seat

- (21) Left
- (22) Middle
- (23) Right

Third Seat

- (31) Left
- (32) Middle
- (33) Right

Fourth Seat

- (41) Left
- (42) Middle
- (43) Right

- (97) Catastrophic
- (98) Other enclosed area (specify) _____

- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE	—	DAMAGE VALUE	=	DEFORMATION
11	—	24	=	13
	—		=	
	—		=	
	—		=	

Blank area for additional data or notes.

STEERING COLUMN

INSTRUMENT PANEL

87. Steering Column Type 2
 (1) Fixed column
 (2) Tilt column
 (3) Telescoping column
 (4) Tilt and telescoping column
 (8) Other column type (specify): _____
 (9) Unknown

88. Tilt Steering Column Adjustment 1
 (0) No tilt steering column
 (1) Full up
 (2) Between full up and center
 (3) Center
 (4) Between center and full down
 (5) Full down
 (9) Unknown

89. Telescoping Steering Column Adjustment 0
 (0) No telescoping steering column
 (1) Full back
 (2) Between full back and midpoint
 (3) Midpoint
 (4) Between midpoint and full forward
 (5) Full forward
 (9) Unknown

90. Steering Rim/Spoke Deformation 1 3
 Code actual measured
 deformation to the nearest centimeter
 (00) No steering rim deformation
 (01-14) Actual measured value in centimeters
 (15) 15 centimeters or more
 (98) Observed deformation cannot be measured
 (99) Unknown

91. Location of Steering Rim/Spoke Deformation 0 5
 (00) No steering rim deformation



Quarter Sections

- (01) Section A
- (02) Section B
- (03) Section C
- (04) Section D



Half Sections

- (05) Upper half of rim/spoke
- (06) Lower half of rim/spoke
- (07) Left half of rim/spoke
- (08) Right half of rim/spoke
- (09) Complete steering wheel collapse
- (10) Undetermined location
- (99) Unknown



92. Odometer Reading 0 3 8,000
 kilometers
 Code to the nearest 1,000 kilometers
 (000) No odometer
 (001) Less than 1,500 kilometers
 (500) 499,500 kilometers or more
 (999) Unknown
23,434 miles X 1.6093 = 37,712 kilometers

Source: odometer

93. Instrument Panel Damage from Occupant Contact? 1
 (0) No
 (1) Yes
 (9) Unknown

94. Type of Knee Bolster Covering 2
 (0) No knee bolster
 (1) Padded
 (2) Rigid plastic
 (8) Other (specify): _____
 (9) Unknown


95. Knee Bolsters Deformed from Occupant Contact? 2
 (0) No knee bolster
 (1) No deformation
 (2) Yes - deformation
 (9) Unknown

96. Did Glove Compartment Door Open During Collision(s)? 2
 (0) No glove compartment door
 (1) No - door did not open
 (2) Yes - door opened
 (9) Unknown

97. Adaptive (Assistive) Driving Equipment 0
 (0) No adaptive driving equipment
 (1) Adaptive driving equipment installed (Check all that apply.)
 Hand controls for braking/acceleration
 Steering control devices (attached to OEM steering wheel)
 Steering knob attached to steering wheel
 Low effort power steering (unit or device)
 Replacement steering wheel (i.e., reduced diameter)
 Joy-stick steering controls
 Wheelchair tie-downs
 Modification to seat belts (specify): _____
 Additional or relocated switches (specify): _____
 Raised roof
 Wall-mounted head rest (used behind wheelchair)
 Other adaptive device (specify): _____
 (9) Unknown

VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure. Cross hatch contact points, draw spider webs or use other annotation as may be appropriate. Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	252	1	(R) hip	shift lever pushed (R)	1
B	051	1	head	blood trickling down door of deformation	1
C	151	1	back	seatback deformed	1
D	151	2	back	kinematics w/ seatbelt usage	1
E	059	1	head	roof rail w/ brown hair	3
F	056	1	(L) side/head	(L) front window point of ejection	2
G	054	1	(L) side	42cm down is blue cloth transfer	3
H	004/170	1	chest	bent rim of blood on airbag	1
I	010	1	legs	white cloth transfer 15cm long x 2cm w	1
J	007	1	(L) hand	cracked lever	1
K	010	1	legs	cracked IP is entrapment area	1
L	007	1	(R) hand	lever pushed upward	1
M	180	2	Coat?	snag on airbag	1
N					

CODES FOR INTERIOR COMPONENTS

- FRONT**
- (001) Windshield
 - (002) Mirror
 - (003) Sunvisor
 - (004) Steering wheel rim
 - (005) Steering wheel hub/spoke
 - (006) Steering wheel (combination of codes 004 and 005)
 - (007) Steering column, transmission selector lever, other attachment
 - (008) Cellular telephone or CB radio
 - (009) Add on equipment (e.g., tape deck, air conditioner)
 - (010) Left instrument panel and below
 - (011) Center instrument panel and below
 - (012) Right instrument panel and below
 - (013) Glove compartment door
 - (014) Knee bolster
 - (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
 - (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
 - (017) Windshield reinforced by exterior object, (specify): _____
 - (019) Other front object (specify): _____

- LEFT SIDE**
- (051) Left side interior surface, excluding hardware or armrests
 - (052) Left side hardware or armrest
 - (053) Left A (A1/A2)-pillar
 - (054) Left B-pillar
 - (055) Other left pillar (specify): _____
 - (056) Left side window glass
 - (057) Left side window frame
 - (058) Left side window sill
 - (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail
 - (060) Other left side object (specify): _____
- RIGHT SIDE**
- (101) Right side interior surface, excluding hardware or armrests
 - (102) Right side hardware or armrest
 - (103) Right A (A1/A2)-pillar
 - (104) Right B-pillar
 - (105) Other right pillar (specify): _____
 - (106) Right side window glass
 - (107) Right side window frame
 - (108) Right side window sill
 - (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail
 - (110) Other right side object (specify): _____

- INTERIOR**
- (151) Seat, back support
 - (152) Belt restraint webbing/buckle
 - (153) Belt restraint B-pillar or door frame attachment point
 - (154) Other restraint system component (specify): _____
 - (155) Head restraint system
 - (160) Other occupants (specify): _____
 - (161) Interior loose objects
 - (162) Child safety seat (specify): _____
 - (163) Other interior object (specify): _____
- AIR BAG**
- (170) Air bag-driver side
 - (175) Air bag compartment cover-driver side
 - (180) Air bag-passenger side
 - (185) Air bag compartment cover-passenger side
 - (190) Other air bag (specify) _____
 - (195) Other air bag compartment cover (specify) _____

- ROOF**
- (201) Front header
 - (202) Rear header
 - (203) Roof left side rail
 - (204) Roof right side rail
 - (205) Roof or convertible top

- FLOOR**
- (251) Floor (including toe pan)
 - (252) Floor or console mounted transmission lever, including console
 - (253) Parking brake handle
 - (254) Foot controls including parking brake

- REAR**
- (301) Backlight (rear window)
 - (302) Backlight storage rack, door, etc.
 - (303) Other rear object (specify): _____
- ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT**
- (401) Hand controls for braking/acceleration
 - (402) Steering control devices (attached to OEM steering wheel)
 - (403) Steering knob attached to steering wheel
 - (405) Replacement steering wheel (i.e., reduced diameter)
 - (406) Joy stick steering controls
 - (407) Wheelchair tie-downs
 - (408) Modification to seat belts, (specify): _____
 - (409) Additional or relocated switches, (specify): _____
 - (410) Raised roof
 - (411) Wall mounted head rest (used behind wheel chair)
 - (412) Other adaptive device (specify): _____

- CONFIDENCE LEVEL OF CONTACT POINT**
- (1) Certain
 - (2) Probable
 - (3) Possible
 - (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form. If a Child safety seat is present, encode the data on the back of this page. If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
F I R S T	Availability	4	0	4
	Evidence of usage	* 00	00	04
	Used in this crash?	00	00	04
	Proper Use	0	0	9
	Failure Modes	0	0	1
	Anchorage Adjustment	1	0	1
S E C O N D	Availability	4	3	4
	Evidence of usage	00	00	04
	Used in this crash?	00	00	00
	Proper Use	0	0	0
	Failure Modes	0	0	0
	Anchorage Adjustment	1	0	1
O T H E R	Availability			
	Evidence of usage	* slight dent on buckle		
	Used in this crash?			
	Proper Use			
	Failure Modes			
	Anchorage Adjustment			

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____

- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): _____

- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown

Shoulder Belt Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left Front	Right Front	Other
F I R S T	Availability/Function	1	1	0
	Deployment	1	1	0
	Failure	1	1	0

Air Bag System Availability/Function

- (0) Not equipped/not available
(1) Air bag

Non-functional

- (2) Air bag disconnected (specify):

- (3) Air bag not reinstalled
(9) Unknown

Are There Indications of Air Bag System Failure? (This Occupant Position)

- (0) Not equipped/not available
(1) No
(2) Yes (specify):

- (9) Unknown

Frontal Air Bag System Deployment (This Occupant Position)

- (0) Not equipped/not available
(1) Deployed during accident (as a result of impact)
(2) Deployed inadvertently just prior to accident
(3) Deployed, accident sequence undetermined
(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
(5) Unknown if deployed
(7) Nondeployed
(9) Unknown

Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position)

- (0) Not equipped with an "other" air bag
(1) Deployed during accident (as a result of impact)
(2) Deployed inadvertently just prior to accident
(3) Deployed, details unknown
(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
(5) Unknown if deployed
(7) Nondeployed
(9) Unknown

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function	0	0
	Use	0	0
	Type	0	0
	Proper Use	0	0
	Failure Modes	0	0

Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
(1) 2 point automatic belts
(2) 3 point automatic belts
(3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
(9) Unknown

Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
(1) Automatic belt in use
(2) Automatic belt not in use (manually disconnected, motorized track inoperative)
(3) Automatic belt use unknown
(9) Unknown

Automatic (Passive) Belt System Type

- (0) Not equipped/not available
(1) Non-motorized system
(2) Motorized system
(9) Unknown

Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
(1) Automatic belt used properly
(2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
(4) Automatic shoulder belt worn behind back
(5) Automatic belt worn around more than one person
(6) Lap portion of automatic belt worn on abdomen
(7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):

- (8) Other improper use of automatic belt system (specify):

- (9) Unknown

Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
(1) No automatic belt failure(s)
(2) Torn webbing (stretched webbing not included)
(3) Broken buckle or latchplate
(4) Upper anchorage separated
(5) Other anchorage separated (specify):

- (6) Broken retractor
(7) Combination of above (specify):

- (8) Other automatic belt failure (specify):

- (9) Unknown

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
Type of air bag?	8	8
Flaps open at tear points?	2	2
Flaps damaged?	2	1
Air bag damaged?	04	01
Source of air bag damage	88	01
Air bag tethered?	2	1
Air bag have vent ports?	2	1
Other occupant contact air bag?	1	1
Occupant wearing eyewear?	1	1

Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
tear beyond tear seam
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
- (03) Cut
- (04) Torn : *burnt*
- (05) Holed
- (06) Burned
- (07) Abraded
- (88) Other damage (specify):

Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
interior door
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
2
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
2
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)




DRIVER AIR BAG SKETCHES (Cont'd)

3. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

- a. Upper Flap b. Lower Flap
width (W_U) _____ width (W_L) _____
height (H_U) _____ height (H_L) _____




4. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE




5. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

6. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS




PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)



snag 36 cm to (L)
33 cm down from top

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)



whole bag is covered w/ eggs: milk


PASSENGER AIR BAG SKETCHES (Cont'd)

3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

a. Flap

width (W) 30

height (H) 12



4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width (W_u) _____


width (W_l) _____

height (H_u) _____

height (H_l) _____




5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE



6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS

none



"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES


1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)

"OTHER" AIR BAG SKETCHES (Cont'd)

3. SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG

4. SKETCH AIR BAG VENT PORTS





HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
FIRST	Head Restraint Type/Damage	4	0	4
	Seat Type	01	00	01
	Seat Performance	5	0	8
	Seat Orientation	1	0	1
	Seat Track Position	3	0	2
	Seat Back Incline Pre/Post Impact	25	00	25
SECOND	Head Restraint Type/Damage	1	0	1
	Seat Type	04	04	04
	Seat Performance	3	3	3
	Seat Orientation	1	1	1
	Seat Track Position	1	1	1
	Seat Back Incline Pre/Post Impact	01	01	01
THIRD	Head Restraint Type/Damage			
	Seat Type	1. Left front seat	2. Right front seat	
	Seat Performance	A. to s.w. bolt 28 @ center of seat	A. to flap 39 @ center of seat	
	Seat Orientation	to IP 35 " " "	to IP 60 " " "	
	Seat Track Position	B. to s.w. bolt 14 to @ side support	B. to flap 29 to (L) side support	
	Seat Back Incline Pre/Post Impact	to IP 20 " " "	to IP 53	
OTHER	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**



HEAD RESTRAINTS/SEAT EVALUATION

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other
Specify: _____
- (9) Unknown

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____
- (9) Unknown

Seat Track Adjusted Position Prior To Impact




- (0) Occupant not seated or no seat
 - (1) Non-adjustable seat track
- Adjustable Seat Track*
- (2) Seat at forward most track position
 - (3) Seat between forward most and middle track positions
 - (4) Seat at middle track position
 - (5) Seat between middle and rear most track positions
 - (6) Seat at rear most track position
 - (9) Unknown

Seat Back Incline Prior and Post Impact

- (00) Occupant not seated or no seat
 - (01) Not adjustable
- Upright prior to impact*
- (11) Moved to completely rearward position
 - (12) Moved to rearward midrange position
 - (13) Moved to slightly rearward position
 - (14) Retained pre-impact position
 - (15) Moved to slightly forward position
 - (16) Moved to forward midrange position
 - (17) Moved to completely forward position

- Slightly reclined prior to impact*
- (21) Moved to completely rearward position
 - (22) Moved to rearward midrange position
 - (23) Retained pre-impact position
 - (24) Moved to upright position
 - (25) Moved to slightly forward position
 - (26) Moved to forward midrange position
 - (27) Moved to completely forward position

- Completely reclined prior to impact*
- (31) Retained pre-impact position
 - (32) Moved to rearward midrange position
 - (33) Moved to slightly rearward position
 - (34) Moved to upright position
 - (35) Moved to slightly forward position
 - (36) Moved to forward midrange position
 - (37) Moved to completely forward position
 - (99) Unknown



Coding diagrams for *Seat Back Incline Position Prior and Post Impact*

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat	<i>not used, but per police narrative</i>					
2. Child Safety Seat Orientation	<i>was located in the vehicle</i>					
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

<p>1. Type of Child Safety Seat</p> <ul style="list-style-type: none"> (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety seat (specify): _____ (8) Unknown child safety seat type (9) Unknown if child safety seat used <p>2. Child Safety Seat Orientation</p> <p>(00) No child safety seat</p> <p>Designed for Rear Facing for This Age/Weight</p> <ul style="list-style-type: none"> (01) Rear facing (02) Forward facing (08) Other orientation (specify): _____ (09) Unknown orientation <p>Designed for Forward Facing for This Age/Weight</p> <ul style="list-style-type: none"> (11) Rear facing (12) Forward facing (18) Other orientation (specify): _____ (19) Unknown orientation <p>Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight</p> <ul style="list-style-type: none"> (21) Rear facing (22) Forward facing (28) Other orientation (specify): _____ (29) Unknown orientation <p>(99) Unknown if child safety seat used</p> <p>3. Child Safety Seat Harness Usage</p>	<p>4. Child Safety Seat Shield Usage</p> <p>5. Child Safety Seat Tether Usage Note: Options Below Are Used for Variables 3-5.</p> <p>(00) No child safety seat</p> <p>Not Designed with Harness/Shield/Tether</p> <ul style="list-style-type: none"> (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used <p>Designed With Harness/Shield/Tether</p> <ul style="list-style-type: none"> (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used <p>Unknown If Designed With Harness/Shield/Tether</p> <ul style="list-style-type: none"> (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used <p>(99) Unknown if child safety seat used</p> <p>6. Child Safety Seat Make/Model (Specify make/model and occupant number)</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>
---	--

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

The head of 01 may have partially ejected through the (D) front window according to PDoF, occupant contact points and kinematics.

Occupant Number	01					
Ejection	3					
(Note on Vehicle Interior Sketch) Ejection Area	2					
Ejection Medium	4					
Medium Status	9					

- Ejection**
 (1) Complete ejection
 (2) Partial ejection
 (3) Ejection, Unknown degree
 (9) Unknown

- Ejection Area**
 (1) Windshield
 (2) Left front
 (3) Right front
 (4) Left rear
 (5) Right rear
 (6) Rear

- (7) Roof
 (8) Other area (e.g., back of pickup, etc.) (specify):

 (9) Unknown

- Ejection Medium**
 (1) Door/hatch/tailgate
 (2) Nonfixed roof structure
 (3) Fixed glazing
 (4) Nonfixed glazing (specify):
 (D) front glass

- (5) Integral structure
 (8) Other medium (specify):

 (9) Unknown

- Medium Status (Immediately Prior to Impact)**
 (1) Open
 (2) Closed
 (3) Integral structure
 (9) Unknown

ENTRAPMENT No [] Yes []

Describe entrapment mechanism: *the legs of the driver were trapped by the I.P. between the (D) front seat cushion*

Component(s): *lower I.P. and (D) front seat cushion*

(Note in vehicle interior diagram)



OCCUPANT ASSESSMENT FORM

OCCUPANT'S SEATING

- 1. Primary Sampling Unit Number 12
- 2. Case Number - Stratum 163A
- 3. Vehicle Number 01
- 4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

- 5. Occupant's Age 28
Code actual age at time of accident.
(00) Less than one year old (specify by month):

(97) 97 years and older
(99) Unknown

- 6. Occupant's Sex 1
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown

supplemental report

- 7. Occupant's Height 193
Code actual height to the nearest centimeter.
(999) Unknown

76 inches X 2.54 = _____ centimeters

- 8. Occupant's Weight 095
Code actual weight to the nearest kilogram.
(999)Unknown

210 pounds X .4536 = _____ kilograms

- 9. Occupant's Role 1
(1) Driver
(2) Passenger
(9) Unknown

- 10. Occupant's Seat Position 11
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant

- Second Seat*
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant

- Third Seat*
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant

- Fourth Seat*
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant

- (97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown

- 11. Occupant's Posture 9
(0) Normal posture

- Abnormal posture*
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____
(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 2

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 2

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

14. Ejection Medium 4

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):
front glass
- (5) Integral structure
- (8) Other medium (specify): _____
- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 2

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 1

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
- (9) Unknown

17. Occupant Mobility 1

- (0) Occupant fatal before removed from vehicle
- (1) Removed from vehicle while unconscious or disoriented
- (2) Removed from vehicle due to injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (9) Unknown

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 4

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available—type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____

(9) Unknown _____

19. Manual (Active) Belt System Use 00

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify): _____

- (02) Shoulder belt _____
- (03) Lap belt _____
- (04) Lap and shoulder belt _____
- (05) Belt used—type unknown _____
- (08) Other belt used (specify): _____

- (12) Shoulder belt used with child safety seat _____
- (13) Lap belt used with child safety seat _____
- (14) Lap and shoulder belt used with child safety seat _____
- (15) Belt used with child safety seat—type unknown _____
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used _____

20. Proper Use of Manual (Active) Belts 0

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____

(8) Other improper use of manual belt system (specify): _____

(9) Unknown _____

21. Manual (Active) Belt Failure Modes During Accident 0

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____

(6) Broken retractor _____

(7) Combination of above (specify): _____

(8) Other manual belt failure (specify): _____

(9) Unknown _____

22. Shoulder Belt Upper Anchorage Adjustment 1

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

23. Automatic (Passive) Belt System Availability/Function 0

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

24. Automatic (Passive) Belt System Use 0

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
- (3) Automatic belt use unknown
- (9) Unknown

25. Automatic (Passive) Belt System Type 0

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

26. Proper Use of Automatic (Passive) Belt System 0

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____

(8) Other improper use of automatic belt system (specify): _____

(9) Unknown _____

27. Automatic (Passive) Belt Failure Modes During Accident 0

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____

(6) Broken retractor _____

(7) Combination of above (specify): _____

(8) Other automatic belt failure (specify): _____

(9) Unknown _____

POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
<p>28. Police Reported Belt Use <u>0</u></p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown"</p> <p>29. Police Reported Air Bag Availability/Function <u>2</u></p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p> <hr/> <p>Check the Primary Source Used In Determining Belt Use.</p> <p><input type="checkbox"/> Not equipped/not available/destroyed or rendered inoperative <input checked="" type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input type="checkbox"/> Other (specify): _____ <input type="checkbox"/> Unknown if belt used _____ _____ _____</p>	<p>30. Frontal Air Bag System Availability/Function (This Occupant Position) <u>1</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p> <p>31. Frontal Air Bag System Deployment (This Occupant Position) <u>1</u></p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> _____</p> <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) <u>0</u></p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) <u>X</u> <u>2</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): <u>See OA43: Bag Torn</u> (9) Unknown</p>

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 8
 (0) Not equipped/not available
 (1) No previous accidents
 Yes
 (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown
36. Type of Air Bag 8
 (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown
37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 9
 (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify):

 (9) Unknown
38. Air Bag Deployment Accident Event Sequence Number 01
 (00) Not equipped/not available
1 Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
39. CDC For Air Bag Deployment Impact 1
 (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify):

 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
40. Longitudinal Component of Delta V For Air Bag Deployment Impact 054
 (000) Not equipped/not available
 Code the value of the delta V for the impact that initiated the air bag deployment
 (996) Deployment, unknown longitudinal Delta V
 (997) Not deployed
 (998) Unknown if deployed
 (999) Unknown
41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 2
 (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
42. Were Air Bag Module Cover Flap(s) Damaged? 2
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify): *torn beyond seam*
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
43. Was There Damage To The Air Bag? 04
 (00) Not equipped/not available
 (01) Not damaged
 Yes - Air Bag Damage
 (02) Ruptured
 (03) Cut
 (04) Torn: *burnt*
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify):

 (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION** *continued*

44. Source of Air Bag Damage 8 8
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):
interior door

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 2
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):
2

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 2
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):
2

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 1
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 1
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant at This Occupant Position 4
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 0 1
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 3
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track

Adjustable Seat Track
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 25

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 5

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight
 (01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight
 (11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
 (21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0

59. Child Safety Seat Shield Usage 0 0

60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to
 Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether
 added, not used

(02) After market harness/shield/tether used

(03) Child safety seat used, but no after market
 harness/shield/tether added

(09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

(11) Harness/shield/tether not used

(12) Harness/shield/tether used

(19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used

(22) Harness/shield/tether used

(29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

61. Injury Severity (Police Rating) 4

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 1

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

(9) Unknown

64. Hospital Stay 08

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 62

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

INJURY CONSEQUENCES

TRAUMA DATA

66. Time to Death 38 08
 _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

67. 1st Medically Reported Cause of Death 96
99

68. 2nd Medically Reported Cause of Death 00

69. 3rd Medically Reported Cause of Death 00
 _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
Cardiopulmonary arrest
 (97) Other result (includes fatal ruled disease) (specify):

 (99) Unknown

70. Number of Recorded Injuries for This Occupant 19
03
 _____ Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 05 02
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

72. Was the Occupant Given Blood? 9
 (1) No - blood not given
 (2) Yes - blood given (specify units): _____
 (9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 21
01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 1
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>12</u>	3. Vehicle Number <u>01</u>
2. Case Number - Stratum <u>163A</u>	4. Occupant Number <u>01</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

Source of Injury Data	A.I.S. - 90							Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source					
blunt head trauma	1st	5. <u>9</u>	6. <u>1</u>	7. <u>1</u>	8. <u>50</u>	9. <u>99</u>	10. <u>7</u>	11. <u>0</u>	12. <u>697</u>	13. <u>9</u>	14. <u>7</u>	15. <u>99</u>
blunt chest	2nd	16. <u>9</u>	17. <u>4</u>	18. <u>1</u>	19. <u>50</u>	20. <u>99</u>	21. <u>7</u>	22. <u>0</u>	23. <u>697</u>	24. <u>9</u>	25. <u>7</u>	26. <u>99</u>
blunt abd	3rd	27. <u>9</u>	28. <u>5</u>	29. <u>1</u>	30. <u>50</u>	31. <u>99</u>	32. <u>7</u>	33. <u>0</u>	34. <u>697</u>	35. <u>9</u>	36. <u>7</u>	37. <u>99</u>
4th	38. ___	39. ___	40. ___	41. ___	42. ___	43. ___	44. ___	45. ___	46. ___	47. ___	48. ___	
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___	
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___	
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___	
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___	
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___	
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___	



OCCUPANT INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number <u>12</u>	3. Vehicle Number <u>01</u>
2. Case Number - Stratum <u>163A</u>	4. Occupant Number <u>01</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number		
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect						
① intracerebral hem	1st	5. <u>2</u>	6. <u>1</u>	7. <u>4</u>	8. <u>06</u>	9. <u>46</u> <u>38</u>	10. <u>4</u> <u>5</u>	11. <u>1</u> <u>3</u>	12. <u>015</u>	13. <u>3</u>	14. <u>1</u>	15. <u>06</u>
② intracerebral hem	2nd	16. <u>2</u>	17. <u>1</u>	18. <u>4</u>	19. <u>06</u>	20. <u>48</u>	21. <u>5</u>	22. <u>2</u>	23. <u>015</u>	24. <u>3</u>	25. <u>1</u>	26. <u>06</u>
③ brain edema	3rd	27. <u>2</u>	28. <u>1</u>	29. <u>4</u>	30. <u>06</u>	31. <u>68</u>	32. <u>3</u>	33. <u>1</u>	34. <u>015</u>	35. <u>3</u>	36. <u>1</u>	37. <u>06</u>
④ brain edema	4th	38. <u>2</u>	39. <u>1</u>	40. <u>4</u>	41. <u>06</u>	42. <u>68</u>	43. <u>3</u>	44. <u>2</u>	45. <u>015</u>	46. <u>3</u>	47. <u>1</u>	48. <u>06</u>
⑤ intraventricular hem	5th	49. <u>2</u>	50. <u>1</u>	51. <u>4</u>	52. <u>06</u>	53. <u>78</u>	54. <u>4</u>	55. <u>1</u>	56. <u>015</u>	57. <u>3</u>	58. <u>1</u>	59. <u>06</u>
subarachnoid hem	6th	60. <u>2</u>	61. <u>1</u>	62. <u>4</u>	63. <u>06</u>	64. <u>84</u>	65. <u>3</u>	66. <u>9</u>	67. <u>015</u>	68. <u>3</u>	69. <u>1</u>	70. <u>06</u>
CHI	7th	71. <u>2</u>	72. <u>1</u>	73. <u>6</u>	74. <u>08</u>	75. <u>20</u>	76. <u>4</u>	77. <u>0</u>	78. <u>015</u>	79. <u>3</u>	80. <u>1</u>	81. <u>06</u>
spleen hematoma	8th	82. <u>2</u>	83. <u>5</u>	84. <u>4</u>	85. <u>42</u>	86. <u>10</u>	87. <u>2</u>	88. <u>2</u>	89. <u>051</u>	90. <u>2</u>	91. <u>1</u>	92. <u>00</u>
spleen lac	9th	93. <u>2</u>	94. <u>5</u>	95. <u>4</u>	96. <u>42</u>	97. <u>22</u>	98. <u>2</u>	99. <u>2</u>	100. <u>051</u>	101. <u>2</u>	102. <u>1</u>	103. <u>00</u>
rib flt	10th	104. <u>2</u>	105. <u>4</u>	106. <u>5</u>	107. <u>02</u>	108. <u>32</u>	109. <u>4</u>	110. <u>2</u>	111. <u>051</u>	112. <u>2</u>	113. <u>1</u>	114. <u>00</u>

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02.	Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Right
(2) Face			(2) Left
(3) Neck			(3) Bilateral
(4) Thorax			(4) Central
(5) Abdomen			(5) Anterior
(6) Spine			(6) Posterior
(7) Upper Extremity			(7) Superior
(8) Lower Extremity			(8) Inferior
(9) Unspecified			(9) Unknown

Type of Anatomic Structure
(1) Whole Area
(2) Vessels
(3) Nerves
(4) Organs (includes Muscles/ligaments)
(5) Skeletal (includes joints)
(6) Head - LOC
(9) Skin

Whole Area
(02) Skin - Abrasion
(04) Skin - Contusion
(06) Skin - Laceration
(08) Skin - Avulsion
(10) Amputation
(20) Burn
(30) Crush
(40) Degloving
(50) Injury - NFS
(90) Trauma, other than mechanical

Head - LOC
(02) Length of LOC
(04) Level
(06) of
(08) Consciousness
(10) Concussion

Spine
(02) Cervical
(04) Thoracic
(06) Lumbar

Abbreviated Injury Scale
(1) Minor Injury
(2) Moderate Injury
(3) Serious Injury
(4) Severe Injury
(5) Critical Injury
(6) Maximum (untreatable)
(7) Injured, unknown severity

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify): _____
- (195) Other air bag compartment cover (specify): _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object



NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER
HEAD CONTUSIONS



OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL = 0

Glasgow Coma Scale Score

GCSS = 05

Units of Blood Given

Units = NR

Arterial Blood Gases


pH = 7.5

PO₂ = 326

PCO₂ = 27.3

HCO₃ = 20.6


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER: UNCONSCIOUS AT SCENE; RESPONDS ONLY MINIMALLY TO PAIN





UPDATE FORM

1. Primary Sampling Unit Number 12

2. Case Number — Stratum 163A

3. Vehicle Number 01

4. Occupant Number 01

RECEIVED [Redacted] **1996**

Driver or Occupant Name: [Redacted]

Address: _____

Other Information: _____

(Sanitize this section prior to Update submission.)

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	[Redacted]	[Redacted] 95
OAL09. Date Official Medical Data Obtained	[Redacted]	[Redacted] 96
OAL16. Injury Treatment Status	___	___
OAL17. Injury Information		
<u>Official</u>		
a. Autopsy (invasive examination)	B ___	___
b. Post-ER medical record which includes information about death based on non-invasive examination	B ___	___
c. Admission record/summary or admission/discharge face sheet	B 08	111
d. Discharge summary	B ___	111
e. Operative report	B ___	___
f. Radiographic record(s) (X-ray, CT scan)	B ___	111
g. History and physical examination and/or consultation records	B ___	111
h. Emergency room records (includes nurses' notes)	B 08	111
j. Private physician	B ___	___
<u>Unofficial</u>		
k. Lay coroner	B ___	___
l. EMS record	B ___	___
m. Interviewee	B ___	___
n. Other source (specify):	B ___	B ___
o. Police report	B 11	B ___

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL18. Medical Facility Code	___	06
GV14. Alcohol Test Results For Driver	___	___
GV16. Other Drug Specimen Test Type For Driver	___	___
OA05. Occupant's Age	___	___
OA06. Occupant's Sex	___	___
OA07. Occupant's Height	___	___
OA08. Occupant's Weight	___	___
OA61. Treatment-Mortality	___	___
OA62. Type of Medical Facility (for Initial Treatment)	___	___
OA63. Hospital Stay	___	___



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 12
 2. Case Number - Stratum 163A
 3. Vehicle Number 01
 4. Occupant Number 02

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 02
 Code actual age at time of accident.
 (00) Less than one year old (specify by month):
 (97) 97 years and older
 (99) Unknown

6. Occupant's Sex 1
 (1) Male
 (2) Female-not reported pregnant
 (3) Female-pregnant-1st trimester(1st-3rd month)
 (4) Female-pregnant-2nd trimester(4th-6th month)
 (5) Female-pregnant-3rd trimester(7th-9th month)
 (6) Female-pregnant-term unknown
 (9) Unknown

7. Occupant's Height 091
 Code actual height to the nearest
 centimeter.
 (999) Unknown
26 inches X 2.54 = _____ centimeters

8. Occupant's Weight 013
 Code actual weight to the nearest
 kilogram.
 (999)Unknown
028 pounds X .4536 = _____ kilograms

9. Occupant's Role 2
 (1) Driver
 (2) Passenger
 (9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 13
Front Seat
 (11) Left side
 (12) Middle
 (13) Right side
 (14) Other (specify): _____
 (15) On or in the lap of another occupant

Second Seat
 (21) Left side
 (22) Middle
 (23) Right side
 (24) Other (specify): _____
 (25) On or in the lap of another occupant

Third Seat
 (31) Left side
 (32) Middle
 (33) Right side
 (34) Other (specify): _____
 (35) On or in the lap of another occupant

Fourth Seat
 (41) Left side
 (42) Middle
 (43) Right side
 (44) Other (specify): _____
 (45) On or in the lap of another occupant
 (97) In or on unenclosed area
 (98) Other seat (specify): _____
 (99) Unknown

11. Occupant's Posture 9
 (0) Normal posture

Abnormal posture
 (1) Kneeling or standing on seat
 (2) Lying on or across seat
 (3) Kneeling, standing or sitting in front of seat
 (4) Sitting sideways or turned to talk with another occupant or to look out a rear window
 (5) Sitting on a console
 (6) Lying back in a reclined seat position
 (7) Bracing with feet or hands on a surface in front of seat
 (8) Other abnormal posture (specify): _____
 (9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 0
 (0) No ejection
 (1) Complete ejection
 (2) Partial ejection
 (3) Ejection, unknown degree
 (9) Unknown

13. Ejection Area 0
 (0) No ejection
 (1) Windshield
 (2) Left front
 (3) Right front
 (4) Left rear
 (5) Right rear
 (6) Rear
 (7) Roof
 (8) Other area (e.g., back of pickup, etc.)
 (specify): _____
 (9) Unknown

14. Ejection Medium 0
 (0) No ejection
 (1) Door/hatch/tailgate
 (2) Nonfixed roof structure
 (3) Fixed glazing
 (4) Nonfixed glazing (specify): _____
 (5) Integral structure
 (8) Other medium (specify): _____
 (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0
 (0) No ejection
 (1) Open
 (2) Closed
 (3) Integral structure
 (9) Unknown

MADE CHANGES

1st Review: IC

2nd Review: _____

16. Entrapment 9
 (0) Not entrapped/exit not inhibited
 (1) Entrapped/pinned - mechanically restrained
 (2) Could not exit vehicle due to jammed doors,
 fire, etc.
 (specify): _____
 (9) Unknown

17. Occupant Mobility 3
 (0) Occupant fatal before removed from
 vehicle
 (1) Removed from vehicle while unconscious or
 disoriented
 (2) Removed from vehicle due to injuries
 (3) Exited vehicle with some assistance
 (4) Exited vehicle under own power
 (5) Occupant fully ejected
 (9) Unknown

MADE CHANGES

1st Review: IC

2nd Review: _____

BELT SYSTEM FUNCTION

- | | |
|--|---|
| <p>18. Manual (Active) Belt System Availability <u>4</u></p> <p>(0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown</p> <p><i>Integral Belt Partially Destroyed</i>
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify): _____</p> <p>(9) Unknown</p> | <p>22. Shoulder Belt Upper Anchorage Adjustment <u>1</u></p> <p>(0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt</p> <p><i>Adjustable shoulder Belt Upper Anchorage</i>
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment</p> |
| <p>19. Manual (Active) Belt System Use <u>04</u></p> <p>(00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify): _____</p> <p>(02) Shoulder belt
 (03) Lap belt
 (04) Lap and shoulder belt
 (05) Belt used—type unknown
 (08) Other belt used (specify): _____</p> <p>(12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify): _____</p> <p>(99) Unknown if belt used</p> | <p>23. Automatic (Passive) Belt System Availability/Function <u>0</u></p> <p>(0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown</p> <p><i>Non-functional</i>
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown</p> |
| <p>20. Proper Use of Manual (Active) Belts <u>9</u></p> <p>(0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat</p> <p><i>Belt Used Improperly</i>
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____</p> <p>(8) Other improper use of manual belt system (specify): _____</p> <p>(9) Unknown</p> | <p>24. Automatic (Passive) Belt System Use <u>0</u></p> <p>(0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____</p> <p>(3) Automatic belt use unknown
 (9) Unknown</p> |
| <p>21. Manual (Active) Belt Failure Modes During Accident <u>1</u></p> <p>(0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____</p> <p>(6) Broken retractor
 (7) Combination of above (specify): _____</p> <p>(8) Other manual belt failure (specify): _____</p> <p>(9) Unknown</p> | <p>25. Automatic (Passive) Belt System Type <u>0</u></p> <p>(0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown</p> <p>26. Proper Use of Automatic (Passive) Belt System <u>0</u></p> <p>(0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat</p> <p><i>Automatic Belt Used Improperly</i>
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____</p> <p>(8) Other improper use of automatic belt system (specify): _____</p> <p>(9) Unknown</p> |
| | <p>27. Automatic (Passive) Belt Failure Modes During Accident <u>0</u></p> <p>(0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____</p> <p>(6) Broken retractor
 (7) Combination of above (specify): _____</p> <p>(8) Other automatic belt failure (specify): _____</p> <p>(9) Unknown</p> |

POLICE REPORTED RESTRAINT USE

AIR BAG SYSTEM FUNCTION

28. Police Reported Belt Use 8
- (0) None used
 - (1) Police did not indicate belt use
 - (2) Shoulder belt
 - (3) Lap belt
 - (4) Lap and shoulder belt
 - (5) Belt used, type not specified
 - (6) Child safety seat
 - (7) Automatic belt
 - (8) Other type belt, (specify):
child seat not used, not available, or improper
 - (9) Police indicated "unknown"

29. Police Reported Air Bag Availability/Function 2
- (0) No air bag available
 - (1) Police did not indicate air bag availability/function
 - (2) Deployed
 - (3) Not deployed
 - (4) Unknown if deployed
 - (9) Police indicated "unknown"

Check the Primary Source Used In Determining Belt Use.

- Not equipped/not available/destroyed or rendered inoperative
 - Vehicle inspection
 - Official injury data
 - Driver/occupant interview
 - Other (specify): _____
 - Unknown if belt used
- _____
- _____
- _____
- _____

30. Frontal Air Bag System Availability/Function (This Occupant Position) 1
- (0) Not equipped/not available
 - (1) Air bag

Non-functional

(2) Air bag disconnected (specify): _____

(3) Air bag not reinstalled

(9) Unknown

31. Frontal Air Bag System Deployment (This Occupant Position) 1
- (0) Not equipped/not available
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag

Non-functional

(2) Air bag disconnected (specify): _____

(3) Air bag not reinstalled

(9) Unknown

Specify type of "other" air bag present:

33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0
- (0) Not equipped with an "other" air bag
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

34. Are There Indications of Air Bag System Failure? (This Occupant Position) 1
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify): _____
 - (9) Unknown

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 8

- (0) Not equipped/not available
 (1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown

36. Type of Air Bag 9

- (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 9

- (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify):

 (9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 01

- (00) Not equipped/not available
1 Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

39. CDC For Air Bag Deployment Impact 1

- (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify):

 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

40. Longitudinal Component of Delta V For Air Bag Deployment Impact ⊕ 0.5

- (_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
 (_996) Deployment, unknown longitudinal Delta V
 (_997) Not deployed
 (_998) Unknown if deployed
 (_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 2

- (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 1

- (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

43. Was There Damage To The Air Bag? 01

- (00) Not equipped/not available
 (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify):

 (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION** *continued*

44. Source of Air Bag Damage 01
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 1
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 1
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 1
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 1
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant at This Occupant Position 4
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 01
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 2
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
Adjustable Seat Track
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 25

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 8

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____

(7) Combination of above (specify): _____

(8) Other (specify): deformed by cargo forward shift

(9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 000
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 00
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 00

59. Child Safety Seat Shield Usage 00

60. Child Safety Seat Tether Usage 00

Note: Options below applicable to
 Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

(11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 3

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

64. Hospital Stay 01

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 97

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER**INJURY CONSEQUENCES****TRAUMA DATA**

66. Time to Death 00
 _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

67. 1st Medically Reported Cause of Death 00

68. 2nd Medically Reported Cause of Death 00

69. 3rd Medically Reported Cause of Death 00
 _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) _____ Other result (includes fatal ruled disease) (specify):

(99) _____ Unknown

70. Number of Recorded Injuries for This Occupant 04
 _____ Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 02
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

72. Was the Occupant Given Blood? 1
 (1) No - blood not given
 (2) Yes - blood given
 (specify units): _____
 (9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 1
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>12</u>	3. Vehicle Number <u>01</u>
2. Case Number - Stratum <u>163A</u>	4. Occupant Number <u>02</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect					
<i>Close d Head Injury</i>											
1st	5. <u>3</u>	6. <u>1</u>	7. <u>6</u>	8. <u>04</u>	9. <u>02</u>	10. <u>1</u>	11. <u>8</u>	12. <u>180</u>	13. <u>2</u>	14. <u>1</u>	15. <u>00</u>
<i>R face abr</i>											
2nd	16. <u>3</u>	17. <u>2</u>	18. <u>9</u>	19. <u>02</u>	20. <u>02</u>	21. <u>1</u>	22. <u>1</u>	23. <u>180</u>	24. <u>2</u>	25. <u>1</u>	26. <u>00</u>
<i>L lip lac</i>											
3rd	27. <u>3</u>	28. <u>2</u>	29. <u>9</u>	30. <u>06</u>	31. <u>02</u>	32. <u>1</u>	33. <u>8</u>	34. <u>180</u>	35. <u>2</u>	36. <u>1</u>	37. <u>00</u>
<i>L leg abr</i>											
4th	38. <u>3</u>	39. <u>8</u>	40. <u>9</u>	41. <u>02</u>	42. <u>02</u>	43. <u>1</u>	44. <u>2</u>	45. <u>180</u>	46. <u>3</u>	47. <u>1</u>	48. <u>00</u>
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. The exceptions to this rule apply to:	Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region
Type of Anatomic Structure	<u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical <u>Head - LOC</u> (02) Length of LOC (04) Level (06) of (08) Consciousness (10) Concussion <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar	Abbreviated Injury Scale (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity	

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police _____	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify): _____
- (195) Other air bag compartment cover (specify): _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____

- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object



NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER: CLOSED HEAD INJURY; GLOC; AWARE + ALERT DURING EXTRICATION



OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL = NR

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units = 0

Arterial Blood Gases

pH =



PO₂ =

PCO₂ =

HCO₃ =

no record



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



2 yr neuro intact

OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction 0
 (0) Non-interchange area and non-junction
 (1) Interchange area related

Non-Interchange junctions

(2) Intersection related
 (3) Driveway, alley access related
 (4) Other junction (specify) _____

(5) Unknown type of junction

(9) Unknown

20. Trafficway Flow 0

(0) Not physically divided (two way traffic)
 (1) Divided trafficway-median strip without positive barrier
 (2) Divided trafficway-median strip with positive barrier
 (3) One way traffic
 (9) Unknown

21. Number Of Travel Lanes 2

(1) One
 (2) Two
 (3) Three
 (4) Four
 (5) Five
 (6) Six
 (7) Seven or more
 (9) Unknown

22. Roadway Alignment 1

(1) Straight
 (2) Curve right
 (3) Curve left
 (9) Unknown

23. Roadway Profile 1

(1) Level
 (2) Uphill grade (>2%)
 (3) Hill crest
 (4) Downhill grade (>2%)
 (5) Sag
 (9) Unknown

24. Roadway Surface Type 2

(1) Concrete
 (2) Bituminous (asphalt)
 (3) Brick or block
 (4) Slag, gravel, or stone
 (5) Dirt
 (8) Other (specify): _____
 (9) Unknown

25. Roadway Surface Condition 1

(1) Dry
 (2) Wet
 (3) Snow or slush
 (4) Ice
 (5) Sand, dirt, or oil
 (8) Other (specify): _____
 (9) Unknown

26. Light Conditions 1

(1) Daylight
 (2) Dark
 (3) Dark, but lighted
 (4) Dawn
 (5) Dusk
 (9) Unknown

27. Atmospheric Conditions 0

(0) No adverse atmospheric-related driving conditions
 (1) Rain
 (2) Sleet/hail
 (3) Snow
 (4) Fog
 (5) Rain and fog
 (6) Sleet and fog
 (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
 (9) Unknown

28. Traffic Control Device 0

(0) No traffic control(s)
 (1) Traffic control signal (not RR crossing)

Regulatory

(2) Stop sign
 (3) Yield sign
 (4) School zone sign
 (5) Other regulatory sign (specify): _____

(6) Warning sign (not RR crossing)
 (7) Unknown sign
 (8) Miscellaneous/other controls including RR controls (specify): _____

(9) Unknown

29. Traffic Control Device Functioning 0

(0) No traffic control device
 (1) Traffic control device not functioning (specify): _____
 (2) Traffic control device functioning properly
 (9) Unknown

OCCUPANT RELATED

37. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
38. Number of Occupants This Vehicle 01
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
39. Number of Occupant Forms Submitted 01

AIR BAG RELATED

40. Is this an AOPS Vehicle? 0
 (0) No (includes unknown)
 (1) Yes - researcher determined
 (2) VIN determined air bag system
 (3) VIN determined automatic (passive) belts
 (4) VIN determined air bag and automatic (passive) belts
41. Air Bag(s) Deployment, First Seat Frontal 0
 (0) Not equipped or not available
 (1) No air bags deployed
Single Air Bag Vehicle
 (2) Driver air bag deployed
 (3) Driver air bag, unknown if deployed
Multiple Air Bag Vehicle
 (4) Driver side only deployed
 (5) Passenger side only deployed
 (6) Driver and passenger side deployed
 (7) Driver and passenger side unknown if deployed
 (8) Air bag(s) deployed, details unknown
 (9) Unknown
42. Air Bag(s) Deployment, Other Than First Seat Frontal 0
 (0) Not equipped with an "other" air bag
 (1) Deployed during accident (as a result of impact)
 (2) Deployed inadvertently just prior to accident
 (3) Deployed, details unknown
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 (5) Unknown if deployed
 (7) Nondeployed
 (9) Unknown

Specify type of "other" air bag present: _____

VEHICLE WEIGHT ITEMS

43. Vehicle Curb Weight 1,420
 Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown
3137 lbs X .4536 = 1,423 kgs
 Source: 1987

44. Vehicle Cargo Weight 0,200
 Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
 lbs X .4536 = 204 kgs
 Source: _____

ROLLOVER DATA

45. Rollover 00
 (00) No rollover (no overturning)
Rollover (primarily about the longitudinal axis)
 (01-16) Code the number of quarter turns
 (17) Rollover, 17 or more quarter turns (specify): _____
 (98) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (99) Rollover (overturn), details unknown
46. Rollover Initiation Type 00
 (00) No rollover
 (01) Trip-over
 (02) Flip-over
 (03) Turn-over
 (04) Climb-over
 (05) Fall-over
 (06) Bounce-over
 (07) Collision with another vehicle
 (08) Other rollover initiation type specify): _____
 (98) Rollover--end-over-end
 (99) Unknown rollover initiation type
47. Location of Rollover Initiation 0
 (0) No rollover
 (1) On roadway
 (2) On shoulder—paved
 (3) On shoulder—unpaved
 (4) On roadside or divided trafficway median
 (8) Rollover--end-over-end
 (9) Unknown
48. Rollover Initiation Object Contacted 00
 (Note: Applicable codes on back of page)
49. Location on Vehicle Where Initial Principal Tripping Force Is Applied 0
 (0) No rollover
 (1) Wheels/tires
 (2) Side plane
 (3) End plane
 (4) Undercarriage
 (5) Other location on vehicle (specify): _____
 (6) Non-contact rollover forces (specify): _____
 (8) Rollover--end-over-end
 (9) Unknown
50. Direction of Initial Roll 0
 (0) No rollover
 (1) Roll right - primarily about the longitudinal axis
 (2) Roll left - primarily about the longitudinal axis
 (8) Rollover--end-over-end
 (9) Unknown roll direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover
 (01-30) — Vehicle Number

Noncollision

(31) Turn-over — fall-over
 (32) No rollover impact initiation (end-over-end)
 (34) Jackknife

Collision With Fixed Object

(41) Tree (\leq 10 cm in diameter)
 (42) Tree ($>$ 10 cm in diameter)
 (43) Shrubbery or bush
 (44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

(50) Pole or post (\leq 10 cm in diameter)
 (51) Pole or post ($>$ 10 cm but \leq 30 cm in diameter)
 (52) Pole or post ($>$ 30 cm in diameter)
 (53) Pole or post (diameter unknown)

(54) Concrete traffic barrier
 (55) Impact attenuator
 (56) Other traffic barrier (includes guardrail)
 (specify): _____

(57) Fence
 (58) Wall
 (59) Building
 (60) Ditch or culvert
 (61) Ground
 (62) Fire hydrant
 (63) Curb
 (64) Bridge
 (68) Other fixed object (specify): _____

(69) Unknown fixed object _____

Collision with Nonfixed Object

(70) Passenger car, light truck, van, or other vehicle not in-transport
 (71) Medium/heavy truck or bus not in-transport
 (76) Animal
 (77) Train
 (78) Trailer, disconnected in transport
 (79) Object fell from vehicle in-transport
 (88) Other nonfixed object (specify): _____

(89) Unknown nonfixed object _____

(98) Other event (specify): _____


(99) Unknown event or object _____

ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	<u>125.</u>	inches	x 2.54	=	_____	cm
Overall Length	<u>192.7</u>	inches	x 2.54	=	_____	cm
Maximum Width	_____	inches	x 2.54	=	_____	cm
Curb Weight	<u>3,137</u>	pounds	x .4536	=	____,	kg
Average Track	_____	inches	x 2.54	=	_____	cm
Front Overhang	<u>28.3</u>	inches	x 2.54	=	_____	cm
Rear Overhang	<u>39.4</u>	inches	x 2.54	=	_____	cm
Undeformed End Width	_____	inches	x 2.54	=	_____	cm
Engine Size: cyl./displ.	_____	cc	x .001	=	_____	L
	_____	CID	x .0164	=	_____	L

VEHICLE DAMAGE SKETCH

<p>TIRE—WHEEL DAMAGE</p> <p>a. Rotation physically restricted b. Tire deflated</p> <p>RF <u>2</u> RF <u>2</u> LF <u>1</u> LF <u>1</u> RR <u>2</u> RR <u>2</u> LR <u>2</u> LR <u>2</u></p> <p>(1) Yes (2) No (8) NA (9) Unk.</p>	<p>ORIGINAL SPECIFICATIONS</p> <p>Wheelbase <u>318</u> cm Overall Length <u>489</u> cm Maximum Width <u>170</u> cm Curb Weight <u>1423</u> kg Average Track <u>138</u> cm Front Overhang <u>72</u> cm Rear Overhang <u>97</u> cm Undeformed End Width <u>153 rear</u> cm Engine Size: cyl./displ. <u>6cyl. 2.9L</u> L</p>	<p>WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only)</p> <p>RF ± _____ ° LF ± <u>60</u> ° RR ± _____ ° LR ± _____ °</p> <p>Within ± 5 degrees</p>
<p>TYPE OF TRANSMISSION</p> <p><input checked="" type="checkbox"/> Manual <input type="checkbox"/> Automatic</p> <p>END SHIFT ≥ 10 CM</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>DRIVE WHEELS</p> <p><input type="checkbox"/> FWD <input type="checkbox"/> RWD <input checked="" type="checkbox"/> 4WD</p>	<p>Approximate Cargo Weight <u>300lb.</u> kg</p> <p><i>+ tools + fiberglass topper</i></p>



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>01</u>	5. <u>01</u>	6. <u>12</u>	7. <u>F</u>	8. <u>D</u>	9. <u>E</u>	10. <u>W</u>	11. <u>04</u>

Second Highest Delta "V"

12. _____	13. _____	14. _____	15. _____	16. _____	17. _____	18. _____	19. _____
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

20. L	21. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	22. ±D
<u>153</u>	<u>075</u>	<u>044</u>	<u>050</u>	<u>029</u>	<u>011</u>	<u>000</u>	<u>+000</u>

Second Highest Delta "V"

23. L	24. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	25. ±D
_____	_____	_____	_____	_____	_____	_____	_____

26. Undeformed End Width
 (Coded when highest severity impact is an end plane impact.) 153
 _____ Code to the nearest centimeter
 (250) 250 centimeters or more
 (998) No highest severity end plane impact
 (999) Unknown

27. Direct Damage Width
 (For highest severity impact) 153
 _____ Code to the nearest centimeter
 (250) 250 centimeters or more
 (999) Unknown

28. Original Wheelbase
 _____ Code to the nearest centimeter 318
 (650) 650 centimeters or more
 (999) Unknown
125 . _____ inches X 2.54 = _____ centimeters

29. Original Average Track Width
 _____ Code to the nearest centimeter 138
 (185) 185 centimeters or more
 (999) Unknown
 _____ . _____ inches X 2.54 = _____ centimeters

FUEL SYSTEM

30. Are CDCs Documented but Not Coded on The Automated File? 0
 (0) No
 (1) Yes
31. Researcher's Assessment of Vehicle Disposition 1
 (0) Not towed due to vehicle damage
 (1) Towed due to vehicle damage
 (9) Unknown
32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? 0
 (0) No post manufacturer modifications
 (1) Yes - post manufacturer modifications (specify): _____

 (Include photograph of CERTIFICATION PLACARD in case report)
 (9) Unknown if vehicle is modified

35. Location of Fuel Tank-1 Filler Cap 4
36. Location of Fuel Tank-2 Filler Cap 0
 (0) No fuel tank
 (1) On back plane
 (2) Aft of center of the rear wheels (rear axle) on left side plane
 (3) Aft of center of the rear wheels (rear axle) on right side plane
 (4) Forward of center of the rear wheels (rear axle) on left side plane
 (5) Forward of center of the rear wheels (rear axle) on right side plane
 (6) Over the center of the rear wheels (rear axle) on left side plane
 (7) Over the center of the rear wheels (rear axle) on right side plane
 (8) Other (specify): _____
 (9) Unknown
37. Type of Fuel Tank-1 1
38. Type of Fuel Tank-2 *w/covering* 0
 (0) No fuel tank (electrical vehicle)
 (1) Metallic
 (2) Non-metallic
 (9) Unknown

FIRE OCCURRENCE

33. Fire Occurrence 0
 (0) No fire
 Yes, fire occurred
 (1) Minor
 (2) Major
 (9) Unknown
34. Origin of Fire 0
 (0) No fire
 (1) Vehicle exterior (front, side, back, top)
 (2) Exhaust system
 (3) Fuel tank (and other fuel retention system parts)
 (4) Engine compartment
 (5) Cargo/trunk compartment
 (6) Instrument panel
 (7) Passenger compartment area
 (8) Other location (specify): _____

 (9) Unknown

39. Location of Fuel Tank-1 5
40. Location of Fuel Tank-2 0
 (0) No fuel tank
 (1) Aft of center of the rear wheels (rear axle) centered
 (2) Aft of center of the rear wheels (rear axle) left side
 (3) Aft of center of the rear wheels (rear axle) right side
 (4) Forward of center of the rear wheels (rear axle) centered
 (5) Forward of center of the rear wheels (rear axle) left side
 (6) Forward of center of the rear wheels (rear axle) right side
 (7) Over center of the rear wheels (rear axle)
 (8) Other (specify): _____
 (9) Unknown
41. Damage to Fuel Tank-1 1
42. Damage to Fuel Tank-2 0
 (0) No fuel tank
 (1) No damage to fuel tank
 (2) Deformed, no seam failure
 (3) Deformed, with a seam failure
 (4) Punctured
 (5) Lacerated (ripped)
 (6) Abraded (scraped)
 (7) Filler neck separation from the fuel tank
 (8) Other damage (specify): _____
 (9) Unknown

43. Leakage Location of Fuel System-1 1

44. Leakage Location of Fuel System-2 0

(0) No fuel tank
(1) No fuel leakage

Primary Area Of Leakage

(2) Tank
(3) Filler neck
(4) Cap
(5) Lines/pump/filter
(6) Vent/emission recovery
(8) Other (specify): _____
(9) Unknown

45. Fuel Type-1 0 1

46. Fuel Type-2 0 0

Single Fuel Type

(00) No fuel tank
(01) Gasoline
(02) Diesel
(03) CNG (Compressed Natural Gas)
(04) LPG (Liquid Petroleum Gas) also known as Propane
(05) LNG (Liquid Natural Gas)
(06) Methanol (M100 or M85)
(07) Ethanol (E100 or E85)
(08) Other (Hydrogen or others) (specify): _____

Electric Powered or Electric/Solar Powered Vehicles

(10) Lead Acid Battery
(11) Nickel-Iron Battery
(12) Nickel-Cadmium Battery
(13) Sodium Metal Chloride Battery
(14) Sodium Sulfur Battery
(18) Other (Specify): _____

(98) Other Hybrid (specify): _____

(99) Unknown fuel type

47. Is This Vehicle Equipped With More Than Two Fuel Tanks? 0

(0) No (one or two tanks only)

Yes - More Than Two Tanks

(1) Yes -- no damage to any tank or filler cap and no fuel system leakage

(2) Yes -- no damage to any tank or filler cap but there is fuel system leakage (specify leakage location): _____

(3) Yes -- damage to an additional tank or filler cap and there is fuel system leakage (specify the following):
Type of tank _____
Tank location _____
Filler cap location _____
Tank damage _____
Location of leakage _____
Type of fuel _____

(9) Unknown if more than two tanks

COMMENTS

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED ***

(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.



INTERIOR VEHICLE FORM

1. Primary Sampling Unit Number 12
 2. Case Number - Stratum 163A
 3. Vehicle Number 02

INTEGRITY

4. Passenger Compartment Integrity 13
 (00) No integrity loss

Yes, Integrity Was Lost Through

- (01) Windshield
- (02) Door (side)
- (03) Door/hatch (back door)
- (04) Roof
- (05) Roof glass
- (06) Side window front
- (07) Rear window (backlight)
- (08) Roof and roof glass
- (09) Windshield and door (side)
- (10) Windshield and roof
- (11) Side and rear window (side window and backlight)
- (12) Windshield and side window
- (13) Door and side window
- (98) Other combination of above (specify):
- (99) Unknown

Door, Tailgate or Hatch Opening

5. LF 2 6. RF 1 7. LR 0 8. RR 0 9. TG/H 0

- (0) No door/gate/hatch
- (1) Door/gate/hatch remained closed and operational
- (2) Door/gate/hatch came open during collision
- (3) Door/gate/hatch jammed shut
- (8) Other (specify):
- (9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code Ø

10. LF 2 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0

- (0) No door/gate/hatch or door not opened

Door, Tailgate or Hatch Came Open During Collision

- (1) Door operational (no damage)
- (2) Latch/striker failure due to damage
- (3) Hinge failure due to damage
- (4) Door structure failure due to damage
- (5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage
- (6) Latch/striker and hinge failure due to damage
- (8) Other failure (specify):
- (9) Unknown

GLAZING

Type of Window/Windshield Glazing

15. WS 1 16. LF 2 17. RF 2 18. LR 2 19. RR 2
 20. BL 2 21. Roof 3 22. Other 0

- (0) No glazing
- (1) AS-1 - Laminated
- (2) AS-2 - Tempered
- (3) AS-3 - Tempered-tinted (original)
- (4) AS-2 - Tempered-with after market tint
- (5) AS-3 - Tempered-tinted (with additional after market tint)
- (6) AS-14 - Glass/Plastic
- (7) Glazing removed prior to accident
- (8) Other (specify):
- (9) Unknown

Window Precrash Glazing Status

23. WS 1 24. LF 2 25. RF 2 26. LR 1 27. RR 1
 28. BL 2 29. Roof 2 30. Other 0

- (0) No glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (7) Glazing removed prior to accident
- (9) Unknown

Glazing Damage from Impact Forces

31. WS 2 32. LF 6 33. RF 1 34. LR 1 35. RR 1
 36. BL 1 37. Roof 1 38. Other 0

- (0) No glazing
- (1) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (9) Unknown if damaged


Glazing Damage from Occupant Contact

39. WS 1 40. LF 1 41. RF 1 42. LR 1 43. RR 1
 44. BL 1 45. Roof 1 46. Other 0

- (0) No glazing
- (1) No occupant contact to glazing
- (2) Glazing contacted by occupant but no glazing damage
- (3) Glazing in place and cracked by occupant contact
- (4) Glazing in place and holed by occupant contact
- (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (6) Glazing out-of-place by occupant contact and holed by occupant contact
- (7) Glazing removed prior to accident
- (8) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

INTRUSION WORKSHEET

Note: Sketch intruded areas



LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measurements Are In Centimeters)			DOMINANT CRUSH DIRECTION
		COMPARISON VALUE	INTRUDED VALUE	INTRUSION	
11	brake release lever	97	69	28	long.
11	hood release	97	78	19	}
11	emer. brake lever	100	70	30	
11	shift pedal	109	90	19	
11	toe pan	117	81	36	
11	roof rail	101	102	1	
12	seater skin	11	15	4	vert

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

	Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st	47. <u>11</u>	48. <u>05</u>	49. <u>4</u>	50. <u>2</u>
2nd	51. <u>11</u>	52. <u>27</u>	53. <u>4</u>	54. <u>2</u>
3rd	55. <u>11</u>	56. <u>27</u>	57. <u>3</u>	58. <u>2</u>
4th	59. <u>11</u>	60. <u>27</u>	61. <u>3</u>	62. <u>2</u>
5th	63. <u>11</u>	64. <u>98</u>	65. <u>3</u>	66. <u>2</u>
6th	67. <u>12</u>	68. <u>25</u>	69. <u>1</u>	70. <u>1</u>
7th	71. _____	72. _____	73. _____	74. _____
8th	75. _____	76. _____	77. _____	78. _____
9th	79. _____	80. _____	81. _____	82. _____
10th	83. _____	84. _____	85. _____	86. _____

INTRUDING COMPONENT

Interior Components

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Side panel - forward of the A1/A2-pillar
- (11) Door panel (side)
- (12) Side panel - rear of the B-pillar
- (13) Roof (or convertible top)
- (14) Roof side rail
- (15) Windshield
- (16) Windshield header
- (17) Window frame
- (18) Floor pan (includes sill)
- (19) Backlight header
- (20) Front seat back
- (21) Second seat back
- (22) Third seat back
- (23) Fourth seat back
- (24) Fifth seat back
- (25) Seat cushion
- (26) Back door/panel (e.g., tailgate)
- (27) Other interior component (specify):

*emer. brake pedal, brake release
hood release lever*

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify): _____
- (32) Other exterior object in the environment (specify): _____
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): *Shift pedal*
- (99) Unknown

LOCATION OF INTRUSION

- | | |
|---|--|
| <p>Front Seat</p> <ul style="list-style-type: none"> (11) Left (12) Middle (13) Right <p>Second Seat</p> <ul style="list-style-type: none"> (21) Left (22) Middle (23) Right <p>Third Seat</p> <ul style="list-style-type: none"> (31) Left (32) Middle (33) Right | <p>Fourth Seat</p> <ul style="list-style-type: none"> (41) Left (42) Middle (43) Right <p>(97) Catastrophic</p> <p>(98) Other enclosed area (specify) _____</p> <p>(99) Unknown _____</p> |
|---|--|

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown


STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE	-	DAMAGE VALUE	=	DEFORMATION
12	-	7	=	5
	-		=	
	-		=	
	-		=	

Large empty rectangular area for additional notes or data.





STEERING COLUMN	INSTRUMENT PANEL
<p>87. Steering Column Type <u>1</u> (1) Fixed column. (2) Tilt column (3) Telescoping column (4) Tilt and telescoping column (8) Other column type (specify): _____ (9) Unknown</p> <p>88. Tilt Steering Column Adjustment <u>0</u> (0) No tilt steering column (1) Full up (2) Between full up and center (3) Center (4) Between center and full down (5) Full down (9) Unknown</p> <p>89. Telescoping Steering Column Adjustment <u>0</u> (0) No telescoping steering column (1) Full back (2) Between full back and midpoint (3) Midpoint (4) Between midpoint and full forward (5) Full forward (9) Unknown</p> <p>90. Steering Rim/Spoke Deformation <u>05</u> _____ Code actual measured deformation to the nearest centimeter (00) No steering rim deformation (01-14) Actual measured value in centimeters (15) 15 centimeters or more (98) Observed deformation cannot be measured (99) Unknown</p> <p>91. Location of Steering Rim/Spoke Deformation <u>05</u> (00) No steering rim deformation</p> <p><i>Quarter Sections</i> (01) Section A (02) Section B (03) Section C (04) Section D</p> <p><i>Half Sections</i> (05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke</p> <p>(09) Complete steering wheel collapse (10) Undetermined location (99) Unknown</p>	<p>92. Odometer Reading <u>027,000</u> _____ kilometers Code to the nearest 1,000 kilometers (000) No odometer (001) Less than 1,500 kilometers (500) 499,500 kilometers or more (999) Unknown <u>16,894</u> miles X 1.6093 = <u>27,188</u> kilometers Source: <u>odometer</u></p> <p>93. Instrument Panel Damage from Occupant Contact? <u>1</u> (0) No (1) Yes (9) Unknown</p> <p>94. Type of Knee Bolster Covering <u>0</u> (0) No knee bolster (1) Padded (2) Rigid plastic (8) Other (specify): _____ (9) Unknown</p> <p>95. Knee Bolsters Deformed from Occupant Contact? <u>0</u> (0) No knee bolster (1) No deformation (2) Yes - deformation (9) Unknown</p> <p>96. Did Glove Compartment Door Open During Collision(s)? <u>2</u> (0) No glove compartment door (1) No - door did not open (2) Yes - door opened (9) Unknown</p> <p>97. Adaptive (Assistive) Driving Equipment <u>0</u> (0) No adaptive driving equipment (1) Adaptive driving equipment installed (Check all that apply.) <input type="checkbox"/> Hand controls for braking/acceleration <input type="checkbox"/> Steering control devices (attached to OEM steering wheel) <input type="checkbox"/> Steering knob attached to steering wheel <input type="checkbox"/> Low effort power steering (unit or device) <input type="checkbox"/> Replacement steering wheel (i.e., reduced diameter) <input type="checkbox"/> Joy-stick steering controls <input type="checkbox"/> Wheelchair tie-downs <input type="checkbox"/> Modification to seat belts (specify): _____ <input type="checkbox"/> Additional or relocated switches (specify): _____ <input type="checkbox"/> Raised roof <input type="checkbox"/> Wall-mounted head rest (used behind wheelchair) <input type="checkbox"/> Other adaptive device (specify): _____ (9) Unknown</p>



VEHICLE INTERIOR SKETCHES

Note area of ejection/extraption

Note: column torn apart by daughter who removed radio and gauges



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).
 Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.
 Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	006	1	^{coat} Chest	scuff on hub; bent rim 12x12.5 cm	1
B	253	1	(L) leg	emergency brake handle scuffed	1
C	019	1	(L) leg	2x6 cm scuff	1
D	010	1	(L) leg	14x16 cm deformed; dented	1
E	010	1	(R) leg	deformed; dented 6x3 cm	1
F	254	1	(R) shin	obscured pedal intrusion	2
G	051	1	(R) side	7x7 cm dent; Point of ejection	1
H	254	1	(L) leg	intruded; scuffed	1
I					
J					
K					
L					
M					
N					

CODES FOR INTERIOR COMPONENTS

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object, (specify):
- (019) Other front object (specify):
hood release handle

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify):
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify):

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests
- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify):
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify):

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify):
- (155) Head restraint system
- (160) Other occupants (specify):
- (161) Interior loose objects
- (162) Child safety seat (specify):
- (163) Other interior object (specify):
- AIR BAG**
- (170) Air bag-driver side
- (175) Air bag compartment cover-driver side
- (180) Air bag-passenger side
- (185) Air bag compartment cover-passenger side
- (190) Other air bag (specify)
- (195) Other air bag compartment cover (specify)

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify):

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify):
- (409) Additional or relocated switches, (specify):
- (410) Raised roof
- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify):

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
F I R S T	Availability	4	3	4
	Evidence of usage	04	03	04
	Used in this crash?	* 00	00	00
	Proper Use	0	0	0
	Failure Modes	0	0	0
	Anchorage Adjustment	1	0	1
S E C O N D	Availability	3	0	3
	Evidence of usage	99	00	03
	Used in this crash?	00	00	00
	Proper Use	0	0	0
	Failure Modes	0	0	0
	Anchorage Adjustment	0	0	0
O T H E R	Availability			
	Evidence of usage	* This belt has pulled webbing all up and down The length of it		
	Used in this crash?			
	Proper Use			
	Failure Modes			
	Anchorage Adjustment			

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____
- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown

Shoulder Belt Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left Front	Right Front	Other
F I R S T	Availability/Function	0	0	0
	Deployment	0	0	0
	Failure	0	0	0

- | | | |
|---|--|--|
| <p>Air Bag System Availability/Function</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Air bag <p><i>Non-functional</i></p> <ul style="list-style-type: none"> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <p>Are There Indications of Air Bag System Failure? (This Occupant Position)</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown | <p>Frontal Air Bag System Deployment (This Occupant Position)</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, accident sequence undetermined (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown | <p>Air Bag(s) Deployment, <u>Other</u> Than First Seat Frontal (This Occupant Position)</p> <ul style="list-style-type: none"> (0) Not equipped with an <u>"other"</u> air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown |
|---|--|--|

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function	0	0
	Use	0	0
	Type	0	0
	Proper Use	0	0
	Failure Modes	0	0

- | | | |
|--|---|--|
| <p>Automatic (Passive) Belt System Availability/Function</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown <p><i>Non-functional</i></p> <ul style="list-style-type: none"> (4) Automatic belts destroyed or rendered inoperative (9) Unknown <p>Automatic (Passive) Belt System Use</p> <ul style="list-style-type: none"> (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (3) Automatic belt use unknown (9) Unknown <p>Automatic (Passive) Belt System Type</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown | <p>Proper Use of Automatic (Passive) Belt System</p> <ul style="list-style-type: none"> (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat <p><i>Automatic Belt Used Improperly</i></p> <ul style="list-style-type: none"> (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____ (8) Other improper use of automatic belt system (specify): _____ (9) Unknown | <p>Automatic (Passive) Belt Failure Modes During Accident</p> <ul style="list-style-type: none"> (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ (6) Broken retractor (7) Combination of above (specify): _____ (8) Other automatic belt failure (specify): _____ (9) Unknown |
|--|---|--|

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
Type of air bag?		
Flaps open at tear points?		
Flaps damaged?		
Air bag damaged?		
Source of air bag damage		
Air bag tethered?		
Air bag have vent ports?		
Other occupant contact air bag?		
Occupant wearing eyewear?		

Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned
- (07) Abraded
- (88) Other damage (specify): _____

Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify): _____
- (03) Object carried by occupant, (specify): _____
- (04) Adaptive/assistive controls, (specify): _____
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify): _____
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps): _____
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports): _____
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



DRIVER AIR BAG SKETCHES (Cont'd)

3. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width (W_u) _____

width (W_l) _____

height (H_u) _____


height (H_l) _____



4. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE


5. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

6. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS




PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)




PASSENGER AIR BAG SKETCHES (Cont'd)

3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

a. Flap

width (W) _____

height (H) _____



4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width (W_u) _____

width (W_l) _____

height (H_u) _____


height (H_l) _____



5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS



"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)

"OTHER" AIR BAG SKETCHES (Cont'd)

3. SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG

4. SKETCH AIR BAG VENT PORTS

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
F I R S T	Head Restraint Type/Damage	1	0	1
	Seat Type	06	06	06
	Seat Performance	8	8	1
	Seat Orientation	1	1	1
	Seat Track Position	3	3	3
	Seat Back Incline Pre/Post Impact	99	99	99
S E C O N D	Head Restraint Type/Damage	0	0	0
	Seat Type	09	00	09
	Seat Performance	1	0	1
	Seat Orientation	3	0	3
	Seat Track Position	1	0	1
	Seat Back Incline Pre/Post Impact	01	00	01
T H I R D	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			
O T H E R	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

HEAD RESTRAINTS/SEAT EVALUATION

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other Specify: _____
- (9) Unknown

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): folds into side panel
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown track jammed

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____
- (9) Unknown

Seat Track Adjusted Position Prior To Impact

- (0) Occupant not seated or no seat
- (1) Non-adjustable seat track
- Adjustable Seat Track**
- (2) Seat at forward most track position
- (3) Seat between forward most and middle track positions
- (4) Seat at middle track position
- (5) Seat between middle and rear most track positions
- (6) Seat at rear most track position
- (9) Unknown

Seat Back Incline Prior and Post Impact




- (00) Occupant not seated or no seat
- (01) Not adjustable
- Upright prior to impact**
- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position
- (99) Unknown



Coding diagrams for *Seat Back Incline Position Prior and Post Impact*

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation						
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

1. Type of Child Safety Seat

- (0) No child safety seat
- (1) Infant seat
- (2) Toddler seat
- (3) Convertible seat
- (4) Booster seat
- (7) Other type child safety seat (specify):

- (8) Unknown child safety seat type
- (9) Unknown if child safety seat used

2. Child Safety Seat Orientation

- (00) No child safety seat
- Designed for Rear Facing for This Age/Weight
- (01) Rear facing
- (02) Forward facing
- (08) Other orientation (specify):

- (09) Unknown orientation
- Designed for Forward Facing for This Age/Weight
- (11) Rear facing
- (12) Forward facing
- (18) Other orientation (specify):

- (19) Unknown orientation
- Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
- (21) Rear facing
- (22) Forward facing
- (28) Other orientation (specify):

- (29) Unknown orientation

(99) Unknown if child safety seat used

3. Child Safety Seat Harness Usage

4. Child Safety Seat Shield Usage

5. Child Safety Seat Tether Usage

Note: Options Below Are Used for Variables 3-5.

- (00) No child safety seat
- Not Designed with Harness/Shield/Tether
- (01) After market harness/shield/tether added, not used
- (02) After market harness/shield/tether used
- (03) Child safety seat used, but no after market harness/shield/tether added
- (09) Unknown if harness/shield/tether added or used
- Designed With Harness/Shield/Tether
- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used
- Unknown If Designed With Harness/Shield/Tether
- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used
- (99) Unknown if child safety seat used

6. Child Safety Seat Make/Model

(Specify make/model and occupant number)

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

*Door latch/striker failed coming open on impact.
Driver wasn't wearing a seatbelt and was ejected.*

Occupant Number	01					
Ejection	1					
(Note on Vehicle Interior Sketch) Ejection Area	2					
Ejection Medium	1					
Medium Status	2					

Ejection

- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, Unknown degree
- (9) Unknown

Ejection Area

- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear

(7) Roof

- (8) Other area (e.g., back of pickup, etc.) (specify):

- (9) Unknown

Ejection Medium

- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

(5) Integral structure

- (8) Other medium (specify):

- (9) Unknown

Medium Status (Immediately Prior to Impact)

- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

ENTRAPMENT No [] Yes []

Describe entrapment mechanism: _____

Component(s): _____

(Note in vehicle interior diagram)



OCCUPANT ASSESSMENT FORM

- 1. Primary Sampling Unit Number 12
- 2. Case Number - Stratum 163A
- 3. Vehicle Number 02
- 4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

- 5. Occupant's Age 44
Code actual age at time of accident.
(00) Less than one year old (specify by month):

(97) 97 years and older
(99) Unknown
- 6. Occupant's Sex 1
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown
- 7. Occupant's Height 170
Code actual height to the nearest
centimeter.
(999) Unknown

67 inches X 2.54 = _____ centimeters
- 8. Occupant's Weight 132
Code actual weight to the nearest
kilogram.
(999)Unknown

290 pounds X .4536 = _____ kilograms
- 9. Occupant's Role 1
(1) Driver
(2) Passenger
(9) Unknown

OCCUPANT'S SEATING

- 10. Occupant's Seat Position 11
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant

Second Seat
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant

Third Seat
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant

Fourth Seat
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant

(97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown
- 11. Occupant's Posture 9
(0) Normal posture

Abnormal posture
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____

(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

~~X~~
0

13. Ejection Area

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

~~X~~
0

14. Ejection Medium

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify): _____
- (5) Integral structure
- (8) Other medium (specify): _____
- (9) Unknown

~~X~~
0

15. Medium Status (Immediately Prior To Impact)

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

~~X~~
0

16. Entrapment

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
- (9) Unknown

0

17. Occupant Mobility

- (0) Occupant fatal before removed from vehicle
- (1) Removed from vehicle while unconscious or disoriented
- (2) Removed from vehicle due to injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (9) Unknown

~~X~~
4

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 4
 (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown
Integral Belt Partially Destroyed
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify): _____
 (9) Unknown _____
19. Manual (Active) Belt System Use 00
 (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify): _____
 (02) Shoulder belt _____
 (03) Lap belt _____
 (04) Lap and shoulder belt _____
 (05) Belt used—type unknown _____
 (08) Other belt used (specify): _____
 (12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify): _____
 (99) Unknown if belt used _____
20. Proper Use of Manual (Active) Belts 0
 (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat
Belt Used Improperly
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
 (8) Other improper use of manual belt system (specify): _____
 (9) Unknown _____
21. Manual (Active) Belt Failure Modes During Accident 0
 (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
 (6) Broken retractor _____
 (7) Combination of above (specify): _____
 (8) Other manual belt failure (specify): _____
 (9) Unknown _____

22. Shoulder Belt Upper Anchorage Adjustment 1
 (0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt
Adjustable shoulder Belt Upper Anchorage
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment
23. Automatic (Passive) Belt System Availability/Function 0
 (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown
Non-functional
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown
24. Automatic (Passive) Belt System Use 0
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
 (3) Automatic belt use unknown
 (9) Unknown
25. Automatic (Passive) Belt System Type 0
 (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown
26. Proper Use of Automatic (Passive) Belt System 0
 (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat
Automatic Belt Used Improperly
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
 (8) Other improper use of automatic belt system (specify): _____
 (9) Unknown _____
27. Automatic (Passive) Belt Failure Modes During Accident 0
 (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
 (6) Broken retractor _____
 (7) Combination of above (specify): _____
 (8) Other automatic belt failure (specify): _____
 (9) Unknown _____

POLICE REPORTED RESTRAINT USE

AIR BAG SYSTEM FUNCTION

28. Police Reported Belt Use 0
- (0) None used
 - (1) Police did not indicate belt use
 - (2) Shoulder belt
 - (3) Lap belt
 - (4) Lap and shoulder belt
 - (5) Belt used, type not specified
 - (6) Child safety seat
 - (7) Automatic belt
 - (8) Other type belt, (specify): _____
 - (9) Police indicated "unknown"

29. Police Reported Air Bag Availability/Function 0
- (0) No air bag available
 - (1) Police did not indicate air bag availability/function
 - (2) Deployed
 - (3) Not deployed
 - (4) Unknown if deployed
 - (9) Police indicated "unknown"

Check the Primary Source Used In Determining Belt Use.

- Not equipped/not available/destroyed or rendered inoperative
- Vehicle inspection
- Official injury data
- Driver/occupant interview
- Other (specify): _____
- Unknown if belt used

30. Frontal Air Bag System Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
- Non-functional*
- (2) Air bag disconnected (specify): _____
 - (3) Air bag not reinstalled
 - (9) Unknown

31. Frontal Air Bag System Deployment (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
- Non-functional*
- (2) Air bag disconnected (specify): _____
 - (3) Air bag not reinstalled
 - (9) Unknown
- Specify type of "other" air bag present:*
- _____

33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0
- (0) Not equipped with an "other" air bag
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify): _____
 - (9) Unknown

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0

(0) Not equipped/not available

(1) No previous accidents

Yes

(2) Previous accident(s) without deployment(s)

(3) One previous accident with deployment

(4) More than one previous accident with at least one deployment

(8) Previous accidents, unknown deployment status

(9) Unknown

36. Type of Air Bag 0

(0) Not equipped/not available

(1) Original manufacturer installed system

(2) Retrofitted air bag

(3) Replacement air bag

(8) Unknown type of air bag

(9) Unknown

37. Had Any Prior Maintenance/Service 0

Been Performed On This Air Bag System?

(0) Not equipped/not available

(1) No prior maintenance

(2) Yes, prior maintenance (specify):

(9) Unknown

38. Air Bag Deployment Accident Event 0 0
Sequence Number

(00) Not equipped/not available

Code the accident event sequence number that initiated the air bag deployment

(96) Deployed, unknown event

(97) Not deployed

(98) Unknown if deployed

(99) Unknown

39. CDC For Air Bag Deployment Impact 0

(0) Not equipped/not available

(1) Highest delta V

(2) Second highest delta V

(3) Other non-coded delta V (specify):

(6) Deployed, unknown event

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

40. Longitudinal Component of +Delta V For Air Bag - 0 0 0

Deployment Impact

(_ 000) Not equipped/not available

Code the value of the delta V for the impact that initiated the air bag deployment

(_ 996) Deployment, unknown longitudinal Delta V

(_ 997) Not deployed

(_ 998) Unknown if deployed

(_ 999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At 0
Designated Tear Points?

(0) Not equipped/not available

(1) No

(2) Yes

(3) Deployed, unknown if flap(s) opened at designated tear points

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0

(0) Not equipped/not available

(1) No

(2) Yes (specify): _____

(3) Deployed, unknown if air bag module cover flap(s) damaged

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

43. Was There Damage To The Air Bag? 0 0

(00) Not equipped/not available

(01) Not damaged

Yes - Air Bag Damage

(02) Ruptured

(03) Cut

(04) Torn

(05) Holed

(06) Burned

(07) Abraded

(88) Other damage (specify):

(95) Damaged, details unknown

(96) Deployed, unknown if damaged

(97) Not deployed

(98) Unknown if deployed

(99) Unknown

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION *continued*

HEAD RESTRAINT AND SEAT EVALUATION

44. Source of Air Bag Damage 00
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

49. Head Restraint Type/Damage by Occupant at This Occupant Position 1
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 06
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 3
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track


Adjustable Seat Track
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*53. Seat Back Incline Prior and Post Impact 9 9


- (00) Occupant not seated or no seat
 (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
 (12) Moved to rearward midrange position
 (13) Moved to slightly rearward position
 (14) Retained pre-impact position
 (15) Moved to slightly forward position
 (16) Moved to forward midrange position
 (17) Moved to completely forward position

*Slightly reclined prior to impact*

- (21) Moved to completely rearward position
 (22) Moved to rearward midrange position
 (23) Retained pre-impact position
 (24) Moved to upright position
 (25) Moved to slightly forward position
 (26) Moved to forward midrange position
 (27) Moved to completely forward position

*Completely reclined prior to impact*

- (31) Retained pre-impact position
 (32) Moved to rearward midrange position
 (33) Moved to slightly rearward position
 (34) Moved to upright position
 (35) Moved to slightly forward position
 (36) Moved to forward midrange position
 (37) Moved to completely forward position



(99) Unknown

54. Seat Performance (this Occupant Position) 8

- (0) Occupant not seated or no seat
 (1) No seat performance failure(s)
 (2) Seat adjusters failed
 (3) Seat back folding locks or "seat back" failed
 (specify): _____
 (4) Seat track/anchors failed
 (5) Deformed by impact of occupant
 (6) Deformed by passenger compartment
 intrusion, (specify): _____
 (7) Combination of above (specify): _____
 (8) Other (specify): track jammed
 (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 000
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

(998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

(8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 00
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

(09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

(19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 00

59. Child Safety Seat Shield Usage 00

60. Child Safety Seat Tether Usage 00

Note: Options below applicable to
 Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

(11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 3

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

(9) Unknown 03

64. Hospital Stay 04

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 99

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER**INJURY CONSEQUENCES****TRAUMA DATA**66. Time to Death 00

Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)

- (00) Not fatal
(96) Fatal - ruled disease
(99) Unknown

67. 1st Medically Reported Cause of Death 0068. 2nd Medically Reported Cause of Death 0069. 3rd Medically Reported Cause of Death 00
Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death

- (00) Not fatal or no additional causes
(96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify):

(99) Unknown

70. Number of Recorded Injuries for This Occupant 04

Code the actual number of injuries recorded for this occupant.

- (00) No recorded injuries
(97) Injured, details unknown
(99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score (at Medical Facility) 15

- (00) Not injured
(01) Injured - not treated at medical facility
(02) No GCS Score at medical facility
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.
(97) Injured, details unknown
(99) Unknown if injured

72. Was the Occupant Given Blood? 9

- (1) No - blood not given
(2) Yes - blood given (specify units):
(9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 01

- (00) Not injured
(01) Injured, ABGs not measured or reported
(02-50) Code the actual value of the HCO₃
(96) ABGs reported, HCO₃ unknown
(97) Injured, details unknown
(99) Unknown if injured

BELT USE DETERMINATION74. Primary Source of Belt Use Determination 1

- (0) Not equipped/not available/destroyed or rendered inoperative
(1) Vehicle inspection
(2) Official injury data
(3) Driver/occupant interview
(8) Other (specify):
(9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>12</u>	3. Vehicle Number <u>02</u>
2. Case Number - Stratum <u>163A</u>	4. Occupant Number <u>01</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect					
<i>chest cont</i>	1st 5. <u>3</u>	6. <u>4</u>	7. <u>9</u>	8. <u>04</u>	9. <u>02</u>	10. <u>1</u>	11. <u>0</u>	12. <u>006</u>	13. <u>1</u>	14. <u>1</u>	15. <u>00</u>
<i>arm cont</i>	2nd 16. <u>7</u>	17. <u>7</u>	18. <u>9</u>	19. <u>04</u>	20. <u>02</u>	21. <u>1</u>	22. <u>3</u>	23. <u>004</u>	24. <u>2</u>	25. <u>1</u>	26. <u>10</u>
<i>heel ft</i>	3rd 27. <u>2</u>	28. <u>8</u>	29. <u>5</u>	30. <u>14</u>	31. <u>00</u>	32. <u>2</u>	33. <u>2</u>	34. <u>251</u>	35. <u>2</u>	36. <u>1</u>	37. <u>01</u>
<i>head cont</i>	4th 38. <u>3</u>	39. <u>1</u>	40. <u>9</u>	41. <u>04</u>	42. <u>02</u>	43. <u>1</u>	44. <u>6</u>	45. <u>155</u>	46. <u>3</u>	47. <u>1</u>	48. <u>00</u>
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head		Specific injuries are assigned consecutive two-digit numbers beginning with 02.	(1) Right
(2) Face			(2) Left
(3) Neck			(3) Bilateral
(4) Thorax			(4) Central
(5) Abdomen			(5) Anterior
(6) Spine			(6) Posterior
(7) Upper Extremity			(7) Superior
(8) Lower Extremity			(8) Inferior
(9) Unspecified			(9) Unknown
			(0) Whole region
	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02.	To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	
	The exceptions to this rule apply to:		
Type of Anatomic Structure	<u>Whole Area</u>		
(1) Whole Area	(02) Skin - Abrasion		
(2) Vessels	(04) Skin - Contusion		
(3) Nerves	(06) Skin - Laceration		
(4) Organs (includes Muscles/ligaments)	(08) Skin - Avulsion		
(5) Skeletal (includes joints)	(10) Amputation		
(6) Head - LOC	(20) Burn		
(9) Skin	(30) Crush		
	(40) Degloving		
	(50) Injury - NFS		
	(90) Trauma, other than mechanical		
	<u>Head - LOC</u>		
	(02) Length of LOC		
	(04) Level		
	(06) of		
	(08) Consciousness		
	(10) Concussion		
	<u>Spine</u>		
	(02) Cervical		
	(04) Thoracic		
	(06) Lumbar		
		Abbreviated Injury Scale	
		(1) Minor Injury	
		(2) Moderate Injury	
		(3) Serious Injury	
		(4) Severe Injury	
		(5) Critical Injury	
		(6) Maximum (untreatable)	
		(7) Injured, unknown severity	

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify): _____
- (195) Other air bag compartment cover (specify): _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT



- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object

NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL = NR

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units = NR

Arterial Blood Gases

pH =



PO₂ =

PCO₂ =

HCO₃ =

no
records



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



DS, RAD
Ⓞ CALCANEUS
COMMUNOTED FX

OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



BES VI

CRASHPC PROGRAM SUMMARY

U.S. Department of Transportation
National Highway Traffic Safety
Administration

(All Measurements In Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Identifying Title <u>12</u> Primary Sampling Unit	<u>163A</u> Case No.-Stratum	<u>01</u> Accident Event Sequence No.	<u>96</u> Date (Month, day, year) of Run
---	---------------------------------	--	---

CRASHPC Vehicle Identification	<u>1995</u> Year	<u>Saturn</u> Make	<u>SL</u> Model	<u>1</u> NASS Veh. No.
Vehicle 1		<u>barrier equiv. run</u>		
Vehicle 2				

GENERAL INFORMATION

VEHICLE 1		VEHICLE 2	
Size	<u>3</u>	Size	<u>11</u>
Weight	$\frac{109}{\text{Curb}} + \frac{95}{\text{Occupant(s)}} + \frac{16}{\text{Cargo}} = \frac{1215}{\text{kg}}$	Weight	_____ kg
CDC	<u>12FDAW4</u>	CDC	_____
PDOF (-180 to +180)	<u>10°</u>	PDOF (-180 to +180)	_____°
Stiffness	<u>3</u>	Stiffness	<u>11</u>

SCENE INFORMATION

Rest and Impact Positions No, Go To Damage Information Yes

VEHICLE 1		VEHICLE 2	
Rest Position	X _____ m Y _____ m PSI _____ °	Rest Position	X _____ m Y _____ m PSI _____ °
Impact Position	X _____ m Y _____ m PSI _____ °	Impact Position	X _____ m Y _____ m PSI _____ °
Slip Angle(-180 to +180)	_____ °	Slip Angle (-180 to +180)	_____ °

VEHICLE MOTION

Sustained Contact No Yes

VEHICLE 1		VEHICLE 2	
Vehicle Rotation	<input type="checkbox"/> No <input type="checkbox"/> Yes	Vehicle Rotation	<input type="checkbox"/> No <input type="checkbox"/> Yes
Rotation Stop Before Rest	<input type="checkbox"/> No <input type="checkbox"/> Yes	Rotation Stop Before Rest	<input type="checkbox"/> No <input type="checkbox"/> Yes
End of Rotation Position	X _____ m Y _____ m PSI _____ °	End of Rotation Position	X _____ m Y _____ m PSI _____ °
Curved Path	<input type="checkbox"/> No <input type="checkbox"/> Yes	Curved Path	<input type="checkbox"/> No <input type="checkbox"/> Yes
Point on Path	X _____ m Y _____ m	Point on Path	X _____ m Y _____ m
Rotation Direction	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW	Rotation Direction	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW
Rotation >360°	<input type="checkbox"/> No <input type="checkbox"/> Yes	Rotation >360°	<input type="checkbox"/> No <input type="checkbox"/> Yes

FRICITION INFORMATION

Coefficient of Friction _____
 Rolling Resistance Option _____

Vehicle 1 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Vehicle 2 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

TRAJECTORY INFORMATION

Trajectory Data No Yes
If No, Go To Damage Information

Vehicle 1 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Vehicle 2 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Terrain Boundary No Yes

First Point
 X _____ m Y _____ m

Second Point
 X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

	VEHICLE 1	VEHICLE 2
Damage Length	L <u>1 2 6</u> cm	L _____ cm
Crush Depths	C ₁ <u>9 5</u> cm	C ₁ _____ cm
	C ₂ <u>8 6</u> cm	C ₂ _____ cm
	C ₃ <u>6 7</u> cm	C ₃ _____ cm
	C ₄ <u>4 5</u> cm	C ₄ _____ cm
	C ₅ <u>2 7</u> cm	C ₅ _____ cm
	C ₆ <u>1 1</u> cm	C ₆ _____ cm
Damage Offset	D ± _____ 0 cm	D ± _____ cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.

Model Year: _____
 Make: _____
 Model: _____
 VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.

TITLE

P12-163A-01-V1 TO BARRIER EQUIV.

GENERAL INFORMATION

VEHICLE #1	
SIZE	3
WEIGHT	1215.
CDC	12FDAW4
PDOF	-10.00
STIFFNESS	3
CANCEL	ACCEPT

VEHICLE #2	
SIZE	11
WEIGHT	1000000.
CDC	
PDOF	
STIFFNESS	
CANCEL	ACCEPT

METRIC INPUT

SUMMARY OF CRASHPC RESULTS USING DAMAGE

P12-163A-01-V1 TO BARRIER EQUIV.

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL 54 KPH (34 MPH)
LONGITUDINAL -53 KPH (-33 MPH)
LATITUDINAL 9 KPH (6 MPH)
PDOF ANGLE -10 DEGREES
ENERGY DISSIPATED = 140320 JOULES (103481 FT-LB)

VEHICLE #2

TOTAL 0 KPH (0 MPH)
LONGITUDINAL 0 KPH (0 MPH)
LATITUDINAL 0 KPH (0 MPH)
PDOF ANGLE 0 DEGREES
ENERGY DISSIPATED = 0 JOULES (0 FT-LB)

DAMAGE DATA

	VEHICLE #1	VEHICLE #2
SIZE CATEGORY	3	11
STIFFNESS CATEGORY	3	0
VEHICLE WEIGHT	1215 KGS (2679 LBS)	***** KGS (2204586 LBS) *
CDC	12FDAW4	BARRIER
PDOF ANGLE	-10 DEGREES	0 DEGREES *
CRUSH LENGTH	126 CM. (50 IN.)	0 CM. (0 IN.) *
C1	95 CM. (37 IN.)	0 CM. (0 IN.) *
C2	86 CM. (34 IN.)	0 CM. (0 IN.) *
C3	67 CM. (26 IN.)	0 CM. (0 IN.) *
C4	45 CM. (18 IN.)	0 CM. (0 IN.) *
C5	27 CM. (11 IN.)	0 CM. (0 IN.) *
C6	11 CM. (4 IN.)	0 CM. (0 IN.) *
D	0 CM. (0 IN.)	0 CM. (0 IN.) *
D'	-17 CM. (-7 IN.)	0 CM. (0 IN.) *

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE	130 CM. (51 IN.)	127 CM. (50 IN.)
CG TO REAR AXLE	141 CM. (56 IN.)	127 CM. (50 IN.)
TRACK	150 CM. (59 IN.)	127 CM. (50 IN.)
CG TO FRONT OF VEH	228 CM. (90 IN.)	127 CM. (50 IN.)
CG TO REAR OF VEH	-270 CM. (-106 IN.)	-127 CM. (-50 IN.)
CG TO SIDE OF VEH	92 CM. (36 IN.)	127 CM. (50 IN.)
MOMENT OF INERTIA	10501 KGS (23150 LBS)	***** KGS (***** LBS)
VEHICLE MASS	3 KGS (7 LBS)	2600 KGS (5732 LBS)



IMPACT

CRASHPC PROGRAM SUMMARY

U.S. Department of Transportation
National Highway Traffic Safety
Administration

(All Measurements In Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Identifying Title

<u>1 2</u> Primary Sampling Unit	<u>1 6 3 A</u> Case No.-Stratum	<u>0 1</u> Accident Event Sequence No.	<u>[REDACTED] [REDACTED] 9 6</u> Date (Month, day, year) of Run
-------------------------------------	------------------------------------	---	--

CRASHPC Vehicle Identification

Vehicle 1	<u>1995</u> Year	<u>Saturn</u> Make	<u>SL</u> Model	<u>1</u> NASS Veh. No.
Vehicle 2	<u>1987</u> Year	<u>Ford</u> Make	<u>Ranger XLT Supercab 4x4</u> Model	<u>2</u> NASS Veh. No.

GENERAL INFORMATION

VEHICLE 1		VEHICLE 2 <i>used per [REDACTED] due to long w.s. 6</i>	
Size	<u>3</u>	Size	<u>6</u>
Weight	<u>1091 + 13 + 16 = 1215</u> kg	Weight	<u>1423 + 132 + 204 = 1759</u> kg
CDC	<u>1 2 F D A W 4</u>	CDC	<u>1 2 F D E W 4</u>
PDOF (-180 to +180)	<u>⊕ 10°</u>	PDOF (-180 to +180)	<u>⊕ 10°</u>
Stiffness	<u>3</u>	Stiffness	<u>8</u>

SCENE INFORMATION

Rest and Impact Positions [] No, Go To Damage Information [] Yes

VEHICLE 1		VEHICLE 2	
Rest Position	X _____ m Y _____ m PSI _____ °	Rest Position	X _____ m Y _____ m PSI _____ °
Impact Position	X _____ m Y _____ m PSI _____ °	Impact Position	X _____ m Y _____ m PSI _____ °
Slip Angle(-180 to +180)	_____ °	Slip Angle (-180 to +180)	_____ °

VEHICLE MOTION

Sustained Contact [] No [] Yes

VEHICLE 1		VEHICLE 2	
Vehicle Rotation	[] No [] Yes	Vehicle Rotation	[] No [] Yes
Rotation Stop Before Rest	[] No [] Yes	Rotation Stop Before Rest	[] No [] Yes
End of Rotation Position	X _____ m Y _____ m PSI _____ °	End of Rotation Position	X _____ m Y _____ m PSI _____ °
Curved Path	[] No [] Yes	Curved Path	[] No [] Yes
Point on Path	X _____ m Y _____ m	Point on Path	X _____ m Y _____ m
Rotation Direction	[] None [] CW [] CCW	Rotation Direction	[] None [] CW [] CCW
Rotation >360°	[] No [] Yes	Rotation >360°	[] No [] Yes

FRICITION INFORMATION **TRAJECTORY INFORMATION**

Coefficient of Friction _____
 Rolling Resistance Option _____

Vehicle 1 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Vehicle 2 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Trajectory Data No Yes
If No, Go To Damage Information

Vehicle 1 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Vehicle 2 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Terrain Boundary No Yes

First Point
 X _____ m Y _____ m

Second Point
 X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

	VEHICLE 1		VEHICLE 2
Damage Length	L <u>126</u> cm	Damage Length	L <u>153</u> cm
Crush Depths	C ₁ <u>95</u> cm	Crush Depths	C ₁ <u>75</u> cm
	C ₂ <u>86</u> cm		C ₂ <u>44</u> cm
	C ₃ <u>67</u> cm		C ₃ <u>50</u> cm
	C ₄ <u>45</u> cm		C ₄ <u>29</u> cm
	C ₅ <u>27</u> cm		C ₅ <u>11</u> cm
	C ₆ <u>11</u> cm		C ₆ <u>0</u> cm
Damage Offset	D ± <u>0</u> cm	Damage Offset	D ± <u>0</u> cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.

Model Year: _____
 Make: _____
 Model: _____
 VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.

TITLE

p12-163a-01-v1 to v2


GENERAL INFORMATION

VEHICLE #1	
SIZE	3
WEIGHT	1215.
CDC	12FDAW4
PDOF	-10.00
STIFFNESS	3
CANCEL	ACCEPT

VEHICLE #2	
SIZE	6
WEIGHT	1759.
CDC	12FDEW4
PDOF	-10.00
STIFFNESS	8
CANCEL	ACCEPT

Printing Picture:

CRASH



METRIC INPUT

SUMMARY OF CRASHPC RESULTS USING DAMAGE

p12-163a-01-v1 to v2

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL	55 KPH (34 MPH)
LONGITUDINAL	-54 KPH (-34 MPH)
LATITUDINAL	10 KPH (6 MPH)
PDOF ANGLE	-10 DEGREES
ENERGY DISSIPATED	= 140320 JOULES (103481 FT-LB)

VEHICLE #2

TOTAL	38 KPH (24 MPH)
LONGITUDINAL	-38 KPH (-23 MPH)
LATITUDINAL	7 KPH (4 MPH)
PDOF ANGLE	-10 DEGREES
ENERGY DISSIPATED	= 104691 JOULES (77206 FT-LB)

DAMAGE DATA

	VEHICLE #1	VEHICLE #2
SIZE CATEGORY	3	6
STIFFNESS CATEGORY	3	8
VEHICLE WEIGHT	1215 KGS (2679 LBS)	1759 KGS (3878 LBS)
CDC	12FDAW4	12FDEW4
PDOF ANGLE	-10 DEGREES	-10 DEGREES
CRUSH LENGTH	126 CM. (50 IN.)	153 CM. (60 IN.)
C1	95 CM. (37 IN.)	75 CM. (30 IN.)
C2	86 CM. (34 IN.)	44 CM. (17 IN.)
C3	67 CM. (26 IN.)	50 CM. (20 IN.)
C4	45 CM. (18 IN.)	29 CM. (11 IN.)
C5	27 CM. (11 IN.)	11 CM. (4 IN.)
C6	11 CM. (4 IN.)	0 CM. (0 IN.)
D	0 CM. (0 IN.)	0 CM. (0 IN.)
D'	-17 CM. (-7 IN.)	-25 CM. (-10 IN.)

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE	130 CM. (51 IN.)	153 CM. (60 IN.)
CG TO REAR AXLE	141 CM. (56 IN.)	165 CM. (65 IN.)
TRACK	150 CM. (59 IN.)	162 CM. (64 IN.)
CG TO FRONT OF VEH	228 CM. (90 IN.)	265 CM. (104 IN.)
CG TO REAR OF VEH	-270 CM. (-106 IN.)	-318 CM. (-125 IN.)
CG TO SIDE OF VEH	92 CM. (36 IN.)	101 CM. (40 IN.)
MOMENT OF INERTIA	10501 KGS (23150 LBS)	19342 KGS (42640 LBS)
VEHICLE MASS	3 KGS (7 LBS)	5 KGS (10 LBS)

FRICITION INFORMATION **TRAJECTORY INFORMATION**

Coefficient of Friction _____
 Rolling Resistance Option _____

Vehicle 1 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Vehicle 2 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Trajectory Data No Yes
If No, Go To Damage Information

Vehicle 1 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Vehicle 2 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Terrain Boundary No Yes

First Point
 X _____ m Y _____ m

Second Point
 X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

	VEHICLE 1		VEHICLE 2
Damage Length	L _____ cm	Damage Length	L <u>153</u> cm
Crush Depths	C ₁ _____ cm	Crush Depths	C ₁ <u>75</u> cm
	C ₂ _____ cm		C ₂ <u>44</u> cm
	C ₃ _____ cm		C ₃ <u>50</u> cm
	C ₄ _____ cm		C ₄ <u>29</u> cm
	C ₅ _____ cm		C ₅ <u>11</u> cm
	C ₆ _____ cm		C ₆ <u>0</u> cm
Damage Offset	D ⁺ _____ cm	Damage Offset	D ⁺ <u>0</u> cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE *NOT IN TRANSPORT*, FILL IN THE INFORMATION BELOW.

Model Year: _____
 Make: _____
 Model: _____
 VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.

TITLE

P12-163A-01-V2 TO BARRIER EQUIV. RUN

GENERAL INFORMATION

VEHICLE #1	
SIZE	11
WEIGHT	1000000.
CDC	
PDOF	
STIFFNESS	
CANCEL	ACCEPT

VEHICLE #2	
SIZE	6
WEIGHT	1759.
CDC	12FDEW4
PDOF	-10.00
STIFFNESS	8
CANCEL	ACCEPT

METRIC INPUT

SUMMARY OF CRASHPC RESULTS USING DAMAGE

P12-163A-01-V2 TO BARRIER EQUIV. RUN

	SPEED CHANGE (DAMAGE)	
VEHICLE #1		
TOTAL	0 KPH (0 MPH)
LONGITUDINAL	0 KPH (0 MPH)
LATITUDINAL	0 KPH (0 MPH)
PDOF ANGLE	0 DEGREES	
ENERGY DISSIPATED =	0 JOULES (0 FT-LB)
VEHICLE #2		
TOTAL	39 KPH (24 MPH)
LONGITUDINAL	-38 KPH (-24 MPH)
LATITUDINAL	7 KPH (4 MPH)
PDOF ANGLE	-10 DEGREES	
ENERGY DISSIPATED =	104691 JOULES (77206 FT-LB)

DAMAGE DATA

	VEHICLE #1	VEHICLE #2
SIZE CATEGORY	11	6
STIFFNESS CATEGORY	0	8
VEHICLE WEIGHT	***** KGS (2204586 LBS) *	1759 KGS (3878 LBS)
CDC	BARRIER	12FDEW4
PDOF ANGLE	0 DEGREES *	-10 DEGREES
CRUSH LENGTH	0 CM. (0 IN.) *	153 CM. (60 IN.)
C1	0 CM. (0 IN.) *	75 CM. (30 IN.)
C2	0 CM. (0 IN.) *	44 CM. (17 IN.)
C3	0 CM. (0 IN.) *	50 CM. (20 IN.)
C4	0 CM. (0 IN.) *	29 CM. (11 IN.)
C5	0 CM. (0 IN.) *	11 CM. (4 IN.)
C6	0 CM. (0 IN.) *	0 CM. (0 IN.)
D	0 CM. (0 IN.) *	0 CM. (0 IN.)
D'	0 CM. (0 IN.) *	-25 CM. (-10 IN.)

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE	127 CM. (50 IN.)	153 CM. (60 IN.)
CG TO REAR AXLE	127 CM. (50 IN.)	165 CM. (65 IN.)
TRACK	127 CM. (50 IN.)	162 CM. (64 IN.)
CG TO FRONT OF VEH	127 CM. (50 IN.)	265 CM. (104 IN.)
CG TO REAR OF VEH	-127 CM. (-50 IN.)	-318 CM. (-125 IN.)
CG TO SIDE OF VEH	127 CM. (50 IN.)	101 CM. (40 IN.)
MOMENT OF INERTIA	***** KGS (***** LBS)	19342 KGS (42640 LBS)
VEHICLE MASS	2600 KGS (5732 LBS)	5 KGS (10 LBS)

12163A000000111 958.050000000000021245000001 95011296062996 950 95000
01328000028412610 0405
12163A00010012 958.0510000000000102F0230F
12163A01000021 8.05 000000000952400104168ZK52725Z 01999089000704847310
0211211000990110011250
12163A01000022 8.05 000000000102021601090020000000000017500300001055-054+01
01403998105403
12163A01000031 8.05 00000000010212FDAW04 126095086067045027011
000 15808626014301000202040101001000
12163A01000041 8.05 00000000098311100000012222202192221013611160191111101
12163A01000042 8.05 0000000001101521105421203421102421304321116321106321320
12121512131512210130503812220
12163A01010051 8.05 0000000002811930951119224211400001000000211002889011-05
42204882211401132550000000000041108623896000019059211
12163A01010161 8.05 0000000003890202130141104
12163A01010261 8.05 0000000002140646530153106
12163A01010361 8.05 0000000002140668310153106
12163A01010461 8.05 0000000002140668320153106
12163A01010561 8.05 0000000002140678410153106
12163A01010661 8.05 0000000002140684390153106
12163A01010761 8.05 0000000002160820400153106
12163A01010861 8.05 0000000002544210220512100
12163A01010961 8.05 000000000254422220512100
12163A01011061 8.05 0000000002450232420512100
12163A01011161 8.05 0000000002753204320512100
12163A01011261 8.05 0000000002851606220141104
12163A01011361 8.05 0000000002853422320141104
12163A01011461 8.05 0000000003190402100153106
12163A01011561 8.05 0000000003490202110062101
12163A01011661 8.05 0000000003590402100062101
12163A01011761 8.05 0000000003790602110103104
12163A01011861 8.05 0000000003790202110103104
12163A01011961 8.05 0000000003890202130141104
12163A01020051 8.05 000000000210910132139000093404911000008211001899011-05
42101011111401122580000000000033101970000000004021011
12163A01020161 8.05 0000000003160402101802100
12163A01020261 8.05 0000000003290202111802100
12163A01020361 8.05 0000000003290602181802100
12163A01020461 8.05 0000000003890202121803100
12163A02000021 8.05 0000000008712471301FTCR15T1HP 01999089096704886610
0211211000010162091251
12163A02000022 8.05 0000000001010100014202000000000000000317501001038-038+00
71047998103903
12163A02000031 8.05 00000000010112FDEW04 153075044050029011000
000 15315331813801000401050101001000
12163A02000041 8.05 0000000001321000200001222223012211220261111101111110
12163A02000042 8.05 000000000110542112742112732112732119832122511
100050502710020
12163A02010051 8.05 0000000004411701321119000004400001000000000000000000 00
00000000000106139980000000000033103990000000004159011
12163A02010161 8.05 0000000003490402100061100
12163A02010261 8.05 0000000007790402130042100
12163A02010361 8.05 0000000002851400222512101

INTRA ERRORS

HH1271 2 ***** THIS CASE SHOWS EJECTION WITH RESTRAINT USAGE. *****
HH1272 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
HH1273 EJECTION OA12 is equal to 1-3 and ((MANUAL BELT USE OA19 does
HH1274 not equal 00, 01 or 99) or

HH1275 (FRONTAL AIR BAG SYSTEM DEPLOYMENT OA31 does not equal 0, 7 or
HH1276 9) or (AUTOMATIC BELT USE OA24 does not equal 0, 2 or 9)).

HH1981 2 ***** THIS CASE SHOWS A POSSIBLE AIR BAG FAILURE *****
HH1982 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
HH1983 ***** AND NHTSA HEADQUARTERS AT (202) 366-5394. *****
HH1984 DID AIR BAG FAIL OA34 equals 2.

OCCUPANT ASSESSMENT Vehicle: 1 Occupant: 2

INTRA ERRORS

HH0081 2 If OCCUPANT HEIGHT OA07 is less than 125, then MANUAL BELT USE
HH0082 OA19 should not equal 02 or 04.

INTERIOR VEHICLE Vehicle: 2

INTRA ERRORS

CC0531 2 ***** THIS CASE SHOWS A DOOR OR HATCH OR GATE OPENING *****
CC0532 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0533 DOOR LEFT FRONT IV05 equals 2 or IV06 equals 2 or IV07 equals 2
CC0534 or IV08 equals 2 or IV09 equals 2.

OCCUPANT ASSESSMENT Vehicle: 2 Occupant: 1

INTRA ERRORS

HH0071 2 Given OCCUPANT AGE OA05 and OCCUPANT SEX OA06, OCCUPANT WEIGHT
HH0072 OA08 is questionable. See Table A2.

PSU12
CASE 163A
CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN

██████████/96

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	Y
General Vehicle	0	0	0	Y
Vehicle Exterior	0	0	0	Y
Vehicle Interior	0	0	2	Y
Occupant Assessment	0	0	4	Y
Occupant Injury	0	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	6	



U.S. Department of Transportation
National Highway Traffic Safety
Administration

SLIDE INDEX

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Primary Sampling Unit Number <u>12</u>		Case Number—Stratum <u>163A</u>	
Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter
1-13	1	South	Path of travel to P ₀₁ : final rest
14-22	1	North	Opposite direction of travel from final rest
23-33	2	North	Path of travel to impact: final rest
34-36	2	Southeast	spill: UC mark of VZ & F.R.
37		Southeast	RP
38-40	2	South	Opposite direction from final rest
41-53	1	exterior	C measurements in place. Windshield held from (D) to center: cut from center to (E) by Fire Dept.
54-68	1	exterior	extensive (D) side damage shown - door cut off by Fire Dept.
69-86	1	exterior	Other points of interest shown
87-92	1	exterior	C measurements taken but not applicable for this case. This is previous damage which researcher reinvestigated at scene by inspecting the concrete overpass bridge and finding no contact there.
93	1	exterior	Gas tank location
94-174	1	interior	Look closely at the steering wheel: column bolt - this may have released from the column at the time of airbag deployment.
175-187	2	exterior	C measurements and direct damage area
188-194	2	exterior	Note latch failure: ejection medium
195-208	2	exterior	Induced damage shown
209-212	2	exterior	Gas tank
213	2	exterior	separation from body to chassis
214-243	2	interior	Note damage shown on interior vehicle form



PSU 12-163A (1995) #1



PSU 12-163A (1995) #2



PSU 12-163A (1995) #3



PSU 12-163A (1995) #4



PSU 12-163A (1995) #5



PSU 12-163A (1995) #6



PSU 12-163A (1995) #7



PSU 12-163A (1995) #8



PSU 12-163A (1995) #9



PSU 12-163A (1995) #10



PSU 12-163A (1995) #11



PSU 12-163A (1995) #12



PSU 12-163A (1995) #13



PSU 12-163A (1995) #14



PSU 12-163A (1995) #15



PSU 12-163A (1995) #16



PSU 12-163A (1995) #17



PSU 12-163A (1995) #18



PSU 12-163A (1995) #19



PSU 12-163A (1995) #20



PSU 12-163A (1995) #21



PSU 12-163A (1995) #22



PSU 12-163A (1995) #23



PSU 12-163A (1995) #24



PSU 12-163A (1995) #25



PSU 12-163A (1995) #26



PSU 12-163A (1995) #27



PSU 12-163A (1995) #28



PSU 12-163A (1995) #29



PSU 12-163A (1995) #30



PSU 12-163A (1995) #31



PSU 12-163A (1995) #32



PSU 12-163A (1995) #33



PSU 12-163A (1995) #34



PSU 12-163A (1995) #35



PSU 12-163A (1995) #36



PSU 12-183A (1995) #37



PSU 12-163A (1995) #38



PSU 12-163A (1995) #39



PSU 12-163A (1995) #40



PSU 12-163A (1995) #41
Best Available



PSU 12-163A (1995) #42
Best Available



PSU 12-163A (1995) #43
Best Available



PSU 12-163A (1995) #44
Best Available



PSU 12-163A (1995) #45
Best Available



PSU 12-163A (1995) #46
Best Available




PSU 12-163A (1995) #47
Best Available



PSU 12-163A (1995) #48
Best Available



PSU 12-163A (1995) #49
Best Available



FSU 12-163A (1995) #50
Best Available



PSU 12-163A (1995) #51
Best Available



**PSU 12-163A (1995) #52
Best Available**



PSU 12-163A (1995) #53
Best Available



PSU 12-163A (1995) #54
Best Available



PSU 12-163A (1995) #55
Best Available



PSU 12-163A (1995) #56
Best Available



PSU 12-163A (1995) #57
Best Available



PSU 12-163A (1995) #58



PSU 12-163A (1995) #59



PSU 12-163A (1995) #60
Best Available



PSU 12-163A (1995) #61



PSU 12-163A (1995) #62



PSU 12-163A (1995) #63



PSU 12-163A (1995) #64
Best Available



PSU 12-163A (1995) #65
Best Available



PSU 12-163A (1995) #68
Best Available



PSU 12-163A (1995) #67
Best Available



PSU 12-163A (1995) #68
Best Available



**PSU 12-163A (1995) #69
Best Available**



PSU 12-163A (1995) #70
Best Available



PSU 12-163A (1995) #71
Best Available



PSU 12-163A (1995) #72
Best Available



PSU 12-163A (1995) #73
Best Available



PSU 12-163A (1995) #74
Best Available



PSU 12-163A (1995) #75
Best Available



PSU 12-163A (1995) #76

Best Available



PSU 12-163A (1995) #77
Best Available



PSU 12-163A (1995) #78
Best Available



PSU 12-163A (1995) #79
Best Available



PSU 12-163A (1995) #90
Best Available



PSU 12-163A (1995) #81
Best Available



PSU 12-163A (1995) #82
Best Available



PSU 12-163A (1995) #83
Best Available



PSU 12-163A (1995) #64
Best Available



PSU 12-163A (1995) #85



PSU 12-163A (1995) #86
Best Available



PSU 12-163A (1995) #87



PSU 12-163A (1995) #88



PSU 12-163A (1995) #89



PSU 12-163A (1995) #90



PSU 12-163A (1995) #91



PSU 12-163A (1995) #92



PSU 12-163A (1995) #93
Best Available



PSU 12-163A (1995) #94



PSU 12-163A (1995) #95



PSU 12-163A (1995) #96



PSU 12-163A (1995) #97
Best Available



PSU 12-163A (1995) #98



PSU 12-163A (1995) #99



FSU 12-163A (1995) #100



PSU 12-163A (1995) #101



CAUTION

A child in a rear-facing child restraint
if it allows, up to 2 years of age, is a
the vehicle. Secure a rear-facing child to
Before securing a forward-facing child or
passenger seat on the back seat of your car.
All the time, up you can use front air bags
the child restraint in the rear seat.
For more information, see your Owner's Manual
and your child restraint.

PSU 12-163A (1995) #102
Best Available



PSU 12-163A (1995) #103



PSU 12-163A (1995) #104
Best Available



PSU 12-163A (1996) #105
Best Available



FSU 12-163A (1995) #106
Best Available



FSU 12-163A (1995) #107
Best Available



PSU 12-163A (1995) #108
Best Available



PSU 12-163A (1995) #109
Best Available




PSU 12-163A (1995) #110



PSU 12-163A (1995) #111



PSU 12-163A (1995) #112



PSU 12-163A (1995) #113



PSU 12-163A (1995) #114



PSU 12-163A (1995) #115



PSU 12-163A (1995) #116



PSU 12-163A (1995) #117



PSU 12-163A (1995) #118




PSU 12-163A (1995) #119



PSU 12-163A (1995) #120



PSU 12-163A (1995) #121



PSU 12-163A (1995) #122



PSU 12-163A (1995) #123



PSU 12-163A (1995) #124



PSU 12-163A (1995) #125



PSU 12-163A (1995) #126



PSU 12-163A (1895) #127



PSU 12-163A (1995) #128
Best Available



PSU 12-163A (1995) #129
Best Available



PSU 12-163A (1995) #130
Best Available



PSU 12-183A (1995) #131
Best Available



PSU 12-163A (1995) #132
Best Available



PSU 12-163A (1995) #133
Best Available



PSU 12-163A (1995) #134



PSU 12-163A (1995) #135



PSU 12-163A (1995) #136
Best Available



PSU 12-163A (1995) #137

Best Available



PSU 12-163A (1995) #138



PSU 12-163A (1995) #139



PSU 12-163A (1995) #140



PSU 12-163A (1995) #141
Best Available



PSU 12-163A (1995) #142




PSU 12-163A (1995) #143



PSU 12-163A (1995) #144



PSU 12-163A (1996) #145
Best Available



PSU 12-163A (1995) #146
Best Available



PSU 12-163A (1995) #147
Best Available



PSU 12-163A (1995) #148
Best Available



PSU 12-163A (1995) #149




PSU 12-163A (1995) #150



PSU 12-163A (1995) #151



PSU 12-163A (1995) #152



PSU 12-163A (1995) #153



PSU 12-163A (1995) #154



PSU 12-163A (1995) #155



PSU 12-183A (1995) #156



PSU 12-163A (1995) #157



PSU 12-163A (1995) #158
Best Available



PSU 12-163A (1995) #159
Best Available



PSU 12-163A (1995) #160



PSU 12-163A (1995) #161



PSU 12-163A (1995) #162



PSU 12-163A (1995) #163
Best Available



PSU 12-163A (1995) #164
Best Available



PSU 12-163A (1995) #165



PSU 12-163A (1985) #166




PSU 12-163A (1995) #167
Best Available



PSU 12-163A (1995) #168
Best Available



PSU 12-163A (1995) #169



PSU 12-163A (1995) #170



PSU 12-163A (1995) #171



FSU 12-163A (1995) #172



PSU 12-163A (1995) #173



PSU 12-163A (1995) #174



PSU 12-163A (1995) #175
Best Available



PSU 12-163A (1995) #176



FSU 12-163A (1995) #177
Best Available



PSU 12-163A (1995) #178
Best Available



PSU 12-163A (1995) #179
Best Available



PSU 12-163A (1995) #180
Best Available



PSU 12-163A (1995) #181



PSU 12-163A (1995) #182
Best Available



PSU 12-163A (1995) #183
Best Available



**PSU 12-163A (1995) #184
Best Available**



PSU 12-163A (1995) #185
Best Available




PSU 12-163A (1995) #186



PSU 12-163A (1995) #187



PSU 12-163A (1995) #188
Best Available



PSU 12-163A (1995) #189
Best Available



PSU 12-163A (1995) #190
Best Available



PSU 12-163A (1995) #191
Best Available



PSU 12-163A (1995) #192



PSU 12-163A (1995) #193



PSU 12-163A (1995) #194



PSU 12-163A (1995) #195



PSU 12-163A (1995) #196



PSU 12-163A (1995) #197



PSU 12-163A (1995) #198
Best Available



PSU 12-163A (1995) #199
Best Available



PSU 12-163A (1995) #200
Best Available



PSU 12-163A (1995) #201
Best Available



PSU 12-163A (1995) #202
Best Available



PSU 12-163A (1995) #203
Best Available



PSU 12-163A (1995) #204
Best Available



PSU 12-163A (1995) #205
Best Available



PSU 12-163A (1995) #206
Best Available



PSU 12-163A (1995) #207
Best Available



PSU 12-163A (1985) #208
Best Available



PSU 12-163A (1995) #209
Best Available



PSU 12-163A (1995) #210
Best Available



PSU 12-163A (1995) #211
Best Available



PSU 12-163A (1995) #212
Best Available



PSU 12-163A (1995) #213
Best Available



PSU 12-163A (1995) #214
Best Available



**PSU 12-163A (1995) #215
Best Available**



PSU 12-163A (1985) #216
Best Available



PSU 12-163A (1995) #217
Best Available



PSU 12-163A (1965) #218
Best Available



PSU 12-163A (1995) #219
Best Available



PSU 12-163A (1995) #220
Best Available



PSU 12-163A (1995) #221
Best Available



PSU 12-163A (1995) #222
Best Available



PSU 12-163A (1995) #223
Best Available



**PSU 12-163A (1995) #224
Best Available**



PSU 12-163A (1995) #225
Best Available



**PSU 12-163A (1995) #226
Best Available**



PSU 12-163A (1995) #227
Best Available



PSU 12-163A (1995) #228
Best Available



PSU 12-163A (1995) #229
Best Available



PSU 12-163A (1995) #230
Best Available



PSU 12-163A (1995) #231
Best Available



PSU 12-163A (1995) #232
Best Available



PSU 12-163A (1995) #233
Best Available



PSU 12-163A (1995) #234
Best Available



PSU 12-163A (1995) #235
Best Available



PSU 12-163A (1995) #236
Best Available



FSU 12-163A (1995) #237
Best Available



PSU 12-163A (1995) #238
Best Available



PSU 12-163A (1995) #239
Best Available



PSU 12-163A (1995) #240
Best Available



PSU 12-163A (1995) #241
Best Available



PSU 12-163A (1995) #242



PSU 12-163A (1995) #243

STATE POLICE

12/21/88

V1 approach



MISSOURI POLICE DEPARTMENT
11/24/01



V1 approach



V1 P01



P12 163A

⑤


MISSOURI ACCIDENT REPORT

12:21 AM

P01 : final rest



NATIONAL ACCIDENT RECONSTRUCTION CENTER



✓ 1
interior

P12 163A

6

MAXIMAL ACCIDENT BARN

22AM



tachometer
stuck on 4



P12 163A

7

MASSACHUSETTS REGISTERED PLATE





NATIONAL ACCIDENT EXAMINERS ASSOCIATION

MAY 22 2011


*opposite direction
of travel*



P. 2 163A

9

NATIONAL ACCIDENT REPAIR





P, 2 163A

(11)

PHOTO TAKEN BY JAGHITAN

22V



P12 163A

12

WISCONSIN ACCIDENT REPORT

1221



P12 163A

13

NATIONAL ACCIDENT REPAIR TRAINING CENTER



Pi 2 163A

(14)





Pt 2 163A

16



old damage



P. 2 163A

(17)

MASSACHUSETTS DEPARTMENT OF TRANSPORTATION
VEHICLE ACCIDENT INVESTIGATION



P. 2 163A

18

NATIONAL SOCIETY OF INVESTIGATIVE PHOTOGRAPHERS

2200



P12 163A

19

CALIFORNIA THEODORE JANOTAN

22AM



P12 163A

20

MULTIPLAS TMSGIDOKA JANDITAN

22/11



NATIONAL ACCIDENT ANALYSIS CENTER

