# National Vital Statistics Reports





Volume 51, Number 1 December 11, 2002

## Mean Age of Mother, 1970-2000

by T. J. Mathews, M.S., and Brady E. Hamilton, Ph.D., Division of Vital Statistics

### **Abstract**

Objectives—This report presents trends in the mean age of mothers giving birth for the United States for the last three decades. Data are presented by live-birth order, race, Hispanic origin, and State of residence of the mother.

*Methods*—Descriptive tabulations and graphs of the trends in the mean age of mother are discussed.

Results—The mean age of mother has increased steadily in the United States over the last three decades. Mothers having their first and second live births had the largest increase in mean age. Among racial and Hispanic origin subgroups, Japanese women had the highest mean age in 2000. Puerto Rican women had the lowest mean age. Massachusetts had the highest mean age in 2000 and Mississippi had the lowest.

**Keywords**: mean age • birth order • race and Hispanic origin • State-specific mean age

### Introduction

Data on the age of mothers have been collected and published from the birth registration system of the United States for many decades. One measure that generates considerable interest among researchers and particularly the public is the typical age at which women have children. Often the interest is specifically in the "average" age of women having their first child.

The mean age figures, published here in detail for the first time, are shown for the years 1970–2000. Data by State are shown for 1970, 1980, 1990, and 2000. Data by detailed race and Hispanic origin begin with 1989, when the Hispanic reporting area was nearly complete, and go through 2000. Mean age of mother for selected countries are shown for 1970 and 2000. Information about change in the mean age of mother over these various time periods is displayed as absolute change in years.

The mean age of mother is the arithmetic average of the mother's age at time of the birth. For this report the mean age is computed directly from the frequency of births by age of mother in the United States (approximately 4 million annually). Consequently, the measure




Figure 1. Percent of all live births by age of mother, 1970–2000

### Acknowledgments

This report was prepared under the general direction of Stephanie J. Ventura, Chief of the Reproductive Statistics Branch (RSB). William D. Mosher of RSB provided peer review. This report was edited by Thelma W. Sanders, typeset by Jacqueline M. Davis, and graphics were produced by Jarmila G. Ogburn of the Publications Branch, Division of Data Services.



2

is affected by age patterns in childbearing and by the age distribution of the population of women within the childbearing years. The age distribution of women giving birth has changed from 1970 to 2000 with relatively fewer mothers under 20 years of age and more mothers 35 years and over (figure 1).

Median age of mother is a related measure to the mean and is published elsewhere (1). The median age of the mother is the middle point if mothers ages were arranged from the lowest to highest. Published medians are computed using the birth rates of women in 5-year age groups, from 10–14 years to 45–49 years of age (1,2). The median is the more useful measure when it is appropriate to minimize the influence of outliers, i.e., births to the youngest and oldest women. Another measure, age-specific birth rates, can also be used to describe the age pattern of childbearing of women over time. However, mean age at birth is more easily compared over time and across population groups than age-specific birth rates. It is also easier to interpret than either age-specific birth rates or median age at birth. For a more detailed explanation of the difference between the mean and median age of mother and the calculation of these measures see the Technical Notes.

### **Results and Discussion**

### Mean age of mother, 1970-2000

The mean age of mother in the United States was 24.6 in 1970 and rose to 27.2 in 2000, an increase of 2.6 years. The mean age at first birth was 21.4 in 1970 and rose to 24.9 in 2000, an increase of 3.5 years.

In contrast, the median age of mother was 25.4 in 1970 and 27.1 in 2000. The median age at first birth was 22.1 in 1970 and 24.6 in 2000. In 1990 the mean was higher than the median, remained higher through 1998, but was only slightly higher in 1999 and 2000 (table 1, figure 2, and table I in the Technical Notes).

Figure 2 shows that in most years, the mean and median ages were not identical. In the 1970s the mean age was lower than the median, while in the 1990s the mean was slightly higher (see the Technical Notes for a more detailed explanation of these differences).

### Mothers are older

The mean age of mothers increased 2.6 years in the past three decades. This increase occurred despite the fact that over one-half of all births still occur to women in their twenties. The lowest mean age was for the years 1973 and 1974 (24.4 years of age).

The increase in the mean age for women having their first live birth from 1970 to 2000 was 3.5 years. The largest increase in mean age was for women having their second live birth (3.6 years). Mean age at third, fourth, and fifth and higher order increased 2.6, 1.6, and 0.4 years, respectively (table 1).

### Mean age by race and Hispanic origin

Table 2 shows the mean age of mother by race and Hispanic origin by live birth order for the years 1989–2000. The mean age for all groups for all live birth orders increased during this time period (figure 3). In 1989 Chinese women had the highest mean age of 30.4 years, but in 2000 Japanese women had the highest mean age at 31.8 years. Puerto Rican women had the lowest mean age in 1989




Figure 2. Mean and median age of mother by live birth order, 1970–2000




Figure 3. Mean age of mother by live birth order, 1970–2000

and 2000 (24.3 and 25.0 years, respectively). American Indian women had the lowest mean age at first live birth in both 1989 and 2000 (21.3 and 21.6 years, respectively). Japanese and Chinese women had the highest mean ages in all live birth orders from 1989 to 2000 (data for 2000 in figure 4).

### Mean age at first live birth by State

Mean age of mother at first live birth varies considerably by State (table 3 and figure 5). In 1970 the lowest mean age was for Arkansas at 20.2 years. The mean ages for Connecticut, Massachusetts, and New York was 22.5 in 1970, 2.3 years higher than Arkansas. In 2000 Mississippi had the lowest mean age, 22.5 years, while Massachusetts had the highest at 27.8, a difference of 5.3 years.

Several factors affect variations in mean age by State. States with higher proportions of births to younger women have a lower mean age. Teenage women are the most likely to be having first births and thus State teenage birth rates play a role in variations in the mean age at first live birth by State. Compositional factors can also affect variations in means by State. In general, black, Hispanic, and American Indian women have lower mean ages than non-Hispanic white and Asian or Pacific Islander women (table 2). States with higher proportions of black, Hispanic, and American Indian women can be expected to have lower mean ages.

All States and the District of Columbia had significant increases in the mean age at first birth from 1970 to 2000 (figure 5). Eight States and the District of Columbia reported an increase of more than 4 years. Massachusetts reported the greatest increase in mean age at first birth, 5.3 years, from 22.5 to 27.8, while Utah reported the smallest increase, 1.9 years.

In the more recent period, from 1990 to 2000, only Alaska declined significantly in mean age at first birth, declining less than 1 year from 24.4 years to 24.1. Forty-five States and the District of Columbia had significant increases in mean age in this decade. Six States, Massachusetts, Michigan, Virginia, North Carolina, New Jersey, and New Hampshire and the District of Columbia had absolute increases of 1 year or more of age.

### Mean age at first birth for developed countries

The mean age at first birth varies considerably across developed nations (table 4). According to the latest available data for selected countries, the mean age in 2000 ranged from 24 in the Slovak Republic to 29 in Switzerland (3–5). Increases in mean age at first birth from 1970 to 2000 for the selected countries shown here range from 2 to 4 years. The United States ranks in the top one-half of this distribution, with an increase of 3.5 years. A recent report showed that most developed countries have experienced an increase in the mean age at first birth over the last 30 years (6).




Figure 4. Mean age of mother by race and Hispanic origin of mother, 2000




Figure 5. Absolute change in mean age of mother at first live birth, 1970–2000

### Factors affecting mean age at birth

Since 1970 the data in this report show that the mean age of mother for all births and the mean age at first birth increased 2.6 and 3.5 years, respectively. The fact that the rise has been widespread, occurring for each birth order, race and Hispanic origin group, and all States, supports the idea that there has been a real change in the reproductive behavior of women in the United States.

Several factors may account for the upward trend in mean age at birth apart from an upward shift in the age structure of the population of women. Education and career have been reported as important factors in women's decisions to delay marriage and motherhood (7). From 1970 to 2000, the percent of women having completed 4 or more years of college nearly tripled while the female labor force participation rate increased 39 percent (8). Contraceptive use at first intercourse, particularly condom use, rose dramatically between the 1970s and 1990s (9). These concurrent trends can contribute to the delay of a first birth and subsequently to older ages at second and higher order births. The effect of economic cycle, social support, marriage squeeze, and marital disruption, are additional factors to be considered in understanding the postponement of childbearing.

### References

- National Center for Health Statistics. Vital statistics of the United States, 1999, vol 1 natality. Hyattsville, Maryland. 2002. Available at: http://www.cdc.gov/nchs/datawh/statab/unpubd/natality/natab99.htm.
- Martin JA, Hamilton BE, Ventura SJ, Menacker F, Park MM. Births: Final data for 2000. National vital statistics reports; vol 50 no. 5. Hyattsville, Maryland: National Center for Health Statistics. 2002.
- 3. Council of Europe. Recent Demographic Developments in Europe 2001. Strasbourg: Council of Europe Publishing. 2001.
- Statistics Bureau. Statistical handbook of Japan 2001. Ministry of Public Management, Home Affairs, Ports, and Telecommunications. 2001.
- Japan Information Network. Women's Life Cycle (1983–2000).
  Released August 29, 2001. Available at: http://www.jinjapan.org/stat/stats/18WME11.html.
- UNICEF. 'A league table of teenage births in rich nations,' Innocenti Report Card No. 3, July 2001. UNICEF Innocenti Research Centre, Florence.
- Goldin C. Career and family: College women look to the past. Working Paper No. 5188. Cambridge, Massachusetts: National Bureau of Economic Research. 1995.
- U.S. Census Bureau. Statistical abstract of the United States: 2001.
  121st ed. Washington DC: U.S. Census Bureau. 2001.
- Abma J, Chandra A, Mosher W, Peterson L, Piccinino L. Fertility, family planning, and women's health: New data from the 1995 National Survey of Family Growth. National Center for Health Statistics. Vital Health Stat 23(19), 1997.

### **List of Detailed Tables**

1.	Mean age of mother and absolute change by live birth order:	
	United States, 1970–2000	(
2.	Mean age of mother and absolute change by race and Hispanic	
	origin of mother and live birth order: United States,	
	1989–2000	
3.	Mean age of mother at first live birth by State, 1970, 1980, 1990,	
	and 2000, and absolute change, 1970-2000: United States, each	
	State, and territory	10
4.	Mean age of mother at first live birth and absolute change for	
	selected countries, 1970 and 2000	- 11

Table 1. Mean age of mother and absolute change by live birth order: United States, 1970-2000

Year	Total <sup>1</sup>	1st	2d	3d	4th	5th and higher orde
000	27.2	24.9	27.7	29.2	30.3	32.4
999	27.1	24.8	27.7	29.1	30.3	32.3
998	27.1	24.7	27.6	29.1	30.3	32.3
997	27.0	24.7	27.6	29.1	30.2	32.2
996	27.0	24.6	27.6	29.1	30.2	32.2
995	26.9	24.5	27.5	29.1	30.1	32.1
994	26.8	24.4	27.4	28.9	30.0	31.9
993	26.7	24.4	27.2	28.7	29.7	31.7
92	26.6	24.4	27.1	28.5	29.5	31.6
991	26.4	24.2	27.0	28.4	29.5	31.5
990	26.4	24.2	26.9	28.3	29.4	31.5
989	26.3	24.2	26.8	28.3	29.4	31.6
988	26.3	24.1	26.7	28.2	29.4	31.7
987	26.1	24.0	26.6	28.1	29.4	31.7
986	26.0	23.8	26.4	28.0	29.3	31.8
985	25.8	23.7	26.3	27.9	29.3	31.8
984	25.7	23.5	26.1	27.8	29.2	31.8
983	25.5	23.3	25.9	27.6	29.1	31.9
982	25.3	23.1	25.7	27.5	29.1	31.9
981	25.1	22.9	25.5	27.4	29.0	32.0
980	25.0	22.7	25.4	27.3	29.0	32.0
979	24.9	22.6	25.3	27.2	29.0	32.2
978	24.8	22.4	25.1	27.2	28.9	32.2
977	24.7	22.2	25.0	27.1	29.0	32.3
976	24.6	22.0	24.9	27.0	28.9	32.4
975	24.5	21.8	24.7	26.9	28.9	32.4
974	24.4	21.7	24.6	26.8	28.9	32.4
73	24.4	21.5	24.5	26.8	28.9	32.4
72	24.5	21.4	24.4	26.7	28.8	32.3
971	24.6	21.4	24.2	26.6	28.7	32.1
970	24.6	21.4	24.1	26.6	28.7	32.0
bsolute change 1970-2000	2.6	3.5	3.6	2.6	1.6	0.4

<sup>&</sup>lt;sup>1</sup>Includes birth order not stated.

Table 2. Mean age of mother and absolute change by race and Hispanic origin of mother and live birth order: United States, 1989-2000

of mother	Total <sup>1</sup>	1st	2d	3d	4th	5th and higher order
Non-Hispanic white						
00	28.0	25.9	28.6	30.0	31.3	33.4
999	27.9	25.8	28.5	30.0	31.2	33.4
998	27.9	25.7	28.5	30.0	31.2	33.4
997	27.8	25.6	28.4	30.0	31.2	33.3
96	27.7	25.5	28.4	30.0	31.2	33.3
95	27.6	25.4	28.3	29.9	31.1	33.2
94	27.5	25.4	28.2	29.8	31.0	33.0
93	27.4	25.3	28.0	29.6	30.8	32.8
992	27.3	25.2	27.9	29.3	30.5	32.7
991	27.1	25.1	27.7	29.2	30.5	32.5
990	27.1	25.0	27.6	29.1	30.3	32.5
989	27.0	25.0	27.5	29.0	30.3	32.5
osolute change 1989–2000	1.0	0.9	1.1	1.0	1.0	0.9
Non-Hispanic black	05.0	00.0	05.5	07.0	00.0	00.5
000	25.2	22.3	25.5	27.2	28.2	30.5
999	25.1	22.2	25.5	27.1	28.2	30.5
998	25.0	22.2	25.4	27.0	28.2	30.4
997	25.0	22.1	25.4	27.0	28.2	30.4
996	24.9	22.0	25.3	27.0	28.1	30.3
995	24.8	21.9	25.3	27.0	28.0	30.2
994	24.7	21.8	25.1	26.7	27.8	30.0
993	24.6	21.8	24.9	26.5	27.6	29.7
992	24.5	21.8	24.7	26.2	27.4	29.6
991	24.4	21.7	24.6	26.2	27.4	29.6
990	24.4	21.7	24.6	26.3	27.4	29.7
989	24.3	21.6	24.6	26.3	27.5	29.8
osolute change 1989–2000	0.9	0.7	0.9	0.9	0.7	0.7
American Indian						
000	25.1	21.6	24.7	27.0	29.0	31.7
999	25.0	21.5	24.7	26.9	28.7	31.6
998	24.9	21.4	24.6	26.9	28.9	31.4
997	25.0	21.4	24.6	27.0	28.9	31.5
996	25.0	21.4	24.7	27.0	28.8	31.2
995	24.9	21.3	24.7	27.0	28.7	31.3
994	24.9	21.3	24.6	26.8	28.4	31.1
993	24.9	21.4	24.4	26.6	28.4	30.9
992	24.9	21.3	24.3	26.4	28.1	30.8
991	24.8	21.2	24.2	26.4	28.0	30.8
990	24.9	21.3	24.2	26.3	28.0	30.9
989	24.8	21.3	24.1	26.2	28.0	30.9
osolute change 1989–2000	0.3	0.3	0.6	0.8	1.0	0.8
Chinese						
000	31.6	30.1	32.7	34.0	34.2	35.3
999	31.6	30.2	32.7	34.0	34.1	35.5
198	31.6	30.2	32.6	33.9	34.7	35.2
97	31.3	29.9	32.4	33.8	34.6	35.9
996	31.2	29.8	32.3	33.5	34.4	35.8
95	31.1	29.8	32.1	33.5	34.2	35.3
94	31.0	29.6	32.0	33.3	34.3	36.2
93	30.8	29.5	31.8	33.1	33.8	35.6
92	30.7	29.4	31.7	33.0	34.0	35.2
91	30.5	29.2	31.4	33.0	33.4	35.4
990	30.5	29.1	31.2	32.3	33.2	34.8
089	30.4	29.1	31.3	32.8	33.7	34.7
osolute change 1989-2000	1.2	1.0	1.4	1.2	0.5	0.6

See footnote at end of table.

Table 2. Mean age of mother and absolute change by race and Hispanic origin of mother and live birth order: United States, 1989–2000—Con.

Year and origin/race of mother	Total <sup>1</sup>	1st	2d	3d	4th	5th and higher order
Japanese						
00	31.8	30.6	32.7	33.7	34.6	35.6
99	31.6	30.3	32.5	33.9	34.6	36.0
98	31.6	30.3	32.4	33.5	34.5	35.0
97	31.5	30.2	32.3	33.5	34.1	35.8
96	31.2	29.8	32.1	33.5	34.2	35.5
95	31.1	29.6	32.1	33.4	33.6	35.1
94	31.0	29.6	31.9	32.9	33.9	34.4
93	30.9	29.5	31.7	33.1	33.7	34.9
92		29.6	31.7	32.9	33.6	34.9
	30.9					
91	30.6	29.1	31.4	32.8	33.1	35.2
90	30.4	29.1	31.2	32.3	33.2	34.0
89	30.3	28.9	31.3	32.2	32.3	34.5
solute change 1989-2000	1.5	1.7	1.4	1.5	2.3	1.1
Hawaiian						
00	25.7	22.6	25.8	28.2	29.4	31.6
99	25.6	22.7	25.6	28.1	29.3	31.6
98	25.6	22.6	25.9	28.0	29.4	31.6
97	25.5	22.6	25.8	27.8	29.1	31.2
96	25.5	22.5	25.9	27.8	29.2	30.7
95	25.5	22.4	25.9	27.8	29.1	31.2
94	25.2	22.1	25.6	27.7	28.6	30.7
93	25.3	22.3	25.5	27.1	28.7	30.9
192	25.1	22.3	24.9	27.0	28.7	30.6
91	25.1	22.1	25.0	27.3	28.7	30.9
90	25.0	22.2	25.1	27.0	28.4	30.7
989	25.0	22.2	25.1	26.9	28.3	30.6
osolute change 1989-2000	0.7	0.4	0.7	1.3	1.1	1.0
Filipino						
000	29.5	27.3	30.3	32.1	33.3	34.9
999	29.4	27.1	30.2	32.0	33.1	35.1
998	29.4	27.2	30.2	31.9	33.1	34.2
997	29.3	27.1	30.1	31.9	33.1	34.3
996	29.2	26.9	30.1	32.0	32.9	34.5
95	29.2	26.9	30.1	31.9	33.0	34.5
94	29.1	27.0	29.9	31.7	32.8	34.5
993	29.0	26.9	29.7	31.6	32.9	34.0
92	29.0	26.9	29.6	31.6	32.8	34.5
991	28.9	26.7	29.6	31.4	32.6	34.6
90	28.8	26.8	29.4	31.2	32.1	34.3
89	28.8	26.8	29.4	31.2	32.6	34.2
osolute change 1989–2000	0.7	0.5	0.9	0.9	0.7	0.7
Mexican						
000	05.4	20.0	05.0	27.0	20.7	20.0
	25.4	22.2	25.3	27.8	29.7	32.2
99	25.4	22.1	25.2	27.7	29.6	32.2
98	25.3	22.1	25.1	27.6	29.5	32.2
97	25.2	22.0	25.1	27.6	29.6	32.1
96	25.2	22.0	25.0	27.5	29.5	32.2
95	25.1	21.9	24.9	27.5	29.5	32.1
94						
	25.1	21.9	24.9	27.4	29.4	32.0
93	25.1	21.9	24.8	27.3	29.2	31.9
92	25.1	21.9	24.7	27.2	29.1	31.9
	25.0	21.8	24.7	27.2	29.0	31.8
91			₩ T+1	-1	_0.0	01.0
91			247	27.1	20.0	24.0
90	25.1	21.9	24.7	27.1	29.0	31.8
			24.7 24.6	27.1 27.1	29.0 29.0	31.8 31.8

See footnote at end of table.

Table 2. Mean age of mother and absolute change by race and Hispanic origin of mother and live birth order: United States, 1989–2000—Con.

Year and origin/race of mother	Total <sup>1</sup>	1st	2d	3d	4th	5th and higher order
Puerto Rican						
000	25.0	22.4	25.5	27.2	28.4	30.5
999	24.9	22.2	25.4	27.2	28.2	30.5
998	24.8	22.1	25.4	27.1	28.3	30.4
997	24.8	22.1	25.3	27.1	28.3	30.3
996	24.7	22.0	25.3	27.1	28.1	30.1
995	24.6	21.9	25.2	26.9	28.1	30.0
994	24.6	21.9	25.1	26.9	28.0	29.7
993	24.6	22.0	25.0	26.6	27.8	29.9
992	24.5	22.0	24.8	26.5	27.7	29.7
991	24.4	22.0	24.6	26.4	27.8	29.7
990	24.4	21.9	24.6	26.5	27.7	29.9
989	24.3	21.8	24.5	26.4	27.8	30.0
bsolute change 1989-2000	0.7	0.6	1.0	0.8	0.6	0.5
Cuban						
000	28.8	26.5	29.8	31.6	32.7	33.8
999	28.7	26.4	29.7	31.3	32.7	33.8
998	28.6	26.3	29.5	31.4	32.7	33.5
997	28.4	26.1	29.4	31.2	32.0	33.4
996	28.3	26.2	29.2	31.0	32.3	33.2
995	28.2	25.9	29.2	31.1	31.7	33.4
994	28.1	25.9	29.0	30.8	31.7	32.3
993	28.1	26.1	28.9	30.5	31.5	32.5
	27.9	25.9	28.8	30.3	31.0	32.3
992						
991	27.8	25.7	28.4	30.1	31.0	32.3
990	27.6	25.6	28.3	30.0	31.1	31.3
989	27.3	25.3	28.1	29.8	30.6	31.4
bsolute change 1989-2000	1.5	1.2	1.7	1.8	2.1	2.4
Central and South American						
2000	27.5	24.8	28.0	30.0	31.3	33.3
999	27.5	24.6	27.9	29.9	31.3	33.4
998	27.4	24.6	27.8	29.9	31.2	33.4
	27.4		27.8	29.9	31.2	33.2
997		24.6				
996	27.3	24.6	27.7	29.7	31.3	33.1
995	27.2	24.5	27.6	29.6	31.1	33.1
994	27.2	24.6	27.5	29.5	30.8	32.8
993	27.1	24.6	27.3	29.3	30.6	32.9
992	27.1	24.6	27.2	29.2	30.6	32.6
991	27.0	24.5	27.1	29.2	30.4	32.6
990	27.0	24.5	27.1	29.1	30.5	32.6
989	27.0	24.5	27.1	29.1	30.6	32.5
bsolute change 1989-2000	0.5	0.3	0.9	0.9	0.7	0.8

<sup>&</sup>lt;sup>1</sup>Includes live birth order not stated.

Table 3. Mean age of mother at first live birth by State, 1970, 1980, 1990, and 2000, and absolute change, 1970–2000: United States, each State, and territory

State	1970	1980	1990	2000	Absolute change, 1970–2000
Inited States	21.4	22.7	24.2	24.9	3.5
abama	20.5	21.6	22.8	23.3	2.8
aska	21.6	23.2	24.4	24.1	2.5
izona	21.2	22.3	23.5	23.8	2.6
kansas	20.2	21.3	22.2	22.7	2.5
ılifornia	21.8	23.2	24.5	25.3	3.5
	21.6	23.3	24.9	25.3	3.7
olorado					
onnecticut	22.5	24.1	26.3	27.2	4.7
elaware	21.4	22.7	24.5	25.0	3.6
strict of Columbia	21.0	22.9	24.0	25.7	4.7
orida	21.0	22.5	24.2	24.9	3.9
orgia	20.7	22.2	23.5	24.4	3.7
waii	22.4	23.8	25.0	25.5	3.1
ho	20.8	22.1	23.2	23.5	2.7
nois	21.5	22.7	24.3	25.1	3.6
liana	20.9	22.1	23.3	23.9	3.0
		22.6	24.0	24.4	3.1
va	21.3				
ansas	21.1	22.4	23.8	24.0	2.9
ntucky	20.7	21.5	22.9	23.6	2.9
uisiana	20.5	21.5	22.6	23.0	2.5
aine	21.2	22.6	24.4	25.3	4.1
aryland	21.6	23.1	25.3	26.1	4.5
assachusetts	22.5	24.1	26.2	27.8	5.3
	21.2	22.7	23.9	25.0	3.8
chigan					
nnesota	22.0	23.4	25.2	25.9	3.9
ssissippi	20.3	21.0	21.9	22.5	2.2
ssouri	21.1	22.3	23.6	24.0	2.9
ontana	21.2	22.7	23.8	24.2	3.0
ebraska	21.4	22.7	24.1	24.5	3.1
vada	21.3	22.6	23.8	24.2	2.9
w Hampshire	21.6	23.6	25.7	26.7	5.1
w Jersey	22.4	23.9	26.1	27.1	4.7
ew Mexico	21.0	22.0	23.0	23.0	2.0
w York	22.5	23.8	25.6	26.4	3.9
orth Carolina	20.8	22.1	23.5	24.5	3.7
orth Dakota	21.5	22.6	24.2	24.3	2.8
nio	21.3	22.5	23.8	24.5	3.2
alahoma	20.7	21.7	22.8	23.1	2.4
egon	21.4	23.0	24.2	24.7	3.3
nnsylvania	21.7	23.1	24.8	25.6	3.9
node Island	22.1	23.4	25.1	25.9	3.8
uth Carolina	20.6	21.8	23.1	23.7	3.1
outh Dakota	21.1	22.3	23.6	23.7	2.6
nnessee	20.7	22.0	23.1	23.8	3.1
xas	20.9	22.1	23.3	23.7	2.8
ah	21.4	21.9	22.9	23.3	1.9
rmont	21.7	23.4	25.4	26.3	4.6
ginia	21.4	23.0	24.7	25.7	4.3
shington	21.5	23.2	24.7	25.3	3.8
est Virginia	20.8	21.7	22.8	23.5	2.7
sconsin	21.8	22.9	24.6	25.1	3.3
yoming	21.0	22.1	23.3	23.2	2.2
erto Rico	25.3	24.9	24.9	25.0	-0.3
	25.3	25.6	25.9	26.3	1.0
rgin Islands					
uam <sup>1,2</sup>		25.7	25.8	26.4	0.7
nerican Samoa <sup>3</sup>				27.6	NA
rthern Marianas <sup>4</sup>				27.9	NA

<sup>---</sup> Data not available.

NA Not applicable.

<sup>&</sup>lt;sup>1</sup>Data are not available for Guam, 1970.

<sup>&</sup>lt;sup>2</sup>Absolute change for Guam, 1980-2000.

<sup>&</sup>lt;sup>3</sup>Data are not available for American Samoa, 1970, 1980, and 1990.

<sup>&</sup>lt;sup>4</sup>Data are not available for Northern Marianas, 1970, 1980, and 1990.

NOTE: Difference of means was significant at p < 0.05 for United States, each State, and territory, 1970–2000.

Table 4. Mean age of mother at first live birth and absolute change for selected countries, 1970 and 2000

Countries	1970	2000	Absolute change, 1970–2000
Czech Republic	22.5	24.9	2.4
Finland	24.4	27.4	3.0
Hungary	22.8	25.1	2.3
celand	21.3	25.5	4.2
Japan	25.6	28.0	2.4
Netherlands	24.8	28.6	3.8
Slovak Republic	22.6	24.2	1.6
Sweden	25.9	27.9	2.0
Switzerland	25.3	28.7	3.4
United States	21.4	24.9	3.5

SOURCES: Council of Europe. Recent Demographic Developments in Europe 2001. Council of Europe Publishing, Strasbourg, 2001. Statistics Bureau. Statistical Handbook of Japan 2001. Ministry of Public Management, Home Affairs, Ports, and Telecommunications, 2001. Japan Information Network. Women's Life Cycle (1983–2000). Released August 29, 2001. Available at: http://www.jinjapan.org/sta/stats/18WME11.html.

### **Technical Notes**

### Differences between mean and median age of mother

As mentioned in the introduction, the mean age of mother is the arithmetic average of mother's age at birth. The median age of the mother, on the other hand, is the middle point of the distribution of age at birth. Ranked in order of age of mother, 50 percent of the births would occur above and below the median age.

For this report, the mean is computed directly from the sum of all mother's ages divided by the number of mothers. Unlike the median age, which is a function of the rank order of the ages, the mean is affected by the numeric values of the ages. As a result, the mean is more sensitive to the distribution of births by age of mother than the median. For example, compare the age of mother at childbirth for the following distributions:

Distribution A—18, 19, 22, 23, 25, 26, and 28 years (mean = 23, median = 23).

Distribution B—15, 17, 20, 23, 25, 26, and 28 years (mean = 22, median = 23).

The median and mean age is the same in distribution A, but differ in distribution B. In both distributions, the median, the middle frequency in the distribution, is 23 years. However, the mean age in distribution A is 23 years while the mean in distribution B is 22 years. This occurs because age at childbirth in distribution B is more dispersed for those mothers below the median age (15–23 years) than above it (23–28 years). In distribution A, age at childbirth is equally dispersed about the median age (18–23 years and 23–28 years). Distribution B is therefore skewed towards births to younger women with the result that the mean age is less than the median age.

Figure 2 shows that the mean age of mother was less than the median age from 1970 to 1987. This indicates more frequent births to younger women than to older women. In 1990 the mean was higher than the median, remained through 1998, but was only slightly different in 1999 and 2000. The trends for mean and median age at first live birth are similar to those for all births. However, the transition happened several years earlier and the mean remained higher in 1999 and 2000. These trends in combination indicate more frequent births to older than younger women now compared with the mid-1980s and earlier years.

### Significance testing

The number of births, while essentially a complete count and not subject to sampling error, may be affected by nonsampling errors in the registration process. The number of events that occurred can be thought of as one in a series of possible outcomes. When considered in this way, the number of births for analytical purposes is subject to random variation.

The difference between the two means, irrespective of sign (+/–), is defined as statistically significant (when N is relatively large) if the value exceeds the test statistic in the derived formula for Z below. This statistic equals 1.96 times the standard error of the difference between means.

Table I. Median age of mother and absolute change for total births and first live birth: United States, 1970–2000

Year	Total <sup>1</sup>	1st
2000	27.1	24.6
1999	27.0	24.5
1998	26.9	24.3
1997	26.7	24.2
1996	26.6	24.1
1995	26.5	23.9
1994	26.4	23.8
1993	26.4	23.8
1992	26.3	23.8
1991	26.2	23.7
1990	26.3	23.8
1989	26.3	23.7
1988	26.3	23.8
1987	26.3	23.7
1986	26.2	23.6
1985	26.1	23.5
1984	26.0	23.5
1983	25.9	23.3
1982	25.8	23.2
1981	25.7	23.1
1980	25.7	23.0
1979	25.6	22.9
1978	25.6	22.8
1977	25.5	22.7
1976	25.4	22.5
1975	25.3	22.3
1974	25.3	22.3
1973	25.3	22.1
1972	25.3	22.0
1971	25.4	22.1
1970	25.4	22.1
Absolute change 1970–2000	1.7	2.5

<sup>&</sup>lt;sup>1</sup>Includes birth order not stated.

$$1.96\sqrt{\left|\frac{S_1^2}{N_1}\right| + \left|\frac{S_2^2}{N_2}\right|}$$

where

 $s_1$  = first standard deviation  $s_2$  = second standard deviation  $N_1$  = first number of births  $N_2$  = second number of births

If the difference is less than or equal to this test statistic, then the difference would occur by chance 5 times out of 100 or more. Accordingly, we would conclude that the difference is not statistically significant at the 95-percent confidence level. If the difference is greater than this statistic, then the difference would occur by chance less than 5 times out of 100. The difference, we would therefore conclude, is statistically significant at the 95-percent confidence level.

### Example:

Is the 2000 mean age at first birth of women in Ohio (24.5 years) significantly higher than the comparable 1990 statistic (23.8 years)?

The difference between the rates is 24.5 - 23.8 = 0.7. The statistic is then calculated as follows:

$$1.96\sqrt{\left(\frac{(5.38)^2}{67,621}\right) + \left(\frac{(5.83)^2}{60,643}\right)}$$

$$1.96\sqrt{\left(\frac{(28.94)}{67,621}\right) + \left(\frac{(33.99)}{60,643}\right)}$$

$$1.96\sqrt{(0.000428039) + (0.000560475)}$$

$$1.96\sqrt{0.000988514}$$

0.06

The difference between the two means (0.7) is greater than this statistic (0.06). Therefore, the difference is statistically significant at the 95-percent confidence level.

### **Contents**

Abstract
ntroduction
Results and Discussion
References 4
List of detailed tables
Technical Notes

### Suggested citation

Mathews TJ, Hamilton BE. Mean age of mother, 1970-2000. National vital statistics reports; vol 51 no 1. Hyattsville, Maryland: National Center for Health Statistics. 2002.

### **National Center for Health Statistics**

Director, Edward J. Sondik, Ph.D. Deputy Director, Jack R. Anderson

### **Division of Vital Statistics**

Director, Mary Anne Freedman

To receive this publication regularly, contact the National Center for Health Statistics by calling 301-458-4636. E-mail: nchsquery@cdc.gov Internet: www.cdc.gov/nchs

### Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

### DEPARTMENT OF **HEALTH & HUMAN SERVICES**

Centers for Disease Control and Prevention National Center for Health Statistics 6525 Belcrest Road Hyattsville, Maryland 20782-2003

DHHS Publication No. (PHS) 2003-1120 03-0046 (12/02)

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

MEDIA MAIL POSTAGE & FEES PAID CDC/NCHS PERMIT NO. G-284