

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Hispanic, both sexes, all ages ³					Hispanic, both sexes, 10–14 years				
...	All causes	107,254	100.0	330.4	...	All causes	555	100.0	19.3
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	25,819	24.1	79.5	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	178	32.1	6.2
2	Malignant neoplasms (C00–C97)	21,160	19.7	65.2	2	Malignant neoplasms (C00–C97)	107	19.3	3.7
3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	8,830	8.2	27.2	3	Assault (homicide) (X85–Y09,Y87.1)	52	9.4	1.8
4	Cerebrovascular diseases (I60–I69)	6,187	5.8	19.1	4	Intentional self-harm (suicide) (X60–X84,Y87.0)	27	4.9	0.9
5	Diabetes mellitus (E10–E14)	5,328	5.0	16.4	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	21	3.8	0.7
6	Chronic liver disease and cirrhosis (K70,K73–K74)	3,187	3.0	9.8	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	19	3.4	*
7	Assault (homicide) (X85–Y09,Y87.1)	2,917	2.7	9.0	7	Chronic lower respiratory diseases (J40–J47)	10	1.8	*
8	Chronic lower respiratory diseases (J40–J47)	2,689	2.5	8.3	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	8	1.4	*
9	Influenza and pneumonia (J10–J18)	2,625	2.4	8.1	8	Influenza and pneumonia (J10–J18)	8	1.4	*
10	Certain conditions originating in the perinatal period (P00–P96)	2,145	2.0	6.6	10	Anemias (D50–D64)	5	0.9	*
...	All other causes (Residual)	26,367	24.6	81.2	...	All other causes (Residual)	120	21.6	4.2
Hispanic, both sexes, 1–4 years					Hispanic, both sexes, 15–19 years				
...	All causes	872	100.0	31.0	...	All causes	1,953	100.0	68.5
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	306	35.1	10.9	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	884	45.3	31.0
2	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	111	12.7	3.9	2	Assault (homicide) (X85–Y09,Y87.1)	476	24.4	16.7
3	Malignant neoplasms (C00–C97)	75	8.6	2.7	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	178	9.1	6.2
4	Assault (homicide) (X85–Y09,Y87.1)	57	6.5	2.0	4	Malignant neoplasms (C00–C97)	122	6.2	4.3
5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	29	3.3	1.0	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	49	2.5	1.7
6	Influenza and pneumonia (J10–J18)	17	1.9	*	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	24	1.2	0.8
7	Septicemia (A40–A41)	15	1.7	*	7	Human immunodeficiency virus (HIV) disease (B20–B24)	7	0.4	*
8	Certain conditions originating in the perinatal period (P00–P96)	12	1.4	*	7	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	7	0.4	*
9	Chronic lower respiratory diseases (J40–J47)	9	1.0	*	9	Chronic lower respiratory diseases (J40–J47)	6	0.3	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	7	0.8	*	10	Diabetes mellitus (E10–E14)	5	0.3	*
...	All other causes (Residual)	234	26.8	8.3	10	Cerebrovascular diseases (I60–I69)	5	0.3	*
Hispanic, both sexes, 5–9 years					10	Aortic aneurysm and dissection (I71)	5	0.3	*
...	All causes	510	100.0	15.2	10	Legal intervention (Y35,Y89.0)	5	0.3	*
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	205	40.2	6.1	...	All other causes (Residual)	180	9.2	6.3
2	Malignant neoplasms (C00–C97)	91	17.8	2.7	Hispanic, both sexes, 20–24 years				
3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	33	6.5	1.0	...	All causes	2,840	100.0	101.9
4	Assault (homicide) (X85–Y09,Y87.1)	24	4.7	0.7	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,211	42.6	43.5
5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	17	3.3	*	2	Assault (homicide) (X85–Y09,Y87.1)	650	22.9	23.3
6	Influenza and pneumonia (J10–J18)	13	2.5	*	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	269	9.5	9.7
7	Certain conditions originating in the perinatal period (P00–P96)	7	1.4	*	4	Malignant neoplasms (C00–C97)	153	5.4	5.5
8	Human immunodeficiency virus (HIV) disease (B20–B24)	5	1.0	*	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	76	2.7	2.7
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	5	1.0	*	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	30	1.1	1.1
8	Chronic lower respiratory diseases (J40–J47)	5	1.0	*	7	Cerebrovascular diseases (I60–I69)	26	0.9	0.9
...	All other causes (Residual)	105	20.6	3.1	8	Pregnancy, childbirth and the puerperium (O00–O99)	22	0.8	0.8
See footnotes at end of table.					9	Influenza and pneumonia (J10–J18)	17	0.6	*
					10	Human immunodeficiency virus (HIV) disease (B20–B24)	16	0.6	*
					...	All other causes (Residual)	370	13.0	13.3

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Hispanic, both sexes, 25–34 years					Hispanic, both sexes, 55–64 years				
...	All causes	5,509	100.0	104.3	...	All causes	12,733	100.0	721.3
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,776	32.2	33.6	1	Malignant neoplasms (C00–C97)	3,780	29.7	214.1
2	Assault (homicide) (X85–Y09,Y87.1)	810	14.7	15.3	2	Diseases of heart (I00–I09,I11,I13,I20–I51)	3,136	24.6	177.6
3	Malignant neoplasms (C00–C97)	476	8.6	9.0	3	Diabetes mellitus (E10–E14)	950	7.5	53.8
4	Intentional self-harm (suicide) (X60–X84,Y87.0)	420	7.6	7.9	4	Chronic liver disease and cirrhosis (K70,K73–K74)	708	5.6	40.1
5	Human immunodeficiency virus (HIV) disease (B20–B24)	365	6.6	6.9	5	Cerebrovascular diseases (I60–I69)	681	5.3	38.6
6	Diseases of heart (I00–I09,I11,I13,I20–I51)	280	5.1	5.3	6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	492	3.9	27.9
7	Cerebrovascular diseases (I60–I69)	108	2.0	2.0	7	Chronic lower respiratory diseases (J40–J47)	244	1.9	13.8
8	Chronic liver disease and cirrhosis (K70,K73–K74)	92	1.7	1.7	8	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	232	1.8	13.1
9	Diabetes mellitus (E10–E14)	64	1.2	1.2	9	Influenza and pneumonia (J10–J18)	191	1.5	10.8
10	Influenza and pneumonia (J10–J18)	48	0.9	0.9	10	Human immunodeficiency virus (HIV) disease (B20–B24)	163	1.3	9.2
...	All other causes (Residual)	1,070	19.4	20.3	...	All other causes (Residual)	2,156	16.9	122.1
Hispanic, both sexes, 35–44 years					Hispanic, both sexes, 65 years and over				
...	All causes	8,085	100.0	163.7	...	All causes	59,189	100.0	3,034.3
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,618	20.0	32.8	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	19,606	33.1	1,005.1
2	Malignant neoplasms (C00–C97)	1,295	16.0	26.2	2	Malignant neoplasms (C00–C97)	12,469	21.1	639.2
3	Human immunodeficiency virus (HIV) disease (B20–B24)	762	9.4	15.4	3	Cerebrovascular diseases (I60–I69)	4,593	7.8	235.5
4	Diseases of heart (I00–I09,I11,I13,I20–I51)	760	9.4	15.4	4	Diabetes mellitus (E10–E14)	3,703	6.3	189.8
5	Chronic liver disease and cirrhosis (K70,K73–K74)	501	6.2	10.1	5	Chronic lower respiratory diseases (J40–J47)	2,218	3.7	113.7
6	Assault (homicide) (X85–Y09,Y87.1)	447	5.5	9.1	6	Influenza and pneumonia (J10–J18)	2,065	3.5	105.9
7	Intentional self-harm (suicide) (X60–X84,Y87.0)	385	4.8	7.8	7	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	1,179	2.0	60.4
8	Cerebrovascular diseases (I60–I69)	267	3.3	5.4	8	Alzheimer's disease (G30)	1,102	1.9	56.5
9	Diabetes mellitus (E10–E14)	154	1.9	3.1	9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,061	1.8	54.4
10	Viral hepatitis (B15–B19)	126	1.6	2.6	10	Chronic liver disease and cirrhosis (K70,K73–K74)	1,024	1.7	52.5
...	All other causes (Residual)	1,770	21.9	35.8	...	All other causes (Residual)	10,169	17.2	521.3
Hispanic, both sexes, 45–54 years					Hispanic, both sexes, 65–74 years				
...	All causes	10,356	100.0	333.1	...	All causes	19,420	100.0	1,683.4
1	Malignant neoplasms (C00–C97)	2,575	24.9	82.8	1	Malignant neoplasms (C00–C97)	5,557	28.6	481.7
2	Diseases of heart (I00–I09,I11,I13,I20–I51)	1,754	16.9	56.4	2	Diseases of heart (I00–I09,I11,I13,I20–I51)	5,453	28.1	472.7
3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	953	9.2	30.6	3	Diabetes mellitus (E10–E14)	1,592	8.2	138.0
4	Chronic liver disease and cirrhosis (K70,K73–K74)	854	8.2	27.5	4	Cerebrovascular diseases (I60–I69)	1,219	6.3	105.7
5	Human immunodeficiency virus (HIV) disease (B20–B24)	531	5.1	17.1	5	Chronic liver disease and cirrhosis (K70,K73–K74)	628	3.2	54.4
6	Cerebrovascular diseases (I60–I69)	477	4.6	15.3	6	Chronic lower respiratory diseases (J40–J47)	572	2.9	49.6
7	Diabetes mellitus (E10–E14)	439	4.2	14.1	7	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	418	2.2	36.2
8	Intentional self-harm (suicide) (X60–X84,Y87.0)	244	2.4	7.8	8	Influenza and pneumonia (J10–J18)	405	2.1	35.1
9	Viral hepatitis (B15–B19)	218	2.1	7.0	9	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	404	2.1	35.0
10	Assault (homicide) (X85–Y09,Y87.1)	211	2.0	6.8	10	Septicemia (A40–A41)	235	1.2	20.4
...	All other causes (Residual)	2,100	20.3	67.5	...	All other causes (Residual)	2,937	15.1	254.6

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Hispanic, both sexes, 75–84 years					Hispanic, male, 1–4 years				
...	All causes	21,951	100.0	3,704.1	...	All causes	475	100.0	33.1
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	7,067	32.2	1,192.5	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	174	36.6	12.1
2	Malignant neoplasms (C00–C97)	4,827	22.0	814.5	2	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	60	12.6	4.2
3	Cerebrovascular diseases (I60–I69)	1,742	7.9	294.0	3	Malignant neoplasms (C00–C97)	43	9.1	3.0
4	Diabetes mellitus (E10–E14)	1,410	6.4	237.9	4	Assault (homicide) (X85–Y09,Y87.1)	30	6.3	2.1
5	Chronic lower respiratory diseases (J40–J47)	921	4.2	155.4	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	21	4.4	1.5
6	Influenza and pneumonia (J10–J18)	690	3.1	116.4	6	Septicemia (A40–A41)	9	1.9	*
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	429	2.0	72.4	7	Certain conditions originating in the perinatal period (P00–P96)	7	1.5	*
8	Alzheimer's disease (G30)	401	1.8	67.7	8	Influenza and pneumonia (J10–J18)	5	1.1	*
9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	365	1.7	61.6	8	Chronic lower respiratory diseases (J40–J47)	5	1.1	*
10	Chronic liver disease and cirrhosis (K70,K73–K74)	323	1.5	54.5	10	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	3	0.6	*
...	All other causes (Residual)	3,776	17.2	637.2	...	All other causes (Residual)	118	24.8	8.2
Hispanic, both sexes, 85 years and over					Hispanic, male, 5–9 years				
...	All causes	17,818	100.0	8,715.0	...	All causes	277	100.0	16.2
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	7,086	39.8	3,465.8	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	105	37.9	6.1
2	Malignant neoplasms (C00–C97)	2,085	11.7	1,019.8	2	Malignant neoplasms (C00–C97)	55	19.9	3.2
3	Cerebrovascular diseases (I60–I69)	1,632	9.2	798.2	3	Assault (homicide) (X85–Y09,Y87.1)	19	6.9	*
4	Influenza and pneumonia (J10–J18)	970	5.4	474.4	4	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	16	5.8	*
5	Chronic lower respiratory diseases (J40–J47)	725	4.1	354.6	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	9	3.2	*
6	Diabetes mellitus (E10–E14)	701	3.9	342.9	6	Influenza and pneumonia (J10–J18)	7	2.5	*
7	Alzheimer's disease (G30)	573	3.2	280.3	7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	4	1.4	*
8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	346	1.9	169.2	7	Certain conditions originating in the perinatal period (P00–P96)	4	1.4	*
9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	278	1.6	136.0	9	Septicemia (A40–A41)	3	1.1	*
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	223	1.3	109.1	9	Human immunodeficiency virus (HIV) disease (B20–B24)	3	1.1	*
...	All other causes (Residual)	3,199	18.0	1,564.7	...	All other causes (Residual)	52	18.8	3.0
Hispanic, male, all ages ³					Hispanic, male, 10–14 years				
...	All causes	60,172	100.0	368.9	...	All causes	345	100.0	23.5
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	13,566	22.5	83.2	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	105	30.4	7.1
2	Malignant neoplasms (C00–C97)	11,138	18.5	68.3	2	Malignant neoplasms (C00–C97)	67	19.4	4.6
3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	6,696	11.1	41.1	3	Assault (homicide) (X85–Y09,Y87.1)	37	10.7	2.5
4	Cerebrovascular diseases (I60–I69)	2,865	4.8	17.6	4	Intentional self-harm (suicide) (X60–X84,Y87.0)	20	5.8	1.4
5	Diabetes mellitus (E10–E14)	2,507	4.2	15.4	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	17	4.9	*
6	Assault (homicide) (X85–Y09,Y87.1)	2,431	4.0	14.9	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	12	3.5	*
7	Chronic liver disease and cirrhosis (K70,K73–K74)	2,312	3.8	14.2	7	Chronic lower respiratory diseases (J40–J47)	7	2.0	*
8	Intentional self-harm (suicide) (X60–X84,Y87.0)	1,525	2.5	9.3	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	4	1.2	*
9	Human immunodeficiency virus (HIV) disease (B20–B24)	1,493	2.5	9.2	9	Influenza and pneumonia (J10–J18)	3	0.9	*
10	Chronic lower respiratory diseases (J40–J47)	1,451	2.4	8.9	9	Diseases of appendix (K35–K38)	3	0.9	*
...	All other causes (Residual)	14,188	23.6	87.0	...	All other causes (Residual)	70	20.3	4.8

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Hispanic, male, 15–19 years					Hispanic, male, 35–44 years				
...	All causes	1,528	100.0	103.3	...	All causes	5,597	100.0	221.9
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	689	45.1	46.6	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,317	23.5	52.2
2	Assault (homicide) (X85–Y09,Y87.1)	434	28.4	29.3	2	Human immunodeficiency virus (HIV) disease (B20–B24)	603	10.8	23.9
3	Intentional self-harm (suicide) (X60–X84,Y87.0)	143	9.4	9.7	3	Diseases of heart (I00–I09,I11,I13,I20–I51)	550	9.8	21.8
4	Malignant neoplasms (C00–C97)	72	4.7	4.9	4	Malignant neoplasms (C00–C97)	534	9.5	21.2
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	36	2.4	2.4	5	Chronic liver disease and cirrhosis (K70,K73–K74)	399	7.1	15.8
6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	19	1.2	*	6	Assault (homicide) (X85–Y09,Y87.1)	359	6.4	14.2
7	Chronic lower respiratory diseases (J40–J47)	5	0.3	*	7	Intentional self-harm (suicide) (X60–X84,Y87.0)	320	5.7	12.7
7	Legal intervention (Y35,Y89.0)	5	0.3	*	8	Cerebrovascular diseases (I60–I69)	145	2.6	5.7
9	Human immunodeficiency virus (HIV) disease (B20–B24)	4	0.3	*	9	Viral hepatitis (B15–B19)	100	1.8	4.0
9	Diabetes mellitus (E10–E14)	4	0.3	*	10	Diabetes mellitus (E10–E14)	95	1.7	3.8
...	All other causes (Residual)	117	7.7	7.9	...	All other causes (Residual)	1,175	21.0	46.6
Hispanic, male, 20–24 years					Hispanic, male, 45–54 years				
...	All causes	2,309	100.0	159.8	...	All causes	6,808	100.0	447.3
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,028	44.5	71.1	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	1,307	19.2	85.9
2	Assault (homicide) (X85–Y09,Y87.1)	580	25.1	40.1	2	Malignant neoplasms (C00–C97)	1,232	18.1	80.9
3	Intentional self-harm (suicide) (X60–X84,Y87.0)	244	10.6	16.9	3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	750	11.0	49.3
4	Malignant neoplasms (C00–C97)	90	3.9	6.2	4	Chronic liver disease and cirrhosis (K70,K73–K74)	707	10.4	46.5
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	51	2.2	3.5	5	Human immunodeficiency virus (HIV) disease (B20–B24)	426	6.3	28.0
6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	20	0.9	1.4	6	Cerebrovascular diseases (I60–I69)	280	4.1	18.4
7	Cerebrovascular diseases (I60–I69)	15	0.6	*	7	Diabetes mellitus (E10–E14)	240	3.5	15.8
8	Human immunodeficiency virus (HIV) disease (B20–B24)	14	0.6	*	8	Intentional self-harm (suicide) (X60–X84,Y87.0)	194	2.8	12.7
9	Legal intervention (Y35,Y89.0)	12	0.5	*	9	Viral hepatitis (B15–B19)	165	2.4	10.8
10	Influenza and pneumonia (J10–J18)	9	0.4	*	10	Assault (homicide) (X85–Y09,Y87.1)	158	2.3	10.4
...	All other causes (Residual)	246	10.7	17.0	...	All other causes (Residual)	1,349	19.8	88.6
Hispanic, male, 25–34 years					Hispanic, male, 55–64 years				
...	All causes	4,200	100.0	155.1	...	All causes	7,760	100.0	948.7
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,499	35.7	55.4	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	2,128	27.4	260.1
2	Assault (homicide) (X85–Y09,Y87.1)	697	16.6	25.7	2	Malignant neoplasms (C00–C97)	2,034	26.2	248.7
3	Intentional self-harm (suicide) (X60–X84,Y87.0)	370	8.8	13.7	3	Chronic liver disease and cirrhosis (K70,K73–K74)	531	6.8	64.9
4	Human immunodeficiency virus (HIV) disease (B20–B24)	274	6.5	10.1	4	Diabetes mellitus (E10–E14)	520	6.7	63.6
5	Malignant neoplasms (C00–C97)	241	5.7	8.9	5	Cerebrovascular diseases (I60–I69)	392	5.1	47.9
6	Diseases of heart (I00–I09,I11,I13,I20–I51)	199	4.7	7.3	6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	347	4.5	42.4
7	Chronic liver disease and cirrhosis (K70,K73–K74)	82	2.0	3.0	7	Chronic lower respiratory diseases (J40–J47)	146	1.9	17.8
8	Cerebrovascular diseases (I60–I69)	65	1.5	2.4	8	Human immunodeficiency virus (HIV) disease (B20–B24)	123	1.6	15.0
9	Diabetes mellitus (E10–E14)	48	1.1	1.8	9	Influenza and pneumonia (J10–J18)	119	1.5	14.5
10	Influenza and pneumonia (J10–J18)	27	0.6	1.0	10	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	115	1.5	14.1
...	All other causes (Residual)	698	16.6	25.8	...	All other causes (Residual)	1,305	16.8	159.5

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Hispanic, male, 65 years and over					Hispanic, male, 85 years and over				
...	All causes	28,308	100.0	3,434.5	...	All causes	6,493	100.0	9,385.3
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	9,200	32.5	1,116.2	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	2,430	37.4	3,512.4
2	Malignant neoplasms (C00–C97)	6,760	23.9	820.2	2	Malignant neoplasms (C00–C97)	1,017	15.7	1,470.0
3	Cerebrovascular diseases (I60–I69)	1,955	6.9	237.2	3	Cerebrovascular diseases (I60–I69)	511	7.9	738.6
4	Diabetes mellitus (E10–E14)	1,594	5.6	193.4	4	Influenza and pneumonia (J10–J18)	379	5.8	547.8
5	Chronic lower respiratory diseases (J40–J47)	1,185	4.2	143.8	5	Chronic lower respiratory diseases (J40–J47)	333	5.1	481.3
6	Influenza and pneumonia (J10–J18)	964	3.4	117.0	6	Diabetes mellitus (E10–E14)	223	3.4	322.3
7	Chronic liver disease and cirrhosis (K70,K73–K74)	588	2.1	71.3	7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	145	2.2	209.6
8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	587	2.1	71.2	8	Alzheimer's disease (G30)	141	2.2	203.8
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	545	1.9	66.1	9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	125	1.9	180.7
10	Alzheimer's disease (G30)	370	1.3	44.9	10	Pneumonitis due to solids and liquids . . (J69)	84	1.3	121.4
...	All other causes (Residual)	4,560	16.1	553.3	...	All other causes (Residual)	1,105	17.0	1,597.2
Hispanic, male, 65–74 years					Hispanic, female, all ages ³				
...	All causes	10,842	100.0	2,127.7	...	All causes	47,082	100.0	291.5
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	3,245	29.9	636.8	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	12,253	26.0	75.9
2	Malignant neoplasms (C00–C97)	3,086	28.5	605.6	2	Malignant neoplasms (C00–C97)	10,022	21.3	62.0
3	Diabetes mellitus (E10–E14)	762	7.0	149.5	3	Cerebrovascular diseases (I60–I69)	3,322	7.1	20.6
4	Cerebrovascular diseases (I60–I69)	645	5.9	126.6	4	Diabetes mellitus (E10–E14)	2,821	6.0	17.5
5	Chronic liver disease and cirrhosis (K70,K73–K74)	395	3.6	77.5	5	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	2,134	4.5	13.2
6	Chronic lower respiratory diseases (J40–J47)	343	3.2	67.3	6	Influenza and pneumonia (J10–J18)	1,322	2.8	8.2
7	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	271	2.5	53.2	7	Chronic lower respiratory diseases (J40–J47)	1,238	2.6	7.7
8	Influenza and pneumonia (J10–J18)	218	2.0	42.8	8	Certain conditions originating in the perinatal period (P00–P96)	951	2.0	5.9
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	194	1.8	38.1	9	Chronic liver disease and cirrhosis (K70,K73–K74)	875	1.9	5.4
10	Septicemia (A40–A41)	126	1.2	24.7	10	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	841	1.8	5.2
...	All other causes (Residual)	1,557	14.4	305.6	...	All other causes (Residual)	11,303	24.0	70.0
Hispanic, male, 75–84 years					Hispanic, female, 1–4 years				
...	All causes	10,973	100.0	4,470.2	...	All causes	397	100.0	28.8
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	3,525	32.1	1,436.0	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	132	33.2	9.6
2	Malignant neoplasms (C00–C97)	2,657	24.2	1,082.4	2	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	51	12.8	3.7
3	Cerebrovascular diseases (I60–I69)	799	7.3	325.5	3	Malignant neoplasms (C00–C97)	32	8.1	2.3
4	Diabetes mellitus (E10–E14)	609	5.5	248.1	4	Assault (homicide) (X85–Y09,Y87.1)	27	6.8	2.0
5	Chronic lower respiratory diseases (J40–J47)	509	4.6	207.4	5	Influenza and pneumonia (J10–J18)	12	3.0	*
6	Influenza and pneumonia (J10–J18)	367	3.3	149.5	6	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	8	2.0	*
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	206	1.9	83.9	7	Septicemia (A40–A41)	6	1.5	*
8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	191	1.7	77.8	7	Cerebrovascular diseases (I60–I69)	6	1.5	*
9	Alzheimer's disease (G30)	166	1.5	67.6	9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	5	1.3	*
10	Chronic liver disease and cirrhosis (K70,K73–K74)	163	1.5	66.4	9	Certain conditions originating in the perinatal period (P00–P96)	5	1.3	*
...	All other causes (Residual)	1,781	16.2	725.6	...	All other causes (Residual)	113	28.5	8.2

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Hispanic, female, 5–9 years					Hispanic, female, 20–24 years				
...	All causes	233	100.0	14.2	...	All causes	531	100.0	39.6
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	100	42.9	6.1	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	183	34.5	13.6
2	Malignant neoplasms (C00–C97)	36	15.5	2.2	2	Assault (homicide) (X85–Y09,Y87.1)	70	13.2	5.2
3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	17	7.3	*	3	Malignant neoplasms (C00–C97)	63	11.9	4.7
4	Diseases of heart (I00–I09,I11,I13,I20–I51)	8	3.4	*	4	Diseases of heart (I00–I09,I11,I13,I20–I51)	25	4.7	1.9
5	Influenza and pneumonia (J10–J18)	6	2.6	*	4	Intentional self-harm (suicide) (X60–X84,Y87.0)	25	4.7	1.9
6	Assault (homicide) (X85–Y09,Y87.1)	5	2.1	*	6	Pregnancy, childbirth and the puerperium (O00–O99)	22	4.1	1.6
7	Cerebrovascular diseases (I60–I69)	3	1.3	*	7	Cerebrovascular diseases (I60–I69)	11	2.1	*
7	Certain conditions originating in the perinatal period (P00–P96)	3	1.3	*	8	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	10	1.9	*
10	Meningococcal infection (A39)	2	0.9	*	9	Influenza and pneumonia (J10–J18)	8	1.5	*
10	Human immunodeficiency virus (HIV) disease (B20–B24)	2	0.9	*	10	Septicemia (A40–A41)	5	0.9	*
...	All other causes (Residual)	48	20.6	2.9	10	Diabetes mellitus (E10–E14)	5	0.9	*
Hispanic, female, 10–14 years					...	All other causes (Residual)	104	19.6	7.8
...	All causes	210	100.0	14.9	Hispanic, female, 25–34 years				
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	73	34.8	5.2	...	All causes	1,309	100.0	50.8
2	Malignant neoplasms (C00–C97)	40	19.0	2.8	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	277	21.2	10.8
3	Assault (homicide) (X85–Y09,Y87.1)	15	7.1	*	2	Malignant neoplasms (C00–C97)	235	18.0	9.1
4	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	7	3.3	*	3	Assault (homicide) (X85–Y09,Y87.1)	113	8.6	4.4
4	Intentional self-harm (suicide) (X60–X84,Y87.0)	7	3.3	*	4	Human immunodeficiency virus (HIV) disease (B20–B24)	91	7.0	3.5
6	Influenza and pneumonia (J10–J18)	5	2.4	*	5	Diseases of heart (I00–I09,I11,I13,I20–I51)	81	6.2	3.1
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	4	1.9	*	6	Intentional self-harm (suicide) (X60–X84,Y87.0)	50	3.8	1.9
7	Diseases of heart (I00–I09,I11,I13,I20–I51)	4	1.9	*	7	Cerebrovascular diseases (I60–I69)	43	3.3	1.7
9	Anemias (D50–D64)	3	1.4	*	8	Pregnancy, childbirth and the puerperium (O00–O99)	36	2.8	1.4
9	Chronic lower respiratory diseases (J40–J47)	3	1.4	*	9	Influenza and pneumonia (J10–J18)	21	1.6	0.8
...	All other causes (Residual)	49	23.3	3.5	10	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	20	1.5	0.8
Hispanic, female, 15–19 years					...	All other causes (Residual)	342	26.1	13.3
...	All causes	425	100.0	31.0	Hispanic, female, 35–44 years				
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	195	45.9	14.2	...	All causes	2,488	100.0	103.0
2	Malignant neoplasms (C00–C97)	50	11.8	3.6	1	Malignant neoplasms (C00–C97)	761	30.6	31.5
3	Assault (homicide) (X85–Y09,Y87.1)	42	9.9	3.1	2	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	301	12.1	12.5
4	Intentional self-harm (suicide) (X60–X84,Y87.0)	35	8.2	2.6	3	Diseases of heart (I00–I09,I11,I13,I20–I51)	210	8.4	8.7
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	13	3.1	*	4	Human immunodeficiency virus (HIV) disease (B20–B24)	159	6.4	6.6
6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	5	1.2	*	5	Cerebrovascular diseases (I60–I69)	122	4.9	5.0
7	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	4	0.9	*	6	Chronic liver disease and cirrhosis (K70,K73–K74)	102	4.1	4.2
8	Human immunodeficiency virus (HIV) disease (B20–B24)	3	0.7	*	7	Assault (homicide) (X85–Y09,Y87.1)	88	3.5	3.6
8	Cerebrovascular diseases (I60–I69)	3	0.7	*	8	Intentional self-harm (suicide) (X60–X84,Y87.0)	65	2.6	2.7
8	Influenza and pneumonia (J10–J18)	3	0.7	*	9	Diabetes mellitus (E10–E14)	59	2.4	2.4
...	All other causes (Residual)	72	16.9	5.3	10	Septicemia (A40–A41)	33	1.3	1.4
					...	All other causes (Residual)	588	23.6	24.3

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Hispanic, female, 45–54 years					Hispanic, female, 65–74 years				
...	All causes	3,548	100.0	223.5	...	All causes	8,578	100.0	1,331.9
1	Malignant neoplasms (C00–C97)	1,343	37.9	84.6	1	Malignant neoplasms (C00–C97)	2,471	28.8	383.7
2	Diseases of heart (I00–I09,I11,I13,I20–I51)	447	12.6	28.2	2	Diseases of heart (I00–I09,I11,I13,I20–I51)	2,208	25.7	342.8
3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	203	5.7	12.8	3	Diabetes mellitus (E10–E14)	830	9.7	128.9
4	Diabetes mellitus (E10–E14)	199	5.6	12.5	4	Cerebrovascular diseases (I60–I69)	574	6.7	89.1
5	Cerebrovascular diseases (I60–I69)	197	5.6	12.4	5	Chronic liver disease and cirrhosis (K70,K73–K74)	233	2.7	36.2
6	Chronic liver disease and cirrhosis (K70,K73–K74)	147	4.1	9.3	6	Chronic lower respiratory diseases (J40–J47)	229	2.7	35.6
7	Human immunodeficiency virus (HIV) disease (B20–B24)	105	3.0	6.6	7	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	210	2.4	32.6
8	Viral hepatitis (B15–B19)	53	1.5	3.3	8	Influenza and pneumonia (J10–J18)	187	2.2	29.0
8	Assault (homicide) (X85–Y09,Y87.1)	53	1.5	3.3	9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	147	1.7	22.8
10	Chronic lower respiratory diseases (J40–J47)	52	1.5	3.3	10	Septicemia (A40–A41)	109	1.3	16.9
...	All other causes (Residual)	749	21.1	47.2	...	All other causes (Residual)	1,380	16.1	214.3
Hispanic, female, 55–64 years					Hispanic, female, 75–84 years				
...	All causes	4,973	100.0	525.0	...	All causes	10,978	100.0	3,162.3
1	Malignant neoplasms (C00–C97)	1,746	35.1	184.3	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	3,542	32.3	1,020.3
2	Diseases of heart (I00–I09,I11,I13,I20–I51)	1,008	20.3	106.4	2	Malignant neoplasms (C00–C97)	2,170	19.8	625.1
3	Diabetes mellitus (E10–E14)	430	8.6	45.4	3	Cerebrovascular diseases (I60–I69)	943	8.6	271.6
4	Cerebrovascular diseases (I60–I69)	289	5.8	30.5	4	Diabetes mellitus (E10–E14)	801	7.3	230.7
5	Chronic liver disease and cirrhosis (K70,K73–K74)	177	3.6	18.7	5	Chronic lower respiratory diseases (J40–J47)	412	3.8	118.7
6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	145	2.9	15.3	6	Influenza and pneumonia (J10–J18)	323	2.9	93.0
7	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	117	2.4	12.4	7	Alzheimer's disease (G30)	235	2.1	67.7
8	Chronic lower respiratory diseases (J40–J47)	98	2.0	10.3	8	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	223	2.0	64.2
9	Influenza and pneumonia (J10–J18)	72	1.4	7.6	9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	174	1.6	50.1
10	Septicemia (A40–A41)	65	1.3	6.9	10	Chronic liver disease and cirrhosis (K70,K73–K74)	160	1.5	46.1
...	All other causes (Residual)	826	16.6	87.2	...	All other causes (Residual)	1,995	18.2	574.7
Hispanic, female, 65 years and over					Hispanic, female, 85 years and over				
...	All causes	30,881	100.0	2,741.5	...	All causes	11,325	100.0	8,372.1
1	Diseases of heart (I00–I09,I11,I13,I20–I51)	10,406	33.7	923.8	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	4,656	41.1	3,442.0
2	Malignant neoplasms (C00–C97)	5,709	18.5	506.8	2	Cerebrovascular diseases (I60–I69)	1,121	9.9	828.7
3	Cerebrovascular diseases (I60–I69)	2,638	8.5	234.2	3	Malignant neoplasms (C00–C97)	1,068	9.4	789.5
4	Diabetes mellitus (E10–E14)	2,109	6.8	187.2	4	Influenza and pneumonia (J10–J18)	591	5.2	436.9
5	Influenza and pneumonia (J10–J18)	1,101	3.6	97.7	5	Diabetes mellitus (E10–E14)	478	4.2	353.4
6	Chronic lower respiratory diseases (J40–J47)	1,033	3.3	91.7	6	Alzheimer's disease (G30)	432	3.8	319.4
7	Alzheimer's disease (G30)	732	2.4	65.0	7	Chronic lower respiratory diseases (J40–J47)	392	3.5	289.8
8	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	634	2.1	56.3	8	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	201	1.8	148.6
9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	474	1.5	42.1	9	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	153	1.4	113.1
10	Chronic liver disease and cirrhosis (K70,K73–K74)	436	1.4	38.7	9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	153	1.4	113.1
...	All other causes (Residual)	5,609	18.2	497.9	...	All other causes (Residual)	2,080	18.4	1,537.7

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
White, non-Hispanic, both sexes, all ages ³					White, non-Hispanic, both sexes, 10–14 years				
...	All causes	1,959,919	100.0	996.6	...	All causes	2,547	100.0	19.6
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	594,465	30.3	302.3	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,047	41.1	8.0
2	Malignant neoplasms (C00–C97)	458,200	23.4	233.0	2	Malignant neoplasms (C00–C97)	320	12.6	2.5
3	Cerebrovascular diseases (I60–I69)	138,210	7.1	70.3	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	220	8.6	1.7
4	Chronic lower respiratory diseases (J40–J47)	109,901	5.6	55.9	4	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	127	5.0	1.0
5	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	73,536	3.8	37.4	5	Assault (homicide) (X85–Y09,Y87.1)	92	3.6	0.7
6	Influenza and pneumonia (J10–J18)	55,135	2.8	28.0	6	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	86	3.4	0.7
7	Diabetes mellitus (E10–E14)	50,163	2.6	25.5	7	Chronic lower respiratory diseases (J40–J47)	30	1.2	0.2
8	Alzheimer’s disease (G30)	45,246	2.3	23.0	8	Cerebrovascular diseases (I60–I69)	29	1.1	0.2
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	27,924	1.4	14.2	9	Influenza and pneumonia (J10–J18)	26	1.0	0.2
10	Intentional self-harm (suicide) (X60–X84,Y87.0)	24,616	1.3	12.5	10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	22	0.9	0.2
...	All other causes (Residual)	382,523	19.5	194.5	...	All other causes (Residual)	548	21.5	4.2
White, non-Hispanic, both sexes, 1–4 years					White, non-Hispanic, both sexes, 15–19 years				
...	All causes	2,641	100.0	27.9	...	All causes	8,327	100.0	63.3
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,033	39.1	10.9	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	4,852	58.3	36.9
2	Malignant neoplasms (C00–C97)	256	9.7	2.7	2	Intentional self-harm (suicide) (X60–X84,Y87.0)	1,175	14.1	8.9
3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	240	9.1	2.5	3	Malignant neoplasms (C00–C97)	452	5.4	3.4
4	Assault (homicide) (X85–Y09,Y87.1)	144	5.5	1.5	4	Assault (homicide) (X85–Y09,Y87.1)	352	4.2	2.7
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	98	3.7	1.0	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	216	2.6	1.6
6	Septicemia (A40–A41)	51	1.9	0.5	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	134	1.6	1.0
6	Influenza and pneumonia (J10–J18)	51	1.9	0.5	7	Cerebrovascular diseases (I60–I69)	46	0.6	0.3
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	37	1.4	0.4	8	Influenza and pneumonia (J10–J18)	43	0.5	0.3
9	Certain conditions originating in the perinatal period (P00–P96)	34	1.3	0.4	9	Chronic lower respiratory diseases (J40–J47)	34	0.4	0.3
10	Cerebrovascular diseases (I60–I69)	25	0.9	0.3	10	Diabetes mellitus (E10–E14)	28	0.3	0.2
...	All other causes (Residual)	672	25.4	7.1	...	All other causes (Residual)	995	11.9	7.6
White, non-Hispanic, both sexes, 5–9 years					White, non-Hispanic, both sexes, 20–24 years				
...	All causes	1,850	100.0	14.8	...	All causes	9,934	100.0	81.7
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	796	43.0	6.4	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	4,883	49.2	40.2
2	Malignant neoplasms (C00–C97)	307	16.6	2.5	2	Intentional self-harm (suicide) (X60–X84,Y87.0)	1,693	17.0	13.9
3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	113	6.1	0.9	3	Malignant neoplasms (C00–C97)	607	6.1	5.0
4	Assault (homicide) (X85–Y09,Y87.1)	72	3.9	0.6	4	Assault (homicide) (X85–Y09,Y87.1)	522	5.3	4.3
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	54	2.9	0.4	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	315	3.2	2.6
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	41	2.2	0.3	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	145	1.5	1.2
7	Septicemia (A40–A41)	25	1.4	0.2	7	Influenza and pneumonia (J10–J18)	73	0.7	0.6
8	Influenza and pneumonia (J10–J18)	23	1.2	0.2	8	Cerebrovascular diseases (I60–I69)	72	0.7	0.6
9	Cerebrovascular diseases (I60–I69)	17	0.9	*	9	Diabetes mellitus (E10–E14)	64	0.6	0.5
9	Chronic lower respiratory diseases (J40–J47)	17	0.9	*	10	Chronic lower respiratory diseases (J40–J47)	53	0.5	0.4
...	All other causes (Residual)	385	20.8	3.1	...	All other causes (Residual)	1,507	15.2	12.4

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
White, non-Hispanic, both sexes, 25–34 years					White, non-Hispanic, both sexes, 55–64 years				
...	All causes	23,191	100.0	92.6	...	All causes	182,348	100.0	960.0
1	Accidents (unintentional injuries) (V01–X59, Y85–Y86)	7,730	33.3	30.9	1	Malignant neoplasms (C00–C97)	70,865	38.9	373.1
2	Intentional self-harm (suicide) (X60–X84, Y87.0)	3,658	15.8	14.6	2	Diseases of heart (I00–I09, I11, I13, I20–I51)	47,292	25.9	249.0
3	Malignant neoplasms (C00–C97)	2,599	11.2	10.4	3	Chronic lower respiratory diseases (J40–J47)	9,253	5.1	48.7
4	Diseases of heart (I00–I09, I11, I13, I20–I51)	1,653	7.1	6.6	4	Cerebrovascular diseases (I60–I69)	6,555	3.6	34.5
5	Assault (homicide) (X85–Y09, Y87.1)	1,023	4.4	4.1	5	Diabetes mellitus (E10–E14)	5,923	3.2	31.2
6	Human immunodeficiency virus (HIV) disease (B20–B24)	619	2.7	2.5	6	Accidents (unintentional injuries) (V01–X59, Y85–Y86)	5,753	3.2	30.3
7	Diabetes mellitus (E10–E14)	357	1.5	1.4	7	Chronic liver disease and cirrhosis (K70, K73–K74)	4,235	2.3	22.3
8	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	344	1.5	1.4	8	Intentional self-harm (suicide) (X60–X84, Y87.0)	2,659	1.5	14.0
9	Cerebrovascular diseases (I60–I69)	313	1.3	1.2	9	Influenza and pneumonia (J10–J18)	2,061	1.1	10.9
10	Chronic liver disease and cirrhosis (K70, K73–K74)	217	0.9	0.9	10	Septicemia (A40–A41)	1,919	1.1	10.1
...	All other causes (Residual)	4,678	20.2	18.7	...	All other causes (Residual)	25,833	14.2	136.0
White, non-Hispanic, both sexes, 35–44 years					White, non-Hispanic, both sexes, 65 years and over				
...	All causes	58,231	100.0	179.7	...	All causes	1,545,284	100.0	5,318.5
1	Malignant neoplasms (C00–C97)	11,458	19.7	35.4	1	Diseases of heart (I00–I09, I11, I13, I20–I51)	510,568	33.0	1,757.2
2	Accidents (unintentional injuries) (V01–X59, Y85–Y86)	11,008	18.9	34.0	2	Malignant neoplasms (C00–C97)	335,408	21.7	1,154.4
3	Diseases of heart (I00–I09, I11, I13, I20–I51)	8,743	15.0	27.0	3	Cerebrovascular diseases (I60–I69)	126,283	8.2	434.6
4	Intentional self-harm (suicide) (X60–X84, Y87.0)	5,540	9.5	17.1	4	Chronic lower respiratory diseases (J40–J47)	97,301	6.3	334.9
5	Chronic liver disease and cirrhosis (K70, K73–K74)	2,240	3.8	6.9	5	Influenza and pneumonia (J10–J18)	50,687	3.3	174.5
6	Human immunodeficiency virus (HIV) disease (B20–B24)	2,000	3.4	6.2	6	Alzheimer's disease (G30)	44,760	2.9	154.1
7	Cerebrovascular diseases (I60–I69)	1,378	2.4	4.3	7	Diabetes mellitus (E10–E14)	39,432	2.6	135.7
8	Assault (homicide) (X85–Y09, Y87.1)	1,273	2.2	3.9	8	Accidents (unintentional injuries) (V01–X59, Y85–Y86)	27,089	1.8	93.2
9	Diabetes mellitus (E10–E14)	1,260	2.2	3.9	9	Nephritis, nephrotic syndrome and nephrosis (N00–N07, N17–N19, N25–N27)	24,720	1.6	85.1
10	Influenza and pneumonia (J10–J18)	678	1.2	2.1	10	Septicemia (A40–A41)	19,624	1.3	67.5
...	All other causes (Residual)	12,653	21.7	39.0	...	All other causes (Residual)	269,412	17.4	927.2
White, non-Hispanic, both sexes, 45–54 years					White, non-Hispanic, both sexes, 65–74 years				
...	All causes	111,964	100.0	393.1	...	All causes	356,869	100.0	2,409.4
1	Malignant neoplasms (C00–C97)	35,861	32.0	125.9	1	Malignant neoplasms (C00–C97)	124,842	35.0	842.9
2	Diseases of heart (I00–I09, I11, I13, I20–I51)	25,153	22.5	88.3	2	Diseases of heart (I00–I09, I11, I13, I20–I51)	97,748	27.4	659.9
3	Accidents (unintentional injuries) (V01–X59, Y85–Y86)	8,882	7.9	31.2	3	Chronic lower respiratory diseases (J40–J47)	28,122	7.9	189.9
4	Intentional self-harm (suicide) (X60–X84, Y87.0)	4,774	4.3	16.8	4	Cerebrovascular diseases (I60–I69)	17,989	5.0	121.5
5	Chronic liver disease and cirrhosis (K70, K73–K74)	4,637	4.1	16.3	5	Diabetes mellitus (E10–E14)	11,475	3.2	77.5
6	Cerebrovascular diseases (I60–I69)	3,433	3.1	12.1	6	Accidents (unintentional injuries) (V01–X59, Y85–Y86)	6,181	1.7	41.7
7	Diabetes mellitus (E10–E14)	3,078	2.7	10.8	7	Influenza and pneumonia (J10–J18)	5,546	1.6	37.4
8	Chronic lower respiratory diseases (J40–J47)	2,463	2.2	8.6	8	Nephritis, nephrotic syndrome and nephrosis (N00–N07, N17–N19, N25–N27)	4,741	1.3	32.0
9	Human immunodeficiency virus (HIV) disease (B20–B24)	1,325	1.2	4.7	9	Chronic liver disease and cirrhosis (K70, K73–K74)	4,285	1.2	28.9
10	Viral hepatitis (B15–B19)	1,243	1.1	4.4	10	Septicemia (A40–A41)	4,173	1.2	28.2
...	All other causes (Residual)	21,115	18.9	74.1	...	All other causes (Residual)	51,767	14.5	349.5

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
White, non-Hispanic, both sexes, 75–84 years					White, non-Hispanic, male, 1–4 years				
...	All causes	604,658	100.0	5,728.7	...	All causes	1,541	100.0	31.8
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	189,366	31.3	1,794.1	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	638	41.4	13.2
2	Malignant neoplasms (C00–C97)	143,079	23.7	1,355.6	2	Malignant neoplasms (C00–C97)	146	9.5	3.0
3	Cerebrovascular diseases (I60–I69)	48,556	8.0	460.0	3	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	124	8.0	2.6
4	Chronic lower respiratory diseases. (J40–J47)	44,024	7.3	417.1	4	Assault (homicide). (X85–Y09,Y87.1)	86	5.6	1.8
5	Influenza and pneumonia (J10–J18)	17,068	2.8	161.7	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	59	3.8	1.2
6	Diabetes mellitus (E10–E14)	17,040	2.8	161.4	6	Septicemia (A40–A41)	26	1.7	0.5
7	Alzheimer’s disease. (G30)	15,704	2.6	148.8	7	Influenza and pneumonia (J10–J18)	24	1.6	0.5
8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	10,356	1.7	98.1	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	23	1.5	0.5
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	10,026	1.7	95.0	8	Certain conditions originating in the perinatal period. (P00–P96)	23	1.5	0.5
10	Septicemia (A40–A41)	7,901	1.3	74.9	10	Cerebrovascular diseases (I60–I69)	14	0.9	*
...	All other causes (Residual)	101,538	16.8	962.0	...	All other causes (Residual)	378	24.5	7.8
White, non-Hispanic, both sexes, 85 years and over					White, non-Hispanic, male, 5–9 years				
...	All causes	583,757	100.0	15,826.4	...	All causes	1,077	100.0	16.8
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	223,454	38.3	6,058.1	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	487	45.2	7.6
2	Malignant neoplasms (C00–C97)	67,487	11.6	1,829.7	2	Malignant neoplasms (C00–C97)	161	14.9	2.5
3	Cerebrovascular diseases (I60–I69)	59,738	10.2	1,619.6	3	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	55	5.1	0.9
4	Influenza and pneumonia (J10–J18)	28,073	4.8	761.1	4	Assault (homicide). (X85–Y09,Y87.1)	39	3.6	0.6
5	Alzheimer’s disease. (G30)	26,052	4.5	706.3	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	34	3.2	0.5
6	Chronic lower respiratory diseases. (J40–J47)	25,155	4.3	682.0	6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	20	1.9	0.3
7	Diabetes mellitus (E10–E14)	10,917	1.9	296.0	7	Septicemia (A40–A41)	16	1.5	*
8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	10,552	1.8	286.1	8	Influenza and pneumonia (J10–J18)	15	1.4	*
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	9,953	1.7	269.8	9	Cerebrovascular diseases (I60–I69)	11	1.0	*
10	Septicemia (A40–A41)	7,550	1.3	204.7	10	Chronic lower respiratory diseases. (J40–J47)	10	0.9	*
...	All other causes (Residual)	114,826	19.7	3,113.1	...	All other causes (Residual)	229	21.3	3.6
White, non-Hispanic, male, all ages ³					White, non-Hispanic, male, 10–14 years				
...	All causes	944,781	100.0	980.9	...	All causes	1,575	100.0	23.6
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	287,210	30.4	298.2	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	689	43.7	10.3
2	Malignant neoplasms (C00–C97)	235,932	25.0	245.0	2	Malignant neoplasms (C00–C97)	177	11.2	2.6
3	Chronic lower respiratory diseases. (J40–J47)	53,231	5.6	55.3	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	175	11.1	2.6
4	Cerebrovascular diseases (I60–I69)	52,000	5.5	54.0	4	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	64	4.1	1.0
5	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	46,470	4.9	48.2	5	Assault (homicide). (X85–Y09,Y87.1)	54	3.4	0.8
6	Influenza and pneumonia (J10–J18)	23,609	2.5	24.5	6	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	53	3.4	0.8
7	Diabetes mellitus (E10–E14)	23,465	2.5	24.4	7	Influenza and pneumonia (J10–J18)	14	0.9	*
8	Intentional self-harm (suicide) (X60–X84,Y87.0)	19,711	2.1	20.5	7	Chronic lower respiratory diseases. (J40–J47)	14	0.9	*
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	13,567	1.4	14.1	9	Cerebrovascular diseases (I60–I69)	12	0.8	*
10	Alzheimer’s disease. (G30)	13,123	1.4	13.6	10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	11	0.7	*
...	All other causes (Residual)	176,463	18.7	183.2	...	All other causes (Residual)	312	19.8	4.7

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
White, non-Hispanic, male, 15–19 years					White, non-Hispanic, male, 35–44 years				
...	All causes	5,726	100.0	84.5	...	All causes	37,622	100.0	231.9
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	3,326	58.1	49.1	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	8,113	21.6	50.0
2	Intentional self-harm (suicide) (X60–X84,Y87.0)	987	17.2	14.6	2	Diseases of heart (I00–I09,I11,I13,I20–I51)	6,446	17.1	39.7
3	Malignant neoplasms (C00–C97)	270	4.7	4.0	3	Malignant neoplasms (C00–C97)	5,201	13.8	32.1
4	Assault (homicide) (X85–Y09,Y87.1)	231	4.0	3.4	4	Intentional self-harm (suicide) (X60–X84,Y87.0)	4,287	11.4	26.4
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	126	2.2	1.9	5	Human immunodeficiency virus (HIV) disease (B20–B24)	1,678	4.5	10.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	74	1.3	1.1	6	Chronic liver disease and cirrhosis (K70,K73–K74)	1,518	4.0	9.4
7	Cerebrovascular diseases (I60–I69)	31	0.5	0.5	7	Assault (homicide) (X85–Y09,Y87.1)	836	2.2	5.2
8	Influenza and pneumonia (J10–J18)	25	0.4	0.4	8	Diabetes mellitus (E10–E14)	766	2.0	4.7
9	Chronic lower respiratory diseases (J40–J47)	21	0.4	0.3	9	Cerebrovascular diseases (I60–I69)	694	1.8	4.3
10	Meningococcal infection (A39)	18	0.3	*	10	Influenza and pneumonia (J10–J18)	394	1.0	2.4
10	Diabetes mellitus (E10–E14)	18	0.3	*	...	All other causes (Residual)	7,689	20.4	47.4
...	All other causes (Residual)	599	10.5	8.8	White, non-Hispanic, male, 45–54 years				
White, non-Hispanic, male, 20–24 years					...	All causes	70,788	100.0	501.8
...	All causes	7,340	100.0	117.9	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	19,101	27.0	135.4
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	3,739	50.9	60.1	2	Malignant neoplasms (C00–C97)	18,092	25.6	128.3
2	Intentional self-harm (suicide) (X60–X84,Y87.0)	1,480	20.2	23.8	3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	6,521	9.2	46.2
3	Malignant neoplasms (C00–C97)	366	5.0	5.9	4	Intentional self-harm (suicide) (X60–X84,Y87.0)	3,627	5.1	25.7
4	Assault (homicide) (X85–Y09,Y87.1)	357	4.9	5.7	5	Chronic liver disease and cirrhosis (K70,K73–K74)	3,477	4.9	24.6
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	200	2.7	3.2	6	Cerebrovascular diseases (I60–I69)	1,856	2.6	13.2
6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	89	1.2	1.4	7	Diabetes mellitus (E10–E14)	1,842	2.6	13.1
7	Influenza and pneumonia (J10–J18)	43	0.6	0.7	8	Chronic lower respiratory diseases (J40–J47)	1,259	1.8	8.9
8	Diabetes mellitus (E10–E14)	39	0.5	0.6	9	Human immunodeficiency virus (HIV) disease (B20–B24)	1,161	1.6	8.2
9	Cerebrovascular diseases (I60–I69)	36	0.5	0.6	10	Viral hepatitis (B15–B19)	958	1.4	6.8
10	Chronic lower respiratory diseases (J40–J47)	31	0.4	0.5	...	All other causes (Residual)	12,894	18.2	91.4
...	All other causes (Residual)	960	13.1	15.4	White, non-Hispanic, male, 55–64 years				
White, non-Hispanic, male, 25–34 years					...	All causes	109,031	100.0	1,185.7
...	All causes	15,934	100.0	127.4	1	Malignant neoplasms (C00–C97)	38,368	35.2	417.2
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	5,861	36.8	46.8	2	Diseases of heart (I00–I09,I11,I13,I20–I51)	33,179	30.4	360.8
2	Intentional self-harm (suicide) (X60–X84,Y87.0)	2,989	18.8	23.9	3	Chronic lower respiratory diseases (J40–J47)	4,728	4.3	51.4
3	Malignant neoplasms (C00–C97)	1,259	7.9	10.1	4	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	3,871	3.6	42.1
4	Diseases of heart (I00–I09,I11,I13,I20–I51)	1,115	7.0	8.9	5	Cerebrovascular diseases (I60–I69)	3,605	3.3	39.2
5	Assault (homicide) (X85–Y09,Y87.1)	677	4.2	5.4	6	Diabetes mellitus (E10–E14)	3,298	3.0	35.9
6	Human immunodeficiency virus (HIV) disease (B20–B24)	475	3.0	3.8	7	Chronic liver disease and cirrhosis (K70,K73–K74)	2,935	2.7	31.9
7	Diabetes mellitus (E10–E14)	220	1.4	1.8	8	Intentional self-harm (suicide) (X60–X84,Y87.0)	2,031	1.9	22.1
8	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	203	1.3	1.6	9	Influenza and pneumonia (J10–J18)	1,176	1.1	12.8
9	Cerebrovascular diseases (I60–I69)	161	1.0	1.3	10	Septicemia (A40–A41)	1,015	0.9	11.0
10	Chronic liver disease and cirrhosis (K70,K73–K74)	140	0.9	1.1	...	All other causes (Residual)	14,825	13.6	161.2
...	All other causes (Residual)	2,834	17.8	22.7					

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
White, non-Hispanic, male, 65 years and over					White, non-Hispanic, male, 85 years and over				
...	All causes	686,417	100.0	5,660.3	...	All causes	189,537	100.0	17,269.0
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	226,738	33.0	1,869.7	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	70,138	37.0	6,390.4
2	Malignant neoplasms (C00–C97)	171,851	25.0	1,417.1	2	Malignant neoplasms (C00–C97)	28,814	15.2	2,625.3
3	Chronic lower respiratory diseases (J40–J47)	46,809	6.8	386.0	3	Cerebrovascular diseases (I60–I69)	15,987	8.4	1,456.6
4	Cerebrovascular diseases (I60–I69)	45,542	6.6	375.5	4	Chronic lower respiratory diseases (J40–J47)	10,708	5.6	975.6
5	Influenza and pneumonia (J10–J18)	21,071	3.1	173.8	5	Influenza and pneumonia (J10–J18)	9,641	5.1	878.4
6	Diabetes mellitus (E10–E14)	17,271	2.5	142.4	6	Alzheimer's disease (G30)	5,857	3.1	533.6
7	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	12,952	1.9	106.8	7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	4,023	2.1	366.5
8	Alzheimer's disease (G30)	12,910	1.9	106.5	8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	3,968	2.1	361.5
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	11,738	1.7	96.8	9	Diabetes mellitus (E10–E14)	3,508	1.9	319.6
10	Septicemia (A40–A41)	7,952	1.2	65.6	10	Pneumonitis due to solids and liquids . . (J69)	3,059	1.6	278.7
...	All other causes (Residual)	111,583	16.3	920.1	...	All other causes (Residual)	33,834	17.9	3,082.7
White, non-Hispanic, male, 65–74 years					White, non-Hispanic, female, all ages ³				
...	All causes	202,038	100.0	2,986.8	...	All causes	1,015,138	100.0	1,011.7
1	Malignant neoplasms (C00–C97)	69,085	34.2	1,021.3	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	307,255	30.3	306.2
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	61,024	30.2	902.1	2	Malignant neoplasms (C00–C97)	222,268	21.9	221.5
3	Chronic lower respiratory diseases (J40–J47)	14,398	7.1	212.8	3	Cerebrovascular diseases (I60–I69)	86,210	8.5	85.9
4	Cerebrovascular diseases (I60–I69)	9,176	4.5	135.7	4	Chronic lower respiratory diseases (J40–J47)	56,670	5.6	56.5
5	Diabetes mellitus (E10–E14)	5,967	3.0	88.2	5	Alzheimer's disease (G30)	32,123	3.2	32.0
6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	3,692	1.8	54.6	6	Influenza and pneumonia (J10–J18)	31,526	3.1	31.4
7	Influenza and pneumonia (J10–J18)	3,084	1.5	45.6	7	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	27,066	2.7	27.0
8	Chronic liver disease and cirrhosis (K70,K73–K74)	2,602	1.3	38.5	8	Diabetes mellitus (E10–E14)	26,698	2.6	26.6
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	2,574	1.3	38.1	9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	14,357	1.4	14.3
10	Aortic aneurysm and dissection (I71)	2,453	1.2	36.3	10	Septicemia (A40–A41)	13,461	1.3	13.4
...	All other causes (Residual)	27,983	13.9	413.7	...	All other causes (Residual)	197,504	19.5	196.8
White, non-Hispanic, male, 75–84 years					White, non-Hispanic, female, 1–4 years				
...	All causes	294,842	100.0	6,913.2	...	All causes	1,100	100.0	23.9
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	95,576	32.4	2,241.0	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	395	35.9	8.6
2	Malignant neoplasms (C00–C97)	73,952	25.1	1,734.0	2	Congenital malformations, deformations and chromosomal abnormalities . . . (Q00–Q99)	116	10.5	2.5
3	Chronic lower respiratory diseases (J40–J47)	21,703	7.4	508.9	3	Malignant neoplasms (C00–C97)	110	10.0	2.4
4	Cerebrovascular diseases (I60–I69)	20,379	6.9	477.8	4	Assault (homicide) (X85–Y09,Y87.1)	58	5.3	1.3
5	Influenza and pneumonia (J10–J18)	8,346	2.8	195.7	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	39	3.5	0.8
6	Diabetes mellitus (E10–E14)	7,796	2.6	182.8	6	Influenza and pneumonia (J10–J18)	27	2.5	0.6
7	Alzheimer's disease (G30)	5,686	1.9	133.3	7	Septicemia (A40–A41)	25	2.3	0.5
8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	5,292	1.8	124.1	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	14	1.3	*
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	5,141	1.7	120.5	9	Cerebrovascular diseases (I60–I69)	11	1.0	*
10	Parkinson's disease (G20–G21)	4,191	1.4	98.3	9	Chronic lower respiratory diseases (J40–J47)	11	1.0	*
...	All other causes (Residual)	46,780	15.9	1,096.9	9	Certain conditions originating in the perinatal period (P00–P96)	11	1.0	*
					...	All other causes (Residual)	283	25.7	6.1

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
White, non-Hispanic, female, 5–9 years					White, non-Hispanic, female, 20–24 years				
...	All causes	773	100.0	12.7	...	All causes	2,594	100.0	43.7
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	309	40.0	5.1	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,144	44.1	19.3
2	Malignant neoplasms (C00–C97)	146	18.9	2.4	2	Malignant neoplasms (C00–C97)	241	9.3	4.1
3	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	58	7.5	1.0	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	213	8.2	3.6
4	Assault (homicide). (X85–Y09,Y87.1)	33	4.3	0.5	4	Assault (homicide). (X85–Y09,Y87.1)	165	6.4	2.8
5	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	21	2.7	0.3	5	Diseases of heart (I00–I09,I11,I13,I20–I51)	115	4.4	1.9
6	Diseases of heart (I00–I09,I11,I13,I20–I51)	20	2.6	0.3	6	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	56	2.2	0.9
7	Septicemia (A40–A41)	9	1.2	*	7	Cerebrovascular diseases (I60–I69)	36	1.4	0.6
8	Influenza and pneumonia (J10–J18)	8	1.0	*	8	Influenza and pneumonia (J10–J18)	30	1.2	0.5
9	Chronic lower respiratory diseases. (J40–J47)	7	0.9	*	9	Diabetes mellitus (E10–E14)	25	1.0	0.4
10	Cerebrovascular diseases (I60–I69)	6	0.8	*	10	Pregnancy, childbirth and the puerperium (O00–O99)	24	0.9	0.4
...	All other causes (Residual)	156	20.2	2.6	...	All other causes (Residual)	545	21.0	9.2
White, non-Hispanic, female, 10–14 years					White, non-Hispanic, female, 25–34 years				
...	All causes	972	100.0	15.3	...	All causes	7,257	100.0	57.9
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	358	36.8	5.6	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,869	25.8	14.9
2	Malignant neoplasms (C00–C97)	143	14.7	2.3	2	Malignant neoplasms (C00–C97)	1,340	18.5	10.7
3	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	63	6.5	1.0	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	669	9.2	5.3
4	Intentional self-harm (suicide) (X60–X84,Y87.0)	45	4.6	0.7	4	Diseases of heart (I00–I09,I11,I13,I20–I51)	538	7.4	4.3
5	Assault (homicide). (X85–Y09,Y87.1)	38	3.9	0.6	5	Assault (homicide). (X85–Y09,Y87.1)	346	4.8	2.8
6	Diseases of heart (I00–I09,I11,I13,I20–I51)	33	3.4	0.5	6	Cerebrovascular diseases (I60–I69)	152	2.1	1.2
7	Cerebrovascular diseases (I60–I69)	17	1.7	*	7	Human immunodeficiency virus (HIV) disease (B20–B24)	144	2.0	1.1
8	Chronic lower respiratory diseases. (J40–J47)	16	1.6	*	8	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	141	1.9	1.1
9	Influenza and pneumonia (J10–J18)	12	1.2	*	9	Diabetes mellitus (E10–E14)	137	1.9	1.1
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	11	1.1	*	10	Influenza and pneumonia (J10–J18)	102	1.4	0.8
...	All other causes (Residual)	236	24.3	3.7	...	All other causes (Residual)	1,819	25.1	14.5
White, non-Hispanic, female, 15–19 years					White, non-Hispanic, female, 35–44 years				
...	All causes	2,601	100.0	40.7	...	All causes	20,609	100.0	127.4
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,526	58.7	23.9	1	Malignant neoplasms (C00–C97)	6,257	30.4	38.7
2	Intentional self-harm (suicide) (X60–X84,Y87.0)	188	7.2	2.9	2	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	2,895	14.0	17.9
3	Malignant neoplasms (C00–C97)	182	7.0	2.9	3	Diseases of heart (I00–I09,I11,I13,I20–I51)	2,297	11.1	14.2
4	Assault (homicide). (X85–Y09,Y87.1)	121	4.7	1.9	4	Intentional self-harm (suicide) (X60–X84,Y87.0)	1,253	6.1	7.7
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	90	3.5	1.4	5	Chronic liver disease and cirrhosis (K70,K73–K74)	722	3.5	4.5
6	Congenital malformations, deformations and chromosomal abnormalities. (Q00–Q99)	60	2.3	0.9	6	Cerebrovascular diseases (I60–I69)	684	3.3	4.2
7	Influenza and pneumonia (J10–J18)	18	0.7	*	7	Diabetes mellitus (E10–E14)	494	2.4	3.1
8	Cerebrovascular diseases (I60–I69)	15	0.6	*	8	Assault (homicide). (X85–Y09,Y87.1)	437	2.1	2.7
9	Chronic lower respiratory diseases. (J40–J47)	13	0.5	*	9	Human immunodeficiency virus (HIV) disease (B20–B24)	322	1.6	2.0
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	10	0.4	*	10	Chronic lower respiratory diseases. (J40–J47)	303	1.5	1.9
10	Diabetes mellitus (E10–E14)	10	0.4	*	...	All other causes (Residual)	4,945	24.0	30.6
...	All other causes (Residual)	368	14.1	5.8					

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
White, non-Hispanic, female, 45–54 years					White, non-Hispanic, female, 65–74 years				
...	All causes	41,176	100.0	286.4	...	All causes	154,831	100.0	1,924.0
1	Malignant neoplasms (C00–C97)	17,769	43.2	123.6	1	Malignant neoplasms (C00–C97)	55,757	36.0	692.9
2	Diseases of heart (I00–I09,I11,I13,I20–I51)	6,052	14.7	42.1	2	Diseases of heart (I00–I09,I11,I13,I20–I51)	36,724	23.7	456.4
3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	2,361	5.7	16.4	3	Chronic lower respiratory diseases (J40–J47)	13,724	8.9	170.5
4	Cerebrovascular diseases (I60–I69)	1,577	3.8	11.0	4	Cerebrovascular diseases (I60–I69)	8,813	5.7	109.5
5	Diabetes mellitus (E10–E14)	1,236	3.0	8.6	5	Diabetes mellitus (E10–E14)	5,508	3.6	68.4
6	Chronic lower respiratory diseases (J40–J47)	1,204	2.9	8.4	6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	2,489	1.6	30.9
7	Chronic liver disease and cirrhosis (K70,K73–K74)	1,160	2.8	8.1	7	Influenza and pneumonia (J10–J18)	2,462	1.6	30.6
8	Intentional self-harm (suicide) (X60–X84,Y87.0)	1,147	2.8	8.0	8	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	2,167	1.4	26.9
9	Influenza and pneumonia (J10–J18)	498	1.2	3.5	9	Septicemia (A40–A41)	2,042	1.3	25.4
10	Septicemia (A40–A41)	479	1.2	3.3	10	Chronic liver disease and cirrhosis (K70,K73–K74)	1,683	1.1	20.9
...	All other causes (Residual)	7,693	18.7	53.5	...	All other causes (Residual)	23,462	15.2	291.6
White, non-Hispanic, female, 55–64 years					White, non-Hispanic, female, 75–84 years				
...	All causes	73,317	100.0	748.2	...	All causes	309,816	100.0	4,925.6
1	Malignant neoplasms (C00–C97)	32,497	44.3	331.6	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	93,790	30.3	1,491.1
2	Diseases of heart (I00–I09,I11,I13,I20–I51)	14,113	19.2	144.0	2	Malignant neoplasms (C00–C97)	69,127	22.3	1,099.0
3	Chronic lower respiratory diseases (J40–J47)	4,525	6.2	46.2	3	Cerebrovascular diseases (I60–I69)	28,177	9.1	448.0
4	Cerebrovascular diseases (I60–I69)	2,950	4.0	30.1	4	Chronic lower respiratory diseases (J40–J47)	22,321	7.2	354.9
5	Diabetes mellitus (E10–E14)	2,625	3.6	26.8	5	Alzheimer's disease (G30)	10,018	3.2	159.3
6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,882	2.6	19.2	6	Diabetes mellitus (E10–E14)	9,244	3.0	147.0
7	Chronic liver disease and cirrhosis (K70,K73–K74)	1,300	1.8	13.3	7	Influenza and pneumonia (J10–J18)	8,722	2.8	138.7
8	Septicemia (A40–A41)	904	1.2	9.2	8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	5,064	1.6	80.5
9	Influenza and pneumonia (J10–J18)	885	1.2	9.0	9	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	4,885	1.6	77.7
10	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	786	1.1	8.0	10	Septicemia (A40–A41)	4,322	1.4	68.7
...	All other causes (Residual)	10,850	14.8	110.7	...	All other causes (Residual)	54,146	17.5	860.8
White, non-Hispanic, female, 65 years and over					White, non-Hispanic, female, 85 years and over				
...	All causes	858,867	100.0	5,073.6	...	All causes	394,220	100.0	15,215.3
1	Diseases of heart (I00–I09,I11,I13,I20–I51)	283,830	33.0	1,676.7	1	Diseases of heart (I00–I09,I11,I13,I20–I51)	153,316	38.9	5,917.4
2	Malignant neoplasms (C00–C97)	163,557	19.0	966.2	2	Cerebrovascular diseases (I60–I69)	43,751	11.1	1,688.6
3	Cerebrovascular diseases (I60–I69)	80,741	9.4	477.0	3	Malignant neoplasms (C00–C97)	38,673	9.8	1,492.6
4	Chronic lower respiratory diseases (J40–J47)	50,492	5.9	298.3	4	Alzheimer's disease (G30)	20,195	5.1	779.4
5	Alzheimer's disease (G30)	31,850	3.7	188.1	5	Influenza and pneumonia (J10–J18)	18,432	4.7	711.4
6	Influenza and pneumonia (J10–J18)	29,616	3.4	175.0	6	Chronic lower respiratory diseases (J40–J47)	14,447	3.7	557.6
7	Diabetes mellitus (E10–E14)	22,161	2.6	130.9	7	Diabetes mellitus (E10–E14)	7,409	1.9	286.0
8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	14,137	1.6	83.5	8	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	6,584	1.7	254.1
9	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	12,982	1.5	76.7	9	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	5,930	1.5	228.9
10	Septicemia (A40–A41)	11,672	1.4	69.0	10	Atherosclerosis (I70)	5,321	1.3	205.4
...	All other causes (Residual)	157,829	18.4	932.3	...	All other causes (Residual)	80,162	20.3	3,093.9

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Black, non-Hispanic, both sexes, all ages ³					Black, non-Hispanic, both sexes, 10–14 years				
...	All causes	282,676	100.0	844.4	...	All causes	875	100.0	29.1
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	76,706	27.1	229.1	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	289	33.0	9.6
2	Malignant neoplasms (C00–C97)	61,390	21.7	183.4	2	Assault (homicide) (X85–Y09,Y87.1)	82	9.4	2.7
3	Cerebrovascular diseases (I60–I69)	19,053	6.7	56.9	3	Malignant neoplasms (C00–C97)	76	8.7	2.5
4	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	12,087	4.3	36.1	4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	46	5.3	1.5
5	Diabetes mellitus (E10–E14)	11,918	4.2	35.6	4	Chronic lower respiratory diseases (J40–J47)	46	5.3	1.5
6	Assault (homicide) (X85–Y09,Y87.1)	7,748	2.7	23.1	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	45	5.1	1.5
7	Human immunodeficiency virus (HIV) disease (B20–B24)	7,708	2.7	23.0	7	Intentional self-harm (suicide) (X60–X84,Y87.0)	39	4.5	1.3
8	Chronic lower respiratory diseases (J40–J47)	7,528	2.7	22.5	8	Anemias (D50–D64)	16	1.8	*
9	Nephritis, nephrotic syndrome and nephrosis (N00–N07,N17–N19,N25–N27)	6,853	2.4	20.5	9	Human immunodeficiency virus (HIV) disease (B20–B24)	14	1.6	*
10	Influenza and pneumonia (J10–J18)	5,920	2.1	17.7	10	Cerebrovascular diseases (I60–I69)	13	1.5	*
...	All other causes (Residual)	65,765	23.3	196.5	...	All other causes (Residual)	209	23.9	7.0
Black, non-Hispanic, both sexes, 1–4 years					Black, non-Hispanic, both sexes, 15–19 years				
...	All causes	1,217	100.0	58.8	...	All causes	2,672	100.0	92.3
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	396	32.5	19.1	1	Assault (homicide) (X85–Y09,Y87.1)	1,012	37.9	35.0
2	Assault (homicide) (X85–Y09,Y87.1)	143	11.8	6.9	2	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	721	27.0	24.9
3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	123	10.1	5.9	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	170	6.4	5.9
4	Malignant neoplasms (C00–C97)	66	5.4	3.2	4	Malignant neoplasms (C00–C97)	135	5.1	4.7
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	47	3.9	2.3	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	124	4.6	4.3
6	Influenza and pneumonia (J10–J18)	29	2.4	1.4	6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	56	2.1	1.9
7	Certain conditions originating in the perinatal period (P00–P96)	27	2.2	1.3	7	Chronic lower respiratory diseases (J40–J47)	44	1.6	1.5
8	Septicemia (A40–A41)	25	2.1	1.2	8	Human immunodeficiency virus (HIV) disease (B20–B24)	22	0.8	0.8
9	Chronic lower respiratory diseases (J40–J47)	21	1.7	1.0	9	Anemias (D50–D64)	16	0.6	*
10	Anemias (D50–D64)	19	1.6	*	10	Legal intervention (Y35,Y89.0)	15	0.6	*
...	All other causes (Residual)	321	26.4	15.5	...	All other causes (Residual)	357	13.4	12.3
Black, non-Hispanic, both sexes, 5–9 years					Black, non-Hispanic, both sexes, 20–24 years				
...	All causes	745	100.0	25.7	...	All causes	4,254	100.0	161.4
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	330	44.3	11.4	1	Assault (homicide) (X85–Y09,Y87.1)	1,759	41.3	66.7
2	Malignant neoplasms (C00–C97)	71	9.5	2.4	2	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	941	22.1	35.7
3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	44	5.9	1.5	3	Intentional self-harm (suicide) (X60–X84,Y87.0)	301	7.1	11.4
4	Assault (homicide) (X85–Y09,Y87.1)	40	5.4	1.4	4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	207	4.9	7.9
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	29	3.9	1.0	5	Malignant neoplasms (C00–C97)	162	3.8	6.1
6	Chronic lower respiratory diseases (J40–J47)	24	3.2	0.8	6	Human immunodeficiency virus (HIV) disease (B20–B24)	103	2.4	3.9
7	Anemias (D50–D64)	14	1.9	*	7	Anemias (D50–D64)	45	1.1	1.7
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	13	1.7	*	8	Diabetes mellitus (E10–E14)	41	1.0	1.6
9	Human immunodeficiency virus (HIV) disease (B20–B24)	9	1.2	*	9	Chronic lower respiratory diseases (J40–J47)	36	0.8	1.4
10	Septicemia (A40–A41)	8	1.1	*	10	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	35	0.8	1.3
...	All other causes (Residual)	163	21.9	5.6	...	All other causes (Residual)	624	14.7	23.7

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Black, non-Hispanic, both sexes, 25–34 years					Black, non-Hispanic, both sexes, 55–64 years				
...	All causes	10,103	100.0	204.2	...	All causes	38,867	100.0	1,681.8
1	Assault (homicide)(X85–Y09,Y87.1)	2,193	21.7	44.3	1	Malignant neoplasms(C00–C97)	12,019	30.9	520.1
2	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	1,740	17.2	35.2	2	Diseases of heart . . .(I00–I09,I11,I13,I20–I51)	11,257	29.0	487.1
3	Human immunodeficiency virus (HIV) disease(B20–B24)	1,414	14.0	28.6	3	Cerebrovascular diseases(I60–I69)	2,265	5.8	98.0
4	Diseases of heart . . .(I00–I09,I11,I13,I20–I51)	929	9.2	18.8	4	Diabetes mellitus(E10–E14)	1,995	5.1	86.3
5	Malignant neoplasms(C00–C97)	641	6.3	13.0	5	Chronic lower respiratory diseases(J40–J47)	1,063	2.7	46.0
6	Intentional self-harm (suicide)(X60–X84,Y87.0)	469	4.6	9.5	6	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	983	2.5	42.5
7	Diabetes mellitus(E10–E14)	187	1.9	3.8	7	Nephritis, nephrotic syndrome and nephrosis . . .(N00–N07,N17–N19,N25–N27)	980	2.5	42.4
8	Cerebrovascular diseases(I60–I69)	158	1.6	3.2	8	Septicemia(A40–A41)	756	1.9	32.7
9	Anemias(D50–D64)	124	1.2	2.5	9	Human immunodeficiency virus (HIV) disease(B20–B24)	625	1.6	27.0
10	Chronic lower respiratory diseases(J40–J47)	114	1.1	2.3	10	Chronic liver disease and cirrhosis(K70,K73–K74)	622	1.6	26.9
...	All other causes(Residual)	2,134	21.1	43.1	...	All other causes(Residual)	6,302	16.2	272.7
Black, non-Hispanic, both sexes, 35–44 years					Black, non-Hispanic, both sexes, 65 years and over				
...	All causes	20,279	100.0	374.8	...	All causes	162,179	100.0	5,759.3
1	Diseases of heart . . .(I00–I09,I11,I13,I20–I51)	3,259	16.1	60.2	1	Diseases of heart . . .(I00–I09,I11,I13,I20–I51)	53,072	32.7	1,884.7
2	Malignant neoplasms(C00–C97)	3,072	15.1	56.8	2	Malignant neoplasms(C00–C97)	37,066	22.9	1,316.3
3	Human immunodeficiency virus (HIV) disease(B20–B24)	3,028	14.9	56.0	3	Cerebrovascular diseases(I60–I69)	13,865	8.5	492.4
4	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	2,253	11.1	41.6	4	Diabetes mellitus(E10–E14)	7,943	4.9	282.1
5	Assault (homicide)(X85–Y09,Y87.1)	1,359	6.7	25.1	5	Chronic lower respiratory diseases(J40–J47)	5,304	3.3	188.4
6	Cerebrovascular diseases(I60–I69)	829	4.1	15.3	6	Nephritis, nephrotic syndrome and nephrosis . . .(N00–N07,N17–N19,N25–N27)	4,703	2.9	167.0
7	Diabetes mellitus(E10–E14)	458	2.3	8.5	7	Influenza and pneumonia(J10–J18)	4,435	2.7	157.5
8	Chronic liver disease and cirrhosis(K70,K73–K74)	446	2.2	8.2	8	Septicemia(A40–A41)	3,994	2.5	141.8
9	Intentional self-harm (suicide)(X60–X84,Y87.0)	427	2.1	7.9	9	Alzheimer's disease(G30)	2,683	1.7	95.3
10	Nephritis, nephrotic syndrome and nephrosis . . .(N00–N07,N17–N19,N25–N27)	305	1.5	5.6	10	Essential (primary) hypertension and hypertensive renal disease(I10,I12)	2,680	1.7	95.2
...	All other causes(Residual)	4,843	23.9	89.5	...	All other causes(Residual)	26,434	16.3	938.7
Black, non-Hispanic, both sexes, 45–54 years					Black, non-Hispanic, both sexes, 65–74 years				
...	All causes	32,911	100.0	834.2	...	All causes	54,645	100.0	3,345.3
1	Malignant neoplasms(C00–C97)	8,068	24.5	204.5	1	Malignant neoplasms(C00–C97)	16,485	30.2	1,009.2
2	Diseases of heart . . .(I00–I09,I11,I13,I20–I51)	7,606	23.1	192.8	2	Diseases of heart . . .(I00–I09,I11,I13,I20–I51)	16,413	30.0	1,004.8
3	Human immunodeficiency virus (HIV) disease(B20–B24)	2,211	6.7	56.0	3	Cerebrovascular diseases(I60–I69)	3,660	6.7	224.1
4	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	1,961	6.0	49.7	4	Diabetes mellitus(E10–E14)	3,083	5.6	188.7
5	Cerebrovascular diseases(I60–I69)	1,819	5.5	46.1	5	Chronic lower respiratory diseases(J40–J47)	1,993	3.6	122.0
6	Diabetes mellitus(E10–E14)	1,270	3.9	32.2	6	Nephritis, nephrotic syndrome and nephrosis . . .(N00–N07,N17–N19,N25–N27)	1,637	3.0	100.2
7	Chronic liver disease and cirrhosis(K70,K73–K74)	929	2.8	23.5	7	Septicemia(A40–A41)	1,173	2.1	71.8
8	Nephritis, nephrotic syndrome and nephrosis . . .(N00–N07,N17–N19,N25–N27)	664	2.0	16.8	8	Influenza and pneumonia(J10–J18)	984	1.8	60.2
9	Assault (homicide)(X85–Y09,Y87.1)	615	1.9	15.6	9	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	857	1.6	52.5
10	Chronic lower respiratory diseases(J40–J47)	593	1.8	15.0	10	Essential (primary) hypertension and hypertensive renal disease(I10,I12)	801	1.5	49.0
...	All other causes(Residual)	7,175	21.8	181.9	...	All other causes(Residual)	7,559	13.8	462.8

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Black, non-Hispanic, both sexes, 75–84 years					Black, non-Hispanic, male, 1–4 years				
...	All causes	60,874	100.0	6,983.8	...	All causes	672	100.0	63.9
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	19,600	32.2	2,248.6	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	232	34.5	22.1
2	Malignant neoplasms (C00–C97)	14,244	23.4	1,634.2	2	Assault (homicide) (X85–Y09,Y87.1)	73	10.9	6.9
3	Cerebrovascular diseases (I60–I69)	5,344	8.8	613.1	3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	67	10.0	6.4
4	Diabetes mellitus (E10–E14)	3,193	5.2	366.3	4	Malignant neoplasms (C00–C97)	31	4.6	2.9
5	Chronic lower respiratory diseases (J40–J47)	2,128	3.5	244.1	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	24	3.6	2.3
6	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,776	2.9	203.8	6	Influenza and pneumonia (J10–J18)	20	3.0	1.9
7	Septicemia (A40–A41)	1,576	2.6	180.8	7	Certain conditions originating in the perinatal period (P00–P96)	18	2.7	*
8	Influenza and pneumonia (J10–J18)	1,550	2.5	177.8	8	Chronic lower respiratory diseases (J40–J47)	14	2.1	*
9	Alzheimer's disease (G30)	1,004	1.6	115.2	9	Septicemia (A40–A41)	13	1.9	*
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	980	1.6	112.4	10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	8	1.2	*
...	All other causes (Residual)	9,479	15.6	1,087.5	10	Anemias (D50–D64)	8	1.2	*
Black, non-Hispanic, both sexes, 85 years and over					Black, non-Hispanic, male, 5–9 years				
...	All causes	46,660	100.0	15,010.7	...	All causes	425	100.0	28.9
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	17,059	36.6	5,488.0	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	204	48.0	13.9
2	Malignant neoplasms (C00–C97)	6,337	13.6	2,038.6	2	Malignant neoplasms (C00–C97)	42	9.9	2.9
3	Cerebrovascular diseases (I60–I69)	4,861	10.4	1,563.8	3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	29	6.8	2.0
4	Influenza and pneumonia (J10–J18)	1,901	4.1	611.6	4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	17	4.0	*
5	Diabetes mellitus (E10–E14)	1,667	3.6	536.3	5	Assault (homicide) (X85–Y09,Y87.1)	16	3.8	*
6	Alzheimer's disease (G30)	1,418	3.0	456.2	6	Chronic lower respiratory diseases (J40–J47)	14	3.3	*
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,290	2.8	415.0	7	Anemias (D50–D64)	10	2.4	*
8	Septicemia (A40–A41)	1,245	2.7	400.5	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	6	1.4	*
9	Chronic lower respiratory diseases (J40–J47)	1,183	2.5	380.6	9	Human immunodeficiency virus (HIV) disease (B20–B24)	5	1.2	*
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	899	1.9	289.2	10	Septicemia (A40–A41)	4	0.9	*
...	All other causes (Residual)	8,800	18.9	2,831.0	10	Influenza and pneumonia (J10–J18)	4	0.9	*
Black, non-Hispanic, male, all ages ³					Black, non-Hispanic, male, 10–14 years				
...	All causes	143,297	100.0	903.3	...	All causes	534	100.0	35.0
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	36,282	25.3	228.7	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	202	37.8	13.3
2	Malignant neoplasms (C00–C97)	32,493	22.7	204.8	2	Assault (homicide) (X85–Y09,Y87.1)	54	10.1	3.5
3	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	8,380	5.8	52.8	3	Malignant neoplasms (C00–C97)	44	8.2	2.9
4	Cerebrovascular diseases (I60–I69)	7,945	5.5	50.1	4	Intentional self-harm (suicide) (X60–X84,Y87.0)	34	6.4	2.2
5	Assault (homicide) (X85–Y09,Y87.1)	6,382	4.5	40.2	5	Chronic lower respiratory diseases (J40–J47)	29	5.4	1.9
6	Human immunodeficiency virus (HIV) disease (B20–B24)	5,291	3.7	33.4	6	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	24	4.5	1.6
7	Diabetes mellitus (E10–E14)	4,720	3.3	29.8	7	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	21	3.9	1.4
8	Chronic lower respiratory diseases (J40–J47)	4,184	2.9	26.4	8	Human immunodeficiency virus (HIV) disease (B20–B24)	7	1.3	*
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	3,045	2.1	19.2	8	Anemias (D50–D64)	7	1.3	*
10	Influenza and pneumonia (J10–J18)	2,880	2.0	18.2	10	Meningitis (G00,G03)	6	1.1	*
...	All other causes (Residual)	31,695	22.1	199.8	...	All other causes (Residual)	106	19.9	7.0

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Black, non-Hispanic, male, 15–19 years					Black, non-Hispanic, male, 35–44 years				
...	All causes	2,012	100.0	136.6	...	All causes	12,061	100.0	476.4
1	Assault (homicide)(X85–Y09,Y87.1)	886	44.0	60.2	1	Human immunodeficiency virus (HIV) disease(B20–B24)	2,060	17.1	81.4
2	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	530	26.3	36.0	2	Diseases of heart(I00–I09,I11,I13,I20–I51)	1,972	16.4	77.9
3	Intentional self-harm (suicide)(X60–X84,Y87.0)	148	7.4	10.0	3	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	1,649	13.7	65.1
4	Malignant neoplasms(C00–C97)	82	4.1	5.6	4	Malignant neoplasms(C00–C97)	1,292	10.7	51.0
5	Diseases of heart(I00–I09,I11,I13,I20–I51)	74	3.7	5.0	5	Assault (homicide)(X85–Y09,Y87.1)	1,027	8.5	40.6
6	Congenital malformations, deformations and chromosomal abnormalities.(Q00–Q99)	39	1.9	2.6	6	Cerebrovascular diseases(I60–I69)	394	3.3	15.6
7	Chronic lower respiratory diseases.(J40–J47)	31	1.5	2.1	7	Intentional self-harm (suicide)(X60–X84,Y87.0)	346	2.9	13.7
8	Legal intervention(Y35,Y89.0)	15	0.7	*	8	Chronic liver disease and cirrhosis(K70,K73–K74)	279	2.3	11.0
9	Human immunodeficiency virus (HIV) disease(B20–B24)	11	0.5	*	9	Diabetes mellitus(E10–E14)	252	2.1	10.0
10	Diabetes mellitus(E10–E14)	8	0.4	*	10	Nephritis, nephrotic syndrome and nephrosis(N00–N07,N17–N19,N25–N27)	175	1.5	6.9
...	All other causes(Residual)	188	9.3	12.8	...	All other causes(Residual)	2,615	21.7	103.3
Black, non-Hispanic, male, 20–24 years					Black, non-Hispanic, male, 45–54 years				
...	All causes	3,212	100.0	246.4	...	All causes	19,647	100.0	1,099.1
1	Assault (homicide)(X85–Y09,Y87.1)	1,573	49.0	120.7	1	Diseases of heart(I00–I09,I11,I13,I20–I51)	4,787	24.4	267.8
2	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	703	21.9	53.9	2	Malignant neoplasms(C00–C97)	4,152	21.1	232.3
3	Intentional self-harm (suicide)(X60–X84,Y87.0)	259	8.1	19.9	3	Human immunodeficiency virus (HIV) disease(B20–B24)	1,642	8.4	91.9
4	Diseases of heart(I00–I09,I11,I13,I20–I51)	118	3.7	9.1	4	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	1,454	7.4	81.3
5	Malignant neoplasms(C00–C97)	96	3.0	7.4	5	Cerebrovascular diseases(I60–I69)	955	4.9	53.4
6	Human immunodeficiency virus (HIV) disease(B20–B24)	49	1.5	3.8	6	Diabetes mellitus(E10–E14)	648	3.3	36.3
7	Anemias(D50–D64)	22	0.7	1.7	7	Chronic liver disease and cirrhosis(K70,K73–K74)	633	3.2	35.4
8	Diabetes mellitus(E10–E14)	20	0.6	1.5	8	Assault (homicide)(X85–Y09,Y87.1)	498	2.5	27.9
8	Chronic lower respiratory diseases.(J40–J47)	20	0.6	1.5	9	Nephritis, nephrotic syndrome and nephrosis(N00–N07,N17–N19,N25–N27)	394	2.0	22.0
10	Congenital malformations, deformations and chromosomal abnormalities.(Q00–Q99)	19	0.6	*	10	Septicemia(A40–A41)	319	1.6	17.8
...	All other causes(Residual)	333	10.4	25.5	...	All other causes(Residual)	4,165	21.2	233.0
Black, non-Hispanic, male, 25–34 years					Black, non-Hispanic, male, 55–64 years				
...	All causes	6,649	100.0	284.0	...	All causes	22,402	100.0	2,245.3
1	Assault (homicide)(X85–Y09,Y87.1)	1,883	28.3	80.4	1	Diseases of heart(I00–I09,I11,I13,I20–I51)	6,786	30.3	680.1
2	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	1,316	19.8	56.2	2	Malignant neoplasms(C00–C97)	6,763	30.2	677.8
3	Human immunodeficiency virus (HIV) disease(B20–B24)	822	12.4	35.1	3	Cerebrovascular diseases(I60–I69)	1,240	5.5	124.3
4	Diseases of heart(I00–I09,I11,I13,I20–I51)	543	8.2	23.2	4	Diabetes mellitus(E10–E14)	952	4.2	95.4
5	Intentional self-harm (suicide)(X60–X84,Y87.0)	397	6.0	17.0	5	Accidents (unintentional injuries)(V01–X59,Y85–Y86)	736	3.3	73.8
6	Malignant neoplasms(C00–C97)	259	3.9	11.1	6	Chronic lower respiratory diseases.(J40–J47)	587	2.6	58.8
7	Diabetes mellitus(E10–E14)	98	1.5	4.2	7	Human immunodeficiency virus (HIV) disease(B20–B24)	492	2.2	49.3
8	Cerebrovascular diseases(I60–I69)	70	1.1	3.0	8	Nephritis, nephrotic syndrome and nephrosis(N00–N07,N17–N19,N25–N27)	484	2.2	48.5
8	Chronic lower respiratory diseases.(J40–J47)	70	1.1	3.0	9	Chronic liver disease and cirrhosis(K70,K73–K74)	408	1.8	40.9
10	Septicemia(A40–A41)	59	0.9	2.5	10	Septicemia(A40–A41)	381	1.7	38.2
...	All other causes(Residual)	1,132	17.0	48.4	...	All other causes(Residual)	3,573	15.9	358.1

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Black, non-Hispanic, male, 65 years and over					Black, non-Hispanic, male, 85 years and over				
...	All causes	70,891	100.0	6,400.7	...	All causes	14,431	100.0	15,798.2
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	21,871	30.9	1,974.7	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	4,835	33.5	5,293.1
2	Malignant neoplasms (C00–C97)	19,726	27.8	1,781.0	2	Malignant neoplasms (C00–C97)	2,802	19.4	3,067.5
3	Cerebrovascular diseases (I60–I69)	5,232	7.4	472.4	3	Cerebrovascular diseases (I60–I69)	1,260	8.7	1,379.4
4	Chronic lower respiratory diseases (J40–J47)	2,995	4.2	270.4	4	Influenza and pneumonia (J10–J18)	650	4.5	711.6
5	Diabetes mellitus (E10–E14)	2,737	3.9	247.1	5	Chronic lower respiratory diseases (J40–J47)	593	4.1	649.2
6	Influenza and pneumonia (J10–J18)	1,975	2.8	178.3	6	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	423	2.9	463.1
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,888	2.7	170.5	7	Diabetes mellitus (E10–E14)	389	2.7	425.9
8	Septicemia (A40–A41)	1,590	2.2	143.6	8	Septicemia (A40–A41)	368	2.6	402.9
9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	1,205	1.7	108.8	9	Alzheimer's disease (G30)	322	2.2	352.5
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	931	1.3	84.1	10	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	236	1.6	258.4
...	All other causes (Residual)	10,741	15.2	969.8	...	All other causes (Residual)	2,553	17.7	2,794.9
Black, non-Hispanic, male, 65–74 years					Black, non-Hispanic, female, all ages ³				
...	All causes	28,745	100.0	4,182.2	...	All causes	139,379	100.0	791.4
1	Malignant neoplasms (C00–C97)	9,235	32.1	1,343.6	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	40,424	29.0	229.5
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	8,560	29.8	1,245.4	2	Malignant neoplasms (C00–C97)	28,897	20.7	164.1
3	Cerebrovascular diseases (I60–I69)	1,817	6.3	264.4	3	Cerebrovascular diseases (I60–I69)	11,108	8.0	63.1
4	Diabetes mellitus (E10–E14)	1,248	4.3	181.6	4	Diabetes mellitus (E10–E14)	7,198	5.2	40.9
5	Chronic lower respiratory diseases (J40–J47)	1,195	4.2	173.9	5	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	3,808	2.7	21.6
6	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	706	2.5	102.7	6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	3,707	2.7	21.0
7	Influenza and pneumonia (J10–J18)	562	2.0	81.8	7	Chronic lower respiratory diseases (J40–J47)	3,344	2.4	19.0
8	Septicemia (A40–A41)	545	1.9	79.3	8	Septicemia (A40–A41)	3,304	2.4	18.8
9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	537	1.9	78.1	9	Influenza and pneumonia (J10–J18)	3,040	2.2	17.3
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	344	1.2	50.0	10	Human immunodeficiency virus (HIV) disease (B20–B24)	2,417	1.7	13.7
...	All other causes (Residual)	3,996	13.9	581.4	...	All other causes (Residual)	32,132	23.1	182.5
Black, non-Hispanic, male, 75–84 years					Black, non-Hispanic, female, 1–4 years				
...	All causes	27,715	100.0	8,426.8	...	All causes	545	100.0	53.5
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	8,476	30.6	2,577.2	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	164	30.1	16.1
2	Malignant neoplasms (C00–C97)	7,689	27.7	2,337.9	2	Assault (homicide) (X85–Y09,Y87.1)	70	12.8	6.9
3	Cerebrovascular diseases (I60–I69)	2,155	7.8	655.2	3	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	56	10.3	5.5
4	Chronic lower respiratory diseases (J40–J47)	1,207	4.4	367.0	4	Malignant neoplasms (C00–C97)	35	6.4	3.4
5	Diabetes mellitus (E10–E14)	1,100	4.0	334.5	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	23	4.2	2.3
6	Influenza and pneumonia (J10–J18)	763	2.8	232.0	6	Septicemia (A40–A41)	12	2.2	*
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	759	2.7	230.8	7	Anemias (D50–D64)	11	2.0	*
8	Septicemia (A40–A41)	677	2.4	205.8	8	Cerebrovascular diseases (I60–I69)	10	1.8	*
9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	432	1.6	131.4	9	Influenza and pneumonia (J10–J18)	9	1.7	*
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	358	1.3	108.9	9	Certain conditions originating in the perinatal period (P00–P96)	9	1.7	*
...	All other causes (Residual)	4,099	14.8	1,246.3	...	All other causes (Residual)	146	26.8	14.3

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Black, non-Hispanic, female, 5–9 years					Black, non-Hispanic, female, 20–24 years				
...	All causes	320	100.0	22.4	...	All causes	1,042	100.0	78.2
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	126	39.4	8.8	1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	238	22.8	17.9
2	Malignant neoplasms (C00–C97)	29	9.1	2.0	2	Assault (homicide) (X85–Y09,Y87.1)	186	17.9	14.0
3	Assault (homicide) (X85–Y09,Y87.1)	24	7.5	1.7	3	Diseases of heart (I00–I09,I11,I13,I20–I51)	89	8.5	6.7
4	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	15	4.7	*	4	Malignant neoplasms (C00–C97)	66	6.3	5.0
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	12	3.8	*	5	Human immunodeficiency virus (HIV) disease (B20–B24)	54	5.2	4.1
6	Chronic lower respiratory diseases (J40–J47)	10	3.1	*	6	Intentional self-harm (suicide) (X60–X84,Y87.0)	42	4.0	3.2
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00–D48)	7	2.2	*	7	Pregnancy, childbirth and the puerperium (O00–O99)	30	2.9	2.3
8	Meningococcal infection (A39)	4	1.3	*	8	Anemias (D50–D64)	23	2.2	1.7
8	Septicemia (A40–A41)	4	1.3	*	9	Diabetes mellitus (E10–E14)	21	2.0	1.6
8	Human immunodeficiency virus (HIV) disease (B20–B24)	4	1.3	*	10	Chronic lower respiratory diseases (J40–J47)	16	1.5	*
8	Anemias (D50–D64)	4	1.3	*	10	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	16	1.5	*
...	All other causes (Residual)	81	25.3	5.7	...	All other causes (Residual)	261	25.0	19.6
Black, non-Hispanic, female, 10–14 years					Black, non-Hispanic, female, 25–34 years				
...	All causes	341	100.0	23.1	...	All causes	3,454	100.0	132.5
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	87	25.5	5.9	1	Human immunodeficiency virus (HIV) disease (B20–B24)	592	17.1	22.7
2	Malignant neoplasms (C00–C97)	32	9.4	2.2	2	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	424	12.3	16.3
3	Assault (homicide) (X85–Y09,Y87.1)	28	8.2	1.9	3	Diseases of heart (I00–I09,I11,I13,I20–I51)	386	11.2	14.8
4	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	24	7.0	1.6	4	Malignant neoplasms (C00–C97)	382	11.1	14.7
5	Diseases of heart (I00–I09,I11,I13,I20–I51)	22	6.5	1.5	4	Assault (homicide) (X85–Y09,Y87.1)	310	9.0	11.9
6	Chronic lower respiratory diseases (J40–J47)	17	5.0	*	6	Diabetes mellitus (E10–E14)	89	2.6	3.4
7	Anemias (D50–D64)	9	2.6	*	7	Cerebrovascular diseases (I60–I69)	88	2.5	3.4
8	Cerebrovascular diseases (I60–I69)	8	2.3	*	8	Intentional self-harm (suicide) (X60–X84,Y87.0)	72	2.1	2.8
9	Human immunodeficiency virus (HIV) disease (B20–B24)	7	2.1	*	9	Anemias (D50–D64)	69	2.0	2.6
10	Intentional self-harm (suicide) (X60–X84,Y87.0)	5	1.5	*	10	Pregnancy, childbirth and the puerperium (O00–O99)	65	1.9	2.5
...	All other causes (Residual)	102	29.9	6.9	...	All other causes (Residual)	977	28.3	37.5
Black, non-Hispanic, female, 15–19 years					Black, non-Hispanic, female, 35–44 years				
...	All causes	660	100.0	46.4	...	All causes	8,218	100.0	285.5
1	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	191	28.9	13.4	1	Malignant neoplasms (C00–C97)	1,780	21.7	61.8
2	Assault (homicide) (X85–Y09,Y87.1)	126	19.1	8.9	2	Diseases of heart (I00–I09,I11,I13,I20–I51)	1,287	15.7	44.7
3	Malignant neoplasms (C00–C97)	53	8.0	3.7	3	Human immunodeficiency virus (HIV) disease (B20–B24)	968	11.8	33.6
4	Diseases of heart (I00–I09,I11,I13,I20–I51)	50	7.6	3.5	4	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	604	7.3	21.0
5	Intentional self-harm (suicide) (X60–X84,Y87.0)	22	3.3	1.5	5	Cerebrovascular diseases (I60–I69)	435	5.3	15.1
6	Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99)	17	2.6	*	6	Assault (homicide) (X85–Y09,Y87.1)	332	4.0	11.5
7	Chronic lower respiratory diseases (J40–J47)	13	2.0	*	7	Diabetes mellitus (E10–E14)	206	2.5	7.2
8	Human immunodeficiency virus (HIV) disease (B20–B24)	11	1.7	*	8	Chronic liver disease and cirrhosis (K70,K73–K74)	167	2.0	5.8
9	Anemias (D50–D64)	9	1.4	*	9	Septicemia (A40–A41)	144	1.8	5.0
9	Cerebrovascular diseases (I60–I69)	9	1.4	*	10	Chronic lower respiratory diseases (J40–J47)	143	1.7	5.0
...	All other causes (Residual)	159	24.1	11.2	...	All other causes (Residual)	2,152	26.2	74.8

See footnotes at end of table.

Table 2. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 2000—Con.

[Rates per 100,000 population in specified group. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²	Rank ¹	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>), Hispanic origin, sex, and age	Number ²	Percent of total deaths	Rate ²
Black, non-Hispanic, female, 45–54 years					Black, non-Hispanic, female, 65–74 years				
...	All causes	13,264	100.0	614.7	...	All causes	25,900	100.0	2,737.4
1	Malignant neoplasms (C00–C97)	3,916	29.5	181.5	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	7,853	30.3	830.0
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	2,819	21.3	130.6	2	Malignant neoplasms (C00–C97)	7,250	28.0	766.3
3	Cerebrovascular diseases (I60–I69)	864	6.5	40.0	3	Cerebrovascular diseases (I60–I69)	1,843	7.1	194.8
4	Diabetes mellitus (E10–E14)	622	4.7	28.8	4	Diabetes mellitus (E10–E14)	1,835	7.1	193.9
5	Human immunodeficiency virus (HIV) disease (B20–B24)	569	4.3	26.4	5	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	931	3.6	98.4
6	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	507	3.8	23.5	6	Chronic lower respiratory diseases (J40–J47)	798	3.1	84.3
7	Chronic lower respiratory diseases (J40–J47)	304	2.3	14.1	7	Septicemia (A40–A41)	628	2.4	66.4
8	Chronic liver disease and cirrhosis (K70,K73–K74)	296	2.2	13.7	8	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	457	1.8	48.3
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	270	2.0	12.5	9	Influenza and pneumonia (J10–J18)	422	1.6	44.6
10	Septicemia (A40–A41)	253	1.9	11.7	10	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	320	1.2	33.8
...	All other causes (Residual)	2,844	21.4	131.8	...	All other causes (Residual)	3,563	13.8	376.6
Black, non-Hispanic, female, 55–64 years					Black, non-Hispanic, female, 75–84 years				
...	All causes	16,465	100.0	1,253.7	...	All causes	33,159	100.0	6,109.4
1	Malignant neoplasms (C00–C97)	5,256	31.9	400.2	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	11,124	33.5	2,049.6
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	4,471	27.2	340.4	2	Malignant neoplasms (C00–C97)	6,555	19.8	1,207.7
3	Diabetes mellitus (E10–E14)	1,043	6.3	79.4	3	Cerebrovascular diseases (I60–I69)	3,189	9.6	587.6
4	Cerebrovascular diseases (I60–I69)	1,025	6.2	78.0	4	Diabetes mellitus (E10–E14)	2,093	6.3	385.6
5	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	496	3.0	37.8	5	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,017	3.1	187.4
6	Chronic lower respiratory diseases (J40–J47)	476	2.9	36.2	6	Chronic lower respiratory diseases (J40–J47)	921	2.8	169.7
7	Septicemia (A40–A41)	375	2.3	28.6	7	Septicemia (A40–A41)	899	2.7	165.6
8	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	254	1.5	19.3	8	Influenza and pneumonia (J10–J18)	787	2.4	145.0
9	Accidents (unintentional injuries) (V01–X59,Y85–Y86)	247	1.5	18.8	9	Alzheimer's disease (G30)	684	2.1	126.0
10	Chronic liver disease and cirrhosis (K70,K73–K74)	214	1.3	16.3	10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	622	1.9	114.6
...	All other causes (Residual)	2,608	15.8	198.6	...	All other causes (Residual)	5,268	15.9	970.6
Black, non-Hispanic, female, 65 years and over					Black, non-Hispanic, female, 85 years and over				
...	All causes	91,288	100.0	5,343.5	...	All causes	32,229	100.0	14,683.0
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	31,201	34.2	1,826.3	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	12,224	37.9	5,569.1
2	Malignant neoplasms (C00–C97)	17,340	19.0	1,015.0	2	Cerebrovascular diseases (I60–I69)	3,601	11.2	1,640.6
3	Cerebrovascular diseases (I60–I69)	8,633	9.5	505.3	3	Malignant neoplasms (C00–C97)	3,535	11.0	1,610.5
4	Diabetes mellitus (E10–E14)	5,206	5.7	304.7	4	Diabetes mellitus (E10–E14)	1,278	4.0	582.2
5	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	2,815	3.1	164.8	5	Influenza and pneumonia (J10–J18)	1,251	3.9	569.9
6	Influenza and pneumonia (J10–J18)	2,460	2.7	144.0	6	Alzheimer's disease (G30)	1,096	3.4	499.3
7	Septicemia (A40–A41)	2,404	2.6	140.7	7	Septicemia (A40–A41)	877	2.7	399.5
8	Chronic lower respiratory diseases (J40–J47)	2,309	2.5	135.2	8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	867	2.7	395.0
9	Alzheimer's disease (G30)	1,928	2.1	112.9	9	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	670	2.1	305.2
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,749	1.9	102.4	10	Chronic lower respiratory diseases (J40–J47)	590	1.8	268.8
...	All other causes (Residual)	15,243	16.7	892.2	...	All other causes (Residual)	6,240	19.4	2,842.9

... Category not applicable.

* Figure does not meet standards of reliability or precision; see Technical Notes.

¹Rank based on number of deaths; see Technical Notes.

²Figures for age not stated are included in "all ages" but not distributed among age groups.

³Includes deaths for "Under 1 year."