

Table 5.70A Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: Numbers in Thousands, 2002

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
Total	7,748	1,412	6,335	18.2
12	26	1	26	*
13	82	4	78	*
14	190	6	183	3.2
15	276	21	255	7.6
16	373	47	326	12.6
17	468	64	404	13.6
18	448	45	402	10.1
19	397	34	363	8.5
20	365	41	324	11.2
21	418	55	363	13.1
22	308	33	275	10.8
23	310	33	277	10.7
24	255	22	233	8.8
25	179	23	156	13.0
26-29	736	136	600	18.5
30-34	617	127	490	20.6
35-39	683	176	507	*
40-44	552	182	370	*
45-49	573	213	360	*
50-54	286	122	164	*
55-59	52	*	52	*
60-64	119	*	119	*
65 or Older	36	27	8	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.70B Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: Percentages, 2002

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
Total	3.3	0.6	2.7	18.2
12	0.6	0.0	0.6	*
13	2.0	0.1	1.9	*
14	4.3	0.1	4.2	3.2
15	6.7	0.5	6.2	7.6
16	9.2	1.2	8.1	12.6
17	11.8	1.6	10.2	13.6
18	10.3	1.0	9.2	10.1
19	9.7	0.8	8.9	8.5
20	9.1	1.0	8.1	11.2
21	10.3	1.4	9.0	13.1
22	8.0	0.9	7.1	10.8
23	8.1	0.9	7.3	10.7
24	7.2	0.6	6.6	8.8
25	5.4	0.7	4.7	13.0
26-29	4.8	0.9	3.9	18.5
30-34	3.1	0.6	2.5	20.6
35-39	3.1	0.8	2.3	*
40-44	2.5	0.8	1.7	*
45-49	2.7	1.0	1.7	*
50-54	1.5	0.6	0.9	*
55-59	0.4	*	0.4	*
60-64	1.0	*	1.0	*
65 or Older	0.1	0.1	0.0	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.71A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	7,748	1,412	6,335	18.2
AGE				
12-17	1,414	142	1,272	10.1
18-25	2,680	287	2,393	10.7
26 or Older	3,654	983	2,670	26.9
GENDER				
Male	4,867	826	4,041	17.0
Female	2,881	587	2,294	20.4
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	6,588	1,240	5,348	18.8
White	5,007	894	4,113	17.9
Black or African American	1,252	285	967	22.8
American Indian or Alaska Native	72	24	47	*
Native Hawaiian or Other Pacific Islander	29	1	28	*
Asian	107	9	98	*
Two or More Races	121	26	95	*
Hispanic or Latino	1,160	172	988	14.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.71B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	3.3	0.6	2.7	18.2
AGE				
12-17	5.7	0.6	5.1	10.1
18-25	8.6	0.9	7.7	10.7
26 or Older	2.0	0.5	1.5	26.9
GENDER				
Male	4.3	0.7	3.6	17.0
Female	2.4	0.5	1.9	20.4
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3.2	0.6	2.6	18.8
White	3.0	0.5	2.5	17.9
Black or African American	4.7	1.1	3.6	22.8
American Indian or Alaska Native	4.8	1.7	3.2	*
Native Hawaiian or Other Pacific Islander	3.5	0.1	3.4	*
Asian	1.2	0.1	1.1	*
Two or More Races	4.8	1.1	3.8	*
Hispanic or Latino	4.0	0.6	3.4	14.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.72A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	1,414	142	1,272	10.1
GENDER				
Male	784	78	706	9.9
Female	630	64	566	10.2
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	1,169	116	1,053	9.9
White	949	92	857	9.7
Black or African American	151	9	142	6.0
American Indian or Alaska Native	26	*	15	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	13	1	12	*
Two or More Races	25	2	23	*
Hispanic or Latino	245	26	218	10.8
GENDER/RACE/HISPANIC ORIGIN				
Male - White	513	55	458	10.7
Female - White	436	37	399	8.5
Male - Black or African American	96	6	90	*
Female - Black or African American	55	3	52	*
Male - Hispanic or Latino	141	13	129	8.9
Female - Hispanic or Latino	104	14	90	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.72B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	5.7	0.6	5.1	10.1
GENDER				
Male	6.2	0.6	5.6	9.9
Female	5.2	0.5	4.7	10.2
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	5.6	0.6	5.1	9.9
White	6.1	0.6	5.5	9.7
Black or African American	4.2	0.3	3.9	6.0
American Indian or Alaska Native	13.9	*	8.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.3	0.1	1.2	*
Two or More Races	6.3	0.5	5.8	*
Hispanic or Latino	6.2	0.7	5.6	10.8
GENDER/RACE/HISPANIC ORIGIN				
Male - White	6.4	0.7	5.7	10.7
Female - White	5.8	0.5	5.3	8.5
Male - Black or African American	5.3	0.3	4.9	*
Female - Black or African American	3.1	0.2	2.9	*
Male - Hispanic or Latino	7.0	0.6	6.4	8.9
Female - Hispanic or Latino	5.4	0.7	4.7	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.73A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	2,680	287	2,393	10.7
GENDER				
Male	1,721	185	1,536	10.7
Female	959	102	857	10.7
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	2,310	240	2,070	10.4
White	1,831	188	1,643	10.3
Black or African American	322	28	294	8.6
American Indian or Alaska Native	21	5	16	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	70	7	63	*
Two or More Races	53	12	42	*
Hispanic or Latino	370	47	323	12.6
EDUCATION				
< High School	773	130	643	16.8
High School Graduate	928	89	839	9.6
Some College	795	65	730	8.2
College Graduate	184	3	182	1.6
CURRENT EMPLOYMENT				
Full-Time	1,181	126	1,055	10.7
Part-Time	669	50	619	7.5
Unemployed	328	48	280	14.6
Other ¹	502	63	439	12.5

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.73B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	8.6	0.9	7.7	10.7
GENDER				
Male	11.1	1.2	9.9	10.7
Female	6.2	0.7	5.5	10.7
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	9.0	0.9	8.1	10.4
White	9.5	1.0	8.5	10.3
Black or African American	7.9	0.7	7.2	8.6
American Indian or Alaska Native	9.8	2.5	7.4	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	5.1	0.5	4.6	*
Two or More Races	13.2	2.9	10.3	*
Hispanic or Latino	6.7	0.8	5.9	12.6
EDUCATION				
< High School	11.2	1.9	9.4	16.8
High School Graduate	8.8	0.8	7.9	9.6
Some College	8.1	0.7	7.5	8.2
College Graduate	4.9	0.1	4.8	1.6
CURRENT EMPLOYMENT				
Full-Time	8.2	0.9	7.3	10.7
Part-Time	8.5	0.6	7.8	7.5
Unemployed	13.4	1.9	11.4	14.6
Other ¹	8.1	1.0	7.1	12.5

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.74A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	3,654	983	2,670	26.9
GENDER				
Male	2,362	563	1,799	23.8
Female	1,292	420	871	32.5
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3,108	884	2,225	28.4
White	2,227	614	1,614	27.6
Black or African American	779	249	531	*
American Indian or Alaska Native	24	*	16	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	23	0	23	*
Two or More Races	43	13	30	*
Hispanic or Latino	545	99	446	*
EDUCATION				
< High School	1,061	330	732	31.0
High School Graduate	1,148	393	756	34.2
Some College	954	186	768	19.5
College Graduate	490	75	415	*
CURRENT EMPLOYMENT				
Full-Time	2,087	394	1,693	18.9
Part-Time	429	123	306	*
Unemployed	386	156	230	*
Other ¹	751	311	441	41.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.74B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	2.0	0.5	1.5	26.9
GENDER				
Male	2.8	0.7	2.1	23.8
Female	1.4	0.4	0.9	32.5
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	1.9	0.6	1.4	28.4
White	1.7	0.5	1.2	27.6
Black or African American	4.1	1.3	2.8	*
American Indian or Alaska Native	2.2	*	1.5	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.4	0.0	0.3	*
Two or More Races	2.5	0.7	1.8	*
Hispanic or Latino	2.8	0.5	2.3	*
EDUCATION				
< High School	3.5	1.1	2.4	31.0
High School Graduate	2.0	0.7	1.3	34.2
Some College	2.2	0.4	1.8	19.5
College Graduate	1.0	0.2	0.8	*
CURRENT EMPLOYMENT				
Full-Time	2.0	0.4	1.7	18.9
Part-Time	2.2	0.6	1.6	*
Unemployed	7.5	3.0	4.5	*
Other ¹	1.4	0.6	0.8	41.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.75A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	6,334	1,270	5,064	20.1
GENDER				
Male	4,083	748	3,335	18.3
Female	2,251	522	1,729	23.2
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	5,419	1,124	4,295	20.7
White	4,059	802	3,257	19.8
Black or African American	1,101	276	825	25.1
American Indian or Alaska Native	45	13	32	*
Native Hawaiian or Other Pacific Islander	24	*	24	*
Asian	94	8	86	*
Two or More Races	96	24	72	*
Hispanic or Latino	915	146	769	16.0
EDUCATION				
< High School	1,834	459	1,375	25.0
High School Graduate	2,076	482	1,595	23.2
Some College	1,749	252	1,498	14.4
College Graduate	674	78	596	*
CURRENT EMPLOYMENT				
Full-Time	3,268	520	2,749	15.9
Part-Time	1,098	173	925	15.7
Unemployed	714	204	510	*
Other ¹	1,253	373	880	29.8

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.75B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	3.0	0.6	2.4	20.1
GENDER				
Male	4.0	0.7	3.3	18.3
Female	2.1	0.5	1.6	23.2
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	2.9	0.6	2.3	20.7
White	2.7	0.5	2.2	19.8
Black or African American	4.7	1.2	3.6	25.1
American Indian or Alaska Native	3.5	1.0	2.5	*
Native Hawaiian or Other Pacific Islander	3.3	*	3.3	*
Asian	1.2	0.1	1.1	*
Two or More Races	4.5	1.1	3.4	*
Hispanic or Latino	3.6	0.6	3.1	16.0
EDUCATION				
< High School	4.9	1.2	3.7	25.0
High School Graduate	3.1	0.7	2.3	23.2
Some College	3.3	0.5	2.8	14.4
College Graduate	1.3	0.1	1.1	*
CURRENT EMPLOYMENT				
Full-Time	2.8	0.4	2.4	15.9
Part-Time	4.0	0.6	3.4	15.7
Unemployed	9.4	2.7	6.7	*
Other ¹	2.1	0.6	1.5	29.8

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.76A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	7,748	1,412	6,335	18.2
GEOGRAPHIC DIVISION				
Northeast	1,580	342	1,238	21.6
New England	466	106	359	*
Middle Atlantic	1,114	235	879	21.1
Midwest	1,667	325	1,342	19.5
East North Central	1,217	246	971	20.2
West North Central	450	78	371	17.4
South	2,607	450	2,157	17.3
South Atlantic	1,446	251	1,195	17.3
East South Central	479	78	401	*
West South Central	682	121	561	17.8
West	1,894	296	1,598	15.6
Mountain	513	47	465	9.3
Pacific	1,381	248	1,133	18.0
COUNTY TYPE				
Large Metro	3,936	698	3,239	17.7
Small Metro	2,518	538	1,980	21.4
250K - 1 Mil. Pop.	1,834	369	1,466	20.1
<250K Pop.	684	169	515	*
Nonmetro	1,293	177	1,116	13.7
Urbanized	427	58	369	13.7
Less Urbanized	764	109	655	14.3
Completely Rural	102	10	92	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.76B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	3.3	0.6	2.7	18.2
GEOGRAPHIC DIVISION				
Northeast	3.5	0.8	2.7	21.6
New England	3.9	0.9	3.0	*
Middle Atlantic	3.3	0.7	2.6	21.1
Midwest	3.1	0.6	2.5	19.5
East North Central	3.3	0.7	2.6	20.2
West North Central	2.8	0.5	2.3	17.4
South	3.1	0.5	2.6	17.3
South Atlantic	3.3	0.6	2.7	17.3
East South Central	3.4	0.6	2.8	*
West South Central	2.6	0.5	2.2	17.8
West	3.6	0.6	3.0	15.6
Mountain	3.3	0.3	3.0	9.3
Pacific	3.7	0.7	3.0	18.0
COUNTY TYPE				
Large Metro	3.4	0.6	2.8	17.7
Small Metro	3.6	0.8	2.8	21.4
250K - 1 Mil. Pop.	3.5	0.7	2.8	20.1
<250K Pop.	3.6	0.9	2.7	*
Nonmetro	2.7	0.4	2.4	13.7
Urbanized	2.9	0.4	2.5	13.7
Less Urbanized	2.8	0.4	2.4	14.3
Completely Rural	2.0	0.2	1.8	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.77A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	1,414	142	1,272	10.1
GEOGRAPHIC DIVISION				
Northeast	287	21	266	7.4
New England	91	9	82	10.1
Middle Atlantic	195	12	184	6.1
Midwest	320	46	275	14.3
East North Central	233	32	201	13.7
West North Central	88	14	74	15.8
South	490	50	440	10.2
South Atlantic	298	30	268	10.0
East South Central	58	4	54	*
West South Central	134	16	119	*
West	317	25	291	8.0
Mountain	101	9	92	8.9
Pacific	216	16	199	7.6
COUNTY TYPE				
Large Metro	701	61	640	8.7
Small Metro	444	49	395	10.9
250K - 1 Mil. Pop.	311	27	283	8.8
<250K Pop.	133	21	112	*
Nonmetro	269	33	236	12.2
Urbanized	82	11	71	13.5
Less Urbanized	155	16	139	10.6
Completely Rural	32	5	27	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.77B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	5.7	0.6	5.1	10.1
GEOGRAPHIC DIVISION				
Northeast	6.4	0.5	6.0	7.4
New England	7.9	0.8	7.1	10.1
Middle Atlantic	5.9	0.4	5.6	6.1
Midwest	5.6	0.8	4.8	14.3
East North Central	5.8	0.8	5.0	13.7
West North Central	5.1	0.8	4.3	15.8
South	5.6	0.6	5.0	10.2
South Atlantic	6.8	0.7	6.1	10.0
East South Central	4.1	0.3	3.8	*
West South Central	4.5	0.5	4.0	*
West	5.4	0.4	5.0	8.0
Mountain	5.9	0.5	5.4	8.9
Pacific	5.2	0.4	4.8	7.6
COUNTY TYPE				
Large Metro	5.6	0.5	5.1	8.7
Small Metro	6.0	0.7	5.4	10.9
250K - 1 Mil. Pop.	5.7	0.5	5.2	8.8
<250K Pop.	7.0	1.1	5.9	*
Nonmetro	5.4	0.7	4.8	12.2
Urbanized	5.3	0.7	4.6	13.5
Less Urbanized	5.4	0.6	4.9	10.6
Completely Rural	5.7	0.9	4.8	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.78A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	2,680	287	2,393	10.7
GEOGRAPHIC DIVISION				
Northeast	542	56	486	10.4
New England	168	22	147	12.8
Middle Atlantic	374	35	339	9.3
Midwest	585	74	510	12.7
East North Central	412	52	361	12.5
West North Central	172	23	150	13.2
South	917	105	812	11.4
South Atlantic	473	50	423	10.6
East South Central	152	15	137	*
West South Central	291	39	252	13.4
West	637	52	585	8.1
Mountain	197	7	190	3.6
Pacific	439	44	395	10.1
COUNTY TYPE				
Large Metro	1,299	139	1,160	10.7
Small Metro	953	100	852	10.5
250K - 1 Mil. Pop.	640	59	581	9.2
<250K Pop.	313	42	271	13.3
Nonmetro	428	47	381	11.0
Urbanized	161	13	148	8.1
Less Urbanized	229	33	196	14.6
Completely Rural	38	1	37	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.78B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	8.6	0.9	7.7	10.7
GEOGRAPHIC DIVISION				
Northeast	9.8	1.0	8.8	10.4
New England	11.7	1.5	10.2	12.8
Middle Atlantic	9.2	0.9	8.3	9.3
Midwest	8.1	1.0	7.1	12.7
East North Central	8.3	1.0	7.3	12.5
West North Central	7.7	1.0	6.7	13.2
South	8.3	0.9	7.4	11.4
South Atlantic	8.8	0.9	7.8	10.6
East South Central	8.0	0.8	7.2	*
West South Central	7.8	1.1	6.8	13.4
West	8.7	0.7	8.0	8.1
Mountain	9.0	0.3	8.7	3.6
Pacific	8.6	0.9	7.7	10.1
COUNTY TYPE				
Large Metro	8.8	0.9	7.9	10.7
Small Metro	9.1	1.0	8.2	10.5
250K - 1 Mil. Pop.	8.6	0.8	7.8	9.2
<250K Pop.	10.3	1.4	8.9	13.3
Nonmetro	7.4	0.8	6.6	11.0
Urbanized	7.6	0.6	7.0	8.1
Less Urbanized	7.3	1.1	6.2	14.6
Completely Rural	7.3	0.1	7.1	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.79A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	3,654	983	2,670	26.9
GEOGRAPHIC DIVISION				
Northeast	751	264	487	*
New England	207	76	131	*
Middle Atlantic	545	188	356	*
Midwest	762	205	557	26.9
East North Central	572	163	409	*
West North Central	190	42	148	*
South	1,200	296	904	24.6
South Atlantic	675	170	505	25.2
East South Central	269	59	210	*
West South Central	256	66	190	*
West	940	219	722	*
Mountain	214	31	183	*
Pacific	726	187	539	*
COUNTY TYPE				
Large Metro	1,936	497	1,439	25.7
Small Metro	1,121	389	733	34.7
250K - 1 Mil. Pop.	884	283	601	32.0
<250K Pop.	238	106	131	*
Nonmetro	596	97	499	16.3
Urbanized	184	34	150	*
Less Urbanized	380	59	320	*
Completely Rural	32	4	28	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.79B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	2.0	0.5	1.5	26.9
GEOGRAPHIC DIVISION				
Northeast	2.1	0.8	1.4	*
New England	2.2	0.8	1.4	*
Middle Atlantic	2.1	0.7	1.4	*
Midwest	1.9	0.5	1.4	26.9
East North Central	2.0	0.6	1.4	*
West North Central	1.6	0.3	1.2	*
South	1.9	0.5	1.4	24.6
South Atlantic	2.0	0.5	1.5	25.2
East South Central	2.5	0.5	1.9	*
West South Central	1.3	0.3	1.0	*
West	2.4	0.5	1.8	*
Mountain	1.9	0.3	1.6	*
Pacific	2.6	0.7	1.9	*
COUNTY TYPE				
Large Metro	2.1	0.6	1.6	25.7
Small Metro	2.1	0.7	1.4	34.7
250K - 1 Mil. Pop.	2.3	0.7	1.6	32.0
<250K Pop.	1.7	0.7	0.9	*
Nonmetro	1.6	0.3	1.4	16.3
Urbanized	1.6	0.3	1.3	*
Less Urbanized	1.8	0.3	1.5	*
Completely Rural	0.8	0.1	0.7	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.80A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	6,334	1,270	5,064	20.1
GEOGRAPHIC DIVISION				
Northeast	1,293	320	973	24.8
New England	375	97	277	*
Middle Atlantic	918	223	695	24.3
Midwest	1,347	279	1,068	20.7
East North Central	985	214	770	21.8
West North Central	362	65	297	*
South	2,117	400	1,717	18.9
South Atlantic	1,148	221	928	19.2
East South Central	421	74	347	*
West South Central	548	106	442	19.3
West	1,577	270	1,307	17.1
Mountain	412	38	373	*
Pacific	1,165	232	934	19.9
COUNTY TYPE				
Large Metro	3,235	637	2,599	19.7
Small Metro	2,074	489	1,585	23.6
250K - 1 Mil. Pop.	1,524	341	1,182	22.4
<250K Pop.	550	148	403	*
Nonmetro	1,024	144	880	14.1
Urbanized	345	47	298	*
Less Urbanized	609	93	516	15.2
Completely Rural	70	5	65	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.80B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR			Percentage Who Received Treatment at a Specialty Facility Among Persons Who Needed Treatment
	Total	Received Treatment at a Specialty Facility	Did Not Receive Treatment at a Specialty Facility	
TOTAL	3.0	0.6	2.4	20.1
GEOGRAPHIC DIVISION				
Northeast	3.2	0.8	2.4	24.8
New England	3.5	0.9	2.6	*
Middle Atlantic	3.1	0.7	2.3	24.3
Midwest	2.8	0.6	2.2	20.7
East North Central	2.9	0.6	2.3	21.8
West North Central	2.5	0.5	2.1	*
South	2.8	0.5	2.3	18.9
South Atlantic	2.9	0.6	2.4	19.2
East South Central	3.3	0.6	2.7	*
West South Central	2.4	0.5	1.9	19.3
West	3.4	0.6	2.8	17.1
Mountain	3.0	0.3	2.7	*
Pacific	3.5	0.7	2.8	19.9
COUNTY TYPE				
Large Metro	3.1	0.6	2.5	19.7
Small Metro	3.3	0.8	2.5	23.6
250K - 1 Mil. Pop.	3.3	0.7	2.6	22.4
<250K Pop.	3.2	0.9	2.3	*
Nonmetro	2.4	0.3	2.1	14.1
Urbanized	2.6	0.4	2.2	*
Less Urbanized	2.5	0.4	2.1	15.2
Completely Rural	1.5	0.1	1.4	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.81A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing but Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹	FELT NEED FOR TREATMENT ²			Did Not Feel Need for Treatment ²
		Total	Made Effort	Made No Effort	
TOTAL	6,335	362	88	274	5,974
AGE					
12-17	1,272	62	*	*	1,210
18-25	2,393	126	*	*	2,267
26 or Older	2,670	173	*	*	2,497
GENDER					
Male	4,041	206	*	*	3,835
Female	2,294	155	*	*	2,139

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 5.81B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing but Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹	FELT NEED FOR TREATMENT ²			Did Not Feel Need for Treatment ²
		Total	Made Effort	Made No Effort	
TOTAL	100.00	5.7	24.4	75.6	94.3
AGE					
12-17	100.00	4.9	*	*	95.1
18-25	100.00	5.3	*	*	94.7
26 or Older	100.00	6.5	*	*	93.5
GENDER					
Male	100.00	5.1	*	*	94.9
Female	100.00	6.8	*	*	93.2

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.