Item Location	Item <u>Length</u>	Variable Item and	e Name, d Code Ou	<u>tline</u>
1-4	4	DATAYEAR Year of	_	(Data Year)
		1996		1996
5	1	<u>TABFLAG</u> <u>Tabulati</u>	ion Inclu	sion Flag
		NCHS/I or pre Techni	OVS includes sumed get ical Appe	f fetal death tables published by de only those fetal deaths with stated station of 20 weeks or more, see the ndix. This position is used to records to include in these tables.
		1 2		Under 20 weeks (excluded) 20 weeks or more (included)
6	1	RECTYPE Record T	[ype	
		1		RESIDENTS: State and county of occurrence and residence are the same
		2	• • •	NONRESIDENTS: State and/or county of occurrence and residence are different.
7	1	RESTATUS Resident	_	
		U.S. Occ	currence	
		1	•••	RESIDENTS: State and county of occurrence and residence are the same.
		2	•••	INTRASTATE NONRESIDENTS: State of occurrence and residence are the same,
		3	• • •	<pre>but county is different. INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the U.S.</pre>
		4		FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the U.S.
		Puerto F	Rico Occu:	rrence
		1		RESIDENTS: State and county of
		2		occurrence and residence are the same. INTRASTATE NONRESIDENTS: State of occurrence and residence are the same,
		4	•••	but county is different.  FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place.
			(8)	

Item <u>Location</u>	Item <u>Length</u>	Variable Name, Item and Code Outline
7	1	RESTATUS Resident Status (Cont'd)
		Wingin Iglands Ossummons
		Virgin Islands Occurrence  1 RESIDENTS: State and county of
		occurrence and residence are the same 2 INTRASTATE NONRESIDENTS: State of occurrence and residence are the same but county is different.
		4 FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place.
		Guam Occurrence
		1 RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S.
		FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or of the U.S.
8	1	PLDEL Place or Facility of Delivery
		<ol> <li>Hospital delivery</li> <li>Doctor's offices, mother's residence, fire department, public place, etc.</li> </ol>
		3 Delivery occurred en route to or on arrival at a facility
		9 Unknown or not stated
9	1	PLDEL2 Place or Facility of Delivery Recode
		1 In hospital
		2 Not in a hospital (includes unknown)
10	1	<u>FATTND</u> Attendant at Delivery
		1 Postos of Modicine (M.D.)
		1 Doctor of Medicine (M.D.) 2 Doctor of Osteopathy (D.O.)
		3 Certified Nurse Midwife (C.N.M.)
		4 Other Midwife
		5 Other
		9 Unknown or not stated
11	1	FATTNDR
		Attendant at Delivery Recode
		1 Physician
		2 Midwife
		3 Other 9 Unknown or not stated
		onknown of not stated

Item	Item	Variable Name,
<u>Location</u>	<u>Length</u>	Item and Code Outline
12-27	16	FOCCUR Place of Occurrence
		Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Some Geographic Codes have changed to reflect the results of the 1990 Census.
12-14	3	RDSSCOCC Region, Division, and State Subcode of Occurrence
12	1	REGNOCC Region of Occurrence
13	1	DIVOCC Division of Occurrence
14	1	STSUBOCC State Subcode of Occurrence
		States are coded within division and the code structure is designed to sequence the States as they appear in NCHS publications.
		000 Not applicable: P.R., V.I., or Guam occurrence
		1

Item	Item	Variable Name,
Location	<u>Length</u>	Item and Code Outline
12-14	3	RDSSCOCC
		Region, Division, State Subcode of Occurrence (Cont'd)
		3 <u>SOUTH</u>
		5 <u>South Atlantic</u>
		1 Delaware
		2 Maryland
		3 District of Columbia
		4 Virginia
		5 West Virginia
		6 North Carolina
		7 South Carolina
		8 Georgia
		9 Florida
		6 <u>East South Central</u>
		1 Kentucky
		2 Tennessee
		3 Alabama
		4 Mississippi
		7 <u>West South Central</u>
		1 Arkansas
		2 Louisiana
		3 Oklahoma
		4 Texas
		4 $\underline{\mathtt{WEST}}$
		8 <u>Mountain</u>
		1 Montana
		2 Idaho
		3 Wyoming
		4 Colorado
		5 New Mexico
		6 Arizona
		7 Utah
		8 Nevada
		9 <u>Pacific</u>
		1 Washington
		2 Oregon
		3 California
		4 Alaska
		5 Hawaii

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <u>Item and Code Outline</u>
15-16	2	STFETEXP Expanded State of Occurrence

This item is designed to separately identify  ${\tt New}$   ${\tt York}$  city records from other  ${\tt New}$   ${\tt York}$   ${\tt State}$  records.

u.s.		
01		Alabama
02		Alaska
03		Arizona
04		Arkansas
0.5		California
06		Colorado
07		Connecticut
08		Delaware
09		District of Columbia
10		Florida
11		Georgia
12		Hawaii
13		Idaho
14		Illinois
15		Indiana
16		Iowa
17		Kansas
18		Kentucky
19	• • •	Louisiana
20		Maine
21		Maryland
22		Massachusetts
23		Michigan
24		Minnesota
25		Mississippi
26		Missouri
27		Montana
28		Nebraska
29		Nevada
30		New Hampshire
31		New Jersey
32		New Mexico
33		New York
34		New York city
35		North Carolina
36		North Dakota
37		Ohio
38		Oklahoma
50		O.I.I. GIIOMG

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
15-16	2	STFETEXP Expanded State of Occurrence Cont'd
		U.S.  39 Oregon  40 Pennsylvania  41 Rhode Island  42 South Carolina  43 South Dakota  44 Tennessee  45 Texas  46 Utah  47 Vermont  48 Virginia  49 Washington  50 West Virginia  51 Wisconsin  52 Wyoming
		53 Puerto Rico  Virgin Islands  54 Virgin Islands
		Guam 55 Guam
17-18	2	STATEFET State of Occurrence
		U.S.         01        Alabama         02        Alaska         03        Arizona         04        Arkansas         05        California         06        Colorado         07        Connecticut         08        Delaware         09        District of Columbia         10        Florida         11        Georgia         12        Hawaii         13        Idaho         14        Illinois         15        Indiana         16        Iowa         17        Kansas         18        Kentucky         19        Louisiana         20        Maine         21        Maryland         22        Michigan         24        Minnesota

Tem					
17-18   2     State of Occurrence Cont'd	Item	Item			
U.S.	<u>Location</u>	<u>Length</u>	Item and Cod	le Outl	<u>ine</u>
U.S.	15 10				
U.S.   25	17-18	2			_
25			State of Occ	urrenc	e Cont'd
25			II G		
26					Minainainai
27					
28					
29					
30					
31					
32					=
33 New York 34 North Carolina 35 North Dakota 36 Ohio 37 Oklahoma 38 Oregon 39 Pennsylvania 40 Rhode Island 41 South Carolina 42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginla 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					-
34 North Carolina 35 North Dakota 36 Ohio 37 Oklahoma 38 Oregon 39 Pennsylvania 40 Rhode Island 41 South Carolina 42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands					
35 North Dakota 36 Ohio 37 Oklahoma 38 Oregon 39 Pennsylvania 40 Rhode Island 41 South Carolina 42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
36 Ohio 37 Oklahoma 38 Oregon 39 Pennsylvania 40 Rhode Island 41 South Carolina 42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
37 Oklahoma 38 Oregon 39 Pennsylvania 40 Rhode Island 41 South Carolina 42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
38 Oregon 39 Pennsylvania 40 Rhode Island 41 South Carolina 42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands  Guam  Guam					
39					
## 40  ## A					
## South Carolina ### South Dakota ### South Dakota ### Tennessee ### Texas ### Texas ### Utah ### Vermont ### Virginia ### Washington ### West Virginia ### Wisconsin ### South Dakota ### Dakota ### Texas ### Utah ### Wermont ### Virginia ### Washington ### West Virginia ### Wisconsin ### South Dakota ### Texas ### Utah ### Wermont ### Virginia ### Washington ### West Virginia ### Wisconsin ### South Dakota ### Utah ### Utah ### West Virginia ### Wisconsin ### South Dakota ### Utah ### Utah ### West Virginia ### Wisconsin ### South Dakota ### Utah ### Utah ### West Virginia ### Wisconsin ### South Dakota ### Utah ### Utah ### West Virginia ### Utah ### Utah ### West Virginia ### Utah ###					
42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
## Tennessee ### Texas ### Texas ### Utah ### Vermont ### Virginia ### Washington ### West Virginia ### Wisconsin ### So					
44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
49 West Virginia 50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
50 Wisconsin 51 Wyoming  Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
Fuerto Rico  52 Puerto Rico  Virgin Islands  53 Virgin Islands  Guam					
Puerto Rico 52 Puerto Rico  Virgin Islands 53 Virgin Islands  Guam					
52 Puerto Rico <u>Virgin Islands</u> 53 Virgin Islands <u>Guam</u>					
<u>Virgin Islands</u> 53 Virgin Islands <u>Guam</u>			<u>Puerto Rico</u>		
53 Virgin Islands <u>Guam</u>			52		Puerto Rico
53 Virgin Islands <u>Guam</u>				_	
<u>Guam</u>					
			53	• • •	Virgin Islands
			Cuam		
34 Guaiii					Cuam
			34	• • •	Guaiii
19-21 3 <b>CNTYFET</b>	19-21	3	CNTYFET		
County of Occurrence		-		curren	<u>ice</u>
001-nnn Counties and county equivalents			001-nnn		Counties and county equivalents
(independent and coextensive cities)					
are numbered alphabetically within each					are numbered alphabetically within each

State. (Note: To uniquely identify a county, both the State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this

document.

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline
22-26	5	FIPSOCC Federal Information Processing Standards (FIPS) Geographic Codes (Occurrence)  Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.  Some Geographic Codes have changed to reflect the results of the 1990 Census.
22-23	2	STOCCFIP State of Occurrence (FIPS)  U.S.  01 Alabama 02 Alaska 04 Arizona 05 Arkansas 06 California

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
22-23	2	STOCCFIP State of Occurrence (Cont'd)
		U.S.  40 Oklahoma 41 Oregon 42 Pennsylvania 44 Rhode Island
		45 South Carolina 46 South Dakota 47 Tennessee 48 Texas
		50 Vermont 51 Virginia 53 Washington 54 West Virginia 55 Wisconsin
		56 Wyoming  Puerto Rico 72 Puerto Rico
		Virgin Islands 78 Virgin Islands Guam
24-26	3	66 Guam  CNTOCFIP
		County of Occurrence (FIPS)  Old-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.
27	1	CNTOCPOP Population Size of County of Occurrence  Based on the results of the 1990 Census
		0 County of 1,000,000 or more 1 County of 500,000 to 1,000,000 2 County of 250,000 to 500,000 3 County of 100,000 to 250,000 4 County of 50,000 to 100,000 5 County of 25,000 to 50,000 6 County of Less than 25,000

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
28-59	32	FRESID Place of Residence
		Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Some Geographic Codes have changed to reflect the results of the 1990 Census.
28-30	3	RDSCRES Region, Division, and State Subcode of Residence
28	1	REGNRES Region of Residence
29	1	DIVRES Division of Residence
30	1	STSUBRES State Subcode of Residence

States are coded within Division and the code structure is designed to sequence the States as they appear in NCHS publications.

#### APPLICABLE TO U.S. ONLY

1 Ohio 2 Indiana 3 Illinois 4 Michigan 5 Wisconsin	000	 Foreign residents
2 MIDWEST  3 East North Central  1 Ohio 2 Indiana 3 Illinois 4 Michigan 5 Wisconsin 4 West North Central 1 Minnesota 2 Iowa	1 1 2 3 4 5 6 2 1 2	 New England Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut Middle Atlantic New York New Jersey
4 North Dakota 5 South Dakota 6 Nebraska	3 3 1 2 3 4 5 4 1 2 3 4 5	Pennsylvania  MIDWEST  East North Central Ohio Indiana Illinois Michigan Wisconsin West North Central Minnesota Iowa Missouri North Dakota

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
28-30	3	RDSCRES Region, Division, State Subcode of Residence (Cont'd)
		South Atlantic

Item	Item	Variable Name,
Location	<u>Length</u>	Item and Code Outline
31-32	2	STRESEXP
		Expanded State of Residence

This item is designed to separately identify New York city records from other New York State records.

U.S.	Occurrence	
01	•••	Alabama
02		Alaska
03		Arizona
04		Arkansas
05		California
06		Colorado
07		Connecticut
08		Delaware
09		District of Columbia
10		Florida
11		Georgia
12		Hawaii
13		Idaho
14		Illinois
15		Indiana
16		Iowa
17		Kansas
18		Kentucky
19		Louisiana
20		Maine
21		Maryland
22		Massachusetts
23		Michigan
24		Minnesota
25		Mississippi
26		Missouri
27		Montana
28		Nebraska
29		Nevada
30		New Hampshire
31		New Jersey
32		New Mexico
33		New York
34		New York city
35		North Carolina
36		North Dakota
37		Ohio
38		Oklahoma
39		Oregon
40		Pennsylvania
41		Rhode Island
42	•••	South Carolina
43	• • •	South Dakota
44	• • •	Tennessee
45	• • •	Texas
7.3	• • •	ICAGO

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outl</pre>	.ine	
31-32	2	STRESEXP Expanded State of	Residen	ce Cont'd
		U.S. Occurrence  46 47 48 49 50 51 52 53-58,60 53 54 55 56 57 58 60  Puerto Rico Occurr 53 01-52,54-58,60		Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming Foreign Residents Puerto Rico Virgin Islands Guam Canada Cuba Mexico Remainder of the world  Puerto Rico Foreign residents: Refer to U.S. for specific code structure.
		Virgin Islands Occ 54 01-53,55-58,60  Guam Occurrence 55 01-52 53-58,60	currence	Virgin Islands Foreign residents: Refer to U.S. for specific code structure.  Guam U.S. resident is also considered a resident of Guam. Foreign residents: Refer to U.S. for specific code structure.

Item Location	Item <u>Length</u>	Variable Name, Item and Code Outline
33-34	2	STATERES State of Residence
		U.S. Occurrence  11

Item <u>Location</u>	Item <u>Length</u>	Variable Name, Item and Code Outl	line	
33-34	2	STATERES		
		State of Residence	Ont'd	<u>l</u>
		U.S. Occurrence		
		43		Tennessee
		44		Texas
		45		Utah
		46		Vermont
		47		Virginia
		48		Washington
		49		West Virginia
		50		Wisconsin
		51		Wyoming
		52-57,59		Foreign Residents
		52		Puerto Rico
		53		Virgin Islands
		54		Guam
		55		Canada
		56		Cuba
		57		Mexico
		59		Remainder of the world
		Puerto Rico Occurr	canda	
		52		Puerto Rico
		01-51,53-57,59		Foreign Residents: Refer to
		01 31,33 31,33	•••	U.S. for specific code structure.
		Virgin Islands Occ	currence	)
		53		Virgin Islands
		01-52,54-57,59		Foreign Residents: Refer to
				U.S. for specific code structure.
		Guam Occurrence		
		54		Guam
		01-51		U.S. resident is also
				considered a resident of Guam.
		52-57,59		Foreign Residents: Refer to
				U.S. for specific code structure.
				DUL GOOGLE.
35-37	3	CNTYRES		
		County of Residence	<u>:e</u>	
				nties is shown in the e further back in this
		001-nnn		Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)

... Foreign Residents

ZZZ

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline			
38-40	3	CITYRES City of Residence			
		A complete list of cities is shown in the Geographic Code Outline further back in this document.			
		001-nnn Cities are numbered alphabetically within each State and identify each city with a population of 10,000 or more in 1990. (Note: To uniquely identify a city, both the State and city codes must be used. State, county and city codes may also be used.)			
		999 Balance of county ZZZ Foreign residents			
41	1	CITRSPOP Population Size of City of Residence			
		Based on the results of the 1990 census			
		0 Place of 1,000,000 or more 1 Place of 500,000 to 1,000,000 2 Place of 250,000 to 500,000 3 Place of 100,000 to 250,000 4 Place of 50,000 to 100,000 5 Place of 25,000 to 50,000 6 Place of 10,000 to 25,000 9 All other areas in the U.S. Toreign residents			
42	1	METRORES  Metropolitan - Nonmetropolitan County of Residence			
		NOTE: GUAM AND THE VIRGIN ISLANDS DO NOT HAVE ANY METROPOLITAN AREAS			
		1 Metropolitan county 2 Nonmetropolitan county Z Foreign residents			
43-58	16	FIPSRES Federal Information Processing Standards (FIPS) Geographic Codes (Residence)			
		Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications. Some Geographic Codes have changed to reflect the results of the 1990 Congue			

of the 1990 Census.

Item	Item	Variable Name,
<u>Location</u>	<u>Length</u>	Item and Code Outline
43-44	2	STRESFIP State of Residence (FIPS)

U.S. Occurrence		
00		Foreign residents
01		Alabama
02		Alaska
04		Arizona
0.5		Arkansas
06		California
08		Colorado
09		Connecticut
10	• • •	Delaware
11	• • •	District of Columbia
12		Florida
13		Georgia
15	• • •	
		Hawaii
16		Idaho
17		Illinois
18		Indiana
19		Iowa
20		Kansas
21		Kentucky
22		Louisiana
23		Maine
24		Maryland
25		Massachusetts
26		Michigan
27		Minnesota
28		Mississippi
29		Missouri
30		Montana
31		Nebraska
32		Nevada
33		New Hampshire
34		New Jersey
35		New Mexico
36		New York
37		North Carolina
38	• • •	North Dakota
39		Ohio
40		Oklahoma
41		Oregon
42		
42	• • •	Pennsylvania Rhode Island
	• • •	KHOUE ISLAND
45	• • •	South Carolina
46	• • •	South Dakota
47	• • •	Tennessee
48	• • •	Texas
49		Utah

Item <u>Location</u>	Item <u>Length</u>	Variable Name, Item and Code Outline
43-44	2	<pre>STRESFIP State of Residence (FIPS) (Cont'd)</pre>
		U.S. Occurrence  50
		Puerto Rico Occurrence  00-56,66,78 Foreign Residents: Refer to U.S. for specific code structure Puerto Rico
		Virgin Islands Occurrence00-56,66,72Foreign Residents: Refer to U.S. for specific code structure78Virgin Islands
		Guam Occurrence  00,72,78 Foreign Residents: Refer to U.S. for specific code structure  01-56 U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure  66 Guam
45-47	3	CNTYRFIP County of Residence (FIPS)
		O00 Foreign residents O01-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline
48-52	5	PLACEFIP Place (City) of Residence (FIPS)
		A complete list of cities is shown in the Geographic code outline further back in this document.
		Effective with the 1994 data year, the FIPS place code has been added to the fetal death record. It identifies each city of 10,000 population or more in 1990.
		00000 Foreign residents 00001-nnnnn Code range
53-54	2	CMSA of Residence (FIPS)  Consolidated Metropolitan Statistical Areas are

Consolidated Metropolitan Statistical Areas are groupings of certain Primary Metropolitan Statistical Areas and are defined by the U.S. Office of Management and Budget (OMB) as of 1990.

All AREAS			
00	 Not	а	CMSA

U.S.	Occurrence	
07	•••	Boston-Worcester-Lawrence, MA-NH-MECT, CMSA
14		Chicago-Gary-Kenosha, IL-IN-WI, CMSA
21		Cincinnati-Hamilton, OH-KY-IN, CMSA
28		Cleveland-Akron, OH, CMSA
31		Dallas-Fort Worth, TX, CMSA
34		Denver-Boulder-Greeley, CO, CMSA
35		Detroit-Ann Arbor-Flint, MI, CMSA
42		Houston-Galveston-Brazoria, TX, CMSA
49	• • •	Los Angeles-Riverside-Orange County, CA, CMSA
56		Miami-Fort Lauderdale, FL, CMSA
63		Milwaukee-Racine, WI, CMSA
70	• • •	New York-Northern New Jersey-Long, Island, NY-NJ-CT-PA, CMSA
77	• • •	Philadelphia-Wilmington -Atlantic City, PA-NJ-DE-MD, CMSA
79		Portland-Salem, OR-WA, CMSA
82		Sacramento-Yolo, CA, CMSA
84	• • •	San Francisco-Oakland-SanJose, CA, CMSA
91		Seattle-Tacoma-Bremerton, WA, CMSA
97	• • •	Washington-Baltimore, DC-MD-VA-WV, CMSA

#### Puerto Rico Occurrence

87 ... San Juan-Caguas-Arecibo, PR, CMSA

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline
55-58	4	SMSARFIP
		PMSA/MSA of Residence (FIPS)  Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those defined by the U.S. Office of Management and Budget as of 1990. For New England, the New England County Metropolitan Areas (NECMA's) are used.
		Further back in this document is a list of PMSA's, MSA's, NECMA's, and their component counties.
		0000 Nonmetropolitan counties or foreign residents 0040-9360 Code range
59	1	<u>CNTRSPOP</u> Population Size of County of Residence
		Based on the results of the 1990 Census.
		O County of 1,000,000 or more  1 County of 500,000 to 1,000,000  2 County of 250,000 to 500,000  3 County of 100,000 to 250,000  4 County of 50,000 to 100,000  5 County of 25,000 to 50,000  6 County of Less than 25,000  Z Foreign resident
60-68	9	MDOB Date of Birth of Mother
60	1	MDOBIMP Day of Birth of Mother Imputation Flag  Day is not imputed if month and/or year is unknown.
		Blank Day is not imputed 1 Day is imputed
61-62	2	MDOBMON Month of Birth of Mother
		01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December 99 Unknown or not stated

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
63-64	2	MDOBDAY Day of Birth of Mother
		01-31 As applicable to month of birth 99 Unknown or not stated
65-68	4	MDOBYR Year of Birth of Mother
		Year is checked for valid numeric codes including unknown. If invalid, year is made unknown. Year is not changed to unknown if its use results in an impossible computation. The computed item is made unknown.
		1900-1996 Code range 9999 Unknown or not stated
69	1	MAGERFLG Reported Age of Mother Used Flag
		This position is flagged whenever the mother's reported age is used. The reported age is used, if valid, when age could not be computed or when the computed age is outside the 10-49 code range.
		Blank Reported age is not used  1 Reported age is used
70	1	MAGEIMP Age of Mother Imputation Flag
		Blank Age is not imputed  1 Age is imputed
71-72	2	<u>DMAGE</u> Age of Mother
		This item is: a) computed using dates of birth of mother and of delivery; b) reported; or c) imputed. This is the age item used in NCHS publications.
		10-49 Age is single years

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
73-74	2	MAGE12
		Age of Mother Recode 12  01 Under 15 years 02 15 years
		03 16 years 04 17 years 05 18 years 06 19 years
		07 20 - 24 years 08 25 - 29 years 09 30 - 34 years
		10 35 - 39 years 11 40 - 44 years 12 45 - 49 years
75	1	MAGE8 Age of Mother Recode 8
		1 Under 15 years 2 15 - 19 years 3 20 - 24 years 4 25 - 29 years 5 30 - 34 years 6 35 - 39 years 7 40 - 44 years 8 45 - 49 years
76	1	ORMOTH Hispanic Origin of Mother
		Origin is not reported by all areas. See reporting flags.
		<pre>0 Non-Hispanic 1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 9 Origin unknown or not stated</pre>

Item and Code Outline

Variable Name,

Item

Location

Item

<u>Length</u>

77	1	ORRACEM
	<del>-</del>	Hispanic Origin and Race of Mother Recode
		Origin is not reported by all areas. See reporting flags.
		1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 6 Non-Hispanic White 7 Non-Hispanic Black 8 Non-Hispanic other races 9 Origin unknown or not stated
78	1	MRACEIMP
		Race of Mother Imputation Flag
		Blank Race is not imputed  1 Race is imputed
79-80	2	MRACE
		Race of Mother
		U.S. Occurrence  Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census race code 09 (all other races) used prior to 1992 has been imputed.
		0.1
		01 White 02 Black
		03 American Indian (includes Aleuts and Eskimos)
		04 Chinese
		05 Japanese
		06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		18 Asian Indian
		28 Korean
		38 Samoan 48 Vietnamese
		58 Guamanian
		68 Other Asian or Pacific Islander in areas reporting codes 18-58
		78 Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not
		report them separately

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
79-80	2	<pre>MRACE Race of Mother (Cont'd)</pre>
		Race of Mother (cont d)
		Puerto Rico Occurrence
		Does not report race.
		99 Unknown
		Virgin Islands Occurrence
		01 White
		02 Black
		03 American Indian (includes Aleuts and
		Eskimos)
		04 Chinese
		05 Japanese
		06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		08 Other Asian or Pacific Islander
		Guam Occurrence
		01 White
		02 Black
		03 American Indian (includes Aleuts and
		Eskimos)
		04 Chinese
		05 Japanese
		06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		08 Other Asian or Pacific Islander
		10 Guamanian

Item	Item	Variable Name,
Location	Length	Item and Code Outline
81	1	MRACE3
		Race of Mother Recode
		U.S./Virgin Islands/Guam Occurrence
		1 White
		2 Races other than White or Black
		3 Black
		Puerto Rico Occurrence
		4 Unknown
82-83	2	DMEDUC
		Education of Mother
		Education is not reported by all areas. See
		reporting flags.
		00 No formal education
		01-08 Years of elementary school
		09 1 year of high school
		10 2 years of high school
		11 3 years of high school
		12 4 years of high school
		13 1 year of college
		14 2 years of college
		15 3 years of college
		16 4 years of college
		17 5 or more years of college
		99 Not stated
0.4	1	MEDICA
84	1	MEDUC6
		Education of Mother Recode
		Education is not reported by all areas. See
		reporting flags.
		1 0 - 8 years
		2 9 - 11 years
		3 12 years
		4 13 - 15 years
		5 16 years and over
		6 Not stated
85	1	<u>DMARIMP</u>
		Marital Status of Mother Imputation Flag
		Marital atabas is issued for an ideata of according
		Marital status is imputed for residents of reporting areas only, see technical appendix.
		The marital status item is imputed in the edit
		program. However, it was decided not to maintain
		the imputed values.
		Blank Marital Status is not imputed
		1 Marital Status is imputed

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
86	1	DMAR Marital Status of Mother
		Marital status is not reported by all areas. See reporting flags.
		U.S./Virgin Islands/Guam Occurrence  1 Married 2 Unmarried 9 Unknown or not stated
		Puerto Rico Occurrence  1 Married 2 Unmarried parents living together 3 Unmarried parents not living together together 9 Unknown or not stated
87-88	2	DMAGERPT Reported Age of Mother
		10-49 Age in single years 99 Unknown or not stated
89-97	9	R2 Reserved Positions
98-99	2	NLBNL Number of Live Births, Now Living
		00-30 Stated number of children 99 Unknown or not stated
100-101	2	NLBND Number of Live Births, Now Dead
		00-30 Stated number of children 99 Unknown or not stated
102-103	2	NOTERM Number of Other Terminations
		Includes spontaneous and induced at any time after conception.
		00-30 Stated number of other terminations 99 Unknown or not stated

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
104	1	LBOIMPF Live Birth Order Imputation Flag
		Live birth order is imputed in the edit program. However, it was decided not to maintain the imputed values.
		Blank Live birth order is not imputed  1 Live birth order is imputed
105-106	2	DLIVORD Detail Live Birth Order
		Sum of live births now living and now dead. If either item is unknown, this item is made unknown.
		00-40 Number of children born alive to mother
		99 Unknown live birth order
107	1	LIVORD9 Live Birth Order Recode
		0 No children born alive to mother 1 One
		2 Two
		3 Three 4 Four
		5 Five
		6 Six 7 Seven
		7 Seven 8 Eight or more
		9 Unknown live birth order
108	1	TBOIMP
		Total Birth Order Imputation Flag
		Total birth order is imputed in the edit program. However it was decided not to maintain the imputed values.
		Blank Total birth order is not imputed  1 Total birth order is imputed
109-110	2	DTOTORD Detail Total Birth Order
		Sum of live birth order and other terminations of pregnancy plus one (for this pregnancy). If either item is unknown, this item is made unknown.
		01-41 Number of live births and other
		terminations of pregnancy 99 Unknown total birth order

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline
111	1	TOTORD9 Total Birth Order Recode
		1 One 2 Two 3 Three 4 Four 5 Five 6 Six 7 Seven 8 Eight or more 9 Unknown total birth order
112	1	NAMEDMTH Named Month Prenatal Care Began Flag
		This position identifies records that contained Jan., Feb., etc. instead of first month, second month, etc. for month of pregnancy prenatal care began.
		Blank Numeric month given 1 Named month given
113-114	2	MONPRE Detail Month of Pregnancy Prenatal Care Began
		Month prenatal care began is not reported by all areas. See reporting flags.
		00 No prenatal care 01 1st month 02 2nd month 03 3rd month 04 4th month 05 5th month 06 6th month 07 7th month 08 8th month 09 9th month 09 9th month
115	1	MPRE6 Month Prenatal Care Began Recode 6
		Month prenatal care began is not reported by all areas. See reporting flags.  1 1st - 2nd month 2 3rd month 3 4th - 6th month 4 7th - 9th month 5 No prenatal care 6 Unknown or not stated

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
116	1	MPRE5 Month Prenatal Care Began Recode 5
	ar	Month prenatal care began is not reported by all eas. See reporting flags.
		1 lst Trimester (lst-3rd month) 2 2nd Trimester (4th-6th month) 3 3rd Trimester (7th-9th month) 4 No prenatal care 5 Unknown or not stated
117-118	2	NPREVIST Total Number of Prenatal Visits
		Number of prenatal visits is not reported by all areas. See reporting flags
		00 No prenatal visits 01-48 Stated number of visits 49 49 or more visits 99 Unknown or not stated
119-120	2	NPREV12 Number of Prenatal Visits Recode
		Number of prenatal visits is not reported by all areas. See reporting flags
		01 No visits 02 1 - 2 visits 03 3 - 4 visits 04 5 - 6 visits 05 7 - 8 visits 06 9 - 10 visits 07 11 - 12 visits 08 13 - 14 visits 09 15 - 16 visits 10 17 - 18 visits 11 19 visits or more 12 Unknown or not stated

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
121-128	8	LMPDATE Date Last Normal Menses Began
		Date of last normal menses is not reported by all areas. See reporting flags.
121-122	2	LMPMON Month
		01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December 99 Unknown or not stated month of LMP
123-124	2	LMPDAY Day  01-31 As applicable to month of LMP
105 100	4	99 Unknown or not stated day of LMP
125-128	4	LMPYR Year  1995 1995 1996 1996 9999 Unknown or not stated year of LMP

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
129-134	6	LLBDATE Date of last Live Birth
		Date of last live birth is not reported by all areas. See reporting flags
		777777 No previous live birth
129-130	2	LLBMON Month of Last Live Birth
		01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December 99 Unknown or not stated
131-134	4	LLBYR Year of Last Live Birth
		1900-1996 Stated year 9999 Unknown or not stated
135-137	3	DISLLB Interval Since Last Live Birth
		This item is computed from date of delivery and date of last live birth.
		777 No previous live birth 000 Zero months (plural birth) 001-500 One - five hundred months 999 Unknown

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
138-139	2	ISLLB10 Interval Since Last Live Birth Recode
		00 Not applicable (no previous live birth)
		01 Zero months (plural birth)
		02 1 - 11 months
		03 12 - 17 months
		04 18 - 23 months
		05 24 - 35 months
		06 36 - 47 months
		07 48 - 59 months
		08 60 - 71 months
		09 72 months and over
		10 Unknown
140-150	11	Reserved Positions
151-159	9	FDOB Date of Birth of Father
151	1	FDOBIMP Day of Birth of Father Imputation Flag
		Day is not imputed if month and/or year is unknown.
		Blank Day is not imputed  1 Day is imputed

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
152-153	2	FDOBMON
	_	Month of Birth of Father
		01 January
		02 February
		03 March
		04 April
		05 May
		06 June
		07 July
		08 August
		09 September
		10 October
		11 November
		12 December
		99 Unknown or not stated
154-155	2	FDOBDAY
		Day of Birth of Father
		01-31 As applicable to month of birth 99 Unknown or not stated
156-159	4	FDOBYR Year of Birth of Father
		Year is checked for valid numeric codes including unknown. If invalid, year is made unknown. Year is not changed to unknown if its use results in an impossible computation. The computed item is made unknown.
		1894-1996 Code range 9999 Unknown or not stated
160	1	<u>FAGERFLG</u> Reported Age of Father Used Flag
		This position is flagged whenever the father's reported age is used. The reported age is used, if valid, when age could not be computed or when the computed age is less than 10.
		Blank Reported age is not used  1 Reported age is used

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>	
161-162	2	<u>DFAGE</u> Age of Father	
		This item is either computed from date of birth of father and date of delivery or is the reported age. This is the age item used in NCHS publications.	
		10-98 Age is single years 99 Unknown or not stated	
163-164	2	FAGE11 Age of Father Recode	
		01	
165	1	ORFATH Hispanic Origin of Father  Origin is not reported by all areas. See reporting flags.	
		0 Non-Hispanic 1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 9 Origin unknown or not stated	

Item Location	Item <u>Length</u>	Variable Name, Item and Code Outline	
166	1	ORRACEF Hispanic Origin and Race of Father Recode	
		Origin is not reported by all areas. See reporting flags.	
		1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 6 Non-Hispanic White 7 Non-Hispanic Black 8 Non-Hispanic other or unknown race 9 Origin unknown or not stated	
167-168	2	FRACE Race of Father  U.S. Occurrence  Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. Code 09 (all other races) used prior to 1992 has been changed to 99.	
		01 White 02 Black 03 American Indian (includes Aleuts and Eskimos) 04 Chinese	

05 ... 06 ...

. . .

. . .

. . .

. . .

. . .

. . .

. . .

07

18

28

38

48

58

68

78

#### <u>Puerto Rico Occurrence</u>

Japanese

Asian Indian

Vietnamese

reporting codes 18-58

report them separately Unknown or not stated

Guamanian

Filipino

Korean

Samoan

Hawaiian (includes part-Hawaiian)

Other Asian or Pacific Islander in areas

Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not

Does not report race 99 ... Unknown

Item Location	Item <u>Length</u>	Variable Nar Item and Cod	
167-168	2	<u>FRACE</u> Race of Fatl	her (Cont'd)
		Virgin Islan	nds Occurrence
		01	White
		02	Black
		03	American Indian (includes Aleuts and Eskimos)
		04	Chinese
		05	Japanese
		06	Hawaiian (includes part-Hawaiian)
		07	Filipino
		08	Other Asian or Pacific Islander
		99	Unknown or not stated
		Guam Occurre	
		01	White
		02	Black
		03	American Indian (includes Aleuts and Eskimos)
		04	Chinese
		05	Japanese
		06	Hawaiian (includes part-Hawaiian)
		07	Filipino
		08	Other Asian or Pacific Islander
		10	Guamanian
		99	Unknown or not stated
169	1	FRACE4	
		Race of Fatl	her Recode
		1	White
		2	Race other than White, Black, or unknown
		3	Black
		4	Unknown or not stated

Item <u>Location</u>	Item <u>Length</u>	Variable Name,  Item and Code Outline
170-171	2	<u>DFEDUC</u> <u>Education of Father</u>
		Education is not reported by all areas. See reporting flags
		00 No formal education 01-08 Years of elementary school 09 1 year of high school 10 2 years of high school 11 3 years of high school 12 4 years of high school 13 1 year of college 14 2 years of college 15 3 years of college 16 4 years of college 17 5 or more years of college 99 Not stated
172	1	FEDUC6 Education of Father Recode
		Education is not reported by all areas. See reporting flags
		1 0 - 8 years 2 9 - 11 years 3 12 years 4 13 - 15 years 5 16 years and over 6 Not stated
173-174	2	DFAGERPT Reported Age of Father
		10-98 Age in single years 99 Unknown or not stated
175-183	9	Reserved Positions
184	1	FDODMIMP Month of Delivery Imputation Flag
		Blank Month is not imputed  1 Month is imputed

Item Location	Item <u>Length</u>	Variable Nam Item and Co		<u>.ine</u>
185	1	<u>FDODDIMP</u> Day of Deli	very In	uputation Flag
		Blank 1		Day is not imputed Day is imputed
186-187	2	DELMON Month		
		01 02 03 04 05 06 07 08 09 10 11		January February March April May June July August September October November December
188-189	2	<u>DELDAY</u> <u>Day</u> 01-31		
190-193	4	DELYR Year 1996		As applicable to month of birth
194	1	WEEKDAY Day of Week	of Del	ivery
		1 2 3 4 5 6 7		Sunday Monday Tuesday Wednesday Thursday Friday Saturday

Item <u>Location</u>	Item <u>Length</u>	Variable Name,  Item and Code Outline
195	1	GESTESTM Clinical Estimate of Gestation Used Flag
		This position is flagged whenever the clinical estimate of gestation is used. It is used whenever gestation could not be computed or when the computed gestation is outside the 02-47 code range.
		Blank Clinical estimate is not used 1 Clinical estimate is used
196	1	GESTIMP Gestation Imputation Flag
		Blank Gestation is not imputed 1 Gestation is imputed
197-198	2	DGESTAT Gestation
		This item is: a) computed using dates of delivery and last normal menses; b) the clinical estimate; c) imputed; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.
		02-47 2nd through 47th week of gestation 99 Unknown

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
199-200	2	GESTAT12 Gestation Recode 12
		01 Under 16 weeks 02 16-19 weeks 03 20-23 weeks 04 24-27 weeks 05 28-31 weeks 06 32-35 weeks 07 36 weeks 08 37-39 weeks 09 40 weeks 10 41 weeks 11 42 weeks and over 12 Unknown
201	1	GESTAT5  Gestation Recode 5   1 Under 20 weeks 2 20-23 weeks 3 24-27 weeks 4 28 weeks and over 5 Unknown
202	1	FSEXIMP Sex Imputation Flag  Sex is imputed only for those records with stated or presumed period of gestation of 20 weeks or more.  Blank Sex is not imputed 1 Sex is imputed
203	1	FSEX Sex  1 Male 2 Female 9 Unknown or not stated

T	Th	Wandalila Wana
Item Location	Item Length	Variable Name, Item and Code Outline
HOCACION	<u>neng cn</u>	Item and code outline
204-205	2	MRACE
		Race of Fetus
		W. G O
		<u>U.S. Occurrence</u> Beginning with 1992 data, some areas started
		reporting additional Asian or Pacific Islander codes
		for race. Codes 18-68 replace old code 08 for these
		areas. Code 78 replaces old code 08 for all other
		areas. For consistency with Census race code 09 (all other races) used prior to 1992 has been
		imputed.
		01 White 02 Black
		02 Black 03 American Indian (includes Aleuts and
		Eskimos)
		04 Chinese
		05 Japanese
		06 Hawaiian (includes part-Hawaiian) 07 Filipino
		07 Filipino 18 Asian Indian
		28 Korean
		38 Samoan
		48 Vietnamese
		58 Guamanian 68 Other Asian or Pacific Islander in areas
		reporting codes 18-58
		78 Combined other Asian or Pacific Islander,
		includes codes 18-68 for areas that do not
		report them separately
		Puerto Rico Occurrence
		Does not report race.
		99 Unknown
		Virgin Islands Occurrence
		01 White
		02 Black
		03 American Indian (includes Aleuts and
		Eskimos)
		04 Chinese 05 Japanese
		06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		08 Other Asian or Pacific Islander
		Guam Occurrence
		01 White
		02 Black
		03 American Indian (includes Aleuts and
		Eskimos) 04 Chinese
		05 Japanese
		06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		08 Other Asian or Pacific Islander

10 ... Guamanian

Item <u>Location</u>	Item <u>Length</u>	Variable Name Item and Code	-	<u>ine</u>
206	1	MRACE3 Race of Fetus	Reco	<u>de</u>
		U.S./Virgin I	sland	s/Guam Occurrence
				White
		2		Races other than White or Black
		3	• • •	Black
		Puerto Rico O	ccurr	
		4	• • •	Unknown
207-210	4	DBIRWT		
		Weight at Del:	ivery	
		0000-8165		Number of grams
		9999	• • •	Unknown or not stated
211-212	2	BIRWT14		
		Weight at Del:	ivery	Recode 14
		01		249 grams or less
				250-349 grams
				350-499 grams
				500-999 grams
			• • •	1000-1499 grams
			• • •	1500-1999 grams
			• • •	2000-2499 grams
			• • •	2500-2999 grams
				3000-3499 grams
				3500-3999 grams
			• • •	4000-4499 grams
				4500-4999 grams
			• • •	5000-8165 grams
		14	• • •	Unknown or not stated
213	1	BIRWT4		5 . 1 . 4
		Weight at Del:	ivery	Recode 4
		1		1499 grams or less
		2		1500-2499 grams
		3		2500 grams or more
		4		Unknown or not stated
214	1	PLURIMP		
		Plurality Imp	utati	on Flag
		Blank		Plurality is not imputed
		1		Plurality is imputed

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
215	1	DPLURAL Plurality
		1 Single 2 Twin 3 Triplet 4 Quadruplet 5 Quintuplet or higher
216-217	2	<pre>CLINGEST Clinical Estimate of Gestation Clinical estimate is not reported by all areas. See reporting flags.</pre>
218-219	2	02-47 Estimated gestation in weeks 99 Unknown or not stated  R5 Reserved Positions

Item <u>Location</u>	Item <u>Length</u>	Variable Name,  Item and Code Outline
220-314	95	MEDINFO Medical and Health Data
		Some States do not report an entire item while other States do not report all of the categories within an item.
		If an item is not reported, it is indicated by code zero in the appropriate reporting flag.
		If a category within an item is not reported it is indicated by code 8 in the position for that category.
220-226	7	DELMETH Method of Delivery
		Each method is assigned a separate position, and the code structure for each method (position) is:
		1 The method was used 2 The method was not used 8 Method not on certificate 9 Method unknown or not stated
220	1	<u>VAGINAL</u> <u>Vaginal</u>
221	1	<u>VBAC</u> <u>Vaginal Birth After Previous C-Section</u>
222	1	PRIMAC Primary C-Section
223	1	REPEAC Repeat C-Section
224	1	FORCEP Forceps
225	1	VACUUM Vacuum
226	1	HYSTER Hysterotomy/Hysterectomy

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
227	1	DELMETH6
		Method of Delivery Recode
		<pre>1 Vaginal (excludes Vaginal after previous</pre>
228-244	17	MEDRISK Medical Risk Factors
		Each risk factor is assigned a separate position, and the code structure for each risk factor (position) is:
		<ol> <li>Factor reported</li> <li>Factor not reported</li> <li>Factor not on certificate</li> <li>Factor not classifiable</li> </ol>
228	1	ANEMIA Anemia (Hct.<30/Hgb.<10)
229	1	CARDIAC Cardiac disease
230	1	<u>LUNG</u> Acute or chronic lung disease
231	1	DIABETES Diabetes
232	1	<u>HERPES</u> <u>Genital herpes</u>
233	1	HYDRA Hydramnios/Oligohydramnios
234	1	HEMO Hemoglobinopathy

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
235	1	CHYPER Hypertension, chronic
236	1	PHYPER Hypertension, pregnancy-associated
237	1	ECLAMP Eclampsia
238	1	INCERVIX Incompetent cervix
239	1	PRE4000 Previous infant 4000+ grams
240	1	<pre>PRETERM Previous preterm or small-for-gestational-age infant</pre>
241	1	<u>RENAL</u> Renal disease
242	1	RH Rh sensitization
243	1	UTERINE Uterine bleeding
244	1	OTHERMR Other Medical Risk Factors

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
245-255	11	OTHERRSK Other Risk Factors For This Pregnancy
245-248	4	TOBACRSK Tobacco Risks
245	1	TOBACCO Tobacco Use During Pregnancy
		1 Yes 2 No 9 Unknown or not stated
246-247	2	<u>CIGAR</u> Average Number of Cigarettes Per Day
		00-97 As stated 98 98 or more cigarettes per day 99 Unknown or not stated
248	1	CIGAR6 Average Number of Cigarettes Per Day Recode
		<pre>Non smoker 1</pre>
249-252	4	ALCOHRSK Alcohol
249	1	ALCOHOL Alcohol Use During Pregnancy
		1 Yes 2 No 9 Unknown or not stated

Item Location	Item <u>Length</u>	Variable Name, Item and Code Outline
250-251	2	<u>DRINK</u> Average Number of Drinks Per Week
		00-97 As stated 98 98 or more drinks per week 99 Unknown or not stated
252	1	<u>DRINK5</u> Average Number of Drinks Per Week Recode
		<pre>0    Non drinker 1    1 drink per week 2    2 drinks per week 3    3-4 drinks per week 4    5 or more drinks per week 5    Unknown or not stated</pre>
253-255	3	WTGANRSK Weight Gain During Pregnancy
253-254	2	WTGAIN Weight Gain
		00-97 Stated number of pounds 98 98 pounds or more 99 Unknown or not stated
255	1	WTGAIN8 Weight Gain Recode
		1 Less than 10 pounds 2 10-14 pounds 3 15-19 pounds 4 20-24 pounds 5 25-29 pounds 6 30-34 pounds 7 35 or more pounds 8 Unknown or not stated

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
256-262	7	OBSTETRC Obstetric Procedures
		Each procedure is assigned a separate position, and the code structure for each procedure (position) is:
		1 Procedure reported 2 Procedure not reported 8 Procedure not on certificate 9 Procedure not classifiable
256	1	AMNIO Amniocentesis
257	1	MONITOR Electronic fetal monitoring
258	1	INDUCT Induction of labor
259	1	STIMULA Stimulation of labor
260	1	TOCOL Tocolysis
261	1	<u>ULTRAS</u> Ultrasound
262	1	OTHEROB Other Obstetric Procedures

Item Location	Item <u>Length</u>	Variable Name, Item and Code Outline
263-278	16	<u>LABOR</u> Complications of Labor and/or Delivery
		Each complication is assigned a separate position, and the code structure for each complication (position) is:
		<pre>1 Complication reported 2 Complication not reported 8 Complication not on certificate 9 Complication not classifiable</pre>
263	1	FEBRILE Febrile (>100 degrees F. or 38 degrees C.)
264	1	MECONIUM Meconium
265	1	RUPTURE Premature rupture of membrane (>12 hours)
266	1	ABRUPTIO Abruptio placenta
267	1	PREPLACE Placenta previa
268	1	EXCEBLD Other excessive bleeding
269	1	<u>SEIZURE</u> Seizures during labor
270	1	PRECIP Precipitous labor (<3 hours)
271	1	PROLONG Prolonged labor (>20 hours)
272	1	DYSFUNC Dysfunctional labor
273	1	BREECH Breech/Malpresentation
274	1	CEPHALO Cephalopelvic disproportion
275	1	CORD Cord prolapse

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline
276	1	ANESTHE Anesthetic complications
277	1	DISTRESS Fetal distress
278	1	OTHERLB Other Complication of Labor and/or Delivery
279-300	22	CONGENIT CONGENITAL ANOMALIES
		Each anomaly is assigned a separate position, and the code structure for each anomaly (position) is:
		<pre>1 Anomaly reported 2 Anomaly not reported 8 Anomaly not on certificate 9 Anomaly not classifiable</pre>
279	1	ANEN Anencephalus
280	1	SPINA Spina bifida/Meningocele
281	1	HYDRO Hydrocephalus
282	1	MICROCE Microcephalus
283	1	NERVOUS Other central nervous system anomalies
284	1	HEART Heart malformations
285	1	<pre>CIRCUL Other circulatory/respiratory anomalies</pre>
286	1	RECTAL Rectal atresia/stenosis
287	1	TRACHEO Tracheo - esophageal fistula/Esophageal atresia

Item Location	Item <u>Length</u>	Variable Name, Item and Code Outline
288	1	OMPHALO Omphalocele/Gastroschisis
289	1	GASTRO Other gastrointestinal anomalies
290	1	GENITAL Malformed genitalia
291	1	RENALAGE Renal agenesis
292	1	UROGEN Other urogenital anomalies
293	1	CLEFTLP Cleft lip/palate
294	1	ADACTYLY Polydactyly/Syndactyly/Adactyly
295	1	CLUBFOOT Club foot
296	1	HERNIA Diaphragmatic hernia
297	1	MUSCULO Other musculoskeletal/integumental anomalies
298	1	DOWNS Down's syndrome
299	1	CHROMO Other chromosomal anomalies
300	1	OTHERCON Other Congenital Anomalies

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
301-314	14	UCAUSE UNDERLYING CAUSE OF FETAL DEATH
301-304	4	DETICD ICD CODE (9TH REVISION)
		See the "International Classification of Diseases", 1975 Revision, Volume 1. For injuries and poisoning, the external cause is coded (E800-E999) rather than the Nature of Injury (800-999). These positions do not include the letter E for the external cause of injury. For those causes that do not have a 4th digit, location 304 is blank.
305	1	Reserved Position
306-308	3	<u>C72</u> 72 Cause Recode
		A recode of the ICD cause code into 72 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.
		010-770 Code range (not inclusive)
309-314	6	Reserved Positions

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
315-339	25	FLRES REPORTING FLAGS FOR PLACE OF RESIDENCE
		These positions contain flags to indicate whether or not the specified item is included in the report of fetal death of the State of residence identified in positions 31-32.
		The code structure for each flag (position) is:
		<pre>0 The item is not reported 1 The item is reported</pre>
315	1	GESTALL All Gestations Reported
316	1	ORIGM Origin of mother
317	1	ORIGE Origin of father
318	1	EDUCM Education of mother
319	1	EDUCF Education of father
320	1	LLBF Date of last live birth
321	1	DMARF Marital status
322	1	DATELMP Date of last normal menses
323	1	<u>PNCF</u> Month prenatal care began
324	1	PNVF Number of prenatal visits
325	1	GESTE Clinical estimate of gestation
326	1	<pre>DELMETRF Method of delivery</pre>
327	1	MEDRSK Medical risk factors

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline
328	1	TOBUSE Tobacco use
329	1	<u>CIGARSF</u> Number of cigarettes
330	1	ALCUSE Alcohol use
331	1	DRINKSF Number of drinks
332	1	WTGN Weight gain
333	1	OBSTRC Obstetric procedures
334	1	<pre>CLABOR Complications of labor and/or delivery</pre>
335	1	<u>CONGAN</u> Congenital anomalies
336	1	<u>UCF</u> Underlying cause
337	1	PLURALF Plurality
338-339	2	Reserved positions
340	1	ALL GESTATIONS REPORTING FLAG FOR PLACE OF OCCURRENCE
		This position indicates whether or not all gestation periods are reported by the State of occurrence identified in positions 15-16.

0 ... All gestations are not reported 1 ... All gestations are reported

Item <u>Location</u>	Item <u>Length</u>	Variable Name, Item and Code Outline
341	1	GESTCIMP Computed Gestation Imputation Flag
		Gestation is imputed if day of LMP is the only item unknown of the items used to compute gestation.
		Blank Gestation is not imputed 1 Gestation is imputed
342-343	2	GESTCOMP Computed Gestation
		This item is computed using dates of last normal menses and delivery.
		02-47 2nd through 47th week of gestation 99 Unknown
344-345	2	MAGECOMP Computed Age of Mother
		This item is computed using dates of delivery and of birth of mother and is computed if, at least, year of birth of mother is known.
		10-49 Age in single years 99 Unknown
346-347	2	FAGECOMP Computed Age of Father
		This item is computed using dates of delivery and of birth of father and is computed if, at least, year of birth of father is known.
		10-98 Age is single years 99 Unknown

Item Location	Item <u>Length</u>	Variable Name, <pre>Item and Code Outline</pre>
348-349	2	<u>SN</u> Shipment Number
		01-nn Shipments from each reporting area are numbered consecutively.
350	1	RPRTAREA Reporting Area
		These codes used with the State of occurrence codes, locations 17-18, identify separate reporting areas.
		1 Bronx borough, Bronx county
		2 Brooklyn borough, Kings county
		3 Manhattan borough, New York county
		4 Queens borough, Queens county
		5 Staten island borough, Richmond county
		6 Chicago
		0 All other areas
351-356	6	CERTNUMB Certificate Number

Assigned within reporting area.

Item Location	Item <u>Length</u>	Variable Name,  Item and Code Outline
357-359	3	<pre>SMSARES NCHS Primary Metropolitan Statistical Area (PMSA/MSA) Of Residence</pre>
		Based on residence of the mother. Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those defined by the U.S. Office of Management and Budget (OMB) as of 1990. For New England, the New England County Metropolitan Areas (NECMA's) are used.
		Further back in this document is a list of SMSA's and their component counties.
		000 Nonmetropolitan counties 001-311 Code range ZZZ Foreign residents
360	1	POPSMAS PMSA/MSA Population Size
		Based on the results of the 1990 Census.
		1 MSA of 250,000 and over 2 MSA of 100,000 to 250,000 3 MSA of less than 100,000 9 Nonmetropolitan area Z Foreign resident