References and Bibliography

Joint Commission of Accreditation of Healthcare Organizations Standards. Available from URL: http://www.jcaho.org. 2000.

NCCN Practice Guidelines for the Management of Psychosocial Distresss. Oncology 1999;13:113-47.

National Comprehensive Cancer Network: NCCN Practice Guidelines for the Management of Psychosocial Distresss. Oncology 1999;13:113-47.

8 Gy single fraction radiotherapy for the treatment of metastatic skeletal pain: randomised comparison with a multifraction schedule over 12 months of patient follow-up. Bone Pain Trial Working Party. Radiother Oncol 1999;52(2):111-21.

SEER Cancer Statistics Review, 1973-1996. Bethesda, MD: National Cancer Institute; 1999

Sucralfate stimulation of gastric PGE2 synthesis -- possible mechanism to explain its effective cytoprotective properties. Gastroenterology 1984;86:1164.

Abergel RP, Lyons RF, Castel JC et al. Biostimulation of wound healing by lasers: experimental approaches in animal models and in fibroblast cultures. J Dermatol Surg Oncol 1987 Feb;13(2):127-33.

Abergel RP, Meeker CA, Lam TS et al. Control of connective tissue metabolism by lasers: recent developments and future prospects. J Am Acad Dermatol 1984 Dec;11(6):1142-50.

Adamietz IA, Rahn R, Bottcher HD et al. [Prevention of radiochemotherapy-induced mucositis. Value of the prophylactic mouth rinsing with PVP-iodine solution]. Strahlenther Onkol 1998 Mar;174(3):149-55.

Addy M, Wright R. Comparison of the in vivo and in vitro antibacterial properties of providone iodine and chlorhexidine gluconate mouthrinses. J Clin Periodontol 1978 Aug;5(3):198-205.

Ahles TA, Tope DM, Pinkson B et al. Massage therapy for patients undergoing autologous bone marrow transplantation. J Pain Symptom Manage 1999 Sep;18(3):157-63.

Ahles TA, Ruckdeschel JC, Blanchard EB. Cancer-related pain--I. Prevalence in an outpatient setting as a function of stage of disease and type of cancer. J Psychosom Res 1984;28(2):115-9.

Ahsberg E, Furst CJ. Dimensions of fatigue during radiotherapy--an application of the Swedish Occupational Fatigue Inventory (SOFI) on cancer patients. Acta Oncol 2001;40(1):37-43.

Akechi T, Kugaya A, Okamura H et al. Fatigue and its associated factors in ambulatory cancer patients: a preliminary study. J Pain Symptom Manage 1999 Jan;17(1):42-8.

Alexander PJ, Dinesh N, Vidyasagar MS. Psychiatric morbidity among cancer patients and its relationship with awareness of illness and expectations about treatment outcome. Acta Oncol 1993;32(6):623-6.

Allison RR, Vongtama V, Vaughan J et al. Symptomatic acute mucositis can be minimized or prophylaxed by the combination of sucralfate and fluconazole. Cancer Invest 1995;13(1):16-22.

Alper BS, Lewis PR. Does treatment of acute herpes zoster prevent or shorten postherpetic neuralgia? J Fam Pract 2000 Mar;49(3):255-64.

Altmann S, Hoffmanns H. [Cytoprotection with amifostine in radiotherapy or radio-chemotherapy of head and neck tumors]. Strahlenther Onkol 1999 Nov;175 Suppl 4:30-3.

American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders. 4thed. Washington, D.C.: American Psychiatric Association; 1994

Anderson PM, Schroeder G, Skubitz KM. Oral glutamine reduces the duration and severity of stomatitis after cytotoxic cancer chemotherapy. Cancer 1998 Oct 1;83(7):1433-9.

Andrykowski MA, Curran SL, Lightner R. Off-treatment fatigue in breast cancer survivors: a controlled comparison. J Behav Med 1998 Feb;21(1):1-18.

Arican A, Icli F, Akbulut H et al. The effect of two different doses of oral clodronate on pain in patients with bone metastases. Med Oncol 1999;16(3):204-10.

Arolt V, Fein A, Driessen M et al. Depression and social functioning in general hospital in-patients. J Psychosom Res 1998 Aug;45(2):117-26.

Atkinson A, Barsevick A, Cella D et al. NCCN Practice Guidelines for Cancer-Related Fatigue. Oncology (Huntingt) 2000 Nov;14(11A):151-61.

Balfour HHJ, McMonigal KA, Bean B. Acyclovir therapy of varicella-zoster virus infections in immunocompromised patients. [Review] [18 refs]. J Antimicrob Chemother 1983;12 Suppl B:169-79.

Barker G, Loftus L, Cuddy P et al. The effects of sucralfate suspension and diphenhydramine syrup plus kaolin-pectin on radiotherapy-induced mucositis. Oral Surg Oral Med Oral Pathol 1991 Mar;71(3):288-93.

Beach P, Siebeneck B, Buderer NF et al. Relationship between fatigue and nutritional status in patients receiving radiation therapy to treat lung cancer. Oncol Nurs Forum 2001 Jul;28(6):1027-31.

Beck SL, Falkson G. Prevalence and management of cancer pain in South Africa. Pain 2001;94(1):75-84.

Bensadoun RJ, Franquin JC, Ciais G et al. Low-energy He/Ne laser in the prevention of radiation-induced mucositis. A multicenter phase III randomized study in patients with head and neck cancer. Support Care Cancer 1999 Jul;7(4):244-52.

Berard RM, Boermeester F, Viljoen G. Depressive disorders in an out-patient oncology setting: prevalence, assessment, and management. Psychooncology 1998 Mar;7(2):112-20.

Berger AM, Higginbotham P. Correlates of fatigue during and following adjuvant breast cancer chemotherapy: a pilot study. Oncol Nurs Forum 2000 Oct;27(9):1443-8.

Berger AM. Patterns of fatigue and activity and rest during adjuvant breast cancer chemotherapy. Oncol Nurs Forum 1998 Jan;25(1):51-62.

Berger AM, Kilroy TJ. Oral complications. In: Hellman S and Rosenberg S, editors. Cancer: Principles and practice of oncology. Philadelphia: Lippincott-Raven; 1997. p. 2714-25.

Bernabei R, Gambassi G, Lapane K et al. Management of pain in elderly patients with cancer. SAGE Study Group. Systematic Assessment of Geriatric Drug Use via Epidemiology [see comments]. JAMA 1998;279(23):1877-82.

Bernhoft CH, Skaug N. Oral findings in irradiated edentulous patients. Int J Oral Surg 1985 Oct;14(5):416-27.

Betts RF, Zaky DA, Douglas RG et al. Ineffectiveness of subcutaneous cytosine arabinoside in localized herpes zoster. Ann Intern Med 1975;82(6):778-83.

Bindemann S, Soukop M, Kaye SB. Randomised controlled study of relaxation training. Eur J Cancer 1991;27(2):170-4.

Bjordal K, Kaasa S. Psychometric validation of the EORTC Core Quality of Life Questionnaire, 30-item version and a diagnosis-specific module for head and neck cancer patients. Acta Oncol 1992;31(3):311-21.

Bodey GP, Samonis G, Rolston K. Prophylaxis of candidiasis in cancer patients. Semin Oncol 1990 Jun;17(3 Suppl 6):24-8.

Bonica JJ. The Management of Pain. 2nded. Philadelphia: Lea & Febiger; 1990

Bonica JJ. Treatment of cancer pain: current status and future need. In: Fields HL, Dubner R, and Cervero R, editors. Advances in pain research and therapy. New York: Raven Press, Ltd; 1985

Bottomley A. Depression in cancer patients: a literature review. [Review] [105 refs]. Eur J Cancer Care (Engl) 1998 Sep;7(3):181-91.

Bower JE, Ganz PA, Desmond KA et al. Fatigue in breast cancer survivors: occurrence, correlates, and impact on quality of life. J Clin Oncol 2000 Feb;18(4):743-53.

Breitbart W, Rosenfeld B, Kaim M et al. A randomized, double-blind, placebo-controlled trial of psychostimulants for the treatment of fatigue in ambulatory patients with human immunodeficiency virus disease. Arch Intern Med 2001 Feb 12;161(3):411-20.

Breitbart W, Rosenfeld B, Pessin H et al. Depression, hopelessness, and desire for hastened death in terminally ill patients with cancer. JAMA 2000 Dec 13;284(22):2907-11.

Brescia FJ, Portenoy RK, Ryan M et al. Pain, opioid use, and survival in hospitalized patients with advanced cancer. J Clin Oncol 1992;10(1):149-55.

Bridge LR, Benson P, Pietroni PC et al. Relaxation and imagery in the treatment of breast cancer. BMJ 1988 Nov 5;297(6657):1169-72.

Brincker H. Prevention of mycosis in granulocytopenic patients with prophylactic ketoconazole treatment. Mykosen 1983 May;26(5):242-7.

Brincker H. Prophylactic treatment with miconazole in patients highly predisposed to fungal infection. A placebo-controlled double-blind study. Acta Med Scand 1978;204(1-2):123-8.

Broeckel JA, Jacobsen PB, Horton J et al. Characteristics and correlates of fatigue after adjuvant chemotherapy for breast cancer. J Clin Oncol 1998 May;16(5):1689-96.

Browman GP, Cripps C, Hodson DI et al. Placebo-controlled randomized trial of infusional fluorouracil during standard radiotherapy in locally advanced head and neck cancer. J Clin Oncol 1994 Dec;12(12):2648-53.

Bruera E, Belzile M, Neumann CM et al. Twice-daily versus once-daily morphine sulphate controlled-release suppositories for the treatment of cancer pain. A randomized controlled trial. Support Care Cancer 1999;7(4):280-3.

Bruera E, Brenneis C, Michaud M et al. Association between asthenia and nutritional status, lean body mass, anemia, psychological status, and tumor mass in patients with advanced breast cancer. J Pain Symptom Manage 1989 Jun;4(2):59-63.

Bruera E, Brenneis C, Michaud M et al. Use of the subcutaneous route for the administration of narcotics in patients with cancer pain. Cancer 1988 Jul;62(2):407-11.

Bruera E, Carraro S, Roca E et al. Double-blind evaluation of the effects of mazindol on pain, depression, anxiety, appetite, and activity in terminal cancer patients. Cancer Treat Rep 1986 Feb;70(2):295-8.

Bruera E, Roca E, Cedaro L et al. Action of oral methylprednisolone in terminal cancer patients: a prospective randomized double-blind study. Cancer Treat Rep 1985 Jul;69(7-8):751-4.

Buchanan AG, Riben PD, Rayner EN et al. Nystatin prophylaxis of fungal colonization and infection in granulocytopenic patients: correlation of colonization and clinical outcome. Clin Invest Med 1985;8(2):139-47.

Bukberg J, Penman D, Holland JC. Depression in hospitalized cancer patients. Psychosom Med 1984 May;46(3):199-212.

Buntzel J, Glatzel M, Schuth J et al. [Cytoprotection with amifostine in the framework of radiochemotherapy in previously irradiated head and neck carcinoma]. Strahlenther Onkol 1999 Nov;175 Suppl 4:37-40.

Buntzel J, Kuttner K, Frohlich D et al. Selective cytoprotection with amifostine in concurrent radiochemotherapy for head and neck cancer. Ann Oncol 1998 May;9(5):505-9.

Butow P, Coates A, Dunn S et al. On the receiving end. IV: Validation of quality of life indicators. Ann Oncol 1991 Sep;2(8):597-603.

Capizzi RL. The preclinical basis for broad-spectrum selective cytoprotection of normal tissues from cytotoxic therapies by amifostine. Semin Oncol 1999 Apr;26(2 Suppl 7):3-21.

Caraceni, A., Portenoy, R. K., and and a Working Group of the IASP Task Force on Cancer Pain. An International Survey of Cancer Pain Characteristics and Syndromes. Pain . 1999.
Ref Type: In Press

Carl W, Havens J. The cancer patient with severe mucositis. Curr Rev Pain 2000;4(3):197-202.

Carnel SB, Blakeslee DB, Oswald SG et al. Treatment of radiation- and chemotherapy-induced stomatitis. Otolaryngol Head Neck Surg 1990 Apr;102(4):326-30.

Carr DB, Jacox AK, Chapman CR et al. Acute pain management: operative or medical procedures and trauma. Clinical Practice Guideline No. 1 AHCPR pub. No 92-0032. Rockville, MD: Agency for Health Care Policy and Research, U.S. Department of Health and Human Services; 1992

Cartee L, Petros WP, Rosner GL et al. Evaluation of GM-CSF mouthwash for prevention of chemotherapy-induced mucositis: a randomized, double-blind, dose-ranging study. Cytokine 1995 Jul;7(5):471-7.

Carter DL, Hebert ME, Smink K et al. Double blind randomized trial of sucralfate vs placebo during radical radiotherapy for head and neck cancers. Head Neck 1999 Dec;21(8):760-6.

Cascinu S, Fedeli A, Fedeli SL et al. Oral cooling (cryotherapy), an effective treatment for the prevention of 5-fluorouracil-induced stomatitis. Eur J Cancer B Oral Oncol 1994 Jul;30B(4):234-6.

Caselli D, Arico M, Michelone G et al. Antifungal chemoprophylaxis in cancer children: a prospective randomized controlled study. Microbiologica 1990 Oct;13(4):347-51.

Cassem NH. Depressed patients. In: Cassem NH, Stern TA, and Rosenbaum JF, editors. Massachusetts General Hospital Handbook of General Hospital Psychiatry. St. Louis: Mosby; 1997

Cella D, Davis K, Breitbart W et al. Cancer-related fatigue: prevalence of proposed diagnostic criteria in a United States sample of cancer survivors. J Clin Oncol 2001 Jul 15;19(14):3385-91.

Cella D. The Functional Assessment of Cancer Therapy-Anemia (FACT-An) Scale: a new tool for the assessment of outcomes in cancer anemia and fatigue. Semin Hematol 1997 Jul;34(3 Suppl 2):13-9.

Cengiz M, Ozyar E, Ozturk D et al. Sucralfate in the prevention of radiation-induced oral mucositis. J Clin Gastroenterol 1999 Jan;28(1):40-3.

Cervero P, Laird JMA. Visceral pain. Lancet 1999;353(9170):2145-8.

Ch'ien LT, Whitley RJ, Alford CA et al. Adenine arabinoside for therapy of herpes zoster in immunosuppressed patients: preliminary results of a collaborative study. J Infect Dis 1976;133 Suppl:A184-A191.

Chalder T, Berelowitz G, Pawlikowska T et al. Development of a fatigue scale. J Psychosom Res 1993;37(2):147-53.

Chan CW, Molassiotis A. The impact of fatigue on Chinese cancer patients in Hong Kong. [see comments.]. Support Care Cancer 2001 Jan;9(1):18-24.

Chandrasekar PH, Gatny CM. The effect of fluconazole prophylaxis on fungal colonization in neutropenic cancer patients. Bone Marrow Transplantation Team. J Antimicrob Chemother 1994 Feb;33(2):309-18.

Chang VT, Hwang SS, Feuerman M et al. Symptom and quality of life survey of medical oncology patients at a veterans affairs medical center: a role for symptom assessment. Cancer 2000;88(5):1175-83.

Chapman CR, Garvin J. Suffering: the contributions of persistent pain. The Lancet 1999;353(9171):2233-7.

Chaturvedi SK, Chandra PS, Channabasavanna SM et al. Levels of anxiety and depression in patients receiving radiotherapy in India. Psychooncology 1996;5(4):343-6.

Chaturvedi SK, Shenoy A, Prasad KM et al. Concerns, coping and quality of life in head and neck cancer patients. Support Care Cancer 1996 May;4(3):186-90.

Chen ML, Chang HK, Yeh CH. Anxiety and depression in Taiwanese cancer patients with and without pain. J Adv Nurs 2000 Oct;32(4):944-51.

Chochinov HM, Tataryn D, Clinch JJ et al. Will to live in the terminally ill. Lancet 1999 Sep 4;354(9181):816-9.

Chochinov HM, Wilson KG, Enns M et al. "Are you depressed?" Screening for depression in the terminally ill. Am J Psychiatry 1997 May;154(5):674-6.

Clarkson JE, Worthington HV, Eden OB. Prevention of oral mucositis or oral candidiasis for patients with cancer receiving chemotherapy (excluding head and neck cancer). Cochrane Database Syst Rev 2000;(2):CD000978.

Cleeland CS, Gonin R, Hatfield AK et al. Pain and its treatment in outpatients with metastatic cancer. N Engl J Med 1994 Mar 3;330(9):592-6.

Cleeland CS. Barriers to the management of cancer pain. Oncology (Huntingt) 1987 Apr;1(2 Suppl):19-26.

Cliff AM, MacDonagh RP. Psychosocial morbidity in prostate cancer: II. A comparison of patients and partners. BJU Int 2000 Nov;86(7):834-9.

Clotfelter CE. The effect of an educational intervention on decreasing pain intensity in elderly people with cancer. Oncol Nurs Forum 1999 Jan;26(1):27-33.

Collins JJ, Byrnes ME, Dunkel IJ et al. The measurement of symptoms in children with cancer. J Pain Symptom Manage 2000 May;19(5):363-77.

Colon EA, Callies AL, Popkin MK et al. Depressed mood and other variables related to bone marrow transplantation survival in acute leukemia. Psychosomatics 1991;32(4):420-5.

Conley BA, Ord RA. Current status of retinoids in chemoprevention of oral squamous cell carcinoma: an overview. J Craniomaxillofac Surg 1996 Dec;24(6):339-45.

Cook DJ, Sackett DL, Spitzer WO. Methodologic guidelines for systematic reviews of randomized control trials in health care from the Potsdam Consultation on Meta-Analysis. J Clin Epidemiol 1995 Jan;48(1):167-71.

Costa D, Mogos I, Toma T. Efficacy and safety of mianserin in the treatment of depression of women with cancer. Acta Psychiatr Scand Suppl 1985;320:85-92.

Coyle N, Adelhardt J, Foley KM et al. Character of terminal illness in the advanced cancer patient: pain and other symptoms during the last four weeks of life [see comments]. J Pain Symptom Manage 1990;5(2):83-93.

Crosby V, Wilcock A, Corcoran R. The safety and efficacy of a single dose (500 mg or 1 g) of intravenous magnesium sulfate in neuropathic pain poorly responsive to strong opioid analgesics in patients with cancer. J Pain Symptom Manage 2000;19(1):35-9.

Curt GA, Breitbart W, Cella D et al. Impact of cancer-related fatigue on the lives of patients: new findings from the Fatigue Coalition. Oncologist 2000;5(5):353-60.

Cuttner J, Troy KM, Funaro L et al. Clotrimazole treatment for prevention of oral candidiasis in patients with acute leukemia undergoing chemotherapy. Results of a double-blind study. Am J Med 1986 Nov;81(5):771-4.

Dahm P, Lundborg C, Janson M et al. Comparison of 0.5% intrathecal bupivacaine with 0.5% intrathecal ropivacaine in the treatment of refractory cancer and noncancer pain conditions: results from a prospective, crossover, double-blind, randomized study. Reg Anesth Pain Med 2000 Sep;25(5):480-7.

Daut RL, Cleeland CS, Flanery RC. Development of the Wisconsin Brief Pain Questionnaire to assess pain in cancer and other diseases. Pain 1983 Oct;17(2):197-210.

Daut RL, Cleeland CS. The prevalence and severity of pain in cancer. Cancer 1982;50(9):1913-8.

Davar G, Hans G, Fareed MU et al. Behavioral signs of acute pain produced by application of endothelin-1 to rat sciatic nerve. Neuroreport 1998 Jul 13;9(10):2279-83.

De Pauw BE. Practical modalities for prevention of fungal infections in cancer patients. Eur J Clin Microbiol Infect Dis 1997 Jan;16(1):32-41.

de Wit R, van Dam F, Abu-Saad HH et al. Empirical comparison of commonly used measures to evaluate pain treatment in cancer patients with chronic pain. J Clin Oncol 1999 Apr;17(4):1280.

de Wit R, van Dam F, Hanneman M et al. Evaluation of the use of a pain diary in chronic cancer pain patients at home. Pain 1999 Jan;79(1):89-99.

Dean GE, Spears L, Ferrell BR et al. Fatigue in patients with cancer receiving interferon alpha. Cancer Pract 1995 May;3(3):164-72.

Decker TW, Cline-Elsen J, Gallagher M. Relaxation therapy as an adjunct in radiation oncology. J Clin Psychol 1992 May;48(3):388-93.

Demetri GD, Kris M, Wade J et al. Quality-of-life benefit in chemotherapy patients treated with epoetin alfa is independent of disease response or tumor type: results from a prospective community oncology study. Procrit Study Group. J Clin Oncol 1998 Oct;16(10):3412-25.

Denning DW, Donnelly JP, Hellreigel KP et al. Antifungal prophylaxis during neutropenia or allogeneic bone marrow transplantation: what is the state of the art? Ad HOC Working Group. Chemotherapy 1992;38 Suppl 1:43-9.

Derogatis LR, Morrow GR, Fetting J et al. The prevalence of psychiatric disorders among cancer patients. JAMA 1983 Feb 11;249(6):751-7.

DerSimonian R, Laird N. Meta-analysis in clinical trials. Control Clin Trials 1986 Sep;7(3):177-88.

Devine EC, Westlake SK. The effects of psychoeducational care provided to adults with cancer: meta-analysis of 116 studies. Oncol Nurs Forum 1995 Oct;22(9):1369-81.

Diel IJ, Solomayer EF, Costa SD et al. Reduction in new metastases in breast cancer with adjuvant clodronate treatment [see comments]. N Engl J Med 1998;339(6):357-63.

Dimeo F, Rumberger BG, Keul J. Aerobic exercise as therapy for cancer fatigue. Med Sci Sports Exerc 1998 Apr;30(4):475-8.

Dimeo F, Bertz H, Finke J et al. An aerobic exercise program for patients with haematological malignancies after bone marrow transplantation. Bone Marrow Transplant 1996 Dec;18(6):1157-60.

Dimeo FC, Stieglitz RD, Novelli-Fischer U et al. Effects of physical activity on the fatigue and psychologic status of cancer patients during chemotherapy. Cancer 1999 May 15;85(10):2273-7.

Dodd MJ, Dibble S, Miaskowski C et al. A comparison of the affective state and quality of life of chemotherapy patients who do and do not develop chemotherapy-induced oral mucositis. J Pain Symptom Manage 2001 Jun;21(6):498-505.

Dodd MJ, Miaskowski C, Shiba GH et al. Risk factors for chemotherapy-induced oral mucositis: dental appliances, oral hygiene, previous oral lesions, and history of smoking. Cancer Invest 1999;17(4):278-84.

Dodd MJ, Larson PJ, Dibble SL et al. Randomized clinical trial of chlorhexidine versus placebo for prevention of oral mucositis in patients receiving chemotherapy. Oncol Nurs Forum 1996 Jul;23(6):921-7.

Donnelly S, Walsh D, Rybicki L. The symptoms of advanced cancer: identification of clinical and research priorities by assessment of prevalence and severity. J Palliat Care 1995;11(1):27-32.

Dorr W, Jacubek A, Kummermehr J et al. Effects of stimulated repopulation on oral mucositis during conventional radiotherapy. Radiother Oncol 1995 Nov;37(2):100-7.

Du Pen SL, Du Pen AR, Polissar N et al. Implementing guidelines for cancer pain management: results of a randomized controlled clinical trial. J Clin Oncol 1999 Jan;17(1):361-70.

Duenas-Gonzalez A, Sobrevilla-Calvo P, Frias-Mendivil M et al. Misoprostol prophylaxis for high-dose chemotherapy-induced mucositis: a randomized double-blind study. Bone Marrow Transplant 1996 May;17(5):809-12.

Egger M, Smith GD, Phillips AN. Meta-analysis: principles and procedures. BMJ 1997 Dec 6;315(7121):1533-7.

Eija K, Tiina T, Pertti NJ. Amitriptyline effectively relieves neuropathic pain following treatment of breast cancer. Pain 1996 Feb;64(2):293-302.

Eisenberg E, Berkey CS, Carr DB et al. Efficacy and safety of nonsteroidal antiinflammatory drugs for cancer pain: a meta-analysis. J Clin Oncol 1994 Dec;12(12):2756-65.

Emanuel EJ, Fairclough DL, Daniels ER et al. Euthanasia and physician-assisted suicide: attitudes and experiences of oncology patients, oncologists, and the public. [see comments.]. Lancet 1996 Jun 29;347(9018):1805-10.

Endicott J. Measurement of depression in patients with cancer. Cancer 1984 May 15;53(10 Suppl):2243-9.

Epstein JB, Wong FL. The efficacy of sucralfate suspension in the prevention of oral mucositis due to radiation therapy. Int J Radiat Oncol Biol Phys 1994 Feb 1;28(3):693-8.

Epstein JB, Vickars L, Spinelli J et al. Efficacy of chlorhexidine and nystatin rinses in prevention of oral complications in leukemia and bone marrow transplantation. Oral Surg Oral Med Oral Pathol 1992 Jun;73(6):682-9.

Epstein JB, Stevenson-Moore P, Jackson S et al. Prevention of oral mucositis in radiation therapy: a controlled study with benzydamine hydrochloride rinse. Int J Radiat Oncol Biol Phys 1989 Jun;16(6):1571-5.

Epstein JB, Stevenson-Moore P. Benzydamine hydrochloride in prevention and management of pain in oral mucositis associated with radiation therapy. Oral Surg Oral Med Oral Pathol 1986 Aug;62(2):145-8.

Epstein JB. Benzydamine HCL in prevention of oropharyngeal mucositis in radiation therapy: Literature review and clinical study. Res Clin Forum 1986;10:91-7.

Espie CA, Freedlander E, Campsie LM et al. Psychological distress at follow-up after major surgery for intra-oral cancer. J Psychosom Res 1989;33(4):441-8.

Evans DL, McCartney CF, Nemeroff CB et al. Depression in women treated for gynecological cancer: clinical and neuroendocrine assessment. Am J Psychiatry 1986 Apr;143(4):447-52.

Fawzy FI, Cousins N, Fawzy NW et al. A structured psychiatric intervention for cancer patients. I. Changes over time in methods of coping and affective disturbance. Arch Gen Psychiatry 1990 Aug;47(8):720-5.

Feber T. Management of mucositis in oral irradiation. Clin Oncol (R Coll Radiol) 1996;8(2):106-11.

Felson DT. Bias in meta-analytic research. J Clin Epidemiol 1992 Aug;45(8):885-92.

Ferrell BR, Ferrell BA. Pain in the Elderly. A report of the Task Force on Pain in the Elderly of the International Association for the Study of Pain. Seattle: IASP Press; 1996

Ferretti GA, Raybould TP, Brown AT et al. Chlorhexidine prophylaxis for chemotherapy- and radiotherapy-induced stomatitis: a randomized double-blind trial. Oral Surg Oral Med Oral Pathol 1990 Mar;69(3):331-8.

Ferretti GA, Ash RC, Brown AT et al. Control of oral mucositis and candidiasis in marrow transplantation: a prospective, double-blind trial of chlorhexidine digluconate oral rinse. Bone Marrow Transplant 1988 Sep;3(5):483-93.

Ferretti GA, Ash RC, Brown AT et al. Chlorhexidine for prophylaxis against oral infections and associated complications in patients receiving bone marrow transplants. J Am Dent Assoc 1987 Apr;114(4):461-7.

Fidler P, Loprinzi CL, O'Fallon JR et al. Prospective evaluation of a chamomile mouthwash for prevention of 5-FU-induced oral mucositis. Cancer 1996 Feb 1;77(3):522-5.

Field MJ, Cassel CKe. Approaching death. Improving care at end of life. Institude of Medicine. Washington, D.C.: National Academy Press; 1997

Foley KM. The treatment of cancer pain. N Engl J Med 1985;313(2):84-95.

Foote RL, Loprinzi CL, Frank AR et al. Randomized trial of a chlorhexidine mouthwash for alleviation of radiation-induced mucositis. J Clin Oncol 1994 Dec;12(12):2630-3.

Forester B, Kornfeld DS, Fleiss JL. Psychotherapy during radiotherapy: effects on emotional and physical distress. Am J Psychiatry 1985 Jan;142(1):22-7.

Fossa SD, Curran D, Aaronson NK et al. Quality of life of patients with newly diagnosed poor prognosis M1 prostate cancer undergoing orchiectomy without or with mitomycin C. Results from the EORTC Phase-III trial 30893. Eur Urol 2000;37(5):541-51.

Franzen L, Henriksson R, Littbrand B et al. Effects of sucralfate on mucositis during and following radiotherapy of malignancies in the head and neck region. A double-blind placebo-controlled study. Acta Oncol 1995;34(2):219-23.

Fuccella LM, Conti F, Corvi G et al. Double-blind study of the analgesic effect of indoprofen (K 4277). Clin Pharmacol Ther 1975;17(3):277-83.

Furst CJ, Ahsberg E. Dimensions of fatigue during radiotherapy. An application of the Multidimensional Fatigue Inventory. Support Care Cancer 2001 Jul;9(5):355-60.

Gabrilove JL, Cleeland CS, Livingston RB et al. Clinical evaluation of once-weekly dosing of epoetin alfa in chemotherapy patients: improvements in hemoglobin and quality of life are similar to three-times-weekly dosing. J Clin Oncol 2001 Jun 1;19(11):2875-82.

Gaston-Johansson F, Fall-Dickson JM, Nanda J et al. The effectiveness of the comprehensive coping strategy program on clinical outcomes in breast cancer autologous bone marrow transplantation. Cancer Nurs 2000 Aug;23(4):277-85.

Gaston-Johansson F, Fall-Dickson JM, Bakos AB et al. Fatigue, pain, and depression in pre-autotransplant breast cancer patients. Cancer Pract 1999 Sep;7(5):240-7.

Geels P, Eisenhauer E, Bezjak A et al. Palliative effect of chemotherapy: objective tumor response is associated with symptom improvement in patients with metastatic breast cancer. J Clin Oncol 2000;18(12):2395-405.

Ger LP, Ho ST, Wang JJ et al. The prevalence and severity of cancer pain: a study of newly-diagnosed cancer patients in Taiwan. J Pain Symptom Manage 1998;15(5):285-93.

Gerteis MG, Edgman-Levitan S, Daley J et al. Through the patient's eyes. Understanding and promoting patient-centered care. The Jossey-Bass Health Series. San Francisco: Jossey-Bass Publishers; 1999

Gessner U, Koeberle D, Thuerlimann B et al. Economic analysis of terminal care for patients with malignant osteolytic bone disease and pain treated with pamidronate. Support Care Cancer 2000;8(2):115-22.

Gilbert MR, Grossman SA. Incidence and nature of neurologic problems in patients with solid tumors. Am J Med 1986;81(6):951-4.

Girod SC, Pfahl M. Retinoid actions and implications for prevention and therapy of oral cancer. Int J Oral Maxillofac Surg 1996 Feb;25(1):69-73.

Given CW, Given B, Azzouz F et al. Predictors of pain and fatigue in the year following diagnosis among elderly cancer patients. J Pain Symptom Manage 2001 Jun;21(6):456-66.

Glaspy J, Bukowski R, Steinberg D et al. Impact of therapy with epoetin alfa on clinical outcomes in patients with nonmyeloid malignancies during cancer chemotherapy in community oncology practice. Procrit Study Group. J Clin Oncol 1997 Mar;15(3):1218-34.

Glaus A, Crow R, Hammond S. A qualitative study to explore the concept of fatigue/tiredness in cancer patients and in healthy individuals. [see comments.]. Support Care Cancer 1996 Mar;4(2):82-96.

Glaus A. Assessment of fatigue in cancer and non-cancer patients and in healthy individuals. [see comments.]. Support Care Cancer 1993 Nov;1(6):305-15.

Golden RN, McCartney CF, Haggerty JJ, Jr. et al. The detection of depression by patient self-report in women with gynecologic cancer. International Journal of Psychiatry in Medicine 1991;21(1):17-27.

Goudas L, Carr DB, Bloch R et al. Management of Cancer Pain. Evidence Report/Technology Assessment No. 35 (Prepared by the New England Medical Center Evidence-based Practice Center under Contract No 290-97-0019). AHRQ Publication No. 02-E002. Rockville, MD: Agency for Healthcare Research and Quality; 2001

Grandi S, Eava GA, Cunsoln A et al. Major depression associated with masectomy. Med Sci Res 1987;15:283-4.

Grassi L, Indelli M, Marzola M et al. Depressive symptoms and quality of life in home-care-assisted cancer patients. J Pain Symptom Manage 1996 Nov;12(5):300-7.

Greenberg DB, Gray JL, Mannix CM et al. Treatment-related fatigue and serum interleukin-1 levels in patients during external beam irradiation for prostate cancer. J Pain Symptom Manage 1993 May;8(4):196-200.

Greenberg DB, Sawicka J, Eisenthal S et al. Fatigue syndrome due to localized radiation. J Pain Symptom Manage 1992 Jan;7(1):38-45.

Greenwald HP, Bonica JJ, Bergner M. The prevalence of pain in four cancers. Cancer 1987;60(10):2563-9.

Gregoire G, Derderian F, Le Lorier J. Selecting the language of the publications included in a meta-analysis: is there a Tower of Babel bias? J Clin Epidemiol 1995 Jan;48(1):159-63.

Groenvold M, Fayers PM, Sprangers MA et al. Anxiety and depression in breast cancer patients at low risk of recurrence compared with the general population: a valid comparison? J Clin Epidemiol 1999 Jun;52(6):523-30.

Grond S, Radbruch L, Meuser T et al. Assessment and treatment of neuropathic cancer pain following WHO guidelines. Pain 1999;79(1):15-20.

Grond S, Zech D, Diefenbach C et al. Assessment of cancer pain: a prospective evaluation in 2266 cancer patients referred to a pain service. Pain 1996;64(1):107-14.

Groopman JE, Molina JM, Scadden DT. Hematopoietic growth factors. Biology and clinical applications. N Engl J Med 1989 Nov 23;321(21):1449-59.

Hall A, A'Hern R, Fallowfield L. Are we using appropriate self-report questionnaires for detecting anxiety and depression in women with early breast cancer? Eur J Cancer 1999 Jan;35(1):79-85.

Hammerlid E, Ahlner-Elmqvist M, Bjordal K et al. A prospective multicentre study in Sweden and Norway of mental distress and psychiatric morbidity in head and neck cancer patients. Br J Cancer 1999 May;80(5-6):766-74.

Hann DM, Garovoy N, Finkelstein B et al. Fatigue and quality of life in breast cancer patients undergoing autologous stem cell transplantation: a longitudinal comparative study. J Pain Symptom Manage 1999 May;17(5):311-9.

Hann DM, Jacobsen PB, Azzarello LM et al. Measurement of fatigue in cancer patients: development and validation of the Fatigue Symptom Inventory. Qual Life Res 1998 May;7(4):301-10.

Hanson WR, Marks JE, Reddy SP et al. Protection from radiation-induced oral mucositis by a mouth rinse containing the prostaglandin E1 analog, Misoprostol: A placebo-controlled double blind trial. In: Honn K, editors. Eicosanoids and other bioactive lipids in cancer, inflammation and radiation injury 2. New York: Plenum Press; 1997

Hanson WR, Marks JE, Reddy SP et al. Protection from Radiation-Induced Oral Mucositis by Misoprostol, a Prostaglandin E(1) Analog: A Placebo-Controlled, Double-Blind Clinical Trial. Am J Ther 1995 Nov;2(11):850-7.

Hardman A, Maguire P, Crowther D. The recognition of psychiatric morbidity on a medical oncology ward. J Psychosom Res 1989;33(2):235-9.

Heiskanen TE, Ruismaki PM, Seppala TA et al. Morphine or oxycodone in cancer pain? Acta Oncol 2000;39(8):941-7.

Helgason S, Petursson G, Gudmundsson S et al. Prevalence of postherpetic neuralgia after a first episode of herpes zoster: prospective study with long term follow up. BMJ 2000 Sep 30;321(7264):794-6.

Henderson JM, Ord RA. Suicide in head and neck cancer patients. J Oral Maxillofac Surg 1997 Nov;55(11):1217-21.

Henry DH, Brooks BJ, Jr., Case DC, Jr. et al. Recombinant Human Erythropoietin Therapy for Anemic Cancer Patients Receiving Cisplatin Chemotherapy. Cancer J Sci Am 1995 Nov;1(4):252.

Herrmann C, Brand-Driehorst S, Kaminsky B et al. Diagnostic groups and depressed mood as predictors of 22-month mortality in medical inpatients. Psychosom Med 1998 Sep;60(5):570-7.

Hickok JT, Morrow GR, McDonald S et al. Frequency and correlates of fatigue in lung cancer patients receiving radiation therapy: implications for management. J Pain Symptom Manage 1996 Jun;11(6):370-7.

Higginson IJ, Hearn J. A multicenter evaluation of cancer pain control by palliative care teams. [Review] [41 refs]. J Pain Symptom Manage 1997;14(1):29-35.

Hiraga K, Mizuguchi T, Takeda F. The incidence of cancer pain and improvement of pain management in Japan. Postgraduate Medical Journal 1991;67 Suppl 2:S14-S25.

Hjermstad MJ, Loge JH, Evensen SA et al. The course of anxiety and depression during the first year after allogeneic or autologous stem cell transplantation. Bone Marrow Transplant 1999 Dec;24(11):1219-28.

Hjermstad MJ, Fossa SD, Bjordal K et al. Test/retest study of the European Organization for Research and Treatment of Cancer Core Quality-of-Life Questionnaire. J Clin Oncol 1995 May;13(5):1249-54.

Holland JC, Romano SJ, Heiligenstein JH et al. A controlled trial of fluoxetine and desipramine in depressed women with advanced cancer. Psycho-Oncology 1998 Jul;7(4):291-300.

Holland JC, Morrow GR, Schmale A et al. A randomized clinical trial of alprazolam versus progressive muscle relaxation in cancer patients with anxiety and depressive symptoms. J Clin Oncol 1991 Jun;9(6):1004-11.

Holley S, Borger D. Energy for living with cancer: preliminary findings of a cancer rehabilitation group intervention study. Oncol Nurs Forum 2001 Oct;28(9):1393-6.

Holley SK. Evaluating patient distress from cancer-related fatigue: an instrument development study. Oncol Nurs Forum 2000 Oct;27(9):1425-31.

Hopwood P, Stephens RJ. Depression in patients with lung cancer: prevalence and risk factors derived from quality-of-life data. J Clin Oncol 2000 Feb;18(4):893-903.

Hopwood P, Howell A, Maguire P. Screening for psychiatric morbidity in patients with advanced breast cancer: validation of two self-report questionnaires. Br J Cancer 1991 Aug;64(2):353-6.

Hopwood P, Howell A, Maguire P. Psychiatric morbidity in patients with advanced cancer of the breast: prevalence measured by two self-rating questionnaires. Br J Cancer 1991 Aug;64(2):349-52.

Horiot JC, Le Fur R, N'Guyen T et al. Hyperfractionation versus conventional fractionation in oropharyngeal carcinoma: final analysis of a randomized trial of the EORTC cooperative group of radiotherapy. Radiother Oncol 1992 Dec;25(4):231-41.

Howell SJ, Radford JA, Smets EM et al. Fatigue, sexual function and mood following treatment for haematological malignancy: the impact of mild Leydig cell dysfunction. Br J Cancer 2000 Feb;82(4):789-93.

Huang EY, Leung SW, Wang CJ et al. Oral glutamine to alleviate radiation-induced oral mucositis: a pilot randomized trial. Int J Radiat Oncol Biol Phys 2000 Feb 1;46(3):535-9.

Hultborn R, Gundersen S, Ryden S et al. Efficacy of pamidronate in breast cancer with bone metastases: a randomized, double-blind placebo-controlled multicenter study. Anticancer Res 1999 Jul;19(4C):3383-92.

Hunt R, Fazekas B, Thorne D et al. A comparison of subcutaneous morphine and fentanyl in hospice cancer patients. J Pain Symptom Manage 1999 Aug;18(2):111-9.

Hurny C, Bernhard J, Joss R et al. "Fatigue and malaise" as a quality-of-life indicator in small-cell lung cancer patients. The Swiss Group for Clinical Cancer Research (SAKK). [see comments.]. Support Care Cancer 1993 Nov;1(6):316-20.

Ibbotson T, Maguire P, Selby P et al. Screening for anxiety and depression in cancer patients: the effects of disease and treatment. Eur J Cancer 1994;30A(1):37-40.

Irvine D, Vincent L, Graydon JE et al. The prevalence and correlates of fatigue in patients receiving treatment with chemotherapy and radiotherapy. A comparison with the fatigue experienced by healthy individuals. Cancer Nurs 1994 Oct;17(5):367-78.

Irvine DM, Vincent L, Graydon JE et al. Fatigue in women with breast cancer receiving radiation therapy. Cancer Nurs 1998 Apr;21(2):127-35.

Jackson JL, Gibbons R, Meyer G et al. The effect of treating herpes zoster with oral acyclovir in preventing postherpetic neuralgia. A meta-analysis. Arch Intern Med 1997 Apr 28;157(8):909-12.

Jacobsen PB, Hann DM, Azzarello LM et al. Fatigue in women receiving adjuvant chemotherapy for breast cancer: characteristics, course, and correlates. J Pain Symptom Manage 1999 Oct;18(4):233-42.

Jacox A, Carr DB, Payne R et al. Management of Cancer Pain. Clinical Practice Guideline. AHCPR Publication No. 94-0592ed. Rockville: Agency for Health Care Policy and Research. U.S. Department of Health and Human Services; 1994

Jadad-Bechara AR. Meta-analysis of randomised clinical trials in pain relief [Doctoral thesis]. Oxford: University of Oxford; 1994

Jadad AR, Moore RA, Carroll D et al. Assessing the quality of reports of randomized clinical trials: is blinding necessary? Control Clin Trials 1996 Feb;17(1):1-12.

Jansen SJ, Stiggelbout AM, Nooij MA et al. Response shift in quality of life measurement in early-stage breast cancer patients undergoing radiotherapy. Qual Life Res 2000;9(6):603-15.

Jebb SA, Osborne RJ, Maughan TS et al. 5-fluorouracil and folinic acid-induced mucositis: no effect of oral glutamine supplementation. Br J Cancer 1994 Oct;70(4):732-5.

Johnston B. Relief of mixed anxiety-depression in terminal cancer patients. Effect of thioridazine. New York State Journal of Medicine 1972 Sep 15;72(18):2315-7.

Joly F, Henry-Amar M, Arveux P et al. Late psychosocial sequelae in Hodgkin's disease survivors: a French population-based case-control study. J Clin Oncol 1996 Sep;14(9):2444-53.

Jones R, Pearson J, McGregor S et al. Randomised trial of personalised computer based information for cancer patients. BMJ 1999 Nov 6;319(7219):1241-7.

Joranson DE, Gilson AM, Dahl JL et al. Pain management, controlled substances, and state medical board policy: a decade of change. J Pain Symptom Manage 2002 Feb;23(2):138-47.

Joranson DE, Gilson AM. Regulatory barriers to pain management. Semin Oncol Nurs 1998 May;14(2):158-63.

Kaanders JH, Pop LA, Uitterhoeve RJ et al. Prevention of irradiation mucositis in the oral cavity and oropharynx by PTA lozenges. In: editors. 35th Annual ASTRO Meeting. New Orleans: Pergamon Press; 1993. p. 253.

Kaasa S, Loge JH, Knobel H et al. Fatigue. Measures and relation to pain. Acta Anaesthesiol Scand 1999 Oct;43(9):939-47.

Kaasa S, Bjordal K, Aaronson N et al. The EORTC core quality of life questionnaire (QLQ-C30): validity and reliability when analysed with patients treated with palliative radiotherapy. Eur J Cancer 1995 Dec;31A(13-14):2260-3.

Kalso E, Tasmuth T, Neuvonen PJ. Amitriptyline effectively relieves neuropathic pain following treatment of breast cancer. Pain 1996 Feb;64(2):293-302.

Kannan V, Bapsy PP, Anantha N et al. Efficacy and safety of granulocyte macrophage-colony stimulating factor (GM-CSF) on the frequency and severity of radiation mucositis in patients with head and neck carcinoma. Int J Radiat Oncol Biol Phys 1997 Mar 15;37(5):1005-10.

Kantoff PW, Halabi S, Conaway M et al. Hydrocortisone with or without mitoxantrone in men with hormone-refractory prostate cancer: results of the cancer and leukemia group B 9182 study. J Clin Oncol 1999 Aug;17(8):2506-13.

Karthaus M, Rosenthal C, Huebner G et al. Effect of topical oral G-CSF on oral mucositis: a randomised placebo-controlled trial. Bone Marrow Transplant 1998;22(8):781-5.

Kathol RG, Mutgi A, Williams J et al. Diagnosis of major depression in cancer patients according to four sets of criteria. Am J Psychiatry 1990 Aug;147(8):1021-4.

Kelsen DP, Portenoy RK, Thaler HT et al. Pain and depression in patients with newly diagnosed pancreas cancer. J Clin Oncol 1995;13(3):748-55.

Kessler RC, McGonagle KA, Zhao S et al. Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. Results from the National Comorbidity Survey. Arch Gen Psychiatry 1994 Jan;51(1):8-19.

Kharchenko OV, Cernjuk VN, Butovich IA. [Inhibitory effect of linoleyl-hydroxamic acid on the oxidation of linoleic acid by 12-lipoxygenase from porcine leukocytes]. Ukr Biokhim Zh 1999 Jan;71(1):33-7.

Kim JH, Chu F, Lakshmi V et al. A clinical study of benzydamine for the treatment of radiotherapy-induced mucositis of the oropharynx. Int J Tissue React 1985;7(3):215-8.

King KB, Nail LM, Kreamer K et al. Patients' descriptions of the experience of receiving radiation therapy. Oncol Nurs Forum 1985 Jul;12(4):55-61.

Klimberg VS, Souba WW, Dolson DJ et al. Prophylactic glutamine protects the intestinal mucosa from radiation injury. Cancer 1990 Jul 1;66(1):62-8.

Knobel H, Havard LJ, Brit LM et al. Late medical complications and fatigue in Hodgkin's disease survivors. J Clin Oncol 2001 Jul 1;19(13):3226-33.

Knobel H, Loge JH, Nordoy T et al. High level of fatigue in lymphoma patients treated with high dose therapy. J Pain Symptom Manage 2000 Jun;19(6):446-56.

Knobf MT. Physical and psychologic distress associated with adjuvant chemotherapy in women with breast cancer. J Clin Oncol 1986 May;4(5):678-84.

Kobashi-Schoot JA, Hanewald GJ, van Dam FS et al. Assessment of malaise in cancer patients treated with radiotherapy. Cancer Nurs 1985 Dec;8(6):306-13.

Koeberle D, Bacchus L, Thuerlimann B et al. Pamidronate treatment in patients with malignant osteolytic bone disease and pain: a prospective randomized double-blind trial [see comments]. Support Care Cancer 1999;7(1):21-7.

Kramer JA, Curran D, Piccart M et al. Randomised trial of paclitaxel versus doxorubicin as first-line chemotherapy for advanced breast cancer: quality of life evaluation using the EORTC QLQ-C30 and the Rotterdam symptom checklist. Eur J Cancer 2000;36(12):1488-97.

Kyriaki M, Eleni T, Efi P et al. The EORTC core quality of life questionnaire (QLQ-C30, version 3.0) in terminally ill cancer patients under palliative care: validity and reliability in a Hellenic sample. Int J Cancer 2001 Oct 1;94(1):135-9.

Labar B, Mrsic M, Pavletic Z et al. Prostaglandin E2 for prophylaxis of oral mucositis following BMT. Bone Marrow Transplant 1993 May;11(5):379-82.

Lancaster T, Silagy C, Gray S. Primary care management of acute herpes zoster: systematic review of evidence from randomized controlled trials. Br J Gen Pract 1995 Jan;45(390):39-45.

Landis SH, Bolden S, Wingo PA. Cancer Statistics. CA: A Cancer Journal for Clinicians 1999;49(1):8-11.

Lang SS, Patt RB. You Don't Have to Suffer. A Complete Guide to Relieving Cancer Pain for Patients and Their Families. New York: Oxford University Press; 1994

Langendijk JA, Aaronson NK, de Jong JM et al. Prospective study on quality of life before and after radical radiotherapy in non-small-cell lung cancer. J Clin Oncol 2001 Apr 15;19(8):2123-33.

Larue F, Colleau SM, Brasseur L et al. Multicentre study of cancer pain and its treatment in France [see comments]. BMJ 1995;310(6986):1034-7.

Lau J, Ioannidis JP, Schmid CH. Quantitative synthesis in systematic reviews. Ann Intern Med 1997 Nov 1;127(9):820-6.

Lauretti GR, Lima IC, Reis MP et al. Oral ketamine and transdermal nitroglycerin as analgesic adjuvants to oral morphine therapy for cancer pain management. Anesthesiology 1999 Jun;90(6):1528-33.

Lauretti GR, Gomes JM, Reis MP et al. Low doses of epidural ketamine or neostigmine, but not midazolam, improve morphine analgesia in epidural terminal cancer pain therapy. J Clin Anesth 1999 Dec;11(8):663-8.

Lees N, Lloyd-Williams M. Assessing depression in palliative care patients using the visual analogue scale: a pilot study. Eur J Cancer Care (Engl) 1999 Dec;8(4):220-3.

Lever SA, Dupuis LL, Chan HS. Comparative evaluation of benzydamine oral rinse in children with antineoplastic-induced stomatitis. Drug Intell Clin Pharm 1987 Apr;21(4):359-61.

Leyland-Jones B, Donnelly H, Groshen S et al. 2'-Fluoro-5-iodoarabinosylcytosine, a new potent antiviral agent: efficacy in immunosuppressed individuals with herpes zoster. J Infect Dis 1986;154(3):430-6.

Lievens Y, Haustermans K, Van den WD et al. Does sucralfate reduce the acute side-effects in head and neck cancer treated with radiotherapy? A double-blind randomized trial. Radiother Oncol 1998 May;47(2):149-53.

Liossi C, Hatira P. Clinical hypnosis versus cognitive behavioral training for pain management with pediatric cancer patients undergoing bone marrow aspirations. Int J Clin Exp Hypn 1999;47(2):104-16.

Lipton A, Theriault RL, Hortobagyi GN et al. Pamidronate prevents skeletal complications and is effective palliative treatment in women with breast carcinoma and osteolytic bone metastases: long term follow-up of two randomized, placebo-controlled trials. Cancer 2000;88(5):1082-90.

Littlewood TJ, Bajetta E, Nortier JW et al. Effects of epoetin alfa on hematologic parameters and quality of life in cancer patients receiving nonplatinum chemotherapy: results of a randomized, double-blind, placebo-controlled trial. J Clin Oncol 2001 Jun 1;19(11):2865-74.

Loeser JD, Melzack R. Pain: an overview. Lancet 1999;353(9164):1607-9.

Loge JH, Abrahamsen AF, Ekeberg O et al. Fatigue and psychiatric morbidity among Hodgkin's disease survivors. J Pain Symptom Manage 2000 Feb;19(2):91-9.

Loge JH, Abrahamsen AF, Ekeberg O et al. Hodgkin's disease survivors more fatigued than the general population. J Clin Oncol 1999 Jan;17(1):253-61.

Lojeski E, Stevens RA. Postherpetic neuralgia in the cancer patient. [Review] [93 refs]. Current Review of Pain 2000;4(3):219-26.

Lojeski E, Stevens RA. Postherpetic Neuralgia in the Cancer Patient. Current Review of Pain 2000;4:219-26.

Longman AJ, Braden CJ, Mishel MH. Side effects burden in women with breast cancer. Cancer Pract 1996 Sep;4(5):274-80.

Loprinzi CL, Cianflone SG, Dose AM et al. A controlled evaluation of an allopurinol mouthwash as prophylaxis against 5-fluorouracil-induced stomatitis. Cancer 1990 Apr 15;65(8):1879-82.

Lortholary O, Dupont B. Antifungal prophylaxis during neutropenia and immunodeficiency. Clin Microbiol Rev 1997 Jul;10(3):477-504.

Lovely MP, Miaskowski C, Dodd M. Relationship between fatigue and quality of life in patients with glioblastoma multiformae. Oncol Nurs Forum 1999 Jun;26(5):921-5.

Ludwig H, Sundal E, Pecherstorfer M et al. Recombinant human erythropoietin for the correction of cancer associated anemia with and without concomitant cytotoxic chemotherapy. [see comments.]. Cancer 1995 Dec 1;76(11):2319-29.

Lyons RF, Abergel RP, White RA et al. Biostimulation of wound healing in vivo by a helium-neon laser. Ann Plast Surg 1987 Jan;18(1):47-50.

Maciejewski B, Zajusz A, Pilecki B et al. Acute mucositis in the stimulated oral mucosa of patients during radiotherapy for head and neck cancer. Radiother Oncol 1991 Sep;22(1):7-11.

Mahood DJ, Dose AM, Loprinzi CL et al. Inhibition of fluorouracil-induced stomatitis by oral cryotherapy. J Clin Oncol 1991 Mar;9(3):449-52.

Makkonen TA, Minn H, Jekunen A et al. Granulocyte macrophage-colony stimulating factor (GM-CSF) and sucralfate in prevention of radiation-induced mucositis: a prospective randomized study. Int J Radiat Oncol Biol Phys 2000 Feb 1;46(3):525-34.

Makkonen TA, Bostrom P, Vilja P et al. Sucralfate mouth washing in the prevention of radiation-induced mucositis: a placebo-controlled double-blind randomized study. Int J Radiat Oncol Biol Phys 1994 Aug 30;30(1):177-82.

Maraste R, Brandt L, Olsson H et al. Anxiety and depression in breast cancer patients at start of adjuvant radiotherapy. Relations to age and type of surgery. Acta Oncol 1992;31(6):641-3.

Mardiak J, Bohunicky L, Chovanec J et al. Adjuvant clodronate therapy in patients with locally advanced breast cancer--long term results of a double blind randomized trial. Slovak Clodronate Collaborative Group. Neoplasma 2000;47(3):177-80.

Martin MV. Irradiation mucositis: a reappraisal. Eur J Cancer B Oral Oncol 1993 Jan;29B(1):1-2.

Mascarin, M., Franchin, G., Minatel, M., and Miller, T. A. The effect of filgrastin (G-CSF) on mucositis in head and neck patients treated with hyperfractionated radiotherapy (RT). Annual Meeting of the American Society of Clinical Oncology 15, 739. 1996.
Ref Type: Abstract

Mast ME. Correlates of fatigue in survivors of breast cancer. Cancer Nurs 1998 Apr;21(2):136-42.

Masucci G. New clinical applications of granulocyte-macrophage colony-stimulating factor. Med Oncol 1996 Sep;13(3):149-54.

Masucci G, Fernberg JO, Hoglund-Ersin L et al. Beneficial treatment of radiotherapy induced mucositis with rh-GM-CSF in patients with tumors of the oral cavity/oropharynx. Sixth International Congress of Anti-Cancer Treatment Paris, France, 1996 1996;83.

Matejka M, Nell A, Kment G et al. Local benefit of prostaglandin E2 in radiochemotherapy-induced oral mucositis. Br J Oral Maxillofac Surg 1990 Apr;28(2):89-91.

Matthews RH, Ercal N. Prevention of mucositis in irradiated head and neck cancer patients. J Exp Ther Oncol 1996 Mar;1(2):135-8.

Max B. Collecting Better Data About Drug Treatment? In: Cohen MJM and Campbell JN, editors. Pain Treatment Centers at the Crossroads: A Practical and Conceptual Reappraisal. Seattle: IASP Press; 1996

McHugh P, Lewis S, Ford S et al. The efficacy of audiotapes in promoting psychological well-being in cancer patients: a randomised, controlled trial. Br J Cancer 1995 Feb;71(2):388-92.

McIlroy P. Radiation mucositis: a new approach to prevention and treatment. Eur J Cancer Care (Engl) 1996 Sep;5(3):153-8.

McLachlan SA, Devins GM, Goodwin PJ. Factor analysis of the psychosocial items of the EORTC QLQ-C30 in metastatic breast cancer patients participating in a psychosocial intervention study. Qual Life Res 1999 Jun;8(4):311-7.

McQuay H, Moore A. An evidence-based resource for pain relief. Oxford: Oxford University Press; 1998

McQuay H, Carroll D, Jadad AR et al. Anticonvulsant drugs for management of pain: a systematic review. [see comments.]. [Review] [53 refs]. BMJ 1995 Oct 21;311(7012):1047-52.

McQuay HJ, Tramer M, Nye BA et al. A systematic review of antidepressants in neuropathic pain. Pain 1996 Dec;68(2-3):217-27.

McQuellon RP, Wells M, Hoffman S et al. Reducing distress in cancer patients with an orientation program. Psychooncology 1998 May;7(3):207-17.

Meek PM, Nail LM, Barsevick A et al. Psychometric testing of fatigue instruments for use with cancer patients. Nurs Res 2000 Jul;49(4):181-90.

Mendoza TR, Wang XS, Cleeland CS et al. The rapid assessment of fatigue severity in cancer patients: use of the Brief Fatigue Inventory. Cancer 1999 Mar 1;85(5):1186-96.

Mercadante S, Ripamonti C, Casuccio A et al. Comparison of octreotide and hyoscine butylbromide in controlling gastrointestinal symptoms due to malignant inoperable bowel obstruction. Support Care Cancer 2000;8(3):188-91.

Mercadante S, Arcuri E, Tirelli W et al. Analgesic effect of intravenous ketamine in cancer patients on morphine therapy: a randomized, controlled, double-blind, crossover, double-dose study. J Pain Symptom Manage 2000 Oct;20(4):246-52.

Mercadante S, Casuccio A, Agnello A et al. Morphine versus methadone in the pain treatment of advanced-cancer patients followed up at home. J Clin Oncol 1998 Nov;16(11):3656-61.

Mercadante S, Armata M, Salvaggio L. Pain characteristics of advanced lung cancer patients referred to a palliative care service. Pain 1994;59(1):141-5.

Meredith R, Salter M, Kim R et al. Sucralfate for radiation mucositis: results of a double-blind randomized trial. Int J Radiat Oncol Biol Phys 1997 Jan 15;37(2):275-9.

Merigan TC, Gallagher JG, Pollard RB et al. Short-course human leukocyte interferon in treatment of herpes zoster in patients with cancer. Antimicrob Agents Chemother 1981;19(1):193-5.

Merigan TC, Rand KH, Pollard RB et al. Human leukocyte interferon for the treatment of herpes zoster in patients with cancer. N Engl J Med 1978;298(18):981-7.

Merlano M, Corvo R, Margarino G et al. Combined chemotherapy and radiation therapy in advanced inoperable squamous cell carcinoma of the head and neck. The final report of a randomized trial. Cancer 1991 Feb 15;67(4):915-21.

Merren MD. Gabapentin for treatment of pain and tremor: a large case series. South Med J 1998;91(8):739-44.

Meuser T, Pietruck C, Radbruch L et al. Symptoms during cancer pain treatment following WHO-guidelines: a longitudinal follow-up study of symptom prevalence, severity and etiology. Pain 2001;93(3):247-57.

Meyer TJ, Mark MM. Effects of psychosocial interventions with adult cancer patients: a meta-analysis of randomized experiments. [see comments.]. Health Psychology 1995 Mar;14(2):101-8.

Miaskowski C. Biology of mucosal pain. J Natl Cancer Inst Monogr 2001;(29):37-40.

Miaskowski C, Lee KA. Pain, fatigue, and sleep disturbances in oncology outpatients receiving radiation therapy for bone metastasis: a pilot study. J Pain Symptom Manage 1999 May;17(5):320-32.

Miller TA, Jacobson ED. Gastrointestinal cytoprotection by prostaglandins. Gut 1979 Jan;20(1):75-87.

Mills EE. The modifying effect of beta-carotene on radiation and chemotherapy induced oral mucositis. Br J Cancer 1988 Apr;57(4):416-7.

Miser AW, McCalla J, Dothage JA et al. Pain as a presenting symptom in children and young adults with newly diagnosed malignancy. Pain 1987;29(1):85-90.

Miser AW, Dothage JA, Wesley RA et al. The prevalence of pain in a pediatric and young adult cancer population. Pain 1987;29(1):73-83.

Mock V, Pickett M, Ropka ME et al. Fatigue and Quality of Life Outcomes of Exercise During Cancer Treatment. Cancer Pract 2001 May;9(3):119-27.

Mock V, Dow KH, Meares CJ et al. Effects of exercise on fatigue, physical functioning, and emotional distress during radiation therapy for breast cancer. Oncol Nurs Forum 1997 Jul;24(6):991-1000.

Moher D, Pham B, Jones A et al. Does quality of reports of randomised trials affect estimates of intervention efficacy reported in meta-analyses? Lancet 1998 Aug 22;352(9128):609-13.

Molassiotis A. A correlational evaluation of tiredness and lack of energy in survivors of haematological malignancies. Eur J Cancer Care (Engl) 1999 Mar;8(1):19-25.

Monga U, Kerrigan AJ, Thornby J et al. Prospective study of fatigue in localized prostate cancer patients undergoing radiotherapy. Radiat Oncol Investig 1999;7(3):178-85.

Moolenaar F, Meijler WJ, Frijlink HW et al. Clinical efficacy, safety and pharmacokinetics of a newly developed controlled release morphine sulphate suppository in patients with cancer pain. Eur J Clin Pharmacol 2000 Jun;56(3):219-23.

Moore A, McQuay H, Gavaghan D. Deriving dichotomous outcome measures from continuous data in randomised controlled trials of analgesics. Pain 1996 Aug;66(2-3):229-37.

Morris DB. Illness and Culture in the Postmodern Age. Berkeley: University of California Press; 1998

Morton RP, Davies AD, Baker J et al. Quality of life in treated head and neck cancer patients: a preliminary report. Clin Otolaryngol 1984 Jun;9(3):181-5.

Mose S, Adamietz IA, Saran F et al. Can prophylactic application of immunoglobulin decrease radiotherapy-induced oral mucositis? Am J Clin Oncol 1997 Aug;20(4):407-11.

Mulhern RK, Fairclough DL, Douglas SM et al. Physical distress and depressive symptomatology among children with cancer. Child Health Care 1994;23(3):167-79.

Musselman DL, Lawson DH, Gumnick JF et al. Paroxetine for the prevention of depression induced by high-dose interferon alfa. [see comments.]. N Engl J Med 2001 Mar 29;344(13):961-6.

Nagashima R. Mechanisms of action of sucralfate. J Clin Gastroenterol 1981;3(Suppl 2):117-27.

National Cancer Institute. SEER Cancer Statistics. Available from URL: www-seer.ims.nci.nih.gov. National Institutes of Health; 1999.

NCIC. A double-blind phase III prospective randomized study of Bacitracin, Clotrimazole, Gentamicin (BCOG) lozenges versus placebo lozenges for radiation-associated mucositis in head and neck cancer. In: editors. NCIC CTG Trial: HN: 2 (Multicentre). 1997

Newell S, Sanson-Fisher RW, Girgis A et al. The physical and psycho-social experiences of patients attending an outpatient medical oncology department: a cross-sectional study. Eur J Cancer Care (Engl) 1999 Jun;8(2):73-82.

Newell S, Sanson-Fisher RW, Girgis A et al. How well do medical oncologists' perceptions reflect their patients' reported physical and psychosocial problems? Data from a survey of five oncologists. Cancer 1998 Oct 15;83(8):1640-51.

Nicolatou O, Sotiropoulou-Lontou A, Skarlatos J et al. A pilot study of the effect of granulocyte-macrophage colony-stimulating factor on oral mucositis in head and neck cancer patients during X-radiation therapy: a preliminary report. Int J Radiat Oncol Biol Phys 1998 Oct 1;42(3):551-6.

Nordin K, Glimelius B. Predicting delayed anxiety and depression in patients with gastrointestinal cancer. Br J Cancer 1999 Feb;79(3-4):525-9.

Northway MG, Libshitz HI, Osborne BM et al. Radiation esophagitis in the opossum: radioprotection with indomethacin. Gastroenterology 1980 May;78(5 Pt 1):883-92.

Novik Y, Ryan LM, Haller DG et al. Phase II protocol for the evaluation of new treatments in patients with advanced gastric carcinoma: results of ECOG 5282. Med Oncol 1999;16(4):261-6.

Oguchi M, Shikama N, Sasaki S et al. Mucosa-adhesive water-soluble polymer film for treatment of acute radiation-induced oral mucositis. Int J Radiat Oncol Biol Phys 1998 Mar 15;40(5):1033-7.

Okuno SH, Foote RL, Loprinzi CL et al. A randomized trial of a nonabsorbable antibiotic lozenge given to alleviate radiation-induced mucositis. Cancer 1997 Jun 1;79(11):2193-9.

Okutomi T, Kato Y, Ichihara H et al. [Clinical effects of adjuvant therapy using Z-100 (Ancer 20 injection) for oral cancer--prevention of stomatitis and hematopoietic impairment]. Gan To Kagaku Ryoho 2000 Jan;27(1):65-71.

Okuyama T, Tanaka K, Akechi T et al. Fatigue in ambulatory patients with advanced lung cancer: prevalence, correlated factors, and screening. J Pain Symptom Manage 2001 Jul;22(1):554-64.

Okuyama T, Akechi T, Kugaya A et al. Factors correlated with fatigue in disease-free breast cancer patients: application of the Cancer Fatigue Scale. Support Care Cancer 2000 May;8(3):215-22.

Okuyama T, Akechi T, Kugaya A et al. Development and validation of the cancer fatigue scale: a brief, three-dimensional, self-rating scale for assessment of fatigue in cancer patients. J Pain Symptom Manage 2000 Jan;19(1):5-14.

Oshitani T, Okada K, Kushima T et al. [Clinical evaluation of sodium alginate on oral mucositis associated with radiotherapy]. Nippon Gan Chiryo Gakkai Shi 1990 Jun 20;25(6):1129-37.

Osoba D, Tannock IF, Ernst DS et al. Health-related quality of life in men with metastatic prostate cancer treated with prednisone alone or mitoxantrone and prednisone [see comments]. J Clin Oncol 1999;17(6):1654-63.

Ottenweller JE, Natelson BH, Gause WC et al. Mouse running activity is lowered by Brucella abortus treatment: a potential model to study chronic fatigue. Physiol Behav 1998 Mar;63(5):795-801.

Owens NJ, Nightingale CH, Schweizer RT et al. Prophylaxis of oral candidiasis with clotrimazole troches. Arch Intern Med 1984 Feb;144(2):290-3.

Oxman AD, Guyatt GH. Guidelines for reading literature reviews. CMAJ 1988 Apr 15;138(8):697-703.

Oyama H, Kaneda M, Katsumata N et al. Using the bedside wellness system during chemotherapy decreases fatigue and emesis in cancer patients. J Med Syst 2000 Jun;24(3):173-82.

Palmblad J, Lonnqvist B, Carlsson B et al. Oral ketoconazole prophylaxis for Candida infections during induction therapy for acute leukaemia in adults: more bacteraemias. J Intern Med 1992 Apr;231(4):363-70.

Pannuti F, Robustelli C, Ventaffrida V et al. A double-blind evaluation of the analgesic efficacy and toxicity of oral ketorolac and diclofenac in cancer pain. The TD/10 recordati Protocol Study Group. Tumori 1999;85(2):96-100.

Parris WC, Johnson BW, Jr., Croghan MK et al. The use of controlled-release oxycodone for the treatment of chronic cancer pain: a randomized, double-blind study. J Pain Symptom Manage 1998 Oct;16(4):205-11.

Parsons J. The effect of radiation on normal tissues of the head and neck. In: Million R and Cassisi N, editors. Management of head and neck cancer: A multidisciplinary approach. Philadelphia: JB Lippincott; 1994. p. 245-89.

Parulekar W, Mackenzie R, Bjarnason G et al. Scoring oral mucositis. Oral Oncol 1998 Jan;34(1):63-71.

Pascoe S, Edelman S, Kidman A. Prevalence of psychological distress and use of support services by cancer patients at Sydney hospitals. Aust NZ J Psychiatry 2000 Oct;34(5):785-91.

Passik SD, Kirsh KL, Donaghy KB et al. An attempt to employ the Zung Self-Rating Depression Scale as a "lab test" to trigger follow-up in ambulatory oncology clinics: criterion validity and detection. J Pain Symptom Manage 2001 Apr;21(4):273-81.

Passik SD, Dugan W, McDonald MV et al. Oncologists' recognition of depression in their patients with cancer. J Clin Oncol 1998 Apr;16(4):1594-600.

Pearl ML, Fischer M, McCauley DL et al. Transcutaneous electrical nerve stimulation as an adjunct for controlling chemotherapy-induced nausea and vomiting in gynecologic oncology patients. Cancer Nurs 1999;22(4):307-11.

Peters K, Mucke R, Hamann D et al. Supportive use of amifostine in patients with head and neck tumors undergoing radio-chemotherapy. Is it possible to limit the duration of the application of amifostine? Strahlenther Onkol 1999 Nov;175 Suppl 4:23-6.

Peters LJ, Ang KK, Thames HD. Altered fractionation schedules. In: Perez C and Brady L, editors. Principles and practice of radiation oncology. Philadelphia: JB Lippincott; 1992. p. 97-113.

Petzke F, Radbruch L, Zech D et al. Temporal presentation of chronic cancer pain: transitory pains on admission to a multidisciplinary pain clinic. J Pain Symptom Manage 1999;17(6):391-401.

Pfeiffer P, Hansen O, Madsen EL et al. A prospective pilot study on the effect of sucralfate mouth-swishing in reducing stomatitis during radiotherapy of the oral cavity. Acta Oncol 1990;29(4):471-3.

Pfeiffer P, Madsen EL, Hansen O et al. Effect of prophylactic sucralfate suspension on stomatitis induced by cancer chemotherapy. A randomized, double-blind cross-over study. Acta Oncol 1990;29(2):171-3.

Pillsbury HC, III, Webster WP, Rosenman J. Prostaglandin inhibitor and radiotherapy in advanced head and neck cancers. Arch Otolaryngol Head Neck Surg 1986 May;112(5):552-3.

Pinder KL, Ramirez AJ, Black ME et al. Psychiatric disorder in patients with advanced breast cancer: prevalence and associated factors. Eur J Cancer 1993;29A(4):524-7.

Pinto LH, Canary PC, Araujo CM et al. Prospective randomized trial comparing hyperfractionated versus conventional radiotherapy in stages III and IV oropharyngeal carcinoma. Int J Radiat Oncol Biol Phys 1991 Aug;21(3):557-62.

Piper BF, Dodd MJ, Ream E. Improving the clinical measurement of cancer treatment-related fatigue. In: editors. Better Health Through Nursing Research: International State of the Science. Washington, D.C.: American Nurses Association; 1999. p. 99.

Pirl WF, Siegel GI, Goode MJ et al. Depression in men receiving androgen deprivation therapy for prostate cancer: a pilot study. Psychooncology 2002;11:1-6.

Porock D, Kristjanson LJ, Tinnelly K et al. An exercise intervention for advanced cancer patients experiencing fatigue: a pilot study. J Palliat Care 2000;16(3):30-6.

Porteder H, Rausch E, Kment G et al. Local prostaglandin E2 in patients with oral malignancies undergoing chemo- and radiotherapy. J Craniomaxillofac Surg 1988 Nov;16(8):371-4.

Portenoy RK, Lesage P. Management of cancer pain. The Lancet 1999;353:1695-700.

Portenoy RK, Payne R, Coluzzi P et al. Oral transmucosal fentanyl citrate (OTFC) for the treatment of breakthrough pain in cancer patients: a controlled dose titration study. Pain 1999 Feb;79(2-3):303-12.

Portenoy RK, Kornblith AB, Wong G et al. Pain in ovarian cancer patients. Prevalence, characteristics, and associated symptoms. Cancer 1994;74(3):907-15.

Portenoy RK, Miransky J, Thaler HT et al. Pain in ambulatory patients with lung or colon cancer. Prevalence, characteristics, and effect. Cancer 1992;70(6):1616-24.

Portenoy RK, Hagen NA. Breakthrough pain: definition, prevalence and characteristics [see comments]. Pain 1990;41(3):273-81.

Prada A, Chiesa F. Effects of benzydamine on the oral mucositis during antineoplastic radiotherapy and/or intra-arterial chemotherapy. International Journal of Tissue Reactions 1987;9(2):115-9.

Prada A, Lozza L, Moglia D et al. Effects of benzydamine on radio-polychemotherapeutic mucositis of the oral cavity. Int J Tissue React 1985;7(3):237-9.

Purohit DR, Navlakha PL, Modi RS et al. The role antidepressants in hospitalised cancer patients. (A pilot study). Journal of the Association of Physicians of India 1978 Apr;26(4):245-8.

Rahn R, Adamietz IA, Boettcher HD et al. Povidone-iodine to prevent mucositis in patients during antineoplastic radiochemotherapy. Dermatology 1997;195 Suppl 2:57-61.

Raletic-Savic J, Zivanovic A, Savic D. [Use of prostin E2 in the treatment of stomatitis caused by radiotherapy]. Arh Hig Rada Toksikol 1991 Sep;42(3):295-301.

Razavi D, Kormoss N, Collard A et al. Comparative study of the efficacy and safety of trazodone versus clorazepate in the treatment of adjustment disorders in cancer patients: a pilot study. J Int Med Res 1999;27(6):264-72.

Razavi D, Allilaire JF, Smith M et al. The effect of fluoxetine on anxiety and depression symptoms in cancer patients. Acta Psychiatrica Scandinavica 1996 Sep;94(3):205-10.

Razavi D, Delvaux N, Farvacques C et al. Screening for adjustment disorders and major depressive disorders in cancer in-patients. Br J Psychiatry 1990 Jan;156:79-83.

Redeker NS, Lev EL, Ruggiero J. Insomnia, fatigue, anxiety, depression, and quality of life of cancer patients undergoing chemotherapy. Sch Inq Nurs Pract 2000;14(4):275-90.

Riccardi A, Tinelli C, Brugnatelli S et al. Doubling of the epirubicin dosage within the 5-fluorouracil, epirubicin and cyclophosphamide regimen: a prospective, randomized, multicentric study on antitumor effect and quality of life in advanced breast cancer. Int J Oncol 2000;16(4):769-76.

Rice DH, Gill G. The effect of irradiation upon the bacterial flora in patients with head and neck cancer. Laryngoscope 1979 Nov;89(11):1839-41.

Richardson A, Ream E, Wilson-Barnett J. Fatigue in patients receiving chemotherapy: patterns of change. [erratum appears in Cancer Nurs 1998 Jun;21(3):195.]. Cancer Nurs 1998 Feb;21(1):17-30.

Richardson A, Ream EK. Self-care behaviours initiated by chemotherapy patients in response to fatigue. Int J Nurs Stud 1997 Feb;34(1):35-43.

Richardson A. Fatigue in cancer patients: a review of the literature. [Review] [93 refs]. Eur J Cancer Care (Engl) 1995 Mar;4(1):20-32.

Richardson JL, Shelton DR, Krailo M et al. The effect of compliance with treatment on survival among patients with hematologic malignancies. J Clin Oncol 1990 Feb;8(2):356-64.

Robert A. Cytoprotection by prostaglandins. Gastroenterology 1979 Oct;77(4 Pt 1):761-7.

Rolla G, Loe H, Schiott CR. Retention of chlorhexidine in the human oral cavity. Arch Oral Biol 1971 Sep;16(9):1109-16.

Roos DE, O'Brien PC, Smith JG et al. A role for radiotherapy in neuropathic bone pain: preliminary response rates from a prospective trial (Trans-tasman radiation oncology group, TROG 96.05) [published erratum appears in Int J Radiat Oncol Biol Phys 2000 May 1;47(2):545]. Int J Radiat Oncol Biol Phys 2000;46(4):975-81.

Rosso M, Blasi G, Gherlone E et al. Effect of granulocyte-macrophage colony-stimulating factor on prevention of mucositis in head and neck cancer patients treated with chemo-radiotherapy. J Chemother 1997 Oct;9(5):382-5.

Roth AJ, Kornblith AB, Batel-Copel L et al. Rapid screening for psychologic distress in men with prostate carcinoma: a pilot study. Cancer 1998 May 15;82(10):1904-8.

Rovirosa A, Ferre J, Biete A. Granulocyte macrophage-colony-stimulating factor mouthwashes heal oral ulcers during head and neck radiotherapy. Int J Radiat Oncol Biol Phys 1998 Jul 1;41(4):747-54.

Rowbotham M, Harden N, Stacey B et al. Gabapentin for the treatment of postherpetic neuralgia: a randomized controlled trial. JAMA 1998 Dec 2;280(21):1837-42.

Rusthoven JJ, Ahlgren P, Elhakim T et al. Varicella-zoster infection in adult cancer patients. A population study. Arch Intern Med 1988 Jul;148(7):1561-6.

Samaranayake LP, Robertson AG, MacFarlane TW et al. The effect of chlorhexidine and benzydamine mouthwashes on mucositis induced by therapeutic irradiation. Clin Radiol 1988 May;39(3):291-4.

Samonis G, Rolston K, Karl C et al. Prophylaxis of oropharyngeal candidiasis with fluconazole. Rev Infect Dis 1990 Mar;12 Suppl 3:S369-S373.

Santini V, Giles FJ. The potential of amifostine: from cytoprotectant to therapeutic agent. Haematologica 1999 Nov;84(11):1035-42.

Sarhill N, Walsh D, Nelson KA et al. Methylphenidate for fatigue in advanced cancer: a prospective open-label pilot study. Am J Hosp Palliat Care 2001 May;18(3):187-92.

Sarna L, Brecht ML. Dimensions of symptom distress in women with advanced lung cancer: a factor analysis. Heart Lung 1997 Jan;26(1):23-30.

Schechter NL, Berde CB, Yaster M. Pain in Infants, Children, and Adolescents. Baltimore: Williams & Wilkins; 1993

Scherlacher A, Beaufort-Spontin F. [Radiotherapy of head-neck neoplasms: prevention of inflammation of the mucosa by sucralfate treatment]. HNO 1990 Jan;38(1):24-8.

Schimpff S, Serpick A, Stoler B et al. Varicella-Zoster infection in patients with cancer. Ann Intern Med 1972 Feb;76(2):241-54.

Schneider RA. Reliability and validity of the Multidimensional Fatigue Inventory (MFI-20) and the Rhoten Fatigue Scale among rural cancer outpatients. Cancer Nurs 1998 Oct;21(5):370-3.

Schneider SB, Nishimura RD, Zimmerman RP et al. Filgrastim (r-metHuG-CSF) and its potential use in the reduction of radiation-induced oropharyngeal mucositis: an interim look at a randomized, double-blind, placebo-controlled trial. Cytokines Cell Mol Ther 1999 Sep;5(3):175-80.

Schonekas KG, Wagner W, Prott FJ. Amifostine--a radioprotector in locally advanced head and neck tumors. Strahlenther Onkol 1999 Nov;175 Suppl 4:27-9.

Schubert MM, Newton RE. The use of benzydamine HCl for the management of cancer therapy-induced mucositis: preliminary report of a multicentre study. Int J Tissue React 1987;9(2):99-103.

Schulz KF, Chalmers I, Hayes RJ et al. Empirical evidence of bias. Dimensions of methodological quality associated with estimates of treatment effects in controlled trials. JAMA 1995 Feb 1;273(5):408-12.

Schwartz A, Meek P. Additional construct validity of the Schwartz Cancer Fatigue Scale. J Nurs Meas 1999;7(1):35-45.

Schwartz AL, Mori M, Gao R et al. Exercise reduces daily fatigue in women with breast cancer receiving chemotherapy. Med Sci Sports Exerc 2001 May;33(5):718-23.

Schwartz AL, Nail LM, Chen S et al. Fatigue patterns observed in patients receiving chemotherapy and radiotherapy. [see comments.]. Cancer Invest 2000;18(1):11-9.

Schwartz AL. Daily fatigue patterns and effect of exercise in women with breast cancer. Cancer Pract 2000 Jan;8(1):16-24.

Schwei MJ, Honore P, Rogers SD et al. Neurochemical and cellular reorganization of the spinal cord in a murine model of bone cancer pain. J Neurosci 1999 Dec 15;19(24):10886-97.

Schwenk W, Bohm B, Muller JM. Postoperative pain and fatigue after laparoscopic or conventional colorectal resections. A prospective randomized trial. Surg Endosc 1998 Sep;12(9):1131-6.

Segre G, Hammarstrom S. Aspects of the mechanisms of action of benzydamine. Int J Tissue React 1985;7(3):187-93.

Servaes P, van der WS, Prins J et al. Fatigue in disease-free cancer patients compared with fatigue in patients with chronic fatigue syndrome. Support Care Cancer 2001 Jan;9(1):11-7.

Sheard T, Maguire P. The effect of psychological interventions on anxiety and depression in cancer patients: results of two meta-analyses. Br J Cancer 1999 Aug;80(11):1770-80.

Shenep JL, Kalwinsky DK, Hutson PR et al. Efficacy of oral sucralfate suspension in prevention and treatment of chemotherapy-induced mucositis. J Pediatr 1988 Oct;113(4):758-63.

Shepp DH, Dandliker PS, Meyers JD. Treatment of varicella-zoster virus infection in severely immunocompromised patients. A randomized comparison of acyclovir and vidarabine. N Engl J Med 1986;314(4):208-12.

Skarstein J, Aass N, Fossa SD et al. Anxiety and depression in cancer patients: relation between the Hospital Anxiety and Depression Scale and the European Organization for Research and Treatment of Cancer Core Quality of Life Questionnaire. J Psychosom Res 2000 Jul;49(1):27-34.

Small EJ, Meyer M, Marshall ME et al. Suramin therapy for patients with symptomatic hormone-refractory prostate cancer: results of a randomized phase III trial comparing suramin plus hydrocortisone to placebo plus hydrocortisone. J Clin Oncol 2000 Apr;18(7):1440-50.

Smets EM, Visser MR, Garssen B et al. Understanding the level of fatigue in cancer patients undergoing radiotherapy. J Psychosom Res 1998 Sep;45(3):277-93.

Smets EM, Visser MR, Willems-Groot AF et al. Fatigue and radiotherapy: (B) experience in patients 9 months following treatment. Br J Cancer 1998 Oct;78(7):907-12.

Smets EM, Garssen B, Bonke B et al. The Multidimensional Fatigue Inventory (MFI) psychometric qualities of an instrument to assess fatigue. J Psychosom Res 1995 Apr;39(3):315-25.

Sneeuw KCA, Aaronson NK, van Wouwe MCC et al. Prevalence and screening of psychiatric disorder in patients with early stage breast cancer [abstract]. [Presented at the International Congress of Psychosocial Oncology, 12-14 October 1992, Beaune, France.]. Qual Life Res 1993;2:50-1.

Sokal JE, Firat D. Varicella-zoster infection in Hodgkin's disease. Am J Med 1965;39:452-63.

Sonis S, Edwards L, Lucey C. The biological basis for the attenuation of mucositis: the example of interleukin-11. Leukemia 1999 Jun;13(6):831-4.

Sonis S, Clark J. Prevention and management of oral mucositis induced by antineoplastic therapy. Oncology (Huntingt) 1991 Dec;5(12):11-8.

Sonis ST, Eilers JP, Epstein JB et al. Validation of a new scoring system for the assessment of clinical trial research of oral mucositis induced by radiation or chemotherapy. Mucositis Study Group. Cancer 1999 May 15;85(10):2103-13.

Sonis ST. Mucositis as a biological process: a new hypothesis for the development of chemotherapy-induced stomatotoxicity. Oral Oncol 1998 Jan;34(1):39-43.

Sorkin LS. Antibody activation and immune reactions: potential linkage to pain and neuropathy. Pain Medicine 2000;1:296-302.

Spiegel D, Kato PM. Psychosocial influences on cancer incidence and progression. [Review] [158 refs]. Harv Rev Psychiatry 1996 May;4(1):10-26.

Spiegel D, Bloom JR, Yalom I. Group support for patients with metastatic cancer. A randomized outcome study. Arch Gen Psychiatry 1981 May;38(5):527-33.

Spijkervet FK, van Saene HK, van Saene JJ et al. Mucositis prevention by selective elimination of oral flora in irradiated head and neck cancer patients. J Oral Pathol Med 1990 Nov;19(10):486-9.

Spijkervet FK, van Saene HK, Panders AK et al. Effect of chlorhexidine rinsing on the oropharyngeal ecology in patients with head and neck cancer who have irradiation mucositis. Oral Surg Oral Med Oral Pathol 1989 Feb;67(2):154-61.

Spilker Bed. Quality of Life and Pharmacoeconomics in Clinical Trials. 2ed. Philadephia: Lippincott-Raven; 1996

Steenland E, Leer JW, van Houwelingen H et al. The effect of a single fraction compared to multiple fractions on painful bone metastases: a global analysis of the Dutch Bone Metastasis Study [see comments] [published erratum appears in Radiother Oncol 1999 Nov;53(2):167]. Radiother Oncol 1999;52(2):101-9.

Stein KD, Martin SC, Hann DM et al. A multidimensional measure of fatigue for use with cancer patients. Cancer Pract 1998 May;6(3):143-52.

Stephenson NL, Weinrich SP, Tavakoli AS. The effects of foot reflexology on anxiety and pain in patients with breast and lung cancer. Oncol Nurs Forum 2000 Jan;27(1):67-72.

Stevens DA, Merigan TC. Zoster immune globulin prophylaxis of disseminated zoster in compromised hosts. A randomized trial. Arch Intern Med 1980;140(1):52-4.

Stevens PE, Dibble SL, Miaskowski C. Prevalence, characteristics, and impact of postmastectomy pain syndrome: an investigation of women's experiences. Pain 1995;61(1):61-8.

Stone P, Richardson A, Ream E et al. Cancer-related fatigue: inevitable, unimportant and untreatable? Results of a multi-centre patient survey. Cancer Fatigue Forum. Ann Oncol 2000 Aug;11(8):971-5.

Stone P, Hardy J, Huddart R et al. Fatigue in patients with prostate cancer receiving hormone therapy. Eur J Cancer 2000 Jun;36(9):1134-41.

Stone P, Richards M, A'Hern R et al. A study to investigate the prevalence, severity and correlates of fatigue among patients with cancer in comparison with a control group of volunteers without cancer. Ann Oncol 2000 May;11(5):561-7.

Stone P, Hardy J, Broadley K et al. Fatigue in advanced cancer: a prospective controlled cross-sectional study. Br J Cancer 1999 Mar;79(9-10):1479-86.

Suris JC, Parera N, Puig C. Chronic illness and emotional distress in adolescence. J Adolesc Health 1996 Aug;19(2):153-6.

Sutherland HJ, Lockwood GA, Cunningham AJ. A simple, rapid method for assessing psychological distress in cancer patients: Evidence of validity for linear analog scales. J Psychosoc Oncol 1989;7(1-2):31-43.

Sutherland SE, Browman GP. Prophylaxis of oral mucositis in irradiated head-and-neck cancer patients: a proposed classification scheme of interventions and meta-analysis of randomized controlled trials. Int J Radiat Oncol Biol Phys 2001 Mar 15;49(4):917-30.

Symonds RP, McIlroy P, Khorrami J et al. The reduction of radiation mucositis by selective decontamination antibiotic pastilles: a placebo-controlled double-blind trial. Br J Cancer 1996 Jul;74(2):312-7.

Tanner NS, Stamford IF, Bennett A. Plasma prostaglandins in mucositis due to radiotherapy and chemotherapy for head and neck cancer. Br J Cancer 1981 Jun;43(6):767-71.

Tarnawski A, Hollander D, Krause WJ et al. Does sucralfate affect the normal gastric mucosa? Histologic, ultrastructural, and functional assessment in the rat. Gastroenterology 1986 Apr;90(4):893-905.

Tasmuth T, von Smitten K, Kalso E. Pain and other symptoms during the first year after radical and conservative surgery for breast cancer. Br J Cancer 1996;74(12):2024-31.

The World Health Organisation Global Programme For Cancer Control. Miller, A. B. (ed.). National Cancer Control Programmes. Policies and Managerial Guidelines. Geneva: World Health Organisation; 1993

Theriault RL, Lipton A, Hortobagyi GN et al. Pamidronate reduces skeletal morbidity in women with advanced breast cancer and lytic bone lesions: a randomized, placebo-controlled trial. Protocol 18 Aredia Breast Cancer Study Group. J Clin Oncol 1999;17(3):846-54.

Thomas R, Daly M, Perryman B et al. Forewarned is forearmed--benefits of preparatory information on video cassette for patients receiving chemotherapy or radiotherapy--a randomised controlled trial. Eur J Cancer 2000 Aug;36(12):1536-43.

Tian JH, Zhang JM, Hou QT et al. Multicentre trial on the efficacy and toxicity of single-dose samarium-153-ethylene diamine tetramethylene phosphonate as a palliative treatment for painful skeletal metastases in China. Eur J Nucl Med 1999;26(1):2-7.

Tombes MB, Gallucci B. The effects of hydrogen peroxide rinses on the normal oral mucosa. Nurs Res 1993 Nov;42(6):332-7.

Trog D, Bank P, Wendt TG et al. Daily amifostine given concomitantly to chemoradiation in head and neck cancer. A pilot study. Strahlenther Onkol 1999 Sep;175(9):444-9.

Twycross RG, Wilcock A. Symptom Management in Advanced Cancer. 3rded. Oxon: Radcliffe Medical Press Ltd; 2001

Twycross RG. The measurement of pain in terminal carcinoma. J Int Med Res 1976;4(2 Suppl):58-67.

Tyring S, Barbarash RA, Nahlik JE et al. Famciclovir for the treatment of acute herpes zoster: effects on acute disease and postherpetic neuralgia. A randomized, double-blind, placebo-controlled trial. Collaborative Famciclovir Herpes Zoster Study Group. Ann Intern Med 1995 Jul 15;123(2):89-96.

U.S.Bureau of the Census. US Population Statistics. Available from URL: U.S.Bureau of the Census. U.S.Bureau of the Census; 1999.

Vacha P, Marx M, Engel A et al. [Side effects of postoperative radiochemotherapy with amifostine versus radiochemotherapy alone in head and neck tumors. Preliminary results of a prospective randomized trial]. Strahlenther Onkol 1999 Nov;175 Suppl 4:18-22.

Vainio A, Auvinen A. Prevalence of symptoms among patients with advanced cancer: an international collaborative study. Symptom Prevalence Group. J Pain Symptom Manage 1996;12(1):3-10.

van Dongen RT, Crul BJ, van Egmond J. Intrathecal coadministration of bupivacaine diminishes morphine dose progression during long-term intrathecal infusion in cancer patients. Clin J Pain 1999;15(3):166-72.

van Heeringen K, Zivkov M. Pharmacological treatment of depression in cancer patients. A placebo-controlled study of mianserin. British Journal of Psychiatry 1996 Oct;169(4):440-3.

Vara-Thorbeck R, Ruiz-Requena E, Guerrero-Fernandez JA. Effects of human growth hormone on the catabolic state after surgical trauma. Horm Res 1996;45(1-2):55-60.

Ventafridda V, Bonezzi C, Caraceni A et al. Antidepressants for cancer pain and other painful syndromes with deafferentation component: comparison of amitriptyline and trazodone. Ital J Neurol Sci 1987;8(6):579-87.

Verdi CJ. Cancer therapy and oral mucositis. An appraisal of drug prophylaxis. Drug Saf 1993 Sep;9(3):185-95.

Vogelzang NJ, Breitbart W, Cella D et al. Patient, caregiver, and oncologist perceptions of cancer-related fatigue: results of a tripart assessment survey. The Fatigue Coalition. Semin Hematol 1997 Jul;34(3 Suppl 2):4-12.

Volmink J, Lancaster T, Gray S et al. Treatments for postherpetic neuralgia--a systematic review of randomized controlled trials. Fam Pract 1996 Feb;13(1):84-91.

von Essen L, Enskar K, Kreuger A et al. Self-esteem, depression and anxiety among Swedish children and adolescents on and off cancer treatment. Acta Paediatr 2000 Feb;89(2):229-36.

Vuorinen E. Pain as an early symptom in cancer. Clin J Pain 1993;9(4):272-8.

Wagner W, Radmard A, Schonekaes KG. A new administration schedule for amifostine as a radioprotector in cancer therapy. Anticancer Res 1999 May;19(3B):2281-3.

Wagner W, Alfrink M, Haus U et al. Treatment of irradiation-induced mucositis with growth factors (rhGM-CSF) in patients with head and neck cancer. Anticancer Res 1999 Jan;19(1B):799-803.

Wagner W, Prott FJ, Schonekas KG. Amifostine: a radioprotector in locally advanced head and neck tumors. Oncol Rep 1998 Sep;5(5):1255-7.

Wahlin YB. Effects of chlorhexidine mouthrinse on oral health in patients with acute leukemia. Oral Surg Oral Med Oral Pathol 1989 Sep;68(3):279-87.

Walker CB. Microbiological effects of mouthrinses containing antimicrobials. J Clin Periodontol 1988 Sep;15(8):499-505.

Wang XS, Janjan NA, Guo H et al. Fatigue during preoperative chemoradiation for resectable rectal cancer. Cancer 2001 Sep 15;92(6 Suppl):1725-32.

Ward S, Donovan HS, Owen B et al. An individualized intervention to overcome patient-related barriers to pain management in women with gynecologic cancers. Res Nurs Health 2000;23(5):393-405.

Wen D, Jiebin Y. Clinical study on acupuncture treatment of stomach carcinoma pain. Journal of Traditional Chinese Medicine 1998;18(1):31-8.

Whelan TJ, Levine M, Julian J et al. The effects of radiation therapy on quality of life of women with breast carcinoma: results of a randomized trial. Ontario Clinical Oncology Group. Cancer 2000;88(10):2260-6.

Whelan TJ, Levine M, Julian J et al. The effects of radiation therapy on quality of life of women with breast carcinoma: results of a randomized trial. Ontario Clinical Oncology Group. Cancer 2000 May 15;88(10):2260-6.

White H. Strokes and net clinical benefit. Aust N Z J Med 1993 Dec;23(6):737-8.

Whitley RJ, Soong SJ, Dolin R et al. Early vidarabine therapy to control the complications of herpes zoster in immunosuppressed patients. N Engl J Med 1982;307(16):971-5.

Williams C, Whitehouse JM, Lister TA et al. Oral anticandidal prophylaxis in patients undergoing chemotherapy for acut- leukemia. Med Pediatr Oncol 1977;3(3):275-80.

Williams PD, Ducey KA, Sears AM et al. Treatment type and symptom severity among oncology patients by self-report. Int J Nurs Stud 2001 Jun;38(3):359-67.

Winstead-Fry P. Psychometric assessment of four fatigue scales with a sample of rural cancer patients. J Nurs Meas 1998;6(2):111-22.

Winston DJ, Chandrasekar PH, Lazarus HM et al. Fluconazole prophylaxis of fungal infections in patients with acute leukemia. Results of a randomized placebo-controlled, double-blind, multicenter trial. Ann Intern Med 1993 Apr 1;118(7):495-503.

Wolfe J, Grier HE, Klar N et al. Symptoms and Suffering at the End of Life in Children with Cancer. N Engl J Med 2000;342(5):326-33.

Wolff SN. Epidemiology: the distribution and determination of adult cancer. In: Parris WC, Foster H, and Melzack R, editors. Cancer Pain Management: Principles and Practice. Boston: Butterworth-Heinemann; 1997. p. 25-30.

Woo B, Dibble SL, Piper BF et al. Differences in fatigue by treatment methods in women with breast cancer. Oncol Nurs Forum 1998 Jun;25(5):915-20.

Woolf CJ, Mannion RJ. Neuropathic pain: aetiology, symptoms, mechanisms, and management. Lancet 1999;353(9168):1959-64.

Woolf CJ, Bennett GB, Doherty M et al. Towards a mechanism-based classification of pain? Pain 1998;77:227-9.

Worden JW, Weisman AD. Preventive psychosocial intervention with newly diagnosed cancer patients. Gen Hosp Psychiatry 1984 Oct;6(4):243-9.

Yellen SB, Cella DF, Webster K et al. Measuring fatigue and other anemia-related symptoms with the Functional Assessment of Cancer Therapy (FACT) measurement system. J Pain Symptom Manage 1997 Feb;13(2):63-74.

Yeo E, Alvarado T, Fainstein V et al. Prophylaxis of oropharyngeal candidiasis with clotrimazole. J Clin Oncol 1985 Dec;3(12):1668-71.

Zeppetella G, O'Doherty CA, Collins S. Prevalence and characteristics of breakthrough pain in cancer patients admitted to a hospice. J Pain Symptom Manage 2000;20(2):87-92.