Bibliography

Hyperbaric oxygenation for cerebral palsy - (multiple letters). Lancet 2001;357:2052-2054.

Abbott DF. Slow recovery from carbon monoxide poisoning. Postgrad Med J 1972;48(564):639-642.

Ackerman WE. Hyperbaric oxygen therapy as treatment for carbon monoxide poisoning. J Ky Med Assoc 1985;83(8):401-403.

Adams HP, Jr., Brott TG, Crowell RM, et al. Guidelines for the management of patients with acute ischemic stroke. A statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association. Stroke 1994;25(9):1901-1914.

Akimov GA, Lobzin VS, Sapov IA, et al. Assessment of the efficiency of hyperbaric oxygenation therapy in early forms of cerebrovascular disorders. Neurosci Behav Physiol 1985;15(1):13-17.

Akman MN, Loubser PG, Fife CE, et al. Hyperbaric oxygen therapy: implications for spinal cord injury patients with intrathecal baclofen infusion pumps. Case report. Paraplegia 1994;32(4):281-284.

Albers GW, Amarenco P, Easton JD, et al. Antithrombotic and thrombolytic therapy for ischemic stroke. Chest 2001;119(1 Suppl):300S-320S.

Albert TW, Smith JD, Everts EC, et al. Dacron mesh tray and cancellous bone in reconstruction of mandibular defects. Arch Otol Head Neck Surg 1986;112(1):53-59.

Albin MS. Air embolism. Anesth Clin N Amer 1993;11(1):1-24.

Alexander E, Jr. Medical management of closed head injuries. Clin Neurosurg 1972;19:240-250.

Alexander J, Takeda D, Sanders G, et al. Fatal necrotizing fasciitis following suction-assisted lipectomy. Ann Plast Surg 1988;20(6):562-565.

Alvis HJ. What hyperbaric medicine has to offer the industrial physician. J Occup Med 1967;9(6):304-307.

Amonic RS, Cockett AT, Lorhan PH, et al. Hyperbaric oxygen therapy in chronic hemorrhagic shock. JAMA 1969;208(11):2051-2054.

Anand A, Anand N, Anand A, et al. Rhinocerebral mucormycosis: Cure without surgery? Arch Int Med 1996;156(19):2262-2269.

Anand IS. Letter from the Siachen Glacier. High Alt Med Biol 2001;24(4):553-557.

Anand VK, Alemar G and Griswold JA, Jr. Intracranial complications of mucormycosis: an experimental model and clinical review. Laryngoscope 1992;102(6):656-662.

Anderson B, Jr., Heyman A, Whalen RE, et al. Migraine-like phenomena after decompression from hyperbaric environment. Neurology 1965;15(11):1035-1040.

Anderson B, Jr. and Saltzman HA. Hyperbaria, hybaroxia, and the retinal and cerebral vessels. Headache 1965;5(3):73-77.

Anderson DC, Bottini AG, Jagiella WM, et al. A pilot study of hyperbaric oxygen in the treatment of human stroke. Stroke 1991;22(9):1137-1142.

Anderson DC, Slater GE, Sherman R, et al. Evoked potentials to test a treatment of chronic multiple sclerosis. Arch Neurol 1987;44(12):1232-1236.

Anderson VA, Catroppa C, Haritou F, et al. Predictors of acute child and family outcome following traumatic brain injury in children. Pediatr Neurosurg 2001;34(3):138-48.

Andrews PJ, Sleeman DH, Statham PF, et al. Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression. J Neurosurg 2002;97(2):326-36.

Anegawa S, Hayashi T, Torigoe R, et al. Magnetic resonance imaging of fat embolism syndrome--case report. Neurol Med Chir 1991;31(6):359-361.

Anonymous. Hyperbaric oxygen and senile psychosis. Lancet 1969;2(7634):1348.

Anonymous. Hyperbaric oxygen therapy. Med Letter Drugs Therap 1971;13(8):29-32.

Anonymous. Late sequelae of carbon monoxide poisoning. Lancet 1984;2(8403):637-638.

Anonymous. Brain resuscitation. Heart Lung 1986;15(5):537-538.

Anonymous. Complications of hyperbaric oxygenation in the treatment of head and neck disease. Otolaryngol Head Neck Surg 1987;96(2):211-219.

Anonymous. Hyperbaric oxygen in the treatment of osteoradionecrosis: a review of its use and efficacy. Oral Surg Oral Med Oral Pathol 1987;64(4):413-416.

Anonymous. Some defenders of hyperbaric oxygen. Chest 1988;94(2):414-421.

Anonymous. Hyperbaric oxygen in experimental and clinical cerebral ischemia. Presented at: International Society of Hyperbaric Medicine 5th Symposium. Word Meeting of Hyperbaric Medicine; Capri, Italy; 1991.

Anonymous. Stroke treatment. Lancet 1991;337(8757):1601.

Anonymous. Cerebral amino acids and acute hyperbaric oxygen toxicity. Undersea Hyperb Med 1992;19:158.

Anonymous. Economic costs of birth defects and cerebral palsy -- United States, 1992. MMWR 1995;44(37):694-9.

Anonymous. Horizons. Hyperbaric oxygen and relief of migraine and cluster headache. J Neurosci Nurs 1995;27(4):261.

Anonymous. Assessment of brain SPECT. Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. Neurology 1996;46(1):278-285.

Anonymous. The International Stroke Trial (IST): a randomised trial of aspirin, subcutaneous heparin, both, or neither among 19435 patients with acute ischaemic stroke. International Stroke Trial Collaborative Group. Lancet 1997;349(9065):1569-1581.

Anonymous. New products. Clin Nurs Spec 1998;12(6):256.

Anonymous. Brain injury improves with hyperbaric oxygen. Life Extension 1999:71.

Anonymous. Hyperbaric oxygen therapy for wound healing - part III. Technologica MAP Suppl 1999:11-14.

Anonymous. Present status of hyperbaric oxygen therapy for the treatment of cerebral palsy. American Academy for Cerebral Palsy and Developmental Medicine. 1999.

Anonymous. Rehabilitation of persons with traumatic brain injury. Report of the NIH Consensus Development Conference. Bethesda, MD: National Institutes of Health. National Institute of Child Health and Development. 1999.

Anonymous. Hyperbaric oxygen preconditioning induces neuroprotection against ischemia in transient not permanent middle cerebral artery occlusion rat model. Chin Med J 2000;113(9):836-839.

Anonymous. Hyperbaric oxygen therapy: its use and appropriateness. Dallas, TX: Office of Inspector General, Department of Health and Human Services. 2000. Report Number OEI 06-99-00090.

Anonymous. Hyperbaric oxygenotherapy in Quebec - systematic review. Agence d'Evaluation des Technologies et des Modes d'Intervention en Sante. 2000.

Anonymous. Hyperbaric oxygen chambers (project). Israeli Center for Technology Assessment in Health Care. 2001.

Anonymous. Hyperbaric oxygen therapy. Medicare Services Advisory Committee. 2001.

Anonymous. 2002. Doctor shows courage in beating cancer. Lilia's Good Health. http://www.clickondetroit.com/det/health/lilasgoodhealth/stories/lilasgoodhealth-155734620020712-230745.html Available:2002

Anonymous. A review of the scientific evidence on the treatment of traumatic brain injuries and strokes with hyperbaric oxygen. Brain Inj 2003;17(3):225-36.

Aoki N, Uchinuno H, Tanikawa T, et al. Superior sagittal sinus thrombosis treated with combined local thrombolytic and systemic anticoagulation therapy. Acta Neurochir 1997;139(4):332-335.

Armon C, Deschamps C, Adkinson C, et al. Hyperbaric treatment of cerebral air embolism sustained during an open-heart surgical procedure. Mayo Clin Proc 1991;66(6):565-571.

Arness MK. Scuba decompression illness and diving fatalities in an overseas military community. Aviat Space Environ Med 1997;68(4):325-333.

Artru F, Chacornac R and Deleuze R. Hyperbaric oxygenation for severe head injuries: preliminary results of a controlled study. Eur Neurol 1976;14(4):310-318.

Artru F, Philippon B, Gau F, et al. Cerebral blood flow, cerebral metabolism and cerebrospinal fluid biochemistry in brain-injured patients after exposure to hyperbaric oxygen. Eur Neurol 1976;14(5):351-364.

Ash JS, Gorman PN, Lavelle M, et al. Multiple perspectives on physician order entry. Proc AMIA Symp 2000:27-31.

Ashamalla HL, Thom SR and Goldwein JW. Hyperbaric oxygen therapy for the treatment of radiation-induced sequelae in children: the University of Pennsylvania experience. Cancer 1996;77(11):2407-2412.

Aslam M. Medical scenario underwater. J Coll Phys Surg Pakistan 2001;11(7):411-413.

Asola MR. A diver unconscious after gastroenteritis. Lancet 1995;346(8986):1338.

Atkins HL and Chang CH. Recent advances in radiation therapy of intracranial malignancy. Clin Neurosurg 1965;13:156-180.

Auer RN. Non-pharmacologic (physiologic) neuroprotection in the treatment of brain ischemia. Ann NY Acad Sci 2001;939:271-282.

Badr AE, Yin W, Mychaskiw G, et al. Dual effect of HBO on cerebral infarction in MCAO rats. Am J Physiol Regul Integrat Compar Physiol 2001;280(3):R766-R770.

Baethmann A, Lanksch W and Schmiedek P. Formation and treatment of cerebral edema. Neurochirurgia 1974;17(2):37-47.

Balzan M, Cacciottolo JM and Casha A. Intestinal infarction following carbon monoxide poisoning. Postgrad Med J 1993;69(810):302-303.

Balzan MV, Agius G and Galea DA. Carbon monoxide poisoning: easy to treat but difficult to recognise. Postgrad Med J 1996;72(850):470-473.

Barach AL. Oxygen inhalation in obliterative arterial disease, including its use in senility. J Am Geriatr Soc 1970;18(9):708-713.

Baraka A. Anaesthetic problems during the tragic civil war in Lebanon. Mid East J Anaesthesiol 1978;5(1):7-19.

Barker RA, Dick DJ and Cochius JI. Delayed postanoxic encephalopathy and pseudodeficiency of arylsulphatase A. J Neurol 1999;246(11):1103-1104.

Barrett K, Harch P, Masel B, et al. Cognitive and cerebral blood flow improvements in chronic stable traumatic brain injury induced by 1.5 ATA hyperbaric oxygen. Undersea Hyperb Med 1998;25(9).

Barrett KF, Corson KP and Mader JT. Pediatric cerebral palsy treatment by 1.5 ATA hyperbaric oxygen - a pilot study [abstract]. 2001.

Bartsch P. Treatment of high altitude diseases without drugs. Int J Sports Med 1992;13:Suppl-4.

Bateman A, Culpan FJ, Pickering AD, et al. The effect of aerobic training on rehabilitation outcomes after recent severe brain injury: a randomized controlled evaluation. Arch Phys Med Rehab 2001;82(2):174-82.

Bateman C. Spending good money on thin air. S Afr Med J 2001;91(6):453-454.

Baum WK. Oral history for the local historical society. Blue Ridge Summit, PA: Alta Mira Press; 1987.

Baumgartner RW, Frick A, Kremer C, et al. Microembolic signal counts increase during hyperbaric exposure in patients with prosthetic heart valves. J Thorac Cardiovasc Surg 2001;122(6):1142-1146.

Bax M. Terminology and classification of cerebral palsy. Dev Med Chil Neurol 1964;57:153-158.

Bell MDD, Cope T and Harrison J. The use of hyperbaric oxygen in the management of severe anaemia in a Jehovah's Witness (multiple letters). Anaesthesia 2000;55(3):293-294.

Belokurov M. HBO in the combined therapy of comatose states in children. Pediatria 1988.

Belokurov MI. Hyperbaric oxygenation in the combined therapy of comatose states in children. Pediatria 1988(2):84-87.

Bembridge M, MacDonald R and Lyons G. Spinal anaesthesia with hyperbaric lignocaine for elective Caesarean section. Anaesthesia 1986;41(9):906-909.

Ben Yishai Y and Diller L. Changing of atmospheric environment to improve mental and behavioral function. Applications in treatment of senescence. NY State J Med 1973;73(24):2877-2880.

Ben Yishay Y, Diller L, Reich T, et al. Can oxygen reverse symptoms of senility? NY State J Med 1978;78(6):914-919.

Ben Yishay Y, Diller L, Warga C, et al. The alleviation of cognitive and functional impairments in senility by hyperbaric, oxygenation combined with systematic cuing. In: Trapp WG, Bannister EW, Davison AJ, et al., editors. Fifth International Hyperbaric Conference. Fifth International Hyperbaric Conference. Burnaby, Canada: Simon Fraser University Press; 1974. p. 424-431.

Benton PJ, Woodfine JD and Westwood PR. Arterial gas embolism following a 1-meter ascent during helicopter escape training: a case report. Aviat Space Environ Med 1996;67(1):63-64.

Berg BL. Qualitative research methods for the social sciences, 4th edition. Boston: Allyn & Bacon; 2001.

Bergo GW and Tyssebotn I. Cerebral blood flow and systemic hemodynamics during exposure to 2 kPa CO2-300 kPa O2 in rats. J Appl Physiol 1995;78(6):2100-2108.

Bergo GW and Tyssebotn I. Repeated exposure to 5 bar normoxic He-N2 changes cerebral blood flow distribution in rats. J Appl Physiol 1995;78(6):2109-2114.

Bergo GW and Tyssebotn I. Cardiovascular effects of hyperbaric oxygen with and without addition of carbon dioxide. Eur J App Physiol Occup Physiol 1999;80(4):264-275.

Bernhardt TL, Goldmann RW, Thombs PA, et al. Hyperbaric oxygen treatment of cerebral air embolism from orogenital sex during pregnancy. Crit Care Med 1988;16(7):729-730.

Berry GH. A clinical appraisal of hyperbaric oxygen in head and neck cancer. Br J Radiol 1978;51(602):150.

Berry GH and Dixon B. The Leeds result for radiotherapy in HBO for carcinoma of the head and neck. Clin Radiol 1979;30(5):591-592.

Bertelli A, Giovannini L, Mian M, et al. Protective action of propionyl-L-carnitine on toxicity induced by hyperbaric oxygen. Drug Exp Clin Res 1990;16(10):527-530.

Beuerlein M, Nelson RN and Welling DB. Inner and middle ear hyperbaric oxygen-induced barotrauma. Laryngoscope 1997;107(10):1350-1356.

Bischof F. Hyperbaric oxygen therapy in cerebral palsy. S Afr Med J 2001;91(3):182.

Bitterman H and Melamed Y. Delayed hyperbaric treatment of cerebral air embolism. Isr J Med Sci 1993;29(1):22-26.

Bloom HJ. Combined modality therapy for intracranial tumors. Cancer 1975;35(1):111-120.

Blum D, Viart P, Szliwowski HB, et al. Exchange transfusion and hyperbaric oxygen in the treatment of children with acute hepatic failure. Helv Paediatr Acta 1972;27(4):425-436.

Boelaert JR. Mucormycosis (zygomycosis): Is there news for the clinician? J Infect 1994;28(SUPPL. 1):1-6.

Bohlega S and McLean DR. Hemiplegia caused by inadvertent intra-carotid infusion of total parenteral nutrition. Clin Neurol Neurosurg 1997;99(3):217-219.

Bohmer D. Treating tinnitus with hyperbaric oxygenation. Int Tinnitus J 1997;3(2):137-140.

Bot H, Bruggemans EF, Delemarre BJ, et al. Microembolic signals under increased ambient pressure. Stroke 1998;29(5):1069-1070.

Boudewyns A and Claes J. Acute cochleovestibular toxicity due to topical application of potassium iodide. Eur Arch Oto Rhino Laryng 2001;258(3):109-111.

Boussuges A, Thirion X, Blanc P, et al. Neurologic decompression illness: a gravity score. Undersea Hyperb Med 1996;23(3):151-155.

Bove AA, Clark JM, Simon AJ, et al. Successful therapy of cerebral air embolism with hyperbaric oxygen at 2.8 ATA. Undersea Biomed Res 1982;9(1):75-80.

Boyle CA, Yeargin-Allsopp M, Doernberg NS, et al. Prevalence of selected developmental disabilities in children 3-10 years of age: the Metropolitan Atlanta Developmental Disabilities Surveillance Program, 1991. MMWR 1996;45(2):1-14.

Boyle E, Aparicio A, Canosa F, et al. Hyperbaric oxygen and acetazolamide in the treatment of senile cognitive functions. In: Trapp WG, Bannister EW, Davison AJ, et al., editors. Fifth International Hyperbaric Conference. Burnaby, Canada: Simon Fraser University Press; 1974. p. 432-438.

Branger AB, Lambertsen CJ and Eckmann DM. Cerebral gas embolism absorption during hyperbaric therapy: theory. J Appl Physiol Respir Environ Exercise Physiol 2001;90(2):593-600.

Braun R and Krishel S. Environmental emergencies. Emerg Med Clin N Am 1997;15(2):451-476.

Brink TL. The battle against senility. MH 1977;61(2):11.

Bristow JH, Kassar B and Sevel D. Gas gangrene panophthalmitis treated with hyperbaric oxygen. Br J Ophthamol 1971;55(2):139-142.

Broome JR and Dick Jr EJ. Neurological decompression illness in swine. Aviat Space Environ Med 1996;67(3):207-213.

Broome JR and Smith DJ. Pneumothorax as a complication of recompression therapy for cerebral arterial gas embolism. Undersea Biomed Res 1992;19(6):447-455.

Brown DB, Golich FC, Tappel JJ, et al. Severe carbon monoxide poisoning in the pediatric patient: a case report. Aviat Space Environ Med 1996;67(3):262-265.

Brown JA, Preul MC and Taha A. Hyperbaric oxygen in the treatment of elevated intracranial pressure after head injury. Pediatr Neurosci 1988;14(6):286-290.

Bruce DA, Raphaely RC, Goldberg AI, et al. Pathophysiology, treatment and outcome following severe head injury in children. Childs Brain 1979;5(3):174-191.

Brunet LW, Morrissey CY and Gorry GA. Oral history and information technology: human voices of assessment. Organ Comput 1991(1):251-274.

Bubenik GA, Blask DE, Brown GM, et al. Prospects of the clinical utilization of melatonin. Biol Signals Recept 1998;7(4):195-219.

Buchan AM. Can pure oxygen prevent stroke damage? Crit Care Med 2000;28(8):3101-3102.

Buechler CM, Blostein PA, Koestner A, et al. Variation among trauma centers' calculation of Glasgow Coma Scale score: results of a national survey. J Trauma Inj Infect Crit Care 1998;45(3):429-32.

Bulger EM, Nathens AB, Rivara FP, et al. Management of severe head injury: Institutional variations in care and effect on outcome. Crit Care Med 2002;30(8):1870-6.

Bullock RM, Chesnut R, Clifton GL, et al. Management and prognosis of severe traumatic brain injury, part 1: Guidelines for the management of severe traumatic brain injury. J Neurotrauma 2000;17:451-553.

Buonanno F and Toole JF. Management of patients with established ("completed") cerebral infarction. Stroke 1981;12(1):7-16.

Burkhart KK and Kulig KW. The diagnostic utility of flumazenil (a benzodiazepine antagonist) in coma of unknown etiology. Ann Emerg Med 1990;19(3):319-321.

Burm AG, Van Kleef JW and Galdines MP. Plasma concentrations of lidocaine and bupivacaine after subarachnoid administration. Anesthesiology 1983;59(3):191-195.

Busse EW. Biologic and sociologic changes affecting adaptation in mid and late life. Ann Int Med 1971;75(1):115-120.

Butler CS, Barnett RJ and Wilson M. An unusual presentation of pulmonary tuberculosis. Med J Aust 1998;168(3):119-120.

Butler FK, Jr. Diving and hyperbaric ophthalmology. Surv Ophthamol 1995;39(5):347-366.

Cable GG, Keeble T and Wilson G. Pulmonary cyst and cerebral arterial gas embolism in a hypobaric chamber: a case report. Aviat Space Environ Med 2000;71(2):172-176.

Calverley RK, Dodds WA, Trapp WG, et al. Hyperbaric treatment of cerebral air embolism: a report of a case following cardiac catheterization. Can Anaesth Soc J 1971;18(6):665-674.

Calvert JW, Yin W, Patel M, et al. Hyperbaric oxygenation prevented brain injury induced by hypoxia-ischemia in a neonatal rat model. Brain Res 2002;951(1):1-8.

Caplan LR. Caplan's Stroke: a clinical approach. Boston: Butterworth and Heinemann; 2000.

Carter R and Wilson C. Newspaper hype. BMJ 1996;312(7039):1163.

Catron PW, Dutka AJ, Biondi DM, et al. Cerebral air embolism treated by pressure and hyperbaric oxygen. Neurology 1991;41(2: Pt 1):1-5.

Centers for Medicare and Medicaid. Transmittal 164. National Coverage Determinations (NCDs) Hyperbaric Oxygen Therapy. In: Medicare Coverage Issues Manual; 2002. p. 10-13.

Chang CH. Hyperbaric oxygen and radiation therapy in the management of glioblastoma. N Cancer Inst Monog 1977;46:163-169.

Chavdarov I. The effects of hyperbaric oxygenation on psycho-motor functions by children with cerebral palsy. Presented at: Proceedings of the 2nd International Symposium on Hyperbaric Oxygenation in Cerebral Palsy and the Brain-injured Child; 2002.

Chen CF and Fang HS. Influence of age on hyperoxic resistance. J Formosan Med Assoc 1980;79(5):460-463.

Chen CF, Jia HY, Zhao XY, et al. Auditory P300, CT scans and cognitive state in Binswanger's Disease. Chin J Physiol 1997;40(1):19-24.

Cheng T. Effect of vasopressin and oxytocin on the reactions of rats to hyperbaric oxygen exposure. Chin J Physiol Sci 1990;6(3):211-217.

Chesire WP and Ott MC. Headache in divers. Headache 2001(41(2)):235-247.

Chesnut R, Carney N, Maynard H, et al. Rehabilitation for traumatic brain injury. Rockville, MD: Agency for Health Care Policy and Research Report Number 2. 1999.

Chesnut RM, Marshall LF, Klauber MR, et al. The role of secondary brain injury in determining outcome from severe head injury. J Trauma 1993;34(2):216-222.

Chew HE, Hanson GC and Slack WK. Hyperbaric oxygenation. Br J Dis Chest 1969;63(3):113-139.

Chuba PJ, Aronin P, Bhambhani K, et al. Hyperbaric oxygen therapy for radiation-induced brain injury in children. Cancer 1997;80(10):2005-2012.

Chuba PJ, Zamarano L, Hamre M, et al. Permanent I-125 brain stem implants in children. Childs Nerv Syst 1998;14(10):570-577.

Chung MM, Strauss MB, Nation PA, et al. Clinical outcomes of carbon monoxide poisoned comatose patients. Undersea Hyperb Med Suppl 1996;23(May 12-26):89.

Cianci P, Posin JP, Shimshak RR, et al. Air embolism complicating percutaneous thin needle biopsy of lung. Chest 1987;92(4):749-751.

Cianci P and Sato R. Adjunctive hyperbaric oxygen therapy in the treatment of thermal burns: a review. Burns 1994;20(1):5-14.

Cirafisi C and Verderame F. Radiation-induced rhombencephalopathy. Ital J Neurol Sci 1999;20(1):55-58.

Clark DE and Ryan LM. Concurrent prediction of hospital mortality and length of stay from risk factors on admission. Health Serv Res 2002;37(3):631-45.

Clarke D. Hyperbaric oxygen therapy. Am J Emerg Med 1993;11(4):436-437.

Clements KS, Vrabec JT and Mader JT. Complications of tympanostomy tubes inserted for facilitation of hyperbaric oxygen therapy. Arch Otol Head Neck Surg 1998;124(3):278-280.

Clenney TL and Lassen LE. Recreational scuba diving injuries. Am Fam Phys 1996;53(5):1761-1766.

Clifton GL. Hypothermia and hyperbaric oxygen as treatment modalities for severe head injury. New Horiz Sci Pract Acute Med 1995;3(3):474-478.

Clifton GL, Miller ER, Choi SC, et al. Lack of effect of induction of hypothermia after acute brain injury. New Engl J Med 2001;344(8):556-63.

Coe JE and Hayes TM. Treatment of experimental brain injury by hyperbaric oxygenation. Am Surg 1966;32:493-495.

Cohen RJ, McNeal JE, Susman M, et al. Sarcomatoid renal cell carcinoma of papillary origin: a case report and cytogenic evaluation. Arch Path Lab Med 2000;124(12):1830-2.

Collet JP, Vanasse M, Marois P, et al. Hyperbaric oxygen for children with cerebral palsy: a randomised multicentre trial. Lancet 2001;357:582-586.

Connolly KM and McGuirt WF, Jr. Elective extracorporeal membrane oxygenation: an improved perioperative technique in the treatment of tracheal obstruction. Ann Otol Rhin Laryng 2001;110(3):205-209.

Conzen M, Ebel H, Swart E, et al. Long-term neuropsychological outcome after severe head injury with good recovery. Brain Inj 1992;6(1):45-52.

Cordoba-Cabeza T and al e. Hyperbaric oxygenation and neurological recovery in children with organic brain damage. Rev Neurol 1998;(158):571-574.

Coric V, Oren DA, Wolkenberg FA, et al. Carbon monoxide poisoning and treatment with hyperbaric oxygen in the subacute phase. J Neurol Neurosurg Psychiatry 1998;65(2):245-247.

Couch L, Theilen F and Mader JT. Rhinocerebral mucormycosis with cerebral extension successfully treated with adjunctive hyperbaric oxygen therapy. Arch Otol Head Neck Surg 1988;114(7):791-794.

Crabtree BF and Miller WL. Doing qualitative research. Newbury Park: Sage; 1992.

Cramer FS. Oxygen and acceleration. Mil Med 1991;156(11):608-611.

Cranton EM and Frackelton JP. Free radical pathology in age-associated diseases: treatment with EDTA chelation nutrition, and antioxidants. J Holistic Med 1984;6(1):6-37.

Cronje F. Hyperbaric oxygen therapy for children with cerebral palsy. S Afr Med J 2001;91(8):615-616.

Cronje F, Bever Donker SC and Venter A. Hyperbaric oxygen therapy for children with cerebral palsy. S Afr Med J 1999;89(4):359-361.

Crosby LJ and Parsons LC. Cerebrovascular response of closed head-injured patients to a standardized endotracheal tube suctioning and manual hyperventilation procedure. J Neurosci Nurs 1992;24(1):40-49.

Curran S. Pharmacological treatment of Alzheimer's disease. Presented at: 10th European College of Neuropsychopharmacology Congress; Vienna, Austria; 1997.

Dang Y, Xia C and Brown OR. Effects of oxygen on 3-hydroxyanthranilate oxidase of the kynurenine pathway. Free Radic Biol Med 1998;25(9):1033-1043.

Dauman R. Sudden hearing loss: a comparative randomized study of 2 modalities of hyperbaric oxygen therapy in association with Naftidrofuryl. Rev Laryngol Otol Rhinol 1993;114(1):53-58.

Davis FM, Glover PW and Maycock E. Hyperbaric oxygen for cerebral arterial air embolism occurring during caesarean section. Anaesth Intensive Care 1990;18(3):403-405.

Davis JC. Hyperbaric oxygen therapy. J Intens Care Med 1989;4:55-57.

Davis JC, Dunn JM and Heimbach RD. Hyperbaric medicine: patient selection, treatment procedures, and side-effects. In: Davis JC and Hunt TK, editors. Problem wounds: the role of oxygen. New York: Elsevier; 1988. p. 225-235.

De La Paz MA, Patrinely JR, Marines HM, et al. Adjunctive hyperbaric oxygen in the treatment of bilateral cerebro-rhino-orbital mucormycosis. Am J Ophthamol 1992;114(2):208-211.

De Reuck J, Decoo D, Lemahieu I, et al. A positron emission tomography study of patients with acute carbon monoxide poisoning treated by hyperbaric oxygen. J Neurol 1993;240(7):430-434.

Dean BS, Verdile VP and Krenzelok EP. Coma reversal with cerebral dysfunction recovery after repetitive hyperbaric oxygen therapy for severe carbon monoxide poisoning. Am J Emerg Med 1993;11(6):616-618.

Dean JB and Mulkey DK. Continuous intracellular recording from mammalian neurons exposed to hyperbaric helium, oxygen, or air. J Appl Physiol 2000;89(2):807-822.

Dearden NM. Management of raised intracranial pressure after severe head injury. Br J Hosp Med 1986;36(2):94-103.

Deckel AW. Carbon monoxide poisoning and frontal lobe pathology: two case reports and a discussion of the literature. Brain Inj 1994;8(4):345-356.

Delaney JS and Montgomery DL. How can hyperbaric oxygen contribute to treatment? Physician Sportsmed 2001;29(3):77-84.

Dembert ML. Scuba diving accidents. Am Fam Phys 1977;16(2):75-80.

Dempsey LC, O'Donnell JJ and Hoff JT. Carbon monoxide retinopathy. Am J Ophthamol 1976;82(5):692-693.

Denays R, Makhoul E, Dachy B, et al. Electroencephalographic mapping and 99mTc HMPAO single-photon emission computed tomography in carbon monoxide poisoning. Ann Emerg Med 1994;24(5):947-952.

Dewhurst AT, Tighe SQM and Charters P. Hyperbaric oxygen therapy (multiple letters). Br J Anaesth 2000;85(4):656-658.

Dexter F and Hindman BJ. Recommendations for hyperbaric oxygen therapy of cerebral air embolism based on a mathematical model of bubble absorption. Anesth Analg 1997;84(6):1203-1207.

Di Sabato F, Fusco BM, Pelaia P, et al. Hyperbaric oxygen therapy in cluster headache. Pain 1993;52(2):243-245.

Di Sabato F, Giacovazzo M, Cristalli G, et al. Effect of hyperbaric oxygen on the immunoreactivity to substance P in the nasal mucosa of cluster headache patients. Headache 1996;36(4):221-223.

Di Sabato F, Rocco M, Martelletti P, et al. Hyperbaric oxygen in chronic cluster headaches: influence on serotonergic pathways. Undersea Hyperb Med 1997;24(2):117-122.

Dinman BD. The management of acute carbon monoxide intoxication. J Occup Med 1974;16(10):662-664.

Dobbins KRB and Saul RF. Transient visual loss after licorice ingestion. J Neuroophthalmol 2000;20(1):38-41.

Dolan MC. Carbon monoxide poisoning. CMAJ 1985;133(5):392-399.

Dollberg S, Nachum Z, Klar A, et al. Haemophilus influenzae type b purpura fulminans treated with hyperbaric oxygen. J Infect 1992;25(2):197-200.

Dolmierski R, Maslowski J, Matousek M, et al. EEG changes measured by spectrum analysis under hyperbaric conditions. Aviat Space Environ Med 1990;61(1):33-37.

Douze JM. Carbon monoxide poisoning is not obsolete: a form of cerebral oedema in internal medicine. Netherl J Med 1977;20(4-5):157-161.

Down J. Treatment studies: efficacy vs. effectiveness. J Neurosurg 1994;80(5):956.

Dressendorfer RH, Hong SK, Morlock JF, et al. Hana kai ii: a 17-day dry saturation dive at 18.6 ATA. V. Maximal oxygen uptake. Undersea Biomed Res 1977;4(3):283-296.

Droghetti L, Giganti M, Memmo A, et al. Air embolism: diagnosis with single-photon emission tomography and successful hyperbaric oxygen therapy. Br J Anaesth 2002;89(5):775-8.

Ducasse J. Brain disease after circulatory arrest and hyperbaric oxygen therapy. Med Aeronaut Spatiale 1980;73(19):78-79.

Ducasse JL, Celsis P and Marc-Vergnes JP. Non-comatose patients with acute carbon monoxide poisoning: hyperbaric or normobaric oxygenation? Undersea Hyperb Med 1995;22(1):9-15.

Ducasse JL, Genestal M, Hugot B, et al. Hyperbaric oxygenotherapy effects on cerebral arterio-venous differences in anoxic comas. Med Sub Hyperb 1982;1 (3):103-110.

Duim W and Cronje FJ. The use of hyperbaric oxygen in acute and sub-acute stroke - a correlation of stroke type, pathophysiology and treatment response in fifteen patients. J Neurosurg 2001;187(Suppl. 1):2001.

Dunbar EM, Fox R, Watson B, et al. Successful late treatment of venous air embolism with hyperbaric oxygen. Postgrad Med J 1990;66(776):469-470.

Dunn JE and Connolly JM. Effects of hypobaric and hyperbaric oxygen on experimental brain injury. Hyperb Med 1966:447-454.

Duplechain JK and White JA. Mucormycosis of the head and neck. J La State Med Soc 1989;141(3):9-13.

Durnin C. Carbon monoxide poisoning presenting with focal epileptiform seizures. Lancet 1987;1(8545):1319.

Dutka A. Hyperbaric oxygen and stroke. Pressure 1998;27(1):6.

Dutka AJ. A review of the pathophysiology and potential application of experimental therapies for cerebral ischemia to the treatment of cerebral arterial gas embolism. Undersea Biomed Res 1985;12(4):403-421.

Ebner R, Slamovits TL, Friedland S, et al. Visual loss following treatment of sphenoid sinus carcinoma. Surv Ophthamol 1995;40(1):62-68.

Edwards AE and Hart GM. Hyperbaric oxygenation and the cognitive functioning of the aged. J Am Geriatr Soc 1974;22:376-379.

Eicke BM and Tettenborn B. Hyperbaric Oxygen Therapy in Neurological Disorders. Headache 2000;40(1):60-67.

Eisner DA. Can hyperbaric oxygenation improve cognitive functioning in the organically impaired elderly?: a critical review. J Geriatr Psychiatry 1975;8(2):173-188.

Ekbom K. Treatment of cluster headache: clinical trials, design and results. Cephalalgia 1995;15:Suppl-6.

el Toukhy E, Szal M, Levine MR, et al. Osteomyelitis of the orbit. Ophthalm Plast Recons Surg 1997;13(1):68-71.

Elf K, Nilsson P and Enblad P. Outcome after traumatic brain injury improved by an organized secondary insult program and standardized neurointensive care. Crit Care Med 2002;30(9):2129-34.

Eltorai IM, Strauss MB, Hart GB, et al. Carbon monoxide neural toxicity with report of a clinical case. Ariz Med 1984;41(11):729-734.

Elwood M. Critical Appraisal of epidemiological studies and clinical trials. 2nd ed. New York: Oxford University Press; 1998.

Ely EW, Moorehead B and Haponik EF. Warehouse workers' headache: emergency evaluation and management of 30 patients with carbon monoxide poisoning. Am J Med 1995;98(2):145-155.

Emerson GM and Oxer HF. Unusual causes of convulsions in a hyperbaric chamber. Undersea Hyperb Med 1998;25(2):128-129.

Emerson TS and Keiler J. Pattern shift visual evoked potential screening for HBO2 in mild-to-moderate carbon monoxide poisoning. Undersea Hyperb Med 1998;25(1):27-32.

Enkin MW and Jadad AR. Using anecdotal information in evidence-based health care: heresy or necessity? Ann Oncol 1998;9(9):963-6.

Epifanova N. Some clinico-biochemical aspects of hyperbaric oxygenation effect in the treatment of opium poisoning. J Eur Coll Neuropharmacol 1999.

Epifanova N, Romasenko M and and E, I. Hyperbaric oxygenation effect and the mechanisma of action in alcohol abuse and drug addiction. Presented at: 9th Congress of the Association of European Psychiatrists; Copenhagen, Denmark; 1998.

Epifanova N, Romasenko M, Koukchina A, et al. The role of hyperbaric oxygenation in treatment of alcohol abuse and drug addiction [abstract]. Presented at: 11th European College of Neuropsychopharmacology Congress; Paris, France; 1998.

Ernsting J. Hyperbaric oxygen therapy: physiological considerations. Proc R Soc Med 1971;64(9):873.

Essex C. Hyperbaric oxygen and cerebral palsy: no proven benefit and potentially harmful. Dev Med Child Neurol 2003;45(3):213-5.

Ewing B. Postviral syndrome (II). J R Soc Med 1990;83(10):675-676.

Faglia E, Favales F, Aldeghi A, et al. Change in major amputation rate in a center dedicated to diabetic foot care during the 1980s: prognostic determinants for major amputation. J Diabetes Complications 1998;12(2):96-102.

Fandino J, Stocker R, Prokop S, et al. Cerebral oxygenation and systemic trauma related factors determining neurological outcome after brain injury. J Clin Neurosci 2000;7(3):226-33.

Fann WE, Wheless JC and Richman BW. Psychopharmacological treatment of disorders of senescence. No Carol Med J 1974;35(11):672-677.

Fasano VA, De Nunno T, Urciolo R, et al. First observation on the use of oxygen under high pressure for the treatment of traumatic coma. In: Boerema I, Brummelkamp WH and Meigne NG, editors. Clinical application of hyperbaric oxygen. Amsterdam: Elsevier; 1964. p. 168-173.

Fattore L and Strauss RA. Hyperbaric oxygen in the treatment of osteoradionecrosis: a review of its use and efficacy. Oral Surg Oral Med Oral Pathol 1987;63(3):280-286.

Faust DS, Brady LW, Croll MN, et al. Evaluation of the use of regional oxygenation technics to enhance the localization of radioisotopes in tumors. Radiology 1966;87(2):285-290.

Faust DS, Brady LW, Croll MN, et al. Regional oxygenation techniques as a means to enhance localization of radioisotopes in brain tumors. Radiol Clin Belg 1967;36(2):112-120.

Feinsilver O. Oxygen therapy in surgical patients. Surg Clin N Am 1969;49(3):657-664.

Felber SR, Aichner FT, Sauter R, et al. Combined magnetic resonance imaging and proton magnetic resonance spectroscopy of patients with acute stroke. Stroke 1992;23(8):1106-1110.

Felberg RA, Burgin WS and Grotta JC. Neuroprotection and the ischemic cascade. CNS Spectrum 2000;5(3):52-58.

Feldmeier JJ and Hampson NB. A systematic review of the literature reporting the application of hyperbaric oxygen prevention and treatment of delayed radiation injuries: an evidence based approach. Undersea Hyperb Med 2002;29(1):4-30.

Ferguson BJ. Mucormycosis of the nose and paranasal sinuses. Otolaryngol Clin N Am 2000;33(2):349-365.

Ferguson BJ, Mitchell TG, Moon R, et al. Adjunctive hyperbaric oxygen for treatment of rhinocerebral mucormycosis. Rev Infect Dis 1988;10(3):551-559.

Ferrier D, Wallace CJ, Fletcher WA, et al. Magnetic resonance features in carbon monoxide poisoning. Can Assoc Radiol J 1994;45(6):466-468.

Finkelstein R, Nachum Z, Reissman P, et al. Anaerobic osteomyelitis in patients with Gaucher's disease. Clin Inf Dis 1992;15(5):771-773.

Fischer, B.H., Marks, et al. Hyperbaric-oxygen treatment of multiple sclerosis: a randomized, placebo-controlled, double-blind study. New Engl J Med 1983;308:181-186.

Fitch W. Anaesthesia for carotid artery surgery. Br J Anaesth 1976;48(8):791-796.

Fledelius HC, Jansen EC and Thorn J. Refractive change during hyperbaric oxygen therapy: a clinical trial including ultrasound oculometry. Acta Ophthal Scand 2002;80(2):188-90.

Fontanesi J, Golden E and Heideman R. Treatment of radiation induced CNS radiation necrosis with hyperbaric oxygen therapy (HBOT). Underse Hyperb Med Suppl 1993;7 - 10(Jul):20-23.

Foreman C and Weitershausen J. Regulation of hyperbaric chambers as medical devices. In: Workman WT, editor. Hyperbaric facility safety: a practical guide. Flagstaff, AZ: Best Publishing Company; 1999. p. 135-147.

Foster JH. Hyperbaric oxygen therapy: contraindications and complications. J Oral Maxillofac Surg 1992;50(10):1081-1086.

Frank L and Massaro D. Oxygen toxicity. Am J Med 1980;69(1):117-126.

Frederiksen JW, Smith J, Brown P, et al. Arterial helium embolism from a ruptured intraaortic balloon. Ann Thor Surg 1988;46(6):690-692.

Furie K. Brain Infarction. In: Gilchrist JM, editor. Prognosis in neurology. Boston: Butterworth-Heinemann; 1998. p. 83-86.

Furutani S. Hyperbaric oxygenation for the ischemic cerebral damage due to cardiac arrest during spinal and epidural anesthesia. J Intens Care Med 1986;10:845-850.

Gabb G and Robin ED. Hyperbaric oxygen: a therapy in search of diseases. Chest 1987;92(6):1074-1082.

Galizia VJ. Pharmacotherapy of memory loss in the geriatric patient. Drug Intell Clin Pharm 1984;18(10):784-791.

Gallerani M, La Cecilia O, Serra A, et al. Parkinsonian syndrome after acute carbon monoxide poisoning. Am J Emerg Med 2000;18(7):833-834.

Gamba JL, Woodruff WW, Djang WT, et al. Craniofacial mucormycosis: assessment with CT. Radiology 1986;160(1):207-212.

Gaziev D, Baronciani D, Galimberti M, et al. Mucormycosis after bone marrow transplantation: report of four cases in thalassaemia and review of the literature. Bone Marr Transplant 1996;17(3):409-414.

Gelety JE, Neubauer RA and Mcgeehe FO. Treatment of chronic vegetative coma with hyperbaric oxygen. Presented at: Eighth Annual Conference on the Clinical Applications of Hyperbaric Oxygen; Long Beach, CA; 1983.

Giebfried JW, Lawson W and Biller HF. Complications of hyperbaric oxygen in the treatment of head and neck disease. Otolaryngol Head Neck Surg 1986;94(4):508-512.

Giitter MF, Henderson LT, Afsari KK, et al. Adjunctive hyperbaric oxygen therapy in the treatment of rhinocerebral mucormycosis. Infect Med 1996;13(2):130-136.

Gill W. Trauma. J R Coll Surg Edinb 1977;22(1):72-80.

Gillespie ND, Hallhead G, James PB, et al. Severe parkinsonism secondary to carbon monoxide poisoning. J R Soc Med 1999;92(10):529-530.

Ginsberg MD. Carbon monoxide intoxication: clinical features, neuropathology and mechanisms of injury. J Toxicol Clin Toxicol 1985;23(4-6):281-288.

Girkin CA, Comey CH, Lunsford LD, et al. Radiation optic neuropathy after stereotactic radiosurgery. Ophthalmology 1997;104(10):1634-1643.

Gismondi A, Michalelle F, Metrangolo C, et al. Treatment of cerebral ischemia with hyperbaric oxygen therapy. Minn Med 1980;72:1417-1420.

Glaser BG and Strauss AL. The discovery of grounded theory: strategies for qualitative research. Chicago, IL: Aldine; 1967.

Goetz C and Pappert E. Textbook of clinical neurology. Philadelphia, PA: WB Saunders; 1999.

Golden ZL, Neubauer R, Golden CJ, et al. Improvement in cerebral metabolism in chronic brain injury after hyperbaric oxygen therapy. Int J Neurosci 2002;112(2):119-31.

Goldenberg I, Shupak A, Shoshani O, et al. Left ventriculography complicated by cerebral air embolism. Cathet Cardiovasc Diagn 1995;35(4):331-334.

Goldfarb AI, Hochstadt NJ, Jacobson JH, et al. Hyperbaric oxygen treatment of organic mental syndrome in aged persons. J Gerontol 1972;27(2):212-217.

Golish JA, Pena CM and Mehta AC. Massive air embolism complicating Nd-YAG laser endobronchial photoresection. Lasers Surg Med 1992;12(3):338-342.

Goodnick P and Gershon S. Chemotherapy of cognitive disorders in geriatric subjects. J Clin Psych 1984;45(5 I):196-209.

Gordon P. Molecular approaches to the drug enhancement of deteriorated functioning in the aged. Adv Gerontol Res 1971;3:199-248.

Gordon WA, Haddad L, Brown M, et al. The sensitivity and specificity of self-reported symptoms in individuals with traumatic brain injury. Brain Inj 2000;14(1):21-33.

Gottlieb SF, Neubauer RA, Harch PG, et al. Hyperbaric oxygen in acute and chronic deficits of stroke; imagining as a therapeutic guide. Presented at: Undersea and Hyperbaric Medical Society Gulf Coast Chapter Annual Scientific Meeting; Ft. Lauderdale, FL; 1993.

Goulon M, Levy-Alcover MA, Nouailhat F, et al. The EEG in hyperbaric oxygen therapy. Electroenceph Clin Neurophysiol 1968;25(1):90.

Graupera BB. Osteoradionecrosis of the mandible. Radiolog Tech 1977;49(2):139-142.

Gray DS. Slow-to-recover severe traumatic brain injury: a review of outcomes and rehabilitation effectiveness. Brain Inj 2000;14:1003-1014.

Gray DS and Burnham RS. Preliminary outcome analysis of a long-term rehabilitation program for severe acquired brain injury. Arch Phys Med Rehab 2000;81(11):1447-56.

Gray RC and Coppel DL. Surgery of violence III: intensive care of patients with bomb blast and gunshot injuries. BMJ 1975;1(5956):502-504.

Green J and Britten N. Qualitative research and evidence based medicine. BMJ 1998;316:1230-3.

Green MO and Brannen AL. Hyperbaric oxygen therapy for beta-radiation-induced scleral necrosis. Ophthalmology 1995;102(7):1038-1041.

Grim P, Gottlieb LJ, Boddie A, et al. Hyperbaric oxygen therapy. JAMA 1990;263(16):2216-2220.

Grube BJ, Marvin JA and Heimbach DM. Therapeutic hyperbaric oxygen: help or hindrance in burn patients with carbon monoxide poisoning? J Burn Care Rehab 1988;9(3):249-252.

Guida RA, Finn DG, Buchalter IH, et al. Radiation injury to the temporal bone. Am J Otol 1990;11(1):6-11.

Guo H, Chen L and Li W. The evaluation of the effect of HBO therapy by digital symbol test. In: Marroni A, Oriani G and Wattel F, editors. Proceedings of the International Joint Meting on Hyperbaric and Underwater Medicine, XXII Annual meeting of the EUBS, XII International congress on Hyperbaric Medicine, III Consensus conference of the ECHM, Milano, Italy. Bolgna: Grafica Victoria; 1996. p. 181.

Gupta D, Chugh K, Sachdev A, et al. ICU management of severe malaria. Indian J Ped 2001;68(11):1057-1061.

Guy J and Schatz NJ. Hyperbaric oxygen in the treatment of radiation-induced optic neuropathy. Ophthalmology 1986;93(8):1083-1088.

Hackett PH and Roach RC. High-altitude illness. New Engl J Med 2001;345(2):107-114.

Hadeishi H, Suzuki E, Suzuki A, et al. Hyperbaric oxygenation therapy for cerebral ischemia. Undersea Biomed Res Suppl 1990;17(Aug 11-18):121.

Haffty BG, Hurley RA and Peters LG. Carcinoma of the larynx treated with hypofractionated radiation and hyperbaric oxygen: long-term tumor control and complications. Int J Radiat Oncol Biol Physic 1999;45(1):13-20.

Hall AH, Kulig KW and Rumack BH. Suspected cyanide poisoning in smoke inhalation: complications of sodium nitrite therapy. J Toxicol Clin Exp 1989;9(1):3-9.

Hall KM, Bushnik T, Lakisic-Kazazic B, et al. Assessing traumatic brain injury outcome measures for long-term follow-up of community-based individuals. Arch Phys Med Rehab 2001;82(3):367-74.

Halliday P, Anderson DN, Davidson AI, et al. Management of cerebral air embolism secondary to a disconnected central venous catheter. Br J Surg 1994;81(1):71.

Halpern NA, Pastores SM, Price JB, et al. The many causes of acute hearing loss in the ICU. J Crit Illn 1999;14(7):398-402.

Halpern P, Greenstein A, Melamed Y, et al. Arterial air embolism after penetrating lung injury. Crit Care Med 1983;11(5):392-393.

Hamilton K, Laliberte MF and Fowler B. Dissociation of the behavioral and subjective components of nitrogen narcosis and diver adaptation. Undersea Hyperb Med 1995;22(1):41-49.

Hammond FM, Grattan KD, Sasser H, et al. Long-term recovery course after traumatic brain injury: a comparison of the functional independence measure and disability rating scale. J Head Trauma Rehab 2001;16(4):318-29.

Hampson NB, Dunford RG, Kramer CC, et al. Selection criteria utilized for hyperbaric oxygen treatment of carbon monoxide poisoning. J Emerg Med 1995;13(2):227-231.

Hampson NB and Norkool DM. Carbon monoxide poisoning in children riding in the back of pickup trucks. JAMA 1992;267(4):538-540.

Hampson NB, Simonson SG, Kramer CC, et al. Central nervous system oxygen toxicity during hyperbaric treatment of patients with carbon monoxide poisoning. Undersea Hyperb Med 1996;23(4):215-219.

Harch PG. The dosage of hyperbaric oxygen in chronic brain injury. Proceedings of the 2nd International Symposium on Hyperbaric Oxygenation in Cerebral Palsy and the Brain-injured Child 2002:31.

Harch PG, Deckoff-Jones J and Neubauer RA. Low pressure hyperbaric oxygen therapy for pediatric brain injury, a minimal risk medical treatment. Pediatrics 2001;Eletter(http://pediatrics.aappublications.org/cgi/eletters/106/6/e80#145).

Harch PG, Meter V and Gottlieb S. HMPAO SPECT brain imaging and low pressure HBOT in the diagnosis and treatment of chronic traumatic, ischemic, hypoxic and anoxic encephalopathies. Undersea Hyperb Med Suppl 1994;21:30.

Harch PG and Neubauer RA. Hyperbaric oxygen therapy in global cerebral ischemia/anoxia and coma, Chapter 18. In: Jain KK, editor. Textbook of hyperbaric medicine. 3rd rev. ed. Seattle, WA: Hogrefe and Huber Publishers; 1999.

Harch PG, Neubauer RA, Uszler JM, et al. Functional Imaging. In: Jain KK, editor. Textbook of hyperbaric medicine. 3rd rev. ed. Seattle, WA: Hogrefe & Huber; 1999.

Hardy KR. Diving-related emergencies. Emerg Med Clin N Am 1997;15(1):223-240.

Hardy P, JP C, J G, et al. Neuropsychological effects of hyperbaric oxygen therapy in cerebral palsy. Dev Med Child Neurol 2002;44:436-446.

Harries PG and Fagan JJ. Minerva. BMJ 1999;318(7187):884.

Harris RP, Helfand M, Woolf SH, et al. Methods of the third U.S. Preventive Services Task Force. Am J Prev Med 2001;20(3S):21-35.

Hart GB and Mainous EG. The treatment of radiation necrosis with hyperbaric oxygen (OHP). Cancer 1976;37(6):2580-2585.

Hart GB and SD L. The treatment of chronic cerebral ischemia with hyperbaric oxygen: Naval Hospital, Long Beach, CA. In: 5th International Hyperbaric Congress Proceedings. Burnaby, BC Canada: Simon Fraser University; 1973. p. 409-413.

Hart GB and Strauss MB. Central nervous system oxygen toxicity in a clinical setting. In: Bove AA, editor. Proceedings of the Ninth International Symposium on Underwater and Hyperbaric Physiology. Bethesda, MD: Undersea and Hyperbaric Medical Society; 1987. p. 695-699.

Hart GB, Strauss MB, Lennon PA, et al. Treatment of smoke inhalation by hyperbaric oxygen. J Emerg Med 1985;3(3):211-215.

Hart GB and Thompson RE. The treatment of cerebral ischemia with hyperbaric oxygen (OHP). Stroke 1971;2(3):247-250.

Harvey WR and Hutton P. Carbon monoxide: Chemistry, role, toxicity and treatment. Curr Anaesth Crit Care 1999;10(3):158-163.

Harvey WR, Lee CJ, Koch SM, et al. Delayed presentation of cerebral arterial gas embolism following proven intraoperative venous air embolism. J Neurosurg Anesthesiol 1996;8(1):26-29.

Hattori K, Yabe M, Matsumoto M, et al. Successful hyperbaric oxygen treatment of life-threatening hemorrhagic cystitis after allogeneic bone marrow transplantation. Bone Marr Transplant 2001;27(12):1315-1317.

Hawkins M, Harrison J and Charters P. Severe carbon monoxide poisoning: outcome after hyperbaric oxygen therapy. Br J Anaesth 2000;84(5):584-586.

Hayakawa T. Hyperbaric oxygen treatment in neurology and neurosurgery. TIT J Life Sci 1974;4(1):1-25.

Hayakawa T, Kanai N, Kuroda R, et al. Response of cerebrospinal fluid pressure to hyperbaric oxygenation. J Neurol Neurosurg Psychiatry 1971;34(5):580-586.

Hayashi N. The brain hypothermia therapy for prevention of vegetation after severe brain injury. Nippon Geka Gakkai Zasshi 1999;100(7):443-8.

He KM, Guan LX and Zhang J. Effect of hyperbaric oxygen on neonatal hypoxic-ischmia encephalopathy (32 cases). Chin J Contemp Ped 2000;2(5):345-346.

Heckmann JG, Lang CJ, Kindler K, et al. Neurologic manifestations of cerebral air embolism as a complication of central venous catheterization. Crit Care Med 2000;28(5):1621-1625.

Heimbach RD. Hyperbaric medicine--demonstration cases. Transact Assoc Life Ins Med DIrect Am 1985;67:126-134.

Heng MCY. Topical hyperbaric therapy for problem skin wounds. J Dermatol Surg Oncol 1993;19(8):784-793.

Henk JM. Progress of clinical trials of hyperbaric oxygen in head and neck cancer [abstract]. Br J Radiol 1976;49(588):1060-1.

Henk JM. Hyperbaric oxygen: controlled trials in head and neck cancer [abstract]. Br J Radiol 1978;51(601):67.

Henk JM. Update of clinical trials of fractionation and hyperbaric oxygen in radiotherapy of head and neck cancer [abstract]. Br J Radiol 1984;57(675):278.

Henk JM. Late results of a trial of hyperbaric oxygen and radiotherapy in head and neck cancer: a rationale for hypoxic cell sensitizers? Int J Radiat Oncol Biol Physics 1986;12(8):1339-1441.

Heppner F. New technologies to combat malignant tumours of the brain. Anticancer Res 1982;2(1-2):101-109.

Herman LY. Carbon monoxide poisoning presenting as an isolated seizure. J Emerg Med 1998;16(3):429-432.

Herman LY. To the editor. Ped Neurol 2001;24(3):245.

Heuser G and Uszler JM. Hyperbaric oxygenation for cerebral palsy. [letter; comment]. [erratum appears in Lancet 2001 Nov 24;358(9295):1820]. Lancet 2001;357(9273):2053-2054.

Heyman A, Saltzman HA and Whalen RE. The use of hyperbaric oxygenation in the treatment of cerebral ischemia and infarction. Circulation 1966;33(5:Suppl):Suppl-7.

Hill RK, Jr. Clearing an oxygen confusion [letter; comment]. Diabetes Care 1989;12(9):661.

Hill S and Main A. Therapeutic progress - review XXIII: are we making progress in the treatment of acute stroke? J Clin Hosp Pharm 1986;11(6):427-441.

Hinkle DA, Raizen DM, McGarvey ML, et al. Cerebral air embolism complicating cardiac ablation procedures. Neurology 2001;56(6):792-794.

Hoidal CR, Hall AH and Robinson MD. Hydrogen sulfide poisoning from toxic inhalations of roofing asphalt fumes. Ann Emerg Med 1986;15(7):826-830.

Holbach K and H W. Extra-intracranial anastomosis operation associated with hyperbaric oxygenation in the treatment of completed stroke. In: Peerless SJ and McCormick CW, editors. Microsurgery for cerebral ischemia. New York, Heidelberg, Berlin: Springer; 1980. p. 286-291.

Holbach K, Wassman H and Kolberg T. Improved reversibility of traumatic mid-brain syndrome following the use of hyperbaric oxygen. Neurol Neurosurg Exerpt Med 1975;1975:494.

Holbach K and Wassmann H. Neurological and EEG analytical findings in the treatment of cerebral infarction with repetitive hyperbaric oxygenation. In: Smith G, editor. Proceedings of the Sixth International Congress on Hyperbaric Medicine. Aberdeen, Scotland: Aberdeen University Press; 1977. p. 205-210.

Holbach KH, Caroli A and Wassmann H. Cerebral energy metabolism in patients with brain lesions of normo- and hyperbaric oxygen pressures. J Neurol 1977;217(1):17-30.

Holbach KH, Schroder FK, Datene G, et al. Hyperbaric oxygenation: a treatment in neurosurgery. J Neurol Neurosurg Psychiatry 1970;33(5):717.

Holbach KH, Schroder FK and Koster S. Alterations of cerebral metabolism in cases with acute brain injuries during spontaneous respiration of air, oxygen and hyperbaric oxygen. Eur Neurol 1972;8(1):158-160.

Holbach KH and Wassmann H. Advantage of using hyperbaric oxygenation (HO) in combination with extra-intracranial arterial bypass (EIAB) in the treatment of completed stroke. Acta Neurochir Suppl 1979;28(1):309.

Holbach KH, Wassmann H and Bonatelli AP. A method to identify and treat reversible ischemic alterations of brain tissue. In: Schmiedek P, editor. Microsurgery for stroke. New York: Springer-Verlag; 1977.

Holbach KH, Wassmann H, Hoheluchter KL, et al. Differentiation between reversible and irreversible post-stroke changes in brain tissue: its relevance for cerebrovascular surgery. Surg Neurol 1977;7(6):325-331.

Holbach KH, Wassmann H and Linke D. The use of hyperbaric oxygenation in the treatment of spinal cord lesions. Eur Neurol 1977;16(1-6):213-221.

Holbach KH, Wassmann H and Sanchez F. EEG analysis for evaluating chronic cerebral ischemia treated by hyperbaric oxygenation and microneurosurgery. J Neurol 1978;219(4):227-240.

Holbach KH, Wassmann HW and Hoheluchter KL. Reversibility of the chronic post-stroke state. Stroke 1976;7(3):296-300.

Hollin SA, Espinosa OE, Sukoff MH, et al. The effect of hyperbaric oxygenation on cerebrospinal fluid oxygen. J Neurosurg 1968;29(3):229-235.

Holt JA. The principles of hyperbaric and anoxic radiotherapy. Br J Radiol 1975;48(574):819-826.

Hsu LH and Wang JH. Treatment of carbon monoxide poisoning with hyperbaric oxygen. Chin Med J 1996;58(6):407-413.

Huang KL, Wu JN, Lin HC, et al. Prolonged exposure to hyperbaric oxygen induces neuronal damage in primary rat cortical cultures. Neurosci Letters 2000;293(3):159-62.

Huber S, Rigler B, Machler HE, et al. Successful treatment of massive arterial air embolism during open heart surgery. Ann Thor Surg 2000;69(3):931-933.

Hultcrantz E. Clinical treatment of vascular inner ear diseases. Am J Otolaryng Head Neck Med Surg 1988;9(6):317-322.

Imai Y. Hyperbaric oxygen (OHP) therapy in memory disturbances. In: Trapp WG, Bannester EW, Davison AJ, et al., editors. Fifth International Hyperbaric Conference. Burnaby, Canada: Simon Fraser University Press; 1974. p. 402-408.

Ingvar HD and Lassen NA. Treatment of focal cerebral ischemia with hyperbaric oxygen. Acta Neurol Scand 1965;41:92-95.

Interagency Gray Literature Working Group. Gray Information Functional Plan; 1995.

Isakov YV, Ananyev GV, A, K.B., et al. Use of hyperbaric oxygenation in some complications of craniocerebral trauma in the acute period. Zh Vopr Neirokhir 1981;4:15-18.

Isakov YV, Pravdenkova SV, Ananiev GV, et al. Hyperbaric oxygenation in acute period of cerebral stroke and craniocerebral injury. In: Abstracts of the Seventh International Congress on HBO Medicine. Moscow; 1981. p. 295-296.

Ishihara H, Matsui H, Kitagawa H, et al. Prediction of the surgical outcome for the treatment of cervical myelopathy by using hyperbaric oxygen therapy. Spinal Cord 1997;35(11):763-767.

Iwa T, Fell EH and Weinberg MJ. Effects of hyperbaric oxygen therapy on cerebral air embolism. Chest 1960;50:333.

Jacobs EA, Alvis HJ and Small SM. Hyperoxygenation: a central nervous system activator? J Geriatr Psychiatry 1972;5(2):107-136.

Jacobs EA, Small SM, Winter PM, et al. Hyperbaric oxygen effect on cognition and behavior in the aged. Curr Psych Ther 1971;11:100-106.

Jacobs EA, Winter PM, Alvis HJ, et al. Hyperoxygenation effect on cognitive functioning in the aged. New Engl J Med 1969;281:753-757.

Jaeger K, Juttner B, Sommer C, et al. [Effects of repetitive exposure to hyperbaric oxygen (HBO) on leukocyte function]. Anasthesiol Intensivemed Notfallmed Schmerzther 2002;37(1):24-8.

Jagger JA and Bobovsky J. Nonpharmacologic therapeutic modalities. CCQ 1983;5(4):31-43.

Jain K, editor. Textbook of hyperbaric medicine. 3rd rev. ed. Kirkland, WA: Hogrefe & Huber Publishers, Inc.; 1999.

Jain KK. Effect of hyperbaric oxygenation on spasticity in stroke patients. J Hyperb Med 1989;4:55-61.

Jain KK. Neuroprotection in cerebrovascular disease. Expert Opin Invest Drug 2000;9(4):695-711.

Jain KK and Fischer B. New aspects of the use of hyperbaric oxygenation for rehabilitation of stroke patients. Geriatr Rehab 1988;1:45.

Jain KK, Fischer B, Dickreiter B, et al. Hyperbaric oxygen therapy in the rehabilitation of stroke patients. In: Second Swiss Symposium on Hyperbaric Medicine, 2nd European Conference on Hyperbaric Medicine. Basel, Switzerland: Foundation for Hyperbaric Medicine; 1990. p. 341-345.

Jain KK, Klausenbach F and Fischer B. Effect of hyperbaric oxygen (HBO) on spasticity in stroke patients. Undersea Biomed Res Suppl 1989;16(June 6-11):25.

James LS. Onset of breathing and resuscitation. Pediatr Clin N Am 1966;13(3):621-634.

James P. Hyperbaric oxygenation for multiple sclerosis. Spums J 1984;14:16-18.

James PB. Evidence for subacute fat embolism as the cause of multiple sclerosis. Lancet 1982;1(8268):380-386.

James PB. Hyperbaric oxygenation, carbon monoxide, and cerebral edema. BMJ Clin Res 1988;296(6620):500-501.

James PB. The treatment of decompression sickness. Schweiz Z Sportmed 1989;37(2):109-114.

James PB. Dysbarism: The medical problems from high and low atmospheric pressure. J R Coll Phys Lond 1993;27(4):367-374.

James PB. New horizons in hyperbaric oxygenation. Adv Exper Med Biol 1997;428(pp 129-133):133.

James PB. Hyperbaric oxygenation for cerebral palsy. Lancet 2001;357(9273):2052-2053.

Jarvik ME, Gritz ER and Schneider NG. Drugs and memory disorders in human aging. Behav Biol 1972;7(5):643-668.

Jarvis RM, Neufeld MV and Westfall CT. Brown recluse spider bite to the eyelid. Ophthalmology 2000;107(8):1492-1496.

Jennelle R, Gladson C, Palmer C, et al. Paradoxical labeling of radiosurgically treated quiescent tumors with Ki67, a marker of cellular proliferation. Stereotact Func Neurosurg 1999;72(SUPPL. 1):45-52.

Jennett B and Bond MR. Assessment of outcome after severe brain damage. Lancet 1975;1:480-4.

Jennett WB. Experimental studies on the cerebral circulation: clinical aspects. Proc R Soc Med 1968;61(6):606-610.

Jia SJ, Zhang JK and Qu ZK. Experience on the clinical use of HBO treatment in cerebral thrombus: a report of 104 cases. J Hyperb Med 1986;1 (3):187.

Jiang J, Yu M and Zhu C. Effect of long-term mild hypothermia therapy in patients with severe traumatic brain injury: 1-year follow-up review of 87 cases. J Neurosurg 2000;93(4):546-9.

Jiang JY, Gao GY, Li WP, et al. Early indicators of prognosis in 846 cases of severe traumatic brain injury. J Neurotrauma 2002;19(7):869-74.

Jianhua N, Xijiu L, Cuixia C, et al. Curative effect analysis of combined treatment of child cerebritis sequel with high pressure oxygen. In: Proceedings of the Eleventh International Congress on Hyperbaric Medicine. Flagstaff, AZ: Best Publishing Company; 1995. p. 214-217.

Jianhui C and Shaohua L. Effect of hyperbaric oxygen in the treatment of patients with brain stem injury. In: Book for 13th International Proceedings. 2000. p. 35-37.

Jinnai D, Mogami H, Ioko M, et al. Effect of hyperbaric oxygenation on cerebral edema. Neurol Med Clin 1967;9:260-261.

Johnson TE. Fungal disease of the orbit. Ophthalmol Clin N Am 2000;13(4):643-656.

Johnston MV, Hall K, Carnevale G, et al. Functional assessment and outcome evaluation in traumatic brain injury rehabilitation. In: Horn LJ and Zasler ND, editors. Medical rehabilitation of traumatic brain injury. Philadelphia: Mosby; 1996. p. 197-226.

Jorgensen HS, Nakayama H, Raaschou HO, et al. Outcome and time course of recovery in stroke. Part II: Time course of recovery. The Copenhagen Stroke Study. Arch Phys Med Rehab 1995;76(5):406-412.

Juan M. Management of hyperbaric oxygen (HBO) for anoxic encephalopathy after open heart surgery done under extracorporeal circulation: a report of four cases. Undersea Biomed Res Suppl 1992;19(Jun 23 - 27):100.

Juurlink DN, Stanbrook MB and McGuigan MA. Hyperbaric oxygen for carbon monoxide poisoning. Cochrane Lib 2001(1).

Kaasik AE, Dmitriev KK and Tomberg TA. Hyperbaric oxygenation in the treatment of patients with ischemic stroke. Zh Nevropatol Psikhiatr Im S S Korsakova 1988;88(9):38-43.

Kanai N, Hayakawa T and Mogami H. Blood flow changes in carotid and vertebral arteries by hyperbaric oxygenation. Neurology 1973;23(2):159-163.

Kanno T, Nagata J, Nonomura K, et al. New approaches in the treatment of hypertensive intracerebral hemorrhage. Stroke 1993;24(12:Suppl):Suppl-100.

Kanno T and Nonomura K. Hyperbaric oxygen therapy to determine the surgical indication of moderate hypertensive intracerebral hemorrhage. Minim Invasive Neurosurg 1996;39(2):56-59.

Kapp J. Hyperbaric oxygen after circulatory arrest: Modivication of postischemic encephalopathy. Neurosurg 1982;11(4):496-499.

Kapp JP. Hyperbaric oxygen as an adjunct to acute revascularization of the brain. Surg Neurol 1979;12(6):457-461.

Kapp JP. Neurological response to hyperbaric oxygen--a criterion for cerebral revascularization. Surg Neurol 1981;15(1):43-46.

Kapp JP. Cerebral ischemia and revascularization. Presented at: Seventh Annual Conference on Clinical Applications of HBO; 1982.

Kapp JP. The role of hyperbaric oxygen in the management of cerebral infarction. Geriatr Med Today 1984;3(4):78-84.

Kapp JP, Routh A and Cotton D. Hyperbaric oxygen as a radiation sensitizer in the treatment of brain tumors. Surg Neurol 1982;17(3):233-235.

Kapp JP, RR S, MR M, et al. The effect of hyperbaric oxygenation on post-ischemic encephalopathy. Presented at: Annual Meeting, Gulf Coast Chapter, Undersea Medical Society; New Orleans, LA; 1982.

Kaps M, Hansen J, Weiher M, et al. Clinically silent microemboli in patients with artificial prosthetic aortic valves are predominantly gaseous and not solid. Stroke 1997;28(2):322-325.

Karz SC, Thompson RE, Depenbusch FL, et al. Hyperbaric oxygen treatment of gangrene in pneumococcemia. JAMA 1971;217(7):962-963.

Katsurada K, Minami T and Onji Y. Effect of hyperbaric oxygenation on DSF Po2 in patients with head injury, Department of Traumatology, Osaka University Hospital, Osaka, Japan. In: 5th International Hyperbaric Congress Proceedings. Burnaby, BC Canada: Simon Fraser University; 1974. p. 362-369.

Katz DI. Neuropathology and neurobehavioral recovery from closed head injury. J Head Trauma Rehab 1992;27:602-606.

Katz DI. Brain injury. In: Gilchrist JM, editor. Prognosis in neurology. Boston: Butterworth-Heinemann; 1998. p. 31-38.

Kawamura S, H. O, Yasui N, et al. Effects of hyperbaric oxygenation in patients with subarachnoid hemorrhage evaluated with somatosensory evoked potentials. In: Proceedings of the Eighth International Congress on Hperbaric Medicine, August 20 - 22, 1984. Flagstaff, AZ: Best Publishing Company; 1987. p. 159-163.

Kawamura S, H. O, Yasui N, et al. Effects of hyperbaric oxygenation in patients with subarachnoid hemorrhage. J Hyperb Med 1988;3(4):243-255.

Kazantseva N. Mechanisms of curative effect of minimized hyperbaric treatment in cerebral ischemia. In: Proceedings of the 2nd International Symposium on Hyperbaric Oxygenation for Cerebral Palsy and the Brain-Injured Child. 2002. p. 199-212.

Kazantseva N. A new method of treating brain-injured children in a barochamber. In: Proceedings of the 2nd International Symposium on Hyperbaric Oxygenation in Cerebral Palsy and the Brain-Injured Child. 2002. p. 197-198.

Kearney KR, Smith MD, Xie GY, et al. Massive air embolus to the left ventricle: diagnosis and monitoring by serial echocardiography. J Am Soc Echocard 1997;10(9):982-987.

Keim L, Aita J, Hankins J, et al. Quantitative spect. scanning in the assessment of patients with ischemic/traumatic brain injury treated with HBO. Chest 1997;112(3S):91.

Kellogg RH. Oxygen and carbon dioxide in the regulation of respiration. Fed Proc 1977;36(5):1658-1663.

Kemper J, Kuijper EJ, Mirck PG, et al. Recovery from rhinocerebral mucormycosis in a ketoacidotic diabetic patient: a case report. J Laryngol Otol 1993;107(3):233-235.

Kent H. Customers lining up for high-cost hyperbaric therapy. CMAJ 1999;160(7):1043.

Keogh AJ. Clostridial brain abscess and hyperbaric oxygen. Postgrad Med J 1973;49(567):64-66.

Kerley TR, Mader JT, Hulet WH, et al. The effect of adjunctive hyperbaric oxygen on bone regeneration in mandibular osteomyelitis: report of case. J Oral Surg 1981;39(8):619-623.

Keyser-Marcus LA, Bricout JC, Wehman P, et al. Acute predictors of return to employment after traumatic brain injury: a longitudinal follow-up. Arch Phys Med Rehab 2002;83(5):635-41.

Khalil SN, Madan V, Rigor BM, et al. Systemic air embolism following induction of artificial pneumothorax under anaesthesia, with successful management. Br J Anaesth 1979;51(5):461-464.

Kharbanda K, Dinda AK, Sarkar C, et al. A correlative study of in vivo and in vitro labeling index using bromodeoxyuridine in human brain tumors. J Neurooncol 1995;23(3):185-190.

Khatri S. Cerebral artery gas embolism (CAGE) following fine needle aspiration biopsy of the lung. Austral NZ J med 1997;27(3):338.

Kidd PM. Multiple sclerosis, an autoimmune inflammatory disease: prospects for its integrative management. Alt Med Rev 2001;6(6):540-566.

Kim CH, Choi H, Chun YS, et al. Hyperbaric oxygenation pretreatment induces catalase and reduces infarct size in ischemic rat myocardium. Pflugers Archiv 2001;442(4):519-525.

Kim RY, Langford KH and Roth RE. Adjuvant therapy in the treatment of malignant glioma. J Med Assoc State Ala 1977;47(4):39-41.

Kindwall EP. Massive surgical air embolism treated with brief recompression to six atmospheres followed by hyperbaric oxygen. Aerosp Med 1973;44(6):663-666.

Kindwall EP. Acute cerebral edema: evidence for the efficacy of hyperbaric oxygen and comparison to other modalities. A critical review. In: Camporesi EM and Barker AC, editors. Hyperbaric oxygen: a critical review. Bethesda, MD: Undersea & Hyperbaric Medical Society; 1991. p. 141-147.

Kindwall EP. Compressed air tunneling and caisson work decompression procedures: development, problems, and solutions. Undersea Hyperb Med 1997;24(4):337-345.

Kindwall EP. The multiplace chamber. In: Kindwall EP and Whelan HT, editors. Hyperbaric Medicine Practice. 2nd. Flagstaff, AZ: Best Publishing; 1999.

Kindwall EP and Whelan HT, ed. Hyperbaric medicine practice. Flagstaff, AZ: Best Publishing Company; 1999.

Kinsella J and Findlay J. Carbon monoxide poisoning. Care Crit Ill 1991;7(5):182-184.

Kizer KW. Dysbaric cerebral air embolism in Hawaii. Ann Emerg Med 1987;16(5):535-541.

Klawans HL and Genovese N. Pharmacology of dementia. Neurol Clin 1986;4(2):459-467.

Kleen M and Messmer K. Toxicity of high PaO2. Minerva Anestesiol 1999;65(6):393-396.

Knisely MH, Reneau DD, Jr. and Bruley DF. The development and use of equations for predicting the limits of the rates of oxygen supply to the cells of living tissues and organs. A contribution to the biophysics of health and disease. Angiology 1969;20(11 Suppl):56.

Kodama K, Koseki K, Hanazawa H, et al. A case of "interval" form of acute carbon monoxide poisoning: Brain MRI and therapeutic effect of hyperbaric oxygenation. Clin Neurol 1990;30(4):420-426.

Kohshi K, Imada H, Nomoto S, et al. Successful treatment of radiation-induced brain necrosis by hyperbaric oxygen therapy. J Neurolog Sci 2003;209(1-2):115-7.

Kohshi K, Kinoshita Y, Imada H, et al. Effects of radiotherapy after hyperbaric oxygenation on malignant gliomas. Br J Cancer 1999;80(1-2):236-241.

Kohshi K, Yokota A, Konda N, et al. Intracranial pressure responses during hyperbaric oxygen therapy. Neurol Med Chir 1991;31(9):575-581.

Kohshi K, Yokota A, Konda N, et al. Hyperbaric oxygen therapy adjunctive to mild hypertensive hypervolemia for symptomatic vasospasm. Neurol Med Chir 1993;33(2):92-99.

Kol S, Ammar R, Weisz G, et al. Hyperbaric oxygenation for arterial air embolism during cardiopulmonary bypass. Ann Thor Surg 1993;55(2):401-403.

Komisar A, Silver C and Kalnicki S. Osteoradionecrosis of the maxilla and skull base. Laryngoscope 1985;95(1):24-28.

Kondratenko VI, Pilinoga VG and Gyulyameryants VA. Hyperbaric oxygenation in neurosurgery [abstract]. In: Abstracts Seventh International Congress on Hyperbaric Medicine. Moscow; 1981. p. 300.

Kong Y, Lunzer S, Heyman A, et al. Protective effects of acetazolamide and hyperbaric oxygenation on experimentally induced syncope. Stroke 1970;1(2):69-76.

Kopelman MD and Lishman WA. Pharmacological treatments of dementia (non-cholinergic). Br Med Bull 1986;42(1):101-105.

Koren G, Sharav T, Pastuszak A, et al. A multicenter, prospective study of fetal outcome following accidental carbon monoxide poisoning in pregnancy. Reproduc Toxicol 1991;5(5):397-403.

Koskinen PJ, Nuutinen HM, Laaksonen H, et al. Importance of storing emergency serum samples for uncovering murder with insulin. Forensic Sci Int 1999;105(1):61-66.

Krasney JA. A neurogenic basis for acute altitude illness. Med Sci Sports Exerc 1994;26(2):195-208.

Kronish JW and McLeish WM. Eyelid necrosis and periorbital necrotizing fasciitis. Report of a case and review of the literature. Ophthalmology 1991;98(1):92-98.

Krushinskii LV, Efuni SN and Demurov EA. Protective action of hyperbaric oxygenation for acute circulatory disorders in different-aged rats. Dokl Biol Sci 1981;255(1-6):601-603.

Kulig K. Cyanide antidotes and fire toxicology. New Engl J Med 1991;325(25):1801-1802.

Kunisaki TA and Augenstein WL. Drug- and toxin-induced seizures. Emerg Med Clin N Am 1994;12(4):1027-1056.

Kushner DS. Mild traumatic brain injury. Arch Int Med 1998;158:1617-24.

Langham MR, Jr., Krummel TM, Bartlett RH, et al. Mortality with extracorporeal membrane oxygenation following repair of congenital diaphragmatic hernia in 93 infants. J Pediatr Surg 1987;22(12):1150-1154.

Lannoo E, Colardyn E, Jannes C, et al. Course of neuropsychological recovery from moderate-to-severe head injury: a 2-year follow-up. Brain Inj 2001;15:1-13.

Lantsev EA. Hyperbaric oxygenation in complex treatment of newborn infants with asphyxia delivered by Caesarian section. In: Abstracts Seventh International Congress on HBO Medicine. Moscow; 2002. p. 368-369.

Lapawsky M. Extension of left fronto-parietal cerebral infarct during exposure to complimentary hyperbaric oxygen at 1.6+ ATA. Presented at: The Twenty-Seventh Pacific Coast Chapter Meeting of the UHMS; San Francisco, CA; 2000.

Laszlo J, Obenour W, Jr. and Saltzman HA. Effects of hyperbaric oxygenation on sickle syndromes. South Med J 1969;62(4):453-456.

Layon AJ. Hyperbaric oxygen treatment for cerebral air embolism - where are the data? Mayo Clin Proc 1991;66(6):641-646.

Layon AJ, Mahla ME, Modell JH, et al. Closed head injury and the treatment of sequelae after a motor vehicle accident. J Clin Anesth 1994;6(5):437-449.

Leach RM, Rees PJ and Wilmshurst P. ABC of oxygen: Hyperbaric oxygen therapy. BMJ 1998;317(7166):1140-1143.

Lebedev V and et. [Effect of hyperbarixc oxygenation on the clinical course and complications of the acute period of ischemic stroke]. Shurnal Vopr Neirokhirnry 1983;3:37-42.

Leber KA, Eder HG, Kovac H, et al. Treatment of cerebral radionecrosis by hyperbaric oxygen therapy. Stereotact Func Neurosurg 1998;70:Suppl-36.

Ledingham I and Davidson J. Hazards in hyperbaric medicine. BMJ 1969;3:324-327.

Ledingham IM. Hyperbari oxygen in shock. Int Anesthesiol Clin 1969;7(4):819-839.

Ledingham IM, McBride TI, Jennett WB, et al. Fatal brain damage associated with cardiomyopathy of pregnancy, with notes on Caesarean section in a hyperbaric chamber. BMJ 1968;4(626):285-287.

Lee CT. Cerebral arterial gas embolism in air force ground maintenance crew - a report of two cases. Aviat Space Environ Med 1999;70(7):698-700.

Lee HC, Niu KC, Chen SH, et al. Hyperbaric oxygen therapy in clinical application: a report of a 12-year experience. Chin Med J 1989;43(5):307-316.

Lee HF, Mak SC, Chi CS, et al. Hyperbaric oxygen for carbon monoxide poisoning-induced delayed neuropsychiatric sequelae. Chin Med J 2001;64(5):310-314.

Lee MS and Marsden CD. Neurological sequelae following carbon monoxide poisoning clinical course and outcome according to the clinical types and brain computed tomography scan findings. Mov Disord 1994;9(5):550-558.

Leitch DR and Green RD. Pulmonary barotrauma in divers and the treatment of cerebral arterial gas embolism. Aviat Space Environ Med 1986;57(10:Pt 1):t-8.

Leitch DR, Greenbaum Jr LJ and Hallenbeck JM. Cerebral arterial air embolism: III. Cerebral blood flow after decompression from various pressure treatments. Undersea Biomed Res 1984;11(3):249-263.

Leitch DR, Greenbaum Jr LJ and Hallenbeck JM. Cerebral arterial air embolism: IV. Failure to recover with treatment, and secondary deterioration. Undersea Biomed Res 1984;11(3):265-274.

Leitch DR, Greenbaum LJ, Jr. and Hallenbeck JM. Cerebral arterial air embolism: I. Is there benefit in beginning HBO treatment at 6 bar? Undersea Biomed Res 1984;11(3):221-235.

Leitch DR, Greenbaum LJ, Jr. and Hallenbeck JM. Cerebral arterial air embolism: II. Effect of pressure and time on cortical evoked potential recovery. Undersea Biomed Res 1984;11(3):237-248.

Levin HS. Preface. In: H.S. L, Benton AL, Muizelaar JP, et al., editors. Catastrophic brain injury. New York: Oxford University Press; 1996. p. v-vi.

Levin HS, Gary HE, Jr, Eisenberg HM, et al. Neurobehavioral outcome one year after severe head injury: experience of the Traumatic Coma Data Bank. J Neurosurg 1990(73):699-709.

Levin HS, Goldstein FC, Norcross K, et al. Neurobehavioral and magnetic resonance imaging findings in two cases of decompression sickness. Aviat Space Environ Med 1989;60(12):1204-1210.

Levin HS and Peters BH. Hyperbaric oxygenation in the treatment of postencephalitic amnesic syndrome. Aviat Space Environ Med 1977;48(7):668-671.

Levine ER and Heyworth E. Hyperbaric treatment of coma of hypoxic origin [abstract]. In: Abstracts Seventh International Congress on HBO Medicine. Moscow; 1981. p. 337.

Levy SL, Burnham WM, Bishai A, et al. The anticonvulsant effects of vitamin E: a further evaluation. Can J Neurol Sci 1992;19(2):201-203.

Lewin W, Marshall TF and Roberts AH. Long-term outcome after severe head injury. BMJ 1979;2(6204):1533-1538.

Lhermitte F, Roullet E and Lyon-Caen O. [Hyperbaric oxygen treatment of chronic multiple sclerosis: results of a placebo-controled double-blind study in 49 patients]. Rev Neurol (Paris) 1986;142:201-206.

Li HK, Dejean BJ and Tang RA. Reversal of visual loss with hyperbaric oxygen treatment in a patient with Susac syndrome. Ophthalmology 1996;103(12):2091-2098.

Li W-R. Cerebral thrombosis treated by hyperbaric oxygenation, A Report of 490 Cases Fujiian Provincial Hospital, Fuzhou, China. In: Proceedings of the Ninth International Congress on Hyperbaric Medicine, March 1-4, 1987, Sydney, Australia. Flagstaff AZ: Best Publishing Company; 1998. p. 115-117.

Lianbi X. The effect of hyperbaric oxygen treatment on the brain-injured child is immediate and long term. In: Joiner JT, editor. Proceedings of the 2nd International Symposium on Hyperbaric Oxygenation in the Brain-Injured Child. Flagstaff, AZ: Best Publishing; 2002. p. 129-129.

Liang BC and Weil M. Locoregional approaches to therapy with gliomas as the paradigm. Curr Opin Oncol 1998;10(3):201-206.

Liebelt EL. Hyperbaric oxygen therapy in childhood carbon monoxide poisoning. Curr Opin Ped 1999;11(3):259-264.

Lim J, Lim WK, Yeo TT, et al. Management of haemorrhagic stroke with hyperbaric oxygen therapy - a case report. Singapore Med J 2001;42(5):220-223.

Linstone HA. Multiple perspectives for decision making: bridging the gap between analysis and action. New York: North Holland Publishing; 1984.

Litovitz TL, Larkin RF and Myers RAM. Cyanide poisoning treated with hyperbaric oxygen. Am J Emerg Med 1983;1(1):94-101.

Litscher G, Friehs G, Maresch H, et al. Electroencephalographic and evoked potential monitoring in the hyperbaric environment. J Clin Monitor 1990;6(1):10-17.

Litscher G, Schwarz G, Ratzenhofer-Komenda B, et al. Transcranial cerebral oximetry in the hyperbaric environment. Biomed Tech 1997;42(3):38-41.

Liu MS, Liu QR, Mei FJ, et al. Treatment and prevention of cadiomuscular ischemia resulted from cerebral ischemia. J Hebei Med Univ 1997;18:328-329.

Liu PK, Robertson CS and Valadka A. The association between neuronal nitric oxide synthase and neuronal sensitivity in the brain after brain injury. Ann NY Acad Sci 2002;962:226-41.

Lobov MA. Hyperbaric oxygenation in treatment of cerebral palsy in childhood. In: Joiner JT, editor. Proceedings of the 2nd International Symposium on Hyperbaric Oxygenation for Cerebral Palsy and the Brain-Injured Child. Flagstaff, AZ: Best Publishing; 2002. p. 119-121.

Long D. Assessment of hyperbaric oxygen for treatment of acute cerebral edema. Pub Health Serv 1984;148.

Lord WD. Burns management in children. Baillieres Clin Anaesth 1997;11(3):407-426.

Luria AR. Restoration of function after brain injury. New York, Oxford: Pergamon Press; 1963.

Lyle DM, Pierce JP, Freeman EA, et al. Clinical course and outcome of severe head injury in Australia. J Neurosurg 1986;65(1):15-18.

MacFarlane C. Hyperbaric oxygen and surgery. S Afr J Surg 2001;39(4):117-121.

Machado JJ. Reduction of spasticity, clinically observed in patients with neurological diseases, submitted to hyperbaric oxygen-therapy specially children with cerebral palsy. Presented at: Annual Meeting of the Undersea and Hyperbaric Medicine; 1989.

Machin D, Stenning SP, Parmar MK, et al. Thirty years of Medical Research Council randomized trials in solid tumours. Clin Onc (R Coll Radiol) 1997;9(2):100-114.

Macleod MA, Francis TJR and Smith DJ. Enhancing 'idling' neurons. Lancet 1990;335(8693):860-861.

Mader JT and Hulet WH. Delayed hyperbaric treatment of cerebral air embolism: report of a case. Arch Neurol 1979;36(8):504-505.

Mader JT, Shirtliff ME, Bergquist SC, et al. Antimicrobial treatment of chronic osteomyelitis. Clin Orthop 1999;360:47-65.

Maeda H. Intermittent form of carbon monoxide (CO) poisoning. Japan J Clin Radiol 1993;38(9):1065-1068.

Mainous EG, Boyne PJ and Hart GB. Hyperbaric oxygen treatment of mandibular osteomyelitis: report of three cases. J Am Dent Assoc 1973;87(7):1426-1430.

Makishima K, Yoshida M, Kuroda Y, et al. Hyperbaric oxygenation as a treatment for facial palsy. Adv Oto Rhin Laryng 1998;54:110-118.

Manfre L, Lo CA, Tortorici M, et al. Imaging of 'malignant' external otitis. Rev Neuroradiol 1997;10(4):447-454.

Mansfield W, Brauer RW, Gillen HW, et al. Changes in CNS responses to high pressure during maturation of newborn mice. J Appl Physiol Respir Environ Exercise Physiol 1980;49(3):390-397.

Manzoni GC, Micieli G, Zanferrari C, et al. Cluster headache. Recent developments in clinical characterization and pathogenesis. Acta Neurol 1991;13(6):506-513.

Marano P, Pallotta R, Longobardi P, et al. Use of TRH-T during HBO and physiotheraphy treatments of stroke. Undersea Biomed Res Suppl 1991;18(19-23 Jun):34.

Markou K, Lalaki P, Barbetakis N, et al. The efficacy of medication on tinnitus due to acute acoustic trauma. Scand Audiol Suppl 2001;30(52):180-184.

Marks JE. Radiation treatment of brain tumors: concepts and strategies. Crit Rev Neurobiol 1989;5(2):93-112.

Marler JR, Tilley BC, Lu M, et al. Early stroke treatment associated with better outcome: the NINDS rt-PA stroke study. Neurology 2000;55(11):1649-1655.

Marmarou A, Anderson RL, Ward JD, et al. Impact of ICP instability and hypotension on outcome in patients with severe head trauma. J Neurosurg 1991(75):S59-S66.

Marois P. 1998. The use of hyperbaric oxygen therapy in children with cerebral palsy: A pilot study - preliminary results. www.hyperbaric-solutions.com/library Available:1998

Marroni A. Hyperbaric oxygen therapy at 1.5 or 2.0 ATA as an adjunct to the rehabilitation of stabilized stroke patients. A controlled study. In: Proceedings of the Ninth international Congress on Hyperbaric Medicine. Sydney, Australia; 1987. p. 123-129.

Marroni A. Hyperbaric oxygen and in-water rehabilitation in complete stroke. J Hyperbar Med 1988;3(1):15-27.

Marshall LF, Gautill T, Klauber MR, et al. The outcome of severe closed head injury. J Neurosurg 1991(75):S28-S36.

Martindale LG. Carbon monoxide poisoning: the rest of the story. J Emerg Nurs 1989;15(2 Part 1):101-104.

Maslowski J, Dolmierski R, Droszcz J, et al. Results of examinations of the hyperbaric pressure influence on the bioelectric activity of brain in divers during simulated saturated diving to the depth of 20 meters. Bull Inst Marit Trop Med Gdynia 1986;37(3-4):239-245.

Mason R. Reversing nerve damage: the brain therapeutics medical clinic. Alt Complim Ther 2001;7(5):277-283.

Mathieu D, Nolf M, Durocher A, et al. Acute carbon monoxide poisoning. Risk of late sequelae and treatment by hyperbaric oxygen. J Toxicol Clin Toxicol 1985;23(4-6):315-324.

Mathieu D, Wattel F, Gosselin B, et al. Hyperbaric oxygen in the treatment of posthanging cerebral anoxia. J Hyperb Med 1987;2(2):63-67.

Mathieu D, Wattel F, Gosselin C, et al. Hyperbaric oxygen therapy in unsuccessful hangings. Presented at: Seventh Annual Conference on Clinical Applications of HBO; 2002.

Matjasko J. Lessons learned. J Neurosurg Anesthesiol 1996;8(1):1-2.

Matsuda M, Nakayama H, Arita H, et al. Physiological responses to head-out immersion in water at 11 ATA. Undersea Biomed Res 1978;5(1):37-52.

Matsuoka S. Theta rhythms: state of consciousness. Brain Topog 1990;3(1):203-208.

Matsuoka S and Tokuda H. EEG analysis for evaluating chronic cerebral ischemia treated by hyperbaric oxygenation and microsurgery. In: Shiraki K and Matsuoka S, editors. Hyperbaric medicine and underwater physiology. Kitakyushu, Japan: Fukuoka Printing Co, Ltd.; 1983. p. 303-314.

Matthew H and Proudfoot AT. Coal gas and the brain. BMJ 1968;1(592):638.

Mazaux JM, Croze P, Quintard B, et al. Satisfaction of life and late psycho-social outcome after severe brain injury: a nine-year follow-up study in Aquitaine. Acta Neurochir Suppl 2002;79:49-51.

McArthur D and Kraus J. Epidemiologic aspects of brain injury. Neurol Clin 1996;14(2):435-450.

McCrea M, Kelly JP, Randolph C, et al. Immediate Neurocognitive Effects of Concussion. Neurosurg 2002;50:1032–1042.

McDowall DG, Jennett WB, Bloor K, et al. The effect of hyperbaric oxygen on the oxygen tension of the brain during chloroform anesthesia. Surg Gynecol Obstet 1966;122(3):545-549.

McElwain TJ and Peckham MJ. Blood and neoplastic diseases: management of solid tumours-surgery, radiotherapy, and chemotherapy. BMJ 1974;4(5945):645-647.

McGrath BJ, Zimmerman JE, Williams JF, et al. Carbon dioxide embolism treated with hyperbaric oxygen. Can J Anaesth 1989;36(5):586-589.

Mcgraw C, Wagoner R, Buonanno F, et al. Effect of hyperbaric oxygen on cerebral infarction. Acta Neurol Scand Suppl 1979;(72)(60):470-471.

McHugh D, Moseley RP and Uttley D. Clostridium perfringens brain infection following a penetration wound of the orbit. J Neurol Neurosurg Psychiatry 1987;50(2):241.

McLean C. Waking up sleeping cells. Alberta Rep 2000;26(48).

McNamara JO and Appel SH. Biochemical approaches to dementia. Contemp Neurol Ser 1977;15:155-168.

McSherry CK, Patterson RH and Lamphier EH. Effect of hyperbaric oxygen and hypothermia on cerebral ischemia. In: Brown IW and Cox BG, editors. Proceedings of the Third International Conference on Hyperbaric Medicine. Washington, DC: National Academy of Sciences; 1966. p. 374-380.

Mehta SR, Niyogi M, Kasthuri AS, et al. Carbon monoxide poisoning. J Assoc Phys India 2001;49:622-625.

Meltzer RM, Engel ED and Turf R. Postoperative gas gangrene. J Foot Surg 1983;22(2):126-133.

Mertin J and McDonald WI. Hyperbaric oxygen for patients with multiple sclerosis. BMJ Clin Res 1984;288(6422):957-960.

Messier LD and Myers RA. A neuropsychological screening battery for emergency assessment of carbon-monoxide-poisoned patients. J Clin Psychol 1991;47(5):675-684.

Meulemans AI, Vanderwegen LM and Sabbe MB. Carbon monoxide poisoning and the emergency physician. JEUR 1993;6(3):124-133.

Meyer JS, Takashima S and Obara K. Wolff's vascular theory of headache, 50 years later. Headache Q 1993;4(3):222-235.

Mialon P and Barthelemy L. The influence of one hyperbaric oxygen-induced sizure on brain eicosanoid content. Mol Chem Neuropath 1991;15(1):1-11.

Milby TH and Baselt RC. Health hazards of hydrogen sulfide: current status and future directions. Environ Epidem Toxicol 1999;1(3-4):262-269.

Miljkovic-Lolic M, Silbergleit R, Fiskum G, et al. Neuroprotective effects of hyperbaric oxygen treatment in experimental focal cerebral ischemia are associated with reduced brain leukocyte myeloperoxidase activity. Brain Res 2003;971(1):90-4.

Miller AR and Zwaigenbaum L. New provincial initiatives for childhood disabilities: the imperative for research. CMAJ 2001;164(12):1704-1705.

Miller G. Cerebral palsy: an overview. Boston: Butterworth-Heinemann; 1998.

Miller JD. The management of cerebral oedema. Br J Hosp Med 1979;21(2):152.

Miller JD and Ledingham IM. Reduction of increased intracranial pressure: comparison between hyperbaric oxygen and hyperventilation. Arch Neurol 1971;24:210-216.

Miller JD and Sullivan HG. Severe intracranial hypertension. Int Anesthesiol Clin 1979;17(2-3):19-75.

Millis SR, Rosenthal M, Novack TA, et al. Long-term neuropsychological outcome after traumatic brain injury. J Head Trauma Rehab 2001;16(4):343-55.

Ming-zheng H, Su-ying Y, Yan W, et al. An outline for treatment of cerebrovascular disease with hyperbaric oxygen in China. In: Proceedings of the Eleventh International Congerss on Hyperbaric Medicine. Flagstaff, AZ: Best Publishing Company; 1995.

Mitchell SJ, Benson M, Vadlamudi L, et al. Cerebral arterial gas embolism by helium: an unusual case successfully treated with hyperbaric oxygen and lidocaine. Ann Emerg Med 2000;35(3):300-303.

Mitton C and Hailey D. Hyperbaric oxygen treatment in Alberta. Alberta Heritage Foundation for Medical Research. 1998.

Mitton C and Hailey D. Health technology assessment and policy decisions on hyperbaric oxygen treatment. Int J Tech Assess Health Care 1999;15(4):661-70.

Mogami H, Hayakawa T, Kanai N, et al. Clinical application of hyperbaric oxygenation in the treatment of acute cerebral damage. J Neurosurg 1969;31(6):636-643.

Moher D, Pham B, Jones A, et al. Does quality of reports of randomised trials affect estimates of intervention efficacy reported in meta-analyses? Lancet 1998;352:609-613.

Molnar GE. Cerebral palsy: prognosis and how to judge it. Pediatr Ann 1979;8(10):596-605.

Montgomery D, Goldberg J, Amar M, et al. Effects of hyperbaric oxygen therapy on children with spastic diplegic cerebral palsy: a pilot project. Undersea Hyperb Med 1999;26(4):235-242.

Morgan D. The focus group guidebook. Thousand Oaks: Sage; 1998.

Mori T and Nagai K. Carbon-monoxide poisoning presenting as an afebrile seizure. Ped Neurol 2000;22(4):330-331.

Morimura T, Kitz K, Stein H, et al. Determination of proliferative activities in human brain tumor specimens: a comparison of three methods. J Neurooncol 1991;10(1):1-11.

Morse WR. Medical malpractice: failure to diagnose and timely treat carbon monoxide intoxication with appropriate hyperbaric oxygen therapy, resulting in brain stem stroke/basilar artery occlusion: defense verdict. Fred Barksdale v California Medical Center and Paul Corona, MD 1996.

Mullins ME and Beltran JT. Acute cerebral gas embolism from hydrogen peroxide ingestion successfully treated with hyperbaric oxygen. J Toxicol Clin Toxicol 1998;36(3):253-256.

Muniz EC, Thomaz MC, Kubota MY, et al. Use of the Glasgow Coma Scale and the Jouvet Coma Scale to evaluate the level of consciousness. Rev Esc Enferm USP 1997;31(2):287-303.

Murphy BP, Harford FJ and Cramer FS. Cerebral air embolism resulting from invasive medical procedures: treatment with hyperbaric oxygen. Ann Surg 1985;201(2):242-245.

Mushkat Y, Luxman D, Nachum Z, et al. Gas embolism complicating obstetric or gynecologic procedures: case reports and review of the literature. Eur J Obstet Gyn Reprod Biol 1995;63(1):97-103.

Muth CM and Shank ES. Gas embolism. New Engl J Med 2000;342(7):476-482.

Myers DE and Myers RA. A preliminary report on hyperbaric oxygen in the relief of migraine headache. Headache 1995;35(4):197-199.

Myers RA, Baker T and Cowley RA. Hyperbaric medicine: state of the art, 1979. Am Surg 1982;48(9):487-494.

Myers RA, Snyder SK and Emhoff TA. Subacute sequelae of carbon monoxide poisoning. Ann Emerg Med 1985;14(12):1163-1167.

Myking O and Schreiner A. Hyperbaric oxygen in hemolytic crisis. JAMA 1974;227(10):1161-1162.

Nagayoshi I, Kawashima M, Tamura H, et al. The effect of hyperbaric oxygen therapy for cerebral embolism. Undersea Biomed Res Suppl 1991;18:35.

Nagorsky MJ. Radiation injury of the temporal bone. Clin Plast Surg 1993;20(3):531-534.

Nair S, Nair K and Imbruce R. Treatment of chronic vertigo with hyperbaric oxygen. Lancet 1973;1(7796):184-185.

Nakajima S, Meyer JS, Shaw T, et al. Cerebral vasomotor responsiveness during 100% oxygen inhalation in cerebral ischemia. Arch Neurol 1983;40(5):271-276.

Narayan RK, Michel ME, Ansell B, et al. Clinical trials in head injury. J Neurotrauma 2002;19(5):503-557.

Naylor CD. Grey zones of clinical practice: some limits to evidence-based medicine. Lancet 2001;345:840-2.

Negovsky V. The neurological stage in reanimatology. Resuscitation 1995;29(2):169-177.

Nelson DF, Urtasun RC, Saunders WM, et al. Recent and current investigations of radiation therapy of malignant gliomas. Sem Oncol 1986;13(1):46-55.

Nelson KB and Ellenberg JH. Antecedents of cerebral palsy: multivariate analysis of risk. N Engl J Med 1986;315(2):81-86.

Nelson V, Nelson E and Layon AJ. Cerebral arterial gas embolism: a review and update. Respir Care 1994;39(6):635-644.

Nemiroff PM and Rybak LP. Applications of hyperbaric oxygen for the otolaryngologist-head and neck surgeon. Am J Otolaryng Head Neck Med Surg 1988;9(2):52-57.

Neretin VY, Lobov MA, Kotov SV, et al. Hyperbaric oxygenation in comprehensive treatment of parkinsonism. Neurosci Behav Physiol 1990;20(6):490-492.

Neubauer B, Tetzlaff K, Staschen CM, et al. Cardiac output changes during hyperbaric hyperoxia. Int Arch Occup Environ Health 2001;74(2):119-122.

Neubauer R. The effect of hyperbaric oxygen in prolonged coma: possible identification of marginal functioning brain zones. Med Subacq Iperbar Minerv Med 1985;5(3):75-79.

Neubauer R. Delayed metabolism or reperfusion in brain imaging after exposure to hyperbaric oxygation. Presented at: XV Annual Meeting of the European Undersea Biomedical Society; Eliat, Israel; 1989.

Neubauer R. Sequential SPECT scanning in long term anoxic encephalopathy. Presented at: UHMS Gulf Coast Chapter Annual Ccientific Assembly; New Orleans, LA; 1995.

Neubauer R. Hyperbaric oxygen therapy. Townsend Lett Doc Pat 1998.

Neubauer R. Hyperbaric oxygen therapy beats... carbon monoxide poisoning, decompression sickness, broken bones, gangrene, multiple sclerosis, severe burns. Bottom Line/Health 1998;12(5):13-14.

Neubauer R. Hyperbaric oxygenation in cerebral palsy and the brain injured child. Presented at: 3rd EPNS Congress, European Paediatric Neurology Society; 1999.

Neubauer R. New frontiers: Anti-aging properties of hyperbaric oxygen therapy. Townsend Lett Doc Pat 1999.

Neubauer R. Cerebral palsy and the brain injured child. In: Cali-Corleo R, editor. Proceedings of the Annual Meeting on Diving and Hyperbaric Medicine, 26th Annual Meeting of the European Underwater and Baromedical Society. 2000. p. 244-251.

Neubauer R. Sequential SPECT imaging/hyperbaric oxygenation in long-term neurologic deficits. In: Cali-Corleo R, editor. Proceedings of the Annual Meeting on Diving and Hyperbaric Medicine. 2000. p. 211-216.

Neubauer R and Gottlieb S. Stroke treatment. Lancet 1991;337:1601.

Neubauer R and Gottlieb SF. Amelioration of long term head injuries with hyperbaric oxygen - documentation via SPECT brain imaging and VCR. Presented at: XVII Annual Meeting on Diving and Hyperbaric Medicine; Crete, Greece; 1991.

Neubauer R, Hall-Dickenson M and Neubauer VI. New hope for kids with cerebral palsy and brain injuries. Alt Med 2000;33:44-46.

Neubauer R and Kagan RL. Hyperbaric oxygenation in the acute stroke (four-hour window). 13th International Proceedings 2000:28.

Neubauer R, Ljubljana S and James P. Hyperbaric oxygenation: the recoverable brain in certain pediatraic patients. Presented at: 8th International Child Neurology Congress; 1998.

Neubauer RA. Hyperbaric oxygen treatment and stroke. JAMA 1981;246(22):2574.

Neubauer RA. Regional cerebral blood flow studies of the effect of hyperbaric oxygen in acute stroke and chronic neurologic deficits of stroke: 30 cases. Presented at: Seventh Annual Conference on Clinical Applications of Hyperbaric Oxygen; 1982.

Neubauer RA. Generalized small-vessel stenosis in the brain: a case history of a patient treated with monoplace hyperbaric oxygen at 1.5 to 2 ATA. Minerva Med 1983;74(35):2051-2055.

Neubauer RA. Hyperbaric oxygen in vegetative coma. In: Schutz J, editor. Proceedings of the First Swiss Symposium on Hyperbaric Medicine. Basel, Switzerland: Foundation for Hyperbaric Medicine; 1986. p. 116.

Neubauer RA. Idling neurons. Lancet 1990;335(8699):1217.

Neubauer RA. Hyperbaric oxygenation for cerebral palsy. Lancet 2001;357(9273):2052.

Neubauer RA and End E. Hyperbaric oxygenation as an adjunct therapy in strokes due to thrombosis: a review of 122 patients. Stroke 1980;11(3):297-300.

Neubauer RA and Gottlieb SF. Reversal of a dense, persistent, holohemispheric neurological deficit after an endarterectomy of the carotid artery: case report. Neurosurg 1992;30(2):301-302.

Neubauer RA, Gottlieb SF and Kagan RL. Enhancing "idling" neurons. Lancet 1990;335(8688):542.

Neubauer RA, Gottlieb SF and Miale A, Jr. Identification of hypometabolic areas in the brain using brain imaging and hyperbaric oxygen. Clin Nucl Med 1992;17(6):477-481.

Neubauer RA, Gottlieb SF and Pevsner NH. Hyperbaric oxygen for treatment of closed head injury. South Med J 1994;87(9):933-936.

Neubauer RA, Gottlieb SF and Rockswold GL. Hyperbaric oxygen for brain injury. J Neurosurg 1993;78(4):687-688.

Neubauer RA and James P. Cerebral oxygenation and the recoverable brain. Neurol Res 1998;20(Suppl 1):S33-S36.

Neubauer RA, James PB, Evans PH, et al. Free radicals and antioxidants. Lancet 1994;344(8934):1440-1442.

Neubauer RA and Walker M. Hyperbaric oxygen therapy. Garden City Park, NY: Avery Publishing Group; 2001.

Neuman TS and Hallenbeck JM. Barotraumatic cerebral air embolism and the mental status examination: a report of four cases. Ann Emerg Med 1987;16(2):220-223.

New P. Radiation injury to the nervous system. Curr Opin Neurol 2001;14(6):725-734.

NHS Centre for Reviews and Dissemination. Undertaking systematic reviews of research on effectiveness, 2nd edition. York, England: University of York. 2001.

Nichter LS, Morwood DT, Williams GS, et al. Expanding the limits of composite grafting: a case report of successful nose replantation assisted by hyperbaric oxygen therapy. Plast Recon Surg 1991;87(2):337-340.

Nighoghossian N and Trouillas P. Hyperbaric oxygen in the treatment of acute ischemic stroke: an unsettled issue. J Neurolog Sci 1997;150(1):27-31.

Nighoghossian N, Trouillas P, Adeleine P, et al. Hyperbaric oxygen in the treatment of acute ischemic stroke: a double-blind pilot study. Stroke 1995;26(8):1369-1372.

Noguchi T, Itoh N, Aoyagi M, et al. Application of hyperbaric oxygen therapy on central nervous system diseases. In: Shiraki K and Matsuoka S, editors. Hyperbaric Medicine and Underwater Physiology. Program Committee III UOEH Symposium. Kitakyushu, Japan; 1983. p. 297-301.

Norkool DM and Kirkpatrick JN. Treatment of acute carbon monoxide poisoning with hyperbaric oxygen: a review of 115 cases. Ann Emerg Med 1985;14(12):1168-1171.

Norman JN, Childs CM, Jones C, et al. Management of a complex diving accident. Undersea Biomed Res 1979;6(2):209-216.

Novack TA, Bush BA, Meythaler JM, et al. Outcome after traumatic brain injury: pathway analysis of contributions from premorbid, injury severity, and recovery variables. Arch Phys Med Rehab 2001;82(3):300-5.

Novikova OA and Klyavinsh YY. Effectiveness of hyperbaric oxygenation in severe forms of virus hepatitis and hepatic coma in children. In: Abstracts from the Seventh Congress on HBO Medicine. Moscow; 1981. p. 350.

Nuthall G, Seear M, Lepawsky M, et al. Hyperbaric oxygen therapy for cerebral palsy: two complications of treatment. Pediatrics 2000;106(6):E80.

Nyland H, Naess A, Eidsvik S, et al. Effect of hyperbaric oxygen treatment on immunological parameters in multiple sclerosis. Acta Neurol Scand 1989;79(4):306-310.

Obrist WD. Hyperbaric oxygen in senile dementia. In; 1975. p. 498-500.

O'Donnell P, Buxton PJ, Pitkin A, et al. The magnetic resonance imaging appearances of the brain in acute carbon monoxide poisoning. Clin Radiol 2000;55(4):273-280.

Ohashi S, Endoh H, Honda T, et al. Cerebral air embolism complicating percutaneous thin-needle biopsy of the lung: complete neurological recovery after hyperbaric oxygen therapy. J Anesth 2001;15(4):233-236.

Ohta H, Kawamura S and Nemoto M. Treatment of increased intracranial pressure by hyperbaric oxygenation. Neurol Med Chir (Tokyo) 1986;26(5):385-391.

Ohta H, Yasui Y, Kitami K, et al. Intracranial pressure and hyperbaric oxygenation. In: Proceedings of the Eighth International Congress on Hyperbaric Medicine. Flagstaff, AZ: Best Publishing Company; 1987. p. 68-73.

Ohta S, Hadeishi H and Suzuki M. Effect of stellate ganglion block on cerebral blood flow in normoxemic and hyperoxemic states. J Neurosurg Anesthesiol 1990;2(4):272-279.

Olson KR. Carbon monoxide poisoning: mechanisms, presentation, and controversies in management. J Emerg Med 1984;1(3):233-243.

Olszanski R, Wermut W, Sicko Z, et al. Case of carbon monoxide poisoning treated with oxygen hyperbarism. Bull Inst Marit Trop Med Gdynia 1993;44-45(1-4):83-87.

Omae T, Ibayashi S, Kusuda K, et al. Effects of high atmospheric pressure and oxygen on middle cerebral blood flow velocity in humans measured by transcranial Doppler. Stroke 1998;29(1):94-97.

O'Meara S, Cullum N, Majid M, et al. Systematic reviews of wound care management: (3) antimicrobial agents for chronic wounds; (4) diabetic foot ulceration. Health Tech Assess 2000;4(21):1-237.

Omenaas E, Moerkve O, Thomassen L, et al. Cerebral air embolism after transthoracic aspiration with a 0.6 mm (23 gauge) needle. Europ Respir J 1989;2(9):908-910.

Orencia A and Biller J. Epidemiology and natural history of adult ischemic cerebrovascular disease. In: Zieler RE, editor. Surgical management of cardiovascular disese. New York: McGraw-Hill; 1995. p. 101-125.

Oriani G, Marroni A and Wattel F, ed. Handbook on hyperbaric medcine. New York: Springer; 1995.

Oshima M, Sadoshima S, Kusuda K, et al. Clinical application of hyperbaric oxygen therapy for acute cerebral infarction. Undersea Biomed Res Suppl 1990;17:140.

Ouriel K. Peripheral arterial disease. Lancet 2001;358(9289):1257-1264.

Ozyar E and Atahan IL. Caution on the use of altered fractionation for nasopharyngeal carcinoma. Radiother Oncol 2000;54(3):283-284.

Packard M. 2000. The Cornell Study. www.netnet.net/mums/cornell.htm Available:2000

Pagani M, Ansjon R, Lind F, et al. Effects of acute hypobaric hypoxia on regional cerebral blood flow distribution: a single photon emission computed tomography study in humans. Acta Physiol Scand 2000;168(3):377-383.

Pao BS and Hayden SR. Cerebral gas embolism resulting from inhalation of pressurized helium. Ann Emerg Med 1996;28(3):363-366.

Pascual J, Peralta G and Sanchez U. Preventive effects of hyperbaric oxygen in cluster headache. Headache 1995;35(5):260-261.

Paulson OB. Cerebral apoplexy (stroke): pathogenesis, pathophysiology and therapy as illustrated by regional blood flow measurements in the brain. Stroke 1971;2(4):327-360.

Peacock A. ABC of oxygen. Oxygen at high altitude. BMJ 1998;317(7165):1063-1066.

Pearson RR and Goad RF. Delayed cerebral edema complicating cerebral arterial gas embolism: case histories. Undersea Biomed Res 1982;9(4):283-296.

Peirce EC. Specific therapy for arterial air embolism. Ann Thor Surg 1980;29(4):300-303.

Peirce EC, Kaufmann H, Bensky WH, et al. A registry for carbon monoxide poisoning in New York City. J Toxicol Clin Toxicol 1988;26(7):419-441.

Pereira P. A fatal case of cerebral artery gas embolism following fine needle biopsy of the lung. Med J Aust 1993;159(11-12):755-757.

Perry Jr GF. Occupational medicine forum. J Occup Med 1994;36(6):595-597.

Phillips YY. Primary blast injuries. Ann Emerg Med 1986;15(12):1446-1450.

Piantadosi CA. Diagnosis and treatment of carbon monoxide poisoning. Respir Care Clin N Amer 1999;5(2):183-202.

Pierallini A, Pantano P, Fantozzi LM, et al. Correlation between MRI findings and long-term outcome in patients with severe brain trauma. Neuroradiology 2000;42(12):860-7.

Pilgramm M. Clinical and animal experiment studies to optimise the therapy for acute acoustic trauma. Scand Audiol Suppl 1991;20(34):103-122.

Pilinoga VG, Kondratenko VI and Timoshenko NA. Hyperbaric oxygenation in neonates with intracranial birth injury. In: Abstracts Seventh International Congress on HBO Medicine. Moscow; 1981. p. 366-367.

Pilotti L, DiRenzo F and Ginaldi L. Stroke and HBO: A statistic retrospective examination on the incidence of mortality at five years old. Presented at: XVII Annual Meeting on Diving and Hyperbaric Medicine; Crete, Greece; 1991.

Plafki C, Peters P, Almeling M, et al. Complications and side effects of hyperbaric oxygen therapy. Aviat Space Environ Med 2000;71(2):119-124.

Plutzky M. Principles of psychiatric management of chronic brain syndrome. Geriatrics 1974;29(8):120-124.

Pollak EW, Frieden F and Ozar M. Perineoscrotal gangrene: two-staged therapeutic approach. South Med J 1981;74(9):1040-1042.

Pollard AJ. High-altitude health for travellers. Pract Nurs 1997;14(10):605-608.

Pomper JK, Graulich J, Kovacs R, et al. High oxygen tension leads to acute cell death in organotypic hippocampal slice cultures. Dev Brain Res 2001;126(1):109-116.

Ponikvar R, Buturovic J, Cizman M, et al. Hyperbaric oxygenation, plasma exchange, and hemodialysis for treatment of acute liver failure in a 3-year-old child. Artif Organs 1998;22(11):952-957.

Popay J and Williams G. Qualitative research and evidence-based healthcare. J Royal Soc Med 1998;91, suppl 35:3207.

Pracyk JB, Stolp BW, Fife CE, et al. Brain computerized tomography after hyperbaric oxygen therapy for carbon monoxide poisoning. Undersea Hyperb Med 1995;22(1):1-7.

Pravdenkova SV, Isakov YV and Yoffe YS. The therapeutic effect of hyperbaric oxygenation in the acute state of aschemic stroke. Anaesthesiol Reanim 1983(6):26-30.

Price JC and Stevens DL. Hyperbaric oxygen in the treatment of rhinocerebral mucormycosis. Laryngoscope 1980;90(5:Pt 1):t-47.

Raju GS, Bendixen BH, Khan J, et al. Cerebrovascular accident during endoscopy: consider cerebral air embolism, a rapidly reversible event with hyperbaric oxygen therapy. Gastrointest Endosc 1998;47(1):70-73.

Raphael J-C, Elkharrat D, Jars-Guincestre M-C, et al. Trial of normobaric and hyperbaric oxygen for acute carbon monoxide intoxication. Lancet 1989;2(8660):414-419.

Rappaport M, Hall KM and Hopkins K. Disability Rating Scale for severe head trauma: coma to community. Arch Phys Med Rehab 1982;63:118-23.

Raskin A, Gershon S, Crook TH, et al. The effects of hyperbaric and normobaric oxygen on cognitive impairment in the elderly. Arch Gen Psych 1978;35(1):50-56.

Rattazzi MC, Lanse SB, McCullough RA, et al. Towards enzyme replacement in GM2 gangliosidosis: organ disposition and induced central nervous system uptake of human beta-hexosaminidase in the cat. Birth Defects Orig Art Ser 1980;16(1):179-193.

Reiffenstein RJ, Hulbert WC and Roth SH. Toxicology of hydrogen sulfide. Annu Rev Pharmacol Toxicol 1992;32:109-134.

Reisberg B, Ferris SH and Gershon S. An overview of pharmacologic treatment of cognitive decline in the aged. Am J Psych 1981; 138(5):593-600.

Reivich M, Dickson J, Clark J, et al. Role of hypoxia in cerebral circulatory and metabolic changes during hypocarbia in man: studies in hyperbaric milieu. Scand J Clin Lab Invest 1968;102:IV.

Ren H, Wang W, Zhaoming GE, et al. Clinical, brain electric earth map, endothelin and transcranial ultrasonic Doppler findings after hyperbaric oxygen treatment for severe brain injury. Chin Med J 2001;114(4):387-390.

Reshef A, Bitterman N and Kerem D. The effect of carbamazepine and ethosuximide on hyperoxic seizures. Epilepsy Res 1991;8(2):117-121.

Rios-Tejada F, Azofra-Garcia J, Valle-Garrido J, et al. Neurological manifestation of arterial gas embolism following standard altitude chamber flight: a case report. Aviat Space Environ Med 1997;68(11):1025-1028.

Robertson CS. Management of cerebral perfusion pressure after traumatic brain injury. Anesthesiology 2001;95(6):1513-7.

Robertson CS, Valadka AB, Hannay HJ, et al. Prevention of secondary ischemic insults after severe head injury. Crit Care Med 1999;27(10):2086-2095.

Rockswald GL and Ford SE. Treatment of severe head injury with hyperbaric oxygen (HBO). Undersea Biomed Res 1985;12(46).

Rockswold GL. The cerebral microenvironment: hyperbaric oxygen, hypothermia. CN-00220177 1993.

Rockswold GL. The treatment of severe head injury with hyperbaric oxygenation. Hyperb Oxyg Pract 1994:641-648.

Rockswold GL and Ford SE. Preliminary results of a prospective randomized trial for treatment of severely brain-injured patients with hyperbaric oxygen. Minn Med 1985;68:533-535.

Rockswold GL, Ford SE, Anderson DC, et al. Results of a prospective randomized trial for treatment of severely brain-injured patients with hyperbaric oxygen. J Neurosurg 1992;76(6):929-934.

Rockswold SB, Rockswold GL, Vargo JM, et al. Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients. J Neurosurg 2001;94(3):403-411.

Rogatsky GG, Shifrin EG and Mayevsky A. Physiologic and biochemical monitoring during hyperbaric oxygenation: a review. Undersea Hyperb Med 1999;26(2):111-122.

Rogatsky GG, Shifrin EG and Mayevsky A. Optimal dosing as a necessary condition for the efficacy of hyperbaric oxygen therapy in acute ischemic stroke: a critical review. Neurol Res 2003;25(1):95-8.

Roman G. Perspectives in the treatment of vascular dementia. Drug Today 2000;36(9):641-653.

Rosen B and Abroms I. Cerebral palsy. In: Gilchrist JM, editor. Prognosis in Neurology. Boston: Butterworth-Heinemann; 1998. p. 405-408.

Rosenthal R, Silbergleit R, Hof P, et al. Hyperbaric oxygen reduces neuronal death and improves neurological outcome after canine cardiac arrest. Stroke 2003;34(5):1311-6.

Rosner MJ, Rosner SD and Johnson AH. Cerebral perfusion pressure: management protocol and clinical results. J Neurosurg 1995;83(6):949-62.

Ross DJ, Mohsenifar Z, Potkin RT, et al. Pathogenesis of cerebral air embolism during neodymium-YAG laser photoresection. Chest 1988;94(3):660-662.

Rossi GF, Maira G, Vignati A, et al. Neurological improvement in chronic ischemic stroke following surgical brain revascularization. Ital J Neurol Sci 1987;8(5):465-475.

Rostain JC, Gardette-Chauffour MC and Naquet R. HPNS during rapid compressions of men breathing He-O2 and He-N2-O2 at 300 m and 180 m. Undersea Biomed Res 1980;7(2):77-94.

Roth RN and Weiss LD. Hyperbaric oxygen and wound healing. Clin Dermatol 1994;12(1):141-156.

Rounthwaite FJ and Banerjee P. Hyperbaric oxygen radiotherapy and the need for preliminary myringotomy. Laryngoscope 1968;78(12):2153-2159.

Rudehill A, Bellander BM, Weitzberg E, et al. Outcome of traumatic brain injuries in 1,508 patients: impact of prehospital care. J Neurotrauma 2002;19(7):855-68.

Russman BS. Cerebral palsy. Curr Treat Option Neurol 2000;2(2):97-108.

Rusyniak DE, Kirk MA, May JD, et al. Hyperbaric oxygen therapy in acute ischemic stroke: results of the Hyperbaric Oxygen in Acute Ischemic Stroke Trial Pilot Study. Stroke 2003;34(2):571-4.

Sacco RL, Wolf PA, Kannel WB, et al. Survival and recurrence following stroke. The Framingham study. Stroke 1982;13(3):290-295.

Sadan O, Adler M, Ezra S, et al. Air embolism due to pulmonary barotrauma in a patient undergoing cesarean section. Acta Obstet Gynecol Scand 1991;70(6):511-513.

Salazar AM, Warden DL, Schwab K, et al. Cognitive rehabilitation for traumatic brain injury: a randomized trial. Defense and Veterans Head Injury Program (DVHIP) Study Group. JAMA 2000;283(23):3075-81.

Salmon WC. Logic, 3rd ed. Upper Saddle River, NJ: Prentice Hall College Division; 1984.

Saltzman HA, Anderson B, Jr., Whalen RE, et al. Hyperbaric oxygen therapy of acute cerebral vascular insufficiency. Presented at: Third International Conference on Hyperbaric Medicine; Durham, NC; 1965.

Salzman C and Shader RI. Psychopharmacology in the aged: research considerations in geriatric psychopharmacology. J Geriatr Psychiatry 1974;7(2):165-184.

Samuels AH, Vamos MJ and Taikato MR. Carbon monoxide, amnesia and hyperbaric oxygen therapy. Aust NZ J Psych 1992;26(2):316-319.

Sander AM, Fuchs KL, High WM, Jr., et al. The Community Integration Questionnaire revisited: an assessment of factor structure and validity. Arch Phys Med Rehab 1999;80(10):1303-8.

Sandhu KS and Henry JA. Concepts in the management of poisoning. Curr Anaesth Crit Care 1996;7(2):95-100.

Sansone A, Gulotta G, Sparacia B, et al. Effect of hyperbaric oxygen therapy on neurologic recovery after focal cerebral ischaemia. Br J Anaesth 1997;78 Suppl 1:73-74.

Sarno JE, Rusk HA, Diller L, et al. The effect of hyperbaric oxygen on the mental and verbal ability of stroke patients. Stroke 1972;3(1):10-15.

Sarno MT, Sarno JE and Diller L. The effect of hyperbaric oxygen on communication function in adults with aphasia secondary to stroke. J Speech Hearing Res 1972;15(1):42-48.

Sathananthan GL, Ferris S and Gershon S. Psychopharmacology of aging: current trends. Curr Dev Psychopharmacol 1977;4:249-264.

Saunders D, Clifton A and Brown M. Measurement of infarct size using MRI predicts prognosis in middle cerebral artery infarction. Stroke 1995;26(12):2272-2276.

Saunders P. Hyperbaric oxygen therapy in the management of carbon monoxide. Birmingham, UK: West Midlands Health Technology Assessment Group, University of Birmingham. 2000.

Sawyer R. Grafts, implants, and late osseous reconstruction after maxillofacial trauma. Ear Nose Throat J 1983;62(8):417-420.

Sayama T, Mitani M, Inamura T, et al. Normal diffusion-weighted imaging in cerebral air embolism complicating angiography. Neuroradiology 2000;42(3):192-194.

Scannel G. Hyperbaric research efforts in traumatic brain injury. Hyperb Med Today 2000;1(3):34-35.

Schalen W, Hansson L, Nordstrom G, et al. Psychosocial outcome 5-8 years after severe traumatic brain lesions and the impact of rehabilitation services. Brain Inj 1994;8(1):49-64.

Scheffer E. Pathological pulmonary changes on an iatrogenic basis. Acta Tubercul Pneum Belg 1979;70(3-4):191-201.

Scheinberg P. The neurologic approach to therapy--antiischemic agents. In: Cerebral manifestations of episodic cardiac dysrhythmias. Amsterdam: Excerpta Medica; 1979. p. 165-173.

Scheinkestel C, Bailey M, Myles P, et al. Hyperbaric or normobaric oxygen for acute carbon monoxide poisoning: a randomised controlled clinical trial. Med J Aust 1999(170):203-210.

Schiltz KL. Failure to assess motivation, need to consider psychiatric variables, and absence of comprehensive examination: a skeptical review of neuropsychologic assessment in carbon monoxide research. Undersea Hyperb Med 2000;27(1):48-50.

Schmidt JM and Poublon RM. Rhinocerebral mycosis in immunocompromised patients: a case report and review of the literature. Rhinology 1998;36(2):90-93.

Schmitz GF. Evaluation of hyperbaric oxygen therapy for senility. HBO Rev 1981;2:231-251.

Schneider F, Lion R, Kummerlen C, et al. Neurological complications and pleural lavage with a fibrinolytic agent: a two-case report. Intens Care Med 2000;26(7):995-997.

Schneider JS, Tobe EH, Mozley PD, Jr., et al. Persistent cognitive and motor deficits following acute hydrogen sulphide poisoning. Occup Med 1998;48(4):255-260.

Schreiber MA, Aoki N, Scott BG, et al. Determinants of mortality in patients with severe blunt head injury. Arch Surg 2002;137(3):285-90.

Schulz-Stubner S. Laser treatment of endobronchial lesions. Anesthesiology 1998;88(1):273-274.

Scolnick B, Hamel D and Woolf AD. Successful treatment of life-threatening propionitrile exposure with sodium nitrite/sodium thiosulfate followed by hyperbaric oxygen. J Occup Med 1993;35(6):577-580.

Sealy R. Hyperbaric oxygen in the radiation treatment of head and neck cancers. Lancet 1920;1991.

Sealy R and Cridland S. The treatment of locally advanced head and neck cancer with misonidazole, hyperbaric oxygen and irradiation: an interim report. Int J Radiat Oncol Biol Physics 1984;10:1721-1723.

Sealy R, Cridland S, Barry L, et al. Irradiation with misonidazole and hyperbaric oxygen: final report on a randomized trial in advanced head and neck cancer. Int J Radiat Oncol Biol Physics 1986;12:1343-1346.

Seger D and Welch L. Carbon monoxide controversies: neuropsychologic testing, mechanism of toxicity, and hyperbaric oxygen. Ann Emerg Med 1994;24(2):242-248.

Selivra A, Rafikov A and Sharapov O. Computerized assessment of EEG-changes in stroke patient during HBO therapy. In: Sipinen SA and Leinio M, editors. Proceedings of the XXI Annual Meeting of EUBS on Diving and Hyperbaric Medicine, Helsinki, Finland. 1995. p. 297.

Sellick BA. Induced hypothermia. Int Anesthesiol Clin 1967;5(1):118-131.

Shah S. Hyperbaric oxygen decreases the incidence of neurological sequelae in acute carbon monoxide poisoning. Thorax 2003;58(2):126.

Shalkevich VB and Kotova. Hyperbaric oxygenation and prevention of recurrent ischemic stroke. Eur J Neurol 2000;7(Suppl 3):70.

Shank ES and Muth CM. Decompression illness, latrogenic gas embolism, and carbon monoxide poisoning: the role of hyperbaric oxygen therapy. Int Anesthesiol Clin 2000;38(1):111-138.

Sheffield PJ and Davis JC. Application of hyperbaric oxygen therapy in a case of prolonged cerebral hypoxia following rapid decompression. Aviat Space Environ Med 1976;47(7):759-762.

Sheridan R and Shank E. Hyperbaric oxygen treatment: a brief overview of a controversial topic. J Trauma Inj Infect Crit Care 1999;47(2):426-435.

Sherman SJ, Boyer LV and Sibley WA. Cerebral infarction immediately after ingestion of hydrogen peroxide solution. Stroke 1994;25(5):1065-1067.

Shibuya H, Terashi H, Kurata S, et al. Gas gangrene following sacral pressure sores. J Dermatol 1994;21(7):518-523.

Shiozawa Z, Takahasi H, Takahashi A, et al. Hyperbaric oxygenation treatment for superior sagittal sinus thrombosis: report of two cases. J Hyperb Med 1986;1(4):203-214.

Shirley PJ and Ross JAS. Hyperbaric medicine part I: theory and practice. Curr Anaesth Crit Care 2001;12(2):114-120.

Shn-rong Z. Hyperbaric oxygen therapy for coma: a report of 336 cases. In: Proceedings of the Eleventh International Congress on Hyperbaric Medicine, Fuzhou, China. Flagstaff, AZ: A Best Publication; 1995. p. 279-285.

Shumate MJ. Carbon monoxide poisoning. Chest 1995;107(5):1474.

Siddiqui TS. Intracranial pressure - basic concepts and management. J Pakistan Med Assoc 1981;31(11):262-266.

Signorini DF and Alderson P. Therapeutic hypothermia for head injury. Cochrane Lib 2001(1).

Silbiger A, Halpern P, Melamed Y, et al. Saturation recompression therapy in a diving accident. Aviat Space Environ Med 1983;54(10):932-933.

Silver DA, Cross M, Fox B, et al. Computed tomography of the brain in acute carbon monoxide poisoning. Clin Radiol 1996;51(7):480-483.

Singhal AB, Dijkhuizen RM, Rosen BR, et al. Normobaric hyperoxia reduces MRI diffusion abnormalities and infarct size in experimental stroke. Neurology 2002;58(6):945-52.

Sluijter ME. Symposium on hyperbaric oxygen. Acta Anaesthes Scand Suppl 1966;25:67-113.

Smallwood P and Murray GB. Neuropsychiatric aspects of carbon monoxide poisioning: a review and single case report suggesting a role for amphetamines. Ann Clin Psych 1999;11(1):21-27.

Smith G, Lawson DD, Renfrew S, et al. Preservation of cortical activity by breathing oxygen at two atmospheres of pressure during cerebral ischemia. Surg Gynecol Obstet 1961;113:13-16.

Snyder JW, Safir EF, Summerville GP, et al. Occupational fatality and persistent neurological sequelae after mass exposure to hydrogen sulfide. Am J Emerg Med 1995;13(2):199-203.

Soares JC and Gershon S. Advances in the pharmacotherapy of Alzheimer's disease. Eur Arch Psych Clin Neurosci 1994;244(5):261-271.

Sparacia B, Sparacia G and Sansone A. HBO and cerebral investigations in stroke. Anaesthes Intensve Care Italy 1991;42(Suppl 2):216-230.

Sparacia G, Banco A, Sparacia B, et al. MR imaging evaluation of the effects of hyperbaric oxygen in the treatment of multiple sclerosis. Rev Neuroradiol 1998;11(Suppl 2):35-36.

Spencer J and Johansson A. CO and suicide. Aust NZ J Psych 1989;23(3):312-313.

Spira A. Diving and marine medicine review Part II: diving diseases. J Travel Med 1999;6(3):180-198.

Spirduso WW. Physical fitness, aging, and psychomotor speed: a review. J Gerontol 1980;35(6):850-865.

Stamford JA. Beyond NMDA antagonists: looking to the future of neuroprotection. Baillieres Clin Anaesth 1996;10(3):581-598.

Stanfield BA and Cowan WM. The sprouting of septal afferents to the dentate gyrus after lesions of the entorhinal cortex in adult rats. Brain Res 1982;232(1):162-170.

Steenblock D. Review of hyperbaric oxygen for stroke rehabilitation. Explore 1996;5:49-55.

Steenblock D. Hyperbaric oxygen for treament of stroke and traumatic brain injuries. J Naturopath Med 1998;8(1):61-67.

Steenblock D. Synergistic therapies for maximizing brain injury rehabilitation. Townsend Lett Doc Pat 1999.

Stellar S and Cooper IS. Recent advances in neurosurgical treatment for the elderly. J Am Geriatr Soc 1970;18(11):845-860.

Steward D, Williams WG and Freedom R. Hypothermia in conjunction with hyperbaric oxygenation in the treatment of massive air embolism during cardiopulmonary bypass. Ann Thor Surg 1977;24(6):591-593.

Stovner LJ and Sjaastad O. Treatment of cluster headache and its variants. Curr Opin Neurol 1995;8(3):243-247.

Strauss MB and Borer RC, Jr. Diving medicine: Contemporary topics and their controversies. Am J Emerg Med 2001;19(3):232-238.

Struchen MA, Hannay HJ, Contant CF, et al. The relation between acute physiological variables and outcome on the Glasgow Outcome Scale and Disability Rating Scale following severe traumatic brain injury. J Neurotrauma 2001;18(2):115-25.

Sugawa N, Sekimoto T and Ueda S. Oxygenation under hyperbaric pressure (OHP) therapy for the patient with deep coma caused by cerebellar hemorrhage: a case report. J Kyoto Prefect Univ Med 1988;97:1091-1096.

Sugiyama H and Kamiyama K. The effectiveness ofhyperbaric oxygenation on cerebral infarction. Presented at: IX International Congress on Hyperbaric Medicine, conference programme; Sydney, Australia; 1987.

Sukoff M. Use of hyperbaric oxygenation for acute cerebral edema. fourth annual conference on clinical application of hyperbaric oxygenation. Presented at: 1979.

Sukoff M, Van Pelt J and Salibian A. Utilization of hyperbaric oxygen in microvascular cerebral revascularization. In: Proceedings of the Eighth International Congress on Hyperbaric Medicine. Flagstaff, AZ: A Best Publication; 1987. p. 153-158.

Sukoff MH. Experience in the treatment of cerebrovascular problems with hyperbaric oxygenation. Stroke 1978;9:110.

Sukoff MH. Neurological complications of hyperbaric oxygen therapy [abstract]. Presented at: Seventh Annual Conference on Clinical Applications of HBO; 1982.

Sukoff MH. Update on the use of hyperbaric oxygenation for acute cerebral trauma. J Hyperb Med 1986;1(3):174.

Sukoff MH. Effects of hyperbaric oxygenation. J Neurosurg 2001;95(3):544-546.

Sukoff MH, Hollin SA, Espinosa OE, et al. The protective effect of hyperbaric oxygen in experimental cerebral edema. J Neurosurg 1968;29:236-241.

Sukoff MH and Ragatz RE. Hyperbaric oxygenation for the treatment of acute cerebral edema. Neurosurg 1982;10(1):29-38.

Sunami K, Takeda Y, Hashimoto M, et al. Hyperbaric oxygen reduces infarct volume in rats by increasing oxygen supply to the ischemic periphery. Crit Care Med 2000;28(8):2831-2836.

Susman M, DiRusso SM, Sullivan T, et al. Traumatic brain injury in the elderly: increased mortality and worse functional outcome at discharge despite lower injury severity. J Trauma Inj Infect Crit Care 2002;53(2):219-24.

Sussman M. Why don't we know more about what we are doing? Dev Med Child Neurol 2001;43(8):507.

Swaiman K and Russman BS. Cerebral palsy. In: Swaiman K and Ashwal S, editors. Pediatric Neurology, 3rd ed. Boston: Mosby, Inc.; 1999. p. 312-324.

Takita H, Olszewski W, Schimert G, et al. Hyperbaric treatment of cerebral air embolism as a result of open-heart surgery: report of a case. J Thorac Cardiovasc Surg 1968;55(5):682-685.

Taliharm A. Hyperbaric oxygenation in treatment of cerebral hypoxia. Anaesthesia & Intensive Care in Italy, Supplemental of Acta Anaesthesiologica Italica 1991;42(Suppl 2):178-180.

Talton IH, Thompson LW, Dent SJ, et al. Investigation of changes in blood gases, EEG and vigilance behavior during increased oxygen pressure in old and young community volunteers. Anaesthesist 1970;19(7):241-244.

Tan IK and Lim JM. Anaemia in the critically ill - the optimal haematocrit. Ann Acad Med Singapore 2001;30(3):293-299.

Tauboll E, Sorteberg W, Owe JO, et al. Cerebral artery blood velocity in normal subjects during acute decreases in barometric pressure. Aviat Space Environ Med 1999;70(7):692-697.

Teasdale G and Jennett B. Assessment of coma and impaired consciousness: a practical scale. Lancet 1974;2(7872):81-84.

Teasdale G and Jennett B. Assessment and prognosis of coma after head injury. Acta Neurochir 1976;34:45-55.

Teicher BA. An overview on oxygen carriers in cancer therapy. Artif Cells Blood Substit Immobil Biotechnol 1995;23(3):395-405.

Teoh LS, Gowardman JR, Larsen PD, et al. Glasgow Coma Scale: variation in mortality among permutations of specific total scores. Intens Care Med 2000;26(2):157-61.

Tetzlaff K, Reuter M, Kampen J, et al. Hyperbaric chamber-related decompression illness in a patient with asymptomatic pulmo nary sarcoidosis. Aviat Space Environ Med 1999;70(6):594-597.

Thalmann ED. Phenytoin sodium in oxygen-toxicity-induced seizures. Ann Emerg Med 1983;12(9):592-593.

Thiede WH and Manley J. Cerebral air embolism and cerebral edema: one regimen of treatment. Aviat Space Environ Med 1976;47(5):553-555.

Thom S. Hyperbaric oxygen therapy. J Intens Care Med 1998;4:58-74.

Thompson LW, Davis GC, Obrist WD, et al. Effects of hyperbaric oxygen on behavioral and physiological measures in elderly demented patients. J Gerontol 1976;31(1):23-28.

Thomsen IV. Late outcome of very severe blunt head trauma: a 10-15 year second follow-up. J Neurol Neurosurg Psych 1984;47(3):260-268.

Thomson LF, Mardel SN, Jack A, et al. Management of the moribund carbon monoxide victim. Arch Emerg Med 1992;9(2):208-213.

Thurman DJ, Alverson CA, Brown DB, et al. Traumatic brain injury in the United States: a report to Congress. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. 1999.

Thurman DJ, Alverson CA, Dunn KA, et al. Traumatic brain injury in the United States: a public health perspective. J Head Trauma Rehab 1999;14(6):602-615.

Tibbles P and Edelsberg J. Medical progress: hyperbaric-oxygen therapy. New Engl J Med 1996;334(25):1642-1648.

Tobin DA and Vermund H. A randomized study of hyperbaric oxygen as an adjunct to regularly fractionated radiation therapy for clinical treatment of advanced neoplastic disease. Am J Roentgen Radium Ther Nucl Med 1971;111(3):613-621.

Tomaszewski C. Carbon monoxide poisoning: early awareness and intervention can save lives. Postgrad Med 1999;105(1):39-50.

Tomatis L, Nemiroff M, Riahi M, et al. Massive arterial air embolism due to rupture of pulsatile assist device: successful treatment in the hyperbaric chamber. Ann Thor Surg 1981;32(6):604-608.

Toole JF. Brain infarction. In: Toole JF, editor. Cerebrovascular disorders. New York: Raven; 1990. p. 277-307.

Toole JF. Cerebrovaxcular disorders. Philadelphia: Lippincott Williams and Wilkins; 1999.

Torbati D, Peyman GA, Wafapoor H, et al. Experimental retinopathy by hyperbaric oxygenation. Undersea Hyperb Med 1995;22(1):31-39.

Toscano M, Chiavarelli R, Ruvolo G, et al. Management of massive air embolism during open-heart surgery with retrograde perfusion of the cerebral vessels and hyperbaric oxygenation. Thorac Cardiovasc Surg 1983;31(3):183-184.

Tovar EA, Del Campo C, Borsari A, et al. Postoperative management of cerebral air embolism: gas physiology for surgeons. Ann Thor Surg 1995;60(4):1138-1142.

Tremblay SD, Vanasse M, Amar M, et al. A double blind, randomized, placebo controlled,multicentric, clinical trial assessing the effects of hyperbaric oxygen therapy on cerebral palsy. J Undersea Hyperbar Med Soc 2000;27(Suppl):64.

Tribbles P and Perrotta P. Treatment of carbon monoxide poisoning: a critical review of human outcome studies comparing normobaric oxygen with hyperbaric oxygen. Ann Emerg Med 1994;24 (2):269-276.

Trytko BE and Bennett M. Hyperbaric oxygen therapy: complication rates are much lower than author suggest. BMJ 1999;318(7190):1077-8.

Tsuro M, Nakagaway Y, Kitaoika K, et al. Treatment of cerebral ischemia by hyperbaric oxygenation. In: Shiraki K and Matsuoka S, editors. Hyperbaric Medicine. Kitakyushu, Japan: Fukuoka Printing Co., Ltd.; 1983. p. 315-328.

Turner M and Clark RJ. Emergency casebooks. Glioblastoma presenting as carbon monoxide poisoning. J Accid Emerg Med 1999;16(2):155-156.

Turner M and Clark RJ. Glioblastoma presenting as carbon monoxide poisoning. J Accid Emerg Med 1999;16(2):155-156.

Turner M, Hamilton-Farrell MR and Clark RJ. Carbon monoxide poisoning: an update. J Accid Emerg Med 1999;16(2):92-96.

Turner M and Kemp PM. Isotope brain scanning with Tc-HMPAO: a predictor of outcome in carbon monoxide poisoning? Emerg Med J 1997;14(3):139-141.

Ueki K, Okada K, Hayano M, et al. Symposium: brain edema. Neurol Med Chir 1967;9:251-261.

Ugboko VI, Assam E, Oginni FO, et al. Necrotising fasciitis of the head and neck: a review of the literature. Nig J Med 2001;10(1):6-10.

Undersea & Hyperbaric Medical Society. 2002. Indications for hyperbaric oxygen therapy. http://www.uhms.org/Indications/indications.htm Available:2002

Usenko LV and Kligunenko EN. Hyperbaric oxygenation and adaptation to severe craniocerebral trauma. Anaesthesiol Reanim 1993.

Van Bever Donker SC. Hyperbaric oxygen therapy for children with cerebral palsy. S Afr Med J 1999;89(4):360-361.

van der Linden J, Layon AJ and Mahla ME. High technology and embolism. Mayo Clin Proc 1992;67(4):401-402.

Van Genderen L and Waite CL. Evaluation of the rapid recompression-high pressure oxygenation approach to the treatment of traumatic cerebral air embolism. Aerosp Med 1968;39(7):709-713.

Van Genderen L and Waite CL. Evaluation of the rapid recompression-high pressure oxygenation approach to the treatment of traumatic cerebral embolism. US Naval Submarine Medical Center. 1968. Report Number 519. p.1-8.

Van Houtte P, Salazar OM and Henry J. Radiotherapy in non-small cell lung cancer: present progress and future perspectives. Eur J Cancer Clin Oncol 1984;20(8):997-1006.

van Merkesteyn JP, Balm AJ, Bakker DJ, et al. Hyperbaric oxygen treatment of osteoradionecrosis of the mandible with repeated pathologic fracture: report of a case. Oral Surg Oral Med Oral Pathol 1994;77(5):461-464.

Van Meter K, Weiss L and Harch PG. Hyperbaric oxygen in emergency medicine. In: Jain KK, editor. Textbook of hyperbaric medicine, 3rd rev. ed. Seattle, WA: Hogrefe & Huber; 1999.

Vasano VA, DeNunno T, Urciuoli R, et al. First observations on the use of oxygen under high atmospheric pressure for the treatment of traumatic coma: clinical application of hyperbaric oxygen. Presented at: First International Congress; Amsterdam; 1963.

Vavrina J and Muller W. Therapeutic effect of hyperbaric oxygenation in acute acoustic trauma. Rev Laryngol Otol Rhinol 1995;116(5):377-380.

Veltkamp R and Toole JF. Hyperbaric oxygen - a neuroprotective adjunct for hyperacute ischemic stroke? J Neurolog Sci 1997;150(1):1-2.

Venter A, Leary M, Schoeman J, et al. Hyperbaric oxygen therapy for children with cerebral palsy. S Afr Med J 1998;88(11):1362-1363.

Visser GH, Van Hulst RA, Wieneke GH, et al. The contribution of conventional and quantitative electroencephalography during monitoring of exposure to hyperbaric oxygen. Undersea Hyperb Med 1996;23(2):91-98.

Visser GH, Van Hulst RA, Wieneke GH, et al. Transcranial Doppler sonographic measurements of middle cerebral artery flow velocity during hyperbaric oxygen exposures. Undersea Hyperb Med 1996;23(3):157-165.

Vogel-Scibilia S and Gershon S. An update on cognitive enhancers for the elderly. New Trend Clin Neuropharmacol 1989;3(4):207-216.

Vysotsky MV, Rodionov VV and Proskoryakov VV. Experience of the use of hyperbaric oxygenation in the treatment of embolism and thrombosis of the cerebral vessels. In: Abstracts from the Seventh International Congress on Hyperbaric Medicine. Moscow; 1981.

Wagner AK, Hammond FM, Sasser HC, et al. Use of injury severity variables in determining disability and community integration after traumatic brain injury. J Trauma Inj Infect Crit Care 2000;49(3):411-9.

Wagner DL. Total spinal anesthesia during cesarean section hours after previous unintentional dural puncture. Anesthesiology 1994;81(1):260-261.

Waisman D, Shupak A, Weisz G, et al. Hyperbaric oxygen therapy in the pediatric patient: the experience of the Israel Naval Medical Institute. Pediatrics 1998;102(5):E53.

Walker M. Reversal of residual stroke symptoms using hyperbaric oxygenation therapy. Alt Complim Ther 1996;2 (1):24-31.

Wang C and Lau J. 2001. Hyperbaric oxygen therapy in treatment of hypoxic wounds and diabetic wounds of the lower extremities. http://www.cms.hhs.gov/coverage/8b3-mm2.asp Available:2001

Wang C, Schwaitzberg S, Berliner E, et al. Hyperbaric oxygen for treating wounds: a systematic review of the literature. Arch Surg 2003;138(3):272-9; discussion 280.

Warnell P. Advanced concepts in the management of cerebral vasospasm associated with aneurysmal subarachnoid hemorrhage. Axone 1996;17(4):86-92.

Warwar RE and Bullock JD. Rhino-orbital-cerebral mucormycosis: a review. Orbit 1998;17(4):237-245.

Wassmann H. Treatment of completed stroke with hyperbaric oxygenation and extra-intracranial arterial bypass operation. Fortschr Med 1982;100((7)):285-288.

Wassmann H and Holbach KH. Hyperbaric oxygen in the treatment of cerebral ischemia and infarction. In: Schmutz J, editor. Proceedings of the 1st Swiss symposium on hyperbaric medicine. Basel, Switzerland; 1986. p. 206-223.

Waters C. Cognitive enhancing agents: current status in the treatment of Alzheimer's disease. Can J Neurol Sci 1988;15(3):249-256.

Weaver LK. Phenytoin sodium in oxygen-toxicity-induced seizures. Ann Emerg Med 1983;12(1):38-41.

Weaver LK. Randomized clinical trial in carbon monoxide poisoning needed. Am J Emerg Med 1994;12(6):685-687.

Weaver LK. Carbon monoxide poisoning. Crit Care Clin 1999;15(2):297-317.

Weaver LK, Hopkins RO and Elliott G. Carbon monoxide poisoning. New Engl J Med 1999;340(16):1290.

Weaver LK, Hopkins RO and Larson-Lohr V. Neuropsychologic and functional recovery from severe carbon monoxide poisoning without hyperbaric oxygen therapy. Ann Emerg Med 1996;27(6):736-740.

Weaver LK, Hopkins RO, Larson-Lohr V, et al. Hyperbaric oxygen and carbon monoxide poisoning. Ann Emerg Med 1995;26(3):390-392.

Weil MH, Becker L, Budinger T, et al. Workshop executive eummary report: post-resuscitative and initial utility in life saving efforts (PULSE). Circulation 2001;103:1182-4.

Weiler-Ravell D, Adatto R and Borman JB. Blast injury of the chest: a review of the problem and its treatment. Isr J Med Sci 1975;11(2-3):268-274.

Weiss LD, Ramasastry SS and Eidelman BH. Treatment of a cluster headache patient in a hyperbaric chamber. Headache 1989;29(2):109-110.

Weiss LD and Van Meter KW. Cerebral air embolism in asthmatic scuba divers in a swimming pool. Chest 1995;107(6):1653-1654.

Weissman A, Peretz BA, Michaelson M, et al. Air embolism following intra-uterine hypertonic saline instillation: treatment in a high-pressure chamber; a case report. Eur J Obstet Gyn Reprod Biol 1989;33(3):271-274.

Welslau W and Almeling M. Incidence of oxygen intoxication to the central nervous system in hyperbaric oxygen therepy. In: Marroni A, Oriani G and Wattel F, editors. Proceedings of the International Joint Meeting on Hyperbaric and Underwater Medicine. Milan: EUBS; 1996. p. 211-216.

Werner B, Back W, Akerblom H, et al. Two cases of acute carbon monoxide poisoning with delayed neurological sequelae after a "free" interval. J Toxicol Clin Toxicol 1985;23(4-6):249-265.

Whalen RE, Heyman A and Saltzman H. The protective effect of hyperbaric oxygenation in cerebral anoxia. Arch Neurol 1966;14(1):15-20.

Whelan HT and Kindwall EP. Hyperbaric oxygen: some unanswered questions despite clinical usefulness. Adv Exper Med Biol 1998;454(pp 441-446):446.

Wherrett CG, Mehran RJ and Beaulieu MA. Cerebral arterial gas embolism following diagnostic bronchoscopy: delayed treatment with hyperbaric oxygen : [Embolie gazeuse de l'artere cerebrale suivant une bronchoscopie diagnostique : traitement differe avec l'oxygene hyperbare]. Can J Anaesth 2002;49(1):96-99.

Williamson JA, Webb RK, Russell WJ, et al. The Australian Incident Monitoring Study: air embolism - an analysis of 2000 incident reports. Anaesth Intensive Care 1993;21(5):638-641.

Wilson JR, Foresman BH, Gamber RG, et al. Hyperbaric oxygen in the treatment of migraine with aura. Headache 1998;38(2):112-115.

Winter A. Coma and spinal cord dysfunction: Treatment with naloxone, hyperbaric oxygen, transcutaneous nerve stimulation, and electrophrenic pacemaker. J Neurol Orthopaedic Med Surg 1991;12(2):124-128.

Winter A and Shatin L. Hyperbaric oxygen in reversing carbon monoxide coma: neurologic and psychologic study. NY State J Med 1970;70(7):880-884.

Winter P, Gage A and Alvis H. Cerebral air embolism occurring during cardiopulmonary by-pass treated with hyperbaric oxygenation: report of 3 cases. In: Proceedings of the Fourth International Congress on Hyperbaric Medicine. Williams & Wilkins Company; 1969. p. 55-60.

Wirjosemito SA, Touhey JE and Workman WT. Type II altitude decompression sickness (DCS): U.S. Air Force experience with 133 cases. Aviat Space Environ Med 1989;60(3):256-262.

Wittenborn JR. Pharmacotherapy for age-related behavioral deficiencies. J Nerv Mental Dis 1981;169(3):139-156.

Wolf HK, Moon RE, Mitchell PR, et al. Barotrauma and air embolism in hyperbaric oxygen therapy. Am J Forensic Med Pathol 1990;11(2):149-153.

Wong R and Wright D. Modes of presentation of patent foramen ovale in ten divers. S Pacif Underwater Med Soc J 2001;31(2):62-69.

Wood JD. The role of gamma-aminobutyric acid in the mechanism of seizures. Prog Neurobiol 1975;5(1):77-95.

Wood JD, Peesker SJ and Rozdilsky B. Sensitivity of GABA synthesis in human brain to oxygen poisoning. Aviat Space Environ Med 1975;46(9):1155-1156.

Woolley SM, Lawrence JA and Hornyak J. The effect of hyperbaric oxygen treatment on postural stability and gait of a brain injured patient: single case study. Pediatr Rehab 1999;3(3):81-90.

Wright J, Bushnik T and O'Hare P. The Center for Outcome Measurement in Brain Injury (COMBI): an Internet resource you should know about. J Head Trauma Rehab 2000;15(1):734-8.

Wu ZQ, Li YZ and Zhu SL. The effectiveness of hyperbaric oxygen therapy on protracted coma. J Hyperb Med 1986;1(3):191.

Yamamoto T, Mori K and Maeda M. Assessment of prognostic factors in severe traumatic brain injury patients treated by mild therapeutic cerebral hypothermia therapy. Neurol Res 2002;24(8):789-95.

Yanaka K, Sugimoto K, Yasuda M, et al. Current and future therapies for ischemic cerebrovascular disease II: surgery and new treatments on the horizon. Drug Today 2001;37(2):75-84.

Yang JT, Chang CN, Lee TH, et al. Hyperbaric oxygen treatment decreases post-ischemic neurotrophin-3 mRNA down-regulation in the rat hippocampus. Neuroreport 2001;12(16):3589-3592.

Yang Z. Hyperbaric oxygen in China. Chin Med J 1985;98(8):613-615.

Yangsheng T. Hyperbaric oxygen treatment of acute ischemic and anoxic cerebral injury. In: Proceedings of the Eleventh International Congress on Hyperbaric Medicine, Fuzhou, China. Flagstaff, AZ: Best Publishing Co.; 1995. p. 218-222.

Yee LM and Brandon GK. Successful reversal of presumed carbon monoxide-induced semicoma. Aviat Space Environ Med 1983;54(7):641-643.

Yin R, Reddihough D, Ditchfield M, et al. Magnetic resonance imaging findings in cerebral palsy. J Paediatr Child Health 2000;36(2):139-144.

Yohai RA, Bullock JD, Aziz AA, et al. Survival factors in rhino-orbital-cerebral mucormycosis. Surv Ophthamol 1994;39(1):3-22.

Yoshii F, Kozuma R, Takahashi W, et al. Magnetic resonance imaging and 11C-N-methylspiperone/positron emission tomography studies in a patient with the interval form of carbon monoxide poisoning. J Neurolog Sci 1998;160(1):87-91.

Youngberg JT and Myers RAM. Complications from hyperbaric oxygen therapy? Ann Emerg Med 1990;19(11):1356.

Yu-Cheng Y, Yuan-Mei W and Ru-Fang J. Detection of cerebral arterial hemodynamics before and after hyperbaric oxygen treatments in patients with cerebral vascular diseases using 3D-TCD. In: Proceedings of the Eleventh International Congress on Hyperbaric Medicine, Fuzhou, China. Flagstaff, AZ: Best Publishing Co.; 1995. p. 51-53.

Yutsis P. High pressure oxygen treatment. To Your Health 1999.

Zafonte RD, Hammond FM, Mann NR, et al. Relationship between Glasgow coma scale and functional outcome. Am J Phys Med Rehab 1996;75(5):364-9.

Zafren K. Gamow bag for high-altitude cerebral oedema. Lancet 1998;352(9124):325-326.

Zandbergen EG, de Haan RJ, Koelman JH, et al. Prediction of poor outcome in anoxic-ischemic coma. J Clin Neurophysol 2000;17(5):498-501.

Zandbergen EG, de Haan RJ, Stoutenbeek CP, et al. Systematic review of early prediction of poor outcome in anoxic-ischaemic coma. Lancet 1998;352(9143):1808-12.

Zaza S, Wright-De Aguero LK, Briss PA, et al. Data collection instrument and procedure for systematic reviews in the guide to community preventive services. Am J Prev Med 2000;18(1 Suppl):44-74.

Zerbini S. The use of hyperbaric oxygenation in the treatment of chronic childhood encephalopathy. In: Joiner JT, editor. Proceedings of the 2nd International Symposium on Hyperbaric Oxygenation for Cerebral Palsy in the Brain-Injured Child. Flagstaff, AZ: Best Publishing; 2002. p. 189-194.

Zhang J, Jiang J, Zhong T, et al. Outcome of 2,284 cases with acute traumatic brain injury. Chin J Traumatol 2001;4(3):152-5.

Zhem ZY and Zheng SD. Use of HBO in the treatment of impairment of short-term memory in patients with cerebrum thrombosis in different hemispheres. J Hyperb Med 1986;1(3):173.

Zhi Y, Qingin L and Guiying F. Assessment of the efficacy of combined hyperbaric oxygen therapy in patients with a persistent vegetative state. In: Marroni A, Oriani G and Wattel F, editors. International Joint Meeting on Hyyperbaric and Underwater Medicine; XXII Annual Meeting of the EUBS; XII International Congrees on Hyperbaric Medicine; III Consensus Confrence of the ECHM. Bologna, Italy: Grafica Victoria; 1996.

Zimmerman SS and Truxal B. Carbon monoxide poisoning. Pediatrics 1981;68(2):215-224.

Zink RS, Adkinson CD and Davies SF. Neurological recovery after prolonged coma from carbon monoxide poisoning. Am J Emerg Med 1994;12(5):607-610.

Ziser A, Adir Y, Lavon H, et al. Hyperbaric oxygen therapy for massive arterial air embolism during cardiac operations. J Thorac Cardiovasc Surg 1999;117(4):818-821.