# References


1. Littenberg B, Moses LE. Estimating diagnostic accuracy from multiple conflicting reports: a new meta-analytic method. Med Decis Making 1993 Oct-Dec;13(4):313-21.

2. Gupta SK, Benstead TJ. Symptoms experienced by patients with carpal tunnel syndrome. Can J Neurol Sci 1997 Nov;24(4):338-42.

3. Kopell HP, Goodgold J. Clinical and electrodiagnostic features of carpal tunnel syndrome. Arch Phys Med Rehabil 1968 Jul;49(7):371-5.

4. United States Department of Labor. Lost-worktime injuries and illnesses: characteristics and resulting time away from work, 1996. [press release online]. Washington (DC): United States Deparment of Labor, Bureau of Labor Statistics; 1998 Apr 23 [cited 1999 Jan 12]. [19 p]. Available: http://stats.bls.gov/oshhome.htm.

5. Brown BA. Internal neurolysis in traumatic peripheral nerve lesions in continuity. Surg Clin North Am 1972 Oct;52(5):1167-75.

6. Cullum DE, Molloy CJ. Occupation and the carpal tunnel syndrome [published erratum appears in Med J Aust 1994 Dec 5-19;161(11-12):727]. Med J Aust 1994 Nov 7;161(9):552-4.

7. Kerwin G, Williams CS, Seiler JG 3d. The pathophysiology of carpal tunnel syndrome. Hand Clin 1996 May;12(2):243-51.

8. Graham RA. Carpal tunnel syndrome. A statistical analysis of 214 cases. Orthopedics 1983;6(10):1283-7.

9. American Society of Plastic and Reconstructive Surgeons (ASPRS). Frequently asked questions: carpal tunnel. [online]. Arlington Heights (IL): American Society of Plastic and Reconstructive Surgeons (ASPRS); [cited 1998 Dec 31]. [2 p]. Available: http://www.plasticsurgery.org/faq/carpal.htm.

10. Kameyama S, Tanaka R, Hasegawa A, Tamura T, Kuroki M. Subclinical carpal tunnel syndrome in acromegaly. Neurol Med Chir (Tokyo) 1993 Aug;33(8):547-51.

11. Demir H, Kirnap M, Utas C, Ersoy AO, Ozugul Y, Aksu M. Carpal tunnel syndrome in hemodialysis patients. Eur J Phys Med Rehabil 1998;8(6):186-8.

12. Chen CK, Chung CB, Yeh L, Pan HB, Yang CF, Lai PH, Liang HL, Resnick D. Carpal tunnel syndrome caused by tophaceous gout: CT and MR imaging features in 20 patients. AJR Am J Roentgenol 2000 Sep;175(3):655-9.

13. Upton AR, McComas AJ. The double crush in nerve entrapment syndromes. Lancet 1973 Aug 18;2(7825):359-62.

14. Wilbourn AJ, Gilliatt RW. Double-crush syndrome: a critical analysis. Neurology 1997 Jul;49(1):21-9.

15. Misiunas A, Niepomniszcze H, Ravera B, Faraj G, Faure E. Peripheral neuropathy in subclinical hypothyroidism. Thyroid 1995 Aug;5(4):283-6.

16. Perkins AT, Morgenlander JC. Endocrinologic causes of peripheral neuropathy. Pins and needles in a stocking-and-glove pattern and other symptoms. Postgrad Med 1997 Sep;102(3):81-2, 90-2, 102-6.

17. Kraft GH. Carpal tunnel syndrome in patients with peripheral neuropathy: it can be evaluated and treated. Phys Med Rehabil Clin N Am 1997;8(3):577-596.

18. Vogt T, Mika A, Thomke F, Hopf HC. Evaluation of carpal tunnel syndrome in patients with polyneuropathy. Muscle Nerve 1997 Feb;20(2):153-7.

19. Radecki P. Carpal tunnel syndrome: effects of personal factors and associated medical conditions. Phys Med Rehabil Clin N Am 1997;8(3):419-437.

20. Palmer DH, Hanrahan LP. Social and economic costs of carpal tunnel surgery. Instr Course Lect 1995;44:167-72.

21. Dekel S, Papaioannou T, Rushworth G, Coates R. Idiopathic carpal tunnel syndrome caused by carpal stenosis. Br Med J 1980 May 31;280(6227):1297-9.

22. American Society of Plastic and Reconstructive Surgeons (ASPRS). Clinical practice guidelines for plastic and maxillofacial surgery services. Arlington Heights (IL): American Society of Plastic and Reconstructive Surgeons (ASPRS); 1993. 43 p. (Clinical Practice Guidelines).

23. Hanrahan LP, Higgins D, Anderson H, Smith M. Wisconsin occupational carpal tunnel syndrome surveillance: the incidence of surgically treated cases. Wis Med J 1993 Dec;92(12):685-9.

24. Stevens JC, Sun S, Beard CM, O'Fallon WM, Kurland LT. Carpal tunnel syndrome in Rochester, Minnesota, 1961 to 1980. Neurology 1988 Jan;38(1):134-8.

25. Moore KL. Satterfield TS, editor. Clinically oriented anatomy. 3rd ed. Baltimore (MD): Williams & Wilkins; 1992. The upper limb. p. 501-635.

26. Tanaka S, Wild DK, Seligman PJ, Behrens V, Cameron L, Putz-Anderson V. The U.S. prevalence of self-reported carpal tunnel syndrome: 1988 National Health Interview Survey data. Am J Public Health 1994 Nov;84(11):1846-8.

27. Rempel D, Evanoff B, Amadio PC, de Krom M, Franklin G, Franzblau A, Gray R, Gerr F, Hagberg M, Hales T, Katz JN, Pransky G. Consensus criteria for the classification of carpal tunnel syndrome in epidemiologic studies. Am J Public Health 1998 Oct;88(10):1447-51.

28. Glass I, Ring H. Median nerve conduction tests and Phalen's sign in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1995 Mar;35(2):107-12.

29. Gelmers HJ. The significance of Tinel's sign in the diagnosis of carpal tunnel syndrome. Acta Neurochir (Wien) 1979;49(3-4):255-8.

30. Szabo RM, Gelberman RH, Dimick MP. Sensibility testing in patients with carpal tunnel syndrome. J Bone Joint Surg Am 1984 Jan;66(1):60-4.

31. Gerr F, Letz R. The sensitivity and specificity of tests for carpal tunnel syndrome vary with the comparison subjects. J Hand Surg [Br] 1998 Apr;23(2):151-5.

32. Rozmaryn LM, Dovelle S, Rothman ER, Gorman K, Olvey KM, Bartko JJ. Nerve and tendon gliding exercises and the conservative management of carpal tunnel syndrome. J Hand Ther 1998 Jul-Sep;11(3):171-9.

33. Oztas O, Turan B, Bora I, Karakaya MK. Ultrasound therapy effect in carpal tunnel syndrome. Arch Phys Med Rehabil 1998 Dec;79(12):1540-4.

34. Walker WC, Metzler M, Cifu DX, Swartz Z. Neutral wrist splinting in carpal tunnel syndrome: a comparison of night-only versus full-time wear instructions. Arch Phys Med Rehabil 2000 Apr;81(4):424-9.

35. Chang MH, Chiang HT, Lee SS, Ger LP, Lo YK. Oral drug of choice in carpal tunnel syndrome. Neurology 1998 Aug;51(2):390-3.

36. Girlanda P, Dattola R, Venuto C, Mangiapane R, Nicolosi C, Messina C. Local steroid treatment in idiopathic carpal tunnel syndrome: short-and long-term efficacy. J Neurol 1993;240(3):187-90.

37. Roquer J, Cano JF. Carpal tunnel syndrome and hyperthyroidism. A prospective study. Acta Neurol Scand 1993 Aug;88(2):149-52.

38. Palumbo CF, Szabo RM, Olmsted SL. The effects of hypothyroidism and thyroid replacement on the development of carpal tunnel syndrome. J Hand Surg [Am] 2000 Jul;25(4):734-9.

39. Boggins-Magill MK. Carpal tunnel release: scoping out the carpal tunnel. Todays OR Nurse 1994 May-Jun;16(3):27-33.

40. Slattery PG. Endoscopic carpal tunnel release. Use of the modified Chow technique in 215 cases. Med J Aust 1994 Feb 7;160(3):104-7.

41. Okutsu I, Hamanaka I, Tanabe T, Takatori Y, Ninomiya S. Complete endoscopic carpal canal decompression. Am J Orthop 1996 May;25(5):365-8.

42. Chow JC. Endoscopic carpal tunnel release. Two-portal technique. Hand Clin 1994 Nov;10(4):637-46.

43. ElZahaar MS. A simplified, modified endoscopic carpal tunnel release (El-Zahaar modification). J Neurol Orthop Med Surg 1995;16(2):96-100.

44. Worseg AP, Kuzbari R, Korak K, Hocker K, Wiederer C, Tschabitscher M, Holle J. Endoscopic carpal tunnel release using a single-portal system. Br J Plast Surg 1996 Jan;49(1):1-10.

45. Brown RA, Gelberman RH, Seiler JG 3d, Abrahamsson SO, Weiland AJ, Urbaniak JR, Schoenfeld DA, Furcolo D. Carpal tunnel release. A prospective, randomized assessment of open and endoscopic methods. J Bone Joint Surg Am 1993 Sep;75A(9):1265-75.

46. Agee JM, McCarroll HR Jr, Tortosa RD, Berry DA, Szabo RM, Peimer CA. Endoscopic release of the carpal tunnel: a randomized prospective multicenter study. J Hand Surg [Am] 1992 Nov;17(6):987-95.

47. Netscher D, Steadman AK, Thornby J, Cohen V. Temporal changes in grip and pinch strength after open carpal tunnel release and the effect of ligament reconstruction. J Hand Surg [Am] 1998 Jan;23(1):48-54.

48. Karlsson MK, Lindau T, Hagberg L. Ligament lengthening compared with simple division of the transverse carpal ligament in the open treatment of carpal tunnel syndrome. Scand J Plast Reconstr Surg Hand Surg 1997 Mar;31(1):65-9.

49. Hunter JM. Reconstruction of the transverse carpal ligament to restore median nerve gliding. The rationale of a new technique for revision of recurrent median nerve neuropathy. Hand Clin 1996 May;12(2):365-78.

50. Frykman GK, Adams J, Bowen WW. Neurolysis. Orthop Clin North Am 1981 Apr;12(2):325-42.

51. Dellon AL. Techniques for successful management of ulnar nerve entrapment at the elbow. Neurosurg Clin N Am 1991 Jan;2(1):57-73.

52. Froimson AI, Zahrawi F. Treatment of compression neuropathy of the ulnar nerve at the elbow by epicondylectomy and neurolysis. J Hand Surg [Am] 1980 Jul;5(4):391-5.

53. Piligian G, Herbert R, Hearns M, Dropkin J, Landsbergis P, Cherniack M. Evaluation and management of chronic work-related musculoskeletal disorders of the distal upper extremity. Am J Ind Med 2000 Jan;37(1):75-93.

54. Tackmann W, Vogel P, Kaeser HE, Ettlin T. Sensitivity and localizing significance of motor and sensory electroneurographic parameters in the diagnosis of ulnar nerve lesions at the elbow. A reappraisal. J Neurol 1984;231(4):204-11.

55. Kimura I, Ayyar DR, Lippmann SM. Early electrodiagnosis of the ulnar entrapment neuropathy at the elbow. Tohoku J Exp Med 1984 Feb;142(2):165-72.

56. Bednar MS, Blair SJ, Light TR. Complications of the treatment of cubital tunnel syndrome. Hand Clin 1994 Feb;10(1):83-92.

57. Willis BK. Cubital tunnel syndrome. In: Benzel EC, editor. Practical approaches to peripheral nerve surgery. Park Ridge (IL): American Association of Neurosurgical Surgeons; 1992. p. 77-93.

58. Rayan GM. Proximal ulnar nerve compression. Cubital tunnel syndrome. Hand Clin 1992 May;8(2):325-36.

59. Folberg CR, Weiss AP, Akelman E. Cubital tunnel syndrome. Part I: Presentation and diagnosis. Orthop Rev 1994 Feb;23(2):136-44.

60. Cherniack MG. Epidemiology of occupational disorders of the upper extremity. Occup Med 1996 Jul-Sep;11(3):513-30.

61. Richardson JK, Green DF, Jamieson SC, Valentin FC. Gender, body mass and age as risk factors for ulnar mononeuropathy at the elbow. Muscle Nerve 2001 Apr;24(4):551-4.

62. Seror P, Nathan PA. Relative frequency of nerve conduction abnormalities at carpal tunnel and cubital tunnel in France and the United States: importance of silent neuropathies and role of ulnar neuropathy after unsuccessful carpal tunnel syndrome release. Ann Chir Main Memb Super 1993;12(4):281-5.

63. Fernandez E, Pallini R, Lauretti L, Scogna A, La Marca F. Neurosurgery of the peripheral nervous system: cubital tunnel syndrome. Surg Neurol 1998 Jul;50(1):83-5.

64. Heithoff SJ. Cubital tunnel syndrome does not require transposition of the ulnar nerve. J Hand Surg [Am] 1999 Sep;24(5):898-905.

65. Tsai TM, Bonczar M, Tsuruta T, Syed SA. A new operative technique: cubital tunnel decompression with endoscopic assistance. Hand Clin 1995 Feb;11(1):71-80.

66. Kuschner SH. Cubital tunnel syndrome. Treatment by medial epicondylectomy. Hand Clin 1996 May;12(2):411-9.

67. Plancher KD, McGillicuddy JO, Kleinman WB. Anterior intramuscular transposition of the ulnar nerve. Hand Clin 1996 May;12(2):435-44.

68. Osterman AL, Davis CA. Subcutaneous transposition of the ulnar nerve for treatment of cubital tunnel syndrome. Hand Clin 1996 May;12(2):421-33.

69. Siegel DB. Submuscular transposition of the ulnar nerve. Hand Clin 1996 May;12(2):445-8.

70. Spencer G, Herndon C. Surgical treatment of epicondylitis. J Bone Joint Surg Am 1953;35A:421-4.

71. Steinborn M, Heuck A, Jessel C, Bonel H, Reiser M. Magnetic resonance imaging of lateral epicondylitis of the elbow with a 0.2-T dedicated system. Eur Radiol 1999;9(7):1376-80.

72. Wright A, Thurnwald P, Smith J. An evaluation of mechanical and thermal hyperalgesia in patients with lateral epicondylalgia. Pain Clinic 1992;5(4):221-227.

73. Friedman PJ. Isokinetic peak torque in women with unilateral cumulative trauma disorders and healthy control subjects. Arch Phys Med Rehabil 1998 Jul;79(7):816-9.

74. Bredella MA, Tirman PF, Fritz RC, Feller JF, Wischer TK, Genant HK. MR imaging findings of lateral ulnar collateral ligament abnormalities in patients with lateral epicondylitis. AJR Am J Roentgenol 1999 Nov;173(5):1379-82.

75. Kushner S, Reid DC. Manipulation in the treatment of tennis elbow. J Orthop Sports Phys Ther 1986;7(5):264-272.

76. Kuorinka I, Forcier L, editors. Work related musculoskeletal disorders (WMSDS). A reference book for prevention. London: Taylor & Francis; 1995. Introduction. p. 1-3.

77. Kraushaar BS, Nirschl RP. Tendinosis of the elbow (tennis elbow). Clinical features and findings of histological, immunohistochemical, and electron microscopy studies. J Bone Joint Surg Am 1999 Feb;81(2):259-78.

78. Nirschl RP. Elbow tendinosis/tennis elbow. Clin Sports Med 1992 Oct;11(4):851-70.

79. Haker E. Lateral epicondylagia: diagnosis, treatment and evaluation. Crit Rev Phys Rehabil Med 1993;5:129-54.

80. Hamilton PG. The prevalence of humeral epicondylitis: a survey in general practice. J R Coll Gen Pract 1986 Oct;36(291):464-5.

81. Murray-Leslie CF, Wright V. Carpal tunnel syndrome, humeral epicondylitis, and the cervical spine: a study of clinical and dimensional relations. Br Med J 1976 Jun 12;1(6023):1439-42.

82. Bernard BP, Fine LJ, editors. Musculoskeletal disorders and workplace factors. A critical review of epidemiologic evidence for work-related musculoskeletal disorders of the neck, upper extremity, and low back. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health; 1997 Jul. 590 p. Also available: http://www.cdc.gov/niosh/97-141pd.html.

83. Almquist EE, Necking L, Bach AW. Epicondylar resection with anconeus muscle transfer for chronic lateral epicondylitis. J Hand Surg [Am] 1998 Jul;23(4):723-31.

84. Wilhelm A. Tennis elbow: treatment of resistant cases by denervation. J Hand Surg [Br] 1996 Aug;21(4):523-33.

85. Berger MR. Painful tendon problems of the hand: trigger thumb, trigger finger and de Quervain's syndrome. Orthop Nurs 1982 Sep-Oct;1(5):20-3.

86. Kay NR. Changing pathology or changing perception? J Hand Surg [Br] 2000 Feb;25B(1):65-9.

87. Grimes HA. Stenosing tenosynovitis (Dequervain's disease, Trigger thumb, and Trigger finger). J Ark Med Soc 1981 Apr;77(11):499-500.

88. Ta KT, Eidelman D, Thomson JG. Patient satisfaction and outcomes of surgery for de Quervain's tenosynovitis. J Hand Surg [Am] 1999;24(5):1071-1077.

89. King PM, Tuckwell N, Barrett TE. A critical review of functional capacity evaluations. Phys Ther 1998 Aug;78(8):852-66.

90. Macdonell RA, Schwartz MS, Swash M. Carpal tunnel syndrome: which finger should be tested? An analysis of sensory conduction in digital branches of the median nerve. Muscle Nerve 1990 Jul;13(7):601-6.

91. Hedges LV, Olkin I. Statistical methods for meta-analysis. Boston (MA): Academic Press, Inc.; 1985. 369 p.

92. Hasselblad V, Hedges LV. Meta-analysis of screening and diagnostic tests. Psychol Bull 1995 Jan;117(1):167-78.

93. Torgerson WS. Theory and methods of scaling. 6th ed. New York (NY): John Wiley & Sons, Inc.; 1958. The law of categorical judgment. p. 205-46.

94. Shadish WR, Haddock CK. Combining estimates of effect size. In: Cooper H, Hedges LV, editors. The handbook of research synthesis. New York (NY): Russell Sage Foundation; 1994. p. 261-77.

95. Cohen J. Statistical power analysis for the behavioral sciences. 2nd ed. Hillsdale (NJ): Lawrence Erlbaum Associates; 1988. 567 p.

96. Newcombe RG. Interval estimation for the difference between independent proportions: comparison of eleven methods. Stat Med 1998 Apr 30;17(8):873-90.

97. Hilburn JW. General principles and use of electrodiagnostic studies in carpal and cubital tunnel syndromes. With special, attention to pitfalls and interpretation. Hand Clin 1996 May;12(2):205-21.

98. Rosenbaum RB. The role of imaging in the diagnosis of carpal tunnel syndrome. Invest Radiol 1993 Nov;28(11):1059-62.

99. Mesgarzadeh M, Triolo J, Schneck CD. Carpal tunnel syndrome. MR imaging diagnosis. Magn Reson Imaging Clin N Am 1995 May;3(2):249-64.

100. Buchberger W. Radiologic imaging of the carpal tunnel. Eur J Radiol 1997 Sep;25(2):112-7.

101. De Smet L, Steenwerckx A, Van den Bogaert G, Cnudde P, Fabry G. Value of clinical provocative tests in carpal tunnel syndrome. Acta Orthop Belg 1995;61(3):177-82.

102. Tetro AM, Evanoff BA, Hollstien SB, Gelberman RH. A new provocative test for carpal tunnel syndrome. Assessment of wrist flexion and nerve compression. J Bone Joint Surg Br 1998 May;80(3):493-8.

103. Para F, Kyral V, Matulova H. Examination of sensory nerve fibers by needle recording in the carpal tunnel syndrome; use of the orthodromic method with special attention to the paresthetic forms. Sb Ved Pr Lek Fak Karlovy Univerzity Hradci Kralove 1994;37(2):73-80.

104. Gonzalez del Pino J, Delgado-Martinez AD, Gonzalez Gonzalez I, Lovic A. Value of the carpal compression test in the diagnosis of carpal tunnel syndrome. J Hand Surg [Br] 1997 Feb;22(1):38-41.

105. Pryse-Phillips WE. Validation of a diagnostic sign in carpal tunnel syndrome. J Neurol Neurosurg Psychiatry 1984 Aug;47(8):870-2.

106. Gellman H, Gelberman RH, Tan AM, Botte MJ. Carpal tunnel syndrome. An evaluation of the provocative diagnostic tests. J Bone Joint Surg Am 1986 Jun;68(5):735-7.

107. Dellon AL, Keller KM. Computer-assisted quantitative sensorimotor testing in patients with carpal and cubital tunnel syndromes. Ann Plast Surg 1997 May;38(5):493-502.

108. Weber RA, Schuchmann JA, Albers JH, Ortiz J. A prospective blinded evaluation of nerve conduction velocity versus Pressure-Specified Sensory Testing in carpal tunnel syndrome. Ann Plast Surg 2000 Sep;45(3):252-7.

109. Lang E, Claus D, Neundorfer B, Handwerker HO. Parameters of thick and thin nerve-fiber functions as predictors of pain in carpal tunnel syndrome. Pain 1995 Mar;60(3):295-302.

110. Molitor PJ. A diagnostic test for carpal tunnel syndrome using ultrasound. J Hand Surg [Br] 1988 Feb;13(1):40-1.

111. Werner RA, Bir C, Armstrong TJ. Reverse Phalen's maneuver as an aid in diagnosing carpal tunnel syndrome. Arch Phys Med Rehabil 1994 Jul;75(7):783-6.

112. Massy-Westropp N, Grimmer K, Bain G. A systematic review of the clinical diagnostic tests for carpal tunnel syndrome. J Hand Surg [Am] 2000 Jan;25(1):120-7.

113. Franzblau A, Werner RA, Johnston E, Torrey S. Evaluation of current perception threshold testing as a screening procedure for carpal tunnel syndrome among industrial workers. J Occup Med 1994 Sep;36(9):1015-21.

114. King PM. Sensory function assessment. A pilot comparison study of touch pressure threshold with texture and tactile discrimination. J Hand Ther 1997 Jan-Mar;10(1):24-8.

115. Tassler PL, Dellon AL. Correlation of measurements of pressure perception using the pressure-specified sensory device with electrodiagnostic testing. J Occup Environ Med 1995 Jul;37(7):862-6.

116. Radwin RG, Wertsch JJ, Jeng OJ, Casanova J. Ridge detection tactility deficits associated with carpal tunnel syndrome. J Occup Med 1991 Jun;33(6):730-6.

117. Thonnard J, Saels P, Van den Bergh P, Lejeune T. Effects of chronic median nerve compression at the wrist on sensation and manual skills. Exp Brain Res 1999 Sep;128(1-2):61-4.

118. Gerr F, Letz R, Harris-Abbott D, Hopkins LC. Sensitivity and specificity of vibrometry for detection of carpal tunnel syndrome. J Occup Environ Med 1995 Sep;37(9):1108-15.

119. Ikegaya N, Hishida A, Sawada K, Furuhashi M, Maruyama Y, Kumagai H, Kobayashi S, Yamamoto T, Yamazaki K. Ultrasonographic evaluation of the carpal tunnel syndrome in hemodialysis patients. Clin Nephrol 1995 Oct;44(4):231-7.

120. Messina C, Dattola R, Girlanda P. Usefulness of antidromic sensory conduction velocity in carpal tunnel syndrome. Acta Neurol (Napoli) 1980 Feb;2(1):43-50.

121. Jordan SE, Greider JL Jr. Autonomic activity in the carpal tunnel syndrome. Orthop Rev 1987 Mar;16(3):165-9.

122. Sivri A, Guler-Uysal F. The electroneurophysiological evaluation of rheumatoid arthritis patients. Clin Rheumatol 1998;17(5):416-8.

123. Stolp-Smith KA, Pascoe MK, Ogburn PL Jr. Carpal tunnel syndrome in pregnancy: frequency, severity, and prognosis. Arch Phys Med Rehabil 1998 Oct;79(10):1285-7.

124. Dlabalova V. Our experience with reoperations for the diagnosis of the carpal tunnel syndrome. Acta Chir Plast 1995;37(2):50-1.

125. Lazaro RP. Neuropathic symptoms and musculoskeletal pain in carpal tunnel syndrome: prognostic and therapeutic implications. Surg Neurol 1997 Feb;47(2):115-7; discussion 117-9.

126. Nakamichi KI, Tachibana S. Amyloid deposition in the synovium and ligament in idiopathic carpal tunnel syndrome. Muscle Nerve 1996 Oct;19(10):1349-51.

127. Williams TM, Mackinnon SE, Novak CB, McCabe S, Kelly L. Verification of the pressure provocative test in carpal tunnel syndrome. Ann Plast Surg 1992 Jul;29(1):8-11.

128. Mossman SS, Blau JN. Tinel's sign and the carpal tunnel syndrome. Br Med J (Clin Res Ed) 1987 Mar 14;294(6573):680.

129. Westerman RA, Delaney CA. Palmar cold threshold test and median nerve electrophysiology in carpal tunnel compression neuropathy. Clin Exp Neurol 1991;28:154-67.

130. Herrick RT, Herrick SK. Thermography in the detection of carpal tunnel syndrome and other compressive neuropathies. J Hand Surg [Am] 1987 Sep;12A(5 Pt 2):943-9.

131. MacDermid JC, Kramer JF, Woodbury MG, McFarlane RM, Roth JH. Interrater reliability of pinch and grip strength measurements in patients with cumulative trauma disorders. J Hand Ther 1994 Jan-Mar;7(1):10-4.

132. Greening J, Lynn B. Vibration sense in the upper limb in patients with repetitive strain injury and a group of at-risk office workers. Int Arch Occup Environ Health 1998 Feb;71(1):29-34.

133. Byl N, Wilson F, Merzenich M, Melnick M, Scott P, Oakes A, McKenzie A. Sensory dysfunction associated with repetitive strain injuries of tendinitis and focal hand dystonia: a comparative study. J Orthop Sports Phys Ther 1996 Apr;23(4):234-44.

134. Palmer K, Smith G, Kellingray S, Cooper C. Repeatability and validity of an upper limb and neck discomfort questionnaire: the utility of the standardized Nordic questionnaire. Occup Med (Lond) 1999 Apr;49(3):171-5.

135. Uncini A, Di Muzio A, Cutarella R, Awad J, Gambi D. Orthodromic median and ulnar fourth digit sensory conductions in mild carpal tunnel syndrome. Neurophysiol Clin 1990 Apr;20(1):53-61.

136. Atroshi I, Johnsson R. Evaluation of portable nerve conduction testing in the diagnosis of carpal tunnel syndrome. J Hand Surg [Am] 1996 Jul;21(4):651-4.

137. Hansson S, Nilsson BY. Median sensory nerve conduction block during wrist flexion in the carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1995 Mar;35(2):99-105.

138. Rosen I. Neurophysiological diagnosis of the carpal tunnel syndrome: evaluation of neurographic techniques. Scand J Plast Reconstr Surg Hand Surg 1993;27(2):95-101.

139. Marin EL, Vernick S, Friedmann LW. Carpal tunnel syndrome: median nerve stress test. Arch Phys Med Rehabil 1983 May;64(5):206-8.

140. Kimura J. The carpal tunnel syndrome: localization of conduction abnormalities within the distal segment of the median nerve. Brain 1979 Sep;102(3):619-35.

141. Loong SC, Seah CS. A sensitive diagnostic test for carpal tunnel syndrome. Singapore Med J 1972 Oct;13(5):249-55.

142. Plaja J. Comparative value of the different electrodiagnostic methods in the carpal tunnel syndrome. Scand J Rehabil Med 1971;3(3):101-8.

143. Murthy JM, Meena AK. Carpal tunnel syndrome - electrodiagnostic aspects of fifty seven symptomatic hands. Neurol India 1999 Dec;47(4):272-5.

144. Kuntzer T. Carpal tunnel syndrome in 100 patients: sensitivity, specificity of multi-neurophysiological procedures and estimation of axonal loss of motor, sensory and sympathetic median nerve fibers. J Neurol Sci 1994 Dec 20;127(2):221-9.

145. Chang CW, Lien IN. Comparison of sensory nerve conduction in the palmar cutaneous branch and first digital branch of the median nerve: a new diagnostic method for carpal tunnel syndrome. Muscle Nerve 1991 Dec;14(12):1173-6.

146. Cioni R, Passero S, Paradiso C, Giannini F, Battistini N, Rushworth G. Diagnostic specificity of sensory and motor nerve conduction variables in early detection of carpal tunnel syndrome. J Neurol 1989 May;236(4):208-13.

147. Melvin JL, Schuchmann JA, Lanese RR. Diagnostic specificity of motor and sensory nerve conduction variables in the carpal tunnel syndrome. Arch Phys Med Rehabil 1973 Feb;54(2):69-74.

148. Loong SC, Seah CS. Comparison of median and ulnar sensory nerve action potentials in the diagnosis of the carpal tunnel syndrome. J Neurol Neurosurg Psychiatry 1971 Dec;34(6):750-4.

149. Girlanda P, Quartarone A, Sinicropi S, Pronesti C, Nicolosi C, Macaione V, Picciolo G, Messina C. Electrophysiological studies in mild idiopathic carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol Electromyogr Mot Control 1998;109(1):44-9.

150. Jackson DA, Clifford JC. Electrodiagnosis of mild carpal tunnel syndrome. Arch Phys Med Rehabil 1989 Mar;70(3):199-204.

151. Escobar PL, Goka RS. Carpal tunnel syndrome. Palmar sensory latencies to 3rd digit and wrist. Orthop Rev 1985;14(10):633-9.

152. Szabo RM, Slater RR Jr, Farver TB, Stanton DB, Sharman WK. The value of diagnostic testing in carpal tunnel syndrome. J Hand Surg [Am] 1999 Jul;24(4):704-14.

153. Fertl E, Wober C, Zeitlhofer J. The serial use of two provocative tests in the clinical diagnosis of carpal tunel syndrome. Acta Neurol Scand 1998 Nov;98(5):328-32.

154. Ghavanini MR, Haghighat M. Carpal tunnel syndrome: reappraisal of five clinical tests. Electromyogr Clin Neurophysiol 1998 Oct-Nov;38(7):437-41.

155. Durkan JA. A new diagnostic test for carpal tunnel syndrome [published erratum appears in J Bone Joint Surg Am 1992 Feb;74(2):311]. J Bone Joint Surg Am 1991 Apr;73(4):535-8.

156. Seror P. Tinel's sign in the diagnosis of carpal tunnel syndrome. J Hand Surg [Br] 1987 Oct;12(3):364-5.

157. Stewart JD, Eisen A. Tinel's sign and the carpal tunnel syndrome. Br Med J 1978 Oct 21;2(6145):1125-6.

158. Seror P. Comparative diagnostic sensitivities of orthodromic or antidromic sensory inching test in mild carpal tunnel syndrome. Arch Phys Med Rehabil 2000 Apr;81(4):442-6.

159. Seror P. Orthodromic inching test in mild carpal tunnel syndrome. Muscle Nerve 1998 Sep;21(9):1206-8.

160. Uncini A, Di Muzio A, Awad J, Manente G, Tafuro M, Gambi D. Sensitivity of three median-to-ulnar comparative tests in diagnosis of mild carpal tunnel syndrome. Muscle Nerve 1993 Dec;16(12):1366-73.

161. Uncini A, Lange DJ, Solomon M, Soliven B, Meer J, Lovelace RE. Ring finger testing in carpal tunnel syndrome: a comparative study of diagnostic utility. Muscle Nerve 1989 Sep;12(9):735-41.

162. Terzis S, Paschalis C, Metallinos IC, Papapetropoulos T. Early diagnosis of carpal tunnel syndrome: comparison of sensory conduction studies of four fingers. Muscle Nerve 1998 Nov;21(11):1543-5.

163. Bronson J, Beck J, Gillet J. Provocative motor nerve conduction testing in presumptive carpal tunnel syndrome unconfirmed by traditional electrodiagnostic testing. J Hand Surg [Am] 1997 Nov;22(6):1041-6.

164. Murata K, Araki S, Okajima F, Saito Y. Subclinical impairment in the median nerve across the carpal tunnel among female VDT operators. Int Arch Occup Environ Health 1996;68(2):75-9.

165. Padua L, Lo Monaco M, Valente EM, Tonali PA. A useful electrophysiologic parameter for diagnosis of carpal tunnel syndrome. Muscle Nerve 1996 Jan;19(1):48-53.

166. Young VL, Seaton MK, Feely CA, Arfken C, Edwards DF, Baum CM, Logan S. Detecting cumulative trauma disorders in workers performing repetitive tasks. Am J Ind Med 1995 Mar;27(3):419-31.

167. Johnson SL, Evans B. Tracking median nerve conduction as a method of early detection of carpal tunnel syndrome. Proceedings of the Human Factors and Ergonomics Society 37th Annual Meeting. 1993 Oct 11-15; Seattle (WA). Santa Monica (CA): 1993. 759-63 p.

168. Jetzer TC. Use of vibration testing in the early evaluation of workers with carpal tunnel syndrome [published erratum appears in J Occup Med 1991 Jul;33(7):812]. J Occup Med 1991 Feb;33(2):117-20.

169. Luchetti R, Schoenhuber R, Alfarano M, Montagna G, Pederzini L, Soragni O. Neurophysiological assessment of the early phases of carpal tunnel syndrome with the inching technique before and during operation. J Hand Surg [Br] 1991 Nov;16(4):415-9.

170. Charles N, Vial C, Chauplannaz G, Bady B. Clinical validation of antidromic stimulation of the ring finger in early electrodiagnosis of mild carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol 1990 Aug;76(2):142-7.

171. Palliyath SK, Holden L. Refractory studies in early detection of carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1990 Aug-Sep;30(5):307-9.

172. Wongsam PE, Johnson EW, Weinerman JD. Carpal tunnel syndrome: use of palmar stimulation of sensory fibers. Arch Phys Med Rehabil 1983 Jan;64(1):16-9.

173. So YT, Olney RK, Aminoff MJ. Evaluation of thermography in the diagnosis of selected entrapment neuropathies. Neurology 1989 Jan;39(1):1-5.

174. Resende LA, Alves RP, Castro HA, Kimaid PA, Fortinguerra CR, Schelp AO. Silent period in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 2000 Jan-Feb;40(1):31-6.

175. Loscher WN, Auer-Grumbach M, Trinka E, Ladurner G, Hartung HP. Comparison of second lumbrical and interosseus latencies with standard measures of median nerve function across the carpal tunnel: a prospective study of 450 hands. J Neurol 2000 Jul;247(7):530-4.

176. Leavitt SS, Johnston TL, Beyer RD. The process of recovery: patterns in industrial back injury. Part 2: Predicting outcomes from early case data. Ind Med Surg 1971 Dec;40(9):7-15.

177. Pease WS, Lee HH, Johnson EW. Forearm median nerve conduction velocity in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1990 Aug-Sep;30(5):299-302.

178. Rossi S, Giannini F, Passero S, Paradiso C, Battistini N, Cioni R. Sensory neural conduction of median nerve from digits and palm stimulation in carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol 1994 Oct;93(5):330-4.

179. Seror P. The value of special motor and sensory tests for the diagnosis of benign and minor median nerve lesion at the wrist. Am J Phys Med Rehabil 1995 Mar-Apr;74(2):124-9.

180. Tzeng SS, Wu ZA, Chu FL. Proximal slowing of nerve conduction velocity in carpal tunnel syndrome. Chung Hua I Hsueh Tsa Chih (Taipei) 1990 Mar;45(3):186-90.

181. Mondelli M, MD, Vecchiarelli B, Rearle F, MD, Marsili T, Giannini F, MD. Sympathetic skin response before and after surgical release of carpal tunnel syndrome. Muscle Nerve 2001;24:130-33.

182. Simovic D, Weinberg DH. Terminal latency index in the carpal tunnel syndrome. Muscle Nerve 1997 Sep;20(9):1178-80.

183. Simovic D, Weinberg DH. The median nerve terminal latency index in carpal tunnel syndrome: a clinical case selection study. Muscle Nerve 1999 May;22(5):573-7.

184. Resende LA, Adamo AS, Bononi AP, Castro HA, Kimaid PA, Fortinguerra CH, Schelp AO. Test of a new technique for the diagnosis of carpal tunnel syndrome. J Electromyogr Kinesiol 2000 Apr;10(2):127-33.

185. Lauritzen M, Liguori R, Trojaborg W. Orthodromic sensory conduction along the ring finger in normal subjects and in patients with a carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol 1991 Feb;81(1):18-23.

186. Sener HO, Tascilar NF, Balaban H, Selcuki D. Sympathetic skin response in carpal tunnel syndrome. Clin Neurophysiol 2000 Aug;111(8):1395-9.

187. Schwartz MS, Gordon JA, Swash M. Slowed nerve conduction with wrist flexion in carpal tunnel syndrome. Ann Neurol 1980 Jul;8(1):69-71.

188. Kakosy T. Tunnel syndromes of the upper extremities in workers using hand-operated vibrating tools. Med Lav 1994 Nov-Dec;85(6):474-80.

189. Kimura I, Ayyar DR. The carpal tunnel syndrome: electrophysiological aspects of 639 symptomatic extremities. Electromyogr Clin Neurophysiol 1985 Mar-Apr;25(2-3):151-64.

190. Cherniack MG, Moalli D, Viscolli C. A comparison of traditional electrodiagnostic studies, electroneurometry, and vibrometry in the diagnosis of carpal tunnel syndrome. J Hand Surg [Am] 1996 Jan;21(1):122-31.

191. Sheean GL, Houser MK, Murray NM. Lumbrical-interosseous latency comparison in the diagnosis of carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol 1995 Dec;97(6):285-9.

192. Foresti C, Quadri S, Rasella M, Tironi F, Viscardi M, Ubiali E. Carpal tunnel syndrome: which electrodiagnostic path should we follow? A prospective study of 100 consecutive patients. Electromyogr Clin Neurophysiol 1996 Sep;36(6):377-84.

193. Eisen A, Schulzer M, Pant B, MacNeil M, Stewart H, Trueman S, Mak E. Receiver operating characteristic curve analysis in the prediction of carpal tunnel syndrome: a model for reporting electrophysiological data. Muscle Nerve 1993 Jul;16(7):787-96.

194. Mills KR. Orthodromic sensory action potentials from palmar stimulation in the diagnosis of carpal tunnel syndrome. J Neurol Neurosurg Psychiatry 1985 Mar;48(3):250-5.

195. Kim LY. Palmar digital nerve stimulation to diagnose carpal tunnel syndrome. Orthop Rev 1983 Jun;12(6):59-63.

196. Andary MT, Fankhauser MJ, Ritson JL, Spiegel N, Hulce V, Yosef M, Stanton DF. Comparison of sensory mid-palm studies to other techniques in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1996 Jul-Aug;36(5):279-85.

197. Gerr FE. Quantitative assessement of carpal tunnel syndrome. Cincinnati (OH): National Institute for Occupational Safety and Health; 1994 Jan 18. 38 p. (Final performance report 5K01OH00098-03).

198. Koris M, Gelberman RH, Duncan K, Boublick M, Smith B. Carpal tunnel syndrome. Evaluation of a quantitative provocational diagnostic test. Clin Orthop 1990 Feb;(251):157-61.

199. Brahme SK, Hodler J, Braun RM, Sebrechts C, Jackson W, Resnick D. Dynamic MR imaging of carpal tunnel syndrome. Skeletal Radiol 1997 Aug;26(8):482-7.

200. Bland JD. The value of the history in the diagnosis of carpal tunnel syndrome. J Hand Surg [Br] 2000 Oct;25B(5):445-450.

201. Rosen B, Lundborg G. A new tactile gnosis instrument in sensibility testing. J Hand Ther 1998 Oct-Dec;11(4):251-7.

202. Nathan PA, Keniston RC, Myers LD, Meadows KD, Lockwood RS. Natural history of median nerve sensory conduction in industry: relationship to symptoms and carpal tunnel syndrome in 558 hands over 11 years. Muscle Nerve 1998 Jun;21(6):711-21.

203. Nathan PA, Keniston RC, Myers LD, Meadows KD. Longitudinal study of median nerve sensory conduction in industry: relationship to age, gender, hand dominance, occupational hand use, and clinical diagnosis. J Hand Surg [Am] 1992 Sep;17(5):850-7.

204. Kearns J, Gresch EE, Weichel CY, Eby P, Pallapothu SR. Pre-and post-employment median nerve latency in pork processing employees. J Occup Environ Med 2000;42(1):96-100.

205. Missere M, Caso Maria A, Raffi GB. Evaluation of the impingement of the pronator muscle in occupational carpal tunnel syndrome by electromyographic and ultrasonographic techniques. Arh Hig Rada Toksikol 1999 Dec;50(4):389-93.

206. Tan M, Tan U. Correlation of carpal tunnel size and conduction velocity of the sensory median and ulnar nerves of male and female controls and carpet weavers. Percept Mot Skills 1998 Dec;87(3 Pt 2):1195-201.

207. Werner RA, Franzblau A, Albers JW, Armstrong TJ. Median mononeuropathy among active workers: are there differences between symptomatic and asymptomatic workers? Am J Ind Med 1998 Apr;33(4):374-8.

208. Franzblau AD, Salerno F, Armstrong TJ, Werner RA. Test-retest reliability of an upper-extremity discomfort questionnaire in an industrial population. Grant No. R01-OH-02941. Scand J Work Environ Health 1997 AUG;23(4):299-307.

209. Jeng OJ, Radwin RG, Moore JS, Roberts M, Garrity JM, Oswald T. Preliminary evaluation of a sensory and psychomotor functional test battery for carpal tunnel syndrome: Part 2 - Industrial subjects. Am Ind Hyg Assoc J 1997 Dec;58(12):885-92.

210. Werner RA, Franzblau A, Albers JW, Buchele H, Armstrong TJ. Use of screening nerve conduction studies for predicting future carpal tunnel syndrome. Occup Environ Med 1997 Feb;54(2):96-100.

211. Bingham RC, Rosecrance JC, Cook TM. Prevalence of abnormal median nerve conduction in applicants for industrial jobs. Am J Ind Med 1996 Sep;30(3):355-61.

212. Pierre-Jerome C, Bekkelund SI, Mellgren SI, Torbergsen T. Quantitative magnetic resonance imaging and the electrophysiology of the carpal tunnel region in floor cleaners. Scand J Work Environ Health 1996 Apr;22(2):119-23.

213. Werner RA, Franzblau A, Johnston E. Comparison of multiple frequency vibrometry testing and sensory nerve conduction measures in screening for carpal tunnel syndrome in an industrial setting. Am J Phys Med Rehabil 1995 Mar-Apr;74(2):101-6.

214. Kirschberg GJ, Fillingim R, Davis VP, Hogg F. Carpal tunnel syndrome: classic clinical symptoms and electrodiagnostic studies in poultry workers with hand, wrist, and forearm pain. South Med J 1994 Mar;87(3):328-31.

215. Nathan PA, Takigawa K, Keniston RC, Meadows KD, Lockwood RS. Slowing of sensory conduction of the median nerve and carpal tunnel syndrome in Japanese and American industrial workers. J Hand Surg [Br] 1994 Feb;19(1):30-4.

216. Nilsson T, Hagberg M, Burstrom L, Kihlberg S. Impaired nerve conduction in the carpal tunnel of platers and truck assemblers exposed to hand-arm vibration. Scand J Work Environ Health 1994 Jun;20(3):189-99.

217. Werner RA, Franzblau A, Johnston E. Quantitative vibrometry and electrophysiological assessment in screening for carpal tunnel syndrome among industrial workers: a comparison. Arch Phys Med Rehabil 1994 Nov;75(11):1228-32.

218. Nathan PA, Keniston RC, Meadows KD, Lockwood RS. Predictive value of nerve conduction measurements at the carpal tunnel. Muscle Nerve 1993 Dec;16(12):1377-82.

219. Grant KA, Congleton JJ, Koppa RJ, Lessard CS, Huchingson RD. Use of motor nerve conduction testing and vibration sensitivity testing as screening tools for carpal tunnel syndrome in industry. J Hand Surg [Am] 1992 Jan;17(1):71-6.

220. Atroshi I, Gummesson C, Johnsson R, Ornstein E, Ranstam J, Rosen I. Prevalence of carpal tunnel syndrome in a general population. JAMA 1999 Jul 14;282(2):153-8.

221. Ferry S, Silman AJ, Pritchard T, Keenan J, Croft P. The association between different patterns of hand symptoms and objective evidence of median nerve compression: a community-based survey. Arthritis Rheum 1998 Apr;41(4):720-4.

222. de Krom MC, Knipschild PG, Kester AD, Spaans F. Efficacy of provocative tests for diagnosis of carpal tunnel syndrome. Lancet 1990 Feb 17;335(8686):393-5.

223. Welch R. The Measurement of Physiological Predisposition to Tenosynovitis. Ergonomics 1973 SEP;16(5):665-8.

224. Finsen V, Russwurm H. Neurophysiology not required before surgery for typical carpal tunnel syndrome. J Hand Surg [Br] 2001;26B(1):61-4.

225. Atroshi I, Gummesson C, Johnsson R, Ornstein E, Rosen I. Median nerve latency measurement agreement between portable and conventional methods. J Hand Surg [Br] 2000 Feb;25(1):73-7.

226. Cuturic M, Palliyath S. Motor unit number estimate (MUNE) testing in male patients with mild to moderate carpal tunnel syndrome. Electromyogr Clin Neurophysiol 2000 Mar;40(2):67-72.

227. Montagna P, Liguori R. The motor tinel sign: a useful sign in entrapment neuropathy? Muscle Nerve 2000 Jun;23(6):976-8.

228. Nakamichi KI, Tachibana S. Enlarged median nerve in idiopathic carpal tunnel syndrome. Muscle Nerve 2000 Nov;23(11):1713-8.

229. Raudino F. Tethered median nerve stress test in the diagnosis of carpal tunnel syndrome. Electromyogr Clin Neurophysiol 2000 Jan-Feb;40(1):57-60.

230. Stalberg E, Stalberg S, Karlsson L. Automatic carpal tunnel syndrome tester. Clin Neurophysiol 2000 May;111(5):826-32.

231. Burke DT, Burke MA, Bell R, Stewart GW, Mehdi RS, Kim HJ. Subjective swelling: a new sign for carpal tunnel syndrome. Am J Phys Med Rehabil 1999 Nov-Dec;78(6):504-8.

232. Duncan I, Sullivan P, Lomas F. Sonography in the diagnosis of carpal tunnel syndrome. AJR Am J Roentgenol 1999 Sep;173(3):681-4.

233. Kabiraj MM, al-Rajeh S, al-Tahan AR, Abdulijabbar M, al-Bunyan M. Motor terminal latency index in carpal tunnel syndrome. East Mediterr Health J 1999 Mar;5(2):262-7.

234. Lee D, van Holsbeeck MT, Janevski PK, Ganos DL, Ditmars DM, Darian VB. Diagnosis of carpal tunnel syndrome. Ultrasound versus electromyography. Radiol Clin North Am 1999 Jul;37(4):859-72.

235. Monagle K, Dai G, Chu A, Burnham RS, Snyder RE. Quantitative MR imaging of carpal tunnel syndrome. AJR Am J Roentgenol 1999 Jun;172(6):1581-6.

236. Rudolfer SM, Paliouras G, Peers IS. A comparison of logistic regression to decision tree induction in the diagnosis of carpal tunnel syndrome. Comput Biomed Res 1999 Oct;32(5):391-414.

237. Sander HW, Quinto C, Saadeh PB, Chokroverty S. Sensitive median-ulnar motor comparative techniques in carpal tunnel syndrome. Muscle Nerve 1999 Jan;22(1):88-98.

238. Wang AK, Raynor EM, Blum AS, Rutkove SB. Heat sensitivity of sensory fibers in carpal tunnel syndrome. Muscle Nerve 1999 Jan;22(1):37-42.

239. Aurora SK, Ahmad BK, Aurora TK. Silent period abnormalities in carpal tunnel syndrome. Muscle Nerve 1998 Sep;21(9):1213-5.

240. Kabiraj MM, Al Rajeh S, Al Tahan AR, Abduljabbar M, Al Bunyan M, Daif AK, Awada A. Carpel tunnel syndrome: a clinico-electrophysiological study. Medical Science Research 1998;26(9):631-3.

241. Kleindienst A, Hamm B, Lanksch WR. Carpal tunnel syndrome: staging of median nerve compression by MR imaging. J Magn Reson Imaging 1998;8(5):1119-1125.

242. Luchetti R, Schoenhuber R, Nathan P. Correlation of segmental carpal tunnel pressures with changes in hand and wrist positions in patients with carpal tunnel syndrome and controls. J Hand Surg [Br] 1998 Oct;23(5):598-602.

243. Scelsa SN, Herskovitz S, Bieri P, Berger AR. Median mixed and sensory nerve conduction studies in carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol 1998 Jun;109(3):268-73.

244. Smith T. Near-nerve versus surface electrode recordings of sensory nerve conduction in patients with carpal tunnel syndrome. Acta Neurol Scand 1998 Oct;98(4):280-2.

245. Wilson JR. Median mixed nerve conduction studies in the forearm: evidence against retrograde demyelination in carpal tunnel syndrome. J Clin Neurophysiol 1998 Nov;15(6):541-6.

246. Bak L, Bak S, Gaster P, Mathiesen F, Ellemann K, Bertheussen K, Zeeberg I. MR imaging of the wrist in carpal tunnel syndrome. Acta Radiol 1997 Nov;38(6):1050-2.

247. Di Guglielmo G, Torrieri F, Repaci M, Uncini A. Conduction block and segmental velocities in carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol 1997 Aug;105(4):321-7.

248. Gunnarsson LG, Amilon A, Hellstrand P, Leissner P, Philipson L. The diagnosis of carpal tunnel syndrome. Sensitivity and specificity of some clinical and electrophysiological tests. J Hand Surg [Br] 1997 Feb;22(1):34-7.

249. Horch RE, Allmann KH, Laubenberger J, Langer M, Stark GB. Median nerve compression can be detected by magnetic resonance imaging of the carpal tunnel. Neurosurgery 1997 Jul;41(1):76-82; discussion 82-3.

250. Kaneko K, Kawai S, Taguchi T, Fuchigami Y, Shiraishi G. Coexisting peripheral nerve and cervical cord compression. Spine 1997 Mar 15;22(6):636-40.

251. Pierre-Jerome C, Bekkelund SI, Mellgren SI, Nordstrom R. Quantitative MRI and electrophysiology of preoperative carpal tunnel syndrome in a female population. Ergonomics 1997 Jun;40(6):642-9.

252. Radack DM, Schweitzer ME, Taras J. Carpal tunnel syndrome: are the MR findings a result of population selection bias? AJR Am J Roentgenol 1997 Dec;169(6):1649-53.

253. Rosecrance JC, Cook TM, Bingham RC. Sensory nerve recovery following median nerve provocation in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1997 Jun-Jul;37(4):219-29.

254. Checkosky CM, Bolanowski SJ, Cohen JC. Assessment of vibrotactile sensitivity in patients with carpal tunnel syndrome. J Occup Environ Med 1996 Jun;38(6):593-601.

255. Ghavanini MR, Kazemi B, Jazayeri M, Khosrawi S. Median-radial sensory latencies comparison as a new test in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1996 Apr-May;36(3):171-3.

256. Kleindienst A, Hamm B, Hildebrandt G, Klug N. Diagnosis and staging of carpal tunnel syndrome: comparison of magnetic resonance imaging and intra-operative findings. Acta Neurochir (Wien) 1996;138(2):228-33.

257. Britz GW, Haynor DR, Kuntz C, Goodkin R, Gitter A, Kliot M. Carpal tunnel syndrome: correlation of magnetic resonance imaging, clinical, electrodiagnostic, and intraoperative findings. Neurosurgery 1995 Dec;37(6):1097-103.

258. Golovchinsky V. Relationship between damage of cervical nerve roots or brachial plexus and development of peripheral entrapment syndromes in upper extremities (double crush syndrome). J Neurol Orthop Med Surg 1995;16(2):61-9.

259. Hamanaka I, Okutsu I, Shimizu K, Takatori Y, Ninomiya S. Evaluation of carpal canal pressure in carpal tunnel syndrome. J Hand Surg [Am] 1995 Sep;20(5):848-54.

260. Kothari MJ, Rutkove SB, Caress JB, Hinchey J, Logigian EL, Preston DC. Comparison of digital sensory studies in patients with carpal tunnel syndrome. Muscle Nerve 1995 Nov;18(11):1272-6.

261. Lesser EA, Venkatesh S, Preston DC, Logigian EL. Stimulation distal to the lesion in patients with carpal tunnel syndrome. Muscle Nerve 1995 May;18(5):503-7.

262. Nakamichi K, Tachibana S. Restricted motion of the median nerve in carpal tunnel syndrome. J Hand Surg [Br] 1995 Aug;20(4):460-4.

263. Seradge H, Jia YC, Owens W. In vivo measurement of carpal tunnel pressure in the functioning hand. J Hand Surg [Am] 1995 Sep;20(5):855-9.

264. Shafshak TS, el-Hinawy YM. The anterior interosseous nerve latency in the diagnosis of severe carpal tunnel syndrome with unobtainable median nerve distal conduction. Arch Phys Med Rehabil 1995 May;76(5):471-5.

265. Valls-Sole J, Alvarez R, Nunez M. Limited longitudinal sliding of the median nerve in patients with carpal tunnel syndrome. Muscle Nerve 1995 Jul;18(7):761-7.

266. Clifford JC, Israels H. Provocative exercise maneuver: its effect on nerve conduction studies in patients with carpal tunnel syndrome. Arch Phys Med Rehabil 1994 Jan;75(1):8-11.

267. Durkan JA. The carpal-compression test. An instrumented device for diagnosing carpal tunnel syndrome. Orthop Rev 1994 Jun;23(6):522-5.

268. Nakamichi K, Tachibana S. Unilateral carpal tunnel syndrome and space-occupying lesions. J Hand Surg [Br] 1993 Dec;18(6):748-9.

269. Rodriquez AA, Radwin RG, Jeng OJ. Median nerve electrophysiologic parameters and psychomotor performance in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1993 Jul-Aug;33(5):311-9.

270. Rosen I, Stromberg T, Lundborg G. Neurophysiological investigation of hands damaged by vibration: comparison with idiopathic carpal tunnel syndrome. Scand J Plast Reconstr Surg Hand Surg 1993 Sep;27(3):209-16.

271. Buchberger W, Judmaier W, Birbamer G, Lener M, Schmidauer C. Carpal tunnel syndrome: diagnosis with high-resolution sonography. AJR Am J Roentgenol 1992 Oct;159(4):793-8.

272. Imaoka H, Yorifuji S, Takahashi M, Nakamura Y, Kitaguchi M, Tarui S. Improved inching method for the diagnosis and prognosis of carpal tunnel syndrome. Muscle Nerve 1992 Mar;15(3):318-24.

273. Kindstrand E. Antibodies to Borrelia burgdorferi in patients with carpal tunnel syndrome. Acta Neurol Scand 1992 Jul;86(1):73-5.

274. Tchou S, Costich JF, Burgess RC, Wexler CE. Thermographic observations in unilateral carpal tunnel syndrome: report of 61 cases. J Hand Surg [Am] 1992 Jul;17(4):631-7.

275. Buchberger W, Schon G, Strasser K, Jungwirth W. High-resolution ultrasonography of the carpal tunnel. J Ultrasound Med 1991 Oct;10(10):531-7.

276. Katz JN, Larson MG, Fossel AH, Liang MH. Validation of a surveillance case definition of carpal tunnel syndrome. Am J Public Health 1991;81(2):189-193.

277. Fitz WR, Mysiw WJ, Johnson EW. First lumbrical latency and amplitude. Control values and findings in carpal tunnel syndrome. Am J Phys Med Rehabil 1990 Aug;69(4):198-201.

278. Gilliatt RW, Meer J. The refractory period of transmission in patients with carpal tunnel syndrome. Muscle Nerve 1990 May;13(5):445-50.

279. Merchut MP, Kelly MA, Toleikis SC. Quantitative sensory thresholds in carpal tunnel syndrome. Electromyogr Clin Neurophysiol 1990 Feb-Mar;30(2):119-24.

280. Rojviroj S, Sirichativapee W, Kowsuwon W, Wongwiwattananon J, Tamnanthong N, Jeeravipoolvarn P. Pressures in the carpal tunnel. A comparison between patients with carpal tunnel syndrome and normal subjects. J Bone Joint Surg Br 1990 May;72(3):516-8.

281. Winn FJ Jr, Putz-Anderson V. Vibration thresholds as a function of age and diagnosis of carpal tunnel syndrome: a preliminary report. Exp Aging Res 1990 Winter;16(4):221-4.

282. Braun RM, Davidson K, Doehr S. Provocative testing in the diagnosis of dynamic carpal tunnel syndrome. J Hand Surg [Am] 1989 Mar;14(2 Pt 1):195-7.

283. Meyers S, Cros D, Sherry B, Vermeire P. Liquid crystal thermography: quantitative studies of abnormalities in carpal tunnel syndrome. Neurology 1989 Nov;39(11):1465-9.

284. Szabo RM, Chidgey LK. Stress carpal tunnel pressures in patients with carpal tunnel syndrome and normal patients. J Hand Surg [Am] 1989 Jul;14(4):624-7.

285. De Lean J. Transcarpal median sensory conduction: detection of latent abnormalities in mild carpal tunnel syndrome. Can J Neurol Sci 1988 Nov;15(4):388-93.

286. Mortier G, Deckers K, Dijs H, Vander Auwera JC. Comparison of the distal motor latency of the ulnar nerve in carpal tunnel syndrome with a control group. Electromyogr Clin Neurophysiol 1988 Mar-Apr;28(2-3):75-7.

287. Pease WS, Cunningham ML, Walsh WE, Johnson EW. Determining neurapraxia in carpal tunnel syndrome. Am J Phys Med Rehabil 1988 Jun;67(3):117-9.

288. Carroll GJ. Comparison of median and radial nerve sensory latencies in the electrophysiological diagnosis of carpal tunnel syndrome. Electroencephalogr Clin Neurophysiol 1987 Mar;68(2):101-6.

289. Jessurun W, Hillen B, Zonneveld F, Huffstadt AJ, Beks JW, Overbeek W. Anatomical relations in the carpal tunnel: a computed tomographic study. J Hand Surg [Br] 1987 Feb;12(1):64-7.

290. Johnson EW, Sipski M, Lammertse T. Median and radial sensory latencies to digit I: normal values and usefulness in carpal tunnel syndrome [published erratum appears in Arch Phys Med Rehabil 1987 Jun;68(6):388]. Arch Phys Med Rehabil 1987 Mar;68(3):140-1.

291. Liang CL. CT-scanning study of cross-sectional area of the carpal tunnel in cases of carpal tunnel syndrome. Nippon Seikeigeka Gakkai Zasshi 1987 Oct;61(10):1033-45.

292. Macleod WN. Repeater F waves: a comparison of sensitivity with sensory antidromic wrist-to-palm latency and distal motor latency in the diagnosis of carpal tunnel syndrome. Neurology 1987 May;37(5):773-8.

293. Borg K, Lindblom U. Increase of vibration threshold during wrist flexion in patients with carpal tunnel syndrome. Pain 1986 Aug;26(2):211-9.

294. Borg K, Lindblom U. Provoked changes in vibratory perception threshold versus stationary impairment of sensibility in carpal tunnel syndrom. Acta Neurol Scand 1984;69(98):218-9.

295. Satoh K, Nemoto J. Sub-clinical carpal tunnel syndrome: electrophysiological study and natural course. Nihon Univ J Med 1984;26(2):63-68.

296. Goddard DH, Barnes CG, Berry H, Evans S. Measurement of nerve conduction - a comparison of orthodromic and antidromic methods. Clin Rheumatol 1983 Jun;2(2):169-74.

297. Johnson EW, Kukla RD, Wongsam PE, Piedmont A. Sensory latencies to the ring finger: normal values and relation to carpal tunnel syndrome. Arch Phys Med Rehabil 1981 May;62(5):206-8.

298. Eisen A, Schomer D, Melmed C. The application of F-wave measurements in the differentiation of proximal and distal upper limb entrapments. Neurology 1977 Jul;27(7):662-8.

299. Sedal L, McLeod JG, Walsh JC. Ulnar nerve lesions associated with the carpal tunnel syndrome. J Neurol Neurosurg Psychiatry 1973 Feb;36(1):118-23.

300. Casey EB, Le Quesne PM. Digital nerve action potentials in healthy subjects, and in carpal tunnel and diabetic patients. J Neurol Neurosurg Psychiatry 1972 Oct;35(5):612-23.

301. Buchthal F, Rosenfalck A. Sensory conduction from digit to palm and from palm to wrist in the carpal tunnel syndrome. J Neurol Neurosurg Psychiatry 1971 Jun;34(3):243-52.

302. Katz JN, Keller RB, Fossel AH, Punnett L, Bessette L, Simmons BP, Mooney N. Predictors of return to work following carpal tunnel release. Am J Ind Med 1997;31(1):85-91.

303. Katz JN, Gelberman RH, Wright EA, Lew RA, Liang MH. Responsiveness of self-reported and objective measures of disease severity in carpal tunnel syndrome. Med Care 1994 Nov;32(11):1127-33.

304. Erdmann MW. Endoscopic carpal tunnel decompression. J Hand Surg [Br] 1994 Feb;19(1):5-13.

305. Straub TA. Endoscopic carpal tunnel release: a prospective analysis of factors associated with unsatisfactory results. Arthroscopy 1999 Apr;15(3):269-74.

306. Nygaard OP, Trumpy JH, Mellgren SI. Recovery of sensory function after surgical decompression in carpal tunnel syndrome. Acta Neurol Scand 1996 Oct;94(4):253-7.

307. Wheatley MJ, Kaul MP. Recurrent carpal tunnel syndrome following endoscopic carpal tunnel release: a preliminary report. Ann Plast Surg 1997 Nov;39(5):469-71.

308. Hagberg M, Nystrom A, Zetterlund B. Recovery from symptoms after carpal tunnel syndrome surgery in males in relation to vibration exposure. J Hand Surg [Am] 1991 Jan;16(1):66-71.

309. Avci S, Sayli U. Carpal tunnel release using a short palmar incision and new knife. J Hand Surg [Br] 2000 Aug;25B(4):357-60.

310. Khan R, Macey A. Open carpal tunnel release under local anaesthesia: a patient satisfaction survey. Ir Med J 2000 Jan-Feb;93(1):19.

311. Mondelli M, Reale F, Sicurelli F, Padua L. Relationship between the self-administered Boston questionnaire and electrophysiological findings in follow-up of surgically-treated carpal tunnel syndrome. Riv Neurobiol 2000;25 B(2):128-34.

312. Muller LP, Rudig L, Degreif J, Rommens PM. Endoscopic carpal tunnel release: results with special consideration to possible complications. Knee Surg Sports Traumatol Arthrosc 2000;8(3):166-72.

313. Porras AF, Alaminos PR, Vinuales JI, Villamanan MA. Value of electrodiagnostic tests in carpal tunnel syndrome. J Hand Surg [Br] 2000 Aug;25B(4):361-5.

314. Varitimidis SE, Riano F, Vardakas DG, Sotereanos DG. Recurrent compressive neuropathy of the median nerve at the wrist: treatment with autogenous saphenous vein wrapping. J Hand Surg [Br] 2000 Jun;25B(3):271-5.

315. Alderson M, McGall D. The Alderson-McGall hand function questionnaire for patients with Carpal Tunnel syndrome: a pilot evaluation of a future outcome measure. J Hand Ther 1999 Oct-Dec;12(4):313-22.

316. Braun RM, Doehr S, Mosqueda T, Garcia A. The effect of legal representation on functional recovery of the hand in injured workers following carpal tunnel release. J Hand Surg [Am] 1999 Jan;24(1):53-8.

317. Chen HT, Chen HC, Wei FC. Endoscopic carpal tunnel release. Chang Keng I Hsueh Tsa Chih 1999 Sep;22(3):386-91.

318. Erhard L, Ozalp T, Citron N, Foucher G. Carpal tunnel release by the Agee endoscopic technique. Results at 4 year follow-up. J Hand Surg [Br] 1999 Oct;24(5):583-5.

319. Finsen V, Andersen K, Russwurm H. No advantage from splinting the wrist after open carpal tunnel release. A randomized study of 82 wrists. Acta Orthop Scand 1999 Jun;70(3):288-92.

320. Hasegawa K, Hashizume H, Senda M, Kawai A, Inoue H. Evaluation of release surgery for idiopathic carpal tunnel syndrome: endoscopic versus open method. Acta Med Okayama 1999 Aug;53(4):179-83.

321. Hirooka T, Hashizume H, Senda M, Nagoshi M, Inoue H, Nagashima H. Adequacy and long-term prognosis of endoscopic carpal tunnel release. Acta Med Okayama 1999 Feb;53(1):39-44.

322. Lindau T, Karlsson MK. Complications and outcome in open carpal tunnel release. A 6-year follow-up in 92 patients. Chir Main 1999;18(2):115-21.

323. Olney JR, Quenzer DE, Makowsky M. Contested claims in carpal tunnel surgery: outcome study of worker's compensation factors. Iowa Orthop J 1999;19:111-21.

324. Senda M, Hashizume H, Terai Y, Inoue H, Nagashima H. Electromyographic evaluation after endoscopic carpal tunnel release in idiopathic carpal tunnel syndrome. J Orthop Sci 1999;4(3):187-90.

325. Varitimidis SE, Herndon JH, Sotereanos DG. Failed endoscopic carpal tunnel release. Operative findings and results of open revision surgery. J Hand Surg [Br] 1999;24 B(4):465-467.

326. Atroshi I, Johnsson R, Sprinchorn A. Self-administered outcome instrument in carpal tunnel syndrome. Reliability, validity and responsiveness evaluated in 102 patients. Acta Orthop Scand 1998 Feb;69(1):82-8.

327. Aulisa L, Tamburrelli F, Padua R, Romanini E, Lo Monaco M, Padua L. Carpal tunnel syndrome: indication for surgical treatment based on electrophysiologic study. J Hand Surg [Am] 1998 Jul;23(4):687-91.

328. Buchhorn T, Cameron EA, Klausmann HG, Erggelet C, Kramer J. The endoscopic treatment of carpal tunnel syndrome as an outpatient procedure. Diagn Ther Endosc 1998;4(4):183-190.

329. Choi SJ, Ahn DS. Correlation of clinical history and electrodiagnostic abnormalities with outcome after surgery for carpal tunnel syndrome. Plast Reconstr Surg 1998 Dec;102(7):2374-80.

330. Davies BW, Pennington GA, Fritz AM. Two-portal endoscopic carpal tunnel release: an outcome analysis of 333 hands. Ann Plast Surg 1998 May;40(5):542-8.

331. Lee WP, Strickland JW. Safe carpal tunnel release via a limited palmar incision. Plast Reconstr Surg 1998 Feb;101(2):418-24; discussion 425-6.

332. Nakamichi K, Tachibana S. Histology of the transverse carpal ligament and flexor tenosynovium in idiopathic carpal tunnel syndrome. J Hand Surg [Am] 1998 Nov;23(6):1015-24.

333. Papageorgiou CD, Georgoulis AD, Makris CA, Moebius UG, Varitimidis SE, Soucacos PN. Difficulties and early results of the endoscopic carpal tunnel release using the modified Chow technique. Knee Surg Sports Traumatol Arthrosc 1998;6(3):189-93.

334. Schuind F, Nguyen T, Vancabeke M, Wautrecht JC. Modifications of arterial blood flow to the hand after carpal tunnel release. Acta Orthop Belg 1998 Sep;64(3):296-300.

335. Tomaino MM, Plakseychuk A. Identification and preservation of Palmar cutaneous nerves during open carpal tunnel release. J Hand Surg [Br] 1998 Oct;23(5):607-8.

336. Armstong AP, Flynn JR, Davies DM. Endoscopic carpal tunnel release. A review of 208 consecutive cases. J Hand Surg [Br] 1997;22 B(4):505-507.

337. Atroshi I, Johnsson R, Ornstein E. Endoscopic carpal tunnel release: prospective assessment of 255 consecutive cases. J Hand Surg [Br] 1997 Feb;22(1):42-7.

338. Baguneid MS, Sochart DH, Dunlop D, Kenny NW. Carpal tunnel decompression under local anaesthetic and tourniquet control. J Hand Surg [Br] 1997 Jun;22(3):322-4.

339. Chia J, Pho RWH. Surgical release of carpal tunnel syndrome under local anaesthesia. J Orthop Surg 1997;5(2):25-28.

340. Citron ND, Bendall SP. Local symptoms after open carpal tunnel release. A randomized prospective trial of two incisions. J Hand Surg [Br] 1997 Jun;22(3):317-21.

341. Higgs PE, Edwards DF, Martin DS, Weeks PM. Relation of preoperative nerve-conduction values to outcome in workers with surgically treated carpal tunnel syndrome. J Hand Surg [Am] 1997 Mar;22(2):216-21.

342. Leinberry CF, Hammond NL 3d, Siegfried JW. The role of epineurotomy in the operative treatment of carpal tunnel syndrome. J Bone Joint Surg Am 1997 Apr;79(4):555-7.

343. Rosen B, Lundborg G, Abrahamsson SO, Hagberg L, Rosen I. Sensory function after median nerve decompression in carpal tunnel syndrome. Preoperative vs postoperative findings. J Hand Surg [Br] 1997 Oct;22(5):602-6.

344. Serra JM, Benito JR, Monner J. Carpal tunnel release with short incision. Plast Reconstr Surg 1997 Jan;99(1):129-35.

345. Stahl S, Ben-David B, Moscona RA. The effect of local infiltration with morphine before carpal tunnel release. J Bone Joint Surg Am 1997 Apr;79(4):551-4.

346. Lewicky RT. Endoscopic carpal tunnel release: the guide tube technique. Arthroscopy 1994 Feb;10(1):39-49.

347. Weber RA, Sanders WE. Flexor carpi radialis approach for carpal tunnel release. J Hand Surg [Am] 1997 Jan;22(1):120-6.

348. Cobb TK, Amadio PC, Leatherwood DF, Schleck CD, Ilstrup DM. Outcome of reoperation for carpal tunnel syndrome. J Hand Surg [Am] 1996 May;21(3):347-56.

349. Elmaraghy MW, Hurst LN. Single-portal endoscopic carpal tunnel release: agee carpal tunnel release system. Ann Plast Surg 1996 Mar;36(3):286-91.

350. Franzini A, Broggi G, Servello D, Dones I, Pluchino MG. Transillumination in minimally invasive surgery for carpal tunnel release. Technical note. J Neurosurg 1996 Dec;85(6):1184-6.

351. Gibbs KE, Rand W, Ruby LK. Open vs endoscopic carpal tunnel release. Orthopedics 1996 Dec;19(12):1025-8.

352. Glowacki KA, Breen CJ, Sachar K, Weiss AP. Electrodiagnostic testing and carpal tunnel release outcome. J Hand Surg [Am] 1996 Jan;21(1):117-21.

353. Jacobsen MB, Rahme H. A prospective, randomized study with an independent observer comparing open carpal tunnel release with endoscopic carpal tunnel release. J Hand Surg [Br] 1996 Apr;21(2):202-4.

354. Kluge W, Simpson RG, Nicol AC. Late complications after open carpal tunnel decompression. J Hand Surg [Br] 1996 Apr;21(2):205-7.

355. Lee H, Jackson TA. Carpal tunnel release through a limited skin incision under direct visualization using a new instrument, the carposcope. Plast Reconstr Surg 1996 Aug;98(2):313-9; discussion 320.

356. McLaughlin MR, Pizzi FJ. 'Sympathy pains' in carpal tunnel syndrome. Acta Neurochir (Wien) 1996;138(9):1094-8.

357. Nagle DJ, Fischer TJ, Harris GD, Hastings H 2d, Osterman AL, Palmer AK, Viegas SF, Whipple TL, Foley M. A multicenter prospective review of 640 endoscopic carpal tunnel releases using the transbursal and extrabursal chow techniques. Arthroscopy 1996 Apr;12(2):139-43.

358. Padua L, LoMonaco M, Aulisa L, Tamburrelli F, Valente EM, Padua R, Gregori B, Tonali P. Surgical prognosis in carpal tunnel syndrome: usefulness of a preoperative neurophysiological assessment. Acta Neurol Scand 1996 Nov;94(5):343-6.

359. Pennino R, Tavin E. Endoscopic-assisted carpal tunnel release: a coupling of endoscopic and open techniques. Ann Plast Surg 1996 May;36(5):458-61.

360. Povlsen B, Tegnell I. Incidence and natural history of touch allodynia after open carpal tunnel release. Scand J Plast Reconstr Surg Hand Surg 1996 Sep;30(3):221-5.

361. Strickland JW, Idler RS, Lourie GM, Plancher KD. The hypothenar fat pad flap for management of recalcitrant carpal tunnel syndrome. J Hand Surg [Am] 1996 Sep;21(5):840-8.

362. Wintman BI, Winters SC, Gelberman RH, Katz JN. Carpal tunnel release. Correlations with preoperative symptomatology. Clin Orthop 1996 May;(326):135-45.

363. Abdullah AF, Wolber PH, Ditto EW 3d. Sequelae of carpal tunnel surgery: rationale for the design of a surgical approach. Neurosurgery 1995 Nov;37(5):931-5; discussion 935-6.

364. Bury TF, Akelman E, Weiss AP. Prospective, randomized trial of splinting after carpal tunnel release. Ann Plast Surg 1995 Jul;35(1):19-22.

365. Dumontier C, Sokolow C, Leclercq C, Chauvin P. Early results of conventional versus two-portal endoscopic carpal tunnel release. A prospective study. J Hand Surg [Br] 1995 Oct;20(5):658-62.

366. Futami T. Surgery for bilateral carpal tunnel syndrome. Endoscopic and open release compared in 10 patients. Acta Orthop Scand 1995 Apr;66(2):153-5.

367. Gross AS, Louis DS, Carr KA, Weiss SA. Carpal tunnel syndrome: a clinicopathologic study. J Occup Environ Med 1995 Apr;37(4):437-41.

368. Hallock GG, Lutz DA. Prospective comparison of minimal incision 'open' and two-portal endoscopic carpal tunnel release. Plast Reconstr Surg 1995 Sep;96(4):941-7.

369. Katz JN, Fossel KK, Simmons BP, Swartz RA, Fossel AH, Koris MJ. Symptoms, functional status, and neuromuscular impairment following carpal tunnel release. J Hand Surg [Am] 1995 Jul;20(4):549-55.

370. LoVerme PJ, Saccone PG. Limited portal with direct-vision carpal tunnel release. Ann Plast Surg 1995 Mar;34(3):304-8.

371. Mirza MA, King ET Jr, Tanveer S. Palmar uniportal extrabursal endoscopic carpal tunnel release. Arthroscopy 1995 Feb;11(1):82-90.

372. Nancollas MP, Peimer CA, Wheeler DR, Sherwin FS. Long-term results of carpal tunnel release. J Hand Surg [Br] 1995 Aug;20(4):470-4.

373. Sennwald GR, Benedetti R. The value of one-portal endoscopic carpal tunnel release: a prospective randomized study. Knee Surg Sports Traumatol Arthrosc 1995;3(2):113-6.

374. Shinya K, Lanzetta M, Conolly WB. Risk and complications in endoscopic carpal tunnel release. J Hand Surg [Br] 1995;20 B(2):222-7.

375. al-Qattan MM, Bowen V, Manktelow RT. Factors associated with poor outcome following primary carpal tunnel release in non-diabetic patients. J Hand Surg [Br] 1994 Oct;19(5):622-5.

376. Foulkes GD, Atkinson RE, Beuchel C, Doyle JR, Singer DI. Outcome following epineurotomy in carpal tunnel syndrome: a prospective, randomized clinical trial. J Hand Surg [Am] 1994 Jul;19(4):539-47.

377. Katz JN, Gelberman RH, Wright EA, Abrahamsson SO, Lew RA. A preliminary scoring system for assessing the outcome of carpal tunnel release. J Hand Surg [Am] 1994 Jul;19(4):531-8.

378. Kelly CP, Pulisetti D, Jamieson AM. Early experience with endoscopic carpal tunnel release. J Hand Surg [Br] 1994 Feb;19(1):18-21.

379. Kerr CD, Gittins ME, Sybert DR. Endoscopic versus open carpal tunnel release: clinical results. Arthroscopy 1994 Jun;10(3):266-9.

380. Menon J. Endoscopic carpal tunnel release: preliminary report. Arthroscopy 1994 Feb;10(1):31-8.

381. Pascoe MK, Pascoe RD, Tarrant E, Boyle R. Changes in palmar sensory latencies in response to carpal tunnel release. Muscle Nerve 1994 Dec;17(12):1475-6.

382. Payne JC, Bergman RS, Ettinger DJ. Endoscopic carpal tunnel release. J Am Osteopath Assoc 1994 Apr;94(4):295-8.

383. Roth JH, Richards RS, MacLeod MD. Endoscopic carpal tunnel release. Can J Surg 1994 Jun;37(3):189-93.

384. Singh I, Khoo KM, Krishnamoorthy S. The carpal tunnel syndrome: clinical evaluation and results of surgical decompression. Ann Acad Med Singapore 1994 Jan;23(1):94-7.

385. Skoff HD, Sklar R. Endoscopic median nerve decompression: early experience. Plast Reconstr Surg 1994 Oct;94(5):691-4.

386. Strasberg SR, Novak CB, Mackinnon SE, Murray JF. Subjective and employment outcome following secondary carpal tunnel surgery. Ann Plast Surg 1994 May;32(5):485-9.

387. Wilson KM. Double incision open technique for carpal tunnel release: an alternative to endoscopic release. J Hand Surg [Am] 1994 Nov;19(6):907-12.

388. Biyani A, Downes EM. An open twin incision technique of carpal tunnel decompression with reduced incidence of scar tenderness. J Hand Surg [Br] 1993 Jun;18(3):331-4.

389. Chang B, Dellon AL. Surgical management of recurrent carpal tunnel syndrome. J Hand Surg [Br] 1993 Aug;18(4):467-70.

390. Feinstein PA. Endoscopic carpal tunnel release in a community-based series. J Hand Surg [Am] 1993 May;18(3):451-4.

391. Jimenez S, Hardy MA, Horch K, Jabaley M. A study of sensory recovery following carpal tunnel release. J Hand Ther 1993 Apr-Jun;6(2):124-9.

392. Leach WJ, Esler C, Scott TD. Grip strength following carpal tunnel decompression. J Hand Surg [Br] 1993 Dec;18(6):750-2.

393. Levine DW, Simmons BP, Koris MJ, Daltroy LH, Hohl GG, Fossel AH, Katz JN. A self-administered questionnaire for the assessment of severity of symptoms and functional status in carpal tunnel syndrome. J Bone Joint Surg Am 1993 Nov;75(11):1585-92.

394. Nakamichi K, Tachibana S. The use of ultrasonography in detection of synovitis in carpal tunnel syndrome. J Hand Surg [Br] 1993 Apr;18(2):176-9.

395. Nathan PA, Meadows KD, Keniston RC. Rehabilitation of carpal tunnel surgery patients using a short surgical incision and an early program of physical therapy. J Hand Surg [Am] 1993 Nov;18(6):1044-50.

396. Okutsu I, Ninomiya S, Takatori Y, Hamanaka I, Genba K, Ugawa Y, Schonholtz GJ, Okumura Y. Results of endoscopic management of carpal tunnel syndrome. Orthop Rev 1993 Jan;22(1):81-7.

397. Palmer DH, Paulson JC, Lane-Larsen CL, Peulen VK, Olson JD. Endoscopic carpal tunnel release: a comparison of two techniques with open release. Arthroscopy 1993;9(5):498-508.

398. Waegeneers S, Haentjens P, Wylock P. Operative treatment of carpal tunnel syndrome. Acta Orthop Belg 1993;59(4):367-70.

399. Nolan WB 3d, Alkaitis D, Glickel SZ, Snow S. Results of treatment of severe carpal tunnel syndrome. J Hand Surg [Am] 1992 Nov;17(6):1020-3.

400. Pagnanelli DM, Barrer SJ. Bilateral carpal tunnel release at one operation: report of 228 patients. Neurosurgery 1992 Dec;31(6):1030-3; discussion 1033-4.

401. Viegas SF, Pollard A, Kaminksi K. Carpal arch alteration and related clinical status after endoscopic carpal tunnel release. J Hand Surg [Am] 1992 Nov;17(6):1012-6.

402. Young VL, Logan SE, Fernando B, Grasse P, Seaton M, Young AE. Grip strength before and after carpal tunnel decompression. South Med J 1992 Sep;85(9):897-900.

403. Yu GZ, Firrell JC, Tsai TM. Pre-operative factors and treatment outcome following carpal tunnel release. J Hand Surg [Br] 1992 Dec;17(6):646-50.

404. Flaschka G, Eder H, Mullegger G, Gindl HK. Follow-up results of surgery for carpal tunnel syndrome in local anesthesia. Zentralbl Neurochir 1991;52(3):123-5.

405. Foucher G, Malizos C, Sammut D, Braun FM, Michon J. Primary palmaris longus transfer as an opponensplasty in carpal tunnel release. A series of 73 cases. J Hand Surg [Br] 1991 Feb;16(1):56-60.

406. Jakab E, Ganos D, Cook FW. Transverse carpal ligament reconstruction in surgery for carpal tunnel syndrome: a new technique. J Hand Surg [Am] 1991 Mar;16(2):202-6.

407. Mackinnon SE, McCabe S, Murray JF, Szalai JP, Kelly L, Novak C, Kin B, Burke GM. Internal neurolysis fails to improve the results of primary carpal tunnel decompression. J Hand Surg [Am] 1991 Mar;16(2):211-8.

408. Resnick CT, Miller BW. Endoscopic carpal tunnel release using the subligamentous two-portal technique. Contemp Orthop 1991 Mar;22(3):269-77.

409. Schuind F, Ventura M, Pasteels JL. Idiopathic carpal tunnel syndrome: histologic study of flexor tendon synovium. J Hand Surg [Am] 1990 May;15(3):497-503.

410. Gellman H, Kan D, Gee V, Kuschner SH, Botte MJ. Analysis of pinch and grip strength after carpal tunnel release. J Hand Surg [Am] 1989 Sep;14(5):863-4.

411. Okutsu I, Ninomiya S, Takatori Y, Ugawa Y. Endoscopic management of carpal tunnel syndrome. Arthroscopy 1989;5(1):11-8.

412. Richman JA, Gelberman RH, Rydevik BL, Hajek PC, Braun RM, Gylys-Morin VM, Berthoty D. Carpal tunnel syndrome: morphologic changes after release of the transverse carpal ligament. J Hand Surg [Am] 1989 Sep;14(5):852-7.

413. Seiler JG 3d, Milek MA, Carpenter GK, Swiontkowski MF. Intraoperative assessment of median nerve blood flow during carpal tunnel release with laser Doppler flowmetry. J Hand Surg [Am] 1989 Nov;14(6):986-91.

414. Seradge H, Seradge E. Piso-triquetral pain syndrome after carpal tunnel release. J Hand Surg [Am] 1989 Sep;14(5):858-62.

415. Gelberman RH, Pfeffer GB, Galbraith RT, Szabo RM, Rydevik B, Dimick M. Results of treatment of severe carpal-tunnel syndrom without internal neurolysis of the median nerve. J Bone Joint Surg Am 1987 Jul 1;69(6):896-903.

416. Holmgren H, Rabow L. Internal neurolysis or ligament division only in carpal tunnel syndrome.II A 3 year follow-up with an evaluation of various neurophysiological parameters for diagnosis. Acta Neurochir (Wien) 1987 Jan 1;87(1-2):44-7.

417. Gartsman GM, Kovach JC, Crouch CC, Noble PC, Bennett JB. Carpal arch alteration after carpal tunnel release. J Hand Surg [Am] 1986 May;11(3):372-4.

418. Kulick MI, Gordillo G, Javidi T, Kilgore ES Jr, Newmayer WL 3d. Long-term analysis of patients having surgical treatment for carpal tunnel syndrome. J Hand Surg [Am] 1986 Jan;11(1):59-66.

419. Leblhuber F, Reisecker F, Witzmann A. Carpal tunnel syndrome: neurographical parameters in different stages of median nerve compression. Acta Neurochir (Wien) 1986;81(3-4):125-7.

420. Shurr DG, Blair WF, Bassett G. Electromyographic changes after carpal tunnel release. J Hand Surg [Am] 1986 Nov;11(6):876-80.

421. Wadstroem J, Nigst H. Reoperation for carpal tunnel syndrome. A retrospective analysis of forty cases. Ann Chir Main 1986;5(1):54-8.

422. Rhoades CE, Mowery CA, Gelberman RH. Results of internal neurolysis of the median nerve for severe carpal-tunnel syndrome. J Bone Joint Surg Am 1985 Feb;67(2):253-6.

423. Litchman HM, Silver CM, Simon SD, et al. Carpal tunnel release: efficacy as an ambulatory outpatient procedure done under local anesthesia. Orthop Rev 1984 Mar;13(3):167-171.

424. Van Rossum J, Kamphuisen HA, Wintzen AR. Management in the carpal tunnel syndrome. Clinical and electromyographical follow-up in 62 patients. Clin Neurol Neurosurg 1980;82(3):169-76.

425. Lascar T, Laulan J. Cubital tunnel syndrome: a retrospective review of 53 anterior subcutaneous transpositions. J Hand Surg [Br] 2000 Oct;25B(5):453-456.

426. Freshwater MF, Arons MS. The effect of various adjuncts on the surgical treatment of carpal tunnel syndrome secondary to chronic tenosynovitis. Plast Reconstr Surg 1978 Jan;61(1):93-6.

427. Provinciali L, Giattini A, Splendiani G, Logullo F. Usefulness of hand rehabilitation after carpal tunnel surgery. Muscle Nerve 2000 Feb;23(2):211-6.

428. Blair WF, Goetz DD, Ross MA, Steyers CM, Chang P. Carpal tunnel release with and without epineurotomy: a comparative prospective trial. J Hand Surg [Am] 1996 Jul;21(4):655-61.

429. Lowry WE Jr, Follender AB. Interfascicular neurolysis in the severe carpal tunnel syndrome. A prospective, randomized, double-blind, controlled study. Clin Orthop 1988 Feb;227:251-4.

430. Lee WP, Plancher KD, Strickland JW. Carpal tunnel release with a small palmar incision. Hand Clin 1996 May;12(2):271-84.

431. Clarke AM, Stanley D. Prediction of the outcome 24 hours after carpal tunnel decompression. J Hand Surg [Br] 1993 Apr;18(2):180-1.

432. Cook AC, Szabo RM, Birkholz SW, King EF. Early mobilization following carpal tunnel release. A prospective randomized study. J Hand Surg [Br] 1995 Apr;20(2):228-30.

433. Holmgren-Larsson H, Leszniewski W, Linden U, Rabow L, Thorling J. Internal neurolysis or ligament division only in carpal tunnel syndrome - results of a randomized study. Acta Neurochir (Wien) 1985;74(3-4):118-21.

434. Padua L, Padua R, Aprile I, Pasqualetti P, Tonali P. Multiperspective follow-up of untreated carpal tunnel syndrome: a multicenter study. Neurology 2001 Jun 12;56(11):1459-66.

435. Todnem K, Lundemo G. Median nerve recovery in carpal tunnel syndrome. Muscle Nerve 2000 Oct;23(10):1555-60.

436. Atherton WG, Faraj AA, Riddick AC, Davis TR. Follow-up after carpal tunnel decompression - general practitioner surgery or hand clinic? A randomized prospective study. J Hand Surg [Br] 1999 Jun;24(3):296-7.

437. Bruser P, Richter M, Larkin G, Lefering R. The operative treatment of carpal tunnel syndrome and its relevance to endoscopic release. Eur J Plast Surg 1999;22(2-3):80-84.

438. Thomas P, James D, Hulbert R, Kassak KM, Meyer JJ. Comparative efficacy of conservative medical and chiropractic treatments for carpal tunnel syndrome: a randomized clinical trail. J Manipulative Physiol Ther 1998;21:317-326.

439. Ebenbichler GR, Resch KL, Nicolakis P, Wiesinger GF, Uhl F, Ghanem AH, Fialka V. Ultrasound treatment for treating the carpal tunnel syndrome: randomised 'sham' controlled trial. BMJ 1998 Mar 7;316(7133):731-5.

440. Garfinkel MS, Singhal A, Katz WA, Allan DA, Reshetar R, Schumacher HR Jr. Yoga-based intervention for carpal tunnel syndrome: a randomized trial. JAMA 1998 Nov 11;280(18):1601-3.

441. Braithwaite BD, Robinson GJ, Burge PD. Haemostasis during carpal tunnel release under local anaesthesia: a controlled comparison of a tourniquet and adrenaline infiltration. J Hand Surg [Br] 1993 Apr;18(2):184-6.

442. Jones SM, Stuart PR, Stothard J. Open carpal tunnel release. Does a vascularized hypothenar fat pad reduce wound tenderness? J Hand Surg [Br] 1997 Dec;22(6):758-60.

443. Monge L, De Mattei M, Dani F, Sciarretta A, Carta Q. Effect of treatment with an aldose-reductase inhibitor on symptomatic carpal tunnel syndrome in type 2 diabetes. Diabet Med 1995 Dec;12(12):1097-101.

444. Bande S, De Smet L, Fabry G. The results of carpal tunnel release: open versus endoscopic technique. J Hand Surg [Br] 1994 Feb;19(1):14-7.

445. Spooner GR, Desai HB, Angel JF, Reeder BA, Donat JR. Using pyridoxine to treat carpal tunnel syndrome. Randomized control trial. Can Fam Physician 1993 Oct;39:2122-7.

446. Groves EJ, Rider BA. A comparison of treatment approaches used after carpal tunnel release surgery. Am J Occup Ther 1989 Jun;43(6):398-402.

447. Wolaniuk A, Vadhanavikit S, Folkers K. Electromyographic data differentiate patients with the carpal tunnel syndrome when double blindly treated with pyridoxine and placebo. Res Commun Chem Pathol Pharmacol 1983 Sep;41(3):501-11.

448. McDonough JW, Gruenloh TJ. A comparison of endoscopic and open carpal tunnel release. Wis Med J 1993 Dec;92(12):675-7.

449. Concannon MJ, Brownfield ML, Puckett CL. The incidence of recurrence after endoscopic carpal tunnel release. Plast Reconstr Surg 2000 Apr;105(5):1662-5.

450. Povlsen B, Tegnell I, Revell M, Adolfsson L. Touch allodynia following endoscopic (single portal) or open decompression for carpal tunnel syndrome. J Hand Surg [Br] 1997;22 B(3):325-327.

451. Rhoades CE, Mowery CA, Gelberman RH. Results on internal neurolysis of the median nerve for severe carpal-tunnel syndrome. J Bone Joint Surg Am 1985 Feb 1;67(2):253-6.

452. Dammers JW, Veering MM, Vermeulen M. Injection with methylprednisolone proximal to the carpal tunnel: randomised double blind trial. BMJ 1999 Oct 2;319(7214):884-6.

453. Ozdogan H, Yazici H. The efficacy of local steroid injections in idiopathic carpal tunnel syndrome: a double-blind study. Br J Rheumatol 1984 Nov;23(4):272-5.

454. O'Gradaigh D, Merry P. Corticosteroid injection for the treatment of carpal tunnel syndrome. Ann Rheum Dis 2000 Nov;59(11):918-9.

455. Herskovitz S, Berger AR, Lipton RB. Low-dose, short-term oral prednisone in the treatment of carpal tunnel syndrome. Neurology 1995 Oct;45(10):1923-5.

456. Wong SM, Hui AC, Tang A, Ho PC, Hung LK, Wong KS, Kay R, Li E. Local vs systemic corticosteroids in the treatment of carpal tunnel syndrome. Neurology 2001 Jun 12;56(11):1565-7.

457. Tal-Akabi A, Rushton A. An investigation to compare the effectiveness of carpal bone mobilisation and neurodynamic mobilisation as methods of treatment for carpal tunnel syndrome. Man Ther 2000 Nov;5(4):214-222.

458. Schmitt M, Vergnes P, Canarelli JP, Gaillard S, Daoud S, Dodat H, Lascombes P, Melin Y, Morisson-Lacombe G, Revillon Y. Evaluation of a hydrocolloid dressing. J Wound Care 1996 Oct;5(9):396-9.

459. Stransky M, Rubin A, Lava NS, Lazaro RP. Treatment of carpal tunnel syndrome with vitamin B6: a double-blind study. South Med J 1989 Jul;82(7):841-2.

460. Shin AY, Perlman M, Shin PA, Garay AA. Disability outcomes in a worker's compensation population: surgical versus nonsurgical treatment of carpal tunnel syndrome. Am J Orthop 2000 Mar;29(3):179-84.

461. Atroshi I, Johnsson R, Ornstein E. Patient satisfaction and return to work after endoscopic carpal tunnel surgery. J Hand Surg [Am] 1998 Jan;23(1):58-65.

462. Katz JN, Lew RA, Bessette L, Punnett L, Fossel AH, Mooney N, Keller RB. Prevalence and predictors of long-term work disability due to carpal tunnel syndrome. Am J Ind Med 1998 Jun;33(6):543-50.

463. DeStefano F, Nordstrom DL, Vierkant RA. Long-term symptom outcomes of carpal tunnel syndrome and its treatment. J Hand Surg [Am] 1997 Mar;22(2):200-10.

464. Wulfhorst B, Schwanitz HJ. Applied health-education in dermatology. Pravent Rehabil 1996;71(9):680-4.

465. Bloem JJ, Pradjarahardja MC, Vuursteen PJ. The post-carpal tunnel syndrome. Causes and prevention. Neth J Surg 1986 Apr;38(2):52-5.

466. Botte MJ, von Schroeder HP, Abrams RA, Gellman H. Recurrent carpal tunnel syndrome. Hand Clin 1996 Nov;12(4):731-43.

467. O'Malley MJ, Evanoff M, Terrono AL, Millender LH. Factors that determine reexploration treatment of carpal tunnel syndrome. J Hand Surg [Am] 1992 Jul;17(4):638-41.

468. Kern BC, Brock M, Rudolph KH, Logemann H. The recurrent carpal tunnel syndrome. Zentralbl Neurochir 1993;54(2):80-3.

469. Furth HJ, Holm MB, James A. Reinjury prevention follow-through for clients with cumulative trauma disorders. Am J Occup Ther 1994 Oct;48(10):890-8.

470. Hinderer SR, Hinderer KA. Quantitative methods of evaluation. In: DeLisa JA, Gans BM, editors. Rehabilitation medicine: principles and practice. 2nd ed. Philadelphia (PA): J.B. Lippincott; 1993. p. 96-121.

471. Kirby RL. Impairment, disability, and handicap. In: Rehabilitation medicine: principles and practice. 2nd ed. Philadelphia (PA): JB Lippincott; 1993. p. 40-50.

472. Levack B, Rassmussen GL, Day S, Freeman MA. Range of movement poor index of hip function. Acta Orthop Scand 1988 Feb;59(1):14-5.

473. Tinetti ME, Ginter SF. Identifying mobility dysfunctions in elderly patients. Standard neuromuscular examination or direct assessment? JAMA 1988 Feb 26;259(8):1190-3.

474. Gotay CC. Patient-reported assessments versus performance-based tests. In: Quality of life and pharmacoeconomics in clinical trials. 2nd ed. Philadelphia (PA): Lippincott-Raven Publishers; 1996. p. 413-20.

475. Ferry S, Pritchard T, Keenan J, Croft P, Silman AJ. Is delayed nerve conduction associated with increased self-reported disability in individuals with hand symptoms? A population based study. J Rheumatol 1998 Aug;25(8):1616-9.

476. Pransky G, Feuerstein M, Himmelstein J, Katz JN, Vickers-Lahti M. Measuring functional outcomes in work-related upper extremity disorders. Development and validation of the Upper Extremity Function Scale. J Occup Environ Med 1997 Dec;39(12):1195-202.

477. Atroshi I, Johnsson R, Nouhan R, Crain G, McCabe SJ. Use of outcome instruments to compare workers' compensation and non-workers' compensation carpal tunnel syndrome. J Hand Surg [Am] 1997 Sep;22(5):882-8.

478. Ware JE Jr, Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. Med Care 1992 Jun;30(6):473-83.

479. Pincus T, Summey JA, Soraci SA, Wallston KA, Hummon NP. Assessment of patient satisfaction in activities of daily living using a modified Stanford Health Assessment Questionnaire. Arthritis Rheum 1983 Nov;26(11):1346-53.

480. Hunt SM, McEwen J, McKenna SP. Measuring health status: a new tool for clinicians and epidemiologists. J R Coll Gen Pract 1985 Apr;35(273):185-8.

481. Sefcovic AD, Tuason EJ, Asaad TJ, Dawson AM, Lundberg TM, Moreau JE, Dale LM. Symptom severity, functional status, and preventive or palliative measures employed by hand therapists experiencing carpal tunnel syndrome. Work 2000;14(2):137-44.

482. Katz JN, Keller RB, Simmons BP, Rogers WD, Bessette L, Fossel AH, Mooney NA. Maine Carpal Tunnel Study: outcomes of operative and nonoperative therapy for carpal tunnel syndrome in a community-based cohort [published erratum appears in J Hand Surg [Am] 1999 Jan;24(1):201]. J Hand Surg [Am] 1998 Jul;23(4):697-710.

483. Atroshi I, Breidenbach WC, McCabe SJ. Assessment of the carpal tunnel outcome instrument in patients with nerve-compression symptoms. J Hand Surg [Am] 1997 Mar;22(2):222-7.

484. Amadio PC, Silverstein MD, Ilstrup DM, Schleck CD, Jensen LM. Outcome assessment for carpal tunnel surgery: the relative responsiveness of generic, arthritis-specific, disease-specific, and physical examination measures. J Hand Surg [Am] 1996 May;21(3):338-46.

485. Valle JH, Mathers DM, Ramos-Remus C, Russell AS. Generic health instruments do not comprehensively capture patient perceived improvement in patients with carpal tunnel syndrome. J Rheumatol 1999;26(5):1163-6.

486. Atroshi I, Gummesson C, Johnsson R, Sprinchorn A. Symptoms, disability, and quality of life in patients with carpal tunnel syndrome. J Hand Surg [Am] 1999 Mar;24(2):398-404.

487. Bessette L, Sangha O, Kuntz KM, Keller RB, Lew RA, Fossel AH, Katz JN. Comparative responsiveness of generic versus disease-specific and weighted versus unweighted health status measures in carpal tunnel syndrome. Med Care 1998 Apr;36(4):491-502.

488. Katz JN, Punnett L, Simmons BP, Fossel AH, Mooney N, Keller RB. Workers' compensation recipients with carpal tunnel syndrome: the validity of self-reported health measures. Am J Public Health 1996 Jan;86(1):52-6.

489. Odusote K, Eisen A. An electrophysiological quantitation of the cubital tunnel syndrome. Can J Neurol Sci 1979 Nov;6(4):403-10.

490. Eisen A, Danon J. The mild cubital tunnel syndrome. Its natural history and indications for surgical intervention. Neurology 1974 Jul;24(7):608-13.

491. Posner MA. Compressive neuropathies of the ulnar nerve at the elbow and wrist. Instr Course Lect 2000;49:305-17.

492. MacLean IC. Carpal tunnel syndrome and cubital tunnel syndrome: The electrodiagnostic viewpoint. Med Probl Perform Art 1993 JUN;8(2):41-5.

493. Okamoto M, Abe M, Shirai H, Ueda N. Diagnostic ultrasonography of the ulnar nerve in cubital tunnel syndrome. J Hand Surg [Br] 2000 Oct;25B(5):499-502.

494. Rosenberg ZS, Beltran J, Cheung Y, Broker M. MR imaging of the elbow: normal variant and potential diagnostic pitfalls of the trochlear groove and cubital tunnel. AJR Am J Roentgenol 1995 Feb;164(2):415-8.

495. Ellemann K, Nielsen KD, Poulsgaard L, Smith T. Vibrotactilometry as a diagnostic tool in ulnar nerve entrapment at the elbow. Scand J Plast Reconstr Surg Hand Surg 1999 Mar;33(1):93-7.

496. Merlevede K, Theys P, van Hees J. Diagnosis of ulnar neuropathy: a new approach. Muscle Nerve 2000 Apr;23(4):478-81.

497. Chiou HJ, Chou YH, Cheng SP, Hsu CC, Chan RC, Tiu CM, Teng MM, Chang CY. Cubital tunnel syndrome: diagnosis by high-resolution ultrasonography. J Ultrasound Med 1998 Oct;17(10):643-8.

498. Britz GW, Haynor DR, Kuntz C, Goodkin R, Gitter A, Maravilla K, Kliot M. Ulnar nerve entrapment at the elbow: correlation of magnetic resonance imaging, clinical, electrodiagnostic, and intraoperative findings. Neurosurgery 1996 Mar;38(3):458-65; discussion 465.

499. Kingery WS, Park KS, Wu PB, Date ES. Electromyographic motor Tinel's sign in ulnar mononeuropathies at the elbow. Am J Phys Med Rehabil 1995 Nov-Dec;74:419-26.

500. Novak CB, Lee GW, Mackinnon SE, Lay L. Provocative testing for cubital tunnel syndrome. J Hand Surg [Am] 1994 Sep;19(5):817-20.

501. Uchida Y, Sugioka Y. The value of electrophysiological examination of the flexor carpi ulnaris muscle in the diagnosis of cubital tunnel syndrome. Electromyogr Clin Neurophysiol 1993 Sep;33(6):369-73.

502. Robinson D, Aghasi MK, Halperin N. Medial epicondylectomy in cubital tunnel syndrome: an electrodiagnostic study. J Hand Surg [Br] 1992 Jun;17(3):255-6.

503. Buehler MJ, Thayer DT. The elbow flexion test. A clinical test for the cubital tunnel syndrome. Clin Orthop 1988 Aug;(233):213-6.

504. Ring H, Costeff H, Solzi P. Criteria for preclinical diagnosis of the cubital tunnel syndrome. Electromyogr Clin Neurophysiol 1979 Sep-Oct;19(5):459-66.

505. Artico M, Pastore FS, Nucci F, Giuffre R. 290 surgical procedures for ulnar nerve entrapment at the elbow: physiopathology, clinical experience and results. Acta Neurochir (Wien) 2000;142(3):303-8.

506. Caputo AE, Watson HK. Subcutaneous anterior transposition of the ulnar nerve for failed decompression of cubital tunnel syndrome. J Hand Surg [Am] 2000 May;25(3):544-51.

507. Greenwald D, Moffitt M, Cooper B. Effective surgical treatment of cubital tunnel syndrome based on provocative clinical testing without electrodiagnostics. Plast Reconstr Surg 1999 Jul;104(1):215-8; quiz 219.

508. Tsai TM, Chen IC, Majd ME, Lim BH. Cubital tunnel release with endoscopic assistance: results of a new technique. J Hand Surg [Am] 1999 Jan;24(1):21-9.

509. Asami A, Morisawa K, Tsuruta T. Functional outcome of anterior transposition of the vascularized ulnar nerve for cubital tunnel syndrome. J Hand Surg [Br] 1998 Oct;23(5):613-6.

510. Seradge H, Owen W. Cubital tunnel release with medial epicondylectomy factors influencing the outcome. J Hand Surg [Am] 1998 May;23(3):483-91.

511. Glowacki KA, Weiss AP. Anterior intramuscular transposition of the ulnar nerve for cubital tunnel syndrome. J Shoulder Elbow Surg 1997 Mar-Apr;6(2):89-96.

512. Nouhan R, Kleinert JM. Ulnar nerve decompression by transposing the nerve and Z-lengthening the flexor-pronator mass: clinical outcome. J Hand Surg [Am] 1997 Jan;22(1):127-31.

513. Tada H, Hirayama T, Katsuki M, Habaguchi T. Long term results using a modified King's method for cubital tunnel syndrome. Clin Orthop 1997 Mar; (336):107-10.

514. Geutjens GG, Langstaff RJ, Smith NJ, Jefferson D, Howell CJ, Barton NJ. Medial epicondylectomy or ulnar-nerve transposition for ulnar neuropathy at the elbow? J Bone Joint Surg Br 1996 Sep;78B(5):777-9.

515. Steiner HH, von Haken MS, Steiner-Milz HG. Entrapment neuropathy at the cubital tunnel: simple decompression is the method of choice. Acta Neurochir (Wien) 1996;138(3):308-13.

516. Messina A, Messina JC. Transposition of the ulnar nerve and its vascular bundle for the entrapment syndrome at the elbow. J Hand Surg [Br] 1995 Oct;20(5):638-48.

517. Nathan PA, Keniston RC, Meadows KD. Outcome study of ulnar nerve compression at the elbow treated with simple decompression and an early programme of physical therapy. J Hand Surg [Br] 1995 Oct;20(5):628-37.

518. Pasque CB, Rayan GM. Anterior submuscular transposition of the ulnar nerve for cubital tunnel syndrome. J Hand Surg [Br] 1995 Aug;20(4):447-53.

519. Manske PR, Johnston R, Pruitt DL, Strecker WB. Ulnar nerve decompression at the cubital tunnel. Clin Orthop 1992 Jan;(274):231-7.

520. Barrios C, Ganoza C, de Pablos J, Canadell J. Posttraumatic ulnar neuropathy versus non-traumatic cubital tunnel syndrome: clinical features and response to surgery. Acta Neurochir (Wien) 1991;110(1-2):44-8.

521. Froimson AI, Anouchi YS, Seitz WH, Winsberg DD. Ulnar nerve decompression with medial epicondylectomy for neuropathy at the elbow. Clin Orthop 1991 Apr;(265):200-6.

522. Rogers MR, Bergfield TG, Aulicino PL. The failed ulnar nerve transposition. Etiology and treatment. Clin Orthop 1991 Aug;(269):193-200.

523. Heithoff SJ, Millender LH, Nalebuff EA, Petruska AJ Jr. Medial epicondylectomy for the treatment of ulnar nerve compression at the elbow. J Hand Surg [Am] 1990 Jan;15(1):22-9.

524. Goldberg BJ, Light TR, Blair SJ. Ulnar neuropathy at the elbow: results of medial epicondylectomy. J Hand Surg [Am] 1989 Mar;14(2 Pt 1):182-8.

525. Janes PC, Mann RJ, Farnworth TK. Submuscular transposition of the ulnar nerve. Clin Orthop 1989 Jan;(238):225-32.

526. Kleinman WB, Bishop AT. Anterior intramuscular transposition of the ulnar nerve. J Hand Surg [Am] 1989 Nov;14(6):972-9.

527. Friedman RJ, Cochran TP. Anterior transposition for advanced ulnar neuropathy at the elbow. Surg Neurol 1986 May;25(5):446-8.

528. Leffert RD. Anterior submuscular transposition of the ulnar nerves by the Learmonth technique. J Hand Surg [Am] 1982 Mar;7(2):147-55.

529. Foster RJ, Edshage S. Factors related to the outcome of surgically managed compressive ulnar neuropathy at the elbow level. J Hand Surg [Am] 1981 Mar;6(2):181-92.

530. Chan RC, Paine KW, Varughese G. Ulnar neuropathy at the elbow: comparison of simple decompression and anterior transposition. Neurosurgery 1980 Dec;7(6):545-50.

531. Craven PR Jr, Green DP. Cubital tunnel syndrome. Treatment by medial epicondylectomy. J Bone Joint Surg Am 1980 Sep;62(6):986-9.

532. Eaton RG, Crowe JF, Parkes JC. Anterior transposition of the ulnar nerve using a non-compressing fasciodermal sling. J Bone Joint Surg Am 1980 Jul;62(5):820-5.

533. Miller RG, Hummel EE. The cubital tunnel syndrome: treatment with simple decompression. Ann Neurol 1980 Jun;7(6):567-9.

534. Antoniadis G, Richter HP. Pain after surgery for ulnar neuropathy at the elbow: a continuing challenge. Neurosurgery 1997 Sep;41(3):585-9; discussion 589-91.

535. Gabel GT, Amadio PC. Reoperation for failed decompression of the ulnar nerve in the region of the elbow. J Bone Joint Surg Am 1990 Feb;72(2):213-9.

536. Torgerson WS. Theory and methods of scaling. New York (NY): John Wiley & Sons, Inc.; 1958. 460 p.

537. Campbell JB, Post KD, Morantz RA. A technique for relief of motor and sensory deficits occurring after anterior ulnar transposition. Technical note. J Neurosurg 1974 Mar;40(3):405-9.

538. Mannerfelt LG. Studies on ulnar nerve compression neuropathies with a new computerised instrument - the intrins-o-meter. Scand J Plast Reconstr Surg Hand Surg 1997 Sep;31(3):251-60.

539. Bimmler D, Meyer VE. Surgical treatment of the ulnar nerve entrapment neuropathy: submuscular anterior transposition or simple decompression of the ulnar nerve? Long-term results in 79 cases. Ann Chir Main Memb Super 1996;15(3):148-57.

540. Martin CE, Schweitzer ME. MR imaging of epicondylitis. Skeletal Radiol 1998 Mar;27(3):133-8.

541. Smith RW, Papadopolous E, Mani R, Cawley MI. Abnormal microvascular responses in a lateral epicondylitis. Br J Rheumatol 1994 Dec;33(12):1166-8.

542. Binder A, Parr G, Thomas PP, Hazleman B. A clinical and thermographic study of lateral epicondylitis. Br J Rheumatol 1983 May;22(2):77-81.

543. Pfahler M, Jessel C, Steinborn M, Refior HJ. Magnetic resonance imaging in lateral epicondylitis of the elbow. Arch Orthop Trauma Surg 1998;118(3):121-5.

544. Pienimaki T, Vanharanta H. Pain questionnaire, pain drawing and pressure pain thresholds in chronic lateral epicondylitis. Eur J Phys Med Rehabil 1998;8(1):3-9.

545. De Smet L, Fabry G. Grip force reduction in patients with tennis elbow: influence of elbow position. J Hand Ther 1997 Jul-Sep;10(3):229-31.

546. Pienimaki T, Siira P, Vanharanta H. Muscle function of the hand, wrist and forearm in chronic lateral epicondylitis. Eur J Phys Med Rehabil 1997;7(6):171-8.

547. Pienimaki TT, Kauranen K, Vanharanta H. Bilaterally decreased motor performance of arms in patients with chronic tennis elbow. Arch Phys Med Rehabil 1997 Oct;78(10):1092-5.

548. Potter HG, Hannafin JA, Morwessel RM, DiCarlo EF, O'Brien SJ, Altchek DW. Lateral epicondylitis: correlation of MR imaging, surgical, and histopathologic findings. Radiology 1995 Jul;196(1):43-6.

549. Benjamin SJ, Williams DA, Kalbfleisch JH, Gorman PW, Panus PC. Normalized forces and active range of motion in unilateral radial epicondylalgia (tennis elbow). J Orthop Sports Phys Ther 1999 Nov;29(11):668-76.

550. Bauer JA, Murray RD. Electromyographic patterns of individuals suffering from lateral tennis elbow. J Electromyogr Kinesiol 1999 Aug;9(4):245-52.

551. Hyland S, Nitschke J, Matyas TA. The extension-adduction test in chronic tennis elbow: soft tissue components and joint biomechanics. Aust J Physiother 1990;36(3):147-153.

552. Grundberg AB, Dobson JF. Percutaneous release of the common extensor origin for tennis elbow. Clin Orthop 2000 Jul;(376):137-40.

553. Bankes MJ, Jessop JH. Day-case simple extensor origin release for tennis elbow. Arch Orthop Trauma Surg 1998;117(4-5):250-1.

554. Organ SW, Nirschl RP, Kraushaar BS, Guidi EJ. Salvage surgery for lateral tennis elbow. Am J Sports Med 1997 Nov-Dec;25(6):746-50.

555. Gabel GT, Morrey BF. Operative treatment of medical epicondylitis. Influence of concomitant ulnar neuropathy at the elbow. J Bone Joint Surg Am 1995 Jul;77(7):1065-9.

556. Kurvers H, Verhaar J. The results of operative treatment of medial epicondylitis. J Bone Joint Surg Am 1995 Sep;77(9):1374-9.

557. Ollivierre CO, Nirschl RP, Pettrone FA. Resection and repair for medial tennis elbow. A prospective analysis. Am J Sports Med 1995 Mar-Apr;23(2):214-21.

558. Newey ML, Patterson MH. Pain relief following tennis elbow release. J R Coll Surg Edinb 1994 Feb;39(1):60-1.

559. Verhaar J, Walenkamp G, Kester A, van Mameren H, van der Linden T. Lateral extensor release for tennis elbow. A prospective long-term follow-up study. J Bone Joint Surg Am 1993 Jul;75A(7):1034-43.

560. Wittenberg RH, Schaal S, Muhr G. Surgical treatment of persistent elbow epicondylitis. Clin Orthop 1992 May;(278):73-80.

561. Vangsness CT Jr, Jobe FW. Surgical treatment of medial epicondylitis. Results in 35 elbows. J Bone Joint Surg Br 1991 May;73(3):409-11.

562. Tan PK, Lam KS, Tan SK. Results of modified Bosworth's operation for persistent or recurrent tennis elbow. Singapore Med J 1989 Aug;30(4):359-62.

563. Goldberg EJ, Abraham E, Siegel I. The surgical treatment of chronic lateral humeral epicondylitis by common extensor release. Clin Orthop 1988 Aug;(233):208-12.

564. Chotigavanich C. Surgical treatment of tennis elbow. J Med Assoc Thai 1986 Jun;69(6):301-8.

565. Calvert PT, Allum RL, Macpherson IS, Bentley G. Simple lateral release in treatment of tennis elbow. J R Soc Med 1985 Nov;78(11):912-5.

566. Baumgard SH, Schwartz DR. Percutaneous release of the epicondylar muscles for humeral epicondylitis. Am J Sports Med 1982 Jul-Aug;10(4):233-6.

567. O'Neil J, Sarkar K, Uhthoff HK. A retrospective study of surgically treated cases of tennis elbow. Acta Orthop Belg 1980 Mar-Apr;46(2):189-96.

568. Rosen MJ, Duffy FP, Miller EH, Kremchek EJ. Tennis elbow syndrome: results of the 'lateral release' procedure. Ohio State Med J 1980 Feb;76(2):103-9.

569. Simunovic Z, Trobonjaca T, Trobonjaca Z. Treatment of medial and lateral epicondylitis - tennis and golfer's elbow - with low level laser therapy: a multicenter double blind, placebo-controlled clinical study on 324 patients. J Clin Laser Med Surg 1998 Jun;16(3):145-51.

570. Burton AK. Grip strength and forearm straps in tennis elbow. Br J Sports Med 1985 Mar;19(1):37-8.

571. Heyse-Moore GH. Resistant tennis elbow. J Hand Surg [Br] 1984 Feb;9(1):64-6.

572. Rosenthal M. The application of an extract of human placenta in the treatment of rheumatic affections. Int J Tissue React 1982;4(2):147-51.

573. Day BH, Govindasamy N, Patnaik R. Corticosteroid injections in the treatment of tennis elbow. Practitioner 1978 Mar;220(1317):459-62.

574. Bailey RA, Brock BH. Hydrocortisone in tennis elbow - a controlled series. J R Soc Med 1957;50:389-90.

575. Molsberger A, Hille E. The analgesic effect of acupuncture in chronic tennis elbow pain. Br J Rheumatol 1994 Dec;33(12):1162-5.

576. Haker E, Lundeberg T. Acupuncture treatment in epicondylalgia: a comparative study of two acupuncture techniques. Clin J Pain 1990 Sep;6(3):221-6.

577. Wuori JL, Overend TJ, Kramer JF, MacDermid J. Strength and pain measures associated with lateral epicondylitis bracing. Arch Phys Med Rehabil 1998 Jul;79(7):832-7.

578. Forbes A, Hopper D. The effect of counterforce bracing on grip strength in tennis players with painful elbows. Aust J Physiother 1990;36(4):259-265.

579. Solveborn SA. Radial epicondylalgia ('tennis elbow'): treatment with stretching or forearm band. A prospective study with long-term follow-up including range-of-motion measurements. Scand J Med Sci Sports 1997 Aug;7(4):229-37.

580. Clements LG, Chow S. Effectiveness of a custom-made below elbow lateral counterforce splint in the treatment of lateral epicondylitis (tennis elbow). Can J Occup Ther 1993;60(3):137-144.

581. Rompe JD, Hope C, Kullmer K, Heine J, Burger R. Analgesic effect of extracorporeal shock-wave therapy on chronic tennis elbow. J Bone Joint Surg Br 1996 Mar;78B(2):233-7.

582. Rompe JD, Hopf C, Kullmer K, Heine J, Burger R, Nafe B. Low-energy extracorporal shock wave therapy for persistent tennis elbow. Int Orthop 1996;20(1):23-7.

583. Akermark C, Crone H, Elsasser U, Forsskahl B. Glycosaminoglycan polysulfate injections in lateral humeral epicondylalgia: a placebo-controlled double-blind trial. Int J Sports Med 1995 Apr;16(3):196-200.

584. Basford JR, Sheffield CG, Cieslak KR. Laser therapy: a randomized, controlled trial of the effects of low intensity Nd:YAG laser irradiation on lateral epicondylitis. Arch Phys Med Rehabil 2000 Nov;81(11):1504-10.

585. Papadopoulos ES, Smith RW, Cawley MI, Mani R. Low-level laser therapy does not aid the management of tennis elbow. Clin Rehabil 1996;10:9-11.

586. Krasheninnikoff M, Ellitsgaard N, Rogvi-Hansen B, Zeuthen A, Harder K, Larsen R, Gaardbo H. No effect of low power laser in lateral epicondylitis. Scand J Rheumatol 1994;23(5):260-3.

587. Vasseljen O Jr, Hoeg N, Kjeldstad B, Johnsson A, Larsen S. Low level laser versus placebo in the treatment of tennis elbow. Scand J Rehabil Med 1992;24(1):37-42.

588. Haker E, Lundeberg T. Is low-energy laser treatment effective in lateral epicondylalgia? J Pain Symp tom Manage 1991 May;6(4):241-6.

589. Haker EH, Lundeberg TC. Lateral epicondylalgia: report of noneffective midlaser treatment. Arch Phys Med Rehabil 1991 Nov;72(12):984-8.

590. Haker E, Lundeberg T. Laser treatment applied to acupuncture points in lateral humeral epicondylalgia. A double-blind study. Pain 1990 Nov;43(2):243-7.

591. Vasseljen O. Low-level laser versus traditional physiotherapy in the treatment of tennis elbow. Physiotherapy 1992;78:329-34.

592. Vicenzino B, Collins D, Wright A. The initial effects of a cervical spine manipulative physiotherapy treatment on the pain and dysfunction of lateral epicondylalgia. Pain 1996 Nov;68(1):69-74.

593. Drechsler WI, Knarr JF, Snyder-Mackler L. A comparison of two treatment regimens for lateral epicondylitis: a randomized trial of clinical interventions. J Sport Rehabil 1997;6(3):226-34.

594. Burton AK. A comparative trial of forearm strap and topical anti-inflammatory as adjuncts to manipulative therapy in tennis elbow. Man Med 1988;3(4):141-143.

595. Labelle H, Guibert R. Efficacy of diclofenac in lateral epicondylitis of the elbow also treated with immobilization. The University of Montreal Orthopaedic Research Group. Arch Fam Med 1997 May-Jun;6(3):257-62.

596. Adelaar RS, Maddy L, Emroch KS. Diflunisal vs Naproxen in the management of mild to moderate pain associated with epicondylitis. Adv Ther 1987;4:317-27.

597. Stull PA, Jokl P. Comparison of diflunisal and naproxen in the treatment of tennis elbow. Clin Ther 1986;9 Suppl C:62-6.

598. Devereaux MD, Hazleman BL, Thomas PP. Chronic lateral humeral epicondylitis - a double-blind controlled assessment of pulsed electromagnetic field therapy. Clin Exp Rheumatol 1985 Oct-Dec;3(4):333-6.

599. Pienimaki TT, Tarvainen TK, Siira PT, Vanharanta H. Progressive strengthening and stretching exercises and ultrasound for chronic lateral epicondylitis. Physiotherapy 1996;82(9):522-30.

600. Pienimaki T, Karinen P, Kemila T, Koivukangas P, Vanharanta H. Long-term follow-up of conservatively treated chronic tennis elbow patients. A prospective and retrospective analysis. Scand J Rehabil Med 1998 Sep;30(3):159-66.

601. Stahl S, KaufmanT. The efficacy of an injection of steroids for medical epicondylitis. A prospective study of sixty elbows. J Bone Joint Surg Br 1997;79-A:1648-1652.

602. Solveborn SA, Buch F, Mallmin H, Adalberth G. Cortisone injection with anesthetic additives for radial epicondylalgia (tennis elbow). Clin Orthop 1995 Jul;(316):99-105.

603. Price R, Sinclair H, Heinrich I, Gibson T. Local injection treatment of tennis elbow - hydrocortisone, triamcinolone and lignocaine compared. Br J Rheumatol 1991;30(1):39-44.

604. Kivi P. The etiology and conservative treatment of humeral epicondylitis. Scand J Rehabil Med 1982;15(1):37-41.

605. Clarke AK, Woodland J. Comparison of two steroid preparations used to treat tennis elbow, using the hypospray. Rheumatol Rehabil 1975 Feb;14(1):47-9.

606. Halle JS, Franklin RJ, Karalja BL. Comparison of four treatment approaches for lateral epicondylitis of the elbow. J Orthop Sports Phys Ther 1986;8:62-9.

607. Verhaar JA, Walenkamp GH, van Mameren H, Kester AD, van der Linden AJ. Local corticosteroid injection versus Cyriax-type physiotherapy for tennis elbow. J Bone Joint Surg Br 1995 Jan;77B(1):128-32.

608. Brattberg G. Acupuncture therapy for tennis elbow. Pain 1983 Jul;16(3):285-8.

609. Hay EM, Paterson SM, Lewis M, Hosie G, Croft P. Pragmatic randomised controlled trial of local corticosteroid injection and naproxen for treatment of lateral epicondylitis of elbow in primary care. BMJ 1999 Oct 9;319(7215):964-8.

610. Saartok T, Eriksson E. Randomized trial of oral naproxen or local injection of betamethasone in lateral epicondylitis of the humerus. Orthopedics 1986 Feb;9(2):191-4.

611. Haker E, Lundeberg T. Elbow-band, splintage and steroids in lateral epicondylagia (tennis elbow). Pain Clin 1993;6:103-12.

612. Johannsen F, Gam A, Hauschild B, Mathiesen B, Jensen L. Rebox: an adjunct in physical medicine? Arch Phys Med Rehabil 1993 Apr;74(4):438-40.

613. Percy EC, Carson JD. The use of DMSO in tennis elbow and rotator cuff tendonitis: a double-blind study. Med Sci Sports Exerc 1981;13(4):215-9.

614. Demirtas RN, Oner C. The treatment of lateral epicondylitis by iontophoresis of sodium salicylate and sodium diclofenac. Clin Rehabil 1998 Feb;12(1):23-9.

615. Schapira D, Linn S, Scharf Y. A placebo-controlled evaluation of diclofenac diethylamine salt in the treatment of lateral epicondylitis of the elbow. Curr Ther Res Clin Exp 1991;49(2):162-168.

616. Burnham R, Gregg R, Healy P, Steadward R. The effectiveness of topical diclofenac for lateral epicondylitis. Clin J Sport Med 1998 Apr;8(2):78-81.

617. Lundeberg T, Abrahamsson P, Haker E. A comparative study of continuous ultrasound, placebo ultrasound and rest in epicondylalgia. Scand J Rehabil Med 1988;20(3):99-101.

618. Binder A, Hodge G, Greenwood AM, Hazleman BL, Page Thomas DP. Is therapeutic ultrasound effective in treating soft tissue lesions? Br Med J (Clin Res Ed) 1985 Feb 16;290(6467):512-4.

619. Haker E, Lundeberg T. Pulsed ultrasound treatment in lateral epicondylalgia. Scand J Rehabil Med 1991;23(3):115-8.

620. Holdsworth LK, Anderson DM. Effectiveness of ultrasound used with a hydrocortisone coupling medium or epicondylitis clasp to treat lateral epicondylitis: pilot study. Physiotherapy 1993;79(1):19-25.

621. Stratford PW, Levy DR, Gauldie S, Miseferi D, Levy K. The evaluation of phonophoresis and friction massage as treatments for extensor carpi radialis tendinitis: a randomized controlled trial. Physiother Can 1989;41:93-9.

622. van der Windt DA, van der Heijden GJ, van den Berg SG, ter Riet G, de Winter AF, Bouter LM. Ultrasound therapy for musculoskeletal disorders: a systematic review. Pain 1999 Jun;81(3):257-71.

623. Klaiman MD, Shrader JA, Danoff JV, Hicks JE, Pesce WJ, Ferland J. Phonophoresis versus ultrasound in the treatment of common musculoskeletal conditions. Med Sci Sports Exerc 1998 Sep;30(9):1349-55.

624. Harding WG 3d. Use and misuse of the tennis elbow strap. Phys Sportsmed 1992;20(8):65-8, 71-4.

625. Struijs PA, Smidt N, Arola H, Dijk van CN, Buchbinder R, Assendelft WJ. Orthotic devices for tennis elbow. In: Cochrane Library [Cochrane review online]. Issue 2.Oxford: Update Software;2001. [19 p]. Available: http://www.cochranelibrary.com.

626. Almekinders LC, Temple JD. Etiology, diagnosis, and treatment of tendonitis: an analysis of the literature. Med Sci Sports Exerc 1998;30(8):1183-90.

627. NIH Consensus Development Panel on Acupuncture. Acupuncture. JAMA 1998 Nov 4;280(17):1518-24.

628. Seegenschmiedt MH, Keilholz L. Epicondylopathia humeri (EPH) and peritendinitis humeroscapularis (PHS): evaluation of radiation therapy long-term results and literature review. Radiother Oncol 1998 Apr;47(1):17-28.

629. Gerberich SG, Priest JD. Treatment for lateral epicondylitis: variables related to recovery. Br J Sports Med 1985 Dec;19(4):224-7.

630. Stratford PW, Levy DR, Gowland C. Evaluative properties of measures used to assess patients with lateral epicondylitis at the elbow. Physiother Can 1993;45(3):160-4.

631. Stratford P, Levy DR, Gauldie S, et al. Extensor carpi radialis tendonitis: a validation of selected outcome measures. Physiother Can 1987;39(4):250-5.

632. Overend TJ, Wuori-Fearn JL, Kramer JF, MacDermid JC. Reliability of a patient-rated forearm evaluation questionnaire for patients with lateral epicondylitis. J Hand Ther 1999 Jan-Mar;12(1):31-7.

633. Witt J, Pess G, Gelberman RH. Treatment of de Quervain tenosynovitis. A prospective study of the results of injection of steroids and immobilization in a splint. J Bone Joint Surg Am 1991 Feb;73(2):219-22.

634. Yuasa K, Kiyoshige Y. Limited surgical treatment of de Quervain's disease: decompression of only the extensor pollicis brevis subcompartment. J Hand Surg [Am] 1998 Sep;23(5):840-3.

635. Weiss AP, Akelman E, Tabatabai M. Treatment of de Quervain's disease. J Hand Surg [Am] 1994 Jul;19(4):595-8.

636. Buch-Jaeger N, Stutzmann-Simon S, Jesel M, Foucher G, Schuhl JF. Clinical outcome after surgical carpal tunnel release. Main 1998;3(3):195-202.

637. Chaudhry V, Clawson LL. Entrapment of motor nerves in motor neuron disease: does double crush occur? J Neurol Neurosurg Psychiatry 1997 Jan;62(1):71-6.

638. Richardson JK, Forman GM, Riley B. An electrophysiological exploration of the double crush hypothesis. Muscle Nerve 1999;22(1):71-77.

639. Grundberg AB, Reagan DS. Compression syndromes in reflex sympathetic dystrophy. J Hand Surg [Am] 1991 Jul;16(4):731-6.

640. Narakas AO. The role of thoracic outlet syndrome in the double crush syndrome. Ann Chir Main Memb Super 1990;9(5):331-40.

641. Bursell JP, Little JW, Stiens SA. Electrodiagnosis in spinal cord injured persons with new weakness or sensory loss: central and peripheral etiologies. Arch Phys Med Rehabil 1999;80(8):904-9.

642. Chung MS, Gong HS, Baek GH. Prevalence of Raynaud's phenomenon in patients with idiopathic carpal tunnel syndrome. J Bone Joint Surg Br 1999 Nov;81(6):1017-9.

643. Baba H, Maezawa Y, Uchida K, Furusawa N, Wada M, Imura S, Kawahara N, Tomita K. Cervical myeloradiculopathy with entrapment neuropathy: a study based on the double-crush concept. Spinal Cord 1998 Jun;36(6):399-404.

644. Morgan G, Wilbourn AJ. Cervical radiculopathy and distal entrapment neuropathies: Double-crush syndromes? Neurology 1998;50(1):78-83.

645. Guzel R, Sarpel T, Dogan B, Kozanoglu E, Goncu K. Double crush syndrome: presentation of 5 cases. Ann Med Sci 1997;6(1):57-60.

646. Moore LE, Wiesner SL. Hypnotically-induced vasodilation in the treatment of repetitive strain injuries. Am J Clin Hypn 1996 Oct;39(2):97-104.

647. Lanzetta M, Foucher G. Association of Wartenberg's syndrome and De Quervain's disease: a series of 26 cases. Plast Reconstr Surg 1995 Aug;96(2):408-12.

648. Nemchausky BA, Ubilluz RM. Upper extremity neuropathies in patients with spinal cord injuries. J Spinal Cord Med 1995 Apr;18(2):95-7.

649. Sie IH, Waters RL, Adkins RH, Gellman H. Upper extremity pain in the postrehabilitation spinal cord injured patient. Arch Phys Med Rehabil 1992 Jan;73(1):44-8.

650. Gonzalez F, Watson HK. Simultaneous carpal tunnel release and Dupuytren's fasciectomy. J Hand Surg [Br] 1991 May;16(2):175-8.

651. Wood VE, Biondi J. Double-crush nerve compression in thoracic-outlet syndrome. J Bone Joint Surg Am 1990 Jan;72(1):85-7.

652. Kerrigan JJ, Bertoni JM, Jaeger SH. Ganglion cysts and carpal tunnel syndrome. J Hand Surg [Am] 1988;13(5):763-765.

653. Osterman AL. The double crush syndrome. Orthop Clin North Am 1988 Jan;19(1):147-55.

654. Eason SY, Belsole RJ, Greene TL. Carpal tunnel release: analysis of suboptimal results. Hand 1985 Oct;10(3):365-9.

655. Hurst LC, Weissberg D, Carroll RE. The relationship of the double crush to carpal tunnel syndrome (an analysis of 1,000 cases of carpal tunnel syndrome). Hand 1985 Jun;10(2):202-4.

656. Bryar GE. Multiple nerve entrapments associated with carpal tunnel syndrome. A four year prospective study of 97 surgically treated patients. Int Angiol 1984;3(2):165-7.

657. Massey EW, Riley TL, Pleet AB. Coexistent carpal tunnel syndrome and cervical radiculopathy (double crush syndrome). South Med J 1981;74(8):957-959.

658. Nissenbaum M, Kleinert HE. Treatment considerations in carpal tunnel syndrome with coexistent Dupuytren's disease. J Hand Surg [Am] 1980 Nov;5(6):544-7.

659. Reinoehl R, Coates J, Russell D, Engst A, et al. The computer dilemma: harming the helpers. Cancer Nurs 1995;12(1-2):21-35.

660. Salazar PA, Knapp RK. Preferred and nonpreferred hand skill in performing four industrial tasks. Human Performance 1996;9(1):65-75.

661. U.S. Census Bureau. Current Population Survey. Washington (DC): U.S. Census Bureau; 2000 Sep 13. Table HINC-01. Selected characteristics of households, by total money income in 1999. p. 10. Also available: http://www.ferret.bls.census.gov/macro/023000/hhinc/new01_001.htm.

662. U.S. Bureau of Labor Statistics. 1998 National occupational employment and wage estimates. Washington (DC): U.S. Bureau of Labor Statistics. 1998 Jan 1. Also available: http://www.stats.bls.gov/oes/national/oes_sale.htm.

663. Current Population Reports, Series P-23, No 28, Series P-60, No. 68. Washington (DC): Poverty and Health Statistics Branch/HHES Division, U.S. Bureau of the Census; 2000 Sep 26. Table 1: weighted average poverty thresholds for families of specified size 1959-1999. p. 4. Also available: http://www.census.gov/hhes/poverty/histpov/hstpov1.html.

664. March Current Population Survey. Washington (DC): Income Statistics Branch/HHES Division, U.S. Census Bureau; 2000 Oct 30. Table H-9: Type of household -- households (all races) by median and mean income 1980 to 1999. p. 5. Also available: http://www.census.gov/hhes/income/histinc/h09.html.