References

Adelsberg BR. Sedation and performance issues in the treatment of allergic conditions. [Review]. Arch Intern Med 1997;157(5):494-500.

Alves B, Sheikh A, Hurwitz B, et al. Allergen injection immunotherapy for seasonal allergic rhinitis (Protocol for a Cochrane Review). In: The Cochrane Library, Issue 1, 2002. Oxford: Update Software.

American Academy of Allergy, Asthma & Immunology. The allergy report. Milwaukee, WI: American Academy of Allergy, Asthma & Immunology, Inc.; 2000.

Anderson HR, Pottier AC, Strachan DP. Asthma from birth to age 23: incidence and relation to prior and concurrent atopic disease. Thorax 1992;47(7):537-42.

Andri L, Senna GE, Betteli C, et al. Combined treatment of allergic rhinitis with terfenadine and nimesulide, a non-steroidal antiinflammatory drug. Allerg Immunol (Paris) 1992;24(8):313-4, 317-9.

Antonicelli L, Bilò MB, Pucci S, et al. Efficacy of an air-cleaning device equipped with a high efficiency particulate air filter in house dust mite respiratory allergy. Allergy 1991;46(8):594-600.

Ariano R, Kroon AM, Augeri G, et al. Long-term treatment with allergoid immunotherapy with Parietaria. Clinical and immunologic effects in a randomized, controlled trial. Allergy 1999;54(4):313-9.

Arvidsson MB, Löwhagen O, Rak S. Effect of 2-year placebo-controlled immunotherapy on airway symptoms and medication in patients with birch pollen allergy. J Allergy Clin Immunol 2002;109(5):777-83.

Backhouse CI, Finnamore VP, Gosden CW. Treatment of seasonal allergic rhinitis with flunisolide and terfenadine. J Int Med Res 1986;14(1):35-41.

Bellanti JA, Wallerstedt DB. Allergic rhinitis update: epidemiology and natural history. [Review]. Allergy Asthma Proc 2000;21(6):367-70.

Benincasa C, Lloyd RS. Evaluation of fluticasone propionate aqueous nasal spray taken alone and in combination with cetirizine in the prophylactic treatment of seasonal allergic rhinitis. Drug Invest 1994;8(4):225-33.

Berger WE, Fineman SM, Lieberman P, et al. Double-blind trials of azelastine nasal spray monotherapy versus combination therapy with loratadine tablets and beclomethasone nasal spray in patients with seasonal allergic rhinitis. Rhinitis Study Groups. Ann Allergy Asthma Immunol 1999;82(6):535-41.

Bernstein IL, Tennenbaum J, Georgakis N, et al. Fraction A: a new immunotherapeutic approach for ragweed pollinosis. Int Arch Allergy Appl Immunol 1976;50(2):181-91.

Bertrand B, Jamart J, Marchal JL, et al. Cetirizine and pseudoephedrine retard alone and in combination in the treatment of perennial allergic rhinitis: a double-blind multicentre study. Rhinology 1996;34(2):91-6.

Biostat. Comprehensive Meta-analysis [computer program]. Version 1.25. Englewood, NJ: Biostat; 1999.

Blainey AD, Phillips MJ, Ollier S, et al. Hyposensitization with a tyrosine adsorbed extract of Dermatophagoides pteronyssinus in adults with perennial rhinitis. A controlled clinical trial. Allergy 1984;39(7):521-8.

Blair H. Natural history of childhood asthma. 20-year follow-up. Arch Dis Child 1977;52(8):613-9.

Blaiss MS. Quality of life in allergic rhinitis. [Review]. Ann Allergy Asthma Immunol 1999;83(5):449-54.

Blanc PD, Trupin L, Eisner M, et al. The work impact of asthma and rhinitis: findings from a population-based survey. J Clin Epidemiol 2001;54(6):610-8.

Bødtger U, Poulsen LK, Jacobi HH, et al. The safety and efficacy of subcutaneous birch pollen immunotherapy -- a one-year, randomised, double-blind, placebo-controlled study. Allergy 2002;57:297-305.

Bousquet J, Bullinger M, Fayol C, et al. Assessment of quality of life in patients with perennial allergic rhinitis with the French version of the SF-36 Health Status Questionnaire. J Allergy Clin Immunol 1994;94(2 Pt 1):182-8.

Bousquet J, Frank E, Soussana M, et al. Double-blind, placebo-controlled immunotherapy with a high-molecular-weight, formalinized allergoid in grass pollen allergy. Int Arch Allergy Appl Immunol 1987;82(3-4):550-2.

Bousquet J, Hejjaoui A, Skassa-Brociek W, et al. Double-blind, placebo-controlled immunotherapy with mixed grass-pollen allergoids. I. Rush immunotherapy with allergoids and standardized orchard grass-pollen extract. J Allergy Clin Immunol 1987;80(4):591-8.

Bousquet J, Hejjaoui A, Soussana M, et al. Double-blind, placebo-controlled immunotherapy with mixed grass-pollen allergoids. IV. Comparison of the safety and efficacy of two dosages of a high-molecular-weight allergoid. J Allergy Clin Immunol 1990;85(2):490-7.

Bousquet J, Lockey R, Malling HJ. Allergen immunotherapy: therapeutic vaccines for allergic diseases. A WHO position paper. [Review]. J Allergy Clin Immunol 1998;102(4 Pt 1):558-62.

Bousquet J, Maasch HJ, Hejjaoui A, et al. Double-blind, placebo-controlled immunotherapy with mixed grass-pollen allergoids. III. Efficacy and safety of unfractionated and high-molecular-weight preparations in rhinoconjunctivitis and asthma. J Allergy Clin Immunol 1989;84(4 Pt 1):546-56.

Bousquet J, van Cauwenberge P, Khaltaev N, et al. Allergic rhinitis and its impact on asthma (ARIA). J Allergy Clin Immunol 2001;108:S147-336.

Briggs AH, O'Brien BJ. The death of cost-minimization analysis? [Review]. Health Econ 2001;10(2):179-84.

Bronsky E, Boggs P, Findlay S, et al. Comparative efficacy and safety of a once-daily loratadine-pseudoephedrine combination versus its components alone and placebo in the management of seasonal allergic rhinitis. J Allergy Clin Immunol 1995;96(2):139-47.

Brooks CD, Francom SF, Peel BG, et al. Spectrum of seasonal allergic rhinitis symptom relief with topical corticoid and oral antihistamine given singly or in combination. Am J Rhinol 1996;10(3):193-9.

Brooks CD, Karl KJ. Hay fever treatment with combined antihistamine and cyclooxygenase-inhibiting drugs. J Allergy Clin Immunol 1988;81(6):1110-7.

Brunet C, Bedard PM, Lavoie A, et al. Allergic rhinitis to ragweed pollen. I. Reassessment of the effects of immunotherapy on cellular and humoral responses. J Allergy Clin Immunol 1992;89(1 Pt 1):76-86.

Brydon M. The effectiveness of a peripatetic allergy nurse practitioner service in managing atopic allergy in general practice--a pilot study. Clin Exp Allergy 1993;23(12):1037-44.

Bukstein DA, Biondi RM, Blumenthal MM, et al. Tilarin in combination with astemizole. Allergy 1996;51(28 Suppl):20-7.

Burton WN, Conti DJ, Chen CY, et al. The impact of allergies and allergy treatment on worker productivity. J Occup Environ Med 2001;43(1):64-71.

Busse W, Janssens M, Eisen G. A multicenter, double-blind, randomized, placebo-controlled trial comparing the efficacy and tolerability of levocabastine-oxymetazoline nasal spray with levocabastine and oxymetazoline alone in the symptomatic treatment of seasonal allergic rhinitis. Am J Rhinol 1996;10(2):105-11.

Camilleri AE. Information leaflets in the rhinitis clinic? J Laryngol Otol 1991;105(4):282-4.

Centers for Disease Control and Prevention, National Center for Health Statistics. Current estimates from the National Health Interview Survey, 1996. Vital and Health Statistics, Series 10, No. 200. DHHS Publication No. (PHS) 99-1528. Hyattsville, MD: US Department of Health and Human Services. October 1999.

Cloosterman SG, Schermer TR, Bijl-Hofland ID, et al. Effects of house dust mite avoidance measures on Der p 1 concentrations and clinical condition of mild adult house dust mite-allergic asthmatic patients, using no inhaled steroids. Clin Exp Allergy 1999;29(10):1336-46.

Cockburn IM, Bailit HL, Berndt ER, et al. Loss of work productivity due to illness and medical treatment. J Occup Environ Med 1999a;41(11):948-53.

Cockburn IM, Bailit HL, Berndt ER, et al. Costing out care: when antihistamines go to work. Bus Health 1999b;17(3):49-50.

Cockcroft DW, Cuff MT, Tarlo SM, et al. Allergen injection therapy with glutaraldehyde-modified--ragweed pollen-tyrosine adsorbate. A double-blind trial. J Allergy Clin Immunol 1977;60(1):56-62.

Cohen J. Statistical power analysis for the behavioral sciences. Hillsdale, NJ: L. Erlbaum Associates; 1988.

Cook PR, Farias C. The safety of allergen immunotherapy: a literature review. [Review]. Ear Nose Throat J 1998;77(5):378-9, 383-8.

Corey JP, Kemker BJ, Branca JT, et al. Health status in allergic rhinitis. Otolaryngol Head Neck Surg 2000;122(5):681-5.

Creticos PS, Reed CE, Norman PS, et al. Ragweed immunotherapy in adult asthma. N Engl J Med 1996;334(8):501-6.

Crystal-Peters J, Crown WH, Goetzel RZ, et al. The cost of productivity losses associated with allergic rhinitis. Am J Manag Care 2000;6(3):373-8.

Cuffel B, Wamboldt M, Borish L, et al. Economic consequences of comorbid depression, anxiety, and allergic rhinitis. Psychosomatics 1999;40(6):491-6.

D'Souza MF, Pepys J, Wells ID, et al. Hyposensitization with Dermatophagoides pteronyssinus in house dust allergy: a controlled study of clinical and immunological effects. Clin Allergy 1973;3(2):177-93.

de Graaf-in 't Veld T, Koenders S, Garrelds IM, et al. The relationships between nasal hyperreactivity, quality of life, and nasal symptoms in patients with perennial allergic rhinitis. J Allergy Clin Immunol 1996;98(3):508-13.

Demoly P, Allaert F-A, Lecasble M, et al. ERASM, a pharmacoepidemiologic survey on management of intermittent allergic rhinitis in every day general medical practice in France. Allergy 2002;57:546-54.

Diamond L, Gerson K, Cato A, et al. An evaluation of triprolidine and pseudoephedrine in the treatment of allergic rhinitis. Ann Allergy 1981;47(2):87-91.

Dockhorn R, Aaronson D, Bronsky E, et al. Ipratropium bromide nasal spray 0.03% and beclomethasone nasal spray alone and in combination for the treatment of rhinorrhea in perennial rhinitis. Ann Allergy Asthma Immunol 1999;82(4):349-59.

Dockhorn RJ, Williams BO, Sanders RL. Efficacy of acrivastine with pseudoephedrine in treatment of allergic rhinitis due to ragweed. Ann Allergy Asthma Immunol 1996;76(2):204-8.

Dolz I, Martinez-Cocera C, Bartolome JM, et al. A double-blind, placebo-controlled study of immunotherapy with grass-pollen extract Alutard SQ during a 3-year period with initial rush immunotherapy. Allergy 1996;51(7):489-500.

Donahue JG, Greineder DK, Connor-Lacke L, et al. Utilization and cost of immunotherapy for allergic asthma and rhinitis. Ann Allergy Asthma Immunol 1999;82(4):339-47.

Drouin MA, Yang WH, Horak F, et al. Adding loratadine to topical nasal steroid therapy improves moderately severe seasonal allergic rhinoconjunctivitis. Adv Ther 1995;12(6):340-9.

Durham SR, Walker SM, Varga EM, et al. Long-term clinical efficacy of grass-pollen immunotherapy. N Engl J Med 1999;341(7):468-75.

European Agency for Evaluation of Medicinal Products. Committee for Proprietary Medicinal Products European Public Assessment Report (EPAR): Neoclarityn. 2001. Available at: http://www.eudra.org/humandocs/humans/epar/neoclarityn/neoclarityn.htm. Accessed August 31, 2002.

Ewan PW, Alexander MM, Snape C, et al. Effective hyposensitization in allergic rhinitis using a potent partially purified extract of house dust mite. Clin Allergy 1988;18(5):501-8.

Fagan JK, Scheff PA, Hryhorczuk D, et al. Prevalence of asthma and other allergic diseases in an adolescent population: association with gender and race. Ann Allergy Asthma Immunol 2001;86(2):177-84.

Falliers CJ, Redding MA. Controlled comparison of anew antihistamine-decongestant combination to its individual components. Ann Allergy 1980;45(2):75-80.

Fell WR, Mabry RL, Mabry CS. Quality of life analysis of patients undergoing immunotherapy for allergic rhinitis. Ear Nose Throat J 1997;76(8):528-32, 534-6.

Finn AF Jr, Aaronson D, Korenblat P, et al. Ipratropium bromide nasal spray 0.03% provides additional relief from rhinorrhea when combined with terfenadine in perennial rhinitis patients; a randomized, double-blind, active-controlled trial. Am J Rhinol 1998;12(6):441-9.

Fornadley JA, Corey JP, Osguthorpe JD, et al. Allergic rhinitis: clinical practice guideline. Committee on Practice Standards, American Academy of Otolaryngic Allergy. Otolaryngol Head Neck Surg 1996;115(1):115-22.

Francillon C, Burnand B, Frei P, et al. Referral pattern to the allergist for hay fever in a health-care system with open access to specialists. Allergy 1995;50(12):959-63.

Gabriel M Sister, Ng HK, Allan W G, et al. Study of prolonged hyposensitization with D. pteronyssinus extract in allergic rhinitis. Clin Allergy 1977;7(4):325-39.

Gani F, Pozzi E, Crivellaro MA, et al. The role of patient training in the management of seasonal rhinitis and asthma: clinical implications. Allergy 2001;56:65-8.

Geller-Bernstein C, Pibourdin JM, Dornelas A, et al. Efficacy of the acaricide: acardust for the prevention of asthma and rhinitis due to dust mite allergy, in children. Allerg Immunol (Paris) 1995;27(5):147-54.

Gilmore TM, Alexander BH, Mueller BA, et al. Occupational injuries and medication use. Am J Industrial Med 1996;30(2):234-9.

Gøtzsche PC, Johansen HK, Hammarquist C, et al. House dust mite control measures for asthma (Cochrane Review). In: The Cochrane Library, Issue 2, 2001. Oxford: Update Software.

Grammer LC, Shaughnessy MA, Bernhard MI, et al. The safety and activity of polymerized ragweed: a double-blind, placebo-controlled trial in 81 patients with ragweed rhinitis. J Allergy Clin Immunol 1987;80(2):177-83.

Grammer LC, Shaughnessy MA, Suszko IM, et al. A double-blind histamine placebo-controlled trial of polymerized whole grass for immunotherapy of grass allergy. J Allergy Clin Immunol 1983;72(5 Pt 1):448-53.

Grammer LC, Zeiss CR, Suszko IM, et al. A double-blind, placebo-controlled trial of polymerized whole ragweed for immunotherapy of ragweed allergy. J Allergy Clin Immunol 1982;69(6):494-9.

Grosclaude M, Mees K, Pinelli ME, et al. Cetirizine and pseudoephedrine retard, given alone or in combination, in patients with seasonal allergic rhinitis. Rhinology 1997;35(2):67-73.

Henauer S, Seppey M, Huguenot C, et al. Effects of terfenadine and pseudoephedrine, alone and in combination in a nasal provocation test and in perennial rhinitis. Eur J Clin Pharmacol 1991;41(4):321-4.

Hirsch SR, Kalbfleisch JH, Cohen SH. Comparison of Rinkel injection therapy with standard immunotherapy. J Allergy Clin Immunol 1982;70(3):183-90.

Hirsch SR, Kalbfleisch JH, Golbert TM, et al. Rinkel injection therapy: a multicenter controlled study. J Allergy Clin Immunol 1981;68(2):133-55.

Huss RW, Huss K, Squire EN, et al. Mite allergen control with acaricide fails. J Allergy Clin Immunol 1994;94(1):27-32.

Iliopoulos O, Proud D, Adkinson NF, et al. Effects of immunotherapy on the early, late, and rechallenge nasal reaction to provocation with allergen: changes in inflammatory mediators and cells. J Allergy Clin Immunol 1991;87(4):855-66.

Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology. Diagnosis and management of rhinitis: complete guidelines of the Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology. Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology, representing the American Academy of Allergy, Asthma and Immunology; the American College of Allergy, Asthma and Immunology; and the Joint Council of Allergy, Asthma and Immunology. Ann Allergy Asthma Immunol 1998;81(5 Pt 2):478-518.

Jüni P, Witschi A, Bloch R, et al. The hazards of scoring the quality of clinical trials for meta-analysis. JAMA 1999;282(11):1054-60.

Juniper EF. Measuring health-related quality of life in rhinitis. [Review]. J Allergy Clin Immunol 1997;99(2):S742-9.

Juniper EF, Guyatt GH. Development and testing of a new measure of health status for clinical trials in rhinoconjunctivitis. Clin Exp Allergy 1991;21(1):77-83.

Juniper EF, Kline PA, Hargreave FE, et al. Comparison of beclomethasone dipropionate aqueous nasal spray, astemizole, and the combination in the prophylactic treatment of ragweed pollen-induced rhinoconjunctivitis. J Allergy Clin Immunol 1989;83(3):627-33.

Juniper EF, Kline PA, Ramsdale EH, et al. Comparison of the efficacy and side effects of aqueous steroid nasal spray (budesonide) and allergen-injection therapy (Pollinex-R) in the treatment of seasonal allergic rhinoconjunctivitis. J Allergy Clin Immunol 1990;85(3):606-11.

Keith PK, Haddon J, Birch S. A cost-benefit analysis using a willingness-to-pay questionnaire of intranasal budesonide for seasonal allergic rhinitis. Rhinocort Study Group. Ann Allergy Asthma Immunol 2000;84(1):55-62.

Kessler RC, Almeida DM, Berglund P, et al. Pollen and mold exposure impairs the work performance of employees with allergic rhinitis. Ann Allergy Asthma Immunol 2001;87(10):289-95.

Kniest FM, Young E, Van Praag MC, et al. Clinical evaluation of a double-blind dust-mite avoidance trial with mite-allergic rhinitic patients. Clin Exp Allergy 1991;21(1):39-47.

Kooistra JB, Pasch R, Reed CE. The effects of air cleaners on hay fever symptoms in air-conditioned homes. J Allergy Clin Immunol 1978;61(5):315-9.

Kozma CM, Schulz RM, Sclar DA, et al. A comparison of costs and efficacy of intranasal fluticasone propionate and terfenadine tablets for seasonal allergic rhinitis. Clin Ther 1996;18(2):334-46.

Kroidl RF, Göbel D, Balzer D, et al. Clinical effects of benzyl benzoate in the prevention of house-dust-mite allergy. Results of a prospective, double-blind, multicenter study. Allergy 1998;53(4):435-40.

Krouse JH, Krouse HJ. Patient use of traditional and complementary therapies in treating rhinosinusitis before consulting an otolaryngologist. Laryngoscope 1999;109(8):1223-7.

Krouse JH, Krouse HJ. Efficacy of immunotherapy based on skin end-point titration. Otolaryngol Head Neck Surg 2000;123(3):183-7.

Lane AP, Pine HS, Pillsbury HC III. Allergy testing and immunotherapy in an academic otolaryngology practice: a 20-year review. Otolaryngol Head Neck Surg 2001;124(1):9-15.

Lanier BQ, Gross RD, Marks BB, et al. Olopatadine ophthalmic solution adjunctive to loratadine compared with loratadine alone in patients with active seasonal allergic conjunctivitis symptoms. Ann Allergy Asthma Immunol 2001;86(6):641-8.

Lau SK, Wei WI, Van Hasselt CA, et al. A clinical comparison of budesonide nasal aerosol, terfenadine and a combined therapy of budesonide and oxymetazoline in adult patients with perennial rhinitis. Asian Pac J Allergy Immunol 1990;8(2):109-15.

Lebowitz MD, Cassell EJ, McCarroll J. Health and the urban environment. XI. The incidence and burden of minor illness in a healthy population: methods, symptoms, and incidence. Am Rev Respir Dis 1972;106(6):824-34.

Lee J, Cummins G, Okamoto L. A descriptive analysis of the use and cost of new-generation antihistamines in the treatment of allergic rhinitis: a retrospective database analysis. Am J Manag Care 2001;7(4 Suppl):S103-12.

Leickly FE, Sears-Ewald D, Ownby DR. A comparative cost-effectiveness study of two treatment modalities for ragweed hay fever. Am J Rhinol 1989;3(2):99-104.

Leynadier F, Banoun L, Dollois B, et al. Immunotherapy with a calcium phosphate-adsorbed five-grass-pollen extract in seasonal rhinoconjunctivitis: a double-blind, placebo-controlled study. Clin Exp Allergy 2001;31(7):988-96.

Liao E, Leahy M, Cummins G. The costs of nonsedating antihistamine therapy for allergic rhinitis in managed care: an updated analysis. Am J Manag Care 2001;7(15 Suppl):S459-68.

Lichtenstein LM, Norman PS, Winkenwerder WL. A single year of immunotherapy for ragweed hay fever. Immunologic and clinical studies. Ann Intern Med 1971;75(5):663-71.

Long A, McFadden C, DeVine D, et al. Management of allergic and nonallergic rhinitis. Evidence Report/Technology Assessment No. 54 (Prepared by New England Medical Center Evidence-based Practice Center under Contract No. 290-97-0019). AHRQ Publication No. 02-E024. Rockville, MD: Agency for Healthcare Research and Quality. May 2002.

Lower T, Henry J, Mandik L, et al. Compliance with allergen immunotherapy. Ann Allergy 1993;70(6):480-2.

Lundback B. Epidemiology of rhinitis and asthma. [Review]. Clin Exp Allergy 1998;(Suppl 2):3-10.

Mackowiak JI. The health and economic impact of rhinitis. Am J Manag Care 1997;3:S8-S18.

Malone DC, Lawson KA, Smith DH, et al. A cost of illness study of allergic rhinitis in the United States. J Allergy Clin Immunol 1997;99(1 Pt 1):22-7.

Manor O, Matthews S, Power C. Self-rated health and limiting longstanding illness: inter-relationships with morbidity in early adulthood. Int J Epidemiol 2001;30(3):600-7.

McAllen MK. Hyposensitisation in grass pollen hay fever. A double blind trial of alumn precipitated pollen extract and depot emulsion pollen extract compared with placebo injections. Acta Allergol 1969;24(6):421-31.

McMenamin P. Costs of hay fever in the United States in 1990. Ann Allergy 1994;73(1):35-9.

Meltzer EO, Casale TB, Nathan RA, et al. Once-daily fexofenadine HCl improves quality of life and reduces work and activity impairment in patients with seasonal allergic rhinitis. Ann Allergy Asthma Immunol 1999;83(4):311-7.

Meran A, Morse J, Gibbs TG. A cross-over comparison of acrivastine, pseudoephedrine and their combination in seasonal allergic rhinitis. Rhinology 1990;28(1):33-40.

Moher D, Cook DJ, Jadad AR, et al. Assessing the quality of randomised trials: current issues and future directions. Int J Tech Assess Health Care 1996;12(2):195-208.

Moher D, Schulz KF, Altman D, et al. The CONSORT statement: revised recommendations for improving the quality of reports of parallel-group randomized trials. [Review]. JAMA 2001;285(15):1987-91.

Möller C, Dreborg S, Ferdousi HA, et al. Pollen immunotherapy reduces the development of asthma in children with seasonal rhinoconjunctivitis (the PAT-study). J Allergy Clin Immunol 2002;109(2):251-6.

Moon JS, Choi SO. Environmental controls in reducing house dust mites and nasal symptoms in patients with allergic rhinitis. Yonsei Med J 1999;40(3):238-43.

Mosbech H, Osterballe O. Does the effect of immunotherapy last after termination of treatment? Follow-up study in patients with grass pollen rhinitis. Allergy 1988;43(7):523-9.

Naclerio R, Solomon W. Rhinitis and inhalant allergens. [Review]. JAMA 1997;278(22):1842-8.

Naclerio RM, Proud D, Moylan B, et al. A double-blind study of the discontinuation of ragweed immunotherapy. J Allergy Clin Immunol 1997;100(3):293-300.

Nash DB, Sullivan SD, Mackowiak J. Optimizing quality of care and cost effectiveness in treating allergic rhinitis in a managed care setting. Am J Manag Care 2000;6(1 Suppl):S3-15; quiz S19-20.

National Heart Lung and Blood Institute. Practical guide for the diagnosis and management of asthma. NIH Publication No. 97-4053. Rockville, MD: National Institutes of Health, 1997.

National Institute of Allergy and Infectious Diseases, National Institutes of Health. Allergy statistics. NIAID Fact Sheet. Bethesda, MD: National Institute of Allergy and Infectious Diseases. January 2002.

National Institutes of Health. Fighting seasonal allergies. NIH Word on Health. Bethesda, MD: National Institutes of Health. June 2002.

Negrini AC, Troise C, Voltolini S, et al. Oral antihistamine/decongestant treatment compared with intranasal corticosteroids in seasonal allergic rhinitis. Clin Exp Allergy 1995;25(1):60-5.

Nimmagadda SR, Evans R 3rd. Allergy: etiology and epidemiology. [Review]. Pediatr Rev 1999;20(4):111-5; quiz 116.

Norman PS, Lichtenstein LM, Kagey-Sobotka A, et al. Controlled evaluation of allergoid in the immunotherapy of ragweed hay fever. J Allergy Clin Immunol 1982;70(4):248-60.

Ortolani C, Pastorello EA, Incorvaia C, et al. A double-blind, placebo-controlled study of immunotherapy with an alginate-conjugated extract of Parietaria judaica in patients with Parietaria hay fever. Allergy 1994;49(1):13-21.

Oxford Centre for Evidence-based Medicine. Levels of evidence. May 2001. Produced by Phillips B, Ball C, Sackett D, et al., since November 1998. Available at: http://163.1.96.10/docs/levels.html#levels. Accessed May 30, 2002.

Panda NK, Mann SB. Comparative efficacy and safety of terfenadine with pseudoephedrine and terfenadine alone in allergic rhinitis. Otolaryngol Head Neck Surg 1998;118(2):253-5.

Parikh A, Scadding GK. Seasonal allergic rhinitis. BMJ 1997;314:1392-5.

Parker WA, Whisman BA, Apaliski SJ, et al. The relationships between late cutaneous responses and specific antibody responses with outcome of immunotherapy for seasonal allergic rhinitis. J Allergy Clin Immunol 1989;84(5 Pt 1):667-77.

Pastorello EA, Pravettoni V, Incorvaia C, et al. Clinical and immunological effects of immunotherapy with alum-absorbed grass allergoid in grass-pollen-induced hay fever. Allergy 1992;47(4 Pt 1):281-90.

Pedersen PA, Weeke ER. Asthma and allergic rhinitis in the same patients. Allergy 1983;38(1):25-9.

Pence HL, Mitchell DQ, Greely RL, et al. Immunotherapy for mountain cedar pollinosis. A double-blind controlled study. J Allergy Clin Immunol 1976;58(1 Pt 1):39-50.

Petersson G. Allergy practice and the otolaryngologist. Curr Opin Otolaryngol Head Neck Surg 1995;3(3):218-23.

Purello-D'Ambrosio F, Isola S, Ricciardi L, et al. A controlled study on the effectiveness of loratadine in combination with flunisolide in the treatment of nonallergic rhinitis with eosinophilia (NARES). Clin Exp Allergy 1999;29(8):1143-7.

Radcliffe MJ, Lampe FC, Brostoff J. Allergen-specific low-dose immunotherapy in perennial allergic rhinitis: a double-blind placebo-controlled crossover study. J Investig Allergol Clin Immunol 1996;6(4):242-7.

Ragusa FV, Passalacqua G, Gambardella R, et al. Nonfatal systemic reactions to subcutaneous immunotherapy: a 10-year experience. J Investig Allergol Clin Immunol 1997;7(3):151-4.

Rak S, Heinrich C, Jacobsen L, et al. A double-blinded, comparative study of the effects of short preseason specific immunotherapy and topical steroids in patients with allergic rhinoconjunctivitis and asthma. J Allergy Clin Immunol 2001;108(6):921-8.

Ratner PH, van Bavel JH, Martin BG, et al. A comparison of the efficacy of fluticasone propionate aqueous nasal spray and loratadine, alone and in combination, for the treatment of seasonal allergic rhinitis. J Fam Pract 1998;47(2):118-25.

Ray NF, Baraniuk JN, Thamer M, et al. Direct expenditures for the treatment of allergic rhinoconjunctivitis in 1996, including the contributions of related airway illnesses. J Allergy Clin Immunol 1999;103(3 Pt 1):401-7.

Reilly MC, Tanner A, Meltzer EO. Work, classroom and activity impairment instruments: validation studies in allergic rhinitis. Clin Drug Invest 1996;11:278-88.

Reisman RE, Mauriello PM, Davis GB, et al. A double-blind study of the effectiveness of a high-efficiency particulate air (HEPA) filter in the treatment of patients with perennial allergic rhinitis and asthma. J Allergy Clin Immunol 1990;85(6):1050-7.

Revicki DA, Leidy NK, Brennan-Diemer F, et al. Development and preliminary validation of the multiattribute Rhinitis Symptom Utility Index. Qual Life Res 1998;7(8):693-702.

Ross RN. The costs of allergic rhinitis. Am J Manag Care 1996;2:285-90.

Ross RN, Nelson HS, Finegold I. Effectiveness of specific immunotherapy in the treatment of allergic rhinitis: an analysis of randomized, prospective, single- or double-blind, placebo-controlled studies. Clin Ther 2000;22(3):342-50.

Royal College of Physicians, Royal College of Pathologists. Good allergy practice--standards of care for providers and purchasers of allergy services within the National Health Service. Clin Exp Allergy 1995;25(7):586-95.

Santilli J, Nathan R, Glassheim J, et al. Patients receiving immunotherapy report it is effective as assessed by the rhinitis outcomes questionnaire (ROQ) in a private practice setting. Ann Allergy Asthma Immunol 2001;86(2):219-21.

Santos R, Cifaldi M, Gregory C, et al. Economic outcomes of a targeted intervention program: the costs of treating allergic rhinitis patients. Am J Manag Care 1999;5(4 Suppl):S225-34.

Scadding GK, Richards DH, Price MJ. Patient and physician perspectives on the impact and management of perennial and seasonal allergic rhinitis. Clin Otolaryngol Allied Sci 2000;25(6):551-7.

Schädlich PK, Brecht JG. Economic evaluation of specific immunotherapy versus symptomatic treatment of allergic rhinitis in Germany. Pharmacoeconomics 2000;17:37-52.

Settipane GA. Allergic rhinitis--update. Otolaryngol Head Neck Surg 1986;94(4):470-5.

Settipane RJ, Hagy GW, Settipane GA. Long-term risk factors for developing asthma and allergic rhinitis: a 23-year follow-up study of college students. [Review]. Allergy Proc 1994;15(1):21-5.

Shapiro GG, Wighton TG, Chinn T, et al. House dust mite avoidance for children with asthma in homes of low-income families. J Allergy Clin Immunol 1999;103(6):1069-74.

Sheikh A, Hurwitz B. House dust mite avoidance measures for perennial allergic rhinitis (Cochrane Review). In: The Cochrane Library, Issue 1, 2002. Oxford: Update Software.

Simpson RJ. Budesonide and terfenadine, separately and in combination, in the treatment of hay fever. Ann Allergy 1994;73(6):497-502.

Skoner DP. Allergic rhinitis: definition, epidemiology, pathophysiology, detection, and diagnosis. [Review]. J Allergy Clin Immunol 2001;108(1 Suppl):S2-8.

Spector SL. Overview of comorbid associations of allergic rhinitis. [Review]. J Allergy Clin Immunol 1997;99(2):S773-80.

Stahl E, van Rompay W, Wang EC, et al. Cost-effectiveness analysis of budesonide aqueous nasal spray and fluticasone propionate nasal spray in the treatment of perennial allergic rhinitis. Ann Allergy Asthma Immunol 2000;84(4):397-402.

Storms W, Meltzer EO, Nathan RA, et al. The economic impact of allergic rhinitis. J Allergy Clin Immunol 1997;99:S820-4.

Strachan D, Sibbald B, Weiland S, et al. Worldwide variations in prevalence of symptoms of allergic rhinoconjunctivitis in children: the International Study of Asthma and Allergies in Childhood (ISAAC). Ped Allergy Immunol 1997;8(4):161-76.

Stroup DF, Berlin JA, Morton SC, et al. Meta-analysis of observational studies in epidemiology: a proposal for reporting. Meta-analysis Of Observational Studies in Epidemiology (MOOSE) group. [Review]. JAMA 2000;283(15):2008-12.

Sullivan SD, Weiss KB. Health economics of asthma and rhinitis. II. Assessing the value of interventions. J Allergy Clin Immunol 2001;107(2):203-10.

Sussman GL, Mason J, Compton D, et al. The efficacy and safety of fexofenadine HCl and pseudoephedrine, alone and in combination, in seasonal allergic rhinitis. J Allergy Clin Immunol 1999;104(1):100-6.

Tanner LA, Reilly M, Meltzer EO, et al. Effect of fexofenadine HCl on quality of life and work, classroom, and daily activity impairment in patients with seasonal allergic rhinitis. Am J Manag Care 1999;5(4 Suppl):S235-47.

The SAS Institute. The SAS System for Windows [computer program]. Release 8.02. Cary, NC: The SAS Institute, Inc.; 2001.

Thompson AK, Juniper E, Meltzer EO. Quality of life in patients with allergic rhinitis. [Review]. Ann Allergy Asthma Immunol 2000;85(5):338-48.

Trotter JP. The treatment of seasonal allergic rhinitis: cost implications of pharmacotherapy for managed care. Manag Care Interface 2000;13(1):60-2.

Trotto NE. Asthma, rhinitis, sinusitis, urticaria. Patient Care 1999;33(1):115-39.

Turkeltaub PC, Gergen PJ. Prevalence of upper and lower respiratory conditions in the US population by social and environmental factors: data from the second National Health and Nutrition Examination Survey, 1976 to 1980 (NHANES II). Ann Allergy 1991;67(2 Pt 1):147-54.

Van Metre TE, Adkinson NF, Amodio FJ, et al. A comparison of immunotherapy schedules for injection treatment of ragweed pollen hay fever. J Allergy Clin Immunol 1982;69(2):181-93.

Van Metre TE, Adkinson NF Jr, Amodio FJ, et al. A comparative study of the effectiveness of the Rinkel method and the current standard method of immunotherapy for ragweed pollen hay fever. J Allergy Clin Immunol 1980;66(6):500-13.

Varney VA, Gaga M, Frew AJ, et al. Usefulness of immunotherapy in patients with severe summer hay fever uncontrolled by antiallergic drugs. BMJ 1991;302(6771):265-9.

Vuurman EFPM, van Veggel LMA, Sanders RL, et al. Effects of Semprex-D and diphenhydramine on learning in young adults with seasonal allergic rhinitis. Ann Allergy Asthma Immunol 1996;76(3):247-52.

Walker SM, Pajno GB, Lima MT, et al. Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial. J Allergy Clin Immunol 2001;107(1):87-93.

Weiler JM, Bloomfield JR, Woodworth GG, et al. Effects of fexofenadine, diphenhydramine, and alcohol on driving performance. A randomized, placebo-controlled trial in the Iowa driving simulator. Ann Intern Med 2000;132(5):354-63.

Weiss KB, Sullivan SD. The health economics of asthma and rhinitis. I. Assessing the economic impact. [Review]. J Allergy Clin Immunol 2001;107(1):3-8.

Weyer A, Donat N, L'Heritier C, et al. Grass pollen hyposensitization versus placebo therapy. I. Clinical effectiveness and methodological aspects of a pre-seasonal course of desensitization with a four-grass pollen extract. Allergy 1981;36(5):309-17.

White P, Smith H, Baker N, et al. Symptom control in patients with hay fever in UK general practice: how well are we doing and is there a need for allergen immunotherapy? Clin Exp Allergy 1998;28(3):266-70.

Williams BO, Hull H, McSorley P, et al. Efficacy of acrivastine plus pseudoephedrine for symptomatic relief of seasonal allergic rhinitis due to mountain cedar. Ann Allergy Asthma Immunol 1996;76(5):432-8.

Wilson A, Dempsey OJ, Sims EJ, et al. Evaluation of treatment response in patients with seasonal allergic rhinitis using domiciliary nasal peak inspiratory flow. Clin Exp Allergy 2000;30(6):833-8.

Wood RA, Johnson EF, Van Natta ML, et al. A placebo-controlled trial of a HEPA air cleaner in the treatment of cat allergy. Am J Respir Crit Care Med 1998;158(1):115-20.

Yawn BP, Yunginger JW, Wollan PC, et al. Allergic rhinitis in Rochester, Minnesota residents with asthma: frequency and impact on health care charges. J Allergy Clin Immunol 1999;103(1 Pt 1):54-9.

Zeiger RS, Schatz M. Effect of allergist intervention on patient-centered and societal outcomes: allergists as leaders, innovators, and educators. [Review]. J Allergy Clin Immunol 2000;106(6):995-1018.

Zenner HP, Baumgarten C, Rasp G, et al. Short-term immunotherapy: a prospective, randomized, double-blind, placebo-controlled multicenter study of molecular standardized grass and rye allergens in patients with grass pollen-induced allergic rhinitis. J Allergy Clin Immunol 1997; 100(1):23-9.