Bibliography

Aabel S. No beneficial effect of isopathic prophylactic treatment for birch pollen allergy during a low-pollen season: a double-blind, placebo-controlled clinical trial of homeopathic Betula 30c. Br Homeopath J 2000;89(4):169-73.

Aabel S. Prophylactic and acute treatment with the homeopathic medicine, Betula 30c for birch pollen allergy: a double-blind, randomized, placebo-controlled study of consistency of VAS responses. Br Homeopath J 2001;90(2):73-8.

Aabel S, Laerum E, Dolvik S, et al. Is homeopathic 'immunotherapy' effective? A double-blind, placebo-controlled trial with the isopathic remedy Betula 30c for patients with birch pollen allergy. Br Homeopath J 2000;89(4):161-8.

Aalbers R, Kauffman HF, Groen H, et al. The effect of nedocromil sodium on the early and late reaction and allergen-induced bronchial hyperresponsiveness. J Allergy Clin Immunol 1991;87(5):993-1001.

Aaronson DW. Side effects of rhinitis medications. J Allergy Clin Immunol 1998;101(2 II):S379-S382.

Abd-El-Al AM, Bayoumy AM, Abou Salem EA. A study on Demodex folliculorum in rosacea. J Egyptian Soc Parasitol 1997;27(1):183-95.

Abelson MB, Lanier RQ. The added benefit of local Patanol therapy when combined with systemic Claritin for the inhibition of ocular itching in the conjunctival antigen challenge model. Acta Ophthalmol Scand Suppl 1999;(228):53-6.

Aberg N. Asthma and allergic rhinitis in Swedish conscripts. Clin Exp Allergy 1989;19(1):59-63.

Aberg N, Hesselmar B, Aberg B, et al. Increase of asthma, allergic rhinitis and eczema in Swedish schoolchildren between 1979 and 1991. Clin Exp Allergy 1995;25(9):815-9.

Abramson M, Puy R, Weiner J. Immunotherapy in asthma: an updated systematic review. [Review]. Allergy 1999;54(10):1022-41.

Abramson MJ, Puy RM, Weiner JM. Is allergen immunotherapy effective in asthma? A meta-analysis of randomized controlled trials. Am J Respir Crit Care Med 1995;151(4):969-74.

Acero S, Tabar AI, Alvarez MJ, et al. Occupational asthma and food allergy due to carmine. Allergy Eur J Allergy Clin Immunol 1998;53(9):897-901.

Adelroth E, Rak S, Haahtela T, et al. Recombinant humanized mAb-E25, an anti-IgE mAb, in birch pollen-induced seasonal allergic rhinitis. J Allergy Clin Immunol 2000;106(2):253-9.

Adelsberg BR. Sedation and performance issues in the treatment of allergic conditions. [Review]. Arch Intern Med 1997;157(5):494-500.

Adkins JC, Brogden RN. Zafirlukast: A review of its pharmacology and therapeutic potential in the management of asthma. Drugs 1998;55(1):121-44.

Adkinson NF. Immunotherapy for allergic rhinitis. N Engl J Med 1999;341:522-4.

Agostini JV, Leo-Summers LS, Inouye SK. Cognitive and other adverse effects of diphenhydramine use in hospitalized older patients. Arch Intern Med 2001;161(17):2091-7.

Agrawal DK. Pharmacology and clinical efficacy of desloratadine as an anti-allergic and anti-inflammatory drug. Expert Opin Invest Drugs 2001;10(3):547-60.

Ahman M, Holmstrom M, Ingelman-Sundberg H. Inflammatory markers in nasal lavage fluid from industrial arts teachers. Am J Ind Med 1995;28(4):541-50.

Akaho E, Runion HI, Inoue K. American and Japanese drug distribution and information systems in 1994 and a proposed system for improved pharmaceutical care. Drug Inf J 1999;33(2):487-508.

Akcakaya N, Hassanzadeh A, Camcioglu Y, et al. Local and systemic reactions during immunotherapy with adsorbed extracts of house dust mite in children. Ann Allergy Asthma Immunol 2000;85(4):317-21.

Akmanlar N, Altintas DU, Guneser KS, et al. Comparison of conventional and rush immunotherapy with der PI in childhood respiratory allergy. Allergol Immunopathol (Madr) 2000;28(4):213-8.

Al Frayh AR, Shakoor Z, Gad El Rab MO, et al. Increased prevalence of asthma in Saudi Arabia. Ann Allergy Asthma Immunol 2001;86(3):292-6.

Al-Shammari SA, Khoja TA, Al-Ansary LA, et al. Care of asthmatic patients in primary health care centers. Ann Saudi Med 1996;16(1):24-8.

Alam R, Dejarnatt A, Stafford S, et al. Selective inhibition of the cutaneous late but not immediate allergic response to antigens by misoprostol, a PGE analog. Results of a double-blind, placebo-controlled randomized study. Am Rev Respir Dis 1993;148(4 Pt 1):1066-70.

Alldred A. Etanercept in rheumatoid arthritis. Expert Opin Pharmacother 2001;2(7):1137-48.

Allsup SJ, Gosney M, Regan M, et al. Side effects of influenza vaccination in healthy older people: A randomised single-blind placebo-controlled trial. Gerontology 2001;47(6):311-4.

Althaus MA, Pichler WJ. Nasal application of a gel formulation of N-acetyl-aspartyl glutamic acid (NAAGA) compared with placebo and disodium cromoglycate in the symptomatic treatment of pollinosis. Allergy Eur J Allergy Clin Immunol 1994;49(3):184-8.

Altman DG, Bland JM. Absence of evidence is not evidence of absence. BMJ 1995;311(7003):485.

Alvarez-Cuesta E, Cuesta-Herranz J, Puyana-Ruiz J, et al. Monoclonal antibody-standardized cat extract immunotherapy: Risk-benefit effects from a double-blind placebo study. J Allergy Clin Immunol 1994;93(3):556-66.

Alvarez-Cuesta E, Gonzelez-Mancebo E. Immunotherapy in bronchial asthma. Curr Opin Pulm Med 2000;6(1):50-4.

Alves B, Sheikh A, Hurwitz B, et al. Allergen injection immunotherapy for seasonal allergic rhinitis (Protocol for a Cochrane Review). In: The Cochrane Library, Issue 1, 2002. Oxford: Update Software.

American Academy of Allergy, Asthma & Immunology. The allergy report. Milwaukee, WI: American Academy of Allergy, Asthma & Immunology, Inc.; 2000.

Andersen NH, Jeppesen F, Schioler T, et al. Treatment of hay fever with sodium cromoglycate, hyposensitization, or a combination. Allergy 1987;42(5):343-51.

Anderson ER, Murphy MP, Weymuller Jr EA. Clinimetric evaluation of the Sinonasal Outcome Test-16. Otolaryngol Head Neck Surg 1999;121(6):702-7.

Anderson HR, Pottier AC, Strachan DP. Asthma from birth to age 23: incidence and relation to prior and concurrent atopic disease. Thorax 1992;47(7):537-42.

Andersson M, Berglund R, Greiff L, et al. A comparison of budesonide nasal dry powder with fluticasone propionate aqueous nasal spray in patients with perennial allergic rhinitis. Rhinology 1995;33(1):18-21.

Andersson M, Rimmer J, Salome C, et al. Dual symptomatic and exudative nasal responses are not characteristics of perennial allergic rhinitis. Acta Oto-Laryngol 2001;121(3):407-13.

Andre C, Vatrinet C, Galvain S, et al. Safety of sublingual-swallow immunotherapy in children and adults. Int Arch Allergy Immunol 2000;121(3):229-34.

Andri L, Senna G, Andri G, et al. Local nasal immunotherapy for birch allergic rhinitis with extract in powder form. Clin Exp Allergy 1995;25(11):1092-9.

Andri L, Senna G, Betteli C, et al. Local nasal immunotherapy with extract in powder form is effective and safe in grass pollen rhinitis: a double-blind study. J Allergy Clin Immunol 1996;97(1 Pt 1):34-41.

Andri L, Senna G, Betteli C, et al. Local nasal immunotherapy for Dermatophagoides-induced rhinitis: efficacy of a powder extract. J Allergy Clin Immunol 1993;91(5):987-96.

Andri L, Senna GE, Betteli C, et al. Local nasal immunotherapy in allergic rhinitis to Parietaria. A double-blind controlled study. Allergy 1992;47(4 Pt 1):318-23.

Andri L, Senna GE, Betteli C, et al. Combined treatment of allergic rhinitis with terfenadine and nimesulide, a non-steroidal antiinflammatory drug. Allerg Immunol (Paris) 1992;24(8):313-4, 317-9.

Ankier SI, Warrington SJ. A double-blind placebo-controlled study of the efficacy and tolerability of ebastine against hayfever in general practice patients. J Intern Med 1989;226(6):453-8.

Anonymous. A trial of house dust mite extract in bronchial asthma. Mite Allergy Subcommittee of the Research Committee of the British Thoracic Association. Br J Dis Chest 1979;73(3):260-70.

Anonymous. Regulatory control and standardization of allergenic extracts. Clinical studies with "standardized" extracts. Arbeiten Aus Dem Paul-Ehrlich-Institut, Dem Georg-Speyer-Haus Und Dem Ferdinand-Blum-Institut Zu Frankfurt A.M. 1985;(79):279-309.

Anonymous. Astemizole - Another non-sedating antihistamine. Med Lett Drugs Ther 1989;31(791):43-4.

Anonymous. A large-scale, office-based study evaluates the use of a new class of non-sedating antihistamines. A report from CEN. J Am Board Fam Pract 1990;3(4):241-52.

Anonymous. Intranasal triamcinolone for allergic rhinitis. Med Lett Drugs Ther 1991;33(859):116-7.

Anonymous. English physicians favor extended role for pharmacists. Am J Hosp Pharm 1992;49(11):2648, 2651.

Anonymous. Entex pse tabs. Pharmindex 1992;34(9):7.

Anonymous. Safety of terfenadine and astemizole. Med Lett Drugs Ther 1992;34(863):9-10.

Anonymous. Tritan tabs. Pharmindex 1992;34(9):6.

Anonymous. Information your patient can use: A directional study. Part I. Immunol Allergy Pract 1993;15(9-10):303-6.

Anonymous. Itraconazole. Med Lett Drugs Ther 1993;35(888):7-10.

Anonymous. Loratadine - A new antihistamine. Med Lett Drugs Ther 1993;35(902):71-2.

Anonymous. Acrivastine/pseudoephedrine (Semprex-D) for seasonal allergic rhinitis. Med Lett Drugs Ther 1994;36(930):78-80.

Anonymous. Cisapride for nocturnal heartburn. Med Lett Drugs Ther 1994;36(915):11-3.

Anonymous. Intranasal budesonide for allergic rhinitis. Med Lett Drugs Ther 1994;36(926):63-4.

Anonymous. Ophthalmic levocabastine for allergic conjunctivitis. Med Lett Drugs Ther 1994;36(920):35-6.

Anonymous. Oral pilocarpine for xerostomia. Med Lett Drugs Ther 1994;36(929):76.

Anonymous. Claritin. Formulary 1995;30(12):745.

Anonymous. Fluticasone propionate nasal spray for allergic rhinitis. Med Lett Drugs Ther 1995;37(940):5-6.

Anonymous. Antihistamine cleared. P T 1996;21(3):111.

Anonymous. Cetirizine - A new antihistamine. Med Lett Drugs Ther 1996;38(970):21-3.

Anonymous. Fexofenadine. Med Lett Drugs Ther 1996;38(986):95-6.

Anonymous. Ipratropium bromide nasal spray available. Female Patient Ob Gyn Ed 1996;21(5):83.

Anonymous. Once-daily formulation for allergy drug approved. P T 1996;21(11):582.

Anonymous. Azelastine for seasonal allergic rhinitis. Am Fam Phys 1997;55(7):2541.

Anonymous. Azelastine nasal spray for allergic rhinitis. Med Lett Drugs Ther 1997;39(1000):45-7.

Anonymous. Ceclor CD. Formulary 1997;32(2):119.

Anonymous. Claritin reditabs. Formulary 1997;32(4):333.

Anonymous. Flomax: Alpha-adrenergic blocker for BPH. Formulary 1997;32(7):659-60.

Anonymous. Mibefradil release expands calcium-channel-blocker choices. Am J Health-Syst Pharm 1997;54(18):2033.

Anonymous. Pulmozyme. Formulary 1997;32(2):114.

Anonymous. Budesonide turbuhaler for asthma. Med Lett Drugs Ther 1998;40(1018):15-6.

Anonymous. Executive summary. Allergy Eur J Allergy Clin Immunol Suppl 1998;53(41):7-31.

Anonymous. Irbesartan: How does it stack up against others of its class? Drugs Ther Perspect 1998;11(5):1-5.

Anonymous. Mizolastine expands the choice of second-generation antihistamines for allergic rhinitis. Drugs Ther Perspect 1998;12(9):1-6.

Anonymous. Rhinitis. Ann Allergy Asthma Immunol 1998;80(4):287.

Anonymous. Treatment of childhood allergic rhinitis is less than optimal. Drugs Ther Perspect 1998;12(2):5-9.

Anonymous. Allergic factors associated with the development of asthma and the influence of cetirizine in a double-blind, randomised, placebo-controlled trial: first results of ETAC. Early Treatment of the Atopic Child. Pediatr Allergy Immunol 1998;9(3):116-24.

Anonymous. Aventis. Formulary 1999;34(10 Suppl):19-27.

Anonymous. Concluding points. Round Table Ser R Soc Med 1999;67:65.

Anonymous. Infusion reactions associated with the therapeutic use of monoclonal antibodies in the treatment of malignancy. Cancer Metastasis Rev 1999;18(4):465-71.

Anonymous. Johnson and Johnson (A focus on Ortho-McNeil and Janssen). Formulary 1999;34(10 Suppl):51-5.

Anonymous. Natural selection: Exploring alternative remedies. Occup Health 1999;51(12):30-1.

Anonymous. New preparation of terfenadine, without cardiotoxicity. Can Fam Phys 1999;45:2073-81.

Anonymous. Sinus woes cost billions to treat each year: bad situation gets worse. Case Manage Advisor 1999;10(12):190, 196.

Anonymous. Cevimeline (Evoxac) for dry mouth. Med Lett Drugs Ther 2000;42(1084):70.

Anonymous. CME Quiz. Am J Manag Care 2000;6(1 Suppl):S19-S20.

Anonymous. Drugs for prevention and treatment of postmenopausal osteoporosis. Med Lett Drugs Ther 2000;42(1090):97-100.

Anonymous. Fexofenadine a first-line option for seasonal allergic rhinitis and chronic idiopathic urticaria. Drugs Ther Perspect 2000;16(8):1-5.

Anonymous. New drugs for allergic conjunctivitis. Med Lett Drugs Ther 2000;42(1077):39-46.

Anonymous. Approval for Schering-Plough drug. Manuf Chem 2001;72(2):8.

Anonymous. AstraZeneca opens new Pound Sterling45m high tech r&d site. Manuf Chem 2001;72(11):12.

Anonymous. Aventis increases Allegra production. Manuf Chem 2001;72(4):12.

Anonymous. Nebulized budesonide for asthma in children. Med Lett Drugs Ther 2001;43(1096):6-7.

Anonymous. Thunderstorms and asthma excerbations. Med Today 2001;2(7):10.

Anonymous. Budesonide (Entocort EC) for Crohn's disease. Med Lett Drugs Ther 2002;44(1122):6-8.

Antonicelli L, Bilò MB, Pucci S, et al. Efficacy of an air-cleaning device equipped with a high efficiency particulate air filter in house dust mite respiratory allergy. Allergy 1991;46(8):594-600.

Ariano R, Kroon AM, Augeri G, et al. Long-term treatment with allergoid immunotherapy with Parietaria. Clinical and immunologic effects in a randomized, controlled trial. Allergy 1999;54(4):313-9.

Ariano R, Panzani RC, Chiapella M, et al. Local immunotherapy of seasonal allergic rhinitis in children due to Parietaria officinalis pollen: A preliminary report. Pediatr Asthma Allergy Immunol. 1993;7(4):227-37.

Ariano R, Panzani RC, Chiapella M, et al. Local intranasal immunotherapy with allergen in powder in atopic patients sensitive to Parietaria officinalis pollen. J Investig Allergol Clin Immunol 1995;5(3):126-32.

Ariano R, Panzani RC, Saraga J. New clinical data and therapeutic prospects in Cupressaceae pollen allergy. Allerg Immunol (Paris) 2000;32(3):135-8.

Arlian LG, Morgan MS. Serum antibody to Sarcoptes scabiei and house dust mite prior to and during infestation with S. scabiei. Vet Parasitol 2000;90(4):315-26.

Arruda LK, Platts-Mills TA, Longbottom JL, et al. Aspergillus fumigatus: identification of 16, 18, and 45 kd antigens recognized by human IgG and IgE antibodies and murine monoclonal antibodies. J Allergy Clin Immunol 1992;89(6):1166-76.

Arvidsson MB, Löwhagen O, Rak S. Effect of 2-year placebo-controlled immunotherapy on airway symptoms and medication in patients with birch pollen allergy. J Allergy Clin Immunol 2002;109(5):777-83.

Aschan G. Decongestion of nasal mucous membranes by oral medication in acute rhinitis. A rhinomanometric study to demonstrate synergism between antihistamines and adrenergic substance. Acta Otolaryngol (Stockh) 1974;77(6):433-8.

Asher BF, Seidman M, Snyderman C. Complementary and alternative medicine in otolaryngology. Laryngoscope 2001;111(8):1383-9.

Asher MI, Keil U, Anderson HR, et al. International Study of Asthma and Allergies in Childhood (ISAAC): rationale and methods. Eur Respir J 1995;8(3):483-91.

Assa'ad A, Lierl M. Effect of acellular pertussis vaccine on the development of allergic sensitization to environmental allergens in adults. J Allergy Clin Immunol 2000;105(1 Pt 1):170-5.

Astarita C, Scala G, Sproviero S, et al. Effects of enzyme-potentiated desensitization in the treatment of pollinosis: a double-blind placebo-controlled trial. J Investig Allergol Clin Immunol 1996;6(4):248-55.

Aversa A, Fabbri A. New oral agents for erectile dysfunction: What is changing in our practice? Asian J Androl 2001;3(3):175-9.

Babu KS, Arshad SH, Holgate ST. Anti-IgE treatment: An update. Allergy Eur J Allergy Clin Immunol 2001;56(12):1121-8.

Babu KS, Salvi SS. Aspirin and asthma. Chest 2000;118(5):1470-6.

Bachert CI. Importance of quality of life in patients with seasonal allergic rhinitis. Rev Fr Allergol Immunol Clin 2000;40(1):74-7.

Backhouse CI. Intra-nasal flunisolide in the treatment of allergic rhinitis in general practice. Curr Med Res Opin 1979;6(1):14-9.

Backhouse CI, Finnamore VP, Gosden CW. Treatment of seasonal allergic rhinitis with flunisolide and terfenadine. J Int Med Res 1986;14(1):35-41.

Bagenstose SE, Bernstein JA. Treatment of chronic rhinitis by an allergy specialist improves quality of life outcomes. Ann Allergy Asthma Immunol 1999;83(6 Pt 1):524-8.

Bahceciler NN, Isik U, Barlan IB, et al. Efficacy of sublingual immunotherapy in children with asthma and rhinitis: a double-blind, placebo-controlled study. Pediatr Pulmonol 2001;32(1):49-55.

Bahir A, Goldberg A, Mekori YA, et al. Continuous avoidance measures with or without acaricide in dust mite-allergic asthmatic children. Ann Allergy Asthma Immunol 1997;78(5):506-12.

Baiardini I, Pasquali M, Giardini A, et al. Quality of life in respiratory allergy. [Review]. Allergy Asthma Proc 2001;22(3):177-81.

Bailey DA, Gilleran LG, Merchant PG. Waivers for disqualifying medical conditions in U.S. Naval Aviation personnel. Aviat Space Environ Med 1995;66(5):401-7.

Baker SB. The dilemma of anesthetizing the child with an upper respiratory tract infection. Semin Anesth 1992;11(4):265-73.

Baldwin CM, Bell IR, O'Rourke MK, et al. The association of respiratory problems in a community sample with self-reported chemical intolerance. Eur J Epidemiol 1997;13(5):547-52.

Balkissoon R, Shusterman DJ. Occupational upper airway disorders. Semin Respir Crit Care Med 1999;20(6):569-80.

Banks DE, Shah AA, Lopez M, et al. Chest illnesses and the decline of FEV1 in steelworkers. J Occup Environ Med 1999;41(12):1085-90.

Banz K, Schwicker D, Thomas AM. Economic evaluation of immunoprophylaxis in children with recurrent ear, nose and throat infections. Pharmacoeconomics 1994;6(5):464-77.

Baraldi E, Azzolin NM, Carra S, et al. Effect of topical steroids on nasal nitric oxide production in children with perennial allergic rhinitis: a pilot study. Respir Med 1998;92(3):558-61.

Baraniuk JM, Meltzer EO, Spector SL. Impact of allergic rhinitis and related airway disorders. J Respir Dis 1996;17(Suppl):511-23.

Bardana Jr EJ. Occupational asthma and related respiratory disorders. Dis Mon 1995;41(3):145-90.

Bardare M, Zani G, Novembre E, et al. Local nasal immunotherapy with a powder extract for grass pollen induced rhinitis in pediatric ages: a controlled study. J Investig Allergol Clin Immunol 1996;6(6):359-63.

Barnes C, Tuck J, Simon S, et al. Allergenic materials in the house dust of allergy clinic patients. Ann Allergy Asthma Immunol 2001;86(5):517-23.

Baroody FM. Developments in the drug treatment of allergic rhinitis. Curr Opin Otolaryngol Head Neck Surg 1998;6(1):6-17.

Barrett J, Dunkin JW, Shelton M. Examination of the NHANES data set: pets, wheezing, and allergy symptoms. South Online J Nurs Res 2001;2(1):1-11.

Barth D, Hair JA, Kunkle BN, et al. Efficacy of eprinomectin against mange mites in cattle. Am J Vet Res 1997;58(11):1257-9.

Bascom R. Environmental factors and respiratory hypersensitivity: the Americas. Toxicol Letters 1996;86(2-3):115-30.

Basnyet D, Basnyet J. Allergies understood: conventional and complementary approaches. Positive Health 2000;56:19-22.

Bast G. WAO invites Member Societies to host GLORIA(TM) program. Allergy Clin Immunol Int 2001;13(4):182.

Baur X. New aspects of isocyanate asthma. Lung 1990;168(Suppl):606-13.

Baur X, Chen Z, Marczynski B. Respiratory diseases caused by occupational exposure to 1,5-naphthalene-diisocyanate (NDI): Results of workplace-related challenge tests and antibody analyses. Am J Ind Med 2001;39(4):369-72.

Beck HI, Korsgaard J. Atopic dermatitis and house dust mites. Br J Dermatol 1989;120(2):245-51.

Becker A. Clinical evidence with montelukast in the management of chronic childhood asthma. Drugs 2000;59(Suppl 1):29-34.

Becker A. Leukotriene receptor antagonists: efficacy and safety in children with asthma. Pediatr Pulmonol 2000;30(2):183-6.

Beckman DB, Grammer LC. Pharmacotherapy to prevent the complications of allergic rhinitis. [Review]. Allergy Asthma Proc 1999;20(4):215-23.

Belchi-Hernandez J, Mora-Gonzalez A, Iniesta-Perez J. Baker's asthma caused by Saccharomyces cerevisiae in dry powder form. J Allergy Clin Immunol 1996;97(1 I):131-4.

Bellanti JA, Wallerstedt DB. Allergic rhinitis update: epidemiology and natural history. [Review]. Allergy Asthma Proc 2000;21(6):367-70.

Bellussi L, Passali D. Treatment of upper airways inflammation with nimesulide. Drugs 1993;46(Suppl 1):107-10.

Benincasa C, Lloyd RS. Evaluation of fluticasone propionate aqueous nasal spray taken alone and in combination with cetirizine in the prophylactic treatment of seasonal allergic rhinitis. Drug Invest 1994;8(4):225-33.

Benninger MS, Sedory Holzer SE, Lau J. Diagnosis and treatment of uncomplicated acute bacterial rhinosinusitis: summary of the Agency for Health Care Policy and Research evidence-based report. Otolaryngol Head Neck Surg 2000;122(1):1-7.

Benninger MS, Senior BA. The development of the Rhinosinusitis Disability Index. Arch Otolaryngol Head Neck Surg 1997;123(11):1175-9.

Bentley S. Performance in students with seasonal allergy. J Int Med Res 1980;8(3):221-3.

Berdeaux G, Hervie C, Smajda C, et al. Parental quality of life and recurrent ENT infections in their children: development of a questionnaire. Rhinitis Survey Group. Qual Life Res 1998;7(6):501-12.

Berdeaux G, Lafuma A, Perruchet AM, et al. Cost effectiveness of immunoprophylaxis in the prevention of recurrent infectious rhinitis in adults. Pharmacoeconomics 1998;14(3):313-22.

Berger I, Argaman Z, Schwartz SB, et al. Efficacy of corticosteroids in acute bronchiolitis: short-term and long-term follow-up. Pediatr Pulmonol 1998;26(3):162-6.

Berger WE, Fineman SM, Lieberman P, et al. Double-blind trials of azelastine nasal spray monotherapy versus combination therapy with loratadine tablets and beclomethasone nasal spray in patients with seasonal allergic rhinitis. Rhinitis Study Groups. Ann Allergy Asthma Immunol 1999;82(6):535-41.

Bergmann RL, Edenharter G, Bergmann KE, et al. Socioeconomic status is a risk factor for allergy in parents but not in their children. Clin Exp Allergy 2000;30(12):1740-5.

Bergqvist A, Jacobson J, Harris S. A double blind randomized study of the treatment of endometriosis with nafarelin or nafarelin plus norethisterone. Gynecol Endocrinol 1997;11(3):187-94.

Berman BA, Ross RN. Antihistamines and the management of allergic rhinitis in the workplace. Adv Ther 1996;13(2):95-102.

Bernstein DI. Desloratadine: A viewpoint. Drugs 2001;61(6):797.

Bernstein DI, Schoenwetter WF, Nathan RA, et al. Efficacy and safety of fexofenadine hydrochloride for treatment of seasonal allergic rhinitis. Ann Allergy Asthma Immunol 1997;79(5):443-8.

Bernstein IL, Tennenbaum J, Georgakis N, et al. Fraction A: a new immunotherapeutic approach for ragweed pollinosis. Int Arch Allergy Appl Immunol 1976;50(2):181-91.

Bernstein JA. Cost-benefit analysis for allergen immunotherapy. Immunol Allergy Clin North Am 2000;20(3):593-608.

Bertoni M, Cosmi F, Bianchi I, et al. Clinical efficacy and tolerability of a steady dosage schedule of local nasal immunotherapy. Results of preseasonal treatment in grass pollen rhinitis. Ann Allergy Asthma Immunol 1999;82(1):47-51.

Bertrand B, Jamart J, Marchal JL, et al. Cetirizine and pseudoephedrine retard alone and in combination in the treatment of perennial allergic rhinitis: a double-blind multicentre study. Rhinology 1996;34(2):91-6.

Besag FMC, Dulac O, Alving J, et al. Long-term safety and efficacy of lamotrigine (Lamictal(R)) in paediatric patients with epilepsy. Seizure 1997;6(1):51-6.

Beyzarov EP. Eye relief: New ophthalmic product promises to bring fast relief to allergic conjunctivitis sufferers. Drug Topics 2000;144(13):15.

Biostat. Comprehensive Meta-analysis [computer program]. Version 1.25. Englewood, NJ: Biostat; 1999.

Black HR, Sollins JS, Garofalo JL. The addition of doxazosin to the therapeutic regimen of hypertensive patients inadequately controlled with other antihypertensive medications: A randomized, placebo-controlled study. Am J Hypertens 2000;13(5 I):468-74.

Black PN, Blasi F, Jenkins CR, et al. Trial of roxithromycin in subjects with asthma and serological evidence of infection with Chlamydia pneumoniae. Am J Respir Crit Care Med 2001;164(4):536-41.

Blainey AD, Phillips MJ, Ollier S, et al. Hyposensitization with a tyrosine adsorbed extract of Dermatophagoides pteronyssinus in adults with perennial rhinitis. A controlled clinical trial. Allergy 1984;39(7):521-8.

Blair H. Natural history of childhood asthma. 20-year follow-up. Arch Dis Child 1977;52(8):613-9.

Blair H, Viner AS. A double blind trial of a 2% solution of sodium cromoglycate in perennial rhinitis. Clin Allergy 1975;5(2):139-43.

Blaiss MS. How to determine the cost-effectiveness of available allergic rhinitis treatments. Drug Benefit Trends 1998;10:32-6.

Blaiss MS. Quality of life in allergic rhinitis. [Review]. Ann Allergy Asthma Immunol 1999;83(5):449-54.

Blaiss MS. Cognitive, social, and economic costs of allergic rhinitis. [Review]. Allergy Asthma Proc 2000;21(1):7-13.

Blanc PD, Trupin L, Earnest G, et al. Alternative therapies among adults with a reported diagnosis of asthma or rhinosinusitis: data from a population-based survey. Chest 2001;120(5):1461-7.

Blanc PD, Trupin L, Eisner M, et al. The work impact of asthma and rhinitis: findings from a population-based survey. J Clin Epidemiol 2001;54(6):610-8.

Blomqvist AM, Axelsson IGK, Danielsson D, et al. Atopic allergy to chloramine-T and the demonstration of specific IgE antibodies by the radioallergosorbent test. Int Arch Occup Environ Health 1991;63(5):363-5.

Blose JS, Adams Jr KF, Patterson JH. Torsemide: A pyridine-sulfonylurea loop diuretic. Ann Pharmacother 1995;29(4):396-402.

Blumenthal MN, Schwartz RH, Kaiser H. Nedocromil sodium 2% ophthalmic solution for the treatment of ragweed pollen seasonal allergic conjunctivitis. Ocul Immunol Inflamm 2000;8(3):159-67.

Bødtger U, Poulsen LK, Jacobi HH, et al. The safety and efficacy of subcutaneous birch pollen immunotherapy -- a one-year, randomised, double-blind, placebo-controlled study. Allergy 2002;57:297-305.

Bolhaar STHP, Van Ginkel CJW. Occupational allergy to cyclamen. Allergy Eur J Allergy Clin Immunol 2000;55(4):411-2.

Bonifazi F, Bilo MB. Efficacy of specific immunotherapy in allergic asthma: myth or reality? Allergy 1997;52(7):698-710.

Boonsawat W, Salome CM, Woolcock AJ. Effect of allergen inhalation on the maximal response plateau of the dose-response curve to methacholine. Am Rev Respir Dis 1992;146(3):565-9.

Bousquet J. Allergic rhinitis: Review of guidelines. Rev Fr Allergol Immunol Clin 1998;38(10):938-41.

Bousquet J. Allergy - A global problem. Allergy Clin Immunol Int 2000;12(4):141-2.

Bousquet J. Allergic rhinitis as a global health problem. Allergy Clin Immunol Int 2001;13(4):137.

Bousquet J, Bullinger M, Fayol C, et al. Assessment of quality of life in patients with perennial allergic rhinitis with the French version of the SF-36 Health Status Questionnaire. J Allergy Clin Immunol 1994;94(2 Pt 1):182-8.

Bousquet J, Chanal I, Murrieta M, et al. Lack of subsensitivity to mizolastine over 8-week treatment. Allergy 1996;51(4):251-6.

Bousquet J, Davies RJ. Chairmen's introduction. Clin Exp Allergy Suppl 1998;28(6):1.

Bousquet J, Demoly P, Michel F-B. Specific immunotherapy in rhinitis and asthma. Ann Allergy Asthma Immunol 2001;87(1 Suppl):38-42.

Bousquet J, Duchateau J, Pignat JC, et al. Improvement of quality of life by treatment with cetirizine in patients with perennial allergic rhinitis as determined by a French version of the SF-36 questionnaire. J Allergy Clin Immunol 1996;98(2):309-16.

Bousquet J, Frank E, Soussana M, et al. Double-blind, placebo-controlled immunotherapy with a high-molecular-weight, formalinized allergoid in grass pollen allergy. Int Arch Allergy Appl Immunol 1987;82(3-4):550-2.

Bousquet J, Hejjaoui A, Skassa-Brociek W, et al. Double-blind, placebo-controlled immunotherapy with mixed grass-pollen allergoids. I. Rush immunotherapy with allergoids and standardized orchard grass-pollen extract. J Allergy Clin Immunol 1987;80(4):591-8.

Bousquet J, Hejjaoui A, Soussana M, et al. Double-blind, placebo-controlled immunotherapy with mixed grass-pollen allergoids. IV. Comparison of the safety and efficacy of two dosages of a high-molecular-weight allergoid. J Allergy Clin Immunol 1990;85(2):490-7.

Bousquet J, Lockey R, Malling HJ. Allergen immunotherapy: therapeutic vaccines for allergic diseases. A WHO position paper. [Review]. J Allergy Clin Immunol 1998;102(4 Pt 1):558-62.

Bousquet J, Lockey R, Malling HJ, et al. Allergen immunotherapy: therapeutic vaccines for allergic diseases. World Health Organization. American Academy of Allergy, Asthma and Immunology. [Review]. Ann Allergy Asthma Immunol 1998;81(5 Pt 1):401-5.

Bousquet J, Lockey RF, Malling H-J. Preface: Allergen immunotherapy: Therapeutic vaccines for allergic diseases. Allergy Eur J Allergy Clin Immunol Suppl 1998;53(44):1-42.

Bousquet J, Maasch HJ, Hejjaoui A, et al. Double-blind, placebo-controlled immunotherapy with mixed grass-pollen allergoids. III. Efficacy and safety of unfractionated and high-molecular-weight preparations in rhinoconjunctivitis and asthma. J Allergy Clin Immunol 1989;84(4 Pt 1):546-56.

Bousquet J, Scheinmann P, Guinnepain MT, et al. Sublingual-swallow immunotherapy (SLIT) in patients with asthma due to house-dust mites: a double-blind, placebo-controlled study. Allergy 1999;54(3):249-60.

Bousquet J, van Cauwenberge P, Khaltaev N, et al. Allergic rhinitis and its impact on asthma (ARIA). J Allergy Clin Immunol 2001;108:S147-336.

Bowler SD, Mitchell CA, Miles J. House dust control and asthma: a placebo-control trial of cleaning air filtration. Ann Allergy 1985;55(3):498-500.

Boyce EG, Umland EM. Sildenafil citrate: A therapeutic update. Clin Ther 2001;23(1):2-23.

Bramer SL, Suri A. Inhibition of CYP2D6 by quinidine and its effects on the metabolism of cilostazol. Clin Pharmacokinet 1999;37(Suppl 2):41-51.

Branco-Ferreira M, dos Santos MC, Palma-Carlos ML, et al. Antihistamines and serum adhesion molecule levels. Allergi Immunol (Paris) 2001;33(6):233-6.

Braun JJ, Alabert JP, Michel FB, et al. Adjunct effect of loratadine in the treatment of acute sinusitis in patients with allergic rhinitis. Allergy 1997;52(6):650-5.

Breitenbach JM, Ferreira F, Jilek A, et al. Biological and immunological importance of Bet v 1 isoforms. Adv Exp Med Biol 1996;409:117-26.

Bridi AA, Rehbein S, Carvalho LA, et al. Efficacy of ivermectin in a controlled release formulation against Psoroptes ovis (Hering, 1838) gervais, 1841 (Acari: Psoroptidae) on sheep. Vet Parasitol 1998;78(3):215-21.

Brigden ML. A practical workup for eosinophilia: You can investigate the most likely causes right in your office. Postgrad Med 1999;105(3):193-210.

Briggs AH, O'Brien BJ. The death of cost-minimization analysis? [Review]. Health Econ 2001;10(2):179-84.

Brisman J, Jarvholm B, Lillienberg L. Exposure-response relations for self reported asthma and rhinitis in bakers. Occup Environ Med 2000;57(5):335-40.

Broder I, Higgins MW, Mathews KP, et al. Epidemiology of asthma and allergic rhinitis in a total community, Tecumseh, Michigan. 3. Second survey of the community. J Allergy Clin Immunol 1974;53(3):127-38.

Brogden RN, McTavish D. Budesonide. An updated review of its pharmacological properties, and therapeutic efficacy in asthma and rhinitis. Drugs 1992;44(3):375-407.

Bronsky E, Boggs P, Findlay S, et al. Comparative efficacy and safety of a once-daily loratadine-pseudoephedrine combination versus its components alone and placebo in the management of seasonal allergic rhinitis. J Allergy Clin Immunol 1995;96(2):139-47.

Bronsky EA, Druce H, Findlay SR, et al. A clinical trial of ipratropium bromide nasal spray in patients with perennial nonallergic rhinitis. J Allergy Clin Immunol 1995;95(5 II):1117-22.

Brooks CD, Francom SF, Peel BG, et al. Spectrum of seasonal allergic rhinitis symptom relief with topical corticoid and oral antihistamine given singly or in combination. Am J Rhinol 1996;10(3):193-9.

Brooks CD, Karl KJ. Hay fever treatment with combined antihistamine and cyclooxygenase-inhibiting drugs. J Allergy Clin Immunol 1988;81(6):1110-7.

Brooks CD, Nelson A, Parzyck R, et al. Protective effect of hydroxyzine and phenylpropanolamine in the challenged allergic nose. Ann Allergy 1981;47(5 Pt 1):316-9.

Brown CS, Parker NG, Stegbauer CC. Managing allergic rhinitis. Nurse Pract 1999;24:107-8, 110-1, 115-7, 120.

Brown CW, Hawkins L. Allergy prevalence and causal factors in the domestic environment: results of a random population survey in the United Kingdom. Ann Allergy Asthma Immunol 1999;83(3):240-4.

Brown HM, Merrett TG. Effectiveness of an acaricide in management of house dust mite allergy. Ann Allergy 1991;67(1):25-31.

Bruce CA, Norman PS, Rosenthal RR, et al. The role of ragweed pollen in autumnal asthma. J Allergy Clin Immunol 1977;59(6):449-59.

Bruce H. Rhinitis. Prim Care Clin Off Pract 1990;17(2):309-22.

Brunet C, Bedard PM, Lavoie A, et al. Allergic rhinitis to ragweed pollen. I. Reassessment of the effects of immunotherapy on cellular and humoral responses. J Allergy Clin Immunol 1992;89(1 Pt 1):76-86.

Brunet C, Bedard PM, Lavoie A, et al. Allergic rhinitis to ragweed pollen. II. Modulation of histamine-releasing factor production by specific immunotherapy. J Allergy Clin Immunol 1992;89(1 Pt 1):87-94.

Brunton S. Allergic rhinitis: breaking the cycle of disease and treatment. Fam Pract Recertification 1997;19(9):14-6, 23-6, 29-32.

Bryant DH, Burns MW, Lazarus L. The correlation between skin tests, bronchial provocation tests and the serum level of IgE specific for common allergens in patients with asthma. Clin Allergy 1975;5(2):145-57.

Brydon M. The effectiveness of a peripatetic allergy nurse practitioner service in managing atopic allergy in general practice--a pilot study. Clin Exp Allergy 1993;23(12):1037-44.

Buchanan DJ, Hillis A, Williams PN. A double blind controlled trial of Bencard house dust mite (Migen) hyposensitisation in Zambian asthmatics. Med J Zambia 1980-1981;15(1):14-6.

Buckman R, Lewith G. What does homoeopathy do - and how? BMJ 1994;309(6947):103-6.

Bukstein DA, Biondi RM, Blumenthal MM, et al. Tilarin in combination with astemizole. Allergy 1996;51(28 Suppl):20-7.

Bumsted RM. Cryotherapy for chronic vasomotor rhinitis: Technique and patient selection for improved results. Laryngoscope 1984;94(4):539-44.

Buntinx F, Van Krunkelsven P, Morabia A, et al. Antibiotics for the common cold. Lancet 1996;348(9029):754-5.

Burney P, Malmberg E, Chinn S, et al. The distribution of total and specific serum IgE in the European Community Respiratory Health Survey. J Allergy Clin Immunol 1997;99(3):314-22.

Burr ML, Dean BV, Butland BK, et al. Prevention of mite infestation of bedding by means of an impregnated sheet. A randomized controlled trial. Allergy 1988;43(4):299-302.

Burr ML, Dean BV, Merrett TG, et al. Effects of anti-mite measures on children with mite-sensitive asthma: a controlled trial. Thorax 1980;35(7):506-12.

Burr ML, Miskelly FG, Butland BK, et al. Environmental factors and symptoms in infants at high risk of allergy. J Epidemiol Community Health 1989;43(2):125-32.

Burr ML, Neale E, Dean BV, et al. Effect of a change to mite-free bedding on children with mite-sensitive asthma: a controlled trial. Thorax 1980;35(7):513-4.

Burr ML, St Leger AS, Neale E. Anti-mite measurements in mite-sensitive adult asthma. A controlled trial. Lancet 1976;1(7955):333-5.

Burris JF, Davidov ME, Jenkins P, et al. Comparison of the antihypertensive effects of betaxolol and chlorthalidone as monotherapy and in combination. Arch Intern Med 1989;149(11):2437-41.

Burtin B, Duchateau J, Pignat JC, et al. Further improvement of quality of life by cetirizine in perennial allergic rhinitis as a function of treatment duration. J Investig Allergol Clin Immunol 2000;10(2):66-70.

Burton WN, Conti DJ, Chen CY, et al. The impact of allergies and allergy treatment on worker productivity. J Occup Environ Med 2001;43(1):64-71.

Busse W, Janssens M, Eisen G. A multicenter, double-blind, randomized, placebo-controlled trial comparing the efficacy and tolerability of levocabastine-oxymetazoline nasal spray with levocabastine and oxymetazoline alone in the symptomatic treatment of seasonal allergic rhinitis. Am J Rhinol 1996;10(2):105-11.

Butterfield JH, Gleich GJ, Yunginger JW, et al. Immunotherapy with short ragweed fraction A:D-glutamic acid:D-lysine polymer in ragweed hay fever. J Allergy Clin Immunol 1981;67(4):272-8.

Butz AM, Larson E, Fosarelli P, et al. Occurrence of infectious symptoms in children in day care homes. Am J Infect Control 1990;18(6):347-53.

Caffarelli C, Sensi LG, Marcucci F, et al. Preseasonal local allergoid immunotherapy to grass pollen in children: a double-blind, placebo-controlled, randomized trial. Allergy 2000;55(12):1142-7.

Calhoun KH. Chronic rhinosinusitis: Cost-effective work-up, guidelines for treatment. Consultant 1997;37(12):3112-22.

Call RS, Smith TF, Morris E, et al. Risk factors for asthma in inner city children. J Pediatr 1992;121(6):862-6.

Call RS, Ward G, Jackson S, et al. Investigating severe and fatal asthma. J Allergy Clin Immunol 1994;94(6 Pt 1):1065-72.

Camilleri AE. Information leaflets in the rhinitis clinic? J Laryngol Otol 1991;105(4):282-4.

Campbell F, Jones K. Feather vs. non-feather bedding for asthma (Cochrane Review). In: the Cochrane Library, Issue 4, 2001, Oxford: Update Software, 2001.

Canady RG, Platts-Mills T, Murphy A, et al. Vital capacity reservoir and online measurement of childhood nitrosopnea are linearly related. Clinical implications. Am J Respir Crit Care Med 1999;159(1):311-4.

Cantani A, Arcese G, Lucenti P, et al. A three-year prospective study of specific immunotherapy to inhalant allergens: Evidence of safety and efficacy in 300 children with allergic asthma. J Investig Allergol Clin Immunol 1997;7(2):90-7.

Canter D, Frank GJ, Knapp LE, et al. Quinapril and hydrochlorothiazide combination for control of hypertension: Assessment by factorial design. J Hum Hypertens 1994;8(3):155-62.

Caramia G, Franceschini F, Cimarelli ZA, et al. The efficacy of E.P.D., a new immunotherapy, in the treatment of allergic diseases in children. Allerg Immunol (Paris) 1996;28(9):308-10.

Cariski AT. Cilostazol: A novel treatment option in intermittent claudication. Int J Clin Pract Suppl 2001;-(119):11-8.

Carlsen KH, Kramer J, Fagertun HE, et al. Loratadine and terfenadine in perennial allergic rhinitis. Treatment of nonresponders to the one drug with the other drug. Allergy 1993;48(6):431-6.

Carosso A, Ruffino C, Bugiani M. The effect of birth season on pollenosis. Ann Allergy 1986;56(4):300-3.

Carpenter LL, McDougle CJ, Epperson CN, et al. A risk-benefit assessment of drugs used in the management of obsessive-compulsive disorder. Drug Saf 1996;15(2):116-34.

Carsons S. A review and update of Sjogren's syndrome: Manifestations, diagnosis, and treatment. Am J Manag Care 2001;7(14 Suppl):S433-S443.

Carswell F, Birmingham K, Oliver J, et al. The respiratory effects of reduction of mite allergen in the bedrooms of asthmatic children--a double-blind controlled trial. Clin Exp Allergy 1996;26(4):386-96.

Carswell F, Oliver J, Weeks J. Do mite avoidance measures affect mite and cat airborne allergens? Clin Exp Allergy 1999;29(2):193-200.

Carswell F, Robinson DW, Oliver J, et al. House dust mites in Bristol. Clin Allergy 1982;12(6):533-45.

Carter MC, Perzanowski MS, Raymond A, et al. Home intervention in the treatment of asthma among inner-city children. J Allergy Clin Immunol 2001;108(5):732-7.

Casale TB. Anti-immunoglobulin E (omalizumab) therapy in seasonal allergic rhinitis. Am J Respir Crit Care Med 2001;164(8 II):S18-S21.

Casale TB. Experience with monoclonal antibodies in allergic mediated disease: Seasonal allergic rhinitis. J Allergy Clin Immunol 2001;108(2 Suppl):S84-S88.

Casale TB, Bernstein IL, Busse WW, et al. Use of an anti-IgE humanized monoclonal antibody in ragweed-induced allergic rhinitis. J Allergy Clin Immunol 1997;100(1):110-21.

Casale TB, Condemi J, LaForce C, et al. Effect of Omalizumab on symptoms of seasonal allergic rhinitis: a randomized controlled trial. JAMA 2001;286:2956-67.

Casanovas M, Guerra F, Moreno C, et al. Double-blind, placebo-controlled clinical trial of preseasonal treatment with allergenic extracts of Olea europaea pollen administered sublingually. J Investig Allergol Clin Immunol 1994;4(6):305-14.

Casiano RR. Treatment of acute and chronic rhinosinusitis. Semin Respir Infect 2000;15(3):216-26.

Castelain M, Birnbaum J, Castelain PY, et al. Patch test reactions to mite antigens: a GERDA multicentre study. Groupe d'Etudes et de Recherches en Dermato-Allergie. Contact Dermatitis 1993;29(5):246-50.

Centers for Disease Control and Prevention, National Center for Health Statistics. Current estimates from the National Health Interview Survey, 1996. Vital and Health Statistics, Series 10, No. 200. DHHS Publication No. (PHS) 99-1528. Hyattsville, MD: US Department of Health and Human Services. October 1999.

Cereghino JJ, Biton V, Abou-Khalil B, et al. Levetiracetam for partial seizures: results of a double-blind, randomized clinical trial. Neurology 2000;55(2):236-42.

Chan-Yeung M, Ferguson A, Chan H, et al. Umbilical cord blood mononuclear cell proliferative response to house dust mite does not predict the development of allergic rhinitis and asthma. J Allergy Clin Immunol 1999;104(2 Pt 1):317-21.

Chan-Yeung M, Manfreda J, Dimich-Ward H, et al. A randomized controlled study on the effectiveness of a multifaceted intervention program in the primary prevention of asthma in high-risk infants. Arch Pediatr Adolesc Med 2000;154(7):657-63.

Chan-Yeung M, Manfreda J, Dimich-Ward H, et al. Mite and cat allergen levels in homes and severity of asthma. Am J Respir Crit Care Med 1995;152(6 Pt 1):1805-11.

Chang JH, Becker A, Ferguson A, et al. Effect of application of benzyl benzoate on house dust mite allergen levels. Ann Allergy Asthma Immunol 1996;77(3):187-90.

Chang MY, Hogan AD, Rakes GP, et al. Salivary cotinine levels in children presenting with wheezing to an emergency department. Pediatr Pulmonol 2000;29(4):257-63.

Chapman J, Girardeau C, O'Coneell EJ. We have made progress but there is still work to be done. Ann Allergy Asthma Immunol 2000;85(3):159.

Chapman JA. How relevant are pollen and mold spore counts to clinical practice? Ann Allergy Asthma Immunol 2000;84(5):467-8.

Chapman MD, Heymann PW, Wilkins SR, et al. Monoclonal immunoassays for major dust mite (Dermatophagoides) allergens, Der p I and Der f I, and quantitative analysis of the allergen content of mite and house dust extracts. J Allergy Clin Immunol 1987;80(2):184-94.

Chapman MD, Platts-Mills TA, Gabriel M, et al. Antibody response following prolonged hyposensitization with Dermatophagoides pteronyssinus extract. Int Arch Allergy Appl Immunol 1980;61(4):431-40.

Chapman MD, Pollart SM, Luczynska CM, et al. Hidden allergic factors in the etiology of asthma. [Review]. Chest 1988;94(1):185-90.

Chapman MD, Rowntree S, Mitchell EB, et al. Quantitative assessments of IgG and IgE antibodies to inhalant allergens in patients with atopic dermatitis. J Allergy Clin Immunol 1983;72(1):27-33.

Charman C. Clinical evidence: atopic eczema. [Review]. BMJ 1999;318(7198):1600-4.

Charpin D, Kleisbauer JP, Lanteaume A, et al. Asthma and allergy to house-dust mites in populations living in high altitudes. Chest 1988;93(4):758-61.

Chatterjee S. Immunotherapeutic strategies to combat allergic respiratory diseases. Indian J Pharmacol 2001;33(4):293.

Chen CC, Hsieh KH. Effects of Microstop-treated anti-mite bedding on children with mite-sensitive asthma. Acta Paed Sin 1996;37(6):420-7.

Chen JL. Failure of desensitization in the management of vancomycin hypersensitivity. [Abstract]. ASHP Midyear Clin Mtg 1993;28:P-443(D).

Chesnut ICH, Silverman S, Andriano K, et al. A randomized trial of nasal spray salmon calcitonin in postmenopausal women with established osteoporosis: The prevent recurrence of osteoporotic fractures study. Am J Med 2000;109(4):267-76.

Chew FT, Goh DY, Lee BW. Effects of an acaricide on mite allergen levels in the homes of asthmatic children. Acta Paediatr Japonica 1996;38(5):483-8.

Chinn S. A simple method for converting an odds ratio to effect size for use in meta-analysis. Stat Med 2000;19(22):3127-31.

Chinn S, Jarvis D, Luczynska C, et al. Individual allergens as risk factors for bronchial responsiveness in young adults. Thorax 1998;53(8):662-7.

Chowdhury I, Chatterjee B. The immunological and clinical effects of immunotherapy in patients suffering from house dust allergy. Ann Agric Environ Med 1999;6(2):91-7.

Chowgule RV, Shetye VM, Parmar JR, et al. Prevalence of respiratory symptoms, bronchial hyperreactivity, and asthma in a megacity. Results of the European community respiratory health survey in Mumbai (Bombay). Am J Respir Crit Care Med 1998;158(2):547-54.

Cicutto LC, Chapman KR. Approaches to unresponsive asthma. Drug Benefit Trends 2001;13(6):34-6, 55-60.

Cipolla C, Lugo G, Sassi C, et al. A new risk of occupational disease: Allergic asthma and rhinoconjunctivitis in persons working with beneficial arthropods. Int Arch Occup Environ Health 1996;68(2):133-5.

Ciprandi G. Relationships between allergic diseases: Conjunctivitis, rhinitis and asthma. Drug News Perspect 1997;10(5):317-20.

Ciprandi G, Cosentino C, Milanese M, et al. Fexofenadine reduces nasal congestion in perennial allergic rhinitis. Allergy Eur J Allergy Clin Immunol 2001;56(11):1068-70.

Ciprandi G, Pronzato C, Ricca V, et al. Loratadine treatment of rhinitis due to pollen allergy reduces epithelial ICAM-1 expression. Clin Exp Allergy 1997;27(10):1175-83.

Ciprandi G, Ricca V, Tosca M, et al. Continuous antihistamine treatment controls allergic inflammation and reduces respiratory morbidity in children with mite allergy. Allergy 1999;54(4):358-65.

Ciprandi G, Tosca M, Passalacqua G, et al. Long-term cetirizine treatment reduces allergic symptoms and drug prescriptions in children with mite allergy. Ann Allergy Asthma Immunol 2001;87(3):222-6.

Ciprandi G, Tosca M, Ricca V, et al. Cetirizine treatment of rhinitis in children with pollen allergy: Evidence of its antiallergic activity. Clin Exp Allergy 1997;27(10):1160-6.

Cirla AM, Sforza N, Roffi GP, et al. Preseasonal intranasal immunotherapy in birch-alder allergic rhinitis. A double-blind study. Allergy 1996;51(5):299-305.

Clavel R, Bousquet J, Andre C. Clinical efficacy of sublingual-swallow immunotherapy: a double-blind, placebo-controlled trial of a standardized five-grass-pollen extract in rhinitis. Allergy 1998;53(5):493-8.

Cleophas TJM, Tavenier P. Clinical trials in chronic diseases. J Clin Pharmacol 1995;35(6):594-8.

Clerico DM. Sources and effects of indoor air pollution, including sick building syndrome. Curr Opin Otolaryngol Head Neck Surg 1996;4(1):44-9.

Cloosterman SG, Bijl-Hofland ID, van Herwaarden CL, et al. A placebo-controlled clinical trial of regular monotherapy with short-acting and long-acting beta(2)-agonists in allergic asthmatic patients. Chest 2001;119(5):1306-15.

Cloosterman SG, Hofland ID, Lukassen HG, et al. House dust mite avoidance measures improve peak flow and symptoms in patients with allergy but without asthma: a possible delay in the manifestation of clinical asthma? J Allergy Clin Immunol 1997;100(3):313-9.

Cloosterman SG, Schermer TR, Bijl-Hofland ID, et al. Effects of house dust mite avoidance measures on Der p 1 concentrations and clinical condition of mild adult house dust mite-allergic asthmatic patients, using no inhaled steroids. Clin Exp Allergy 1999;29(10):1336-46.

Cloud ML, Enas GC, Kemp J, et al. A specific LTD4/LTE4-receptor antagonist improves pulmonary function in patients with mild, chronic asthma. Am Rev Respir Dis 1989;140(5):1336-9.

Clover A. Patient benefit survey: Tunbridge Wells Homoeopathic Hospital 1997. Br Homeopath J 2000;89(Suppl 1):S45.

Cockburn IM, Bailit HL, Berndt ER, et al. Loss of work productivity due to illness and medical treatment. J Occup Environ Med 1999a;41(11):948-53.

Cockburn IM, Bailit HL, Berndt ER, et al. Costing out care: when antihistamines go to work. Bus Health 1999b;17(3):49-50.

Cockcroft DW, Cuff MT, Tarlo SM, et al. Allergen injection therapy with glutaraldehyde-modified--ragweed pollen-tyrosine adsorbate. A double-blind trial. J Allergy Clin Immunol 1977;60(1):56-62.

Coffman DA, Jenkins M. Intranasal betamethasone valerate in seasonal rhinitis. Practitioner 1975;215(1289):665-8.

Cohen J. Statistical power analysis for the behavioral sciences. Hillsdale, NJ: L. Erlbaum Associates; 1988.

Cohen L. Indoor air quality a major public-health issue, workshop told. Can Med Assoc J 1995;153(1):92-3.

Cohen SG, King JR. Skin tests: A historic trail. Immunol Allergy Clin North Am 2001;21(2):191-249.

Colberg K, Hettich M, Sigmund R, et al. The efficacy and tolerability of an 8-day administration of intravenous and oral meloxicam: A comparison with intramuscular and oral diclofenac in patients with acute lumbago. Curr Med Res Opin 1995;13(7):363-77.

Colgan R, Powers JH. Appropriate antimicrobial prescribing: Approaches that limit antibiotic resistance. Am Fam Phys 2001;64(6):999-1004.

Collard Ph, Rodenstein DO. Nasal continuous positive airway pressure for sleep apnoea. Eur Respir Monogr 1998;3(10):179-204.

Colloff MJ. House dust mite control with Acarosan--an extreme test? Clin Exp Allergy 1992;22(7):657-8.

Colloff MJ, Lever RS, McSharry C. A controlled trial of house dust mite eradication using natamycin in homes of patients with atopic dermatitis: effect on clinical status and mite populations. Br J Dermatol 1989;121(2):199-208.

Compston JE. Pharmacological interventions for post-menopausal osteoporosis: An evidence-based approach. Rheumatology (UK) 2000;39(12):1309-12.

Comstock GW, Stone RW, Tonascia JA, et al. Respiratory survey findings as predictors of disability from respiratory diseases. Am Rev Respir Dis 1981;124(4):367-71.

Conde HDJ, Palma AJL, Delgado RJ, et al. Comparison of azelastine nasal spray and oral ebastine in treating seasonal allergic rhinitis. Curr Med Res Opin 1995;13(6):299-304.

Condemi J, Schulz R, Lim J. Triamcinolone acetonide aqueous nasal spray versus loratadine in seasonal allergic rhinitis: efficacy and quality of life. Ann Allergy Asthma Immunol 2000;84(5):533-8.

Cook PR, Farias C. The safety of allergen immunotherapy: a literature review. [Review]. Ear Nose Throat J 1998;77(5):378-9, 383-8.

Cools M, Van Bever HP, Weyler JJ, et al. Long-term effects of specific immunotherapy, administered during childhood, in asthmatic patients allergic to either house-dust mite or to both house-dust mite and grass pollen. Allergy 2000;55(1):69-73.

Cooper C, Srakkestad JA, Radowicki S, et al. Matrix delivery transdermal 17beta-estradiol for the prevention of bone loss in postmenopausal women. Osteoporosis Int 1999;9(4):358-66.

Cooper NK. A cheaper preparation of disodium cromoglycate in the treatment of allergic rhinitis. J R Army Med Corps 1989;135(1):34.

Cooper PJ, Darbyshire J, Nunn AJ, et al. A controlled trial of oral hyposensitization in pollen asthma and rhinitis in children. Clin Allergy 1984;14(6):541-50.

Corey JP, Kemker BJ, Branca JT, et al. Health status in allergic rhinitis. Otolaryngol Head Neck Surg 2000;122(5):681-5.

Corne J, Djukanovic R, Thomas L, et al. The effect of intravenous administration of a chimeric anti-IgE antibody on serum IgE levels in atopic subjects: efficacy, safety, and pharmacokinetics. J Clin Invest 1997;99(5):879-87.

Cornere M, Fitzharris P, Douglas R. Immunotherapy: practical guide to administration. New Ethicals 1999;2:67-72.

Corrado OJ, Pastorello E, Ollier S, et al. A double-blind study of hyposensitization with an alginate conjugated extract of D. pteronyssinus (Conjuvac) in patients with perennial rhinitis. 1. Clinical aspects. Allergy 1989;44(2):108-15.

Corren J. Allergic rhinitis and asthma: How important is the link? J Allergy Clin Immunol 1997;99(2):S781-S786.

Corren J. The impact of allergic rhinitis on bronchial asthma. J Allergy Clin Immunol 1998;101(2 II):S352-S356.

Corren J, Harris AG, Aaronson D, et al. Efficacy and safety of loratadine plus pseudoephedrine in patients with seasonal allergic rhinitis and mild asthma. [erratum appears in J Allergy Clin Immunol 1998 Jun;101(6 Pt 1):792]. J Allergy Clin Immunol 1997;100(6 Pt 1):781-8.

Cote J, Cartier A, Robichaud P, et al. Influence of asthma education on asthma severity, quality of life and environmental control. Can Respir J 2000;7(5):395-400.

Craig-McFeely PM, Acharya NV, Shakir SAW. Evaluation of the safety of fexofenadine from experience gained in general practice use in England in 1997. Eur J Clin Pharmacol 2001;57(4):313-20.

Craig T, Sawyer AM, Fornadley JA. Use of immunotherapy in a primary care office. Am Fam Physician 1998;57(8):1888-94.

Crane J, Ellis I, Siebers R, et al. A pilot study of the effect of mechanical ventilation and heat exchange on house-dust mites and Der p 1 in New Zealand homes. Allergy 1998;53(8):755-62.

Crater SE, Peters EJ, Martin ML, et al. Expired nitric oxide and airway obstruction in asthma patients with an acute exacerbation. Am J Respir Crit Care Med 1999;159(3):806-11.

Crater SE, Peters EJ, Phillips CD, et al. Prospective analysis of CT of the sinuses in acute asthma. AJR Am J Roentgenol 1999;173(1):127-31.

Creticos PS. Immunotherapy with allergens. J Am Med Assoc 1992;268(20):2834-9.

Creticos PS, Reed CE, Norman PS, et al. Ragweed immunotherapy in adult asthma. N Engl J Med 1996;334(8):501-6.

Criner GJ, Brennan K, Travaline JM, et al. Efficacy and compliance with noninvasive positive pressure ventilation in patients with chronic respiratory failure. Chest 1999;116(3):667-75.

Crobach M, Hermans J, Kaptein A, et al. Nasal smear eosinophilia for the diagnosis of allergic rhinitis and eosinophilic non-allergic rhinitis. Scand J Prim Health Care 1996;14(2):116-21.

Crobach MJJ, Hermans J, Kaptein AA, et al. The diagnosis of allergic rhinitis: How to combine the medical history with the results of radioallergosorbent tests and skin prick tests. Scand J Prim Health Care 1998;16(1):30-6.

Cross S. Mould spores: the unusual suspects in hay fever. Community Nurse 1997;3(4):25-6.

Cross S, Buck S, Hubbard J. ABC of allergies: Allergy in general practice. BMJ 1998;316(7144):1584-7.

Crown WH. Productivity measurement in pharmaceutical studies. Drug Benefit Trends 2000;12(2):5BH-8BH.

Crystal-Peters J, Crown WH, Goetzel RZ, et al. The cost of productivity losses associated with allergic rhinitis. Am J Manag Care 2000;6(3):373-8.

Crystal-Peters J, Neslusan C, Crown WH, et al. Treating allergic rhinitis in patients with comorbid asthma: The risk of asthma-related hospitalizations and emergency department visits. J Allergy Clin Immunol 2002;109(1 Pt 1):57-62.

Cuffel B, Wamboldt M, Borish L, et al. Economic consequences of comorbid depression, anxiety, and allergic rhinitis. Psychosomatics 1999;40(6):491-6.

Cunningham JM, Chiu EJ, Landgraf JM, et al. The health impact of chronic recurrent rhinosinusitis in children. Arch Otolaryngol Head Neck Surg 2000;126(11):1363-8.

Curtis VA, Kerwin RW. A risk-benefit assessment of risperidone in schizophrenia. Drug Saf 1995;12(2):139-45.

Custovic A, Simpson BM, Simpson A, et al. Manchester Asthma and Allergy Study: low-allergen environment can be achieved and maintained during pregnancy and in early life. J Allergy Clin Immunol 2000;105(2 Pt 1):252-8.

Custovic A, Taggart SC, Francis HC, et al. Exposure to house dust mite allergens and the clinical activity of asthma. J Allergy Clin Immunol 1996;98(1):64-72.

Custovic A, Woodcock A. Clinical effects of allergen avoidance. [Review]. Clin Rev Allergy Immunol 2000;18(3):397-419.

Cuthbert OD, Jeffrey IG, McNeill HB, et al. Barn allergy among Scottish farmers. Clin Allergy 1984;14(2):197-206.

Cvitanovic S, Zekan L, Capkun V, et al. Specific hyposensitization in patients allergic to Parietaria officinalis pollen allergen. J Investig Allergol Clin Immunol 1994;4(6):283-90.

D'Amato G, Liccardi G, Russo M, et al. Measurement of serum levels of eosinophil cationic protein to monitor patients with seasonal respiratory allergy induced by Parietaria pollen (treated and untreated with specific immunotherapy). Allergy 1996;51(4):245-50.

D'Amato G, Lobefalo G, Liccardi G, et al. A double-blind, placebo-controlled trial of local nasal immunotherapy in allergic rhinitis to Parietaria pollen. Clin Exp Allergy 1995;25(2):141-8.

D'Souza MF, Pepys J, Wells ID, et al. Hyposensitization with Dermatophagoides pteronyssinus in house dust allergy: a controlled study of clinical and immunological effects. Clin Allergy 1973;3(2):177-93.

Damm M, Jungehulsing M, Eckel HE, et al. Effects of systemic steroid treatment in chronic polypoid rhinosinusitis evaluated with magnetic resonance imaging. Otolaryngol Head Neck Surg 1999;120(4):517-23.

Davies BH. Epidemiology of building-associated illness. Immunol Allergy Clin North Am 1994;14(3):483-93.

Davies R. The health economics of quality of life. Eur Respir Rev 1997;7(47):303-6.

Davis KL, Powchik P. Tacrine. Lancet 1995;345(8950):625-30.

De Alarcon A, Walsh EE, Carper HT, et al. Detection of IgA and IgG but not IgE antibody to respiratory syncytial virus in nasal washes and sera from infants with wheezing. J Pediatr 2001;138(3):311-7.

de Andrade AD, Charpin D, Birnbaum J, et al. Indoor allergen levels in day nurseries. J Allergy Clin Immunol 1995;95(6):1158-63.

De Blay F, Sanchez J, Platts-Mills T, et al. [Metrology of airborne particles carrying the principal air allergens]. [French]. Rev Mal Respir 1995;12(4):343-52.

de Bock GH, Reijneveld SA, van Houwelingen JC, et al. Multiattribute utility scores for predicting family physicians' decisions regarding sinusitis. Med Decis Making 1999;19(1):58-65.

de Graaf-in't Veld C, Garrelds IM, van Toorenenbergen AW, et al. Nasal responsiveness to allergen and histamine in patients with perennial rhinitis with and without a late phase response. Thorax 1997;52(2):143-8.

de Graaf-in 't Veld T, Garrelds IM, van Toorenenbergen AW, et al. Effect of topical levocabastine on nasal response to allergen challenge and nasal hyperreactivity in perennial rhinitis. Ann Allergy Asthma Immunol 1995;75(3):261-6.

de Graaf-in 't Veld T, Koenders S, Garrelds IM, et al. The relationships between nasal hyperreactivity, quality of life, and nasal symptoms in patients with perennial allergic rhinitis. J Allergy Clin Immunol 1996;98(3):508-13.

De Zotti R, Molinari S, Larese F, et al. Pre-employment screening among trainee bakers. Occup Environ Med 1995;52(4):279-83.

Dekkers CPM, Beker JA, Thjodleifsson B, et al. Comparison of rabeprazole 20 mg vs. omeprazole 20 mg in the treatment of active gastric ulcer - A European multicentre study. Aliment Pharmacol Ther 1998;12(8):789-95.

Demoly P, Allaert F-A, Lecasble M, et al. ERASM, a pharmacoepidemiologic survey on management of intermittent allergic rhinitis in every day general medical practice in France. Allergy 2002;57:546-54.

Denman AM, Cornthwaite D. Control of house dust mite antigen in bedding. Lancet 1990;335(8696):1038.

Derebery MJ, Berliner KI. Allergy and health-related quality of life. Otolaryngol Head Neck Surg 2000;123(4):393-9.

Desrosiers MY, Salas-Prato M. Treatment of chronic rhinosinusitis refractory to other treatments with topical antibiotic therapy delivered by means of a large-particle nebulizer: results of a controlled trial. Otolaryngol Head Neck Surg 2001;125(3):265-9.

Deuell B, Arruda LK, Hayden ML, et al. Trichophyton tonsurans allergen. I. Characterization of a protein that causes immediate but not delayed hypersensitivity. J Immunol 1991;147(1):96-101.

Devlin J, David TJ, Stanton RH. Elemental diet for refractory atopic eczema. Arch Dis Child 1991;66(1):93-9.

Dharmage SC, Abramson M, Raven J, et al. Why do only some of the young adults with bronchial hyperreactivity wheeze? J Asthma 1998;35(5):391-9.

Di Stanislao C, Di Berardino L, Bianchi I, et al. A double-blind, placebo-controlled study of preventive immunotherapy with E.P.D., in the treatment of seasonal allergic disease. Allerg Immunol (Paris) 1997;29(2):39-42.

Diamant Z, Fokkens WJ. Leukotriene receptor antagonists: Clinical potential in allergic rhinitis. Rhinology 2001;39(4):187-90.

Diamant Z, Timmers MC, van der Veen H, et al. Effect of inhaled heparin on allergen-induced early and late asthmatic responses in patients with atopic asthma. Am J Respir Crit Care Med 1996;153(6 Pt 1):1790-5.

Diamond L, Gerson K, Cato A, et al. An evaluation of triprolidine and pseudoephedrine in the treatment of allergic rhinitis. Ann Allergy 1981;47(2):87-91.

Dietemann A, Bessot JC, Hoyet C, et al. A double-blind, placebo controlled trial of solidified benzyl benzoate applied in dwellings of asthmatic patients sensitive to mites: clinical efficacy and effect on mite allergens. J Allergy Clin Immunol 1993;91(3):738-46.

DiGioacchino M, Cavallucci E, Verna N, et al. Allergens in occupational allergy. Prevention and management. Int J Immunopathol Pharmacol 2000;13(3):163-8.

Dockery DW, Speizer FE, Stram DO, et al. Effects of inhalable particles on respiratory health of children. Am Rev Respir Dis 1989;139(3):587-94.

Dockhorn R, Aaronson D, Bronsky E, et al. Ipratropium bromide nasal spray 0.03% and beclomethasone nasal spray alone and in combination for the treatment of rhinorrhea in perennial rhinitis. Ann Allergy Asthma Immunol 1999;82(4):349-59.

Dockhorn RJ, Williams BO, Sanders RL. Efficacy of acrivastine with pseudoephedrine in treatment of allergic rhinitis due to ragweed. Ann Allergy Asthma Immunol 1996;76(2):204-8.

Dolor RJ, Witsell DL, Hellkamp AS, et al. Comparison of cefuroxime with or without intranasal fluticasone for the treatment of rhinosinusitis. The CAFFS Trial: a randomized controlled trial. JAMA 2001;286(24):3097-105.

Dolz I, Martinez-Cocera C, Bartolome JM, et al. A double-blind, placebo-controlled study of immunotherapy with grass-pollen extract Alutard SQ during a 3-year period with initial rush immunotherapy. Allergy 1996;51(7):489-500.

Donahue JG, Greineder DK, Connor-Lacke L, et al. Utilization and cost of immunotherapy for allergic asthma and rhinitis. Ann Allergy Asthma Immunol 1999;82(4):339-47.

Donovan JP, Buckeridge DL, Briscoe MP, et al. Efficacy of immunotherapy to ragweed antigen tested by controlled antigen exposure. Ann Allergy Asthma Immunol 1996;77(1):74-80.

Dooms-Goossens A. Sensitisation to corticosteroids: Consequences for anti-inflammatory therapy. Drug Saf 1995;13(2):123-9.

Dorward AJ, Colloff MJ, MacKay NS, et al. Effect of house dust mite avoidance measures on adult atopic asthma. Thorax 1988;43(2):98-102.

Dorward AJ, Waclawski E, Kerr JW. A comparison of the clinical and immunological effects of an alum-precipitated five-grass extract with a conjugated two-grass extract in the desensitization of hay fever. Clin Allergy 1984;14(6):561-70.

Douglass JA, Thien FCK, O'Hehir RE. Immunoteraphy in asthma. Thorax 1997;52(Suppl 3):S22-S29.

Dreborg S, Sjogren I, Eriksson NE, et al. Selection of patients for biological standardization as exemplified by standardization of mugwort, goosefoot and English plantain pollen allergen extracts/preparations. Allergy Eur J Allergy Clin Immunol 1987;42(7):485-95.

Drettner B. Why does research in rhinology matter? J Laryngol Otol 1984;98(12):1193-205.

Drouin MA, Yang WH, Horak F, et al. Adding loratadine to topical nasal steroid therapy improves moderately severe seasonal allergic rhinoconjunctivitis. Adv Ther 1995;12(6):340-9.

Druce HM, Spector SL, Fireman P, et al. Double-blind study of intranasal ipratropium bromide in nonallergic perennial rhinitis. Ann Allergy 1992;69(1):53-60.

Duarte C, Baehre M, Gharakhanian S, et al. Treatment of severe seasonal rhinoconjunctivitis by a combination of azelastine nasal spray and eye drops: a double-blind, double-placebo study. J Investig Allergol Clin Immunol 2001;11(1):34-40.

DuBuske LM. Introduction: Risk management in asthma and allergic diseases. J Allergy Clin Immunol 1996;98(6 III):S289-S290.

DuBuske LM. Appropriate and inappropriate use of immunotherapy. Ann Allergy Asthma Immunol 2001;87(1 Suppl):56-67.

Duff AL, Pomeranz ES, Gelber LE, et al. Risk factors for acute wheezing in infants and children: viruses, passive smoke, and IgE antibodies to inhalant allergens. Pediatrics 1993;92(4):535-40.

Dunlop G. Management of patients with rhinitis. Med Today 2001;2(10):61-7.

Durham SR, Kay AB, Hamid Q. Changes in allergic inflammation associated with successful immunotherapy. [Review]. Int Arch Allergy Immunol 1995;107(1-3):282-4.

Durham SR, Varney V, Gaga M, et al. Immunotherapy and allergic inflammation. Clin Exp Allergy 1991;21 (Suppl 1):206-10.

Durham SR, Walker S. Immunotherapy for hayfever. Chem Immunol 2000;78:199-208.

Durham SR, Walker SM, Varga EM, et al. Long-term clinical efficacy of grass-pollen immunotherapy. N Engl J Med 1999;341(7):468-75.

Durr DG, Desrosiers MY, Dassa C. Quality of life in patients with rhinosinusitis. J Otolaryngol 1999;28(2):108-11.

Dykewicz MS. Primary care update: brief summaries for clinical practice. Rhinitis update: a guide to treatment. Consultant 1999;39(5):1446, 1448-50.

Dykewicz MS. Rhinitis update: A guide to diagnosis. Consultant 1999;39(4):1253-5.

Dykewicz MS, Fineman S. Diagnosis and management of rhinitis: Parameter documents of the Joint Task Force on Practice Parameters in Allergy, Asthma, and Immunology: Preface. Joint Task Force on Practice Parameters in Allergy, Asthma, and Immunology, representing the American Academy of Allergy, Asthma and Immunology, the American College of Allergy, Asthma and Immunology, and the Joint Council of Allergy, Asthma and Immunology. Ann Allergy Asthma Immunol 1998;81(5 II):vi.

Dykewicz MS, Fineman S. Executive Summary of Joint Task Force practice parameters on diagnosis and management of rhinitis. Ann Allergy Asthma Immunol 1998;81(5 Pt 2):463-8.

Dykewicz MS, Fineman S, Nicklas R, et al. Joint Task Force algorithm and annotations for diagnosis and management of rhinitis. Ann Allergy Asthma Immunol 1998;81(5 Pt 2):469-73.

Dykewicz MS, Fineman S, Skoner DP. Joint Task Force summary statements on diagnosis and management of rhinitis. Ann Allergy Asthma Immunol 1998;81(5 Pt 2):474-7.

Easthope S, Jarvis B. Omalizumab. Drugs 2001;61(2):253-60.

Eccles R. Nasal airflow in health and disease. Acta Oto-Laryngol 2000;120(5):580-95.

Edsbacker S, Sachar, Pena. Budesonide capsules: Scientific basis. Drugs Today 2000;36(Suppl G):9-23.

Eggleston PA. Urban children and asthma: Morbidity and mortality. Immunol Allergy Clin North Am 1998;18(1):75-84.

Ehnert B, Lau-Schadendorf S, Weber A, et al. Reducing domestic exposure to dust mite allergen reduces bronchial hyperreactivity in sensitive children with asthma. J Allergy Clin Immunol 1992;90(1):135-8.

el-Azazy OM. Camel tick (Acari:Ixodidae) control with pour-on application of flumethrin. Vet Parasitol 1996;67(3-4):281-4.

el-Dahr JM, Fink R, Selden R, et al. Development of immune responses to Aspergillus at an early age in children with cystic fibrosis. Am J Respir Crit Care Med 1994;150(6 Pt 1):1513-8.

Eldridge MW, Peden DB. Allergen provocation augments endotoxin-induced nasal inflammation in subjects with atopic asthma. J Allergy Clin Immunol 2000;105(3):475-81.

Ellis AK, Day JH, Lundie MJ. Impact on quality of life during an allergen challenge research trial. Ann Allergy Asthma Immunol 1999;83(1):33-9.

Ellis AK, Rafeiro E, Day JH. Quality of life indices may be predictive of placebo and medication response to treatment for allergic rhinitis. Ann Allergy Asthma Immunol 2001;86(4):393-6.

Elmogy M, Fayed H, Marzok H, et al. Oral ivermectin in the treatment of scabies. Int J Dermatol 1999;38(12):926-8.

Emanuel IA, Shah SB. Chronic rhinosinusitis: allergy and sinus computed tomography relationships. Otolaryngol Head Neck Surg 2000;123(6):687-91.

Endicott NA. Chronic fatigue syndrome in psychiatric patients: lifetime and premorbid personal history of physical health. Psychosom Med 1998;60(6):744-51.

Englender M. Nasal laser mucotomy (L-mucotomy) of the interior turbinates. J Laryngol Otol 1995;109(4):296-9.

Engvall K, Norrby C, Norback D. Asthma symptoms in relation to building dampness and odour in older multifamily houses in Stockholm. Int J Tuberculosis Lung Dis 2001;5(5):468-77.

Enright PL, McClelland RL, Newman AB, et al. Underdiagnosis and undertreatment of asthma in the elderly. Cardiovascular Health Study Research Group. Chest 1999;116(3):603-13.

Eriksson NE, Ahlstedt S, Lövhagen O. Immunotherapy in spring-time hay fever. A clinical and immunological study comparing two different treatment extract compositions. Allergy 1979;34(4):233-47.

Escudero AI, Sanchez-Guerrero IM, Mora AM, et al. Cost-effectiveness of various methods of diagnosing hypersensitivity to Alternaria. Allergol Immunopathol (Madr) 1993;21(4):153-7.

Euba R, Chalder T, Wallace P, et al. Self-reported allergy-related symptoms and psychological morbidity in primary care. Int J Psychiatry Med 1997;27(1):47-56.

European Agency for Evaluation of Medicinal Products. Committee for Proprietary Medicinal Products European Public Assessment Report (EPAR): Neoclarityn. 2001. Available at: http://www.eudra.org/humandocs/humans/epar/neoclarityn/neoclarityn.htm. Accessed August 31, 2002.

Ewan PW, Alexander MM, Snape C, et al. Effective hyposensitization in allergic rhinitis using a potent partially purified extract of house dust mite. Clin Allergy 1988;18(5):501-8.

Eysink PED, Bindels PJE, Huisman JS, et al. Development of specific immunoglobulin E in coughing toddlers: A medical records review of symptoms in general practice. Pediatr Allergy Immunol 2001;12(3):133-41.

Fagan JK, Scheff PA, Hryhorczuk D, et al. Prevalence of asthma and other allergic diseases in an adolescent population: association with gender and race. Ann Allergy Asthma Immunol 2001;86(2):177-84.

Fahlbusch B, Hornung D, Heinrich J, et al. Quantification of group 5 grass pollen allergens in house dust. Clin Exp Allergy 2000;30(11):1645-52.

Fakhri ZI, Erwa HH. Skin test survey in castor bean allergic working population in Eastern Sudan, with frequency response of first dilutions giving skin reactions. J Soc Occup Med 1988;38(4):128-33.

Falk JE, Juto JE, Stridh G, et al. Dose-response study of formaldehyde on nasal mucosa swelling. A study on residents with nasal distress at home. Am J Rhinol 1994;8(3):143-6.

Falliers CJ, Redding MA. Controlled comparison of anew antihistamine-decongestant combination to its individual components. Ann Allergy 1980;45(2):75-80.

Fanales-Belasio E, Ciofalo A, Zambetti G, et al. Intranasal immunotherapy with Dermatophagoides extract: in vivo and in vitro results of a double-blind placebo-controlled trial. Rhinology 1995;33(3):126-31.

Farooqi IS, Hopkin JM. Early childhood infection and atopic disorder. Thorax 1998;53(11):927-32.

Fasce L, Ciprandi G, Pronzato C, et al. Cetirizine reduces ICAM-I on epithelial cells during nasal minimal persistent inflammation in asymptomatic children with mite-allergic asthma. Int Arch Allergy Immunol 1996;109(3):272-6.

Fawcett IV WA. Allergen immunotherapy and avoidance. Prim Care Clinics in Office Practice 1998;25(4):869-83.

Fearby S, Frew AJ. Hunting the magic bullet in immunotherapy: New forms of old treatment or something completely different? Clin Exp Allergy 2001;31(7):969-74.

Fell P, Brostoff J. A single dose desensitization for summer hay fever. Results of a double blind study-1988. Eur J Clin Pharmacol 1990;38(1):77-9.

Fell WR, Mabry RL, Mabry CS. Quality of life analysis of patients undergoing immunotherapy for allergic rhinitis. Ear Nose Throat J 1997;76(8):528-32, 534-6.

Feo F, Martinez J, Martinez A, et al. Occupational allergy in saffron workers. Allergy Eur J Allergy Clin Immunol 1997;52(6):633-41.

Ferguson BJ. Allergic rhinitis: options for pharmacotherapy and immunotherapy. Postgrad Med 1997;101(5):117-20, 123-6, 131.

Ferguson BJ. Options for pharmacotherapy and immunotherapy. Postgrad Med 1997;101(5):117-31.

Ferguson BJ. What role do systemic corticosteroids, immunotherapy, and antifungal drugs play in the therapy of allergic fungal rhinosinusitis? Arch Otolaryngol Head Neck Surg 1998;124(10):1174-8.

Ferguson BJ. Cost-effective pharmacotherapy for allergic rhinitis. [Review]. Otolaryngol Clin North Am 1998;31(1):91-110.

Ferguson BJ, Blom HM, Mulder P. Is cigarette smoke exposure a confounder in the evaluation or efficacy of nasal steroid sprays in nonallergic, noninfectious perennial rhinitis? (multiple letters). J Allergy Clin Immunol 1998;102(1):155-6.

Filipiak B, Heinrich J, Schafer T, et al. Farming, rural lifestyle and atopy in adults from southern germany - Results from the MONICA/KORA study Augsburg. Clin Exp Allergy 2001;31(12):1829-38.

Filon FL, Bosco A, Fiorito A, et al. Latex symptoms and sensitisation in health care workers. Int Arch Occup Environ Health 2001;74(3):219-23.

Finn AF Jr, Aaronson D, Korenblat P, et al. Ipratropium bromide nasal spray 0.03% provides additional relief from rhinorrhea when combined with terfenadine in perennial rhinitis patients; a randomized, double-blind, active-controlled trial. Am J Rhinol 1998;12(6):441-9.

Finn R. John Bostock, hay fever, and the mechanism of allergy. Lancet 1992;340(8833):1453-5.

Fireman P. Treatment of allergic rhinitis: effect on occupation productivity and work force costs. [Review]. Allergy Asthma Proc 1997;18(2):63-7.

Fireman P. Treatment strategies designed to minimize medical complications of allergic rhinitis. [erratum appears in Am J Rhinol 1997 May-Jun;11(3):217]. [Review]. Am J Rhinol 1997;11(2):95-102.

Fireman P. Therapeutic approaches to allergic rhinitis: Treating the child. J Allergy Clin Immunol 2000;105(6 II):S616-S621.

Fokkens WJ. Who should treat patients with seasonal allergic rhinitis? Allergy 2002;57:469-71.

Fontana VJ, Holt LE, Mainland D. Effectiveness of hyposensitization therapy in ragweed hay-fever in children. JAMA 1966;195(12):985-92.

Forbes AB, Pitt SR, Baggott DG, et al. A review of the use of a controlled-release formulation of ivermectin in the treatment and prophylaxis of Psoroptes ovis infestations in sheep. [Review]. Vet Parasitol 1999;83(3-4):319-26.

Ford AW, Platts-Mills TA. Standardized extracts, dust mite, and other arthropods (inhalants). [Review]. Clin Rev Allergy 1987;5(1):49-73.

Ford AW, Rawle FC, Lind P, et al. Standardization of Dermatophagoides pteronyssinus: assessment of potency and allergen content in ten coded extracts. Int Arch Allergy Appl Immunol 1985;76(1):58-67.

Foresi A. A comparison of the clinical efficacy and safety of intranasal fluticasone propionate and antihistamines in the treatment of rhinitis. Allergy Eur J Allergy Clin Immunol Suppl 2000;55(62):12-4.

Fornadley JA, Corey JP, Osguthorpe JD, et al. Allergic rhinitis: clinical practice guideline. Committee on Practice Standards, American Academy of Otolaryngic Allergy. Otolaryngol Head Neck Surg 1996;115(1):115-22.

Forray C, Noble SA. Subtype selective alpha1-adrenoceptor antagonists for the treatment of benign prostatic hyperplasia. Expert Opin Invest Drugs 1999;8(12):2073-94.

Francillon C, Burnand B, Frei P, et al. Referral pattern to the allergist for hay fever in a health-care system with open access to specialists. Allergy 1995;50(12):959-63.

Frankland AW. House dust mites and allergy. [Review]. Arch Dis Child 1972;47(253):327-9.

Frankland AW. Practice of allergy in the United Kingdom. Ann Allergy 1993;71(4):335-7.

Frankum B. Management of hay fever. New Ethicals 1998;1:55, 57-9.

Frederick JM, Warner JO, Jessop WJ, et al. Effect of a bed covering system in children with asthma and house dust mite hypersensitivity. Eur Respir J 1997;10(2):361-6.

Freebairn AJE, Last ATJ, Illidge TM. Trastuzumab: Designer drug or fashionable fad? Clin Oncol 2001;13(6):427-33.

Freedman SO. First-line treatment of hay fever: What is the best option? Can Med Assoc J 1997;156(8):1141-3.

Frenz DA. Foundational readings concerning pollen for allergists and aerobiologists. Ann Allergy Asthma Immunol 2000;84(3):320-2.

Frew AJ, Smith HE. Sublingual immunotherapy. J Allergy Clin Immunol 2001;107(3):441-4.

Friedmann PS. The role of dust mite antigen sensitization and atopic dermatitis: Editorial. Clin Exp Allergy 1999;29(7):869-72.

Friedmann PS, Tan BB. Mite elimination--clinical effect on eczema. Allergy 1998;53(48 Suppl):97-100.

Fritschi L, DeKlerk N, Sim M, et al. Respiratory morbidity and exposure to bauxite, alumina and caustic mist in alumina refineries. J Occup Health 2001;43(5):231-7.

Frostad AB, Grimmer O, Sandvik L, et al. Hyposensitization. Comparing a purified (refined) allergen preparation and a crude aqueous extract from timothy pollen. Allergy 1980;35(2):81-95.

Frostad AB, Grimmer O, Sandvik L, et al. Clinical effects of hyposensitization using a purified allergen preparation from Timothy pollen as compared to crude aqueous extracts from Timothy pollen and a four-grass pollen mixture respectively. Clin Allergy 1983;13(4):337-57.

Furin MJ, Norman PS, Creticos PS, et al. Immunotherapy decreases antigen-induced eosinophil cell migration into the nasal cavity. J Allergy Clin Immunol 1991;88(1):27-32.

Gabriel M Sister, Ng HK, Allan WG, et al. Study of prolonged hyposensitization with D. pteronyssinus extract in allergic rhinitis. Clin Allergy 1977;7(4):325-39.

Gaddie J, Skinner C, Palmer KN. Hyposensitisation with house dust mite vaccine in bronchial asthma. BMJ 1976;2(6035):561-2.

Gaglani B, Borish L, Bartelson BL, et al. Nasal immunotherapy in weed-induced allergic rhinitis. Ann Allergy Asthma Immunol 1997;79(3):259-65.

Gaig P, Enrique E, Garcia-Ortega P, et al. Asthma, mite sensitization, and sleeping in bunks. Ann Allergy Asthma Immunol 1999;82(6):531-3.

Galant S, Berger W, Gillman S, et al. Prevalence of sensitization to aeroallergens in California patients with respiratory allergy. Ann Allergy Asthma Immunol 1998;81(3):203-10.

Galant SP, Wilkinson R. Clinical prescribing of allergic rhinitis medication in the preschool and young school-age child: What are the options? Biodrugs 2001;15(7):453-63.

Gani F, Pozzi E, Crivellaro MA, et al. The role of patient training in the management of seasonal rhinitis and asthma: clinical implications. Allergy 2001;56:65-8.

Garrelds IM, de Graaf-in 't Veld T, Nahori M-A, et al. Interleukin-5 and eosinophil cationic protein in nasal lavages of rhinitis patients. Eur J Pharmacol 1995;275(3):295-300.

Garrelds IM, van Amsterdam JG, de Graaf-in't Veld C, et al. Nitric oxide metabolites in nasal lavage fluid of patients with house dust mite allergy. Thorax 1995;50(3):275-9.

Gautrin D, Ghezzo H, Infante-Rivard C, et al. Natural history of sensitization, symptoms and occupational diseases in apprentices exposed to laboratory animals. Eur Respir J 2001;17(5):904-8.

Gawchik SM, Lim J. Comparison of intranasal triamcinolone acetonide with oral loratadine in the treatment of seasonal ragweed-induced allergic rhinitis. Am J Manag Care 1997;3(7):1052-8.

Gebhart F. Allergy care: Pharmacists assuming a wider role. Drug Topics 1999;143(11 Suppl):23s-6s.

Gelber LE, Seltzer LH, Bouzoukis JK, et al. Sensitization and exposure to indoor allergens as risk factors for asthma among patients presenting to hospital. Am Rev Respir Dis 1993;147(3):573-8.

Geller-Bernstein C, Pibourdin JM, Dornelas A, et al. Efficacy of the acaricide: acardust for the prevention of asthma and rhinitis due to dust mite allergy, in children. Allerg Immunol (Paris) 1995;27(5):147-54.

Gendeh BS, Murad S, Razi AM, et al. Skin prick test reactivity to foods in adult Malaysians with rhinitis. Otolaryngol Head Neck Surg 2000;122(5):758-62.

Gentile DA, Skoner DP. The relationship between airway hyperreactivity (AHR) and sodium, potassium adenosine triphosphatase (Na+,K+ ATPase) enzyme inhibition. J Allergy Clin Immunol 1997;99(3):367-73.

Georgitis JW, Banov C, Boggs PB, et al. Ipratropium bromide nasal spray in non-allergic rhinitis: efficacy, nasal cytological response and patient evaluation on quality of life. Clin Exp Allergy 1994;24(11):1049-55.

Georgitis JW, Meltzer EO, Kaliner M, et al. Onset-of-action for antihistamine and decongestant combinations during an outdoor challenge. Ann Allergy Asthma Immunol 2000;84(4):451-9.

Georgitis JW, Reisman RE, Clayton WF, et al. Local intranasal immunotherapy for grass-allergic rhinitis. J Allergy Clin Immunol 1983;71(1 Pt 1):71-6.

Giannarini L, Maggi E. Decrease of allergen-specific T-cell response induced by local nasal immunotherapy. Clin Exp Allergy 1998;28(4):404-12.

Gibbons MD, Gunn CG, Niwas S, et al. Cost analysis of computer-aided endoscopic sinus surgery. Am J Rhinol 2001;15(2):71-5.

Giembycz MA. Cilomilast: A second generation phosphodiesterase 4 inhibitor for asthma and chronic obstructive pulmonary disease. Expert Opin Invest Drugs 2001;10(7):1361-79.

Gill P, Dowell AC, Neal RD, et al. Evidence based general practice: A retrospective study of interventions in one training practice. BMJ 1996;312(7034):819-21.

Gillies DR, Littlewood JM, Sarsfield JK. Controlled trial of house dust mite avoidance in children with mild to moderate asthma. Clin Allergy 1987;17(2):105-11.

Gilmore TM, Alexander BH, Mueller BA, et al. Occupational injuries and medication use. Am J Industrial Med 1996;30(2):234-9.

Giovane AL, Bardare M, Passalacqua G, et al. A three-year double-blind placebo-controlled study with specific oral immunotherapy to Dermatophagoides: evidence of safety and efficacy in paediatric patients. Clin Exp Allergy 1994;24(1):53-9.

Girard JP, el-Habib G, Granjard P. Treatment of hay fever by Allerglobuline: a randomized double-blind study. Clin Allergy 1988;18(4):393-400.

Gleich GJ, Zimmermann EM, Henderson LL, et al. Effect of immunotherapy on immunoglobulin E and immunoglobulin G antibodies to ragweed antigens: a six-year prospective study. J Allergy Clin Immunol 1982;70(4):261-71.

Gliklich RE, Metson R. Techniques for outcomes research in chronic sinusitis. Laryngoscope 1995;105(4 Pt 1):387-90.

Glover D, Norris T, Bryson S, et al. Loratadine post-marketing surveillance by general practice computer network. Pharm Med 1992;6(2):87-97.

Godard PH, Chanez P, Redier H, et al. New therapeutical approaches in the treatment of asthma. Ann New York Acad Sci 1994;725:367-77.

Godfrey RC. Asthma and IgE levels in rural and urban communities of The Gambia. Clin Allergy 1975;5(2):201-7.

Goetzel RZ, Ozminkowski RJ, Del Rosso G, et al. Are drugs a cost or an investment? Bus Health 2000;18(6):39-42, 45.

Gold DR, Burge HA, Carey V, et al. Predictors of repeated wheeze in the first year of life: the relative roles of cockroach, birth weight, acute lower respiratory illness, and maternal smoking. Am J Respir Crit Care Med 1999;160(1):227-36.

Gold MR, Franks P, McCoy KI, et al. Toward consistency in cost-utility analyses: using national measures to create condition-specific values. Med Care 1998;36(6):778-92.

Golden S, Teets SJ, Lehman EB, et al. Effect of topical nasal azelastine on the symptoms of rhinitis, sleep, and daytime somnolence in perennial allergic rhinitis. Ann Allergy Asthma Immunol 2000;85(1):53-7.

Gordon BR. Immunotherapy basics. Otolaryngol Head Neck Surg 1995;113(5):597-602.

Gosepath J, Schaefer D, Amedee RG, et al. Individual monitoring of aspirin desensitization. Arch Otolaryngol Head Neck Surg 2001;127(3):316-21.

Gossel TA. Back to school health issues. US Pharm 1993;18(9):20, 22, 26, 28, 30.

Gotfried M. Relationship between rhinosinusitis and asthma: Is there a link? Infect Med 1998;15(Suppl C):67-73.

Gotzsche PC, Hammarquist C, Burr M. House dust mite control measures in the management of asthma: meta-analysis. BMJ 1998;317(7166):1105-10.

Gøtzsche PC, Johansen HK, Hammarquist C, et al. House dust mite control measures for asthma (Cochrane Review). In: The Cochrane Library, Issue 2, 2001. Oxford: Update Software.

Goudie AC, Evans NA, Gration KA, et al. Doramectin--a potent novel endectocide. Vet Parasitol 1993;49(1):5-15.

Gozalo RF, Estrada RJL, Martin HS, et al. Patient satisfaction and allergen immunotherapy. J Investig Allergol Clin Immunol 1999;9(2):101-5.

Graf P, Enerdal J, Hallen H. Ten days' use of oxymetazoline nasal spray with or without benzalkonium chloride in patients with vasomotor rhinitis. Arch Otolaryngol Head Neck Surg 1999;125(10):1128-32.

Graf P, Hallen H, Juto J-E. Benzalkonium chloride in a decongestant nasal spray aggravates rhinitis medicamentosa in healthy volunteers. Clin Exp Allergy 1995;25(5):395-400.

Grammer LC, Shaughnessey MA, Shaughnessy JJ, et al. Asthma as a variable in a study of immunotherapy for allergic rhinitis. J Allergy Clin Immunol 1984;73(5 Pt 1):557-60.

Grammer LC, Shaughnessy MA, Bernhard MI, et al. The safety and activity of polymerized ragweed: a double-blind, placebo-controlled trial in 81 patients with ragweed rhinitis. J Allergy Clin Immunol 1987;80(2):177-83.

Grammer LC, Shaughnessy MA, Henderson J, et al. A clinical and immunologic study of workers with trimellitic-anhydride- induced immunologic lung disease after transfer to low exposure jobs. Am Rev Respir Dis 1993;148(1):54-7.

Grammer LC, Shaughnessy MA, Shaughnessy JJ, et al. Allergenicity, immunogenicity, and safety of immunotherapy with various molecular weight ranges of polymerized ragweed. J Allergy Clin Immunol 1985;76(2 Pt 1):195-200.

Grammer LC, Shaughnessy MA, Suszko IM, et al. A double-blind histamine placebo-controlled trial of polymerized whole grass for immunotherapy of grass allergy. J Allergy Clin Immunol 1983;72(5 Pt 1):448-53.

Grammer LC, Zeiss CR, Suszko IM, et al. A double-blind, placebo-controlled trial of polymerized whole ragweed for immunotherapy of ragweed allergy. J Allergy Clin Immunol 1982;69(6):494-9.

Grant AC, Roter EP. Circadian sneezing. Neurology 1994;44(3 I):369-75.

Grant JA, Nicodemus CF, Findlay SR, et al. Cetirizine in patients with seasonal rhinitis and concomitant asthma: Prospective, randomized, placebo-controlled trial. J Allergy Clin Immunol 1995;95(5 I):923-32.

Green RJ, Potter P, Plit M, et al. The South African allergic rhinitis working group and allergic rhinitis. S Afr Med J 1998;88(11):1366-7.

Greenbaum J, Hainer S, Sussman G. Letter to the editor. Can J Allergy Clin Immunol 1999;4(1):6.

Gregory C, Cifaldi M, Tanner LA. Targeted intervention programs: creating a customized practice model to improve the treatment of allergic rhinitis in a managed care population. Am J Manag Care 1999;5(4):485-96.

Grembiale RD, Camporota L, Naty S, et al. Effects of specific immunotherapy in allergic rhinitic individuals with bronchial hyperresponsiveness. Am J Respir Crit Care Med 2000;162(6):2048-52.

Grewar J, MacDonald TM. Hay fever symptoms and over-the-counter remedies: A community pharmacy study. Int J Pharm Pract 1998;6(1):22-9.

Griffith CJ. Allergic rhinitis: practical guide to diagnosis and management... recertification series. Phys Assistant 1994;18(7):19-21, 24-6, 29-30 passim.

Groholt E-K, Stigum H, Nordhagen R, et al. Children with chronic health conditions in the Nordic countries in 1996 - Influence of socio-economic factors. Ambul Child Health 2001;7(3-4):177-89.

Gronneberg R, Strandberg K, Stalenheim G, et al. Equivalent inhibition by terbutaline of anti-human IgE skin responses in atopic and non-atopic subjects. Allergy 1985;40(1):27-35.

Grosclaude M, Mees K, Pinelli ME, et al. Cetirizine and pseudoephedrine retard, given alone or in combination, in patients with seasonal allergic rhinitis. Rhinology 1997;35(2):67-73.

Gross NJ. Allergy to laboratory animals: Epidemiologic, clinical, and physiologic aspects, and a trial of cromolyn in its management. J Allergy Clin Immunol 1980;66(2):158-65.

Grupp-Phelan J, Lozano P, Fishman P. Health care utilization and cost in children with asthma and selected comorbidities. J Asthma 2001;38(4):363-73.

Guarderas JC. Rhinitis and sinusitis: Office management. Mayo Clin Proc 1996;71(9):882-8.

Guez S, Vatrinet C, Fadel R, et al. House-dust-mite sublingual-swallow immunotherapy (SLIT) in perennial rhinitis: a double-blind, placebo-controlled study. Allergy 2000;55(4):369-75.

Gunasekara NS, Noble S. Isosorbide 5-mononitrate. A review of a sustained-release formulation (Imdur(R)) in stable angina pectoris. Drugs 1999;57(2):261-77.

Gunter MJ. The role of the ECHO model in outcomes research and clinical practice improvement. Am J Manag Care 1999;5(4 Suppl):S217-24.

Gupta SK. Treating allergies: A perspective in family practice. J Indian Med Assoc 2000;98(3):132-3.

Gutgesell C, Heise S, Seubert S, et al. Double-blind placebo-controlled house dust mite control measures in adult patients with atopic dermatitis. Br J Dermatol 2001;145(1):70-4.

Haahtela T, Jaakonmaki I. Relationship of allergen-specific IgE antibodies, skin prick tests and allergic disorders in unselected adolescents. Allergy 1981;36(4):251-6.

Haahtela T, Wihl JA, Munch E, et al. Hyposensitization in hay fever with grass pollen extracts: a three-year study comparing a dialysed alum adsorbed extract with allpyral. Ann Allergy 1984;52(5):355-62.

Haas N, Sterry W. The use of ELM to monitor the success of antiscabietic treatment. Epiluminescence light microscopy. Arch Dermatol 2001;137(12):1656-7.

Hadley JA. Evaluation and management of allergic rhinitis. Med Clin North Am 1999;83(1):13-25.

Hadley JA, Schaefer SD. Clinical evaluation of rhinosinusitis: History and physical examination. Otolaryngol Head Neck Surg 1997;117(3 II Suppl):S8-S11.

Hajat S, Haines A, Atkinson RW, et al. Association between air pollution and daily consultations with general practitioners for allergic rhinitis in London, United Kingdom. Am J Epidemiol 2001;153(7):704-14.

Halken S, Niklassen U, Hansen LG, et al. Encasing of mattresses in children with asthma and house dust mite allergy. [Abstract]. J Allergy Clin Immunol 1997;99:S320.

Haller V, Williams G. Diving candidates as they present for fitness to dive assessment: Diving medicine case studies Part 1. S Pac Underw Med Soc J 2001;31(3):157-62.

Hamilton RG, Chapman MD, Platts-Mills TAE, et al. House dust aeroallergen measurements in clinical practice: A guide to allergen-free home and work environments. Immunol Allergy Pract 1992;14(3):96-112.

Hansell A, Hollowell J, Nichols T, et al. Use of the General Practice Research Database (GPRD) for respiratory epidemiology: A comparison with the 4th Morbidity Survey in General Practice (MSGP4). Thorax 1999;54(5):413-9.

Harkness P, Brown P, Fowler S, et al. A national audit of sinus surgery. Results of the Royal College of Surgeons of England comparative audit of ENT surgery. Clin Otolaryngol 1997;22(2):147-51.

Harper JI, Ahmed I, Barclay G, et al. Cyclosporin for severe childhood atopic dermatitis: Short course versus continuous therapy. Br J Dermatol 2000;142(1):52-8.

Harrelson GL. Theme introduction. Athl Ther Today 2001;6(5):5.

Harvey RP, Comer C, Sanders B, et al. Model for outcomes assessment of antihistamine use for seasonal allergic rhinitis. J Allergy Clin Immunol 1996;97(6):1233-41.

Harving H, Korsgaard J, Dahl R. House-dust mite exposure reduction in specially designed, mechanically ventilated "healthy" homes. Allergy 1994;49(9):713-8.

Hauschildt P, Molhave L, Kjaergaard SK. Reactions of healthy persons and persons suffering from allergic rhinitis when exposed to office dust. Scand J Work Environ Health 1999;25(5):442-9.

Hayden FG, Diamond L, Wood PB, et al. Effectiveness and safety of intranasal ipratropium bromide in common colds. A randomized, double-blind, placebo-controlled trial. Ann Intern Med 1996;125(2):89-97.

Hayden ML, Perzanowski M, Matheson L, et al. Dust mite allergen avoidance in the treatment of hospitalized children with asthma. Ann Allergy Asthma Immunol 1997;79(5):437-42.

Heald AE, Pieper CF, Schiffman SS. Taste and smell complaints in HIV-infected patients. AIDS 1998;12(13):1667-74.

Hedlin G, Wille S, Browaldh L, et al. Immunotherapy in children with allergic asthma: effect on bronchial hyperreactivity and pharmacotherapy. J Allergy Clin Immunol 1999;103(4):609-14.

Hedman J, Kaprio J, Poussa T, et al. Prevalence of asthma, aspirin intolerance, nasal polyposis and chronic obstructive pulmonary disease in a population-based study. Int J Epidemiol 1999;28(4):717-22.

Heikkinen T, Ruohola A, Ruuskanen O, et al. Intranasally administered immunoglobulin for the prevention of rhinitis in children. Pediatr Infect Dis J 1998;17(5):367-72.

Hellriegel ET, Arora S, Nelson M, et al. Steady-state pharmacokinetics and tolerability of modafinil given alone or in combination with methylphenidate in healthy volunteers. J Clin Pharmacol 2001;41(8):895-904.

Henauer S, Seppey M, Huguenot C, et al. Effects of terfenadine and pseudoephedrine, alone and in combination in a nasal provocation test and in perennial rhinitis. Eur J Clin Pharmacol 1991;41(4):321-4.

Hendeles L. Cetirizine: A new antihistamine with minimal sedation. Pharmacotherapy 1996;16(5 I):967-8.

Hendrix S, Zeiss CR, Levitz D, et al. Polymerized whole ragweed: A two-year follow-up of patients treated with an improved method of immunotherapy. J Allergy Clin Immunol 1980;65(1):57-60.

Hendrix SG, Patterson R, Zeiss CR, et al. A multi-institutional trial of polymerized whole ragweed for immunotherapy of ragweed allergy. J Allergy Clin Immunol 1980;66(6):486-94.

Hendrix WC, Arruda LK, Platts-Mills TA, et al. Aspergillus epidural abscess and cord compression in a patient with aspergilloma and empyema. Survival and response to high dose systemic amphotericin therapy. [Review]. Am Rev Respir Dis 1992;145(6):1483-6.

Hennessy S, Strom BL. Nonsedating antihistamines should be preferred over sedating antihistamines in patients who drive. Ann Intern Med 2000;132(5):405-7.

Henriksen AH, Holmen TL, Bjermer L. Sensitization and exposure to pet allergens in asthmatics versus non-asthmatics with allergic rhinitis. Respir Med 2001;95(2):122-9.

Herman D, Garay R, Le Gal M. A randomized double-blind placebo controlled study of azelastine nasal spray in children with perennial rhinitis. Int J Pediatr Otorhinolaryngol 1997;39(1):1-8.

Hessel PA, Herbert FA, Melenka LS, et al. Lung health in sawmill workers exposed to pine and spruce. Chest 1995;108(3):642-6.

Heymann PW, Rakes GP, Hogan AD, et al. Assessment of eosinophils, viruses and IgE antibody in wheezing infants and children. Int Arch Allergy Immunol 1995;107(1-3):380-2.

Hide DW, Matthews S, Matthews L, et al. Effect of allergen avoidance in infancy on allergic manifestations at age two years. J Allergy Clin Immunol 1994;93(5):842-6.

Hide DW, Matthews S, Tariq S, et al. Allergen avoidance in infancy and allergy at 4 years of age. Allergy 1996;51(2):89-93.

Higgins KM, Davidian M, Chew G, et al. The effect of serial dilution error on calibration inference in immunoassay. Biometrics 1998;54(1):19-32.

Hikal AH, Hikal EM. Cousenling tips for the top OTCs. Drug Topics 1997;141(12):62-71.

Hill D, Ayra A, Solieri A, et al. Survey of computed tomography scanning and endoscopic sinus surgery in a group of district general hospitals in south Essex. J Laryngol Otol 2001;115(1):26-30.

Hill DJ, Hosking CS. The cow milk allergy complex: Overlapping disease profiles in infancy. Eur J Clin Nutr 1995;49(Suppl 1):S1-S12.

Hill DJ, Smart IJ, Hosking CS. Specific cellular and humoral immunity in children with grass pollen asthma. Clin Allergy 1982;12(1):83-9.

Hilliquin P, Allanore Y, Coste J, et al. Reduced incidence and prevalence of atopy in rheumatoid arthritis. Results of a case-control study. Rheumatology (UK) 2000;39(9):1020-6.

Hindmarch I, Riedel WJ. Editorial. Hum Psychopharmacol 1998;13(Suppl 2):S47-S48.

Hirsch SR, Kalbfleisch JH, Cohen SH. Comparison of Rinkel injection therapy with standard immunotherapy. J Allergy Clin Immunol 1982;70(3):183-90.

Hirsch SR, Kalbfleisch JH, Golbert TM, et al. Rinkel injection therapy: a multicenter controlled study. J Allergy Clin Immunol 1981;68(2):133-55.

Hirsck T, Sahn M, Leupold W. Double-blind placebo-controlled study of sublingual immunotherapy with house dust mite extract (D.Pt.) in children. Pediatr Allergy Immunol 1997;8(1):21-7.

Hirvonen M-R, Ruotsalainen M, Roponen M, et al. Nitric oxide and proinflammatory cytokines in nasal lavage fluid associated with symptoms and exposure to moldy building microbes. Am J Respir Crit Care Med 1999;160(6):1943-6.

Ho TM, Yit YH, Husain M. Development of an enzyme-linked immunosorbent assay for detection of IgE antibodies specific to Dermatophagoides pteronyssinus. Asian Pac J Allergy Immunol 1988;6(2):103-6.

Hollingsworth HM. Allergic rhinoconjunctivitis: current therapy. Hospital Pract 1996;31(6):61-2, 65-7, 71-2 passim.

Hollingworth P, de Vere Tyndall A, Ansell BM, et al. Intensive immunosuppression versus prednisolone in the treatment of connective tissue diseases. Ann Rheum Dis 1982;41(6):557-62.

Holm L, Ohman S, Bengtsson A, et al. Effectiveness of occlusive bedding in the treatment of atopic dermatitis--a placebo-controlled trial of 12 months' duration. Allergy 2001;56(2):152-8.

Holt GR. The interface of otolaryngology with occupational medicine. Curr Opin Otolaryngol Head Neck Surg 1996;4(1):59-61.

Honda K, Ooki K, Makishima K. Topical applications of trichloroacetic acid as therapy for nasal allergy. Eur Arch Oto-Rhino-Laryngol 1994;251(Suppl 1):S65-S67.

Honig PK, Cantilena LR. Polypharmacy. Pharmacokinetic perspectives. Clin Pharmacokinet 1994;26(2):85-90.

Hoover GE, Newman LJ, Platts-Mills TA, et al. Chronic sinusitis: risk factors for extensive disease. J Allergy Clin Immunol 1997;100(2):185-91.

Hopper JL, Jenkins MA, Carlin JB, et al. Increase in the self-reported prevalence of asthma and hay fever in adults over the last generation: a matched parent-offspring study. Austr J Publ Health 1995;19(2):120-4.

Horak F, Jager S, Berger U, et al. Controlled exposure to mite allergen for a dose-finding of dimethindene maleate (DMM). Agents & Actions 1994;41:Spec No: C124-6.

Horak F, Jager S, Toth J, et al. Efficacy and tolerability of astemizole-D and loratadine-D during prolonged, controlled allergen challenge in the Vienna Challenge Chamber. Arzneim-Forsch Drug Res 1996;46(11):1077-81.

Horak F, Stubner P, Berger UE, et al. Immunotherapy with sublingual birch pollen extract. A short-term double-blind placebo study. J Investig Allergol Clin Immunol 1998;8(3):165-71.

Horak F, Stubner UP. New trends in allergic rhinitis. Allergy Clin Immunol Int 1998;10(3):81-7.

Horak F, Toth J, Marks B, et al. Efficacy and safety relative to placebo of an oral formulation of cetirizine and sustained-release pseudoephedrine in the management of nasal congestion. Allergy 1998;53(9):849-56.

Hordijk GJ, Antvelink JB, Luwema RA. Sublingual immunotherapy with a standardised grass pollen extract; a double-blind placebo-controlled study. Allergol Immunopathol (Madr) 1998;26(5):234-40.

Horst M, Hejjaoui A, Horst V, et al. Double-blind, placebo-controlled rush immunotherapy with a standardized Alternaria extract. J Allergy Clin Immunol 1990;85(2):460-72.

Howard KB, Bowers BW, Cook CK, et al. Intranasal fluticasone, loratadine tablets, and their use in combination: An evaluation of economic and humanistic outcomes. Drug Benefit Trends 2001;13(10):45-6, 48, 51-2.

Howarth P. The development of guidelines for allergic rhinitis. Rev Fr Allergol Immunol Clin 2001;41(1):116-20.

Howland WC, Hampel FC, Martin BG, et al. The efficacy of fluticasone propionate aqueous nasal spray for allergic rhinitis and its relationship to topical effects. Clin Ther 1996;18(6):1106-17.

Htut T, Higenbottam TW, Gill GW, et al. Eradication of house dust mite from homes of atopic asthmatic subjects: a double-blind trial. J Allergy Clin Immunol 2001;107(1):55-60.

Huang S-L, Lin K-C, Pan W-H. Dietary factors associated with physician-diagnosed asthma and allergic rhinitis in teenagers: Analyses of the first Nutrition and Health Survey in Taiwan. Clin Exp Allergy 2001;31(2):259-64.

Huang S-W. The effects of an air cleaner in the homes of children with perennial allergic rhinitis. Pediatr Asthma Allergy Immunol 1993;7(2):111-7.

Hudmon KS, Corelli RL, Kroon LA, et al. Reducing pulmonary disease: The pharmacist's role in smoking cessation. J Pharm Pract 2001;14(2):143-59.

Huerter Jr JV. Functional endoscopic sinus surgery and allergy. Otolaryngol Clin North Am 1992;25(1):231-8.

Hueston WJ, Eberlein C, Johnson D, et al. Criteria used by clinicians to differentiate sinusitis from viral upper respiratory tract infection. J Fam Pract 1998;46(6):487-92.

Hungin APS, Gunn SD, Bate CM, et al. A comparison of the efficacy of omeprazole 20 mg once daily with ranitidine 150 mg bd in the relief of symptomatic gastro-oesophageal reflux disease in general practice. Br J Clin Res 1993;4:73-88.

Hunskaar S, Fosse RT. Allergy to laboratory mice and rats: A review of its prevention management, and treatment. Lab Anim 1993;27(3):206-21.

Hunt JF, Erwin E, Palmer L, et al. Expression and activity of pH-regulatory glutaminase in the human airway epithelium. Am J Respir Crit Care Med 2002;165(1):101-7.

Hunt JF, Fang K, Malik R, et al. Endogenous airway acidification. Implications for asthma pathophysiology. Am J Respir Crit Care Med 2000;161(3 Pt 1):694-9.

Huss K, Salerno M, Huss RW. Computer-assisted reinforcement of instruction: effects on adherence in adult atopic asthmatics. Res Nurs Health 1991;14(4):259-67.

Huss RW, Huss K, Squire EN, et al. Mite allergen control with acaricide fails. J Allergy Clin Immunol 1994;94(1):27-32.

Huttin C, Andral J. How the reimbursement system may influence physicians' decisions results from focus groups interviews in France. Health Policy 2000;54(2):67-86.

Hyndman SJ, Vickers LM, Htut T, et al. A randomized trial of dehumidification in the control of house dust mite. Clin Exp Allergy 2000;30(8):1172-80.

Ige OM, Onadeko OB. Respiratory symptoms and ventilatory function of the sawmillers in Ibadan, Nigeria. Afr J Med Medical Sci 2000;29(2):101-4.

Iliopoulos O, Proud D, Adkinson NF, et al. Effects of immunotherapy on the early, late, and rechallenge nasal reaction to provocation with allergen: changes in inflammatory mediators and cells. J Allergy Clin Immunol 1991;87(4):855-66.

Illum P, Meistrup-Larsen U, Moesner J, et al. Disodium cromoglycate (Lomudal) in the treatment of hay fever. Acta Allergol 1973;28(5):416-24.

Iloeje UH, Redlich CA. Indoor air pollution: An update for the clinician. Clin Pulm Med 2000;7(3):128-33.

Ingram JM, Rakes GP, Hoover GE, et al. Eosinophil cationic protein in serum and nasal washes from wheezing infants and children. J Pediatr 1995;127(4):558-64.

Institute for Clinical Systems Improvement. Rhinitis. Bloomington: MN: Institute for Clinical Systems Improvement, 2000.

Iribarren C, Friedman GD, Klatsky AL, et al. Exposure to environmental tobacco smoke: association with personal characteristics and self reported health conditions. J Epidemiol Community Health 2001;55(10):721-8.

Irons JS, Pruzansky JJ, Patterson R. Allergy grand rounds: immunotherapy: mechanisms of action suggested by measurements of immunologic and cellular parameters. J Allergy Clin Immunol 1975;56:64-77.

Ishizuka T, Furuya Y. Influence of meals and night shifts on health. J Med Syst 1993;17(3-4):201-6.

Iskandar NM, Naguib MB. Chlamydia trachomatis: An underestimated cause for rhinitis in neonates. Int J Pediatr Otorhinolaryngol 1998;42(3):233-7.

Israel E. Leukotrienes and rhinitis. Clin Exp Allergy Suppl Rev 2001;1(2):160-2.

Ito H, Nakamura Y, Takagi S, et al. Effects of azelastine on the level of serum interleukin-4 and soluble CD23 antigen in the treatment of nasal allergy. Arzneimittelforschung 1998;48(12):1143-7.

Iversen M, Korsgaard J, Hallas T, et al. Mite allergy and exposure to storage mites and house dust mites in farmers. Clin Exp Allergy 1990;20(2):211-9.

Jaakkola JJK, Heinonen OP. Shared office space and the risk of the common cold. Eur J Epidemiol 1995;11(2):213-6.

Jaakkola JJK, Miettinen P. Type of ventilation system in office buildings and sick building syndrome. Am J Epidemiol 1995;141(8):755-65.

Jackson-Menaldi CA, Dzul AI, Holland RW. Allergies and vocal fold edema: A preliminary report. J Voice 1999;13(1):113-22.

Jahnsen FL, Lund-Johansen F, Dunne JF, et al. Experimentally induced recruitment of plasmacytoid (CD123SUPhigh) dendritic cells in human nasal allergy. J Immunol 2000;165(7):4062-8.

Janda P, Sroka R, Tauber S, et al. Diode laser treatment of hyperplastic inferior nasal turbinates. Lasers Surg Med 2000;27(2):129-39.

Janson C, Chinn S, Jarvis D, et al. Effect of passive smoking on respiratory symptoms, bronchial responsiveness, lung function, and total serum IgE in the European Community Respiratory Health Survey: A cross-sectional study. Lancet 2001;358(9299):2103-9.

Järvinen KAJ, Pirilä V, Björksten F, et al. Unsuitability of bakery work for a person with atopy: A study of 234 bakery workers. Ann Allergy 1979;42(3):192-5.

Jarvis D, Chinn S, Luczynska C, et al. The association of family size with atopy and atopic disease. Clin Exp Allergy 1997;27(3):240-5.

Jeebhay MF, Lopata AL, Robins TG. Seafood processing in South Africa: A study of working practices, occupational health services and allergic health problems in the industry. Occup Med 2000;50(6):406-13.

Jen A, Baroody F, de Tineo M, et al. As-needed use of fluticasone propionate nasal spray reduces symptoms of seasonal allergic rhinitis. J Allergy Clin Immunol 2000;105(4):732-8.

Jirapongsananuruk O, Malainual N, Sangsupawanich P, et al. Partial mattress encasing significantly reduces house dust mite antigen on bed sheet surface: a controlled trial. Ann Allergy Asthma Immunol 2000;84(3):305-10.

Jirapongsananuruk O, Vichyanond P. Nasal cytology in the diagnosis of allergic rhinitis in children. Ann Allergy Asthma Immunol 1998;80(2):165-70.

Johansson SGO. Visions for the IAACI. Allergy Clin Immunol Int 2000;12(5):249.

Joint Task Force on Practice Parameters. Practice parameters for allergen immunotherapy. Joint Task Force on Practice Parameters, representing the American Academy of Allergy, Asthma and Immunology, the American College of Allergy, Asthma and Immunology, and the Joint Council of Allergy, Asthma and Immunology. J Allergy Clin Immunol 1996;98(6 Pt 1):1001-11.

Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology. Diagnosis and management of rhinitis: complete guidelines of the Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology. Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology, representing the American Academy of Allergy, Asthma and Immunology; the American College of Allergy, Asthma and Immunology; and the Joint Council of Allergy, Asthma and Immunology. Ann Allergy Asthma Immunol 1998;81(5 Pt 2):478-518.

Jones HS. Allergic rhinitis: A study on the prescribing preferences in general practice. Br J Clin Pract 1989;43(1):30-2.

Jones NS. Nasal manifestations of rheumatic diseases. Ann Rheum Dis 1999;58(10):589-90.
Jones NS, Carney AS, Davis A. The prevalence of allergic rhinosinusitis: A review. J Laryngol Otol 1998;112(11):1019-30.

Jones RCM, Hughes CR, Wright D, et al. Early house moves, indoor air, heating methods and asthma. Respir Med 1999;93(12):919-22.

Jooma OF, Weinberg EG, Berman D, et al. Accumulation of house-dust mite (Der-p-1) levels on mattress covers. S Afr Med J 1995;85(10):1002-5.

Jordan JA, Mabry RL. Geriatric rhinitis: What it is, and how to treat it. Geriatrics 1998;53(6):76-84.

Juliusson S, Bende M. Effect of systemically administered Hinf 1- and Hinf 2-receptor antagonists on nasal blood flow as measured with laser Doppler flowmetry in a provoked allergic reaction. Rhinology 1996;34(1):24-7.

Jüni P, Witschi A, Bloch R, et al. The hazards of scoring the quality of clinical trials for meta-analysis. JAMA 1999;282(11):1054-60.

Juniper E. Rhinitis and quality of life. Rev Fr Allergol Immunol Clin 2001;41(1):111-5.

Juniper EF. Rhinitis and quality of life. Eur Respir Rev 1997;7(47):300-2.

Juniper EF. Measuring health-related quality of life in rhinitis. [Review]. J Allergy Clin Immunol 1997;99(2):S742-9.

Juniper EF. Quality of life in adults and children with asthma and rhinitis. [Review]. Allergy 1997;52(10):971-7.

Juniper EF. Impact of upper respiratory allergic diseases on quality of life. J Allergy Clin Immunol 1998;101(2 II):S386-S391.

Juniper EF. Rhinitis management: the patient's perspective. Clin Exp Allergy 1998;28 (Suppl 6):34-8.

Juniper EF, Guyatt GH. Development and testing of a new measure of health status for clinical trials in rhinoconjunctivitis. Clin Exp Allergy 1991;21(1):77-83.

Juniper EF, Guyatt GH, Andersson B, et al. Comparison of powder and aerosolized budesonide in perennial rhinitis: validation of rhinitis quality of life questionnaire. Ann Allergy 1993;70(3):225-30.

Juniper EF, Guyatt GH, Archer B, et al. Aqueous beclomethasone dipropionate in the treatment of ragweed pollen-induced rhinitis: further exploration of "as needed" use. J Allergy Clin Immunol 1993;92(1 Pt 1):66-72.

Juniper EF, Guyatt GH, Dolovich J. Assessment of quality of life in adolescents with allergic rhinoconjunctivitis: development and testing of a questionnaire for clinical trials. J Allergy Clin Immunol 1994;93(2):413-23.

Juniper EF, Guyatt GH, Ferrie PJ, et al. First-line treatment of seasonal (ragweed) rhinoconjunctivitis. A randomized management trial comparing a nasal steroid spray and a nonsedating antihistamine. Can Med Assoc J 1997;156(8):1123-31.

Juniper EF, Guyatt GH, Ferrie PJ, et al. Sodium cromoglycate eye drops: Regular versus 'as needed' use in the treatment of seasonal allergic conjunctivitis. J Allergy Clin Immunol 1994;94(1):36-43.

Juniper EF, Guyatt GH, Griffith LE, et al. Interpretation of rhinoconjunctivitis quality of life questionnaire data. J Allergy Clin Immunol 1996;98(4):843-5.

Juniper EF, Howland WC, Roberts NB, et al. Measuring quality of life in children with rhinoconjunctivitis. J Allergy Clin Immunol 1998;101(2 Pt 1):163-70.

Juniper EF, Kline PA, Hargreave FE, et al. Comparison of beclomethasone dipropionate aqueous nasal spray, astemizole, and the combination in the prophylactic treatment of ragweed pollen-induced rhinoconjunctivitis. J Allergy Clin Immunol 1989;83(3):627-33.

Juniper EF, Kline PA, Ramsdale EH, et al. Comparison of the efficacy and side effects of aqueous steroid nasal spray (budesonide) and allergen-injection therapy (Pollinex-R) in the treatment of seasonal allergic rhinoconjunctivitis. J Allergy Clin Immunol 1990;85(3):606-11.

Juniper EF, Ponte CD, Shapiro GG. Drug spotlight: the newer antihistamines. Patient Care 1996;30(7):34-8, 39-42, 47-8.

Juniper EF, Thompson AK, Ferrie PJ, et al. Validation of the standardized version of the Rhinoconjunctivitis Quality of Life Questionnaire. J Allergy Clin Immunol 1999;104(2 Pt 1):364-9.

Juniper EF, Thompson AK, Ferrie PJ, et al. Development and validation of the mini Rhinoconjunctivitis Quality of Life Questionnaire. Clin Exp Allergy 2000;30(1):132-40.

Juniper EF, Willms DG, Guyatt GH, et al. Aqueous beclomethasone dipropionate nasal spray in the treatment of seasonal (ragweed) rhinitis. Can Med Assoc J 1992;147(6):887-92.

Kagi MK, Wuthrich B. Different methods of local allergen-specific immunotherapy. Allergy 57:379-88.

Kaiser HB, Findlay SR, Georgitis JW, et al. Long-term treatment of perennial allergic rhinitis with ipratropium bromide nasal spray 0.06%. J Allergy Clin Immunol 1995;95(5 II):1128-32.

Kaiser HB, Kaliner MA, Nelson HS. Who needs allergy testing? Patient Care 1997;31(14):169-72, 175, 179-83.

Kalayci O, Saraclar Y, Adalioglu G, et al. The effect of cetirizine on sulfidoleukotriene production by blood leukocytes in children with allergic rhinitis. Allergy 1995;50(12):964-9.

Kaliner M. Allergy care in the next millennium: Guidelines for the specialty. J Allergy Clin Immunol 1997;99(6 I Suppl):729-34.

Kaliner MA, Osguthorpe JD, Fireman P, et al. Sinusitis: bench to bedside. Current findings, future directions. [erratum appears in J Allergy Clin Immunol 1997 Oct;100(4):510]. [Review]. J Allergy Clin Immunol 1997;99(6 Pt 3):S829-48.

Kalra S, Crank P, Hepworth J, et al. Absence of seasonal variation in concentrations of the house dust mite allergen Der p1 in south Manchester homes. Thorax 1992;47(11):928-31.

Kammermeyer JK, Rajtora DW, Anuras J, et al. Clinical evaluation of intranasal topical flunisolide therapy in allergic rhinitis. J Allergy Clin Immunol 1977;59(4):287-93.

Kanerva L, Vanhanen M. Occupational allergic contact urticaria and rhinoconjunctivitis from a detergent protease. Contact Dermatitis 2001;45(1):49-51.

Kanga JF. Dornase alfa therapy in cystic fibrosis: Who should get it? Chest 1996;110(4):871-2.

Kanthawatana S, Maturim W, Fooanan S, et al. Skin prick reaction and nasal provocation response in diagnosis of nasal allergy to the house dust mite. Ann Allergy Asthma Immunol 1997;79(5):427-30.

Kao NL. Costs of rhinitis and asthma. Ann Allergy Asthma Immunol 1995;74(5):448.

Kaplan AP. Visions for the World Allergy Organization. Allergy Clin Immunol Int 2001;13(2):71.

Karlberg BE, Lins L-E, Hermansson K. Efficacy and safety of telmisartan, a selective ATinf 1 receptor antagonist, compared with enalapril in elderly patients with primary hypertension. J Hypertens 1999;17(2):293-302.

Kaszuba SM, Baroody FM, deTineo M, et al. Superiority of an intranasal corticosteroid compared with an oral antihistamine in the as-needed treatment of seasonal allergic rhinitis. Arch Intern Med 2001;161(21):2581-7.

Katelaris CH. Successful immunotherapy. A partnership between consultant and general practitioner. [Review]. Aust Fam Physician 1998;27(8):687-92.

Katelaris CH. Showcasing Australia. Allergy Clin Immunol Int 2000;12(5):189-90.

Katelaris CH, Carrozzi FM, Burke TV, et al. A springtime olympics demands special consideration for allergic athletes. J Allergy Clin Immunol 2000;106(2):260-6.

Katz RM. Treating the student with seasonal allergic rhinitis. Pediatr Asthma Allergy Immunol 1996;10(3):93-100.

Katzenstein L. Allergies: nothing to sneeze at. Am Health Fitness Body Mind 1993;12(4):44-9.

Kaufman HS, Roth HL. Hyposensitization with alum precipitated extracts in atopic dermatitis: a placebo-controlled study. Ann Allergy 1974;32(6):321-30.

Kay AB. Allergy and allergic diseases. Part 2. New Engl J Med 2001;344:109-13.

Kay AB. Allergy and allergic diseases. First of two parts. [Review]. N Engl J Med 2001;344(1):30-7.

Kay AB, Holgate ST. Good allergy practice. Clin Exp Allergy 1995;25(7):579.

Kay GG. The effects of antihistamines on cognition and performance. J Allergy Clin Immunol 2000;105(6 II):S622-S627.

Keith PK, Haddon J, Birch S. A cost-benefit analysis using a willingness-to-pay questionnaire of intranasal budesonide for seasonal allergic rhinitis. Rhinocort Study Group. Ann Allergy Asthma Immunol 2000;84(1):55-62.

Kelso JM, Jones RT, Tellez R, et al. Oral allergy syndrome successfully treated with pollen immunotherapy. Ann Allergy Asthma Immunol 1995;74(5):391-6.

Kelso JM, Sodhi N, Gosselin VA, et al. Diagnostic performance characteristics of the standard Phadebas RAST, modified RAST, and pharmacia CAP system versus skin testing. Ann Allergy 1991;67(5):511-4.

Kemker BJ, Corey JP, Branca J, et al. Development of the Allergy Outcome Survey for allergic rhinitis. Otolaryngol Head Neck Surg 1999;121(5):603-5.

Kenner D. European botanic therapies, part III: The use of essential oils in clinical practice. Am J Acupunct 1998;26(2-3):105-15.

Kerkhof M, Droste JH, de Monchy JG, et al. Distribution of total serum IgE and specific IgE to common aeroallergens by sex and age, and their relationship to each other in a random sample of the Dutch general population aged 20-70 years. Dutch ECRHS Group, European Community Respiratory Health Study. Allergy 1996;51(11):770-6.

Keslin MH, Jarrell CM, Gregory C. Diagnosis and treatment of allergic rhinitis: primary care in an integrated health system setting. Am J Manag Care 1999;5(4 Suppl):S248-56; quiz S257-8.

Kessler RC, Almeida DM, Berglund P, et al. Pollen and mold exposure impairs the work performance of employees with allergic rhinitis. Ann Allergy Asthma Immunol 2001;87(10):289-95.

Kettis LA, Isacson D, Eriksson C. Assessment of the appropriateness of extemporaneous preparations prescribed in Swedish primary care. Int J Pharm Pract 1996;4(2):117-22.

Kifuji K, McCullough J, Ownby DR. Relationship between dust mite allergen and human IgA in house dust samples. Ann Allergy 1993;70(3):219-24.

Kilpelainen M, Koskenvuo M, Helenius H, et al. Wood stove heating, asthma and allergies. Respir Med 2001;95(11):911-6.

Kim Y, Suzuki K, Kitao S, et al. Clinical review of nasal allergy due to fungus. Acta Oto-Laryngol Supplement 1996;525:105-7.

Kim YK, Park HW, Park HS, et al. Sensitivity to citrus red mite and the development of asthma. Ann Allergy Asthma Immunol 2000;85(6 Pt 1):483-8.

Kimura Y, Kanazawa Y, Kida K, et al. A study of atopic dermatitis in elementary school children in Hirosaki City, Aomori Prefecture, Japan. Environ Health Prev Med 1998; 3(3):141-5.

King HC. Allergy testing by primary care physicians. Postgrad Med 1990;87(4):137-40, 143.

Kiviloog J. Variability of bronchial reactivity to exercise and metacholine in bronchial asthma. Scand J Respir Dis 1973;54(6):359-68.

Kivity S, Sade K, Abu-Arisha F, et al. Epidemiology of bronchial asthma and chronic rhinitis in schoolchildren of different ethnic origins from two neighboring towns in Israel. Pediatr Pulmonol 2001;32(3):217-21.

Kjellman M. Treatment of children with perennial rhinitis with brompheniraminemaleate and phenylpropanolaminehydrochloride (lunerin mite). Acta Allergol 1975;30(1):48-57.

Kjellman NI, Lanner A. Hyposensitization in childhood hay fever. A comparison of refined and whole timothy extracts. Allergy 1980;35(4):323-34.

Klein GL, Timerman V. Pharmacologic and nonpharmacologic treatment of allergic rhinitis. Phys Assistant 1993;17(5):52-6, 59-60, 62 passim.

Klein GL, Ziering RW. Allergy tips of the month: For physicians. Immunol Allergy Pract 1993;15(7):210-1.

Klimek L, Wolf H, Mewes T, et al. The effect of short-term immunotherapy with molecular standardized grass and rye allergens on eosinophil cationic protein and tryptase in nasal secretions. J Allergy Clin Immunol 1999;103(1 Pt 1):47-53.

Klossek JM, Laliberte F, Laliberte MF, et al. Local safety of intranasal triamcinolone acetonide: Clinical and histological aspects of nasal mucosa in the long term treatment of perennial allergic rhinitis. Rhinology 2001;39(1):17-22.

Kniest FM, Wolfs BJ, Vos H, et al. Mechanisms and patient compliance of dust-mite avoidance regimens in dwellings of mite-allergic rhinitic patients. Clin Exp Allergy 1992;22(7):681-9.

Kniest FM, Young E, Van Praag MC, et al. Clinical evaluation of a double-blind dust-mite avoidance trial with mite-allergic rhinitic patients. Clin Exp Allergy 1991;21(1):39-47.

Knight A. The role of levocabastine in the treatment of allergic rhinoconjunctivitis. Br J Clin Pract 1994;48(3):139-43.

Knight A, Underdown BJ, Demanuele F, et al. Disodium cromoglycate in ragweed-allergic rhinitis. J Allergy Clin Immunol 1976;58(2):278-83.

Kobayashi RH, Kiechel IF, Kobayashi ALD, et al. Topical nasal sprays: Treatment of allergic rhinitis. Am Fam Phys 1994;50(1):151-7.

Koch B, Oparil S, Stimpel M. Co-administration of an ACE-inhibitor (moexipril) and hormonal replacement therapy in postmenopausal women. J Hum Hypertens 1999;13(5):337-42.

Kogan H. Hayfever: A modern condition. Occup Health 1993;45(5):166-8.

Kolbeck KG, Ehnhage A, Juto JE, et al. Airway reactivity and exhaled NO following swine dust exposure in healthy volunteers. Respir Med 2000;94(11):1065-72.

Konno A, Yamakoshi T, Terada N, et al. Mode of action of a topical steroid on immediate phase reaction after antigen challenge and nonspecific nasal hyperreactivity in nasal allergy. Int Arch Allergy Immunol 1994;103(1):79-87.

Kooistra JB, Pasch R, Reed CE. The effects of air cleaners on hay fever symptoms in air-conditioned homes. J Allergy Clin Immunol 1978;61(5):315-9.

Kopferschmitt-Kubler MC, Couchot A, Pauli G. Evaluation of the effect of oral cetirizine on antigen-induced immediate asthmatic response. Ann Allergy 1990;65(6):501-3.

Korsgaard J. Preventive measures in hose-dust allergy. Am Rev Respir Dis 1982;125(1):80-4.

Korsgaard J. Preventive measures in mite asthma. A controlled trial. Allergy 1983;38(2):93-102.

Korsgaard J. Mite asthma and residency. A case-control study on the impact of exposure to house-dust mites in dwellings. Am Rev Respir Dis 1983;128(2):231-5.

Kort HS, Schober G, Koren LG, et al. Mould-devouring mites differ in guanine excretion from dust-eating Acari, a possible error source in mite allergen exposure studies. Clin Exp Allergy 1997;27(8):921-5.

Koskinen OM, Husman TM, Meklin TM, et al. The relationship between moisture or mould observations in houses and the state of health of their occupants. Eur Respir J 1999;14(6):1363-7.

Kotwani A, Puri R, Gupta U. Efficacy of nimesulide alone and in combination with cetirizine in acute allergic rhinitis. J Assoc Physicians India 2001;49:518-22.

Kozma CM, Sadik MK, Watrous ML. Economic outcomes for the treatment of allergic rhinitis. [Review]. Pharmacoeconomics 1996;10(1):4-13.

Kozma CM, Schulz RM, Sclar DA, et al. A comparison of costs and efficacy of intranasal fluticasone propionate and terfenadine tablets for seasonal allergic rhinitis. Clin Ther 1996;18(2):334-46.

Krause HF, Squillace SP, Mabry RL, et al. Antihistamines and decongestants. Otolaryngol Head Neck Surg 1992;107(6 I):835-40.

Kray KT, Squire EN, Tipton WR, et al. Cromolyn sodium in seasonal allergic conjunctivitis. J Allergy Clin Immunol 1985;76(4):623-7.

Kremer B, Klimek L, Bullinger M, et al. Generic or disease-specific quality of life scales to characterize health status in allergic rhinitis? Allergy 2001;56:957-63.

Kreuser ED, Kuchler T, Zwingers T, et al. A multicenter prospective randomized trial with assessment of quality of life in patients with metastatic colorectal carcinoma comparing interferon alpha-2b and folinic acid as modulators of 5-fluorouracil. Onkologie 1994;17(1):78-84.

Kristensen O. A prospective study of the development of hand eczema in an automobile manufacturing industry. Contact Dermatitis 1992;26(5):341-5.

Kroidl RF, Göbel D, Balzer D, et al. Clinical effects of benzyl benzoate in the prevention of house-dust-mite allergy. Results of a prospective, double-blind, multicenter study. Allergy 1998;53(4):435-40.

Krouse JH. Computed tomography stage, allergy testing, and quality of life in patients with sinusitis. Otolaryngol Head Neck Surg 2000;123(4):389-92.

Krouse JH, Krouse HJ. Patient use of traditional and complementary therapies in treating rhinosinusitis before consulting an otolaryngologist. Laryngoscope 1999;109(8):1223-7.

Krouse JH, Krouse HJ. Efficacy of immunotherapy based on skin end-point titration. Otolaryngol Head Neck Surg 2000;123(3):183-7.

Kujala VM, Reijula KE. Glove-related rhinopathy among hospital personnel. Am J Ind Med 1996;30(2):164-70.

Kuna P, Alam R, Kuzminska B, et al. The effect of preseasonal immunotherapy on the production of histamine-releasing factor (HRF) by mononuclear cells from patients with seasonal asthma: results of a double-blind, placebo-controlled, randomized study. J Allergy Clin Immunol 1989;83(4):816-24.

Kuo H-W, Jian G-J, Chen C-L, et al. White blood cell count as an indicator of formaldehyde exposure. Bull Environ Contam Toxicol 1997;59(2):261-7.

Kupa A. Allergic rhinitis and immunotherapy. Med J Aust 1992;157(1):9-11.

Kusunoki T, Hosoi S, Asai K, et al. Relationships between atopy and lung function: Results from a sample of one hundred medical students in Japan. Ann Allergy Asthma Immunol 1999;83(4):343-7.

La Rosa M, Ranno C, Andre C, et al. Double-blind placebo-controlled evaluation of sublingual-swallow immunotherapy with standardized Parietaria judaica extract in children with allergic rhinoconjunctivitis. J Allergy Clin Immunol 1999;104(2 Pt 1):425-32.

Lack G. Pediatric allergic rhinitis and comorbid disorders. [Review]. J Allergy Clin Immunol 2001;108(1 Suppl):S9-15.

Lale AM, Mason JDT, Jones NS. Mucociliary transport and its assessment: A review. Clin Otolaryngol Allied Sci 1998;23(5):388-96.

Lamb HM, Culy CR, Faulds D. Inhaled fluticasone propionate: A pharmacoeconomic review of its use in the management of asthma. Pharmacoeconomics 2000;18(5):487-510.

Lander F, Meyer HW, Norn S. Serum IgE specific to indoor moulds, measured by basophil histamine release, is associated with building-related symptoms in damp buildings. Inflamm Res 2001;50(4):227-31.

Lane AP, Pine HS, Pillsbury HC III. Allergy testing and immunotherapy in an academic otolaryngology practice: a 20-year review. Otolaryngol Head Neck Surg 2001;124(1):9-15.

Lang DM, Visintainer PF, Howland WC 3rd, et al. Survey of the extent and nature of care for adults and older adults by allergy/immunology practitioners. Ann Allergy Asthma Immunol 2000;85(2):106-10.

Lanier BQ, Gross RD, Marks BB, et al. Olopatadine ophthalmic solution adjunctive to loratadine compared with loratadine alone in patients with active seasonal allergic conjunctivitis symptoms. Ann Allergy Asthma Immunol 2001;86(6):641-8.

Lanphear BP, Kahn RS, Berger O, et al. Contribution of residential exposures to asthma in US children and adolescents. Pediatrics 2001;107(6):E98.

Lasley MV. Allergic disease prevention and risk factor identification. Immunol Allergy Clin North Am 1999;19(1):149-59.

Lau SK, Wei WI, Van Hasselt CA, et al. A clinical comparison of budesonide nasal aerosol, terfenadine and a combined therapy of budesonide and oxymetazoline in adult patients with perennial rhinitis. Asian Pac J Allergy Immunol 1990;8(2):109-15.

Leaderer BP, Samet JM. Passive smoking and adults: New evidence for adverse effects. Am J Respir Crit Care Med 1994;150(5 I):1216-8.

Leaver-Dunn D, Robinson JB, Laubenthal J. Assessment of respiratory conditions in athletes. Athl Ther Today 2000;5(6):14-9.

Lebacq Jr E, Gline JP, Joue P, et al. Exploratory study of the decongestive effect of Rhinopront syrup in adults and in children with acute rhinitis. Clin Trials Meta-Analyis 1994;29(2-3):113-24.

Lebowitz MD, Cassell EJ, McCarroll J. Health and the urban environment. XI. The incidence and burden of minor illness in a healthy population: methods, symptoms, and incidence. Am Rev Respir Dis 1972;106(6):824-34.

Ledford DK, Lockey RF. Allergic rhinitis: offering relief this season... second in a series of two articles. J Respir Dis 1998;19(8):647-50, 659-60, 662 passim.

Lee J, Cummins G, Okamoto L. A descriptive analysis of the use and cost of new-generation antihistamines in the treatment of allergic rhinitis: a retrospective database analysis. Am J Manag Care 2001;7(4 Suppl):S103-12.

Lee JT, Shy CM. Respiratory function as measured by peak expiratory flow rate and PM10: six communities study. J Expo Anal Environ Epidemiol 1999;9(4):293-9.

Lee M. Tamsulosin for the treatment of benign prostatic hypertrophy. Ann Pharmacother 2000;34(2):188-99.

Lee M, Cho S, Park H, et al. Citrus red mite (Panonychus citri) is a common sensitizing allergen among children living around citrus orchards. Ann Allergy Asthma Immunol 2000;85(3):200-4.

Lees LJ. A trial of house dust mite adsorbed on tyrosine in general practice. Br J Clin Pract 1974;28(10):343-46.

Leickly FE, Sears-Ewald D, Ownby DR. A comparative cost-effectiveness study of two treatment modalities for ragweed hay fever. Am J Rhinol 1989;3(2):99-104.

Leino M, Montan P, Nja F. A double-blind group comparative study of ophthalmic sodium cromoglycate, 2% four times daily and 4% twice daily, in the treatment of seasonal allergic conjunctivitis. Allergy Eur J Allergy Clin Immunol 1994;49(3):147-51.

Leong KP, Chan SP, Tang CY, et al. Quality of life of patients with perennial allergic rhinitis: preliminary validation of the Rhinoconjunctivitis Quality of Life Questionnaire in Singapore. Asian Pac J Allergy Immunol 1999;17(3):163-7.

Leopold D. A perplexing olfactory loss. Arch Otolaryngol Head Neck Surg 2000;126(6):803.

Leopold D, Ferguson BJ, Piccirillo JF. Outcomes assessment. Otolaryngol Head Neck Surg 1997;117(3 II Suppl):S58-S68.

Leroyer C, Malo J-L, Girard D, et al. Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine. Occup Environ Med 1999;56(5):334-8.

Leung R, Lam CW, Chan A, et al. Indoor environment of residential homes in Hong Kong--relevance to asthma and allergic disease. Clin Exp Allergy 1998;28(5):585-90.

Levien T, Baker DE. Reviews of fexofenadine and nicotine nasal spray. Hosp Pharm 1997;32(5):694-721.

Levien T, Baker DE. Tamulosin hydrochloride and samarium-153 lexidronam injection. Hosp Pharm 1998;33(1):75-96.

Levine B. Effect of eprosartan and enalapril in the treatment of black hypertensive patients: Subgroup analysis of a 26-week, double-blind, multicentre study. Curr Med Res Opin 1999;15(1):25-32.

Lewis SA, Weiss ST, Platts-Mills TA, et al. Association of specific allergen sensitization with socioeconomic factors and allergic disease in a population of Boston women. J Allergy Clin Immunol 2001;107(4):615-22.

Leynadier F, Banoun L, Dollois B, et al. Immunotherapy with a calcium phosphate-adsorbed five-grass-pollen extract in seasonal rhinoconjunctivitis: a double-blind, placebo-controlled study. Clin Exp Allergy 2001;31(7):988-96.

Leynadier F, Herman D, Vervloet D, et al. Specific immunotherapy with a standardized latex extract versus placebo in allergic healthcare workers. J Allergy Clin Immunol 2000;106(3):585-90.

Leynaert B, Neukirch C, Liard R, et al. Quality of life in allergic rhinitis and asthma. A population-based study of young adults. Am J Respir Crit Care Med 2000;162(4 Pt 1):1391-6.

Li JT. Grass-pollen immunotherapy for 3 to 4 years was still effective 3 years after being discontinued... commentary on Durham SR, Walker SM, Varga E, et al. Long-term clinical efficacy of grass-pollen immunotherapy. N Engl J Med1999 Aug 12;341:468-75. ACP Journal Club 2000;132(2):65.

Li JT. Asthma and allergy: A four-article symposium. Postgrad Med 2001;109(5):43.

Li JTC, Andrist D, Bamlet WR, et al. Accuracy of patient prediction of allergy skin test results. Ann Allergy Asthma Immunol 2000;85(5):382-4.

Liao E, Leahy M, Cummins G. The costs of nonsedating antihistamine therapy for allergic rhinitis in managed care: an updated analysis. Am J Manag Care 2001;7(15 Suppl):S459-68.

Lichtenstein LM, Ishizaka K, Norman PS, et al. IgE antibody measurements in ragweed hay fever. Relationship to clinical severity and the results of immunotherapy. J Clin Invest 1973;52(2):472-82.

Lichtenstein LM, Norman PS, Winken-Werder WL, et al. In vitro studies of human ragweed allergy. Changes in cellular and humoral activity associated with specific desensitization. J Clin Invest 1966;45:1126-36.

Lichtenstein LM, Norman PS, Winkenwerder WL. Clinical and in vitro studies on the role of immunotherapy in ragweed hay fever. Am J Med 1968;44(4):514-24.

Lichtenstein LM, Norman PS, Winkenwerder WL. A single year of immunotherapy for ragweed hay fever. Immunologic and clinical studies. Ann Intern Med 1971;75(5):663-71.

Lieberman P. American Academy of Asthma, Allergy and Immunology - 55th Annual Meeting: 26 February - 3 March 1999, Orlando, FL, USA. Idrugs 1999;2(5):405-9.

Lieberman P. American Academy of Asthma, Allergy and Immunology - 56th annual meeting: 3-8 March 2000, San Diego, CA, USA. Curr Opin Anti-Inflammatory Immunomodulatory Invest Drugs 2000;2(2):153-9.

Lin RY, Nahal A, Lee M, et al. Changes in nasal leukocytes and epithelial cells associated with topical beclomethasone treatment. Ann Allergy Asthma Immunol 2000;84(6):618-22.

Linneberg A, Nielsen NH, Madsen F, et al. Secular trends of allergic asthma in Danish adults. The Copenhagen Allergy Study. Respir Med 2001;95(4):258-64.

Lipiec A, Jurkiewicz D, Rapiejko P. Mould hypersensitivity in allergic rhinitis patients. Int Rev Allergol Clin Immunol 2000;6(2):57-62.
Lipold AG. Six ideas to boost employee productivity. Bus Health 2001;19(9):26-30.

Lipworth BJ. Emerging role of antileukotriene therapy in allergic rhinitis. Clin Exp Allergy 2001;31(12):1813-21.

Littorin M, Truedsson L, Welinder H, et al. Acute respiratory disorder, rhinoconjunctivitis and fever associated with the pyrolysis of polyurethane derived from diphenylmethane diisocyanate. Scand J Work Environ Health 1994;20(3):216-22.

Liu C-M, Hsu M-C. Clinical evaluation of azelastine nasal spray versus terfenadine in the treatment of allergic rhinitis. J Taiwan Otolaryngol Head Neck Surg 1999;34(6):471-8.

Liu JT, Hammitt JK, Wang JD, et al. Mother's willingness to pay for her own and her child's health: a contingent valuation study in Taiwan. Health Econ 2000;9(4):319-26.

LoBuono C. Eliminating allergy triggers. Patient Care 2000;34(7):107-9, 120-1.

Lockey RF. Building- and home-related complaints and illnesses: Summary statement. J Allergy Clin Immunol 1994;94(2 II Suppl):423-4.

Lockey RF. "ARIA": Global guidelines and new forms of allergen immunotherapy. J Allergy Clin Immunol 2001;108(4):497-9.

Lockey RF, Widlitz MD, Mitchell DQ, et al. Comparative study of cetirizine and terfenadine versus placebo in the symptomatic management of seasonal allergic rhinitis. Ann Allergy Asthma Immunol 1996;76(5):448-54.

Lombardero M, Heymann PW, Platts-Mills TA, et al. Conformational stability of B cell epitopes on group I and group II Dermatophagoides spp. allergens. Effect of thermal and chemical denaturation on the binding of murine IgG and human IgE antibodies. J Immunol 1990;144(4):1353-60.

Lombardi C, Gargioni S, Melchiorre A, et al. Safety of sublingual immunotherapy with monomeric allergoid in adults: Multicenter post-marketing surveillance study. Allergy Eur J Allergy Clin Immunol 2001;56(10):989-92.

Lombardi E, Stein RT, Wright AL, et al. The relation between physician-diagnosed sinusitis, asthma, and skin test reactivity to allergens in 8-year-old children. Pediatr Pulmonol 1996;22(3):141-6.

Long A, McFadden C, DeVine D, et al. Management of allergic and nonallergic rhinitis. Evidence Report/Technology Assessment No. 54 (Prepared by New England Medical Center Evidence-based Practice Center under Contract No. 290-97-0019). AHRQ Publication No. 02-E024. Rockville, MD: Agency for Healthcare Research and Quality. May 2002.

Long L, Soeken K, Ernst E. Herbal medicines for the treatment of osteoarthritis: A systematic review. Rheumatology (UK) 2001;40(7):779-93.

Lonneux JF, Losson B. Field efficacy of injectable and pour-on moxidectin in cattle naturally infested with Psoroptes ovis (Acarina: Psoroptidae). Vet Parasitol 1992;45(1-2):147-52.

Lonneux JF, Nguyen TQ, Delhez M, et al. Antibody response after treatment in cattle infected with Psoroptes ovis. Res Vet Sci 1997;63(1):57-60.

Lorette G, Giannetti A, Pereira RS, et al. One-year treatment of chronic urticaria with mizolastine: Efficacy and safety. J Eur Acad Dermatol Venereol 2000;14(2):83-90.

Losson B, Lonneux JF. Field efficacy of injectable moxidectin in cattle naturally infested with Chorioptes bovis and Sarcoptes scabiei. Vet Parasitol 1993;51(1-2):113-21.

Lovering AM. Counting the cost of rhinosinusitis. Round Table Ser R Soc Med 1999;67:51-8.

Lowe F. Alpha-1-adrenoceptor blockade in the treatment of benign prostatic hyperplasia. Prostate Cancer Prostatic Dis 1999;2(3):110-9.

Lowell FC, Franklin W. A double-blind study of the effectiveness and specificity of injecton therapy in ragweed hay fever. N Engl J Med 1965;273(13):675-9.

Lowenthal DT, Flannery M, Mader SL, et al. Benign prostatic hyperplasia: Maximizing treatment with alpha blockers. Geriatrics 1998;53(10 Suppl 2):S4-S26.

Lower T, Henry J, Mandik L, et al. Compliance with allergen immunotherapy. Ann Allergy 1993;70(6):480-2.

Luczynska C, Sterne J, Bond J, et al. Indoor factors associated with concentrations of house dust mite allergen, Der p 1, in a random sample of houses in Norwich, UK. Clin Exp Allergy 1998;28(10):1201-9.

Lum LC, Lum LM, Lum LC. Medications in the allergy/asthma office. Immunol Allergy Clin North Am 1999;19(1):101-27.

Lund V. Summary of discussion. Round Table Ser R Soc Med 1999;67:59-63.

Lund VJ. Health related quality of life in sinonasal disease. Rhinology 2001;39(4):182-6.

Lundback B. Epidemiology of rhinitis and asthma. [Review]. Clin Exp Allergy 1998;(Suppl 2):3-10.

Lundberg L, Isacson D. The impact of over-the-counter availability of nasal sprays on sales, prescribing, and physician visits. Scand J Prim Health Care 1999;17(1):41-5.

Lundblad FP. House dust mite allergy in an office building. Appl Occup Environ Hyg 1991;6(2):94-6.

Lundblad L, Sipila P, Farstad T, et al. Mometasone furoate nasal spray in the treatment of perennial non-allergic rhinitis: a Nordic, multicenter, randomized, double-blind, placebo-controlled study. Acta Oto-Laryngol 2001;121(4):505-9.

Lurie A, Nadel JA, Roisman G, et al. Role of neutral endopeptidase and kininase II on substance P-induced increase in nasal obstruction in patients with allergic rhinitis. Am J Respir Crit Care Med 1994;149(1):113-7.

Lusk RP, Stankiewicz JA. Pediatric rhinosinusitis. Otolaryngol Head Neck Surg 1997;117(3 II Suppl):S53-S57.

Lutsky II, Neuman I. Laboratory animal dander allergy: I. An occupational disease. Ann Allergy 1975;35(4):201-5.

Lynoe N, Svensson T. Doctors' attitudes towards empirical data -- a comparative study. Scand J Soc Med 1997;25(3):210-6.

M'Raihi L, Charpin D, Thibaudon M, et al. Bronchial challenge to house dust can induce immediate bronchoconstriction in allergic asthmatic patients. Ann Allergy 1990;65(6):485-8.

Mabry RL, Mabry CS. Allergic fungal rhinosinusitis: experience with immunotherapy. Arch Otolaryngol Head Neck Surg 1998;124(10):1178.

Macchia L, Caiaffa MF, Di Felice G, et al. Changes in skin reactivity, specific IgE and IgG levels after one year of immunotherapy in olive pollinosis. Allergy 1991;46(6):410-8.

Machiels JJ, Buche M, Somville MA, et al. Complexes of grass pollen allergens and specific antibodies reduce allergic symptoms and inhibit the seasonal increase of IgE antibody. Clin Exp Allergy 1990;20(6):653-60.

Machiels JJ, Somville MA, Jacquemin MG, et al. Allergen-antibody complexes can efficiently prevent seasonal rhinitis and asthma in grass pollen hypersensitive patients. Allergen-antibody complex immunotherapy. Allergy 1991;46(5):335-48.

Mackay IS, Durham SR. ABC of allergies. Perennial rhinitis. BMJ 1998;316(7135):917-20.

Mackay IS, Durham SR. Perennial rhinitis. BMJ 1998;316:917-20.

Mackowiak JI. The health and economic impact of rhinitis. Am J Manag Care 1997;3:S8-S18.

Mackowiak JI, Stempel DA. Nasal steroids lead to superior outcomes in rhinitis: an outcomes monitoring pilot study in an HMO. [Abstract]. Ann Allergy Asthma Immunol 1997;78:155.

Maderazo EG, Albano SD. Granulocyte migration abnormality in patients suffering from seasonal allergic rhinitis: failure of treatment with cimetidine. Int Arch Allergy Appl Immunol 1984;74(3):211-5.

Mahe C, Chevret S. Analysis of recurrent failure times data: Should the baseline hazard be stratified? Stat Med 2001;20(24):3807-15.

Mahmoudi M, Gershwin ME. Sick building syndrome. III. Stachybotrys chartarum. J Asthma 2000;37(2):191-8.

Maini R, St CEW, Breedveld F, et al. Infliximab (chimeric anti-tumour necrosis factor alpha monoclonal antibody) versus placebo in rheumatoid arthritis patients receiving concomitant methotrexate: A randomised phase III trial. Lancet 1999;354(9194):1932-9.

Maini RN, Breedveld FC, Kalden JR, et al. Therapeutic efficacy of multiple intravenous infusions of anti-tumor necrosis factor monoclonal antibody combined with low-dose weekly methotrexate in rheumatoid arthritis. Arthritis Rheum 1998;41(9):1552-63.

Majani G, Baiardini I, Giardini A, et al. Health-related quality of life assessment in young adults with seasonal allergic rhinitis. Allergy 2001;56(4):313-7.

Malling HJ. Practical immunotherapy. Rev Esp Alergol Inmunol Clin 1996;11(Spec Iss 1):55-62.
Malling H-J. Indications and contraindications for allergen-specific immunotherapy. Allergy Clin Immunol Int 1998;10(3):76-80.

Malmberg H, Holopainen E, Grahne B, et al. Astemizole in the treatment of hay fever. Allergy Eur J Allergy Clin Immunol 1983;38(4):227-31.

Malo J-L, Chan-Yeung M. Current reviews of allergy and clinical immunology: Occupational asthma. J Allergy Clin Immunol 2001;108(3):317-28.

Malone DC, Lawson KA, Smith DH, et al. A cost of illness study of allergic rhinitis in the United States. J Allergy Clin Immunol 1997;99(1 Pt 1):22-7.

Mamikoglu B, Corey J. Safety of antihistamine therapy. Curr Opin Otolaryngol Head Neck Surg 1998;6(1):75-9.

Manjra A, Berman D, Toerien A, et al. The effects of a single treatment of an acaricide, Acarosan, and a detergent, Metsan, on Der p 1 allergen levels in the carpets and mattresses of asthmatic children. S Afr Med J 1994;84(5):278-80.

Mann KV, Crowe SJP, Tietze KJ. Nonsedating histamine Hinf 1-receptor antagonists. Clin Pharm 1989;8(5):331-44.

Manor O, Matthews S, Power C. Self-rated health and limiting longstanding illness: inter-relationships with morbidity in early adulthood. Int J Epidemiol 2001;30(3):600-7.

Mansour M, Lanphear BP, Hornung R, et al. A side-by-side comparison of sampling methods for settled, indoor allergens. Environ Res 2001;87(1):37-46.

Mao SJ, Kluge K, Squillace SJ. Apolipoprotein A-II can incorporate into plasma very low density lipoproteins. FEBS Lett 1981;132(2):289-92.

Marchesani F, Cecarini L, Pela R, et al. Causes of chronic persistent cough in adult patients: The results of a systematic management protocol. Monaldi Arch Chest Dis 1998;53(5):510-4.

Marinella MA. Rhinosinusitis possibly caused by Pasteurella multocida. Infect Dis Clin Pract 1996;5(3):208-9.

Marini A, Agosti M, Motta G, et al. Effects of a dietary and environmental prevention programme on the incidence of allergic symptoms in high atopic risk infants: three years' follow-up. Acta Paediatr Suppl 1996;414:1-21.

Marks GB. House dust mite exposure as a risk factor for asthma: benefits of avoidance. [Review]. Allergy 1998;53(48 Suppl):108-14.

Marks GB, Tovey ER, Green W, et al. House dust mite allergen avoidance: a randomized controlled trial of surface chemical treatment and encasement of bedding. Clin Exp Allergy 1994;24(11):1078-83.

Marks GB, Tovey ER, Green W, et al. The effect of changes in house dust mite allergen exposure on the severity of asthma. Clin Exp Allergy 1995;25(2):114-8.

Marks GB, Tovey ER, Peat JK, et al. Variability and repeatability of house dust mite allergen measurement: implications for study design and interpretation. Clin Exp Allergy 1995;25(12):1190-7.

Marogna M, Tiri A, Riva G. Clinical practice improvement program for immunotherapy of respiratory allergic diseases. Int J Immunopathol Pharmacol 2001;14(2):93-101.

Marques Rezende R, Dos Santos AC, Anselmo-Lima WT, et al. Computed tomography for the evaluation of children with chronic rhinosinusitis: Proposal of a reduced examination and comparison with the standard examination. Int J Pediatr Otorhinolaryngol 2000;55(1):11-5.

Marsa L. Making a case for easier access to allergy drugs. Los Angeles Times, (Health):S1, S6, 2001 Apr 9.

Marsland TW, Newton WP. Do antihistamines impair school performance in children? J Fam Pract 2001;50(9):738.

Martin IR, Henwood JL, Wilson F, et al. House dust mite and cat allergen levels in domestic dwellings in Christchurch. New Zealand Med J 1997;110(1046):229-31.

Martinati LC, Boner AL. Optimum treatment of allergic rhinitis in children. Biodrugs 1997;8(5):348-59.

Mason J, Reynolds R, Rao N. The systemic safety of fexofenadine HCl. Clin Exp Allergy Suppl 1999;29(3):163-70.

Massey DG, Fournier-Massey G, James RH. Minimizing acarians and house dust in the tropics. Ann Allergy 1993;71(5):439-44.

Massey DG, Furumizo RT, Fournier-Massey G, et al. House dust mites in university dormitories. Ann Allergy 1988;61(3):229-32.

Maunsell K, Wraith DG, Hughes AM. Hyposensitisation in mite asthma. Lancet 1971;1(7706):967-8.

Mazzaglia G, Greco S, Lando C, et al. Adult acute respiratory tract infections in Sicily: Pattern of antibiotic drug prescription in primary care. J Antimicrob Chemother 1998;41(2):259-66.

McAllen MK. Hyposensitisation in grass pollen hay fever. A double blind trial of alumn precipitated pollen extract and depot emulsion pollen extract compared with placebo injections. Acta Allergol 1969;24(6):421-31.

McAllen MK, Assem ES, Maunsell K. House-dust mite asthma. Results of challenge tests on five criteria with Dermatophagoides pteronyssinus. BMJ 1970;2(708):501-4.

McAuley DF, McGovern V, Dick PT, et al. Churg-Strauss syndrome associated with leukotriene receptor antagonists. Ulster Med J 2001;70(2):152-4.

McClellan K, Jarvis B. Desloratadine. Drugs 2001;61(6):789-96.

McClennen W, Wilson T. Felodipine extended release versus conventional diuretic therapy for the treatment of systolic hypertension in elderly patients. Clin Invest Med 1998;21(3):142-50.

McEwen LM, Birtwistle S, Kay AB, et al. Immunotherapy. BMJ 1991;302(6775):530-1.

McFadden EA, Gungor A, Ng B, et al. Loratadine/pseudoephedrine for nasal symptoms in seasonal allergic rhinitis: a double-blind, placebo-controlled study. Ear Nose Throat J 2000;79(4):254, 257-8, 260 passim.

McHugh SM, Ewan PW. Reduction of increased serum neutrophil chemotactic activity following effective hyposensitization in house dust mite allergy. Clin Exp Allergy 1989;19(3):327-34.

McHugh SM, Ewan PW. A clinical index: a new method to assess efficacy of allergen immunotherapy. Allergy 1992;47(2 Pt 1):115-20.

McHugh SM, Lavelle B, Kemeny DM, et al. A placebo-controlled trial of immunotherapy with two extracts of Dermatophagoides pteronyssinus in allergic rhinitis, comparing clinical outcome with changes in antigen-specific IgE, IgG, and IgG subclasses. J Allergy Clin Immunol 1990;86(4 Pt 1):521-31.

McKeever TM, Lewis SA, Smith C, et al. Siblings, multiple births, and the incidence of allergic disease: A birth cohort study using the West Midlands general practice research database. Thorax 2001;56(10):758-62.

McLarty MR, Whittman L, Lawrence DB. Comparison of first generation antihistamines and cetirizine using an allergic rhinitis quality of life questionnaire. [Abstract]. ASHP Midyear Clin Mtg 1997;32:P-198E.

McMenamin P. Costs of hay fever in the United States in 1990. Ann Allergy 1994;73(1):35-9.

McSherry J. Rhinosinusitis in primary care: What can guidelines achieve? Round Table Ser R Soc Med 1999;67:45-9.

McWhorter WP. Allergy and risk of cancer. A prospective study using NHANESI followup data. Cancer 1988;62(2):451-5.

Mead M. Allergic rhinitis. Practice Nurse 1997;13(9):556-7.

Medleau L, Willemse T. Efficacy of daily amitraz on generalised demodicosis in dogs. J Small Animal Pract 1995;36(1):3-6.

Medrala W, Wolanczyk-Medrala A, Wrzyszcz M, et al. The influence of the first course of immunotherapy in patients with pollinosis on sulfidoleukotriene release from peripheral blood leukocytes. Int Rev Allergol Clin Immunol 1999;5(1):13-6.

Meggs WJ. Rads and ruds - The toxic induction of asthma and rhinitis. J Toxicol Clin Toxicol 1994;32(5):487-501.

Mehta SB, Smith JM. Nasal hyposensitization and hay fever. Clin Allergy 1975;5(3):279-84.

Mellerup MT, Hahn GW, Poulsen LK, et al. Safety of allergen-specific immunotherapy. Relation between dosage regimen, allergen extract, disease and systemic side-effects during induction treatment. Clin Exp Allergy 2000;30(10):1423-9.

Meltzer EO. An overview of current pharmacotherapy in perennial rhinitis. J Allergy Clin Immunol 1995;95(5 II):1097-110.

Meltzer EO. Allergy and clinical immunology. J Allergy Clin Immunol 1997;99(6 II Suppl):S807.

Meltzer EO. The prevalence and medical and economic impact of allergic rhinitis in the United States. Introduction. J Allergy Clin Immunol 1997;99(6 Pt 2):S807.

Meltzer EO. Clinical and antiinflammatory effects of intranasal budesonide aqueous pump spray in the treatment of perennial allergic rhinitis. Ann Allergy Asthma Immunol 1998;81(2):128-34.

Meltzer EO. Role for cysteinyl leukotriene receptor antagonist therapy in asthma and their potential role in allergic rhinitis based on the concept of 'one linked airway disease'. Ann Allergy Asthma Immunol 2000;84(2):176-87.

Meltzer EO. Quality of life in adults and children with allergic rhinitis. [Review]. J Allergy Clin Immunol 2001;108(1 Suppl):S45-53.

Meltzer EO, Casale TB, Nathan RA, et al. Once-daily fexofenadine HCl improves quality of life and reduces work and activity impairment in patients with seasonal allergic rhinitis. Ann Allergy Asthma Immunol 1999;83(4):311-7.

Meltzer EO, Ehrlich PM. Step approach to the clinical management of allergic rhinitis: prescription and over the counter therapeutic reference summary. Manag Care Interface 1999;12:70-7.

Meltzer EO, Grant JA. Impact of cetirizine on the burden of allergic rhinitis. [Review]. Ann Allergy Asthma Immunol 1999;83(5):455-63.

Meltzer EO, Malmstrom K, Lu S, et al. Concomitant montelukast and loratadine as treatment for seasonal allergic rhinitis: a randomized, placebo-controlled clinical trial. J Allergy Clin Immunol 2000;105(5):917-22.

Meltzer EO, Orgel HA, Biondi R, et al. Ipratropium nasal spray in children with perennial rhinitis. Ann Allergy Asthma Immunol 1997;78(5):485-91.

Meltzer EO, Orgel HA, Bronsky EA, et al. Ipratropium bromide aqueous nasal spray for patients with perennial allergic rhinitis: a study of its effect on their symptoms, quality of life, and nasal cytology. J Allergy Clin Immunol 1992;90(2):242-9.

Meltzer EO, Tyrell RJ, Rich D, et al. A pharmacologic continuum in the treatment of rhinorrhea: the clinician as economist. [Review]. J Allergy Clin Immunol 1995;95(5 Pt 2):1147-52.

Meran A, Morse J, Gibbs TG. A cross-over comparison of acrivastine, pseudoephedrine and their combination in seasonal allergic rhinitis. Rhinology 1990;28(1):33-40.

Merget R, Heger M, Globisch A, et al. Quantitative bronchial challenge tests with wheat flour dust administered by spinhaler: comparison with aqueous wheat flour extract inhalation. J Allergy Clin Immunol 1997;100(2):199-207.

Metintas S, Metintas M, Kalyoncu C, et al. Prevalence of asthma and other allergic diseases in primary schoolchildren of Eskisehir (Turkey). Allergy Clin Immunol Int 2001;13(6):250-5.

Metlzer IO, Nathan RA, Selner JC, et al. Quality of life and rhinitic symptoms: Results of a nationwide survey with the SF-36 and RQLQ questionnaires. J Allergy Clin Immunol 1997;99:S815-9.

Metso T, Bjorksten F, Kilpio K, et al. Serum myeloperoxidase and sick building syndrome. Lancet 1993;342(8863):113-4.

Metson R, Cosenza M, Gliklich RE, et al. The role of image-guidance systems for head and neck surgery. Arch Otolaryngol Head Neck Surg 1999;125(10):1100-4.

Metson RB, Gliklich RE. Clinical outcomes in patients with chronic sinusitis. Laryngoscope 2000;110(3 Pt 3):24-8.

Metzger WJ, Patterson R, Seiss CR, et al. Comparison of polymerized and unpolymerized antigen E for immunotherapy of ragweed allergy. New Engl J Med 1976;295:1160-64.

Meyer HW, Larsen FO, Jacobi HH, et al. Sick building syndrome: Association of symptoms with serum IgE specific to fungi. Inflamm Res 1998;47(Suppl 1):S9-S10.

Miadonna A, Cottini M, Milazzo N, et al. In vivo and ex vivo inhibitory effects of loratadine on histamine release in patients with allergic rhinitis. Allergy 1998;53(12):1183-8.

Miesen WMAJ, DeMonchy JGR, Dubois AEJ. Anaphylaxis on skin exposure to grass. Allergy Eur J Allergy Clin Immunol 2001;56(8):799.

Mihrshahi S, Peat JK, Webb K, et al. The childhood asthma prevention study (CAPS): design and research protocol of a randomized trial for the primary prevention of asthma. Controlled Clinical Trials 2001;22(3):333-54.

Miles VH, Fischer PR, Freij BJ, et al. Variations in the treatment of common infections (multiple letters). Pediatr Infect Dis J 1997;16(8):826-7.

Milgrom H, Biondi R, Georgitis JW, et al. Comparison of ipratropium bromide 0.03% with beclomethasone dipropionate in the treatment of perennial rhinitis in children. Ann Allergy Asthma Immunol 1999;83(2):105-11.

Miller AC, Tees EC. A metabolizable adjuvant: clinical trial of grass pollen-tyrosine adsorbate. Clin Allergy 1974;4(1):49-55.

Milosevic DN, Janosevic LJB, Janosevic SB. Intradermal tests with vasomotor agents perennial non-allergic rhinitis. Acta Oto-Rhino-Laryngol Belg 2000;54(4):465-71.

Minatre D, Baker DE, Blanch MC, et al. Reviews of interferon-beta (preliminary evaluation) and loratadine. Hosp Pharm 1993;28(11):1118-24.

Mischler TW, O'Brien WM, Rugloski RJ, et al. Multiclinic trial with glutaraldehyde modified tyrosine adsorbed ragweed pollen immunotherapy (Pollinex). Curr Therap Res 1981;29:745-56.

Mitchell EA, Elliott RB. Controlled trial of an electrostatic precipitator in childhood asthma. Lancet 1980;2(8194):559-61.

Mitchell TN, Sander JW. Levetiracetam: A new antiepileptic drug for the adjunctive therapy of chronic epilepsy. Drugs Today 2001;37(10):665-73.

Moffett LM. Allergic rhinitis: new guidelines for the millennium. Nebraska Mortar Pestle 2000;64:16-9.

Moher D, Cook DJ, Jadad AR, et al. Assessing the quality of randomised trials: current issues and future directions. Int J Tech Assess Health Care 1996;12(2):195-208.

Moher D, Schulz KF, Altman D, et al. The CONSORT statement: revised recommendations for improving the quality of reports of parallel-group randomized trials. [Review]. JAMA 2001;285(15):1987-91.

Moller C. Pediatric peculiarities of immunotherapy. Rev Esp Alergol Inmunol Clin 1996;11(Spec Iss 1):35-8.

Möller C, Dreborg S, Ferdousi HA, et al. Pollen immunotherapy reduces the development of asthma in children with seasonal rhinoconjunctivitis (the PAT-study). J Allergy Clin Immunol 2002;109(2):251-6.

Moller C, Dreborg S, Lanner A, et al. Oral immunotherapy of children with rhinoconjunctivitis due to birch pollen allergy. A double blind study. Allergy 1986;41(4):271-9.

Moller C, Mygind N. Nasal blockage in children with non-infectious rhinitis: Consequences and treatment. Allergy Eur J Allergy Clin Immunol Suppl 1997;52(40):45-51.

Mollet JA, Vailes LD, Avner DB, et al. Evaluation of German cockroach (Orthoptera:Blattellidae) allergen and seasonal variation in low-income housing. J Med Entomol 1997;34(3):307-11.

Monfrecola G, Masturzo E, Riccardo AM, et al. Solar urticaria: a report on 57 cases. Am J Contact Dermat 2000;11(2):89-94.

Moon CAL, Davey A. The efficacy and residual effects of trazodone (150 mg nocte) and mianserin in the treatment of depressed general practice patients. Psychopharmacology 1988;95(Suppl):S7-S13.

Moon JS, Choi SO. Environmental controls in reducing house dust mites and nasal symptoms in patients with allergic rhinitis. Yonsei Med J 1999;40(3):238-43.

Moreland LW. Soluble tumor necrosis factor receptor (p75) fusion protein (Enbrel) as a therapy for rheumatoid arthritis. Rheum Dis Clin North Am 1998;24(3):579-91.

Mori S, Fujieda S, Sunaga H, et al. Expression of platelet-derived endothelial cell growth factor and vascularity in the nasal mucosa from allergic rhinitis. Clin Exp Allergy 2000;30(11):1637-44.

Moriguchi H, Matsumoto M, Nishimoto Y, et al. The development of a pollen information system for the improvement of QOL. J Med Investig 2001;48(3-4):198-209.

Mortimer MJ, Kay J, Gawkrodger DJ, et al. The prevalence of headache and migraine in atopic children: An epidemiological study in general practice. Headache 1993;33(8):427-31.

Mortz CG, Lauritsen JM, Bindslev-Jensen C, et al. Prevalence of atopic dermatitis, asthma, allergic rhinitis, and hand and contact dermatitis in adolescents. The Odense adolescence cohort study on atopic diseases and dermatitis. Br J Dermatol 2001;144(3):523-32.

Mosbech H. Who will benefit from hyposensitization? Predictive parameters in house dust mite allergic asthmatics. Allergy 1990;45(3):209-12.

Mosbech H, Dirksen A, Dreborg S, et al. Hyposensitization in asthmatics with mPEG-modified and unmodified house dust mite extract. IV. Occurrence and prediction of side effects. Allergy 1990;45(2):142-50.

Mosbech H, Dreborg S, Madsen F, et al. High dose grass pollen tablets used for hyposensitization in hay fever patients. A one-year double blind placebo-controlled study. Allergy 1987;42(6):451-5.

Mosbech H, Osterballe O. Does the effect of immunotherapy last after termination of treatment? Follow-up study in patients with grass pollen rhinitis. Allergy 1988;43(7):523-9.

Moscato G, Galdi E, Scibilia J, et al. Occupational asthma, rhinitis and urticaria due to piperacillin sodium in a pharmaceutical worker. Eur Respir J 1995;8(3):467-9.

Moss MH, Bush RK. Patient selection and administration of aeroallergen vaccines. Immunol Allergy Clin North Am 2000;20(3):533-52.

Motta G, Passali D, De Vincentiis I, et al. A multicenter trial of specific local nasal immunotherapy. Laryngoscope 2000;110(1):132-9.

Moverare R, Rak S, Elfman L. Allergen-specific increase in interleukin (IL)-4 and IL-5 secretion from peripheral blood mononuclear cells during birch-pollen immunotherapy. Allergy 1998;53(3):275-81.

Moverare R, Vesterinen E, Metso T, et al. Pollen-specific rush immunotherapy: clinical efficacy and effects on antibody concentrations. Ann Allergy Asthma Immunol 2001;86(3):337-42.

Muirhead GJ, Wulff MB, Fielding A, et al. Pharmacokinetic interactions between sildenafil and saquinavir/ritonavir. Br J Clin Pharmacol 2000;50(2):99-107.

Muncer SJ. Control of house dust mite in managing asthma. Power dressing is important in meta-analysis. BMJ 1999;318(7187):871.

Mungan D, Misirligil Z, Gurbuz L. Comparison of the efficacy of subcutaneous and sublingual immunotherapy in mite-sensitive patients with rhinitis and asthma--a placebo controlled study. Ann Allergy Asthma Immunol 1999;82(5):485-90.

Munir AK, Einarsson R, Dreborg SK. Vacuum cleaning decreases the levels of mite allergens in house dust. Pediatr Allergy Immunol 1993;4(3):136-43.

Munoz Lejarazu D, Bernaola G, Fernandez E, et al. Seasonal versus perennial immunotherapy: evaluation after three years of treatment. J Investig Allergol Clin Immunol 1993;3(4):210-6.

Munro CS, Levell NJ, Shuster S, et al. Maintenance treatment with cyclosporin in atopic eczema. Br J Dermatol 1994;130(3):376-80.

Muro MD, Tabar AI, Lizaso MT, et al. Cluster versus conventional immunotherapy in patients allergic to Dermatophagoides pteronyssinus: a controlled study of in vivo and in vitro parameters. J Investig Allergol Clin Immunol 1999;9(3):146-54.

Murphy AW, Platts-Mills TA, Lobo M, et al. Respiratory nitric oxide levels in experimental human influenza. Chest 1998;114(2):452-6.

Murphy III EE, Slavin RG. Occupational rhinitis: when to suspect, what to do: does the problem originate or simply worsen at work? J Respir Dis 2001;22(6):347-50, 352.

Murray AB, Ferguson AC. Dust-free bedrooms in the treatment of asthmatic children with house dust or house dust mite allergy: a controlled trial. Pediatrics 1983;71(3):418-22.

Musk AW, deKlerk NH, Beach JR, et al. Respiratory symptoms and lung function in alumina refinery employees. Occup Environ Med 2000;57(4):279-83.

Mygind N. Clinical investigation of allergic rhinitis and allied conditions. [Review]. Allergy 1979;34(4):195-208.

Mygind N. Introduction. Rhinology 2000;38(Suppl 16):2.

Mygind N. Nasal inflammation and anti-inflammatory treatment. Semantics or clinical reality? Rhinology 2001;39(2):61-5.

Naclerio R, Solomon W. Rhinitis and inhalant allergens. [Review]. JAMA 1997;278(22):1842-8.

Naclerio RM. Allergic rhinitis. [Review]. New Engl J Med 1991;325(12):860-9.

Naclerio RM. Dose-dependent effects of intranasal steroids: How relevant? Ann Allergy Asthma Immunol 2000;85(4):248-9.

Naclerio RM, Baroody FM. Response of nasal mucosa to histamine or methacholine challenge: use of a quantitative method to examine the modulatory effects of atropine and ipratropium bromide. J Allergy Clin Immunol 1992;90(6 Pt 2):1051-4.

Naclerio RM, deTineo ML, Baroody FM. Ragweed allergic rhinitis and the paranasal sinuses. A computed tomographic study. Arch Otolaryngol Head Neck Surg 1997;123(2):193-6.

Naclerio RM, Proud D, Moylan B, et al. A double-blind study of the discontinuation of ragweed immunotherapy. J Allergy Clin Immunol 1997;100(3):293-300.

Nagata M, Yamamoto H, Tabe K, et al. Effect of rush immunotherapy in house-dust-mite (HDM)-sensitive adult bronchial asthma: changes in in vivo and in vitro responses to HDM. Intern Med 1993;32(9):702-9.

Nagy G. The use of Paxirasol in clinical practice. [Review]. Ther Hung 1993;41(3):100-6.

Nalebuff DJ. Use of RAST screening in clinical allergy: a cost-effective approach to patient care. Ear Nose Throat J 1985;64(3):107-21.

Nascimento Silva MG, Naspitz CK, Sole D. Evaluation of quality of life in children and teenagers with allergic rhinitis: adaptation and validation of the Rhinoconjunctivitis Quality of Life Questionnaire (RQLQ). Allergol Immunopathol 2001;29(4):111-9.

Nash DB, Sullivan SD, Mackowiak J. Optimizing quality of care and cost effectiveness in treating allergic rhinitis in a managed care setting. Am J Manag Care 2000;6(1 Suppl):S3-15; quiz S19-20.

Naspitz CK, Rizzo MC, Fernandez-Caldas E, et al. Environmental control in childhood asthma. Pediatr Pulmonol Suppl 1995;11:47-8.

Nathan RA, Meltzer EO, Seiner JC, et al. Prevalence of allergic rhinitis in the United States. J Allergy Clin Immunol 1997;99:S808-14.

National Heart Lung and Blood Institute. Practical guide for the diagnosis and management of asthma. NIH Publication No. 97-4053. Rockville, MD: National Institutes of Health, 1997.

National Institute of Allergy and Infectious Diseases, National Institutes of Health. Allergy statistics. NIAID Fact Sheet. Bethesda, MD: National Institute of Allergy and Infectious Diseases. January 2002.

National Institutes of Health. Fighting seasonal allergies. NIH Word on Health. Bethesda, MD: National Institutes of Health. June 2002.

Nayak AS, Philip G, Lu S, et al. Efficacy and tolerability of montelukast alone or in combination with loratadine in seasonal allergic rhinitis: a multicenter, randomized, double-blind, placebo-controlled trial performed in the fall. Ann Allergy Asthma Immunol 2002;88(6):592-600.

Negrini AC, Troise C, Voltolini S, et al. Oral antihistamine/decongestant treatment compared with intranasal corticosteroids in seasonal allergic rhinitis. Clin Exp Allergy 1995;25(1):60-5.

Nelson HS, Areson J, Reisman R. A prospective assessment of the remote practice of allergy: comparison of the diagnosis of allergic disease and the recommendations for allergen immunotherapy by board-certified allergists and a laboratory performing in vitro assays. J Allergy Clin Immunol 1993;92(3):380-6.

Nelson HS, Hirsch SR, Ohman Jr JL, et al. Recommendations for the use of residential air-cleaning devices in the treatment of allergic respiratory diseases. J Allergy Clin Immunol 1988;82(4):661-9.

Nelson HS, Oppenheimer J, Vatsia GA, et al. A double-blind, placebo-controlled evaluation of sublingual immunotherapy with standardized cat extract. J Allergy Clin Immunol 1993;92(2):229-36.

Neri M, Spanevello A. Chronic bronchial asthma from challenge to treatment: Epidemiology and social impact. Thorax 2000;55(Suppl 2):S57-S58.

Neutel JM, Smith DHG, Reilly PA. The efficacy and safety of telmisartan compared to enalapril in patients with severe hypertension. Int J Clin Pract 1999;53(3):175-8.

Newill CA, Evans III R, Khoury MJ. Preemployment screening for allergy to laboratory animals: Epidemiologic evaluation of its potential usefulness. J Occup Med 1986;28(11):1158-64.

Newton DA. Sinusitis in children and adolescents. Prim Care Clin Off Pract 1996;23(4):701-17.

Newton DA, Maberley DJ, Wilson R. House dust mite hyposensitization. Br J Dis Chest 1978;72(1):21-8.

Ng TP, Tan WC. Epidemiology of chronic (perennial) rhinitis in Singapore: prevalence estimates, demographic variation and clinical allergic presentation. Ann Acad Med Singapore 1994;23(1):83-8.

Nickel JC. Long-term implications of medical therapy on benign prostatic hyperplasia end points. Urology 1998;51(4 Suppl A):50-7.

Nickelsen JA, Goldstein S, Mueller U, et al. Local intranasal immunotherapy for ragweed allergic rhinitis. II. Immunologic response. J Allergy Clin Immunol 1981;68(1):41-5.

Nickelsen JA, Goldstein S, Mueller U, et al. Local intranasal immunotherapy for ragweed allergic rhinitis. I. Clinical response. J Allergy Clin Immunol 1981;68(1):33-40.

Niehaus MD, Gwaltney Jr MJ, Hendley JO, et al. Lactoferrin and eosinophilic cationic protein in nasal secretions of patients with experimental rhinovirus colds, natural colds, and presumed acute community-acquired bacterial sinusitis. J Clin Microbiol 2000;38(8):3100-2.

Nielsen L, Johnsen CR, Mosbech H, et al. Antihistamine premedication in specific cluster immunotherapy: a double-blind, placebo-controlled study. J Allergy Clin Immunol 1996;97(6):1207-13.

Nielsen LP, Mygind N, Dahl R. Intranasal corticosteroids for allergic rhinitis: Superior relief. Drugs 2001;61(11):1563-79.

Nieters A, Brems S, Becker N. Cross-sectional study on cytokine polymorphisms, cytokine production after T-cell stimulation and clinical parameters in a random sample of a German population. Hum Genet 2001;108(3):241-8.

Nightingale CH. Treating allergic rhinitis with second-generation antihistamines. Pharmacotherapy 1996;16(5 I):905-14.

Nikkels AF, Henry F, Pierard GE. Allergic reactions to decorative skin paintings. J Eur Acad Dermatol Venereol 2001;15(2):140-2.

Nimmagadda SR, Evans R 3rd. Allergy: etiology and epidemiology. [Review]. Pediatr Rev 1999;20(4):111-5; quiz 116.

Nishioka GJ, Barbero GJ, Konig P, et al. Symptom outcome after functional endoscopic sinus surgery in patients with cystic fibrosis: a prospective study. Otolaryngol Head Neck Surg 1995;113(4):440-5.

Nishioka K, Yasueda H, Saito H. Preventive effect of bedding encasement with microfine fibers on mite sensitization. J Allergy Clin Immunol 1998;101(1 Pt 1):28-32.

Niven RM, Pickering CAC. Is atopy and smoking important in the workplace? Occup Med 1999;49(3):197-200.

Nolen TM. Sedative effects of antihistamines: safety, performance, learning, and quality of life. [Review]. Clin Ther 1997;19(1):39-55.

Norback D, Bjornsson E, Janson C, et al. Asthmatic symptoms and volatile organic compounds, formaldehyde, and carbon dioxide in dwellings. Occup Environ Med 1995;52(6):388-95.

Nordstrom K, Norback D, Akselsson R. Influence of indoor air quality and personal factors on the sick building syndrome (SBS) in Swedish geriatric hospitals. Occup Environ Med 1995;52(3):170-6.

Norman P. Desloratadine Sepracor. Curr Opin Anti-Inflammatory Immunomodulatory Invest Drugs 2000;2(2):117-26.

Norman PS. A review of immunotherapy. [Review]. Allergy 1978;33(2):62-70.

Norman PS. Allergic rhinitis: combined therapy improves control. Consultant 1991;31(8):25-9.

Norman PS, Lichtenstein LM, Kagey-Sobotka A, et al. Controlled evaluation of allergoid in the immunotherapy of ragweed hay fever. J Allergy Clin Immunol 1982;70(4):248-60.

Norris PG, Schofield O, Camp RD. A study of the role of house dust mite in atopic dermatitis. Br J Dermatol 1988;118(3):435-40.

Numata T, Hanazawa T, Konno A, et al. Comparative role of peptide leukotrienes and histamine in the development of nasal mucosal swelling in nasal allergy. Ann Otol Rhinol Laryngol 1999;108(5):467-73.

Nunes C, Ladeira S. Double-blind study of cetirizine and loratadine versus placebo in patients with allergic rhinitis. J Investig Allergol Clin Immunol 2000;10(1):20-3.

Nutting CM, Page SR. Iatrogenic Cushing's syndrome due to nasal betamethasone: A problem not to be sniffed at! Postgrad Med J 1995;71(834):231-2.

Nuutinen J, Holopainen E, Malmberg H, et al. Terfenadine with or without phenylpropanolamine in the treatment of seasonal allergic rhinitis. Clin Exp Allergy 1989;19(6):603-8.

O'Hollaren MT. Update in allergy and immunology. JK Pract 1999;6(4):333-7.

Ogino S, Irifune M, Harada T, et al. Nasal allergy in medical students. Rhinology 1990;28(3):163-8.

Ogino S, Kawashima K, Nibu M, et al. Comparison of multiple-antigen simultaneous test and CAP systems for diagnosis of nasal allergy. ORL: J Oto-Rhino-Laryngol Related Spec 1995;57(4):210-3.

Ohashi Y, Nakai Y, Ohno Y, et al. Natural course of serum-specific immunoglobulin E and immunoglobulin G4 for a span of eight years in untreated patients with perennial allergic rhinitis. Laryngoscope 1997;107(3):382-5.

Ohashi Y, Nakai Y, Tanaka A, et al. Immunotherapy decreases seasonal rise in serum-soluble CD23 in seasonal allergic rhinitis. Laryngoscope 1998;108(5):706-11.

Ohashi Y, Nakai Y, Tanaka A, et al. Serologic study of the working mechanisms of immunotherapy for children with perennial allergic rhinitis. Arch Otolaryngol Head Neck Surg 1998;124(12):1337-46.

Ohashi Y, Tanaka A, Kakinoki Y, et al. Effect of immunotherapy on seasonal changes in serum-specific IgE and IgG4 in patients with pollen allergic rhinitis. Laryngoscope 1997;107(9):1270-5.

Ohashi Y, Tanaka A, Nakai Y. Decrease of serum levels of soluble CD23 during immunotherapy in patients with perennial allergic rhinitis. Ann Otol Rhinol Laryngol 1999;108(2 part 1):193-200.

Ohman Jr JL. Allergen immunotherapy: Review of efficacy and current practice. Med Clin North Am 1992;76(4):977-91.

Oldham G, Platts-Mills TA, Chalmers DM, et al. A quantitative method for measuring in vitro synthesis of IgA and IgG by human rectal mucosa: studies on normal controls and patients with hypogammaglobulinaemia. Immunology 1979;37(3):661-8.

Oliveira CAA, Sole D, Naspitz CK, et al. Improvement of bronchial hyperresponsiveness in asthmatic children treated for concomitant sinusitis. Ann Allergy Asthma Immunol 1997;79(1):70-4.

Olivieri M, Mohaddes Zadeh MR, Talamini G, et al. Local nasal immunotherapy and bronchial hyperreactivity in seasonal allergic rhinitis: an observational pilot study. J Investig Allergol Clin Immunol 2000;10(5):300-4.

Olsen OT, Frolund L, Heinig J, et al. A double-blind, randomized study investigating the efficacy and specificity of immunotherapy with Artemisia vulgaris or Phleum pratense/betula verrucosa. Allergol Immunopathol (Madr) 1995;23(2):73-8.

Omenaas E, Bakke P, Eide GE, et al. Serum house-dust-mite antibodies and reduced FEV1 in adults of a Norwegian community. Am J Respir Crit Care Med 1995;152(4 Pt 1):1158-63.

Omenaas E, Bakke P, Eide GE, et al. Serum house dust mite antibodies: predictor of increased bronchial responsiveness in adults of a community. Eur Respir J 1996;9(5):919-25.

Ortolani C, Pastorello EA, Incorvaia C, et al. A double-blind, placebo-controlled study of immunotherapy with an alginate-conjugated extract of Parietaria judaica in patients with Parietaria hay fever. Allergy 1994;49(1):13-21.

Orzano AJ, Eaton L, Cody RP. The otitis media repeater - A 9-year family practice experience with children and adults. Dis Manage Clin Outcomes 1998;1(6):218-23.

Osguthorpe JD. Turf battles diminish the credibility of all allergists. Ear Nose Throat J 1988;67(8):554, 556.

Osterballe O. Immunotherapy in hay fever with two major allergens 19, 25 and partially purified extract of timothy grass pollen. A controlled double blind study. In vivo variables, season I. Allergy 1980;35(6):473-89.

Osterballe O. Nasal and skin sensitivity during immunotherapy with two major allergens 19, 25 and partially purified extract of timothy grass pollen. Allergy 1982;37(3):169-77.

Osterballe O. Immunotherapy with grass pollen major allergens. Allergy 1982;37(6):379-88.

Osterballe O. Side effects during immunotherapy with purified grass pollen extracts. Allergy 1982;37(8):553-62.

Osterballe O, Egeskjold EM, Johansen AS, et al. Anti-IgG antibodies during immunotherapy with purified grass pollen extracts. Allergy 1982;37(3):209-16.

Osterballe O, Lowenstein H, Norn S, et al. Immunotherapy with grass pollen major allergens. Immunological results from a prospective 3-year double blind study. Allergy 1982;37(7):491-501.

Owen GO, Canter RJ, Robinson A. Snoring, apnoea and ENT symptoms in the paediatric community. Clin Otolaryngol Allied Sci 1996;21(2):130-4.
Owen S, Morganstern M, Hepworth J, et al. Control of house dust mite antigen in bedding. Lancet 1990;335(8686):396-7.

Owerbach J, Winters B, Villella W. Pharmacist selection of allergy medication based on patient response to trial regimens. Am J Hosp Pharm 1981;38(6):856-8.

Oxford Centre for Evidence-based Medicine. Levels of evidence. May 2001. Produced by Phillips B, Ball C, Sackett D, et al., since November 1998. Available at: http://163.1.96.10/docs/levels.html#levels. Accessed May 30, 2002.

Paddon D. Intranasal corticosteroids in allergic rhinitis. Paper did not include all data on adverse effects. BMJ 1999;318(7194):1350.

Paggiaro PL, Dente FL, Morelli MC, et al. Postallergen inhaled budesonide reduces late asthmatic response and inhibits the associated increase of airway responsiveness to methacholine in asthmatics. Am J Respir Crit Care Med 1994;149(6):1447-51.

Pajno GB, Morabito L, Barberio G, et al. Clinical and immunologic effects of long-term sublingual immunotherapy in asthmatic children sensitized to mites: a double-blind, placebo-controlled study. Allergy 2000;55(9):842-9.

Palczynski C, Walusiak J, Hanke W, et al. Natural rubber-latex immediate hypersensitivity in surgeons. A cross-sectional study. Int Rev Allergol Clin Immunol 2000;6(1):15-9.

Panda NK, Mann SB. Comparative efficacy and safety of terfenadine with pseudoephedrine and terfenadine alone in allergic rhinitis. Otolaryngol Head Neck Surg 1998;118(2):253-5.

Pariente PD, LePen C, Los F, et al. Quality-of-life outcomes and the use of antihistamines in a French national population-based sample of patients with perennial rhinitis. Pharmacoeconomics 1997;12(5):585-95.

Parikh A, Scadding GK. Seasonal allergic rhinitis. BMJ 1997;314:1392-5.

Parker WA, Whisman BA, Apaliski SJ, et al. The relationships between late cutaneous responses and specific antibody responses with outcome of immunotherapy for seasonal allergic rhinitis. J Allergy Clin Immunol 1989;84(5 Pt 1):667-77.

Passalacqua G, Albano M, Fregonese L, et al. Randomised controlled trial of local allergoid immunotherapy on allergic inflammation in mite-induced rhinoconjunctivitis. Lancet 1998;351(9103):629-32.

Passalacqua G, Albano M, Pronzato C, et al. Long-term follow-up of nasal immunotherapy to Parietaria: clinical and local immunological effects. Clin Exp Allergy 1997;27(8):904-8.

Passalacqua G, Albano M, Ruffoni S, et al. Nasal immunotherapy to Parietaria: evidence of reduction of local allergic inflammation. Am J Respir Crit Care Med 1995;152(2):461-6.

Passalacqua G, Canonica GW. Allergen-specific sublingual immunotherapy for respiratory allergy. Biodrugs 2001;15(8):509-19.

Passalacqua G, Venturi S, Zoccali P, et al. Oral and sublingual immunotherapy: General aspects and critical considerations. Wien Med Wochenschr 1999;149(14-15):433-7.

Pastorello EA, Ortolani C, Incorvaia C, et al. A double-blind study of hyposensitization with an alginate-conjugated extract of Dermatophagoides pteronyssinus (Conjuvac) in patients with perennial rhinitis. II. Immunological aspects. Allergy 1990;45(7):505-14.

Pastorello EA, Pravettoni V, Incorvaia C, et al. Clinical and immunological effects of immunotherapy with alum-absorbed grass allergoid in grass-pollen-induced hay fever. Allergy 1992;47(4 Pt 1):281-90.

Patchett K, Lewis S, Crane J, et al. Cat allergen (Fel d 1) levels on school children's clothing and in primary school classrooms in Wellington, New Zealand. J Allergy Clin Immunol 1997;100(6 Pt 1):755-9.

Patterson R. The role of immunotherapy in respiratory allergic diseases. J Allergy Clin Immunol 1998;101(2 II):S403-S404.

Patterson R, Harris KE, Grammer LC, et al. Potential effect of the administration of substance P and allergen therapy on immunoglobulin E-mediated allergic reactions in human subjects. J Lab Clin Med 1999;133(2):189-99.

Pauley TR, Magee MJ, Cury JD. Pharmacist-managed, physician-directed asthma management program reduces emergency department visits. Ann Pharmacother 1995;29(1):5-9.

Pawankar R. Anti-lgE treatment in allergic disease. Allergy Clin Immunol Int 2001;13(1):4-10.

Payton KB, Hebert J, Clarke KD. Assessing and treating rhinitis. A pratical guide for Canadian physicians. Can Med Assoc J 1994;151(4 Suppl):1-27.

Pearce N, Douwes J, Beasley R. Is allergen exposure the major primary cause of asthma? [Review]. Thorax 2000;55(5):424-31.

Peat JK, Tovey E, Gray EJ, et al. Asthma severity and morbidity in a population sample of Sydney schoolchildren: Part II--Importance of house dust mite allergens. Austral NZ J Med 1994;24(3):270-6.

Peat JK, Tovey E, Mellis CM, et al. Importance of house dust mite and Alternaria allergens in childhood asthma: an epidemiological study in two climatic regions of Australia. Clin Exp Allergy 1993;23(10):812-20.

Peat JK, Tovey E, Toelle BG, et al. House dust mite allergens. A major risk factor for childhood asthma in Australia. Am J Respir Crit Care Med 1996;153(1):141-6.

Peckham C, Butler N. A national study of asthma in childhood. J Epidemiol Community Health 1978;32(2):79-85.

Pecoud A, Nicod L, Badan M, et al. Effects of one-year hyposensitization in allergic rhinitis. Comparison of two house dust mite extracts. Allergy 1990;45(5):386-92.

Peden DB. The use of nasal lavage for objective measurement of irritant-induced nasal inflammation. Regul Toxicol Pharmacol 1996;24(1 II):S76-S78.

Peden DB, Setzer RW, Devlin RB. Ozone exposure has both a priming effect on allergen-induced responses and an intrinsic inflammatory action in the nasal airways of perennially allergic asthmatics. Am J Respir Crit Care Med 1995;151(5):1336-45.

Pedersen PA, Weeke ER. Allergic rhinitis in Danish general practice. Prevalence and consultation rates. Allergy 1981;36(6):375-9.

Pedersen PA, Weeke ER. Asthma and allergic rhinitis in the same patients. Allergy 1983;38(1):25-9.

Pedersen S. Introduction. J Allergy Clin Immunol 2001;108(1 Suppl):S1.

Pedinoff AJ. Approaches to the treatment of seasonal allergic rhinitis. South Med J 1996;89(12):1130-9.

Pegelow KO, Belin L, Broman P, et al. Immunotherapy with alginate-conjugated and alum-precipitated grass pollen extracts in patients with allergic rhinoconjunctivitis. Allergy 1984;39(4):275-90.

Peggs JF, Shimp LA, Opdycke RAC. Antihistamines: The old and the new. Am Fam Phys 1995;52(2):593-600.

Pelikan Z, de Vries K. Effects of some drugs applied topically to the nasal mucosa before nasal provocation tests with allergen. Acta Allergol 1974;29(5):337-53.

Pence HL, Mitchell DQ, Greely RL, et al. Immunotherapy for mountain cedar pollinosis. A double-blind controlled study. J Allergy Clin Immunol 1976;58(1 Pt 1):39-50.

Peng ZK, Naclerio RM, Norman PS, et al. Quantitative IgE- and IgG-subclass responses during and after long-term ragweed immunotherapy. J Allergy Clin Immunol 1992;89(2):519-29.

Peroni DG, Piacentini GL, Martinati LC, et al. Double-blind trial of house-dust mite immunotherapy in asthmatic children resident at high altitude. Allergy 1995;50(11):925-30.

Persi L, Demoly P, Harris AG, et al. Comparison between nasal provocation tests and skin tests in patients treated with loratadine and cetirizine. J Allergy Clin Immunol 1999;103(4):591-4.

Persky V, Coover L, Hernandez E, et al. Chicago community-based asthma intervention trial: feasibility of delivering peer education in an inner-city population. Chest 1999;116(4 Suppl 1):216S-23S.

Perzanowski MS, Ronmark E, Nold B, et al. Relevance of allergens from cats and dogs to asthma in the northernmost province of Sweden: schools as a major site of exposure. J Allergy Clin Immunol 1999;103(6):1018-24.

Perzanowski MS, Sporik R, Squillace SP, et al. Association of sensitization to Alternaria allergens with asthma among school-age children. J Allergy Clin Immunol 1998;101(5):626-32.

Pescollderungg L, Peroni D, Locatelli F, et al. Determination of serum eosinophil cationic protein, eosinophil count, and total IgE in children with different severities of atopic diseases. Pediatr Asthma Allergy Immunol 2000;14(2):109-18.

Petersson G. Allergy practice and the otolaryngologist. Curr Opin Otolaryngol Head Neck Surg 1995;3(3):218-23.

Philip G, Togias A. Allergic rhinitis: up-to-date strategies for management. J Respir Dis 1999;20(9):580-2, 585-8.

Philip G, Togias AG. Allergic rhinitis: today's approach to treatment. J Respir Dis 1995;16(4):367-72.

Piacentini GL, Peroni DG, Sette L, et al. Inhibition of different dosages of oxatomide or placebo on skin prick test and nasal allergen provocation. J Allergy Clin Immunol 1991;88(2):218-25.

Pichler CE, Helbling A, Pichler WJ. Three years of specific immunotherapy with house-dust-mite extracts in patients with rhinitis and asthma: significant improvement of allergen-specific parameters and of nonspecific bronchial hyperreactivity. Allergy 2001;56(4):301-6.

Pichler CE, Marquardsen A, Sparholt S, et al. Specific immunotherapy with Dermatophagoides pteronyssinus and D. farinae results in decreased bronchial hyperreactivity. Allergy 1997;52(3):274-83.

Pickard BH. Nasal disease in relation to fitness of a pilot. Aviat Space Environ Med 1984;55(5):429-30.

Pieckova E, Jesenska Z. Microscopic fungi in dwellings and their health implications in humans. Ann Agric Environ Med 1999;6(1):1-11.

Pien LC. The role of allergy evaluation and immunotherapy in asthma. Clin Pulm Med 1995;2(3):165-71.

Pigatto PD, Bigardi AS, Valsecchi RH, et al. Mite patch testing in atopic eczema: a search for correct concentration. Australasian J Dermatol 1997;38(4):231-2.

Pirhonen I, Nevalainen A, Husman T, et al. Home dampness, moulds and their influence on respiratory infections and symptoms in adults in Finland. Eur Respir J 1996;9(12):2618-22.

Pitten FA, Scholler M, Kruger U, et al. Filamentous fungi and yeasts on mattresses covered with different encasings. Eur J Dermatol 2001;11(6):534-7.

Pizzi LT, Biskupiak JE. Patient compliance and its impact on treatment outcomes. Dis Manage Health Outcomes 1999;6(5):269-78.

Platts-Mills TA. Allergens and asthma. [Review]. Allergy Proc 1990;11(6):269-71.

Platts-Mills TA, Chapman MD. Dust mites: immunology, allergic disease, and environmental control. [erratum appears in J Allergy Clin Immunol 1988 Nov;82(5 Pt 1):841.]. [Review]. J Allergy Clin Immunol 1987;80(6):755-75.

Platts-Mills TA, Chapman MD, Marsh DG. Human immunoglobulin E and immunoglobulin G antibody responses to the "minor" ragweed allergen Ra3: correlation with skin tests and comparison with other allergens. J Allergy Clin Immunol 1981;67(2):129-34.

Platts-Mills TA, Chapman MD, Wheatly LM. Control of house dust mite in managing asthma. Conclusions of meta-analysis are wrong. BMJ 1999;318(7187):870-1.

Platts-Mills TA, Fiocco GP, Hayden ML, et al. Serum IgE antibodies to Trichophyton in patients with urticaria, angioedema, asthma, and rhinitis: development of a radioallergosorbent test. J Allergy Clin Immunol 1987;79(1):40-5.

Platts-Mills TA, Mueller GA, Wheatley LM. Future directions for allergen immunotherapy. [Review]. J Allergy Clin Immunol 1998;102(3):335-43.

Platts-Mills TA, Rawle F, Chapman MD. Problems in allergen standardization. [Review]. Clin Rev Allergy 1985;3(3):271-90.

Platts-Mills TA, Sporik R, Ingram JM, et al. Dog and cat allergens and asthma among school children in Los Alamos, New Mexico, USA: altitude 7,200 feet. Int Arch Allergy Immunol 1995;107(1-3):301-3.

Platts-Mills TA, Sporik RB, Chapman MD, et al. The role of domestic allergens. [Review]. Ciba Found Symp 1997;206:173-89.

Platts-Mills TA, Sullivan TJ, Kaliner MA. Allergy versus asthma as the focus of the subspecialty. J Allergy Clin Immunol 1996;97(3):865-8.

Platts-Mills TA, Vaughan JW, Carter MC, et al. The role of intervention in established allergy: avoidance of indoor allergens in the treatment of chronic allergic disease. J Allergy Clin Immunol 2000;106(5):787-804.

Platts-Mills TA, Woodfolk JA, Chapman MD, et al. Changing concepts of allergic disease: the attempt to keep up with real changes in lifestyles. [Review]. J Allergy Clin Immunol 1996;98(6 Pt 3):S297-306.

Plavec D, Somogyi-Zalud E, Godnic-Cvar J. Nonspecific nasal responsiveness in workers occupationally exposed to respiratory irritants. Am J Ind Med 1993;24(5):525-32.

Plosker GL, Faulds D. Troglitazone: A review of its use in the management of type 2 diabetes mellitus. Drugs 1999;57(3):409-38.

Pollart S, Chapman MD, Platts-Mills TA. House dust mite and dust control. [Review]. Clin Rev Allergy 1988;6(1):23-33.

Pollart SM, Chapman MD, Fiocco GP, et al. Epidemiology of acute asthma: IgE antibodies to common inhalant allergens as a risk factor for emergency room visits. J Allergy Clin Immunol 1989;83(5):875-82.

Pollart SM, Chapman MD, Platts-Mills TA. House dust sensitivity and environmental control. [Review]. Prim Care 1987;14(3):591-603.

Pollart SM, Mullins DE, Vailes LD, et al. Identification, quantitation, and purification of cockroach allergens using monoclonal antibodies. J Allergy Clin Immunol 1991;87(2):511-21.

Pollart SM, Reid MJ, Fling JA, et al. Epidemiology of emergency room asthma in northern California: association with IgE antibody to ryegrass pollen. J Allergy Clin Immunol 1988;82(2):224-30.

Pollart SM, Smith TF, Morris EC, et al. Environmental exposure to cockroach allergens: analysis with monoclonal antibody-based enzyme immunoassays. J Allergy Clin Immunol 1991;87(2):505-10.

Ponsonby AL, Glasgow N, Gatenby P, et al. The relationship between low level nitrogen dioxide exposure and child lung function after cold air challenge. Clin Exp Allergy 2001;31(8):1205-12.

Por CP, Evans MF. Effective treatment for ragweed allergy: Nasal puffers or antihistamines? Can Fam Phys 1998;44:1625-6.

Pordy RC. Cilazapril plus hydrochlorothiazide: Improved efficacy without reduced safety in mild to moderate hypertension: A double-blind placebo-controlled multicenter study of factorial design. Cardiology 1994;85(5):311-22.

Porst H, Rosen R, Padma-Nathan H, et al. The efficacy and tolerability of vardenafil, a new, oral, selective phosphodiesterase type 5 inhibitor, in patients with erectile dysfunction: The first at-home clinical trial. Int J Impotence Res 2001;13(4):192-9.

Portnoy JM. Immunotherapy for inhalant allergies: Guidelines for why, when, and how to use this treatment. Postgrad Med 2001;109(5):89-106.

Posey WC, Nelson HS. Controlled trials with four per cent cromolyn spray in seasonal allergic rhinitis. Clin Allergy 1977;7(5):485-96.

Pradalier A, Basset D, Claudel A, et al. Sublingual-swallow immunotherapy (SLIT) with a standardized five-grass-pollen extract (drops and sublingual tablets) versus placebo in seasonal rhinitis. Allergy 1999;54(8):819-28.

Prasanna A, Murthy PSN. Vasomotor rhinitis and sphenopalatine ganglion block. J Pain Symptom Management 1997;13(6):332-8.

Pratt CM, Mason J, Russell T, et al. Cardiovascular safety of fexofenadine HCl. Am J Cardiol 1999;83(10):1451-4.

Prescott LM. Highlights of the 96th Annual Meeting of the American Society of Clinical Pharmacology and Therapeutics. P T 1995;20(7):492-4.

Prevost M, Turenne Y, Moote DW, et al. Comparative study of SCH 434 and CTM-D in the treatment of seasonal allergic rhinitis. Clin Ther 1994;16(1):50-6.

Puchner Jr TC, Fink JN. Occupational rhinitis. Immunol Allergy Clin North Am 2000;20(2):303-22.

Pullerits T, Praks L, Ristioja V, et al. Comparison of a nasal glucocorticoid, antileukotriene, and a combination of antileukotriene and antihistamine in the treatment of seasonal allergic rhinitis. J Allergy Clin Immunol 2002;109(6):949-55.

Pullerits T, Praks L, Sjostrand M, et al. An intranasal glucocorticoid inhibits the increase of specific IgE initiated during birch pollen season. J Allergy Clin Immunol 1997;100(5):601-5.

Pullerits T, Praks L, Skoogh BE, et al. Randomized placebo-controlled study comparing a leukotriene receptor antagonist and a nasal glucocorticoid in seasonal allergic rhinitis. Am J Respir Crit Care Med 1999;159(6):1814-8.

Purello-D'Ambrosio F, Gangemi S, Isola S, et al. Sublingual immunotherapy: a double-blind, placebo-controlled trial with Parietaria judaica extract standardized in mass units in patients with rhinoconjunctivitis, asthma, or both. Allergy 1999;54(9):968-73.

Purello-D'Ambrosio F, Gangemi S, Merendino RA, et al. Comparative study between fluticasone propionate and cetirizine in the treatment of allergic rhinitis. Allergol Immunopathol 1998;26(6):277-82.

Purello-D'Ambrosio F, Isola S, Ricciardi L, et al. A controlled study on the effectiveness of loratadine in combination with flunisolide in the treatment of nonallergic rhinitis with eosinophilia (NARES). Clin Exp Allergy 1999;29(8):1143-7.

Purello-D'Ambrosio F, Ricciardi L, Isola S, et al. Rush sublingual immunotherapy in Parietaria allergic patients. [erratum appears in Allergol Immunopathol (Madr) 1996 Nov-Dec;24(6):262]. Allergol Immunopathol (Madr) 1996;24(4):146-51.

Purello DF, Tigano F, Gallesio MT, et al. Astemizole-D compared with triprolidine-D (Actifed(R)) for acute treatment of perennial allergic rhinitis. J Pharm Med 1994;4(1):15-22.

Purohit A, Duvernelle C, Melac M, et al. Twenty-four hours of activity of cetirizine and fexofenadine in the skin. Ann Allergy Asthma Immunol 2001;86(4):387-92.

Quirce S, Gomez M, Bombin C, et al. Glutaraldehyde-induced asthma. Allergy Eur J Allergy Clin Immunol 1999;54(10):1121-2.

Rachelefsky GS. National guidelines needed to manage rhinitis and prevent complications. Ann Allergy Asthma Immunol 1999;82(3):296-305.

Radcliffe MJ, Lampe FC, Brostoff J. Allergen-specific low-dose immunotherapy in perennial allergic rhinitis: a double-blind placebo-controlled crossover study. J Investig Allergol Clin Immunol 1996;6(4):242-7.

Radenne F, Lamblin C, Vandezande LM, et al. Quality of life in nasal polyposis. J Allergy Clin Immunol 1999;104(1):79-84.

Radon K, Schottky A, Garz S, et al. Distribution of dust-mite allergens (Lep d 2, Der p 1, Der f 1, Der 2) in pig-farming environments and sensitization of the respective farmers. Allergy Eur J Allergy Clin Immunol 2000;55(3):219-25.

Ragusa FV, Passalacqua G, Gambardella R, et al. Nonfatal systemic reactions to subcutaneous immunotherapy: a 10-year experience. J Investig Allergol Clin Immunol 1997;7(3):151-4.

Rajakulasingam K, Polosa R, Lau LC, et al. The influence of terfenadine and ipratropium bromide alone and in combination on bradykinin-induced nasal symptoms and plasma protein leakage. Clin Exp Allergy 1992;22(7):717-23.

Rak S, Hakanson L, Venge P. Immunotherapy abrogates the generation of eosinophil and neutrophil chemotactic activity during pollen season. J Allergy Clin Immunol 1990;86(5):706-13.

Rak S, Heinrich C, Jacobsen L, et al. A double-blinded, comparative study of the effects of short preseason specific immunotherapy and topical steroids in patients with allergic rhinoconjunctivitis and asthma. J Allergy Clin Immunol 2001;108(6):921-8.

Rakes GP, Arruda E, Ingram JM, et al. Rhinovirus and respiratory syncytial virus in wheezing children requiring emergency care. IgE and eosinophil analyses. Am J Respir Crit Care Med 1999;159(3):785-90.

Ratner PH, Findlay SR, Hampel Jr F, et al. A double-blind, controlled trial to assess the safety and efficacy of azelastine nasal spray in seasonal allergic rhinitis. J Allergy Clin Immunol 1994;94(5):818-25.

Ratner PH, van Bavel JH, Martin BG, et al. A comparison of the efficacy of fluticasone propionate aqueous nasal spray and loratadine, alone and in combination, for the treatment of seasonal allergic rhinitis. J Fam Pract 1998;47(2):118-25.

Raulf-Heimsoth M, Wirtz C, Papenfuss F, et al. Nasal lavage mediator profile and cellular composition of nasal brushing material during latex challenge tests. Clin Exp Allergy 2000;30(1):110-21.

Rawle FC, Mitchell EB, Platts-Mills TA. T cell responses to the major allergen from the house dust mite Dermatophagoides pteronyssinus, Antigen P1: comparison of patients with asthma, atopic dermatitis, and perennial rhinitis. J Immunol 1984;133(1):195-201.

Ray NF, Baraniuk JN, Thamer M, et al. Direct expenditures for the treatment of allergic rhinoconjunctivitis in 1996, including the contributions of related airway illnesses. J Allergy Clin Immunol 1999;103(3 Pt 1):401-7.

Ray NF, Baraniuk JN, Thamer M, et al. Healthcare expenditures for sinusitis in 1996: contributions of asthma, rhinitis, and other airway disorders. J Allergy Clin Immunol 1999;103(3 Pt 1):408-14.

Rebmann H, Weber AK, Focke I, et al. Does benzyl benzoate prevent colonization of new mattresses by mites? A prospective study. Allergy 1996;51(12):876-82.

Reed CE. Measurement of airborne antigens. J Allergy Clin Immunol 1982;70(1):38-40.

Reed CE. Introduction: New insights into allergic rhinitis: Quality of life, associated airway diseases, and antihistamine potency. J Allergy Clin Immunol 1997;99(2):S740-S741.

Reichenberg K, Broberg AG. Quality of life in childhood asthma: Use of the paediatric asthma quality of life questionnaire in a swedish sample of children 7 to 9 years old. Acta Paediatr 2000;89(8):989-95.

Reichmuth D. Allergic rhinitis. Drugs Today 2001;37(5):283-309.

Reid MJ. Complicating features of asthma. Pediatr Clin North Am 1992;39(6):1327-42.

Reid MJ, Moss RB, Hsu YP, et al. Seasonal asthma in northern California: allergic causes and efficacy of immunotherapy. J Allergy Clin Immunol 1986;78(4 Pt 1):590-600.

Reilly D, Taylor MA, Beattie NG, et al. Is evidence for homoeopathy reproducible? Lancet 1994;344(8937):1601-6.

Reilly MC, Tanner A, Meltzer EO. Work, classroom and activity impairment instruments: validation studies in allergic rhinitis. Clin Drug Invest 1996;11:278-88.

Reilly MC, Zbrozek AS, Dukes EM. The validity and reproducibility of a work productivity and activity impairment instrument. Pharmacoeconomics 1993;4(5):353-65.

Reinstein JA. Self-medication: Editorial. Int Pharm. J 1999;13(1):2-3.

Reisacher WR, Finn DG, Stern J, et al. Manifestations of AIDS in the head and neck. South Med J 1999;92(7):684-97.

Reiser J, Ingram D, Mitchell EB, et al. House dust mite allergen levels and an anti-mite mattress spray (natamycin) in the treatment of childhood asthma. Clin Exp Allergy 1990;20(5):561-7.

Reisman RE. Allergic rhinitis: update on your therapeutic choices. Consultant 1996;36(9):1899-901, 1905-6.

Reisman RE, Mauriello PM, Davis GB, et al. A double-blind study of the effectiveness of a high-efficiency particulate air (HEPA) filter in the treatment of patients with perennial allergic rhinitis and asthma. J Allergy Clin Immunol 1990;85(6):1050-7.

Retailliau HF, Storch GA, Curtis AC, et al. The epidemiology of influenza B in a rural setting in 1977. Am J Epidemiol 1979;109(6):639-49.

Retzow A, Althaus M, DeMey C, et al. Study on the interaction of the dopamine agonist alpha-dihydroergocryptine with the pharmacokinetics of digoxin. Arzneim.-Forsch Drug Res 2000;50(7):591-6.

Revicki DA, Leidy NK, Brennan-Diemer F, et al. Development and preliminary validation of the multiattribute Rhinitis Symptom Utility Index. Qual Life Res 1998;7(8):693-702.

Rheinstein PH. Significant FDA approvals in 1994. Am Fam Phys 1995;51(4):888-90.

Ricard N, Kind P, Christian S, et al. Link between patient preferences and treatment outcomes in seasonal allergic rhinitis: an empiric investigation. Clin Ther 1999;21(1):268-77.

Ricard N, Sauriol L, Christian S. The effect of seasonal allergic rhinitis in children on caregivers' lives: A pilot study. Pediatr Asthma Allergy Immunol 2000;14(2):119-24.

Ricci G, Patrizi A, Specchia F, et al. Effect of house dust mite avoidance measures in children with atopic dermatitis. Br J Dermatol 2000;143(2):379-84.

Rice DH. Endoscopic sinus surgery. Otolaryngol Head Neck Surg 1994;111(1):100-10.

Richards S, Thornhill D, Roberts H, et al. How many people think they have hay fever, and what they do about it. Br J Gen Pract 1992;42(360):284-6.

Risby E, Donnigan D, Nemeroff CB. Formulary considerations for treating psychiatric disorders: Schizophrenia. Formulary 1997;32(2):142-55.

Rischitelli DG. A workers' compensation primer. Ann Allergy Asthma Immunol 1999;83(6 II):614-7.

Rizzo MC, Arruda LK, Chapman MD, et al. IgG and IgE antibody responses to dust mite allergens among children with asthma in Brazil. Ann Allergy 1993;71(2):152-8.

Roberts J. Examination and health history findings among children and youths, 6-17 years, United States. Vital Health Stat 1973;Ser.11(129):71 p.

Robertson AS, Burge PS, Hedge A, et al. Comparison of health problems related to work and environmental measurements in two office buildings with different ventilation systems. Br Med J Clin Res Ed 1985;291(6492):373-6.

Robertson AS, Sherwood BP. Building sickness. Practitioner 1985;229(1404):531-4.

Robinson DS. Allergen immunotherapy: Does it work and, if so, how and for how long? Thorax 2000;55(Suppl 1):S11-S14.

Rodriguez A, Trujillo MJ, Herrero T, et al. Allergy to calcitonin. Allergy Eur J Allergy Clin Immunol 2001;56(8):801.

Ronborg SM, Mosbech H, Johnsen CR, et al. Exposure chamber for allergen challenge. The development and validation of a new concept. Allergy 1996;51(2):82-8.

Ronborg SM, Mosbech H, Poulsen LK. Exposure chamber for allergen challenge. A placebo-controlled, double-blind trial in house-dust-mite asthma. Allergy 1997;52(8):821-8.

Ronborg SM, Poulsen LK, Skov PS, et al. Effect of two different types of vacuum cleaners on airborne Fel d 1 levels. Ann Allergy Asthma Immunol 1999;82(3):307-10.

Rooklin AR, Gawchik SM. Allergic rhinitis -- it's that time again! Contemp Pediatr 1994;11(4):19-20, 23-6, 28 passim.

Root TS, Quan DJ. Histamineinf 2-receptor antagonists do not prevent allergic reactions. J Pharm Technol 1994;10(2):58-60.

Roquet A, Raud J, Hallden G, et al. Effects of loratadine on anti-IgE-induced inflammation, histamine release, and leukocyte recruitment in skin of atopics. Allergy 1995;50(5):414-20.

Rose C. Bioaerosols. West J Med 1994;160(6):566.

Rose G, Arlian L, Bernstein D, et al. Evaluation of household dust mite exposure and levels of specific IgE and IgG antibodies in asthmatic patients enrolled in a trial of immunotherapy. J Allergy Clin Immunol 1996;97(5):1071-8.

Rosenfeld RM. Pilot study of outcomes in pediatric rhinosinusitis. Arch Otolaryngol Head Neck Surg 1995;121(7):729-36.

Ross AM, Corden JM, Fleming DM. The role of oak pollen in hay fever consultations in general practice and the factors influencing patients' decisions to consult. Br J Gen Pract 1996;46(409):451-5.

Ross AM, Fleming DM. Incidence of allergic rhinitis in general practice, 1981-92. BMJ 1994;308(6933):897-900.

Ross RN. The costs of allergic rhinitis. Am J Manag Care 1996;2:285-90.

Ross RN, Nelson HS, Finegold I. Effectiveness of specific immunotherapy in the treatment of allergic rhinitis: an analysis of randomized, prospective, single- or double-blind, placebo-controlled studies. Clin Ther 2000;22(3):342-50.

Rossetti L, Barbieri P, Velati P, et al. The efficacy of the combination of I-moprolol and dipivefrin in reducing the intraocular pressure in primary open-angle glaucoma or in ocular hypertension. Graefe's Arch Clin Exp Ophthalmol 1994;232(11):670-4.

Rossoff LJ, Stempel DA. Cost-effective treatment of rhinitis: a managed care perspective. Am J Manag Care 1997;3(Suppl 1):S1-28.

Rowley JA, Safwan BM. Obstructive sleep apnea: The latest treatment strategies. J Respir Dis 2000;21(9):577-80.

Rowntree S, Cogswell JJ, Platts-Mills TA, et al. Development of IgE and IgG antibodies to food and inhalant allergens in children at risk of allergic disease. Arch Dis Child 1985;60(8):727-35.

Rowntree S, Mitchell EB, Platts-Mills TA. Assessment of skin reactivity and specific antibody to egg and milk proteins in patients with atopic dermatitis: comparison with responses to the house dust mite antigen. Int Arch Allergy Appl Immunol 1986;79(2):132-9.

Rowntree S, Platts-Mills TA, Cogswell JJ, et al. A subclass IgG4-specific antigen-binding radioimmunoassay (RIA): comparison between IgG and IgG4 antibodies to food and inhaled antigens in adult atopic dermatitis after desensitization treatment and during development of antibody responses in children. J Allergy Clin Immunol 1987;80(4):622-30.

Royal College of Physicians, Royal College of Pathologists. Good allergy practice--standards of care for providers and purchasers of allergy services within the National Health Service. Clin Exp Allergy 1995;25(7):586-95.

Rutishauser M, Pitzke P, Grevers G, et al. Use of a polyvalent bacterial lysate in patients with recurrent respiratory tract infections: Results of a prospective, placebo-controlled, randomized, double-blind study. Adv Ther 1998;15(6):330-41.

Ryan D, Cross S. Rhinitis and allergy. Asthma Gen Pract 2000;9(2 Suppl):S24-S26.

Sabbah A, Hassoun S, Le Sellin J, et al. A double-blind, placebo-controlled trial by the sublingual route of immunotherapy with a standardized grass pollen extract. Allergy 1994;49(5):309-13.

Salmun LM, Gates D, Scharf M, et al. Loratadine versus cetirizine: assessment of somnolence and motivation during the workday. Clin Ther 2000;22(5):573-82.

Santilli J, Nathan R, Glassheim J, et al. Patients receiving immunotherapy report it is effective as assessed by the rhinitis outcomes questionnaire (ROQ) in a private practice setting. Ann Allergy Asthma Immunol 2001;86(2):219-21.

Santilli J, Nathan R, Glassheim J, et al. Validation of the rhinitis outcomes questionnaire (ROQ). Ann Allergy Asthma Immunol 2001;86(2):222-5.

Santoni P, Perdona B, Read BH. Seasonal allergic rhinitis. Practitioner 1984;228(1391):460, 462.

Santos R, Cifaldi M, Gregory C, et al. Economic outcomes of a targeted intervention program: the costs of treating allergic rhinitis patients. Am J Manag Care 1999;5(4 Suppl):S225-34.

Sapci T, Karavus A, Onmus H, et al. Impression cytology (IC) in clinical practice. Marmara Med J 2000;13(2):75-81.

Saraclar Y, Sekerel BE, Kalayci O, et al. The effect of house dust mite specific immunotherapy on cysteinyl leukotriene production by blood leukocytes in subjects with perennial allergic rhinitis and asthma. J Investig Allergol Clin Immunol 1998;8(2):98-104.

Scadding G. Diagnosis and management of rhinitis. CPD Bull Immunol Allergy 2000;1(2):42-6.

Scadding GK. Could treating asthma help rhinitis? [Review]. Clin Exp Allergy 1997;27(12):1387-93.

Scadding GK. Treating asthma: Don't forget the nose. Can J Allergy Clin Immunol 1999;4(5):238-43.

Scadding GK, Richards DH, Price MJ. Patient and physician perspectives on the impact and management of perennial and seasonal allergic rhinitis. Clin Otolaryngol Allied Sci 2000;25(6):551-7.

Scalabrin DM, Bavbek S, Perzanowski MS, et al. Use of specific IgE in assessing the relevance of fungal and dust mite allergens to atopic dermatitis: a comparison with asthmatic and nonasthmatic control subjects. J Allergy Clin Immunol 1999;104(6):1273-9.

Schädlich PK, Brecht JG. Economic evaluation of specific immunotherapy versus symptomatic treatment of allergic rhinitis in Germany. Pharmacoeconomics 2000;17:37-52.

Schafheutle EI, Cantrill JA, Nicolson M, et al. Insights into the choice between self-medication and a doctor's prescription: A study of hay fever sufferers. Int J Pharm Pract 1996;4(3):156-61.

Schapowal A, on behalf of the Petasites Study Group. Randomized controlled trial of butterbur and cetirizine for treating seasonal allergic rhinitis. BMJ 2002;324:1-4.

Scherger JE. The spectrum of upper respiratory infections in family practice. Semin Fam Med 1982;3(4):168-73.

Schmidt A, Adam SA, Kolloch R, et al. Antihypertensive effects of valsartan/hydrochlorothiazide combination in essential hypertension. Blood Press 2001;10(4):230-7.

Schmidt BMW, Kusma M, Feuring M, et al. The phosphodiesterase 4 inhibitor roflumilast is effective in the treatment of allergic rhinitis. J Allergy Clin Immunol 2001;108(4):530-6.

Schmidt J, Zalewski P, Olszewski J, et al. Histopathological verification of clinical indications to partial inferior turbinectomy. Rhinology 2001;39(3):147-50.

Schneider LC, Lester MR. Atopic disease, rhinitis and conjunctivitis, and upper respiratory infections. [Review]. Curr Opin Pediatr 1998;10(5):539-47.

Schnitzer T, Morton C, Coker S. Topical capsaicin therapy for osteoarthritis pain: Achieving a maintenance regimen. Semin Arthritis Rheum 1994;23(Suppl 3):34-40.

Schofield M, Fleming S. Go with the flow - A review of the respiratory therapeutic area. Emerg Drugs 2000;5(2):123-33.

Schwab IR. Nonsteroidal eye drops for ocular allergy. West J Med 1994;161(6):594-5.

Schwartz R, Freij BJ, Ziai M, et al. Antimicrobial prescribing for acute purulent rhinitis in children: A survey of pediatricians and family practitioners. Pediatr Infect Dis J 1997;16(2):185-90.

Sears MR, Jones DT, Silva PA, et al. Asthma in seven year old children: a report from the Dunedin Multidisciplinary Child Development Study. N Z Med J 1982;95(713):533-6.

Segura T, Casale TB. Allergic rhinitis: Basic pathophysiology and therapeutic strategies. Can J Allergy Clin Immunol 1999;4(7):318-30.

Self T, Chafin CC. Drug therapy of allergic rhinitis. Am J Manag Care 1999;5(9):1191-200.

Seltzer JM. Building-related illnesses. J Allergy Clin Immunol 1994;94(2 II Suppl):351-62.

Senior BA, Glaze C, Benninger MS. Use of the Rhinosinusitis Disability Index (RSDI) in rhinologic disease. Am J Rhinol 2001;15(1):15-20.

Sensi LG, Seri A, Siracusa A, et al. Allergic rhinitis in children: effects of flunisolide and disodium cromoglycate on nasal eosinophil cationic protein. Clin Exp Allergy 1997;27(3):270-6.

Seppey M, Hausler R, Bruchez M, et al. Facial thermograpy - An assessment of cetirizine effects upon nasal provocation in rhinitis. Allergy Clin Immunol Int 2000;12(5):232-9.

Serra HA, Alves O, Rizzo LF, et al. Loratadine-pseudoephedrine in children with allergic rhinitis, a controlled double-blind trial. Br J Clin Pharmacol 1998;45(2):147-50.

Sette L, Comis A, Marcucci F, et al. Benzyl-benzoate foam: effects on mite allergens in mattress, serum and nasal secretory IgE to Dermatophagoides pteronyssinus, and bronchial hyperreactivity in children with allergic asthma. Pediatr Pulmonol 1994;18(4):218-27.

Settipane GA. Allergic rhinitis--update. Otolaryngol Head Neck Surg 1986;94(4):470-5.

Settipane RA. Complications of allergic rhinitis. [Review]. Allergy Asthma Proc 1999;20(4):209-13.

Settipane RJ, Hagy GW, Settipane GA. Long-term risk factors for developing asthma and allergic rhinitis: a 23-year follow-up study of college students. [Review]. Allergy Proc 1994;15(1):21-5.

Shahar E, Lorber M. Prevalence of self-reported allergic conditions in an adult population in Israel. Isr Med Assoc J 2001;3(3):190-3.

Shaikh WA. Ephedrine-saline nasal wash in allergic rhinitis. J Allergy Clin Immunol 1995;96(5 Pt 1):597-600.

Shapiro GG, Wighton TG, Chinn T, et al. House dust mite avoidance for children with asthma in homes of low-income families. J Allergy Clin Immunol 1999;103(6):1069-74.

Sharkey P, Portnoy J. Rush immunotherapy: experience with a one-day schedule. Ann Allergy Asthma Immunol 1996;76(2):175-80.

Sheikh A, Hurwitz B. House dust mite avoidance measures for perennial allergic rhinitis (Cochrane Review). In: The Cochrane Library, Issue 1, 2002. Oxford: Update Software.

Shibasaki M, Noguchi E, Takeda K, et al. Distribution of IgE and IgG antibody levels against house dust mites in schoolchildren, and their relation with asthma. J Asthma 1997;34(3):235-42.

Shirtcliffe PM, Easthope SE, Cheng S, et al. The effect of delipidated deglycolipidated (DDMV) and heat-killed Mycobacterium vaccae in asthma. Am J Respir Crit Care Med 2001;163(6):1410-4.

Shusterman D, Murphy MA, Balmes J. The influence of sex, allergic rhinitis, and test system on nasal sensitivity to airborne irritants: a pilot study. Environ Health Perspectives 2001;109(1):15-9.

Sibbald B, Kerry S, Strachan DP, et al. Patient characteristics associated with the labelling of asthma. Fam Pract 1994;11(2):127-32.

Sibbald B, Rink E. Labelling of rhinitis and hayfever by doctors. Thorax 1991;46(5):378-81.

Sienra-Monge JJ, Gazca-Aguilar A, Del Rio-Navarro B. Double-blind comparison of cetirizine and loratadine in children ages 2 to 6 years with perennial allergic rhinitis. Am J Ther 1999;6(3):149-55.

Sih T. News from the Interamerican Association of Pediatric Otorhinolaryngology II IAPO's Congress, Sao Paulo, Brazil, September 1997 presidential address: On pollution. Int J Pediatr Otorhinolaryngol 1998;44(2):193-4.

Silva AL, Silva AB, Stankiewicz JA. Nasal obstruction in pregnancy. Prim Care Update Ob Gyns 1995;2(1):37-44.

Silverman M, Turner-Warwick M. Exercise induced asthma: response to disodium cromoglycate in skin-test positive and skin-test negative subjects. Clin Allergy 1972;2(2):137-42.

Silverman SL. Calcitonin. Am J Med Sci 1997;313(1):13-6.

Silvers WS. The skier's nose: a model of cold-induced rhinorrhea. Ann Allergy 1991;67(1):32-6.

Sim TC, Reece LM, Hilsmeier KA, et al. Secretion of chemokines and other cytokines in allergen-induced nasal responses: Inhibition by topical steroid treatment. Am J Respir Crit Care Med 1995;152(3):927-33.

Simola M, Boss I, Holopainen E, et al. Astemizole in combination with pseudoephedrine in the treatment of seasonal allergic rhinitis. Rhinology 1996;34(1):21-3.

Simons FE. Learning impairment and allergic rhinitis. [Review]. Allergy Asthma Proc 1996;17(4):185-9.

Simons FE. The eternal triangle: benefit, risk, and cost of therapeutic agents. [Review]. Ann Allergy Asthma Immunol 1996;77(5):337-40.

Simons FE, Imada M, Li Y, et al. Fel d 1 peptides: effect on skin tests and cytokine synthesis in cat-allergic human subjects. Int Immunol 1996;8(12):1937-45.

Simons FER. The eternal triangle: Benefit, risk, and cost of therapeutic agents. Ann Allergy Asthma Immunol 1996;77(5):337-40.

Simpson K, Jarvis B. Fexofenadine: review of its use in the management of seasonal allergic rhinitis and chronic idiopathic urticaria. Drugs 2000;59:301-21.

Simpson RJ. Budesonide and terfenadine, separately and in combination, in the treatment of hay fever. Ann Allergy 1994;73(6):497-502.

Sin A, Kose S, Terzioglu E, et al. Prevalence of atopy in young healthy population, in Izmir, Turkey. Allergol Immunopathol 1997;25(2):80-4.

Singh S. Preparing your practice for the influenza season. Patient Care 2001;35(17):18-21, 25-6, 28 passim.

Sjostedt L, Willers S, Orbaek P, et al. A seven-year follow-up study of lung function and methacholine responsiveness in sensitized and non-sensitized workers handling laboratory animals. J Occup Environ Med 1998;40(2):118-24.

Skoner DP. Control of allergic rhinitis with antihistamines may prevent the onset or recurrence of otitis media. Pediatr Asthma Allergy Immunol 1997;11(4):193-205.

Skoner DP. Allergic rhinitis: definition, epidemiology, pathophysiology, detection, and diagnosis. [Review]. J Allergy Clin Immunol 2001;108(1 Suppl):S2-8.

Skoner DP, Doyle WJ, Boehm S, et al. Effect of terfenadine on nasal, eustachian tube, and pulmonary function after provocative intranasal histamine challenge. Ann Allergy 1991;67(6):619-24.

Skoner DP, Hodgson MJ, Doyle WJ. Laser-printer rhinitis. New Engl J Med 1990;322(18):1323.

Slavin RG. Occupational and allergic rhinitis: impact on worker productivity and safety. [Review]. Allergy Asthma Proc 1998;19(5):277-84.

Slavin RG. Occupational rhinitis. Ann Allergy Asthma Immunol 1999;83(6 part 2):597-601.

Slawson DC, Squillace SP, Franko JP. Throat culture to rule out GABHS. J Fam Pract 1994;39(5):428.

Slunt JB, Taketomi EA, Platts-Mills TA. Human T-cell responses to Trichophyton tonsurans: inhibition using the serum free medium Aim V. Clin Exp Allergy 1997;27(10):1184-92.

Sly RM. New guidelines for diagnosis and management of asthma. Ann Allergy Asthma Immunol 1997;78(5):427-37.

Sly RM. Changing prevalence of allergic rhinitis and asthma. Ann Allergy Asthma Immunol 1999;82(3):233-48; quiz 248-52.

Smith AM, Yamaguchi H, Platts-Mills TA, et al. Prevalence of IgG anti-Der p 2 antibodies in children from high and low antigen exposure groups: relationship of IgG and subclass antibody responses to exposure and allergic symptoms. Clin Immunol Immunopathol 1998;86(1):102-9.

Smith AP. Hyposensitization with Dermatophagoides pteronyssinus antigen: trial in asthma induced by house dust. BMJ 1971;4(781):204-6.

Smith D. Self-reported glutaraldehyde symptoms: Are they an accurate predictor of workplace risk? J Occup Health Saf Aust New Zealand 2001;17(3):287-93.

Smith JM, Clegg RT, Cook N, et al. Intranasal beclomethasone diproprionate in allergic rhinitis. Br Med J 1975;2(5965):255.

Smith JM, Pizarro YA. Hyposensitization with extracts of Dermatophagoides pteronyssinus and house dust. Clin Allergy 1972;2(3):281-3.

Smith L. Special considerations for the child with airway disease. [Review]. J Allergy Clin Immunol 1998;101(2 Pt 2):S370-2.

Smith LJ. Diagnosis and treatment of allergic rhinitis [corrected] [published erratum appears in Nurse Pract 1996 Jan-Feb;21(1):9]. Nurse Pract 1995;20(10):58, 60, 62 passim.

Smith MA. Norah Schuster student presentations. J R Soc Med 1993;86(11):674-5.

Smolensky M. Knowledge and attitudes of American physicians and public about medical chronobiology and chronotherapeutics. Findings of two 1996 gallup surveys. Chronobiol Int 1998;15(4):377-94.

Smolensky MH, Reinberg A, Labrecque G. Twenty-four hour pattern in symptom intensity of viral and allergic rhinitis: Treatment implications. J Allergy Clin Immunol 1995;95(5 II):1084-96.

Snyman JR, Sommers DK, Van Wyk M, et al. The influence of betahistine on the dynamics of the cutaneous hypersensitivity reaction in patients with grass pollen allergy. Immunopharmacology 1995;30(1):71-8.

Sonenthal KR, Grammer LC. Pulmonary reactions to chemicals in the workplace. Can J Allergy Clin Immunol 2000;5(5):196-202.

Soto-Quiros M, Gutierrez I, Calvo N, et al. Allergen sensitization of asthmatic and nonasthmatic schoolchildren in Costa Rica. Allergy 1998;53(12):1141-7.

Spaeth J, Klimek L, Mosges R. Sedation in allergic rhinitis is caused by the condition and not by antihistamine treatment. Allergy Eur J Allergy Clin Immunol 1996;51(12):893-906.

Spafford CS, Grosser GS, Donatelle JR, et al. Contrast sensitivity differences between proficient and disabled readers using colored lenses. J Learn Disabil 1995;28(4):240-52.

Spector SL. Overview of comorbid associations of allergic rhinitis. [Review]. J Allergy Clin Immunol 1997;99(2):S773-80.

Spector SL, Bernstein IL, Li JT, et al. Parameters for the diagnosis and management of sinusitis. J Allergy Clin Immunol 1998;102(6 Pt 2):S107-44.

Spector SL, Nicodemus CF, Corren J, et al. Comparison of the bronchodilatory effects of cetirizine, albuterol, and both together versus placebo in patients with mild-to-moderate asthma. J Allergy Clin Immunol 1995;96(2):174-81.

Spencer C, Neales K. Minerva. BMJ 2000;320(7234):590.

Spiewak R, Gora A, Horoch A, et al. Atopy, allergic diseases and work-related symptoms among students of agricultural schools: First results of the Lublin study. Ann Agric Environ Med 2001;8(2):261-7.

Sporik R, Hill DJ, Thompson PJ, et al. The Melbourne House Dust Mite Study: long-term efficacy of house dust mite reduction strategies. J Allergy Clin Immunol 1998;101(4 Pt 1):451-6.

Sporik R, Holgate ST, Platts-Mills TA, et al. Exposure to house-dust mite allergen (Der p I) and the development of asthma in childhood. A prospective study. N Engl J Med 1990;323(8):502-7.

Sporik R, Ingram JM, Price W, et al. Association of asthma with serum IgE and skin test reactivity to allergens among children living at high altitude. Tickling the dragon's breath. Am J Respir Crit Care Med 1995;151(5):1388-92.

Sporik R, Platts-Mills TA. Allergen exposure and the development of asthma. [Review]. Thorax 2001;56(Suppl 2):ii58-63.

Sporik R, Platts-Mills TA, Cogswell JJ. Exposure to house dust mite allergen of children admitted to hospital with asthma. Clin Exp Allergy 1993;23(9):740-6.

Sporik R, Squillace SP, Ingram JM, et al. Mite, cat, and cockroach exposure, allergen sensitisation, and asthma in children: a case-control study of three schools. Thorax 1999;54(8):675-80.

Sporik RB, Arruda LK, Woodfolk J, et al. Environmental exposure to Aspergillus fumigatus allergen (Asp f I). Clin Exp Allergy 1993;23(4):326-31.

Squillace S, Berggreen P, Jaffe P, et al. A normal initial colonoscopy after age 50 does not predict a polyp-free status for life. Am J Gastroenterol 1994;89(8):1156-9.

Squillace SP. Environmental control. Otolaryngol Head Neck Surg 1992;107(6 Pt 2):831-4.

Squillace SP. Immunotherapy in adult asthma. J Fam Pract 1996;42(5):455.

Squillace SP. Indoor allergen avoidance: what really works? J Respir Dis 1999;20(1):13-6.

Squillace SP, Slawson DC. Guidelines for managing ankle injuries: the Ottawa ankle rules. J Fam Pract 1994;39(6):593-4.

Squillace SP, Sporik RB, Rakes G, et al. Sensitization to dust mites as a dominant risk factor for asthma among adolescents living in central Virginia. Multiple regression analysis of a population-based study. Am J Respir Crit Care Med 1997;156(6):1760-4.

Stahl E, van Rompay W, Wang EC, et al. Cost-effectiveness analysis of budesonide aqueous nasal spray and fluticasone propionate nasal spray in the treatment of perennial allergic rhinitis. Ann Allergy Asthma Immunol 2000;84(4):397-402.

Starr MS, Weinstock M. Studies in pollen allergy. 3. The relationship between blocking antibody levels and symptomatic relief following hyposensitisation with allpyral in hay fever subjects. Int Arch Allergy Appl Immunol 1970;38(5):514-21.

Stelmach I, Jerzynska J, Brzozowska A, et al. Double-blind, randomized, placebo-controlled trial of effect of nedocromil sodium on clinical and inflammatory parameters of asthma in children allergic to dust mite. Allergy 2001;56(6):518-24.

Stempel DA. Intranasal corticosteroids for first-line treatment of allergic rhinitis: What's the evidence? Formulary 2001;36(4):276-93.

Stempel DA, Brunton S, Clanton M, et al. Issues in diagnosis and therapy. Am J Manag Care 1997;3(Suppl):S29-42, S47-8.

Stempel DA, Richardson M, Mackowiak J, et al. The health and economic impact of rhinitis. Am J Manag Care 1997;3(Suppl):S8-18, S47-8.

Stempel DA, Thomas M. Treatment of allergic rhinitis: an evidence-based evaluation of nasal corticosteroids versus nonsedating antihistamines. Am J Manag Care 1998;4(1):89-96.

Stenberg B, Eriksson N, Hoog J, et al. The sick building syndrome (SBS) in office workers. A case-referent study of personal, psychosocial and building-related risk indicators. Int J Epidemiol 1994;23(6):1190-7.

Stenberg B, Eriksson N, Mild KH, et al. Facial skin symptoms in visual display terminal (VDT) workers. A case-referent study of personal, psychosocial, building- and VDT-related risk indicators. Int J Epidemiol 1995;24(4):796-803.

Sterk PJ, Buist SA, Woolcock AJ, et al. The message from the World Asthma Meeting. The Working Groups of the World Asthma Meeting, held in Barcelona, Spain, December 9-13, 1998. [Review]. Eur Respir J 1999;14(6):1435-53.

Sterk PJ, Leff AR, Pauwels R, et al. Panel discussion. Eur Respir Rev 1999;9(65):21-2.

Stevens DA, Schwartz HJ, Lee JY, et al. A randomized trial of itraconazole in allergic bronchopulmonary aspergillosis. N Engl J Med 2000;342(11):756-62.

Stevens LM, Lynm C, Glass RM. Seasonal allergic rhinitis. J Am Med Assoc 2001;286(23):3038.

Stevenson LA, Gergen PJ, Hoover DR, et al. Sociodemographic correlates of indoor allergan sensitivity among United States children. J Allergy Clin Immunol 2001;108(5):747-53.

Stimpel M, Koch B, Weber MA. Comparison between moexipril and atenolol in obese postmenopausal women with hypertension. Maturitas 1998;30(1):69-77.

Stone M, Ellis H. Dissecting room problem: Prevalence of latex allergy among medical students. Clin Anat 1998;11(3):191-3.

Storms W, Meltzer EO, Nathan RA, et al. Allergic rhinitis: the patient's perspective. J Allergy Clin Immunol 1997;99:S825-8.

Storms W, Meltzer EO, Nathan RA, et al. The economic impact of allergic rhinitis. J Allergy Clin Immunol 1997;99:S820-4.

Storms WW. Risk-benefit assessment of fluticasone propionate in the treatment of asthma and allergic rhinitis. J Asthma 1998;35(4):313-36.

Strachan D, Sibbald B, Weiland S, et al. Worldwide variations in prevalence of symptoms of allergic rhinoconjunctivitis in children: the International Study of Asthma and Allergies in Childhood (ISAAC). Ped Allergy Immunol 1997;8(4):161-76.

Strachan DP. House dust mite allergen avoidance in asthma. Benefits unproved but not yet excluded. BMJ 1998;317(7166):1096-7.

Strangert K. Respiratory illness in preschool children with different forms of day care. Pediatrics 1976;57(2):191-6.

Stroup DF, Berlin JA, Morton SC, et al. Meta-analysis of observational studies in epidemiology: a proposal for reporting. Meta-analysis Of Observational Studies in Epidemiology (MOOSE) group. [Review]. JAMA 2000;283(15):2008-12.

Stubner UP, Toth J, Marks B, et al. Efficacy and safety of an oral formulation of cetirizine and prolonged-release pseudoephedrine versus xylometazoline nasal spray in nasal congestion. Arzneimittelforschung 2001;51(11):904-10.

Subiza JL, Subiza J, Barjau MC, et al. Inhibition of the seasonal IgE increase to Dactylis glomerata by daily sodium chloride nasal-sinus irrigation during the grass pollen season. J Allergy Clin Immunol 1999;104(3 I):711-2.

Sullivan SD, Weiss KB. Health economics of asthma and rhinitis. II. Assessing the value of interventions. J Allergy Clin Immunol 2001;107(2):203-10.
Sussman GL. Canadian Journal of Allergy and Clinical Immunology: Editorial. Can J Allergy Clin Immunol 2000;5(3):96.

Sussman GL, Mason J, Compton D, et al. The efficacy and safety of fexofenadine HCl and pseudoephedrine, alone and in combination, in seasonal allergic rhinitis. J Allergy Clin Immunol 1999;104(1):100-6.

Sussman GL, Moote DM, Danoff D, et al. Guidelines for the use of allergen immunotherapy. Can Med Assoc J 1995;152(9):1413-9.

Sutherland M, Czarny D, Douglass J. Allergy in the airway. Aust Fam Physician 1998;27(8):681-5.

Suzuki M, Kawauchi H, Mogi G. Clinical efficacy of an antiallergic drug on otitis media with effusion in association with allergic rhinitis. Auris Nasus Larynx 1999;26(2):123-9.

Svensson C, Klementsson H, Andersson M, et al. Glucocorticoid-induced attenuation of mucosal exudation of fibrinogen and bradykinins in seasonal allergic rhinitis. Allergy Eur J Allergy Clin Immunol 1994;49(3):177-83.

Swims MP. Potential terfenadine-fluoxetine interaction (2). Ann Pharmacother 1993;27(11):1404-5.

Symington IS, O'Neill D, Kerr JW. Comparision of a glutaraldehyde-modified pollen--tyrosine adsorbate with an alum-precipitated pollen vaccine in the treatment of hay fever. Clin Allergy 1977;7(2):189-94.

Szekely G, Gorgenyi F. Postmarketing surveillance-one of the key issues in drug development. Ther Hung 1992;40(4):147-53.

Tabar AI, Muro MD, Garcia BE, et al. Dermatophagoides pteronyssinus cluster immunotherapy. A controlled trial of safety and clinical efficacy. J Investig Allergol Clin Immunol 1999;9(3):155-64.

Taccariello M, Parikh A, Darby Y, et al. Nasal douching as a valuable adjunct in the management of chronic rhinosinusitis. Rhinology 1999;37(1):29-32.

Taivainen AI, Tukiainen HO, Terho EO, et al. Powered dust respirator helmets in the prevention of occupational asthma among farmers. Scand J Work Environ Health 1998;24(6):503-7.

Tan BB, Weald D, Strickland I, et al. Double-blind controlled trial of effect of housedust-mite allergen avoidance on atopic dermatitis. Lancet 1996;347(8993):15-8.

Tanner LA, Reilly M, Meltzer EO, et al. Effect of fexofenadine HCl on quality of life and work, classroom, and daily activity impairment in patients with seasonal allergic rhinitis. Am J Manag Care 1999;5(4 Suppl):S235-47.

Tarchalska-Krynska B, Zawisza E. Effects of fusafungine on the cytologic picture of nose mucosal membranes in patients with acute upper respiratory tract infections: Multicenter study. Med Sci Monit 1998;4(6):1036-9.

Tari MG, Mancino M, Ghezzi E, et al. Immunotherapy with an alum-adsorbed Parietaria-pollen allergoid: a 2-year, double-blind, placebo-controlled study. Allergy 1997;52(1):65-74.

Tari MG, Mancino M, Madonna F, et al. Immunologic evaluation of 24 month course of sublingual immunotherapy. Allergol Immunopathol (Madr) 1994;22(5):209-16.

Tari MG, Mancino M, Monti G. Efficacy of sublingual immunotherapy in patients with rhinitis and asthma due to house dust mite. A double-blind study. Allergol Immunopathol (Madr) 1990;18(5):277-84.

Tari MG, Mancino M, Monti G. Immunotherapy by inhalation of allergen in powder in house dust allergic asthma--a double-blind study. J Investig Allergol Clin Immunol 1992;2(2):59-67.

Tarlo SM, Cockcroft DW, Dolovich J, et al. Beclomethasone dipropionate aerosol in perennial rhinitis. J Allergy Clin Immunol 1977;59(3):232-6.

Tarlo SM, Sussman GL, Holness DL. Latex sensitivity in dental students and staff: A cross-sectional study. J Allergy Clin Immunol 1997;99(3):396-401.

Taudorf E, Laursen LC, Djurup R, et al. Oral administration of grass pollen to hay fever patients. An efficacy study in oral hyposensitization. Allergy 1985;40(5):321-35.

Taudorf E, Laursen LC, Lanner A, et al. Oral immunotherapy in birch pollen hay fever. J Allergy Clin Immunol 1987;80(2):153-61.

Taudorf E, Weeke B. Orally administered grass pollen. Allergy 1983;38(8):561-4.

Tay Y-K, Khoo B-P, Goh C-L. The epidemiology of atopic dermatitis at a tertiary referral skin center in Singapore. Asian Pac J Allergy Immunol 1999;17(3):137-41.

Taylor B, Broom BC. Atopy in medical students. Ann Allergy 1981;47(3):197-9.

Taylor B, Sanders SS, Norman AP. A double blind controlled trial of house mite fortified house dust vaccine in childhood asthma. Clin Allergy 1974;4(1):35-40.

Taylor G, Shivalkar PR. Local nasal desensitization in allergic rhinitis. Clin Allergy 1972;2(2):125-36.

Taylor J, Suveges L. Got a minute? Timing the selection process during the puchase of cough, cold and allergic rhinitis products. Can Pharm J 1991;124(11):507-11, 526.

Taylor MA, Reilly D, Llewellyn-Jones RH, et al. Randomised controlled trial of homoeopathy versus placebo in perennial allergic rhinitis with overview of four trial series. BMJ 2000;321(7259):471-6.

Tee RD, Gordon DJ, Lacey J, et al. Occupational allergy to the common house fly (Musca domestica): Use of immunologic response to identify atmospheric allergen. J Allergy Clin Immunol 1985;76(6):826-31.

TePas EC, Umetsu DT. Immunotherapy of asthma and allergic diseases. Curr Opin Pediatr 2000;12(6):574-8.

Terpstra S. Expectations of a citizen of the European Community concerning Brussels and the pollenosis of his grand children, children and himself: to 1993 and beyond. (Some considerations from a socio-economic point of view). Arb Paul Ehrlich Inst Bundesamt Sera Impfstoffe Frankf A M 1992;(85):25-38; discussion 38-40.

Testa B, Mesolella C, Mosti MR, et al. Changes in serum interferon-gamma, interleukin-4, and interleukin-12 cytokine levels in anti-histamine type 2-treated allergic rhinitis patients. Laryngoscope 2001;111(2):236-9.

Testa B, Mesolella M, Testa D, et al. Glutathione in the upper respiratory tract. Ann Otol Rhinol Laryngol 1995;104(2):117-9.

The SAS Institute. The SAS System for Windows [computer program]. Release 8.02. Cary, NC: The SAS Institute, Inc.; 2001.

Thiam DG, Tim CF, Hoon LS, et al. An evaluation of mattress encasings and high efficiency particulate filters on asthma control in the tropics. Asian Pac J Allergy Immunol 1999;17(3):169-74.

Thomas DHV, Noyce PR. The interface between self medication and the NHS. BMJ 1996;312(7032):688-91.

Thompson AK, Juniper E, Meltzer EO. Quality of life in patients with allergic rhinitis. [Review]. Ann Allergy Asthma Immunol 2000;85(5):338-48.

Thornton Z. Are you on allergy alert? Chemist Druggist 1999;251(Mar Suppl):10, 12.

Tikkanen S, Kokkonen J, Juntti H, et al. Status of children with cow's milk allergy in infancy by 10 years of age. Acta Paediatr 2000;89(10):1174-80.

Tinkelman DG, Bleecker ER, Ramsdell J, et al. Proventil HFA and ventolin have similar safety profiles during regular use. Chest 1998;113(2):290-6.

Tobin MJ. Asthma, airway biology, and allergic rhinitis in AJRCCM 2000. Am J Respir Crit Care Med 2001;164(9):1559-80.

Tom CM, Kane MP. Management of toenail onychomycosis. Am J Health-Syst Pharm 1999;56(9):865-71.

Tommel A-B, Andre C, Frew A-J, et al. Recent clinical and scientific evidences supporting sublingual immunotherapy. Allerg Immunol 2001;33(5):199-201.

Trevino RJ. Comparison of results of immunotherapy based on skin end-point titration, prick testing, and scratch testing. [erratum appears in Otolaryngol Head Neck Surg 1995 Mar;112(3):506]. Otolaryngol Head Neck Surg 1994;111(5):550-2.

Trigg CJ, Bennett JB, Tooley M, et al. A general practice based survey of bronchial hyperresponsiveness and its relation to symptoms, sex, age, atopy, and smoking. Thorax 1990;45(11):866-72.

Triglia JM, Nicollas R. Nasal and sinus polyposis in children. Laryngoscope 1997;107(7):963-6.

Tripathi A, Patterson R. Impact of allergic rhinitis treatment on quality of life. [Review]. Pharmacoeconomics 2001;19(9):891-9.

Troise C, Bignardi D, Modena P, et al. Preventive symptomatic immunotherapy versus placebo in seasonal rhinitis due to grasses in children and to Parietaria in adult patients. Allerg Immunol (Paris) 2000;32(6):246-9.

Troise C, Voltolini S, Canessa A, et al. Sublingual immunotherapy in Parietaria pollen-induced rhinitis: a double-blind study. J Investig Allergol Clin Immunol 1995;5(1):25-30.

Trotter JP. The treatment of seasonal allergic rhinitis: cost implications of pharmacotherapy for managed care. Manag Care Interface 2000;13(1):60-2.

Trotto NE. Asthma, rhinitis, sinusitis, urticaria. Patient Care 1999;33(1):115-39.

Tsai LC, Tang RB, Hung MW, et al. Changes in the levels of house dust mite specific IgG4 during immunotherapy in asthmatic children. Clin Exp Allergy 1991;21(3):367-72.

Tunnicliffe WS, Burge PS, Ayres JG. Effect of domestic concentrations of nitrogen dioxide on airway responses to inhaled allergen in asthmatic patients. Lancet 1994;344(8939-8940):1733-6.

Tunnicliffe WS, Fletcher TJ, Hammond K, et al. Sensitivity and exposure to indoor allergens in adults with differing asthma severity. Eur Respir J 1999;13(3):654-9.

Tupker RA, de Monchy JG, Coenraads PJ. House-dust mite hypersensitivity, eczema, and other nonpulmonary manifestations of allergy. [Review]. Allergy 1998;53(48 Suppl):92-6.

Turkeltaub PC, Gergen PJ. Prevalence of upper and lower respiratory conditions in the US population by social and environmental factors: data from the second National Health and Nutrition Examination Survey, 1976 to 1980 (NHANES II). Ann Allergy 1991;67(2 Pt 1):147-54.

Turkeltaub PC, Norman PS, Crepea S. Treatment of ragweed hay fever with an intranasal spray containing fluinsolide, a new synthetic corticosteroid. J Allergy Clin Immunol 1976;58(5):597-606.

Turkeltaub PC, Norman PS, Johnson JD, et al. Treatment of seasonal and perennial rhinitis with intranasal flunisolide. Allergy 1982;37(5):303-11.

Turner KJ, Stewart GA, Woolcock AJ, et al. Relationship between mite densities and the prevalence of asthma: comparative studies in two populations in the Eastern Highlands of Papua New Guinea. Clin Allergy 1988;18(4):331-40.

Turner MW, Yalcin I, Soothill JF, et al. In vitro investigations in asthmatic children undergoing hyposensitization with tyrosine-adsorbed Dermatophagoides pteronyssinus antigen. Clin Allergy 1984;14(3):221-31.

Turner P, Dear J, Scadding G, et al. Role of kinins in seasonal allergic rhinitis: icatibant, a bradykinin B2 receptor antagonist, abolishes the hyperresponsiveness and nasal eosinophilia induced by antigen. J Allergy Clin Immunol 2001;107(1):105-13.

Ubel PA, Goold S. Recognizing bedside rationing: Clear cases and tough calls. Ann Intern Med 1997;126(1):74-80.

Ulrik CS. Factors associated with increased bronchial responsiveness in adolescents and young adults: the importance of adjustment for prechallenge FEV1. J Allergy Clin Immunol 1996;97(3):761-7.

Vailes LD, Perzanowski MS, Wheatley LM, et al. IgE and IgG antibody responses to recombinant Alt a 1 as a marker of sensitization to Alternaria in asthma and atopic dermatitis. Clin Exp Allergy 2001;31(12):1891-5.

Valovirta E. Capacity of specific immunotherapy in prevention of allergic asthma in children: The preventive allergy treatment study (PAT). J Investig Allergol Clin Immunol 1997;7(5):369-70.

Valovirta E. PAT--the Preventive Allergy Treatment Study design and preliminary results. Wien Med Wochenschr 1999;149(14-15):442-3.

van Agthoven M, Fokkens WJ, van de Merwe JP, et al. Quality of life of patients with refractory chronic rhinosinusitis: effects of filgrastim treatment. Am J Rhinol 2001;15(4):231-7.

Van Berge Henegouwen MTH, Van Driel HF, Kasteleijn-Nolst Trenite DGA. A patient diary as a tool to improve medicine compliance. Pharm World Sci 1999;21(1):21-4.

Van Bever HP, Stevens WJ. Effect of hyposensitization upon the immediate and late asthmatic reaction and upon histamine reactivity in patients allergic to house dust mite (Dermatophagoides pteronyssinus). Eur Respir J 1992;5(3):318-22.

van Cauwenberge P. Management of rhinitis--the specialist's opinion. Clin Exp Allergy 1998;28(Suppl 6):29-33.

Van Cauwenberge P. Intranasal steroids: Friends or foes? Brussels, Belgium July 4, 1999: Summary. Allergy Eur J Allergy Clin Immunol Suppl 2000;55(62):24.

Van Cauwenberge P, Berdeaux G, Morineau A, et al. Use of diagnostic clusters to assess the economic consequences of rhinopharyngitis in children in Italy and France during the winter. Rhinitis Survey Group. Clin Ther 1999;21(2):404-21.

Van Cauwenberge P, Juniper EF. Comparison of the efficacy, safety and quality of life provided by fexofenadine hydrochloride 120 mg, loratadine 10 mg and placebo administered once daily for the treatment of seasonal allergic rhinitis. Clin Exp Allergy 2000;30(6):891-9.

van Cauwenberge PB. Epidemiology of common cold. Rhinology 1985;23(4):273-82.

Van de Maele B. New strategy in the control of house dust mite allergy. Pharmatherapeutica 1983;3(7):441-4.

van der Heide S, Kauffman HF, Dubois AE, et al. Allergen reduction measures in houses of allergic asthmatic patients: effects of air-cleaners and allergen-impermeable mattress covers. Eur Respir J 1997;10(6):1217-23.

van der Heide S, Kauffman HF, Dubois AE, et al. Allergen-avoidance measures in homes of house-dust-mite-allergic asthmatic patients: effects of acaricides and mattress encasings. Allergy 1997;52(9):921-7.

Van Der Veen MJ, Jansen HM, Aalberse RC, et al. Der p 1 and Der p 2 induce less severe late asthmatic responses than native Dermatophagoides pteronyssinus extract after a similar early asthmatic response. Clin Exp Allergy 2001;31(5):705-14.

Van Deusen MA, Angelini BL, Cordoro KM, et al. Efficacy and safety of oral immunotherapy with short ragweed extract. Ann Allergy Asthma Immunol 1997;78(6):573-80.

Van Metre TE, Adkinson NF, Amodio FJ, et al. A comparison of immunotherapy schedules for injection treatment of ragweed pollen hay fever. J Allergy Clin Immunol 1982;69(2):181-93.

Van Metre TE, Adkinson NF Jr, Amodio FJ, et al. A comparative study of the effectiveness of the Rinkel method and the current standard method of immunotherapy for ragweed pollen hay fever. J Allergy Clin Immunol 1980;66(6):500-13.

Van Niekerk CH, De Wet JI. Efficacy of grass-maize pollen oral immunotherapy in patients with seasonal hay-fever: a double-blind study. Clin Allergy 1987;17(6):507-13.

Van Wijk GR, Terreehorst IT, Mulder PG, et al. Intranasal capsaicin is lacking therapeutic effect in perennial allergic rhinitis to house dust mite. A placebo-controlled study. Clin Exp Allergy 2000;30(12):1792-8.

Van Wijk RG. Perennial allergic rhinitis and nasal hyperreactivity. Am J Rhinol 1998;12(1):33-5.

Vanhanen M, Tuomi T, Tiikkainen U, et al. Risk of enzyme allergy in the detergent industry. Occup Environ Med 2000;57(2):121-5.

Varghese BT, Murthy PSN, Rajan R. Clinico-pathological correlation between allergic rhinitis and bronchial asthma. J Laryngol Otol 2000;114(5):354-8.

Varney VA, Gaga M, Frew AJ, et al. Usefulness of immunotherapy in patients with severe summer hay fever uncontrolled by antiallergic drugs. BMJ 1991;302(6771):265-9.

Varney VA, Jacobson MR, Sudderick RM, et al. Immunohistology of the nasal mucosa following allergen-induced rhinitis. Identification of activated T lymphocytes, eosinophils, and neutrophils. Am Rev Respir Dis 1992;146(1):170-6.

Vaughan JW, Platts-Mills TA. New approaches to environmental control. [Review]. Clin Rev Allergy Immunol 2000;18(3):325-39.

Verberne AAPH, Frost C, Duiverman EJ, et al. Addition of salmeterol versus doubling the dose of beclomethasone in children with asthma. Am J Respir Crit Care Med 1998;158(1):213-9.

Verdiani P, Di Carlo S, Baronti A, et al. Effect of inhaled frusemide on the early response to antigen and subsequent change in airway reactivity in atopic patients. Thorax 1990;45(5):377-81.

Verrall B, Muir DC, Wilson WM, et al. Laminar flow air cleaner bed attachment: a controlled trial. Ann Allergy 1988;61(2):117-22.

Verstraeten JM, Verstraeten AF. Clinical evaluation of hyposensitization in allergic rhinitis: comparison of the results obtained with three different extracts. Material from a 3-year study. Ann Allergy 1987;58(6):416-20.

Vervloet D, Charpin D, Birnbaum J. Extrinsic asthma and environmental allergens. [Review]. Allerg Immunol 1991;23(7):281-3.

Vila L, Sanchez G, Ano M, et al. Risk factors for latex sensitization among health care workers. J Investig Allergol Clin Immunol 1999;9(6):356-60.

Virant FS. Allergic rhinitis. Immunol Allergy Clin North Am 2000;20(2):265-82.

Vogel G. New clues to asthma therapies. Science 1997;276(5319):1643-6.

Voltolini S, Modena P, Minale P, et al. Sublingual immunotherapy in tree pollen allergy. Double-blind, placebo-controlled study with a biologically standardised extract of three pollens (alder, birch and hazel) administered by a rush schedule. Allergol Immunopathol 2001;29(4):103-10.

Vourdas D, Syrigou E, Potamianou P, et al. Double-blind, placebo-controlled evaluation of sublingual immunotherapy with standardized olive pollen extract in pediatric patients with allergic rhinoconjunctivitis and mild asthma due to olive pollen sensitization. Allergy 1998;53(7):662-72.

Vuurman EFPM, van Veggel LMA, Sanders RL, et al. Effects of Semprex-D and diphenhydramine on learning in young adults with seasonal allergic rhinitis. Ann Allergy Asthma Immunol 1996;76(3):247-52.

Wagner R, Wendlberger U. Field efficacy of moxidectin in dogs and rabbits naturally infested with Sarcoptes spp., Demodex spp. and Psoroptes spp. mites. Vet Parasitol 2000;93(2):149-58.

Walinder R, Norback D, Wieslander G, et al. Nasal patency and lavage biomarkers in relation to settled dust and cleaning routines in schools. Scand J Work Environ Health 1999;25(2):137-43.

Walinder R, Norback D, Wieslander G, et al. Acoustic rhinometry and lavage biomarkers in relation to some building characteristics in Swedish schools. Indoor Air-Internat J Indoor Air Qual Climate 2001;11(1):2-9.

Walinder R, Wieslander G, Norback D, et al. Influence of personal factors on nasal patency and lavage biomarkers in white-collar workers. Rhinology 2000;38(3):130-5.

Walker C, Williams H, Phelan J. Allergic rhinitis history as a predictor of other future disqualifying otorhinolaryngological defects. Aviat Space Environ Med 1998;69(10):952-6.

Walker S. The impact of allergic rhinitis on daily life. Practice Nurse 1999;18(2):100, 102, 104-5.

Walker S. Management of hayfever: A practical guide. Asthma J 2001;6(2):106-8.

Walker SM, Pajno GB, Lima MT, et al. Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial. J Allergy Clin Immunol 2001;107(1):87-93.

Walker SM, Varney VA, Gaga M, et al. Grass pollen immunotherapy: efficacy and safety during a 4-year follow-up study. Allergy 1995;50(5):405-13.

Walpole O. Dusty answer. Occup Health 2001;53(5):24-6.

Walshaw MJ, Evans CC. Allergen avoidance in house dust mite sensitive adult asthma. Quarterly J Med 1986;58(226):199-215.

Wang D, Smitz J, DeWaele M, et al. Effect of topical applications of budesonide and azelastine on nasal symptoms, eosinophil count and mediator release in atopic patients after nasal allergen challenge during the pollen season. Int Arch Allergy Immunol 1997;114(2):185-92.

Warburton CJ, Niven RM, Pickering CA, et al. Domiciliary air filtration units, symptoms and lung function in atopic asthmatics. Respir Med 1994;88(10):771-6.

Ward AJ, McKenniff M, Evans JM, et al. Theophylline--an immunomodulatory role in asthma? Am Rev Respir Dis 1993;147(3):518-23.

Ward Jr GW, Karlsson G, Rose G, et al. Trichophyton asthma: sensitisation of bronchi and upper airways to dermatophyte antigen. Lancet 1989;1(8643):859-62.

Ward Jr GW, Woodfolk JA, Hayden ML, et al. Treatment of late-onset asthma with fluconazole. J Allergy Clin Immunol 1999;104(3 Pt 1):541-6.

Warner JA, Frederick JM, Bryant TN, et al. Mechanical ventilation and high-efficiency vacuum cleaning: A combined strategy of mite and mite allergen reduction in the control of mite-sensitive asthma. J Allergy Clin Immunol 2000;105(1 Pt 1):75-82.

Warner JA, Marchant JL, Warner JO. Double blind trial of ionisers in children with asthma sensitive to the house dust mite. Thorax 1993;48(4):330-3.

Warner JO. Seasonal rhinoconjunctivitis and examinations: is this unfair discrimination? Pediatr Allergy Immunol 2000;11(3):129-30.

Wasserfallen JB, Gold K, Schulman KA, et al. Development and validation of a rhinoconjunctivitis and asthma symptom score for use as an outcome measure in clinical trials. J Allergy Clin Immunol 1997;100(1):16-22.

Wasserfallen JB, Gold K, Schulman KA, et al. Item responsiveness of a rhinitis and asthma symptom score during a pollen season. J Asthma 1999;36(5):459-65.

Wasserfallen JB, Leuenberger P, Pecoud A. Effect of cetirizine, a new H1 antihistamine, on the early and late allergic reactions in a bronchial provocation test with allergen. J Allergy Clin Immunol 1993;91(6):1189-97.

Wasserman B. Allergic rhinitis and wellness opportunities. Manag Care Interface 2001;14(8):38-45, 50.

Watrous ML, Kozma CM, Reeder CE. Quality of life assessment in sufferers of rhinitis. [Abstract]. APhA Annual Meeting 1994;141:43.

Watts RW, Perera YS, Allsop J, et al. Immunological and purine enzyme studies on hyperuricaemic and normouricaemic patients with Down's syndrome. Clin Exp Immunol 1979;36(3):355-63.

Weeke ER. Epidemiology of allergic diseases in children. Rhinology 1992;13(Suppl):5-12.

Weeks J, Oliver J, Birmingham K, et al. A combined approach to reduce mite allergen in the bedroom. Clin Exp Allergy 1995;25(12):1179-83.

Weido AJ, Reece LM, Alam R, et al. Intranasal fluticasone propionate inhibits recovery of chemokines and other cytokines in nasal secretions in allergen-induced rhinitis. Ann Allergy Asthma Immunol 1996;77(5):407-15.

Weiland SK, Pless IB, Roghmann KJ. Chronic illness and mental health problems in pediatric practice: Results from a survey of primary care providers. Pediatrics 1992;89(3 Suppl):445-9.

Weiler JM, Bloomfield JR, Woodworth GG, et al. Effects of fexofenadine, diphenhydramine, and alcohol on driving performance. A randomized, placebo-controlled trial in the Iowa driving simulator. Ann Intern Med 2000;132(5):354-63.

Weinblatt ME, Kremer JM, Bankhurst AD, et al. A trial of etanercept, a recombinant tumor necrosis factor receptor:Fc fusion protein, in patients with rheumatoid arthritis receiving methotrexate. New Engl J Med 1999;340(4):253-9.

Weiner JM, Abramson MJ, Puy RM. Intranasal corticosteroids versus oral H1 receptor antagonists in allergic rhinitis: systematic review of randomised controlled trials. BMJ 1998;317(7173):1624-9.

Weiser M, Gegenheimer LH, Klein P. A randomized equivalence trial comparing the efficacy and safety of Luffa comp.-Heel Nasal Spray with cromolyn sodium spray in the treatment of seasonal allergic rhinitis. Forsch Komplementarmed 1999;6(3):142-8.

Weiss KB. Cost implications of upper respiratory allergic diseases. J Allergy Clin Immunol 1998;101(2 II):S383-S385.

Weiss KB, Haus M, Iikura Y. Chapter 5: The costs of allergy and asthma and the potential benefit of prevention strategies. Allergy Clin Immunol Int 2000;12(6):299-300.

Weiss KB, Sullivan SD. The health economics of asthma and rhinitis. I. Assessing the economic impact. [Review]. J Allergy Clin Immunol 2001;107(1):3-8.

Weiss RJ. Fluvastatin titrate-to-goal clinical practice study. Am J Ther 1998;5(5):281-5.

Weiss ST, O'Connor GT, DeMolles D, et al. Indoor allergens and longitudinal FEV1 decline in older adults: the Normative Aging Study. J Allergy Clin Immunol 1998;101(6 Pt 1):720-5.

Welch MJ, Meltzer EO. Allergic rhinitis: a disease for all seasons. J Am Acad Phys Assistants 1993;6(8):553-60.

Weldon D. Diagnosis and management of rhinitis. [Review]. Prim Care 1998;25(4):831-48.

Welsh PW, Zimmermann EM, Yunginger JW, et al. Preseasonal intranasal immunotherapy with nebulized short ragweed extract. J Allergy Clin Immunol 1981;67(3):237-42.

Wen T, Wang E, Shen S, et al. Allergenic potency of SMU-Df extract in comparison with VUS-Df extract; and diagnosis and immunotherapy for atopic dermatitis and rhinitis with SMU-Df extract in China. Arb Paul Ehrlich Inst Bundesamt Sera Impfstoffe Frankf A M 1992;(85):217-27.

Wessels F, Green R, Luyt D. Cost of therapy for allergic rhinitis. S Afr Med J 1997;87(2):141-5.

Weyer A, Doinel C, Debbia M, et al. Grass pollen hyposensitization versus placebo therapy. II. Immunotherapy-induced changes in serum IgE and IgG levels. Allergy 1981;36(5):319-28.

Weyer A, Donat N, L'Heritier C, et al. Grass pollen hyposensitization versus placebo therapy. I. Clinical effectiveness and methodological aspects of a pre-seasonal course of desensitization with a four-grass pollen extract. Allergy 1981;36(5):309-17.

White P, Smith H, Baker N, et al. Symptom control in patients with hay fever in UK general practice: how well are we doing and is there a need for allergen immunotherapy? Clin Exp Allergy 1998;28(3):266-70.

Whyte KF, Flenley DC. House dust sensitivity and asthma. [Review]. Quarterly J Med 1986;58(226):89-93.

Wickens K, Pearce N, Siebers R, et al. Indoor environment, atopy and the risk of the asthma in children in New Zealand. Pediatr Allergy Immunol 1999;10(3):199-208.

Wiesenauer M, Heidl R. New approaches to treating pollenosis - A pilot study. Complement Ther Med 1999;7(4):222-4.

Wihl JA, Ipsen H, Petersen BN, et al. Immunotherapy with partially purified and standardized tree pollen extracts. II. Results of skin prick tests and nasal provocation tests from a three-year double-blind study of patients treated with pollen extracts either of birch or combinations of alder, birch and hazel. Allergy 1988;43(5):363-9.

Wilde MI, McTavish D. Tamsulosin. A review of its pharmacological properties and therapeutic potential in the management of symptomatic benign prostatic hyperplasia. Drugs 1996;52(6):883-98.

Willes SR, Fitzgerald TK, Permutt T, et al. Acute respiratory response to prolonged, moderate levels of sidestream tobacco smoke. J Toxicol Environ Health. Part A 1998;53(3):193-209.

Williams BO, Hull H, McSorley P, et al. Efficacy of acrivastine plus pseudoephedrine for symptomatic relief of seasonal allergic rhinitis due to mountain cedar. Ann Allergy Asthma Immunol 1996;76(5):432-8.

Williams HC. Commentary. Evid.-Based Med 2001;6(6):178.

Williamson L, Yudkin P, Livingstone R, et al. Hay fever treatment in general practice: A randomised controlled trial comparing standardised Western acupuncture with sham acupuncture. Acupunct Med 1996;14(1):6-10.

Wilson A, Dempsey OJ, Sims EJ, et al. Evaluation of treatment response in patients with seasonal allergic rhinitis using domiciliary nasal peak inspiratory flow. Clin Exp Allergy 2000;30(6):833-8.

Wilson AM, Orr LC, Sims EJ, et al. Antiasthmatic effects of mediator blockade versus topical corticosteroids in allergic rhinitis and asthma. Am J Respir Crit Care Med 2000;162(4 Pt 1):1297-301.

Wilson AM, Orr LC, Sims EJ, et al. Effects of monotherapy with intra-nasal corticosteroid or combined oral histamine and leukotriene receptor antagonists in seasonal allergic rhinitis. Clin Exp Allergy 2001;31(1):61-8.

Wilson AM, Sims EJ, Orr LC, et al. Effects of topical corticosteroid and combined mediator blockade on domiciliary and laboratory measurements of nasal function in seasonal allergic rhinitis. Ann Allergy Asthma Immunol 2001;87(4):344-9.

Wilson DR, Nouri-Aria KT, Walker SM, et al. Grass pollen immunotherapy: symptomatic improvement correlates with reductions in eosinophils and IL-5 mRNA expression in the nasal mucosa during the pollen season. J Allergy Clin Immunol 2001;107(6):971-6.

Wilson DR, Torres Lima M, Durham SR. Sublingual immunotherapy for allergic rhinitis (Cochrane Protocol). In: The Cochrane Library, Issue 1, 2002, Oxford: Update Sofware, 2002.

Wilson RW. Cigarette smoking, disability days and respiratory conditions. J Occup Med 1973;15(3):236-40.

Windom HH, Togias A. Rhinitis and asthma - Manifestations of one disease. Allergy Clin Immunol Int 2001;13(4):154-61.

Winstead W, Barnett SN. Impact of endoscopic sinus surgery on global health perception: an outcomes study. Otolaryngol Head Neck Surg 1998;119(5):486-91.

Winther L, Malling HJ, Moseholm L, et al. Allergen-specific immunotherapy in birch- and grass-pollen-allergic rhinitis. I. Efficacy estimated by a model reducing the bias of annual differences in pollen counts. Allergy 2000;55(9):818-26.

Wiseman LR, Benfield P. Intranasal fluticasone propionate. A reappraisal of its pharmacology and clinical efficacy in the treatment of rhinitis. [Review]. Drugs 1997;53(5):885-907.

Witteman AM, Stapel SO, Perdok GJ, et al. The relationship between RAST and skin test results in patients with asthma or rhinitis: A quantitative study with purified major allergens. J Allergy Clin Immunol 1996;97(1 I):16-25.

Wittig HJ, McLaughlin ET, Leifer KL, et al. Risk factors for the development of allergic disease: analysis of 2,190 patient records. Ann Allergy 1978;41(2):84-8.

Wober W, Diez Crespo C, Bahre M. Efficacy and tolerability of azelastine nasal spray in the treatment of allergic rhinitis: large scale experience in community practice. Curr Med Res Opin 1997;13(10):617-26.

Wojnarowski C, Halmerbauer G, Mayatepek E, et al. Urinary leukotriene E(4), eosinophil protein X, and nasal eosinophil cationic protein are not associated with respiratory symptoms in 1-year-old children. Allergy 2001;56(9):883-8.

Wolfe SP. 'Prevention programmes' - A dietetic minefield. Eur J Clin Nutr 1995;49(Suppl 1):S92-S99.

Wong L, Hendeles L, Weinberger M. Pharmacologic prophylaxis of allergic rhinitis: relative efficacy of hydroxyzine and chlorpheniramine. J Allergy Clin Immunol 1981;67(3):223-8.

Wong WM. Trastuzumab: Anti-HER2 antibody for treatment of metastatic breast cancer. Cancer Pract 1999;7(1):48-50.

Wood RA, Johnson EF, Van Natta ML, et al. A placebo-controlled trial of a HEPA air cleaner in the treatment of cat allergy. Am J Respir Crit Care Med 1998;158(1):115-20.

Wood S. Allergic rhinitis and hayfever. [Review]. Practitioner 1992;236(1513):440-7.

Woodcock A, Custovic A. Allergen avoidance: does it work? [Review]. Brit Med Bull 2000;56(4):1071-86.

Woodward CA, Boyle MH, Offord DR, et al. Correlates of children's use of physician and dentist services: Ontario child health study follow-up. Can J Public Health 1993;84(2):103-6.

Worth J. Neo-natal sensitization to latex: A medical hypothesis. J Nutr Environ Med 1999;9(4):305-12.

Wraith DG, Cunnington AM, Seymour WM. The role and allergenic importance of storage mites in house dust and other environments. Clin Allergy 1979;9(6):545-61.

Wray BB. In my opinion - Interview with the expert. Pediatr Asthma Allergy Immunol 2001;15(1):55-7.

Wright AL, Holberg CJ, Martinez FD, et al. Epidemiology of physician-diagnosed allergic rhinitis in childhood. Pediatrics 1994;94(6 Pt 1):895-901.

Wüthrich B, Brignoli R, Canevascini M, et al. Epidemiological survey in hay fever patients: Symptom prevalence and severity and influence on patient management. Schweiz Med Wochenschr 1998;128(5):139-43.

Yanase DJ, David-Bajar K. The leukotriene antagonist montelukast as a therapeutic agent for atopic dermatitis. J Am Acad Dermatol 2001;44(1):89-93.

Yang SH, Hong CY, Yu CL. Decreased serum IgE level, decreased IFN-gamma and IL-5 but increased IL-10 production, and suppressed cyclooxygenase 2 mRNA expression in patients with perennial allergic rhinitis after treatment with a new mixed formula of Chinese herbs. Int Immunopharmacol 2001;1(6):1173-82.

Yang WH, Dolovich J, Drouin MA, et al. Comparison of budesonide Turbuhaler with budesonide aqua in the treatment of seasonal allergic rhinitis. Rhinocort Study Group. Can Respir J 1998;5(6):455-60.

Yang Y-H, Lin Y-T, Lu M-Y, et al. A double-blind, placebo-controlled, and randomized study of loratadine (clarityne) syrup for the treatment of allergic rhinitis in children aged 3 to 12 years. Asian Pac J Allergy Immunol 2001;19(3):171-5.

Yaniv E, Oppenheim D, Fuchs C. Chronic rhinitis in children. Int J Pediatr Otorhinolaryngol 1992;23(1):51-7.

Yaniv E, Oppenheim D, Gatot A. Nasal histamine challenge: A method to predict the efficiency of antihistamine treatment. Am J Otolaryngol Head in seasonal pediatric allergy. J Investig Allergol Clin Immunol 1999;9(5):305-13.

Zacharisen MC. Rhinitis in children, adolescents, the elderly, and pregnant women. Special considerations. Immunol Allergy Clin North Am 2000;20(2):425-44.

Zeiger RS, Schatz M. Effect of allergist intervention on patient-centered and societal outcomes: allergists as leaders, innovators, and educators. [Review]. J Allergy Clin Immunol 2000;106(6):995-1018.

Zenner HP, Baumgarten C, Rasp G, et al. Short-term immunotherapy: a prospective, randomized, double-blind, placebo-controlled multicenter study of molecular standardized grass and rye allergens in patients with grass pollen-induced allergic rhinitis. J Allergy Clin Immunol 1997;100(1):23-9.

Zernike W, Corish T, Henderson S. An exploratory study from the patients' perspective of living with allergies. J Clin Nurs 1997;6(5):371-7.

Neck Med Surg 1992;12(6):316-9.
Yawn BP, Yunginger JW, Wollan PC, et al. Allergic rhinitis in Rochester, Minnesota residents with asthma: frequency and impact on health care charges. J Allergy Clin Immunol 1999;103(1 Pt 1):54-9.

Yelin E, Trupin L, Cisernas M, et al. A national study of medical care expenditures for respiratory conditions. Eur Respir J 2002;19(3):414-21.

Yemaneberhan H, Bekele Z, Venn A, et al. Prevalence of wheeze and asthma and relation to atopy in urban and rural Ethiopia. Lancet 1997;350(9071):85-90.

Yilmaz M, Bingol G, Altintas D, et al. Effect of SIT on quality of life. Allergy 2000;55(3):302.

Yokota K, Johyama Y, Yamaguchi K. The relationship of airborne methyltetrahydrophthalic Anhydride concentrations to methyltetrahydrophthalic anhydride-induced symptoms. J Occup Health 2001;43(4):201-4.

Young P. Asthma and allergies: an optimistic future. National Institutes of Health (NIH) Publication No. 80-388. Bethesda (MD): US Department of Health and Human Services, NIH, 1980.

Yuksel H, Tanac R, Gousseinov A, et al. Sublingual immunotherapy and influence on urinary leukotrienes

Zetterstrom O, Buhl R, Mellem H, et al. Improved asthma control with budesonide/formeterol in a single inhaler, compared with budesonide alone. Eur Respir J 2001;18(2):262-8.

Zhalnenkov NN. Portable devices adopted by the Russian Ministry of Health for home medical care. Biomed Eng 1997;31(2):120-4.

Zhao X, Niu J, Wang Y, et al. Genotoxicity and chronic health effects of automobile exhaust: a study on the traffic policemen in the city of Lanzhou. Mutat Res 1998;415(3):185-90.

Zheltikova TM, Ovsyannikova IG, Gervazieva VB, et al. Comparative detection of mite allergens in house dust of homes in Moscow by enzyme-linked immunosorbent assay and acarologic analysis. Allergy 1994;49(10):816-9.

Zimmerman RK, Giebink GS. Childhood immunizations: A practical approach for clinicians. Am Fam Phys 1992;45(4):1759-72.

Zuskin E, Mustajbegovic J, Schachter EN, et al. Respiratory function in shoe manufacturing workers. Am J Ind Med 1997;31(1):50-5.

Zwemer RJ, Karibo J. Use of laminar control device as adjunct to standard environmental control measures in symptomatic asthmatic children. Ann Allergy 1973;31(6):284-90.