References

1. Victor M, Ropper AH. Adams and Victor's principles of neurology. 7th ed. New York (NY): McGraw-Hill Companies, Inc.; 2001. Epilepsy and other seizure disorders. p. 331-65.

2. Engel Jr J. Intractable epilepsy: definition and neurobiology. Epilepsia 2001;42(Suppl 6):3.

3. Arroyo S, Brodie MJ, Avanzini G, et al. Is refractory epilepsy preventable? Epilepsia 2002 Apr;43(4):437-44.

4. Chadwick D. Epilepsy. J Neurol Neurosurg Psychiatry 1994 Mar;57(3):264-77.

5. Proposal for revised clinical and electroencephalographic classification of epileptic seizures. From the Commission on Classification and Terminology of the International League Against Epilepsy. Epilepsia 1981 Aug;22(4):489-501.

6. Engel J Jr. The timing of surgical intervention for mesial temporal lobe epilepsy: a plan for a randomized clinical trial. Arch Neurol 1999 Nov;56(11):1338-41.

7. Kalviainen R, Salmenpera T, Partanen K, et al. Recurrent seizures may cause hippocampal damage in temporal lobe epilepsy. Neurology 1998 May;50(5):1377-82.

8. Shorvon SD. The epidemiology and treatment of chronic and refractory epilepsy. Epilepsia 1996;37(Suppl 2):S1-S3.

9. ILAE Commission Report. The epidemiology of the epilepsies: future directions. International League Against Epilepsy. Epilepsia 1997 May;38(5):614-8.

10. Sander JW, Shorvon SD. Incidence and prevalence studies in epilepsy and their methodological problems: a review. J Neurol Neurosurg Psychiatry 1987 Jul;50(7):829-39.

11. Sillanpaa M, Jalava M, Kaleva O, et al. Long-term prognosis of seizures with onset in childhood. N Engl J Med 1998 Jun;338(24):1715-22.

12. Fisher RS, Vickrey BG, Gibson P, et al. The impact of epilepsy from the patient's perspective I. Descriptions and subjective perceptions. Epilepsy Res 2000 Aug;41(1):39-51.

13. Sillanpaa M. Long-term outcome of epilepsy. Epileptic Disord 2000 Jun;2(2):79-88.

14. Proposal for revised classification of epilepsies and epileptic syndromes. Commission on Classification and Terminology of the International League Against Epilepsy. Epilepsia 1989;30(4):389-99.

15. DerSimonian R, Laird N. Meta-analysis in clinical trials. Control Clin Trials 1986 Sep;7(3):177-88.

16. Gavaghan DJ, Moore RA, McQuay HJ. An evaluation of homogeneity tests in meta-analyses in pain using simulations of individual patient data. Pain 2000 Apr;85(3):415-24.

17. Takkouche B, Cadarso-Suarez C, Spiegelman D. Evaluation of old and new tests of heterogeneity in epidemiologic meta-analysis. Am J Epidemiol 1999 Jul;150(2):206-15.

18. Petitti DB. Approaches to heterogeneity in meta-analysis. Stat Med 2001 Dec;20(23):3625-33.

19. Lambert PC, Sutton AJ, Abrams KR, et al. A comparison of summary patient-level covariates in meta-regression with individual patient data meta-analysis. J Clin Epidemiol 2002 Jan;55(1):86-94.

20. Berlin JA, Santanna J, Schmid CH, et al. Individual patient- versus group-level data meta-regressions for the investigation of treatment effect modifiers: ecological bias rears its ugly head. Stat Med 2002 Feb;21(3):371-87.

21. Cook TD, Campbell DT. Quasi-experimentation: design and analysis issues for field settings. Boston (MA): Houghton Mifflin Company; 1979. 405 p.

22. Patrick DL, Deyo RA. Generic and disease-specific measures in assessing health status and quality of life. Med Care 1989 Mar;27(3 Suppl):S217-32.

23. Spilker B, Segreti A. Validation of the phenomenon of regression of seizure frequency in epilepsy. Epilepsia 1984 Aug;25(4):443-9.

24. Lijmer JG, Mol BW, Heisterkamp S, et al. Empirical evidence of design-related bias in studies of diagnostic tests. JAMA 1999 Sep;282(11):1061-6.

25. Irwig L, Tosteson AN, Gatsonis C, et al. Guidelines for meta-analyses evaluating diagnostic tests. Ann Intern Med 1994 Apr;120(8):667-76.

26. Gann PH. Prostate-specific antigen screening for prostate cancer: issues involving test validity. Endocr Related Cancer 1996 Fall;3(3):179-89.

27. Begg CB, Greenes RA. Assessment of diagnostic tests when disease verification is subject to selection bias. Biometrics 1983 Mar;39(1):207-15.

28. Ransohoff DF, Feinstein AR. Problems of spectrum and bias in evaluating the efficacy of diagnostic tests. N Engl J Med 1978 Oct;299(17):926-30.

29. Fletcher RH, Fletcher SW, Wagner EH. Clinical epidemiology: the essentials. 2nd ed. Baltimore (MD): Williams & Wilkins; 1988. 246 p.

30. Duchowny M, Pellock JM, Graf WD, et al. A placebo-controlled trial of lamotrigine add-on therapy for partial seizures in children. Lamictal Pediatric Partial Seizure Study Group. Neurology 1999 Nov;53(8):1724-31.

31. Salinsky MC, Uthman BM, Ristanovic RK, et al. Vagus nerve stimulation for the treatment of medically intractable seizures. Results of a 1-year open-extension trial. Vagus Nerve Stimulation Study Group. Arch Neurol 1996 Nov;53(11):1176-80.

32. French J, Smith M, Faught E, et al. Practice advisory: the use of felbamate in the treatment of patients with intractable epilepsy: report of the Quality Standards Subcommittee of the American Academy of Neurology and the American Epilepsy Society. Neurology 1999 May;52(8):1540-5.

33. Schmidt D, Gram L, Brodie M, et al. Tiagabine in the treatment of epilepsy--a clinical review with a guide for the prescribing physician. Epilepsy Res 2000 Oct;41(3):245-51.

34. Devinsky O. Patients with refractory seizures. N Engl J Med 1999 May;340(20):1565-70.

35. Olson DM. Evaluation of children for epilepsy surgery. Pediatr Neurosurg 2001 Mar;34(3):159-65.

36. Bazil CW, Pedley TA. Advances in the medical treatment of epilepsy. Annu Rev Med 1998;49:135-62.

37. Henry TR, Drury I. Non-epileptic seizures in temporal lobectomy candidates with medically refractory seizures. Neurology 1997 May;48(5):1374-82.

38. Zaidi A, Clough P, Cooper P, et al. Misdiagnosis of epilepsy: many seizure-like attacks have a cardiovascular cause. J Am Coll Cardiol 2000 Jul;36(1):181-4.

39. Holmes MD, Dodrill CB. What is the significance of subjective events recorded during long-term EEG video monitoring? Epilepsia 1998 Aug;39(8):857-62.

40. Arnold LM, Privitera MD. Psychopathology and trauma in epileptic and psychogenic seizure patients. Psychosomatics 1996;37(5):438-43.

41. Slater JD, Brown MC, Jacobs W, et al. Induction of pseudoseizures with intravenous saline placebo. Epilepsia 1995 Jun;36(6):580-5.

42. Fryback DG, Thornbury JR. The efficacy of diagnostic imaging. Med Decis Making 1991 Apr-1991 Jun;11(2):88-94.

43. Ohman R, Walinder J, Balldin J, et al. Prolactin response to electroconvulsive therapy. Lancet 1976 Oct;2(7992):936-7.

44. Trimble MR. Serum prolactin in epilepsy and hysteria. Br Med J 1978 Dec;2(6153):1682.

45. Anzola GP. Predictivity of plasma prolactin levels in differentiating epilepsy from pseudoseizures: a prospective study. Epilepsia 1993;34(6):1044-8.

46. Collins WC, Lanigan O, Callaghan N. Plasma prolactin concentrations following epileptic and pseudoseizures. J Neurol Neurosurg Psychiatry 1983 Jun;46(6):505-8.

47. Fisher RS, Chan DW, Bare M, et al. Capillary prolactin measurement for diagnosis of seizures. Ann Neurol 1991 Feb;29(2):187-90.

48. Pritchard PB 3rd, Wannamaker BB, Sagel J, et al. Serum prolactin and cortisol levels in evaluation of pseudoepileptic seizures. Ann Neurol 1985 Jul;18(1):87-9.

49. Rao ML, Stefan H, Bauer J. Epileptic but not psychogenic seizures are accompanied by simultaneous elevation of serum pituitary hormones and cortisol levels. Neuroendocrinology 1989 Jan;49(1):33-9.

50. Wroe SJ, Henley R, John R, et al. The clinical value of serum prolactin measurement in the differential diagnosis of complex partial seizures. Epilepsy Res 1989;3(3):248-52.

51. Wyllie E, Luders H, MacMillan JP, et al. Serum prolactin levels after epileptic seizures. Neurology 1984 Dec;34(12):1601-4.

52. Yerby MS, van Belle G, Friel PN, et al. Serum prolactins in the diagnosis of epilepsy: sensitivity, specificity, and predictive value. Neurology 1987 Jul;37(7):1224-6.

53. Lusic I, Pintaric I, Hozo I, et al. Serum prolactin levels after seizure and syncopal attacks. Seizure 1999 Jun;8(4):218-22.

54. Dirik E, Sen A, Anal O, et al. Serum cortisol and prolactin levels in childhood paroxysmal disorders. Acta Paediatr Jpn 1996 Apr;38(2):118-20.

55. Singh UK, Jana UK. Serum prolactin and cortisol in children with some paroxysmal disorders. Indian J Pediatr 1994;61(1):57-61.

56. Zelnik N, Kahana L, Rafael A, et al. Prolactin and cortisol levels in various paroxysmal disorders in childhood. Pediatrics 1991 Sep;88(3):486-9.

57. Mishra V, Gahlaut DS, Kumar S. Value of serum prolactin in differentiating epilepsy from pseudoseizures. J Assoc Physicians India 1990;38:846-7.

58. Benbadis SR. Provocative techniques should be used for the diagnosis of psychogenic nonepileptic seizures. Arch Neurol 2001 Dec;58(12):2063-5.

59. Devinsky O, Thacker K. Nonepileptic seizures. Neurol Clin 1995 May;13(2):299-319.

60. Erlichman M. Electroencephalographic (EEG) video monitoring. Health Technol Assess Rep 1990(4):1-14.

61. Agency for Healthcare Research and Quality (AHRQ). Management of newly diagnosed patients with epilepsy: a systematic review of the literature: summary. Rockville (MD): AHRQ; 2001 Feb 1. 158 p. (Evidence report/technology assessment; no. 39). Also available: http://www.ahrq.gov.

62. Wijdicks EF, Scott JP. Causes and outcome of mechanical ventilation in patients with hemispheric ischemic stroke. Mayo Clin Proc 1997;72(3):210-3.

63. Lieb JP, Walsh GO, Babb TL, et al. A comparison of EEG seizure patterns recorded with surface and depth electrodes in patients with temporal lobe epilepsy. Epilepsia 1976;17:137-60.

64. Williamson PD, Spencer DD, Spencer SS, et al. Complex partial seizures of frontal lobe origin. Ann Neurol 1985 Oct;18(4):497-504.

65. Sperling MR, O'Connor MJ. Auras and subclinical seizures: characteristics and prognostic significance. Ann Neurol 1990 Sep;28(3):320-8.

66. Boon PA, Williamson PD. The diagnosis of pseudoseizures. Clin Neurol Neurosurg 1993 Mar;95(1):1-8.

67. Leppik IE, Dreifuss FE, Pledger GW, et al. Felbamate for partial seizures: results of a controlled clinical trial. Neurology 1991 Nov;41(11):1785-9.

68. Sachdeo R, Beydoun A, Schachter S, et al. Oxcarbazepine (Trileptal) as monotherapy in patients with partial seizures. Neurology 2001 Sep;57(5):864-71.

69. Cornaggia C, Canevini MP, Giuccioli D, et al. Monotherapy and polytherapy for intractable epilepsies. Ital J Neurol Sci 1985 Jun;6(2):201-5.

70. Jawad S, Richens A, Goodwin G, et al. Controlled trial of lamotrigine (Lamictal) for refractory partial seizures. Epilepsia 1989;30(3):356-63.

71. Gilman JT, Duchowny M, Jayakar P, et al. Medical intractability in children evaluated for epilepsy surgery. Neurology 1994 Jul;44(7):1341-3.

72. Milano Collaborative Group for Studies on Epilepsy. Long-term intensive monitoring in the difficult patient. Preliminary results of 16 months of observations - usefulness and limitations. In: Gardner-Thorpe C, Janz D, Meinardi H, et al, editors. Antiepileptic drug monitring. Kent: Pitman Medical; 1977. p. 197-213.

73. Schmidt D. Single drug therapy for intractable epilepsy. J Neurol 1983;229(4):221-6.

74. Reinikainen KJ, Keranen T, Halonen T, et al. Comparison of oxcarbazepine and carbamazepine: a double-blind study. Epilepsy Res 1987 Sep;1(5):284-9.

75. Devinsky O, Faught RE, Wilder BJ, et al. Efficacy of felbamate monotherapy in patients undergoing presurgical evaluation of partial seizures. Epilepsy Res 1995 Mar;20(3):241-6.

76. Gilliam F, Vazquez B, Sackellares JC, et al. An active-control trial of lamotrigine monotherapy for partial seizures. Neurology 1998 Oct;51(4):1018-25.

77. Faught E, Sachdeo RC, Remler MP, et al. Felbamate monotherapy for partial-onset seizures: an active-control trial. Neurology 1993 Apr;43(4):688-92.

78. Bergey GK, Morris HH, Rosenfeld W, et al. Gabapentin monotherapy: I. An 8-day, double-blind, dose-controlled, multicenter study in hospitalized patients with refractory complex partial or secondarily generalized seizures. The U.S. Gabapentin Study Group 88/89. Neurology 1997 Sep;49(3):739-45.

79. Schachter SC, Vazquez B, Fisher RS, et al. Oxcarbazepine: double-blind, randomized, placebo-control, monotherapy trial for partial seizures. Neurology 1999 Mar;52(4):732-7.

80. Dodrill CB, Arnett JL, Shu V, et al. Effects of tiagabine monotherapy on abilities, adjustment, and mood. Epilepsia 1998 Jan;39(1):33-42.

81. Dodrill CB, Arnett JL, Hayes AG, et al. Cognitive abilities and adjustment with gabapentin: results of a multisite study. Epilepsy Res 1999 Jun;35(2):109-21.

82. Ketter TA, Malow BA, Flamini R, et al. Felbamate monotherapy has stimulant-like effects in patients with epilepsy. Epilepsy Res 1996 Mar;23(2):129-37.

83. Beydoun A, Fischer J, Labar DR, et al. Gabapentin monotherapy: II. A 26-week, double-blind, dose-controlled, multicenter study of conversion from polytherapy in outpatients with refractory complex partial or secondarily generalized seizures. The U.S. Gabapentin Study Group 82/83. Neurology 1997 Sep;49(3):746-52.

84. Sachdeo RC, Reife RA, Lim P, et al. Topiramate monotherapy for partial onset seizures. Epilepsia 1997 Mar;38(3):294-300.

85. Beydoun A, Sackellares JC, Shu V. Safety and efficacy of divalproex sodium monotherapy in partial epilepsy: a double-blind, concentration-response design clinical trial. Depakote Monotherapy for Partial Seizures Study Group. Neurology 1997 Jan;48(1):182-8.

86. Beydoun A, Sachdeo RC, Rosenfeld WE, et al. Oxcarbazepine monotherapy for partial-onset seizures: a multicenter, double-blind, clinical trial. Neurology 2000 Jun;54(12):2245-51.

87. Kanner AM PJFM. The 'forgotten' cross-tolerance between phenobarbital and primidone: it can prevent acute primidone-related toxicity. Kanner AM, Parra J, Frey M. The 'forgotten' cross-tolerance between phenobarbital and primidone: it can prevent acute primidone-related toxicity. Epilepsia 2000 Oct;41(10):1310-4.: EPC5cites_everything, Helen_transfer , EPC0005 . Epilepsia. 41. 2000:1310-4.

88. Schachter SC. Tiagabine monotherapy in the treatment of partial epilepsy. Epilepsia 1995;36(Suppl 6):S2-S6.

89. Theodore WH, Albert P, Stertz B, et al. Felbamate monotherapy: implications for antiepileptic drug development. Epilepsia 1995 Nov;36(11):1105-10.

90. Ben-Menachem E, Henriksen O, Dam M, et al. Double-blind, placebo-controlled trial of topiramate as add-on therapy in patients with refractory partial seizures. Epilepsia 1996 Jun;37(6):539-43.

91. Faught E, Wilder BJ, Ramsay RE, et al. Topiramate placebo-controlled dose-ranging trial in refractory partial epilepsy using 200-, 400-, and 600-mg daily dosages. Topiramate YD Study Group. Neurology 1996 Jun;46(6):1684-90.

92. Cramer JA, Arrigo C, Van Hammee G, et al. Effect of levetiracetam on epilepsy-related quality of life. N132 Study Group. Epilepsia 2000 Jul;41(7):868-74.

93. Dodrill CB, Arnett JL, Sommerville KW, et al. Cognitive and quality of life effects of differing dosages of tiagabine in epilepsy. Neurology 1997 Apr;48(4):1025-31.

94. Faught E, Ayala R, Montouris GG, et al. Randomized controlled trial of zonisamide for the treatment of refractory partial-onset seizures. Neurology 2001 Nov;57(10):1774-9.

95. Ben-Menachem E, Falter U. Efficacy and tolerability of levetiracetam 3000 mg/d in patients with refractory partial seizures: a multicenter, double-blind, responder-selected study evaluating monotherapy. Epilepsia 2000;41(10):1276-83.

96. Betts T, Waegemans T, Crawford P. A multicentre, double-blind, randomized, parallel group study to evaluate the tolerability and efficacy of two oral doses of levetiracetam, 2000 mg daily and 4000 mg daily, without titration in patients with refractory epilepsy. Seizure 2000 Mar;9(2):80-7.

97. Cereghino JJ, Biton V, Abou-Khalil B, et al. Levetiracetam for partial seizures: results of a double-blind, randomized clinical trial. Neurology 2000 Jul;55(2):236-42.

98. Glauser TA, Nigro M, Sachdeo R, et al. Adjunctive therapy with oxcarbazepine in children with partial seizures. The Oxcarbazepine Pediatric Study Group. Neurology 2000 Jun;54(12):2237-44.

99. Appleton R, Fichtner K, LaMoreaux L, et al. Gabapentin as add-on therapy in children with refractory partial seizures: a 12-week, multicentre, double-blind, placebo-controlled study. Gabapentin Paediatric Study Group. Epilepsia 1999 Aug;40(8):1147-54.

100. Biton V, Montouris GD, Ritter F, et al. A randomized, placebo-controlled study of topiramate in primary generalized tonic-clonic seizures. Topiramate YTC Study Group. Neurology 1999 Apr;52(7):1330-7.

101. Elterman RD, Glauser TA, Wyllie E, et al. A double-blind, randomized trial of topiramate as adjunctive therapy for partial-onset seizures in children. Topiramate YP Study Group. Neurology 1999 Apr;52(7):1338-44.

102. Topiramate in medically intractable partial epilepsies: double-blind placebo-controlled randomized parallel group trial. Korean Topiramate Study Group. Epilepsia 1999 Dec;40(12):1767-74.

103. Sachdeo RC, Glauser TA, Ritter F, et al. A double-blind, randomized trial of topiramate in Lennox-Gastaut syndrome. Topiramate YL Study Group. Neurology 1999 Jun;52(9):1882-7.

104. Uthman BM, Rowan AJ, Ahmann PA, et al. Tiagabine for complex partial seizures: a randomized, add-on, dose-response trial. Arch Neurol 1998 Jan;55(1):56-62.

105. Sachdeo RC, Leroy RF, Krauss GL, et al. Tiagabine therapy for complex partial seizures. A dose-frequency study. The Tiagabine Study Group. Arch Neurol 1997 May;54(5):595-601.

106. Chadwick D, Leiderman DB, Sauermann W, et al. Gabapentin in generalized seizures. Epilepsy Res 1996 Nov;25(3):191-7.

107. Privitera M, Fincham R, Penry J, et al. Topiramate placebo-controlled dose-ranging trial in refractory partial epilepsy using 600-, 800-, and 1,000-mg daily dosages. Topiramate YE Study Group. Neurology 1996 Jun;46(6):1678-83.

108. Sharief M, Viteri C, Ben-Menachem E, et al. Double-blind, placebo-controlled study of topiramate in patients with refractory partial epilepsy. Epilepsy Res 1996 Nov;25(3):217-24.

109. Tassinari CA, Michelucci R, Chauvel P, et al. Double-blind, placebo-controlled trial of topiramate (600 mg daily) for the treatment of refractory partial epilepsy. Epilepsia 1996 Aug;37(8):763-8.

110. Willmore LJ, Shu V, Wallin B. Efficacy and safety of add-on divalproex sodium in the treatment of complex partial seizures. The M88-194 Study Group. Neurology 1996 Jan;46(1):49-53.

111. Anhut H, Ashman P, Feuerstein TJ, et al. Gabapentin (Neurontin) as add-on therapy in patients with partial seizures: a double-blind, placebo-controlled study. The International Gabapentin Study Group. Epilepsia 1994;35(4):795-801.

112. Messenheimer J, Ramsay RE, Willmore LJ, et al. Lamotrigine therapy for partial seizures: a multicenter, placebo-controlled, double-blind, cross-over trial. Epilepsia 1994;35(1):113-21.

113. Bourgeois B, Leppik IE, Sackellares JC, et al. Felbamate: a double-blind controlled trial in patients undergoing presurgical evaluation of partial seizures. Neurology 1993 Apr;43(4):693-6.

114. Efficacy of felbamate in childhood epileptic encephalopathy (Lennox-Gastaut syndrome). The Felbamate Study Group in Lennox-Gastaut Syndrome. N Engl J Med 1993 Jan;328(1):29-33.

115. Matsuo F, Bergen D, Faught E, et al. Placebo-controlled study of the efficacy and safety of lamotrigine in patients with partial seizures. U.S. Lamotrigine Protocol 0.5 Clinical Trial Group. Neurology 1993 Nov;43(11):2284-91.

116. McLean MJ, Ramsay RE, Leppik LE, et al. Gabapentin as add-on therapy in refractory partial epilepsy: a double-blind, placebo-controlled, parallel-group study. Neurology 1993;43(11):2292-8.

117. Schmidt D, Jacob R, Loiseau P, et al. Zonisamide for add-on treatment of refractory partial epilepsy: a European double-blind trial. Epilepsy Res 1993 May;15(1):67-73.

118. Sivenius J, Kalviainen R, Ylinen A, et al. Double-blind study of Gabapentin in the treatment of partial seizures. Epilepsia 1991;32(4):539-42.

119. Gabapentin in partial epilepsy. UK Gabapentin Study Group. Lancet 1990 May;335(8698):1114-7.

120. Mirza WU, Credeur LJ, Penry JK. Results of antiepileptic drug reduction in patients with multiple handicaps and epilepsy. Drug Invest 1993;5(6):320-6.

121. May TW, Bulmahn A, Wohlhuter M, et al. Effects of withdrawal of phenytoin on cognitive and psychomotor functions in hospitalized epileptic patients on polytherapy. Acta Neurol Scand 1992 Aug;86(2):165-70.

122. Duncan JS, Shorvon SD, Trimble MR. Discontinuation of phenytoin, carbamazepine, and valproate in patients with active epilepsy. Epilepsia 1990;31(3):324-33.

123. Specht U, Boenigk HE, Wolf P. Discontinuation of clonazepam after long-term treatment. Epilepsia 1989;30(4):458-63.

124. Callaghan N, O'Dwyer R, Keating J. Unnecessary polypharmacy in patients with frequent seizures. Acta Neurol Scand 1984 Jan;69(1):15-9.

125. Schmidt D. Reduction of two-drug therapy in intractable epilepsy. Epilepsia 1983 Jun;24(3):368-76.

126. Thompson PJ, Trimble MR. Anticonvulsant drugs and cognitive functions. Epilepsia 1982 Oct;23(5):531-44.

127. Rohmel J. Therapeutic equivalence investigations: statistical considerations. Stat Med 1998 Aug;17(15-16):1703-14.

128. Blackwelder WC. 'Proving the null hypothesis' in clinical trials. Control Clin Trials 1982 Dec;3(4):345-53.

129. Atherton Skaff PJ, Sloan JA. Design and analysis of equivalence clinical trials via the SAS system. In: Proceedings of the 23rd annual SAS users group international. March 22-25, 1998; Nashville (TN). Also available: http://www2.sas.com/proceedings/sugi23/Stats/p218.pdf.

130. Rodary C, Com-Nougue C, Tournade MF. How to establish equivalence between treatments: a one-sided clinical trial in paediatric oncology. Stat Med 1989 May;8(5):593-8.

131. Sheiner LB. Bioequivalence revisited. Stat Med 1992 Sep;11(13):1777-88.

132. Hermann BP, Wyler AR, VanderZwagg R, et al. Predictors of neuropsychological change following anterior temporal lobectomy: role of regression toward the mean. J Epilepsy 1991;4(3):139-48.

133. Thompson PJ, Trimble MR. Sodium valproate and cognitive functioning in normal volunteers. Br J Clin Pharmacol 1981;12:819-24.

134. U.S. Preventive Services Task Force (USPSTF). Cost-effectiveness analyses of colorectal cancer screening: a systematic review for the US Preventive Services Task Force. Rockville (MD): Agency for Healthcare Research and Quality (AHRQ); 2002. 37 p.

135. Thompson PJ, Huppert FA. Problems in the development of measures to test cognitive performance in adult epileptic patients. In: Kulig B, Meinardi H, Stores G, editors. Epilepsy and behavior '79. Lisse: Swets & Zeitlinger; 1980. p. 37-42.

136. Kendrick AM, Duncan JS, Trimble MR. Effects of discontinuation of individual antiepileptic drugs on mood. Hum Psychopharmacol 1993;8(4):263-270.

137. Duncan JS, Shorvon SD, Trimble MR. Effects of removal of phenytoin, carbamazepine, and valproate on cognitive function. Epilepsia 1990;31(5):584-91.

138. Duncan JS, Shorvon SD, Trimble MR. Withdrawal symptoms from phenytoin, carbamazepine and sodium valproate. J Neurol Neurosurg Psychiatry 1988 Jul;51(7):924-8.

139. Wyler AR. Recent advances in epilepsy surgery: temporal lobectomy and multiple subpial transections. Neurosurgery 1997 Dec;41(6):1294-301; discussion 1301.

140. National Institutes of Health Consensus Development Conference Statement: surgery for epilepsy, March 19-21, 1990. Epilepsia 1990;31(6):806-12.

141. Tatum WO 4th, Benbadis SR, Vale FL. The neurosurgical treatment of epilepsy. Arch Fam Med 2000;9(10):1142-7.

142. Wyler AR, Hermann BP, Somes G. Extent of medial temporal resection on outcome from anterior temporal lobectomy: a randomized prospec tive study. Neurosurgery 1995 Nov;37(5):982-90; discussion 990-1.

143. Olivier A. Surgical techniques in temporal lobe epilepsy. Clin Neurosurg 1997;44:211-41.

144. Engel J Jr, editor. Surgical treatment of the epilepsies. New York (NY): Raven Press; 1986. Outcome with respect to epileptic seizures. p. 553-71.

145. Wiebe S, Blume WT, Girvin JP, et al. A randomized, controlled trial of surgery for temporal-lobe epilepsy. N Engl J Med 2001 Aug;345(5):311-8.

146. Blume WT, Desai HB, Girvin JP, et al. Effectiveness of temporal lobectomy measured by yearly follow-up and multivariate analysis. J Epilepsy 1994;7:203-14.

147. Cutfield RG, Wrightson P. Surgery for temporal lobe epilepsy. N Z Med J 1987 Mar;100(820):163-6.

148. Hennessy MJ, Elwes RD, Honavar M, et al. Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions. J Neurol Neurosurg Psychiatry 2001 Apr;70(4):450-8.

149. Dodrill CB, Van Belle G, Wilkus RJ. Stability of predictors of outcome of surgical treatment for epilepsy. J Epilepsy 1990;3(1):29-35.

150. Rose KJ, Derry PA, Wiebe S, et al. Determinants of health-related quality of life after temporal lobe epilepsy surgery. Qual Life Res 1996 Jun;5(3):395-402.

151. Markand ON, Salanova V, Whelihan E, et al. Health-related quality of life outcome in medically refractory epilepsy treated with anterior temporal lobectomy. Epilepsia 2000 Jun;41(6):749-59.

152. Mizrahi EM, Kellaway P, Grossman RG, et al. Anterior temporal lobectomy and medically refractory temporal lobe epilepsy of childhood. Epilepsia 1990;31(3):302-12.

153. Delgado-Escueta AV, Walsh GO. Type I complex partial seizures of hippocampal origin: excellent results of anterior temporal lobectomy. Neurology 1985 Feb;35(2):143-54.

154. Reeves AL, So EL, Evans RW, et al. Factors associated with work outcome after anterior temporal lobectomy for intractable epilepsy. Epilepsia 1997 Jun;38(6):689-95.

155. Manchanda R, Schaefer B, McLachlan RS, et al. Psychiatric disorders in candidates for surgery for epilepsy. J Neurol Neurosurg Psychiatry 1996 Jul;61(1):82-9.

156. Altshuler L, Rausch R, Delrahim S, et al. Temporal lobe epilepsy, temporal lobectomy, and major depression. J Neuropsychiatry Clin Neurosci 1999 Fall;11(4):436-43.

157. Jokeit H, Ebner A. Long term effects of refractory temporal lobe epilepsy on cognitive abilities: a cross sectional study. J Neurol Neurosurg Psychiatry 1999 Jul;67(1):44-50.

158. Chelune GJ, Naugle RI, Lueders H, et al. Individual change after epilepsy surgery: Practice effects and base-rate information. Neuropsychology 1993 Jan;7(1):41-52.

159. Loring DW, Meador KJ. Cognitive and behavioral effects of epilepsy treatment. Epilepsia 2001;42(Suppl 8):24-32.

160. Guldvog B, Loyning Y, Hauglie-Hanssen E, et al. Surgical treatment for partial epilepsy among Norwegian adults. Epilepsia 1994;35(3):540-53.

161. Guldvog B, Loyning Y, Hauglie-Hanssen E, et al. Surgical treatment for partial epilepsy among Norwegian children and adolescents. Epilepsia 1994;35(3):554-65.

162. Bidzinski J. Temporal lobectomy. Acta Neurochir Suppl (Wien) 1990;50:119-21.

163. Davies KG, Weeks RD. Results of cortical resection for intractable epilepsy using intra-operative corticography without chronic intracranial recording. Br J Neurosurg 1995;9(1):7-12.

164. Walczak TS, Radtke RA, McNamara JO, et al. Anterior temporal lobectomy for complex partial seizures: evaluation, results, and long-term follow-up in 100 cases. Neurology 1990 Mar;40(3 Pt 1):413-8.

165. Bouilleret V, Dupont S, Spelle L, et al. Insular cortex involvement in mesiotemporal lobe epilepsy: a positron emission tomography study. Ann Neurol 2002 Feb;51(2):202-8.

166. Son YJ, Chung CK, Lee SK, et al. Comparison of localizing values of various diagnostic tests in non-lesional medial temporal lobe epilepsy. Seizure 1999 Dec;8(8):465-70.

167. Alsaadi T, Morris GL, Mueller WM. Prognostic value of the consistency of lateralizing ictal features and ictal EEG in patients undergoing temporal lobectomy for refractory complex partial seizures. Clin Electroencephalogr 2001 Apr;32(2):87-91.

168. Maher J, McLachlan RS. Antiepileptic drug treatment following temporal lobectomy. Neurology 1998 Jul;51(1):305-7.

169. Boling W, Andermann F, Reutens D, et al. Surgery for temporal lobe epilepsy in older patients. J Neurosurg 2001;95(2):242-8.

170. Radhakrishnan K, So EL, Silbert PL, et al. Predictors of outcome of anterior temporal lobectomy for intractable epilepsy: a multivariate study. Neurology 1998 Aug;51(2):465-71.

171. Hennessy MJ, Elwes RD, Rabe-Hesketh S, et al. Prognostic factors in the surgical treatment of medically intractable epilepsy associated with mesial temporal sclerosis. Acta Neurol Scand 2001 Jun;103(6):344-50.

172. Szabo CA, Wyllie E, Stanford LD, et al. Neuropsychological effect of temporal lobe resection in preadolescent children with epilepsy. Epilepsia 1998 Aug;39(8):814-9.

173. Bizzi JW, Bruce DA, North R, et al. Surgical treatment of focal epilepsy in children: results in 37 patients. Pediatr Neurosurg 1997 Feb;26(2):83-92.

174. Jan MM, Sadler M, Rahey SR. Lateralized postictal EEG delta predicts the side of seizure surgery in temporal lobe epilepsy. Epilepsia 2001 Mar;42(3):402-5.

175. Cappabianca P, Alfieri A, Maiuri F, et al. Supratentorial cavernous malformations and epilepsy: seizure outcome after lesionectomy on a series of 35 patients. Clin Neurol Neurosurg 1997 Aug;99(3):179-83.

176. Kanemoto K, Kim Y, Miyamoto T, et al. Presurgical postictal and acute interictal psychoses are differentially associated with postoperative mood and psychotic disorders. J Neuropsychiatry Clin Neurosci 2001 Spring;13(2):243-7.

177. Casazza M, Avanzini G, Ciceri E, et al. Lesionectomy in epileptogenic temporal lobe lesions: preoperative seizure course and postoperative outcome. Acta Neurochir Suppl (Wien) 1997;68:64-9.

178. Schramm J, Kral T, Grunwald T, et al. Surgical treatment for neocortical temporal lobe epilepsy: clinical and surgical aspects and seizure outcome. J Neurosurg 2001 Jan;94(1):33-42.

179. Ho SS, Newton MR, McIntosh AM, et al. Perfusion patterns during temporal lobe seizures: relationship to surgical outcome. Brain 1997 Nov;120(Pt 1):1921-8.

180. Sotero de Menezes MA, Connolly M, Bolanos A, et al. Temporal lobectomy in early childhood: the need for long-term follow-up. J Child Neurol 2001 Aug;16(8):585-90.

181. Keene DL, Higgins MJ, Ventureyra EC. Outcome and life prospects after surgical management of medically intractable epilepsy in patients under 18 years of age. Childs Nerv Syst 1997 Oct;13(10):530-5.

182. Verma A, Lewis D, VanLandingham KE, et al. Lateralized seizure termination: relationship to outcome following anterior temporal lobectomy. Epilepsy Res 2001 Nov;47(1-2):9-15.

183. Kilpatrick C, Cook M, Kaye A, et al. Non-invasive investigations successfully select patients for temporal lobe surgery. J Neurol Neurosurg Psychiatry 1997 Sep;63(3):327-33.

184. Wilson SJ, Bladin PF, Saling MM, et al. The longitudinal course of adjustment after seizure surgery. Seizure 2001 Apr;10(3):165-72.

185. McLachlan RS, Rose KJ, Derry PA, et al. Health-related quality of life and seizure control in temporal lobe epilepsy. Ann Neurol 1997 Apr;41(4):482-9.

186. Dupont S, Semah F, Clemenceau S, et al. Accurate prediction of postoperative outcome in mesial temporal lobe epilepsy: a study using positron emission tomography with 18fluorodeoxyglucose. Arch Neurol 2000 Sep;57(9):1331-6.

187. Schwartz TH, Bazil CW, Walczak TS, et al. The predictive value of intraoperative electrocorticography in resections for limbic epilepsy associated with mesial temporal sclerosis. Neurosurgery 1997 Feb;40(2):302-9; discussion 309-11.

188. Eberhardt KE, Stefan H, Buchfelder M, et al. The significance of bilateral CSI changes for the postoperative outcome in temporal lobe epilepsy. J Comput Assist Tomogr 2000;24(6):919-26.

189. Silander HC, Blom S, Malmgren K, et al. Surgical treatment for epilepsy: a retrospective Swedish multicenter study. Acta Neurol Scand 1997;95(6):321-30.

190. Foldvary N, Nashold B, Mascha E, et al. Seizure outcome after temporal lobectomy for temporal lobe epilepsy: a Kaplan-Meier survival analysis. Neurology 2000 Feb;54(3):630-4.

191. Sisodiya SM, Moran N, Free SL, et al. Correlation of widespread preoperative magnetic resonance imaging changes with unsuccessful surgery for hippocampal sclerosis. Ann Neurol 1997 Apr;41(4):490-6.

192. Holmes MD, Born DE, Kutsy RL, et al. Outcome after surgery in patients with refractory temporal lobe epilepsy and normal MRI. Seizure 2000 Sep;9(6):407-11.

193. Adam C, Clemenceau S, Semah F, et al. Variability of presentation in medial temporal lobe epilepsy: a study of 30 operated cases. Acta Neurol Scand 1996 Jul;94(1):1-11.

194. Iannelli A, Guzzetta F, Battaglia D, et al. Surgical treatment of temporal tumors associated with epilepsy in children. Pediatr Neurosurg 2000 May;32(5):248-54.

195. Goldstein R, Harvey AS, Duchowny M, et al. Preoperative clinical, EEG, and imaging findings do not predict seizure outcome following temporal lobectomy in childhood. J Child Neurol 1996 Nov;11(6):445-50.

196. Holmes MD, Dodrill CB, Ojemann LM, et al. Five-year outcome after epilepsy surgery in nonmonitored and monitored surgical candidates. Epilepsia 1996 Aug;37(8):748-52.

197. Rao MB, Radhakrishnan K. Is epilepsy surgery possible in countries with limited resources? Epilepsia 2000;41 Suppl 4:S31-4.

198. Sirven JI, Sperling MR, French JA, et al. Significance of simple partial seizures in temporal lobe epilepsy. Epilepsia 1996 May;37(5):450-4.

199. Robinson S, Park TS, Blackburn LB, et al. Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients. J Neurosurg 2000 Sep;93(3):402-9.

200. Acciarri N, Giulioni M, Padovani R, et al. Surgical management of cerebral cavernous angiomas causing epilepsy. J Neurosurg Sci 1995 Mar;39(1):13-20.

201. Assaf BA, Ebersole JS. Visual and quantitative ictal EEG predictors of outcome after temporal lobectomy. Epilepsia 1999 Jan;40(1):52-61.

202. Berkovic SF, McIntosh AM, Kalnins RM, et al. Preoperative MRI predicts outcome of temporal lobectomy: an actuarial analysis. Neurology 1995 Jul;45(7):1358-63.

203. Eriksson S, Malmgren K, Rydenhag B, et al. Surgical treatment of epilepsy--clinical, radiological and histopathological findings in 139 children and adults. Acta Neurol Scand 1999 Jan;99(1):8-15.

204. Henry TR, Ross DA, Schuh LA, et al. Indications and outcome of ictal recording with intracerebral and subdural electrodes in refractory complex partial seizures. J Clin Neurophysiol 1999 Sep;16(5):426-38.

205. Jooma R, Yeh HS, Privitera MD, et al. Lesionectomy versus electrophysiologically guided resection for temporal lobe tumors manifesting with complex partial seizures. J Neurosurg 1995 Aug;83(2):231-6.

206. Holmes MD, Wilensky AJ, Ojemann GA, et al. Hippocampal or neocortical lesions on magnetic resonance imaging do not necessarily indicate site of ictal onsets in partial epilepsy. Ann Neurol 1999 Apr;45(4):461-5.

207. Jooma R, Yeh HS, Privitera MD, et al. Seizure control and extent of mesial temporal resection. Acta Neurochir (Wien) 1995;133(1-2):44-9.

208. Mathern GW, Giza CC, Yudovin S, et al. Postoperative seizure control and antiepileptic drug use in pediatric epilepsy surgery patients: the UCLA experience, 1986-1997. Epilepsia 1999 Dec;40(12):1740-9.

209. Liu MY, Yeh HS, Blisard K, et al. Surgical management of epilepsy associated with developmental anomalies of the brain. Surg Neurol 1995 Feb;43(2):182-8; discussion 188-90.

210. Mitchell LA, Jackson GD, Kalnins RM, et al. Anterior temporal abnormality in temporal lobe epilepsy: a quantitative MRI and histopathologic study. Neurology 1999 Jan;52(2):327-36.

211. Renowden SA, Matkovic Z, Adams CB, et al. Selective amygdalohippocampectomy for hippocampal sclerosis: postoperative MR appearance. AJNR Am J Neuroradiol 1995 Oct;16(9):1855-61.

212. Rossi GF, Pompucci A, Colicchio G, et al. Factors of surgical outcome in tumoural epilepsy. Acta Neurochir (Wien) 1999;141(8):819-24.

213. Thadani VM, Williamson PD, Berger R, et al. Successful epilepsy surgery without intracranial EEG recording: criteria for patient selection. Epilepsia 1995 Jan;36(1):7-15.

214. Salanova V, Markand O, Worth R. Longitudinal follow-up in 145 patients with medically refractory temporal lobe epilepsy treated surgically between 1984 and 1995. Epilepsia 1999 Oct;40(10):1417-23.

215. Vossler DG, Wilkus RJ, Ojemann GA. Preoperative EEG correlates of seizure outcome from epilepsy surgery in children. J Epilepsy 1995;8(3):236-45.

216. Berkovic SF, Andermann F, Olivier A, et al. Hippocampal sclerosis in temporal lobe epilepsy demonstrated by magnetic resonance imaging. Ann Neurol 1991 Feb;29(2):175-82.

217. Hopkins IJ, Klug GL. Temporal lobectomy for the treatment of intractable complex partial seizures of temporal lobe origin in early childhood. Dev Med Child Neurol 1991 Jan;33(1):26-31.

218. Rasmussen T, Feindel W. Temporal lobectomy: review of 100 cases with major hippocampectomy. Can J Neurol Sci 1991 Nov;18(4 Suppl):601-2.

219. Wieser HG. Selective amygdalohippocampectomy: indications and follow-up. Can J Neurol Sci 1991 Nov;18(4 Suppl):617-27.

220. Yeh HS, Kashiwagi S, Tew JM Jr, et al. Surgical management of epilepsy associated with cerebral arteriovenous malformations. J Neurosurg 1990 Feb;72(2):216-23.

221. Sperling MR, Lieb JP, Engel J Jr, et al. Prognostic significance of independent auras in temporal lobe seizures. Epilepsia 1989;30(3):322-31.

222. Estes ML, Morris HH 3rd, Luders H, et al. Surgery for intractable epilepsy. Clinicopathologic correlates in 60 cases. Cleve Clin J Med 1988;55(5):441-7.

223. Bladin PF. Post-temporal lobectomy seizures. Clin Exp Neurol 1987;24:77-83.

224. Drake J, Hoffman HJ, Kobayashi J, et al. Surgical management of children with temporal lobe epilepsy and mass lesions. Neurosurgery 1987 Dec;21(6):792-7.

225. Lieb JP, Engel J Jr, Babb TL. Interhemispheric propagation time of human hippocampal seizures. I. Relationship to surgical outcome. Epilepsia 1986;27(3):286-93.

226. Meyer FB, Marsh WR, Laws ER Jr, et al. Temporal lobectomy in children with epilepsy. J Neurosurg 1986 Mar;64(3):371-6.

227. Bauer J, Burr W. Course of chronic focal epilepsy resistant to anticonvulsant treatment. Seizure 2001 Jun;10(4):239-46.

228. Kumlien E, Doss RC, Gates JR. Treatment outcome in patients with mesial temporal sclerosis. Seizure 2001;0:1-5.

229. Holmes MD, Dodrill CB, Wilkus RJ, et al. Is partial epilepsy progressive? Ten-year follow-up of EEG and neuropsychological changes in adults with partial seizures. Epilepsia 1998 Nov;39(11):1189-93.

230. Wolf P. Treatment of epilepsy following rejection of epilepsy surgery. Seizure 1998 Feb;7(1):25-9.

231. Hermanns G, Noachtar S, Tuxhorn I, et al. Systematic testing of medical intractability for carbamazepine, phenytoin, and phenobarbital or primidone in monotherapy for patients considered for epilepsy surgery. Epilepsia 1996 Jul;37(7):675-9.

232. Vickrey BG, Hays RD, Rausch R, et al. Outcomes in 248 patients who had diagnostic evaluations for epilepsy surgery. Lancet 1995 Dec;346(8988):1445-9.

233. Guldvog B, Loyning Y, Hauglie-Hanssen E, et al. Surgical versus medical treatment for epilepsy. I. Outcome related to survival, seizures, and neurologic deficit. Epilepsia 1991;32(3):375-88.

234. Huttenlocher PR, Hapke RJ. A follow-up study of intractable seizures in childhood. Ann Neurol 1990 Nov;28(5):699-705.

235. Harbord MG, Manson JI. Temporal lobe epilepsy in childhood: reappraisal of etiology and outcome. Pediatr Neurol 1987;3(5):263-8.

236. Sperling MR, Saykin AJ, Roberts FD, et al. Occupational outcome after temporal lobectomy for refractory epilepsy. Neurology 1995 May;45(5):970-7.

237. Kohler CG, Carran MA, Bilker W, et al. Association of fear auras with mood and anxiety disorders after temporal lobectomy. Epilepsia 2001 May;42(5):674-81.

238. Nees H, Moriarty J, Kitchen ND, et al. Psychosocial and neurobehavioral factors related to surgical treatment for partial epilepsy: a multivariate analysis. Epilepsy Behav 2001 Apr;2(2):135-9.

239. Anhoury S, Brown RJ, Krishnamoorthy ES, et al. Psychiatric outcome after temporal lobectomy: a predictive study. Epilepsia 2000 Dec;41(12):1608-15.

240. Derry PA, Rose KJ, McLachlan RS. Moderators of the effect of preoperative emotional adjustment on postoperative depression after surgery for temporal lobe epilepsy. Epilepsia 2000 Feb;41(2):177-85.

241. Ring HA, Moriarty J, Trimble MR. A prospective study of the early postsurgical psychiatric associations of epilepsy surgery. J Neurol Neurosurg Psychiatry 1998 May;64(5):601-4.

242. Naylor AS, Rogvi-Hansen B, Kessing L, et al. Psychiatric morbidity after surgery for epilepsy: short term follow up of patients undergoing amygdalohippocampectomy. J Neurol Neurosurg Psychiatry 1994;57(11):1375-81.

243. Bladin PF. Psychosocial difficulties and outcome after temporal lobectomy. Epilepsia 1992;33(5):898-907.

244. Blumer D, Wakhlu S, Davies K, et al. Psychiatric outcome of temporal lobectomy for epilepsy: incidence and treatment of psychiatric complications. Epilepsia 1998 May;39(5):478-86.

245. Miranda C, Smith ML. Predictors of intelligence after temporal lobectomy in children with epilepsy. Epilepsy Behav 2001 Feb;2(1):13-9.

246. Westerveld M, Sass KJ, Chelune GJ, et al. Temporal lobectomy in children: cognitive outcome. J Neurosurg 2000 Jan;92(1):24-30.

247. Ivnik RJ, Sharbrough FW, Laws ER Jr. Anterior temporal lobectomy for the control of partial complex seizures: information for counseling patients. Mayo Clin Proc 1988 Aug;63(8):783-93.

248. Powell GE, Polkey CE, McMillan T. The new Maudsley series of temporal lobectomy. I: Short-term cognitive effects. Br J Clin Psychol 1985 May;24 (Pt 2):109-24.

249. Canizares S, Torres X, Boget T, et al. Does neuroticism influence cognitive self-assessment after epilepsy surgery? Epilepsia 2000 Oct;41(10):1303-9.

250. Ojemann GA, Dodrill CB. Verbal memory deficits after left temporal lobectomy for epilepsy. Mechanism and intraoperative prediction. J Neurosurg 1985 Jan;62(1):101-7.

251. Wurm G, Wies W, Schnizer M, et al. Advanced surgical approach for selective amygdalohippocampectomy through neuronavigation. Neurosurgery 2000 Jun;46(6):1377-82; discussion 1382-3.

252. Leung GK, Fan YW, Fong KY. Temporal lobe resection for intractable epilepsy: review of 11 cases. Hong Kong Med J 1999 Dec;5(4):329-336.

253. Parrent AG, Blume WT. Stereotactic amygdalohippocampotomy for the treatment of medial temporal lobe epilepsy. Epilepsia 1999 Oct;40(10):1408-16.

254. Mackenzie RA, Matheson JM, Smith JS, et al. Surgery for refractory epilepsy. Med J Aust 1990 Jul;153(2):69-72, 76.

255. Visudhiphan P, Bunyaratavej S, Visudtibhan A, et al. Temporal lobectomy for intractable complex partial seizures in pediatric patients. J Med Assoc Thai 1999 Aug;82(8):778-83.

256. So N, Olivier A, Andermann F, et al. Results of surgical treatment in patients with bitemporal epileptiform abnormalities. Ann Neurol 1989 May;25(5):432-9.

257. Wyllie E, Comair YG, Kotagal P, et al. Seizure outcome after epilepsy surgery in children and adolescents. Ann Neurol 1998 Nov;44(5):740-8.

258. King DW, Flanigin HF, Gallagher BB, et al. Temporal lobectomy for partial complex seizures: evaluation, results, and 1-year follow-up. Neurology 1986 Mar;36(3):334-9.

259. Blume WT, Girvin JP, McLachlan RS, et al. Effective temporal lobectomy in childhood without invasive EEG. Epilepsia 1997 Feb;38(2):164-7.

260. Carey P, O'Moore B, Sheahan K, et al. Experience of temporal lobectomy as a treatment modality for epilepsy, using inter-ictal EEG data alone to localize the epileptogenic focus. Ir Med J 1985;78(3):74-7.

261. Elwes RD, Dunn G, Binnie CD, et al. Outcome following resective surgery for temporal lobe epilepsy: a prospective follow up study of 102 consecutive cases. J Neurol Neurosurg Psychiatry 1991 Nov;54(11):949-52.

262. Lesser RP, Fisher RS, Uematsu S. Assessment of surgical outcome. Epilepsy Res 1992(Suppl 5):217-29.

263. Gates JR, Wada JA, Reeves AG, et al. Reevaluation of corpus callosotomy. In: Surgical treatment of the epilepsies. 2nd ed. New York (NY): Raven Press; 1993. p. 637-48.

264. Carson BS Sr. Indications and outcomes for lobectomy, corpus callosotomy, and hemispherectomy in pediatric neurosurgical patients. Clin Neurosurg 2000;47:385-99.

265. Gates JR, Rosenfeld WE, Maxwell RE, et al. Response of multiple seizure types to corpus callosum section. Epilepsia 1987;28(1):28-34.

266. Spencer SS. Corpus callosum section and other disconnection procedures for medically intractable epilepsy. Epilepsia 1988;29(Suppl 2):S85-99.

267. Spencer SS, Spencer DD, Williamson PD, et al. Corpus callosotomy for epilepsy. I. Seizure effects. Neurology 1988 Jan;38(1):19-24.

268. Sakas DE, Phillips J. Anterior callosotomy in the management of intractable epileptic seizures: significance of the extent of resection. Acta Neurochir (Wien) 1996;138(6):700-7.

269. Cohen MJ, Holmes GL, Campbell R, et al. Cognitive functioning following anterior two-thirds corpus callosotomy in children and adolescents: a one-year prospective report. J Epilepsy 1991;4(2):63-5.

270. Kwan SY, Wong TT, Chang KP, et al. Seizure outcomes after anterior callosotomy in patients with posterior-dominant and with anterior-dominant epileptiform discharges. Childs Nerv Syst 2001 Jan;17(1-2):71-5.

271. Maehara T, Shimizu H. Surgical outcome of corpus callosotomy in patients with drop attacks. Epilepsia 2001 Jan;42(1):67-71.

272. Matsuzaka T, Ono K, Baba H, et al. Quantitative EEG analyses and surgical outcome after corpus callosotomy. Epilepsia 1999 Sep;40(9):1269-78.

273. McInerney J, Siegel AM, Nordgren RE, et al. Long-term seizure outcome following corpus callosotomy in children. Stereotactic Funct Neurosurg 1999;73(1-4):79-83.

274. Claverie B, Rougier A. Life comfort and psychosocial adjustment linked to age at the time of anterior callosotomy. J Epilepsy 1995;8(4):321-31.

275. Reutens DC, Bye AM, Hopkins IJ, et al. Corpus callosotomy for intractable epilepsy: seizure outcome and prognostic factors. Epilepsia 1993;34(5):904-9.

276. Marino R Jr, Radvany J, Huck FR, et al. Selective electroencephalograph-guided microsurgical callosotomy for refractory generalized epilepsy. Surg Neurol 1990 Oct;34(4):219-28.

277. Murro AM, Flanigin HF, Gallagher BB, et al. Corpus callosotomy for the treatment of intractable epilepsy. Epilepsy Res 1988;2(1):44-50.

278. Purves SJ, Wada JA, Woodhurst WB, et al. Results of anterior corpus callosum section in 24 patients with medically intractable seizures. Neurology 1988 Aug;38(8):1194-201.

279. Nordgren RE, Reeves AG, Viguera AC, et al. Corpus callosotomy for intractable seizures in the pediatric age group. Arch Neurol 1991 Apr;48(4):364-72.

280. Hodaie M, Musharbash A, Otsubo H, et al. Image-guided, frameless stereotactic sectioning of the corpus callosum in children with intractable epilepsy. Pediatr Neurosurg 2001 Jun;34(6):286-94.

281. Fandino-Franky J, Torres M, Narino D, et al. Corpus callosotomy in Colombia and some reflections on care and research among the poor in developing countries. Epilepsia 2000;41(Suppl 4):S22-7.

282. Pinard JM, Delalande O, Chiron C, et al. Callosotomy for epilepsy after West syndrome. Epilepsia 1999 Dec;40(12):1727-34.

283. Carmant L, Holmes GL, Lombroso CT. Outcome following corpus callosotomy. J Epilepsy 1998;11(4):224-8.

284. Sorenson JM, Wheless JW, Baumgartner JE, et al. Corpus callosotomy for medically intractable seizures. Pediatr Neurosurg 1997 Nov;27(5):260-7.

285. Andersen B, Rogvi-Hansen B, Kruse-Larsen C, et al. Corpus callosotomy: seizure and psychosocial outcome. A 39-month follow-up of 20 patients. Epilepsy Res 1996 Feb;23(1):77-85.

286. Rossi GF, Colicchio G, Marchese E, et al. Callosotomy for severe epilepsies with generalized seizures: outcome and prognostic factors. Acta Neurochir (Wien) 1996;138(2):221-7.

287. Fuiks KS, Wyler AR, Hermann BP, et al. Seizure outcome from anterior and complete corpus callosotomy. J Neurosurg 1991 Apr;74(4):573-8.

288. Oguni H, Olivier A, Andermann F, et al. Anterior callosotomy in the treatment of medically intractable epilepsies: a study of 43 patients with a mean follow-up of 39 months. Ann Neurol 1991 Sep;30(3):357-64.

289. Provinciali L, Del Pesce M, Censori B, et al. Evolution of neuropsychological changes after partial callosotomy in intractable epilepsy. Epilepsy Res 1990 Jul;6(2):155-65.

290. Sass KJ, Novelly RA, Spencer DD, et al. Postcallosotomy language impairments in patients with crossed cerebral dominance. J Neurosurg 1990;72(1):85-90.

291. Garcia-Flores E. Corpus callosum section for patients with intractable epilepsy. Appl Neurophysiol 1987;50(1-6):390-7.

292. Swartz BE, Delgado-Escueta AV, Walsh GO, et al. Surgical outcomes in pure frontal lobe epilepsy and foci that mimic them. Epilepsy Res 1998;29(2):97-108.

293. Smith JR, Lee MR, King DW, et al. Results of lesional vs. nonlesional frontal lobe epilepsy surgery. Stereotactic Funct Neurosurg 1997;69(1-4 Pt 2):202-9.

294. Chassoux F, Devaux B, Landre E, et al. Postoperative motor deficits and recovery after cortical resections. Adv Neurol 1999;81:189-99.

295. Kral T, Kuczaty S, Blumcke I, et al. Postsurgical outcome of children and adolescents with medically refractory frontal lobe epilepsies. Childs Nerv Syst 2001 Oct;17(10):595-601.

296. Ferrier CH, Alarcon G, Engelsman J, et al. Relevance of residual histologic and electrocorticographic abnormalities for surgical outcome in frontal lobe epilepsy. Epilepsia 2001 Mar;42(3):363-71.

297. Siegel AM, Jobst BC, Thadani VM, et al. Medically intractable, localization-related epilepsy with normal mri: presurgical evaluation and surgical outcome in 43 patients. Epilepsia 2001 Jul;42(7):883-8.

298. Hong SC, Kang KS, Seo DW, et al. Surgical treatment of intractable epilepsy accompanying cortical dysplasia. J Neurosurg 2000 Nov;93(5):766-73.

299. Wennberg R, Quesney LF, Lozano A, et al. Role of electrocorticography at surgery for lesion-related frontal lobe epilepsy. Can J Neurol Sci 1999 Feb;26(1):33-9.

300. Adler J, Erba G, Winston KR, et al. Results of surgery for extratemporal partial epilepsy that began in childhood. Arch Neurol 1991 Feb;48(2):133-40.

301. Garcia Sola R, Miravet J. Surgical treatment for epilepsy. Results after a minimum follow-up of five years. Acta Neurochir Suppl (Wien) 1991;52:157-60.

302. Palmini A, Andermann F, Olivier A, et al. Focal neuronal migration disorders and intractable partial epilepsy: results of surgical treatment. Ann Neurol 1991 Dec;30(6):750-7.

303. Rasmussen T. Tailoring of cortical excisions for frontal lobe epilepsy. Can J Neurol Sci 1991 Nov;18(4 Suppl):606-10.

304. Mosewich RK, So EL, O'Brien TJ, et al. Factors predictive of the outcome of frontal lobe epilepsy surgery. Epilepsia 2000 Jul;41(7):843-9.

305. Ferrier CH, Engelsman J, Alarcon G, et al. Prognostic factors in presurgical assessment of frontal lobe epilepsy. J Neurol Neurosurg Psychiatry 1999 Mar;66(3):350-6.

306. Helmstaedter C, Gleibner U, Zentner J, et al. Neuropsychological consequences of epilepsy surgery in frontal lobe epilepsy. Neuropsychologia 1998 Apr;36(4):333-41.

307. Vining EP, Freeman JM, Pillas DJ, et al. Why would you remove half a brain? The outcome of 58 children after hemispherectomy-the Johns Hopkins experience: 1968 to 1996. Pediatrics 1997 Aug;100(2 Pt 1):163-71.

308. Berg AT, Shinnar S. The contributions of epidemiology to the understanding of childhood seizures and epilepsy. J Child Neurol 1994 Oct;9(Suppl 2):19-26.

309. Tinuper P, Andermann F, Villemure JG, et al. Functional hemispherectomy for treatment of epilepsy associated with hemiplegia: rationale, indications, results, and comparison with callosotomy. Ann Neurol 1988 Jul;24(1):27-34.

310. Lindsay J, Ounsted C, Richards P. Hemispherectomy for childhood epilepsy: a 36-year study. Dev Med Child Neurol 1987 Oct;29(5):592-600.

311. Di Rocco C, Iannelli A. Hemimegalencephaly and intractable epilepsy: complications of hemispherectomy and their correlations with the surgical technique. A report on 15 cases. Pediatr Neurosurg 2000 Oct;33(4):198-207.

312. Carreno M, Wyllie E, Bingaman W, et al. Seizure outcome after functional hemispherectomy for malformations of cortical development. Neurology 2001 Jul;57(2):331-3.

313. Schramm J, Kral T, Clusmann H, et al. Transsylvian keyhole functional hemispherectomy. Neurosurgery 2001;49(4):891-901.

314. Shimizu H, Maehara T. Modification of peri-insular hemispherotomy and surgical results. Neurosurgery 2000 Aug;47(2):367-72; discussion 372-3.

315. Battaglia D, Di Rocco C, Iuvone L, et al. Neuro-cognitive development and epilepsy outcome in children with surgically treated hemimegalencephaly. Neuropediatrics 1999 Dec;30(6):307-13.

316. Peacock WJ, Wehby-Grant MC, Shields WD, et al. Hemispherectomy for intractable seizures in children: a report of 58 cases. Childs Nerv Syst 1996 Jul;12(7):376-84.

317. Schramm J, Behrens E, Entzian W. Hemispherical deafferentation: an alternative to functional hemispherectomy. Neurosurgery 1995 Mar;36(3):509-15; discussion 515-6.

318. Morrell F, Whisler WW, Bleck TP. Multiple subpial transection: a new approach to the surgical treatment of focal epilepsy. J Neurosurg 1989 Feb;70(2):231-9.

319. Morrell F, Kanner AM, de Toledo-Morrell L, et al. Multiple subpial transection. Adv Neurol 1999;81:259-70.

320. Orbach D, Romanelli P, Devinsky O, et al. Late seizure recurrence after multiple subpial transections. Epilepsia 2001;49(9):1130-33.

321. Mulligan LP, Spencer DD, Spencer SS. Multiple subpial transections: the Yale experience. Epilepsia 2001 Feb;42(2):226-9.

322. Sawhney IM, Robertson IJ, Polkey CE, et al. Multiple subpial transection: a review of 21 cases. J Neurol Neurosurg Psychiatry 1995 Mar;58(3):344-9.

323. Shimizu H, Maehara T. Neuronal disconnection for the surgical treatment of pediatric epilepsy. Epilepsia 2000;41(Suppl 9):28-30.

324. Smith MC. Multiple subpial transection in patients with extratemporal epilepsy. Epilepsia 1998;39(Suppl 4):S81-9.

325. Hufnagel A, Zentner J, Fernandez G, et al. Multiple subpial transection for control of epileptic seizures: effectiveness and safety. Epilepsia 1997;38(6):678-88.

326. Pacia SV, Devinsky O, Perrine K, et al. Multiple subpial transection for intractable partial seizures: seizure outcome. J Epilepsy 1997;10(2):86-91.

327. Patil AA, Andrews RV, Torkelson R. Surgical treatment of intractable seizures with multilobar or bihemispheric seizure foci (MLBHSF). Surg Neurol 1997 Jan;47(1):72-7; discussion 77-8.

328. Morrell F, Whisler WW, Smith MC, et al. Landau-Kleffner syndrome. Treatment with subpial intracortical transection. Brain 1995 Dec;118(Pt 6):1529-46.

329. Shimizu H, Suzuki I, Ishijima B, et al. Multiple subpial transection (MST) for the control of seizures that originated in unresectable cortical foci. Jpn J Psychiatry Neurol 1991 Jun;45(2):354-6.

330. Binnie CD. Vagus nerve stimulation for epilepsy: a review. Seizure 2000 Apr;9(3):161-9.

331. A randomized controlled trial of chronic vagus nerve stimulation for treatment of medically intractable seizures. The Vagus Nerve Stimulation Study Group. Neurology 1995 Feb;45(2):224-30.

332. Handforth A, DeGiorgio CM, Schachter SC, et al. Vagus nerve stimulation therapy for partial-onset seizures: a randomized active-control trial. Neurology 1998 Jul;51(1):48-55.

333. DeGiorgio CM, Schachter SC, Handforth A, et al. Prospective long-term study of vagus nerve stimulation for the treatment of refractory seizures. Epilepsia 2000 Sep;41(9):1195-200.

334. Labar D, Murphy J, Tecoma E. Vagus nerve stimulation for medication-resistant generalized epilepsy. E04 VNS Study Group. Neurology 1999 Apr;52(7):1510-2.

335. Ergene E, Behr PK, Shih JJ. Quality-of-life assessment in patients treated with vagus nerve stimulation. Epilepsy Behav 2001 Jun;2(3):284-7.

336. Hosain S, Nikalov B, Harden C, et al. Vagus nerve stimulation treatment for Lennox-Gastaut syndrome. J Child Neurol 2000 Aug;15(8):509-12.

337. Aldenkamp AP, Van de Veerdonk SH, Majoie HJ, et al. Effects of 6 months of treatment with vagus nerve stimulation on behavior in children with Lennox-Gastaut syndrome in an open clinical nonrandomized study. Epilepsy Behav 2001 Aug;2(4):343-50.

338. Boon P, Vonck K, D'Have M, et al. Cost-benefit of vagus nerve stimulation for refractory epilepsy. Acta Neurol Belg 1999 Dec;99(4):275-80.

339. Hoppe C, Helmstaedter C, Scherrmann J, et al. No evidence for cognitive side effects after 6 months of vagus nerve stimulation in epilepsy patients. Epilepsy Behav 2001 Aug;2(4):351-6.

340. Parker AP, Polkey CE, Binnie CD, et al. Vagal nerve stimulation in epileptic encephalopathies. Pediatrics 1999 Apr;103(4 Pt 1):778-82.

341. Lundgren J, Amark P, Blennow G, et al. Vagus nerve stimulation in 16 children with refractory epilepsy. Epilepsia 1998 Aug;39(8):809-13.

342. Bus AG, van IJzendoorn MH. Phonological awareness and early reading: a meta-analysis of experimental training studies. J Educ Psychol 1999;91(3):403-14.

343. Ben-Menachem E, Hellstrom K, Waldton C, et al. Evaluation of refractory epilepsy treated with vagus nerve stimulation for up to 5 years. Neurology 1999 Apr;52(6):1265-7.

344. Noseworthy JH, Ebers GC, Vandervoort MK, et al. The impact of blinding on the results of a randomized, placebo-controlled multiple sclerosis clinical trial. Neurology 1994 Jan;44(1):16-20.

345. Schulz KF, Grimes DA. Blinding in randomised trials: hiding who got what. Lancet 2002 Feb;359:696-700.

346. Chayasirisobhon S, Koulouris S, Parker E, et al. Vagus nerve stimulation for refractory epilepsy. Perm J 2001 Fall;5(4):21-6.

347. Dodrill CB, Morris GL. Effects of vagal nerve stimulation on cognition and quality of life in epilepsy. Epilepsy Behav 2001 Feb;2(1):46-53.

348. Kotchoubey B, Schneider D, Schleichert H, et al. Self-regulation of slow cortical potentials in epilepsy: a retrial with analysis of influencing factors. Epilepsy Res 1996 Nov;25(3):269-76.

349. Uhlmann C, Froscher W. Biofeedback treatment in patients with refractory epilepsy: changes in depression and control orientation. Seizure 2001 Jan;10(1):34-8.

350. Seidenberg M. Academic achievement and school performance of children with epilepsy. In: Hermann BP, Seidenberg M, editors. Childhood epilepsies: neuropsychological, psychosocial and intervention aspects. New York (NY): John Wiley & Sons, Ltd.; 1989. p. 105-18.

351. Sturniolo MG, Galletti F. Idiopathic epilepsy and school achievement. Arch Dis Child 1994 May;70(5):424-8.

352. Bulteau C, Jambaque I, Viguier D, et al. Epileptic syndromes, cognitive assessment and school placement: a study of 251 children. Dev Med Child Neurol 2000 May;42(5):319-27.

353. Wong IC, Mawer GE, Sander JW. Adverse event monitoring in lamotrigine patients: a pharmacoepidemiologic study in the United Kingdom. Epilepsia 2001 Feb;42(2):237-44.

354. Klenerman P, Sander JW, Shorvon SD. Mortality in patients with epilepsy: a study of patients in long term residential care. J Neurol Neurosurg Psychiatry 1993 Feb;56(2):149-52.

355. Leestma JE, Annegers JF, Brodie MJ, et al. Sudden unexplained death in epilepsy: observations from a large clinical development program. Epilepsia 1997 Jan;38(1):47-55.

356. Annegers JF, Coan SP, Hauser WA, et al. Epilepsy, vagal nerve stimulation by the NCP system, all-cause mortality, and sudden, unexpected, unexplained death. Epilepsia 2000 May;41(5):549-53.

357. Racoosin JA, Feeney J, Burkhart G, et al. Mortality in antiepileptic drug development programs. Neurology 2001 Feb;56(4):514-9.

358. Physician's desk reference 2001. 55th ed. Montvale (NJ): Medical Economics/Thomson Healthcare; 2001. 3506 p.

359. Leppik IE. Tiagabine: the safety landscape. Epilepsia 1995;36(Suppl 6):S10-S13.

360. Sperling MR, Feldman H, Kinman J, et al. Seizure control and mortality in epilepsy. Ann Neurol 1999 Jul;46(1):45-50.

361. Vickrey B. Mortality in a consecutive cohort of 248 adolescents and adults who underwent diagnostic evaluation for epilepsy surgery. Epilepsia 1997;38(Suppl 11):S67-9.

362. Hennessy MJ, Langan Y, Elwes RD, et al. A study of mortality after temporal lobe epilepsy surgery. Neurology 1999 Oct;53(6):1276-83.

363. Wong IC, Chadwick DW, Fenwick PB, et al. The long-term use of gabapentin, lamotrigine, and vigabatrin in patients with chronic epilepsy. Epilepsia 1999;40(10):1439-45.

364. Myers JE, Thompson ML. Meta-analysis and occupational epidemiology. Occup Med (Lond) 1998 Feb;48(2):99-101.

365. Lhatoo SD, Johnson AL, Goodridge DM, et al. Mortality in epilepsy in the first 11 to 14 years after diagnosis: multivariate analysis of a long-term, prospective, population-based cohort. Ann Neurol 2001 Mar;49(3):336-44.

366. Shen WK, Edwards WD, Hammill SC, et al. Sudden unexpected nontraumatic death in 54 young adults: a 30-year population-based study. Am J Cardiol 1995 Jul;76(3):148-52.

367. Escobedo LG, Zack MM. Comparison of sudden and nonsudden coronary deaths in the United States. Circulation 1996 Jun;93(11):2033-6.

368. Ficker DM, So EL, Shen WK, et al. Population-based study of the incidence of sudden unexplained death in epilepsy. Neurology 1998 Nov;51(5):1270-4.

369. Walczak TS, Leppik IE, D'Amelio M, et al. Incidence and risk factors in sudden unexpected death in epilepsy: a prospective cohort study. Neurology 2001 Feb;56(4):519-25.

370. Annegers JF, Coan SP, Hauser WA, et al. Epilepsy, vagal nerve stimulation by the NCP system, mortality, and sudden, unexpected, unexplained death. Epilepsia 1998 Feb;39(2):206-12.

371. Statistical abstract of the United States. Washington (DC): U.S. Census Bureau; 2000. Vital statistics. p. various. Also available: http://www.census.gov/prod/www/statistical-abstract.html.

372. Mortality statistics: general. Review of the Registrar General on deaths in England and Wales, 1999. London (UK): The Stationery Office; 2001. Table 7: Death rates for 1,000,000 population: age-group and sex, infant mortality rates and standardized mortality ratios for selected underlying causes, 1999. (Series DH1; no. 32).p. 12-37.

373. Office for National Statistics, General Register Office for Scotland, Northern Ireland Statistics and Research Agency. 7.3 Age-standardised mortality rates: by cause, gender and NHS regional office area 1999. [internet]. United Kingdom: National Health Service; 1999 [cited 2001 Oct 11]. [1 p]. Available: http://www.statistics.gov.uk/statbase/.

374. Nilsson L, Farahmand BY, Persson PG, et al. Risk factors for sudden unexpected death in epilepsy: a case-control study. Lancet 1999 Mar;353(9156):888-93.

375. Timmings PL. Sudden unexpected death in epilepsy: a local audit. Seizure 1993 Dec;2(4):287-90.

376. Nashef L, Fish DR, Sander JW, et al. Incidence of sudden unexpected death in an adult outpatient cohort with epilepsy at a tertiary referral centre. J Neurol Neurosurg Psychiatry 1995 Apr;58(4):462-4.

377. McKee JR, Bodfish JW. Sudden unexpected death in epilepsy in adults with mental retardation. Am J Ment Retard 2000 Jul;105(4):229-35.

378. Jick SS, Cole TB, Mesher RA, et al. Sudden unexplained death in young persons with primary epilepsy. Pharmacoepidemiol Drug Safe 1992;1:59-64.

379. Birnbach CD, Wilensky AJ, Dodrill CB. Predictors of early mortality and sudden death in epilepsy: a multidisciplinary approach. J Epilepsy 1991;4(1):11-7.

380. Kloster R, Engelskjon T. Sudden unexpected death in epilepsy (SUDEP): a clinical perspective and a search for risk factors. J Neurol Neurosurg Psychiatry 1999 Oct;67(4):439-44.

381. Wieser HG, Blume WT, Fish D, et al. ILAE Commission Report. Proposal for a new classification of outcome with respect to epileptic seizures following epilepsy surgery. Epilepsia 2001 Feb;42(2):282-6.

382. Phelps CE, Hutson A. Estimating diagnostic test accuracy using a 'fuzzy gold standard'. Med Decis Making 1995;15(1):44-57.

383. Weller SC, Mann NC. Assessing rater performance without a 'Gold Standard' using consensus theory. Med Decis Making 1997;17(1):71-9.

384. Giesler RB, Ashton CM, Brody B, et al. Assessing the performance of utility techniques in the absence of a gold standard. Med Care 1999 Jun;37(6):580-8.

385. Hanna NJ, Black M, Sander JW, et al. The national sentinal clinical audit of epilepsy-related death: epilepsy--death in the shadows. The Stationary Office; 2002 May. 134 p.

386. Mosquera DA, Goldman MD. Surgical audit without autopsy: tales of the unexpected. Ann R Coll Surg Engl 1993 Mar;75(2):115-7.

387. Kelsey JL, Whittemore AS, Evans AS, et al. Methods in observational epidemiology. 2nd ed. New York (NY): Oxford University Press; 1996. 432 p. (Monographs in epidemiology and biostatistics; vol. 26).

388. Schulz KF, Grimes DA. Case-control studies: research in reverse. Lancet 2002 Feb;359(9304):431-34.

389. Tennis P, Cole TB, Annegers JF, et al. Cohort study of incidence of sudden unexplained death in persons with seizure disorder treated with antiepileptic drugs in Saskatchewan, Canada. Epilepsia 1995 Jan;36(1):29-36.

390. Browne TR, Holmes GL. Primary care: epilepsy. N Engl J Med 2001 Apr;344(15):1145-51.

391. Makuch R, Simon R. Sample size requirements for evaluating a conservative therapy. Cancer Treat Rep 1978 Jul;62(7):1037-40.