

provisions in the Federal Deposit Insurance Corporation Improvement Act of 1991.

Discussion Agenda

3. Proposed 1997 Federal Reserve Bank budget objective.

4. Any items carried forward from a previously announced meeting.

Note: This meeting will be recorded for the benefit of those unable to attend. Cassettes will be available for listening in the Board's Freedom of Information Office, and copies may be ordered for \$5 per cassette by calling (202) 452-3684 or by writing to:

Freedom of Information Office, Board of Governors of the Federal Reserve System, Washington, D.C. 20551

CONTACT PERSON FOR MORE INFORMATION:

Mr. Joseph R. Coyne, Assistant to the Board; (202) 452-3204.

Dated: July 3, 1996

Jennifer J. Johnson,

Deputy Secretary of the Board.

[FR Doc. 96-17402 Filed 7-03-96; 3:16 pm]

BILLING CODE 6210-01-P

Sunshine Act Meeting

AGENCY HOLDING THE MEETING: Board of Governors of the Federal Reserve System.

TIME AND DATE: Approximately 10:30 a.m., Wednesday, July 10, 1996, following a recess at the conclusion of the open meeting.

PLACE: Marriner S. Eccles Federal Reserve Board Building, C Street entrance between 20th and 21st Streets, N.W., Washington, D.C. 20551.

STATUS: Closed.

MATTERS TO BE CONSIDERED:

1. Personnel actions (appointments, promotions, assignments, reassessments, and salary actions) involving individual Federal Reserve System employees.

2. Any items carried forward from a previously announced meeting.

CONTACT PERSON FOR MORE INFORMATION:

Mr. Joseph R. Coyne, Assistant to the Board; (202) 452-3204. You may call (202) 452-3207, beginning at approximately 5 p.m. two business days before this meeting, for a recorded announcement of bank and bank holding company applications scheduled for the meeting.

Dated: July 3, 1996.

Jennifer J. Johnson,

Deputy Secretary of the Board.

[FR Doc. 96-17403 Filed 7-3-96; 3:16 pm]

BILLING CODE 6210-10-P

GENERAL SERVICES ADMINISTRATION

[GSA Bulletin FPMR D-238]

Locating Federal Facilities on Historic Properties in Our Nation's Central Cities

1. Purpose. This bulletin announces the policy concerning the location of Federal facilities on historic properties in our central cities.

2. Expiration date. This bulletin contains information of a continuing nature and will remain in effect until canceled.

3. Background. a. On May 21, 1996, President Clinton signed Executive Order 13006, entitled "Locating Federal Facilities on Historic Properties in Our Nation's Central Cities," to encourage "leasing, acquiring, locating, maintaining, or managing" Federal facilities on historic properties in our nation's central cities. So that federal agencies may benefit from GSA's real property management expertise, government-wide policy guidance is being provided concerning the acquisition and use of historic properties to be utilized by federal agencies where operationally appropriate and economically prudent.

b. The Public Buildings Cooperative Use Act of 1976 (40 U.S.C. 601a) directs the Administrator of General Services to "acquire and utilize space in suitable buildings of historic, architectural, or cultural significance, unless use of such space would not prove feasible and prudent compared with available alternatives." In the past, some Federal agencies have successfully promoted the acquisition and use of space in "buildings of historic, architectural, and cultural significance" by extending a 10 percent cost preference for these properties.

4. Action. In accordance with Executive Order 13006, and subject to the requirements of section 601 of title VI of the Rural Development Act of 1972, as amended, (42 U.S.C. 3122), and Executive Order 12072, when locating Federal facilities, Federal agencies shall give first consideration to historic properties within historic districts. If no such property is suitable, then Federal agencies shall consider other developed or undeveloped sites within historic districts. Federal agencies shall then consider historic properties outside of historic districts, if no suitable site within a district exists.

All Federal agencies must use procedures which implement the policy to extend first consideration to locations as prescribed in the Executive order. These implementation procedures

should be consistent with the existing policy set forth in Executive Order 12072 (Federal Space Management), which extends first consideration to central business areas (CBAs), and should consider applicable requirements relating to full and open competition under the Competition in Contracting Act, 41 U.S.C. 253 *et seq.*

Federal agencies are encouraged to consider the Government's previous approach extending preference to historic properties. Where operationally appropriate and economically prudent, Federal agencies may extend first consideration to historic properties using various methods, including but not limited to extending a cost preference (similar to GSAR 570.701-4, Historic Preference); limiting competition to historic districts and/or historic properties; conducting market surveys and market analyses to identify historic properties or districts to be included in the area of consideration; providing notice of a requirement and an opportunity to respond to local, state or regional historic preservation officials; or a combination of the foregoing.

Dated: June 28, 1996.

G. Martin Wagner,

Associate Administrator, Office of Policy, Planning and Evaluation.

[FR Doc. 96-17208 Filed 7-5-96; 8:45 am]

BILLING CODE 6820-23-M

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

Notice of Specific List for Categorization of Laboratory Test Systems, Assays, and Examinations by Complexity; Notice of Additional Waived Laboratory Test Systems, Assays, and Examinations; and Notice of Announcement of Boards Approved by HHS

AGENCY: Centers for Disease Control and Prevention (CDC), HHS.

ACTION: Notice with comment period.

SUMMARY: Regulations codified at 42 CFR 493.17, implementing the Clinical Laboratory Improvement Amendments of 1988 (CLIA), Public Law 100-578, require that the Secretary provide for the categorization of specific laboratory test systems, assays, and examinations by level of complexity. The criteria for such categorizations also are set forth in those regulations.

This Notice announces the addition of test systems to the waived category, and

announces approximately 2400 additional test systems, assays, and examinations that have been categorized and notified between March 15, 1995 and June 7, 1996. These categorizations were effective on the issue date of the notification letter sent to the manufacturer, and are subject to the 30 day comment period for this Notice.

This Notice also announces the waiver of those test systems, assays, and examinations that have met the CDC guidelines reflected in the proposed criteria for waiver as outlined in a Notice of Proposed Rulemaking, 42 CFR Part 493, HSQ-225-P, published September 13, 1995, in the Federal Register (60 FR 47534). These test systems and test system instructions may have been revised in order to meet the criteria for waiver. Please contact the manufacturer of the test system regarding this information.

This Notice is published with an opportunity for public comment. PHS reserves the right to reevaluate and recategorize a test based upon the comments it receives in response to the Federal Register notice.

In addition, this Notice announces HHS approval of two certification organizations, the American Board of Histocompatibility and Immunogenetics and the American Board of Medical Genetics, for qualifying individuals as laboratory directors and clinical consultants.

DATES: Effective date: All categorizations in this Notice were effective on the date of the test categorization notification letter sent to the manufacturer. Written comments on the tests initially categorized in this Notice will be considered if they are received at the address indicated below, by no later than 5 p.m. on August 7, 1996. CDC reserves the right to reevaluate and recategorize tests based on the comments received in response to this Notice.

ADDRESSES: Comments on the categorization of tests in this Notice should be addressed to Public Health Service, Attention: CLIA Federal Register Notice, Centers for Disease Control and Prevention, Mail Stop F-11, 4770 Buford Highway, NE, Atlanta, Georgia 30341-3724.

Requests for test complexity categorization should be submitted to: Attention: Test Categorization/CLIA, Centers for Disease Control and Prevention, Mail Stop F-11, 4770 Buford Highway, NE, Atlanta, Georgia 30341-3724.

Requests for waiver status should be submitted to: Attention: Request for Waiver Status/CLIA, Centers for Disease

Control and Prevention, Mail Stop F-11, 4770 Buford Highway, NE, Atlanta, GA 30341-3724.

Due to staffing and resource limitations, we cannot accept facsimile (FAX) copies of comments. Nor can we accept comments by telephone.

FOR FURTHER INFORMATION CONTACT: Rosemary C. Bakes-Martin, (770) 488-7655.

SUPPLEMENTARY INFORMATION: All requests for test categorization should be submitted to the CDC. CDC is reviewing submissions for test categorization concurrently with the FDA's review process for 510(k) clearance or PMA clearance. In order to assure timely review by CDC, manufacturers are requested to submit the package insert and 510(k) number for the product to CDC when the product is submitted to the FDA. However, CDC will not be able to issue the test categorization until the FDA has finished its review process. CDC is currently issuing test categorization notification letters to manufacturers within one week of the FDA 510(k) or Pre-Market Approval (PMA) clearance. Test categorizations are effective as of the date of notification to the applicant. The CDC will publish updates and revisions to the test categorization list periodically in the Federal Register with opportunity for comment. The CDC will also maintain an updated list of categorized tests electronically, available to the public via Internet. For further information regarding this capability, please call (770) 488-7655.

Additions to the Waived Category

The CDC is evaluating requests for waiver based on the guidelines for submission of waiver requests that were sent to manufacturers of laboratory testing devices and other interested parties through correspondence dated December 19, 1994. These guidelines reflect the proposed criteria for waiver that are outlined in the Notice of Proposed Rulemaking, 42 CFR Part 493, HSQ-225-P, published September 13, 1995 in the Federal Register (60 FR 47534).

The following test systems have been granted waived status based upon meeting these guidelines: (25112) HemoCue B-Glucose System for the analyte (2203) glucose; (10170) Cholestech L*D*X Test System for the analytes (1020) cholesterol, (6118) triglyceride, (2550) HDL cholesterol, and (2203) glucose; (58338) Serum PyloriTek Test Kit for the analyte (2512) Helicobacter pylori; and (52036) Quidel QuickVue In-Line One-Step Strep A Test for the analyte (5828)

Streptococcus, group A (from throat only).

This Notice also announces that the (10165) ChemTrak AccuMeter, the (31014) Johnson & Johnson ADVANCED CARE Cholesterol Test, and the (07776) Boehringer Mannheim Accu-Chek InstantPlus Cholesterol for the analyte (1020) Cholesterol have been granted waived status following clearance by the FDA for home use.

In this Notice we also are verifying the complexity of two test system/analyte combinations. The test system, (04542) All Qualitative Color Comparison pH Testing for the analyte (0731) Body fluid (other than blood) pH, is the same as the waived dipstick color comparison products for qualitative pH measurement in urine. Therefore, this test system has been added to the list of waived tests.

The second test system, (58217) SmithKline Gastrococcult for the analyte (2211) Gastric Occult Blood, is the same test system as that for fecal occult blood. Therefore, this test system is also now included on the list of waived procedures.

Comments and Responses

On May 15, 1995, a test list of approximately 3,000 additional test systems, assays, and examinations categorized by level of complexity was published in the Federal Register (60 FR 25944) with a 30 day comment period. Only one letter containing the following general comments was received in regard to this Notice.

Comment: The commenter expressed concern about the categorization of Growth/No Growth of Bacteria on Solid Culture Media (22167) as a moderate complexity test, and requested that this test system be recategorized as high complexity. The commenter used as an example the primary plating of a normally sterile joint fluid to a selective medium, such as Thayer-Martin, if *Neisseria gonorrhoeae* is suspected. The commenter stated that if *N. gonorrhoeae* were not present, Thayer-Martin may inhibit the growth of other significant organisms. If no other media had been inoculated at the time the Thayer-Martin was set up, the commenter suggested that a "no growth" result could incorrectly be reported.

Response: We disagree with the commenter. In this case, the result that should be reported is "no growth of *N. gonorrhoeae*", since Thayer-Martin media is selective for *Neisseria gonorrhoeae*. Under CLIA, laboratories are required to have protocols for the primary inoculation of cultures from specific sites to appropriate culture media. It is the responsibility of the

laboratory director to review and approve these protocols. A normally sterile joint fluid should be inoculated to a combination of the appropriate enriched, selective, and differential media to permit isolation and enhance the growth of any of a number of possible aerobic or anaerobic organisms that could be present in the fluid. For this culture type, it would not be appropriate to inoculate only Thayer-Martin media.

Primary inoculation of any microbiology culture media, in and of itself, is not considered a complete test system under the CLIA regulations, and is not categorized for complexity. The inoculation of the media becomes part of the test system when the primary media is observed to determine whether growth is present after an incubation period. It is the responsibility of the testing personnel to evaluate the growth or absence of growth. When solid culture media is evaluated, the amount of training, experience, interpretation, and judgment required to determine if any bacterial colonies are present, results in a score that is in the moderate complexity category. If, however, there is any growth that must be interpreted, or the medium being evaluated is a broth or liquid medium, such as thioglycollate, more training, experience, interpretation, and judgment is required, and the examination scores as a high complexity test.

Comment: The commenter requested clarification of the categorization of automated blood culture systems as moderate complexity. This commenter stated that although the loading and monitoring of these automated analyzers might be considered moderate complexity, the analysis of positive bottles detected on these instruments should be categorized as high complexity.

Response: We agree with the commenter. The categorization of automated blood culture systems as moderate complexity includes only the the loading and monitoring of these instruments to detect microbial growth in the bottles or vials. Once a signal for growth is detected, the evaluation of the growth, including Gram stain, and subculturing to isolate and identify the microorganism is the high complexity test system "identification from culture". On an automated blood culture instrument, if a specimen does not signal a positive result for growth, the reporting of a negative result is considered a moderate complexity test, provided no followup testing is performed.

Comment: Concern was expressed by the commenter that an inadequate response was provided in the May 15, 1995 Federal Register to a previous comment on the question of recategorization of "large" hematology analyzers and microscopy procedures from high to moderate complexity. The commenter pointed out that the complexity categorization should take into account whether or not the specimen being analyzed is a normal or abnormal sample.

Response: We disagree with the commenter that a "large" hematology analyzer requires a higher complexity categorization when the results of the sample being processed are abnormal rather than normal. The level of technical expertise needed to operate the analyzer does not vary with the results produced as the results are determined automatically by the instrument. If the analyst chooses to repeat those parameters of the hematologic evaluation that are considered to be abnormal, then the repeat testing would be categorized based upon the test methodology/procedure employed.

The categorization of the microscopic examination of a blood smear (differential) does take into account whether or not the cellular elements present in the sample are those found in normal peripheral blood. The manual differential performed on a normal blood smear requires the analyst to have a general knowledge of cellular morphology and maturation and is categorized as moderate complexity, whereas the manual differential performed on an abnormal specimen requires that the analyst have a comprehensive knowledge of normal/abnormal cellular morphology and maturation and is categorized as high complexity. A more detailed explanation of categorization of blood cell differentials can be found on page 39873 of the July 26, 1993 Federal Register (58 FR 39873).

Corrections

The test system (07689)Bayer GLUCOMETER ENCORE+ Blood Glucose Meter has been added to the list of waived procedures. This test system was previously categorized as moderate complexity. Recently, the FDA cleared this test system for home use and consequently it is now waived. Please note there has been a change in manufacturer name. This product was formerly listed under Ames.

Test System and Analyte Nomenclature

Due to advances in technology, the analyte (4024)Mycobacteria has been

refined, and specific analytes have been designated for test systems that are used to identify specific mycobacterial organisms. These new analytes are: (4008)Mycobacterium avium, (4009)Mycobacterium avium complex, (4011)Mycobacterium gordonae, (4012)Mycobacterium intracellulare, (4014)Mycobacterium kansasii, and (4015)Mycobacterium tuberculosis complex. While these more specific analytes will replace the analyte (4024)Mycobacteria in most instances, the analyte (4024)Mycobacteria will continue to be used with test systems that are not used to identify a specific mycobacterial organism.

Also due to technological advances, a new analyte for thyroid stimulating hormone, (6155)Thyroid Stimulating Hormone (TSH) Third Generation, has been designated for the test systems that are able to detect this analyte.

As a point of clarification, an analyte will be designated specifically as a "urine" analyte when a test procedure requires a modification to the test procedure for the urine analyte as opposed to that required for the "serum" analyte.

Test System and Analyte Modifications

The development of new technology in the specialty of microbiology has necessitated a distinction in the categorization of aerobic/anaerobic culture identification (ID) and the categorization of antimicrobial susceptibility testing (AST). For clarification, we are deleting the test system (04372)All Organism ID and Antimicrobial Susceptibility Testing, and replacing it with two test systems (04636)All Conventional Organism Identification from Culture, and (04637)All Antimicrobial Susceptibility (disk diffusion/dilution) from Culture. These two test systems will be assigned to the analyte (0412)Aerobic &/or Anaerobic Organisms—Unlimited Sources, just as the previous test system (04372) was listed. We realize that there are a number of different techniques used for the conventional methods of identifying aerobic and anaerobic organisms from culture; and that these identification methods can be quite different from the processes used to perform standardized disk diffusion, agar or broth dilution antimicrobial susceptibility testing from culture. Although identification and susceptibility testing from culture are often performed together, they are distinct methods that may be done independently. In an effort to be specific, we are separating the two tests.

Dated: June 28, 1996.

David Satcher,

Director, Centers for Disease Control and Prevention (CDC).

List of Previously Unpublished Categorizations

The test categorization scoring scheme was based on an assessment of the complexity of the operation of the test procedure and not on an evaluation of data documenting the procedure's performance over time. Therefore, the categorization of a test system, assay or examination as moderate or high complexity should not be interpreted as an indication of the acceptability or unacceptability of the accuracy, precision or overall performance of the procedure.

Complexity: Moderate

Specialty/Subspecialty: Bacteriology

Analyte: Aerobic Organisms From Urine Specimens Only (0468)

Test System, Assay, Examination:

Culture Kits, Inc. Uri-Two (colony count only) (10332)

Analyte: Chlamydia (1016)

Test System, Assay, Examination:

BioStar Chlamydia OIA (direct antigen/visual) (07641)

Johnson & Johnson CDI SureCell (direct antigen/visual) (31063)

Quidel QuickVue Chlamydia Test (direct antigen/visual) (52026)

Analyte: Helicobacter Pylori (2512)

Test System, Assay, Examination:

GI Supply HP-FAST (22175)

Analyte: Streptococcus, Group A (5810)

Test System, Assay, Examination:

Abbott TestPack +Plus Strep A with OBC (dir. Ag/visual) (04625)

Applied Biotech SureStep Strep A Test (dir. antigen/visual) (04559)

Johnson & Johnson CDI SureCell (direct antigen/visual) (31063)

Analyte: Streptococcus, Group A (From Throat Only) (5828)

Test System, Assay, Examination:

Binax Strep A Test (direct antigen/visual) (07684)

Henry Schein OneStep Strep A Test (25258)

Medix Biotech Contrast Strep A (40223)

Medix Biotech FAStrep A (40225)

Medix Biotech Rapid Strep A (40222)

Orion Diagnostica UniStep Strep A (46194)

Quidel CARDS Q.S. Strep A (52035)

Quidel Concise Performance Plus Strep A (52034)

Syntron Bioresearch QuikStrip OneStep Strep A Strip Test (58384)

Syntron QuikPac II OneStep Strep A (58316)

Analyte: Vibrio cholerae (6716)

Test System, Assay, Examination:

New Horizons Cholera SMART (43088)

Specialty/Subspecialty: Endocrinology

Analyte: Adrenocorticotrophic Hormone (ACTH) (0458)

Test System, Assay, Examination: Cirrus Diagnostics Immulite (10159)

Analyte: Cortisol (1032)

Test System, Assay, Examination:

TOSOH A1A-1200 (61040)

TOSOH A1A-1200DX (61154)

TOSOH A1A-600 (61039)

Analyte: Cortisol, Urine (direct procedure) (1033)

Test System, Assay, Examination: Ciba Corning ACS 180 (10046)

Analyte: Estradiol (1605)

Test System, Assay, Examination:

Organon Teknika AuraFlex (46152)

Technicon Immuno 1 System (61042)

Analyte: HCG, Serum, Qualitative (2501)

Test System, Assay, Examination: Boehringer Mannheim AccuStat hCG/Diluent Reagent (07775)

Excel Scientific OneStep Urine/Serum hCG Preg Module Test (16133)

Horizon Diagnostics Pregna-Plus hCG (25225)

Johnson & Johnson CDI SureCell hCG-Urine/Serum (31066)

Medix Biotech CONTRAST hCG Urine/Serum Test (40215)

Medix Biotech Rapid hCG (urine/serum) (40224)

TCPI One Step Pregnancy hCG/Diluent Reagent (61234)

Worldwide Medical First Check hCG (cassette) (70181)

Wyntek Diagnostics OSOM hCG-Combo Test (70177)

Analyte: HCG, Total, Serum, Quantitative (2555)

Test System, Assay, Examination: Organon Teknika AuraFlex (46152)

Analyte: HCG, Urine, Qualitative (non-waived procedures) (2503)

Test System, Assay, Examination:

Immunostics immuno/cept-d (28429)

Immunostics immuno/cept-d Monoclonal Beta (28428)

Organon Teknika AuraFlex (46152)

Analyte: HCG, Urine, Quantitative (2534)

Test System, Assay, Examination:

PB Diagnostics Systems OPUS (49001)

PB Diagnostics Systems OPUS Magnum (49097)

PB Diagnostics Systems OPUS PLUS (49098)

Analyte: Human Growth Hormone (GH) (2547)

Test System, Assay, Examination: Cirrus Diagnostics Immulite (10159)

Analyte: Human Placental Lactogen (hPL) (2533)

Test System, Assay, Examination:

Cirrus Diagnostics Immulite (10159)

Analyte: Insulin (2812)

Test System, Assay, Examination:

Sanofi Pasteur Access Immunoassay System (58257)

Analyte: Progesterone (4914)

Test System, Assay, Examination: Abbott AxSYM (04532)

Organon Teknika AuraFlex (46152)

Sanofi Pasteur Access Immunoassay System (58257)

Technicon Immuno 1 System (61042)

Analyte: Prolactin (4915)

Test System, Assay, Examination: Organon Teknika AuraFlex (46152)

Analyte: Sex Hormone Binding Globulin (5819)

Test System, Assay, Examination: Cirrus Diagnostics Immulite (10159)

Analyte: T Uptake (TU) (6156)

Test System, Assay, Examination:

Boehringer Mannheim Hitachi 704 (07161)

Boehringer Mannheim Hitachi 717 (07163)

Boehringer Mannheim Hitachi 736 (07164)

Boehringer Mannheim Hitachi 737 (07165)

Boehringer Mannheim Hitachi 747 (07166)

Boehringer Mannheim Hitachi 911 (07377)

Boehringer Mannheim Hitachi 914 (07546)

Boehringer Mannheim Hitachi 917 (07765)

Ciba Corning 550 Express (10038)

Olympus AU 800 (46110)

Olympus Reply (46089)

Roche Cobas Mira (55044)

Analyte: Thyroid Stimulating Hormone (TSH) (6106)

Test System, Assay, Examination: Franklin Diagnostics ThryoChek One-Step Rapid TSH (19025)

Analyte: Thyroid Stimulating Hormone (TSH) Third Generation (6155)

Test System, Assay, Examination: Cirrus Diagnostics Immulite (10159)

Analyte: Thyroid Stimulating Hormone—High Sens. (TSH-HS) (6108)

Test System, Assay, Examination: Abbott AxSYM (04532)

Analyte: Thyroxine (T4) (6109)

Test System, Assay, Examination:

Beckman Synchron CX 4 Delta (07762)

Beckman Synchron CX 5 Delta (07763)

Beckman Synchron CX 7 Delta (07764)

Bio-Chem Laboratory Systems ATAC 8000 (07658)

Bio-Rad RADIAS System (07493)

Biocircuits IOS (07745)

Boehringer Mannheim Hitachi 917 (07765)

Roche Cobas INTEGRA (55179)

Analyte: Thyroxine (T4), Neonatal (6123)

Test System, Assay, Examination: Bio-Rad RADIAS System (07493)

Analyte: Thyroxine Binding Globulin (TBG) (6110)

Test System, Assay, Examination: Cirrus Diagnostics Immulite (10159)

Analyte: Thyroxine Uptake (T4U) (TU) (6139)

Test System, Assay, Examination:

Abbott AxSYM (04532)

Biocircuits IOS (07745)

Analyte: Thyroxine, Free (FT4) (6111)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
PB Diagnostics Systems OPUS Magnum (49097)	Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem DT II (31030)
PB Diagnostics Systems OPUS PLUS (49098)	Johnson & Johnson CDI Ektachem DT SC Module (31031)	Johnson & Johnson CDI Ektachem DT SC Module (31031)
Analyte: Triiodothyronine Uptake (T3U) (TU) (6120)	Roche Cobas INTEGRA (55179)	Roche Cobas INTEGRA (55179)
<i>Test System, Assay, Examination:</i>	Select Medical Systems Selecta 20/60 (58349)	Select Medical Systems Selecta 20/60 (58349)
Beckman Synchron CX 4 Delta (07762)	Analyte: Albumin (0414)	Analyte: Alpha-Hydroxybutyrate Dehydrogenase (HBDH) (0419)
Beckman Synchron CX 5 Delta (07763)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
Beckman Synchron CX 7 Delta (07764)	Abaxis Piccolo Portable Blood Analyzer (04608)	Beckman Synchron CX 4 Delta (07762)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Beckman Synchron CX 5 Delta (07763)	Beckman Synchron CX 5 Delta (07763)
Roche Cobas INTEGRA (55179)	Beckman Synchron CX 7 Delta (07764)	Beckman Synchron CX 7 Delta (07764)
Analyte: Triiodothyronine, Free (FT3) (6121)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Analyte: Ammonia, Plasma/Serum (0427)
<i>Test System, Assay, Examination:</i>	Boehringer Mannheim Hitachi 917 (07765)	<i>Test System, Assay, Examination:</i>
Roche Cobas Core Automated System (55119)	Johnson & Johnson CDI Ektachem 250 (31019)	Beckman Synchron CX 4 Delta (07762)
Sanofi Pasteur Access Immunoassay System (58257)	Johnson & Johnson CDI Ektachem 400 (31020)	Beckman Synchron CX 5 Delta (07763)
<i>Specialty/Subspecialty: General Chemistry</i>	Johnson & Johnson CDI Ektachem 500 (31021)	Beckman Synchron CX 7 Delta (07764)
Analyte: Acid Phosphatase (0407)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Boehringer Mannheim Hitachi 917 (07765)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem 250 (31019)
Instrumentation Laboratory ILAB 1800 (28323)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem 400 (31020)
Instrumentation Laboratory ILAB 900 (28322)	Johnson & Johnson CDI Ektachem 700 P (31025)	Johnson & Johnson CDI Ektachem 500 (31021)
Johnson & Johnson CDI Ektachem 250 (31019)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 700 (31023)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem 700 P (31025)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem DT SC Module (31031)	Johnson & Johnson CDI Ektachem 700 XR (31026)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Select Medical Systems Selecta 20/60 (58349)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Analyte: Alkaline Phosphatase (ALP) (0416)	Johnson & Johnson CDI Ektachem DT 60 (31029)
Johnson & Johnson CDI Ektachem DT II (31030)	<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem DT II (31030)
Analyte: Alanine Aminotransferase (ALT) (SGPT) (0404)	Abaxis Piccolo Portable Blood Analyzer (04608)	Analyte: Amylase (0429)
<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 4 Delta (07762)	<i>Test System, Assay, Examination:</i>
Abaxis Piccolo Portable Blood Analyzer (04608)	Beckman Synchron CX 5 Delta (07763)	Abaxis Piccolo Portable Blood Analyzer (04608)
Beckman Synchron CX 4 Delta (07762)	Beckman Synchron CX 7 Delta (07764)	Beckman Synchron CX 4 Delta (07762)
Beckman Synchron CX 5 Delta (07763)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Beckman Synchron CX 5 Delta (07763)
Beckman Synchron CX 7 Delta (07764)	Boehringer Mannheim Hitachi 917 (07765)	Beckman Synchron CX 7 Delta (07764)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Johnson & Johnson CDI Ektachem 250 (31019)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem 400 (31020)	Boehringer Mannheim Hitachi 917 (07765)
Johnson & Johnson CDI Ektachem 250 (31019)	Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 250 (31019)
Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem 400 (31020)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem 500 (31021)
Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem 700 P (31025)	Johnson & Johnson CDI Ektachem 700 (31023)
Johnson & Johnson CDI Ektachem 700 P (31025)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Johnson & Johnson CDI Ektachem 700 XR (31026)		Johnson & Johnson CDI Ektachem 700 P (31025)

Johnson & Johnson CDI Ektachem 750 XRC (31027)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Johnson & Johnson CDI Ektachem DT 60 (31029)	Johnson & Johnson CDI Ektachem 250 (31019)	Johnson & Johnson CDI Ektachem DT 60 (31029)
Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem 400 (31020)	Johnson & Johnson CDI Ektachem DT II (31030)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 500 (31021)	Roche Cobas INTEGRA (55179)
Select Medical Systems Selecta 20/60 (58349)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Analyte: Blood Gases With pH (0708)
Analyte: Amylase, Pancreatic Isoenzymes (p-Amylase) (0500)	Johnson & Johnson CDI Ektachem 700 (31023)	<i>Test System, Assay, Examination:</i> AVL OMNI Combi Analyzer (04609)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Instrumentation Laboratory IL BGGE (IL 1660) (28438)
Beckman Synchron CX 4 Delta (07762)	Johnson & Johnson CDI Ektachem 700 P (31025)	Nova Stat Profile Ultra A (43108)
Beckman Synchron CX 5 Delta (07763)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Nova Stat Profile Ultra B (43109)
Beckman Synchron CX 7 Delta (07764)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Nova Stat Profile Ultra C (43110)
Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Nova Stat Profile Ultra D (43111)
Analyte: Apolipoprotein A1 (0462)	Roche Cobas INTEGRA (55179)	Nova Stat Profile Ultra E (43112)
<i>Test System, Assay, Examination:</i>	Analyte: Bilirubin, Neonatal (0705)	Nova Stat Profile Ultra F (43115)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	<i>Test System, Assay, Examination:</i>	Nova Stat Profile Ultra G (43116)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 250 (31019)	Nova Stat Profile Ultra H (43117)
Wako Diagnostics 30R (70002)	Johnson & Johnson CDI Ektachem 400 (31020)	Nova Stat Profile Ultra I (43118)
Analyte: Apolipoprotein B (0457)	Johnson & Johnson CDI Ektachem 500 (31021)	Nova Stat Profile Ultra J (43119)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Nova Stat Profile Ultra K (43120)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Johnson & Johnson CDI Ektachem 700 (31023)	Radiometer ABL System 605 (55196)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Radiometer ABL System 615 (55197)
Analyte: Aspartate Aminotransferase (AST) (SGOT) (0405)	Johnson & Johnson CDI Ektachem 700 P (31025)	Radiometer ABL System 625 (55198)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 700 XR (31026)	SenDx 100 pH, Blood Gas and Electrolyte Analysis System (58390)
Abaxis Piccolo Portable Blood Analyzer (04608)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Analyte: Blood pH (No Blood Gases) (0721)
Beckman Synchron CX 4 Delta (07762)	Johnson & Johnson CDI Ektachem DT 60 (31029)	<i>Test System, Assay, Examination:</i>
Beckman Synchron CX 5 Delta (07763)	Johnson & Johnson CDI Ektachem DT II (31030)	Radiometer BPH5 Blood pH System (55158)
Beckman Synchron CX 7 Delta (07764)	Analyte: C-Peptide (1040)	Analyte: Calcium, Ionized (1004)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
Boehringer Mannheim Hitachi 917 (07765)	Abaxis Piccolo Portable Blood Analyzer (04608)	Cirrus Diagnostics Immulite (10159)
Johnson & Johnson CDI Ektachem 250 (31019)	Beckman Synchron CX 4 Delta (07762)	TOSOH A1A-1200 (61040)
Johnson & Johnson CDI Ektachem 500 (31021)	Beckman Synchron CX 5 Delta (07763)	TOSOH A1A-1200DX (61154)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	Beckman Synchron CX 7 Delta (07764)	TOSOH A1A-600 (61039)
Johnson & Johnson CDI Ektachem 700 (31023)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Analyte: Calcium, Total (1005)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Boehringer Mannheim Hitachi 917 (07765)	<i>Test System, Assay, Examination:</i>
Johnson & Johnson CDI Ektachem 700 P (31025)	Johnson & Johnson CDI Ektachem 250 (31019)	Abaxis Piccolo Portable Blood Analyzer (04608)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 400 (31020)	Beckman Synchron CX 4 Delta (07762)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 500 (31021)	Beckman Synchron CX 5 Delta (07763)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Beckman Synchron CX 7 Delta (07764)
Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem 700 (31023)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Johnson & Johnson CDI Ektachem DT SC Module (31031)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Boehringer Mannheim Hitachi 917 (07765)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 P (31025)	Johnson & Johnson CDI Ektachem 250 (31019)
Select Medical Systems Selecta 20/60 (58349)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 400 (31020)
Analyte: Bilirubin, Direct (0704)	Analyte: Bilirubin, Total (0706)	Johnson & Johnson CDI Ektachem 500 (31021)
<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Abaxis Piccolo Portable Blood Analyzer (04608)	Abaxis Piccolo Portable Blood Analyzer (04608)	
Beckman Synchron CX 4 Delta (07762)	Beckman Synchron CX 4 Delta (07762)	
Beckman Synchron CX 5 Delta (07763)	Beckman Synchron CX 5 Delta (07763)	
Beckman Synchron CX 7 Delta (07764)	Beckman Synchron CX 7 Delta (07764)	

Johnson & Johnson CDI Ektachem 700 (31023)	AVL OMNI Combi Analyzer (04609)	Johnson & Johnson CDI Ektachem DT II (31030)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Beckman Synchron CX 5 Delta (07763)	Roche Cobas INTEGRA (55179)
Johnson & Johnson CDI Ektachem 700 P (31025)	Beckman Synchron CX 7 Delta (07764)	Select Medical Systems Selecta 20/60 (58349)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Analyte: Cholinesterase (1021)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Boehringer Mannheim Hitachi 917 (07765)	<i>Test System, Assay, Examination:</i>
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 250 (31019)	Beckman Synchron CX 4 Delta (07762)
Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem 400 (31020)	Beckman Synchron CX 5 Delta (07763)
Johnson & Johnson CDI Ektachem DT SC Module (31031)	Johnson & Johnson CDI Ektachem 500 (31021)	Beckman Synchron CX 7 Delta (07764)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Boehringer Mannheim Hitachi 917 (07765)
Analyte: Carbon Dioxide, Total (CO ₂) (1003)	Johnson & Johnson CDI Ektachem 700 (31023)	Instrumentation Laboratory ILAB 1800 (28323)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 700 XR (31026)	Instrumentation Laboratory ILAB 900 (28322)
Beckman Synchron CX 5 Delta (07763)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 250 (31019)
Beckman Synchron CX 7 Delta (07764)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 500 (31021)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem DTE Module (31033)	Johnson & Johnson CDI Ektachem 700 (31023)
Johnson & Johnson CDI Ektachem 250 (31019)	Medica EasyStat Na/K/Cl (40249)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Johnson & Johnson CDI Ektachem 400 (31020)	Nova Stat Profile Ultra F (43115)	Johnson & Johnson CDI Ektachem 700 XR (31026)
Johnson & Johnson CDI Ektachem 500 (31021)	Nova Stat Profile Ultra G (43116)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	Nova Stat Profile Ultra H (43117)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Johnson & Johnson CDI Ektachem 700 (31023)	Radiometer ABL System 605 (55196)	Johnson & Johnson CDI Ektachem DT II (31030)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Radiometer ABL System 615 (55197)	Johnson & Johnson CDI Ektachem DT SC Module (31031)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Radiometer ABL System 625 (55198)	Roche Cobas INTEGRA (55179)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Radiometer EML 105 (55187)	Analyte: Creatine Kinase (CK) (1034)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Roche Cobas INTEGRA (55179)	<i>Test System, Assay, Examination:</i>
Johnson & Johnson CDI Ektachem DT II (31030)	Select Medical Systems Selecta 20/60 (58349)	Beckman Synchron CX 4 Delta (07762)
Johnson & Johnson CDI Ektachem DTE Module (31033)	Analyte: Cholesterol (1020)	Beckman Synchron CX 5 Delta (07763)
Roche Cobas INTEGRA (55179)	<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 7 Delta (07764)
Analyte: Cerebrospinal Fluid (CSF) Protein (1014)	Abaxis Piccolo Portable Blood Analyzer (04608)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
<i>Test System, Assay, Examination:</i>	Actimed Laboratories ENA.C.T Total Cholesterol Test (04573)	Boehringer Mannheim Hitachi 917 (07765)
Beckman Synchron CX 4 Delta (07762)	Beckman Synchron CX 4 Delta (07762)	Johnson & Johnson CDI Ektachem 250 (31019)
Beckman Synchron CX 5 Delta (07763)	Beckman Synchron CX 5 Delta (07763)	Johnson & Johnson CDI Ektachem 500 (31021)
Beckman Synchron CX 7 Delta (07764)	Beckman Synchron CX 7 Delta (07764)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Boehringer Mannheim Hitachi 917 (07765)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Johnson & Johnson CDI Ektachem 700 (31023)
Johnson & Johnson CDI Ektachem 250 (31019)	Boehringer Mannheim Accutrend GC Cholesterol Test (07600)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Johnson & Johnson CDI Ektachem 400 (31020)	Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem 700 P (31025)
Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 250 (31019)	Johnson & Johnson CDI Ektachem 700 XR (31026)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem 400 (31020)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem DT II (31030)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem DT SC Module (31031)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	PrismaSystems PROCHEM (49105)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 700 P (31025)	Roche Cobas INTEGRA (55179)
Analyte: Chloride (1018)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Select Medical Systems Selecta 20/60 (58349)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Analyte: Creatine Kinase MB Fraction (CKMB) (1002)
	Johnson & Johnson CDI Ektachem 950 IRC (31028)	<i>Test System, Assay, Examination:</i>
	Johnson & Johnson CDI Ektachem DT 60 (31029)	Beckman Synchron CX 4 Delta (07762)

Beckman Synchron CX 5 Delta (07763)	Analyte: Deoxyhemoglobin (Reduced Hemoglobin) (1318)	Abaxis Piccolo Portable Blood Analyzer (04608)
Beckman Synchron CX 7 Delta (07764)	<i>Test System, Assay, Examination:</i> AVL OMNI Combi Analyzer (04609)	Beckman Synchron CX 4 Delta (07762)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Instrumentation Laboratory IL682 CO-Oximeter System (28368)	Beckman Synchron CX 5 Delta (07763)
Boehringer Mannheim Hitachi 917 (07765)	Nova Co-Oximeter (43114)	Beckman Synchron CX 7 Delta (07764)
Instrumentation Laboratory ILAB 1800 (28323)	Radiometer ABL 520 (55055)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Instrumentation Laboratory ILAB 900 (28322)	Radiometer ABL 620 (55137)	Boehringer Mannheim Hitachi 917 (07765)
Johnson & Johnson CDI Ektachem 250 (31019)	Radiometer ABL System 625 (55198)	Instrumentation Laboratory IL BGGE (IL 1660) (28438)
Johnson & Johnson CDI Ektachem 500 (31021)	Analyte: Ferritin (1902)	Johnson & Johnson CDI Ektachem 250 (31019)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	<i>Test System, Assay, Examination:</i> Behring Nephelometer (07273)	Johnson & Johnson CDI Ektachem 400 (31020)
Johnson & Johnson CDI Ektachem 700 (31023)	Behring Nephelometer 100 (07272)	Johnson & Johnson CDI Ektachem 500 (31021)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Behring Nephelometer II (07563)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Johnson & Johnson CDI Ektachem 700 P (31025)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Johnson & Johnson CDI Ektachem 700 (31023)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Schiapparelli Biosystems ACE (58288)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Analyte: Folate (Folic acid) (1907)	Johnson & Johnson CDI Ektachem 700 P (31025)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	<i>Test System, Assay, Examination:</i> Abbott IMX (04056)	Johnson & Johnson CDI Ektachem 700 XR (31026)
Johnson & Johnson CDI Ektachem DT II (31030)	Schiapparelli Biosystems ACE (58288)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Johnson & Johnson CDI Ektachem DT SC Module (31031)	Technicon Immuno 1 System (61042)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Organon Teknika AuraFlex (46152)	Analyte: Folate, Red Blood Cell (RBC Folate) (1930)	Johnson & Johnson CDI Ektachem DT 60 (31029)
Princeton BioMeditech Cardiac STATus CK-MB/Myoglobin (49156)	<i>Test System, Assay, Examination:</i> Technicon Immuno 1 (with UIW) (61229)	Johnson & Johnson CDI Ektachem DT II (31030)
Roche Cobas INTEGRA (55179)	Analyte: Fructosamine (1914)	Nova Stat Profile Ultra B (43109)
Technicon Immuno 1 System (61042)	<i>Test System, Assay, Examination:</i> Bio-Chem Laboratory Systems ATAC 6000 (07189)	Nova Stat Profile Ultra C (43110)
Analyte: Creatinine (1035)	Boehringer Mannheim Hitachi 917 (07765)	Nova Stat Profile Ultra G (43116)
<i>Test System, Assay, Examination:</i>	LXN Fructosamine Test System (37106)	Nova Stat Profile Ultra H (43117)
Abaxis Piccolo Portable Blood Analyzer (04608)	Roche Cobas INTEGRA (55179)	Nova Stat Profile Ultra J (43119)
Beckman Synchron CX 4 Delta (07762)	Analyte: Gamma Glutamyl Transferase (GGT) (2201)	Nova Stat Profile Ultra K (43120)
Beckman Synchron CX 5 Delta (07763)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	Radiometer ABL System 605 (55196)
Beckman Synchron CX 7 Delta (07764)	Beckman Synchron CX 5 Delta (07763)	Radiometer ABL System 615 (55197)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Beckman Synchron CX 7 Delta (07764)	Radiometer ABL System 625 (55198)
Boehringer Mannheim Hitachi 917 (07765)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Radiometer EML 105 (55187)
Johnson & Johnson CDI Ektachem 250 (31019)	Boehringer Mannheim Hitachi 917 (07765)	Roche Cobas INTEGRA (55179)
Johnson & Johnson CDI Ektachem 400 (31020)	Johnson & Johnson CDI Ektachem 250 (31019)	Select Medical Systems Selecta 20/60 (58349)
Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 500 (31021)	Analyte: Glutaraldehyde (2224)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 717 (07163)
Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem 700 (31023)	Analyte: Glycated Hemoglobin, Total (2221)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	<i>Test System, Assay, Examination:</i> Bio-Rad Variant (07498)
Johnson & Johnson CDI Ektachem 700 P (31025)	Johnson & Johnson CDI Ektachem 700 P (31025)	Helena Laboratories ColumnMate II (25198)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Analyte: Glycosylated Hemoglobin (Hgb A1C) (2204)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 917 (07765)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Analyte: HDL Cholesterol (2550)
Johnson & Johnson CDI Ektachem DT 60 (31029)	Johnson & Johnson CDI Ektachem DT II (31030)	<i>Test System, Assay, Examination:</i> Abbott Spectrum (Canyon Control tube) (04610)
Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem DT SC Module (31031)	Abbott Spectrum (Ref Diag Magnetic HDL Sep) (04595)
Johnson & Johnson CDI Ektachem DT SC Module (31031)	Roche Cobas INTEGRA (55179)	Abbott Spectrum (Sigma ISOSPIN) (04632)
Roche Cobas INTEGRA (55179)	Select Medical Systems Selecta 20/60 (58349)	Abbott Spectrum EPX (Ref Diag Magnetic HDL Sep) (04596)
Select Medical Systems Selecta 20/60 (58349)	Analyte: Glucose (2203)	Abbott Spectrum EPX (Sigma ISOSPIN) (04633)
	<i>Test System, Assay, Examination:</i>	Abbott TDX (Ref Diag Magnetic HDL Sep) (04597)
		Abbott VP (Sigma ISOSPIN) (04634)

Baxter Paramax (Ref Diag Magnetic HDL Sep) (07605)	Electronucleonics Gemstar (Sigma ISOSPIN) (16116)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Beckman CX (Canyon Cantrol tube) (07646)	Electronucleonics Gemstar II (Sigma ISOSPIN) (16117)	Johnson & Johnson CDI Ektachem 750 XRC (DMA One Shots) (31056)
Beckman Synchron CX 4 (Ref Diag Magnetic HDL Sep) (07606)	Instrumentation Lab. ILAB 900 (Ref Diag Magnetic HDL Sep) (28378)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Beckman Synchron CX 4 (Sigma ISOSPIN) (07698)	Instrumentation Lab.IL Monarch 1000 (Ref Diag Magn HDL Sep) (28375)	Johnson & Johnson CDI Ektachem DT 60 (31029)
Beckman Synchron CX 4 CE (Sigma ISOSPIN) (07699)	Instrumentation Lab.IL Monarch 2000 (Ref Diag Magn HDL Sep) (28376)	Johnson & Johnson CDI Ektachem DT 60 (DMA One Shots) (31057)
Beckman Synchron CX 5 (Ref Diag Magnetic HDL Sep) (07607)	Instrumentation Lab.IL Monarch Plus (Ref Diag Magn HDL Sep) (28377)	Johnson & Johnson CDI Ektachem DT 60 (MHS SPINPRO) (31059)
Beckman Synchron CX 5 (Sigma ISOSPIN) (07700)	Instrumentation Laboratory IL Monarch 1000 (Sigma ISOSPIN) (28414)	Johnson & Johnson CDI Ektachem DT 60 (Ref Diag Magn HDL Sep) (31060)
Beckman Synchron CX 5 CE (Ref Diag Magnetic HDL Sep) (07609)	Instrumentation Laboratory IL Monarch 2000 (Sigma ISOSPIN) (28415)	Johnson & Johnson CDI Ektachem DT II (31030)
Beckman Synchron CX 5 CE (Sigma ISOSPIN) (07701)	Instrumentation Laboratory IL Monarch Plus (Sigma ISOSPIN) (28416)	Johnson & Johnson CDI Ektachem DT II (DMA One Shots) (31061)
Beckman Synchron CX 7 (Ref Diag Magnetic HDL Sep) (07608)	Instrumentation Laboratory ILAB 1800 (Sigma ISOSPIN) (28421)	Johnson & Johnson CDI Ektachem DT II (Ref Diag Magn HDL Sep) (31062)
Bio-Chem Laboratory Systems ATAC 6000 (Sigma ISOSPIN) (07702)	Instrumentation Laboratory ILAB 900 (Sigma ISOSPIN) (28420)	Kodak Ektachem (Canyon Cantrol tube) (34088)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Johnson & Johnson CDI Ektachem (Canyon Cantrol tube) (31034)	Kodak Ektachem 250 (Ref Diag Magnetic HDL Sep) (34072)
Boehringer Mannheim Hitachi (Canyon Cantrol tube) (07647)	Johnson & Johnson CDI Ektachem 250 (31019)	Kodak Ektachem 400 (Ref Diag Magnetic HDL Sep) (34073)
Boehringer Mannheim Hitachi 704 (Ref Diag Magnetic HDL Sep) (07610)	Johnson & Johnson CDI Ektachem 250 (DMA One Shots) (31035)	Kodak Ektachem 500 (Ref Diag Magnetic HDL Sep) (34074)
Boehringer Mannheim Hitachi 704 (Sigma ISOSPIN) (07703)	Johnson & Johnson CDI Ektachem 250 (MHS SPINPRO) (31037)	Kodak Ektachem 700 (Ref Diag Magnetic HDL Sep) (34075)
Boehringer Mannheim Hitachi 705 (Ref Diag Magnetic HDL Sep) (07611)	Johnson & Johnson CDI Ektachem 250 (Ref Diag Magn HDL Sep) (31038)	Kodak Ektachem DT 60 (Ref Diag Magnetic HDL Sep) (34070)
Boehringer Mannheim Hitachi 705 (Sigma ISOSPIN) (07704)	Johnson & Johnson CDI Ektachem 400 (31020)	Kodak Ektachem DT II (Ref Diag Magnetic HDL Sep) (34071)
Boehringer Mannheim Hitachi 717 (Ref Diag Magnetic HDL Sep) (07612)	Johnson & Johnson CDI Ektachem 400 (DMA One Shots) (31039)	LSI ASCA Chemistry System (Sigma ISOSPIN) (37103)
Boehringer Mannheim Hitachi 717 (Sigma ISOSPIN) (07705)	Johnson & Johnson CDI Ektachem 400 (MHS SPINPRO) (31040)	Olympus AU 5000 (Ref Diag Magnetic HDL Sep) (46171)
Boehringer Mannheim Hitachi 736 (Ref Diag Magnetic HDL Sep) (07613)	Johnson & Johnson CDI Ektachem 400 (Ref Diag Magn HDL Sep) (31041)	Olympus AU 5000 (Sigma ISOSPIN) (46196)
Boehringer Mannheim Hitachi 736 (Sigma ISOSPIN) (07706)	Johnson & Johnson CDI Ektachem 500 (31021)	Olympus AU 5021 (Sigma ISOSPIN) (46197)
Boehringer Mannheim Hitachi 737 (Ref Diag Magnetic HDL Sep) (07614)	Johnson & Johnson CDI Ektachem 500 (DMA One Shots) (31042)	Olympus AU 5031 (Sigma ISOSPIN) (46198)
Boehringer Mannheim Hitachi 737 (Sigma ISOSPIN) (07707)	Johnson & Johnson CDI Ektachem 500 (MHS SPINPRO) (31044)	Olympus AU 5041 (Sigma ISOSPIN) (46199)
Boehringer Mannheim Hitachi 747 (Ref Diag Magnetic HDL Sep) (07615)	Johnson & Johnson CDI Ektachem 500 (Ref Diag Magn HDL Sep) (31045)	Olympus AU 5061 (Sigma ISOSPIN) (46200)
Boehringer Mannheim Hitachi 747 (Sigma ISOSPIN) (07708)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Olympus AU 5121 (Sigma ISOSPIN) (46201)
Boehringer Mannheim Hitachi 911 (Ref Diag Magnetic HDL Sep) (07616)	Johnson & Johnson CDI Ektachem 550 XRC Anal (DMA One Shots) (31046)	Olympus AU 5131 (Sigma ISOSPIN) (46202)
Boehringer Mannheim Hitachi 911 (Sigma ISOSPIN) (07709)	Johnson & Johnson CDI Ektachem 700 (31023)	Olympus AU 5200 (Ref Diag Magnetic HDL Sep) (46172)
Boehringer Mannheim Hitachi 914 (Ref Diag Magnetic HDL Sep) (07617)	Johnson & Johnson CDI Ektachem 700 (DMA One Shots) (31047)	Olympus AU 5200 (Sigma ISOSPIN) (46203)
ChemTrak AccuMeter HDL Cholesterol Test (10311)	Johnson & Johnson CDI Ektachem 700 (MHS SPINPRO) (31049)	Olympus AU 5211 (Sigma ISOSPIN) (46204)
Ciba Corning 550 Express (Ref Diag Magnetic HDL Sep) (10288)	Johnson & Johnson CDI Ektachem 700 (Ref Diag Magn HDL Sep) (31050)	Olympus AU 5221 (Sigma ISOSPIN) (46205)
Ciba Corning 550 Express (Sigma ISOSPIN) (10322)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Olympus AU 5223 (Sigma ISOSPIN) (46206)
Ciba Corning 570 Alliance (Sigma ISOSPIN) (10323)	Johnson & Johnson CDI Ektachem 700 C Series (DMA One Shots) (31051)	Olympus AU 5231 (Sigma ISOSPIN) (46207)
Coulter Dacos (Ref Diag Magnetic HDL Sep) (10289)	Johnson & Johnson CDI Ektachem 700 P (31025)	Olympus AU 800 (Ref Diag Magnetic HDL Sep) (46170)
Coulter Dacos (Sigma ISOSPIN) (10324)	Johnson & Johnson CDI Ektachem 700 P (DMA One Shots) (31052)	Olympus AU 800 (Sigma ISOSPIN) (46208)
Du Pont ACA (Ref Diag Magnetic HDL Sep) (13360)	Johnson & Johnson CDI Ektachem 700 P (MHS SPINPRO) (31053)	Olympus Demand (Ref Diag Magnetic HDL Sep) (46169)
Du Pont Dimension (Ref Diag Magnetic HDL Sep) (13361)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Olympus Demand (Sigma ISOSPIN) (46209)
EM Diagnostic Systems EPOS (Sigma ISOSPIN) (16113)	Johnson & Johnson CDI Ektachem 700 XR (DMA One Shots) (31054)	Olympus Reply (Ref Diag Magnetic HDL Sep) (46168)
Electronucleonics Gem-Profiler (Sigma ISOSPIN) (16114)	Johnson & Johnson CDI Ektachem 700 XR (MHS SPINPRO) (31055)	Olympus Reply (Sigma ISOSPIN) (46210)
Electronucleonics Gemini (Sigma ISOSPIN) (16115)		Olympus Reply/AU560 (Sigma ISOSPIN) (46211)

Prisma Systems PROCHEM (Ref Diag Magnetic HDL Sep) (49128)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	DuPont Dimension (Genzyme immunosep tube/Dedicated channel) (13377)
Roche Cobas (Canyon Control tube) (55160)	Boehringer Mannheim Hitachi 917 (07765)	DuPont Dimension AR (Genzyme immunosep tube/Dedicated chan) (13378)
Roche Cobas Bio (Ref Diag Magnetic HDL Sep) (55148)	Johnson & Johnson CDI Ektachem 250 (31019)	EM Diagnostic Systems EPOS (Genzyme immunosep tube) (16101)
Roche Cobas Bio (Sigma ISOSPIN) (55180)	Johnson & Johnson CDI Ektachem 400 (31020)	Electronucleonics Gem-Profiler (Genzyme immunosep tube) (16102)
Roche Cobas FARA (Ref Diag Magnetic HDL Sep) (55150)	Johnson & Johnson CDI Ektachem 500 (31021)	Electronucleonics GemStar (Genzyme immunosep tube) (16103)
Roche Cobas FARA (Sigma ISOSPIN) (55181)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Electronucleonics GemStar II (Genzyme immunosep tube) (16104)
Roche Cobas FARA II (Sigma ISOSPIN) (55182)	Johnson & Johnson CDI Ektachem 700 (31023)	Instrumentation Lab.IL Monarch 1000(Genzyme immunosep tube) (28391)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Instrumentation Lab.IL Monarch 2000(Genzyme immunosep tube) (28393)
Roche Cobas Mira (Ref Diag Magnetic HDL Sep) (55149)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Instrumentation Lab.IL Monarch Plus(Genzyme immunosep tube) (28392)
Roche Cobas Mira (Sigma ISOSPIN) (55183)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem DT II (31030)
Roche Cobas Mira Plus (Sigma ISOSPIN) (55184)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Kodak Ektachem DT II (34057)
Roche Cobas Mira S (Sigma ISOSPIN) (55185)	Johnson & Johnson CDI Ektachem DT SC Module (31031)	LSI ASCA Chemistry System (Genzyme Immunosep tube) (37099)
Schiaparelli Biosystems ACE (Ref Diag Magnetic HDL Sep) (58354)	Roche Cobas INTEGRA (55179)	Olympus AU 5000 (Genzyme immunosep tube) (46189)
Technicon AXON (Ref Diag Magnetic HDL Sep) (61170)	Analyte: Iron Binding Capacity, Unsat. (UIBC) No Pretreat. (2823)	Olympus AU 800 (Genzyme immunosep tube) (46190)
Technicon AXON (Sigma ISOSPIN) (61214)	<i>Test System, Assay, Examination:</i>	Olympus Demand (Genzyme immunosep tube) (46191)
Technicon Assist (Sigma ISOSPIN) (61213)	Boehringer Mannheim Hitachi 917 (07765)	Olympus Reply (Genzyme immunosep tube) (46192)
Technicon Chem 1 (Ref Diag Magnetic HDL Sep) (61175)	Olympus AU 5000 (46001)	Roche Cobas Bio (Genzyme immunosep tube) (55161)
Technicon DAX 24 (Ref Diag Magnetic HDL Sep) (61171)	Olympus AU 5200 (46143)	Roche Cobas FARA (Genzyme immunosep tube) (55162)
Technicon DAX 48 (Ref Diag Magnetic HDL Sep) (61172)	Olympus AU 800 (46110)	Roche Cobas FARA II (Genzyme immunosep tube) (55163)
Technicon DAX 72 (Ref Diag Magnetic HDL Sep) (61173)	Roche Cobas INTEGRA (55179)	Roche Cobas Mira (Genzyme immunosep tube) (55164)
Technicon DAX 96 (Ref Diag Magnetic HDL Sep) (61174)	Analyte: LDL Cholesterol (3748)	Schiaparelli Biosystems ACE (Genzyme immunosep tube) (58366)
Technicon RA 1000 (Ref Diag Magnetic HDL Sep) (61177)	<i>Test System, Assay, Examination:</i>	Technicon AXON (Genzyme immunosep tube) (61193)
Technicon RA 1000 (Sigma ISOSPIN) (61215)	Abbott Spectrum (Genzyme immunosep tube) (04612)	Technicon Assist (Genzyme immunosep tube) (61188)
Technicon RA 2000 (Ref Diag Magnetic HDL Sep) (61178)	Abbott Spectrum EPX (Genzyme immunosep tube) (04611)	Technicon Chem 1 (Genzyme immunosep tube/Dedicated channel) (61189)
Technicon RA 500 (Ref Diag Magnetic HDL Sep) (61176)	Abbott Spectrum II (Genzyme immunosep tube) (04613)	Technicon RA 1000 (Genzyme immunosep tube) (61191)
Technicon RA 500 (Sigma ISOSPIN) (61216)	Abbott VP (Genzyme immunosep tube) (04614)	Technicon RA 500 (Genzyme immunosep tube) (61190)
Technicon RA XT (Ref Diag Magnetic HDL Sep) (61179)	Baxter Paramax (Genzyme immunosep tube) (07657)	Technicon RA XT (Genzyme immunosep tube) (61192)
Technicon RA XT (Sigma ISOSPIN) (61217)	Beckman Synchron CX 4 (Genzyme immunosep tube) (07659)	Analyte: Lactate Dehydrogenase (LDH) (3701)
Wako Diagnostics 30R (Ref Diag Magnetic HDL Sep) (70170)	Beckman Synchron CX 5 (Genzyme immunosep tube) (07660)	<i>Test System, Assay, Examination:</i>
Wako Diagnostics 30R (Sigma ISOSPIN) (70176)	Bio-Chem Lab. Sys. ATAC 2000/2100 (Genzyme immunosep tube) (07656)	Beckman Synchron CX 4 Delta (07762)
Analyte: Haptoglobin (2511)	Bio-Chem Lab. Sys. ATAC 6000 (Genzyme immunosep tube) (07655)	Beckman Synchron CX 5 Delta (07763)
<i>Test System, Assay, Examination:</i>	Boehringer Mannheim Hitachi 704 (Genzyme immunosep tube) (07648)	Beckman Synchron CX 7 Delta (07764)
Roche Cobas INTEGRA (55179)	Boehringer Mannheim Hitachi 705 (Genzyme immunosep tube) (07649)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Analyte: Hemoglobin F (2516)	Boehringer Mannheim Hitachi 717 (Genzyme immunosep tube) (07650)	Boehringer Mannheim Hitachi 917 (07765)
<i>Test System, Assay, Examination:</i>	Boehringer Mannheim Hitachi 736 (Genzyme immunosep tube) (07651)	Johnson & Johnson CDI Ektachem 250 (31019)
Radiometer ABL 520 (55055)	Boehringer Mannheim Hitachi 737 (Genzyme immunosep tube) (07652)	Johnson & Johnson CDI Ektachem 400 (31020)
Radiometer ABL 620 (55137)	Boehringer Mannheim Hitachi 747 (Genzyme immunosep tube) (07653)	Johnson & Johnson CDI Ektachem 500 (31021)
Radiometer ABL System 625 (55198)	Boehringer Mannheim Hitachi 911 (Genzyme immunosep tube) (07654)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Analyte: Hemoglobin Fractions (2544)	Ciba Corning 550 Express (Genzyme immunosep tube) (10302)	Johnson & Johnson CDI Ektachem 700 (31023)
<i>Test System, Assay, Examination:</i>	Coulter Dacos (Genzyme immunosep tube) (10301)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Bio-Rad Variant (07498)	Coulter Optichem 120 (Genzyme immunosep tube) (10303)	
Primus Variant System 99 (49159)		
Analyte: Iron (2814)		
<i>Test System, Assay, Examination:</i>		
Beckman Synchron CX 4 Delta (07762)		
Beckman Synchron CX 5 Delta (07763)		
Beckman Synchron CX 7 Delta (07764)		

Johnson & Johnson CDI Ektachem 700 P (31025)	Johnson & Johnson CDI Ektachem 400 (31020)	Beckman Synchron CX 4 Delta (07762)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 500 (31021)	Beckman Synchron CX 5 Delta (07763)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Beckman Synchron CX 7 Delta (07764)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 700 (31023)	Analyte: Microprotein, Urine (4027)
Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Test System, Assay, Examination:
Johnson & Johnson CDI Ektachem DT SC Module (31031)	Johnson & Johnson CDI Ektachem 700 P (31025)	Beckman Synchron CX 4 Delta (07762)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Beckman Synchron CX 5 Delta (07763)
Select Medical Systems Selecta 20/60 (58349)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Beckman Synchron CX 7 Delta (07764)
Analyte: Lactate Dehydrogenase Heart Fraction (LDH-1) (3702)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Analyte: Myoglobin (4023)
Test System, Assay, Examination:	Johnson & Johnson CDI Ektachem DT 60 (31029)	Test System, Assay, Examination:
Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem DT II (31030)	Princeton BioMeditech Cardiac STATus CK-MB/Myoglobin (49156)
Roche Cobas INTEGRA (55179)	Roche Cobas INTEGRA (55179)	Sanofi Pasteur Access Immunoassay System (58257)
Analyte: Lactic Acid (Lactate) (3704)	Analyte: Magnesium (4002)	Analyte: Oxyhemoglobin/Oxygen Saturation (4604)
Test System, Assay, Examination:	Test System, Assay, Examination:	Test System, Assay, Examination:
Beckman Synchron CX 4 Delta (07762)	Beckman Synchron CX 4 Delta (07762)	A-VOX Systems AVOXimeter 1000 (04537)
Beckman Synchron CX 5 Delta (07763)	Beckman Synchron CX 5 Delta (07763)	A-VOX Systems AVOXimeter 2000 (04538)
Beckman Synchron CX 7 Delta (07764)	Beckman Synchron CX 7 Delta (07764)	AVL OMNI Combi Analyzer (04609)
Boehringer Mannheim Accusport Lactate Monitoring System (07663)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Instrumentation Laboratory IL682 CO-Oximeter System (28368)
Johnson & Johnson CDI Ektachem 250 (31019)	Boehringer Mannheim Hitachi 917 (07765)	Nova Co-Oximeter (43114)
Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 250 (31019)	Nova Stat Profile Ultra A (43108)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem 400 (31020)	Nova Stat Profile Ultra B (43109)
Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem 500 (31021)	Nova Stat Profile Ultra C (43110)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Nova Stat Profile Ultra D (43111)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem 700 (31023)	Nova Stat Profile Ultra E (43112)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Nova Stat Profile Ultra F (43115)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 700 P (31025)	Nova Stat Profile Ultra G (43116)
Johnson & Johnson CDI Ektachem DT 60 (31029)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Nova Stat Profile Ultra H (43117)
Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Nova Stat Profile Ultra I (43118)
Nova Stat Profile Ultra A (43108)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Nova Stat Profile Ultra J (43119)
Nova Stat Profile Ultra C (43110)	Johnson & Johnson CDI Ektachem DT 60 (31029)	Nova Stat Profile Ultra K (43120)
Nova Stat Profile Ultra H (43117)	Johnson & Johnson CDI Ektachem DT II (31030)	Radiometer ABL 510 (55054)
Nova Stat Profile Ultra K (43120)	Roche Cobas INTEGRA (55179)	Radiometer ABL System 615 (55197)
Analyte: Leucine Aminopeptidase (LAP) (3709)	Select Medical Systems Selecta 20/60 (58349)	Radiometer ABL System 625 (55198)
Test System, Assay, Examination:	Analyte: Magnesium, Ionized (4018)	Analyte: Phosphorus (4906)
Beckman Synchron CX 4 Delta (07762)	Test System, Assay, Examination:	Test System, Assay, Examination:
Beckman Synchron CX 5 Delta (07763)	Nova Stat Profile Ultra C (43110)	Beckman Synchron CX 4 Delta (07762)
Beckman Synchron CX 7 Delta (07764)	Analyte: Methemoglobin (4032)	Beckman Synchron CX 5 Delta (07763)
Analyte: Lipase (3711)	Test System, Assay, Examination:	Beckman Synchron CX 7 Delta (07764)
Test System, Assay, Examination:	AVL OMNI Combi Analyzer (04609)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Beckman Synchron CX 4 CE (07174)	Instrumentation Laboratory IL682 CO-Oximeter System (28368)	Boehringer Mannheim Hitachi 917 (07765)
Beckman Synchron CX 4 Delta (07762)	Nova Co-Oximeter (43114)	Johnson & Johnson CDI Ektachem 250 (31019)
Beckman Synchron CX 5 CE (07491)	Radiometer ABL 520 (55055)	Johnson & Johnson CDI Ektachem 400 (31020)
Beckman Synchron CX 5 Delta (07763)	Radiometer ABL 620 (55137)	Johnson & Johnson CDI Ektachem 500 (31021)
Beckman Synchron CX 7 (07073)	Radiometer ABL System 625 (55198)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Beckman Synchron CX 7 Delta (07764)	Radiometer OSM 3 (55059)	Johnson & Johnson CDI Ektachem 700 (31023)
Boehringer Mannheim Hitachi 917 (07765)	Analyte: Microprotein, CSF (4026)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Instrumentation Laboratory ILAB 1800 (28323)	Test System, Assay, Examination:	Johnson & Johnson CDI Ektachem 700 P (31025)
Instrumentation Laboratory ILAB 900 (28322)	Beckman Synchron CX 4 Delta (07762)	Johnson & Johnson CDI Ektachem 700 XR (31026)
Johnson & Johnson CDI Ektachem 250 (31019)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
	Johnson & Johnson CDI Ektachem DT 60 (31029)	Johnson & Johnson CDI Ektachem DT 60 (31029)
	Johnson & Johnson CDI Ektachem DT II (31030)	Johnson & Johnson CDI Ektachem DT II (31030)
	Roche Cobas INTEGRA (55179)	Roche Cobas INTEGRA (55179)
	Select Medical Systems Selecta 20/60 (58349)	Select Medical Systems Selecta 20/60 (58349)

Analyte: Potassium (4910)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Analyte: Sulfhemoglobin (5836)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 750 XRC (31027)	<i>Test System, Assay, Examination:</i>
AVL OMNI Combi Analyzer (04609)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	AVL OMNI Combi Analyzer (04609)
Abaxis Piccolo Portable Blood Analyzer (04608)	Johnson & Johnson CDI Ektachem DT 60 (31029)	Analyte: Transferrin (6114)
Beckman Synchron CX 5 Delta (07763)	Johnson & Johnson CDI Ektachem DT II (31030)	<i>Test System, Assay, Examination:</i>
Beckman Synchron CX 7 Delta (07764)	Roche Cobas INTEGRA (55179)	Beckman Synchron CX 4 Delta (07762)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Select Medical Systems Selecta 20/60 (58349)	Beckman Synchron CX 5 Delta (07763)
Boehringer Mannheim Hitachi 917 (07765)	<i>Analyte: Protein, Total (urine) (4972)</i>	Beckman Synchron CX 7 Delta (07764)
Du Pont Na+K+Plus Analyzer (13394)	<i>Test System, Assay, Examination:</i>	Boehringer Mannheim Hitachi 917 (07765)
Instrumentation Laboratory IL BGGE (IL 1660) (28438)	Boehringer Mannheim Hitachi 917 (07765)	Roche Cobas INTEGRA (55179)
Johnson & Johnson CDI Ektachem 250 (31019)	<i>Analyte: Reduced Hemoglobin (Deoxyhemoglobin) (5523)</i>	Analyte: Triglyceride (6118)
Johnson & Johnson CDI Ektachem 400 (31020)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
Johnson & Johnson CDI Ektachem 500 (31021)	Boehringer Mannheim Hitachi 917 (07765)	Beckman Synchron CX 4 Delta (07762)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	<i>Analyte: Sodium (5805)</i>	Beckman Synchron CX 5 Delta (07763)
Johnson & Johnson CDI Ektachem 700 (31023)	<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 7 Delta (07764)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Boehringer Mannheim Hitachi 917 (07765)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Johnson & Johnson CDI Ektachem 700 XR (31026)	<i>Analyte: Radiometer OSM 3 (55059)</i>	Boehringer Mannheim Hitachi 917 (07765)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 250 (31019)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem 400 (31020)
Johnson & Johnson CDI Ektachem DT II (31030)	Du Pont Na+K+Plus Analyzer (13394)	Johnson & Johnson CDI Ektachem 500 (31021)
Johnson & Johnson CDI Ektachem DTE Module (31033)	Instrumentation Laboratory IL BGGE (IL 1660) (28438)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Medica EasyStat Na/K (40248)	Johnson & Johnson CDI Ektachem 250 (31019)	Johnson & Johnson CDI Ektachem 700 (31023)
Medica EasyStat Na/K/Cl (40249)	Johnson & Johnson CDI Ektachem 400 (31020)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Nova Stat Profile Ultra B (43109)	Johnson & Johnson CDI Ektachem 500 (31021)	Johnson & Johnson CDI Ektachem 700 P (31025)
Nova Stat Profile Ultra C (43110)	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Johnson & Johnson CDI Ektachem 700 XR (31026)
Nova Stat Profile Ultra F (43115)	Johnson & Johnson CDI Ektachem 700 (31023)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Nova Stat Profile Ultra G (43116)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Nova Stat Profile Ultra H (43117)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Johnson & Johnson CDI Ektachem DT 60 (31029)
Nova Stat Profile Ultra I (43118)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Johnson & Johnson CDI Ektachem DT II (31030)
Nova Stat Profile Ultra J (43119)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Roche Cobas INTEGRA (55179)
Nova Stat Profile Ultra K (43120)	Johnson & Johnson CDI Ektachem DTE Module (31033)	Select Medical Systems Selecta 20/60 (58349)
Radiometer ABL System 605 (55196)	Medica EasyStat Na/K (40248)	Analyte: Troponin T, Cardiac (cTnT) (6154)
Radiometer ABL System 615 (55197)	Medica EasyStat Na/K/Cl (40249)	<i>Test System, Assay, Examination:</i>
Radiometer ABL System 625 (55198)	Nova Stat Profile Ultra A (43108)	Boehringer Mannheim CARDIAC T Rapid Assay (07690)
Radiometer EML 105 (55187)	Nova Stat Profile Ultra B (43109)	Analyte: Urea (BUN) (6403)
Roche Cobas INTEGRA (55179)	Nova Stat Profile Ultra C (43110)	<i>Test System, Assay, Examination:</i>
SenDx 100 pH, Blood Gas and Electrolyte Analysis System (58390)	Nova Stat Profile Ultra E (43112)	Abaxis Piccolo Portable Blood Analyzer (04608)
Analyte: Protein, Total (4921)	Nova Stat Profile Ultra F (43115)	Beckman Synchron CX 4 Delta (07762)
<i>Test System, Assay, Examination:</i>	Nova Stat Profile Ultra G (43116)	Beckman Synchron CX 5 Delta (07763)
Abaxis Piccolo Portable Blood Analyzer (04608)	Nova Stat Profile Ultra H (43117)	Beckman Synchron CX 7 Delta (07764)
Beckman Synchron CX 4 Delta (07762)	Nova Stat Profile Ultra I (43118)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Beckman Synchron CX 5 Delta (07763)	Nova Stat Profile Ultra J (43119)	Boehringer Mannheim Hitachi 917 (07765)
Beckman Synchron CX 7 Delta (07764)	Nova Stat Profile Ultra K (43120)	Johnson & Johnson CDI Ektachem 250 (31019)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Radiometer ABL System 605 (55196)	Johnson & Johnson CDI Ektachem 400 (31020)
Boehringer Mannheim Hitachi 917 (07765)	Radiometer ABL System 615 (55197)	Johnson & Johnson CDI Ektachem 500 (31021)
Johnson & Johnson CDI Ektachem 250 (31019)	Radiometer ABL System 625 (55198)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Johnson & Johnson CDI Ektachem 400 (31020)	Radiometer EML 105 (55187)	Johnson & Johnson CDI Ektachem 700 (31023)
Johnson & Johnson CDI Ektachem 500 (31021)	Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	SenDx 100 pH, Blood Gas and Electrolyte Analysis System (58390)	Johnson & Johnson CDI Ektachem 700 P (31025)
Johnson & Johnson CDI Ektachem 700 (31023)		
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)		
Johnson & Johnson CDI Ektachem 700 P (31025)		

Johnson & Johnson CDI Ektachem 700 XR (31026)	Boehringer Mannheim Hitachi 911 (DRI pH-Detect) (07753)	Analyte: Beta-2 microglobulin (0703)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Olympus AU 5000 (DRI pH-Detect) (46216)	<i>Test System, Assay, Examination:</i> Instrumentation Laboratory ILAB 1800 (28323)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	<i>Specialty/Subspecialty: General Immunology</i>	Instrumentation Laboratory ILAB 900 (28322)
Johnson & Johnson CDI Ektachem DT 60 (31029)	Analyte: Allergen Specific IgE (0417)	Organon Teknika AuraFlex (46152)
Johnson & Johnson CDI Ektachem DT II (31030)	<i>Test System, Assay, Examination:</i> Quidel QuickVue One-Step Allergen Screen (52028)	Analyte: Bladder Tumor Associated Analytes (0737)
Nova Stat Profile Ultra F (43115)	Analyte: Alpha-1-Acid Glycoprotein (Orosomucoid) (0420)	<i>Test System, Assay, Examination:</i> Bard BTA Test Kit (07736)
Nova Stat Profile Ultra G (43116)	<i>Test System, Assay, Examination:</i> Roche Cobas INTEGRA (55179)	Analyte: C-Reactive Protein (CRP) (1001)
Nova Stat Profile Ultra H (43117)	Analyte: Alpha-1-Antitrypsin (0421)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)
Nova Stat Profile Ultra I (43118)	<i>Test System, Assay, Examination:</i> Roche Cobas INTEGRA (55179)	Beckman Synchron CX 5 Delta (07763)
Nova Stat Profile Ultra J (43119)	Analyte: Anti-DNA Antibodies (0435)	Beckman Synchron CX 7 Delta (07764)
Nova Stat Profile Ultra K (43120)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 7 Delta (07764)	Boehringer Mannheim Hitachi 917 (07765)
Roche Cobas INTEGRA (55179)	Analyte: Anti-DNP Antibodies (0436)	Johnson & Johnson CDI Ektachem 250 (31019)
Select Medical Systems Selecta 20/60 (58349)	<i>Test System, Assay, Examination:</i> Immunostics immuno/sle (screening) (28424)	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Analyte: Uric Acid (6404)	Analyte: Anti-RNP-Sm Antibodies (0502)	Randox Laboratories CRP Latex Test (55202)
<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-dsDNA (25251)	Roche Cobas INTEGRA (55179)
Beckman Synchron CX 5 Delta (07763)	Analyte: Anti-ENA Antibodies (0507)	Analyte: CD4 Positive Lymphocytes (1116)
Beckman Synchron CX 7 Delta (07764)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC ENA Screen(6)(SS-A,SS-B,Sm,Sm/RNP,Scl-70,Jo-1) (25248)	<i>Test System, Assay, Examination:</i> Biometric Imaging IMAGN 2000 (absolute count) (07599)
Bio-Chem Laboratory Systems ATAC 8000 (07658)	Analyte: Anti-Jo-1 (0438)	Biometric Imaging Volumet 1000 (absolute count) (07735)
Boehringer Mannheim Hitachi 917 (07765)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-Jo-1 (25253)	Analyte: CD8 Positive Lymphocytes (1118)
Johnson & Johnson CDI Ektachem 250 (31019)	Analyte: Anti-RNP-Sm Antibodies (0502)	<i>Test System, Assay, Examination:</i> Biometric Imaging IMAGN 2000 (absolute count) (07599)
Johnson & Johnson CDI Ektachem 400 (31020)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-Sm/RNP (25255)	Biometric Imaging Volumet 1000 (absolute count) (07735)
Johnson & Johnson CDI Ektachem 500 (31021)	Analyte: Anti-SS-A/Ro (0446)	Analyte: Complement C3 (1029)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-SS-A (25247)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 917 (07765)
Johnson & Johnson CDI Ektachem 700 (31023)	Analyte: Anti-SS-B/La (0447)	Roche Cobas INTEGRA (55179)
Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-SS-B (25249)	Analyte: Complement C4 (1030)
Johnson & Johnson CDI Ektachem 700 P (31025)	Analyte: Anti-Scl-70 (0448)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 917 (07765)
Johnson & Johnson CDI Ektachem 700 XR (31026)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-Scl-70 (25252)	Roche Cobas INTEGRA (55179)
Johnson & Johnson CDI Ektachem 750 XRC (31027)	Analyte: Anti-Sm (Smith) (0450)	Analyte: Complement Total (1046)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-Sm (25254)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 704 (07161)
Johnson & Johnson CDI Ektachem DT 60 (31029)	Analyte: Anti-Streptolysin O (ASO) (0452)	Boehringer Mannheim Hitachi 717 (07163)
Johnson & Johnson CDI Ektachem DT II (31030)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	Boehringer Mannheim Hitachi 747 (07166)
Roche Cobas INTEGRA (55179)	Analyte: Anti-Sl-70 (0448)	Boehringer Mannheim Hitachi 917 (07765)
Select Medical Systems Selecta 20/60 (58349)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 5 Delta (07763)	Instrumentation Laboratory ILAB 1800 (28323)
Analyte: Vitamin B12 (6707)	Analyte: Anti-Sl-70 (0448)	Instrumentation Laboratory ILAB 900 (28322)
<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 911 (07377)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 7 Delta (07764)	Olympus AU 800 (46110)
PB Diagnostics Systems OPUS (49001)	Analyte: Anti-Sl-70 (0448)	Olympus Reply/AU560 (46129)
BB Diagnostics Systems OPUS Magnum (49097)	<i>Test System, Assay, Examination:</i> Immunostics immuno/aSO (qualitative) (28427)	Roche Cobas FARA II (55041)
BB Diagnostics Systems OPUS PLUS (49098)	Analyte: Anti-Sl-70 (0448)	Roche Cobas Mira (55044)
Schiapparelli Biosystems ACE (58288)	<i>Test System, Assay, Examination:</i> Immunostics immuno/aSO (semi-quantitative) (28426)	Wako Diagnostics 30R (70002)
Analyte: pH, Urine (4978)	Analyte: Anti-Sl-70 (0448)	Analyte: Febrile Agglutinins (1901)
<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 704 (DRI pH-Detect) (07750)	<i>Test System, Assay, Examination:</i> Olympus AU 800 (46110)	<i>Test System, Assay, Examination:</i> Immunostics immuno/febrile antigens (rapid slide test) (28430)
Boehringer Mannheim Hitachi 717 (DRI pH-Detect) (07751)	Analyte: Anti-Sl-70 (0448)	Immunostics immuno/febrile antigens (test tube titration) (28431)
Boehringer Mannheim Hitachi 747 (DRI pH-Detect) (07752)	<i>Test System, Assay, Examination:</i> Olympus Reply (46089)	SA Scientific SAS Febrile Antigen Set (slide) (58391)
Boehringer Mannheim Hitachi 747 (STC Auto-Lyte) (07767)	Analyte: Anti-Thyroglobulin Antibodies (0453)	SA Scientific SAS Febrile Antigen Set (tube) (58392)
	<i>Test System, Assay, Examination:</i> Roche Cobas INTEGRA (55179)	

Analyte: Helicobacter Pylori Antibodies (2513)	Immunostics immuno/ra (screening) (28423)	Medical Laboratory MLA Electra 1400C (40208)
<i>Test System, Assay, Examination:</i> Cortec Ltd Helisal Rapid Blood Test (10317)	Immunostics immuno/ra (semi-quantitative) (28422)	Analyte: Hematocrit (2514)
Orion Diagnostica Pyloriset Dry (46157)	Olympus AU 800 (46110)	<i>Test System, Assay, Examination:</i> AVL OMNI Combi Analyzer (04609)
Quidel QuickVue One-Step H. pylori Test (52027)	Olympus Reply (46089)	Becton Dickinson QBC AccuRead (07747)
Washington Biotechnology PS II (70172)	Polymedco Rheumatoid Factors (RF) Latex Agglutination (49157)	BioChem Immunosystems Baker System 9100+ (07711)
Analyte: Hepatitis B Surface Antigen (HBsAg) (2524)	Shared Systems Chromalex Rheumatoid Factor Latex Test Sys. (58382)	BioChem Immunosystems Baker System 9110+ (07712)
<i>Test System, Assay, Examination:</i> Abbott IMX (04056)	Analyte: Rubella Antibodies (5510)	BioChem Immunosystems Baker System 9118+ (07713)
Analyte: Immunoglobulins IgA (2803)	<i>Test System, Assay, Examination:</i> Abbott AxSYM Rubella IgM (04630)	BioChem Immunosystems Baker System 9120+ (07714)
<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	Abbott IMX Rubella IgM (04638)	Coulter MD II Series Analyzer (10318)
Beckman Synchron CX 5 Delta (07763)	Sanofi Pasteur Access Immunoassay System (58257)	Instrumentation Laboratory IL BGGE (IL 1660) (28438)
Beckman Synchron CX 7 Delta (07764)	Serodyn ColorSlide Rubella (58369)	Nova Stat Profile Ultra A (43108)
Boehringer Mannheim Hitachi 917 (07765)	Technicon Immuno 1 Rubella IgG (61227)	Nova Stat Profile Ultra B (43109)
Olympus AU 800 (46110)	Worldwide Medical First Check Rubella (70183)	Nova Stat Profile Ultra C (43110)
Roche Cobas INTEGRA (55179)	Analyte: Thyroid Peroxidase Autoantibodies (TPO) (6135)	Nova Stat Profile Ultra E (43112)
Analyte: Immunoglobulins IgE (2805)	<i>Test System, Assay, Examination:</i> Organon Teknika AuraFlex (46152)	Nova Stat Profile Ultra F (43115)
<i>Test System, Assay, Examination:</i> Pharmacia CAP System/AutoCap Phadiatop FEIA (49158)	Analyte: Toxoplasma Gondii Antibodies (6113)	Nova Stat Profile Ultra G (43116)
Analyte: Immunoglobulins IgG (2806)	<i>Test System, Assay, Examination:</i> Abbott IMX Toxo IgG (04639)	Nova Stat Profile Ultra H (43117)
<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	Abbott IMX Toxo IgM (04593)	Nova Stat Profile Ultra I (43118)
Beckman Synchron CX 5 Delta (07763)	Cirrus Diagnostics Immulite (10159)	Nova Stat Profile Ultra J (43119)
Beckman Synchron CX 7 Delta (07764)	Sanofi Pasteur Access Immunoassay System Toxo IgG (58376)	Nova Stat Profile Ultra K (43120)
Boehringer Mannheim Hitachi 917 (07765)	Analyte: Troponin-I (Cardiac) (6153)	Roche Cobas MICROS CT16 (55175)
Olympus AU 800 (46110)	<i>Test System, Assay, Examination:</i> Baxter Stratus II (07051)	Roche Cobas MICROS CT18 (55177)
Roche Cobas INTEGRA (55179)	Baxter Stratus II intellect (07376)	Roche Cobas MICROS CT5 (55171)
Analyte: Immunoglobulins IgM (2808)	PB Diagnostics Systems OPUS (49001)	Roche Cobas MICROS CT8 (55173)
<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	PB Diagnostics Systems OPUS Magnum (49097)	Roche Cobas MICROS OT16 (55176)
Beckman Synchron CX 5 Delta (07763)	PB Diagnostics Systems OPUS PLUS (49098)	Roche Cobas MICROS OT18 (55178)
Beckman Synchron CX 7 Delta (07764)	<i>Specialty/Subspecialty: Hematology</i>	Roche Cobas MICROS OT5 (55172)
Boehringer Mannheim Hitachi 917 (07765)	Analyte: APTT Factor Substitution (0517)	Roche Cobas MICROS OT8 (55174)
Olympus AU 800 (46110)	<i>Test System, Assay, Examination:</i> Medical Laboratory MLA Electra 1400C (40208)	SenDx 100 pH, Blood Gas and Electrolyte Analysis System (58390)
Roche Cobas INTEGRA (55179)	Analyte: Activated Partial Thromboplastin Time (APTT) (0409)	Sysmex F-520 (58370)
Analyte: Infectious Mononucleosis Antibodies (Mono) (2809)	<i>Test System, Assay, Examination:</i> Bio/Data Microsample Coagulation Analyzer, MCA 310 (07597)	Sysmex F-820 (58371)
<i>Test System, Assay, Examination:</i> Immunostics immuno/color-im Test (28432)	Cardiovascular Diagnostics TAS Analyzer HMT (10279)	Sysmex SF-3000 (58360)
Immunostics immuno/lex-im Test (28433)	Instrumentation Laboratory IL ACL Futura System (28395)	Texas International Laboratories Hematil 18 (61205)
Worldwide Medical First Check Mono (70189)	Medical Laboratory MLA Electra 1400C (40208)	Analyte: Hemoglobin (2515)
Analyte: Lyme Disease Antibodies (Borrelia Burgdorferi Abs) (3714)	Analyte: Coagulation Index, Native Whole Blood (1130)	<i>Test System, Assay, Examination:</i> AVL OMNI Combi Analyzer (04609)
<i>Test System, Assay, Examination:</i> General Biometrics ImmunoDOT Borrelia DotBlot G Test (22178)	<i>Test System, Assay, Examination:</i> Haemoscope Thromboelastograph 3000S (TEG 3000S) (25257)	American Optical AO Hb-Meter Hemoglobinometer (04620)
General Biometrics ImmunoDOT Borrelia DotBlot M Test (22177)	Analyte: Fibrinogen (1905)	Becton Dickinson QBC AccuRead (07747)
Vitek Systems VIDAS Lyme IgG and IgM (LYT) (67097)	<i>Test System, Assay, Examination:</i> Bio/Data Microsample Coagulation Analyzer, MCA 310 (07597)	BioChem Immunosystems Baker System 9100+ (07711)
Analyte: Mycoplasma pneumoniae Antibodies (4016)	Cardiovascular Diagnostics TAS Analyzer HMT (10279)	BioChem Immunosystems Baker System 9110+ (07712)
<i>Test System, Assay, Examination:</i> Shared Systems M. pneumoniae Rapid Latex (qualitative) (58355)	Instrumentation Laboratory IL ACL Futura System (28395)	BioChem Immunosystems Baker System 9118+ (07713)
Shared Systems M. pneumoniae Rapid Latex (semi-quant.) (58356)	Medical Laboratory MLA Electra 1400C (40208)	BioChem Immunosystems Baker System 9120+ (07714)
Analyte: Rheumatoid Factor (RF) (5508)	Analyte: Coagulation Index, Native Whole Blood (1130)	Coulter MD II Series Analyzer (10318)
<i>Test System, Assay, Examination:</i> Hycor HY-TEC Anti-RF (25250)	<i>Test System, Assay, Examination:</i> Haemoscope Thromboelastograph 3000S (TEG 3000S) (25257)	Danam Datacell 18MS (13356)
	Analyte: Fibrinogen (1905)	Instrumentation Laboratory IL682 CO-Oximeter System (28368)
	<i>Test System, Assay, Examination:</i> Bio/Data Microsample Coagulation Analyzer, MCA 310 (07597)	Johnson & Johnson CDI Ektachem DT 60 (31029)
	Instrumentation Laboratory IL ACL Futura System (28395)	Radiometer ABL 620 (55137)
		Radiometer ABL System 615 (55197)
		Radiometer ABL System 625 (55198)
		Radiometer OSM 3 (55059)
		Roche Cobas MICROS CT16 (55175)
		Roche Cobas MICROS CT18 (55177)
		Roche Cobas MICROS CT5 (55171)
		Roche Cobas MICROS CT8 (55173)
		Roche Cobas MICROS OT16 (55176)
		Roche Cobas MICROS OT18 (55178)
		Roche Cobas MICROS OT5 (55172)
		Roche Cobas MICROS OT8 (55174)

Sysmex F-520 (58370)	BioChem Immunosystems Baker System 9110+ (07712)	BioChem Immunosystems Baker System 9110+ (07712)
Sysmex F-820 (58371)	BioChem Immunosystems Baker System 9118+ (07713)	BioChem Immunosystems Baker System 9118+ (07713)
Sysmex SF-3000 (58360)	BioChem Immunosystems Baker System 9120+ (07714)	BioChem Immunosystems Baker System 9120+ (07714)
Texas International Laboratories Hematil 18 (61205)	Coulter MD II Series Analyzer (10318)	Coulter MD II Series Analyzer (10318)
Analyte: Leukocytes, Fecal (3723)	Danam Datacell 18MS (13356)	Danam Datacell 18MS (13356)
<i>Test System, Assay, Examination:</i>	Roche Cobas MICROS CT16 (55175)	Roche Cobas MICROS CT16 (55175)
All Methylene Blue Wet Mount Preps for Fecal Leukocytes (04657)	Roche Cobas MICROS CT18 (55177)	Roche Cobas MICROS CT18 (55177)
Analyte: Lupus Anticoagulants (3728)	Roche Cobas MICROS CT5 (55171)	Roche Cobas MICROS CT5 (55171)
<i>Test System, Assay, Examination:</i>	Roche Cobas MICROS CT8 (55173)	Roche Cobas MICROS CT8 (55173)
Bio/Data Microsample Coagulation Analyzer, MCA 310 (07597)	Roche Cobas MICROS OT16 (55176)	Roche Cobas MICROS OT16 (55176)
Analyte: Platelet Aggregation (4928)	Roche Cobas MICROS OT18 (55178)	Roche Cobas MICROS OT18 (55178)
<i>Test System, Assay, Examination:</i>	Roche Cobas MICROS OT5 (55172)	Roche Cobas MICROS OT5 (55172)
Centocor AggreStat (10328)	Roche Cobas MICROS OT8 (55174)	Roche Cobas MICROS OT8 (55174)
Analyte: Platelet Count (4908)	Sysmex F-520 (58370)	Sysmex F-520 (58370)
<i>Test System, Assay, Examination:</i>	Sysmex F-820 (58371)	Sysmex F-820 (58371)
Becton Dickinson QBC AccuRead (07747)	Sysmex SF-3000 (58360)	Sysmex SF-3000 (58360)
BioChem Immunosystems Baker System 9100+ (07711)	Texas International Laboratories Hematil 18 (61205)	Texas International Laboratories Hematil 18 (61205)
BioChem Immunosystems Baker System 9110+ (07712)	Analyte: Reticulocyte Count (5506)	<i>Specialty/Subspecialty: Mycology</i>
BioChem Immunosystems Baker System 9118+ (07713)	<i>Test System, Assay, Examination:</i>	Analyte: Yeast, C. Albicans Only (7602)
BioChem Immunosystems Baker System 9120+ (07714)	Abbott Cell-Dyn 3500 R (04666)	<i>Test System, Assay, Examination:</i>
Coulter MD II Series Analyzer (10318)	Becton Dickinson FACSCalibur (with retic count software) (07640)	BioMerieux Vitek Albicans ID (07773)
Danam Datacell 18MS (13356)	Becton Dickinson FACSort (with retic count software) (07638)	<i>Specialty/Subspecialty: Toxicology / TDM</i>
Roche Cobas MICROS CT16 (55175)	Analyte: Semen (5822)	Analyte: Acetaminophen (0406)
Roche Cobas MICROS CT18 (55177)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
Roche Cobas MICROS CT8 (55173)	Medical Electronic Systems Sperm Quality Analyzer (40221)	Abbott AxSYM (04532)
Roche Cobas MICROS OT16 (55176)	Analyte: Thrombin Time (6105)	Johnson & Johnson CDI Ektachem 250 (31019)
Roche Cobas MICROS OT18 (55178)	<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 500 (31021)
Roche Cobas MICROS OT8 (55174)	Bio/Data Microsample Coagulation Analyzer, MCA 310 (07597)	Johnson & Johnson CDI Ektachem 550 XRC (31022)
Sysmex F-820 (58371)	Medical Laboratory MLA Electra 1400C (40208)	Johnson & Johnson CDI Ektachem 700 (31023)
Sysmex SF-3000 (58360)	Analyte: White Blood Cell Count (Leukocyte Count) (WBC) (7002)	Johnson & Johnson CDI Ektachem 750 XRC (31027)
Texas International Laboratories Hematil 18 (61205)	<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 950 IRC (31028)
Analyte: Prothrombin Time (PT) (4922)	BioChem Immunosystems Baker System 9100+ (07711)	Roche Cobas INTEGRA (55179)
<i>Test System, Assay, Examination:</i>	BioChem Immunosystems Baker System 9110+ (07712)	Analyte: Amikacin (0425)
Bio/Data Microsample Coagulation Analyzer, MCA 310 (07597)	BioChem Immunosystems Baker System 9118+ (07713)	<i>Test System, Assay, Examination:</i>
Instrumentation Laboratory IL ACL Futura System (28395)	BioChem Immunosystems Baker System 9120+ (07714)	Roche Cobas INTEGRA (55179)
International Technidyne Factor VI Pt+ (28360)	Coulter MD II Series Analyzer (10318)	Analyte: Amphetamines (0428)
International Technidyne Hemochron 400 HNPT (28355)	Danam Datacell 18MS (13356)	<i>Test System, Assay, Examination:</i>
International Technidyne Hemochron 401 HNPT (28356)	Roche Cobas MICROS CT16 (55175)	Beckman Synchron CX 4 (CEDIA DAU/ automated curve) (07754)
International Technidyne Hemochron 800 HNPT (28357)	Roche Cobas MICROS CT18 (55177)	Beckman Synchron CX 4 Delta (07762)
International Technidyne Hemochron 8000 HNPT (28359)	Roche Cobas MICROS CT5 (55171)	Beckman Synchron CX 5 (CEDIA DAU/ automated curve) (07755)
International Technidyne Hemochron 801 HNPT (28358)	Roche Cobas MICROS CT8 (55173)	Beckman Synchron CX 5 Delta (07763)
International Technidyne ProTIME Microcoagulation System (28387)	Roche Cobas MICROS OT16 (55176)	Beckman Synchron CX 7 (CEDIA DAU/ automated curve) (07756)
Medical Laboratory MLA Electra 1400C (40208)	Roche Cobas MICROS OT18 (55178)	Beckman Synchron CX 7 Delta (07764)
Analyte: Prothrombin Time Factor Substitution (4976)	Roche Cobas MICROS OT5 (55172)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)
<i>Test System, Assay, Examination:</i>	Roche Cobas MICROS OT8 (55174)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)
Medical Laboratory MLA Electra 1400C (40208)	Sysmex F-520 (58370)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)
Analyte: Red Blood Cell Count (Erythrocyte Count) (RBC) (5502)	Sysmex F-820 (58371)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)
<i>Test System, Assay, Examination:</i>	Sysmex SF-3000 (58360)	Boehringer Mannheim Hitachi 917 (07765)
BioChem Immunosystems Baker System 9100+ (07711)	Texas International Laboratories Hematil 18 (61205)	Du Pont Dimension AR (13087)
Analyte: White Blood Cell Differential (WBC Diff) (7001)	Analyte: White Blood Cell Differential (WBC Diff) (7001)	Du Pont Dimension XL (13355)
<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>	Fingerprint Biotech FINGERPRINT-DOA Screening Device (19023)
Becton Dickinson QBC AccuRead (07747)	BioChem Immunosystems Baker System 9100+ (07711)	Olympus AU 5000 (CEDIA DAU/ automated curve) (46217)
BioChem Immunosystems Baker System 9100+ (07711)		Princeton BioMeditech AbuSign AMP (49150)
		Princeton BioMeditech AccuSign AMP (49152)

Princeton BioMeditech BioSign AMP (49153)	Boehringer Mannheim FRONTLINE CANNABIS (07771)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)
Princeton BioMeditech DOA-AMP (49151)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)
Roche Cobas INTEGRA (55179)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)	Boehringer Mannheim Hitachi 917 (07765)
Worldwide Medical First Check AMP (70187)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)	Du Pont Dimension AR (13087)
Worldwide Medical First Check Panel 4 (TCH/OPI/COC/AMP) (70188)	Boehringer Mannheim Hitachi 911 (07377)	Du Pont Dimension XL (13355)
Analyte: Barbiturates (0701)	Boehringer Mannheim Hitachi 911 (07377)	Fingerprint Biotech FINGERPRINT-DOA Screening Device (19023)
<i>Test System, Assay, Examination:</i>	Boehringer Mannheim Hitachi 911 (07377)	Olympus AU 5000 (CEDIA DAU/automated curve) (46217)
Abbott AxSYM (04532)	Boehringer Mannheim Hitachi 917 (07765)	Princeton BioMeditech AbuSign DOA 2 (THC/COC) (49160)
Beckman Synchron CX 4 (CEDIA DAU/automated curve) (07754)	Du Pont Dimension AR (13087)	Princeton BioMeditech AbuSign DOA 3 (THC/OPI/COC) (49161)
Beckman Synchron CX 4 Delta (07762)	Du Pont Dimension XL (13355)	Princeton BioMeditech AbuSign DOA 4 (THC/OPI/COC/MET) (49162)
Beckman Synchron CX 5 (CEDIA DAU/automated curve) (07755)	Fingerprint Biotech FINGERPRINT-DOA Screening Device (19023)	Roche Cobas INTEGRA (55179)
Beckman Synchron CX 5 Delta (07763)	Olympus AU 5000 (CEDIA DAU/automated curve) (46217)	Sun Biomedical Labs Visualine II Cocaine (58361)
Beckman Synchron CX 7 (CEDIA DAU/automated curve) (07756)	Princeton BioMeditech AbuSign DOA 2 (THC/COC) (49160)	Technical Chem. & Prod. One Step Urine DoA Cocaine (61208)
Beckman Synchron CX 7 Delta (07764)	Princeton BioMeditech AbuSign DOA 3 (THC/OPI/COC) (49161)	Worldwide Medical First Check COC (70184)
Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)	Princeton BioMeditech AbuSign DOA 4 (THC/OPI/COC/MET) (49162)	Worldwide Medical First Check Panel 2 (THC/COC) (70179)
Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)	Roche Cobas INTEGRA (55179)	Worldwide Medical First Check Panel 3 (THC/OPI/COC) (70180)
Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)	Sun Biomedical Labs Visualine II Cannabinoids (58364)	Worldwide Medical First Check Panel 4 (TCH/OPI/COC/AMP) (70188)
Boehringer Mannheim Hitachi 911 (07377)	Worldwide Medical First Check Panel 2 (THC/COC) (70179)	Worldwide Medical First Check Panel 4 (THC/OPI/COC/MET) (70178)
Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)	Worldwide Medical First Check Panel 3 (THC/OPI/COC) (70180)	Analyte: Digitoxin (1303)
Boehringer Mannheim Hitachi 917 (07765)	Worldwide Medical First Check Panel 4 (TCH/OPI/COC/AMP) (70188)	<i>Test System, Assay, Examination:</i>
Du Pont Dimension AR (13087)	Worldwide Medical First Check Panel 4 (THC/OPI/COC/MET) (70178)	Abbott AxSYM (04532)
Du Pont Dimension XL (13355)	Worldwide Medical First Check THC (70185)	Analyte: Digoxin (1304)
Olympus AU 5000 (CEDIA DAU/automated curve) (46217)	Analyte: Carbamazepine (1010)	<i>Test System, Assay, Examination:</i>
Roche Cobas INTEGRA (55179)	<i>Test System, Assay, Examination:</i>	Abbott IMX (04056)
Analyte: Benzodiazepines (0702)	Beckman Synchron CX 4 Delta (07762)	Beckman Synchron CX 4 (Emit 2000) (07675)
<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 5 Delta (07763)	Beckman Synchron CX 4 CE (Emit 2000) (07677)
Beckman Synchron CX 4 (CEDIA DAU/automated curve) (07754)	Beckman Synchron CX 7 Delta (07764)	Beckman Synchron CX 4 Delta (07762)
Beckman Synchron CX 4 Delta (07762)	Boehringer Mannheim Hitachi 747 (07166)	Beckman Synchron CX 5 (Emit 2000) (07679)
Beckman Synchron CX 5 (CEDIA DAU/automated curve) (07755)	Boehringer Mannheim Hitachi 917 (07765)	Beckman Synchron CX 5 CE (Emit 2000) (07681)
Beckman Synchron CX 5 Delta (07763)	Olympus AU 5000 (46001)	Beckman Synchron CX 5 Delta (07763)
Beckman Synchron CX 7 (CEDIA DAU/automated curve) (07756)	Olympus AU 5200 (46143)	Beckman Synchron CX 7 (Emit 2000) (07683)
Beckman Synchron CX 7 Delta (07764)	Roche Cobas INTEGRA (55179)	Beckman Synchron CX 7 Delta (07764)
Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)	Analyte: Carboxyhemoglobin (1012)	Bio-Chem Laboratory Systems ATAC 8000 (07658)
Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)	<i>Test System, Assay, Examination:</i>	Boehringer Mannheim Hitachi 704 (Emit 2000) (07669)
Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)	AVL OMNI Combi Analyzer (04609)	Boehringer Mannheim Hitachi 717 (Emit 2000) (07671)
Boehringer Mannheim Hitachi 911 (07377)	Instrumentation Laboratory IL682 CO-Oximeter System (28368)	Boehringer Mannheim Hitachi 911 (Emit 2000) (07673)
Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)	Nova Co-Oximeter (43114)	Boehringer Mannheim Hitachi 917 (07765)
Boehringer Mannheim Hitachi 917 (07765)	Radiometer ABL System 625 (55198)	Du Pont ACA III (DGN A) (13390)
Du Pont Dimension AR (13087)	Analyte: Cocaine Metabolites (1023)	Du Pont ACA IV (DGN A) (13391)
Du Pont Dimension XL (13355)	<i>Test System, Assay, Examination:</i>	Du Pont ACA Star (DGN A) (13400)
Olympus AU 5000 (CEDIA DAU/automated curve) (46217)	Abbott AxSYM (04532)	Du Pont ACA V (DGN A) (13392)
Roche Cobas INTEGRA (55179)	Applied Biotech SureStep Drug Screen Cocaine Test (04665)	Instrumentation Laboratory IL Monarch 1000(IL Test Digoxin) (28400)
Sun Biomedical Labs Visualine II Benzodiazepines (58389)	Beckman Synchron CX 4 (CEDIA DAU/automated curve) (07754)	Instrumentation Laboratory IL Monarch 2000(IL Test Digoxin) (28401)
Analyte: Cannabinoids (THC) (1009)	Beckman Synchron CX 4 Delta (07762)	Instrumentation Laboratory IL Monarch Plus(IL Test Digoxin) (28402)
<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 5 (CEDIA DAU/automated curve) (07755)	Instrumentation Laboratory ILAB 1800 (28323)
Beckman Synchron CX 4 (CEDIA DAU/automated curve) (07754)	Beckman Synchron CX 5 Delta (07763)	Instrumentation Laboratory ILAB 900 (28322)
Beckman Synchron CX 4 Delta (07762)	Beckman Synchron CX 7 (CEDIA DAU/automated curve) (07756)	
Beckman Synchron CX 5 (CEDIA DAU/automated curve) (07755)	Beckman Synchron CX 7 Delta (07764)	
Beckman Synchron CX 5 Delta (07763)	Boehringer Mannheim FRONTLINE COCAINE (07770)	
Beckman Synchron CX 7 (CEDIA DAU/automated curve) (07756)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)	
Beckman Synchron CX 7 Delta (07764)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)	

Johnson & Johnson CDI Ektachem 250 (31019)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Beckman Synchron CX 4 (CEDIA DAU/ automated curve) (07754)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Johnson & Johnson CDI Ektachem 700 P (31025)	Beckman Synchron CX 4 Delta (07762)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Beckman Synchron CX 5 (CEDIA DAU/ automated curve) (07755)
Roche Cobas Mira (Emit 2000) (55166)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Beckman Synchron CX 5 Delta (07763)
Roche Cobas Mira Plus (Emit 2000) (55170)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Beckman Synchron CX 7 (CEDIA DAU/ automated curve) (07756)
Roche Cobas Mira S (Emit 2000) (55168)	Johnson & Johnson CDI Ektachem DT 60 (31029)	Beckman Synchron CX 7 Delta (07764)
Technicon RA 1000 (Bayer Digoxin DGN) (61200)	Johnson & Johnson CDI Ektachem DT II (31030)	Boehringer Mannheim FRONTLINE OPIATES (07772)
Technicon RA 2000 (Bayer Digoxin DGN) (61201)	Johnson & Johnson CDI Ektachem DT SC Module (31031)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)
Technicon RA 500 (Bayer Digoxin DGN) (61202)	Johnson & Johnson CDI Ektachem DTE Module (31033)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)
Technicon RA XT (Bayer Digoxin DGN) (61203)	Roche Cobas INTEGRA (55179)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)
Analyte: Ethanol (Alcohol) (1608)	Analyte: Lysergic Acid Diethylamide (LSD) (3715)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)
<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
Abbott AxSYM (04532)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)
Beckman Synchron CX 4 Delta (07762)	Analyte: Methadone (4003)	Boehringer Mannheim Hitachi 917 (07765)
Beckman Synchron CX 5 Delta (07763)	<i>Test System, Assay, Examination:</i>	Du Pont Dimension AR (13087)
Beckman Synchron CX 7 Delta (07764)	Abbott AxSYM (04532)	Du Pont Dimension XL (13355)
Boehringer Mannheim Hitachi 704 (whole blood) (07738)	Beckman Synchron CX 4 Delta (07762)	Fingerprint Biotech FINGERPRINT—DOA Screening Device (19023)
Boehringer Mannheim Hitachi 717 (whole blood) (07739)	Beckman Synchron CX 5 Delta (07763)	Olympus AU 5000 (CEDIA DAU/ automated curve) (46217)
Boehringer Mannheim Hitachi 737 (whole blood) (07740)	Beckman Synchron CX 7 Delta (07764)	Princeton BioMeditech AbuSign DOA 3 (THC/OPI/COC) (49161)
Boehringer Mannheim Hitachi 747 (whole blood) (07741)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)	Princeton BioMeditech AbuSign DOA 4 (THC/OPI/COC/MET) (49162)
Boehringer Mannheim Hitachi 911 (whole blood) (07742)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)	Roche Cobas INTEGRA (55179)
Boehringer Mannheim Hitachi 914 (whole blood) (07743)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)	Technical Chem. & Prod. One Step Urine DoA Opiate (61207)
Boehringer Mannheim Hitachi 917 (07765)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)	Worldwide Medical First Check MOP (70186)
Johnson & Johnson CDI Ektachem 500 (31021)	Boehringer Mannheim Hitachi 917 (07765)	Worldwide Medical First Check Panel 3 (THC/OPI/COC) (70180)
Johnson & Johnson CDI Ektachem 700 (31023)	Boehringer Mannheim Hitachi 917 (CEDIA DAU/automated curve) (07769)	Worldwide Medical First Check Panel 4 (TCH/OPI/COC/AMP) (70188)
Johnson & Johnson CDI Ektachem 700 XR (31026)	Du Pont Dimension AR (13087)	Worldwide Medical First Check Panel 4 (THC/OPI/COC/MET) (70178)
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Du Pont Dimension XL (13355)	Analyte: Phencyclidine (PCP) (4901)
Roche Cobas INTEGRA (55179)	Roche Cobas INTEGRA (55179)	<i>Test System, Assay, Examination:</i>
Analyte: Ethanol (Alcohol), Whole Blood (1632)	Analyte: Methamphetamine/Amphetamine (4036)	Abbott AxSYM (04532)
<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 4 (CEDIA DAU/ automated curve) (07754)
Boehringer Mannheim Hitachi 917 (07765)	Abbott AxSYM (04532)	Beckman Synchron CX 4 Delta (07762)
Analyte: Gentamicin (2202)	Analyte: Methamphetamine (4004)	Beckman Synchron CX 5 (CEDIA DAU/ automated curve) (07755)
<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 5 Delta (07763)
Beckman Synchron CX 4 Delta (07762)	Princeton BioMeditech AbuSign DOA 4 (THC/OPI/COC/MET) (49162)	Beckman Synchron CX 7 (CEDIA DAU/ automated curve) (07756)
Beckman Synchron CX 5 Delta (07763)	Princeton BioMeditech AccuSign MET (49163)	Beckman Synchron CX 7 Delta (07764)
Beckman Synchron CX 7 Delta (07764)	Worldwide Medical First Check Panel 4 (THC/OPI/COC/MET) (70178)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)
Boehringer Mannheim Hitachi 917 (07765)	Analyte: Methaqualone (4005)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)
Ciba Corning ACS 180 (10046)	<i>Test System, Assay, Examination:</i>	Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)
Roche Cobas INTEGRA (55179)	Beckman Synchron CX 4 Delta (07762)	Boehringer Mannheim Hitachi 911 (07377)
Analyte: Lidocaine (3710)	Beckman Synchron CX 5 Delta (07763)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)
<i>Test System, Assay, Examination:</i>	Beckman Synchron CX 7 Delta (07764)	Boehringer Mannheim Hitachi 917 (07765)
Roche Cobas INTEGRA (55179)	Roche Cobas INTEGRA (55179)	Du Pont Dimension AR (13087)
Analyte: Lithium (3712)	Analyte: N-Acetylprocainamide (NAPA) (4301)	Du Pont Dimension XL (13355)
<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>	Fingerprint Biotech FINGERPRINT—DOA Screening Device (19023)
Johnson & Johnson CDI Ektachem 250 (31019)	Abbott AxSYM (04532)	Olympus AU 5000 (CEDIA DAU/ automated curve) (46217)
Johnson & Johnson CDI Ektachem 400 (31020)	Roche Cobas INTEGRA (55179)	Roche Cobas INTEGRA (55179)
Johnson & Johnson CDI Ektachem 500 (31021)	Analyte: Opiates (4601)	Analyte: Phenobarbital (4902)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
Johnson & Johnson CDI Ektachem 700 (31023)	Abbott AxSYM (04532)	Beckman Synchron CX 4 Delta (07762)
		Beckman Synchron CX 5 Delta (07763)

Beckman Synchron CX 7 Delta (07764)	Johnson & Johnson CDI Ektachem 700 (31023)	DAVSTAR Cen-Slide System (13396)
Boehringer Mannheim Hitachi 917 (07765)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	Dia Sys R/S 1000 (13397)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 XR (31026)	Dia Sys R/S 2000 (13398)
Analyte: Phenytoin (4903)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	Analyte: Urine Qualitative Dipstick
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 950 IRC (31028)	Chemistries (6406)
Beckman Synchron CX 4 Delta (07762)	Olympus AU 5000 (46001)	<i>Test System, Assay, Examination:</i>
Beckman Synchron CX 5 Delta (07763)	Olympus AU 5200 (46143)	Boehringer Mannheim Chemstrip Criterion
Beckman Synchron CX 7 Delta (07764)	Roche Cobas INTEGRA (55179)	Urine Analyzer (07716)
Boehringer Mannheim Hitachi 917 (07765)	Analyte: Theophylline (6104)	<i>Speciality/Subspeciality: Virology</i>
Instrumentation Laboratory ILAB 1800 (28323)	<i>Test System, Assay, Examination:</i>	Analyte: Herpes Simplex (2529)
Instrumentation Laboratory ILAB 900 (28322)	Beckman Synchron CX 4 Delta (07762)	<i>Test System, Assay, Examination:</i>
Johnson & Johnson CDI Ektachem 250 (31019)	Beckman Synchron CX 5 Delta (07763)	Johnson & Johnson CDI SureCell (direct
Johnson & Johnson CDI Ektachem 950 IRC (31028)	Beckman Synchron CX 7 Delta (07764)	antigen/visual) (31063)
Roche Cobas INTEGRA (55179)	Bio-Chem Laboratory Systems ATAC 8000 (07658)	Analyte: Rotavirus (5509)
Analyte: Phenytoin, Free (4904)	Boehringer Mannheim Hitachi 917 (07765)	<i>Test System, Assay, Examination:</i>
<i>Test System, Assay, Examination:</i>	Ciba Corning ACS 180 (10046)	Vitek Systems Vidas (67038)
Roche Cobas FARA II (55041)	Cirrus Diagnostics Immulite (10159)	Complexity: High
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 250 (31019)	<i>Speciality/Subspeciality: Bacteriology</i>
Analyte: Primidone (4912)	Johnson & Johnson CDI Ektachem 500 (31021)	Analyte: Aerobic &/or Anaerobic Organisms-
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 550 XRC (31022)	Unlimited Sources (0412)
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem 700 (31023)	<i>Test System, Assay, Examination:</i>
Analyte: Procainamide (4913)	Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024)	AB Biodisk Etest (including culture)
<i>Test System, Assay, Examination:</i>	Johnson & Johnson CDI Ektachem 700 XR (31026)	(04592)
Abbott AxSYM (04532)	Johnson & Johnson CDI Ektachem 750 XRC (31027)	All Antimicrobial Suscept. (disk diffusion/
PB Diagnostics Systems OPUS Magnum (49097)	Johnson & Johnson CDI Ektachem 950 IRC (31028)	dilution) fr cult (04637)
PB Diagnostics Systems OPUS PLUS (49098)	Johnson & Johnson CDI Ektachem DT II (31030)	All Conventional Organism Identification
Roche Cobas INTEGRA (55179)	Johnson & Johnson CDI Ektachem DT SC Module (31031)	ID from culture (04636)
Analyte: Propoxyphene (4917)	Roche Cobas INTEGRA (55179)	Becton Dickinson BBL CRYSTAL ANR ID System (inc. culture) (07561)
<i>Test System, Assay, Examination:</i>	Analyte: Tobramycin (6112)	Difco DrySlide NEISSERIA (including
Beckman Synchron CX 4 (CEDIA DAU/ automated curve) (07754)	<i>Test System, Assay, Examination:</i>	culture) (13407)
Beckman Synchron CX 4 Delta (07762)	Beckman Synchron CX 4 Delta (07762)	Analyte: Aerobic Organisms From Urine
Beckman Synchron CX 5 (CEDIA DAU/ automated curve) (07755)	Beckman Synchron CX 5 Delta (07763)	Specimens Only (0468)
Beckman Synchron CX 5 Delta (07763)	Beckman Synchron CX 7 Delta (07764)	<i>Test System, Assay, Examination:</i>
Beckman Synchron CX 7 (CEDIA DAU/ automated curve) (07756)	Boehringer Mannheim Hitachi 917 (07765)	Culture Kits, Inc. Uri-Two
Beckman Synchron CX 7 Delta (07764)	Analyte: Tricyclic Antidepressants (6117)	(nonconfirmatory ID) (10333)
Boehringer Mannheim Hitachi 704 (CEDIA DAU/automated curve) (07757)	<i>Test System, Assay, Examination:</i>	Analyte: Chlamydia (1016)
Boehringer Mannheim Hitachi 717 (CEDIA DAU/automated curve) (07758)	Beckman Synchron CX 4 Delta (07762)	<i>Test System, Assay, Examination:</i>
Boehringer Mannheim Hitachi 747 (CEDIA DAU/automated curve) (07759)	Beckman Synchron CX 5 Delta (07763)	Abbott IMX Select (04229)
Boehringer Mannheim Hitachi 911 (07377)	Beckman Synchron CX 7 Delta (07764)	Abbott LCx Chlamydia trachomatis Assay
Boehringer Mannheim Hitachi 911 (CEDIA DAU/automated curve) (07760)	Boehringer Mannheim Hitachi 917 (07765)	(04541)
Boehringer Mannheim Hitachi 917 (07765)	Analyte: Valproic Acid (6701)	DAKO IDEIA Chlamydia Blocking Reagents
Roche Cobas INTEGRA (55179)	<i>Test System, Assay, Examination:</i>	(13322)
Analyte: Quimidine (5202)	Boehringer Mannheim Hitachi 917 (07765)	Sanofi Pasteur Access Immunoassay
<i>Test System, Assay, Examination:</i>	Roche Cobas INTEGRA (55179)	System (58257)
Roche Cobas INTEGRA (55179)	Analyte: Valproic Acid, Free (6702)	Analyte: Enterococcus (1612)
Analyte: Salicylates (5801)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
<i>Test System, Assay, Examination:</i>	Roche Cobas FARA II (55041)	Becton Dickinson Enterococcus Screening
Abbott AxSYM (04532)	Roche Cobas INTEGRA (55179)	Test (inc. culture) (07715)
Beckman Synchron CX 4 Delta (07762)	Analyte: Vancomycin (6703)	Analyte: Escherichia Coli (1604)
Beckman Synchron CX 5 Delta (07763)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
Beckman Synchron CX 7 Delta (07764)	Ciba Corning ACS 180 (10046)	LMD Laboratories E. coli 0157 ELISA
Boehringer Mannheim Hitachi 917 (07765)	Roche Cobas INTEGRA (55179)	Assay (dir. ag/spectro) (37092)
Johnson & Johnson CDI Ektachem 250 (31019)	Analyte: Urinary Sediment Microscopic Elements (6405)	LMD Laboratories E. coli 0157 ELISA
Johnson & Johnson CDI Ektachem 500 (31021)	<i>Speciality/Subspeciality: Urinalysis</i>	Assay (dir. ag/visual) (37091)
Johnson & Johnson CDI Ektachem 550 XRC (31022)	<i>Test System, Assay, Examination:</i>	Meridian Premier EHEC
	Ciba Corning ACS 180 (10046)	(spectrophotometric) (40205)
	Roche Cobas INTEGRA (55179)	Meridian Premier EHEC (visual) (40204)
	<i>Test System, Assay, Examination:</i>	Analyte: Haemophilus Influenzae, Type B (2510)
		<i>Test System, Assay, Examination:</i>
		Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)
		Analyte: Moraxella Catarrhalis (4037)
		<i>Test System, Assay, Examination:</i>

Difco DrySlide CATARRALIS (including culture) (13408)	Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)	Analyte: Estriol-unconjugated (1607)
Analyte: Neisseria Gonorrhoeae (4302)	<i>Speciality/Subspecialty: Endocrinology</i>	<i>Test System, Assay, Examination:</i> Diagnostic Systems ACTIVE Ultra-Sens. Unconjugated Estriol (13409)
<i>Test System, Assay, Examination:</i> Abbott LCx Neisseria gonorrhoeae Assay (04545)	Analyte: 17 Alpha-OH Progesterone (0109)	Analyte: Follicle Stimulating Hormone (FSH) (1908)
Analyte: Neisseria Meningitidis, Group A (4304)	<i>Test System, Assay, Examination:</i> Neometrics ACCUSCREEN 17alpha-hydroxyprogesterone RIA Kit (43105)	<i>Test System, Assay, Examination:</i> Johnson & Johnson CDL Amerlite Analyzer (31016)
<i>Test System, Assay, Examination:</i> Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)	Analyte: 5-Hydroxyindolacetic Acid, Urine (5-HIAA) (0101)	Analyte: HCG, Beta, Serum, Quantitative (2502)
Becton Dickinson Drtgen Neisseria Meningitis (inc. culture) (07727)	<i>Test System, Assay, Examination:</i> Bio-Rad Urinary 5-HIAA by HPLC (07687)	<i>Test System, Assay, Examination:</i> Johnson & Johnson CDL Amerlite Analyzer (31016)
Analyte: Neisseria Meningitidis, Group B (4306)	Analyte: Androstenedione (0460)	Analyte: HCG, Total, Serum, Quantitative (2555)
<i>Test System, Assay, Examination:</i> Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)	<i>Test System, Assay, Examination:</i> Diagnostic Products Corp. Coat-A-Count Dir. Androstenedione (13411)	<i>Test System, Assay, Examination:</i> Diagnostic Systems DSL 8300 ACTIVE INTACT hCG IRMA (13419)
Analyte: Neisseria Meningitidis, Group C (4308)	Analyte: Angiotensin I (0479)	Analyte: HCG, Urine, Quantitative (2534)
<i>Test System, Assay, Examination:</i> Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)	<i>Test System, Assay, Examination:</i> Pharmaceutical Discovery A-I Photodiagnostic (49155)	<i>Test System, Assay, Examination:</i> Johnson & Johnson CDL Amerlite Analyzer (31016)
Becton Dickinson Drtgen Neisseria Meningitis (inc. culture) (07727)	Analyte: Angiotensin II (0520)	Analyte: Human Growth Hormone (GH) (2547)
Analyte: Neisseria Meningitidis, Group W135 (4311)	<i>Test System, Assay, Examination:</i> ALPCO Angiotensin II RIA (04631)	<i>Test System, Assay, Examination:</i> Diagnostic Systems DSL 10-1900 ACTIVE hGH ELISA (13415)
<i>Test System, Assay, Examination:</i> Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)	Analyte: Calcitonin (1041)	Analyte: Insulin-like Growth Factor-1 (IGF-1) (2818)
Becton Dickinson Drtgen Neisseria Meningitis (inc. culture) (07727)	<i>Test System, Assay, Examination:</i> CIS-US ELSA-hCT (10312)	<i>Test System, Assay, Examination:</i> Diagnostic Systems Active IGF-1 ELISA (13381)
Analyte: Neisseria Meningitidis, Group Y (4312)	Nichols Institute Chemiluminescence Calcitonin Assay (43113)	Diagnostic Systems DSL 2800 ACTIVE No-extrac. IGF-1 C-T IRMA (13418)
<i>Test System, Assay, Examination:</i> Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)	Analyte: Catecholamines, Urine (1055)	ImmunoDiagnostic Systems OCTEIA IGF-1 IEMA Kit (28385)
Becton Dickinson Drtgen Neisseria Meningitis (inc. culture) (07727)	<i>Test System, Assay, Examination:</i> Bio-Rad MDMS/CDMS (07778)	Nichols Institute Insulin-Like Growth Factor I (IGF-I,IRMA) (43106)
Analyte: Salmonella (5802)	Analyte: Collagen Type I, C-telopeptides (1131)	Analyte: Insulin-like Growth Factor Bind. Protein3 (IGFBP-3) (2832)
<i>Test System, Assay, Examination:</i> SA Scientific SAS Salmonella H Antisera (including culture) (58363)	<i>Test System, Assay, Examination:</i> Diagnostic Systems DSL 10-1700 ACTIVE CrossLaps ELISA (13416)	<i>Test System, Assay, Examination:</i> Diagnostic Systems Active IGFBP-3 ELISA (13382)
Analyte: Shigella (5804)	Analyte: Collagen Type I, Crosslink Deoxypyridinoline (Dpd) (1127)	Nichols Institute IGFBP-3 Radioimmunoassay Kit (43104)
<i>Test System, Assay, Examination:</i> SA Scientific SAS Shigella Antisera (including culture) (58387)	<i>Test System, Assay, Examination:</i> Metra Biosystems PYRILINKS-D (40251)	Analyte: Luteinizing Hormone (LH) (3713)
Analyte: Staphylococcus (5807)	Analyte: Collagen Type I, Crosslink N-telopeptides (NTx) (1125)	<i>Test System, Assay, Examination:</i> Diagnostic Systems DSL 4600 ACTIVE LH Coated-Tube IRMA (13417)
<i>Test System, Assay, Examination:</i> Murex Staphaurex Plus (including culture) (40200)	<i>Test System, Assay, Examination:</i> Ostex International Osteomark (46193)	Nichols Institute Chemiluminescence LH Assay (43107)
Analyte: Streptococcus Pneumoniae (5808)	Analyte: Collagen Type I, Crosslink Pyridinium (Pyd, Dpd) (1126)	Analyte: Metanephrides, Urine (4025)
<i>Test System, Assay, Examination:</i> Becton Dickinson Drtgen Meningitis Combo (inc. culture) (07726)	<i>Test System, Assay, Examination:</i> Metra Biosystems PYRILINKS (40250)	<i>Test System, Assay, Examination:</i> Bioanalytical Systems Urinary Metanephrite Kit (07686)
Analyte: Streptococcus, Group A (5810)	Metra Biosystems PYRILINKS Polyclonal (40252)	Analyte: Parathyroid Hormone—Intact (4924)
<i>Test System, Assay, Examination:</i> Abbott TestPack +Plus Strep A with OBC (inc. culture) (04626)	Analyte: Cortisol, Urine (Extraction Procedure) (1095)	<i>Test System, Assay, Examination:</i> CIS-US ELSA-PTH (10299)
Becton Dickinson Directigen 1-2-3 Group A Strep (inc cult.) (07662)	<i>Test System, Assay, Examination:</i> Ciba Corning ACS 180 (10046)	Diagnostic Systems Active I-PTH ELISA Kit (13402)
Johnson & Johnson CDI SureCell (including culture) (31065)	Analyte: Dehydroepiandrosterone (DHEA) (1309)	Scantibodies Laboratory Intact PTH Assay (58348)
Analyte: Streptococcus, Group B (5811)	<i>Test System, Assay, Examination:</i> Diagnostic Systems DSL 10-9000 ACTIVE DHEA EIA (13410)	Analyte: Prolactin (4915)
<i>Test System, Assay, Examination:</i>	Analyte: Estradiol (1605)	<i>Test System, Assay, Examination:</i>
	<i>Test System, Assay, Examination:</i> Diagnostic Systems Ultra Sensitive Estradiol RIA (13412)	

Diagnostic Systems DSL 4500 ACTIVE Prolactin Ctd-Tube IRMA (13414)	Analyte: Alanine Aminotransferase (ALT) (SGPT) (0404)	Analyte: Aspartate Aminotransferase (AST) (SGOT) (0405)
Johnson & Johnson CDL Amerlite Analyzer (31016)	<i>Test System, Assay, Examination:</i> HiChem Alanine Transaminase (ALT) Reagent Kit (manual) (25227) Horizon ALT (SGPT) Manual Procedure (25216)	<i>Test System, Assay, Examination:</i> HiChem Aspartate Transaminase (AST) (manual) (25234) Horizon AST (SGOT) Manual Procedure (25215)
Analyte: Testosterone, Free (6122)	MeDiTech Alanine Aminotransferase (ALT) (manual) (40216)	MeDiTech Aspartate Aminotranspherase (AST) (manual) (40241)
<i>Test System, Assay, Examination:</i> Diagnostic Systems ACTIVE Free Testosterone RIA (13393)	Ortho ALT Microwell Test System (manual) (46167)	Analyte: Beta-Alanine (0732)
Analyte: Thyroid Stimulating Hormone (TSH) (Neonatal) (6107)	Analyte: Albumin (0414)	<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)
<i>Test System, Assay, Examination:</i> Diagnostic Products Corp. Coat-A-Count IRMA (13109)	<i>Test System, Assay, Examination:</i> Horizon Serum Albumin Manual Procedure (25204)	Analyte: Bilirubin, Total (0706)
Analyte: Thyroid Stimulating Hormone—High Sens. (TSH-HS) (6108)	Analyte: Alkaline Phosphatase (ALP) (0416)	<i>Test System, Assay, Examination:</i> Horizon Total Bilirubin Manual Procedure (25199)
<i>Test System, Assay, Examination:</i> Johnson & Johnson CDL Amerlite Analyzer (31016)	<i>Test System, Assay, Examination:</i> Horizon Alkaline Phosphatase (pNPP Rate) Manual Procedure (25205)	Analyte: Calcium, Total (1005)
Analyte: Thyroxine (T4) (6109)	MeDiTech Alkaline Phosphatase (ALP) (manual) (40240)	<i>Test System, Assay, Examination:</i> Horizon Calcium (Liquid) Manual Procedure (25208)
<i>Test System, Assay, Examination:</i> Biomerica T4 Microwell EIA (07635)	Analyte: Alkaline Phosphatase Bone Specific (BAP) (0518)	Synermed Calcium (manual) (58375)
Diagnostic Systems DSL-3200 ACTIVE Thyroxine RIA (13406)	<i>Test System, Assay, Examination:</i> Metra Biosystems Alkphase-B (40227)	Analyte: Carbon Dioxide, Total (CO2) (1003)
Analyte: Thyroxine (T4), Neonatal (6123)	Analyte: Alpha-Amino-n-butyric Acid (0512)	<i>Test System, Assay, Examination:</i> Randox Laboratories CO2 (TOTAL) (manual) (55201)
<i>Test System, Assay, Examination:</i> Wallac Oy DELFIA Neonatal Thyroxine (T4) Kit (70168)	<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	TECO Diagnostics Carbon Dioxide (manual) (61150)
Analyte: Thyroxine Binding Globulin (TBG) (6110)	Analyte: Alpha-Hydroxybutyrate Dehydrogenase (HBDH) (0419)	TRACE Scientific CO2-DST (manual) (61212)
<i>Test System, Assay, Examination:</i> Johnson & Johnson CDL Amerlite Analyzer (31016)	<i>Test System, Assay, Examination:</i> TECO Diagnostics HBDH Reagent Set (manual) (61152)	Analyte: Cerebrospinal Fluid (CSF) Protein (1014)
Analyte: Thyroxine, Free (FT4) (6111)	Analyte: Ammonia, Plasma/Serum (0427)	<i>Test System, Assay, Examination:</i> Randox Laboratories Test Kit (manual) (55106)
<i>Test System, Assay, Examination:</i> Johnson & Johnson CDL Amerlite Analyzer (31016)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Ammonia (manual) (07766)	Analyte: Chloride (1018)
Analyte: Triiodothyronine (T3) (6119)	Analyte: Amylase (0429)	<i>Test System, Assay, Examination:</i> Horizon Chloride Manual Procedure (25209)
<i>Test System, Assay, Examination:</i> Biomerica T3 Microwell EIA (07774)	<i>Test System, Assay, Examination:</i> Horizon Amylase Manual Procedure (25207)	Analyte: Cholesterol (1020)
Diagnostic Systems DSL 3100 ACTIVE T3 Coated-Tube RIA (13413)	Analyte: Anserine (0514)	<i>Test System, Assay, Examination:</i> Horizon Cholesterol Manual Procedure (25210)
Analyte: Triiodothyronine, Free (FT3) (6121)	<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Citrulline (1105)
<i>Test System, Assay, Examination:</i> Roche Cobas Core Free T3 EIA (manual) (55135)	Analyte: Apolipoprotein A1 (0462)	<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)
Specialty/Subspecialty: General Chemistry	<i>Test System, Assay, Examination:</i> Horizon Apolipoprotein A-1 (APO A-1) Manual Procedure (25221)	Analyte: Creatine Kinase (CK) (1034)
Analyte: 1-Methylhistidine (0107)	Randox Laboratories Test Kit (manual) (55106)	<i>Test System, Assay, Examination:</i> Horizon Creatine Kinase Manual Procedure (25211)
<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Apolipoprotein B (0457)	MeDiTech Creatine Kinase (CK) (manual) (40220)
Analyte: 3-Methylhistidine (0108)	<i>Test System, Assay, Examination:</i> Horizon Apolipoprotein B (APO B) Manual Procedure (25220)	Analyte: Creatine Kinase MB Fraction (CKMB) (1002)
<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Randox Laboratories Test Kit (manual) (55106)	<i>Test System, Assay, Examination:</i> Horizon Creatine Kinase MB Manual Procedure (25203)
Analyte: Acid Phosphatase (0407)	Analyte: Arginine (0515)	Analyte: Creatinine (1035)
<i>Test System, Assay, Examination:</i> Horizon Acid Phosphatase Manual Procedure (25222)	<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	<i>Test System, Assay, Examination:</i> Chimera CR Perfect Urine Creatinine (manual) (10295)
Analyte: Alanine (0511)	Analyte: Asparagine (0509)	Horizon Creatinine Manual Procedure (25206)
<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Ferritin (1902)

United Biotech UBI MAGIWEL Ferritin Quantitative (64032)	Analyte: Human Hemoglobin in Feces (2565) <i>Test System, Assay, Examination:</i> SmithKline HemeSelect (58403)	Technicon Chem 1 (Genzyme immunosep tube/HDL channel) (61194)
Analyte: Folate, Red Blood Cell (RBC Folate) (1930) <i>Test System, Assay, Examination:</i> Technicon Immuno 1 (manual calculations) (61230)	Analyte: Hydroxyproline (2560) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Lactate Dehydrogenase (LDH) (3701) <i>Test System, Assay, Examination:</i> Horizon Lactate Dehydrogenase (LDH) Manual Procedure (25217) MeDiTech Lactate Dehydrogenase (LD) (manual) (40217)
Analyte: Galactose, Total (2223) <i>Test System, Assay, Examination:</i> ICN ImmuChem Galactose Micowell Enzyme Assay (28390)	Analyte: Iron (2814) <i>Test System, Assay, Examination:</i> Horizon Iron/IBC Manual Procedure (25224)	Analyte: Leucine (3749) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)
Isolab Fluoroscan II Neonatal Chemistry System (28367)	Analyte: Iron Binding Capacity (Post Saturation/Separation) (2815) <i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762) Beckman Synchron CX 5 Delta (07763) Beckman Synchron CX 7 Delta (07764) Boehringer Mannheim Hitachi 917 (07765)	Analyte: Lysine (3750) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)
Analyte: Galactose-1-Phosphate Uridyl Transferase (2215) <i>Test System, Assay, Examination:</i> Isolab Fluoroscan II Neonatal Chemistry System (28367)	Johnson & Johnson CDI Ektachem 250 (31019) Johnson & Johnson CDI Ektachem 400 (31020) Johnson & Johnson CDI Ektachem 500 (31021) Johnson & Johnson CDI Ektachem 550 XRC (31022) Johnson & Johnson CDI Ektachem 700 (31023) Johnson & Johnson CDI Ektachem 700 Analyzer C Series (31024) Johnson & Johnson CDI Ektachem 700 XR (31026) Johnson & Johnson CDI Ektachem 750 XRC (31027) Johnson & Johnson CDI Ektachem 950 IRC (31028)	Analyte: Methionine (4031) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)
Analyte: Gamma Glutamyl Transferase (GGT) (2201) <i>Test System, Assay, Examination:</i> Diagnostic Chemicals GGT Assay Kit (13395)	Analyte: Iron Binding Capacity, Unsat. (UIBC) no pretreat. (2823) <i>Test System, Assay, Examination:</i> Horizon Iron/IBC Manual Procedure (25224) Reagents Applications RAICHEM Test Kit (manual) (55075)	Analyte: Microalbumin (4019) <i>Test System, Assay, Examination:</i> ALPCO ORGenTec Micro-Albumin PIN Assay (04663) Wako Micro-Albumin B (manual) (70173)
HiChem Gamma-GT Reagent Kit (manual) (25182)	Analyte: Isoleucine (2833) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Mucopolysaccharides, Urinary (4038) <i>Test System, Assay, Examination:</i> Glyco FACE Qualitative Urinary Carbohydrate Analysis Kit (22181)
Horizon Gamma Glutamyl Transpeptidase Manual Procedure (25200)	Analyte: Glutamine (2218) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Oligosaccharides, Urinary (4607) <i>Test System, Assay, Examination:</i> Glyco FACE Qualitative Urinary Carbohydrate Analysis Kit (22181)
Analyte: Glucose (2203) <i>Test System, Assay, Examination:</i> HiChem Glucose/HK Reagent Kit (manual) (25235)	Analyte: Glycated Hemoglobin, Total (2221) <i>Test System, Assay, Examination:</i> Horizon Glycohemoglobin Manual Procedure (25219)	Analyte: Phenylalanine (4942) <i>Test System, Assay, Examination:</i> Isolab Fluoroscan II Neonatal Chemistry System (28367)
Horizon Glucose (Hexokinase) Manual Procedure (25219)	Analyte: Glycine (2219) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Waters Pico-Tag Amino Acid Analysis System (70171)
Horizon Glucose (Oxidase) Manual Procedure (25218)	Analyte: Glycated Hemoglobin, Total (2221) <i>Test System, Assay, Examination:</i> Horizon Glycohemoglobin Manual Procedure (25201)	Analyte: Phosphorus (4906) <i>Test System, Assay, Examination:</i> Horizon Inorganic Phosphorus Manual Procedure (25202)
Analyte: Glutamine (2218) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Histidine (2563) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	Analyte: Protein Fractions (4920) <i>Test System, Assay, Examination:</i> Sebia Hydragel Protein Kit (manual) (58367)
Analyte: Glycated Hemoglobin, Total (2221) <i>Test System, Assay, Examination:</i> Horizon Glycohemoglobin Manual Procedure (25201)	Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Bio-Rad MDMS/CDMS (07778)	Analyte: Protein, Total (4921) <i>Test System, Assay, Examination:</i> Horizon Total Protein Manual Procedure (25214)
Analyte: Glycated Hemoglobin (Hgb A1C) (2204) <i>Test System, Assay, Examination:</i> Bio-Rad MDMS/CDMS (07778)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Abbott Vision (Genzyme immunosep tube/HDL channel) (04615)	Analyte: Protein, Total (Urine) (4972) <i>Test System, Assay, Examination:</i> Randox Laboratories Test Kit (manual) (55106)
Analyte: Glycosylated Hemoglobin (Hgb A1C) (2204) <i>Test System, Assay, Examination:</i> Bio-Rad MDMS/CDMS (07778)	Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	Analyte: Taurine (6141) <i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 Delta (07762)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Beckman Synchron CX 5 Delta (07763)	Analyte: Thyroglobulin (6124) <i>Test System, Assay, Examination:</i>
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Beckman Synchron CX 5 Delta (07763)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Beckman Synchron CX 7 Delta (07764)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Beckman Synchron CX 7 Delta (07764)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 917 (07765)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 917 (07765)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem 250 (Genzyme tube/chol slid) (31036)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem 250 (Genzyme tube/chol slid) (31036)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem 500 (Genzyme tube/chol slid) (31043)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem 500 (Genzyme tube/chol slid) (31043)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem 700 (Genzyme tube/chol slid) (31048)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem 700 (Genzyme tube/chol slid) (31048)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem DT 60 (Genzyme tube/HDLslid) (31058)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Johnson & Johnson CDI Ektachem DT 60 (Genzyme tube/HDLslid) (31058)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Kodak Ektachem 250 (Genzyme immunosep tube/Choles. slide) (34089)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Kodak Ektachem 250 (Genzyme immunosep tube/Choles. slide) (34089)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Kodak Ektachem 500 (Genzyme immunosep tube/Choles. slide) (34090)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Kodak Ektachem 500 (Genzyme immunosep tube/Choles. slide) (34090)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Kodak Ektachem 700 (Genzyme immunosep tube/Choles. slide) (34091)	
Analyte: HDL Cholesterol (2550) <i>Test System, Assay, Examination:</i> Kodak Ektachem 700 (Genzyme immunosep tube/Choles. slide) (34091)	Analyte: LDL Cholesterol (3748) <i>Test System, Assay, Examination:</i> Kodak Ektachem DT 60 (Genzyme immunosep tube/HDL slide) (34092)	

ALPCO ORGenTec PIA Thyroglobulin EIA (04616)	elias usa Varelisa ANA Profile (16110)	Scimedx Anti-PR3 Antibody EIA (computer calculations) (58386)
Analyte: Triglyceride (6118)	Analyte: Anti-DNA Antibodies (0435)	Scimedx Anti-PR3 Antibody EIA (manual calculations) (58385)
<i>Test System, Assay, Examination:</i> Horizon Triglyceride (INT) Manual Procedure (25223)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-dsDNA Elisa Assay (04649)	elias usa Varelisa PR3-ANCA EIA (qualitative) (16124)
MeDiTech Triglycerides (Glycerol Blk (manual) (40218)	ALPCO ORGenTec Anti-dsDNA Pin Immuno Assay (04623)	elias usa Varelisa PR3-ANCA EIA (semi-quantitative) (16123)
Analyte: Tyrosine (6143)	INOVA Diagnostics QUANTA Lite ssDNA SemiQuant. ELISA (28436)	Analyte: Anti-Nuclear Antibodies (ANA) (0441)
<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	MarDx Anti-dsDNA (Immunoglobulin) EIA (40253)	<i>Test System, Assay, Examination:</i> Immuno Concepts HEp-2000 Colorzyme ANA-Ro Test System (28396)
Analyte: Urea (BUN) (6403)	elias usa Varelisa Combined DNA Antibodies (16107)	Roche Image Titer (RIAS) Antinuclear Antibody (ANA) Kit (55199)
<i>Test System, Assay, Examination:</i> HiChem BUN/Urea Reagent Kit (manual) (25259)	elias usa Varelisa dsDNA Antibodies (FARR version) (16100)	TheraTest Laboratories EL-ANAscr (61220)
Horizon Blood Urea Nitrogen (BUN) Manual Procedure (25212)	Analyte: Anti-ENA Antibodies (0507)	elias usa Varelisa ANA-Screen (4) (16111)
MeDiTech Blood Urea Nitrogen (manual) (40219)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec ENAScreen (SS-A,SS-B,Sm,RNP/Sm,Scl-70,Jo1) (04650)	Analyte: Anti-Parietal Cell Antibodies (0442)
Randox Laboratories Test Kit (manual) (55106)	ALPCO ORGenTec ENAscreen PIN Immuno Assay (04656)	<i>Test System, Assay, Examination:</i> elias usa Varelisa Parietal Cell Abs (qualitative) (16109)
Analyte: Uric Acid (6404)	Helix Diagnostics ENA+Screen (RNP,Sm,SS-A,SS-B,Jo-1) (252241)	elias usa Varelisa Parietal Cell Abs (semi-quantitative) (16108)
<i>Test System, Assay, Examination:</i> Horizon Uric Acid Manual Procedure (25213)	Hemagen ENA Screen 4 Kit (RNP, Sm, SS-A, SS-B) (25228)	Analyte: Anti-Phosphatidylserine Antibodies (0521)
Analyte: Valine (6717)	Hemagen ENA Screen 6 Kit (RNP, Sm, SS-A, SS-B, Scl-70,Jo-1) (25229)	<i>Test System, Assay, Examination:</i> Reads Anti-Phosphatidylserine Semi-Quantitative Test Kit (55186)
<i>Test System, Assay, Examination:</i> Waters Pico-Tag Amino Acid Analysis System (70171)	MarDx ENA EIA Test Kit (40212)	Analyte: Anti-RNP-Sm Antibodies (0502)
Specialty/Subspecialty: General Immunology	Analyte: Anti-Glomerular Basement Membrane (GBM) Antibodies (0524)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-RNP/Sm Pin Immuno Assay (04647)
Analyte: Allergen Specific IgE (0417)	<i>Test System, Assay, Examination:</i> Scimedx GMB Antibody (computer calculations) (58408)	Hemagen RNP-Sm ENA Kit (qualitative) (25189)
<i>Test System, Assay, Examination:</i> Hycor HY-TEC Specific IgE EIA Assay (25175)	Scimedx GMB Antibody (manual calculations) (58409)	Hemagen RNP-Sm ENA Kit (semi-quantitative) (25194)
Hycor Specific IgE EIA (25230)	Analyte: Anti-Histone Antibodies (0437)	elias usa Varelisa ANA Profile (16110)
Analyte: Anti-Cardiolipin Antibodies (0434)	<i>Test System, Assay, Examination:</i> TheraTest Laboratories EL-ANA Profiles Test (61018)	Analyte: Anti-SS-A/Ro (0446)
<i>Test System, Assay, Examination:</i> INOVA Diagnostics QUANTA Lite ACA Screen (HRP) (28406)	elias usa Varelisa Histone Antibodies (qualitative) (16106)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-SS-A(Ro) PIN Immuno Assay (04651)
INOVA Diagnostics QUANTA Lite IgA ACA (HRP) (28407)	elias usa Varelisa Histone Antibodies (semi-quantitative) (16105)	elias usa Varelisa ANA Profile (16110)
INOVA Diagnostics QUANTA Lite IgG ACA (HRP) (28403)	Analyte: Anti-Jo-1 (0438)	Analyte: Anti-SS-B/La (0447)
INOVA Diagnostics QUANTA Lite IgM ACA (28386)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-JO-1 PIN Immuno Assay (04653)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-SS-B(La) Pin Immuno Assay (04648)
Immco Diagnostics Anti-Cardiolipin IgA Antibody (ACA) Test (28329)	Helix Diagnostics Anti-Jo-1 EIA Antibody Test (25231)	elias usa Varelisa ANA Profile (16110)
Immco Diagnostics Anti-Cardiolipin IgG Antibody (ACA) Test (28328)	elias usa Varelisa ANA Profile (16110)	Analyte: Anti-Scl-70 (0448)
Immco Diagnostics Anti-Cardiolipin IgM Antibody (ACA) Test (28327)	Analyte: Anti-Mitochondrial Antibodies (AMTA) (0439)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-Scl 70 PIN Immuno Assay (04652)
Immuno Probe Cardiolipin A EIA (28389)	<i>Test System, Assay, Examination:</i> MarDx Mitochondria EIA Test Kit (40211)	Helix Diagnostics Anti-Scl-70 EIA Antibody Test (25232)
Immuno Probe Cardiolipin G EIA (28437)	Analyte: Anti-Myeloperoxidase (MPO) Antibodies (0505)	TheraTest Laboratories EL-ANA Profiles Test (61018)
Immuno Probe Cardiolipin G,M,A EIA (28405)	<i>Test System, Assay, Examination:</i> INOVA Diagnostics QUANTA Lite MPO ELISA (28439)	Analyte: Anti-Serine Protease 3 (PR3) Antibodies (0522)
Immuno Probe Cardiolipin IgG,M,A EIA Test Kit (28405)	Scimedx MPO Antibody (auto reader w/ data reduction) (58405)	<i>Test System, Assay, Examination:</i> INOVA Diagnostics QUANTA Lite PR3 ELISA (28440)
Immuno Probe Cardiolipin M EIA (28388)	Scimedx MPO Antibody (manual) (58404)	Analyte: Anti-Sm (Smith) (0450)
MarDx Cardiolipin IgA EIA (40247)	elias usa Varelisa MPO-ANCA EIA (qualitative) (16130)	<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-Sm(Smith) Pin Immuno Assay (04646)
MarDx Cardiolipin IgG EIA (40245)	elias usa Varelisa MPO-ANCA EIA (semi-quantitative) (16129)	elias usa Varelisa ANA Profile (16110)
MarDx Cardiolipin IgG,M,A EIA (40244)	Analyte: Anti-Neutrophil Cytoplasm Antibodies (0440)	Analyte: Anti-Thyroglobulin Antibodies (0453)
MarDx Cardiolipin IgM EIA (40246)	<i>Test System, Assay, Examination:</i>	<i>Test System, Assay, Examination:</i>
elias usa Varelisa Cardiolipin Abs Screen (16122)		
Analyte: Anti-Centromere Antibodies (0487)		
<i>Test System, Assay, Examination:</i>		

ALPCO ORGenTec Anti-TG Elisa (04621)	Coulter EPICS Profile II (10219)	MRL Diagnostics EBNA RIFA Antibody Test (40202)
ALPCO ORGenTec Anti-TG PIA (04618)	Coulter EPICS XL (10330)	Zeus EBNA IgG ELISA Test System (79048)
ALPCO ORGenTec Anti-TG/TPO PIA Combikit (04617)	Coulter EPICS XL-MCL (10331)	Zeus EBV-VCA IgM ELISA Test System (79046)
Bayer Serodia-ATG (07695)	Analyte: CD3 (IgG1)/T8 Positive Lymphocytes (1114)	Analyte: Helicobacter Pylori Antibodies (2513)
Fujirebio Serodia-ATG (19024)	<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)	<i>Test System, Assay, Examination:</i> Enteric Products HM-CAP EIA Test (16076)
MarDx Thyroglobulin EIA Test Kit (40235)	Coulter EPICS Profile II (10219)	
Sheild Diagnostics DIASTAT Anti-Tg Kit (qualitative) (58373)	Coulter EPICS XL (10330)	
Sheild Diagnostics DIASTAT Anti-Tg Kit (quantitative) (58372)	Coulter EPICS XL-MCL (10331)	
Analyte: Anti-Thyroid Microsomal Antibodies (AMA) (0455)	Analyte: CD3/CD19/CD45 Positive Lymphocytes (1120)	Analyte: Hepatitis B Surface Antigen (HBsAg) (2524)
<i>Test System, Assay, Examination:</i> Cogent Diagnostics AUTOSTAT II Autoantibody Test Kit (10267)	<i>Test System, Assay, Examination:</i> Becton Dickinson FACScan Flow Cytometer (07497)	<i>Test System, Assay, Examination:</i> Abbott IMX HBsAg Confirmatory (04658)
MarDx Microsomal EIA (40242)	Becton Dickinson FACSort Flow Cytometer (07637)	Analyte: Immunoglobulins IgA (2803)
MarDx Microsomal EIA Test Kit (40242)	Analyte: CD3/CD4/CD45 Positive Lymphocytes (1121)	<i>Test System, Assay, Examination:</i> Randox Laboratories IgA (manual) (55203)
Analyte: Anti-Trypanosoma Cruzi Antibodies (0503)	<i>Test System, Assay, Examination:</i> Becton Dickinson FACScan Flow Cytometer (07497)	Analyte: Immunoglobulins IgE (2805)
<i>Test System, Assay, Examination:</i> Hemagen Chagas' Kit (25159)	Becton Dickinson FACSort Flow Cytometer (07637)	<i>Test System, Assay, Examination:</i> Hycor HY-TEC Total IgE EIA Assay (25174)
Analyte: Anti-U1-snRNP Antibodies (0501)	Analyte: CD3/T4/T8 Positive Lymphocytes (1122)	Analyte: Immunoglobulins IgG (2806)
<i>Test System, Assay, Examination:</i> elias usa Varelisa ANA Profile (16110)	<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)	<i>Test System, Assay, Examination:</i> Randox Laboratories IgG (manual) (55205)
Analyte: B1 positive Lymphocytes (0735)	Coulter EPICS Profile II (10219)	Analyte: Immunoglobulins IgM (2808)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)	Coulter EPICS XL (10330)	<i>Test System, Assay, Examination:</i> Randox Laboratories IgM (manual) (55204)
Coulter EPICS Profile II (10219)	Coulter EPICS XL-MCL (10331)	Analyte: Leukocyte Common Antigen (LCA) (3756)
Coulter EPICS XL (10330)	Analyte: CD4 Protein (1124)	<i>Test System, Assay, Examination:</i> BioTek Sol'n TechMate/ChemMate Spc. Stain LCA-CD45 (tissue) (07538)
Coulter EPICS XL-MCL (10331)	<i>Test System, Assay, Examination:</i> T Cell Diagnostics TRAx CD4 Test Kit (61195)	Analyte: MY4 Positive Lymphocytes (4033)
Analyte: B4 positive Lymphocytes (0736)	Analyte: Complement C1q (1064)	<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)	<i>Test System, Assay, Examination:</i> Kent Radial Immunodiffusion Test (34010)	Coulter EPICS Profile II (10219)
Coulter EPICS Profile II (10219)	Analyte: Complement C5 (1031)	Coulter EPICS XL (10330)
Coulter EPICS XL (10330)	<i>Test System, Assay, Examination:</i> The Binding Site Human Complement C5 RID (61206)	Coulter EPICS XL-MCL (10331)
Coulter EPICS XL-MCL (10331)	Analyte: Complement, Total (1046)	Analyte: Mo2 Positive Lymphocytes (4034)
Analyte: Beta-2 Microglobulin (0703)	<i>Test System, Assay, Examination:</i> Kent Radial Immunodiffusion Test (34010)	<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)
<i>Test System, Assay, Examination:</i> The Binding Site B2 Microglobulin RID Kit (61233)	Analyte: Complement Activation EIA Test System (CAE) (28404)	Coulter EPICS Profile II (10219)
Analyte: C-Reactive Protein (CRP) (1001)	Analyte: Cytomegalovirus Antibodies (1039)	Coulter EPICS XL (10330)
<i>Test System, Assay, Examination:</i> Hemagen CRP 150 EIA (25256)	<i>Test System, Assay, Examination:</i> Centocor CAPTIA CMV-M (10306)	Coulter EPICS XL-MCL (10331)
Analyte: C1-Esterase Inhibitor (C1INH) (1051)	Centocor CAPTIA CMV-TA (EIA) (10300)	Analyte: Rheumatoid Factor (RF) (5508)
<i>Test System, Assay, Examination:</i> Kent Radial Immunodiffusion Test (34010)	Quest International SeraQuest CMV IgG (52030)	<i>Test System, Assay, Examination:</i> TheraTest Laboratories EL-RF/3 (IgM-IgG-IgA) Kit (61157)
Analyte: CD3 (IgG1) Positive Lymphocytes (1111)	Analyte: Epstein-Barr Virus Antibodies (1603)	Analyte: Rubella Antibodies (5510)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)	<i>Test System, Assay, Examination:</i> Granbio Inc. EBNA IgG EIA Kit (22180)	<i>Test System, Assay, Examination:</i> Centocor CAPTIA Rubella-G (10305)
Coulter EPICS Profile II (10219)	Gull Laboratories EBNA IgG (Quantitative) ELISA Test (22168)	Centocor CAPTIA Rubella-M (10304)
Coulter EPICS XL (10330)	Gull Laboratories EBV-EA(D) IgG ELISA (qualitative) (22172)	Analyte: T1 Positive Lymphocytes (6157)
Coulter EPICS XL-MCL (10331)	Gull Laboratories EBV-EA(D) IgG ELISA (quantitative) (22169)	<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)
Analyte: CD3 (IgG1)/B4 Positive Lymphocytes (1112)	Immuno Probe EBNA IgG ELISA (28411)	Coulter EPICS Profile II (10219)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)	Incstar EBNA IgG ELISA (28372)	Coulter EPICS XL (10330)
Coulter EPICS Profile II (10219)	Incstar EBV VCA IgG ELISA (28371)	Coulter EPICS XL-MCL (10331)
Coulter EPICS XL (10330)	Incstar EBV VCA IgM ELISA (28373)	Analyte: T11 Positive Lymphocytes (6146)
Coulter EPICS XL-MCL (10331)		<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)
Analyte: CD3 (IgG1)/T4 Positive Lymphocytes (1113)		Coulter EPICS Profile II (10219)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329)		Coulter EPICS XL (10330)
		Coulter EPICS XL-MCL (10331)

Analyte: T11/B1 Positive Lymphocytes (6147)	Gull Laboratories VZV IgG ELISA Test (22170)	Analyte: Lupus Anticoagulants (3728)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329) Coulter EPICS Profile II (10219) Coulter EPICS XL (10330) Coulter EPICS XL-MCL (10331)	<i>Specialty/Subspecialty: Hematology</i> Analyte: Activated Partial Thromboplastin Time (APTT) (0409)	<i>Test System, Assay, Examination:</i> Becton Dickinson BBL Fibrometer (Am.Diag.DVVtest/DVVconfrm) (07691)
Analyte: T11/B4 Positive Lymphocytes (6148)	<i>Test System, Assay, Examination:</i> Behring Pathromtin SL APTT (manual) (07777) Ortho SynthASil APTT (manual) (46195)	Bio/Data MCA 210 (Am. Diagnostica DVVtest/DVVconfirm) (07692)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329) Coulter EPICS Profile II (10219) Coulter EPICS XL (10330) Coulter EPICS XL-MCL (10331)	Analyte: Alpha-2-Antiplasmin (0463)	Bio/Data MCA 310 (Am. Diagnostica DVVtest/DVVconfirm) (07693)
Analyte: T3 Positive Lymphocytes (6149)	<i>Test System, Assay, Examination:</i> Medical Laboratory MLA Electra 1400C (40208)	Diagnostica Stago ST4 (Am.Diagnostica DVtest/DVVconfirm) (13405)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329) Coulter EPICS Profile II (10219) Coulter EPICS XL (10330) Coulter EPICS XL-MCL (10331)	ANALYTE: Antithrombin III (ATIII) (0456)	General Diagnostics Coag-A-Mate X2 (Am.Diag.DVVtest/confrm) (22179)
Analyte: T4 Positive Lymphocytes (6150)	<i>Test System, Assay, Examination:</i> Helena Laboratories Chrom Z-AT (manual) (25242)	Instrumentation Laboratory IL ACL 300(Am.Diag.DVVtest/cfrm) (28412)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329) Coulter EPICS Profile II (10219) Coulter EPICS XL (10330) Coulter EPICS XL-MCL (10331)	Helena Laboratories PACKS-4 (25029)	Instrumentation Laboratory IL ACL Futura System (28395)
Analyte: T4/T8 Positive Lymphocytes (6151)	Medical Laboratory MLA Electra 1400C (40208)	Medical Laboratory MLA Electra 900C(Am.Diag.DVVtest/confrm) (40230)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329) Coulter EPICS Profile II (10219) Coulter EPICS XL (10330) Coulter EPICS XL-MCL (10331)	Analyte: Coagulation Factors (1044)	Medical Laboratory MLA Electra 1000C(Am.Diag.DVVtest/confrm) (40231)
Analyte: T8 Positive Lymphocytes (6152)	<i>Test System, Assay, Examination:</i> Behring Fibrinometer A (07516)	Analyte: Plasminogen (4907)
<i>Test System, Assay, Examination:</i> Coulter EPICS Profile (10329) Coulter EPICS Profile II (10219) Coulter EPICS XL (10330) Coulter EPICS XL-MCL (10331)	Bio/Data Microsample Coagulation Analyzer, MCA 310 (07597)	<i>Test System, Assay, Examination:</i> Helena Laboratories Chrom Z-PLG (manual) (25240)
Analyte: Thyroid Peroxidase Autoantibodies (TPO) (6135)	Helena Laboratories Chrom Z-Factor VIII:C (manual) (25239)	Helena Laboratories PACKS-4 (25029)
<i>Test System, Assay, Examination:</i> ALPCO ORGenTec Anti-TG/TPO PIA Combikit (04617)	Helena Laboratories PACKS-4 (25029)	Medical Laboratory MLA Electra 1400C (40208)
ALPCO ORGenTec Anti-TPO Elisa (04622)	Medical Laboratory MLA Electra 1400C (40208)	Analyte: Plasminogen Activator Inhibitor (PAI) (4936)
ALPCO ORGenTec Anti-TPO PIA (04619)	Pharmacia Hepar Chromogenix Coamatic Factor VIII (49149)	<i>Test System, Assay, Examination:</i> Medical Laboratory MLA Electra 1400C (40208)
Biomerica Anti-Thyroid Peroxidase (Anti-TPO) ELISA (07728)	Analyte: Coagulation Index, Modified Whole Blood (1128)	Analyte: Platelet Count (4908)
Shield Diagnostics DIASTAT Anti-TPO Kit (qualitative) (58377)	<i>Test System, Assay, Examination:</i> Haemoscope Thromboelastograph 3000S (TEG 3000S) (25257)	<i>Test System, Assay, Examination:</i> Coulter Z1 (10325)
Shield Diagnostics DIASTAT Anti-TPO Kit (semi-quantitative) (58378)	Analyte: Coagulation Index, Modified/Recalcified PRP/PPP (1129)	Analyte: Protein C (4929)
Analyte: Toxoplasma Gondii Antibodies (6113)	<i>Test System, Assay, Examination:</i> Haemoscope Thromboelastograph 3000S (TEG 3000S) (25257)	<i>Test System, Assay, Examination:</i> Helena Laboratories Chrom Z-Protein C (manual) (25237)
<i>Test System, Assay, Examination:</i> BioWhittaker TOXOSTAT Test (07564)	Analyte: Fibrin Split Products (Fibrin Degradation) (1904)	Helena Laboratories PACKS-4 (25029)
Centocor CAPTIA Toxo-G (10308)	<i>Test System, Assay, Examination:</i> AGEN Dimertest Gold EIA (04580)	Medical Laboratory MLA Electra 1400C (40208)
Centocor CAPTIA Toxo-M (10307)	Analyte: Fibrinogen (1905)	Analyte: Protein C Resistance (4973)
Analyte: Treponema pallidum Antibodies (Includes Reagin) (6115)	<i>Test System, Assay, Examination:</i> Bio/Data MCA 210 (von Clauss Methodology) (07696)	<i>Test System, Assay, Examination:</i> Chromogenix COATEST APC Resistance (manual) (10286)
<i>Test System, Assay, Examination:</i> ADI Visuwell Syphilis Antibody (04546)	Bio/Data MCA 310 (von Clauss Methodology) (07697)	Analyte: Protein S (4930)
BIOMIRA Diagnostics Visuwell Reagin II (07688)	Analyte: Heparin (2518)	<i>Test System, Assay, Examination:</i> Diagnostica Stago ASSERACHROM Free Protein S (13404)
Centocor CAPTIA Syphilis-G (10310)	<i>Test System, Assay, Examination:</i> American Bioproducts ROTACHROM HBPM/LMWH (04583)	Diagnostica Stago ASSERACHROM Total Protein S (13403)
Centocor CAPTIA Syphilis-M (10309)	American Bioproducts ROTACHROM Heparin (04584)	Analyte: Prothrombin Time (PT) (4922)
ANALYTE: Varicella-Zoster Virus Antibodies (6704)	American Bioproducts STACHROM Heparin Assay (04560)	<i>Test System, Assay, Examination:</i> Helena Laboratories Thromboplastin Reagent-LI (manual) (25244)
<i>Test System, Assay, Examination:</i>	American Bioproducts STACLOT Heparin (manual) (04582)	Ortho RecombiPlasTin II (manual) (46149)
	Chromogenix COACUTE Heparin (manual) (10313)	Pacific Hemostasis ThromboScreen Thromboplastin-DS (manual) (49154)
		Analyte: Red Blood Cell Count (Erythrocyte Count) (RBC) (5502)
		<i>Test System, Assay, Examination:</i> Coulter Z1 (10325)

Analyte: Reptilase Time (5521)	Gen-Probe AccuProbe—M. tuberculosis complex (inc culture) (22132)	Analyte: Barbiturates (0701)
<i>Test System, Assay, Examination:</i> Biopool Venom Time Reagent (manual) (07737)	Syngene Snap Culture ID Diagnostic Kit/M. tuberculosis cplx (58152)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 (CEDIA DAU/manual curve) (07722)
Analyte: Reticulocyte Count (5506)	<i>Specialty/Subspecialty: Mycology</i>	Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)
<i>Test System, Assay, Examination:</i> Becton Dickinson FACSCalibur Flow Cytometer (07639)	Analyte: Fungi—Fungal Elements Only (1910)	Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)
Becton Dickinson FACSsort Flow Cytometer (07637)	<i>Test System, Assay, Examination:</i> Remel Calcofluor White Stain Kit (55206)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)
Analyte: White Blood Cell Count (Leukocyte Count) (WBC) (7002)	Analyte: Yeast (7601)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)
<i>Test System, Assay, Examination:</i> Coulter Z1 (10325)	<i>Test System, Assay, Examination:</i> Remel Calcofluor White Stain Kit (55206)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)
Analyte: White Blood Cell Differential (WBC Diff) (7001)	<i>Specialty/Subspecialty: Parasitology</i>	Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)
<i>Test System, Assay, Examination:</i> IRIS The White IRIS Leukocyte Differential Analyzer (28408)	Analyte: Acanthamoeba (0523)	Olympus AU 5000 (CEDIA DAU/manual curve) (46212)
Analyte: von Willebrand Factor (6708)	<i>Test System, Assay, Examination:</i> Remel Calcofluor White Stain Kit (55206)	Analyte: Benzodiazepines (0702)
<i>Test System, Assay, Examination:</i> American Diagnostica Rellplate vWF EID Kit (04662)	Analyte: Cryptosporidium (1109)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 (CEDIA DAU/manual curve) (07722)
<i>Specialty/Subspecialty:</i> <i>Mycobacteriology</i>	<i>Test System, Assay, Examination:</i> Alexon ProSpecT Giardia/Crypto.	Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)
Analyte: Mycobacteria (4024)	Microplate (dirAg/spectro) (04655)	Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)
<i>Test System, Assay, Examination:</i> Becton Dickinson BACTEC 9000MB (07746)	Alexon ProSpecT Giardia/Crypto.	Bio-Rad REMEDI HS-Urine
Analyte: Mycobacterium Avium (4008)	Microplate (dirAg/visual) (04654)	Benzodiazepine Assay (07744)
<i>Test System, Assay, Examination:</i> Gen-Probe AccuProbe—M. avium specific (including culture) (22129)	Analyte: Entamoeba Histolytica (1631)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)
Analyte: Mycobacterium Avium Complex (4009)	<i>Test System, Assay, Examination:</i> TechLab Entamoeba Test (spectrophotometer) (61169)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)
<i>Test System, Assay, Examination:</i> DynaGen MycoAKT Kit for M. avium Complex (inc. culture) (13383)	TechLab Entamoeba Test (visual) (61168)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)
Gen-Probe AccuProbe—M. avium complex (including culture) (22128)	Analyte: Giardia lamblia (2222)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)
Syngene Snap Culture ID Diagnostic Kit/M. avium complex (58069)	<i>Test System, Assay, Examination:</i> Alexon ProSpecT Giardia/Crypto.	Olympus AU 5000 (CEDIA DAU/manual curve) (46212)
Analyte: Mycobacterium Gordonae (4011)	Microplate (dirAg/spectro) (04655)	Analyte: Cannabinoids (THC) (1009)
<i>Test System, Assay, Examination:</i> Gen-Probe AccuProbe—M. gordonae (including culture) (22130)	Alexon ProSpecT Giardia/Crypto.	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 (CEDIA DAU/manual curve) (07722)
Analyte: Mycobacterium Intracellulare (4012)	Microplate (dirAg/visual) (04654)	Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)
<i>Test System, Assay, Examination:</i> Gen-Probe AccuProbe—M. intracellularare specific (inc cult) (22131)	TechLab CeLLabs Giardia-Cel IF Test (61218)	Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)
Analyte: Mycobacterium Kansasii (4014)	Trend Scientific Giardia Direct Detection RS Test (61204)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)
<i>Test System, Assay, Examination:</i> DynaGen MycoAKT Kit for M. kansasii (including culture) (13384)	Analyte: Microsporidia (4039)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)
Gen-Probe AccuProbe—M. kansasii (including culture) (22127)	<i>Test System, Assay, Examination:</i> Remel Calcofluor White Stain Kit (55206)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)
Analyte: Mycobacterium Tuberculosis Complex (4015)	Analyte: Pneumocystis (4926)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)
<i>Test System, Assay, Examination:</i> Becton Dickinson BACTEC TB System (NAP Differentiat. Test) (07084)	<i>Test System, Assay, Examination:</i> DAKO Quick Staining Kit for Pneumocystis carinii (13376)	Meco Industries MECTEST Cannabinoid Radioimmunoassay (40234)
Becton Dickinson BACTEC TB System (Susceptibility Test) (07222)	Remel Calcofluor White Stain Kit (55206)	Olympus AU 5000 (CEDIA DAU/manual curve) (46212)
DynaGen MycoAKT Kit for M. tuberculosis Complex (inc. cult) (13385)	<i>Specialty/Subspecialty: Toxicology / TDM</i>	Analyte: Cocaine Metabolites (1023)
	Analyte: Amphetamines (0428)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 (CEDIA DAU/manual curve) (07722)
	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)	Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)
	Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)	Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)
	Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)
	Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)
	Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)
	Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)
	Meco Industries MECTEST Cannabinoid Radioimmunoassay (40234)	
	Olympus AU 5000 (CEDIA DAU/manual curve) (46212)	

Meco Industries MECTEST Cocaine Radioimmunoassay (40232)	Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)	Analyte: Coxsackie B6 Virus (1104)
Olympus AU 5000 (CEDIA DAU/manual curve) (46212)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie B Virus Blend (inc. culture) (37087)
STC Diagnostics Cocaine M-Plate EIA (Sudormed Patch) (58379)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)	Light Diag. MAb Coxsackie B6 Virus (inc. culture) (37079)
Analyte: Digoxin (1304)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)	Analyte: Cytomegalovirus (1038)
<i>Test System, Assay, Examination:</i> Johnson & Johnson CDL Amerlite Analyzer (31016)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)	<i>Test System, Assay, Examination:</i> Biotest Diagnostics CMV Brite (direct antigen) (07661)
Analyte: Drugs of Abuse (1307)	STC Diagnostics PCP M-Plate EIA (Sudormed Patch) (58406)	Analyte: Enterovirus 70 (1625)
<i>Test System, Assay, Examination:</i> Bio-Rad REMEDI HS Drug Profiling System (07604)	Analyte: Propoxyphene (4917)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Enterovirus 70 (inc. culture) (37086)
Analyte: Lysergic Acid Diethylamide (LSD) (3715)	<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 (CEDIA DAU/manual curve) (07722)	Light Diag. MAb Enterovirus Blend (inc. culture) (37084)
<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)	Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)	Analyte: Enterovirus 71 (1626)
STC Diagnostics LSD Micro-Plate EIA (58395)	Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Enterovirus 71 (inc. culture) (37088)
Analyte: Methadone (4003)	Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)	Light Diag. MAb Enterovirus Blend (inc. culture) (37084)
<i>Test System, Assay, Examination:</i> Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)	Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)	Analyte: Herpes Simplex (2529)
Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)	Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)	<i>Test System, Assay, Examination:</i> Diagnostic Hybrids ELVIS HSV Kit (inc. cell culture) (13318)
Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)	Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)	Johnson & Johnson CDI SureCell (including cell culture) (31064)
Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)	<i>Speciality/Subspeciality: Virology</i>	Meridian Premier HSV Plus (direct antigen/spectro.) (40238)
Boehringer Mannheim Hitachi 917 (CEDIA DAU/manual curve) (07768)	Analyte: Coxsackie A24 Virus (1098)	Meridian Premier HSV Plus (direct antigen/visual) (40239)
Analyte: Methamphetamine/Amphetamine (4036)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie A24 Virus (inc. culture) (37073)	Meridian Premier HSV Plus (inc. cell cult./spectro.) (40237)
<i>Test System, Assay, Examination:</i> Sigma SIA Methamphetamine/Amphetamine (58103)	Analyte: Coxsackie A9 Virus (1097)	Meridian Premier HSV Plus (inc. cell cult./visual) (40236)
Analyte: Methphetamines (4004)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie A9 Virus (inc. culture) (37072)	Analyte: Poliovirus 1 (4966)
<i>Test System, Assay, Examination:</i> STC Diagnostics Methamphetamine M-Plate EIA (Sudormed Patch) (58381)	Analyte: Coxsackie B1 Virus (1099)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Poliovirus 1 (inc. culture) (37080)
Analyte: Opiates (4601)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie B Virus Blend (inc. culture) (37087)	Light Diag. MAb Poliovirus Blend (inc. culture) (37083)
<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 (CEDIA DAU/manual curve) (07722)	Light Diag. MAb Coxsackie B1 Virus (inc. culture) (37074)	Analyte: Poliovirus 2 (4967)
Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)	Analyte: Coxsackie B2 Virus (1100)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Poliovirus 2 (inc. culture) (37081)
Beckman Synchron CX 7 (CEDIA DAU/manual curve) (07724)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie B Virus Blend (inc. culture) (37087)	Light Diag. MAb Poliovirus Blend (inc. culture) (37083)
Boehringer Mannheim Hitachi 704 (CEDIA DAU/manual curve) (07718)	Light Diag. MAb Coxsackie B2 Virus (inc. culture) (37075)	Analyte: Poliovirus 3 (4968)
Boehringer Mannheim Hitachi 717 (CEDIA DAU/manual curve) (07719)	Analyte: Coxsackie B3 Virus (1101)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Poliovirus 3 (inc. culture) (37082)
Boehringer Mannheim Hitachi 747 (CEDIA DAU/manual curve) (07720)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie B3 Virus (inc. culture) (37076)	Light Diag. MAb Poliovirus Blend (inc. culture) (37083)
Boehringer Mannheim Hitachi 911 (CEDIA DAU/manual curve) (07721)	Analyte: Coxsackie B4 Virus (1102)	Analyte: Varicella-Zoster Viruses (6705)
Meco Industries MECTEST Opiate Radioimmunoassay (40233)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie B Virus Blend (inc. culture) (37087)	<i>Test System, Assay, Examination:</i> Light Diag. Varicella-zoster Virus Direct IFA (direct Ag) (37104)
Olympus AU 5000 (CEDIA DAU/manual curve) (46212)	Light Diag. MAb Coxsackie B4 Virus (inc. culture) (37077)	Light Diag. Varicella-zoster Virus Direct IFA (inc. cult.) (37105)
STC Diagnostics Opiates M-Plate EIA (Sudormed Patch) (58380)	Analyte: Coxsackie B5 Virus (1103)	Complexity: Waived
Analyte: Phencyclidine (PCP) (4901)	<i>Test System, Assay, Examination:</i> Light Diag. MAb Coxsackie B Virus Blend (inc. culture) (37087)	<i>Speciality/Subspeciality: Bacteriology</i>
<i>Test System, Assay, Examination:</i> Beckman Synchron CX 4 (CEDIA DAU/manual curve) (07722)	Light Diag. MAb Coxsackie B5 Virus (inc. culture) (37078)	Analyte: Helicobacter Pylori (2512)
Beckman Synchron CX 5 (CEDIA DAU/manual curve) (07723)		<i>Test System, Assay, Examination:</i> Serim PyloriTek Test Kit (58338)

Analyte: Streptococcus, Group A (From Throat Only) (5828)	<i>Specialty/Subspecialty: General Chemistry</i>	Analyte: Spun Microhematocrit (9581)
<i>Test System, Assay, Examination:</i> Quidel QuickVue In-Line One-Step Strep A Test (25 test kit) (52036)	Analyte: Body Fluids (Other Than Blood) pH (0731)	<i>Test System, Assay, Examination:</i> StatSpin Technologies CritSpin (58368) Vulcon Technologies Microspin 24 (67098)
<i>Specialty/Subspecialty: Endocrinology</i>	<i>Test System, Assay, Examination:</i> All Qualitative Color Comparison pH Testing (04542)	<i>Specialty/Subspecialty: Urinalysis</i>
Analyte: Ovulation Test (LH) by Visual Color Comparison (9461)	Analyte: Cholesterol (1020)	Analyte: Urine Dipstick or Tablet Analytes, Nonautomated (9641)
<i>Test System, Assay, Examination:</i> Quidel Conceive Ovulation Predictor (52029)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Accu-Chek InstantPlus Cholesterol (07776)	<i>Test System, Assay, Examination:</i> Chemtech Labs URISTRIP (10294)
Syntex Bioresearch BeSure OneStep Ovulation Predictor Kit (58365)	ChemTrak AccuMeter (10165)	Genesis Labs DIA SCREEN Urine Reagent Strips (22176)
Analyte: Urine HCG by Visual Color Comparison Tests (9642)	Cholestech L.D.X. (10170)	TECO Diagnostics Urine Reagent Strips 1 (61151)
<i>Test System, Assay, Examination:</i> 3C Diagnostics MIT One-Step Immediate Pregnancy Test (01001)	Johnson & Johnson ADVANCED CARE Cholesterol Test (31014)	TECO Diagnostics Urine Reagent Strips 8 (61187)
AmeriTek One step dBest Dipstick (04661)	Analyte: Fecal Occult Blood (9191)	TECO Diagnostics Urine Reagent Strips 9 (61219)
AmeriTek One step dBest Disk (04659)	<i>Test System, Assay, Examination:</i> Dipro Diagnostics Hemetect (13308)	<i>Announcement of Boards Approved by HHS</i>
AmeriTek One step dBest Midstream (04660)	Immunostics hema screen (28419)	In the personnel regulations at § 493.1443(b)(3)(i), individuals with an earned doctoral degree in a chemical, physical, biological or clinical laboratory science and certification by a board approved by HHS may qualify as a laboratory director. Under § 493.1455(a), individuals who meet the director qualification requirements of § 493.1443(b)(3)(i) may qualify as a clinical consultant. Under these provisions, four boards have been approved by HHS, and HHS has authority to recognize any certification board having comparable requirements. The American Board of Histocompatibility and Immunogenetics (ABHI) and the American Board of Medical Genetics (ABMG) applied for approval and submitted documentation on the education, training and experience required for certification. Both boards were determined to have credentialing requirements comparable to the boards currently approved by HHS, and ABHI and ABMG were subsequently notified that they meet CLIA requirements for board approval.
Applied Biotech SureStrip hCG Pregnancy Test (04635)	Analyte: Gastric Occult Blood (2211)	In this Notice we are announcing HHS approval of ABHI and ABMG certification to qualify individuals as laboratory directors and clinical consultants under the CLIA regulations. Individuals with a doctoral degree in a chemical, physical, biological or clinical laboratory science and certification by ABHI or ABMG meet the CLIA qualification requirements to serve as a laboratory director or clinical consultant.
Bionike A/Q Pregnancy Test (07636)	<i>Test System, Assay, Examination:</i> SmithKline Gastrococcult (58217)	[FR Doc. 96-17097 Filed 7-5-96; 8:45 am]
Boehringer Mannheim Accu-Stat hCG (07710)	Analyte: Glucose (2203)	BILLING CODE 4163-18-P
Excel Scientific OneStep Urine/Serum hCG Preg Module Test (16133)	<i>Test System, Assay, Examination:</i> Cholestech L.D.X. (10170)	
Horizon Diagnostics Pregna-Plus hCG (25225)	HemoCue B-Glucose System (25112)	
Immunostics immuno hCG Detector Pregnancy Test (28418)	Analyte: Glucose Monitoring Devices (FDA Cleared/Home Use) (9221)	
Immunostics immuno hCG Detector Stix (28417)	<i>Test System, Assay, Examination:</i> Bayer GLUCOMETER ELITE Blood Glucose Meter (07685)	
International Newtech Develop. MiniStrip HCG ONESTEP (28394)	Bayer GLUCOMETER ENCORE QA+ Blood Glucose Meter (07689)	
Johnson & Johnson CDI SureCell hCG-Urine (31067)	Chronimed Supreme Blood Glucose Meter (10315)	
Johnson & Johnson CDI SureCell hCG-Urine/Serum (31066)	Chronimed Supreme Blood Glucose Test Strips (10316)	
Medix Biotech CONTRAST hCG Urine/Serum Test (40215)	Johnson & Johnson Lifescan ONE TOUCH II Bld Glucose Monitor (31017)	
Medix Biotech Rapid hCG (urine/serum) (40224)	Johnson & Johnson Lifescan ONE TOUCH II Glucose Test Strips (31018)	
Mizuho USA Quick Checker hCG Pregnancy Test (40207)	LifeScan ONE TOUCH Profile Complete Diabetes Tracking Sys. (37101)	
Quidel CAMEO Home Pregnancy Test (52031)	Lifescan SureStep Blood Glucose Monitoring System (37090)	
Quidel CARDS Q.S. hCG (52032)	MediSense MediSense 2 Blood Glucose Testing System (40214)	
Quidel Concise Performance Plus hCG (52033)	MediSense Precision QID Blood Glucose Testing System (40213)	
Sea-Band Pregnancy Test (58362)	Analyte: HDL Cholesterol (2550)	
Selfcare early Pregnancy test (test cassette) (58401)	<i>Test System, Assay, Examination:</i> Cholestech L.D.X. (10170)	
Selfcare early Pregnancy test (test stick) (58400)	Analyte: Microalbumin (4019)	
Simex Medical DiagnoStrip hCG (58397)	<i>Test System, Assay, Examination:</i> Boehringer Mannheim Chemstrip Micral (urine dipstick) (07717)	
Syntex Platform OneStep Pregnancy Test (58407)	Analyte: Triglyceride (6118)	
Worldwide Medical First Check hCG (cassette) (70181)	<i>Test System, Assay, Examination:</i> Cholestech L.D.X. (10170)	
Worldwide Medical First Check hCG (test stick) (70182)	<i>Specialty/Subspecialty: Hematology</i>	
Wyntek Diagnostics OSOM Pregnancy Test for Home Use (70175)	Analyte: Erythrocyte Sedimentation Rate, Nonautomated Waived (9161)	
Wyntek Diagnostics OSOM hCG-Combo Test (70177)	<i>Test System, Assay, Examination:</i> Becton Dickinson SedItainer ESR System (07694)	
Wyntek Diagnostics OSOM hCG-Urine Test (70174)		