


# Infant mortality rates [Objective 14.1]




Data for 1997 are preliminary. 1992-94 data for American Indian or Alaskan Native and Puerto Rican are not available. 1987-91 data for Puerto Rican are for selected states. SOURCE: CDC/NCHS, National Vital Statistics System.






# Neonatal mortality rates [Objective 14.1]



Data for 1997 are preliminary. 1992-94 data for Puerto Rican are not available. 1987-91 data for Puerto Rican are for selected states.


SOURCE: CDC/NCHS, National Vital Statistics System.

# Postneonatal mortality rates [Objective 14.1]




Data for 1997 are preliminary. 1992-94 data for American Indian or Alaskan Native and Puerto Rican are not available. 1987-91 data for Puerto Rican are for selected states. SOURCE: CDC/NCHS, National Vital Statistics System.

# Fetal death rates [Objective 14.2]




Rates are the number of fetal deaths of 20 weeks or more gestation per 1,000 live births plus fetal deaths. SOURCE: CDC/NCHS, National Vital Statistics System.

## Maternal mortality rates [Objective 14.3]




Maternal deaths are those assigned to ICD-9 630-676. Data for 1997 are preliminary. SOURCE: CDC/NCHS, National Vital Statistics System.

# Fetal alcohol syndrome incidence [Objective 14.4]




SOURCE: CDC/NCEH, Birth Defects Monitoring Program


# Low birth weight [Objective 14.5]




Low birth weight is <2,500 grams. Data for Puerto Rican for 1990-92 are for selected states. SOURCE: CDC/NCHS, National Vital Statistics System.



# Low birth weight live births for non-Hispanic black mothers, average annual, 1995-97




### Very low birth weight [Objective 14.5]




Very low birth weight is <1,500 grams. Data for Puerto Rican for 1990-92 are for selected states. SOURCE: CDC/NCHS, National Vital Statistics System.

# Severe complications of pregnancy [Objective 14.7]




Severe complications are measured using hospitalizations (not involving delivery) due to pregnancy-related complications. SOURCE: CDC/NCHS,National Hospital Discharge Survey.

### Cesarean deliveries [Objective 14.8]




Primary cesarean deliveries are among women who had no previous cesarean deliveries. SOURCE: CDC/NCHS, National Hospital Discharge Survey, 1987-88; and National Vital Statistics System, 1989-97




SOURCE: Ross Laboratories Mothers Survey. Data for AI/AN are from CDC/NCCDPHP, Pediatric Nutrition Surveillance System.

## Abstinence from tobacco during pregnancy [Objective 14.10]




SOURCE: CDC/NCHS, National Health Interview Survey, 1985; National Maternal and Infant Health Survey, 1988; and National Vital Statistics System, 1989-97.

# Early prenatal care [Objective 14.11]




Data for Hispanic are for selected states for 1987-92. SOURCE: CDC/NCHS, National Vital Statistics System.

# First trimester prenatal care, 1997







Data for states with fewer than 20 live births to non-Hispanic black mothers are considered unreliable. SOURCE: CDC/NCHS, National Vital Statistics System