# Medicare **Carriers Manual Part 3 - Claims Process**

Department of Health & Human Services (DHHS) Centers for Medicare & Medicaid Services (CMS)

Transmittal 1816 **Date: AUGUST 22, 2003** 

**CHANGE REQUEST 2682** 

**HEADER SECTION NUMBERS** PAGES TO INSERT

**PAGES TO DELETE** 

4630 (Cont.) - 4630 (Cont.)

4-449 - 4-466 (18 pp.)


4-449 - 4-464 (16 pp.)

NEW/REVISED MATERIAL--EFFECTIVE DATE: 04/01/03 IMPLEMENTATION DATE: September 8, 2003

Section 4630, Correct Coding Initiative, provides updates to the Correspondence Language.

DISCLAIMER: The revision date and transmittal number only apply to the redlined material. All other material was previously published in the manual and is only being reprinted.

These instructions should be implemented within your current operating budget.



- 2. <u>National Correct Coding Initiative Edit Policy: Section-Specific Examples of Correspondence Language.</u>-
  - a. Anesthesia (CPT Codes 00000 09999).--
- (1) Policy Number 1.00000 Standard Preparation/Monitoring Services.--An example of the policy for standard preparation/monitoring services integral to the anesthesia service is bundling the placement of intravenous access (CPT code 36000) prior to providing general anesthesia. This procedure is necessary to prepare the patient for a general anesthesia and, therefore, the service is included as a part of the anesthesia service. Code 36000 is bundled into all anesthesia service code.
- (2) Policy Number 2.00000.--HCPCS/CPT Procedure CodeDefinition.--In the example of comprehensive code 0032T and component code 0031T and based on the format of the Physicians' Current Procedural Terminology, the description for code 0032T is indented which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 0031T (that part before the semicolon) is also considered a part of code 0032T. The full description of code 0032T is "Speculoscopy; with directed sampling". Code 0031T is therefore a component of code 0032T and is appropriately bundled into this procedure.
- (3) Policy Number 3.00000 HCPCS/CPT Coding Manual Instruction/Guideline.--For example, in the CPT manual instruction under anesthesia for diagnostic arteriography/venography (CPT code 01916), the reference note states "Do not report 01916 in conjunction with therapeutic codes 01924-01926, 01930-01933." Therefore, code 01916 is bundled with codes 01924-01926 and 01930-01933.
- (4) Policy Number 4.00000 Mutually Exclusive Procedures.--For example, a physician administering anesthesia for procedures on the heart, pericardial sac, and great vessels of chest with pump oxygenator (CPT code 00562) would not also administer anesthesia for procedures on the heart, pericardial sac, and great vessels of chest with pump oxygenator with hypothermic circulatory arrest (CPT code 00563). Only one of these two types of anesthesia would be used in the same session. Therefore, codes 00562 and 00563 are mutually exclusive of each other.
- (5) <u>Policy Number 6.00000 CPT Separate Procedure Definition.</u>--For example in the code pair of comprehensive code 0012T and component code 29870, the diagnostic knee arthroscopy, with or without synovial biopsy represented by code 29870 is classified as a "separate procedure." When the service represented by code 29870 is performed with a surgical knee arthroscopic implantation of osteochondral graft(s) (code 0012T), it is not performed alone or independent of the related and more comprehensive service described by code 0012T; therefore, code 29870 cannot be reported separately but rather is bundled into code 0012T.
- (6) <u>Policy Number 7.00000 Most Extensive Procedures.</u>--For example, code 0008T describes an upper gastrointestinal endoscopy with suturing of the esophagogastric junction. Separate reporting of codes such as 43202, which describe rigid or flexible esophagoscopy with single or multiple biopsy is not appropriate with code 0008T because upper gastrointestinal endoscopy as in CPT code 0008T, is more extensive than rigid or flexible esophagoscopy in CPT code 43202. In this case code 43202 is bundled into code 0008T.
- (7) <u>Policy Number 9.00000 Gender-Specific (formerly Designation of Sex)</u> <u>Procedures</u>.--For example, CPT code 00920 describes anesthesia for procedures on male genitalia (including open urethral procedures) and CPT code 00942 describes anesthesia for vaginal procedures (including biopsy of labia, vagina, cervix or endometrium): colpotomy, vaginectomy,

4-450 Rev. 1816

colporrhaphy, and open urethral procedures. The two procedures cannot be reported on the same beneficiary, for the same session, by the same provider. Therefore only the appropriate procedure code should be reported.

- (8) Policy Number 10.00000 Standards of Medical/Surgical Practice.--For example in the code pair of comprehensive code 0005T for the percutaneous transcatheter placement of extracranial cerebrovascular artery stent(s) and component code 36000 for introduction of needle or intracatheter in vein, the introduction of needle or intracatheter in a vein would be included in the percutaneous transcatheter placement of extracranial cerebrovascular artery stent(s), as part of the global package and as a standard of coding practice would be considered a part of the procedure.
- For example, when an upper gastrointestinal endoscopy with suturing of the esophagogastric junction (code 0008T) is performed, anesthesia may be administered. Because code 00740 represents anesthesia for the upper gastrointestinal endoscopic procedure (which is not separately payable when performed by the surgeon), it is inappropriate to report code 00740 for the anesthesia. Code 00740 is bundled into code 0008T when the same physician performs both procedures.
- (10) <u>Policy Number 14.00000 Misuse of Column 2 Code With Column 1 Code</u>.--For example, code 91105 for "Gastric intubation, and aspiration or lavage for treatment (eg. for ingested poisons)" is intended to represent a non-endoscopic procedure. Accordingly, if the only service provided is an upper gastrointestinal endoscopy with suturing of the esophagogastric junction (code 0008T), then code 91105 should not be separately reported unless performed as a distinct, non-endoscopic procedure because it is a misuse of the code.

## b. <u>Integumentary (CPT Codes 10000 - 19999)</u>.--

- (1) Policy Number 2.10000 HCPCS/CPT Procedure Code Definition.--In the example of comprehensive code 19162 and component code 19160 and based on the format of the Physicians' Current Procedural Terminology, the description for code 19162 is indented which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 19160 (that part before the semicolon) is also considered a part of code 19162. The full description of code 19162 is mastectomy, partial; with axillary lymphadenectomy. Code 19160 is a component of code 19162 and is appropriately bundled into this procedure.
- (2) Policy Number 3.10000 HCPCS/CPT Coding Manual Instruction and Guideline.--For example, in the instruction under excision of benign lesions, it is noted that the excision includes simple closure. The comprehensive code of 11400, which represents "Excision, benign lesion, including margins, except skin tag (unless listed elsewhere), trunk, arms, or legs; excised diameter 0.5 cm or less," includes the component code 12001 which describes the simple repair of superficial wounds of the same site up to 2.5 centimeters in diameter. Therefore, code 12001 is bundled with code 11400.
- (3) <u>Policy Number 4.10000 Mutually Exclusive Procedures.</u>--For example, a physician performing a destruction of a malignant lesion of the arm by laser surgery, electrosurgery, cryosurgery, chemosurgery, or surgical curettement (code 17260) would not also excise the same malignant lesion of the arm (code 11600). Only one method of treatment of the malignant skin lesion would be rendered on the same lesion in the same session. Therefore, codes 17260 and 11600 are mutually exclusive of each other.

- (4) Policy Number 5.10000 Sequential Procedures.--For example, if a breast lesion is being excised after preoperative placement of a radiologic marker (code 19125), and intraoperatively the surgeon elects to obtain a confirmatory fine needle aspiration (described by code 10021) at the time of excision, the cytological biopsy (fine needle aspiration) represents a part of the excision procedure. Code 10021 is bundled into code 19125 and thus code 19125 is the appropriate code to report.
- (5) Policy Number 6.10000 CPT Separate Procedure Definition.--In the example of the comprehensive code 19125 and component code 19100, the needle core biopsy of the breast represented by code 19100 is classified as a "separate procedure." When the service represented by code 19100 is performed with an excision of a breast lesion (CPT code 19125), it is not performed alone or independent of the related and more comprehensive service described by code 19125; therefore, code 19100 cannot be reported separately but rather is bundled into code 19125.
- (6) Policy Number 7.10000 Most Extensive Procedures. -- For example, when a radical mastectomy is performed, the extensive resection of tissue is intended to remove all lesions, in the surgical resection field. While the primary lesion(s) is (are) generally malignant, other lesions, such as cysts, nipple lesions, may also be resected. CPT Code 19240 describes a modified radical mastectomy which includes removal of all breast tissue. Separate reporting of codes, such as 19120 which describe excision of breast lesions such as cysts, etc. is not appropriate with code 19240 because the latter represents the most comprehensive service. In this case code 19120 is bundled into code 19240.
- (7) Policy Number 8.10000 "With" Versus "Without" Procedures.--In the example of the comprehensive code 19272 and component code 19271, the only difference in the code descriptions is the fact that code 19271 does not include mediastinal lymphadenectomy and code 19272 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session. Therefore, procedure code 19271 is bundled with code 19272.
- (8) Policy Number 10.10000 Standards of Medical/Surgical Practice. -- In the example of comprehensive code 11730 for the simple avulsion of a nail plate, partial or complete with the component code 11040 for skin debridement, if it was necessary to also debride skin at the same time and at the same site of the nail avulsion, then the debridement would be included in the nail avulsion and would be considered a part of the procedure.
- (9) Policy Number 11.10000 Anesthesia Included in Surgical Procedures.--For example, when a digital procedure avulsion of a nail plate (CPT code 11730) is performed, local anesthesia may be accomplished by the surgeon using a digital nerve block. Because digital nerve block represents anesthesia for the procedure (which is not separately payable when performed by the surgeon), it is inappropriate to report code 64450 for the digital nerve block. Code 64450 is bundled into code 11730 when the same physician performs both procedures.
- (10) <u>Policy Number 14.10000 Misuse of Column 2 Code With Column 1 Code</u>.--For example, CPT code 11900 ("Intralesional injection") is intended to describe a therapeutic cutaneous intralesional injection. It would represent a misuse of the code to **report** this code with other procedures (e.g., CPT code 11400) when the only service provided was injection of local anesthesia in order to accomplish the latter procedure, which is an excision of a benign skin lesion.

4-452 Rev. 1816

#### c. Musculoskeletal (CPT Codes 20000 - 29999).--

- (1) Policy Number 2.20000 HCPCS/CPT Procedure Code Definition.--In the example of comprehensive code 21045 and component code 21044 and based on the format of the Physicians' Current Procedural Terminology, the description for code 21045 is indented, which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 21044 (that part before the semicolon) is also considered a part of code 21045. The full description of code 21045 is excision of malignant tumor of mandible; radical resection. Code 21044 is a component of code 21045 and is appropriately bundled into this procedure.
- (2) Policy Number 3.20000 HCPCS/CPT Coding Manual Instruction and Guideline.—In reference to the example of the comprehensive code 27427 and component code 29889, a parenthetical note under the code description for procedure 29889 states that "Procedure codes 29888 and 29889 should not be used with reconstruction procedures represented by codes 27427–27429". Thus, the arthroscopic repair or reconstruction of the cruciate ligament (CPT codes 29888 or 29889) is bundled into the related and more comprehensive procedure designated by code 27427.
- (3) Policy Number 4.20000 Mutually Exclusive Procedures.--In the example of Column 1 code 27441 and Column 2 code 27442, both services describe a knee arthroplasty of the tibial plateau. In any one session on the same knee only one of the two procedures would be performed. Therefore these two services are mutually exclusive of each other.
- (4) <u>Policy Number 5.20000 Sequential Procedures.</u>--For example, if a deep bone biopsy is performed and an initial attempt by trocar or needle is made (designated by code 20225), followed by an open biopsy at the same site as described by code 20250 in the same session, both codes should not be reported. The procedures have been performed sequentially, and the more comprehensive biopsy procedure, in this case described by code 20250, should be reported.
- (5) <u>Policy Number 6.20000 Separate Procedure Definition.</u>--In the example of the comprehensive code 29876 and component code 29870, the diagnostic knee arthroscopy represented by code 29870 is classified as a "separate procedure". When the service represented by code 29870 is performed with an arthroscopic major synovectomy (code 29876), it is not performed alone or independent of the related and more comprehensive service described by code 29876. Therefore, code 29870 cannot be reported separately but rather is bundled into code 29876.
- (6) <u>Policy Number 7.20000 Most Extensive Procedures.</u>--For example, if in the course of obtaining a bone biopsy (code 20240), a muscle biopsy is obtained through the same incision (code 20200), the most extensive procedure represented by code 20240 is reported. Therefore, code 20200 is bundled with code 20240.
- (7) <u>Policy Number 8.20000 "With" Versus "Without" Procedures.</u>--In the example of the comprehensive code 21155 and component code 21154, the only difference in the code descriptions is the fact that code 21154 does not include LeFort I and code 21155 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session. Therefore, procedure code 21154 is bundled with code 21155.
- (8) <u>Policy Number 10.20000 Standards of Medical/Surgical Practice.</u>--For example, in the course of a radical excision of a bursa or synovia of the wrist, as described by CPT code 25115, it is standard medical practice to attempt to preserve neurologic function by isolating and freeing nerves as necessary. Accordingly, neuroplasty is carried out, if possible, in the course of the excision. Code 64719 for neuroplasty is not reported in this case but rather bundled into the code 25115.

- (9) Policy Number 11.20000 Anesthesia Included in Surgical Procedures.--For example, in the course of performing a small joint or bursa arthrocentesis, aspiration and/or injection (code 20600), a digital nerve block may be performed prior to the procedure. Because this block is being performed as anesthesia for the primary procedure, which is the joint aspiration in this case, the digital nerve block (code 64450) is not reported separately but bundled with the primary procedure (code 20600).
- (10) Policy Number 14.20000 Misuse of Column 2 Code With Column 1 Code.--For example, CPT code 20550 ("Injection(s); tendon sheath, ligament") is intended to describe a therapeutic musculoskeletal injection. It would represent a misuse of the code to report this code with other procedures (e.g., code 28292 for Keller, McBride, or Mayo type procedure) when the only service provided was injection of local anesthesia in order to accomplish the latter procedure.
  - d. Respiratory/Cardiovascular/Lymphatic/Diaphragm (CPT Codes 30000 39999)-.
- (1) Policy Number 2.30000 HCPCS/CPT Procedure Code Definition.—In the example of the comprehensive code 33612 and the component code 33611 and based on the format of the Physicians' Current Procedural Terminology, the description for code 33612 is indented, which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 33611 (that part before the semicolon) is also considered a part of code 33612. The full description of code 33612 is "Repair of double outlet right ventricle with intraventricular tunnel repair; with repair of right ventricular outflow tract obstruction." Code 33611 is therefore a component of code 33612 and is appropriately bundled into this procedure.
- (2) <u>Policy Number 3.30000 HCPCS/CPT Coding Manual Instruction and Guideline</u>.--In reference to the example of the comprehensive code 35142 and component code 35355, authors of the CPT manual instruct the coder above CPT code 35001 that "Procedures 35001 35162 include preparation of artery for anastomosis including endarterectomy." Therefore, procedure code 35355 is bundled into code 35142 because the thromboendarterectomy is considered a part of the direct repair of the aneurysm.
- (3) <u>Policy Number 4.30000 Mutually Exclusive Procedures.</u>--For example, CPT codes 33820 and 33822 describe two types of repairs of the patent ductus arteriosus. Because only one type of repair would be performed at any given time in the same session, these procedures are considered mutually exclusive and would not be reported together.
- (4) <u>Policy Number 5.30000 Sequential Procedures.</u>--For example, if, at the same session, a percutaneous needle biopsy of the pleura (code 32400) is attempted and/or completed and the patient subsequently (but at the same surgical session) undergoes a thoracotomy to perform an open biopsy of the pleura (code 32402), both the open and the needle biopsy are not reported. In this instance the open biopsy, the most comprehensive service, is reported.
- (5) Policy Number 6.30000 Separate Procedure Definition.--In the example of the comprehensive code 30903 and component code 30801, the cautery and/or ablation by any method of the mucosa of the unilateral or bilateral turbinates, superficial (CPT code 30801) is classified in the CPT manual as a "separate procedure". When this service represented by code 30801 is performed with the complex control of anterior nasal hemorrhage by any method (CPT code 30903), it is not performed alone or independent of the related and more comprehensive services described by code 30903 and therefore does not meet the criteria for the "separate procedure" definition. For that reason, code 30801 cannot be reported separately but rather is bundled into code 30903.

4-454 Rev. 1816

- (6) <u>Policy Number 7.30000 Most Extensive Procedures.</u>--For example, when a patient undergoes a thoracotomy for bilobectomy and tissue is removed for biopsy as part of the procedure, the most extensive service is described by CPT code 32482. It would not be appropriate to report separately for a thoracotomy for biopsy of lung as well (code 32095). This procedure is bundled into code 32482.
- (7) <u>Policy Number 8.30000 "With" Versus "Without" Procedures.</u>--In the example of the comprehensive code 31230 and component code 31225, the only difference in the code descriptions is the fact that code 31225 does not include orbital exenteration and code 31230 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session. Therefore, procedure code 31225 is bundled with code 31230.
- (8) <u>Policy Number 10.30000 Standards of Medical/Surgical Practice.</u>--For example, if in the course of performing a thoracotomy for bilobectomy (code 32482), it is felt necessary to perform destruction by a neurolytic agent (code 64620), the destruction is believed to be necessary in order to successfully complete the thoracotomy. It is inappropriate to report separately for services described by CPT code 64620 as these services are necessary to complete the procedure. Therefore code 64620 is bundled into code 32482.
- (9) <u>Policy Number 11.30000 Anesthesia Included in Surgical Procedures.</u>-For example, if in the course of performing a thoracotomy for bilobectomy (code 32482), it is felt necessary to perform an intercostal nerve block (code 64420), the intercostal nerve block is believed to be necessary in order to successfully complete the thoracotomy. It is inappropriate to report separately for services described by CPT code 64420 as these services are necessary to complete the comprehensive procedure and are bundled with this primary procedure.
- (10) <u>Policy Number 14.30000 Misuse of Column 2 Code With Column 1 Code</u>.--For example, code 35226 ("Repair blood vessel, direct; lower extremity") is intended to describe an open blood vessel repair of the lower extremity. It would represent a misuse of code 35226 to report this code as a repair of the site where a percutaneous removal of an intra-aortic balloon assist device occurred (CPT code 33968).

#### e. Digestive (CPT Codes 40000 - 49999).--

- (1) Policy Number 2.40000 HCPCS/CPT Procedure Code Definition. --In the example of the comprehensive code 45805 and the component code 45800 and based on the format of the Physicians' Current Procedural Terminology, the description for code 45805 is indented which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 45800 (that part before the semicolon) is also considered a part of code 45805. The full description of code 45805 is closure of rectovesical fistula; with colostomy. Code 45800 is a component of code 45805 and is appropriately bundled into this procedure.
- (2) <u>Policy Number 3.40000 HCPCS/CPT Coding Manual Instruction and Guideline</u>.--In reference to the example of the comprehensive code 49505 and component code 49568, authors of the CPT manual, by way of an instruction/guideline above code 49491, instruct the coder that "With the exception of the incisional hernia repairs (see 49560-49566) the use of mesh or other prostheses is not separately reported." Therefore, code 49568 (mesh implantation) should not be reported with code 49505 (inguinal hernia repair).
- (3) <u>Policy Number 4.40000 Mutually Exclusive Procedures.</u> --For example, an esophageal lesion may be excised either through a thoracic or cervical approach but not both. Accordingly, CPT code 43100 is not reported with code 43101, describing different approaches to accomplish the same procedure.

- (4) <u>Policy Number 5.40000 Sequential Procedures</u>.--For example, if, at the same session, an anoscopy with control of bleeding (code 46614)is performed and is directly followed by an internal/external, complex hemorrhoidectomy described by code 46260 based on the findings of the endoscopic service, the more comprehensive procedure, in this case the hemorrhoidectomy, is reported as a sequential procedure to the anoscopy.
- (5) Policy Number 6.40000 Separate Procedure Definition.--In the example of the comprehensive code 44150 and the component code 44005, the enterolysis represented by code 44005 is classified as a separate procedure. When the service represented by code 44005 is performed with the colectomy (code 44150), it is not performed alone or independent of the related and more comprehensive service described by code 44150. Code 44005 cannot be reported separately but rather is bundled into code 44150.
- (6) <u>Policy Number 7.40000 Most Extensive Procedures.</u>--For example, when excision of a parotid tumor is performed, it may or may not be accompanied by a unilateral radical neck dissection; completing the parotid tumor excision with a radical neck dissection represents a more extensive procedure than without the radical neck dissection. Accordingly, it is inappropriate to report CPT codes 42425 and 42426, the latter including the radical neck dissection. Only CPT code 42426 is reported if a radical neck dissection accompanied the parotid gland excision.
- (7) <u>Policy Number 8.40000 "With" Versus "Without" Procedures.</u>--In the example of the comprehensive code 40812 and component code 40810, the only difference in the code descriptions is the fact that code 40810 does not include repair and code 40812 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session. Therefore, procedure code 40810 is bundled with code 40812.
- (8) <u>Policy Number 10.40000 Standards of Medical/Surgical Practice.</u>--For example, in the course of a tonsillectomy (code 42821), bleeding may be expected and the control of the bleeding intraoperatively represents part of the procedure. It is inappropriate to report separately for control of oropharyngeal hemorrhage (code 42961) which occurs during the same operative session. Therefore, code 42961 is bundled with code 42821.
- (9) Policy Number 11.40000 Anesthesia Included in Surgical Procedures.—For example, when a local anesthetic injection is performed as a part of an inguinal hernia repair (code 49505), the local anesthetic procedure (code 64425) performed by the surgeon is included in the surgical procedure and is not reported separately. Therefore, code 64425 is bundled into code 49505.
- (10) <u>Policy Number 14.40000 Misuse of Column 2 Code With Column 1 Code</u>.--For example, CPT code 91105 ("Gastric intubation, and aspiration or lavage for treatment (e.g., for ingested poison)") is intended to represent a non-endoscopic procedure. Accordingly, if the only service provided is endoscopic lavage in the course of an upper gastrointestinal endoscopy (e.g., code 43227 for "rigid or flexible esophagoscopy with control of bleeding"), CPT code 91105 should not be separately reported unless performed as a distinct, non-endoscopic procedure.

# f. Genitourinary (CPT Codes 50000 - 59999).--

(1) <u>Policy Number 2.50000 – HCPCS/CPT Procedure Code Definition.</u>--In the example of comprehensive code 55605 and the component code 55600 and based on the format of the <u>Physicians' Current Procedural Terminology</u>, the description for code 55605 is indented which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 55600 (that part before the semicolon) is also considered a part of code 55605. The full description of code 55605 is vesiculotomy; complicated. Code 55600 is a component of code 55605 and is appropriately bundled into this procedure.

4-456 Rev. 1816

- Guideline.--In reference to the example of the comprehensive code 52320 for "cystourethroscopy (including ureteral catheterization); with removal of ureteral calculus" and component code 52332 for "cystourethroscopy, with insertion of indwelling ureteral stent (e.g., Gibbons or double J-type)," there is an instruction above these codes in the CPT manual and under the Section: Ureter and Pelvis which states, "The insertion and removal of a temporary stent during diagnostic or therapeutic cystourethroscopic intervention(s) is included in 52320-52355 and should not be reported separately." Therefore, procedure code 52332 is included in code 52320 based on this CPT manual guideline. If however, a permanent self-retaining, indwelling stent is inserted during cystourethroscopic diagnostic or therapeutic intervention(s), then the –59 modifier may be appended to either code to indicate that the stent represented by code 52332 is a permanent and not a temporary stent.
- (3) <u>Policy Number 4.50000 Mutually Exclusive Procedures.</u>--For example, when a ureteral diversion is accomplished, it may be diverted to the intestine (ureteroenterostomy, CPT code 50800) or diverted as a ureterostomy (cutaneous, CPT code 50860). For a single ureteral diversion procedure, it is inappropriate to report both codes as these are mutually exclusive procedures.
- (4) <u>Policy Number 5.50000 Sequential Procedures.</u>--For example, if, at the same session, a needle or punch biopsy of the prostate (CPT code 55700) is undertaken, and is followed by an incisional biopsy (CPT code 55705) either to supplement or to obtain adequate tissue, the appropriate CPT code to report is 55705, not both of these codes.
- (5) <u>Policy Number 6.50000 CPT Separate Procedure Definition.</u>--In the example of the comprehensive code 58150 and the component code 58700, the salpingectomy represented by code 58700 is classified as a "separate procedure". When the service represented by code 58700 is performed with a total abdominal hysterectomy (code 58150), it is not performed alone or independent of the related and more comprehensive service described by code 58150. Code 58700 cannot be reported separately but rather is bundled into code 58150.
- (6) Policy Number 7.50000 Most Extensive Procedures. -- For example, when a cystourethroscopy is performed and minor bladder lesions are fulgurated by cryosurgery or laser surgery, this service is accurately described by CPT code 52224. A less comprehensive service, described by code 52260, which includes cystourethroscopy with dilation of bladder under general or spinal anesthesia is not reported in addition to 52224.
- (7) <u>Policy Number 8.50000 "With " Versus "Without" Procedures.</u>--In the example of the comprehensive code 59151 and component code 59150, the only difference in the code description is the fact that code 59150 does not include salpingectomy and/or oophorectomy, whereas code 59151 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session; therefore, procedure code 59150 is bundled with code 59151.
- (8) <u>Policy Number 9.50000 Gender-Specific (formerly Designation of Sex)</u> <u>Procedures.</u>--For example, procedure code 52270 describes a cystourethroscopy with an internal urethrotomy for a female and code 52275 describes the identical procedure but only for a male. These two procedures cannot be reported for the same session, same provider, and the same beneficiary. Only the appropriate one should be submitted.
- (9) <u>Policy Number 10.50000 Standards of Medical/Surgical Practice.</u>--For example, when a bladder neck suspension is performed under endoscopic control (CPT code 51845), and endoscopy is performed prior to the procedure for assessment of the anticipated surgical field or during the procedure, the endoscopy is necessary to accomplish the procedure. It is inappropriate to submit other endoscopy CPT codes like 52005 for services performed as described above.

- (10) Policy Number 11.50000 Anesthesia Included in Surgical Procedures.—For example, when a transurethral resection of the prostate as described by CPT code 52612, is performed and anesthesia is provided by the surgeon (CPT code 00914), separate reporting for the anesthesia services is inappropriate. Services described by code 00914 are bundled into code 52612 if performed by the same physician.
- (11) Policy Number 14.50000 Misuse of Column 2 Code with Column 1 Code.--For example, code 44950 ("Appendectomy") is intended to describe an incidental appendectomy during another intra-abdominal surgical procedure which would not warrant separate identification. Therefore, if this procedure was performed incidental to and reported with the more comprehensive code 58152 ["total abdominal hysterectomy (corpus and cervix), with or without removal of tube(s), with or without removal of ovary(s); with colpourethrocystopexy (Marshall-Marchetti-Krantz type)"], then this instance would represent a misuse of this code for the appendectomy.

#### g. Endocrine/Nervous System (CPT Codes 60000 - 69999).--

- (1) Policy Number 2.60000 HCPCS/CPT Procedure Code Definition.--In the example of the comprehensive code 60281 and the component code 60280 and based on the format of the Physicians' Current Procedural Terminology, the description for code 60281 is indented which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 60280 (that part before the semicolon) is also considered a part of code 60281. The full description of code 60281 is "Excision of thyroglossal duct cyst or sinus; recurrent." Code 60280 is therefore a component of code 60281 and is appropriately bundled into this procedure.
- (2) <u>Policy Number 3.60000 HCPCS/CPT Coding Manual Instruction and Guideline.</u>--In reference to the example of the comprehensive code 66920 and component code 66600, a CPT manual instruction is given at the beginning of the section on lens removal procedures above CPT code 66830. Iridectomy is a procedure that is included as a part of the service rendered for the extraction of the lens. Therefore, 66600 is one code for iridectomy that is a part of the more comprehensive service, the lens extraction (code 66920), and warrants bundling into code 66920.
- (3) <u>Policy Number 4.60000 Mutually Exclusive Procedures.</u>--For example, craniectomies may be performed by various methods and different approaches. Accordingly, code 61518 is not reported with code 61526 because these describe separate methods to accomplish the same procedure, in this case the craniectomy.
- (4) <u>Policy Number 5.60000 Sequential Procedures.</u> --For example, when a fine needle aspiration of the thyroid is attempted, failed and then is followed by a percutaneous core needle biopsy at the same session, the procedure (in this case the core needle biopsy) which was successfully accomplished should be reported. In this instance, code 10021 is bundled into code 60100.
- (5) Policy Number 6.60000 CPT Separate Procedure Definition.--In the example of the comprehensive code 65855 and the component code 65860, the severing of adhesions represented by code 65860 is classified as a "separate procedure". When the service represented by code 65860 is performed with a trabeculoplasty (code 65855), it is not performed alone or independent of the related and more comprehensive service described by code 65855. Code 65860 cannot be reported separately but rather is bundled into code 65855.
- (6) <u>Policy Number 7.60000 Most Extensive Procedures.</u>--For example, when a patient requires destruction of an extensive diabetic retinopathy by photocoagulation (code 67228) as opposed to the destruction of a localized retinal lesion by cryotherapy (code 67208), the more comprehensive service is reported since the destruction of the retinopathy represents the most extensive service.

4-458 Rev. 1816

4630 (Cont.)

- (7) Policy Number 8.60000 "With" Versus "Without" Procedures.--In the example of the comprehensive code 60605 and component code 60600, the only difference in the code descriptions is the fact that code 60600 does not include excision of carotid artery and code 60605 does include it. Reporting both codes together is a contradiction in the actual performance of the service at the same session. Therefore, procedure code 60600 is bundled with code 60605.
- (8) <u>Policy Number 10.60000 Standards of Medical/Surgical Practice.</u>--For example, when an ectropion (accompanied by an everted punctum) is repaired by performing a blepharoplasty, the blepharoplasty procedure, as described by CPT code 67917 would include the procedures necessary to correct the lesion(s), including the associated everted punctum, even if this was accomplished by cautery. It is inappropriate to separately report code 68705 as an independent procedure when performed on the same lid.
- (9) <u>Policy Number 11.60000 Anesthesia Included in Surgical Procedures.</u>--For example, when anesthesia is provided by the same surgeon removing a cataract (CPT code 66984), the anesthesia service is included in the procedure. Reporting code 64400 for the nerve block separately from the cataract removal is inappropriate.
- (10) Policy Number 14.60000 Misuse of Column 2 Code With Column 1 Code.--For example, CPT code 20550 ("Injection(s); tendon sheath, ligament") is intended to describe a therapeutic musculoskeletal injection. It would represent a misuse of the code to report this code with other procedures (e.g., code 64721 for carpal tunnel release) when the only service provided is injection of local anesthesia in order to accomplish the comprehensive procedure (the carpal tunnel release) or as part of the comprehensive procedure.

### h. Radiology (CPT Codes 70000 - 79999).--

- (1) Policy Number 2.70000 HCPCS/CPT Procedure Code Definition.--In the example of the comprehensive code 71270 and the component code 71260, the complete description of code 71270 is "Computerized axial tomography, thorax; without contrast material, followed by contrast material(s) and further sections." The CT scan with contrast material is included in the service described by code 71270; therefore code 71260 is a component of code 71270 and is appropriately bundled into this procedure.
- (2) Policy Number 3.70000 HCPCS/CPT Coding Manual Instruction and Guideline.--In reference to the example of the comprehensive code 77600 and component code 77261, a CPT manual instruction is given at the beginning of the section on hyperthermia. It states that "The listed treatments include management during the course of therapy and follow-up care for three months after completion. Physics planning and interstitial insertion of temperature sensors, and use of external or interstitial heat generating sources are included." Therefore, 77261 is one code for clinical treatment planning that is part of the more comprehensive service, the hyperthermia (code 77600), and warrants bundling into code 77600.
- (3) <u>Policy Number 4.70000 -Mutually Exclusive Procedures.</u>-Cineradiography/videoradiography may be described separately from other radiological procedures in two ways as reflected in the Column 1 code 76125 and Column 2 code 76120. For the same session, it would be inappropriate to report both codes in describing the services necessary to accomplish the same procedure.
- (4) <u>Policy Number 6.70000 CPT Separate Procedure Definition.</u>--In the example of the comprehensive code 70370 and the component code 76000, the fluoroscopy represented by code 76000 is classified as a "separate procedure". When the service represented by code 76000 is performed with a radiologic examination including fluoroscopy (code 70370), it is not performed alone or independent of the related and more comprehensive service described by code 70370. Therefore, code 76000 cannot be reported separately but rather is bundled into code 70370.

- (5) Policy Number 7.70000 Most Extensive Procedures. -- For example, when radiologic supervision and interpretation services (S & I) are provided for myelography, there are CPT codes describing localized areas (code 72240 for cervical myelography). CPT code 72270 is to be used when reporting S&I services for myelography of the entire spinal canal. Accordingly, codes 72240 and 72270 are not reported together for services performed on the same session because the service described by 72270 is the most extensive service.
- (6) Policy Number 8.70000 "With" Versus "Without" Procedures.--In the example of the comprehensive code 70460 and component code 70450, the only difference in the code descriptions is the fact that code 70450 does not include contrast material and code 70460 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session. Procedure code 70450 is bundled with code 70460.
- (7) <u>Policy Number 10.70000 Standards of Medical/Surgical Practice.</u>--For example, when intravenous contrast administration is required for a radiologic examination, such as an abdominal CT scan (reported with CPT code 74170), it is necessary to insert an intravenous catheter to administer the contrast. Since the intravenous catheter is integral to the performance of the test, submission of code 36000 in addition to 74170 is inappropriate.
- (8) <u>Policy/Example Number 11.70000 Anesthesia Included in Surgical Procedures</u>.--For example, when a magnetic resonance imaging of the cervical spinal canal without contrast material followed by contrast material(s) as described by CPT code 72156, is performed, and anesthesia is provided by the radiologist (CPT code 01922 for anesthesia for non-invasive imaging or radiation therapy), separate reporting for the anesthesia services is inappropriate. Services described by code 01922 are bundled into code 72156 if performed by the same physician.
- (9) Policy Number 14.70000 Misuse of Column 2 Code with Column 1 Code.--In the example of comprehensive code 77600 and component code 97020, the CPT manual states that "Hyperthermia is used only as an adjunct to radiation therapy or chemotherapy." The hyperthermia may be induced by a variety of sources including application of a microwave modality. Therefore, it is a misuse of the component code 97020, the possible induction source, with comprehensive code 77600 because procedure 97020 does not represent radiation therapy or chemotherapy.
  - i. Pathology/Laboratory (CPT Codes 80000 89999).--
- (1) Policy Number 2.80000 HCPCS/CPT Procedure Code Definition.--In the example of the comprehensive code 80192 and the component code 80190 and based on the format of the Physicians' Current Procedural Terminology, the description of code 80192 is indented which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 80190 (that part before the semicolon) is also considered a part of code 80192. The full description of code 80192 is procainamide; with metabolites (e.g., n-acetyl procainamide). Code 80190 is therefore a component of code 80192 and is appropriately bundled into this procedure.
- (2) Policy Number 3.80000 HCPCS/CPT Coding Manual Instruction and Guideline.--In reference to the example of the comprehensive code 87260 and component code 87206, there is a reference note at the beginning of the series of CPT codes 87260-87999 in the CPT manual that states, "Infectious agents by antigen detection, immunofluorescence microscopy, or nucleic acid probe techniques should be reported as precisely as possible. The most specific code possible should be reported." Therefore, code 87206 is included in code 87260 based on this CPT manual guideline.

4-460 Rev. 1816

- (3) <u>Policy Number 4.80000 Mutually Exclusive Procedures.</u>--There are different ways of performing urinalysis with microscopy as reflected by the Column 1 code 81001 and Column 2 code 81000. Code 81000 represents use of a non-automated method while 81001 uses an automated method. Both codes should not be reported together; the code that more accurately describes the service rendered should be reported.
- (4) <u>Policy Number 5.80000 Sequential Procedures.</u>--For example, when a screen cold agglutinin (code 86156) is positive for the presence of cold agglutinins and it is followed by a cold agglutinin titer (code 86157) in the same session, then the tests are considered sequential. Accordingly, the cold agglutinin titer (code 86157), which gives quantitative information, is the service that should be reported.
- (5) Policy Number 7.80000 Most Extensive Procedures. --For example, the results of certain laboratory determinations may require medical interpretative judgment which the pathologist renders based only on the individual test. In this case, the appropriate CPT code to report is 80500. An attending physician may request the pathologist to interpret the results in the context of the patient's medical history and records, in which case the appropriate CPT code to report is 80502. Because interpreting a test with the perspective of a patient's history and other test results is more comprehensive than interpreting the result as an isolated test, CPT code 80502 is the procedure to report.
- (6) Policy Number 8.80000 "With" Versus "Without" Procedures.--In the example of the comprehensive code 81000 and component code 81002, the only difference in the code descriptions is the fact that code 81002 does not include microscopy and code 81000 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session. Therefore, procedure code 81002 is bundled with code 81000.
- (7) <u>Policy Number 10.80000 Standards of Medical/Surgical Practice.</u>--For example, when a glucose tolerance test with three specimens is performed (code 82951), a blood, reagent strip glucose (code 82948) is considered a part of the procedure. Therefore, the more comprehensive service (code 82951) is reported.
- (8) Policy Number 12.80000 Laboratory Panels.--In the example of code 80076 for the hepatic function panel, the CPT manual indicates that a serum albumin (code 82040) is a part of this laboratory panel of tests. If all seven individual tests which are included in this laboratory panel are performed at the same patient encounter, then the hepatic function panel code 80076 should be reported and not the individual test procedures such as the serum albumin (CPT code 82040). Therefore, it is considered duplicate reporting if these two procedures are billed together. The actual service performed should be reported.
- (9) Policy Number 14.80000 Misuse of Column 2 Code with Column 1 Code.-In the example of comprehensive code 88141 for the diagnostic cervical or vaginal cytopathology by any reporting system requiring interpretation by a physician which represents the professional component and component code G0143 for screening cervical or vaginal cytopathology by any reporting system with manual screening and rescreening by a cytotechnologist representing the technical component, code 88141 should only be used with the other technical component codes for diagnostic screening by a cytotechnologist, which are CPT codes 88142-88154 and 88164-88167 according to the CPT manual. Reporting code 88141 with G0143 would therefore be a misuse of code 88141 and therefore G0143 is not allowed with 88141 at the same encounter.

## j. <u>Medicine (CPT Codes 90000 - 99999)</u>.--

- (1) Policy Number 2.90000 HCPCS/CPT Procedure Code Definition.--In the example of the comprehensive code 91012 and the component code 91010 and based on the format of the Physicians' Current Procedural Terminology, the description for code 91012 is indented which means that one is to refer back to a common portion of the procedure listed in the preceding entry. The common part of code 91010 (that part before the semicolon) is also considered a part of code 91012. The full description of code 91012 is "esophageal motility study; with acid perfusion studies." Code 91010 is a component of code 91012 and is appropriately bundled into this procedure.
- Guideline.--In reference to the example of the comprehensive code 90935 and component code 36145, at the beginning of the dialysis section, authors of the CPT Manual have instructed the coder that "ESRD related physician services include establishment of a dialyzing cycle, outpatient evaluation and management of the dialysis visits, telephone calls, and patient management during the dialysis, provided during a full month." Since an introduction of a needle or intracatheter to the arteriovenous shunt is performed during dialysis, code 36145 is bundled into the dialysis code 90935.
- (3) <u>Policy Number 4.90000 Mutually Exclusive Procedures.</u>--For example, when 24 hour EEG monitoring for localization of seizure focus is performed by a portable 16 channel EEG recording, it is appropriate to report CPT code 95953. Because a 16 channel EEG is not also separately performed and transmitted telemetrically (CPT code 95956) over the same 24 hours, codes 95956 and 95953 are not reported together.
- (4) <u>Policy Number 6.90000 CPT Separate Procedure Definition.</u>--In the example of the comprehensive code 91105 and the component code 91055, gastric intubation and washings represented by code 91055 is classified as a "separate procedure". When the service represented by code 91055 is performed with gastric intubation and aspiration or lavage (code 91105), it is not performed alone or independent of the related and more comprehensive service described by code 91105. Code 91055 cannot be reported separately but rather is bundled into code 91105.
- (5) <u>Policy Number 7.90000 Most Extensive Procedures.</u>--For example, when a rhythm strip is interpreted, the interpretation is limited to establishing the nature of the cardiac rhythm. This interpretation service is described by code 93042. When an electrocardiogram (CPT code 93010) is performed, interpretation of the rhythm represents a part of the interpretation of the electrocardiogram. Accordingly, when an electrocardiogram is interpreted, only the more extensive service (in this example, code 93010) is reported.
- (6) Policy Number 8.90000 "With" Versus "Without" Procedures.--In the example of the comprehensive code 93732 and component code 93731, the only difference in the code descriptions is the fact that code 93731 does not include reprogramming and code 93732 does include it. Reporting both codes together is a contradiction in the actual performance of the services at the same session. Therefore, procedure code 93731 is bundled with code 93732.
- (7) <u>Policy Number 10.90000 Standards of Medical/Surgical Practice.</u>--For example, when fluorescein angiography is performed (code 92235), it is necessary to obtain vascular access, described by CPT code 36000 for administration of the fluorescein; the test cannot be performed without vascular access. Since the services described by code 36000 are integral to performance of the services described by code 92235, only the latter code is reported.

4-462 Rev. 1816

- (8) <u>Policy Number 11.90000 Anesthesia Included in Surgical Procedures.</u>-For example, when electroconvulsive therapy (code 90870) is performed, anesthesia is routinely administered for the therapy (code 00104). If the anesthesia is given by the same physician who is performing the therapy, the anesthesia would be included in the therapy service.
- (9) Policy Number 14.90000 Misuse of Column 2 Code With Column 1 Code.--In the example of code 96912 ("Photochemotherapy; psoralens and ultraviolet A (PUVA)") and code 77401 ("Radiation treatment delivery, superficial and/or ortho voltage"), these two procedures are not intended to describe similar services and are generally provided by different specialists. It is imaginable that one service could be construed as a form of the other but both codes should not be reported to describe one service.

## k. HCPCS/CPT Level II (Codes A0000 - V9999).--

- (1) Policy Number 2. A-V HCPCS/CPT Procedure Code Definition.--In the example of the comprehensive code G0033 and the component code G0032, the descriptions of both codes include a common portion. "PET myocardial perfusion imaging, (following rest SPECT, 78464);" is a part of the definitions of both codes. Code G0033 is more comprehensive in that it includes multiple studies as opposed to a single study in code G0032. Code G0032 is therefore a component of code G0033 and is appropriately bundled into this procedure.
- (2) <u>Policy Number 3.A-V HCPCS/CPT Coding Manual Instruction/Guideline.</u>--For example, in the CPT manual instruction under CPT code 76150 for xeroradiography, the reference note states "76150 is to be used for non-mammographic studies only." Therefore, code 76150 is bundled with codes in the range of G0202-G0206 which represent various types of screening and diagnostic mammograms.
- (3) <u>Policy Number 4. A-V Mutually Exclusive Procedures</u>.--For example, colorectal cancer screening with barium enema (code G0120) is an alternative screening method to a colorectal cancer screening by colonoscopy on an individual at high risk (code G0105). Therefore, these codes are not reported together.
- (4) <u>Policy Number 6.A-V CPT Separate Procedure Definition.</u>--In the example of the comprehensive code G0104 and the component code 36410, the venipuncture represented by code 36410 is classified as a "separate procedure." When the service presented by code 36410 is performed with a flexible sigmoidoscopy for colorectal cancer screening (code G0104), it is not performed alone or independent of the related and more comprehensive service described by code G0104; therefore, code 36410 cannot be reported separately but rather is bundled into code G0104.
- (5) Policy Number 7. A-V Most Extensive Procedures.--For example, when a high risk patient requires glaucoma screening by an optometrist or ophthalmologist (code G0117) as opposed to glaucoma screening under direct supervision of an optometrist or ophthalmologist (code G0118), the more comprehensive service is reported since the glaucoma screening by an optometrist or ophthalmologist represents the more extensive service.
- (6) Policy Number 10. A-V Standards of Medical/Surgical Practice.-For example, if both trimming of dystrophic nails (CPT code G0127) and a debridement of partial thickness skin (CPT code 11040) of the same site at the nail bed(s) are performed, then the services described by code 11040 are considered integral and a part of the performance of the services described by code G0127. In this instance only the trimming of the dystrophic nails should be reported.

- example, when prostate brachytherapy using permanently implanted iodine seeds, including transperineal placement of needles or catheters into the prostate, cystoscopy, and application of permanent interstitial radiation source as described by CPT code G0261, is performed, and anesthesia is provided by the performing physician (CPT code 00860 for anesthesia for extraperitoneal procedures in lower abdomen, including urinary tract; not otherwise specified), separate reporting for the anesthesia services is inappropriate. Services described by code 00860 are bundled into code G0261 if performed by the same physician.
- (8) Policy Number 14.A-V Misuse of Column 2 Code with Column 1 Code.—In the example of comprehensive code G0166 for external counterpulsation per treatment session and component code 93000 for the interpretation and report of a routine ECG with at least 12 leads, reporting code 93000 to represent the triggering by an ECG of the automatic mechanism which activates the balloon catheter in the aorta would be a misuse of code 93000. Therefore, code 93000 would not be allowed in the same encounter as G0166 for this purpose.
- 3. <u>National Correct Coding Initiative Edit Policy: Explanation of General Correspondence Language</u>.--The following is an explanation of the <u>General Correspondence Language</u> using, as an example, the code pair 20610 (comprehensive or Column 1 code) and 20550 (component or Column 2 code).
  - a. Edits.--The hard copy of the edits for 20610/20550 shows:

Correspondence Language

Comprehensive Code 20610

Component Code 20550

Policy /Example Number 14.20000

b. <u>Policy/Example Number 14.20000</u>.--The "14" in 14.20000 refers to the 14<sup>th</sup> policy (Section L.1.n.) in the General Correspondence Language, which states:

Misuse of Column 2 code with Column 1 code: CPT codes have been written as precisely as possible to not only describe a specific service or procedure but to also avoid describing similar services or procedures which are already defined by other CPT codes. When a CPT code is reported, the physician or non-physician provider must have performed all of the services noted in the descriptor unless the descriptor states otherwise. (Frequently, a CPT descriptor will identify certain services that may or may not be included, usually stating "with or without" a service.) A CPT code should not be reported out of the context for which it was intended. Either intentionally or unintentionally, a provider may report a service or procedure using a CPT code that may be construed to describe the service/procedure but, in no way, was the code intended to be used in this fashion. When CPT code 20550 (Column 2 code or component code) is reported as services associated with services described by CPT 20610 (Column 1 code or comprehensive code), reporting the former code represents a misuse of this code and should not be separately allowed.

The number "2" in 14.20000 refers to CPT codes in the range of 20000-29999. To find examples of this policy (misuse of column 2 code with column 1 code), go to the section in Correspondence Language Section-specific examples, which refers to the range of codes which encompasses the comprehensive code of the code pair in question. In this example, the comprehensive code is 20610. It is necessary to go to the section related to CPT codes 20000 – 29999 and look for policy number 14.20000. It states:

4-464 Rev. 1816

Carrier/Standard

"Policy Number 14.20000 – Misuse of Column 2 Code with Column 1 Code.—For example, CPT code 20550 ("Injection, tendon sheath, ligament, trigger point or ganglion cyst") is intended to describe a therapeutic musculoskeletal injection. It would represent a misuse of the code to report this code with other procedures (e.g., CPT code 28292 for Keller, McBride, or Mayo type procedure) when the only service provided was injection of local anesthesia in order to accomplish the latter procedure."

4630 (Cont.)

Format:

### 4. National Correct Coding Initiative Edit Policy: Deleted Codes Examples.--

- a. Policy Number 13.DeletePR3 Priority 3 Example.—In the course of evaluating a breast mass, a fine needle aspiration procedure (formerly code 88170, now code 10021) is often performed and, in order to obtain sufficient tissue for receptor assay, etc., a needle core biopsy (code 19100) is performed as well. In accordance with the sequential procedure policy, the edit pair 19100-88170 was proposed. When commenters identified that the purpose of the core biopsy was not just a sequential procedure to the fine needle aspiration but is frequently performed for different reasons (receptor assays), it was decided that the edit should be deleted from the initial proposal. On the other hand, because of the similarity in the procedures (percutaneous procurement of tissue), it was felt that a potential abuse scenario could occur with a provider reporting both codes (19100 and 88170) when only one procedure was, in fact, performed. This code pair was, therefore, placed in the Priority 3 (fraud/abuse potential) category.
- b. <u>Policy Number 13.DeletePR4 Priority 4 Example.</u>--In the example of the comprehensive code 93350 and component codes 93015 through 93018, because of changes in instruction under procedure 93350 according to the 1995 CPT Manual, these combinations of correct coding edits were deleted from the recommendations. A parenthetical note under this code now directs the provider of services to report the appropriate stress testing codes in addition to the echocardiogram code 93350.
- M. <u>Correct Coding Edit Files</u>.--The following are the updated record layouts for the Correct Coding Edit Files available to the Standard Systems, Carriers, NTIS, and the Regional Offices via Network Data Mover and CMS Data Center.

Systems

Record

Carrier/Standard Systems	KCCOI	u	r oi mat.
Field	Туре	Record Position	Length
Comprehensive Column 1 Code or Mutually Exclusive Column 1 Code	Character	1	5
Component Column 2 Code or Mutually Exclusive Column 2 Code	Character	6	5
Prior Rebundled Code Indicator "*" rebundled prior to 1996 edits "_" rebundled 1/1/96 or later	Character	11	1
Correspondence Language Reference	Character	12	12
Effective Date (4 position year followed by Julian day)	Numeric	24	7

Field	Туре	Record Position	Length
Deletion Date (4 position year followed by Julian day)	Numeric	31	7
Modifier Indicators "0" No CCE modifier allowed "1" CCE modifier acceptable "9" Use of CCE modifier not specified	Numeric	38	1
Savings Type Indicator Edit "1" CCE "2" Mutually Exclusive	Character	39	1

4-466 Rev. 1816