

Medicare Part B Physician/Supplier National Data, CY 2002
 Top 100 Lab Procedures

| Ranked by Services | Procedure Code | Description | Allowed Charges | Allowed Services |
|--------------------|----------------|------------------------------|-----------------|------------------|
| 1 | G0001 | Drawing blood for specimen | \$181,452,166 | 60,494,734 |
| 2 | 85610 | Prothrombin time | 91,780,670 | 16,959,631 |
| 3 | 80053 | Comprehen metabolic panel | 194,865,256 | 16,759,896 |
| 4 | 80061 | Lipid panel | 228,619,489 | 16,011,998 |
| 5 | 85025 | Complete cbc w/auto diff wbc | 158,201,631 | 14,911,300 |
| 6 | 84443 | Assay thyroid stim hormone | 223,164,591 | 9,679,642 |
| 7 | 80048 | Basic metabolic panel | 88,412,351 | 8,916,633 |
| 8 | 85024 | Automated hemogram | 95,092,364 | 8,340,416 |
| 9 | 83036 | Glycated hemoglobin test | 100,521,397 | 7,532,892 |
| 10 | 81000 | Urinalysis, nonauto w/scope | 32,210,826 | 7,410,103 |
| 11 | 81002 | Urinalysis nonauto w/o scope | 14,265,659 | 4,080,732 |
| 12 | 80076 | Hepatic function panel | 32,965,607 | 4,057,925 |
| 13 | 82947 | Assay, glucose, blood quant | 16,004,979 | 4,008,018 |
| 14 | 81001 | Urinalysis, auto w/scope | 16,676,969 | 3,822,837 |
| 15 | 82565 | Assay of creatinine | 10,542,919 | 3,781,872 |
| 16 | 84153 | Assay of psa, total | 84,942,831 | 3,353,135 |
| 17 | 84460 | Alanine amino (ALT) (SGPT) | 10,326,345 | 3,211,071 |
| 18 | 84520 | Assay of urea nitrogen | 7,880,849 | 3,202,569 |
| 19 | 84450 | Transferase (AST) (SGOT) | 8,568,616 | 3,114,871 |
| 20 | 83540 | Assay of iron | 25,419,051 | 2,965,416 |
| 21 | 84436 | Assay of total thyroxine | 23,073,361 | 2,485,584 |
| 22 | 84550 | Assay of blood/uric acid | 7,099,131 | 2,416,754 |
| 23 | 83550 | Iron binding test | 28,173,550 | 2,411,216 |
| 24 | 84132 | Assay of serum potassium | 8,523,220 | 2,385,403 |
| 25 | 84100 | Assay of phosphorus | 5,806,665 | 2,243,665 |
| 26 | 87086 | Urine culture/colony count | 24,648,184 | 2,232,429 |
| 27 | 85651 | Rbc sed rate, nonautomated | 10,426,912 | 2,148,216 |
| 28 | 81003 | Urinalysis, auto, w/o scope | 6,355,793 | 2,055,335 |
| 29 | 83615 | Lactate (LD) (LDH) enzyme | 5,757,211 | 2,025,504 |
| 30 | 82962 | Glucose blood test | 6,330,704 | 1,992,125 |
| 31 | 82728 | Assay of ferritin | 35,671,638 | 1,912,175 |
| 32 | 88180 | Cell marker study | 56,971,899 | 1,908,889 |
| 33 | 84439 | Assay of free thyroxine | 22,507,662 | 1,838,365 |
| 34 | 82310 | Assay of calcium | 5,390,205 | 1,838,241 |
| 35 | 82270 | Test for blood, feces | 7,884,406 | 1,809,545 |
| 36 | 83721 | Assay of blood lipoprotein | 22,855,304 | 1,789,095 |
| 37 | G0107 | CA screen; fecal blood test | 7,768,100 | 1,782,630 |
| 38 | 87088 | Urine bacteria culture | 19,116,075 | 1,771,743 |
| 39 | 82248 | Bilirubin, direct | 3,419,393 | 1,721,422 |
| 40 | 80051 | Electrolyte panel | 8,839,869 | 1,699,815 |
| 41 | 82550 | Assay of ck (cpk) | 7,934,750 | 1,661,015 |
| 42 | 84479 | Assay of thyroid (t3 or t4) | 13,146,123 | 1,505,468 |
| 43 | 82607 | Vitamin B-12 | 29,919,976 | 1,469,232 |
| 44 | 88342 | Immunocytochemistry | 85,365,269 | 1,451,256 |
| 45 | 87340 | Hepatitis b surface ag, eia | 19,679,070 | 1,401,840 |
| 46 | 85023 | Automated hemogram | 15,976,374 | 1,380,425 |

| | | | | |
|----|-------|------------------------------|------------|-----------|
| 47 | 87186 | Microbe susceptible, mic | 15,854,719 | 1,356,216 |
| 48 | 84075 | Assay alkaline phosphatase | 2,255,667 | 1,348,612 |
| 49 | 83970 | Assay of parathormone | 73,474,720 | 1,289,217 |
| 50 | 82040 | Assay of serum albumin | 2,361,171 | 1,285,602 |
| 51 | 82977 | Assay of GGT | 3,866,237 | 1,279,769 |
| 52 | 82465 | Assay, bld/serum cholesterol | 3,959,192 | 1,276,874 |
| 53 | 85027 | Complete cbc, automated | 10,940,188 | 1,240,267 |
| 54 | G0103 | Psa, total screening | 31,100,566 | 1,228,469 |
| 55 | 80162 | Assay of digoxin | 21,514,455 | 1,174,668 |
| 56 | 83735 | Assay of magnesium | 10,472,020 | 1,152,093 |
| 57 | 84155 | Assay of protein | 2,569,573 | 1,092,127 |
| 58 | 82247 | Bilirubin, total | 1,468,076 | 1,090,511 |
| 59 | 85652 | Rbc sed rate, automated | 3,739,781 | 1,036,393 |
| 60 | 87077 | Culture aerobic identify | 10,840,469 | 1,028,752 |
| 61 | 84295 | Assay of serum sodium | 1,977,095 | 1,020,948 |
| 62 | 82746 | Blood folic acid serum | 19,844,388 | 1,009,417 |
| 63 | 88312 | Special stains | 40,562,132 | 1,002,580 |
| 64 | 88313 | Special stains | 26,197,412 | 939,561 |
| 65 | 86140 | C-reactive protein | 5,750,008 | 850,809 |
| 66 | 85018 | Hemoglobin | 2,686,546 | 829,751 |
| 67 | 84478 | Assay of triglycerides | 2,325,413 | 752,582 |
| 68 | 85021 | Automated hemogram | 5,542,487 | 722,772 |
| 69 | 85045 | Automated reticulocyte count | 3,962,089 | 715,217 |
| 70 | 86038 | Antinuclear antibodies | 11,299,164 | 708,065 |
| 71 | 85730 | Thromboplastin time, partial | 5,739,679 | 703,336 |
| 72 | 84480 | Assay, triiodothyronine (t3) | 12,930,456 | 690,627 |
| 73 | 82043 | Microalbumin, quantitative | 5,125,710 | 688,677 |
| 74 | 85022 | Automated hemogram | 5,103,410 | 673,643 |
| 75 | 87184 | Microbe susceptible, disk | 6,274,729 | 669,099 |
| 76 | 87070 | Culture, bacteria, other | 7,869,719 | 665,157 |
| 77 | 82378 | Carcinoembryonic antigen | 17,341,483 | 662,116 |
| 78 | 84165 | Assay of serum proteins | 10,871,769 | 658,764 |
| 79 | 80185 | Assay of phenytoin, total | 12,050,396 | 658,530 |
| 80 | G0123 | Screen cerv/vag thin layer | 17,443,734 | 642,853 |
| 81 | 83718 | Assay of lipoprotein | 6,444,047 | 628,845 |
| 82 | 82784 | Assay of gammaglobulin igm | 7,639,154 | 623,025 |
| 83 | 82570 | Assay of urine creatinine | 4,265,438 | 602,842 |
| 84 | 88311 | Decalcify tissue | 7,605,131 | 579,400 |
| 85 | 86003 | Allergen specific IgE | 3,782,300 | 574,250 |
| 86 | 85014 | Hematocrit | 1,835,258 | 564,953 |
| 87 | 82435 | Assay of blood chloride | 625,487 | 513,006 |
| 88 | 82150 | Assay of amylase | 4,443,497 | 504,393 |
| 89 | P3000 | Screen pap by tech w md supv | 7,276,659 | 501,472 |
| 90 | 86235 | Nuclear antigen antibody | 8,813,161 | 484,661 |
| 91 | 88142 | Cytopath, c/v, thin layer | 13,133,792 | 476,046 |
| 92 | 86706 | Hep b surface antibody | 6,701,661 | 452,497 |
| 93 | 82948 | Reagent strip/blood glucose | 1,946,876 | 449,484 |
| 94 | 82108 | Assay of aluminum | 15,597,224 | 443,137 |
| 95 | 80069 | Renal function panel | 4,494,751 | 434,139 |
| 96 | 80164 | Assay, dipropylacetic acid | 7,286,542 | 403,982 |
| 97 | 83090 | Assay of homocystine | 9,132,583 | 393,022 |
| 98 | 84466 | Assay of transferrin | 6,546,922 | 391,282 |

| | | | | |
|-----|-------|--------------------------|-----------|---------|
| 99 | 86431 | Rheumatoid factor, quant | 2,737,702 | 349,991 |
| 100 | 80101 | Drug screen, single | 3,940,819 | 345,316 |