

Bebeğinizin Aşıları

Ebeveynlere Rehber

Bebeğinize yapılması gereken aşılar bunlardır!

Doğum → ~~Hib~~ Hep-B

1-2 ay → ~~Hib~~ Hep-B
1-4 ay¹

2 ay → ~~Hib~~ DTaP ~~Hib~~ Hib ~~Hib~~ Polio ~~Hib~~ PCV7

4 ay → ~~Hib~~ DTaP ~~Hib~~ Hib ~~Hib~~ Polio ~~Hib~~ PCV7

6 ay → ~~Hib~~ DTaP ~~Hib~~ Hib² ~~Hib~~ Polio ~~Hib~~ PCV7 ~~Hib~~ Hep-B
6-18 ay¹ 6-18 ay¹

12 ay → ~~Hib~~ MMR ~~Hib~~ Hib ~~Hib~~ Su çiçeği ~~Hib~~ PCV7
12-15 ay¹ 12-15 ay¹ 12-18 ay¹ 12-15 ay¹

15 ay → ~~Hib~~ DTaP
12-18 ay^{1,3}

Doktorunuz veya hemşirenizle bebeğinizin aşılarının zamanında yapılıp yapılmadığını kontrol edin. Ayrıca bebeğinize yapılan bütün aşıların işlendiği bir aşı kartını vermelerini doktorunuzdan veya hemşirenizden isteyiniz ve bu kartı her gelişinizde yanınızda getiriniz.

Hep-B: ciddi bir karaciğer hastalığı olan Hepatit B ye karşı korur
DTaP: difteri, tetanoz ve boğmacaya karşı korur
Hib: *Haemophilus influenza* tip b ye karşı korur
Polio: inaktive (enjekte edilen) aşı (IPV) çocuk felcine karşı korur
PCV7: konjüge pnömokok aşısı ciddi pnömokok enfeksiyonlarına karşı korur
MMR: kızamık, kızamıkçık ve kabakulak hastalıklarından korur
Su çiçeği: su çiçeği hastalığına karşı korur

1. Bu aşının yapılması gereken yaş aralığıdır.
2. 1. ve 2. dozlarda kullanılan Hib aşısının markasına bağlı olarak 6. ayda yapılması gereken doz yapılmayabilir.
3. Son DTaP dozundan sonra 6 ay geçtiyse ve çocuğun 18 aylıkken gelmeme olasılığı varsa 12 aylıkken de yapılabilir.

Item #P4010-21 Turkish (1/02)