

NHANES 99+
Codebook for Data Collection (1999-2000)
July 2003

**NHANES Composite International Diagnostic Interview-
Generalized Anxiety Disorder Module (CIQGAD)
MEC Interview
Person level data -- use CIDI Weights for analysis**

SEQN	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	Respondent sequence number	
English Text: Respondent sequence number		
English Instructions: < blank >		
Codes:		
WTSCI2YR	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Subsample 2 Year Mec Weight	
English Text: Adult Mental Health Subsample 2 Year Mec Weight		
English Instructions: < blank >		
Codes:		
WTSCI01	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 01	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 01		
English Instructions: < blank >		
Codes:		

WTSCI02	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 02	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 02		
English Instructions: < blank >		
Codes:		
WTSCI03	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 03	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 03		
English Instructions: < blank >		
Codes:		
WTSCI04	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 04	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 04		
English Instructions: < blank >		
Codes:		
WTSCI05	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 05	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 05		
English Instructions: < blank >		
Codes:		

WTSCI06	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 06	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 06		
English Instructions: < blank >		
Codes:		
WTSCI07	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 07	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 07		
English Instructions: < blank >		
Codes:		
WTSCI08	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 08	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 08		
English Instructions: < blank >		
Codes:		
WTSCI09	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 09	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 09		
English Instructions: < blank >		
Codes:		

WTSCI10	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 10	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 10		
English Instructions: < blank >		
Codes:		

WTSCI11	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 11	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 11		
English Instructions: < blank >		
Codes:		

WTSCI12	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 12	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 12		
English Instructions: < blank >		
Codes:		

WTSCI13	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 13	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 13		
English Instructions: < blank >		
Codes:		

WTSCI14	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 14	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 14		
English Instructions: < blank >		
Codes:		

WTSCI15	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 15	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 15		
English Instructions: < blank >		
Codes:		

WTSCI16	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 16	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 16		
English Instructions: < blank >		
Codes:		

WTSCI17	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 17	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 17		
English Instructions: < blank >		
Codes:		

WTSCI18	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 18	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 18		
English Instructions: < blank >		
Codes:		
WTSCI19	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 19	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 19		
English Instructions: < blank >		
Codes:		
WTSCI20	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 20	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 20		
English Instructions: < blank >		
Codes:		
WTSCI21	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 21	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 21		
English Instructions: < blank >		
Codes:		

WTSCI22	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 22	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 22		
English Instructions: < blank >		
Codes:		

WTSCI23	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 23	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 23		
English Instructions: < blank >		
Codes:		

WTSCI24	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 24	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 24		
English Instructions: < blank >		
Codes:		

WTSCI25	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 25	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 25		
English Instructions: < blank >		
Codes:		

WTSCI26	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 26	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 26		
English Instructions: < blank >		
Codes:		
WTSCI27	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 27	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 27		
English Instructions: < blank >		
Codes:		
WTSCI28	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 28	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 28		
English Instructions: < blank >		
Codes:		
WTSCI29	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 29	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 29		
English Instructions: < blank >		
Codes:		

WTSCI30	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 30	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 30		
English Instructions: < blank >		
Codes:		
WTSCI31	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 31	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 31		
English Instructions: < blank >		
Codes:		
WTSCI32	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 32	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 32		
English Instructions: < blank >		
Codes:		
WTSCI33	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 33	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 33		
English Instructions: < blank >		
Codes:		

WTSCI34	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 34	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 34		
English Instructions: < blank >		
Codes:		
WTSCI35	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 35	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 35		
English Instructions: < blank >		
Codes:		
WTSCI36	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 36	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 36		
English Instructions: < blank >		
Codes:		
WTSCI37	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 37	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 37		
English Instructions: < blank >		
Codes:		

WTSCI38	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 38	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 38		
English Instructions: < blank >		
Codes:		

WTSCI39	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 39	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 39		
English Instructions: < blank >		
Codes:		

WTSCI40	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 40	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 40		
English Instructions: < blank >		
Codes:		

WTSCI41	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 41	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 41		
English Instructions: < blank >		
Codes:		

WTSCI42	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 42	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 42		
English Instructions: < blank >		
Codes:		

WTSCI43	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 43	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 43		
English Instructions: < blank >		
Codes:		

WTSCI44	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 44	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 44		
English Instructions: < blank >		
Codes:		

WTSCI45	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 45	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 45		
English Instructions: < blank >		
Codes:		

WTSCI46	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 46	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 46		
English Instructions: < blank >		
Codes:		
WTSCI47	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 47	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 47		
English Instructions: < blank >		
Codes:		
WTSCI48	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 48	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 48		
English Instructions: < blank >		
Codes:		
WTSCI49	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 49	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 49		
English Instructions: < blank >		
Codes:		

WTSCI50	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 50	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 50		
English Instructions: < blank >		
Codes:		

WTSCI51	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 51	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 51		
English Instructions: < blank >		
Codes:		

WTSCI52	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
	CIDI Mec Weight Jack Knife Rep 52	
English Text: Adult Mental Health Mec Weight Jack Knife Rep 52		
English Instructions: < blank >		
Codes:		

CIAORDER	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
DEP_FIRS	Order in which CIDI modules are asked	
English Text: Order in which CIDI modules are asked		
English Instructions: < blank >		
Codes:		
0 = Panic, GAD, Depression		
1 = Depression, Panic, GAD		

CIQG01	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D63	Month worried, tense, anxious(WTA)?	
English Text: The next questions are about longer periods of feeling worried, tense, or anxious. In the past 12 months, did you have a period of a month or more when most days you felt worried or tense or anxious about everyday problems such as work or family?		
English Instructions: < blank >		
Codes:		
1 = Yes		
2 = No		(Skip to: CIQG06)
7 = Refused		(Skip to: CIQG06)
9 = Don't know		(Skip to: CIQG06)
CIQG02	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D63_1	Did period last six months?	
English Text: Did that period go on for at least six months?		
English Instructions: < blank >		
Codes:		
1 = Yes		
2 = No		
7 = Refused		
9 = Don't know		
CIQG03	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D63_2	No. months worried, tense, anxious?	
English Text: How many months out of the last 12 did you feel worried or tense or anxious most days?		
English Instructions: NUMBER OF MONTHS		
Codes:		
77 = Refused		
99 = Don't know		

CIQG04	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D63_3	WTA frequency	
English Text: During (that/those) month(s), were you worried, tense, or anxious every day, nearly every day, most days, about half the days, or less than half the days?		
English Instructions: < blank >		
Codes:		
1 = Every Day		
2 = Nearly Every Day		
3 = Most Days		
4 = About Half the Days		
5 = Less than Half the Days		(Skip to: CIDGSCOR)
7 = Refused		(Skip to: CIQG06)
9 = Don't know		(Skip to: CIQG06)
CIQG05	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D63_4	WTA duration	
English Text: And on the days you worried or were tense or anxious, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?		
English Instructions: (IF "It varies," PROBE: What about on average?)		
Codes:		
1 = All Day Long		(Skip to: CIQG12)
2 = Most of the Day		(Skip to: CIQG12)
3 = About Half		(Skip to: CIQG12)
4 = Less than Half		(Skip to: CIQG12)
7 = Refused		(Skip to: CIQG12)
9 = Don't know		(Skip to: CIQG12)
CIQG06	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D63A	WTA a lot more than most?	
English Text: People differ a lot in how much they worry about things. (READ THE NEXT SENTENCE SLOWLY.) In the past 12 months, did you have a period when most days you were a lot more worried or tense or anxious than most people would be in your same situation?		
English Instructions: < blank >		

Codes:
 1 = Yes
 2 = No (Skip to: CIDGSCOR)
 7 = Refused (Skip to: CIDGSCOR)
 9 = Don't know (Skip to: CIDGSCOR)

CIQG07	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D63A_1	Did period last six months?	

English Text: Did that period go on for at least six months?

English Instructions: < blank >

Codes:
 1 = Yes
 2 = No
 7 = Refused
 9 = Don't know

CIQG08	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D63A_2	No. months worried, tense, anxious?	

English Text: How many months out of the last 12 did you feel worried or tense or anxious most days?

English Instructions: NUMBER OF MONTHS

Codes:
 77 = Refused
 99 = Don't know

CIQG09	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D63A_3	WTA frequency	

English Text: During (that/those) month(s), were you worried, tense, or anxious every day, nearly every day, most days, about half the days, or less than half the days?

English Instructions: < blank >

Codes:

- 1 = Every Day
- 2 = Nearly Every Day
- 3 = Most Days
- 4 = About Half the Days
- 5 = Less than Half the Days (Skip to: CIDGSCOR)
- 7 = Refused (Skip to: CIDGSCOR)
- 9 = Don't know (Skip to: CIDGSCOR)

CIQG10	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D63A_4	WTA duration	

English Text: And on the days you worried or were tense or anxious, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?

English Instructions: (IF "It varies," PROBE: What about on average?)

Codes:

- 1 = All Day Long
- 2 = Most of the Day
- 3 = About Half
- 4 = Less than Half
- 7 = Refused
- 9 = Don't know

CIQG12	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D64D_1	Did R worry about health/drug use?	

English Text: Did R worry about health/drug use?

English Instructions: INTERVIEWER QUERY: DID R REPORT EXCLUSIVELY WORRYING ABOUT HIS/HER OWN PHYSICAL HEALTH OR MENTAL HEALTH OR WEIGHT OR DRUG USE?

Codes:

- 1 = Yes (Skip to: CIDGSCOR)
- 2 = No

CIQG13	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D64D_2	Did R have multiple worries?	
English Text: Did R have multiple worries?		
English Instructions: INTERVIEWER QUERY: DID R REPORT EXCLUSIVELY WORRYING ABOUT ONE THING? OR DID R HAVE MULTIPLE WORRIES?		
Codes: 1 = Worried about one thing (Skip to: CIDGSCOR) 2 = Multiple worries		
CIQG14	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D64A	Do you think worry excessive?	
English Text: Do you think your worry was excessive; that is, much stronger than it really should be in your situation?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		
CIQG15	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D64C	How often difficult control worry?	
English Text: How often did you find it difficult to control your worry -- often, sometimes, rarely, or never?		
English Instructions: < blank >		
Codes: 1 = Often 2 = Sometimes 3 = Rarely 4 = Never 7 = Refused 9 = Don't know		

CIQG16	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D64C_1	How often worry so strong?	
English Text: How often was your worry so strong that you couldn't put it out of your mind no matter how hard you tried -- often, sometimes, rarely, or never?		
English Instructions: < blank >		
Codes: 1 = Often 2 = Sometimes 3 = Rarely 4 = Never 7 = Refused 9 = Don't know		
CIQG17A	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D65_1	Handcard: often restless?	
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)		
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT.		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		
CIQG17B	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D65_2	Handcard: often keyed up?	
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)		

English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT.

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQG17C	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D65_3	Handcard: more tired than usual?	

English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)

English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT.

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQG17D	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D65_5	Handcard: more irritable?	

English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)

English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT.

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQG17E	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D65_7	Handcard: trouble sleeping?	

English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)

English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT.

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQG17F	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D65_4	Handcard: trouble keeping mind on?	

English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)

English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT.

Codes:

- 1 = Yes
- 2 = No
- 7 = Refused
- 9 = Don't know

CIQG17G	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D65_6	Handcard: tense, sore, ach muscles?	
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)		
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT.		
Codes: 1 = Yes 2 = No 7 = Refused 9 = Don't know		
CIQG18	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66	Did you tell MD about WTA?	
English Text: In the past 12 months did you tell a doctor about feeling worried, tense, or anxious when you also had some of the problems on the list?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No (Skip to: CIQGPH series)		
CIQGPA	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66PA1	Did you tell other prof about WTA?	
English Text: Did you tell other professional about WTA?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No (Skip to: CIQGPD)		

CIQGPB	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PA2	Did you take medication for WTA?	
English Text: Did you take medication for WTA?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No (Skip to: CIQGPD)		
CIQGPC	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PA3	Did WTA interfere with life?	
English Text: Did WTA interfere with life?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No (Skip to: CIDGPRB)		
CIQGPD	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PB1	Was WTA result of phys illness?	
English Text: Was WTA result of phys illness?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		
CIQGPE	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PC1	Was WTA result of MDA?	
English Text: Was WTA result of MDA?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No (Skip to: CIDGPRB)		

CIQGPF	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66PC2	Was WTA always result MDA?	
English Text: Was WTA always result MDA?		
English Instructions: < blank >		
Codes:		
1 = Yes	(Skip to: CIDGPRB)	
2 = No	(Skip to: CIDGPRB)	

CIQGPHA	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66PD1	Doctor said nerves causing WTA	
English Text: Doctor said nerves causing WTA		
English Instructions: < blank >		
Codes:		
1 = Doctor said nerves causing WTA		
77 = Refused		
99 = Don't know		

CIQGPHB	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66PD1	Doctor said stress causing WTA	
English Text: Doctor said stress causing WTA		
English Instructions: < blank >		
Codes:		
2 = Doctor said stress causing WTA		

CIQGPHC	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66PD1	Doctor said anxiety causing WTA	
English Text: Doctor said anxiety causing WTA		
English Instructions: < blank >		
Codes:		
3 = Doctor said anxiety causing WTA		

CIQGPHD	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doctor said depression causing WTA	
English Text: Doctor said depression causing WTA		
English Instructions: < blank >		
Codes: 4 = Doctor said depression causing WTA		

CIQGPHE	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doctor said mental illness causing WTA	
English Text: Doctor said mental illness causing WTA		
English Instructions: < blank >		
Codes: 5 = Doctor said mental illness causing WTA		

CIQGPHF	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doctor said medication causing WTA	
English Text: Doctor said medication causing WTA		
English Instructions: < blank >		
Codes: 6 = Doctor said medication causing WTA		

CIQGPHG	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doctor said drugs causing WTA	
English Text: Doctor said drugs causing WTA		
English Instructions: < blank >		
Codes: 7 = Doctor said drugs causing WTA		

CIQGPHH	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doctor said alcohol causing WTA	
English Text: Doctor said alcohol causing WTA		
English Instructions: < blank >		
Codes: 8 = Doctor said alcohol causing WTA		

CIQGPHI	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doctor said physical illness causing WTA	
English Text: Doctor said physical illness causing WTA		
English Instructions: < blank >		
Codes: 9 = Doctor said physical illness causing WTA		

CIQGPHJ	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doctor said physical injury causing WTA	
English Text: Doctor said physical injury causing WTA		
English Instructions: < blank >		
Codes: 10 = Doctor said physical injury causing WTA		

CIQGPHK	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD1	Doc gave no definite diagnosis for WTA	
English Text: Doc gave no definite diagnosis for WTA		
English Instructions: < blank >		
Codes: 11 = Doc gave no definite diagnosis for WTA		

CIQGPJ	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD3	Was WTA always result MDA?	
English Text: Was WTA always result MDA?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

CIQGPK	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD4	Was WTA result of phys illness?	
English Text: When WTA was not the result of MDA, was WTA result of phys illness?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

CIQGPN	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD7	Was WTA always result of phys illness?	
English Text: Was WTA always result of phys illness?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

CIQGPO	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D66PD8	Was WTA always result MDA?	
English Text: When WTA was not result of phys illness, Was WTA always result MDA ?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No		

CIQGPQ	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66PD10	Anything abnormal when examined?	
English Text: Anything abnormal when examined?		
English Instructions: < blank >		
Codes: 1 = Nothing abnormal 2 = No examination 3 = Something abnormal		

CIDGPRB	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D66PRB	General cause of WTA	
English Text: General cause of WTA		
English Instructions: < blank >		
Codes: 1 = No Problem 2 = Not clinically significant 3 = Medication, Drugs, or Alcohol 4 = Physical cause 5 = Psychiatric Symptom		

CIQG19	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D69	Remember age when first WTA?	
English Text: Can you remember your exact age the very first time in your life you had a period of worry, tension, or anxiety like the one you had in the past 12 months (that lasted six months or longer) and you also had some of the other problems we just reviewed?		
English Instructions: < blank >		
Codes: 1 = Yes 2 = No (Skip to: CIQG21) 7 = Refused (Skip to: CIQG21) 9 = Don't know (Skip to: CIQG21)		

CIQG20	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D69A	How old were you when first WTA?	
English Text: How old were you when first WTA?		
English Instructions: YEARS OF AGE		
Codes: 77 = Refused		
CIQG20ZZ	Version Info	Node Sequence
	Version 1.0	-
English Instructions: GO TO CIQG23		
CIQG21	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D69B	About how old when first WTA?	
English Text: About how old were you the first time you had a period of this sort?		
English Instructions: YEARS OF AGE		
Codes: 77 = Refused 99 = Don't know		
CIQG22	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D69C	Earliest age period of WTA	
English Text: What's the earliest age you can clearly remember a particular time when you had a period of this sort?		
English Instructions: YEARS OF AGE		
Codes: 77 = Refused 99 = Don't know		
CIQG23	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D69D	Recency of period of WTA	
English Text: And how recently did you have a period of this sort -- in the past month, past six months, or more than six months ago?		

English Instructions: < blank >

Codes:

- 1 = Past Month
- 2 = Past 6 Months
- 3 = Over 6 Months
- 7 = Refused
- 9 = Don't know

CIQG24	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D67	How upset for feeling WTA?	

English Text: In the past 12 months, how upset have you been with yourself for feeling worried, tense, or anxious -- very upset, somewhat, not very, or not at all upset?

English Instructions: < blank >

Codes:

- 1 = Very upset
- 2 = Somewhat Upset
- 3 = Not very upset
- 4 = Not at all upset
- 7 = Refused
- 9 = Don't know

CIQG25	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68	WTA interfere with daily life?	

English Text: Think about how your life and activities were affected in the past 12 months by your worry, tension or anxiety. Did these things interfere with your life and activities -- a lot, some, a little, or not at all?

English Instructions: < blank >

Codes:

- 1 = A lot
- 2 = Some
- 3 = A little
- 4 = Not at all
- 7 = Refused
- 9 = Don't know

CIQG26	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D68A	No. days totally unable work	
English Text: About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of your worry, tension, or anxiety? You can answer with any number between 0 and 365.		
English Instructions: < blank >		
Codes: 777 = Refused 999 = Don't know		
CIQG26ZZ	Version Info	Node Sequence
		Version 1.0
English Instructions: IF CIQG26=0 GO TO CIQG29; IF CIQG26=1 GO TO CIQG27; ELSE GO TO CIQG28		
CIQG27	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D68A_1	Did day occur past 4 weeks?	
English Text: Did that day occur in the past four weeks?		
English Instructions: < blank >		
Codes: 1 = Yes (Skip to: CIQG29) 2 = No (Skip to: CIQG29) 7 = Refused (Skip to: CIQG29) 9 = Don't know (Skip to: CIQG29)		
CIQG28	Version Info	Target
		Version 1.0
Collection Name	SAS Label	
D68A_2	No. days totally past 4 weeks	
English Text: How many of these days occurred in the past four weeks?		
English Instructions: NUMBER OF DAYS		
Codes: 77 = Refused 99 = Don't know		

CIQG29	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68B	No. days cutback amount/quality	
English Text: [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of your worry, tension, or anxiety? (Again, you can use any number between 0 and 365.)		
English Instructions: NUMBER OF DAYS		
Codes: 777 = Refused 999 = Don't know		
CIQG29ZZ	Version Info	Node Sequence
	Version 1.0	-
English Instructions: IF CIQG29=0 GO TO CIQG32; ELSE CONTINUE		
CIQG30	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68C	Describe quantity/quality cutback	
English Text: Thinking about (that cutback day/those cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those days)? You can use any number between 0 and 100.		
English Instructions: RECORD NUMBER BETWEEN 0 AND 100		
Codes: 777 = Refused 999 = Don't know		
CIQG30ZZ	Version Info	Node Sequence
	Version 1.0	-
English Instructions: IF CIQG29=1 GO TO CIQG31; ELSE GO TO CIQG32		
CIQG31	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68C_1	Did cutback occur past 4 weeks?	
English Text: Did that cutback day occur in the past four weeks?		
English Instructions: < blank >		

Codes:	
1 = Yes	(Skip to: CIQG36)
2 = No	(Skip to: CIQG36)
7 = Refused	(Skip to: CIQG36)
9 = Don't know	(Skip to: CIQG36)

CIQG32	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68C_2	No. days cutback past 4 weeks	

English Text: How many of these cutback days occurred in the past four weeks?

English Instructions: NUMBER OF DAYS

Codes:	
77 = Refused	
99 = Don't know	

CIQG33	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68C_3	No. days extreme effort to work	

English Text: [Not counting the day(s) (you were totally unable to work)/(or)/(you cut back on work),] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of your worry, tension, or anxiety? (Again, you can use any number between 0 and 365.)

English Instructions: NUMBER OF DAYS

Codes:	
777 = Refused	
999 = Don't know	

CIQG33ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQG33=0 GO TO CIQG36; IF CIQG33=1 GO TO CIQG34; ELSE GO TO CIQG35

CIQG34	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68C_3_1	Did extreme occur past 4 weeks?	

English Text: Did that day occur in the past four weeks?

English Instructions: NUMBER OF DAYS

Codes:
 1 = Yes (Skip to: CIQG36)
 2 = No (Skip to: CIQG36)
 7 = Refused (Skip to: CIQG36)
 9 = Don't know (Skip to: CIQG36)

CIQG35	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D68C_3_2	No. days extreme past 4 weeks

English Text: No. days extreme past 4 weeks

English Instructions: NUMBER OF DAYS

Codes:
 77 = Refused
 99 = Don't know

CIQG36	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D68D	No. days interfere personal life

English Text: And about how many days in the past 12 months did your worry, tension, or anxiety seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.)

English Instructions: NUMBER OF DAYS

Codes:
 777 = Refused
 999 = Don't know

CIQG36ZZ	Version Info	Node Sequence
	Version 1.0	-

English Instructions: IF CIQG36=0 GO TO CIDGSCOR; IF CIQG36=1 GO TO CIQG37; ELSE GO TO CIQG38

CIQG37	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)

Collection Name	SAS Label
D68D_1	Did interfere occur past 4 weeks?

English Text: Did that day occur in the past four weeks?

English Instructions: NUMBER OF DAYS

Codes:
 1 = Yes (Skip to: CIDGSCOR)
 2 = No (Skip to: CIDGSCOR)
 7 = Refused (Skip to: CIDGSCOR)
 9 = Don't know (Skip to: CIDGSCOR)

CIQG38	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
D68D_2	No. days interfere past 4 weeks	

English Text: How many of these days occurred in the past four weeks?

English Instructions: NUMBER OF DAYS

Codes:
 77 = Refused
 99 = Don't know

CIDGSCOR	Version Info	Target
	Version 1.0	B(20 Yrs. - 39 Yrs.)
Collection Name	SAS Label	
GAD	GAD score	

English Text: GAD score

English Instructions: < blank >

Codes:
 1 = Positive Diagnosis
 5 = Negative Diagnosis