

**National Health and Nutritional Examination Survey
Codebook for Data Collection (1999-2000)**

**Oral Health Exam Dentition Section (OHXDENT)
Person level data -- use Examination Weights for analysis**

Codebook Last Modified: 12/22/2003 8:19:18 AM

| SEQN | Version Info | Target |
|--|----------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Respondent sequence number | |
| Source Activity | Source Component | |
| | | |
| English Text: Respondent sequence number. | | |
| English Instructions: | | |

| OHAEXSTS | Version Info | Target |
|--|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Overall Oral Health Exam Status | |
| Source Activity | Source Component | |
| | | |
| English Text: Overall Oral Health Exam Status | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 1= Completed | | |
| 2= Partial | | |
| 3= Not Done | | |

| OHASCST3 | Version Info | Target |
|-----------------|---------------------|---------------|
| | | |

| | | |
|--|-------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Dentition Status Code | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Dentition Status Code | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 1= Complete | | |
| 2= Partial | | |
| 3= Not done | | |

| | | |
|--|-------------------------|------------------------|
| OHX08TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #8 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Upper right central incisor (CI) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 1= Primary tooth (deciduous) | | |
| 2= Permanent tooth (succedaneous) | | |
| 3= Implant | | |
| 4= Not present | | |

| | | |
|------------------------|-------------------------|------------------------|
| OHX07TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #7 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper right lateral incisor (LI)

English Instructions:

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX06TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #6 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper right cuspid (C)

English Instructions:

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX05TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #5 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper right 1st bicuspid/1st primary molar (1B)

English Instructions:

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX04TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #4 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper right 2nd bicuspid/2nd primary molar (2B)

English Instructions:**Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX03TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #3 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper right 1st molar (1M)

English Instructions:**Codes:**

- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| OHX02TC | Version Info | Target |
|--|------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #2 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Upper right 2nd molar (2M) | | |
| English Instructions: | | |
| Codes: 2= Permanent tooth (succedaneous) 3= Implant 4= Not present | Skip To Values: | |

| OHX01TC | Version Info | Target |
|--|------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #1 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Upper right 3rd molar (3M) | | |
| English Instructions: | | |
| Codes: 2= Permanent tooth (succedaneous) 3= Implant 4= Not present | Skip To Values: | |

| OHX09TC | Version Info | Target |
|-----------------|------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #9 | |
| Source Activity | Source Component | |

OH

OH

English Text: Tooth Count: Upper left central incisor (CI)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:**OHX10TC****Version Info****Target**

Version 1.0

B (2 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

Tooth Count: #10

Source Activity**Source Component**

OH

OH

English Text: Tooth Count: Upper left lateral incisor (LI)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:**OHX11TC****Version Info****Target**

Version 1.0

B (2 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

Tooth Count: #11

Source Activity**Source Component**

OH

OH

English Text: Tooth Count: Upper left cuspid (C)**English Instructions:**

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX12TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #12 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper left 1st bicuspid/1st primary molar (1B)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX13TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #13 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper left 2nd bicuspid/2nd primary molar (2B)**English Instructions:**

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX14TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #14 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper left 1st molar (1M)**English Instructions:****Codes:**

- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX15TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #15 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Upper left 2nd molar (2M)**English Instructions:****Codes:**

- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|---|-------------------------|------------------------|
| OHX16TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #16 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Upper left 3rd molar (3M) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 2= Permanent tooth (succedaneous) | | |
| 3= Implant | | |
| 4= Not present | | |

| | | |
|---|-------------------------|------------------------|
| OHX24TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #24 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Lower left central incisor (CI) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 1= Primary tooth (deciduous) | | |
| 2= Permanent tooth (succedaneous) | | |
| 3= Implant | | |
| 4= Not present | | |

| | | |
|------------------------|-------------------------|------------------------|
| OHX23TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #23 | |
| Source Activity | Source Component | |

OH

OH

English Text: Tooth Count: Lower left lateral incisor (LI)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:**OHX22TC****Version Info****Target**

Version 1.0

B (2 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

Tooth Count: #22

Source Activity**Source Component**

OH

OH

English Text: Tooth Count: Lower left cuspid (C)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:**OHX21TC****Version Info****Target**

Version 1.0

B (2 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

Tooth Count: #21

Source Activity**Source Component**

OH

OH

English Text: Tooth Count: Lower left 1st bicuspid/1st primary molar (1B)**English Instructions:**

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| OHX20TC | Version Info | Target |
|------------------------|-------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #20 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Lower left 2nd bicuspid/2nd primary molar (2B)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| OHX19TC | Version Info | Target |
|------------------------|-------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #19 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Lower left 1st molar (1M)**English Instructions:****Codes:**

- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| OHX18TC | Version Info | Target |
|--|------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #18 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Lower left 2nd molar (2M) | | |
| English Instructions: | | |
| Codes: 2= Permanent tooth (succedaneous) 3= Implant 4= Not present | Skip To Values: | |

| OHX17TC | Version Info | Target |
|--|------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #17 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Lower left 3rd molar (3M) | | |
| English Instructions: | | |
| Codes: 2= Permanent tooth (succedaneous) 3= Implant 4= Not present | Skip To Values: | |

| OHX25TC | Version Info | Target |
|-----------------|------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #25 | |
| Source Activity | Source Component | |

OH

OH

English Text: Tooth Count: Lower right central incisor (CI)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:**OHX26TC****Version Info****Target**

Version 1.0

B (2 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

Tooth Count: #26

Source Activity**Source Component**

OH

OH

English Text: Tooth Count: Lower right lateral incisor (LI)**English Instructions:****Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:**OHX27TC****Version Info****Target**

Version 1.0

B (2 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

Tooth Count: #27

Source Activity**Source Component**

OH

OH

English Text: Tooth Count: Lower right cuspid (C)**English Instructions:**

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX28TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #28 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Lower right 1st bicuspid/1st primary molar (1B)

English Instructions:**Codes:**

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX29TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #29 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Lower right 2nd bicuspid/2nd primary molar (2B)

English Instructions:

Codes:

- 1= Primary tooth (deciduous)
- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX30TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #30 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Lower right 1st molar (1M)**English Instructions:****Codes:**

- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|------------------------|-------------------------|------------------------|
| OHX31TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #31 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Lower right 2nd molar (2M)**English Instructions:****Codes:**

- 2= Permanent tooth (succedaneous)
- 3= Implant
- 4= Not present

Skip To Values:

| | | |
|--|-------------------------|------------------------|
| OHX32TC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Tooth Count: #32 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Lower right 3rd molar (3M) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 2= Permanent tooth (succedaneous) | | |
| 3= Implant | | |
| 4= Not present | | |

| | | |
|---|---------------------------|------------------------|
| OHXIMP | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Implant: yes / no? | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Tooth Count: Ever had a tooth replaced with a surgical implant? | | |
| English Instructions: Code all that apply. (String will contain a combination of the following codes.) | | |
| Codes: | | Skip To Values: |
| 1= Yes | | |
| 2= No | | |

| | | |
|------------------------|-------------------------|------------------------|
| OHXEDEN | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Edentulous: yes / no | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Tooth Count: Edentulous

English Instructions:

Codes:

1= Yes

2= No

Skip To Values:

| OHX08CTC | Version Info | Target |
|------------------------|-------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth code #8 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right central incisor (CI) tooth code

English Instructions:

Codes:

D= Sound primary tooth

E= Missing due to dental disease

J= Permanent root tip is present but a restorative replacement is present

K= Primary tooth with surface condition (s)

M= Missing due to other causes

R= Missing due to dental disease but replaced

S= Sound permanent tooth

T= Permanent root tip is present but no restorative replacement is present

U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

Skip To Values:

| OHX08CSC | Version Info | Target |
|-------------------|---------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|---|--------------------------------------|
| | Coronal Caries: Surface condition #8 |
| Source Activity | Source Component |
| OH | OH |
| English Text: Coronal Caries: Upper right central incisor (CI) surface calls | |
| English Instructions: Code all that apply. (String will contain a combination of the following codes.) | |
| Codes: | Skip To Values: |
| 0= Lingual surface caries | |
| 2= Facial surface caries | |
| 3= Mesial caries | |
| 4= Distal caries | |
| 5= Lingual surface restoration | |
| 7= Facial surface restoration | |
| 8= Mesial restoration | |
| 9= Distal restoration | |

| | | |
|--|-------------------------------|------------------------|
| OHX07CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth code #7 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Coronal Caries: Upper right lateral incisor (LI) tooth code | | |
| English Instructions: | | |
| Codes: | Skip To Values: | |
| D= Sound primary tooth | | |
| E= Missing due to dental disease | | |
| J= Permanent root tip is present but a restorative replacement is present | | |
| K= Primary tooth with surface condition (s) | | |
| M= Missing due to other causes | | |
| R= Missing due to dental disease but replaced | | |
| S= Sound permanent tooth | | |

T= Permanent root tip is present but no restorative replacement is present

U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| OHX07CSC | Version Info | Target |
|------------------------|--------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #7 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right lateral incisor (LI) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| OHX06CTC | Version Info | Target |
|------------------------|--------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #6 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right cuspid (C) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth
 E= Missing due to dental disease
 J= Permanent root tip is present but a restorative replacement is present
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 T= Permanent root tip is present but no restorative replacement is present
 U= Unerupted
 X= Missing due to other causes, but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

| OHX06CSC | Version Info | Target |
|-----------------|--------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #6 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right cuspid (C) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

0= Lingual surface caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

| | | |
|------------------------|--------------------------------|------------------------|
| OHX05CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #5 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 1st bicuspid/1st primary molar (1B) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| | | |
|------------------------|--------------------------------------|------------------------|
| OHX05CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #5 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 1st bicuspid/1st primary molar (1B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| OHX04CTC | Version Info | Target |
|-----------------|--------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #4 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 2nd bicuspid/2nd primary molar (2B) tooth code

English Instructions:**Codes:****Skip To Values:**

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| | | |
|------------------------|--------------------------------------|------------------------|
| OHX04CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #4 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 2nd bicuspid/2nd primary molar (2B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| | | |
|------------------------|--------------------------------|------------------------|
| OHX03CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #3 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 1st molar (1M) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth

E= Missing due to dental disease

J= Permanent root tip is present but a restorative replacement is present

K= Primary tooth with surface condition (s)

M= Missing due to other causes

R= Missing due to dental disease but replaced

S= Sound permanent tooth

T= Permanent root tip is present but no restorative replacement is present

U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| OHX03CSC | Version Info | Target |
|-----------------|--------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #3 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 1st molar (1M) surface calls**English Instructions:** Code all that apply. (String will contain a combination of the following codes.)**Codes:****Skip To Values:**

0= Lingual surface caries

1= Occlusal/incisal caries

2= Facial surface caries

3= Mesial caries

4= Distal caries

5= Lingual surface restoration

6= Occlusal/incisal restoration

7= Facial surface restoration

8= Mesial restoration

9= Distal restoration

| | | |
|------------------------|--------------------------------|------------------------|
| OHX02CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #2 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 2nd molar (2M) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| | | |
|------------------------|--------------------------------------|------------------------|
| OHX02CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #2 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper right 2nd molar (2M) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

Skip To Values:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| | | |
|------------------------|--------------------------------|------------------------|
| OHX09CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #9 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left central incisor (CI) tooth code

English Instructions:

Codes:

Skip To Values:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| OHX09CSC | Version Info | Target |
|------------------------|--------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #9 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left central incisor (CI) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| OHX10CTC | Version Info | Target |
|------------------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #10 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left lateral incisor (LI) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth
 E= Missing due to dental disease
 J= Permanent root tip is present but a restorative replacement is present
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 T= Permanent root tip is present but no restorative replacement is present
 U= Unerupted
 X= Missing due to other causes, but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

| OHX10CSC | Version Info | Target |
|-----------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #10 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left lateral incisor (LI) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

0= Lingual surface caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX11CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #11 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left cuspid (C) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX11CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #11 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left cuspid (C) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

- 0= Lingual surface caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| OHX12CTC | Version Info | Target |
|-----------------|---------------------------------|------------------------|
| Hard Edits | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| | SAS Label | |
| Source Activity | Coronal Caries: Tooth count #12 | |
| OH | Source Component | |
| | OH | |

English Text: Coronal Caries: Upper left 1st bicuspid/1st primary molar (1B) tooth code

English Instructions:**Codes:****Skip To Values:**

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX12CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #12 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left 1st bicuspid/1st primary molar (1B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

Skip To Values:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX13CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #13 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left 2nd bicuspid/2nd primary molar (2B) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth
 E= Missing due to dental disease
 J= Permanent root tip is present but a restorative replacement is present
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 T= Permanent root tip is present but no restorative replacement is present
 U= Unerupted
 X= Missing due to other causes, but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

| OHX13CSC | Version Info | Target |
|-----------------|---------------------------------------|------------------------|
| Hard Edits | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| | SAS Label | |
| Source Activity | Coronal Caries: Surface condition #13 | |
| OH | Source Component | |
| | OH | |

English Text: Coronal Caries: Upper left 2nd bicuspid/2nd primary molar (2B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

0= Lingual surface caries
 1= Occlusal/incisal caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 6= Occlusal/incisal restoration
 7= Facial surface restoration
 8= Mesial restoration

9= Distal restoration

| OHX14CTC | Version Info | Target |
|------------------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #14 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left 1st molar (1M) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| OHX14CSC | Version Info | Target |
|------------------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #14 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left 1st molar (1M) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

Skip To Values:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX15CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #15 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left 2nd molar (2M) tooth code

English Instructions:

Codes:

Skip To Values:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| OHX15CSC | Version Info | Target |
|------------------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #15 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Upper left 2nd molar (2M) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| OHX24CTC | Version Info | Target |
|------------------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #24 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left central incisor (CI) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth

E= Missing due to dental disease

J= Permanent root tip is present but a restorative replacement is present

K= Primary tooth with surface condition (s)

M= Missing due to other causes

R= Missing due to dental disease but replaced

S= Sound permanent tooth

T= Permanent root tip is present but no restorative replacement is present

U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| OHX24CSC | Version Info | Target |
|-----------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #24 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left central incisor (CI) surface calls**English Instructions:** Code all that apply. (String will contain a combination of the following codes.)**Codes:****Skip To Values:**

0= Lingual surface caries

2= Facial surface caries

3= Mesial caries

4= Distal caries

5= Lingual surface restoration

7= Facial surface restoration

8= Mesial restoration

9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX23CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #23 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left lateral incisor (LI) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX23CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #23 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left lateral incisor (LI) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

0= Lingual surface caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

| OHX22CTC | Version Info | Target |
|-----------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #22 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left cuspid (C) tooth code

English Instructions:**Codes:****Skip To Values:**

D= Sound primary tooth
 E= Missing due to dental disease
 J= Permanent root tip is present but a restorative replacement is present
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 T= Permanent root tip is present but no restorative replacement is present
 U= Unerupted
 X= Missing due to other causes, but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX22CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #22 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left cuspid (C) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| | | |
|------------------------|---------------------------------|------------------------|
| OHX21CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #21 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 1st bicuspid/1st primary molar (1B) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth
 E= Missing due to dental disease
 J= Permanent root tip is present but a restorative replacement is present
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 T= Permanent root tip is present but no restorative replacement is present
 U= Unerupted
 X= Missing due to other causes, but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX21CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #21 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 1st bicuspid/1st primary molar (1B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

0= Lingual surface caries
 1= Occlusal/incisal caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 6= Occlusal/incisal restoration
 7= Facial surface restoration
 8= Mesial restoration

9= Distal restoration

| OHX20CTC | Version Info | Target |
|------------------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #20 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 2nd bicuspid/2nd primary molar (2B) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| OHX20CSC | Version Info | Target |
|------------------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #20 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 2nd bicuspid/2nd primary molar (2B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

Skip To Values:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX19CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #19 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 1st molar (1M) tooth code

English Instructions:

Codes:

Skip To Values:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| OHX19CSC | Version Info | Target |
|-----------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #19 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 1st molar (1M) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| OHX18CTC | Version Info | Target |
|-----------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #18 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 2nd molar (2M) tooth code

English Instructions:

Codes:**Skip To Values:**

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

| OHX18CSC | Version Info | Target |
|-----------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #18 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower left 2nd molar (2M) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration

9= Distal restoration

| OHX25CTC | Version Info | Target |
|------------------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #25 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right central incisor (CI) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| OHX25CSC | Version Info | Target |
|------------------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #25 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right central incisor (CI) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

Skip To Values:

- 0= Lingual surface caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX26CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #26 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right lateral incisor (LI) tooth code

English Instructions:

Codes:

Skip To Values:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| OHX26CSC | Version Info | Target |
|------------------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #26 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right lateral incisor (LI) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| OHX27CTC | Version Info | Target |
|------------------------|---------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #27 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right cuspid (C) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth
 E= Missing due to dental disease
 J= Permanent root tip is present but a restorative replacement is present
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 T= Permanent root tip is present but no restorative replacement is present
 U= Unerupted
 X= Missing due to other causes, but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

| OHX27CSC | Version Info | Target |
|-----------------|---------------------------------------|------------------------|
| Hard Edits | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| | SAS Label | |
| Source Activity | Coronal Caries: Surface condition #27 | |
| OH | Source Component | |
| | OH | OH |

English Text: Coronal Caries: Lower right cuspid (C) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

0= Lingual surface caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX28CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #28 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 1st bicuspid/1st primary molar (1B) tooth code

English Instructions:

Codes:

Skip To Values:

D= Sound primary tooth

E= Missing due to dental disease

J= Permanent root tip is present but a restorative replacement is present

K= Primary tooth with surface condition (s)

M= Missing due to other causes

R= Missing due to dental disease but replaced

S= Sound permanent tooth

T= Permanent root tip is present but no restorative replacement is present

U= Unerupted

X= Missing due to other causes, but replaced

Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX28CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #28 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 1st bicuspid/1st primary molar (1B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX29CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #29 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 2nd bicuspid/2nd primary molar (2B) tooth code

English Instructions:**Codes:****Skip To Values:**

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed

Z= Permanent tooth with surface condition (s)

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX29CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #29 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 2nd bicuspid/2nd primary molar (2B) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| | | |
|------------------------|---------------------------------|------------------------|
| OHX30CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #30 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 1st molar (1M) tooth code

English Instructions:

Codes:**Skip To Values:**

D= Sound primary tooth
 E= Missing due to dental disease
 J= Permanent root tip is present but a restorative replacement is present
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 T= Permanent root tip is present but no restorative replacement is present
 U= Unerupted
 X= Missing due to other causes, but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

| OHX30CSC | Version Info | Target |
|-----------------|---------------------------------------|------------------------|
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #30 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 1st molar (1M) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

0= Lingual surface caries
 1= Occlusal/incisal caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 6= Occlusal/incisal restoration
 7= Facial surface restoration
 8= Mesial restoration

9= Distal restoration

| | | |
|------------------------|---------------------------------|------------------------|
| OHX31CTC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Tooth count #31 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 2nd molar (2M) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- J= Permanent root tip is present but a restorative replacement is present
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- T= Permanent root tip is present but no restorative replacement is present
- U= Unerupted
- X= Missing due to other causes, but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

| | | |
|------------------------|---------------------------------------|------------------------|
| OHX31CSC | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Coronal Caries: Surface condition #31 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Coronal Caries: Lower right 2nd molar (2M) surface calls

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Lingual surface caries
- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHXRCAR | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Root Caries: yes / no | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Root Caries: Whole mouth root caries

English Instructions:

Codes:

- 1= Root caries detected
- 2= No root caries detected
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-----------------------------|-------------------------|
| OHXRRES | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Root restorations: yes / no | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Root Caries: Whole mouth root restorations

English Instructions:

Codes:

- 1= Root restoration(s) detected
- 2= No root restoration(s) detected
- 9= Cannot be assessed

Skip To Values:

| OHX07SE | Version Info | Target |
|------------------------|-------------------------|-----------------------|
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #7 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper right lateral incisor (LI) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| OHX05SE | Version Info | Target |
|------------------------|-------------------------|-----------------------|
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #5 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper right 1st bicuspid/1st primary molar (1B) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:**OHX04SE****Version Info**

Version 1.0

Target

B (2 Yrs. to 34 Yrs.)

Hard Edits**SAS Label**

Dental Sealants: #4

Source Activity**Source Component**

OH

OH

English Text: Dental Sealants: Upper right 2nd bicuspid/2nd primary molar (2B) sealant codes**English Instructions:** Code all that apply. (String will contain a combination of the following codes.)**Codes:**

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:**OHX03SE****Version Info**

Version 1.0

Target

B (2 Yrs. to 34 Yrs.)

Hard Edits**SAS Label**

Dental Sealants: #3

Source Activity**Source Component**

OH

OH

English Text: Dental Sealants: Upper right 1st molar (1M) sealant codes**English Instructions:** Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX02SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #2 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper right 2nd molar (2M) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX10SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #10 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper left lateral incisor (LI) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

| | | |
|------------------------|-------------------------|-----------------------|
| OHX12SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #12 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper left 1st bicuspid/1st primary molar (1B) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:**Skip To Values:**

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

| | | |
|------------------------|-------------------------|-----------------------|
| OHX13SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #13 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper left 2nd bicuspid/2nd primary molar (2B) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX14SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #14 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper left 1st molar (1M) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX15SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #15 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Upper left 2nd molar (2M) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:**OHX21SE****Version Info**

Version 1.0

Target

B (2 Yrs. to 34 Yrs.)

Hard Edits**SAS Label**

Dental Sealants: #21

Source Activity**Source Component**

OH

OH

English Text: Dental Sealants: Lower left 1st bicuspid/1st primary molar (1B) sealant codes**English Instructions:** Code all that apply. (String will contain a combination of the following codes.)**Codes:**

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:**OHX20SE****Version Info**

Version 1.0

Target

B (2 Yrs. to 34 Yrs.)

Hard Edits**SAS Label**

Dental Sealants: #20

Source Activity**Source Component**

OH

OH

English Text: Dental Sealants: Lower left 2nd bicuspid/2nd primary molar (2B) sealant codes**English Instructions:** Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX19SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #19 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Lower left 1st molar (1M) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX18SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #18 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Lower left 2nd molar (2M) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX28SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #28 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Lower right 1st bicuspid/1st primary molar (1B) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX29SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #29 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Lower right 2nd bicuspid/2nd primary molar (2B) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX30SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #30 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Lower right 1st molar (1M) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-------------------------|-----------------------|
| OHX31SE | Version Info | Target |
| | Version 1.0 | B (2 Yrs. to 34 Yrs.) |
| Hard Edits | SAS Label | |
| | Dental Sealants: #31 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Dental Sealants: Lower right 2nd molar (2M) sealant codes

English Instructions: Code all that apply. (String will contain a combination of the following codes.)

Codes:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|---------------------------|-----------------------|
| OHX08DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #8 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Fluorosis Deans Index: Upper right central incisor (CI)

English Instructions:**Codes:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:

| | | |
|------------------------|---------------------------|-----------------------|
| OHX07DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #7 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Fluorosis Deans Index: Upper right lateral incisor (LI)

English Instructions:

Codes:

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:

| OHX06DI | Version Info | Target |
|------------------------|---------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #6 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Fluorosis Deans Index: Upper right cuspid (C)

English Instructions:

Codes:

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:

| OHX05DI | Version Info | Target |
|----------------|---------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |

| | |
|---|---------------------------|
| Hard Edits | SAS Label |
| | Fluorosis Deans Index: #5 |
| Source Activity | Source Component |
| OH | OH |
| English Text: Fluorosis Deans Index: Upper right 1st bicuspid/1st primary molar (1B) | |
| English Instructions: | |
| Codes: | Skip To Values: |
| 0= Normal | |
| 1= Very mild | |
| 2= Mild | |
| 3= Moderate | |
| 4= Severe | |
| 5= Questionable | |
| 8= Non-fluoride opacities | |
| 9= Cannot be assessed | |

| | | |
|---|---------------------------|-----------------------|
| OHX04DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #4 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Upper right 2nd bicuspid/2nd primary molar (2B) | | |
| English Instructions: | | |

Codes:**Skip To Values:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

| | | |
|------------------------|---------------------------|-----------------------|
| OHX03DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #3 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Fluorosis Deans Index: Upper right 1st molar (1M)

English Instructions:**Codes:****Skip To Values:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

| | | |
|-------------------|---------------------------|-----------------------|
| OHX02DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #2 | |

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Fluorosis Deans Index: Upper right 2nd molar (2M) | |
| English Instructions: | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: |

| OHX09DI | Version Info | Target |
|--|---------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #9 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Upper left central incisor (CI) | | |
| English Instructions: | | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: | |

| | | |
|---|----------------------------|------------------------|
| OHX10DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #10 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Upper left lateral incisor (LI) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 0= Normal | | |
| 1= Very mild | | |
| 2= Mild | | |
| 3= Moderate | | |
| 4= Severe | | |
| 5= Questionable | | |
| 8= Non-fluoride opacities | | |
| 9= Cannot be assessed | | |

| | | |
|---|----------------------------|-----------------------|
| OHX11DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #11 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Upper left cuspid (C) | | |
| English Instructions: | | |

Codes:

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:**OHX12DI****Version Info**

Version 1.0

Target

B (6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis Deans Index: #12

Source Activity**Source Component**

OH

OH

English Text: Fluorosis Deans Index: Upper left 1st bicuspid/1st primary molar (1B)**English Instructions:****Codes:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:**OHX13DI****Version Info**

Version 1.0

Target

B (6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis Deans Index: #13

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Fluorosis Deans Index: Upper left 2nd bicuspid/2nd primary molar (2B) | |
| English Instructions: | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: |

| OHX14DI | Version Info | Target |
|--|----------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #14 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Upper left 1st molar (1M) | | |
| English Instructions: | | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: | |

| | | |
|---|----------------------------|------------------------|
| OHX15DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #15 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Upper left 2nd molar (2M) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 0= Normal | | |
| 1= Very mild | | |
| 2= Mild | | |
| 3= Moderate | | |
| 4= Severe | | |
| 5= Questionable | | |
| 8= Non-fluoride opacities | | |
| 9= Cannot be assessed | | |

| | | |
|---|----------------------------|-----------------------|
| OHX24DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #24 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower left central incisor (CI) | | |
| English Instructions: | | |

Codes:

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:**OHX23DI****Version Info**

Version 1.0

Target

B (6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis Deans Index: #23

Source Activity**Source Component**

OH

OH

English Text: Fluorosis Deans Index: Lower left lateral incisor (LI)**English Instructions:****Codes:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:**OHX22DI****Version Info**

Version 1.0

Target

B (6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis Deans Index: #22

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Fluorosis Deans Index: Lower left cuspid (C) | |
| English Instructions: | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: |

| OHX21DI | Version Info | Target |
|--|----------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #21 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower left 1st bicuspid/1st primary molar (1B) | | |
| English Instructions: | | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: | |

| | | |
|--|----------------------------|------------------------|
| OHX20DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #20 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower left 2nd bicuspid/2nd primary molar (2B) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 0= Normal | | |
| 1= Very mild | | |
| 2= Mild | | |
| 3= Moderate | | |
| 4= Severe | | |
| 5= Questionable | | |
| 8= Non-fluoride opacities | | |
| 9= Cannot be assessed | | |

| | | |
|---|----------------------------|-----------------------|
| OHX19DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #19 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower left 1st molar (1M) | | |
| English Instructions: | | |

Codes:

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:**OHX18DI****Version Info**

Version 1.0

Target

B (6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis Deans Index: #18

Source Activity**Source Component**

OH

OH

English Text: Fluorosis Deans Index: Lower left 2nd molar (2M)**English Instructions:****Codes:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:**OHX25DI****Version Info**

Version 1.0

Target

B (6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis Deans Index: #25

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Fluorosis Deans Index: Lower right central incisor (CI) | |
| English Instructions: | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: |

| OHX26DI | Version Info | Target |
|--|----------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #26 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower right lateral incisor (LI) | | |
| English Instructions: | | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: | |

| | | |
|--|----------------------------|------------------------|
| OHX27DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #27 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower right cuspid (C) | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 0= Normal | | |
| 1= Very mild | | |
| 2= Mild | | |
| 3= Moderate | | |
| 4= Severe | | |
| 5= Questionable | | |
| 8= Non-fluoride opacities | | |
| 9= Cannot be assessed | | |

| | | |
|---|----------------------------|-----------------------|
| OHX28DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #28 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower right 1st bicuspid/1st primary molar (1B) | | |
| English Instructions: | | |

Codes:**Skip To Values:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

| | | |
|------------------------|----------------------------|-----------------------|
| OHX29DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #29 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Fluorosis Deans Index: Lower right 2nd bicuspid/2nd primary molar (2B)

English Instructions:**Codes:****Skip To Values:**

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

| | | |
|-------------------|----------------------------|-----------------------|
| OHX30DI | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #30 | |

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Fluorosis Deans Index: Lower right 1st molar (1M) | |
| English Instructions: | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: |

| OHX31DI | Version Info | Target |
|--|----------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Fluorosis Deans Index: #31 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Fluorosis Deans Index: Lower right 2nd molar (2M) | | |
| English Instructions: | | |
| Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed | Skip To Values: | |

| | | |
|---|-------------------------|------------------------|
| OHX08TR | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #8 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Incisor Trauma: Upper right central incisor (CI) traumatic injury code | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 0= No evidence of traumatic injury | | |
| 1= Unrestored enamel fracture present that does not involve the dentine | | |
| 2= Unrestored enamel fracture which involves the dentine | | |
| 3= Untreated damage (indicative of pulpal involvement) | | |
| 4= Fracture restored, either with full crown or less extensive restoration | | |
| 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy | | |
| 6= Tooth is missing due to trauma | | |
| 9= Cannot be assessed | | |

| | | |
|---|-------------------------|-----------------------|
| OHX07TR | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #7 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Incisor Trauma: Upper right lateral incisor (LI) traumatic injury code | | |
| English Instructions: | | |

Codes:**Skip To Values:**

- 0= No evidence of traumatic injury
- 1= Unrestored enamel fracture present that does not involve the dentine
- 2= Unrestored enamel fracture which involves the dentine
- 3= Untreated damage (indicative of pulpal involvement)
- 4= Fracture restored, either with full crown or less extensive restoration
- 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy
- 6= Tooth is missing due to trauma
- 9= Cannot be assessed

| | | |
|------------------------|-------------------------|-----------------------|
| OHX09TR | Version Info | Target |
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #9 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Incisor Trauma: Upper left central incisor (CI) traumatic injury code

English Instructions:**Codes:****Skip To Values:**

- 0= No evidence of traumatic injury
- 1= Unrestored enamel fracture present that does not involve the dentine
- 2= Unrestored enamel fracture which involves the dentine
- 3= Untreated damage (indicative of pulpal involvement)
- 4= Fracture restored, either with full crown or less extensive restoration
- 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy
- 6= Tooth is missing due to trauma
- 9= Cannot be assessed

| OHX10TR | Version Info | Target |
|---|-------------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #10 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Incisor Trauma: Upper left lateral incisor (LI) traumatic injury code | | |
| English Instructions: | | |
| <p>Codes:</p> <ul style="list-style-type: none"> 0= No evidence of traumatic injury 1= Unrestored enamel fracture present that does not involve the dentine 2= Unrestored enamel fracture which involves the dentine 3= Untreated damage (indicative of pulpal involvement) 4= Fracture restored, either with full crown or less extensive restoration 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy 6= Tooth is missing due to trauma 9= Cannot be assessed | <p>Skip To Values:</p> | |

| OHX24TR | Version Info | Target |
|--|---------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #24 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Incisor Trauma: Lower left central incisor (CI) traumatic injury code | | |
| English Instructions: | | |

Codes:**Skip To Values:**

- 0= No evidence of traumatic injury
- 1= Unrestored enamel fracture present that does not involve the dentine
- 2= Unrestored enamel fracture which involves the dentine
- 3= Untreated damage (indicative of pulpal involvement)
- 4= Fracture restored, either with full crown or less extensive restoration
- 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy
- 6= Tooth is missing due to trauma
- 9= Cannot be assessed

| OHX23TR | Version Info | Target |
|------------------------|-------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #23 | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Incisor Trauma: Lower left lateral incisor (LI) traumatic injury code

English Instructions:**Codes:****Skip To Values:**

- 0= No evidence of traumatic injury
- 1= Unrestored enamel fracture present that does not involve the dentine
- 2= Unrestored enamel fracture which involves the dentine
- 3= Untreated damage (indicative of pulpal involvement)
- 4= Fracture restored, either with full crown or less extensive restoration
- 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy
- 6= Tooth is missing due to trauma
- 9= Cannot be assessed

| OHX25TR | Version Info | Target |
|---|-------------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #25 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Incisor Trauma: Lower right central incisor (CI) traumatic injury code | | |
| English Instructions: | | |
| <p>Codes:</p> <ul style="list-style-type: none"> 0= No evidence of traumatic injury 1= Unrestored enamel fracture present that does not involve the dentine 2= Unrestored enamel fracture which involves the dentine 3= Untreated damage (indicative of pulpal involvement) 4= Fracture restored, either with full crown or less extensive restoration 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy 6= Tooth is missing due to trauma 9= Cannot be assessed | <p>Skip To Values:</p> | |

| OHX26TR | Version Info | Target |
|---|-------------------------|-----------------------|
| | Version 1.0 | B (6 Yrs. to 29 Yrs.) |
| Hard Edits | SAS Label | |
| | Incisor Trauma: #26 | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Incisor Trauma: Lower right lateral incisor (LI) traumatic injury code | | |
| English Instructions: | | |

Codes:**Skip To Values:**

- 0= No evidence of traumatic injury
- 1= Unrestored enamel fracture present that does not involve the dentine
- 2= Unrestored enamel fracture which involves the dentine
- 3= Untreated damage (indicative of pulpal involvement)
- 4= Fracture restored, either with full crown or less extensive restoration
- 5= Lingual restoration as a sign of endodontic therapy and a positive history of root canal therapy
- 6= Tooth is missing due to trauma
- 9= Cannot be assessed