



National Health and Nutritional Examination Survey (1999-2000) Oral Health Exam Dentition Section (OHXDENT)

Overall Oral Health Exam Status				
OHAEXSTS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Completed	6589	76.73	6589	76.73
2 : Partial	1493	17.39	8082	94.12
3 : Not Done	505	5.88	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dentition Status Code				
OHASCST3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Complete	7340	85.48	7340	85.48
2 : Partial	736	8.57	8076	94.05
3 : Not done	511	5.95	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #8				
OHX08TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	802	9.34	1340	15.60
2 : Permanent tooth (succedaneous)	6221	72.45	7561	88.05
3 : Implant	2	0.02	7563	88.07
4 : Not present	1024	11.93	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #7				
OHX07TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	947	11.03	1485	17.29
2 : Permanent tooth (succedaneous)	6016	70.06	7501	87.35
3 : Implant	3	0.03	7504	87.39
4 : Not present	1083	12.61	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #6				
OHX06TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1503	17.50	2041	23.77
2 : Permanent tooth (succedaneous)	5640	65.68	7681	89.45
3 : Implant	3	0.03	7684	89.48
4 : Not present	903	10.52	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #5				
OHX05TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1383	16.11	1921	22.37
2 : Permanent tooth (succedaneous)	5276	61.44	7197	83.81
3 : Implant	2	0.02	7199	83.84
4 : Not present	1388	16.16	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #4				
OHX04TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1517	17.67	2055	23.93
2 : Permanent tooth (succedaneous)	5201	60.57	7256	84.50
4 : Not present	1331	15.50	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #3				
OHX03TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	5910	68.82	6448	75.09
4 : Not present	2139	24.91	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #2				
OHX02TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	4935	57.47	5473	63.74
4 : Not present	3114	36.26	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #1				
OHX01TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	1269	14.78	1807	21.04
4 : Not present	6780	78.96	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #9				
OHX09TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	801	9.33	1339	15.59
2 : Permanent tooth (succedaneous)	6215	72.38	7554	87.97
4 : Not present	1033	12.03	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #10				
OHX10TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	949	11.05	1487	17.32
2 : Permanent tooth (succedaneous)	6010	69.99	7497	87.31
3 : Implant	1	0.01	7498	87.32
4 : Not present	1089	12.68	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #11				
OHX11TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1512	17.61	2050	23.87
2 : Permanent tooth (succedaneous)	5641	65.69	7691	89.57
3 : Implant	3	0.03	7694	89.60
4 : Not present	893	10.40	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #12				
OHX12TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1384	16.12	1922	22.38
2 : Permanent tooth (succedaneous)	5294	61.65	7216	84.03
3 : Implant	1	0.01	7217	84.05
4 : Not present	1370	15.95	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #13				
OHX13TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1526	17.77	2064	24.04
2 : Permanent tooth (succedaneous)	5213	60.71	7277	84.74
4 : Not present	1310	15.26	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #14				
OHX14TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	5867	68.32	6405	74.59
3 : Implant	1	0.01	6406	74.60
4 : Not present	2181	25.40	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #15				
OHX15TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	4893	56.98	5431	63.25
4 : Not present	3156	36.75	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)

Tooth Count: #16				
OHX16TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	1325	15.43	1863	21.70
4 : Not present	6724	78.30	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #24				
OHX24TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	674	7.85	1212	14.11
2 : Permanent tooth (succedaneous)	6632	77.23	7844	91.35
3 : Implant	3	0.03	7847	91.38
4 : Not present	740	8.62	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #23				
OHX23TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	842	9.81	1380	16.07
2 : Permanent tooth (succedaneous)	6516	75.88	7896	91.95
3 : Implant	3	0.03	7899	91.99
4 : Not present	688	8.01	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #22				
OHX22TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1350	15.72	1888	21.99
2 : Permanent tooth (succedaneous)	6140	71.50	8028	93.49
3 : Implant	6	0.07	8034	93.56
4 : Not present	553	6.44	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #21				
OHX21TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1383	16.11	1921	22.37
2 : Permanent tooth (succedaneous)	5717	66.58	7638	88.95
3 : Implant	2	0.02	7640	88.97
4 : Not present	947	11.03	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #20				
OHX20TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1559	18.16	2097	24.42
2 : Permanent tooth (succedaneous)	5446	63.42	7543	87.84
3 : Implant	1	0.01	7544	87.85
4 : Not present	1043	12.15	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #19				
OHX19TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	5634	65.61	6172	71.88
3 : Implant	6	0.07	6178	71.95
4 : Not present	2409	28.05	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #18				
OHX18TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	4931	57.42	5469	63.69
3 : Implant	2	0.02	5471	63.71
4 : Not present	3116	36.29	8587	100.00



Tooth Count: #17				
OHX17TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	1529	17.81	2067	24.07
3 : Implant	1	0.01	2068	24.08
4 : Not present	6519	75.92	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #25				
OHX25TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	673	7.84	1211	14.10
2 : Permanent tooth (succedaneous)	6642	77.35	7853	91.45
3 : Implant	2	0.02	7855	91.48
4 : Not present	732	8.52	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #26				
OHX26TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	843	9.82	1381	16.08
2 : Permanent tooth (succedaneous)	6497	75.66	7878	91.74
3 : Implant	4	0.05	7882	91.79
4 : Not present	705	8.21	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #27				
OHX27TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1343	15.64	1881	21.91
2 : Permanent tooth (succedaneous)	6121	71.28	8002	93.19
3 : Implant	6	0.07	8008	93.26
4 : Not present	579	6.74	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #28				
OHX28TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1377	16.04	1915	22.30
2 : Permanent tooth (succedaneous)	5723	66.65	7638	88.95
3 : Implant	2	0.02	7640	88.97
4 : Not present	947	11.03	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #29				
OHX29TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
1 : Primary tooth (deciduous)	1570	18.28	2108	24.55
2 : Permanent tooth (succedaneous)	5451	63.48	7559	88.03
3 : Implant	3	0.03	7562	88.06
4 : Not present	1025	11.94	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #30				
OHX30TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	5671	66.04	6209	72.31
3 : Implant	4	0.05	6213	72.35
4 : Not present	2374	27.65	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #31				
OHX31TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	4889	56.93	5427	63.20
4 : Not present	3160	36.80	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Tooth Count: #32				
OHX32TC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	538	6.27	538	6.27
2 : Permanent tooth (succedaneous)	1534	17.86	2072	24.13
4 : Not present	6515	75.87	8587	100.00



Dental Implant: yes / no?				
OHXIMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	1387	16.15	1387	16.15
1 : Yes	25	0.29	1412	16.44
2 : No	7175	83.56	8587	100.00



Edentulous: yes / no				
OHXDEN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8151	94.92	8151	94.92
1 : Yes	418	4.87	8569	99.79
2 : No	18	0.21	8587	100.00



Coronal Caries: Tooth code #8				
OHX08CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	546	6.36	546	6.36
D : Sound primary tooth	717	8.35	1263	14.71
E : Missing due to dental disease	108	1.26	1371	15.97
K : Primary tooth with surface condition (s)	81	0.94	1452	16.91
M : Missing due to other causes	5	0.06	1457	16.97
R : Missing due to dental disease but replaced	794	9.25	2251	26.21
S : Sound permanent tooth	5398	62.86	7649	89.08
U : Unerupted	52	0.61	7701	89.68
X : Missing due to other causes, but replaced	67	0.78	7768	90.46
Y : Tooth present, condition cannot be assessed	151	1.76	7919	92.22
Z : Permanent tooth with surface condition (s)	668	7.78	8587	100.00



Coronal Caries: Surface condition #8				
OHX08CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7838	91.28	7838	91.28
Coronal Caries: Surface condition #8	749	8.72	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth code #7				
OHX07CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	547	6.37	547	6.37
D : Sound primary tooth	888	10.34	1435	16.71
E : Missing due to dental disease	106	1.23	1541	17.95
K : Primary tooth with surface condition (s)	53	0.62	1594	18.56
M : Missing due to other causes	18	0.21	1612	18.77
R : Missing due to dental disease but replaced	786	9.15	2398	27.93
S : Sound permanent tooth	5241	61.03	7639	88.96
U : Unerupted	129	1.50	7768	90.46
X : Missing due to other causes, but replaced	47	0.55	7815	91.01
Y : Tooth present, condition cannot be assessed	103	1.20	7918	92.21
Z : Permanent tooth with surface condition (s)	669	7.79	8587	100.00



Coronal Caries: Surface condition #7				
OHX07CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7865	91.59	7865	91.59
Coronal Caries: Surface condition #7	722	8.41	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #6				
OHX06CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	547	6.37	547	6.37
D : Sound primary tooth	1460	17.00	2007	23.37
E : Missing due to dental disease	99	1.15	2106	24.53
K : Primary tooth with surface condition (s)	37	0.43	2143	24.96
M : Missing due to other causes	11	0.13	2154	25.08
R : Missing due to dental disease but replaced	704	8.20	2858	33.28
S : Sound permanent tooth	5086	59.23	7944	92.51
U : Unerupted	77	0.90	8021	93.41
X : Missing due to other causes, but replaced	15	0.17	8036	93.58
Y : Tooth present, condition cannot be assessed	95	1.11	8131	94.69
Z : Permanent tooth with surface condition (s)	456	5.31	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #6				
OHX06CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8094	94.26	8094	94.26
Coronal Caries: Surface condition #6	493	5.74	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #5				
OHX05CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1184	13.79	1729	20.14
E : Missing due to dental disease	261	3.04	1990	23.17
K : Primary tooth with surface condition (s)	193	2.25	2183	25.42
M : Missing due to other causes	247	2.88	2430	28.30
R : Missing due to dental disease but replaced	836	9.74	3266	38.03
S : Sound permanent tooth	4182	48.70	7448	86.74
U : Unerupted	32	0.37	7480	87.11
X : Missing due to other causes, but replaced	13	0.15	7493	87.26
Y : Tooth present, condition cannot be assessed	11	0.13	7504	87.39
Z : Permanent tooth with surface condition (s)	1083	12.61	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #5				
OHX05CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7311	85.14	7311	85.14
Coronal Caries: Surface condition #5	1276	14.86	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #4				
OHX04CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1184	13.79	1729	20.14
E : Missing due to dental disease	380	4.43	2109	24.56
K : Primary tooth with surface condition (s)	326	3.80	2435	28.36
M : Missing due to other causes	2	0.02	2437	28.38
R : Missing due to dental disease but replaced	858	9.99	3295	38.37
S : Sound permanent tooth	3988	46.44	7283	84.81
U : Unerupted	78	0.91	7361	85.72
X : Missing due to other causes, but replaced	12	0.14	7373	85.86
Y : Tooth present, condition cannot be assessed	9	0.10	7382	85.97
Z : Permanent tooth with surface condition (s)	1205	14.03	8587	100.00



Coronal Caries: Surface condition #4				
OHX04CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7056	82.17	7056	82.17
Coronal Caries: Surface condition #4	1531	17.83	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #3				
OHX03CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	546	6.36	546	6.36
E : Missing due to dental disease	526	6.13	1072	12.48
M : Missing due to other causes	2	0.02	1074	12.51
R : Missing due to dental disease but replaced	849	9.89	1923	22.39
S : Sound permanent tooth	3330	38.78	5253	61.17
U : Unerupted	748	8.71	6001	69.88
X : Missing due to other causes, but replaced	11	0.13	6012	70.01
Y : Tooth present, condition cannot be assessed	7	0.08	6019	70.09
Z : Permanent tooth with surface condition (s)	2568	29.91	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #3				
OHX03CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6019	70.09	6019	70.09
Coronal Caries: Surface condition #3	2568	29.91	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #2				
OHX02CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
E : Missing due to dental disease	552	6.43	1097	12.78
M : Missing due to other causes	2	0.02	1099	12.80
R : Missing due to dental disease but replaced	771	8.98	1870	21.78
S : Sound permanent tooth	3105	36.16	4975	57.94
U : Unerupted	1775	20.67	6750	78.61
X : Missing due to other causes, but replaced	10	0.12	6760	78.72
Y : Tooth present, condition cannot be assessed	7	0.08	6767	78.81
Z : Permanent tooth with surface condition (s)	1820	21.19	8587	100.00



Coronal Caries: Surface condition #2				
OHX02CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6767	78.81	6767	78.81
Coronal Caries: Surface condition #2	1820	21.19	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #9				
OHX09CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	546	6.36	546	6.36
D : Sound primary tooth	714	8.31	1260	14.67
E : Missing due to dental disease	111	1.29	1371	15.97
K : Primary tooth with surface condition (s)	83	0.97	1454	16.93
M : Missing due to other causes	10	0.12	1464	17.05
R : Missing due to dental disease but replaced	795	9.26	2259	26.31
S : Sound permanent tooth	5391	62.78	7650	89.09
U : Unerupted	56	0.65	7706	89.74
X : Missing due to other causes, but replaced	61	0.71	7767	90.45
Y : Tooth present, condition cannot be assessed	153	1.78	7920	92.23
Z : Permanent tooth with surface condition (s)	667	7.77	8587	100.00



Coronal Caries: Surface condition #9				
OHX09CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7837	91.27	7837	91.27
Coronal Caries: Surface condition #9	750	8.73	8587	100.00



Coronal Caries: Tooth count #10				
OHX10CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	546	6.36	546	6.36
D : Sound primary tooth	883	10.28	1429	16.64
E : Missing due to dental disease	118	1.37	1547	18.02
K : Primary tooth with surface condition (s)	61	0.71	1608	18.73
M : Missing due to other causes	16	0.19	1624	18.91
R : Missing due to dental disease but replaced	791	9.21	2415	28.12
S : Sound permanent tooth	5267	61.34	7682	89.46
U : Unerupted	119	1.39	7801	90.85
X : Missing due to other causes, but replaced	46	0.54	7847	91.38
Y : Tooth present, condition cannot be assessed	102	1.19	7949	92.57
Z : Permanent tooth with surface condition (s)	638	7.43	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #10				
OHX10CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7888	91.86	7888	91.86
Coronal Caries: Surface condition #10	699	8.14	8587	100.00



Coronal Caries: Tooth count #11				
OHX11CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	547	6.37	547	6.37
D : Sound primary tooth	1461	17.01	2008	23.38
E : Missing due to dental disease	99	1.15	2107	24.54
K : Primary tooth with surface condition (s)	45	0.52	2152	25.06
M : Missing due to other causes	10	0.12	2162	25.18
R : Missing due to dental disease but replaced	702	8.18	2864	33.35
S : Sound permanent tooth	5098	59.37	7962	92.72
U : Unerupted	69	0.80	8031	93.53
X : Missing due to other causes, but replaced	16	0.19	8047	93.71
Y : Tooth present, condition cannot be assessed	81	0.94	8128	94.65
Z : Permanent tooth with surface condition (s)	459	5.35	8587	100.00



Coronal Caries: Surface condition #11				
OHX11CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8083	94.13	8083	94.13
Coronal Caries: Surface condition #11	504	5.87	8587	100.00



Coronal Caries: Tooth count #12				
OHX12CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1192	13.88	1737	20.23
E : Missing due to dental disease	256	2.98	1993	23.21
K : Primary tooth with surface condition (s)	186	2.17	2179	25.38
M : Missing due to other causes	253	2.95	2432	28.32
R : Missing due to dental disease but replaced	833	9.70	3265	38.02
S : Sound permanent tooth	4251	49.51	7516	87.53
U : Unerupted	16	0.19	7532	87.71
X : Missing due to other causes, but replaced	12	0.14	7544	87.85
Y : Tooth present, condition cannot be assessed	9	0.10	7553	87.96
Z : Permanent tooth with surface condition (s)	1034	12.04	8587	100.00



Coronal Caries: Surface condition #12				
OHX12CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7367	85.79	7367	85.79
Coronal Caries: Surface condition #12	1220	14.21	8587	100.00



Coronal Caries: Tooth count #13				
OHX13CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1185	13.80	1730	20.15
E : Missing due to dental disease	371	4.32	2101	24.47
K : Primary tooth with surface condition (s)	334	3.89	2435	28.36
M : Missing due to other causes	4	0.05	2439	28.40
R : Missing due to dental disease but replaced	853	9.93	3292	38.34
S : Sound permanent tooth	4009	46.69	7301	85.02
U : Unerupted	71	0.83	7372	85.85
X : Missing due to other causes, but replaced	11	0.13	7383	85.98
Y : Tooth present, condition cannot be assessed	11	0.13	7394	86.11
Z : Permanent tooth with surface condition (s)	1193	13.89	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #13				
OHX13CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7060	82.22	7060	82.22
Coronal Caries: Surface condition #13	1527	17.78	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #14				
OHX14CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
E : Missing due to dental disease	554	6.45	1099	12.80
M : Missing due to other causes	2	0.02	1101	12.82
R : Missing due to dental disease but replaced	865	10.07	1966	22.90
S : Sound permanent tooth	3390	39.48	5356	62.37
U : Unerupted	746	8.69	6102	71.06
X : Missing due to other causes, but replaced	12	0.14	6114	71.20
Y : Tooth present, condition cannot be assessed	6	0.07	6120	71.27
Z : Permanent tooth with surface condition (s)	2467	28.73	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #14				
OHX14CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6120	71.27	6120	71.27
Coronal Caries: Surface condition #14	2467	28.73	8587	100.00



Coronal Caries: Tooth count #15				
OHX15CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
E : Missing due to dental disease	597	6.95	1142	13.30
M : Missing due to other causes	2	0.02	1144	13.32
R : Missing due to dental disease but replaced	779	9.07	1923	22.39
S : Sound permanent tooth	3109	36.21	5032	58.60
U : Unerupted	1764	20.54	6796	79.14
X : Missing due to other causes, but replaced	10	0.12	6806	79.26
Y : Tooth present, condition cannot be assessed	5	0.06	6811	79.32
Z : Permanent tooth with surface condition (s)	1776	20.68	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #15				
OHX15CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6811	79.32	6811	79.32
Coronal Caries: Surface condition #15	1776	20.68	8587	100.00



Coronal Caries: Tooth count #24				
OHX24CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	663	7.72	1208	14.07
E : Missing due to dental disease	145	1.69	1353	15.76
K : Primary tooth with surface condition (s)	6	0.07	1359	15.83
M : Missing due to other causes	5	0.06	1364	15.88
R : Missing due to dental disease but replaced	555	6.46	1919	22.35
S : Sound permanent tooth	6503	75.73	8422	98.08
U : Unerupted	17	0.20	8439	98.28
X : Missing due to other causes, but replaced	21	0.24	8460	98.52
Y : Tooth present, condition cannot be assessed	24	0.28	8484	98.80
Z : Permanent tooth with surface condition (s)	103	1.20	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #24				
OHX24CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8478	98.73	8478	98.73
Coronal Caries: Surface condition #24	109	1.27	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #23				
OHX23CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	834	9.71	1379	16.06
E : Missing due to dental disease	113	1.32	1492	17.38
K : Primary tooth with surface condition (s)	3	0.03	1495	17.41
M : Missing due to other causes	4	0.05	1499	17.46
R : Missing due to dental disease but replaced	522	6.08	2021	23.54
S : Sound permanent tooth	6369	74.17	8390	97.71
U : Unerupted	37	0.43	8427	98.14
X : Missing due to other causes, but replaced	15	0.17	8442	98.31
Y : Tooth present, condition cannot be assessed	27	0.31	8469	98.63
Z : Permanent tooth with surface condition (s)	118	1.37	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #23				
OHX23CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8466	98.59	8466	98.59
Coronal Caries: Surface condition #23	121	1.41	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #22				
OHX22CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1326	15.44	1871	21.79
E : Missing due to dental disease	84	0.98	1955	22.77
K : Primary tooth with surface condition (s)	18	0.21	1973	22.98
M : Missing due to other causes	3	0.03	1976	23.01
R : Missing due to dental disease but replaced	420	4.89	2396	27.90
S : Sound permanent tooth	5849	68.11	8245	96.02
U : Unerupted	48	0.56	8293	96.58
X : Missing due to other causes, but replaced	4	0.05	8297	96.62
Y : Tooth present, condition cannot be assessed	37	0.43	8334	97.05
Z : Permanent tooth with surface condition (s)	253	2.95	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #22				
OHX22CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8316	96.84	8316	96.84
Coronal Caries: Surface condition #22	271	3.16	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #21				
OHX21CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1117	13.01	1662	19.35
E : Missing due to dental disease	188	2.19	1850	21.54
K : Primary tooth with surface condition (s)	259	3.02	2109	24.56
M : Missing due to other causes	199	2.32	2308	26.88
R : Missing due to dental disease but replaced	518	6.03	2826	32.91
S : Sound permanent tooth	4970	57.88	7796	90.79
U : Unerupted	38	0.44	7834	91.23
X : Missing due to other causes, but replaced	5	0.06	7839	91.29
Y : Tooth present, condition cannot be assessed	13	0.15	7852	91.44
Z : Permanent tooth with surface condition (s)	735	8.56	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #21				
OHX21CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7593	88.42	7593	88.42
Coronal Caries: Surface condition #21	994	11.58	8587	100.00



Coronal Caries: Tooth count #20				
OHX20CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1153	13.43	1698	19.77
E : Missing due to dental disease	348	4.05	2046	23.83
K : Primary tooth with surface condition (s)	398	4.63	2444	28.46
M : Missing due to other causes	3	0.03	2447	28.50
R : Missing due to dental disease but replaced	625	7.28	3072	35.78
S : Sound permanent tooth	4279	49.83	7351	85.61
U : Unerupted	63	0.73	7414	86.34
X : Missing due to other causes, but replaced	5	0.06	7419	86.40
Y : Tooth present, condition cannot be assessed	6	0.07	7425	86.47
Z : Permanent tooth with surface condition (s)	1162	13.53	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #20				
OHX20CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7027	81.83	7027	81.83
Coronal Caries: Surface condition #20	1560	18.17	8587	100.00



Coronal Caries: Tooth count #19				
OHX19CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
E : Missing due to dental disease	930	10.83	1475	17.18
M : Missing due to other causes	5	0.06	1480	17.24
R : Missing due to dental disease but replaced	755	8.79	2235	26.03
S : Sound permanent tooth	3031	35.30	5266	61.33
U : Unerupted	716	8.34	5982	69.66
X : Missing due to other causes, but replaced	6	0.07	5988	69.73
Y : Tooth present, condition cannot be assessed	6	0.07	5994	69.80
Z : Permanent tooth with surface condition (s)	2593	30.20	8587	100.00



Coronal Caries: Surface condition #19				
OHX19CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5994	69.80	5994	69.80
Coronal Caries: Surface condition #19	2593	30.20	8587	100.00



Coronal Caries: Tooth count #18				
OHX18CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
E : Missing due to dental disease	808	9.41	1353	15.76
M : Missing due to other causes	5	0.06	1358	15.81
R : Missing due to dental disease but replaced	658	7.66	2016	23.48
S : Sound permanent tooth	2795	32.55	4811	56.03
U : Unerupted	1637	19.06	6448	75.09
X : Missing due to other causes, but replaced	6	0.07	6454	75.16
Y : Tooth present, condition cannot be assessed	4	0.05	6458	75.21
Z : Permanent tooth with surface condition (s)	2129	24.79	8587	100.00



Coronal Caries: Surface condition #18				
OHX18CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6458	75.21	6458	75.21
Coronal Caries: Surface condition #18	2129	24.79	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #25				
OHX25CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	663	7.72	1208	14.07
E : Missing due to dental disease	145	1.69	1353	15.76
K : Primary tooth with surface condition (s)	5	0.06	1358	15.81
M : Missing due to other causes	8	0.09	1366	15.91
R : Missing due to dental disease but replaced	552	6.43	1918	22.34
S : Sound permanent tooth	6522	75.95	8440	98.29
U : Unerupted	7	0.08	8447	98.37
X : Missing due to other causes, but replaced	22	0.26	8469	98.63
Y : Tooth present, condition cannot be assessed	21	0.24	8490	98.87
Z : Permanent tooth with surface condition (s)	97	1.13	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #25				
OHX25CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8485	98.81	8485	98.81
Coronal Caries: Surface condition #25	102	1.19	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #26				
OHX26CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	837	9.75	1382	16.09
E : Missing due to dental disease	122	1.42	1504	17.51
K : Primary tooth with surface condition (s)	1	0.01	1505	17.53
M : Missing due to other causes	5	0.06	1510	17.58
R : Missing due to dental disease but replaced	522	6.08	2032	23.66
S : Sound permanent tooth	6333	73.75	8365	97.41
U : Unerupted	47	0.55	8412	97.96
X : Missing due to other causes, but replaced	13	0.15	8425	98.11
Y : Tooth present, condition cannot be assessed	30	0.35	8455	98.46
Z : Permanent tooth with surface condition (s)	132	1.54	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #26				
OHX26CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8454	98.45	8454	98.45
Coronal Caries: Surface condition #26	133	1.55	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #27				
OHX27CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1322	15.40	1867	21.74
E : Missing due to dental disease	92	1.07	1959	22.81
K : Primary tooth with surface condition (s)	15	0.17	1974	22.99
M : Missing due to other causes	5	0.06	1979	23.05
R : Missing due to dental disease but replaced	429	5.00	2408	28.04
S : Sound permanent tooth	5830	67.89	8238	95.94
U : Unerupted	55	0.64	8293	96.58
X : Missing due to other causes, but replaced	4	0.05	8297	96.62
Y : Tooth present, condition cannot be assessed	36	0.42	8333	97.04
Z : Permanent tooth with surface condition (s)	254	2.96	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #27				
OHX27CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8318	96.87	8318	96.87
Coronal Caries: Surface condition #27	269	3.13	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #28				
OHX28CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1116	13.00	1661	19.34
E : Missing due to dental disease	191	2.22	1852	21.57
K : Primary tooth with surface condition (s)	254	2.96	2106	24.53
M : Missing due to other causes	196	2.28	2302	26.81
R : Missing due to dental disease but replaced	522	6.08	2824	32.89
S : Sound permanent tooth	4990	58.11	7814	91.00
U : Unerupted	35	0.41	7849	91.41
X : Missing due to other causes, but replaced	4	0.05	7853	91.45
Y : Tooth present, condition cannot be assessed	8	0.09	7861	91.55
Z : Permanent tooth with surface condition (s)	726	8.45	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #28				
OHX28CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7607	88.59	7607	88.59
Coronal Caries: Surface condition #28	980	11.41	8587	100.00



Coronal Caries: Tooth count #29				
OHX29CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
D : Sound primary tooth	1173	13.66	1718	20.01
E : Missing due to dental disease	347	4.04	2065	24.05
K : Primary tooth with surface condition (s)	391	4.55	2456	28.60
M : Missing due to other causes	6	0.07	2462	28.67
R : Missing due to dental disease but replaced	611	7.12	3073	35.79
S : Sound permanent tooth	4253	49.53	7326	85.32
U : Unerupted	58	0.68	7384	85.99
X : Missing due to other causes, but replaced	5	0.06	7389	86.05
Y : Tooth present, condition cannot be assessed	12	0.14	7401	86.19
Z : Permanent tooth with surface condition (s)	1186	13.81	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #29				
OHX29CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7010	81.64	7010	81.64
Coronal Caries: Surface condition #29	1577	18.36	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #30				
OHX30CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
E : Missing due to dental disease	903	10.52	1448	16.86
M : Missing due to other causes	3	0.03	1451	16.90
R : Missing due to dental disease but replaced	746	8.69	2197	25.59
S : Sound permanent tooth	2996	34.89	5193	60.48
U : Unerupted	718	8.36	5911	68.84
X : Missing due to other causes, but replaced	5	0.06	5916	68.89
Y : Tooth present, condition cannot be assessed	6	0.07	5922	68.96
Z : Permanent tooth with surface condition (s)	2665	31.04	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)

Coronal Caries: Surface condition #30				
OHX30CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5922	68.96	5922	68.96
Coronal Caries: Surface condition #30	2665	31.04	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Tooth count #31				
OHX31CTC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	545	6.35	545	6.35
E : Missing due to dental disease	836	9.74	1381	16.08
M : Missing due to other causes	4	0.05	1385	16.13
R : Missing due to dental disease but replaced	648	7.55	2033	23.68
S : Sound permanent tooth	2746	31.98	4779	55.65
U : Unerupted	1664	19.38	6443	75.03
X : Missing due to other causes, but replaced	4	0.05	6447	75.08
Y : Tooth present, condition cannot be assessed	11	0.13	6458	75.21
Z : Permanent tooth with surface condition (s)	2129	24.79	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Coronal Caries: Surface condition #31				
OHX31CSC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6458	75.21	6458	75.21
Coronal Caries: Surface condition #31	2129	24.79	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Root Caries: yes / no				
OHXRCAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4934	57.46	4934	57.46
1 : Root caries detected	411	4.79	5345	62.25
2 : No root caries detected	3241	37.74	8586	99.99
9 : Cannot be assessed	1	0.01	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Root restorations: yes / no				
OHRRES	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4934	57.46	4934	57.46
1 : Root restoration(s) detected	257	2.99	5191	60.45
2 : No root restoration(s) detected	3395	39.54	8586	99.99
9 : Cannot be assessed	1	0.01	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #7				
OHX07SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	3895	45.36	7457	86.84
3 : Lingual sealant on permanent tooth	15	0.17	7472	87.02
9 : Cannot be assessed	1115	12.98	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #5				
OHX05SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4643	54.07	8205	95.55
1 : Occlusal sealant on permanent tooth	113	1.32	8318	96.87
4 : Occlusal sealant on primary tooth	13	0.15	8331	97.02
9 : Cannot be assessed	256	2.98	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #4				
OHX04SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4731	55.09	8293	96.58
1 : Occlusal sealant on permanent tooth	116	1.35	8409	97.93
4 : Occlusal sealant on primary tooth	24	0.28	8433	98.21
9 : Cannot be assessed	154	1.79	8587	100.00



Dental Sealants: #3				
OHX03SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	3608	42.02	7170	83.50
1 : Occlusal sealant on permanent tooth	537	6.25	7707	89.75
13 : Occlusal sealant and lingual sealant on permanent tooth	23	0.27	7730	90.02
3 : Lingual sealant on permanent tooth	2	0.02	7732	90.04
9 : Cannot be assessed	855	9.96	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #2				
OHX02SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	2924	34.05	6486	75.53
1 : Occlusal sealant on permanent tooth	217	2.53	6703	78.06
13 : Occlusal sealant and lingual sealant on permanent tooth	5	0.06	6708	78.12
3 : Lingual sealant on permanent tooth	1	0.01	6709	78.13
9 : Cannot be assessed	1878	21.87	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #10				
OHX10SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	3895	45.36	7457	86.84
3 : Lingual sealant on permanent tooth	16	0.19	7473	87.03
9 : Cannot be assessed	1114	12.97	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #12				
OHX12SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4643	54.07	8205	95.55
1 : Occlusal sealant on permanent tooth	114	1.33	8319	96.88
4 : Occlusal sealant on primary tooth	12	0.14	8331	97.02
9 : Cannot be assessed	256	2.98	8587	100.00



Dental Sealants: #13				
OHX13SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4746	55.27	8308	96.75
1 : Occlusal sealant on permanent tooth	107	1.25	8415	98.00
4 : Occlusal sealant on primary tooth	19	0.22	8434	98.22
9 : Cannot be assessed	153	1.78	8587	100.00



Dental Sealants: #14				
OHX14SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	3608	42.02	7170	83.50
1 : Occlusal sealant on permanent tooth	505	5.88	7675	89.38
13 : Occlusal sealant and lingual sealant on permanent tooth	49	0.57	7724	89.95
3 : Lingual sealant on permanent tooth	3	0.03	7727	89.98
9 : Cannot be assessed	860	10.02	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)

Dental Sealants: #15				
OHX15SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3561	41.47	3561	41.47
0 : Sealant not present	2931	34.13	6492	75.60
1 : Occlusal sealant on permanent tooth	222	2.59	6714	78.19
13 : Occlusal sealant and lingual sealant on permanent tooth	9	0.10	6723	78.29
9 : Cannot be assessed	1864	21.71	8587	100.00



Dental Sealants: #21				
OHX21SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4695	54.68	8257	96.16
1 : Occlusal sealant on permanent tooth	100	1.16	8357	97.32
4 : Occlusal sealant on primary tooth	10	0.12	8367	97.44
9 : Cannot be assessed	220	2.56	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #20				
OHX20SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4747	55.28	8309	96.76
1 : Occlusal sealant on permanent tooth	110	1.28	8419	98.04
4 : Occlusal sealant on primary tooth	31	0.36	8450	98.40
9 : Cannot be assessed	137	1.60	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Dental Sealants: #19				
OHX19SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	3509	40.86	7071	82.35
1 : Occlusal sealant on permanent tooth	508	5.92	7579	88.26
12 : Occlusal sealant and facial sealant on permanent tooth	40	0.47	7619	88.73
2 : Facial sealant on permanent tooth	9	0.10	7628	88.83
9 : Cannot be assessed	959	11.17	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)

Dental Sealants: #18				
OHX18SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	2952	34.38	6514	75.86
1 : Occlusal sealant on permanent tooth	249	2.90	6763	78.76
12 : Occlusal sealant and facial sealant on permanent tooth	12	0.14	6775	78.90
9 : Cannot be assessed	1812	21.10	8587	100.00



Dental Sealants: #28				
OHX28SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4694	54.66	8256	96.15
1 : Occlusal sealant on permanent tooth	100	1.16	8356	97.31
4 : Occlusal sealant on primary tooth	16	0.19	8372	97.50
9 : Cannot be assessed	215	2.50	8587	100.00



Dental Sealants: #29				
OHX29SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	4749	55.30	8311	96.79
1 : Occlusal sealant on permanent tooth	109	1.27	8420	98.06
4 : Occlusal sealant on primary tooth	27	0.31	8447	98.37
9 : Cannot be assessed	140	1.63	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)

Dental Sealants: #30				
OHX30SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	3531	41.12	7093	82.60
1 : Occlusal sealant on permanent tooth	507	5.90	7600	88.51
12 : Occlusal sealant and facial sealant on permanent tooth	35	0.41	7635	88.91
2 : Facial sealant on permanent tooth	10	0.12	7645	89.03
9 : Cannot be assessed	942	10.97	8587	100.00



Dental Sealants: #31				
OHX31SE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3562	41.48	3562	41.48
0 : Sealant not present	2927	34.09	6489	75.57
1 : Occlusal sealant on permanent tooth	231	2.69	6720	78.26
12 : Occlusal sealant and facial sealant on permanent tooth	14	0.16	6734	78.42
9 : Cannot be assessed	1853	21.58	8587	100.00



Fluorosis Deans Index: #8				
OHX08DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3650	42.51	6903	80.39
1 : Very mild	635	7.39	7538	87.78
2 : Mild	184	2.14	7722	89.93
3 : Moderate	162	1.89	7884	91.81
4 : Severe	27	0.31	7911	92.13
5 : Questionable	18	0.21	7929	92.34
8 : Non-fluoride opacities	134	1.56	8063	93.90
9 : Cannot be assessed	524	6.10	8587	100.00



Fluorosis Deans Index: #7				
OHX07DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3602	41.95	6855	79.83
1 : Very mild	615	7.16	7470	86.99
2 : Mild	173	2.01	7643	89.01
3 : Moderate	158	1.84	7801	90.85
4 : Severe	19	0.22	7820	91.07
5 : Questionable	24	0.28	7844	91.35
8 : Non-fluoride opacities	78	0.91	7922	92.26
9 : Cannot be assessed	665	7.74	8587	100.00



Fluorosis Deans Index: #6				
OHX06DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3325	38.72	6578	76.60
1 : Very mild	528	6.15	7106	82.75
2 : Mild	132	1.54	7238	84.29
3 : Moderate	154	1.79	7392	86.08
4 : Severe	21	0.24	7413	86.33
5 : Questionable	26	0.30	7439	86.63
8 : Non-fluoride opacities	51	0.59	7490	87.22
9 : Cannot be assessed	1097	12.78	8587	100.00



Fluorosis Deans Index: #5				
OHX05DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	2989	34.81	6242	72.69
1 : Very mild	668	7.78	6910	80.47
2 : Mild	198	2.31	7108	82.78
3 : Moderate	179	2.08	7287	84.86
4 : Severe	27	0.31	7314	85.18
5 : Questionable	29	0.34	7343	85.51
8 : Non-fluoride opacities	20	0.23	7363	85.75
9 : Cannot be assessed	1224	14.25	8587	100.00



Fluorosis Deans Index: #4				
OHX04DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3027	35.25	6280	73.13
1 : Very mild	672	7.83	6952	80.96
2 : Mild	198	2.31	7150	83.27
3 : Moderate	177	2.06	7327	85.33
4 : Severe	25	0.29	7352	85.62
5 : Questionable	24	0.28	7376	85.90
8 : Non-fluoride opacities	12	0.14	7388	86.04
9 : Cannot be assessed	1199	13.96	8587	100.00



Fluorosis Deans Index: #3				
OHX03DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3433	39.98	6686	77.86
1 : Very mild	801	9.33	7487	87.19
2 : Mild	257	2.99	7744	90.18
3 : Moderate	188	2.19	7932	92.37
4 : Severe	33	0.38	7965	92.76
5 : Questionable	23	0.27	7988	93.02
8 : Non-fluoride opacities	27	0.31	8015	93.34
9 : Cannot be assessed	572	6.66	8587	100.00



Fluorosis Deans Index: #2				
OHX02DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	2906	33.84	6159	71.72
1 : Very mild	574	6.68	6733	78.41
2 : Mild	196	2.28	6929	80.69
3 : Moderate	177	2.06	7106	82.75
4 : Severe	28	0.33	7134	83.08
5 : Questionable	16	0.19	7150	83.27
8 : Non-fluoride opacities	9	0.10	7159	83.37
9 : Cannot be assessed	1428	16.63	8587	100.00



Fluorosis Deans Index: #9				
OHX09DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3638	42.37	6891	80.25
1 : Very mild	637	7.42	7528	87.67
2 : Mild	179	2.08	7707	89.75
3 : Moderate	163	1.90	7870	91.65
4 : Severe	22	0.26	7892	91.91
5 : Questionable	23	0.27	7915	92.17
8 : Non-fluoride opacities	139	1.62	8054	93.79
9 : Cannot be assessed	533	6.21	8587	100.00



Fluorosis Deans Index: #10				
OHX10DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3607	42.01	6860	79.89
1 : Very mild	624	7.27	7484	87.16
2 : Mild	177	2.06	7661	89.22
3 : Moderate	150	1.75	7811	90.96
4 : Severe	23	0.27	7834	91.23
5 : Questionable	29	0.34	7863	91.57
8 : Non-fluoride opacities	57	0.66	7920	92.23
9 : Cannot be assessed	667	7.77	8587	100.00



Fluorosis Deans Index: #11				
OHX11DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3299	38.42	6552	76.30
1 : Very mild	545	6.35	7097	82.65
2 : Mild	139	1.62	7236	84.27
3 : Moderate	155	1.81	7391	86.07
4 : Severe	20	0.23	7411	86.30
5 : Questionable	30	0.35	7441	86.65
8 : Non-fluoride opacities	47	0.55	7488	87.20
9 : Cannot be assessed	1099	12.80	8587	100.00



Fluorosis Deans Index: #12				
OHX12DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	2979	34.69	6232	72.57
1 : Very mild	675	7.86	6907	80.44
2 : Mild	209	2.43	7116	82.87
3 : Moderate	175	2.04	7291	84.91
4 : Severe	27	0.31	7318	85.22
5 : Questionable	35	0.41	7353	85.63
8 : Non-fluoride opacities	12	0.14	7365	85.77
9 : Cannot be assessed	1222	14.23	8587	100.00



Fluorosis Deans Index: #13				
OHX13DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	2987	34.79	6240	72.67
1 : Very mild	676	7.87	6916	80.54
2 : Mild	205	2.39	7121	82.93
3 : Moderate	178	2.07	7299	85.00
4 : Severe	23	0.27	7322	85.27
5 : Questionable	26	0.30	7348	85.57
8 : Non-fluoride opacities	11	0.13	7359	85.70
9 : Cannot be assessed	1228	14.30	8587	100.00



Fluorosis Deans Index: #14				
OHX14DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3418	39.80	6671	77.69
1 : Very mild	806	9.39	7477	87.07
2 : Mild	251	2.92	7728	90.00
3 : Moderate	193	2.25	7921	92.24
4 : Severe	35	0.41	7956	92.65
5 : Questionable	18	0.21	7974	92.86
8 : Non-fluoride opacities	9	0.10	7983	92.97
9 : Cannot be assessed	604	7.03	8587	100.00



Fluorosis Deans Index: #15				
OHX15DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	2872	33.45	6125	71.33
1 : Very mild	582	6.78	6707	78.11
2 : Mild	199	2.32	6906	80.42
3 : Moderate	168	1.96	7074	82.38
4 : Severe	29	0.34	7103	82.72
5 : Questionable	21	0.24	7124	82.96
8 : Non-fluoride opacities	11	0.13	7135	83.09
9 : Cannot be assessed	1452	16.91	8587	100.00



Fluorosis Deans Index: #24				
OHX24DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	4237	49.34	7490	87.22
1 : Very mild	508	5.92	7998	93.14
2 : Mild	122	1.42	8120	94.56
3 : Moderate	156	1.82	8276	96.38
4 : Severe	17	0.20	8293	96.58
5 : Questionable	26	0.30	8319	96.88
8 : Non-fluoride opacities	30	0.35	8349	97.23
9 : Cannot be assessed	238	2.77	8587	100.00



Fluorosis Deans Index: #23				
OHX23DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	4104	47.79	7357	85.68
1 : Very mild	507	5.90	7864	91.58
2 : Mild	125	1.46	7989	93.04
3 : Moderate	145	1.69	8134	94.72
4 : Severe	16	0.19	8150	94.91
5 : Questionable	25	0.29	8175	95.20
8 : Non-fluoride opacities	37	0.43	8212	95.63
9 : Cannot be assessed	375	4.37	8587	100.00



Fluorosis Deans Index: #22				
OHX22DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3562	41.48	6815	79.36
1 : Very mild	562	6.54	7377	85.91
2 : Mild	118	1.37	7495	87.28
3 : Moderate	149	1.74	7644	89.02
4 : Severe	16	0.19	7660	89.20
5 : Questionable	38	0.44	7698	89.65
8 : Non-fluoride opacities	41	0.48	7739	90.12
9 : Cannot be assessed	848	9.88	8587	100.00



Fluorosis Deans Index: #21				
OHX21DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3158	36.78	6411	74.66
1 : Very mild	663	7.72	7074	82.38
2 : Mild	184	2.14	7258	84.52
3 : Moderate	170	1.98	7428	86.50
4 : Severe	17	0.20	7445	86.70
5 : Questionable	34	0.40	7479	87.10
8 : Non-fluoride opacities	29	0.34	7508	87.43
9 : Cannot be assessed	1079	12.57	8587	100.00



Fluorosis Deans Index: #20				
OHX20DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3135	36.51	6388	74.39
1 : Very mild	641	7.46	7029	81.86
2 : Mild	179	2.08	7208	83.94
3 : Moderate	169	1.97	7377	85.91
4 : Severe	20	0.23	7397	86.14
5 : Questionable	33	0.38	7430	86.53
8 : Non-fluoride opacities	14	0.16	7444	86.69
9 : Cannot be assessed	1143	13.31	8587	100.00



Fluorosis Deans Index: #19				
OHX19DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3274	38.13	6527	76.01
1 : Very mild	731	8.51	7258	84.52
2 : Mild	218	2.54	7476	87.06
3 : Moderate	175	2.04	7651	89.10
4 : Severe	28	0.33	7679	89.43
5 : Questionable	34	0.40	7713	89.82
8 : Non-fluoride opacities	22	0.26	7735	90.08
9 : Cannot be assessed	852	9.92	8587	100.00



Fluorosis Deans Index: #18				
OHX18DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	2833	32.99	6086	70.87
1 : Very mild	602	7.01	6688	77.89
2 : Mild	184	2.14	6872	80.03
3 : Moderate	173	2.01	7045	82.04
4 : Severe	24	0.28	7069	82.32
5 : Questionable	21	0.24	7090	82.57
8 : Non-fluoride opacities	16	0.19	7106	82.75
9 : Cannot be assessed	1481	17.25	8587	100.00



Fluorosis Deans Index: #25				
OHX25DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	4237	49.34	7490	87.22
1 : Very mild	505	5.88	7995	93.11
2 : Mild	123	1.43	8118	94.54
3 : Moderate	157	1.83	8275	96.37
4 : Severe	15	0.17	8290	96.54
5 : Questionable	25	0.29	8315	96.83
8 : Non-fluoride opacities	35	0.41	8350	97.24
9 : Cannot be assessed	237	2.76	8587	100.00



Fluorosis Deans Index: #26				
OHX26DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	4114	47.91	7367	85.79
1 : Very mild	499	5.81	7866	91.60
2 : Mild	122	1.42	7988	93.02
3 : Moderate	148	1.72	8136	94.75
4 : Severe	14	0.16	8150	94.91
5 : Questionable	18	0.21	8168	95.12
8 : Non-fluoride opacities	27	0.31	8195	95.43
9 : Cannot be assessed	392	4.57	8587	100.00



Fluorosis Deans Index: #27				
OHX27DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3587	41.77	6840	79.66
1 : Very mild	541	6.30	7381	85.96
2 : Mild	122	1.42	7503	87.38
3 : Moderate	145	1.69	7648	89.06
4 : Severe	18	0.21	7666	89.27
5 : Questionable	33	0.38	7699	89.66
8 : Non-fluoride opacities	32	0.37	7731	90.03
9 : Cannot be assessed	856	9.97	8587	100.00



Fluorosis Deans Index: #28				
OHX28DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3170	36.92	6423	74.80
1 : Very mild	671	7.81	7094	82.61
2 : Mild	175	2.04	7269	84.65
3 : Moderate	166	1.93	7435	86.58
4 : Severe	23	0.27	7458	86.85
5 : Questionable	42	0.49	7500	87.34
8 : Non-fluoride opacities	28	0.33	7528	87.67
9 : Cannot be assessed	1059	12.33	8587	100.00



Fluorosis Deans Index: #29				
OHX29DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3094	36.03	6347	73.91
1 : Very mild	663	7.72	7010	81.64
2 : Mild	177	2.06	7187	83.70
3 : Moderate	163	1.90	7350	85.59
4 : Severe	20	0.23	7370	85.83
5 : Questionable	34	0.40	7404	86.22
8 : Non-fluoride opacities	15	0.17	7419	86.40
9 : Cannot be assessed	1168	13.60	8587	100.00



Fluorosis Deans Index: #30				
OHX30DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	3305	38.49	6558	76.37
1 : Very mild	739	8.61	7297	84.98
2 : Mild	230	2.68	7527	87.66
3 : Moderate	168	1.96	7695	89.61
4 : Severe	33	0.38	7728	90.00
5 : Questionable	23	0.27	7751	90.26
8 : Non-fluoride opacities	23	0.27	7774	90.53
9 : Cannot be assessed	813	9.47	8587	100.00



**National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Dentition Section (OHXDENT)**

Fluorosis Deans Index: #31				
OHX31DI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3253	37.88	3253	37.88
0 : Normal	2790	32.49	6043	70.37
1 : Very mild	614	7.15	6657	77.52
2 : Mild	186	2.17	6843	79.69
3 : Moderate	166	1.93	7009	81.62
4 : Severe	29	0.34	7038	81.96
5 : Questionable	19	0.22	7057	82.18
8 : Non-fluoride opacities	14	0.16	7071	82.35
9 : Cannot be assessed	1516	17.65	8587	100.00