



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Overall Oral Health Exam Status				
OHAEXSTS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Completed	6589	76.73	6589	76.73
2 : Partial	1493	17.39	8082	94.12
3 : Not Done	505	5.88	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Referral Status Code				
OHASCST5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Complete	8049	93.73	8049	93.73
2 : Partial	30	0.35	8079	94.08
3 : Not done	508	5.92	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Must take antibiotics?				
OHQ130	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2249	26.19	2249	26.19
1 : Yes	260	3.03	2509	29.22
2 : No	6071	70.70	8580	99.92
9 : Don't know	7	0.08	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Had a heart problem?				
OHQ132	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2516	29.30	2516	29.30
1 : Yes	482	5.61	2998	34.91
2 : No	5589	65.09	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Had congenital heart murmurs?				
OHQ134	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8103	94.36	8103	94.36
1 : Yes	160	1.86	8263	96.23
2 : No	316	3.68	8579	99.91
9 : Don't know	8	0.09	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Had heart valve problem?				
OHQ136	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8263	96.23	8263	96.23
1 : Yes	44	0.51	8307	96.74
2 : No	280	3.26	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Had congenital heart disease?				
OHQ138	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8306	96.73	8306	96.73
1 : Yes	13	0.15	8319	96.88
2 : No	263	3.06	8582	99.94
9 : Don't know	5	0.06	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Had bacterial endocarditis?				
OHQ140	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8318	96.87	8318	96.87
1 : Yes	2	0.02	8320	96.89
2 : No	267	3.11	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Had rheumatic fever?				
OHQ142	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2733	31.83	2733	31.83
1 : Yes	45	0.52	2778	32.35
2 : No	5795	67.49	8573	99.84
9 : Don't know	14	0.16	8587	100.00



Have kidney disease w/ renal dialysis?				
OHQ144	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2774	32.30	2774	32.30
1 : Yes	14	0.16	2788	32.47
2 : No	5799	67.53	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Have other artificial material?				
OHQ146	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2794	32.54	2794	32.54
1 : Yes	47	0.55	2841	33.08
2 : No	5746	66.92	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Have a hip, bone, or joint replacement?				
OHQ148	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2840	33.07	2840	33.07
1 : Yes	159	1.85	2999	34.92
2 : No	5588	65.08	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Overall recommendation for care				
OHAREC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	558	6.50	558	6.50
1 : See a dentist immediately	14	0.16	572	6.66
2 : See a dentist within the next 2 weeks	356	4.15	928	10.81
3 : See a dentist at your earliest convenience	3927	45.73	4855	56.54
4 : Continue your regular routine care	3732	43.46	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Untreated Caries / Restorative needs				
OHAROCDT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6341	73.84	6341	73.84
1 : Yes	2240	26.09	8581	99.93
2 : No	6	0.07	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Periodontal needs				
OHAROCGP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6929	80.69	6929	80.69
1 : Yes	1641	19.11	8570	99.80
2 : No	17	0.20	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Gingival / OHI needs				
OHAROCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6190	72.09	6190	72.09
1 : Yes	2382	27.74	8572	99.83
2 : No	15	0.17	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

Assessment of soft tissue lesion				
OHAROCCI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8558	99.66	8558	99.66
1 : Yes	24	0.28	8582	99.94
2 : No	5	0.06	8587	100.00



Some other finding				
OHAROTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8103	94.36	8103	94.36
1 : Yes	472	5.50	8575	99.86
2 : No	12	0.14	8587	100.00



National Health and Nutritional Examination Survey (1999-2000)
Oral Health Exam Recommendation of Care/Referral Section (OHXREF)

No significant needs				
OHARNF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4844	56.41	4844	56.41
1 : Yes	3722	43.34	8566	99.76
2 : No	21	0.24	8587	100.00