

**Table 27. Tuberculosis Cases by Noninjecting Drug Use: 59 Reporting Areas, 2000**

Reporting Area	Total Cases	Cases with Information on Noninjecting Drug Use		Percent of Cases in Noninjecting Drug Users <sup>1</sup>
		No.	%	
<b>United States</b>	<b>16,377</b>	<b>15,454</b>	<b>94.4</b>	<b>7.5</b>
Alabama	310	310	100.0	7.7
Alaska	108	98	90.7	8.2
Arizona	261	247	94.6	8.1
Arkansas	199	197	99.0	1.0
California	3,297	3,142	95.3	7.2
Colorado	97	97	100.0	3.1
Connecticut	105	104	99.0	8.7
Delaware	28	26	92.9	3.8
District of Columbia	85	79	92.9	15.2
Florida	1,171	1,132	96.7	12.6
Georgia	703	597	84.9	12.9
Hawaii	136	132	97.1	0.0
Idaho	16	14	87.5	0.0
Illinois	743	620	83.4	7.7
Indiana	145	145	100.0	6.9
Iowa	40	26	65.0	--
Kansas	77	70	90.9	10.0
Kentucky	147	139	94.6	6.5
Louisiana	331	307	92.7	16.3
Maine	24	24	100.0	4.2
Maryland	282	281	99.6	5.0
Massachusetts	285	275	96.5	1.5
Michigan	287	252	87.8	5.2
Minnesota	178	174	97.8	3.4
Mississippi	173	155	89.6	8.4
Missouri	211	193	91.5	5.2
Montana	21	20	95.2	5.0
Nebraska	24	20	83.3	0.0
Nevada	96	81	84.4	1.2
New Hampshire	22	21	95.5	0.0
New Jersey	565	556	98.4	5.0
New Mexico	46	41	89.1	4.9
New York State <sup>2</sup>	412	378	91.7	3.2
New York City	1,332	1,234	92.6	8.6
North Carolina	447	443	99.1	10.6
North Dakota	5	5	100.0	0.0
Ohio	340	336	98.8	7.7
Oklahoma	154	153	99.4	3.9
Oregon	119	116	97.5	9.5
Pennsylvania	383	333	86.9	7.8
Rhode Island	49	48	98.0	0.0
South Carolina	286	271	94.8	10.3
South Dakota	16	16	100.0	0.0
Tennessee	383	370	96.6	7.8
Texas	1,506	1,470	97.6	6.9
Utah	49	48	98.0	6.3
Vermont	4	1	25.0	--
Virginia	292	287	98.3	0.3
Washington	258	252	97.7	3.6
West Virginia	33	25	75.8	4.0
Wisconsin	92	90	97.8	8.9
Wyoming	4	3	75.0	0.0
American Samoa <sup>3</sup>	...	...	...	...
Fed. States of Micronesia <sup>3</sup>	...	...	...	...
Guam <sup>3</sup>	54	52	96.3	0.0
N. Mariana Islands <sup>3</sup>	75	74	98.7	1.4
Puerto Rico <sup>3</sup>	174	173	99.4	21.4
Republic of Palau <sup>3</sup>	...	...	...	...
U.S. Virgin Islands <sup>3</sup>	...	...	...	...

1. Noninjecting drug use within past 12 months. Percentage for U.S. based on 52 reporting areas (50 states, New York City, and the District of Columbia). Percentages shown only for reporting areas with information reported for  $\geq 75\%$  of cases.

2. Excludes New York City.

3. Not included in U.S. totals.

Ellipses indicate data not available.