

**Table 29. Tuberculosis Cases by Noninjecting Drug Use: 59 Reporting Areas, 2002**

Reporting Area	Total Cases	Cases with Information on Noninjecting Drug Use		Percent of Cases in Noninjecting Drug Users <sup>1</sup>
		No.	%	
<b>United States</b>	<b>15,075</b>	<b>14,274</b>	<b>94.7</b>	<b>7.0</b>
Alabama	233	231	99.1	6.1
Alaska	49	36	73.5	--
Arizona	263	236	89.7	10.6
Arkansas	136	135	99.3	0.0
California	3,169	3,055	96.4	5.5
Colorado	104	102	98.1	5.9
Connecticut	104	84	80.8	8.3
Delaware	25	25	100.0	4.0
District of Columbia	82	82	100.0	12.2
Florida	1,086	1,066	98.2	13.3
Georgia	524	471	89.9	9.1
Hawaii	148	95	64.2	--
Idaho	14	7	50.0	--
Illinois	680	562	82.6	10.1
Indiana	128	128	100.0	7.0
Iowa	34	33	97.1	0.0
Kansas	89	85	95.5	10.6
Kentucky	146	146	100.0	4.8
Louisiana	230	222	96.5	15.3
Maine	23	22	95.7	0.0
Maryland	306	294	96.1	5.8
Massachusetts	271	265	97.8	3.8
Michigan	315	306	97.1	5.6
Minnesota	237	236	99.6	1.7
Mississippi	134	120	89.6	4.2
Missouri	136	126	92.6	6.3
Montana	12	12	100.0	0.0
Nebraska	28	27	96.4	0.0
Nevada	85	82	96.5	6.1
New Hampshire	19	18	94.7	0.0
New Jersey	530	500	94.3	6.8
New Mexico	57	51	89.5	0.0
New York State <sup>2</sup>	350	329	94.0	4.3
New York City	1,084	1,033	95.3	7.6
North Carolina	434	425	97.9	13.2
North Dakota	6	2	33.3	--
Ohio	257	256	99.6	7.0
Oklahoma	190	174	91.6	2.3
Oregon	111	107	96.4	10.3
Pennsylvania	353	297	84.1	5.7
Rhode Island	49	43	87.8	0.0
South Carolina	256	252	98.4	7.9
South Dakota	13	13	100.0	0.0
Tennessee	308	304	98.7	10.2
Texas	1,550	1,492	96.3	6.0
Utah	31	31	100.0	3.2
Vermont	8	8	100.0	0.0
Virginia	315	302	95.9	1.0
Washington	252	245	97.2	4.5
West Virginia	30	24	80.0	0.0
Wisconsin	78	74	94.9	8.1
Wyoming	3	3	100.0	0.0
American Samoa <sup>3</sup>	...	...	...	...
Fed. States of Micronesia <sup>3</sup>	...	...	...	...
Guam <sup>3</sup>	65	61	93.8	0.0
N. Mariana Islands <sup>3</sup>	53	53	100.0	1.9
Puerto Rico <sup>3</sup>	129	129	100.0	19.4
Republic of Palau <sup>3</sup>	...	...	...	...
U.S. Virgin Islands <sup>3</sup>	...	...	...	...

<sup>1</sup>Noninjecting drug use within past 12 months. Percentage for U.S. based on 52 reporting areas (50 states, New York City, and the District of Columbia). Percentages shown only for reporting areas with information reported for ≥75% of cases.

<sup>2</sup>Excludes New York City.

<sup>3</sup>Not included in U.S. totals.

Ellipses indicate data not available.