

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1315

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

UNITED STATES -	527	12	2	6	4	7	2	8	8	7	9	15
WHITE-----MALE----	170	4	-	3	1	3	1	3	4	4	4	5
FEMALE--	272	7	1	3	1	1	-	1	2	1	3	5
ALL OTHER--MALE----	31	1	1	-	1	2	1	2	2	1	-	2
FEMALE--	54	-	-	-	1	1	-	2	-	1	2	3
BLACK---MALE-----	30	1	1	-	1	2	1	2	1	1	-	2
FEMALE--	44	-	-	-	1	1	-	1	-	1	2	3
ALABAMA -----	5	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	34	3	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1316

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasm of uncertain or unknown behavior of unspecified sites (D48)												
COLORADO -----	-	-	1	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	1	-	-	-	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	3	2	2	6	7	3	4	3	-	1	-
WHITE-----MALE----	1	1	-	-	3	5	1	2	1	-	-	-
FEMALE--	-	1	-	1	3	2	2	2	2	-	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	-	-	1	2	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1318

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasm of uncertain or unknown behavior of unspecified sites (D48)												
KENTUCKY -----	2	-	3	3	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	3	-	2	-	1	-	-	-	-
FEMALE--	2	-	2	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	-	-	2	1	4	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	1	2	2	5	6	3	-	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	1	4	6	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	2	-	1	3	1	2	3	4	2	1	-	-
WHITE-----MALE----	1	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1321

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neoplasm of uncertain or unknown behavior of unspecified sites (D48)												
OHIO -----	1	-	4	1	3	5	4	7	2	-	-	-
WHITE-----MALE----	1	-	3	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	4	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	2	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	2	1	2	6	1	5	4	2	-	-
WHITE-----MALE----	-	-	1	1	-	2	1	2	1	1	-	-
FEMALE--	-	-	1	-	2	3	-	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1324

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

UNITED STATES -	9,067	94	82	49	50	80	116	122	210	281	360	407
WHITE-----MALE----	2,821	33	29	12	16	26	18	25	38	67	83	117
FEMALE--	3,979	20	17	16	11	25	18	13	31	36	68	85
ALL OTHER--MALE----	1,005	25	21	9	15	17	46	45	71	92	90	94
FEMALE--	1,262	16	15	12	8	12	34	39	70	86	119	111
BLACK---MALE-----	911	20	19	9	13	15	44	43	71	89	88	87
FEMALE--	1,168	13	15	11	7	12	32	36	69	83	116	103
ALABAMA -----	210	2	1	2	-	1	6	5	12	8	11	18
WHITE-----MALE----	47	-	-	-	-	1	-	-	-	2	1	7
FEMALE--	78	-	-	1	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	33	2	-	-	-	-	4	2	7	2	1	3
FEMALE--	52	-	1	1	-	-	1	2	5	4	7	6
BLACK---MALE-----	33	2	-	-	-	-	4	2	7	2	1	3
FEMALE--	52	-	1	1	-	-	1	2	5	4	7	6
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	123	1	1	2	-	1	1	-	6	2	6	8
WHITE-----MALE----	50	-	1	-	-	1	-	-	2	1	2	3
FEMALE--	54	1	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	1	-	-	3
FEMALE--	12	-	-	1	-	-	-	-	2	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	-
ARKANSAS -----	103	1	-	-	1	2	3	5	2	3	1	1
WHITE-----MALE----	31	1	-	-	-	-	1	1	1	1	1	1
FEMALE--	47	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	13	-	-	-	-	-	1	2	1	1	-	-
BLACK---MALE-----	12	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	12	-	-	-	-	-	1	2	1	1	-	-
CALIFORNIA -----	643	7	9	4	3	6	6	6	12	20	18	29
WHITE-----MALE----	226	3	4	1	1	1	1	3	5	8	9	6
FEMALE--	271	3	2	1	1	-	4	-	1	3	3	7
ALL OTHER--MALE----	78	1	2	1	-	4	1	1	3	6	2	10
FEMALE--	68	-	1	1	1	1	-	2	3	3	4	6
BLACK---MALE-----	48	-	1	1	-	3	1	1	3	6	2	6
FEMALE--	42	-	1	1	1	1	-	2	2	1	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1324

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

UNITED STATES -	360	376	415	517	822	1,062	1,158	1,170	855	389	92	-
WHITE-----MALE----	101	106	131	189	321	415	408	367	222	83	14	-
FEMALE--	94	113	167	204	360	509	634	685	550	261	62	-
ALL OTHER--MALE----	72	65	54	50	63	59	49	43	16	8	1	-
FEMALE--	93	92	63	74	78	79	67	75	67	37	15	-
BLACK---MALE-----	67	60	49	45	49	49	40	35	13	5	1	-
FEMALE--	87	88	59	65	66	76	61	64	61	31	13	-
ALABAMA -----	10	3	8	14	14	24	22	26	19	1	3	-
WHITE-----MALE----	2	-	1	4	5	6	8	8	2	-	-	-
FEMALE--	3	-	4	5	3	12	14	14	15	-	1	-
ALL OTHER--MALE----	3	1	1	2	2	2	-	-	-	-	1	-
FEMALE--	2	2	2	3	4	4	-	4	2	1	1	-
BLACK---MALE-----	3	1	1	2	2	2	-	-	-	-	1	-
FEMALE--	2	2	2	3	4	4	-	4	2	1	1	-
ALASKA -----	-	-	1	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	7	11	8	12	9	14	18	8	2	1	-
WHITE-----MALE----	1	4	5	4	4	5	7	6	3	-	-	-
FEMALE--	1	3	6	2	7	3	7	12	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	2	1	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ARKANSAS -----	3	5	4	1	12	6	14	19	12	7	1	-
WHITE-----MALE----	-	2	2	1	5	3	3	5	2	1	-	-
FEMALE--	2	2	1	-	5	3	8	10	8	4	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	2	3	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	1	1	2	-	-
BLACK---MALE-----	1	-	1	-	-	-	2	3	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	2	-	-
CALIFORNIA -----	22	34	29	41	69	81	80	74	58	31	4	-
WHITE-----MALE----	6	9	9	16	29	28	35	32	13	7	-	-
FEMALE--	8	14	12	19	25	39	39	30	38	18	4	-
ALL OTHER--MALE----	5	3	3	3	10	12	3	6	1	1	-	-
FEMALE--	3	8	5	3	5	2	3	6	6	5	-	-
BLACK---MALE-----	4	3	2	3	3	6	2	1	-	-	-	-
FEMALE--	2	7	4	1	3	1	1	1	4	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1325

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

COLORADO -----	102	-	-	-	1	-	-	1	1	3	5	10
WHITE-----MALE----	40	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	53	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	4	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	2
CONNECTICUT -----	112	3	2	1	-	-	-	2	5	2	4	4
WHITE-----MALE----	37	2	2	1	-	-	-	1	1	1	1	1
FEMALE--	59	-	-	-	-	-	-	1	3	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	1	-	-	-	-	-	-	-	1	3	2
BLACK---MALE-----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	1	-	-	-	-	-	-	-	1	3	2
DELAWARE -----	25	1	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ---	50	1	-	1	-	1	1	-	-	3	3	9
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	24	1	-	1	-	-	1	-	-	2	1	5
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE-----	24	1	-	1	-	-	1	-	-	2	1	5
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	4
FLORIDA -----	561	4	6	3	2	5	8	12	19	19	32	19
WHITE-----MALE----	192	-	2	-	1	2	1	4	6	6	11	6
FEMALE--	238	1	-	-	1	3	1	1	2	3	3	5
ALL OTHER--MALE----	68	2	3	2	-	-	4	5	6	5	7	3
FEMALE--	63	1	1	1	-	-	2	2	5	5	11	5
BLACK---MALE-----	65	2	3	2	-	-	4	4	6	5	7	3
FEMALE--	62	1	1	1	-	-	2	2	5	5	11	5
GEORGIA -----	267	5	5	-	2	5	6	9	11	16	13	15
WHITE-----MALE----	62	1	1	-	-	1	-	-	2	-	2	3
FEMALE--	71	-	1	-	-	2	1	-	-	2	1	1
ALL OTHER--MALE----	65	4	2	-	2	2	4	3	6	6	7	4
FEMALE--	69	-	1	-	-	-	1	6	3	8	3	7
BLACK---MALE-----	65	4	2	-	2	2	4	3	6	6	7	4
FEMALE--	66	-	1	-	-	-	1	5	3	8	3	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1325

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

COLORADO -----	-	1	-	9	9	19	12	11	12	8	-	-
WHITE-----MALE----	-	-	-	6	3	10	6	6	1	1	-	-
FEMALE--	-	1	-	3	5	9	6	4	11	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	5	7	4	4	9	12	17	13	12	4	2	-
WHITE-----MALE----	1	3	2	1	3	1	5	4	6	1	-	-
FEMALE--	2	1	1	3	6	11	12	9	6	3	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	1	1	-	-	4	1	4	4	3	2	-	-
WHITE-----MALE----	-	-	-	-	3	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	1	3	2	5	2	1	8	4	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	1	-	2	3	2	1	3	-	1	-	-	-
FEMALE--	-	3	-	1	-	-	4	2	1	1	-	-
BLACK---MALE-----	1	-	2	3	2	1	3	-	1	-	-	-
FEMALE--	-	3	-	1	-	-	4	2	1	1	-	-
FLORIDA -----	18	17	18	43	51	60	69	72	55	24	5	-
WHITE-----MALE----	7	5	4	17	22	24	22	26	19	6	1	-
FEMALE--	7	5	7	20	22	27	39	42	32	15	2	-
ALL OTHER--MALE----	3	3	3	4	4	4	5	2	3	-	-	-
FEMALE--	1	4	4	2	3	5	3	2	1	3	2	-
BLACK---MALE-----	3	3	3	4	3	4	5	2	2	-	-	-
FEMALE--	1	4	4	2	3	5	3	1	1	3	2	-
GEORGIA -----	12	19	10	14	26	22	26	21	19	11	-	-
WHITE-----MALE----	4	4	2	3	12	7	10	4	5	1	-	-
FEMALE--	1	4	2	3	8	7	9	11	10	8	-	-
ALL OTHER--MALE----	1	6	-	5	4	3	2	4	-	-	-	-
FEMALE--	6	5	6	3	2	5	5	2	4	2	-	-
BLACK---MALE-----	1	6	-	5	4	3	2	4	-	-	-	-
FEMALE--	5	4	6	3	2	5	5	2	4	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1326

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)												
HAWAII -----	1	2	3	4	5	2	4	5	2	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	2	1	3	1	1	-	-	-
FEMALE--	-	1	1	2	1	1	1	1	1	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	3	3	6	4	7	3	2	1	-
WHITE-----MALE----	1	-	-	2	1	2	1	2	-	1	1	-
FEMALE--	-	-	1	1	2	4	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	19	18	24	19	45	68	62	61	50	21	5	-
WHITE-----MALE----	4	-	11	4	14	25	18	12	14	3	2	-
FEMALE--	6	3	7	5	20	30	37	41	34	17	3	-
ALL OTHER--MALE----	7	8	3	5	2	4	4	5	-	1	-	-
FEMALE--	2	7	3	5	9	9	3	3	2	-	-	-
BLACK---MALE-----	7	8	3	4	1	4	4	4	-	1	-	-
FEMALE--	2	7	3	5	8	9	3	3	2	-	-	-
INDIANA -----	10	5	6	8	16	22	28	30	34	14	4	-
WHITE-----MALE----	4	1	1	4	4	7	15	8	11	1	-	-
FEMALE--	4	4	3	4	10	14	13	22	22	13	4	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	1	-	-	-
IOWA -----	2	1	5	2	6	15	12	7	13	4	1	-
WHITE-----MALE----	1	1	-	1	3	5	4	2	2	1	-	-
FEMALE--	1	-	5	1	3	10	8	5	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	3	10	3	9	11	16	26	25	6	4	-
WHITE-----MALE----	1	2	2	2	3	5	6	7	8	-	1	-
FEMALE--	1	1	6	1	5	5	9	19	15	6	2	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1327

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

KENTUCKY -----	134	2	-	1	1	2	1	2	3	3	8	6
WHITE-----MALE----	50	-	-	-	-	1	-	1	1	1	2	2
FEMALE--	60	-	-	1	1	-	-	-	1	-	2	-
ALL OTHER--MALE----	9	1	-	-	-	1	1	1	-	2	1	-
FEMALE--	15	1	-	-	-	-	-	-	1	-	3	4
BLACK---MALE-----	9	1	-	-	-	1	1	1	-	2	1	-
FEMALE--	15	1	-	-	-	-	-	-	1	-	3	4
LOUISIANA -----	193	2	4	1	3	2	1	4	7	8	11	10
WHITE-----MALE----	53	-	1	1	1	1	-	-	1	2	2	2
FEMALE--	58	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	28	1	2	-	1	1	-	2	1	2	2	1
FEMALE--	54	1	1	-	1	-	1	2	4	4	7	5
BLACK---MALE-----	28	1	2	-	1	1	-	2	1	2	2	1
FEMALE--	53	1	1	-	-	-	1	2	4	4	7	5
MAINE -----	55	1	-	-	1	1	-	-	1	2	4	1
WHITE-----MALE----	24	1	-	-	1	1	-	-	-	1	2	1
FEMALE--	31	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	220	2	-	1	3	3	1	2	2	16	20	11
WHITE-----MALE----	47	1	-	-	-	-	1	-	-	1	2	1
FEMALE--	70	1	-	-	-	1	-	-	-	1	2	1
ALL OTHER--MALE----	38	-	-	-	2	1	-	1	-	5	7	3
FEMALE--	65	-	-	1	1	1	-	1	2	9	9	6
BLACK---MALE-----	37	-	-	-	2	1	-	1	-	5	7	3
FEMALE--	63	-	-	1	1	1	-	-	2	9	9	5
MASSACHUSETTS -----	217	1	4	-	-	2	2	2	4	4	7	10
WHITE-----MALE----	80	1	2	-	-	1	-	1	1	-	3	4
FEMALE--	114	-	1	-	-	-	1	-	1	-	3	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	2	4	1	1
FEMALE--	12	-	1	-	-	1	1	-	-	-	-	2
BLACK---MALE-----	10	-	-	-	-	-	-	1	2	3	1	1
FEMALE--	12	-	1	-	-	1	1	-	-	-	-	2
MICHIGAN -----	360	3	-	3	2	2	3	7	10	8	21	16
WHITE-----MALE----	114	2	-	-	1	1	-	-	2	2	6	3
FEMALE--	173	1	-	2	1	1	1	1	1	-	5	6
ALL OTHER--MALE----	37	-	-	1	-	-	1	3	4	3	6	4
FEMALE--	36	-	-	-	-	-	1	3	3	3	4	3
BLACK---MALE-----	35	-	-	1	-	-	1	2	4	3	5	4
FEMALE--	36	-	-	-	-	-	1	3	3	3	4	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1327

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY -----	2	7	7	12	12	9	17	19	11	7	2	-
WHITE-----MALE----	2	1	2	5	6	4	4	8	4	4	2	-
FEMALE--	-	3	3	5	6	5	13	10	7	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	-	-	1	-	-	-	-
LOUISIANA -----	10	8	13	8	17	18	15	24	19	7	1	-
WHITE-----MALE----	3	1	3	2	7	8	4	11	2	1	-	-
FEMALE--	1	1	3	2	6	5	9	11	10	6	1	-
ALL OTHER--MALE----	2	3	1	2	2	2	-	2	1	-	-	-
FEMALE--	4	3	6	2	2	3	2	-	6	-	-	-
BLACK---MALE-----	2	3	1	2	2	2	-	2	1	-	-	-
FEMALE--	4	3	6	2	2	3	2	-	6	-	-	-
MAINE -----	1	3	1	3	6	7	6	6	8	2	1	-
WHITE-----MALE----	1	1	1	2	2	5	2	1	2	-	-	-
FEMALE--	-	2	-	1	4	2	4	5	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	10	12	16	12	25	29	21	14	12	-	-
WHITE-----MALE----	2	2	4	5	2	5	10	5	3	3	-	-
FEMALE--	-	1	3	5	5	14	14	9	9	4	-	-
ALL OTHER--MALE----	4	1	3	2	1	2	2	1	1	2	-	-
FEMALE--	2	6	2	4	4	4	3	6	1	3	-	-
BLACK---MALE-----	4	1	2	2	1	2	2	1	1	2	-	-
FEMALE--	2	6	2	4	4	4	3	6	1	3	-	-
MASSACHUSETTS -----	5	6	4	5	21	26	30	37	28	18	1	-
WHITE-----MALE----	4	2	1	2	10	14	12	11	7	4	-	-
FEMALE--	1	2	3	2	8	11	17	26	21	13	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	1	-	-	1	-	-
MICHIGAN -----	13	7	14	23	31	48	43	51	33	18	4	-
WHITE-----MALE----	4	4	4	8	12	18	19	18	7	3	-	-
FEMALE--	3	1	9	11	16	22	22	31	22	14	3	-
ALL OTHER--MALE----	3	-	-	1	1	5	1	1	3	-	-	-
FEMALE--	3	2	1	3	2	3	1	1	1	1	1	-
BLACK---MALE-----	3	-	-	1	1	5	1	1	3	-	-	-
FEMALE--	3	2	1	3	2	3	1	1	1	1	1	-









CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

OHIO -----	404	5	4	1	2	4	6	4	7	9	13	12
WHITE-----MALE----	134	2	2	-	1	1	3	-	2	2	6	4
FEMALE--	205	3	1	1	-	2	1	-	1	-	3	4
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	3	4	1	1
FEMALE--	39	-	1	-	1	1	2	4	1	3	3	3
BLACK---MALE-----	26	-	-	-	-	-	-	-	3	4	1	1
FEMALE--	37	-	1	-	1	1	2	4	1	3	3	3
OKLAHOMA -----	112	1	-	-	2	-	1	-	3	5	5	3
WHITE-----MALE----	35	1	-	-	-	-	-	-	1	1	2	2
FEMALE--	48	-	-	-	1	-	-	-	1	1	1	1
ALL OTHER--MALE----	13	-	-	-	1	-	1	-	1	3	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	94	1	1	1	1	-	1	-	1	2	-	1
WHITE-----MALE----	40	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	51	-	-	1	1	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	533	2	1	3	3	3	8	5	8	16	11	15
WHITE-----MALE----	169	1	-	1	1	2	2	-	1	3	4	4
FEMALE--	245	-	-	1	1	-	1	1	-	5	1	3
ALL OTHER--MALE----	51	-	-	1	-	-	1	2	4	6	4	5
FEMALE--	68	1	1	-	1	1	4	2	3	2	2	3
BLACK---MALE-----	50	-	-	1	-	-	1	2	4	6	4	5
FEMALE--	66	1	1	-	1	1	4	2	3	2	2	3
RHODE ISLAND -----	41	-	-	-	-	-	-	1	-	1	3	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	175	4	1	1	1	2	4	4	3	5	8	12
WHITE-----MALE----	49	1	-	-	1	-	-	-	-	1	1	4
FEMALE--	43	1	1	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	33	1	-	-	-	1	2	3	2	2	5	-
FEMALE--	50	1	-	1	-	1	2	1	-	1	2	7
BLACK---MALE-----	33	1	-	-	-	1	2	3	2	2	5	-
FEMALE--	49	1	-	1	-	1	2	1	-	1	1	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1330

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)												
OHIO -----	9	17	14	31	39	47	53	62	43	18	4	-
WHITE-----MALE----	3	8	5	10	18	22	17	14	10	3	1	-
FEMALE--	2	6	5	17	17	21	31	43	31	13	3	-
ALL OTHER--MALE----	3	1	1	1	2	3	3	2	-	1	-	-
FEMALE--	1	2	3	3	2	1	2	3	2	1	-	-
BLACK---MALE-----	3	1	1	1	2	3	3	2	-	1	-	-
FEMALE--	1	2	3	2	2	-	2	3	2	1	-	-
OKLAHOMA -----	5	6	6	7	13	11	16	11	12	4	1	-
WHITE-----MALE----	2	1	2	2	5	3	5	2	5	1	-	-
FEMALE--	-	3	3	3	5	6	7	7	7	2	-	-
ALL OTHER--MALE----	1	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	2	2	-	1	1	2	3	2	-	1	1	-
BLACK---MALE-----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	2	3	2	-	1	-	-
OREGON -----	6	4	4	4	9	19	11	11	13	3	1	-
WHITE-----MALE----	2	2	3	2	8	9	6	1	5	-	-	-
FEMALE--	4	2	1	2	1	10	5	10	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	25	20	36	30	50	71	88	72	44	19	3	-
WHITE-----MALE----	5	5	13	8	21	25	30	33	7	2	1	-
FEMALE--	8	6	8	13	19	42	53	34	32	15	2	-
ALL OTHER--MALE----	5	6	7	3	3	2	-	-	1	1	-	-
FEMALE--	7	3	8	6	7	2	5	5	4	1	-	-
BLACK---MALE-----	4	6	7	3	3	2	-	-	1	1	-	-
FEMALE--	7	3	8	6	6	2	5	4	4	1	-	-
RHODE ISLAND -----	-	-	-	1	6	5	9	9	5	1	-	-
WHITE-----MALE----	-	-	-	-	3	1	3	4	-	-	-	-
FEMALE--	-	-	-	1	2	3	4	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
SOUTH CAROLINA -----	15	7	5	14	11	22	24	16	9	6	1	-
WHITE-----MALE----	2	1	2	5	5	9	7	5	3	1	1	-
FEMALE--	1	-	2	2	3	9	12	6	2	1	-	-
ALL OTHER--MALE----	3	3	1	3	1	2	1	2	1	-	-	-
FEMALE--	9	3	-	4	2	2	4	3	3	4	-	-
BLACK---MALE-----	3	3	1	3	1	2	1	2	1	-	-	-
FEMALE--	9	3	-	4	2	2	4	3	3	4	-	-



CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

SOUTH DAKOTA -----	24	1	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	198	3	2	1	1	3	7	3	5	2	7	12
WHITE-----MALE----	59	1	1	-	1	2	-	-	-	-	1	2
FEMALE--	85	-	1	-	-	1	-	1	2	1	1	4
ALL OTHER--MALE----	23	2	-	1	-	-	3	1	2	-	2	3
FEMALE--	31	-	-	-	-	-	4	1	1	1	3	3
BLACK---MALE-----	23	2	-	1	-	-	3	1	2	-	2	3
FEMALE--	31	-	-	-	-	-	4	1	1	1	3	3
TEXAS -----	547	17	8	2	3	5	10	7	20	18	17	23
WHITE-----MALE----	186	6	3	-	-	-	3	2	2	6	3	6
FEMALE--	234	4	1	1	1	3	-	-	5	2	4	9
ALL OTHER--MALE----	50	3	2	1	2	2	5	2	6	3	4	4
FEMALE--	77	4	2	-	-	-	2	3	7	7	6	4
BLACK---MALE-----	46	1	2	1	2	2	5	2	6	3	4	4
FEMALE--	73	4	2	-	-	-	2	3	7	7	6	3
UTAH -----	31	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	231	2	1	1	-	2	5	1	3	14	12	15
WHITE-----MALE----	55	2	-	1	-	1	-	1	2	3	-	3
FEMALE--	91	-	-	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	30	-	1	-	-	-	3	-	-	3	2	4
FEMALE--	55	-	-	-	-	1	2	-	1	7	7	5
BLACK---MALE-----	27	-	1	-	-	-	3	-	-	3	2	4
FEMALE--	53	-	-	-	-	1	2	-	1	7	7	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1331

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA -----	-	-	-	2	1	-	3	4	7	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	3	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	7	10	17	24	25	20	22	10	8	1	-
WHITE-----MALE----	3	1	5	6	7	12	8	5	2	2	-	-
FEMALE--	1	2	4	8	11	10	11	15	7	5	-	-
ALL OTHER--MALE----	1	2	1	1	2	-	1	1	-	-	-	-
FEMALE--	3	2	-	2	4	3	-	1	1	1	1	-
BLACK---MALE-----	1	2	1	1	2	-	1	1	-	-	-	-
FEMALE--	3	2	-	2	4	3	-	1	1	1	1	-
TEXAS -----	21	22	25	31	61	65	57	76	41	15	3	-
WHITE-----MALE----	10	8	8	10	23	34	21	26	9	6	-	-
FEMALE--	5	8	11	15	27	26	32	44	27	8	1	-
ALL OTHER--MALE----	3	3	2	2	3	2	1	-	-	-	-	-
FEMALE--	3	3	4	4	8	3	3	6	5	1	2	-
BLACK---MALE-----	3	3	2	1	2	2	1	-	-	-	-	-
FEMALE--	2	3	4	3	8	3	3	6	4	1	2	-
UTAH -----	-	1	3	2	3	2	5	4	6	2	1	-
WHITE-----MALE----	-	-	1	1	3	-	2	1	1	2	-	-
FEMALE--	-	-	2	1	-	2	3	3	5	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	2	-	3	2	3	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	13	16	10	17	33	26	25	10	11	2	-
WHITE-----MALE----	2	3	3	5	6	9	7	3	3	1	-	-
FEMALE--	3	1	8	2	7	17	16	16	4	8	2	-
ALL OTHER--MALE----	4	3	4	-	1	3	-	2	-	-	-	-
FEMALE--	3	6	1	3	3	4	3	4	3	2	-	-
BLACK---MALE-----	3	2	4	-	1	2	-	2	-	-	-	-
FEMALE--	3	6	1	3	2	4	3	4	3	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1333

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
UNITED STATES -	4,503	12	30	24	29	43	78	64	96	90	104	134
WHITE-----MALE----	1,244	4	6	1	6	9	5	1	5	10	14	31
FEMALE--	2,149	2	3	6	7	9	11	5	6	12	12	24
ALL OTHER--MALE----	502	4	11	7	9	15	38	32	43	37	40	37
FEMALE--	608	2	10	10	7	10	24	26	42	31	38	42
BLACK---MALE-----	457	2	11	7	9	13	37	30	43	35	38	35
FEMALE--	562	1	10	10	7	10	24	26	41	31	38	39
ALABAMA -----	110	-	-	2	-	-	5	3	8	2	5	9
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	1	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	4	1	4	-	1	2
FEMALE--	33	-	-	1	-	-	1	2	4	2	4	3
BLACK---MALE-----	17	-	-	-	-	-	4	1	4	-	1	2
FEMALE--	33	-	-	1	-	-	1	2	4	2	4	3
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	53	-	-	-	-	-	1	-	4	-	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
ARKANSAS -----	61	-	-	-	1	1	2	2	-	1	-	-
WHITE-----MALE----	18	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	26	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE-----	8	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	1	-	1	-	-
CALIFORNIA -----	300	2	3	2	3	3	4	2	4	10	9	10
WHITE-----MALE----	92	1	2	-	1	-	-	-	2	2	3	-
FEMALE--	131	-	-	-	1	-	3	-	-	3	1	3
ALL OTHER--MALE----	47	1	-	1	-	3	1	1	1	5	2	6
FEMALE--	30	-	1	1	1	-	-	1	1	-	3	1
BLACK---MALE-----	32	-	-	1	-	2	1	1	1	5	2	5
FEMALE--	18	-	1	1	1	-	-	1	-	-	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1333

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anemias (D50-D64)												
UNITED STATES -	98	105	126	175	311	497	667	775	647	316	82	-
WHITE-----MALE----	20	16	32	75	107	190	244	230	160	66	12	-
FEMALE--	21	30	44	60	147	238	360	462	423	211	56	-
ALL OTHER--MALE----	28	27	30	17	27	27	23	31	12	7	-	-
FEMALE--	29	32	20	23	30	42	40	52	52	32	14	-
BLACK---MALE-----	26	25	29	14	23	23	19	25	9	4	-	-
FEMALE--	26	30	17	19	26	41	38	42	48	26	12	-
ALABAMA -----	4	1	3	4	7	12	14	16	12	1	2	-
WHITE-----MALE----	-	-	-	2	2	2	6	5	1	-	-	-
FEMALE--	1	-	1	-	1	7	8	9	9	-	1	-
ALL OTHER--MALE----	2	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	2	1	3	2	-	2	2	1	1	-
BLACK---MALE-----	2	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	2	1	3	2	-	2	2	1	1	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	2	2	7	6	7	10	6	1	1	-
WHITE-----MALE----	-	-	2	1	2	4	5	3	2	-	-	-
FEMALE--	1	1	-	-	4	1	2	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	1	1	1	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	1	1	2	1	5	5	8	16	9	5	1	-
WHITE-----MALE----	-	-	1	1	3	2	3	5	2	-	-	-
FEMALE--	-	-	1	-	1	3	2	8	5	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	1	-	-
CALIFORNIA -----	4	10	6	15	19	38	41	48	38	25	4	-
WHITE-----MALE----	-	1	1	6	7	12	19	22	8	5	-	-
FEMALE--	-	4	3	7	8	17	20	16	26	15	4	-
ALL OTHER--MALE----	3	2	2	1	2	8	1	5	1	1	-	-
FEMALE--	1	3	-	1	2	1	1	5	3	4	-	-
BLACK---MALE-----	2	2	2	1	-	5	1	1	-	-	-	-
FEMALE--	1	2	-	1	1	1	1	1	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1334

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
COLORADO -----	49	-	-	-	1	-	-	-	-	-	1	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	54	-	-	1	-	-	-	1	1	1	1	1
WHITE-----MALE----	13	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	36	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	18	-	-	1	-	1	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	297	-	3	3	-	2	6	8	7	5	8	5
WHITE-----MALE----	91	-	-	-	-	1	-	1	1	2	2	-
FEMALE--	132	-	-	-	-	1	1	1	-	1	-	1
ALL OTHER--MALE----	37	-	2	2	-	-	3	5	3	1	3	1
FEMALE--	37	-	1	1	-	-	2	1	3	1	3	3
BLACK---MALE-----	35	-	2	2	-	-	3	4	3	1	3	1
FEMALE--	36	-	1	1	-	-	2	1	3	1	3	3
GEORGIA -----	129	1	4	-	2	3	3	7	8	7	4	5
WHITE-----MALE----	24	-	1	-	-	1	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	34	1	2	-	2	1	3	2	5	1	2	2
FEMALE--	33	-	1	-	-	-	-	5	3	5	1	1
BLACK---MALE-----	34	1	2	-	2	1	3	2	5	1	2	2
FEMALE--	32	-	1	-	-	-	-	5	3	5	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1334

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anemias (D50-D64)												
COLORADO -----	-	1	-	3	3	11	5	5	10	5	-	-
WHITE-----MALE----	-	-	-	2	-	5	2	4	1	1	-	-
FEMALE--	-	1	-	1	2	6	3	1	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	2	1	4	6	10	10	7	3	2	-
WHITE-----MALE----	-	-	-	-	1	-	1	4	4	1	-	-
FEMALE--	1	1	1	1	3	6	9	6	3	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	1	-	-	-	-	-	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	1	1	-	-	4	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	2	-	1	-	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	1	-	-
BLACK---MALE-----	1	-	1	1	-	-	2	-	1	-	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	1	-	-
FLORIDA -----	7	7	5	21	20	34	45	45	44	18	4	-
WHITE-----MALE----	3	2	-	8	8	12	15	16	14	5	1	-
FEMALE--	3	2	2	8	9	14	25	26	26	10	2	-
ALL OTHER--MALE----	1	1	1	3	2	3	2	1	3	-	-	-
FEMALE--	-	2	2	2	1	5	3	2	1	3	1	-
BLACK---MALE-----	1	1	1	3	2	3	2	1	2	-	-	-
FEMALE--	-	2	2	2	1	5	3	1	1	3	1	-
GEORGIA -----	5	4	1	6	8	11	12	18	10	10	-	-
WHITE-----MALE----	1	-	1	1	2	4	4	3	3	1	-	-
FEMALE--	1	-	-	1	4	2	5	9	6	7	-	-
ALL OTHER--MALE----	1	3	-	2	1	2	-	4	-	-	-	-
FEMALE--	2	1	-	2	1	3	3	2	1	2	-	-
BLACK---MALE-----	1	3	-	2	1	2	-	4	-	-	-	-
FEMALE--	2	-	-	2	1	3	3	2	1	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1335

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anemias (D50-D64)												
HAWAII -----	-	-	2	2	1	1	3	4	2	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	2	3	1	4	2	2	1	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	1	1	-
FEMALE--	-	-	-	-	1	2	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	5	10	7	16	29	42	39	40	18	3	-
WHITE-----MALE----	-	-	2	1	2	10	11	8	10	2	1	-
FEMALE--	2	1	4	2	9	16	26	27	29	15	2	-
ALL OTHER--MALE----	-	3	2	2	1	1	4	3	-	1	-	-
FEMALE--	1	1	2	2	4	2	1	1	1	-	-	-
BLACK---MALE-----	-	3	2	1	-	1	4	2	-	1	-	-
FEMALE--	1	1	2	2	4	2	1	1	1	-	-	-
INDIANA -----	1	2	2	2	8	12	18	22	27	12	2	-
WHITE-----MALE----	1	-	-	-	1	3	9	4	8	1	-	-
FEMALE--	-	2	2	2	5	8	9	18	18	11	2	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
IOWA -----	-	-	3	1	3	3	8	4	8	3	1	-
WHITE-----MALE----	-	-	-	1	2	-	2	1	1	1	-	-
FEMALE--	-	-	3	-	1	3	6	3	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	1	3	3	4	3	13	19	22	3	4	-
WHITE-----MALE----	1	1	-	2	2	1	5	6	8	-	1	-
FEMALE--	-	-	2	1	1	2	7	13	12	3	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1336

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
KENTUCKY -----	77	-	-	-	-	2	1	1	1	-	2	3
WHITE-----MALE----	26	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE-----	5	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	2
LOUISIANA -----	86	-	2	-	1	1	1	3	2	1	4	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	1	-	1	1	-	1	1	1	1	-
FEMALE--	22	-	1	-	-	-	1	2	1	-	3	1
BLACK---MALE-----	15	-	1	-	1	1	-	1	1	1	1	-
FEMALE--	22	-	1	-	-	-	1	2	1	-	3	1
MAINE -----	26	1	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	9	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	92	1	-	1	2	2	-	-	1	5	5	5
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	35	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	1	1	-	-	-	2	3	2
FEMALE--	25	-	-	1	1	1	-	-	1	3	-	3
BLACK---MALE-----	13	-	-	-	1	1	-	-	-	2	3	2
FEMALE--	24	-	-	1	1	1	-	-	1	3	-	2
MASSACHUSETTS -----	124	-	-	-	-	2	1	-	-	1	1	3
WHITE-----MALE----	38	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	77	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
MICHIGAN -----	200	-	-	2	1	1	2	4	3	2	6	3
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	109	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	1	-	-	1	3	2	1	3	2
FEMALE--	18	-	-	-	-	-	1	1	1	-	3	1
BLACK---MALE-----	18	-	-	1	-	-	1	2	2	1	2	2
FEMALE--	18	-	-	-	-	-	1	1	1	-	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1336

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anemias (D50-D64)												
KENTUCKY -----	1	2	3	4	8	4	14	16	10	4	1	-
WHITE-----MALE----	1	1	-	2	3	2	2	6	3	3	1	-
FEMALE--	-	1	2	2	5	2	12	9	7	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	2	3	3	2	6	8	8	17	14	7	-	-
WHITE-----MALE----	-	-	-	1	2	4	1	8	2	1	-	-
FEMALE--	-	1	1	-	2	1	6	7	6	6	-	-
ALL OTHER--MALE----	1	1	-	-	1	2	-	2	1	-	-	-
FEMALE--	1	1	2	1	1	1	1	-	5	-	-	-
BLACK---MALE-----	1	1	-	-	1	2	-	2	1	-	-	-
FEMALE--	1	1	2	1	1	1	1	-	5	-	-	-
MAINE -----	-	2	-	2	-	4	3	4	6	1	1	-
WHITE-----MALE----	-	-	-	1	-	2	2	-	2	-	-	-
FEMALE--	-	2	-	1	-	2	1	4	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	-	4	3	9	15	16	10	8	-	-
WHITE-----MALE----	-	1	-	2	-	1	6	5	2	1	-	-
FEMALE--	-	-	-	1	2	6	7	7	7	3	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	2	-	1	1	2	1	4	1	3	-	-
BLACK---MALE-----	1	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	2	-	1	1	2	1	4	1	3	-	-
MASSACHUSETTS -----	1	-	2	4	12	13	18	26	23	16	1	-
WHITE-----MALE----	-	-	1	2	4	5	7	6	7	4	-	-
FEMALE--	1	-	1	1	6	7	10	20	16	12	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
MICHIGAN -----	4	3	4	9	12	28	31	37	26	18	4	-
WHITE-----MALE----	1	2	-	5	2	11	12	12	4	3	-	-
FEMALE--	1	-	4	2	8	13	17	24	20	14	3	-
ALL OTHER--MALE----	2	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	1	-	2	1	2	1	1	1	1	1	-
BLACK---MALE-----	2	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	1	-	2	1	2	1	1	1	1	1	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1339

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
OHIO -----	215	1	1	-	1	3	3	3	3	3	2	2
WHITE-----MALE----	60	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	121	1	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	3	2	-	-
FEMALE--	19	-	1	-	1	1	2	3	-	-	1	-
BLACK---MALE-----	15	-	-	-	-	-	-	-	3	2	-	-
FEMALE--	17	-	1	-	1	1	2	3	-	-	1	-
OKLAHOMA -----	62	1	-	-	-	-	1	-	1	4	2	1
WHITE-----MALE----	22	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	3	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	53	1	-	-	1	-	-	-	-	1	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	274	-	1	1	2	2	4	4	4	5	3	5
WHITE-----MALE----	74	-	-	-	-	1	1	-	-	-	1	1
FEMALE--	144	-	-	-	1	-	-	1	-	1	-	1
ALL OTHER--MALE----	21	-	-	1	-	-	-	1	2	2	2	1
FEMALE--	35	-	1	-	1	1	3	2	2	2	-	2
BLACK---MALE-----	21	-	-	1	-	-	-	1	2	2	2	1
FEMALE--	34	-	1	-	1	1	3	2	2	2	-	2
RHODE ISLAND -----	16	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	87	-	-	1	1	2	2	4	-	2	5	3
WHITE-----MALE----	21	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	20	-	-	-	-	1	1	3	-	-	5	-
FEMALE--	25	-	-	1	-	1	1	1	-	-	-	2
BLACK---MALE-----	20	-	-	-	-	1	1	3	-	-	5	-
FEMALE--	25	-	-	1	-	1	1	1	-	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1339

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anemias (D50-D64)												
OHIO -----	3	8	5	12	21	24	32	41	28	15	4	-
WHITE-----MALE----	-	2	2	4	7	13	8	10	6	3	1	-
FEMALE--	1	3	1	7	13	9	21	27	21	11	3	-
ALL OTHER--MALE----	2	1	1	-	1	1	1	2	-	1	-	-
FEMALE--	-	2	1	1	-	1	2	2	1	-	-	-
BLACK---MALE-----	2	1	1	-	1	1	1	2	-	1	-	-
FEMALE--	-	2	1	-	-	-	2	2	1	-	-	-
OKLAHOMA -----	3	2	3	1	8	4	10	5	11	4	1	-
WHITE-----MALE----	2	-	1	-	3	2	4	1	5	1	-	-
FEMALE--	-	1	1	1	3	1	4	2	6	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	2	-	1	1	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	2	-	1	-	-
OREGON -----	2	1	4	1	3	9	5	10	11	2	1	-
WHITE-----MALE----	1	1	3	1	2	4	2	1	4	-	-	-
FEMALE--	1	-	1	-	1	5	3	9	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	6	13	7	22	27	62	43	38	16	3	-
WHITE-----MALE----	2	-	2	3	10	9	24	14	4	1	1	-
FEMALE--	1	3	3	3	8	17	35	24	31	13	2	-
ALL OTHER--MALE----	-	3	5	1	2	-	-	-	-	1	-	-
FEMALE--	3	-	3	-	2	1	3	5	3	1	-	-
BLACK---MALE-----	-	3	5	1	2	-	-	-	-	1	-	-
FEMALE--	3	-	3	-	2	1	3	4	3	1	-	-
RHODE ISLAND -----	-	-	-	-	1	2	3	4	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	5	4	-	5	4	8	13	13	8	6	1	-
WHITE-----MALE----	-	-	-	2	1	3	4	4	2	1	1	-
FEMALE--	-	-	-	1	2	2	7	5	2	1	-	-
ALL OTHER--MALE----	3	2	-	-	1	1	-	2	1	-	-	-
FEMALE--	2	2	-	2	-	2	2	2	3	4	-	-
BLACK---MALE-----	3	2	-	-	1	1	-	2	1	-	-	-
FEMALE--	2	2	-	2	-	2	2	2	3	4	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1340

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
SOUTH DAKOTA -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	98	1	-	1	1	2	4	3	5	1	2	5
WHITE-----MALE----	27	1	-	-	1	2	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	-	-	1	2	-	-	2
ALL OTHER--MALE----	11	-	-	1	-	-	2	1	2	-	1	1
FEMALE--	14	-	-	-	-	-	2	1	1	1	1	1
BLACK---MALE-----	11	-	-	1	-	-	2	1	2	-	1	1
FEMALE--	14	-	-	-	-	-	2	1	1	1	1	1
TEXAS -----	240	2	5	1	1	3	7	4	11	5	4	8
WHITE-----MALE----	73	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	104	-	1	1	-	1	-	-	1	-	-	3
ALL OTHER--MALE----	28	1	1	-	1	2	5	2	5	2	2	3
FEMALE--	35	1	2	-	-	-	2	2	5	2	2	1
BLACK---MALE-----	27	-	1	-	1	2	5	2	5	2	2	3
FEMALE--	32	1	2	-	-	-	2	2	5	2	2	1
UTAH -----	19	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	113	-	1	-	-	1	5	-	-	2	3	5
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	1	-	-	-	3	-	-	-	1	1
FEMALE--	27	-	-	-	-	1	2	-	-	2	2	2
BLACK---MALE-----	13	-	1	-	-	-	3	-	-	-	1	1
FEMALE--	26	-	-	-	-	1	2	-	-	2	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1340

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anemias (D50-D64)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	3	5	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	4	4	6	14	12	14	7	7	1	-
WHITE-----MALE----	-	-	2	1	2	5	6	4	1	1	-	-
FEMALE--	-	2	1	2	3	7	6	10	5	5	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	1	1	1	-
BLACK---MALE-----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	1	1	1	-
TEXAS -----	4	2	12	8	15	28	25	50	30	12	3	-
WHITE-----MALE----	2	-	4	4	8	13	10	21	4	4	-	-
FEMALE--	-	1	5	3	7	12	12	26	22	8	1	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	2	1	-	2	2	3	4	-	2	-
BLACK---MALE-----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	2	2	3	3	-	2	-
UTAH -----	-	1	1	1	1	2	2	3	4	2	1	-
WHITE-----MALE----	-	-	1	1	1	-	1	1	1	2	-	-
FEMALE--	-	-	-	-	-	2	1	2	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	6	5	10	18	18	14	7	11	2	-
WHITE-----MALE----	-	-	-	1	4	5	5	1	2	1	-	-
FEMALE--	-	-	2	2	4	10	11	9	3	8	2	-
ALL OTHER--MALE----	1	1	3	-	1	-	-	2	-	-	-	-
FEMALE--	1	2	1	2	1	3	2	2	2	2	-	-
BLACK---MALE-----	-	1	3	-	1	-	-	2	-	-	-	-
FEMALE--	1	2	1	2	1	3	2	2	2	2	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1342

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional anemias (D50-D53)												
UNITED STATES -	2	3	5	5	20	28	56	52	64	37	12	-
WHITE-----MALE----	-	1	2	1	7	12	16	22	15	6	1	-
FEMALE--	-	1	1	3	10	10	33	26	40	27	9	-
ALL OTHER--MALE----	1	-	2	-	2	4	3	1	1	1	-	-
FEMALE--	1	1	-	1	1	2	4	3	8	3	2	-
BLACK---MALE-----	1	-	1	-	2	4	3	1	1	-	-	-
FEMALE--	-	1	-	-	1	2	4	3	7	3	2	-
ALABAMA -----	-	-	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	-	1	-	1	1	2	1	1	6	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1343

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional anemias (D50-D53)												
COLORADO -----	-	-	-	1	-	-	-	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	1	1	4	3	1	3	2	1	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	1	-	1	-
FEMALE--	-	-	-	1	1	2	1	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
GEORGIA -----	-	-	-	-	-	-	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1345

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional anemias (D50-D53)												
KENTUCKY -----	-	-	-	-	1	-	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	2	-	-	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	4	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	1	1	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	2	3	4	3	3	1	2	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1348

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional anemias (D50-D53)												
OHIO -----	-	-	-	-	1	2	3	1	3	3	2	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	1	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	-	-	-	-	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	3	1	4	4	4	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	1	-	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	-	-	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1349

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional anemias (D50-D53)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	2	-	-	2	1	6	8	2	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	4	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	-	1	1	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1351

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemolytic anemias (D55-D59)												
UNITED STATES -	866	8	22	18	11	24	57	59	82	63	76	72
WHITE-----MALE----	117	2	-	-	-	1	2	1	1	-	5	9
FEMALE--	199	-	2	2	1	3	3	3	2	1	7	4
ALL OTHER--MALE----	291	4	11	7	6	13	35	30	41	33	34	26
FEMALE--	259	2	9	9	4	7	17	25	38	29	30	33
BLACK---MALE-----	284	2	11	7	6	13	35	28	41	32	34	25
FEMALE--	254	1	9	9	4	7	17	25	37	29	30	32
ALABAMA -----	33	-	-	1	-	-	4	3	8	2	3	5
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	3	1	4	-	-	2
FEMALE--	19	-	-	1	-	-	1	2	4	2	3	3
BLACK---MALE-----	11	-	-	-	-	-	3	1	4	-	-	2
FEMALE--	19	-	-	1	-	-	1	2	4	2	3	3
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	9	-	-	-	-	-	1	-	3	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	2	-	-	-
ARKANSAS -----	7	-	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
CALIFORNIA -----	58	1	1	2	-	2	1	2	2	5	6	7
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	25	1	-	1	-	2	1	1	1	5	2	6
FEMALE--	9	-	1	1	-	-	-	1	1	-	2	1
BLACK---MALE-----	22	-	-	1	-	2	1	1	1	5	2	5
FEMALE--	8	-	1	1	-	-	-	1	-	-	2	1



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1352

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemolytic anemias (D55-D59)												
COLORADO -----	5	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	14	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	1	-	1	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	61	-	3	3	-	-	5	7	5	2	5	2
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	22	-	2	2	-	-	3	4	3	1	3	-
FEMALE--	16	-	1	1	-	-	2	1	2	1	1	2
BLACK---MALE-----	21	-	2	2	-	-	3	3	3	1	3	-
FEMALE--	16	-	1	1	-	-	2	1	2	1	1	2
GEORGIA -----	44	1	3	-	2	1	2	7	8	6	3	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	1	2	-	2	1	2	2	5	1	2	2
FEMALE--	18	-	1	-	-	-	-	5	3	5	1	-
BLACK---MALE-----	23	1	2	-	2	1	2	2	5	1	2	2
FEMALE--	17	-	1	-	-	-	-	5	3	5	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1354

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemolytic anemias (D55-D59)												
KENTUCKY -----	10	-	-	-	-	1	1	1	1	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	4	-	-	-	-	1	1	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	22	-	2	-	-	1	1	3	2	1	4	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	1	-	1	1	1	1	-
FEMALE--	12	-	1	-	-	-	1	2	1	-	3	1
BLACK---MALE-----	8	-	1	-	-	1	-	1	1	1	1	-
FEMALE--	12	-	1	-	-	-	1	2	1	-	3	1
MAINE -----	4	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	-	-	1	1	2	-	-	1	4	4	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	2	3	1
FEMALE--	10	-	-	1	1	1	-	-	1	2	-	2
BLACK---MALE-----	7	-	-	-	-	1	-	-	-	2	3	1
FEMALE--	10	-	-	1	1	1	-	-	1	2	-	2
MASSACHUSETTS -----	18	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	28	-	-	1	-	1	2	4	3	1	4	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	1	-	-	1	3	2	1	1	-
FEMALE--	8	-	-	-	-	-	1	1	1	-	3	1
BLACK---MALE-----	9	-	-	1	-	-	1	2	2	1	1	-
FEMALE--	8	-	-	-	-	-	1	1	1	-	3	1













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1357

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemolytic anemias (D55-D59)												
OHIO -----	31	-	1	-	-	2	2	3	3	2	2	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	3	2	-	-
FEMALE--	8	-	1	-	-	1	1	3	-	-	1	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	3	2	-	-
FEMALE--	8	-	1	-	-	1	1	3	-	-	1	-
OKLAHOMA -----	12	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	6	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	43	-	1	1	1	1	2	3	4	3	2	3
WHITE-----MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	1	-	-	-	1	2	1	2	1
FEMALE--	14	-	1	-	1	-	2	2	2	2	-	2
BLACK---MALE-----	13	-	-	1	-	-	-	1	2	1	2	1
FEMALE--	14	-	1	-	1	-	2	2	2	2	-	2
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	-	-	1	-	2	2	4	-	-	4	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	1	1	3	-	-	4	-
FEMALE--	9	-	-	1	-	1	1	1	-	-	-	1
BLACK---MALE-----	14	-	-	-	-	1	1	3	-	-	4	-
FEMALE--	9	-	-	1	-	1	1	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1357

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemolytic anemias (D55-D59)												
OHIO -----	-	3	1	-	4	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	3	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	2	3	4	3	5	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	3	-	-	1	-	-
ALL OTHER--MALE----	-	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	-	2	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	2	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1358

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemolytic anemias (D55-D59)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	1	-	1	-	-	4	3	3	1	2	2
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	1	-	-	1
ALL OTHER--MALE----	6	-	-	1	-	-	2	1	1	-	1	-
FEMALE--	9	-	-	-	-	-	2	1	1	1	1	1
BLACK---MALE-----	6	-	-	1	-	-	2	1	1	-	1	-
FEMALE--	9	-	-	-	-	-	2	1	1	1	1	1
TEXAS -----	58	2	4	1	1	2	5	4	10	4	3	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	1	1	-	1	2	5	2	5	2	2	3
FEMALE--	16	1	2	-	-	-	-	2	5	2	1	1
BLACK---MALE-----	24	-	1	-	1	2	5	2	5	2	2	3
FEMALE--	16	1	2	-	-	-	-	2	5	2	1	1
UTAH -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	-	1	-	-	-	4	-	-	1	2	3
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	3	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	1	1	2
BLACK---MALE-----	7	-	1	-	-	-	3	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	1	-	-	1	1	1









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1360

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aplastic anemias (D60-D61)												
UNITED STATES -	1,069	4	8	6	15	18	14	4	10	22	13	31
WHITE-----MALE----	412	2	6	1	5	7	3	-	4	8	7	12
FEMALE--	510	2	1	4	6	6	5	2	3	10	3	12
ALL OTHER--MALE----	67	-	-	-	2	2	3	1	1	3	-	4
FEMALE--	80	-	1	1	2	3	3	1	2	1	3	3
BLACK---MALE-----	51	-	-	-	2	-	2	1	1	3	-	4
FEMALE--	66	-	1	1	2	3	3	1	2	1	3	1
ALABAMA -----	22	-	-	1	-	-	1	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	97	1	2	-	3	1	1	-	2	5	2	3
WHITE-----MALE----	33	1	2	-	1	-	-	-	2	2	2	-
FEMALE--	49	-	-	-	1	-	1	-	-	3	-	3
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1360

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aplastic anemias (D60-D61)												
UNITED STATES -	24	31	50	66	112	150	170	156	108	45	12	-
WHITE-----MALE----	8	7	17	39	38	65	72	64	31	13	3	-
FEMALE--	12	12	18	16	58	69	87	78	71	27	8	-
ALL OTHER--MALE----	3	5	9	5	9	6	5	5	2	2	-	-
FEMALE--	1	7	6	6	7	10	6	9	4	3	1	-
BLACK---MALE-----	2	4	9	3	8	2	3	4	1	2	-	-
FEMALE--	-	6	4	5	5	9	5	7	4	2	1	-
ALABAMA -----	-	-	2	-	1	3	7	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	1	5	2	2	3	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	2	2	1	-	-	-	-
FEMALE--	1	-	-	-	3	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	3	-	-	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	3	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	5	3	6	5	15	14	16	10	2	-	-
WHITE-----MALE----	-	1	1	3	-	3	4	9	1	1	-	-
FEMALE--	-	3	2	2	4	9	9	4	7	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	3	1	1	1	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1361

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aplastic anemias (D60-D61)												
COLORADO -----	-	-	-	1	3	5	1	-	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	1	1	-	-
FEMALE--	-	-	-	-	2	3	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	3	1	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	2	1	8	8	7	14	10	6	2	-	-
WHITE-----MALE----	1	1	-	4	3	2	6	4	3	-	-	-
FEMALE--	3	1	-	4	5	2	8	6	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	1	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	1	-	-
GEORGIA -----	1	-	-	3	5	2	2	4	3	2	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	1	-	1	-	-
FEMALE--	1	-	-	-	3	-	1	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-





















TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1366

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aplastic anemias (D60-D61)												
OHIO -----	-	2	2	7	7	8	10	9	3	5	2	-
WHITE-----MALE----	-	1	2	4	1	4	2	-	-	1	1	-
FEMALE--	-	-	-	2	6	3	7	7	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
OKLAHOMA -----	2	1	-	-	1	1	2	4	4	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
OREGON -----	1	1	3	-	3	1	1	3	3	-	1	-
WHITE-----MALE----	-	1	2	-	2	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	1	1	1	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	4	1	6	6	19	5	9	2	-	-
WHITE-----MALE----	1	-	1	1	3	2	8	1	2	-	-	-
FEMALE--	1	1	1	-	2	4	9	4	7	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	2	2	3	5	4	-	1	-	-
WHITE-----MALE----	-	-	-	2	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1367

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aplastic anemias (D60-D61)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	-	-	-	1	2	-	-	2	-	-	1
WHITE-----MALE----	12	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	48	-	1	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	23	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	-	-	-	-	1	1	-	-	-	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1367

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aplastic anemias (D60-D61)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	3	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	3	1	3	4	5	6	1	1	-	-
WHITE-----MALE----	-	-	2	-	-	2	2	3	-	-	-	-
FEMALE--	-	1	1	-	2	1	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	1	1	2	3	6	7	9	12	1	2	-	-
WHITE-----MALE----	-	-	1	3	2	1	6	6	1	2	-	-
FEMALE--	-	1	1	-	4	5	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
UTAH -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	3	3	1	4	3	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1369

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute posthemorrhagic and other anemias (D62,D64)												
UNITED STATES -	34	28	46	76	143	265	384	511	451	221	58	-
WHITE-----MALE----	8	5	8	28	52	89	132	135	107	44	8	-
FEMALE--	7	13	18	28	58	133	213	314	295	147	39	-
ALL OTHER--MALE----	8	7	12	7	13	16	13	23	9	4	-	-
FEMALE--	11	3	8	13	20	27	26	39	40	26	11	-
BLACK---MALE-----	7	6	12	6	11	16	11	18	7	2	-	-
FEMALE--	10	3	8	11	18	27	25	31	37	21	9	-
ALABAMA -----	4	-	-	3	3	8	7	10	9	1	2	-
WHITE-----MALE----	-	-	-	2	1	2	3	2	1	-	-	-
FEMALE--	1	-	-	-	-	4	4	6	6	-	1	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	2	2	1	1	-
BLACK---MALE-----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	2	2	1	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	-	1	3	5	6	4	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	2	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	2	4	7	12	6	4	1	-
WHITE-----MALE----	-	-	-	1	-	2	3	2	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	7	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
CALIFORNIA -----	-	2	1	6	10	17	18	30	25	16	4	-
WHITE-----MALE----	-	-	-	2	6	6	11	12	6	3	-	-
FEMALE--	-	1	-	3	2	6	7	11	17	8	4	-
ALL OTHER--MALE----	-	-	1	1	1	4	-	4	-	1	-	-
FEMALE--	-	1	-	-	1	1	-	3	2	4	-	-
BLACK---MALE-----	-	-	1	1	-	4	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1370

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute posthemorrhagic and other anemias (D62,D64)												
COLORADO -----	-	1	-	1	-	5	3	5	5	3	-	-
WHITE-----MALE----	-	-	-	1	-	3	1	4	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	1	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	3	7	5	4	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	3	-	-	-
FEMALE--	-	-	1	-	-	3	7	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	-	-	-	-	-	-	2	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	3	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
FLORIDA -----	1	1	2	5	10	18	22	30	35	14	3	-
WHITE-----MALE----	1	-	-	2	5	7	7	11	10	5	-	-
FEMALE--	-	1	2	1	2	7	13	16	21	7	2	-
ALL OTHER--MALE----	-	-	-	1	2	2	1	1	3	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	1	2	1	-
BLACK---MALE-----	-	-	-	1	2	2	1	1	2	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	1	2	1	-
GEORGIA -----	1	2	1	2	3	8	6	12	7	7	-	-
WHITE-----MALE----	1	-	1	-	1	1	1	1	3	-	-	-
FEMALE--	-	-	-	1	1	2	2	6	3	6	-	-
ALL OTHER--MALE----	-	2	-	-	1	2	-	4	-	-	-	-
FEMALE--	-	-	-	1	-	3	3	1	1	1	-	-
BLACK---MALE-----	-	2	-	-	1	2	-	4	-	-	-	-
FEMALE--	-	-	-	1	-	3	3	1	1	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1371

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute posthemorrhagic and other anemias (D62,D64)												
HAWAII -----	-	-	-	1	-	-	2	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	2	1	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	2	1	4	10	11	24	27	31	17	2	-
WHITE-----MALE----	-	-	-	1	1	1	5	3	7	1	1	-
FEMALE--	1	1	-	-	5	8	16	21	24	15	1	-
ALL OTHER--MALE----	-	1	1	1	1	1	2	2	-	1	-	-
FEMALE--	1	-	-	2	3	1	1	1	-	-	-	-
BLACK---MALE-----	-	1	1	1	-	1	2	1	-	1	-	-
FEMALE--	1	-	-	2	3	1	1	1	-	-	-	-
INDIANA -----	1	1	1	2	4	9	7	16	15	9	2	-
WHITE-----MALE----	1	-	-	-	-	3	4	4	6	-	-	-
FEMALE--	-	1	1	2	4	6	3	12	8	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IOWA -----	-	-	1	-	1	1	5	4	6	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	1	-	1	1	4	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	2	1	1	2	6	11	11	2	2	-
WHITE-----MALE----	1	-	-	1	1	-	1	2	4	-	-	-
FEMALE--	-	-	1	-	-	2	4	9	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1372

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute posthemorrhagic and other anemias (D62,D64)												
KENTUCKY -----	-	1	-	3	4	4	9	11	7	3	1	-
WHITE-----MALE----	-	1	-	1	2	2	1	3	2	3	1	-
FEMALE--	-	-	-	2	2	2	8	7	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	-	-	1	2	3	4	6	13	9	7	-	-
WHITE-----MALE----	-	-	-	1	2	2	1	5	-	1	-	-
FEMALE--	-	-	-	-	-	-	5	7	4	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	4	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	4	-	-	-
MAINE -----	-	1	-	1	-	3	1	3	4	-	1	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	3	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	-	2	1	6	8	10	6	5	-	-
WHITE-----MALE----	-	-	-	-	-	1	4	2	2	1	-	-
FEMALE--	-	-	-	1	1	4	2	5	3	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	1	3	-	-
BLACK---MALE-----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	1	3	-	-
MASSACHUSETTS -----	-	-	-	3	7	8	12	17	17	12	1	-
WHITE-----MALE----	-	-	-	1	3	2	5	4	6	3	-	-
FEMALE--	-	-	-	1	3	6	6	13	11	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN -----	3	3	2	2	8	15	22	23	19	13	2	-
WHITE-----MALE----	1	2	-	1	1	5	9	6	3	2	-	-
FEMALE--	1	-	2	1	5	7	11	16	15	10	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	1	1	-	1	-	-
BLACK---MALE-----	1	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	1	1	-	1	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1375

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute posthemorrhagic and other anemias (D62,D64)												
OHIO -----	3	3	2	5	9	13	16	30	21	7	-	-
WHITE-----MALE----	-	1	-	-	5	7	4	10	6	1	-	-
FEMALE--	1	2	1	5	3	5	12	18	14	6	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	2	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
OKLAHOMA -----	-	1	1	1	4	2	7	1	4	3	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	2	1	-	-
FEMALE--	-	1	1	1	1	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	1	1	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	1	-	-
OREGON -----	-	-	1	1	-	6	4	6	7	2	-	-
WHITE-----MALE----	-	-	1	1	-	2	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	4	2	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	7	3	9	17	34	34	25	12	3	-
WHITE-----MALE----	1	-	1	1	3	5	12	12	1	-	1	-
FEMALE--	-	2	2	1	4	11	21	17	21	10	2	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	2	-	2	1	1	5	3	1	-	-
BLACK---MALE-----	-	1	2	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	2	-	2	1	1	4	3	1	-	-
RHODE ISLAND -----	-	-	-	-	1	1	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	1	2	5	7	6	6	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	3	2	1	1	-
FEMALE--	-	-	-	-	2	1	5	3	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	-	2	1	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	-	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1376

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute posthemorrhagic and other anemias (D62,D64)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	39	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	112	-	-	-	-	-	1	-	1	1	1	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	66	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	-
UTAH -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	64	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1376

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute posthemorrhagic and other anemias (D62,D64)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	1	2	3	9	6	5	4	4	1	-
WHITE-----MALE----	-	-	-	1	2	3	3	1	-	1	-	-
FEMALE--	-	1	-	1	1	6	3	4	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	1	1	-
TEXAS -----	-	-	7	3	8	14	14	30	19	8	3	-
WHITE-----MALE----	-	-	1	1	5	7	4	9	1	2	-	-
FEMALE--	-	-	3	1	3	6	8	20	16	6	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	2	1	2	-	2	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	2	1	2	-	2	-
UTAH -----	-	1	-	1	-	1	-	1	2	2	1	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	2	2	8	12	13	10	4	8	1	-
WHITE-----MALE----	-	-	-	-	4	3	1	1	-	1	-	-
FEMALE--	-	-	1	1	2	8	10	7	2	5	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	1	2	2	-	-
BLACK---MALE-----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	1	2	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1378

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
UNITED STATES -	2,601	43	11	13	8	16	21	20	39	66	98	112
WHITE-----MALE----	931	17	3	8	4	7	7	8	11	24	36	43
FEMALE--	1,181	9	5	5	-	9	3	4	15	15	30	37
ALL OTHER--MALE----	216	10	1	-	4	-	5	3	4	10	11	15
FEMALE--	273	7	2	-	-	-	6	5	9	17	21	17
BLACK---MALE-----	184	9	1	-	3	-	5	3	4	10	11	12
FEMALE--	240	6	2	-	-	-	4	2	9	15	19	14
ALABAMA -----	57	1	1	-	-	-	1	-	1	2	1	4
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	23	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	39	1	-	-	-	1	-	-	-	-	4	2
WHITE-----MALE----	13	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	23	1	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	23	1	-	-	-	-	-	2	-	-	1	1
WHITE-----MALE----	6	1	-	-	-	-	-	1	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	204	4	-	2	-	-	1	1	2	3	5	9
WHITE-----MALE----	81	1	-	1	-	-	1	1	1	2	3	2
FEMALE--	91	3	-	1	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1378

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
UNITED STATES -	119	129	165	208	327	394	336	264	151	54	7	-
WHITE-----MALE----	47	45	52	72	137	148	104	97	48	11	2	-
FEMALE--	36	43	85	87	137	193	195	141	90	38	4	-
ALL OTHER--MALE----	16	19	13	23	24	26	19	9	2	1	1	-
FEMALE--	20	22	15	26	29	27	18	17	11	4	-	-
BLACK---MALE-----	14	16	10	21	16	21	15	9	2	1	1	-
FEMALE--	18	21	15	21	24	25	15	16	10	4	-	-
ALABAMA -----	3	1	5	5	5	7	8	7	4	-	1	-
WHITE-----MALE----	2	-	1	2	3	3	2	2	1	-	-	-
FEMALE--	-	-	3	3	1	3	6	3	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
ALASKA -----	-	-	1	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	6	5	3	2	5	6	-	1	-	-
WHITE-----MALE----	-	2	1	2	1	1	1	2	-	-	-	-
FEMALE--	-	-	5	2	2	1	4	4	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	1	-	5	-	4	2	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	1	-	-	4	-	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
CALIFORNIA -----	8	12	10	17	28	36	27	16	17	6	-	-
WHITE-----MALE----	2	5	5	6	12	13	10	9	5	2	-	-
FEMALE--	4	6	2	8	11	19	14	6	10	3	-	-
ALL OTHER--MALE----	1	1	1	1	4	3	2	-	-	-	-	-
FEMALE--	1	-	2	2	1	1	1	1	2	1	-	-
BLACK---MALE-----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	1	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1379

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
COLORADO -----	-	-	-	3	5	6	4	3	2	2	-	-
WHITE-----MALE----	-	-	-	3	2	4	2	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	4	2	1	3	4	6	1	4	1	-	-
WHITE-----MALE----	1	2	2	1	1	1	4	-	1	-	-	-
FEMALE--	1	-	-	-	2	3	2	1	3	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	2	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	6	3	6	18	23	18	19	15	9	4	-	-
WHITE-----MALE----	2	2	1	7	10	7	6	4	4	1	-	-
FEMALE--	3	1	4	10	10	10	11	10	5	3	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
GEORGIA -----	3	6	4	6	9	7	7	1	7	-	-	-
WHITE-----MALE----	2	2	-	-	4	2	3	-	2	-	-	-
FEMALE--	-	1	2	2	1	3	3	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	3	3	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	1	1	1	-	2	-	-	-
BLACK---MALE-----	-	1	-	3	3	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	1	1	1	-	2	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1381

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
KENTUCKY -----	28	2	-	1	-	-	-	-	1	2	3	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	1	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	50	1	-	1	-	-	-	1	1	3	3	3
WHITE-----MALE----	14	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	3	3	1
BLACK---MALE-----	6	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	3	3	1
MAINE -----	17	-	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	8	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	70	1	-	-	1	-	-	1	-	3	3	-
WHITE-----MALE----	18	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	2	2	-
BLACK---MALE-----	9	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	2	2	-
MASSACHUSETTS -----	53	-	1	-	-	-	-	-	2	-	2	4
WHITE-----MALE----	25	-	1	-	-	-	-	-	-	-	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	96	3	-	-	1	-	1	-	4	2	7	7
WHITE-----MALE----	42	2	-	-	1	-	-	-	2	1	3	2
FEMALE--	38	1	-	-	-	-	1	-	1	-	3	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1381

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
KENTUCKY -----	1	3	1	3	1	2	2	2	1	2	1	-
WHITE-----MALE----	1	-	-	2	-	1	2	2	1	1	1	-
FEMALE--	-	1	1	1	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	4	5	7	5	4	6	4	-	-	-
WHITE-----MALE----	1	-	1	1	4	2	2	2	-	-	-	-
FEMALE--	-	-	1	1	2	2	1	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	1	-	1	-	-	-
BLACK---MALE-----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	1	-	1	-	-	-
MAINE -----	-	-	1	-	3	3	3	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	8	7	7	12	12	5	3	4	-	-
WHITE-----MALE----	1	-	2	2	2	3	4	-	1	2	-	-
FEMALE--	-	-	3	2	2	6	5	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	2	1	1	1	1	-	-
FEMALE--	1	1	2	2	2	1	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	2	1	1	1	1	-	-
FEMALE--	1	1	2	2	2	1	2	2	-	-	-	-
MASSACHUSETTS -----	1	4	1	-	7	8	7	10	4	2	-	-
WHITE-----MALE----	1	1	-	-	5	6	3	4	-	-	-	-
FEMALE--	-	1	1	-	2	2	4	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	5	3	6	10	13	15	6	9	4	-	-	-
WHITE-----MALE----	3	1	2	2	6	5	4	6	2	-	-	-
FEMALE--	-	1	3	7	6	7	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1384

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
OHIO -----	102	1	1	-	1	-	1	1	2	-	5	3
WHITE-----MALE----	46	1	-	-	1	-	1	-	2	-	3	-
FEMALE--	41	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	1
OKLAHOMA -----	30	-	-	-	1	-	-	-	1	1	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	23	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	165	2	-	2	-	-	3	1	1	2	4	3
WHITE-----MALE----	66	1	-	1	-	-	-	-	-	1	3	2
FEMALE--	69	-	-	1	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	18	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	17	1	-	-	-	-	1	-	1	-	-	-
RHODE ISLAND -----	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	49	-	1	-	-	-	1	-	1	3	2	5
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	15	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	9	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1384

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
OHIO -----	3	5	5	11	10	14	13	14	11	1	-	-
WHITE-----MALE----	2	4	2	4	6	7	6	4	3	-	-	-
FEMALE--	-	1	2	4	2	7	5	9	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	2	1	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	2	1	-	-	1	1	-	-	-
OKLAHOMA -----	-	2	2	4	4	4	5	3	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	2	1	1	2	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	1	2	-	2	3	8	3	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	3	5	2	-	-	-	-	-
FEMALE--	1	2	-	1	-	3	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	6	13	12	22	35	20	21	5	3	-	-
WHITE-----MALE----	3	2	7	2	9	14	4	13	3	1	-	-
FEMALE--	3	2	3	6	8	18	14	8	1	2	-	-
ALL OTHER--MALE----	2	1	2	2	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	2	5	1	2	-	1	-	-	-
BLACK---MALE-----	1	1	2	2	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	2	4	1	2	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	4	1	5	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	4	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	-	4	6	1	10	9	1	-	-	-	-
WHITE-----MALE----	2	-	1	1	1	4	2	1	-	-	-	-
FEMALE--	-	-	2	-	-	5	5	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	-	1	1	-	-	-	-	-
FEMALE--	3	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	3	-	1	1	-	-	-	-	-
FEMALE--	3	-	-	2	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1385

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	-	-	-	-	1	2	-	-	-	1	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	-
TEXAS -----	193	7	-	-	-	1	2	-	5	5	7	8
WHITE-----MALE----	71	3	-	-	-	-	2	-	1	2	2	2
FEMALE--	92	-	-	-	-	1	-	-	3	2	4	5
ALL OTHER--MALE----	11	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	2	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	2	-	-	-	-	-	-	1	-	1	1
UTAH -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	62	2	-	-	-	-	-	-	-	5	2	4
WHITE-----MALE----	21	2	-	-	-	-	-	-	-	3	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1385

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
SOUTH DAKOTA -----	-	-	-	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	5	10	12	9	5	5	2	-	-	-
WHITE-----MALE----	2	-	2	4	4	6	1	-	1	-	-	-
FEMALE--	1	-	3	4	6	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	2	2	1	-	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	2	2	1	-	1	-	-	-	-
TEXAS -----	10	12	7	16	35	28	24	17	8	1	-	-
WHITE-----MALE----	7	6	2	2	12	13	7	5	5	-	-	-
FEMALE--	2	2	4	11	17	13	16	10	2	-	-	-
ALL OTHER--MALE----	-	2	1	1	3	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	3	1	1	2	1	1	-	-
BLACK---MALE-----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	3	1	1	2	1	1	-	-
UTAH -----	-	-	1	1	1	-	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	5	6	4	3	12	4	8	3	-	-	-
WHITE-----MALE----	1	1	2	4	2	3	-	1	1	-	-	-
FEMALE--	1	-	4	-	1	6	4	5	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	2	1	-	-	-
BLACK---MALE-----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	2	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1387

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of blood and blood-forming organs (D70-D76)												
UNITED STATES -	40	55	44	52	105	95	105	95	40	14	1	-
WHITE-----MALE----	10	23	22	18	55	51	44	28	10	5	-	-
FEMALE--	21	19	14	27	39	40	53	61	26	8	1	-
ALL OTHER--MALE----	4	5	2	4	4	2	5	3	2	-	-	-
FEMALE--	5	8	6	3	7	2	3	3	2	1	-	-
BLACK---MALE-----	3	5	2	4	3	1	4	1	2	-	-	-
FEMALE--	4	8	6	3	6	2	3	3	1	1	-	-
ALABAMA -----	2	-	-	1	-	3	-	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	1	-	2	-	1	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	-	1	1	1	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	5	7	4	14	6	8	7	2	-	-	-
WHITE-----MALE----	1	1	2	1	8	3	3	1	-	-	-	-
FEMALE--	2	3	3	3	4	2	5	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-























TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1393

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of blood and blood-forming organs (D70-D76)												
OHIO -----	44	1	1	1	-	1	2	-	1	-	3	3
WHITE-----MALE----	17	1	1	-	-	-	2	-	-	-	2	1
FEMALE--	26	-	-	1	-	1	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	9	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	43	-	-	-	1	1	1	-	-	3	-	2
WHITE-----MALE----	20	-	-	-	1	1	1	-	-	2	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	2	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1393

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of blood and blood-forming organs (D70-D76)												
OHIO -----	1	2	1	5	4	3	4	7	2	2	-	-
WHITE-----MALE----	-	-	1	2	3	1	3	-	-	-	-	-
FEMALE--	1	2	-	3	1	2	1	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	-	-	-	1	1	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	1	1	-	3	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	3	5	5	3	4	4	6	1	-	-	-
WHITE-----MALE----	-	2	2	1	2	2	2	4	-	-	-	-
FEMALE--	4	1	2	2	-	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	-	3	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1396

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Certain disorders involving the immune mechanism (D80-D89)

UNITED STATES -	1,157	18	25	8	7	11	7	24	66	104	131	139
WHITE-----MALE----	308	6	11	3	2	3	1	8	18	22	24	34
FEMALE--	291	5	5	1	2	4	2	1	7	6	12	17
ALL OTHER--MALE----	231	6	7	2	2	2	1	7	22	40	36	39
FEMALE--	327	1	2	2	1	2	3	8	19	36	59	49
BLACK---MALE-----	222	5	5	2	1	2	1	7	22	39	36	37
FEMALE--	318	1	2	1	-	2	3	8	19	36	58	48
ALABAMA -----	29	1	-	-	-	-	-	1	3	4	4	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	1	2	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	2	3	3
BLACK---MALE-----	8	1	-	-	-	-	-	1	2	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	2	3	3
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	-	2	-	-	-	-	2	1	1	2
WHITE-----MALE----	9	-	-	1	-	-	-	-	2	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	-	1	2	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	68	-	2	-	-	2	-	1	4	5	3	9
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	3	3	4
FEMALE--	17	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	11	-	1	-	-	1	-	-	1	1	-	2
FEMALE--	15	-	-	-	-	1	-	1	1	1	-	2
BLACK---MALE-----	8	-	-	-	-	1	-	-	1	1	-	1
FEMALE--	12	-	-	-	-	1	-	1	1	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1396

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Certain disorders involving the immune mechanism (D80-D89)												
UNITED STATES -	103	87	80	82	79	76	50	36	17	5	2	-
WHITE-----MALE----	24	22	25	24	22	26	16	12	4	1	-	-
FEMALE--	16	21	24	30	37	38	26	21	11	4	1	-
ALL OTHER--MALE----	24	14	9	6	8	4	2	-	-	-	-	-
FEMALE--	39	30	22	22	12	8	6	3	2	-	1	-
BLACK---MALE-----	24	14	8	6	7	4	2	-	-	-	-	-
FEMALE--	39	29	21	22	10	8	5	3	2	-	1	-
ALABAMA -----	1	1	-	4	2	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	2	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	7	6	5	8	1	4	3	1	-	-	-
WHITE-----MALE----	3	2	1	3	2	-	3	-	-	-	-	-
FEMALE--	2	1	4	1	2	1	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	4	1	-	1	-	1	-	1	-	-	-
BLACK---MALE-----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	4	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1397

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Certain disorders involving the immune mechanism (D80-D89)

COLORADO -----	9	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	14	1	1	-	-	-	-	1	2	1	3	1
WHITE-----MALE----	5	1	1	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
DELAWARE -----	5	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ---	19	1	-	-	-	-	-	-	-	3	3	7
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	2	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	9	1	-	-	-	-	-	-	-	2	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	3
FLORIDA -----	74	1	2	-	1	1	1	2	7	8	13	6
WHITE-----MALE----	29	-	2	-	-	1	1	1	3	4	2	2
FEMALE--	14	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	2	1	4	2
FEMALE--	17	-	-	-	-	-	-	1	2	3	6	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	2	1	4	2
FEMALE--	17	-	-	-	-	-	-	1	2	3	6	1
GEORGIA -----	50	-	1	-	-	1	3	1	1	7	6	7
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	1	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	1	1	1	1	4	3	2
FEMALE--	18	-	-	-	-	-	1	-	-	3	2	3
BLACK---MALE-----	15	-	-	-	-	1	1	1	1	4	3	2
FEMALE--	18	-	-	-	-	-	1	-	-	3	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1397

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Certain disorders involving the immune mechanism (D80-D89)												
COLORADO -----	-	-	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	2	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
FLORIDA -----	4	6	5	4	4	2	-	5	-	1	1	-
WHITE-----MALE----	2	1	2	2	-	2	-	4	-	-	-	-
FEMALE--	1	2	-	2	3	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	1	-
GEORGIA -----	1	5	4	2	3	2	5	-	1	-	-	-
WHITE-----MALE----	-	-	1	2	2	-	2	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	3	-	-	1	1	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	3	-	-	1	1	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1399

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Certain disorders involving the immune mechanism (D80-D89)

KENTUCKY -----	18	-	-	-	-	-	-	-	1	1	3	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	2
LOUISIANA -----	38	-	2	-	1	-	-	-	4	2	4	5
WHITE-----MALE----	9	-	1	-	-	-	-	-	1	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	1	-	-	-	2	1	1	3
BLACK---MALE-----	7	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	-	-	-	2	1	1	3
MAINE -----	10	-	-	-	-	-	-	-	-	2	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	-	-	-	-	1	-	1	1	7	12	5
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	22	-	-	-	-	-	-	-	1	4	7	3
BLACK---MALE-----	13	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	22	-	-	-	-	-	-	-	1	4	7	3
MASSACHUSETTS -----	20	-	2	-	-	-	1	-	2	2	3	3
WHITE-----MALE----	8	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	6	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
MICHIGAN -----	33	-	-	1	-	-	-	3	3	4	4	6
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	1	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	7	-	-	-	-	-	-	2	1	2	1	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	7	-	-	-	-	-	-	2	1	2	1	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1402

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Certain disorders involving the immune mechanism (D80-D89)												
OHIO -----	2	2	3	3	4	6	4	-	2	-	-	-
WHITE-----MALE----	1	2	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	2	3	1	3	4	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	2	2	1	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	2	-	-	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	5	5	6	3	5	2	2	-	-	-	-
WHITE-----MALE----	-	1	2	2	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	3	5	2	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	3	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	3	2	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	2	1	3	3	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1403

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Certain disorders involving the immune mechanism (D80-D89)

SOUTH DAKOTA -----	5	1	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	1	2	-	-	-	1	-	-	-	4	4
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	2
BLACK---MALE-----	5	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	2
TEXAS -----	62	3	3	1	2	1	-	2	3	5	4	5
WHITE-----MALE----	20	2	2	-	-	-	-	1	1	1	-	2
FEMALE--	17	1	-	-	1	1	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	1	1	1	-	-	-	1	-	1	1
FEMALE--	15	-	-	-	-	-	-	1	1	4	3	1
BLACK---MALE-----	10	-	1	1	1	-	-	-	1	-	1	1
FEMALE--	15	-	-	-	-	-	-	1	1	4	3	1
UTAH -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	42	-	-	1	-	1	-	-	3	7	6	6
WHITE-----MALE----	10	-	-	1	-	1	-	-	2	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	16	-	-	-	-	-	-	-	1	4	4	3
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	16	-	-	-	-	-	-	-	1	4	4	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1403

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Certain disorders involving the immune mechanism (D80-D89)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	1	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
TEXAS -----	5	6	4	4	5	4	1	2	2	-	-	-
WHITE-----MALE----	1	2	2	2	1	3	-	-	-	-	-	-
FEMALE--	1	3	2	-	1	1	1	2	2	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	-	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	-	-	-	-	-	-	-
UTAH -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	1	4	1	2	1	1	3	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1405

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

UNITED STATES -	92,872	261	153	97	120	223	301	422	642	1,126	1,795	2,610
WHITE-----MALE----	33,704	96	72	37	49	95	108	166	257	477	783	1,157
FEMALE--	41,944	83	55	35	48	87	124	150	195	320	529	719
ALL OTHER--MALE----	7,085	45	14	11	15	19	34	49	112	180	255	399
FEMALE--	10,139	37	12	14	8	22	35	57	78	149	228	335
BLACK---MALE-----	6,048	39	10	8	14	16	30	44	102	162	232	355
FEMALE--	8,943	30	11	12	7	17	30	55	74	138	216	303
ALABAMA -----	1,772	6	4	1	2	3	3	7	13	24	48	64
WHITE-----MALE----	448	1	1	-	2	1	1	1	3	8	14	22
FEMALE--	686	-	1	1	-	-	-	3	5	6	7	13
ALL OTHER--MALE----	239	3	2	-	-	-	1	2	1	5	15	13
FEMALE--	399	2	-	-	-	2	1	1	4	5	12	16
BLACK---MALE-----	234	3	2	-	-	-	1	2	1	5	15	13
FEMALE--	397	2	-	-	-	2	1	1	4	5	12	16
ALASKA -----	88	1	-	-	-	-	-	1	1	-	3	6
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,370	4	-	-	5	6	5	7	15	23	23	49
WHITE-----MALE----	616	3	-	-	2	4	3	4	6	16	10	27
FEMALE--	571	1	-	-	3	1	-	2	6	3	9	15
ALL OTHER--MALE----	75	-	-	-	-	1	2	1	2	3	3	3
FEMALE--	108	-	-	-	-	-	-	-	1	1	1	4
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	967	-	3	2	1	1	7	8	8	16	23	31
WHITE-----MALE----	314	-	1	1	-	-	1	3	2	7	12	11
FEMALE--	416	-	1	1	1	1	5	4	2	1	5	4
ALL OTHER--MALE----	97	-	1	-	-	-	-	-	3	4	3	9
FEMALE--	140	-	-	-	-	-	1	1	1	4	3	7
BLACK---MALE-----	94	-	1	-	-	-	-	-	3	4	3	8
FEMALE--	138	-	-	-	-	-	1	1	1	4	3	7
CALIFORNIA -----	8,219	24	19	6	20	23	34	36	73	107	187	269
WHITE-----MALE----	3,055	11	5	2	13	10	15	16	32	34	86	120
FEMALE--	3,589	11	11	3	5	9	10	13	24	42	61	88
ALL OTHER--MALE----	711	1	2	-	1	4	3	4	11	8	22	31
FEMALE--	864	1	1	1	1	-	6	3	6	23	18	30
BLACK---MALE-----	390	1	2	-	1	4	2	2	7	7	18	26
FEMALE--	517	1	-	1	1	-	4	3	6	18	15	22

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1405

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
UNITED STATES -	3,669	4,771	6,290	8,613	11,744	14,069	13,957	11,809	7,079	2,592	526	3
WHITE-----MALE----	1,596	2,015	2,597	3,495	4,763	5,532	4,961	3,461	1,536	399	51	1
FEMALE--	1,091	1,473	2,130	3,209	4,652	6,229	7,004	6,832	4,726	1,870	383	-
ALL OTHER--MALE----	487	633	722	850	922	895	672	455	228	72	15	1
FEMALE--	495	650	841	1,059	1,407	1,413	1,320	1,061	589	251	77	1
BLACK---MALE-----	430	548	615	744	772	732	557	379	191	55	12	1
FEMALE--	452	563	754	920	1,210	1,228	1,164	933	532	221	72	1
ALABAMA -----	75	84	128	186	200	254	266	234	116	39	15	-
WHITE-----MALE----	22	26	41	57	58	78	51	36	22	2	1	-
FEMALE--	19	21	31	63	63	97	135	136	61	16	8	-
ALL OTHER--MALE----	15	16	27	23	31	24	28	17	8	7	1	-
FEMALE--	19	21	29	43	48	55	52	45	25	14	5	-
BLACK---MALE-----	14	15	27	22	31	24	27	16	8	7	1	-
FEMALE--	19	21	29	43	47	55	51	45	25	14	5	-
ALASKA -----	8	6	7	8	10	15	8	8	6	-	-	-
WHITE-----MALE----	4	-	3	1	3	3	2	2	-	-	-	-
FEMALE--	2	3	3	4	6	9	3	2	5	-	-	-
ALL OTHER--MALE----	1	2	-	2	1	-	-	2	1	-	-	-
FEMALE--	1	1	1	1	-	3	3	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ARIZONA -----	55	89	108	135	169	211	201	154	81	26	4	-
WHITE-----MALE----	28	42	55	61	73	102	85	62	23	10	-	-
FEMALE--	16	24	34	51	68	93	98	77	51	15	4	-
ALL OTHER--MALE----	8	11	5	8	8	5	8	3	3	1	-	-
FEMALE--	3	12	14	15	20	11	10	12	4	-	-	-
BLACK---MALE-----	1	3	1	3	2	2	2	1	2	-	-	-
FEMALE--	-	2	4	3	3	3	4	3	1	-	-	-
ARKANSAS -----	38	40	66	78	111	168	132	123	73	33	5	-
WHITE-----MALE----	17	16	27	28	39	54	44	30	15	5	1	-
FEMALE--	10	8	19	31	43	75	60	75	46	22	2	-
ALL OTHER--MALE----	5	8	7	7	10	16	12	4	5	1	2	-
FEMALE--	6	8	13	12	19	23	16	14	7	5	-	-
BLACK---MALE-----	5	7	6	7	10	16	12	4	5	1	2	-
FEMALE--	6	8	13	11	19	23	15	14	7	5	-	-
CALIFORNIA -----	326	475	648	781	1,095	1,253	1,193	947	493	180	30	-
WHITE-----MALE----	142	190	264	312	421	488	435	305	106	43	5	-
FEMALE--	114	166	265	323	435	518	548	502	311	108	22	-
ALL OTHER--MALE----	21	53	71	72	99	121	91	57	28	10	1	-
FEMALE--	49	66	48	74	140	126	119	83	48	19	2	-
BLACK---MALE-----	15	33	49	38	48	52	48	25	10	2	-	-
FEMALE--	38	41	29	46	74	67	65	47	28	11	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1406

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

COLORADO -----	954	2	1	2	1	3	2	3	13	18	18	20
WHITE-----MALE----	385	1	1	1	-	-	-	-	4	10	10	14
FEMALE--	495	1	-	-	1	2	2	3	9	5	6	5
ALL OTHER--MALE----	34	-	-	1	-	-	-	-	-	3	-	1
FEMALE--	40	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE-----	25	-	-	1	-	-	-	-	-	3	-	1
FEMALE--	29	-	-	-	-	1	-	-	-	-	1	-
CONNECTICUT -----	1,003	1	3	1	3	2	5	3	8	12	17	19
WHITE-----MALE----	387	1	2	-	2	2	1	1	3	2	9	13
FEMALE--	514	-	-	1	-	-	3	1	4	6	7	4
ALL OTHER--MALE----	43	-	-	-	1	-	1	-	1	2	-	2
FEMALE--	59	-	1	-	-	-	-	1	-	2	1	-
BLACK---MALE-----	41	-	-	-	1	-	1	-	1	2	-	2
FEMALE--	51	-	1	-	-	-	-	1	-	2	1	-
DELAWARE -----	258	2	-	-	-	-	-	4	3	4	5	7
WHITE-----MALE----	102	-	-	-	-	-	-	3	2	3	2	3
FEMALE--	107	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	22	2	-	-	-	-	-	-	1	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	22	2	-	-	-	-	-	-	1	1	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	276	-	-	1	-	-	-	3	3	2	4	13
WHITE-----MALE----	24	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	16	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	70	-	-	-	-	-	-	1	-	2	2	4
FEMALE--	166	-	-	1	-	-	-	1	1	-	1	7
BLACK---MALE-----	68	-	-	-	-	-	-	1	-	2	2	4
FEMALE--	166	-	-	1	-	-	-	1	1	-	1	7
FLORIDA -----	5,789	10	8	5	1	7	15	21	41	64	99	164
WHITE-----MALE----	2,408	4	4	3	-	2	4	9	16	28	39	80
FEMALE--	2,416	3	3	1	-	4	4	8	10	17	34	43
ALL OTHER--MALE----	379	3	-	1	1	-	4	2	9	12	10	23
FEMALE--	586	-	1	-	-	1	3	2	6	7	16	18
BLACK---MALE-----	371	3	-	1	1	-	4	2	8	12	10	23
FEMALE--	568	-	1	-	-	1	3	2	6	7	16	18
GEORGIA -----	2,092	10	5	4	4	7	10	19	21	28	60	77
WHITE-----MALE----	582	4	3	1	1	2	5	6	6	6	16	27
FEMALE--	778	2	2	3	2	2	2	5	4	8	9	15
ALL OTHER--MALE----	268	1	-	-	1	-	2	1	7	7	19	15
FEMALE--	464	3	-	-	-	3	1	7	4	7	16	20
BLACK---MALE-----	265	1	-	-	1	-	2	1	7	5	19	15
FEMALE--	458	3	-	-	-	3	1	7	4	7	16	18

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1406

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
COLORADO -----	34	43	60	84	106	151	130	120	93	45	5	-
WHITE-----MALE----	18	22	30	35	59	69	45	38	20	8	-	-
FEMALE--	12	15	24	42	38	61	79	77	72	36	5	-
ALL OTHER--MALE----	3	4	3	4	2	9	2	2	-	-	-	-
FEMALE--	1	2	3	3	7	12	4	3	1	1	-	-
BLACK---MALE-----	2	3	3	3	2	4	2	1	-	-	-	-
FEMALE--	1	2	2	3	5	8	3	2	1	-	-	-
CONNECTICUT -----	41	42	53	86	109	139	154	167	95	36	7	-
WHITE-----MALE----	18	24	20	38	47	59	59	56	25	5	-	-
FEMALE--	18	11	24	31	49	73	79	102	64	30	7	-
ALL OTHER--MALE----	3	3	4	8	5	2	6	4	-	1	-	-
FEMALE--	2	4	5	9	8	5	10	5	6	-	-	-
BLACK---MALE-----	3	3	4	7	5	1	6	4	-	1	-	-
FEMALE--	2	4	5	5	8	4	9	3	6	-	-	-
DELAWARE -----	10	14	18	24	32	32	33	41	23	4	2	-
WHITE-----MALE----	6	6	11	13	15	12	8	14	2	2	-	-
FEMALE--	2	4	4	3	10	15	21	20	19	2	2	-
ALL OTHER--MALE----	1	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	1	3	-	4	5	4	2	5	2	-	-	-
BLACK---MALE-----	1	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	1	3	-	4	5	3	2	5	2	-	-	-
DISTRICT OF COLUMBIA ---	9	9	23	19	40	48	45	25	22	7	3	-
WHITE-----MALE----	-	1	2	1	6	5	5	1	-	-	-	-
FEMALE--	-	-	1	1	2	2	-	2	3	2	-	-
ALL OTHER--MALE----	2	3	11	7	8	11	9	7	3	-	-	-
FEMALE--	7	5	9	10	24	30	31	15	16	5	3	-
BLACK---MALE-----	2	3	11	7	8	10	8	7	3	-	-	-
FEMALE--	7	5	9	10	24	30	31	15	16	5	3	-
FLORIDA -----	227	276	384	545	721	972	933	716	408	144	26	2
WHITE-----MALE----	108	127	171	268	310	444	408	238	117	23	4	1
FEMALE--	66	77	106	171	269	404	418	401	252	109	16	-
ALL OTHER--MALE----	23	33	49	46	55	39	32	21	15	1	-	-
FEMALE--	30	39	58	60	87	85	75	56	24	11	6	1
BLACK---MALE-----	23	31	46	46	54	38	32	21	15	1	-	-
FEMALE--	29	37	55	59	82	82	75	53	24	11	6	1
GEORGIA -----	104	128	154	175	236	269	294	270	150	58	9	-
WHITE-----MALE----	36	43	37	54	84	81	87	54	25	3	1	-
FEMALE--	22	29	44	53	80	109	126	135	87	34	5	-
ALL OTHER--MALE----	24	27	33	31	27	22	25	15	9	2	-	-
FEMALE--	22	29	40	37	45	57	56	66	29	19	3	-
BLACK---MALE-----	24	27	32	31	27	22	25	15	9	2	-	-
FEMALE--	22	28	39	36	44	57	56	66	29	19	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1407

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
HAWAII -----	288	-	-	-	-	-	1	-	3	2	5	6
WHITE-----MALE----	44	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	105	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	110	-	-	-	-	-	1	-	1	-	1	2
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	360	-	-	1	3	2	1	2	3	8	5	14
WHITE-----MALE----	148	-	-	-	-	-	1	1	1	4	4	10
FEMALE--	203	-	-	1	3	2	-	1	2	2	1	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,961	8	6	5	4	7	17	14	25	49	68	97
WHITE-----MALE----	1,398	2	5	-	1	2	5	6	7	21	23	42
FEMALE--	1,781	2	1	-	1	3	6	5	8	17	23	20
ALL OTHER--MALE----	332	3	-	2	1	1	4	2	7	5	12	21
FEMALE--	450	1	-	3	1	1	2	1	3	6	10	14
BLACK---MALE-----	303	3	-	2	1	1	4	2	7	5	12	21
FEMALE--	425	1	-	2	1	1	2	1	3	6	10	14
INDIANA -----	2,178	5	3	-	3	1	5	8	15	26	41	67
WHITE-----MALE----	813	1	2	-	-	1	3	5	6	13	19	35
FEMALE--	1,103	2	1	-	2	-	2	2	5	9	15	25
ALL OTHER--MALE----	107	1	-	-	1	-	-	-	2	3	3	2
FEMALE--	155	1	-	-	-	-	-	1	2	1	4	5
BLACK---MALE-----	104	1	-	-	1	-	-	-	2	2	3	2
FEMALE--	150	1	-	-	-	-	-	1	2	1	4	5
IOWA -----	971	1	1	1	-	6	2	3	9	8	18	25
WHITE-----MALE----	387	1	1	-	-	2	2	3	3	5	9	15
FEMALE--	563	-	-	1	-	4	-	-	4	3	8	10
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
KANSAS -----	945	6	4	1	3	3	4	6	5	14	16	16
WHITE-----MALE----	372	3	1	-	1	3	2	3	2	8	8	5
FEMALE--	484	-	3	-	2	-	1	1	2	3	8	9
ALL OTHER--MALE----	38	2	-	1	-	-	-	-	-	2	-	1
FEMALE--	51	1	-	-	-	-	1	2	1	1	-	1
BLACK---MALE-----	31	2	-	-	-	-	-	-	-	2	-	-
FEMALE--	42	-	-	-	-	-	1	1	1	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1407

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
HAWAII -----	7	18	25	23	38	60	37	28	22	11	2	-
WHITE-----MALE----	2	5	5	2	6	11	7	3	1	1	-	-
FEMALE--	-	1	4	2	2	9	2	4	2	-	-	-
ALL OTHER--MALE----	3	5	9	11	20	16	11	10	8	3	1	-
FEMALE--	2	7	7	8	10	24	17	11	11	7	1	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	15	13	22	29	54	62	63	37	15	1	-
WHITE-----MALE----	5	11	6	14	16	22	18	21	10	4	-	-
FEMALE--	5	4	6	6	12	31	44	40	27	11	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	137	191	279	355	512	593	648	538	295	100	13	-
WHITE-----MALE----	59	74	112	133	202	237	243	144	65	14	1	-
FEMALE--	42	70	83	123	204	241	315	330	204	74	9	-
ALL OTHER--MALE----	18	27	43	42	43	43	32	20	5	1	-	-
FEMALE--	18	20	41	57	63	72	58	44	21	11	3	-
BLACK---MALE-----	16	26	37	39	36	37	31	17	5	1	-	-
FEMALE--	18	20	41	54	59	68	53	38	20	10	3	-
INDIANA -----	81	90	132	204	296	334	333	308	159	57	10	-
WHITE-----MALE----	44	36	48	89	127	138	119	81	37	8	1	-
FEMALE--	29	25	62	85	116	177	179	203	112	46	6	-
ALL OTHER--MALE----	6	12	12	12	27	5	10	6	3	2	-	-
FEMALE--	2	17	10	18	26	14	25	18	7	1	3	-
BLACK---MALE-----	6	12	12	11	26	5	10	6	3	2	-	-
FEMALE--	2	17	10	18	24	14	24	16	7	1	3	-
IOWA -----	23	34	49	69	109	150	149	147	104	52	11	-
WHITE-----MALE----	13	18	21	31	41	65	63	48	29	15	2	-
FEMALE--	8	15	27	38	62	84	84	95	75	36	9	-
ALL OTHER--MALE----	-	1	1	-	4	-	2	2	-	-	-	-
FEMALE--	2	-	-	-	2	1	-	2	-	1	-	-
BLACK---MALE-----	-	1	1	-	4	-	2	2	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	2	-	1	-	-
KANSAS -----	34	39	55	76	110	119	152	137	93	40	12	-
WHITE-----MALE----	12	22	19	45	44	60	58	45	26	4	1	-
FEMALE--	16	13	25	20	58	51	86	83	57	36	10	-
ALL OTHER--MALE----	3	3	6	3	2	2	4	5	4	-	-	-
FEMALE--	3	1	5	8	6	6	4	4	6	-	1	-
BLACK---MALE-----	2	2	5	3	1	2	3	5	4	-	-	-
FEMALE--	2	1	3	7	5	6	4	4	4	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1408

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY -----	1,549	7	3	1	4	6	2	9	12	17	27	45
WHITE-----MALE----	575	1	2	-	2	3	1	3	8	7	14	21
FEMALE--	832	5	1	1	1	3	1	5	3	7	10	15
ALL OTHER--MALE----	52	1	-	-	-	-	-	-	-	2	2	5
FEMALE--	90	-	-	-	1	-	-	1	1	1	1	4
BLACK---MALE-----	52	1	-	-	-	-	-	-	-	2	2	5
FEMALE--	88	-	-	-	1	-	-	1	1	1	1	4
LOUISIANA -----	2,143	7	6	3	3	5	3	17	18	33	40	69
WHITE-----MALE----	530	1	3	2	1	2	-	3	4	4	15	17
FEMALE--	683	1	2	-	2	2	2	4	4	5	6	12
ALL OTHER--MALE----	352	2	1	1	-	1	-	4	5	16	5	20
FEMALE--	578	3	-	-	-	-	1	6	5	8	14	20
BLACK---MALE-----	347	2	1	1	-	1	-	4	5	16	5	20
FEMALE--	569	3	-	-	-	-	1	6	5	8	14	19
MAINE -----	489	-	-	-	-	1	-	3	2	1	12	12
WHITE-----MALE----	208	-	-	-	-	-	-	3	2	-	11	9
FEMALE--	274	-	-	-	-	1	-	-	-	1	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,998	8	5	1	2	6	6	7	15	22	37	52
WHITE-----MALE----	570	3	2	-	-	4	2	2	6	8	12	15
FEMALE--	716	2	1	1	-	1	3	2	5	3	6	12
ALL OTHER--MALE----	314	1	1	-	2	1	1	1	2	6	12	14
FEMALE--	398	2	1	-	-	-	-	2	2	5	7	11
BLACK---MALE-----	293	1	1	-	2	1	1	1	2	6	11	13
FEMALE--	387	1	1	-	-	-	-	2	2	4	7	10
MASSACHUSETTS -----	1,970	1	3	-	1	7	7	4	13	27	35	52
WHITE-----MALE----	829	1	3	-	-	4	2	1	7	12	17	33
FEMALE--	1,019	-	-	-	1	2	5	3	5	10	12	13
ALL OTHER--MALE----	54	-	-	-	-	1	-	-	-	-	1	5
FEMALE--	68	-	-	-	-	-	-	-	1	5	5	1
BLACK---MALE-----	47	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	59	-	-	-	-	-	-	-	1	5	4	1
MICHIGAN -----	3,596	8	4	3	3	5	9	15	24	45	80	94
WHITE-----MALE----	1,262	2	2	-	-	3	5	5	10	25	35	40
FEMALE--	1,704	1	1	2	2	-	2	2	7	6	26	31
ALL OTHER--MALE----	265	4	-	-	1	1	2	3	6	9	15	13
FEMALE--	365	1	1	1	-	1	-	5	1	5	4	10
BLACK---MALE-----	249	4	-	-	1	1	1	3	6	9	15	12
FEMALE--	339	1	1	1	-	-	-	5	1	4	4	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1408

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
KENTUCKY -----	68	78	92	130	199	227	241	198	123	50	10	-
WHITE-----MALE----	29	40	44	57	88	81	80	57	31	6	-	-
FEMALE--	30	31	40	59	93	126	140	126	84	41	10	-
ALL OTHER--MALE----	3	5	2	9	4	8	7	3	1	-	-	-
FEMALE--	6	2	6	5	14	12	14	12	7	3	-	-
BLACK---MALE-----	3	5	2	9	4	8	7	3	1	-	-	-
FEMALE--	6	2	6	5	12	12	14	12	7	3	-	-
LOUISIANA -----	115	135	162	224	248	310	282	237	155	57	14	-
WHITE-----MALE----	36	34	36	61	77	96	61	46	23	6	2	-
FEMALE--	14	28	34	64	68	99	105	113	84	30	4	-
ALL OTHER--MALE----	29	37	39	37	42	40	27	28	12	5	1	-
FEMALE--	36	36	53	62	61	75	89	50	36	16	7	-
BLACK---MALE-----	29	37	38	36	41	38	27	28	12	5	1	-
FEMALE--	36	35	53	60	60	72	88	50	36	16	7	-
MAINE -----	10	21	26	45	69	81	74	63	52	13	4	-
WHITE-----MALE----	9	9	15	17	33	42	28	15	12	3	-	-
FEMALE--	1	12	10	26	35	39	44	47	40	10	4	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	101	127	136	205	235	310	269	259	146	42	6	1
WHITE-----MALE----	28	39	53	60	72	89	87	50	34	3	1	-
FEMALE--	19	20	25	49	80	123	116	139	77	30	2	-
ALL OTHER--MALE----	34	36	23	52	36	48	19	14	10	-	-	1
FEMALE--	20	32	35	44	47	50	47	56	25	9	3	-
BLACK---MALE-----	34	35	19	48	33	46	16	12	10	-	-	1
FEMALE--	19	32	34	41	46	50	46	56	25	8	3	-
MASSACHUSETTS -----	57	67	99	173	240	284	347	280	188	71	14	-
WHITE-----MALE----	39	40	44	92	104	118	153	93	51	11	4	-
FEMALE--	15	21	45	67	119	148	180	171	133	59	10	-
ALL OTHER--MALE----	3	3	6	5	5	8	7	8	1	1	-	-
FEMALE--	-	3	4	9	12	10	7	8	3	-	-	-
BLACK---MALE-----	3	2	5	5	4	7	7	8	-	-	-	-
FEMALE--	-	2	4	8	10	10	6	5	3	-	-	-
MICHIGAN -----	139	191	218	326	423	547	546	481	295	112	28	-
WHITE-----MALE----	61	75	86	131	170	204	187	146	61	13	1	-
FEMALE--	47	66	74	120	179	264	292	274	197	88	23	-
ALL OTHER--MALE----	17	26	21	28	28	35	24	18	11	2	1	-
FEMALE--	14	24	37	47	46	44	43	43	26	9	3	-
BLACK---MALE-----	14	26	20	24	27	32	24	17	11	2	-	-
FEMALE--	14	22	34	42	38	44	43	40	26	7	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1409

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

MINNESOTA -----	1,595	7	2	3	1	1	5	9	8	11	27	33
WHITE-----MALE----	737	4	2	2	-	-	2	3	3	6	15	23
FEMALE--	782	3	-	-	-	1	2	4	1	3	9	8
ALL OTHER--MALE----	35	-	-	1	1	-	-	1	1	1	3	-
FEMALE--	41	-	-	-	-	-	1	1	3	1	-	2
BLACK---MALE-----	18	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	21	-	-	-	-	-	-	1	2	1	-	2
MISSISSIPPI -----	836	5	2	1	1	7	6	5	8	21	15	30
WHITE-----MALE----	215	2	1	-	-	4	-	-	-	5	5	9
FEMALE--	252	-	-	-	-	1	2	2	2	3	5	6
ALL OTHER--MALE----	154	1	-	1	-	-	3	2	3	6	2	9
FEMALE--	215	2	1	-	1	2	1	1	3	7	3	6
BLACK---MALE-----	147	1	-	1	-	-	3	2	3	6	2	8
FEMALE--	209	2	1	-	1	2	1	1	3	7	3	6
MISSOURI -----	2,163	4	1	-	6	6	8	5	13	30	43	51
WHITE-----MALE----	751	2	-	-	1	4	1	-	7	14	19	20
FEMALE--	1,083	1	-	-	4	1	6	3	6	12	15	16
ALL OTHER--MALE----	139	-	-	-	1	-	1	-	-	3	5	8
FEMALE--	190	1	1	-	-	1	-	1	-	1	4	7
BLACK---MALE-----	138	-	-	-	1	-	1	1	-	3	5	7
FEMALE--	181	-	1	-	-	-	-	1	-	1	4	6
MONTANA -----	331	1	1	1	-	1	1	4	-	2	7	4
WHITE-----MALE----	131	-	1	1	-	-	-	3	-	-	5	2
FEMALE--	167	1	-	-	-	1	1	1	-	2	2	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	501	-	-	2	-	1	3	-	1	5	9	8
WHITE-----MALE----	202	-	-	2	-	-	1	-	1	2	8	4
FEMALE--	253	-	-	-	-	1	1	-	-	3	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	13	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	407	3	2	-	1	1	2	2	4	8	7	15
WHITE-----MALE----	183	1	-	-	-	-	2	-	-	4	5	8
FEMALE--	166	2	1	-	1	-	-	2	3	1	1	6
ALL OTHER--MALE----	26	-	1	-	-	1	-	-	1	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE-----	17	-	-	-	-	1	-	-	1	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1409

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
MINNESOTA -----	51	57	89	97	189	238	278	252	172	54	11	-
WHITE-----MALE----	28	40	47	53	103	119	132	90	51	12	2	-
FEMALE--	18	14	34	39	72	112	137	156	119	41	9	-
ALL OTHER--MALE----	4	1	4	3	5	4	3	2	1	-	-	-
FEMALE--	1	2	4	2	9	3	6	4	1	1	-	-
BLACK---MALE-----	1	-	3	1	4	2	1	1	-	-	-	-
FEMALE--	-	1	1	-	5	1	4	3	-	-	-	-
MISSISSIPPI -----	34	52	59	80	109	97	103	103	63	28	7	-
WHITE-----MALE----	15	15	18	24	39	25	24	18	9	-	2	-
FEMALE--	5	11	9	22	25	30	34	47	31	15	2	-
ALL OTHER--MALE----	7	11	13	16	17	16	19	16	6	6	-	-
FEMALE--	7	15	19	18	28	26	26	22	17	7	3	-
BLACK---MALE-----	6	10	11	16	17	15	19	15	6	6	-	-
FEMALE--	7	15	19	16	24	26	26	22	17	7	3	-
MISSOURI -----	96	121	134	204	292	278	323	275	200	56	17	-
WHITE-----MALE----	37	56	47	81	106	104	107	80	55	10	-	-
FEMALE--	33	37	52	88	130	141	186	163	133	41	15	-
ALL OTHER--MALE----	14	12	12	17	16	16	19	11	3	-	-	-
FEMALE--	12	16	23	18	40	17	11	21	9	5	2	-
BLACK---MALE-----	14	12	12	17	16	16	19	11	3	-	-	-
FEMALE--	12	16	22	16	39	17	10	20	9	5	2	-
MONTANA -----	8	11	16	26	41	57	52	58	28	8	4	-
WHITE-----MALE----	5	5	4	12	22	24	20	17	10	-	-	-
FEMALE--	2	3	7	6	16	27	28	40	16	8	4	-
ALL OTHER--MALE----	1	3	4	2	2	3	1	-	1	-	-	-
FEMALE--	-	-	1	6	1	3	3	1	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	15	26	26	48	53	74	88	72	47	18	5	-
WHITE-----MALE----	9	15	12	24	25	31	33	21	11	2	1	-
FEMALE--	4	8	7	18	22	38	53	47	35	13	2	-
ALL OTHER--MALE----	1	-	3	1	4	3	-	1	-	1	1	-
FEMALE--	1	3	4	5	2	2	3	1	2	1	1	-
BLACK---MALE-----	1	-	2	1	3	1	-	-	-	1	1	-
FEMALE--	1	-	1	3	1	2	2	3	1	1	-	-
NEVADA -----	19	17	40	54	52	54	56	37	24	8	1	-
WHITE-----MALE----	6	6	21	31	26	29	20	13	7	4	-	-
FEMALE--	8	7	14	15	17	18	32	19	14	4	1	-
ALL OTHER--MALE----	3	2	1	2	5	4	1	3	-	-	-	-
FEMALE--	2	2	4	6	4	3	3	2	3	-	-	-
BLACK---MALE-----	2	-	1	1	3	3	1	2	-	-	-	-
FEMALE--	2	1	3	6	3	1	2	1	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1411

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

OHIO -----	5,140	11	7	4	3	13	7	14	23	45	80	118
WHITE-----MALE----	1,914	2	5	2	1	6	4	7	9	20	35	52
FEMALE--	2,534	5	2	2	1	6	2	4	8	16	23	35
ALL OTHER--MALE----	273	2	-	-	-	1	-	3	4	2	8	21
FEMALE--	419	2	-	-	1	-	1	-	2	7	14	10
BLACK---MALE----	272	2	-	-	-	1	-	3	4	2	8	21
FEMALE--	410	2	-	-	1	-	1	-	2	7	14	9
OKLAHOMA -----	1,343	4	3	1	1	3	9	5	5	16	32	45
WHITE-----MALE----	431	1	2	-	-	-	4	1	3	3	9	17
FEMALE--	622	-	1	1	-	1	5	2	1	7	13	14
ALL OTHER--MALE----	133	1	-	-	1	1	-	1	-	4	10	7
FEMALE--	157	2	-	-	-	1	-	1	1	2	-	7
BLACK---MALE----	71	-	-	-	1	1	-	1	-	3	8	3
FEMALE--	69	2	-	-	-	-	-	-	-	2	-	3
OREGON -----	1,154	1	1	2	2	3	2	13	5	7	20	44
WHITE-----MALE----	520	1	-	2	2	-	-	6	-	4	6	27
FEMALE--	575	-	1	-	-	3	2	7	4	3	9	8
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	-	4	8
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	5,108	8	3	1	9	7	13	22	23	56	69	122
WHITE-----MALE----	1,918	3	1	1	3	1	4	11	13	27	35	57
FEMALE--	2,626	3	1	-	5	4	7	7	4	16	18	40
ALL OTHER--MALE----	238	1	-	-	1	-	2	2	3	7	9	11
FEMALE--	326	1	1	-	-	2	-	2	3	6	7	14
BLACK---MALE----	228	-	-	-	1	-	2	2	3	7	9	11
FEMALE--	319	1	1	-	-	2	-	2	3	6	7	14
RHODE ISLAND -----	351	-	-	1	1	1	2	1	3	3	3	6
WHITE-----MALE----	147	-	-	1	1	-	-	-	1	1	2	3
FEMALE--	186	-	-	-	-	-	2	1	2	1	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	1	1	-
SOUTH CAROLINA -----	1,496	5	2	2	-	3	1	8	8	18	40	53
WHITE-----MALE----	374	-	1	-	-	2	1	1	3	6	12	12
FEMALE--	521	4	1	-	-	-	-	2	2	5	12	6
ALL OTHER--MALE----	227	1	-	-	-	-	-	3	3	3	7	21
FEMALE--	374	-	-	2	-	1	-	2	-	4	9	14
BLACK---MALE----	227	1	-	-	-	-	-	3	3	3	7	21
FEMALE--	371	-	-	2	-	1	-	2	-	4	9	14

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1411

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
OHIO -----	176	215	343	469	687	862	807	665	421	141	29	-
WHITE-----MALE----	89	94	160	198	280	367	284	193	78	25	3	-
FEMALE--	63	87	124	196	293	391	436	420	295	102	23	-
ALL OTHER--MALE----	18	21	24	29	47	40	27	10	10	5	1	-
FEMALE--	6	13	35	46	67	64	60	42	38	9	2	-
BLACK---MALE-----	18	21	24	29	47	40	26	10	10	5	1	-
FEMALE--	6	12	35	45	65	61	60	42	38	8	2	-
OKLAHOMA -----	59	74	99	127	158	197	179	163	116	39	8	-
WHITE-----MALE----	18	28	41	42	63	65	64	34	29	7	-	-
FEMALE--	20	25	26	45	69	86	81	112	75	30	8	-
ALL OTHER--MALE----	8	11	20	19	15	20	6	6	3	-	-	-
FEMALE--	13	10	12	21	11	26	28	11	9	2	-	-
BLACK---MALE-----	2	5	9	12	6	11	3	3	3	-	-	-
FEMALE--	7	4	5	9	4	9	16	3	4	1	-	-
OREGON -----	57	51	85	99	158	155	188	134	92	33	2	-
WHITE-----MALE----	27	29	45	49	70	85	79	61	20	7	-	-
FEMALE--	29	18	36	40	78	65	105	72	68	25	2	-
ALL OTHER--MALE----	1	2	3	7	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	3	9	4	4	1	4	1	-	-
BLACK---MALE-----	1	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	5	-	4	1	3	1	-	-
PENNSYLVANIA -----	137	218	308	441	622	865	889	675	418	170	32	-
WHITE-----MALE----	64	97	142	171	279	360	325	228	71	21	4	-
FEMALE--	45	80	113	202	261	424	508	401	326	135	26	-
ALL OTHER--MALE----	12	20	21	30	37	36	19	13	8	6	-	-
FEMALE--	16	21	32	38	45	45	37	33	13	8	2	-
BLACK---MALE-----	11	20	21	30	35	36	16	13	7	4	-	-
FEMALE--	16	21	31	37	43	42	37	33	13	8	2	-
RHODE ISLAND -----	15	19	20	25	54	47	56	52	32	7	3	-
WHITE-----MALE----	8	12	10	13	21	25	22	19	5	2	1	-
FEMALE--	6	5	8	11	28	21	32	33	26	5	2	-
ALL OTHER--MALE----	1	1	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	2	1	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	1	-	1	-	-	-
SOUTH CAROLINA -----	73	97	135	162	201	218	198	154	80	31	7	-
WHITE-----MALE----	17	31	48	47	60	63	37	23	8	2	-	-
FEMALE--	12	20	31	44	58	72	94	77	56	21	4	-
ALL OTHER--MALE----	25	20	20	30	25	32	18	16	1	2	-	-
FEMALE--	19	26	36	41	58	51	49	38	15	6	3	-
BLACK---MALE-----	25	20	20	30	25	32	18	16	1	2	-	-
FEMALE--	19	26	36	41	58	51	47	37	15	6	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1412

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

SOUTH DAKOTA -----	259	1	1	-	1	1	1	2	1	-	7	8
WHITE-----MALE----	90	-	-	-	-	1	1	-	-	-	2	2
FEMALE--	135	-	1	-	1	-	-	2	1	-	4	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,006	4	7	2	3	10	10	8	13	29	51	53
WHITE-----MALE----	657	2	4	1	2	6	3	3	4	12	22	30
FEMALE--	879	1	2	1	1	3	5	2	6	4	14	10
ALL OTHER--MALE----	174	-	1	-	-	1	1	3	1	9	7	5
FEMALE--	296	1	-	-	-	-	1	-	2	4	8	8
BLACK---MALE-----	169	-	1	-	-	-	1	3	1	9	7	5
FEMALE--	292	1	-	-	-	-	1	-	2	4	7	8
TEXAS -----	6,578	18	7	10	11	12	21	30	43	80	137	215
WHITE-----MALE----	2,449	4	2	5	6	6	8	14	19	43	61	93
FEMALE--	3,093	8	5	3	3	5	8	9	8	24	49	67
ALL OTHER--MALE----	395	2	-	-	1	1	2	3	10	4	15	26
FEMALE--	641	4	-	2	1	-	3	4	6	9	12	29
BLACK---MALE-----	363	2	-	-	1	1	2	3	10	3	14	25
FEMALE--	601	4	-	1	1	-	3	4	6	9	12	28
UTAH -----	630	7	1	3	-	3	5	8	5	12	15	13
WHITE-----MALE----	262	4	-	2	-	2	3	3	1	6	6	9
FEMALE--	338	3	1	1	-	1	2	5	4	5	9	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	240	-	-	-	-	-	-	-	2	1	2	6
WHITE-----MALE----	113	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	126	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,178	10	3	6	1	3	7	6	15	29	42	67
WHITE-----MALE----	661	4	-	2	-	1	2	1	5	9	18	27
FEMALE--	896	4	3	1	1	-	1	4	4	7	11	9
ALL OTHER--MALE----	273	2	-	2	-	2	-	1	3	8	7	16
FEMALE--	348	-	-	1	-	-	4	-	3	5	6	15
BLACK---MALE-----	267	2	-	1	-	2	-	1	3	8	6	15
FEMALE--	329	-	-	1	-	-	4	-	3	5	6	14

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1412

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
SOUTH DAKOTA -----	7	12	14	18	30	29	39	53	22	9	3	-
WHITE-----MALE----	2	5	8	5	9	14	17	20	2	2	-	-
FEMALE--	1	2	3	8	19	10	20	32	19	7	3	-
ALL OTHER--MALE----	2	2	3	2	2	3	-	1	-	-	-	-
FEMALE--	2	3	-	3	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	82	115	141	197	217	290	297	267	148	55	7	-
WHITE-----MALE----	30	45	46	82	72	97	103	56	28	9	-	-
FEMALE--	23	41	54	61	82	130	145	170	88	33	3	-
ALL OTHER--MALE----	15	16	18	25	20	20	14	9	8	1	-	-
FEMALE--	14	13	23	29	43	43	35	32	24	12	4	-
BLACK---MALE-----	15	14	18	25	20	20	12	9	8	1	-	-
FEMALE--	14	13	23	28	43	41	35	32	24	12	4	-
TEXAS -----	329	375	481	693	862	958	885	760	426	187	38	-
WHITE-----MALE----	160	180	216	276	353	364	292	231	86	27	3	-
FEMALE--	96	128	172	305	365	455	485	431	302	138	27	-
ALL OTHER--MALE----	28	40	45	50	51	47	25	28	10	5	2	-
FEMALE--	45	27	48	62	93	92	83	70	28	17	6	-
BLACK---MALE-----	26	38	37	45	48	43	20	28	10	5	2	-
FEMALE--	43	25	44	58	87	83	80	62	28	17	6	-
UTAH -----	18	28	35	56	77	90	105	76	56	14	3	-
WHITE-----MALE----	13	8	16	33	33	40	43	22	12	5	1	-
FEMALE--	5	16	17	20	41	45	55	51	42	9	2	-
ALL OTHER--MALE----	-	3	2	1	2	2	1	1	1	-	-	-
FEMALE--	-	1	-	2	1	3	6	2	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	1	-	-	-
VERMONT -----	9	15	18	26	43	32	45	21	12	6	2	-
WHITE-----MALE----	4	8	8	14	24	19	18	8	2	2	-	-
FEMALE--	5	7	10	12	19	13	27	12	10	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	106	129	130	225	276	293	309	277	168	60	16	-
WHITE-----MALE----	32	48	47	84	101	92	75	78	32	2	1	-
FEMALE--	30	39	39	63	102	124	150	143	105	45	11	-
ALL OTHER--MALE----	21	20	12	44	31	35	34	19	14	1	1	-
FEMALE--	23	22	32	34	42	42	50	37	17	12	3	-
BLACK---MALE-----	20	20	12	43	31	35	34	19	13	1	1	-
FEMALE--	20	21	31	33	39	40	47	35	16	11	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1413

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
WASHINGTON -----	54	97	112	155	258	309	296	216	114	47	9	-
WHITE-----MALE----	26	43	51	65	123	116	115	90	33	9	1	-
FEMALE--	21	41	49	68	108	164	159	117	74	36	8	-
ALL OTHER--MALE----	4	6	7	14	12	11	8	1	-	1	-	-
FEMALE--	3	7	5	8	15	18	14	8	7	1	-	-
BLACK---MALE-----	3	5	3	9	8	7	5	1	-	-	-	-
FEMALE--	2	3	2	3	5	12	6	3	4	-	-	-
WEST VIRGINIA -----	35	48	60	91	157	153	143	136	78	15	5	-
WHITE-----MALE----	22	27	27	41	67	68	53	40	11	2	1	-
FEMALE--	13	20	33	47	82	78	81	85	61	12	3	-
ALL OTHER--MALE----	-	-	-	1	4	3	3	1	3	-	-	-
FEMALE--	-	1	-	2	4	4	6	10	3	1	1	-
BLACK---MALE-----	-	-	-	1	4	3	3	1	3	-	-	-
FEMALE--	-	1	-	2	4	4	6	10	3	1	1	-
WISCONSIN -----	53	65	109	138	229	265	270	250	171	58	12	-
WHITE-----MALE----	32	30	58	68	121	130	99	86	43	12	-	-
FEMALE--	12	18	41	57	91	116	160	158	123	44	12	-
ALL OTHER--MALE----	3	9	4	6	4	8	5	-	-	1	-	-
FEMALE--	6	8	6	7	13	11	6	6	5	1	-	-
BLACK---MALE-----	3	6	-	6	1	5	4	-	-	1	-	-
FEMALE--	5	7	4	6	9	7	6	3	5	1	-	-
WYOMING -----	9	13	10	20	23	20	27	25	9	5	2	-
WHITE-----MALE----	6	6	5	5	8	10	8	15	4	2	-	-
FEMALE--	3	6	5	14	13	10	19	10	5	3	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1414

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Endocrine diseases (E00-E34)												
UNITED STATES -	71,109	39	21	13	26	62	122	217	414	771	1,260	2,016
WHITE-----MALE----	26,165	9	10	4	6	25	44	82	159	328	526	877
FEMALE--	30,729	20	6	5	10	21	38	73	122	212	376	535
ALL OTHER--MALE----	5,763	6	1	1	6	5	18	25	75	126	197	334
FEMALE--	8,452	4	4	3	4	11	22	37	58	105	161	270
BLACK---MALE-----	4,898	5	1	1	6	5	16	23	68	114	175	300
FEMALE--	7,404	4	4	2	3	11	18	35	55	97	151	242
ALABAMA -----	1,390	-	1	-	-	2	2	2	8	18	41	50
WHITE-----MALE----	365	-	-	-	-	-	-	1	1	7	13	16
FEMALE--	493	-	-	-	-	-	-	-	3	3	6	9
ALL OTHER--MALE----	192	-	1	-	-	-	1	-	-	4	12	12
FEMALE--	340	-	-	-	-	2	1	1	4	4	10	13
BLACK---MALE-----	188	-	1	-	-	-	1	-	-	4	12	12
FEMALE--	338	-	-	-	-	2	1	1	4	4	10	13
ALASKA -----	69	-	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,084	-	-	-	1	1	4	4	9	16	13	42
WHITE-----MALE----	491	-	-	-	-	-	3	2	2	9	4	23
FEMALE--	433	-	-	-	1	1	-	2	6	3	5	13
ALL OTHER--MALE----	64	-	-	-	-	-	1	-	1	3	3	3
FEMALE--	96	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	714	-	1	-	-	-	3	3	7	13	10	29
WHITE-----MALE----	238	-	1	-	-	-	1	1	2	6	3	10
FEMALE--	285	-	-	-	-	-	2	1	2	1	2	4
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	3	3	3	9
FEMALE--	114	-	-	-	-	-	-	1	-	3	2	6
BLACK---MALE-----	74	-	-	-	-	-	-	-	3	3	3	8
FEMALE--	112	-	-	-	-	-	-	1	-	3	2	6
CALIFORNIA -----	6,613	5	2	-	4	7	14	18	44	76	130	208
WHITE-----MALE----	2,421	3	1	-	-	4	5	9	20	23	63	95
FEMALE--	2,808	2	1	-	2	2	3	5	12	29	38	59
ALL OTHER--MALE----	615	-	-	-	1	1	2	3	7	7	17	28
FEMALE--	769	-	-	-	1	-	4	1	5	17	12	26
BLACK---MALE-----	337	-	-	-	1	1	1	1	5	6	14	25
FEMALE--	453	-	-	-	1	-	2	1	5	14	9	18

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1414

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
UNITED STATES -	2,878	3,947	5,317	7,344	9,909	11,577	10,899	8,354	4,363	1,331	226	3
WHITE-----MALE----	1,221	1,601	2,131	2,934	3,940	4,547	3,949	2,561	981	203	26	1
FEMALE--	831	1,207	1,789	2,715	3,921	5,035	5,312	4,614	2,788	946	153	-
ALL OTHER--MALE----	420	552	643	743	783	750	531	350	155	34	7	1
FEMALE--	406	587	754	952	1,265	1,245	1,107	829	439	148	40	1
BLACK---MALE-----	366	475	543	648	651	608	445	288	130	23	6	1
FEMALE--	369	506	674	821	1,077	1,078	970	725	393	131	37	1
ALABAMA -----	64	77	112	166	171	207	212	158	67	24	8	-
WHITE-----MALE----	19	26	33	53	48	68	44	23	11	1	1	-
FEMALE--	15	17	25	56	50	70	102	87	36	10	4	-
ALL OTHER--MALE----	11	16	26	19	29	20	19	14	6	2	-	-
FEMALE--	19	18	28	38	44	49	47	34	14	11	3	-
BLACK---MALE-----	10	15	26	18	29	20	18	14	6	2	-	-
FEMALE--	19	18	28	38	43	49	46	34	14	11	3	-
ALASKA -----	5	6	5	8	7	14	7	6	5	-	-	-
WHITE-----MALE----	3	-	2	1	1	3	2	2	-	-	-	-
FEMALE--	1	3	2	4	6	8	2	2	4	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	1	1	-	-	-
FEMALE--	-	1	1	1	-	3	3	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ARIZONA -----	46	79	99	118	136	180	152	116	54	12	2	-
WHITE-----MALE----	23	35	50	49	53	92	70	51	18	7	-	-
FEMALE--	12	22	31	46	58	74	69	54	30	4	2	-
ALL OTHER--MALE----	8	11	5	8	5	4	5	3	3	1	-	-
FEMALE--	3	11	13	15	20	10	8	8	3	-	-	-
BLACK---MALE-----	1	3	1	3	1	2	1	1	2	-	-	-
FEMALE--	-	2	3	3	3	3	3	2	1	-	-	-
ARKANSAS -----	29	36	55	64	96	128	97	90	36	15	2	-
WHITE-----MALE----	11	15	24	24	32	43	35	20	7	3	-	-
FEMALE--	9	6	14	22	37	53	43	58	22	8	1	-
ALL OTHER--MALE----	4	7	7	7	8	11	8	2	3	1	1	-
FEMALE--	5	8	10	11	19	21	11	10	4	3	-	-
BLACK---MALE-----	4	6	6	7	8	11	8	2	3	1	1	-
FEMALE--	5	8	10	10	19	21	10	10	4	3	-	-
CALIFORNIA -----	265	395	543	683	943	1,073	987	733	339	128	16	-
WHITE-----MALE----	113	154	205	264	353	404	357	245	68	32	3	-
FEMALE--	90	132	230	283	372	443	447	363	208	77	10	-
ALL OTHER--MALE----	20	49	66	67	88	106	76	49	21	6	1	-
FEMALE--	42	60	42	69	130	120	107	76	42	13	2	-
BLACK---MALE-----	14	30	46	37	43	47	38	20	7	1	-	-
FEMALE--	31	38	25	42	68	63	59	44	25	8	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1415

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Endocrine diseases (E00-E34)												
COLORADO -----	665	-	-	-	1	-	1	2	11	7	11	15
WHITE-----MALE----	279	-	-	-	-	-	-	-	4	6	6	11
FEMALE--	331	-	-	-	1	-	1	2	7	1	3	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	721	-	1	1	-	-	1	2	5	9	14	16
WHITE-----MALE----	281	-	1	-	-	-	-	-	-	1	8	10
FEMALE--	359	-	-	1	-	-	1	1	4	5	6	4
ALL OTHER--MALE----	37	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	44	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE-----	35	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	38	-	-	-	-	-	-	1	-	2	-	-
DELAWARE -----	186	1	-	-	-	-	-	2	1	3	3	4
WHITE-----MALE----	73	-	-	-	-	-	-	1	1	3	1	1
FEMALE--	70	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	18	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	227	-	-	-	-	-	-	1	3	1	1	12
WHITE-----MALE----	18	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	142	-	-	-	-	-	-	-	1	-	-	6
BLACK---MALE-----	58	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	142	-	-	-	-	-	-	-	1	-	-	6
FLORIDA -----	4,534	4	1	-	-	4	6	11	30	43	59	136
WHITE-----MALE----	1,914	2	1	-	-	1	3	6	11	18	18	61
FEMALE--	1,814	1	-	-	-	2	1	3	6	12	26	37
ALL OTHER--MALE----	302	1	-	-	-	-	-	1	8	10	5	21
FEMALE--	504	-	-	-	-	1	2	1	5	3	10	17
BLACK---MALE-----	296	1	-	-	-	-	-	1	7	10	5	21
FEMALE--	488	-	-	-	-	1	2	1	5	3	10	17
GEORGIA -----	1,515	2	-	1	-	2	2	11	9	16	45	59
WHITE-----MALE----	436	-	-	-	-	-	-	3	1	4	11	17
FEMALE--	514	1	-	1	-	-	1	3	1	5	8	13
ALL OTHER--MALE----	202	-	-	-	-	-	1	-	5	3	15	11
FEMALE--	363	1	-	-	-	2	-	5	2	4	11	18
BLACK---MALE-----	200	-	-	-	-	-	1	-	5	2	15	11
FEMALE--	357	1	-	-	-	2	-	5	2	4	11	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1415

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
COLORADO -----	20	28	47	66	94	117	96	84	49	16	-	-
WHITE-----MALE----	11	15	19	26	51	52	36	29	10	3	-	-
FEMALE--	7	9	22	35	34	48	54	52	39	13	-	-
ALL OTHER--MALE----	2	2	3	3	2	6	2	2	-	-	-	-
FEMALE--	-	2	3	2	7	11	4	1	-	-	-	-
BLACK---MALE-----	1	1	3	2	2	1	2	1	-	-	-	-
FEMALE--	-	2	2	2	5	7	3	1	-	-	-	-
CONNECTICUT -----	30	37	42	70	85	118	112	104	58	14	2	-
WHITE-----MALE----	10	19	16	31	35	52	41	37	17	3	-	-
FEMALE--	15	11	19	26	39	59	60	60	37	10	2	-
ALL OTHER--MALE----	3	3	3	6	5	2	5	4	-	1	-	-
FEMALE--	2	4	4	7	6	5	6	3	4	-	-	-
BLACK---MALE-----	3	3	3	5	5	1	5	4	-	1	-	-
FEMALE--	2	4	4	4	6	4	5	2	4	-	-	-
DELAWARE -----	6	9	16	22	26	23	24	32	11	3	-	-
WHITE-----MALE----	3	4	9	11	12	7	5	12	1	2	-	-
FEMALE--	1	1	4	3	7	12	15	14	8	1	-	-
ALL OTHER--MALE----	1	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	1	3	-	4	5	3	2	4	2	-	-	-
BLACK---MALE-----	1	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	1	3	-	4	5	3	2	4	2	-	-	-
DISTRICT OF COLUMBIA ---	8	9	19	15	36	41	39	24	15	3	-	-
WHITE-----MALE----	-	1	2	-	5	3	3	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	2	-	1	-	-
ALL OTHER--MALE----	2	3	9	6	7	9	8	7	2	-	-	-
FEMALE--	6	5	7	9	22	29	28	14	13	2	-	-
BLACK---MALE-----	2	3	9	6	7	8	7	7	2	-	-	-
FEMALE--	6	5	7	9	22	29	28	14	13	2	-	-
FLORIDA -----	179	221	333	466	599	795	746	525	279	81	14	2
WHITE-----MALE----	78	97	147	230	255	369	330	182	90	12	2	1
FEMALE--	55	60	92	140	220	320	329	287	154	60	9	-
ALL OTHER--MALE----	20	27	42	40	46	28	24	14	14	1	-	-
FEMALE--	26	37	52	56	78	78	63	42	21	8	3	1
BLACK---MALE-----	20	26	39	40	45	28	24	14	14	1	-	-
FEMALE--	26	35	49	55	73	75	63	40	21	8	3	1
GEORGIA -----	76	102	134	151	196	214	210	177	78	26	4	-
WHITE-----MALE----	28	35	30	45	72	66	67	39	15	2	1	-
FEMALE--	14	23	37	44	64	81	84	81	39	13	1	-
ALL OTHER--MALE----	15	22	30	27	24	17	18	10	4	-	-	-
FEMALE--	19	22	37	35	36	50	41	47	20	11	2	-
BLACK---MALE-----	15	22	29	27	24	17	18	10	4	-	-	-
FEMALE--	19	21	36	34	35	50	41	47	20	11	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1416

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Endocrine diseases (E00-E34)												
HAWAII -----	218	-	-	-	-	-	1	-	2	2	5	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	79	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	278	-	-	-	2	1	1	1	2	6	4	10
WHITE-----MALE----	114	-	-	-	-	-	1	1	-	3	3	8
FEMALE--	157	-	-	-	2	1	-	-	2	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,128	-	1	1	1	1	5	3	16	41	47	80
WHITE-----MALE----	1,136	-	1	-	-	-	1	1	3	16	16	37
FEMALE--	1,345	-	-	-	-	-	1	2	5	15	15	14
ALL OTHER--MALE----	270	-	-	-	1	-	2	-	5	5	10	16
FEMALE--	377	-	-	1	-	1	1	-	3	5	6	13
BLACK---MALE----	247	-	-	-	1	-	2	-	5	5	10	16
FEMALE--	355	-	-	-	-	1	1	-	3	5	6	13
INDIANA -----	1,664	1	1	-	-	-	3	6	10	17	30	52
WHITE-----MALE----	656	-	1	-	-	-	1	4	2	10	15	29
FEMALE--	787	1	-	-	-	-	2	1	4	5	9	16
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	132	-	-	-	-	-	-	1	2	-	4	5
BLACK---MALE----	87	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	128	-	-	-	-	-	-	1	2	-	4	5
IOWA -----	712	-	-	-	-	-	2	1	7	5	12	19
WHITE-----MALE----	285	-	-	-	-	-	2	1	3	3	8	11
FEMALE--	412	-	-	-	-	-	-	-	3	2	3	8
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
KANSAS -----	671	-	2	-	-	1	1	5	4	11	13	12
WHITE-----MALE----	272	-	-	-	-	1	-	2	2	6	8	3
FEMALE--	333	-	2	-	-	-	1	1	2	2	5	7
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	38	-	-	-	-	-	-	2	-	1	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	32	-	-	-	-	-	-	1	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1416

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
HAWAII -----	6	17	16	22	37	42	27	20	14	4	-	-
WHITE-----MALE----	2	4	1	2	5	11	6	3	1	-	-	-
FEMALE--	-	1	3	2	2	5	2	3	1	-	-	-
ALL OTHER--MALE----	3	5	9	10	20	11	6	5	5	2	-	-
FEMALE--	1	7	3	8	10	15	13	9	7	2	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	13	11	18	25	46	52	45	24	10	1	-
WHITE-----MALE----	5	9	5	11	13	17	16	13	7	2	-	-
FEMALE--	1	4	5	5	12	28	36	30	17	8	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	109	161	241	306	447	503	515	397	187	58	8	-
WHITE-----MALE----	51	57	93	109	184	198	196	119	47	6	1	-
FEMALE--	28	60	72	110	171	207	244	234	118	45	4	-
ALL OTHER--MALE----	15	25	37	36	33	37	28	16	4	-	-	-
FEMALE--	15	19	39	51	59	61	47	28	18	7	3	-
BLACK---MALE-----	13	24	31	34	30	31	27	14	4	-	-	-
FEMALE--	15	19	39	48	55	57	43	23	17	7	3	-
INDIANA -----	66	78	107	170	235	269	260	225	98	32	4	-
WHITE-----MALE----	36	30	42	78	96	113	99	69	29	2	-	-
FEMALE--	23	20	46	66	95	139	131	137	61	30	1	-
ALL OTHER--MALE----	5	11	9	11	23	5	8	6	3	-	-	-
FEMALE--	2	17	10	15	21	12	22	13	5	-	3	-
BLACK---MALE-----	5	11	9	10	22	5	8	6	3	-	-	-
FEMALE--	2	17	10	15	19	12	21	12	5	-	3	-
IOWA -----	14	22	43	56	89	115	115	106	68	32	6	-
WHITE-----MALE----	10	12	19	25	31	47	48	36	20	8	1	-
FEMALE--	3	9	24	31	54	67	65	67	48	23	5	-
ALL OTHER--MALE----	-	1	-	-	3	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	2	-	1	-	-
BLACK---MALE-----	-	1	-	-	3	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	1	-	-
KANSAS -----	24	32	43	61	92	92	109	91	54	18	6	-
WHITE-----MALE----	9	17	15	34	32	46	46	32	15	3	1	-
FEMALE--	12	11	18	17	53	40	59	53	31	15	4	-
ALL OTHER--MALE----	2	3	5	2	2	2	2	4	3	-	-	-
FEMALE--	1	1	5	8	5	4	2	2	5	-	1	-
BLACK---MALE-----	1	2	5	2	1	2	2	4	3	-	-	-
FEMALE--	1	1	3	7	5	4	2	2	3	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1417

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Endocrine diseases (E00-E34)												
KENTUCKY -----	1,179	2	-	-	1	-	-	5	8	12	23	37
WHITE-----MALE----	453	-	-	-	1	-	-	3	5	4	11	18
FEMALE--	610	1	-	-	-	-	-	1	2	6	9	13
ALL OTHER--MALE----	45	1	-	-	-	-	-	-	-	2	2	4
FEMALE--	71	-	-	-	-	-	-	1	1	-	1	2
BLACK---MALE-----	45	1	-	-	-	-	-	-	-	2	2	4
FEMALE--	69	-	-	-	-	-	-	1	1	-	1	2
LOUISIANA -----	1,743	2	3	-	1	1	1	9	10	22	31	57
WHITE-----MALE----	417	-	2	-	1	-	-	-	2	3	8	12
FEMALE--	527	-	1	-	-	1	-	3	3	2	6	10
ALL OTHER--MALE----	293	1	-	-	-	-	-	2	2	12	4	18
FEMALE--	506	1	-	-	-	-	1	4	3	5	13	17
BLACK---MALE-----	288	1	-	-	-	-	-	2	2	12	4	18
FEMALE--	500	1	-	-	-	-	1	4	3	5	13	17
MAINE -----	360	-	-	-	-	-	-	1	1	-	8	8
WHITE-----MALE----	150	-	-	-	-	-	-	1	1	-	7	5
FEMALE--	203	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,494	-	-	-	1	2	2	4	9	17	24	41
WHITE-----MALE----	413	-	-	-	-	2	-	1	4	6	9	10
FEMALE--	508	-	-	-	-	-	1	-	3	3	1	10
ALL OTHER--MALE----	252	-	-	-	1	-	1	1	-	3	8	12
FEMALE--	321	-	-	-	-	-	-	2	2	5	6	9
BLACK---MALE-----	235	-	-	-	1	-	1	1	-	3	7	12
FEMALE--	311	-	-	-	-	-	-	2	2	4	6	8
MASSACHUSETTS -----	1,415	1	1	-	-	-	1	2	9	11	25	38
WHITE-----MALE----	633	1	1	-	-	-	-	1	5	4	10	22
FEMALE--	685	-	-	-	-	-	1	1	3	5	10	11
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	55	-	-	-	-	-	-	-	1	2	4	1
BLACK---MALE-----	37	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	48	-	-	-	-	-	-	-	1	2	3	1
MICHIGAN -----	2,685	1	2	1	1	-	5	7	15	36	48	74
WHITE-----MALE----	952	-	-	-	-	-	3	1	7	20	20	31
FEMALE--	1,235	-	1	-	-	-	1	1	5	5	17	24
ALL OTHER--MALE----	209	1	-	-	1	-	1	2	3	7	9	12
FEMALE--	289	-	1	1	-	-	-	3	-	4	2	7
BLACK---MALE-----	196	1	-	-	1	-	1	2	3	7	9	11
FEMALE--	266	-	1	1	-	-	-	3	-	3	2	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1417

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
KENTUCKY -----	56	70	78	119	170	182	184	131	73	24	4	-
WHITE-----MALE----	24	36	39	53	75	64	66	35	17	2	-	-
FEMALE--	25	27	32	53	80	101	102	84	50	20	4	-
ALL OTHER--MALE----	2	5	2	8	2	7	6	3	1	-	-	-
FEMALE--	5	2	5	5	13	10	10	9	5	2	-	-
BLACK---MALE-----	2	5	2	8	2	7	6	3	1	-	-	-
FEMALE--	5	2	5	5	11	10	10	9	5	2	-	-
LOUISIANA -----	100	108	150	191	221	268	237	181	109	35	6	-
WHITE-----MALE----	30	21	33	52	64	85	54	33	15	1	1	-
FEMALE--	11	22	31	53	61	80	85	81	56	18	3	-
ALL OTHER--MALE----	25	32	37	34	35	33	24	22	9	3	-	-
FEMALE--	34	33	49	52	61	70	74	45	29	13	2	-
BLACK---MALE-----	25	32	36	33	34	31	24	22	9	3	-	-
FEMALE--	34	32	49	50	60	68	74	45	29	13	2	-
MAINE -----	8	14	22	40	50	65	61	44	29	6	3	-
WHITE-----MALE----	7	4	12	14	22	33	24	10	10	-	-	-
FEMALE--	1	10	9	24	27	32	35	33	19	6	3	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	68	96	109	170	189	250	214	184	80	30	3	1
WHITE-----MALE----	17	26	43	46	60	68	68	32	19	2	-	-
FEMALE--	8	12	20	43	62	101	87	95	40	21	1	-
ALL OTHER--MALE----	31	29	16	45	30	40	16	11	7	-	-	1
FEMALE--	12	29	30	36	37	41	43	46	14	7	2	-
BLACK---MALE-----	31	28	12	42	28	38	14	9	7	-	-	1
FEMALE--	11	29	29	33	36	41	42	46	14	6	2	-
MASSACHUSETTS -----	47	53	78	148	195	229	266	168	103	33	7	-
WHITE-----MALE----	32	33	37	80	87	95	120	67	31	5	2	-
FEMALE--	13	15	33	57	93	118	135	88	70	27	5	-
ALL OTHER--MALE----	2	2	5	3	4	7	7	6	-	1	-	-
FEMALE--	-	3	3	8	11	9	4	7	2	-	-	-
BLACK---MALE-----	2	1	4	3	3	6	7	6	-	-	-	-
FEMALE--	-	2	3	7	9	9	4	5	2	-	-	-
MICHIGAN -----	113	154	178	282	348	443	416	324	174	51	12	-
WHITE-----MALE----	50	51	64	112	138	166	140	105	35	8	1	-
FEMALE--	37	59	61	105	148	210	225	173	113	41	9	-
ALL OTHER--MALE----	15	25	18	24	21	30	17	15	7	1	-	-
FEMALE--	11	19	35	41	41	37	34	31	19	1	2	-
BLACK---MALE-----	12	25	17	21	20	27	17	14	7	1	-	-
FEMALE--	11	17	32	36	34	37	34	28	19	-	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1418

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
MINNESOTA -----	44	46	79	84	164	209	240	209	130	37	8	-
WHITE-----MALE----	24	34	43	44	87	106	113	79	37	8	2	-
FEMALE--	15	9	29	35	63	96	119	124	92	28	6	-
ALL OTHER--MALE----	4	1	3	3	5	4	2	2	-	-	-	-
FEMALE--	1	2	4	2	9	3	6	4	1	1	-	-
BLACK---MALE-----	1	-	2	1	4	2	1	1	-	-	-	-
FEMALE--	-	1	1	-	5	1	4	3	-	-	-	-
MISSISSIPPI -----	28	41	47	64	91	76	78	75	39	9	1	-
WHITE-----MALE----	11	10	18	17	34	19	13	15	5	-	1	-
FEMALE--	3	9	6	18	20	24	27	35	18	6	-	-
ALL OTHER--MALE----	7	10	9	15	11	14	14	11	3	2	-	-
FEMALE--	7	12	14	14	26	19	24	14	13	1	-	-
BLACK---MALE-----	6	9	8	15	11	13	14	10	3	2	-	-
FEMALE--	7	12	14	13	22	19	24	14	13	1	-	-
MISSOURI -----	71	96	109	181	245	218	244	200	125	22	5	-
WHITE-----MALE----	25	43	37	70	85	83	83	62	42	7	-	-
FEMALE--	22	30	40	78	112	109	137	114	73	14	3	-
ALL OTHER--MALE----	13	9	12	16	13	12	14	9	2	-	-	-
FEMALE--	11	14	20	17	35	14	10	15	8	1	2	-
BLACK---MALE-----	13	9	12	16	13	12	14	9	2	-	-	-
FEMALE--	11	14	19	15	34	14	9	14	8	1	2	-
MONTANA -----	6	8	14	22	33	48	38	43	19	5	1	-
WHITE-----MALE----	4	4	2	9	16	23	17	14	7	-	-	-
FEMALE--	2	2	7	6	14	20	18	28	10	5	1	-
ALL OTHER--MALE----	-	2	4	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	5	1	3	1	1	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	14	22	19	38	47	59	66	54	30	12	3	-
WHITE-----MALE----	9	12	8	19	22	25	28	18	6	1	-	-
FEMALE--	3	7	4	13	19	30	36	32	24	9	1	-
ALL OTHER--MALE----	1	-	3	1	4	2	-	1	-	1	1	-
FEMALE--	1	3	4	5	2	2	2	3	-	1	1	-
BLACK---MALE-----	1	-	2	1	3	-	-	-	-	1	1	-
FEMALE--	1	-	1	3	1	2	2	3	-	-	-	-
NEVADA -----	15	15	33	41	40	44	39	23	13	2	1	-
WHITE-----MALE----	4	6	17	23	22	22	13	7	4	1	-	-
FEMALE--	7	6	11	11	11	15	22	13	8	1	1	-
ALL OTHER--MALE----	2	2	1	1	3	4	1	1	-	-	-	-
FEMALE--	2	1	4	6	4	3	3	2	1	-	-	-
BLACK---MALE-----	1	-	1	1	2	3	1	1	-	-	-	-
FEMALE--	2	1	3	6	3	1	2	1	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1420

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Endocrine diseases (E00-E34)												
OHIO -----	3,820	3	-	-	-	4	2	3	13	27	56	90
WHITE-----MALE----	1,445	1	-	-	-	2	1	2	4	13	25	42
FEMALE--	1,819	1	-	-	-	1	-	1	4	8	18	22
ALL OTHER--MALE----	211	-	-	-	-	1	-	-	3	1	5	18
FEMALE--	345	1	-	-	-	-	1	-	2	5	8	8
BLACK---MALE-----	210	-	-	-	-	1	-	-	3	1	5	18
FEMALE--	336	1	-	-	-	-	1	-	2	5	8	7
OKLAHOMA -----	1,024	-	-	-	-	2	1	4	4	12	24	38
WHITE-----MALE----	323	-	-	-	-	-	-	-	3	3	6	12
FEMALE--	452	-	-	-	-	1	1	2	-	5	9	13
ALL OTHER--MALE----	112	-	-	-	-	1	-	1	-	2	9	7
FEMALE--	137	-	-	-	-	-	-	1	1	2	-	6
BLACK---MALE-----	56	-	-	-	-	1	-	1	-	2	7	3
FEMALE--	54	-	-	-	-	-	-	-	-	2	-	2
OREGON -----	898	-	-	-	-	1	1	9	3	3	15	28
WHITE-----MALE----	404	-	-	-	-	-	-	3	-	3	2	16
FEMALE--	440	-	-	-	-	1	1	6	3	-	8	5
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	3,908	-	-	-	3	3	5	12	17	37	47	96
WHITE-----MALE----	1,480	-	-	-	-	1	2	5	9	22	24	44
FEMALE--	1,978	-	-	-	2	1	2	4	3	7	11	30
ALL OTHER--MALE----	190	-	-	-	1	-	1	2	2	3	8	9
FEMALE--	260	-	-	-	-	1	-	1	3	5	4	13
BLACK---MALE-----	186	-	-	-	1	-	1	2	2	3	8	9
FEMALE--	255	-	-	-	-	1	-	1	3	5	4	13
RHODE ISLAND -----	246	-	-	1	-	-	-	1	2	2	1	4
WHITE-----MALE----	113	-	-	1	-	-	-	-	1	1	1	2
FEMALE--	122	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,169	1	-	1	-	1	1	7	4	15	29	38
WHITE-----MALE----	299	-	-	-	-	-	1	1	2	5	9	8
FEMALE--	364	1	-	-	-	-	-	2	-	4	10	5
ALL OTHER--MALE----	178	-	-	-	-	-	-	2	2	2	4	15
FEMALE--	328	-	-	1	-	1	-	2	-	4	6	10
BLACK---MALE-----	178	-	-	-	-	-	-	2	2	2	4	15
FEMALE--	325	-	-	1	-	1	-	2	-	4	6	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1420

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
OHIO -----	143	182	291	378	553	695	609	449	253	58	11	-
WHITE-----MALE----	70	78	125	154	227	296	219	133	44	8	1	-
FEMALE--	52	78	110	161	230	310	323	278	173	40	9	-
ALL OTHER--MALE----	17	13	23	23	37	31	21	6	9	3	-	-
FEMALE--	4	13	33	40	59	58	46	32	27	7	1	-
BLACK---MALE-----	17	13	23	23	37	31	20	6	9	3	-	-
FEMALE--	4	12	33	39	57	55	46	32	27	6	1	-
OKLAHOMA -----	53	66	79	102	132	169	136	111	70	18	3	-
WHITE-----MALE----	18	24	30	32	52	53	46	25	15	4	-	-
FEMALE--	16	21	21	34	56	76	62	72	47	13	3	-
ALL OTHER--MALE----	7	11	19	16	14	16	3	4	2	-	-	-
FEMALE--	12	10	9	20	10	24	25	10	6	1	-	-
BLACK---MALE-----	2	5	8	9	6	7	1	2	2	-	-	-
FEMALE--	6	4	3	8	3	8	14	2	2	-	-	-
OREGON -----	40	43	68	83	136	123	158	106	60	20	1	-
WHITE-----MALE----	16	25	32	41	60	67	69	53	12	5	-	-
FEMALE--	23	14	32	32	67	51	85	52	44	15	1	-
ALL OTHER--MALE----	1	2	3	7	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	3	8	4	4	1	4	-	-	-
BLACK---MALE-----	1	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	5	-	4	1	3	-	-	-
PENNSYLVANIA -----	113	173	250	387	525	692	713	480	258	81	16	-
WHITE-----MALE----	53	71	117	151	237	280	265	150	39	8	2	-
FEMALE--	36	68	90	176	226	344	401	295	202	67	13	-
ALL OTHER--MALE----	10	17	18	27	28	31	14	11	7	1	-	-
FEMALE--	14	17	25	33	34	37	33	24	10	5	1	-
BLACK---MALE-----	9	17	18	27	26	31	13	11	7	1	-	-
FEMALE--	14	17	24	33	33	34	33	24	10	5	1	-
RHODE ISLAND -----	10	17	17	17	43	38	41	31	19	-	2	-
WHITE-----MALE----	4	10	9	9	18	19	20	12	5	-	1	-
FEMALE--	5	5	7	8	21	18	20	19	13	-	1	-
ALL OTHER--MALE----	1	1	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
SOUTH CAROLINA -----	61	86	108	143	167	175	161	107	48	13	3	-
WHITE-----MALE----	14	26	34	42	47	53	32	19	6	-	-	-
FEMALE--	9	18	25	35	43	51	74	48	28	10	1	-
ALL OTHER--MALE----	21	16	17	25	21	24	16	11	1	1	-	-
FEMALE--	17	26	32	41	56	47	39	29	13	2	2	-
BLACK---MALE-----	21	16	17	25	21	24	16	11	1	1	-	-
FEMALE--	17	26	32	41	56	47	37	28	13	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1421

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Endocrine diseases (E00-E34)												
SOUTH DAKOTA -----	207	-	1	-	1	1	-	1	-	-	6	5
WHITE-----MALE----	76	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	100	-	1	-	1	-	-	1	-	-	4	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,489	1	-	-	1	1	6	6	8	18	36	40
WHITE-----MALE----	476	-	-	-	1	1	2	1	3	5	17	22
FEMALE--	625	1	-	-	-	-	2	2	4	2	7	9
ALL OTHER--MALE----	142	-	-	-	-	-	1	3	-	8	6	3
FEMALE--	246	-	-	-	-	-	1	-	1	3	6	6
BLACK---MALE-----	139	-	-	-	-	-	1	3	-	8	6	3
FEMALE--	243	-	-	-	-	-	1	-	1	3	5	6
TEXAS -----	5,105	4	-	1	3	7	7	14	28	57	109	171
WHITE-----MALE----	1,942	-	-	1	2	3	2	6	11	30	44	75
FEMALE--	2,319	4	-	-	-	4	1	4	4	20	42	52
ALL OTHER--MALE----	322	-	-	-	-	-	2	2	8	2	13	21
FEMALE--	522	-	-	-	1	-	2	2	5	5	10	23
BLACK---MALE-----	296	-	-	-	-	-	2	2	8	1	12	20
FEMALE--	490	-	-	-	1	-	2	2	5	5	10	23
UTAH -----	491	1	-	-	-	2	2	3	2	9	12	10
WHITE-----MALE----	207	1	-	-	-	2	2	1	1	4	4	8
FEMALE--	255	-	-	-	-	-	-	2	1	4	8	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	181	-	-	-	-	-	-	-	2	1	2	1
WHITE-----MALE----	89	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	92	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,557	1	-	2	-	2	5	4	10	17	28	54
WHITE-----MALE----	480	-	-	1	-	1	1	-	4	8	12	20
FEMALE--	608	1	-	-	-	-	1	3	3	3	9	9
ALL OTHER--MALE----	200	-	-	1	-	1	-	1	2	3	3	13
FEMALE--	269	-	-	-	-	-	3	-	1	3	4	12
BLACK---MALE-----	197	-	-	1	-	1	-	1	2	3	2	13
FEMALE--	250	-	-	-	-	-	3	-	1	3	4	11

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1421

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
SOUTH DAKOTA -----	7	9	13	15	28	28	32	39	15	5	1	-
WHITE-----MALE----	2	3	7	5	7	13	14	19	2	1	-	-
FEMALE--	1	1	3	6	19	10	16	19	12	4	1	-
ALL OTHER--MALE----	2	2	3	2	2	3	-	1	-	-	-	-
FEMALE--	2	3	-	2	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	65	97	121	158	173	235	231	178	86	25	3	-
WHITE-----MALE----	23	38	38	65	53	77	81	34	13	2	-	-
FEMALE--	20	33	44	45	66	101	105	113	51	19	1	-
ALL OTHER--MALE----	10	16	17	21	18	18	12	5	4	-	-	-
FEMALE--	12	10	22	27	36	39	33	26	18	4	2	-
BLACK---MALE-----	10	14	17	21	18	18	11	5	4	-	-	-
FEMALE--	12	10	22	26	36	38	33	26	18	4	2	-
TEXAS -----	240	317	438	610	753	804	664	523	248	98	9	-
WHITE-----MALE----	114	149	192	242	301	307	219	170	58	15	1	-
FEMALE--	68	109	160	266	325	375	357	278	173	71	6	-
ALL OTHER--MALE----	23	36	41	45	44	39	17	22	4	2	1	-
FEMALE--	35	23	45	57	83	83	71	53	13	10	1	-
BLACK---MALE-----	21	35	34	40	42	35	15	22	4	2	1	-
FEMALE--	33	21	41	53	77	76	68	49	13	10	1	-
UTAH -----	13	25	29	48	68	80	84	54	39	8	2	-
WHITE-----MALE----	10	7	15	29	26	33	33	17	10	3	1	-
FEMALE--	3	14	12	17	39	42	44	34	27	5	1	-
ALL OTHER--MALE----	-	3	2	1	2	2	1	1	1	-	-	-
FEMALE--	-	1	-	1	1	3	6	2	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	-	-	-
VERMONT -----	7	11	17	21	37	25	37	10	8	2	-	-
WHITE-----MALE----	3	6	7	11	21	15	17	3	2	-	-	-
FEMALE--	4	5	10	10	16	10	20	7	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	81	105	108	177	232	234	211	172	86	25	3	-
WHITE-----MALE----	22	37	35	68	79	76	47	52	15	2	-	-
FEMALE--	22	33	35	48	88	98	99	85	56	13	2	-
ALL OTHER--MALE----	19	15	10	32	28	30	27	11	3	1	-	-
FEMALE--	18	20	28	29	37	30	38	24	12	9	1	-
BLACK---MALE-----	18	15	10	31	28	30	27	11	3	1	-	-
FEMALE--	15	19	27	28	34	28	35	22	11	8	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1422

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Endocrine diseases (E00-E34)												
WASHINGTON -----	44	74	89	126	209	246	226	156	59	24	3	-
WHITE-----MALE----	23	31	38	51	100	90	93	70	14	4	1	-
FEMALE--	16	31	40	55	83	130	116	79	39	18	2	-
ALL OTHER--MALE----	4	5	6	13	12	10	6	1	-	1	-	-
FEMALE--	1	7	5	7	14	16	11	6	6	1	-	-
BLACK---MALE-----	3	4	3	8	8	6	4	1	-	-	-	-
FEMALE--	1	3	2	2	4	10	5	2	4	-	-	-
WEST VIRGINIA -----	27	35	53	79	134	128	110	90	51	8	5	-
WHITE-----MALE----	15	20	25	37	57	59	43	25	9	-	1	-
FEMALE--	12	14	28	40	69	62	61	55	39	8	3	-
ALL OTHER--MALE----	-	-	-	1	4	3	3	1	2	-	-	-
FEMALE--	-	1	-	1	4	4	3	9	1	-	1	-
BLACK---MALE-----	-	-	-	1	4	3	3	1	2	-	-	-
FEMALE--	-	1	-	1	4	4	3	9	1	-	1	-
WISCONSIN -----	39	54	92	118	189	223	220	166	100	32	5	-
WHITE-----MALE----	24	24	48	61	97	111	86	58	27	6	-	-
FEMALE--	7	14	34	45	78	94	128	103	69	26	5	-
ALL OTHER--MALE----	3	8	4	6	4	8	3	-	-	-	-	-
FEMALE--	5	8	6	6	10	10	3	5	4	-	-	-
BLACK---MALE-----	3	6	-	6	1	5	2	-	-	-	-	-
FEMALE--	4	7	4	5	6	6	3	2	4	-	-	-
WYOMING -----	7	12	8	15	20	19	24	20	6	3	1	-
WHITE-----MALE----	5	6	4	3	7	10	7	13	3	1	-	-
FEMALE--	2	6	4	11	11	9	17	7	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1423

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of thyroid gland (E00-E07)												
UNITED STATES -	1,811	2	1	-	-	3	4	13	8	15	21	39
WHITE-----MALE----	336	1	-	-	-	1	-	3	1	3	2	7
FEMALE--	1,245	1	1	-	-	1	2	4	-	5	11	13
ALL OTHER--MALE----	67	-	-	-	-	1	-	2	2	2	3	5
FEMALE--	163	-	-	-	-	-	2	4	5	5	5	14
BLACK---MALE-----	54	-	-	-	-	1	-	1	1	2	2	4
FEMALE--	151	-	-	-	-	-	2	4	5	5	5	13
ALABAMA -----	28	-	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	2	1	-	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	2	1	-	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	140	-	1	-	-	1	1	2	1	1	4	7
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	95	-	1	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	7	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	3
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1423

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of thyroid gland (E00-E07)												
UNITED STATES -	32	41	35	61	116	184	304	363	369	153	47	-
WHITE-----MALE----	10	5	11	12	30	40	67	64	50	25	4	-
FEMALE--	12	21	17	38	70	122	202	276	295	118	36	-
ALL OTHER--MALE----	3	7	2	8	3	5	13	4	5	1	1	-
FEMALE--	7	8	5	3	13	17	22	19	19	9	6	-
BLACK---MALE-----	2	7	2	6	3	4	10	3	5	-	1	-
FEMALE--	6	8	5	3	12	14	19	19	17	9	5	-
ALABAMA -----	1	1	-	-	3	3	5	1	8	-	2	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	1	7	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	1	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	-	-	3	1	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	2	2	5	4	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	2	-	-
FEMALE--	-	-	-	-	-	1	1	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	3	2	4	6	9	23	32	25	17	1	-
WHITE-----MALE----	-	1	2	1	2	3	5	6	-	3	-	-
FEMALE--	-	2	-	1	3	4	18	25	23	13	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1424

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of thyroid gland (E00-E07)												
COLORADO -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	122	-	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	96	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	43	1	-	-	-	-	-	1	-	1	1	5
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	-	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1424

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of thyroid gland (E00-E07)												
COLORADO -----	-	-	-	1	-	-	2	1	2	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	-	-	-	1	-	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	6	3	7	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	1	-	-	5	3	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	-	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	-	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	3	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	3	1	-	-	-	-
FLORIDA -----	1	4	5	5	7	9	25	25	30	5	3	-
WHITE-----MALE----	-	-	4	2	1	1	5	3	4	-	-	-
FEMALE--	-	4	1	2	6	8	19	22	25	5	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	1	-
GEORGIA -----	1	2	1	3	2	2	5	13	3	1	1	-
WHITE-----MALE----	-	-	-	1	-	-	-	3	-	-	-	-
FEMALE--	1	-	1	1	1	2	3	9	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	1	-	1	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	1	-	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1426

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of thyroid gland (E00-E07)												
KENTUCKY -----	-	1	-	-	3	6	4	4	8	2	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	3	2	2	3	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	1	1	1	-	1	8	2	11	3	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	3	-	-	1	-
FEMALE--	-	1	1	-	1	6	-	5	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	3	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	3	-	-	-	-
MAINE -----	-	-	-	-	-	-	4	2	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	1	2	3	1	7	16	7	10	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	2	2	1	5	14	3	8	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	1	3	1	1	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	1	3	1	1	-
MASSACHUSETTS -----	-	-	1	1	4	5	9	5	11	6	2	-
WHITE-----MALE----	-	-	-	-	2	2	1	2	1	-	-	-
FEMALE--	-	-	1	1	1	2	8	3	10	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MICHIGAN -----	1	2	4	3	1	3	10	11	19	9	2	-
WHITE-----MALE----	-	1	-	-	1	-	2	2	3	-	-	-
FEMALE--	1	1	2	1	-	2	8	9	15	9	2	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	1	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1429

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of thyroid gland (E00-E07)												
OHIO -----	1	1	-	6	9	13	16	25	23	8	1	-
WHITE-----MALE----	-	-	-	1	3	2	4	3	2	1	-	-
FEMALE--	1	1	-	5	5	10	12	21	21	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
OKLAHOMA -----	4	-	-	1	2	2	1	3	3	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	-	-	-	-	2	9	4	2	5	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	2	7	2	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	2	3	10	16	28	23	25	8	3	-
WHITE-----MALE----	-	-	-	-	5	4	1	2	4	-	-	-
FEMALE--	-	-	1	2	5	10	25	20	19	6	3	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	2	-	-
BLACK---MALE-----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	2	-	-
RHODE ISLAND -----	-	-	1	-	1	-	-	-	3	-	2	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	-	-	5	4	4	5	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	3	4	3	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1430

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of thyroid gland (E00-E07)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	44	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	102	-	-	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	71	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	1
UTAH -----	10	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	51	-	-	-	-	-	1	-	-	-	1	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1430

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of thyroid gland (E00-E07)												
SOUTH DAKOTA -----	-	-	-	1	2	-	-	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	-	1	4	6	4	9	10	3	1	-
WHITE-----MALE----	1	1	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	3	1	8	7	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	1	-	1	-
BLACK---MALE-----	-	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	1	-	1	-
TEXAS -----	1	1	2	4	12	16	11	15	24	7	2	-
WHITE-----MALE----	-	-	-	-	5	3	1	1	6	1	-	-
FEMALE--	-	1	2	2	5	12	10	11	17	6	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	3	1	-	-	-
UTAH -----	-	-	-	-	-	1	-	2	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	-	2	3	6	8	10	8	3	1	-
WHITE-----MALE----	2	-	-	-	-	2	2	3	-	-	-	-
FEMALE--	1	1	-	2	3	2	3	5	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	1	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1432

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
UNITED STATES -	68,399	2	8	9	23	51	104	189	393	730	1,212	1,942
WHITE-----MALE----	25,545	-	3	4	6	21	38	72	154	318	511	864
FEMALE--	29,054	2	3	4	8	17	31	65	118	197	358	503
ALL OTHER--MALE----	5,605	-	1	-	6	4	17	22	71	119	191	325
FEMALE--	8,195	-	1	1	3	9	18	30	50	96	152	250
BLACK---MALE-----	4,759	-	1	-	6	4	15	21	65	107	170	292
FEMALE--	7,168	-	1	1	3	9	16	28	48	88	142	223
ALABAMA -----	1,341	-	1	-	-	2	2	2	6	16	40	47
WHITE-----MALE----	359	-	-	-	-	-	-	1	1	7	13	15
FEMALE--	470	-	-	-	-	-	-	-	3	2	6	8
ALL OTHER--MALE----	184	-	1	-	-	-	1	-	-	4	12	12
FEMALE--	328	-	-	-	-	2	1	1	2	3	9	12
BLACK---MALE-----	180	-	1	-	-	-	1	-	-	4	12	12
FEMALE--	326	-	-	-	-	2	1	1	2	3	9	12
ALASKA -----	67	-	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,063	-	-	-	1	1	4	4	9	15	13	41
WHITE-----MALE----	488	-	-	-	-	-	3	2	2	9	4	23
FEMALE--	417	-	-	-	1	1	-	2	6	2	5	12
ALL OTHER--MALE----	64	-	-	-	-	-	1	-	1	3	3	3
FEMALE--	94	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	691	-	-	-	-	-	3	2	7	13	10	29
WHITE-----MALE----	230	-	-	-	-	-	1	1	2	6	3	10
FEMALE--	273	-	-	-	-	-	2	1	2	1	2	4
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	3	3	3	9
FEMALE--	113	-	-	-	-	-	-	-	-	3	2	6
BLACK---MALE-----	72	-	-	-	-	-	-	-	3	3	3	8
FEMALE--	111	-	-	-	-	-	-	-	-	3	2	6
CALIFORNIA -----	6,401	-	1	-	4	5	13	14	42	72	122	200
WHITE-----MALE----	2,369	-	1	-	-	3	5	7	19	23	59	93
FEMALE--	2,674	-	-	-	2	2	3	4	12	28	36	56
ALL OTHER--MALE----	603	-	-	-	1	-	2	2	6	6	16	28
FEMALE--	755	-	-	-	1	-	3	1	5	15	11	23
BLACK---MALE-----	332	-	-	-	1	-	1	1	5	5	13	25
FEMALE--	443	-	-	-	1	-	1	1	5	12	8	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1432

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
UNITED STATES -	2,793	3,865	5,232	7,215	9,693	11,269	10,488	7,893	3,943	1,165	177	3
WHITE-----MALE----	1,191	1,582	2,102	2,906	3,881	4,455	3,838	2,474	924	178	22	1
FEMALE--	797	1,172	1,753	2,641	3,802	4,860	5,064	4,272	2,455	817	115	-
ALL OTHER--MALE----	411	538	634	724	768	735	511	342	147	32	6	1
FEMALE--	394	573	743	944	1,242	1,219	1,075	805	417	138	34	1
BLACK---MALE-----	358	461	534	631	637	595	429	281	123	23	5	1
FEMALE--	358	493	663	813	1,056	1,057	941	701	373	121	32	1
ALABAMA -----	63	74	111	162	166	199	206	156	58	24	6	-
WHITE-----MALE----	19	25	33	53	47	66	43	23	11	1	1	-
FEMALE--	15	17	25	54	49	67	99	85	28	10	2	-
ALL OTHER--MALE----	11	16	25	17	27	17	19	14	6	2	-	-
FEMALE--	18	16	28	38	43	49	45	34	13	11	3	-
BLACK---MALE-----	10	15	25	16	27	17	18	14	6	2	-	-
FEMALE--	18	16	28	38	42	49	44	34	13	11	3	-
ALASKA -----	5	6	4	8	7	14	7	6	4	-	-	-
WHITE-----MALE----	3	-	2	1	1	3	2	2	-	-	-	-
FEMALE--	1	3	1	4	6	8	2	2	3	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	1	1	-	-	-
FEMALE--	-	1	1	1	-	3	3	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ARIZONA -----	46	78	97	118	136	175	151	110	51	11	2	-
WHITE-----MALE----	23	35	50	49	53	91	70	50	17	7	-	-
FEMALE--	12	21	29	46	58	71	69	49	28	3	2	-
ALL OTHER--MALE----	8	11	5	8	5	4	5	3	3	1	-	-
FEMALE--	3	11	13	15	20	9	7	8	3	-	-	-
BLACK---MALE-----	1	3	1	3	1	2	1	1	2	-	-	-
FEMALE--	-	2	3	3	3	3	3	2	1	-	-	-
ARKANSAS -----	29	36	55	64	96	123	95	85	31	12	1	-
WHITE-----MALE----	11	15	24	24	32	40	34	19	7	1	-	-
FEMALE--	9	6	14	22	37	51	42	54	18	7	1	-
ALL OTHER--MALE----	4	7	7	7	8	11	8	2	2	1	-	-
FEMALE--	5	8	10	11	19	21	11	10	4	3	-	-
BLACK---MALE-----	4	6	6	7	8	11	8	2	2	1	-	-
FEMALE--	5	8	10	10	19	21	10	10	4	3	-	-
CALIFORNIA -----	262	387	535	674	931	1,059	950	696	311	109	14	-
WHITE-----MALE----	111	150	201	263	347	400	348	239	68	29	3	-
FEMALE--	89	129	226	277	367	437	420	333	183	62	8	-
ALL OTHER--MALE----	20	48	66	65	88	105	75	48	20	6	1	-
FEMALE--	42	60	42	69	129	117	107	76	40	12	2	-
BLACK---MALE-----	14	29	46	36	43	47	38	20	7	1	-	-
FEMALE--	31	38	25	42	67	62	59	44	24	7	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1433

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
COLORADO -----	639	-	-	-	1	-	1	2	11	7	9	15
WHITE-----MALE----	268	-	-	-	-	-	-	-	4	6	4	11
FEMALE--	316	-	-	-	1	-	1	2	7	1	3	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	691	-	-	-	-	-	1	2	5	9	14	16
WHITE-----MALE----	274	-	-	-	-	-	-	-	-	1	8	10
FEMALE--	336	-	-	-	-	-	-	1	4	5	6	4
ALL OTHER--MALE----	37	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	44	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE-----	35	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	38	-	-	-	-	-	-	1	-	2	-	-
DELAWARE -----	179	-	-	-	-	-	-	2	1	3	3	4
WHITE-----MALE----	73	-	-	-	-	-	-	1	1	3	1	1
FEMALE--	64	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	221	-	-	-	-	-	-	1	3	1	1	11
WHITE-----MALE----	18	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	137	-	-	-	-	-	-	-	1	-	-	6
BLACK---MALE-----	58	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	137	-	-	-	-	-	-	-	1	-	-	6
FLORIDA -----	4,357	-	-	-	-	3	4	8	28	41	57	135
WHITE-----MALE----	1,869	-	-	-	-	-	2	4	11	18	16	61
FEMALE--	1,695	-	-	-	-	2	-	3	6	10	26	36
ALL OTHER--MALE----	297	-	-	-	-	-	-	1	6	10	5	21
FEMALE--	496	-	-	-	-	1	2	-	5	3	10	17
BLACK---MALE-----	291	-	-	-	-	-	-	1	5	10	5	21
FEMALE--	480	-	-	-	-	1	2	-	5	3	10	17
GEORGIA -----	1,448	-	-	1	-	2	2	9	9	15	42	53
WHITE-----MALE----	427	-	-	-	-	-	-	2	1	4	11	16
FEMALE--	482	-	-	1	-	-	1	3	1	5	6	12
ALL OTHER--MALE----	193	-	-	-	-	-	1	-	5	3	15	9
FEMALE--	346	-	-	-	-	2	-	4	2	3	10	16
BLACK---MALE-----	191	-	-	-	-	-	1	-	5	2	15	9
FEMALE--	340	-	-	-	-	2	-	4	2	3	10	14

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1433

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
COLORADO -----	20	26	47	64	90	116	92	80	45	13	-	-
WHITE-----MALE----	11	14	19	26	49	52	34	27	10	1	-	-
FEMALE--	7	8	22	33	32	47	52	50	35	12	-	-
ALL OTHER--MALE----	2	2	3	3	2	6	2	2	-	-	-	-
FEMALE--	-	2	3	2	7	11	4	1	-	-	-	-
BLACK---MALE-----	1	1	3	2	2	1	2	1	-	-	-	-
FEMALE--	-	2	2	2	5	7	3	1	-	-	-	-
CONNECTICUT -----	30	37	41	68	85	118	105	96	51	12	1	-
WHITE-----MALE----	10	19	15	31	35	52	40	36	15	2	-	-
FEMALE--	15	11	19	24	39	59	54	53	32	9	1	-
ALL OTHER--MALE----	3	3	3	6	5	2	5	4	-	1	-	-
FEMALE--	2	4	4	7	6	5	6	3	4	-	-	-
BLACK---MALE-----	3	3	3	5	5	1	5	4	-	1	-	-
FEMALE--	2	4	4	4	6	4	5	2	4	-	-	-
DELAWARE -----	6	9	16	22	24	23	24	30	10	2	-	-
WHITE-----MALE----	3	4	9	11	12	7	5	12	1	2	-	-
FEMALE--	1	1	4	3	5	12	15	12	7	-	-	-
ALL OTHER--MALE----	1	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	1	3	-	4	5	3	2	4	2	-	-	-
BLACK---MALE-----	1	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	1	3	-	4	5	3	2	4	2	-	-	-
DISTRICT OF COLUMBIA ---	8	8	19	15	36	41	36	23	15	3	-	-
WHITE-----MALE----	-	1	2	-	5	3	3	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	2	-	1	-	-
ALL OTHER--MALE----	2	3	9	6	7	9	8	7	2	-	-	-
FEMALE--	6	4	7	9	22	29	25	13	13	2	-	-
BLACK---MALE-----	2	3	9	6	7	8	7	7	2	-	-	-
FEMALE--	6	4	7	9	22	29	25	13	13	2	-	-
FLORIDA -----	176	216	327	459	585	776	715	492	247	75	11	2
WHITE-----MALE----	76	97	143	227	252	363	322	176	86	12	2	1
FEMALE--	55	55	91	137	212	307	307	260	127	54	7	-
ALL OTHER--MALE----	20	27	42	39	45	28	24	14	14	1	-	-
FEMALE--	25	37	51	56	76	78	62	42	20	8	2	1
BLACK---MALE-----	20	26	39	39	44	28	24	14	14	1	-	-
FEMALE--	25	35	48	55	71	75	62	40	20	8	2	1
GEORGIA -----	72	100	130	147	190	210	204	159	75	25	3	-
WHITE-----MALE----	27	35	29	44	72	66	67	35	15	2	1	-
FEMALE--	13	23	36	43	60	77	81	70	37	12	1	-
ALL OTHER--MALE----	13	21	29	26	23	17	18	9	4	-	-	-
FEMALE--	19	21	36	34	35	50	38	45	19	11	1	-
BLACK---MALE-----	13	21	28	26	23	17	18	9	4	-	-	-
FEMALE--	19	20	35	33	34	50	38	45	19	11	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1434

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
HAWAII -----	211	-	-	-	-	-	-	-	2	2	5	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	77	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	267	-	-	-	1	1	1	1	2	6	4	10
WHITE-----MALE----	110	-	-	-	-	-	1	1	-	3	3	8
FEMALE--	150	-	-	-	1	1	-	-	2	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,004	-	-	-	1	1	5	2	15	40	45	77
WHITE-----MALE----	1,106	-	-	-	-	-	1	-	3	16	16	37
FEMALE--	1,285	-	-	-	-	-	1	2	4	15	14	14
ALL OTHER--MALE----	262	-	-	-	1	-	2	-	5	4	9	16
FEMALE--	351	-	-	-	-	1	1	-	3	5	6	10
BLACK---MALE----	239	-	-	-	1	-	2	-	5	4	9	16
FEMALE--	331	-	-	-	-	1	1	-	3	5	6	10
INDIANA -----	1,591	-	-	-	-	-	2	6	9	16	28	47
WHITE-----MALE----	636	-	-	-	-	-	1	4	2	9	15	29
FEMALE--	744	-	-	-	-	-	1	1	4	5	8	13
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	124	-	-	-	-	-	-	1	1	-	3	3
BLACK---MALE----	85	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	120	-	-	-	-	-	-	1	1	-	3	3
IOWA -----	684	-	-	-	-	-	1	1	7	4	12	19
WHITE-----MALE----	278	-	-	-	-	-	1	1	3	2	8	11
FEMALE--	392	-	-	-	-	-	-	-	3	2	3	8
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
KANSAS -----	650	-	1	-	-	1	1	5	4	11	13	12
WHITE-----MALE----	266	-	-	-	-	1	-	2	2	6	8	3
FEMALE--	318	-	1	-	-	-	1	1	2	2	5	7
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	38	-	-	-	-	-	-	2	-	1	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	32	-	-	-	-	-	-	1	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1434

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
HAWAII -----	6	17	16	21	36	40	26	20	14	3	-	-
WHITE-----MALE----	2	4	1	2	5	11	6	3	1	-	-	-
FEMALE--	-	1	3	2	2	5	2	3	1	-	-	-
ALL OTHER--MALE----	3	5	9	9	19	10	5	5	5	1	-	-
FEMALE--	1	7	3	8	10	14	13	9	7	2	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	13	11	18	24	44	52	44	19	9	1	-
WHITE-----MALE----	5	9	5	11	12	15	16	12	7	2	-	-
FEMALE--	1	4	5	5	12	28	36	30	12	7	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	107	157	234	299	435	489	488	377	170	55	7	-
WHITE-----MALE----	51	57	90	106	183	194	187	113	45	6	1	-
FEMALE--	26	58	72	108	167	203	227	224	104	43	3	-
ALL OTHER--MALE----	15	23	35	36	33	36	28	15	4	-	-	-
FEMALE--	15	19	37	49	52	56	46	25	17	6	3	-
BLACK---MALE-----	13	22	29	34	30	30	27	13	4	-	-	-
FEMALE--	15	19	37	46	49	52	42	20	16	6	3	-
INDIANA -----	63	78	104	169	230	261	245	211	90	28	4	-
WHITE-----MALE----	35	30	40	78	94	111	94	65	27	2	-	-
FEMALE--	21	20	45	65	94	133	123	127	57	26	1	-
ALL OTHER--MALE----	5	11	9	11	22	5	7	6	3	-	-	-
FEMALE--	2	17	10	15	20	12	21	13	3	-	3	-
BLACK---MALE-----	5	11	9	10	21	5	7	6	3	-	-	-
FEMALE--	2	17	10	15	18	12	20	12	3	-	3	-
IOWA -----	14	21	43	55	87	110	113	99	63	29	6	-
WHITE-----MALE----	10	12	19	25	30	46	47	35	20	7	1	-
FEMALE--	3	8	24	30	53	63	64	61	43	22	5	-
ALL OTHER--MALE----	-	1	-	-	3	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	2	-	-	-	-
BLACK---MALE-----	-	1	-	-	3	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
KANSAS -----	23	30	43	60	89	90	106	88	52	18	3	-
WHITE-----MALE----	9	16	15	33	31	45	45	32	14	3	1	-
FEMALE--	11	10	18	17	51	39	57	50	30	15	1	-
ALL OTHER--MALE----	2	3	5	2	2	2	2	4	3	-	-	-
FEMALE--	1	1	5	8	5	4	2	2	5	-	1	-
BLACK---MALE-----	1	2	5	2	1	2	2	4	3	-	-	-
FEMALE--	1	1	3	7	5	4	2	2	3	-	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1435

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
KENTUCKY -----	1,133	-	-	-	1	-	-	4	7	12	23	36
WHITE-----MALE----	440	-	-	-	1	-	-	2	4	4	11	17
FEMALE--	581	-	-	-	-	-	-	1	2	6	9	13
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	68	-	-	-	-	-	-	1	1	-	1	2
BLACK---MALE-----	44	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	66	-	-	-	-	-	-	1	1	-	1	2
LOUISIANA -----	1,687	-	2	-	1	1	1	7	9	22	31	55
WHITE-----MALE----	408	-	2	-	1	-	-	-	2	3	8	12
FEMALE--	499	-	-	-	-	1	-	3	3	2	6	10
ALL OTHER--MALE----	286	-	-	-	-	-	-	1	2	12	4	18
FEMALE--	494	-	-	-	-	-	1	3	2	5	13	15
BLACK---MALE-----	281	-	-	-	-	-	-	1	2	12	4	18
FEMALE--	488	-	-	-	-	-	1	3	2	5	13	15
MAINE -----	348	-	-	-	-	-	-	1	1	-	8	8
WHITE-----MALE----	148	-	-	-	-	-	-	1	1	-	7	5
FEMALE--	193	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,422	-	-	-	1	1	2	4	9	16	24	40
WHITE-----MALE----	406	-	-	-	-	1	-	1	4	5	9	10
FEMALE--	465	-	-	-	-	-	1	-	3	3	1	9
ALL OTHER--MALE----	244	-	-	-	1	-	1	1	-	3	8	12
FEMALE--	307	-	-	-	-	-	-	2	2	5	6	9
BLACK---MALE-----	227	-	-	-	1	-	1	1	-	3	7	12
FEMALE--	297	-	-	-	-	-	-	2	2	4	6	8
MASSACHUSETTS -----	1,354	-	-	-	-	-	1	2	9	10	24	38
WHITE-----MALE----	618	-	-	-	-	-	-	1	5	4	10	22
FEMALE--	641	-	-	-	-	-	1	1	3	4	9	11
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	53	-	-	-	-	-	-	-	1	2	4	1
BLACK---MALE-----	37	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	46	-	-	-	-	-	-	-	1	2	3	1
MICHIGAN -----	2,587	-	1	1	1	-	5	7	14	36	46	71
WHITE-----MALE----	935	-	-	-	-	-	3	1	6	20	20	30
FEMALE--	1,169	-	1	-	-	-	1	1	5	5	16	22
ALL OTHER--MALE----	202	-	-	-	1	-	1	2	3	7	9	12
FEMALE--	281	-	-	1	-	-	-	3	-	4	1	7
BLACK---MALE-----	189	-	-	-	1	-	1	2	3	7	9	11
FEMALE--	258	-	-	1	-	-	-	3	-	3	1	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1435

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
KENTUCKY -----	56	68	78	117	166	172	178	126	63	22	4	-
WHITE-----MALE----	24	36	39	53	74	60	63	34	16	2	-	-
FEMALE--	25	26	32	51	77	96	100	80	41	18	4	-
ALL OTHER--MALE----	2	5	2	8	2	7	6	3	1	-	-	-
FEMALE--	5	1	5	5	13	9	9	9	5	2	-	-
BLACK---MALE-----	2	5	2	8	2	7	6	3	1	-	-	-
FEMALE--	5	1	5	5	11	9	9	9	5	2	-	-
LOUISIANA -----	98	106	147	189	219	257	232	168	105	32	5	-
WHITE-----MALE----	30	21	33	52	64	83	51	30	15	1	-	-
FEMALE--	11	21	29	52	60	73	84	74	52	15	3	-
ALL OTHER--MALE----	25	31	37	33	34	31	24	22	9	3	-	-
FEMALE--	32	33	48	52	61	70	73	42	29	13	2	-
BLACK---MALE-----	25	31	36	32	33	29	24	22	9	3	-	-
FEMALE--	32	32	48	50	60	68	73	42	29	13	2	-
MAINE -----	8	13	22	40	49	65	56	41	29	5	2	-
WHITE-----MALE----	7	3	12	14	22	33	24	9	10	-	-	-
FEMALE--	1	10	9	24	26	32	30	31	19	5	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	64	94	106	167	183	248	203	167	70	20	2	1
WHITE-----MALE----	15	26	43	46	60	68	68	31	18	1	-	-
FEMALE--	8	12	19	41	59	99	80	80	36	13	1	-
ALL OTHER--MALE----	30	27	16	44	28	40	16	11	5	-	-	1
FEMALE--	11	29	28	36	36	41	39	45	11	6	1	-
BLACK---MALE-----	30	26	12	41	26	38	14	9	5	-	-	1
FEMALE--	10	29	27	33	35	41	38	45	11	5	1	-
MASSACHUSETTS -----	44	52	76	146	189	224	254	161	92	27	5	-
WHITE-----MALE----	31	33	36	80	85	93	116	65	30	5	2	-
FEMALE--	11	14	32	55	90	116	127	83	60	21	3	-
ALL OTHER--MALE----	2	2	5	3	4	7	7	6	-	1	-	-
FEMALE--	-	3	3	8	10	8	4	7	2	-	-	-
BLACK---MALE-----	2	1	4	3	3	6	7	6	-	-	-	-
FEMALE--	-	2	3	7	8	8	4	5	2	-	-	-
MICHIGAN -----	111	152	169	278	344	436	401	310	153	41	10	-
WHITE-----MALE----	50	50	63	111	137	165	136	102	32	8	1	-
FEMALE--	35	58	58	104	145	206	215	162	97	31	7	-
ALL OTHER--MALE----	15	25	16	22	21	29	16	15	7	1	-	-
FEMALE--	11	19	32	41	41	36	34	31	17	1	2	-
BLACK---MALE-----	12	25	15	19	20	26	16	14	7	1	-	-
FEMALE--	11	17	29	36	34	36	34	28	17	-	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1436

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
MINNESOTA -----	42	43	79	83	163	205	227	198	116	30	5	-
WHITE-----MALE----	22	34	43	44	87	103	109	78	36	5	1	-
FEMALE--	15	6	29	34	62	95	110	114	79	24	4	-
ALL OTHER--MALE----	4	1	3	3	5	4	2	2	-	-	-	-
FEMALE--	1	2	4	2	9	3	6	4	1	1	-	-
BLACK---MALE-----	1	-	2	1	4	2	1	1	-	-	-	-
FEMALE--	-	1	1	-	5	1	4	3	-	-	-	-
MISSISSIPPI -----	28	41	45	63	90	75	77	74	38	9	1	-
WHITE-----MALE----	11	10	18	17	33	18	13	14	5	-	1	-
FEMALE--	3	9	6	17	20	24	27	35	17	6	-	-
ALL OTHER--MALE----	7	10	8	15	11	14	14	11	3	2	-	-
FEMALE--	7	12	13	14	26	19	23	14	13	1	-	-
BLACK---MALE-----	6	9	7	15	11	13	14	10	3	2	-	-
FEMALE--	7	12	13	13	22	19	23	14	13	1	-	-
MISSOURI -----	68	93	107	178	241	212	234	195	113	17	3	-
WHITE-----MALE----	25	42	37	69	85	82	79	60	41	4	-	-
FEMALE--	20	28	38	76	108	104	131	112	62	12	1	-
ALL OTHER--MALE----	13	9	12	16	13	12	14	8	2	-	-	-
FEMALE--	10	14	20	17	35	14	10	15	8	1	2	-
BLACK---MALE-----	13	9	12	16	13	12	14	8	2	-	-	-
FEMALE--	10	14	19	15	34	14	9	14	8	1	2	-
MONTANA -----	6	8	14	22	32	47	37	42	18	5	-	-
WHITE-----MALE----	4	4	2	9	16	22	16	13	6	-	-	-
FEMALE--	2	2	7	6	13	20	18	28	10	5	-	-
ALL OTHER--MALE----	-	2	4	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	5	1	3	1	1	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	14	22	19	38	47	57	65	51	27	9	2	-
WHITE-----MALE----	9	12	8	19	22	24	27	18	6	1	-	-
FEMALE--	3	7	4	13	19	29	36	29	21	6	1	-
ALL OTHER--MALE----	1	-	3	1	4	2	-	1	-	1	1	-
FEMALE--	1	3	4	5	2	2	2	3	-	1	-	-
BLACK---MALE-----	1	-	2	1	3	-	-	-	-	1	1	-
FEMALE--	1	-	1	3	1	2	2	3	-	-	-	-
NEVADA -----	15	14	33	39	40	42	38	22	10	2	1	-
WHITE-----MALE----	4	5	17	22	22	22	12	6	2	1	-	-
FEMALE--	7	6	11	10	11	13	22	13	7	1	1	-
ALL OTHER--MALE----	2	2	1	1	3	4	1	1	-	-	-	-
FEMALE--	2	1	4	6	4	3	3	2	1	-	-	-
BLACK---MALE-----	1	-	1	1	2	3	1	1	-	-	-	-
FEMALE--	2	1	3	6	3	1	2	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1438

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
OHIO -----	3,675	-	-	-	-	4	2	2	13	27	51	89
WHITE-----MALE----	1,415	-	-	-	-	2	1	1	4	13	25	42
FEMALE--	1,717	-	-	-	-	1	-	1	4	8	15	21
ALL OTHER--MALE----	206	-	-	-	-	1	-	-	3	1	5	18
FEMALE--	337	-	-	-	-	-	1	-	2	5	6	8
BLACK---MALE-----	205	-	-	-	-	1	-	-	3	1	5	18
FEMALE--	328	-	-	-	-	-	1	-	2	5	6	7
OKLAHOMA -----	986	-	-	-	-	1	1	4	2	12	23	37
WHITE-----MALE----	308	-	-	-	-	-	-	-	2	3	6	12
FEMALE--	435	-	-	-	-	-	1	2	-	5	9	12
ALL OTHER--MALE----	109	-	-	-	-	1	-	1	-	2	8	7
FEMALE--	134	-	-	-	-	-	-	1	-	2	-	6
BLACK---MALE-----	54	-	-	-	-	1	-	1	-	2	6	3
FEMALE--	53	-	-	-	-	-	-	-	-	2	-	2
OREGON -----	860	-	-	-	-	-	1	9	3	3	15	28
WHITE-----MALE----	392	-	-	-	-	-	-	3	-	3	2	16
FEMALE--	415	-	-	-	-	-	1	6	3	-	8	5
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	3,742	-	-	-	3	3	5	12	15	36	45	92
WHITE-----MALE----	1,450	-	-	-	-	1	2	5	9	21	24	42
FEMALE--	1,867	-	-	-	2	1	2	4	2	7	11	30
ALL OTHER--MALE----	179	-	-	-	1	-	1	2	2	3	6	8
FEMALE--	246	-	-	-	-	1	-	1	2	5	4	12
BLACK---MALE-----	175	-	-	-	1	-	1	2	2	3	6	8
FEMALE--	241	-	-	-	-	1	-	1	2	5	4	12
RHODE ISLAND -----	236	-	-	1	-	-	-	1	2	2	1	4
WHITE-----MALE----	111	-	-	1	-	-	-	-	1	1	1	2
FEMALE--	114	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,118	-	-	-	-	-	-	7	4	13	28	35
WHITE-----MALE----	291	-	-	-	-	-	-	1	2	3	9	8
FEMALE--	338	-	-	-	-	-	-	2	-	4	10	4
ALL OTHER--MALE----	174	-	-	-	-	-	-	2	2	2	4	14
FEMALE--	315	-	-	-	-	-	-	2	-	4	5	9
BLACK---MALE-----	174	-	-	-	-	-	-	2	2	2	4	14
FEMALE--	312	-	-	-	-	-	-	2	-	4	5	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1438

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
OHIO -----	138	178	289	364	539	681	586	423	229	50	10	-
WHITE-----MALE----	68	77	124	150	224	294	210	130	42	7	1	-
FEMALE--	50	76	109	153	220	299	310	257	151	34	8	-
ALL OTHER--MALE----	16	12	23	22	36	30	21	6	9	3	-	-
FEMALE--	4	13	33	39	59	58	45	30	27	6	1	-
BLACK---MALE-----	16	12	23	22	36	30	20	6	9	3	-	-
FEMALE--	4	12	33	38	57	55	45	30	27	5	1	-
OKLAHOMA -----	48	66	78	99	127	165	134	106	63	17	3	-
WHITE-----MALE----	15	24	29	31	48	50	46	24	14	4	-	-
FEMALE--	15	21	21	33	55	75	61	69	41	12	3	-
ALL OTHER--MALE----	6	11	19	15	14	16	3	4	2	-	-	-
FEMALE--	12	10	9	20	10	24	24	9	6	1	-	-
BLACK---MALE-----	2	5	8	8	6	7	1	2	2	-	-	-
FEMALE--	6	4	3	8	3	8	14	1	2	-	-	-
OREGON -----	39	43	67	83	133	117	145	101	58	14	1	-
WHITE-----MALE----	16	25	32	41	58	64	65	51	12	4	-	-
FEMALE--	22	14	31	32	66	48	76	49	43	10	1	-
ALL OTHER--MALE----	1	2	3	7	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	3	8	4	4	1	3	-	-	-
BLACK---MALE-----	1	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	5	-	4	1	3	-	-	-
PENNSYLVANIA -----	107	170	244	377	511	671	683	450	232	73	13	-
WHITE-----MALE----	51	71	116	150	230	276	263	145	34	8	2	-
FEMALE--	33	68	86	169	220	331	375	272	183	61	10	-
ALL OTHER--MALE----	9	17	17	25	27	29	14	11	6	1	-	-
FEMALE--	14	14	25	33	34	35	31	22	9	3	1	-
BLACK---MALE-----	8	17	17	25	25	29	13	11	6	1	-	-
FEMALE--	14	14	24	33	33	32	31	22	9	3	1	-
RHODE ISLAND -----	10	17	16	17	41	37	41	30	16	-	-	-
WHITE-----MALE----	4	10	8	9	18	19	20	12	5	-	-	-
FEMALE--	5	5	7	8	19	17	20	18	10	-	-	-
ALL OTHER--MALE----	1	1	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
SOUTH CAROLINA -----	57	82	108	142	160	167	155	102	44	11	3	-
WHITE-----MALE----	14	26	34	42	45	50	32	19	6	-	-	-
FEMALE--	8	16	25	35	40	47	68	45	25	8	1	-
ALL OTHER--MALE----	19	16	17	25	21	24	16	10	1	1	-	-
FEMALE--	16	24	32	40	54	46	39	28	12	2	2	-
BLACK---MALE-----	19	16	17	25	21	24	16	10	1	1	-	-
FEMALE--	16	24	32	40	54	46	37	27	12	2	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1439

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
SOUTH DAKOTA -----	196	-	1	-	1	1	-	1	-	-	6	5
WHITE-----MALE----	75	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	90	-	1	-	1	-	-	1	-	-	4	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,436	-	-	-	1	1	5	5	8	17	36	39
WHITE-----MALE----	467	-	-	-	1	1	2	1	3	5	17	22
FEMALE--	592	-	-	-	-	-	1	1	4	2	7	8
ALL OTHER--MALE----	137	-	-	-	-	-	1	3	-	7	6	3
FEMALE--	240	-	-	-	-	-	1	-	1	3	6	6
BLACK---MALE-----	134	-	-	-	-	-	1	3	-	7	6	3
FEMALE--	237	-	-	-	-	-	1	-	1	3	5	6
TEXAS -----	4,931	1	-	1	3	7	6	11	26	53	106	167
WHITE-----MALE----	1,904	-	-	1	2	3	2	5	11	29	44	74
FEMALE--	2,206	1	-	-	-	4	1	3	4	18	39	50
ALL OTHER--MALE----	317	-	-	-	-	-	1	2	8	2	13	21
FEMALE--	504	-	-	-	1	-	2	1	3	4	10	22
BLACK---MALE-----	291	-	-	-	-	-	1	2	8	1	12	20
FEMALE--	472	-	-	-	1	-	2	1	3	4	10	22
UTAH -----	472	-	-	-	-	1	1	3	2	9	11	9
WHITE-----MALE----	200	-	-	-	-	1	1	1	1	4	3	8
FEMALE--	245	-	-	-	-	-	-	2	1	4	8	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	179	-	-	-	-	-	-	-	2	1	2	1
WHITE-----MALE----	88	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	91	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,486	1	-	1	-	2	3	4	10	16	27	48
WHITE-----MALE----	465	-	-	1	-	1	-	-	4	8	12	19
FEMALE--	571	1	-	-	-	-	1	3	3	3	9	7
ALL OTHER--MALE----	191	-	-	-	-	1	-	1	2	3	2	11
FEMALE--	259	-	-	-	-	-	2	-	1	2	4	11
BLACK---MALE-----	189	-	-	-	-	1	-	1	2	3	2	11
FEMALE--	240	-	-	-	-	-	2	-	1	2	4	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1439

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
SOUTH DAKOTA -----	6	9	12	14	26	27	32	37	12	5	1	-
WHITE-----MALE----	2	3	7	5	6	13	14	19	2	1	-	-
FEMALE--	-	1	2	5	18	9	16	17	9	4	1	-
ALL OTHER--MALE----	2	2	3	2	2	3	-	1	-	-	-	-
FEMALE--	2	3	-	2	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	63	95	120	157	168	226	226	169	76	22	2	-
WHITE-----MALE----	22	37	38	65	53	74	79	33	12	2	-	-
FEMALE--	20	33	43	44	63	96	104	105	44	16	1	-
ALL OTHER--MALE----	10	15	17	21	18	18	10	5	3	-	-	-
FEMALE--	11	10	22	27	34	38	33	26	17	4	1	-
BLACK---MALE-----	10	13	17	21	18	18	9	5	3	-	-	-
FEMALE--	11	10	22	26	34	37	33	26	17	4	1	-
TEXAS -----	234	314	434	599	738	779	643	498	216	88	7	-
WHITE-----MALE----	111	147	192	240	295	299	216	168	50	14	1	-
FEMALE--	66	108	156	259	319	361	342	258	150	63	4	-
ALL OTHER--MALE----	23	36	41	45	43	38	15	22	4	2	1	-
FEMALE--	34	23	45	55	81	81	70	50	12	9	1	-
BLACK---MALE-----	21	35	34	40	41	34	13	22	4	2	1	-
FEMALE--	32	21	41	51	75	74	67	46	12	9	1	-
UTAH -----	13	24	29	48	66	77	83	52	35	7	2	-
WHITE-----MALE----	10	7	15	29	26	32	33	17	8	3	1	-
FEMALE--	3	14	12	17	37	41	43	32	25	4	1	-
ALL OTHER--MALE----	-	3	2	1	2	2	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	6	2	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	-	-	-
VERMONT -----	7	11	17	21	35	25	37	10	8	2	-	-
WHITE-----MALE----	3	6	7	11	20	15	17	3	2	-	-	-
FEMALE--	4	5	10	10	15	10	20	7	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	75	104	108	172	227	228	201	159	76	22	2	-
WHITE-----MALE----	20	37	35	66	79	74	44	48	15	2	-	-
FEMALE--	19	32	35	46	83	96	96	78	47	11	1	-
ALL OTHER--MALE----	19	15	10	31	28	30	23	11	3	1	-	-
FEMALE--	17	20	28	29	37	28	38	22	11	8	1	-
BLACK---MALE-----	18	15	10	30	28	30	23	11	3	1	-	-
FEMALE--	14	19	27	28	34	26	35	20	10	7	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1440

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
WASHINGTON -----	43	74	87	124	207	238	223	153	54	22	2	-
WHITE-----MALE----	23	31	36	50	100	88	92	69	13	4	1	-
FEMALE--	15	31	40	54	82	124	114	77	35	16	1	-
ALL OTHER--MALE----	4	5	6	13	11	10	6	1	-	1	-	-
FEMALE--	1	7	5	7	14	16	11	6	6	1	-	-
BLACK---MALE-----	3	4	3	8	7	6	4	1	-	-	-	-
FEMALE--	1	3	2	2	4	10	5	2	4	-	-	-
WEST VIRGINIA -----	26	35	53	75	131	119	106	81	46	7	3	-
WHITE-----MALE----	15	20	25	37	55	55	43	21	8	-	-	-
FEMALE--	11	14	28	36	68	57	58	50	36	7	2	-
ALL OTHER--MALE----	-	-	-	1	4	3	2	1	1	-	-	-
FEMALE--	-	1	-	1	4	4	3	9	1	-	1	-
BLACK---MALE-----	-	-	-	1	4	3	2	1	1	-	-	-
FEMALE--	-	1	-	1	4	4	3	9	1	-	1	-
WISCONSIN -----	37	54	91	116	188	220	215	157	90	30	5	-
WHITE-----MALE----	23	24	47	61	96	109	83	58	25	6	-	-
FEMALE--	7	14	34	43	78	93	126	95	61	24	5	-
ALL OTHER--MALE----	3	8	4	6	4	8	3	-	-	-	-	-
FEMALE--	4	8	6	6	10	10	3	4	4	-	-	-
BLACK---MALE-----	3	6	-	6	1	5	2	-	-	-	-	-
FEMALE--	4	7	4	5	6	6	3	1	4	-	-	-
WYOMING -----	7	12	8	15	17	18	23	20	5	3	1	-
WHITE-----MALE----	5	6	4	3	7	10	7	13	3	1	-	-
FEMALE--	2	6	4	11	8	8	16	7	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1441

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of pituitary gland (E22-E23)												
UNITED STATES -	5	12	15	20	22	35	25	28	14	2	-	-
WHITE-----MALE----	2	3	6	3	6	16	10	6	3	-	-	-
FEMALE--	2	6	4	11	12	9	11	20	11	2	-	-
ALL OTHER--MALE----	-	1	2	4	2	6	3	-	-	-	-	-
FEMALE--	1	2	3	2	2	4	1	2	-	-	-	-
BLACK---MALE-----	-	1	2	4	1	5	2	-	-	-	-	-
FEMALE--	1	1	3	2	1	3	1	2	-	-	-	-
ALABAMA -----	-	-	-	-	-	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	2	3	3	3	4	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	3	2	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





























TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1448

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of pituitary gland (E22-E23)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	21	1	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-















TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1451

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of adrenal glands (E24-E27)												
COLORADO -----	-	-	-	-	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	-	-	1	3	3	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1453

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of adrenal glands (E24-E27)												
KENTUCKY -----	-	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	-	3	1	2	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1456

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of adrenal glands (E24-E27)												
OHIO -----	1	1	-	3	2	-	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	1	1	2	1	1	4	1	-	-
WHITE-----MALE----	1	-	1	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	1	4	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	3	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



















































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1468

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other endocrine diseases (E15-E21,E28-E31,E34)												
UNITED STATES -	422	27	-	-	-	4	3	3	7	12	13	19
WHITE-----MALE----	133	7	-	-	-	1	3	1	1	4	7	5
FEMALE--	191	12	-	-	-	2	-	1	2	4	3	10
ALL OTHER--MALE----	53	4	-	-	-	-	-	-	2	2	1	2
FEMALE--	45	4	-	-	-	1	-	1	2	2	2	2
BLACK---MALE-----	51	4	-	-	-	-	-	-	2	2	1	2
FEMALE--	44	4	-	-	-	1	-	1	2	2	2	2
ALABAMA -----	13	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	33	2	-	-	-	-	-	-	-	3	2	1
WHITE-----MALE----	10	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1469

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other endocrine diseases (E15-E21,E28-E31,E34)												
COLORADO -----	-	1	-	-	1	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	1	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	1	6	6	3	5	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	1	3	-	-	-	-
FEMALE--	-	1	-	-	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	2	-	2	1	3	-	1	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



















TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1474

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other endocrine diseases (E15-E21,E28-E31,E34)												
OHIO -----	19	3	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	25	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	-	-	-	-	1	-	-	-	-	1	3
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	1













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1477

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional diseases (E40-E68)												
UNITED STATES -	6,889	9	3	2	-	21	40	78	123	210	337	330
WHITE-----MALE----	2,207	2	1	-	-	9	8	24	55	85	163	139
FEMALE--	3,477	3	1	1	-	3	15	20	27	59	99	113
ALL OTHER--MALE----	497	2	1	1	-	4	9	16	27	36	32	31
FEMALE--	708	2	-	-	-	5	8	18	14	30	43	47
BLACK---MALE-----	444	2	1	1	-	3	9	15	24	33	31	28
FEMALE--	658	2	-	-	-	3	8	18	13	29	42	45
ALABAMA -----	120	-	1	-	-	-	1	1	3	3	3	8
WHITE-----MALE----	31	-	-	-	-	-	1	-	2	-	-	4
FEMALE--	55	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	19	-	1	-	-	-	-	1	1	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	18	-	1	-	-	-	-	1	1	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	2
ALASKA -----	10	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	98	-	-	-	-	1	-	1	4	4	7	2
WHITE-----MALE----	33	-	-	-	-	-	-	1	2	4	3	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	99	-	-	-	-	-	2	3	1	1	9	-
WHITE-----MALE----	30	-	-	-	-	-	-	2	-	1	6	-
FEMALE--	46	-	-	-	-	-	1	1	-	-	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	1	-
CALIFORNIA -----	453	-	1	-	-	2	5	6	14	21	44	38
WHITE-----MALE----	149	-	-	-	-	-	2	2	7	6	16	10
FEMALE--	235	-	1	-	-	-	2	2	3	10	19	23
ALL OTHER--MALE----	30	-	-	-	-	2	-	-	4	1	4	1
FEMALE--	39	-	-	-	-	-	1	2	-	4	5	4
BLACK---MALE-----	15	-	-	-	-	2	-	-	2	1	3	-
FEMALE--	30	-	-	-	-	-	1	2	-	3	5	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1477

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional diseases (E40-E68)												
UNITED STATES -	394	363	315	362	496	631	876	986	836	383	94	-
WHITE-----MALE----	162	159	124	128	175	207	260	266	178	55	7	-
FEMALE--	157	129	129	168	211	320	485	603	587	274	73	-
ALL OTHER--MALE----	26	40	27	28	49	45	48	36	21	16	2	-
FEMALE--	49	35	35	38	61	59	83	81	50	38	12	-
BLACK---MALE-----	25	36	25	24	44	38	41	30	19	13	2	-
FEMALE--	46	33	34	36	55	53	78	72	45	34	12	-
ALABAMA -----	5	5	9	5	7	12	15	21	16	2	3	-
WHITE-----MALE----	1	-	7	1	4	3	2	3	3	-	-	-
FEMALE--	2	3	2	1	3	5	8	14	10	1	2	-
ALL OTHER--MALE----	2	-	-	1	-	3	4	2	1	1	-	-
FEMALE--	-	2	-	2	-	1	1	2	2	-	1	-
BLACK---MALE-----	2	-	-	1	-	3	4	1	1	1	-	-
FEMALE--	-	2	-	2	-	1	1	2	2	-	1	-
ALASKA -----	2	-	1	-	2	-	-	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	3	4	9	6	19	13	12	4	1	-
WHITE-----MALE----	3	2	1	3	6	-	5	2	-	1	-	-
FEMALE--	1	1	1	1	2	4	12	8	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARKANSAS -----	4	3	3	7	5	12	11	13	17	6	2	-
WHITE-----MALE----	1	1	1	2	-	5	1	4	3	2	1	-
FEMALE--	1	1	1	5	4	4	6	7	10	2	1	-
ALL OTHER--MALE----	1	1	-	-	1	2	3	1	1	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	3	2	-	-
BLACK---MALE-----	1	1	-	-	1	2	3	1	1	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	3	2	-	-
CALIFORNIA -----	31	28	29	21	32	40	38	48	38	10	7	-
WHITE-----MALE----	12	8	15	3	14	14	13	14	11	2	-	-
FEMALE--	15	17	11	14	14	21	22	27	22	5	7	-
ALL OTHER--MALE----	1	1	1	3	-	3	1	5	1	2	-	-
FEMALE--	3	2	2	1	4	2	2	2	4	1	-	-
BLACK---MALE-----	1	1	1	1	-	-	-	3	-	-	-	-
FEMALE--	3	2	2	1	2	1	2	-	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1478

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional diseases (E40-E68)												
COLORADO -----	120	1	-	1	-	-	-	-	2	7	6	1
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	4	3	-
FEMALE--	71	1	-	-	-	-	-	-	2	1	3	1
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	59	-	-	-	-	1	-	-	1	-	2	-
WHITE-----MALE----	23	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	23	-	-	-	-	-	-	1	2	1	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	14	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	394	-	-	-	-	-	6	6	7	10	28	12
WHITE-----MALE----	131	-	-	-	-	-	1	3	3	5	14	4
FEMALE--	181	-	-	-	-	-	2	2	3	-	5	5
ALL OTHER--MALE----	31	-	-	-	-	-	2	-	1	1	5	2
FEMALE--	51	-	-	-	-	-	1	1	-	4	4	1
BLACK---MALE-----	30	-	-	-	-	-	2	-	1	1	5	2
FEMALE--	50	-	-	-	-	-	1	1	-	4	4	1
GEORGIA -----	225	-	-	-	-	1	3	3	8	10	10	11
WHITE-----MALE----	52	-	-	-	-	-	1	-	3	2	3	7
FEMALE--	99	-	-	-	-	-	-	-	2	3	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	1	1	2	2	3	2
FEMALE--	43	-	-	-	-	1	1	2	1	3	4	2
BLACK---MALE-----	31	-	-	-	-	-	1	1	2	2	3	2
FEMALE--	43	-	-	-	-	1	1	2	1	3	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1478

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional diseases (E40-E68)												
COLORADO -----	9	7	3	7	3	17	12	13	17	11	3	-
WHITE-----MALE----	3	3	3	3	2	8	4	2	6	-	-	-
FEMALE--	4	4	-	4	1	8	8	10	10	11	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-
CONNECTICUT -----	6	3	-	4	4	6	12	7	8	5	-	-
WHITE-----MALE----	4	3	-	2	1	3	4	1	2	1	-	-
FEMALE--	2	-	-	2	3	3	8	5	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	3	5	-	-	1	1	3	2	1	-	-	-
WHITE-----MALE----	2	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	3	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	2	-	1	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	2	1	2	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	2	1	2	-	-	-
FLORIDA -----	31	25	19	18	34	34	39	59	43	23	-	-
WHITE-----MALE----	19	12	5	6	6	14	12	16	9	2	-	-
FEMALE--	8	8	7	10	18	14	17	34	30	18	-	-
ALL OTHER--MALE----	1	4	3	-	2	2	4	3	1	-	-	-
FEMALE--	3	1	4	2	8	4	6	6	3	3	-	-
BLACK---MALE-----	1	3	3	-	2	2	4	3	1	-	-	-
FEMALE--	2	1	4	2	8	4	6	6	3	3	-	-
GEORGIA -----	14	10	9	7	18	21	23	39	24	11	3	-
WHITE-----MALE----	4	1	3	1	5	8	7	4	2	1	-	-
FEMALE--	5	4	2	5	6	9	10	25	18	8	2	-
ALL OTHER--MALE----	3	2	3	1	2	2	3	1	3	-	-	-
FEMALE--	2	3	1	-	5	2	3	9	1	2	1	-
BLACK---MALE-----	3	2	3	1	2	2	3	1	3	-	-	-
FEMALE--	2	3	1	-	5	2	3	9	1	2	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1479

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional diseases (E40-E68)												
HAWAII -----	16	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	27	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	256	2	1	-	-	-	-	5	5	5	13	7
WHITE-----MALE----	74	-	1	-	-	-	-	3	2	3	4	2
FEMALE--	133	-	-	-	-	-	-	-	2	1	5	1
ALL OTHER--MALE----	18	1	-	-	-	-	-	1	1	-	1	3
FEMALE--	31	1	-	-	-	-	-	1	-	1	3	1
BLACK---MALE-----	16	1	-	-	-	-	-	1	1	-	1	3
FEMALE--	30	1	-	-	-	-	-	1	-	1	3	1
INDIANA -----	180	1	-	-	-	-	-	1	3	8	6	10
WHITE-----MALE----	50	-	-	-	-	-	-	1	3	2	2	5
FEMALE--	110	1	-	-	-	-	-	-	-	4	4	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	60	-	-	-	-	-	-	1	1	-	5	6
WHITE-----MALE----	31	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	28	-	-	-	-	-	-	-	1	-	4	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	101	-	-	-	-	-	-	-	1	3	-	2
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	53	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1479

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional diseases (E40-E68)												
HAWAII -----	-	-	2	-	-	4	2	3	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	-	3	2	-	5	3	4	1	-	-
WHITE-----MALE----	-	1	-	2	1	-	-	1	-	-	-	-
FEMALE--	3	-	-	1	-	-	5	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	16	14	11	17	23	42	38	33	11	2	-
WHITE-----MALE----	1	9	8	6	1	7	15	6	4	2	-	-
FEMALE--	8	5	3	3	11	11	22	25	28	6	2	-
ALL OTHER--MALE----	-	1	3	2	4	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	1	5	4	7	1	3	-	-
BLACK---MALE-----	-	1	3	1	3	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	1	5	4	7	1	2	-	-
INDIANA -----	6	4	12	13	21	21	20	29	20	4	1	-
WHITE-----MALE----	3	1	3	3	9	4	7	4	2	1	-	-
FEMALE--	3	2	7	7	8	15	11	22	17	3	1	-
ALL OTHER--MALE----	-	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	3	2	1	3	1	-	-	-
BLACK---MALE-----	-	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	3	2	1	3	1	-	-	-
IOWA -----	3	4	3	4	2	6	4	6	11	3	1	-
WHITE-----MALE----	1	3	1	2	1	5	3	2	4	2	1	-
FEMALE--	2	1	1	2	1	1	1	4	7	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	5	2	4	7	7	19	19	15	12	1	-
WHITE-----MALE----	1	3	1	3	5	2	8	7	6	-	-	-
FEMALE--	1	2	1	1	1	4	9	10	9	12	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1480

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional diseases (E40-E68)												
KENTUCKY -----	124	1	-	-	-	2	-	2	2	5	4	5
WHITE-----MALE----	39	1	-	-	-	1	-	-	2	3	3	2
FEMALE--	73	-	-	-	-	1	-	2	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
LOUISIANA -----	184	-	-	-	-	-	-	4	8	8	5	8
WHITE-----MALE----	51	-	-	-	-	-	-	-	2	-	4	4
FEMALE--	62	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	2	3	4	-	1
FEMALE--	41	-	-	-	-	-	-	2	2	2	1	1
BLACK---MALE-----	30	-	-	-	-	-	-	2	3	4	-	1
FEMALE--	40	-	-	-	-	-	-	2	2	2	1	1
MAINE -----	31	-	-	-	-	-	-	-	1	1	2	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	129	-	-	-	-	-	-	1	3	2	7	5
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	56	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	17	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	107	-	-	-	-	-	-	1	3	8	5	8
WHITE-----MALE----	42	-	-	-	-	-	-	-	2	3	4	7
FEMALE--	59	-	-	-	-	-	-	1	1	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
MICHIGAN -----	294	-	-	-	-	-	-	4	7	4	21	15
WHITE-----MALE----	93	-	-	-	-	-	-	1	2	2	8	7
FEMALE--	141	-	-	-	-	-	-	-	2	-	8	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	2	2	4	1
FEMALE--	31	-	-	-	-	-	-	2	1	-	1	3
BLACK---MALE-----	28	-	-	-	-	-	-	1	2	2	4	1
FEMALE--	30	-	-	-	-	-	-	2	1	-	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1480

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional diseases (E40-E68)												
KENTUCKY -----	8	2	8	5	14	11	16	17	16	5	1	-
WHITE-----MALE----	3	2	2	-	7	2	2	7	2	-	-	-
FEMALE--	4	-	5	4	5	8	13	9	13	5	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	1	1	-	-	-
LOUISIANA -----	10	16	6	18	9	18	25	20	16	8	5	-
WHITE-----MALE----	3	7	2	5	3	4	4	7	4	1	1	-
FEMALE--	2	4	2	5	2	7	10	9	11	5	-	-
ALL OTHER--MALE----	3	3	-	1	4	3	1	2	1	2	-	-
FEMALE--	2	2	2	7	-	4	10	2	-	-	4	-
BLACK---MALE-----	3	3	-	1	4	3	1	2	1	2	-	-
FEMALE--	2	2	2	7	-	3	10	2	-	-	4	-
MAINE -----	1	4	1	1	5	2	4	1	6	2	-	-
WHITE-----MALE----	1	3	-	1	4	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	3	1	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	13	8	10	11	8	16	12	14	1	1	-
WHITE-----MALE----	3	4	2	4	-	4	5	3	3	-	-	-
FEMALE--	9	5	3	-	8	2	8	8	8	-	-	-
ALL OTHER--MALE----	1	3	2	4	1	-	2	-	1	-	-	-
FEMALE--	4	1	1	2	2	2	1	1	2	1	1	-
BLACK---MALE-----	1	3	2	4	-	-	1	-	1	-	-	-
FEMALE--	4	1	1	2	2	2	1	1	2	1	1	-
MASSACHUSETTS -----	5	4	10	4	6	13	5	16	15	3	1	-
WHITE-----MALE----	5	-	4	2	2	2	2	5	4	-	-	-
FEMALE--	-	4	6	2	3	10	3	11	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	12	17	11	15	19	28	41	47	30	17	6	-
WHITE-----MALE----	2	11	5	5	7	9	16	12	6	-	-	-
FEMALE--	8	3	3	8	8	14	17	29	21	10	6	-
ALL OTHER--MALE----	1	1	1	1	3	3	6	1	2	-	-	-
FEMALE--	1	2	2	1	1	2	2	5	1	7	-	-
BLACK---MALE-----	1	1	1	-	3	3	6	1	2	-	-	-
FEMALE--	1	2	2	1	1	2	2	5	1	6	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1481

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional diseases (E40-E68)												
MINNESOTA -----	73	1	-	-	-	-	-	1	-	-	2	7
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	36	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
MISSISSIPPI -----	79	-	-	-	-	-	3	3	2	4	5	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	24	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	2	1	-	-	2	-
FEMALE--	24	-	-	-	-	-	1	1	2	1	2	2
BLACK---MALE-----	14	-	-	-	-	-	2	1	-	-	2	-
FEMALE--	23	-	-	-	-	-	1	1	2	1	2	2
MISSOURI -----	216	-	-	-	-	-	2	-	-	5	10	9
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	3	5	3
FEMALE--	127	-	-	-	-	-	1	-	-	2	3	3
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	13	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	2
MONTANA -----	26	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	40	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	41	-	-	-	-	-	-	-	1	2	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1481

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional diseases (E40-E68)												
MINNESOTA -----	2	5	2	3	6	8	6	11	13	5	1	-
WHITE-----MALE----	2	3	-	1	4	5	2	4	7	1	-	-
FEMALE--	-	2	2	2	2	3	4	7	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	4	6	9	7	5	3	10	5	4	3	-
WHITE-----MALE----	-	1	-	3	2	2	1	2	-	-	1	-
FEMALE--	2	1	3	2	2	-	1	3	3	3	1	-
ALL OTHER--MALE----	-	-	2	-	3	1	1	2	-	1	-	-
FEMALE--	-	2	1	4	-	2	-	3	2	-	1	-
BLACK---MALE-----	-	-	1	-	3	1	1	2	-	1	-	-
FEMALE--	-	2	1	3	-	2	-	3	2	-	1	-
MISSOURI -----	15	10	7	6	13	22	29	33	33	18	4	-
WHITE-----MALE----	6	7	3	1	3	6	9	7	7	3	-	-
FEMALE--	7	-	4	4	5	13	18	24	25	14	4	-
ALL OTHER--MALE----	1	3	-	-	2	1	1	1	1	-	-	-
FEMALE--	1	-	-	1	3	2	1	1	-	1	-	-
BLACK---MALE-----	1	3	-	-	2	1	1	1	1	-	-	-
FEMALE--	1	-	-	1	3	2	1	1	-	1	-	-
MONTANA -----	-	2	-	-	2	3	3	7	3	1	2	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	6	3	1	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	3	2	2	3	9	4	6	3	-	-
WHITE-----MALE----	-	2	1	1	1	-	1	1	1	-	-	-
FEMALE--	1	1	2	1	1	2	8	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
NEVADA -----	1	1	3	4	3	2	11	5	5	1	-	-
WHITE-----MALE----	1	-	1	1	2	-	2	3	1	1	-	-
FEMALE--	-	-	2	3	1	2	9	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1483

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional diseases (E40-E68)												
OHIO -----	17	12	13	18	32	40	58	62	48	30	6	-
WHITE-----MALE----	10	5	6	7	9	13	15	24	10	6	-	-
FEMALE--	6	3	6	9	19	21	36	37	36	22	5	-
ALL OTHER--MALE----	-	4	-	1	2	3	2	-	-	1	1	-
FEMALE--	1	-	1	1	2	3	5	1	2	1	-	-
BLACK---MALE-----	-	4	-	1	2	3	2	-	-	1	1	-
FEMALE--	1	-	1	1	2	3	5	1	2	1	-	-
OKLAHOMA -----	2	5	5	10	9	6	15	20	23	8	2	-
WHITE-----MALE----	-	2	2	5	2	3	5	3	6	2	-	-
FEMALE--	1	3	2	3	6	2	6	15	14	6	2	-
ALL OTHER--MALE----	1	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	2	1	2	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	1	-	-	-
OREGON -----	6	3	3	3	8	8	12	8	16	7	-	-
WHITE-----MALE----	2	2	1	2	-	4	3	4	5	1	-	-
FEMALE--	4	1	2	1	7	4	9	4	11	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	10	20	23	15	22	33	42	50	37	24	2	-
WHITE-----MALE----	6	9	8	7	5	16	9	24	8	4	-	-
FEMALE--	3	7	10	7	8	11	29	24	29	16	2	-
ALL OTHER--MALE----	-	-	1	-	5	2	1	-	-	3	-	-
FEMALE--	1	4	4	1	4	4	3	2	-	1	-	-
BLACK---MALE-----	-	-	1	-	5	2	-	-	-	2	-	-
FEMALE--	1	4	4	1	3	4	3	2	-	1	-	-
RHODE ISLAND -----	3	1	-	2	2	1	3	2	4	2	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	6	7	12	6	7	9	18	17	14	7	1	-
WHITE-----MALE----	3	3	6	1	3	2	2	3	2	-	-	-
FEMALE--	1	1	2	4	2	3	7	9	11	4	1	-
ALL OTHER--MALE----	1	3	1	1	1	2	2	1	-	1	-	-
FEMALE--	1	-	3	-	1	2	7	4	1	2	-	-
BLACK---MALE-----	1	3	1	1	1	2	2	1	-	1	-	-
FEMALE--	1	-	3	-	1	2	7	4	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1484

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional diseases (E40-E68)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	181	-	-	-	-	1	1	-	2	8	8	6
WHITE-----MALE----	60	-	-	-	-	1	-	-	-	5	3	2
FEMALE--	87	-	-	-	-	-	1	-	1	1	4	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
TEXAS -----	589	-	-	-	-	2	2	5	5	14	21	21
WHITE-----MALE----	198	-	-	-	-	2	1	2	5	8	13	8
FEMALE--	311	-	-	-	-	-	-	-	-	1	5	9
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	54	-	-	-	-	-	1	2	-	3	2	2
BLACK---MALE-----	25	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	49	-	-	-	-	-	1	2	-	3	2	2
UTAH -----	43	-	-	-	-	-	1	2	1	1	1	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	28	-	-	-	-	-	1	2	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	193	1	-	-	-	-	1	-	2	7	9	8
WHITE-----MALE----	59	1	-	-	-	-	-	-	-	1	4	5
FEMALE--	74	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	4	2	1
FEMALE--	33	-	-	-	-	-	1	-	2	1	2	2
BLACK---MALE-----	27	-	-	-	-	-	-	-	-	4	2	1
FEMALE--	33	-	-	-	-	-	1	-	2	1	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1484

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional diseases (E40-E68)												
SOUTH DAKOTA -----	-	-	-	2	-	-	2	3	3	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	7	4	13	16	21	21	30	20	14	2	-
WHITE-----MALE----	3	2	1	5	5	6	8	10	6	3	-	-
FEMALE--	3	3	3	4	6	14	10	15	12	8	1	-
ALL OTHER--MALE----	1	-	-	2	2	-	2	2	1	1	-	-
FEMALE--	-	2	-	2	3	1	1	3	1	2	1	-
BLACK---MALE-----	1	-	-	2	2	-	1	2	1	1	-	-
FEMALE--	-	2	-	2	3	1	1	3	1	2	1	-
TEXAS -----	48	29	15	29	35	51	83	98	67	47	17	-
WHITE-----MALE----	22	15	9	8	15	18	24	28	11	8	1	-
FEMALE--	17	10	5	16	14	26	53	61	50	31	13	-
ALL OTHER--MALE----	2	2	1	2	1	4	2	2	1	2	1	-
FEMALE--	7	2	-	3	5	3	4	7	5	6	2	-
BLACK---MALE-----	2	1	1	2	1	4	2	2	1	2	1	-
FEMALE--	7	2	-	3	5	1	4	4	5	6	2	-
UTAH -----	1	1	2	2	-	5	7	6	9	-	1	-
WHITE-----MALE----	1	1	-	-	-	4	2	1	2	-	-	-
FEMALE--	-	-	2	1	-	1	5	5	7	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	-	3	-	1	4	2	1	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	3	1	-	1	-	1	-	-
FEMALE--	-	2	-	1	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	11	5	12	13	21	32	23	26	8	1	-
WHITE-----MALE----	6	2	1	5	6	3	10	5	10	-	-	-
FEMALE--	4	5	1	2	4	12	14	10	12	7	1	-
ALL OTHER--MALE----	1	3	-	4	2	2	3	3	2	-	-	-
FEMALE--	2	1	3	1	1	4	5	5	2	1	-	-
BLACK---MALE-----	1	3	-	4	2	2	3	3	2	-	-	-
FEMALE--	2	1	3	1	1	4	5	5	2	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1486

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malnutrition (E40-E46)												
UNITED STATES -	57	66	88	141	266	439	720	883	755	353	86	-
WHITE-----MALE----	21	20	41	48	98	152	221	247	154	49	6	-
FEMALE--	25	21	25	59	100	214	389	532	535	253	66	-
ALL OTHER--MALE----	6	18	13	20	41	34	45	35	21	16	2	-
FEMALE--	5	7	9	14	27	39	65	69	45	35	12	-
BLACK---MALE-----	6	15	12	17	36	28	38	29	19	13	2	-
FEMALE--	5	6	9	12	23	34	62	61	40	31	12	-
ALABAMA -----	1	2	4	3	5	8	13	19	14	2	3	-
WHITE-----MALE----	-	-	3	-	3	3	2	2	3	-	-	-
FEMALE--	1	1	1	1	2	4	6	13	8	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	4	2	1	1	-	-
FEMALE--	-	1	-	1	-	-	1	2	2	-	1	-
BLACK---MALE-----	-	-	-	1	-	1	4	1	1	1	-	-
FEMALE--	-	1	-	1	-	-	1	2	2	-	1	-
ALASKA -----	-	-	1	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	4	6	6	16	11	12	4	1	-
WHITE-----MALE----	-	-	1	3	5	-	5	2	-	1	-	-
FEMALE--	-	-	-	1	-	4	10	6	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	-	1	1	4	3	9	10	11	17	5	1	-
WHITE-----MALE----	-	1	-	-	-	4	1	4	3	2	-	-
FEMALE--	-	-	-	4	2	4	6	6	10	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	3	2	-	-
BLACK---MALE-----	-	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	3	2	-	-
CALIFORNIA -----	3	2	5	6	12	23	27	39	32	9	6	-
WHITE-----MALE----	-	-	2	1	6	8	11	14	9	2	-	-
FEMALE--	3	2	2	3	3	12	13	19	18	4	6	-
ALL OTHER--MALE----	-	-	1	2	-	2	1	5	1	2	-	-
FEMALE--	-	-	-	-	3	1	2	1	4	1	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	2	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1487

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malnutrition (E40-E46)												
COLORADO -----	70	-	-	1	-	-	-	-	-	-	1	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	197	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	107	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	16	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	139	-	-	-	-	-	-	-	1	3	-	3
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	74	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1487

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malnutrition (E40-E46)												
COLORADO -----	1	2	1	3	1	12	10	11	15	9	3	-
WHITE-----MALE----	-	-	1	1	1	7	3	2	4	-	-	-
FEMALE--	-	2	-	2	-	4	7	8	10	9	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
CONNECTICUT -----	-	1	-	1	4	4	10	6	7	5	-	-
WHITE-----MALE----	-	1	-	-	1	3	4	1	2	1	-	-
FEMALE--	-	-	-	1	3	1	6	4	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	1	-	-	-	1	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
FLORIDA -----	2	6	4	4	16	20	26	51	41	22	-	-
WHITE-----MALE----	1	3	2	1	3	8	10	16	8	1	-	-
FEMALE--	1	-	-	3	9	10	9	27	29	18	-	-
ALL OTHER--MALE----	-	2	1	-	2	1	4	3	1	-	-	-
FEMALE--	-	1	1	-	2	1	3	5	3	3	-	-
BLACK---MALE-----	-	1	1	-	2	1	4	3	1	-	-	-
FEMALE--	-	1	1	-	2	1	3	5	3	3	-	-
GEORGIA -----	5	4	3	1	12	17	21	35	22	11	1	-
WHITE-----MALE----	2	1	-	-	4	7	6	3	2	1	-	-
FEMALE--	2	-	1	-	5	8	9	23	16	8	-	-
ALL OTHER--MALE----	1	2	2	1	2	1	3	1	3	-	-	-
FEMALE--	-	1	-	-	1	1	3	8	1	2	1	-
BLACK---MALE-----	1	2	2	1	2	1	3	1	3	-	-	-
FEMALE--	-	1	-	-	1	1	3	8	1	2	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1488

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malnutrition (E40-E46)												
HAWAII -----	-	-	-	-	-	2	2	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	2	-	3	2	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	2	5	5	10	17	36	32	30	11	2	-
WHITE-----MALE----	1	2	3	1	1	5	12	6	3	2	-	-
FEMALE--	1	-	-	2	4	8	19	21	26	6	2	-
ALL OTHER--MALE----	-	-	2	2	4	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	4	4	5	1	3	-	-
BLACK---MALE-----	-	-	2	1	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	4	4	5	1	2	-	-
INDIANA -----	-	-	2	4	11	13	14	23	19	4	1	-
WHITE-----MALE----	-	-	-	1	6	3	6	2	2	1	-	-
FEMALE--	-	-	2	3	2	8	6	19	16	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	1	-	-	-
IOWA -----	-	-	1	2	2	4	4	5	10	3	1	-
WHITE-----MALE----	-	-	-	1	1	3	3	2	4	2	1	-
FEMALE--	-	-	-	1	1	1	1	3	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	3	6	5	16	18	12	11	1	-
WHITE-----MALE----	-	-	-	2	4	1	7	6	4	-	-	-
FEMALE--	1	-	-	1	1	4	7	10	8	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1489

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malnutrition (E40-E46)												
KENTUCKY -----	2	-	2	3	8	8	15	14	14	4	1	-
WHITE-----MALE----	1	-	-	-	4	2	2	4	2	-	-	-
FEMALE--	1	-	1	2	2	6	12	9	11	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
LOUISIANA -----	-	2	4	7	8	14	22	18	15	8	5	-
WHITE-----MALE----	-	1	1	2	3	3	3	6	4	1	1	-
FEMALE--	-	-	1	1	1	5	9	8	10	5	-	-
ALL OTHER--MALE----	-	1	-	1	4	2	1	2	1	2	-	-
FEMALE--	-	-	2	3	-	4	9	2	-	-	4	-
BLACK---MALE-----	-	1	-	1	4	2	1	2	1	2	-	-
FEMALE--	-	-	2	3	-	3	9	2	-	-	4	-
MAINE -----	1	-	-	1	2	2	3	1	6	1	-	-
WHITE-----MALE----	1	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	3	3	5	8	13	10	11	1	1	-
WHITE-----MALE----	-	-	1	1	-	4	3	3	3	-	-	-
FEMALE--	-	1	-	-	3	2	8	6	6	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	2	-	1	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	1	1	1	-
BLACK---MALE-----	-	1	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	1	1	1	-
MASSACHUSETTS -----	-	-	1	3	3	7	4	14	12	2	1	-
WHITE-----MALE----	-	-	1	2	1	1	2	4	2	-	-	-
FEMALE--	-	-	-	1	1	6	2	10	10	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	3	2	9	14	23	39	44	29	16	6	-
WHITE-----MALE----	1	1	2	4	4	8	16	12	6	-	-	-
FEMALE--	4	1	-	3	6	10	15	26	20	10	6	-
ALL OTHER--MALE----	-	-	-	1	3	3	6	1	2	-	-	-
FEMALE--	1	1	-	1	1	2	2	5	1	6	-	-
BLACK---MALE-----	-	-	-	-	3	3	6	1	2	-	-	-
FEMALE--	1	1	-	1	1	2	2	5	1	5	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1490

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malnutrition (E40-E46)												
MINNESOTA -----	-	-	-	-	3	4	4	10	12	5	1	-
WHITE-----MALE----	-	-	-	-	3	3	2	4	7	1	-	-
FEMALE--	-	-	-	-	-	1	2	6	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	2	5	3	6	5	3	9	4	4	3	-
WHITE-----MALE----	-	-	-	1	1	2	1	2	-	-	1	-
FEMALE--	-	1	3	-	2	-	1	2	3	3	1	-
ALL OTHER--MALE----	-	-	2	-	3	1	1	2	-	1	-	-
FEMALE--	-	1	-	2	-	2	-	3	1	-	1	-
BLACK---MALE-----	-	-	1	-	3	1	1	2	-	1	-	-
FEMALE--	-	1	-	1	-	2	-	3	1	-	1	-
MISSOURI -----	1	3	2	2	9	16	27	31	32	17	4	-
WHITE-----MALE----	1	1	-	1	3	6	9	7	7	3	-	-
FEMALE--	-	-	2	1	3	7	16	22	24	13	4	-
ALL OTHER--MALE----	-	2	-	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	1	-	-
BLACK---MALE-----	-	2	-	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	1	-	-
MONTANA -----	-	2	-	-	2	3	2	7	3	1	2	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	6	3	1	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	1	-	-	2	5	3	5	3	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
NEVADA -----	1	1	-	1	3	2	11	3	4	1	-	-
WHITE-----MALE----	1	-	-	-	2	-	2	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	9	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1492

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malnutrition (E40-E46)												
OHIO -----	2	3	6	5	17	28	52	60	46	25	6	-
WHITE-----MALE----	-	1	3	3	7	10	13	24	9	4	-	-
FEMALE--	1	-	3	2	8	13	34	35	35	19	5	-
ALL OTHER--MALE----	-	2	-	-	-	3	2	-	-	1	1	-
FEMALE--	1	-	-	-	2	2	3	1	2	1	-	-
BLACK---MALE-----	-	2	-	-	-	3	2	-	-	1	1	-
FEMALE--	1	-	-	-	2	2	3	1	2	1	-	-
OKLAHOMA -----	-	-	2	7	2	5	11	19	19	8	2	-
WHITE-----MALE----	-	-	2	4	-	2	4	3	4	2	-	-
FEMALE--	-	-	-	2	2	2	3	14	12	6	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
OREGON -----	1	-	1	1	4	5	10	8	15	7	-	-
WHITE-----MALE----	-	-	1	1	-	3	2	4	5	1	-	-
FEMALE--	1	-	-	-	4	2	8	4	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	-	3	6	5	14	24	32	42	33	22	1	-
WHITE-----MALE----	-	2	2	2	3	12	7	21	7	3	-	-
FEMALE--	-	1	2	3	5	8	22	19	26	15	1	-
ALL OTHER--MALE----	-	-	1	-	5	2	1	-	-	3	-	-
FEMALE--	-	-	1	-	1	2	2	2	-	1	-	-
BLACK---MALE-----	-	-	1	-	5	2	-	-	-	2	-	-
FEMALE--	-	-	1	-	-	2	2	2	-	1	-	-
RHODE ISLAND -----	1	-	-	1	-	1	3	1	3	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	1	3	5	2	4	6	16	16	14	7	1	-
WHITE-----MALE----	-	1	3	-	1	2	2	3	2	-	-	-
FEMALE--	1	1	1	1	2	2	6	9	11	4	1	-
ALL OTHER--MALE----	-	1	1	1	1	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	6	3	1	2	-	-
BLACK---MALE-----	-	1	1	1	1	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	6	3	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1493

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malnutrition (E40-E46)												
SOUTH DAKOTA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	119	-	-	-	-	-	1	-	-	-	1	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	58	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	372	-	-	-	-	1	-	-	-	-	3	3
WHITE-----MALE----	96	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	231	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	1
UTAH -----	25	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	125	1	-	-	-	-	1	-	-	1	2	-
WHITE-----MALE----	31	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1493

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malnutrition (E40-E46)												
SOUTH DAKOTA -----	-	-	-	1	-	-	2	2	2	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	1	7	7	17	18	30	19	11	2	-
WHITE-----MALE----	1	-	1	3	2	5	5	10	6	3	-	-
FEMALE--	-	-	-	1	1	11	10	15	11	6	1	-
ALL OTHER--MALE----	1	-	-	2	2	-	2	2	1	1	-	-
FEMALE--	-	-	-	1	2	1	1	3	1	1	1	-
BLACK---MALE-----	1	-	-	2	2	-	1	2	1	1	-	-
FEMALE--	-	-	-	1	2	1	1	3	1	1	1	-
TEXAS -----	8	5	4	12	18	38	65	95	59	45	16	-
WHITE-----MALE----	5	1	3	1	6	12	18	28	9	8	1	-
FEMALE--	1	3	1	8	9	20	44	58	45	30	12	-
ALL OTHER--MALE----	1	1	-	2	1	3	1	2	1	2	1	-
FEMALE--	1	-	-	1	2	3	2	7	4	5	2	-
BLACK---MALE-----	1	-	-	2	1	3	1	2	1	2	1	-
FEMALE--	1	-	-	1	2	1	2	4	4	5	2	-
UTAH -----	-	-	1	2	-	1	4	6	8	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	2	-	-	-
FEMALE--	-	-	1	1	-	-	2	5	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	5	1	6	10	19	29	21	20	7	1	-
WHITE-----MALE----	-	-	-	2	4	3	9	5	7	-	-	-
FEMALE--	1	2	-	1	3	10	13	10	10	6	1	-
ALL OTHER--MALE----	-	3	-	2	2	2	3	3	2	-	-	-
FEMALE--	-	-	1	1	1	4	4	3	1	1	-	-
BLACK---MALE-----	-	3	-	2	2	2	3	3	2	-	-	-
FEMALE--	-	-	1	1	1	4	4	3	1	1	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1496

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional marasmus (E41)												
COLORADO -----	-	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	1	3	1	-	3	8	5	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	3	-	-	-
FEMALE--	-	-	-	1	3	1	-	3	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	-	2	-	5	3	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

























TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1502

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nutritional marasmus (E41)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	1	1	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	-	1	-	1	1	1	3	4	1	4	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1504

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)												
UNITED STATES -	55	62	86	135	247	419	682	845	717	329	84	-
WHITE-----MALE----	21	18	40	46	89	147	205	233	142	44	6	-
FEMALE--	24	20	25	57	94	207	369	511	514	236	65	-
ALL OTHER--MALE----	6	17	12	19	39	33	43	33	20	14	2	-
FEMALE--	4	7	9	13	25	32	65	68	41	35	11	-
BLACK---MALE-----	6	14	11	17	34	27	37	27	18	12	2	-
FEMALE--	4	6	9	11	21	27	62	60	36	31	11	-
ALABAMA -----	1	2	4	3	5	8	12	19	13	2	2	-
WHITE-----MALE----	-	-	3	-	3	3	1	2	3	-	-	-
FEMALE--	1	1	1	1	2	4	6	13	8	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	4	2	1	1	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	4	1	1	1	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	-	-	-
ALASKA -----	-	-	1	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	4	6	6	16	11	12	4	1	-
WHITE-----MALE----	-	-	1	3	5	-	5	2	-	1	-	-
FEMALE--	-	-	-	1	-	4	10	6	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	-	1	1	3	3	9	10	11	17	4	1	-
WHITE-----MALE----	-	1	-	-	-	4	1	4	3	2	-	-
FEMALE--	-	-	-	3	2	4	6	6	10	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	3	2	-	-
BLACK---MALE-----	-	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	3	2	-	-
CALIFORNIA -----	3	2	5	5	10	23	26	36	32	8	6	-
WHITE-----MALE----	-	-	2	1	4	8	10	11	9	2	-	-
FEMALE--	3	2	2	3	3	12	13	19	18	4	6	-
ALL OTHER--MALE----	-	-	1	1	-	2	1	5	1	1	-	-
FEMALE--	-	-	-	-	3	1	2	1	4	1	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1505

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified malnutrition (E40,E42-E46)												
COLORADO -----	67	-	-	1	-	-	-	-	-	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	34	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	175	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	90	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	124	-	-	-	-	-	-	-	1	3	-	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	65	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1505

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)												
COLORADO -----	1	2	1	3	1	11	10	11	13	9	3	-
WHITE-----MALE----	-	-	1	1	1	7	3	2	3	-	-	-
FEMALE--	-	2	-	2	-	4	7	8	10	9	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	1	-	1	4	4	9	6	5	4	-	-
WHITE-----MALE----	-	1	-	-	1	3	4	1	2	-	-	-
FEMALE--	-	-	-	1	3	1	5	4	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	-	1	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
FLORIDA -----	2	6	3	3	13	19	26	48	33	17	-	-
WHITE-----MALE----	1	3	1	1	3	8	10	16	5	1	-	-
FEMALE--	1	-	-	2	6	9	9	24	25	13	-	-
ALL OTHER--MALE----	-	2	1	-	2	1	4	3	-	-	-	-
FEMALE--	-	1	1	-	2	1	3	5	3	3	-	-
BLACK---MALE-----	-	1	1	-	2	1	4	3	-	-	-	-
FEMALE--	-	1	1	-	2	1	3	5	3	3	-	-
GEORGIA -----	5	4	2	1	10	17	16	32	19	10	1	-
WHITE-----MALE----	2	1	-	-	2	7	4	3	2	1	-	-
FEMALE--	2	-	1	-	5	8	6	21	13	7	-	-
ALL OTHER--MALE----	1	2	1	1	2	1	3	1	3	-	-	-
FEMALE--	-	1	-	-	1	1	3	7	1	2	1	-
BLACK---MALE-----	1	2	1	1	2	1	3	1	3	-	-	-
FEMALE--	-	1	-	-	1	1	3	7	1	2	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1506

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)												
HAWAII -----	-	-	-	-	-	1	2	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	2	-	3	1	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	2	5	5	8	15	35	30	30	11	2	-
WHITE-----MALE----	1	2	3	1	-	5	12	5	3	2	-	-
FEMALE--	1	-	-	2	4	8	18	20	26	6	2	-
ALL OTHER--MALE----	-	-	2	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	4	5	1	3	-	-
BLACK---MALE-----	-	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	4	5	1	2	-	-
INDIANA -----	-	-	2	4	9	9	13	22	17	4	1	-
WHITE-----MALE----	-	-	-	1	5	2	5	2	2	1	-	-
FEMALE--	-	-	2	3	1	6	6	18	15	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	-	-	-	-
IOWA -----	-	-	1	2	2	4	4	5	7	3	1	-
WHITE-----MALE----	-	-	-	1	1	3	3	2	2	2	1	-
FEMALE--	-	-	-	1	1	1	1	3	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	3	6	4	16	18	12	10	1	-
WHITE-----MALE----	-	-	-	2	4	-	7	6	4	-	-	-
FEMALE--	1	-	-	1	1	4	7	10	8	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1507

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)												
KENTUCKY -----	1	-	2	3	8	8	15	14	14	4	1	-
WHITE-----MALE----	1	-	-	-	4	2	2	4	2	-	-	-
FEMALE--	-	-	1	2	2	6	12	9	11	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
LOUISIANA -----	-	1	4	7	8	14	22	18	15	8	5	-
WHITE-----MALE----	-	-	1	2	3	3	3	6	4	1	1	-
FEMALE--	-	-	1	1	1	5	9	8	10	5	-	-
ALL OTHER--MALE----	-	1	-	1	4	2	1	2	1	2	-	-
FEMALE--	-	-	2	3	-	4	9	2	-	-	4	-
BLACK---MALE-----	-	1	-	1	4	2	1	2	1	2	-	-
FEMALE--	-	-	2	3	-	3	9	2	-	-	4	-
MAINE -----	1	-	-	1	2	2	3	1	6	1	-	-
WHITE-----MALE----	1	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	3	3	5	8	13	10	11	1	1	-
WHITE-----MALE----	-	-	1	1	-	4	3	3	3	-	-	-
FEMALE--	-	1	-	-	3	2	8	6	6	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	2	-	1	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	1	1	1	-
BLACK---MALE-----	-	1	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	1	1	1	-
MASSACHUSETTS -----	-	-	1	3	3	7	4	14	12	2	1	-
WHITE-----MALE----	-	-	1	2	1	1	2	4	2	-	-	-
FEMALE--	-	-	-	1	1	6	2	10	10	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	3	2	8	13	22	35	44	28	13	5	-
WHITE-----MALE----	1	1	2	3	4	7	14	12	6	-	-	-
FEMALE--	4	1	-	3	5	10	14	26	19	7	5	-
ALL OTHER--MALE----	-	-	-	1	3	3	5	1	2	-	-	-
FEMALE--	1	1	-	1	1	2	2	5	1	6	-	-
BLACK---MALE-----	-	-	-	-	3	3	5	1	2	-	-	-
FEMALE--	1	1	-	1	1	2	2	5	1	5	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1508

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)												
MINNESOTA -----	-	-	-	-	2	4	4	9	12	5	1	-
WHITE-----MALE----	-	-	-	-	2	3	2	3	7	1	-	-
FEMALE--	-	-	-	-	-	1	2	6	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	2	5	3	6	5	3	8	4	4	3	-
WHITE-----MALE----	-	-	-	1	1	2	1	2	-	-	1	-
FEMALE--	-	1	3	-	2	-	1	2	3	3	1	-
ALL OTHER--MALE----	-	-	2	-	3	1	1	1	-	1	-	-
FEMALE--	-	1	-	2	-	2	-	3	1	-	1	-
BLACK---MALE-----	-	-	1	-	3	1	1	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	-	3	1	-	1	-
MISSOURI -----	1	2	2	2	8	14	25	30	31	16	4	-
WHITE-----MALE----	1	1	-	1	3	6	8	7	6	3	-	-
FEMALE--	-	-	2	1	2	7	15	21	24	12	4	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	1	-	-
BLACK---MALE-----	-	1	-	-	2	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	1	-	-
MONTANA -----	-	2	-	-	2	3	2	7	3	1	2	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	6	3	1	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	1	-	-	2	5	3	5	3	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
NEVADA -----	1	1	-	1	3	2	10	3	3	1	-	-
WHITE-----MALE----	1	-	-	-	2	-	2	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	8	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1510

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)												
OHIO -----	2	3	6	5	17	26	51	53	45	23	6	-
WHITE-----MALE----	-	1	3	3	7	10	13	20	9	3	-	-
FEMALE--	1	-	3	2	8	12	33	32	34	18	5	-
ALL OTHER--MALE----	-	2	-	-	-	3	2	-	-	1	1	-
FEMALE--	1	-	-	-	2	1	3	1	2	1	-	-
BLACK---MALE-----	-	2	-	-	-	3	2	-	-	1	1	-
FEMALE--	1	-	-	-	2	1	3	1	2	1	-	-
OKLAHOMA -----	-	-	2	7	2	5	11	19	19	8	2	-
WHITE-----MALE----	-	-	2	4	-	2	4	3	4	2	-	-
FEMALE--	-	-	-	2	2	2	3	14	12	6	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
OREGON -----	1	-	1	1	4	5	10	7	14	7	-	-
WHITE-----MALE----	-	-	1	1	-	3	2	3	4	1	-	-
FEMALE--	1	-	-	-	4	2	8	4	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	-	3	6	5	13	23	28	41	31	21	1	-
WHITE-----MALE----	-	2	2	2	3	12	5	20	6	2	-	-
FEMALE--	-	1	2	3	5	7	20	19	25	15	1	-
ALL OTHER--MALE----	-	-	1	-	4	2	1	-	-	3	-	-
FEMALE--	-	-	1	-	1	2	2	2	-	1	-	-
BLACK---MALE-----	-	-	1	-	4	2	-	-	-	2	-	-
FEMALE--	-	-	1	-	-	2	2	2	-	1	-	-
RHODE ISLAND -----	1	-	-	1	-	1	3	1	2	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	1	3	5	2	4	6	15	16	14	7	1	-
WHITE-----MALE----	-	1	3	-	1	2	1	3	2	-	-	-
FEMALE--	1	1	1	1	2	2	6	9	11	4	1	-
ALL OTHER--MALE----	-	1	1	1	1	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	6	3	1	2	-	-
BLACK---MALE-----	-	1	1	1	1	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	6	3	1	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1511

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified malnutrition (E40,E42-E46)												
SOUTH DAKOTA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	115	-	-	-	-	-	1	-	-	-	1	3
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	57	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	356	-	-	-	-	1	-	-	-	-	3	3
WHITE-----MALE----	91	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	223	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
UTAH -----	22	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	121	1	-	-	-	-	1	-	-	1	2	-
WHITE-----MALE----	31	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1511

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)												
SOUTH DAKOTA -----	-	-	-	1	-	-	2	2	2	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	1	7	7	16	17	30	19	9	2	-
WHITE-----MALE----	1	-	1	3	2	5	5	10	6	2	-	-
FEMALE--	-	-	-	1	1	11	10	15	11	5	1	-
ALL OTHER--MALE----	1	-	-	2	2	-	1	2	1	1	-	-
FEMALE--	-	-	-	1	2	-	1	3	1	1	1	-
BLACK---MALE-----	1	-	-	2	2	-	1	2	1	1	-	-
FEMALE--	-	-	-	1	2	-	1	3	1	1	1	-
TEXAS -----	8	4	4	11	17	37	62	91	58	41	16	-
WHITE-----MALE----	5	1	3	1	6	11	16	27	9	7	1	-
FEMALE--	1	2	1	8	9	20	43	55	44	28	12	-
ALL OTHER--MALE----	1	1	-	2	1	3	1	2	1	1	1	-
FEMALE--	1	-	-	-	1	3	2	7	4	5	2	-
BLACK---MALE-----	1	-	-	2	1	3	1	2	1	1	1	-
FEMALE--	1	-	-	-	1	1	2	4	4	5	2	-
UTAH -----	-	-	1	2	-	1	3	6	6	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	5	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	5	1	6	9	19	27	20	20	7	1	-
WHITE-----MALE----	-	-	-	2	4	3	9	5	7	-	-	-
FEMALE--	1	2	-	1	3	10	11	10	10	6	1	-
ALL OTHER--MALE----	-	3	-	2	2	2	3	2	2	-	-	-
FEMALE--	-	-	1	1	-	4	4	3	1	1	-	-
BLACK---MALE-----	-	3	-	2	2	2	3	2	2	-	-	-
FEMALE--	-	-	1	1	-	4	4	3	1	1	-	-





















TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1516

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other nutritional deficiencies (E50-E64)												
KENTUCKY -----	1	-	-	-	-	1	1	3	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	1	-	1	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	-	1	-	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	-	2	3	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	-	-	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1519

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other nutritional deficiencies (E50-E64)												
OHIO -----	-	1	-	1	-	3	3	1	1	5	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	2	-	-
FEMALE--	-	1	-	-	-	2	2	1	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	1	-	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	2	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	1	4	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1520

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other nutritional deficiencies (E50-E64)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	1	-	3	-	1	2	-	-
WHITE-----MALE----	-	1	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	-	-	-	-	1	4	10	2	8	2	1	-
WHITE-----MALE----	-	-	-	-	-	2	5	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	1	-	-
UTAH -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	1	1	6	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1522

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obesity and other hyperalimantation (E65-E68)												
UNITED STATES -	2,600	-	1	1	-	19	34	74	115	190	293	285
WHITE-----MALE----	1,008	-	-	-	-	7	7	24	52	80	148	123
FEMALE--	1,048	-	1	1	-	3	13	17	24	49	80	101
ALL OTHER--MALE----	210	-	-	-	-	4	7	15	27	33	27	25
FEMALE--	334	-	-	-	-	5	7	18	12	28	38	36
BLACK---MALE-----	194	-	-	-	-	3	7	14	24	30	26	23
FEMALE--	319	-	-	-	-	3	7	18	11	27	37	35
ALABAMA -----	35	-	-	-	-	-	1	1	3	3	1	8
WHITE-----MALE----	14	-	-	-	-	-	1	-	2	-	-	4
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	5	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
ALASKA -----	6	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	-	-	-	-	1	-	1	4	3	6	1
WHITE-----MALE----	14	-	-	-	-	-	-	1	2	3	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	25	-	-	-	-	-	2	3	1	-	5	-
WHITE-----MALE----	10	-	-	-	-	-	-	2	-	-	3	-
FEMALE--	9	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	-
CALIFORNIA -----	270	-	1	-	-	2	5	6	14	21	41	37
WHITE-----MALE----	89	-	-	-	-	-	2	2	7	6	15	10
FEMALE--	138	-	1	-	-	-	2	2	3	10	17	22
ALL OTHER--MALE----	16	-	-	-	-	2	-	-	4	1	4	1
FEMALE--	27	-	-	-	-	-	1	2	-	4	5	4
BLACK---MALE-----	10	-	-	-	-	2	-	-	2	1	3	-
FEMALE--	25	-	-	-	-	-	1	2	-	3	5	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1522

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obesity and other hyperalimantation (E65-E68)												
UNITED STATES -	333	287	221	213	216	159	100	42	14	3	-	-
WHITE-----MALE----	139	138	81	76	69	42	18	1	3	-	-	-
FEMALE--	132	104	100	105	107	93	69	35	11	3	-	-
ALL OTHER--MALE----	19	19	14	8	6	5	1	-	-	-	-	-
FEMALE--	43	26	26	24	34	19	12	6	-	-	-	-
BLACK---MALE-----	18	18	13	7	6	4	1	-	-	-	-	-
FEMALE--	41	25	25	24	32	18	11	5	-	-	-	-
ALABAMA -----	4	2	5	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	4	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALASKA -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	2	-	3	-	3	1	-	-	-	-
WHITE-----MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	1	2	3	1	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	28	26	24	14	20	14	8	8	-	1	-	-
WHITE-----MALE----	12	8	13	1	8	4	1	-	-	-	-	-
FEMALE--	12	15	9	11	11	8	7	7	-	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	3	2	2	1	1	1	-	1	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	2	1	1	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1523

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obesity and other hyperalimantation (E65-E68)												
COLORADO -----	42	-	-	-	-	-	-	-	2	7	5	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	4	3	-
FEMALE--	21	-	-	-	-	-	-	-	2	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	-	-	-	-	1	-	-	1	-	2	-
WHITE-----MALE----	10	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	14	-	-	-	-	-	-	1	2	1	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	187	-	-	-	-	-	5	6	7	10	26	9
WHITE-----MALE----	75	-	-	-	-	-	1	3	3	5	14	4
FEMALE--	69	-	-	-	-	-	2	2	3	-	4	5
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	1	1	4	-
FEMALE--	30	-	-	-	-	-	1	1	-	4	4	-
BLACK---MALE-----	13	-	-	-	-	-	1	-	1	1	4	-
FEMALE--	30	-	-	-	-	-	1	1	-	4	4	-
GEORGIA -----	75	-	-	-	-	1	3	3	7	7	10	8
WHITE-----MALE----	23	-	-	-	-	-	1	-	3	2	3	5
FEMALE--	15	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	1	1	2	1	3	1
FEMALE--	24	-	-	-	-	1	1	2	1	2	4	2
BLACK---MALE-----	13	-	-	-	-	-	1	1	1	1	3	1
FEMALE--	24	-	-	-	-	1	1	2	1	2	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1523

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obesity and other hyperalimantation (E65-E68)												
COLORADO -----	8	5	2	4	2	4	1	1	-	-	-	-
WHITE-----MALE----	3	3	2	2	1	-	-	-	-	-	-	-
FEMALE--	4	2	-	2	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	2	-	3	-	2	1	1	1	-	-	-
WHITE-----MALE----	4	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	4	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
FLORIDA -----	28	19	14	14	18	14	11	6	-	-	-	-
WHITE-----MALE----	18	9	2	5	3	6	2	-	-	-	-	-
FEMALE--	7	8	7	7	9	4	6	5	-	-	-	-
ALL OTHER--MALE----	1	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	3	2	6	3	3	1	-	-	-	-
BLACK---MALE-----	1	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	3	2	6	3	3	1	-	-	-	-
GEORGIA -----	9	6	6	4	5	3	1	2	-	-	-	-
WHITE-----MALE----	2	-	3	1	1	1	1	-	-	-	-	-
FEMALE--	3	4	1	3	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	-	4	1	-	1	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	-	4	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1524

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obesity and other hyperalimantation (E65-E68)												
HAWAII -----	6	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	82	-	-	-	-	-	-	5	5	5	9	7
WHITE-----MALE----	29	-	-	-	-	-	-	3	2	3	4	2
FEMALE--	35	-	-	-	-	-	-	-	2	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	11	-	-	-	-	-	-	1	-	1	3	1
BLACK---MALE-----	7	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	11	-	-	-	-	-	-	1	-	1	3	1
INDIANA -----	75	-	-	-	-	-	-	1	3	8	6	6
WHITE-----MALE----	25	-	-	-	-	-	-	1	3	2	2	3
FEMALE--	41	-	-	-	-	-	-	-	-	4	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	24	-	-	-	-	-	-	1	1	-	4	5
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	11	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	25	-	-	-	-	-	-	-	1	3	-	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1524

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obesity and other hyperalimantation (E65-E68)												
HAWAII -----	-	-	2	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	14	8	5	7	3	3	3	-	-	-	-
WHITE-----MALE----	-	7	4	4	-	-	-	-	-	-	-	-
FEMALE--	7	5	3	1	7	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	-	-	-	-
INDIANA -----	6	4	9	9	10	8	4	-	1	-	-	-
WHITE-----MALE----	3	1	3	2	3	1	1	-	-	-	-	-
FEMALE--	3	2	4	4	6	7	3	-	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	-	-	-	-	-	-	-
IOWA -----	3	4	2	2	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	3	1	1	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	5	2	1	1	2	2	1	2	-	-	-
WHITE-----MALE----	1	3	1	1	1	1	-	1	1	-	-	-
FEMALE--	-	2	1	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1525

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obesity and other hyperalimantation (E65-E68)												
KENTUCKY -----	42	-	-	-	-	2	-	1	2	5	4	5
WHITE-----MALE----	19	-	-	-	-	1	-	-	2	3	3	2
FEMALE--	18	-	-	-	-	1	-	1	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
LOUISIANA -----	68	-	-	-	-	-	-	3	6	6	5	7
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	18	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	3	4	-	1
FEMALE--	14	-	-	-	-	-	-	2	1	1	1	-
BLACK---MALE-----	13	-	-	-	-	-	-	1	3	4	-	1
FEMALE--	14	-	-	-	-	-	-	2	1	1	1	-
MAINE -----	10	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	60	-	-	-	-	-	-	-	2	1	7	5
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	12	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	53	-	-	-	-	-	-	1	3	8	5	8
WHITE-----MALE----	25	-	-	-	-	-	-	-	2	3	4	7
FEMALE--	23	-	-	-	-	-	-	1	1	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
MICHIGAN -----	93	-	-	-	-	-	-	4	7	4	17	13
WHITE-----MALE----	39	-	-	-	-	-	-	1	2	2	8	7
FEMALE--	33	-	-	-	-	-	-	-	2	-	5	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	2	2	3	1
FEMALE--	9	-	-	-	-	-	-	2	1	-	1	2
BLACK---MALE-----	12	-	-	-	-	-	-	1	2	2	3	1
FEMALE--	9	-	-	-	-	-	-	2	1	-	1	2



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1526

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obesity and other hyperalimantation (E65-E68)												
MINNESOTA -----	29	-	-	-	-	-	-	1	-	-	2	5
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
MISSISSIPPI -----	31	-	-	-	-	-	3	3	1	3	5	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	2	1	-	-	2	-
FEMALE--	12	-	-	-	-	-	1	1	1	1	2	2
BLACK---MALE-----	5	-	-	-	-	-	2	1	-	-	2	-
FEMALE--	12	-	-	-	-	-	1	1	1	1	2	2
MISSOURI -----	66	-	-	-	-	-	2	-	-	4	9	8
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	3	5	3
FEMALE--	30	-	-	-	-	-	1	-	-	1	2	3
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	5	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
MONTANA -----	2	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	10	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1528

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obesity and other hyperalimantation (E65-E68)												
OHIO -----	15	8	7	12	15	9	3	1	1	-	-	-
WHITE-----MALE----	10	4	3	3	2	2	1	-	-	-	-	-
FEMALE--	5	2	3	7	11	6	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	-	-	-	-	-
OKLAHOMA -----	2	5	2	3	6	1	2	-	1	-	-	-
WHITE-----MALE----	-	2	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	3	1	1	4	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
OREGON -----	5	3	2	2	4	3	2	-	1	-	-	-
WHITE-----MALE----	2	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	3	1	2	1	3	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	17	17	10	8	9	9	4	2	-	-	-
WHITE-----MALE----	6	7	6	5	2	4	2	-	-	-	-	-
FEMALE--	3	6	8	4	3	3	6	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	3	1	3	2	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	3	1	3	2	1	-	-	-	-	-
RHODE ISLAND -----	2	1	-	1	2	-	-	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	4	7	3	2	2	1	-	-	-	-	-
WHITE-----MALE----	3	2	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1529

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obesity and other hyperalimantation (E65-E68)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	52	-	-	-	-	1	-	-	1	8	6	3
WHITE-----MALE----	18	-	-	-	-	1	-	-	-	5	3	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
TEXAS -----	189	-	-	-	-	1	2	5	5	14	18	18
WHITE-----MALE----	93	-	-	-	-	1	1	2	5	8	11	7
FEMALE--	67	-	-	-	-	-	-	-	-	1	5	9
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	21	-	-	-	-	-	1	2	-	3	1	1
BLACK---MALE-----	8	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	21	-	-	-	-	-	1	2	-	3	1	1
UTAH -----	16	-	-	-	-	-	-	2	1	1	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	2	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	59	-	-	-	-	-	-	-	2	6	7	8
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	4	5
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	13	-	-	-	-	-	-	-	2	1	1	2
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	13	-	-	-	-	-	-	-	2	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1529

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obesity and other hyperalimantation (E65-E68)												
SOUTH DAKOTA -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	6	3	6	8	4	-	-	-	1	-	-
WHITE-----MALE----	2	1	-	2	2	1	-	-	-	-	-	-
FEMALE--	3	3	3	3	5	3	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
TEXAS -----	40	24	11	17	16	9	8	1	-	-	-	-
WHITE-----MALE----	17	14	6	7	9	4	1	-	-	-	-	-
FEMALE--	16	7	4	8	4	5	7	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	2	3	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	2	3	-	-	-	-	-	-	-
UTAH -----	1	1	1	-	-	3	3	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	-	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	6	4	6	3	2	2	1	-	-	-	-
WHITE-----MALE----	6	2	1	3	2	-	1	-	-	-	-	-
FEMALE--	3	3	1	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	-	1	1	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1531

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Metabolic disorders (E70-E88)												
UNITED STATES -	14,874	213	129	82	94	140	139	127	105	145	198	264
WHITE-----MALE----	5,332	85	61	33	43	61	56	60	43	64	94	141
FEMALE--	7,738	60	48	29	38	63	71	57	46	49	54	71
ALL OTHER--MALE----	825	37	12	9	9	10	7	8	10	18	26	34
FEMALE--	979	31	8	11	4	6	5	2	6	14	24	18
BLACK---MALE-----	706	32	8	6	8	8	5	6	10	15	26	27
FEMALE--	881	24	7	10	4	3	4	2	6	12	23	16
ALABAMA -----	262	6	2	1	2	1	-	4	2	3	4	6
WHITE-----MALE----	52	1	1	-	2	1	-	-	-	1	1	2
FEMALE--	138	-	1	1	-	-	-	3	2	2	-	2
ALL OTHER--MALE----	28	3	-	-	-	-	-	1	-	-	2	1
FEMALE--	44	2	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	28	3	-	-	-	-	-	1	-	-	2	1
FEMALE--	44	2	-	-	-	-	-	-	-	-	1	1
ALASKA -----	9	1	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	188	4	-	-	4	4	1	2	2	3	3	5
WHITE-----MALE----	92	3	-	-	2	4	-	1	2	3	3	4
FEMALE--	88	1	-	-	2	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	154	-	2	2	1	1	2	2	-	2	4	2
WHITE-----MALE----	46	-	-	1	-	-	-	-	-	-	3	1
FEMALE--	85	-	1	1	1	1	2	2	-	-	1	-
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	10	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA -----	1,153	19	16	6	16	14	15	12	15	10	13	23
WHITE-----MALE----	485	8	4	2	13	6	8	5	5	5	7	15
FEMALE--	546	9	9	3	3	7	5	6	9	3	4	6
ALL OTHER--MALE----	66	1	2	-	-	1	1	1	-	-	1	2
FEMALE--	56	1	1	1	-	-	1	-	1	2	1	-
BLACK---MALE-----	38	1	2	-	-	1	1	1	-	-	1	1
FEMALE--	34	1	-	1	-	-	1	-	1	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1531

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Metabolic disorders (E70-E88)												
UNITED STATES -	397	461	658	907	1,339	1,861	2,182	2,469	1,880	878	206	-
WHITE-----MALE----	213	255	342	433	648	778	752	634	377	141	18	-
FEMALE--	103	137	212	326	520	874	1,207	1,615	1,351	650	157	-
ALL OTHER--MALE----	41	41	52	79	90	100	93	69	52	22	6	-
FEMALE--	40	28	52	69	81	109	130	151	100	65	25	-
BLACK---MALE-----	39	37	47	72	77	86	71	61	42	19	4	-
FEMALE--	37	24	46	63	78	97	116	136	94	56	23	-
ALABAMA -----	6	2	7	15	22	35	39	55	33	13	4	-
WHITE-----MALE----	2	-	1	3	6	7	5	10	8	1	-	-
FEMALE--	2	1	4	6	10	22	25	35	15	5	2	-
ALL OTHER--MALE----	2	-	1	3	2	1	5	1	1	4	1	-
FEMALE--	-	1	1	3	4	5	4	9	9	3	1	-
BLACK---MALE-----	2	-	1	3	2	1	5	1	1	4	1	-
FEMALE--	-	1	1	3	4	5	4	9	9	3	1	-
ALASKA -----	1	-	1	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	6	13	24	25	30	25	15	10	1	-
WHITE-----MALE----	2	5	4	9	14	10	10	9	5	2	-	-
FEMALE--	3	1	2	4	8	15	17	15	10	8	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	5	1	8	7	10	28	24	20	20	12	1	-
WHITE-----MALE----	5	-	2	2	7	6	8	6	5	-	-	-
FEMALE--	-	1	4	4	2	18	11	10	14	12	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	1	1	-	1	-
FEMALE--	-	-	2	1	1	4	3	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	3	1	1	1	-	1	-
FEMALE--	-	-	2	1	-	1	4	3	-	-	-	-
CALIFORNIA -----	30	52	76	77	120	140	168	166	116	42	7	-
WHITE-----MALE----	17	28	44	45	54	70	65	46	27	9	2	-
FEMALE--	9	17	24	26	49	54	79	112	81	26	5	-
ALL OTHER--MALE----	-	3	4	2	11	12	14	3	6	2	-	-
FEMALE--	4	4	4	4	6	4	10	5	2	5	-	-
BLACK---MALE-----	-	2	2	-	5	5	10	2	3	1	-	-
FEMALE--	4	1	2	3	4	3	4	3	1	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1532

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Metabolic disorders (E70-E88)												
COLORADO -----	169	1	1	1	-	3	1	1	-	4	1	4
WHITE-----MALE----	65	1	1	1	-	-	-	-	-	-	1	3
FEMALE--	93	-	-	-	-	2	1	1	-	3	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	223	1	2	-	3	1	4	1	2	3	1	3
WHITE-----MALE----	83	1	1	-	2	1	1	1	2	1	1	3
FEMALE--	122	-	-	-	-	-	3	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	49	1	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	20	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	35	-	-	1	-	-	-	2	-	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	1	-	-	-	1	-	-	-	-
FLORIDA -----	861	6	7	5	1	3	3	4	4	11	12	16
WHITE-----MALE----	363	2	3	3	-	1	-	-	2	5	7	15
FEMALE--	421	2	3	1	-	2	1	3	1	5	3	1
ALL OTHER--MALE----	46	2	-	1	1	-	2	1	-	1	-	-
FEMALE--	31	-	1	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	45	2	-	1	1	-	2	1	-	1	-	-
FEMALE--	30	-	1	-	-	-	-	-	1	-	2	-
GEORGIA -----	352	8	5	3	4	4	5	5	4	2	5	7
WHITE-----MALE----	94	4	3	1	1	2	4	3	2	-	2	3
FEMALE--	165	1	2	2	2	2	1	2	1	-	1	2
ALL OTHER--MALE----	35	1	-	-	1	-	-	-	-	2	1	2
FEMALE--	58	2	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	34	1	-	-	1	-	-	-	-	1	1	2
FEMALE--	58	2	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1532

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Metabolic disorders (E70-E88)												
COLORADO -----	5	8	10	11	9	17	22	23	27	18	2	-
WHITE-----MALE----	4	4	8	6	6	9	5	7	4	5	-	-
FEMALE--	1	2	2	3	3	5	17	15	23	12	2	-
ALL OTHER--MALE----	-	2	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	2	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	2	11	12	20	15	30	56	29	17	5	-
WHITE-----MALE----	4	2	4	5	11	4	14	18	6	1	-	-
FEMALE--	1	-	5	3	7	11	11	37	22	16	5	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	2	-	4	1	1	-	-	-
BLACK---MALE-----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	4	1	1	-	-	-
DELAWARE -----	1	-	2	2	5	8	6	7	11	1	2	-
WHITE-----MALE----	1	-	2	2	2	5	2	2	1	-	-	-
FEMALE--	-	-	-	-	3	2	4	5	10	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	2	4	3	6	4	-	5	4	3	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	3	3	-
BLACK---MALE-----	-	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	3	3	-
FLORIDA -----	17	30	32	61	88	143	148	132	86	40	12	-
WHITE-----MALE----	11	18	19	32	49	61	66	40	18	9	2	-
FEMALE--	3	9	7	21	31	70	72	80	68	31	7	-
ALL OTHER--MALE----	2	2	4	6	7	9	4	4	-	-	-	-
FEMALE--	1	1	2	2	1	3	6	8	-	-	3	-
BLACK---MALE-----	2	2	4	6	7	8	4	4	-	-	-	-
FEMALE--	1	1	2	2	1	3	6	7	-	-	3	-
GEORGIA -----	14	16	11	17	22	34	61	54	48	21	2	-
WHITE-----MALE----	4	7	4	8	7	7	13	11	8	-	-	-
FEMALE--	3	2	5	4	10	19	32	29	30	13	2	-
ALL OTHER--MALE----	6	3	-	3	1	3	4	4	2	2	-	-
FEMALE--	1	4	2	2	4	5	12	10	8	6	-	-
BLACK---MALE-----	6	3	-	3	1	3	4	4	2	2	-	-
FEMALE--	1	4	2	2	4	5	12	10	8	6	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1533

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Metabolic disorders (E70-E88)												
HAWAII -----	54	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	55	-	-	1	1	1	-	1	-	1	1	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	28	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	577	6	4	4	3	6	12	6	4	3	8	10
WHITE-----MALE----	188	2	3	-	1	2	4	2	2	2	3	3
FEMALE--	303	2	1	-	1	3	5	3	1	1	3	5
ALL OTHER--MALE----	44	2	-	2	-	1	2	1	1	-	1	2
FEMALE--	42	-	-	2	1	-	1	-	-	-	1	-
BLACK---MALE-----	40	2	-	2	-	1	2	1	1	-	1	2
FEMALE--	40	-	-	2	1	-	1	-	-	-	1	-
INDIANA -----	334	3	2	-	3	1	2	1	2	1	5	5
WHITE-----MALE----	107	1	1	-	-	1	2	-	1	1	2	1
FEMALE--	206	-	1	-	2	-	-	1	1	-	2	4
ALL OTHER--MALE----	12	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	12	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
IOWA -----	199	1	1	1	-	6	-	1	1	3	1	-
WHITE-----MALE----	71	1	1	-	-	2	-	1	-	2	-	-
FEMALE--	123	-	-	1	-	4	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	173	6	2	1	3	2	3	1	-	-	3	2
WHITE-----MALE----	61	3	1	-	1	2	2	1	-	-	-	1
FEMALE--	98	-	1	-	2	-	-	-	-	-	3	1
ALL OTHER--MALE----	7	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1533

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Metabolic disorders (E70-E88)												
HAWAII -----	1	1	7	1	1	14	8	5	7	5	2	-
WHITE-----MALE----	-	1	3	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	4	5	3	2	1	1	-
FEMALE--	1	-	3	-	-	8	2	2	4	4	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	2	1	2	8	5	15	9	4	-	-
WHITE-----MALE----	-	1	1	1	2	5	2	7	3	2	-	-
FEMALE--	1	-	1	-	-	3	3	8	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	14	24	38	48	67	91	103	75	31	3	-
WHITE-----MALE----	7	8	11	18	17	32	32	19	14	6	-	-
FEMALE--	6	5	8	10	22	23	49	71	58	23	3	-
ALL OTHER--MALE----	3	1	3	4	6	6	3	4	1	1	-	-
FEMALE--	1	-	2	6	3	6	7	9	2	1	-	-
BLACK---MALE-----	3	1	3	4	3	6	3	3	1	1	-	-
FEMALE--	1	-	2	6	3	6	6	8	2	1	-	-
INDIANA -----	9	8	13	21	40	44	53	54	41	21	5	-
WHITE-----MALE----	5	5	3	8	22	21	13	8	6	5	1	-
FEMALE--	3	3	9	12	13	23	37	44	34	13	4	-
ALL OTHER--MALE----	1	-	1	1	3	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	2	-	2	2	1	1	-	-
BLACK---MALE-----	1	-	1	1	3	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	2	-	2	1	1	1	-	-
IOWA -----	6	8	3	9	18	29	30	35	25	17	4	-
WHITE-----MALE----	2	3	1	4	9	13	12	10	5	5	-	-
FEMALE--	3	5	2	5	7	16	18	24	20	12	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	6	2	10	11	11	20	24	27	24	10	5	-
WHITE-----MALE----	2	2	3	8	7	12	4	6	5	1	-	-
FEMALE--	3	-	6	2	4	7	18	20	17	9	5	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1534

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Metabolic disorders (E70-E88)												
KENTUCKY -----	246	4	3	1	3	4	2	2	2	-	-	3
WHITE-----MALE----	83	-	2	-	1	2	1	-	1	-	-	1
FEMALE--	149	4	1	1	1	2	1	2	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	-	1
LOUISIANA -----	216	5	3	3	2	4	2	4	-	3	4	4
WHITE-----MALE----	62	1	1	2	-	2	-	3	-	1	3	1
FEMALE--	94	1	1	-	2	1	2	1	-	1	-	-
ALL OTHER--MALE----	29	1	1	1	-	1	-	-	-	-	1	1
FEMALE--	31	2	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	29	1	1	1	-	1	-	-	-	-	1	1
FEMALE--	29	2	-	-	-	-	-	-	-	1	-	1
MAINE -----	98	-	-	-	-	1	-	2	-	-	2	4
WHITE-----MALE----	43	-	-	-	-	-	-	2	-	-	2	4
FEMALE--	55	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	375	8	5	1	1	4	4	2	3	3	6	6
WHITE-----MALE----	122	3	2	-	-	2	2	1	2	1	-	2
FEMALE--	152	2	1	1	-	1	2	1	1	-	3	1
ALL OTHER--MALE----	43	1	1	-	1	1	-	-	-	2	2	2
FEMALE--	58	2	1	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	41	1	1	-	1	1	-	-	-	2	2	1
FEMALE--	57	1	1	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	448	-	2	-	1	7	6	1	1	8	5	6
WHITE-----MALE----	154	-	2	-	-	4	2	-	-	5	3	4
FEMALE--	275	-	-	-	1	2	4	1	1	2	2	2
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	617	7	2	2	2	5	4	4	2	5	11	5
WHITE-----MALE----	217	2	2	-	-	3	2	3	1	3	7	2
FEMALE--	328	1	-	2	2	-	1	1	-	1	1	3
ALL OTHER--MALE----	27	3	-	-	-	1	1	-	1	-	2	-
FEMALE--	45	1	-	-	-	1	-	-	-	1	1	-
BLACK---MALE-----	25	3	-	-	-	1	-	-	1	-	2	-
FEMALE--	43	1	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1534

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Metabolic disorders (E70-E88)												
KENTUCKY -----	4	6	6	6	15	34	41	50	34	21	5	-
WHITE-----MALE----	2	2	3	4	6	15	12	15	12	4	-	-
FEMALE--	1	4	3	2	8	17	25	33	21	16	5	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	1	1	-	-
BLACK---MALE-----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	1	1	-	-
LOUISIANA -----	5	11	6	15	18	24	20	36	30	14	3	-
WHITE-----MALE----	3	6	1	4	10	7	3	6	4	4	-	-
FEMALE--	1	2	1	6	5	12	10	23	17	7	1	-
ALL OTHER--MALE----	1	2	2	2	3	4	2	4	2	-	1	-
FEMALE--	-	1	2	3	-	1	5	3	7	3	1	-
BLACK---MALE-----	1	2	2	2	3	4	2	4	2	-	1	-
FEMALE--	-	1	2	3	-	1	4	3	7	3	1	-
MAINE -----	1	3	3	4	14	14	9	18	17	5	1	-
WHITE-----MALE----	1	2	3	2	7	7	3	5	2	3	-	-
FEMALE--	-	1	-	2	7	7	6	13	15	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	18	19	25	35	52	39	63	52	11	2	-
WHITE-----MALE----	8	9	8	10	12	17	14	15	12	1	1	-
FEMALE--	2	3	2	6	10	20	21	36	29	9	1	-
ALL OTHER--MALE----	2	4	5	3	5	8	1	3	2	-	-	-
FEMALE--	4	2	4	6	8	7	3	9	9	1	-	-
BLACK---MALE-----	2	4	5	2	5	8	1	3	2	-	-	-
FEMALE--	4	2	4	6	8	7	3	9	9	1	-	-
MASSACHUSETTS -----	5	10	11	21	39	42	76	96	70	35	6	-
WHITE-----MALE----	2	7	3	10	15	21	31	21	16	6	2	-
FEMALE--	2	2	6	8	23	20	42	72	52	29	4	-
ALL OTHER--MALE----	1	1	1	2	-	1	-	2	1	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	1	-	-	-
BLACK---MALE-----	1	1	1	2	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	1	-	-	-
MICHIGAN -----	14	20	29	29	56	76	89	110	91	44	10	-
WHITE-----MALE----	9	13	17	14	25	29	31	29	20	5	-	-
FEMALE--	2	4	10	7	23	40	50	72	63	37	8	-
ALL OTHER--MALE----	1	-	2	3	4	2	1	2	2	1	1	-
FEMALE--	2	3	-	5	4	5	7	7	6	1	1	-
BLACK---MALE-----	1	-	2	3	4	2	1	2	2	1	-	-
FEMALE--	2	3	-	5	3	5	7	7	6	1	1	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1537

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Metabolic disorders (E70-E88)												
OHIO -----	16	21	39	73	102	127	140	154	120	53	12	-
WHITE-----MALE----	9	11	29	37	44	58	50	36	24	11	2	-
FEMALE--	5	6	8	26	44	60	77	105	86	40	9	-
ALL OTHER--MALE----	1	4	1	5	8	6	4	4	1	1	-	-
FEMALE--	1	-	1	5	6	3	9	9	9	1	1	-
BLACK---MALE-----	1	4	1	5	8	6	4	4	1	1	-	-
FEMALE--	1	-	1	5	6	3	9	9	9	1	1	-
OKLAHOMA -----	4	3	15	15	17	22	28	32	23	13	3	-
WHITE-----MALE----	-	2	9	5	9	9	13	6	8	1	-	-
FEMALE--	3	1	3	8	7	8	13	25	14	11	3	-
ALL OTHER--MALE----	-	-	1	2	1	3	1	1	-	-	-	-
FEMALE--	1	-	2	-	-	2	1	-	1	1	-	-
BLACK---MALE-----	-	-	1	2	-	3	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	1	1	-	-
OREGON -----	11	5	14	13	14	24	18	20	16	6	1	-
WHITE-----MALE----	9	2	12	6	10	14	7	4	3	1	-	-
FEMALE--	2	3	2	7	4	10	11	16	13	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	25	35	39	75	140	134	145	123	65	14	-
WHITE-----MALE----	5	17	17	13	37	64	51	54	24	9	2	-
FEMALE--	6	5	13	19	27	69	78	82	95	52	11	-
ALL OTHER--MALE----	2	3	2	3	4	3	4	2	1	2	-	-
FEMALE--	1	-	3	4	7	4	1	7	3	2	1	-
BLACK---MALE-----	2	3	2	3	4	3	3	2	-	1	-	-
FEMALE--	1	-	3	3	7	4	1	7	3	2	1	-
RHODE ISLAND -----	2	1	3	6	9	8	12	19	9	5	1	-
WHITE-----MALE----	1	1	1	4	3	6	2	6	-	2	-	-
FEMALE--	1	-	1	1	6	2	10	13	9	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	4	15	13	27	34	19	30	18	11	3	-
WHITE-----MALE----	-	2	8	4	10	8	3	1	-	2	-	-
FEMALE--	2	1	4	5	13	18	13	20	17	7	2	-
ALL OTHER--MALE----	3	1	2	4	3	6	-	4	-	-	-	-
FEMALE--	1	-	1	-	1	2	3	5	1	2	1	-
BLACK---MALE-----	3	1	2	4	3	6	-	4	-	-	-	-
FEMALE--	1	-	1	-	1	2	3	5	1	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1538

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Metabolic disorders (E70-E88)												
SOUTH DAKOTA -----	36	1	-	-	-	-	1	1	1	-	-	2
WHITE-----MALE----	12	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	336	3	7	2	2	8	3	2	3	3	7	7
WHITE-----MALE----	121	2	4	1	1	4	1	2	1	2	2	6
FEMALE--	167	-	2	1	1	3	2	-	1	1	3	-
ALL OTHER--MALE----	17	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	31	1	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	16	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	30	1	-	-	-	-	-	-	1	-	1	1
TEXAS -----	884	14	7	9	8	3	12	11	10	9	7	23
WHITE-----MALE----	309	4	2	4	4	1	5	6	3	5	4	10
FEMALE--	463	4	5	3	3	1	7	5	4	3	2	6
ALL OTHER--MALE----	47	2	-	-	1	1	-	-	2	-	1	3
FEMALE--	65	4	-	2	-	-	-	-	1	1	-	4
BLACK---MALE-----	42	2	-	-	1	1	-	-	2	-	1	3
FEMALE--	62	4	-	1	-	-	-	-	1	1	-	3
UTAH -----	96	6	1	3	-	1	2	3	2	2	2	-
WHITE-----MALE----	41	3	-	2	-	-	1	2	-	1	1	-
FEMALE--	55	3	1	1	-	1	1	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	41	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	428	8	3	4	1	1	1	2	3	5	5	5
WHITE-----MALE----	122	3	-	1	-	-	1	1	1	-	2	2
FEMALE--	214	3	3	1	1	-	-	1	1	3	1	-
ALL OTHER--MALE----	46	2	-	1	-	1	-	-	1	1	2	2
FEMALE--	46	-	-	1	-	-	-	-	-	1	-	1
BLACK---MALE-----	43	2	-	-	-	1	-	-	1	1	2	1
FEMALE--	46	-	-	1	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1538

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Metabolic disorders (E70-E88)												
SOUTH DAKOTA -----	-	3	1	1	2	1	5	11	4	1	1	-
WHITE-----MALE----	-	2	1	-	2	1	2	1	-	1	-	-
FEMALE--	-	1	-	1	-	-	3	10	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	11	16	26	28	34	45	59	42	16	2	-
WHITE-----MALE----	4	5	7	12	14	14	14	12	9	4	-	-
FEMALE--	-	5	7	12	10	15	30	42	25	6	1	-
ALL OTHER--MALE----	4	-	1	2	-	2	-	2	3	-	-	-
FEMALE--	2	1	1	-	4	3	1	3	5	6	1	-
BLACK---MALE-----	4	-	1	2	-	2	-	2	3	-	-	-
FEMALE--	2	1	1	-	4	2	1	3	5	6	1	-
TEXAS -----	41	29	28	54	74	103	138	139	111	42	12	-
WHITE-----MALE----	24	16	15	26	37	39	49	33	17	4	1	-
FEMALE--	11	9	7	23	26	54	75	92	79	36	8	-
ALL OTHER--MALE----	3	2	3	3	6	4	6	4	5	1	-	-
FEMALE--	3	2	3	2	5	6	8	10	10	1	3	-
BLACK---MALE-----	3	2	2	3	5	4	3	4	5	1	-	-
FEMALE--	3	2	3	2	5	6	8	9	10	1	3	-
UTAH -----	4	2	4	6	9	5	14	16	8	6	-	-
WHITE-----MALE----	2	-	1	4	7	3	8	4	-	2	-	-
FEMALE--	2	2	3	2	2	2	6	12	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	4	2	5	7	9	3	3	2	-
WHITE-----MALE----	1	1	1	3	-	3	1	4	-	1	-	-
FEMALE--	1	-	-	1	2	2	6	4	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	13	17	36	31	38	66	82	56	27	12	-
WHITE-----MALE----	4	9	11	11	16	13	18	21	7	-	1	-
FEMALE--	4	1	3	13	10	14	37	48	37	25	8	-
ALL OTHER--MALE----	1	2	2	8	1	3	4	5	9	-	1	-
FEMALE--	3	1	1	4	4	8	7	8	3	2	2	-
BLACK---MALE-----	1	2	2	8	1	3	4	5	8	-	1	-
FEMALE--	3	1	1	4	4	8	7	8	3	2	2	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1541

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cystic fibrosis (E84)												
COLORADO -----	3	-	-	-	-	-	1	1	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	1	-	2	1	1	1	-	-
WHITE-----MALE----	5	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	17	-	-	1	-	2	2	2	2	3	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	10	-	-	1	-	2	1	2	1	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	18	1	-	-	2	3	3	4	4	-	-	-
WHITE-----MALE----	10	1	-	-	1	1	2	3	2	-	-	-
FEMALE--	7	-	-	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-





































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1549

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
UNITED STATES -	112	111	152	282	491	877	1,350	1,841	1,603	783	194	-
WHITE-----MALE----	49	49	50	89	194	334	428	443	301	127	18	-
FEMALE--	28	35	56	116	212	417	779	1,226	1,171	582	148	-
ALL OTHER--MALE----	19	18	19	46	48	64	62	55	48	17	5	-
FEMALE--	16	9	27	31	37	62	81	117	83	57	23	-
BLACK---MALE-----	18	18	19	44	44	56	51	49	39	16	3	-
FEMALE--	15	8	24	27	37	55	76	105	78	49	22	-
ALABAMA -----	3	-	2	9	14	30	33	44	28	10	3	-
WHITE-----MALE----	1	-	-	3	4	5	4	8	7	1	-	-
FEMALE--	1	-	1	3	7	20	21	28	13	5	2	-
ALL OTHER--MALE----	1	-	-	2	1	1	4	1	1	2	-	-
FEMALE--	-	-	1	1	2	4	4	7	7	2	1	-
BLACK---MALE-----	1	-	-	2	1	1	4	1	1	2	-	-
FEMALE--	-	-	1	1	2	4	4	7	7	2	1	-
ALASKA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	1	2	10	9	23	19	12	8	1	-
WHITE-----MALE----	-	3	1	1	4	3	9	7	2	1	-	-
FEMALE--	-	-	-	1	5	6	11	11	10	7	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	3	1	4	5	6	17	19	19	19	10	1	-
WHITE-----MALE----	3	-	1	1	3	4	6	6	4	-	-	-
FEMALE--	-	1	1	3	2	9	9	10	14	10	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	1	1	-	1	-
FEMALE--	-	-	2	1	-	1	3	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	3	1	1	1	-	1	-
FEMALE--	-	-	2	1	-	1	3	2	-	-	-	-
CALIFORNIA -----	6	2	5	9	18	44	56	86	80	34	6	-
WHITE-----MALE----	3	2	3	2	6	17	19	23	14	8	2	-
FEMALE--	2	-	2	6	8	19	31	58	60	21	4	-
ALL OTHER--MALE----	-	-	-	-	3	6	4	1	5	1	-	-
FEMALE--	1	-	-	1	1	2	2	4	1	4	-	-
BLACK---MALE-----	-	-	-	-	1	2	4	1	2	1	-	-
FEMALE--	1	-	-	1	1	2	1	2	1	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1550

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
COLORADO -----	3	3	2	4	2	10	15	21	24	16	2	-
WHITE-----MALE----	3	1	1	3	1	3	4	5	3	5	-	-
FEMALE--	-	1	1	-	1	4	11	15	21	10	2	-
ALL OTHER--MALE----	-	1	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	1	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	1	3	6	9	7	20	50	28	16	5	-
WHITE-----MALE----	2	1	-	2	4	2	10	14	6	1	-	-
FEMALE--	1	-	2	1	3	5	6	35	21	15	5	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	3	1	1	-	-	-
BLACK---MALE-----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	1	-	-	-
DELAWARE -----	1	-	-	-	2	3	3	5	10	1	2	-
WHITE-----MALE----	1	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	2	1	3	3	9	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	2	-	2	1	-	4	3	3	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	2	3	-
BLACK---MALE-----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	2	3	-
FLORIDA -----	4	7	3	16	25	53	78	81	66	32	10	-
WHITE-----MALE----	4	4	2	4	9	21	29	27	12	8	2	-
FEMALE--	-	3	-	8	11	26	41	48	54	24	6	-
ALL OTHER--MALE----	-	-	-	3	5	4	2	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	6	4	-	-	2	-
BLACK---MALE-----	-	-	-	3	5	4	2	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	6	4	-	-	2	-
GEORGIA -----	5	8	6	4	15	16	40	49	43	21	2	-
WHITE-----MALE----	1	2	2	1	4	2	6	7	7	-	-	-
FEMALE--	1	-	4	1	6	9	24	29	27	13	2	-
ALL OTHER--MALE----	3	3	-	1	1	2	4	4	2	2	-	-
FEMALE--	-	3	-	1	4	3	6	9	7	6	-	-
BLACK---MALE-----	3	3	-	1	1	2	4	4	2	2	-	-
FEMALE--	-	3	-	1	4	3	6	9	7	6	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1551

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

HAWAII -----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	34	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	349	2	-	2	-	-	3	1	-	2	5	3
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	207	1	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	32	1	-	1	-	-	2	1	-	-	1	2
FEMALE--	28	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE-----	31	1	-	1	-	-	2	1	-	-	1	2
FEMALE--	27	-	-	1	-	-	-	-	-	-	1	-
INDIANA -----	190	3	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	47	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	129	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
IOWA -----	108	1	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	33	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	100	2	-	-	-	-	1	1	-	-	1	2
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1551

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
HAWAII -----	-	-	4	1	1	8	5	4	6	3	1	-
WHITE-----MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	3	3	1	-	1	-
FEMALE--	-	-	2	-	-	5	1	1	4	3	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	1	-	4	4	10	8	4	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	6	2	2	-	-
FEMALE--	1	-	-	-	-	2	3	4	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	5	3	10	21	39	65	83	68	29	2	-
WHITE-----MALE----	1	2	-	3	5	16	23	13	12	5	-	-
FEMALE--	2	2	1	4	10	13	34	58	53	22	2	-
ALL OTHER--MALE----	3	1	1	2	4	5	3	3	1	1	-	-
FEMALE--	-	-	1	1	2	5	5	9	2	1	-	-
BLACK---MALE-----	3	1	1	2	3	5	3	3	1	1	-	-
FEMALE--	-	-	1	1	2	5	5	8	2	1	-	-
INDIANA -----	1	2	2	6	13	25	34	41	32	20	5	-
WHITE-----MALE----	1	-	-	3	8	10	6	7	5	4	1	-
FEMALE--	-	2	1	2	5	15	25	32	26	13	4	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	1	-	-
BLACK---MALE-----	-	-	1	1	-	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	1	-	-
IOWA -----	2	4	1	-	6	12	17	24	18	16	4	-
WHITE-----MALE----	-	-	-	-	2	7	6	5	5	5	-	-
FEMALE--	1	4	1	-	3	5	11	18	13	11	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	4	5	1	10	15	24	20	8	4	-
WHITE-----MALE----	1	-	2	4	-	7	1	6	4	1	-	-
FEMALE--	1	-	2	1	1	3	12	17	14	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

KENTUCKY -----	170	1	3	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	54	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	109	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	131	1	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	1	-	-	-	-	-	-	-	-	-	1
MAINE -----	51	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	187	-	1	-	1	1	-	1	-	2	4	1
WHITE-----MALE----	45	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	94	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	23	-	1	-	1	1	-	-	-	2	2	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	23	-	1	-	1	1	-	-	-	2	2	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	318	-	-	-	-	2	2	-	1	2	1	3
WHITE-----MALE----	96	-	-	-	-	1	1	-	-	1	1	2
FEMALE--	205	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	384	4	-	-	-	-	-	-	-	2	4	1
WHITE-----MALE----	102	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	235	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	15	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	1	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1552

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
KENTUCKY -----	1	1	3	5	10	18	29	43	29	20	5	-
WHITE-----MALE----	1	-	-	3	4	7	10	13	10	4	-	-
FEMALE--	-	1	3	2	6	10	18	28	18	15	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
LOUISIANA -----	3	3	3	7	11	14	13	30	27	12	3	-
WHITE-----MALE----	1	1	1	2	6	5	1	5	3	3	-	-
FEMALE--	1	2	1	3	2	6	8	19	15	7	1	-
ALL OTHER--MALE----	1	-	-	1	3	2	2	4	2	-	1	-
FEMALE--	-	-	1	1	-	1	2	2	7	2	1	-
BLACK---MALE-----	1	-	-	1	3	2	2	4	2	-	1	-
FEMALE--	-	-	1	1	-	1	2	2	7	2	1	-
MAINE -----	-	-	2	1	2	5	3	15	16	5	1	-
WHITE-----MALE----	-	-	2	1	1	3	-	4	2	3	-	-
FEMALE--	-	-	-	-	1	2	3	11	14	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	5	5	6	9	22	22	47	43	10	2	-
WHITE-----MALE----	2	2	1	1	2	7	6	9	11	1	1	-
FEMALE--	1	1	1	1	2	9	13	30	25	8	1	-
ALL OTHER--MALE----	1	1	1	1	2	5	1	3	1	-	-	-
FEMALE--	1	1	2	3	3	1	2	5	6	1	-	-
BLACK---MALE-----	1	1	1	1	2	5	1	3	1	-	-	-
FEMALE--	1	1	2	3	3	1	2	5	6	1	-	-
MASSACHUSETTS -----	2	1	5	10	24	20	58	82	67	32	6	-
WHITE-----MALE----	1	-	1	3	7	11	26	18	15	6	2	-
FEMALE--	-	-	2	5	17	8	29	61	50	26	4	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	2	1	-	-	-
FEMALE--	-	-	1	1	-	-	3	1	1	-	-	-
BLACK---MALE-----	1	1	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	1	-	-	-
MICHIGAN -----	5	8	5	12	23	39	59	90	81	42	9	-
WHITE-----MALE----	1	6	3	3	8	15	19	20	18	5	-	-
FEMALE--	2	1	1	2	11	20	33	64	56	35	7	-
ALL OTHER--MALE----	-	-	1	3	3	1	1	1	2	1	1	-
FEMALE--	2	1	-	4	1	3	6	5	5	1	1	-
BLACK---MALE-----	-	-	1	3	3	1	1	1	2	1	-	-
FEMALE--	2	1	-	4	1	3	6	5	5	1	1	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1555

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
OHIO -----	-	5	10	25	37	50	87	106	102	46	12	-
WHITE-----MALE----	-	2	4	8	14	25	28	22	20	10	2	-
FEMALE--	-	1	5	12	19	19	52	76	73	35	9	-
ALL OTHER--MALE----	-	2	1	4	2	4	1	2	1	-	-	-
FEMALE--	-	-	-	1	2	2	6	6	8	1	1	-
BLACK---MALE-----	-	2	1	4	2	4	1	2	1	-	-	-
FEMALE--	-	-	-	1	2	2	6	6	8	1	1	-
OKLAHOMA -----	2	-	4	3	5	9	18	17	17	12	2	-
WHITE-----MALE----	-	-	2	-	4	4	7	1	7	1	-	-
FEMALE--	1	-	1	2	1	3	10	15	9	10	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	1	-	-
OREGON -----	1	-	-	4	3	5	4	12	13	5	1	-
WHITE-----MALE----	-	-	-	1	-	2	3	3	2	-	-	-
FEMALE--	1	-	-	3	3	3	1	9	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	7	11	15	26	77	88	115	109	57	13	-
WHITE-----MALE----	2	2	3	6	11	36	33	40	21	8	2	-
FEMALE--	3	2	6	6	10	38	50	67	86	45	10	-
ALL OTHER--MALE----	2	3	1	1	2	2	4	2	1	2	-	-
FEMALE--	-	-	1	2	3	1	1	6	1	2	1	-
BLACK---MALE-----	2	3	1	1	2	2	3	2	-	1	-	-
FEMALE--	-	-	1	1	3	1	1	6	1	2	1	-
RHODE ISLAND -----	-	1	1	1	3	-	8	15	8	5	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	5	-	2	-	-
FEMALE--	-	-	-	1	3	-	8	10	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	5	6	16	18	15	27	16	11	3	-
WHITE-----MALE----	-	-	2	-	5	4	2	1	-	2	-	-
FEMALE--	1	-	-	3	9	10	12	18	15	7	2	-
ALL OTHER--MALE----	2	-	2	3	2	3	-	4	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	4	1	2	1	-
BLACK---MALE-----	2	-	2	3	2	3	-	4	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	4	1	2	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1556

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
SOUTH DAKOTA -----	-	1	1	1	-	-	3	4	2	1	1	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	1	-	-	2	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	2	10	14	23	23	47	35	12	2	-
WHITE-----MALE----	-	-	-	3	8	9	7	8	8	4	-	-
FEMALE--	-	1	1	5	5	9	16	36	20	3	1	-
ALL OTHER--MALE----	2	-	1	2	-	2	-	2	3	-	-	-
FEMALE--	1	-	-	-	1	3	-	1	4	5	1	-
BLACK---MALE-----	2	-	1	2	-	2	-	2	3	-	-	-
FEMALE--	1	-	-	-	1	2	-	1	4	5	1	-
TEXAS -----	10	8	6	14	30	41	81	86	91	34	11	-
WHITE-----MALE----	5	4	2	2	17	21	27	15	11	3	1	-
FEMALE--	3	3	2	10	6	18	46	60	69	29	7	-
ALL OTHER--MALE----	-	1	-	1	4	1	4	3	5	1	-	-
FEMALE--	2	-	2	1	3	1	4	8	6	1	3	-
BLACK---MALE-----	-	1	-	1	4	1	2	3	5	1	-	-
FEMALE--	2	-	2	1	3	1	4	7	6	1	3	-
UTAH -----	1	-	1	1	2	1	7	9	8	5	-	-
WHITE-----MALE----	-	-	-	1	1	1	5	3	-	1	-	-
FEMALE--	1	-	1	-	1	-	2	6	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	3	6	7	2	3	2	-
WHITE-----MALE----	-	-	-	1	-	1	-	3	-	1	-	-
FEMALE--	-	-	-	-	1	2	6	4	2	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	7	4	13	14	21	50	69	49	25	12	-
WHITE-----MALE----	-	4	2	-	7	4	12	17	5	-	1	-
FEMALE--	-	1	1	6	3	9	28	42	32	23	8	-
ALL OTHER--MALE----	1	1	1	5	1	3	4	3	9	-	1	-
FEMALE--	-	1	-	2	3	5	6	7	3	2	2	-
BLACK---MALE-----	1	1	1	5	1	3	4	3	8	-	1	-
FEMALE--	-	1	-	2	3	5	6	7	3	2	2	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1558

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other metabolic disorders (E70-E83,E85,E88)												
UNITED STATES -	6,226	128	106	61	51	46	24	27	32	59	108	173
WHITE-----MALE----	2,897	54	55	25	24	24	8	10	10	33	58	101
FEMALE--	2,619	39	38	19	20	12	13	11	14	13	29	44
ALL OTHER--MALE----	329	17	7	7	5	6	1	4	6	6	6	21
FEMALE--	381	18	6	10	2	4	2	2	2	7	15	7
BLACK---MALE-----	265	15	4	5	4	5	1	3	6	4	6	15
FEMALE--	333	12	5	9	2	2	1	2	2	6	14	5
ALABAMA -----	67	4	2	-	1	-	-	1	-	1	2	2
WHITE-----MALE----	15	1	1	-	1	-	-	-	-	1	1	-
FEMALE--	28	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	12	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	86	4	-	-	3	-	-	-	1	1	2	3
WHITE-----MALE----	51	3	-	-	2	-	-	-	1	1	2	3
FEMALE--	34	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	40	-	2	2	-	-	-	1	-	1	1	1
WHITE-----MALE----	16	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	20	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	735	16	15	6	6	5	5	1	7	5	8	17
WHITE-----MALE----	348	6	4	2	4	2	2	-	3	3	4	12
FEMALE--	304	8	8	3	2	2	2	-	3	1	3	3
ALL OTHER--MALE----	44	1	2	-	-	1	-	1	-	-	-	2
FEMALE--	39	1	1	1	-	-	1	-	1	1	1	-
BLACK---MALE-----	25	1	2	-	-	1	-	1	-	-	-	1
FEMALE--	23	1	-	1	-	-	1	-	1	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1558

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other metabolic disorders (E70-E83,E85,E88)												
UNITED STATES -	270	345	503	624	846	981	831	627	277	95	12	-
WHITE-----MALE----	159	204	291	344	452	442	323	190	76	14	-	-
FEMALE--	67	99	154	209	308	456	428	389	180	68	9	-
ALL OTHER--MALE----	21	23	33	33	42	36	31	14	4	5	1	-
FEMALE--	23	19	25	38	44	47	49	34	17	8	2	-
BLACK---MALE-----	20	19	28	28	33	30	20	12	3	3	1	-
FEMALE--	21	16	22	36	41	42	40	31	16	7	1	-
ALABAMA -----	3	2	4	6	8	5	6	11	5	3	1	-
WHITE-----MALE----	1	-	1	-	2	2	1	2	1	-	-	-
FEMALE--	1	1	2	3	3	2	4	7	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	1	-	-	2	1	-
FEMALE--	-	1	-	2	2	1	-	2	2	1	-	-
BLACK---MALE-----	1	-	1	1	1	-	1	-	-	2	1	-
FEMALE--	-	1	-	2	2	1	-	2	2	1	-	-
ALASKA -----	1	-	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	3	5	11	14	16	7	6	3	2	-	-
WHITE-----MALE----	2	2	3	8	10	7	1	2	3	1	-	-
FEMALE--	3	1	2	3	3	9	6	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	4	2	4	11	5	1	1	2	-	-
WHITE-----MALE----	2	-	1	1	4	2	2	-	1	-	-	-
FEMALE--	-	-	3	1	-	9	2	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	23	49	70	68	101	96	112	80	36	8	1	-
WHITE-----MALE----	14	26	40	43	47	53	46	23	13	1	-	-
FEMALE--	6	16	22	20	41	35	48	54	21	5	1	-
ALL OTHER--MALE----	-	3	4	2	8	6	10	2	1	1	-	-
FEMALE--	3	4	4	3	5	2	8	1	1	1	-	-
BLACK---MALE-----	-	2	2	-	4	3	6	1	1	-	-	-
FEMALE--	3	1	2	2	3	1	3	1	-	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1559

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other metabolic disorders (E70-E83,E85,E88)												
COLORADO -----	2	5	8	7	7	7	7	2	3	2	-	-
WHITE-----MALE----	1	3	7	3	5	6	1	2	1	-	-	-
FEMALE--	1	1	1	3	2	1	6	-	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	8	6	11	8	10	6	1	1	-	-
WHITE-----MALE----	1	1	4	3	7	2	4	4	-	-	-	-
FEMALE--	-	-	3	2	4	6	5	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	2	2	3	5	3	2	1	-	-	-
WHITE-----MALE----	-	-	2	2	2	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	2	3	4	3	-	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	1	-	-
FLORIDA -----	11	23	29	45	63	90	69	51	20	8	2	-
WHITE-----MALE----	7	14	17	28	40	40	36	13	6	1	-	-
FEMALE--	2	6	7	13	20	44	31	32	14	7	1	-
ALL OTHER--MALE----	1	2	4	3	2	5	2	2	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	4	-	-	1	-
BLACK---MALE-----	1	2	4	3	2	4	2	2	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	3	-	-	1	-
GEORGIA -----	9	8	5	13	7	17	21	5	5	-	-	-
WHITE-----MALE----	3	5	2	7	3	5	7	4	1	-	-	-
FEMALE--	2	2	1	3	4	9	8	-	3	-	-	-
ALL OTHER--MALE----	3	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	2	6	1	1	-	-	-
BLACK---MALE-----	3	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	2	6	1	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1560

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other metabolic disorders (E70-E83,E85,E88)												
HAWAII -----	1	1	3	-	-	6	3	1	1	2	1	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	1	1	-	-
FEMALE--	1	-	1	-	-	3	1	1	-	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	-	2	4	1	5	1	-	-	-
WHITE-----MALE----	-	1	1	-	2	3	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	9	21	28	27	28	26	20	7	2	1	-
WHITE-----MALE----	6	6	11	15	12	16	9	6	2	1	-	-
FEMALE--	4	3	7	6	12	10	15	13	5	1	1	-
ALL OTHER--MALE----	-	-	2	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	5	1	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	5	1	1	1	-	-	-	-	-
INDIANA -----	7	6	11	15	27	18	19	13	9	1	-	-
WHITE-----MALE----	3	5	3	5	14	10	7	1	1	1	-	-
FEMALE--	3	1	8	10	8	8	12	12	8	-	-	-
ALL OTHER--MALE----	1	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
IOWA -----	4	4	2	9	12	17	13	11	7	1	-	-
WHITE-----MALE----	2	3	1	4	7	6	6	5	-	-	-	-
FEMALE--	2	1	1	5	4	11	7	6	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	4	2	6	6	10	10	9	3	4	2	1	-
WHITE-----MALE----	1	2	1	4	7	5	3	-	1	-	-	-
FEMALE--	2	-	4	1	3	4	6	3	3	2	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1561

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other metabolic disorders (E70-E83,E85,E88)												
KENTUCKY -----	3	5	3	1	5	16	12	7	5	1	-	-
WHITE-----MALE----	1	2	3	1	2	8	2	2	2	-	-	-
FEMALE--	1	3	-	-	2	7	7	5	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
LOUISIANA -----	2	8	3	8	7	10	7	6	3	2	-	-
WHITE-----MALE----	2	5	-	2	4	2	2	1	1	1	-	-
FEMALE--	-	-	-	3	3	6	2	4	2	-	-	-
ALL OTHER--MALE----	-	2	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	3	1	-	1	-	-
BLACK---MALE-----	-	2	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	2	1	-	1	-	-
MAINE -----	1	2	1	3	12	9	6	3	1	-	-	-
WHITE-----MALE----	1	2	1	1	6	4	3	1	-	-	-	-
FEMALE--	-	-	-	2	6	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	13	14	19	25	30	17	16	9	1	-	-
WHITE-----MALE----	6	7	7	9	9	10	8	6	1	-	-	-
FEMALE--	1	2	1	5	8	11	8	6	4	1	-	-
ALL OTHER--MALE----	1	3	4	2	3	3	-	-	1	-	-	-
FEMALE--	3	1	2	3	5	6	1	4	3	-	-	-
BLACK---MALE-----	1	3	4	1	3	3	-	-	1	-	-	-
FEMALE--	3	1	2	3	5	6	1	4	3	-	-	-
MASSACHUSETTS -----	3	8	6	11	15	22	18	14	3	3	-	-
WHITE-----MALE----	1	6	2	7	8	10	5	3	1	-	-	-
FEMALE--	2	2	4	3	6	12	13	11	2	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	9	12	24	16	33	37	30	20	10	2	1	-
WHITE-----MALE----	8	7	14	11	17	14	12	9	2	-	-	-
FEMALE--	-	3	9	4	12	20	17	8	7	2	1	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	3	2	1	2	1	-	-	-
BLACK---MALE-----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	2	2	1	2	1	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1564

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other metabolic disorders (E70-E83,E85,E88)												
OHIO -----	13	16	29	48	65	77	53	48	18	7	-	-
WHITE-----MALE----	7	9	25	29	30	33	22	14	4	1	-	-
FEMALE--	4	5	3	14	25	41	25	29	13	5	-	-
ALL OTHER--MALE----	1	2	-	1	6	2	3	2	-	1	-	-
FEMALE--	1	-	1	4	4	1	3	3	1	-	-	-
BLACK---MALE-----	1	2	-	1	6	2	3	2	-	1	-	-
FEMALE--	1	-	1	4	4	1	3	3	1	-	-	-
OKLAHOMA -----	2	3	11	12	12	13	10	15	6	1	1	-
WHITE-----MALE----	-	2	7	5	5	5	6	5	1	-	-	-
FEMALE--	2	1	2	6	6	5	3	10	5	1	1	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
OREGON -----	10	5	14	9	11	19	14	8	3	1	-	-
WHITE-----MALE----	9	2	12	5	10	12	4	1	1	1	-	-
FEMALE--	1	3	2	4	1	7	10	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	17	24	24	49	63	46	30	14	8	1	-
WHITE-----MALE----	3	14	14	7	26	28	18	14	3	1	-	-
FEMALE--	2	3	7	13	17	31	28	15	9	7	1	-
ALL OTHER--MALE----	-	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	1	-	2	2	4	3	-	1	2	-	-	-
BLACK---MALE-----	-	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	1	-	2	2	4	3	-	1	2	-	-	-
RHODE ISLAND -----	2	-	2	5	6	8	4	4	1	-	-	-
WHITE-----MALE----	1	-	1	4	3	6	2	1	-	-	-	-
FEMALE--	1	-	1	-	3	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	4	10	7	11	16	4	3	2	-	-	-
WHITE-----MALE----	-	2	6	4	5	4	1	-	-	-	-	-
FEMALE--	1	1	4	2	4	8	1	2	2	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE-----	1	1	-	1	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1565

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other metabolic disorders (E70-E83,E85,E88)												
SOUTH DAKOTA -----	20	-	-	-	-	-	1	-	1	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	140	3	4	1	2	3	-	1	-	2	3	4
WHITE-----MALE----	65	2	3	1	1	2	-	1	-	2	1	4
FEMALE--	59	-	1	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	1	-
TEXAS -----	416	9	6	4	4	1	2	2	5	5	2	18
WHITE-----MALE----	177	2	2	2	2	-	-	2	1	3	2	8
FEMALE--	187	4	4	-	1	-	2	-	2	2	-	6
ALL OTHER--MALE----	25	1	-	-	1	1	-	-	2	-	-	3
FEMALE--	27	2	-	2	-	-	-	-	-	-	-	1
BLACK---MALE-----	22	1	-	-	1	1	-	-	2	-	-	3
FEMALE--	25	2	-	1	-	-	-	-	-	-	-	-
UTAH -----	46	1	1	2	-	-	-	-	-	1	2	-
WHITE-----MALE----	23	1	-	1	-	-	-	-	-	1	1	-
FEMALE--	23	-	1	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	145	4	2	1	-	-	-	-	2	3	3	5
WHITE-----MALE----	64	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	54	2	2	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	1	1	-	2
FEMALE--	15	-	-	1	-	-	-	-	-	1	-	1
BLACK---MALE-----	11	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	15	-	-	1	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1565

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other metabolic disorders (E70-E83,E85,E88)												
SOUTH DAKOTA -----	-	2	-	-	2	1	2	7	2	-	-	-
WHITE-----MALE----	-	2	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	10	14	16	14	11	22	12	7	4	-	-
WHITE-----MALE----	4	5	7	9	6	5	7	4	1	-	-	-
FEMALE--	-	4	6	7	5	6	14	6	5	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	3	-	1	2	1	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	3	-	1	2	1	1	-	-
TEXAS -----	30	21	22	40	44	62	57	53	20	8	1	-
WHITE-----MALE----	19	12	13	24	20	18	22	18	6	1	-	-
FEMALE--	7	6	5	13	20	36	29	32	10	7	1	-
ALL OTHER--MALE----	3	1	3	2	2	3	2	1	-	-	-	-
FEMALE--	1	2	1	1	2	5	4	2	4	-	-	-
BLACK---MALE-----	3	1	2	2	1	3	1	1	-	-	-	-
FEMALE--	1	2	1	1	2	5	4	2	4	-	-	-
UTAH -----	3	2	3	5	7	4	7	7	-	1	-	-
WHITE-----MALE----	2	-	1	3	6	2	3	1	-	1	-	-
FEMALE--	1	2	2	2	1	2	4	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	3	1	2	1	2	1	-	-	-
WHITE-----MALE----	1	1	1	2	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	6	13	23	17	17	16	13	7	2	-	-
WHITE-----MALE----	4	5	9	11	9	9	6	4	2	-	-	-
FEMALE--	4	-	2	7	7	5	9	6	5	2	-	-
ALL OTHER--MALE----	-	1	1	3	-	-	-	2	-	-	-	-
FEMALE--	3	-	1	2	1	3	1	1	-	-	-	-
BLACK---MALE-----	-	1	1	3	-	-	-	2	-	-	-	-
FEMALE--	3	-	1	2	1	3	1	1	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1567

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

V. Mental and behavioral disorders (F01-F99)

UNITED STATES -	42,128	12	11	12	24	71	147	260	478	935	1,352	1,457
WHITE-----MALE----	14,390	6	3	5	11	47	85	164	288	529	792	833
FEMALE--	23,303	1	5	3	6	15	32	49	107	171	214	233
ALL OTHER--MALE----	2,373	3	-	2	3	9	21	35	49	159	246	280
FEMALE--	2,062	2	3	2	4	-	9	12	34	76	100	111
BLACK---MALE-----	2,047	2	-	2	3	7	16	26	40	136	199	245
FEMALE--	1,826	2	2	1	2	-	8	10	26	65	91	100
ALABAMA -----	677	-	-	-	-	1	6	6	3	13	23	22
WHITE-----MALE----	202	-	-	-	-	1	2	4	1	4	10	7
FEMALE--	318	-	-	-	-	-	2	-	1	2	2	2
ALL OTHER--MALE----	77	-	-	-	-	-	2	-	1	6	8	10
FEMALE--	80	-	-	-	-	-	-	2	-	1	3	3
BLACK---MALE-----	77	-	-	-	-	-	2	-	1	6	8	10
FEMALE--	79	-	-	-	-	-	-	2	-	1	2	3
ALASKA -----	93	-	-	-	-	-	2	2	4	10	9	11
WHITE-----MALE----	31	-	-	-	-	-	-	1	2	6	2	3
FEMALE--	24	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	-	5	6
FEMALE--	17	-	-	-	-	-	-	1	1	4	2	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	906	-	1	-	-	3	2	2	11	23	25	32
WHITE-----MALE----	330	-	-	-	-	2	1	1	8	13	11	20
FEMALE--	501	-	-	-	-	-	-	-	2	2	7	5
ALL OTHER--MALE----	48	-	-	-	-	1	1	1	1	5	7	4
FEMALE--	27	-	1	-	-	-	-	-	-	3	-	3
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ARKANSAS -----	360	-	-	-	1	1	-	-	4	5	6	7
WHITE-----MALE----	129	-	-	-	-	-	-	-	2	2	3	2
FEMALE--	193	-	-	-	-	1	-	-	1	-	2	1
ALL OTHER--MALE----	23	-	-	-	1	-	-	-	-	1	-	4
FEMALE--	15	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE-----	21	-	-	-	1	-	-	-	-	1	-	4
FEMALE--	15	-	-	-	-	-	-	-	1	2	1	-
CALIFORNIA -----	3,612	1	1	3	5	9	21	32	77	133	173	225
WHITE-----MALE----	1,528	-	-	2	1	6	9	19	49	98	111	150
FEMALE--	1,775	-	1	-	2	2	3	8	20	23	35	40
ALL OTHER--MALE----	167	1	-	-	-	1	6	4	2	6	17	24
FEMALE--	142	-	-	1	2	-	3	1	6	6	10	11
BLACK---MALE-----	105	1	-	-	-	1	4	1	1	3	14	17
FEMALE--	96	-	-	-	1	-	2	1	4	6	10	11

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1567

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)												
UNITED STATES -	1,157	960	950	1,070	1,878	3,665	6,278	8,954	7,883	3,700	868	6
WHITE-----MALE----	699	551	562	577	897	1,519	2,187	2,432	1,617	499	84	3
FEMALE--	173	177	203	307	733	1,780	3,592	5,962	5,869	2,969	700	2
ALL OTHER--MALE----	219	188	137	132	149	193	217	182	97	42	9	1
FEMALE--	66	44	48	54	99	173	282	378	300	190	75	-
BLACK---MALE-----	188	174	125	121	137	168	193	151	77	31	5	1
FEMALE--	58	43	40	49	91	156	251	319	273	172	67	-
ALABAMA -----	18	17	16	14	30	63	114	143	126	47	15	-
WHITE-----MALE----	9	6	9	7	11	24	39	45	19	4	-	-
FEMALE--	-	3	1	5	11	27	60	78	85	31	8	-
ALL OTHER--MALE----	6	6	6	1	6	4	7	5	5	3	1	-
FEMALE--	3	2	-	1	2	8	8	15	17	9	6	-
BLACK---MALE-----	6	6	6	1	6	4	7	5	5	3	1	-
FEMALE--	3	2	-	1	2	8	8	15	17	9	6	-
ALASKA -----	8	5	5	2	3	7	6	9	6	4	-	-
WHITE-----MALE----	2	4	2	1	1	1	3	2	-	1	-	-
FEMALE--	-	-	-	-	2	4	3	6	4	3	-	-
ALL OTHER--MALE----	4	-	1	1	-	1	-	-	2	-	-	-
FEMALE--	2	1	2	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	19	22	14	47	89	147	183	176	55	21	1
WHITE-----MALE----	20	13	16	7	30	42	57	45	36	7	1	-
FEMALE--	4	3	3	4	15	41	89	129	135	45	17	-
ALL OTHER--MALE----	9	3	3	2	1	4	-	3	2	-	-	1
FEMALE--	-	-	-	1	1	2	1	6	3	3	3	-
BLACK---MALE-----	1	-	-	-	-	1	-	1	1	-	-	1
FEMALE--	-	-	-	-	1	-	-	3	1	2	1	-
ARKANSAS -----	6	8	10	4	17	38	53	96	75	28	-	1
WHITE-----MALE----	4	6	9	2	12	19	20	26	13	8	-	1
FEMALE--	-	-	1	1	3	15	31	61	56	20	-	-
ALL OTHER--MALE----	2	2	-	1	1	4	2	2	3	-	-	-
FEMALE--	-	-	-	-	1	-	-	7	3	-	-	-
BLACK---MALE-----	1	2	-	1	4	2	2	2	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	7	3	-	-	-
CALIFORNIA -----	148	115	96	111	126	310	484	614	581	283	64	-
WHITE-----MALE----	105	74	69	64	63	143	171	186	155	48	5	-
FEMALE--	28	27	17	32	54	143	275	385	405	220	55	-
ALL OTHER--MALE----	12	9	7	9	6	15	18	18	7	4	1	-
FEMALE--	3	5	3	6	3	9	20	25	14	11	3	-
BLACK---MALE-----	10	8	6	6	5	8	8	7	4	1	-	-
FEMALE--	2	5	3	4	2	7	13	11	7	5	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1568

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

V. Mental and behavioral disorders (F01-F99)

COLORADO -----	662	-	-	-	-	4	3	8	10	20	31	31
WHITE-----MALE----	273	-	-	-	-	3	2	5	7	16	24	24
FEMALE--	358	-	-	-	-	-	1	3	3	2	4	5
ALL OTHER--MALE----	18	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	12	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	494	-	-	-	-	-	3	-	2	8	7	20
WHITE-----MALE----	177	-	-	-	-	-	3	-	2	7	5	17
FEMALE--	302	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	67	-	-	-	-	-	-	-	1	4	9	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	3	5	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
DISTRICT OF COLUMBIA ---	110	-	-	-	-	-	-	1	-	7	6	8
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	5	2	4
FEMALE--	40	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	39	-	-	-	-	-	-	-	-	5	2	4
FEMALE--	39	-	-	-	-	-	-	-	-	1	2	2
FLORIDA -----	2,968	-	-	1	1	2	4	13	14	34	62	71
WHITE-----MALE----	1,044	-	-	1	-	2	2	7	8	18	44	37
FEMALE--	1,703	-	-	-	1	-	2	4	5	8	10	20
ALL OTHER--MALE----	105	-	-	-	-	-	-	2	-	6	5	10
FEMALE--	116	-	-	-	-	-	-	-	1	2	3	4
BLACK---MALE-----	105	-	-	-	-	-	-	2	-	6	5	10
FEMALE--	112	-	-	-	-	-	-	-	1	2	3	3
GEORGIA -----	1,155	-	-	-	-	3	1	7	11	24	44	46
WHITE-----MALE----	321	-	-	-	-	2	-	4	9	5	22	14
FEMALE--	544	-	-	-	-	1	-	-	2	2	4	4
ALL OTHER--MALE----	162	-	-	-	-	-	1	3	-	12	14	20
FEMALE--	128	-	-	-	-	-	-	-	-	5	4	8
BLACK---MALE-----	161	-	-	-	-	-	1	3	-	12	14	20
FEMALE--	127	-	-	-	-	-	-	-	-	5	4	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1568

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)												
COLORADO -----	23	24	14	24	23	59	87	127	116	50	8	-
WHITE-----MALE----	18	14	10	13	6	28	28	41	23	10	1	-
FEMALE--	4	8	2	10	14	30	52	82	92	39	7	-
ALL OTHER--MALE----	-	2	1	1	3	-	5	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	2	1	1	-	-
BLACK---MALE-----	-	1	1	-	2	-	4	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	1	1	1	-	-
CONNECTICUT -----	10	13	10	7	23	37	80	125	91	43	15	-
WHITE-----MALE----	8	9	6	4	15	13	25	37	19	5	2	-
FEMALE--	2	3	3	2	8	22	50	86	71	38	13	-
ALL OTHER--MALE----	-	-	1	1	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	-	-	-
BLACK---MALE-----	-	-	1	1	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	-	-	-
DELAWARE -----	-	2	4	2	8	6	10	10	6	3	-	-
WHITE-----MALE----	-	1	2	2	4	4	4	2	3	1	-	-
FEMALE--	-	-	2	-	2	2	6	7	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	8	8	4	4	11	8	11	13	13	1	-
WHITE-----MALE----	1	-	2	-	-	1	1	2	2	-	-	-
FEMALE--	-	1	1	-	-	1	-	2	4	7	-	-
ALL OTHER--MALE----	3	6	3	4	3	2	3	2	1	-	1	-
FEMALE--	3	1	2	-	1	7	4	5	6	6	-	-
BLACK---MALE-----	3	6	3	4	3	2	3	2	1	-	1	-
FEMALE--	2	1	2	-	1	7	4	5	6	6	-	-
FLORIDA -----	79	75	69	72	140	254	481	672	608	262	53	1
WHITE-----MALE----	54	52	44	41	61	96	190	183	145	52	6	1
FEMALE--	16	12	16	18	54	134	261	455	447	199	41	-
ALL OTHER--MALE----	5	7	7	10	15	6	11	14	6	1	-	-
FEMALE--	4	4	2	3	10	18	19	20	10	10	6	-
BLACK---MALE-----	5	7	7	10	15	6	11	14	6	1	-	-
FEMALE--	4	4	2	3	9	17	18	20	10	10	6	-
GEORGIA -----	48	36	30	52	63	111	162	236	191	73	17	-
WHITE-----MALE----	21	15	11	24	18	34	42	62	27	8	3	-
FEMALE--	2	6	5	10	22	53	93	134	140	54	12	-
ALL OTHER--MALE----	19	10	11	14	13	15	14	7	6	3	-	-
FEMALE--	6	5	3	4	10	9	13	33	18	8	2	-
BLACK---MALE-----	19	10	11	14	13	15	14	6	6	3	-	-
FEMALE--	6	5	3	4	10	9	13	33	17	8	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1569

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
V. Mental and behavioral disorders (F01-F99)												
HAWAII -----	144	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	188	-	-	-	-	-	-	2	2	1	5	8
WHITE-----MALE----	75	-	-	-	-	-	-	2	1	1	3	5
FEMALE--	112	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,847	1	1	-	-	4	4	9	16	28	40	55
WHITE-----MALE----	535	1	-	-	-	1	2	4	9	14	21	33
FEMALE--	1,152	-	1	-	-	2	2	3	3	6	5	6
ALL OTHER--MALE----	89	-	-	-	-	1	-	2	2	6	12	12
FEMALE--	71	-	-	-	-	-	-	-	2	2	2	4
BLACK---MALE-----	87	-	-	-	-	1	-	1	2	6	12	11
FEMALE--	71	-	-	-	-	-	-	-	2	2	2	4
INDIANA -----	920	2	-	1	2	1	7	7	6	24	27	29
WHITE-----MALE----	310	1	-	-	2	-	7	4	3	10	14	16
FEMALE--	531	-	-	1	-	1	-	2	3	7	7	5
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	5	5	4
FEMALE--	37	1	-	-	-	-	-	-	-	2	1	4
BLACK---MALE-----	42	-	-	-	-	-	-	1	-	5	5	4
FEMALE--	35	1	-	-	-	-	-	-	-	2	1	4
IOWA -----	526	-	-	-	-	3	-	1	4	1	6	10
WHITE-----MALE----	164	-	-	-	-	3	-	1	-	-	2	10
FEMALE--	355	-	-	-	-	-	-	-	4	1	3	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	529	-	-	-	-	1	1	1	2	5	11	9
WHITE-----MALE----	158	-	-	-	-	-	1	1	-	4	7	3
FEMALE--	337	-	-	-	-	1	-	-	-	1	4	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1569

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)												
HAWAII -----	2	3	3	2	3	11	28	47	26	12	5	-
WHITE-----MALE----	1	1	1	-	1	5	8	7	5	-	-	-
FEMALE--	-	1	-	2	2	2	5	13	10	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	2	7	8	4	4	2	-
FEMALE--	-	-	1	-	-	2	8	19	7	6	3	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	5	7	4	10	15	32	45	33	16	2	-
WHITE-----MALE----	1	3	1	2	5	6	17	16	9	3	-	-
FEMALE--	-	2	5	2	5	9	15	29	24	13	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	35	24	21	41	64	127	305	434	381	217	40	-
WHITE-----MALE----	20	10	10	19	34	44	95	111	82	24	1	-
FEMALE--	4	8	5	17	21	68	189	311	279	185	37	-
ALL OTHER--MALE----	11	4	5	5	3	12	9	2	2	1	-	-
FEMALE--	-	2	1	-	6	3	12	10	18	7	2	-
BLACK---MALE-----	11	4	5	5	3	12	9	2	2	1	-	-
FEMALE--	-	2	1	-	6	3	12	10	18	7	2	-
INDIANA -----	28	18	23	26	46	86	122	197	163	87	18	-
WHITE-----MALE----	11	13	14	15	23	27	48	57	32	9	4	-
FEMALE--	9	2	5	9	19	51	68	133	123	72	14	-
ALL OTHER--MALE----	5	3	3	1	2	5	3	2	1	2	-	-
FEMALE--	3	-	1	1	2	3	3	5	7	4	-	-
BLACK---MALE-----	5	3	3	1	2	5	3	2	1	2	-	-
FEMALE--	3	-	1	1	2	2	3	4	7	4	-	-
IOWA -----	7	2	9	6	12	47	86	133	125	62	12	-
WHITE-----MALE----	7	2	6	4	7	23	28	44	20	6	1	-
FEMALE--	-	-	3	2	4	23	56	88	104	56	11	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	4	4	7	10	24	48	85	129	110	66	12	-
WHITE-----MALE----	3	3	4	7	18	16	27	31	22	10	1	-
FEMALE--	-	-	2	1	4	29	53	91	83	55	11	-
ALL OTHER--MALE----	-	1	1	-	1	3	2	4	2	-	-	-
FEMALE--	1	-	-	2	1	-	3	3	3	1	-	-
BLACK---MALE-----	-	1	1	-	-	1	2	3	2	-	-	-
FEMALE--	-	-	-	2	1	-	3	3	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1570

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
V. Mental and behavioral disorders (F01-F99)												
KENTUCKY -----	565	1	-	-	-	-	-	3	3	7	13	15
WHITE-----MALE----	215	-	-	-	-	-	-	2	3	5	8	14
FEMALE--	312	1	-	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	542	-	-	1	2	1	10	7	10	23	19	24
WHITE-----MALE----	166	-	-	1	2	-	3	3	5	9	5	8
FEMALE--	221	-	-	-	-	-	1	-	1	3	5	3
ALL OTHER--MALE----	89	-	-	-	-	1	5	3	4	10	8	8
FEMALE--	66	-	-	-	-	-	1	1	-	1	1	5
BLACK---MALE-----	89	-	-	-	-	1	5	3	4	10	8	8
FEMALE--	63	-	-	-	-	-	1	1	-	1	1	5
MAINE -----	260	-	-	-	-	1	-	-	4	5	5	8
WHITE-----MALE----	109	-	-	-	-	-	-	-	4	3	3	5
FEMALE--	150	-	-	-	-	1	-	-	-	2	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	802	-	1	-	1	-	2	4	12	27	17	20
WHITE-----MALE----	228	-	-	-	-	-	-	-	5	11	10	9
FEMALE--	402	-	-	-	-	-	-	-	1	2	1	3
ALL OTHER--MALE----	83	-	-	-	-	-	-	3	4	8	5	7
FEMALE--	89	-	1	-	1	-	2	1	2	6	1	1
BLACK---MALE-----	76	-	-	-	-	-	-	3	4	7	4	7
FEMALE--	84	-	1	-	1	-	2	1	2	6	1	1
MASSACHUSETTS -----	1,436	-	-	-	-	-	4	3	13	23	30	40
WHITE-----MALE----	454	-	-	-	-	-	3	3	6	19	20	29
FEMALE--	930	-	-	-	-	-	1	-	6	4	7	8
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN -----	1,396	1	-	-	1	5	16	14	37	58	120	85
WHITE-----MALE----	492	-	-	-	1	3	10	13	18	30	60	39
FEMALE--	683	-	-	-	-	1	5	-	10	10	15	7
ALL OTHER--MALE----	129	1	-	-	-	1	-	1	7	11	30	27
FEMALE--	92	-	-	-	-	-	1	-	2	7	15	12
BLACK---MALE-----	124	1	-	-	-	1	-	1	6	11	26	27
FEMALE--	88	-	-	-	-	-	1	-	2	6	15	12

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1570

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)												
KENTUCKY -----	11	10	12	10	26	72	89	130	106	44	13	-
WHITE-----MALE----	9	6	9	8	14	32	32	43	22	7	1	-
FEMALE--	2	2	2	1	9	34	51	82	74	36	12	-
ALL OTHER--MALE----	-	1	1	1	2	2	4	2	4	-	-	-
FEMALE--	-	1	-	-	1	4	2	3	6	1	-	-
BLACK---MALE-----	-	1	1	1	2	2	4	2	4	-	-	-
FEMALE--	-	1	-	-	1	4	2	3	6	1	-	-
LOUISIANA -----	21	12	19	18	35	44	76	85	86	37	12	-
WHITE-----MALE----	9	6	10	8	14	17	23	18	18	6	1	-
FEMALE--	3	1	2	3	9	17	34	55	50	26	8	-
ALL OTHER--MALE----	9	5	5	5	7	4	6	3	6	-	-	-
FEMALE--	-	-	2	2	5	6	13	9	12	5	3	-
BLACK---MALE-----	9	5	5	5	7	4	6	3	6	-	-	-
FEMALE--	-	-	2	2	5	6	13	8	11	5	2	-
MAINE -----	6	7	6	8	10	21	44	63	43	26	3	-
WHITE-----MALE----	6	7	5	6	7	13	17	19	11	3	-	-
FEMALE--	-	-	1	2	3	8	27	44	31	23	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	15	15	26	21	66	142	180	142	70	19	-
WHITE-----MALE----	9	5	8	11	11	25	43	43	25	11	2	-
FEMALE--	3	-	3	4	6	28	71	118	100	48	14	-
ALL OTHER--MALE----	9	9	3	5	1	7	9	5	5	3	-	-
FEMALE--	1	1	1	6	3	6	19	14	12	8	3	-
BLACK---MALE-----	8	9	3	4	1	6	8	4	5	3	-	-
FEMALE--	1	1	1	6	3	6	18	11	11	8	3	-
MASSACHUSETTS -----	30	17	19	25	57	107	236	311	305	174	42	-
WHITE-----MALE----	22	9	14	15	25	52	78	81	47	27	4	-
FEMALE--	5	5	4	9	31	51	150	219	249	143	38	-
ALL OTHER--MALE----	3	2	1	1	-	2	2	3	-	-	-	-
FEMALE--	-	1	-	-	1	2	6	8	9	4	-	-
BLACK---MALE-----	3	2	1	1	-	2	2	3	-	-	-	-
FEMALE--	-	1	-	-	1	2	6	4	7	3	-	-
MICHIGAN -----	41	40	16	26	57	95	183	259	195	119	28	-
WHITE-----MALE----	17	20	8	12	26	46	63	63	45	14	4	-
FEMALE--	6	5	5	12	25	46	102	177	141	96	20	-
ALL OTHER--MALE----	14	11	3	2	3	1	7	7	1	2	-	-
FEMALE--	4	4	-	-	3	2	11	12	8	7	4	-
BLACK---MALE-----	14	11	3	2	3	1	7	7	1	2	-	-
FEMALE--	4	4	-	-	3	2	10	11	7	7	4	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1571

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)												
MINNESOTA -----	18	23	29	42	55	108	192	350	328	171	43	-
WHITE-----MALE----	10	18	18	23	36	52	77	111	66	23	3	-
FEMALE--	6	4	11	16	17	51	111	234	257	145	40	-
ALL OTHER--MALE----	2	1	-	-	1	2	2	2	-	1	-	-
FEMALE--	-	-	-	3	1	3	2	3	5	2	-	-
BLACK---MALE-----	1	-	-	-	1	-	1	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	2	1	3	2	-	-
MISSISSIPPI -----	11	8	7	11	18	26	39	42	32	16	4	-
WHITE-----MALE----	7	3	3	7	5	14	12	10	3	2	-	-
FEMALE--	2	1	-	2	9	6	13	24	19	7	1	-
ALL OTHER--MALE----	2	4	4	2	4	5	6	3	3	3	-	-
FEMALE--	-	-	-	-	-	1	8	5	7	4	3	-
BLACK---MALE-----	2	4	4	2	4	5	6	3	3	3	-	-
FEMALE--	-	-	-	-	-	1	8	5	7	4	3	-
MISSOURI -----	34	23	19	22	46	81	135	215	219	89	24	-
WHITE-----MALE----	19	10	8	10	20	38	46	49	45	9	4	-
FEMALE--	3	8	2	9	21	38	82	150	166	78	19	-
ALL OTHER--MALE----	10	4	9	2	4	1	4	7	3	-	-	-
FEMALE--	2	1	-	1	1	4	3	9	5	2	1	-
BLACK---MALE-----	10	4	9	2	4	1	4	7	3	-	-	-
FEMALE--	2	1	-	1	1	4	3	9	5	2	1	-
MONTANA -----	2	9	5	2	5	16	25	40	29	15	3	-
WHITE-----MALE----	-	5	4	2	4	7	10	15	11	1	-	-
FEMALE--	-	3	1	-	1	9	14	25	18	13	3	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	3	2	5	10	22	45	76	78	34	8	-
WHITE-----MALE----	3	3	2	4	4	7	16	22	20	6	-	-
FEMALE--	-	-	-	1	4	14	27	54	58	28	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
NEVADA -----	14	11	6	18	20	28	50	62	51	12	1	-
WHITE-----MALE----	9	8	5	12	9	9	21	17	10	-	-	-
FEMALE--	3	3	-	4	9	19	27	41	39	11	1	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	2	4	2	1	-	-
BLACK---MALE-----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	2	2	2	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1573

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
V. Mental and behavioral disorders (F01-F99)												
OHIO -----	2,090	2	2	-	1	4	4	10	19	25	40	45
WHITE-----MALE----	647	1	-	-	1	3	3	7	11	16	24	25
FEMALE--	1,247	-	2	-	-	1	-	3	3	6	6	5
ALL OTHER--MALE----	90	1	-	-	-	-	1	-	5	1	6	11
FEMALE--	106	-	-	-	-	-	-	-	2	4	4	4
BLACK---MALE-----	89	-	-	-	-	-	1	-	5	1	6	11
FEMALE--	105	-	-	-	-	-	-	-	-	2	4	4
OKLAHOMA -----	553	-	-	-	-	-	-	-	2	10	13	17
WHITE-----MALE----	197	-	-	-	-	-	-	-	-	6	7	6
FEMALE--	299	-	-	-	-	-	-	-	1	3	3	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	813	-	-	-	-	2	1	9	9	37	36	44
WHITE-----MALE----	340	-	-	-	-	2	1	5	7	27	21	30
FEMALE--	450	-	-	-	-	-	-	2	1	8	10	10
ALL OTHER--MALE----	16	-	-	-	-	-	-	2	-	2	3	4
FEMALE--	7	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
PENNSYLVANIA -----	1,825	-	2	-	2	2	5	12	10	22	28	35
WHITE-----MALE----	563	-	1	-	1	2	2	8	8	13	16	23
FEMALE--	1,124	-	-	-	-	-	2	1	-	4	7	6
ALL OTHER--MALE----	57	-	-	-	1	-	-	2	2	5	3	5
FEMALE--	81	-	1	-	-	-	1	1	-	-	2	1
BLACK---MALE-----	57	-	-	-	1	-	-	2	2	5	3	5
FEMALE--	80	-	1	-	-	-	1	1	-	-	2	1
RHODE ISLAND -----	205	-	-	-	-	-	-	-	-	-	4	3
WHITE-----MALE----	83	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	119	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	680	-	1	-	1	-	1	-	4	7	19	22
WHITE-----MALE----	176	-	1	-	-	-	-	-	4	1	11	11
FEMALE--	321	-	-	-	-	-	1	-	-	2	2	4
ALL OTHER--MALE----	94	-	-	-	1	-	-	-	-	2	4	4
FEMALE--	89	-	-	-	-	-	-	-	-	2	2	3
BLACK---MALE-----	94	-	-	-	1	-	-	-	-	2	4	4
FEMALE--	89	-	-	-	-	-	-	-	-	2	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1573

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)												
OHIO -----	28	25	35	57	93	184	336	493	439	204	44	-
WHITE-----MALE----	16	17	15	29	33	82	114	135	87	23	5	-
FEMALE--	4	4	14	18	48	85	196	323	327	167	35	-
ALL OTHER--MALE----	6	4	5	8	5	5	12	15	4	1	-	-
FEMALE--	2	-	1	2	7	12	14	20	21	13	4	-
BLACK---MALE-----	6	4	5	8	5	5	12	15	4	1	-	-
FEMALE--	2	-	1	2	7	11	14	20	21	13	4	-
OKLAHOMA -----	13	11	17	8	39	47	90	127	93	54	12	-
WHITE-----MALE----	8	4	9	6	20	19	34	46	17	13	2	-
FEMALE--	3	3	1	2	13	25	49	74	74	38	6	-
ALL OTHER--MALE----	2	3	7	-	4	-	-	3	2	-	2	-
FEMALE--	-	1	-	-	2	3	7	4	-	3	2	-
BLACK---MALE-----	1	1	5	-	1	-	-	3	1	-	1	-
FEMALE--	-	-	-	-	2	3	4	3	-	3	1	-
OREGON -----	20	15	19	22	37	70	120	142	150	61	19	-
WHITE-----MALE----	15	13	14	16	23	42	44	43	27	9	1	-
FEMALE--	3	2	4	6	13	27	75	99	121	51	18	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	1	1	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
PENNSYLVANIA -----	31	23	29	36	84	182	314	427	391	151	39	-
WHITE-----MALE----	16	14	16	21	41	80	111	106	67	14	3	-
FEMALE--	6	6	6	9	40	88	183	300	305	128	33	-
ALL OTHER--MALE----	6	3	3	2	2	10	5	2	5	1	-	-
FEMALE--	3	-	4	4	1	4	15	19	14	8	3	-
BLACK---MALE-----	6	3	3	2	2	10	5	2	5	1	-	-
FEMALE--	3	-	3	4	1	4	15	19	14	8	3	-
RHODE ISLAND -----	3	-	3	-	12	12	31	58	45	31	3	-
WHITE-----MALE----	2	-	2	-	10	9	17	17	14	5	1	-
FEMALE--	1	-	1	-	2	3	14	41	29	25	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
SOUTH CAROLINA -----	25	29	23	19	42	86	106	130	107	44	14	-
WHITE-----MALE----	11	11	9	3	13	24	35	24	16	2	-	-
FEMALE--	2	1	2	5	14	36	48	88	77	32	7	-
ALL OTHER--MALE----	10	12	8	7	10	15	13	4	1	3	-	-
FEMALE--	2	5	4	4	5	11	10	14	13	7	7	-
BLACK---MALE-----	10	12	8	7	10	15	13	4	1	3	-	-
FEMALE--	2	5	4	4	5	11	10	14	13	7	7	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1574

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
V. Mental and behavioral disorders (F01-F99)												
SOUTH DAKOTA -----	168	-	-	-	-	-	-	-	2	3	2	3
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	921	-	1	-	-	1	4	7	7	21	31	24
WHITE-----MALE----	278	-	-	-	-	1	1	4	4	14	25	13
FEMALE--	544	-	1	-	-	-	2	3	1	4	3	5
ALL OTHER--MALE----	52	-	-	-	-	-	1	-	2	2	1	4
FEMALE--	47	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	52	-	-	-	-	-	1	-	2	2	1	4
FEMALE--	47	-	-	-	-	-	-	-	-	1	2	2
TEXAS -----	2,431	-	-	-	2	8	12	22	26	38	86	73
WHITE-----MALE----	882	-	-	-	-	6	11	18	19	25	62	47
FEMALE--	1,348	-	-	-	1	2	1	4	5	8	15	14
ALL OTHER--MALE----	85	-	-	-	-	-	-	-	1	3	4	8
FEMALE--	116	-	-	-	1	-	-	-	1	2	5	4
BLACK---MALE-----	83	-	-	-	-	-	-	-	1	3	4	8
FEMALE--	110	-	-	-	-	-	-	-	1	2	5	4
UTAH -----	394	-	-	-	-	1	-	-	4	6	10	14
WHITE-----MALE----	154	-	-	-	-	-	-	-	2	2	5	7
FEMALE--	228	-	-	-	-	-	-	-	2	2	3	5
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	2	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	107	-	-	-	-	1	-	2	-	1	3	2
WHITE-----MALE----	39	-	-	-	-	1	-	2	-	1	3	1
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,019	1	-	2	-	-	2	4	9	17	20	24
WHITE-----MALE----	274	1	-	1	-	-	2	1	7	9	11	12
FEMALE--	580	-	-	-	-	-	-	1	2	4	2	2
ALL OTHER--MALE----	87	-	-	1	-	-	-	1	-	4	7	8
FEMALE--	78	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE-----	84	-	-	1	-	-	-	1	-	4	7	8
FEMALE--	75	-	-	-	-	-	-	1	-	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1574

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)												
SOUTH DAKOTA -----	5	5	2	2	7	16	22	36	40	21	2	-
WHITE-----MALE----	4	5	-	1	3	9	5	6	5	4	1	-
FEMALE--	-	-	2	1	3	5	15	30	35	17	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	20	27	20	47	96	133	219	156	75	14	-
WHITE-----MALE----	14	10	17	10	26	33	37	43	19	6	1	-
FEMALE--	2	2	4	8	17	58	82	154	126	61	11	-
ALL OTHER--MALE----	1	7	6	1	3	5	9	8	1	1	-	-
FEMALE--	1	1	-	1	1	-	5	14	10	7	2	-
BLACK---MALE-----	1	7	6	1	3	5	9	8	1	1	-	-
FEMALE--	1	1	-	1	1	-	5	14	10	7	2	-
TEXAS -----	63	48	68	59	123	215	354	516	459	205	53	1
WHITE-----MALE----	47	27	44	30	59	91	119	138	97	36	5	1
FEMALE--	10	11	19	16	51	100	213	339	338	158	43	-
ALL OTHER--MALE----	3	9	2	9	9	13	10	11	2	1	-	-
FEMALE--	3	1	3	4	4	11	12	28	22	10	5	-
BLACK---MALE-----	2	9	2	9	8	13	10	11	2	1	-	-
FEMALE--	2	1	3	4	3	11	12	26	21	10	5	-
UTAH -----	11	6	6	4	17	39	52	106	88	22	7	1
WHITE-----MALE----	5	4	4	4	12	17	25	37	23	3	4	-
FEMALE--	5	-	2	-	5	22	26	68	65	19	3	1
ALL OTHER--MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	3	1	8	6	11	25	27	12	1	-
WHITE-----MALE----	3	-	2	1	5	4	7	6	3	-	-	-
FEMALE--	1	-	-	-	3	2	4	19	24	12	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	23	18	25	51	110	174	238	189	81	16	-
WHITE-----MALE----	8	17	8	12	16	40	47	44	31	5	2	-
FEMALE--	1	1	2	8	20	50	104	168	144	60	11	-
ALL OTHER--MALE----	6	4	6	4	9	13	12	10	1	1	-	-
FEMALE--	-	1	2	1	6	7	11	16	13	15	3	-
BLACK---MALE-----	5	4	5	4	9	13	12	9	1	1	-	-
FEMALE--	-	1	2	1	6	6	11	14	13	15	3	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1576

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Organic dementia (F01,F03)												
UNITED STATES -	28	59	149	378	1,155	2,772	5,278	7,843	6,974	3,288	769	-
WHITE-----MALE----	16	35	75	185	519	1,095	1,800	2,111	1,403	441	78	-
FEMALE--	10	16	53	133	493	1,406	3,057	5,244	5,217	2,636	616	-
ALL OTHER--MALE----	2	6	11	31	75	124	178	152	85	38	8	-
FEMALE--	-	2	10	29	68	147	243	336	269	173	67	-
BLACK---MALE-----	2	6	10	29	68	108	156	129	66	27	5	-
FEMALE--	-	2	8	25	63	132	216	281	246	156	60	-
ALABAMA -----	-	2	1	6	21	50	88	122	97	30	10	-
WHITE-----MALE----	-	1	1	3	7	16	31	40	15	4	-	-
FEMALE--	-	1	-	2	7	24	48	63	68	18	6	-
ALL OTHER--MALE----	-	-	-	-	5	2	6	5	2	2	1	-
FEMALE--	-	-	-	1	2	8	3	14	12	6	3	-
BLACK---MALE-----	-	-	-	-	5	2	6	5	2	2	1	-
FEMALE--	-	-	-	1	2	8	3	14	12	6	3	-
ALASKA -----	-	-	-	-	1	5	5	9	5	4	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	-	1	-	-
FEMALE--	-	-	-	-	1	3	3	6	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	3	6	30	72	133	170	153	51	19	-
WHITE-----MALE----	1	1	1	3	18	35	51	40	27	7	1	-
FEMALE--	1	-	2	2	11	32	82	122	121	41	15	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	2	2	-	-	-
FEMALE--	-	-	-	1	1	2	-	6	3	3	3	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	2	1	-
ARKANSAS -----	-	-	2	1	14	29	39	81	59	26	-	-
WHITE-----MALE----	-	-	2	-	9	12	16	18	9	7	-	-
FEMALE--	-	-	-	-	3	14	21	56	47	19	-	-
ALL OTHER--MALE----	-	-	-	1	1	3	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	5	2	-	-	-
BLACK---MALE-----	-	-	-	1	1	3	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	5	2	-	-	-
CALIFORNIA -----	1	5	11	30	69	219	418	540	523	255	60	-
WHITE-----MALE----	1	4	7	12	34	95	139	160	136	41	5	-
FEMALE--	-	1	2	11	30	105	244	342	367	199	51	-
ALL OTHER--MALE----	-	-	1	2	3	11	17	13	7	4	1	-
FEMALE--	-	-	1	5	2	8	18	25	13	11	3	-
BLACK---MALE-----	-	-	1	-	3	6	8	5	4	1	-	-
FEMALE--	-	-	1	3	1	7	11	11	7	5	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1577

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Organic dementia (F01,F03)												
COLORADO -----	-	3	1	6	15	45	76	108	107	44	5	-
WHITE-----MALE----	-	2	1	2	3	21	26	34	22	9	-	-
FEMALE--	-	1	-	4	10	23	44	70	85	34	5	-
ALL OTHER--MALE----	-	-	-	-	2	-	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
CONNECTICUT -----	-	-	3	1	12	25	64	109	81	38	14	-
WHITE-----MALE----	-	-	2	-	7	10	18	31	18	4	2	-
FEMALE--	-	-	1	1	5	15	42	76	62	34	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
DELAWARE -----	-	1	1	-	4	4	6	9	3	3	-	-
WHITE-----MALE----	-	1	-	-	2	3	2	2	2	1	-	-
FEMALE--	-	-	1	-	2	1	4	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	2	7	6	11	13	10	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	2	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	3	2	1	-	1	-
FEMALE--	-	-	-	-	1	5	2	5	6	5	-	-
BLACK---MALE-----	-	-	-	-	1	2	3	2	1	-	1	-
FEMALE--	-	-	-	-	1	5	2	5	6	5	-	-
FLORIDA -----	1	4	12	20	85	194	392	563	510	219	44	-
WHITE-----MALE----	-	3	4	12	32	67	160	160	123	44	6	-
FEMALE--	1	-	6	4	40	108	207	376	375	166	33	-
ALL OTHER--MALE----	-	-	2	2	8	4	8	11	6	1	-	-
FEMALE--	-	1	-	2	5	15	17	16	6	8	5	-
BLACK---MALE-----	-	-	2	2	8	4	8	11	6	1	-	-
FEMALE--	-	1	-	2	5	14	16	16	6	8	5	-
GEORGIA -----	-	2	5	21	43	97	146	216	182	69	15	-
WHITE-----MALE----	-	-	4	8	13	29	38	57	27	7	2	-
FEMALE--	-	1	-	6	16	48	83	125	131	52	11	-
ALL OTHER--MALE----	-	-	-	6	7	11	14	5	6	3	-	-
FEMALE--	-	1	1	1	7	9	11	29	18	7	2	-
BLACK---MALE-----	-	-	-	6	7	11	14	5	6	3	-	-
FEMALE--	-	1	1	1	7	9	11	29	17	7	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1578

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Organic dementia (F01,F03)												
HAWAII -----	-	-	-	-	2	9	26	42	25	12	4	-
WHITE-----MALE----	-	-	-	-	1	3	6	6	5	-	-	-
FEMALE--	-	-	-	-	1	2	5	11	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	7	7	4	4	1	-
FEMALE--	-	-	-	-	-	2	8	18	6	6	3	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	2	4	9	28	42	30	14	2	-
WHITE-----MALE----	-	-	1	1	3	3	14	15	9	2	-	-
FEMALE--	-	-	1	1	1	6	14	27	21	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	4	5	19	37	93	263	364	329	194	35	-
WHITE-----MALE----	-	-	2	9	21	30	82	94	67	20	1	-
FEMALE--	-	4	2	9	13	54	162	260	244	167	32	-
ALL OTHER--MALE----	-	-	1	1	1	7	9	2	2	-	-	-
FEMALE--	-	-	-	-	2	2	10	8	16	7	2	-
BLACK---MALE-----	-	-	1	1	1	7	9	2	2	-	-	-
FEMALE--	-	-	-	-	2	2	10	8	16	7	2	-
INDIANA -----	1	2	2	8	24	64	98	172	143	79	18	-
WHITE-----MALE----	-	2	1	5	12	21	36	50	29	8	4	-
FEMALE--	-	-	-	3	10	37	58	115	106	65	14	-
ALL OTHER--MALE----	1	-	1	-	-	3	1	2	1	2	-	-
FEMALE--	-	-	-	-	2	3	3	5	7	4	-	-
BLACK---MALE-----	1	-	1	-	-	3	1	2	1	2	-	-
FEMALE--	-	-	-	-	2	2	3	4	7	4	-	-
IOWA -----	-	-	1	2	5	34	62	108	103	48	11	-
WHITE-----MALE----	-	-	-	2	3	20	19	39	16	5	1	-
FEMALE--	-	-	1	-	2	13	41	69	86	43	10	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	1	1	2	4	15	41	75	111	99	63	12	-
WHITE-----MALE----	1	1	1	3	11	11	22	28	20	9	1	-
FEMALE--	-	-	1	1	2	28	48	78	74	53	11	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	3	2	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	2	2	2	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	3	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1579

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Organic dementia (F01,F03)												
KENTUCKY -----	-	-	1	3	13	53	73	114	94	38	12	-
WHITE-----MALE----	-	-	1	2	6	24	24	36	20	6	1	-
FEMALE--	-	-	-	1	6	24	44	74	65	31	11	-
ALL OTHER--MALE----	-	-	-	-	1	2	3	2	4	-	-	-
FEMALE--	-	-	-	-	-	3	2	2	5	1	-	-
BLACK---MALE-----	-	-	-	-	1	2	3	2	4	-	-	-
FEMALE--	-	-	-	-	-	3	2	2	5	1	-	-
LOUISIANA -----	1	-	-	4	13	33	60	71	74	27	10	-
WHITE-----MALE----	1	-	-	2	4	13	19	16	14	4	-	-
FEMALE--	-	-	-	1	4	14	29	44	44	19	8	-
ALL OTHER--MALE----	-	-	-	1	2	1	3	3	5	-	-	-
FEMALE--	-	-	-	-	3	5	9	8	11	4	2	-
BLACK---MALE-----	-	-	-	1	2	1	3	3	5	-	-	-
FEMALE--	-	-	-	-	3	5	9	7	10	4	2	-
MAINE -----	-	-	-	4	4	15	36	55	40	22	2	-
WHITE-----MALE----	-	-	-	4	2	9	13	15	9	2	-	-
FEMALE--	-	-	-	-	2	6	23	40	30	20	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	4	12	17	52	126	167	131	67	17	-
WHITE-----MALE----	-	-	2	3	8	17	34	41	25	10	1	-
FEMALE--	1	-	1	3	5	26	69	110	91	47	13	-
ALL OTHER--MALE----	1	1	-	2	1	5	7	4	5	3	-	-
FEMALE--	-	-	1	4	3	4	16	12	10	7	3	-
BLACK---MALE-----	1	1	-	2	1	4	6	4	5	3	-	-
FEMALE--	-	-	1	4	3	4	16	10	9	7	3	-
MASSACHUSETTS -----	3	4	3	14	30	74	196	272	261	154	37	-
WHITE-----MALE----	3	3	2	8	13	36	64	69	42	26	4	-
FEMALE--	-	1	1	5	17	35	125	193	211	124	33	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	6	7	8	4	-	-
BLACK---MALE-----	-	-	-	1	-	2	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	6	3	7	3	-	-
MICHIGAN -----	1	1	5	13	40	77	165	241	181	114	24	-
WHITE-----MALE----	-	1	2	8	15	35	57	60	39	12	4	-
FEMALE--	1	-	2	5	21	39	92	162	133	93	16	-
ALL OTHER--MALE----	-	-	1	-	2	1	6	7	1	2	-	-
FEMALE--	-	-	-	-	2	2	10	12	8	7	4	-
BLACK---MALE-----	-	-	1	-	2	1	6	7	1	2	-	-
FEMALE--	-	-	-	-	2	2	9	11	7	7	4	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1580

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Organic dementia (F01,F03)												
MINNESOTA -----	1	-	4	13	39	79	173	311	303	160	36	-
WHITE-----MALE----	1	-	1	5	25	36	69	96	59	21	3	-
FEMALE--	-	-	3	7	12	40	101	210	239	136	33	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	2	-	1	-	-
FEMALE--	-	-	-	1	1	3	2	3	5	2	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	1	2	2	1	3	2	-	-
MISSISSIPPI -----	1	-	-	3	10	15	23	30	24	13	3	-
WHITE-----MALE----	-	-	-	2	4	8	8	7	3	2	-	-
FEMALE--	1	-	-	1	4	3	6	17	14	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	3	3	2	3	3	-	-
FEMALE--	-	-	-	-	-	1	6	4	4	4	2	-
BLACK---MALE-----	-	-	-	-	2	3	3	2	3	3	-	-
FEMALE--	-	-	-	-	-	1	6	4	4	4	2	-
MISSOURI -----	-	2	3	4	24	62	105	175	194	73	20	-
WHITE-----MALE----	-	1	1	2	10	27	35	37	37	8	3	-
FEMALE--	-	1	-	2	13	31	64	124	149	64	16	-
ALL OTHER--MALE----	-	-	2	-	1	-	3	5	3	-	-	-
FEMALE--	-	-	-	-	-	4	3	9	5	1	1	-
BLACK---MALE-----	-	-	2	-	1	-	3	5	3	-	-	-
FEMALE--	-	-	-	-	-	4	3	9	5	1	1	-
MONTANA -----	-	1	2	-	3	12	20	35	23	14	3	-
WHITE-----MALE----	-	1	2	-	2	6	8	13	10	1	-	-
FEMALE--	-	-	-	-	1	6	11	22	13	12	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	2	6	15	36	57	63	28	7	-
WHITE-----MALE----	-	-	-	1	3	5	11	15	16	6	-	-
FEMALE--	-	-	-	1	2	9	24	42	47	22	7	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NEVADA -----	-	1	1	7	12	24	45	54	50	11	1	-
WHITE-----MALE----	-	-	1	5	3	7	17	16	10	-	-	-
FEMALE--	-	1	-	1	7	17	26	36	38	10	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	2	1	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1582

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Organic dementia (F01,F03)												
OHIO -----	-	3	10	30	65	142	278	442	394	182	39	-
WHITE-----MALE----	-	3	7	15	26	58	94	123	70	21	5	-
FEMALE--	-	-	2	10	31	71	160	288	301	149	30	-
ALL OTHER--MALE----	-	-	-	3	2	4	11	13	4	1	-	-
FEMALE--	-	-	1	2	6	9	13	18	19	11	4	-
BLACK---MALE-----	-	-	-	3	2	4	11	13	4	1	-	-
FEMALE--	-	-	1	2	6	8	13	18	19	11	4	-
OKLAHOMA -----	1	1	1	3	20	43	81	115	83	46	12	-
WHITE-----MALE----	-	-	1	2	6	17	31	42	14	12	2	-
FEMALE--	1	-	-	1	9	24	43	67	69	31	6	-
ALL OTHER--MALE----	-	1	-	-	3	-	-	3	-	-	2	-
FEMALE--	-	-	-	-	2	2	7	3	-	3	2	-
BLACK---MALE-----	-	1	-	-	1	-	-	3	-	-	1	-
FEMALE--	-	-	-	-	2	2	4	2	-	3	1	-
OREGON -----	-	1	2	7	26	45	97	129	133	58	17	-
WHITE-----MALE----	-	1	1	5	15	26	32	37	24	9	1	-
FEMALE--	-	-	-	2	10	18	64	92	108	48	16	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
PENNSYLVANIA -----	2	2	5	19	57	140	260	373	331	131	34	-
WHITE-----MALE----	1	1	2	8	27	62	93	91	54	11	3	-
FEMALE--	1	1	2	6	28	69	148	265	259	111	28	-
ALL OTHER--MALE----	-	-	-	1	1	6	5	1	5	1	-	-
FEMALE--	-	-	1	4	1	3	14	16	13	8	3	-
BLACK---MALE-----	-	-	-	1	1	6	5	1	5	1	-	-
FEMALE--	-	-	1	4	1	3	14	16	13	8	3	-
RHODE ISLAND -----	-	-	2	-	9	8	26	52	45	28	3	-
WHITE-----MALE----	-	-	2	-	7	6	14	15	14	5	1	-
FEMALE--	-	-	-	-	2	2	12	37	29	22	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
SOUTH CAROLINA -----	-	3	1	10	27	63	95	119	98	42	12	-
WHITE-----MALE----	-	1	1	-	5	17	34	22	14	1	-	-
FEMALE--	-	-	-	2	12	28	43	80	70	32	6	-
ALL OTHER--MALE----	-	2	-	4	7	7	8	4	1	2	-	-
FEMALE--	-	-	-	4	3	11	10	13	13	7	6	-
BLACK---MALE-----	-	2	-	4	7	7	8	4	1	2	-	-
FEMALE--	-	-	-	4	3	11	10	13	13	7	6	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1583

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Organic dementia (F01,F03)												
SOUTH DAKOTA -----	-	1	1	1	5	11	17	26	38	17	2	-
WHITE-----MALE----	-	1	-	-	2	8	4	3	5	4	1	-
FEMALE--	-	-	1	1	2	2	12	23	33	13	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	5	8	29	73	116	201	144	71	14	-
WHITE-----MALE----	-	1	3	2	15	27	35	40	18	6	1	-
FEMALE--	-	-	1	6	13	44	70	144	116	59	11	-
ALL OTHER--MALE----	-	-	1	-	-	2	6	6	-	-	-	-
FEMALE--	-	-	-	-	1	-	5	11	10	6	2	-
BLACK---MALE-----	-	-	1	-	-	2	6	6	-	-	-	-
FEMALE--	-	-	-	-	1	-	5	11	10	6	2	-
TEXAS -----	4	2	12	19	86	166	311	460	413	180	46	-
WHITE-----MALE----	4	2	5	8	40	67	105	130	89	34	5	-
FEMALE--	-	-	7	7	36	83	187	295	302	135	37	-
ALL OTHER--MALE----	-	-	-	3	6	7	8	10	1	1	-	-
FEMALE--	-	-	-	1	4	9	11	25	21	10	4	-
BLACK---MALE-----	-	-	-	3	6	7	8	10	1	1	-	-
FEMALE--	-	-	-	1	3	9	11	24	20	10	4	-
UTAH -----	1	-	1	1	13	34	46	104	81	22	7	-
WHITE-----MALE----	1	-	-	1	9	14	22	35	22	3	4	-
FEMALE--	-	-	1	-	4	20	23	68	59	19	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	6	5	11	24	25	12	1	-
WHITE-----MALE----	-	-	-	1	3	3	7	6	2	-	-	-
FEMALE--	-	-	-	-	3	2	4	18	23	12	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	3	10	28	91	147	205	179	71	14	-
WHITE-----MALE----	-	1	1	5	7	31	37	33	30	5	2	-
FEMALE--	-	-	2	5	14	44	91	150	135	53	9	-
ALL OTHER--MALE----	-	-	-	-	5	10	10	8	1	1	-	-
FEMALE--	-	-	-	-	2	6	9	14	13	12	3	-
BLACK---MALE-----	-	-	-	-	5	10	10	7	1	1	-	-
FEMALE--	-	-	-	-	2	5	9	12	13	12	3	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1585

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)												
UNITED STATES -	10	13	24	39	105	240	427	627	592	277	71	1
WHITE-----MALE----	6	8	14	18	45	91	146	159	128	33	5	-
FEMALE--	3	2	8	12	45	123	243	423	429	230	58	-
ALL OTHER--MALE----	1	-	2	5	6	16	17	18	9	3	1	1
FEMALE--	-	3	-	4	9	10	21	27	26	11	7	-
BLACK---MALE-----	1	-	2	5	6	15	16	14	8	3	-	1
FEMALE--	-	3	-	4	7	9	20	25	24	10	6	-
ALABAMA -----	-	-	1	-	2	8	20	18	29	15	5	-
WHITE-----MALE----	-	-	1	-	-	7	6	3	4	-	-	-
FEMALE--	-	-	-	-	1	1	9	14	17	11	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	3	1	-	-
FEMALE--	-	-	-	-	-	-	4	1	5	3	3	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	3	1	-	-
FEMALE--	-	-	-	-	-	-	4	1	5	3	3	-
ALASKA -----	-	-	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	1	3	3	5	15	3	2	1
WHITE-----MALE----	-	1	-	-	-	1	1	1	6	-	-	-
FEMALE--	-	-	-	-	1	2	1	3	9	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	-	1	5	8	13	14	2	-	-
WHITE-----MALE----	-	1	-	-	1	3	3	6	3	1	-	-
FEMALE--	-	-	1	-	-	1	5	5	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
CALIFORNIA -----	-	-	2	2	4	14	10	26	24	11	2	-
WHITE-----MALE----	-	-	1	-	2	7	5	11	8	4	-	-
FEMALE--	-	-	1	2	1	6	3	13	16	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1586

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)												
COLORADO -----	-	-	-	2	1	1	1	6	4	2	2	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	1	1	1	-
FEMALE--	-	-	-	1	-	1	1	5	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	-	1	-	-	3	4	13	13	8	4	1	-
WHITE-----MALE----	-	-	-	-	2	1	5	4	1	1	-	-
FEMALE--	-	-	-	-	1	2	7	9	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
FLORIDA -----	2	-	1	7	12	24	53	80	74	39	7	-
WHITE-----MALE----	2	-	1	1	6	7	15	14	17	8	-	-
FEMALE--	-	-	-	3	2	14	35	61	54	29	6	-
ALL OTHER--MALE----	-	-	-	2	3	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	3	2	3	3	2	1	-
BLACK---MALE-----	-	-	-	2	3	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	2	3	3	2	1	-
GEORGIA -----	-	-	-	2	4	2	8	10	7	2	2	-
WHITE-----MALE----	-	-	-	1	2	-	2	2	-	-	1	-
FEMALE--	-	-	-	-	-	2	6	3	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	3	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	3	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1587

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)												
HAWAII -----	-	-	-	-	-	-	2	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	-	-	3	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	1	3	7	10	21	52	39	16	3	-
WHITE-----MALE----	-	-	1	2	2	3	7	12	12	1	-	-
FEMALE--	-	-	-	1	5	6	13	39	25	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
INDIANA -----	1	1	-	-	8	8	15	18	12	5	-	-
WHITE-----MALE----	-	-	-	-	5	2	6	6	-	1	-	-
FEMALE--	1	1	-	-	3	6	8	12	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	2	-	-	1	1	5	10	12	12	10	1	-
WHITE-----MALE----	2	-	-	-	-	1	5	3	2	1	-	-
FEMALE--	-	-	-	1	1	4	5	9	10	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	2	3	11	7	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1588

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)												
KENTUCKY -----	-	-	-	-	2	6	9	9	10	5	1	-
WHITE-----MALE----	-	-	-	-	2	2	4	2	1	1	-	-
FEMALE--	-	-	-	-	-	4	5	6	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
LOUISIANA -----	-	-	1	1	4	3	9	13	11	10	2	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	3	2	1	-
FEMALE--	-	-	-	-	2	-	4	10	6	7	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	1	1	1	-
BLACK---MALE-----	-	-	1	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	1	1	-	-
MAINE -----	-	-	-	-	-	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	3	4	3	5	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	-	-
MASSACHUSETTS -----	1	-	1	-	5	17	26	28	36	18	5	-
WHITE-----MALE----	1	-	-	-	-	6	8	8	4	-	-	-
FEMALE--	-	-	1	-	4	11	17	19	31	18	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MICHIGAN -----	-	-	-	1	2	5	8	7	11	-	3	-
WHITE-----MALE----	-	-	-	-	2	3	1	2	4	-	-	-
FEMALE--	-	-	-	1	-	2	5	5	7	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1589

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)												
MINNESOTA -----	-	-	-	1	2	4	5	15	8	3	6	-
WHITE-----MALE----	-	-	-	1	1	2	4	5	4	-	-	-
FEMALE--	-	-	-	-	1	2	1	10	4	3	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	1	1	3	2	11	8	7	3	1	-
WHITE-----MALE----	-	1	-	1	-	1	4	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	5	6	4	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	-	1	-
BLACK---MALE-----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	-	1	-
MISSOURI -----	-	-	-	1	4	7	14	21	18	10	3	-
WHITE-----MALE----	-	-	-	-	1	5	7	5	6	-	1	-
FEMALE--	-	-	-	1	2	2	7	14	12	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	1	-	3	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	2	3	5	15	12	5	1	-
WHITE-----MALE----	-	-	-	-	-	2	1	5	3	-	-	-
FEMALE--	-	-	-	-	1	1	3	10	9	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	-	-	-	-	-	2	2	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1591

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)												
OHIO -----	-	-	1	1	4	13	22	30	25	14	4	-
WHITE-----MALE----	-	-	-	1	1	7	8	3	9	1	-	-
FEMALE--	-	-	1	-	3	4	14	23	15	13	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
OKLAHOMA -----	-	-	1	-	-	-	5	5	8	7	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	2	2	1	-	-
FEMALE--	-	-	-	-	-	-	4	2	4	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	-	-	-	2	3	1	5	7	3	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	-	2	4	14	31	33	41	17	4	-
WHITE-----MALE----	-	2	-	2	2	2	10	8	10	3	-	-
FEMALE--	-	-	-	-	2	12	21	23	31	14	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	3	4	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	-	-	2	2	5	8	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1592

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)												
SOUTH DAKOTA -----	-	-	-	-	-	3	1	4	2	4	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	4	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	4	4	8	8	7	2	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	2	5	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	1	2	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	1	-	1	4	7	18	19	28	34	18	4	-
WHITE-----MALE----	1	-	1	1	3	7	5	2	4	1	-	-
FEMALE--	-	-	-	1	4	7	12	24	28	17	3	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	1	2	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	3	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	1	-
UTAH -----	-	1	-	-	-	-	1	1	5	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	-	2	6	13	19	4	6	1	-
WHITE-----MALE----	-	-	2	-	-	1	5	6	1	-	-	-
FEMALE--	-	-	-	-	1	3	7	10	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	2	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1594

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

UNITED STATES -	8,619	1	-	-	2	53	120	209	427	860	1,268	1,365
WHITE-----MALE----	5,128	-	-	-	1	36	76	139	262	494	749	788
FEMALE--	1,521	-	-	-	1	9	23	30	88	149	182	203
ALL OTHER--MALE----	1,476	-	-	-	-	8	16	32	45	148	241	271
FEMALE--	494	1	-	-	-	-	5	8	32	69	96	103
BLACK---MALE-----	1,273	-	-	-	-	6	11	23	36	126	194	236
FEMALE--	437	1	-	-	-	-	5	6	25	58	87	92
ALABAMA -----	125	-	-	-	-	1	3	5	3	13	22	21
WHITE-----MALE----	53	-	-	-	-	1	2	3	1	4	9	6
FEMALE--	14	-	-	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	44	-	-	-	-	-	1	-	1	6	8	10
FEMALE--	14	-	-	-	-	-	-	2	-	1	3	3
BLACK---MALE-----	44	-	-	-	-	-	1	-	1	6	8	10
FEMALE--	13	-	-	-	-	-	-	2	-	1	2	3
ALASKA -----	59	-	-	-	-	-	2	1	4	10	9	11
WHITE-----MALE----	23	-	-	-	-	-	-	-	2	6	2	3
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	-	-	5	6
FEMALE--	15	-	-	-	-	-	-	1	1	4	2	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	199	-	-	-	-	3	2	2	11	23	24	30
WHITE-----MALE----	124	-	-	-	-	2	1	1	8	13	11	20
FEMALE--	31	-	-	-	-	-	-	-	2	2	6	4
ALL OTHER--MALE----	39	-	-	-	-	1	1	1	1	5	7	4
FEMALE--	5	-	-	-	-	-	-	-	-	3	-	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	44	-	-	-	-	-	-	-	3	4	6	5
WHITE-----MALE----	29	-	-	-	-	-	-	-	2	2	3	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	1,154	-	-	-	-	9	13	22	70	126	167	215
WHITE-----MALE----	780	-	-	-	-	6	8	14	45	93	109	144
FEMALE--	236	-	-	-	-	2	2	4	17	22	31	38
ALL OTHER--MALE----	97	-	-	-	-	1	3	4	2	6	17	23
FEMALE--	41	-	-	-	-	-	-	-	6	5	10	10
BLACK---MALE-----	69	-	-	-	-	1	1	1	1	3	14	16
FEMALE--	38	-	-	-	-	-	-	-	4	5	10	10





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1595

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

COLORADO -----	192	-	-	-	-	3	3	8	10	16	30	29
WHITE-----MALE----	136	-	-	-	-	2	2	5	7	13	23	23
FEMALE--	41	-	-	-	-	-	1	3	3	1	4	4
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	6	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	81	-	-	-	-	-	3	-	2	8	7	19
WHITE-----MALE----	64	-	-	-	-	-	3	-	2	7	5	16
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	31	-	-	-	-	-	-	-	1	4	9	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	3	5	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
DISTRICT OF COLUMBIA ---	52	-	-	-	-	-	-	1	-	6	6	8
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	4	2	4
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	28	-	-	-	-	-	-	-	-	4	2	4
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	2
FLORIDA -----	476	-	-	-	-	2	2	9	10	29	55	65
WHITE-----MALE----	309	-	-	-	-	2	2	5	7	16	39	35
FEMALE--	99	-	-	-	-	-	-	2	2	7	8	19
ALL OTHER--MALE----	50	-	-	-	-	-	-	2	-	5	5	8
FEMALE--	18	-	-	-	-	-	-	-	1	1	3	3
BLACK---MALE-----	50	-	-	-	-	-	-	2	-	5	5	8
FEMALE--	17	-	-	-	-	-	-	-	1	1	3	2
GEORGIA -----	283	-	-	-	-	1	1	6	10	22	40	44
WHITE-----MALE----	117	-	-	-	-	-	-	3	8	5	19	14
FEMALE--	34	-	-	-	-	1	-	-	2	2	4	3
ALL OTHER--MALE----	101	-	-	-	-	-	1	3	-	10	13	20
FEMALE--	31	-	-	-	-	-	-	-	-	5	4	7
BLACK---MALE-----	101	-	-	-	-	-	1	3	-	10	13	20
FEMALE--	31	-	-	-	-	-	-	-	-	5	4	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1595

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
COLORADO -----	23	20	11	16	7	7	3	6	-	-	-	-
WHITE-----MALE----	18	12	8	10	2	6	1	4	-	-	-	-
FEMALE--	4	6	2	5	4	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	10	11	7	5	5	2	1	1	-	-	-	-
WHITE-----MALE----	8	9	4	4	4	-	1	1	-	-	-	-
FEMALE--	2	2	2	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	1	3	1	4	2	2	-	2	-	-	-
WHITE-----MALE----	-	-	2	1	2	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	8	7	4	2	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	6	3	4	2	-	-	-	-	-	-	-
FEMALE--	3	1	2	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	3	6	3	4	2	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	1	1	-	-	-	-	-
FLORIDA -----	69	66	53	40	30	29	11	5	-	-	-	1
WHITE-----MALE----	49	46	37	26	15	19	7	3	-	-	-	1
FEMALE--	12	10	9	8	10	8	2	2	-	-	-	-
ALL OTHER--MALE----	4	7	5	6	4	2	2	-	-	-	-	-
FEMALE--	4	3	2	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	4	7	5	6	4	2	2	-	-	-	-	-
FEMALE--	4	3	2	-	1	-	-	-	-	-	-	-
GEORGIA -----	46	32	23	27	14	8	4	5	-	-	-	-
WHITE-----MALE----	20	15	7	15	3	5	1	2	-	-	-	-
FEMALE--	2	5	4	3	5	-	1	2	-	-	-	-
ALL OTHER--MALE----	18	10	10	8	5	3	-	-	-	-	-	-
FEMALE--	6	2	2	1	1	-	2	1	-	-	-	-
BLACK---MALE-----	18	10	10	8	5	3	-	-	-	-	-	-
FEMALE--	6	2	2	1	1	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1596

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
HAWAII -----	11	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	31	-	-	-	-	-	-	1	1	1	5	7
WHITE-----MALE----	18	-	-	-	-	-	-	1	1	1	3	5
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	250	-	-	-	-	3	4	7	14	25	37	51
WHITE-----MALE----	138	-	-	-	-	1	2	4	8	14	20	30
FEMALE--	37	-	-	-	-	1	2	1	3	4	4	6
ALL OTHER--MALE----	59	-	-	-	-	1	-	2	1	5	11	12
FEMALE--	16	-	-	-	-	-	-	-	2	2	2	3
BLACK---MALE-----	57	-	-	-	-	1	-	1	1	5	11	11
FEMALE--	16	-	-	-	-	-	-	-	2	2	2	3
INDIANA -----	185	-	-	-	-	1	5	7	6	23	26	28
WHITE-----MALE----	100	-	-	-	-	-	5	4	3	10	14	16
FEMALE--	45	-	-	-	-	1	-	2	3	6	6	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	-	5	5	4
FEMALE--	11	-	-	-	-	-	-	-	-	2	1	4
BLACK---MALE-----	29	-	-	-	-	-	-	1	-	5	5	4
FEMALE--	11	-	-	-	-	-	-	-	-	2	1	4
IOWA -----	48	-	-	-	-	3	-	1	3	1	4	8
WHITE-----MALE----	34	-	-	-	-	3	-	1	-	-	2	8
FEMALE--	11	-	-	-	-	-	-	-	3	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	51	-	-	-	-	-	1	1	1	4	10	9
WHITE-----MALE----	33	-	-	-	-	-	1	1	-	3	7	3
FEMALE--	8	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1597

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
KENTUCKY -----	92	-	-	-	-	-	-	3	3	6	13	15
WHITE-----MALE----	70	-	-	-	-	-	-	2	3	4	8	14
FEMALE--	12	-	-	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	166	-	-	-	-	1	9	7	10	20	18	20
WHITE-----MALE----	71	-	-	-	-	-	3	3	5	9	4	7
FEMALE--	23	-	-	-	-	-	1	-	1	3	5	1
ALL OTHER--MALE----	62	-	-	-	-	1	4	3	4	8	8	7
FEMALE--	10	-	-	-	-	-	1	1	-	-	1	5
BLACK---MALE-----	62	-	-	-	-	1	4	3	4	8	8	7
FEMALE--	10	-	-	-	-	-	1	1	-	-	1	5
MAINE -----	57	-	-	-	-	-	-	-	4	4	5	8
WHITE-----MALE----	46	-	-	-	-	-	-	-	4	3	3	5
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	137	-	-	-	-	-	2	2	8	26	16	19
WHITE-----MALE----	65	-	-	-	-	-	-	-	2	11	9	9
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	3
ALL OTHER--MALE----	45	-	-	-	-	-	-	2	3	7	5	6
FEMALE--	16	-	-	-	-	-	2	-	2	6	1	1
BLACK---MALE-----	42	-	-	-	-	-	-	2	3	7	4	6
FEMALE--	16	-	-	-	-	-	2	-	2	6	1	1
MASSACHUSETTS -----	197	-	-	-	-	-	4	3	12	21	28	39
WHITE-----MALE----	136	-	-	-	-	-	3	3	6	17	20	28
FEMALE--	46	-	-	-	-	-	1	-	5	4	5	8
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN -----	436	-	-	-	1	3	14	13	36	55	116	81
WHITE-----MALE----	221	-	-	-	1	2	8	12	17	28	59	35
FEMALE--	66	-	-	-	-	-	5	-	10	10	12	7
ALL OTHER--MALE----	105	-	-	-	-	1	-	1	7	11	30	27
FEMALE--	44	-	-	-	-	-	1	-	2	6	15	12
BLACK---MALE-----	100	-	-	-	-	1	-	1	6	11	26	27
FEMALE--	43	-	-	-	-	-	1	-	2	5	15	12













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1600

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
OHIO -----	249	-	-	-	-	1	3	4	18	24	35	40
WHITE-----MALE----	140	-	-	-	-	1	2	3	11	16	20	23
FEMALE--	52	-	-	-	-	-	-	1	2	5	6	3
ALL OTHER--MALE----	43	-	-	-	-	-	1	-	5	1	5	10
FEMALE--	14	-	-	-	-	-	-	-	2	4	4	4
BLACK---MALE-----	43	-	-	-	-	-	1	-	5	1	5	10
FEMALE--	14	-	-	-	-	-	-	-	-	2	4	4
OKLAHOMA -----	103	-	-	-	-	-	-	-	1	10	10	15
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	6	5	5
FEMALE--	24	-	-	-	-	-	-	-	-	3	3	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	229	-	-	-	-	2	1	8	9	36	35	41
WHITE-----MALE----	167	-	-	-	-	2	1	5	7	27	20	29
FEMALE--	46	-	-	-	-	-	-	1	1	7	10	8
ALL OTHER--MALE----	12	-	-	-	-	-	-	2	-	2	3	4
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
PENNSYLVANIA -----	205	-	-	-	-	1	3	9	10	20	24	29
WHITE-----MALE----	126	-	-	-	-	1	2	7	8	13	15	20
FEMALE--	39	-	-	-	-	-	1	1	-	2	4	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	2	5	3	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE-----	31	-	-	-	-	-	-	1	2	5	3	4
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	1
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	153	-	-	-	-	-	-	-	3	6	18	20
WHITE-----MALE----	64	-	-	-	-	-	-	-	3	1	10	11
FEMALE--	21	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	15	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE-----	53	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	15	-	-	-	-	-	-	-	-	2	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1600

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
OHIO -----	23	18	21	18	16	14	8	2	4	-	-	-
WHITE-----MALE----	12	12	7	9	5	9	5	2	3	-	-	-
FEMALE--	3	3	9	4	8	4	3	-	1	-	-	-
ALL OTHER--MALE----	6	3	5	5	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	6	3	5	5	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	11	7	14	5	18	3	2	5	1	1	-	-
WHITE-----MALE----	8	3	7	4	13	2	1	1	-	-	-	-
FEMALE--	1	2	-	1	4	-	1	4	1	1	-	-
ALL OTHER--MALE----	2	1	7	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	19	14	15	13	8	13	11	3	1	-	-	-
WHITE-----MALE----	15	12	12	10	5	10	9	2	1	-	-	-
FEMALE--	2	2	3	3	3	3	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	14	18	10	13	16	5	6	3	-	1	-
WHITE-----MALE----	12	8	10	7	6	11	3	3	-	-	-	-
FEMALE--	4	4	3	2	6	1	2	1	3	-	1	-
ALL OTHER--MALE----	5	2	3	1	1	4	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	5	2	3	1	1	4	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	2	-	-	-	-
RHODE ISLAND -----	3	-	-	-	3	2	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	23	19	7	14	14	5	-	-	-	-	-
WHITE-----MALE----	10	10	7	1	7	3	1	-	-	-	-	-
FEMALE--	2	1	1	3	2	4	1	-	-	-	-	-
ALL OTHER--MALE----	10	10	8	3	3	7	3	-	-	-	-	-
FEMALE--	2	2	3	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	10	10	8	3	3	7	3	-	-	-	-	-
FEMALE--	2	2	3	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1601

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
SOUTH DAKOTA -----	21	-	-	-	-	-	-	-	2	1	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	173	-	-	-	-	1	3	5	7	18	30	23
WHITE-----MALE----	110	-	-	-	-	1	-	3	4	12	24	13
FEMALE--	28	-	-	-	-	-	2	2	1	3	3	4
ALL OTHER--MALE----	27	-	-	-	-	-	1	-	2	2	1	4
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	27	-	-	-	-	-	1	-	2	2	1	4
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	2
TEXAS -----	470	-	-	-	-	7	9	18	23	33	82	68
WHITE-----MALE----	324	-	-	-	-	5	9	15	17	22	60	46
FEMALE--	89	-	-	-	-	2	-	3	4	7	13	11
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	1	3	4	8
FEMALE--	18	-	-	-	-	-	-	-	1	1	5	3
BLACK---MALE-----	38	-	-	-	-	-	-	-	1	3	4	8
FEMALE--	17	-	-	-	-	-	-	-	1	1	5	3
UTAH -----	60	-	-	-	-	1	-	-	3	5	10	13
WHITE-----MALE----	33	-	-	-	-	-	-	-	2	2	5	6
FEMALE--	17	-	-	-	-	-	-	-	1	1	3	5
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	-	-	-	-	-	-	2	-	1	3	2
WHITE-----MALE----	13	-	-	-	-	-	-	2	-	1	3	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	160	-	-	-	-	-	2	4	9	17	19	21
WHITE-----MALE----	91	-	-	-	-	-	2	1	7	9	10	10
FEMALE--	20	-	-	-	-	-	-	1	2	4	2	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	4	7	8
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	41	-	-	-	-	-	-	1	-	4	7	8
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1601

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
SOUTH DAKOTA -----	4	2	-	1	2	2	2	1	-	-	-	-
WHITE-----MALE----	3	2	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	19	18	8	9	11	3	1	-	-	-	-
WHITE-----MALE----	13	9	12	6	8	3	2	-	-	-	-	-
FEMALE--	2	2	1	1	-	5	1	1	-	-	-	-
ALL OTHER--MALE----	1	7	5	-	1	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	7	5	-	1	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
TEXAS -----	53	43	53	29	20	17	7	6	1	-	-	1
WHITE-----MALE----	40	24	38	18	14	9	4	1	1	-	-	1
FEMALE--	7	10	11	5	5	4	3	4	-	-	-	-
ALL OTHER--MALE----	3	8	2	5	1	3	-	1	-	-	-	-
FEMALE--	3	1	2	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	2	8	2	5	1	3	-	1	-	-	-	-
FEMALE--	2	1	2	1	-	1	-	-	-	-	-	-
UTAH -----	8	4	5	2	3	3	1	1	-	-	-	1
WHITE-----MALE----	3	2	4	2	3	2	1	1	-	-	-	-
FEMALE--	4	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	2	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	21	11	11	14	6	4	6	1	-	-	-
WHITE-----MALE----	8	15	5	6	8	5	2	3	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	3	1	-	-	-
ALL OTHER--MALE----	5	4	5	3	3	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	4	4	5	3	3	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1603

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to use of alcohol (F10)												
UNITED STATES -	6,157	-	-	-	1	17	46	83	209	517	810	996
WHITE-----MALE----	3,837	-	-	-	-	10	32	61	125	307	513	618
FEMALE--	1,009	-	-	-	1	4	8	8	48	88	119	156
ALL OTHER--MALE----	1,021	-	-	-	-	3	5	11	23	84	133	169
FEMALE--	290	-	-	-	-	-	1	3	13	38	45	53
BLACK---MALE-----	847	-	-	-	-	1	1	5	15	66	97	137
FEMALE--	242	-	-	-	-	-	1	2	8	29	37	45
ALABAMA -----	93	-	-	-	-	-	1	2	3	8	12	20
WHITE-----MALE----	38	-	-	-	-	-	1	1	1	2	5	6
FEMALE--	8	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	4	5	10
FEMALE--	10	-	-	-	-	-	-	1	-	1	1	3
BLACK---MALE-----	37	-	-	-	-	-	-	-	1	4	5	10
FEMALE--	10	-	-	-	-	-	-	1	-	1	1	3
ALASKA -----	49	-	-	-	-	-	1	-	1	10	7	10
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	6	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	-	4	6
FEMALE--	14	-	-	-	-	-	-	-	1	4	2	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	147	-	-	-	-	2	1	1	5	19	16	17
WHITE-----MALE----	85	-	-	-	-	1	-	-	3	10	6	10
FEMALE--	23	-	-	-	-	-	-	-	1	2	3	4
ALL OTHER--MALE----	35	-	-	-	-	1	1	1	1	4	7	2
FEMALE--	4	-	-	-	-	-	-	-	-	3	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	35	-	-	-	-	-	-	-	2	1	5	5
WHITE-----MALE----	24	-	-	-	-	-	-	-	2	-	3	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	721	-	-	-	-	4	8	9	24	58	86	136
WHITE-----MALE----	520	-	-	-	-	2	6	6	15	47	63	97
FEMALE--	126	-	-	-	-	2	-	1	5	9	10	22
ALL OTHER--MALE----	62	-	-	-	-	-	2	2	1	2	10	14
FEMALE--	13	-	-	-	-	-	-	-	3	-	3	3
BLACK---MALE-----	39	-	-	-	-	-	-	-	-	-	7	9
FEMALE--	10	-	-	-	-	-	-	-	1	-	3	3



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1604

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to use of alcohol (F10)												
COLORADO -----	165	-	-	-	-	2	3	5	9	11	24	26
WHITE-----MALE----	116	-	-	-	-	1	2	3	6	9	19	20
FEMALE--	37	-	-	-	-	-	1	2	3	1	3	4
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	60	-	-	-	-	-	1	-	2	6	3	15
WHITE-----MALE----	48	-	-	-	-	-	1	-	2	5	3	13
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	24	-	-	-	-	-	-	-	-	4	9	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	3	5	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
DISTRICT OF COLUMBIA ---	45	-	-	-	-	-	-	1	-	5	3	7
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	4	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	25	-	-	-	-	-	-	-	-	4	1	4
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	398	-	-	-	-	1	2	3	7	22	46	57
WHITE-----MALE----	273	-	-	-	-	1	2	3	5	12	36	34
FEMALE--	77	-	-	-	-	-	-	-	2	6	7	16
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	37	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
GEORGIA -----	212	-	-	-	-	-	-	-	4	14	26	35
WHITE-----MALE----	86	-	-	-	-	-	-	-	3	3	11	12
FEMALE--	20	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	-	7	8	15
FEMALE--	26	-	-	-	-	-	-	-	-	4	4	5
BLACK---MALE-----	80	-	-	-	-	-	-	-	-	7	8	15
FEMALE--	26	-	-	-	-	-	-	-	-	4	4	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1604

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to use of alcohol (F10)												
COLORADO -----	21	20	11	16	6	4	3	4	-	-	-	-
WHITE-----MALE----	17	12	8	10	2	3	1	3	-	-	-	-
FEMALE--	4	6	2	5	3	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	9	6	2	4	2	1	-	-	-	-	-
WHITE-----MALE----	7	7	4	2	3	-	1	-	-	-	-	-
FEMALE--	2	2	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	1	3	-	4	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	8	6	4	2	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	6	2	4	2	-	-	-	-	-	-	-
FEMALE--	3	1	2	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	2	6	2	4	2	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	1	1	-	-	-	-	-
FLORIDA -----	61	64	48	35	21	20	7	3	-	-	-	1
WHITE-----MALE----	47	45	33	22	10	15	5	2	-	-	-	1
FEMALE--	9	10	8	7	7	3	1	1	-	-	-	-
ALL OTHER--MALE----	3	6	5	6	3	2	1	-	-	-	-	-
FEMALE--	2	3	2	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	3	6	5	6	3	2	1	-	-	-	-	-
FEMALE--	2	3	2	-	1	-	-	-	-	-	-	-
GEORGIA -----	40	30	21	25	10	4	2	1	-	-	-	-
WHITE-----MALE----	18	14	6	14	3	1	-	1	-	-	-	-
FEMALE--	2	4	3	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	10	10	8	4	3	-	-	-	-	-	-
FEMALE--	5	2	2	1	1	-	2	-	-	-	-	-
BLACK---MALE-----	15	10	10	8	4	3	-	-	-	-	-	-
FEMALE--	5	2	2	1	1	-	2	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1606

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to use of alcohol (F10)												
KENTUCKY -----	71	-	-	-	-	-	-	1	1	5	11	14
WHITE-----MALE----	54	-	-	-	-	-	-	-	1	4	7	13
FEMALE--	8	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	89	-	-	-	-	-	-	1	2	8	12	11
WHITE-----MALE----	39	-	-	-	-	-	-	1	1	3	4	4
FEMALE--	15	-	-	-	-	-	-	-	1	2	4	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	3
MAINE -----	48	-	-	-	-	-	-	-	4	4	5	8
WHITE-----MALE----	40	-	-	-	-	-	-	-	4	3	3	5
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	103	-	-	-	-	-	1	1	5	17	7	17
WHITE-----MALE----	54	-	-	-	-	-	-	-	1	8	7	9
FEMALE--	9	-	-	-	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	2	3	-	4
FEMALE--	11	-	-	-	-	-	1	-	1	4	-	1
BLACK---MALE-----	27	-	-	-	-	-	-	1	2	3	-	4
FEMALE--	11	-	-	-	-	-	1	-	1	4	-	1
MASSACHUSETTS -----	168	-	-	-	-	-	1	2	9	19	24	35
WHITE-----MALE----	121	-	-	-	-	-	1	2	4	16	18	25
FEMALE--	34	-	-	-	-	-	-	-	4	3	4	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN -----	185	-	-	-	-	-	2	2	11	18	38	35
WHITE-----MALE----	110	-	-	-	-	-	2	2	3	8	21	24
FEMALE--	36	-	-	-	-	-	-	-	4	6	6	3
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	3	2	7	7
FEMALE--	9	-	-	-	-	-	-	-	1	2	4	1
BLACK---MALE-----	29	-	-	-	-	-	-	-	3	2	6	7
FEMALE--	8	-	-	-	-	-	-	-	1	1	4	1













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1609

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to use of alcohol (F10)												
OHIO -----	173	-	-	-	-	1	1	1	9	11	23	27
WHITE-----MALE----	99	-	-	-	-	1	-	1	6	10	12	17
FEMALE--	35	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	32	-	-	-	-	-	1	-	3	-	3	6
FEMALE--	7	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE-----	32	-	-	-	-	-	1	-	3	-	3	6
FEMALE--	7	-	-	-	-	-	-	-	-	-	3	1
OKLAHOMA -----	88	-	-	-	-	-	-	-	1	5	9	12
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	4	4	4
FEMALE--	20	-	-	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	107	-	-	-	-	-	-	1	3	3	10	14
WHITE-----MALE----	84	-	-	-	-	-	-	1	3	3	3	11
FEMALE--	21	-	-	-	-	-	-	-	-	-	6	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	145	-	-	-	-	-	-	-	6	12	19	23
WHITE-----MALE----	97	-	-	-	-	-	-	-	5	9	12	17
FEMALE--	27	-	-	-	-	-	-	-	-	1	4	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	11	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	132	-	-	-	-	-	-	-	3	2	14	16
WHITE-----MALE----	53	-	-	-	-	-	-	-	3	-	8	7
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	52	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1609

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to use of alcohol (F10)												
OHIO -----	20	17	20	12	11	12	6	1	1	-	-	-
WHITE-----MALE----	10	11	7	7	3	8	4	1	1	-	-	-
FEMALE--	3	3	9	1	5	3	2	-	-	-	-	-
ALL OTHER--MALE----	6	3	4	4	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	6	3	4	4	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	11	7	14	5	12	3	2	5	1	1	-	-
WHITE-----MALE----	8	3	7	4	9	2	1	1	-	-	-	-
FEMALE--	1	2	-	1	2	-	1	4	1	1	-	-
ALL OTHER--MALE----	2	1	7	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	13	10	13	12	7	10	8	2	1	-	-	-
WHITE-----MALE----	10	9	11	9	5	8	8	2	1	-	-	-
FEMALE--	2	1	2	3	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	10	17	8	7	12	5	5	2	-	1	-
WHITE-----MALE----	11	7	9	7	5	10	3	2	-	-	-	-
FEMALE--	4	3	3	1	1	-	2	1	2	-	1	-
ALL OTHER--MALE----	2	-	3	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	2	-	3	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	-	-	-	-
RHODE ISLAND -----	2	-	-	-	3	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	23	22	16	7	13	12	4	-	-	-	-	-
WHITE-----MALE----	9	9	5	1	7	3	1	-	-	-	-	-
FEMALE--	2	1	-	3	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	8	3	3	7	3	-	-	-	-	-
FEMALE--	2	2	3	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	10	10	8	3	3	7	3	-	-	-	-	-
FEMALE--	2	2	3	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1610

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to use of alcohol (F10)												
SOUTH DAKOTA -----	17	-	-	-	-	-	-	-	2	1	1	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	138	-	-	-	-	-	2	3	3	12	25	19
WHITE-----MALE----	93	-	-	-	-	-	-	2	2	10	21	13
FEMALE--	19	-	-	-	-	-	2	1	-	2	2	3
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE-----	20	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
TEXAS -----	296	-	-	-	-	-	2	9	3	17	46	49
WHITE-----MALE----	211	-	-	-	-	-	2	9	2	10	35	34
FEMALE--	50	-	-	-	-	-	-	-	1	4	7	8
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	27	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
UTAH -----	55	-	-	-	-	1	-	-	1	5	9	12
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	2	5	6
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	-	-	-	-	-	2	-	1	2	2
WHITE-----MALE----	11	-	-	-	-	-	-	2	-	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	130	-	-	-	-	-	-	2	7	13	14	16
WHITE-----MALE----	77	-	-	-	-	-	-	-	5	8	9	8
FEMALE--	14	-	-	-	-	-	-	-	2	2	2	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	-	3	3	7
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	32	-	-	-	-	-	-	1	-	3	3	7
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1610

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to use of alcohol (F10)												
SOUTH DAKOTA -----	3	2	-	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	2	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	18	16	7	6	8	3	-	-	-	-	-
WHITE-----MALE----	12	8	11	5	5	2	2	-	-	-	-	-
FEMALE--	2	2	-	1	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	7	5	-	1	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	7	5	-	1	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
TEXAS -----	38	36	42	22	13	12	4	3	-	-	-	-
WHITE-----MALE----	29	23	31	16	9	7	4	-	-	-	-	-
FEMALE--	6	7	7	3	3	2	-	2	-	-	-	-
ALL OTHER--MALE----	2	6	2	3	1	2	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	6	2	3	1	2	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
UTAH -----	7	4	5	2	3	3	1	1	-	-	-	1
WHITE-----MALE----	2	2	4	2	3	2	1	1	-	-	-	-
FEMALE--	4	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	20	11	9	12	5	4	4	1	-	-	-
WHITE-----MALE----	8	15	5	5	6	4	2	2	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	3	3	5	3	3	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	2	3	5	3	3	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1612

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to other psychoactive substance use (F11-F19)

UNITED STATES -	2,462	1	-	-	1	36	74	126	218	343	458	369
WHITE-----MALE----	1,291	-	-	-	1	26	44	78	137	187	236	170
FEMALE--	512	-	-	-	-	5	15	22	40	61	63	47
ALL OTHER--MALE----	455	-	-	-	-	5	11	21	22	64	108	102
FEMALE--	204	1	-	-	-	-	4	5	19	31	51	50
BLACK---MALE-----	426	-	-	-	-	5	10	18	21	60	97	99
FEMALE--	195	1	-	-	-	-	4	4	17	29	50	47
ALABAMA -----	32	-	-	-	-	1	2	3	-	5	10	1
WHITE-----MALE----	15	-	-	-	-	1	1	2	-	2	4	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	2	3	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE-----	7	-	-	-	-	-	1	-	-	2	3	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALASKA -----	10	-	-	-	-	-	1	1	3	-	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	52	-	-	-	-	1	1	1	6	4	8	13
WHITE-----MALE----	39	-	-	-	-	1	1	1	5	3	5	10
FEMALE--	8	-	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	-	-	1	3	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	433	-	-	-	-	5	5	13	46	68	81	79
WHITE-----MALE----	260	-	-	-	-	4	2	8	30	46	46	47
FEMALE--	110	-	-	-	-	-	2	3	12	13	21	16
ALL OTHER--MALE----	35	-	-	-	-	1	1	2	1	4	7	9
FEMALE--	28	-	-	-	-	-	-	-	3	5	7	7
BLACK---MALE-----	30	-	-	-	-	1	1	1	1	3	7	7
FEMALE--	28	-	-	-	-	-	-	-	3	5	7	7



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1613

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to other psychoactive substance use (F11-F19)

COLORADO -----	27	-	-	-	-	1	-	3	1	5	6	3
WHITE-----MALE----	20	-	-	-	-	1	-	2	1	4	4	3
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	21	-	-	-	-	-	2	-	-	2	4	4
WHITE-----MALE----	16	-	-	-	-	-	2	-	-	2	2	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	1
FLORIDA -----	78	-	-	-	-	1	-	6	3	7	9	8
WHITE-----MALE----	36	-	-	-	-	1	-	2	2	4	3	1
FEMALE--	22	-	-	-	-	-	-	2	-	1	1	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	-	2	2	3
FEMALE--	7	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE-----	13	-	-	-	-	-	-	2	-	2	2	3
FEMALE--	7	-	-	-	-	-	-	-	1	-	3	1
GEORGIA -----	71	-	-	-	-	1	1	6	6	8	14	9
WHITE-----MALE----	31	-	-	-	-	-	-	3	5	2	8	2
FEMALE--	14	-	-	-	-	1	-	-	1	2	1	-
ALL OTHER--MALE----	21	-	-	-	-	-	1	3	-	3	5	5
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	21	-	-	-	-	-	1	3	-	3	5	5
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1613

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
COLORADO -----	2	-	-	-	1	3	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	1	3	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	2	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	2	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8	2	5	5	9	9	4	2	-	-	-	-
WHITE-----MALE----	2	1	4	4	5	4	2	1	-	-	-	-
FEMALE--	3	-	1	1	3	5	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	6	2	2	2	4	4	2	4	-	-	-	-
WHITE-----MALE----	2	1	1	1	-	4	1	1	-	-	-	-
FEMALE--	-	1	1	1	3	-	1	2	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1614

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to other psychoactive substance use (F11-F19)

HAWAII -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	52	-	-	-	-	2	1	2	6	4	10	10
WHITE-----MALE----	15	-	-	-	-	-	1	1	2	2	3	1
FEMALE--	11	-	-	-	-	1	-	1	1	-	1	2
ALL OTHER--MALE----	19	-	-	-	-	1	-	-	1	2	5	5
FEMALE--	7	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE-----	19	-	-	-	-	1	-	-	1	2	5	5
FEMALE--	7	-	-	-	-	-	-	-	2	-	1	2
INDIANA -----	60	-	-	-	-	-	4	5	4	10	9	9
WHITE-----MALE----	23	-	-	-	-	-	4	4	2	3	6	2
FEMALE--	24	-	-	-	-	-	-	1	2	4	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
IOWA -----	10	-	-	-	-	2	-	-	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	12	-	-	-	-	-	1	-	1	-	-	4
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1615

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
KENTUCKY -----	21	-	-	-	-	-	-	2	2	1	2	1
WHITE-----MALE----	16	-	-	-	-	-	-	2	2	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	77	-	-	-	-	1	9	6	8	12	6	9
WHITE-----MALE----	32	-	-	-	-	-	3	2	4	6	-	3
FEMALE--	8	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	33	-	-	-	-	1	4	3	4	5	5	4
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	2
BLACK---MALE-----	33	-	-	-	-	1	4	3	4	5	5	4
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	2
MAINE -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	34	-	-	-	-	-	1	1	3	9	9	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	3	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	1	4	5	2
FEMALE--	5	-	-	-	-	-	1	-	1	2	1	-
BLACK---MALE-----	15	-	-	-	-	-	-	1	1	4	4	2
FEMALE--	5	-	-	-	-	-	1	-	1	2	1	-
MASSACHUSETTS -----	29	-	-	-	-	-	3	1	3	2	4	4
WHITE-----MALE----	15	-	-	-	-	-	2	1	2	1	2	3
FEMALE--	12	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	251	-	-	-	1	3	12	11	25	37	78	46
WHITE-----MALE----	111	-	-	-	1	2	6	10	14	20	38	11
FEMALE--	30	-	-	-	-	-	5	-	6	4	6	4
ALL OTHER--MALE----	75	-	-	-	-	1	-	1	4	9	23	20
FEMALE--	35	-	-	-	-	-	1	-	1	4	11	11
BLACK---MALE-----	71	-	-	-	-	1	-	1	3	9	20	20
FEMALE--	35	-	-	-	-	-	1	-	1	4	11	11











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1618

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
OHIO -----	76	-	-	-	-	-	2	3	9	13	12	13
WHITE-----MALE----	41	-	-	-	-	-	2	2	5	6	8	6
FEMALE--	17	-	-	-	-	-	-	1	2	4	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	2	1	2	4
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE-----	11	-	-	-	-	-	-	-	2	1	2	4
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	3
OKLAHOMA -----	15	-	-	-	-	-	-	-	-	5	1	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	122	-	-	-	-	2	1	7	6	33	25	27
WHITE-----MALE----	83	-	-	-	-	2	1	4	4	24	17	18
FEMALE--	25	-	-	-	-	-	-	1	1	7	4	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	2	-	2	2	4
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
PENNSYLVANIA -----	60	-	-	-	-	1	3	9	4	8	5	6
WHITE-----MALE----	29	-	-	-	-	1	2	7	3	4	3	3
FEMALE--	12	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	1	3	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	17	-	-	-	-	-	-	1	1	3	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	21	-	-	-	-	-	-	-	-	4	4	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1618

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
OHIO -----	3	1	1	6	5	2	2	1	3	-	-	-
WHITE-----MALE----	2	1	-	2	2	1	1	1	2	-	-	-
FEMALE--	-	-	-	3	3	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	6	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	4	2	1	1	3	3	1	-	-	-	-
WHITE-----MALE----	5	3	1	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	4	1	2	6	4	-	1	1	-	-	-
WHITE-----MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	5	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	3	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

























TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1624

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Schizophrenia, schizotypal and delusional disorders (F20-F29)												
KENTUCKY -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	-	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	18	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	10	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1624

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schizophrenia, schizotypal and delusional disorders (F20-F29)												
KENTUCKY -----	1	-	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	-	2	1	4	6	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	1	-	-
MASSACHUSETTS -----	1	-	-	1	3	2	2	4	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	1	-	2	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

















TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1628

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Schizophrenia, schizotypal and delusional disorders (F20-F29)												
SOUTH DAKOTA -----	-	1	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	2	-	1	4	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
TEXAS -----	1	-	-	1	4	2	6	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	3	1	-	-	-	-
FEMALE--	1	-	-	1	2	-	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	-	1	3	4	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1631

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mood (affective) disorders (F30-F39)												
COLORADO -----	-	-	-	-	-	1	3	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	2	5	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	2	1	-	1	2	5	12	7	4	2	1	-
WHITE-----MALE----	1	1	-	-	1	2	3	1	1	-	-	-
FEMALE--	1	-	-	1	-	3	9	6	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	1	1	3	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-

























TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1637

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Mood (affective) disorders (F30-F39)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	1	6	2	2	5	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	5	2	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	-	2	3	8	6	11	5	4	3	-
WHITE-----MALE----	1	1	-	1	-	3	1	3	2	1	-	-
FEMALE--	-	-	-	1	3	5	5	8	3	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	1	-	-	-	1	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	2	1	2	6	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	1	-	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-















































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1648

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Mental retardation (F70-F79)												
UNITED STATES -	447	2	8	8	18	13	17	26	27	35	37	34
WHITE-----MALE----	226	2	3	3	9	9	7	12	11	13	18	19
FEMALE--	151	-	2	2	2	3	5	8	13	13	16	9
ALL OTHER--MALE----	35	-	-	1	3	1	2	2	2	4	2	3
FEMALE--	35	-	3	2	4	-	3	4	1	5	1	3
BLACK---MALE-----	35	-	-	1	3	1	2	2	2	4	2	3
FEMALE--	30	-	2	1	2	-	3	4	1	5	1	3
ALABAMA -----	8	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	-	-	1	1	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
CALIFORNIA -----	51	-	-	2	3	-	5	7	5	4	3	5
WHITE-----MALE----	27	-	-	1	1	-	1	3	2	3	2	4
FEMALE--	15	-	-	-	-	-	1	3	3	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	1	2	-	2	1	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	2	1	-	1	-	-









































































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1664

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	-	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	1	2	2	3	4	7	4	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	2	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	1	-	-	2	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1666

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

UNITED STATES -	84,077	441	361	263	253	375	415	381	447	738	1,026	1,369
WHITE-----MALE----	31,244	181	152	102	97	208	213	181	198	340	435	560
FEMALE--	45,854	130	107	85	85	76	94	117	137	234	371	520
ALL OTHER--MALE----	2,964	57	49	45	46	54	72	47	62	85	131	135
FEMALE--	4,015	73	53	31	25	37	36	36	50	79	89	154
BLACK---MALE-----	2,511	49	40	41	39	46	66	42	51	77	115	130
FEMALE--	3,519	59	42	26	20	31	29	33	45	78	82	138
ALABAMA -----	1,440	11	9	6	8	7	18	10	7	12	20	34
WHITE-----MALE----	480	5	-	1	3	3	6	3	2	5	7	14
FEMALE--	712	4	3	1	2	1	5	2	2	4	5	11
ALL OTHER--MALE----	108	-	3	2	2	2	4	3	3	-	6	4
FEMALE--	140	2	3	2	1	1	3	2	-	3	2	5
BLACK---MALE-----	107	-	2	2	2	2	4	3	3	-	6	4
FEMALE--	139	2	3	2	1	1	3	2	-	3	2	5
ALASKA -----	69	2	-	-	1	2	1	-	3	-	3	6
WHITE-----MALE----	22	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	25	2	-	-	1	-	-	-	-	-	-	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	14	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,714	9	6	8	4	4	6	6	11	11	16	16
WHITE-----MALE----	714	6	4	4	3	4	3	4	3	5	11	10
FEMALE--	949	2	1	4	-	-	1	1	6	6	5	4
ALL OTHER--MALE----	19	1	-	-	-	-	1	-	2	-	-	2
FEMALE--	32	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	810	1	3	2	1	2	2	5	4	6	15	11
WHITE-----MALE----	302	1	1	2	-	1	-	3	3	3	6	2
FEMALE--	442	-	-	-	-	1	-	2	1	3	6	6
ALL OTHER--MALE----	25	-	-	-	1	-	1	-	-	-	1	1
FEMALE--	41	-	2	-	-	-	1	-	-	-	2	2
BLACK---MALE-----	25	-	-	-	1	-	1	-	-	-	1	1
FEMALE--	40	-	2	-	-	-	1	-	-	-	2	1
CALIFORNIA -----	8,182	42	33	24	32	41	37	34	39	63	103	116
WHITE-----MALE----	3,211	20	15	8	15	26	16	15	21	34	46	60
FEMALE--	4,271	10	9	10	10	9	15	10	10	19	37	40
ALL OTHER--MALE----	326	5	5	3	3	4	6	5	5	4	12	9
FEMALE--	374	7	4	3	4	2	-	4	3	6	8	7
BLACK---MALE-----	179	3	3	3	-	1	4	4	3	3	8	7
FEMALE--	221	3	2	2	1	1	-	2	1	6	7	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1666

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

VI. Diseases of the nervous system (G00-G98)

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	1,748	1,884	2,366	3,753	6,772	12,014	16,619	16,894	11,290	3,996	672	-
WHITE-----MALE----	760	868	1,076	1,765	3,195	5,444	6,767	5,467	2,582	604	49	-
FEMALE--	687	739	963	1,564	2,954	5,703	8,915	10,506	8,157	3,145	565	-
ALL OTHER--MALE----	154	135	163	209	275	389	337	308	152	51	8	-
FEMALE--	147	142	164	215	348	478	600	613	399	196	50	-
BLACK---MALE-----	147	114	140	178	239	321	265	244	116	43	8	-
FEMALE--	129	130	142	185	306	416	517	536	354	175	46	-
ALABAMA -----	27	43	39	70	126	222	292	276	152	42	9	-
WHITE-----MALE----	7	17	14	29	60	92	111	71	28	2	-	-
FEMALE--	15	9	17	32	45	99	145	165	103	35	7	-
ALL OTHER--MALE----	4	9	3	4	7	16	15	14	5	2	-	-
FEMALE--	1	8	5	5	14	15	21	26	16	3	2	-
BLACK---MALE-----	4	9	3	4	7	16	15	14	5	2	-	-
FEMALE--	1	8	5	5	14	14	21	26	16	3	2	-
ALASKA -----	1	-	5	4	3	13	9	9	6	1	-	-
WHITE-----MALE----	1	-	1	2	1	7	2	1	2	-	-	-
FEMALE--	-	-	1	2	-	2	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	2	-	2	2	1	2	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	27	33	26	76	148	252	341	343	261	94	16	-
WHITE-----MALE----	11	19	13	40	67	124	148	139	77	18	1	-
FEMALE--	15	12	13	34	72	123	188	197	176	74	15	-
ALL OTHER--MALE----	-	2	-	1	2	3	2	-	3	-	-	-
FEMALE--	1	-	-	1	7	2	3	7	5	2	-	-
BLACK---MALE-----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	4	-	1	5	2	2	-	-
ARKANSAS -----	26	18	28	41	60	120	171	167	83	42	2	-
WHITE-----MALE----	11	10	19	21	39	45	65	49	17	3	1	-
FEMALE--	12	5	5	16	19	69	95	111	57	33	1	-
ALL OTHER--MALE----	2	1	1	3	1	2	5	2	1	3	-	-
FEMALE--	1	2	3	1	1	4	6	5	8	3	-	-
BLACK---MALE-----	2	1	1	3	1	2	5	2	1	3	-	-
FEMALE--	1	2	3	1	1	4	6	5	8	3	-	-
CALIFORNIA -----	164	156	197	347	588	1,173	1,646	1,694	1,152	428	73	-
WHITE-----MALE----	65	78	94	187	275	555	703	607	296	67	8	-
FEMALE--	78	60	75	121	256	523	832	963	791	333	60	-
ALL OTHER--MALE----	11	10	14	13	26	49	53	58	27	3	1	-
FEMALE--	10	8	14	26	31	46	58	66	38	25	4	-
BLACK---MALE-----	10	8	11	6	16	22	27	29	8	2	1	-
FEMALE--	6	5	8	12	14	28	36	42	23	16	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1667

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

COLORADO -----	1,277	8	3	3	2	6	8	1	6	13	10	24
WHITE-----MALE----	484	2	-	2	1	2	7	1	3	10	4	12
FEMALE--	748	6	3	1	1	4	-	-	3	3	6	11
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	16	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	963	6	2	3	1	2	7	4	6	7	13	10
WHITE-----MALE----	406	4	1	2	-	1	4	-	5	3	6	8
FEMALE--	509	1	1	1	-	1	2	3	-	2	4	1
ALL OTHER--MALE----	21	1	-	-	1	-	-	1	1	-	3	-
FEMALE--	27	-	-	-	-	-	1	-	-	2	-	1
BLACK---MALE-----	19	-	-	-	1	-	-	1	1	-	3	-
FEMALE--	27	-	-	-	-	-	1	-	-	2	-	1
DELAWARE -----	227	-	-	-	-	-	-	2	2	3	4	7
WHITE-----MALE----	90	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	114	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	1	-	1	-	2
DISTRICT OF COLUMBIA ---	127	1	1	-	-	-	1	-	3	1	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	30	1	-	-	-	-	1	-	1	1	-	-
FEMALE--	48	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	30	1	-	-	-	-	1	-	1	1	-	-
FEMALE--	47	-	-	-	-	-	-	-	2	-	-	-
FLORIDA -----	5,792	19	28	18	15	19	32	28	25	37	50	73
WHITE-----MALE----	2,291	3	10	6	1	9	15	14	12	13	16	31
FEMALE--	3,110	5	9	3	4	3	8	7	11	13	21	31
ALL OTHER--MALE----	192	5	3	5	9	3	7	5	1	6	8	6
FEMALE--	199	6	6	4	1	4	2	2	1	5	5	5
BLACK---MALE-----	187	5	3	5	8	2	7	5	1	5	8	6
FEMALE--	193	5	6	4	1	4	2	2	1	5	5	5
GEORGIA -----	1,969	10	15	6	8	15	15	10	12	23	26	44
WHITE-----MALE----	642	3	5	1	-	6	9	4	1	5	12	12
FEMALE--	976	1	4	1	4	2	2	3	5	6	7	11
ALL OTHER--MALE----	144	3	3	4	3	2	3	2	4	6	2	12
FEMALE--	207	3	3	-	1	5	1	1	2	6	5	9
BLACK---MALE-----	142	3	2	4	3	2	3	2	4	6	2	12
FEMALE--	205	3	2	-	1	5	1	1	2	6	5	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1667

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
COLORADO -----	26	27	40	52	85	194	244	257	196	63	9	-
WHITE-----MALE----	12	13	18	22	37	94	94	96	46	8	-	-
FEMALE--	13	11	19	26	46	96	143	153	145	50	8	-
ALL OTHER--MALE----	1	1	1	3	2	3	1	5	1	1	-	-
FEMALE--	-	2	2	1	-	1	6	3	4	4	1	-
BLACK---MALE-----	1	1	1	2	2	2	1	3	1	1	-	-
FEMALE--	-	1	2	1	-	1	5	2	4	4	1	-
CONNECTICUT -----	18	28	27	44	90	134	197	185	127	43	9	-
WHITE-----MALE----	10	11	17	32	49	75	80	58	33	6	1	-
FEMALE--	4	14	7	12	35	55	113	119	92	34	8	-
ALL OTHER--MALE----	2	1	1	-	3	2	2	3	-	-	-	-
FEMALE--	2	2	2	-	3	2	2	5	2	3	-	-
BLACK---MALE-----	2	1	1	-	3	2	1	3	-	-	-	-
FEMALE--	2	2	2	-	3	2	2	5	2	3	-	-
DELAWARE -----	7	5	8	14	24	42	42	38	19	9	1	-
WHITE-----MALE----	6	2	4	5	10	20	18	15	3	-	-	-
FEMALE--	-	1	1	7	12	21	22	23	13	8	1	-
ALL OTHER--MALE----	-	-	1	2	2	1	1	-	1	-	-	-
FEMALE--	1	2	2	-	-	-	1	-	2	1	-	-
BLACK---MALE-----	-	-	1	2	2	1	1	-	1	-	-	-
FEMALE--	-	2	2	-	-	-	1	-	2	1	-	-
DISTRICT OF COLUMBIA ---	4	3	4	10	14	17	22	23	13	6	3	-
WHITE-----MALE----	-	1	1	-	2	5	3	3	2	-	-	-
FEMALE--	-	1	-	2	3	3	3	3	9	4	2	-
ALL OTHER--MALE----	1	-	2	3	4	5	8	3	-	-	-	-
FEMALE--	3	1	1	5	5	4	8	14	2	2	1	-
BLACK---MALE-----	1	-	2	3	4	5	8	3	-	-	-	-
FEMALE--	3	1	1	5	4	4	8	14	2	2	1	-
FLORIDA -----	87	102	133	228	432	834	1,191	1,262	876	264	39	-
WHITE-----MALE----	36	43	60	112	205	397	547	453	252	52	4	-
FEMALE--	30	45	58	92	189	396	596	763	597	196	33	-
ALL OTHER--MALE----	12	7	7	13	22	19	20	16	14	4	-	-
FEMALE--	9	7	8	11	16	22	28	30	13	12	2	-
BLACK---MALE-----	12	7	7	13	21	19	20	16	13	4	-	-
FEMALE--	9	7	8	11	15	21	28	28	13	11	2	-
GEORGIA -----	65	49	72	109	149	269	378	399	213	67	15	-
WHITE-----MALE----	30	14	33	53	63	112	134	94	39	9	3	-
FEMALE--	16	20	27	31	60	116	205	248	146	50	11	-
ALL OTHER--MALE----	14	7	5	7	11	19	10	20	5	2	-	-
FEMALE--	5	8	7	18	15	22	29	37	23	6	1	-
BLACK---MALE-----	14	7	5	7	11	18	10	20	5	2	-	-
FEMALE--	5	8	7	18	14	22	29	37	23	6	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1668

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

HAWAII -----	295	1	2	1	-	1	1	-	2	3	7	6
WHITE-----MALE----	59	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	96	-	1	1	-	-	-	-	2	1	5	-
FEMALE--	92	-	1	-	-	1	1	-	-	-	1	4
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	418	2	1	-	-	3	1	1	-	5	5	6
WHITE-----MALE----	189	1	-	-	-	3	-	-	-	1	3	4
FEMALE--	229	1	1	-	-	-	1	1	-	4	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,754	32	22	15	13	19	16	21	16	38	45	77
WHITE-----MALE----	1,368	14	12	5	2	9	9	11	7	21	20	20
FEMALE--	2,039	6	5	5	7	4	1	6	6	9	12	38
ALL OTHER--MALE----	122	5	3	1	3	2	3	1	1	8	6	5
FEMALE--	225	7	2	4	1	4	3	3	2	-	7	14
BLACK---MALE-----	115	5	3	1	3	2	3	1	1	8	6	5
FEMALE--	211	6	1	4	1	4	3	3	1	-	6	14
INDIANA -----	2,017	5	7	10	6	10	5	15	9	29	23	33
WHITE-----MALE----	716	1	5	5	2	6	3	8	7	14	11	12
FEMALE--	1,184	2	1	4	3	2	-	5	2	9	7	14
ALL OTHER--MALE----	56	-	-	1	1	2	1	1	-	1	5	5
FEMALE--	61	2	1	-	-	-	1	1	-	5	-	2
BLACK---MALE-----	54	-	-	1	-	2	1	1	-	1	5	5
FEMALE--	59	2	1	-	-	-	1	1	-	5	-	2
IOWA -----	1,205	5	6	2	1	5	5	5	5	10	18	11
WHITE-----MALE----	485	1	4	2	1	4	3	2	3	7	11	5
FEMALE--	704	2	1	-	-	1	2	3	2	3	6	4
ALL OTHER--MALE----	7	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	7	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	1
KANSAS -----	969	3	4	2	3	3	7	9	5	4	11	17
WHITE-----MALE----	370	2	2	1	2	2	4	4	3	-	9	5
FEMALE--	558	1	-	-	1	-	2	4	2	1	2	10
ALL OTHER--MALE----	15	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	26	-	-	-	-	1	-	1	-	3	-	2
BLACK---MALE-----	13	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	3	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1668

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
HAWAII -----	2	9	13	15	21	40	73	53	27	16	2	-
WHITE-----MALE----	-	1	1	4	6	8	16	9	6	2	-	-
FEMALE--	-	2	2	2	1	3	15	8	8	6	1	-
ALL OTHER--MALE----	1	4	8	6	7	15	17	18	6	4	-	-
FEMALE--	1	2	2	3	7	14	25	18	7	4	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
IDAHO -----	8	10	11	16	32	71	80	92	56	16	2	-
WHITE-----MALE----	5	7	8	9	18	32	35	42	17	4	-	-
FEMALE--	3	3	3	7	14	39	45	50	39	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	65	93	101	161	268	516	739	784	498	186	29	-
WHITE-----MALE----	29	47	41	79	115	257	281	243	109	33	4	-
FEMALE--	21	37	41	57	121	222	417	501	360	143	20	-
ALL OTHER--MALE----	5	4	8	10	15	13	12	10	5	2	-	-
FEMALE--	10	5	11	15	17	24	29	30	24	8	5	-
BLACK---MALE-----	5	4	6	10	15	11	11	8	5	2	-	-
FEMALE--	9	4	10	15	16	22	28	29	22	8	5	-
INDIANA -----	56	43	62	85	166	283	382	411	261	104	12	-
WHITE-----MALE----	28	28	26	38	76	129	138	120	46	13	-	-
FEMALE--	21	14	33	41	82	143	232	271	205	84	9	-
ALL OTHER--MALE----	2	1	3	5	4	6	5	6	4	3	-	-
FEMALE--	5	-	-	1	4	5	7	14	6	4	3	-
BLACK---MALE-----	2	1	3	5	4	5	5	6	4	3	-	-
FEMALE--	5	-	-	-	4	5	6	14	6	4	3	-
IOWA -----	18	16	29	28	89	184	229	247	198	83	11	-
WHITE-----MALE----	12	8	18	16	51	89	100	88	44	15	1	-
FEMALE--	6	8	9	11	38	93	128	157	152	68	10	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	2	-	-	1	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
KANSAS -----	13	21	28	39	80	127	184	189	158	56	6	-
WHITE-----MALE----	7	10	14	17	41	54	85	71	26	10	1	-
FEMALE--	4	10	13	21	33	68	93	115	129	45	4	-
ALL OTHER--MALE----	1	-	1	-	3	1	4	-	-	-	1	-
FEMALE--	1	1	-	1	3	4	2	3	3	1	-	-
BLACK---MALE-----	1	-	1	-	3	1	3	-	-	-	1	-
FEMALE--	1	-	-	1	3	4	1	2	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1669

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

KENTUCKY -----	1,311	5	6	2	6	4	7	9	10	9	17	17
WHITE-----MALE----	489	2	4	1	3	2	6	6	3	5	7	9
FEMALE--	776	2	2	1	3	2	1	3	6	3	8	4
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	1	-	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	22	1	-	-	-	-	-	-	1	-	1	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
LOUISIANA -----	1,304	12	6	4	7	13	10	10	9	14	19	17
WHITE-----MALE----	428	2	1	-	3	4	3	3	6	4	6	10
FEMALE--	601	1	1	1	1	1	-	3	2	2	5	5
ALL OTHER--MALE----	135	3	2	2	1	7	6	3	-	4	6	2
FEMALE--	140	6	2	1	2	1	1	1	1	4	2	-
BLACK---MALE-----	131	3	2	2	1	6	6	3	-	3	6	2
FEMALE--	138	6	2	1	2	1	1	1	1	4	2	-
MAINE -----	653	-	2	1	1	-	-	3	2	1	1	5
WHITE-----MALE----	219	-	2	1	1	-	-	-	2	-	1	2
FEMALE--	433	-	-	-	-	-	-	3	-	1	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,459	10	7	2	-	5	5	8	14	18	27	37
WHITE-----MALE----	487	5	2	1	-	1	2	4	4	6	7	10
FEMALE--	731	3	-	1	-	1	-	3	3	4	9	11
ALL OTHER--MALE----	105	2	4	-	-	3	1	-	3	2	9	9
FEMALE--	136	-	1	-	-	-	2	1	4	6	2	7
BLACK---MALE-----	100	2	3	-	-	3	1	-	3	2	9	9
FEMALE--	132	-	1	-	-	-	1	1	4	6	2	7
MASSACHUSETTS -----	2,263	4	4	2	1	5	1	4	8	19	28	29
WHITE-----MALE----	845	-	1	2	-	2	1	3	3	12	12	14
FEMALE--	1,339	2	1	-	-	2	-	1	3	6	10	12
ALL OTHER--MALE----	34	1	1	-	-	1	-	-	1	-	2	2
FEMALE--	45	1	1	-	1	-	-	-	1	1	4	1
BLACK---MALE-----	26	1	-	-	-	1	-	-	1	-	1	2
FEMALE--	41	-	1	-	1	-	-	-	1	1	4	1
MICHIGAN -----	3,071	24	16	9	9	19	19	24	24	42	52	69
WHITE-----MALE----	1,130	7	8	2	2	7	8	11	6	16	16	27
FEMALE--	1,633	10	5	4	5	6	5	5	9	13	21	24
ALL OTHER--MALE----	130	3	1	3	1	3	4	7	4	7	11	10
FEMALE--	178	4	2	-	1	3	2	1	5	6	4	8
BLACK---MALE-----	119	3	1	3	1	3	4	6	2	7	10	10
FEMALE--	167	3	2	-	1	3	1	1	5	6	4	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1669

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
KENTUCKY -----	26	28	50	71	101	174	261	260	182	57	9	-
WHITE-----MALE----	13	13	29	44	44	73	98	77	36	14	-	-
FEMALE--	10	14	16	22	54	93	158	178	145	43	8	-
ALL OTHER--MALE----	1	-	3	4	2	3	2	2	-	-	-	-
FEMALE--	2	1	2	1	1	5	3	3	1	-	1	-
BLACK---MALE-----	1	-	3	4	1	3	2	2	-	-	-	-
FEMALE--	2	1	2	1	1	5	3	3	1	-	1	-
LOUISIANA -----	22	26	37	71	125	201	246	231	158	57	9	-
WHITE-----MALE----	6	9	16	30	56	65	93	74	28	8	1	-
FEMALE--	7	7	9	27	42	88	123	120	110	40	6	-
ALL OTHER--MALE----	7	4	7	9	14	21	12	15	7	3	-	-
FEMALE--	2	6	5	5	13	27	18	22	13	6	2	-
BLACK---MALE-----	7	4	7	9	14	20	11	15	7	3	-	-
FEMALE--	2	6	5	5	13	26	18	21	13	6	2	-
MAINE -----	14	6	14	29	51	95	130	144	102	41	11	-
WHITE-----MALE----	10	1	8	15	23	41	48	44	15	3	2	-
FEMALE--	4	5	6	14	28	54	81	100	87	38	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	37	53	66	138	218	272	263	190	51	11	-
WHITE-----MALE----	12	12	19	31	64	76	94	80	48	8	1	-
FEMALE--	8	13	19	23	44	115	142	158	125	40	9	-
ALL OTHER--MALE----	4	8	7	2	13	14	11	8	4	-	1	-
FEMALE--	3	4	8	10	17	13	25	17	13	3	-	-
BLACK---MALE-----	4	8	7	2	11	13	10	8	4	-	1	-
FEMALE--	3	4	7	10	17	13	25	16	12	3	-	-
MASSACHUSETTS -----	39	52	55	85	188	331	441	482	335	127	23	-
WHITE-----MALE----	17	24	24	48	103	166	179	165	55	14	-	-
FEMALE--	20	22	28	32	79	156	252	309	273	109	22	-
ALL OTHER--MALE----	2	1	2	5	1	6	3	3	3	-	-	-
FEMALE--	-	5	1	-	5	3	7	5	4	4	1	-
BLACK---MALE-----	2	1	1	4	1	4	3	2	2	-	-	-
FEMALE--	-	5	1	-	5	2	5	5	4	4	1	-
MICHIGAN -----	92	87	92	141	267	439	589	538	364	138	17	-
WHITE-----MALE----	38	34	42	61	127	198	240	161	87	31	1	-
FEMALE--	34	35	40	66	114	202	320	348	259	93	15	-
ALL OTHER--MALE----	8	7	7	5	14	17	8	4	4	2	-	-
FEMALE--	12	11	3	9	12	22	21	25	14	12	1	-
BLACK---MALE-----	8	5	6	4	14	16	7	4	3	2	-	-
FEMALE--	11	10	3	8	12	20	21	22	14	11	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1670

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

MINNESOTA -----	1,985	6	4	3	7	3	2	5	5	8	15	24
WHITE-----MALE----	782	3	3	2	2	1	1	5	4	5	8	11
FEMALE--	1,171	2	-	1	2	2	1	-	1	2	7	12
ALL OTHER--MALE----	13	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	19	1	1	-	1	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	752	7	4	2	5	6	8	4	6	12	13	18
WHITE-----MALE----	231	1	2	1	3	2	3	2	2	2	4	5
FEMALE--	344	1	-	1	2	-	2	-	3	1	3	2
ALL OTHER--MALE----	86	2	1	-	-	1	2	1	1	5	4	7
FEMALE--	91	3	1	-	-	3	1	1	-	4	2	4
BLACK---MALE-----	85	2	1	-	-	1	2	1	1	5	4	7
FEMALE--	91	3	1	-	-	3	1	1	-	4	2	4
MISSOURI -----	1,890	10	12	6	4	15	15	9	9	21	17	30
WHITE-----MALE----	724	5	3	1	2	10	9	7	5	6	8	14
FEMALE--	1,034	5	9	2	1	2	4	1	4	12	5	14
ALL OTHER--MALE----	46	-	-	1	-	2	1	1	-	2	1	1
FEMALE--	86	-	-	2	1	1	1	-	-	1	3	1
BLACK---MALE-----	45	-	-	1	-	2	1	1	-	2	1	1
FEMALE--	85	-	-	2	1	1	1	-	-	1	3	1
MONTANA -----	352	1	1	-	-	-	1	-	1	1	3	5
WHITE-----MALE----	140	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	205	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	5	1	1	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	622	1	3	2	1	2	3	4	3	4	7	5
WHITE-----MALE----	245	-	1	2	-	2	3	3	-	1	4	3
FEMALE--	368	-	1	-	1	-	-	1	3	3	3	2
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	395	2	4	4	-	2	2	3	3	5	8	13
WHITE-----MALE----	179	2	1	1	-	1	1	1	3	4	2	7
FEMALE--	191	-	3	2	-	1	-	2	-	-	5	4
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	16	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE-----	6	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1670

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
MINNESOTA -----	38	40	42	58	170	236	416	448	319	110	26	-
WHITE-----MALE----	19	23	17	35	84	120	202	151	70	16	-	-
FEMALE--	16	16	23	22	84	115	205	295	247	92	26	-
ALL OTHER--MALE----	-	1	1	1	2	1	3	1	-	-	-	-
FEMALE--	3	-	1	-	-	-	6	1	2	2	-	-
BLACK---MALE-----	-	-	1	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	1	-	-
MISSISSIPPI -----	27	26	29	49	78	104	124	120	87	20	3	-
WHITE-----MALE----	7	14	9	22	35	43	33	29	11	1	-	-
FEMALE--	4	6	7	15	34	45	66	76	63	12	1	-
ALL OTHER--MALE----	10	5	6	7	3	7	9	4	7	3	1	-
FEMALE--	6	1	7	5	6	9	16	11	6	4	1	-
BLACK---MALE-----	9	5	6	7	3	7	9	4	7	3	1	-
FEMALE--	6	1	7	5	6	9	16	11	6	4	1	-
MISSOURI -----	37	46	55	102	145	270	369	394	227	84	13	-
WHITE-----MALE----	20	27	18	48	63	121	166	121	54	14	2	-
FEMALE--	14	12	29	45	61	133	185	254	164	67	11	-
ALL OTHER--MALE----	3	2	3	4	7	4	6	5	2	1	-	-
FEMALE--	-	5	5	5	14	12	12	14	7	2	-	-
BLACK---MALE-----	3	2	3	4	6	4	6	5	2	1	-	-
FEMALE--	-	5	5	5	14	12	12	13	7	2	-	-
MONTANA -----	10	10	9	14	27	38	69	78	64	20	-	-
WHITE-----MALE----	3	4	3	8	11	19	32	30	19	5	-	-
FEMALE--	6	6	5	6	16	18	37	48	45	15	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	16	14	16	24	42	63	134	143	92	34	9	-
WHITE-----MALE----	9	7	8	10	29	26	59	49	26	3	-	-
FEMALE--	6	7	8	13	12	36	75	93	65	31	8	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
NEVADA -----	5	11	15	22	33	56	89	74	32	7	5	-
WHITE-----MALE----	2	4	8	14	18	25	37	37	9	1	1	-
FEMALE--	2	6	6	8	13	25	47	36	21	6	4	-
ALL OTHER--MALE----	1	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	5	3	1	2	-	-	-
BLACK---MALE-----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	1	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1672

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

OHIO -----	3,911	22	14	10	8	12	14	25	19	31	52	67
WHITE-----MALE----	1,437	9	7	6	4	8	8	12	12	17	21	23
FEMALE--	2,166	6	6	3	3	1	3	7	4	12	24	30
ALL OTHER--MALE----	128	2	-	-	1	2	3	3	2	2	4	6
FEMALE--	180	5	1	1	-	1	-	3	1	-	3	8
BLACK---MALE-----	126	2	-	-	1	2	3	3	2	2	4	6
FEMALE--	173	3	1	1	-	1	-	3	-	-	3	8
OKLAHOMA -----	1,093	10	5	2	10	5	7	2	8	7	12	21
WHITE-----MALE----	428	6	2	-	4	4	4	-	4	4	4	10
FEMALE--	573	2	3	1	2	1	1	1	3	2	5	5
ALL OTHER--MALE----	42	-	-	-	3	-	1	-	1	1	2	2
FEMALE--	50	2	-	1	1	-	1	1	-	-	1	4
BLACK---MALE-----	25	-	-	-	3	-	1	-	1	-	1	2
FEMALE--	30	1	-	-	1	-	-	-	-	-	1	2
OREGON -----	1,452	4	4	4	1	4	3	2	2	10	10	21
WHITE-----MALE----	575	2	4	2	-	3	3	1	1	5	6	11
FEMALE--	854	2	-	2	1	1	-	1	1	4	4	10
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,271	23	12	8	7	8	11	12	25	43	43	61
WHITE-----MALE----	1,540	8	7	2	4	7	5	4	11	19	20	27
FEMALE--	2,474	10	3	5	3	1	2	6	8	18	15	28
ALL OTHER--MALE----	98	1	2	1	-	-	4	-	3	3	4	-
FEMALE--	159	4	-	-	-	-	-	2	3	3	4	6
BLACK---MALE-----	94	1	2	1	-	-	4	-	3	3	4	-
FEMALE--	155	4	-	-	-	-	-	2	3	3	4	6
RHODE ISLAND -----	368	1	-	1	1	2	-	-	2	1	5	6
WHITE-----MALE----	129	-	-	1	1	1	-	-	1	-	1	2
FEMALE--	226	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	2
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	2
SOUTH CAROLINA -----	1,256	12	7	-	6	5	8	5	12	9	20	29
WHITE-----MALE----	364	1	2	-	2	1	2	-	5	-	6	7
FEMALE--	639	4	1	-	-	1	3	2	-	4	8	10
ALL OTHER--MALE----	104	3	3	-	3	2	1	1	3	4	4	9
FEMALE--	149	4	1	-	1	1	2	2	4	1	2	3
BLACK---MALE-----	104	3	3	-	3	2	1	1	3	4	4	9
FEMALE--	146	3	1	-	1	1	2	2	4	1	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1672

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
OHIO -----	85	91	117	167	314	598	757	787	500	186	35	-
WHITE-----MALE----	34	39	57	63	141	263	327	234	120	29	3	-
FEMALE--	41	45	49	79	149	287	384	507	351	147	28	-
ALL OTHER--MALE----	4	5	7	13	13	22	15	17	6	1	-	-
FEMALE--	6	2	4	12	11	26	31	29	23	9	4	-
BLACK---MALE-----	4	5	7	13	13	21	15	16	6	1	-	-
FEMALE--	6	2	3	12	11	26	30	29	22	8	4	-
OKLAHOMA -----	22	34	42	57	95	164	210	195	146	35	4	-
WHITE-----MALE----	11	18	17	27	46	74	85	71	33	4	-	-
FEMALE--	9	12	19	23	41	82	114	113	107	25	2	-
ALL OTHER--MALE----	1	2	3	5	3	2	7	5	3	-	1	-
FEMALE--	1	2	3	2	5	6	4	6	3	6	1	-
BLACK---MALE-----	-	1	1	3	1	1	3	4	2	-	1	-
FEMALE--	-	2	1	1	2	5	3	4	3	4	-	-
OREGON -----	35	25	34	48	96	216	299	336	226	61	11	-
WHITE-----MALE----	16	13	20	22	54	95	140	118	48	10	1	-
FEMALE--	17	11	14	24	41	120	156	213	172	50	10	-
ALL OTHER--MALE----	2	-	-	1	1	1	1	1	5	-	-	-
FEMALE--	-	1	-	1	-	-	2	4	1	1	-	-
BLACK---MALE-----	2	-	-	1	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	1	-	-
PENNSYLVANIA -----	83	85	120	212	376	606	875	873	566	192	30	-
WHITE-----MALE----	38	41	53	84	171	276	353	270	117	21	2	-
FEMALE--	27	37	52	106	177	298	488	573	436	156	25	-
ALL OTHER--MALE----	8	5	9	10	12	18	7	7	1	3	-	-
FEMALE--	10	2	6	12	16	14	27	23	12	12	3	-
BLACK---MALE-----	8	4	8	10	11	18	7	6	1	3	-	-
FEMALE--	9	2	6	12	16	13	26	22	12	12	3	-
RHODE ISLAND -----	5	5	14	10	22	51	74	77	71	17	3	-
WHITE-----MALE----	2	1	5	6	10	28	33	24	11	2	-	-
FEMALE--	2	3	9	4	11	23	40	51	58	15	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	2	-	1	-
BLACK---MALE-----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	2	-	1	-
SOUTH CAROLINA -----	28	30	39	64	90	192	258	204	166	59	13	-
WHITE-----MALE----	12	14	13	24	35	66	83	52	30	9	-	-
FEMALE--	7	7	14	23	32	88	142	129	113	41	10	-
ALL OTHER--MALE----	2	4	6	12	10	14	10	7	5	1	-	-
FEMALE--	7	5	6	5	13	24	23	16	18	8	3	-
BLACK---MALE-----	2	4	6	12	10	14	10	7	5	1	-	-
FEMALE--	7	5	6	5	13	24	23	15	17	8	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1673

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

SOUTH DAKOTA -----	270	3	2	-	-	1	-	2	1	2	3	5
WHITE-----MALE----	111	2	1	-	-	-	-	1	1	2	2	3
FEMALE--	148	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,699	10	6	5	6	11	14	14	7	23	22	39
WHITE-----MALE----	599	3	1	2	-	5	5	8	2	11	10	16
FEMALE--	915	5	3	2	4	2	4	4	2	8	9	8
ALL OTHER--MALE----	72	1	1	1	1	3	4	2	1	1	2	7
FEMALE--	113	1	1	-	1	1	1	-	2	3	1	8
BLACK---MALE-----	70	1	1	1	1	3	4	2	1	1	2	7
FEMALE--	113	1	1	-	1	1	1	-	2	3	1	8
TEXAS -----	5,222	37	29	23	20	33	36	23	36	57	72	81
WHITE-----MALE----	1,944	20	14	8	7	20	23	11	12	32	28	36
FEMALE--	2,866	10	12	7	10	8	7	9	7	10	26	29
ALL OTHER--MALE----	144	4	-	5	3	3	4	1	6	7	8	6
FEMALE--	268	3	3	3	-	2	2	2	11	8	10	10
BLACK---MALE-----	136	3	-	5	3	3	4	1	6	7	8	5
FEMALE--	260	3	3	2	-	2	2	2	11	8	10	10
UTAH -----	538	4	3	2	2	2	4	2	3	6	11	9
WHITE-----MALE----	258	4	2	1	1	1	2	2	2	4	7	3
FEMALE--	277	-	1	1	1	1	1	-	1	2	4	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	237	-	-	1	-	1	-	4	1	-	1	2
WHITE-----MALE----	90	-	-	-	-	1	-	3	1	-	1	1
FEMALE--	147	-	-	1	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,861	9	9	6	7	7	13	7	8	15	21	42
WHITE-----MALE----	662	5	2	-	2	5	6	2	5	5	7	12
FEMALE--	909	-	2	3	-	1	3	3	1	5	7	13
ALL OTHER--MALE----	113	1	2	1	2	1	3	2	1	3	3	5
FEMALE--	177	3	3	2	3	-	1	-	1	2	4	12
BLACK---MALE-----	106	1	2	1	2	1	2	2	1	3	3	5
FEMALE--	174	3	3	2	3	-	1	-	1	2	4	12

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1673

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
SOUTH DAKOTA -----	6	5	9	6	17	36	55	49	36	28	4	-
WHITE-----MALE----	1	1	5	4	7	20	23	19	13	5	1	-
FEMALE--	5	1	3	2	10	15	31	28	23	23	3	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	33	38	65	80	128	274	324	328	190	71	11	-
WHITE-----MALE----	18	16	38	29	67	116	115	91	37	8	1	-
FEMALE--	10	16	22	39	46	129	185	215	139	55	8	-
ALL OTHER--MALE----	1	2	-	7	5	11	12	4	4	2	-	-
FEMALE--	4	4	5	5	10	18	12	18	10	6	2	-
BLACK---MALE-----	1	2	-	6	4	11	12	4	4	2	-	-
FEMALE--	4	4	5	5	10	18	12	18	10	6	2	-
TEXAS -----	104	99	133	230	445	751	1,048	1,067	622	229	47	-
WHITE-----MALE----	53	42	71	92	203	344	425	329	140	32	2	-
FEMALE--	37	41	52	114	203	350	584	680	450	178	42	-
ALL OTHER--MALE----	9	7	4	8	10	21	10	17	7	2	2	-
FEMALE--	5	9	6	16	29	36	29	41	25	17	1	-
BLACK---MALE-----	8	7	4	8	9	19	9	16	7	2	2	-
FEMALE--	5	9	6	14	29	35	27	39	25	17	1	-
UTAH -----	20	12	16	33	40	79	106	95	72	17	-	-
WHITE-----MALE----	8	5	9	17	21	41	60	44	20	4	-	-
FEMALE--	12	7	6	16	18	38	46	51	52	13	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	2	6	5	8	20	39	46	50	31	19	1	-
WHITE-----MALE----	1	3	2	4	12	20	14	14	8	5	-	-
FEMALE--	1	3	3	4	8	19	32	36	23	14	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	35	65	100	160	307	361	341	227	64	8	-
WHITE-----MALE----	14	16	22	49	82	133	131	111	45	8	-	-
FEMALE--	18	5	24	34	54	136	196	192	161	45	6	-
ALL OTHER--MALE----	10	5	11	10	9	17	10	7	6	3	1	-
FEMALE--	7	9	8	7	15	21	24	31	15	8	1	-
BLACK---MALE-----	10	5	11	9	9	17	8	5	6	2	1	-
FEMALE--	7	9	7	7	15	20	24	31	14	8	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1674

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

WASHINGTON -----	38	57	47	107	194	325	519	560	400	170	36	-
WHITE-----MALE----	13	28	17	52	97	147	218	201	99	36	1	-
FEMALE--	24	26	26	51	91	161	285	349	293	132	35	-
ALL OTHER--MALE----	1	3	2	4	4	5	7	3	1	2	-	-
FEMALE--	-	-	2	-	2	12	9	7	7	-	-	-
BLACK---MALE-----	1	1	2	-	2	3	2	2	1	-	-	-
FEMALE--	-	-	1	-	-	5	5	2	2	-	-	-
WEST VIRGINIA -----	13	12	18	34	55	112	113	115	59	25	4	-
WHITE-----MALE----	8	8	9	18	18	52	47	32	15	7	-	-
FEMALE--	5	4	9	15	37	58	62	79	43	17	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	4	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	-	1	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	4	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	1	1	-	-
WISCONSIN -----	30	50	53	76	152	240	397	438	329	121	29	-
WHITE-----MALE----	15	29	28	37	81	113	167	131	78	14	1	-
FEMALE--	13	21	21	38	68	122	223	304	248	105	26	-
ALL OTHER--MALE----	1	-	2	-	1	3	5	-	-	-	-	-
FEMALE--	1	-	2	1	2	2	2	3	3	2	2	-
BLACK---MALE-----	1	-	2	-	-	2	3	-	-	-	-	-
FEMALE--	1	-	2	1	2	2	2	2	2	2	1	-
WYOMING -----	3	7	6	14	9	26	33	29	28	10	-	-
WHITE-----MALE----	2	3	2	9	4	17	16	13	4	1	-	-
FEMALE--	1	4	4	5	4	7	17	16	24	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1675

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningitis (G00,G03)												
UNITED STATES -	46	41	49	49	66	65	57	40	20	2	-	-
WHITE-----MALE----	19	20	17	21	25	17	21	12	4	-	-	-
FEMALE--	14	12	22	17	26	30	27	24	8	2	-	-
ALL OTHER--MALE----	10	4	4	7	7	9	2	1	3	-	-	-
FEMALE--	3	5	6	4	8	9	7	3	5	-	-	-
BLACK---MALE-----	10	4	4	6	6	8	2	1	3	-	-	-
FEMALE--	3	4	6	3	6	9	6	3	5	-	-	-
ALABAMA -----	1	1	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	1	-	-	3	2	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	2	1	1	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	4	6	8	9	7	3	4	2	-	-	-
WHITE-----MALE----	2	3	2	4	3	3	1	2	-	-	-	-
FEMALE--	4	1	3	2	3	2	1	2	1	-	-	-
ALL OTHER--MALE----	3	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1676

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningitis (G00,G03)												
COLORADO -----	15	3	-	1	-	1	-	-	-	-	-	1
WHITE-----MALE----	9	2	-	1	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	2	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	46	5	4	-	2	1	-	1	2	1	1	4
WHITE-----MALE----	17	1	2	-	-	1	-	-	-	-	-	3
FEMALE--	17	2	1	-	-	-	-	1	1	1	1	-
ALL OTHER--MALE----	9	-	1	-	2	-	-	-	1	-	-	1
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	1	-	2	-	-	-	1	-	-	1
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	21	2	1	1	-	2	1	2	-	1	-	2
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	8	-	-	1	-	-	1	1	-	1	-	1
FEMALE--	3	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	1	-	-	1	1	-	1	-	1
FEMALE--	3	2	-	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1678

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningitis (G00,G03)												
KENTUCKY -----	16	2	-	-	1	-	-	-	1	-	-	1
WHITE-----MALE----	8	1	-	-	1	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	20	4	1	-	1	1	1	1	-	-	1	-
WHITE-----MALE----	5	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	2	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	2	1	-	-	-	1	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	-	1	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	5	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	13	-	-	-	-	1	-	-	1	-	2	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	34	7	2	-	-	1	1	-	-	2	3	1
WHITE-----MALE----	12	2	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	2	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	1	1	-	-	-	1	-	-	-	2	-
FEMALE--	4	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	7	1	1	-	-	-	1	-	-	-	2	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1681

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningitis (G00,G03)												
OHIO -----	27	6	-	1	-	-	-	1	1	2	1	3
WHITE-----MALE----	9	1	-	1	-	-	-	-	-	2	1	-
FEMALE--	8	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	3	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	4	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	15	1	2	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	2	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	3	-	-	1	-	-	-	-	1	1	1
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	2	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	17	2	2	-	-	1	-	1	-	1	1	2
WHITE-----MALE----	4	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	4	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	1	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1681

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningitis (G00,G03)												
OHIO -----	2	-	4	-	-	3	1	1	1	-	-	-
WHITE-----MALE----	1	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	1	1	-	3	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	1	1	1	1	2	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	3	3	3	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	3	2	3	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	2	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1682

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Meningitis (G00,G03)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	-	2	2	3	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
TEXAS -----	3	3	2	7	5	1	3	2	1	-	-	-
WHITE-----MALE----	2	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	2	4	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
UTAH -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	2	-	2	1	1	1	3	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1684

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other inflammatory diseases of central nervous system (G04-G09)												
UNITED STATES -	568	4	19	23	10	13	16	14	17	25	33	32
WHITE-----MALE----	240	1	7	11	5	4	5	6	6	11	13	12
FEMALE--	212	3	4	6	3	7	4	4	4	6	9	14
ALL OTHER--MALE----	63	-	5	4	1	1	4	1	5	4	9	4
FEMALE--	53	-	3	2	1	1	3	3	2	4	2	2
BLACK---MALE-----	56	-	3	4	1	-	4	1	4	4	9	4
FEMALE--	48	-	3	1	1	1	3	3	2	4	2	2
ALABAMA -----	16	-	3	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	2	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	2	-	-	-	-	-	-	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	-	-	3	-	-	-	2	-	-	-	1
WHITE-----MALE----	5	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	2	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	70	1	2	1	2	4	2	-	2	3	2	5
WHITE-----MALE----	37	1	-	-	2	2	-	-	2	2	-	3
FEMALE--	21	-	1	-	-	1	1	-	-	-	-	2
ALL OTHER--MALE----	9	-	1	1	-	1	1	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	6	-	-	1	-	-	1	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1684

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other inflammatory diseases of central nervous system (G04-G09)												
UNITED STATES -	36	38	35	45	61	51	51	30	9	5	1	-
WHITE-----MALE----	16	23	12	20	21	26	26	10	4	1	-	-
FEMALE--	13	6	14	18	30	20	21	16	5	4	1	-
ALL OTHER--MALE----	3	7	2	5	2	1	2	3	-	-	-	-
FEMALE--	4	2	7	2	8	4	2	1	-	-	-	-
BLACK---MALE-----	3	6	2	5	2	1	1	2	-	-	-	-
FEMALE--	4	2	6	2	6	4	1	1	-	-	-	-
ALABAMA -----	-	-	-	1	4	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	-	3	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	3	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	7	7	8	6	4	4	5	-	-	-	-
WHITE-----MALE----	2	6	3	5	3	2	2	2	-	-	-	-
FEMALE--	2	-	3	3	3	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1685

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other inflammatory diseases of central nervous system (G04-G09)												
COLORADO -----	1	-	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	-	-	2	3	2	2	5	-	1	-	-
WHITE-----MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
GEORGIA -----	2	-	2	3	2	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1686

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other inflammatory diseases of central nervous system (G04-G09)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	24	-	1	1	-	-	-	-	3	1	1	1
WHITE-----MALE----	9	-	1	1	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	21	-	1	4	-	-	-	-	-	2	2	2
WHITE-----MALE----	10	-	1	2	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	2	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	4	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1687

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other inflammatory diseases of central nervous system (G04-G09)												
KENTUCKY -----	10	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	-	-	1	-	-	-	1	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	1	-	-	-	1	1	-	-	1	2	3
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
MASSACHUSETTS -----	12	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	22	-	1	-	1	-	-	-	1	-	3	-
WHITE-----MALE----	9	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1690

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other inflammatory diseases of central nervous system (G04-G09)												
OHIO -----	23	-	-	1	-	-	2	-	-	1	2	3
WHITE-----MALE----	8	-	-	1	-	-	1	-	-	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	12	-	-	1	1	1	-	-	2	-	-	1
WHITE-----MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	1	1	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	-	1	-	2	-	-	1	-	-	2	-
WHITE-----MALE----	6	-	-	-	1	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1691

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other inflammatory diseases of central nervous system (G04-G09)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	-	1	-	1	-	-	-	-	-	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	28	1	1	1	-	1	1	3	-	1	3	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	1	1	1	-	1	1	2	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
UTAH -----	10	-	1	-	-	-	-	1	1	-	3	-
WHITE-----MALE----	7	-	1	-	-	-	-	1	1	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1691

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other inflammatory diseases of central nervous system (G04-G09)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	2	-	1	-	1	-	2	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	1	-	1	2	4	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	4	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	3	4	3	1	-	-	-	1	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	2	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1693

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
UNITED STATES -	35	73	169	539	1,481	3,066	4,044	3,332	1,492	313	31	-
WHITE-----MALE----	24	41	106	314	922	1,842	2,281	1,625	606	102	6	-
FEMALE--	7	24	44	184	475	1,068	1,596	1,567	820	192	23	-
ALL OTHER--MALE----	1	3	11	24	43	98	86	74	33	8	-	-
FEMALE--	3	5	8	17	41	58	81	66	33	11	2	-
BLACK---MALE-----	1	3	10	22	37	67	56	47	22	5	-	-
FEMALE--	3	4	5	11	27	42	56	47	30	10	2	-
ALABAMA -----	1	3	4	9	18	59	58	36	16	2	-	-
WHITE-----MALE----	1	2	2	6	13	31	25	14	10	1	-	-
FEMALE--	-	-	2	3	4	24	28	19	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	2	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	2	-	-	-	-
ALASKA -----	-	-	-	1	1	3	3	5	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	1	2	2	13	39	76	90	72	50	10	2	-
WHITE-----MALE----	1	2	-	7	23	48	56	47	22	5	-	-
FEMALE--	-	-	2	6	14	26	32	25	28	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	2	7	12	24	40	34	10	1	1	-
WHITE-----MALE----	2	-	2	3	11	12	22	19	5	-	-	-
FEMALE--	-	-	-	4	1	12	15	15	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
CALIFORNIA -----	3	7	18	52	164	341	395	369	188	36	3	-
WHITE-----MALE----	1	1	9	38	99	200	218	196	83	9	-	-
FEMALE--	2	4	5	9	49	111	146	141	94	23	3	-
ALL OTHER--MALE----	-	-	2	1	9	23	16	20	11	2	-	-
FEMALE--	-	2	2	4	7	7	15	12	-	2	-	-
BLACK---MALE-----	-	-	2	1	4	6	6	6	4	1	-	-
FEMALE--	-	1	-	-	-	1	8	3	-	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1694

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
COLORADO -----	-	2	2	10	17	32	54	44	21	2	-	-
WHITE-----MALE----	-	1	2	4	6	20	33	28	6	-	-	-
FEMALE--	-	1	-	5	10	12	19	16	15	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	3	7	17	35	49	45	20	3	1	-
WHITE-----MALE----	-	1	2	4	11	26	30	20	7	1	-	-
FEMALE--	-	-	1	3	5	9	18	23	11	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
DELAWARE -----	1	1	1	2	6	9	10	8	-	1	1	-
WHITE-----MALE----	1	-	1	1	2	6	5	5	-	-	-	-
FEMALE--	-	1	-	1	4	3	5	3	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	4	5	4	6	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	3	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	3	-	-	-	-
FLORIDA -----	3	4	10	42	97	229	302	278	122	23	1	-
WHITE-----MALE----	1	3	6	23	60	143	200	162	61	10	-	-
FEMALE--	2	-	3	13	33	80	96	114	56	13	-	-
ALL OTHER--MALE----	-	-	1	5	3	4	5	1	3	-	-	-
FEMALE--	-	1	-	1	1	2	1	1	2	-	1	-
BLACK---MALE-----	-	-	1	5	3	4	5	1	3	-	-	-
FEMALE--	-	1	-	1	1	1	1	1	2	-	1	-
GEORGIA -----	2	4	8	11	35	56	72	63	18	3	2	-
WHITE-----MALE----	1	1	6	7	21	35	35	23	6	1	1	-
FEMALE--	-	3	2	3	10	18	33	34	11	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	3	-	-	-	-
FEMALE--	1	-	-	-	3	1	3	3	1	1	-	-
BLACK---MALE-----	-	-	-	1	1	2	1	3	-	-	-	-
FEMALE--	1	-	-	-	3	1	3	3	1	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1695

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
HAWAII -----	-	-	2	1	3	15	24	21	5	2	-	-
WHITE-----MALE----	-	-	-	-	2	4	9	4	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	8	6	9	1	2	-	-
FEMALE--	-	-	1	-	1	3	7	7	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	4	11	11	22	11	5	2	-	-
WHITE-----MALE----	-	-	-	2	6	7	12	8	4	-	-	-
FEMALE--	-	-	-	2	5	4	10	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	3	13	26	63	153	188	176	56	18	2	-
WHITE-----MALE----	-	2	8	14	46	88	98	80	18	10	1	-
FEMALE--	-	1	4	9	14	57	86	94	33	7	1	-
ALL OTHER--MALE----	-	-	-	1	1	4	2	1	1	-	-	-
FEMALE--	-	-	1	2	2	4	2	1	4	1	-	-
BLACK---MALE-----	-	-	-	1	1	3	2	-	1	-	-	-
FEMALE--	-	-	1	2	2	3	1	1	3	1	-	-
INDIANA -----	-	6	5	11	36	78	88	75	30	6	-	-
WHITE-----MALE----	-	4	5	7	22	48	46	29	4	4	-	-
FEMALE--	-	2	-	3	13	30	40	42	25	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
IOWA -----	-	3	1	4	14	48	58	41	21	8	1	-
WHITE-----MALE----	-	2	1	-	8	26	35	18	5	3	-	-
FEMALE--	-	1	-	4	6	22	23	23	16	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	4	6	13	36	41	35	30	6	-	-
WHITE-----MALE----	-	-	2	2	8	27	24	19	6	3	-	-
FEMALE--	-	-	2	4	4	9	17	16	23	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1696

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
KENTUCKY -----	-	1	1	15	24	30	56	35	14	4	-	-
WHITE-----MALE----	-	1	1	11	13	15	28	17	5	1	-	-
FEMALE--	-	-	-	3	11	14	27	18	8	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	-	1	4	10	28	51	48	43	18	8	-	-
WHITE-----MALE----	-	-	1	7	13	21	24	18	5	4	-	-
FEMALE--	-	1	-	2	10	19	22	15	9	2	-	-
ALL OTHER--MALE----	-	-	2	-	3	7	2	6	2	1	-	-
FEMALE--	-	-	1	1	2	4	-	4	2	1	-	-
BLACK---MALE-----	-	-	2	-	3	7	2	6	2	1	-	-
FEMALE--	-	-	1	1	2	4	-	4	2	1	-	-
MAINE -----	1	-	-	5	11	18	20	21	6	2	1	-
WHITE-----MALE----	1	-	-	3	6	13	9	10	2	-	-	-
FEMALE--	-	-	-	2	5	5	11	11	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	2	11	24	57	71	56	34	5	-	-
WHITE-----MALE----	-	-	1	5	13	31	31	23	12	1	-	-
FEMALE--	-	-	-	6	7	23	35	30	20	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	3	1	3	2	1	1	-	-
BLACK---MALE-----	-	-	1	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	3	1	3	2	1	1	-	-
MASSACHUSETTS -----	-	2	-	13	37	74	118	114	56	7	1	-
WHITE-----MALE----	-	2	-	7	27	37	74	58	17	1	-	-
FEMALE--	-	-	-	6	9	35	42	55	36	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
MICHIGAN -----	2	1	7	14	52	114	153	107	61	8	3	-
WHITE-----MALE----	2	-	4	9	32	68	92	55	22	3	-	-
FEMALE--	-	-	2	5	17	40	57	47	36	4	3	-
ALL OTHER--MALE----	-	1	1	-	2	5	4	-	3	-	-	-
FEMALE--	-	-	-	-	1	1	-	5	-	1	-	-
BLACK---MALE-----	-	1	1	-	2	5	4	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	-	5	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1697

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
MINNESOTA -----	2	4	5	8	43	66	123	103	52	7	1	-
WHITE-----MALE----	1	3	4	4	28	41	82	56	19	2	-	-
FEMALE--	1	1	1	4	15	25	39	47	33	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	-	2	6	15	30	22	30	12	-	-	-
WHITE-----MALE----	1	-	1	3	9	16	6	12	5	-	-	-
FEMALE--	-	-	-	1	5	12	12	15	7	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	4	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	1	1	-	4	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	-	-	-	-
MISSOURI -----	-	2	3	15	15	65	107	72	31	4	1	-
WHITE-----MALE----	-	2	1	10	10	36	61	39	13	2	1	-
FEMALE--	-	-	2	5	2	26	45	31	18	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	-	-	-	-
MONTANA -----	-	-	-	3	6	6	12	18	9	1	-	-
WHITE-----MALE----	-	-	-	2	5	5	9	9	6	-	-	-
FEMALE--	-	-	-	1	1	1	3	9	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	2	11	13	41	30	17	4	-	-
WHITE-----MALE----	-	-	-	2	8	8	21	15	10	1	-	-
FEMALE--	-	-	-	-	3	5	20	15	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	1	6	5	11	26	17	5	-	-	-
WHITE-----MALE----	-	-	1	5	4	8	16	12	3	-	-	-
FEMALE--	-	-	-	1	1	2	7	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1699

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
OHIO -----	-	3	9	21	66	161	172	139	61	15	1	-
WHITE-----MALE----	-	3	6	10	47	102	102	65	27	6	1	-
FEMALE--	-	-	3	10	18	55	65	69	31	8	-	-
ALL OTHER--MALE----	-	-	-	1	1	3	1	5	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	3	1	-	-
BLACK---MALE-----	-	-	-	1	1	3	1	5	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	3	1	-	-
OKLAHOMA -----	-	1	-	7	22	40	54	36	21	1	-	-
WHITE-----MALE----	-	1	-	4	14	23	27	14	10	-	-	-
FEMALE--	-	-	-	3	7	16	22	20	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	5	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	5	7	28	42	78	63	28	3	-	-
WHITE-----MALE----	1	-	4	4	19	24	51	36	9	1	-	-
FEMALE--	1	-	1	3	9	18	25	26	17	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	4	2	10	26	66	155	224	168	73	25	-	-
WHITE-----MALE----	3	-	6	16	44	93	139	74	33	8	-	-
FEMALE--	-	2	2	9	20	54	83	90	39	15	-	-
ALL OTHER--MALE----	-	-	1	-	1	6	-	2	-	1	-	-
FEMALE--	1	-	1	1	1	2	2	2	1	1	-	-
BLACK---MALE-----	-	-	-	-	1	6	-	2	-	1	-	-
FEMALE--	1	-	1	1	1	2	2	2	1	1	-	-
RHODE ISLAND -----	-	-	1	-	2	14	22	11	4	1	-	-
WHITE-----MALE----	-	-	1	-	1	9	14	5	2	-	-	-
FEMALE--	-	-	-	-	1	5	8	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	2	8	18	39	64	28	7	3	3	-
WHITE-----MALE----	-	-	1	6	9	18	28	12	2	-	-	-
FEMALE--	-	-	1	2	7	16	28	16	4	3	2	-
ALL OTHER--MALE----	-	1	-	-	2	3	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	5	-	-	-	1	-
BLACK---MALE-----	-	1	-	-	2	3	3	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	5	-	-	-	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1700

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
SOUTH DAKOTA -----	-	-	1	1	3	7	15	10	2	2	-	-
WHITE-----MALE----	-	-	1	1	2	7	7	5	2	-	-	-
FEMALE--	-	-	-	-	1	-	8	5	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	3	10	27	56	46	51	19	5	-	-
WHITE-----MALE----	-	1	2	6	18	39	18	18	6	-	-	-
FEMALE--	-	-	1	4	8	13	25	30	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	1	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
TEXAS -----	2	4	10	30	101	198	267	186	63	15	1	-
WHITE-----MALE----	2	1	8	16	61	122	143	84	27	6	-	-
FEMALE--	-	2	2	11	35	68	116	94	34	8	1	-
ALL OTHER--MALE----	-	-	-	1	3	3	3	5	1	-	-	-
FEMALE--	-	1	-	2	2	5	5	3	1	1	-	-
BLACK---MALE-----	-	-	-	1	3	3	2	5	1	-	-	-
FEMALE--	-	1	-	2	2	5	5	3	1	1	-	-
UTAH -----	-	-	1	6	9	21	25	31	16	-	-	-
WHITE-----MALE----	-	-	1	4	5	13	18	20	8	-	-	-
FEMALE--	-	-	-	2	4	8	7	11	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	4	9	11	10	10	2	4	-	-
WHITE-----MALE----	-	1	-	2	6	8	6	6	-	3	-	-
FEMALE--	-	-	-	2	3	3	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	1	16	37	77	92	77	34	7	-	-
WHITE-----MALE----	2	1	-	8	23	50	48	41	13	1	-	-
FEMALE--	-	-	-	3	8	20	37	31	19	6	-	-
ALL OTHER--MALE----	-	-	-	4	3	5	3	-	1	-	-	-
FEMALE--	-	1	1	1	3	2	4	5	1	-	-	-
BLACK---MALE-----	-	-	-	4	3	5	3	-	1	-	-	-
FEMALE--	-	1	1	1	3	2	4	5	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1702

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
UNITED STATES -	40	125	323	830	2,374	5,769	10,067	11,862	9,041	3,473	604	-
WHITE-----MALE----	16	61	144	355	961	2,180	3,384	3,198	1,763	469	41	-
FEMALE--	19	52	156	402	1,208	3,183	6,086	8,018	6,848	2,798	511	-
ALL OTHER--MALE----	2	7	10	34	87	152	188	184	98	36	7	-
FEMALE--	3	5	13	39	118	254	409	462	332	170	45	-
BLACK---MALE-----	2	6	9	31	81	132	160	158	75	31	7	-
FEMALE--	1	4	10	31	106	232	366	411	292	153	41	-
ALABAMA -----	1	1	8	18	52	109	195	216	125	37	9	-
WHITE-----MALE----	-	-	4	8	21	42	68	51	14	1	-	-
FEMALE--	1	1	3	7	24	53	105	134	92	32	7	-
ALL OTHER--MALE----	-	-	1	1	3	7	10	10	4	2	-	-
FEMALE--	-	-	-	2	4	7	12	21	15	2	2	-
BLACK---MALE-----	-	-	1	1	3	7	10	10	4	2	-	-
FEMALE--	-	-	-	2	4	6	12	21	15	2	2	-
ALASKA -----	-	-	1	-	-	9	6	3	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	6	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	3	14	57	125	220	250	198	82	14	-
WHITE-----MALE----	-	-	2	4	18	44	79	81	51	13	1	-
FEMALE--	-	-	1	9	35	79	139	162	140	67	13	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	3	-	-	-
FEMALE--	-	-	-	1	4	1	2	7	4	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	3	-	1	5	2	2	-	-
ARKANSAS -----	1	-	6	11	23	62	107	116	68	39	1	-
WHITE-----MALE----	-	-	3	4	11	19	34	26	11	2	1	-
FEMALE--	1	-	2	6	11	42	69	84	49	32	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	2	1	2	-	-
FEMALE--	-	-	1	-	1	1	2	4	7	3	-	-
BLACK---MALE-----	-	-	-	1	-	-	2	2	1	2	-	-
FEMALE--	-	-	1	-	1	1	2	4	7	3	-	-
CALIFORNIA -----	2	7	29	90	220	585	1,037	1,204	912	376	66	-
WHITE-----MALE----	1	1	14	48	87	230	377	365	195	56	8	-
FEMALE--	1	5	11	31	114	311	591	760	671	299	53	-
ALL OTHER--MALE----	-	1	3	4	9	17	32	32	15	1	1	-
FEMALE--	-	-	1	7	10	27	37	47	31	20	4	-
BLACK---MALE-----	-	1	3	2	6	10	19	21	4	1	1	-
FEMALE--	-	-	1	4	7	21	24	35	17	13	3	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1703

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
COLORADO -----	-	2	6	6	32	114	163	198	167	60	8	-
WHITE-----MALE----	-	1	2	3	15	50	50	61	35	8	-	-
FEMALE--	-	-	3	3	16	61	110	129	127	47	7	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	5	1	1	-	-
FEMALE--	-	1	1	-	-	1	3	3	4	4	1	-
BLACK---MALE-----	-	-	-	-	1	1	-	3	1	1	-	-
FEMALE--	-	1	1	-	-	1	3	2	4	4	1	-
CONNECTICUT -----	-	4	4	5	21	51	107	117	94	37	8	-
WHITE-----MALE----	-	2	3	4	11	27	29	30	20	5	1	-
FEMALE--	-	2	1	1	6	23	77	83	74	29	7	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	2	-	3	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	2	-	3	-	-
DELAWARE -----	-	-	1	3	5	17	26	28	19	8	-	-
WHITE-----MALE----	-	-	-	2	2	9	10	10	3	-	-	-
FEMALE--	-	-	-	1	3	8	14	18	13	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	1	-	-
DISTRICT OF COLUMBIA ---	-	-	-	2	6	8	8	10	10	6	3	-
WHITE-----MALE----	-	-	-	-	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	8	4	2	-
ALL OTHER--MALE----	-	-	-	2	2	2	3	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	3	6	2	2	1	-
BLACK---MALE-----	-	-	-	2	2	2	3	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	3	6	2	2	1	-
FLORIDA -----	3	6	14	51	144	386	703	817	671	225	38	-
WHITE-----MALE----	2	4	6	21	59	149	263	222	165	39	4	-
FEMALE--	-	2	7	27	71	219	406	559	490	173	33	-
ALL OTHER--MALE----	1	-	-	1	9	8	14	12	7	3	-	-
FEMALE--	-	-	1	2	5	10	20	24	9	10	1	-
BLACK---MALE-----	1	-	-	1	9	8	14	12	6	3	-	-
FEMALE--	-	-	1	2	5	10	20	22	9	9	1	-
GEORGIA -----	-	4	8	29	58	158	254	311	182	63	13	-
WHITE-----MALE----	-	3	4	17	22	58	81	62	29	8	2	-
FEMALE--	-	-	4	11	24	73	144	202	127	48	10	-
ALL OTHER--MALE----	-	-	-	-	5	13	5	16	4	2	-	-
FEMALE--	-	1	-	1	7	14	24	31	22	5	1	-
BLACK---MALE-----	-	-	-	-	5	13	5	16	4	2	-	-
FEMALE--	-	1	-	1	6	14	24	31	22	5	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1704

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
HAWAII -----	-	1	1	2	3	7	34	26	19	14	2	-
WHITE-----MALE----	-	-	1	1	1	1	5	4	3	2	-	-
FEMALE--	-	-	-	-	-	1	10	6	5	6	1	-
ALL OTHER--MALE----	-	1	-	1	-	2	6	5	5	2	-	-
FEMALE--	-	-	-	-	2	3	13	11	6	4	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	-	2	2	2	7	44	49	74	49	12	2	-
WHITE-----MALE----	-	1	2	1	3	15	17	33	13	3	-	-
FEMALE--	-	1	-	1	4	29	32	41	36	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	1	14	31	93	219	431	526	404	159	25	-
WHITE-----MALE----	-	-	2	10	30	93	142	135	82	21	3	-
FEMALE--	1	1	9	14	52	110	261	360	300	131	19	-
ALL OTHER--MALE----	-	-	2	2	5	6	7	5	4	1	-	-
FEMALE--	1	-	1	5	6	10	21	26	18	6	3	-
BLACK---MALE-----	-	-	2	2	5	5	6	5	4	1	-	-
FEMALE--	-	-	-	5	5	9	21	25	17	6	3	-
INDIANA -----	-	2	9	22	60	152	243	303	212	91	12	-
WHITE-----MALE----	-	2	1	5	27	57	71	75	38	9	-	-
FEMALE--	-	-	8	15	31	87	165	214	166	76	9	-
ALL OTHER--MALE----	-	-	-	1	2	5	4	4	3	2	-	-
FEMALE--	-	-	-	1	-	3	3	10	5	4	3	-
BLACK---MALE-----	-	-	-	1	2	4	4	4	3	2	-	-
FEMALE--	-	-	-	-	-	3	3	10	5	4	3	-
IOWA -----	-	-	2	6	35	95	133	183	172	71	9	-
WHITE-----MALE----	-	-	2	6	18	48	52	59	37	12	1	-
FEMALE--	-	-	-	-	17	46	81	122	133	59	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
KANSAS -----	1	1	2	13	27	67	104	132	114	44	6	-
WHITE-----MALE----	-	-	-	5	12	18	40	42	20	6	1	-
FEMALE--	1	1	2	8	14	45	60	87	92	37	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	4	2	3	2	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	4	1	2	2	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1705

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
KENTUCKY -----	-	1	6	11	37	100	160	204	155	46	8	-
WHITE-----MALE----	-	-	3	6	13	38	50	52	30	12	-	-
FEMALE--	-	1	2	5	24	57	107	147	125	34	7	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	-	-	1	-
BLACK---MALE-----	-	-	1	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	-	-	1	-
LOUISIANA -----	-	-	1	20	46	110	162	166	125	44	9	-
WHITE-----MALE----	-	-	1	8	21	30	55	50	16	2	1	-
FEMALE--	-	-	-	10	16	55	86	93	94	36	6	-
ALL OTHER--MALE----	-	-	-	2	4	7	7	8	4	1	-	-
FEMALE--	-	-	-	-	5	18	14	15	11	5	2	-
BLACK---MALE-----	-	-	-	2	4	7	6	8	4	1	-	-
FEMALE--	-	-	-	-	5	17	14	14	11	5	2	-
MAINE -----	-	1	3	8	19	55	89	111	93	39	10	-
WHITE-----MALE----	-	-	1	4	7	19	28	30	12	3	2	-
FEMALE--	-	1	2	4	12	36	60	81	81	36	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	6	14	42	85	153	181	144	45	11	-
WHITE-----MALE----	-	-	3	8	16	23	44	47	28	7	1	-
FEMALE--	-	-	3	3	18	49	86	116	103	36	9	-
ALL OTHER--MALE----	-	-	-	1	3	5	4	6	1	-	1	-
FEMALE--	-	-	-	2	5	8	19	12	12	2	-	-
BLACK---MALE-----	-	-	-	1	3	5	4	6	1	-	1	-
FEMALE--	-	-	-	2	5	8	19	11	11	2	-	-
MASSACHUSETTS -----	1	4	11	16	65	153	247	313	242	109	19	-
WHITE-----MALE----	-	2	4	8	32	70	74	81	28	10	-	-
FEMALE--	1	2	7	7	29	81	166	227	211	95	18	-
ALL OTHER--MALE----	-	-	-	1	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	4	1	4	4	2	4	1	-
BLACK---MALE-----	-	-	-	1	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	4	1	4	4	2	4	1	-
MICHIGAN -----	1	4	12	25	97	186	337	366	274	116	13	-
WHITE-----MALE----	-	1	7	10	39	69	106	87	55	24	1	-
FEMALE--	1	2	5	12	50	102	215	264	207	82	11	-
ALL OTHER--MALE----	-	-	-	1	5	5	1	1	1	2	-	-
FEMALE--	-	1	-	2	3	10	15	14	11	8	1	-
BLACK---MALE-----	-	-	-	1	5	4	1	1	1	2	-	-
FEMALE--	-	-	-	2	3	9	15	12	11	8	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1706

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
MINNESOTA -----	5	2	7	11	64	103	229	296	246	99	20	-
WHITE-----MALE----	4	2	2	8	23	48	87	79	45	14	-	-
FEMALE--	-	-	4	3	41	54	136	215	199	83	20	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	5	1	2	2	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	1	-	-
MISSISSIPPI -----	1	2	3	12	35	51	80	81	70	18	3	-
WHITE-----MALE----	-	1	-	4	16	19	20	16	5	-	-	-
FEMALE--	1	-	2	6	15	22	44	55	55	12	1	-
ALL OTHER--MALE----	-	-	-	-	1	5	4	-	5	3	1	-
FEMALE--	-	1	1	2	3	5	12	10	5	3	1	-
BLACK---MALE-----	-	-	-	-	1	5	4	-	5	3	1	-
FEMALE--	-	1	1	2	3	5	12	10	5	3	1	-
MISSOURI -----	2	4	10	15	40	124	207	264	167	68	12	-
WHITE-----MALE----	1	2	2	6	16	50	83	62	38	10	1	-
FEMALE--	1	1	7	8	20	67	112	192	122	55	11	-
ALL OTHER--MALE----	-	1	-	1	2	2	5	3	2	1	-	-
FEMALE--	-	-	1	-	2	5	7	7	5	2	-	-
BLACK---MALE-----	-	1	-	1	2	2	5	3	2	1	-	-
FEMALE--	-	-	1	-	2	5	7	7	5	2	-	-
MONTANA -----	1	1	-	1	13	21	47	52	51	18	-	-
WHITE-----MALE----	-	-	-	-	4	9	15	17	13	5	-	-
FEMALE--	1	1	-	1	9	11	32	35	38	13	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	4	4	15	35	66	103	65	29	9	-
WHITE-----MALE----	-	-	1	1	10	12	25	31	13	2	-	-
FEMALE--	-	1	3	3	5	22	41	71	52	27	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
NEVADA -----	-	-	1	5	10	30	46	47	23	7	5	-
WHITE-----MALE----	-	-	1	3	5	12	15	20	4	1	1	-
FEMALE--	-	-	-	2	3	14	31	26	17	6	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1708

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
OHIO -----	2	10	12	45	111	291	464	571	403	157	32	-
WHITE-----MALE----	1	4	6	17	38	102	167	151	86	22	2	-
FEMALE--	1	6	6	24	66	158	263	384	294	126	26	-
ALL OTHER--MALE----	-	-	-	3	4	12	13	10	4	1	-	-
FEMALE--	-	-	-	1	3	19	21	26	19	8	4	-
BLACK---MALE-----	-	-	-	3	4	11	13	9	4	1	-	-
FEMALE--	-	-	-	1	3	19	21	26	18	7	4	-
OKLAHOMA -----	1	3	13	19	32	78	120	135	114	33	4	-
WHITE-----MALE----	-	1	5	7	14	21	43	48	23	4	-	-
FEMALE--	1	2	8	9	16	50	71	80	86	24	2	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	2	2	-	1	-
FEMALE--	-	-	-	2	1	6	4	5	3	5	1	-
BLACK---MALE-----	-	-	-	1	-	1	1	2	1	-	1	-
FEMALE--	-	-	-	1	-	5	3	3	3	4	-	-
OREGON -----	-	1	5	13	27	129	191	244	188	57	10	-
WHITE-----MALE----	-	-	4	4	17	52	72	71	39	9	1	-
FEMALE--	-	1	1	7	10	76	118	169	146	47	9	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	4	1	1	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	1	-	-
PENNSYLVANIA -----	1	7	11	50	124	262	504	596	456	155	26	-
WHITE-----MALE----	1	3	7	15	53	95	155	153	76	13	1	-
FEMALE--	-	4	4	32	67	154	327	423	370	131	22	-
ALL OTHER--MALE----	-	-	-	2	3	5	4	3	-	-	-	-
FEMALE--	-	-	-	1	1	8	18	17	10	11	3	-
BLACK---MALE-----	-	-	-	2	3	5	4	2	-	-	-	-
FEMALE--	-	-	-	1	1	7	17	16	10	11	3	-
RHODE ISLAND -----	1	1	2	2	9	22	36	61	66	16	3	-
WHITE-----MALE----	-	-	1	1	5	8	12	16	9	2	-	-
FEMALE--	-	1	1	1	4	14	23	43	55	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	2	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	2	-	1	-
SOUTH CAROLINA -----	1	-	7	19	36	101	154	154	153	54	10	-
WHITE-----MALE----	1	-	2	7	14	34	45	35	25	9	-	-
FEMALE--	-	-	4	9	13	44	91	101	106	37	8	-
ALL OTHER--MALE----	-	-	-	2	4	7	5	5	4	1	-	-
FEMALE--	-	-	1	1	5	16	13	13	18	7	2	-
BLACK---MALE-----	-	-	-	2	4	7	5	5	4	1	-	-
FEMALE--	-	-	1	1	5	16	13	12	17	7	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1709

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
SOUTH DAKOTA -----	1	-	-	2	4	17	35	34	33	25	4	-
WHITE-----MALE----	-	-	-	1	-	6	14	11	11	5	1	-
FEMALE--	1	-	-	1	4	11	21	21	22	20	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	9	19	55	150	227	248	162	58	11	-
WHITE-----MALE----	1	-	7	4	25	54	79	64	28	6	1	-
FEMALE--	1	2	2	14	24	83	129	167	121	46	8	-
ALL OTHER--MALE----	-	-	-	-	2	4	9	2	4	2	-	-
FEMALE--	-	-	-	1	4	9	10	15	9	4	2	-
BLACK---MALE-----	-	-	-	-	1	4	9	2	4	2	-	-
FEMALE--	-	-	-	1	4	9	10	15	9	4	2	-
TEXAS -----	2	14	24	57	181	373	653	776	507	201	43	-
WHITE-----MALE----	1	9	11	26	67	139	225	192	101	23	2	-
FEMALE--	1	3	13	26	96	208	403	542	382	161	39	-
ALL OTHER--MALE----	-	1	-	2	2	11	5	11	5	2	2	-
FEMALE--	-	1	-	3	16	15	20	31	19	15	-	-
BLACK---MALE-----	-	1	-	2	2	9	5	11	5	2	2	-
FEMALE--	-	1	-	3	16	15	19	29	19	15	-	-
UTAH -----	-	1	4	7	8	38	64	55	51	17	-	-
WHITE-----MALE----	-	1	1	2	6	15	31	19	9	4	-	-
FEMALE--	-	-	3	5	2	23	33	36	42	13	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	2	18	25	36	29	15	1	-
WHITE-----MALE----	-	-	-	-	-	8	5	7	8	2	-	-
FEMALE--	-	-	1	-	2	10	20	29	21	13	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	11	18	59	149	222	225	172	52	5	-
WHITE-----MALE----	1	1	4	3	29	53	61	54	29	7	-	-
FEMALE--	2	-	5	13	21	79	138	143	128	35	4	-
ALL OTHER--MALE----	-	-	2	1	5	4	4	6	3	2	-	-
FEMALE--	-	-	-	1	4	13	19	22	12	8	1	-
BLACK---MALE-----	-	-	2	1	5	4	2	4	3	1	-	-
FEMALE--	-	-	-	1	4	12	19	22	11	8	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1711

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple sclerosis (G35)												
UNITED STATES -	2,651	-	-	-	1	5	9	9	37	97	207	284
WHITE-----MALE----	809	-	-	-	-	1	1	1	9	31	62	70
FEMALE--	1,582	-	-	-	1	2	3	4	17	44	109	179
ALL OTHER--MALE----	77	-	-	-	-	-	2	-	3	4	12	10
FEMALE--	183	-	-	-	-	2	3	4	8	18	24	25
BLACK---MALE-----	76	-	-	-	-	-	2	-	2	4	12	10
FEMALE--	171	-	-	-	-	2	3	4	8	18	23	22
ALABAMA -----	28	-	-	-	-	-	1	-	-	2	2	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
ALASKA -----	5	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	48	-	-	-	-	-	-	1	2	-	1	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	24	-	-	-	-	-	1	1	-	-	5	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	248	-	-	-	-	1	-	-	1	8	25	32
WHITE-----MALE----	90	-	-	-	-	-	-	-	-	3	10	9
FEMALE--	134	-	-	-	-	-	-	-	1	4	10	20
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	1	-	-	-	-	4	2
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	1	-	-	-	-	3	1











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1714

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple sclerosis (G35)												
KENTUCKY -----	25	-	-	-	-	-	-	-	-	-	3	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	26	-	-	-	-	-	-	-	1	3	1	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
MAINE -----	23	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	57	-	-	-	-	-	-	-	4	5	6	8
WHITE-----MALE----	13	-	-	-	-	-	-	-	2	1	3	1
FEMALE--	31	-	-	-	-	-	-	-	1	1	3	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	3	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	3	-	1
MASSACHUSETTS -----	98	-	-	-	-	-	-	-	-	3	8	5
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	61	-	-	-	-	-	-	-	-	1	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	154	-	-	-	-	-	1	-	3	9	6	14
WHITE-----MALE----	45	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	85	-	-	-	-	-	-	-	-	5	4	10
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	1	-	2	2	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	1	-	2	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1714

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple sclerosis (G35)												
KENTUCKY -----	7	4	4	2	-	2	-	-	-	-	-	-
WHITE-----MALE----	2	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	4	2	2	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	1	5	3	2	-	1	1	1	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	3	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
MAINE -----	2	1	4	4	3	2	1	-	1	-	-	-
WHITE-----MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	4	3	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	6	4	5	2	6	2	2	-	-	-	-
WHITE-----MALE----	1	2	-	1	1	1	-	-	-	-	-	-
FEMALE--	4	3	2	3	1	5	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	10	12	7	13	14	14	8	4	-	-	-	-
WHITE-----MALE----	3	1	3	6	7	6	2	-	-	-	-	-
FEMALE--	7	11	4	7	6	8	6	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	31	15	17	14	16	15	7	4	2	-	-	-
WHITE-----MALE----	9	1	2	7	6	7	4	2	1	-	-	-
FEMALE--	15	10	13	7	8	7	3	2	1	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	1	-	2	1	-	-	-	-	-	-
BLACK---MALE-----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	1	-	2	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1717

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple sclerosis (G35)												
OHIO -----	23	16	17	10	13	17	7	6	-	-	-	-
WHITE-----MALE----	7	6	9	3	3	2	1	-	-	-	-	-
FEMALE--	16	9	8	5	9	13	6	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	5	7	3	3	1	3	2	-	-	-	-	-
WHITE-----MALE----	1	5	1	-	1	2	-	-	-	-	-	-
FEMALE--	3	2	2	3	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	11	5	4	9	8	6	1	2	1	-	-	-
WHITE-----MALE----	4	1	3	2	3	3	-	-	-	-	-	-
FEMALE--	7	4	1	7	5	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	18	7	14	14	8	8	3	-	-	-	-
WHITE-----MALE----	4	7	2	4	2	4	3	-	-	-	-	-
FEMALE--	14	11	4	9	12	4	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	6	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	5	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	4	2	1	3	5	1	1	-	-	-	-
WHITE-----MALE----	2	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1718

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple sclerosis (G35)												
SOUTH DAKOTA -----	2	-	3	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	7	7	1	1	3	2	-	1	-	-
WHITE-----MALE----	2	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	3	6	3	-	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
TEXAS -----	19	19	14	12	3	6	5	2	-	-	-	-
WHITE-----MALE----	6	4	2	4	2	-	2	2	-	-	-	-
FEMALE--	11	13	10	6	1	5	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	-	-	-	-	-	-
UTAH -----	9	5	1	2	1	1	2	1	-	-	-	-
WHITE-----MALE----	4	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	5	3	-	1	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	5	5	4	6	2	1	-	-	-	-	-
WHITE-----MALE----	1	3	1	2	3	-	-	-	-	-	-	-
FEMALE--	4	-	4	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	2	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1719

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple sclerosis (G35)												
WASHINGTON -----	10	13	15	6	10	10	3	3	-	-	-	-
WHITE-----MALE----	1	5	3	1	3	1	-	1	-	-	-	-
FEMALE--	9	8	12	5	7	9	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	4	1	1	3	2	2	4	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	2	-	1	3	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	8	7	9	10	10	14	3	1	-	-	-	-
WHITE-----MALE----	1	2	3	3	3	5	1	1	-	-	-	-
FEMALE--	5	5	6	7	7	9	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	-	1	1	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1720

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
UNITED STATES -	1,338	14	31	21	24	43	59	86	86	120	125	108
WHITE-----MALE----	529	3	20	7	9	20	25	40	41	57	54	51
FEMALE--	450	5	7	9	8	9	20	19	23	31	34	30
ALL OTHER--MALE----	201	1	1	2	3	11	9	19	10	24	26	18
FEMALE--	158	5	3	3	4	3	5	8	12	8	11	9
BLACK---MALE-----	188	1	1	2	3	9	9	19	8	22	22	18
FEMALE--	144	3	2	2	3	2	5	7	10	8	10	8
ALABAMA -----	35	-	-	-	-	1	2	3	2	2	4	3
WHITE-----MALE----	6	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	12	-	-	-	-	1	2	-	-	1	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	8	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE-----	9	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	8	-	-	-	-	-	-	1	-	1	1	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	-	-	-	1	-	-	1	1	2	2	1
WHITE-----MALE----	10	-	-	-	1	-	-	1	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	154	1	5	2	7	5	5	10	14	11	18	13
WHITE-----MALE----	68	-	3	-	1	2	2	3	8	8	10	9
FEMALE--	48	-	2	1	4	1	3	3	1	2	4	3
ALL OTHER--MALE----	20	-	-	-	-	2	-	3	3	1	1	-
FEMALE--	18	1	-	1	2	-	-	1	2	-	3	1
BLACK---MALE-----	16	-	-	-	-	1	-	3	2	1	-	-
FEMALE--	10	-	-	-	1	-	-	-	1	-	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1720

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Epilepsy (G40-G41)												
UNITED STATES -	98	69	65	74	87	78	74	45	22	8	1	-
WHITE-----MALE----	35	22	19	28	33	19	21	17	6	2	-	-
FEMALE--	33	28	17	24	32	40	41	21	14	4	1	-
ALL OTHER--MALE----	16	13	16	12	7	8	3	1	1	-	-	-
FEMALE--	14	6	13	10	15	11	9	6	1	2	-	-
BLACK---MALE-----	16	11	15	12	7	8	3	1	1	-	-	-
FEMALE--	14	6	10	10	15	11	9	6	1	2	-	-
ALABAMA -----	1	5	3	1	3	2	1	-	1	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	2	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	1	-	-
BLACK---MALE-----	-	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	1	-	-
ALASKA -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	2	5	-	-	2	1	-	-	-
WHITE-----MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	3	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	10	13	7	6	11	4	7	3	2	-	-	-
WHITE-----MALE----	4	3	2	2	4	2	4	1	-	-	-	-
FEMALE--	4	6	1	4	4	-	3	1	1	-	-	-
ALL OTHER--MALE----	1	3	2	-	2	2	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	1	1	-	-	-
BLACK---MALE-----	1	2	2	-	2	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1721

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
COLORADO -----	20	-	-	-	-	1	2	1	2	3	1	1
WHITE-----MALE----	14	-	-	-	-	1	2	1	2	2	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	-	-	1	-	-	-	-	1	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	95	2	2	2	4	2	7	6	6	5	6	9
WHITE-----MALE----	30	-	-	1	1	1	3	2	2	2	2	5
FEMALE--	33	-	1	1	1	-	1	1	3	1	1	3
ALL OTHER--MALE----	18	1	-	-	2	1	3	2	-	2	-	1
FEMALE--	14	1	1	1	-	-	1	1	1	-	3	-
BLACK---MALE-----	16	1	-	-	2	-	3	2	-	1	-	1
FEMALE--	14	1	1	1	-	-	-	1	1	-	3	-
GEORGIA -----	28	1	-	-	-	1	-	-	-	5	1	4
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	1	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1722

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
HAWAII -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	-	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	53	1	-	1	2	-	2	6	1	9	5	4
WHITE-----MALE----	25	1	-	-	-	-	2	4	1	6	4	-
FEMALE--	17	-	-	-	-	-	-	2	-	-	1	3
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	3	-	1
FEMALE--	4	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	1	-	-	-	-	3	-	1
FEMALE--	4	-	-	1	1	-	-	-	-	-	-	-
INDIANA -----	23	-	-	-	-	1	-	2	2	3	3	-
WHITE-----MALE----	7	-	-	-	-	-	-	2	1	1	2	-
FEMALE--	15	-	-	-	-	1	-	-	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	20	-	-	-	-	-	2	3	2	2	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	2	2	1	1	-
FEMALE--	8	-	-	-	-	-	2	1	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	10	1	-	-	-	1	3	2	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	5	1	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1723

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
KENTUCKY -----	32	-	2	-	1	1	-	2	3	3	4	3
WHITE-----MALE----	19	-	2	-	1	-	-	2	2	1	1	2
FEMALE--	10	-	-	-	-	1	-	-	1	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	24	-	-	-	1	5	1	3	2	1	3	1
WHITE-----MALE----	10	-	-	-	-	1	1	1	1	-	1	1
FEMALE--	5	-	-	-	-	1	-	1	1	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	3	-	1	-	1	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	3	-	1	-	1	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	1	-	-	-	1	-	-	2	3	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	22	-	-	1	-	-	-	1	1	2	-	2
WHITE-----MALE----	10	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	101	1	5	1	-	3	3	8	11	13	10	16
WHITE-----MALE----	35	-	3	-	-	1	2	2	4	3	2	7
FEMALE--	30	1	2	-	-	1	1	1	4	2	4	5
ALL OTHER--MALE----	27	-	-	1	-	1	-	5	2	7	4	2
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE-----	27	-	-	1	-	1	-	5	2	7	4	2
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1723

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Epilepsy (G40-G41)												
KENTUCKY -----	1	1	2	-	2	3	2	-	1	1	-	-
WHITE-----MALE----	-	1	1	-	2	2	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	1	1	2	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	2	2	2	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	2	-	-	-	-
MASSACHUSETTS -----	1	1	1	3	5	1	-	1	2	-	-	-
WHITE-----MALE----	-	1	-	2	3	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	4	3	5	2	3	4	2	1	1	-	-
WHITE-----MALE----	1	2	1	-	1	1	1	2	1	1	-	-
FEMALE--	1	1	1	4	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE-----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	1	-	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1726

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
OHIO -----	52	1	4	2	-	-	4	6	2	3	7	3
WHITE-----MALE----	19	-	2	1	-	-	3	1	1	1	3	-
FEMALE--	21	-	2	1	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	6	-	-	-	-	-	1	2	-	1	1	-
FEMALE--	6	1	-	-	-	-	-	2	1	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	1	2	-	1	1	-
FEMALE--	5	1	-	-	-	-	-	2	-	-	-	-
OKLAHOMA -----	19	-	2	-	1	1	-	-	2	-	3	-
WHITE-----MALE----	10	-	2	-	1	1	-	-	1	-	3	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	-	1	-	2	1	-	-	1	4	1
WHITE-----MALE----	9	-	-	1	-	2	1	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	55	-	1	2	-	2	1	3	4	7	3	3
WHITE-----MALE----	18	-	1	-	-	2	-	1	2	3	2	2
FEMALE--	25	-	-	2	-	-	1	2	2	4	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	37	2	1	-	1	-	2	1	3	3	4	5
WHITE-----MALE----	11	-	-	-	1	-	1	-	1	-	2	1
FEMALE--	9	1	-	-	-	-	-	1	-	2	-	1
ALL OTHER--MALE----	13	-	1	-	-	-	-	-	1	1	2	3
FEMALE--	4	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	13	-	1	-	-	-	-	-	1	1	2	3
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1727

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Epilepsy (G40-G41)												
SOUTH DAKOTA -----	1	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	4	4	3	1	3	1	-	1	-	-
WHITE-----MALE----	2	1	2	3	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
TEXAS -----	8	2	3	6	3	7	7	-	3	-	-	-
WHITE-----MALE----	3	-	1	1	1	2	2	-	-	-	-	-
FEMALE--	3	1	-	2	1	3	4	-	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	2	1	2	1	-	-	-	-	-
BLACK---MALE-----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	2	1	2	1	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	2	2	1	5	-	1	-	1	-	-
WHITE-----MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-



































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1735

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transient cerebral ischemic attacks and related syndromes (G45)												
OHIO -----	-	-	1	-	1	3	6	5	4	1	-	-
WHITE-----MALE----	-	-	1	-	-	3	5	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	2	2	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	1	1	3	3	4	4	-	1	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	2	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	-	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1736

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transient cerebral ischemic attacks and related syndromes (G45)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1739

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
COLORADO -----	14	-	1	2	2	2	3	-	-	-	-	2
WHITE-----MALE----	6	-	-	1	1	-	2	-	-	-	-	1
FEMALE--	7	-	1	1	1	2	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	-	1	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	5	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	53	1	8	4	3	4	6	5	4	1	3	4
WHITE-----MALE----	19	-	3	1	-	1	3	3	2	-	-	3
FEMALE--	17	-	2	1	1	1	1	1	2	1	1	1
ALL OTHER--MALE----	11	1	-	2	1	1	2	1	-	-	2	-
FEMALE--	6	-	3	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	11	1	-	2	1	1	2	1	-	-	2	-
FEMALE--	6	-	3	-	1	1	-	-	-	-	-	-
GEORGIA -----	35	-	5	4	4	5	3	3	2	1	-	3
WHITE-----MALE----	9	-	1	1	-	2	1	-	-	-	-	1
FEMALE--	9	-	2	1	1	-	-	2	-	1	-	1
ALL OTHER--MALE----	10	-	1	2	2	1	1	1	1	-	-	-
FEMALE--	7	-	1	-	1	2	1	-	1	-	-	1
BLACK---MALE-----	10	-	1	2	2	1	1	1	1	-	-	-
FEMALE--	6	-	-	-	1	2	1	-	1	-	-	1



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1740

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	46	1	7	3	6	9	3	4	1	1	3	-
WHITE-----MALE----	18	-	3	1	1	3	1	3	-	1	1	-
FEMALE--	17	1	2	-	4	1	1	1	1	-	2	-
ALL OTHER--MALE----	4	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	7	-	1	1	-	4	1	-	-	-	-	-
BLACK---MALE-----	4	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	7	-	1	1	-	4	1	-	-	-	-	-
INDIANA -----	29	-	2	4	4	2	2	4	1	3	1	-
WHITE-----MALE----	15	-	1	2	2	2	2	1	1	2	-	-
FEMALE--	9	-	-	2	2	-	-	2	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
IOWA -----	12	-	-	-	-	1	-	-	-	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	15	-	4	-	1	-	-	1	2	1	-	1
WHITE-----MALE----	8	-	2	-	1	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1741

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
KENTUCKY -----	17	-	2	-	3	-	1	3	1	-	1	2
WHITE-----MALE----	8	-	1	-	1	-	1	2	-	-	1	1
FEMALE--	8	-	1	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	26	3	2	2	3	4	2	-	-	2	1	-
WHITE-----MALE----	4	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	1	2	2	-	2	2	-	-	-	1	-
FEMALE--	7	2	-	-	1	1	-	-	-	1	-	-
BLACK---MALE-----	10	1	2	2	-	1	2	-	-	-	1	-
FEMALE--	7	2	-	-	1	1	-	-	-	1	-	-
MAINE -----	3	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	-	4	-	-	-	-	3	-	2	1	2
WHITE-----MALE----	7	-	2	-	-	-	-	1	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	12	-	-	-	-	3	-	-	1	1	2	-
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	2	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	47	3	3	3	3	6	4	8	1	2	3	5
WHITE-----MALE----	19	1	2	-	-	1	1	4	-	2	1	3
FEMALE--	18	1	-	2	2	3	2	2	1	-	2	1
ALL OTHER--MALE----	5	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	5	1	1	-	-	1	-	1	-	-	-	1
BLACK---MALE-----	4	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	5	1	1	-	-	1	-	1	-	-	-	1













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1744

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
OHIO -----	43	-	1	6	3	5	3	4	2	2	3	1
WHITE-----MALE----	22	-	1	3	1	3	1	3	1	1	1	-
FEMALE--	15	-	-	2	2	-	1	1	-	1	2	1
ALL OTHER--MALE----	5	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	20	-	-	-	4	1	2	2	-	1	1	2
WHITE-----MALE----	9	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	7	-	-	-	1	-	1	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	7	1	2	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	3	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	36	-	2	2	2	-	-	3	5	2	3	2
WHITE-----MALE----	17	-	1	-	2	-	-	1	2	1	-	1
FEMALE--	17	-	1	2	-	-	-	2	2	1	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	1	-	-	1	2	2	-	2	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	5	1	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	-	-	1



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1745

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	1	2	3	-	5	1	5	2	5	2	1
WHITE-----MALE----	12	-	1	2	-	1	1	2	1	1	1	1
FEMALE--	11	-	1	-	-	1	-	2	1	2	1	-
ALL OTHER--MALE----	4	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	4	1	-	-	-	1	-	-	-	2	-	-
BLACK---MALE-----	4	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	4	1	-	-	-	1	-	-	-	2	-	-
TEXAS -----	71	-	8	10	9	7	6	4	7	1	5	-
WHITE-----MALE----	27	-	3	3	3	2	2	2	4	-	3	-
FEMALE--	29	-	3	3	4	3	3	2	1	1	1	-
ALL OTHER--MALE----	6	-	-	2	2	1	-	-	-	-	1	-
FEMALE--	9	-	2	2	-	1	1	-	2	-	-	-
BLACK---MALE-----	6	-	-	2	2	1	-	-	-	-	1	-
FEMALE--	8	-	2	1	-	1	1	-	2	-	-	-
UTAH -----	5	-	-	-	-	1	1	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	1	-	-	-	2	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	-	5	1	2	1	2	1	4	-	2	-
WHITE-----MALE----	11	-	1	-	1	1	1	-	3	-	-	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	6	-	2	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	2	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	1	1	1	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1747

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

UNITED STATES -	18,216	293	183	113	112	188	222	170	220	399	560	804
WHITE-----MALE----	8,348	129	70	45	42	131	134	96	105	201	272	364
FEMALE--	7,465	95	64	38	36	25	41	47	62	114	180	250
ALL OTHER--MALE----	1,167	38	22	14	24	19	32	12	32	46	62	85
FEMALE--	1,236	31	27	16	10	13	15	15	21	38	46	105
BLACK---MALE-----	986	32	15	13	20	15	30	10	28	40	54	80
FEMALE--	1,084	23	19	15	7	10	9	14	19	38	42	94
ALABAMA -----	344	7	5	4	6	3	9	3	3	8	9	27
WHITE-----MALE----	134	3	-	1	3	2	4	-	1	5	4	11
FEMALE--	128	4	2	1	2	-	2	1	1	2	3	8
ALL OTHER--MALE----	37	-	2	1	-	-	2	1	1	-	2	3
FEMALE--	45	-	1	1	1	1	1	1	-	1	-	5
BLACK---MALE-----	36	-	1	1	-	-	2	1	1	-	2	3
FEMALE--	45	-	1	1	1	1	1	1	-	1	-	5
ALASKA -----	19	2	-	-	1	1	-	-	1	-	3	2
WHITE-----MALE----	7	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	6	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	266	4	4	3	2	3	4	1	5	6	12	4
WHITE-----MALE----	156	3	2	2	1	3	3	1	2	3	9	3
FEMALE--	99	1	1	1	-	-	-	-	3	3	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	190	-	3	2	1	-	1	4	3	5	9	8
WHITE-----MALE----	93	-	1	2	-	-	-	3	2	3	5	1
FEMALE--	69	-	-	-	-	-	-	1	1	2	3	4
ALL OTHER--MALE----	12	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	16	-	2	-	-	-	1	-	-	-	1	2
BLACK---MALE-----	12	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	15	-	2	-	-	-	1	-	-	-	1	1
CALIFORNIA -----	1,371	30	11	7	6	18	14	12	14	26	43	50
WHITE-----MALE----	673	14	4	3	3	13	6	6	8	14	22	31
FEMALE--	549	8	4	3	-	4	5	3	5	5	17	11
ALL OTHER--MALE----	64	4	2	-	1	1	3	-	1	2	4	4
FEMALE--	85	4	1	1	2	-	-	3	-	5	-	4
BLACK---MALE-----	33	2	1	-	-	-	2	-	1	1	4	2
FEMALE--	48	2	-	1	-	-	-	2	-	5	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1747

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

UNITED STATES -	1,043	1,186	1,397	1,889	2,405	2,689	2,118	1,420	615	160	30	-
WHITE-----MALE----	501	567	669	903	1,125	1,259	963	564	180	26	2	-
FEMALE--	359	421	519	742	1,013	1,178	1,010	740	392	115	24	-
ALL OTHER--MALE----	97	94	109	120	123	115	56	45	15	6	1	-
FEMALE--	86	104	100	124	144	137	89	71	28	13	3	-
BLACK---MALE-----	90	77	89	95	100	99	43	35	14	6	1	-
FEMALE--	76	95	88	109	132	114	77	64	26	10	3	-
ALABAMA -----	17	30	19	36	43	46	34	24	10	1	-	-
WHITE-----MALE----	5	15	5	13	22	16	14	6	4	-	-	-
FEMALE--	8	5	8	19	13	20	11	12	5	1	-	-
ALL OTHER--MALE----	3	4	2	2	2	6	3	3	-	-	-	-
FEMALE--	1	6	4	2	6	4	6	3	1	-	-	-
BLACK---MALE-----	3	4	2	2	2	6	3	3	-	-	-	-
FEMALE--	1	6	4	2	6	4	6	3	1	-	-	-
ALASKA -----	-	-	3	2	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	18	15	36	45	40	27	15	10	2	-	-
WHITE-----MALE----	4	11	10	22	25	28	12	9	3	-	-	-
FEMALE--	5	6	5	13	18	11	14	6	6	2	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	14	15	18	18	20	30	21	12	4	2	-	-
WHITE-----MALE----	6	9	12	11	13	12	8	3	1	1	-	-
FEMALE--	6	3	3	5	6	13	10	8	3	1	-	-
ALL OTHER--MALE----	1	1	1	2	1	2	2	-	-	-	-	-
FEMALE--	1	2	2	-	-	3	1	1	-	-	-	-
BLACK---MALE-----	1	1	1	2	1	2	2	-	-	-	-	-
FEMALE--	1	2	2	-	-	3	1	1	-	-	-	-
CALIFORNIA -----	92	89	101	152	160	209	179	99	42	13	4	-
WHITE-----MALE----	40	52	53	75	70	112	91	37	17	2	-	-
FEMALE--	44	28	37	58	74	83	78	51	19	8	4	-
ALL OTHER--MALE----	3	5	6	7	5	6	4	5	1	-	-	-
FEMALE--	5	4	5	12	11	8	6	6	5	3	-	-
BLACK---MALE-----	2	4	3	2	3	3	1	2	-	-	-	-
FEMALE--	3	2	4	6	6	3	4	3	4	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1748

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

COLORADO -----	227	5	2	-	-	1	1	-	2	7	8	12
WHITE-----MALE----	109	-	-	-	-	1	1	-	1	6	4	7
FEMALE--	110	5	2	-	-	-	-	-	1	1	4	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	260	4	-	2	1	-	5	3	5	5	10	9
WHITE-----MALE----	145	3	-	2	-	-	3	-	4	3	5	7
FEMALE--	92	-	-	-	-	-	2	2	-	1	3	1
ALL OTHER--MALE----	11	1	-	-	1	-	-	1	1	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	9	-	-	-	1	-	-	1	1	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	62	-	-	-	-	-	-	1	1	1	3	4
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	27	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	40	1	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,221	11	14	7	5	11	14	15	10	22	25	37
WHITE-----MALE----	549	2	5	2	-	6	9	9	6	10	7	15
FEMALE--	535	3	5	1	1	2	3	3	4	7	11	16
ALL OTHER--MALE----	69	3	2	1	4	1	1	2	-	4	6	4
FEMALE--	68	3	2	3	-	2	1	1	-	1	1	2
BLACK---MALE-----	67	3	2	1	3	1	1	2	-	4	6	4
FEMALE--	67	2	2	3	-	2	1	1	-	1	1	2
GEORGIA -----	474	7	8	-	3	4	10	4	8	15	17	32
WHITE-----MALE----	181	2	3	-	-	2	7	3	1	5	10	9
FEMALE--	168	1	2	-	2	-	2	-	4	2	3	6
ALL OTHER--MALE----	56	3	1	-	1	1	1	-	2	3	2	10
FEMALE--	69	1	2	-	-	1	-	1	1	5	2	7
BLACK---MALE-----	55	3	1	-	1	1	1	-	2	3	2	10
FEMALE--	69	1	2	-	-	1	-	1	1	5	2	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1748

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

COLORADO -----	15	14	27	27	26	37	22	13	8	-	-	-
WHITE-----MALE----	8	6	12	12	11	19	10	6	5	-	-	-
FEMALE--	6	7	14	13	15	17	10	7	3	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	-	-	-
CONNECTICUT -----	13	15	14	23	46	42	35	17	11	-	-	-
WHITE-----MALE----	8	6	8	20	25	20	18	7	6	-	-	-
FEMALE--	1	7	4	3	20	19	15	9	5	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	2	2	2	-	-	2	1	1	-	-	-	-
BLACK---MALE-----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	2	2	-	-	2	1	1	-	-	-	-
DELAWARE -----	4	3	6	7	12	13	5	2	-	-	-	-
WHITE-----MALE----	3	2	3	2	6	2	3	-	-	-	-	-
FEMALE--	-	-	1	4	4	10	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	1	3	5	4	4	10	6	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	2	1	2	1	-	-	-	-
FEMALE--	1	-	1	2	1	-	5	4	-	-	-	-
BLACK---MALE-----	1	-	1	1	2	1	2	1	-	-	-	-
FEMALE--	1	-	1	2	1	-	5	4	-	-	-	-
FLORIDA -----	48	66	81	110	161	191	164	139	75	15	-	-
WHITE-----MALE----	21	29	37	56	73	96	77	61	25	3	-	-
FEMALE--	17	27	33	41	72	82	81	73	44	9	-	-
ALL OTHER--MALE----	6	5	4	6	7	5	1	2	4	1	-	-
FEMALE--	4	5	7	7	9	8	5	3	2	2	-	-
BLACK---MALE-----	6	5	4	6	6	5	1	2	4	1	-	-
FEMALE--	4	5	7	7	9	8	5	3	2	2	-	-
GEORGIA -----	46	31	46	61	48	52	47	21	13	1	-	-
WHITE-----MALE----	22	6	20	26	18	19	17	7	4	-	-	-
FEMALE--	12	15	18	13	22	22	25	10	8	1	-	-
ALL OTHER--MALE----	8	4	2	5	4	4	3	1	1	-	-	-
FEMALE--	4	6	6	17	4	7	2	3	-	-	-	-
BLACK---MALE-----	8	4	2	5	4	3	3	1	1	-	-	-
FEMALE--	4	6	6	17	4	7	2	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1749

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

HAWAII -----	109	1	2	1	-	1	1	-	2	3	6	6
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	46	-	1	1	-	-	-	-	2	1	4	-
FEMALE--	31	-	1	-	-	1	1	-	-	-	1	4
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	78	-	1	-	-	1	-	-	-	2	2	5
WHITE-----MALE----	49	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	29	-	1	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	818	15	11	10	5	10	11	8	11	19	24	45
WHITE-----MALE----	372	8	6	3	1	6	6	3	5	10	11	17
FEMALE--	319	4	2	5	3	3	-	2	4	6	5	14
ALL OTHER--MALE----	52	1	2	-	1	1	3	1	-	3	4	3
FEMALE--	75	2	1	2	-	-	2	2	2	-	4	11
BLACK---MALE-----	49	1	2	-	1	1	3	1	-	3	4	3
FEMALE--	70	1	-	2	-	-	2	2	1	-	3	11
INDIANA -----	417	4	4	2	2	6	2	8	4	16	12	23
WHITE-----MALE----	199	1	3	1	-	4	1	5	4	7	6	8
FEMALE--	178	2	1	-	1	1	-	2	-	6	4	9
ALL OTHER--MALE----	22	-	-	1	1	1	-	1	-	-	2	5
FEMALE--	18	1	-	-	-	-	1	-	-	3	-	1
BLACK---MALE-----	21	-	-	1	-	1	-	1	-	-	2	5
FEMALE--	18	1	-	-	-	-	1	-	-	3	-	1
IOWA -----	215	4	2	2	1	4	3	-	1	6	10	3
WHITE-----MALE----	118	1	2	2	1	4	3	-	1	4	7	2
FEMALE--	90	1	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	5	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	225	2	-	-	2	2	3	6	3	2	8	11
WHITE-----MALE----	111	2	-	-	1	1	3	4	2	-	8	3
FEMALE--	99	-	-	-	1	-	-	2	1	1	-	7
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1749

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

HAWAII -----	2	8	10	11	15	17	14	6	3	-	-	-
WHITE-----MALE----	-	1	-	2	3	3	2	1	2	-	-	-
FEMALE--	-	2	1	2	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	1	3	8	4	7	5	5	4	-	-	-	-
FEMALE--	1	2	1	3	4	8	4	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO -----	5	5	6	10	12	11	9	5	2	2	-	-
WHITE-----MALE----	5	3	4	6	9	8	6	1	-	1	-	-
FEMALE--	-	2	2	4	3	3	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	44	55	58	80	88	127	98	68	26	3	2	-
WHITE-----MALE----	21	30	27	45	33	69	38	26	7	-	-	-
FEMALE--	14	20	22	24	39	46	53	35	17	1	-	-
ALL OTHER--MALE----	3	2	5	5	7	3	3	4	-	1	-	-
FEMALE--	6	3	4	6	9	9	4	3	2	1	2	-
BLACK---MALE-----	3	2	3	5	7	3	3	3	-	1	-	-
FEMALE--	6	2	4	6	9	9	4	3	2	1	2	-
INDIANA -----	36	26	31	44	59	43	42	33	13	7	-	-
WHITE-----MALE----	21	17	18	21	26	20	17	16	3	-	-	-
FEMALE--	10	8	12	20	29	20	22	15	10	6	-	-
ALL OTHER--MALE----	1	1	1	3	2	1	1	-	-	1	-	-
FEMALE--	4	-	-	-	2	2	2	2	-	-	-	-
BLACK---MALE-----	1	1	1	3	2	1	1	-	-	1	-	-
FEMALE--	4	-	-	-	2	2	2	2	-	-	-	-
IOWA -----	9	6	21	12	36	38	32	17	5	2	1	-
WHITE-----MALE----	7	4	13	7	24	14	11	9	2	-	-	-
FEMALE--	2	2	7	5	12	23	20	8	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	8	13	18	18	32	23	37	18	13	6	-	-
WHITE-----MALE----	4	8	11	9	15	9	20	10	-	1	-	-
FEMALE--	2	4	6	8	13	13	15	8	13	5	-	-
ALL OTHER--MALE----	1	-	1	-	2	1	2	-	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1750

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

KENTUCKY -----	296	3	1	2	1	3	6	4	5	6	9	8
WHITE-----MALE----	142	1	-	1	-	2	5	2	-	4	5	3
FEMALE--	135	2	1	1	1	1	1	2	4	2	4	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	308	5	3	1	2	3	6	5	5	8	12	12
WHITE-----MALE----	122	-	1	-	1	2	2	1	4	3	4	7
FEMALE--	101	1	1	1	-	-	-	2	1	-	4	3
ALL OTHER--MALE----	51	2	-	-	1	1	4	1	-	3	2	2
FEMALE--	34	2	1	-	-	-	-	1	-	2	2	-
BLACK---MALE-----	50	2	-	-	1	1	4	1	-	2	2	2
FEMALE--	34	2	1	-	-	-	-	1	-	2	2	-
MAINE -----	108	-	2	1	-	-	-	2	2	-	-	1
WHITE-----MALE----	59	-	2	1	-	-	-	-	2	-	-	-
FEMALE--	49	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	395	8	2	2	-	3	4	5	8	7	15	21
WHITE-----MALE----	160	5	-	1	-	1	2	3	1	2	4	6
FEMALE--	135	1	-	1	-	-	-	2	2	-	5	6
ALL OTHER--MALE----	57	2	1	-	-	2	1	-	3	2	5	4
FEMALE--	43	-	1	-	-	-	1	-	2	3	1	5
BLACK---MALE-----	53	2	-	-	-	2	1	-	3	2	5	4
FEMALE--	41	-	1	-	-	-	-	-	2	3	1	5
MASSACHUSETTS -----	492	4	4	1	1	1	1	3	4	13	16	17
WHITE-----MALE----	245	-	1	1	-	1	1	2	3	8	10	10
FEMALE--	216	2	1	-	-	-	-	1	-	4	4	6
ALL OTHER--MALE----	15	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	16	1	1	-	1	-	-	-	1	1	2	-
BLACK---MALE-----	11	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	1	-	1	-	-	-	1	1	2	-
MICHIGAN -----	751	13	5	5	5	9	10	8	8	16	26	33
WHITE-----MALE----	319	4	2	2	2	5	5	5	1	8	11	14
FEMALE--	313	6	2	2	3	2	2	2	4	5	8	8
ALL OTHER--MALE----	50	2	-	1	-	1	2	1	1	-	4	6
FEMALE--	69	1	1	-	-	1	1	-	2	3	3	5
BLACK---MALE-----	43	2	-	1	-	1	2	1	-	-	3	6
FEMALE--	64	1	1	-	-	1	-	-	2	3	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1750

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

KENTUCKY -----	15	16	36	40	36	33	40	18	10	4	-	-
WHITE-----MALE----	9	7	21	25	16	16	16	7	1	1	-	-
FEMALE--	4	9	12	11	17	15	23	11	9	3	-	-
ALL OTHER--MALE----	-	-	1	3	2	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	2	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	3	1	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	2	1	-	-	-	-	-
LOUISIANA -----	15	23	22	34	46	39	31	20	11	5	-	-
WHITE-----MALE----	5	8	11	13	21	14	13	6	4	2	-	-
FEMALE--	4	5	6	13	14	14	12	11	7	2	-	-
ALL OTHER--MALE----	5	4	4	6	5	6	3	1	-	1	-	-
FEMALE--	1	6	1	2	6	5	3	2	-	-	-	-
BLACK---MALE-----	5	4	4	6	5	6	3	1	-	1	-	-
FEMALE--	1	6	1	2	6	5	3	2	-	-	-	-
MAINE -----	9	3	7	11	17	20	20	11	2	-	-	-
WHITE-----MALE----	7	1	5	7	10	8	11	4	1	-	-	-
FEMALE--	2	2	2	4	7	12	9	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	27	39	32	64	67	41	22	10	1	-	-
WHITE-----MALE----	9	8	15	16	31	21	18	10	7	-	-	-
FEMALE--	3	9	13	11	17	36	16	10	2	1	-	-
ALL OTHER--MALE----	3	7	6	1	7	6	5	1	1	-	-	-
FEMALE--	2	3	5	4	9	4	2	1	-	-	-	-
BLACK---MALE-----	3	7	6	1	6	5	4	1	1	-	-	-
FEMALE--	2	3	4	4	9	4	2	1	-	-	-	-
MASSACHUSETTS -----	25	31	34	38	64	84	64	45	30	9	3	-
WHITE-----MALE----	12	16	16	24	33	49	26	23	8	1	-	-
FEMALE--	11	9	15	11	31	32	37	20	21	8	3	-
ALL OTHER--MALE----	2	1	2	3	-	2	-	1	1	-	-	-
FEMALE--	-	5	1	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	2	1	1	2	-	1	-	1	1	-	-	-
FEMALE--	-	5	1	-	-	1	1	1	-	-	-	-
MICHIGAN -----	49	57	48	78	96	113	80	56	25	11	-	-
WHITE-----MALE----	23	25	26	32	46	50	34	14	7	3	-	-
FEMALE--	17	21	17	36	38	47	39	34	15	5	-	-
ALL OTHER--MALE----	3	4	4	4	7	6	2	2	-	-	-	-
FEMALE--	6	7	1	6	5	10	5	6	3	3	-	-
BLACK---MALE-----	3	2	3	3	7	6	1	2	-	-	-	-
FEMALE--	5	7	1	5	5	9	5	5	3	3	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1751

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

MINNESOTA -----	364	5	4	-	4	1	1	4	2	5	9	14
WHITE-----MALE----	187	2	3	-	1	1	-	4	1	4	7	8
FEMALE--	167	2	-	-	2	-	1	-	1	-	2	5
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	203	4	3	1	5	4	4	1	2	8	11	12
WHITE-----MALE----	73	1	1	1	3	1	2	1	-	1	3	3
FEMALE--	65	1	-	-	2	-	2	-	2	1	3	1
ALL OTHER--MALE----	37	1	1	-	-	1	-	-	-	5	3	4
FEMALE--	28	1	1	-	-	2	-	-	-	1	2	4
BLACK---MALE-----	36	1	1	-	-	1	-	-	-	5	3	4
FEMALE--	28	1	1	-	-	2	-	-	-	1	2	4
MISSOURI -----	519	10	5	3	3	9	9	5	3	12	9	18
WHITE-----MALE----	224	5	-	-	2	5	8	5	3	3	5	8
FEMALE--	235	5	5	-	1	2	1	-	-	7	3	8
ALL OTHER--MALE----	20	-	-	1	-	1	-	-	-	1	-	1
FEMALE--	40	-	-	2	-	1	-	-	-	1	1	1
BLACK---MALE-----	20	-	-	1	-	1	-	-	-	1	-	1
FEMALE--	39	-	-	2	-	1	-	-	-	1	1	1
MONTANA -----	71	1	1	-	-	-	1	-	1	-	1	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	33	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	128	-	2	-	-	2	1	2	2	3	4	3
WHITE-----MALE----	70	-	1	-	-	2	1	2	-	1	2	1
FEMALE--	54	-	1	-	-	-	-	-	2	2	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	125	2	2	2	-	1	-	1	3	4	8	9
WHITE-----MALE----	57	2	-	1	-	1	-	-	3	3	2	6
FEMALE--	62	-	2	1	-	-	-	1	-	-	5	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1751

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

MINNESOTA -----	20	24	23	33	50	55	53	36	14	2	5	-
WHITE-----MALE----	10	14	9	21	27	28	29	14	4	-	-	-
FEMALE--	9	9	13	12	22	27	23	22	10	2	5	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	17	20	16	22	21	20	20	8	3	1	-	-
WHITE-----MALE----	3	10	6	12	9	6	7	1	1	1	-	-
FEMALE--	3	6	3	6	10	10	9	5	1	-	-	-
ALL OTHER--MALE----	6	4	3	2	1	2	1	2	1	-	-	-
FEMALE--	5	-	4	2	1	2	3	-	-	-	-	-
BLACK---MALE-----	5	4	3	2	1	2	1	2	1	-	-	-
FEMALE--	5	-	4	2	1	2	3	-	-	-	-	-
MISSOURI -----	28	34	31	62	74	70	45	50	27	12	-	-
WHITE-----MALE----	16	18	11	26	31	34	21	18	3	2	-	-
FEMALE--	10	10	14	28	32	31	20	26	22	10	-	-
ALL OTHER--MALE----	2	1	3	3	2	2	1	2	-	-	-	-
FEMALE--	-	5	3	5	9	3	3	4	2	-	-	-
BLACK---MALE-----	2	1	3	3	2	2	1	2	-	-	-	-
FEMALE--	-	5	3	5	9	3	3	3	2	-	-	-
MONTANA -----	5	9	6	7	7	10	9	7	3	1	-	-
WHITE-----MALE----	3	4	2	5	1	4	8	3	-	-	-	-
FEMALE--	1	5	3	2	6	6	1	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	10	10	13	13	12	23	9	8	1	-	-
WHITE-----MALE----	7	6	7	6	10	6	12	3	3	-	-	-
FEMALE--	2	4	3	6	2	6	11	6	4	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	10	10	10	16	15	16	9	4	-	-	-
WHITE-----MALE----	1	4	5	6	7	5	5	4	2	-	-	-
FEMALE--	2	5	5	4	9	9	9	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1753

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

OHIO -----	855	14	9	-	5	6	5	14	13	19	30	38
WHITE-----MALE----	364	8	4	-	3	5	3	8	9	11	12	20
FEMALE--	399	4	4	-	1	1	2	4	3	8	14	11
ALL OTHER--MALE----	44	1	-	-	1	-	-	1	1	-	1	2
FEMALE--	48	1	1	-	-	-	-	1	-	-	3	5
BLACK---MALE-----	44	1	-	-	1	-	-	1	1	-	1	2
FEMALE--	46	-	1	-	-	-	-	1	-	-	3	5
OKLAHOMA -----	256	9	1	1	4	2	5	-	4	5	6	14
WHITE-----MALE----	126	5	-	-	1	2	3	-	3	2	1	8
FEMALE--	99	2	1	1	1	-	1	-	1	2	3	2
ALL OTHER--MALE----	18	-	-	-	2	-	-	-	-	1	1	2
FEMALE--	13	2	-	-	-	-	1	-	-	-	1	2
BLACK---MALE-----	9	-	-	-	2	-	-	-	-	-	-	2
FEMALE--	6	1	-	-	-	-	-	-	-	-	1	-
OREGON -----	229	3	2	1	1	1	2	2	2	3	5	10
WHITE-----MALE----	118	2	2	1	-	1	2	1	1	2	3	9
FEMALE--	107	1	-	-	1	-	-	1	1	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,055	19	8	4	4	6	8	5	16	28	20	43
WHITE-----MALE----	461	7	5	2	2	5	4	2	7	13	11	21
FEMALE--	477	8	1	1	2	1	1	2	4	11	5	18
ALL OTHER--MALE----	60	1	2	1	-	-	3	-	3	2	2	-
FEMALE--	57	3	-	-	-	-	-	1	2	2	2	4
BLACK---MALE-----	58	1	2	1	-	-	3	-	3	2	2	-
FEMALE--	56	3	-	-	-	-	-	1	2	2	2	4
RHODE ISLAND -----	70	-	-	1	-	2	-	-	1	-	4	4
WHITE-----MALE----	36	-	-	1	-	1	-	-	1	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
SOUTH CAROLINA -----	274	7	3	-	2	2	4	2	5	4	8	15
WHITE-----MALE----	79	1	-	-	-	1	1	-	-	-	1	3
FEMALE--	108	2	1	-	-	-	2	1	-	2	4	5
ALL OTHER--MALE----	42	2	1	-	2	1	1	-	2	2	1	5
FEMALE--	45	2	1	-	-	-	-	1	3	-	2	2
BLACK---MALE-----	42	2	1	-	2	1	1	-	2	2	1	5
FEMALE--	45	2	1	-	-	-	-	1	3	-	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1753

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

OHIO -----	49	60	67	88	119	117	97	62	30	11	2	-
WHITE-----MALE----	22	24	30	32	50	53	47	15	7	1	-	-
FEMALE--	19	30	28	40	55	55	45	42	21	10	2	-
ALL OTHER--MALE----	3	5	5	8	7	5	1	2	1	-	-	-
FEMALE--	5	1	4	8	7	4	4	3	1	-	-	-
BLACK---MALE-----	3	5	5	8	7	5	1	2	1	-	-	-
FEMALE--	5	1	3	8	7	4	4	3	1	-	-	-
OKLAHOMA -----	12	21	21	25	33	40	25	21	6	1	-	-
WHITE-----MALE----	7	11	8	15	14	26	11	9	-	-	-	-
FEMALE--	4	6	9	7	15	14	14	10	6	-	-	-
ALL OTHER--MALE----	1	2	3	3	2	-	-	1	-	-	-	-
FEMALE--	-	2	1	-	2	-	-	1	-	1	-	-
BLACK---MALE-----	-	1	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	-	-	-
OREGON -----	21	15	19	18	31	36	27	22	6	1	1	-
WHITE-----MALE----	10	9	9	12	14	15	16	9	-	-	-	-
FEMALE--	9	6	10	6	16	21	11	13	6	1	1	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	49	55	83	109	158	168	126	101	32	11	2	-
WHITE-----MALE----	26	29	35	44	69	79	52	41	6	-	1	-
FEMALE--	11	19	37	51	72	80	65	54	24	9	1	-
ALL OTHER--MALE----	7	5	7	6	7	6	3	2	1	2	-	-
FEMALE--	5	2	4	8	10	3	6	4	1	-	-	-
BLACK---MALE-----	7	4	7	6	6	6	3	2	1	2	-	-
FEMALE--	4	2	4	8	10	3	6	4	1	-	-	-
RHODE ISLAND -----	3	4	4	5	9	13	15	5	-	-	-	-
WHITE-----MALE----	1	1	2	3	4	10	7	3	-	-	-	-
FEMALE--	2	2	2	2	4	3	8	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	23	19	33	28	43	37	20	3	2	-	-
WHITE-----MALE----	5	11	5	11	10	13	10	5	2	-	-	-
FEMALE--	6	5	6	10	9	23	20	10	1	1	-	-
ALL OTHER--MALE----	-	2	4	9	3	3	2	2	-	-	-	-
FEMALE--	3	5	4	3	6	4	5	3	-	1	-	-
BLACK---MALE-----	-	2	4	9	3	3	2	2	-	-	-	-
FEMALE--	3	5	4	3	6	4	5	3	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1754

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

SOUTH DAKOTA -----	44	1	-	-	-	-	-	1	-	2	2	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	390	5	3	2	3	4	11	7	3	13	12	27
WHITE-----MALE----	176	3	-	-	-	4	4	5	-	8	7	13
FEMALE--	149	2	2	2	1	-	3	2	-	4	3	4
ALL OTHER--MALE----	26	-	-	-	1	-	3	-	1	-	2	4
FEMALE--	39	-	1	-	1	-	1	-	2	1	-	6
BLACK---MALE-----	25	-	-	-	1	-	3	-	1	-	2	4
FEMALE--	39	-	1	-	1	-	1	-	2	1	-	6
TEXAS -----	1,124	23	13	12	8	18	19	8	13	32	41	56
WHITE-----MALE----	543	12	7	5	2	17	16	5	2	17	20	25
FEMALE--	445	6	6	3	5	-	-	2	3	5	14	18
ALL OTHER--MALE----	55	3	-	3	1	1	3	-	4	5	1	5
FEMALE--	81	2	-	1	-	-	-	1	4	5	6	8
BLACK---MALE-----	50	2	-	3	1	1	3	-	4	5	1	4
FEMALE--	77	2	-	1	-	-	-	1	4	5	6	8
UTAH -----	134	4	2	2	2	1	3	1	2	4	4	4
WHITE-----MALE----	76	4	1	1	1	1	2	1	1	2	3	1
FEMALE--	56	-	1	1	1	-	-	-	1	2	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	43	-	-	-	-	1	-	2	-	-	1	1
WHITE-----MALE----	20	-	-	-	-	1	-	2	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	465	7	2	3	5	6	9	3	3	8	16	30
WHITE-----MALE----	193	5	1	-	1	4	4	1	2	3	7	10
FEMALE--	167	-	1	1	-	1	2	2	1	2	4	8
ALL OTHER--MALE----	57	1	-	1	2	1	2	-	-	2	1	4
FEMALE--	48	1	-	1	2	-	1	-	-	1	4	8
BLACK---MALE-----	55	1	-	1	2	1	1	-	-	2	1	4
FEMALE--	47	1	-	1	2	-	1	-	-	1	4	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1754

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

SOUTH DAKOTA -----	1	5	4	2	8	7	4	4	1	-	-	-
WHITE-----MALE----	-	1	2	1	5	4	1	2	-	-	-	-
FEMALE--	1	1	1	1	3	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	23	40	38	40	63	38	23	8	3	-	-
WHITE-----MALE----	13	9	25	14	21	22	16	8	3	1	-	-
FEMALE--	6	8	11	16	13	31	21	14	5	1	-	-
ALL OTHER--MALE----	1	2	-	5	2	5	-	-	-	-	-	-
FEMALE--	4	4	4	3	4	5	1	1	-	1	-	-
BLACK---MALE-----	1	2	-	4	2	5	-	-	-	-	-	-
FEMALE--	4	4	4	3	4	5	1	1	-	1	-	-
TEXAS -----	66	55	77	114	148	158	105	95	47	13	3	-
WHITE-----MALE----	37	26	47	45	69	78	49	49	12	3	-	-
FEMALE--	20	21	24	61	65	60	52	38	31	9	2	-
ALL OTHER--MALE----	6	4	2	3	5	6	2	1	-	-	-	-
FEMALE--	3	4	4	5	9	14	2	7	4	1	1	-
BLACK---MALE-----	5	4	2	3	4	6	2	-	-	-	-	-
FEMALE--	3	4	4	3	9	13	1	7	4	1	1	-
UTAH -----	10	6	10	15	19	18	14	8	5	-	-	-
WHITE-----MALE----	3	2	6	8	8	13	10	5	3	-	-	-
FEMALE--	7	4	3	7	11	5	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	1	4	8	8	10	3	-	-	-	-
WHITE-----MALE----	-	1	-	2	6	4	2	1	-	-	-	-
FEMALE--	1	2	1	2	2	4	8	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	34	21	42	55	51	70	44	35	16	3	2	-
WHITE-----MALE----	9	9	15	33	24	29	21	14	1	-	-	-
FEMALE--	12	3	13	14	22	30	19	16	12	3	1	-
ALL OTHER--MALE----	9	5	8	5	1	8	3	1	2	-	1	-
FEMALE--	4	4	6	3	4	3	1	4	1	-	-	-
BLACK---MALE-----	9	5	8	4	1	8	3	1	2	-	1	-
FEMALE--	4	4	5	3	4	3	1	4	1	-	-	-









































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1763

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VII. Diseases of the eye and adnexa (H00-H57)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-













































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1774

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IX. Diseases of the circulatory system (I00-I99)

UNITED STATES -	954,339	667	235	145	211	559	786	1,300	2,666	6,016	11,265	17,556
WHITE-----MALE----	385,971	243	90	65	76	240	299	527	1,200	2,844	5,645	9,287
FEMALE--	446,838	209	71	44	67	148	214	328	607	1,337	2,241	3,418
ALL OTHER--MALE----	57,570	117	38	20	39	111	162	256	503	1,109	2,032	2,965
FEMALE--	63,960	98	36	16	29	60	111	189	356	726	1,347	1,886
BLACK---MALE-----	48,860	97	33	19	34	101	147	232	442	981	1,819	2,643
FEMALE--	56,449	84	29	16	24	54	106	169	319	678	1,263	1,729
ALABAMA -----	17,548	15	6	7	3	18	27	28	66	142	319	430
WHITE-----MALE----	6,253	5	3	2	3	2	7	6	23	51	137	183
FEMALE--	7,136	2	1	1	-	5	6	10	17	33	51	75
ALL OTHER--MALE----	1,912	3	1	3	-	8	7	8	12	29	79	111
FEMALE--	2,247	5	2	1	-	3	7	4	14	29	52	61
BLACK---MALE-----	1,895	3	1	3	-	7	7	8	12	29	78	110
FEMALE--	2,229	5	2	1	-	3	7	4	14	29	51	59
ALASKA -----	777	-	-	-	-	-	1	3	4	9	19	36
WHITE-----MALE----	358	-	-	-	-	-	1	1	3	4	10	15
FEMALE--	246	-	-	-	-	-	-	1	-	3	4	12
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	95	-	-	-	-	-	-	1	1	1	1	3
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14,417	16	6	3	3	9	14	17	37	73	163	249
WHITE-----MALE----	7,030	5	2	-	1	7	7	7	20	34	108	163
FEMALE--	6,665	7	4	3	1	2	4	6	13	26	34	61
ALL OTHER--MALE----	370	3	-	-	-	-	1	4	3	11	14	18
FEMALE--	352	1	-	-	1	-	2	-	1	2	7	7
BLACK---MALE-----	166	1	-	-	-	-	-	1	2	6	4	9
FEMALE--	165	-	-	-	-	-	1	-	1	1	4	2
ARKANSAS -----	11,260	5	3	2	5	8	14	16	27	68	153	222
WHITE-----MALE----	4,563	3	2	-	1	4	5	5	11	33	77	111
FEMALE--	5,066	1	-	1	2	4	4	5	5	14	28	52
ALL OTHER--MALE----	758	1	-	1	-	2	3	2	8	13	35	31
FEMALE--	873	-	1	-	2	-	2	4	3	8	13	28
BLACK---MALE-----	748	1	-	1	-	2	3	2	8	13	35	30
FEMALE--	863	-	1	-	2	-	2	4	3	8	13	28
CALIFORNIA -----	96,511	69	23	16	21	52	64	132	281	570	1,055	1,758
WHITE-----MALE----	38,492	24	10	6	5	29	26	70	142	265	549	906
FEMALE--	44,296	25	7	8	7	10	25	26	73	142	233	368
ALL OTHER--MALE----	6,821	9	4	-	5	7	3	23	39	107	184	316
FEMALE--	6,902	11	2	2	4	6	10	13	27	56	89	168
BLACK---MALE-----	3,507	5	2	-	5	3	3	19	23	71	125	197
FEMALE--	4,013	7	-	2	4	3	8	11	23	42	65	117

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1774

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
UNITED STATES -	25,334	33,552	44,726	65,087	99,033	139,178	164,491	166,579	116,579	47,772	10,552	50
WHITE-----MALE----	13,808	18,143	23,610	33,910	49,671	64,468	67,507	55,221	29,099	8,681	1,312	25
FEMALE--	5,353	7,870	11,992	19,818	34,757	57,889	81,356	97,177	78,759	35,113	8,062	8
ALL OTHER--MALE----	3,883	4,616	5,380	6,231	7,442	7,809	6,246	4,964	2,540	896	198	13
FEMALE--	2,290	2,923	3,744	5,128	7,163	9,012	9,382	9,217	6,181	3,082	980	4
BLACK---MALE-----	3,462	4,060	4,698	5,428	6,348	6,446	5,079	3,907	1,958	745	169	12
FEMALE--	2,082	2,650	3,315	4,526	6,299	7,920	8,091	8,054	5,419	2,753	865	4
ALABAMA -----	554	768	1,015	1,366	1,985	2,534	2,752	2,822	1,821	711	159	-
WHITE-----MALE----	249	350	495	662	870	1,016	951	750	370	103	15	-
FEMALE--	106	174	221	374	613	980	1,266	1,538	1,127	449	88	-
ALL OTHER--MALE----	117	155	175	173	236	251	208	205	79	39	13	-
FEMALE--	82	89	124	157	266	287	327	329	245	120	43	-
BLACK---MALE-----	117	155	173	171	235	249	207	199	79	39	13	-
FEMALE--	80	88	119	156	266	286	323	329	244	120	43	-
ALASKA -----	36	50	57	82	118	121	104	78	48	11	-	-
WHITE-----MALE----	27	35	33	49	56	41	47	25	11	-	-	-
FEMALE--	5	6	14	17	34	46	34	34	26	10	-	-
ALL OTHER--MALE----	3	4	5	11	14	14	3	8	5	-	-	-
FEMALE--	1	5	5	5	14	20	20	11	6	1	-	-
BLACK---MALE-----	-	2	1	2	2	-	-	2	1	-	-	-
FEMALE--	1	1	-	1	4	1	3	1	-	1	-	-
ARIZONA -----	372	527	726	1,083	1,652	2,170	2,638	2,435	1,548	546	129	1
WHITE-----MALE----	253	332	440	670	970	1,175	1,247	965	479	119	25	1
FEMALE--	87	138	216	336	601	907	1,289	1,402	1,022	413	93	-
ALL OTHER--MALE----	21	29	40	47	44	38	42	27	21	5	2	-
FEMALE--	11	28	30	30	37	50	60	41	26	9	9	-
BLACK---MALE-----	13	17	16	19	22	14	21	12	7	2	-	-
FEMALE--	5	14	12	11	17	26	31	25	11	3	1	-
ARKANSAS -----	312	448	535	864	1,193	1,576	1,974	1,906	1,321	509	98	1
WHITE-----MALE----	174	252	291	456	613	724	792	603	302	91	13	-
FEMALE--	77	117	148	260	410	660	950	1,064	861	343	62	-
ALL OTHER--MALE----	40	39	53	72	94	96	97	95	48	22	5	1
FEMALE--	21	40	43	76	76	96	135	144	110	53	18	-
BLACK---MALE-----	39	39	51	72	93	95	96	92	48	22	5	1
FEMALE--	20	40	42	73	73	96	134	144	109	53	18	-
CALIFORNIA -----	2,530	3,155	4,215	6,139	9,547	14,137	16,883	17,140	12,271	5,275	1,172	6
WHITE-----MALE----	1,378	1,659	2,086	3,028	4,655	6,400	7,063	5,773	3,258	998	158	4
FEMALE--	571	754	1,164	1,937	3,293	5,697	7,839	9,524	7,893	3,802	897	1
ALL OTHER--MALE----	382	478	596	619	848	1,019	886	748	403	124	20	1
FEMALE--	199	264	369	555	751	1,021	1,095	1,095	717	351	97	-
BLACK---MALE-----	250	306	348	358	447	478	389	282	129	55	11	1
FEMALE--	127	178	246	338	429	584	582	588	394	208	57	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1775

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IX. Diseases of the circulatory system (I00-I99)

COLORADO -----	9,270	10	4	2	3	9	7	19	36	67	126	185
WHITE-----MALE----	4,171	5	3	1	-	3	5	12	24	32	86	118
FEMALE--	4,704	5	-	1	2	5	2	5	8	22	31	46
ALL OTHER--MALE----	189	-	1	-	1	-	-	2	3	11	4	15
FEMALE--	206	-	-	-	-	1	-	-	1	2	5	6
BLACK---MALE-----	143	-	1	-	1	-	-	2	3	11	3	13
FEMALE--	158	-	-	-	-	1	-	-	1	2	5	6
CONNECTICUT -----	11,838	6	3	2	6	5	4	13	28	64	82	185
WHITE-----MALE----	4,999	5	1	1	4	2	1	7	15	37	49	108
FEMALE--	6,118	1	2	1	1	3	1	3	6	10	18	41
ALL OTHER--MALE----	356	-	-	-	-	-	1	2	3	8	8	22
FEMALE--	365	-	-	-	1	-	1	1	4	9	7	14
BLACK---MALE-----	316	-	-	-	-	-	1	2	3	8	7	21
FEMALE--	342	-	-	-	1	-	1	1	4	9	7	11
DELAWARE -----	2,516	2	2	-	-	1	5	6	7	23	35	47
WHITE-----MALE----	1,005	2	1	-	-	-	3	2	2	9	15	24
FEMALE--	1,139	-	-	-	-	-	1	2	2	3	5	8
ALL OTHER--MALE----	175	-	-	-	-	1	1	-	1	3	7	5
FEMALE--	197	-	1	-	-	-	-	2	2	8	8	10
BLACK---MALE-----	168	-	-	-	-	1	1	-	1	3	7	5
FEMALE--	192	-	1	-	-	-	-	2	2	8	8	9
DISTRICT OF COLUMBIA ---	2,099	1	-	-	-	2	3	4	6	13	33	66
WHITE-----MALE----	223	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	272	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	730	-	-	-	-	-	1	1	1	6	12	43
FEMALE--	874	1	-	-	-	2	1	3	4	6	17	16
BLACK---MALE-----	721	-	-	-	-	-	1	1	1	6	12	42
FEMALE--	869	1	-	-	-	2	1	3	4	6	17	16
FLORIDA -----	66,257	33	11	9	4	26	38	77	161	357	653	964
WHITE-----MALE----	29,222	12	2	4	-	10	10	34	75	188	354	550
FEMALE--	30,598	10	4	3	4	7	12	12	34	67	101	184
ALL OTHER--MALE----	2,951	3	3	-	-	4	11	20	31	46	108	122
FEMALE--	3,486	8	2	2	-	5	5	11	21	56	90	108
BLACK---MALE-----	2,830	3	2	-	-	3	11	20	31	43	101	120
FEMALE--	3,378	8	2	2	-	5	5	11	21	56	88	105
GEORGIA -----	23,775	23	4	7	10	24	22	48	109	245	437	631
WHITE-----MALE----	8,186	6	3	1	-	5	10	11	34	97	163	274
FEMALE--	9,338	4	-	1	4	4	1	8	18	33	76	80
ALL OTHER--MALE----	2,863	7	1	2	2	12	6	19	37	64	109	171
FEMALE--	3,388	6	-	3	4	3	5	10	20	51	89	106
BLACK---MALE-----	2,806	7	1	2	2	12	5	19	35	63	107	170
FEMALE--	3,329	6	-	3	3	2	5	9	20	49	88	104

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1775

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
COLORADO -----	223	338	419	624	929	1,303	1,580	1,602	1,189	479	116	-
WHITE-----MALE----	156	217	280	358	510	684	711	545	309	99	13	-
FEMALE--	51	99	107	220	376	569	816	1,013	859	369	98	-
ALL OTHER--MALE----	11	14	20	22	24	23	19	11	7	1	-	-
FEMALE--	5	8	12	24	19	27	34	33	14	10	5	-
BLACK---MALE-----	9	11	15	20	17	13	12	7	4	1	-	-
FEMALE--	5	8	7	16	14	19	24	26	12	9	3	-
CONNECTICUT -----	252	347	454	625	1,093	1,665	2,202	2,280	1,635	715	172	-
WHITE-----MALE----	154	203	264	333	591	845	978	812	445	124	20	-
FEMALE--	59	94	131	226	413	722	1,139	1,376	1,155	569	147	-
ALL OTHER--MALE----	22	36	33	42	47	45	39	36	8	4	-	-
FEMALE--	17	14	26	24	42	53	46	56	27	18	5	-
BLACK---MALE-----	20	34	30	36	41	39	31	31	8	4	-	-
FEMALE--	15	13	25	20	39	52	43	55	24	18	4	-
DELAWARE -----	69	80	118	211	319	374	456	379	243	118	21	-
WHITE-----MALE----	39	40	57	91	163	175	183	130	55	13	1	-
FEMALE--	13	15	30	74	109	147	231	218	170	94	17	-
ALL OTHER--MALE----	10	16	17	26	25	30	13	10	7	3	-	-
FEMALE--	7	9	14	20	22	22	29	21	11	8	3	-
BLACK---MALE-----	10	15	16	25	25	29	12	9	6	3	-	-
FEMALE--	7	8	14	19	21	22	28	21	11	8	3	-
DISTRICT OF COLUMBIA ---	89	85	127	162	220	304	340	305	188	119	31	1
WHITE-----MALE----	9	4	9	15	27	32	40	35	26	15	-	-
FEMALE--	2	1	9	8	8	22	49	74	42	44	10	-
ALL OTHER--MALE----	47	46	66	87	85	122	102	66	33	9	2	1
FEMALE--	31	34	43	52	100	128	149	130	87	51	19	-
BLACK---MALE-----	47	46	64	87	83	121	100	66	33	8	2	1
FEMALE--	30	34	43	52	99	128	148	130	86	51	18	-
FLORIDA -----	1,394	1,951	2,761	4,207	6,683	9,983	11,794	12,240	8,748	3,462	693	8
WHITE-----MALE----	767	1,098	1,518	2,328	3,573	5,035	5,440	4,712	2,609	789	108	6
FEMALE--	286	459	711	1,262	2,372	4,006	5,577	6,782	5,684	2,496	524	1
ALL OTHER--MALE----	203	230	308	324	380	436	284	244	133	43	17	1
FEMALE--	138	164	224	293	358	506	493	502	322	134	44	-
BLACK---MALE-----	196	222	296	309	367	413	274	233	127	41	17	1
FEMALE--	134	157	217	283	341	484	478	489	318	132	42	-
GEORGIA -----	953	1,202	1,483	1,990	2,613	3,354	3,714	3,565	2,282	877	181	1
WHITE-----MALE----	406	522	653	894	1,127	1,249	1,238	919	457	101	16	-
FEMALE--	173	229	335	519	804	1,297	1,706	1,953	1,381	597	115	-
ALL OTHER--MALE----	238	259	284	313	317	355	299	208	114	36	9	1
FEMALE--	136	192	211	264	365	453	471	485	330	143	41	-
BLACK---MALE-----	231	251	280	306	310	347	296	205	113	36	8	-
FEMALE--	133	184	208	261	359	445	465	478	327	140	40	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1776

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IX. Diseases of the circulatory system (I00-I99)

HAWAII -----	3,403	4	-	1	1	3	3	5	14	25	47	74
WHITE-----MALE----	481	-	-	-	-	-	-	-	1	3	9	12
FEMALE--	367	-	-	1	-	-	1	1	1	-	4	3
ALL OTHER--MALE----	1,472	3	-	-	1	2	1	4	8	17	29	43
FEMALE--	1,083	1	-	-	-	1	1	-	4	5	5	16
BLACK---MALE-----	13	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3,531	5	2	2	1	2	3	1	10	23	33	62
WHITE-----MALE----	1,781	4	2	1	1	2	1	-	7	14	18	38
FEMALE--	1,703	1	-	1	-	-	2	1	3	8	11	21
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	43,778	45	9	3	10	30	45	86	146	299	536	891
WHITE-----MALE----	17,249	16	3	2	5	13	14	40	58	111	248	432
FEMALE--	20,185	15	2	1	2	9	14	15	24	61	85	142
ALL OTHER--MALE----	3,106	10	4	-	3	6	10	17	36	78	123	197
FEMALE--	3,238	4	-	-	-	2	7	14	28	49	80	120
BLACK---MALE-----	2,907	10	4	-	3	6	10	17	34	76	116	187
FEMALE--	3,066	4	-	-	-	2	7	12	27	48	79	116
INDIANA -----	22,165	14	9	1	7	11	23	33	56	129	258	428
WHITE-----MALE----	9,329	5	4	1	2	4	13	14	31	85	145	254
FEMALE--	11,203	4	4	-	4	4	7	12	16	25	62	93
ALL OTHER--MALE----	757	2	-	-	1	2	2	3	7	10	33	50
FEMALE--	876	3	1	-	-	1	1	4	2	9	18	31
BLACK---MALE-----	731	2	-	-	1	2	2	3	5	10	32	48
FEMALE--	857	2	1	-	-	1	1	4	2	9	18	31
IOWA -----	11,921	5	1	2	2	7	11	7	16	53	97	145
WHITE-----MALE----	5,201	-	1	1	1	4	6	6	9	29	60	98
FEMALE--	6,559	5	-	1	1	3	5	1	6	21	31	38
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	92	-	-	-	-	-	-	-	1	1	2	7
BLACK---MALE-----	58	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	71	-	-	-	-	-	-	-	1	1	2	4
KANSAS -----	9,666	9	1	-	-	5	9	12	8	60	71	140
WHITE-----MALE----	4,128	6	-	-	-	2	4	4	3	37	40	85
FEMALE--	5,076	2	1	-	-	2	4	4	2	18	20	32
ALL OTHER--MALE----	217	-	-	-	-	1	1	3	3	3	7	17
FEMALE--	245	1	-	-	-	-	-	1	-	2	4	6
BLACK---MALE-----	189	-	-	-	-	1	1	3	3	1	7	15
FEMALE--	203	1	-	-	-	-	-	1	-	2	4	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1776

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
HAWAII -----	118	147	188	242	382	504	554	516	382	148	45	-
WHITE-----MALE----	23	28	30	45	66	82	76	54	38	13	1	-
FEMALE--	4	7	6	18	38	53	73	77	54	21	5	-
ALL OTHER--MALE----	58	79	90	108	169	224	221	224	142	41	8	-
FEMALE--	33	33	62	71	109	145	184	161	148	73	31	-
BLACK---MALE----	-	2	-	2	-	2	2	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-
IDAHO -----	76	98	151	261	306	509	648	712	429	167	30	-
WHITE-----MALE----	49	67	101	169	193	276	330	298	156	46	8	-
FEMALE--	23	30	47	88	108	229	308	410	269	121	22	-
ALL OTHER--MALE----	3	1	1	2	4	3	7	1	1	-	-	-
FEMALE--	1	-	2	2	1	1	3	3	3	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	-	-	-
ILLINOIS -----	1,133	1,559	2,107	2,824	4,518	6,258	7,442	7,626	5,352	2,321	537	1
WHITE-----MALE----	571	796	1,037	1,438	2,215	2,876	3,057	2,515	1,306	421	75	-
FEMALE--	216	334	530	774	1,502	2,531	3,668	4,468	3,665	1,719	408	-
ALL OTHER--MALE----	202	270	319	343	418	406	297	231	98	29	9	-
FEMALE--	144	159	221	269	383	445	420	412	283	152	45	1
BLACK---MALE----	194	260	303	326	392	379	264	204	86	28	8	-
FEMALE--	140	147	209	256	364	412	394	384	275	146	43	1
INDIANA -----	602	766	1,065	1,516	2,451	3,250	3,848	3,674	2,667	1,108	249	-
WHITE-----MALE----	372	460	595	851	1,245	1,539	1,590	1,238	643	208	30	-
FEMALE--	141	207	347	507	1,004	1,489	2,053	2,265	1,917	843	199	-
ALL OTHER--MALE----	56	60	74	86	102	93	77	61	19	16	3	-
FEMALE--	33	39	49	72	100	129	128	110	88	41	17	-
BLACK---MALE----	54	60	72	83	99	92	74	57	17	15	3	-
FEMALE--	33	38	49	70	99	126	126	109	84	37	17	-
IOWA -----	221	279	418	661	1,036	1,582	2,139	2,294	1,815	899	231	-
WHITE-----MALE----	152	202	254	406	617	863	951	822	522	168	29	-
FEMALE--	58	67	154	234	397	705	1,159	1,462	1,283	728	200	-
ALL OTHER--MALE----	6	6	7	12	11	6	8	2	3	-	-	-
FEMALE--	5	4	3	9	11	8	21	8	7	3	2	-
BLACK---MALE----	5	6	6	8	9	6	6	2	2	-	-	-
FEMALE--	4	4	2	7	8	7	17	4	5	3	2	-
KANSAS -----	184	272	391	538	924	1,371	1,581	1,822	1,459	657	152	-
WHITE-----MALE----	129	167	213	301	546	711	665	647	419	125	24	-
FEMALE--	35	81	141	195	322	596	850	1,137	997	515	122	-
ALL OTHER--MALE----	14	13	20	25	32	26	22	10	15	3	2	-
FEMALE--	6	11	17	17	24	38	44	28	28	14	4	-
BLACK---MALE----	12	11	16	22	29	24	17	9	13	3	2	-
FEMALE--	6	9	14	15	18	28	35	24	23	14	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1777

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IX. Diseases of the circulatory system (I00-I99)

KENTUCKY -----	15,703	10	2	3	5	9	18	26	42	120	189	302
WHITE-----MALE----	6,826	8	-	2	4	5	9	14	23	63	97	175
FEMALE--	7,833	2	1	1	1	3	6	7	16	45	66	81
ALL OTHER--MALE----	475	-	-	-	-	1	3	4	1	8	15	22
FEMALE--	569	-	1	-	-	-	-	1	2	4	11	24
BLACK---MALE-----	464	-	-	-	-	1	3	3	1	7	15	22
FEMALE--	566	-	1	-	-	-	-	1	2	4	11	24
LOUISIANA -----	15,658	10	5	4	6	7	25	33	71	142	255	405
WHITE-----MALE----	5,196	-	1	2	1	2	3	6	22	47	77	152
FEMALE--	5,966	1	2	-	1	-	5	11	7	31	37	64
ALL OTHER--MALE----	2,089	6	1	1	3	3	8	10	22	44	90	124
FEMALE--	2,407	3	1	1	1	2	9	6	20	20	51	65
BLACK---MALE-----	2,051	6	1	1	3	3	8	10	22	44	87	122
FEMALE--	2,385	3	1	1	-	2	9	6	19	20	51	65
MAINE -----	4,580	-	-	-	-	2	4	2	7	14	36	68
WHITE-----MALE----	2,051	-	-	-	-	2	3	2	5	6	31	52
FEMALE--	2,484	-	-	-	-	-	1	-	2	7	5	15
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15,980	17	4	2	6	14	15	22	63	135	220	316
WHITE-----MALE----	5,515	4	-	2	3	9	2	7	19	50	76	115
FEMALE--	6,588	3	1	-	-	1	3	4	11	16	28	36
ALL OTHER--MALE----	1,830	5	2	-	1	4	6	2	20	38	63	102
FEMALE--	2,047	5	1	-	2	-	4	9	13	31	53	63
BLACK---MALE-----	1,736	5	2	-	-	4	6	2	19	37	61	96
FEMALE--	1,958	5	1	-	2	-	4	9	13	31	52	62
MASSACHUSETTS -----	20,857	11	6	2	4	6	17	26	62	98	212	310
WHITE-----MALE----	8,904	5	1	1	2	2	10	13	34	57	139	196
FEMALE--	11,179	5	1	1	2	4	5	7	19	22	50	85
ALL OTHER--MALE----	388	1	1	-	-	-	2	6	5	12	14	19
FEMALE--	386	-	3	-	-	-	-	-	4	7	9	10
BLACK---MALE-----	309	1	-	-	-	-	2	6	5	10	10	16
FEMALE--	320	-	2	-	-	-	-	-	3	5	9	8
MICHIGAN -----	36,081	22	10	5	3	24	25	43	96	260	482	745
WHITE-----MALE----	14,264	11	2	2	-	9	8	11	44	122	228	354
FEMALE--	16,701	8	4	1	2	5	4	14	17	50	108	143
ALL OTHER--MALE----	2,495	-	2	2	1	7	9	12	14	56	92	158
FEMALE--	2,621	3	2	-	-	3	4	6	21	32	54	90
BLACK---MALE-----	2,374	-	2	2	1	7	9	12	11	54	89	149
FEMALE--	2,507	3	2	-	-	3	4	6	18	31	54	88

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1777

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
KENTUCKY -----	474	670	848	1,219	1,768	2,341	2,535	2,525	1,812	658	126	1
WHITE-----MALE----	304	401	521	731	939	1,101	1,020	834	435	119	21	-
FEMALE--	116	204	260	401	709	1,102	1,380	1,567	1,292	486	87	-
ALL OTHER--MALE----	35	41	41	51	68	55	62	38	20	9	1	-
FEMALE--	19	24	26	36	52	83	73	86	65	44	17	1
BLACK---MALE-----	34	39	41	50	67	53	62	36	20	9	1	-
FEMALE--	19	24	26	36	51	83	72	86	65	44	16	1
LOUISIANA -----	560	747	880	1,283	1,736	2,272	2,424	2,428	1,587	650	128	-
WHITE-----MALE----	205	282	369	534	699	872	830	679	313	92	8	-
FEMALE--	103	153	180	330	527	813	1,059	1,243	923	404	72	-
ALL OTHER--MALE----	162	197	186	221	244	243	203	176	93	41	11	-
FEMALE--	90	115	145	198	266	344	332	330	258	113	37	-
BLACK---MALE-----	161	189	182	215	238	241	201	175	91	40	11	-
FEMALE--	90	112	143	197	265	343	329	326	253	113	37	-
MAINE -----	101	126	197	298	483	664	807	793	668	250	60	-
WHITE-----MALE----	66	79	132	180	284	342	368	281	171	41	6	-
FEMALE--	32	45	59	112	193	314	434	509	494	209	53	-
ALL OTHER--MALE----	2	2	4	3	4	3	2	1	2	-	-	-
FEMALE--	1	-	2	3	2	5	3	2	1	-	1	-
BLACK---MALE-----	-	1	3	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	1	-	-	-
MARYLAND -----	498	660	823	1,199	1,691	2,348	2,678	2,560	1,816	746	134	13
WHITE-----MALE----	212	263	361	493	710	955	948	743	407	125	6	5
FEMALE--	69	117	141	317	502	886	1,265	1,420	1,163	498	106	1
ALL OTHER--MALE----	145	176	197	226	237	238	167	112	57	23	3	6
FEMALE--	72	104	124	163	242	269	298	285	189	100	19	1
BLACK---MALE-----	143	166	183	217	219	229	153	108	55	22	3	6
FEMALE--	70	100	119	156	227	259	283	273	174	98	19	1
MASSACHUSETTS -----	415	575	745	1,164	1,922	2,956	3,868	4,012	2,864	1,248	334	-
WHITE-----MALE----	278	387	466	691	1,117	1,479	1,690	1,383	698	216	39	-
FEMALE--	103	138	226	401	703	1,381	2,077	2,541	2,119	1,006	283	-
ALL OTHER--MALE----	22	33	36	40	55	45	42	31	14	7	3	-
FEMALE--	12	17	17	32	47	51	59	57	33	19	9	-
BLACK---MALE-----	19	29	30	30	42	35	33	22	9	7	3	-
FEMALE--	11	16	16	26	33	43	46	52	25	18	7	-
MICHIGAN -----	1,050	1,378	1,724	2,534	3,815	5,338	6,244	6,126	4,145	1,665	346	1
WHITE-----MALE----	554	710	900	1,250	1,823	2,397	2,443	1,999	1,051	296	50	-
FEMALE--	208	335	471	807	1,325	2,201	3,157	3,589	2,773	1,210	268	1
ALL OTHER--MALE----	183	201	214	269	333	363	267	181	88	38	5	-
FEMALE--	105	132	139	208	334	377	377	357	233	121	23	-
BLACK---MALE-----	176	190	203	255	323	344	253	170	84	35	5	-
FEMALE--	101	128	132	200	320	360	358	335	225	117	22	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1778

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IX. Diseases of the circulatory system (I00-I99)

MINNESOTA -----	13,759	8	6	4	5	6	9	15	34	84	140	251
WHITE-----MALE----	6,300	4	1	2	2	4	6	8	15	45	97	182
FEMALE--	7,126	1	2	1	1	2	3	11	27	33	50	
ALL OTHER--MALE----	166	3	-	1	1	1	1	2	2	7	7	13
FEMALE--	167	-	3	-	1	-	-	2	6	5	3	6
BLACK---MALE-----	98	3	-	1	-	1	-	1	2	4	4	10
FEMALE--	87	-	-	-	-	-	-	1	3	4	1	6
MISSISSIPPI -----	11,821	11	3	1	3	11	18	20	61	112	220	284
WHITE-----MALE----	3,704	2	-	-	1	2	5	8	22	27	64	95
FEMALE--	4,273	-	-	-	-	5	1	2	6	18	27	32
ALL OTHER--MALE----	1,741	4	2	1	2	2	6	5	19	36	66	87
FEMALE--	2,103	5	1	-	-	2	6	5	14	31	63	70
BLACK---MALE-----	1,720	4	2	1	2	2	6	5	19	36	65	85
FEMALE--	2,089	5	1	-	-	2	6	5	14	31	63	70
MISSOURI -----	23,339	22	2	2	5	10	16	33	61	168	262	381
WHITE-----MALE----	9,633	8	1	2	2	7	9	14	29	89	134	229
FEMALE--	11,450	6	-	-	2	2	6	12	16	40	61	72
ALL OTHER--MALE----	1,064	5	-	-	-	1	1	3	12	24	40	38
FEMALE--	1,192	3	1	-	1	-	-	4	4	15	27	42
BLACK---MALE-----	1,026	4	-	-	-	1	1	3	12	23	39	38
FEMALE--	1,162	3	1	-	1	-	-	4	4	14	26	41
MONTANA -----	2,838	2	1	1	-	1	1	2	2	13	29	50
WHITE-----MALE----	1,309	1	1	1	-	-	-	2	2	10	18	29
FEMALE--	1,408	-	-	-	-	1	1	-	-	1	4	12
ALL OTHER--MALE----	77	1	-	-	-	-	-	-	-	1	5	7
FEMALE--	44	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	6,129	4	1	-	2	7	3	4	17	23	55	77
WHITE-----MALE----	2,625	3	1	-	-	5	2	3	9	12	36	50
FEMALE--	3,311	-	-	-	2	2	-	-	5	11	12	18
ALL OTHER--MALE----	85	-	-	-	-	-	1	-	1	-	4	5
FEMALE--	108	1	-	-	-	-	-	1	2	-	3	4
BLACK---MALE-----	67	-	-	-	-	-	1	-	1	-	3	3
FEMALE--	87	1	-	-	-	-	-	1	2	-	3	4
NEVADA -----	5,440	9	1	2	4	4	3	11	17	55	76	154
WHITE-----MALE----	2,711	3	1	2	3	1	-	6	9	30	52	97
FEMALE--	2,237	1	-	-	-	2	2	1	5	17	16	31
ALL OTHER--MALE----	254	3	-	-	-	-	-	2	3	6	5	18
FEMALE--	238	2	-	-	1	1	1	2	-	2	3	8
BLACK---MALE-----	164	3	-	-	-	-	-	2	1	4	4	13
FEMALE--	159	2	-	-	1	1	1	-	-	1	2	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1778

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
MINNESOTA -----	268	357	491	737	1,199	1,824	2,485	2,697	2,057	872	210	-
WHITE-----MALE----	199	234	327	490	721	999	1,138	1,027	608	164	27	-
FEMALE--	46	105	146	218	438	774	1,311	1,637	1,433	703	183	-
ALL OTHER--MALE----	16	12	8	16	19	26	12	11	6	2	-	-
FEMALE--	7	6	10	13	21	25	24	22	10	3	-	-
BLACK---MALE-----	12	7	4	12	7	15	3	5	5	2	-	-
FEMALE--	5	4	7	4	10	10	11	13	7	1	-	-
MISSISSIPPI -----	417	560	706	958	1,310	1,620	1,784	1,895	1,222	487	118	-
WHITE-----MALE----	156	238	300	396	512	584	544	474	212	52	10	-
FEMALE--	60	85	140	213	381	565	773	924	707	277	57	-
ALL OTHER--MALE----	128	131	154	180	199	190	193	172	102	55	7	-
FEMALE--	73	106	112	169	218	281	274	325	201	103	44	-
BLACK---MALE-----	126	128	152	175	198	186	193	171	102	55	7	-
FEMALE--	71	103	111	168	216	278	274	323	201	103	44	-
MISSOURI -----	558	742	1,099	1,550	2,346	3,310	3,931	4,210	3,059	1,283	289	-
WHITE-----MALE----	335	443	614	834	1,229	1,584	1,641	1,425	746	224	34	-
FEMALE--	111	163	326	521	819	1,426	2,004	2,515	2,142	975	231	-
ALL OTHER--MALE----	75	89	91	109	156	145	102	104	49	13	7	-
FEMALE--	37	47	68	86	142	155	184	166	122	71	17	-
BLACK---MALE-----	72	85	87	104	149	142	97	103	47	12	7	-
FEMALE--	32	45	67	85	138	151	182	159	121	71	17	-
MONTANA -----	74	79	118	203	294	394	537	487	363	156	31	-
WHITE-----MALE----	40	57	78	135	168	199	237	192	100	35	4	-
FEMALE--	24	13	33	55	109	179	289	283	258	119	27	-
ALL OTHER--MALE----	7	7	3	10	7	11	7	9	1	1	-	-
FEMALE--	3	2	4	3	10	5	4	3	4	1	-	-
BLACK---MALE-----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	106	173	230	381	554	803	1,089	1,169	924	399	108	-
WHITE-----MALE----	72	116	143	232	318	421	460	412	241	75	14	-
FEMALE--	25	40	69	130	212	358	604	737	675	319	92	-
ALL OTHER--MALE----	5	11	12	9	12	9	7	4	2	3	-	-
FEMALE--	4	6	6	10	12	15	18	16	6	2	2	-
BLACK---MALE-----	4	7	10	7	10	7	6	3	2	3	-	-
FEMALE--	4	4	5	8	8	13	14	12	5	2	1	-
NEVADA -----	199	325	381	528	697	915	863	674	384	113	25	-
WHITE-----MALE----	131	192	235	327	381	489	392	239	91	28	2	-
FEMALE--	42	92	96	148	243	360	413	399	271	78	20	-
ALL OTHER--MALE----	16	23	32	31	40	29	27	10	6	3	-	-
FEMALE--	10	18	18	22	33	37	31	26	16	4	3	-
BLACK---MALE-----	12	15	20	23	23	17	20	3	3	1	-	-
FEMALE--	9	15	10	15	19	26	14	17	13	3	3	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1780

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IX. Diseases of the circulatory system (I00-I99)

OHIO -----	43,352	25	5	6	7	18	34	61	125	255	531	714
WHITE-----MALE----	17,788	6	2	3	4	7	13	19	61	119	275	416
FEMALE--	21,251	13	1	-	2	8	9	25	30	77	118	144
ALL OTHER--MALE----	2,057	2	2	1	-	2	7	11	22	39	76	95
FEMALE--	2,256	4	-	2	1	1	5	6	12	20	62	59
BLACK---MALE----	2,005	2	2	1	-	2	6	11	20	39	76	94
FEMALE--	2,203	4	-	2	1	1	5	6	11	20	61	58
OKLAHOMA -----	14,789	11	8	4	1	13	13	14	46	90	171	273
WHITE-----MALE----	6,048	6	2	1	-	5	5	5	24	42	89	149
FEMALE--	7,252	3	4	3	1	4	3	5	12	22	41	69
ALL OTHER--MALE----	692	1	2	-	-	3	3	4	5	9	25	34
FEMALE--	797	1	-	-	-	1	2	-	5	17	16	21
BLACK---MALE----	406	-	1	-	-	3	2	3	3	5	16	21
FEMALE--	525	-	-	-	-	1	2	-	3	12	14	14
OREGON -----	10,898	8	2	3	3	6	4	9	28	37	105	169
WHITE-----MALE----	4,961	4	1	1	-	3	2	3	15	19	67	122
FEMALE--	5,640	4	1	2	2	2	1	3	11	12	29	39
ALL OTHER--MALE----	168	-	-	-	1	1	1	3	2	5	8	7
FEMALE--	129	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	78	-	-	-	-	-	-	1	1	1	4	5
FEMALE--	56	-	-	-	-	-	-	-	-	1	1	1
PENNSYLVANIA -----	53,467	25	9	8	7	20	25	44	104	253	513	797
WHITE-----MALE----	21,989	11	3	5	4	9	14	20	51	134	292	453
FEMALE--	27,097	10	3	1	1	4	10	14	22	65	110	160
ALL OTHER--MALE----	2,055	3	2	2	2	2	1	6	22	27	64	113
FEMALE--	2,326	1	1	-	-	5	-	4	9	27	47	71
BLACK---MALE----	1,961	3	2	2	2	2	1	6	20	25	64	105
FEMALE--	2,254	1	1	-	-	5	-	4	9	26	43	67
RHODE ISLAND -----	3,868	2	2	1	-	1	3	3	7	21	30	44
WHITE-----MALE----	1,642	2	1	-	-	1	3	1	5	13	23	30
FEMALE--	2,095	-	1	1	-	-	-	1	-	8	5	11
ALL OTHER--MALE----	68	-	-	-	-	-	-	1	2	-	2	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	58	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	13,912	10	6	2	5	12	12	32	47	120	247	383
WHITE-----MALE----	4,835	2	1	-	1	5	4	10	24	48	92	151
FEMALE--	5,107	2	3	1	-	2	2	7	6	18	30	48
ALL OTHER--MALE----	1,844	3	2	1	3	3	3	8	9	32	70	99
FEMALE--	2,126	3	-	-	1	2	3	7	8	22	55	85
BLACK---MALE----	1,823	3	2	1	3	3	3	8	9	31	70	99
FEMALE--	2,112	3	-	-	1	2	3	7	7	22	53	83

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1780

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
OHIO -----	1,133	1,481	2,022	3,057	4,756	6,589	7,670	7,350	5,028	2,048	436	1
WHITE-----MALE----	657	826	1,085	1,623	2,389	3,052	3,202	2,411	1,228	335	55	-
FEMALE--	272	383	644	976	1,817	2,891	3,940	4,500	3,498	1,559	344	-
ALL OTHER--MALE----	119	160	173	268	286	315	207	150	90	25	6	1
FEMALE--	85	112	120	190	264	331	321	289	212	129	31	-
BLACK---MALE-----	119	153	170	262	279	305	200	147	85	25	6	1
FEMALE--	85	109	115	184	257	321	311	285	210	126	31	-
OKLAHOMA -----	408	568	734	1,059	1,525	2,075	2,402	2,579	1,917	736	141	1
WHITE-----MALE----	219	335	427	559	777	991	989	799	459	147	17	1
FEMALE--	103	155	210	355	601	881	1,221	1,587	1,333	529	110	-
ALL OTHER--MALE----	53	52	61	89	79	101	67	59	31	11	3	-
FEMALE--	33	26	36	56	68	102	125	134	94	49	11	-
BLACK---MALE-----	35	35	34	56	44	47	36	38	17	9	1	-
FEMALE--	26	18	17	36	44	68	83	83	63	31	10	-
OREGON -----	261	332	458	618	1,032	1,615	2,021	2,128	1,388	548	123	-
WHITE-----MALE----	155	224	285	373	581	816	974	790	399	108	19	-
FEMALE--	87	94	157	221	406	755	1,006	1,300	975	430	103	-
ALL OTHER--MALE----	17	11	6	16	25	26	17	15	4	3	-	-
FEMALE--	2	3	10	8	20	18	24	23	10	7	1	-
BLACK---MALE-----	11	5	3	9	11	10	7	6	3	1	-	-
FEMALE--	1	1	3	3	10	5	13	10	5	2	-	-
PENNSYLVANIA -----	1,187	1,628	2,154	3,371	5,607	8,173	9,874	9,865	6,605	2,630	566	2
WHITE-----MALE----	711	935	1,192	1,864	2,948	3,845	4,064	3,275	1,583	499	77	-
FEMALE--	281	406	644	1,104	2,089	3,712	5,248	6,089	4,720	1,967	435	2
ALL OTHER--MALE----	127	184	199	234	294	287	214	147	79	34	12	-
FEMALE--	68	103	119	169	276	329	348	354	223	130	42	-
BLACK---MALE-----	122	168	187	225	285	279	202	138	78	34	11	-
FEMALE--	68	99	112	163	268	317	335	346	221	127	42	-
RHODE ISLAND -----	69	84	147	206	369	538	717	784	582	205	53	-
WHITE-----MALE----	49	50	85	133	218	277	303	256	142	46	4	-
FEMALE--	16	21	47	65	128	249	396	516	428	155	47	-
ALL OTHER--MALE----	4	6	8	6	15	5	6	3	5	2	1	-
FEMALE--	-	7	7	2	8	7	12	9	7	2	1	-
BLACK---MALE-----	3	6	7	6	9	4	6	3	5	2	1	-
FEMALE--	-	4	7	1	8	7	10	7	5	2	-	-
SOUTH CAROLINA -----	549	656	911	1,161	1,670	2,157	2,139	2,002	1,246	443	102	-
WHITE-----MALE----	223	304	408	517	710	819	693	508	240	67	8	-
FEMALE--	79	105	181	256	474	779	942	1,070	767	273	62	-
ALL OTHER--MALE----	169	147	185	220	239	215	198	150	66	19	3	-
FEMALE--	78	100	137	168	247	344	306	274	173	84	29	-
BLACK---MALE-----	166	144	182	217	238	212	195	150	65	19	3	-
FEMALE--	77	100	137	167	244	342	306	273	172	84	29	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1781

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IX. Diseases of the circulatory system (I00-I99)

SOUTH DAKOTA -----	2,711	3	-	1	-	2	3	3	4	15	20	41
WHITE-----MALE----	1,219	1	-	-	-	2	2	-	1	8	9	25
FEMALE--	1,379	2	-	1	-	-	-	3	2	3	4	10
ALL OTHER--MALE----	64	-	-	-	-	-	1	-	1	3	4	3
FEMALE--	49	-	-	-	-	-	-	-	-	1	3	3
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21,686	14	4	4	9	8	26	31	64	174	342	489
WHITE-----MALE----	8,518	5	3	1	3	4	6	13	29	83	167	243
FEMALE--	9,821	3	-	-	4	1	6	6	17	40	63	94
ALL OTHER--MALE----	1,509	2	-	2	1	3	6	4	9	37	65	92
FEMALE--	1,838	4	1	1	1	-	8	8	9	14	47	60
BLACK---MALE-----	1,493	2	-	2	1	3	6	4	9	35	64	91
FEMALE--	1,820	4	1	1	1	-	8	8	8	14	47	59
TEXAS -----	57,388	60	17	9	18	55	66	107	189	407	834	1,260
WHITE-----MALE----	23,272	21	9	5	11	21	23	50	89	210	428	664
FEMALE--	26,488	19	5	3	4	19	22	27	48	81	168	290
ALL OTHER--MALE----	3,553	10	-	-	2	8	15	16	29	78	152	188
FEMALE--	4,075	10	3	1	1	7	6	14	23	38	86	118
BLACK---MALE-----	3,348	10	-	-	2	8	14	15	27	72	146	179
FEMALE--	3,862	7	3	1	1	7	6	12	21	35	80	113
UTAH -----	3,935	2	1	-	-	5	1	6	13	24	44	65
WHITE-----MALE----	1,845	1	1	-	-	2	1	3	8	17	27	46
FEMALE--	2,009	1	-	-	-	3	-	2	4	6	15	15
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	36	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	13	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,811	1	-	1	-	-	3	3	-	12	17	32
WHITE-----MALE----	841	-	-	1	-	-	2	2	-	8	13	26
FEMALE--	965	1	-	-	-	-	1	1	-	4	4	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20,752	18	9	3	6	20	27	38	67	187	292	456
WHITE-----MALE----	7,585	5	3	1	-	3	5	13	24	81	129	219
FEMALE--	8,620	7	4	-	3	5	9	9	14	38	48	68
ALL OTHER--MALE----	2,170	3	-	1	2	8	7	10	16	41	68	100
FEMALE--	2,377	3	2	1	1	4	6	6	13	27	47	69
BLACK---MALE-----	2,068	2	-	1	2	8	4	9	15	38	62	98
FEMALE--	2,274	2	2	1	1	4	6	6	13	27	44	67

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1781

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
SOUTH DAKOTA -----	60	71	102	157	237	345	458	521	397	220	51	-
WHITE-----MALE----	40	42	63	98	139	196	226	199	107	56	5	-
FEMALE--	12	22	31	38	83	140	219	313	288	162	46	-
ALL OTHER--MALE----	4	5	3	14	9	6	5	4	1	1	-	-
FEMALE--	4	2	5	7	6	3	8	5	1	1	-	-
BLACK---MALE-----	-	-	-	2	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
TENNESSEE -----	720	915	1,210	1,656	2,294	3,138	3,546	3,555	2,392	913	181	1
WHITE-----MALE----	400	503	664	839	1,086	1,384	1,356	1,029	535	145	19	1
FEMALE--	139	197	309	514	816	1,335	1,766	2,099	1,634	652	126	-
ALL OTHER--MALE----	111	124	138	159	192	164	160	137	69	28	6	-
FEMALE--	70	91	99	144	200	255	264	290	154	88	30	-
BLACK---MALE-----	111	124	135	156	190	163	159	135	69	28	6	-
FEMALE--	70	90	99	138	199	252	263	287	153	88	30	-
TEXAS -----	1,805	2,358	2,980	4,262	6,182	8,339	9,054	9,516	6,634	2,670	564	2
WHITE-----MALE----	1,011	1,311	1,611	2,167	3,125	3,848	3,568	3,025	1,542	467	64	2
FEMALE--	402	563	822	1,362	2,170	3,483	4,575	5,570	4,497	1,941	417	-
ALL OTHER--MALE----	227	297	310	406	426	467	357	321	180	55	9	-
FEMALE--	165	187	237	327	461	541	554	600	415	207	74	-
BLACK---MALE-----	211	277	293	380	402	438	333	302	177	53	9	-
FEMALE--	155	180	227	311	439	511	519	572	391	201	70	-
UTAH -----	92	106	149	254	375	549	793	740	517	168	31	-
WHITE-----MALE----	66	66	96	152	207	291	360	295	157	42	7	-
FEMALE--	18	35	45	94	159	251	421	436	358	123	23	-
ALL OTHER--MALE----	6	3	3	4	4	6	5	4	1	1	1	-
FEMALE--	2	2	5	4	5	1	7	5	1	2	-	-
BLACK---MALE-----	3	1	-	1	2	1	-	1	1	1	-	-
FEMALE--	-	-	1	1	-	-	-	2	-	1	-	-
VERMONT -----	48	41	76	103	192	253	312	318	260	120	19	-
WHITE-----MALE----	41	31	53	68	116	140	146	112	57	22	3	-
FEMALE--	7	9	22	34	76	112	166	205	203	98	16	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
VIRGINIA -----	594	815	1,133	1,597	2,312	3,202	3,493	3,316	2,141	846	178	2
WHITE-----MALE----	292	411	542	724	1,024	1,315	1,260	952	435	127	20	-
FEMALE--	105	153	257	439	720	1,207	1,590	1,829	1,400	600	115	-
ALL OTHER--MALE----	136	151	189	226	311	309	288	204	73	20	6	1
FEMALE--	61	100	145	208	257	371	355	331	233	99	37	1
BLACK---MALE-----	125	145	184	217	300	293	275	195	69	20	5	1
FEMALE--	59	98	135	198	245	359	330	317	226	98	35	1



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1782

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
WASHINGTON -----	401	522	685	1,029	1,522	2,446	2,868	3,194	2,094	870	197	1
WHITE-----MALE----	250	331	409	623	833	1,223	1,345	1,235	589	196	16	1
FEMALE--	106	134	214	318	592	1,089	1,420	1,853	1,454	651	172	-
ALL OTHER--MALE----	32	40	35	48	61	73	40	43	19	6	1	-
FEMALE--	13	17	27	40	36	61	63	63	32	17	8	-
BLACK---MALE-----	19	19	19	16	20	28	9	13	5	3	1	-
FEMALE--	9	7	8	16	10	24	28	27	12	7	5	-
WEST VIRGINIA -----	224	307	424	617	923	1,310	1,549	1,505	990	379	86	-
WHITE-----MALE----	148	197	259	350	478	638	656	496	225	80	21	-
FEMALE--	67	103	146	247	410	620	850	970	734	283	58	-
ALL OTHER--MALE----	7	6	9	10	12	22	20	14	4	5	1	-
FEMALE--	2	1	10	10	23	30	23	25	27	11	6	-
BLACK---MALE-----	7	6	8	10	12	22	19	14	4	5	1	-
FEMALE--	2	1	10	10	21	27	23	25	27	11	6	-
WISCONSIN -----	412	495	732	1,168	1,856	2,666	3,459	3,511	2,621	1,082	237	-
WHITE-----MALE----	272	325	480	716	1,094	1,424	1,626	1,278	757	203	29	-
FEMALE--	96	124	193	383	673	1,161	1,755	2,187	1,828	869	203	-
ALL OTHER--MALE----	26	29	34	35	52	37	28	11	9	1	1	-
FEMALE--	18	17	25	34	37	44	50	35	27	9	4	-
BLACK---MALE-----	24	24	31	28	41	31	22	5	8	1	-	-
FEMALE--	13	16	22	27	30	38	33	25	22	9	3	-
WYOMING -----	30	39	73	81	140	216	236	250	170	69	16	-
WHITE-----MALE----	22	31	51	42	76	129	115	87	60	17	3	-
FEMALE--	8	7	21	36	58	81	115	161	110	51	13	-
ALL OTHER--MALE----	-	1	1	1	2	3	2	1	-	1	-	-
FEMALE--	-	-	-	2	4	3	4	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	2	2	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1783

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

UNITED STATES -	3,676	6	1	2	3	5	8	12	30	47	77	101
WHITE-----MALE----	933	1	1	-	-	1	4	4	8	14	21	32
FEMALE--	2,369	3	-	1	2	1	2	4	9	19	30	47
ALL OTHER--MALE----	109	1	-	1	1	3	2	1	4	5	9	8
FEMALE--	265	1	-	-	-	-	-	3	9	9	17	14
BLACK---MALE-----	88	1	-	1	2	2	2	1	2	4	8	8
FEMALE--	187	-	-	-	-	-	-	3	7	8	12	12
ALABAMA -----	35	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	57	-	-	-	-	-	-	-	-	-	1	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	26	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	424	-	-	-	-	-	2	3	4	4	10	10
WHITE-----MALE----	124	-	-	-	-	-	1	2	2	1	3	5
FEMALE--	248	-	-	-	-	-	1	-	2	2	4	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	41	-	-	-	-	-	-	1	1	1	2	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1783

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
UNITED STATES -	144	189	222	338	516	614	613	442	235	63	8	-
WHITE-----MALE----	40	53	58	100	170	151	155	87	26	7	-	-
FEMALE--	68	103	127	202	304	427	428	334	201	50	7	-
ALL OTHER--MALE----	10	11	11	7	13	13	6	2	-	1	-	-
FEMALE--	26	22	26	29	29	23	24	19	8	5	1	-
BLACK---MALE-----	10	9	8	6	10	10	4	1	-	-	-	-
FEMALE--	19	20	15	19	21	14	12	15	5	4	1	-
ALABAMA -----	2	1	2	3	6	6	7	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	1	5	3	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	1	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	1	1	-	-
ALASKA -----	-	2	-	3	2	-	2	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	6	6	9	6	10	4	2	-	-	-
WHITE-----MALE----	1	-	1	1	6	5	3	-	2	-	-	-
FEMALE--	1	5	2	5	3	1	7	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	3	1	3	4	3	4	2	2	-	-
WHITE-----MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	3	1	2	2	3	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	17	18	31	48	59	71	69	41	27	8	2	-
WHITE-----MALE----	1	5	7	14	22	19	28	9	5	-	-	-
FEMALE--	10	12	16	28	31	48	35	28	21	6	2	-
ALL OTHER--MALE----	-	-	2	-	2	2	1	1	-	1	-	-
FEMALE--	6	1	6	6	4	2	5	3	1	1	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	3	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1784

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
COLORADO -----	65	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	47	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	263	-	-	-	-	-	3	1	1	3	4	4
WHITE-----MALE----	60	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	176	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE-----	9	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	-
GEORGIA -----	67	-	-	-	-	-	-	1	2	1	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1784

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
COLORADO -----	5	1	1	5	8	9	17	9	6	1	-	-
WHITE-----MALE----	4	1	-	2	3	2	4	6	1	-	-	-
FEMALE--	1	-	1	3	5	7	13	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	3	5	7	4	10	8	1	-	-	-
WHITE-----MALE----	-	1	1	1	3	3	2	3	-	-	-	-
FEMALE--	1	-	2	4	3	1	8	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	2	-	2	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	16	8	12	23	43	44	47	33	13	6	2	-
WHITE-----MALE----	4	-	2	5	14	9	12	9	-	-	-	-
FEMALE--	6	6	7	16	27	31	35	23	13	6	2	-
ALL OTHER--MALE----	1	1	2	-	1	2	-	-	-	-	-	-
FEMALE--	5	1	1	2	1	2	-	1	-	-	-	-
BLACK---MALE-----	1	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	3	-	-	2	-	1	-	1	-	-	-	-
GEORGIA -----	-	7	6	7	12	16	6	4	3	-	-	-
WHITE-----MALE----	-	2	1	1	6	4	2	2	-	-	-	-
FEMALE--	-	2	4	5	3	12	3	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	3	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	3	-	-	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1786

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
KENTUCKY -----	1	3	1	9	10	10	7	4	1	1	-	-
WHITE-----MALE----	1	1	-	4	4	5	2	1	-	-	-	-
FEMALE--	-	2	1	5	5	4	5	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	-	2	3	7	3	4	5	2	4	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	4	2	1	4	1	4	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
MAINE -----	1	-	2	2	2	5	2	3	4	-	-	-
WHITE-----MALE----	-	-	2	1	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	3	1	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	5	2	6	12	7	12	10	7	1	-	-
WHITE-----MALE----	-	3	1	-	3	-	3	1	-	1	-	-
FEMALE--	-	1	1	4	7	7	9	8	6	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	1	-	-	-
BLACK---MALE-----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	1	-	-	-
MASSACHUSETTS -----	1	3	3	2	9	12	16	13	6	-	1	-
WHITE-----MALE----	1	1	3	1	3	1	2	1	1	-	-	-
FEMALE--	-	2	-	1	6	11	14	12	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	7	3	14	20	27	23	8	6	1	-	-
WHITE-----MALE----	2	-	-	5	3	4	4	-	1	1	-	-
FEMALE--	2	6	2	9	13	21	19	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	1	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	1	-	2	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1789

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
OHIO -----	178	-	-	-	-	-	-	2	1	-	5	4
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	112	-	-	-	-	-	-	2	-	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	1
OKLAHOMA -----	43	1	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	68	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	254	-	-	-	1	-	-	-	1	4	2	6
WHITE-----MALE----	60	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	184	-	-	-	1	-	-	-	-	2	2	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	39	-	-	-	-	-	-	-	-	2	-	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1790

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
SOUTH DAKOTA -----	18	-	-	1	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	72	-	-	1	-	-	-	-	2	2	3	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	39	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
TEXAS -----	170	1	1	-	-	-	-	-	1	4	7	10
WHITE-----MALE----	43	-	1	-	-	-	-	-	-	2	1	2
FEMALE--	104	1	-	-	-	-	-	-	-	2	3	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	3
UTAH -----	51	-	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	95	1	-	-	1	-	-	-	-	1	4	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	53	-	-	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1790

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
SOUTH DAKOTA -----	-	1	1	-	-	3	2	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	2	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	4	9	9	7	9	11	3	1	-	-
WHITE-----MALE----	3	4	2	3	3	4	4	-	-	-	-	-
FEMALE--	-	2	2	6	6	3	5	9	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	14	16	14	14	21	33	15	12	4	2	1	-
WHITE-----MALE----	3	6	4	6	4	7	5	1	-	1	-	-
FEMALE--	7	7	7	7	14	24	10	11	4	1	1	-
ALL OTHER--MALE----	1	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	3	1	2	-	2	1	-	-	-	-	-	-
BLACK---MALE-----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	3	1	2	-	1	1	-	-	-	-	-	-
UTAH -----	2	1	6	3	7	9	9	5	5	-	-	-
WHITE-----MALE----	-	-	1	2	6	1	6	1	2	-	-	-
FEMALE--	2	1	4	1	1	8	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	3	3	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	3	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	8	6	8	13	13	14	11	6	2	1	-
WHITE-----MALE----	1	3	2	5	3	3	3	3	-	-	-	-
FEMALE--	2	2	2	2	9	7	10	7	6	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	1	1	-	3	1	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	3	1	1	-	2	-	1	-	-	-	-















































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1801

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic rheumatic heart diseases (I05-I09)												
UNITED STATES -	3,646	6	1	2	1	5	8	12	29	47	76	100
WHITE-----MALE----	922	1	1	-	-	1	4	4	8	14	21	31
FEMALE--	2,357	3	-	1	1	1	2	4	8	19	30	47
ALL OTHER--MALE----	106	1	-	1	-	3	2	1	4	5	9	8
FEMALE--	261	1	-	-	-	-	-	3	9	9	16	14
BLACK---MALE-----	85	1	-	1	-	2	2	1	2	4	8	8
FEMALE--	183	-	-	-	-	-	-	3	7	8	11	12
ALABAMA -----	34	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	57	-	-	-	-	-	-	-	-	-	1	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	26	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	422	-	-	-	-	-	2	3	4	4	10	10
WHITE-----MALE----	123	-	-	-	-	-	1	2	2	1	3	5
FEMALE--	247	-	-	-	-	-	1	-	2	2	4	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	41	-	-	-	-	-	-	1	1	1	2	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1801

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)												
UNITED STATES -	141	185	221	338	511	610	609	439	234	63	8	-
WHITE-----MALE----	38	51	57	100	168	150	153	87	26	7	-	-
FEMALE--	67	103	127	202	301	425	426	332	201	50	7	-
ALL OTHER--MALE----	10	10	11	7	13	12	6	2	-	1	-	-
FEMALE--	26	21	26	29	29	23	24	18	7	5	1	-
BLACK---MALE-----	10	8	8	6	10	9	4	1	-	-	-	-
FEMALE--	19	19	15	19	21	14	12	14	4	4	1	-
ALABAMA -----	2	1	2	3	6	6	7	3	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	1	5	3	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	-	1	-	-
ALASKA -----	-	2	-	3	2	-	2	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	6	6	9	6	10	4	2	-	-	-
WHITE-----MALE----	1	-	1	1	6	5	3	-	2	-	-	-
FEMALE--	1	5	2	5	3	1	7	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	3	1	3	4	3	4	2	2	-	-
WHITE-----MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	3	1	2	2	3	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	17	18	30	48	59	71	69	40	27	8	2	-
WHITE-----MALE----	1	5	6	14	22	19	28	9	5	-	-	-
FEMALE--	10	12	16	28	31	48	35	27	21	6	2	-
ALL OTHER--MALE----	-	-	2	-	2	2	1	1	-	1	-	-
FEMALE--	6	1	6	6	4	2	5	3	1	1	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	3	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1802

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic rheumatic heart diseases (I05-I09)												
COLORADO -----	65	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	47	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	261	-	-	-	-	-	3	1	1	3	4	3
WHITE-----MALE----	59	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	176	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE-----	8	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	-
GEORGIA -----	67	-	-	-	-	-	-	1	2	1	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1802

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)												
COLORADO -----	5	1	1	5	8	9	17	9	6	1	-	-
WHITE-----MALE----	4	1	-	2	3	2	4	6	1	-	-	-
FEMALE--	1	-	1	3	5	7	13	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	3	5	7	4	10	8	1	-	-	-
WHITE-----MALE----	-	1	1	1	3	3	2	3	-	-	-	-
FEMALE--	1	-	2	4	3	1	8	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	2	-	2	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	16	8	12	23	43	43	47	33	13	6	2	-
WHITE-----MALE----	4	-	2	5	14	9	12	9	-	-	-	-
FEMALE--	6	6	7	16	27	31	35	23	13	6	2	-
ALL OTHER--MALE----	1	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	2	1	2	-	1	-	-	-	-
BLACK---MALE-----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	2	-	1	-	1	-	-	-	-
GEORGIA -----	-	7	6	7	12	16	6	4	3	-	-	-
WHITE-----MALE----	-	2	1	1	6	4	2	2	-	-	-	-
FEMALE--	-	2	4	5	3	12	3	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	3	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	3	-	-	-	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1804

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)												
KENTUCKY -----	1	3	1	9	10	10	6	4	1	1	-	-
WHITE-----MALE----	1	1	-	4	4	5	2	1	-	-	-	-
FEMALE--	-	2	1	5	5	4	4	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	-	2	3	7	3	3	5	2	4	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	4	2	-	4	1	4	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
MAINE -----	1	-	2	2	2	5	2	3	4	-	-	-
WHITE-----MALE----	-	-	2	1	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	3	1	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	5	2	6	10	7	12	10	7	1	-	-
WHITE-----MALE----	-	3	1	-	3	-	3	1	-	1	-	-
FEMALE--	-	1	1	4	5	7	9	8	6	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	1	-	-	-
BLACK---MALE-----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	1	-	-	-
MASSACHUSETTS -----	1	3	3	2	8	12	16	13	6	-	1	-
WHITE-----MALE----	1	1	3	1	2	1	2	1	1	-	-	-
FEMALE--	-	2	-	1	6	11	14	12	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	7	3	14	20	27	23	8	6	1	-	-
WHITE-----MALE----	2	-	-	5	3	4	4	-	1	1	-	-
FEMALE--	2	6	2	9	13	21	19	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	1	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	1	-	2	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1807

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic rheumatic heart diseases (I05-I09)												
OHIO -----	177	-	-	-	-	-	-	2	1	-	5	4
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	111	-	-	-	-	-	-	2	-	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	1
OKLAHOMA -----	43	1	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	68	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	253	-	-	-	1	-	-	-	1	4	2	6
WHITE-----MALE----	59	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	184	-	-	-	1	-	-	-	-	2	2	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	39	-	-	-	-	-	-	-	-	2	-	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1808

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic rheumatic heart diseases (I05-I09)												
SOUTH DAKOTA -----	17	-	-	1	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	71	-	-	1	-	-	-	-	1	2	3	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
TEXAS -----	167	1	1	-	-	-	-	-	1	4	7	10
WHITE-----MALE----	42	-	1	-	-	-	-	-	-	2	1	2
FEMALE--	102	1	-	-	-	-	-	-	-	2	3	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	3
UTAH -----	50	-	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	91	1	-	-	-	-	-	-	-	1	4	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	1	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1808

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)												
SOUTH DAKOTA -----	-	1	1	-	-	3	1	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	2	1	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	4	9	9	7	9	11	3	1	-	-
WHITE-----MALE----	3	4	2	3	3	4	4	-	-	-	-	-
FEMALE--	-	2	2	6	6	3	5	9	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	14	15	14	14	21	32	15	11	4	2	1	-
WHITE-----MALE----	3	5	4	6	4	7	5	1	-	1	-	-
FEMALE--	7	7	7	7	14	23	10	10	4	1	1	-
ALL OTHER--MALE----	1	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	3	1	2	-	2	1	-	-	-	-	-	-
BLACK---MALE-----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	3	1	2	-	1	1	-	-	-	-	-	-
UTAH -----	2	1	6	3	7	9	8	5	5	-	-	-
WHITE-----MALE----	-	-	1	2	6	1	5	1	2	-	-	-
FEMALE--	2	1	4	1	1	8	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	3	3	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	3	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	6	8	13	13	14	11	6	2	1	-
WHITE-----MALE----	1	2	2	5	3	3	3	3	-	-	-	-
FEMALE--	1	2	2	2	9	7	10	7	6	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	3	1	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	2	-	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1810

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatic mitral valve diseases (I05)												
UNITED STATES -	2,050	6	-	-	1	3	4	7	12	24	37	67
WHITE-----MALE----	503	1	-	-	-	1	2	3	3	8	11	23
FEMALE--	1,335	3	-	-	1	1	1	2	3	11	15	31
ALL OTHER--MALE----	59	1	-	-	-	1	1	-	1	2	3	4
FEMALE--	153	1	-	-	-	-	-	2	5	3	8	9
BLACK---MALE-----	53	1	-	-	-	1	1	-	-	2	3	4
FEMALE--	113	-	-	-	-	-	-	2	4	3	5	7
ALABAMA -----	20	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	29	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	224	-	-	-	-	-	-	2	2	1	4	4
WHITE-----MALE----	70	-	-	-	-	-	-	1	1	1	2	3
FEMALE--	130	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1810

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatic mitral valve diseases (I05)												
UNITED STATES -	93	111	128	203	285	361	334	232	112	28	2	-
WHITE-----MALE----	26	29	31	58	86	88	76	40	14	3	-	-
FEMALE--	38	62	75	121	173	254	243	182	97	21	1	-
ALL OTHER--MALE----	6	8	5	6	8	9	3	1	-	-	-	-
FEMALE--	23	12	17	18	18	10	12	9	1	4	1	-
BLACK---MALE-----	6	6	4	5	8	8	3	1	-	-	-	-
FEMALE--	18	11	9	16	14	6	5	7	1	4	1	-
ALABAMA -----	2	1	2	1	3	4	3	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	1	-	-
ALASKA -----	-	1	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	5	4	2	3	5	2	2	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	2	-	2	-	-	-
FEMALE--	-	2	2	3	2	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	1	2	2	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	10	16	23	36	41	38	20	17	2	1	-
WHITE-----MALE----	-	2	2	9	13	12	16	4	4	-	-	-
FEMALE--	3	7	10	12	19	26	19	16	13	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	4	1	3	2	4	1	3	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	3	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1811

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatic mitral valve diseases (I05)												
COLORADO -----	2	1	-	5	3	7	6	4	1	-	-	-
WHITE-----MALE----	2	1	-	2	1	2	1	3	-	-	-	-
FEMALE--	-	-	-	3	2	5	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	3	2	-	6	6	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	2	2	-	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	10	4	5	14	26	24	26	23	8	2	-	-
WHITE-----MALE----	4	-	2	2	10	4	8	4	-	-	-	-
FEMALE--	1	3	2	10	15	17	18	19	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	2	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	2	-	1	-	-	-	-	-	-
GEORGIA -----	-	4	3	3	6	10	2	2	2	-	-	-
WHITE-----MALE----	-	2	1	1	2	2	-	1	-	-	-	-
FEMALE--	-	1	2	2	3	8	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1813

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatic mitral valve diseases (I05)												
KENTUCKY -----	-	2	-	7	5	8	3	-	1	1	-	-
WHITE-----MALE----	-	1	-	2	1	4	1	-	-	-	-	-
FEMALE--	-	1	-	5	3	4	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	2	2	3	3	1	3	2	3	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	2	2	-	2	1	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	2	-	2	4	-	3	3	-	-	-
WHITE-----MALE----	-	-	2	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	2	5	3	6	7	6	3	-	-	-
WHITE-----MALE----	-	2	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	3	2	6	6	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	1	2	4	11	8	1	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	4	10	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	3	3	7	14	20	11	5	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	3	1	-	-	-	-	-
FEMALE--	2	2	2	6	10	15	10	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	-	2	-	-	-	-















TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1817

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatic mitral valve diseases (I05)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	38	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	108	1	-	-	-	-	-	-	1	2	3	7
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	70	1	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
UTAH -----	13	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53	1	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	1	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-























































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1829

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of both mitral and aortic valves (I08.0)												
COLORADO -----	1	-	1	-	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	4	3	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	3	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	3	-	3	6	5	7	3	1	1	1	-
WHITE-----MALE----	-	-	-	1	2	3	2	2	-	-	-	-
FEMALE--	1	2	-	2	3	2	5	1	1	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

































TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1837

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
UNITED STATES -	1,218	-	-	2	-	2	2	4	14	20	26	23
WHITE-----MALE----	294	-	-	-	-	-	1	1	4	4	5	6
FEMALE--	806	-	-	1	-	-	-	2	4	8	12	11
ALL OTHER--MALE----	35	-	-	1	-	2	1	-	2	3	4	2
FEMALE--	83	-	-	-	-	-	-	1	4	5	5	4
BLACK---MALE-----	21	-	-	1	-	1	1	-	1	2	3	2
FEMALE--	55	-	-	-	-	-	-	1	3	4	3	4
ALABAMA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	140	-	-	-	-	-	1	1	2	3	6	3
WHITE-----MALE----	31	-	-	-	-	-	1	1	1	-	1	1
FEMALE--	87	-	-	-	-	-	-	-	-	2	3	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1837

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
UNITED STATES -	38	57	71	108	164	201	212	150	98	24	2	-
WHITE-----MALE----	10	15	17	30	58	45	56	29	10	3	-	-
FEMALE--	23	33	42	70	95	141	146	113	84	19	2	-
ALL OTHER--MALE----	3	1	5	1	4	3	1	1	-	1	-	-
FEMALE--	2	8	7	7	7	12	9	7	4	1	-	-
BLACK---MALE-----	3	1	3	1	1	1	-	-	-	-	-	-
FEMALE--	1	7	5	1	6	8	4	6	2	-	-	-
ALABAMA -----	-	-	-	-	3	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	1	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	1	2	5	2	5	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	4	2	1	-	-	-	-	-
FEMALE--	-	3	-	2	1	-	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	2	-	-	2	1	-	1	2	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	5	9	21	15	20	19	16	7	4	-	-
WHITE-----MALE----	1	1	1	4	6	4	5	4	-	-	-	-
FEMALE--	6	4	5	14	7	15	12	9	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	1	-	1	-	-
FEMALE--	1	-	2	3	-	1	2	2	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1838

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
COLORADO -----	26	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	72	-	-	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
GEORGIA -----	23	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1838

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
COLORADO -----	2	-	-	-	4	1	9	4	5	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	3	1	7	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	2	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	1	7	6	10	13	13	7	4	2	1	-
WHITE-----MALE----	-	-	-	2	2	2	2	3	-	-	-	-
FEMALE--	4	1	5	4	8	11	11	3	4	2	1	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	-	3	3	3	4	4	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	1	2	3	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1840

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
KENTUCKY -----	1	1	1	2	3	2	3	2	-	-	-	-
WHITE-----MALE----	1	-	-	2	3	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	-	-	1	4	-	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
MAINE -----	1	-	-	2	-	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	1	7	-	5	3	2	1	-	-
WHITE-----MALE----	-	1	-	-	2	-	2	-	-	1	-	-
FEMALE--	-	-	-	1	3	-	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	2	1	1	6	8	5	5	5	-	1	-
WHITE-----MALE----	-	1	1	-	2	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	4	7	4	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	-	7	4	5	8	1	4	-	-	-
WHITE-----MALE----	1	-	-	4	1	1	2	-	1	-	-	-
FEMALE--	-	3	-	3	2	4	6	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1843

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
OHIO -----	46	-	-	-	-	-	-	1	-	-	2	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	79	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1844

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
SOUTH DAKOTA -----	-	-	1	-	-	1	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	2	3	3	4	5	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	1	2	2	2	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	6	2	4	9	7	6	1	-	1	-	-
WHITE-----MALE----	1	1	1	-	4	2	1	-	-	1	-	-
FEMALE--	2	3	1	3	5	4	5	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
UTAH -----	2	1	3	1	5	9	4	3	5	-	-	-
WHITE-----MALE----	-	-	1	1	4	1	3	-	2	-	-	-
FEMALE--	2	1	2	-	1	8	1	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	1	2	4	7	6	5	1	1	-	-
WHITE-----MALE----	1	2	1	1	1	1	1	2	-	-	-	-
FEMALE--	1	2	-	1	3	3	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1846

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
UNITED STATES -	42,997	4	3	2	1	11	41	79	230	495	896	1,298
WHITE-----MALE----	12,149	1	-	1	-	4	8	30	94	161	318	460
FEMALE--	19,562	2	1	-	-	1	6	7	21	60	111	202
ALL OTHER--MALE----	5,045	1	1	-	1	5	19	27	62	164	279	372
FEMALE--	6,241	-	1	1	-	1	8	15	53	110	188	264
BLACK---MALE-----	4,605	1	1	-	1	4	19	25	57	155	262	359
FEMALE--	5,746	-	-	1	-	1	8	15	52	108	187	252
ALABAMA -----	800	-	-	-	-	-	2	2	5	13	22	22
WHITE-----MALE----	168	-	-	-	-	-	1	-	1	1	6	8
FEMALE--	270	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	149	-	-	-	-	-	1	1	1	4	6	10
FEMALE--	213	-	-	-	-	-	-	-	3	6	9	4
BLACK---MALE-----	148	-	-	-	-	-	1	1	1	4	5	10
FEMALE--	213	-	-	-	-	-	-	-	3	6	9	4
ALASKA -----	22	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	488	-	-	-	-	-	-	1	2	6	10	9
WHITE-----MALE----	179	-	-	-	-	-	-	-	2	3	6	7
FEMALE--	261	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	354	-	-	-	-	-	-	-	5	3	10	16
WHITE-----MALE----	109	-	-	-	-	-	-	-	3	1	6	5
FEMALE--	120	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	6
BLACK---MALE-----	63	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	6
CALIFORNIA -----	5,709	-	1	1	-	2	3	14	25	62	92	167
WHITE-----MALE----	1,778	-	-	1	-	1	2	6	13	23	37	58
FEMALE--	2,614	-	-	-	-	-	-	1	4	7	18	30
ALL OTHER--MALE----	594	-	-	-	-	1	1	4	6	20	24	45
FEMALE--	723	-	1	-	-	-	-	3	2	12	13	34
BLACK---MALE-----	382	-	-	-	-	-	1	4	3	15	19	36
FEMALE--	483	-	-	-	-	-	-	3	2	11	13	26

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1846

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
UNITED STATES -	1,587	1,914	2,203	2,900	3,886	5,559	6,682	7,047	5,329	2,292	537	1
WHITE-----MALE----	574	707	788	1,013	1,315	1,808	1,915	1,646	981	285	40	-
FEMALE--	282	372	536	840	1,356	2,330	3,454	4,280	3,645	1,658	398	-
ALL OTHER--MALE----	435	475	468	533	550	594	462	349	162	77	8	1
FEMALE--	296	360	411	514	665	827	851	772	541	272	91	-
BLACK---MALE-----	417	444	435	488	500	530	403	292	135	69	7	1
FEMALE--	288	344	379	468	621	761	757	696	483	244	81	-
ALABAMA -----	45	39	55	56	68	90	116	123	95	39	8	-
WHITE-----MALE----	15	11	16	11	22	16	21	22	11	5	1	-
FEMALE--	4	5	10	13	20	24	48	67	52	19	4	-
ALL OTHER--MALE----	16	11	17	18	10	13	21	10	7	3	-	-
FEMALE--	10	12	12	14	16	37	26	24	25	12	3	-
BLACK---MALE-----	16	11	17	18	10	13	21	10	7	3	-	-
FEMALE--	10	12	12	14	16	37	26	24	25	12	3	-
ALASKA -----	1	3	1	1	2	3	5	3	-	-	-	-
WHITE-----MALE----	1	3	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	27	28	28	50	57	84	65	75	23	8	-
WHITE-----MALE----	13	11	12	16	17	30	26	15	16	4	1	-
FEMALE--	2	10	7	11	26	19	51	47	57	18	7	-
ALL OTHER--MALE----	-	3	4	1	4	4	3	-	-	1	-	-
FEMALE--	-	3	5	-	3	4	4	3	2	-	-	-
BLACK---MALE-----	-	3	2	-	2	2	2	-	-	-	-	-
FEMALE--	-	2	1	-	1	3	1	2	1	-	-	-
ARKANSAS -----	22	16	18	21	39	27	64	51	35	21	6	-
WHITE-----MALE----	7	8	7	9	15	8	16	14	6	3	1	-
FEMALE--	3	1	5	2	4	11	32	26	19	11	2	-
ALL OTHER--MALE----	8	3	5	4	10	2	7	6	5	5	-	-
FEMALE--	4	4	1	6	10	6	9	5	5	2	3	-
BLACK---MALE-----	8	3	5	4	10	2	7	6	5	5	-	-
FEMALE--	4	4	1	6	10	6	9	5	5	2	3	-
CALIFORNIA -----	202	265	273	388	499	723	908	921	748	341	74	-
WHITE-----MALE----	85	119	112	138	194	237	294	244	150	54	10	-
FEMALE--	39	64	81	134	175	314	427	527	511	230	52	-
ALL OTHER--MALE----	52	43	39	57	68	75	72	48	26	11	2	-
FEMALE--	26	39	41	59	62	97	115	102	61	46	10	-
BLACK---MALE-----	45	28	32	36	45	46	38	16	11	6	1	-
FEMALE--	22	33	30	40	45	65	66	63	34	26	4	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1847

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
COLORADO -----	334	-	-	-	-	1	-	1	1	2	1	11
WHITE-----MALE----	106	-	-	-	-	-	-	1	1	1	1	7
FEMALE--	204	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	472	-	-	-	-	-	1	-	3	8	4	13
WHITE-----MALE----	151	-	-	-	-	-	-	-	1	3	2	7
FEMALE--	258	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	36	-	-	-	-	-	1	-	-	3	-	1
BLACK---MALE-----	24	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	34	-	-	-	-	-	1	-	-	3	-	1
DELAWARE -----	101	-	-	-	-	-	-	1	1	2	1	7
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	16	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	1
DISTRICT OF COLUMBIA ---	368	-	-	-	-	-	1	1	2	5	11	17
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	140	-	-	-	-	-	-	-	-	2	4	11
FEMALE--	161	-	-	-	-	-	1	1	1	2	5	5
BLACK---MALE-----	140	-	-	-	-	-	-	-	-	2	4	11
FEMALE--	159	-	-	-	-	-	1	1	1	2	5	5
FLORIDA -----	3,130	-	-	-	-	-	1	4	18	27	75	79
WHITE-----MALE----	1,068	-	-	-	-	-	-	-	6	9	36	31
FEMALE--	1,371	-	-	-	-	-	-	-	1	1	5	15
ALL OTHER--MALE----	293	-	-	-	-	-	1	3	7	7	20	17
FEMALE--	398	-	-	-	-	-	-	1	4	10	14	16
BLACK---MALE-----	288	-	-	-	-	-	1	3	7	7	18	17
FEMALE--	391	-	-	-	-	-	-	1	4	10	14	16
GEORGIA -----	1,288	-	-	-	-	-	2	1	11	25	37	50
WHITE-----MALE----	230	-	-	-	-	-	-	1	2	3	7	9
FEMALE--	410	-	-	-	-	-	-	-	1	2	5	2
ALL OTHER--MALE----	276	-	-	-	-	-	1	-	4	13	13	24
FEMALE--	372	-	-	-	-	-	1	-	4	7	12	15
BLACK---MALE-----	272	-	-	-	-	-	1	-	4	13	12	24
FEMALE--	369	-	-	-	-	-	1	-	4	7	12	15

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1847

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
COLORADO -----	7	13	15	24	21	41	59	65	49	16	7	-
WHITE-----MALE----	4	7	10	8	8	18	13	12	13	2	-	-
FEMALE--	3	4	1	10	13	22	41	51	36	13	7	-
ALL OTHER--MALE----	-	-	2	2	-	-	1	1	-	-	-	-
FEMALE--	-	2	2	4	-	1	4	1	-	1	-	-
BLACK---MALE-----	-	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	2	-	2	-	1	4	1	-	1	-	-
CONNECTICUT -----	16	24	28	27	43	55	80	78	51	35	6	-
WHITE-----MALE----	6	10	10	11	15	25	25	20	11	5	-	-
FEMALE--	4	10	10	12	18	25	51	54	39	24	6	-
ALL OTHER--MALE----	4	3	4	2	3	2	1	-	1	1	-	-
FEMALE--	2	1	4	2	7	3	3	4	-	5	-	-
BLACK---MALE-----	3	2	4	2	2	2	1	-	1	1	-	-
FEMALE--	2	1	4	2	6	3	3	3	-	5	-	-
DELAWARE -----	4	4	3	8	11	12	14	10	19	3	1	-
WHITE-----MALE----	1	2	-	5	7	6	6	2	2	-	-	-
FEMALE--	-	-	2	1	2	3	7	6	14	2	1	-
ALL OTHER--MALE----	2	2	1	-	2	2	-	1	2	-	-	-
FEMALE--	1	-	-	2	-	1	1	1	1	1	-	-
BLACK---MALE-----	2	2	1	-	2	2	-	1	2	-	-	-
FEMALE--	1	-	-	2	-	1	1	1	1	1	-	-
DISTRICT OF COLUMBIA ---	19	26	34	35	34	50	37	34	32	24	6	-
WHITE-----MALE----	2	-	2	2	1	4	4	6	3	2	-	-
FEMALE--	-	1	2	3	-	2	4	7	4	10	3	-
ALL OTHER--MALE----	10	14	25	15	12	20	14	7	4	2	-	-
FEMALE--	7	11	5	15	21	24	15	14	21	10	3	-
BLACK---MALE-----	10	14	25	15	12	20	14	7	4	2	-	-
FEMALE--	7	11	5	15	21	24	14	14	20	10	3	-
FLORIDA -----	108	152	156	221	302	451	503	511	356	128	38	-
WHITE-----MALE----	41	58	50	87	113	198	176	149	90	20	4	-
FEMALE--	17	26	51	73	110	168	249	303	230	92	30	-
ALL OTHER--MALE----	30	35	25	28	35	37	19	18	7	3	1	-
FEMALE--	20	33	30	33	44	48	59	41	29	13	3	-
BLACK---MALE-----	29	34	25	28	35	37	19	17	7	3	1	-
FEMALE--	20	31	30	32	43	46	59	41	28	13	3	-
GEORGIA -----	64	73	85	106	118	169	174	192	126	46	9	-
WHITE-----MALE----	15	14	22	26	25	30	35	25	16	-	-	-
FEMALE--	8	10	13	27	30	44	75	95	64	28	6	-
ALL OTHER--MALE----	23	29	25	28	22	41	19	20	11	2	1	-
FEMALE--	18	20	25	25	41	54	45	52	35	16	2	-
BLACK---MALE-----	23	28	24	28	21	41	19	20	11	2	1	-
FEMALE--	18	20	25	25	40	53	45	51	35	16	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1848

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
HAWAII -----	3	5	7	10	13	21	30	25	27	5	1	-
WHITE-----MALE----	1	-	-	-	-	2	2	4	1	-	-	-
FEMALE--	-	1	-	-	1	3	3	4	3	-	-	-
ALL OTHER--MALE----	-	3	4	5	7	9	12	10	7	1	-	-
FEMALE--	2	1	3	5	5	7	13	7	16	4	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	6	7	7	8	25	30	18	9	3	-
WHITE-----MALE----	-	1	4	2	4	3	11	9	5	2	1	-
FEMALE--	-	-	2	5	3	5	13	21	13	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	99	116	124	148	209	257	282	319	210	124	22	-
WHITE-----MALE----	37	34	48	56	69	80	74	75	33	13	2	-
FEMALE--	17	18	20	32	61	106	152	191	152	95	17	-
ALL OTHER--MALE----	24	40	30	32	41	29	26	22	6	2	-	-
FEMALE--	21	24	26	28	38	42	30	31	19	14	3	-
BLACK---MALE-----	24	40	28	31	40	29	26	21	5	2	-	-
FEMALE--	20	21	26	27	38	41	28	28	19	13	2	-
INDIANA -----	19	20	37	46	71	84	117	143	108	48	11	-
WHITE-----MALE----	7	10	17	21	22	22	38	38	28	8	-	-
FEMALE--	3	3	10	11	35	50	67	92	76	34	8	-
ALL OTHER--MALE----	2	2	5	10	5	3	5	2	-	2	-	-
FEMALE--	7	5	5	4	9	9	7	11	4	4	3	-
BLACK---MALE-----	2	2	4	10	5	3	5	2	-	2	-	-
FEMALE--	7	5	5	4	9	9	7	11	4	4	3	-
IOWA -----	11	14	10	27	23	49	66	83	84	47	9	-
WHITE-----MALE----	8	8	6	13	13	21	24	28	19	7	-	-
FEMALE--	3	5	3	12	9	27	42	55	65	40	8	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	1	-
BLACK---MALE-----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
KANSAS -----	2	7	5	12	24	31	49	77	53	27	9	-
WHITE-----MALE----	-	4	2	6	8	14	18	18	9	-	-	-
FEMALE--	1	1	1	4	12	12	25	52	42	25	9	-
ALL OTHER--MALE----	1	2	1	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	4	4	7	2	2	-	-
BLACK---MALE-----	1	2	1	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	4	4	5	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1849

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
KENTUCKY -----	491	-	-	-	-	-	2	1	8	6	9	17
WHITE-----MALE----	160	-	-	-	-	-	1	1	5	5	3	8
FEMALE--	257	-	-	-	-	-	-	-	2	1	2	4
ALL OTHER--MALE----	30	-	-	-	-	-	1	-	1	-	2	3
FEMALE--	44	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	29	-	-	-	-	-	1	-	1	-	2	3
FEMALE--	44	-	-	-	-	-	-	-	-	-	2	2
LOUISIANA -----	1,148	-	1	1	-	-	3	3	10	11	24	34
WHITE-----MALE----	202	-	-	-	-	-	-	-	2	2	5	2
FEMALE--	396	-	-	-	-	-	1	1	-	2	2	4
ALL OTHER--MALE----	240	-	1	-	-	-	1	1	6	6	11	18
FEMALE--	310	-	-	1	-	-	1	1	2	1	6	10
BLACK---MALE-----	238	-	1	-	-	-	1	1	6	6	11	18
FEMALE--	310	-	-	1	-	-	1	1	2	1	6	10
MAINE -----	168	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	114	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,016	-	1	-	-	1	-	1	8	18	35	46
WHITE-----MALE----	252	-	-	-	-	-	-	-	3	2	11	12
FEMALE--	334	-	1	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	211	-	-	-	-	1	-	-	1	11	10	18
FEMALE--	219	-	-	-	-	-	-	1	3	4	12	14
BLACK---MALE-----	204	-	-	-	-	1	-	-	1	10	10	18
FEMALE--	218	-	-	-	-	-	-	1	3	4	12	14
MASSACHUSETTS -----	652	-	-	-	-	-	-	1	2	5	9	13
WHITE-----MALE----	207	-	-	-	-	-	-	1	1	2	4	7
FEMALE--	397	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	26	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE-----	20	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	22	-	-	-	-	-	-	-	1	1	2	-
MICHIGAN -----	1,596	2	-	-	-	-	1	2	6	16	38	68
WHITE-----MALE----	419	1	-	-	-	-	-	1	1	6	13	24
FEMALE--	734	1	-	-	-	-	-	-	-	1	6	7
ALL OTHER--MALE----	219	-	-	-	-	-	1	1	2	6	11	20
FEMALE--	224	-	-	-	-	-	-	-	3	3	8	17
BLACK---MALE-----	213	-	-	-	-	-	1	1	2	6	11	20
FEMALE--	222	-	-	-	-	-	-	-	3	3	8	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1849

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
KENTUCKY -----	18	23	24	32	40	67	81	66	64	28	5	-
WHITE-----MALE----	7	11	13	12	15	22	25	16	12	4	-	-
FEMALE--	6	7	7	15	19	37	49	44	41	20	3	-
ALL OTHER--MALE----	3	2	2	1	3	2	1	3	3	3	-	-
FEMALE--	2	3	2	4	3	6	6	3	8	1	2	-
BLACK---MALE-----	2	2	2	1	3	2	1	3	3	3	-	-
FEMALE--	2	3	2	4	3	6	6	3	8	1	2	-
LOUISIANA -----	51	56	65	74	124	171	190	170	101	54	5	-
WHITE-----MALE----	11	12	11	7	32	40	36	23	10	8	1	-
FEMALE--	8	8	9	15	26	55	74	92	65	32	2	-
ALL OTHER--MALE----	18	21	22	19	25	31	33	18	7	2	-	-
FEMALE--	14	15	23	33	41	45	47	37	19	12	2	-
BLACK---MALE-----	18	20	22	18	25	31	33	18	7	2	-	-
FEMALE--	14	15	23	33	41	45	47	37	19	12	2	-
MAINE -----	4	6	3	11	7	15	31	35	31	15	3	-
WHITE-----MALE----	3	4	2	5	5	2	10	8	6	1	-	-
FEMALE--	1	2	1	5	1	13	21	27	25	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MARYLAND -----	64	75	60	77	103	130	143	120	97	29	8	-
WHITE-----MALE----	16	18	17	22	28	42	41	28	9	3	-	-
FEMALE--	7	12	8	16	26	47	64	62	65	15	5	-
ALL OTHER--MALE----	30	27	18	23	23	18	12	8	8	3	-	-
FEMALE--	11	18	17	16	26	23	26	22	15	8	3	-
BLACK---MALE-----	30	27	18	23	21	17	10	8	7	3	-	-
FEMALE--	11	18	17	16	26	22	26	22	15	8	3	-
MASSACHUSETTS -----	12	12	19	33	46	87	113	131	113	39	17	-
WHITE-----MALE----	6	6	8	17	28	24	34	41	25	2	1	-
FEMALE--	1	3	7	13	13	57	73	88	85	36	15	-
ALL OTHER--MALE----	2	3	3	2	3	2	2	-	-	-	-	-
FEMALE--	3	-	1	1	2	4	4	2	3	1	1	-
BLACK---MALE-----	2	3	2	3	2	2	2	-	-	-	-	-
FEMALE--	3	-	1	-	2	4	2	2	2	1	1	-
MICHIGAN -----	66	71	81	108	146	187	264	252	188	85	15	-
WHITE-----MALE----	26	18	27	37	45	64	56	49	33	17	1	-
FEMALE--	7	14	22	30	48	73	159	170	127	58	11	-
ALL OTHER--MALE----	23	23	21	26	26	21	21	12	3	2	-	-
FEMALE--	10	16	11	15	27	29	28	21	25	8	3	-
BLACK---MALE-----	23	23	20	25	26	20	19	11	3	2	-	-
FEMALE--	10	16	11	14	27	28	28	21	25	8	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1850

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
MINNESOTA -----	7	19	27	28	40	88	92	109	95	53	14	-
WHITE-----MALE----	4	10	20	14	15	40	33	32	15	8	2	-
FEMALE--	-	8	4	10	22	43	56	72	79	45	12	-
ALL OTHER--MALE----	2	-	1	-	2	3	1	-	-	-	-	-
FEMALE--	1	1	2	4	1	2	2	5	1	-	-	-
BLACK---MALE-----	1	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	3	1	-	-	-
MISSISSIPPI -----	29	36	42	60	79	112	120	138	89	33	10	-
WHITE-----MALE----	6	12	13	10	18	21	27	20	14	5	-	-
FEMALE--	3	1	5	11	14	36	33	67	44	15	3	-
ALL OTHER--MALE----	11	14	13	19	22	23	22	20	7	2	1	-
FEMALE--	9	9	11	20	25	32	38	31	24	11	6	-
BLACK---MALE-----	11	14	13	18	22	23	22	20	7	2	1	-
FEMALE--	9	9	11	20	24	31	38	31	24	11	6	-
MISSOURI -----	27	36	50	52	87	116	112	186	115	47	11	-
WHITE-----MALE----	8	10	21	15	32	51	26	42	28	4	-	-
FEMALE--	6	5	10	16	27	43	67	115	76	39	10	-
ALL OTHER--MALE----	9	15	14	14	13	10	5	14	2	-	-	-
FEMALE--	4	6	5	7	15	12	14	15	9	4	1	-
BLACK---MALE-----	8	15	14	12	12	9	5	14	2	-	-	-
FEMALE--	4	6	5	7	15	12	14	14	9	4	1	-
MONTANA -----	-	2	2	2	4	8	14	16	13	7	1	-
WHITE-----MALE----	-	2	1	-	3	2	5	7	3	-	-	-
FEMALE--	-	-	-	2	1	6	9	9	10	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	8	4	7	19	25	33	44	35	20	1	-
WHITE-----MALE----	1	6	1	5	8	6	9	7	8	1	-	-
FEMALE--	-	2	2	1	10	16	20	35	27	18	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	3	3	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	3	3	1	-	1	-	-
NEVADA -----	30	26	45	53	41	64	67	35	14	6	3	-
WHITE-----MALE----	14	15	21	25	18	34	27	9	2	1	-	-
FEMALE--	6	6	13	17	16	20	34	26	12	5	2	-
ALL OTHER--MALE----	6	2	7	5	2	5	3	-	-	-	-	-
FEMALE--	4	3	4	6	5	5	3	-	-	-	1	-
BLACK---MALE-----	5	1	5	4	2	5	2	-	-	-	-	-
FEMALE--	4	3	2	6	3	4	1	-	-	-	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1852

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
OHIO -----	1,922	-	-	-	-	-	2	6	9	19	62	52
WHITE-----MALE----	546	-	-	-	-	-	1	2	4	5	26	21
FEMALE--	999	-	-	-	-	-	-	1	-	3	10	13
ALL OTHER--MALE----	172	-	-	-	-	-	1	2	2	9	19	11
FEMALE--	205	-	-	-	-	-	-	1	3	2	7	7
BLACK---MALE-----	172	-	-	-	-	-	1	2	2	9	19	11
FEMALE--	204	-	-	-	-	-	-	1	3	2	7	7
OKLAHOMA -----	399	-	-	-	-	-	1	1	2	4	10	8
WHITE-----MALE----	110	-	-	-	-	-	-	1	2	4	4	3
FEMALE--	210	-	-	-	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	23	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	471	-	-	-	-	-	-	1	3	4	6	7
WHITE-----MALE----	150	-	-	-	-	-	-	1	2	2	3	5
FEMALE--	303	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,632	-	-	-	-	-	1	1	3	9	24	32
WHITE-----MALE----	512	-	-	-	-	-	-	-	2	7	10	11
FEMALE--	837	-	-	-	-	-	1	-	-	-	3	4
ALL OTHER--MALE----	111	-	-	-	-	-	-	1	-	-	6	8
FEMALE--	172	-	-	-	-	-	-	-	1	2	5	9
BLACK---MALE-----	107	-	-	-	-	-	-	1	-	-	6	8
FEMALE--	163	-	-	-	-	-	-	-	1	2	5	8
RHODE ISLAND -----	112	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	743	-	-	-	-	-	1	2	2	5	21	29
WHITE-----MALE----	144	-	-	-	-	-	-	-	1	-	7	8
FEMALE--	219	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	162	-	-	-	-	-	1	-	-	3	8	10
FEMALE--	218	-	-	-	-	-	-	2	1	-	4	9
BLACK---MALE-----	162	-	-	-	-	-	1	-	-	3	8	10
FEMALE--	218	-	-	-	-	-	-	2	1	-	4	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1852

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
OHIO -----	55	66	79	123	180	256	332	302	242	112	25	-
WHITE-----MALE----	20	33	34	45	58	82	95	73	35	10	2	-
FEMALE--	15	11	26	37	89	124	189	192	184	86	19	-
ALL OTHER--MALE----	9	15	10	22	10	24	15	15	4	4	-	-
FEMALE--	11	7	9	19	23	26	33	22	19	12	4	-
BLACK---MALE-----	9	15	10	22	10	24	15	15	4	4	-	-
FEMALE--	11	7	9	19	22	26	33	22	19	12	4	-
OKLAHOMA -----	10	10	14	14	39	44	79	78	59	20	6	-
WHITE-----MALE----	3	3	6	5	19	17	20	10	10	3	-	-
FEMALE--	1	4	3	5	15	16	46	54	43	14	4	-
ALL OTHER--MALE----	3	3	3	1	2	6	5	3	1	-	1	-
FEMALE--	3	-	2	3	3	5	8	11	5	3	1	-
BLACK---MALE-----	2	2	2	1	2	4	4	2	-	-	1	-
FEMALE--	3	-	1	3	2	5	6	9	4	3	1	-
OREGON -----	11	10	14	18	44	61	92	96	73	26	5	-
WHITE-----MALE----	6	4	5	7	13	21	37	27	15	2	-	-
FEMALE--	2	5	8	9	30	38	52	67	57	24	5	-
ALL OTHER--MALE----	3	1	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	1	-	-	-
BLACK---MALE-----	3	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	1	-	-	-
PENNSYLVANIA -----	62	56	73	91	151	231	284	309	202	79	24	-
WHITE-----MALE----	34	30	29	42	52	80	89	65	46	14	1	-
FEMALE--	14	10	21	25	64	117	153	214	139	54	18	-
ALL OTHER--MALE----	9	10	9	11	16	17	9	11	1	3	-	-
FEMALE--	5	6	14	13	19	17	33	19	16	8	5	-
BLACK---MALE-----	9	8	9	11	16	16	9	10	1	3	-	-
FEMALE--	5	6	13	13	19	15	31	19	15	6	5	-
RHODE ISLAND -----	2	1	1	4	11	17	14	26	29	4	1	-
WHITE-----MALE----	1	-	1	2	8	7	3	6	6	-	-	-
FEMALE--	1	-	-	2	2	9	10	20	23	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	32	39	47	51	77	102	122	107	74	25	7	-
WHITE-----MALE----	9	9	9	12	19	19	22	16	10	3	-	-
FEMALE--	3	1	9	12	23	30	39	41	36	16	3	-
ALL OTHER--MALE----	11	17	19	15	13	18	22	16	7	2	-	-
FEMALE--	9	12	10	12	22	35	39	34	21	4	4	-
BLACK---MALE-----	11	17	19	15	13	18	22	16	7	2	-	-
FEMALE--	9	12	10	12	22	35	39	34	21	4	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1853

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
SOUTH DAKOTA -----	49	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,128	-	-	-	-	-	3	4	10	10	38	37
WHITE-----MALE----	259	-	-	-	-	-	1	2	6	2	10	6
FEMALE--	492	-	-	-	-	-	1	-	1	1	4	11
ALL OTHER--MALE----	173	-	-	-	-	-	-	2	-	5	16	13
FEMALE--	204	-	-	-	-	-	1	-	3	2	8	7
BLACK---MALE-----	173	-	-	-	-	-	-	2	-	5	16	13
FEMALE--	201	-	-	-	-	-	1	-	3	2	8	7
TEXAS -----	2,555	1	-	-	-	3	4	6	13	35	53	92
WHITE-----MALE----	741	-	-	-	-	1	-	2	6	14	25	44
FEMALE--	1,205	1	-	-	-	-	1	1	2	8	5	16
ALL OTHER--MALE----	258	-	-	-	-	1	1	3	2	8	13	18
FEMALE--	351	-	-	-	-	1	2	-	3	5	10	14
BLACK---MALE-----	244	-	-	-	-	1	1	3	2	8	12	18
FEMALE--	338	-	-	-	-	1	2	-	3	5	10	13
UTAH -----	148	-	-	-	-	-	-	-	-	2	1	2
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	93	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	64	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	904	-	-	-	-	-	1	2	5	16	23	30
WHITE-----MALE----	217	-	-	-	-	-	-	1	1	2	4	10
FEMALE--	360	-	-	-	-	-	-	1	-	2	4	5
ALL OTHER--MALE----	157	-	-	-	-	-	1	-	3	8	12	7
FEMALE--	170	-	-	-	-	-	-	-	1	4	3	8
BLACK---MALE-----	152	-	-	-	-	-	1	-	3	8	12	7
FEMALE--	163	-	-	-	-	-	-	-	1	4	3	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1853

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
SOUTH DAKOTA -----	-	-	-	2	5	4	8	14	6	7	2	-
WHITE-----MALE----	-	-	-	1	1	-	2	3	1	2	-	-
FEMALE--	-	-	-	-	4	4	6	11	5	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	52	52	57	68	100	139	149	175	164	54	16	-
WHITE-----MALE----	11	15	21	16	28	41	36	34	25	5	-	-
FEMALE--	7	7	12	20	30	62	76	105	111	35	9	-
ALL OTHER--MALE----	20	15	16	21	18	15	11	9	7	4	1	-
FEMALE--	14	15	8	11	24	21	26	27	21	10	6	-
BLACK---MALE-----	20	15	16	21	18	15	11	9	7	4	1	-
FEMALE--	14	15	8	10	24	20	25	27	21	10	6	-
TEXAS -----	112	117	133	183	228	333	363	394	311	142	32	-
WHITE-----MALE----	46	49	53	68	79	113	89	81	47	19	5	-
FEMALE--	23	30	39	58	77	140	219	245	217	103	20	-
ALL OTHER--MALE----	26	21	18	35	31	31	12	18	14	5	1	-
FEMALE--	17	17	23	22	41	49	43	50	33	15	6	-
BLACK---MALE-----	25	20	17	34	30	27	11	15	14	5	1	-
FEMALE--	16	17	23	21	39	48	41	48	31	15	5	-
UTAH -----	3	4	6	8	8	12	24	41	31	4	2	-
WHITE-----MALE----	2	2	4	4	1	6	8	10	7	-	-	-
FEMALE--	-	1	1	2	6	5	16	31	24	4	2	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
VERMONT -----	1	2	2	4	6	9	7	9	21	1	-	-
WHITE-----MALE----	1	2	-	2	3	3	-	4	4	-	-	-
FEMALE--	-	-	1	2	3	6	7	5	17	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	40	47	63	87	119	140	145	103	44	10	1
WHITE-----MALE----	11	14	20	16	28	32	37	24	12	3	2	-
FEMALE--	2	7	7	10	29	41	64	79	72	33	4	-
ALL OTHER--MALE----	9	14	6	17	18	22	17	14	5	3	-	1
FEMALE--	6	5	14	20	12	24	22	28	14	5	4	-
BLACK---MALE-----	9	13	6	17	18	21	17	11	5	3	-	1
FEMALE--	6	5	13	20	12	23	20	25	14	5	4	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1855

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
UNITED STATES -	270	330	464	636	861	1,323	1,609	1,796	1,449	661	171	-
WHITE-----MALE----	102	144	191	259	332	417	445	363	234	74	6	-
FEMALE--	57	78	140	209	352	641	925	1,183	1,054	503	135	-
ALL OTHER--MALE----	53	57	70	84	85	101	90	81	34	20	1	-
FEMALE--	58	51	63	84	92	164	149	169	127	64	29	-
BLACK---MALE-----	51	56	64	73	78	87	76	64	25	16	1	-
FEMALE--	55	49	56	73	86	150	128	148	115	56	24	-
ALABAMA -----	15	11	14	12	15	18	27	36	18	9	2	-
WHITE-----MALE----	6	3	3	3	6	4	4	6	1	-	-	-
FEMALE--	2	2	3	2	4	6	11	18	10	7	1	-
ALL OTHER--MALE----	5	4	5	4	2	-	6	8	-	-	-	-
FEMALE--	2	2	3	3	3	8	6	4	7	2	1	-
BLACK---MALE-----	5	4	5	4	2	-	6	8	-	-	-	-
FEMALE--	2	2	3	3	3	8	6	4	7	2	1	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	5	3	8	10	20	17	22	25	5	4	-
WHITE-----MALE----	3	1	-	2	4	10	5	5	3	2	1	-
FEMALE--	-	1	1	5	5	11	17	17	21	2	3	-
ALL OTHER--MALE----	-	2	1	1	1	2	1	-	-	1	-	-
FEMALE--	-	1	1	-	-	3	-	-	1	-	-	-
BLACK---MALE-----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ARKANSAS -----	6	4	8	4	14	10	17	6	11	7	3	-
WHITE-----MALE----	1	1	4	1	6	4	5	2	3	-	-	-
FEMALE--	-	-	4	-	1	4	6	3	6	4	1	-
ALL OTHER--MALE----	3	1	-	1	4	-	4	1	1	2	-	-
FEMALE--	2	2	-	2	3	2	2	-	1	1	2	-
BLACK---MALE-----	3	1	-	1	4	-	4	1	1	2	-	-
FEMALE--	2	2	-	2	3	2	2	-	1	1	2	-
CALIFORNIA -----	24	30	42	69	87	157	205	228	185	88	17	-
WHITE-----MALE----	9	17	22	28	33	50	65	52	31	12	-	-
FEMALE--	6	8	13	24	39	68	106	140	135	59	14	-
ALL OTHER--MALE----	6	2	4	9	9	16	12	9	6	4	-	-
FEMALE--	3	3	3	8	6	23	22	27	13	13	3	-
BLACK---MALE-----	6	2	3	6	7	12	4	4	-	2	-	-
FEMALE--	2	2	2	5	5	16	9	16	7	8	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1856

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension (I10)												
COLORADO -----	76	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	175	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	116	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	15	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	598	-	-	-	-	-	-	-	-	2	6	11
WHITE-----MALE----	199	-	-	-	-	-	-	-	-	-	6	5
FEMALE--	311	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	33	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	1	-	3
GEORGIA -----	364	-	-	-	-	-	-	-	2	7	8	16
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	133	-	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	1	3	1	6
FEMALE--	95	-	-	-	-	-	-	-	-	2	2	3
BLACK---MALE-----	58	-	-	-	-	-	-	-	1	3	1	6
FEMALE--	95	-	-	-	-	-	-	-	-	2	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1856

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
COLORADO -----	2	3	3	6	7	8	7	19	14	3	2	-
WHITE-----MALE----	2	2	1	3	3	5	1	4	3	1	-	-
FEMALE--	-	1	1	2	4	3	6	13	11	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	7	5	16	6	13	16	34	32	23	20	-	-
WHITE-----MALE----	2	3	5	3	2	6	7	5	3	3	-	-
FEMALE--	3	2	7	3	8	9	25	26	19	14	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	2	-	3	1	2	1	-	2	-	-
BLACK---MALE-----	1	-	2	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	2	-	2	1	2	1	-	2	-	-
DELAWARE -----	-	1	-	1	1	-	5	3	1	-	1	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	8	6	1	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	4	4	-	1	-	-	-
FEMALE--	-	-	-	-	-	4	2	1	1	1	-	-
BLACK---MALE-----	-	-	-	1	-	4	4	-	1	-	-	-
FEMALE--	-	-	-	-	-	4	2	1	1	1	-	-
FLORIDA -----	12	21	29	37	57	76	113	101	87	35	11	-
WHITE-----MALE----	2	8	9	17	21	35	34	34	22	5	1	-
FEMALE--	2	8	12	12	24	32	64	60	59	25	10	-
ALL OTHER--MALE----	5	4	4	3	9	3	4	1	-	-	-	-
FEMALE--	3	1	4	5	3	6	11	6	6	5	-	-
BLACK---MALE-----	4	4	4	3	9	3	4	1	-	-	-	-
FEMALE--	3	1	4	5	3	6	11	6	6	5	-	-
GEORGIA -----	20	19	27	27	39	43	47	50	36	19	4	-
WHITE-----MALE----	9	5	10	9	10	3	10	8	4	-	-	-
FEMALE--	2	4	3	11	15	13	16	26	20	14	3	-
ALL OTHER--MALE----	3	6	7	3	7	10	3	6	2	1	-	-
FEMALE--	6	4	7	4	7	17	18	10	10	4	1	-
BLACK---MALE-----	3	6	6	3	7	10	3	6	2	1	-	-
FEMALE--	6	4	7	4	7	17	18	10	10	4	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1857

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
HAWAII -----	1	1	-	5	3	5	11	7	6	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	4	4	1	1	-	-
FEMALE--	1	1	-	3	1	2	3	2	4	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	4	2	1	1	5	8	3	4	-	-
WHITE-----MALE----	-	-	3	-	1	-	2	3	-	2	-	-
FEMALE--	-	-	1	2	-	1	3	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	16	17	25	36	40	52	65	84	57	38	4	-
WHITE-----MALE----	8	6	10	21	18	21	15	15	9	4	-	-
FEMALE--	4	7	6	7	16	25	41	54	44	32	2	-
ALL OTHER--MALE----	1	1	7	5	2	1	5	6	-	-	-	-
FEMALE--	3	3	2	3	4	5	4	9	4	2	2	-
BLACK---MALE-----	1	1	7	5	2	1	5	5	-	-	-	-
FEMALE--	3	3	2	3	4	5	3	7	4	2	1	-
INDIANA -----	6	6	9	13	17	18	40	36	44	17	7	-
WHITE-----MALE----	1	2	4	3	6	4	10	11	13	3	-	-
FEMALE--	1	2	5	5	10	13	25	24	29	13	7	-
ALL OTHER--MALE----	-	1	-	3	-	-	2	-	-	1	-	-
FEMALE--	4	1	-	2	1	1	3	1	2	-	-	-
BLACK---MALE-----	-	1	-	3	-	-	2	-	-	1	-	-
FEMALE--	4	1	-	2	1	1	3	1	2	-	-	-
IOWA -----	-	1	1	2	5	7	10	13	14	7	5	-
WHITE-----MALE----	-	-	-	1	5	3	3	2	2	1	-	-
FEMALE--	-	1	-	1	-	4	7	11	12	6	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	2	8	7	7	17	15	18	8	7	-
WHITE-----MALE----	-	-	1	3	2	1	8	3	2	-	-	-
FEMALE--	-	1	-	3	4	5	9	9	15	7	7	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	3	1	1	-	-
BLACK---MALE-----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1858

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
KENTUCKY -----	5	7	4	9	5	16	16	16	20	8	3	-
WHITE-----MALE----	2	5	3	3	3	6	5	3	5	2	-	-
FEMALE--	2	1	1	4	2	9	11	10	12	6	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	2	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	3	-	2	-
BLACK---MALE-----	-	-	-	1	-	1	-	2	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	3	-	2	-
LOUISIANA -----	2	3	6	5	14	26	31	27	11	12	1	-
WHITE-----MALE----	-	-	2	-	5	6	8	2	2	2	-	-
FEMALE--	-	1	-	2	4	11	13	17	4	7	1	-
ALL OTHER--MALE----	-	1	3	2	3	5	3	2	2	-	-	-
FEMALE--	2	1	1	1	2	4	7	6	3	3	-	-
BLACK---MALE-----	-	1	3	2	3	5	3	2	2	-	-	-
FEMALE--	2	1	1	1	2	4	7	6	3	3	-	-
MAINE -----	2	1	1	2	3	6	5	9	7	6	2	-
WHITE-----MALE----	1	1	1	-	3	1	3	1	-	-	-	-
FEMALE--	1	-	-	2	-	5	2	8	7	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	8	8	12	10	22	18	26	32	6	3	-
WHITE-----MALE----	1	2	2	4	1	10	3	4	1	-	-	-
FEMALE--	1	2	4	4	2	5	10	15	25	3	2	-
ALL OTHER--MALE----	2	2	1	1	2	2	-	1	2	1	-	-
FEMALE--	1	2	1	3	5	5	5	6	4	2	1	-
BLACK---MALE-----	2	2	1	1	2	2	-	1	2	1	-	-
FEMALE--	1	2	1	3	5	5	5	6	4	2	1	-
MASSACHUSETTS -----	3	3	7	18	19	42	47	46	43	15	7	-
WHITE-----MALE----	2	2	4	10	14	14	15	8	7	1	-	-
FEMALE--	-	-	2	6	3	26	31	37	36	13	6	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	1	-	1	1	-
BLACK---MALE-----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	1	-	1	1	-
MICHIGAN -----	10	12	11	19	23	39	56	67	52	27	6	-
WHITE-----MALE----	2	1	7	8	7	18	10	10	8	-	-	-
FEMALE--	3	4	1	4	9	17	36	50	36	24	5	-
ALL OTHER--MALE----	3	4	1	4	3	-	5	2	1	1	-	-
FEMALE--	2	3	2	3	4	4	5	5	7	2	1	-
BLACK---MALE-----	3	4	1	3	3	-	5	1	1	1	-	-
FEMALE--	2	3	2	3	4	4	5	5	7	2	1	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1861

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension (I10)												
OHIO -----	531	-	-	-	-	-	-	-	1	1	5	6
WHITE-----MALE----	145	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	320	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	41	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE-----	25	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	41	-	-	-	-	-	-	-	1	-	-	2
OKLAHOMA -----	111	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	146	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	475	-	-	-	-	-	-	1	1	-	5	8
WHITE-----MALE----	142	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	278	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	24	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	212	-	-	-	-	-	-	1	1	1	2	10
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	46	-	-	-	-	-	-	1	1	-	1	2
BLACK---MALE-----	41	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	46	-	-	-	-	-	-	1	1	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1861

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
OHIO -----	6	18	21	35	48	62	114	91	73	40	10	-
WHITE-----MALE----	3	11	8	13	18	17	37	16	14	4	1	-
FEMALE--	1	5	11	13	24	36	68	67	52	31	8	-
ALL OTHER--MALE----	-	2	-	7	3	5	2	2	-	1	-	-
FEMALE--	2	-	2	2	3	4	7	6	7	4	1	-
BLACK---MALE-----	-	2	-	7	3	5	2	2	-	1	-	-
FEMALE--	2	-	2	2	3	4	7	6	7	4	1	-
OKLAHOMA -----	1	2	5	4	13	17	19	19	21	5	1	-
WHITE-----MALE----	-	1	2	1	6	8	4	2	1	-	-	-
FEMALE--	-	1	2	2	6	6	14	15	17	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	2	-	1	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	1	2	1	-	-
OREGON -----	4	4	6	3	16	19	25	30	29	6	-	-
WHITE-----MALE----	3	2	2	2	4	3	9	4	5	-	-	-
FEMALE--	1	2	4	1	12	16	16	25	24	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	18	13	23	25	44	76	76	89	58	31	7	-
WHITE-----MALE----	9	10	12	13	16	18	20	20	11	7	-	-
FEMALE--	6	2	8	6	19	48	48	64	44	22	7	-
ALL OTHER--MALE----	2	1	-	1	3	7	3	3	-	1	-	-
FEMALE--	1	-	3	5	6	3	5	2	3	1	-	-
BLACK---MALE-----	2	1	-	1	3	6	3	3	-	1	-	-
FEMALE--	1	-	2	5	6	2	5	2	3	-	-	-
RHODE ISLAND -----	-	-	1	-	2	2	3	6	5	1	1	-
WHITE-----MALE----	-	-	1	-	2	2	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	3	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	16	14	11	24	28	25	28	27	10	2	-
WHITE-----MALE----	3	3	3	5	9	5	6	5	4	2	-	-
FEMALE--	2	-	5	4	8	10	8	13	16	7	1	-
ALL OTHER--MALE----	4	8	6	1	4	6	3	3	1	1	-	-
FEMALE--	3	5	-	1	3	7	8	7	6	-	1	-
BLACK---MALE-----	4	8	6	1	4	6	3	3	1	1	-	-
FEMALE--	3	5	-	1	3	7	8	7	6	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1862

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension (I10)												
SOUTH DAKOTA -----	19	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	186	-	-	-	-	-	-	1	1	1	4	3
WHITE-----MALE----	36	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	102	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	515	1	-	-	-	1	-	-	-	1	3	14
WHITE-----MALE----	134	-	-	-	-	1	-	-	-	-	2	7
FEMALE--	284	1	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	58	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	33	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	1
UTAH -----	43	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	21	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	255	-	-	-	-	-	-	-	2	3	5	7
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	111	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	47	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE-----	28	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	45	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1862

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
SOUTH DAKOTA -----	-	-	-	-	2	2	2	6	2	3	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	1	2	2	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	8	10	13	20	21	19	31	37	9	3	-
WHITE-----MALE----	-	4	2	1	6	6	4	4	6	-	-	-
FEMALE--	-	1	5	8	8	11	10	22	28	5	1	-
ALL OTHER--MALE----	2	1	3	3	1	2	1	1	2	-	1	-
FEMALE--	3	2	-	1	5	2	4	4	1	4	1	-
BLACK---MALE-----	2	1	3	3	1	2	1	1	2	-	1	-
FEMALE--	3	2	-	1	5	2	4	4	1	4	1	-
TEXAS -----	17	13	21	40	40	72	70	95	81	40	6	-
WHITE-----MALE----	4	9	10	18	18	19	19	13	10	4	-	-
FEMALE--	3	2	5	11	13	38	43	70	61	31	3	-
ALL OTHER--MALE----	4	1	1	7	3	5	2	5	5	2	-	-
FEMALE--	6	1	5	4	6	10	6	7	5	3	3	-
BLACK---MALE-----	4	1	1	6	3	3	1	3	5	2	-	-
FEMALE--	5	1	5	4	6	10	6	7	5	3	2	-
UTAH -----	-	-	3	4	2	6	5	13	8	-	1	-
WHITE-----MALE----	-	-	2	1	1	3	1	1	3	-	-	-
FEMALE--	-	-	1	2	1	3	4	12	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	5	4	2	2	6	-	-	-
WHITE-----MALE----	1	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	2	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	8	17	18	30	36	29	41	35	12	5	-
WHITE-----MALE----	4	3	7	6	11	13	7	7	4	-	-	-
FEMALE--	-	1	4	4	10	11	16	21	27	11	3	-
ALL OTHER--MALE----	1	2	1	3	6	2	3	5	2	-	-	-
FEMALE--	2	2	5	5	3	10	3	8	2	1	2	-
BLACK---MALE-----	1	2	1	3	6	2	3	3	2	-	-	-
FEMALE--	2	2	5	5	3	10	3	6	2	1	2	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1864

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
UNITED STATES -	22,702	1	-	-	-	6	27	50	160	347	617	889
WHITE-----MALE----	6,499	-	-	-	-	2	7	22	69	125	245	340
FEMALE--	10,147	1	-	-	-	-	3	2	16	45	76	129
ALL OTHER--MALE----	2,817	-	-	-	-	4	12	19	39	107	183	246
FEMALE--	3,239	-	-	-	-	-	5	7	36	70	113	174
BLACK---MALE-----	2,606	-	-	-	-	3	12	19	36	101	169	239
FEMALE--	3,013	-	-	-	-	-	5	7	36	68	112	170
ALABAMA -----	403	-	-	-	-	-	1	1	4	8	13	15
WHITE-----MALE----	96	-	-	-	-	-	1	-	1	-	5	5
FEMALE--	150	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	61	-	-	-	-	-	-	1	1	2	3	8
FEMALE--	96	-	-	-	-	-	-	-	2	4	4	2
BLACK---MALE-----	60	-	-	-	-	-	-	1	1	2	2	8
FEMALE--	96	-	-	-	-	-	-	-	2	4	4	2
ALASKA -----	16	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	233	-	-	-	-	-	-	-	2	4	7	4
WHITE-----MALE----	87	-	-	-	-	-	-	-	2	2	4	3
FEMALE--	127	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	172	-	-	-	-	-	-	-	3	2	5	8
WHITE-----MALE----	52	-	-	-	-	-	-	-	3	1	2	3
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	2
CALIFORNIA -----	3,217	-	-	-	-	2	1	10	16	36	67	114
WHITE-----MALE----	1,032	-	-	-	-	1	1	4	9	17	30	44
FEMALE--	1,475	-	-	-	-	-	-	-	2	3	13	21
ALL OTHER--MALE----	321	-	-	-	-	1	-	4	4	12	17	29
FEMALE--	389	-	-	-	-	-	-	2	1	4	7	20
BLACK---MALE-----	209	-	-	-	-	-	-	4	3	8	12	23
FEMALE--	262	-	-	-	-	-	-	2	1	3	7	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1864

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
UNITED STATES -	1,041	1,260	1,277	1,553	1,964	2,672	3,158	3,498	2,710	1,188	283	1
WHITE-----MALE----	409	488	499	556	667	883	852	757	430	129	19	-
FEMALE--	181	240	302	441	662	1,093	1,689	2,226	1,941	888	212	-
ALL OTHER--MALE----	264	312	261	302	291	302	215	155	69	31	4	1
FEMALE--	187	220	215	254	344	394	402	360	270	140	48	-
BLACK---MALE-----	254	292	245	281	266	272	191	132	60	30	3	1
FEMALE--	185	207	201	240	318	365	367	324	239	126	43	-
ALABAMA -----	21	21	28	27	40	42	55	57	48	18	4	-
WHITE-----MALE----	7	8	12	8	11	8	9	10	5	5	1	-
FEMALE--	2	3	6	6	14	13	30	37	27	7	2	-
ALL OTHER--MALE----	6	2	6	10	5	3	9	-	3	2	-	-
FEMALE--	6	8	4	3	10	18	7	10	13	4	1	-
BLACK---MALE-----	6	2	6	10	5	3	9	-	3	2	-	-
FEMALE--	6	8	4	3	10	18	7	10	13	4	1	-
ALASKA -----	1	3	1	1	2	2	2	1	-	-	-	-
WHITE-----MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	16	19	14	20	20	36	30	33	13	4	-
WHITE-----MALE----	9	10	10	8	6	10	10	6	6	1	-	-
FEMALE--	2	4	5	6	12	9	22	22	26	12	4	-
ALL OTHER--MALE----	-	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	3	2	1	-	-	-
BLACK---MALE-----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ARKANSAS -----	11	7	5	10	13	10	32	35	18	10	3	-
WHITE-----MALE----	6	4	2	4	4	3	6	9	2	2	1	-
FEMALE--	1	1	-	2	2	4	18	19	11	7	1	-
ALL OTHER--MALE----	3	1	2	2	5	1	2	3	2	1	-	-
FEMALE--	1	1	1	2	2	2	6	4	3	-	1	-
BLACK---MALE-----	3	1	2	2	5	1	2	3	2	1	-	-
FEMALE--	1	1	1	2	2	2	6	4	3	-	1	-
CALIFORNIA -----	135	182	177	223	283	382	454	506	401	184	44	-
WHITE-----MALE----	66	88	71	78	122	130	144	130	62	29	6	-
FEMALE--	26	47	54	77	88	170	221	301	293	129	30	-
ALL OTHER--MALE----	27	23	24	38	32	36	32	26	12	2	2	-
FEMALE--	16	24	28	30	41	46	57	49	34	24	6	-
BLACK---MALE-----	23	12	20	27	21	22	16	9	6	2	1	-
FEMALE--	16	19	21	21	27	31	35	29	18	12	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1865

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
COLORADO -----	157	-	-	-	-	-	-	-	1	2	-	7
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	1	-	5
FEMALE--	104	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	200	-	-	-	-	-	1	-	2	7	3	11
WHITE-----MALE----	74	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	93	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	15	-	-	-	-	-	1	-	-	3	-	1
BLACK---MALE-----	17	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	14	-	-	-	-	-	1	-	-	3	-	1
DELAWARE -----	61	-	-	-	-	-	-	-	1	-	-	4
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	287	-	-	-	-	-	1	1	2	5	10	15
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	-	2	4	9
FEMALE--	130	-	-	-	-	-	1	1	1	2	4	5
BLACK---MALE-----	104	-	-	-	-	-	-	-	-	2	4	9
FEMALE--	128	-	-	-	-	-	1	1	1	2	4	5
FLORIDA -----	1,733	-	-	-	-	-	1	3	12	18	53	54
WHITE-----MALE----	574	-	-	-	-	-	-	-	4	7	26	22
FEMALE--	780	-	-	-	-	-	-	-	1	-	5	10
ALL OTHER--MALE----	168	-	-	-	-	-	1	2	5	6	13	13
FEMALE--	211	-	-	-	-	-	-	1	2	5	9	9
BLACK---MALE-----	165	-	-	-	-	-	1	2	5	6	11	13
FEMALE--	208	-	-	-	-	-	-	1	2	5	9	9
GEORGIA -----	626	-	-	-	-	-	2	1	8	10	20	28
WHITE-----MALE----	107	-	-	-	-	-	-	1	1	2	4	3
FEMALE--	203	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	131	-	-	-	-	-	1	-	3	5	9	12
FEMALE--	185	-	-	-	-	-	1	-	4	3	4	12
BLACK---MALE-----	128	-	-	-	-	-	1	-	3	5	8	12
FEMALE--	182	-	-	-	-	-	1	-	4	3	4	12

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1865

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
COLORADO -----	4	9	10	11	8	12	28	28	23	9	5	-
WHITE-----MALE----	2	5	8	4	2	3	4	3	4	-	-	-
FEMALE--	2	3	-	4	6	9	22	25	19	9	5	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
CONNECTICUT -----	7	17	9	16	15	24	31	28	16	11	2	-
WHITE-----MALE----	4	7	3	7	8	12	13	8	2	1	-	-
FEMALE--	1	7	3	7	5	9	17	17	14	7	2	-
ALL OTHER--MALE----	2	2	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	3	-	3	-	-
BLACK---MALE-----	1	2	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	2	-	3	-	-
DELAWARE -----	3	2	3	6	8	8	5	3	15	3	-	-
WHITE-----MALE----	1	2	-	4	7	5	3	-	2	-	-	-
FEMALE--	-	-	2	1	-	1	2	2	11	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	1	-	-
BLACK---MALE-----	1	-	1	-	1	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	1	-	-
DISTRICT OF COLUMBIA ---	15	24	24	28	28	32	26	27	24	21	4	-
WHITE-----MALE----	1	-	2	1	-	3	3	4	3	2	-	-
FEMALE--	-	1	2	3	-	2	2	6	3	9	1	-
ALL OTHER--MALE----	8	12	17	11	9	11	9	7	3	2	-	-
FEMALE--	6	11	3	13	19	16	12	10	15	8	3	-
BLACK---MALE-----	8	12	17	11	9	11	9	7	3	2	-	-
FEMALE--	6	11	3	13	19	16	11	10	14	8	3	-
FLORIDA -----	77	111	92	126	169	249	237	262	183	66	20	-
WHITE-----MALE----	32	47	34	51	66	106	77	56	39	6	1	-
FEMALE--	11	16	30	41	62	97	134	177	128	51	17	-
ALL OTHER--MALE----	18	24	11	15	20	18	8	8	4	2	-	-
FEMALE--	16	24	17	19	21	28	18	21	12	7	2	-
BLACK---MALE-----	18	24	11	15	20	18	8	7	4	2	-	-
FEMALE--	16	22	17	19	20	28	18	21	12	7	2	-
GEORGIA -----	28	41	40	57	44	82	79	98	62	21	5	-
WHITE-----MALE----	3	9	10	11	10	21	14	11	7	-	-	-
FEMALE--	6	6	8	13	6	22	40	51	32	12	3	-
ALL OTHER--MALE----	12	15	11	17	10	17	9	5	4	-	1	-
FEMALE--	7	11	11	16	18	22	16	31	19	9	1	-
BLACK---MALE-----	12	14	11	17	9	17	9	5	4	-	1	-
FEMALE--	7	11	11	16	17	21	16	30	19	9	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1866

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
HAWAII -----	2	2	3	1	5	11	6	11	13	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	4	2	-	-	-
ALL OTHER--MALE----	-	1	3	1	4	6	4	3	3	-	-	-
FEMALE--	1	-	-	-	1	3	1	3	8	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	3	2	3	7	12	13	5	3	-
WHITE-----MALE----	-	-	-	2	1	1	2	2	4	-	1	-
FEMALE--	-	-	-	1	1	2	5	10	9	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	73	86	79	82	122	132	151	157	112	60	13	-
WHITE-----MALE----	28	22	35	25	38	41	33	37	14	6	2	-
FEMALE--	10	9	9	20	34	46	86	99	82	43	11	-
ALL OTHER--MALE----	18	36	18	20	31	23	12	12	3	1	-	-
FEMALE--	17	19	17	17	19	22	20	9	13	10	-	-
BLACK---MALE-----	18	36	17	19	31	23	12	12	3	1	-	-
FEMALE--	16	17	17	17	19	21	20	8	13	9	-	-
INDIANA -----	12	12	19	23	30	39	49	71	39	23	1	-
WHITE-----MALE----	5	6	9	12	9	8	15	17	8	3	-	-
FEMALE--	2	1	2	4	15	24	28	49	29	15	-	-
ALL OTHER--MALE----	2	1	4	6	2	2	3	1	-	1	-	-
FEMALE--	3	4	4	1	4	5	3	4	2	4	1	-
BLACK---MALE-----	2	1	3	6	2	2	3	1	-	1	-	-
FEMALE--	3	4	4	1	4	5	3	4	2	4	1	-
IOWA -----	10	10	9	20	12	24	33	32	43	25	3	-
WHITE-----MALE----	7	7	6	10	7	10	9	8	6	2	-	-
FEMALE--	3	3	3	8	5	14	24	24	37	23	2	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	2	5	-	3	5	16	15	33	25	13	1	-
WHITE-----MALE----	-	4	-	2	1	8	5	6	5	-	-	-
FEMALE--	1	-	-	1	3	6	8	25	20	12	1	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	-	1	-	-
BLACK---MALE-----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	-	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1867

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
KENTUCKY -----	252	-	-	-	-	-	1	1	7	5	5	13
WHITE-----MALE----	83	-	-	-	-	-	1	1	4	4	2	8
FEMALE--	134	-	-	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	15	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	775	-	-	-	-	-	1	2	7	8	16	23
WHITE-----MALE----	131	-	-	-	-	-	-	-	2	1	5	2
FEMALE--	269	-	-	-	-	-	-	1	-	2	-	1
ALL OTHER--MALE----	165	-	-	-	-	-	1	1	3	4	8	11
FEMALE--	210	-	-	-	-	-	-	-	2	1	3	9
BLACK---MALE-----	164	-	-	-	-	-	1	1	3	4	8	11
FEMALE--	210	-	-	-	-	-	-	-	2	1	3	9
MAINE -----	86	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	598	-	-	-	-	1	-	1	4	15	30	36
WHITE-----MALE----	159	-	-	-	-	-	-	-	2	2	10	11
FEMALE--	179	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	133	-	-	-	-	1	-	-	-	8	8	14
FEMALE--	127	-	-	-	-	-	-	1	1	4	10	9
BLACK---MALE-----	129	-	-	-	-	1	-	-	-	7	8	14
FEMALE--	127	-	-	-	-	-	-	1	1	4	10	9
MASSACHUSETTS -----	231	-	-	-	-	-	-	-	2	2	8	6
WHITE-----MALE----	68	-	-	-	-	-	-	-	1	-	4	2
FEMALE--	143	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	2	-
MICHIGAN -----	885	1	-	-	-	-	1	2	4	15	29	46
WHITE-----MALE----	270	-	-	-	-	-	-	1	1	6	13	22
FEMALE--	376	1	-	-	-	-	-	-	-	1	4	5
ALL OTHER--MALE----	126	-	-	-	-	-	1	1	1	6	7	9
FEMALE--	113	-	-	-	-	-	-	-	2	2	5	10
BLACK---MALE-----	123	-	-	-	-	-	1	1	1	6	7	9
FEMALE--	112	-	-	-	-	-	-	-	2	2	5	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1867

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
KENTUCKY -----	10	12	14	17	22	27	34	37	31	15	1	-
WHITE-----MALE----	5	5	7	7	8	8	7	10	5	1	-	-
FEMALE--	3	4	4	9	10	16	24	25	21	11	1	-
ALL OTHER--MALE----	2	2	1	-	2	-	1	1	1	2	-	-
FEMALE--	-	1	2	1	2	3	2	1	4	1	-	-
BLACK---MALE-----	1	2	1	-	2	-	1	1	1	2	-	-
FEMALE--	-	1	2	1	2	3	2	1	4	1	-	-
LOUISIANA -----	43	48	49	53	86	104	119	107	75	32	2	-
WHITE-----MALE----	11	10	9	5	22	23	20	11	6	4	-	-
FEMALE--	7	7	9	11	20	30	44	62	53	21	1	-
ALL OTHER--MALE----	15	18	14	13	15	19	24	13	4	2	-	-
FEMALE--	10	13	17	24	29	32	31	21	12	5	1	-
BLACK---MALE-----	15	17	14	13	15	19	24	13	4	2	-	-
FEMALE--	10	13	17	24	29	32	31	21	12	5	1	-
MAINE -----	2	4	2	5	4	9	14	19	15	5	-	-
WHITE-----MALE----	2	2	1	4	2	1	4	7	2	-	-	-
FEMALE--	-	2	1	1	1	8	10	12	13	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	50	55	37	49	55	73	69	60	42	16	5	-
WHITE-----MALE----	13	14	14	14	20	24	17	12	3	3	-	-
FEMALE--	5	9	4	8	8	27	33	36	31	9	3	-
ALL OTHER--MALE----	23	18	9	16	14	10	6	3	2	1	-	-
FEMALE--	9	14	10	11	13	12	13	9	6	3	2	-
BLACK---MALE-----	23	18	9	16	13	9	5	3	2	1	-	-
FEMALE--	9	14	10	11	13	12	13	9	6	3	2	-
MASSACHUSETTS -----	9	8	9	13	12	22	29	45	42	16	8	-
WHITE-----MALE----	4	3	3	6	10	5	6	13	10	1	-	-
FEMALE--	1	3	5	6	2	15	22	31	31	15	8	-
ALL OTHER--MALE----	2	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	2	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	1	1	-	-	-
MICHIGAN -----	46	44	57	61	82	95	130	127	90	47	8	-
WHITE-----MALE----	22	15	19	25	25	31	33	30	16	11	-	-
FEMALE--	3	7	14	18	28	34	80	80	64	31	6	-
ALL OTHER--MALE----	15	16	16	13	14	14	5	6	2	-	-	-
FEMALE--	6	6	8	5	15	16	12	11	8	5	2	-
BLACK---MALE-----	15	16	15	13	14	13	4	6	2	-	-	-
FEMALE--	6	6	8	5	15	15	12	11	8	5	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1868

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
MINNESOTA -----	2	6	5	8	5	23	23	29	25	17	5	-
WHITE-----MALE----	-	2	2	3	2	12	8	10	4	2	-	-
FEMALE--	-	4	-	4	1	10	14	18	21	15	5	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
MISSISSIPPI -----	17	25	27	33	49	64	79	85	65	19	5	-
WHITE-----MALE----	2	8	10	6	9	13	19	9	10	3	-	-
FEMALE--	2	1	2	5	10	21	17	46	31	10	2	-
ALL OTHER--MALE----	5	10	9	12	16	13	13	12	5	1	-	-
FEMALE--	8	6	6	10	14	17	30	18	19	5	3	-
BLACK---MALE-----	5	10	9	12	16	13	13	12	5	1	-	-
FEMALE--	8	6	6	10	14	17	30	18	19	5	3	-
MISSOURI -----	19	29	29	29	43	60	50	94	62	29	8	-
WHITE-----MALE----	4	5	12	5	12	22	9	17	11	2	-	-
FEMALE--	4	4	5	10	17	23	30	61	48	25	7	-
ALL OTHER--MALE----	7	14	9	10	9	7	2	8	-	-	-	-
FEMALE--	4	6	3	4	5	8	9	8	3	2	1	-
BLACK---MALE-----	7	14	9	9	8	6	2	8	-	-	-	-
FEMALE--	4	6	3	4	5	8	9	7	3	2	1	-
MONTANA -----	-	-	-	-	2	1	8	7	3	4	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	4	-	-	-	-
FEMALE--	-	-	-	-	1	1	6	3	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	-	1	4	6	10	18	17	7	1	-
WHITE-----MALE----	1	2	-	1	3	-	1	2	3	-	-	-
FEMALE--	-	-	-	-	1	4	8	16	14	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
NEVADA -----	22	23	38	44	36	51	50	24	10	4	1	-
WHITE-----MALE----	9	13	20	19	16	29	20	4	2	1	-	-
FEMALE--	6	5	9	15	14	16	27	20	8	3	-	-
ALL OTHER--MALE----	4	2	5	4	2	5	2	-	-	-	-	-
FEMALE--	3	3	4	6	4	1	1	-	-	-	1	-
BLACK---MALE-----	4	1	3	3	2	5	1	-	-	-	-	-
FEMALE--	3	3	2	6	3	1	1	-	-	-	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1870

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
OHIO -----	945	-	-	-	-	-	1	3	6	17	45	41
WHITE-----MALE----	274	-	-	-	-	-	1	2	3	5	22	18
FEMALE--	476	-	-	-	-	-	-	-	-	3	6	10
ALL OTHER--MALE----	96	-	-	-	-	-	-	1	1	7	11	9
FEMALE--	99	-	-	-	-	-	-	-	2	2	6	4
BLACK---MALE-----	96	-	-	-	-	-	1	1	7	11	9	9
FEMALE--	98	-	-	-	-	-	-	-	2	2	6	4
OKLAHOMA -----	186	-	-	-	-	-	-	1	2	4	5	4
WHITE-----MALE----	50	-	-	-	-	-	-	1	2	4	2	1
FEMALE--	95	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
OREGON -----	181	-	-	-	-	-	-	1	1	2	5	3
WHITE-----MALE----	58	-	-	-	-	-	-	1	1	1	3	3
FEMALE--	119	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	767	-	-	-	-	-	1	-	2	7	11	18
WHITE-----MALE----	252	-	-	-	-	-	-	-	1	6	6	8
FEMALE--	386	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	80	-	-	-	-	-	-	-	1	1	3	5
BLACK---MALE-----	47	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	76	-	-	-	-	-	-	-	1	1	3	4
RHODE ISLAND -----	54	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	283	-	-	-	-	-	1	1	1	3	16	16
WHITE-----MALE----	54	-	-	-	-	-	-	-	1	-	5	4
FEMALE--	93	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	55	-	-	-	-	-	1	-	-	1	7	6
FEMALE--	81	-	-	-	-	-	-	1	-	-	3	6
BLACK---MALE-----	55	-	-	-	-	-	1	-	-	1	7	6
FEMALE--	81	-	-	-	-	-	-	1	-	-	3	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1870

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
OHIO -----	41	39	44	60	84	115	132	137	116	49	15	-
WHITE-----MALE----	15	17	22	26	28	38	32	29	14	1	1	-
FEMALE--	11	6	12	16	40	54	83	91	93	40	11	-
ALL OTHER--MALE----	8	11	7	7	5	13	6	7	1	2	-	-
FEMALE--	7	5	3	11	11	10	11	10	8	6	3	-
BLACK---MALE-----	8	11	7	7	5	13	6	7	1	2	-	-
FEMALE--	7	5	3	11	10	10	11	10	8	6	3	-
OKLAHOMA -----	9	6	6	7	13	10	36	39	30	10	4	-
WHITE-----MALE----	3	1	3	4	5	2	10	4	5	3	-	-
FEMALE--	1	2	-	1	6	4	20	27	23	6	3	-
ALL OTHER--MALE----	3	3	2	1	1	2	2	1	-	-	-	-
FEMALE--	2	-	1	1	1	2	4	7	2	1	1	-
BLACK---MALE-----	2	2	2	1	1	2	2	1	-	-	-	-
FEMALE--	2	-	1	1	1	2	4	7	1	1	1	-
OREGON -----	2	4	6	7	15	17	31	36	33	14	4	-
WHITE-----MALE----	2	1	2	3	6	8	12	9	4	2	-	-
FEMALE--	-	3	3	3	9	9	17	27	29	12	4	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA -----	36	35	33	44	66	97	126	153	91	37	10	-
WHITE-----MALE----	24	19	14	21	23	39	39	28	20	4	-	-
FEMALE--	6	4	9	16	28	42	70	110	65	26	7	-
ALL OTHER--MALE----	5	9	3	3	8	7	3	4	-	2	-	-
FEMALE--	1	3	7	4	7	9	14	11	6	5	3	-
BLACK---MALE-----	5	7	3	3	8	7	3	4	-	2	-	-
FEMALE--	1	3	7	4	7	8	13	11	5	5	3	-
RHODE ISLAND -----	-	-	-	4	4	8	6	10	19	2	-	-
WHITE-----MALE----	-	-	-	2	4	3	2	1	3	-	-	-
FEMALE--	-	-	-	2	-	5	4	9	16	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	12	12	15	28	39	52	42	26	9	2	-
WHITE-----MALE----	4	3	3	3	4	10	10	3	4	-	-	-
FEMALE--	1	-	2	4	10	10	22	20	13	6	2	-
ALL OTHER--MALE----	1	6	6	3	3	6	8	4	2	1	-	-
FEMALE--	2	3	1	5	11	13	12	15	7	2	-	-
BLACK---MALE-----	1	6	6	3	3	6	8	4	2	1	-	-
FEMALE--	2	3	1	5	11	13	12	15	7	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1871

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	677	-	-	-	-	-	3	3	8	7	29	22
WHITE-----MALE----	167	-	-	-	-	-	1	1	4	2	9	5
FEMALE--	292	-	-	-	-	-	1	-	1	1	3	7
ALL OTHER--MALE----	102	-	-	-	-	-	-	2	-	3	12	7
FEMALE--	116	-	-	-	-	-	1	-	3	1	5	3
BLACK---MALE-----	102	-	-	-	-	-	-	2	-	3	12	7
FEMALE--	114	-	-	-	-	-	1	-	3	1	5	3
TEXAS -----	1,273	-	-	-	-	-	1	3	9	30	34	57
WHITE-----MALE----	379	-	-	-	-	-	-	1	4	12	15	31
FEMALE--	608	-	-	-	-	-	-	-	1	7	4	9
ALL OTHER--MALE----	134	-	-	-	-	-	1	2	2	7	8	10
FEMALE--	152	-	-	-	-	-	-	-	2	4	7	7
BLACK---MALE-----	129	-	-	-	-	-	1	2	2	7	7	10
FEMALE--	147	-	-	-	-	-	-	-	2	4	7	7
UTAH -----	72	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	28	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	429	-	-	-	-	-	1	2	3	12	13	19
WHITE-----MALE----	104	-	-	-	-	-	-	1	1	1	2	6
FEMALE--	175	-	-	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	82	-	-	-	-	-	1	-	2	5	8	7
FEMALE--	68	-	-	-	-	-	-	-	-	4	1	5
BLACK---MALE-----	79	-	-	-	-	-	1	-	2	5	8	7
FEMALE--	65	-	-	-	-	-	-	-	-	4	1	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1871

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
SOUTH DAKOTA -----	-	-	-	-	2	1	1	6	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	2	1	1	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	39	33	37	38	58	70	91	100	94	34	11	-
WHITE-----MALE----	11	10	15	14	16	23	22	19	11	4	-	-
FEMALE--	5	5	4	9	18	34	47	61	64	25	7	-
ALL OTHER--MALE----	14	11	11	9	10	6	6	5	4	2	-	-
FEMALE--	9	7	7	6	14	7	16	15	15	3	4	-
BLACK---MALE-----	14	11	11	9	10	6	6	5	4	2	-	-
FEMALE--	9	7	7	5	14	7	15	15	15	3	4	-
TEXAS -----	76	73	81	81	104	137	169	170	160	68	20	-
WHITE-----MALE----	35	30	36	29	34	50	37	35	21	7	2	-
FEMALE--	14	19	28	25	37	54	108	112	120	56	14	-
ALL OTHER--MALE----	16	15	11	19	15	12	3	7	4	1	1	-
FEMALE--	11	9	6	8	18	21	21	16	15	4	3	-
BLACK---MALE-----	16	14	11	19	14	11	3	6	4	1	1	-
FEMALE--	11	9	6	8	17	21	20	15	13	4	3	-
UTAH -----	3	3	3	2	5	4	11	18	18	3	-	-
WHITE-----MALE----	2	2	2	2	-	1	4	7	3	-	-	-
FEMALE--	-	1	-	-	4	2	7	11	15	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	4	1	2	4	6	8	1	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	4	2	-	-	-
FEMALE--	-	-	-	2	1	2	4	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	25	21	23	33	52	69	63	49	25	3	1
WHITE-----MALE----	7	11	11	7	11	13	15	11	5	1	1	-
FEMALE--	2	6	2	3	12	17	33	38	36	20	-	-
ALL OTHER--MALE----	4	8	3	9	6	11	11	3	1	2	-	1
FEMALE--	2	-	5	4	4	11	10	11	7	2	2	-
BLACK---MALE-----	4	7	3	9	6	10	11	2	1	2	-	1
FEMALE--	2	-	4	4	4	10	10	10	7	2	2	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1873

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
UNITED STATES -	7,051	-	2	-	1	-	7	18	31	63	119	152
WHITE-----MALE----	2,038	-	-	-	-	-	1	5	11	14	30	32
FEMALE--	2,745	-	-	-	-	-	2	5	3	4	16	23
ALL OTHER--MALE----	993	-	1	-	1	-	3	5	10	29	40	55
FEMALE--	1,275	-	1	-	-	-	1	3	7	16	33	42
BLACK---MALE-----	904	-	1	-	1	-	3	4	8	27	38	55
FEMALE--	1,161	-	-	-	-	-	1	3	7	16	33	36
ALABAMA -----	127	-	-	-	-	-	1	1	1	2	6	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	30	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	42	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE-----	35	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	42	-	-	-	-	-	-	-	1	-	3	1
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	115	-	-	-	-	-	-	1	-	1	2	4
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	53	-	-	-	-	-	-	-	1	1	4	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	13	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
CALIFORNIA -----	866	-	1	-	-	-	2	3	5	13	12	23
WHITE-----MALE----	280	-	-	-	-	-	1	1	1	2	2	7
FEMALE--	344	-	-	-	-	-	-	1	2	1	4	4
ALL OTHER--MALE----	117	-	-	-	-	-	1	-	2	6	2	3
FEMALE--	125	-	1	-	-	-	-	1	-	4	4	9
BLACK---MALE-----	74	-	-	-	-	-	1	-	-	5	2	3
FEMALE--	84	-	-	-	-	-	-	1	-	4	4	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1873

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
UNITED STATES -	200	208	316	510	792	1,077	1,315	1,153	759	281	47	-
WHITE-----MALE----	44	49	64	144	247	349	419	359	209	51	10	-
FEMALE--	32	33	65	143	263	412	576	565	407	169	27	-
ALL OTHER--MALE----	87	66	91	102	119	129	117	75	44	16	3	-
FEMALE--	37	60	96	121	163	187	203	154	99	45	7	-
BLACK---MALE-----	84	59	82	93	105	121	102	67	37	14	3	-
FEMALE--	36	59	88	105	154	174	174	139	90	39	7	-
ALABAMA -----	7	4	6	11	9	21	20	15	17	3	1	-
WHITE-----MALE----	2	-	1	-	2	2	3	5	3	-	-	-
FEMALE--	-	-	-	3	2	5	6	4	9	-	-	-
ALL OTHER--MALE----	3	3	4	3	2	6	5	2	2	-	-	-
FEMALE--	2	1	1	5	3	8	6	4	3	3	1	-
BLACK---MALE-----	3	3	4	3	2	6	5	2	2	-	-	-
FEMALE--	2	1	1	5	3	8	6	4	3	3	1	-
ALASKA -----	-	-	-	-	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	6	5	18	14	30	12	13	4	-	-
WHITE-----MALE----	1	-	2	5	7	8	11	4	6	1	-	-
FEMALE--	-	3	1	-	8	4	17	7	7	3	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
ARKANSAS -----	3	2	3	6	6	4	8	8	2	2	-	-
WHITE-----MALE----	-	1	-	3	2	1	3	3	1	-	-	-
FEMALE--	1	-	1	-	-	1	4	2	-	-	-	-
ALL OTHER--MALE----	2	1	2	1	-	1	-	2	-	1	-	-
FEMALE--	-	-	-	2	4	1	1	1	1	1	-	-
BLACK---MALE-----	2	1	2	1	-	1	-	2	-	1	-	-
FEMALE--	-	-	-	2	4	1	1	1	1	1	-	-
CALIFORNIA -----	29	27	35	63	95	125	158	125	102	43	5	-
WHITE-----MALE----	7	8	13	21	29	43	53	45	36	9	2	-
FEMALE--	6	5	7	24	37	51	65	61	49	24	3	-
ALL OTHER--MALE----	12	9	6	7	22	14	17	4	8	4	-	-
FEMALE--	4	5	9	11	7	17	23	15	9	6	-	-
BLACK---MALE-----	11	6	4	1	13	9	12	-	5	2	-	-
FEMALE--	3	5	7	7	6	11	12	10	6	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1874

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
COLORADO -----	78	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	64	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	34	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	579	-	-	-	-	-	-	1	5	7	9	10
WHITE-----MALE----	222	-	-	-	-	-	-	-	2	2	4	3
FEMALE--	203	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	1	-	3	3
FEMALE--	90	-	-	-	-	-	-	-	2	4	2	2
BLACK---MALE-----	63	-	-	-	-	-	-	1	1	-	3	3
FEMALE--	88	-	-	-	-	-	-	-	2	4	2	2
GEORGIA -----	209	-	-	-	-	-	-	-	1	5	7	5
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	67	-	-	-	-	-	-	-	-	1	4	-
BLACK---MALE-----	65	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	67	-	-	-	-	-	-	-	-	1	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1874

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
COLORADO -----	1	1	2	7	3	18	20	13	6	3	-	-
WHITE-----MALE----	-	-	1	1	2	9	7	4	4	-	-	-
FEMALE--	1	-	-	4	1	8	11	9	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	2	-	-	1	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	2	-	-	1	-	-
CONNECTICUT -----	2	1	1	3	12	10	9	12	10	2	-	-
WHITE-----MALE----	-	-	1	1	4	6	4	5	4	-	-	-
FEMALE--	-	1	-	1	4	4	4	7	6	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	-	1	-	-	-	-	-
DELAWARE -----	1	-	-	1	1	4	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	2	8	2	2	5	3	4	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	2	2	7	-	-	4	1	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	1	2	3	-	-	-
BLACK---MALE-----	2	2	7	-	-	4	1	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	1	2	3	-	-	-
FLORIDA -----	13	14	26	43	60	90	102	107	66	20	6	-
WHITE-----MALE----	5	1	5	17	24	44	41	42	23	7	2	-
FEMALE--	2	-	7	16	19	26	34	50	33	11	2	-
ALL OTHER--MALE----	5	6	7	7	4	9	7	6	3	1	1	-
FEMALE--	1	7	7	3	13	11	20	9	7	1	1	-
BLACK---MALE-----	5	5	7	7	4	9	7	6	3	1	1	-
FEMALE--	1	7	7	2	13	10	20	9	7	1	1	-
GEORGIA -----	14	10	12	17	24	32	36	29	15	2	-	-
WHITE-----MALE----	3	-	2	4	3	5	5	5	2	-	-	-
FEMALE--	-	-	1	2	5	5	14	9	9	1	-	-
ALL OTHER--MALE----	7	6	4	8	4	11	7	4	3	-	-	-
FEMALE--	4	4	5	3	12	11	10	11	1	1	-	-
BLACK---MALE-----	7	6	4	8	4	11	7	4	3	-	-	-
FEMALE--	4	4	5	3	12	11	10	11	1	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1875

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
HAWAII -----	-	2	3	2	5	2	11	5	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	1	-	4	2	1	-	-	-
FEMALE--	-	-	2	1	3	2	7	2	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	1	3	-	10	4	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	4	1	1	-	-	-
FEMALE--	-	-	1	1	2	-	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	7	11	19	36	50	49	49	28	13	2	-
WHITE-----MALE----	1	4	1	6	7	12	20	12	7	1	-	-
FEMALE--	2	2	3	4	9	25	19	26	18	11	2	-
ALL OTHER--MALE----	4	-	2	4	7	2	7	3	1	-	-	-
FEMALE--	1	1	5	5	13	11	3	8	2	1	-	-
BLACK---MALE-----	4	-	2	4	6	2	7	3	-	-	-	-
FEMALE--	1	-	5	4	13	11	3	8	2	1	-	-
INDIANA -----	1	1	6	5	20	17	14	23	13	7	1	-
WHITE-----MALE----	1	1	2	5	6	7	6	6	1	2	-	-
FEMALE--	-	-	3	-	10	8	7	12	12	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	3	1	1	4	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	3	1	1	4	-	-	-	-
IOWA -----	-	3	-	5	6	15	17	31	20	12	1	-
WHITE-----MALE----	-	1	-	2	1	7	10	15	10	3	-	-
FEMALE--	-	1	-	3	4	7	7	16	10	9	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	-	-	3	1	9	7	13	20	6	4	-	-
WHITE-----MALE----	-	-	1	1	4	4	4	8	1	-	-	-
FEMALE--	-	-	1	-	4	1	5	10	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1876

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
KENTUCKY -----	87	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	131	-	1	-	-	-	1	-	-	2	2	4
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	24	-	1	-	-	-	-	-	-	2	-	3
FEMALE--	38	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	24	-	1	-	-	-	-	-	-	2	-	3
FEMALE--	38	-	-	-	-	-	1	-	-	-	1	-
MAINE -----	29	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	160	-	-	-	-	-	-	-	2	3	1	4
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE-----	41	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	3
MASSACHUSETTS -----	116	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	41	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	270	-	-	-	-	-	-	-	1	1	5	12
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	119	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	55	-	-	-	-	-	-	-	1	1	2	4
BLACK---MALE-----	42	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	54	-	-	-	-	-	-	-	1	1	2	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1876

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
KENTUCKY -----	3	2	5	4	10	17	21	10	9	2	1	-
WHITE-----MALE----	-	-	3	1	2	6	11	3	1	-	-	-
FEMALE--	1	1	2	2	6	9	8	6	5	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	2	1	-	-
FEMALE--	1	1	-	1	1	1	2	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	1	1	-	-	2	1	-	-
FEMALE--	1	1	-	1	1	1	2	1	1	-	-	-
LOUISIANA -----	5	3	2	10	11	22	31	18	9	8	2	-
WHITE-----MALE----	-	1	-	2	3	4	7	5	1	2	1	-
FEMALE--	1	-	-	2	1	9	15	6	4	3	-	-
ALL OTHER--MALE----	3	1	1	2	2	4	3	2	-	-	-	-
FEMALE--	1	1	1	4	5	5	6	5	4	3	1	-
BLACK---MALE-----	3	1	1	2	2	4	3	2	-	-	-	-
FEMALE--	1	1	1	4	5	5	6	5	4	3	1	-
MAINE -----	-	1	-	4	-	-	8	5	8	3	-	-
WHITE-----MALE----	-	1	-	1	-	-	3	-	3	-	-	-
FEMALE--	-	-	-	2	-	-	5	5	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MARYLAND -----	5	4	10	12	22	24	31	20	17	5	-	-
WHITE-----MALE----	1	-	-	3	5	5	10	6	4	-	-	-
FEMALE--	-	1	-	3	8	11	15	5	5	2	-	-
ALL OTHER--MALE----	4	3	5	5	4	5	3	3	3	1	-	-
FEMALE--	-	-	5	1	5	3	3	6	5	2	-	-
BLACK---MALE-----	4	3	5	5	4	5	3	3	2	1	-	-
FEMALE--	-	-	5	1	5	3	3	6	5	2	-	-
MASSACHUSETTS -----	-	1	2	2	12	16	26	27	21	5	1	-
WHITE-----MALE----	-	1	1	1	4	2	8	14	7	-	1	-
FEMALE--	-	-	-	1	5	12	15	13	13	5	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
MICHIGAN -----	5	7	9	24	30	39	61	37	31	7	1	-
WHITE-----MALE----	1	1	1	4	11	9	11	4	6	3	1	-
FEMALE--	1	1	5	7	7	17	32	25	20	3	-	-
ALL OTHER--MALE----	1	-	2	7	6	5	9	4	-	-	-	-
FEMALE--	2	5	1	6	6	8	9	4	5	1	-	-
BLACK---MALE-----	1	-	2	7	6	5	8	4	-	-	-	-
FEMALE--	2	5	1	5	6	8	9	4	5	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1877

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
MINNESOTA -----	1	2	1	5	7	12	19	20	17	5	1	-
WHITE-----MALE----	1	1	1	1	3	6	11	9	3	-	-	-
FEMALE--	-	-	-	1	4	5	7	9	13	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	3	-	1	1	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	1	-	-	-
MISSISSIPPI -----	2	3	3	6	5	13	11	14	6	5	1	-
WHITE-----MALE----	-	-	1	1	2	2	2	2	2	-	-	-
FEMALE--	-	-	-	2	-	2	2	5	1	2	-	-
ALL OTHER--MALE----	1	2	1	1	1	3	3	3	1	-	1	-
FEMALE--	1	1	1	2	2	6	4	4	2	3	-	-
BLACK---MALE-----	1	2	1	1	1	3	3	3	1	-	1	-
FEMALE--	1	1	1	2	2	6	4	4	2	3	-	-
MISSOURI -----	3	4	6	8	26	22	19	37	21	8	-	-
WHITE-----MALE----	1	2	1	4	14	11	5	10	7	-	-	-
FEMALE--	1	1	-	2	2	6	8	19	9	8	-	-
ALL OTHER--MALE----	1	1	3	1	3	2	2	3	2	-	-	-
FEMALE--	-	-	2	1	7	3	4	5	3	-	-	-
BLACK---MALE-----	1	1	3	1	3	2	2	3	2	-	-	-
FEMALE--	-	-	2	1	7	3	4	5	3	-	-	-
MONTANA -----	-	-	1	1	1	2	2	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	1	1	8	5	11	5	5	4	-	-
WHITE-----MALE----	-	1	-	1	1	3	5	-	1	1	-	-
FEMALE--	-	1	1	-	6	2	5	5	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	3	1	3	2	2	7	4	2	1	-	1	-
WHITE-----MALE----	2	-	1	1	-	3	1	1	-	-	-	-
FEMALE--	-	1	2	1	1	1	2	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1879

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
OHIO -----	7	7	10	20	41	63	59	53	34	12	-	-
WHITE-----MALE----	1	4	3	4	10	19	19	23	5	3	-	-
FEMALE--	3	-	3	6	22	29	27	22	24	6	-	-
ALL OTHER--MALE----	1	1	1	5	2	5	4	4	3	1	-	-
FEMALE--	2	2	3	5	7	10	9	4	2	2	-	-
BLACK---MALE-----	1	1	1	5	2	5	4	4	3	1	-	-
FEMALE--	2	2	3	5	7	10	9	4	2	2	-	-
OKLAHOMA -----	-	1	3	2	11	8	20	13	3	5	1	-
WHITE-----MALE----	-	1	1	-	8	4	6	3	2	-	-	-
FEMALE--	-	-	1	2	3	3	9	7	1	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	1	4	2	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
OREGON -----	2	1	2	6	10	20	26	19	8	5	-	-
WHITE-----MALE----	-	1	1	1	2	7	14	9	4	-	-	-
FEMALE--	-	-	1	4	8	12	11	10	3	5	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
PENNSYLVANIA -----	3	6	12	19	34	42	54	48	32	8	7	-
WHITE-----MALE----	-	1	1	7	11	16	21	14	7	2	1	-
FEMALE--	1	2	2	3	12	19	22	26	19	4	4	-
ALL OTHER--MALE----	1	-	5	5	5	3	3	3	-	-	-	-
FEMALE--	1	3	4	4	6	4	8	5	6	2	2	-
BLACK---MALE-----	1	-	5	5	5	3	3	3	-	-	-	-
FEMALE--	1	3	4	4	6	4	7	5	6	1	2	-
RHODE ISLAND -----	2	1	-	-	4	7	4	8	2	1	-	-
WHITE-----MALE----	1	-	-	-	1	2	1	3	-	-	-	-
FEMALE--	1	-	-	-	2	4	2	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	12	9	15	20	20	25	29	21	13	5	2	-
WHITE-----MALE----	2	3	2	2	5	3	6	3	1	1	-	-
FEMALE--	-	1	1	3	3	7	4	4	4	2	-	-
ALL OTHER--MALE----	6	2	5	9	5	5	8	8	2	-	-	-
FEMALE--	4	3	7	6	7	10	11	6	6	2	2	-
BLACK---MALE-----	6	2	5	9	5	5	8	8	2	-	-	-
FEMALE--	4	3	7	6	7	10	11	6	6	2	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1880

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
SOUTH DAKOTA -----	-	-	-	1	1	1	3	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	6	8	10	13	25	21	26	24	4	1	-
WHITE-----MALE----	-	-	4	1	4	6	5	9	6	-	-	-
FEMALE--	2	1	2	2	3	10	10	10	15	1	1	-
ALL OTHER--MALE----	4	2	2	5	4	1	2	3	1	1	-	-
FEMALE--	-	3	-	2	2	8	4	4	2	2	-	-
BLACK---MALE-----	4	2	2	5	4	1	2	3	1	1	-	-
FEMALE--	-	3	-	2	2	7	4	4	2	2	-	-
TEXAS -----	17	20	23	45	70	81	94	75	46	20	3	-
WHITE-----MALE----	6	8	4	14	25	30	25	18	14	4	1	-
FEMALE--	5	7	6	16	22	31	53	40	18	9	2	-
ALL OTHER--MALE----	6	3	3	7	10	8	6	5	5	2	-	-
FEMALE--	-	2	10	8	13	12	10	12	9	5	-	-
BLACK---MALE-----	5	3	2	7	10	8	6	5	5	2	-	-
FEMALE--	-	2	10	7	12	12	9	11	9	5	-	-
UTAH -----	-	-	-	2	1	1	7	8	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	5	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	-	1	1	1	5	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	5	6	15	16	20	27	26	15	5	2	-
WHITE-----MALE----	-	-	1	2	4	4	10	2	2	1	1	-
FEMALE--	-	-	1	3	5	8	7	14	6	1	1	-
ALL OTHER--MALE----	2	2	2	4	5	6	2	5	2	1	-	-
FEMALE--	2	3	2	6	2	2	8	5	5	2	-	-
BLACK---MALE-----	2	2	2	4	5	6	2	5	2	1	-	-
FEMALE--	2	3	2	6	2	2	6	5	5	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1882

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart and renal disease (I13)												
UNITED STATES -	3,327	-	-	2	-	2	4	5	16	43	71	80
WHITE-----MALE----	906	-	-	1	-	-	-	1	5	7	10	11
FEMALE--	1,329	-	-	-	-	-	-	-	1	7	4	10
ALL OTHER--MALE----	484	-	-	-	-	1	2	2	8	17	33	39
FEMALE--	608	-	-	1	-	1	2	2	2	12	24	20
BLACK---MALE-----	434	-	-	-	-	1	2	1	8	16	33	37
FEMALE--	566	-	-	1	-	1	2	2	2	12	24	20
ALABAMA -----	84	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	463	-	-	1	-	-	-	-	1	11	7	11
WHITE-----MALE----	132	-	-	1	-	-	-	-	-	2	2	1
FEMALE--	179	-	-	-	-	-	-	-	-	3	-	2
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	82	-	-	-	-	-	-	-	1	4	2	2
BLACK---MALE-----	46	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	63	-	-	-	-	-	-	-	1	4	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1882

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
UNITED STATES -	76	116	146	201	269	487	600	600	411	162	36	-
WHITE-----MALE----	19	26	34	54	69	159	199	167	108	31	5	-
FEMALE--	12	21	29	47	79	184	264	306	243	98	24	-
ALL OTHER--MALE----	31	40	46	45	55	62	40	38	15	10	-	-
FEMALE--	14	29	37	55	66	82	97	89	45	23	7	-
BLACK---MALE-----	28	37	44	41	51	50	34	29	13	9	-	-
FEMALE--	12	29	34	50	63	72	88	85	39	23	7	-
ALABAMA -----	2	3	7	6	4	9	14	15	12	9	1	-
WHITE-----MALE----	-	-	-	-	3	2	5	1	2	-	-	-
FEMALE--	-	-	1	2	-	-	1	8	6	5	1	-
ALL OTHER--MALE----	2	2	2	1	1	4	1	-	2	1	-	-
FEMALE--	-	1	4	3	-	3	7	6	2	3	-	-
BLACK---MALE-----	2	2	2	1	1	4	1	-	2	1	-	-
FEMALE--	-	1	4	3	-	3	7	6	2	3	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	-	1	2	3	1	1	4	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	1	-	-	-
FEMALE--	-	2	-	-	1	1	1	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	2	3	2	1	6	3	7	2	4	2	-	-
WHITE-----MALE----	-	2	1	1	3	-	2	-	-	1	-	-
FEMALE--	1	-	-	-	1	2	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	2	1	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	1	-	2	1	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
CALIFORNIA -----	14	26	19	33	34	59	91	62	60	26	8	-
WHITE-----MALE----	3	6	6	11	10	14	32	17	21	4	2	-
FEMALE--	1	4	7	9	11	25	35	25	34	18	5	-
ALL OTHER--MALE----	7	9	5	3	5	9	11	9	-	1	-	-
FEMALE--	3	7	1	10	8	11	13	11	5	3	1	-
BLACK---MALE-----	5	8	5	2	4	3	6	3	-	-	-	-
FEMALE--	1	7	-	7	7	7	10	8	3	3	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1883

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart and renal disease (I13)												
COLORADO -----	23	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ---	26	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	220	-	-	-	-	-	-	-	1	-	7	4
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	77	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	-	4	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE-----	27	-	-	-	-	-	-	-	1	-	4	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	3	2
GEORGIA -----	89	-	-	-	-	-	-	-	-	3	2	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1883

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
COLORADO -----	-	-	-	-	3	3	4	5	6	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	2	1	-	-
FEMALE--	-	-	-	-	2	2	2	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	2	2	3	5	6	6	2	2	4	-
WHITE-----MALE----	-	-	1	-	1	1	1	2	2	1	-	-
FEMALE--	-	-	-	1	1	3	5	4	-	1	4	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	1	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	2	4	4	5	2	2	3	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	3	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	1	2	1	-	-
BLACK---MALE-----	-	-	1	3	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	1	2	1	-	-
FLORIDA -----	6	6	9	15	16	36	51	41	20	7	1	-
WHITE-----MALE----	2	2	2	2	2	13	24	17	6	2	-	-
FEMALE--	2	2	2	4	5	13	17	16	10	5	1	-
ALL OTHER--MALE----	2	1	3	3	2	7	-	3	-	-	-	-
FEMALE--	-	1	2	6	7	3	10	5	4	-	-	-
BLACK---MALE-----	2	1	3	3	2	7	-	3	-	-	-	-
FEMALE--	-	1	2	6	7	2	10	5	3	-	-	-
GEORGIA -----	2	3	6	5	11	12	12	15	13	4	-	-
WHITE-----MALE----	-	-	-	2	2	1	6	1	3	-	-	-
FEMALE--	-	-	1	1	4	4	5	9	3	1	-	-
ALL OTHER--MALE----	1	2	3	-	1	3	-	5	2	1	-	-
FEMALE--	1	1	2	2	4	4	1	-	5	2	-	-
BLACK---MALE-----	1	2	3	-	1	3	-	5	2	1	-	-
FEMALE--	1	1	2	2	4	4	1	-	5	2	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1885

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
KENTUCKY -----	-	2	1	2	3	7	10	3	4	3	-	-
WHITE-----MALE----	-	1	-	1	2	2	2	-	1	1	-	-
FEMALE--	-	1	-	-	1	3	6	3	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
LOUISIANA -----	1	2	8	6	13	19	9	18	6	2	-	-
WHITE-----MALE----	-	1	-	-	2	7	1	5	1	-	-	-
FEMALE--	-	-	-	-	1	5	2	7	4	1	-	-
ALL OTHER--MALE----	-	1	4	2	5	3	3	1	1	-	-	-
FEMALE--	1	-	4	4	5	4	3	5	-	1	-	-
BLACK---MALE-----	-	1	4	1	5	3	3	1	1	-	-	-
FEMALE--	1	-	4	4	5	4	3	5	-	1	-	-
MAINE -----	-	-	-	-	-	-	4	2	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	4	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	8	5	4	16	11	25	14	6	2	-	-
WHITE-----MALE----	1	2	1	1	2	3	11	6	1	-	-	-
FEMALE--	1	-	-	1	8	4	6	6	4	1	-	-
ALL OTHER--MALE----	1	4	3	1	3	1	3	1	1	-	-	-
FEMALE--	1	2	1	1	3	3	5	1	-	1	-	-
BLACK---MALE-----	1	4	3	1	2	1	2	1	1	-	-	-
FEMALE--	1	2	1	1	3	2	5	1	-	1	-	-
MASSACHUSETTS -----	-	-	1	-	3	7	11	13	7	3	1	-
WHITE-----MALE----	-	-	-	-	-	3	5	6	1	-	-	-
FEMALE--	-	-	-	-	3	4	5	7	5	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	5	8	4	4	11	14	17	21	15	4	-	-
WHITE-----MALE----	1	1	-	-	2	6	2	5	3	3	-	-
FEMALE--	-	2	2	1	4	5	11	15	7	-	-	-
ALL OTHER--MALE----	4	3	2	2	3	2	2	-	-	1	-	-
FEMALE--	-	2	-	1	2	1	2	1	5	-	-	-
BLACK---MALE-----	4	3	2	2	3	2	2	-	-	1	-	-
FEMALE--	-	2	-	1	2	1	2	1	5	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1888

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
OHIO -----	1	2	4	8	7	16	27	21	19	11	-	-
WHITE-----MALE----	1	1	1	2	2	8	7	5	2	2	-	-
FEMALE--	-	-	-	2	3	5	11	12	15	9	-	-
ALL OTHER--MALE----	-	1	2	3	-	1	3	2	-	-	-	-
FEMALE--	-	-	1	1	2	2	6	2	2	-	-	-
BLACK---MALE-----	-	1	2	3	-	1	3	2	-	-	-	-
FEMALE--	-	-	1	1	2	2	6	2	2	-	-	-
OKLAHOMA -----	-	1	-	1	2	9	4	7	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	1	2	-	-	-
FEMALE--	-	1	-	-	-	3	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
OREGON -----	3	1	-	2	3	5	10	11	3	1	1	-
WHITE-----MALE----	1	-	-	1	1	3	2	5	2	-	-	-
FEMALE--	1	-	-	1	1	1	8	5	1	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	2	5	3	7	16	28	19	21	3	-	-
WHITE-----MALE----	1	-	2	1	2	7	9	3	8	1	-	-
FEMALE--	1	2	2	-	5	8	13	14	11	2	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	1	6	1	1	-	-	-
BLACK---MALE-----	1	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	6	1	1	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	6	5	5	10	16	16	8	1	1	-
WHITE-----MALE----	-	-	1	2	1	1	-	5	1	-	-	-
FEMALE--	-	-	1	1	2	3	5	4	3	1	-	-
ALL OTHER--MALE----	-	1	2	2	1	1	3	1	2	-	-	-
FEMALE--	-	1	2	-	1	5	8	6	2	-	1	-
BLACK---MALE-----	-	1	2	2	1	1	3	1	2	-	-	-
FEMALE--	-	1	2	-	1	5	8	6	2	-	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1889

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
SOUTH DAKOTA -----	-	-	-	1	-	-	2	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	2	7	9	23	18	18	9	7	1	-
WHITE-----MALE----	-	1	-	-	2	6	5	2	2	1	-	-
FEMALE--	-	-	1	1	1	7	9	12	4	4	-	-
ALL OTHER--MALE----	-	1	-	4	3	6	2	-	-	1	-	-
FEMALE--	2	3	1	2	3	4	2	4	3	1	1	-
BLACK---MALE-----	-	1	-	4	3	6	2	-	-	1	-	-
FEMALE--	2	3	1	2	3	4	2	4	3	1	1	-
TEXAS -----	2	11	8	17	14	43	30	54	24	14	3	-
WHITE-----MALE----	1	2	3	7	2	14	8	15	2	4	2	-
FEMALE--	1	2	-	6	5	17	15	23	18	7	1	-
ALL OTHER--MALE----	-	2	3	2	3	6	1	1	-	-	-	-
FEMALE--	-	5	2	2	4	6	6	15	4	3	-	-
BLACK---MALE-----	-	2	3	2	3	5	1	1	-	-	-	-
FEMALE--	-	5	2	2	4	5	6	15	4	3	-	-
UTAH -----	-	1	-	-	-	1	1	2	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	2	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	3	7	8	11	15	15	4	2	-	-
WHITE-----MALE----	-	-	1	1	2	2	5	4	1	1	-	-
FEMALE--	-	-	-	-	2	5	8	6	3	1	-	-
ALL OTHER--MALE----	2	2	-	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	2	5	3	1	1	4	-	-	-	-
BLACK---MALE-----	2	2	-	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	2	5	3	1	1	4	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1891

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
UNITED STATES -	529,659	27	5	13	9	52	85	245	769	2,387	5,364	9,524
WHITE-----MALE----	237,193	8	3	7	5	25	38	124	431	1,425	3,317	6,089
FEMALE--	231,956	10	1	2	-	11	11	56	142	430	816	1,452
ALL OTHER--MALE----	30,075	5	-	3	2	11	19	45	139	376	852	1,358
FEMALE--	30,435	4	1	1	2	5	17	20	57	156	379	625
BLACK---MALE-----	25,104	4	-	3	2	9	17	38	110	323	734	1,171
FEMALE--	26,891	4	1	1	2	5	16	15	50	151	362	590
ALABAMA -----	7,528	1	1	3	1	3	4	7	18	53	129	209
WHITE-----MALE----	3,184	-	1	-	1	-	1	3	11	24	72	114
FEMALE--	2,838	-	-	1	-	1	-	2	4	13	16	27
ALL OTHER--MALE----	721	-	-	2	-	1	1	1	2	8	26	46
FEMALE--	785	1	-	-	-	1	2	1	1	8	15	22
BLACK---MALE-----	714	-	-	2	-	1	1	1	2	8	26	45
FEMALE--	778	1	-	-	-	1	2	1	1	8	14	21
ALASKA -----	383	-	-	-	-	-	-	1	1	4	10	18
WHITE-----MALE----	209	-	-	-	-	-	-	-	1	3	6	9
FEMALE--	101	-	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	36	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8,394	-	-	-	-	1	-	3	9	22	86	148
WHITE-----MALE----	4,419	-	-	-	-	1	-	2	8	11	64	116
FEMALE--	3,599	-	-	-	-	-	-	1	1	6	13	20
ALL OTHER--MALE----	207	-	-	-	-	-	-	-	-	4	7	10
FEMALE--	169	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	89	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	94	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	5,473	-	-	-	1	1	1	5	5	35	82	127
WHITE-----MALE----	2,553	-	-	-	-	1	-	1	2	15	46	76
FEMALE--	2,160	-	-	-	-	-	-	3	1	10	13	23
ALL OTHER--MALE----	354	-	-	-	-	-	-	-	1	6	17	19
FEMALE--	406	-	-	-	1	-	1	1	1	4	6	9
BLACK---MALE-----	350	-	-	-	-	-	-	-	1	6	17	18
FEMALE--	399	-	-	-	1	-	1	1	1	4	6	9
CALIFORNIA -----	56,320	3	-	1	-	5	2	22	74	166	450	882
WHITE-----MALE----	24,397	1	-	1	-	3	-	12	42	106	285	558
FEMALE--	24,625	-	-	-	-	-	1	4	17	24	65	127
ALL OTHER--MALE----	3,810	1	-	-	-	1	-	2	11	28	74	153
FEMALE--	3,488	1	-	-	-	1	1	4	4	8	26	44
BLACK---MALE-----	1,924	1	-	-	-	-	-	2	5	16	42	80
FEMALE--	2,078	1	-	-	-	1	-	4	3	8	21	36

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1891

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
UNITED STATES -	15,251	20,575	27,802	40,080	58,760	79,379	89,917	88,158	60,502	24,983	5,733	39
WHITE-----MALE----	9,583	12,487	16,061	22,652	31,841	39,837	39,986	31,607	16,126	4,783	737	21
FEMALE--	2,689	4,246	6,872	11,242	19,118	30,794	42,013	49,459	39,999	18,202	4,385	6
ALL OTHER--MALE----	2,031	2,534	3,041	3,532	4,162	4,204	3,278	2,561	1,346	462	104	10
FEMALE--	948	1,308	1,828	2,654	3,639	4,544	4,640	4,531	3,031	1,536	507	2
BLACK---MALE-----	1,767	2,197	2,609	3,038	3,505	3,433	2,652	1,999	1,022	375	86	10
FEMALE--	875	1,195	1,631	2,357	3,194	3,969	4,017	3,932	2,675	1,387	460	2
ALABAMA -----	267	378	496	679	933	1,118	1,161	1,084	679	246	58	-
WHITE-----MALE----	161	194	273	369	478	524	459	324	130	40	5	-
FEMALE--	46	88	96	185	248	394	523	579	433	150	32	-
ALL OTHER--MALE----	34	65	71	74	105	96	74	66	31	13	5	-
FEMALE--	26	31	56	51	102	104	105	115	85	43	16	-
BLACK---MALE-----	34	65	70	73	104	95	74	64	31	13	5	-
FEMALE--	26	31	53	51	102	103	104	115	85	43	16	-
ALASKA -----	28	28	35	52	62	61	44	28	9	2	-	-
WHITE-----MALE----	22	21	21	32	36	25	21	10	2	-	-	-
FEMALE--	2	4	8	10	15	22	15	9	6	2	-	-
ALL OTHER--MALE----	3	1	3	9	5	6	1	4	1	-	-	-
FEMALE--	1	2	3	1	6	8	7	5	-	-	-	-
BLACK---MALE-----	-	1	1	2	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ARIZONA -----	234	346	486	708	1,048	1,295	1,496	1,336	789	308	79	-
WHITE-----MALE----	167	239	313	455	656	724	762	557	248	82	14	-
FEMALE--	47	76	139	208	347	522	684	737	520	219	59	-
ALL OTHER--MALE----	15	15	22	29	29	18	24	20	11	2	1	-
FEMALE--	5	16	12	16	16	31	26	22	10	5	5	-
BLACK---MALE-----	9	7	6	12	14	4	14	9	3	2	-	-
FEMALE--	1	8	8	6	10	18	16	16	6	2	1	-
ARKANSAS -----	166	251	297	506	621	810	923	861	536	208	36	1
WHITE-----MALE----	108	158	177	294	369	415	408	304	135	39	5	-
FEMALE--	37	62	67	129	183	291	406	446	334	131	24	-
ALL OTHER--MALE----	19	23	30	41	35	49	39	45	18	8	3	1
FEMALE--	2	8	23	42	34	55	70	66	49	30	4	-
BLACK---MALE-----	19	23	30	41	34	49	38	44	18	8	3	1
FEMALE--	2	8	22	40	31	55	70	66	48	30	4	-
CALIFORNIA -----	1,467	1,956	2,685	3,843	5,925	8,512	9,864	9,790	6,919	3,053	696	5
WHITE-----MALE----	924	1,151	1,421	2,075	3,125	4,109	4,434	3,551	1,927	585	83	4
FEMALE--	275	403	715	1,108	1,912	3,261	4,357	5,245	4,356	2,210	545	-
ALL OTHER--MALE----	202	283	367	365	495	592	498	409	241	74	13	1
FEMALE--	66	119	182	295	393	550	575	585	395	184	55	-
BLACK---MALE-----	120	184	209	218	257	276	232	167	75	34	5	1
FEMALE--	46	83	133	188	221	311	330	310	228	117	37	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1892

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
COLORADO -----	4,497	1	-	-	-	2	1	4	12	29	63	91
WHITE-----MALE----	2,336	-	-	-	-	1	1	4	7	16	45	73
FEMALE--	1,979	1	-	-	-	1	-	-	3	6	15	14
ALL OTHER--MALE----	103	-	-	-	-	-	-	-	1	7	2	3
FEMALE--	79	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	79	-	-	-	-	-	-	-	1	7	1	3
FEMALE--	61	-	-	-	-	-	-	-	1	-	1	1
CONNECTICUT -----	6,505	-	-	-	-	-	-	4	8	25	42	98
WHITE-----MALE----	2,971	-	-	-	-	-	-	2	6	20	28	66
FEMALE--	3,164	-	-	-	-	-	-	1	2	4	8	17
ALL OTHER--MALE----	200	-	-	-	-	-	-	1	-	1	4	7
FEMALE--	170	-	-	-	-	-	-	-	-	-	2	8
BLACK---MALE-----	175	-	-	-	-	-	-	1	-	1	3	7
FEMALE--	159	-	-	-	-	-	-	-	-	-	2	7
DELAWARE -----	1,525	1	-	-	-	-	1	-	3	6	15	22
WHITE-----MALE----	648	1	-	-	-	-	1	-	1	4	10	11
FEMALE--	666	-	-	-	-	-	-	-	2	1	1	5
ALL OTHER--MALE----	99	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE-----	95	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	110	-	-	-	-	-	-	-	-	-	1	4
DISTRICT OF COLUMBIA ---	1,065	-	-	-	-	1	-	1	1	2	10	27
WHITE-----MALE----	133	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	138	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	381	-	-	-	-	-	-	-	-	1	4	18
FEMALE--	413	-	-	-	-	1	-	1	1	1	4	5
BLACK---MALE-----	374	-	-	-	-	-	-	-	-	1	4	17
FEMALE--	411	-	-	-	-	1	-	1	1	1	4	5
FLORIDA -----	40,927	-	-	1	-	1	6	20	48	147	310	525
WHITE-----MALE----	19,358	-	-	1	-	-	4	11	29	95	207	363
FEMALE--	18,274	-	-	-	-	-	1	3	11	23	35	74
ALL OTHER--MALE----	1,594	-	-	-	-	1	1	3	5	18	47	56
FEMALE--	1,701	-	-	-	-	-	-	3	3	11	21	32
BLACK---MALE-----	1,523	-	-	-	-	1	1	3	5	17	43	55
FEMALE--	1,641	-	-	-	-	-	-	3	3	11	21	32
GEORGIA -----	10,475	-	-	-	1	2	2	7	24	86	186	278
WHITE-----MALE----	4,351	-	-	-	-	-	1	2	14	48	98	156
FEMALE--	3,738	-	-	-	-	2	-	1	2	14	22	32
ALL OTHER--MALE----	1,138	-	-	-	1	-	-	4	7	12	44	63
FEMALE--	1,248	-	-	-	-	-	1	-	1	12	22	27
BLACK---MALE-----	1,108	-	-	-	1	-	-	4	6	12	43	62
FEMALE--	1,225	-	-	-	-	-	1	-	1	12	21	27

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1892

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
COLORADO -----	142	209	269	351	506	675	727	679	487	200	49	-
WHITE-----MALE----	112	145	195	220	310	406	364	253	134	43	7	-
FEMALE--	18	55	53	111	175	246	340	407	345	152	37	-
ALL OTHER--MALE----	9	9	15	12	14	13	9	5	3	1	-	-
FEMALE--	3	-	6	8	7	10	14	14	5	4	5	-
BLACK---MALE-----	7	7	12	12	11	8	4	4	1	1	-	-
FEMALE--	3	-	4	7	5	7	11	10	5	3	3	-
CONNECTICUT -----	157	216	290	382	651	941	1,162	1,230	844	364	91	-
WHITE-----MALE----	109	141	183	218	386	497	541	453	244	67	10	-
FEMALE--	27	48	77	120	220	394	573	729	580	286	78	-
ALL OTHER--MALE----	13	19	20	30	26	26	21	26	4	2	-	-
FEMALE--	8	8	10	14	19	24	27	22	16	9	3	-
BLACK---MALE-----	12	19	19	25	22	17	17	21	4	2	-	-
FEMALE--	8	8	10	11	17	23	24	22	15	9	3	-
DELAWARE -----	47	52	78	131	209	240	279	231	124	72	14	-
WHITE-----MALE----	29	28	40	65	106	116	114	84	28	9	1	-
FEMALE--	8	10	20	42	70	86	138	129	87	56	11	-
ALL OTHER--MALE----	6	6	9	16	17	21	6	5	4	3	-	-
FEMALE--	4	8	9	8	16	17	21	13	5	4	2	-
BLACK---MALE-----	6	6	9	15	17	20	6	4	3	3	-	-
FEMALE--	4	7	9	8	15	17	21	13	5	4	2	-
DISTRICT OF COLUMBIA ---	40	35	58	88	127	165	179	155	98	63	14	1
WHITE-----MALE----	4	2	6	11	20	18	23	17	18	9	-	-
FEMALE--	1	-	5	5	7	14	28	36	17	20	4	-
ALL OTHER--MALE----	25	20	25	51	51	71	54	36	18	6	-	1
FEMALE--	10	13	22	21	49	62	74	66	45	28	10	-
BLACK---MALE-----	25	20	24	51	49	70	53	36	18	5	-	1
FEMALE--	9	13	22	21	49	62	74	66	45	28	9	-
FLORIDA -----	835	1,217	1,791	2,710	4,223	6,156	7,252	7,518	5,483	2,232	445	7
WHITE-----MALE----	539	790	1,090	1,624	2,419	3,291	3,591	3,037	1,647	539	76	5
FEMALE--	141	248	409	758	1,407	2,361	3,229	4,060	3,582	1,597	334	1
ALL OTHER--MALE----	94	115	172	178	229	242	171	139	85	26	11	1
FEMALE--	61	64	120	150	168	262	261	282	169	70	24	-
BLACK---MALE-----	91	113	165	167	220	228	163	133	81	25	11	1
FEMALE--	59	63	116	145	158	248	253	272	166	69	22	-
GEORGIA -----	483	628	771	1,004	1,232	1,516	1,568	1,415	876	333	63	-
WHITE-----MALE----	263	326	399	505	616	664	588	420	204	39	8	-
FEMALE--	76	104	168	238	334	557	686	746	491	225	40	-
ALL OTHER--MALE----	98	124	117	144	134	136	116	76	45	15	2	-
FEMALE--	46	74	87	117	148	159	178	173	136	54	13	-
BLACK---MALE-----	94	122	115	138	133	129	114	75	44	15	1	-
FEMALE--	46	71	87	115	145	154	175	170	135	52	13	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1893

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
HAWAII -----	58	78	100	120	189	212	239	209	149	57	18	-
WHITE-----MALE----	11	17	18	22	36	39	36	19	16	5	1	-
FEMALE--	1	2	3	8	20	21	34	26	25	6	2	-
ALL OTHER--MALE----	34	44	50	56	86	93	93	104	60	23	4	-
FEMALE--	12	15	29	34	47	59	76	60	48	23	11	-
BLACK---MALE-----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
IDAHO -----	51	69	101	173	169	288	315	321	174	65	9	-
WHITE-----MALE----	35	54	71	120	118	177	179	160	68	18	2	-
FEMALE--	14	15	27	50	48	111	132	161	105	47	7	-
ALL OTHER--MALE----	2	-	1	2	2	-	4	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	687	962	1,312	1,749	2,681	3,595	4,120	4,122	2,739	1,174	314	1
WHITE-----MALE----	397	557	720	959	1,395	1,804	1,820	1,433	693	229	48	-
FEMALE--	109	186	305	442	835	1,318	1,909	2,342	1,846	856	238	-
ALL OTHER--MALE----	113	150	177	209	231	241	161	116	51	16	6	-
FEMALE--	68	69	110	139	220	232	230	231	149	73	22	1
BLACK---MALE-----	108	144	168	198	214	222	145	97	47	16	6	-
FEMALE--	67	66	103	133	211	217	216	211	146	71	22	1
INDIANA -----	371	483	663	917	1,407	1,750	1,898	1,764	1,228	547	132	-
WHITE-----MALE----	257	326	386	539	763	918	834	651	322	101	18	-
FEMALE--	74	117	210	292	553	716	959	1,021	865	419	103	-
ALL OTHER--MALE----	28	28	42	44	52	53	43	38	11	8	2	-
FEMALE--	12	12	25	42	39	63	62	54	30	19	9	-
BLACK---MALE-----	28	28	41	42	49	53	42	34	10	7	2	-
FEMALE--	12	12	25	41	38	60	60	53	28	18	9	-
IOWA -----	139	186	289	427	673	971	1,243	1,313	977	495	132	-
WHITE-----MALE----	105	136	194	280	425	561	594	511	306	88	16	-
FEMALE--	31	44	91	135	234	402	632	795	662	406	116	-
ALL OTHER--MALE----	3	3	2	7	7	4	6	1	3	-	-	-
FEMALE--	-	3	2	5	7	4	11	6	6	1	-	-
BLACK---MALE-----	3	3	2	4	7	4	4	1	2	-	-	-
FEMALE--	-	3	1	4	5	4	10	2	4	1	-	-
KANSAS -----	106	163	238	312	488	717	752	807	586	253	69	-
WHITE-----MALE----	82	110	139	193	304	421	348	332	181	55	12	-
FEMALE--	18	41	79	101	159	271	379	464	392	191	53	-
ALL OTHER--MALE----	5	6	11	10	13	11	9	4	5	2	1	-
FEMALE--	1	6	9	8	12	14	16	7	8	5	3	-
BLACK---MALE-----	3	5	8	8	13	10	5	4	3	2	1	-
FEMALE--	1	5	7	7	10	11	12	7	7	5	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1894

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
KENTUCKY -----	8,231	-	-	1	1	1	2	9	16	61	101	168
WHITE-----MALE----	3,959	-	-	1	1	1	2	4	9	41	61	112
FEMALE--	3,766	-	-	-	-	-	-	4	6	15	29	37
ALL OTHER--MALE----	246	-	-	-	-	-	-	1	-	1	10	11
FEMALE--	260	-	-	-	-	-	-	-	1	4	1	8
BLACK---MALE-----	240	-	-	-	-	-	-	-	-	1	10	11
FEMALE--	260	-	-	-	-	-	-	-	1	4	1	8
LOUISIANA -----	7,903	-	-	-	-	1	4	5	20	59	109	222
WHITE-----MALE----	3,098	-	-	-	-	-	-	1	11	30	49	113
FEMALE--	2,801	-	-	-	-	-	-	2	-	8	10	24
ALL OTHER--MALE----	1,020	-	-	-	-	1	2	2	4	17	37	62
FEMALE--	984	-	-	-	-	-	2	-	5	4	13	23
BLACK---MALE-----	1,001	-	-	-	-	1	2	2	4	17	36	61
FEMALE--	973	-	-	-	-	-	2	-	4	4	13	23
MAINE -----	2,459	-	-	-	-	1	-	-	1	9	28	42
WHITE-----MALE----	1,195	-	-	-	-	1	-	-	1	4	24	31
FEMALE--	1,238	-	-	-	-	-	-	-	-	5	4	10
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8,901	1	-	-	1	2	2	3	16	35	96	144
WHITE-----MALE----	3,417	1	-	-	1	2	-	2	5	17	43	74
FEMALE--	3,530	-	-	-	-	-	-	1	4	5	12	15
ALL OTHER--MALE----	942	-	-	-	-	-	2	-	4	10	25	35
FEMALE--	1,012	-	-	-	-	-	-	-	3	3	16	20
BLACK---MALE-----	888	-	-	-	-	-	2	-	4	10	24	29
FEMALE--	969	-	-	-	-	-	-	-	3	3	16	20
MASSACHUSETTS -----	10,588	1	-	-	-	1	2	3	12	37	116	144
WHITE-----MALE----	5,083	-	-	-	-	-	2	1	10	27	86	103
FEMALE--	5,158	1	-	-	-	1	-	1	2	4	18	31
ALL OTHER--MALE----	188	-	-	-	-	-	-	1	-	3	9	8
FEMALE--	159	-	-	-	-	-	-	-	-	3	3	2
BLACK---MALE-----	143	-	-	-	-	-	-	1	-	2	6	5
FEMALE--	132	-	-	-	-	-	-	-	-	2	3	1
MICHIGAN -----	20,642	1	1	-	-	-	2	3	29	113	243	414
WHITE-----MALE----	9,040	1	-	-	-	-	-	1	17	67	153	243
FEMALE--	8,756	-	-	-	-	-	1	1	4	19	48	74
ALL OTHER--MALE----	1,417	-	-	-	-	-	-	1	4	21	29	69
FEMALE--	1,429	-	1	-	-	-	1	-	4	6	13	28
BLACK---MALE-----	1,336	-	-	-	-	-	-	1	3	20	29	63
FEMALE--	1,364	-	1	-	-	-	1	-	4	6	13	27

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1894

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
KENTUCKY -----	288	398	523	767	962	1,256	1,275	1,198	842	295	66	1
WHITE-----MALE----	204	255	341	480	552	641	543	419	226	55	11	-
FEMALE--	50	109	149	232	359	544	663	728	584	211	46	-
ALL OTHER--MALE----	23	25	20	34	25	31	34	17	9	4	1	-
FEMALE--	11	9	13	21	26	40	35	34	23	25	8	1
BLACK---MALE-----	23	24	20	33	24	29	34	17	9	4	1	-
FEMALE--	11	9	13	21	26	40	35	34	23	25	8	1
LOUISIANA -----	312	427	516	745	952	1,143	1,181	1,135	732	283	57	-
WHITE-----MALE----	141	200	242	359	428	499	458	347	171	47	2	-
FEMALE--	51	77	111	189	277	399	493	552	410	163	35	-
ALL OTHER--MALE----	87	99	97	114	141	113	89	89	41	21	4	-
FEMALE--	33	51	66	83	106	132	141	147	110	52	16	-
BLACK---MALE-----	86	94	96	109	138	113	88	89	41	20	4	-
FEMALE--	33	51	66	82	105	131	140	144	107	52	16	-
MAINE -----	65	77	116	172	288	386	400	380	344	115	35	-
WHITE-----MALE----	44	50	83	114	170	218	191	147	98	16	3	-
FEMALE--	20	25	29	54	115	163	205	233	245	99	31	-
ALL OTHER--MALE----	1	2	2	3	2	2	2	-	1	-	-	-
FEMALE--	-	-	2	1	1	3	2	-	-	-	1	-
BLACK---MALE-----	-	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MARYLAND -----	292	406	521	729	1,019	1,354	1,483	1,357	925	424	80	11
WHITE-----MALE----	156	192	264	330	463	596	543	428	217	75	3	5
FEMALE--	34	72	81	184	288	486	692	716	593	285	62	-
ALL OTHER--MALE----	76	95	113	122	136	125	95	59	26	10	3	6
FEMALE--	26	47	63	93	132	147	153	154	89	54	12	-
BLACK---MALE-----	74	88	102	117	127	122	88	56	26	10	3	6
FEMALE--	25	45	60	88	124	143	144	147	85	54	12	-
MASSACHUSETTS -----	258	358	466	717	1,102	1,563	1,891	1,882	1,316	563	156	-
WHITE-----MALE----	191	252	299	462	676	871	927	702	357	100	17	-
FEMALE--	51	74	136	221	373	653	931	1,140	938	451	132	-
ALL OTHER--MALE----	12	23	22	17	26	22	14	17	7	6	1	-
FEMALE--	4	9	9	17	27	17	19	23	14	6	6	-
BLACK---MALE-----	10	19	18	12	16	19	11	12	5	6	1	-
FEMALE--	4	9	8	16	18	14	17	20	10	5	5	-
MICHIGAN -----	641	913	1,138	1,681	2,352	3,105	3,501	3,309	2,135	876	184	1
WHITE-----MALE----	391	535	638	900	1,220	1,502	1,485	1,149	564	145	29	-
FEMALE--	113	184	280	476	724	1,168	1,623	1,864	1,399	637	140	1
ALL OTHER--MALE----	88	124	135	175	204	225	161	104	52	23	2	-
FEMALE--	49	70	85	130	204	210	232	192	120	71	13	-
BLACK---MALE-----	82	114	128	164	195	213	153	98	50	21	2	-
FEMALE--	48	67	79	126	194	202	218	182	115	68	13	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1895

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
MINNESOTA -----	172	221	280	418	632	903	1,115	1,122	803	308	73	-
WHITE-----MALE----	142	162	196	307	409	533	587	480	287	68	11	-
FEMALE--	19	50	75	102	207	350	518	630	511	239	62	-
ALL OTHER--MALE----	8	7	7	9	10	8	3	4	3	-	-	-
FEMALE--	3	2	2	-	6	12	7	8	2	1	-	-
BLACK---MALE-----	7	4	3	7	2	4	1	2	2	-	-	-
FEMALE--	2	1	1	-	3	4	3	5	2	-	-	-
MISSISSIPPI -----	229	314	383	552	718	804	865	881	561	194	51	-
WHITE-----MALE----	109	148	184	251	310	333	295	239	91	21	5	-
FEMALE--	29	49	73	121	194	249	374	408	340	119	23	-
ALL OTHER--MALE----	67	66	85	91	104	89	82	70	42	17	2	-
FEMALE--	24	51	41	89	110	133	114	164	88	37	21	-
BLACK---MALE-----	67	63	83	89	103	87	82	69	42	17	2	-
FEMALE--	24	51	40	88	109	131	114	162	88	37	21	-
MISSOURI -----	383	458	697	943	1,407	1,918	2,170	2,212	1,632	665	168	-
WHITE-----MALE----	253	297	416	557	777	979	987	793	397	117	15	-
FEMALE--	63	96	192	278	464	774	1,030	1,276	1,133	493	133	-
ALL OTHER--MALE----	47	44	51	63	92	79	56	50	29	10	6	-
FEMALE--	20	21	38	45	74	86	97	93	73	45	14	-
BLACK---MALE-----	45	41	48	61	86	77	51	50	29	9	6	-
FEMALE--	16	19	37	44	73	83	96	89	72	45	14	-
MONTANA -----	44	46	66	128	148	189	222	177	120	40	9	-
WHITE-----MALE----	28	36	49	92	91	103	116	82	38	10	1	-
FEMALE--	11	8	14	28	47	78	103	90	79	30	8	-
ALL OTHER--MALE----	4	2	1	7	5	6	2	3	-	-	-	-
FEMALE--	1	-	2	1	5	2	1	2	3	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	60	89	113	190	275	389	474	467	369	136	42	-
WHITE-----MALE----	46	65	71	128	170	224	232	187	105	33	7	-
FEMALE--	8	16	35	54	98	160	234	271	260	102	35	-
ALL OTHER--MALE----	2	7	4	5	4	4	1	2	-	1	-	-
FEMALE--	4	1	3	3	3	1	7	7	4	-	-	-
BLACK---MALE-----	2	4	3	4	3	3	1	1	-	1	-	-
FEMALE--	4	1	3	2	1	1	5	5	3	-	-	-
NEVADA -----	116	192	216	296	382	474	390	311	170	54	8	-
WHITE-----MALE----	90	120	151	194	233	278	190	110	50	15	-	-
FEMALE--	19	52	46	73	111	173	175	189	111	35	7	-
ALL OTHER--MALE----	4	12	14	18	22	9	9	4	4	3	-	-
FEMALE--	3	8	5	11	16	14	16	8	5	1	1	-
BLACK---MALE-----	3	8	7	14	10	3	5	-	2	1	-	-
FEMALE--	2	7	3	6	9	8	9	4	3	1	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1897

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
OHIO -----	24,369	-	-	-	-	2	3	5	47	120	251	406
WHITE-----MALE----	11,103	-	-	-	-	1	1	-	31	76	157	295
FEMALE--	11,040	-	-	-	-	1	1	4	9	29	42	47
ALL OTHER--MALE----	1,132	-	-	-	-	-	1	1	5	12	31	42
FEMALE--	1,094	-	-	-	-	-	-	-	2	3	21	22
BLACK---MALE-----	1,102	-	-	-	-	-	1	1	5	12	31	41
FEMALE--	1,070	-	-	-	-	-	-	-	2	3	21	22
OKLAHOMA -----	8,418	2	-	-	-	2	1	4	11	42	91	158
WHITE-----MALE----	3,848	-	-	-	-	2	1	1	5	22	57	101
FEMALE--	3,780	1	-	-	-	-	-	1	3	7	18	30
ALL OTHER--MALE----	402	1	-	-	-	-	-	2	2	7	12	19
FEMALE--	388	-	-	-	-	-	-	-	1	6	4	8
BLACK---MALE-----	214	-	-	-	-	-	-	1	1	3	6	10
FEMALE--	247	-	-	-	-	-	-	-	-	4	4	3
OREGON -----	4,967	-	-	-	-	-	1	3	11	12	56	102
WHITE-----MALE----	2,682	-	-	-	-	-	1	-	7	6	44	82
FEMALE--	2,146	-	-	-	-	-	-	-	3	2	7	16
ALL OTHER--MALE----	88	-	-	-	-	-	-	3	1	4	4	4
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	38	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	29,741	-	-	-	-	1	2	6	33	101	238	461
WHITE-----MALE----	13,215	-	-	-	-	-	-	4	17	65	165	304
FEMALE--	14,263	-	-	-	-	-	1	1	6	22	31	63
ALL OTHER--MALE----	1,115	-	-	-	-	1	1	1	9	11	28	63
FEMALE--	1,148	-	-	-	-	-	-	-	1	3	14	31
BLACK---MALE-----	1,062	-	-	-	-	1	1	1	8	10	28	59
FEMALE--	1,111	-	-	-	-	-	-	-	1	3	14	30
RHODE ISLAND -----	2,609	-	-	1	-	-	1	1	2	9	22	35
WHITE-----MALE----	1,182	-	-	-	-	-	1	-	-	7	19	26
FEMALE--	1,344	-	-	1	-	-	-	1	-	2	2	8
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	43	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6,845	-	1	1	-	2	3	8	21	44	110	195
WHITE-----MALE----	2,889	-	-	-	-	-	1	5	12	25	58	100
FEMALE--	2,307	-	1	-	-	-	-	1	3	5	13	25
ALL OTHER--MALE----	792	-	-	1	-	1	1	2	1	8	25	44
FEMALE--	857	-	-	-	-	1	1	-	5	6	14	26
BLACK---MALE-----	778	-	-	1	-	1	1	2	1	8	25	44
FEMALE--	850	-	-	-	-	1	1	-	4	6	14	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1897

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
OHIO -----	728	967	1,316	1,903	2,839	3,825	4,142	3,955	2,598	1,038	224	-
WHITE-----MALE----	467	579	763	1,110	1,529	1,895	1,867	1,411	705	182	34	-
FEMALE--	144	228	386	540	987	1,574	2,015	2,327	1,754	779	173	-
ALL OTHER--MALE----	75	101	105	160	183	173	115	76	39	10	3	-
FEMALE--	42	59	62	93	140	183	145	141	100	67	14	-
BLACK---MALE----	75	96	104	155	180	164	113	75	36	10	3	-
FEMALE--	42	58	58	90	138	177	141	141	99	64	14	-
OKLAHOMA -----	288	371	492	699	946	1,220	1,318	1,351	974	373	74	1
WHITE-----MALE----	163	235	313	396	512	634	603	461	251	78	12	1
FEMALE--	73	93	124	209	354	476	618	803	652	264	54	-
ALL OTHER--MALE----	33	31	41	61	47	58	36	29	20	2	1	-
FEMALE--	19	12	14	33	33	52	61	58	51	29	7	-
BLACK---MALE----	19	19	20	39	27	23	16	19	9	2	-	-
FEMALE--	14	7	8	21	20	36	41	31	35	16	7	-
OREGON -----	142	199	271	344	547	757	895	881	493	204	49	-
WHITE-----MALE----	105	159	190	224	347	424	477	389	168	50	9	-
FEMALE--	32	34	73	105	180	315	394	476	319	151	39	-
ALL OTHER--MALE----	5	4	4	12	14	13	10	6	2	2	-	-
FEMALE--	-	2	4	3	6	5	14	10	4	1	1	-
BLACK---MALE----	3	2	1	8	7	3	4	2	1	1	-	-
FEMALE--	-	1	-	1	2	-	7	4	2	-	-	-
PENNSYLVANIA -----	691	970	1,346	2,080	3,308	4,584	5,504	5,187	3,544	1,383	300	2
WHITE-----MALE----	445	617	789	1,209	1,840	2,296	2,432	1,830	884	272	46	-
FEMALE--	146	199	371	649	1,164	1,963	2,777	3,124	2,486	1,029	229	2
ALL OTHER--MALE----	65	104	123	130	166	151	116	75	50	16	5	-
FEMALE--	35	50	63	92	138	174	179	158	124	66	20	-
BLACK---MALE----	60	96	116	125	161	147	108	72	49	16	4	-
FEMALE--	35	47	58	89	133	167	172	153	123	66	20	-
RHODE ISLAND -----	52	61	111	166	246	371	451	519	381	138	42	-
WHITE-----MALE----	41	42	68	108	152	200	199	177	103	36	3	-
FEMALE--	7	15	30	51	78	165	239	337	270	100	38	-
ALL OTHER--MALE----	4	3	7	5	12	3	6	1	4	1	1	-
FEMALE--	-	1	6	2	4	3	7	4	4	1	-	-
BLACK---MALE----	3	3	6	5	7	2	6	1	4	1	1	-
FEMALE--	-	1	6	1	4	3	5	2	2	1	-	-
SOUTH CAROLINA -----	302	375	516	643	894	1,093	1,003	851	555	187	41	-
WHITE-----MALE----	149	214	280	314	437	491	390	251	126	32	4	-
FEMALE--	42	55	89	148	233	377	415	437	324	118	21	-
ALL OTHER--MALE----	81	67	88	97	114	83	75	62	35	7	-	-
FEMALE--	30	39	59	84	110	142	123	101	70	30	16	-
BLACK---MALE----	79	64	86	95	113	82	73	62	34	7	-	-
FEMALE--	29	39	59	84	108	141	123	100	70	30	16	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1898

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
SOUTH DAKOTA -----	1,514	-	-	-	-	-	-	-	2	5	10	24
WHITE-----MALE----	762	-	-	-	-	-	-	-	-	5	5	20
FEMALE--	693	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12,126	-	-	-	-	1	4	5	27	77	187	286
WHITE-----MALE----	5,428	-	-	-	-	-	-	5	13	50	115	165
FEMALE--	5,049	-	-	-	-	-	-	-	8	11	30	51
ALL OTHER--MALE----	785	-	-	-	-	1	2	-	5	13	27	44
FEMALE--	864	-	-	-	-	-	2	-	1	3	15	26
BLACK---MALE-----	778	-	-	-	-	1	2	-	5	12	26	44
FEMALE--	857	-	-	-	-	-	2	-	1	3	15	26
TEXAS -----	32,148	4	-	1	-	3	11	19	49	168	407	702
WHITE-----MALE----	14,513	-	-	1	-	3	7	12	32	100	241	420
FEMALE--	13,634	2	-	-	-	-	2	4	9	21	65	126
ALL OTHER--MALE----	1,984	2	-	-	-	-	1	3	7	36	73	108
FEMALE--	2,017	-	-	-	-	-	1	-	1	11	28	48
BLACK---MALE-----	1,866	2	-	-	-	-	1	3	6	34	70	103
FEMALE--	1,912	-	-	-	-	-	1	-	1	11	26	46
UTAH -----	1,722	-	-	-	-	1	-	2	-	11	17	34
WHITE-----MALE----	994	-	-	-	-	-	-	1	-	8	16	28
FEMALE--	696	-	-	-	-	1	-	1	-	2	1	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,006	-	-	-	-	-	-	2	-	6	12	23
WHITE-----MALE----	521	-	-	-	-	-	-	1	-	4	11	18
FEMALE--	482	-	-	-	-	-	-	1	-	2	1	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9,953	2	-	1	1	1	2	12	19	82	138	233
WHITE-----MALE----	4,255	1	-	-	-	1	-	6	10	52	78	138
FEMALE--	3,785	-	-	-	-	-	1	2	2	12	17	29
ALL OTHER--MALE----	1,009	-	-	-	-	-	1	4	5	11	29	41
FEMALE--	904	1	-	1	1	-	-	-	2	7	14	25
BLACK---MALE-----	961	-	-	-	-	-	-	4	5	10	23	41
FEMALE--	871	1	-	1	1	-	-	-	2	7	13	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1898

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
SOUTH DAKOTA -----	40	51	61	107	134	207	274	251	210	109	29	-
WHITE-----MALE----	32	35	42	70	78	131	139	110	65	26	4	-
FEMALE--	4	11	16	24	47	71	126	136	143	83	25	-
ALL OTHER--MALE----	1	3	1	9	5	3	4	2	1	-	-	-
FEMALE--	3	2	2	4	4	2	5	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TENNESSEE -----	457	572	760	1,055	1,374	1,783	1,929	1,841	1,200	468	99	1
WHITE-----MALE----	301	360	462	576	718	854	838	597	292	73	8	1
FEMALE--	73	105	177	301	460	700	886	1,028	805	342	72	-
ALL OTHER--MALE----	54	66	74	93	105	87	87	78	33	12	4	-
FEMALE--	29	41	47	85	91	142	118	138	70	41	15	-
BLACK---MALE-----	54	66	72	93	104	86	87	77	33	12	4	-
FEMALE--	29	40	47	83	91	140	118	137	69	41	15	-
TEXAS -----	1,095	1,473	1,858	2,665	3,759	4,891	4,988	5,038	3,397	1,332	286	2
WHITE-----MALE----	707	924	1,099	1,452	2,033	2,460	2,147	1,730	859	257	27	2
FEMALE--	192	297	451	783	1,248	1,876	2,373	2,799	2,235	936	215	-
ALL OTHER--MALE----	122	171	186	245	234	274	199	191	96	33	3	-
FEMALE--	74	81	122	185	244	281	269	318	207	106	41	-
BLACK---MALE-----	110	159	174	225	222	260	187	181	95	31	3	-
FEMALE--	72	77	116	176	236	262	250	302	193	104	39	-
UTAH -----	53	58	79	144	174	263	341	291	186	61	7	-
WHITE-----MALE----	43	41	61	98	105	165	184	148	73	20	3	-
FEMALE--	7	15	16	42	65	96	151	139	112	39	4	-
ALL OTHER--MALE----	2	2	1	2	2	2	2	2	1	-	-	-
FEMALE--	1	-	1	2	2	-	4	2	-	2	-	-
BLACK---MALE-----	2	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
VERMONT -----	34	25	55	62	115	136	181	171	116	58	10	-
WHITE-----MALE----	30	22	44	40	75	80	88	66	31	10	1	-
FEMALE--	4	2	11	21	40	56	93	104	85	48	9	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VIRGINIA -----	332	468	621	880	1,207	1,604	1,603	1,418	895	365	69	-
WHITE-----MALE----	186	272	327	450	596	753	650	456	211	58	10	-
FEMALE--	51	77	129	237	346	561	692	760	568	259	42	-
ALL OTHER--MALE----	70	79	109	109	155	144	124	89	28	8	3	-
FEMALE--	25	40	56	84	110	146	137	113	88	40	14	-
BLACK---MALE-----	62	76	107	103	150	138	118	86	28	8	2	-
FEMALE--	25	40	52	80	104	141	129	110	86	40	14	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1899

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
WASHINGTON -----	266	323	441	666	894	1,317	1,526	1,521	955	395	89	1
WHITE-----MALE----	181	228	293	421	534	718	769	654	299	97	9	1
FEMALE--	60	63	114	194	304	527	705	824	633	290	77	-
ALL OTHER--MALE----	18	25	22	33	37	41	21	21	10	2	1	-
FEMALE--	7	7	12	18	19	31	31	22	13	6	2	-
BLACK---MALE-----	10	10	11	14	10	15	4	4	2	1	1	-
FEMALE--	5	4	2	6	6	11	14	7	5	2	1	-
WEST VIRGINIA -----	158	206	260	389	554	738	856	801	493	188	42	-
WHITE-----MALE----	111	139	175	238	311	404	378	276	126	37	8	-
FEMALE--	40	64	77	139	218	304	460	504	352	143	29	-
ALL OTHER--MALE----	6	3	5	6	9	16	10	7	2	1	1	-
FEMALE--	1	-	3	6	16	14	8	14	13	7	4	-
BLACK---MALE-----	6	3	4	6	9	16	9	7	2	1	1	-
FEMALE--	1	-	3	6	15	14	8	14	13	7	4	-
WISCONSIN -----	253	303	456	721	1,055	1,414	1,703	1,642	1,198	496	108	-
WHITE-----MALE----	191	214	325	488	678	811	863	636	379	104	17	-
FEMALE--	39	68	105	199	332	567	808	987	810	388	89	-
ALL OTHER--MALE----	17	15	18	14	26	16	13	5	4	-	-	-
FEMALE--	6	6	8	20	19	20	19	14	5	4	2	-
BLACK---MALE-----	15	11	16	9	19	11	9	3	3	-	-	-
FEMALE--	2	6	7	16	17	18	10	10	5	4	2	-
WYOMING -----	20	23	47	53	82	117	117	103	73	28	8	-
WHITE-----MALE----	17	20	33	30	50	79	63	42	25	9	2	-
FEMALE--	3	2	14	22	27	37	53	61	48	18	6	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	3	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1900

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
UNITED STATES -	199,454	13	2	5	6	25	35	101	333	935	2,314	4,225
WHITE-----MALE----	93,189	3	1	1	3	13	16	51	178	585	1,447	2,757
FEMALE--	83,886	6	1	2	-	6	4	25	71	172	392	696
ALL OTHER--MALE----	10,980	3	-	2	1	3	8	17	60	122	316	504
FEMALE--	11,399	1	-	-	2	3	7	8	24	56	159	268
BLACK---MALE-----	9,186	3	-	2	1	3	7	16	45	107	272	436
FEMALE--	10,090	1	-	-	2	3	6	6	21	56	152	252
ALABAMA -----	3,826	-	-	2	1	2	2	3	10	32	81	123
WHITE-----MALE----	1,624	-	-	-	1	-	-	1	6	15	54	71
FEMALE--	1,411	-	-	1	-	1	-	1	2	8	10	15
ALL OTHER--MALE----	358	-	-	1	-	-	1	1	1	4	11	24
FEMALE--	433	-	-	-	-	1	1	-	1	5	6	13
BLACK---MALE-----	352	-	-	1	-	-	1	1	1	4	11	23
FEMALE--	431	-	-	-	-	1	1	-	1	5	6	13
ALASKA -----	123	-	-	-	-	-	-	1	1	3	6	10
WHITE-----MALE----	64	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	33	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	15	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,824	-	-	-	-	1	-	1	3	4	29	51
WHITE-----MALE----	1,493	-	-	-	-	1	-	1	2	2	16	42
FEMALE--	1,218	-	-	-	-	-	-	-	1	1	7	6
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	22	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3,423	-	-	-	1	1	1	3	4	25	61	106
WHITE-----MALE----	1,642	-	-	-	-	1	-	-	2	12	35	61
FEMALE--	1,268	-	-	-	-	-	-	3	1	6	8	20
ALL OTHER--MALE----	242	-	-	-	-	-	-	-	1	4	13	17
FEMALE--	271	-	-	-	1	-	1	-	-	3	5	8
BLACK---MALE-----	238	-	-	-	-	-	-	-	1	4	13	16
FEMALE--	265	-	-	-	1	-	1	-	-	3	5	8
CALIFORNIA -----	17,244	1	-	-	-	3	2	9	23	40	157	303
WHITE-----MALE----	7,731	-	-	-	-	2	-	3	14	22	96	183
FEMALE--	7,124	-	-	-	-	-	1	2	4	6	27	51
ALL OTHER--MALE----	1,221	1	-	-	-	-	-	2	3	9	24	52
FEMALE--	1,168	-	-	-	-	1	1	2	2	3	10	17
BLACK---MALE-----	587	1	-	-	-	-	-	2	1	6	12	25
FEMALE--	679	-	-	-	-	1	-	2	1	3	7	13

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1900

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
UNITED STATES -	6,598	9,123	12,283	17,333	24,108	31,053	33,658	30,711	18,472	6,765	1,349	7
WHITE-----MALE----	4,319	5,690	7,277	9,830	13,039	15,479	14,755	11,087	5,116	1,375	166	1
FEMALE--	1,181	1,969	3,148	5,152	8,085	12,299	15,949	17,015	11,912	4,792	1,005	4
ALL OTHER--MALE----	720	964	1,098	1,324	1,515	1,512	1,197	979	450	148	36	1
FEMALE--	378	500	760	1,027	1,469	1,763	1,757	1,630	994	450	142	1
BLACK---MALE-----	624	819	937	1,120	1,284	1,246	984	765	356	128	30	1
FEMALE--	347	452	674	907	1,285	1,527	1,541	1,418	898	412	129	1
ALABAMA -----	166	234	277	368	478	555	569	526	275	96	26	-
WHITE-----MALE----	99	125	154	186	231	239	214	162	49	16	1	-
FEMALE--	34	54	53	110	146	211	261	267	170	54	13	-
ALL OTHER--MALE----	16	35	34	47	48	45	40	31	12	4	3	-
FEMALE--	17	20	36	25	53	60	54	66	44	22	9	-
BLACK---MALE-----	16	35	33	46	47	44	40	30	12	4	3	-
FEMALE--	17	20	35	25	53	59	54	66	44	22	9	-
ALASKA -----	11	7	10	17	16	16	11	9	3	2	-	-
WHITE-----MALE----	9	3	4	8	11	10	6	3	1	-	-	-
FEMALE--	-	2	2	5	2	4	5	3	2	2	-	-
ALL OTHER--MALE----	1	1	2	3	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	2	2	-	3	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	73	128	173	256	368	456	521	427	227	86	20	-
WHITE-----MALE----	49	79	113	160	228	259	273	173	73	20	2	-
FEMALE--	20	39	51	81	126	179	231	244	152	65	15	-
ALL OTHER--MALE----	4	5	7	10	10	6	10	7	1	-	1	-
FEMALE--	-	5	2	5	4	12	7	3	1	1	2	-
BLACK---MALE-----	1	1	1	4	2	2	5	2	-	-	-	-
FEMALE--	-	1	1	2	2	7	6	3	1	1	-	-
ARKANSAS -----	127	177	210	347	411	510	539	464	303	121	12	-
WHITE-----MALE----	84	112	123	195	242	256	249	169	79	22	-	-
FEMALE--	26	45	49	89	115	184	227	234	181	71	9	-
ALL OTHER--MALE----	15	16	20	30	30	31	21	21	14	7	2	-
FEMALE--	2	4	18	33	24	39	42	40	29	21	1	-
BLACK---MALE-----	15	16	20	30	29	31	20	20	14	7	2	-
FEMALE--	2	4	17	32	21	39	42	40	28	21	1	-
CALIFORNIA -----	482	685	929	1,318	2,026	2,851	3,006	2,849	1,741	676	143	-
WHITE-----MALE----	298	414	503	704	1,051	1,366	1,327	1,065	513	153	17	-
FEMALE--	98	139	264	389	657	1,075	1,334	1,455	1,046	464	112	-
ALL OTHER--MALE----	64	85	105	117	175	209	156	132	68	15	4	-
FEMALE--	22	47	57	108	143	201	189	197	114	44	10	-
BLACK---MALE-----	36	42	51	55	95	97	76	55	23	9	1	-
FEMALE--	14	30	37	68	72	110	108	106	72	28	7	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1901

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
COLORADO -----	1,728	1	-	-	-	-	-	3	5	8	22	42
WHITE-----MALE----	928	-	-	-	-	-	-	3	2	5	16	32
FEMALE--	736	1	-	-	-	-	-	-	2	2	6	8
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1,888	-	-	-	-	-	-	1	1	5	13	29
WHITE-----MALE----	847	-	-	-	-	-	-	1	1	4	6	15
FEMALE--	940	-	-	-	-	-	-	-	-	1	7	8
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	46	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	532	-	-	-	-	-	-	-	-	4	3	11
WHITE-----MALE----	223	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	225	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	37	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ---	275	-	-	-	-	-	-	-	-	-	1	6
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	85	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	2
FLORIDA -----	13,025	-	-	-	-	-	1	5	17	51	107	178
WHITE-----MALE----	6,362	-	-	-	-	-	1	2	9	33	75	123
FEMALE--	5,601	-	-	-	-	-	-	1	5	8	10	29
ALL OTHER--MALE----	516	-	-	-	-	-	-	1	1	6	14	16
FEMALE--	546	-	-	-	-	-	-	1	2	4	8	10
BLACK---MALE-----	492	-	-	-	-	-	-	1	1	5	13	16
FEMALE--	519	-	-	-	-	-	-	1	2	4	8	10
GEORGIA -----	4,584	-	-	-	-	1	1	3	12	36	91	125
WHITE-----MALE----	1,876	-	-	-	-	-	-	1	6	22	48	74
FEMALE--	1,633	-	-	-	-	1	-	-	1	7	10	16
ALL OTHER--MALE----	523	-	-	-	-	-	-	2	4	1	22	25
FEMALE--	552	-	-	-	-	-	1	-	1	6	11	10
BLACK---MALE-----	509	-	-	-	-	-	-	2	4	1	21	25
FEMALE--	544	-	-	-	-	-	1	-	1	6	11	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1901

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
COLORADO -----	63	96	121	145	195	258	299	246	164	52	8	-
WHITE-----MALE----	54	67	82	89	117	150	157	87	55	10	2	-
FEMALE--	4	24	28	51	70	99	134	154	107	41	5	-
ALL OTHER--MALE----	5	5	7	3	5	4	1	1	-	-	-	-
FEMALE--	-	-	4	2	3	5	7	4	2	1	1	-
BLACK---MALE-----	4	4	6	3	4	3	1	1	-	-	-	-
FEMALE--	-	-	2	2	1	3	6	3	2	-	1	-
CONNECTICUT -----	39	68	93	134	214	272	344	364	216	76	19	-
WHITE-----MALE----	25	45	56	75	120	144	150	126	64	13	2	-
FEMALE--	8	14	33	45	84	115	180	222	149	57	17	-
ALL OTHER--MALE----	3	7	4	11	5	8	4	10	-	2	-	-
FEMALE--	3	2	-	3	5	5	10	6	3	4	-	-
BLACK---MALE-----	3	7	4	8	3	5	3	7	-	2	-	-
FEMALE--	3	2	-	2	4	5	8	6	3	4	-	-
DELAWARE -----	21	21	20	61	78	87	98	76	31	18	3	-
WHITE-----MALE----	14	8	12	29	43	42	37	23	5	1	1	-
FEMALE--	3	4	5	21	22	32	46	47	23	15	2	-
ALL OTHER--MALE----	2	5	-	8	6	8	3	2	1	-	-	-
FEMALE--	2	4	3	3	7	5	12	4	2	2	-	-
BLACK---MALE-----	2	5	-	7	6	8	3	2	1	-	-	-
FEMALE--	2	3	3	3	6	5	12	4	2	2	-	-
DISTRICT OF COLUMBIA ---	6	11	10	20	31	50	55	47	22	13	3	-
WHITE-----MALE----	-	1	2	4	2	5	3	5	4	1	-	-
FEMALE--	-	-	1	1	1	7	11	14	6	5	1	-
ALL OTHER--MALE----	4	8	3	9	10	21	12	12	4	2	-	-
FEMALE--	2	2	4	6	18	17	29	16	8	5	2	-
BLACK---MALE-----	4	8	3	9	10	21	11	12	4	1	-	-
FEMALE--	2	2	4	6	18	17	29	16	8	5	2	-
FLORIDA -----	294	419	664	1,030	1,521	2,063	2,328	2,263	1,446	551	87	-
WHITE-----MALE----	199	259	402	624	851	1,084	1,161	926	457	141	15	-
FEMALE--	50	102	154	300	518	810	1,030	1,225	918	382	59	-
ALL OTHER--MALE----	22	36	61	57	85	83	49	40	31	10	4	-
FEMALE--	23	22	47	49	67	86	88	72	40	18	9	-
BLACK---MALE-----	21	36	60	53	82	78	46	37	30	9	4	-
FEMALE--	22	21	46	47	63	78	84	69	39	17	8	-
GEORGIA -----	234	319	375	473	554	665	689	545	328	116	17	-
WHITE-----MALE----	138	161	189	230	265	270	234	152	72	13	1	-
FEMALE--	36	61	95	132	156	252	310	289	177	81	9	-
ALL OTHER--MALE----	37	63	51	65	66	75	55	30	20	7	-	-
FEMALE--	23	34	40	46	67	68	90	74	59	15	7	-
BLACK---MALE-----	35	61	49	64	65	72	54	29	20	7	-	-
FEMALE--	23	33	40	45	65	66	88	74	59	15	7	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1902

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
HAWAII -----	16	30	39	45	69	71	77	80	49	13	3	-
WHITE-----MALE----	1	6	6	10	12	10	9	2	7	-	-	-
FEMALE--	-	1	2	4	8	3	8	11	5	-	1	-
ALL OTHER--MALE----	11	19	20	18	28	36	32	45	24	8	-	-
FEMALE--	4	4	11	13	21	22	28	22	13	5	2	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	35	53	76	111	105	140	153	134	66	25	-	-
WHITE-----MALE----	26	39	55	74	75	89	85	73	28	7	-	-
FEMALE--	7	14	18	35	29	51	64	61	37	18	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	4	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	295	428	634	792	1,187	1,545	1,759	1,715	1,043	398	103	-
WHITE-----MALE----	189	266	375	440	626	784	745	591	273	84	10	-
FEMALE--	55	84	149	218	387	578	847	973	694	279	79	-
ALL OTHER--MALE----	24	52	64	74	79	84	69	51	19	7	4	-
FEMALE--	27	26	46	60	95	99	98	100	57	28	10	-
BLACK---MALE-----	23	49	57	68	71	74	57	39	18	7	4	-
FEMALE--	26	25	41	56	91	90	93	87	57	26	10	-
INDIANA -----	173	256	329	450	651	765	789	698	372	148	29	-
WHITE-----MALE----	125	186	198	252	350	395	332	263	108	38	3	-
FEMALE--	35	61	98	161	266	334	415	401	255	104	22	-
ALL OTHER--MALE----	7	6	18	18	19	15	17	19	1	2	-	-
FEMALE--	6	3	15	19	16	21	25	15	8	4	4	-
BLACK---MALE-----	7	6	18	18	18	15	16	18	1	2	-	-
FEMALE--	6	3	15	19	15	21	25	15	8	4	4	-
IOWA -----	79	90	133	201	274	387	452	462	288	138	25	-
WHITE-----MALE----	63	67	86	144	169	227	205	188	82	22	4	-
FEMALE--	16	21	44	56	97	158	244	270	204	116	21	-
ALL OTHER--MALE----	-	1	1	1	4	-	2	1	-	-	-	-
FEMALE--	-	1	2	-	4	2	1	3	2	-	-	-
BLACK---MALE-----	-	1	1	1	4	-	2	1	-	-	-	-
FEMALE--	-	1	1	-	2	2	1	2	1	-	-	-
KANSAS -----	50	93	126	154	217	303	325	310	192	63	11	-
WHITE-----MALE----	40	55	72	96	132	180	140	129	67	16	3	-
FEMALE--	9	32	49	49	77	113	174	176	122	47	8	-
ALL OTHER--MALE----	-	4	3	6	3	5	1	2	1	-	-	-
FEMALE--	1	2	2	3	5	5	10	3	2	-	-	-
BLACK---MALE-----	-	3	2	6	3	5	-	2	1	-	-	-
FEMALE--	1	2	1	3	4	5	6	3	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1903

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
KENTUCKY -----	4,441	-	-	1	1	1	1	5	9	37	61	99
WHITE-----MALE----	2,262	-	-	1	1	1	1	3	4	28	39	62
FEMALE--	1,901	-	-	-	-	-	-	2	4	8	17	26
ALL OTHER--MALE----	142	-	-	-	-	-	-	-	-	-	5	6
FEMALE--	136	-	-	-	-	-	-	-	1	1	-	5
BLACK---MALE-----	138	-	-	-	-	-	-	-	-	-	5	6
FEMALE--	136	-	-	-	-	-	-	-	1	1	-	5
LOUISIANA -----	3,511	-	-	-	-	-	2	1	8	34	53	113
WHITE-----MALE----	1,430	-	-	-	-	-	-	-	2	19	27	59
FEMALE--	1,159	-	-	-	-	-	-	-	-	6	4	12
ALL OTHER--MALE----	487	-	-	-	-	-	1	1	3	6	18	29
FEMALE--	435	-	-	-	-	-	1	-	3	3	4	13
BLACK---MALE-----	475	-	-	-	-	-	1	1	3	6	17	28
FEMALE--	429	-	-	-	-	-	1	-	2	3	4	13
MAINE -----	940	-	-	-	-	-	-	-	-	3	11	18
WHITE-----MALE----	473	-	-	-	-	-	-	-	-	2	9	14
FEMALE--	452	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,347	-	-	-	1	1	-	-	5	7	19	51
WHITE-----MALE----	1,292	-	-	-	1	1	-	-	2	5	7	26
FEMALE--	1,351	-	-	-	-	-	-	-	1	-	6	5
ALL OTHER--MALE----	332	-	-	-	-	-	-	-	1	-	4	9
FEMALE--	372	-	-	-	-	-	-	-	1	2	2	11
BLACK---MALE-----	309	-	-	-	-	-	-	-	1	-	4	6
FEMALE--	357	-	-	-	-	-	-	-	1	2	2	11
MASSACHUSETTS -----	4,189	1	-	-	-	1	-	1	5	9	43	54
WHITE-----MALE----	2,032	-	-	-	-	-	-	-	5	5	31	40
FEMALE--	2,023	1	-	-	-	1	-	-	-	3	6	11
ALL OTHER--MALE----	71	-	-	-	-	-	-	1	-	1	4	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE-----	50	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	7,329	1	-	-	-	-	-	1	14	29	89	162
WHITE-----MALE----	3,436	1	-	-	-	-	-	-	5	21	57	100
FEMALE--	3,189	-	-	-	-	-	-	-	4	5	23	33
ALL OTHER--MALE----	320	-	-	-	-	-	-	1	3	2	7	22
FEMALE--	384	-	-	-	-	-	-	-	2	1	2	7
BLACK---MALE-----	288	-	-	-	-	-	-	1	2	2	7	21
FEMALE--	358	-	-	-	-	-	-	-	2	1	2	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1903

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
KENTUCKY -----	195	270	336	464	555	682	665	561	363	110	24	1
WHITE-----MALE----	148	170	225	299	331	348	273	204	104	15	5	-
FEMALE--	28	77	93	138	189	288	356	332	239	87	17	-
ALL OTHER--MALE----	11	18	13	17	18	20	20	6	4	4	-	-
FEMALE--	8	5	5	10	17	26	16	19	16	4	2	1
BLACK---MALE-----	11	17	13	16	17	19	20	6	4	4	-	-
FEMALE--	8	5	5	10	17	26	16	19	16	4	2	1
LOUISIANA -----	168	236	284	382	471	487	495	431	248	88	10	-
WHITE-----MALE----	76	115	142	185	207	210	193	132	50	13	-	-
FEMALE--	31	42	58	101	143	164	202	202	138	49	7	-
ALL OTHER--MALE----	44	50	48	59	70	52	43	39	16	7	1	-
FEMALE--	17	29	36	37	51	61	57	58	44	19	2	-
BLACK---MALE-----	44	48	48	55	67	52	42	39	16	7	1	-
FEMALE--	17	29	36	37	51	61	57	55	42	19	2	-
MAINE -----	32	34	53	70	131	167	153	131	98	31	8	-
WHITE-----MALE----	22	26	37	46	71	86	77	49	29	5	-	-
FEMALE--	10	8	14	22	58	76	73	82	69	26	8	-
ALL OTHER--MALE----	-	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	112	141	222	287	428	536	598	491	310	116	21	1
WHITE-----MALE----	63	65	111	131	191	230	209	155	73	20	2	-
FEMALE--	15	28	36	76	126	222	289	249	200	83	15	-
ALL OTHER--MALE----	24	36	45	43	46	41	45	26	9	2	-	1
FEMALE--	10	12	30	37	65	43	55	61	28	11	4	-
BLACK---MALE-----	24	33	40	39	44	40	42	24	9	2	-	1
FEMALE--	10	11	30	36	62	41	51	58	27	11	4	-
MASSACHUSETTS -----	125	154	214	324	477	678	751	714	441	159	38	-
WHITE-----MALE----	92	112	131	204	285	366	359	245	125	31	1	-
FEMALE--	25	28	71	109	166	298	383	455	305	125	36	-
ALL OTHER--MALE----	5	9	8	6	10	7	3	8	6	1	-	-
FEMALE--	3	5	4	5	16	7	6	6	5	2	1	-
BLACK---MALE-----	4	8	7	3	6	5	2	4	5	1	-	-
FEMALE--	3	5	4	5	10	5	5	5	3	2	1	-
MICHIGAN -----	217	356	460	637	832	1,164	1,248	1,174	653	236	55	1
WHITE-----MALE----	143	222	278	370	453	588	543	406	193	45	11	-
FEMALE--	45	85	135	203	280	458	598	688	422	167	42	1
ALL OTHER--MALE----	20	27	25	36	41	55	39	25	10	7	-	-
FEMALE--	9	22	22	28	58	63	68	55	28	17	2	-
BLACK---MALE-----	17	22	22	32	40	49	37	22	8	6	-	-
FEMALE--	8	21	20	26	54	58	63	52	27	16	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1904

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
MINNESOTA -----	74	87	138	192	268	371	431	380	241	80	19	-
WHITE-----MALE----	64	62	97	133	170	221	211	151	83	19	4	-
FEMALE--	8	22	37	52	94	144	216	223	157	61	15	-
ALL OTHER--MALE----	2	2	3	7	2	1	2	1	1	-	-	-
FEMALE--	-	1	1	-	2	5	2	5	-	-	-	-
BLACK---MALE-----	1	1	1	5	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	2	-	-	-	-
MISSISSIPPI -----	141	174	226	276	338	372	355	343	169	53	7	-
WHITE-----MALE----	68	76	114	130	148	145	126	90	31	5	2	-
FEMALE--	17	29	34	55	88	103	146	140	91	29	2	-
ALL OTHER--MALE----	41	47	55	45	48	49	32	38	12	10	1	-
FEMALE--	15	22	23	46	54	75	51	75	35	9	2	-
BLACK---MALE-----	41	44	53	44	48	48	32	37	12	10	1	-
FEMALE--	15	22	23	46	54	74	51	74	35	9	2	-
MISSOURI -----	230	275	390	514	751	948	984	936	601	198	54	-
WHITE-----MALE----	161	175	238	301	413	458	456	338	156	29	4	-
FEMALE--	37	63	104	160	258	411	462	540	414	153	45	-
ALL OTHER--MALE----	22	26	24	30	44	40	26	27	6	2	2	-
FEMALE--	10	11	24	23	36	39	40	31	25	14	3	-
BLACK---MALE-----	22	24	23	29	41	38	24	27	6	2	2	-
FEMALE--	8	10	23	23	35	39	40	31	25	14	3	-
MONTANA -----	19	22	24	56	55	71	77	68	38	13	1	-
WHITE-----MALE----	10	17	20	39	31	41	41	31	12	5	-	-
FEMALE--	6	4	3	14	22	29	35	35	25	8	1	-
ALL OTHER--MALE----	2	1	1	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	30	34	48	87	119	137	183	152	87	23	2	-
WHITE-----MALE----	22	27	32	55	75	83	92	66	21	5	1	-
FEMALE--	5	6	14	30	42	54	90	85	63	18	1	-
ALL OTHER--MALE----	-	-	2	2	2	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	1	3	-	-	-
BLACK---MALE-----	-	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	2	-	-	-
NEVADA -----	29	55	48	90	117	136	117	86	50	9	2	-
WHITE-----MALE----	20	34	33	52	71	88	57	27	21	3	-	-
FEMALE--	5	17	13	28	34	42	53	55	24	6	2	-
ALL OTHER--MALE----	2	3	1	6	4	1	4	2	2	-	-	-
FEMALE--	2	1	1	4	8	5	3	2	3	-	-	-
BLACK---MALE-----	1	2	-	4	1	-	1	-	1	-	-	-
FEMALE--	1	1	1	1	7	2	1	1	2	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1906

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
OHIO -----	8,944	-	-	-	-	1	1	3	23	49	119	187
WHITE-----MALE----	4,417	-	-	-	-	1	1	-	15	33	82	144
FEMALE--	3,880	-	-	-	-	-	-	3	5	12	24	22
ALL OTHER--MALE----	319	-	-	-	-	-	-	-	2	4	9	11
FEMALE--	328	-	-	-	-	-	-	-	1	-	4	10
BLACK---MALE-----	310	-	-	-	-	-	-	-	2	4	9	10
FEMALE--	320	-	-	-	-	-	-	-	1	-	4	10
OKLAHOMA -----	2,644	-	-	-	-	1	-	1	3	11	36	61
WHITE-----MALE----	1,259	-	-	-	-	1	-	-	1	7	24	41
FEMALE--	1,133	-	-	-	-	-	-	-	2	1	6	10
ALL OTHER--MALE----	129	-	-	-	-	-	-	1	-	2	5	6
FEMALE--	123	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE-----	61	-	-	-	-	-	-	1	-	-	3	2
FEMALE--	81	-	-	-	-	-	-	-	-	1	1	2
OREGON -----	1,721	-	-	-	-	-	1	-	6	3	15	36
WHITE-----MALE----	943	-	-	-	-	-	1	-	3	1	9	28
FEMALE--	727	-	-	-	-	-	-	-	2	1	3	7
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	11,821	-	-	-	-	-	-	3	14	39	121	250
WHITE-----MALE----	5,688	-	-	-	-	-	-	2	8	26	82	179
FEMALE--	5,338	-	-	-	-	-	-	1	2	10	18	36
ALL OTHER--MALE----	361	-	-	-	-	-	-	-	3	2	11	22
FEMALE--	434	-	-	-	-	-	-	-	1	1	10	13
BLACK---MALE-----	333	-	-	-	-	-	-	-	2	2	11	21
FEMALE--	415	-	-	-	-	-	-	-	1	1	10	12
RHODE ISLAND -----	939	-	-	1	-	-	-	1	1	2	8	7
WHITE-----MALE----	458	-	-	-	-	-	-	-	-	2	6	5
FEMALE--	446	-	-	1	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,448	-	1	1	-	2	2	2	14	23	62	116
WHITE-----MALE----	1,475	-	-	-	-	-	1	2	6	17	33	62
FEMALE--	1,058	-	1	-	-	-	-	-	3	1	6	16
ALL OTHER--MALE----	456	-	-	1	-	1	-	-	1	3	13	24
FEMALE--	459	-	-	-	-	1	1	-	4	2	10	14
BLACK---MALE-----	449	-	-	1	-	1	-	-	1	3	13	24
FEMALE--	454	-	-	-	-	1	1	-	3	2	10	14

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1906

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
OHIO -----	322	432	546	785	1,132	1,441	1,481	1,325	801	251	45	-
WHITE-----MALE----	219	282	341	481	637	713	683	498	237	41	9	-
FEMALE--	70	100	160	242	393	612	716	767	529	194	31	-
ALL OTHER--MALE----	21	31	26	38	58	48	34	27	7	1	2	-
FEMALE--	12	19	19	24	44	68	48	33	28	15	3	-
BLACK---MALE-----	21	29	25	38	58	44	34	27	6	1	2	-
FEMALE--	12	19	16	24	44	65	48	33	27	14	3	-
OKLAHOMA -----	99	111	162	241	334	425	438	384	245	80	12	-
WHITE-----MALE----	57	75	103	124	175	223	197	133	75	21	2	-
FEMALE--	24	26	45	85	132	161	208	221	152	52	8	-
ALL OTHER--MALE----	12	7	11	21	18	21	10	10	5	-	-	-
FEMALE--	6	3	3	11	9	20	23	20	13	7	2	-
BLACK---MALE-----	6	3	6	10	11	7	4	5	3	-	-	-
FEMALE--	5	1	3	5	6	17	16	10	11	1	2	-
OREGON -----	52	81	102	132	214	266	334	284	129	55	11	-
WHITE-----MALE----	36	68	68	83	134	154	164	139	40	14	1	-
FEMALE--	14	13	32	43	72	106	161	138	86	40	9	-
ALL OTHER--MALE----	2	-	1	5	5	5	4	3	-	1	-	-
FEMALE--	-	-	1	1	3	1	5	4	3	-	1	-
BLACK---MALE-----	1	-	-	3	4	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	3	1	2	-	-	-
PENNSYLVANIA -----	336	477	693	1,013	1,465	1,932	2,138	1,854	1,041	381	63	1
WHITE-----MALE----	234	321	448	587	832	971	937	682	285	86	8	-
FEMALE--	67	105	181	331	528	847	1,095	1,104	694	270	48	1
ALL OTHER--MALE----	18	30	39	52	56	53	34	13	22	2	4	-
FEMALE--	17	21	25	43	49	61	72	55	40	23	3	-
BLACK---MALE-----	15	28	33	50	52	50	31	11	22	2	3	-
FEMALE--	17	20	22	41	48	58	68	52	39	23	3	-
RHODE ISLAND -----	23	28	56	78	96	162	177	159	105	31	4	-
WHITE-----MALE----	19	21	31	46	57	90	85	55	28	13	-	-
FEMALE--	3	6	19	28	30	71	84	104	74	18	4	-
ALL OTHER--MALE----	1	-	3	3	6	-	4	-	2	-	-	-
FEMALE--	-	1	3	1	3	1	4	-	1	-	-	-
BLACK---MALE-----	1	-	3	3	4	-	4	-	2	-	-	-
FEMALE--	-	1	3	1	3	1	3	-	1	-	-	-
SOUTH CAROLINA -----	190	243	280	352	473	534	445	371	241	81	15	-
WHITE-----MALE----	98	138	150	182	226	222	169	101	55	13	-	-
FEMALE--	22	35	44	71	114	193	181	184	135	45	7	-
ALL OTHER--MALE----	53	47	56	54	73	39	36	33	18	4	-	-
FEMALE--	17	23	30	45	60	80	59	53	33	19	8	-
BLACK---MALE-----	52	46	54	53	72	39	35	33	18	4	-	-
FEMALE--	16	23	30	45	58	80	59	52	33	19	8	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1907

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
SOUTH DAKOTA -----	769	-	-	-	-	-	-	-	2	2	4	19
WHITE-----MALE----	406	-	-	-	-	-	-	-	-	2	2	15
FEMALE--	325	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,427	-	-	-	-	1	1	3	17	34	91	136
WHITE-----MALE----	2,575	-	-	-	-	-	-	3	9	23	63	89
FEMALE--	2,214	-	-	-	-	-	-	-	3	5	16	25
ALL OTHER--MALE----	315	-	-	-	-	1	1	-	4	6	9	13
FEMALE--	323	-	-	-	-	-	-	-	1	-	3	9
BLACK---MALE-----	310	-	-	-	-	1	1	-	4	6	8	13
FEMALE--	320	-	-	-	-	-	-	-	1	-	3	9
TEXAS -----	14,522	4	-	-	-	2	7	12	24	70	178	340
WHITE-----MALE----	6,622	-	-	-	-	2	4	7	16	44	103	208
FEMALE--	6,112	2	-	-	-	-	2	3	5	5	35	67
ALL OTHER--MALE----	852	2	-	-	-	-	1	2	3	16	27	42
FEMALE--	936	-	-	-	-	-	-	-	-	5	13	23
BLACK---MALE-----	806	2	-	-	-	-	1	2	2	16	26	40
FEMALE--	879	-	-	-	-	-	-	-	-	5	13	22
UTAH -----	718	-	-	-	-	1	-	-	-	3	3	11
WHITE-----MALE----	398	-	-	-	-	-	-	-	-	3	3	9
FEMALE--	306	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	370	-	-	-	-	-	-	1	-	-	4	12
WHITE-----MALE----	216	-	-	-	-	-	-	1	-	-	3	8
FEMALE--	152	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,869	1	-	-	1	1	1	4	9	28	72	88
WHITE-----MALE----	1,692	-	-	-	-	1	-	2	5	21	42	51
FEMALE--	1,435	-	-	-	-	-	-	1	1	3	7	12
ALL OTHER--MALE----	388	-	-	-	-	-	1	1	3	2	16	16
FEMALE--	354	1	-	-	1	-	-	-	-	2	7	9
BLACK---MALE-----	368	-	-	-	-	-	-	1	3	2	13	16
FEMALE--	340	1	-	-	1	-	-	-	-	2	6	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1907

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
SOUTH DAKOTA -----	25	35	42	69	78	107	145	113	84	40	4	-
WHITE-----MALE----	20	25	32	47	45	67	66	55	23	7	-	-
FEMALE--	2	8	9	13	25	36	76	55	59	33	4	-
ALL OTHER--MALE----	-	1	-	7	4	3	1	1	1	-	-	-
FEMALE--	3	1	1	2	4	1	2	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	213	282	403	549	656	802	838	763	443	160	34	1
WHITE-----MALE----	147	186	255	298	338	392	369	258	114	26	4	1
FEMALE--	33	55	105	169	247	308	389	428	292	118	21	-
ALL OTHER--MALE----	23	21	29	42	38	39	35	31	16	5	2	-
FEMALE--	10	20	14	40	33	63	45	46	21	11	7	-
BLACK---MALE-----	23	21	27	42	38	38	35	30	16	5	2	-
FEMALE--	10	20	14	38	33	62	45	46	21	11	7	-
TEXAS -----	516	688	898	1,303	1,762	2,254	2,256	2,219	1,392	501	96	-
WHITE-----MALE----	338	437	530	710	933	1,106	956	762	358	98	10	-
FEMALE--	95	148	230	383	615	902	1,082	1,216	908	344	70	-
ALL OTHER--MALE----	53	75	74	110	85	116	89	98	43	15	1	-
FEMALE--	30	28	64	100	129	130	129	143	83	44	15	-
BLACK---MALE-----	48	70	70	101	79	111	85	96	42	14	1	-
FEMALE--	29	26	59	92	123	117	120	138	78	44	13	-
UTAH -----	17	26	41	74	83	108	141	110	71	24	5	-
WHITE-----MALE----	14	17	31	49	45	61	69	58	31	6	2	-
FEMALE--	2	7	9	24	36	47	69	51	39	16	3	-
ALL OTHER--MALE----	-	2	1	-	2	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	2	1	-	2	-	-
BLACK---MALE-----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	9	12	27	30	51	55	74	56	30	8	1	-
WHITE-----MALE----	8	11	21	20	37	32	41	24	9	1	-	-
FEMALE--	1	-	6	9	14	23	33	32	21	7	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	137	208	274	391	481	626	638	488	303	100	18	-
WHITE-----MALE----	81	134	144	191	241	282	244	156	83	11	3	-
FEMALE--	24	38	65	112	138	228	284	253	184	73	12	-
ALL OTHER--MALE----	20	22	39	49	56	59	56	37	5	4	2	-
FEMALE--	12	14	26	39	46	57	54	42	31	12	1	-
BLACK---MALE-----	18	21	38	45	55	58	53	35	5	4	1	-
FEMALE--	12	14	26	37	43	53	51	41	31	12	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1908

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
WASHINGTON -----	91	114	182	239	317	449	529	468	246	82	26	-
WHITE-----MALE----	72	82	127	142	178	251	260	210	76	26	1	-
FEMALE--	13	21	41	80	116	175	249	241	166	56	23	-
ALL OTHER--MALE----	4	8	9	10	15	12	7	11	-	-	1	-
FEMALE--	2	3	5	7	8	11	13	6	4	-	1	-
BLACK---MALE-----	1	2	5	4	7	7	1	2	-	-	1	-
FEMALE--	1	2	1	1	2	3	4	1	1	-	-	-
WEST VIRGINIA -----	65	96	111	179	221	270	330	268	120	42	10	-
WHITE-----MALE----	49	67	77	107	119	146	160	92	27	10	1	-
FEMALE--	13	27	30	69	94	116	166	170	90	32	9	-
ALL OTHER--MALE----	3	2	3	3	2	4	2	3	1	-	-	-
FEMALE--	-	-	1	-	6	4	2	3	2	-	-	-
BLACK---MALE-----	3	2	3	3	2	4	2	3	1	-	-	-
FEMALE--	-	-	1	-	6	4	2	3	2	-	-	-
WISCONSIN -----	139	185	253	379	495	619	799	712	456	177	29	-
WHITE-----MALE----	109	139	184	276	312	349	405	284	128	44	5	-
FEMALE--	20	38	56	95	165	262	380	421	324	132	24	-
ALL OTHER--MALE----	7	6	8	6	11	4	5	3	2	-	-	-
FEMALE--	3	2	5	2	7	4	9	4	2	1	-	-
BLACK---MALE-----	7	3	7	5	6	2	3	2	2	-	-	-
FEMALE--	1	2	4	-	5	3	2	1	2	1	-	-
WYOMING -----	10	9	20	30	35	39	46	35	19	7	1	-
WHITE-----MALE----	7	8	14	19	25	30	24	17	5	-	-	-
FEMALE--	3	1	6	11	8	8	22	18	14	7	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1909

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
UNITED STATES -	160	209	239	294	380	406	449	474	296	116	22	-
WHITE-----MALE----	85	122	124	160	183	206	169	159	69	17	2	-
FEMALE--	35	40	71	87	133	148	227	279	210	87	19	-
ALL OTHER--MALE----	24	37	32	31	36	23	25	11	6	2	-	-
FEMALE--	16	10	12	16	28	29	28	25	11	10	1	-
BLACK---MALE-----	23	34	31	26	30	21	20	10	5	2	-	-
FEMALE--	16	9	11	13	24	28	28	18	10	8	1	-
ALABAMA -----	3	1	3	7	8	6	3	4	1	-	-	-
WHITE-----MALE----	2	1	3	6	4	5	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	6	8	9	11	15	12	5	-	-	-
WHITE-----MALE----	2	-	2	5	4	7	11	5	-	-	-	-
FEMALE--	-	-	4	2	4	2	4	7	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	5	4	8	11	5	18	24	16	6	4	2	-
WHITE-----MALE----	-	4	3	5	1	9	9	8	2	2	-	-
FEMALE--	3	-	4	5	2	7	12	7	3	1	2	-
ALL OTHER--MALE----	1	-	1	-	1	1	3	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	1	-	-
BLACK---MALE-----	1	-	1	-	1	1	3	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1910

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
COLORADO -----	-	1	1	1	2	5	1	3	1	1	-	-
WHITE-----MALE----	-	1	1	1	1	3	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	1	1	2	1	3	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	1	6	5	5	11	11	15	6	3	1	-
WHITE-----MALE----	2	1	-	3	2	8	5	4	1	1	-	-
FEMALE--	-	-	6	2	3	6	11	4	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	10	8	5	8	6	14	12	8	1	1	-	-
WHITE-----MALE----	4	3	-	3	1	6	3	1	-	-	-	-
FEMALE--	2	-	1	1	3	2	6	7	1	-	-	-
ALL OTHER--MALE----	2	4	3	3	1	3	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	3	3	-	-	1	-	-
BLACK---MALE-----	2	4	3	3	1	3	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	3	3	-	-	1	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1912

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
KENTUCKY -----	2	1	-	-	3	5	3	5	3	1	-	-
WHITE-----MALE----	1	1	-	-	1	2	-	2	2	-	-	-
FEMALE--	-	-	-	-	1	3	3	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	3	2	4	5	4	2	3	5	-	-	-
WHITE-----MALE----	-	1	-	3	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	2	1	3	5	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	2	-	-	1	1	4	1	-	1	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	1	9	3	3	3	3	-	-	-
WHITE-----MALE----	-	-	-	1	6	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
MASSACHUSETTS -----	1	2	1	-	8	5	7	3	2	-	-	-
WHITE-----MALE----	-	1	-	-	3	5	1	-	-	-	-	-
FEMALE--	1	1	-	-	4	-	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	2	5	5	5	7	8	7	3	-	-
WHITE-----MALE----	1	2	1	3	2	3	-	2	-	-	-	-
FEMALE--	-	1	1	2	1	2	5	6	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1915

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
OHIO -----	-	1	7	1	8	8	5	15	4	3	2	-
WHITE-----MALE----	-	1	5	1	4	2	1	7	2	2	-	-
FEMALE--	-	-	1	-	4	4	3	8	2	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
OKLAHOMA -----	46	74	83	106	122	116	139	158	124	44	6	-
WHITE-----MALE----	28	47	50	65	60	66	52	54	30	7	2	-
FEMALE--	12	17	25	29	48	44	74	96	90	34	3	-
ALL OTHER--MALE----	2	9	5	9	9	5	7	1	-	-	-	-
FEMALE--	4	1	3	3	5	1	6	7	4	3	1	-
BLACK---MALE-----	2	7	4	6	5	3	3	-	-	-	-	-
FEMALE--	4	-	2	-	2	1	6	3	3	2	1	-
OREGON -----	1	1	2	-	2	-	3	1	-	-	1	-
WHITE-----MALE----	1	1	1	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	2	4	8	9	7	16	19	9	5	-	-
WHITE-----MALE----	1	2	1	5	5	4	9	3	3	1	-	-
FEMALE--	3	-	3	3	4	3	7	14	6	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	2	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	7	16	15	22	16	16	14	7	-	-	-
WHITE-----MALE----	3	1	12	3	10	5	1	2	2	-	-	-
FEMALE--	1	-	-	3	4	4	5	4	2	-	-	-
ALL OTHER--MALE----	4	4	2	5	3	3	4	3	1	-	-	-
FEMALE--	2	2	2	4	5	4	6	5	2	-	-	-
BLACK---MALE-----	4	3	2	5	3	3	4	3	1	-	-	-
FEMALE--	2	2	2	4	5	4	6	5	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1916

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute ischemic heart diseases (I24)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	50	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	472	-	-	-	-	-	-	-	-	9	13	29
WHITE-----MALE----	184	-	-	-	-	-	-	-	-	4	5	12
FEMALE--	147	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	3	4	11
FEMALE--	50	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE-----	90	-	-	-	-	-	-	-	-	3	3	11
FEMALE--	50	-	-	-	-	-	-	-	-	2	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1916

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	6	4	1	2	2	2	1	2	1	1	-
WHITE-----MALE----	1	5	1	-	1	2	-	-	1	-	-	-
FEMALE--	-	1	2	-	1	-	2	1	1	1	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	3	6	4	2	7	1	10	7	4	-	-
WHITE-----MALE----	1	-	3	1	1	2	-	7	1	-	-	-
FEMALE--	2	2	3	2	-	3	1	3	5	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	2	1	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	38	46	43	45	56	56	48	49	30	9	1	-
WHITE-----MALE----	21	27	16	20	22	20	17	19	1	-	-	-
FEMALE--	5	3	8	13	18	20	19	22	26	6	1	-
ALL OTHER--MALE----	7	14	16	8	9	8	4	5	1	1	-	-
FEMALE--	5	2	3	4	7	8	8	3	2	2	-	-
BLACK---MALE-----	7	14	16	8	9	8	4	5	1	1	-	-
FEMALE--	5	2	3	4	7	8	8	3	2	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1918

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other forms of chronic ischemic heart disease (I20,I25)

UNITED STATES -	326,973	11	2	7	3	27	47	142	432	1,427	2,994	5,207
WHITE-----MALE----	142,615	4	1	5	2	12	19	72	250	830	1,839	3,290
FEMALE--	146,707	4	-	-	-	5	7	30	71	255	415	742
ALL OTHER--MALE----	18,819	2	-	1	1	8	11	28	79	245	523	827
FEMALE--	18,832	1	1	1	-	2	10	12	32	97	217	348
BLACK---MALE-----	15,670	1	-	1	1	6	10	22	65	207	451	709
FEMALE--	16,618	1	1	1	-	2	10	9	28	92	207	330
ALABAMA -----	3,660	-	-	1	-	1	1	4	8	19	47	86
WHITE-----MALE----	1,534	-	-	-	-	-	-	2	5	8	18	43
FEMALE--	1,421	-	-	-	-	-	-	1	2	5	6	12
ALL OTHER--MALE----	359	-	-	1	-	1	-	-	1	3	14	22
FEMALE--	346	-	-	-	-	-	1	1	-	3	9	9
BLACK---MALE-----	358	-	-	1	-	1	-	-	1	3	14	22
FEMALE--	341	-	-	-	-	-	1	1	-	3	8	8
ALASKA -----	260	-	-	-	-	-	-	-	-	1	4	8
WHITE-----MALE----	145	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	68	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5,499	-	-	-	-	-	-	2	6	18	56	95
WHITE-----MALE----	2,888	-	-	-	-	-	-	1	6	9	47	73
FEMALE--	2,353	-	-	-	-	-	-	1	-	5	6	14
ALL OTHER--MALE----	135	-	-	-	-	-	-	-	-	3	2	7
FEMALE--	123	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	67	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	69	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	2,043	-	-	-	-	-	-	2	1	10	21	21
WHITE-----MALE----	910	-	-	-	-	-	-	1	-	3	11	15
FEMALE--	887	-	-	-	-	-	-	-	-	4	5	3
ALL OTHER--MALE----	112	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	134	-	-	-	-	-	-	1	1	1	1	1
BLACK---MALE-----	112	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	133	-	-	-	-	-	-	1	1	1	1	1
CALIFORNIA -----	38,967	2	-	-	-	2	-	13	51	126	289	578
WHITE-----MALE----	16,619	1	-	-	-	1	-	9	28	84	186	375
FEMALE--	17,454	-	-	-	-	-	-	2	13	18	37	76
ALL OTHER--MALE----	2,581	-	-	-	-	1	-	-	8	19	50	101
FEMALE--	2,313	1	-	-	-	-	-	2	2	5	16	26
BLACK---MALE-----	1,330	-	-	-	-	-	-	-	4	10	30	55
FEMALE--	1,394	1	-	-	-	-	-	2	2	5	14	22

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1918

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
UNITED STATES -	8,493	11,243	15,280	22,453	34,272	47,920	55,810	56,973	41,734	18,102	4,362	32
WHITE-----MALE----	5,179	6,675	8,660	12,662	18,619	24,152	25,062	20,361	10,941	3,391	569	20
FEMALE--	1,473	2,237	3,653	6,003	10,900	18,347	25,837	32,165	27,877	13,323	3,361	2
ALL OTHER--MALE----	1,287	1,533	1,911	2,177	2,611	2,669	2,056	1,571	890	312	68	9
FEMALE--	554	798	1,056	1,611	2,142	2,752	2,855	2,876	2,026	1,076	364	1
BLACK---MALE-----	1,120	1,344	1,641	1,892	2,191	2,166	1,648	1,224	661	245	56	9
FEMALE--	512	734	946	1,437	1,885	2,414	2,448	2,496	1,767	967	330	1
ALABAMA -----	98	143	216	304	447	557	589	554	403	150	32	-
WHITE-----MALE----	60	68	116	177	243	280	244	162	80	24	4	-
FEMALE--	12	34	43	74	101	183	260	310	263	96	19	-
ALL OTHER--MALE----	18	30	37	27	56	51	34	34	19	9	2	-
FEMALE--	8	11	20	26	47	43	51	48	41	21	7	-
BLACK---MALE-----	18	30	37	27	56	51	34	33	19	9	2	-
FEMALE--	8	11	18	26	47	43	50	48	41	21	7	-
ALASKA -----	17	21	25	35	46	45	33	19	6	-	-	-
WHITE-----MALE----	13	18	17	24	25	15	15	7	1	-	-	-
FEMALE--	2	2	6	5	13	18	10	6	4	-	-	-
ALL OTHER--MALE----	2	-	1	6	4	6	1	4	1	-	-	-
FEMALE--	-	1	1	-	4	6	7	2	-	-	-	-
BLACK---MALE-----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	159	218	307	444	671	828	960	897	557	222	59	-
WHITE-----MALE----	116	160	198	290	424	458	478	379	175	62	12	-
FEMALE--	27	37	84	125	217	341	449	486	363	154	44	-
ALL OTHER--MALE----	11	10	15	18	18	12	14	13	10	2	-	-
FEMALE--	5	11	10	11	12	17	19	19	9	4	3	-
BLACK---MALE-----	8	6	5	8	12	2	9	7	3	2	-	-
FEMALE--	1	7	7	4	8	10	10	13	5	1	1	-
ARKANSAS -----	39	74	87	159	210	299	382	394	232	87	24	1
WHITE-----MALE----	24	46	54	99	127	158	159	135	56	17	5	-
FEMALE--	11	17	18	40	68	107	178	209	152	60	15	-
ALL OTHER--MALE----	4	7	10	11	5	18	18	24	4	1	1	1
FEMALE--	-	4	5	9	10	16	27	26	20	9	3	-
BLACK---MALE-----	4	7	10	11	5	18	18	24	4	1	1	1
FEMALE--	-	4	5	8	10	16	27	26	20	9	3	-
CALIFORNIA -----	980	1,267	1,748	2,514	3,894	5,643	6,834	6,925	5,172	2,373	551	5
WHITE-----MALE----	626	733	915	1,366	2,073	2,734	3,098	2,478	1,412	430	66	4
FEMALE--	174	264	447	714	1,253	2,179	3,011	3,783	3,307	1,745	431	-
ALL OTHER--MALE----	137	198	261	248	319	382	339	277	172	59	9	1
FEMALE--	43	72	125	186	249	348	386	387	281	139	45	-
BLACK---MALE-----	83	142	157	163	161	178	153	112	52	25	4	1
FEMALE--	31	53	96	119	149	200	222	204	156	88	30	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1919

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
COLORADO -----	2,752	-	-	-	-	2	1	1	7	21	41	48
WHITE-----MALE----	1,398	-	-	-	-	1	1	1	5	11	29	40
FEMALE--	1,236	-	-	-	-	1	-	-	1	4	9	6
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	1	6	2	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	50	-	-	-	-	-	-	-	1	6	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	4,604	-	-	-	-	-	-	3	7	20	29	69
WHITE-----MALE----	2,122	-	-	-	-	-	-	1	5	16	22	51
FEMALE--	2,214	-	-	-	-	-	-	1	2	3	1	9
ALL OTHER--MALE----	141	-	-	-	-	-	-	1	-	1	4	3
FEMALE--	127	-	-	-	-	-	-	-	-	-	2	6
BLACK---MALE-----	129	-	-	-	-	-	-	1	-	1	3	3
FEMALE--	121	-	-	-	-	-	-	-	-	-	2	6
DELAWARE -----	989	1	-	-	-	-	1	-	3	2	12	11
WHITE-----MALE----	423	1	-	-	-	-	1	-	1	2	8	7
FEMALE--	440	-	-	-	-	-	-	-	2	-	-	2
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	58	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	2
DISTRICT OF COLUMBIA ---	787	-	-	-	-	1	-	1	1	2	9	21
WHITE-----MALE----	104	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	91	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	292	-	-	-	-	-	-	-	-	1	4	15
FEMALE--	300	-	-	-	-	1	-	1	1	1	3	3
BLACK---MALE-----	288	-	-	-	-	-	-	-	-	1	4	15
FEMALE--	298	-	-	-	-	1	-	1	1	1	3	3
FLORIDA -----	27,834	-	-	1	-	1	5	15	31	96	203	345
WHITE-----MALE----	12,969	-	-	1	-	-	3	9	20	62	132	240
FEMALE--	12,636	-	-	-	-	-	1	2	6	15	25	45
ALL OTHER--MALE----	1,075	-	-	-	-	1	1	2	4	12	33	39
FEMALE--	1,154	-	-	-	-	-	-	2	1	7	13	21
BLACK---MALE-----	1,028	-	-	-	-	1	1	2	4	12	30	38
FEMALE--	1,121	-	-	-	-	-	-	2	1	7	13	21
GEORGIA -----	5,808	-	-	-	1	1	-	4	12	49	94	146
WHITE-----MALE----	2,451	-	-	-	-	-	-	1	8	25	50	81
FEMALE--	2,081	-	-	-	-	1	-	1	1	7	12	15
ALL OTHER--MALE----	594	-	-	-	1	-	-	2	3	11	21	34
FEMALE--	682	-	-	-	-	-	-	-	-	6	11	16
BLACK---MALE-----	578	-	-	-	1	-	-	2	2	11	21	33
FEMALE--	667	-	-	-	-	-	-	-	-	6	10	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1919

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
COLORADO -----	79	112	147	205	309	412	427	430	322	147	41	-
WHITE-----MALE----	58	77	112	130	192	253	207	164	79	33	5	-
FEMALE--	14	31	25	60	104	145	205	252	237	110	32	-
ALL OTHER--MALE----	4	4	8	9	9	9	8	4	3	1	-	-
FEMALE--	3	-	2	6	4	5	7	10	3	3	4	-
BLACK---MALE-----	3	3	6	9	7	5	3	3	1	1	-	-
FEMALE--	3	-	2	5	4	4	5	7	3	3	2	-
CONNECTICUT -----	118	147	196	247	436	667	817	863	626	287	72	-
WHITE-----MALE----	84	96	126	143	266	353	391	326	180	54	8	-
FEMALE--	19	33	44	75	135	277	392	505	429	228	61	-
ALL OTHER--MALE----	10	12	16	18	21	18	17	16	4	-	-	-
FEMALE--	5	6	10	11	14	19	17	16	13	5	3	-
BLACK---MALE-----	9	12	15	17	19	17	14	14	4	-	-	-
FEMALE--	5	6	10	9	13	18	16	16	12	5	3	-
DELAWARE -----	26	30	58	69	129	153	181	155	93	54	11	-
WHITE-----MALE----	15	20	28	35	62	74	77	61	23	8	-	-
FEMALE--	5	6	15	21	47	54	92	82	64	41	9	-
ALL OTHER--MALE----	4	1	9	8	11	13	3	3	3	3	-	-
FEMALE--	2	3	6	5	9	12	9	9	3	2	2	-
BLACK---MALE-----	4	1	9	8	11	12	3	2	2	3	-	-
FEMALE--	2	3	6	5	9	12	9	9	3	2	2	-
DISTRICT OF COLUMBIA ---	34	24	47	68	96	115	123	107	76	50	11	1
WHITE-----MALE----	4	1	4	7	18	13	20	11	14	8	-	-
FEMALE--	1	-	4	4	6	7	17	22	11	15	3	-
ALL OTHER--MALE----	21	12	22	42	41	50	41	24	14	4	-	1
FEMALE--	8	11	17	15	31	45	45	50	37	23	8	-
BLACK---MALE-----	21	12	21	42	39	49	41	24	14	4	-	1
FEMALE--	7	11	17	15	31	45	45	50	37	23	7	-
FLORIDA -----	539	797	1,121	1,675	2,697	4,082	4,913	5,240	4,031	1,678	357	7
WHITE-----MALE----	338	530	688	997	1,566	2,199	2,425	2,107	1,189	397	61	5
FEMALE--	91	146	249	456	887	1,548	2,193	2,824	2,660	1,213	274	1
ALL OTHER--MALE----	72	79	111	121	143	159	122	99	53	16	7	1
FEMALE--	38	42	73	101	101	176	173	210	129	52	15	-
BLACK---MALE-----	70	77	105	114	137	150	117	96	50	16	7	1
FEMALE--	37	42	70	98	95	170	169	203	127	52	14	-
GEORGIA -----	239	301	391	523	672	837	867	862	547	216	46	-
WHITE-----MALE----	121	162	210	272	350	388	351	267	132	26	7	-
FEMALE--	38	43	72	105	175	303	370	450	313	144	31	-
ALL OTHER--MALE----	59	57	63	76	67	58	61	46	25	8	2	-
FEMALE--	21	39	46	70	80	88	85	99	77	38	6	-
BLACK---MALE-----	57	57	63	71	67	54	60	46	24	8	1	-
FEMALE--	21	37	46	69	79	85	84	96	76	36	6	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1920

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
HAWAII -----	42	48	61	75	118	141	161	129	100	43	15	-
WHITE-----MALE----	10	11	12	12	24	29	27	17	9	5	1	-
FEMALE--	1	1	1	4	11	18	26	15	20	6	1	-
ALL OTHER--MALE----	23	25	30	38	57	57	60	59	36	15	4	-
FEMALE--	8	11	18	21	26	37	48	38	35	17	9	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
IDAHO -----	16	16	25	60	64	148	161	186	108	40	9	-
WHITE-----MALE----	9	15	16	45	43	88	93	87	40	11	2	-
FEMALE--	7	1	9	14	19	60	68	99	68	29	7	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	387	525	672	950	1,476	2,034	2,343	2,393	1,693	774	210	1
WHITE-----MALE----	205	285	342	515	760	1,012	1,068	834	419	145	38	-
FEMALE--	53	100	153	223	440	733	1,053	1,365	1,150	575	158	-
ALL OTHER--MALE----	88	97	113	133	152	157	92	65	32	9	2	-
FEMALE--	41	43	64	79	124	132	130	129	92	45	12	1
BLACK---MALE-----	84	94	111	128	143	148	88	58	29	9	2	-
FEMALE--	41	41	62	77	119	126	121	122	89	45	12	1
INDIANA -----	198	227	332	463	754	982	1,105	1,055	853	397	102	-
WHITE-----MALE----	132	140	187	286	411	522	502	386	214	63	15	-
FEMALE--	39	56	111	128	287	380	540	611	607	313	80	-
ALL OTHER--MALE----	21	22	24	26	33	38	26	19	10	6	2	-
FEMALE--	6	9	10	23	23	42	37	39	22	15	5	-
BLACK---MALE-----	21	22	23	24	31	38	26	16	9	5	2	-
FEMALE--	6	9	10	22	23	39	35	38	20	14	5	-
IOWA -----	60	96	156	226	398	583	789	851	689	357	107	-
WHITE-----MALE----	42	69	108	136	256	333	389	323	224	66	12	-
FEMALE--	15	23	47	79	137	244	386	525	458	290	95	-
ALL OTHER--MALE----	3	2	1	6	2	4	4	-	3	-	-	-
FEMALE--	-	2	-	5	3	2	10	3	4	1	-	-
BLACK---MALE-----	3	2	1	3	2	4	2	-	2	-	-	-
FEMALE--	-	2	-	4	3	2	9	-	3	1	-	-
KANSAS -----	56	70	109	157	271	412	426	495	391	189	58	-
WHITE-----MALE----	42	55	66	96	172	240	207	201	114	39	9	-
FEMALE--	9	9	29	52	82	157	205	288	267	143	45	-
ALL OTHER--MALE----	5	2	7	4	10	6	8	2	4	2	1	-
FEMALE--	-	4	7	5	7	9	6	4	6	5	3	-
BLACK---MALE-----	3	2	5	2	10	5	5	2	2	2	1	-
FEMALE--	-	3	6	4	6	6	6	4	6	5	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1921

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
KENTUCKY -----	3,764	-	-	-	-	-	1	4	6	24	40	67
WHITE-----MALE----	1,685	-	-	-	-	-	1	1	4	13	22	48
FEMALE--	1,853	-	-	-	-	-	-	2	2	7	12	11
ALL OTHER--MALE----	103	-	-	-	-	-	-	1	-	1	5	5
FEMALE--	123	-	-	-	-	-	-	-	-	3	1	3
BLACK---MALE-----	101	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	123	-	-	-	-	-	-	-	-	3	1	3
LOUISIANA -----	4,354	-	-	-	-	1	2	4	12	23	53	104
WHITE-----MALE----	1,656	-	-	-	-	-	-	1	9	10	21	52
FEMALE--	1,627	-	-	-	-	-	-	2	-	2	6	12
ALL OTHER--MALE----	524	-	-	-	-	1	1	1	1	10	18	30
FEMALE--	547	-	-	-	-	-	1	-	2	1	8	10
BLACK---MALE-----	517	-	-	-	-	1	1	1	1	10	18	30
FEMALE--	542	-	-	-	-	-	1	-	2	1	8	10
MAINE -----	1,509	-	-	-	-	1	-	-	1	6	17	24
WHITE-----MALE----	718	-	-	-	-	1	-	-	1	2	15	17
FEMALE--	780	-	-	-	-	-	-	-	-	4	2	7
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5,530	-	-	-	-	1	2	3	11	28	77	93
WHITE-----MALE----	2,115	-	-	-	-	1	-	2	3	12	36	48
FEMALE--	2,170	-	-	-	-	-	-	1	3	5	6	10
ALL OTHER--MALE----	608	-	-	-	-	-	2	-	3	10	21	26
FEMALE--	637	-	-	-	-	-	-	-	2	1	14	9
BLACK---MALE-----	577	-	-	-	-	-	2	-	3	10	20	23
FEMALE--	609	-	-	-	-	-	-	-	2	1	14	9
MASSACHUSETTS -----	6,370	-	-	-	-	-	2	2	7	28	73	90
WHITE-----MALE----	3,041	-	-	-	-	-	2	1	5	22	55	63
FEMALE--	3,118	-	-	-	-	-	-	1	2	1	12	20
ALL OTHER--MALE----	116	-	-	-	-	-	-	-	-	2	5	6
FEMALE--	95	-	-	-	-	-	-	-	-	3	1	1
BLACK---MALE-----	92	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	81	-	-	-	-	-	-	-	-	2	1	1
MICHIGAN -----	13,267	-	1	-	-	-	2	2	15	84	154	252
WHITE-----MALE----	5,590	-	-	-	-	-	-	1	12	46	96	143
FEMALE--	5,540	-	-	-	-	-	1	1	-	14	25	41
ALL OTHER--MALE----	1,096	-	-	-	-	-	-	-	1	19	22	47
FEMALE--	1,041	-	1	-	-	-	1	-	2	5	11	21
BLACK---MALE-----	1,047	-	-	-	-	-	-	-	1	18	22	42
FEMALE--	1,002	-	1	-	-	-	1	-	2	5	11	21

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1921

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
KENTUCKY -----	91	127	187	303	404	569	607	632	476	184	42	-
WHITE-----MALE----	55	84	116	181	220	291	270	213	120	40	6	-
FEMALE--	22	32	56	94	169	253	304	393	344	123	29	-
ALL OTHER--MALE----	11	7	7	17	7	11	14	11	5	-	1	-
FEMALE--	3	4	8	11	8	14	19	15	7	21	6	-
BLACK---MALE-----	11	7	7	17	7	10	14	11	5	-	1	-
FEMALE--	3	4	8	11	8	14	19	15	7	21	6	-
LOUISIANA -----	144	188	230	359	476	652	684	701	479	195	47	-
WHITE-----MALE----	65	84	100	171	219	288	264	215	121	34	2	-
FEMALE--	20	34	52	88	132	233	290	347	267	114	28	-
ALL OTHER--MALE----	43	48	48	55	70	60	46	50	25	14	3	-
FEMALE--	16	22	30	45	55	71	84	89	66	33	14	-
BLACK---MALE-----	42	45	47	54	70	60	46	50	25	13	3	-
FEMALE--	16	22	30	44	54	70	83	89	65	33	14	-
MAINE -----	33	43	61	102	157	218	246	245	245	84	26	-
WHITE-----MALE----	22	24	45	68	99	131	113	97	69	11	3	-
FEMALE--	10	17	14	32	57	87	132	148	175	73	22	-
ALL OTHER--MALE----	1	2	1	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	1	-
BLACK---MALE-----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MARYLAND -----	179	265	299	441	582	815	882	863	612	308	59	10
WHITE-----MALE----	93	127	153	198	266	365	333	273	144	55	1	5
FEMALE--	19	44	45	108	160	263	401	465	391	202	47	-
ALL OTHER--MALE----	51	59	68	79	89	84	50	33	17	8	3	5
FEMALE--	16	35	33	56	67	103	98	92	60	43	8	-
BLACK---MALE-----	49	55	62	78	82	82	46	32	17	8	3	5
FEMALE--	15	34	30	52	62	101	93	88	57	43	8	-
MASSACHUSETTS -----	132	202	251	393	617	880	1,133	1,165	873	404	118	-
WHITE-----MALE----	99	139	168	258	388	500	567	457	232	69	16	-
FEMALE--	25	45	65	112	203	355	542	682	631	326	96	-
ALL OTHER--MALE----	7	14	14	11	15	15	11	9	1	5	1	-
FEMALE--	1	4	4	12	11	10	13	17	9	4	5	-
BLACK---MALE-----	6	11	11	9	9	14	9	8	-	5	1	-
FEMALE--	1	4	3	11	8	9	12	15	7	3	4	-
MICHIGAN -----	423	554	676	1,039	1,515	1,936	2,246	2,127	1,475	637	129	-
WHITE-----MALE----	247	311	359	527	765	911	942	741	371	100	18	-
FEMALE--	68	98	144	271	443	708	1,020	1,170	971	467	98	-
ALL OTHER--MALE----	68	97	110	139	163	170	121	79	42	16	2	-
FEMALE--	40	48	63	102	144	147	163	137	91	54	11	-
BLACK---MALE-----	65	92	106	132	155	164	115	76	42	15	2	-
FEMALE--	40	46	59	100	138	144	154	130	87	52	11	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1922

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
MINNESOTA -----	98	134	141	226	363	529	679	737	559	228	54	-
WHITE-----MALE----	78	100	99	174	238	311	373	329	203	49	7	-
FEMALE--	11	28	37	50	113	204	300	402	352	178	47	-
ALL OTHER--MALE----	6	5	4	2	8	7	1	3	2	-	-	-
FEMALE--	3	1	1	-	4	7	5	3	2	1	-	-
BLACK---MALE-----	6	3	2	2	4	-	-	2	1	-	-	-
FEMALE--	2	-	1	-	2	3	3	3	2	-	-	-
MISSISSIPPI -----	87	140	156	275	380	431	508	536	391	141	44	-
WHITE-----MALE----	41	72	69	121	162	187	168	149	60	16	3	-
FEMALE--	12	20	39	65	106	146	227	266	248	90	21	-
ALL OTHER--MALE----	25	19	30	46	56	40	50	32	30	7	1	-
FEMALE--	9	29	18	43	56	58	63	89	53	28	19	-
BLACK---MALE-----	25	19	30	45	55	39	50	32	30	7	1	-
FEMALE--	9	29	17	42	55	57	63	88	53	28	19	-
MISSOURI -----	152	182	307	429	656	964	1,177	1,264	1,026	464	113	-
WHITE-----MALE----	91	122	178	256	364	520	526	449	239	88	11	-
FEMALE--	26	33	88	118	206	359	564	730	716	338	87	-
ALL OTHER--MALE----	25	18	27	33	48	39	30	23	23	8	4	-
FEMALE--	10	9	14	22	38	46	57	62	48	30	11	-
BLACK---MALE-----	23	17	25	32	45	39	27	23	23	7	4	-
FEMALE--	8	8	14	21	38	43	56	58	47	30	11	-
MONTANA -----	25	24	42	71	92	118	145	109	82	27	8	-
WHITE-----MALE----	18	19	29	52	59	62	75	51	26	5	1	-
FEMALE--	5	4	11	14	25	49	68	55	54	22	7	-
ALL OTHER--MALE----	2	1	-	5	4	5	2	2	-	-	-	-
FEMALE--	-	-	2	-	4	2	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	30	54	65	103	155	251	290	315	281	112	40	-
WHITE-----MALE----	24	37	39	73	95	140	140	121	84	27	6	-
FEMALE--	3	10	21	24	55	106	143	186	196	84	34	-
ALL OTHER--MALE----	2	7	2	3	2	4	1	2	-	1	-	-
FEMALE--	1	-	3	3	3	1	6	6	1	-	-	-
BLACK---MALE-----	2	4	1	2	1	3	1	1	-	1	-	-
FEMALE--	1	-	3	2	1	1	4	5	1	-	-	-
NEVADA -----	87	137	168	204	264	337	272	225	120	45	6	-
WHITE-----MALE----	70	86	118	141	162	189	133	83	29	12	-	-
FEMALE--	14	35	33	44	77	131	121	134	87	29	5	-
ALL OTHER--MALE----	2	9	13	12	17	8	5	2	2	3	-	-
FEMALE--	1	7	4	7	8	9	13	6	2	1	1	-
BLACK---MALE-----	2	6	7	10	8	3	4	-	1	1	-	-
FEMALE--	1	6	2	5	2	6	8	3	1	1	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1924

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
OHIO -----	15,370	-	-	-	-	1	2	2	24	71	132	218
WHITE-----MALE----	6,661	-	-	-	-	-	-	-	16	43	75	151
FEMALE--	7,134	-	-	-	-	1	1	1	4	17	18	24
ALL OTHER--MALE----	812	-	-	-	-	-	1	1	3	8	22	31
FEMALE--	763	-	-	-	-	-	-	-	1	3	17	12
BLACK---MALE-----	791	-	-	-	-	-	1	1	3	8	22	31
FEMALE--	747	-	-	-	-	-	-	-	1	3	17	12
OKLAHOMA -----	4,724	2	-	-	-	1	-	2	8	27	44	82
WHITE-----MALE----	2,115	-	-	-	-	1	-	1	4	14	28	54
FEMALE--	2,163	1	-	-	-	-	-	-	1	4	9	14
ALL OTHER--MALE----	220	1	-	-	-	-	-	1	2	4	5	10
FEMALE--	226	-	-	-	-	-	-	-	1	5	2	4
BLACK---MALE-----	119	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	141	-	-	-	-	-	-	-	-	3	2	1
OREGON -----	3,235	-	-	-	-	-	-	3	5	9	41	66
WHITE-----MALE----	1,732	-	-	-	-	-	-	-	4	5	35	54
FEMALE--	1,415	-	-	-	-	-	-	-	1	1	4	9
ALL OTHER--MALE----	57	-	-	-	-	-	-	3	-	3	2	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	23	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17,834	-	-	-	-	1	2	3	19	62	116	210
WHITE-----MALE----	7,491	-	-	-	-	-	-	2	9	39	82	124
FEMALE--	8,878	-	-	-	-	-	1	-	4	12	13	27
ALL OTHER--MALE----	752	-	-	-	-	1	1	1	6	9	17	41
FEMALE--	713	-	-	-	-	-	-	-	-	2	4	18
BLACK---MALE-----	727	-	-	-	-	1	1	1	6	8	17	38
FEMALE--	695	-	-	-	-	-	-	-	-	2	4	18
RHODE ISLAND -----	1,664	-	-	-	-	-	1	-	1	7	14	28
WHITE-----MALE----	720	-	-	-	-	-	1	-	-	5	13	21
FEMALE--	896	-	-	-	-	-	-	-	-	2	1	6
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	24	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,260	-	-	-	-	-	1	5	6	18	46	72
WHITE-----MALE----	1,368	-	-	-	-	-	-	2	5	7	24	35
FEMALE--	1,225	-	-	-	-	-	-	1	-	4	7	8
ALL OTHER--MALE----	302	-	-	-	-	-	1	2	-	3	11	18
FEMALE--	365	-	-	-	-	-	-	-	1	4	4	11
BLACK---MALE-----	296	-	-	-	-	-	1	2	-	3	11	18
FEMALE--	363	-	-	-	-	-	-	-	1	4	4	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1924

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
OHIO -----	406	534	763	1,117	1,699	2,376	2,656	2,615	1,793	784	177	-
WHITE-----MALE----	248	296	417	628	888	1,180	1,183	906	466	139	25	-
FEMALE--	74	128	225	298	590	958	1,296	1,552	1,223	584	140	-
ALL OTHER--MALE----	54	70	79	122	125	125	80	49	32	9	1	-
FEMALE--	30	40	42	69	96	113	97	108	72	52	11	-
BLACK---MALE-----	54	67	79	117	122	120	78	48	30	9	1	-
FEMALE--	30	39	41	66	94	110	93	108	72	50	11	-
OKLAHOMA -----	143	186	247	352	490	679	741	809	605	249	56	1
WHITE-----MALE----	78	113	160	207	277	345	354	274	146	50	8	1
FEMALE--	37	50	54	95	174	271	336	486	410	178	43	-
ALL OTHER--MALE----	19	15	25	31	20	32	19	18	15	2	1	-
FEMALE--	9	8	8	19	19	31	32	31	34	19	4	-
BLACK---MALE-----	11	9	10	23	11	13	9	14	6	2	-	-
FEMALE--	5	6	3	16	12	18	19	18	21	13	4	-
OREGON -----	89	117	167	212	331	491	558	596	364	149	37	-
WHITE-----MALE----	68	90	121	141	211	270	311	250	128	36	8	-
FEMALE--	18	21	40	62	108	209	232	337	233	111	29	-
ALL OTHER--MALE----	3	4	3	7	9	8	6	3	2	1	-	-
FEMALE--	-	2	3	2	3	4	9	6	1	1	-	-
BLACK---MALE-----	2	2	1	5	3	1	2	1	1	-	-	-
FEMALE--	-	1	-	1	2	-	4	3	-	-	-	-
PENNSYLVANIA -----	350	491	649	1,059	1,834	2,645	3,350	3,314	2,494	997	237	1
WHITE-----MALE----	210	294	340	617	1,003	1,321	1,486	1,145	596	185	38	-
FEMALE--	76	94	187	315	632	1,113	1,675	2,006	1,786	755	181	1
ALL OTHER--MALE----	46	74	84	78	110	98	82	61	28	14	1	-
FEMALE--	18	29	38	49	89	113	107	102	84	43	17	-
BLACK---MALE-----	44	68	83	75	109	97	77	60	27	14	1	-
FEMALE--	18	27	36	48	85	109	104	100	84	43	17	-
RHODE ISLAND -----	29	33	55	86	150	208	274	359	274	107	38	-
WHITE-----MALE----	22	21	37	60	95	109	114	121	75	23	3	-
FEMALE--	4	9	11	23	48	94	155	233	194	82	34	-
ALL OTHER--MALE----	3	3	4	2	6	3	2	1	2	1	1	-
FEMALE--	-	-	3	1	1	2	3	4	3	1	-	-
BLACK---MALE-----	2	3	3	2	3	2	2	1	2	1	1	-
FEMALE--	-	-	3	-	1	2	2	2	1	1	-	-
SOUTH CAROLINA -----	102	125	220	276	399	543	542	466	307	106	26	-
WHITE-----MALE----	48	75	118	129	201	264	220	148	69	19	4	-
FEMALE--	19	20	45	74	115	180	229	249	187	73	14	-
ALL OTHER--MALE----	24	16	30	38	38	41	35	26	16	3	-	-
FEMALE--	11	14	27	35	45	58	58	43	35	11	8	-
BLACK---MALE-----	23	15	30	37	38	40	34	26	15	3	-	-
FEMALE--	11	14	27	35	45	57	58	43	35	11	8	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1925

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
SOUTH DAKOTA -----	744	-	-	-	-	-	-	-	-	3	6	5
WHITE-----MALE----	355	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	368	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6,674	-	-	-	-	-	3	2	10	43	95	149
WHITE-----MALE----	2,841	-	-	-	-	-	-	2	4	27	52	75
FEMALE--	2,825	-	-	-	-	-	-	-	5	6	14	26
ALL OTHER--MALE----	467	-	-	-	-	-	1	-	1	7	17	31
FEMALE--	541	-	-	-	-	-	2	-	-	3	12	17
BLACK---MALE-----	465	-	-	-	-	-	1	-	1	6	17	31
FEMALE--	537	-	-	-	-	-	2	-	-	3	12	17
TEXAS -----	17,576	-	-	1	-	1	4	7	24	98	228	361
WHITE-----MALE----	7,873	-	-	1	-	1	3	5	16	56	137	211
FEMALE--	7,498	-	-	-	-	-	-	1	4	16	30	59
ALL OTHER--MALE----	1,129	-	-	-	-	-	-	1	4	20	46	66
FEMALE--	1,076	-	-	-	-	-	1	-	-	6	15	25
BLACK---MALE-----	1,057	-	-	-	-	-	-	1	4	18	44	63
FEMALE--	1,028	-	-	-	-	-	1	-	-	6	13	24
UTAH -----	997	-	-	-	-	-	-	2	-	8	14	23
WHITE-----MALE----	589	-	-	-	-	-	-	1	-	5	13	19
FEMALE--	390	-	-	-	-	-	-	1	-	2	1	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	634	-	-	-	-	-	-	1	-	6	8	11
WHITE-----MALE----	305	-	-	-	-	-	-	-	-	4	8	10
FEMALE--	328	-	-	-	-	-	-	1	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,612	1	-	1	-	-	1	8	10	45	53	116
WHITE-----MALE----	2,379	1	-	-	-	-	-	4	5	27	31	75
FEMALE--	2,203	-	-	-	-	-	1	1	1	9	7	14
ALL OTHER--MALE----	530	-	-	-	-	-	-	3	2	6	9	14
FEMALE--	500	-	-	1	-	-	-	-	2	3	6	13
BLACK---MALE-----	503	-	-	-	-	-	-	3	2	5	7	14
FEMALE--	481	-	-	1	-	-	-	-	2	3	6	13

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1925

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
SOUTH DAKOTA -----	15	16	19	38	56	100	128	138	126	69	25	-
WHITE-----MALE----	12	10	10	23	33	64	72	55	42	19	4	-
FEMALE--	2	3	7	11	22	35	50	81	84	50	21	-
ALL OTHER--MALE----	1	2	1	2	1	-	3	1	-	-	-	-
FEMALE--	-	1	1	2	-	1	3	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TENNESSEE -----	243	284	353	505	716	979	1,089	1,077	755	307	64	-
WHITE-----MALE----	153	169	206	278	379	460	469	339	177	47	4	-
FEMALE--	40	49	70	132	212	392	495	599	512	223	50	-
ALL OTHER--MALE----	31	45	44	50	67	48	52	47	17	7	2	-
FEMALE--	19	21	33	45	58	79	73	92	49	30	8	-
BLACK---MALE-----	31	45	44	50	66	48	52	47	17	7	2	-
FEMALE--	19	20	33	45	58	78	73	91	48	30	8	-
TEXAS -----	576	782	954	1,358	1,995	2,630	2,731	2,809	1,998	827	190	2
WHITE-----MALE----	368	487	566	741	1,099	1,352	1,191	961	500	159	17	2
FEMALE--	95	147	218	398	633	971	1,290	1,580	1,322	589	145	-
ALL OTHER--MALE----	69	95	112	135	149	158	110	93	52	17	2	-
FEMALE--	44	53	58	84	114	149	140	175	124	62	26	-
BLACK---MALE-----	62	88	104	124	143	149	102	85	52	16	2	-
FEMALE--	43	51	57	83	112	143	130	164	115	60	26	-
UTAH -----	36	32	38	70	90	153	199	180	115	35	2	-
WHITE-----MALE----	29	24	30	49	59	102	114	89	42	12	1	-
FEMALE--	5	8	7	18	29	49	82	88	73	23	1	-
ALL OTHER--MALE----	2	-	-	2	-	2	1	2	-	-	-	-
FEMALE--	-	-	1	1	2	-	2	1	-	-	-	-
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	25	13	28	32	64	81	107	114	85	50	9	-
WHITE-----MALE----	22	11	23	20	38	48	47	42	22	9	1	-
FEMALE--	3	2	5	12	26	33	60	71	63	41	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VIRGINIA -----	157	214	304	444	670	922	917	881	562	256	50	-
WHITE-----MALE----	84	111	167	239	333	451	389	281	127	47	7	-
FEMALE--	22	36	56	112	190	313	389	485	358	180	29	-
ALL OTHER--MALE----	43	43	54	52	90	77	64	47	22	3	1	-
FEMALE--	8	24	27	41	57	81	75	68	55	26	13	-
BLACK---MALE-----	37	41	53	50	86	72	61	46	22	3	1	-
FEMALE--	8	24	23	39	54	80	70	66	53	26	13	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1926

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
WASHINGTON -----	175	209	259	426	575	865	997	1,051	708	313	63	1
WHITE-----MALE----	109	146	166	278	355	466	509	444	223	71	8	1
FEMALE--	47	42	73	114	187	350	456	581	466	234	54	-
ALL OTHER--MALE----	14	17	13	23	22	29	14	10	10	2	-	-
FEMALE--	5	4	7	11	11	20	18	16	9	6	1	-
BLACK---MALE-----	9	8	6	10	3	8	3	2	2	1	-	-
FEMALE--	4	2	1	5	4	8	10	6	4	2	1	-
WEST VIRGINIA -----	91	108	148	209	332	468	523	532	372	145	32	-
WHITE-----MALE----	61	71	97	131	191	258	217	184	99	27	7	-
FEMALE--	26	36	47	69	124	188	292	333	261	110	20	-
ALL OTHER--MALE----	3	1	2	3	7	12	8	4	1	1	1	-
FEMALE--	1	-	2	6	10	10	6	11	11	7	4	-
BLACK---MALE-----	3	1	1	3	7	12	7	4	1	1	1	-
FEMALE--	1	-	2	6	9	10	6	11	11	7	4	-
WISCONSIN -----	114	115	203	340	556	791	899	927	738	317	79	-
WHITE-----MALE----	82	74	141	211	364	460	455	351	248	60	12	-
FEMALE--	19	28	49	103	165	303	426	564	485	254	65	-
ALL OTHER--MALE----	10	9	10	8	15	12	8	2	2	-	-	-
FEMALE--	3	4	3	18	12	16	10	10	3	3	2	-
BLACK---MALE-----	8	8	9	4	13	9	6	1	1	-	-	-
FEMALE--	1	4	3	16	12	15	8	9	3	3	2	-
WYOMING -----	10	14	27	22	47	78	71	67	54	20	7	-
WHITE-----MALE----	10	12	19	11	25	49	39	25	20	9	2	-
FEMALE--	-	1	8	10	19	29	31	42	34	10	5	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1927

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
UNITED STATES -	71,926	-	1	-	1	-	13	32	128	453	1,035	1,792
WHITE-----MALE----	29,977	-	-	-	1	-	5	14	71	269	640	1,076
FEMALE--	29,734	-	-	-	-	-	6	6	19	67	121	229
ALL OTHER--MALE----	6,656	-	-	-	-	-	5	7	27	86	197	362
FEMALE--	5,559	-	1	-	-	-	3	5	11	31	77	125
BLACK---MALE-----	5,815	-	-	-	-	-	5	5	22	80	177	317
FEMALE--	5,008	-	1	-	-	-	3	3	11	30	74	120
ALABAMA -----	751	-	-	-	-	-	-	1	-	5	9	15
WHITE-----MALE----	266	-	-	-	-	-	-	-	-	3	4	7
FEMALE--	336	-	-	-	-	-	-	1	-	2	3	3
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	74	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	75	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	74	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	105	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,689	-	-	-	-	-	-	1	3	5	27	42
WHITE-----MALE----	859	-	-	-	-	-	-	1	3	3	25	31
FEMALE--	713	-	-	-	-	-	-	-	-	1	2	7
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	251	-	-	-	-	-	-	2	1	7	12	7
WHITE-----MALE----	97	-	-	-	-	-	-	1	-	2	5	6
FEMALE--	119	-	-	-	-	-	-	-	-	3	4	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	16	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	16	-	-	-	-	-	-	1	1	1	-	1
CALIFORNIA -----	9,062	-	-	-	-	-	-	2	13	36	80	174
WHITE-----MALE----	3,780	-	-	-	-	-	-	2	7	25	63	114
FEMALE--	3,808	-	-	-	-	-	-	-	3	4	7	21
ALL OTHER--MALE----	804	-	-	-	-	-	-	-	3	5	4	35
FEMALE--	670	-	-	-	-	-	-	-	-	2	6	4
BLACK---MALE-----	513	-	-	-	-	-	-	-	2	5	3	24
FEMALE--	446	-	-	-	-	-	-	-	-	2	5	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1927

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
UNITED STATES -	2,945	3,747	4,636	5,691	7,704	9,666	10,655	10,745	8,204	3,591	863	24
WHITE-----MALE----	1,763	2,156	2,477	3,001	3,800	4,348	4,178	3,478	1,964	615	108	13
FEMALE--	420	609	969	1,341	2,330	3,666	5,125	6,090	5,466	2,633	641	2
ALL OTHER--MALE----	551	686	804	841	904	852	585	417	232	77	14	9
FEMALE--	211	296	386	508	670	800	767	760	542	266	100	-
BLACK---MALE-----	485	612	697	760	799	737	499	350	188	64	9	9
FEMALE--	195	277	356	452	597	729	674	669	483	240	94	-
ALABAMA -----	20	27	29	42	70	95	116	135	127	50	10	-
WHITE-----MALE----	16	13	18	24	36	42	39	31	22	9	2	-
FEMALE--	1	6	5	9	11	31	58	88	84	29	5	-
ALL OTHER--MALE----	2	8	5	6	14	11	10	5	5	3	-	-
FEMALE--	1	-	1	3	9	11	9	11	16	9	3	-
BLACK---MALE-----	2	8	5	6	14	11	10	5	5	3	-	-
FEMALE--	1	-	1	3	9	11	9	11	16	9	3	-
ALASKA -----	7	8	13	12	22	19	12	2	3	-	-	-
WHITE-----MALE----	4	7	8	8	13	6	5	1	-	-	-	-
FEMALE--	1	1	4	2	5	7	4	-	3	-	-	-
ALL OTHER--MALE----	2	-	1	2	2	4	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	76	97	131	167	211	250	249	221	133	63	13	-
WHITE-----MALE----	53	67	74	112	122	130	101	82	38	16	1	-
FEMALE--	15	17	39	47	78	106	133	124	87	46	11	-
ALL OTHER--MALE----	4	5	11	6	6	7	8	5	5	-	-	-
FEMALE--	4	8	7	2	5	7	7	10	3	1	1	-
BLACK---MALE-----	3	4	4	1	4	2	5	2	2	-	-	-
FEMALE--	1	5	6	1	2	6	2	8	3	1	-	-
ARKANSAS -----	5	11	10	17	13	38	33	53	29	6	6	1
WHITE-----MALE----	2	8	4	9	7	20	12	14	6	1	-	-
FEMALE--	2	1	3	4	6	14	17	35	20	5	5	-
ALL OTHER--MALE----	1	2	1	2	-	3	2	3	-	-	-	1
FEMALE--	-	-	2	2	-	1	2	1	3	-	1	-
BLACK---MALE-----	1	2	1	2	-	3	2	3	-	-	-	1
FEMALE--	-	-	2	2	-	1	2	1	3	-	1	-
CALIFORNIA -----	333	505	652	712	971	1,261	1,379	1,292	1,063	484	102	3
WHITE-----MALE----	208	297	335	391	469	537	546	422	282	70	10	2
FEMALE--	52	82	163	167	317	515	643	718	679	361	76	-
ALL OTHER--MALE----	57	99	112	90	105	105	87	51	34	14	2	1
FEMALE--	16	27	42	64	80	104	103	101	68	39	14	-
BLACK---MALE-----	41	74	76	67	64	60	50	29	12	5	-	1
FEMALE--	12	19	35	42	52	71	64	63	42	25	11	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1928

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
COLORADO -----	607	-	-	-	-	-	-	1	-	2	11	12
WHITE-----MALE----	301	-	-	-	-	-	-	1	-	1	10	9
FEMALE--	273	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	1,175	-	-	-	-	-	-	-	-	5	7	25
WHITE-----MALE----	580	-	-	-	-	-	-	-	-	5	4	18
FEMALE--	504	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE-----	50	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	4
DELAWARE -----	368	-	-	-	-	-	-	-	1	-	6	3
WHITE-----MALE----	144	-	-	-	-	-	-	-	1	-	4	-
FEMALE--	166	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	27	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ---	434	-	-	-	-	-	-	-	1	2	8	13
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	174	-	-	-	-	-	-	-	-	1	4	11
FEMALE--	152	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE-----	170	-	-	-	-	-	-	-	-	1	4	11
FEMALE--	152	-	-	-	-	-	-	-	1	1	2	1
FLORIDA -----	5,558	-	-	-	-	-	2	3	7	29	72	129
WHITE-----MALE----	2,555	-	-	-	-	-	2	1	5	21	44	89
FEMALE--	2,492	-	-	-	-	-	-	-	-	3	11	20
ALL OTHER--MALE----	257	-	-	-	-	-	-	1	2	5	9	12
FEMALE--	254	-	-	-	-	-	-	1	-	-	8	8
BLACK---MALE-----	248	-	-	-	-	-	-	1	2	5	8	11
FEMALE--	246	-	-	-	-	-	-	1	-	-	8	8
GEORGIA -----	1,340	-	-	-	-	-	-	-	3	11	27	46
WHITE-----MALE----	491	-	-	-	-	-	-	-	3	9	17	23
FEMALE--	464	-	-	-	-	-	-	-	-	-	1	7
ALL OTHER--MALE----	200	-	-	-	-	-	-	-	-	1	7	13
FEMALE--	185	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE-----	194	-	-	-	-	-	-	-	-	1	7	12
FEMALE--	184	-	-	-	-	-	-	-	-	1	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1928

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
COLORADO -----	26	22	43	57	74	66	88	87	78	33	7	-
WHITE-----MALE----	16	18	31	34	47	40	40	26	19	8	1	-
FEMALE--	8	3	8	17	23	23	43	60	55	23	6	-
ALL OTHER--MALE----	1	1	3	5	3	1	4	-	2	1	-	-
FEMALE--	1	-	1	1	1	2	1	1	2	1	-	-
BLACK---MALE-----	1	1	2	5	3	-	2	-	1	1	-	-
FEMALE--	1	-	1	1	1	2	-	-	2	1	-	-
CONNECTICUT -----	50	72	80	87	149	177	170	175	113	53	12	-
WHITE-----MALE----	41	49	52	47	90	95	83	53	31	11	1	-
FEMALE--	6	16	15	26	44	75	81	113	77	41	10	-
ALL OTHER--MALE----	3	4	7	9	8	4	4	8	1	-	-	-
FEMALE--	-	3	6	5	7	3	2	1	4	1	1	-
BLACK---MALE-----	3	4	7	8	8	4	3	7	1	-	-	-
FEMALE--	-	3	6	3	7	3	2	1	4	1	1	-
DELAWARE -----	12	12	23	22	48	55	67	56	32	25	6	-
WHITE-----MALE----	7	7	11	12	19	22	27	22	7	5	-	-
FEMALE--	2	5	7	6	19	20	32	29	23	16	6	-
ALL OTHER--MALE----	2	-	4	2	4	7	2	2	2	2	-	-
FEMALE--	1	-	1	2	6	6	6	3	-	2	-	-
BLACK---MALE-----	2	-	4	2	4	6	2	2	1	2	-	-
FEMALE--	1	-	1	2	6	6	6	3	-	2	-	-
DISTRICT OF COLUMBIA ---	25	16	29	38	54	65	53	54	36	31	8	1
WHITE-----MALE----	3	1	2	5	12	5	7	5	8	4	-	-
FEMALE--	1	-	2	2	4	7	6	12	6	10	3	-
ALL OTHER--MALE----	15	9	16	23	23	29	22	9	7	4	-	1
FEMALE--	6	6	9	8	15	24	18	28	15	13	5	-
BLACK---MALE-----	15	9	15	23	21	28	22	9	7	4	-	1
FEMALE--	6	6	9	8	15	24	18	28	15	13	5	-
FLORIDA -----	158	237	312	376	520	743	884	939	756	316	71	4
WHITE-----MALE----	111	165	202	232	273	393	386	348	196	71	14	2
FEMALE--	18	41	63	95	199	280	430	527	518	234	52	1
ALL OTHER--MALE----	21	20	30	25	27	34	31	21	15	3	-	1
FEMALE--	8	11	17	24	21	36	37	43	27	8	5	-
BLACK---MALE-----	21	20	29	25	25	32	30	20	15	3	-	1
FEMALE--	8	11	17	23	19	34	37	40	27	8	5	-
GEORGIA -----	76	100	106	124	134	181	179	173	112	50	18	-
WHITE-----MALE----	38	49	51	48	47	76	49	46	23	8	4	-
FEMALE--	8	11	18	23	39	67	92	88	68	30	12	-
ALL OTHER--MALE----	23	27	23	28	29	11	17	14	3	3	1	-
FEMALE--	7	13	14	25	19	27	21	25	18	9	1	-
BLACK---MALE-----	21	27	23	26	29	11	17	14	3	3	-	-
FEMALE--	7	13	14	25	19	27	21	25	18	8	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1929

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
HAWAII -----	14	16	25	23	30	27	36	28	27	8	3	-
WHITE-----MALE----	5	6	5	3	10	9	9	2	4	-	-	-
FEMALE--	-	1	-	1	5	5	4	1	6	2	-	-
ALL OTHER--MALE----	6	9	14	12	10	7	14	11	8	1	2	-
FEMALE--	3	-	6	7	5	6	9	14	9	5	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	-	5	5	21	30	32	28	8	2	-
WHITE-----MALE----	1	3	-	3	1	6	16	13	9	1	-	-
FEMALE--	1	-	-	1	3	15	14	19	19	7	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	209	229	258	288	327	400	362	343	214	103	24	-
WHITE-----MALE----	103	112	118	132	138	171	154	103	50	17	6	-
FEMALE--	20	37	43	47	75	129	146	183	139	72	15	-
ALL OTHER--MALE----	65	58	71	81	73	66	32	23	8	3	-	-
FEMALE--	21	22	26	28	41	34	30	34	17	11	3	-
BLACK---MALE-----	62	57	69	79	72	64	31	22	8	3	-	-
FEMALE--	21	20	25	27	40	33	27	32	17	11	3	-
INDIANA -----	21	28	31	44	75	99	112	107	101	44	11	-
WHITE-----MALE----	13	20	17	19	46	43	45	19	23	8	2	-
FEMALE--	2	4	8	18	22	47	60	81	76	36	9	-
ALL OTHER--MALE----	5	3	4	3	4	5	2	2	-	-	-	-
FEMALE--	1	1	2	4	3	4	5	5	2	-	-	-
BLACK---MALE-----	5	3	4	3	4	5	2	2	-	-	-	-
FEMALE--	1	1	2	3	3	4	4	5	1	-	-	-
IOWA -----	27	38	67	83	125	176	206	246	178	98	35	-
WHITE-----MALE----	20	24	46	50	79	103	88	98	59	22	6	-
FEMALE--	6	10	21	27	43	68	112	146	118	76	29	-
ALL OTHER--MALE----	1	2	-	4	2	3	2	-	-	-	-	-
FEMALE--	-	2	-	2	1	2	4	2	1	-	-	-
BLACK---MALE-----	1	2	-	3	2	3	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	2	4	-	-	-	-	-
KANSAS -----	10	15	27	22	31	54	54	58	65	31	6	-
WHITE-----MALE----	6	12	18	17	17	32	20	22	14	3	1	-
FEMALE--	1	2	4	3	12	18	32	35	50	28	5	-
ALL OTHER--MALE----	3	-	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	3	1	1	2	1	1	1	-	-	-
BLACK---MALE-----	1	-	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	3	1	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1930

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
KENTUCKY -----	632	-	-	-	-	-	1	1	2	6	8	9
WHITE-----MALE----	244	-	-	-	-	-	1	-	1	4	4	5
FEMALE--	340	-	-	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	2
LOUISIANA -----	1,719	-	-	-	-	-	-	-	7	12	26	46
WHITE-----MALE----	579	-	-	-	-	-	-	-	6	6	12	27
FEMALE--	697	-	-	-	-	-	-	-	-	1	3	7
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	1	5	9	8
FEMALE--	215	-	-	-	-	-	-	-	-	-	2	4
BLACK---MALE-----	223	-	-	-	-	-	-	-	1	5	9	8
FEMALE--	214	-	-	-	-	-	-	-	-	-	2	4
MAINE -----	355	-	-	-	-	-	-	-	-	4	12	11
WHITE-----MALE----	168	-	-	-	-	-	-	-	-	1	10	7
FEMALE--	183	-	-	-	-	-	-	-	-	3	2	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,363	-	-	-	-	-	1	2	9	22	61	67
WHITE-----MALE----	852	-	-	-	-	-	-	1	3	9	31	35
FEMALE--	843	-	-	-	-	-	-	1	3	3	5	6
ALL OTHER--MALE----	348	-	-	-	-	-	1	-	2	9	17	18
FEMALE--	320	-	-	-	-	-	-	-	1	1	8	8
BLACK---MALE-----	332	-	-	-	-	-	1	-	2	9	16	17
FEMALE--	304	-	-	-	-	-	-	-	1	1	8	8
MASSACHUSETTS -----	911	-	-	-	-	-	1	-	-	4	13	20
WHITE-----MALE----	460	-	-	-	-	-	1	-	-	4	10	15
FEMALE--	406	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	27	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3,914	-	1	-	-	-	1	2	4	48	89	125
WHITE-----MALE----	1,492	-	-	-	-	-	-	1	3	25	53	63
FEMALE--	1,097	-	-	-	-	-	-	1	-	4	9	16
ALL OTHER--MALE----	735	-	-	-	-	-	-	-	-	14	19	34
FEMALE--	590	-	1	-	-	-	1	-	1	5	8	12
BLACK---MALE-----	713	-	-	-	-	-	-	-	-	13	19	34
FEMALE--	582	-	1	-	-	-	1	-	1	5	8	12

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1930

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
KENTUCKY -----	20	21	28	35	54	85	95	122	101	35	9	-
WHITE-----MALE----	11	13	16	16	36	29	34	37	25	10	2	-
FEMALE--	7	6	10	14	16	49	57	78	73	20	5	-
ALL OTHER--MALE----	1	1	-	3	1	3	2	3	2	-	-	-
FEMALE--	1	1	2	2	1	4	2	4	1	5	2	-
BLACK---MALE-----	1	1	-	3	1	3	2	3	2	-	-	-
FEMALE--	1	1	2	2	1	4	2	4	1	5	2	-
LOUISIANA -----	59	69	90	127	160	239	249	268	233	104	30	-
WHITE-----MALE----	28	35	37	63	59	89	86	67	49	15	-	-
FEMALE--	5	6	17	27	48	95	114	148	140	67	19	-
ALL OTHER--MALE----	21	21	21	24	35	26	16	17	15	7	2	-
FEMALE--	5	7	15	13	18	29	33	36	29	15	9	-
BLACK---MALE-----	20	18	20	24	35	26	16	17	15	7	2	-
FEMALE--	5	7	15	13	18	29	33	36	28	15	9	-
MAINE -----	12	11	18	14	29	44	58	56	53	26	7	-
WHITE-----MALE----	8	4	15	11	22	26	20	26	13	5	-	-
FEMALE--	3	6	2	3	7	18	37	30	40	21	7	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	115	144	161	206	219	305	316	317	251	134	23	10
WHITE-----MALE----	57	73	88	86	84	125	103	94	42	16	-	5
FEMALE--	9	14	15	39	64	99	149	165	165	87	19	-
ALL OTHER--MALE----	40	37	43	52	38	36	21	17	5	7	-	5
FEMALE--	9	20	15	29	33	45	43	41	39	24	4	-
BLACK---MALE-----	38	34	39	51	38	34	19	17	5	7	-	5
FEMALE--	8	19	12	25	31	45	41	40	37	24	4	-
MASSACHUSETTS -----	47	57	51	73	112	110	149	122	100	39	13	-
WHITE-----MALE----	34	37	32	49	70	56	68	48	27	8	1	-
FEMALE--	10	14	13	19	36	47	78	71	72	30	12	-
ALL OTHER--MALE----	3	4	4	2	5	6	1	2	-	1	-	-
FEMALE--	-	2	2	3	1	1	2	1	1	-	-	-
BLACK---MALE-----	2	3	2	2	4	6	1	2	-	1	-	-
FEMALE--	-	2	2	3	-	1	2	1	-	-	-	-
MICHIGAN -----	225	282	327	412	511	518	513	454	261	121	20	-
WHITE-----MALE----	121	135	150	158	209	177	169	142	70	15	1	-
FEMALE--	24	39	52	89	115	151	186	189	133	77	12	-
ALL OTHER--MALE----	53	74	79	106	107	101	70	48	21	7	2	-
FEMALE--	27	34	46	59	80	89	88	75	37	22	5	-
BLACK---MALE-----	50	70	78	102	103	99	69	47	21	6	2	-
FEMALE--	27	34	45	58	79	89	87	71	37	22	5	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1931

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
MINNESOTA -----	8	17	13	30	52	48	88	97	64	39	8	-
WHITE-----MALE----	6	11	10	25	36	29	38	41	21	4	1	-
FEMALE--	1	5	3	5	15	18	50	53	43	34	7	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	34	47	48	94	133	142	189	213	161	65	18	-
WHITE-----MALE----	19	24	18	32	48	55	51	60	24	9	1	-
FEMALE--	2	5	11	22	37	47	92	106	91	43	9	-
ALL OTHER--MALE----	9	8	13	19	21	16	17	12	15	4	1	-
FEMALE--	4	10	6	21	27	24	29	35	31	9	7	-
BLACK---MALE-----	9	8	13	18	21	16	17	12	15	4	1	-
FEMALE--	4	10	5	21	27	24	29	35	31	9	7	-
MISSOURI -----	7	10	17	37	58	102	119	134	94	55	8	-
WHITE-----MALE----	4	7	8	16	21	50	46	42	20	8	1	-
FEMALE--	2	-	4	13	24	41	65	82	70	44	6	-
ALL OTHER--MALE----	1	3	5	8	8	6	4	4	2	-	1	-
FEMALE--	-	-	-	-	5	5	4	6	2	3	-	-
BLACK---MALE-----	1	3	4	8	8	6	4	4	2	-	1	-
FEMALE--	-	-	-	-	5	5	4	6	2	3	-	-
MONTANA -----	7	6	13	20	20	22	20	22	17	-	2	-
WHITE-----MALE----	7	5	9	12	13	12	7	8	4	-	1	-
FEMALE--	-	1	4	7	6	9	12	12	11	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	7	1	2	7	28	33	67	52	16	9	-
WHITE-----MALE----	4	6	-	2	3	16	17	26	9	2	1	-
FEMALE--	-	1	1	-	4	12	16	40	43	14	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	52	83	93	109	127	138	93	71	42	10	2	-
WHITE-----MALE----	39	58	64	83	81	80	38	22	14	3	-	-
FEMALE--	11	17	18	19	31	53	48	46	26	6	2	-
ALL OTHER--MALE----	1	7	9	6	10	2	1	1	1	1	-	-
FEMALE--	1	1	2	1	5	3	6	2	1	-	-	-
BLACK---MALE-----	1	4	4	6	4	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	4	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1933

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
OHIO -----	98	95	126	169	226	301	335	337	260	134	28	-
WHITE-----MALE----	66	59	67	81	104	131	139	113	63	18	6	-
FEMALE--	12	13	33	53	76	129	165	203	179	107	18	-
ALL OTHER--MALE----	12	16	20	25	28	16	17	7	7	1	-	-
FEMALE--	8	7	6	10	18	25	14	14	11	8	4	-
BLACK---MALE-----	12	15	20	25	28	16	17	7	6	1	-	-
FEMALE--	8	7	6	9	16	24	14	14	11	6	4	-
OKLAHOMA -----	42	52	75	90	115	163	184	182	142	63	13	-
WHITE-----MALE----	22	30	49	56	58	79	79	61	30	12	2	-
FEMALE--	10	14	20	22	45	68	90	106	99	47	10	-
ALL OTHER--MALE----	7	6	5	4	7	9	4	5	2	1	-	-
FEMALE--	3	2	1	8	5	7	11	10	11	3	1	-
BLACK---MALE-----	4	4	1	3	3	3	2	4	-	1	-	-
FEMALE--	1	2	-	7	3	2	5	4	7	3	1	-
OREGON -----	9	19	18	18	47	65	91	97	59	23	11	-
WHITE-----MALE----	8	18	14	14	27	34	40	35	17	6	3	-
FEMALE--	1	-	4	4	20	31	50	60	42	17	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	141	172	212	260	414	543	708	780	624	264	60	1
WHITE-----MALE----	73	86	87	141	192	233	262	246	111	47	9	-
FEMALE--	24	28	50	49	124	218	371	472	473	200	46	1
ALL OTHER--MALE----	31	47	51	50	55	47	26	32	6	3	-	-
FEMALE--	13	11	24	20	43	45	49	30	34	14	5	-
BLACK---MALE-----	30	44	51	49	55	47	24	32	6	3	-	-
FEMALE--	13	10	22	20	43	44	48	30	34	14	5	-
RHODE ISLAND -----	18	17	24	34	51	46	67	95	76	21	11	-
WHITE-----MALE----	15	11	17	26	29	20	32	25	19	6	-	-
FEMALE--	2	5	4	5	19	25	34	69	54	15	10	-
ALL OTHER--MALE----	1	1	3	2	3	1	-	-	1	-	1	-
FEMALE--	-	-	-	1	-	-	1	1	2	-	-	-
BLACK---MALE-----	1	1	2	2	1	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
SOUTH CAROLINA -----	10	22	27	41	52	93	104	94	77	22	13	-
WHITE-----MALE----	4	11	15	22	24	34	35	28	16	3	1	-
FEMALE--	2	4	6	6	14	39	48	54	44	16	9	-
ALL OTHER--MALE----	3	6	2	6	6	7	9	3	8	1	-	-
FEMALE--	1	1	4	7	8	13	12	9	9	2	3	-
BLACK---MALE-----	2	6	2	5	6	7	8	3	8	1	-	-
FEMALE--	1	1	4	7	8	12	12	9	9	2	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1934

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
SOUTH DAKOTA -----	142	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,018	-	-	-	-	-	3	-	6	21	45	70
WHITE-----MALE----	771	-	-	-	-	-	-	-	3	9	21	28
FEMALE--	807	-	-	-	-	-	-	-	3	4	6	10
ALL OTHER--MALE----	225	-	-	-	-	-	1	-	-	5	12	20
FEMALE--	215	-	-	-	-	-	2	-	-	3	6	12
BLACK---MALE-----	225	-	-	-	-	-	1	-	-	5	12	20
FEMALE--	213	-	-	-	-	-	2	-	-	3	6	12
TEXAS -----	4,794	-	-	-	-	-	-	3	6	38	100	179
WHITE-----MALE----	2,126	-	-	-	-	-	-	2	4	24	59	107
FEMALE--	1,837	-	-	-	-	-	-	1	1	7	13	24
ALL OTHER--MALE----	476	-	-	-	-	-	-	-	1	4	22	37
FEMALE--	355	-	-	-	-	-	-	-	-	3	6	11
BLACK---MALE-----	453	-	-	-	-	-	-	-	1	4	20	37
FEMALE--	340	-	-	-	-	-	-	-	-	3	5	11
UTAH -----	139	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	74	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	204	-	-	-	-	-	-	1	-	2	4	2
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	125	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,224	-	-	-	-	-	-	1	3	6	17	26
WHITE-----MALE----	455	-	-	-	-	-	-	-	1	2	13	18
FEMALE--	537	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	122	-	-	-	-	-	-	1	1	1	2	3
FEMALE--	110	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE-----	114	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	107	-	-	-	-	-	-	-	1	1	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1934

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
SOUTH DAKOTA -----	-	2	2	1	11	15	23	27	37	17	7	-
WHITE-----MALE----	-	1	1	1	5	11	15	13	9	3	2	-
FEMALE--	-	1	1	-	6	4	8	14	28	14	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	97	108	129	160	217	232	283	300	235	96	16	-
WHITE-----MALE----	57	63	60	71	98	94	109	85	56	16	1	-
FEMALE--	12	12	22	39	68	89	132	174	159	65	12	-
ALL OTHER--MALE----	17	22	30	28	26	24	21	12	4	2	1	-
FEMALE--	11	11	17	22	25	25	21	29	16	13	2	-
BLACK---MALE-----	17	22	30	28	26	24	21	12	4	2	1	-
FEMALE--	11	10	17	22	25	25	21	29	15	13	2	-
TEXAS -----	239	313	364	426	550	633	629	612	464	190	46	2
WHITE-----MALE----	159	176	205	230	284	286	248	187	115	35	3	2
FEMALE--	29	53	81	109	164	234	298	349	298	139	37	-
ALL OTHER--MALE----	35	56	53	59	60	67	37	28	16	1	-	-
FEMALE--	16	28	25	28	42	46	46	48	35	15	6	-
BLACK---MALE-----	33	54	50	56	58	63	35	25	16	1	-	-
FEMALE--	16	28	25	27	40	46	43	44	31	15	6	-
UTAH -----	7	4	4	7	13	21	26	28	19	6	-	-
WHITE-----MALE----	5	2	3	4	8	15	16	13	5	1	-	-
FEMALE--	1	2	1	1	4	6	10	14	14	5	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	1	6	5	18	15	37	37	40	25	6	-
WHITE-----MALE----	5	1	5	-	11	9	15	9	12	4	1	-
FEMALE--	-	-	1	5	7	6	22	27	28	21	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VIRGINIA -----	40	44	69	72	130	166	214	201	156	70	9	-
WHITE-----MALE----	20	24	43	36	60	74	70	52	31	10	1	-
FEMALE--	4	7	8	18	41	59	110	126	103	53	4	-
ALL OTHER--MALE----	13	9	11	14	19	15	16	9	8	-	-	-
FEMALE--	3	4	7	4	10	18	18	14	14	7	4	-
BLACK---MALE-----	11	8	11	14	19	14	14	9	8	-	-	-
FEMALE--	3	4	6	4	9	18	17	14	14	7	4	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1936

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

UNITED STATES -	255,047	11	1	7	2	27	34	110	304	974	1,959	3,415
WHITE-----MALE----	112,638	4	1	5	1	12	14	58	179	561	1,199	2,214
FEMALE--	116,973	4	-	-	-	5	7	24	52	188	294	513
ALL OTHER--MALE----	12,163	2	-	1	1	8	6	21	52	159	326	465
FEMALE--	13,273	1	-	1	-	2	7	7	21	66	140	223
BLACK---MALE-----	9,855	1	-	1	1	6	5	17	43	127	274	392
FEMALE--	11,610	1	-	1	-	2	7	6	17	62	133	210
ALABAMA -----	2,909	-	-	1	-	1	1	3	8	14	38	71
WHITE-----MALE----	1,268	-	-	-	-	-	-	2	5	5	14	36
FEMALE--	1,085	-	-	-	-	-	-	-	2	3	3	9
ALL OTHER--MALE----	284	-	-	1	-	1	-	1	3	3	13	17
FEMALE--	272	-	-	-	-	-	1	1	-	3	8	9
BLACK---MALE-----	283	-	-	1	-	1	-	-	1	3	13	17
FEMALE--	267	-	-	-	-	-	1	1	-	3	7	8
ALASKA -----	155	-	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,810	-	-	-	-	-	-	1	3	13	29	53
WHITE-----MALE----	2,029	-	-	-	-	-	-	-	3	6	22	42
FEMALE--	1,640	-	-	-	-	-	-	1	-	4	4	7
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	68	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	38	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	1,792	-	-	-	-	-	-	-	-	3	9	14
WHITE-----MALE----	813	-	-	-	-	-	-	-	-	1	6	9
FEMALE--	768	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	118	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	93	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	117	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	29,905	2	-	-	-	2	-	11	38	90	209	404
WHITE-----MALE----	12,839	1	-	-	-	1	-	7	21	59	123	261
FEMALE--	13,646	-	-	-	-	-	-	2	10	14	30	55
ALL OTHER--MALE----	1,777	-	-	-	-	1	-	-	5	14	46	66
FEMALE--	1,643	1	-	-	-	-	-	2	2	3	10	22
BLACK---MALE-----	817	-	-	-	-	-	-	-	2	5	27	31
FEMALE--	948	1	-	-	-	-	-	2	2	3	9	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1936

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
UNITED STATES -	5,548	7,496	10,644	16,762	26,568	38,254	45,155	46,228	33,530	14,511	3,499	8
WHITE-----MALE----	3,416	4,519	6,183	9,661	14,819	19,804	20,884	16,883	8,977	2,776	461	7
FEMALE--	1,053	1,628	2,684	4,662	8,570	14,681	20,712	26,075	22,411	10,690	2,720	-
ALL OTHER--MALE----	736	847	1,107	1,336	1,707	1,817	1,471	1,154	658	235	54	-
FEMALE--	343	502	670	1,103	1,472	1,952	2,088	2,116	1,484	810	264	1
BLACK---MALE-----	635	732	944	1,132	1,392	1,429	1,149	874	473	181	47	-
FEMALE--	317	457	590	985	1,288	1,685	1,774	1,827	1,284	727	236	1
ALABAMA -----	78	116	187	262	377	462	473	419	276	100	22	-
WHITE-----MALE----	44	55	98	153	207	238	205	131	58	15	2	-
FEMALE--	11	28	38	65	90	152	202	222	179	67	14	-
ALL OTHER--MALE----	16	22	32	21	42	40	24	29	14	6	2	-
FEMALE--	7	11	19	23	38	32	42	37	25	12	4	-
BLACK---MALE-----	16	22	32	21	42	40	24	28	14	6	2	-
FEMALE--	7	11	17	23	38	32	41	37	25	12	4	-
ALASKA -----	10	13	12	23	24	26	21	17	3	-	-	-
WHITE-----MALE----	9	11	9	16	12	9	10	6	1	-	-	-
FEMALE--	1	1	2	3	8	11	6	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	4	2	2	-	4	1	-	-	-
FEMALE--	-	1	1	-	2	4	5	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	83	121	176	277	460	578	711	676	424	159	46	-
WHITE-----MALE----	63	93	124	178	302	328	377	297	137	46	11	-
FEMALE--	12	20	45	78	139	235	316	362	276	108	33	-
ALL OTHER--MALE----	7	5	4	12	12	5	6	8	5	2	-	-
FEMALE--	1	3	3	9	7	10	12	9	6	3	2	-
BLACK---MALE-----	5	2	1	7	8	-	4	5	1	2	-	-
FEMALE--	-	2	1	3	6	4	8	5	2	-	1	-
ARKANSAS -----	34	63	77	142	197	261	349	341	203	81	18	-
WHITE-----MALE----	22	38	50	90	120	138	147	121	50	16	5	-
FEMALE--	9	16	15	36	62	93	161	174	132	55	10	-
ALL OTHER--MALE----	3	5	9	9	5	15	16	21	4	1	1	-
FEMALE--	-	4	3	7	10	15	25	25	17	9	2	-
BLACK---MALE-----	3	5	9	9	5	15	16	21	4	1	1	-
FEMALE--	-	4	3	6	10	15	25	25	17	9	2	-
CALIFORNIA -----	647	762	1,096	1,802	2,923	4,382	5,455	5,633	4,109	1,889	449	2
WHITE-----MALE----	418	436	580	975	1,604	2,197	2,552	2,056	1,130	360	56	2
FEMALE--	122	182	284	547	936	1,664	2,368	3,065	2,628	1,384	355	-
ALL OTHER--MALE----	80	99	149	158	214	277	252	226	138	45	7	-
FEMALE--	27	45	83	122	169	244	283	286	213	100	31	-
BLACK---MALE-----	42	68	81	96	97	118	103	83	40	20	4	-
FEMALE--	19	34	61	77	97	129	158	141	114	63	19	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1937

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

COLORADO -----	2,145	-	-	-	-	2	1	-	7	19	30	36
WHITE-----MALE----	1,097	-	-	-	-	1	1	-	5	10	19	31
FEMALE--	963	-	-	-	-	1	-	-	1	3	8	4
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	6	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	34	-	-	-	-	-	-	-	1	6	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	3,429	-	-	-	-	-	-	3	7	15	22	44
WHITE-----MALE----	1,542	-	-	-	-	-	-	1	5	11	18	33
FEMALE--	1,710	-	-	-	-	-	-	1	2	3	1	9
ALL OTHER--MALE----	88	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	79	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	85	-	-	-	-	-	-	-	-	-	1	2
DELAWARE -----	621	1	-	-	-	-	1	-	2	2	6	8
WHITE-----MALE----	279	1	-	-	-	-	1	-	-	2	4	7
FEMALE--	274	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	353	-	-	-	-	1	-	1	-	-	1	8
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	118	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	148	-	-	-	-	1	-	1	-	-	1	2
BLACK---MALE-----	118	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	146	-	-	-	-	1	-	1	-	-	1	2
FLORIDA -----	22,276	-	-	1	-	1	3	12	24	67	131	216
WHITE-----MALE----	10,414	-	-	1	-	-	1	8	15	41	88	151
FEMALE--	10,144	-	-	-	-	-	1	2	6	12	14	25
ALL OTHER--MALE----	818	-	-	-	-	1	1	1	2	7	24	27
FEMALE--	900	-	-	-	-	-	-	1	1	7	5	13
BLACK---MALE-----	780	-	-	-	-	1	1	1	2	7	22	27
FEMALE--	875	-	-	-	-	-	-	1	1	7	5	13
GEORGIA -----	4,468	-	-	-	1	1	-	4	9	38	67	100
WHITE-----MALE----	1,960	-	-	-	-	-	-	1	5	16	33	58
FEMALE--	1,617	-	-	-	-	1	-	1	1	7	11	8
ALL OTHER--MALE----	394	-	-	-	1	-	-	2	3	10	14	21
FEMALE--	497	-	-	-	-	-	-	-	-	5	9	13
BLACK---MALE-----	384	-	-	-	1	-	-	2	2	10	14	21
FEMALE--	483	-	-	-	-	-	-	-	-	5	8	13

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1937

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
COLORADO -----	53	90	104	148	235	346	339	343	244	114	34	-
WHITE-----MALE----	42	59	81	96	145	213	167	138	60	25	4	-
FEMALE--	6	28	17	43	81	122	162	192	182	87	26	-
ALL OTHER--MALE----	3	3	5	4	6	8	4	4	1	-	-	-
FEMALE--	2	-	1	5	3	3	6	9	1	2	4	-
BLACK---MALE-----	2	2	4	4	4	5	1	3	-	-	-	-
FEMALE--	2	-	1	4	3	2	5	7	1	2	2	-
CONNECTICUT -----	68	75	116	160	287	490	647	688	513	234	60	-
WHITE-----MALE----	43	47	74	96	176	258	308	273	149	43	7	-
FEMALE--	13	17	29	49	91	202	311	392	352	187	51	-
ALL OTHER--MALE----	7	8	9	9	13	14	13	8	3	-	-	-
FEMALE--	5	3	4	6	7	16	15	15	9	4	2	-
BLACK---MALE-----	6	8	8	9	11	13	11	7	3	-	-	-
FEMALE--	5	3	4	6	6	15	14	15	8	4	2	-
DELAWARE -----	14	18	35	47	81	98	114	99	61	29	5	-
WHITE-----MALE----	8	13	17	23	43	52	50	39	16	3	-	-
FEMALE--	3	1	8	15	28	34	60	53	41	25	3	-
ALL OTHER--MALE----	2	1	5	6	7	6	1	1	1	1	-	-
FEMALE--	1	3	5	3	3	6	3	6	3	-	2	-
BLACK---MALE-----	2	1	5	6	7	6	1	-	1	1	-	-
FEMALE--	1	3	5	3	3	6	3	6	3	-	2	-
DISTRICT OF COLUMBIA ---	9	8	18	30	42	50	70	53	40	19	3	-
WHITE-----MALE----	1	-	2	2	6	8	13	6	6	4	-	-
FEMALE--	-	-	2	2	2	-	11	10	5	5	-	-
ALL OTHER--MALE----	6	3	6	19	18	21	19	15	7	-	-	-
FEMALE--	2	5	8	7	16	21	27	22	22	10	3	-
BLACK---MALE-----	6	3	6	19	18	21	19	15	7	-	-	-
FEMALE--	1	5	8	7	16	21	27	22	22	10	2	-
FLORIDA -----	381	560	809	1,299	2,177	3,339	4,029	4,301	3,275	1,362	286	3
WHITE-----MALE----	227	365	486	765	1,293	1,806	2,039	1,759	993	326	47	3
FEMALE--	73	105	186	361	688	1,268	1,763	2,297	2,142	979	222	-
ALL OTHER--MALE----	51	59	81	96	116	125	91	78	38	13	7	-
FEMALE--	30	31	56	77	80	140	136	167	102	44	10	-
BLACK---MALE-----	49	57	76	89	112	118	87	76	35	13	7	-
FEMALE--	29	31	53	75	76	136	132	163	100	44	9	-
GEORGIA -----	163	201	285	399	538	656	688	689	435	166	28	-
WHITE-----MALE----	83	113	159	224	303	312	302	221	109	18	3	-
FEMALE--	30	32	54	82	136	236	278	362	245	114	19	-
ALL OTHER--MALE----	36	30	40	48	38	47	44	32	22	5	1	-
FEMALE--	14	26	32	45	61	61	64	74	59	29	5	-
BLACK---MALE-----	36	30	40	45	38	43	43	32	21	5	1	-
FEMALE--	14	24	32	44	60	58	63	71	58	28	5	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1938

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
HAWAII -----	28	32	36	52	88	114	125	101	73	35	12	-
WHITE-----MALE----	5	5	7	9	14	20	18	15	5	5	1	-
FEMALE--	1	-	1	3	6	13	22	14	14	4	1	-
ALL OTHER--MALE----	17	16	16	26	47	50	46	48	28	14	2	-
FEMALE--	5	11	12	14	21	31	39	24	26	12	8	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
IDAHO -----	14	13	25	55	59	127	131	154	80	32	7	-
WHITE-----MALE----	8	12	16	42	42	82	77	74	31	10	2	-
FEMALE--	6	1	9	13	16	45	54	80	49	22	5	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	178	296	414	662	1,149	1,634	1,981	2,050	1,479	671	186	1
WHITE-----MALE----	102	173	224	383	622	841	914	731	369	128	32	-
FEMALE--	33	63	110	176	365	604	907	1,182	1,011	503	143	-
ALL OTHER--MALE----	23	39	42	52	79	91	60	42	24	6	2	-
FEMALE--	20	21	38	51	83	98	100	95	75	34	9	1
BLACK---MALE-----	22	37	42	49	71	84	57	36	21	6	2	-
FEMALE--	20	21	37	50	79	93	94	90	72	34	9	1
INDIANA -----	177	199	301	419	679	883	993	948	752	353	91	-
WHITE-----MALE----	119	120	170	267	365	479	457	367	191	55	13	-
FEMALE--	37	52	103	110	265	333	480	530	531	277	71	-
ALL OTHER--MALE----	16	19	20	23	29	33	24	17	10	6	2	-
FEMALE--	5	8	8	19	20	38	32	34	20	15	5	-
BLACK---MALE-----	16	19	19	21	27	33	24	14	9	5	2	-
FEMALE--	5	8	8	19	20	35	31	33	19	14	5	-
IOWA -----	33	58	89	143	273	407	583	605	511	259	72	-
WHITE-----MALE----	22	45	62	86	177	230	301	225	165	44	6	-
FEMALE--	9	13	26	52	94	176	274	379	340	214	66	-
ALL OTHER--MALE----	2	-	1	2	-	1	2	-	3	-	-	-
FEMALE--	-	-	-	3	2	-	6	1	3	1	-	-
BLACK---MALE-----	2	-	1	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	3	2	-	5	-	3	1	-	-
KANSAS -----	46	55	82	135	240	358	372	437	326	158	52	-
WHITE-----MALE----	36	43	48	79	155	208	187	179	100	36	8	-
FEMALE--	8	7	25	49	70	139	173	253	217	115	40	-
ALL OTHER--MALE----	2	2	5	3	9	4	7	2	4	2	1	-
FEMALE--	-	3	4	4	6	7	5	3	5	5	3	-
BLACK---MALE-----	2	2	4	1	9	3	4	2	2	2	1	-
FEMALE--	-	2	3	3	6	5	5	3	5	5	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1939

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

KENTUCKY -----	3,132	-	-	-	-	-	-	3	4	18	32	58
WHITE-----MALE----	1,441	-	-	-	-	-	-	1	3	9	18	43
FEMALE--	1,513	-	-	-	-	-	-	2	1	6	9	11
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	95	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE-----	82	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	95	-	-	-	-	-	-	-	-	2	1	1
LOUISIANA -----	2,635	-	-	-	-	1	2	4	5	11	27	58
WHITE-----MALE----	1,077	-	-	-	-	-	-	1	3	4	9	25
FEMALE--	930	-	-	-	-	-	-	2	-	1	3	5
ALL OTHER--MALE----	296	-	-	-	-	1	1	1	-	5	9	22
FEMALE--	332	-	-	-	-	-	1	-	2	1	6	6
BLACK---MALE-----	294	-	-	-	-	1	1	1	-	5	9	22
FEMALE--	328	-	-	-	-	-	1	-	2	1	6	6
MAINE -----	1,154	-	-	-	-	1	-	-	1	2	5	13
WHITE-----MALE----	550	-	-	-	-	1	-	-	1	1	5	10
FEMALE--	597	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,167	-	-	-	-	1	1	1	2	6	16	26
WHITE-----MALE----	1,263	-	-	-	-	1	-	1	-	3	5	13
FEMALE--	1,327	-	-	-	-	-	-	-	-	2	1	4
ALL OTHER--MALE----	260	-	-	-	-	-	1	-	1	1	4	8
FEMALE--	317	-	-	-	-	-	-	-	1	-	6	1
BLACK---MALE-----	245	-	-	-	-	-	1	-	1	1	4	6
FEMALE--	305	-	-	-	-	-	-	-	1	-	6	1
MASSACHUSETTS -----	5,459	-	-	-	-	-	1	2	7	24	60	70
WHITE-----MALE----	2,581	-	-	-	-	-	1	1	5	18	45	48
FEMALE--	2,712	-	-	-	-	-	-	1	2	1	11	17
ALL OTHER--MALE----	84	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	82	-	-	-	-	-	-	-	-	3	1	1
BLACK---MALE-----	65	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	70	-	-	-	-	-	-	-	-	2	1	1
MICHIGAN -----	9,353	-	-	-	-	-	1	-	11	36	65	127
WHITE-----MALE----	4,098	-	-	-	-	-	-	-	9	21	43	80
FEMALE--	4,443	-	-	-	-	-	1	-	-	10	16	25
ALL OTHER--MALE----	361	-	-	-	-	-	-	-	1	5	3	13
FEMALE--	451	-	-	-	-	-	-	-	1	-	3	9
BLACK---MALE-----	334	-	-	-	-	-	-	-	1	5	3	8
FEMALE--	420	-	-	-	-	-	-	-	1	-	3	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1939

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
KENTUCKY -----	71	106	159	268	350	484	512	510	375	149	33	-
WHITE-----MALE----	44	71	100	165	184	262	236	176	95	30	4	-
FEMALE--	15	26	46	80	153	204	247	315	271	103	24	-
ALL OTHER--MALE----	10	6	7	14	6	8	12	8	3	-	1	-
FEMALE--	2	3	6	9	7	10	17	11	6	16	4	-
BLACK---MALE-----	10	6	7	14	6	7	12	8	3	-	1	-
FEMALE--	2	3	6	9	7	10	17	11	6	16	4	-
LOUISIANA -----	85	119	140	232	316	413	435	433	246	91	17	-
WHITE-----MALE----	37	49	63	108	160	199	178	148	72	19	2	-
FEMALE--	15	28	35	61	84	138	176	199	127	47	9	-
ALL OTHER--MALE----	22	27	27	31	35	34	30	33	10	7	1	-
FEMALE--	11	15	15	32	37	42	51	53	37	18	5	-
BLACK---MALE-----	22	27	27	30	35	34	30	33	10	6	1	-
FEMALE--	11	15	15	31	36	41	50	53	37	18	5	-
MAINE -----	21	32	43	88	128	174	188	189	192	58	19	-
WHITE-----MALE----	14	20	30	57	77	105	93	71	56	6	3	-
FEMALE--	7	11	12	29	50	69	95	118	135	52	15	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	1	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MARYLAND -----	64	121	138	235	363	510	566	546	361	174	36	-
WHITE-----MALE----	36	54	65	112	182	240	230	179	102	39	1	-
FEMALE--	10	30	30	69	96	164	252	300	226	115	28	-
ALL OTHER--MALE----	11	22	25	27	51	48	29	16	12	1	3	-
FEMALE--	7	15	18	27	34	58	55	51	21	19	4	-
BLACK---MALE-----	11	21	23	27	44	48	27	15	12	1	3	-
FEMALE--	7	15	18	27	31	56	52	48	20	19	4	-
MASSACHUSETTS -----	85	145	200	320	505	770	984	1,043	773	365	105	-
WHITE-----MALE----	65	102	136	209	318	444	499	409	205	61	15	-
FEMALE--	15	31	52	93	167	308	464	611	559	296	84	-
ALL OTHER--MALE----	4	10	10	9	10	9	10	7	1	4	1	-
FEMALE--	1	2	2	9	10	9	11	16	8	4	5	-
BLACK---MALE-----	4	8	9	7	5	8	8	6	-	4	1	-
FEMALE--	1	2	1	8	8	8	10	14	7	3	4	-
MICHIGAN -----	198	272	349	627	1,004	1,418	1,733	1,673	1,214	516	109	-
WHITE-----MALE----	126	176	209	369	556	734	773	599	301	85	17	-
FEMALE--	44	59	92	182	328	557	834	981	838	390	86	-
ALL OTHER--MALE----	15	23	31	33	56	69	51	31	21	9	-	-
FEMALE--	13	14	17	43	64	58	75	62	54	32	6	-
BLACK---MALE-----	15	22	28	30	52	65	46	29	21	9	-	-
FEMALE--	13	12	14	42	59	55	67	59	50	30	6	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1940

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
MINNESOTA -----	90	117	128	196	311	481	591	640	495	189	46	-
WHITE-----MALE----	72	89	89	149	202	282	335	288	182	45	6	-
FEMALE--	10	23	34	45	98	186	250	349	309	144	40	-
ALL OTHER--MALE----	6	4	4	2	7	6	1	1	2	-	-	-
FEMALE--	2	1	1	-	4	7	5	2	2	-	-	-
BLACK---MALE-----	6	2	2	2	2	3	-	1	1	-	-	-
FEMALE--	2	-	1	-	2	3	3	2	2	-	-	-
MISSISSIPPI -----	53	93	108	181	247	289	319	323	230	76	26	-
WHITE-----MALE----	22	48	51	89	114	132	117	89	36	7	2	-
FEMALE--	10	15	28	43	69	99	135	160	157	47	12	-
ALL OTHER--MALE----	16	11	17	27	35	24	33	20	15	3	-	-
FEMALE--	5	19	12	22	29	34	34	54	22	19	12	-
BLACK---MALE-----	16	11	17	27	34	23	33	20	15	3	-	-
FEMALE--	5	19	12	21	28	33	34	53	22	19	12	-
MISSOURI -----	145	172	290	392	598	862	1,058	1,130	932	409	105	-
WHITE-----MALE----	87	115	170	240	343	470	480	407	219	80	10	-
FEMALE--	24	33	84	105	182	318	499	648	646	294	81	-
ALL OTHER--MALE----	24	15	22	25	40	33	26	19	21	8	3	-
FEMALE--	10	9	14	22	33	41	53	56	46	27	11	-
BLACK---MALE-----	22	14	21	24	37	33	23	19	21	7	3	-
FEMALE--	8	8	14	21	33	38	52	52	45	27	11	-
MONTANA -----	18	18	29	51	72	96	125	87	65	27	6	-
WHITE-----MALE----	11	14	20	40	46	50	68	43	22	5	-	-
FEMALE--	5	3	7	7	19	40	56	43	43	22	6	-
ALL OTHER--MALE----	2	1	-	4	4	5	1	-	-	-	-	-
FEMALE--	-	-	2	-	3	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	26	47	64	101	148	223	257	248	229	96	31	-
WHITE-----MALE----	20	31	39	71	92	124	123	95	75	25	5	-
FEMALE--	3	9	20	24	51	94	127	146	153	70	26	-
ALL OTHER--MALE----	2	7	2	3	2	4	1	2	-	1	-	-
FEMALE--	1	-	3	3	3	1	6	5	1	-	-	-
BLACK---MALE-----	2	4	1	2	1	3	1	1	-	1	-	-
FEMALE--	1	-	3	2	1	1	4	5	1	-	-	-
NEVADA -----	35	54	75	95	137	199	179	154	78	35	4	-
WHITE-----MALE----	31	28	54	58	81	109	95	61	15	9	-	-
FEMALE--	3	18	15	25	46	78	73	88	61	23	3	-
ALL OTHER--MALE----	1	2	4	6	7	6	4	1	1	2	-	-
FEMALE--	-	6	2	6	3	6	7	4	1	1	1	-
BLACK---MALE-----	1	2	3	4	4	2	3	-	1	1	-	-
FEMALE--	-	5	1	4	1	5	4	3	1	1	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1942

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

OHIO -----	13,134	-	-	-	-	1	2	2	16	57	94	151
WHITE-----MALE----	5,732	-	-	-	-	-	-	-	11	35	52	105
FEMALE--	6,128	-	-	-	-	1	1	1	1	14	14	16
ALL OTHER--MALE----	642	-	-	-	-	-	1	1	3	5	14	21
FEMALE--	632	-	-	-	-	-	-	-	1	3	14	9
BLACK---MALE-----	623	-	-	-	-	-	1	1	3	5	14	21
FEMALE--	622	-	-	-	-	-	-	-	1	3	14	9
OKLAHOMA -----	3,544	2	-	-	-	1	-	2	3	14	27	58
WHITE-----MALE----	1,605	-	-	-	-	1	-	1	2	6	19	41
FEMALE--	1,622	1	-	-	-	-	-	-	-	3	6	9
ALL OTHER--MALE----	157	1	-	-	-	-	-	1	-	2	2	4
FEMALE--	160	-	-	-	-	-	-	-	1	3	-	4
BLACK---MALE-----	86	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	103	-	-	-	-	-	-	-	-	2	-	1
OREGON -----	2,755	-	-	-	-	-	-	2	3	7	36	53
WHITE-----MALE----	1,498	-	-	-	-	-	-	-	2	3	30	45
FEMALE--	1,175	-	-	-	-	-	-	-	1	1	4	6
ALL OTHER--MALE----	55	-	-	-	-	-	-	2	-	3	2	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	22	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13,459	-	-	-	-	1	1	3	11	31	55	115
WHITE-----MALE----	5,894	-	-	-	-	-	-	2	6	20	44	74
FEMALE--	6,797	-	-	-	-	-	1	-	3	8	3	17
ALL OTHER--MALE----	356	-	-	-	-	1	-	1	2	3	6	15
FEMALE--	412	-	-	-	-	-	-	-	-	-	2	9
BLACK---MALE-----	341	-	-	-	-	1	-	1	2	2	6	15
FEMALE--	399	-	-	-	-	-	-	-	-	-	2	9
RHODE ISLAND -----	1,182	-	-	-	-	-	1	-	1	5	8	14
WHITE-----MALE----	501	-	-	-	-	-	1	-	-	3	7	10
FEMALE--	651	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,679	-	-	-	-	-	1	5	5	14	38	59
WHITE-----MALE----	1,161	-	-	-	-	-	-	2	4	4	19	30
FEMALE--	979	-	-	-	-	-	-	1	-	4	6	5
ALL OTHER--MALE----	245	-	-	-	-	-	1	2	-	2	9	15
FEMALE--	294	-	-	-	-	-	-	-	1	4	4	9
BLACK---MALE-----	242	-	-	-	-	-	1	2	-	2	9	15
FEMALE--	293	-	-	-	-	-	-	-	1	4	4	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1942

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
OHIO -----	308	439	637	948	1,473	2,075	2,321	2,278	1,533	650	149	-
WHITE-----MALE----	182	237	350	547	784	1,049	1,044	793	403	121	19	-
FEMALE--	62	115	192	245	514	829	1,131	1,349	1,044	477	122	-
ALL OTHER--MALE----	42	54	59	97	97	109	63	42	25	8	1	-
FEMALE--	22	33	36	59	78	88	83	94	61	44	7	-
BLACK---MALE-----	42	52	59	92	94	104	61	41	24	8	1	-
FEMALE--	22	32	35	57	78	86	79	94	61	44	7	-
OKLAHOMA -----	101	134	172	262	375	516	557	627	463	186	43	1
WHITE-----MALE----	56	83	111	151	219	266	275	213	116	38	6	1
FEMALE--	27	36	34	73	129	203	246	380	311	131	33	-
ALL OTHER--MALE----	12	9	20	27	13	23	15	13	13	1	1	-
FEMALE--	6	6	7	11	14	24	21	21	23	16	3	-
BLACK---MALE-----	7	5	9	20	8	10	7	10	6	1	-	-
FEMALE--	4	4	3	9	9	16	14	14	14	10	3	-
OREGON -----	80	98	149	194	284	426	467	499	305	126	26	-
WHITE-----MALE----	60	72	107	127	184	236	271	215	111	30	5	-
FEMALE--	17	21	36	58	88	178	182	277	191	94	21	-
ALL OTHER--MALE----	3	4	3	7	9	8	6	3	2	1	-	-
FEMALE--	-	1	3	2	3	4	8	4	1	1	-	-
BLACK---MALE-----	2	2	1	5	3	1	2	1	1	-	-	-
FEMALE--	-	1	-	1	2	-	4	2	-	-	-	-
PENNSYLVANIA -----	209	319	437	799	1,420	2,102	2,642	2,534	1,870	733	177	-
WHITE-----MALE----	137	208	253	476	811	1,088	1,224	899	485	138	29	-
FEMALE--	52	66	137	266	508	895	1,304	1,534	1,313	555	135	-
ALL OTHER--MALE----	15	27	33	28	55	51	56	29	22	11	1	-
FEMALE--	5	18	14	29	46	68	58	72	50	29	12	-
BLACK---MALE-----	14	24	32	26	54	50	53	28	21	11	1	-
FEMALE--	5	17	14	28	42	65	56	70	50	29	12	-
RHODE ISLAND -----	11	16	31	52	99	162	207	264	198	86	27	-
WHITE-----MALE----	7	10	20	34	66	89	82	96	56	17	3	-
FEMALE--	2	4	7	18	29	69	121	164	140	67	24	-
ALL OTHER--MALE----	2	2	1	-	3	2	2	1	1	1	-	-
FEMALE--	-	-	3	-	1	2	2	3	1	1	-	-
BLACK---MALE-----	1	2	1	-	1	1	2	1	1	1	-	-
FEMALE--	-	-	3	-	1	2	1	1	-	1	-	-
SOUTH CAROLINA -----	92	103	193	235	347	450	438	372	230	84	13	-
WHITE-----MALE----	44	64	103	107	177	230	185	120	53	16	3	-
FEMALE--	17	16	39	68	101	141	181	195	143	57	5	-
ALL OTHER--MALE----	21	10	28	32	32	34	26	23	8	2	-	-
FEMALE--	10	13	23	28	37	45	46	34	26	9	5	-
BLACK---MALE-----	21	9	28	32	32	33	26	23	7	2	-	-
FEMALE--	10	13	23	28	37	45	46	34	26	9	5	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1943

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

SOUTH DAKOTA -----	602	-	-	-	-	-	-	-	-	3	6	5
WHITE-----MALE----	294	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	287	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,656	-	-	-	-	-	-	2	4	22	50	79
WHITE-----MALE----	2,070	-	-	-	-	-	-	2	1	18	31	47
FEMALE--	2,018	-	-	-	-	-	-	-	2	2	8	16
ALL OTHER--MALE----	242	-	-	-	-	-	-	-	1	2	5	11
FEMALE--	326	-	-	-	-	-	-	-	-	-	6	5
BLACK---MALE-----	240	-	-	-	-	-	-	-	1	1	5	11
FEMALE--	324	-	-	-	-	-	-	-	-	-	6	5
TEXAS -----	12,782	-	-	1	-	1	4	4	18	60	128	182
WHITE-----MALE----	5,747	-	-	1	-	1	3	3	12	32	78	104
FEMALE--	5,661	-	-	-	-	-	-	-	3	9	17	35
ALL OTHER--MALE----	653	-	-	-	-	-	-	1	3	16	24	29
FEMALE--	721	-	-	-	-	-	1	-	-	3	9	14
BLACK---MALE-----	604	-	-	-	-	-	-	1	3	14	24	26
FEMALE--	688	-	-	-	-	-	1	-	-	3	8	13
UTAH -----	858	-	-	-	-	-	-	2	-	8	14	19
WHITE-----MALE----	515	-	-	-	-	-	-	1	-	5	13	17
FEMALE--	331	-	-	-	-	-	-	1	-	2	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	430	-	-	-	-	-	-	-	-	4	4	9
WHITE-----MALE----	227	-	-	-	-	-	-	-	-	3	4	9
FEMALE--	203	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,388	1	-	1	-	-	1	7	7	39	36	90
WHITE-----MALE----	1,924	1	-	-	-	-	-	4	4	25	18	57
FEMALE--	1,666	-	-	-	-	-	1	1	1	7	7	12
ALL OTHER--MALE----	408	-	-	-	-	-	-	2	1	5	7	11
FEMALE--	390	-	-	1	-	-	-	-	1	2	4	10
BLACK---MALE-----	389	-	-	-	-	-	-	2	1	5	6	11
FEMALE--	374	-	-	1	-	-	-	-	1	2	4	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1943

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
SOUTH DAKOTA -----	15	14	17	37	45	85	105	111	89	52	18	-
WHITE-----MALE----	12	9	9	22	28	53	57	42	33	16	2	-
FEMALE--	2	2	6	11	16	31	42	67	56	36	16	-
ALL OTHER--MALE----	1	2	1	2	1	-	3	1	-	-	-	-
FEMALE--	-	1	1	2	-	1	3	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TENNESSEE -----	146	176	224	345	499	747	806	777	520	211	48	-
WHITE-----MALE----	96	106	146	207	281	366	360	254	121	31	3	-
FEMALE--	28	37	48	93	144	303	363	425	353	158	38	-
ALL OTHER--MALE----	14	23	14	22	41	24	31	35	13	5	1	-
FEMALE--	8	10	16	23	33	54	52	63	33	17	6	-
BLACK---MALE-----	14	23	14	22	40	24	31	35	13	5	1	-
FEMALE--	8	10	16	23	33	53	52	62	33	17	6	-
TEXAS -----	337	469	590	932	1,445	1,997	2,102	2,197	1,534	637	144	-
WHITE-----MALE----	209	311	361	511	815	1,066	943	774	385	124	14	-
FEMALE--	66	94	137	289	469	737	992	1,231	1,024	450	108	-
ALL OTHER--MALE----	34	39	59	76	89	91	73	65	36	16	2	-
FEMALE--	28	25	33	56	72	103	94	127	89	47	20	-
BLACK---MALE-----	29	34	54	68	85	86	67	60	36	15	2	-
FEMALE--	27	23	32	56	72	97	87	120	84	45	20	-
UTAH -----	29	28	34	63	77	132	173	152	96	29	2	-
WHITE-----MALE----	24	22	27	45	51	87	98	76	37	11	1	-
FEMALE--	4	6	6	17	25	43	72	74	59	18	1	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	20	12	22	27	46	66	70	77	45	25	3	-
WHITE-----MALE----	17	10	18	20	27	39	32	33	10	5	-	-
FEMALE--	3	2	4	7	19	27	38	44	35	20	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	117	170	235	372	540	756	703	680	406	186	41	-
WHITE-----MALE----	64	87	124	203	273	377	319	229	96	37	6	-
FEMALE--	18	29	48	94	149	254	279	359	255	127	25	-
ALL OTHER--MALE----	30	34	43	38	71	62	48	38	14	3	1	-
FEMALE--	5	20	20	37	47	63	57	54	41	19	9	-
BLACK---MALE-----	26	33	42	36	67	58	47	37	14	3	1	-
FEMALE--	5	20	17	35	45	62	53	52	39	19	9	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1944

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
WASHINGTON -----	89	112	152	272	399	626	696	777	504	223	42	-
WHITE-----MALE----	56	79	94	176	249	340	379	345	166	52	6	-
FEMALE--	25	25	48	76	127	252	296	417	325	167	36	-
ALL OTHER--MALE----	6	6	7	14	16	22	11	6	7	1	-	-
FEMALE--	2	2	3	6	7	12	10	9	6	3	-	-
BLACK---MALE-----	4	1	4	6	1	6	2	1	1	1	-	-
FEMALE--	2	-	-	3	2	5	7	2	2	-	-	-
WEST VIRGINIA -----	67	66	101	169	263	384	416	397	267	105	23	-
WHITE-----MALE----	44	39	66	105	146	217	176	141	81	21	6	-
FEMALE--	19	27	34	56	106	148	228	247	179	79	13	-
ALL OTHER--MALE----	3	-	1	3	5	10	7	1	1	1	1	-
FEMALE--	1	-	-	5	6	9	5	8	6	4	3	-
BLACK---MALE-----	3	-	-	3	5	10	6	1	1	1	1	-
FEMALE--	1	-	-	5	5	9	5	8	6	4	3	-
WISCONSIN -----	101	100	175	291	482	707	792	793	633	265	58	-
WHITE-----MALE----	74	63	122	177	312	412	401	305	218	50	7	-
FEMALE--	15	26	41	89	143	269	374	477	410	212	49	-
ALL OTHER--MALE----	10	7	9	8	15	10	8	2	2	-	-	-
FEMALE--	2	4	3	17	12	16	9	9	3	3	2	-
BLACK---MALE-----	8	6	8	4	13	7	6	1	1	-	-	-
FEMALE--	-	4	3	16	12	15	7	8	3	3	2	-
WYOMING -----	10	12	27	18	38	67	60	46	44	18	7	-
WHITE-----MALE----	10	11	19	9	22	42	34	18	17	8	2	-
FEMALE--	-	1	8	8	13	25	25	28	27	9	5	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1945

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
UNITED STATES -	165,828	490	177	99	149	398	482	680	1,099	1,879	2,768	3,502
WHITE-----MALE----	62,054	174	70	39	56	170	182	259	453	805	1,216	1,580
FEMALE--	81,732	155	49	33	47	111	132	166	276	447	659	810
ALL OTHER--MALE----	10,547	81	30	15	27	80	101	141	214	371	502	643
FEMALE--	11,495	80	28	12	19	37	67	114	156	256	391	469
BLACK---MALE-----	9,344	67	27	14	24	76	91	132	199	337	468	595
FEMALE--	10,341	68	22	12	16	33	63	101	145	239	365	433
ALABAMA -----	5,369	14	4	3	1	10	18	14	31	52	107	133
WHITE-----MALE----	1,773	5	1	1	1	2	5	2	8	18	43	41
FEMALE--	2,261	2	-	-	-	3	3	6	9	11	21	35
ALL OTHER--MALE----	630	3	1	1	-	4	5	4	6	11	26	36
FEMALE--	705	4	2	1	-	1	5	2	8	12	17	21
BLACK---MALE-----	624	3	1	1	-	3	5	4	6	11	26	36
FEMALE--	700	4	2	1	-	1	5	2	8	12	17	21
ALASKA -----	151	-	-	-	-	-	1	2	-	4	6	7
WHITE-----MALE----	51	-	-	-	-	-	1	1	-	1	2	1
FEMALE--	59	-	-	-	-	-	-	1	-	1	2	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,101	14	6	2	1	5	8	11	15	27	39	39
WHITE-----MALE----	963	5	2	-	1	4	4	3	7	16	23	18
FEMALE--	1,008	6	4	2	-	1	2	5	5	7	9	13
ALL OTHER--MALE----	72	2	-	-	-	-	1	3	2	4	3	4
FEMALE--	58	1	-	-	-	-	1	-	1	-	4	4
BLACK---MALE-----	31	-	-	-	-	-	-	1	2	2	1	2
FEMALE--	22	-	-	-	-	-	-	-	1	-	2	1
ARKANSAS -----	2,612	4	3	2	3	5	12	9	14	18	32	48
WHITE-----MALE----	937	3	2	-	1	2	5	3	6	12	16	19
FEMALE--	1,332	-	-	1	2	2	3	2	2	2	6	15
ALL OTHER--MALE----	145	1	-	1	-	1	3	2	4	2	7	7
FEMALE--	198	-	1	-	-	-	1	2	2	2	3	7
BLACK---MALE-----	143	1	-	1	-	1	3	2	4	2	7	7
FEMALE--	197	-	1	-	-	-	1	2	2	2	3	7
CALIFORNIA -----	11,506	53	17	12	15	33	39	56	112	190	256	322
WHITE-----MALE----	4,430	18	9	3	4	18	15	25	57	78	136	153
FEMALE--	5,524	20	4	7	5	8	16	12	31	59	59	84
ALL OTHER--MALE----	780	6	3	-	4	4	1	14	12	36	41	56
FEMALE--	772	9	1	2	2	3	7	5	12	17	20	29
BLACK---MALE-----	469	2	2	-	4	2	1	10	9	27	32	44
FEMALE--	474	5	-	2	2	1	6	3	12	14	16	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1945

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
UNITED STATES -	4,386	5,465	7,115	10,034	15,538	21,689	27,023	29,428	21,894	9,401	2,125	7
WHITE-----MALE----	2,041	2,598	3,391	4,853	7,285	9,361	10,556	9,430	5,445	1,810	276	4
FEMALE--	1,151	1,481	2,158	3,324	5,912	9,670	13,991	17,636	15,012	6,887	1,624	1
ALL OTHER--MALE----	715	821	890	1,017	1,165	1,206	1,005	863	434	178	47	1
FEMALE--	479	565	676	840	1,176	1,452	1,471	1,499	1,003	526	178	1
BLACK---MALE-----	665	749	814	916	1,041	1,030	857	703	351	147	40	1
FEMALE--	435	521	618	763	1,060	1,308	1,293	1,351	876	468	150	1
ALABAMA -----	166	205	287	379	556	749	821	888	601	267	63	-
WHITE-----MALE----	56	85	131	180	225	288	271	237	129	40	4	-
FEMALE--	37	49	70	107	183	293	382	470	369	173	38	-
ALL OTHER--MALE----	45	49	54	43	64	89	64	77	26	15	7	-
FEMALE--	28	22	32	49	84	79	104	104	77	39	14	-
BLACK---MALE-----	45	49	54	43	64	88	63	74	26	15	7	-
FEMALE--	27	22	31	49	84	79	101	104	77	39	14	-
ALASKA -----	3	6	11	10	18	18	18	20	21	6	-	-
WHITE-----MALE----	1	3	6	5	10	2	7	7	4	-	-	-
FEMALE--	2	1	3	3	5	8	4	11	10	5	-	-
ALL OTHER--MALE----	-	2	1	-	-	4	2	1	4	-	-	-
FEMALE--	-	-	1	2	3	4	5	1	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	1	-	-
ARIZONA -----	62	62	74	147	215	283	365	361	263	84	17	1
WHITE-----MALE----	39	35	36	89	120	143	167	148	82	15	5	1
FEMALE--	17	16	27	43	82	124	191	206	173	66	9	-
ALL OTHER--MALE----	5	7	8	9	3	11	1	2	5	1	1	-
FEMALE--	1	4	3	6	10	5	6	5	3	2	2	-
BLACK---MALE-----	3	5	3	3	2	4	-	-	3	-	-	-
FEMALE--	-	4	1	3	4	1	3	2	-	-	-	-
ARKANSAS -----	70	85	112	161	239	338	453	471	376	129	28	-
WHITE-----MALE----	30	39	50	83	108	128	168	145	88	25	4	-
FEMALE--	23	27	45	53	96	170	242	277	252	94	18	-
ALL OTHER--MALE----	6	5	9	13	16	23	15	19	8	2	1	-
FEMALE--	11	14	8	12	19	17	28	30	28	8	5	-
BLACK---MALE-----	5	5	9	13	16	23	15	18	8	2	1	-
FEMALE--	10	14	8	12	19	17	28	30	28	8	5	-
CALIFORNIA -----	375	355	452	583	965	1,428	1,847	2,033	1,554	663	146	-
WHITE-----MALE----	178	159	209	264	438	642	751	667	431	150	25	-
FEMALE--	105	99	142	206	379	595	917	1,187	1,016	466	107	-
ALL OTHER--MALE----	53	59	57	60	71	86	80	86	31	17	3	-
FEMALE--	39	38	44	53	77	105	99	93	76	30	11	-
BLACK---MALE-----	45	41	43	36	48	42	31	36	6	5	3	-
FEMALE--	28	28	34	30	47	61	55	53	33	11	8	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1946

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
COLORADO -----	1,678	4	3	2	3	6	4	10	17	18	31	41
WHITE-----MALE----	681	1	3	1	-	2	3	4	11	7	22	20
FEMALE--	923	3	-	1	2	3	1	4	4	7	6	16
ALL OTHER--MALE----	36	-	-	-	1	-	-	2	2	2	1	4
FEMALE--	38	-	-	-	-	1	-	-	-	2	2	1
BLACK---MALE-----	28	-	-	-	1	-	-	2	2	2	1	4
FEMALE--	32	-	-	-	-	1	-	-	-	2	2	1
CONNECTICUT -----	2,342	4	3	1	5	4	3	7	15	19	19	45
WHITE-----MALE----	899	4	1	-	3	1	1	4	7	9	11	21
FEMALE--	1,295	-	2	1	1	3	1	1	3	4	3	14
ALL OTHER--MALE----	71	-	-	-	-	-	1	1	1	4	3	6
FEMALE--	77	-	-	-	1	-	-	1	4	2	2	4
BLACK---MALE-----	68	-	-	-	-	-	1	1	1	4	3	5
FEMALE--	72	-	-	-	1	-	-	1	4	2	2	2
DELAWARE -----	406	-	1	-	-	1	3	3	2	8	12	8
WHITE-----MALE----	151	-	-	-	-	-	1	1	1	3	3	6
FEMALE--	195	-	-	-	-	-	1	2	-	-	3	2
ALL OTHER--MALE----	29	-	-	-	-	1	1	-	-	1	4	-
FEMALE--	31	-	1	-	-	-	-	-	1	4	2	-
BLACK---MALE-----	28	-	-	-	-	1	1	-	-	1	4	-
FEMALE--	29	-	1	-	-	-	-	-	1	4	2	-
DISTRICT OF COLUMBIA ---	268	1	-	-	-	1	2	2	1	3	4	7
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	88	-	-	-	-	-	1	1	-	2	1	3
FEMALE--	122	1	-	-	-	1	-	1	1	1	3	4
BLACK---MALE-----	87	-	-	-	-	-	1	1	-	2	1	3
FEMALE--	122	1	-	-	-	1	-	1	1	1	3	4
FLORIDA -----	8,291	23	10	4	2	23	22	41	58	106	130	162
WHITE-----MALE----	3,449	11	2	-	-	9	3	17	26	53	58	75
FEMALE--	3,953	5	3	2	2	7	8	6	10	19	31	39
ALL OTHER--MALE----	402	2	3	-	-	3	8	12	13	15	17	24
FEMALE--	487	5	2	2	-	4	3	6	9	19	24	24
BLACK---MALE-----	387	2	2	-	-	2	8	12	13	13	17	24
FEMALE--	476	5	2	2	-	4	3	6	9	19	24	22
GEORGIA -----	6,340	21	3	5	8	18	11	25	53	87	127	168
WHITE-----MALE----	2,004	5	3	-	-	3	4	4	15	33	46	74
FEMALE--	2,668	3	-	-	3	1	1	4	9	7	25	18
ALL OTHER--MALE----	784	7	-	2	1	11	4	11	18	26	31	42
FEMALE--	884	6	-	3	4	3	2	6	11	21	25	34
BLACK---MALE-----	777	7	-	2	1	11	4	11	18	26	31	42
FEMALE--	873	6	-	3	3	2	2	5	11	19	25	34

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1946

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
COLORADO -----	27	45	59	108	152	212	281	293	243	92	27	-
WHITE-----MALE----	12	23	32	58	83	95	120	97	63	22	2	-
FEMALE--	12	15	25	43	60	114	149	187	177	69	25	-
ALL OTHER--MALE----	2	2	1	5	5	1	4	2	2	-	-	-
FEMALE--	1	5	1	2	4	2	8	7	1	1	-	-
BLACK---MALE-----	2	2	-	5	3	-	3	-	1	-	-	-
FEMALE--	1	5	1	1	4	1	4	7	1	1	-	-
CONNECTICUT -----	36	62	77	118	181	315	420	461	359	151	37	-
WHITE-----MALE----	22	33	40	59	75	143	189	152	90	28	6	-
FEMALE--	9	20	25	50	83	154	220	290	261	120	30	-
ALL OTHER--MALE----	3	7	5	7	12	6	5	7	3	-	-	-
FEMALE--	2	2	7	2	11	12	6	12	5	3	1	-
BLACK---MALE-----	3	7	4	6	12	6	5	7	3	-	-	-
FEMALE--	1	2	6	2	11	12	6	12	5	3	-	-
DELAWARE -----	7	14	18	27	43	63	62	54	54	23	3	-
WHITE-----MALE----	2	5	8	8	23	24	23	21	18	4	-	-
FEMALE--	3	1	4	9	16	31	36	32	35	18	2	-
ALL OTHER--MALE----	-	7	4	3	3	4	-	-	1	-	-	-
FEMALE--	2	1	2	7	1	4	3	1	-	1	1	-
BLACK---MALE-----	-	6	4	3	3	4	-	-	1	-	-	-
FEMALE--	2	1	2	6	1	4	2	1	-	1	1	-
DISTRICT OF COLUMBIA ---	16	6	21	11	19	37	42	52	25	15	3	-
WHITE-----MALE----	2	-	-	1	3	4	3	7	2	1	-	-
FEMALE--	1	-	2	-	-	3	5	11	9	3	-	-
ALL OTHER--MALE----	8	4	11	5	9	14	10	13	6	-	-	-
FEMALE--	5	2	8	5	7	16	24	21	8	11	3	-
BLACK---MALE-----	8	4	10	5	9	14	10	13	6	-	-	-
FEMALE--	5	2	8	5	7	16	24	21	8	11	3	-
FLORIDA -----	178	275	319	495	808	1,121	1,372	1,500	1,082	464	95	1
WHITE-----MALE----	78	117	149	266	411	540	617	567	338	99	12	1
FEMALE--	45	86	100	150	311	474	683	853	703	339	77	-
ALL OTHER--MALE----	33	45	40	42	37	37	18	30	12	8	3	-
FEMALE--	22	27	30	37	49	70	54	50	29	18	3	-
BLACK---MALE-----	32	42	40	41	36	35	18	28	12	7	3	-
FEMALE--	22	27	29	36	48	68	50	50	29	18	3	-
GEORGIA -----	239	289	334	484	642	837	956	994	671	296	72	-
WHITE-----MALE----	84	119	132	206	249	279	310	258	140	34	6	-
FEMALE--	45	61	82	138	224	340	460	564	428	207	48	-
ALL OTHER--MALE----	64	59	76	74	81	96	84	52	30	11	4	-
FEMALE--	46	50	44	66	88	122	102	120	73	44	14	-
BLACK---MALE-----	63	59	75	73	79	96	84	50	30	11	4	-
FEMALE--	46	49	43	65	87	122	102	119	73	44	13	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1947

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
HAWAII -----	826	1	-	1	1	1	3	2	7	10	16	23
WHITE-----MALE----	114	-	-	-	-	-	-	-	1	1	5	4
FEMALE--	97	-	-	1	-	-	1	1	1	-	3	1
ALL OTHER--MALE----	353	1	-	-	1	1	1	1	3	6	7	9
FEMALE--	262	-	-	-	-	-	1	-	2	3	1	9
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	645	4	2	2	1	1	2	1	4	7	11	13
WHITE-----MALE----	293	4	2	1	1	1	-	-	2	3	4	6
FEMALE--	338	-	-	1	-	-	2	1	2	4	5	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7,469	34	9	3	8	18	32	56	59	99	138	150
WHITE-----MALE----	2,719	12	3	2	4	10	10	27	16	39	63	49
FEMALE--	3,585	12	2	1	1	5	9	10	11	18	22	28
ALL OTHER--MALE----	546	7	4	-	3	3	7	9	19	29	28	39
FEMALE--	619	3	-	-	-	-	6	10	13	13	25	34
BLACK---MALE----	526	7	4	-	3	3	7	9	18	29	28	39
FEMALE--	592	3	-	-	-	-	6	8	13	13	25	32
INDIANA -----	4,578	13	5	1	5	10	16	17	27	52	73	106
WHITE-----MALE----	1,805	5	2	1	2	3	9	6	15	26	28	58
FEMALE--	2,409	4	2	-	3	4	6	7	8	13	23	24
ALL OTHER--MALE----	171	1	-	-	-	2	1	3	3	5	14	14
FEMALE--	193	3	1	-	-	1	-	1	1	8	8	10
BLACK---MALE----	167	1	-	-	-	2	1	3	3	5	14	12
FEMALE--	189	2	1	-	-	1	-	1	1	8	8	10
IOWA -----	1,351	3	-	2	1	5	10	4	6	16	15	23
WHITE-----MALE----	537	-	-	1	1	3	6	4	4	7	10	11
FEMALE--	797	3	-	1	-	2	4	-	1	8	3	10
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	1	1
KANSAS -----	2,179	5	-	-	-	3	6	5	5	22	17	36
WHITE-----MALE----	852	2	-	-	-	-	3	1	2	13	8	19
FEMALE--	1,211	2	-	-	-	2	2	2	2	6	5	6
ALL OTHER--MALE----	55	-	-	-	-	1	1	1	1	1	3	8
FEMALE--	61	1	-	-	-	-	-	1	-	2	1	3
BLACK---MALE----	50	-	-	-	-	1	1	1	1	1	3	7
FEMALE--	46	1	-	-	-	-	-	1	-	2	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1947

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
HAWAII -----	34	34	44	48	92	120	114	127	87	43	18	-
WHITE-----MALE----	8	6	5	6	16	21	16	10	10	5	-	-
FEMALE--	-	2	-	5	9	12	17	19	13	9	3	-
ALL OTHER--MALE----	15	20	24	27	41	55	43	55	32	9	2	-
FEMALE--	11	6	15	10	26	32	38	43	32	20	13	-
BLACK---MALE-----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	12	17	30	59	80	111	131	89	45	8	-
WHITE-----MALE----	9	6	12	18	33	31	48	53	38	18	3	-
FEMALE--	4	6	5	12	24	49	60	76	49	27	5	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ILLINOIS -----	177	235	325	416	715	960	1,179	1,297	1,015	452	92	-
WHITE-----MALE----	82	102	135	194	332	418	451	428	249	81	12	-
FEMALE--	39	61	93	119	250	410	627	761	703	338	65	-
ALL OTHER--MALE----	31	42	54	46	71	55	43	30	19	5	2	-
FEMALE--	25	30	43	57	62	77	58	78	44	28	13	-
BLACK---MALE-----	30	42	53	45	68	53	40	27	16	4	1	-
FEMALE--	25	29	41	55	60	72	55	74	42	27	12	-
INDIANA -----	111	155	208	294	459	587	784	770	591	242	52	-
WHITE-----MALE----	61	75	117	155	219	252	311	271	125	57	7	-
FEMALE--	30	50	68	111	192	298	437	467	443	178	41	-
ALL OTHER--MALE----	14	17	17	20	22	11	14	10	1	1	1	-
FEMALE--	6	13	6	8	26	26	22	22	22	6	3	-
BLACK---MALE-----	13	17	17	20	22	11	13	10	1	1	1	-
FEMALE--	6	13	6	8	26	26	22	22	20	5	3	-
IOWA -----	36	32	45	68	126	152	223	253	193	110	28	-
WHITE-----MALE----	20	26	17	42	67	75	92	88	42	16	5	-
FEMALE--	13	6	26	25	57	77	130	163	151	94	23	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	1	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	-	-	2	-	-	-	-
KANSAS -----	40	53	70	101	190	272	322	435	380	182	35	-
WHITE-----MALE----	25	27	32	47	105	129	135	144	120	36	4	-
FEMALE--	9	23	30	42	72	134	171	284	248	142	29	-
ALL OTHER--MALE----	5	-	4	8	8	2	3	2	5	1	1	-
FEMALE--	1	3	4	4	5	7	13	5	7	3	1	-
BLACK---MALE-----	5	-	3	7	6	2	3	2	5	1	1	-
FEMALE--	1	3	4	3	2	6	9	3	4	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1948

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
KENTUCKY -----	3,523	6	2	2	2	8	9	13	10	27	45	66
WHITE-----MALE----	1,410	4	-	1	2	4	4	7	5	12	19	33
FEMALE--	1,852	2	1	1	-	3	3	2	4	11	19	15
ALL OTHER--MALE----	120	-	-	-	-	1	2	3	-	4	2	8
FEMALE--	141	-	1	-	-	-	-	1	1	-	5	10
BLACK---MALE-----	119	-	-	-	-	1	2	3	-	3	2	8
FEMALE--	139	-	1	-	-	-	-	1	1	-	5	10
LOUISIANA -----	3,200	8	4	3	4	5	9	20	25	46	77	69
WHITE-----MALE----	951	-	1	2	1	1	1	5	4	10	18	20
FEMALE--	1,343	1	2	-	-	-	1	7	4	13	16	12
ALL OTHER--MALE----	427	5	-	1	3	2	3	3	8	13	24	25
FEMALE--	479	2	1	-	-	2	4	5	9	10	19	12
BLACK---MALE-----	420	5	-	1	3	2	3	3	8	13	23	25
FEMALE--	477	2	1	-	-	2	4	5	9	10	19	12
MAINE -----	841	-	-	-	-	1	4	1	3	2	4	11
WHITE-----MALE----	362	-	-	-	-	1	3	1	2	-	3	9
FEMALE--	471	-	-	-	-	-	1	-	1	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,414	14	2	-	4	8	10	14	29	57	48	64
WHITE-----MALE----	755	3	-	-	2	5	1	4	9	23	12	15
FEMALE--	1,038	3	-	-	-	-	1	3	4	5	10	8
ALL OTHER--MALE----	309	4	1	-	1	3	4	1	12	13	15	24
FEMALE--	312	4	1	-	1	-	4	6	4	16	11	17
BLACK---MALE-----	296	4	1	-	-	3	4	1	12	13	15	24
FEMALE--	300	4	1	-	1	-	4	6	4	16	11	17
MASSACHUSETTS -----	4,936	5	4	2	4	3	11	15	38	42	55	95
WHITE-----MALE----	1,935	1	-	1	2	2	6	8	18	21	34	58
FEMALE--	2,786	3	1	1	2	1	4	4	15	13	16	24
ALL OTHER--MALE----	97	1	-	-	-	-	1	3	3	6	4	6
FEMALE--	118	-	3	-	-	-	-	-	2	2	1	7
BLACK---MALE-----	85	1	-	-	-	-	1	3	3	6	3	6
FEMALE--	103	-	2	-	-	-	-	-	2	1	1	7
MICHIGAN -----	5,931	17	7	3	2	18	17	28	41	76	118	130
WHITE-----MALE----	2,175	8	2	-	-	7	5	8	20	27	41	44
FEMALE--	2,973	6	2	1	1	5	3	10	8	14	25	22
ALL OTHER--MALE----	404	-	2	2	1	6	7	8	2	22	31	39
FEMALE--	379	3	1	-	-	-	2	2	11	13	21	25
BLACK---MALE-----	390	-	2	2	1	6	7	8	2	21	30	37
FEMALE--	363	3	1	-	-	-	2	2	8	13	21	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1948

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
KENTUCKY -----	94	143	151	209	390	492	574	597	459	188	36	-
WHITE-----MALE----	56	84	77	125	188	227	218	196	108	34	6	-
FEMALE--	28	42	57	69	171	234	318	370	333	143	26	-
ALL OTHER--MALE----	5	9	12	10	19	12	19	9	3	2	-	-
FEMALE--	5	8	5	5	12	19	19	22	15	9	4	-
BLACK---MALE-----	5	9	12	10	19	12	19	9	3	2	-	-
FEMALE--	5	8	5	5	12	19	18	22	15	9	3	-
LOUISIANA -----	103	130	144	232	310	426	499	501	396	163	26	-
WHITE-----MALE----	32	40	63	77	126	153	169	132	75	18	3	-
FEMALE--	22	30	27	65	102	166	235	274	243	110	13	-
ALL OTHER--MALE----	30	42	32	52	30	42	36	35	25	13	3	-
FEMALE--	19	18	22	38	52	65	59	60	53	22	7	-
BLACK---MALE-----	30	41	30	52	28	41	36	35	25	13	3	-
FEMALE--	19	17	22	38	52	65	59	59	53	22	7	-
MAINE -----	17	21	38	57	85	97	159	150	122	56	13	-
WHITE-----MALE----	13	14	24	30	46	41	72	60	27	14	2	-
FEMALE--	4	7	13	27	38	54	86	88	95	42	11	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	76	86	111	170	194	312	364	399	313	115	22	2
WHITE-----MALE----	24	28	36	61	87	116	131	102	74	20	2	-
FEMALE--	14	16	23	46	62	126	171	238	202	86	19	1
ALL OTHER--MALE----	21	27	34	37	23	33	25	21	9	1	-	-
FEMALE--	17	15	18	26	22	37	37	38	28	8	1	1
BLACK---MALE-----	21	26	33	36	22	30	22	20	9	-	-	-
FEMALE--	17	15	17	25	18	37	34	38	26	7	1	1
MASSACHUSETTS -----	99	126	160	213	408	630	861	1,004	750	327	84	-
WHITE-----MALE----	55	84	98	111	213	292	355	329	175	57	15	-
FEMALE--	35	31	54	80	169	315	475	650	564	261	68	-
ALL OTHER--MALE----	6	5	4	12	17	8	12	5	3	1	-	-
FEMALE--	3	6	4	10	9	15	19	20	8	8	1	-
BLACK---MALE-----	5	5	4	10	15	6	9	5	2	1	-	-
FEMALE--	2	5	4	7	9	12	16	19	7	8	1	-
MICHIGAN -----	183	182	233	308	538	797	955	1,084	802	317	75	-
WHITE-----MALE----	81	72	115	135	236	344	375	357	212	73	13	-
FEMALE--	38	61	65	124	217	366	507	674	543	221	60	-
ALL OTHER--MALE----	44	27	30	25	44	42	31	19	14	8	-	-
FEMALE--	20	22	23	24	41	45	42	34	33	15	2	-
BLACK---MALE-----	44	27	29	25	44	41	28	17	12	7	-	-
FEMALE--	19	22	23	21	40	41	40	33	32	15	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1949

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
MINNESOTA -----	2,965	4	5	4	4	5	6	8	13	22	26	50
WHITE-----MALE----	1,222	1	-	2	2	3	5	6	5	12	19	35
FEMALE--	1,666	-	2	1	1	1	1	1	6	7	6	11
ALL OTHER--MALE----	33	3	-	1	-	1	-	-	1	1	1	3
FEMALE--	44	-	3	-	1	-	-	1	1	2	-	1
BLACK---MALE-----	28	3	-	1	-	1	-	-	1	1	1	2
FEMALE--	24	-	-	-	-	-	-	1	1	1	-	1
MISSISSIPPI -----	2,873	10	1	1	1	7	7	8	23	28	48	64
WHITE-----MALE----	802	1	-	-	-	1	1	3	6	6	9	21
FEMALE--	1,146	-	-	-	-	3	-	-	3	6	9	10
ALL OTHER--MALE----	441	4	1	1	1	1	3	3	6	6	14	25
FEMALE--	484	5	-	-	-	2	3	2	8	10	16	8
BLACK---MALE-----	438	4	1	1	1	1	3	3	6	6	14	24
FEMALE--	482	5	-	-	-	2	3	2	8	10	16	8
MISSOURI -----	4,199	13	1	-	1	6	7	13	23	45	70	73
WHITE-----MALE----	1,643	3	-	-	-	4	2	6	10	25	38	40
FEMALE--	2,192	5	-	-	1	2	4	4	6	11	14	16
ALL OTHER--MALE----	178	4	-	-	-	-	1	1	5	8	10	6
FEMALE--	186	1	1	-	-	-	-	2	2	1	8	11
BLACK---MALE-----	171	3	-	-	-	-	1	1	5	7	10	6
FEMALE--	184	1	1	-	-	-	-	2	2	1	7	11
MONTANA -----	757	1	-	1	-	1	1	-	-	6	8	9
WHITE-----MALE----	319	-	-	1	-	-	-	-	-	5	4	5
FEMALE--	400	-	-	-	-	1	1	-	-	-	3	3
ALL OTHER--MALE----	26	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	1,686	3	1	-	2	3	2	3	7	7	13	22
WHITE-----MALE----	678	2	1	-	-	2	2	2	4	4	8	14
FEMALE--	946	-	-	-	2	1	-	-	2	3	4	7
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	1	-	-	-	-	-	1	1	-	-	-
NEVADA -----	1,099	7	1	2	3	4	-	3	8	23	21	24
WHITE-----MALE----	496	2	1	2	2	1	-	2	4	13	11	11
FEMALE--	505	1	-	-	-	2	-	1	2	4	5	8
ALL OTHER--MALE----	47	2	-	-	-	-	-	-	2	4	3	3
FEMALE--	51	2	-	-	1	1	-	-	-	2	2	2
BLACK---MALE-----	35	2	-	-	-	-	-	-	1	3	3	3
FEMALE--	39	2	-	-	1	1	-	-	-	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1949

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
MINNESOTA -----	46	62	92	120	200	327	503	641	509	248	70	-
WHITE-----MALE----	29	32	60	66	123	166	235	230	139	44	8	-
FEMALE--	12	24	31	45	69	151	261	404	368	202	62	-
ALL OTHER--MALE----	3	3	-	3	3	7	1	1	-	1	-	-
FEMALE--	2	3	1	6	5	3	6	6	2	1	-	-
BLACK---MALE-----	3	3	-	1	3	6	-	1	-	1	-	-
FEMALE--	2	2	1	2	3	2	3	4	1	-	-	-
MISSISSIPPI -----	83	117	172	189	297	377	446	482	318	158	36	-
WHITE-----MALE----	25	43	64	78	102	136	113	113	60	16	4	-
FEMALE--	14	22	39	41	98	141	211	244	188	95	22	-
ALL OTHER--MALE----	21	29	31	39	49	42	59	49	36	18	3	-
FEMALE--	23	23	38	31	48	58	63	76	34	29	7	-
BLACK---MALE-----	21	29	31	38	49	41	59	49	36	18	3	-
FEMALE--	23	21	38	31	48	58	63	76	34	29	7	-
MISSOURI -----	67	125	190	267	382	520	686	768	604	277	61	-
WHITE-----MALE----	38	72	100	129	200	240	270	253	146	55	12	-
FEMALE--	17	27	63	103	134	242	374	476	433	212	48	-
ALL OTHER--MALE----	9	16	12	19	26	16	17	15	10	3	-	-
FEMALE--	3	10	15	16	22	22	25	24	15	7	1	-
BLACK---MALE-----	9	15	11	18	26	16	17	14	9	3	-	-
FEMALE--	3	10	15	16	22	22	25	23	15	7	1	-
MONTANA -----	17	18	34	39	76	84	141	143	109	57	12	-
WHITE-----MALE----	7	12	18	25	41	42	57	56	31	14	1	-
FEMALE--	7	1	13	10	31	38	79	83	77	42	11	-
ALL OTHER--MALE----	1	4	2	3	2	3	4	3	1	-	-	-
FEMALE--	2	1	1	1	2	1	1	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	37	52	77	101	141	185	266	331	255	134	44	-
WHITE-----MALE----	19	34	52	57	77	92	102	108	70	24	4	-
FEMALE--	15	12	19	39	55	84	158	217	183	107	38	-
ALL OTHER--MALE----	3	3	5	3	6	1	3	1	1	2	-	-
FEMALE--	-	3	1	2	3	8	3	5	1	1	2	-
BLACK---MALE-----	2	2	4	2	5	-	3	1	1	2	-	-
FEMALE--	-	1	1	1	3	8	2	3	1	1	1	-
NEVADA -----	25	45	54	85	116	172	180	165	118	31	12	-
WHITE-----MALE----	17	27	32	52	57	83	88	62	24	4	1	-
FEMALE--	6	11	14	27	51	75	83	94	86	25	10	-
ALL OTHER--MALE----	1	3	4	3	5	8	6	2	1	-	-	-
FEMALE--	1	4	4	3	3	6	3	7	7	2	1	-
BLACK---MALE-----	1	1	3	3	5	4	5	1	-	-	-	-
FEMALE--	1	3	3	2	2	6	1	4	7	1	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1951

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
OHIO -----	7,573	17	4	3	6	13	18	31	42	72	124	125
WHITE-----MALE----	2,840	5	1	2	4	3	7	8	15	26	46	62
FEMALE--	3,992	7	1	-	1	7	4	11	12	28	38	33
ALL OTHER--MALE----	340	1	2	-	-	2	3	7	11	9	18	19
FEMALE--	401	4	-	1	1	1	4	5	4	9	22	11
BLACK---MALE-----	332	1	2	-	2	2	2	7	10	9	18	19
FEMALE--	393	4	-	1	1	1	4	5	4	9	22	11
OKLAHOMA -----	2,586	5	5	3	1	11	8	9	24	25	42	60
WHITE-----MALE----	938	3	2	1	-	3	2	3	14	9	19	26
FEMALE--	1,370	1	1	2	1	4	1	4	7	9	12	22
ALL OTHER--MALE----	120	-	2	-	-	3	3	2	1	1	7	6
FEMALE--	158	1	-	-	-	1	2	-	2	6	4	6
BLACK---MALE-----	81	-	1	-	-	3	2	2	-	1	4	5
FEMALE--	99	-	-	-	-	1	2	-	2	5	3	5
OREGON -----	2,006	7	1	3	3	4	2	3	9	15	28	32
WHITE-----MALE----	818	4	1	1	-	3	1	2	4	9	14	20
FEMALE--	1,139	3	-	2	2	1	1	1	5	6	12	9
ALL OTHER--MALE----	25	-	-	-	1	-	-	-	-	-	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	10,830	19	8	6	3	15	19	29	48	89	157	184
WHITE-----MALE----	4,284	7	3	3	2	9	12	13	21	42	80	90
FEMALE--	5,627	8	2	1	-	3	7	8	9	24	39	51
ALL OTHER--MALE----	463	3	2	2	1	-	-	4	11	10	21	25
FEMALE--	456	1	1	-	-	3	-	4	7	13	17	18
BLACK---MALE-----	450	3	2	2	1	-	-	4	10	10	21	23
FEMALE--	446	1	1	-	-	3	-	4	7	12	14	18
RHODE ISLAND -----	323	2	1	-	-	1	1	1	2	8	4	2
WHITE-----MALE----	147	2	-	-	-	1	1	1	2	4	2	1
FEMALE--	168	-	1	-	-	-	-	-	-	4	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,741	10	5	1	5	8	5	19	18	44	57	87
WHITE-----MALE----	822	2	1	-	1	3	2	5	8	13	16	25
FEMALE--	1,081	2	2	1	-	2	2	5	3	6	7	10
ALL OTHER--MALE----	419	3	2	-	3	2	-	5	6	17	20	30
FEMALE--	419	3	-	-	1	1	1	4	1	8	14	22
BLACK---MALE-----	416	3	2	-	3	2	-	5	6	16	20	30
FEMALE--	415	3	-	-	1	1	1	4	1	8	13	22

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1951

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
OHIO -----	205	225	313	458	749	1,011	1,326	1,338	1,001	402	89	1
WHITE-----MALE----	115	115	149	205	359	451	523	422	231	79	12	-
FEMALE--	58	61	115	177	311	472	717	844	720	302	73	-
ALL OTHER--MALE----	15	24	26	44	37	37	30	25	25	4	-	1
FEMALE--	17	25	23	32	42	51	56	47	25	17	4	-
BLACK---MALE-----	15	23	26	44	35	37	30	24	23	4	-	1
FEMALE--	17	23	23	32	41	48	55	46	25	17	4	-
OKLAHOMA -----	50	80	110	156	232	318	398	487	368	158	36	-
WHITE-----MALE----	23	47	49	83	113	130	160	144	77	27	3	-
FEMALE--	13	22	41	55	93	157	208	301	270	116	30	-
ALL OTHER--MALE----	7	5	9	10	13	15	9	14	6	6	1	-
FEMALE--	7	6	11	8	13	16	21	28	15	9	2	-
BLACK---MALE-----	6	4	6	6	7	8	7	8	6	5	-	-
FEMALE--	5	4	4	6	10	5	10	19	9	8	1	-
OREGON -----	61	63	69	109	170	241	316	401	284	152	33	-
WHITE-----MALE----	27	32	34	62	90	123	142	129	80	34	6	-
FEMALE--	30	29	31	46	73	111	169	265	200	116	27	-
ALL OTHER--MALE----	4	2	-	-	2	4	4	3	1	-	-	-
FEMALE--	-	-	4	1	5	3	1	4	3	2	-	-
BLACK---MALE-----	2	1	-	-	1	2	3	1	1	-	-	-
FEMALE--	-	-	2	-	2	2	1	2	1	1	-	-
PENNSYLVANIA -----	250	348	432	651	1,031	1,529	1,861	2,028	1,378	614	131	-
WHITE-----MALE----	136	189	227	350	524	691	725	680	339	120	21	-
FEMALE--	68	95	140	216	398	722	1,035	1,248	992	461	100	-
ALL OTHER--MALE----	29	43	41	57	52	63	46	31	9	9	4	-
FEMALE--	17	21	24	28	57	53	55	69	38	24	6	-
BLACK---MALE-----	29	42	38	55	51	62	46	29	9	9	4	-
FEMALE--	17	20	24	28	56	51	54	69	38	23	6	-
RHODE ISLAND -----	5	6	15	17	36	38	62	58	47	15	2	-
WHITE-----MALE----	2	3	6	11	21	19	32	21	14	4	-	-
FEMALE--	3	2	8	5	12	18	30	36	33	11	2	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE-----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
SOUTH CAROLINA -----	105	102	151	215	322	394	395	420	264	95	19	-
WHITE-----MALE----	35	39	57	91	118	127	111	104	48	15	1	-
FEMALE--	17	17	36	41	93	159	189	243	176	58	12	-
ALL OTHER--MALE----	41	30	32	52	59	46	32	26	9	3	1	-
FEMALE--	12	16	26	31	52	62	63	47	31	19	5	-
BLACK---MALE-----	41	30	32	52	59	45	31	26	9	3	1	-
FEMALE--	12	16	26	30	52	61	63	47	30	19	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1952

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
SOUTH DAKOTA -----	471	2	-	-	-	2	1	2	1	5	5	12
WHITE-----MALE----	194	-	-	-	-	2	-	-	1	3	2	3
FEMALE--	251	2	-	-	-	-	-	2	-	-	-	6
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,300	9	2	3	9	6	14	20	19	41	63	91
WHITE-----MALE----	1,176	3	2	1	3	4	4	6	7	17	27	50
FEMALE--	1,536	2	-	-	4	-	3	4	5	9	15	17
ALL OTHER--MALE----	261	1	-	1	1	2	3	2	3	13	12	14
FEMALE--	327	3	-	1	1	-	4	8	4	2	9	10
BLACK---MALE-----	258	1	-	1	1	2	3	2	3	12	12	13
FEMALE--	325	3	-	1	1	-	4	8	3	2	9	10
TEXAS -----	9,582	47	10	6	14	43	36	58	90	113	224	223
WHITE-----MALE----	3,618	18	6	4	9	15	13	25	33	49	99	105
FEMALE--	4,651	15	3	2	2	17	13	11	28	32	59	71
ALL OTHER--MALE----	622	6	-	-	2	6	8	9	18	18	38	27
FEMALE--	691	8	1	-	1	5	2	13	11	14	28	20
BLACK---MALE-----	600	6	-	-	2	6	8	8	18	16	38	27
FEMALE--	655	5	1	-	1	5	2	11	10	13	26	20
UTAH -----	930	1	1	-	-	4	1	2	7	7	17	14
WHITE-----MALE----	369	1	1	-	-	2	1	1	6	6	7	7
FEMALE--	543	-	-	-	-	2	-	-	1	1	9	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	292	1	-	1	-	-	2	1	-	4	-	3
WHITE-----MALE----	114	-	-	1	-	-	2	1	-	3	-	3
FEMALE--	178	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,780	12	5	2	3	14	18	16	29	54	76	111
WHITE-----MALE----	1,596	3	2	1	-	2	4	4	8	16	32	49
FEMALE--	2,078	6	2	-	1	3	4	2	8	17	14	15
ALL OTHER--MALE----	511	2	-	1	2	7	5	5	7	14	17	28
FEMALE--	595	1	1	-	-	2	5	5	6	7	13	19
BLACK---MALE-----	492	1	-	1	2	7	3	5	6	14	17	28
FEMALE--	575	1	1	-	-	2	5	5	6	7	12	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1952

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
SOUTH DAKOTA -----	5	10	17	26	45	51	60	93	75	47	12	-
WHITE-----MALE----	2	4	10	16	30	24	30	31	16	19	1	-
FEMALE--	3	4	5	7	13	25	27	60	59	27	11	-
ALL OTHER--MALE----	-	2	1	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	152	175	227	316	439	519	545	368	147	29	-
WHITE-----MALE----	44	68	81	109	138	180	167	149	82	28	6	-
FEMALE--	31	43	44	69	130	197	271	326	248	100	18	-
ALL OTHER--MALE----	16	26	26	28	21	26	29	21	12	4	-	-
FEMALE--	15	15	24	21	27	36	52	49	26	15	5	-
BLACK---MALE-----	16	26	26	27	21	26	29	21	12	4	-	-
FEMALE--	15	15	24	21	26	36	52	49	26	15	5	-
TEXAS -----	305	359	496	637	902	1,256	1,355	1,567	1,191	549	101	-
WHITE-----MALE----	149	161	246	330	430	529	530	474	282	101	10	-
FEMALE--	88	104	150	207	326	558	694	968	818	408	77	-
ALL OTHER--MALE----	39	52	55	55	78	78	55	41	26	9	2	-
FEMALE--	29	42	45	45	68	91	76	84	65	31	12	-
BLACK---MALE-----	38	50	54	53	75	73	52	40	25	9	2	-
FEMALE--	25	42	44	45	67	85	71	79	61	30	12	-
UTAH -----	15	16	31	50	96	103	179	174	141	59	12	-
WHITE-----MALE----	9	6	16	25	50	48	67	59	42	14	1	-
FEMALE--	4	9	14	24	43	54	109	113	98	45	11	-
ALL OTHER--MALE----	1	-	-	1	2	1	3	2	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	9	9	14	23	41	41	59	47	23	6	-
WHITE-----MALE----	7	4	4	10	13	17	18	16	7	7	1	-
FEMALE--	1	5	5	4	10	24	23	43	40	16	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	137	171	244	350	453	687	768	787	550	231	62	-
WHITE-----MALE----	63	73	115	131	183	265	265	224	110	42	4	-
FEMALE--	28	37	58	105	151	273	354	441	360	155	44	-
ALL OTHER--MALE----	32	34	36	53	65	64	69	44	18	5	3	-
FEMALE--	14	27	35	61	54	85	80	78	62	29	11	-
BLACK---MALE-----	31	34	36	52	63	60	65	43	16	5	3	-
FEMALE--	14	26	34	60	50	84	75	76	60	28	10	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1954

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	13,244	218	19	21	14	60	97	132	211	339	459	557
WHITE-----MALE----	4,428	83	8	10	4	20	19	30	51	110	143	188
FEMALE--	6,404	71	5	8	9	29	46	48	83	124	170	211
ALL OTHER--MALE----	941	31	3	2	1	6	14	16	33	37	54	58
FEMALE--	1,471	33	3	1	-	5	18	38	44	68	92	100
BLACK---MALE-----	877	27	2	1	1	5	12	16	33	33	51	53
FEMALE--	1,369	30	2	1	-	5	16	33	40	64	83	90
ALABAMA -----	293	6	-	-	-	1	5	3	5	12	10	10
WHITE-----MALE----	77	2	-	-	-	-	1	-	1	5	3	1
FEMALE--	127	-	-	-	-	1	-	1	2	5	3	6
ALL OTHER--MALE----	41	3	-	-	-	-	2	-	1	-	1	1
FEMALE--	48	1	-	-	-	-	2	2	1	2	3	2
BLACK---MALE-----	41	3	-	-	-	-	2	-	1	-	1	1
FEMALE--	48	1	-	-	-	-	2	2	1	2	3	2
ALASKA -----	9	-	-	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	185	5	1	2	-	1	-	2	2	1	7	7
WHITE-----MALE----	71	2	1	-	-	-	-	1	1	-	3	2
FEMALE--	100	1	-	2	-	1	-	1	1	1	3	4
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	214	-	-	-	-	-	4	1	4	6	5	10
WHITE-----MALE----	67	-	-	-	-	-	2	-	1	3	2	1
FEMALE--	106	-	-	-	-	-	2	1	-	-	-	6
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	26	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE-----	14	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	26	-	-	-	-	-	-	-	1	2	1	2
CALIFORNIA -----	769	19	2	3	3	5	8	7	15	23	30	42
WHITE-----MALE----	263	7	1	1	1	4	2	1	3	4	12	10
FEMALE--	386	9	-	1	2	1	3	5	7	15	6	22
ALL OTHER--MALE----	43	1	1	-	-	-	-	-	1	2	4	4
FEMALE--	77	2	-	1	-	-	3	1	4	2	8	6
BLACK---MALE-----	28	-	1	-	-	-	-	-	1	1	4	2
FEMALE--	52	1	-	1	-	-	2	1	4	2	6	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1954

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
UNITED STATES -	659	733	859	1,134	1,590	1,886	1,780	1,405	772	254	43	2
WHITE-----MALE----	233	269	343	431	605	672	556	395	199	49	8	2
FEMALE--	265	285	319	481	706	956	1,009	859	502	186	32	-
ALL OTHER--MALE----	68	67	93	97	117	97	78	42	22	4	1	-
FEMALE--	93	112	104	125	162	161	137	109	49	15	2	-
BLACK---MALE-----	64	61	89	92	113	91	72	36	21	3	1	-
FEMALE--	88	104	98	116	152	154	128	104	45	14	2	-
ALABAMA -----	12	20	20	21	37	42	39	30	14	5	1	-
WHITE-----MALE----	1	5	10	4	10	10	19	3	2	-	-	-
FEMALE--	5	8	6	9	16	20	12	20	10	2	1	-
ALL OTHER--MALE----	4	6	2	3	5	6	3	3	-	1	-	-
FEMALE--	2	1	2	5	6	6	5	4	2	2	-	-
BLACK---MALE-----	4	6	2	3	5	6	3	3	-	1	-	-
FEMALE--	2	1	2	5	6	6	5	4	2	2	-	-
ALASKA -----	-	-	1	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARIZONA -----	11	10	10	16	23	31	26	23	5	2	-	-
WHITE-----MALE----	6	1	4	9	7	14	13	6	1	-	-	-
FEMALE--	5	5	4	6	14	17	12	17	4	2	-	-
ALL OTHER--MALE----	-	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	-	-	-	-	-
BLACK---MALE-----	-	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
ARKANSAS -----	15	13	8	20	23	29	43	17	14	2	-	-
WHITE-----MALE----	6	7	5	5	6	6	13	5	5	-	-	-
FEMALE--	6	3	3	10	13	18	26	9	7	2	-	-
ALL OTHER--MALE----	2	-	-	2	-	2	2	1	-	-	-	-
FEMALE--	1	3	-	3	4	3	2	2	2	-	-	-
BLACK---MALE-----	1	-	-	2	-	2	2	1	-	-	-	-
FEMALE--	1	3	-	3	4	3	2	2	2	-	-	-
CALIFORNIA -----	43	40	43	59	86	106	99	72	47	15	2	-
WHITE-----MALE----	15	16	20	24	39	41	27	21	12	2	-	-
FEMALE--	20	19	14	24	36	55	58	42	33	12	2	-
ALL OTHER--MALE----	4	2	3	3	6	2	6	3	-	1	-	-
FEMALE--	4	3	6	8	5	8	8	6	2	-	-	-
BLACK---MALE-----	3	1	3	2	5	-	3	2	-	-	-	-
FEMALE--	1	1	3	6	2	7	4	5	2	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1955

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
COLORADO -----	198	1	-	1	2	2	2	1	4	6	4	8
WHITE-----MALE----	73	-	-	-	-	1	2	-	3	-	2	3
FEMALE--	112	1	-	1	2	1	-	1	1	4	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	1
CONNECTICUT -----	141	2	-	-	1	-	1	1	2	4	4	6
WHITE-----MALE----	48	2	-	-	-	-	-	1	-	-	2	2
FEMALE--	83	-	-	-	1	-	-	-	1	2	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	-
DELAWARE -----	36	-	-	-	-	-	-	1	1	-	3	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
DISTRICT OF COLUMBIA ---	45	1	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	1	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	1	-	-	-	-	-	1	-	-	-	1
FLORIDA -----	679	9	2	-	-	4	2	5	10	22	18	28
WHITE-----MALE----	241	5	-	-	-	1	-	1	2	6	7	11
FEMALE--	320	1	1	-	-	2	2	1	2	6	4	12
ALL OTHER--MALE----	42	-	-	-	-	1	-	2	3	1	2	2
FEMALE--	76	3	1	-	-	-	-	1	3	9	5	3
BLACK---MALE-----	38	-	-	-	-	-	-	2	3	1	2	2
FEMALE--	76	3	1	-	-	-	-	1	3	9	5	3
GEORGIA -----	431	9	1	1	-	1	3	6	8	13	11	22
WHITE-----MALE----	110	2	1	-	-	-	-	2	1	3	1	6
FEMALE--	186	2	-	-	-	-	1	-	3	2	5	5
ALL OTHER--MALE----	58	2	-	1	-	1	1	3	3	-	1	2
FEMALE--	77	3	-	-	-	-	1	1	1	8	4	9
BLACK---MALE-----	58	2	-	1	-	1	1	3	3	-	1	2
FEMALE--	74	3	-	-	-	-	1	-	1	6	4	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1955

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
COLORADO -----	4	10	17	19	16	29	33	17	14	8	-	-
WHITE-----MALE----	2	2	9	7	6	13	14	5	3	1	-	-
FEMALE--	2	6	7	11	9	15	17	11	11	7	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	1	1	-	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	2	-	-	-	-	-
CONNECTICUT -----	3	8	5	17	13	21	25	18	7	3	-	-
WHITE-----MALE----	-	3	2	6	3	5	10	10	1	1	-	-
FEMALE--	2	3	3	11	10	15	15	8	6	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	3	4	3	8	8	1	3	-	-	-	-
WHITE-----MALE----	1	1	2	-	4	3	-	1	-	-	-	-
FEMALE--	-	1	1	3	3	5	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	4	1	4	4	7	9	4	3	1	-
WHITE-----MALE----	-	-	-	-	2	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	2	2	2	-	-	-
FEMALE--	2	-	1	1	2	3	4	4	2	2	1	-
BLACK---MALE-----	2	-	2	-	-	-	2	2	2	-	-	-
FEMALE--	2	-	1	1	2	3	4	4	2	2	1	-
FLORIDA -----	31	42	44	61	80	93	94	76	41	12	4	1
WHITE-----MALE----	9	14	13	26	33	35	27	26	18	4	2	1
FEMALE--	16	17	17	23	36	43	63	43	21	8	2	-
ALL OTHER--MALE----	2	4	8	5	4	6	1	1	-	-	-	-
FEMALE--	4	7	6	7	7	9	3	6	2	-	-	-
BLACK---MALE-----	2	2	8	5	4	5	1	1	-	-	-	-
FEMALE--	4	7	6	7	7	9	3	6	2	-	-	-
GEORGIA -----	20	29	32	40	47	56	51	48	21	11	1	-
WHITE-----MALE----	4	9	10	16	13	16	13	9	3	1	-	-
FEMALE--	6	9	9	11	22	26	31	28	16	9	1	-
ALL OTHER--MALE----	6	3	6	6	5	7	5	4	2	-	-	-
FEMALE--	4	8	7	7	7	7	2	7	-	1	-	-
BLACK---MALE-----	6	3	6	6	5	7	5	4	2	-	-	-
FEMALE--	4	8	7	7	7	7	2	7	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1956

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
HAWAII -----	33	-	-	-	-	-	-	1	-	-	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	63	2	1	2	-	-	-	1	2	2	4	3
WHITE-----MALE----	32	2	1	1	-	-	-	-	-	2	2	1
FEMALE--	30	-	-	1	-	-	-	1	2	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	698	22	-	1	-	2	6	13	16	24	20	32
WHITE-----MALE----	229	8	-	-	-	1	-	6	4	7	8	8
FEMALE--	307	8	-	1	-	1	3	3	5	9	6	11
ALL OTHER--MALE----	64	4	-	-	-	-	2	2	4	6	2	4
FEMALE--	98	2	-	-	-	-	1	2	3	2	4	9
BLACK---MALE-----	64	4	-	-	-	-	2	2	4	6	2	4
FEMALE--	93	2	-	-	-	-	1	2	3	2	4	7
INDIANA -----	412	6	-	-	-	4	1	4	3	19	20	23
WHITE-----MALE----	145	4	-	-	-	-	-	1	1	10	7	10
FEMALE--	218	1	-	-	-	2	1	2	2	5	9	9
ALL OTHER--MALE----	19	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	30	1	-	-	-	1	-	1	-	4	2	-
BLACK---MALE-----	18	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	30	1	-	-	-	1	-	1	-	4	2	-
IOWA -----	154	2	-	-	-	1	4	2	2	2	7	7
WHITE-----MALE----	56	-	-	-	-	-	1	2	1	-	5	1
FEMALE--	92	2	-	-	-	1	3	-	-	1	2	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
KANSAS -----	146	2	-	-	-	1	2	1	1	4	3	8
WHITE-----MALE----	59	1	-	-	-	-	1	-	-	1	1	2
FEMALE--	77	1	-	-	-	1	1	-	1	3	2	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1956

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
HAWAII -----	1	2	2	4	3	5	3	4	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	2	-	-	-
FEMALE--	-	1	-	2	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	1	2	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	5	4	7	7	8	8	3	2	-	-	-
WHITE-----MALE----	2	2	1	3	4	4	4	3	-	-	-	-
FEMALE--	-	3	3	4	3	4	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	34	33	41	57	96	86	91	65	42	16	1	-
WHITE-----MALE----	12	11	11	24	42	32	28	13	11	3	-	-
FEMALE--	11	12	14	18	28	39	53	44	28	12	1	-
ALL OTHER--MALE----	1	2	7	5	10	9	4	1	1	-	-	-
FEMALE--	10	8	9	10	16	6	6	7	2	1	-	-
BLACK---MALE-----	1	2	7	5	10	9	4	1	1	-	-	-
FEMALE--	10	7	7	10	16	6	6	7	2	1	-	-
INDIANA -----	24	20	26	31	46	52	53	52	21	6	1	-
WHITE-----MALE----	8	7	10	15	19	18	18	11	4	2	-	-
FEMALE--	11	9	15	11	21	29	33	37	16	4	1	-
ALL OTHER--MALE----	3	-	1	3	1	1	-	3	-	-	-	-
FEMALE--	2	4	-	2	5	4	2	1	1	-	-	-
BLACK---MALE-----	3	-	1	3	1	1	-	3	-	-	-	-
FEMALE--	2	4	-	2	5	4	2	1	1	-	-	-
IOWA -----	7	4	7	15	11	20	27	23	10	3	-	-
WHITE-----MALE----	-	1	1	8	5	11	10	7	2	1	-	-
FEMALE--	5	3	4	7	6	9	17	16	8	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	9	6	8	18	20	22	20	14	3	3	1	-
WHITE-----MALE----	5	3	3	9	11	9	7	4	-	1	1	-
FEMALE--	3	3	4	9	8	13	12	9	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1957

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
KENTUCKY -----	249	2	-	2	1	2	2	1	6	5	10	11
WHITE-----MALE----	97	-	-	1	1	-	-	-	2	1	2	1
FEMALE--	130	2	-	1	-	2	1	1	4	4	4	5
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	4	5
BLACK---MALE-----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	4	5
LOUISIANA -----	240	2	-	-	-	-	3	5	6	11	12	8
WHITE-----MALE----	49	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	92	1	-	-	-	-	1	1	1	5	4	3
ALL OTHER--MALE----	43	1	-	-	-	-	1	1	1	1	3	-
FEMALE--	56	-	-	-	-	-	1	2	4	4	5	2
BLACK---MALE-----	43	1	-	-	-	-	1	1	1	1	3	-
FEMALE--	56	-	-	-	-	-	1	2	4	4	5	2
MAINE -----	61	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	277	9	-	-	-	-	2	4	5	9	9	12
WHITE-----MALE----	63	3	-	-	-	-	-	-	-	4	2	2
FEMALE--	105	-	-	-	-	-	-	1	2	1	4	1
ALL OTHER--MALE----	48	3	-	-	-	-	-	-	3	1	1	3
FEMALE--	61	3	-	-	-	-	2	3	-	3	2	6
BLACK---MALE-----	48	3	-	-	-	-	-	-	3	1	1	3
FEMALE--	60	3	-	-	-	-	2	3	-	3	2	6
MASSACHUSETTS -----	296	3	-	-	-	-	2	3	9	6	8	14
WHITE-----MALE----	105	-	-	-	-	-	-	1	2	-	3	8
FEMALE--	167	3	-	-	-	-	2	2	5	3	3	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE-----	14	-	-	-	-	-	-	-	1	3	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	2
MICHIGAN -----	501	10	-	1	-	2	4	4	5	11	14	12
WHITE-----MALE----	178	3	-	-	-	1	1	1	-	2	6	2
FEMALE--	234	4	-	1	-	-	1	2	1	3	6	3
ALL OTHER--MALE----	27	-	-	-	-	1	1	-	-	1	1	2
FEMALE--	62	3	-	-	-	-	1	1	4	5	1	5
BLACK---MALE-----	27	-	-	-	-	1	1	-	-	1	1	2
FEMALE--	60	3	-	-	-	-	1	1	2	5	1	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1957

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
KENTUCKY -----	12	18	16	18	30	45	32	20	13	3	-	-
WHITE-----MALE----	7	8	6	10	12	24	9	8	4	1	-	-
FEMALE--	4	9	9	8	16	18	20	11	9	2	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
BLACK---MALE-----	1	1	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
LOUISIANA -----	17	17	21	21	28	31	19	22	13	4	-	-
WHITE-----MALE----	5	7	8	3	6	6	3	4	1	1	-	-
FEMALE--	4	6	5	7	10	12	7	13	9	3	-	-
ALL OTHER--MALE----	5	2	4	9	4	4	5	-	2	-	-	-
FEMALE--	3	2	4	2	8	9	4	5	1	-	-	-
BLACK---MALE-----	5	2	4	9	4	4	5	-	2	-	-	-
FEMALE--	3	2	4	2	8	9	4	5	1	-	-	-
MAINE -----	3	4	5	7	9	11	7	8	2	2	-	-
WHITE-----MALE----	1	-	3	2	5	6	1	5	1	-	-	-
FEMALE--	2	4	1	5	4	5	6	3	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	18	17	19	23	30	39	39	21	17	4	-	-
WHITE-----MALE----	3	3	4	8	11	9	9	1	3	1	-	-
FEMALE--	3	6	3	5	12	21	18	14	11	3	-	-
ALL OTHER--MALE----	6	5	6	7	3	2	6	1	1	-	-	-
FEMALE--	6	3	6	3	4	7	6	5	2	-	-	-
BLACK---MALE-----	6	5	6	7	3	2	6	1	1	-	-	-
FEMALE--	6	3	6	2	4	7	6	5	2	-	-	-
MASSACHUSETTS -----	12	9	20	15	19	55	52	38	23	6	2	-
WHITE-----MALE----	4	3	10	6	4	23	23	9	8	1	-	-
FEMALE--	8	5	8	8	13	29	25	28	15	4	2	-
ALL OTHER--MALE----	-	1	1	1	2	1	3	1	-	1	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	2	1	3	1	-	1	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
MICHIGAN -----	25	28	33	39	66	79	74	57	29	6	2	-
WHITE-----MALE----	10	12	17	14	21	33	26	21	5	2	1	-
FEMALE--	10	12	10	16	30	41	42	28	19	4	1	-
ALL OTHER--MALE----	1	1	1	3	7	4	2	1	1	-	-	-
FEMALE--	4	3	5	6	8	1	4	7	4	-	-	-
BLACK---MALE-----	1	1	1	3	7	4	2	1	1	-	-	-
FEMALE--	4	3	5	6	8	1	4	7	4	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1958

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
MINNESOTA -----	11	10	11	22	22	36	36	35	23	8	1	-
WHITE-----MALE----	8	2	6	11	14	11	11	8	7	3	-	-
FEMALE--	3	7	5	10	7	23	24	27	16	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
MISSISSIPPI -----	8	13	22	18	34	23	30	12	6	4	-	-
WHITE-----MALE----	-	2	6	10	5	6	8	3	-	1	-	-
FEMALE--	-	4	4	2	15	9	12	7	5	3	-	-
ALL OTHER--MALE----	1	3	5	4	5	4	3	1	-	-	-	-
FEMALE--	7	4	7	2	9	4	7	1	1	-	-	-
BLACK---MALE-----	1	3	5	4	5	4	3	1	-	-	-	-
FEMALE--	7	4	7	2	9	4	7	1	1	-	-	-
MISSOURI -----	9	17	16	31	42	52	48	39	24	7	2	-
WHITE-----MALE----	3	9	5	9	25	18	14	10	5	2	1	-
FEMALE--	4	3	6	17	14	29	28	24	16	5	1	-
ALL OTHER--MALE----	-	1	2	2	1	3	1	-	2	-	-	-
FEMALE--	2	4	3	3	2	2	5	5	1	-	-	-
BLACK---MALE-----	-	1	2	2	1	3	1	-	2	-	-	-
FEMALE--	2	4	3	3	2	2	5	5	1	-	-	-
MONTANA -----	6	2	4	4	10	3	11	7	4	-	-	-
WHITE-----MALE----	2	2	1	2	6	1	2	2	2	-	-	-
FEMALE--	4	-	3	1	4	2	9	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	11	11	14	11	14	13	9	7	4	-	-
WHITE-----MALE----	2	6	6	7	4	3	6	3	4	-	-	-
FEMALE--	6	4	4	7	6	9	7	5	3	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
NEVADA -----	4	6	9	6	12	17	6	10	6	1	-	-
WHITE-----MALE----	1	4	6	4	5	4	3	3	2	-	-	-
FEMALE--	2	2	2	2	6	11	3	7	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE-----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1960

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
OHIO -----	625	6	-	-	-	5	4	7	6	14	21	25
WHITE-----MALE----	217	2	-	-	-	1	-	1	2	5	5	9
FEMALE--	321	3	-	-	-	4	3	4	3	6	7	10
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	65	1	-	-	-	-	1	1	1	3	8	2
BLACK---MALE-----	22	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	64	1	-	-	-	-	1	1	1	3	8	2
OKLAHOMA -----	183	2	3	1	-	1	2	-	6	9	6	10
WHITE-----MALE----	62	2	1	1	-	-	-	-	3	2	1	5
FEMALE--	97	-	1	-	-	-	1	-	3	7	3	4
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	1	1	-	-	-	2	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	1	1	-	-	-	1	-
OREGON -----	151	3	-	1	-	1	1	-	2	4	7	6
WHITE-----MALE----	55	2	-	1	-	-	-	-	-	2	-	4
FEMALE--	93	1	-	-	-	1	1	-	2	2	7	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	829	13	-	2	1	2	4	4	9	18	24	41
WHITE-----MALE----	282	5	-	2	-	1	2	2	3	5	7	18
FEMALE--	420	4	-	-	-	1	2	2	2	7	10	11
ALL OTHER--MALE----	51	3	-	-	1	-	-	-	3	2	4	5
FEMALE--	76	1	-	-	-	-	-	-	1	4	3	7
BLACK---MALE-----	51	3	-	-	1	-	-	-	3	2	4	5
FEMALE--	74	1	-	-	-	-	-	-	1	4	2	7
RHODE ISLAND -----	33	2	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	13	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	280	4	1	-	-	-	-	2	3	7	16	17
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	98	1	1	-	-	-	-	-	2	1	4	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	1	5	6
FEMALE--	73	3	-	-	-	-	-	1	1	2	6	7
BLACK---MALE-----	44	-	-	-	-	-	-	1	-	1	5	6
FEMALE--	72	3	-	-	-	-	-	1	1	2	5	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1960

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
OHIO -----	35	30	48	57	77	90	96	64	32	6	2	-
WHITE-----MALE----	16	11	22	24	26	29	30	21	11	2	-	-
FEMALE--	13	11	19	28	42	49	53	42	18	4	2	-
ALL OTHER--MALE----	1	1	2	2	3	4	1	-	2	-	-	-
FEMALE--	5	7	5	3	6	8	12	1	1	-	-	-
BLACK---MALE-----	1	1	2	2	3	4	1	-	2	-	-	-
FEMALE--	5	6	5	3	6	8	12	1	1	-	-	-
OKLAHOMA -----	6	13	12	12	21	19	23	27	8	1	1	-
WHITE-----MALE----	2	5	5	5	11	5	4	7	2	1	-	-
FEMALE--	4	5	6	6	5	11	16	18	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	3	1	1	3	2	3	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	3	1	2	1	-	-	-	-
OREGON -----	15	8	10	15	13	23	15	14	6	4	3	-
WHITE-----MALE----	5	2	4	6	6	10	3	5	3	-	2	-
FEMALE--	9	6	6	8	6	13	12	9	3	4	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	43	43	71	111	127	109	83	60	20	3	-
WHITE-----MALE----	14	12	20	28	48	42	29	27	13	4	-	-
FEMALE--	21	19	16	34	48	67	69	47	42	16	2	-
ALL OTHER--MALE----	1	4	5	3	2	10	4	3	-	-	1	-
FEMALE--	5	8	2	6	13	8	7	6	5	-	-	-
BLACK---MALE-----	1	4	5	3	2	10	4	3	-	-	1	-
FEMALE--	5	8	2	6	12	8	7	6	5	-	-	-
RHODE ISLAND -----	1	-	3	1	9	2	7	3	4	-	-	-
WHITE-----MALE----	-	-	-	-	4	-	4	1	1	-	-	-
FEMALE--	1	-	3	1	3	2	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	15	23	32	37	39	26	27	11	6	1	-
WHITE-----MALE----	4	5	8	12	7	9	6	5	1	1	-	-
FEMALE--	2	5	5	5	13	17	13	17	6	4	1	-
ALL OTHER--MALE----	5	1	4	11	6	1	1	1	1	-	-	-
FEMALE--	2	4	6	4	11	12	6	4	3	1	-	-
BLACK---MALE-----	5	1	4	11	6	1	1	1	1	-	-	-
FEMALE--	2	4	6	4	11	12	6	4	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1961

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
SOUTH DAKOTA -----	26	1	-	-	-	-	1	1	-	-	-	5
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	1	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	284	4	-	1	1	-	1	5	3	4	7	10
WHITE-----MALE----	104	2	-	1	1	-	-	-	1	3	2	4
FEMALE--	127	1	-	-	-	-	1	1	-	1	2	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	32	1	-	-	-	-	-	4	1	-	1	2
BLACK---MALE-----	21	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	32	1	-	-	-	-	-	4	1	-	1	2
TEXAS -----	908	19	1	-	-	8	6	15	23	20	42	29
WHITE-----MALE----	294	10	1	-	-	2	1	2	3	3	16	9
FEMALE--	444	3	-	-	-	5	5	7	11	8	19	14
ALL OTHER--MALE----	73	4	-	-	-	-	-	2	6	5	4	3
FEMALE--	97	2	-	-	-	1	-	4	3	4	3	3
BLACK---MALE-----	70	4	-	-	-	-	-	2	6	3	4	3
FEMALE--	92	2	-	-	-	1	-	3	2	3	3	3
UTAH -----	103	-	-	-	-	-	-	-	2	2	7	5
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	68	-	-	-	-	-	-	-	1	-	6	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	330	3	-	-	-	1	6	2	4	7	7	6
WHITE-----MALE----	104	-	-	-	-	-	-	1	1	-	3	2
FEMALE--	132	2	-	-	-	-	3	-	1	2	2	3
ALL OTHER--MALE----	41	-	-	-	-	1	2	-	1	3	-	1
FEMALE--	53	1	-	-	-	-	1	1	1	2	2	-
BLACK---MALE-----	38	-	-	-	-	1	1	-	1	3	-	1
FEMALE--	52	1	-	-	-	-	1	1	1	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1961

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
SOUTH DAKOTA -----	-	-	-	-	5	4	2	5	-	2	-	-
WHITE-----MALE----	-	-	-	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	3	1	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	16	20	28	41	35	37	34	16	7	-	-
WHITE-----MALE----	4	7	10	10	22	13	8	7	8	1	-	-
FEMALE--	6	5	5	11	15	19	20	25	6	5	-	-
ALL OTHER--MALE----	-	1	4	3	2	1	5	1	1	-	-	-
FEMALE--	4	3	1	4	2	2	4	1	1	1	-	-
BLACK---MALE-----	-	1	4	3	2	1	5	1	1	-	-	-
FEMALE--	4	3	1	4	2	2	4	1	1	1	-	-
TEXAS -----	45	60	72	70	96	121	109	96	54	16	6	-
WHITE-----MALE----	14	22	29	31	30	41	35	24	17	3	1	-
FEMALE--	22	19	27	30	45	59	63	60	31	12	4	-
ALL OTHER--MALE----	5	6	4	2	12	9	6	3	2	-	-	-
FEMALE--	4	13	12	7	9	12	5	9	4	1	1	-
BLACK---MALE-----	5	5	4	2	12	9	6	3	2	-	-	-
FEMALE--	4	13	12	7	9	11	5	9	3	1	1	-
UTAH -----	3	3	6	10	18	18	14	6	6	2	1	-
WHITE-----MALE----	1	1	2	1	7	7	3	3	2	-	-	-
FEMALE--	1	2	4	9	11	11	11	3	4	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	-	2	3	5	3	5	2	-	-	-
WHITE-----MALE----	-	2	-	2	3	3	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	20	26	28	36	61	43	33	23	7	-	-
WHITE-----MALE----	6	8	10	9	9	22	16	13	2	2	-	-
FEMALE--	4	7	9	10	16	26	17	13	15	2	-	-
ALL OTHER--MALE----	3	2	2	3	7	7	4	3	2	-	-	-
FEMALE--	4	3	5	6	4	6	6	4	4	3	-	-
BLACK---MALE-----	3	2	2	3	7	7	3	3	1	-	-	-
FEMALE--	4	3	5	5	4	6	6	4	4	3	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1963

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
UNITED STATES -	9,008	2	-	1	2	31	65	86	145	217	310	389
WHITE-----MALE----	3,044	-	-	-	1	6	13	18	39	76	103	139
FEMALE--	4,333	1	-	1	15	27	31	49	74	115	142	
ALL OTHER--MALE----	680	-	-	-	-	6	11	13	26	24	33	44
FEMALE--	951	1	-	-	-	4	14	24	31	43	59	64
BLACK---MALE-----	651	-	-	-	-	5	9	13	26	20	33	40
FEMALE--	902	1	-	-	-	4	12	21	30	40	55	61
ALABAMA -----	225	-	-	-	-	-	3	3	3	7	7	8
WHITE-----MALE----	55	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	96	-	-	-	-	-	-	1	-	3	2	4
ALL OTHER--MALE----	35	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	39	-	-	-	-	-	2	2	1	1	2	2
BLACK---MALE-----	35	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	39	-	-	-	-	-	2	2	1	1	2	2
ALASKA -----	5	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	107	-	-	-	-	1	-	1	-	-	4	3
WHITE-----MALE----	44	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	57	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	167	-	-	-	-	-	3	1	2	5	4	6
WHITE-----MALE----	51	-	-	-	-	-	1	-	1	3	2	-
FEMALE--	87	-	-	-	-	-	2	1	-	-	-	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	1
CALIFORNIA -----	413	-	-	-	-	2	7	1	7	8	15	21
WHITE-----MALE----	151	-	-	-	-	1	2	-	1	1	6	5
FEMALE--	198	-	-	-	-	1	2	1	2	4	-	11
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	40	-	-	-	-	-	3	-	3	1	7	2
BLACK---MALE-----	19	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	31	-	-	-	-	-	2	-	3	1	6	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1963

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
UNITED STATES -	452	516	601	753	1,115	1,315	1,260	1,006	533	174	33	2
WHITE-----MALE----	162	200	253	295	445	468	378	282	125	33	6	2
FEMALE--	181	193	212	313	467	653	735	621	349	129	24	-
ALL OTHER--MALE----	51	56	65	72	88	77	59	35	16	3	1	-
FEMALE--	58	67	71	73	115	117	88	68	43	9	2	-
BLACK---MALE-----	48	52	63	72	86	75	57	32	16	3	1	-
FEMALE--	58	63	67	70	109	112	84	65	39	9	2	-
ALABAMA -----	9	17	13	17	32	31	33	23	13	5	1	-
WHITE-----MALE----	1	4	5	3	7	7	17	2	2	-	-	-
FEMALE--	3	7	6	7	14	13	9	15	9	2	1	-
ALL OTHER--MALE----	4	6	1	3	5	6	2	3	-	1	-	-
FEMALE--	1	-	1	4	6	5	5	3	2	2	-	-
BLACK---MALE-----	4	6	1	3	5	6	2	3	-	1	-	-
FEMALE--	1	-	1	4	6	5	5	3	2	2	-	-
ALASKA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	8	5	9	13	17	18	18	4	2	-	-
WHITE-----MALE----	4	1	3	5	5	6	10	4	1	-	-	-
FEMALE--	-	3	1	4	7	11	8	14	3	2	-	-
ALL OTHER--MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	8	7	17	14	21	38	16	13	2	-	-
WHITE-----MALE----	4	5	5	4	4	2	11	5	4	-	-	-
FEMALE--	4	2	2	9	8	15	23	8	7	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	2	1	-	-	-	-
FEMALE--	1	1	-	3	2	2	2	2	2	-	-	-
BLACK---MALE-----	-	-	-	1	-	2	2	1	-	-	-	-
FEMALE--	1	1	-	3	2	2	2	2	2	-	-	-
CALIFORNIA -----	23	24	25	35	51	62	59	40	26	5	2	-
WHITE-----MALE----	9	9	12	15	28	25	15	14	7	1	-	-
FEMALE--	11	13	6	14	17	35	36	22	17	4	2	-
ALL OTHER--MALE----	3	1	3	-	3	-	4	2	-	-	-	-
FEMALE--	-	1	4	6	3	2	4	2	2	-	-	-
BLACK---MALE-----	2	-	3	-	3	-	3	2	-	-	-	-
FEMALE--	-	-	2	5	1	2	3	2	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1964

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
COLORADO -----	135	-	-	-	-	2	2	1	4	4	2	6
WHITE-----MALE----	52	-	-	-	-	1	2	-	3	-	1	2
FEMALE--	76	-	-	-	-	1	-	1	1	2	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	1
CONNECTICUT -----	84	-	-	-	-	-	1	-	1	2	2	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	47	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	23	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	31	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	1
FLORIDA -----	457	-	-	-	-	1	2	3	6	11	13	15
WHITE-----MALE----	171	-	-	-	-	-	-	1	2	3	6	7
FEMALE--	210	-	-	-	-	-	2	-	1	3	2	6
ALL OTHER--MALE----	34	-	-	-	-	1	-	2	2	1	2	1
FEMALE--	42	-	-	-	-	-	-	-	1	4	3	1
BLACK---MALE-----	32	-	-	-	-	-	-	2	2	1	2	1
FEMALE--	42	-	-	-	-	-	-	-	1	4	3	1
GEORGIA -----	310	-	-	-	-	1	1	4	7	9	6	20
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	2	1	6
FEMALE--	139	-	-	-	-	-	1	-	2	2	2	5
ALL OTHER--MALE----	42	-	-	-	-	1	-	3	3	-	1	1
FEMALE--	53	-	-	-	-	-	-	1	1	5	2	8
BLACK---MALE-----	42	-	-	-	-	1	-	3	3	-	1	1
FEMALE--	50	-	-	-	-	-	-	-	1	3	2	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1964

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
COLORADO -----	3	7	9	13	11	23	23	9	12	4	-	-
WHITE-----MALE----	1	1	5	4	5	11	10	3	2	1	-	-
FEMALE--	2	4	4	9	5	11	13	6	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	7	4	9	8	12	13	13	5	2	-	-
WHITE-----MALE----	-	3	1	4	2	3	4	8	1	1	-	-
FEMALE--	1	2	3	5	6	8	9	5	4	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	2	4	2	5	5	1	1	-	-	-	-
WHITE-----MALE----	1	1	2	-	4	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	1	-	2	4	4	7	4	2	1	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	1	2	2	-	-	-
FEMALE--	2	-	-	-	-	3	2	3	2	1	1	-
BLACK---MALE-----	2	-	1	-	-	-	1	2	2	-	-	-
FEMALE--	2	-	-	-	-	3	2	3	2	1	1	-
FLORIDA -----	23	29	25	37	62	69	65	57	27	8	3	1
WHITE-----MALE----	8	13	8	18	25	26	18	19	11	3	2	1
FEMALE--	11	11	6	11	28	31	45	33	14	5	1	-
ALL OTHER--MALE----	-	3	8	4	4	5	-	1	-	-	-	-
FEMALE--	4	2	3	4	5	7	2	4	2	-	-	-
BLACK---MALE-----	-	2	8	4	4	5	-	1	-	-	-	-
FEMALE--	4	2	3	4	5	7	2	4	2	-	-	-
GEORGIA -----	12	19	23	24	35	42	40	39	17	11	-	-
WHITE-----MALE----	2	6	9	8	7	11	11	8	3	1	-	-
FEMALE--	4	6	7	7	18	18	23	21	14	9	-	-
ALL OTHER--MALE----	4	3	2	5	4	7	4	4	-	-	-	-
FEMALE--	2	4	5	4	6	6	2	6	-	1	-	-
BLACK---MALE-----	4	3	2	5	4	7	4	4	-	-	-	-
FEMALE--	2	4	5	4	6	6	2	6	-	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1965

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
HAWAII -----	1	1	1	3	2	4	2	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	4	3	5	7	6	6	2	2	-	-	-
WHITE-----MALE----	2	2	-	3	4	3	3	2	-	-	-	-
FEMALE--	-	2	3	2	3	3	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	24	20	32	43	74	61	65	48	29	14	1	-
WHITE-----MALE----	10	5	10	19	30	21	17	11	7	3	-	-
FEMALE--	7	11	8	15	23	26	39	33	19	10	1	-
ALL OTHER--MALE----	1	1	6	4	8	9	4	1	1	-	-	-
FEMALE--	6	3	8	5	13	5	5	3	2	1	-	-
BLACK---MALE-----	1	1	6	4	8	9	4	1	1	-	-	-
FEMALE--	6	3	6	5	13	5	5	3	2	1	-	-
INDIANA -----	19	16	20	19	37	40	39	43	17	6	1	-
WHITE-----MALE----	5	6	9	9	15	15	13	9	3	2	-	-
FEMALE--	10	7	11	6	16	22	25	31	13	4	1	-
ALL OTHER--MALE----	2	-	-	2	1	1	-	2	-	-	-	-
FEMALE--	2	3	-	2	5	2	1	1	1	-	-	-
BLACK---MALE-----	2	-	-	2	1	1	-	2	-	-	-	-
FEMALE--	2	3	-	2	5	2	1	1	1	-	-	-
IOWA -----	6	3	5	12	8	15	18	17	5	1	-	-
WHITE-----MALE----	-	1	1	6	4	9	7	4	2	1	-	-
FEMALE--	4	2	2	6	4	6	11	13	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	7	4	3	13	18	17	17	11	3	3	1	-
WHITE-----MALE----	4	2	1	5	10	7	5	2	-	1	1	-
FEMALE--	3	2	2	8	7	10	11	8	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1966

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
KENTUCKY -----	175	-	-	1	-	2	2	1	5	4	4	6
WHITE-----MALE----	71	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	90	-	-	1	-	2	1	1	3	4	1	3
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	2
LOUISIANA -----	158	-	-	-	-	-	1	3	5	6	10	6
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	55	-	-	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	32	-	-	-	-	-	1	1	1	1	3	-
FEMALE--	38	-	-	-	-	-	-	1	4	2	5	-
BLACK---MALE-----	32	-	-	-	-	-	1	1	1	1	3	-
FEMALE--	38	-	-	-	-	-	-	1	4	2	5	-
MAINE -----	40	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	209	-	-	-	-	-	2	4	5	6	6	6
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	82	-	-	-	-	-	-	1	2	1	2	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	3	-	1	2
FEMALE--	46	-	-	-	-	-	2	3	-	3	1	3
BLACK---MALE-----	37	-	-	-	-	-	-	-	3	-	1	2
FEMALE--	45	-	-	-	-	-	2	3	-	3	1	3
MASSACHUSETTS -----	200	-	-	-	-	-	1	3	6	4	5	11
WHITE-----MALE----	71	-	-	-	-	-	-	1	2	-	1	8
FEMALE--	113	-	-	-	-	-	1	2	3	2	3	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	2
MICHIGAN -----	325	-	-	-	-	1	2	4	3	6	9	5
WHITE-----MALE----	116	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	155	-	-	-	-	-	1	2	-	1	4	1
ALL OTHER--MALE----	20	-	-	-	-	1	1	-	-	1	-	1
FEMALE--	34	-	-	-	-	-	-	1	3	3	1	2
BLACK---MALE-----	20	-	-	-	-	1	1	-	-	1	-	1
FEMALE--	33	-	-	-	-	-	-	1	2	3	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1966

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
KENTUCKY -----	7	11	13	11	19	35	26	15	11	2	-	-
WHITE-----MALE----	4	5	6	8	8	19	7	6	3	-	-	-
FEMALE--	2	5	7	3	9	14	16	8	8	2	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
BLACK---MALE-----	1	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
LOUISIANA -----	11	8	16	12	17	24	12	15	10	2	-	-
WHITE-----MALE----	3	3	6	2	4	4	3	3	-	1	-	-
FEMALE--	2	4	3	3	6	9	4	8	7	1	-	-
ALL OTHER--MALE----	4	1	3	6	2	4	3	-	2	-	-	-
FEMALE--	2	-	4	1	5	7	2	4	1	-	-	-
BLACK---MALE-----	4	1	3	6	2	4	3	-	2	-	-	-
FEMALE--	2	-	4	1	5	7	2	4	1	-	-	-
MAINE -----	2	2	4	3	5	6	6	5	2	2	-	-
WHITE-----MALE----	1	-	3	2	4	4	-	3	1	-	-	-
FEMALE--	1	2	-	1	1	2	6	2	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	15	15	21	20	33	29	16	13	2	-	-
WHITE-----MALE----	3	3	3	7	9	7	5	-	2	-	-	-
FEMALE--	3	5	2	4	6	20	15	11	8	2	-	-
ALL OTHER--MALE----	5	5	5	7	1	1	5	1	1	-	-	-
FEMALE--	5	2	5	3	4	5	4	4	2	-	-	-
BLACK---MALE-----	5	5	5	7	1	1	5	1	1	-	-	-
FEMALE--	5	2	5	2	4	5	4	4	2	-	-	-
MASSACHUSETTS -----	8	7	12	7	12	39	34	28	18	4	1	-
WHITE-----MALE----	3	2	6	4	2	16	14	5	7	-	-	-
FEMALE--	5	5	5	3	8	22	16	22	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	3	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	-	3	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MICHIGAN -----	18	19	30	26	47	53	47	35	15	3	2	-
WHITE-----MALE----	6	7	15	12	17	22	15	11	2	1	1	-
FEMALE--	8	8	9	9	21	26	30	23	9	2	1	-
ALL OTHER--MALE----	1	1	1	3	4	4	1	-	1	-	-	-
FEMALE--	3	3	5	2	5	1	1	1	3	-	-	-
BLACK---MALE-----	1	1	1	3	4	4	1	-	1	-	-	-
FEMALE--	3	3	5	2	5	1	1	1	3	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1967

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
MINNESOTA -----	9	4	8	15	15	25	22	17	7	4	-	-
WHITE-----MALE----	6	1	4	7	10	10	8	3	2	1	-	-
FEMALE--	3	2	4	8	5	13	14	14	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	5	9	15	14	26	20	29	12	5	4	-	-
WHITE-----MALE----	-	1	5	7	4	6	8	3	-	1	-	-
FEMALE--	-	2	2	1	13	7	12	7	4	3	-	-
ALL OTHER--MALE----	-	3	3	4	4	4	2	1	-	-	-	-
FEMALE--	5	3	5	2	5	3	7	1	1	-	-	-
BLACK---MALE-----	-	3	3	4	4	4	2	1	-	-	-	-
FEMALE--	5	3	5	2	5	3	7	1	1	-	-	-
MISSOURI -----	8	14	13	17	28	32	37	26	15	4	1	-
WHITE-----MALE----	3	8	3	5	16	12	10	8	3	1	-	-
FEMALE--	3	1	6	10	10	18	22	18	12	3	1	-
ALL OTHER--MALE----	-	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	2	4	3	1	1	1	4	-	-	-	-	-
BLACK---MALE-----	-	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	2	4	3	1	1	1	4	-	-	-	-	-
MONTANA -----	2	2	2	2	6	3	10	4	3	-	-	-
WHITE-----MALE----	1	2	1	2	4	1	2	2	1	-	-	-
FEMALE--	1	-	1	-	2	2	8	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	8	7	12	9	11	10	8	7	4	-	-
WHITE-----MALE----	2	6	4	6	4	3	6	3	4	-	-	-
FEMALE--	5	2	2	6	4	7	4	5	3	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
NEVADA -----	3	5	9	5	9	8	5	4	4	-	-	-
WHITE-----MALE----	1	3	6	3	4	2	2	1	1	-	-	-
FEMALE--	1	2	2	2	4	4	3	3	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE-----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1969

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
OHIO -----	401	-	-	-	-	1	2	4	4	11	16	15
WHITE-----MALE----	143	-	-	-	-	-	-	1	2	4	5	6
FEMALE--	203	-	-	-	-	1	1	2	2	6	7	4
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	37	-	-	-	-	-	1	-	-	1	3	1
BLACK---MALE-----	18	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	36	-	-	-	-	-	1	-	-	1	3	1
OKLAHOMA -----	124	-	-	-	-	-	1	-	4	4	5	8
WHITE-----MALE----	46	-	-	-	-	-	-	-	3	2	1	4
FEMALE--	62	-	-	-	-	-	-	-	1	2	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	-
OREGON -----	97	-	-	-	-	-	1	-	2	2	4	5
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	58	-	-	-	-	-	1	-	2	1	4	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	575	-	-	-	-	-	3	3	8	15	18	33
WHITE-----MALE----	201	-	-	-	-	-	2	1	3	5	4	16
FEMALE--	287	-	-	-	-	-	1	2	2	7	9	8
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	2	1	2	4
FEMALE--	48	-	-	-	-	-	-	-	1	2	3	5
BLACK---MALE-----	39	-	-	-	-	-	-	-	2	1	2	4
FEMALE--	47	-	-	-	-	-	-	-	1	2	2	5
RHODE ISLAND -----	18	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	216	-	-	-	-	-	-	1	3	5	10	10
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	82	-	-	-	-	-	-	-	2	1	2	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	53	-	-	-	-	-	-	-	1	2	4	4
BLACK---MALE-----	32	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	52	-	-	-	-	-	-	-	1	2	3	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1969

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
OHIO -----	24	21	32	36	51	51	59	49	23	2	-	-
WHITE-----MALE----	9	10	18	13	19	14	17	18	7	-	-	-
FEMALE--	11	5	10	20	25	29	35	30	13	2	-	-
ALL OTHER--MALE----	1	1	2	1	2	2	1	-	2	-	-	-
FEMALE--	3	5	2	2	5	6	6	1	1	-	-	-
BLACK---MALE-----	1	1	2	1	2	2	1	-	2	-	-	-
FEMALE--	3	4	2	2	5	6	6	1	1	-	-	-
OKLAHOMA -----	4	9	8	11	16	12	17	17	7	-	1	-
WHITE-----MALE----	2	5	3	5	9	3	3	5	1	-	-	-
FEMALE--	2	3	5	6	2	7	11	10	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	3	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	-	2	1	-	-	-	-
OREGON -----	12	4	6	9	6	13	13	10	4	4	2	-
WHITE-----MALE----	4	2	3	4	3	7	3	5	2	-	1	-
FEMALE--	7	2	3	5	3	6	10	5	2	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	29	34	35	45	80	90	75	51	39	14	3	-
WHITE-----MALE----	10	11	16	19	37	33	20	14	6	4	-	-
FEMALE--	14	14	14	20	34	44	48	29	29	10	2	-
ALL OTHER--MALE----	1	4	5	3	1	9	3	3	-	-	1	-
FEMALE--	4	5	-	3	8	4	4	5	4	-	-	-
BLACK---MALE-----	1	4	5	3	1	9	3	3	-	-	1	-
FEMALE--	4	5	-	3	8	4	4	5	4	-	-	-
RHODE ISLAND -----	1	-	2	1	3	1	5	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	-	-	-	-
FEMALE--	1	-	2	1	-	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	13	16	25	30	34	22	25	6	5	1	-
WHITE-----MALE----	4	4	5	7	7	8	5	4	-	1	-	-
FEMALE--	2	5	4	5	10	15	10	16	4	4	1	-
ALL OTHER--MALE----	2	1	4	9	4	1	1	1	1	-	-	-
FEMALE--	2	3	3	4	9	10	6	4	1	-	-	-
BLACK---MALE-----	2	1	4	9	4	1	1	1	1	-	-	-
FEMALE--	2	3	3	4	9	10	6	4	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1970

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
SOUTH DAKOTA -----	18	-	-	-	-	-	1	1	-	-	-	5
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	216	-	-	-	1	-	-	4	1	3	4	7
WHITE-----MALE----	80	-	-	-	1	-	-	-	-	2	2	4
FEMALE--	98	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	19	-	-	-	-	-	-	3	-	-	-	1
BLACK---MALE-----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	19	-	-	-	-	-	-	3	-	-	-	1
TEXAS -----	651	1	-	-	-	3	3	8	13	13	25	23
WHITE-----MALE----	205	-	-	-	-	-	1	2	3	2	8	8
FEMALE--	328	1	-	-	-	2	2	2	5	5	12	10
ALL OTHER--MALE----	51	-	-	-	-	-	-	2	4	3	3	2
FEMALE--	67	-	-	-	-	1	-	2	1	3	2	3
BLACK---MALE-----	49	-	-	-	-	-	-	2	4	1	3	2
FEMALE--	65	-	-	-	-	1	-	2	1	2	2	3
UTAH -----	71	-	-	-	-	-	-	-	1	2	5	5
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	44	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	239	-	-	-	-	1	4	1	4	5	5	2
WHITE-----MALE----	79	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	98	-	-	-	-	-	1	-	1	1	2	2
ALL OTHER--MALE----	28	-	-	-	-	1	2	-	1	2	-	-
FEMALE--	34	-	-	-	-	-	1	-	1	2	1	-
BLACK---MALE-----	27	-	-	-	-	1	1	-	1	2	-	-
FEMALE--	34	-	-	-	-	-	1	-	1	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1970

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
SOUTH DAKOTA -----	-	-	-	-	2	3	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	13	15	21	34	27	31	31	11	5	-	-
WHITE-----MALE----	3	6	7	8	19	10	6	7	4	1	-	-
FEMALE--	3	4	3	7	12	15	19	22	5	3	-	-
ALL OTHER--MALE----	-	1	4	3	2	1	4	1	1	-	-	-
FEMALE--	2	2	1	3	1	1	2	1	1	1	-	-
BLACK---MALE-----	-	1	4	3	2	1	4	1	1	-	-	-
FEMALE--	2	2	1	3	1	1	2	1	1	1	-	-
TEXAS -----	28	42	48	53	74	88	88	79	44	12	6	-
WHITE-----MALE----	6	15	20	24	25	31	28	18	13	-	1	-
FEMALE--	16	14	19	23	32	43	50	52	25	11	4	-
ALL OTHER--MALE----	4	5	1	2	11	5	5	2	2	-	-	-
FEMALE--	2	8	8	4	6	9	5	7	4	1	1	-
BLACK---MALE-----	4	5	1	2	11	5	5	2	2	-	-	-
FEMALE--	2	8	8	4	6	9	5	7	3	1	1	-
UTAH -----	1	2	5	9	12	12	8	5	3	1	-	-
WHITE-----MALE----	1	1	2	1	6	5	1	2	1	-	-	-
FEMALE--	-	1	3	8	6	7	7	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	-	1	3	2	1	4	2	-	-	-
WHITE-----MALE----	-	1	-	1	3	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	16	22	20	26	47	31	23	14	5	-	-
WHITE-----MALE----	5	7	7	5	8	20	10	10	1	2	-	-
FEMALE--	4	5	9	9	12	19	14	8	9	2	-	-
ALL OTHER--MALE----	2	2	2	2	5	5	1	3	-	-	-	-
FEMALE--	2	2	4	4	1	3	6	2	4	1	-	-
BLACK---MALE-----	2	2	2	2	5	5	1	3	-	-	-	-
FEMALE--	2	2	4	4	1	3	6	2	4	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1972

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
UNITED STATES -	4,236	216	19	20	12	29	32	46	66	122	149	168
WHITE-----MALE----	1,384	83	8	10	3	14	6	12	12	34	40	49
FEMALE--	2,071	70	5	7	8	14	19	17	34	50	55	69
ALL OTHER--MALE----	261	31	3	2	1	-	3	3	7	13	21	14
FEMALE--	520	32	3	1	-	1	4	14	13	25	33	36
BLACK---MALE-----	226	27	2	1	1	-	3	3	7	13	18	13
FEMALE--	467	29	2	1	-	1	4	12	10	24	28	29
ALABAMA -----	68	6	-	-	-	1	2	-	2	5	3	2
WHITE-----MALE----	22	2	-	-	-	-	1	-	-	2	1	-
FEMALE--	31	-	-	-	-	1	-	-	2	2	1	2
ALL OTHER--MALE----	6	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	6	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	1	1	-
ALASKA -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	78	5	1	2	-	-	-	1	2	1	3	4
WHITE-----MALE----	27	2	1	-	-	-	-	-	1	-	-	1
FEMALE--	43	1	-	2	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	47	-	-	-	-	-	1	-	2	1	1	4
WHITE-----MALE----	16	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA -----	356	19	2	3	3	3	1	6	8	15	15	21
WHITE-----MALE----	112	7	1	1	1	3	-	1	2	3	6	5
FEMALE--	188	9	-	1	2	-	1	4	5	11	6	11
ALL OTHER--MALE----	19	1	1	-	-	-	-	-	-	-	2	1
FEMALE--	37	2	-	1	-	-	-	1	1	1	1	4
BLACK---MALE-----	9	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	21	1	-	1	-	-	-	1	1	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1972

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
UNITED STATES -	207	217	258	381	475	571	520	399	239	80	10	-
WHITE-----MALE----	71	69	90	136	160	204	178	113	74	16	2	-
FEMALE--	84	92	107	168	239	303	274	238	153	57	8	-
ALL OTHER--MALE----	17	11	28	25	29	20	19	7	6	1	-	-
FEMALE--	35	45	33	52	47	44	49	41	6	6	-	-
BLACK---MALE-----	16	9	26	20	27	16	15	4	5	-	-	-
FEMALE--	30	41	31	46	43	42	44	39	6	5	-	-
ALABAMA -----	3	3	7	4	5	11	6	7	1	-	-	-
WHITE-----MALE----	-	1	5	1	3	3	2	1	-	-	-	-
FEMALE--	2	1	-	2	2	7	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	1	-	-	-	-
ALASKA -----	-	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARIZONA -----	7	2	5	7	10	14	8	5	1	-	-	-
WHITE-----MALE----	2	-	1	4	2	8	3	2	-	-	-	-
FEMALE--	5	2	3	2	7	6	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ARKANSAS -----	5	5	1	3	9	8	5	1	1	-	-	-
WHITE-----MALE----	2	2	-	1	2	4	2	-	1	-	-	-
FEMALE--	2	1	1	1	5	3	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	-	-	-	-	-	-
CALIFORNIA -----	20	16	18	24	35	44	40	32	21	10	-	-
WHITE-----MALE----	6	7	8	9	11	16	12	7	5	1	-	-
FEMALE--	9	6	8	10	19	20	22	20	16	8	-	-
ALL OTHER--MALE----	1	1	-	3	3	2	2	1	-	1	-	-
FEMALE--	4	2	2	2	2	6	4	4	-	-	-	-
BLACK---MALE-----	1	1	-	2	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	5	1	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1973

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
COLORADO -----	63	1	-	1	2	-	-	-	-	2	2	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	36	1	-	1	2	-	-	-	-	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	57	2	-	-	1	-	-	1	1	2	2	3
WHITE-----MALE----	19	2	-	-	-	-	-	1	-	-	1	1
FEMALE--	36	-	-	-	1	-	-	-	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
DELAWARE -----	13	-	-	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	14	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	222	9	2	-	-	3	-	2	4	11	5	13
WHITE-----MALE----	70	5	-	-	-	1	-	-	-	3	1	4
FEMALE--	110	1	1	-	-	2	-	1	1	3	2	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	34	3	1	-	-	-	-	1	2	5	2	2
BLACK---MALE-----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	34	3	1	-	-	-	-	1	2	5	2	2
GEORGIA -----	121	9	1	1	-	-	2	2	1	4	5	2
WHITE-----MALE----	34	2	1	-	-	-	-	2	-	1	-	-
FEMALE--	47	2	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	16	2	-	1	-	-	1	-	-	-	-	1
FEMALE--	24	3	-	-	-	-	1	-	-	3	2	1
BLACK---MALE-----	16	2	-	1	-	-	1	-	-	-	-	1
FEMALE--	24	3	-	-	-	-	1	-	-	3	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1973

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
COLORADO -----	1	3	8	6	5	6	10	8	2	4	-	-
WHITE-----MALE----	1	1	4	3	1	2	4	2	1	-	-	-
FEMALE--	-	2	3	2	4	4	4	5	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	-	-	-
CONNECTICUT -----	1	1	1	8	5	9	12	5	2	1	-	-
WHITE-----MALE----	-	-	1	2	1	2	6	2	-	-	-	-
FEMALE--	1	1	-	6	4	7	6	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	3	3	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	3	1	2	-	3	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	2	1	-	1	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	2	1	-	1	-	-
FLORIDA -----	8	13	19	24	18	24	29	19	14	4	1	-
WHITE-----MALE----	1	1	5	8	8	9	9	7	7	1	-	-
FEMALE--	5	6	11	12	8	12	18	10	7	3	1	-
ALL OTHER--MALE----	2	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	5	3	3	2	2	1	2	-	-	-	-
BLACK---MALE-----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	5	3	3	2	2	1	2	-	-	-	-
GEORGIA -----	8	10	9	16	12	14	11	9	4	-	1	-
WHITE-----MALE----	2	3	1	8	6	5	2	1	-	-	-	-
FEMALE--	2	3	2	4	4	8	8	7	2	-	1	-
ALL OTHER--MALE----	2	-	4	1	1	-	1	-	2	-	-	-
FEMALE--	2	4	2	3	1	1	-	1	-	-	-	-
BLACK---MALE-----	2	-	4	1	1	-	1	-	2	-	-	-
FEMALE--	2	4	2	3	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1974

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
HAWAII -----	12	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	17	2	1	2	-	-	-	1	1	-	1	-
WHITE-----MALE----	8	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	1	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	202	22	-	1	-	1	2	5	5	5	4	6
WHITE-----MALE----	73	8	-	-	-	-	-	3	3	2	2	1
FEMALE--	86	8	-	1	-	1	1	1	2	1	1	2
ALL OTHER--MALE----	14	4	-	-	-	-	1	1	-	2	1	-
FEMALE--	29	2	-	-	-	-	-	-	-	-	-	3
BLACK---MALE-----	14	4	-	-	-	-	1	1	-	2	1	-
FEMALE--	27	2	-	-	-	-	-	-	-	-	-	2
INDIANA -----	91	6	-	-	-	-	-	1	1	3	2	3
WHITE-----MALE----	33	4	-	-	-	-	-	1	-	1	-	1
FEMALE--	47	1	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	-
IOWA -----	42	2	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	13	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	29	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	36	2	-	-	-	1	1	1	-	2	1	1
WHITE-----MALE----	17	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	1	-	-	-	1	1	-	-	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1975

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
KENTUCKY -----	74	2	-	1	1	-	-	-	1	1	6	5
WHITE-----MALE----	26	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	40	2	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	3	3
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	3	3
LOUISIANA -----	82	2	-	-	-	-	2	2	1	5	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	37	1	-	-	-	-	1	-	1	3	2	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	1	1	-	2	-	2
BLACK---MALE-----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	1	1	-	2	-	2
MAINE -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	68	9	-	-	-	-	-	-	-	3	3	6
WHITE-----MALE----	19	3	-	-	-	-	-	-	-	2	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	11	3	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	3	-	-	-	-	-	-	-	-	1	3
BLACK---MALE-----	11	3	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	3	-	-	-	-	-	-	-	-	1	3
MASSACHUSETTS -----	96	3	-	-	-	-	1	-	3	2	3	3
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	54	3	-	-	-	-	1	-	2	1	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	176	10	-	1	-	1	2	-	2	5	5	7
WHITE-----MALE----	62	3	-	-	-	1	1	-	-	1	2	1
FEMALE--	79	4	-	1	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	3	-	-	-	-	1	-	1	2	-	3
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	3	-	-	-	-	1	-	-	2	-	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1975

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
KENTUCKY -----	5	7	3	7	11	10	6	5	2	1	-	-
WHITE-----MALE----	3	3	-	2	4	5	2	2	1	1	-	-
FEMALE--	2	4	2	5	7	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	9	5	9	11	7	7	7	3	2	-	-
WHITE-----MALE----	2	4	2	1	2	2	-	1	1	-	-	-
FEMALE--	2	2	2	4	4	3	3	5	2	2	-	-
ALL OTHER--MALE----	1	1	1	3	2	-	2	-	-	-	-	-
FEMALE--	1	2	-	1	3	2	2	1	-	-	-	-
BLACK---MALE-----	1	1	1	3	2	-	2	-	-	-	-	-
FEMALE--	1	2	-	1	3	2	2	1	-	-	-	-
MAINE -----	1	2	1	4	4	5	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	1	2	1	4	3	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	4	2	10	6	10	5	4	2	-	-
WHITE-----MALE----	-	-	1	1	2	2	4	1	1	1	-	-
FEMALE--	-	1	1	1	6	1	3	3	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	2	1	-	-	-	-
BLACK---MALE-----	1	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	2	1	-	-	-	-
MASSACHUSETTS -----	4	2	8	8	7	16	18	10	5	2	1	-
WHITE-----MALE----	1	1	4	2	2	7	9	4	1	1	-	-
FEMALE--	3	-	3	5	5	7	9	6	4	1	1	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	7	9	3	13	19	26	27	22	14	3	-	-
WHITE-----MALE----	4	5	2	2	4	11	11	10	3	1	-	-
FEMALE--	2	4	1	7	9	15	12	5	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	1	-	-	4	3	-	3	6	1	-	-	-
BLACK---MALE-----	-	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	1	-	-	4	3	-	3	6	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1978

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
OHIO -----	224	6	-	-	-	4	2	3	2	3	5	10
WHITE-----MALE----	74	2	-	-	-	1	-	-	-	1	-	3
FEMALE--	118	3	-	-	-	3	2	2	1	-	-	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	1	-	-	-	-	-	1	1	2	5	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	1	-	-	-	-	-	1	1	2	5	1
OKLAHOMA -----	59	2	3	1	-	1	1	-	2	5	1	2
WHITE-----MALE----	16	2	1	1	-	-	-	-	-	-	-	1
FEMALE--	35	-	1	-	-	-	1	-	2	5	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	54	3	-	1	-	1	-	-	-	2	3	1
WHITE-----MALE----	17	2	-	1	-	-	-	-	-	1	-	1
FEMALE--	35	1	-	-	-	1	-	-	-	1	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	254	13	-	2	1	2	1	1	1	3	6	8
WHITE-----MALE----	81	5	-	2	-	1	-	1	-	-	3	2
FEMALE--	133	4	-	-	-	1	1	-	-	-	1	3
ALL OTHER--MALE----	12	3	-	-	1	-	-	-	1	1	2	1
FEMALE--	28	1	-	-	-	-	-	-	-	2	-	2
BLACK---MALE-----	12	3	-	-	1	-	-	-	1	1	2	1
FEMALE--	27	1	-	-	-	-	-	-	-	2	-	2
RHODE ISLAND -----	15	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	64	4	1	-	-	-	-	1	-	2	6	7
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	1	1	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	20	3	-	-	-	-	-	1	-	-	2	3
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	20	3	-	-	-	-	-	1	-	-	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1978

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
OHIO -----	11	9	16	21	26	39	37	15	9	4	2	-
WHITE-----MALE----	7	1	4	11	7	15	13	3	4	2	-	-
FEMALE--	2	6	9	8	17	20	18	12	5	2	2	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	2	2	3	1	1	2	6	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	2	2	3	1	1	2	6	-	-	-	-	-
OKLAHOMA -----	2	4	4	1	5	7	6	10	1	1	-	-
WHITE-----MALE----	-	-	2	-	2	2	1	2	1	1	-	-
FEMALE--	2	2	1	-	3	4	5	8	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
OREGON -----	3	4	4	6	7	10	2	4	2	-	1	-
WHITE-----MALE----	1	-	1	2	3	3	-	-	1	-	1	-
FEMALE--	2	4	3	3	3	7	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	9	8	26	31	37	34	32	21	6	-	-
WHITE-----MALE----	4	1	4	9	11	9	9	13	7	-	-	-
FEMALE--	7	5	2	14	14	23	21	18	13	6	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	3	2	3	5	4	3	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	3	2	3	4	4	3	1	1	-	-	-
RHODE ISLAND -----	-	-	1	-	6	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	7	7	7	5	4	2	5	1	-	-
WHITE-----MALE----	-	1	3	5	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	3	2	3	1	2	-	-	-
ALL OTHER--MALE----	3	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	2	2	-	-	2	1	-	-
BLACK---MALE-----	3	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	2	2	-	-	2	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1979

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
SOUTH DAKOTA -----	8	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	68	4	-	1	-	-	1	1	2	1	3	3
WHITE-----MALE----	24	2	-	1	-	-	-	-	1	1	-	-
FEMALE--	29	1	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	1	-	-	-	-	-	1	1	-	1	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	1	-	-	-	-	-	1	1	-	1	1
TEXAS -----	257	18	1	-	-	5	3	7	10	7	17	6
WHITE-----MALE----	89	10	1	-	-	2	-	-	-	1	8	1
FEMALE--	116	2	-	-	-	3	3	5	6	3	7	4
ALL OTHER--MALE----	22	4	-	-	-	-	-	-	2	2	1	1
FEMALE--	30	2	-	-	-	-	-	2	2	1	1	-
BLACK---MALE-----	21	4	-	-	-	-	-	-	2	2	1	1
FEMALE--	27	2	-	-	-	-	-	1	1	1	1	-
UTAH -----	32	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	91	3	-	-	-	-	2	1	-	2	2	4
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	34	2	-	-	-	-	2	-	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	1	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	1	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1979

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
SOUTH DAKOTA -----	-	-	-	-	3	1	-	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	3	5	7	7	8	6	3	5	2	-	-
WHITE-----MALE----	1	1	3	2	3	3	2	-	4	-	-	-
FEMALE--	3	1	2	4	3	4	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	2	-	-	-	-	-
TEXAS -----	17	18	24	17	22	33	21	17	10	4	-	-
WHITE-----MALE----	8	7	9	7	5	10	7	6	4	3	-	-
FEMALE--	6	5	8	7	13	16	13	8	6	1	-	-
ALL OTHER--MALE----	1	1	3	-	1	4	1	1	-	-	-	-
FEMALE--	2	5	4	3	3	3	-	2	-	-	-	-
BLACK---MALE-----	1	-	3	-	1	4	1	1	-	-	-	-
FEMALE--	2	5	4	3	3	2	-	2	-	-	-	-
UTAH -----	2	1	1	1	6	6	6	1	3	1	1	-
WHITE-----MALE----	-	-	-	-	1	2	2	1	1	-	-	-
FEMALE--	1	1	1	1	5	4	4	-	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	-	3	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	4	4	8	10	14	12	10	9	2	-	-
WHITE-----MALE----	1	1	3	4	1	2	6	3	1	-	-	-
FEMALE--	-	2	-	1	4	7	3	5	6	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	2	3	-	2	-	-	-
FEMALE--	2	1	1	2	3	3	-	2	-	2	-	-
BLACK---MALE-----	1	-	-	1	2	2	2	-	1	-	-	-
FEMALE--	2	1	1	1	3	3	-	2	-	2	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1981

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
UNITED STATES -	152,584	272	158	78	135	338	385	548	888	1,540	2,309	2,945
WHITE-----MALE----	57,626	91	62	29	52	150	163	229	402	695	1,073	1,392
FEMALE--	75,328	84	44	25	38	82	86	118	193	323	489	599
ALL OTHER--MALE----	9,606	50	27	13	26	74	87	125	181	334	448	585
FEMALE--	10,024	47	25	11	19	32	49	76	112	188	299	369
BLACK---MALE-----	8,467	40	25	13	23	71	79	116	166	304	417	542
FEMALE--	8,972	38	20	11	16	28	47	68	105	175	282	343
ALABAMA -----	5,076	8	4	3	1	9	13	11	26	40	97	123
WHITE-----MALE----	1,696	3	1	1	1	2	4	2	7	13	40	40
FEMALE--	2,134	2	-	-	-	2	3	5	7	6	18	29
ALL OTHER--MALE----	589	-	1	1	-	4	3	4	5	11	25	35
FEMALE--	657	3	2	1	-	1	3	-	7	10	14	19
BLACK---MALE-----	583	-	1	1	-	3	3	4	5	11	25	35
FEMALE--	652	3	2	1	-	1	3	-	7	10	14	19
ALASKA -----	142	-	-	-	-	-	1	1	-	2	6	6
WHITE-----MALE----	50	-	-	-	-	-	1	1	-	1	2	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,916	9	5	-	1	4	8	9	13	26	32	32
WHITE-----MALE----	892	3	1	-	1	4	4	2	6	16	20	16
FEMALE--	908	5	4	-	-	-	2	4	4	6	6	9
ALL OTHER--MALE----	66	1	-	-	-	-	1	3	2	4	3	4
FEMALE--	50	-	-	-	-	-	1	-	1	-	3	3
BLACK---MALE-----	26	-	-	-	-	-	-	1	2	2	1	2
FEMALE--	18	-	-	-	-	-	-	-	1	-	1	1
ARKANSAS -----	2,398	4	3	2	3	5	8	8	10	12	27	38
WHITE-----MALE----	870	3	2	-	1	2	3	3	5	9	14	18
FEMALE--	1,226	-	-	1	2	2	1	1	2	2	6	9
ALL OTHER--MALE----	130	1	-	1	-	1	3	2	2	1	5	6
FEMALE--	172	-	1	-	-	-	1	2	1	-	2	5
BLACK---MALE-----	129	1	-	1	-	1	3	2	2	1	5	6
FEMALE--	171	-	1	-	-	-	1	2	1	-	2	5
CALIFORNIA -----	10,737	34	15	9	12	28	31	49	97	167	226	280
WHITE-----MALE----	4,167	11	8	2	3	14	13	24	54	74	124	143
FEMALE--	5,138	11	4	6	3	7	13	7	24	44	53	62
ALL OTHER--MALE----	737	5	2	-	4	4	1	14	11	34	37	52
FEMALE--	695	7	1	1	2	3	4	4	8	15	12	23
BLACK---MALE-----	441	2	1	-	4	2	1	10	8	26	28	42
FEMALE--	422	4	-	1	2	1	4	2	8	12	10	21

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1981

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
UNITED STATES -	3,727	4,732	6,256	8,900	13,948	19,803	25,243	28,023	21,122	9,147	2,082	5
WHITE-----MALE----	1,808	2,329	3,048	4,422	6,680	8,689	10,000	9,035	5,246	1,761	268	2
FEMALE--	886	1,196	1,839	2,843	5,206	8,714	12,982	16,777	14,510	6,701	1,592	1
ALL OTHER--MALE----	647	754	797	920	1,048	1,109	927	821	412	174	46	1
FEMALE--	386	453	572	715	1,014	1,291	1,334	1,390	954	511	176	1
BLACK---MALE-----	601	688	725	824	928	939	785	667	330	144	39	1
FEMALE--	347	417	520	647	908	1,154	1,165	1,247	831	454	148	1
ALABAMA -----	154	185	267	358	519	707	782	858	587	262	62	-
WHITE-----MALE----	55	80	121	176	215	278	252	234	127	40	4	-
FEMALE--	32	41	64	98	167	273	370	450	359	171	37	-
ALL OTHER--MALE----	41	43	52	40	59	83	61	74	26	14	7	-
FEMALE--	26	21	30	44	78	73	99	100	75	37	14	-
BLACK---MALE-----	41	43	52	40	59	82	60	71	26	14	7	-
FEMALE--	25	21	29	44	78	73	96	100	75	37	14	-
ALASKA -----	3	6	10	10	17	17	16	20	21	6	-	-
WHITE-----MALE----	1	3	6	5	10	1	7	7	4	-	-	-
FEMALE--	2	1	2	3	5	8	4	11	10	5	-	-
ALL OTHER--MALE----	-	2	1	-	-	4	1	1	4	-	-	-
FEMALE--	-	-	1	2	2	4	4	1	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
ARIZONA -----	51	52	64	131	192	252	339	338	258	82	17	1
WHITE-----MALE----	33	34	32	80	113	129	154	142	81	15	5	1
FEMALE--	12	11	23	37	68	107	179	189	169	64	9	-
ALL OTHER--MALE----	5	4	6	9	3	11	1	2	5	1	1	-
FEMALE--	1	3	3	5	8	5	5	5	3	2	2	-
BLACK---MALE-----	3	2	1	3	2	4	-	-	3	-	-	-
FEMALE--	-	3	1	2	4	1	2	2	-	-	-	-
ARKANSAS -----	55	72	104	141	216	309	410	454	362	127	28	-
WHITE-----MALE----	24	32	45	78	102	122	155	140	83	25	4	-
FEMALE--	17	24	42	43	83	152	216	268	245	92	18	-
ALL OTHER--MALE----	4	5	9	11	16	21	13	18	8	2	1	-
FEMALE--	10	11	8	9	15	14	26	28	26	8	5	-
BLACK---MALE-----	4	5	9	11	16	21	13	17	8	2	1	-
FEMALE--	9	11	8	9	15	14	26	28	26	8	5	-
CALIFORNIA -----	332	315	409	524	879	1,322	1,748	1,961	1,507	648	144	-
WHITE-----MALE----	163	143	189	240	399	601	724	646	419	148	25	-
FEMALE--	85	80	128	182	343	540	859	1,145	983	454	105	-
ALL OTHER--MALE----	49	57	54	57	65	84	74	83	31	16	3	-
FEMALE--	35	35	38	45	72	97	91	87	74	30	11	-
BLACK---MALE-----	42	40	40	34	43	42	28	34	6	5	3	-
FEMALE--	27	27	31	24	45	54	51	48	31	11	8	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1982

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
COLORADO -----	1,480	3	3	1	1	4	2	9	13	12	27	33
WHITE-----MALE----	608	1	3	1	-	1	1	4	8	7	20	17
FEMALE--	811	2	-	-	-	2	1	3	3	3	5	12
ALL OTHER--MALE----	33	-	-	-	1	-	-	2	2	2	-	4
FEMALE--	28	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE-----	26	-	-	-	1	-	-	2	2	2	-	4
FEMALE--	23	-	-	-	-	1	-	-	-	-	2	-
CONNECTICUT -----	2,201	2	3	1	4	4	2	6	13	15	15	39
WHITE-----MALE----	851	2	1	-	3	1	1	3	7	9	9	19
FEMALE--	1,212	-	2	1	-	3	1	1	2	2	2	11
ALL OTHER--MALE----	66	-	-	-	-	-	-	1	1	3	3	5
FEMALE--	72	-	-	-	1	-	-	1	3	1	1	4
BLACK---MALE-----	64	-	-	-	-	-	-	1	1	3	3	5
FEMALE--	67	-	-	-	1	-	-	1	3	1	1	2
DELAWARE -----	370	-	1	-	-	1	3	2	1	8	9	8
WHITE-----MALE----	138	-	-	-	-	-	1	1	1	3	2	6
FEMALE--	177	-	-	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	27	-	-	-	-	1	1	-	-	1	4	-
FEMALE--	28	-	1	-	-	-	-	-	-	4	1	-
BLACK---MALE-----	27	-	-	-	-	1	1	-	-	1	4	-
FEMALE--	26	-	1	-	-	-	-	-	-	4	1	-
DISTRICT OF COLUMBIA ---	223	-	-	-	-	1	2	1	1	3	3	6
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	77	-	-	-	-	-	1	1	-	2	-	3
FEMALE--	97	-	-	-	-	1	-	-	1	1	3	3
BLACK---MALE-----	76	-	-	-	-	-	1	1	-	2	-	3
FEMALE--	97	-	-	-	-	1	-	-	1	1	3	3
FLORIDA -----	7,612	14	8	4	2	19	20	36	48	84	112	134
WHITE-----MALE----	3,208	6	2	-	-	8	3	16	24	47	51	64
FEMALE--	3,633	4	2	2	2	5	6	5	8	13	27	27
ALL OTHER--MALE----	360	2	3	-	-	2	8	10	10	14	15	22
FEMALE--	411	2	1	2	-	4	3	5	6	10	19	21
BLACK---MALE-----	349	2	2	-	-	2	8	10	10	12	15	22
FEMALE--	400	2	1	2	-	4	3	5	6	10	19	19
GEORGIA -----	5,909	12	2	4	8	17	8	19	45	74	116	146
WHITE-----MALE----	1,894	3	2	-	-	3	4	2	14	30	45	68
FEMALE--	2,482	1	-	-	3	1	-	4	6	5	20	13
ALL OTHER--MALE----	726	5	-	1	1	10	3	8	15	26	30	40
FEMALE--	807	3	-	3	4	3	1	5	10	13	21	25
BLACK---MALE-----	719	5	-	1	1	10	3	8	15	26	30	40
FEMALE--	799	3	-	3	3	2	1	5	10	13	21	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1982

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
COLORADO -----	23	35	42	89	136	183	248	276	229	84	27	-
WHITE-----MALE----	10	21	23	51	77	82	106	92	60	21	2	-
FEMALE--	10	9	18	32	51	99	132	176	166	62	25	-
ALL OTHER--MALE----	2	2	1	5	4	1	4	1	2	-	-	-
FEMALE--	1	3	-	1	4	1	6	7	1	1	-	-
BLACK---MALE-----	2	2	-	5	2	-	3	-	1	-	-	-
FEMALE--	1	3	-	-	4	1	2	7	1	1	-	-
CONNECTICUT -----	33	54	72	101	168	294	395	443	352	148	37	-
WHITE-----MALE----	22	30	38	53	72	138	179	142	89	27	6	-
FEMALE--	7	17	22	39	73	139	205	282	255	118	30	-
ALL OTHER--MALE----	3	5	5	7	12	6	5	7	3	-	-	-
FEMALE--	1	2	7	2	11	11	6	12	5	3	1	-
BLACK---MALE-----	3	5	4	6	12	6	5	7	3	-	-	-
FEMALE--	-	2	6	2	11	11	6	12	5	3	-	-
DELAWARE -----	6	11	14	24	35	55	61	51	54	23	3	-
WHITE-----MALE----	1	4	6	8	19	21	23	20	18	4	-	-
FEMALE--	3	-	3	6	13	26	35	30	35	18	2	-
ALL OTHER--MALE----	-	6	4	3	2	4	-	-	1	-	-	-
FEMALE--	2	1	1	7	1	4	3	1	-	1	1	-
BLACK---MALE-----	-	6	4	3	2	4	-	-	1	-	-	-
FEMALE--	2	1	1	6	1	4	2	1	-	1	1	-
DISTRICT OF COLUMBIA ---	12	6	17	10	15	33	35	43	21	12	2	-
WHITE-----MALE----	2	-	-	1	1	4	3	5	2	1	-	-
FEMALE--	1	-	1	-	-	2	4	10	9	2	-	-
ALL OTHER--MALE----	6	4	9	5	9	14	8	11	4	-	-	-
FEMALE--	3	2	7	4	5	13	20	17	6	9	2	-
BLACK---MALE-----	6	4	8	5	9	14	8	11	4	-	-	-
FEMALE--	3	2	7	4	5	13	20	17	6	9	2	-
FLORIDA -----	147	233	275	434	728	1,028	1,278	1,424	1,041	452	91	-
WHITE-----MALE----	69	103	136	240	378	505	590	541	320	95	10	-
FEMALE--	29	69	83	127	275	431	620	810	682	331	75	-
ALL OTHER--MALE----	31	41	32	37	33	31	17	29	12	8	3	-
FEMALE--	18	20	24	30	42	61	51	44	27	18	3	-
BLACK---MALE-----	30	40	32	36	32	30	17	27	12	7	3	-
FEMALE--	18	20	23	29	41	59	47	44	27	18	3	-
GEORGIA -----	219	260	302	444	595	781	905	946	650	285	71	-
WHITE-----MALE----	80	110	122	190	236	263	297	249	137	33	6	-
FEMALE--	39	52	73	127	202	314	429	536	412	198	47	-
ALL OTHER--MALE----	58	56	70	68	76	89	79	48	28	11	4	-
FEMALE--	42	42	37	59	81	115	100	113	73	43	14	-
BLACK---MALE-----	57	56	69	67	74	89	79	46	28	11	4	-
FEMALE--	42	41	36	58	80	115	100	112	73	43	13	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1983

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
HAWAII -----	793	1	-	1	1	1	3	1	7	10	13	22
WHITE-----MALE----	107	-	-	-	-	-	-	-	1	1	5	4
FEMALE--	88	-	-	1	-	-	1	-	1	-	2	-
ALL OTHER--MALE----	346	1	-	-	1	1	1	1	3	6	5	9
FEMALE--	252	-	-	-	-	-	1	-	2	3	1	9
BLACK---MALE-----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	582	2	1	-	1	1	2	-	2	5	7	10
WHITE-----MALE----	261	2	1	-	1	1	-	-	2	1	2	5
FEMALE--	308	-	-	-	-	-	2	-	-	4	3	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6,771	12	9	2	8	16	26	43	43	75	118	118
WHITE-----MALE----	2,490	4	3	2	4	9	10	21	12	32	55	41
FEMALE--	3,278	4	2	-	1	4	6	7	6	9	16	17
ALL OTHER--MALE----	482	3	4	-	3	3	5	7	15	23	26	35
FEMALE--	521	1	-	-	-	-	5	8	10	11	21	25
BLACK---MALE-----	462	3	4	-	3	3	5	7	14	23	26	35
FEMALE--	499	1	-	-	-	-	5	6	10	11	21	25
INDIANA -----	4,166	7	5	1	5	6	15	13	24	33	53	83
WHITE-----MALE----	1,660	1	2	1	2	3	9	5	14	16	21	48
FEMALE--	2,191	3	2	-	3	2	5	5	6	8	14	15
ALL OTHER--MALE----	152	1	-	-	-	1	1	3	3	5	12	10
FEMALE--	163	2	1	-	-	-	-	-	1	4	6	10
BLACK---MALE-----	149	1	-	-	-	1	1	3	3	5	12	9
FEMALE--	159	1	1	-	-	-	-	-	1	4	6	10
IOWA -----	1,197	1	-	2	1	4	6	2	4	14	8	16
WHITE-----MALE----	481	-	-	1	1	3	5	2	3	7	5	10
FEMALE--	705	1	-	1	-	1	1	-	1	7	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
KANSAS -----	2,033	3	-	-	-	2	4	4	4	18	14	28
WHITE-----MALE----	793	1	-	-	-	-	2	1	2	12	7	17
FEMALE--	1,134	1	-	-	-	1	1	2	1	3	3	3
ALL OTHER--MALE----	50	-	-	-	-	1	1	1	1	1	3	6
FEMALE--	56	1	-	-	-	-	-	-	-	2	1	2
BLACK---MALE-----	47	-	-	-	-	1	1	1	1	1	3	6
FEMALE--	42	1	-	-	-	-	-	-	-	2	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1983

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
HAWAII -----	33	32	42	44	89	115	111	123	83	43	18	-
WHITE-----MALE----	8	6	5	5	15	20	14	10	8	5	-	-
FEMALE--	-	1	-	3	9	10	17	18	13	9	3	-
ALL OTHER--MALE----	14	20	22	27	41	54	43	54	32	9	2	-
FEMALE--	11	5	15	9	24	31	37	41	30	20	13	-
BLACK---MALE-----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	13	7	13	23	52	72	103	128	87	45	8	-
WHITE-----MALE----	7	4	11	15	29	27	44	50	38	18	3	-
FEMALE--	4	3	2	8	21	45	56	76	47	27	5	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ILLINOIS -----	143	202	284	359	619	874	1,088	1,232	973	436	91	-
WHITE-----MALE----	70	91	124	170	290	386	423	415	238	78	12	-
FEMALE--	28	49	79	101	222	371	574	717	675	326	64	-
ALL OTHER--MALE----	30	40	47	41	61	46	39	29	18	5	2	-
FEMALE--	15	22	34	47	46	71	52	71	42	27	13	-
BLACK---MALE-----	29	40	46	40	58	44	36	26	15	4	1	-
FEMALE--	15	22	34	45	44	66	49	67	40	26	12	-
INDIANA -----	87	135	182	263	413	535	731	718	570	236	51	-
WHITE-----MALE----	53	68	107	140	200	234	293	260	121	55	7	-
FEMALE--	19	41	53	100	171	269	404	430	427	174	40	-
ALL OTHER--MALE----	11	17	16	17	21	10	14	7	1	1	1	-
FEMALE--	4	9	6	6	21	22	20	21	21	6	3	-
BLACK---MALE-----	10	17	16	17	21	10	13	7	1	1	1	-
FEMALE--	4	9	6	6	21	22	20	21	19	5	3	-
IOWA -----	29	28	38	53	115	132	196	230	183	107	28	-
WHITE-----MALE----	20	25	16	34	62	64	82	81	40	15	5	-
FEMALE--	8	3	22	18	51	68	113	147	143	92	23	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
KANSAS -----	31	47	62	83	170	250	302	421	377	179	34	-
WHITE-----MALE----	20	24	29	38	94	120	128	140	120	35	3	-
FEMALE--	6	20	26	33	64	121	159	275	246	140	29	-
ALL OTHER--MALE----	5	-	3	8	8	2	2	1	5	1	1	-
FEMALE--	-	3	4	4	4	7	13	5	6	3	1	-
BLACK---MALE-----	5	-	3	7	6	2	2	1	5	1	1	-
FEMALE--	-	3	4	3	1	6	9	3	4	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1984

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
KENTUCKY -----	3,274	4	2	-	1	6	7	12	4	22	35	55
WHITE-----MALE----	1,313	4	-	-	1	4	4	7	3	11	17	32
FEMALE--	1,722	-	1	-	-	1	2	1	-	7	15	10
ALL OTHER--MALE----	112	-	-	-	-	1	1	3	-	4	2	8
FEMALE--	127	-	1	-	-	-	-	1	1	-	1	5
BLACK---MALE-----	111	-	-	-	-	1	1	3	-	3	2	8
FEMALE--	125	-	1	-	-	-	-	1	1	-	1	5
LOUISIANA -----	2,960	6	4	3	4	5	6	15	19	35	65	61
WHITE-----MALE----	902	-	1	2	1	1	1	4	4	9	18	17
FEMALE--	1,251	-	2	-	-	-	-	6	3	8	12	9
ALL OTHER--MALE----	384	4	-	1	3	2	2	2	7	12	21	25
FEMALE--	423	2	1	-	-	2	3	3	5	6	14	10
BLACK---MALE-----	377	4	-	1	3	2	2	2	7	12	20	25
FEMALE--	421	2	1	-	-	2	3	3	5	6	14	10
MAINE -----	780	-	-	-	-	1	4	1	3	2	3	9
WHITE-----MALE----	336	-	-	-	-	1	3	1	2	-	2	8
FEMALE--	437	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,137	5	2	-	4	8	8	10	24	48	39	52
WHITE-----MALE----	692	-	-	-	2	5	1	4	9	19	10	13
FEMALE--	933	3	-	-	-	-	1	2	2	4	6	7
ALL OTHER--MALE----	261	1	1	-	1	3	4	1	9	12	14	21
FEMALE--	251	1	1	-	1	-	2	3	4	13	9	11
BLACK---MALE-----	248	1	1	-	-	3	4	1	9	12	14	21
FEMALE--	240	1	1	-	1	-	2	3	4	13	9	11
MASSACHUSETTS -----	4,640	2	4	2	4	3	9	12	29	36	47	81
WHITE-----MALE----	1,830	1	-	1	2	2	6	7	16	21	31	50
FEMALE--	2,619	-	1	1	2	1	2	2	10	10	13	20
ALL OTHER--MALE----	81	1	-	-	-	-	1	3	2	3	3	6
FEMALE--	110	-	3	-	-	-	-	-	1	2	-	5
BLACK---MALE-----	71	1	-	-	-	-	1	3	2	3	3	6
FEMALE--	96	-	2	-	-	-	-	-	1	1	-	5
MICHIGAN -----	5,430	7	7	2	2	16	13	24	36	65	104	118
WHITE-----MALE----	1,997	5	2	-	-	6	4	7	20	25	35	42
FEMALE--	2,739	2	2	-	1	5	2	8	7	11	19	19
ALL OTHER--MALE----	377	-	2	2	1	5	6	8	2	21	30	37
FEMALE--	317	-	1	-	-	-	1	1	7	8	20	20
BLACK---MALE-----	363	-	2	2	1	5	6	8	2	20	29	35
FEMALE--	303	-	1	-	-	-	1	1	6	8	20	20

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1984

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
KENTUCKY -----	82	125	135	191	360	447	542	577	446	185	36	-
WHITE-----MALE----	49	76	71	115	176	203	209	188	104	33	6	-
FEMALE--	24	33	48	61	155	216	298	359	324	141	26	-
ALL OTHER--MALE----	4	8	11	10	18	11	17	9	3	2	-	-
FEMALE--	5	8	5	5	11	17	18	21	15	9	4	-
BLACK---MALE-----	4	8	11	10	18	11	17	9	3	2	-	-
FEMALE--	5	8	5	5	11	17	17	21	15	9	3	-
LOUISIANA -----	86	113	123	211	282	395	480	479	383	159	26	-
WHITE-----MALE----	27	33	55	74	120	147	166	128	74	17	3	-
FEMALE--	18	24	22	58	92	154	228	261	234	107	13	-
ALL OTHER--MALE----	25	40	28	43	26	38	31	35	23	13	3	-
FEMALE--	16	16	18	36	44	56	55	55	52	22	7	-
BLACK---MALE-----	25	39	26	43	24	37	31	35	23	13	3	-
FEMALE--	16	15	18	36	44	56	55	54	52	22	7	-
MAINE -----	14	17	33	50	76	86	152	142	120	54	13	-
WHITE-----MALE----	12	14	21	28	41	35	71	55	26	14	2	-
FEMALE--	2	3	12	22	34	49	80	85	94	40	11	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	58	69	92	147	164	273	325	378	296	111	22	2
WHITE-----MALE----	21	25	32	53	76	107	122	101	71	19	2	-
FEMALE--	11	10	20	41	50	105	153	224	191	83	19	1
ALL OTHER--MALE----	15	22	28	30	20	31	19	20	8	1	-	-
FEMALE--	11	12	12	23	18	30	31	33	26	8	1	1
BLACK---MALE-----	15	21	27	29	19	28	16	19	8	-	-	-
FEMALE--	11	12	11	23	14	30	28	33	24	7	1	1
MASSACHUSETTS -----	87	117	140	198	389	575	809	966	727	321	82	-
WHITE-----MALE----	51	81	88	105	209	269	332	320	167	56	15	-
FEMALE--	27	26	46	72	156	286	450	622	549	257	66	-
ALL OTHER--MALE----	6	4	3	11	15	7	9	4	3	-	-	-
FEMALE--	3	6	3	10	9	13	18	20	8	8	1	-
BLACK---MALE-----	5	4	3	10	13	5	6	4	2	-	-	-
FEMALE--	2	5	3	7	9	10	16	19	7	8	1	-
MICHIGAN -----	158	154	200	269	472	718	881	1,027	773	311	73	-
WHITE-----MALE----	71	60	98	121	215	311	349	336	207	71	12	-
FEMALE--	28	49	55	108	187	325	465	646	524	217	59	-
ALL OTHER--MALE----	43	26	29	22	37	38	29	18	13	8	-	-
FEMALE--	16	19	18	18	33	44	38	27	29	15	2	-
BLACK---MALE-----	43	26	28	22	37	37	26	16	11	7	-	-
FEMALE--	15	19	18	15	32	40	36	26	28	15	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1985

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
MINNESOTA -----	2,723	2	3	4	4	5	3	8	10	17	21	43
WHITE-----MALE----	1,126	-	-	2	2	3	3	6	4	8	17	30
FEMALE--	1,529	-	1	1	1	1	-	1	4	6	4	9
ALL OTHER--MALE----	29	2	-	1	-	1	-	-	1	1	-	3
FEMALE--	39	-	2	-	1	-	-	1	1	2	-	1
BLACK---MALE-----	24	2	-	1	-	1	-	-	1	1	-	2
FEMALE--	21	-	-	-	-	-	-	1	1	1	-	1
MISSISSIPPI -----	2,667	8	1	1	1	6	5	5	17	24	37	57
WHITE-----MALE----	753	1	-	-	-	1	1	2	4	4	8	19
FEMALE--	1,077	-	-	-	-	3	-	-	2	5	6	7
ALL OTHER--MALE----	409	3	1	1	1	1	2	2	6	6	13	23
FEMALE--	428	4	-	-	-	1	2	1	5	9	10	8
BLACK---MALE-----	406	3	1	1	1	1	2	2	6	6	13	22
FEMALE--	426	4	-	-	-	1	2	1	5	9	10	8
MISSOURI -----	3,861	8	1	-	-	4	6	8	20	34	59	61
WHITE-----MALE----	1,527	3	-	-	-	4	2	4	10	19	36	35
FEMALE--	2,022	2	-	-	-	-	3	3	3	7	10	12
ALL OTHER--MALE----	162	3	-	-	-	-	1	1	5	7	9	5
FEMALE--	150	-	1	-	-	-	-	-	2	1	4	9
BLACK---MALE-----	155	2	-	-	-	-	1	1	5	6	9	5
FEMALE--	149	-	1	-	-	-	-	-	2	1	4	9
MONTANA -----	699	1	-	1	-	1	-	-	-	4	7	6
WHITE-----MALE----	297	-	-	1	-	-	-	-	-	4	4	4
FEMALE--	366	-	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	24	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	1,573	2	1	-	1	2	2	2	5	7	12	18
WHITE-----MALE----	633	1	1	-	-	1	2	2	3	4	8	13
FEMALE--	887	-	-	-	1	1	-	-	2	3	3	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1,008	5	1	1	3	3	-	3	7	22	16	21
WHITE-----MALE----	458	2	1	1	2	1	-	2	4	12	8	10
FEMALE--	460	-	-	-	-	1	-	1	1	4	4	6
ALL OTHER--MALE----	42	1	-	-	-	-	-	-	2	4	2	3
FEMALE--	48	2	-	-	1	1	-	-	-	2	2	2
BLACK---MALE-----	30	1	-	-	-	-	-	-	1	3	2	3
FEMALE--	36	2	-	-	1	1	-	-	-	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1985

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
MINNESOTA -----	35	52	81	98	178	291	467	606	486	240	69	-
WHITE-----MALE----	21	30	54	55	109	155	224	222	132	41	8	-
FEMALE--	9	17	26	35	62	128	237	377	352	197	61	-
ALL OTHER--MALE----	3	3	-	3	2	6	1	1	-	1	-	-
FEMALE--	2	2	1	5	5	2	5	6	2	1	-	-
BLACK---MALE-----	3	3	-	1	2	5	-	1	-	1	-	-
FEMALE--	2	1	1	1	3	1	3	4	1	-	-	-
MISSISSIPPI -----	75	104	150	171	263	354	416	470	312	154	36	-
WHITE-----MALE----	25	41	58	68	97	130	105	110	60	15	4	-
FEMALE--	14	18	35	39	83	132	199	237	183	92	22	-
ALL OTHER--MALE----	20	26	26	35	44	38	56	48	36	18	3	-
FEMALE--	16	19	31	29	39	54	56	75	33	29	7	-
BLACK---MALE-----	20	26	26	34	44	37	56	48	36	18	3	-
FEMALE--	16	17	31	29	39	54	56	75	33	29	7	-
MISSOURI -----	58	108	174	236	340	468	638	729	580	270	59	-
WHITE-----MALE----	35	63	95	120	175	222	256	243	141	53	11	-
FEMALE--	13	24	57	86	120	213	346	452	417	207	47	-
ALL OTHER--MALE----	9	15	10	17	25	13	16	15	8	3	-	-
FEMALE--	1	6	12	13	20	20	20	19	14	7	1	-
BLACK---MALE-----	9	14	9	16	25	13	16	14	7	3	-	-
FEMALE--	1	6	12	13	20	20	20	18	14	7	1	-
MONTANA -----	11	16	30	35	66	81	130	136	105	57	12	-
WHITE-----MALE----	5	10	17	23	35	41	55	54	29	14	1	-
FEMALE--	3	1	10	9	27	36	70	78	75	42	11	-
ALL OTHER--MALE----	1	4	2	2	2	3	4	3	1	-	-	-
FEMALE--	2	1	1	1	2	1	1	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	29	41	66	87	130	171	253	322	248	130	44	-
WHITE-----MALE----	17	28	46	50	73	89	96	105	66	24	4	-
FEMALE--	9	8	15	32	49	75	151	212	180	104	38	-
ALL OTHER--MALE----	3	2	4	3	6	1	3	1	1	1	-	-
FEMALE--	-	3	1	2	2	6	3	4	1	1	2	-
BLACK---MALE-----	2	1	3	2	5	-	3	1	1	1	-	-
FEMALE--	-	1	1	1	2	6	2	2	1	1	1	-
NEVADA -----	21	39	45	79	104	155	174	155	112	30	12	-
WHITE-----MALE----	16	23	26	48	52	79	85	59	22	4	1	-
FEMALE--	4	9	12	25	45	64	80	87	83	24	10	-
ALL OTHER--MALE----	-	3	3	3	5	7	6	2	1	-	-	-
FEMALE--	1	4	4	3	2	5	3	7	6	2	1	-
BLACK---MALE-----	-	1	2	3	5	3	5	1	-	-	-	-
FEMALE--	1	3	3	2	1	5	1	4	6	1	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1987

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
OHIO -----	6,948	11	4	3	6	8	14	24	36	58	103	100
WHITE-----MALE----	2,623	3	1	2	4	2	7	7	13	21	41	53
FEMALE--	3,671	4	1	-	1	3	1	7	9	22	31	23
ALL OTHER--MALE----	318	1	2	-	-	2	3	6	11	9	17	15
FEMALE--	336	3	-	1	1	1	3	4	3	6	14	9
BLACK---MALE-----	310	1	2	-	-	2	2	6	10	9	17	15
FEMALE--	329	3	-	1	1	1	3	4	3	6	14	9
OKLAHOMA -----	2,403	3	2	2	1	10	6	9	18	16	36	50
WHITE-----MALE----	876	1	1	-	-	3	2	3	11	7	18	21
FEMALE--	1,273	1	-	2	1	4	-	4	4	2	9	18
ALL OTHER--MALE----	115	-	1	-	-	3	3	2	1	1	7	5
FEMALE--	139	1	-	-	-	-	1	-	2	6	2	6
BLACK---MALE-----	79	-	1	-	-	3	2	2	-	1	4	4
FEMALE--	86	-	-	-	-	-	1	-	2	5	2	5
OREGON -----	1,855	4	1	2	3	3	1	3	7	11	21	26
WHITE-----MALE----	763	2	1	-	-	3	1	2	4	7	14	16
FEMALE--	1,046	2	-	2	2	-	-	1	3	4	5	7
ALL OTHER--MALE----	23	-	-	-	1	-	-	-	-	-	2	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	10,001	6	8	4	2	13	15	25	39	71	133	143
WHITE-----MALE----	4,002	2	3	1	2	8	10	11	18	37	73	72
FEMALE--	5,207	4	2	1	-	2	5	6	7	17	29	40
ALL OTHER--MALE----	412	-	2	2	-	-	-	4	8	8	17	20
FEMALE--	380	-	1	-	-	3	-	4	6	9	14	11
BLACK---MALE-----	399	-	2	2	-	-	-	4	7	8	17	18
FEMALE--	372	-	1	-	-	3	-	4	6	8	12	11
RHODE ISLAND -----	290	-	1	-	-	1	1	1	2	8	3	2
WHITE-----MALE----	134	-	-	-	-	1	1	1	2	4	1	1
FEMALE--	150	-	1	-	-	-	-	-	-	4	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,461	6	4	1	5	8	5	17	15	37	41	70
WHITE-----MALE----	757	2	1	-	1	3	2	5	8	10	15	22
FEMALE--	983	1	1	1	-	2	2	5	1	5	3	9
ALL OTHER--MALE----	375	3	2	-	3	2	-	4	6	16	15	24
FEMALE--	346	-	-	-	1	1	1	3	-	6	8	15
BLACK---MALE-----	372	3	2	-	3	2	-	4	6	15	15	24
FEMALE--	343	-	-	-	1	1	1	3	-	6	8	15

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1987

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
OHIO -----	170	195	265	401	672	921	1,230	1,274	969	396	87	1
WHITE-----MALE----	99	104	127	181	333	422	493	401	220	77	12	-
FEMALE--	45	50	96	149	269	423	664	802	702	298	71	-
ALL OTHER--MALE----	14	23	24	42	34	33	29	25	23	4	-	1
FEMALE--	12	18	18	29	36	43	44	46	24	17	4	-
BLACK---MALE-----	14	22	24	42	32	33	29	24	21	4	-	1
FEMALE--	12	17	18	29	35	40	43	45	24	17	4	-
OKLAHOMA -----	44	67	98	144	211	299	375	460	360	157	35	-
WHITE-----MALE----	21	42	44	78	102	125	156	137	75	26	3	-
FEMALE--	9	17	35	49	88	146	192	283	264	116	29	-
ALL OTHER--MALE----	7	5	9	10	11	14	9	14	6	6	1	-
FEMALE--	7	3	10	7	10	14	18	26	15	9	2	-
BLACK---MALE-----	6	4	6	6	6	8	7	8	6	5	-	-
FEMALE--	5	1	4	6	7	4	8	18	9	8	1	-
OREGON -----	46	55	59	94	157	218	301	387	278	148	30	-
WHITE-----MALE----	22	30	30	56	84	113	139	124	77	34	4	-
FEMALE--	21	23	25	38	67	98	157	256	197	112	26	-
ALL OTHER--MALE----	3	2	-	-	1	4	4	3	1	-	-	-
FEMALE--	-	-	4	-	5	3	1	4	3	2	-	-
BLACK---MALE-----	1	1	-	-	-	2	3	1	1	-	-	-
FEMALE--	-	-	2	-	2	2	1	2	1	1	-	-
PENNSYLVANIA -----	209	305	389	580	920	1,402	1,752	1,945	1,318	594	128	-
WHITE-----MALE----	122	177	207	322	476	649	696	653	326	116	21	-
FEMALE--	47	76	124	182	350	655	966	1,201	950	445	98	-
ALL OTHER--MALE----	28	39	36	54	50	53	42	28	9	9	3	-
FEMALE--	12	13	22	22	44	45	48	63	33	24	6	-
BLACK---MALE-----	28	38	33	52	49	52	42	26	9	9	3	-
FEMALE--	12	12	22	22	44	43	47	63	33	23	6	-
RHODE ISLAND -----	4	6	12	16	27	36	55	55	43	15	2	-
WHITE-----MALE----	2	3	6	11	17	19	28	20	13	4	-	-
FEMALE--	2	2	5	4	9	16	27	34	30	11	2	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
SOUTH CAROLINA -----	92	87	128	183	285	355	369	393	253	89	18	-
WHITE-----MALE----	31	34	49	79	111	118	105	99	47	14	1	-
FEMALE--	15	12	31	36	80	142	176	226	170	54	11	-
ALL OTHER--MALE----	36	29	28	41	53	45	31	25	8	3	1	-
FEMALE--	10	12	20	27	41	50	57	43	28	18	5	-
BLACK---MALE-----	36	29	28	41	53	44	30	25	8	3	1	-
FEMALE--	10	12	20	26	41	49	57	43	27	18	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1988

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
SOUTH DAKOTA -----	445	1	-	-	-	2	-	1	1	5	5	7
WHITE-----MALE----	186	-	-	-	-	2	-	-	1	3	2	1
FEMALE--	235	1	-	-	-	-	-	1	-	-	-	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,016	5	2	2	8	6	13	15	16	37	56	81
WHITE-----MALE----	1,072	1	2	-	2	4	4	6	6	14	25	46
FEMALE--	1,409	1	-	-	4	-	2	3	5	8	13	13
ALL OTHER--MALE----	240	1	-	1	1	2	3	2	2	13	10	14
FEMALE--	295	2	-	1	1	-	4	4	3	2	8	8
BLACK---MALE-----	237	1	-	1	1	2	3	2	2	12	10	13
FEMALE--	293	2	-	1	1	-	4	4	2	2	8	8
TEXAS -----	8,674	28	9	6	14	35	30	43	67	93	182	194
WHITE-----MALE----	3,324	8	5	4	9	13	12	23	30	46	83	96
FEMALE--	4,207	12	3	2	2	12	8	4	17	24	40	57
ALL OTHER--MALE----	549	2	-	-	2	6	8	7	12	13	34	24
FEMALE--	594	6	1	-	1	4	2	9	8	10	25	17
BLACK---MALE-----	530	2	-	-	2	6	8	6	12	13	34	24
FEMALE--	563	3	1	-	1	4	2	8	8	10	23	17
UTAH -----	827	1	1	-	-	4	1	2	5	5	10	9
WHITE-----MALE----	335	1	1	-	-	2	1	1	5	4	6	4
FEMALE--	475	-	-	-	-	2	-	-	-	1	3	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	268	-	-	1	-	-	2	1	-	4	-	3
WHITE-----MALE----	102	-	-	1	-	-	2	1	-	3	-	3
FEMALE--	166	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,450	9	5	2	3	13	12	14	25	47	69	105
WHITE-----MALE----	1,492	3	2	1	-	2	4	3	7	16	29	47
FEMALE--	1,946	4	2	-	1	3	1	2	7	15	12	12
ALL OTHER--MALE----	470	2	-	1	2	6	3	5	6	11	17	27
FEMALE--	542	-	1	-	-	2	4	4	5	5	11	19
BLACK---MALE-----	454	1	-	1	2	6	2	5	5	11	17	27
FEMALE--	523	-	1	-	-	2	4	4	5	5	10	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1988

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
SOUTH DAKOTA -----	5	10	17	26	40	47	58	88	75	45	12	-
WHITE-----MALE----	2	4	10	16	27	23	29	30	16	19	1	-
FEMALE--	3	4	5	7	11	22	26	56	59	25	11	-
ALL OTHER--MALE----	-	2	1	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	136	155	199	275	404	482	511	352	140	29	-
WHITE-----MALE----	40	61	71	99	116	167	159	142	74	27	6	-
FEMALE--	25	38	39	58	115	178	251	301	242	95	18	-
ALL OTHER--MALE----	16	25	22	25	19	25	24	20	11	4	-	-
FEMALE--	11	12	23	17	25	34	48	48	25	14	5	-
BLACK---MALE-----	16	25	22	24	19	25	24	20	11	4	-	-
FEMALE--	11	12	23	17	24	34	48	48	25	14	5	-
TEXAS -----	260	299	424	567	806	1,135	1,246	1,471	1,137	533	95	-
WHITE-----MALE----	135	139	217	299	400	488	495	450	265	98	9	-
FEMALE--	66	85	123	177	281	499	631	908	787	396	73	-
ALL OTHER--MALE----	34	46	51	53	66	69	49	38	24	9	2	-
FEMALE--	25	29	33	38	59	79	71	75	61	30	11	-
BLACK---MALE-----	33	45	50	51	63	64	46	37	23	9	2	-
FEMALE--	21	29	32	38	58	74	66	70	58	29	11	-
UTAH -----	12	13	25	40	78	85	165	168	135	57	11	-
WHITE-----MALE----	8	5	14	24	43	41	64	56	40	14	1	-
FEMALE--	3	7	10	15	32	43	98	110	94	43	10	-
ALL OTHER--MALE----	-	-	-	1	2	1	3	2	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	6	9	12	20	36	38	54	45	23	6	-
WHITE-----MALE----	7	2	4	8	10	14	18	15	6	7	1	-
FEMALE--	1	4	5	4	10	22	20	39	39	16	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	120	151	218	322	417	626	725	754	527	224	62	-
WHITE-----MALE----	57	65	105	122	174	243	249	211	108	40	4	-
FEMALE--	24	30	49	95	135	247	337	428	345	153	44	-
ALL OTHER--MALE----	29	32	34	50	58	57	65	41	16	5	3	-
FEMALE--	10	24	30	55	50	79	74	74	58	26	11	-
BLACK---MALE-----	28	32	34	49	56	53	62	40	15	5	3	-
FEMALE--	10	23	29	55	46	78	69	72	56	25	10	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1991

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and subacute endocarditis (I33)												
COLORADO -----	9	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	-	-	-	-	-	-	-	3	-	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	89	-	-	-	-	-	2	2	3	4	5	5
WHITE-----MALE----	45	-	-	-	-	-	-	1	2	2	3	1
FEMALE--	32	-	-	-	-	-	1	1	-	1	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	6	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	29	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1991

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)												
COLORADO -----	1	1	-	-	3	-	2	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	2	3	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	2	2	1	7	15	14	13	10	2	2	-	-
WHITE-----MALE----	-	1	-	4	7	9	7	6	2	-	-	-
FEMALE--	1	-	-	1	7	4	6	3	-	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
BLACK---MALE-----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
GEORGIA -----	4	2	5	2	6	2	1	2	1	-	-	-
WHITE-----MALE----	1	1	3	1	1	-	1	2	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-





















TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1996

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)												
OHIO -----	3	6	6	2	4	9	7	7	-	-	-	-
WHITE-----MALE----	2	3	2	-	3	4	3	3	-	-	-	-
FEMALE--	-	1	2	1	-	4	4	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	1	1	-	-	-	-	-	-
OKLAHOMA -----	-	2	-	1	2	2	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	2	2	5	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	6	7	5	8	12	12	5	1	1	-	-
WHITE-----MALE----	3	5	2	2	3	4	4	3	-	-	-	-
FEMALE--	-	-	3	3	4	8	4	2	1	1	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	1	1	2	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	4	2	2	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1997

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	4	2	3	5	5	1	6	-	-	-	-
WHITE-----MALE----	1	-	1	2	2	3	-	2	-	-	-	-
FEMALE--	3	1	-	1	2	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
TEXAS -----	5	6	2	8	3	11	2	3	1	-	-	-
WHITE-----MALE----	2	1	1	6	2	10	1	1	1	-	-	-
FEMALE--	1	2	1	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
UTAH -----	1	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	3	2	2	3	3	2	-	-	1	-
WHITE-----MALE----	2	1	-	-	1	-	1	2	-	-	-	-
FEMALE--	1	-	1	1	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	1	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 1999

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
UNITED STATES -	890	27	25	11	10	12	20	19	31	54	60	59
WHITE-----MALE----	351	7	5	4	2	7	8	10	14	24	23	24
FEMALE--	352	5	7	3	4	2	7	3	8	17	15	23
ALL OTHER--MALE----	91	6	9	1	-	1	4	4	6	8	9	7
FEMALE--	96	9	4	3	4	2	1	2	3	5	13	5
BLACK---MALE-----	77	4	9	1	-	1	2	4	6	7	7	5
FEMALE--	83	6	3	3	4	2	1	2	2	5	12	4
ALABAMA -----	18	1	2	1	-	1	-	-	-	-	-	1
WHITE-----MALE----	9	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	-	-	2	-	-	1	-	1	1
WHITE-----MALE----	7	-	-	-	-	2	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	1	-	-	-	-	-	-	1	1	3	1
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	92	7	3	1	2	1	3	-	4	14	7	12
WHITE-----MALE----	33	3	1	-	1	1	-	-	2	5	2	4
FEMALE--	39	1	1	-	-	-	3	-	2	6	2	6
ALL OTHER--MALE----	12	2	1	-	-	-	-	-	-	1	3	2
FEMALE--	8	1	-	1	1	-	-	-	-	2	-	-
BLACK---MALE-----	7	1	1	-	-	-	-	-	-	1	2	1
FEMALE--	8	1	-	1	1	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 1999

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
UNITED STATES -	46	63	62	69	77	88	72	56	25	4	-	-
WHITE-----MALE----	18	34	27	27	30	35	25	17	10	-	-	-
FEMALE--	17	19	26	30	35	42	40	33	12	4	-	-
ALL OTHER--MALE----	7	6	3	7	5	3	2	2	1	-	-	-
FEMALE--	4	4	6	5	7	8	5	4	2	-	-	-
BLACK---MALE-----	7	6	3	6	5	2	2	-	-	-	-	-
FEMALE--	4	3	5	4	5	8	4	4	2	-	-	-
ALABAMA -----	-	-	3	2	-	1	4	1	1	-	-	-
WHITE-----MALE----	-	-	3	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	3	4	6	7	3	4	3	-	-	-
WHITE-----MALE----	1	2	1	2	3	3	-	1	1	-	-	-
FEMALE--	2	1	2	2	3	3	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2000

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
COLORADO -----	14	1	-	-	-	1	-	1	1	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	6	1	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
FLORIDA -----	57	-	2	-	1	3	3	-	3	1	5	2
WHITE-----MALE----	14	-	1	-	-	1	-	-	2	-	-	-
FEMALE--	31	-	1	-	1	2	2	-	1	1	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	3	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	3	1
GEORGIA -----	27	2	-	1	1	-	-	-	3	1	1	1
WHITE-----MALE----	10	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	1	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2000

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
COLORADO -----	-	-	1	-	3	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	1	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	5	1	5	8	6	5	5	-	-	-	-
WHITE-----MALE----	-	2	-	3	1	2	1	1	-	-	-	-
FEMALE--	1	2	1	1	5	4	4	3	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE-----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
GEORGIA -----	1	1	3	-	4	2	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	1	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	1	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2002

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
KENTUCKY -----	10	-	1	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	18	1	1	-	-	-	-	2	-	1	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	31	-	-	1	-	-	-	-	1	1	2	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	50	-	2	-	-	-	1	3	1	1	3	2
WHITE-----MALE----	21	-	1	-	-	-	1	2	-	1	1	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	7	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2002

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
KENTUCKY -----	1	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	3	-	2	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	3	-	1	2	2	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	1	1	4	3	5	4	3	1	1	-	-
WHITE-----MALE----	2	1	-	2	1	-	1	3	1	-	-	-
FEMALE--	1	-	1	2	2	5	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	5	6	3	4	4	2	8	2	-	-	-
WHITE-----MALE----	1	1	3	2	2	2	-	3	1	-	-	-
FEMALE--	2	1	3	-	1	1	2	5	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2003

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
MINNESOTA -----	17	-	2	1	-	1	-	1	-	1	1	2
WHITE-----MALE----	7	-	-	1	-	1	-	1	-	1	1	1
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	9	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	9	1	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	-	-	-	1	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2005

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
OHIO -----	35	-	1	-	1	-	1	3	1	1	1	2
WHITE-----MALE----	13	-	-	-	-	-	1	2	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	-	1	-
BLACK---MALE-----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	-	1	-
OKLAHOMA -----	13	-	1	-	1	-	-	-	-	-	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	38	-	1	-	-	-	1	-	2	1	5	4
WHITE-----MALE----	19	-	-	-	-	-	1	-	1	-	4	2
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	-	1	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2006

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
SOUTH DAKOTA -----	1	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	4	2	7	5	9	7	3	3	-	-	-
WHITE-----MALE----	2	2	-	3	2	1	-	-	1	-	-	-
FEMALE--	-	2	2	3	3	7	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
UTAH -----	1	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	3	2	2	6	1	-	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2008

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
UNITED STATES -	19,612	5	2	5	7	30	36	43	98	138	241	263
WHITE-----MALE----	6,940	4	-	2	1	13	15	11	41	68	101	93
FEMALE--	11,127	1	2	2	4	10	12	18	38	40	73	80
ALL OTHER--MALE----	646	-	-	1	-	4	5	7	10	18	34	51
FEMALE--	899	-	-	-	2	3	4	7	9	12	33	39
BLACK---MALE-----	515	-	-	1	-	4	4	7	9	17	30	40
FEMALE--	755	-	-	-	1	2	4	7	9	10	32	33
ALABAMA -----	241	-	-	-	-	-	-	-	-	2	5	4
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	125	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	2
ALASKA -----	21	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	332	1	1	-	-	-	2	-	2	4	9	3
WHITE-----MALE----	151	1	-	-	-	-	1	-	1	3	4	1
FEMALE--	167	-	1	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	173	-	-	-	-	2	-	-	-	-	4	2
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	89	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	14	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,013	-	-	-	-	2	3	2	8	14	21	27
WHITE-----MALE----	741	-	-	-	-	1	-	-	2	6	7	14
FEMALE--	1,074	-	-	-	-	1	1	2	4	4	10	6
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	119	-	-	-	-	-	2	-	2	2	1	1
BLACK---MALE-----	36	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	61	-	-	-	-	-	2	-	2	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2008

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
UNITED STATES -	340	383	544	881	1,559	2,583	3,739	4,373	3,055	1,120	167	-
WHITE-----MALE----	161	180	246	404	675	1,086	1,484	1,384	716	231	24	-
FEMALE--	105	127	202	349	693	1,314	2,073	2,796	2,204	851	133	-
ALL OTHER--MALE----	35	39	50	53	87	73	71	62	35	10	1	-
FEMALE--	39	37	46	75	104	110	111	131	100	28	9	-
BLACK---MALE-----	33	32	44	43	74	57	54	34	23	9	-	-
FEMALE--	33	37	40	60	87	88	91	108	82	25	6	-
ALABAMA -----	2	6	12	17	24	34	43	50	31	9	2	-
WHITE-----MALE----	1	2	3	8	5	17	17	13	7	1	1	-
FEMALE--	-	3	5	6	13	14	19	32	21	7	1	-
ALL OTHER--MALE----	-	-	2	-	1	2	2	1	-	-	-	-
FEMALE--	1	1	2	3	5	1	5	4	3	1	-	-
BLACK---MALE-----	-	-	2	-	1	2	2	1	-	-	-	-
FEMALE--	1	1	2	3	5	1	5	4	3	1	-	-
ALASKA -----	1	-	1	5	2	1	1	2	6	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	4	9	14	35	52	59	66	43	15	4	-
WHITE-----MALE----	3	3	4	8	19	29	23	32	13	3	3	-
FEMALE--	5	1	5	5	14	21	35	33	29	12	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARKANSAS -----	5	3	9	12	16	26	33	32	22	7	-	-
WHITE-----MALE----	3	-	3	6	7	9	11	11	1	2	-	-
FEMALE--	1	2	6	4	5	15	18	16	15	4	-	-
ALL OTHER--MALE----	1	1	-	1	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	6	1	-	-
BLACK---MALE-----	1	1	-	1	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	6	1	-	-
CALIFORNIA -----	32	34	46	77	147	267	367	486	319	139	22	-
WHITE-----MALE----	15	13	23	26	67	130	166	160	75	33	3	-
FEMALE--	10	10	17	32	59	109	181	287	222	103	16	-
ALL OTHER--MALE----	3	8	2	6	7	10	8	16	7	1	-	-
FEMALE--	4	3	4	13	14	18	12	23	15	2	3	-
BLACK---MALE-----	3	4	1	5	4	2	2	6	-	1	-	-
FEMALE--	3	3	3	4	7	9	3	14	7	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2009

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
COLORADO -----	250	-	-	-	-	1	-	2	4	1	3	6
WHITE-----MALE----	97	-	-	-	-	1	-	-	4	-	-	2
FEMALE--	142	-	-	-	-	-	-	1	-	1	2	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	5	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	243	-	1	-	-	-	-	-	3	2	3	2
WHITE-----MALE----	83	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	151	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	69	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,451	-	-	-	-	1	-	5	4	7	14	15
WHITE-----MALE----	564	-	-	-	-	1	-	4	2	3	6	7
FEMALE--	816	-	-	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	3	3	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE-----	25	-	-	-	-	-	-	1	1	2	3	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	3
GEORGIA -----	389	-	-	-	-	2	-	2	4	5	9	4
WHITE-----MALE----	129	-	-	-	-	-	-	-	2	3	4	2
FEMALE--	180	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	35	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	45	-	-	-	-	1	-	1	1	1	2	-
BLACK---MALE-----	34	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	44	-	-	-	-	-	-	1	1	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2009

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
COLORADO -----	2	6	8	20	24	25	41	59	32	12	4	-
WHITE-----MALE----	2	5	4	9	16	9	15	17	8	4	1	-
FEMALE--	-	1	3	10	7	16	24	40	24	8	3	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
CONNECTICUT -----	1	5	2	6	15	27	54	51	49	16	6	-
WHITE-----MALE----	1	1	1	4	6	12	24	18	7	2	1	-
FEMALE--	-	4	1	1	5	15	30	31	42	14	5	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	-	-	-	-
DELAWARE -----	1	1	3	5	3	9	21	11	7	5	-	-
WHITE-----MALE----	1	1	1	2	-	3	6	3	-	1	-	-
FEMALE--	-	-	-	2	3	5	15	8	7	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	2	1	4	6	3	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	4	4	1	2	1	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	4	4	1	2	1	-
FLORIDA -----	17	20	37	61	117	193	300	333	218	95	14	-
WHITE-----MALE----	10	8	18	27	49	77	138	127	65	20	2	-
FEMALE--	5	8	13	27	59	111	154	198	150	71	12	-
ALL OTHER--MALE----	1	2	2	3	2	-	2	3	1	1	-	-
FEMALE--	1	2	4	4	7	5	6	5	2	3	-	-
BLACK---MALE-----	1	2	2	3	2	-	2	2	1	1	-	-
FEMALE--	1	2	4	4	7	4	6	5	2	3	-	-
GEORGIA -----	17	16	18	19	48	51	62	59	52	19	2	-
WHITE-----MALE----	6	7	9	8	19	14	24	11	18	2	-	-
FEMALE--	4	2	4	7	17	25	29	39	30	16	2	-
ALL OTHER--MALE----	3	2	4	3	6	4	3	3	2	1	-	-
FEMALE--	4	5	1	1	6	8	6	6	2	-	-	-
BLACK---MALE-----	3	2	4	3	5	4	3	3	2	1	-	-
FEMALE--	4	5	1	1	6	8	6	6	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2010

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
HAWAII -----	75	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	133	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	50	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	749	-	-	-	-	1	2	3	6	11	9	14
WHITE-----MALE----	269	-	-	-	-	1	1	-	3	6	6	8
FEMALE--	422	-	-	-	-	-	1	2	2	3	2	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	32	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE-----	21	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	28	-	-	-	-	-	-	1	-	1	-	2
INDIANA -----	474	-	-	-	-	1	3	-	1	-	2	5
WHITE-----MALE----	165	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	295	-	-	-	-	1	2	-	1	-	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	280	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	91	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	186	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	203	-	-	-	-	-	1	-	-	1	3	2
WHITE-----MALE----	69	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	125	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2010

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
HAWAII -----	1	1	3	2	9	6	14	19	9	3	2	-
WHITE-----MALE----	-	-	-	1	2	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	5	-	1	1	-
ALL OTHER--MALE----	1	1	2	1	3	2	5	7	3	1	1	-
FEMALE--	-	-	1	-	3	3	3	7	5	1	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	2	7	23	22	46	16	10	1	-
WHITE-----MALE----	1	1	-	-	2	10	11	13	6	3	-	-
FEMALE--	-	-	1	2	5	13	10	31	8	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ILLINOIS -----	11	22	28	33	66	91	131	168	107	37	9	-
WHITE-----MALE----	4	13	18	15	30	31	48	57	17	9	2	-
FEMALE--	5	6	6	11	29	53	78	105	86	26	5	-
ALL OTHER--MALE----	-	1	1	1	6	5	3	1	3	-	-	-
FEMALE--	2	2	3	6	1	2	2	5	1	2	2	-
BLACK---MALE-----	-	1	1	1	6	3	1	1	2	-	-	-
FEMALE--	2	2	3	6	-	1	1	5	1	2	1	-
INDIANA -----	11	6	17	31	37	66	102	97	68	26	1	-
WHITE-----MALE----	6	4	11	12	13	31	38	26	16	6	-	-
FEMALE--	4	2	6	18	18	35	62	69	51	20	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	5	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	5	-	1	1	1	-	-	-
IOWA -----	5	5	3	9	24	38	50	65	56	19	3	-
WHITE-----MALE----	3	3	-	5	14	14	16	20	12	3	-	-
FEMALE--	1	2	3	3	10	24	34	45	44	16	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	1	3	4	2	19	21	39	53	43	8	3	-
WHITE-----MALE----	1	1	2	-	8	13	14	14	11	3	-	-
FEMALE--	-	2	2	-	9	8	24	39	31	5	3	-
ALL OTHER--MALE----	-	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2011

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
KENTUCKY -----	5	6	4	14	22	39	26	39	42	4	1	-
WHITE-----MALE----	3	2	3	11	11	15	10	11	11	-	-	-
FEMALE--	2	3	1	3	8	24	16	28	30	4	1	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
LOUISIANA -----	7	9	10	23	23	49	51	41	37	9	-	-
WHITE-----MALE----	2	2	3	8	10	18	15	8	6	1	-	-
FEMALE--	1	3	-	9	10	25	31	27	23	7	-	-
ALL OTHER--MALE----	1	2	5	4	1	2	3	-	1	-	-	-
FEMALE--	3	2	2	2	2	4	2	6	7	1	-	-
BLACK---MALE-----	1	2	4	4	1	2	3	-	1	-	-	-
FEMALE--	3	2	2	2	2	4	2	6	7	1	-	-
MAINE -----	4	3	3	5	8	15	32	24	19	7	-	-
WHITE-----MALE----	3	3	1	2	2	5	8	2	4	1	-	-
FEMALE--	1	-	2	3	6	10	24	22	15	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	4	11	16	26	49	58	64	61	23	4	-
WHITE-----MALE----	2	3	3	5	14	19	19	17	15	2	-	-
FEMALE--	2	-	3	7	7	23	33	43	42	21	4	-
ALL OTHER--MALE----	1	-	4	2	1	3	1	1	1	-	-	-
FEMALE--	2	1	1	2	4	4	5	3	3	-	-	-
BLACK---MALE-----	1	-	4	1	-	3	1	1	1	-	-	-
FEMALE--	2	1	1	2	3	4	5	3	3	-	-	-
MASSACHUSETTS -----	3	9	4	17	26	47	93	142	92	40	1	-
WHITE-----MALE----	1	4	1	8	17	18	41	50	20	10	-	-
FEMALE--	1	4	3	6	9	28	49	91	70	30	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	1	-	1	2	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	1	-	-	-
MICHIGAN -----	21	12	26	20	62	79	107	165	82	31	3	-
WHITE-----MALE----	9	6	11	7	22	33	54	54	15	7	-	-
FEMALE--	6	3	9	10	29	39	50	108	64	23	3	-
ALL OTHER--MALE----	3	2	3	1	6	3	1	2	-	-	-	-
FEMALE--	3	1	3	2	5	4	2	1	3	1	-	-
BLACK---MALE-----	3	2	3	1	6	3	1	1	-	-	-	-
FEMALE--	3	1	3	1	4	3	2	1	2	1	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2014

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
OHIO -----	19	21	20	37	75	118	184	206	141	43	2	-
WHITE-----MALE----	10	11	13	16	31	58	66	64	32	10	2	-
FEMALE--	7	5	7	16	38	49	108	137	103	33	-	-
ALL OTHER--MALE----	2	2	-	2	3	4	5	1	2	-	-	-
FEMALE--	-	3	-	3	3	7	5	4	4	-	-	-
BLACK---MALE-----	2	1	-	2	3	4	5	1	2	-	-	-
FEMALE--	-	3	-	3	3	6	4	4	4	-	-	-
OKLAHOMA -----	3	6	7	8	15	35	32	33	25	3	-	-
WHITE-----MALE----	-	2	2	4	5	15	11	8	7	1	-	-
FEMALE--	3	4	5	3	8	15	19	21	16	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	4	1	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
OREGON -----	6	4	9	15	24	41	77	90	56	22	4	-
WHITE-----MALE----	3	1	4	8	13	18	33	29	14	3	1	-
FEMALE--	2	3	4	7	10	22	42	60	42	19	3	-
ALL OTHER--MALE----	1	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	20	14	38	55	99	182	302	334	220	90	9	-
WHITE-----MALE----	10	7	20	27	43	76	111	94	41	17	-	-
FEMALE--	6	5	17	21	49	93	185	235	174	72	9	-
ALL OTHER--MALE----	2	2	1	5	3	6	3	1	2	1	-	-
FEMALE--	2	-	-	2	4	7	3	4	3	-	-	-
BLACK---MALE-----	2	2	1	5	3	6	3	1	2	1	-	-
FEMALE--	2	-	-	2	4	6	3	4	3	-	-	-
RHODE ISLAND -----	1	2	2	2	5	6	15	22	14	6	-	-
WHITE-----MALE----	-	-	1	1	2	3	8	6	5	2	-	-
FEMALE--	1	2	1	-	3	3	7	16	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	8	7	16	26	44	50	39	33	13	-	-
WHITE-----MALE----	1	5	3	6	11	18	20	10	10	1	-	-
FEMALE--	1	1	3	5	7	18	18	26	20	9	-	-
ALL OTHER--MALE----	-	1	1	4	5	4	4	-	-	1	-	-
FEMALE--	-	1	-	1	3	4	8	3	3	2	-	-
BLACK---MALE-----	-	1	1	4	5	4	4	-	-	1	-	-
FEMALE--	-	1	-	1	3	4	8	3	3	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2015

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
SOUTH DAKOTA -----	46	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	308	-	-	-	2	-	1	2	2	2	2	6
WHITE-----MALE----	113	-	-	-	-	-	1	-	1	1	2	1
FEMALE--	171	-	-	-	2	-	-	2	1	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	987	-	-	-	-	3	2	1	8	10	22	18
WHITE-----MALE----	369	-	-	-	-	2	-	-	2	5	8	5
FEMALE--	527	-	-	-	-	1	2	-	3	4	8	6
ALL OTHER--MALE----	36	-	-	-	-	-	-	1	2	-	3	2
FEMALE--	55	-	-	-	-	-	-	-	1	1	3	5
BLACK---MALE-----	34	-	-	-	-	-	-	1	2	-	3	2
FEMALE--	53	-	-	-	-	-	-	-	1	1	3	5
UTAH -----	115	1	-	-	-	1	1	1	-	1	-	1
WHITE-----MALE----	44	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	66	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	41	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	412	-	-	-	-	-	-	3	3	5	6	8
WHITE-----MALE----	135	-	-	-	-	-	-	-	1	3	-	3
FEMALE--	220	-	-	-	-	-	-	1	1	1	4	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	38	-	-	-	-	-	-	2	-	-	1	1
BLACK---MALE-----	18	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	38	-	-	-	-	-	-	2	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2015

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
SOUTH DAKOTA -----	-	-	-	5	6	7	7	12	6	1	-	-
WHITE-----MALE----	-	-	-	4	3	3	4	6	1	-	-	-
FEMALE--	-	-	-	1	3	4	3	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	9	8	11	31	37	65	68	43	10	1	-
WHITE-----MALE----	3	1	6	5	16	15	22	24	11	4	-	-
FEMALE--	3	7	2	5	12	21	38	39	30	5	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	4	4	2	1	-	-
BLACK---MALE-----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	4	4	2	1	-	-
TEXAS -----	26	29	42	64	82	129	182	176	125	55	13	-
WHITE-----MALE----	13	11	21	28	38	61	67	62	30	14	2	-
FEMALE--	8	10	13	30	37	57	99	107	90	41	11	-
ALL OTHER--MALE----	1	6	4	2	2	6	4	2	1	-	-	-
FEMALE--	4	2	4	4	5	5	12	5	4	-	-	-
BLACK---MALE-----	1	6	4	2	2	5	4	1	1	-	-	-
FEMALE--	3	2	4	4	5	5	11	5	4	-	-	-
UTAH -----	2	3	3	6	13	16	32	17	14	3	-	-
WHITE-----MALE----	1	-	-	5	6	9	13	3	4	-	-	-
FEMALE--	-	3	2	1	6	7	18	14	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	3	3	8	4	7	11	3	-	-
WHITE-----MALE----	2	-	-	3	2	4	1	3	1	2	-	-
FEMALE--	-	-	-	-	1	4	3	4	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	6	14	18	37	59	74	91	50	26	5	-
WHITE-----MALE----	3	3	8	5	18	21	27	29	8	4	2	-
FEMALE--	2	1	3	9	11	29	44	56	35	19	1	-
ALL OTHER--MALE----	2	-	3	-	4	3	1	1	1	-	-	-
FEMALE--	-	2	-	4	4	6	2	5	6	3	2	-
BLACK---MALE-----	2	-	3	-	4	2	1	1	1	-	-	-
FEMALE--	-	2	-	4	4	6	2	5	6	3	2	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2017

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nonrheumatic mitral valve disorders (I34)												
UNITED STATES -	2,895	-	-	-	4	9	15	19	35	40	71	66
WHITE-----MALE----	930	-	-	-	1	-	3	3	13	23	24	20
FEMALE--	1,713	-	-	-	2	7	8	10	17	14	33	28
ALL OTHER--MALE----	80	-	-	-	-	1	1	2	1	2	6	9
FEMALE--	172	-	-	-	1	1	3	4	4	1	8	9
BLACK---MALE-----	57	-	-	-	-	1	1	2	1	2	5	6
FEMALE--	137	-	-	-	1	-	3	4	4	1	8	6
ALABAMA -----	42	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	27	-	-	-	-	1	-	-	-	-	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	318	-	-	-	-	1	3	2	3	5	8	9
WHITE-----MALE----	103	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	176	-	-	-	-	1	1	2	1	1	6	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	26	-	-	-	-	-	2	-	1	1	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	2	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2017

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic mitral valve disorders (I34)												
UNITED STATES -	65	70	98	151	272	424	514	561	373	95	13	-
WHITE-----MALE----	22	24	41	52	104	156	188	158	73	25	-	-
FEMALE--	28	35	42	75	137	232	304	377	286	66	12	-
ALL OTHER--MALE----	4	3	4	7	15	13	3	5	4	-	-	-
FEMALE--	11	8	11	17	16	23	19	21	10	4	1	-
BLACK---MALE-----	2	2	4	4	14	8	1	2	2	-	-	-
FEMALE--	9	8	10	13	11	17	14	16	8	3	1	-
ALABAMA -----	-	2	5	1	4	8	5	6	7	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	2	2	-	-	-
FEMALE--	-	2	2	1	4	5	4	3	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	1	1	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	1	1	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	2	1	4	4	5	8	7	-	-	-
WHITE-----MALE----	1	-	1	1	3	2	-	3	2	-	-	-
FEMALE--	2	-	1	-	1	2	5	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	3	4	1	6	3	2	3	1	-	-
WHITE-----MALE----	1	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	2	1	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	1	-	-
CALIFORNIA -----	6	4	11	16	30	53	46	70	36	13	2	-
WHITE-----MALE----	3	1	5	5	9	25	21	15	6	4	-	-
FEMALE--	3	1	4	8	14	20	22	49	29	8	2	-
ALL OTHER--MALE----	-	2	-	1	2	4	-	1	1	-	-	-
FEMALE--	-	-	2	2	5	4	3	5	-	1	-	-
BLACK---MALE-----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	3	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2018

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nonrheumatic mitral valve disorders (I34)												
COLORADO -----	36	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	42	-	-	-	-	-	-	-	2	1	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	205	-	-	-	-	-	-	3	1	2	3	6
WHITE-----MALE----	81	-	-	-	-	-	-	2	1	1	1	3
FEMALE--	108	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	5	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
GEORGIA -----	65	-	-	-	-	1	-	2	2	3	3	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	34	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2018

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic mitral valve disorders (I34)												
COLORADO -----	-	1	2	2	2	4	8	8	4	-	1	-
WHITE-----MALE----	-	-	1	1	2	3	3	3	1	-	-	-
FEMALE--	-	1	1	1	-	1	5	5	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	2	1	8	9	9	6	1	1	-
WHITE-----MALE----	-	-	-	1	1	2	2	3	-	-	-	-
FEMALE--	-	1	-	1	-	6	7	6	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	1	7	12	25	25	51	32	25	8	-	-
WHITE-----MALE----	2	-	4	3	8	9	22	12	9	4	-	-
FEMALE--	1	-	2	7	15	15	27	19	16	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	2	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	2	1	-	-	-	-
GEORGIA -----	2	4	2	1	9	5	6	10	11	3	-	-
WHITE-----MALE----	-	1	1	-	2	1	2	3	1	1	-	-
FEMALE--	-	1	-	1	5	3	4	6	8	2	-	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	1	2	-	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	1	2	-	-	-	1	-	1	1	-	-	-























TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2023

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic mitral valve disorders (I34)												
OHIO -----	1	3	3	7	15	22	24	27	20	3	-	-
WHITE-----MALE----	1	2	2	3	4	9	8	9	3	1	-	-
FEMALE--	-	1	1	3	10	10	14	18	17	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
OKLAHOMA -----	1	-	1	3	3	4	7	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	2	-	2	-	-	-
FEMALE--	1	-	1	1	1	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
OREGON -----	1	-	2	1	6	7	14	10	5	3	-	-
WHITE-----MALE----	-	-	-	-	3	-	7	3	1	-	-	-
FEMALE--	1	-	1	1	3	7	6	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	1	6	11	19	37	39	47	26	6	-	-
WHITE-----MALE----	2	-	4	4	9	15	15	13	2	2	-	-
FEMALE--	2	1	2	6	9	20	23	32	24	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	-	-	-
RHODE ISLAND -----	1	-	-	-	1	2	2	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	3	1	3	7	8	2	4	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	4	-	3	-	-	-
FEMALE--	-	-	1	1	-	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2024

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nonrheumatic mitral valve disorders (I34)												
SOUTH DAKOTA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	59	-	-	-	1	-	1	1	1	1	1	1
WHITE-----MALE----	15	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	41	-	-	-	1	-	-	1	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	161	-	-	-	-	-	-	-	-	2	6	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	93	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	3	1
UTAH -----	12	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	68	-	-	-	-	-	-	2	-	1	4	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2024

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic mitral valve disorders (I34)												
SOUTH DAKOTA -----	-	-	-	1	1	2	2	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	-	2	5	4	12	12	10	3	-	-
WHITE-----MALE----	1	-	-	-	2	1	2	3	2	1	-	-
FEMALE--	1	2	-	2	2	3	9	8	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
TEXAS -----	5	8	6	13	11	26	29	27	20	4	-	-
WHITE-----MALE----	-	2	4	8	3	14	10	9	1	-	-	-
FEMALE--	3	5	2	4	7	10	17	17	19	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	2	1	-	-	-	-
UTAH -----	2	2	-	-	-	1	3	1	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	2	9	12	13	17	4	-	1	-
WHITE-----MALE----	1	1	-	-	4	3	7	7	-	-	-	-
FEMALE--	-	-	-	2	3	9	6	9	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2026

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
UNITED STATES -	138	168	251	455	824	1,518	2,438	3,007	2,174	843	114	-
WHITE-----MALE----	79	94	132	235	402	696	1,007	984	540	173	19	-
FEMALE--	32	48	84	162	323	738	1,311	1,895	1,537	643	89	-
ALL OTHER--MALE----	17	16	21	25	52	36	54	41	28	7	1	-
FEMALE--	10	10	14	33	47	48	66	87	69	20	5	-
BLACK---MALE-----	17	12	17	22	41	28	42	25	19	6	-	-
FEMALE--	8	10	13	23	38	39	51	75	56	18	3	-
ALABAMA -----	-	4	7	14	11	16	27	36	19	5	2	-
WHITE-----MALE----	-	2	3	7	4	7	11	11	4	1	1	-
FEMALE--	-	1	3	5	4	7	11	22	13	4	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	2	2	1	4	2	2	-	-	-
BLACK---MALE-----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	2	2	1	4	2	2	-	-	-
ALASKA -----	-	-	1	2	2	1	-	2	6	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	2	2	8	15	26	34	45	27	14	3	-
WHITE-----MALE----	1	2	1	5	10	19	13	19	9	3	3	-
FEMALE--	2	-	1	3	4	7	21	25	18	11	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	6	7	7	13	22	21	12	4	-	-
WHITE-----MALE----	2	-	2	5	3	5	7	7	1	2	-	-
FEMALE--	-	-	4	1	2	8	14	10	8	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	-	-	-
BLACK---MALE-----	1	-	-	1	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	-	-	-
CALIFORNIA -----	15	16	19	42	91	165	259	341	233	110	18	-
WHITE-----MALE----	9	5	12	15	48	84	116	124	58	25	3	-
FEMALE--	2	6	5	15	32	68	129	193	157	83	13	-
ALL OTHER--MALE----	2	4	1	4	5	4	6	9	5	1	-	-
FEMALE--	2	1	1	8	6	9	8	15	13	1	2	-
BLACK---MALE-----	2	2	1	3	2	1	2	5	-	1	-	-
FEMALE--	1	1	1	2	2	5	2	11	7	-	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2027

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
COLORADO -----	1	4	1	10	17	16	21	45	22	7	2	-
WHITE-----MALE----	1	4	-	5	11	6	9	12	6	2	1	-
FEMALE--	-	-	-	4	5	10	10	31	16	5	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
CONNECTICUT -----	-	2	1	1	9	15	33	33	36	12	5	-
WHITE-----MALE----	-	1	-	1	5	10	16	12	7	2	1	-
FEMALE--	-	1	1	-	2	5	17	19	29	10	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
DELAWARE -----	1	-	3	2	2	6	14	7	7	4	-	-
WHITE-----MALE----	1	-	1	1	-	3	4	3	-	1	-	-
FEMALE--	-	-	-	-	2	2	10	4	7	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	1	4	6	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	4	4	1	2	1	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	4	4	1	2	1	-
FLORIDA -----	7	8	16	28	57	119	199	222	156	78	8	-
WHITE-----MALE----	4	5	7	16	25	49	98	89	49	14	1	-
FEMALE--	2	3	6	11	28	66	97	126	105	62	7	-
ALL OTHER--MALE----	1	-	2	-	1	-	1	3	1	-	-	-
FEMALE--	-	-	1	1	3	4	3	4	1	2	-	-
BLACK---MALE-----	1	-	2	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	1	1	3	3	3	4	1	2	-	-
GEORGIA -----	7	7	8	10	21	27	44	40	34	15	1	-
WHITE-----MALE----	4	3	4	5	12	10	17	7	13	1	-	-
FEMALE--	1	1	2	2	6	14	20	29	19	13	1	-
ALL OTHER--MALE----	-	2	1	3	2	2	3	1	1	1	-	-
FEMALE--	2	1	1	-	1	1	4	3	1	-	-	-
BLACK---MALE-----	-	2	1	3	2	2	3	1	1	1	-	-
FEMALE--	2	1	1	-	1	1	4	3	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2028

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
HAWAII -----	-	-	3	1	7	4	8	12	6	3	2	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	4	-	1	1	-
ALL OTHER--MALE----	-	-	2	-	3	2	3	4	2	1	1	-
FEMALE--	-	-	1	-	1	1	3	4	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	1	1	14	14	30	13	8	-	-
WHITE-----MALE----	1	1	-	-	1	7	8	10	5	2	-	-
FEMALE--	-	-	-	1	-	7	5	19	7	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ILLINOIS -----	4	6	15	20	39	56	87	113	76	25	8	-
WHITE-----MALE----	1	4	10	10	20	23	37	38	13	7	2	-
FEMALE--	1	2	3	6	14	30	46	71	60	16	5	-
ALL OTHER--MALE----	-	-	-	1	4	3	3	1	3	-	-	-
FEMALE--	2	-	2	3	1	-	1	3	-	2	1	-
BLACK---MALE-----	-	-	-	1	4	1	1	1	2	-	-	-
FEMALE--	2	-	2	3	-	-	1	3	-	2	-	-
INDIANA -----	4	2	8	17	18	38	67	68	43	15	1	-
WHITE-----MALE----	4	2	7	8	9	19	23	21	13	1	-	-
FEMALE--	-	-	1	9	7	19	42	46	29	14	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
IOWA -----	4	-	-	3	14	22	35	43	40	16	-	-
WHITE-----MALE----	3	-	-	2	8	10	12	16	8	3	-	-
FEMALE--	1	-	-	1	6	12	23	27	32	13	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	3	2	1	9	16	25	34	33	7	2	-
WHITE-----MALE----	1	1	1	-	4	10	10	8	8	2	-	-
FEMALE--	-	2	1	-	4	6	14	26	24	5	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2029

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
KENTUCKY -----	3	1	3	7	12	22	20	24	26	3	1	-
WHITE-----MALE----	2	-	3	6	4	10	8	5	4	-	-	-
FEMALE--	1	-	-	1	5	12	12	19	22	3	1	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	2	5	7	11	17	38	30	36	26	7	-	-
WHITE-----MALE----	-	2	2	6	7	15	6	8	5	1	-	-
FEMALE--	1	1	-	3	9	20	22	22	17	5	-	-
ALL OTHER--MALE----	1	-	3	2	-	2	1	-	1	-	-	-
FEMALE--	-	2	2	-	1	1	1	6	3	1	-	-
BLACK---MALE-----	1	-	2	2	-	2	1	-	1	-	-	-
FEMALE--	-	2	2	-	1	1	1	6	3	1	-	-
MAINE -----	2	2	1	2	5	11	18	14	15	4	-	-
WHITE-----MALE----	2	2	-	1	1	3	4	1	2	1	-	-
FEMALE--	-	-	1	1	4	8	14	13	13	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	1	5	5	16	26	38	45	43	14	4	-
WHITE-----MALE----	2	1	1	2	8	11	12	12	11	1	-	-
FEMALE--	2	-	2	3	6	13	22	30	29	13	4	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	2	3	-	-	-
BLACK---MALE-----	-	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	2	3	-	-	-
MASSACHUSETTS -----	1	3	1	7	16	27	59	112	62	32	1	-
WHITE-----MALE----	1	1	-	4	11	13	26	41	15	7	-	-
FEMALE--	-	2	1	1	5	14	31	71	46	25	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	8	6	9	14	36	42	67	108	60	25	2	-
WHITE-----MALE----	4	4	4	4	11	17	33	33	15	6	-	-
FEMALE--	3	-	4	7	16	20	31	75	42	18	2	-
ALL OTHER--MALE----	1	1	1	1	6	2	1	-	-	-	-	-
FEMALE--	-	1	-	2	3	3	2	-	3	1	-	-
BLACK---MALE-----	1	1	1	1	6	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	2	-	2	1	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2032

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
OHIO -----	9	14	10	15	37	60	118	147	93	29	-	-
WHITE-----MALE----	4	7	7	7	20	37	49	45	21	7	-	-
FEMALE--	3	4	3	6	14	20	61	98	66	22	-	-
ALL OTHER--MALE----	2	1	-	1	1	2	5	1	2	-	-	-
FEMALE--	-	2	-	1	2	1	3	3	4	-	-	-
BLACK---MALE-----	2	-	-	1	1	2	5	1	2	-	-	-
FEMALE--	-	2	-	1	2	1	3	3	4	-	-	-
OKLAHOMA -----	1	3	4	3	4	16	18	18	14	2	-	-
WHITE-----MALE----	-	1	1	2	-	8	4	3	5	1	-	-
FEMALE--	1	2	3	1	3	6	13	13	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	2	5	12	16	25	52	68	47	16	4	-
WHITE-----MALE----	2	1	3	7	9	13	21	25	12	3	1	-
FEMALE--	-	1	2	5	6	11	30	42	35	13	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	8	8	19	24	50	107	203	224	161	69	9	-
WHITE-----MALE----	3	4	11	11	24	50	79	65	33	12	-	-
FEMALE--	1	3	8	11	21	52	120	157	125	57	9	-
ALL OTHER--MALE----	2	1	-	2	2	2	3	-	1	-	-	-
FEMALE--	2	-	-	-	3	3	1	2	2	-	-	-
BLACK---MALE-----	2	1	-	2	2	2	3	-	1	-	-	-
FEMALE--	2	-	-	-	3	3	1	2	2	-	-	-
RHODE ISLAND -----	-	-	2	1	1	3	11	15	11	5	-	-
WHITE-----MALE----	-	-	1	-	1	2	7	5	3	2	-	-
FEMALE--	-	-	1	-	-	1	4	10	8	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	5	2	7	13	27	31	34	23	7	-	-
WHITE-----MALE----	-	4	1	4	6	11	12	8	5	-	-	-
FEMALE--	-	-	1	2	5	12	11	23	16	4	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	4	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	4	3	2	2	-	-
BLACK---MALE-----	-	1	-	1	1	2	4	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	4	3	2	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2033

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
SOUTH DAKOTA -----	-	-	-	4	3	3	5	8	2	-	-	-
WHITE-----MALE----	-	-	-	4	2	1	2	4	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	7	8	13	23	39	43	25	6	1	-
WHITE-----MALE----	2	-	6	4	7	11	15	16	6	2	-	-
FEMALE--	1	4	1	3	4	11	23	24	17	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	2	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	2	2	1	-	-
TEXAS -----	10	12	19	33	54	70	121	120	82	46	7	-
WHITE-----MALE----	8	7	13	17	26	34	47	48	24	13	2	-
FEMALE--	1	3	4	14	23	32	64	68	54	33	5	-
ALL OTHER--MALE----	1	2	1	1	2	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	3	3	8	3	3	-	-	-
BLACK---MALE-----	1	2	1	1	2	1	2	-	1	-	-	-
FEMALE--	-	-	1	1	3	3	7	3	3	-	-	-
UTAH -----	-	1	2	4	7	11	20	8	12	1	-	-
WHITE-----MALE----	-	-	-	3	3	6	9	1	4	-	-	-
FEMALE--	-	1	2	1	3	5	10	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	3	3	5	3	5	10	3	-	-
WHITE-----MALE----	-	-	-	3	2	3	1	3	1	2	-	-
FEMALE--	-	-	-	-	1	2	2	2	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	7	9	20	30	51	61	36	22	3	-
WHITE-----MALE----	1	1	5	4	11	12	19	20	6	3	1	-
FEMALE--	1	1	1	3	4	11	31	36	25	17	1	-
ALL OTHER--MALE----	-	-	1	-	4	3	1	1	1	-	-	-
FEMALE--	-	1	-	2	1	4	-	4	4	2	1	-
BLACK---MALE-----	-	-	1	-	4	2	1	1	1	-	-	-
FEMALE--	-	1	-	2	1	4	-	4	4	2	1	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2035

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of endocardium (I36-I38)

UNITED STATES -	4,505	2	-	1	2	12	13	12	43	51	95	96
WHITE-----MALE----	1,507	1	-	-	-	7	9	3	16	18	40	26
FEMALE--	2,485	1	-	1	1	1	4	6	17	16	20	27
ALL OTHER--MALE----	218	-	-	-	-	2	-	2	5	9	17	23
FEMALE--	295	-	-	-	1	2	-	1	5	8	18	20
BLACK---MALE-----	187	-	-	-	-	2	-	2	4	8	17	19
FEMALE--	264	-	-	-	-	2	-	1	5	7	18	18
ALABAMA -----	54	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	6	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	105	-	-	-	-	-	1	-	2	3	3	-
WHITE-----MALE----	49	-	-	-	-	-	1	-	1	2	3	-
FEMALE--	50	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	50	-	-	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	364	-	-	-	-	1	-	-	3	6	6	8
WHITE-----MALE----	128	-	-	-	-	1	-	-	1	2	2	4
FEMALE--	190	-	-	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	26	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2035

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
UNITED STATES -	137	145	195	275	463	641	787	805	508	182	40	-
WHITE-----MALE----	60	62	73	117	169	234	289	242	103	33	5	-
FEMALE--	45	44	76	112	233	344	458	524	381	142	32	-
ALL OTHER--MALE----	14	20	25	21	20	24	14	16	3	3	-	-
FEMALE--	18	19	21	25	41	39	26	23	21	4	3	-
BLACK---MALE-----	14	18	23	17	19	21	11	7	2	3	-	-
FEMALE--	16	19	17	24	38	32	26	17	18	4	2	-
ALABAMA -----	2	-	-	2	9	10	11	8	5	3	-	-
WHITE-----MALE----	1	-	-	1	1	8	5	-	1	-	-	-
FEMALE--	-	-	-	-	5	2	4	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	3	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	3	-	1	1	-	-	-	-
ALASKA -----	1	-	-	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	5	5	16	22	20	13	9	1	1	-
WHITE-----MALE----	1	1	2	2	6	8	10	10	2	-	-	-
FEMALE--	1	1	3	2	9	12	9	3	6	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARKANSAS -----	1	3	-	1	8	7	8	9	7	2	-	-
WHITE-----MALE----	-	-	-	-	4	2	3	4	-	-	-	-
FEMALE--	1	2	-	1	2	4	3	5	5	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE-----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
CALIFORNIA -----	11	14	16	19	26	49	62	75	50	16	2	-
WHITE-----MALE----	3	7	6	6	10	21	29	21	11	4	-	-
FEMALE--	5	3	8	9	13	21	30	45	36	12	1	-
ALL OTHER--MALE----	1	2	1	1	-	2	2	6	1	-	-	-
FEMALE--	2	2	1	3	3	5	1	3	2	-	1	-
BLACK---MALE-----	1	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	2	2	-	2	2	2	1	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2036

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of endocardium (I36-I38)

COLORADO -----	60	-	-	-	-	-	-	1	2	-	2	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	39	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	50	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	333	-	-	-	-	-	-	1	3	1	8	3
WHITE-----MALE----	117	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	192	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	9	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	2
GEORGIA -----	105	-	-	-	-	-	-	-	2	2	3	2
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2036

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
COLORADO -----	1	1	5	8	5	5	12	6	6	5	1	-
WHITE-----MALE----	1	1	3	3	3	-	3	2	1	2	-	-
FEMALE--	-	-	2	5	2	5	9	4	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	1	3	5	4	12	9	7	3	-	-
WHITE-----MALE----	1	-	1	2	-	-	6	3	-	-	-	-
FEMALE--	-	2	-	-	3	4	6	6	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	3	1	1	6	2	-	1	-	-
WHITE-----MALE----	-	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	6	11	14	21	35	49	50	79	37	9	6	-
WHITE-----MALE----	4	3	7	8	16	19	18	26	7	2	1	-
FEMALE--	2	5	5	9	16	30	30	53	29	5	5	-
ALL OTHER--MALE----	-	1	-	3	-	-	1	-	-	1	-	-
FEMALE--	-	2	2	1	3	-	1	-	1	1	-	-
BLACK---MALE-----	-	1	-	3	-	-	1	-	-	1	-	-
FEMALE--	-	2	2	1	3	-	1	-	1	1	-	-
GEORGIA -----	8	5	8	8	18	19	12	9	7	1	1	-
WHITE-----MALE----	2	3	4	3	5	3	5	1	4	-	-	-
FEMALE--	3	-	2	4	6	8	5	4	3	1	1	-
ALL OTHER--MALE----	2	-	2	-	2	2	-	2	-	-	-	-
FEMALE--	1	2	-	1	5	6	2	2	-	-	-	-
BLACK---MALE-----	2	-	2	-	2	2	-	2	-	-	-	-
FEMALE--	1	2	-	1	5	6	2	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2037

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of endocardium (I36-I38)

HAWAII -----	14	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	32	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	170	-	-	-	-	1	1	1	3	9	3	8
WHITE-----MALE----	61	-	-	-	-	1	1	-	1	5	3	5
FEMALE--	91	-	-	-	-	-	-	1	2	2	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	2
INDIANA -----	134	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	89	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	48	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	45	-	-	-	-	-	1	-	-	1	-	1
WHITE-----MALE----	15	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2038

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
KENTUCKY -----	2	3	1	5	8	10	3	11	12	1	-	-
WHITE-----MALE----	1	1	-	4	5	4	-	3	7	-	-	-
FEMALE--	1	2	1	1	3	6	3	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	4	2	2	8	3	6	11	5	8	1	-	-
WHITE-----MALE----	2	-	1	1	1	1	4	-	1	-	-	-
FEMALE--	-	-	-	4	-	4	4	5	5	1	-	-
ALL OTHER--MALE----	-	2	1	2	1	-	2	-	-	-	-	-
FEMALE--	2	-	-	1	1	1	1	-	2	-	-	-
BLACK---MALE-----	-	2	1	2	1	-	2	-	-	-	-	-
FEMALE--	2	-	-	1	1	1	1	-	2	-	-	-
MAINE -----	2	-	1	2	2	2	11	4	1	3	-	-
WHITE-----MALE----	1	-	-	1	1	-	4	1	1	-	-	-
FEMALE--	1	-	1	1	1	2	7	3	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	5	5	5	10	10	7	9	5	-	-
WHITE-----MALE----	-	1	1	2	3	2	3	3	1	1	-	-
FEMALE--	-	-	1	-	-	4	5	4	8	4	-	-
ALL OTHER--MALE----	1	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	2	2	2	2	-	-	-	-	-
BLACK---MALE-----	1	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	2	2	2	2	-	-	-	-	-
MASSACHUSETTS -----	-	3	1	8	4	11	18	18	12	4	-	-
WHITE-----MALE----	-	1	-	3	2	2	12	6	1	1	-	-
FEMALE--	-	1	1	4	2	9	6	11	10	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	10	5	11	2	18	28	29	43	8	4	1	-
WHITE-----MALE----	4	1	4	2	6	12	17	15	-	1	-	-
FEMALE--	2	3	3	-	10	14	12	27	8	3	1	-
ALL OTHER--MALE----	2	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	2	-	2	1	-	1	-	-	-	-
BLACK---MALE-----	2	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	2	-	2	1	-	1	-	-	-	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2041

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
OHIO -----	9	4	7	15	23	36	42	32	28	11	2	-
WHITE-----MALE----	5	2	4	6	7	12	9	10	8	2	2	-
FEMALE--	4	-	3	7	14	19	33	21	20	9	-	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	3	-	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	3	-	1	-	-	-	-
OKLAHOMA -----	1	3	2	2	8	15	7	12	9	1	-	-
WHITE-----MALE----	-	1	1	1	3	6	5	5	-	-	-	-
FEMALE--	1	2	1	1	4	7	2	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON -----	3	2	2	2	2	9	11	12	4	3	-	-
WHITE-----MALE----	1	-	1	1	1	5	5	1	1	-	-	-
FEMALE--	1	2	1	1	1	4	6	11	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	5	13	20	30	38	60	63	33	15	-	-
WHITE-----MALE----	5	3	5	12	10	11	17	16	6	3	-	-
FEMALE--	3	1	7	4	19	21	42	46	25	11	-	-
ALL OTHER--MALE----	-	1	1	3	1	3	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	3	1	-	1	-	-	-
BLACK---MALE-----	-	1	1	3	1	3	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	3	1	-	1	-	-	-
RHODE ISLAND -----	-	2	-	1	3	1	2	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	2	-	-	2	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	2	8	10	10	11	3	6	6	-	-
WHITE-----MALE----	1	1	-	2	4	6	4	2	2	1	-	-
FEMALE--	1	1	1	2	2	2	6	1	3	5	-	-
ALL OTHER--MALE----	-	-	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	1	-	-	-
BLACK---MALE-----	-	-	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2042

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
SOUTH DAKOTA -----	-	-	-	-	2	2	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	1	1	13	10	14	13	8	1	-	-
WHITE-----MALE----	-	1	-	1	7	3	5	5	3	1	-	-
FEMALE--	1	1	1	-	6	7	6	7	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	1	-	-	-	-
TEXAS -----	11	9	17	18	17	33	32	29	23	5	6	-
WHITE-----MALE----	5	2	4	3	9	13	10	5	5	1	-	-
FEMALE--	4	2	7	12	7	15	18	22	17	4	6	-
ALL OTHER--MALE----	-	4	3	1	-	4	2	1	-	-	-	-
FEMALE--	2	1	3	2	1	2	1	1	1	-	-	-
BLACK---MALE-----	-	4	3	1	-	3	2	1	-	-	-	-
FEMALE--	1	1	3	2	1	1	2	1	1	-	-	-
UTAH -----	-	-	1	2	6	4	9	8	2	1	-	-
WHITE-----MALE----	-	-	-	2	3	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	3	2	7	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	-	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	2	7	7	8	17	10	13	10	4	1	-
WHITE-----MALE----	1	1	3	1	3	6	1	2	2	1	1	-
FEMALE--	1	-	2	4	4	9	7	11	6	2	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	2	-	2	1	-	-
BLACK---MALE-----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	2	-	2	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2044

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
UNITED STATES -	27,260	132	36	25	49	125	129	236	366	686	922	1,124
WHITE-----MALE----	12,514	40	16	8	18	49	51	96	165	303	433	518
FEMALE--	9,396	51	12	11	9	20	24	41	69	121	134	197
ALL OTHER--MALE----	3,174	21	2	4	15	44	35	65	83	185	233	271
FEMALE--	2,176	20	6	2	7	12	19	34	49	77	122	138
BLACK---MALE-----	2,823	17	1	4	14	42	33	58	76	165	217	249
FEMALE--	1,947	14	4	2	6	12	18	28	45	72	116	131
ALABAMA -----	456	2	-	-	-	3	3	4	5	12	16	13
WHITE-----MALE----	158	-	-	-	-	-	1	1	-	3	6	6
FEMALE--	131	1	-	-	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	92	-	-	-	-	3	-	2	2	4	8	3
FEMALE--	75	1	-	-	-	-	2	-	2	4	-	2
BLACK---MALE-----	91	-	-	-	-	3	-	2	2	4	8	3
FEMALE--	74	1	-	-	-	-	2	-	2	4	-	2
ALASKA -----	30	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	560	6	1	-	-	-	2	6	6	12	13	12
WHITE-----MALE----	327	1	1	-	-	-	1	1	2	10	9	4
FEMALE--	204	4	-	-	-	-	1	3	2	1	1	4
ALL OTHER--MALE----	24	1	-	-	-	-	-	2	2	1	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	10	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	224	-	-	-	1	2	3	4	3	5	6	12
WHITE-----MALE----	98	-	-	-	-	1	2	2	1	5	4	4
FEMALE--	82	-	-	-	1	1	-	1	-	-	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	1	-	2	4
FEMALE--	23	-	-	-	-	-	-	1	1	-	-	3
BLACK---MALE-----	21	-	-	-	-	-	1	-	1	-	2	4
FEMALE--	23	-	-	-	-	-	-	1	1	-	-	3
CALIFORNIA -----	3,146	22	5	4	5	13	15	34	65	100	131	174
WHITE-----MALE----	1,455	6	2	1	-	6	8	17	40	43	78	88
FEMALE--	1,064	8	1	3	-	2	5	4	14	23	18	35
ALL OTHER--MALE----	378	3	1	-	4	4	-	10	7	27	26	36
FEMALE--	249	5	1	-	1	1	2	3	4	7	9	15
BLACK---MALE-----	263	1	-	-	4	2	-	7	6	20	20	28
FEMALE--	174	2	-	-	1	1	2	1	4	6	7	14

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2044

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
UNITED STATES -	1,337	1,532	1,795	2,443	3,151	3,673	3,716	3,240	1,803	612	126	2
WHITE-----MALE----	643	756	857	1,285	1,647	1,869	1,730	1,296	583	133	17	1
FEMALE--	263	325	448	659	959	1,296	1,565	1,613	1,066	422	91	-
ALL OTHER--MALE----	292	307	309	305	327	265	194	145	52	18	2	-
FEMALE--	139	144	181	194	218	243	227	186	102	39	16	1
BLACK---MALE-----	273	278	274	272	284	221	161	121	44	17	2	-
FEMALE--	128	128	160	175	191	222	198	163	89	33	11	1
ALABAMA -----	31	16	31	40	45	71	75	48	25	13	3	-
WHITE-----MALE----	9	6	16	20	16	26	24	15	6	3	-	-
FEMALE--	5	1	1	8	11	26	32	20	13	4	2	-
ALL OTHER--MALE----	10	6	10	3	7	10	9	9	2	4	-	-
FEMALE--	7	3	4	9	11	9	10	4	4	2	1	-
BLACK---MALE-----	10	6	10	3	7	10	9	8	2	4	-	-
FEMALE--	7	3	4	9	11	9	9	4	4	2	1	-
ALASKA -----	2	1	2	4	7	3	3	1	-	-	-	-
WHITE-----MALE----	1	-	1	3	4	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	27	19	22	47	66	82	86	88	44	17	3	1
WHITE-----MALE----	17	14	14	31	47	43	58	44	21	7	1	1
FEMALE--	5	4	7	14	17	35	28	44	23	9	2	-
ALL OTHER--MALE----	5	1	1	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE-----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	11	15	14	17	28	32	26	29	13	3	-	-
WHITE-----MALE----	5	4	7	8	14	12	10	13	5	1	-	-
FEMALE--	2	5	3	8	8	15	15	14	6	2	-	-
ALL OTHER--MALE----	2	1	3	1	4	1	-	1	-	-	-	-
FEMALE--	2	5	1	-	2	4	1	1	2	-	-	-
BLACK---MALE-----	2	1	3	1	4	1	-	1	-	-	-	-
FEMALE--	2	5	1	-	2	4	1	1	2	-	-	-
CALIFORNIA -----	209	168	216	236	326	381	413	332	212	67	18	-
WHITE-----MALE----	107	78	104	119	165	189	186	130	71	16	1	-
FEMALE--	46	36	46	67	99	127	178	164	127	45	16	-
ALL OTHER--MALE----	35	32	42	34	38	32	25	18	2	2	-	-
FEMALE--	21	22	24	16	24	33	24	20	12	4	1	-
BLACK---MALE-----	31	23	33	22	26	17	11	10	1	1	-	-
FEMALE--	18	17	19	9	14	23	14	11	8	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2045

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
COLORADO -----	206	1	-	1	1	-	1	3	2	6	16	14
WHITE-----MALE----	109	1	-	1	-	-	-	2	-	3	13	8
FEMALE--	88	-	-	-	-	-	1	1	1	1	3	5
ALL OTHER--MALE----	8	-	-	-	1	-	-	-	1	2	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	1	-	-	-	1	2	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	305	2	-	1	3	-	1	3	3	6	4	11
WHITE-----MALE----	168	2	-	-	2	-	-	2	2	3	3	7
FEMALE--	112	-	-	1	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	12	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	11	-	-	-	1	-	-	-	1	1	-	-
DELAWARE -----	73	-	-	-	-	-	1	1	-	4	7	6
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	22	-	-	-	-	-	1	1	-	-	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	4	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	1	4	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	-
DISTRICT OF COLUMBIA ---	50	-	-	-	-	-	1	1	1	1	1	4
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	1	1	-	1	-	3
FEMALE--	18	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	25	-	-	-	-	-	1	1	-	1	-	3
FEMALE--	18	-	-	-	-	-	-	-	1	-	1	1
FLORIDA -----	2,296	8	-	2	1	8	8	14	25	53	46	71
WHITE-----MALE----	1,126	3	-	-	-	3	1	6	10	30	24	34
FEMALE--	858	3	-	2	1	1	1	1	6	8	5	13
ALL OTHER--MALE----	177	2	-	-	-	1	5	6	5	7	8	14
FEMALE--	135	-	-	-	-	3	1	1	4	8	9	10
BLACK---MALE-----	175	2	-	-	-	1	5	6	5	6	8	14
FEMALE--	131	-	-	-	-	3	1	1	4	8	9	9
GEORGIA -----	831	4	1	1	3	6	3	6	11	26	34	46
WHITE-----MALE----	295	1	1	-	-	-	-	1	5	11	10	16
FEMALE--	236	1	-	-	1	-	-	2	2	1	2	1
ALL OTHER--MALE----	191	1	-	1	1	5	2	4	2	11	15	19
FEMALE--	109	1	-	-	1	1	1	1	2	3	7	10
BLACK---MALE-----	189	1	-	1	1	5	2	4	2	11	15	19
FEMALE--	108	1	-	-	-	1	1	1	2	3	7	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2045

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
COLORADO -----	6	7	12	20	25	29	31	19	8	2	2	-
WHITE-----MALE----	2	3	7	14	15	11	19	6	3	1	-	-
FEMALE--	3	3	5	6	9	17	12	13	5	1	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	14	21	22	40	52	50	35	23	5	-	-
WHITE-----MALE----	6	7	14	12	16	33	34	15	10	-	-	-
FEMALE--	2	4	5	8	21	17	15	17	13	5	-	-
ALL OTHER--MALE----	1	3	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	3	-	-	-	-
BLACK---MALE-----	1	3	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	3	-	-	-	-
DELAWARE -----	-	5	5	8	7	8	5	7	7	1	1	-
WHITE-----MALE----	-	1	5	4	2	3	2	4	3	-	-	-
FEMALE--	-	-	-	-	4	2	2	3	4	1	1	-
ALL OTHER--MALE----	-	4	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	-	-	-	-	-
BLACK---MALE-----	-	4	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	4	7	3	1	7	6	2	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	5	3	5	1	1	3	1	1	-	-	-	-
FEMALE--	2	1	2	2	-	3	4	-	-	1	-	-
BLACK---MALE-----	5	3	4	1	1	3	1	1	-	-	-	-
FEMALE--	2	1	2	2	-	3	4	-	-	1	-	-
FLORIDA -----	80	124	126	190	257	323	326	341	214	63	16	-
WHITE-----MALE----	40	61	64	116	155	178	172	143	69	14	3	-
FEMALE--	13	28	33	47	78	114	128	177	139	47	13	-
ALL OTHER--MALE----	19	25	18	16	12	18	9	9	2	1	-	-
FEMALE--	8	10	11	11	12	13	17	12	4	1	-	-
BLACK---MALE-----	18	25	18	16	12	18	9	9	2	1	-	-
FEMALE--	8	10	11	10	12	13	15	12	4	1	-	-
GEORGIA -----	47	56	58	90	95	105	95	79	47	16	2	-
WHITE-----MALE----	13	19	16	40	42	48	36	26	8	2	-	-
FEMALE--	7	16	15	23	26	27	37	39	25	11	2	-
ALL OTHER--MALE----	16	16	22	19	18	16	10	8	4	1	-	-
FEMALE--	11	5	5	8	9	14	12	6	10	2	-	-
BLACK---MALE-----	16	16	22	18	18	16	10	7	4	1	-	-
FEMALE--	11	5	5	8	9	14	12	6	10	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2046

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
HAWAII -----	14	12	21	15	30	23	25	18	8	1	5	-
WHITE-----MALE----	2	2	2	-	7	4	6	4	1	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	8	8	13	10	15	11	11	9	3	-	-	-
FEMALE--	4	2	6	4	7	6	6	5	4	1	5	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	6	6	11	8	11	6	5	3	-	-
WHITE-----MALE----	1	1	6	4	6	6	2	1	3	2	-	-
FEMALE--	-	-	-	2	4	2	8	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	63	74	93	104	144	166	152	145	95	35	6	-
WHITE-----MALE----	25	36	33	48	85	72	65	64	38	5	1	-
FEMALE--	9	12	27	25	30	61	67	65	49	27	2	-
ALL OTHER--MALE----	20	18	20	16	19	11	10	5	3	-	-	-
FEMALE--	9	8	13	15	10	22	10	11	5	3	3	-
BLACK---MALE-----	19	18	19	16	18	11	10	5	3	-	-	-
FEMALE--	9	8	13	14	10	22	9	11	4	3	3	-
INDIANA -----	32	46	47	72	81	86	89	91	40	15	3	-
WHITE-----MALE----	19	27	26	46	46	40	49	42	9	3	-	-
FEMALE--	7	10	17	21	26	39	35	44	31	11	2	-
ALL OTHER--MALE----	6	8	4	3	5	3	2	2	-	-	1	-
FEMALE--	-	1	-	2	4	4	3	3	-	1	-	-
BLACK---MALE-----	6	8	4	3	5	3	2	2	-	-	1	-
FEMALE--	-	1	-	2	4	4	3	3	-	1	-	-
IOWA -----	9	11	20	20	37	24	48	33	14	9	2	-
WHITE-----MALE----	6	11	8	12	22	13	28	16	4	2	1	-
FEMALE--	3	-	12	8	13	11	20	17	10	7	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	10	13	17	20	36	45	32	33	28	11	-	-
WHITE-----MALE----	7	9	11	11	21	27	14	13	14	2	-	-
FEMALE--	1	4	5	6	13	17	13	19	14	8	-	-
ALL OTHER--MALE----	2	-	1	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	4	1	-	1	-	-
BLACK---MALE-----	2	-	1	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	-	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2047

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
KENTUCKY -----	360	2	-	-	-	3	1	5	2	9	3	11
WHITE-----MALE----	183	2	-	-	-	3	1	2	1	3	2	4
FEMALE--	135	-	-	-	-	-	-	-	-	4	1	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	20	-	-	-	-	-	-	1	1	-	-	2
BLACK---MALE-----	22	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	19	-	-	-	-	-	-	1	1	-	-	2
LOUISIANA -----	494	3	-	1	1	2	3	4	9	13	16	23
WHITE-----MALE----	184	-	-	-	-	-	1	1	2	4	1	9
FEMALE--	146	-	-	-	-	-	-	1	2	5	2	3
ALL OTHER--MALE----	84	2	-	1	1	2	1	1	2	3	7	8
FEMALE--	80	1	-	-	-	-	1	1	3	1	6	3
BLACK---MALE-----	83	2	-	1	1	2	1	1	2	3	6	8
FEMALE--	79	1	-	-	-	-	1	1	3	1	6	3
MAINE -----	94	-	-	-	-	-	2	-	-	1	-	2
WHITE-----MALE----	60	-	-	-	-	-	2	-	-	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	445	2	1	-	2	1	2	4	7	14	13	18
WHITE-----MALE----	162	-	-	-	1	1	-	3	4	6	4	3
FEMALE--	124	1	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	98	1	-	-	1	-	1	-	2	5	5	9
FEMALE--	61	-	1	-	-	-	1	1	2	2	2	4
BLACK---MALE-----	92	1	-	-	-	-	1	-	2	5	5	9
FEMALE--	60	-	1	-	-	-	1	1	1	2	2	4
MASSACHUSETTS -----	506	-	2	-	-	1	3	2	5	7	9	20
WHITE-----MALE----	258	-	-	-	-	1	1	-	3	5	6	14
FEMALE--	221	-	1	-	-	-	2	-	1	1	2	4
ALL OTHER--MALE----	18	-	-	-	-	-	-	2	1	1	1	2
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	18	-	-	-	-	-	-	2	1	1	1	2
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,131	3	2	1	1	7	6	13	21	41	65	70
WHITE-----MALE----	468	1	1	-	-	2	2	3	13	14	19	25
FEMALE--	388	2	1	-	-	1	-	3	2	5	12	10
ALL OTHER--MALE----	182	-	-	1	1	4	4	6	2	15	24	25
FEMALE--	93	-	-	-	-	-	-	1	4	7	10	10
BLACK---MALE-----	175	-	-	1	1	4	4	6	2	14	23	23
FEMALE--	89	-	-	-	-	-	-	1	3	7	10	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2047

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
KENTUCKY -----	18	21	21	39	43	53	52	48	20	9	-	-
WHITE-----MALE----	12	13	10	23	22	29	27	20	8	1	-	-
FEMALE--	3	5	8	10	18	19	20	26	11	8	-	-
ALL OTHER--MALE----	2	1	2	4	2	2	2	-	-	-	-	-
FEMALE--	1	2	1	2	1	3	3	2	1	-	-	-
BLACK---MALE-----	2	1	2	4	2	2	2	-	-	-	-	-
FEMALE--	1	2	1	2	1	3	2	2	1	-	-	-
LOUISIANA -----	22	25	21	42	56	72	73	64	37	7	-	-
WHITE-----MALE----	7	6	8	21	29	38	29	19	9	-	-	-
FEMALE--	4	5	4	7	10	15	30	30	24	4	-	-
ALL OTHER--MALE----	6	10	7	8	6	7	2	5	4	1	-	-
FEMALE--	5	4	2	6	11	12	12	10	-	2	-	-
BLACK---MALE-----	6	10	7	8	6	7	2	5	4	1	-	-
FEMALE--	5	3	2	6	11	12	12	10	-	2	-	-
MAINE -----	3	4	9	7	14	10	19	10	10	3	-	-
WHITE-----MALE----	2	3	6	6	11	6	13	5	4	-	-	-
FEMALE--	1	1	3	1	3	4	6	5	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	23	26	28	49	45	67	54	52	25	10	1	1
WHITE-----MALE----	8	4	8	21	19	29	27	16	6	2	-	-
FEMALE--	4	7	3	14	11	19	18	19	16	6	1	-
ALL OTHER--MALE----	6	10	13	6	11	12	5	10	1	-	-	-
FEMALE--	5	5	4	8	4	7	4	7	2	2	-	1
BLACK---MALE-----	6	9	12	6	11	10	4	10	1	-	-	-
FEMALE--	5	5	4	8	4	7	4	7	2	1	-	1
MASSACHUSETTS -----	17	22	24	33	62	72	88	75	51	9	4	-
WHITE-----MALE----	12	18	14	16	37	39	42	31	19	-	-	-
FEMALE--	4	4	9	11	22	31	44	40	32	9	4	-
ALL OTHER--MALE----	1	-	1	4	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	3	-	-	-	-
BLACK---MALE-----	1	-	1	4	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	3	-	-	-	-
MICHIGAN -----	78	64	71	85	115	137	133	117	66	28	7	-
WHITE-----MALE----	34	20	35	39	55	70	60	43	25	6	1	-
FEMALE--	8	20	15	29	38	48	62	69	37	20	6	-
ALL OTHER--MALE----	25	16	14	11	13	10	6	3	1	1	-	-
FEMALE--	11	8	7	6	9	9	5	2	3	1	-	-
BLACK---MALE-----	25	16	13	11	13	10	5	3	-	1	-	-
FEMALE--	10	8	7	5	9	9	4	2	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2048

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
MINNESOTA -----	363	1	-	1	1	3	2	4	2	8	13	17
WHITE-----MALE----	198	-	-	1	1	2	2	2	1	5	11	12
FEMALE--	147	-	-	-	-	-	-	1	-	2	2	4
ALL OTHER--MALE----	10	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE-----	10	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	-	1
MISSISSIPPI -----	314	2	-	-	-	1	-	1	7	4	10	4
WHITE-----MALE----	104	1	-	-	-	-	-	-	1	1	1	-
FEMALE--	88	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	56	1	-	-	-	-	-	1	3	2	5	1
FEMALE--	66	-	-	-	-	-	-	-	3	1	3	1
BLACK---MALE-----	55	1	-	-	-	-	-	1	3	2	5	1
FEMALE--	64	-	-	-	-	-	-	-	3	1	3	1
MISSOURI -----	589	5	-	-	-	1	1	3	5	6	19	14
WHITE-----MALE----	272	1	-	-	-	1	-	2	1	4	10	9
FEMALE--	226	1	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	56	3	-	-	-	-	-	1	3	1	6	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	52	2	-	-	-	-	-	1	3	1	6	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	2	2
MONTANA -----	49	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	128	-	1	-	-	2	-	-	1	2	1	2
WHITE-----MALE----	76	-	1	-	-	1	-	-	1	1	1	1
FEMALE--	41	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	248	2	1	-	3	1	-	3	4	11	8	11
WHITE-----MALE----	140	1	1	-	2	-	-	2	2	7	4	6
FEMALE--	72	-	-	-	-	-	-	1	-	2	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	17	1	-	-	1	1	-	-	-	-	1	1
BLACK---MALE-----	12	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	15	1	-	-	1	1	-	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2048

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
MINNESOTA -----	17	23	29	26	48	44	44	49	24	6	1	-
WHITE-----MALE----	12	11	23	14	29	23	19	20	7	3	-	-
FEMALE--	3	8	5	11	18	20	24	28	17	3	1	-
ALL OTHER--MALE----	2	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	2	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	10	16	27	24	40	47	64	28	23	6	-	-
WHITE-----MALE----	1	4	9	9	14	22	23	11	5	2	-	-
FEMALE--	3	1	6	3	12	13	20	10	14	2	-	-
ALL OTHER--MALE----	4	5	4	4	8	4	7	3	2	2	-	-
FEMALE--	2	6	8	8	6	8	14	4	2	-	-	-
BLACK---MALE-----	4	5	4	4	8	3	7	3	2	2	-	-
FEMALE--	2	4	8	8	6	8	14	4	2	-	-	-
MISSOURI -----	20	34	46	68	74	76	82	69	46	18	2	-
WHITE-----MALE----	9	15	23	34	40	45	36	25	16	-	1	-
FEMALE--	7	9	13	21	16	29	43	39	26	16	1	-
ALL OTHER--MALE----	4	7	5	10	9	1	2	1	1	-	-	-
FEMALE--	-	3	5	3	9	1	1	4	3	2	-	-
BLACK---MALE-----	4	6	4	9	9	1	2	1	1	-	-	-
FEMALE--	-	3	5	3	9	1	1	3	3	2	-	-
MONTANA -----	-	1	4	5	5	8	8	8	3	-	1	-
WHITE-----MALE----	-	-	3	4	4	4	3	4	-	-	-	-
FEMALE--	-	-	1	-	1	3	3	4	3	-	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	4	15	15	21	19	18	17	5	-	1	-
WHITE-----MALE----	2	2	10	9	11	14	8	10	3	-	1	-
FEMALE--	1	-	2	5	7	5	10	6	2	-	-	-
ALL OTHER--MALE----	1	1	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	1	1	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	9	16	24	25	16	31	36	32	11	3	1	-
WHITE-----MALE----	8	8	14	19	8	22	22	10	2	2	-	-
FEMALE--	1	4	4	6	7	7	11	18	7	1	-	-
ALL OTHER--MALE----	-	3	2	-	1	2	2	-	1	-	-	-
FEMALE--	-	1	4	-	-	-	1	4	1	-	1	-
BLACK---MALE-----	-	1	2	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	3	-	-	-	1	3	1	-	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2050

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
OHIO -----	1,263	5	2	1	2	4	5	11	21	27	50	37
WHITE-----MALE----	579	2	1	1	2	2	1	3	9	8	19	22
FEMALE--	477	1	1	-	-	1	1	4	3	11	14	4
ALL OTHER--MALE----	132	-	-	-	-	1	1	2	7	6	11	7
FEMALE--	75	2	-	-	-	-	2	2	2	2	6	4
BLACK---MALE-----	129	-	-	-	-	1	-	2	7	6	11	7
FEMALE--	74	2	-	-	-	-	2	2	2	2	6	4
OKLAHOMA -----	322	2	-	1	-	2	2	7	8	10	20	19
WHITE-----MALE----	157	-	-	-	-	1	1	3	4	6	11	11
FEMALE--	114	1	-	1	-	-	-	3	3	1	3	6
ALL OTHER--MALE----	25	-	-	-	-	1	1	1	-	-	4	-
FEMALE--	26	1	-	-	-	-	-	-	1	3	2	2
BLACK---MALE-----	18	-	-	-	-	1	1	1	-	-	3	-
FEMALE--	17	-	-	-	-	-	-	-	1	3	2	2
OREGON -----	268	2	1	1	2	1	-	-	2	7	11	8
WHITE-----MALE----	150	-	1	-	-	1	-	-	1	6	8	5
FEMALE--	109	2	-	1	2	-	-	-	1	1	2	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,537	3	2	-	-	4	6	9	12	23	43	46
WHITE-----MALE----	750	-	-	-	-	3	5	4	5	10	29	20
FEMALE--	577	3	2	-	-	-	1	2	2	5	5	13
ALL OTHER--MALE----	135	-	-	-	-	-	-	3	3	4	5	6
FEMALE--	75	-	-	-	-	1	-	-	2	4	4	7
BLACK---MALE-----	129	-	-	-	-	-	-	3	3	4	5	6
FEMALE--	74	-	-	-	-	1	-	-	2	3	4	7
RHODE ISLAND -----	63	-	-	-	-	-	-	1	-	4	1	1
WHITE-----MALE----	40	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	462	1	1	-	2	3	1	3	7	12	15	14
WHITE-----MALE----	157	1	-	-	1	-	-	-	4	3	3	3
FEMALE--	137	-	-	-	-	2	1	1	-	2	1	3
ALL OTHER--MALE----	100	-	1	-	-	1	-	1	3	6	8	3
FEMALE--	68	-	-	-	1	-	-	1	-	1	3	5
BLACK---MALE-----	99	-	1	-	-	1	-	1	3	5	8	3
FEMALE--	67	-	-	-	1	-	-	1	-	1	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2050

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
OHIO -----	60	68	81	141	158	159	182	151	67	24	7	-
WHITE-----MALE----	29	43	38	61	81	84	83	67	18	4	1	-
FEMALE--	18	14	27	54	52	58	81	72	39	17	5	-
ALL OTHER--MALE----	8	8	12	18	14	13	10	7	6	1	-	-
FEMALE--	5	3	4	8	11	4	8	5	4	2	1	-
BLACK---MALE-----	8	8	12	18	13	13	10	7	5	1	-	-
FEMALE--	5	3	4	8	11	4	8	4	4	2	1	-
OKLAHOMA -----	12	9	26	29	41	40	32	37	17	7	1	-
WHITE-----MALE----	8	6	11	20	22	17	18	15	3	-	-	-
FEMALE--	2	2	7	7	11	19	9	19	13	6	1	-
ALL OTHER--MALE----	2	1	1	2	5	4	2	1	-	-	-	-
FEMALE--	-	-	7	-	3	-	3	2	1	1	-	-
BLACK---MALE-----	2	1	1	2	3	2	1	-	-	-	-	-
FEMALE--	-	-	3	-	1	-	2	1	1	1	-	-
OREGON -----	17	31	17	25	35	34	19	36	11	7	1	-
WHITE-----MALE----	10	19	12	15	21	17	13	14	5	2	-	-
FEMALE--	6	11	5	10	12	16	5	21	6	5	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	65	83	87	141	172	240	239	212	100	40	10	-
WHITE-----MALE----	37	51	43	87	86	134	100	95	29	9	3	-
FEMALE--	11	11	19	31	62	90	118	106	61	28	7	-
ALL OTHER--MALE----	13	19	17	15	17	12	9	6	4	2	-	-
FEMALE--	4	2	8	8	7	4	12	5	6	1	-	-
BLACK---MALE-----	13	19	15	14	16	11	9	5	4	2	-	-
FEMALE--	4	2	8	8	7	4	12	5	6	1	-	-
RHODE ISLAND -----	1	3	3	5	9	12	13	6	4	-	-	-
WHITE-----MALE----	-	2	-	3	8	10	6	4	3	-	-	-
FEMALE--	1	-	2	2	1	2	7	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	27	26	28	57	65	61	56	52	24	7	-	-
WHITE-----MALE----	8	11	9	29	25	15	23	15	7	-	-	-
FEMALE--	4	2	8	7	16	25	23	25	12	5	-	-
ALL OTHER--MALE----	11	8	8	11	15	12	4	7	1	-	-	-
FEMALE--	4	5	3	10	9	9	6	5	4	2	-	-
BLACK---MALE-----	11	8	8	11	15	12	4	7	1	-	-	-
FEMALE--	4	5	3	10	9	9	6	5	3	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2051

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
SOUTH DAKOTA -----	27	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	588	1	1	1	2	1	4	4	7	17	19	25
WHITE-----MALE----	208	-	1	-	1	1	2	2	2	4	6	11
FEMALE--	193	1	-	-	-	-	-	-	1	3	3	6
ALL OTHER--MALE----	99	-	-	-	-	-	1	2	2	10	5	7
FEMALE--	88	-	-	1	1	-	1	-	2	-	5	1
BLACK---MALE-----	97	-	-	-	-	-	1	2	2	9	5	7
FEMALE--	87	-	-	1	1	-	1	-	1	-	5	1
TEXAS -----	1,539	16	5	2	5	10	7	15	23	36	71	86
WHITE-----MALE----	656	4	3	1	2	2	2	7	9	13	31	40
FEMALE--	560	10	1	1	1	3	1	2	8	9	11	26
ALL OTHER--MALE----	186	1	-	-	2	3	3	2	4	9	19	15
FEMALE--	137	1	1	-	-	2	1	4	2	5	10	5
BLACK---MALE-----	177	1	-	-	2	3	3	2	4	9	19	15
FEMALE--	131	-	1	-	-	2	1	4	2	5	9	5
UTAH -----	95	-	-	-	-	2	-	-	3	2	4	3
WHITE-----MALE----	53	-	-	-	-	1	-	-	3	1	3	1
FEMALE--	38	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	38	-	-	1	-	-	1	1	-	-	-	1
WHITE-----MALE----	20	-	-	1	-	-	1	1	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	688	4	-	1	3	4	6	8	6	17	18	28
WHITE-----MALE----	262	1	-	-	-	-	3	1	1	5	9	10
FEMALE--	196	2	-	-	1	1	-	1	1	5	-	-
ALL OTHER--MALE----	132	1	-	1	2	2	1	4	1	4	8	15
FEMALE--	98	-	-	-	-	1	2	2	3	3	1	3
BLACK---MALE-----	127	1	-	1	2	2	1	4	1	4	8	15
FEMALE--	96	-	-	-	-	1	2	2	3	3	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2051

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
SOUTH DAKOTA -----	1	2	1	2	2	7	4	2	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	3	1	2	-	2	-	-
FEMALE--	1	2	1	1	-	4	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	35	43	56	60	73	78	75	41	14	2	-
WHITE-----MALE----	12	14	17	22	20	29	34	16	13	1	-	-
FEMALE--	4	8	12	16	24	25	23	40	18	8	1	-
ALL OTHER--MALE----	6	12	10	8	10	10	7	4	3	2	-	-
FEMALE--	7	1	4	10	6	9	14	15	7	3	1	-
BLACK---MALE-----	6	12	10	7	10	10	7	4	3	2	-	-
FEMALE--	7	1	4	10	6	9	14	15	7	3	1	-
TEXAS -----	84	96	113	142	170	190	171	153	101	31	12	-
WHITE-----MALE----	38	54	52	74	82	93	64	52	29	3	1	-
FEMALE--	20	19	33	37	50	67	84	82	59	27	9	-
ALL OTHER--MALE----	15	15	15	20	24	16	10	7	5	1	-	-
FEMALE--	11	8	13	11	14	14	13	12	8	-	2	-
BLACK---MALE-----	14	14	15	19	21	15	9	7	4	1	-	-
FEMALE--	10	8	13	11	14	13	12	11	8	-	2	-
UTAH -----	4	3	9	8	16	14	14	5	6	2	-	-
WHITE-----MALE----	2	1	4	7	9	9	8	2	-	2	-	-
FEMALE--	2	1	5	1	6	5	6	3	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	4	1	4	3	6	4	8	1	-	-	-
WHITE-----MALE----	3	1	-	3	1	1	2	5	-	-	-	-
FEMALE--	-	3	1	1	2	5	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	36	41	46	80	82	114	68	87	30	9	-	-
WHITE-----MALE----	15	17	18	28	29	52	30	34	7	2	-	-
FEMALE--	6	8	10	18	24	37	27	35	14	6	-	-
ALL OTHER--MALE----	12	11	10	18	17	10	6	6	3	-	-	-
FEMALE--	3	5	8	16	12	15	5	12	6	1	-	-
BLACK---MALE-----	12	11	10	18	15	9	5	5	3	-	-	-
FEMALE--	3	5	7	16	11	15	5	12	6	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2053

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
UNITED STATES -	1,099	1,412	2,039	2,605	3,975	5,317	6,559	6,786	5,150	2,176	579	1
WHITE-----MALE----	570	725	1,042	1,357	1,857	2,212	2,506	2,068	1,239	417	63	-
FEMALE--	282	375	602	803	1,531	2,405	3,395	4,108	3,518	1,556	434	1
ALL OTHER--MALE----	148	203	222	261	290	345	273	224	132	59	15	-
FEMALE--	99	109	173	184	297	355	385	386	261	144	67	-
BLACK---MALE-----	134	183	205	235	253	285	247	182	108	47	14	-
FEMALE--	92	102	155	169	269	328	342	352	238	126	59	-
ALABAMA -----	73	97	139	174	224	268	283	270	210	88	24	-
WHITE-----MALE----	26	42	63	93	100	109	75	74	46	14	2	-
FEMALE--	16	23	39	45	69	103	141	138	122	58	13	-
ALL OTHER--MALE----	21	21	25	19	27	29	27	27	15	4	3	-
FEMALE--	10	11	12	17	28	27	40	31	27	12	6	-
BLACK---MALE-----	21	21	25	19	27	29	27	25	15	4	3	-
FEMALE--	10	11	11	17	28	27	39	31	27	12	6	-
ALASKA -----	-	3	6	-	2	3	2	6	6	1	-	-
WHITE-----MALE----	-	1	3	-	2	1	1	1	2	-	-	-
FEMALE--	-	1	2	-	-	-	-	5	4	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	12	14	30	33	37	51	48	47	13	1	-
WHITE-----MALE----	3	7	3	19	17	17	19	13	13	2	1	-
FEMALE--	-	2	5	6	14	16	30	34	33	10	-	-
ALL OTHER--MALE----	-	3	4	3	1	3	-	1	1	1	-	-
FEMALE--	-	-	2	2	1	1	2	-	-	-	-	-
BLACK---MALE-----	-	2	-	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ARKANSAS -----	20	29	33	50	42	62	81	82	76	31	5	-
WHITE-----MALE----	10	16	12	29	17	21	30	26	19	5	1	-
FEMALE--	7	7	14	13	20	31	38	43	48	22	1	-
ALL OTHER--MALE----	-	3	5	5	2	6	4	4	5	-	-	-
FEMALE--	3	3	2	3	3	4	9	9	4	4	3	-
BLACK---MALE-----	-	3	5	5	2	6	4	4	5	-	-	-
FEMALE--	2	3	2	3	3	4	9	9	4	4	3	-
CALIFORNIA -----	14	21	38	43	77	152	210	224	203	81	21	-
WHITE-----MALE----	4	11	16	23	30	63	80	75	70	20	4	-
FEMALE--	6	8	18	13	35	72	119	133	125	54	15	-
ALL OTHER--MALE----	3	1	2	5	5	12	2	8	2	2	-	-
FEMALE--	1	1	2	2	7	5	9	8	6	5	2	-
BLACK---MALE-----	2	1	2	3	2	5	1	3	1	1	-	-
FEMALE--	1	1	2	1	3	-	6	5	3	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2054

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
COLORADO -----	302	1	1	-	-	-	-	2	-	-	-	5
WHITE-----MALE----	132	-	1	-	-	-	-	1	-	-	-	3
FEMALE--	165	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	828	-	2	-	-	3	-	1	2	2	1	17
WHITE-----MALE----	321	-	1	-	-	1	-	-	1	2	-	7
FEMALE--	456	-	1	-	-	2	-	1	1	-	-	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE-----	26	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
DELAWARE -----	87	-	1	-	-	-	1	1	-	3	-	-
WHITE-----MALE----	37	-	-	-	-	-	1	1	-	2	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	65	-	-	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	1,831	3	2	1	-	4	3	10	7	9	28	27
WHITE-----MALE----	722	3	-	-	-	2	1	2	4	6	9	14
FEMALE--	911	-	1	-	-	1	1	2	-	-	12	5
ALL OTHER--MALE----	89	-	1	-	-	1	1	3	1	2	4	3
FEMALE--	109	-	-	1	-	-	-	3	2	1	3	5
BLACK---MALE-----	84	-	1	-	-	1	1	3	1	2	4	3
FEMALE--	107	-	-	1	-	-	-	3	2	1	3	4
GEORGIA -----	2,237	3	-	1	1	6	4	6	11	24	40	54
WHITE-----MALE----	704	-	-	-	-	2	4	-	2	4	20	30
FEMALE--	968	-	-	-	1	1	-	2	-	4	10	4
ALL OTHER--MALE----	259	2	-	-	-	2	-	2	6	11	3	10
FEMALE--	306	1	-	1	-	1	-	2	3	5	7	10
BLACK---MALE-----	257	2	-	-	-	2	-	2	6	11	3	10
FEMALE--	302	1	-	1	-	1	-	2	3	5	7	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2054

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
COLORADO -----	8	4	13	16	16	39	60	62	57	13	5	-
WHITE-----MALE----	4	3	8	11	10	18	27	22	19	4	1	-
FEMALE--	3	1	5	4	6	21	32	40	38	8	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	16	21	28	49	64	116	145	160	130	52	19	-
WHITE-----MALE----	11	13	11	27	29	49	65	48	36	15	5	-
FEMALE--	4	5	10	16	28	59	75	106	93	37	13	-
ALL OTHER--MALE----	1	1	3	5	5	4	3	2	-	-	-	-
FEMALE--	-	2	4	1	2	4	2	4	1	-	1	-
BLACK---MALE-----	1	1	3	4	5	4	3	2	-	-	-	-
FEMALE--	-	2	4	1	2	4	2	4	1	-	-	-
DELAWARE -----	2	2	2	5	10	16	11	13	14	6	-	-
WHITE-----MALE----	-	1	-	-	7	8	6	4	6	1	-	-
FEMALE--	1	-	1	1	1	6	4	9	8	5	-	-
ALL OTHER--MALE----	-	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	1	5	3	5	12	9	14	7	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	1	1	-	-
FEMALE--	1	-	-	-	-	1	2	4	2	-	-	-
ALL OTHER--MALE----	1	-	2	2	4	5	2	3	2	-	-	-
FEMALE--	1	1	3	1	1	6	4	5	2	2	-	-
BLACK---MALE-----	1	-	2	2	4	5	2	3	2	-	-	-
FEMALE--	1	1	3	1	1	6	4	5	2	2	-	-
FLORIDA -----	29	45	75	87	185	236	322	339	268	123	28	-
WHITE-----MALE----	12	16	38	47	88	109	143	123	80	23	2	-
FEMALE--	7	18	24	23	76	98	161	198	172	89	23	-
ALL OTHER--MALE----	6	8	7	12	10	9	2	7	6	5	1	-
FEMALE--	4	3	6	5	11	20	16	11	10	6	2	-
BLACK---MALE-----	6	7	7	11	10	8	2	6	6	4	1	-
FEMALE--	4	3	6	5	11	20	15	11	10	6	2	-
GEORGIA -----	86	107	108	160	219	295	369	365	242	107	29	-
WHITE-----MALE----	37	48	49	74	77	91	100	101	52	9	4	-
FEMALE--	14	22	26	47	83	129	183	193	155	78	16	-
ALL OTHER--MALE----	19	22	22	20	24	35	43	21	13	3	1	-
FEMALE--	16	15	11	19	35	40	43	50	22	17	8	-
BLACK---MALE-----	18	22	21	20	24	35	43	21	13	3	1	-
FEMALE--	16	15	10	19	34	40	43	49	22	17	7	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2055

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
HAWAII -----	324	-	-	1	-	-	1	-	4	-	1	3
WHITE-----MALE----	38	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	41	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	138	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	107	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	151	1	1	-	-	-	-	-	-	4	2	3
WHITE-----MALE----	74	1	1	-	-	-	-	-	-	1	1	1
FEMALE--	75	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,457	2	3	-	3	3	7	14	8	5	27	28
WHITE-----MALE----	552	1	1	-	1	3	2	7	3	1	15	13
FEMALE--	681	1	1	-	1	-	2	3	1	2	3	6
ALL OTHER--MALE----	112	-	1	-	1	-	2	3	3	1	3	2
FEMALE--	112	-	-	-	-	-	1	1	1	1	6	7
BLACK---MALE-----	108	-	1	-	1	-	2	3	3	1	3	2
FEMALE--	109	-	-	-	-	-	1	1	1	1	6	7
INDIANA -----	1,028	1	3	-	1	-	2	7	6	9	14	25
WHITE-----MALE----	414	-	1	-	1	-	1	2	3	4	4	16
FEMALE--	526	1	1	-	-	-	1	3	1	2	6	5
ALL OTHER--MALE----	38	-	-	-	-	-	-	2	1	2	2	3
FEMALE--	50	-	1	-	-	-	-	-	1	1	2	1
BLACK---MALE-----	36	-	-	-	-	-	-	2	1	2	2	2
FEMALE--	50	-	1	-	-	-	-	-	1	1	2	1
IOWA -----	301	1	-	-	-	1	3	-	2	6	1	4
WHITE-----MALE----	120	-	-	-	-	1	3	-	1	3	1	2
FEMALE--	180	1	-	-	-	-	-	-	1	3	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	622	-	-	-	-	-	1	3	2	9	5	12
WHITE-----MALE----	255	-	-	-	-	-	1	1	1	6	3	7
FEMALE--	325	-	-	-	-	-	-	1	1	2	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	19	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2055

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
HAWAII -----	12	14	14	18	36	49	45	57	40	24	5	-
WHITE-----MALE----	4	3	2	2	4	7	3	3	5	3	-	-
FEMALE--	-	1	-	2	3	1	8	10	9	4	-	-
ALL OTHER--MALE----	4	8	4	10	19	30	16	25	16	6	-	-
FEMALE--	4	2	8	4	10	11	18	19	10	11	5	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	4	2	8	18	19	21	24	25	12	1	-
WHITE-----MALE----	4	2	2	7	11	5	9	12	10	7	-	-
FEMALE--	2	2	-	1	6	14	11	12	15	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25	47	74	98	154	213	243	249	169	70	15	-
WHITE-----MALE----	14	21	33	48	66	100	91	80	38	14	-	-
FEMALE--	6	12	17	27	57	86	131	145	115	53	12	-
ALL OTHER--MALE----	3	9	13	10	22	17	10	10	1	1	-	-
FEMALE--	2	5	11	13	9	10	11	14	15	2	3	-
BLACK---MALE-----	3	9	13	9	21	17	9	9	1	1	-	-
FEMALE--	2	5	11	12	9	10	10	14	14	2	3	-
INDIANA -----	25	35	64	74	126	138	174	142	122	44	16	-
WHITE-----MALE----	19	18	40	39	59	56	66	50	19	13	3	-
FEMALE--	4	13	17	26	57	73	97	84	94	29	12	-
ALL OTHER--MALE----	1	3	3	6	6	3	6	-	-	-	-	-
FEMALE--	1	1	4	3	4	6	5	8	9	2	1	-
BLACK---MALE-----	-	3	3	6	6	3	6	-	-	-	-	-
FEMALE--	1	1	4	3	4	6	5	8	9	2	1	-
IOWA -----	11	2	6	13	30	30	45	53	54	29	10	-
WHITE-----MALE----	8	2	4	10	16	13	16	20	13	5	2	-
FEMALE--	3	-	2	3	14	17	29	32	41	24	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	12	22	19	33	61	85	87	132	92	44	3	-
WHITE-----MALE----	8	11	5	15	37	42	48	39	25	6	-	-
FEMALE--	3	8	8	15	19	38	37	90	62	38	2	-
ALL OTHER--MALE----	1	-	2	2	3	1	-	1	4	-	1	-
FEMALE--	-	3	4	1	2	4	2	2	1	-	-	-
BLACK---MALE-----	1	-	2	1	2	1	-	1	4	-	1	-
FEMALE--	-	3	4	1	1	4	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2056

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
KENTUCKY -----	1,173	2	1	-	1	1	2	2	-	4	17	26
WHITE-----MALE----	475	2	-	-	1	-	1	2	-	3	7	16
FEMALE--	580	-	1	-	-	1	1	-	-	-	8	5
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	48	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	2
LOUISIANA -----	756	1	1	1	2	1	1	6	3	11	17	13
WHITE-----MALE----	237	-	-	1	1	-	-	2	-	3	8	2
FEMALE--	295	-	1	-	-	-	-	2	-	1	5	3
ALL OTHER--MALE----	112	1	-	-	1	-	1	1	2	3	2	7
FEMALE--	112	-	-	-	-	1	-	1	1	4	2	1
BLACK---MALE-----	109	1	-	-	1	-	1	1	2	3	2	7
FEMALE--	111	-	-	-	-	1	-	1	1	4	2	1
MAINE -----	228	-	-	-	-	-	-	-	3	-	1	4
WHITE-----MALE----	94	-	-	-	-	-	-	-	2	-	1	4
FEMALE--	129	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	453	-	1	-	-	1	3	3	4	8	9	10
WHITE-----MALE----	149	-	-	-	-	1	-	1	-	4	2	1
FEMALE--	194	-	-	-	-	-	1	1	-	1	2	3
ALL OTHER--MALE----	59	-	1	-	-	-	1	1	3	1	3	4
FEMALE--	51	-	-	-	-	-	1	-	1	2	2	2
BLACK---MALE-----	57	-	1	-	-	-	1	1	3	1	3	4
FEMALE--	51	-	-	-	-	-	1	-	1	2	2	2
MASSACHUSETTS -----	1,555	2	2	-	3	-	1	2	5	7	14	29
WHITE-----MALE----	625	1	-	-	1	-	1	1	2	3	8	17
FEMALE--	853	-	-	-	2	-	-	1	1	4	4	9
ALL OTHER--MALE----	34	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	43	-	2	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	31	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	38	-	1	-	-	-	-	-	1	-	-	1
MICHIGAN -----	1,014	1	1	1	-	5	1	4	5	9	13	14
WHITE-----MALE----	403	1	-	-	-	2	1	1	3	4	7	8
FEMALE--	497	-	-	-	-	3	-	2	-	2	3	2
ALL OTHER--MALE----	54	-	-	1	-	-	-	1	-	2	2	3
FEMALE--	60	-	1	-	-	-	-	-	2	1	1	1
BLACK---MALE-----	53	-	-	1	-	-	-	1	-	2	2	3
FEMALE--	58	-	1	-	-	-	-	-	2	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2056

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
KENTUCKY -----	37	51	64	59	130	150	202	199	153	60	12	-
WHITE-----MALE----	22	34	36	36	63	70	77	59	34	12	-	-
FEMALE--	11	11	18	18	55	68	107	119	106	41	10	-
ALL OTHER--MALE----	1	2	7	3	8	5	7	7	2	1	-	-
FEMALE--	3	4	3	2	4	7	11	14	11	6	2	-
BLACK---MALE-----	1	2	7	3	8	5	7	7	2	1	-	-
FEMALE--	3	4	3	2	4	7	11	14	11	6	2	-
LOUISIANA -----	27	32	39	56	79	98	124	111	82	43	8	-
WHITE-----MALE----	10	13	20	17	29	26	47	32	18	7	1	-
FEMALE--	6	5	5	16	31	40	52	54	44	26	4	-
ALL OTHER--MALE----	8	11	9	13	6	15	12	7	5	6	2	-
FEMALE--	3	3	5	10	13	17	13	18	15	4	1	-
BLACK---MALE-----	8	11	9	13	4	14	12	7	5	6	2	-
FEMALE--	3	3	5	10	13	17	13	17	15	4	1	-
MAINE -----	3	3	10	23	22	31	47	42	25	10	4	-
WHITE-----MALE----	3	2	6	14	8	11	21	18	3	1	-	-
FEMALE--	-	1	4	9	13	18	26	22	22	9	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	16	22	31	42	60	69	76	59	19	5	1
WHITE-----MALE----	6	11	8	12	19	20	23	21	14	6	-	-
FEMALE--	3	-	4	7	17	23	34	43	39	11	4	1
ALL OTHER--MALE----	4	4	7	9	2	8	4	4	2	1	-	-
FEMALE--	1	1	3	3	4	9	8	8	4	1	1	-
BLACK---MALE-----	4	4	7	9	2	7	4	4	2	-	-	-
FEMALE--	1	1	3	3	4	9	8	8	4	1	1	-
MASSACHUSETTS -----	47	64	81	84	159	204	277	271	184	86	33	-
WHITE-----MALE----	28	43	56	48	82	82	115	79	38	17	3	-
FEMALE--	16	14	23	27	64	114	149	186	143	67	29	-
ALL OTHER--MALE----	3	4	-	3	7	5	4	1	1	-	-	-
FEMALE--	-	3	2	6	6	3	9	5	2	2	1	-
BLACK---MALE-----	3	4	-	3	6	4	4	1	-	-	-	-
FEMALE--	-	3	2	4	6	2	8	5	2	2	1	-
MICHIGAN -----	21	27	48	64	104	155	174	162	141	53	11	-
WHITE-----MALE----	14	10	26	29	52	63	72	57	38	14	1	-
FEMALE--	5	10	14	27	39	71	88	96	93	33	9	-
ALL OTHER--MALE----	2	3	6	4	5	11	5	1	5	3	-	-
FEMALE--	-	4	2	4	8	10	9	8	5	3	1	-
BLACK---MALE-----	2	3	6	4	5	10	5	1	5	3	-	-
FEMALE--	-	4	2	3	8	10	8	8	5	3	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2057

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
MINNESOTA -----	6	11	18	25	43	79	107	110	80	43	15	-
WHITE-----MALE----	5	10	13	17	32	46	51	38	22	9	2	-
FEMALE--	-	1	5	7	10	32	56	71	58	33	13	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	40	39	65	55	84	92	87	114	71	35	10	-
WHITE-----MALE----	12	18	32	23	26	31	25	24	14	3	-	-
FEMALE--	7	7	10	14	25	31	41	55	40	20	6	-
ALL OTHER--MALE----	9	9	13	11	14	12	10	11	10	5	2	-
FEMALE--	12	5	10	7	19	18	11	24	7	7	2	-
BLACK---MALE-----	9	9	13	11	14	12	10	11	10	5	2	-
FEMALE--	12	5	10	7	19	18	11	24	7	7	2	-
MISSOURI -----	19	40	54	78	98	139	187	241	167	71	20	-
WHITE-----MALE----	15	21	34	46	50	63	79	83	40	13	6	-
FEMALE--	4	13	18	27	40	68	97	147	123	54	14	-
ALL OTHER--MALE----	-	4	1	3	5	5	5	7	1	2	-	-
FEMALE--	-	2	1	2	3	3	6	4	3	2	-	-
BLACK---MALE-----	-	4	1	3	5	5	5	7	-	2	-	-
FEMALE--	-	2	1	2	3	3	6	4	3	2	-	-
MONTANA -----	5	7	11	16	18	24	31	20	19	20	1	-
WHITE-----MALE----	4	4	6	12	11	17	13	5	3	3	-	-
FEMALE--	-	1	4	4	6	5	18	14	16	17	1	-
ALL OTHER--MALE----	1	2	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	16	23	23	36	46	70	83	99	68	44	19	-
WHITE-----MALE----	8	17	17	24	26	36	35	31	14	12	-	-
FEMALE--	6	4	6	9	16	32	45	67	53	32	18	-
ALL OTHER--MALE----	2	1	-	2	3	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	1	1	-	1	-
BLACK---MALE-----	1	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	1	1	1	-	1	-
NEVADA -----	6	7	7	19	32	34	37	38	26	7	3	-
WHITE-----MALE----	4	4	3	12	17	13	17	12	6	1	-	-
FEMALE--	2	3	4	5	14	13	19	24	19	5	3	-
ALL OTHER--MALE----	-	-	-	2	-	5	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	1	1	-	-
BLACK---MALE-----	-	-	-	2	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2059

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
OHIO -----	1,979	1	-	1	3	2	3	2	6	14	22	27
WHITE-----MALE----	737	1	-	-	2	-	2	-	-	6	13	17
FEMALE--	1,083	-	-	-	1	2	-	1	5	4	6	6
ALL OTHER--MALE----	63	-	-	-	-	-	1	-	1	1	2	3
FEMALE--	96	-	-	1	-	-	-	1	-	3	1	1
BLACK---MALE-----	61	-	-	-	-	-	1	-	-	1	2	3
FEMALE--	94	-	-	1	-	-	-	1	-	3	1	1
OKLAHOMA -----	528	-	1	-	-	3	2	-	5	2	7	20
WHITE-----MALE----	192	-	1	-	-	1	1	-	4	1	4	6
FEMALE--	267	-	-	-	-	2	-	-	-	-	1	9
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	39	-	-	-	-	-	1	-	-	1	-	3
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	24	-	-	-	-	-	1	-	-	1	-	3
OREGON -----	379	-	-	-	-	2	-	1	-	1	7	5
WHITE-----MALE----	155	-	-	-	-	2	-	1	-	-	5	4
FEMALE--	218	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,199	-	3	-	1	2	4	8	16	21	44	60
WHITE-----MALE----	1,359	-	3	-	1	1	2	5	8	11	23	40
FEMALE--	1,587	-	-	-	-	1	2	1	3	5	13	13
ALL OTHER--MALE----	123	-	-	-	-	-	-	1	2	2	6	5
FEMALE--	130	-	-	-	-	-	-	1	3	3	2	2
BLACK---MALE-----	120	-	-	-	-	-	-	1	1	2	6	5
FEMALE--	127	-	-	-	-	-	-	1	3	3	1	2
RHODE ISLAND -----	43	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	704	3	1	1	1	2	1	6	2	10	12	24
WHITE-----MALE----	197	-	1	-	-	-	-	4	1	3	6	7
FEMALE--	291	1	-	1	-	1	1	1	1	1	2	1
ALL OTHER--MALE----	113	2	-	-	1	1	-	-	-	2	3	12
FEMALE--	103	-	-	-	-	1	-	1	-	4	1	4
BLACK---MALE-----	113	2	-	-	1	1	-	-	-	2	3	12
FEMALE--	102	-	-	-	-	1	-	1	-	4	1	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2059

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
OHIO -----	60	51	98	121	212	251	338	352	272	118	25	-
WHITE-----MALE----	44	24	52	57	99	113	123	103	56	21	4	-
FEMALE--	13	16	34	48	95	123	195	224	201	89	20	-
ALL OTHER--MALE----	-	6	6	8	9	5	3	9	7	2	-	-
FEMALE--	3	5	6	8	9	10	17	16	8	6	1	-
BLACK---MALE-----	-	6	6	8	9	5	3	9	6	2	-	-
FEMALE--	3	4	6	8	8	10	17	16	8	6	1	-
OKLAHOMA -----	11	15	32	41	55	58	79	104	61	26	6	-
WHITE-----MALE----	5	8	12	25	24	23	34	22	13	7	1	-
FEMALE--	1	4	12	13	25	31	35	71	41	17	5	-
ALL OTHER--MALE----	1	2	5	1	-	2	4	6	2	2	-	-
FEMALE--	4	1	3	2	6	2	6	5	5	-	-	-
BLACK---MALE-----	1	1	2	-	-	1	3	4	2	1	-	-
FEMALE--	2	-	1	1	6	1	2	3	3	-	-	-
OREGON -----	10	10	13	25	43	50	61	66	52	28	5	-
WHITE-----MALE----	4	5	7	15	22	26	27	18	12	7	-	-
FEMALE--	5	5	4	10	21	22	34	48	40	20	5	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
PENNSYLVANIA -----	82	145	182	216	345	471	539	516	353	151	40	-
WHITE-----MALE----	51	88	101	121	178	200	220	184	88	28	6	-
FEMALE--	20	39	61	68	130	236	293	307	255	112	28	-
ALL OTHER--MALE----	7	13	9	19	19	16	11	9	1	1	2	-
FEMALE--	4	5	11	8	18	19	15	16	9	10	4	-
BLACK---MALE-----	7	12	8	19	19	16	11	9	1	1	2	-
FEMALE--	4	4	11	8	18	19	14	16	9	10	4	-
RHODE ISLAND -----	1	-	3	1	3	8	3	9	7	5	1	-
WHITE-----MALE----	1	-	1	1	1	3	1	3	3	2	-	-
FEMALE--	-	-	2	-	1	5	2	5	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	31	27	45	44	86	99	106	96	74	24	9	-
WHITE-----MALE----	12	10	20	15	28	28	23	21	12	6	-	-
FEMALE--	3	4	8	13	31	43	49	60	53	11	7	-
ALL OTHER--MALE----	14	11	8	9	14	17	12	4	3	-	-	-
FEMALE--	2	2	9	7	13	11	22	11	6	7	2	-
BLACK---MALE-----	14	11	8	9	14	17	12	4	3	-	-	-
FEMALE--	2	2	9	6	13	11	22	11	6	7	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2060

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
SOUTH DAKOTA -----	136	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	958	-	-	1	1	4	4	9	5	10	20	32
WHITE-----MALE----	359	-	-	-	-	2	1	4	3	6	10	24
FEMALE--	452	-	-	-	1	-	-	1	1	2	8	4
ALL OTHER--MALE----	62	-	-	1	-	2	2	-	-	1	1	2
FEMALE--	85	-	-	-	-	-	1	4	1	1	1	2
BLACK---MALE-----	62	-	-	1	-	2	2	-	-	1	1	2
FEMALE--	84	-	-	-	-	-	1	4	1	1	1	2
TEXAS -----	1,723	3	2	-	6	11	9	7	13	18	31	26
WHITE-----MALE----	686	2	2	-	4	5	4	3	5	8	17	16
FEMALE--	874	-	-	-	1	5	2	1	4	5	8	8
ALL OTHER--MALE----	76	-	-	-	-	-	3	1	3	2	-	1
FEMALE--	87	1	-	-	1	1	-	2	1	3	6	1
BLACK---MALE-----	74	-	-	-	-	-	3	-	3	2	-	1
FEMALE--	79	1	-	-	1	1	-	2	1	3	5	1
UTAH -----	163	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	89	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	89	-	-	-	-	-	1	-	-	3	-	1
WHITE-----MALE----	33	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,648	-	4	1	-	3	5	1	10	14	28	44
WHITE-----MALE----	562	-	1	1	-	1	-	1	3	5	14	23
FEMALE--	717	-	2	-	-	-	1	-	4	5	3	9
ALL OTHER--MALE----	164	-	-	-	-	2	2	-	1	2	5	5
FEMALE--	205	-	1	-	-	-	2	-	2	2	6	7
BLACK---MALE-----	158	-	-	-	-	2	1	-	1	2	5	5
FEMALE--	200	-	1	-	-	-	2	-	2	2	5	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2060

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
SOUTH DAKOTA -----	1	7	7	8	17	19	18	25	13	11	5	-
WHITE-----MALE----	-	3	6	7	12	9	7	7	4	7	1	-
FEMALE--	1	2	1	1	5	9	9	18	9	4	4	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	33	49	62	69	79	134	156	144	92	42	12	-
WHITE-----MALE----	20	25	28	44	34	55	45	37	13	5	3	-
FEMALE--	10	15	18	15	35	62	87	86	68	32	7	-
ALL OTHER--MALE----	2	7	6	9	4	5	10	6	3	1	-	-
FEMALE--	1	2	10	1	6	12	14	15	8	4	2	-
BLACK---MALE-----	2	7	6	9	4	5	10	6	3	1	-	-
FEMALE--	1	2	10	1	5	12	14	15	8	4	2	-
TEXAS -----	58	52	97	127	159	227	218	286	242	109	22	-
WHITE-----MALE----	33	25	57	75	86	92	91	87	51	21	2	-
FEMALE--	17	19	29	37	55	115	115	189	171	76	17	-
ALL OTHER--MALE----	7	6	8	10	9	8	6	3	6	3	-	-
FEMALE--	1	2	3	5	9	12	6	7	14	9	3	-
BLACK---MALE-----	7	6	7	10	9	8	6	3	6	3	-	-
FEMALE--	1	2	3	5	9	9	4	5	14	9	3	-
UTAH -----	2	3	9	9	13	17	35	35	24	11	1	-
WHITE-----MALE----	2	2	7	6	9	7	15	14	7	2	-	-
FEMALE--	-	1	2	3	4	10	20	21	16	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	5	4	7	9	14	26	10	5	2	-
WHITE-----MALE----	1	1	3	1	3	2	10	6	-	1	1	-
FEMALE--	-	-	2	3	4	7	4	20	10	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	48	66	97	135	167	208	280	240	202	66	29	-
WHITE-----MALE----	24	27	50	61	69	76	89	56	49	12	-	-
FEMALE--	10	13	22	38	58	86	127	147	127	42	23	-
ALL OTHER--MALE----	8	16	13	18	20	18	28	13	8	4	1	-
FEMALE--	6	10	12	18	20	28	36	24	18	8	5	-
BLACK---MALE-----	7	16	13	17	20	17	27	13	7	4	1	-
FEMALE--	6	9	12	18	19	28	36	24	17	7	5	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2062

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
UNITED STATES -	54,913	11	10	5	7	14	17	27	38	88	184	298
WHITE-----MALE----	18,469	3	5	2	3	8	6	6	11	34	77	116
FEMALE--	30,848	5	3	1	3	1	3	7	10	24	39	67
ALL OTHER--MALE----	2,286	2	2	1	-	4	5	7	8	18	35	70
FEMALE--	3,310	1	-	1	1	1	3	7	9	12	33	45
BLACK---MALE-----	2,021	2	2	1	-	3	5	7	8	16	35	68
FEMALE--	2,977	1	-	1	1	1	3	6	9	12	31	43
ALABAMA -----	2,055	1	-	-	-	2	-	-	4	3	9	24
WHITE-----MALE----	628	-	-	-	-	1	-	-	-	-	1	5
FEMALE--	979	-	-	-	-	-	-	-	3	1	1	8
ALL OTHER--MALE----	185	-	-	-	-	1	-	-	-	1	4	6
FEMALE--	263	1	-	-	-	-	-	-	1	1	3	5
BLACK---MALE-----	182	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	262	1	-	-	-	-	-	-	1	1	3	5
ALASKA -----	44	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	589	2	1	-	-	-	-	1	-	3	1	3
WHITE-----MALE----	213	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	339	1	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,286	1	1	-	-	-	-	2	2	2	5	7
WHITE-----MALE----	447	-	1	-	-	-	-	-	2	1	2	3
FEMALE--	724	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	47	1	-	-	-	-	-	2	-	1	1	-
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	46	1	-	-	-	-	-	2	-	1	1	-
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	3,529	-	1	-	1	1	-	1	3	10	10	11
WHITE-----MALE----	1,173	-	-	-	-	1	-	-	-	5	3	5
FEMALE--	1,975	-	1	-	1	-	-	-	1	4	7	4
ALL OTHER--MALE----	164	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	217	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE-----	76	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	124	-	-	-	-	-	-	1	1	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2062

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
UNITED STATES -	484	853	1,254	2,240	4,284	6,926	9,845	12,169	10,197	4,850	1,111	1
WHITE-----MALE----	206	387	585	1,012	2,026	2,918	3,725	3,820	2,459	907	153	-
FEMALE--	120	239	421	815	1,658	3,184	5,254	7,421	7,124	3,583	866	-
ALL OTHER--MALE----	94	119	137	220	268	346	329	335	177	84	24	1
FEMALE--	64	108	111	193	332	478	537	593	437	276	68	-
BLACK---MALE-----	89	114	129	198	245	309	274	286	141	69	19	1
FEMALE--	60	101	107	182	302	422	476	539	374	247	59	-
ALABAMA -----	33	55	62	104	195	292	345	451	298	145	32	-
WHITE-----MALE----	10	22	28	45	80	102	124	122	65	22	1	-
FEMALE--	7	12	16	35	62	122	163	240	189	100	20	-
ALL OTHER--MALE----	9	15	9	13	22	34	19	34	8	6	4	-
FEMALE--	7	6	9	11	31	34	39	55	36	17	7	-
BLACK---MALE-----	9	15	9	13	22	33	18	34	8	6	4	-
FEMALE--	6	6	9	11	31	34	39	55	36	17	7	-
ALASKA -----	-	1	1	1	2	8	8	9	9	5	-	-
WHITE-----MALE----	-	1	1	-	-	-	4	3	1	-	-	-
FEMALE--	-	-	-	1	2	4	2	6	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	5	11	12	33	44	71	120	121	119	33	9	-
WHITE-----MALE----	3	6	8	18	20	36	40	44	31	3	-	-
FEMALE--	2	2	3	10	20	31	78	72	82	29	6	-
ALL OTHER--MALE----	-	-	1	3	-	3	-	-	3	-	1	-
FEMALE--	-	3	-	2	4	1	2	5	3	1	2	-
BLACK---MALE-----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	3	-	-	1	-	-	2	-	-	-	-
ARKANSAS -----	13	21	40	51	115	173	241	277	232	82	21	-
WHITE-----MALE----	4	9	19	29	56	75	91	83	54	15	3	-
FEMALE--	6	9	16	16	44	83	133	172	162	62	16	-
ALL OTHER--MALE----	-	-	1	3	6	11	5	10	3	2	1	-
FEMALE--	3	3	4	3	9	4	12	12	13	3	1	-
BLACK---MALE-----	-	-	1	3	6	11	5	9	3	2	1	-
FEMALE--	3	3	4	3	9	4	12	12	13	3	1	-
CALIFORNIA -----	22	56	70	112	267	431	635	804	684	332	78	-
WHITE-----MALE----	12	26	30	51	109	175	243	249	174	74	16	-
FEMALE--	5	16	29	42	119	194	322	490	454	231	55	-
ALL OTHER--MALE----	2	8	6	9	14	25	31	36	18	10	3	-
FEMALE--	3	6	5	10	25	37	39	29	38	17	4	-
BLACK---MALE-----	1	7	3	2	10	16	12	14	4	2	3	-
FEMALE--	3	4	4	8	19	21	24	15	12	7	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2063

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
COLORADO -----	560	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	194	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	347	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	653	-	-	-	-	-	-	-	1	2	2	4
WHITE-----MALE----	200	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	419	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	1	-
DELAWARE -----	121	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	71	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,527	-	1	-	-	-	-	-	-	1	8	5
WHITE-----MALE----	593	-	1	-	-	-	-	-	-	1	5	3
FEMALE--	821	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	79	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	76	-	-	-	-	-	-	-	-	-	1	1
GEORGIA -----	1,907	1	-	1	-	2	-	3	5	6	13	20
WHITE-----MALE----	558	-	-	-	-	-	-	-	2	3	2	10
FEMALE--	935	-	-	-	-	-	-	1	1	-	2	3
ALL OTHER--MALE----	150	1	-	-	-	2	-	1	-	-	5	5
FEMALE--	264	-	-	1	-	-	-	1	2	3	4	2
BLACK---MALE-----	149	1	-	-	-	2	-	1	-	-	5	5
FEMALE--	264	-	-	1	-	-	-	1	2	3	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2063

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
COLORADO -----	3	8	4	21	42	76	94	118	120	53	16	-
WHITE-----MALE----	-	4	-	10	23	38	34	45	26	11	-	-
FEMALE--	3	3	4	10	16	37	54	70	91	42	16	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	2	-	-	-
FEMALE--	-	1	-	-	2	1	4	3	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	2	-	1	-	-	-
FEMALE--	-	1	-	-	2	1	2	3	1	-	-	-
CONNECTICUT -----	4	6	12	18	37	83	117	159	133	64	11	-
WHITE-----MALE----	3	2	6	6	16	34	46	49	29	7	-	-
FEMALE--	1	4	4	12	17	43	68	104	98	54	11	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	3	3	-	-	-
FEMALE--	-	-	2	-	3	4	2	3	3	3	-	-
BLACK---MALE-----	-	-	-	-	1	2	1	3	3	-	-	-
FEMALE--	-	-	2	-	3	4	2	3	3	3	-	-
DELAWARE -----	2	3	3	5	15	17	18	19	26	10	2	-
WHITE-----MALE----	-	1	-	2	10	5	6	9	9	2	-	-
FEMALE--	2	-	1	3	5	10	11	10	16	7	1	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	1	1	-
BLACK---MALE-----	-	1	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	1	1	-
DISTRICT OF COLUMBIA ---	-	-	3	3	5	12	12	19	9	6	1	-
WHITE-----MALE----	-	-	-	1	1	4	1	2	1	-	-	-
FEMALE--	-	-	1	-	-	1	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	5	4	7	2	-	-	-
FEMALE--	-	-	1	1	2	3	6	3	4	1	-	-
BLACK---MALE-----	-	-	1	1	2	5	4	7	2	-	-	-
FEMALE--	-	-	1	1	2	3	6	6	3	4	1	-
FLORIDA -----	10	19	21	63	118	213	265	335	295	145	28	-
WHITE-----MALE----	3	6	9	32	62	110	110	122	92	35	2	-
FEMALE--	2	8	9	22	42	83	143	192	191	102	24	-
ALL OTHER--MALE----	2	2	2	4	5	3	2	9	3	1	1	-
FEMALE--	3	3	1	5	9	17	10	12	9	7	1	-
BLACK---MALE-----	2	2	2	4	4	3	2	9	3	1	1	-
FEMALE--	3	3	1	5	8	16	9	12	9	7	1	-
GEORGIA -----	27	41	68	126	174	261	329	391	271	135	33	-
WHITE-----MALE----	8	13	24	48	76	80	117	101	52	20	2	-
FEMALE--	4	8	21	39	57	114	159	235	177	89	25	-
ALL OTHER--MALE----	8	8	12	15	17	26	19	14	8	6	3	-
FEMALE--	7	12	11	24	24	41	34	41	34	20	3	-
BLACK---MALE-----	8	8	12	15	17	26	19	13	8	6	3	-
FEMALE--	7	12	11	24	24	41	34	41	34	20	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2064

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
HAWAII -----	1	3	2	6	10	29	22	26	25	14	6	-
WHITE-----MALE----	-	-	1	1	1	6	1	3	1	1	-	-
FEMALE--	-	-	-	-	3	5	4	3	3	4	2	-
ALL OTHER--MALE----	1	2	1	5	3	8	9	10	10	2	1	-
FEMALE--	-	1	-	-	3	10	8	10	11	7	3	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	2	4	12	20	44	48	37	20	6	-
WHITE-----MALE----	1	-	1	2	7	5	20	23	17	6	3	-
FEMALE--	2	1	1	2	5	15	24	25	20	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	26	42	63	102	217	338	502	601	552	276	57	-
WHITE-----MALE----	13	15	26	51	90	151	194	193	132	44	9	-
FEMALE--	6	11	21	31	95	145	266	356	389	211	42	-
ALL OTHER--MALE----	5	11	10	9	12	11	14	12	11	4	2	-
FEMALE--	2	5	6	11	20	31	28	40	20	17	4	-
BLACK---MALE-----	5	11	10	9	11	11	14	10	9	3	1	-
FEMALE--	2	5	6	11	19	28	28	37	20	16	4	-
INDIANA -----	13	39	41	76	143	224	327	366	325	140	30	-
WHITE-----MALE----	6	16	21	40	70	96	128	134	68	29	4	-
FEMALE--	2	13	12	30	59	113	185	221	245	107	24	-
ALL OTHER--MALE----	3	4	6	5	7	4	5	4	1	1	-	-
FEMALE--	2	6	2	1	7	11	9	7	11	3	2	-
BLACK---MALE-----	3	4	6	5	7	4	5	4	1	1	-	-
FEMALE--	2	6	2	1	7	11	9	7	9	2	2	-
IOWA -----	1	5	5	8	14	31	40	68	48	45	11	-
WHITE-----MALE----	1	4	2	5	7	20	18	22	9	4	2	-
FEMALE--	-	1	3	3	7	11	22	45	39	41	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	1	5	18	23	44	87	130	189	208	111	28	-
WHITE-----MALE----	1	-	8	9	24	35	45	68	66	22	3	-
FEMALE--	-	5	10	11	17	50	78	119	137	86	24	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	2	2	2	7	2	4	2	1	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	-	1	4	2	3	2	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2065

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
KENTUCKY -----	17	33	38	64	142	182	242	269	217	107	23	-
WHITE-----MALE----	9	21	18	34	65	73	86	91	48	20	6	-
FEMALE--	6	7	18	27	66	100	144	171	166	83	15	-
ALL OTHER--MALE----	1	3	1	2	6	3	8	2	1	1	-	-
FEMALE--	1	2	1	1	5	6	4	5	2	3	2	-
BLACK---MALE-----	1	3	1	2	6	3	8	2	1	1	-	-
FEMALE--	1	2	1	1	5	6	4	5	2	3	1	-
LOUISIANA -----	16	29	31	57	93	147	193	225	199	91	15	-
WHITE-----MALE----	6	5	14	16	36	53	64	59	39	8	2	-
FEMALE--	2	7	8	18	35	60	95	127	125	62	8	-
ALL OTHER--MALE----	5	11	3	12	9	14	12	19	11	6	1	-
FEMALE--	3	6	6	11	13	20	22	20	24	15	4	-
BLACK---MALE-----	5	10	3	12	9	14	12	19	11	6	1	-
FEMALE--	3	6	6	11	13	20	22	20	24	15	4	-
MAINE -----	1	2	7	7	26	28	50	55	62	31	9	-
WHITE-----MALE----	1	1	5	3	16	11	27	26	15	12	2	-
FEMALE--	-	1	2	4	10	17	22	29	47	19	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	16	20	38	44	76	129	175	142	56	12	-
WHITE-----MALE----	-	3	8	9	21	27	46	46	32	8	2	-
FEMALE--	-	3	7	11	13	33	61	110	90	43	10	-
ALL OTHER--MALE----	2	6	3	10	6	6	8	5	4	-	-	-
FEMALE--	1	4	2	8	4	10	14	14	16	5	-	-
BLACK---MALE-----	2	6	3	10	6	6	6	4	4	-	-	-
FEMALE--	1	4	2	8	2	10	11	14	14	5	-	-
MASSACHUSETTS -----	9	10	20	51	121	223	320	441	378	176	41	-
WHITE-----MALE----	4	7	11	24	63	120	118	146	81	27	12	-
FEMALE--	2	2	6	24	50	94	193	284	292	144	29	-
ALL OTHER--MALE----	1	-	2	2	5	2	3	1	1	-	-	-
FEMALE--	2	1	1	1	3	7	6	10	4	5	-	-
BLACK---MALE-----	-	-	2	2	4	1	-	1	1	-	-	-
FEMALE--	2	1	1	1	3	5	5	10	4	5	-	-
MICHIGAN -----	19	32	34	79	161	297	417	530	443	186	47	-
WHITE-----MALE----	7	15	17	40	71	123	145	169	118	41	10	-
FEMALE--	3	11	9	30	70	147	236	335	301	131	36	-
ALL OTHER--MALE----	7	2	4	4	9	14	14	10	7	4	-	-
FEMALE--	2	4	4	5	11	13	22	16	17	10	1	-
BLACK---MALE-----	7	2	4	4	9	14	13	9	6	3	-	-
FEMALE--	2	4	4	5	11	12	22	15	17	10	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2066

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
MINNESOTA -----	6	5	18	25	58	111	231	287	269	145	42	-
WHITE-----MALE----	3	3	13	12	39	60	124	104	81	22	6	-
FEMALE--	2	1	5	10	17	49	103	180	187	122	36	-
ALL OTHER--MALE----	-	-	-	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	3	2	1	1	-	-
BLACK---MALE-----	-	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	2	-	-	-	-
MISSISSIPPI -----	15	29	36	67	99	163	215	286	184	102	24	-
WHITE-----MALE----	7	13	10	22	42	60	42	66	37	10	4	-
FEMALE--	2	6	14	16	33	66	115	152	107	61	15	-
ALL OTHER--MALE----	5	6	4	19	14	15	33	31	21	11	1	-
FEMALE--	1	4	8	10	10	22	25	37	19	20	4	-
BLACK---MALE-----	5	6	4	18	14	15	33	31	21	11	1	-
FEMALE--	1	4	8	10	10	22	25	37	19	20	4	-
MISSOURI -----	9	12	37	53	107	167	242	283	256	140	34	-
WHITE-----MALE----	4	9	21	26	56	77	86	94	56	31	4	-
FEMALE--	2	1	12	23	38	75	139	177	191	107	29	-
ALL OTHER--MALE----	2	1	2	1	7	4	5	5	4	1	-	-
FEMALE--	1	1	2	3	6	11	12	7	5	1	1	-
BLACK---MALE-----	2	1	2	1	7	4	5	5	4	1	-	-
FEMALE--	1	1	2	3	6	11	12	7	5	1	1	-
MONTANA -----	3	4	4	9	24	30	71	75	66	33	10	-
WHITE-----MALE----	-	3	1	6	10	10	30	29	19	9	1	-
FEMALE--	2	-	2	3	12	19	38	43	46	23	9	-
ALL OTHER--MALE----	-	-	1	-	1	1	2	2	1	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	10	18	26	40	61	106	149	128	68	18	-
WHITE-----MALE----	1	7	12	11	23	28	39	50	38	9	2	-
FEMALE--	-	2	5	14	17	28	64	98	90	57	15	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	-	-	1	-	-
FEMALE--	-	1	-	1	-	4	1	1	-	1	1	-
BLACK---MALE-----	-	-	1	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	4	1	-	-	1	-	-
NEVADA -----	1	12	10	25	43	56	69	62	52	16	7	-
WHITE-----MALE----	1	9	8	9	23	30	28	24	10	1	1	-
FEMALE--	-	1	1	12	18	24	37	36	38	14	6	-
ALL OTHER--MALE----	-	-	1	1	2	-	2	-	-	-	-	-
FEMALE--	-	2	-	3	-	2	2	2	4	1	-	-
BLACK---MALE-----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	4	1	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2068

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
OHIO -----	13	35	50	85	189	336	471	498	449	199	49	1
WHITE-----MALE----	7	18	18	38	97	147	198	148	109	38	5	-
FEMALE--	2	10	21	28	76	163	248	326	327	151	42	-
ALL OTHER--MALE----	2	4	5	10	7	8	11	6	6	1	-	1
FEMALE--	2	3	6	9	9	18	14	18	7	9	2	-
BLACK---MALE-----	2	4	5	10	6	8	11	6	6	1	-	1
FEMALE--	2	3	6	9	9	16	14	18	7	9	2	-
OKLAHOMA -----	17	26	28	56	82	135	207	244	229	110	27	-
WHITE-----MALE----	7	17	16	22	42	56	83	73	46	15	2	-
FEMALE--	3	6	10	24	36	70	115	154	174	83	23	-
ALL OTHER--MALE----	4	2	2	6	3	4	1	5	2	4	1	-
FEMALE--	3	1	-	4	1	5	8	12	7	8	1	-
BLACK---MALE-----	3	2	2	3	2	3	1	2	2	4	-	-
FEMALE--	3	1	-	4	-	1	4	9	4	7	1	-
OREGON -----	9	7	13	21	45	77	126	180	154	88	19	-
WHITE-----MALE----	3	3	5	12	24	39	55	56	44	22	2	-
FEMALE--	6	3	7	9	18	35	70	121	106	65	17	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	1	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
PENNSYLVANIA -----	21	32	47	124	259	438	597	810	608	296	62	-
WHITE-----MALE----	12	13	24	62	145	205	232	250	154	59	10	-
FEMALE--	6	15	17	48	90	203	336	516	437	220	50	-
ALL OTHER--MALE----	3	1	3	12	11	16	13	11	2	4	-	-
FEMALE--	-	3	3	2	13	14	16	33	15	13	2	-
BLACK---MALE-----	3	1	3	12	11	16	13	10	2	4	-	-
FEMALE--	-	3	3	2	13	13	16	33	15	12	2	-
RHODE ISLAND -----	1	1	3	5	9	9	17	15	17	4	1	-
WHITE-----MALE----	1	1	3	3	5	3	8	7	2	-	-	-
FEMALE--	-	-	-	2	4	6	9	8	15	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	17	18	33	55	87	127	141	192	114	43	8	-
WHITE-----MALE----	3	5	10	23	33	45	33	48	17	7	1	-
FEMALE--	6	4	9	11	23	51	82	109	81	27	4	-
ALL OTHER--MALE----	5	5	7	14	16	10	9	12	4	2	-	-
FEMALE--	3	4	7	7	15	21	17	23	12	7	3	-
BLACK---MALE-----	5	5	7	14	16	10	8	12	4	2	-	-
FEMALE--	3	4	7	7	15	20	17	23	12	7	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2069

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
SOUTH DAKOTA -----	1	1	8	10	10	11	27	42	49	30	6	-
WHITE-----MALE----	1	1	4	5	7	7	16	13	8	10	-	-
FEMALE--	-	-	3	3	3	3	10	28	41	19	6	-
ALL OTHER--MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	25	30	42	84	131	143	175	148	58	9	-
WHITE-----MALE----	1	14	14	16	37	56	46	51	33	11	1	-
FEMALE--	2	6	5	16	35	57	79	108	104	40	7	-
ALL OTHER--MALE----	7	1	6	6	2	8	4	7	3	1	-	-
FEMALE--	1	4	5	4	10	10	14	9	8	6	1	-
BLACK---MALE-----	7	1	6	6	2	8	4	7	3	1	-	-
FEMALE--	1	4	5	4	10	10	14	9	8	6	1	-
TEXAS -----	50	58	101	157	312	462	582	756	600	303	42	-
WHITE-----MALE----	27	26	45	81	152	186	244	215	138	58	4	-
FEMALE--	12	17	36	50	112	214	281	475	422	220	33	-
ALL OTHER--MALE----	7	7	13	15	22	24	23	22	11	5	1	-
FEMALE--	4	8	7	11	26	38	34	44	29	20	4	-
BLACK---MALE-----	7	7	13	15	22	23	21	22	11	5	1	-
FEMALE--	2	8	6	11	25	37	34	42	27	19	4	-
UTAH -----	-	2	3	12	31	30	72	101	83	35	7	-
WHITE-----MALE----	-	1	2	3	17	14	24	32	23	9	1	-
FEMALE--	-	1	1	8	13	16	47	67	60	26	6	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	3	1	5	11	16	10	21	15	4	-
WHITE-----MALE----	-	-	1	1	4	5	5	-	4	4	-	-
FEMALE--	-	1	2	-	1	6	11	10	17	11	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	24	47	70	112	201	275	301	222	119	27	-
WHITE-----MALE----	8	12	22	22	48	77	93	82	40	21	2	-
FEMALE--	5	5	12	25	37	79	126	173	153	84	20	-
ALL OTHER--MALE----	5	3	6	11	15	21	29	16	4	1	2	-
FEMALE--	1	4	7	12	12	24	27	30	25	13	3	-
BLACK---MALE-----	5	3	6	11	15	20	28	16	4	1	2	-
FEMALE--	1	4	7	12	10	23	22	28	24	13	3	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2071

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congestive heart failure (I50.0)												
UNITED STATES -	50,824	4	7	5	4	10	12	20	26	67	146	235
WHITE-----MALE----	16,954	1	3	2	2	7	4	2	9	24	62	87
FEMALE--	28,844	2	3	1	2	1	2	5	5	19	32	48
ALL OTHER--MALE----	2,033	-	1	1	-	2	3	7	6	17	27	61
FEMALE--	2,993	1	-	1	-	-	3	6	6	7	25	39
BLACK---MALE-----	1,797	-	1	1	-	2	3	7	6	15	27	59
FEMALE--	2,691	1	-	1	-	-	3	6	6	7	24	37
ALABAMA -----	1,756	1	-	-	-	1	-	-	1	1	7	17
WHITE-----MALE----	537	-	-	-	-	1	-	-	-	-	1	4
FEMALE--	862	-	-	-	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	146	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	211	1	-	-	-	-	-	-	-	-	2	4
BLACK---MALE-----	145	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	210	1	-	-	-	-	-	-	-	-	2	4
ALASKA -----	40	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	559	1	1	-	-	-	-	1	-	2	1	3
WHITE-----MALE----	202	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	322	1	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,231	-	1	-	-	-	-	2	2	2	5	7
WHITE-----MALE----	430	-	1	-	-	-	-	-	2	1	2	3
FEMALE--	690	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	45	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	44	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	3,471	-	1	-	-	1	-	1	2	10	9	10
WHITE-----MALE----	1,156	-	-	-	-	1	-	-	-	5	3	5
FEMALE--	1,937	-	1	-	-	-	-	-	1	4	6	3
ALL OTHER--MALE----	163	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	215	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE-----	75	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	123	-	-	-	-	-	-	1	1	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2071

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
UNITED STATES -	395	694	1,072	1,996	3,873	6,362	9,198	11,452	9,639	4,566	1,040	1
WHITE-----MALE----	163	313	486	886	1,831	2,678	3,468	3,590	2,334	860	142	-
FEMALE--	95	195	374	744	1,501	2,952	4,931	7,016	6,734	3,367	815	-
ALL OTHER--MALE----	79	95	116	191	241	309	306	303	169	77	21	1
FEMALE--	58	91	96	175	300	423	493	543	402	262	62	-
BLACK---MALE-----	75	91	109	173	220	277	257	259	134	64	16	1
FEMALE--	55	87	92	164	272	375	436	493	342	236	54	-
ALABAMA -----	26	37	46	77	172	249	301	402	265	127	26	-
WHITE-----MALE----	6	17	18	30	73	89	109	112	58	18	1	-
FEMALE--	6	8	14	30	57	106	143	214	170	89	19	-
ALL OTHER--MALE----	7	7	7	10	17	28	18	29	7	5	2	-
FEMALE--	7	5	7	7	25	26	31	47	30	15	4	-
BLACK---MALE-----	7	7	7	10	17	28	17	29	7	5	2	-
FEMALE--	6	5	7	7	25	26	31	47	30	15	4	-
ALASKA -----	-	1	1	1	2	7	7	9	7	5	-	-
WHITE-----MALE----	-	1	1	-	-	-	4	3	1	-	-	-
FEMALE--	-	-	-	1	2	4	2	6	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	2	9	10	30	39	69	115	118	117	32	9	-
WHITE-----MALE----	1	5	7	16	20	35	39	43	30	3	-	-
FEMALE--	1	2	3	9	15	30	74	70	81	28	6	-
ALL OTHER--MALE----	-	-	-	3	-	3	-	-	3	-	1	-
FEMALE--	-	2	-	2	4	1	2	5	3	1	2	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	2	-	-	1	-	-	2	-	-	-	-
ARKANSAS -----	12	18	39	49	106	168	232	266	225	77	20	-
WHITE-----MALE----	4	8	18	28	53	71	90	78	53	15	3	-
FEMALE--	5	7	16	15	39	82	126	166	156	58	15	-
ALL OTHER--MALE----	-	-	1	3	6	11	5	10	3	1	1	-
FEMALE--	3	3	4	3	8	4	11	12	13	3	1	-
BLACK---MALE-----	-	-	1	3	6	11	5	9	3	1	1	-
FEMALE--	3	3	4	3	8	4	11	12	13	3	1	-
CALIFORNIA -----	22	53	70	109	265	423	627	792	672	329	75	-
WHITE-----MALE----	12	24	30	49	109	172	240	247	171	73	15	-
FEMALE--	5	15	29	41	117	190	317	480	445	230	53	-
ALL OTHER--MALE----	2	8	6	9	14	25	31	36	18	10	3	-
FEMALE--	3	6	5	10	25	36	39	29	38	16	4	-
BLACK---MALE-----	1	7	3	2	10	16	12	14	4	2	3	-
FEMALE--	3	4	4	8	19	21	24	15	12	6	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2072

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congestive heart failure (I50.0)												
COLORADO -----	520	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	174	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	328	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	577	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	166	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	382	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	111	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	68	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,419	-	1	-	-	-	-	-	-	1	6	5
WHITE-----MALE----	545	-	1	-	-	-	-	-	-	1	4	3
FEMALE--	766	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	75	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	1
GEORGIA -----	1,688	-	-	1	-	1	-	3	4	3	11	13
WHITE-----MALE----	492	-	-	-	-	-	-	-	2	1	2	6
FEMALE--	848	-	-	-	-	-	-	1	1	-	1	2
ALL OTHER--MALE----	126	-	-	-	-	1	-	1	-	-	4	4
FEMALE--	222	-	-	1	-	-	-	1	1	2	4	1
BLACK---MALE-----	125	-	-	-	-	1	-	1	-	-	4	4
FEMALE--	222	-	-	1	-	-	-	1	1	2	4	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2072

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
COLORADO -----	3	7	4	18	36	68	91	113	111	52	15	-
WHITE-----MALE----	-	3	-	7	19	35	33	42	23	11	-	-
FEMALE--	3	3	4	10	15	32	52	68	85	41	15	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	2	-	-	-
FEMALE--	-	1	-	-	1	1	4	3	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	2	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	3	1	-	-	-
CONNECTICUT -----	2	4	8	14	34	69	102	141	124	63	10	-
WHITE-----MALE----	1	2	4	3	15	25	38	43	26	7	-	-
FEMALE--	1	2	3	11	15	38	62	94	92	53	10	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	3	3	-	-	-
FEMALE--	-	-	1	-	3	4	1	1	3	3	-	-
BLACK---MALE-----	-	-	-	-	1	2	1	3	3	-	-	-
FEMALE--	-	-	1	-	3	4	1	1	3	3	-	-
DELAWARE -----	2	2	-	5	15	15	17	17	26	9	2	-
WHITE-----MALE----	-	1	-	2	10	4	6	7	9	1	-	-
FEMALE--	2	-	-	3	5	9	10	10	16	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	1	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	1	1	-
DISTRICT OF COLUMBIA ---	-	-	3	2	5	11	11	19	9	6	1	-
WHITE-----MALE----	-	-	-	1	1	4	1	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	4	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	2	4	3	7	2	-	-	-
FEMALE--	-	-	1	1	2	3	6	6	3	4	1	-
BLACK---MALE-----	-	-	1	-	2	4	3	7	2	-	-	-
FEMALE--	-	-	1	1	2	3	6	6	3	4	1	-
FLORIDA -----	9	16	17	59	108	191	244	319	281	137	25	-
WHITE-----MALE----	2	5	6	29	54	101	100	115	88	34	2	-
FEMALE--	2	6	8	21	41	73	132	183	182	95	21	-
ALL OTHER--MALE----	2	2	2	4	4	3	2	9	3	1	1	-
FEMALE--	3	3	1	5	9	14	10	12	8	7	1	-
BLACK---MALE-----	2	2	2	4	3	3	2	9	3	1	1	-
FEMALE--	3	3	1	5	8	13	9	12	8	7	1	-
GEORGIA -----	23	33	55	110	151	231	302	348	248	122	29	-
WHITE-----MALE----	6	12	17	41	68	71	109	91	48	16	2	-
FEMALE--	3	7	19	34	51	105	147	212	163	81	21	-
ALL OTHER--MALE----	8	6	9	14	13	21	18	11	7	6	3	-
FEMALE--	6	8	10	21	19	34	28	34	30	19	3	-
BLACK---MALE-----	8	6	9	14	13	21	18	10	7	6	3	-
FEMALE--	6	8	10	21	19	34	28	34	30	19	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2073

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
HAWAII -----	1	1	1	2	7	21	19	21	21	8	5	-
WHITE-----MALE----	-	-	-	-	1	3	1	3	1	-	-	-
FEMALE--	-	-	-	-	3	4	4	3	1	4	1	-
ALL OTHER--MALE----	1	1	1	2	2	7	7	6	10	-	1	-
FEMALE--	-	-	-	-	1	7	7	9	9	4	3	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	2	3	10	20	40	44	35	17	6	-
WHITE-----MALE----	1	-	1	2	5	5	17	23	16	6	3	-
FEMALE--	1	1	1	1	5	15	23	21	19	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	20	39	47	92	198	312	475	569	523	260	53	-
WHITE-----MALE----	9	14	16	47	86	143	181	185	127	41	9	-
FEMALE--	4	10	18	27	85	132	253	334	367	198	38	-
ALL OTHER--MALE----	5	11	9	9	10	10	14	11	11	4	2	-
FEMALE--	2	4	4	9	17	27	27	39	18	17	4	-
BLACK---MALE-----	5	11	9	9	9	10	14	10	9	3	1	-
FEMALE--	2	4	4	9	16	24	27	36	18	16	4	-
INDIANA -----	10	34	38	69	138	206	314	350	314	133	30	-
WHITE-----MALE----	4	15	21	36	68	88	126	126	65	29	4	-
FEMALE--	1	10	10	28	56	103	174	213	237	100	24	-
ALL OTHER--MALE----	3	4	5	4	7	4	5	4	1	1	-	-
FEMALE--	2	5	2	1	7	11	9	7	11	3	2	-
BLACK---MALE-----	3	4	5	4	7	4	5	4	1	1	-	-
FEMALE--	2	5	2	1	7	11	9	7	9	2	2	-
IOWA -----	1	4	5	5	14	28	35	57	44	38	10	-
WHITE-----MALE----	1	3	2	3	7	17	14	17	9	3	2	-
FEMALE--	-	1	3	2	7	11	21	39	35	35	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	1	5	17	20	38	80	120	176	197	106	27	-
WHITE-----MALE----	1	-	7	9	20	33	41	63	64	20	3	-
FEMALE--	-	5	10	9	15	45	73	111	128	83	23	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	2	2	6	2	4	2	1	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	4	2	3	2	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2074

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
KENTUCKY -----	15	31	34	62	135	172	230	261	208	102	22	-
WHITE-----MALE----	9	19	14	34	61	69	81	87	48	20	5	-
FEMALE--	4	7	18	27	63	97	140	168	157	78	15	-
ALL OTHER--MALE----	1	3	1	-	6	1	5	1	1	1	-	-
FEMALE--	1	2	1	1	5	5	4	5	2	3	2	-
BLACK---MALE-----	1	3	1	-	6	1	5	1	1	1	-	-
FEMALE--	1	2	1	1	5	5	4	5	2	3	1	-
LOUISIANA -----	14	25	26	50	85	136	185	217	193	86	15	-
WHITE-----MALE----	4	4	11	14	31	47	60	56	38	8	2	-
FEMALE--	2	6	7	15	32	56	91	122	121	58	8	-
ALL OTHER--MALE----	5	10	3	11	9	14	12	19	11	6	1	-
FEMALE--	3	5	5	10	13	19	22	20	23	14	4	-
BLACK---MALE-----	5	9	3	11	9	14	12	19	11	6	1	-
FEMALE--	3	5	5	10	13	19	22	20	23	14	4	-
MAINE -----	-	2	6	6	23	23	41	52	58	30	8	-
WHITE-----MALE----	-	1	4	2	15	10	22	25	15	12	2	-
FEMALE--	-	1	2	4	8	13	18	27	43	18	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	11	20	38	43	71	126	172	137	53	12	-
WHITE-----MALE----	-	2	8	9	21	25	45	44	32	7	2	-
FEMALE--	-	1	7	11	12	31	60	109	87	41	10	-
ALL OTHER--MALE----	2	5	3	10	6	6	8	5	4	-	-	-
FEMALE--	-	3	2	8	4	9	13	14	14	5	-	-
BLACK---MALE-----	2	5	3	10	6	6	6	4	4	-	-	-
FEMALE--	-	3	2	8	2	9	11	14	12	5	-	-
MASSACHUSETTS -----	6	6	17	42	106	192	298	408	360	166	38	-
WHITE-----MALE----	2	4	10	21	51	104	109	136	75	25	11	-
FEMALE--	1	1	5	18	47	83	181	263	280	136	27	-
ALL OTHER--MALE----	1	-	1	2	5	2	2	1	1	-	-	-
FEMALE--	2	1	1	1	3	3	6	8	4	5	-	-
BLACK---MALE-----	-	-	1	2	4	1	-	1	1	-	-	-
FEMALE--	2	1	1	1	3	2	5	8	4	5	-	-
MICHIGAN -----	16	30	32	71	145	280	401	504	425	179	44	-
WHITE-----MALE----	6	14	16	34	64	117	139	162	113	40	10	-
FEMALE--	3	10	9	30	63	140	227	318	289	125	34	-
ALL OTHER--MALE----	6	2	4	3	9	12	14	9	7	4	-	-
FEMALE--	1	4	3	4	9	11	21	15	16	10	-	-
BLACK---MALE-----	6	2	4	3	9	12	13	8	6	3	-	-
FEMALE--	1	4	3	4	9	10	21	14	16	10	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2075

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
MINNESOTA -----	5	5	15	24	55	104	219	274	258	141	40	-
WHITE-----MALE----	2	3	12	12	38	58	117	98	76	22	5	-
FEMALE--	2	1	3	9	15	44	98	173	181	118	35	-
ALL OTHER--MALE----	-	-	-	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	3	2	1	1	-	-
BLACK---MALE-----	-	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	2	-	-	-	-
MISSISSIPPI -----	12	24	28	58	86	152	203	262	169	96	22	-
WHITE-----MALE----	4	11	8	19	35	57	40	59	34	10	3	-
FEMALE--	2	6	10	13	28	64	109	143	98	57	14	-
ALL OTHER--MALE----	5	4	3	17	13	13	32	27	21	10	1	-
FEMALE--	1	3	7	9	10	18	22	33	16	19	4	-
BLACK---MALE-----	5	4	3	16	13	13	32	27	21	10	1	-
FEMALE--	1	3	7	9	10	18	22	33	16	19	4	-
MISSOURI -----	8	11	29	49	90	159	225	267	231	132	33	-
WHITE-----MALE----	4	8	17	23	46	72	80	89	53	31	4	-
FEMALE--	2	1	8	22	31	73	128	167	170	99	28	-
ALL OTHER--MALE----	1	1	2	1	7	4	5	4	3	1	-	-
FEMALE--	1	1	2	3	6	10	12	7	5	1	1	-
BLACK---MALE-----	1	1	2	1	7	4	5	4	3	1	-	-
FEMALE--	1	1	2	3	6	10	12	7	5	1	1	-
MONTANA -----	2	1	2	7	20	27	65	67	61	29	9	-
WHITE-----MALE----	-	-	1	4	9	9	30	27	17	9	1	-
FEMALE--	1	-	1	3	10	17	33	37	44	19	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	7	17	24	49	83	126	116	62	15	-
WHITE-----MALE----	1	2	3	6	12	20	27	44	34	7	1	-
FEMALE--	-	1	3	10	12	25	53	81	82	53	14	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	1	-	4	1	1	-	1	-	-
BLACK---MALE-----	-	-	1	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	4	1	-	-	1	-	-
NEVADA -----	1	10	8	23	34	52	60	59	49	15	5	-
WHITE-----MALE----	1	8	6	7	18	27	25	22	10	1	1	-
FEMALE--	-	1	1	12	15	23	32	35	35	13	4	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	3	-	2	1	2	4	1	-	-
BLACK---MALE-----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	4	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2077

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
OHIO -----	10	31	43	76	170	313	442	478	428	190	44	1
WHITE-----MALE----	6	16	17	35	89	137	183	140	106	37	3	-
FEMALE--	2	9	18	27	68	151	238	314	310	143	39	-
ALL OTHER--MALE----	1	3	2	7	5	8	8	6	5	1	-	1
FEMALE--	1	3	6	7	8	17	13	18	7	9	2	-
BLACK---MALE-----	1	3	2	7	4	8	8	6	5	1	-	1
FEMALE--	1	3	6	7	8	15	13	18	7	9	2	-
OKLAHOMA -----	11	16	20	51	65	118	183	218	197	96	25	-
WHITE-----MALE----	4	11	11	21	32	49	73	69	42	13	2	-
FEMALE--	2	3	8	23	29	61	101	137	147	72	21	-
ALL OTHER--MALE----	2	1	1	4	3	3	1	5	2	4	1	-
FEMALE--	3	1	-	3	1	5	8	7	6	7	1	-
BLACK---MALE-----	2	1	1	2	2	2	1	2	2	4	-	-
FEMALE--	3	1	-	3	-	1	4	6	3	6	1	-
OREGON -----	7	7	12	21	44	73	121	173	147	83	18	-
WHITE-----MALE----	2	3	5	12	23	36	55	52	43	21	2	-
FEMALE--	5	3	6	9	18	35	65	118	100	61	16	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	1	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
PENNSYLVANIA -----	12	23	39	100	226	393	549	746	563	270	60	-
WHITE-----MALE----	8	8	20	50	131	184	213	228	142	54	10	-
FEMALE--	2	11	15	38	71	180	309	479	406	201	48	-
ALL OTHER--MALE----	2	1	3	11	11	15	12	9	1	2	-	-
FEMALE--	-	3	1	1	13	14	15	30	14	13	2	-
BLACK---MALE-----	2	1	3	11	11	15	12	8	1	2	-	-
FEMALE--	-	3	1	1	13	13	15	30	14	12	2	-
RHODE ISLAND -----	1	1	3	5	7	8	14	15	16	4	1	-
WHITE-----MALE----	1	1	3	3	4	2	7	7	2	-	-	-
FEMALE--	-	-	-	2	3	6	7	8	14	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	16	30	52	82	121	136	187	109	42	8	-
WHITE-----MALE----	3	4	9	21	31	42	31	47	17	7	1	-
FEMALE--	4	3	8	11	23	48	80	106	78	26	4	-
ALL OTHER--MALE----	4	5	7	13	16	10	9	11	3	2	-	-
FEMALE--	3	4	6	7	12	21	16	23	11	7	3	-
BLACK---MALE-----	4	5	7	13	16	10	8	11	3	2	-	-
FEMALE--	3	4	6	7	12	20	16	23	11	7	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2078

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
SOUTH DAKOTA -----	1	1	8	9	7	11	25	40	46	26	6	-
WHITE-----MALE----	1	1	4	4	5	7	14	12	7	9	-	-
FEMALE--	-	-	3	3	2	3	10	27	39	16	6	-
ALL OTHER--MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	22	28	39	77	119	131	163	141	51	9	-
WHITE-----MALE----	1	12	13	15	35	51	43	44	32	8	1	-
FEMALE--	2	6	4	14	32	52	71	104	100	37	7	-
ALL OTHER--MALE----	5	-	6	6	1	6	4	7	3	1	-	-
FEMALE--	1	4	5	4	9	10	13	8	6	5	1	-
BLACK---MALE-----	5	-	6	6	1	6	4	7	3	1	-	-
FEMALE--	1	4	5	4	9	10	13	8	6	5	1	-
TEXAS -----	44	45	87	143	290	434	547	715	570	287	42	-
WHITE-----MALE----	23	18	35	72	141	170	228	204	131	54	4	-
FEMALE--	12	15	34	49	104	208	266	454	401	208	33	-
ALL OTHER--MALE----	6	4	11	11	20	22	22	16	11	5	1	-
FEMALE--	3	8	7	11	25	34	31	41	27	20	4	-
BLACK---MALE-----	6	4	11	11	20	21	20	16	11	5	1	-
FEMALE--	2	8	6	11	24	33	31	39	25	19	4	-
UTAH -----	-	2	3	10	29	29	70	100	77	34	6	-
WHITE-----MALE----	-	1	2	2	16	13	23	32	22	9	1	-
FEMALE--	-	1	1	7	12	16	46	66	55	25	5	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	5	7	16	10	19	13	4	-
WHITE-----MALE----	-	-	1	1	4	4	5	-	3	4	-	-
FEMALE--	-	-	1	-	1	3	11	10	16	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	15	36	58	87	170	237	258	196	104	23	-
WHITE-----MALE----	6	6	16	17	35	66	75	70	32	21	2	-
FEMALE--	4	3	11	21	33	66	116	149	137	72	18	-
ALL OTHER--MALE----	4	3	4	8	10	17	25	13	4	1	1	-
FEMALE--	1	3	5	12	9	21	21	26	23	10	2	-
BLACK---MALE-----	4	3	4	8	10	16	24	13	4	1	1	-
FEMALE--	1	3	5	12	7	20	16	24	22	10	2	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2080

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
UNITED STATES -	89	159	182	244	411	564	647	717	558	284	71	-
WHITE-----MALE----	43	74	99	126	195	240	257	230	125	47	11	-
FEMALE--	25	44	47	71	157	232	323	405	390	216	51	-
ALL OTHER--MALE----	15	24	21	29	27	37	23	32	8	7	3	-
FEMALE--	6	17	15	18	32	55	44	50	35	14	6	-
BLACK---MALE-----	14	23	20	25	25	32	17	27	7	5	3	-
FEMALE--	5	14	15	18	30	47	40	46	32	11	5	-
ALABAMA -----	7	18	16	27	23	43	44	49	33	18	6	-
WHITE-----MALE----	4	5	10	15	7	13	15	10	7	4	-	-
FEMALE--	1	4	2	5	5	16	20	26	19	11	1	-
ALL OTHER--MALE----	2	8	2	3	5	6	1	5	1	1	2	-
FEMALE--	-	1	2	4	6	8	8	8	6	2	3	-
BLACK---MALE-----	2	8	2	3	5	5	1	5	1	1	2	-
FEMALE--	-	1	2	4	6	8	8	8	6	2	3	-
ALASKA -----	-	-	-	-	-	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	2	3	5	2	5	3	2	1	-	-
WHITE-----MALE----	2	1	1	2	-	1	1	1	1	-	-	-
FEMALE--	1	-	-	1	5	1	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	1	2	9	5	9	11	7	5	1	-
WHITE-----MALE----	-	1	1	1	3	4	1	5	1	-	-	-
FEMALE--	1	2	-	1	5	1	7	6	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	-	3	-	3	2	8	8	12	12	3	3	-
WHITE-----MALE----	-	2	-	2	-	3	3	2	3	1	1	-
FEMALE--	-	1	-	1	2	4	5	10	9	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2081

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified heart failure (I50.1-I50.9)												
COLORADO -----	40	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	76	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	108	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	219	1	-	-	-	1	-	-	1	3	2	7
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	87	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	24	1	-	-	-	1	-	-	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE-----	24	1	-	-	-	1	-	-	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2081

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
COLORADO -----	-	1	-	3	6	8	3	5	9	1	1	-
WHITE-----MALE----	-	1	-	3	4	3	1	3	3	-	-	-
FEMALE--	-	-	-	-	1	5	2	2	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	4	4	3	14	15	18	9	1	1	-
WHITE-----MALE----	2	-	2	3	1	9	8	6	3	-	-	-
FEMALE--	-	2	1	1	2	5	6	10	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
DELAWARE -----	-	1	3	-	-	2	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	1	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	3	4	4	10	22	21	16	14	8	3	-
WHITE-----MALE----	1	1	3	3	8	9	10	7	4	1	-	-
FEMALE--	-	2	1	1	1	10	11	9	9	7	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
GEORGIA -----	4	8	13	16	23	30	27	43	23	13	4	-
WHITE-----MALE----	2	1	7	7	8	9	8	10	4	4	-	-
FEMALE--	1	1	2	5	6	9	12	23	14	8	4	-
ALL OTHER--MALE----	-	2	3	1	4	5	1	3	1	-	-	-
FEMALE--	1	4	1	3	5	7	6	7	4	1	-	-
BLACK---MALE-----	-	2	3	1	4	5	1	3	1	-	-	-
FEMALE--	1	4	1	3	5	7	6	7	4	1	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2083

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
KENTUCKY -----	2	2	4	2	7	10	12	8	9	5	1	-
WHITE-----MALE----	-	2	4	-	4	4	5	4	-	-	1	-
FEMALE--	2	-	-	-	3	3	4	3	9	5	-	-
ALL OTHER--MALE----	-	-	-	2	-	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	2	-	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	2	4	5	7	8	11	8	8	6	5	-	-
WHITE-----MALE----	2	1	3	2	5	6	4	3	1	-	-	-
FEMALE--	-	1	1	3	3	4	4	5	4	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	1	1	-	-
BLACK---MALE-----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	1	1	-	-
MAINE -----	1	-	1	1	3	5	9	3	4	1	1	-
WHITE-----MALE----	1	-	1	1	1	1	5	1	-	-	-	-
FEMALE--	-	-	-	-	2	4	4	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	5	-	-	1	5	3	3	5	3	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	2	-	1	-	-
FEMALE--	-	2	-	-	1	2	1	1	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	2	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	2	-	-	-
MASSACHUSETTS -----	3	4	3	9	15	31	22	33	18	10	3	-
WHITE-----MALE----	2	3	1	3	12	16	9	10	6	2	1	-
FEMALE--	1	1	1	6	3	11	12	21	12	8	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	2	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	2	-	-	-	-
MICHIGAN -----	3	2	2	8	16	17	16	26	18	7	3	-
WHITE-----MALE----	1	1	1	6	7	6	6	7	5	1	-	-
FEMALE--	-	1	-	-	7	7	9	17	12	6	2	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	1	2	2	1	1	1	-	1	-
BLACK---MALE-----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	1	2	2	1	1	1	-	1	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2086

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
OHIO -----	3	4	7	9	19	23	29	20	21	9	5	-
WHITE-----MALE----	1	2	1	3	8	10	15	8	3	1	2	-
FEMALE--	-	1	3	1	8	12	10	12	17	8	3	-
ALL OTHER--MALE----	1	1	3	3	2	-	3	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE-----	1	1	3	3	2	-	3	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	1	-	-	-	-	-
OKLAHOMA -----	6	10	8	5	17	17	24	26	32	14	2	-
WHITE-----MALE----	3	6	5	1	10	7	10	4	4	2	-	-
FEMALE--	1	3	2	1	7	9	14	17	27	11	2	-
ALL OTHER--MALE----	2	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	5	1	1	-	-
BLACK---MALE-----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	1	1	-	-
OREGON -----	2	-	1	-	1	4	5	7	7	5	1	-
WHITE-----MALE----	1	-	-	-	1	3	-	4	1	1	-	-
FEMALE--	1	-	1	-	-	-	5	3	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	9	8	24	33	45	48	64	45	26	2	-
WHITE-----MALE----	4	5	4	12	14	21	19	22	12	5	-	-
FEMALE--	4	4	2	10	19	23	27	37	31	19	2	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	2	1	2	-	-
FEMALE--	-	-	2	1	-	-	1	3	1	-	-	-
BLACK---MALE-----	1	-	-	1	-	1	1	2	1	2	-	-
FEMALE--	-	-	2	1	-	-	1	3	1	-	-	-
RHODE ISLAND -----	-	-	-	-	2	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	3	3	5	6	5	5	5	1	-	-
WHITE-----MALE----	-	1	1	2	2	3	2	1	-	-	-	-
FEMALE--	2	1	1	-	-	3	2	3	3	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	3	-	1	-	1	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	3	-	1	-	1	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2087

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
SOUTH DAKOTA -----	-	-	-	1	3	-	2	2	3	4	-	-
WHITE-----MALE----	-	-	-	1	2	-	2	1	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	2	3	7	12	12	12	7	7	-	-
WHITE-----MALE----	-	2	1	1	2	5	3	7	1	3	-	-
FEMALE--	-	-	1	2	3	5	8	4	4	3	-	-
ALL OTHER--MALE----	2	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	1	-	-
BLACK---MALE-----	2	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	1	-	-
TEXAS -----	6	13	14	14	22	28	35	41	30	16	-	-
WHITE-----MALE----	4	8	10	9	11	16	16	11	7	4	-	-
FEMALE--	-	2	2	1	8	6	15	21	21	12	-	-
ALL OTHER--MALE----	1	3	2	4	2	2	1	6	-	-	-	-
FEMALE--	1	-	-	-	1	4	3	3	2	-	-	-
BLACK---MALE-----	1	3	2	4	2	2	1	6	-	-	-	-
FEMALE--	-	-	-	-	1	4	3	3	2	-	-	-
UTAH -----	-	-	-	2	2	1	2	1	6	1	1	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	-	-	4	-	-	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	3	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	9	11	12	25	31	38	43	26	15	4	-
WHITE-----MALE----	2	6	6	5	13	11	18	12	8	-	-	-
FEMALE--	1	2	1	4	4	13	10	24	16	12	2	-
ALL OTHER--MALE----	1	-	2	3	5	4	4	3	-	-	1	-
FEMALE--	-	1	2	-	3	3	6	4	2	3	1	-
BLACK---MALE-----	1	-	2	3	5	4	4	3	-	-	1	-
FEMALE--	-	1	2	-	3	3	6	4	2	3	1	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2090

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)												
COLORADO -----	19	-	-	-	-	1	1	-	2	3	2	2
WHITE-----MALE----	10	-	-	-	-	-	1	-	1	2	1	1
FEMALE--	7	-	-	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	5	-	-	-	1	-	-	1	-	-	1	-
WHITE-----MALE----	3	-	-	-	1	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	46	-	3	1	-	2	3	5	2	4	3	2
WHITE-----MALE----	19	-	-	-	-	-	1	3	1	2	1	1
FEMALE--	17	-	-	-	-	1	1	1	-	1	1	1
ALL OTHER--MALE----	4	-	2	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	1	1	-	1	1	1	-	-	1	-
BLACK---MALE-----	3	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	1	1	-	1	1	1	-	-	1	-
GEORGIA -----	16	2	1	-	1	-	-	1	4	1	2	-
WHITE-----MALE----	7	1	1	-	-	-	-	-	1	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	3	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	6	1	-	-	-	-	-	1	3	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2092

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)												
KENTUCKY -----	-	2	-	-	2	-	2	1	1	1	-	-
WHITE-----MALE----	-	2	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	-	-	2	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	1	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	-	2	3	5	2	3	1	-	2	-
WHITE-----MALE----	1	1	-	2	1	1	2	-	1	-	-	-
FEMALE--	-	1	-	-	2	3	-	3	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-























TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2098

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

UNITED STATES -	8,092	30	10	4	12	35	43	49	103	170	230	277
WHITE-----MALE----	3,392	12	6	1	3	19	21	28	56	95	112	161
FEMALE--	3,405	9	1	2	4	6	5	5	14	25	44	39
ALL OTHER--MALE----	671	3	1	1	4	7	12	12	26	30	49	41
FEMALE--	624	6	2	-	1	3	5	4	7	20	25	36
BLACK---MALE-----	615	2	1	1	3	7	10	12	25	27	47	40
FEMALE--	561	6	2	-	1	2	5	4	7	16	24	32
ALABAMA -----	252	-	-	-	1	-	1	-	-	6	10	11
WHITE-----MALE----	103	-	-	-	1	-	-	-	-	4	6	5
FEMALE--	79	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	-	-	1	4
FEMALE--	34	-	-	-	-	-	-	-	-	2	2	-
BLACK---MALE-----	36	-	-	-	-	-	1	-	-	-	1	4
FEMALE--	33	-	-	-	-	-	-	-	-	2	2	-
ALASKA -----	10	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	83	-	1	-	-	-	-	-	1	2	3	4
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	32	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	147	2	1	1	-	-	1	-	1	-	1	4
WHITE-----MALE----	55	2	-	-	-	-	-	-	-	-	1	3
FEMALE--	71	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	625	3	1	1	-	3	3	5	9	12	24	27
WHITE-----MALE----	258	1	1	-	-	2	2	3	7	6	17	15
FEMALE--	293	2	-	1	-	-	-	-	1	3	5	6
ALL OTHER--MALE----	33	-	-	-	-	-	1	2	-	1	-	1
FEMALE--	41	-	-	-	-	1	-	-	1	2	2	5
BLACK---MALE-----	19	-	-	-	-	-	1	2	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	1	2	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2098

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

UNITED STATES -	301	364	463	532	736	1,034	1,142	1,255	849	361	91	1
WHITE-----MALE----	158	192	253	277	376	477	448	394	223	68	11	1
FEMALE--	69	80	105	142	258	400	580	728	561	266	62	-
ALL OTHER--MALE----	45	59	60	66	59	73	52	49	15	3	4	-
FEMALE--	29	33	45	47	43	84	62	84	50	24	14	-
BLACK---MALE-----	43	57	55	62	56	63	42	42	14	2	4	-
FEMALE--	25	31	43	40	42	76	51	75	44	23	12	-
ALABAMA -----	14	9	18	19	31	36	31	37	22	6	-	-
WHITE-----MALE----	8	6	8	9	14	19	10	10	3	-	-	-
FEMALE--	4	2	2	4	12	7	13	18	13	1	-	-
ALL OTHER--MALE----	1	1	6	4	2	8	4	3	1	-	-	-
FEMALE--	1	-	2	2	3	2	4	6	5	5	-	-
BLACK---MALE-----	1	1	6	4	2	8	4	3	1	-	-	-
FEMALE--	1	-	2	2	3	2	3	6	5	5	-	-
ALASKA -----	-	1	-	-	4	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	3	4	5	11	8	20	11	2	3	-	-
WHITE-----MALE----	5	2	2	2	9	3	11	7	-	-	-	-
FEMALE--	-	1	2	2	2	4	8	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	5	3	8	8	15	14	25	33	19	4	2	-
WHITE-----MALE----	2	2	4	5	8	4	11	7	4	2	-	-
FEMALE--	1	1	3	1	6	7	10	23	14	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	2	-	1	1	-	1	2	2	1	-	1	-
BLACK---MALE-----	-	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	2	-	1	1	-	1	2	2	1	-	1	-
CALIFORNIA -----	34	18	26	39	38	70	103	96	81	27	5	-
WHITE-----MALE----	17	8	11	15	18	34	41	27	27	5	1	-
FEMALE--	10	6	10	19	19	30	49	60	50	19	3	-
ALL OTHER--MALE----	4	4	2	2	-	4	8	2	1	1	-	-
FEMALE--	3	-	3	3	1	2	5	7	3	2	1	-
BLACK---MALE-----	3	4	1	1	-	2	2	1	-	-	-	-
FEMALE--	1	-	3	1	1	-	4	3	1	1	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2099

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

COLORADO -----	120	-	2	-	-	1	-	1	3	2	1	2
WHITE-----MALE----	52	-	2	-	-	-	-	-	2	2	1	2
FEMALE--	54	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	144	-	-	-	-	1	1	1	1	3	2	5
WHITE-----MALE----	67	-	-	-	-	-	1	-	1	3	1	3
FEMALE--	64	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	12	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	315	3	-	-	-	1	1	-	4	5	3	7
WHITE-----MALE----	125	-	-	-	-	1	-	-	3	3	3	4
FEMALE--	147	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	24	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	19	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	23	2	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	473	-	-	-	2	1	1	1	7	9	16	20
WHITE-----MALE----	181	-	-	-	-	1	-	1	2	7	7	9
FEMALE--	149	-	-	-	1	-	-	-	-	-	3	4
ALL OTHER--MALE----	75	-	-	-	-	-	1	-	3	2	5	4
FEMALE--	68	-	-	-	1	-	-	-	2	-	1	3
BLACK---MALE-----	74	-	-	-	-	-	1	-	3	2	5	4
FEMALE--	66	-	-	-	1	-	-	-	2	-	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2099

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

COLORADO -----	2	7	4	10	22	12	19	17	11	4	-	-
WHITE-----MALE----	1	4	3	5	9	4	10	2	4	1	-	-
FEMALE--	-	1	1	2	10	8	8	12	7	3	-	-
ALL OTHER--MALE----	-	2	-	3	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	2	-	-	-	-
BLACK---MALE-----	-	2	-	3	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
CONNECTICUT -----	1	6	9	4	10	13	25	33	17	11	1	-
WHITE-----MALE----	1	6	6	4	3	9	8	11	7	3	-	-
FEMALE--	-	-	2	-	2	3	15	21	9	8	1	-
ALL OTHER--MALE----	-	-	1	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-
DELAWARE -----	1	-	-	-	-	2	6	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	1	1	1	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
BLACK---MALE-----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
FLORIDA -----	4	13	12	20	25	43	47	58	43	21	5	-
WHITE-----MALE----	1	7	6	11	14	20	19	19	12	1	1	-
FEMALE--	-	2	2	5	7	17	24	36	29	19	3	-
ALL OTHER--MALE----	1	2	2	2	3	1	2	1	-	-	1	-
FEMALE--	2	2	2	2	1	5	2	2	2	1	-	-
BLACK---MALE-----	1	2	2	2	3	1	2	1	-	-	1	-
FEMALE--	2	2	1	2	1	5	2	2	2	1	-	-
GEORGIA -----	37	36	41	47	49	65	45	46	37	8	5	-
WHITE-----MALE----	15	21	21	19	19	28	16	8	7	-	-	-
FEMALE--	9	4	6	10	16	18	21	27	24	4	2	-
ALL OTHER--MALE----	9	7	8	11	10	8	4	2	1	-	-	-
FEMALE--	4	4	6	7	4	11	4	9	5	4	3	-
BLACK---MALE-----	9	7	8	11	9	8	4	2	1	-	-	-
FEMALE--	4	3	6	6	4	11	4	9	5	4	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2100

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

HAWAII -----	2	2	1	3	2	4	4	3	1	1	-	-
WHITE-----MALE----	2	1	-	1	-	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	2	3	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	3	2	2	4	4	-	-	-
WHITE-----MALE----	-	-	-	1	3	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	7	19	14	25	51	48	63	46	16	4	-
WHITE-----MALE----	9	3	10	6	14	24	18	18	12	6	-	-
FEMALE--	1	3	6	3	6	20	28	43	34	7	3	-
ALL OTHER--MALE----	1	-	2	3	2	2	1	1	-	-	-	-
FEMALE--	-	1	1	2	3	5	1	1	-	3	1	-
BLACK---MALE----	1	-	2	3	2	2	1	1	-	-	-	-
FEMALE--	-	1	1	2	3	4	1	-	-	3	1	-
INDIANA -----	4	4	8	6	19	16	35	16	11	9	1	-
WHITE-----MALE----	2	2	6	3	11	8	11	6	6	3	-	-
FEMALE--	1	1	-	2	6	7	23	8	5	6	1	-
ALL OTHER--MALE----	1	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	2	-	-	-	-
BLACK---MALE----	1	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	2	-	-	-	-
IOWA -----	3	2	3	2	5	7	11	11	9	4	2	-
WHITE-----MALE----	2	2	1	1	1	3	3	3	2	1	-	-
FEMALE--	1	-	2	1	4	4	7	8	7	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	2	4	3	5	10	11	10	6	5	-	-
WHITE-----MALE----	2	1	3	2	2	2	6	6	4	2	-	-
FEMALE--	1	1	1	-	3	7	5	4	2	3	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2101

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

KENTUCKY -----	135	-	-	-	-	1	1	1	-	-	3	2
WHITE-----MALE----	66	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	275	1	2	-	1	-	-	2	4	5	16	8
WHITE-----MALE----	84	-	1	-	-	-	-	-	2	-	2	-
FEMALE--	106	-	-	-	-	-	-	2	-	-	3	1
ALL OTHER--MALE----	46	-	-	-	1	-	-	-	2	4	7	5
FEMALE--	39	1	1	-	-	-	-	-	-	1	4	2
BLACK---MALE-----	45	-	-	-	1	-	-	-	2	4	7	5
FEMALE--	39	1	1	-	-	-	-	-	-	1	4	2
MAINE -----	43	-	-	-	-	-	1	-	-	1	-	1
WHITE-----MALE----	19	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	94	-	-	-	-	2	-	-	3	6	4	8
WHITE-----MALE----	39	-	-	-	-	1	-	-	1	-	1	6
FEMALE--	30	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE-----	12	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	3	1	2
MASSACHUSETTS -----	193	-	-	-	1	-	3	4	8	11	11	13
WHITE-----MALE----	105	-	-	-	1	-	2	3	5	7	9	11
FEMALE--	77	-	-	-	-	-	-	-	3	2	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
MICHIGAN -----	238	1	-	-	-	-	1	-	2	3	2	3
WHITE-----MALE----	78	1	-	-	-	-	-	-	1	2	-	1
FEMALE--	138	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2101

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

KENTUCKY -----	3	9	8	13	18	23	16	20	13	4	-	-
WHITE-----MALE----	3	2	4	9	12	16	6	7	2	-	-	-
FEMALE--	-	6	3	3	6	5	10	13	11	4	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	10	15	21	28	25	27	37	36	25	9	3	-
WHITE-----MALE----	2	6	9	12	15	12	10	10	2	1	-	-
FEMALE--	3	4	5	6	4	12	19	22	16	8	1	-
ALL OTHER--MALE----	4	4	4	5	2	-	2	4	2	-	-	-
FEMALE--	1	1	3	5	4	3	6	-	5	-	2	-
BLACK---MALE-----	4	4	3	5	2	-	2	4	2	-	-	-
FEMALE--	1	1	3	5	4	3	6	-	5	-	2	-
MAINE -----	2	2	3	6	5	2	4	9	4	3	-	-
WHITE-----MALE----	2	2	2	2	3	2	2	2	-	-	-	-
FEMALE--	-	-	1	4	2	-	2	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	4	4	8	4	15	10	11	8	3	-	-
WHITE-----MALE----	-	3	2	5	2	9	4	1	3	1	-	-
FEMALE--	2	-	-	1	-	4	5	9	4	2	-	-
ALL OTHER--MALE----	1	1	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	1	1	-	-	-
BLACK---MALE-----	1	1	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	1	-	-	-
MASSACHUSETTS -----	6	10	8	5	13	20	22	29	17	9	3	-
WHITE-----MALE----	3	7	6	4	8	10	12	9	6	2	-	-
FEMALE--	2	2	2	1	5	10	10	18	10	6	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MICHIGAN -----	7	9	11	12	20	36	39	39	37	13	3	-
WHITE-----MALE----	4	5	3	2	10	16	13	9	8	3	-	-
FEMALE--	3	2	5	9	8	14	23	29	28	10	3	-
ALL OTHER--MALE----	-	1	2	1	2	-	3	1	-	-	-	-
FEMALE--	-	1	1	-	-	6	-	-	1	-	-	-
BLACK---MALE-----	-	1	2	1	2	-	2	1	-	-	-	-
FEMALE--	-	1	1	-	-	4	-	-	1	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2104

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

OHIO -----	286	2	-	1	-	-	2	4	4	4	10	3
WHITE-----MALE----	105	-	-	1	-	-	2	1	2	2	3	1
FEMALE--	145	2	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	3	2	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	21	-	-	-	-	-	-	3	2	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA -----	168	-	-	-	-	-	1	-	1	1	3	1
WHITE-----MALE----	67	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	80	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	71	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	389	1	-	-	-	1	1	3	2	6	12	6
WHITE-----MALE----	186	1	-	-	-	1	-	1	1	3	5	4
FEMALE--	162	-	-	-	-	-	1	1	-	2	2	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	20	-	-	-	-	-	-	1	-	1	4	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	19	-	-	-	-	-	-	1	-	1	3	-
RHODE ISLAND -----	15	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	143	1	1	-	2	2	2	3	2	9	4	8
WHITE-----MALE----	62	-	-	-	-	2	1	1	1	4	1	4
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	37	1	1	-	2	-	-	1	1	4	3	3
FEMALE--	17	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	36	1	1	-	2	-	-	1	1	4	3	3
FEMALE--	17	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2104

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

OHIO -----	14	8	7	12	33	39	42	50	37	10	4	-
WHITE-----MALE----	7	3	4	7	21	13	16	14	5	3	-	-
FEMALE--	5	1	3	1	8	22	26	31	29	7	4	-
ALL OTHER--MALE----	1	2	-	4	1	2	-	2	2	-	-	-
FEMALE--	1	2	-	-	3	2	-	3	1	-	-	-
BLACK---MALE-----	1	2	-	4	1	2	-	1	2	-	-	-
FEMALE--	1	2	-	-	3	2	-	3	1	-	-	-
OKLAHOMA -----	1	5	3	8	14	27	25	39	28	10	1	-
WHITE-----MALE----	1	5	2	6	6	10	10	17	6	3	-	-
FEMALE--	-	-	-	1	7	11	14	18	20	7	-	-
ALL OTHER--MALE----	-	-	1	1	1	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	3	1	-	1	-
BLACK---MALE-----	-	-	1	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
OREGON -----	2	1	4	6	7	13	11	15	5	2	1	-
WHITE-----MALE----	1	1	2	5	3	10	6	7	2	-	1	-
FEMALE--	1	-	2	1	4	3	4	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	12	19	23	32	33	55	59	66	35	16	7	-
WHITE-----MALE----	7	9	15	19	20	28	28	26	13	3	2	-
FEMALE--	2	4	5	9	12	23	28	35	22	12	4	-
ALL OTHER--MALE----	1	3	3	2	-	3	2	1	-	1	1	-
FEMALE--	2	3	-	2	1	1	1	4	-	-	-	-
BLACK---MALE-----	1	3	3	2	-	3	2	1	-	1	1	-
FEMALE--	2	3	-	2	1	1	1	4	-	-	-	-
RHODE ISLAND -----	-	-	-	3	1	1	5	1	1	-	-	-
WHITE-----MALE----	-	-	-	3	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	12	7	8	8	19	20	14	10	8	2	1	-
WHITE-----MALE----	5	3	6	4	12	9	5	3	1	-	-	-
FEMALE--	1	1	2	-	3	4	4	4	4	2	-	-
ALL OTHER--MALE----	5	3	-	3	3	2	2	2	-	-	1	-
FEMALE--	1	-	-	1	1	5	3	1	3	-	-	-
BLACK---MALE-----	5	3	-	3	3	1	2	2	-	-	1	-
FEMALE--	1	-	-	1	1	5	3	1	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2105

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

SOUTH DAKOTA -----	31	-	-	-	-	1	-	1	-	1	-	3
WHITE-----MALE----	12	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	223	1	-	-	-	1	-	-	-	1	9	10
WHITE-----MALE----	86	-	-	-	-	1	-	-	-	-	5	8
FEMALE--	103	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	2
TEXAS -----	779	1	-	-	-	7	4	9	16	20	28	32
WHITE-----MALE----	340	-	-	-	-	2	1	8	10	15	16	22
FEMALE--	293	1	-	-	-	1	2	-	2	3	4	4
ALL OTHER--MALE----	83	-	-	-	-	3	1	1	2	2	5	4
FEMALE--	63	-	-	-	-	1	-	-	2	-	3	2
BLACK---MALE-----	80	-	-	-	-	3	1	1	2	2	5	4
FEMALE--	62	-	-	-	-	1	-	-	2	-	3	2
UTAH -----	56	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	26	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	185	2	-	-	-	2	1	1	4	1	1	3
WHITE-----MALE----	71	1	-	-	-	-	1	-	1	1	-	2
FEMALE--	67	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	23	1	-	-	-	-	-	1	2	-	-	1
FEMALE--	24	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	22	-	-	-	-	-	-	1	2	-	-	1
FEMALE--	24	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2105

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA -----	1	-	1	1	4	3	-	7	6	1	1	-
WHITE-----MALE----	-	-	-	-	4	1	-	2	3	-	-	-
FEMALE--	1	-	-	1	-	2	-	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	13	10	18	14	20	37	38	28	14	5	-
WHITE-----MALE----	2	6	5	10	7	7	12	11	4	6	2	-
FEMALE--	2	1	2	5	6	10	22	22	22	8	2	-
ALL OTHER--MALE----	-	3	-	2	-	1	1	1	2	-	-	-
FEMALE--	-	3	3	1	1	2	2	4	-	-	1	-
BLACK---MALE-----	-	3	-	2	-	1	1	1	2	-	-	-
FEMALE--	-	3	3	1	1	2	2	4	-	-	1	-
TEXAS -----	32	53	65	59	74	106	80	90	64	34	5	-
WHITE-----MALE----	19	20	40	31	37	45	26	31	15	2	-	-
FEMALE--	6	15	8	17	23	37	45	49	42	31	3	-
ALL OTHER--MALE----	2	11	11	6	9	15	5	4	1	-	1	-
FEMALE--	5	7	6	5	5	9	4	6	6	1	1	-
BLACK---MALE-----	2	11	11	5	9	13	5	4	1	-	1	-
FEMALE--	5	7	6	5	5	9	4	6	5	1	1	-
UTAH -----	1	2	-	3	5	6	10	10	8	6	3	-
WHITE-----MALE----	1	1	-	2	2	2	4	5	6	1	-	-
FEMALE--	-	1	-	1	3	4	6	5	2	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	-	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	12	8	15	15	35	23	31	21	4	-	-
WHITE-----MALE----	4	5	6	6	8	16	9	7	3	1	-	-
FEMALE--	1	3	-	3	4	10	10	16	15	2	-	-
ALL OTHER--MALE----	1	2	-	3	2	4	1	5	-	-	-	-
FEMALE--	-	2	2	3	1	5	3	3	3	1	-	-
BLACK---MALE-----	1	2	-	3	2	4	1	5	-	-	-	-
FEMALE--	-	2	2	3	1	5	3	3	3	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2107

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
UNITED STATES -	167,366	103	46	26	39	67	115	202	378	916	1,658	2,455
WHITE-----MALE----	54,867	43	16	16	11	28	44	73	140	300	556	802
FEMALE--	89,960	27	18	7	15	18	45	72	117	302	488	733
ALL OTHER--MALE----	9,618	22	6	1	6	8	15	29	57	149	303	480
FEMALE--	12,921	11	6	2	7	13	11	28	64	165	311	440
BLACK---MALE-----	7,894	18	4	1	6	7	12	24	48	124	269	412
FEMALE--	10,990	10	6	2	6	11	11	26	52	144	279	375
ALABAMA -----	3,148	-	1	1	-	3	1	3	8	19	45	49
WHITE-----MALE----	876	-	1	1	-	-	-	-	2	6	10	16
FEMALE--	1,475	-	-	-	-	1	1	1	3	7	10	6
ALL OTHER--MALE----	337	-	-	-	-	1	-	1	2	4	17	14
FEMALE--	460	-	-	-	-	1	-	1	1	2	8	13
BLACK---MALE-----	337	-	-	-	-	1	-	1	2	4	17	14
FEMALE--	454	-	-	-	-	1	-	1	1	2	8	12
ALASKA -----	171	-	-	-	-	-	-	-	1	-	2	6
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,600	2	-	1	-	2	4	1	8	15	21	39
WHITE-----MALE----	1,063	-	-	-	-	1	3	1	2	4	10	15
FEMALE--	1,405	1	-	1	-	1	1	-	5	9	7	19
ALL OTHER--MALE----	56	1	-	-	-	-	-	-	1	1	3	4
FEMALE--	76	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	26	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	2,255	1	-	-	1	2	-	2	3	9	24	25
WHITE-----MALE----	739	-	-	-	-	1	-	1	-	4	6	8
FEMALE--	1,185	1	-	-	-	-	-	-	2	2	8	8
ALL OTHER--MALE----	161	-	-	-	-	1	-	-	1	2	8	3
FEMALE--	170	-	-	-	1	-	-	1	-	1	2	6
BLACK---MALE-----	158	-	-	-	-	1	-	-	1	2	8	3
FEMALE--	168	-	-	-	1	-	-	1	-	1	2	6
CALIFORNIA -----	17,962	11	5	2	5	6	8	27	48	110	182	290
WHITE-----MALE----	5,874	5	1	1	1	3	3	18	19	40	63	94
FEMALE--	9,142	4	3	1	1	1	3	7	17	42	65	94
ALL OTHER--MALE----	1,341	1	1	-	1	1	1	2	7	14	31	49
FEMALE--	1,605	1	-	-	2	1	1	-	5	14	23	53
BLACK---MALE-----	589	1	-	-	1	1	1	2	5	7	21	29
FEMALE--	804	1	-	-	2	-	1	-	4	5	12	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2107

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
UNITED STATES -	3,108	4,152	5,500	8,694	15,398	25,007	32,420	33,841	23,149	8,571	1,519	2
WHITE-----MALE----	1,147	1,613	2,230	3,601	6,399	9,885	11,528	9,838	5,084	1,336	177	-
FEMALE--	927	1,326	1,771	3,275	6,302	11,841	17,663	21,022	16,301	6,516	1,174	-
ALL OTHER--MALE----	567	643	819	921	1,299	1,464	1,211	980	485	131	21	1
FEMALE--	467	570	680	897	1,398	1,817	2,018	2,001	1,279	588	147	1
BLACK---MALE-----	498	547	704	787	1,081	1,177	939	743	365	110	18	-
FEMALE--	398	481	563	751	1,194	1,556	1,679	1,710	1,096	513	126	1
ALABAMA -----	60	120	139	195	349	458	553	615	372	132	25	-
WHITE-----MALE----	13	47	56	72	111	144	155	138	86	14	4	-
FEMALE--	14	26	37	56	129	217	273	362	228	91	13	-
ALL OTHER--MALE----	17	26	28	31	53	43	41	41	11	7	-	-
FEMALE--	16	21	18	36	56	54	84	74	47	20	8	-
BLACK---MALE-----	17	26	28	31	53	43	41	41	11	7	-	-
FEMALE--	15	20	17	35	56	54	84	74	46	20	8	-
ALASKA -----	4	6	8	8	29	35	31	25	15	1	-	-
WHITE-----MALE----	3	4	4	3	6	12	14	7	4	-	-	-
FEMALE--	1	-	2	3	12	11	12	11	9	1	-	-
ALL OTHER--MALE----	-	-	1	1	7	4	-	2	-	-	-	-
FEMALE--	-	2	1	1	4	8	5	5	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
ARIZONA -----	42	59	93	129	242	423	529	536	333	104	17	-
WHITE-----MALE----	24	28	49	68	118	215	219	192	99	13	2	-
FEMALE--	13	23	33	49	110	195	283	332	222	88	13	-
ALL OTHER--MALE----	1	3	5	7	7	4	11	2	5	1	-	-
FEMALE--	4	5	6	5	7	9	16	10	7	2	2	-
BLACK---MALE-----	1	1	4	4	4	3	4	1	1	-	-	-
FEMALE--	3	-	2	1	2	4	7	4	3	1	-	-
ARKANSAS -----	43	72	79	143	228	315	438	441	295	114	20	-
WHITE-----MALE----	23	31	36	55	87	134	164	113	59	14	3	-
FEMALE--	9	21	26	63	100	152	225	268	202	84	14	-
ALL OTHER--MALE----	7	8	8	12	29	15	28	21	13	5	-	-
FEMALE--	4	12	9	13	12	14	21	39	21	11	3	-
BLACK---MALE-----	7	8	7	12	29	14	28	20	13	5	-	-
FEMALE--	4	12	9	12	12	14	20	39	21	11	3	-
CALIFORNIA -----	380	432	577	979	1,629	2,744	3,409	3,544	2,456	938	180	-
WHITE-----MALE----	152	157	221	378	638	1,071	1,209	1,022	603	151	24	-
FEMALE--	108	141	162	367	627	1,228	1,741	2,081	1,615	695	139	-
ALL OTHER--MALE----	65	76	113	114	179	214	196	173	86	17	-	-
FEMALE--	55	58	81	120	185	231	263	268	152	75	17	-
BLACK---MALE-----	36	44	53	56	86	90	69	50	30	7	-	-
FEMALE--	24	25	39	64	96	125	110	138	79	48	6	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2108

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
COLORADO -----	1,834	4	1	-	-	-	1	3	5	15	23	33
WHITE-----MALE----	687	3	-	-	-	-	-	2	4	7	13	14
FEMALE--	1,065	1	-	-	-	-	1	1	1	8	9	11
ALL OTHER--MALE----	31	-	1	-	-	-	-	-	-	-	1	6
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	20	-	1	-	-	-	-	-	-	-	1	4
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	2
CONNECTICUT -----	1,933	2	-	1	1	1	-	1	1	7	10	17
WHITE-----MALE----	712	1	-	1	1	1	-	1	-	3	5	9
FEMALE--	1,114	1	-	-	-	-	-	-	-	-	4	5
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	66	-	-	-	-	-	-	-	-	4	1	-
BLACK---MALE-----	33	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	61	-	-	-	-	-	-	-	-	4	1	-
DELAWARE -----	365	1	1	-	-	-	-	2	-	3	6	7
WHITE-----MALE----	117	1	1	-	-	-	-	1	-	1	1	1
FEMALE--	191	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	1	-	2	4	4
BLACK---MALE-----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	1	-	2	4	3
DISTRICT OF COLUMBIA ---	297	-	-	-	-	-	-	-	1	2	7	10
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	-	-	3	8
FEMALE--	139	-	-	-	-	-	-	-	1	2	4	1
BLACK---MALE-----	92	-	-	-	-	-	-	-	-	-	3	8
FEMALE--	138	-	-	-	-	-	-	-	1	2	4	1
FLORIDA -----	10,560	7	1	3	1	1	4	8	27	57	104	146
WHITE-----MALE----	3,879	1	-	2	-	-	1	4	12	20	39	51
FEMALE--	5,417	2	1	1	1	-	2	3	9	19	22	46
ALL OTHER--MALE----	527	1	-	-	-	-	-	1	2	4	19	21
FEMALE--	737	3	-	-	-	1	1	-	4	14	24	28
BLACK---MALE-----	501	1	-	-	-	-	-	1	2	4	18	20
FEMALE--	716	3	-	-	-	1	1	-	4	14	22	27
GEORGIA -----	4,416	2	1	2	1	1	6	11	17	35	67	114
WHITE-----MALE----	1,165	1	-	1	-	1	4	3	2	10	7	26
FEMALE--	1,980	1	-	1	1	-	-	3	6	8	17	23
ALL OTHER--MALE----	546	-	1	-	-	-	1	2	6	8	17	36
FEMALE--	725	-	-	-	-	-	1	3	3	9	26	29
BLACK---MALE-----	532	-	1	-	-	-	-	2	5	7	17	36
FEMALE--	707	-	-	-	-	-	1	3	3	9	26	27

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2108

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
COLORADO -----	29	50	49	83	160	263	334	395	261	105	20	-
WHITE-----MALE----	15	29	26	41	64	115	139	125	63	24	3	-
FEMALE--	13	18	19	33	86	132	185	259	192	79	17	-
ALL OTHER--MALE----	-	2	1	-	4	8	5	2	1	-	-	-
FEMALE--	1	1	3	9	6	8	5	9	5	2	-	-
BLACK---MALE-----	-	1	-	-	2	4	4	2	1	-	-	-
FEMALE--	1	1	2	6	3	5	3	6	4	2	-	-
CONNECTICUT -----	33	30	37	62	160	277	420	407	308	132	26	-
WHITE-----MALE----	11	12	20	25	79	135	167	145	78	16	2	-
FEMALE--	15	9	13	30	73	120	234	246	225	116	23	-
ALL OTHER--MALE----	2	6	1	2	4	9	11	2	-	-	-	-
FEMALE--	5	3	3	5	4	13	8	14	5	-	1	-
BLACK---MALE-----	2	5	1	2	3	7	7	2	-	-	-	-
FEMALE--	4	2	3	4	4	13	8	14	3	-	1	-
DELAWARE -----	9	10	11	32	36	43	79	65	41	16	3	-
WHITE-----MALE----	6	5	3	8	15	21	31	15	7	-	-	-
FEMALE--	1	4	3	17	15	20	37	44	30	15	3	-
ALL OTHER--MALE----	2	1	2	5	2	2	7	2	-	-	-	-
FEMALE--	-	-	3	2	4	-	4	4	4	1	-	-
BLACK---MALE-----	2	1	2	5	2	2	6	2	-	-	-	-
FEMALE--	-	-	3	2	4	-	4	4	4	1	-	-
DISTRICT OF COLUMBIA ---	12	16	11	19	31	38	56	54	23	13	4	-
WHITE-----MALE----	-	2	-	-	2	5	7	5	1	2	-	-
FEMALE--	-	-	-	-	1	2	6	14	7	9	1	-
ALL OTHER--MALE----	4	7	4	13	11	12	16	9	4	1	1	-
FEMALE--	8	7	7	6	17	19	27	26	11	1	2	-
BLACK---MALE-----	4	7	4	13	11	12	15	9	4	1	1	-
FEMALE--	8	7	7	6	16	19	27	26	11	1	2	-
FLORIDA -----	195	236	349	546	970	1,684	2,083	2,117	1,463	480	78	-
WHITE-----MALE----	76	101	154	233	432	707	786	733	418	100	9	-
FEMALE--	59	77	102	194	396	772	1,126	1,239	943	346	57	-
ALL OTHER--MALE----	37	27	56	65	62	98	65	40	23	6	-	-
FEMALE--	23	31	37	54	80	107	106	105	79	28	12	-
BLACK---MALE-----	36	26	53	62	59	91	63	38	21	6	-	-
FEMALE--	23	28	36	51	78	104	103	103	79	27	12	-
GEORGIA -----	131	162	223	304	481	636	782	784	480	150	25	1
WHITE-----MALE----	32	40	61	111	174	200	227	170	70	23	2	-
FEMALE--	33	44	52	90	170	270	373	449	322	102	15	-
ALL OTHER--MALE----	43	39	60	55	65	66	63	51	24	7	1	1
FEMALE--	23	39	50	48	72	100	119	114	64	18	7	-
BLACK---MALE-----	43	34	60	55	62	65	62	51	24	7	1	-
FEMALE--	21	36	49	48	71	98	116	112	63	17	7	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2109

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
HAWAII -----	18	26	33	50	68	119	138	136	93	37	6	-
WHITE-----MALE----	3	4	5	12	12	14	17	19	7	2	-	-
FEMALE--	3	2	3	3	6	12	17	23	8	4	-	-
ALL OTHER--MALE----	6	12	12	17	27	53	54	47	32	7	2	-
FEMALE--	6	8	13	18	23	40	50	47	46	24	4	-
BLACK---MALE-----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
IDAHO -----	4	14	21	33	60	103	163	190	121	36	7	-
WHITE-----MALE----	3	4	10	17	34	52	72	63	35	6	1	-
FEMALE--	1	9	11	15	26	49	89	125	86	30	6	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	127	187	268	358	675	1,122	1,496	1,566	1,121	447	79	-
WHITE-----MALE----	32	75	93	149	291	421	550	446	256	71	11	-
FEMALE--	40	52	85	132	272	551	806	1,000	793	340	62	-
ALL OTHER--MALE----	27	32	52	42	60	70	52	55	18	5	1	-
FEMALE--	28	28	38	35	52	80	88	65	54	31	5	-
BLACK---MALE-----	25	29	49	38	57	66	42	52	14	5	1	-
FEMALE--	26	23	35	32	44	68	82	65	51	29	5	-
INDIANA -----	76	81	112	188	377	639	838	815	571	216	37	-
WHITE-----MALE----	33	31	50	91	164	261	311	224	119	32	2	-
FEMALE--	27	30	44	74	169	339	483	565	424	169	34	-
ALL OTHER--MALE----	8	11	8	10	21	17	12	9	5	4	-	-
FEMALE--	8	9	10	13	23	22	32	17	23	11	1	-
BLACK---MALE-----	8	11	8	9	21	17	11	9	5	4	-	-
FEMALE--	8	8	10	12	23	22	32	17	23	10	1	-
IOWA -----	23	31	49	87	157	287	490	495	433	187	37	-
WHITE-----MALE----	11	21	22	42	81	142	188	145	115	41	2	-
FEMALE--	8	8	24	40	72	143	294	349	318	144	35	-
ALL OTHER--MALE----	2	1	3	3	3	-	1	1	-	-	-	-
FEMALE--	2	1	-	2	1	2	7	-	-	2	-	-
BLACK---MALE-----	1	1	2	2	1	-	1	1	-	-	-	-
FEMALE--	2	1	-	1	1	2	5	-	-	2	-	-
KANSAS -----	24	32	53	73	155	253	349	356	324	136	28	-
WHITE-----MALE----	14	17	27	30	84	100	115	102	75	26	6	-
FEMALE--	6	12	22	35	59	137	220	244	236	106	22	-
ALL OTHER--MALE----	1	1	2	4	8	7	6	3	3	-	-	-
FEMALE--	3	2	2	4	4	9	8	7	10	4	-	-
BLACK---MALE-----	1	1	2	4	7	7	5	2	3	-	-	-
FEMALE--	3	1	2	4	3	4	7	7	9	4	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2110

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
KENTUCKY -----	2,710	3	-	-	2	-	5	1	4	19	29	36
WHITE-----MALE----	952	3	-	-	1	-	2	-	-	3	13	13
FEMALE--	1,590	-	-	-	1	-	3	1	4	13	12	19
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	104	-	-	-	-	-	-	-	-	-	3	4
BLACK---MALE-----	62	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	103	-	-	-	-	-	-	-	-	-	3	4
LOUISIANA -----	2,684	2	-	-	2	-	9	2	13	22	33	67
WHITE-----MALE----	700	-	-	-	-	-	2	-	3	4	3	12
FEMALE--	1,129	-	-	-	1	-	3	1	2	7	8	21
ALL OTHER--MALE----	340	1	-	-	-	-	2	1	4	6	12	18
FEMALE--	515	1	-	-	1	-	2	-	4	5	10	16
BLACK---MALE-----	332	1	-	-	-	-	2	1	4	6	12	17
FEMALE--	506	1	-	-	-	-	2	-	4	5	10	16
MAINE -----	879	-	-	-	-	-	-	-	2	1	2	8
WHITE-----MALE----	338	-	-	-	-	-	-	-	1	-	2	7
FEMALE--	536	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,892	2	1	2	1	3	3	3	8	18	33	50
WHITE-----MALE----	842	-	-	2	-	2	1	-	1	4	7	10
FEMALE--	1,334	-	-	-	-	1	2	-	1	4	3	9
ALL OTHER--MALE----	309	1	1	-	-	-	-	1	3	2	12	19
FEMALE--	407	1	-	-	1	-	-	2	3	8	11	12
BLACK---MALE-----	290	1	1	-	-	-	-	1	2	2	11	19
FEMALE--	378	1	-	-	1	-	-	2	3	8	10	11
MASSACHUSETTS -----	3,548	3	2	-	-	2	3	6	8	9	24	43
WHITE-----MALE----	1,197	3	1	-	-	-	2	2	4	4	10	18
FEMALE--	2,215	-	-	-	-	2	1	2	2	4	11	21
ALL OTHER--MALE----	67	-	1	-	-	-	-	2	1	1	-	3
FEMALE--	69	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE-----	50	-	-	-	-	-	-	2	1	1	-	3
FEMALE--	52	-	-	-	-	-	-	-	-	-	3	-
MICHIGAN -----	6,041	2	2	2	1	3	1	6	10	39	60	98
WHITE-----MALE----	1,951	1	-	2	-	1	-	-	3	13	15	29
FEMALE--	3,254	1	2	-	1	-	-	2	3	12	21	32
ALL OTHER--MALE----	359	-	-	-	-	-	1	1	2	6	13	21
FEMALE--	477	-	-	-	-	2	-	3	2	8	11	16
BLACK---MALE-----	344	-	-	-	-	-	1	1	1	6	11	20
FEMALE--	452	-	-	-	-	2	-	3	2	8	11	15

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2110

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
KENTUCKY -----	59	69	95	156	285	410	491	542	368	121	15	-
WHITE-----MALE----	27	33	53	81	130	151	186	167	66	20	3	-
FEMALE--	27	30	32	65	130	235	291	346	280	92	9	-
ALL OTHER--MALE----	4	3	6	5	16	9	6	7	4	-	-	-
FEMALE--	1	3	4	5	9	15	8	22	18	9	3	-
BLACK---MALE-----	4	3	6	5	16	9	6	5	4	-	-	-
FEMALE--	1	3	4	5	8	15	8	22	18	9	3	-
LOUISIANA -----	74	114	126	173	261	420	451	494	283	111	27	-
WHITE-----MALE----	12	23	40	63	78	137	128	137	43	13	2	-
FEMALE--	17	32	26	45	88	153	214	260	162	75	14	-
ALL OTHER--MALE----	27	32	31	27	40	48	36	30	16	5	4	-
FEMALE--	18	27	29	38	55	82	73	67	62	18	7	-
BLACK---MALE-----	27	31	30	27	39	47	36	29	14	5	4	-
FEMALE--	18	25	27	38	55	82	71	67	60	18	7	-
MAINE -----	13	18	29	42	69	127	170	194	140	57	7	-
WHITE-----MALE----	6	9	16	21	42	60	77	56	32	9	-	-
FEMALE--	5	9	13	20	27	67	93	137	107	48	7	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
MARYLAND -----	56	67	91	170	272	434	546	579	402	135	16	-
WHITE-----MALE----	12	12	27	64	89	154	188	157	95	16	1	-
FEMALE--	12	11	20	52	82	176	260	344	251	94	12	-
ALL OTHER--MALE----	15	23	24	35	48	55	31	21	13	5	-	-
FEMALE--	17	21	20	19	53	49	67	57	43	20	3	-
BLACK---MALE-----	15	21	22	32	42	53	30	21	12	5	-	-
FEMALE--	16	19	19	18	50	45	64	54	34	20	3	-
MASSACHUSETTS -----	37	54	59	143	254	511	767	792	538	245	48	-
WHITE-----MALE----	20	26	37	68	127	212	262	247	104	46	4	-
FEMALE--	14	24	16	65	110	274	478	528	425	196	42	-
ALL OTHER--MALE----	2	2	4	7	9	11	12	8	2	-	2	-
FEMALE--	1	2	2	3	8	14	15	9	7	3	-	-
BLACK---MALE-----	2	2	3	4	8	7	10	5	-	-	2	-
FEMALE--	1	2	2	2	4	13	9	8	5	3	-	-
MICHIGAN -----	109	159	202	308	578	939	1,173	1,191	809	300	49	-
WHITE-----MALE----	31	67	86	126	232	360	399	347	187	47	5	-
FEMALE--	40	52	74	117	246	437	668	716	564	227	39	-
ALL OTHER--MALE----	18	23	25	32	49	62	45	38	18	4	1	-
FEMALE--	20	17	17	33	51	80	61	90	40	22	4	-
BLACK---MALE-----	18	22	23	31	48	58	45	36	18	4	1	-
FEMALE--	18	16	16	33	49	76	59	80	39	21	4	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2111

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
MINNESOTA -----	32	39	62	118	228	374	588	677	537	205	41	-
WHITE-----MALE----	18	24	37	67	115	188	210	234	127	30	5	-
FEMALE--	10	13	21	47	103	174	363	435	402	173	36	-
ALL OTHER--MALE----	3	2	-	3	3	5	7	6	3	1	-	-
FEMALE--	1	-	4	1	7	7	8	2	5	1	-	-
BLACK---MALE-----	1	-	-	3	-	3	2	2	3	1	-	-
FEMALE--	-	-	3	1	3	2	3	-	3	1	-	-
MISSISSIPPI -----	59	76	89	117	167	277	298	342	208	75	17	-
WHITE-----MALE----	10	26	31	39	62	79	89	87	38	5	1	-
FEMALE--	11	11	21	28	60	118	132	179	111	41	7	-
ALL OTHER--MALE----	22	18	19	26	17	27	27	27	15	11	1	-
FEMALE--	16	21	18	24	28	53	50	49	44	18	8	-
BLACK---MALE-----	21	18	19	25	17	26	27	27	15	11	1	-
FEMALE--	14	20	18	24	28	53	50	49	44	18	8	-
MISSOURI -----	64	86	120	211	330	579	778	855	559	220	35	-
WHITE-----MALE----	29	38	49	88	135	232	266	266	127	35	7	-
FEMALE--	18	27	50	101	154	283	454	538	407	174	27	-
ALL OTHER--MALE----	10	11	11	12	19	35	19	23	6	-	-	-
FEMALE--	7	10	10	10	22	29	39	28	19	11	1	-
BLACK---MALE-----	10	11	11	12	19	35	19	23	6	-	-	-
FEMALE--	6	10	10	10	20	28	38	27	19	11	1	-
MONTANA -----	11	8	11	17	49	75	122	131	101	44	7	-
WHITE-----MALE----	5	4	6	5	25	28	49	40	19	9	2	-
FEMALE--	5	3	5	11	22	43	70	88	82	34	5	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	3	-	1	-	-
FEMALE--	-	1	-	1	2	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	20	26	56	83	158	251	257	205	75	14	-
WHITE-----MALE----	3	8	13	27	48	76	89	90	41	14	2	-
FEMALE--	2	9	10	26	31	76	157	164	163	61	12	-
ALL OTHER--MALE----	-	1	3	1	1	4	2	-	-	-	-	-
FEMALE--	-	2	-	2	3	2	3	3	1	-	-	-
BLACK---MALE-----	-	1	3	1	1	4	1	-	-	-	-	-
FEMALE--	-	2	-	2	3	-	2	3	1	-	-	-
NEVADA -----	19	41	44	63	112	155	179	134	65	18	2	-
WHITE-----MALE----	6	18	19	35	42	70	63	45	9	5	1	-
FEMALE--	8	15	17	23	53	70	100	75	53	12	1	-
ALL OTHER--MALE----	4	5	5	3	10	6	8	4	-	-	-	-
FEMALE--	1	3	3	2	7	9	8	10	3	1	-	-
BLACK---MALE-----	2	4	4	1	5	5	7	2	-	-	-	-
FEMALE--	1	2	1	1	5	6	3	9	2	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2113

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
OHIO -----	7,235	6	1	3	1	1	6	10	17	30	65	96
WHITE-----MALE----	2,361	-	1	1	-	1	1	4	9	6	34	29
FEMALE--	4,113	5	-	-	1	-	3	5	5	11	17	38
ALL OTHER--MALE----	316	1	-	1	-	-	1	1	1	7	4	13
FEMALE--	445	-	-	1	-	-	1	-	2	6	10	16
BLACK---MALE-----	302	1	-	1	-	-	1	1	-	7	4	13
FEMALE--	429	-	-	1	-	-	1	-	1	6	9	15
OKLAHOMA -----	2,481	1	2	1	-	-	1	-	6	16	24	34
WHITE-----MALE----	822	1	-	-	-	-	1	-	2	4	8	14
FEMALE--	1,419	-	2	1	-	-	-	-	2	6	8	13
ALL OTHER--MALE----	95	-	-	-	-	-	-	-	1	1	4	3
FEMALE--	145	-	-	-	-	-	-	-	1	5	4	4
BLACK---MALE-----	61	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	101	-	-	-	-	-	-	-	-	3	3	4
OREGON -----	2,799	1	1	-	-	1	1	1	2	4	13	25
WHITE-----MALE----	1,012	-	-	-	-	-	-	-	1	1	5	13
FEMALE--	1,710	1	1	-	-	1	-	1	1	2	6	11
ALL OTHER--MALE----	38	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	8,600	3	-	2	3	4	1	6	13	37	72	89
WHITE-----MALE----	2,914	1	-	2	2	-	1	2	7	11	29	34
FEMALE--	4,931	2	-	-	-	1	-	4	5	14	25	33
ALL OTHER--MALE----	296	-	-	-	1	1	-	-	1	3	8	13
FEMALE--	459	-	-	-	-	2	-	-	-	9	10	9
BLACK---MALE-----	275	-	-	-	1	1	-	-	1	3	8	11
FEMALE--	446	-	-	-	-	2	-	-	-	9	9	9
RHODE ISLAND -----	633	-	1	-	-	-	1	-	1	2	2	6
WHITE-----MALE----	217	-	1	-	-	-	1	-	1	1	1	2
FEMALE--	394	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	2,974	-	-	-	-	1	2	2	3	18	46	57
WHITE-----MALE----	746	-	-	-	-	1	1	-	1	9	8	13
FEMALE--	1,269	-	-	-	-	-	-	1	-	-	7	9
ALL OTHER--MALE----	400	-	-	-	-	-	-	-	1	2	13	12
FEMALE--	559	-	-	-	-	-	1	1	1	7	18	23
BLACK---MALE-----	398	-	-	-	-	-	-	-	1	2	13	12
FEMALE--	556	-	-	-	-	-	1	1	1	7	17	22

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2113

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
OHIO -----	92	145	212	395	720	1,153	1,502	1,392	949	374	65	-
WHITE-----MALE----	34	51	88	160	302	444	558	390	193	49	6	-
FEMALE--	37	61	78	164	322	586	842	906	683	298	51	-
ALL OTHER--MALE----	11	16	28	32	47	66	34	30	19	3	1	-
FEMALE--	10	17	18	39	49	57	68	66	54	24	7	-
BLACK---MALE-----	11	15	26	31	45	65	29	29	19	3	1	-
FEMALE--	10	17	17	36	47	56	65	64	53	24	7	-
OKLAHOMA -----	48	79	73	134	205	375	457	502	385	121	17	-
WHITE-----MALE----	22	32	34	47	89	149	154	144	92	28	1	-
FEMALE--	15	28	29	68	95	187	264	321	276	88	16	-
ALL OTHER--MALE----	7	11	3	11	13	18	12	8	2	1	-	-
FEMALE--	4	8	7	8	8	21	27	29	15	4	-	-
BLACK---MALE-----	6	9	2	9	6	9	7	5	-	1	-	-
FEMALE--	4	7	3	4	6	17	21	19	8	2	-	-
OREGON -----	39	44	70	113	199	430	596	636	454	144	25	-
WHITE-----MALE----	12	21	38	58	92	181	253	202	114	19	2	-
FEMALE--	20	20	29	49	90	237	337	424	337	120	23	-
ALL OTHER--MALE----	5	3	1	2	9	5	2	5	1	1	-	-
FEMALE--	2	-	2	4	8	7	4	5	2	4	-	-
BLACK---MALE-----	3	1	1	-	3	2	-	2	1	-	-	-
FEMALE--	1	-	1	2	5	2	2	1	1	1	-	-
PENNSYLVANIA -----	134	194	218	368	810	1,395	1,715	1,858	1,189	417	72	-
WHITE-----MALE----	65	70	100	166	379	579	608	541	244	70	3	-
FEMALE--	39	79	79	148	331	696	1,006	1,196	895	320	58	-
ALL OTHER--MALE----	20	24	25	27	46	45	38	26	13	3	2	-
FEMALE--	10	21	14	27	54	75	63	95	37	24	9	-
BLACK---MALE-----	20	19	23	26	43	43	34	24	13	3	2	-
FEMALE--	10	21	13	25	52	74	60	92	37	24	9	-
RHODE ISLAND -----	8	9	11	14	59	92	147	135	101	39	5	-
WHITE-----MALE----	4	3	5	10	31	44	52	39	16	6	-	-
FEMALE--	4	3	5	4	27	44	91	94	81	32	5	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	1	1	-	-
FEMALE--	-	2	1	-	-	3	4	2	3	-	-	-
BLACK---MALE-----	-	1	-	-	1	1	-	-	1	1	-	-
FEMALE--	-	1	1	-	-	3	4	2	3	-	-	-
SOUTH CAROLINA -----	90	109	162	204	305	462	524	551	298	113	27	-
WHITE-----MALE----	23	29	42	74	96	130	136	118	50	13	2	-
FEMALE--	13	24	39	44	101	182	260	307	193	69	20	-
ALL OTHER--MALE----	31	29	42	47	49	54	59	42	13	5	1	-
FEMALE--	23	27	39	39	59	96	69	84	42	26	4	-
BLACK---MALE-----	30	29	42	47	49	53	59	42	13	5	1	-
FEMALE--	23	27	39	39	58	96	69	84	42	26	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2114

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
SOUTH DAKOTA -----	547	1	-	-	-	-	1	1	1	4	3	5
WHITE-----MALE----	191	1	-	-	-	-	1	-	-	-	1	2
FEMALE--	336	-	-	-	-	-	-	1	1	3	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,103	3	2	-	-	1	5	2	4	34	46	61
WHITE-----MALE----	1,235	2	1	-	-	-	1	-	1	8	12	13
FEMALE--	2,257	-	-	-	-	1	2	2	2	16	11	15
ALL OTHER--MALE----	235	-	-	-	-	-	1	-	1	6	10	20
FEMALE--	376	1	1	-	-	-	1	-	-	4	13	13
BLACK---MALE-----	229	-	-	-	-	-	1	-	1	6	10	20
FEMALE--	371	1	1	-	-	-	1	-	-	4	13	12
TEXAS -----	10,414	5	6	2	4	6	12	20	31	65	115	185
WHITE-----MALE----	3,329	3	2	-	2	2	2	11	14	30	45	69
FEMALE--	5,717	-	2	1	2	2	6	8	8	15	32	58
ALL OTHER--MALE----	561	2	-	-	-	1	4	1	2	12	23	30
FEMALE--	807	-	2	1	-	1	-	-	7	8	15	28
BLACK---MALE-----	519	2	-	-	-	1	3	1	1	11	21	26
FEMALE--	755	-	2	1	-	1	-	-	6	6	14	26
UTAH -----	869	1	-	-	-	-	-	-	3	3	5	10
WHITE-----MALE----	310	-	-	-	-	-	-	-	1	2	1	5
FEMALE--	539	1	-	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	344	-	-	-	-	-	-	-	-	1	4	3
WHITE-----MALE----	126	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	218	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,110	2	4	-	1	1	6	6	8	24	41	68
WHITE-----MALE----	1,132	-	1	-	-	-	1	1	2	6	10	16
FEMALE--	1,974	1	2	-	1	-	4	3	2	6	10	15
ALL OTHER--MALE----	417	1	-	-	-	-	-	1	1	8	8	23
FEMALE--	587	-	1	-	-	1	1	1	3	4	13	14
BLACK---MALE-----	390	1	-	-	-	-	-	-	1	6	8	21
FEMALE--	550	-	1	-	-	1	1	1	3	4	13	12

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2114

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
SOUTH DAKOTA -----	14	8	12	18	41	64	89	137	90	50	8	-
WHITE-----MALE----	5	3	4	9	22	30	41	44	20	8	-	-
FEMALE--	5	5	7	5	16	32	47	92	70	42	8	-
ALL OTHER--MALE----	3	-	-	3	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	86	104	170	234	389	605	787	809	541	196	24	-
WHITE-----MALE----	33	43	66	95	138	222	251	204	111	29	5	-
FEMALE--	24	32	65	100	155	312	449	529	383	144	15	-
ALL OTHER--MALE----	19	11	20	14	40	28	25	21	13	6	-	-
FEMALE--	10	18	19	25	56	43	62	55	34	17	4	-
BLACK---MALE-----	19	11	19	12	39	28	24	20	13	6	-	-
FEMALE--	10	18	19	23	56	43	62	53	34	17	4	-
TEXAS -----	230	313	369	563	982	1,444	1,939	2,046	1,447	526	104	-
WHITE-----MALE----	81	131	156	220	413	553	643	573	292	73	14	-
FEMALE--	79	100	137	225	414	723	1,092	1,300	1,034	402	77	-
ALL OTHER--MALE----	34	40	43	55	71	70	73	56	36	6	2	-
FEMALE--	36	42	33	63	84	98	131	117	85	45	11	-
BLACK---MALE-----	34	37	41	52	64	64	67	51	35	6	2	-
FEMALE--	33	39	30	58	76	95	122	112	82	42	10	-
UTAH -----	16	19	20	38	65	131	188	201	128	34	7	-
WHITE-----MALE----	11	11	10	17	29	51	77	63	24	6	2	-
FEMALE--	4	8	7	20	35	78	108	135	104	27	4	-
ALL OTHER--MALE----	1	-	1	1	-	2	-	-	-	1	1	-
FEMALE--	-	-	2	-	1	-	3	3	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	4	3	7	17	25	48	63	69	61	36	3	-
WHITE-----MALE----	2	1	3	13	15	27	25	18	12	4	1	-
FEMALE--	2	2	4	4	10	21	38	51	49	32	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	70	107	165	238	435	641	787	824	496	161	24	1
WHITE-----MALE----	17	40	52	85	151	203	238	205	80	21	3	-
FEMALE--	16	24	47	73	150	273	391	484	335	120	17	-
ALL OTHER--MALE----	23	21	31	42	61	66	63	44	21	3	-	-
FEMALE--	14	22	35	38	73	99	95	91	60	17	4	1
BLACK---MALE-----	21	19	29	40	57	62	61	42	19	3	-	-
FEMALE--	13	21	31	33	71	95	87	85	57	17	3	1





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2115

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
WASHINGTON -----	51	74	94	155	289	551	717	860	574	219	42	-
WHITE-----MALE----	22	34	39	73	120	252	322	271	125	48	5	-
FEMALE--	23	30	44	59	147	265	370	555	435	159	35	-
ALL OTHER--MALE----	3	8	3	10	15	18	9	14	6	3	-	-
FEMALE--	3	2	8	13	7	16	16	20	8	9	2	-
BLACK---MALE-----	2	5	2	-	6	10	1	7	3	2	-	-
FEMALE--	2	1	-	5	2	5	7	9	3	4	-	-
WEST VIRGINIA -----	16	31	50	67	140	199	259	270	193	53	10	-
WHITE-----MALE----	8	18	28	31	52	71	98	84	40	11	6	-
FEMALE--	8	10	21	35	83	122	150	179	144	41	3	-
ALL OTHER--MALE----	-	2	-	-	1	2	4	3	1	-	-	-
FEMALE--	-	1	1	1	4	4	7	4	8	1	1	-
BLACK---MALE-----	-	2	-	-	1	2	4	3	1	-	-	-
FEMALE--	-	1	1	1	3	3	7	4	8	1	1	-
WISCONSIN -----	50	53	94	166	336	567	812	835	600	235	35	-
WHITE-----MALE----	25	29	45	80	168	265	339	283	142	37	4	-
FEMALE--	21	18	36	78	151	278	450	542	451	195	30	-
ALL OTHER--MALE----	1	2	7	6	11	11	6	1	2	-	-	-
FEMALE--	3	4	6	2	6	13	17	9	5	3	1	-
BLACK---MALE-----	1	2	6	6	9	10	5	1	2	-	-	-
FEMALE--	2	4	5	2	5	10	13	7	4	3	1	-
WYOMING -----	4	5	6	8	28	37	49	69	40	8	2	-
WHITE-----MALE----	2	5	4	3	11	15	24	17	15	1	-	-
FEMALE--	2	-	2	5	16	19	21	50	25	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2116

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
UNITED STATES -	6,489	4	4	3	8	24	39	80	153	360	582	657
WHITE-----MALE----	1,857	2	2	2	1	11	15	34	61	115	190	205
FEMALE--	3,407	2	2	1	3	7	19	26	54	148	231	274
ALL OTHER--MALE----	382	-	-	-	1	3	2	10	13	37	51	60
FEMALE--	843	-	-	-	3	3	3	10	25	60	110	118
BLACK---MALE-----	307	-	-	-	1	3	2	8	12	31	45	48
FEMALE--	630	-	-	-	2	3	3	10	20	48	94	90
ALABAMA -----	119	-	-	-	-	-	-	1	4	6	14	9
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	2	3	2
FEMALE--	58	-	-	-	-	-	-	-	2	3	5	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	25	-	-	-	-	-	-	1	-	-	2	4
BLACK---MALE-----	11	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	23	-	-	-	-	-	-	1	-	-	2	3
ALASKA -----	13	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	86	-	-	-	-	-	3	1	1	5	8	11
WHITE-----MALE----	33	-	-	-	-	-	2	1	-	2	4	2
FEMALE--	47	-	-	-	-	-	1	-	1	2	4	8
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	67	-	-	-	1	2	-	2	1	4	6	2
WHITE-----MALE----	23	-	-	-	-	1	-	1	-	2	2	-
FEMALE--	34	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	5	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE-----	5	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	5	-	-	-	1	-	-	1	-	-	1	-
CALIFORNIA -----	722	-	1	-	1	2	4	10	15	37	67	84
WHITE-----MALE----	203	-	1	-	-	1	1	8	5	14	23	25
FEMALE--	358	-	-	-	1	1	3	1	6	18	30	33
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	1	4	3	6
FEMALE--	112	-	-	-	-	-	-	-	3	1	11	20
BLACK---MALE-----	23	-	-	-	-	-	-	1	1	2	3	3
FEMALE--	36	-	-	-	-	-	-	-	2	-	4	11

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2116

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
UNITED STATES -	620	579	543	541	599	615	533	345	150	45	4	1
WHITE-----MALE----	193	174	152	155	152	171	125	70	23	4	-	-
FEMALE--	289	295	282	310	362	375	349	238	108	29	3	-
ALL OTHER--MALE----	49	35	32	31	21	12	14	4	2	4	-	1
FEMALE--	89	75	77	45	64	57	45	33	17	8	1	-
BLACK---MALE-----	43	30	23	22	16	6	13	2	1	1	-	-
FEMALE--	69	58	49	28	48	36	30	21	13	7	1	-
ALABAMA -----	10	15	14	9	13	9	8	2	5	-	-	-
WHITE-----MALE----	2	3	3	5	1	1	2	-	-	-	-	-
FEMALE--	4	6	10	2	9	7	4	1	3	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	4	4	1	1	3	-	2	1	2	-	-	-
BLACK---MALE-----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	4	4	-	1	3	-	2	1	2	-	-	-
ALASKA -----	1	2	2	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	7	10	10	4	7	3	3	-	-	-	-
WHITE-----MALE----	6	3	6	1	1	4	1	-	-	-	-	-
FEMALE--	6	4	3	8	3	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	3	8	9	6	8	6	6	2	1	-	-	-
WHITE-----MALE----	3	2	3	4	1	1	3	-	-	-	-	-
FEMALE--	-	4	6	2	5	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	82	50	66	55	61	64	55	49	13	6	-	-
WHITE-----MALE----	28	13	13	14	13	17	12	13	1	1	-	-
FEMALE--	32	23	35	31	31	39	32	29	9	4	-	-
ALL OTHER--MALE----	7	4	9	3	7	-	1	1	1	1	-	-
FEMALE--	15	10	9	7	10	8	10	6	2	-	-	-
BLACK---MALE-----	4	3	2	-	4	-	-	-	-	-	-	-
FEMALE--	7	3	2	1	2	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2117

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
COLORADO -----	67	-	-	-	-	-	-	-	-	2	6	9
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	4	5
FEMALE--	39	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	62	-	-	-	-	-	-	-	-	3	4	4
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	21	-	-	-	-	-	-	1	-	1	3	4
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	2	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	1	2	1
DISTRICT OF COLUMBIA ---	11	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	401	1	-	1	-	-	1	2	10	18	32	37
WHITE-----MALE----	132	-	-	1	-	-	-	1	7	6	14	13
FEMALE--	210	1	-	-	-	-	1	1	3	5	7	16
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	41	-	-	-	-	-	-	-	-	5	9	7
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	5	9	6
GEORGIA -----	202	-	-	-	-	-	2	4	8	13	21	26
WHITE-----MALE----	35	-	-	-	-	-	1	1	-	5	1	6
FEMALE--	93	-	-	-	-	-	-	1	3	5	8	10
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	3	2	3	6
FEMALE--	45	-	-	-	-	-	1	2	2	1	9	4
BLACK---MALE-----	26	-	-	-	-	-	-	-	2	2	3	6
FEMALE--	44	-	-	-	-	-	1	2	2	1	9	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2117

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
COLORADO -----	6	8	3	10	7	5	2	7	2	-	-	-
WHITE-----MALE----	2	3	-	5	-	3	-	3	-	-	-	-
FEMALE--	4	5	3	4	7	2	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	6	-	2	11	5	12	6	-	-	-	-
WHITE-----MALE----	-	2	-	1	4	3	3	1	-	-	-	-
FEMALE--	7	3	-	1	7	2	7	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	1	-	-	-	-
DELAWARE -----	1	1	1	3	2	2	-	1	-	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	3	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	3	1	-	1	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	1	1	-	-	-	-	-
FLORIDA -----	44	38	39	26	38	39	35	24	13	3	-	-
WHITE-----MALE----	17	14	20	9	8	6	10	5	1	-	-	-
FEMALE--	16	17	16	14	30	28	21	19	12	3	-	-
ALL OTHER--MALE----	6	1	1	1	-	2	2	-	-	-	-	-
FEMALE--	5	6	2	2	-	3	2	-	-	-	-	-
BLACK---MALE-----	6	1	1	1	-	1	2	-	-	-	-	-
FEMALE--	5	5	2	2	-	1	2	-	-	-	-	-
GEORGIA -----	23	15	18	15	16	12	14	6	6	2	-	1
WHITE-----MALE----	4	3	3	3	3	2	1	-	2	-	-	-
FEMALE--	14	8	5	5	10	7	9	4	3	1	-	-
ALL OTHER--MALE----	3	1	4	4	-	1	1	-	-	-	-	1
FEMALE--	2	3	6	3	3	2	3	2	1	1	-	-
BLACK---MALE-----	3	1	4	4	-	-	1	-	-	-	-	-
FEMALE--	2	3	5	3	3	2	3	2	1	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2119

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
KENTUCKY -----	98	-	-	-	1	-	1	-	1	9	12	12
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	2	6	2
FEMALE--	66	-	-	-	1	-	1	-	1	7	5	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	2
LOUISIANA -----	124	-	-	-	1	-	3	-	7	8	9	15
WHITE-----MALE----	22	-	-	-	-	-	1	-	2	1	2	2
FEMALE--	59	-	-	-	-	-	1	-	2	3	3	9
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	1	2	1	1
FEMALE--	29	-	-	-	1	-	-	-	2	2	3	3
BLACK---MALE-----	12	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	26	-	-	-	-	-	-	-	2	2	3	3
MAINE -----	27	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	105	-	-	-	-	-	2	-	2	5	13	12
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	43	-	-	-	-	-	2	-	-	1	2	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	24	-	-	-	-	-	-	-	1	2	6	2
BLACK---MALE-----	13	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	20	-	-	-	-	-	-	-	1	2	5	2
MASSACHUSETTS -----	125	-	-	-	-	-	2	3	2	5	9	10
WHITE-----MALE----	31	-	-	-	-	-	2	1	1	1	2	1
FEMALE--	77	-	-	-	-	-	-	1	-	3	5	8
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	217	-	-	1	-	-	-	1	1	15	22	25
WHITE-----MALE----	62	-	-	1	-	-	-	-	-	3	4	7
FEMALE--	120	-	-	-	-	-	-	-	1	6	13	12
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	26	-	-	-	-	-	-	1	-	4	4	4
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	23	-	-	-	-	-	-	1	-	4	4	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2119

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
KENTUCKY -----	14	10	2	10	11	4	4	3	3	1	-	-
WHITE-----MALE----	5	3	1	2	3	1	1	-	1	-	-	-
FEMALE--	9	6	1	8	7	3	3	3	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	15	10	11	10	10	7	4	1	1	-	-
WHITE-----MALE----	1	4	3	1	-	2	1	1	-	1	-	-
FEMALE--	7	6	3	6	6	6	5	1	1	-	-	-
ALL OTHER--MALE----	2	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	2	3	3	3	3	2	1	1	-	-	-	-
BLACK---MALE-----	2	2	-	1	1	-	-	1	-	-	-	-
FEMALE--	2	2	2	3	3	2	1	1	-	-	-	-
MAINE -----	4	2	3	2	2	3	5	2	-	-	1	-
WHITE-----MALE----	-	-	2	-	1	2	1	1	-	-	-	-
FEMALE--	4	2	1	2	1	1	4	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	5	8	6	12	16	5	10	-	1	-	-
WHITE-----MALE----	4	2	-	1	2	4	1	2	-	-	-	-
FEMALE--	2	2	3	5	4	12	3	5	-	-	-	-
ALL OTHER--MALE----	1	-	3	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	2	-	5	-	-	3	-	1	-	-
BLACK---MALE-----	1	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	-	3	-	-	2	-	1	-	-
MASSACHUSETTS -----	7	7	4	12	14	14	25	7	1	3	-	-
WHITE-----MALE----	1	4	1	2	4	3	7	1	-	-	-	-
FEMALE--	6	2	3	8	8	9	16	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	1	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	1	-	1	-	-
MICHIGAN -----	20	19	20	13	24	28	17	11	-	-	-	-
WHITE-----MALE----	4	4	6	3	10	13	6	1	-	-	-	-
FEMALE--	13	10	13	9	11	13	10	9	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	-	3	2	1	1	-	-	-	-
BLACK---MALE-----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	2	2	1	1	-	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2122

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
OHIO -----	290	1	-	-	1	-	3	6	11	13	31	28
WHITE-----MALE----	87	-	-	-	-	-	-	2	6	5	16	8
FEMALE--	165	1	-	-	1	-	2	3	4	4	10	14
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	-	2	-	1
FEMALE--	27	-	-	-	-	-	-	-	1	2	5	5
BLACK---MALE-----	10	-	-	-	-	-	1	1	-	2	-	1
FEMALE--	24	-	-	-	-	-	-	-	1	2	4	4
OKLAHOMA -----	103	-	-	-	-	-	1	-	2	10	8	16
WHITE-----MALE----	32	-	-	-	-	-	1	-	1	2	3	3
FEMALE--	57	-	-	-	-	-	-	-	1	4	3	9
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	4	2	3
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	3
OREGON -----	69	-	-	-	-	-	-	-	1	-	5	8
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	47	-	-	-	-	-	-	-	1	-	4	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	327	-	-	-	1	3	-	1	5	14	27	21
WHITE-----MALE----	91	-	-	-	1	-	-	-	1	2	10	6
FEMALE--	194	-	-	-	-	-	-	1	3	6	13	9
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	30	-	-	-	-	2	-	-	-	6	4	4
BLACK---MALE-----	11	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	28	-	-	-	-	2	-	-	-	6	3	4
RHODE ISLAND -----	19	-	-	-	-	-	-	-	-	2	1	5
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	123	-	-	-	-	-	2	1	1	6	12	12
WHITE-----MALE----	33	-	-	-	-	-	1	-	1	2	3	2
FEMALE--	43	-	-	-	-	-	-	1	-	-	3	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	33	-	-	-	-	-	1	-	-	4	4	6
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	32	-	-	-	-	-	1	-	-	4	3	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2122

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
OHIO -----	27	20	21	32	21	28	29	11	5	2	-	-
WHITE-----MALE----	7	3	6	10	6	9	6	3	-	-	-	-
FEMALE--	17	15	11	17	14	16	22	7	5	2	-	-
ALL OTHER--MALE----	1	-	2	3	-	-	-	-	-	-	-	-
FEMALE--	2	2	2	2	1	3	1	1	-	-	-	-
BLACK---MALE-----	1	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	2	2	2	2	1	2	1	1	-	-	-	-
OKLAHOMA -----	8	12	9	7	13	5	10	2	-	-	-	-
WHITE-----MALE----	3	2	5	4	3	1	4	-	-	-	-	-
FEMALE--	4	9	4	2	10	3	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	9	6	8	5	7	8	7	2	1	2	-	-
WHITE-----MALE----	3	2	3	-	2	3	1	1	1	-	-	-
FEMALE--	6	4	5	5	3	5	6	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	25	24	27	35	39	41	30	24	8	1	1	-
WHITE-----MALE----	10	5	8	13	12	8	7	8	-	-	-	-
FEMALE--	11	14	16	21	23	32	21	16	7	-	1	-
ALL OTHER--MALE----	3	2	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	3	2	1	3	1	1	-	1	1	-	-
BLACK---MALE-----	3	2	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	3	1	1	3	1	1	-	1	1	-	-
RHODE ISLAND -----	1	1	1	-	5	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	4	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	17	5	17	12	10	7	9	9	2	1	-	-
WHITE-----MALE----	4	1	2	7	3	3	1	2	1	-	-	-
FEMALE--	4	2	9	2	1	4	8	6	1	-	-	-
ALL OTHER--MALE----	2	2	2	1	3	-	-	-	-	-	-	-
FEMALE--	7	-	4	2	3	-	-	1	-	1	-	-
BLACK---MALE-----	2	2	2	1	3	-	-	-	-	-	-	-
FEMALE--	7	-	4	2	3	-	-	1	-	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2123

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
SOUTH DAKOTA -----	19	-	-	-	-	-	-	1	1	2	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	1	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	157	-	-	-	-	-	1	-	1	16	13	16
WHITE-----MALE----	33	-	-	-	-	-	-	-	1	5	1	5
FEMALE--	94	-	-	-	-	-	1	-	-	8	7	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	2	4	3
TEXAS -----	429	-	2	-	-	3	4	11	10	30	41	45
WHITE-----MALE----	121	-	-	-	-	1	1	5	6	13	14	10
FEMALE--	232	-	2	-	-	1	3	5	3	10	15	23
ALL OTHER--MALE----	31	-	-	-	-	1	-	1	-	3	6	5
FEMALE--	45	-	-	-	-	-	-	-	1	4	6	7
BLACK---MALE-----	29	-	-	-	-	1	-	1	-	3	6	4
FEMALE--	39	-	-	-	-	-	-	-	1	2	5	6
UTAH -----	29	-	-	-	-	-	-	-	1	1	3	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	144	-	-	-	-	-	-	2	3	7	13	14
WHITE-----MALE----	35	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	63	-	-	-	-	-	-	-	-	3	4	7
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	33	-	-	-	-	-	-	1	2	2	4	3
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	31	-	-	-	-	-	-	1	2	2	4	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2123

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
SOUTH DAKOTA -----	1	2	-	1	2	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	11	13	13	15	18	12	10	3	-	-	-
WHITE-----MALE----	3	2	-	4	2	6	2	1	1	-	-	-
FEMALE--	9	8	9	7	9	10	10	9	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	4	2	-	-	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	1	4	2	-	-	-	-	-	-
TEXAS -----	42	47	30	35	36	37	32	12	9	3	-	-
WHITE-----MALE----	12	13	10	6	10	9	7	3	1	-	-	-
FEMALE--	21	26	16	23	23	23	21	8	7	2	-	-
ALL OTHER--MALE----	4	2	1	1	1	2	3	-	-	1	-	-
FEMALE--	5	6	3	5	2	3	1	1	1	-	-	-
BLACK---MALE-----	4	2	1	-	1	2	3	-	-	1	-	-
FEMALE--	4	6	3	4	2	3	1	1	1	-	-	-
UTAH -----	4	3	2	3	2	5	-	2	-	-	-	-
WHITE-----MALE----	4	2	1	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	1	2	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	16	18	13	19	10	11	6	6	2	-	-
WHITE-----MALE----	1	4	4	6	4	2	3	1	2	-	-	-
FEMALE--	2	7	7	3	11	6	3	4	4	2	-	-
ALL OTHER--MALE----	-	2	2	2	-	-	1	1	-	-	-	-
FEMALE--	1	3	5	2	4	2	4	-	-	-	-	-
BLACK---MALE-----	-	1	2	2	-	-	1	1	-	-	-	-
FEMALE--	1	3	4	1	4	2	4	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2125

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

Intracerebral and other intracranial hemorrhage (I61-I62)

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	25,461	41	9	10	11	24	39	68	124	352	632	957
WHITE-----MALE----	9,380	15	2	7	3	12	15	21	50	114	209	302
FEMALE--	11,657	10	3	1	7	3	12	26	23	85	135	232
ALL OTHER--MALE----	2,184	10	3	-	-	3	8	12	27	85	169	235
FEMALE--	2,240	6	1	2	1	6	4	9	24	68	119	188
BLACK---MALE-----	1,689	10	2	-	-	3	6	11	20	69	150	204
FEMALE--	1,754	6	1	2	1	6	4	7	20	62	109	164
ALABAMA -----	490	-	-	1	-	2	-	2	3	6	16	21
WHITE-----MALE----	159	-	-	1	-	-	-	-	-	2	3	7
FEMALE--	290	-	-	-	-	1	-	1	1	1	2	1
ALL OTHER--MALE----	77	-	-	-	-	1	-	1	1	2	8	8
FEMALE--	54	-	-	-	-	-	-	-	1	1	3	5
BLACK---MALE-----	77	-	-	-	-	1	-	1	1	2	8	8
FEMALE--	54	-	-	-	-	-	-	-	1	1	3	5
ALASKA -----	31	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	367	2	-	-	-	2	-	-	3	7	8	11
WHITE-----MALE----	155	-	-	-	-	1	-	-	1	1	4	3
FEMALE--	186	1	-	-	-	1	-	-	1	6	2	6
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	286	-	-	-	-	-	-	-	2	2	11	12
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	134	-	-	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	4	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	24	-	-	-	-	-	-	-	1	-	4	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	3
CALIFORNIA -----	2,779	9	-	1	2	3	2	10	20	47	65	120
WHITE-----MALE----	1,052	3	-	1	1	2	2	6	11	16	26	42
FEMALE--	1,099	4	-	-	-	-	-	3	5	15	17	36
ALL OTHER--MALE----	318	1	-	-	-	1	-	1	2	7	16	21
FEMALE--	310	1	-	-	1	-	-	-	2	9	6	21
BLACK---MALE-----	119	1	-	-	-	1	-	1	-	3	9	13
FEMALE--	108	1	-	-	1	-	-	-	2	3	4	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2125

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
UNITED STATES -	1,197	1,399	1,528	1,971	3,233	4,367	4,420	3,161	1,500	372	46	-
WHITE-----MALE----	439	553	654	859	1,419	1,742	1,542	958	386	72	6	-
FEMALE--	295	406	463	748	1,367	2,145	2,480	1,921	1,001	261	33	-
ALL OTHER--MALE----	272	250	223	174	203	217	155	95	33	7	3	-
FEMALE--	191	190	188	190	244	263	243	187	80	32	4	-
BLACK---MALE-----	232	196	178	131	142	149	93	59	25	6	3	-
FEMALE--	162	153	139	145	186	201	175	127	56	26	2	-
ALABAMA -----	15	38	36	51	67	73	67	62	26	4	-	-
WHITE-----MALE----	3	16	16	15	26	25	23	13	8	1	-	-
FEMALE--	3	5	8	21	31	39	36	34	15	1	-	-
ALL OTHER--MALE----	5	10	10	8	4	5	3	9	1	1	-	-
FEMALE--	4	7	2	7	6	4	5	6	2	1	-	-
BLACK---MALE-----	5	10	10	8	4	5	3	9	1	1	-	-
FEMALE--	4	7	2	7	6	4	5	6	2	1	-	-
ALASKA -----	2	2	2	1	8	11	1	1	1	-	-	-
WHITE-----MALE----	2	1	2	-	2	5	1	1	1	-	-	-
FEMALE--	-	-	-	1	5	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	20	25	22	56	62	62	48	17	2	1	-
WHITE-----MALE----	10	7	9	15	26	29	25	17	7	-	-	-
FEMALE--	5	9	10	7	27	33	35	31	9	2	1	-
ALL OTHER--MALE----	1	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	3	-	2	-	2	-	1	-	-	-
BLACK---MALE-----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	20	20	24	27	54	54	28	13	7	-	-
WHITE-----MALE----	6	8	10	5	12	24	17	9	4	-	-	-
FEMALE--	2	4	8	15	12	25	30	16	7	7	-	-
ALL OTHER--MALE----	3	4	-	-	2	3	4	1	-	-	-	-
FEMALE--	1	4	2	4	1	2	3	2	2	-	-	-
BLACK---MALE-----	3	4	-	-	2	3	4	1	-	-	-	-
FEMALE--	1	4	2	3	1	2	2	2	2	-	-	-
CALIFORNIA -----	147	164	160	241	343	463	476	310	150	41	5	-
WHITE-----MALE----	68	56	67	111	133	194	156	104	43	8	2	-
FEMALE--	33	46	30	65	132	194	237	163	89	28	2	-
ALL OTHER--MALE----	30	37	33	35	38	40	36	11	7	2	-	-
FEMALE--	16	25	30	30	40	35	47	32	11	3	1	-
BLACK---MALE-----	14	21	12	14	14	8	4	-	3	1	-	-
FEMALE--	7	11	6	12	18	12	13	9	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2126

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
COLORADO -----	292	3	-	-	-	-	1	1	2	10	11	9
WHITE-----MALE----	119	2	-	-	-	-	-	-	2	4	6	4
FEMALE--	155	1	-	-	-	-	1	1	-	6	5	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	297	-	-	1	-	1	-	-	-	4	4	4
WHITE-----MALE----	130	-	-	1	-	1	-	-	-	1	1	3
FEMALE--	142	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	3	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	3	1	-
DELAWARE -----	67	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
DISTRICT OF COLUMBIA ---	58	-	-	-	-	-	-	-	1	2	4	4
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	25	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE-----	25	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	25	-	-	-	-	-	-	-	1	2	1	-
FLORIDA -----	1,719	5	-	2	1	1	2	4	11	22	38	62
WHITE-----MALE----	708	1	-	1	-	-	-	2	3	8	14	22
FEMALE--	788	1	-	1	1	-	1	1	4	7	8	16
ALL OTHER--MALE----	113	1	-	-	-	-	-	1	-	2	10	14
FEMALE--	110	2	-	-	-	1	1	-	4	5	6	10
BLACK---MALE-----	104	1	-	-	-	-	-	1	-	2	9	14
FEMALE--	104	2	-	-	-	1	1	-	4	5	5	10
GEORGIA -----	729	1	1	1	-	-	2	4	4	17	26	51
WHITE-----MALE----	226	-	-	1	-	-	1	2	2	5	2	12
FEMALE--	255	1	-	-	-	-	-	1	-	2	5	7
ALL OTHER--MALE----	113	-	1	-	-	-	1	1	1	5	10	14
FEMALE--	135	-	-	-	-	-	-	-	1	5	9	18
BLACK---MALE-----	107	-	1	-	-	-	-	1	1	4	10	14
FEMALE--	122	-	-	-	-	-	-	-	1	5	9	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2126

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
COLORADO -----	9	23	22	15	32	51	51	37	9	6	-	-
WHITE-----MALE----	7	9	14	6	9	23	20	8	4	1	-	-
FEMALE--	2	11	6	8	21	24	29	26	5	5	-	-
ALL OTHER--MALE----	-	2	1	-	1	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	3	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	16	8	9	20	45	52	66	42	17	7	1	-
WHITE-----MALE----	7	1	3	7	22	32	29	15	7	-	-	-
FEMALE--	6	2	6	10	22	18	32	27	9	7	1	-
ALL OTHER--MALE----	2	4	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	3	1	2	3	-	1	-	-	-
BLACK---MALE-----	2	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	3	-	1	-	-	-
DELAWARE -----	4	3	5	7	15	6	13	7	3	-	-	-
WHITE-----MALE----	3	2	1	1	7	4	5	4	-	-	-	-
FEMALE--	-	1	1	3	8	1	7	2	2	-	-	-
ALL OTHER--MALE----	1	-	2	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE-----	1	-	2	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
DISTRICT OF COLUMBIA ---	4	10	3	4	2	7	10	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	1	-	-
ALL OTHER--MALE----	3	5	1	1	1	3	3	1	1	-	-	-
FEMALE--	1	5	2	3	1	2	6	-	1	-	-	-
BLACK---MALE-----	3	5	1	1	1	3	3	1	1	-	-	-
FEMALE--	1	5	2	3	1	2	6	-	1	-	-	-
FLORIDA -----	69	83	97	115	219	310	291	233	121	31	2	-
WHITE-----MALE----	26	35	42	52	108	134	121	92	38	8	1	-
FEMALE--	13	30	36	41	90	152	157	132	76	20	1	-
ALL OTHER--MALE----	20	7	12	12	8	12	8	1	3	2	-	-
FEMALE--	10	11	7	10	13	12	5	8	4	1	-	-
BLACK---MALE-----	19	6	11	11	7	11	6	1	3	2	-	-
FEMALE--	10	9	7	10	11	12	4	8	4	1	-	-
GEORGIA -----	48	56	58	48	87	109	111	68	24	11	2	-
WHITE-----MALE----	15	9	15	26	36	37	38	20	2	3	-	-
FEMALE--	7	17	15	11	30	51	49	34	18	7	-	-
ALL OTHER--MALE----	15	15	15	5	7	6	10	4	2	-	1	-
FEMALE--	11	15	13	6	14	15	14	10	2	1	1	-
BLACK---MALE-----	15	13	15	5	6	6	9	4	2	-	1	-
FEMALE--	9	12	13	6	13	15	11	9	2	-	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2127

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
HAWAII -----	8	12	8	15	15	27	15	21	11	4	1	-
WHITE-----MALE----	2	2	-	2	3	5	1	1	-	1	-	-
FEMALE--	2	1	1	2	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	2	7	3	5	5	12	6	8	3	-	-	-
FEMALE--	2	2	4	6	7	9	7	9	8	3	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	5	3	5	8	15	17	10	3	2	-	-
WHITE-----MALE----	-	1	1	3	3	8	9	4	1	-	-	-
FEMALE--	1	3	2	2	5	6	7	5	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	47	59	71	90	153	211	209	137	69	20	3	-
WHITE-----MALE----	9	25	23	40	67	77	81	42	17	4	-	-
FEMALE--	12	14	18	34	65	102	110	79	49	14	3	-
ALL OTHER--MALE----	13	11	18	7	12	16	13	9	-	1	-	-
FEMALE--	13	9	12	9	9	16	5	7	3	1	-	-
BLACK---MALE-----	12	9	17	6	11	15	9	8	-	1	-	-
FEMALE--	11	7	10	8	9	11	5	7	2	1	-	-
INDIANA -----	29	28	30	40	82	101	111	79	39	10	1	-
WHITE-----MALE----	9	9	14	19	37	33	39	22	9	2	-	-
FEMALE--	14	8	13	18	32	60	70	56	29	8	1	-
ALL OTHER--MALE----	2	7	2	2	6	4	1	1	1	-	-	-
FEMALE--	4	4	1	1	7	4	1	-	-	-	-	-
BLACK---MALE-----	2	7	2	2	6	4	1	1	1	-	-	-
FEMALE--	4	4	1	1	7	4	1	-	-	-	-	-
IOWA -----	8	11	14	24	40	56	55	41	32	10	-	-
WHITE-----MALE----	4	8	8	8	24	32	25	9	12	-	-	-
FEMALE--	2	2	4	14	16	23	29	32	20	9	-	-
ALL OTHER--MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	1	-	-
BLACK---MALE-----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	1	-	-
KANSAS -----	13	11	13	27	30	51	51	24	24	4	1	-
WHITE-----MALE----	8	7	8	11	17	19	18	5	9	2	-	-
FEMALE--	1	2	4	16	12	27	31	19	15	2	1	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	5	1	-	-	-	-	-
BLACK---MALE-----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2128

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
KENTUCKY -----	377	1	-	-	-	-	4	-	-	6	11	14
WHITE-----MALE----	157	1	-	-	-	-	2	-	-	-	5	6
FEMALE--	206	-	-	-	-	-	2	-	-	5	4	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	2
LOUISIANA -----	412	2	-	-	-	-	2	-	4	8	12	23
WHITE-----MALE----	117	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	141	-	-	-	-	-	-	-	-	3	3	4
ALL OTHER--MALE----	76	1	-	-	-	-	1	-	3	3	5	10
FEMALE--	78	1	-	-	-	-	1	-	1	2	3	5
BLACK---MALE-----	75	1	-	-	-	-	1	-	3	3	5	10
FEMALE--	76	1	-	-	-	-	1	-	1	2	3	5
MAINE -----	125	-	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	55	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	480	1	1	1	-	-	-	-	4	7	11	22
WHITE-----MALE----	148	-	-	1	-	-	-	-	-	1	1	4
FEMALE--	183	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	63	-	1	-	-	-	-	-	2	-	6	9
FEMALE--	86	1	-	-	-	-	-	-	2	4	3	6
BLACK---MALE-----	56	-	1	-	-	-	-	-	1	-	5	9
FEMALE--	76	1	-	-	-	-	-	-	2	4	3	5
MASSACHUSETTS -----	541	-	1	-	-	-	-	3	2	2	9	19
WHITE-----MALE----	221	-	-	-	-	-	-	1	-	2	4	9
FEMALE--	293	-	-	-	-	-	-	1	1	-	5	8
ALL OTHER--MALE----	17	-	1	-	-	-	-	1	1	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	911	-	2	-	1	2	1	4	2	15	24	41
WHITE-----MALE----	328	-	-	-	-	1	-	-	1	5	6	11
FEMALE--	406	-	2	-	1	-	-	1	-	5	3	12
ALL OTHER--MALE----	85	-	-	-	-	-	1	1	1	3	11	10
FEMALE--	92	-	-	-	-	1	-	2	-	2	4	8
BLACK---MALE-----	80	-	-	-	-	-	1	1	-	3	10	10
FEMALE--	86	-	-	-	-	1	-	2	-	2	4	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2128

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
KENTUCKY -----	17	21	29	28	48	78	56	40	21	3	-	-
WHITE-----MALE----	8	12	15	14	25	36	15	13	5	-	-	-
FEMALE--	7	9	13	13	22	40	40	26	16	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	1	-	-	-	-
LOUISIANA -----	23	31	40	30	61	68	46	40	17	4	1	-
WHITE-----MALE----	4	5	13	14	23	25	12	14	2	-	-	-
FEMALE--	6	8	10	4	20	26	19	23	11	3	1	-
ALL OTHER--MALE----	8	11	9	7	6	6	5	-	1	-	-	-
FEMALE--	5	7	8	5	12	11	10	3	3	1	-	-
BLACK---MALE-----	8	10	9	7	6	6	5	-	1	-	-	-
FEMALE--	5	7	7	5	12	11	10	3	2	1	-	-
MAINE -----	3	6	7	8	16	25	19	19	13	3	-	-
WHITE-----MALE----	1	4	4	3	9	12	7	5	2	2	-	-
FEMALE--	-	2	3	5	7	13	12	14	11	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	25	21	25	41	53	81	87	61	33	6	-	-
WHITE-----MALE----	2	4	12	12	21	27	37	14	11	1	-	-
FEMALE--	6	1	2	16	17	39	38	37	17	4	-	-
ALL OTHER--MALE----	7	8	5	7	7	6	2	2	1	-	-	-
FEMALE--	10	8	6	6	8	9	10	8	4	1	-	-
BLACK---MALE-----	7	7	5	5	6	5	2	2	1	-	-	-
FEMALE--	10	6	6	5	8	7	8	7	3	1	-	-
MASSACHUSETTS -----	15	20	18	40	56	97	116	95	36	12	-	-
WHITE-----MALE----	8	6	14	16	27	50	44	28	8	4	-	-
FEMALE--	5	12	4	18	27	43	70	63	28	8	-	-
ALL OTHER--MALE----	2	1	-	3	1	2	1	2	-	-	-	-
FEMALE--	-	1	-	3	1	2	1	2	-	-	-	-
BLACK---MALE-----	2	1	-	1	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	1	-	-	-	-
MICHIGAN -----	52	44	53	71	111	141	151	121	59	14	2	-
WHITE-----MALE----	15	20	21	35	48	60	50	33	20	2	-	-
FEMALE--	15	12	17	20	49	65	91	70	32	10	1	-
ALL OTHER--MALE----	10	8	10	9	6	4	4	4	2	-	1	-
FEMALE--	12	4	5	7	8	12	6	14	5	2	-	-
BLACK---MALE-----	10	7	9	9	6	4	4	3	2	-	1	-
FEMALE--	11	4	4	7	7	12	6	11	5	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2129

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
MINNESOTA -----	11	12	14	27	56	69	70	61	30	6	2	-
WHITE-----MALE----	7	9	7	18	28	32	26	16	11	1	-	-
FEMALE--	2	2	6	8	25	35	42	43	18	5	2	-
ALL OTHER--MALE----	2	1	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	1	-	-	-
BLACK---MALE-----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
MISSISSIPPI -----	19	19	26	26	36	43	36	27	12	2	-	-
WHITE-----MALE----	1	9	13	8	14	13	15	4	4	-	-	-
FEMALE--	3	1	6	11	18	21	17	21	6	-	-	-
ALL OTHER--MALE----	8	2	3	3	1	4	2	-	-	-	-	-
FEMALE--	7	7	4	4	3	5	2	2	2	2	-	-
BLACK---MALE-----	7	2	3	3	1	3	2	-	-	-	-	-
FEMALE--	7	6	4	4	3	5	2	2	2	2	-	-
MISSOURI -----	25	26	31	51	67	111	110	86	28	8	1	-
WHITE-----MALE----	10	10	18	30	29	43	39	28	5	1	-	-
FEMALE--	5	5	7	16	34	58	60	55	20	7	1	-
ALL OTHER--MALE----	6	5	4	3	2	6	3	3	-	-	-	-
FEMALE--	4	6	2	2	2	4	8	-	3	-	-	-
BLACK---MALE-----	6	5	4	3	2	6	3	3	-	-	-	-
FEMALE--	4	6	2	2	2	4	8	-	3	-	-	-
MONTANA -----	2	2	3	6	11	7	15	4	3	-	-	-
WHITE-----MALE----	1	2	1	1	6	1	4	1	1	-	-	-
FEMALE--	-	-	2	5	4	5	10	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	5	8	14	21	24	29	14	14	-	-	-
WHITE-----MALE----	1	3	5	8	12	8	9	4	4	-	-	-
FEMALE--	-	1	2	5	8	14	20	9	10	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
NEVADA -----	8	21	16	18	29	26	24	16	2	-	1	-
WHITE-----MALE----	3	11	6	11	7	9	9	7	-	-	-	-
FEMALE--	3	7	5	4	15	14	13	8	1	-	1	-
ALL OTHER--MALE----	2	1	2	3	6	1	1	1	-	-	-	-
FEMALE--	-	2	3	-	1	2	1	-	1	-	-	-
BLACK---MALE-----	2	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	1	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2131

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
OHIO -----	1,095	-	-	1	-	-	1	1	3	8	18	42
WHITE-----MALE----	416	-	-	-	-	-	1	1	2	1	8	10
FEMALE--	537	-	-	-	-	-	-	-	-	2	3	13
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	2	4	9
FEMALE--	72	-	-	1	-	-	-	-	1	3	3	10
BLACK---MALE-----	64	-	-	-	-	-	-	-	-	2	4	9
FEMALE--	67	-	-	1	-	-	-	-	-	3	3	10
OKLAHOMA -----	321	-	1	-	-	-	-	-	-	1	6	11
WHITE-----MALE----	119	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	163	-	1	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	314	-	-	-	-	-	1	-	1	1	2	7
WHITE-----MALE----	127	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	164	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	1,354	-	-	-	-	1	1	3	2	12	23	33
WHITE-----MALE----	522	-	-	-	-	-	1	1	2	5	9	13
FEMALE--	706	-	-	-	-	1	-	2	-	2	7	11
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	69	-	-	-	-	-	-	-	-	3	3	2
BLACK---MALE-----	52	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	65	-	-	-	-	-	-	-	-	3	3	2
RHODE ISLAND -----	80	-	1	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	35	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	443	-	-	-	-	1	-	-	2	9	20	21
WHITE-----MALE----	138	-	-	-	-	1	-	-	-	5	2	4
FEMALE--	154	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	1	2	9	6
FEMALE--	85	-	-	-	-	-	-	-	1	2	7	7
BLACK---MALE-----	66	-	-	-	-	-	-	-	1	2	9	6
FEMALE--	84	-	-	-	-	-	-	-	1	2	7	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2131

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
OHIO -----	37	47	57	90	135	230	194	144	66	21	-	-
WHITE-----MALE----	17	23	25	45	59	91	66	46	15	6	-	-
FEMALE--	9	12	18	34	62	119	117	85	51	12	-	-
ALL OTHER--MALE----	7	6	10	4	8	12	5	3	-	-	-	-
FEMALE--	4	6	4	7	6	8	6	10	-	3	-	-
BLACK---MALE-----	7	5	9	4	7	12	2	3	-	-	-	-
FEMALE--	4	6	3	7	5	8	5	9	-	3	-	-
OKLAHOMA -----	16	26	15	31	41	53	55	34	23	7	1	-
WHITE-----MALE----	7	11	7	11	16	22	22	6	5	2	-	-
FEMALE--	3	9	4	17	17	28	32	24	18	5	1	-
ALL OTHER--MALE----	5	5	2	1	4	2	-	2	-	-	-	-
FEMALE--	1	1	2	2	4	1	1	2	-	-	-	-
BLACK---MALE-----	4	5	1	1	2	1	-	1	-	-	-	-
FEMALE--	1	1	1	2	3	1	1	1	-	-	-	-
OREGON -----	20	14	19	27	38	48	61	51	21	3	-	-
WHITE-----MALE----	6	6	13	13	17	21	21	19	5	1	-	-
FEMALE--	8	5	5	12	16	26	39	32	15	2	-	-
ALL OTHER--MALE----	5	3	1	1	4	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE-----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	49	66	61	81	178	258	284	194	89	16	3	-
WHITE-----MALE----	22	27	28	40	98	110	90	60	14	2	-	-
FEMALE--	14	27	21	33	63	128	182	126	74	12	3	-
ALL OTHER--MALE----	9	8	4	1	8	8	3	2	1	-	-	-
FEMALE--	4	4	8	7	9	12	9	6	-	2	-	-
BLACK---MALE-----	9	6	3	1	7	8	3	1	1	-	-	-
FEMALE--	4	4	8	6	9	11	8	5	-	2	-	-
RHODE ISLAND -----	3	2	3	-	16	13	22	13	4	-	-	-
WHITE-----MALE----	1	1	3	-	9	5	7	6	-	-	-	-
FEMALE--	2	1	-	-	6	7	15	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
SOUTH CAROLINA -----	30	33	41	39	55	68	58	48	15	3	-	-
WHITE-----MALE----	5	14	16	17	21	23	14	14	2	-	-	-
FEMALE--	2	5	13	9	23	30	34	21	10	1	-	-
ALL OTHER--MALE----	16	6	5	4	5	4	3	5	-	-	-	-
FEMALE--	7	8	7	9	6	11	7	8	3	2	-	-
BLACK---MALE-----	16	6	5	4	5	4	3	5	-	-	-	-
FEMALE--	7	8	7	9	6	11	7	8	3	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2132

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
SOUTH DAKOTA -----	72	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	30	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	586	1	-	-	-	-	1	1	2	14	21	20
WHITE-----MALE----	190	1	-	-	-	-	-	-	-	3	6	4
FEMALE--	296	-	-	-	-	-	-	1	1	4	3	4
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	1	5	7	8
FEMALE--	49	-	-	-	-	-	1	-	-	2	5	4
BLACK---MALE-----	49	-	-	-	-	-	-	-	1	5	7	8
FEMALE--	48	-	-	-	-	-	1	-	-	2	5	4
TEXAS -----	1,546	4	1	1	3	1	5	6	11	25	46	69
WHITE-----MALE----	597	3	-	-	1	-	1	5	4	11	19	27
FEMALE--	702	-	-	-	2	-	2	1	2	3	8	15
ALL OTHER--MALE----	121	1	-	-	-	-	2	-	2	8	11	15
FEMALE--	126	-	1	1	-	1	-	-	3	3	8	12
BLACK---MALE-----	102	1	-	-	-	-	2	-	1	7	9	13
FEMALE--	116	-	1	1	-	1	-	-	2	3	8	12
UTAH -----	110	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	51	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	637	-	-	-	1	1	3	2	4	11	16	31
WHITE-----MALE----	190	-	-	-	-	-	-	-	1	4	4	8
FEMALE--	272	-	-	-	1	-	3	2	1	1	4	5
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	6	5	10
FEMALE--	86	-	-	-	-	1	-	-	1	-	3	8
BLACK---MALE-----	81	-	-	-	-	-	-	-	1	4	5	10
FEMALE--	74	-	-	-	-	1	-	-	1	-	3	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2132

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
SOUTH DAKOTA -----	5	4	4	1	13	11	9	17	6	1	-	-
WHITE-----MALE----	-	2	1	1	7	8	3	5	2	-	-	-
FEMALE--	3	2	2	-	5	3	6	11	4	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	28	38	44	70	96	106	61	46	9	-	-
WHITE-----MALE----	10	12	18	16	32	31	39	9	8	1	-	-
FEMALE--	6	11	12	22	28	61	57	46	33	7	-	-
ALL OTHER--MALE----	9	2	4	2	4	2	1	3	3	-	-	-
FEMALE--	3	3	4	4	6	2	9	3	2	1	-	-
BLACK---MALE-----	9	2	3	2	4	2	-	3	3	-	-	-
FEMALE--	3	3	4	4	6	2	9	2	2	1	-	-
TEXAS -----	93	102	108	131	177	237	261	168	78	16	3	-
WHITE-----MALE----	30	51	48	53	84	85	88	58	26	3	-	-
FEMALE--	31	31	39	57	70	133	149	99	48	10	2	-
ALL OTHER--MALE----	13	15	11	11	9	6	11	4	1	-	1	-
FEMALE--	19	5	10	10	14	13	13	7	3	3	-	-
BLACK---MALE-----	13	13	9	11	7	3	10	1	1	-	1	-
FEMALE--	17	5	9	8	11	13	12	7	3	3	-	-
UTAH -----	4	7	4	10	14	18	21	18	8	2	-	-
WHITE-----MALE----	2	6	2	6	9	7	4	7	1	1	-	-
FEMALE--	1	1	1	4	5	10	17	11	7	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	4	4	8	10	10	7	4	1	-	-
WHITE-----MALE----	1	1	2	3	5	8	2	3	-	-	-	-
FEMALE--	-	-	2	1	3	2	8	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	37	47	58	83	97	98	75	35	4	1	-
WHITE-----MALE----	7	14	18	19	32	33	25	15	9	1	-	-
FEMALE--	7	5	14	23	32	41	58	52	20	2	1	-
ALL OTHER--MALE----	13	11	6	8	8	8	7	3	3	-	-	-
FEMALE--	6	7	9	8	11	15	8	5	3	1	-	-
BLACK---MALE-----	11	10	6	7	6	8	7	3	3	-	-	-
FEMALE--	5	7	7	6	10	13	7	3	3	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2134

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebral infarction (I63)												
UNITED STATES -	14,804	13	9	6	3	2	9	12	23	52	100	140
WHITE-----MALE----	4,967	4	2	3	2	1	2	8	7	26	38	54
FEMALE--	7,995	4	4	3	-	1	3	4	9	16	30	41
ALL OTHER--MALE----	810	5	2	-	1	-	2	-	5	4	15	33
FEMALE--	1,032	-	1	-	-	-	2	-	2	6	17	12
BLACK---MALE-----	689	3	1	-	1	-	1	-	4	3	12	29
FEMALE--	899	-	1	-	-	-	2	-	2	6	17	12
ALABAMA -----	239	-	1	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	71	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	117	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	17	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	201	-	-	1	-	-	-	-	-	1	1	2
WHITE-----MALE----	91	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	100	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	177	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	95	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,403	-	2	-	-	-	1	1	2	6	12	8
WHITE-----MALE----	450	-	-	-	-	-	-	1	-	3	4	4
FEMALE--	752	-	1	-	-	-	-	-	1	2	4	2
ALL OTHER--MALE----	94	-	1	-	-	-	-	-	1	1	3	1
FEMALE--	107	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE-----	52	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	66	-	-	-	-	-	1	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2134

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
UNITED STATES -	206	309	430	769	1,321	2,183	2,857	3,218	2,187	787	168	-
WHITE-----MALE----	93	144	183	368	553	880	1,045	959	459	109	27	-
FEMALE--	56	86	140	252	531	1,003	1,553	1,968	1,558	610	123	-
ALL OTHER--MALE----	31	41	61	74	124	145	96	107	52	10	2	-
FEMALE--	26	38	46	75	113	155	163	184	118	58	16	-
BLACK---MALE-----	25	37	51	66	111	127	79	88	41	8	2	-
FEMALE--	23	28	42	64	94	136	138	155	111	53	15	-
ALABAMA -----	6	7	10	12	24	34	34	63	33	9	4	-
WHITE-----MALE----	1	3	6	3	10	13	8	19	6	1	-	-
FEMALE--	3	4	3	5	4	11	17	39	22	5	2	-
ALL OTHER--MALE----	2	-	-	-	4	3	2	2	2	2	-	-
FEMALE--	-	-	1	4	6	7	7	3	3	1	2	-
BLACK---MALE-----	2	-	-	-	4	3	2	2	2	2	-	-
FEMALE--	-	-	1	4	6	7	7	3	3	1	2	-
ALASKA -----	-	1	-	-	3	1	1	4	4	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	7	10	21	42	31	55	20	3	1	-
WHITE-----MALE----	3	2	6	4	8	20	16	19	8	1	-	-
FEMALE--	-	-	-	4	13	21	13	34	11	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	1	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ARKANSAS -----	4	7	4	10	14	22	35	37	28	10	3	-
WHITE-----MALE----	2	5	3	5	4	9	10	12	3	-	1	-
FEMALE--	1	2	1	4	5	12	20	18	22	7	2	-
ALL OTHER--MALE----	-	-	-	-	4	1	2	2	2	-	-	-
FEMALE--	1	-	-	1	1	-	3	5	1	3	-	-
BLACK---MALE-----	-	-	-	-	4	1	2	2	2	-	-	-
FEMALE--	1	-	-	1	1	-	3	5	1	3	-	-
CALIFORNIA -----	21	25	35	74	124	215	263	296	209	87	22	-
WHITE-----MALE----	10	12	8	38	51	84	88	85	45	13	4	-
FEMALE--	4	5	15	23	45	96	141	180	148	68	17	-
ALL OTHER--MALE----	4	4	8	6	17	17	13	11	5	2	-	-
FEMALE--	3	4	4	7	11	18	21	20	11	4	1	-
BLACK---MALE-----	2	2	2	5	14	9	7	4	2	1	-	-
FEMALE--	1	1	3	4	7	11	13	12	7	3	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2135

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
COLORADO -----	3	2	1	7	11	16	24	30	18	10	1	-
WHITE-----MALE----	2	2	1	3	4	9	13	14	4	2	-	-
FEMALE--	1	-	-	3	7	6	11	16	13	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
CONNECTICUT -----	2	5	3	6	20	26	42	35	24	13	2	-
WHITE-----MALE----	1	1	2	3	12	10	21	12	4	4	-	-
FEMALE--	1	2	1	3	5	15	20	22	20	9	2	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
DELAWARE -----	-	-	-	4	2	2	9	6	1	1	-	-
WHITE-----MALE----	-	-	-	2	1	1	4	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	4	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	1	-	2	4	8	7	2	12	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	3	5	4	1	3	1	-	-	-
FEMALE--	-	-	2	1	3	2	1	6	3	-	-	-
BLACK---MALE-----	1	-	-	3	5	4	1	3	1	-	-	-
FEMALE--	-	-	2	1	3	2	1	6	3	-	-	-
FLORIDA -----	12	13	25	47	91	155	215	229	132	52	8	-
WHITE-----MALE----	5	6	12	22	39	70	79	87	34	13	1	-
FEMALE--	7	4	6	18	44	66	114	128	86	35	5	-
ALL OTHER--MALE----	-	-	3	1	3	7	9	6	4	1	-	-
FEMALE--	-	3	4	6	5	12	13	8	8	3	2	-
BLACK---MALE-----	-	-	3	1	3	6	9	5	4	1	-	-
FEMALE--	-	3	4	6	5	12	13	8	8	2	2	-
GEORGIA -----	6	7	15	21	35	37	45	54	29	10	-	-
WHITE-----MALE----	2	3	5	9	17	9	16	14	6	2	-	-
FEMALE--	-	2	5	7	11	18	19	26	16	7	-	-
ALL OTHER--MALE----	4	-	2	3	4	5	2	4	1	-	-	-
FEMALE--	-	2	3	2	3	5	8	10	6	1	-	-
BLACK---MALE-----	4	-	2	3	3	5	2	4	1	-	-	-
FEMALE--	-	2	3	2	3	5	8	10	6	1	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2136

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
HAWAII -----	3	2	3	7	9	14	20	19	9	2	1	-
WHITE-----MALE----	-	-	-	2	1	1	1	2	1	-	-	-
FEMALE--	1	1	-	-	1	3	4	4	2	-	-	-
ALL OTHER--MALE----	1	-	2	3	3	3	8	7	5	1	-	-
FEMALE--	1	1	1	2	4	7	7	6	1	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	3	3	6	9	9	14	6	-	1	-
WHITE-----MALE----	-	-	2	2	3	4	7	5	1	-	-	-
FEMALE--	-	-	1	1	3	5	2	8	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	18	29	40	71	94	144	190	108	56	12	-
WHITE-----MALE----	4	10	10	19	32	43	60	59	28	8	4	-
FEMALE--	3	2	13	11	26	43	76	119	78	46	8	-
ALL OTHER--MALE----	2	4	3	4	8	4	2	5	-	1	-	-
FEMALE--	3	2	3	6	5	4	6	7	2	1	-	-
BLACK---MALE-----	2	4	3	4	8	4	1	4	-	1	-	-
FEMALE--	3	2	3	5	3	4	5	7	2	1	-	-
INDIANA -----	4	5	8	12	33	56	58	52	39	14	3	-
WHITE-----MALE----	3	2	5	7	15	26	24	15	9	1	-	-
FEMALE--	1	2	3	4	14	29	32	34	30	12	3	-
ALL OTHER--MALE----	-	-	-	1	3	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	2	-	1	-	-
BLACK---MALE-----	-	-	-	1	3	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	2	-	-	-	-
IOWA -----	3	3	6	9	14	28	42	49	39	15	2	-
WHITE-----MALE----	2	3	2	4	7	14	17	13	10	3	-	-
FEMALE--	-	-	4	5	7	14	24	36	29	11	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
KANSAS -----	2	2	5	4	9	16	24	26	26	13	2	-
WHITE-----MALE----	1	1	1	1	3	6	12	5	7	1	-	-
FEMALE--	1	1	4	3	4	10	12	19	16	12	2	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	3	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2137

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebral infarction (I63)												
KENTUCKY -----	204	-	-	-	1	-	-	-	1	-	-	3
WHITE-----MALE----	76	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	118	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	223	-	-	-	-	-	1	1	-	1	1	2
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	91	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	82	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	293	-	-	-	-	1	-	-	-	2	1	2
WHITE-----MALE----	83	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	141	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	288	-	1	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	106	-	1	-	-	-	-	-	-	-	1	3
FEMALE--	172	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	671	-	-	1	-	-	-	-	3	3	6	7
WHITE-----MALE----	209	-	-	1	-	-	-	-	2	2	2	2
FEMALE--	316	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	81	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	64	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	77	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2137

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
KENTUCKY -----	3	7	6	16	21	17	35	51	29	13	1	-
WHITE-----MALE----	1	5	2	10	14	3	11	22	5	-	1	-
FEMALE--	2	2	3	5	5	13	24	27	22	12	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	1	-	-
BLACK---MALE-----	-	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	1	-	-
LOUISIANA -----	5	9	7	16	17	37	41	49	22	9	5	-
WHITE-----MALE----	2	2	3	8	6	6	13	12	-	1	-	-
FEMALE--	-	3	-	2	4	14	18	22	15	6	4	-
ALL OTHER--MALE----	2	3	2	3	3	6	4	5	1	-	-	-
FEMALE--	1	1	2	3	4	11	6	10	6	2	1	-
BLACK---MALE-----	2	3	2	3	3	6	4	5	1	-	-	-
FEMALE--	1	1	2	3	4	11	5	10	5	2	1	-
MAINE -----	1	3	4	3	4	13	18	15	15	5	1	-
WHITE-----MALE----	1	1	2	2	4	8	5	2	3	2	-	-
FEMALE--	-	2	2	1	-	5	13	13	12	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	3	10	25	36	72	62	52	17	2	-
WHITE-----MALE----	-	1	-	3	7	12	23	18	13	3	-	-
FEMALE--	-	1	1	3	8	11	34	35	33	12	1	-
ALL OTHER--MALE----	2	3	-	3	4	7	4	5	1	1	-	-
FEMALE--	1	-	2	1	6	6	11	4	5	1	1	-
BLACK---MALE-----	2	2	-	3	4	7	4	5	1	1	-	-
FEMALE--	1	-	2	1	5	6	11	4	5	1	1	-
MASSACHUSETTS -----	2	5	7	13	19	49	52	62	49	17	7	-
WHITE-----MALE----	2	3	6	8	8	22	17	26	7	2	-	-
FEMALE--	-	2	-	5	9	24	35	34	41	15	6	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
MICHIGAN -----	9	17	27	33	59	111	135	123	102	30	5	-
WHITE-----MALE----	4	6	10	8	24	38	45	29	28	8	-	-
FEMALE--	2	4	14	15	17	44	69	71	55	17	4	-
ALL OTHER--MALE----	1	6	2	5	13	17	7	5	4	1	-	-
FEMALE--	2	1	1	5	5	12	14	18	15	4	1	-
BLACK---MALE-----	1	6	2	5	13	16	7	5	4	1	-	-
FEMALE--	2	1	1	5	5	12	14	15	14	4	1	-













TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2140

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
OHIO -----	8	13	26	36	67	104	128	151	101	42	11	-
WHITE-----MALE----	3	4	14	19	29	38	44	42	20	5	1	-
FEMALE--	4	5	5	15	35	55	76	98	69	36	9	-
ALL OTHER--MALE----	-	3	5	-	-	7	1	3	2	-	-	-
FEMALE--	1	1	2	2	3	4	7	8	10	1	1	-
BLACK---MALE-----	-	3	4	-	-	7	1	3	2	-	-	-
FEMALE--	1	1	2	2	3	4	7	8	10	1	1	-
OKLAHOMA -----	1	3	7	8	6	26	31	37	34	17	1	-
WHITE-----MALE----	-	2	2	3	3	14	7	9	9	7	-	-
FEMALE--	-	-	4	3	3	10	22	24	24	10	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	2	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	1	1	-	2	1	-	1	-	-	-
OREGON -----	2	2	5	11	21	40	42	43	40	10	1	-
WHITE-----MALE----	-	1	2	7	10	22	21	7	14	-	-	-
FEMALE--	1	1	3	4	10	16	21	35	25	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
PENNSYLVANIA -----	14	15	18	49	97	164	178	211	139	48	4	-
WHITE-----MALE----	9	5	12	22	44	76	60	66	21	6	-	-
FEMALE--	4	7	4	17	46	77	113	140	112	39	4	-
ALL OTHER--MALE----	-	-	2	6	3	4	2	1	1	-	-	-
FEMALE--	1	3	-	4	4	7	3	4	5	3	-	-
BLACK---MALE-----	-	-	2	6	2	4	2	1	1	-	-	-
FEMALE--	1	3	-	3	4	7	2	3	5	3	-	-
RHODE ISLAND -----	1	3	1	3	5	7	13	12	5	1	-	-
WHITE-----MALE----	1	-	1	3	3	4	8	3	1	-	-	-
FEMALE--	-	1	-	-	2	3	5	9	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	11	16	26	27	44	61	74	45	19	4	-
WHITE-----MALE----	2	4	2	10	5	13	15	14	9	2	-	-
FEMALE--	-	3	1	8	12	17	38	45	33	13	3	-
ALL OTHER--MALE----	2	1	7	4	6	5	5	6	1	-	-	-
FEMALE--	1	3	6	4	4	9	3	9	2	4	1	-
BLACK---MALE-----	2	1	7	4	6	5	5	6	1	-	-	-
FEMALE--	1	3	6	4	4	9	3	9	2	4	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2141

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebral infarction (I63)												
SOUTH DAKOTA -----	37	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	399	-	1	-	-	-	2	-	1	1	3	4
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	242	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	26	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	24	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	26	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	990	-	-	1	-	-	1	1	2	3	4	13
WHITE-----MALE----	327	-	-	-	-	-	-	-	1	2	3	4
FEMALE--	538	-	-	1	-	-	-	1	1	1	1	5
ALL OTHER--MALE----	56	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	51	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	1
UTAH -----	63	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	36	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	334	1	-	-	-	-	1	2	-	-	2	3
WHITE-----MALE----	96	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	168	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	35	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE-----	32	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	1	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2141

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
SOUTH DAKOTA -----	2	-	1	1	2	4	4	13	6	2	-	-
WHITE-----MALE----	2	-	1	-	2	1	2	3	-	1	-	-
FEMALE--	-	-	-	1	-	3	2	10	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	7	17	21	39	50	72	89	67	19	1	-
WHITE-----MALE----	2	3	6	11	18	9	22	18	13	2	-	-
FEMALE--	1	1	8	6	15	36	46	62	47	14	1	-
ALL OTHER--MALE----	1	2	2	1	2	2	3	3	4	1	-	-
FEMALE--	1	1	1	3	4	3	1	6	3	2	-	-
BLACK---MALE-----	1	2	2	1	2	2	3	3	4	1	-	-
FEMALE--	1	1	1	3	4	3	1	6	3	2	-	-
TEXAS -----	13	30	28	51	97	114	185	225	161	48	13	-
WHITE-----MALE----	5	17	12	20	40	50	62	75	26	4	6	-
FEMALE--	6	6	7	14	42	49	107	129	122	39	7	-
ALL OTHER--MALE----	-	5	4	11	6	8	6	7	5	-	-	-
FEMALE--	2	2	5	6	9	7	10	14	8	5	-	-
BLACK---MALE-----	-	4	4	10	5	8	6	7	5	-	-	-
FEMALE--	2	1	4	6	8	7	10	12	8	4	-	-
UTAH -----	1	1	2	4	4	8	13	14	12	2	1	-
WHITE-----MALE----	1	1	2	-	2	3	7	1	-	-	-	-
FEMALE--	-	-	-	4	1	5	6	13	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	3	3	6	6	11	4	-	-
WHITE-----MALE----	-	-	-	-	2	1	3	1	3	1	-	-
FEMALE--	-	1	-	1	1	2	3	5	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	7	8	20	24	65	68	81	39	8	1	-
WHITE-----MALE----	2	2	2	12	6	20	23	19	7	-	1	-
FEMALE--	-	3	2	3	10	29	36	47	28	7	-	-
ALL OTHER--MALE----	1	2	3	3	2	10	4	9	-	-	-	-
FEMALE--	1	-	1	2	6	6	5	6	4	1	-	-
BLACK---MALE-----	1	2	3	2	2	8	4	9	-	-	-	-
FEMALE--	1	-	1	2	6	6	4	5	4	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2143

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Stroke, not specified as hemorrhage or infarction (I64)

UNITED STATES -	91,051	5	2	-	3	6	13	24	51	97	249	535
WHITE-----MALE----	29,042	2	1	-	-	2	3	7	12	28	93	190
FEMALE--	50,527	3	1	-	2	2	6	9	21	33	52	127
ALL OTHER--MALE----	4,714	-	-	-	1	1	2	4	11	14	53	122
FEMALE--	6,768	-	-	-	-	1	2	4	7	22	51	96
BLACK---MALE-----	3,995	-	-	-	1	-	2	3	11	13	49	107
FEMALE--	5,936	-	-	-	-	-	2	4	5	19	46	88
ALABAMA -----	1,869	-	-	-	-	-	-	-	1	6	13	12
WHITE-----MALE----	513	-	-	-	-	-	-	-	1	2	4	4
FEMALE--	883	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	192	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	281	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE-----	192	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	278	-	-	-	-	-	-	-	-	1	2	4
ALASKA -----	79	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,588	-	-	-	-	-	-	-	3	-	3	12
WHITE-----MALE----	644	-	-	-	-	-	-	-	-	-	1	7
FEMALE--	863	-	-	-	-	-	-	-	3	-	-	3
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	1,338	1	-	-	-	-	-	-	-	2	3	6
WHITE-----MALE----	444	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	722	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	92	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE-----	90	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	3
CALIFORNIA -----	8,685	-	-	-	-	-	-	3	8	9	28	56
WHITE-----MALE----	2,759	-	-	-	-	-	-	2	2	3	9	18
FEMALE--	4,613	-	-	-	-	-	-	1	3	2	8	18
ALL OTHER--MALE----	578	-	-	-	-	-	-	-	3	-	7	12
FEMALE--	735	-	-	-	-	-	-	-	-	4	4	8
BLACK---MALE-----	273	-	-	-	-	-	-	-	3	-	6	8
FEMALE--	410	-	-	-	-	-	-	-	-	2	2	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2143

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
UNITED STATES -	854	1,481	2,400	4,301	7,953	13,667	18,598	20,387	14,254	5,265	905	1
WHITE-----MALE----	341	583	982	1,753	3,321	5,371	6,606	5,787	3,048	811	101	-
FEMALE--	208	427	713	1,556	3,158	6,432	10,113	12,817	10,135	4,009	703	-
ALL OTHER--MALE----	173	247	399	520	698	831	688	574	286	79	11	-
FEMALE--	132	224	306	472	776	1,033	1,191	1,209	785	366	90	1
BLACK---MALE-----	161	223	364	463	596	692	561	453	216	70	10	-
FEMALE--	122	203	278	417	693	916	1,013	1,065	670	318	76	1
ALABAMA -----	23	50	67	107	187	280	372	396	252	89	14	-
WHITE-----MALE----	7	19	27	42	62	86	104	85	58	9	3	-
FEMALE--	2	9	12	23	65	128	181	233	151	66	8	-
ALL OTHER--MALE----	8	14	16	19	32	28	29	26	7	4	-	-
FEMALE--	6	8	12	23	28	38	58	52	36	10	3	-
BLACK---MALE-----	8	14	16	19	32	29	26	7	4	4	-	-
FEMALE--	6	7	12	22	28	38	58	52	35	10	3	-
ALASKA -----	1	1	2	6	10	19	19	13	8	-	-	-
WHITE-----MALE----	1	-	1	3	3	5	9	4	2	-	-	-
FEMALE--	-	-	-	1	4	6	8	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	7	2	4	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ARIZONA -----	6	27	45	70	127	251	355	343	252	81	13	-
WHITE-----MALE----	4	15	26	39	66	134	145	125	72	8	2	-
FEMALE--	2	9	17	23	50	107	189	209	172	70	9	-
ALL OTHER--MALE----	-	2	2	6	6	4	10	1	3	1	-	-
FEMALE--	-	1	-	2	5	6	11	8	5	2	2	-
BLACK---MALE-----	-	1	2	3	3	3	4	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	5	4	3	1	-	-
ARKANSAS -----	19	30	34	79	141	183	271	272	206	76	15	-
WHITE-----MALE----	9	13	16	31	57	82	112	66	44	11	2	-
FEMALE--	4	10	8	34	60	86	135	171	143	57	10	-
ALL OTHER--MALE----	4	2	4	10	17	9	15	16	7	4	-	-
FEMALE--	2	5	6	4	7	6	9	19	12	4	3	-
BLACK---MALE-----	4	2	4	10	17	8	15	15	7	4	-	-
FEMALE--	2	5	6	4	7	6	9	19	12	4	3	-
CALIFORNIA -----	80	142	222	430	793	1,355	1,716	1,916	1,335	499	93	-
WHITE-----MALE----	29	57	91	147	318	526	617	529	319	80	12	-
FEMALE--	24	47	58	177	304	610	888	1,162	875	367	69	-
ALL OTHER--MALE----	15	21	43	49	84	112	87	88	52	5	-	-
FEMALE--	12	17	30	57	87	107	124	137	89	47	12	-
BLACK---MALE-----	11	13	27	26	42	52	37	26	19	3	-	-
FEMALE--	5	9	23	36	50	64	54	76	48	31	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2144

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Stroke, not specified as hemorrhage or infarction (I64)

COLORADO -----	1,071	-	-	-	-	-	-	-	2	1	4	10
WHITE-----MALE----	371	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	656	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
CONNECTICUT -----	1,062	-	-	-	-	-	-	1	1	-	1	7
WHITE-----MALE----	380	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	634	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	18	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	203	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	58	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	123	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	145	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	72	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	71	-	-	-	-	-	-	-	-	-	2	-
FLORIDA -----	5,746	-	-	-	-	-	-	2	2	11	18	30
WHITE-----MALE----	2,057	-	-	-	-	-	-	1	1	3	7	10
FEMALE--	3,011	-	-	-	-	-	-	1	-	5	4	9
ALL OTHER--MALE----	269	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	409	-	-	-	-	-	-	-	-	3	4	9
BLACK---MALE-----	259	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	400	-	-	-	-	-	-	-	-	3	3	9
GEORGIA -----	2,505	-	-	-	-	-	-	1	3	2	12	23
WHITE-----MALE----	651	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	1,181	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	291	-	-	-	-	-	-	-	2	-	4	11
FEMALE--	382	-	-	-	-	-	-	1	-	1	5	3
BLACK---MALE-----	288	-	-	-	-	-	-	-	2	-	4	11
FEMALE--	378	-	-	-	-	-	-	1	-	1	5	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2144

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
COLORADO -----	7	12	18	40	83	144	216	261	184	75	14	-
WHITE-----MALE----	4	10	9	19	39	61	85	78	40	18	2	-
FEMALE--	2	2	7	17	37	75	125	177	141	56	12	-
ALL OTHER--MALE----	-	-	-	-	2	3	3	2	-	-	-	-
FEMALE--	1	-	2	4	5	5	3	4	3	1	-	-
BLACK---MALE-----	-	-	-	-	1	2	2	2	-	-	-	-
FEMALE--	1	-	1	3	3	3	2	3	3	1	-	-
CONNECTICUT -----	3	10	18	30	63	151	228	238	203	89	19	-
WHITE-----MALE----	1	7	11	14	33	72	91	82	54	8	2	-
FEMALE--	1	2	4	13	27	64	128	147	148	81	16	-
ALL OTHER--MALE----	-	1	1	2	2	7	7	2	-	-	-	-
FEMALE--	1	-	2	1	1	8	2	7	1	-	1	-
BLACK---MALE-----	-	-	1	2	1	5	5	2	-	-	-	-
FEMALE--	1	-	2	1	1	8	2	7	-	-	1	-
DELAWARE -----	2	5	3	16	15	29	44	42	32	11	3	-
WHITE-----MALE----	-	2	1	5	5	14	18	6	6	-	-	-
FEMALE--	1	2	2	8	5	14	20	33	24	11	3	-
ALL OTHER--MALE----	1	1	-	1	1	1	4	2	-	-	-	-
FEMALE--	-	-	-	2	4	-	2	1	2	-	-	-
BLACK---MALE-----	1	1	-	1	1	1	4	2	-	-	-	-
FEMALE--	-	-	-	2	4	-	2	1	2	-	-	-
DISTRICT OF COLUMBIA ---	4	4	5	8	18	20	34	29	11	5	4	-
WHITE-----MALE----	-	1	-	-	1	4	3	4	1	2	-	-
FEMALE--	-	-	-	-	1	-	4	5	5	2	1	-
ALL OTHER--MALE----	-	2	2	7	5	5	10	5	1	-	1	-
FEMALE--	4	1	3	1	11	11	17	15	4	1	2	-
BLACK---MALE-----	-	2	2	7	5	5	9	5	1	-	1	-
FEMALE--	4	1	3	1	10	11	17	15	4	1	2	-
FLORIDA -----	56	86	157	290	497	932	1,203	1,262	874	280	46	-
WHITE-----MALE----	22	42	64	124	221	385	449	420	249	55	4	-
FEMALE--	16	22	39	93	192	421	657	745	565	206	36	-
ALL OTHER--MALE----	10	14	34	43	34	62	32	24	9	1	-	-
FEMALE--	8	8	20	30	50	64	65	73	51	18	6	-
BLACK---MALE-----	10	14	32	42	32	59	32	23	8	1	-	-
FEMALE--	8	8	20	27	50	63	63	71	51	18	6	-
GEORGIA -----	43	61	116	180	275	379	473	500	329	90	18	-
WHITE-----MALE----	6	21	33	54	99	124	134	110	47	14	2	-
FEMALE--	10	13	25	59	102	148	228	289	228	60	12	-
ALL OTHER--MALE----	19	13	34	35	38	44	36	34	16	5	-	-
FEMALE--	8	14	24	32	36	63	75	67	38	11	4	-
BLACK---MALE-----	19	11	34	35	37	44	36	34	16	5	-	-
FEMALE--	8	14	24	32	36	61	75	66	37	11	4	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2145

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
HAWAII -----	5	7	13	22	33	64	80	81	57	24	3	-
WHITE-----MALE----	1	1	3	8	7	6	9	15	4	1	-	-
FEMALE--	-	-	1	1	3	7	10	15	5	4	-	-
ALL OTHER--MALE----	2	4	4	6	13	32	30	25	18	4	1	-
FEMALE--	2	2	5	7	10	19	31	26	30	15	2	-
BLACK---MALE-----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
IDAHO -----	2	5	13	19	33	60	93	120	80	28	2	-
WHITE-----MALE----	2	2	6	11	21	33	34	38	25	5	-	-
FEMALE--	-	3	7	8	12	27	58	82	55	23	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	43	67	123	173	315	594	853	912	690	258	45	-
WHITE-----MALE----	16	22	41	74	135	223	312	249	139	37	4	-
FEMALE--	12	22	36	56	123	294	456	588	505	195	35	-
ALL OTHER--MALE----	7	13	28	29	27	38	24	32	8	3	1	-
FEMALE--	8	10	18	14	30	39	61	43	38	23	5	-
BLACK---MALE-----	7	12	26	26	26	36	21	31	7	3	1	-
FEMALE--	8	9	18	14	27	36	56	43	36	21	5	-
INDIANA -----	30	32	53	105	186	380	516	532	377	143	22	-
WHITE-----MALE----	14	16	25	50	78	160	198	141	72	20	2	-
FEMALE--	8	11	18	40	89	196	289	374	287	113	19	-
ALL OTHER--MALE----	5	2	5	7	8	11	8	7	4	3	-	-
FEMALE--	3	3	5	8	11	13	21	10	14	7	1	-
BLACK---MALE-----	5	2	5	6	8	11	7	7	4	3	-	-
FEMALE--	3	3	5	7	11	13	21	10	14	7	1	-
IOWA -----	6	10	22	40	83	161	310	334	279	136	29	-
WHITE-----MALE----	5	6	9	25	40	73	109	105	67	30	2	-
FEMALE--	1	3	12	13	40	88	197	228	212	106	27	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	4	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	-	-	-	-	-
KANSAS -----	4	12	28	37	81	135	217	226	208	89	20	-
WHITE-----MALE----	4	7	12	17	43	58	68	67	42	16	4	-
FEMALE--	-	5	13	13	31	69	139	153	157	69	16	-
ALL OTHER--MALE----	-	-	1	3	4	5	5	3	3	-	-	-
FEMALE--	-	-	2	4	3	3	5	3	6	4	-	-
BLACK---MALE-----	-	-	1	3	4	5	4	2	3	-	-	-
FEMALE--	-	-	2	4	2	3	5	3	5	4	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2146

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Stroke, not specified as hemorrhage or infarction (I64)												
KENTUCKY -----	1,656	-	-	-	-	-	-	1	2	4	4	6
WHITE-----MALE----	572	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	966	-	-	-	-	-	-	1	2	1	2	3
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	46	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1,456	-	-	-	1	-	2	1	2	3	8	16
WHITE-----MALE----	388	-	-	-	-	-	-	-	1	2	-	3
FEMALE--	611	-	-	-	1	-	1	-	-	1	1	3
ALL OTHER--MALE----	170	-	-	-	-	-	-	1	-	-	4	5
FEMALE--	287	-	-	-	-	-	1	-	1	-	3	5
BLACK---MALE-----	165	-	-	-	-	-	-	1	-	-	4	5
FEMALE--	285	-	-	-	-	-	1	-	1	-	3	5
MAINE -----	473	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	173	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	298	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,470	-	-	-	-	1	1	-	1	2	8	10
WHITE-----MALE----	422	-	-	-	-	-	1	-	-	1	3	-
FEMALE--	722	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	142	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	184	-	-	-	-	-	-	-	-	-	2	4
BLACK---MALE-----	135	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	174	-	-	-	-	-	-	-	-	-	2	4
MASSACHUSETTS -----	1,808	-	-	-	-	-	1	-	1	-	3	8
WHITE-----MALE----	548	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	1,202	-	-	-	-	-	1	-	-	-	-	4
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	2,976	-	-	-	-	-	-	-	2	4	5	16
WHITE-----MALE----	939	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	1,726	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	125	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	186	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	118	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	178	-	-	-	-	-	-	-	-	1	-	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2146

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
KENTUCKY -----	21	28	53	87	175	264	318	343	258	80	12	-
WHITE-----MALE----	12	11	34	47	70	91	133	109	44	15	1	-
FEMALE--	6	12	11	33	89	154	174	216	195	59	8	-
ALL OTHER--MALE----	3	2	5	4	9	8	5	4	4	-	-	-
FEMALE--	-	3	3	3	7	11	6	14	15	6	3	-
BLACK---MALE-----	3	2	5	4	9	8	5	3	4	-	-	-
FEMALE--	-	3	3	3	6	11	6	14	15	6	3	-
LOUISIANA -----	29	50	56	101	125	230	275	305	172	65	15	-
WHITE-----MALE----	5	10	18	35	38	80	81	79	28	7	1	-
FEMALE--	3	12	11	30	38	82	128	164	91	41	4	-
ALL OTHER--MALE----	13	12	14	14	18	26	24	20	11	4	4	-
FEMALE--	8	16	13	22	31	42	42	42	42	13	6	-
BLACK---MALE-----	13	12	14	14	17	25	24	19	9	4	4	-
FEMALE--	8	15	13	22	31	42	41	42	42	13	6	-
MAINE -----	4	6	12	24	37	68	94	113	70	38	4	-
WHITE-----MALE----	4	3	5	12	22	26	49	30	16	3	-	-
FEMALE--	-	3	7	11	15	42	45	83	53	35	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
MARYLAND -----	13	26	43	84	141	221	286	313	233	77	10	-
WHITE-----MALE----	6	5	12	30	43	82	96	81	51	10	1	-
FEMALE--	3	3	9	26	42	87	140	197	153	51	8	-
ALL OTHER--MALE----	2	8	13	18	31	29	15	8	6	3	-	-
FEMALE--	2	10	9	10	25	23	35	27	23	13	1	-
BLACK---MALE-----	2	8	12	17	28	29	14	8	5	3	-	-
FEMALE--	2	10	8	10	25	21	34	27	17	13	1	-
MASSACHUSETTS -----	10	12	22	59	112	246	400	453	311	144	26	-
WHITE-----MALE----	6	6	11	28	59	87	127	130	63	22	3	-
FEMALE--	3	5	7	29	46	149	256	313	244	122	23	-
ALL OTHER--MALE----	-	1	2	2	4	4	7	5	-	-	-	-
FEMALE--	1	-	2	-	3	6	10	5	4	-	-	-
BLACK---MALE-----	-	1	2	2	4	3	6	3	-	-	-	-
FEMALE--	1	-	2	-	1	6	6	5	3	-	-	-
MICHIGAN -----	18	59	68	135	269	472	619	645	461	174	29	-
WHITE-----MALE----	7	28	33	53	111	180	204	183	99	26	4	-
FEMALE--	6	18	21	51	114	232	364	411	340	139	23	-
ALL OTHER--MALE----	3	4	7	14	19	23	23	16	10	1	-	-
FEMALE--	2	9	7	17	25	37	28	35	12	8	2	-
BLACK---MALE-----	3	4	7	13	18	21	23	15	10	1	-	-
FEMALE--	2	8	7	17	25	34	27	33	12	7	2	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2147

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
MINNESOTA -----	4	8	24	55	110	171	350	406	332	141	20	-
WHITE-----MALE----	4	4	14	29	60	86	120	135	75	24	2	-
FEMALE--	-	4	7	24	46	81	219	265	253	117	18	-
ALL OTHER--MALE----	-	-	-	2	2	1	6	4	2	-	-	-
FEMALE--	-	-	3	-	2	3	5	2	2	-	-	-
BLACK---MALE-----	-	-	-	2	-	1	2	2	2	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	1	-	-	-
MISSISSIPPI -----	21	31	44	69	99	174	191	237	148	54	11	-
WHITE-----MALE----	3	8	10	26	35	41	56	63	26	2	1	-
FEMALE--	3	4	10	10	33	78	84	119	83	30	5	-
ALL OTHER--MALE----	11	12	13	18	13	19	16	17	11	9	1	-
FEMALE--	4	7	11	15	18	36	35	38	28	13	4	-
BLACK---MALE-----	11	12	13	17	13	19	16	17	11	9	1	-
FEMALE--	4	7	11	15	18	36	35	38	28	13	4	-
MISSOURI -----	17	29	46	94	186	317	466	537	355	136	19	-
WHITE-----MALE----	10	15	19	33	80	121	165	171	77	19	3	-
FEMALE--	5	9	17	50	77	158	268	335	265	112	16	-
ALL OTHER--MALE----	2	4	5	5	15	19	12	15	2	-	-	-
FEMALE--	-	1	5	6	14	19	21	16	11	5	-	-
BLACK---MALE-----	2	4	5	5	15	19	12	15	2	-	-	-
FEMALE--	-	1	5	6	14	18	20	15	11	5	-	-
MONTANA -----	6	3	8	8	29	41	73	95	61	31	5	-
WHITE-----MALE----	3	1	5	4	15	14	34	27	14	7	2	-
FEMALE--	3	2	3	3	13	26	38	66	47	23	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	10	12	28	44	83	138	184	134	46	9	-
WHITE-----MALE----	1	4	5	13	24	38	51	67	29	9	2	-
FEMALE--	-	5	5	13	18	42	85	115	104	37	7	-
ALL OTHER--MALE----	-	-	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	1	2	1	-	-	-
BLACK---MALE-----	-	-	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	2	1	-	-	-
NEVADA -----	6	12	15	32	62	96	115	84	50	14	-	-
WHITE-----MALE----	2	5	5	19	25	50	38	26	9	5	-	-
FEMALE--	2	3	8	12	27	37	65	49	40	8	-	-
ALL OTHER--MALE----	1	4	2	-	4	2	6	3	-	-	-	-
FEMALE--	1	-	-	1	6	7	6	6	1	1	-	-
BLACK---MALE-----	-	3	2	-	3	1	6	2	-	-	-	-
FEMALE--	1	-	-	1	5	6	2	6	1	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2149

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Stroke, not specified as hemorrhage or infarction (I64)												
OHIO -----	3,954	2	-	-	-	1	2	2	2	4	9	18
WHITE-----MALE----	1,266	-	-	-	-	1	-	1	1	-	7	10
FEMALE--	2,294	2	-	-	-	-	1	1	1	2	1	7
ALL OTHER--MALE----	159	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	235	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE-----	156	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	230	-	-	-	-	-	1	-	-	1	1	-
OKLAHOMA -----	1,598	1	1	-	-	-	-	-	2	4	5	7
WHITE-----MALE----	516	1	-	-	-	-	-	-	-	-	1	4
FEMALE--	935	-	1	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	89	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	38	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	62	-	-	-	-	-	-	-	-	1	1	-
OREGON -----	1,449	-	-	-	-	-	-	1	-	1	4	9
WHITE-----MALE----	517	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	899	-	-	-	-	-	-	1	-	1	2	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,651	-	-	-	-	-	-	1	2	5	9	20
WHITE-----MALE----	1,536	-	-	-	-	-	-	-	1	3	4	7
FEMALE--	2,726	-	-	-	-	-	-	1	1	2	2	6
ALL OTHER--MALE----	144	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	245	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE-----	134	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	242	-	-	-	-	-	-	-	-	-	2	3
RHODE ISLAND -----	361	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	118	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	234	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,715	-	-	-	-	-	-	-	-	2	10	18
WHITE-----MALE----	417	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	738	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	230	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	330	-	-	-	-	-	-	-	-	1	5	8
BLACK---MALE-----	229	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	329	-	-	-	-	-	-	-	-	1	5	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2149

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
OHIO -----	15	50	88	195	404	611	872	835	573	228	43	-
WHITE-----MALE----	7	16	37	71	168	240	334	230	112	27	4	-
FEMALE--	4	24	34	82	172	301	477	547	420	185	33	-
ALL OTHER--MALE----	2	4	9	20	31	39	20	19	11	2	-	-
FEMALE--	2	6	8	22	33	31	41	39	30	14	6	-
BLACK---MALE-----	2	4	9	20	30	39	19	18	11	2	-	-
FEMALE--	2	6	8	19	32	31	41	38	30	14	6	-
OKLAHOMA -----	21	35	37	78	116	258	307	368	269	75	14	-
WHITE-----MALE----	10	16	19	25	53	98	103	110	62	13	1	-
FEMALE--	8	10	14	42	54	130	173	232	194	58	13	-
ALL OTHER--MALE----	1	5	1	8	7	14	10	4	2	1	-	-
FEMALE--	2	4	3	3	2	16	21	22	11	3	-	-
BLACK---MALE-----	1	3	1	7	4	8	7	2	-	1	-	-
FEMALE--	2	4	1	1	2	12	17	15	5	1	-	-
OREGON -----	4	12	28	57	94	217	316	349	262	83	12	-
WHITE-----MALE----	1	7	13	30	47	92	132	109	64	13	1	-
FEMALE--	3	5	14	24	40	120	180	233	197	66	11	-
ALL OTHER--MALE----	-	-	-	1	3	2	1	2	1	-	-	-
FEMALE--	-	-	1	2	4	3	3	5	-	4	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	2	1	-	-	-
FEMALE--	-	-	1	1	2	2	2	1	-	1	-	-
PENNSYLVANIA -----	37	74	86	170	385	734	970	1,101	756	259	42	-
WHITE-----MALE----	19	28	43	80	172	293	359	315	163	47	2	-
FEMALE--	7	26	29	58	158	372	560	710	562	197	35	-
ALL OTHER--MALE----	7	10	11	18	24	23	21	15	7	1	2	-
FEMALE--	4	10	3	14	31	46	30	61	24	14	3	-
BLACK---MALE-----	7	7	10	18	23	23	18	14	7	1	2	-
FEMALE--	4	10	3	14	30	46	29	60	24	14	3	-
RHODE ISLAND -----	1	3	6	8	25	60	80	81	67	26	4	-
WHITE-----MALE----	-	2	1	5	14	31	28	20	12	5	-	-
FEMALE--	1	1	4	3	11	26	50	59	54	21	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	2	2	-	-	-	-
SOUTH CAROLINA -----	34	55	78	106	188	278	329	347	189	62	19	-
WHITE-----MALE----	11	10	19	34	60	69	89	78	29	8	1	-
FEMALE--	7	12	15	24	56	108	153	188	121	36	14	-
ALL OTHER--MALE----	8	18	26	26	28	39	37	28	12	4	1	-
FEMALE--	8	15	18	22	44	62	50	53	27	14	3	-
BLACK---MALE-----	8	18	26	26	28	38	37	28	12	4	1	-
FEMALE--	8	15	18	22	43	62	50	53	27	14	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2150

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Stroke, not specified as hemorrhage or infarction (I64)												
SOUTH DAKOTA -----	367	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	131	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	226	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,420	-	-	-	-	1	1	-	-	1	7	16
WHITE-----MALE----	748	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	1,307	-	-	-	-	1	-	-	-	1	-	4
ALL OTHER--MALE----	126	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	239	-	-	-	-	-	-	-	-	-	4	5
BLACK---MALE-----	123	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	237	-	-	-	-	-	-	-	-	-	4	5
TEXAS -----	5,336	-	-	-	-	1	2	1	5	2	16	47
WHITE-----MALE----	1,650	-	-	-	-	1	-	-	1	1	7	26
FEMALE--	3,029	-	-	-	-	-	1	1	2	-	4	11
ALL OTHER--MALE----	251	-	-	-	-	-	1	-	-	1	4	5
FEMALE--	406	-	-	-	-	-	-	-	2	-	1	5
BLACK---MALE-----	238	-	-	-	-	-	1	-	-	1	4	5
FEMALE--	382	-	-	-	-	-	-	-	2	-	1	4
UTAH -----	466	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	161	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	295	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	170	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,311	-	-	-	-	-	1	-	1	4	5	17
WHITE-----MALE----	613	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	1,138	-	-	-	-	-	1	-	1	1	-	2
ALL OTHER--MALE----	220	-	-	-	-	-	-	-	-	-	1	10
FEMALE--	340	-	-	-	-	-	-	-	-	2	3	2
BLACK---MALE-----	209	-	-	-	-	-	-	-	-	-	1	9
FEMALE--	322	-	-	-	-	-	-	-	-	2	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2150

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
SOUTH DAKOTA -----	4	2	2	14	23	42	66	95	70	39	8	-
WHITE-----MALE----	2	1	-	8	12	19	32	33	18	6	-	-
FEMALE--	-	1	2	3	9	22	33	62	52	33	8	-
ALL OTHER--MALE----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	32	46	81	133	229	371	488	533	339	123	19	-
WHITE-----MALE----	17	21	31	57	73	147	149	149	74	20	5	-
FEMALE--	6	9	29	54	88	175	277	329	232	90	12	-
ALL OTHER--MALE----	5	5	12	8	29	20	18	14	5	4	-	-
FEMALE--	4	11	9	14	39	29	44	41	28	9	2	-
BLACK---MALE-----	5	5	12	7	28	20	18	13	5	4	-	-
FEMALE--	4	11	9	13	39	29	44	40	28	9	2	-
TEXAS -----	63	103	158	259	486	774	1,065	1,180	823	300	51	-
WHITE-----MALE----	25	37	64	108	199	298	362	315	156	45	5	-
FEMALE--	17	28	63	95	203	383	588	771	603	220	39	-
ALL OTHER--MALE----	13	14	20	22	39	39	40	30	19	4	-	-
FEMALE--	8	24	11	34	45	54	75	64	45	31	7	-
BLACK---MALE-----	13	14	20	21	35	37	36	29	18	4	-	-
FEMALE--	8	22	10	32	43	51	69	62	42	30	6	-
UTAH -----	4	5	9	15	32	60	105	129	78	20	5	-
WHITE-----MALE----	2	2	5	9	12	24	44	42	16	2	2	-
FEMALE--	2	3	2	5	20	35	59	86	62	17	3	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	2	1	1	8	8	24	32	39	30	20	2	-
WHITE-----MALE----	1	-	1	6	4	11	15	8	7	2	1	-
FEMALE--	1	1	-	2	4	13	17	31	23	18	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	29	38	75	117	241	362	473	513	308	108	18	1
WHITE-----MALE----	7	13	24	35	87	111	144	130	42	13	2	-
FEMALE--	7	9	17	32	80	156	233	293	212	81	13	-
ALL OTHER--MALE----	9	5	16	28	35	35	42	25	12	2	-	-
FEMALE--	6	11	18	22	39	60	54	65	42	12	3	1
BLACK---MALE-----	9	5	14	28	33	33	40	24	11	2	-	-
FEMALE--	6	10	17	21	38	59	48	63	39	12	2	1





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2151

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
WASHINGTON -----	10	26	37	73	144	293	384	502	334	143	24	-
WHITE-----MALE----	1	14	16	34	60	131	162	155	73	29	2	-
FEMALE--	7	10	18	30	74	147	206	333	251	107	21	-
ALL OTHER--MALE----	2	1	1	5	7	8	6	5	4	3	-	-
FEMALE--	-	1	2	4	3	7	10	9	6	4	1	-
BLACK---MALE-----	1	1	1	-	4	4	1	4	1	2	-	-
FEMALE--	-	1	-	2	1	3	5	3	2	1	-	-
WEST VIRGINIA -----	5	9	25	43	79	126	162	171	119	34	4	-
WHITE-----MALE----	2	4	14	20	34	45	64	57	22	8	2	-
FEMALE--	3	3	10	23	44	79	91	109	92	26	2	-
ALL OTHER--MALE----	-	2	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	5	3	5	-	-	-
BLACK---MALE-----	-	2	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	5	3	5	-	-	-
WISCONSIN -----	11	14	40	81	167	302	449	508	390	149	26	-
WHITE-----MALE----	6	8	26	34	91	137	180	163	93	26	4	-
FEMALE--	5	4	7	42	71	151	258	339	294	120	22	-
ALL OTHER--MALE----	-	1	3	4	4	7	2	1	1	-	-	-
FEMALE--	-	1	4	1	1	7	9	5	2	3	-	-
BLACK---MALE-----	-	1	3	4	2	7	2	1	1	-	-	-
FEMALE--	-	1	4	1	1	5	8	4	1	3	-	-
WYOMING -----	1	-	1	6	15	18	29	47	29	5	1	-
WHITE-----MALE----	1	-	-	3	4	11	14	8	8	1	-	-
FEMALE--	-	-	1	3	11	7	12	38	21	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2152

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other cerebrovascular diseases and their sequelae (I67,I69)

UNITED STATES -	29,561	40	22	7	14	11	15	18	27	55	95	166
WHITE-----MALE----	9,621	20	9	4	5	2	9	3	10	17	26	51
FEMALE--	16,374	8	8	2	3	5	5	7	10	20	40	59
ALL OTHER--MALE----	1,528	7	1	1	3	1	1	3	1	9	15	30
FEMALE--	2,038	5	4	-	3	3	-	5	6	9	14	26
BLACK---MALE-----	1,214	5	1	1	3	1	1	2	1	8	13	24
FEMALE--	1,771	4	4	-	3	2	-	5	5	9	13	21
ALABAMA -----	431	-	-	-	-	1	1	-	-	-	1	7
WHITE-----MALE----	108	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	217	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	66	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	40	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	65	-	-	-	-	1	-	-	-	-	1	-
ALASKA -----	31	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	358	-	-	-	-	-	1	-	1	2	1	3
WHITE-----MALE----	140	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	209	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	387	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	114	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	200	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	28	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4,373	2	2	1	2	1	1	3	3	11	10	22
WHITE-----MALE----	1,410	2	-	-	-	-	-	1	1	4	1	5
FEMALE--	2,320	-	2	1	-	-	2	2	2	5	6	5
ALL OTHER--MALE----	302	-	-	-	1	-	1	-	-	2	2	9
FEMALE--	341	-	-	-	1	1	-	-	-	-	1	3
BLACK---MALE-----	122	-	-	-	1	-	1	-	-	2	1	4
FEMALE--	184	-	-	-	1	-	-	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2152

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
UNITED STATES -	231	384	599	1,112	2,292	4,175	6,012	6,730	5,058	2,102	396	-
WHITE-----MALE----	81	159	259	466	954	1,721	2,210	2,064	1,168	340	43	-
FEMALE--	79	112	173	409	884	1,886	3,168	4,078	3,499	1,607	312	-
ALL OTHER--MALE----	42	70	104	122	253	259	258	200	112	31	5	-
FEMALE--	29	43	63	115	201	309	376	388	279	124	36	-
BLACK---MALE-----	37	61	88	105	216	203	193	141	82	25	3	-
FEMALE--	22	39	55	97	173	267	323	342	246	109	32	-
ALABAMA -----	6	10	12	16	58	62	72	92	56	30	7	-
WHITE-----MALE----	-	6	4	7	12	19	18	21	14	3	1	-
FEMALE--	2	2	4	5	20	32	35	55	37	19	3	-
ALL OTHER--MALE----	2	-	2	3	13	6	7	4	1	-	-	-
FEMALE--	2	2	2	1	13	5	12	12	4	8	3	-
BLACK---MALE-----	2	-	2	3	13	6	7	4	1	-	-	-
FEMALE--	1	2	2	1	13	5	12	12	4	8	3	-
ALASKA -----	-	-	2	1	7	3	9	6	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	4	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	1	2	6	17	34	61	78	87	44	18	2	-
WHITE-----MALE----	1	1	2	9	17	28	32	31	12	4	-	-
FEMALE--	-	1	3	7	17	31	45	55	30	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	5	7	12	24	38	50	72	102	47	21	2	-
WHITE-----MALE----	3	3	4	10	13	18	22	26	8	3	-	-
FEMALE--	2	1	3	8	18	24	37	61	29	13	2	-
ALL OTHER--MALE----	-	1	4	2	5	2	7	2	4	1	-	-
FEMALE--	-	2	1	4	2	6	6	13	6	4	-	-
BLACK---MALE-----	-	1	3	2	5	2	7	2	4	1	-	-
FEMALE--	-	2	1	4	2	6	6	13	6	4	-	-
CALIFORNIA -----	50	51	94	179	308	647	899	973	749	305	60	-
WHITE-----MALE----	17	19	42	68	123	250	336	291	195	49	6	-
FEMALE--	15	20	24	71	115	289	443	547	494	228	51	-
ALL OTHER--MALE----	9	10	20	21	33	45	59	62	21	7	-	-
FEMALE--	9	2	8	19	37	63	61	73	39	21	3	-
BLACK---MALE-----	5	5	10	11	12	21	21	20	6	2	-	-
FEMALE--	4	1	5	11	19	37	29	40	22	13	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2153

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other cerebrovascular diseases and their sequelae (I67,I69)												
COLORADO -----	273	1	-	-	-	-	-	-	1	-	2	2
WHITE-----MALE----	112	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	149	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	332	-	-	-	1	-	-	-	-	-	1	2
WHITE-----MALE----	111	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	203	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	46	1	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	18	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	40	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,688	1	1	-	-	-	1	-	1	3	5	7
WHITE-----MALE----	605	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	888	-	1	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	107	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	85	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	106	1	-	-	-	-	-	-	-	-	1	1
GEORGIA -----	712	1	-	1	1	1	1	2	2	2	6	9
WHITE-----MALE----	169	1	-	-	-	1	1	-	-	-	2	3
FEMALE--	340	-	-	1	1	-	-	1	2	-	3	2
ALL OTHER--MALE----	84	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	119	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE-----	83	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	119	-	-	-	-	-	-	-	-	2	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2153

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
COLORADO -----	4	5	5	11	27	47	41	60	48	14	5	-
WHITE-----MALE----	-	5	2	8	12	19	21	22	15	3	1	-
FEMALE--	4	-	3	1	14	25	18	36	31	11	4	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
CONNECTICUT -----	3	1	7	4	21	43	72	86	64	23	4	-
WHITE-----MALE----	2	1	4	-	8	18	23	35	13	4	-	-
FEMALE--	-	-	2	3	12	21	47	46	48	19	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	2	5	3	-	-	-
BLACK---MALE-----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	2	5	2	-	-	-
DELAWARE -----	2	1	2	2	2	4	13	9	5	3	-	-
WHITE-----MALE----	2	1	1	-	1	2	4	4	1	-	-	-
FEMALE--	-	-	-	1	1	2	6	3	4	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	2	3	3	8	9	6	6	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	4	2	5	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	-	1	1	-	-
FEMALE--	-	1	-	-	2	3	2	5	3	-	-	-
BLACK---MALE-----	-	-	1	2	-	-	1	-	1	1	-	-
FEMALE--	-	1	-	-	2	3	2	5	3	-	-	-
FLORIDA -----	14	16	31	68	125	248	339	369	323	114	22	-
WHITE-----MALE----	6	4	16	26	56	112	127	129	96	24	3	-
FEMALE--	7	4	5	28	40	105	177	215	204	82	15	-
ALL OTHER--MALE----	1	5	6	8	17	15	14	9	7	2	-	-
FEMALE--	-	3	4	6	12	16	21	16	16	6	4	-
BLACK---MALE-----	1	5	6	7	17	14	14	9	6	2	-	-
FEMALE--	-	3	3	6	12	16	21	16	16	6	4	-
GEORGIA -----	11	23	16	40	68	99	139	156	92	37	5	-
WHITE-----MALE----	5	4	5	19	19	28	38	26	13	4	-	-
FEMALE--	2	4	2	8	17	46	68	96	57	27	3	-
ALL OTHER--MALE----	2	10	5	8	16	10	14	9	5	2	-	-
FEMALE--	2	5	4	5	16	15	19	25	17	4	2	-
BLACK---MALE-----	2	9	5	8	16	10	14	9	5	2	-	-
FEMALE--	2	5	4	5	16	15	19	25	17	4	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2154

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
HAWAII -----	-	1	5	3	8	11	20	10	14	5	1	-
WHITE-----MALE----	-	1	2	-	1	2	6	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	3	2	6	5	10	6	6	-	1	-
FEMALE--	-	-	-	1	-	3	3	3	6	5	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	4	10	14	41	43	32	6	4	-
WHITE-----MALE----	-	-	1	1	6	6	20	15	8	1	1	-
FEMALE--	-	1	1	2	4	7	21	28	24	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	19	19	38	116	187	267	312	246	112	19	-
WHITE-----MALE----	1	9	9	13	47	64	95	95	71	21	3	-
FEMALE--	4	3	7	18	49	97	144	201	156	85	16	-
ALL OTHER--MALE----	2	3	2	2	12	13	13	9	9	-	-	-
FEMALE--	1	4	1	5	8	14	15	7	10	6	-	-
BLACK---MALE-----	2	3	2	2	11	11	11	9	6	-	-	-
FEMALE--	1	2	1	5	5	12	15	7	10	6	-	-
INDIANA -----	2	7	14	23	61	88	146	147	112	48	11	-
WHITE-----MALE----	1	2	5	12	30	41	47	45	28	9	-	-
FEMALE--	1	2	4	7	24	43	88	97	76	35	11	-
ALL OTHER--MALE----	-	2	1	-	4	2	3	-	-	1	-	-
FEMALE--	-	1	4	4	3	2	8	5	8	3	-	-
BLACK---MALE-----	-	2	1	-	4	2	3	-	-	1	-	-
FEMALE--	-	-	4	4	3	2	8	5	8	3	-	-
IOWA -----	-	2	4	8	16	31	70	63	81	25	6	-
WHITE-----MALE----	-	1	3	3	9	19	33	18	25	8	-	-
FEMALE--	-	1	1	4	6	11	35	45	56	17	6	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	3	2	3	3	27	39	56	76	63	28	5	-
WHITE-----MALE----	-	1	3	-	16	15	16	24	17	7	2	-
FEMALE--	3	1	-	2	9	22	38	50	45	21	3	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2155

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other cerebrovascular diseases and their sequelae (I67,I69)												
KENTUCKY -----	375	2	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	120	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	234	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	469	-	-	-	-	-	1	-	-	2	3	11
WHITE-----MALE----	118	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	227	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	74	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	50	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	74	-	-	-	-	-	-	-	-	1	1	3
MAINE -----	172	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	98	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	544	1	-	1	1	1	-	3	1	2	-	4
WHITE-----MALE----	166	-	-	1	-	1	-	-	1	-	-	2
FEMALE--	245	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	58	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	75	-	-	-	1	-	-	2	-	2	-	-
BLACK---MALE-----	56	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	71	-	-	-	1	-	-	2	-	2	-	-
MASSACHUSETTS -----	786	3	-	-	-	2	-	-	2	2	2	3
WHITE-----MALE----	291	3	-	-	-	-	-	-	2	1	1	2
FEMALE--	471	-	-	-	-	2	-	-	-	1	1	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,266	2	-	-	-	1	-	1	2	2	3	9
WHITE-----MALE----	413	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	686	1	-	-	-	-	-	1	-	-	2	3
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	92	-	-	-	-	1	-	-	2	-	1	1
BLACK---MALE-----	73	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	88	-	-	-	-	1	-	-	2	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2155

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
KENTUCKY -----	4	3	5	15	30	47	78	105	57	24	2	-
WHITE-----MALE----	1	2	1	8	18	20	26	23	11	5	1	-
FEMALE--	3	1	4	6	7	25	50	74	45	17	1	-
ALL OTHER--MALE----	-	-	-	1	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	7	1	2	-	-
BLACK---MALE-----	-	-	-	1	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	7	1	2	-	-
LOUISIANA -----	5	9	13	15	48	75	82	96	71	32	6	-
WHITE-----MALE----	-	2	3	5	11	24	21	31	13	4	1	-
FEMALE--	1	3	2	3	20	25	44	50	44	25	5	-
ALL OTHER--MALE----	2	4	5	2	12	10	3	4	3	1	-	-
FEMALE--	2	-	3	5	5	16	14	11	11	2	-	-
BLACK---MALE-----	2	4	5	2	12	10	3	4	3	1	-	-
FEMALE--	2	-	3	5	5	16	14	11	11	2	-	-
MAINE -----	1	1	3	5	10	18	34	45	42	11	1	-
WHITE-----MALE----	-	1	3	4	6	12	15	18	11	2	-	-
FEMALE--	1	-	-	1	4	6	19	26	31	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	10	12	29	41	80	96	133	84	34	4	-
WHITE-----MALE----	-	-	3	18	16	29	31	42	20	2	-	-
FEMALE--	1	4	5	2	11	27	45	70	48	27	3	-
ALL OTHER--MALE----	3	4	3	7	5	13	9	6	5	1	-	-
FEMALE--	3	2	1	2	9	11	11	15	11	4	1	-
BLACK---MALE-----	3	4	3	7	4	12	9	6	5	1	-	-
FEMALE--	2	2	1	2	9	11	11	14	9	4	1	-
MASSACHUSETTS -----	3	10	8	19	53	105	174	175	141	69	15	-
WHITE-----MALE----	3	7	5	14	29	50	67	62	26	18	1	-
FEMALE--	-	3	2	5	20	49	101	113	111	49	13	-
ALL OTHER--MALE----	-	-	1	-	3	3	4	-	2	-	1	-
FEMALE--	-	-	-	-	1	3	2	-	2	2	-	-
BLACK---MALE-----	-	-	1	-	3	2	4	-	-	-	1	-
FEMALE--	-	-	-	-	1	3	2	-	1	2	-	-
MICHIGAN -----	10	20	34	56	115	187	251	291	187	82	13	-
WHITE-----MALE----	1	9	16	27	39	69	94	101	40	11	1	-
FEMALE--	4	8	9	22	55	83	134	155	137	61	11	-
ALL OTHER--MALE----	3	3	6	3	11	18	11	13	2	2	-	-
FEMALE--	2	-	3	4	10	17	12	22	8	8	1	-
BLACK---MALE-----	3	3	5	3	11	17	11	13	2	2	-	-
FEMALE--	2	-	3	4	10	16	11	20	8	8	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2156

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
MINNESOTA -----	1	2	5	15	43	92	118	145	137	41	18	-
WHITE-----MALE----	1	-	4	9	18	48	47	60	34	4	2	-
FEMALE--	-	1	1	5	23	39	70	85	101	36	16	-
ALL OTHER--MALE----	-	1	-	-	-	3	-	-	1	1	-	-
FEMALE--	-	-	-	1	2	2	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	1	2	1	1	-	1	-	-	-
MISSISSIPPI -----	7	9	3	11	18	35	40	53	36	16	4	-
WHITE-----MALE----	2	3	1	2	8	16	11	15	7	3	-	-
FEMALE--	2	1	1	1	5	10	19	27	13	10	2	-
ALL OTHER--MALE----	2	3	-	4	2	3	4	5	4	2	-	-
FEMALE--	1	2	1	4	3	6	6	6	12	1	2	-
BLACK---MALE-----	2	3	-	4	2	3	4	5	4	2	-	-
FEMALE--	1	2	1	4	3	6	6	6	12	1	2	-
MISSOURI -----	1	10	10	28	33	86	126	147	127	57	8	-
WHITE-----MALE----	1	4	2	10	12	41	41	37	35	14	3	-
FEMALE--	-	4	6	15	18	36	80	102	88	40	5	-
ALL OTHER--MALE----	-	1	1	2	2	4	-	2	2	-	-	-
FEMALE--	-	1	1	2	1	5	5	6	2	3	-	-
BLACK---MALE-----	-	1	1	1	2	4	-	2	2	-	-	-
FEMALE--	-	1	1	2	1	5	5	6	2	3	-	-
MONTANA -----	1	1	-	1	4	14	20	25	29	10	2	-
WHITE-----MALE----	-	1	-	-	2	4	6	11	3	2	-	-
FEMALE--	1	-	-	1	2	8	13	13	26	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	2	10	12	37	55	42	41	23	4	-
WHITE-----MALE----	-	-	1	4	9	19	18	13	6	4	-	-
FEMALE--	1	-	1	6	2	17	36	29	35	19	4	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	1	3	6	2	13	16	28	25	10	4	1	-
WHITE-----MALE----	-	2	4	1	7	5	13	9	-	-	1	-
FEMALE--	1	1	1	1	6	10	14	12	9	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2158

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other cerebrovascular diseases and their sequelae (I67,I69)												
OHIO -----	1,192	-	1	1	-	-	-	1	-	2	1	5
WHITE-----MALE----	368	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	702	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	52	-	-	1	-	-	-	-	-	1	-	2
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	50	-	-	1	-	-	-	-	-	1	-	2
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	284	-	-	-	-	-	-	-	1	-	4	-
WHITE-----MALE----	96	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	162	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	746	1	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	263	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	471	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,306	3	-	2	2	-	-	-	3	2	3	6
WHITE-----MALE----	433	1	-	2	1	-	-	-	2	1	2	3
FEMALE--	732	2	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	61	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	57	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	121	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	82	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	355	-	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	161	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	49	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2158

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
OHIO -----	5	15	20	42	93	180	279	251	204	81	11	-
WHITE-----MALE----	-	5	6	15	40	66	108	69	46	11	1	-
FEMALE--	3	5	10	16	39	95	150	169	138	63	9	-
ALL OTHER--MALE----	1	3	2	5	8	8	8	5	6	1	1	-
FEMALE--	1	2	2	6	6	11	13	8	14	6	-	-
BLACK---MALE-----	1	3	2	5	8	7	7	5	6	1	1	-
FEMALE--	1	2	2	6	6	11	11	8	13	6	-	-
OKLAHOMA -----	2	3	5	10	29	33	54	61	59	22	1	-
WHITE-----MALE----	2	1	1	4	14	14	18	19	16	6	-	-
FEMALE--	-	-	3	4	11	16	31	39	40	15	1	-
ALL OTHER--MALE----	-	1	-	-	2	2	2	-	-	-	-	-
FEMALE--	-	1	1	2	2	1	3	3	3	1	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	3	2	1	-	-
OREGON -----	4	10	10	13	39	117	170	191	130	46	12	-
WHITE-----MALE----	2	5	7	8	16	43	78	66	30	5	1	-
FEMALE--	2	5	2	4	21	70	91	123	100	40	11	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	2	-	1	-	-
FEMALE--	-	-	1	1	1	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	15	26	33	111	198	253	328	197	93	22	-
WHITE-----MALE----	5	5	9	11	53	92	92	92	46	15	1	-
FEMALE--	3	5	9	19	41	87	130	204	140	72	15	-
ALL OTHER--MALE----	1	4	7	2	10	10	11	8	4	2	-	-
FEMALE--	-	1	1	1	7	9	20	24	7	4	6	-
BLACK---MALE-----	1	4	7	1	10	8	10	8	4	2	-	-
FEMALE--	-	1	1	1	6	9	20	24	7	4	6	-
RHODE ISLAND -----	2	-	-	3	8	12	31	29	23	12	1	-
WHITE-----MALE----	2	-	-	2	4	4	9	10	2	1	-	-
FEMALE--	-	-	-	1	4	8	20	19	19	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	-	-	-
SOUTH CAROLINA -----	4	5	10	21	25	65	67	73	47	28	4	-
WHITE-----MALE----	1	-	3	6	7	22	17	10	9	3	1	-
FEMALE--	-	2	1	1	9	23	27	47	28	19	3	-
ALL OTHER--MALE----	3	2	2	12	7	6	14	3	-	1	-	-
FEMALE--	-	1	4	2	2	14	9	13	10	5	-	-
BLACK---MALE-----	2	2	2	12	7	6	14	3	-	1	-	-
FEMALE--	-	1	4	2	2	14	9	13	10	5	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2159

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
SOUTH DAKOTA -----	2	-	5	1	1	5	8	10	8	8	-	-
WHITE-----MALE----	1	-	2	-	1	1	4	3	-	1	-	-
FEMALE--	1	-	3	-	-	3	4	7	8	7	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	12	21	23	36	70	109	116	86	45	4	-
WHITE-----MALE----	1	5	11	7	13	29	39	27	15	6	-	-
FEMALE--	2	3	7	11	15	30	59	83	69	33	2	-
ALL OTHER--MALE----	2	2	1	3	5	4	3	1	1	1	-	-
FEMALE--	1	2	2	2	3	7	8	5	1	5	2	-
BLACK---MALE-----	2	2	1	2	5	4	3	1	1	1	-	-
FEMALE--	1	2	2	2	3	7	8	5	1	5	2	-
TEXAS -----	19	31	45	87	186	282	396	461	376	159	37	-
WHITE-----MALE----	9	13	22	33	80	111	124	122	83	21	3	-
FEMALE--	4	9	12	36	76	135	227	293	254	131	29	-
ALL OTHER--MALE----	4	4	7	10	16	15	13	15	11	1	1	-
FEMALE--	2	5	4	8	14	21	32	31	28	6	4	-
BLACK---MALE-----	4	4	7	10	16	14	12	14	11	1	1	-
FEMALE--	2	5	4	8	12	21	30	30	28	5	4	-
UTAH -----	3	3	3	6	13	40	49	38	30	10	1	-
WHITE-----MALE----	2	-	-	1	5	15	22	12	7	3	-	-
FEMALE--	1	3	3	5	8	25	26	24	23	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	4	6	11	14	17	16	11	1	-
WHITE-----MALE----	-	-	-	4	4	7	5	6	2	1	-	-
FEMALE--	1	-	2	-	2	4	9	11	14	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	9	17	30	68	107	137	149	108	39	4	-
WHITE-----MALE----	-	7	4	13	22	37	43	40	20	7	-	-
FEMALE--	-	-	7	12	17	41	61	88	71	28	3	-
ALL OTHER--MALE----	-	1	4	1	16	13	9	6	6	1	-	-
FEMALE--	-	1	2	4	13	16	24	15	11	3	1	-
BLACK---MALE-----	-	1	4	1	16	13	9	5	5	1	-	-
FEMALE--	-	1	2	3	13	15	24	14	11	3	1	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2160

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
WASHINGTON -----	-	6	7	19	43	88	129	180	116	40	11	-
WHITE-----MALE----	-	2	6	8	24	44	67	61	21	13	2	-
FEMALE--	-	3	-	7	17	38	58	109	94	25	8	-
ALL OTHER--MALE----	-	1	1	1	1	4	2	5	-	-	-	-
FEMALE--	-	-	-	3	1	2	2	5	1	2	1	-
BLACK---MALE-----	-	-	1	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	5	1	1	-	-
WEST VIRGINIA -----	2	5	8	4	16	22	50	50	43	9	2	-
WHITE-----MALE----	1	3	4	1	4	12	17	15	13	1	-	-
FEMALE--	1	2	4	2	10	10	31	35	29	8	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	1	-
WISCONSIN -----	3	8	12	28	58	113	177	187	124	58	6	-
WHITE-----MALE----	2	7	8	17	26	67	87	80	33	7	-	-
FEMALE--	1	-	2	11	27	41	82	105	90	51	5	-
ALL OTHER--MALE----	-	-	1	-	4	3	3	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	5	2	1	-	1	-
BLACK---MALE-----	-	-	1	-	4	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	3	2	1	-	1	-
WYOMING -----	-	1	1	1	2	5	10	12	6	2	1	-
WHITE-----MALE----	-	1	-	-	1	1	6	5	2	-	-	-
FEMALE--	-	-	1	1	1	3	4	7	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2161

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)												
UNITED STATES -	40,788	14	2	2	9	15	36	52	97	194	329	474
WHITE-----MALE----	17,376	7	-	1	4	9	18	27	54	102	148	251
FEMALE--	19,313	3	2	1	2	5	12	12	19	50	89	101
ALL OTHER--MALE----	1,861	3	-	-	2	1	4	9	17	26	52	75
FEMALE--	2,238	1	-	-	1	-	2	4	7	16	40	47
BLACK---MALE-----	1,543	3	-	-	-	1	4	8	16	22	45	69
FEMALE--	1,960	1	-	-	-	-	2	4	4	15	39	41
ALABAMA -----	591	-	-	-	1	-	1	2	2	3	10	12
WHITE-----MALE----	225	-	-	-	1	-	-	1	1	2	5	3
FEMALE--	242	-	-	-	-	-	1	-	-	-	2	4
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	61	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	34	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	696	-	-	-	2	-	1	1	1	2	3	4
WHITE-----MALE----	351	-	-	-	-	-	-	1	1	-	3	2
FEMALE--	317	-	-	-	1	-	1	-	-	2	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	484	-	-	-	-	-	1	-	-	1	3	4
WHITE-----MALE----	195	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	226	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	4,079	-	-	-	-	3	6	7	11	20	40	54
WHITE-----MALE----	1,723	-	-	-	-	3	2	5	5	13	15	31
FEMALE--	1,883	-	-	-	-	-	3	2	2	4	12	11
ALL OTHER--MALE----	244	-	-	-	-	-	-	-	1	2	10	9
FEMALE--	229	-	-	-	-	-	1	-	3	1	3	3
BLACK---MALE-----	112	-	-	-	-	-	-	-	-	-	8	4
FEMALE--	125	-	-	-	-	-	1	-	2	-	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2161

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
UNITED STATES -	682	1,049	1,647	2,729	4,555	6,432	7,217	7,154	5,148	2,346	605	-
WHITE-----MALE----	354	593	982	1,567	2,498	3,235	3,157	2,475	1,378	442	74	-
FEMALE--	174	257	438	816	1,603	2,589	3,468	4,133	3,370	1,711	458	-
ALL OTHER--MALE----	98	118	133	182	229	294	256	192	106	46	18	-
FEMALE--	56	81	94	164	225	314	336	354	294	147	55	-
BLACK---MALE-----	81	103	111	157	191	235	200	156	80	43	18	-
FEMALE--	50	73	84	142	182	279	296	312	260	130	46	-
ALABAMA -----	11	21	33	49	67	99	87	98	67	23	5	-
WHITE-----MALE----	3	11	19	25	32	37	41	26	13	4	1	-
FEMALE--	4	4	6	11	25	43	33	54	40	14	1	-
ALL OTHER--MALE----	3	4	4	7	3	10	8	10	4	1	1	-
FEMALE--	1	2	4	6	7	9	5	8	10	4	2	-
BLACK---MALE-----	3	4	3	6	3	10	8	9	4	1	1	-
FEMALE--	1	2	4	6	7	9	5	8	10	4	2	-
ALASKA -----	-	5	2	7	5	2	4	1	2	2	-	-
WHITE-----MALE----	-	3	2	7	4	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	15	23	34	57	79	100	136	124	79	27	8	-
WHITE-----MALE----	8	15	25	39	50	55	64	50	30	5	3	-
FEMALE--	6	7	7	14	27	43	64	71	45	22	5	-
ALL OTHER--MALE----	-	1	1	1	1	1	2	2	-	-	-	-
FEMALE--	1	-	1	3	1	1	6	1	4	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	3	1	1	-	-	-
ARKANSAS -----	8	17	23	28	59	73	82	73	73	31	8	-
WHITE-----MALE----	4	12	19	13	30	35	33	24	13	8	-	-
FEMALE--	4	4	1	11	24	27	37	43	49	19	4	-
ALL OTHER--MALE----	-	-	1	2	4	7	6	3	4	2	1	-
FEMALE--	-	1	2	2	1	4	6	3	7	2	3	-
BLACK---MALE-----	-	-	-	2	4	7	6	3	4	2	1	-
FEMALE--	-	1	2	2	1	4	6	3	7	2	3	-
CALIFORNIA -----	70	102	161	266	425	599	713	741	531	262	68	-
WHITE-----MALE----	35	59	100	146	223	297	326	262	134	55	12	-
FEMALE--	21	22	34	80	147	225	322	408	352	188	50	-
ALL OTHER--MALE----	9	14	18	22	29	45	34	28	17	4	2	-
FEMALE--	5	7	9	18	26	32	31	43	28	15	4	-
BLACK---MALE-----	3	7	10	12	10	19	16	12	6	3	2	-
FEMALE--	3	6	7	11	13	18	14	22	17	6	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2162

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)												
COLORADO -----	812	-	-	-	-	-	1	1	1	2	2	5
WHITE-----MALE----	315	-	-	-	-	-	1	1	1	-	1	3
FEMALE--	468	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	496	-	-	-	-	-	-	-	1	3	4	7
WHITE-----MALE----	235	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	233	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	101	-	-	-	-	-	1	-	-	2	1	2
WHITE-----MALE----	48	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ---	82	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2,820	-	-	-	1	1	2	1	7	11	21	38
WHITE-----MALE----	1,317	-	-	-	-	1	1	-	2	9	11	24
FEMALE--	1,272	-	-	-	1	-	-	-	1	1	6	7
ALL OTHER--MALE----	109	-	-	-	-	-	-	1	4	1	1	1
FEMALE--	122	-	-	-	-	-	1	-	-	-	3	6
BLACK---MALE-----	107	-	-	-	-	-	-	1	4	1	1	1
FEMALE--	119	-	-	-	-	-	1	-	-	-	3	6
GEORGIA -----	1,077	-	-	-	-	2	1	2	1	6	12	16
WHITE-----MALE----	390	-	-	-	-	1	1	1	1	2	3	7
FEMALE--	461	-	-	-	-	1	-	-	-	-	4	4
ALL OTHER--MALE----	94	-	-	-	-	-	-	1	-	3	3	5
FEMALE--	132	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	92	-	-	-	-	-	-	1	-	3	3	5
FEMALE--	128	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2162

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
COLORADO -----	8	16	25	49	79	97	158	152	140	63	13	-
WHITE-----MALE----	5	11	17	29	39	44	69	50	35	8	1	-
FEMALE--	3	4	7	17	37	47	86	99	101	53	12	-
ALL OTHER--MALE----	-	1	1	2	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	5	3	2	3	2	-	-
BLACK---MALE-----	-	1	1	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	4	2	2	2	2	-	-
CONNECTICUT -----	8	12	19	31	47	68	98	92	62	32	12	-
WHITE-----MALE----	5	5	10	19	31	41	49	39	20	8	2	-
FEMALE--	3	6	4	10	14	25	46	49	41	22	10	-
ALL OTHER--MALE----	-	1	3	1	2	1	1	1	-	1	-	-
FEMALE--	-	-	2	1	-	1	2	3	1	1	-	-
BLACK---MALE-----	-	1	2	1	2	1	1	1	-	1	-	-
FEMALE--	-	-	2	1	-	1	2	3	1	1	-	-
DELAWARE -----	-	-	5	11	19	15	21	17	5	2	-	-
WHITE-----MALE----	-	-	4	5	12	8	9	7	-	-	-	-
FEMALE--	-	-	-	4	5	6	12	6	4	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	1	-	-	-
DISTRICT OF COLUMBIA ---	1	1	3	8	9	10	21	10	9	4	4	-
WHITE-----MALE----	1	-	1	1	1	1	3	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	5	6	4	2	2	-
ALL OTHER--MALE----	-	1	1	3	2	2	7	1	1	-	1	-
FEMALE--	-	-	1	4	6	7	6	3	2	1	1	-
BLACK---MALE-----	-	1	1	3	2	2	7	1	1	-	1	-
FEMALE--	-	-	1	4	6	7	6	3	2	1	1	-
FLORIDA -----	48	50	116	192	313	489	503	522	333	141	31	-
WHITE-----MALE----	24	26	65	107	176	271	246	204	114	30	6	-
FEMALE--	14	13	34	60	109	182	235	282	200	106	21	-
ALL OTHER--MALE----	6	4	12	10	15	20	10	16	6	-	2	-
FEMALE--	4	7	5	15	13	16	12	20	13	5	2	-
BLACK---MALE-----	5	4	11	10	15	20	10	16	6	-	2	-
FEMALE--	4	7	5	15	11	16	12	19	13	5	2	-
GEORGIA -----	27	40	58	72	118	170	211	162	117	50	12	-
WHITE-----MALE----	11	20	34	40	52	72	74	42	24	5	-	-
FEMALE--	7	8	15	19	40	67	99	89	69	33	6	-
ALL OTHER--MALE----	7	7	5	7	14	13	15	9	3	1	1	-
FEMALE--	2	5	4	6	12	18	23	22	21	11	5	-
BLACK---MALE-----	5	7	5	7	14	13	15	9	3	1	1	-
FEMALE--	1	4	3	6	12	18	23	22	20	11	5	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2163

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
HAWAII -----	4	2	2	9	15	27	28	15	22	5	2	-
WHITE-----MALE----	-	-	-	4	1	5	3	1	3	-	-	-
FEMALE--	-	-	-	2	2	5	1	5	2	2	-	-
ALL OTHER--MALE----	2	-	-	2	6	13	18	6	11	1	-	-
FEMALE--	2	2	2	1	6	4	6	3	6	2	2	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	1	3	17	9	20	31	33	23	10	3	-
WHITE-----MALE----	2	1	3	12	3	11	20	12	9	2	1	-
FEMALE--	2	-	-	5	6	8	11	21	13	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	27	43	67	115	206	270	317	291	242	120	30	-
WHITE-----MALE----	17	22	37	65	119	136	145	124	72	25	2	-
FEMALE--	6	10	22	32	62	111	148	152	153	88	26	-
ALL OTHER--MALE----	4	5	5	10	15	10	14	8	4	1	-	-
FEMALE--	-	6	3	8	10	13	10	7	13	6	2	-
BLACK---MALE-----	4	4	4	10	13	9	10	7	4	1	-	-
FEMALE--	-	6	3	7	10	13	9	6	13	6	2	-
INDIANA -----	19	20	41	67	119	170	185	164	160	50	17	-
WHITE-----MALE----	12	14	24	44	71	79	85	49	47	9	3	-
FEMALE--	4	4	13	17	45	73	92	107	102	39	13	-
ALL OTHER--MALE----	3	2	2	1	-	9	3	2	2	1	-	-
FEMALE--	-	-	2	5	3	9	5	6	9	1	1	-
BLACK---MALE-----	2	2	2	1	-	8	3	2	1	1	-	-
FEMALE--	-	-	2	5	3	9	5	6	9	-	1	-
IOWA -----	10	11	22	38	48	108	103	132	115	57	25	-
WHITE-----MALE----	7	9	13	24	30	58	49	47	37	16	6	-
FEMALE--	3	1	9	13	17	48	52	85	78	41	18	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	1	-
BLACK---MALE-----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-
KANSAS -----	10	12	21	36	59	86	102	142	105	57	10	-
WHITE-----MALE----	7	6	11	25	39	43	46	51	32	8	1	-
FEMALE--	1	3	8	10	18	35	52	88	70	49	9	-
ALL OTHER--MALE----	2	3	1	1	1	4	2	1	2	-	-	-
FEMALE--	-	-	1	-	1	4	2	2	1	-	-	-
BLACK---MALE-----	2	3	1	1	1	3	2	1	2	-	-	-
FEMALE--	-	-	1	-	1	3	2	2	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2164

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
KENTUCKY -----	11	28	48	45	78	100	97	112	71	23	4	-
WHITE-----MALE----	7	14	36	28	47	54	43	33	22	6	1	-
FEMALE--	4	11	9	15	25	43	48	74	47	17	3	-
ALL OTHER--MALE----	-	2	1	1	5	1	1	2	1	-	-	-
FEMALE--	-	1	2	1	1	2	5	3	1	-	-	-
BLACK---MALE-----	-	1	1	1	5	1	1	2	1	-	-	-
FEMALE--	-	1	2	1	1	2	5	3	1	-	-	-
LOUISIANA -----	18	16	24	50	81	103	93	122	69	39	12	-
WHITE-----MALE----	8	5	11	26	33	39	36	38	13	6	-	-
FEMALE--	5	5	6	10	30	39	38	61	38	24	7	-
ALL OTHER--MALE----	-	2	3	9	8	8	9	4	4	-	-	-
FEMALE--	5	4	4	5	10	17	10	19	14	9	5	-
BLACK---MALE-----	-	2	3	9	8	8	8	4	4	-	-	-
FEMALE--	5	4	4	5	10	17	10	19	14	9	5	-
MAINE -----	-	4	8	13	29	34	41	30	24	7	2	-
WHITE-----MALE----	-	2	4	8	20	19	14	9	6	1	1	-
FEMALE--	-	2	3	5	8	14	27	21	17	6	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	18	32	42	87	110	122	89	67	41	8	-
WHITE-----MALE----	3	9	16	16	39	47	40	25	12	10	-	-
FEMALE--	1	3	5	13	36	44	64	49	43	17	8	-
ALL OTHER--MALE----	2	4	6	7	5	7	4	3	1	4	-	-
FEMALE--	1	2	5	6	7	12	14	12	11	10	-	-
BLACK---MALE-----	2	4	6	7	5	7	3	3	1	4	-	-
FEMALE--	1	2	5	6	7	11	14	10	11	9	-	-
MASSACHUSETTS -----	5	18	32	50	92	141	204	178	131	71	27	-
WHITE-----MALE----	4	14	17	28	65	75	106	58	34	11	2	-
FEMALE--	1	4	13	20	26	63	94	116	95	59	24	-
ALL OTHER--MALE----	-	-	2	2	-	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	1	1	-
BLACK---MALE-----	-	-	2	2	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	1	1	-	-
MICHIGAN -----	34	35	50	96	166	259	308	265	192	83	22	-
WHITE-----MALE----	19	18	27	39	84	114	121	94	50	13	2	-
FEMALE--	5	10	20	45	68	124	167	147	126	65	17	-
ALL OTHER--MALE----	8	4	2	8	8	11	8	7	1	1	2	-
FEMALE--	2	3	1	4	6	10	12	17	15	4	1	-
BLACK---MALE-----	7	4	2	7	8	10	8	7	1	1	2	-
FEMALE--	2	3	1	4	5	10	11	16	14	4	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2165

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
MINNESOTA -----	9	11	25	46	86	120	164	133	95	54	12	-
WHITE-----MALE----	6	5	14	34	53	69	64	47	35	13	1	-
FEMALE--	3	6	10	10	30	47	99	85	60	41	11	-
ALL OTHER--MALE----	-	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
MISSISSIPPI -----	12	16	16	33	41	43	51	42	46	25	4	-
WHITE-----MALE----	3	9	8	18	19	15	19	14	9	5	-	-
FEMALE--	2	1	2	8	11	16	23	19	24	5	2	-
ALL OTHER--MALE----	6	4	4	4	6	8	1	6	2	7	-	-
FEMALE--	1	2	2	3	5	4	8	3	11	8	2	-
BLACK---MALE-----	6	4	4	4	6	8	1	6	2	7	-	-
FEMALE--	1	2	2	3	5	4	8	3	11	8	2	-
MISSOURI -----	12	24	33	68	124	156	159	160	133	70	14	-
WHITE-----MALE----	7	16	22	42	77	79	82	62	46	13	-	-
FEMALE--	3	5	9	17	34	70	65	91	80	54	13	-
ALL OTHER--MALE----	-	3	2	1	5	2	5	2	2	-	1	-
FEMALE--	2	-	-	8	8	5	7	5	5	3	-	-
BLACK---MALE-----	-	3	2	1	5	2	5	2	1	-	1	-
FEMALE--	2	-	-	8	7	5	7	5	5	3	-	-
MONTANA -----	1	4	4	10	15	35	31	17	19	8	2	-
WHITE-----MALE----	-	3	4	9	8	23	10	6	9	2	-	-
FEMALE--	1	-	-	1	6	12	21	11	9	6	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	3	9	24	27	40	63	66	51	30	7	-
WHITE-----MALE----	2	2	6	14	12	23	27	18	15	2	1	-
FEMALE--	-	1	3	8	12	16	34	48	35	28	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	3	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	-	-	-	-
NEVADA -----	4	15	14	23	39	41	39	25	16	3	-	-
WHITE-----MALE----	2	11	7	17	28	20	21	11	6	3	-	-
FEMALE--	1	3	4	4	8	17	16	13	8	-	-	-
ALL OTHER--MALE----	-	1	2	2	1	1	1	-	1	-	-	-
FEMALE--	1	-	1	-	2	3	1	1	1	-	-	-
BLACK---MALE-----	-	1	1	1	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2167

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
OHIO -----	39	54	75	151	226	288	299	316	214	110	31	-
WHITE-----MALE----	17	36	41	90	125	161	132	102	60	13	1	-
FEMALE--	12	10	25	45	85	104	142	199	140	86	27	-
ALL OTHER--MALE----	7	4	4	10	9	10	10	4	3	4	2	-
FEMALE--	3	4	5	6	7	13	15	11	11	7	1	-
BLACK---MALE-----	7	4	4	10	9	10	10	4	3	4	2	-
FEMALE--	3	4	5	6	7	13	14	10	11	7	1	-
OKLAHOMA -----	10	23	39	48	91	102	135	149	122	60	8	-
WHITE-----MALE----	6	16	24	25	41	56	49	38	29	11	1	-
FEMALE--	1	5	9	15	38	37	75	98	83	43	6	-
ALL OTHER--MALE----	3	2	4	5	4	3	5	5	2	2	-	-
FEMALE--	-	-	2	3	8	6	6	8	8	4	1	-
BLACK---MALE-----	2	1	3	1	2	2	2	4	2	1	-	-
FEMALE--	-	-	1	1	4	3	5	5	7	2	1	-
OREGON -----	6	13	25	30	58	104	103	96	71	21	10	-
WHITE-----MALE----	3	7	16	19	33	61	58	39	21	3	1	-
FEMALE--	3	4	9	11	25	38	42	55	50	18	9	-
ALL OTHER--MALE----	-	1	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
PENNSYLVANIA -----	26	45	59	144	247	364	418	408	260	129	38	-
WHITE-----MALE----	19	27	40	88	131	183	186	140	66	20	6	-
FEMALE--	4	13	16	45	99	162	211	254	183	100	29	-
ALL OTHER--MALE----	3	2	1	5	12	11	5	3	5	3	1	-
FEMALE--	-	3	2	6	5	8	16	11	6	6	2	-
BLACK---MALE-----	3	2	1	4	12	11	5	2	5	3	1	-
FEMALE--	-	3	2	6	5	8	16	11	6	6	2	-
RHODE ISLAND -----	1	5	9	5	15	20	36	42	21	9	3	-
WHITE-----MALE----	-	1	5	2	6	7	15	12	3	-	1	-
FEMALE--	1	1	4	3	7	13	21	27	18	8	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	2	-	-	2	-	-	1	-	1	1	-
BLACK---MALE-----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	1	-	-
SOUTH CAROLINA -----	16	24	27	43	58	90	78	66	53	20	7	-
WHITE-----MALE----	7	11	18	24	34	45	31	18	6	4	-	-
FEMALE--	3	5	3	10	18	23	27	37	36	10	6	-
ALL OTHER--MALE----	4	2	4	8	3	13	8	4	2	1	1	-
FEMALE--	2	6	2	1	3	9	12	7	9	5	-	-
BLACK---MALE-----	4	2	3	7	3	13	8	4	2	1	1	-
FEMALE--	2	6	2	1	3	9	12	7	9	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2168

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)												
SOUTH DAKOTA -----	108	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	57	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	852	-	-	-	-	-	-	-	-	5	2	10
WHITE-----MALE----	352	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	397	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	57	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE-----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	2	-	3
TEXAS -----	2,309	1	-	-	-	-	2	1	3	17	21	35
WHITE-----MALE----	959	-	-	-	-	-	1	-	2	11	13	20
FEMALE--	1,074	-	-	-	-	-	-	1	1	2	3	8
ALL OTHER--MALE----	107	-	-	-	-	-	1	-	-	4	3	4
FEMALE--	169	1	-	-	-	-	-	-	-	-	2	3
BLACK---MALE-----	99	-	-	-	-	-	1	-	-	3	3	4
FEMALE--	165	1	-	-	-	-	-	-	-	-	2	3
UTAH -----	197	-	-	-	-	-	-	1	-	-	3	3
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	100	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	82	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	817	-	-	-	-	3	-	1	3	8	5	9
WHITE-----MALE----	339	-	-	-	-	-	-	1	2	4	3	5
FEMALE--	336	-	-	-	-	2	-	-	1	1	1	2
ALL OTHER--MALE----	57	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	85	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE-----	56	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	84	-	-	-	-	-	-	-	-	3	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2168

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
SOUTH DAKOTA -----	1	-	10	4	12	16	24	20	14	6	-	-
WHITE-----MALE----	1	-	7	2	8	10	13	9	5	1	-	-
FEMALE--	-	-	2	2	3	6	11	10	9	4	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	26	38	55	93	152	136	158	107	46	13	-
WHITE-----MALE----	7	10	28	37	56	77	54	41	23	10	-	-
FEMALE--	1	8	7	13	28	57	69	93	77	30	12	-
ALL OTHER--MALE----	2	6	2	3	7	5	7	6	4	2	1	-
FEMALE--	1	2	1	2	2	13	6	18	3	4	-	-
BLACK---MALE-----	2	6	2	3	7	5	7	6	4	2	1	-
FEMALE--	1	2	1	1	2	13	6	18	3	4	-	-
TEXAS -----	41	70	102	172	269	360	365	431	265	114	40	-
WHITE-----MALE----	22	34	50	83	155	177	147	160	61	15	8	-
FEMALE--	10	22	36	67	83	155	168	230	174	87	27	-
ALL OTHER--MALE----	4	10	6	12	11	12	16	14	7	2	1	-
FEMALE--	5	4	10	10	20	16	34	27	23	10	4	-
BLACK---MALE-----	2	9	5	12	10	12	14	14	7	2	1	-
FEMALE--	5	4	10	9	19	15	34	27	22	10	4	-
UTAH -----	3	8	6	11	22	28	46	27	26	10	3	-
WHITE-----MALE----	1	6	4	6	13	19	16	14	9	2	1	-
FEMALE--	1	1	2	5	9	8	30	13	17	8	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	-	6	18	15	16	10	11	2	-	-
WHITE-----MALE----	1	2	-	3	10	12	14	8	2	1	-	-
FEMALE--	-	-	-	3	8	2	2	2	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	19	42	49	107	124	168	119	88	41	11	-
WHITE-----MALE----	12	8	24	35	60	55	66	38	22	3	1	-
FEMALE--	5	6	12	10	31	47	70	54	59	29	6	-
ALL OTHER--MALE----	2	2	5	2	9	10	13	11	1	1	-	-
FEMALE--	1	3	1	2	7	12	19	16	6	8	4	-
BLACK---MALE-----	2	2	5	2	9	10	12	11	1	1	-	-
FEMALE--	1	3	1	2	7	12	18	16	6	8	4	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2170

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerosis (I70)												
UNITED STATES -	14,979	2	-	-	-	1	1	1	7	16	29	56
WHITE-----MALE----	4,932	1	-	-	-	-	-	1	3	10	14	32
FEMALE--	8,805	-	-	-	-	1	1	-	2	4	5	16
ALL OTHER--MALE----	511	-	-	-	-	-	-	-	1	1	7	5
FEMALE--	731	1	-	-	-	-	-	-	1	1	3	3
BLACK---MALE-----	432	-	-	-	-	-	-	-	1	1	5	4
FEMALE--	637	1	-	-	-	-	-	-	1	1	2	2
ALABAMA -----	215	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	30	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	15	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	278	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	118	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	151	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	156	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,825	-	-	-	-	-	-	-	2	3	5	6
WHITE-----MALE----	636	-	-	-	-	-	-	-	1	2	1	5
FEMALE--	1,029	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	93	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE-----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	53	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2170

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
UNITED STATES -	129	172	314	485	991	1,770	2,615	3,362	2,987	1,581	460	-
WHITE-----MALE----	70	90	164	238	463	755	1,000	1,022	722	291	56	-
FEMALE--	33	50	98	175	424	841	1,423	2,117	2,074	1,184	357	-
ALL OTHER--MALE----	14	24	29	39	55	90	82	78	51	25	10	-
FEMALE--	12	8	23	33	49	84	110	145	140	81	37	-
BLACK---MALE-----	11	20	27	34	46	78	65	68	39	23	10	-
FEMALE--	12	7	23	29	42	76	97	122	123	69	30	-
ALABAMA -----	3	7	7	13	12	32	37	44	42	12	2	-
WHITE-----MALE----	1	4	6	6	5	7	17	4	9	3	-	-
FEMALE--	-	1	-	1	5	16	13	33	24	8	1	-
ALL OTHER--MALE----	2	2	1	5	1	5	4	4	3	-	-	-
FEMALE--	-	-	-	1	1	4	3	3	6	1	1	-
BLACK---MALE-----	2	2	1	5	1	5	4	4	3	-	-	-
FEMALE--	-	-	-	1	1	4	3	3	6	1	1	-
ALASKA -----	-	3	1	3	2	2	-	-	1	1	-	-
WHITE-----MALE----	-	2	1	3	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	8	4	9	26	40	44	63	49	22	6	-
WHITE-----MALE----	3	4	2	8	16	20	21	23	14	5	2	-
FEMALE--	4	4	2	1	9	20	19	38	33	17	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ARKANSAS -----	-	-	5	2	7	16	29	33	41	18	5	-
WHITE-----MALE----	-	-	4	2	-	6	7	12	7	6	-	-
FEMALE--	-	-	-	-	6	6	17	20	29	10	4	-
ALL OTHER--MALE----	-	-	1	-	-	2	4	1	2	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	3	2	1	-
BLACK---MALE-----	-	-	-	-	-	2	4	1	2	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	3	2	1	-
CALIFORNIA -----	14	15	35	58	132	198	338	406	366	194	53	-
WHITE-----MALE----	6	9	23	28	62	78	136	146	83	45	11	-
FEMALE--	5	1	7	21	55	101	171	232	258	139	37	-
ALL OTHER--MALE----	1	4	2	4	9	10	15	8	8	3	1	-
FEMALE--	2	1	3	5	6	9	16	20	17	7	4	-
BLACK---MALE-----	-	2	2	3	4	6	8	2	4	2	1	-
FEMALE--	2	1	3	5	5	5	8	8	11	1	2	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2171

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
COLORADO -----	2	4	5	8	32	50	98	107	110	54	13	-
WHITE-----MALE----	2	2	3	5	12	21	34	34	25	7	1	-
FEMALE--	-	2	2	2	19	28	64	72	83	45	12	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	2	2	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	2	2	-	-
CONNECTICUT -----	1	1	2	3	8	22	31	41	33	17	11	-
WHITE-----MALE----	-	1	1	-	4	10	12	16	13	4	2	-
FEMALE--	1	-	-	3	3	11	18	23	20	13	9	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
DELAWARE -----	-	-	-	2	1	3	5	3	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	1	8	3	7	2	3	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	3	3	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	3	-	-	-	1	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	1	-
BLACK---MALE-----	-	-	-	-	1	1	3	-	-	-	1	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	1	-
FLORIDA -----	8	6	19	33	66	145	190	248	190	98	24	-
WHITE-----MALE----	4	3	6	12	27	70	78	88	55	19	4	-
FEMALE--	3	2	7	16	33	60	107	147	127	75	16	-
ALL OTHER--MALE----	-	-	4	1	2	11	2	5	2	-	2	-
FEMALE--	1	1	2	4	4	4	3	8	6	4	2	-
BLACK---MALE-----	-	-	4	1	2	11	2	5	2	-	2	-
FEMALE--	1	1	2	4	4	4	3	7	6	4	2	-
GEORGIA -----	7	9	20	16	30	58	101	95	76	39	6	-
WHITE-----MALE----	5	2	7	7	11	16	28	25	11	4	-	-
FEMALE--	1	2	11	7	13	29	60	54	53	28	3	-
ALL OTHER--MALE----	-	4	2	1	4	6	2	4	2	1	1	-
FEMALE--	1	1	-	1	2	7	11	12	10	6	2	-
BLACK---MALE-----	-	4	2	1	4	6	2	4	2	1	1	-
FEMALE--	1	1	-	1	2	7	11	12	9	6	2	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2172

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
HAWAII -----	-	1	-	2	3	2	5	5	11	2	1	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	4	-	5	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	2	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	1	1	4	8	12	10	7	2	-
WHITE-----MALE----	-	-	-	-	1	3	4	3	2	2	-	-
FEMALE--	1	-	-	1	-	1	4	9	7	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	5	13	18	41	67	100	127	133	76	23	-
WHITE-----MALE----	3	4	10	10	14	27	44	52	37	15	2	-
FEMALE--	1	-	2	6	19	37	49	70	90	57	20	-
ALL OTHER--MALE----	-	1	-	1	4	1	4	2	1	1	-	-
FEMALE--	-	-	1	1	4	2	3	3	5	3	1	-
BLACK---MALE-----	-	-	-	1	4	1	2	1	1	1	-	-
FEMALE--	-	-	1	1	4	2	3	2	5	3	1	-
INDIANA -----	4	3	6	13	22	46	70	81	106	35	14	-
WHITE-----MALE----	2	2	3	11	11	18	30	19	26	4	2	-
FEMALE--	2	1	3	2	10	23	33	57	72	29	11	-
ALL OTHER--MALE----	-	-	-	-	-	3	3	2	1	1	-	-
FEMALE--	-	-	-	-	1	2	4	3	7	1	1	-
BLACK---MALE-----	-	-	-	-	-	3	3	2	-	1	-	-
FEMALE--	-	-	-	-	1	2	4	3	7	-	1	-
IOWA -----	2	1	6	7	9	39	44	81	80	35	19	-
WHITE-----MALE----	2	1	2	5	7	19	13	23	24	8	6	-
FEMALE--	-	-	4	2	2	18	31	58	56	27	12	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	2	4	6	6	22	36	52	90	75	42	10	-
WHITE-----MALE----	1	1	2	4	14	12	24	23	22	4	1	-
FEMALE--	-	1	3	2	8	21	26	64	51	38	9	-
ALL OTHER--MALE----	1	2	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	2	1	2	1	-	-	-
BLACK---MALE-----	1	2	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	1	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2173

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
KENTUCKY -----	1	2	5	4	13	18	27	41	34	12	2	-
WHITE-----MALE----	-	-	4	2	6	6	12	10	13	3	1	-
FEMALE--	1	2	-	2	7	12	15	30	21	9	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	3	4	10	10	29	34	53	38	27	8	-
WHITE-----MALE----	-	-	1	2	4	9	14	20	10	5	-	-
FEMALE--	-	2	2	1	3	11	12	27	20	17	6	-
ALL OTHER--MALE----	-	-	1	5	2	2	2	-	4	-	-	-
FEMALE--	2	1	-	2	1	7	6	6	4	5	2	-
BLACK---MALE-----	-	-	1	5	2	2	2	-	4	-	-	-
FEMALE--	2	1	-	2	1	7	6	6	4	5	2	-
MAINE -----	-	-	1	3	2	3	5	11	5	6	2	-
WHITE-----MALE----	-	-	-	2	-	2	1	4	1	-	1	-
FEMALE--	-	-	1	1	2	1	4	7	4	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	3	8	7	26	35	31	35	31	8	-
WHITE-----MALE----	-	2	1	3	2	8	9	6	6	8	-	-
FEMALE--	-	1	1	1	4	14	23	21	24	12	8	-
ALL OTHER--MALE----	-	-	1	2	1	3	-	2	1	3	-	-
FEMALE--	-	-	-	2	-	1	3	2	4	8	-	-
BLACK---MALE-----	-	-	1	2	1	3	-	2	1	3	-	-
FEMALE--	-	-	-	2	-	1	3	-	4	7	-	-
MASSACHUSETTS -----	3	8	6	6	18	29	56	63	63	46	22	-
WHITE-----MALE----	3	6	2	4	17	16	35	15	13	4	2	-
FEMALE--	-	2	4	2	1	13	20	48	50	42	19	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	4	15	15	42	74	101	122	113	65	18	-
WHITE-----MALE----	5	3	8	6	22	29	31	37	30	10	2	-
FEMALE--	2	1	6	8	18	36	62	71	75	51	13	-
ALL OTHER--MALE----	2	-	-	1	1	5	5	2	1	1	2	-
FEMALE--	-	-	1	-	1	4	3	12	7	3	1	-
BLACK---MALE-----	1	-	-	1	1	4	5	2	1	1	2	-
FEMALE--	-	-	1	-	-	4	3	12	6	3	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2174

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
MINNESOTA -----	-	-	4	6	13	21	35	44	50	26	10	-
WHITE-----MALE----	-	-	2	6	7	13	13	20	15	8	1	-
FEMALE--	-	-	2	-	6	8	22	24	35	18	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	2	2	2	10	11	17	19	24	10	2	-
WHITE-----MALE----	-	1	-	-	3	2	4	5	6	3	-	-
FEMALE--	-	-	-	1	5	5	9	11	13	4	1	-
ALL OTHER--MALE----	-	1	1	-	2	3	1	2	1	3	-	-
FEMALE--	1	-	1	1	-	1	3	1	4	-	1	-
BLACK---MALE-----	-	1	1	-	2	3	1	2	1	3	-	-
FEMALE--	1	-	1	1	-	1	3	1	4	-	1	-
MISSOURI -----	1	1	5	11	18	31	54	64	72	46	10	-
WHITE-----MALE----	1	-	4	6	8	14	28	19	22	9	-	-
FEMALE--	-	1	1	4	6	16	23	42	45	34	10	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	2	-	-	-
FEMALE--	-	-	-	1	2	1	3	2	3	3	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	3	2	3	3	-	-
MONTANA -----	-	-	-	-	5	11	12	5	11	5	2	-
WHITE-----MALE----	-	-	-	-	3	4	3	2	4	-	-	-
FEMALE--	-	-	-	-	2	7	9	3	6	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	-	7	5	15	25	42	37	20	6	-
WHITE-----MALE----	-	1	-	4	1	8	10	8	11	1	-	-
FEMALE--	-	-	-	2	3	7	14	34	26	19	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
NEVADA -----	-	1	1	4	5	10	18	10	8	3	-	-
WHITE-----MALE----	-	1	1	3	4	6	7	4	3	3	-	-
FEMALE--	-	-	-	1	1	3	10	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-









TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2176

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
OHIO -----	10	6	12	20	42	72	91	148	117	75	23	-
WHITE-----MALE----	6	3	4	8	20	31	33	42	28	7	1	-
FEMALE--	2	3	4	10	18	33	52	100	81	63	22	-
ALL OTHER--MALE----	1	-	1	1	1	4	5	2	2	1	-	-
FEMALE--	1	-	3	1	3	4	1	4	6	4	-	-
BLACK---MALE-----	1	-	1	1	1	4	5	2	2	1	-	-
FEMALE--	1	-	3	1	3	4	1	4	6	4	-	-
OKLAHOMA -----	3	6	14	20	44	49	84	101	94	50	7	-
WHITE-----MALE----	1	3	7	4	17	21	29	23	15	9	-	-
FEMALE--	-	3	4	10	20	23	49	69	70	37	6	-
ALL OTHER--MALE----	2	-	2	4	2	2	3	3	1	1	-	-
FEMALE--	-	-	1	2	5	3	3	6	8	3	1	-
BLACK---MALE-----	1	-	1	1	1	1	1	3	1	-	-	-
FEMALE--	-	-	1	1	2	1	3	4	7	2	1	-
OREGON -----	2	1	5	5	10	32	39	44	35	18	7	-
WHITE-----MALE----	1	-	4	4	3	18	17	18	11	3	-	-
FEMALE--	1	1	1	1	7	12	20	26	24	15	7	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	3	6	12	21	42	81	119	144	120	66	25	-
WHITE-----MALE----	1	4	9	11	23	37	46	34	25	9	3	-
FEMALE--	1	2	3	9	16	41	68	108	91	54	20	-
ALL OTHER--MALE----	1	-	-	1	3	2	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	1	4	2	2	2	2	-
BLACK---MALE-----	1	-	-	1	3	2	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	1	4	2	2	2	2	-
RHODE ISLAND -----	-	1	2	3	1	5	14	25	16	7	3	-
WHITE-----MALE----	-	-	-	1	-	1	7	4	2	-	1	-
FEMALE--	-	-	2	2	1	4	7	20	14	6	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
SOUTH CAROLINA -----	2	3	3	7	8	15	9	20	20	10	5	-
WHITE-----MALE----	1	2	2	5	4	3	4	6	2	2	-	-
FEMALE--	1	-	-	1	4	7	4	10	14	4	4	-
ALL OTHER--MALE----	-	-	-	1	-	4	-	2	1	1	1	-
FEMALE--	-	1	1	-	-	1	1	2	3	3	-	-
BLACK---MALE-----	-	-	-	1	-	4	-	2	1	1	1	-
FEMALE--	-	1	1	-	-	1	1	2	3	3	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2177

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
SOUTH DAKOTA -----	-	-	-	1	3	4	10	6	4	4	-	-
WHITE-----MALE----	-	-	-	1	3	3	6	2	2	1	-	-
FEMALE--	-	-	-	-	-	1	4	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	7	11	24	45	50	76	60	31	10	-
WHITE-----MALE----	2	2	4	6	9	20	18	15	11	7	-	-
FEMALE--	-	2	2	4	11	21	28	49	45	23	10	-
ALL OTHER--MALE----	1	-	1	1	2	1	2	3	4	-	-	-
FEMALE--	-	-	-	-	2	3	2	9	-	1	-	-
BLACK---MALE-----	1	-	1	1	2	1	2	3	4	-	-	-
FEMALE--	-	-	-	-	2	3	2	9	-	1	-	-
TEXAS -----	8	9	23	36	61	101	126	212	150	75	28	-
WHITE-----MALE----	3	4	11	12	32	41	41	66	34	10	5	-
FEMALE--	3	2	8	18	21	47	71	127	103	58	19	-
ALL OTHER--MALE----	1	3	2	4	2	5	4	9	1	2	1	-
FEMALE--	1	-	2	2	6	8	10	10	12	5	3	-
BLACK---MALE-----	1	2	2	4	2	5	4	9	1	2	1	-
FEMALE--	1	-	2	1	6	8	10	10	11	5	3	-
UTAH -----	-	2	1	2	3	5	19	13	16	5	3	-
WHITE-----MALE----	-	2	-	1	2	3	7	6	4	1	1	-
FEMALE--	-	-	1	1	1	2	12	7	12	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	4	3	4	1	5	-	-	-
WHITE-----MALE----	1	-	-	-	3	2	4	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	5	8	8	21	25	54	41	43	27	9	-
WHITE-----MALE----	4	-	3	4	11	8	18	11	9	3	1	-
FEMALE--	1	4	3	4	7	13	29	19	32	19	5	-
ALL OTHER--MALE----	-	1	2	-	1	2	-	5	-	1	-	-
FEMALE--	-	-	-	-	2	2	7	6	2	4	3	-
BLACK---MALE-----	-	1	2	-	1	2	-	5	-	1	-	-
FEMALE--	-	-	-	-	2	2	7	6	2	4	3	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2179

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
UNITED STATES -	15,807	1	1	-	3	8	23	33	60	134	195	283
WHITE-----MALE----	8,817	1	-	-	1	6	11	19	39	77	95	154
FEMALE--	5,519	-	1	-	1	2	8	6	6	28	40	40
ALL OTHER--MALE----	798	-	-	-	1	-	3	6	14	21	39	62
FEMALE--	673	-	-	-	-	-	1	2	1	8	21	27
BLACK---MALE-----	619	-	-	-	-	-	3	6	13	17	35	57
FEMALE--	562	-	-	-	-	-	1	2	-	7	21	24
ALABAMA -----	224	-	-	-	1	-	-	2	1	1	5	5
WHITE-----MALE----	124	-	-	-	1	-	-	1	1	-	2	2
FEMALE--	71	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	9	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	252	-	-	-	1	-	1	-	1	2	3	2
WHITE-----MALE----	160	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	82	-	-	-	1	-	1	-	-	2	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	184	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	110	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,438	-	-	-	-	2	4	4	4	14	29	38
WHITE-----MALE----	785	-	-	-	-	2	-	4	2	9	12	21
FEMALE--	456	-	-	-	-	-	3	-	1	2	8	6
ALL OTHER--MALE----	127	-	-	-	-	-	-	-	1	2	8	9
FEMALE--	70	-	-	-	-	-	1	-	-	1	1	2
BLACK---MALE-----	48	-	-	-	-	-	-	-	-	-	7	4
FEMALE--	28	-	-	-	-	-	1	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2179

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
UNITED STATES -	355	570	867	1,578	2,423	3,095	2,841	2,118	935	257	27	-
WHITE-----MALE----	208	369	600	1,025	1,500	1,805	1,506	946	376	74	5	-
FEMALE--	65	104	177	395	732	1,066	1,152	1,025	495	159	17	-
ALL OTHER--MALE----	62	61	58	89	98	100	90	62	22	9	1	-
FEMALE--	20	36	32	69	93	124	93	85	42	15	4	-
BLACK---MALE-----	52	53	44	74	75	63	62	44	12	8	1	-
FEMALE--	19	32	26	54	71	103	78	74	32	14	4	-
ALABAMA -----	4	10	14	22	40	43	35	26	11	4	-	-
WHITE-----MALE----	2	6	6	13	22	26	22	15	4	1	-	-
FEMALE--	2	1	4	6	14	15	12	7	6	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	-	1	2	-	1	-	-
FEMALE--	-	2	2	2	4	2	-	2	1	2	-	-
BLACK---MALE-----	-	1	1	1	-	-	1	2	-	1	-	-
FEMALE--	-	2	2	2	4	2	-	2	1	2	-	-
ALASKA -----	-	1	1	2	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	13	20	29	33	37	54	31	16	2	1	-
WHITE-----MALE----	4	10	19	23	24	21	28	15	10	-	1	-
FEMALE--	1	2	-	4	8	15	25	16	4	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	2	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	5	13	12	16	35	29	31	21	13	5	-	-
WHITE-----MALE----	3	11	11	8	22	20	19	8	5	1	-	-
FEMALE--	2	2	-	4	11	8	8	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	1	1	1	-	-
FEMALE--	-	-	1	2	-	3	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	2	2	1	1	1	1	1	-	-
FEMALE--	-	-	1	2	-	3	1	1	1	-	-	-
CALIFORNIA -----	43	61	83	147	205	281	239	180	79	23	2	-
WHITE-----MALE----	25	36	54	93	117	165	134	75	31	5	-	-
FEMALE--	10	14	13	29	63	78	85	84	41	17	2	-
ALL OTHER--MALE----	7	8	12	14	13	22	12	14	5	-	-	-
FEMALE--	1	3	4	11	12	16	8	7	2	1	-	-
BLACK---MALE-----	3	4	6	5	3	5	4	7	-	-	-	-
FEMALE--	-	2	2	4	4	7	3	2	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2180

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
COLORADO -----	208	-	-	-	-	-	1	1	1	1	1	3
WHITE-----MALE----	119	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	76	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	192	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	117	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	53	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	31	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,117	-	-	-	-	1	1	-	4	7	13	23
WHITE-----MALE----	688	-	-	-	-	1	1	-	-	6	10	16
FEMALE--	358	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	4	1	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE-----	40	-	-	-	-	-	-	-	4	1	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	4
GEORGIA -----	377	-	-	-	-	1	-	2	1	4	7	12
WHITE-----MALE----	203	-	-	-	-	1	-	1	1	1	2	5
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	-	2	2	4
FEMALE--	30	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	38	-	-	-	-	-	-	1	-	2	2	4
FEMALE--	28	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2180

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
COLORADO -----	4	8	14	29	37	31	40	24	11	2	-	-
WHITE-----MALE----	2	6	10	19	22	15	26	11	4	-	-	-
FEMALE--	2	1	3	8	14	12	12	13	7	2	-	-
ALL OTHER--MALE----	-	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	2	-	-	-	-	-
BLACK---MALE-----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	-	-	-
CONNECTICUT -----	2	4	8	21	30	29	46	25	12	6	-	-
WHITE-----MALE----	2	1	5	14	20	20	29	14	5	2	-	-
FEMALE--	-	2	1	5	9	9	16	10	7	4	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
DELAWARE -----	-	-	2	7	13	7	11	8	2	1	-	-
WHITE-----MALE----	-	-	1	2	9	3	6	5	-	-	-	-
FEMALE--	-	-	-	4	4	3	5	2	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	2	4	6	6	5	2	1	2	-	-
WHITE-----MALE----	1	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	1	1	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	4	5	-	1	-	1	-	-
BLACK---MALE-----	-	1	1	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	4	5	-	1	-	1	-	-
FLORIDA -----	30	28	62	118	168	231	197	151	68	15	-	-
WHITE-----MALE----	15	17	47	77	112	146	121	79	33	7	-	-
FEMALE--	8	7	11	31	41	78	73	64	33	8	-	-
ALL OTHER--MALE----	6	1	4	6	8	4	2	3	1	-	-	-
FEMALE--	1	3	-	4	7	3	1	5	1	-	-	-
BLACK---MALE-----	5	1	3	6	8	4	2	3	1	-	-	-
FEMALE--	1	3	-	4	6	3	1	5	1	-	-	-
GEORGIA -----	13	25	23	38	61	76	60	39	12	2	1	-
WHITE-----MALE----	6	14	18	25	35	44	33	13	4	-	-	-
FEMALE--	2	6	1	8	16	21	22	17	5	2	1	-
ALL OTHER--MALE----	5	3	2	3	6	3	4	4	-	-	-	-
FEMALE--	-	2	2	2	4	8	1	5	3	-	-	-
BLACK---MALE-----	4	3	2	3	6	3	4	4	-	-	-	-
FEMALE--	-	1	1	2	4	8	1	5	3	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2181

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
HAWAII -----	2	-	1	5	9	21	15	9	8	2	-	-
WHITE-----MALE----	-	-	-	2	1	5	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	4	10	10	6	4	1	-	-
FEMALE--	-	-	1	1	3	3	3	1	3	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	2	12	4	9	14	14	10	-	1	-
WHITE-----MALE----	2	-	2	9	1	5	9	5	6	-	1	-
FEMALE--	-	-	-	3	3	3	5	9	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	21	31	68	118	138	132	95	42	13	2	-
WHITE-----MALE----	12	14	17	45	79	79	66	49	25	6	-	-
FEMALE--	3	4	11	14	27	46	56	40	16	5	2	-
ALL OTHER--MALE----	3	1	2	6	7	6	6	4	-	-	-	-
FEMALE--	-	2	1	3	5	7	4	2	1	2	-	-
BLACK---MALE-----	3	1	1	6	5	6	5	4	-	-	-	-
FEMALE--	-	2	1	3	5	7	3	2	1	2	-	-
INDIANA -----	8	9	23	40	70	70	73	46	30	6	1	-
WHITE-----MALE----	6	8	15	27	46	42	42	22	15	2	-	-
FEMALE--	-	1	7	10	23	25	31	24	14	4	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	3	1	2	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	3	1	2	-	-	-	-	-	-
IOWA -----	6	9	10	28	30	42	39	35	12	13	1	-
WHITE-----MALE----	5	8	9	17	19	28	25	17	7	6	-	-
FEMALE--	1	1	1	11	10	14	13	18	5	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	6	6	10	25	26	35	33	22	17	3	-	-
WHITE-----MALE----	5	4	6	19	18	24	16	14	8	2	-	-
FEMALE--	1	1	3	5	6	9	16	8	9	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2182

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
KENTUCKY -----	5	19	33	26	49	64	35	39	16	2	-	-
WHITE-----MALE----	3	11	23	18	30	41	17	16	5	-	-	-
FEMALE--	2	6	8	8	14	20	16	20	11	2	-	-
ALL OTHER--MALE----	-	2	-	-	5	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	2	2	-	-	-	-
BLACK---MALE-----	-	1	-	-	5	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	2	2	-	-	-	-
LOUISIANA -----	8	6	10	30	45	47	35	34	11	5	2	-
WHITE-----MALE----	5	3	8	19	21	20	14	11	-	-	-	-
FEMALE--	2	-	1	7	20	18	14	18	9	2	-	-
ALL OTHER--MALE----	-	2	-	3	1	5	6	2	-	-	-	-
FEMALE--	1	1	1	1	3	4	1	3	2	3	2	-
BLACK---MALE-----	-	2	-	3	1	5	5	2	-	-	-	-
FEMALE--	1	1	1	1	3	4	1	3	2	3	2	-
MAINE -----	-	2	3	7	14	26	23	10	11	1	-	-
WHITE-----MALE----	-	-	2	4	11	15	10	3	4	1	-	-
FEMALE--	-	2	1	3	2	10	13	7	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	10	18	18	54	49	48	31	13	2	-	-
WHITE-----MALE----	3	4	13	9	28	26	18	9	3	1	-	-
FEMALE--	-	1	2	6	18	16	23	18	9	1	-	-
ALL OTHER--MALE----	1	3	1	2	2	-	2	-	-	-	-	-
FEMALE--	1	2	2	1	6	7	5	4	1	-	-	-
BLACK---MALE-----	1	3	1	2	2	-	1	-	-	-	-	-
FEMALE--	1	2	2	1	6	6	5	4	1	-	-	-
MASSACHUSETTS -----	1	8	15	30	43	70	97	63	33	9	1	-
WHITE-----MALE----	1	6	12	19	32	37	46	24	9	4	-	-
FEMALE--	-	2	2	11	11	31	50	37	23	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	19	19	20	49	81	138	139	84	37	8	2	-
WHITE-----MALE----	12	13	15	20	45	68	68	40	14	1	-	-
FEMALE--	1	3	4	23	30	67	65	41	20	6	2	-
ALL OTHER--MALE----	5	2	1	3	2	-	2	1	-	-	-	-
FEMALE--	1	1	-	3	4	3	4	2	3	1	-	-
BLACK---MALE-----	5	2	1	3	2	-	2	1	-	-	-	-
FEMALE--	1	1	-	3	4	3	4	2	3	1	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2183

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
MINNESOTA -----	6	5	16	28	49	74	86	53	17	10	-	-
WHITE-----MALE----	6	4	9	21	32	43	38	19	11	3	-	-
FEMALE--	-	1	6	5	16	28	48	33	6	7	-	-
ALL OTHER--MALE----	-	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	7	9	9	20	19	17	21	16	9	7	-	-
WHITE-----MALE----	2	6	5	13	12	8	10	8	1	2	-	-
FEMALE--	1	1	1	3	5	5	7	5	6	1	-	-
ALL OTHER--MALE----	4	2	2	3	2	2	-	2	-	2	-	-
FEMALE--	-	-	1	1	-	2	4	1	2	2	-	-
BLACK---MALE-----	4	2	2	3	2	2	-	2	-	2	-	-
FEMALE--	-	-	1	1	-	2	4	1	2	2	-	-
MISSOURI -----	6	14	23	43	69	82	71	65	33	7	-	-
WHITE-----MALE----	5	9	16	27	43	47	40	31	17	3	-	-
FEMALE--	1	2	5	10	20	32	26	33	15	4	-	-
ALL OTHER--MALE----	-	3	2	1	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	5	4	2	3	-	1	-	-	-
BLACK---MALE-----	-	3	2	1	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	5	3	2	3	-	1	-	-	-
MONTANA -----	1	3	3	10	8	16	9	8	4	1	-	-
WHITE-----MALE----	-	2	3	9	3	13	5	3	2	1	-	-
FEMALE--	1	-	-	1	4	3	4	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	8	13	17	16	24	14	6	5	1	-
WHITE-----MALE----	1	-	5	10	10	9	13	6	2	1	1	-
FEMALE--	-	1	3	3	6	6	10	8	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
NEVADA -----	3	8	7	17	24	17	15	9	4	-	-	-
WHITE-----MALE----	2	6	4	13	16	9	9	5	2	-	-	-
FEMALE--	-	1	1	3	6	6	5	4	1	-	-	-
ALL OTHER--MALE----	-	1	2	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE-----	-	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2185

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
OHIO -----	15	32	43	89	116	156	120	94	38	9	3	-
WHITE-----MALE----	6	23	28	59	74	100	65	38	15	1	-	-
FEMALE--	3	5	12	24	36	48	43	51	21	8	2	-
ALL OTHER--MALE----	6	2	2	5	4	2	4	2	-	-	-	-
FEMALE--	-	2	1	1	2	6	8	3	2	-	1	-
BLACK---MALE-----	6	2	2	5	4	2	4	2	-	-	-	-
FEMALE--	-	2	1	1	2	6	7	2	2	-	1	-
OKLAHOMA -----	6	8	17	20	34	43	35	29	13	2	-	-
WHITE-----MALE----	4	6	14	15	17	29	17	8	10	1	-	-
FEMALE--	1	-	1	3	13	10	16	20	3	1	-	-
ALL OTHER--MALE----	1	2	1	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	2	3	1	-	-	-	-	-
BLACK---MALE-----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
OREGON -----	2	8	13	21	38	52	47	29	23	1	-	-
WHITE-----MALE----	1	6	7	14	22	36	34	13	6	-	-	-
FEMALE--	1	1	6	7	16	14	13	15	17	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	16	29	33	91	136	171	183	158	50	19	1	-
WHITE-----MALE----	14	19	21	62	76	92	93	76	22	4	1	-
FEMALE--	-	5	10	24	52	69	83	75	25	13	-	-
ALL OTHER--MALE----	2	2	1	3	5	5	1	3	2	2	-	-
FEMALE--	-	3	1	2	3	5	6	4	1	-	-	-
BLACK---MALE-----	2	2	1	3	5	5	1	2	2	2	-	-
FEMALE--	-	3	1	2	3	5	6	4	1	-	-	-
RHODE ISLAND -----	-	3	6	1	10	11	13	9	2	1	-	-
WHITE-----MALE----	-	1	4	-	4	4	7	4	-	-	-	-
FEMALE--	-	1	2	1	5	7	6	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	15	18	21	30	46	40	25	15	1	-	-
WHITE-----MALE----	2	7	13	13	22	31	18	11	3	-	-	-
FEMALE--	2	2	1	5	6	9	15	12	10	1	-	-
ALL OTHER--MALE----	3	2	4	3	1	5	3	-	-	-	-	-
FEMALE--	2	4	-	-	1	1	4	2	2	-	-	-
BLACK---MALE-----	3	2	3	2	1	5	3	-	-	-	-	-
FEMALE--	2	4	-	-	1	1	4	2	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2186

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
SOUTH DAKOTA -----	55	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	304	-	-	-	-	-	-	-	-	2	-	6
WHITE-----MALE----	179	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	94	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	752	-	-	-	-	-	1	-	2	12	8	19
WHITE-----MALE----	434	-	-	-	-	-	-	-	2	9	4	13
FEMALE--	248	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	34	-	-	-	-	-	1	-	-	3	2	3
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	30	-	-	-	-	-	1	-	-	2	2	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	2
UTAH -----	73	-	-	-	-	-	-	1	-	-	2	2
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	43	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	332	-	-	-	-	1	-	1	3	6	1	4
WHITE-----MALE----	177	-	-	-	-	-	-	1	2	3	1	2
FEMALE--	111	-	-	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2186

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
SOUTH DAKOTA -----	1	-	7	2	7	11	10	12	4	1	-	-
WHITE-----MALE----	1	-	5	1	5	6	6	6	2	-	-	-
FEMALE--	-	-	2	1	1	5	4	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	12	25	34	44	68	45	41	15	5	1	-
WHITE-----MALE----	3	6	20	26	33	43	24	11	5	2	-	-
FEMALE--	1	2	3	5	9	19	19	23	10	3	-	-
ALL OTHER--MALE----	1	3	1	1	2	2	1	2	-	-	1	-
FEMALE--	1	1	1	2	-	4	1	5	-	-	-	-
BLACK---MALE-----	1	3	1	1	2	2	1	2	-	-	1	-
FEMALE--	1	1	1	1	-	4	1	5	-	-	-	-
TEXAS -----	16	33	37	80	133	152	122	103	25	7	2	-
WHITE-----MALE----	10	22	24	49	86	92	63	52	7	1	-	-
FEMALE--	4	9	10	26	40	53	42	40	14	5	2	-
ALL OTHER--MALE----	1	2	1	3	3	3	7	3	2	-	-	-
FEMALE--	1	-	2	2	4	4	10	8	2	1	-	-
BLACK---MALE-----	-	2	1	3	3	3	5	3	2	-	-	-
FEMALE--	1	-	2	2	4	3	10	8	2	1	-	-
UTAH -----	1	4	5	7	12	16	14	6	1	2	-	-
WHITE-----MALE----	1	3	4	4	9	11	8	2	1	-	-	-
FEMALE--	-	1	1	3	3	4	6	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	5	10	10	7	5	4	1	-	-
WHITE-----MALE----	-	1	-	3	5	9	6	4	1	1	-	-
FEMALE--	-	-	-	2	5	1	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	9	24	30	53	63	74	30	22	4	-	-
WHITE-----MALE----	5	6	15	25	34	31	32	13	7	-	-	-
FEMALE--	1	1	6	4	16	23	29	11	13	3	-	-
ALL OTHER--MALE----	1	1	2	-	3	4	6	1	-	-	-	-
FEMALE--	-	1	1	1	-	5	7	5	2	1	-	-
BLACK---MALE-----	1	1	2	-	3	4	5	1	-	-	-	-
FEMALE--	-	1	1	1	-	5	6	5	2	1	-	-







TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2188

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

UNITED STATES -	10,002	11	1	2	6	6	12	18	30	44	105	135
WHITE-----MALE----	3,627	5	-	1	3	3	7	7	12	15	39	65
FEMALE--	4,989	3	1	1	1	2	3	6	11	18	44	45
ALL OTHER--MALE----	552	3	-	-	1	1	1	3	2	4	6	8
FEMALE--	834	-	-	-	1	-	1	2	5	7	16	17
BLACK---MALE-----	492	3	-	-	-	1	1	2	2	4	5	8
FEMALE--	761	-	-	-	-	-	1	2	3	7	16	15
ALABAMA -----	152	-	-	-	-	-	1	-	-	2	3	6
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	69	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	10	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	166	-	-	-	1	-	-	1	-	-	-	2
WHITE-----MALE----	73	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	84	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	144	-	-	-	-	-	1	-	-	1	-	3
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	78	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	816	-	-	-	-	1	2	3	5	3	6	10
WHITE-----MALE----	302	-	-	-	-	1	2	1	2	2	2	5
FEMALE--	398	-	-	-	-	-	-	2	1	1	4	4
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	2	-	-	1
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2188

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
UNITED STATES -	198	307	466	666	1,141	1,567	1,761	1,674	1,226	508	118	-
WHITE-----MALE----	76	134	218	304	535	675	651	507	280	77	13	-
FEMALE--	76	103	163	246	447	682	893	991	801	368	84	-
ALL OTHER--MALE----	22	33	46	54	76	104	84	52	33	12	7	-
FEMALE--	24	37	39	62	83	106	133	124	112	51	14	-
BLACK---MALE-----	18	30	40	49	70	94	73	44	29	12	7	-
FEMALE--	19	34	35	59	69	100	121	116	105	47	12	-
ALABAMA -----	4	4	12	14	15	24	15	28	14	7	3	-
WHITE-----MALE----	-	1	7	6	5	4	2	7	-	-	1	-
FEMALE--	2	2	2	4	6	12	8	14	10	6	-	-
ALL OTHER--MALE----	1	1	1	1	2	5	3	4	1	-	1	-
FEMALE--	1	-	2	3	2	3	2	3	3	1	1	-
BLACK---MALE-----	1	1	1	-	2	5	3	3	1	-	1	-
FEMALE--	1	-	2	3	2	3	2	3	3	1	1	-
ALASKA -----	-	1	-	2	-	-	3	1	1	1	-	-
WHITE-----MALE----	-	1	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	2	2	10	19	20	23	38	30	14	3	1	-
WHITE-----MALE----	1	1	4	8	10	14	15	12	6	-	-	-
FEMALE--	1	1	5	9	10	8	20	17	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	3	4	6	10	17	28	22	19	19	8	3	-
WHITE-----MALE----	1	1	4	3	8	9	7	4	1	1	-	-
FEMALE--	2	2	1	7	7	13	12	12	14	6	-	-
ALL OTHER--MALE----	-	-	-	-	2	4	1	1	1	1	1	-
FEMALE--	-	1	1	-	-	2	2	2	3	-	2	-
BLACK---MALE-----	-	-	-	-	2	4	1	1	1	1	1	-
FEMALE--	-	1	1	-	-	2	2	2	3	-	2	-
CALIFORNIA -----	13	26	43	61	88	120	136	155	86	45	13	-
WHITE-----MALE----	4	14	23	25	44	54	56	41	20	5	1	-
FEMALE--	6	7	14	30	29	46	66	92	53	32	11	-
ALL OTHER--MALE----	1	2	4	4	7	13	7	6	4	1	1	-
FEMALE--	2	3	2	2	8	7	7	16	9	7	-	-
BLACK---MALE-----	-	1	2	4	3	8	4	3	2	1	1	-
FEMALE--	1	3	2	2	4	6	3	12	6	4	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2189

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
COLORADO -----	2	4	6	12	10	16	20	21	19	7	-	-
WHITE-----MALE----	1	3	4	5	5	8	9	5	6	1	-	-
FEMALE--	1	1	2	7	4	7	10	14	11	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
CONNECTICUT -----	5	7	9	7	9	17	21	26	17	9	1	-
WHITE-----MALE----	3	3	4	5	7	11	8	9	2	2	-	-
FEMALE--	2	4	3	2	2	5	12	16	14	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	1	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	1	-	-
DELAWARE -----	-	-	3	2	5	5	5	6	3	-	-	-
WHITE-----MALE----	-	-	3	2	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	3	2	3	8	5	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	2	2	2	5	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	2	2	2	5	2	-	-	-	-
FLORIDA -----	10	16	35	41	79	113	116	123	75	28	7	-
WHITE-----MALE----	5	6	12	18	37	55	47	37	26	4	2	-
FEMALE--	3	4	16	13	35	44	55	71	40	23	5	-
ALL OTHER--MALE----	-	3	4	3	5	5	6	8	3	-	-	-
FEMALE--	2	3	3	7	2	9	8	7	6	1	-	-
BLACK---MALE-----	-	3	4	3	5	5	6	8	3	-	-	-
FEMALE--	2	3	3	7	1	9	8	7	6	1	-	-
GEORGIA -----	7	6	15	18	27	36	50	28	29	9	5	-
WHITE-----MALE----	-	4	9	8	6	12	13	4	9	1	-	-
FEMALE--	4	-	3	4	11	17	17	18	11	3	2	-
ALL OTHER--MALE----	2	-	1	3	4	4	9	1	1	-	-	-
FEMALE--	1	2	2	3	6	3	11	5	8	5	3	-
BLACK---MALE-----	1	-	1	3	4	4	9	1	1	-	-	-
FEMALE--	-	2	2	3	6	3	11	5	8	5	3	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2190

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
HAWAII -----	2	1	1	2	3	4	8	1	3	1	1	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	4	-	2	-	-	-
FEMALE--	2	1	1	-	2	1	3	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	4	4	7	9	7	3	3	-	-
WHITE-----MALE----	-	1	1	3	1	3	7	4	1	-	-	-
FEMALE--	1	-	-	1	3	4	2	3	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	17	23	29	47	65	85	69	67	31	5	-
WHITE-----MALE----	2	4	10	10	26	30	35	23	10	4	-	-
FEMALE--	2	6	9	12	16	28	43	42	47	26	4	-
ALL OTHER--MALE----	1	3	3	3	4	3	4	2	3	-	-	-
FEMALE--	-	4	1	4	1	4	3	2	7	1	1	-
BLACK---MALE-----	1	3	3	3	4	2	3	2	3	-	-	-
FEMALE--	-	4	1	3	1	4	3	2	7	1	1	-
INDIANA -----	7	8	12	14	27	54	42	37	24	9	2	-
WHITE-----MALE----	4	4	6	6	14	19	13	8	6	3	1	-
FEMALE--	2	2	3	5	12	25	28	26	16	6	1	-
ALL OTHER--MALE----	1	2	2	1	-	5	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	5	1	3	2	-	-	-
BLACK---MALE-----	1	2	2	1	-	4	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	5	1	3	2	-	-	-
IOWA -----	2	1	6	3	9	27	20	16	23	9	5	-
WHITE-----MALE----	-	-	2	2	4	11	11	7	6	2	-	-
FEMALE--	2	-	4	-	5	16	8	9	17	7	5	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	2	2	5	5	11	15	17	30	13	12	-	-
WHITE-----MALE----	1	1	3	2	7	7	6	14	2	2	-	-
FEMALE--	-	1	2	3	4	5	10	16	10	10	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2191

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
KENTUCKY -----	5	7	10	15	16	18	35	32	21	9	2	-
WHITE-----MALE----	4	3	9	8	11	7	14	7	4	3	-	-
FEMALE--	1	3	1	5	4	11	17	24	15	6	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	3	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	3	1	1	-	-	-
LOUISIANA -----	8	7	10	10	26	27	24	35	20	7	2	-
WHITE-----MALE----	3	2	2	5	8	10	8	7	3	1	-	-
FEMALE--	3	3	3	2	7	10	12	16	9	5	1	-
ALL OTHER--MALE----	-	-	2	1	5	1	1	2	-	-	-	-
FEMALE--	2	2	3	2	6	6	3	10	8	1	1	-
BLACK---MALE-----	-	-	2	1	5	1	1	2	-	-	-	-
FEMALE--	2	2	3	2	6	6	3	10	8	1	1	-
MAINE -----	-	2	4	3	13	5	13	9	8	-	-	-
WHITE-----MALE----	-	2	2	2	9	2	3	2	1	-	-	-
FEMALE--	-	-	1	1	4	3	10	7	6	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	5	11	16	26	35	39	27	19	8	-	-
WHITE-----MALE----	-	3	2	4	9	13	13	10	3	1	-	-
FEMALE--	1	1	2	6	14	14	18	10	10	4	-	-
ALL OTHER--MALE----	1	1	4	3	2	4	2	1	-	1	-	-
FEMALE--	-	-	3	3	1	4	6	6	6	2	-	-
BLACK---MALE-----	1	1	4	3	2	4	2	1	-	1	-	-
FEMALE--	-	-	3	3	1	4	6	6	6	2	-	-
MASSACHUSETTS -----	1	2	11	14	31	42	51	52	35	16	4	-
WHITE-----MALE----	-	2	3	5	16	22	25	19	12	3	-	-
FEMALE--	1	-	7	7	14	19	24	31	22	12	4	-
ALL OTHER--MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	1	1	-	-
BLACK---MALE-----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	1	-	-
MICHIGAN -----	6	12	15	32	43	47	68	59	42	10	2	-
WHITE-----MALE----	2	2	4	13	17	17	22	17	6	2	-	-
FEMALE--	2	6	10	14	20	21	40	35	31	8	2	-
ALL OTHER--MALE----	1	2	1	4	5	6	1	4	-	-	-	-
FEMALE--	1	2	-	1	1	3	5	3	5	-	-	-
BLACK---MALE-----	1	2	1	3	5	6	1	4	-	-	-	-
FEMALE--	1	2	-	1	1	3	4	2	5	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2194

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
OHIO -----	14	16	20	42	68	60	88	74	59	26	5	-
WHITE-----MALE----	5	10	9	23	31	30	34	22	17	5	-	-
FEMALE--	7	2	9	11	31	23	47	48	38	15	3	-
ALL OTHER--MALE----	-	2	1	4	4	4	1	-	1	3	2	-
FEMALE--	2	2	1	4	2	3	6	4	3	3	-	-
BLACK---MALE-----	-	2	1	4	4	4	1	-	1	3	2	-
FEMALE--	2	2	1	4	2	3	6	4	3	3	-	-
OKLAHOMA -----	1	9	8	8	13	10	16	19	15	8	1	-
WHITE-----MALE----	1	7	3	6	7	6	3	7	4	1	1	-
FEMALE--	-	2	4	2	5	4	10	9	10	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	1	-	2	2	-	1	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
OREGON -----	2	4	7	4	10	20	17	23	13	2	3	-
WHITE-----MALE----	1	1	5	1	8	7	7	8	4	-	1	-
FEMALE--	1	2	2	3	2	12	9	14	9	2	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	7	10	14	32	69	112	116	106	90	44	12	-
WHITE-----MALE----	4	4	10	15	32	54	47	30	19	7	2	-
FEMALE--	3	6	3	12	31	52	60	71	67	33	9	-
ALL OTHER--MALE----	-	-	-	1	4	4	3	-	1	-	1	-
FEMALE--	-	-	1	4	2	2	6	5	3	4	-	-
BLACK---MALE-----	-	-	-	-	4	4	3	-	1	-	1	-
FEMALE--	-	-	1	4	2	2	6	5	3	4	-	-
RHODE ISLAND -----	1	1	1	1	4	4	9	8	3	1	-	-
WHITE-----MALE----	-	-	1	1	2	2	1	4	1	-	-	-
FEMALE--	1	-	-	-	1	2	8	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	6	6	15	20	29	29	21	18	9	2	-
WHITE-----MALE----	4	2	3	6	8	11	9	1	1	2	-	-
FEMALE--	-	3	2	4	8	7	8	15	12	5	2	-
ALL OTHER--MALE----	1	-	-	4	2	4	5	2	1	-	-	-
FEMALE--	-	1	1	1	2	7	7	3	4	2	-	-
BLACK---MALE-----	1	-	-	4	2	4	5	2	1	-	-	-
FEMALE--	-	1	1	1	2	7	7	3	4	2	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2195

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)												
SOUTH DAKOTA -----	21	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	225	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	79	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	107	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	2
TEXAS -----	719	-	-	-	-	-	1	1	1	4	11	11
WHITE-----MALE----	260	-	-	-	-	-	1	-	-	1	8	3
FEMALE--	347	-	-	-	-	-	-	1	1	2	-	6
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	73	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE-----	36	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	72	-	-	-	-	-	-	-	-	-	2	1
UTAH -----	54	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	236	-	-	-	-	2	-	-	-	2	3	3
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	88	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	27	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2195

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
SOUTH DAKOTA -----	-	-	3	1	2	1	4	2	6	1	-	-
WHITE-----MALE----	-	-	2	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	3	1	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	10	6	10	25	39	41	41	32	10	2	-
WHITE-----MALE----	2	2	4	5	14	14	12	15	7	1	-	-
FEMALE--	-	4	2	4	8	17	22	21	22	4	2	-
ALL OTHER--MALE----	-	3	-	1	3	2	4	1	-	2	-	-
FEMALE--	-	1	-	-	-	6	3	4	3	3	-	-
BLACK---MALE-----	-	3	-	1	3	2	4	1	-	2	-	-
FEMALE--	-	1	-	-	-	6	3	4	3	3	-	-
TEXAS -----	17	28	42	56	75	107	117	116	90	32	10	-
WHITE-----MALE----	9	8	15	22	37	44	43	42	20	4	3	-
FEMALE--	3	11	18	23	22	55	55	63	57	24	6	-
ALL OTHER--MALE----	2	5	3	5	6	4	5	2	4	-	-	-
FEMALE--	3	4	6	6	10	4	14	9	9	4	1	-
BLACK---MALE-----	1	5	2	5	5	4	5	2	4	-	-	-
FEMALE--	3	4	6	6	9	4	14	9	9	4	1	-
UTAH -----	2	2	-	2	7	7	13	8	9	3	-	-
WHITE-----MALE----	-	1	-	1	2	5	1	6	4	1	-	-
FEMALE--	1	-	-	1	5	2	12	2	5	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	4	2	5	4	2	1	-	-
WHITE-----MALE----	-	1	-	-	2	1	4	3	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	5	10	11	33	36	40	48	23	10	2	-
WHITE-----MALE----	3	2	6	6	15	16	16	14	6	-	-	-
FEMALE--	3	1	3	2	8	11	12	24	14	7	1	-
ALL OTHER--MALE----	1	-	1	2	5	4	7	5	1	-	-	-
FEMALE--	1	2	-	1	5	5	5	5	2	3	1	-
BLACK---MALE-----	1	-	1	2	5	4	7	5	1	-	-	-
FEMALE--	1	2	-	1	5	5	5	5	2	3	1	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2197

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other disorders of circulatory system (I80-I99)

UNITED STATES -	4,025	23	1	1	1	11	19	30	63	98	173	202
WHITE-----MALE----	1,399	9	-	1	-	3	5	10	20	37	69	73
FEMALE--	1,946	9	-	-	1	1	6	11	23	29	48	73
ALL OTHER--MALE----	315	4	1	-	-	3	2	4	10	18	35	29
FEMALE--	365	1	-	-	-	4	6	5	10	14	21	27
BLACK---MALE-----	282	3	1	-	-	2	2	4	10	16	33	29
FEMALE--	334	1	-	-	-	4	6	5	9	13	19	26
ALABAMA -----	77	-	-	-	-	1	1	-	1	2	6	5
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	1	-	1	-	1	3
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	1	2	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	9	-	-	-	-	1	-	-	-	1	2	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	-	-	-	-	1	1	-	2	1	3	4
WHITE-----MALE----	33	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	43	-	-	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	56	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	511	2	-	-	1	3	4	3	7	18	25	33
WHITE-----MALE----	166	-	-	-	-	1	3	2	4	4	10	7
FEMALE--	260	1	-	-	1	1	1	-	2	4	10	18
ALL OTHER--MALE----	41	1	-	-	-	-	-	1	1	7	3	4
FEMALE--	44	-	-	-	-	1	-	-	-	3	2	4
BLACK---MALE-----	29	1	-	-	-	-	-	1	1	6	3	4
FEMALE--	36	-	-	-	-	1	-	-	-	3	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2197

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
UNITED STATES -	176	208	237	312	380	498	619	509	322	116	25	1
WHITE-----MALE----	69	92	100	124	163	191	210	138	59	18	8	-
FEMALE--	62	85	90	119	162	238	339	313	231	89	16	1
ALL OTHER--MALE----	27	14	18	39	24	34	28	17	7	1	-	-
FEMALE--	18	17	29	30	31	35	42	41	25	8	1	-
BLACK---MALE-----	24	11	17	36	20	31	24	13	5	1	-	-
FEMALE--	17	16	25	26	27	33	37	38	24	7	1	-
ALABAMA -----	3	4	3	5	6	14	7	11	5	3	-	-
WHITE-----MALE----	1	2	-	4	2	5	3	3	1	-	-	-
FEMALE--	-	1	1	1	3	6	3	4	4	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	3	1	3	-	1	-	-
BLACK---MALE-----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	3	1	3	-	1	-	-
ALASKA -----	-	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	5	8	9	6	18	9	7	-	-	-
WHITE-----MALE----	1	4	4	2	3	3	6	3	2	-	-	-
FEMALE--	1	1	1	6	6	3	9	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	2	5	3	4	4	9	11	5	4	4	-	-
WHITE-----MALE----	2	3	2	2	3	2	3	3	1	2	-	-
FEMALE--	-	2	1	1	1	7	5	-	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
CALIFORNIA -----	19	27	36	32	45	60	73	70	36	10	6	1
WHITE-----MALE----	3	9	16	13	15	25	21	18	8	3	4	-
FEMALE--	13	13	14	14	22	26	40	48	22	7	2	1
ALL OTHER--MALE----	1	3	-	1	4	5	5	3	2	-	-	-
FEMALE--	2	2	6	4	4	4	7	1	4	-	-	-
BLACK---MALE-----	1	2	-	-	1	4	3	1	1	-	-	-
FEMALE--	1	2	3	4	4	4	7	-	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2198

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
COLORADO -----	50	1	-	-	-	-	-	-	-	1	4	3
WHITE-----MALE----	22	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	43	-	-	-	-	-	-	1	-	-	-	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	10	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	13	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	266	3	-	1	-	-	-	2	2	6	9	10
WHITE-----MALE----	91	-	-	1	-	-	-	1	-	2	2	4
FEMALE--	135	3	-	-	-	-	-	-	2	3	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	24	-	-	-	-	-	-	1	-	-	3	2
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	24	-	-	-	-	-	-	1	-	-	3	2
GEORGIA -----	112	-	-	-	-	1	-	1	1	5	8	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	48	-	-	-	-	-	-	-	-	2	3	1
ALL OTHER--MALE----	19	-	-	-	-	1	-	1	-	1	1	1
FEMALE--	18	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE-----	19	-	-	-	-	1	-	1	-	1	1	1
FEMALE--	18	-	-	-	-	-	-	-	1	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2198

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
COLORADO -----	5	4	1	4	3	6	4	9	3	2	-	-
WHITE-----MALE----	4	1	-	-	3	4	2	2	-	-	-	-
FEMALE--	1	3	1	3	-	1	2	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	-	4	5	12	4	10	1	-	-
WHITE-----MALE----	1	1	-	-	2	1	5	-	2	-	-	-
FEMALE--	-	1	-	-	2	3	7	3	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	1	1	-	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	3	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
FLORIDA -----	14	13	18	20	24	38	34	39	18	11	4	-
WHITE-----MALE----	5	6	8	6	8	19	12	13	2	1	1	-
FEMALE--	4	3	8	11	12	18	20	22	13	10	3	-
ALL OTHER--MALE----	2	3	1	1	1	-	1	1	-	-	-	-
FEMALE--	3	1	1	2	3	1	1	3	3	-	-	-
BLACK---MALE-----	2	2	1	1	1	-	1	1	-	-	-	-
FEMALE--	3	1	1	2	3	1	1	3	3	-	-	-
GEORGIA -----	9	3	6	13	10	10	17	14	9	2	-	-
WHITE-----MALE----	1	1	4	5	5	-	2	2	3	-	-	-
FEMALE--	4	-	1	2	3	7	10	8	5	2	-	-
ALL OTHER--MALE----	3	-	-	5	1	3	1	-	1	-	-	-
FEMALE--	1	2	1	1	1	-	4	4	-	-	-	-
BLACK---MALE-----	3	-	-	5	1	3	1	-	1	-	-	-
FEMALE--	1	2	1	1	1	-	4	4	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2199

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
HAWAII -----	1	2	1	3	1	1	2	3	4	-	-	-
WHITE-----MALE----	-	1	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	1	1	1	5	1	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	2	-	1	1	-	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	7	7	19	12	24	29	11	12	2	-	-
WHITE-----MALE----	4	5	4	11	5	8	12	4	1	2	-	-
FEMALE--	2	2	2	5	7	14	12	7	7	-	-	-
ALL OTHER--MALE----	2	-	1	3	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	4	-	4	-	-	-
BLACK---MALE-----	2	-	1	3	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	4	-	4	-	-	-
INDIANA -----	2	6	3	2	7	9	15	11	3	4	-	-
WHITE-----MALE----	1	4	-	1	2	3	8	3	-	1	-	-
FEMALE--	1	2	2	1	3	6	7	8	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA -----	-	2	2	6	2	7	6	8	4	2	-	-
WHITE-----MALE----	-	-	2	4	1	4	2	2	-	-	-	-
FEMALE--	-	2	-	2	1	2	3	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
KANSAS -----	1	3	4	2	4	7	4	2	8	2	1	-
WHITE-----MALE----	1	3	2	-	4	4	2	-	1	-	1	-
FEMALE--	-	-	1	1	-	3	1	2	7	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2200

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
KENTUCKY -----	59	-	-	-	-	-	-	1	1	2	-	5
WHITE-----MALE----	23	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	41	-	-	-	-	-	-	-	1	-	5	5
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	2
MAINE -----	16	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	50	-	-	-	-	-	-	1	-	3	4	1
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	93	-	-	-	-	-	-	-	-	2	3	4
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	49	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	187	-	-	-	-	1	1	2	3	5	10	14
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	94	-	-	-	-	-	-	-	1	1	3	5
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	1	1	6	2
FEMALE--	23	-	-	-	-	1	1	1	1	2	-	-
BLACK---MALE-----	19	-	-	-	-	-	-	1	1	1	6	2
FEMALE--	22	-	-	-	-	1	1	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2200

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
KENTUCKY -----	3	6	6	1	3	6	10	6	7	2	-	-
WHITE-----MALE----	2	3	1	1	3	1	3	2	1	-	-	-
FEMALE--	1	3	5	-	-	5	6	2	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA -----	2	2	2	2	5	5	5	4	2	-	1	-
WHITE-----MALE----	1	2	1	-	1	3	2	1	1	-	-	-
FEMALE--	-	-	1	2	2	1	3	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	-	-	-	-
MAINE -----	1	-	1	1	3	-	4	1	3	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	3	-	2	-	-	-
FEMALE--	1	-	-	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	6	5	4	1	8	6	5	1	-	-
WHITE-----MALE----	1	1	-	-	1	-	2	2	-	-	-	-
FEMALE--	1	2	3	2	1	-	5	3	3	1	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	1	2	-	-	-
BLACK---MALE-----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	1	2	-	-	-
MASSACHUSETTS -----	3	4	6	6	11	12	16	12	10	3	1	-
WHITE-----MALE----	1	4	4	4	5	4	4	5	2	-	-	-
FEMALE--	1	-	-	1	6	8	12	7	7	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
MICHIGAN -----	11	11	17	19	15	24	20	17	13	3	1	-
WHITE-----MALE----	4	-	7	8	3	9	3	3	4	-	-	-
FEMALE--	3	8	8	6	9	12	14	12	9	2	1	-
ALL OTHER--MALE----	2	-	1	3	-	1	1	1	-	-	-	-
FEMALE--	2	3	1	2	3	2	2	1	-	1	-	-
BLACK---MALE-----	2	-	1	3	-	1	-	1	-	-	-	-
FEMALE--	2	3	1	2	3	2	2	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2201

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
MINNESOTA -----	53	1	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	22	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	41	1	-	-	-	-	2	1	1	1	-	2
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	2	1	-	1	-	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	2	1	-	1	-	1
MISSOURI -----	91	1	-	-	-	-	1	1	-	1	4	7
WHITE-----MALE----	38	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	41	-	-	-	-	-	1	1	-	-	3	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	3
MONTANA -----	11	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	20	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	33	-	-	-	-	-	1	-	1	1	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2203

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
OHIO -----	6	12	11	12	22	30	39	22	18	5	1	-
WHITE-----MALE----	2	5	7	7	9	9	21	7	4	1	-	-
FEMALE--	3	7	3	5	10	16	12	13	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	4	3	-	-	-	-	-
FEMALE--	1	-	1	-	3	1	3	2	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	4	3	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	3	2	2	-	-	-
OKLAHOMA -----	1	2	4	3	5	10	8	7	6	4	-	-
WHITE-----MALE----	1	2	1	2	2	3	2	2	-	-	-	-
FEMALE--	-	-	2	-	1	4	4	5	6	4	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
OREGON -----	1	1	3	2	4	8	7	6	5	1	1	-
WHITE-----MALE----	1	1	-	2	2	4	2	2	1	-	1	-
FEMALE--	-	-	3	-	2	4	5	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	6	8	15	23	30	46	37	17	7	1	-
WHITE-----MALE----	7	1	2	2	10	12	15	8	3	2	-	-
FEMALE--	2	4	5	7	10	17	31	26	11	3	1	-
ALL OTHER--MALE----	1	-	-	3	2	-	-	1	1	-	-	-
FEMALE--	-	1	1	3	1	1	-	2	2	2	-	-
BLACK---MALE-----	1	-	-	3	2	-	-	1	1	-	-	-
FEMALE--	-	1	1	2	1	1	-	2	2	2	-	-
RHODE ISLAND -----	1	2	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	6	5	3	8	6	12	4	1	2	1	-
WHITE-----MALE----	-	2	2	1	5	5	2	1	-	-	1	-
FEMALE--	1	2	2	1	1	1	9	2	1	1	-	-
ALL OTHER--MALE----	1	2	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	1	2	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2204

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	2	-	-	-	-	-	-	2	5	3	3
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	3	2	2
FEMALE--	51	1	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
TEXAS -----	210	1	-	-	-	-	1	3	2	5	7	13
WHITE-----MALE----	69	-	-	-	-	-	-	-	2	4	4	4
FEMALE--	103	-	-	-	-	-	-	2	-	1	1	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	1	-	-	-	-	1	1	-	-	1	2
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	1	-	-	-	-	1	1	-	-	1	2
UTAH -----	18	-	-	-	-	-	-	1	1	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	93	1	-	-	-	1	-	1	3	2	5	3
WHITE-----MALE----	22	1	-	-	-	-	-	-	1	1	2	-
FEMALE--	34	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	21	-	-	-	-	1	-	-	1	1	1	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	21	-	-	-	-	1	-	-	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2204

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
SOUTH DAKOTA -----	-	1	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	6	8	13	13	17	16	9	1	-	-
WHITE-----MALE----	1	3	4	3	5	6	6	4	2	-	-	-
FEMALE--	3	-	2	5	7	4	10	9	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
TEXAS -----	8	10	8	28	21	22	29	28	19	5	-	-
WHITE-----MALE----	3	6	3	8	11	9	7	6	1	1	-	-
FEMALE--	3	3	2	15	8	7	19	17	15	4	-	-
ALL OTHER--MALE----	1	1	1	3	-	1	2	1	1	-	-	-
FEMALE--	1	-	2	2	2	5	1	4	2	-	-	-
BLACK---MALE-----	1	1	1	3	-	1	2	1	1	-	-	-
FEMALE--	1	-	2	2	1	5	1	4	2	-	-	-
UTAH -----	-	-	1	-	3	3	6	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	2	1	2	-	2	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	8	9	10	14	13	12	3	2	1	-
WHITE-----MALE----	2	1	2	2	3	4	1	2	-	-	-	-
FEMALE--	1	-	2	2	4	5	9	4	-	2	1	-
ALL OTHER--MALE----	-	1	1	3	2	3	2	2	-	-	-	-
FEMALE--	-	-	3	2	1	2	1	4	3	-	-	-
BLACK---MALE-----	-	1	-	3	2	2	2	2	-	-	-	-
FEMALE--	-	-	3	2	1	2	1	4	3	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2206

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)

UNITED STATES -	2,625	4	1	1	1	9	13	28	55	79	130	135
WHITE-----MALE----	843	3	-	1	-	2	4	9	16	28	45	47
FEMALE--	1,320	1	-	1	-	1	2	10	22	24	42	50
ALL OTHER--MALE----	191	-	1	-	-	2	2	4	10	15	22	15
FEMALE--	271	-	-	-	-	4	5	5	7	12	21	23
BLACK---MALE-----	183	-	1	-	-	2	2	4	10	13	22	15
FEMALE--	253	-	-	-	-	4	5	5	7	12	19	22
ALABAMA -----	47	-	-	-	-	1	-	-	1	2	5	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	7	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	57	-	-	-	-	1	1	-	2	1	3	3
WHITE-----MALE----	21	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	34	-	-	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	25	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	375	-	-	-	1	3	2	3	7	17	20	26
WHITE-----MALE----	106	-	-	-	-	1	2	2	4	3	7	6
FEMALE--	202	-	-	-	1	1	-	-	2	4	10	14
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	7	1	3
FEMALE--	39	-	-	-	-	1	-	-	-	3	2	3
BLACK---MALE-----	23	-	-	-	-	-	-	1	1	6	1	3
FEMALE--	31	-	-	-	-	1	-	-	-	3	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2206

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
UNITED STATES -	116	140	150	206	245	314	391	324	195	73	14	1
WHITE-----MALE----	38	53	52	76	105	114	127	73	33	13	4	-
FEMALE--	49	64	69	86	104	159	218	213	140	54	10	1
ALL OTHER--MALE----	14	10	11	26	14	18	16	8	2	1	-	-
FEMALE--	15	13	18	18	22	23	30	30	20	5	-	-
BLACK---MALE-----	13	9	11	26	13	18	15	7	1	1	-	-
FEMALE--	14	12	15	17	20	22	29	27	19	4	-	-
ALABAMA -----	2	3	1	4	4	9	3	9	-	2	-	-
WHITE-----MALE----	-	2	-	3	1	4	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	4	2	4	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	3	-	1	-	-
BLACK---MALE-----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	3	-	1	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	5	8	7	4	11	5	4	-	-	-
WHITE-----MALE----	-	1	4	2	2	1	4	2	1	-	-	-
FEMALE--	1	-	1	6	5	3	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1	1	-	4	-	5	4	2	3	1	-	-
WHITE-----MALE----	1	1	-	2	-	1	2	2	1	1	-	-
FEMALE--	-	-	-	1	-	4	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	16	23	26	23	33	41	51	47	23	8	4	1
WHITE-----MALE----	3	6	8	9	7	16	13	10	4	3	2	-
FEMALE--	10	12	13	10	20	19	29	34	15	5	2	1
ALL OTHER--MALE----	1	3	-	-	2	3	3	2	1	-	-	-
FEMALE--	2	2	5	4	4	3	6	1	3	-	-	-
BLACK---MALE-----	1	2	-	-	1	3	3	1	-	-	-	-
FEMALE--	1	2	2	4	4	3	6	-	2	-	-	-



TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2207

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)

COLORADO -----	42	1	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	18	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	21	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	168	-	-	1	-	-	-	2	2	4	7	6
WHITE-----MALE----	49	-	-	1	-	-	-	1	-	1	-	2
FEMALE--	89	-	-	-	-	-	-	-	2	2	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	3	2
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	3	2
GEORGIA -----	64	-	-	-	-	1	-	1	-	4	5	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	8	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2207

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
COLORADO -----	4	4	1	4	3	4	4	7	3	1	-	-
WHITE-----MALE----	3	1	-	-	3	3	2	1	-	-	-	-
FEMALE--	1	3	1	3	-	-	2	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	-	3	3	4	2	4	1	-	-
WHITE-----MALE----	1	1	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	3	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
FLORIDA -----	10	7	11	15	17	24	23	21	11	7	-	-
WHITE-----MALE----	4	4	4	4	5	11	6	5	-	1	-	-
FEMALE--	2	1	6	9	9	12	15	13	10	6	-	-
ALL OTHER--MALE----	1	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	2	1	1	3	1	-	-	-
BLACK---MALE-----	1	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	2	1	1	3	1	-	-	-
GEORGIA -----	5	1	4	6	4	3	14	9	5	1	-	-
WHITE-----MALE----	-	-	3	2	1	-	1	1	2	-	-	-
FEMALE--	4	-	1	1	1	2	9	5	3	1	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	3	-	-	-	-
BLACK---MALE-----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	3	-	-	-	-





TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2209

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
KENTUCKY -----	38	-	-	-	-	-	-	1	1	2	-	3
WHITE-----MALE----	12	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	25	-	-	-	-	-	-	-	1	-	3	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	2
MAINE -----	11	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	31	-	-	-	-	-	-	1	-	3	3	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	32	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	131	-	-	-	-	1	1	2	3	4	9	9
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	71	-	-	-	-	-	-	-	1	1	3	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	1	1	5	-
FEMALE--	18	-	-	-	-	1	1	1	1	1	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	1	1	1	5	-
FEMALE--	18	-	-	-	-	1	1	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2209

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
KENTUCKY -----	-	4	5	1	2	4	5	3	6	1	-	-
WHITE-----MALE----	-	2	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	2	5	-	-	4	3	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA -----	1	2	2	2	3	2	3	2	-	-	1	-
WHITE-----MALE----	1	2	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
MAINE -----	1	-	-	-	1	-	3	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	2	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	3	1	3	-	4	4	4	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	2	3	-	1	-	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
MASSACHUSETTS -----	2	1	1	1	2	6	7	6	2	-	1	-
WHITE-----MALE----	-	1	1	-	-	3	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	3	5	5	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	9	11	12	11	11	13	15	11	7	1	1	-
WHITE-----MALE----	3	-	4	3	3	4	2	1	1	-	-	-
FEMALE--	3	8	6	5	6	8	10	8	6	1	1	-
ALL OTHER--MALE----	1	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	2	3	1	1	2	1	2	1	-	-	-	-
BLACK---MALE-----	1	-	1	2	-	-	-	1	-	-	-	-
FEMALE--	2	3	1	1	2	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2210

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)

MINNESOTA -----	32	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	12	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	22	-	-	-	-	-	1	1	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	1	1	-	-	-	1
MISSOURI -----	61	-	-	-	-	-	1	1	-	1	4	4
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	1	1	-	-	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	3
MONTANA -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	23	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-











TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2212

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
OHIO -----	4	8	9	9	19	21	30	18	13	4	1	-
WHITE-----MALE----	1	2	5	5	9	7	14	6	4	-	-	-
FEMALE--	2	6	3	4	8	10	12	11	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	3	2	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	2	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	3	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	2	1	1	-	-	-
OKLAHOMA -----	1	-	3	1	3	8	2	3	4	2	-	-
WHITE-----MALE----	1	-	-	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	3	1	2	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
OREGON -----	1	1	1	-	2	6	1	3	1	-	1	-
WHITE-----MALE----	1	1	-	-	1	2	1	1	-	-	1	-
FEMALE--	-	-	1	-	1	4	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	3	5	7	16	18	25	21	14	3	1	-
WHITE-----MALE----	3	1	1	-	6	6	6	3	2	-	-	-
FEMALE--	1	1	3	4	7	12	19	15	9	1	1	-
ALL OTHER--MALE----	-	-	-	3	2	-	-	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	2	2	-	-
BLACK---MALE-----	-	-	-	3	2	-	-	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	2	2	-	-
RHODE ISLAND -----	-	2	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	1	1	5	4	9	3	-	2	1	-
WHITE-----MALE----	-	1	-	-	2	4	1	1	-	-	1	-
FEMALE--	1	1	1	-	1	-	7	2	-	1	-	-
ALL OTHER--MALE----	1	2	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	2	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 2213

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	-	-	-	-	-	-	-	2	3	2	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	135	-	-	-	-	-	1	3	1	5	5	9
WHITE-----MALE----	37	-	-	-	-	-	-	-	1	4	2	3
FEMALE--	70	-	-	-	-	-	-	2	-	1	1	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	1	1	-	-	1	2
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	1	1	-	-	1	2
UTAH -----	10	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	-	-	-	-	1	-	1	1	2	3	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	14	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	14	-	-	-	-	1	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 2213

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	4	6	6	9	9	10	5	-	-	-
WHITE-----MALE----	1	1	3	1	3	5	4	3	2	-	-	-
FEMALE--	1	-	1	5	2	3	5	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	5	5	5	17	11	17	18	16	14	3	-	-
WHITE-----MALE----	1	2	1	3	7	6	2	3	1	1	-	-
FEMALE--	2	2	1	11	3	7	13	10	11	2	-	-
ALL OTHER--MALE----	1	1	1	2	-	1	2	-	-	-	-	-
FEMALE--	1	-	2	1	1	3	1	3	2	-	-	-
BLACK---MALE-----	1	1	1	2	-	1	2	-	-	-	-	-
FEMALE--	1	-	2	1	1	3	1	3	2	-	-	-
UTAH -----	-	-	1	-	2	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	5	4	5	3	9	7	2	1	-	-
WHITE-----MALE----	1	-	2	2	2	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	2	1	6	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	2	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	3	2	-	-	-
BLACK---MALE-----	-	-	-	2	-	1	1	2	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	3	2	-	-	-



