

**Table 31. Tuberculosis Cases by Initial Drug Regimen: 59 Reporting Areas, 2001**

Reporting Area	Total Cases	Cases Alive at Diagnosis	Cases with Information on Initial Drug Regimen		Percent of Cases with Initial Drug Regimen <sup>1,2</sup>		
			No.	%	IR	IRZ	IRZ,E/S
<b>United States</b>	<b>15,989</b>	<b>15,614</b>	<b>15,541</b>	<b>99.5</b>	<b>1.6</b>	<b>9.4</b>	<b>78.8</b>
Alabama	265	255	255	100.0	0.8	65.5	27.8
Alaska	54	53	53	100.0	0.0	7.5	92.5
Arizona	289	283	283	100.0	0.0	7.4	83.0
Arkansas	162	158	149	94.3	26.8	40.9	26.8
California	3,332	3,281	3,276	99.8	0.9	4.7	87.1
Colorado	138	136	136	100.0	0.7	2.2	86.8
Connecticut	121	118	118	100.0	2.5	9.3	82.2
Delaware	33	33	33	100.0	0.0	9.1	84.8
District of Columbia	74	73	73	100.0	0.0	8.2	82.2
Florida	1,145	1,107	1,107	100.0	0.9	7.3	82.5
Georgia	575	561	557	99.3	0.4	9.0	80.4
Hawaii	151	147	146	99.3	4.1	11.0	71.2
Idaho	9	9	9	100.0	11.1	0.0	77.8
Illinois	707	693	691	99.7	1.0	9.4	78.7
Indiana	115	107	107	100.0	0.9	19.6	74.8
Iowa	43	40	39	97.5	0.0	25.6	69.2
Kansas	63	58	58	100.0	6.9	6.9	74.1
Kentucky	152	148	148	100.0	3.4	12.8	77.0
Louisiana	294	282	278	98.6	0.7	16.9	76.6
Maine	20	20	19	95.0	0.0	15.8	68.4
Maryland	262	253	253	100.0	0.0	2.8	93.7
Massachusetts	270	267	266	99.6	1.1	6.8	84.2
Michigan	330	319	319	100.0	6.0	25.7	61.4
Minnesota	239	238	238	100.0	0.4	10.5	84.5
Mississippi	154	150	146	97.3	0.7	11.0	83.6
Missouri	157	152	152	100.0	1.3	7.2	81.6
Montana	20	19	18	94.7	0.0	22.2	72.2
Nebraska	40	36	36	100.0	2.8	22.2	55.6
Nevada	96	93	93	100.0	0.0	1.1	94.6
New Hampshire	20	20	19	95.0	0.0	10.5	89.5
New Jersey	530	520	517	99.4	2.3	8.7	76.8
New Mexico	54	50	50	100.0	0.0	38.0	60.0
New York State <sup>3</sup>	415	406	406	100.0	0.5	6.7	86.7
New York City	1,261	1,236	1,236	100.0	0.7	3.2	77.1
North Carolina	398	389	389	100.0	0.3	2.6	88.2
North Dakota	6	6	6	100.0	0.0	16.7	83.3
Ohio	306	300	299	99.7	2.3	25.8	62.2
Oklahoma	194	187	186	99.5	11.8	20.4	53.8
Oregon	123	122	122	100.0	0.8	7.4	87.7
Pennsylvania	350	339	330	97.3	0.6	7.6	70.3
Rhode Island	60	60	60	100.0	1.7	3.3	80.0
South Carolina	263	254	254	100.0	0.8	13.4	78.7
South Dakota	13	12	12	100.0	8.3	16.7	75.0
Tennessee	313	299	299	100.0	1.0	14.7	77.3
Texas	1,643	1,611	1,599	99.3	2.6	7.6	72.3
Utah	35	34	34	100.0	0.0	5.9	85.3
Vermont	7	7	7	100.0	0.0	14.3	85.7
Virginia	306	301	291	96.7	1.7	6.2	84.9
Washington	261	258	255	98.8	1.6	5.9	85.5
West Virginia	32	29	29	100.0	0.0	20.7	72.4
Wisconsin	86	82	82	100.0	1.2	12.2	80.5
Wyoming	3	3	3	100.0	0.0	33.3	66.7
American Samoa <sup>4</sup>	...	...	...	...	...	...	...
Fed. States of Micronesia <sup>4</sup>	...	...	...	...	...	...	...
Guam <sup>4</sup>	63	62	61	98.4	0.0	1.6	88.5
N. Mariana Islands <sup>4</sup>	58	57	57	100.0	1.8	1.8	89.5
Puerto Rico <sup>4</sup>	121	110	110	100.0	0.0	0.0	98.2
Republic of Palau <sup>4</sup>	...	...	...	...	...	...	...
U.S. Virgin Islands <sup>4</sup>	...	...	...	...	...	...	...

<sup>1</sup>Percentage for U.S. based on 52 reporting areas (50 states, New York City, and the District of Columbia). Percentages shown only for reporting areas with information reported for ≥75% of cases.

<sup>2</sup>I=isoniazid; R=rifampin; Z=pyrazinamide; E=ethambutol; S=streptomycin.

<sup>3</sup>Excludes New York City.

<sup>4</sup>Not included in U.S. totals.

Ellipses indicate data not available.

**Note:** Excluding cases with no information on initial drug regimen, 279 (1.8%) were not started on any drugs, 15 (0.1%) were started on one drug, and 1,284 (8.3%) had an initial multidrug regimen other than IR, IRZ, or IRZ,E/S.