TABLE 27

4 X 2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR

The maintenance conversion panel van specified shall utilize a current model year full size cargo van as defined by Standard Item 34 w/ option STDL.

This vehicle shall not have side panel windows and the interior shall be equipped with adjustable shelving, a bulkhead, and ladder racks. Curbside and the rear split type double loading doors upper section shall be furnished with safety glass. Rear and side cargo door windows shall be covered on the inside with expanded or perforated metal or 3 mm (1/8 in) wire mesh.

The bulkhead shall be constructed of not less than 17 gage steel with a rigid center section door and side panels, which shall be located between the driver and the cargo area. The door shall have openings in the upper and lower halves separated by a solid area. The openings shall be open mesh covered or perforated type. The door shall have a two-way handle, lockable from the driver's side, and shall be hinged to swing into the cargo area. Bulkhead shall be secured to the body interior with easily removable corrosion resistant fasteners. Provision shall be made on cargo side of bulkhead for relocation of spare tire assembly to left or right side panel(s) or under frame.

Shelving is furnished as standard. Shelving shall not be less than 117 cm (46 in) high and not be less than 213 cm (84 in) long on street (driver) side. Length shall not be less than 107 cm (42 in) on the curb (passenger)side and shall not block the side cargo door opening. Shelves, bins, and drawers shall be capable of supporting a load of not less than 195 kg/sq m (40 lb/sqft). Shelving shall not interfere with any access doors. Shelving shall be secured to the body interior with easily removable corrosion resistant fasteners.

Each shelving unit shall consist of 2 upright ends having 2.5 cm (1 in) flanges front and rear with shelf mounting holes on 2.5 cm (1 in) centers. Each shelving unit shall contain a minimum of 4 shelves, not less than 30 cm (12 in) deep with not less than a 13 cm (5 in) high back flange and a 2.5 cm (1 in) high front flange, except back flange on shelves supporting parts drawers. A total of 16removable dividers shall be furnished so the second and third shelves up on the street (driver) side may be divided vertically to provide a total of 20 bins. Dividers shall have 5 cm (2 in) centers and installed in such a manner as to prevent rattling during transit. Holes shall be provided in the ends of the shelf flanges to mate with the mounting lock nuts or shake proof fasteners. Bolts of not less than 7 mm (0.25 in) in diameter with lock nuts or shake proof fasteners shall be used for assembly. An 18 drawer small part unit shall be installed on the lower shelf on both sides of the vehicle located over the rear wheelhouses. The small parts drawer units shall be of all steel construction, not less than 25 cm (10 in) high, 28 cm (11 in) deep, and 84 cm (33 in) long. Each drawer shall be provided with not less than two adjustable vertical dividers, and shall be tilted to the rear to retain the individual drawers while the vehicle is in motion.

Vehicle shall be equipped with removable overhead ladder racks. The ladder guides shall be adjustable in width. Ladder racks and guides may be installed in position on vehicle roof or may be boxed and secured inside of vehicle for shipment. When boxed, the exterior color of the racks and guides need not match the vehicle exterior color. The rear of the vehicle shall be provided with a safety-tread, steel plate with step built into the rear bumper. Step shall extend full width and shall have a step surface not less than 10 cm (4 in) deep. The height of the step shall be approximately at the normal height of the bottom edge of the vehicle's bumper.

TABLE 27 - CONTINUED

4 X 2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR

Item # 162

GSA. MIN. REQ.	GRANDE TRUCK	OADTED OUTLINGS
	UNANDE INUCK	CARTER CHEVROLET AGENCY, INC.
	E350	EXPRESS G3500
1361 (3000) 4174 (9201) / 4535 (10000) 536 (211) / 569 (224)	E34 3124 9400 212	CG33405 3600 9600 224
8/5.4 255 350 HDA	10/5.4 255 350 comply	8/6.0 300 360 comply
4 - Speed	4 speed	4 Speed
Rear Regular / Mfg. std.	Rear 3.55	Rear 3.73
105 600	130 650	105 600
117 (31)	35	31
Dual sail mount foldaway	comply	comply
Req Req in rear doors Intermittent & multi speed w/washer Dual vertical cargo Sliding	comply left and right comply comply Dual vertical cargo comply	comply left and right comply comply comply comply
Ü		
Req Req Cloth Shelving & Bulkhead	comply comply comply comply	comply comply comply Shelving & Bulkhead
Vinyl	comply	comply
AM/FM w/Clock 2 2 - Individual	2 Bucket	AM/FM w clock 2 2
Req Req Req	comply comply comply	comply comply comply
HDA	comply	comply
16 LT245/R/AS	16 LT225/R/AS	16 LT245/
Character and DLIO and the		
3 yr/36,000 mile bumper to bumper	comply	comply comply comply
	4174 (9201) / 4535 (10000) 536 (211) / 569 (224) 8/5.4 255 350 HDA 4 - Speed Rear Regular / Mfg. std. 105 600 117 (31) Dual sail mount foldaway Req Req in rear doors Intermittent & multi speed w/washer Dual vertical cargo Sliding Req Req Cloth Shelving & Bulkhead Vinyl AM/FM w/Clock 2 2 - Individual Req Req Req Req Req Req Req Req Req Re	1361 (3000)

TABLE 27 - CONTINUED

4 X 2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR

Item # 162 - OPTIONAL EQUIPMENT

BODY/CHASSIS		GRANDE TRUCK E350	CARTER CHEVROLET AGENCY, INC. EXPRESS G3500		
XL	EXTRA LONG BODY	Stand Alone			
ENGINES	EXTRA LONG BODY	Statilu Alorie	Stand Alone		
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Stand Alone 10/6.8,305,420	N/A		
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,235,440	N/A		
ALTERNATIVE FUEL		0/0.0,200,440			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Package		
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Package		
ENGINE ACCESSOR					
OLS	Oil Life System	N/A	Standard		
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone		
DRIVE AXLE					
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone		
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone		
EXTERIOR					
RB	RUNNING BOARDS	Stand Alone	N/A		
PAINT					
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone		
DOORS AND WINDO					
DRG	DELETE REAR WINDOW	Package	Stand Alone		
DTG	DARK TINTED GLASS	Stand Alone	Package		
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone		
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone		
LIGHTS AND LIGHTI		01 1.41	0		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard		
INTERIOR	ALIV DEAD AID CONDITIONING	D 1	OL LAI		
AC2	AUX. REAR AIR CONDITIONING	Package	Stand Alone		
AH	AUXILIARY HEATER	Package Stand Alana	Stand Alone		
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone Stand Alone	Stand Alone Stand Alone		
DA RL	DELETE AIR CONDITIONING REAR LINING, CARGO VAN	Stand Alone	Stand Alone		
SK	METRIC ODOMETER	Package	N/A		
FLOOR	WILTHIG ODOWLTEN	raunaye	IWA		
CM	CARPETED FLOOR COVERING	Package	N/A		
RADIO	CARPETED FLOOR COVERING	Package	IVA		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Stand Alone		
RECEIVER HITCH	AWATWITIADIO WITH COMITACT DISCTEATER	Stariu Alorie	Stal lu Alol le		
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone		
VENDOR INSTALLEI		Stariu Alorie	Stalita Alolite		
AWDC	CHASSIS MEG'S APPROVED 4X4 CONVERSION	Package	Stand Alone		
BUAV	BACK-UP ALARM	Stand Alone	Stand Alone		
CMS	CROSSVIEW MIRROR SYSTEM	Stand Alone	Stand Alone		
DVG	DRIVER'S FAN	Stand Alone	Stand Alone		
J560	SAE J560 TRACTOR-TRAILER ELECTRICAL	N/A	Stand Alone		
MHP	PIPE & CONDUIT HOLDER	Stand Alone	Package		
DELIVERY	5. 55 5	J			
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone		
DDRG	DEALER DELIVERY GUAM	N/A	N/A		
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone		
DDRP	DEALER DELIVERY PUERTO RICO	N/A	N/A		

TABLE 27 - CONTINUED

4 X 2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR

Item # 162 - OPTIONAL EQUIPMENT

		GRANDE TRUCK	CARTER CHEVROLET AGENCY, INC.
MISCELLANEOUS		E350	EXPRESS G3500
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS ELECTRONIC	N/A	Stand Alone

S=Standard	SA=Stand Alone	PKG=Package (includes, requires or excludes other options)	NA=Not Available	
------------	----------------	------------------------------------------------------------	------------------	--

NOTES