Research Involving CEPRATE® System Sponsored by NIH/NCI Funding

(Date Order)

ARTICLE NUMBER

1

2

4

Berenson RJ; Bensinger WI; Kalamasz D; Martin P (2/86). Elimination of Daudi Lymphoblasts from Human Bone Marrow Using Avidin-Biotin Immunoadsorption. <u>Blood</u>, 67:2, 509-515. Supported by Public Health Service Grants No. CA-18029 and CA-26828, awarded by the National Cancer Institute, DHHS.

Berenson RJ; Bensinger WI; Kalamasz D (1986). Positive selection of viable cell populations using avidin-biotin immunoadsorption. Journal of Immunological Methods 91:11-19. Supported by PHS Grant Nos. CA-18029 and CA-26828, awarded by the National Cancer Institute, DHHS.

Berenson RJ; Bensinger WI; Kalamasz D; Schuening F; Deeg JH; Graham T; Storb R (5/87). Engraftment of Dogs with Ia-Positive Marrow Cells Isolated by Avidin-Biotin Immunoadsorption. <u>Blood</u> 69:5, 1363-1367. Supported by PHS Grant Nos. CA-18209 and CA-26828, and CA-31787, awarded by the National Cancer Institute, DHHS.

Berenson RJ; Andrews RG; Bensinger WI; Kalamasz D; Knitter G; Buckner CD; Bernstein ID (3/88). Antigen CD34+ Marrow Cells Engraft Lethally Irradiated Baboons. J. Clin. Invest. 81:951-955. Supported by U.S. Public Health Service grants CA-18209, CA-39429, CA-26828, DK-33298, and RR 00166 from the National Institutes of Health, and an American Cancer Society Research Development Award.

5 Berenson RJ; Bensinger WI; Hill RS; Andrews RG; Garcia-Lopez J; Kalamasz DF; Still BJ; Spitzer G; Buckner CD; Bernstein ID; Thomas ED (4/15/91). Engraftment After Infusion of CD34+ Marrow Cells in Patients With Breast Cancer or Neuroblastoma. <u>Blood</u> 77:8, 1717-1722. Supported by Public Health Service Grants No. DK-33298, CA-39249, CA-26828, CA-47748, RR-0166, CCA-8510/019.

35 Murphy M; Hyun W; Hunte B; Levine AD; Epstein LB (1992). A Role for Tumor Necrosis Factor-∝ and Interferon-γ in the Regulation of Interleukin-4-Induced Human Thymocyte Proliferation In Vitro. Heightened Sensitivity in the Down Syndrome (Trisomy 21). Thymus <u>PEDIATRIC RESEARCH</u> 32:3, 269-276. Supported by NIH Grants CA 27903, CA 44446, AG 08938, and National Research Service Award CA -08931 awarded to M.M.

38 Sugiura K; Oyaizu N; Pahwa R; Kalyanaraman VS; Pahwa S (9/15/92). Effect of Human Immunodeficiency Virus-1 Envelope Glycoprotein on In Vitro Hematopoiesis of Umbilical Cord. <u>Blood</u> 80:6, 1463-1469. Supported by National Institutes of Health

Grants No. AI28281 and DA05161, and Biomedical Research Support Grant of National Institutes of Health No. 2 507 RR 05924.

- 6 Blaese RM; Culver KW; Anderson WF; Nienhuis A; Dunbar C; Chang L; Mullen C; Carter C; Leitman S; Berger M; Miller AD; Morgan R; Fleisher T; Kobyashi R; Kobyashi AL; Klein H; Shearer G; Clerici M; McGarrity G; Cassell A (1993). Treatment of Severe Combined Immunodeficiency Disease (SCID) due to Adenosine Deaminase Deficiency with CD34+ Selected Autologous Peripheral Blood Cells Transduced with a Human ADA Gene (amended title). <u>Human Gene Therapy</u> 4:521-527.
- 7 Cassel A; Cottler-Fox M; Doren S; Dunbar CE (1993). Retroviral-mediated gene transfer into CD34-enriched human peripheral blood stem cells. <u>Experimental Hematology</u> 21:585-591.

O'Shaughnessy JA; Cowan KH; Nienhuis AW; McDonagh KT; Sorrentino BP; Dunbar CE; Chiang Y; Wilson W; Goldspiel B; Kohler D; Cottler-Fox M; Leitman S; Gottesman M; Pastan I; Denicoff A; Noone M; Gress R (1994). Retroviral Mediated Transfer of the Human Multidrug Resistance Gene (MDR-1) into Hematopoietic Stem Cells During Autologous Transplantation after Intensive Chemotherapy for Metastatic Breast Cancer. <u>Human Gene Therapy</u> 5:891-911.

- 30 Winslow JM; Liesveld JL; Ryan DH; Dipersio JF; Abboud CN (1994). CD34+ progenitor cell isolation from blood and marrow: a comparison of techniques for smallscale selection. <u>Bone Marrow Transplantation</u> 14:265-271. Supported in part by USPHS grants K11 HL02385 (JLL), HL-18208 (CNA) and HL-07152.
- 31 Ruggieri L; Heimfeld S; Broxmeyer HE (1994). Cytokine-Dependent Ex Vivo Expansion of Early Subsets of CD34+ Cord Blood Myeloid Progenitors is Enhanced by Cord Blood Plasma, but Expansion of the More Mature Subsets of Progenitors is Favored. <u>Blood</u> <u>Cells</u> 20:436-454. Supported by U.S. Public Health Services grants R37 CA 36464, RO1 HL 46549, and RO1 HL49202 from the National Cancer Institute and the National Institutes of Health to H.E.B.

Ryan DH; Nuccie BL; Ritterman I; Liesveld JL; Abboud CN (1994). Cytokine
 Regulation of Early Human Lymphopoiesis. Journal of Immunology 152:5250-5258.
 C.N.A. was supported by PHS Grants RO1 CA61462 and RO1 CA61472 and J.L.L. was supported by PHS Grant K11 HL02385.

Deisseroth AB; Zu Z; Claxton D; Hanania EG; Fu S; Ellerson D; Goldberg L; Thomas M; Janicek K; Anderson WF; Hester J; Korbling M; Durett A; Moen R; Berenson R; Heimfeld S; Hamer J; Calvert L; Tibbits P; Talpaz M; Kantarjian H; Champlin R; Reading C (5/15/94). Genetic Marking Shows that Ph⁺ Cells Present in Autologous Transplants of Chronic Myelogenous Leukemia (CML) Contribute to Relapse After Autologous Bone Marrow in CML. <u>Blood</u> 83:10, 3068-3076. Supported by the National Cancer Institute - CML POI (CA-49639).

Zhou SZ; Cooper S; Kang LY; Ruggieri L; Heimfeld S; Srivastava A; Broxmeyer HE (6/94). Adeno-associated Virus 2-mediated High Efficiency Gene Transfer into Immature and Mature Subsets of Hematopoietic Progenitor Cells in Human Umbilical Cord Blood. J. Exp. Med 179:1867-1875. Supported in part by Public Health Service grants R29 AI-26323 and R01 HL-48342 from the National Institutes of Health (NIH), and Public Health Services grants R37 CA-36464, R01 HL-46549, and R01 HL-49202 from the National Cancer Institute and NIH.

11 Davis LS; McIlraith MJ; Paecheo T; Becker B; Adix LM; Thomas R; Wacholtz MC; Lipsky PE (1994). Assessment of a positive selection technique using an avidin column to isolate human peripheral blood T cell subsets. Journal of Immunological Methods 175:247-257. L. Davis is supported in part by an NIH First Award.

 Rafii S; Shapiro F; Rimarachin J; Nachman RL; Ferris B; Weksler B; Moore MAS; Asch AS (7/1/94). Isolation and Characterization of Human Bone Marrow Microvascular Endothelial Cells: Hematopoietic Progenitor Cell Adhesion. <u>Blood</u> 84:1, 10-19. Supported by National Institutes of Health Grants No. NIH RO1-HL-44389, NIH KO8 HL02541, NIH P50-HL-18828, NIH RO1-DK-42693, NIH RO1-CA-59461, NIH RO1-HL-46546.

Li F; Linton GF; Sekhsaria S; Whiting-Theobald N; Katkin JP; Gallin JI; Malech HL (7/1/94). CD34+ Peripheral Blood Progenitors as a Target for Genetic Correction of the Two Flavocytochrome b₅₅₈ Defective Forms of Chronic Granulomatous Disease. <u>Blood</u> 84:1, 53-58.

Walsh CE; Grompe M; Vanin E; Buchwald M; Young NS; Nienhuis AW; Liu JM (7/15/94). A Functionally Active Retrovirus Vector for Gene Therapy in Fanconi Anemia Group C. <u>Blood</u> 84:2, 453-459.

14Akkina RK; Rosenblatt JD; Campbell AG; Chen ISY; Zack JA (9/1/94). Modeling
Human Lymphoid Precursor Cell Gene Therapy in the SCID-hu Mouse. Blood 84:5,
1393-1398. Supported in part by the UCLA Center for AIDS Research (NIH A128697).

 Ward M; Richardson C; Pioli P; Smith L; Podda S; Goff S; Hesdorffer C; Bank A
 (9/1/94). Transfer and Expression of the Human Multiple Drug Resistance Gene in
 Human CD34+ Cells. <u>Blood</u> 84:5, 1408-1414. Supported in part by Public Health
 Service Grants from the National Institutes of Health (DK-25274, HL-28381, and HL-48435).

- Goodman S; Xiao X; Donahue RE; Moulton A; Miller J; Walsh C; Young NS; Samulski
 RJ; Nienhuis AW (9/1/94). Recombinant Adeno-Associated Virus Mediated Gene
 Transfer Into Hematopoietic Progenitor Cells. <u>Blood</u> 84:5, 1492-1500.
- Bjorkstrand B; Gahrton G; Dilber MS; Ljungman P; Smith CIE; Xanthopoulos KG (10/94). Retroviral-Mediated Gene Transfer of CD34-Enriched Bone Marrow and Peripheral Blood Cells During Autologous Stem Cell Transplantation for Multiple Myeloma. <u>Human Gene Therapy</u> 5:1279-1286.

	Peripheral Blood of Normal Donors and Patients With Mastocytosis Originate From a CD34+/Fc _e RI [*] Cell Population. <u>Blood</u> 84:8, 2489-2496.
18	von Kalle C; Kiem HP; Goehle S; Darovsky B; Heimfeld S; Torok-Storb B; Storb R; Schuening FG (11/1/94). Increased Gene Transfer Into Human Hematopoietic Progenitor Cells by Extended In Vitro Exposure to a Pseudotyped Retroviral Vector. <u>Blood</u> 84:9, 2890-2897. Supported by Grant Nos. CA15704, CA18105, CA18221, CA31787, CA47748, DK42716, DK47754 and HL36444 awarded by the National Institute of Health, Departments of Health and Human Services.
19	Vescio RA; Hong CH; Cao J; Kim A; Schiller GJ; Lichtenstein AK; Berenson RJ; Berenson, JR (11/15/94). The Hematopoietic Stem Cell Antigen, CD34, Is Not Expressed on the Malignant Cells in Multiple Myeloma. <u>Blood</u> 84:10, 3283-3290. Supported by the Jonsson Comprehensive Cancer Center and VA MERIT funds.
37	Shapiro F; Yao TJ; Raptis G; Reich L; Norton L; Moore MAS (11/15/94). Optimization of Conditions for Ex Vivo Expansion of CD34+ Cells From Patients With Stage IV Breast Cancer. <u>Blood</u> 84:10, 3567-3574. <i>Supported in part by National Institutes of Health Grants No. HL-46546-04 and DK-42693-03.</i>
34	Liesveld JL; Frediani KE; Harbol AW; DiPersio JF; Abboud CN (12/94). Characterization of the Adherence of Normal and Leukemic CD34+ Cells to Endothelial Monolayers. <u>LEUKEMIA</u> 8:12, 2111-2117. <i>Supported by PHS Grants K11 HL-02385</i> , RO1 CA-61472 and RO3 CA-53352.
20	Durand B; Migliaccio G; Yee NS; Eddelman K; Huima-Byron T; Migliaccio AR; Adamson JW (12/1/94). Long-Term Generation of Human Mast Cells in Serum-Free Cultures of CD34+ Cord Blood Cells Stimulated With Stem Cell Factor and Interleukin- 3. <u>Blood</u> 84:11, 3667-3674 Supported by research Grant No. HL-46524 from the National Institutes of Health, Department of Health and Human Services.
21	Deisseroth AB; Kavanagh J; Champlin R (12/94). Use of Safety-Modified Retroviruses to Introduce Chemotherapy Resistance Sequences into Normal Hematopoietic Cells for Chemoprotection During the Therapy of Ovarian Cancer: A Pilot Trial. <u>Human Gene Therapy</u> 5:1507-1522.
22	Schuening F; Miller AD; Torok-Storb B; Bensinger W; Storb R; Reynolds T; Fisher L; Buckner CD; Appelbaum FR (12/94). Study on Contribution of Genetically Marked Peripheral Blood Repopulating Cells to Hematopoietic Reconstitution After Transplantation. <u>Human Gene Therapy</u> 5:1523-1534.
23	Qazilbash MH; Walsh CE; Russell SM; Noguchi M; Mann MM; Leonard WJ; Liu JM (1995). Retroviral Vector for Gene Therapy of X-Linked Severe Combined Immunodeficiency Syndrome. Journal of Hematotherapy 4:91-98.

Rottem M; Okada T; Goff JP; Metcalfe DD (10/15/94). Mast Cells Cultured from the

33

baxter/artilist.doc

24	Flasshove M; Banerjee D; Mineishi S; Li MX; Bertino JR; Moore MAS (1/15/95). Ex Vivo Expansion and Selection of Human CD34+ Peripheral Blood Progenitor Cells After Introduction of a Mutated Dihydrofolate Reductase cDNA via Retroviral Gene Transfer. <u>Blood</u> 85:2, 566-574. Supported by National Institutes of Health Grants No. R0-1 DK- 42693 and CA 59350 and Cancer Center Support Grant No. NCI-P30-CA08748.
32	Agarwal R; Doren S; Hicks B; Dunbar CE (3/1/95). Long-Term Culture of Chronic Myelogenous Leukemia Marrow Cells on Stem Cell Factor-Deficient Stroma Favors Benign Progenitors. <u>Blood</u> 85:5, 1306-1312.
25	Talpaz M; Kantarjian H; Liang J; Calvert L; Hamer J; Tibbits P; Durett A; Claxton D; Giralt S; Khouri I; Przepiorka D; Van Besien K; Andersson B; Mehra R; Gajewski J; Seong D; Hester J; Estey E; Korbling M; Pollicardo N; Berenson R; Heimfeld S; Champlin R; Deisseroth AB (6/1/95). Percentage of Philadelphia Chromosone (Ph)- Negative and Ph-Positive Cells Found After Autologous Transplantation for Chronic Myelogenous Leukemia Depends on Percentage of Diploid Cells Induced by Conventional-Dose Chemotherapy Before Collection of Autologous Cells. <u>Blood</u> 85:11, 3257-3263. Support in part by the National Cancer Institute of the National Institutes of Health (P01 CA49639).
26	Dunbar CE; Cottler-Fox M; O'Shaughnessy JA; Doren S; Carter C; Berenson R; Brown S; Moen RC; Greenblatt J; Stewart FM; Leitman SF; Wilson WH; Cowan K; Young NS; Nienhuis AW (6/1/95). Retrovirally Marked CD34-Enriched Peripheral Blood and Bone Marrow Cells Contribute to Long-Term Engraftment After Autologous Transplantation. <u>Blood</u> 85:11, 3048-3057.
41	Maciejewski J; Selleri C; Anderson S; Young NS (7/1/95). Fas Antigen Expression on CD34+ Human Marrow Cells Is Induced by Interferon γ and Tumor Necrosis Factor α and Potentiates Cytokine-Mediated Hematopoietic Suppression In Vitro. <u>Blood</u> 85:11, 3183-3190.
40 .	Schiller G; Vescio R; Freytes C; SpitzerG; Sahebi F; Lee M; Wu CH; Cao J; Lee JC; Hong CH; Lichtenstein A; Lill M; Hall J; Berenson R; Berenson J (7/1/95). Transplantation of CD34+ Peripheral Blood Progenitor Cells After High-Dose Chemotherapy for Patients With Advanced Multiple Myeloma. Blood 86:1, 390-397. Supported in part by Public Health Service Grant No. 5 MO1 RR00865-20.
42	Harrison GS; Wang Y; Tomczak J; Hogan C; Schpall EJ; Cureil TJ; Felgner PL (11/95). Optimization of Gene Transfer Using Cationic Lipids in Cell Lines and Primary Human CD4+ and CD34+ Hematopoietic Cells. <u>BioTechniques</u> 19:816-823. Supported by NIH Grants AI-27096 and AI-35231.
43	Sato T; Selleri C; Young NS; Maciejewski JP (11/1/95). Hematopoietic Inhibition by Interferon-γ Is Partially Mediated Through Interferon Regulatory Factor-1. <u>Blood</u> 85:9, 3373-3380.

,

baxter/artilist.doc

Nimgaonkar M; Mierski J; Beeler M; Kemp A; Lancia J; Mannion-Henderson J; Mohney T; Bahnson A; Rice E; Ball ED; Barranger JA (1995). Cytokine mobilization of peripheral blood stem cells in patients with Gaucher disease with a view to gene therapy. Experimental Hematology 23:1633-1641. Supported in part by grants from the National Institutes of Health: ROI-DK 43709; POI-DK 44935; ROI-DK45110, MOI-RR00084; MOI-RR00056.

28 Cottler-Fox M; Cipolone K; Yu M; Berenson R; O'Shaughnessy J; Dunbar C (1995). Positive Selection of CD34+ hematopoeitic cells using an immunoaffinity column results in T cell-depletion equivalent to elutriation. <u>Experimental Hematology</u> 23:320-322.

44 Taichman RS; Reilly MJ; Emerson SG (1/15/96). Human Osteoblasts Support Human Hematopoietic Progenitor Cells in In Vitro Bone Marrow Cultures. <u>Blood</u> 87:2, 518-524. Supported in part by National Institutes of Health Grants No. DE11283 and HL48896.

Verfaille CM; Bhatia R; Miller W; Mortari F; Roy V; Burger S; McCullough J;
Stieglbauer K; Dewald G; Heimfeld S; MillerJS; McGlave PB (6/1/96). BCR/ABLNegative Primitive Progenitors Suitable for Transplantation Can Be Selected From the
Marrow of Most Early-Chronic Phase But Not Accelerated Phase Chronic Myelogenous
Leukemia Patients. <u>Blood</u> 87:11, 4770-4779. Supported in part by National Institutes of
Health Grants No. RO1-HL-4993001, RO1-HL-5403901, RO1-CA-4581401, PO1-CA21737, and PO1-CA-65493.

Reese JS; Koc ON; Lee KM; Liu L; Allay JA; Phillips, Jr. WP; Gerson SL (11/96). Retroviral transduction of a mutant methylguanine DNA methyltransferase gene into human CD34 cells confers resistance to O⁶-benzylguanine plus 1,3-bis-(2-chloroethyl)-1nitrosourea. <u>Proc. Natl. Acad. Sci. USA</u> 93:14088-14093. Supported in part by Public Health Service Grants RO1ES06288, UO1CA75525, RO1CA63193, and P30CA43703.

baxter/artilist.doc

27

29

1 DS COPY + 1 Single-sided copy