


Number of New Mexico youth projected to die prematurely from their smoking: 33,367

Adult Tobacco Use in New Mexico

Current Cigarette Smoking Among Adults Aged 18 and Older, 1999



Youth Tobacco Use

GRADES 6-8		GRADES 9-12	
Current Cigarette Smoking	Current Any Tobacco Use	Current Cigarette Smoking	Current Any Tobacco Use
National* 9.2%	12.8%	28.5%	34.8%
NM†		30.1%	
Boys†	Data are not available	Data are not available	Data are not available
Girls†			

Current Cigarette Smoking = smoked cigarettes on ≥ 1 of the 30 days preceding the survey.
 Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on ≥ 1 of the 30 days preceding the survey.
 *Source: National Youth Tobacco Survey, 1999.
 †Source: New Mexico Youth Risk Behavior Survey, 1991.


Health Impact and Costs

AVERAGE ANNUAL DEATHS RELATED TO SMOKING, 1990-1994		AVERAGE ANNUAL YEARS OF POTENTIAL LIFE LOST,* 1990-1994	MEDICAL COSTS RELATED TO SMOKING, 1993	
Overall	1,871	24,569 years or an average of 13.1 years for each death due to smoking. *Calculated to life expectancy	Ambulatory	\$53,580,000
Men	1,198		Hospital	\$87,910,000
Women	673		Nursing Home†	\$48,410,000
Death Rate	289/100,000		Drug	\$17,180,000
Rank	5		Other	\$37,790,000
(No. 1 is lowest death rate)			Total	\$244,890,000

Smoking-attributable Medicaid expenditures, New Mexico, fiscal year 1993: \$48,314,000

†Preliminary estimates

Lung Cancer Death Rate*



*1997 deaths per 100,000 population, adjusted to the 1970 total U.S. population.



Scheduled 2001 settlement payment to New Mexico: \$41,291,995.30

Tobacco Control Funding, 2001

At 25% of the CDC Best Practices recommended lower estimate funding level, New Mexico ranks 32nd (No. 1 is the highest) for tobacco control funding. New Mexico ranks 5th (No. 1 is the lowest death rate) for average annual deaths related to smoking.

<i>FUNDING SOURCE</i>	<i>FY01 AMOUNT</i>	<i>FUNDING CYCLE</i>
State Appropriation—Settlement (Tobacco Only)	\$2,225,000	7/00–6/01
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$2,225,000	
Federal—CDC Office on Smoking and Health	\$1,181,300	6/00–5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$25,000	10/00–9/01
Non-Government Source—RWJF/AMA	n/a	
Subtotal: Federal/National Sources	\$1,206,300	
Total Per Capita Funding	\$3,431,300 \$1.89	

An additional \$2,500,000 was appropriated for research and clinical care programs in lung and tobacco related illnesses.

Funding as a Percentage of CDC Best Practices Recommendations

	<i>RECOMMENDED FOR TOTAL PROGRAM ANNUAL COST</i>	<i>RECOMMENDED PER CAPITA FUNDING LEVEL</i>	<i>PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS</i>
Lower Estimate	\$13,711,000	\$7.93	25%
Upper Estimate	\$31,947,000	\$18.47	11%

Excise Tax

Cigarette tax per pack Rank = 37 (No. 1 is highest tax)	21¢
Number of packages of cigarettes sold and taxed, per capita, 1999 Rank = 6 (No. 1 is lowest cigarette sales)	.59.7
Federal and state taxes as a percentage of retail price	16.1%
Annual gross tax revenue from cigarettes	\$21,688,579
Smokeless tobacco tax	.25% of product value