

TABLE 1

4 X 2 SPORT UTILITY, COMPACT, 2 DOOR, MIN 4,400 LBS GVWR

The sport utility vehicle specified shall be enclosed style passenger/cargo body with fixed or removable overhead/top. These vehicles shall be furnished with an integral windshield and doors with vertical opening windows and have a cab/body enclosure. The enclosure shall be of a hardtop type. Plastic tops may be suppliers standard color. The enclosure shall be provided with side and end panel windows. Tailgate/door lid shall have windowed end panel(s) and shall be supported with stays, when opened, or have side hinged opening door. A two to three passenger OEM, removable or foldaway type rear seat shall be furnished, w/the front seat(s) designed to permit easy ingress and egress for the rear seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 2

GSA COMPONENTS	GSA. MIN. REQ.	GM
BODY/CHASSIS		BLAZER
MFG. MODEL CODE		CS10516
PAYLOAD min. kg. (lbs.)	363 (800)	800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2000 (4400) / 2250 (5000)	4450
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	100	100
BATTERY min. (CCA)	525	525
FUEL		
FUEL CAPACITY min. Liters (gals.)	68 (18)	18
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Min.	comply
KEYED DOOR LOCKS	Min.	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & Multi speed w/ washer	comply
REAR DOOR TYPE	Mfg. std.	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
CRUISE CONTROL AND TILT STEERING	Req	comply
AIR CONDITIONING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpeting	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM w/Clock/CD	comply
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	2 - Individual	comply
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

TABLE 1 - CONTINUED

4 X 2 SPORT UTILITY, COMPACT, 2 DOOR, MIN 4,400 LBS GVWR

Item # 2

GSA COMPONENTS	GSA. MIN. REQ.	GM BLAZER
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
OUTSIDE SPARE TIRE	Req	comply
WHEEL DIAMETER	15 in.	15
TIRES	235/70R AS	comply
TOWING		
REAR BUMPER	Step type w/ RH2 provisions	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 1 - CONTINUED

4 X 2 SPORT UTILITY, COMPACT, 2 DOOR, MIN 4,400 LBS GVWR

Item # 2 - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		GM BLAZER
EH	ENGINE BLOCK HEATER	Stand Alone
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Stand Alone
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
DOORS AND WINDOWS		
RKE	REMOTE KEYLESS ENTRY	Stand Alone
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, SUB-COMPACT, 2 DOOR, MIN 4,000 LBS GVWR

The sport utility vehicle specified shall be enclosed style passenger/cargo body with fixed or removable overhead/top. These vehicles shall be furnished with an integral windshield and doors with vertical opening windows and have a cab/body enclosure. The enclosure shall be of a hardtop type. Plastic tops may be suppliers standard color. The enclosure shall be provided with side and end panel windows. Tailgate/door lid shall have windowed end panel(s) and shall be supported with stays, when opened, or have side hinged opening door. A two to three passenger OEM, removable or foldaway type rear seat shall be furnished, w/the front seat(s) designed to permit easy ingress and egress for the rear seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 5

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
BODY/CHASSIS		
MFG. MODEL CODE		TJH77
PAYLOAD min. kg. (lbs.)	278 (612)	800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2018 (4450)	4450
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 4.0	6/4.0
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	234	234
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 speed	4 speed
TRANSFER CASE	2 speed	2 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular /Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	117	117
BATTERY min. (CCA)	500	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	71 (19)	19
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
DOORS AND WINDOWS		
KEYED DOOR LOCKS	Min.	left and right
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Mfg. std.	Swing gate
INTERIOR		
AIR CONDITIONING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/clock/CD	am/fm/cd w/clock
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	Individual - 2	2 Individual
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, SUB-COMPACT, 2 DOOR, MIN 4,000 LBS GVWR

Item # 5

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
SUSPENSION		WRANGLER
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
OUTSIDE SPARE TIRE	Req	comply
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	15 in.	15
TIRES	P215/75R AT	P215/75R AT
TOWING		
FRONT TOW HOOKS	Req	comply
REAR BUMPER	Req	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, SUB-COMPACT, 2 DOOR, MIN 4,000 LBS GVWR

Item # 5 - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		DAIMLERCHRYSLER WRANGLER
EH	ENGINE BLOCK HEATER	Stand Alone
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Package
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Standard
EXTERIOR		
GTD	Soft Top	Stand Alone
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Stand Alone
INTERIOR		
CRTS	CRUISE CONTROL AND TILT STEERING	Package
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, SUB-COMPACT, 2 DOOR, MIN 4,000 LBS GVWR

The sport utility vehicle specified shall be enclosed style passenger/cargo body with fixed or removable overhead/top. These vehicles shall be furnished with an integral windshield and doors with vertical opening windows and have a cab/body enclosure. The enclosure shall be of a hardtop type. Plastic tops may be suppliers standard color. The enclosure shall be provided with side and end panel windows. Tailgate/door lid shall have windowed end panel(s) and shall be supported with stays, when opened, or have side hinged opening door. A two to three passenger OEM, removable or foldaway type rear seat shall be furnished, w/the front seat(s) designed to permit easy ingress and egress for the rear seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 5A

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER WRANGLER RUBICON
BODY/CHASSIS		
MFG. MODEL CODE		TJJS77
PAYLOAD min. kg. (lbs.)	278 (612)	800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2018 (4450)	4600
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 4.0	6/4.0
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	234	234
COOLING SYSTEM	HDA	comply
TRANSMISSION		
6-SPEED MANUAL TRANSMISSION	Req	6-speed
TRANSFER CASE	2 - speed	2 speed
DRIVE AXLE		
SPECIAL TRACTION DIFFERENTIAL	Req	comply
PRIMARY DRIVE AXLE	Rear	rear
DIFFERENTIAL TYPE/RATIO	Regular /Mfg. std.	4.11
ELECTRICAL		
ALTERNATOR min. (Amps)	117	117
BATTERY min. (CCA)	500	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	71 (19)	19
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
DOORS AND WINDOWS		
KEYED DOOR LOCKS	Min.	left and right
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Mfg. std.	swing gate
INTERIOR		
AIR CONDITIONING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/clock/CD	am/fm cd w/clock
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	Individual - 2	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	N/A
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, SUB-COMPACT, 2 DOOR, MIN 4,000 LBS GVWR

Item # 5A

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER WRANGLER RUBICON
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
OUTSIDE SPARE TIRE	Req	comply
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	15 in.	16
TIRES	P215/75R AT	LT245/75R O/O
TOWING		
FRONT TOW HOOKS	Req	comply
REAR BUMPER	Req	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, SUB-COMPACT, 2 DOOR, MIN 4,000 LBS GVWR

Item # 5A - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		DAIMLERCHRYSLER WRANGLER RUBICON
EH	ENGINE BLOCK HEATER	Stand Alone
TRANSMISSION		
T2	AUTOMATIC TRANSMISSION	Package
EXTERIOR		
GTD	Soft Top	Stand Alone
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Stand Alone
INTERIOR		
CRTS	CRUISE CONTROL AND TILT STEERING	Package
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, LONG WHEEL BASE, 2 DR, MIN 4600 LBS GVWR

The sport utility vehicle specified shall be enclosed style passenger/cargo body with fixed or removable overhead/top. These vehicles shall be furnished with an integral windshield and doors with vertical opening windows and have a cab/body enclosure. The enclosure shall be of a hardtop type. Plastic tops may be suppliers standard color. The enclosure shall be provided with side and end panel windows. Tailgate/door lid shall have windowed end panel(s) and shall be supported with stays, when opened, or have side hinged opening door. A two to three passenger OEM, removable or foldaway type rear seat shall be furnished, w/the front seat(s) designed to permit easy ingress and egress for the rear seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 5B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
BODY/CHASSIS		
MFG. MODEL CODE		TJH78
PAYLOAD min. kg. (lbs.)	278 (612)	750
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2018 (4450)	4600
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 4.0	6/4.0
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	234	235
COOLING SYSTEM	HDA	comply
TRANSMISSION		
6-SPEED MANUAL TRANSMISSION	Req	comply
TRANSFER CASE	2 - speed	2-SPEED
DRIVE AXLE		
SPECIAL TRACTION DIFFERENTIAL	Req	comply
PRIMARY DRIVE AXLE	Rear	comply
DIFFERENTIAL TYPE/RATIO	Regular /Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	117	117
BATTERY min. (CCA)	500	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	71 (19)	19
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
DOORS AND WINDOWS		
KEYED DOOR LOCKS	Min.	left and right
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Mfg. std.	SWING GATE
INTERIOR		
AIR CONDITIONING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/clock/CD	AM/FM w/clock/CD
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	Individual - 2	2-BUCKET
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	N/A comply comply

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, LONG WHEEL BASE, 2 DR, MIN 4600 LBS GVWR

Item # 5B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER WRANGLER UNLIMITED
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
OUTSIDE SPARE TIRE	Req	comply
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	15 in.	15
TIRES	P215/75R AT	30X9.5/R/AT
TOWING		
FRONT TOW HOOKS	Req	comply
REAR BUMPER	Req	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, LONG WHEEL BASE, 2 DR, MIN 4600 LBS GVWR

Item # 5B - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER WRANGLER UNLIMITED
ENGINE ACCESSORY OPTIONS		
EH	ENGINE BLOCK HEATER	Stand Alone
TRANSMISSION		
T2	AUTOMATIC TRANSMISSION	Package
EXTERIOR		
GTD	Soft Top	Stand Alone
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Stand Alone
INTERIOR		
CRTS	CRUISE CONTROL AND TILT STEERING	Package
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone
S=Standard	SA=Stand Alone	PKG=Package (includes, requires or excludes other options)
		NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, COMPACT, 2 DOOR, MIN 4,400 LBS GVWR

The sport utility vehicle specified shall be enclosed style passenger/cargo body with fixed or removable overhead/top. These vehicles shall be furnished with an integral windshield and doors with vertical opening windows and have a cab/body enclosure. The enclosure shall be of a hardtop type. Plastic tops may be suppliers standard color. The enclosure shall be provided with side and endpanel windows. Tailgate/door lid shall have windowed end panel(s) and shall be supported with stays, when opened, or have side hinged opening door. A two to three passenger OEM, removable or foldaway type rear seat shall be furnished, w/the front seat(s) designed to permit easy ingress and egress for the rear seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 6

GSA COMPONENTS	GSA. MIN. REQ.	GM BLAZER
BODY/CHASSIS		
MFG. MODEL CODE		CT10516
PAYLOAD min. kg. (lbs.)	363 (800)	800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2200 (4850) / 2250 (5000)	4850
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 speed	2-speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	100	100
BATTERY min. (CCA)	525	525
FUEL		
FUEL CAPACITY min. Liters (gals.)	72 (19)	19
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
SKID PLATE	Req	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Min.	comply
KEYED DOOR LOCKS	Min.	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Mfg. std.	liftgate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
CRUISE CONTROL AND TILT STEERING	Min.	comply
AIR CONDITIONING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpeting	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM w/Clock/CD	am/fm w/clock cd
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	2 - Individual	bucket

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, COMPACT, 2 DOOR, MIN 4,400 LBS GVWR

Item # 6

GSA COMPONENTS	GSA. MIN. REQ.	GM BLAZER
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
ALL TERRAIN TIRES OUTSIDE SPARE TIRE FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	Req Req OEM standard 15 in. 235/70R AT	comply comply automatic 15 P235/R/00
TOWING		
FRONT TOW HOOKS REAR BUMPER	Req Step type w/RH2 provisions	comply comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 1 - CONTINUED

4 X 4 SPORT UTILITY, COMPACT, 2 DOOR, MIN 4,400 LBS GVWR

Item # 6 - OPTIONAL EQUIPMENT

		GM BLAZER
ENGINE ACCESSORY OPTIONS		
EH	ENGINE BLOCK HEATER	Stand Alone
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	Stand Alone
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
DOORS AND WINDOWS		
RKE	REMOTE KEYLESS ENTRY	Stand Alone
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2**4 X 2 SUV, CROSSOVER, 4DR, 5 PASS,
MIN 5000 LBS GVWR**

The crossover vehicle specified shall be of the enclosed unitized or integral cab and body type, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The rear door shall be a liftgate type. The front seat for Item 91 shall be 2 individual bucket seats. The spare tire shall be provided inside the vehicle under a floor panel.

Item # 91

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
BODY/CHASSIS		PACIFICA	FREESTYLE	RENDEZVOUS
MFG. MODEL CODE		CSYH74	K01	4BK26
PAYLOAD min. kg. (lbs.)	473 (1043)	1200	1150	1050
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2267 (5000)	5700	5380	5000
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	6 / 3.0	6/3.8	6/3.0	6/3.4
HORSEPOWER (min)	200	215	200	203
TORQUE (ft.-lb.)	200	245	200	207
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4-Speed	4-Speed	CVT	6-Speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	Front	FRONT	Front	front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.68	5.19	3.29
ELECTRICAL				
ALTERNATOR min. (Amps)	100	140	145	100
BATTERY min. (CCA)	500	500	540	525
FUEL				
FUEL CAPACITY min. Liters (gals.)	68 (18)	23	19	18
EXTERIOR				
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply	comply
DOORS AND WINDOWS				
REMOTE KEYLESS ENTRY	Req	comply	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	OEM std.	Liftgate	Liftgate	Liftgate
POWER WINDOWS & DOOR LOCKS		comply	comply	comply
INTERIOR				
AIR CONDITIONING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
FLOOR				
FLOOR COVERING	Carpting	comply	comply	comply
FLOOR MATS	Req	front and rear	front only	front and rear
RADIO				
RADIO	AM/FM/clock/CD	AM/FM/clock/CD	AM/FM/clock/CD	AM/FM/Clock/CD
SEATS				
RECLINING BUCKET/CAPTAINS CHAIRS	Req	comply	comply	comply
SEATING CAPACITY min.	5 minimum	5	6	comply
FIRST ROW SEAT TYPE	2 - Individual	2-BUCKET	Bucket	comply
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, CROSSOVER, 4DR, 5 PASS, MIN 5000 LBS GVWR

Item # 91

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER PACIFICA	FORD FREESTYLE	GM RENDEZVOUS
BODY/CHASSIS				
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	15	17	17	16
TIRES	P235/R/AS	P235/R/AS	P225/R/AS	P215/70R
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, CROSSOVER, 4DR, 5 PASS, MIN 5000 LBS GVWR

Item # 91 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER PACIFICA	FORD FREESTYLE	GM RENDEZVOUS
ENGINE ACCESSORY OPTIONS				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
DRIVE AXLE				
ATC	TRACTION CONTROL-AUTOMATIC	Package	Stand Alone	Stand Alone
DOORS AND WINDOWS				
DTG	DARK TINTED GLASS	Standard	Standard	Standard
LIGHTS AND LIGHTING				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Standard
INTERIOR				
AC2	AUX. REAR AIR CONDITIONING	Package	Stand Alone	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Standard	Standard	Standard
SK	METRIC ODOMETER	N/A	Stand Alone	N/A
RADIO				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	N/A	Package
SEATING				
PWD	POWER DRIVER'S SEAT	Standard	Standard	Stand Alone
S6	6 PASSENGER SEATING	Package	Standard	Package
S7	7 PASSENGER SEATING	N/A	Stand Alone	Package
SAFETY				
SRO	OEM Reverse Obstacle Sensor	Package	Package	Package
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	Package	Stand Alone
DELIVERY				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, COMPACT, 4 DR, 5 PASS, MIN 4800 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 98 shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 98

GSA COMPONENTS	GSA. MIN. REQ.	FORD ESCAPE	GM EQUINOX
BODY/CHASSIS			
MFG. MODEL CODE		U03	1LF26
PAYLOAD min. kg. (lbs.)	408 (900)	1255	900
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2177 (4800) / 2359 (5200)	4880	5070
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6 / 3.0	6/3.0	6/3.4
HORSEPOWER (min)	185	200	185
TORQUE (ft.-lb.)	193	193	210
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	5 Speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Front / Rear	Front	Front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.93	2.7
ELECTRICAL			
ALTERNATOR min. (Amps)	80	110	80
BATTERY min. (CCA)	590	590	590
FUEL			
FUEL CAPACITY min. Liters (gals.)	60 (16)	16	17
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mounted foldway	comply	comply
DOORS AND WINDOWS			
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left and right	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washers	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	Liftgate	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
AIR CONDITIONING	Req.	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpeting	comply	comply
FLOOR MATS	Req	front and rear	front and rear
RADIO			
RADIO	AM/FM w/clock/CD	AM/FM/clock/CD	comply
SEATS			
SEATING CAPACITY min.	5	5	5
FIRST ROW SEAT TYPE	2 - Individual	Bucket	2 - Bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	16	16	16
TIRES	P235/R/AS	P235/R/AS	P235/65R/AS
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, COMPACT, 4 DR, 5 PASS, MIN 4800 LBS GVWR

Item # 98 - OPTIONAL EQUIPMENT

		FORD ESCAPE	GM EQUINOX
ENGINES			
E1	OEM APPLICABLE 4 CYLINDER ENGINE Eng-Cyl/HP/Torque	Package 4/2.3,153,152	N/A
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	Package	N/A
DRIVE AXLE			
ATC	TRACTION CONTROL-AUTOMATIC	N/A	Standard
EXTERIOR			
RB	RUNNING BOARDS	Stand Alone	N/A
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Stand Alone	Standard
INTERIOR			
CRTS	CRUISE CONTROL AND TILT STEERING	Package	Standard
SK	METRIC ODOMETER	Stand Alone	N/A
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	N/A
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

TABLE 2 - CONTINUED

4 X 2 SUV, COMPACT, 4 DR, 5 PASS, MIN 5,000 LBS GVWR, 6 CYL

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 100 shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 100

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER LIBERTY	GM BLAZER
BODY/CHASSIS			
MFG. MODEL CODE		KJTH74	CS10506
PAYLOAD min. kg. (lbs.)	473 (1043)	1043	1100
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2267 (5000) / 2426 (5350)	5350	5000
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6 / 3.7	6/3.7	6/4.3
HORSEPOWER (min)	190	210	190
TORQUE (ft.-lb.)	235	235	250
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	100	136	100
BATTERY min. (CCA)	525	600	525
FUEL			
FUEL CAPACITY min. Liters (gals.)	68 (18)	20.5	18
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	swing gate	tailgate w liftglass
INTERIOR			
AIR CONDITIONING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpting	comply	comply
FLOOR MATS	Req	front and rear	front and rear
RADIO			
RADIO	AM/FM/clock/CD	am/fm/cd w/clock	am/fm w/clock cd
SEATS			
RECLINING BUCKET/CAPTAINS CHAIRS	Req	comply	
SEATING CAPACITY min.	5 minimum	5	5
FIRST ROW SEAT TYPE	2 - Individual	Bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	15	16	15
TIRES	P235/R/AS	P235/R/AS	P235/R/AS

TABLE 2 - CONTINUED

4 X 2 SUV, COMPACT, 4 DR, 5 PASS, MIN 5,000 LBS GVWR, 6 CYL

Item # 100

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	GM
TOWING		LIBERTY	BLAZER
REAR BUMPER	Mfg Std w/ RH1	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, COMPACT, 4 DR, 5 PASS, MIN 5,000 LBS GVWR, 6 CYL

Item # 100 - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		DAIMLERCHRYSLER LIBERTY	GM BLAZER
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Standard
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Stand Alone	Standard
RKE	REMOTE KEYLESS ENTRY	Standard	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Standard	Standard
INTERIOR			
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Standard
SK	METRIC ODOMETER	Stand Alone	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Stand Alone	N/A
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV COMPACT, 4 DOOR, 5 PASS, MIN, 4800 LBS GVWR, HEV

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 98H shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 98H

GSA COMPONENTS	GSA. MIN. REQ.	FORD HYBRID ESCAPE
BODY/CHASSIS		
MFG. MODEL CODE		U95
PAYLOAD min. kg. (lbs.)	408 (900)	1255
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2177 (4800) / 2359 (5200)	4880
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	4 / 2.3	4/2.3
HORSEPOWER (min)	133	133
TORQUE (ft.-lb.)	125	125
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	6 - Speed	6 - Speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Front / Rear	Front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.04
ELECTRICAL		
ALTERNATOR min. (Amps)	110	110
BATTERY min. (CCA)	590	590
FUEL		
FUEL CAPACITY min. Liters (gals.)	60 (15)	15
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mounted foldway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Req.	comply
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left and right
REAR WINDOW ELECTRIC DEFROSTER	Req.	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washers	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	OEM std.	Liftgate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
CRUISE CONTROL AND TILT STEERING	Req.	comply
AIR CONDITIONING	Req.	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpeting	comply
FLOOR MATS	Req.	front only
RADIO		
RADIO	AM/FM w/clock/CD	AM/FM/Cassette/CD
SEATS		
SEATING CAPACITY min.	5	5
FIRST ROW SEAT TYPE	2 - Individual	Bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req.	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req.	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req.	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply

TABLE 2 - CONTINUED

4 X 2 SUV COMPACT, 4 DOOR, 5 PASS, MIN, 4800 LBS GVWR, HEV

Item # 98H

GSA COMPONENTS	GSA. MIN. REQ.	FORD
TIRES AND WHEELS		HYBRID ESCAPE
WHEEL DIAMETER	16	16
TIRES	P235/R/AS	P235/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 2 - CONTINUED

4 X 2 SUV COMPACT, 4 DOOR, 5 PASS, MIN, 4800 LBS GVWR, HEV

Item # 98H - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		FORD HYBRID ESCAPE
EH	ENGINE BLOCK HEATER	Stand Alone
INTERIOR		
SK	METRIC ODOMETER	Stand Alone
SAFETY		
SIAB	SIDE IMPACT AIR BAGS	Package
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR 5 PASS, MIN 5,550 GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 100A shall 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 100A

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPLORER	GM TRAILBLAZER
BODY/CHASSIS			
MFG. MODEL CODE		U62	CS15506
PAYLOAD min. kg. (lbs.)	544 (1200)	1,408	1200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2517 (5550) / 2743 (6050)	5,720	5550
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6 / 3.7	6/4.0	6/4.2
HORSEPOWER (min)	210	210	270
TORQUE (ft.-lb.)	235	254	275
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5-speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	150
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	68 (18)	22.5	22
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS	Min.	left and right	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	comply
POWER WINDOWS & DOOR LOCKS			liftgate w liftglass
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
AIR CONDITIONING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpeting	comply	comply
FLOOR MATS	Req	front and rear	front and rear
RADIO			
RADIO	AM/FM/CD w/clock	am/fm/cd/clock	am/fm w/clock cd
SEATS			
SEATING CAPACITY min.	5	5	5
FIRST ROW SEAT TYPE	2 - Individual	bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR 5 PASS, MIN 5,550 GVWR

Item # 100A

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPLORER	GM TRAILBLAZER
TIRES AND WHEELS			
WHEEL DIAMETER	16	16	16
TIRES	P235/R/AS	P235/R/AS	P245/R/AS
TOWING			
REAR BUMPER	Step Type w/RH3 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR 5 PASS, MIN 5,550 GVWR

Item # 100A OPTIONAL EQUIPMENT

		FORD EXPLORER	GM TRAILBLAZER
ALTERNATIVE FUEL ENGINES			
E85	ETHANOL FLEXIBLE FUEL	Standard	N/A
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
ATC	TRACTION CONTROL-AUTOMATIC	Stand Alone	Package
EXTERIOR			
RB	RUNNING BOARDS	Stand Alone	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Standard	Stand Alone
RKE	REMOTE KEYLESS ENTRY	Standard	Stand Alone
INTERIOR			
SK	METRIC ODOMETER	Stand Alone	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
SEATING			
S7	7 PASSENGER SEATING	Package	Stand Alone
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
LE OPTIONS			
RX2	ROOF WIRING, 2 WIRE WITHOUT HOLE	Stand Alone	N/A
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR 6 PASS, MIN 6,000 GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The spare tire shall be provided with a cover when mounted inside the body.

Item # 100B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER DURANGO	FORD EXPEDITION	GM TAHOE
BODY/CHASSIS				
MFG. MODEL CODE		HB1H74	U15	CC15706
PAYLOAD min. kg. (lbs.)	680 (1500)	1681	1,715	1500
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2947 (6500) / 3174 (7000)	6600	7,000	6500
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	8 / 4.7	8/4.7	8/5.4	8/4.8
HORSEPOWER (min)	230	230	301	275
TORQUE (ft.-lb.)	290	290	365	290
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - Speed	5-speed	4 speed	4 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	Rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.31	3.42
ELECTRICAL				
ALTERNATOR min. (Amps)	130	160	130	130
BATTERY min. (CCA)	600	750	650	600
FUEL				
FUEL CAPACITY min. Liters (gals.)	98 (26)	27	28	26
EXTERIOR				
RUNNING BOARDS	Min.	comply	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply	comply
DOORS AND WINDOWS				
DARK TINTED GLASS	Req	comply	comply	comply
REMOTE KEYLESS ENTRY	Min.	comply	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	liftgate	liftgate w liftglass
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear	front and rear
INTERIOR				
CRUISE CONTROL AND TILT STEERING	Req	comply	comply	comply
AIR CONDITIONING	Front and Rear	comply	comply	Front and Rear
UPHOLSTERY	Cloth	comply	cloth	comply
FLOOR				
FLOOR COVERING	Carpeting	comply	comply	comply
FLOOR MATS	Req	front and rear	front and rear	front and rear
RADIO				
RADIO	AM/FM/CD w/clock	AM/FM/CD W/CLOCK	am/fm-cass/cd/clock	am/fm w/clock cd/cass
SEATS				
SEATING CAPACITY min.	6	7	6	6
FIRST ROW SEAT TYPE	Mfg's Std	2-bucket	comply	comply
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR 6 PASS, MIN 6,000 GVWR

Item # 100B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER DURANGO	FORD EXPEDITION	GM TAHOE
SEATS (CONTINUED)				
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	omply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	omply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	16	17	17	16
TIRES	P245/R/AS	P245/R00	P265/R/AS	P265/R/AS
TOWING				
REAR BUMPER	Step type w/RH2 provisions	comply	comply	comply
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR 6 PASS, MIN 6,000 GVWR

Item # 100B - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		DURANGO	EXPEDITION	TAHOE
ENGINES				
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Package 8/5.7,335,370	Standard 8/5.4,301,365	Stand Alone 8/5.3,285,325
ALTERNATIVE FUEL ENGINES				
E85	ETHANOL FLEXIBLE FUEL	N/A	N/A	Package
ENGINE ACCESSORY OPTIONS				
OLS	Oil Life System	N/A	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
DRIVE AXLE				
AVSC	AUTOMATIC VEHICLE STABILITY CONTROL	N/A	Package	Package
D3	SPECIAL TRACTION DIFFERENTIAL	N/A	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	N/A	Stand Alone
PAINT				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Stand Alone
INTERIOR				
AP	ADJUSTABLE OPERATING PEDALS	Package	Stand Alone	Package
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
RADIO				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	N/A	Standard	Standard
SEATING				
S5	5 PASSENGER SEATING	Package	Stand Alone	Stand Alone
S7	7 PASSENGER SEATING	Standard	Stand Alone	N/A
S8	8 PASSENGER SEATING	N/A	Stand Alone	Stand Alone
S9	9 PASSENGER SEATING	N/A	Standard	Stand Alone
SAFETY				
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A	Stand Alone
RECEIVER HITCH				
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Standard	Stand Alone
DELIVERY				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ SPECIAL SVC PKG

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for items 100C, 101C, 102C, 105C, 106C & 108C shall be two bucket seats. The OEM console between the front seats shall be removed. The spare tire shall be provided with a cover when mounted inside the body.

Item # 100C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPEDITION	GM TAHOE
BODY/CHASSIS			
MFG. MODEL CODE		U15	CC15706
PAYLOAD min. kg. (lbs.)	748 (1650)	1,715	1650
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2947 (6500) / 3174 (7000)	7000	6500
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/5.4	8/4.8
HORSEPOWER (min)	275	301	275
TORQUE (ft.-lb.)	290	365	290
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.31	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	98 (26)	28	26
EXTERIOR			
RUNNING BOARDS	Min.	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
DOORS AND WINDOWS			
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	lift gate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
VINYL UPHOSTERY, REAR SEATS ONLY	Req	comply	comply
AIR CONDITIONING	Req	comply	front and rear
UPHOLSTERY	Cloth Front	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/clock	am/fm-cass/cd/clock	am/fm w clock
SEATS			
SEATING CAPACITY min.	5	5	5
FIRST ROW SEAT TYPE	Bucket	bucket	comply
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ SPECIAL SVC PKG

Item # 100C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPEDITION	GM TAHOE
TIRES AND WHEELS			
WHEEL DIAMETER	16	17	16
TIRES	P245/R/AS	P265/R/AS	P245/75R
TOWING			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ SPECIAL SVC PKG

Item # 100C - OPTIONAL EQUIPMENT

		FORD EXPEDITION	GM TAHOE
ENGINES			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Standard 8/5.4,301,365	Stand Alone 8/5.3,285,325
ALTERNATIVE FUEL ENGINES			
E85	ETHANOL FLEXIBLE FUEL	N/A	Package
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Package
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Standard	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
EXTERIOR			
DRB	DELETE RUNNING BOARDS	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Standard	Stand Alone
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	Stand Alone
OEMC	FURNISH OEM CONSOLE	N/A	Package
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VJ	VINYL UPHOLSTERY, FRONT AND REAR	N/A	Package
CJ	CLOTH UPHOLSTERY	Package	Package
FLOOR			
CM	CARPETED FLOOR COVERING	N/A	Package
MF	FLOOR MATS	N/A	Package
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Standard	Package
SEATING			
S6	6 PASSENGER SEATING	Stand Alone	Stand Alone
S8	8 PASSENGER SEATING	Package	Stand Alone
S9	9 PASSENGER SEATING	Package	Package
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
RECEIVER HITCH			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, POLICE USE, 4 DR, 5 PASS, MIN 5,000 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 100L shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 100L

GSA COMPONENTS	GSA. MIN. REQ.	GM TAHOE
BODY/CHASSIS		
MFG. MODEL CODE		CS15706
PAYLOAD min. kg. (lbs.)	630 (1390)	1393
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2903 (6400)	6400
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/5.3
HORSEPOWER (min)	232	295
TORQUE (ft.-lb.)	290	330
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 SPEED
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	REAR
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	130	160
BATTERY min. (CCA)	600	770
FUEL		
FUEL CAPACITY min. Liters (gals.)	98 (26)	26
EXTERIOR		
RUNNING BOARDS	Min.	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
SKID PLATE		comply
DOORS AND WINDOWS		
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	OEM std.	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
CRUISE CONTROL AND TILT STEERING	Req	comply
VINYL UPHOSTERY, REAR SEATS ONLY	Req	comply
AIR CONDITIONING	Req	FRONT & REAR
UPHOLSTERY	Cloth Front	comply
FLOOR		
FLOOR COVERING	Vinyl	comply
RADIO		
RADIO	AM/FM w/clock	comply
SEATS		
SEATING CAPACITY min.	5	comply
FIRST ROW SEAT TYPE	Bucket	comply
SAFETY		
SIDE IMPACT AIR BAGS	Req	comply
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

TABLE 2 - CONTINUED

4 X 2 SUV, POLICE USE, 4 DR, 5 PASS, MIN 5,000 LBS GVWR

Item # 100L

GSA COMPONENTS	GSA. MIN. REQ.	GM
SUSPENSION		TAHOE
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	16	16
TIRES	P245/R/AS	P255/75R/H POLICE
TOWING		
FRONT TOW HOOKS	Min.	comply
REAR BUMPER	Step type w/RH2 provisions	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 2 - CONTINUED

4 X 2 SUV, POLICE USE, 4 DR, 5 PASS, MIN 5,000 LBS GVWR

Item # 100L - OPTIONAL EQUIPMENT

		GM TAHOE
ALTERNATIVE FUEL ENGINES		
E85	ETHANOL FLEXIBLE FUEL	Standard
ENGINE ACCESSORY OPTIONS		
OLS	Oil Life System	Standard
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
EXTERIOR		
DRB	DELETE RUNNING BOARDS	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Stand Alone
RDI	REAR DOOR LOCKS AND WINDOWS INOPERA	Stand Alone
KA	SAME KEY ON ORDER	Stand Alone
LIGHTS AND LIGHTING		
DDRL	DELETE DAYTIME RUNNING LIGHTS	Stand Alone
SL2	DUAL SPOTLIGHTS	Package
SL	SPOTLIGHT	Stand Alone
FLOOR		
CM	CARPETED FLOOR COVERING	N/A
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
LE OPTIONS		
RX2	ROOF WIRING, 2 WIRE WITHOUT HOLE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ 8 CYL ENGINE

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 100D shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 100D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER GRAND CHEROKEE	FORD EXPLORER	GM EXTENDED TRAILBLAZER
BODY/CHASSIS				
MFG. MODEL CODE		WKTH74	U63	CS15806
PAYLOAD min. kg. (lbs.)	454 (1000)	1555	1408	1,400
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2359 (5200)	5850	5720	6200
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.7	8/4.6	8/5.3
HORSEPOWER (min)	230	230	235	290
TORQUE (ft.-lb.)	282	290	282	325
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - Speed	5 - speed	4 speed	4 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	Rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.55	3.42
ELECTRICAL				
ALTERNATOR min. (Amps)	130	160	130	150
BATTERY min. (CCA)	600	730	650	600
FUEL				
FUEL CAPACITY min. Liters (gals.)	78 (20.5)	20.8	22.5	25
EXTERIOR				
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply	comply
DOORS AND WINDOWS				
DARK TINTED GLASS	Req	comply	comply	comply
KEYED DOOR LOCKS	Min.	left only	left and right	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	liftgate	liftgate
POWER WINDOWS & DOOR LOCKS	Req	comply	comply	comply
INTERIOR				
AIR CONDITIONING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
FLOOR				
FLOOR COVERING	Carpeting	comply	comply	comply
FLOOR MATS	Req	front and rear	front and rear	front and rear
RADIO				
RADIO	AM/FM/CD w/clock	am/fm cd w/clock	am/fm/cd/clock	comply
SEATS				
RECLINING BUCKET/CAPTAINS CHAIRS	Req	comply	comply	comply
SEATING CAPACITY min.	5 minimum	comply	5	7
FIRST ROW SEAT TYPE	2 - Individual	2 - bucket	bucket	2- bucket
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ 8 CYL ENGINE

Item # 100D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER GRAND CHEROKEE	FORD EXPLORER	GM EXTENDED TRAILBLAZER
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	16	17	16	17
TIRES	P235/R/AS	P235/R/AS	P235/R/AS	P245/R/00
TOWING				
REAR BUMPER	Mfg Std w/ RH2	comply	comply	comply
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ 8 CYL ENGINE

Item # 100D - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		GRAND CHEROKEE	EXPLORER	EXTENDED TRAILBLAZER
ENGINES				
VDD	VARIABLE DISPLACEMENT ON DEMAND	N/A	N/A	Standard
ENGINE ACCESSORY OPTIONS				
OLS	Oil Life System	N/A	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
DRIVE AXLE				
D3	SPECIAL TRACTION DIFFERENTIAL	N/A	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	N/A	Stand Alone
EXTERIOR				
RB	RUNNING BOARDS	N/A	Package	Stand Alone
DOORS AND WINDOWS				
RKE	REMOTE KEYLESS ENTRY	Standard	Standard	Stand Alone
INTERIOR				
AC2	AUX. REAR AIR CONDITIONING	N/A	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Standard	Standard	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
RADIO				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	N/A	Package	Package
SEATING				
S7	7 PASSENGER SEATING	N/A	Package	Standard
SAFETY				
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A	Stand Alone
TIRES AND WHEELS				
AT	ALL TERRAIN TIRES	Standard	Stand Alone	Standard
RECEIVER HITCH				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Stand Alone	Standard
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone	Standard
DELIVERY				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 9 PASS MIN 6,600 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 101, 102, 106 and 108 shall be a 3-passenger bench or split seat. The spare tire shall be provided with a cover when mounted inside the body.

Item # 101

GSA COMPONENTS	GSA. MIN. REQ.	GM
BODY/CHASSIS		
MFG. MODEL CODE		CC15906
PAYLOAD min. kg. (lbs.)	816 (1800)	1800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3174 (7000)	7000
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.3
HORSEPOWER (min)	285	285
TORQUE (ft.-lb.)	325	325
COOLING SYSTEM	HDA	comply
ENGINE ACCESSORY OPTIONS		
Oil Life System	Min.	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 Speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	130	130
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	123 (32)	32.5
EXTERIOR		
RUNNING BOARDS	Req	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Min.	comply
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	OEM std.	LIFTGATE
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
AUXILIARY HEATER	Min.	comply
CRUISE CONTROL AND TILT STEERING	Req	comply
AIR CONDITIONING	Dual air conditioning	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpeting	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM w/clock/CD	am/fm/cass/cd/clock
SEATS		
SEATING CAPACITY min.	9	9
FIRST ROW SEAT TYPE	Bench - split	Split

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 9 PASS MIN 6,600 LBS GVWR

Item # 101

GSA COMPONENTS	GSA. MIN. REQ.	GM
SAFETY		1500 SUBURBAN
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER TIRES	16 P265/R/AS	16 P265/R/AS
TOWING		
REAR BUMPER	Step type w/RH2 provisions	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 9 PASS MIN 6,600 LBS GVWR

Item # 101 - OPTIONAL EQUIPMENT

		GM
ALTERNATIVE FUEL ENGINES		1500 SUBURBAN
E85	ETHANOL FLEXIBLE FUEL	Stand Alone
ENGINE ACCESSORY OPTIONS		
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
AVSC	AUTOMATIC VEHICLE STABILITY CONTROL	Package
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone
EXTERIOR		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone
SK	METRIC ODOMETER	Stand Alone
SEATS		
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone
SEATING		
S8	8 PASSENGER SEATING	Stand Alone
SAFETY		
SIAB	SIDE IMPACT AIR BAGS	Stand Alone
TOWING		
FTH	FRONT TOW HOOKS	Stand Alone
RECEIVER HITCH		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seats(s) with backs for driver and passengers. The front seat for Item 100C, 101C, 102C, 105C, 106C, and 108C shall be two bucket seats. The OEM console between the front seats shall be removed. The spare tire shall be provided with a cover when mounted inside the body.

Item # 101C

GSA COMPONENTS	GSA. MIN. REQ.	GM
BODY/CHASSIS		
MFG. MODEL CODE		CC15906
PAYLOAD min. kg. (lbs.)	816 (1800)	1800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3174 (7000)	7000
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.3
HORSEPOWER (min)	285	285
TORQUE (ft.-lb.)	325	325
COOLING SYSTEM	HDA	comply
ENGINE ACCESSORY OPTIONS		
Oil Life System	Min.	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 Speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	130	130
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	123 (32)	32.5
EXTERIOR		
RUNNING BOARDS	Req	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
DOORS AND WINDOWS		
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	OEM std.	LIFTGATE
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
AUXILIARY HEATER	Min.	comply
CRUISE CONTROL AND TILT STEERING	Req	comply
VINYL UPHOSTERY, REAR SEATS ONLY	Req	comply
AIR CONDITIONING	Dual air conditioning	comply
UPHOLSTERY	Cloth Front	comply
FLOOR		
FLOOR COVERING	Vinyl	comply
RADIO		
RADIO	AM/FM w/clock	AM/FM w clock
SEATS		
SEATING CAPACITY min.	8	8
FIRST ROW SEAT TYPE	Bucket	comply

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 101C

GSA COMPONENTS	GSA. MIN. REQ.	GM
SAFETY		1500 SUBURBAN
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER TIRES	16 P265/R/AS	16 P265/R/AS
TOWING		
REAR BUMPER	Step type w/RH2 provisions	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 101C - OPTIONAL EQUIPMENT

		GM
		1500 SUBURBAN
ALTERNATIVE FUEL ENGINES		
E85	ETHANOL FLEXIBLE FUEL	Stand Alone
ENGINE ACCESSORY OPTIONS		
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone
EXTERIOR		
DRB	DELETE RUNNING BOARDS	Stand Alone
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Stand Alone
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone
OEMC	FURNISH OEM CONSOLE	Stand Alone
SK	METRIC ODOMETER	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
CJ	CLOTH UPHOLSTERY	Stand Alone
FLOOR		
CM	CARPETED FLOOR COVERING	Stand Alone
MF	FLOOR MATS	Package
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package
SEATING		
S5	5 PASSENGER SEATING	Stand Alone
S6	6 PASSENGER SEATING	Stand Alone
S9	9 PASSENGER SEATING	Stand Alone
SAFETY		
SIAB	SIDE IMPACT AIR BAGS	Stand Alone
TOWING		
FTH	FRONT TOW HOOKS	Stand Alone
RECEIVER HITCH		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
LE OPTIONS		
RX2	ROOF WIRING, 2 WIRE WITHOUT HOLE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 9 PASS MIN 8,600 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 101, 102, 106 and 108 shall be a 3-passenger bench or split seat. The spare tire shall be provided with a cover when mounted inside the body.

Item # 102

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
BODY/CHASSIS			
MFG. MODEL CODE		U40	CC25906
PAYLOAD min. kg. (lbs.)	874 (1927)	1,927	2800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8,600) / 4308 (9500)	8,600	8600
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	10/6.8	8/6.0
HORSEPOWER (min)	310	310	320
TORQUE (ft.-lb.)	365	425	365
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	141 (37)	44	37
EXTERIOR			
RUNNING BOARDS	min.	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
DOORS AND WINDOWS			
DARK TINTED GLASS	Req	comply	comply
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std. or Panel if option	liftgate & cargo	liftgate w liftglass
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
AIR CONDITIONING	Dual air conditioning	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpeting	comply	comply
FLOOR MATS	Req	front and rear	front and rear
RADIO			
RADIO	AM/FM w/clock/CD	am/fm-cass/cd/clock	am/fm w/clock cd & cas
SEATS			
SEATING CAPACITY min.	9	9	9
FIRST ROW SEAT TYPE	Bench - split	comply	comply
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 9 PASS MIN 8,600 LBS GVWR

Item # 102

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AS	LT265/R/AS	LT245/R/AS
TOWING			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 9 PASS MIN 8,600 LBS GVWR

Item # 102 - OPTIONAL EQUIPMENT

		FORD	GM
ENGINES		EXCURSION	2500 SUBURBAN
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Standard 10/6.8,310,425	Stand Alone 8/8.1,320,440
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,560	N/A
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
EXTERIOR			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
SEATS			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone
SEATING			
S5	5 PASSENGER SEATING	Package	N/A
S6	6 PASSENGER SEATING	Stand Alone	N/A
S8	8 PASSENGER SEATING	Package	Stand Alone
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
RECEIVER HITCH			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 100C, 101C, 102C, 105C, 106C, and 108C shall be two bucket seats. The OEM console between the front seats shall be removed. The spare tire shall be provided with a cover when mounted inside the body.

Item # 102C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
BODY/CHASSIS			
MFG. MODEL CODE		U40	CC25906
PAYLOAD min. kg. (lbs.)	874 (1927)	1,927	2800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8,600) / 4308 (9500)	8,600	8600
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	10/6.8	8/6.0
HORSEPOWER (min)	310	310	320
TORQUE (ft.-lb.)	360	425	360
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4-Speed	4-Speed	4-Speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	121 (32)	44	32
EXTERIOR			
RUNNING BOARDS	Min.	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
DOORS AND WINDOWS			
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std. or Panel if option	liftgate	lift gate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
VINYL UPHOSTERY, REAR SEATS ONLY	Req	comply	comply
AIR CONDITIONING	Dual air conditioning	comply	comply
UPHOLSTERY	Cloth Front	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/clock	AM/FM-cass/cd/clock	AM/FM w clock
SEATS			
SEATING CAPACITY min.	8	8	8
FIRST ROW SEAT TYPE	Bucket	comply	comply
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 102C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AS	LT265/R/AS	LT245/R/AS
TOWING			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 2 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 102C - OPTIONAL EQUIPMENT

		FORD EXCURSION	GM 2500 SUBURBAN
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Standard 10/6.8,305,425	Stand Alone 8/8.1,320,440
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,560	N/A
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
EXTERIOR			
DRB	DELETE RUNNING BOARDS	N/A	Stand Alone
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Stand Alone	Stand Alone
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	Stand Alone
OEMC	FURNISH OEM CONSOLE	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	N/A	Stand Alone
CU	CLOTH UPHOLSTERY	Stand Alone	Standard
FLOOR			
CM	CARPETED FLOOR COVERING	N/A	Stand Alone
MF	FLOOR MATS	Standard	Package
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Standard	Package
SEATING			
S5	5 PASSENGER SEATING	Stand Alone	Stand Alone
S6	6 PASSENGER SEATING	Stand Alone	Stand Alone
S9	9 PASSENGER SEATING	Package	Stand Alone
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
RECEIVER HITCH			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, CROSSOVER, 4DR, 5 PASS, MIN 5000 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 96 shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 96

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
BODY/CHASSIS		PACIFICA	FREESTYLE	RENDEZVOUS
MFG. MODEL CODE		CSCH74	K04	4BT26
PAYLOAD min. kg. (lbs.)	449 (989)	1100	1150	1000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2267 (5000)	5800	5380	5000
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	6 / 3.0	6/3.5	6/3.0	6/3.4
HORSEPOWER (min)	185	250	203	185
TORQUE (ft.-lb.)	200	250	207	210
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	Mfg Std	comply	CVT	4 SPEED
DRIVE AXLE				
OEM ALL WHEEL DRIVE	Req	comply	comply	comply
PRIMARY DRIVE AXLE	Front	AWD	Front	AWD
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.95	5.54	3.69
ELECTRICAL				
ALTERNATOR min. (Amps)	100	160	145	100
BATTERY min. (CCA)	500	500	540	525
FUEL				
FUEL CAPACITY min. Liters (gals.)	68 (18)	23	19	18
EXTERIOR				
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply	comply
SKID PLATE	Req	N/A	Not Available	NA
DOORS AND WINDOWS				
REMOTE KEYLESS ENTRY	Req	comply	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	OEM std.	Liftgate	Liftgate	comply
POWER WINDOWS & DOOR LOCKS	Req	comply	comply	comply
INTERIOR				
AIR CONDITIONING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
FLOOR				
FLOOR COVERING	Carpeting	comply	comply	comply
FLOOR MATS	Req	front and rear	front and rear	front and rear
RADIO				
RADIO	AM/FM/clock/CD	AM/FM/clock/CD	AM/FM/clock/CD	comply
SEATS				
SEATING CAPACITY min.	5	5	6	comply
FIRST ROW SEAT TYPE	2 - Individual	2-BUCKET	Bucket	comply
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, CROSSOVER, 4DR, 5 PASS, MIN 5000 LBS GVWR

Item # 96

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER PACIFICA	FORD FREESTYLE	GM RENDEZVOUS
SAFETY (CONTINUED)				
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic	automatic
WHEEL DIAMETER	15	17	17	16
TIRES	P235/R/AT	P/235/R/AS	P215/R/AS	P215/70R/AS
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, CROSSOVER, 4DR, 5 PASS, MIN 5000 LBS GVWR

Item # 96 - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		DAIMLERCHRYSLER PACIFICA	FORD FREESTYLE	GM RENDEZVOUS
OLS	Oil Life System	N/A	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
DRIVE AXLE				
ATC	TRACTION CONTROL-AUTOMATIC	N/A	Stand Alone	N/A
DOORS AND WINDOWS				
DTG	DARK TINTED GLASS	Standard	Standard	Standard
LIGHTS AND LIGHTING				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Standard
INTERIOR				
AC2	AUX. REAR AIR CONDITIONING	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Standard	Standard	Standard
SK	METRIC ODOMETER	N/A	Stand Alone	N/A
RADIO				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	N/A	Package
SEATING				
PWD	POWER DRIVER'S SEAT	Standard	Standard	Stand Alone
S6	6 PASSENGER SEATING	Package	Standard	Package
S7	7 PASSENGER SEATING	N/A	N/A	Package
SAFETY				
SRO	OEM Reverse Obstacle Sensor	Package	Package	Package
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	Package	Stand Alone
DELIVERY				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, COMPACT, 4 DR, 5 PASS, MIN 4500 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 99 shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 99

GSA COMPONENTS	GSA. MIN. REQ.	FORD ESCAPE	GM EQUINOX AWD
BODY/CHASSIS			
MFG. MODEL CODE		U93	1LG26
PAYLOAD min. kg. (lbs.)	408 (900)	1230	1000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2041 (4500) / 2359 (5200)	4520	5070
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6 / 3.0	6/3.0	6/3.4
HORSEPOWER (min)	185	200	185
TORQUE (ft.-lb.)	193	193	210
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	5 SPEED
DRIVE AXLE			
PRIMARY DRIVE AXLE	Front / Rear	Front	AWD
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.93	2.7
ELECTRICAL			
ALTERNATOR min. (Amps)	80	110	80
BATTERY min. (CCA)	590	590	590
FUEL			
FUEL CAPACITY min. Liters (gals.)	60 (16)	16	17
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mounted foldway	comply	comply
SKID PLATE	Req	Not Available	Not Available
DOORS AND WINDOWS			
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left and right	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washers	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	Liftgate	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
AIR CONDITIONING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpeting	comply	comply
FLOOR MATS	Req	front only	front and rear
RADIO			
RADIO	AM/FM w/clock/CD	AM/FM/clock/CD	AM/FM/clock/CD
SEATS			
SEATING CAPACITY min.	5	5	comply
FIRST ROW SEAT TYPE	2 - Individual	Bucket	comply
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, COMPACT, 4 DR, 5 PASS, MIN 4500 LBS GVWR

Item # 99

GSA COMPONENTS	GSA. MIN. REQ.	FORD ESCAPE	GM EQUINOX AWD
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic
WHEEL DIAMETER	16	16	16
TIRES	P235/R/AS	P235/R/AT	P235/65R/AS
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, COMPACT, 4 DR, 5 PASS, MIN 4500 LBS GVWR

Item # 99 - OPTIONAL EQUIPMENT

		FORD ESCAPE	GM EQUINOX AWD
ENGINES			
E1	OEM APPLICABLE 4 CYLINDER ENGINE Eng-Cyl/HP/Torque	Package 4/2,3,153,152	N/A
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D7	TOWING/MOUNTAIN RATIO	N/A	N/A
EXTERIOR			
RB	RUNNING BOARDS	Stand Alone	N/A
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Stand Alone	Standard
INTERIOR			
CRTS	CRUISE CONTROL AND TILT STEERING	Package	Standard
SK	METRIC ODOMETER	Stand Alone	N/A
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	N/A
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	Stand Alone
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Stand Alone	N/A
TOWING			
FTH	FRONT TOW HOOKS	N/A	N/A
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV COMPACT, 4 DOOR, 5 PASS, MIN, 4800 LBS GVWR, HEV

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 99H shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 99H

GSA COMPONENTS	GSA. MIN. REQ.	FORD HYBRID ESCAPE
BODY/CHASSIS		
MFG. MODEL CODE		U95
PAYLOAD min. kg. (lbs.)	408 (900)	1255
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2177 (4800) / 2359 (5200)	4880
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	4/2.3	4/2.3
HORSEPOWER (min)	133	133
TORQUE (ft.-lb.)	125	125
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Front / Rear	Front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.04
ELECTRICAL		
ALTERNATOR min. (Amps)	110	110
BATTERY min. (CCA)	590	590
FUEL		
FUEL CAPACITY min. Liters (gals.)	56 (15)	15
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mounted foldway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Req	comply
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left and right
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washers	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	OEM std.	Liftgate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
CRUISE CONTROL AND TILT STEERING	Req	comply
AIR CONDITIONING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpeting	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/clock/CD	AM/FM/Cassette/CD
SEATS		
SEATING CAPACITY min.	5	5
FIRST ROW SEAT TYPE	2 - Individual	Bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

TABLE 2 - CONTINUED

4 X 4 SUV COMPACT, 4 DOOR, 5 PASS, MIN, 4800 LBS GVWR, HEV

Item # 99H

GSA COMPONENTS	GSA. MIN. REQ.	FORD
SUSPENSION		HYBRID ESCAPE
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OEM std.	automatic
WHEEL DIAMETER	16	16
TIRES	P235/R/AS	P235/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 2 - CONTINUED

4 X 4 SUV COMPACT, 4 DOOR, 5 PASS, MIN, 4800 LBS GVWR, HEV

Item # 99H - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		FORD HYBRID ESCAPE
EH	ENGINE BLOCK HEATER	Stand Alone
EXTERIOR		
SP	SKID PLATE	N/A
INTERIOR		
SK	METRIC ODOMETER	Stand Alone
SAFETY		
SIAB	SIDE IMPACT AIR BAGS	Package
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, COMPACT, 4 DR, 5 PASS, MIN 5,000 LBS GVWR, 6 CYL

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 105 shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 105

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER LIBERTY	GM BLAZER
BODY/CHASSIS			
MFG. MODEL CODE		KJH74	CT10506
PAYLOAD min. kg. (lbs.)	449 (989)	989	1200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	-5300	5600	5350
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6 / 3.7	6/3.7	6/4.3
HORSEPOWER (min)	190	210	190
TORQUE (ft.-lb.)	235	235	250
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	100	136	100
BATTERY min. (CCA)	525	600	525
FUEL			
FUEL CAPACITY min. Liters (gals.)	68 (18)	20.5	18
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
SKID PLATE	Req	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	swing gate	tailgate w liftglass
INTERIOR			
AIR CONDITIONING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpeting	comply	comply
FLOOR MATS	Req	front and rear	front and rear
RADIO			
RADIO	AM/FM/clock/CD	am/fm/cd w/clock	am/fm w/clock cd
SEATS			
SEATING CAPACITY min.	5	5	5
FIRST ROW SEAT TYPE	2 - Individual	Bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, COMPACT, 4 DR, 5 PASS, MIN 5,000 LBS GVWR, 6 CYL

Item # 105

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	GM
TIRES AND WHEELS		LIBERTY	BLAZER
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic
WHEEL DIAMETER	15	16	15
TIRES	P235/R/AT	P235/R/AT	P235/R/00
TOWING			
FRONT TOW HOOKS	Req	comply	comply
REAR BUMPER	Step type w/RH3 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, COMPACT, 4 DR, 5 PASS, MIN 5,000 LBS GVWR, 6 CYL

Item # 105 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER LIBERTY	GM BLAZER
ENGINES			
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 4/2.8,160,295	N/A
ENGINE ACCESSORY OPTIONS			
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A
DRIVE AXLE			
D3 D7	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Stand Alone N/A	Stand Alone Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG RKE PWL	DARK TINTED GLASS REMOTE KEYLESS ENTRY POWER WINDOWS & DOOR LOCKS	Stand Alone Standard Standard	Standard Stand Alone Standard
INTERIOR			
CRTS SK	CRUISE CONTROL AND TILT STEERING METRIC ODOMETER	Stand Alone Stand Alone	Standard Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Package
SEATING			
PWD	POWER DRIVER'S SEAT	Stand Alone	Stand Alone
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A
DELIVERY			
CNS DDRG DDRH DDRP 1611	CONSIGNEE DELIVERY (NO DEALER PREP) DEALER DELIVERY GUAM DEALER DELIVERY HAWAII DEALER DELIVERY PUERTO RICO OEM EXPORT DOCUMENT FEE	Stand Alone Stand Alone Stand Alone Stand Alone Stand Alone	Stand Alone N/A Stand Alone Stand Alone Stand Alone
MISCELLANEOUS			
MIL PSM PSME	DATA PLATES OR DD250 PARTS AND SERVICE MANUALS PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone Stand Alone Stand Alone	Stand Alone Stand Alone Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR 5 PASS, MIN 5,750 GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Item 105A shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 105A

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPLORER	GM TRAILBLAZER
BODY/CHASSIS			
MFG. MODEL CODE		U72	CT15506
PAYLOAD min. kg. (lbs.)	499 (1100)	1,433	1100
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2608 (5750)	5,880	5750
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6 / 4.0	6/4.0	6/4.2
HORSEPOWER (min)	210	210	270
TORQUE (ft. -lb.)	254	254	275
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5-speed	4 speed
TRANSFER CASE	2 - Speed	2-speed	2-speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	150
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	68 (18)	22.5	22
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
SKID PLATE	Req	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS	Min.	left and right	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	liftgate w liftglass
POWER WINDOWS & DOOR LOCKS		comply	comply
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
AIR CONDITIONING	Req	comply	comply
UPHOLSTERY	Cloth	cloth	comply
FLOOR			
FLOOR COVERING	Carpeting	comply	comply
FLOOR MATS	Req	front and rear	front and rear
RADIO			
RADIO	AM/FM/CD w/clock	am/fm/cd/clock	am/fm w/clock cd
SEATS			
SEATING CAPACITY min.	5	5	5
FIRST ROW SEAT TYPE	2 - Individual	bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR 5 PASS, MIN 5,750 GVWR

Item # 105A

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPLORER	GM TRAILBLAZER
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic
WHEEL DIAMETER	16	16	17
TIRES	P245/R/AT	P245/R/AT	P245/R/00
TOWING			
REAR BUMPER	Step type w/RH3 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR 5 PASS, MIN 5,750 GVWR

Item # 105A - OPTIONAL EQUIPMENT

		FORD EXPLORER	GM TRAILBLAZER
ALTERNATIVE FUEL ENGINES			
E85	ETHANOL FLEXIBLE FUEL	Standard	N/A
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
ATC	TRACTION CONTROL-AUTOMATIC	Stand Alone	N/A
EXTERIOR			
RB	RUNNING BOARDS	Stand Alone	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Standard	Stand Alone
RKE	REMOTE KEYLESS ENTRY	Standard	Stand Alone
INTERIOR			
SK	METRIC ODOMETER	Stand Alone	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Package
SEATING			
S7	7 PASSENGER SEATING	Package	Package
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	Stand Alone
TOWING			
FTH	FRONT TOW HOOKS	Stand Alone	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR 6 PASS, MIN 6,600 GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The spare tire shall be provided with a cover when mounted inside the body.

Item # 105B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
BODY/CHASSIS		DURANGO	EXPEDITION	TAHOE
MFG. MODEL CODE		HB5H74	U16	CK15706
PAYLOAD min. kg. (lbs.)	680 (1,500)	1483	1,625	1600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2994 (6600)	6600	7,200	6800
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.7	8/5.4	8/4.8
HORSEPOWER (min)	230	230	301	285
TORQUE (ft.-lb.)	290	290	365	295
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - Speed	5-SPEED	4 speed	4 speed
TRANSFER CASE	2 - Speed	2-SPEED	2 speed	2-speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	Rear	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73	3.73
ELECTRICAL				
ALTERNATOR min. (Amps)	130	160	130	145
BATTERY min. (CCA)	600	750	650	600
FUEL				
FUEL CAPACITY min. Liters (gals.)	98 (26)	27	28	26
EXTERIOR				
RUNNING BOARDS	Min.	comply	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
DOORS AND WINDOWS				
DARK TINTED GLASS	Min.	comply	comply	comply
REMOTE KEYLESS ENTRY	Min.	comply	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	liftgate	rear liftgate w liftglass
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear	front and rear
INTERIOR				
AUX. REAR AIR CONDITIONING	Req	comply	comply	comply
CRUISE CONTROL AND TILT STEERING	Req	comply	comply	comply
AIR CONDITIONING	Front & Rear	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
FLOOR				
FLOOR COVERING	Carpeting	comply	comply	comply
FLOOR MATS	Req	front and rear	front and rear	front and rear
RADIO				
RADIO	AM/FM w/clock/CD	comply	am/fm-cass/cd/clock	am/fm/cd/cass/clock
SEATS				
SEATING CAPACITY min.	6	7	6	6
FIRST ROW SEAT TYPE	Mfg's Std	2-BUCKET	split bench	split bench

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR 6 PASS, MIN 6,600 GVWR

Item # 105B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER DURANGO	FORD EXPEDITION	GM TAHOE
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic	automatic
WHEEL DIAMETER	16	17	17	16
TIRES	P245/R/AT	P/245/R/00	P265/R/AT	P265/R/00
TOWING				
FRONT TOW HOOKS	Min.	comply	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply	comply
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR 6 PASS, MIN 6,600 GVWR

Item # 105B - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		DURANGO	EXPEDITION	TAHOE
ENGINES				
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Package 8/5.7,335,370	Standard 8/5.4,301,365	Stand Alone 8/5.3,295,330
ALTERNATIVE FUEL ENGINES				
E85	ETHANOL FLEXIBLE FUEL	N/A	N/A	Package
ENGINE ACCESSORY OPTIONS				
OLS	Oil Life System	N/A	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
DRIVE AXLE				
AVSC	AUTOMATIC VEHICLE STABILITY CONTROL	N/A	Stand Alone	Stand Alone
D3	SPECIAL TRACTION DIFFERENTIAL	N/A	Standard	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	N/A	Stand Alone
PAINT				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Stand Alone
INTERIOR				
AP	ADJUSTABLE OPERATING PEDALS	Package	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
SEATING				
S5	5 PASSENGER SEATING	Package	Stand Alone	Stand Alone
S7	7 PASSENGER SEATING	Standard	Stand Alone	N/A
S8	8 PASSENGER SEATING	N/A	Stand Alone	Stand Alone
S9	9 PASSENGER SEATING	N/A	Standard	Stand Alone
SAFETY				
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	Stand Alone	Stand Alone
RECEIVER HITCH				
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Standard	Stand Alone
DELIVERY				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/SPECIAL SVC PKG

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 100C, 101C, 102C, 105C, 106C & 108C shall be two bucket seats. The OEM console between the front seats shall be removed. The tire shall be provided with a cover when mounted inside the body.

Item # 105C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPEDITION	GM TAHOE
BODY/CHASSIS			
MFG. MODEL CODE		U15	CK15706
PAYLOAD min. kg. (lbs.)	726 (1600)	1,625	1600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3084 (6800)	7,200	6800
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.6	5.4
HORSEPOWER (min)	232	232	301
TORQUE (ft.-lb.)	290	291	365
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 Speed
TRANSFER CASE	2 - Speed	2 speed	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	98 (26)	28	26
EXTERIOR			
RUNNING BOARDS	Min.	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
SKID PLATE	Req	comply	comply
DOORS AND WINDOWS			
DARK TINTED GLASS	Min.	comply	comply
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	lift gate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
VINYL UPHOSTERY, REAR SEATS ONLY	Req	comply	comply
AIR CONDITIONING	Req	Front Only	front and rear
UPHOLSTERY	Cloth Front	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
AM/FM RADIO WITH COMPACT DISC PLAYER	Req	comply	comply
SEATS			
SEATING CAPACITY min.	5	5	comply
FIRST ROW SEAT TYPE	Bucket	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/SPECIAL SVC PKG

Item # 105C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXPEDITION	GM TAHOE
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	OEM std. 16 P245/R/AT	automatic 17 P265/R/AT	automatic 16 LT245/R/00
TOWING			
FRONT TOW HOOKS REAR BUMPER	Min. Step type w/RH2 provisions	comply comply	comply comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/SPECIAL SVC PKG

Item # 105C - OPTIONAL EQUIPMENT

		FORD EXPEDITION	GM TAHOE
ENGINES			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Standard 8/5.4,301/365	Stand Alone 8/5.3,295/330
ALTERNATIVE FUEL ENGINES			
E85	ETHANOL FLEXIBLE FUEL	N/A	Package
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Standard	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
EXTERIOR			
DRB	DELETE RUNNING BOARDS	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	Stand Alone
AC2	AUX. REAR AIR CONDITIONING	Package	Standard
OEMC	FURNISH OEM CONSOLE	N/A	Package
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VJ	VINYL UPHOLSTERY, FRONT AND REAR	N/A	Stand Alone
CJ	CLOTH UPHOLSTERY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	N/A	Stand Alone
MF	FLOOR MATS	Standard	Package
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Stand Alone
SEATING			
S6	6 PASSENGER SEATING	Stand Alone	Package
S8	8 PASSENGER SEATING	Package	Package
S9	9 PASSENGER SEATING	Package	Package
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	Stand Alone
RECEIVER HITCH			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
LE OPTIONS			
RX2	ROOF WIRING, 2 WIRE WITHOUT HOLE	N/A	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ 8 CYL ENGINE

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 105D shall be 2 individual bucket seats. The spare tire shall be provided with a cover when mounted inside the body.

Item # 105D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER GRAND CHEROKEE	FORD EXPLORER	GM EXTENDED TRAILBLAZER
BODY/CHASSIS				
MFG. MODEL CODE		WKJH74	U73	CT15806
PAYLOAD min. kg. (lbs.)	454 (1000)	1574	1,433	1,200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2608 (5750)	6100	5,880	6400
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	8/4.6	8/4.7	8/4.6	8/5.3
HORSEPOWER (min)	230	230	235	290
TORQUE (ft.-lb.)	290	290	292	325
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - Speed	5 - speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 - speed	2 speed	2 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	Rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.55	3.42
ELECTRICAL				
ALTERNATOR min. (Amps)	130	160	130	145
BATTERY min. (CCA)	600	730	650	600
FUEL				
FUEL CAPACITY min. Liters (gals.)	76 (20)	20.8	22.5	25
EXTERIOR				
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
DOORS AND WINDOWS				
DARK TINTED GLASS	Req	comply	comply	comply
KEYED DOOR LOCKS	Min.	left only	left and right	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	OEM std.	liftgate	liftgate	liftgate
POWER WINDOWS & DOOR LOCKS	Req	comply	comply	comply
INTERIOR				
AIR CONDITIONING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
FLOOR				
FLOOR COVERING	Carpeting	comply	comply	comply
FLOOR MATS	Req	front and rear	front and rear	front and rear
RADIO				
RADIO	AM/FM w/clock/CD	am/fm cd w/clock	am/fm/cd/clock	AM/FM stereo w CD
SEATS				
SEATING CAPACITY min.	5	5	5	7
FIRST ROW SEAT TYPE	2 - Individual	2 - bucket	bucket	2- bucket
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ 8 CYL ENGINE

Item # 105D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER GRAND CHEROKEE	FORD EXPLORER	GM EXTENDED TRAILBLAZER
SAFETY (CONTINUED)				
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic	automatic
WHEEL DIAMETER	16	17	16	17
TIRES	P235/R/AT	P245/R/AT	P235/R/AT	P245/R/00
TOWING				
REAR BUMPER	Step type w/RH2 provisions	comply	comply	comply
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, INTERMEDIATE, 4 DR, 5 PASS, W/ 8 CYL ENGINE

Item # 105D - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER GRAND CHEROKEE	FORD EXPLORER	GM EXTENDED TRAILBLAZER
ENGINES				
VDD	VARIABLE DISPLACEMENT ON DEMAND	N/A	N/A	Standard
ENGINE ACCESSORY OPTIONS				
OLS	Oil Life System	N/A	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
DRIVE AXLE				
D3	SPECIAL TRACTION DIFFERENTIAL	N/A	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	N/A	Stand Alone
EXTERIOR				
RB	RUNNING BOARDS	N/A	Package	Stand Alone
DOORS AND WINDOWS				
RKE	REMOTE KEYLESS ENTRY	Standard	Standard	Stand Alone
INTERIOR				
AC2	AUX. REAR AIR CONDITIONING	N/A	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Standard	Standard	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	N/A
RADIO				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	N/A	Package	Package
SEATING				
S7	7 PASSENGER SEATING	N/A	Package	Standard
SAFETY				
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A	Stand Alone
TOWING				
FTH	FRONT TOW HOOKS	Standard	Standard	Stand Alone
RECEIVER HITCH				
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone	Standard
DELIVERY				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 9 PASS MIN 7,000 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 101, 102, 106 and 108 shall be a 3-passenger bench or split seat. The spare tire shall be provided with a cover when mounted inside the body.

Item # 106

GSA COMPONENTS	GSA. MIN. REQ.	GM
BODY/CHASSIS		
MFG. MODEL CODE		CK15906
PAYLOAD min. kg. (lbs.)	862 (1900)	1900
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3174 (7000)	7200
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.3
HORSEPOWER (min)	285	295
TORQUE (ft.-lb.)	325	330
COOLING SYSTEM	HDA	comply
ENGINE ACCESSORY OPTIONS		
Oil Life System	Min.	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	130	130
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	123 (32)	32.5
EXTERIOR		
RUNNING BOARDS	Req	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
SKID PLATE	Req	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Min.	comply
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	OEM std.	rear liftgate w liftglass
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
CRUISE CONTROL AND TILT STEERING	Req	comply
AIR CONDITIONING	Dual air conditioning (front & rear)	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpeting	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM/CD/Cass w/clock	am/fm//clock/ cd/cass
SEATS		
SEATING CAPACITY min.	9	9
FIRST ROW SEAT TYPE	Bench - Split	split bench

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 9 PASS MIN 7,000 LBS GVWR

Item # 106

GSA COMPONENTS	GSA. MIN. REQ.	GM
SAFETY		1500 SUBURBAN
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	OEM std. 16 P265/R/AT	automatic 16 P265/R/00
TOWING		
FRONT TOW HOOKS REAR BUMPER	Min. Step type w/RH2 provisions	comply comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 9 PASS MIN 7,000 LBS GVWR

Item # 106 - OPTIONAL EQUIPMENT

		GM
ALTERNATIVE FUEL ENGINES		1500 SUBURBAN
E85	ETHANOL FLEXIBLE FUEL	Stand Alone
ENGINE ACCESSORY OPTIONS		
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
AVSC	AUTOMATIC VEHICLE STABILITY CONTROL	Stand Alone
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone
EXTERIOR		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone
SK	METRIC ODOMETER	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
SEATING		
S8	8 PASSENGER SEATING	Stand Alone
SAFETY		
SIAB	SIDE IMPACT AIR BAGS	Stand Alone
RECEIVER HITCH		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 100C, 101C, 102C, 105C, 106C, and 108C shall be two bucket seats. The OEM console between the front seats shall be removed. The spare tire shall be provided with a cover when mounted inside the body.

Item # 106C

GSA COMPONENTS	GSA. MIN. REQ.	GM
BODY/CHASSIS		1500 SUBURBAN
MFG. MODEL CODE		CK15906
PAYLOAD min. kg. (lbs.)	862 (1900)	2400
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3174 (7000)	7200
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.3
HORSEPOWER (min)	285	295
TORQUE (ft.-lb.)	325	330
COOLING SYSTEM	HDA	comply
ENGINE ACCESSORY OPTIONS		
Oil Life System	Min.	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 Speed
TRANSFER CASE	2 - Speed	comply
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	145	145
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	123 (32)	32
EXTERIOR		
RUNNING BOARDS	Req	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply
SKID PLATE	Req	comply
DOORS AND WINDOWS		
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	OEM std.	lift gate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
INTERIOR		
CRUISE CONTROL AND TILT STEERING	Req	comply
VINYL UPHOSTERY, REAR SEATS ONLY	Req	comply
AIR CONDITIONING	Dual air conditioning (front & rear)	front and rear
UPHOLSTERY	Cloth Front	comply
FLOOR		
FLOOR COVERING	Vinyl	comply
RADIO		
RADIO	AM/FM w/clock	am/fm w clock
SEATS		
SEATING CAPACITY min.	8	comply
FIRST ROW SEAT TYPE	Bucket	comply

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 106C

GSA COMPONENTS	GSA. MIN. REQ.	GM
SAFETY		1500 SUBURBAN
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	OEM std. 16 P265/R/AT	automatic 16 LT265/R/00
TOWING		
FRONT TOW HOOKS REAR BUMPER	Min. Step type w/RH2 provisions	comply comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 106C - OPTIONAL EQUIPMENT

		GM
		1500 SUBURBAN
ALTERNATIVE FUEL ENGINES		
E85	ETHANOL FLEXIBLE FUEL	Stand Alone
ENGINE ACCESSORY OPTIONS		
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone
EXTERIOR		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Stand Alone
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone
OEMC	FURNISH OEM CONSOLE	Stand Alone
SK	METRIC ODOMETER	Stand Alone
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
FLOOR		
CM	CARPETED FLOOR COVERING	Stand Alone
MF	FLOOR MATS	Package
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package
SEATING		
S5	5 PASSENGER SEATING	Stand Alone
S6	6 PASSENGER SEATING	Stand Alone
S9	9 PASSENGER SEATING	Stand Alone
SAFETY		
SIAB	SIDE IMPACT AIR BAGS	Stand Alone
RECEIVER HITCH		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
LE OPTIONS		
RX2	ROOF WIRING, 2 WIRE WITHOUT HOLE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 9 PASS MIN 8,600 LBS GVWR

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 101, 102, 106 and 108 shall be a 3-passenger bench or split seat. The spare tire shall be provided with a cover when mounted inside the body.

Item # 108

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
BODY/CHASSIS			
MFG. MODEL CODE		U41	CK25906
PAYLOAD min. kg. (lbs.)	815 (1796)	1,796	2550
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8600) / 4037 (8900)	8,900	8600
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	10/6.8	8/6.0
HORSEPOWER (min)	310	310	325
TORQUE (ft.-lb.)	365	425	365
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 Speed
TRANSFER CASE	2 - Speed	2 speed	2 Speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	130
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	140 (37)	44	37.5
EXTERIOR			
RUNNING BOARDS	Req	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
SKID PLATE	Req	comply	comply
DOORS AND WINDOWS			
DARK TINTED GLASS	Min.	comply	comply
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std. or Panel if option	liftgate & cargo	Lift Gate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
AIR CONDITIONING	Dual air conditioning	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpeting	comply	comply
FLOOR MATS	Req	front and rear	front and rear
RADIO			
RADIO	AM/FM/CD/Cass w/ Clock	am/fm-cass/cd/clock	am/fm /cd/cass/clock
SEATS			
SEATING CAPACITY min.	9	9	9
FIRST ROW SEAT TYPE	Bench - split	split bench	Split bench
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 9 PASS MIN 8,600 LBS GVWR

Item # 108

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
SAFETY (CONTINUED)			
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AT	LT265/R/AT	LT245/R/00
TOWING			
FRONT TOW HOOKS	Req	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 9 PASS MIN 8,600 LBS GVWR

Item # 108 - OPTIONAL EQUIPMENT

		FORD EXCURSION	GM 2500 SUBURBAN
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Standard 10/6.8,310,425	Stand Alone 8/8.1,320,440
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,560	N/A
ENGINE ACCESSORY OPTIONS			
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3 D7	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Stand Alone Stand Alone	Stand Alone Stand Alone
EXTERIOR			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
PD	PANEL REAR DOORS	N/A	N/A
INTERIOR			
AP SK	ADJUSTABLE OPERATING PEDALS METRIC ODOMETER	Stand Alone Stand Alone	Stand Alone Stand Alone
SEATING			
S5 S6 S8	5 PASSENGER SEATING 6 PASSENGER SEATING 8 PASSENGER SEATING	Package Stand Alone Package	N/A N/A Stand Alone
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
RECEIVER HITCH			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone
DELIVERY			
CNS DDRG DDRH DDRP 1611	CONSIGNEE DELIVERY (NO DEALER PREP) DEALER DELIVERY GUAM DEALER DELIVERY HAWAII DEALER DELIVERY PUERTO RICO OEM EXPORT DOCUMENT FEE	Stand Alone Stand Alone Stand Alone Stand Alone Stand Alone	Stand Alone N/A Stand Alone Stand Alone Stand Alone
MISCELLANEOUS			
MIL PSM PSME	DATA PLATES OR DD250 PARTS AND SERVICE MANUALS PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone Stand Alone Stand Alone	Stand Alone Stand Alone Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

The sport utility vehicle specified shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo. The cab compartment shall be as specified in 3.6.1. The body shall be not less than 4-door type, with vertical opening windows in the side doors, interior trimmed side panels and doors, roof with full length headliner, and upholstered forward facing seat(s) with backs for driver and passengers. The front seat for Items 100C, 101C, 102C, 105C, 106C & 108C shall be two bucket seats. The OEM console between the front seats shall be removed. The spare tire shall be provided with a cover when mounted inside the body.

Item # 108C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
BODY/CHASSIS			
MFG. MODEL CODE		U41	CK25906
PAYLOAD min. kg. (lbs.)	815 (1796)	1,796	2550
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8600)	8,900	8600
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	10/6.8	8/6.0
HORSEPOWER (min)	310	310	325
TORQUE (ft.-lb.)	360	425	365
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 Speed
TRANSFER CASE	2 - Speed	2 speed	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	144 (38)	44	38
EXTERIOR			
RUNNING BOARDS	Req	comply	comply
REAR VIEW MIRRORS	Dual sail mounted foldaway	comply	comply
SKID PLATE	Req	comply	comply
DOORS AND WINDOWS			
REMOTE KEYLESS ENTRY	Min.	comply	comply
KEYED DOOR LOCKS	Min.	left only	left only
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	OEM std. or Panel if option	comply	lift gate
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
INTERIOR			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
AIR CONDITIONING	Dual air conditioning	comply	comply
UPHOLSTERY	Cloth Front	comply	comply
FLOOR			
VINYL FLOOR COVERING	Req	comply	comply
RADIO			
RADIO	AM/FM w/clock	am/fm/cd/cass w/ clock	am/fm w clock
SEATS			
SEATING CAPACITY min.	8	8	comply
FIRST ROW SEAT TYPE	Bucket	comply	comply
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 108C

GSA COMPONENTS	GSA. MIN. REQ.	FORD EXCURSION	GM 2500 SUBURBAN
SAFETY (CONTINUED)			
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS	OEM std.	automatic	automatic
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AT	P265/R/AT	LT245/R/00
TOWING			
FRONT TOW HOOKS	Req	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 2 - CONTINUED

4 X 4 SUV, FULL SIZE, 4 DR 8 PASS, W/SPECIAL SVC PKG

Item # 108C - OPTIONAL EQUIPMENT

		FORD EXCURSION	GM 2500 SUBURBAN
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Standard 10/6.8,305,425	Stand Alone 8/8.1,320,440
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,560	N/A
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
EXTERIOR			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Standard	Stand Alone
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	Stand Alone
OEMC	FURNISH OEM CONSOLE	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VJ	VINYL UPHOLSTERY, FRONT AND REAR	N/A	Stand Alone
VUR	VINYL UPHOSTERY, REAR SEATS ONLY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	N/A	Stand Alone
MF	FLOOR MATS	Standard	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Standard	Stand Alone
SEATING			
S5	5 PASSENGER SEATING	Stand Alone	Stand Alone
S6	6 PASSENGER SEATING	Stand Alone	Stand Alone
S9	9 PASSENGER SEATING	Stand Alone	Stand Alone
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
RECEIVER HITCH			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 3

4 X 4 SUV, HUMMER, 4 DOOR HARD TOP WAGON

The vehicles specified are designed for heavy duty, off road use and at a minimum have the following: GVWR of 4,670 kg (10,300lbs.); Wheelbase of 330 cm (130 in.); 6.5 liter, V8 turbocharged diesel engine; four (4) speed automatic transmission; two (2) speed transfer case with high and low speed differential lock out; independent, full time, four-wheel drive with auto-matic traction control; limited slip differentials; gear reduction hubs; power disc brakes with ABS; power steering; body constructed of aluminum, fiberglass and steel with body on frame design; four (4) independent high-back cloth seats; driver and front passenger seats, equipped with in-board, seat mounted armrests; air conditioning; auxiliary rear heat and air conditioning for Items 110A, 110B, and 110C; full gauges including tachometer; 12 volt, 123 amp alternator; tonneau cover for Items 110B through 110D; power windows; power door locks with remote control; power remote controlled mirrors; sliding rear window with defroster; Hallogen headlights; AM/FM radio with weather band; fuel capacity 95 liters (25 gal.); two-piece bead lock, 41.9 cm (16.5 in.) wheels; 37x12.5 R all terrain tires; OEM brush guard; trailer tow provision (RH4 Draw Bar Receiver).

Item # 110A

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
BODY/CHASSIS		
MFG. MODEL CODE		KSCS
PAYLOAD min. kg. (lbs.)	1427 (3146)	3146
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4671 (10,300) min	10,300
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 6.5	8/6.5
HORSEPOWER (min)	195	195
TORQUE (ft.-lb.)	430	430
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	All wheel drive	comply
DIFFERENTIAL TYPE/RATIO	Torque biasing / Mfg std	comply
ELECTRICAL		
ALTERNATOR min. (Amps)	124	124
BATTERY min. (CCA)	Dual 625	625 dual
FUEL		
FUEL CAPACITY min. Liters (gals.)	94 (25)	25
EXTERIOR		
REAR VIEW MIRRORS	Dual w/power remote and heated	comply
SKID PLATE	Driveline & Rocker protection	comply
FRONT BRUSH GUARD	Req	comply
DOORS AND WINDOWS		
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent w/washers	comply
REAR DOOR TYPE	OEM std	comply
INTERIOR		
CRUISE CONTROL	Req	comply
AIR CONDITIONING	Front and rear	comply
UPHOLSTERY	Vinyl	vinyl
FLOOR		
FLOOR COVERING	OEM std	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/Cassette	am/fm cass
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	2 Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR HARD TOP WAGON

Item # 110A

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
ALUMINUM WHEELS	Req	comply
RUNFLAT TIRES W/ 2 PIECE ALUMINUM WHEELS	Req	comply
CENTRAL TIRE INFLATION SYSTEM	Req	comply
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	16.5	16.5
TIRES	37x12.5 R	37x12.5R
TOWING		
REAR BUMPER	OEM std	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR HARD TOP WAGON

Item # 110A - OPTIONAL EQUIPMENT

		GM HUMMER
BODY/CHASSIS		
WR	INCREASE GVWR	Stand Alone
FUEL		
AFT	AUX FUEL TANK	Stand Alone
DOORS AND WINDOWS		
WNH	HEATED WINDSHIELD AND MIRRORS	Stand Alone
INTERIOR		
DAR	DELETE ARM RESTS	Stand Alone
LEFR	ELECTRONIC FRONT AND REAR LOCKER	Stand Alone
IRM	INTERIOR REARVIEW MIRROR	Stand Alone
EXTERIOR		
MEWH	WINCH, ELECTRIC	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR HARD TOP PICKUP

The vehicles specified are designed for heavy duty, off road use and at a minimum have the following: GVWR of 4,670 kg (10,300lbs.); Wheelbase of 330 cm (130 in.); 6.5 liter, V8 turbocharged diesel engine; four (4) speed automatic transmission; two (2) speed transfer case with high and low speed differential lock out; independent, full time, four-wheel drive with automatic traction control; limited slip differentials; gear reduction hubs; power disc brakes with ABS; power steering; body constructed of aluminum, fiberglass and steel with body on frame design; four (4) independent high-back cloth seats; driver and front passenger seats, equipped with in-board, seat mounted armrests; air conditioning; auxiliary rear heat and air conditioning for Items 110A, 110B, and 110C; full gauges including tachometer; 12 volt, 123 amp alternator; tonneau cover for Items 110B through 110D; power windows; power door locks with remote control; power remote controlled mirrors; sliding rear-window with defroster; Hallogen headlights; AM/FM radio with weather band; fuel capacity 95 liters (25 gal.); two-piece bead lock, 41.9 cm (16.5 in.) wheels; 37x12.5 R all terrain tires; OEM brush guard; trailer tow provision (RH4 Draw Bar Receiver).

Item # 110B

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
BODY/CHASSIS		
MFG. MODEL CODE		KSC4
PAYLOAD min. kg. (lbs.)	1,513 (3336)	3336
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4671 (10,300) min	10300
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.09 (3.6) min	3.6
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 6.5	8/6.5
HORSEPOWER (min)	195	195
TORQUE (ft.-lb.)	430	430
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	All wheel drive	comply
DIFFERENTIAL TYPE/RATIO	Torque biasing / Mfg std	comply
ELECTRICAL		
ALTERNATOR min. (Amps)	124	124
BATTERY min. (CCA)	Dual 625	625 dual
FUEL		
FUEL CAPACITY min. Liters (gals.)	94 (25)	25
EXTERIOR		
REAR VIEW MIRRORS	Dual w/power remote and heated	comply
SKID PLATE	Driveline & Rocker protection	comply
FRONT BRUSH GUARD	Req	comply
TONNEAU COVER	Req	comply
DOORS AND WINDOWS		
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent w/washers	comply
REAR DOOR TYPE	OEM std	comply
INTERIOR		
CRUISE CONTROL	Req	comply
AIR CONDITIONING	Front and rear	comply
UPHOLSTERY	Vinyl	vinyl
FLOOR		
FLOOR COVERING	OEM std	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/Cassette	am/fm cass
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	2 Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR HARD TOP PICKUP

Item # 110B

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
SAFETY (CONTINUED)		
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
ALUMINUM WHEELS	Req	comply
RUNFLAT TIRES W/ 2 PIECE ALUMINUM WHEELS	Req	comply
CENTRAL TIRE INFLATION SYSTEM	Req	comply
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	16.5	16.5
TIRES	37x12.5 R	37X12.5R
TOWING		
REAR BUMPER	OEM std	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR HARD TOP PICKUP

Item # 110B - OPTIONAL EQUIPMENT

		GM
		HUMMER
BODY/CHASSIS		
WR	INCREASE GVWR	Stand Alone
FUEL		
AFT	AUX FUEL TANK	Stand Alone
DOORS AND WINDOWS		
WNH	HEATED WINDSHIELD AND MIRRORS	Stand Alone
INTERIOR		
DAR	DELETE ARM RESTS	Stand Alone
LEFR	ELECTRONIC FRONT AND REAR LOCKER	Stand Alone
IRM	INTERIOR REARVIEW MIRROR	Stand Alone
EXTERIOR		
MEW	WINCH,ELECTRIC	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR OPEN TOP PICKUP

The vehicles specified are designed for heavy duty use and at a minimum have the following: GVWR of 3,901 kg (8,600lbs.); Wheelbase of 311 cm (122.6 in.); 6.0 liter, V8 gasoline engine; four (4) speed automatic transmission; two (2) speed transfer case with high and low speed differential lock out; independent, full time, four-wheel drive with automatic traction control; limited slip differentials; gear reduction hubs; power disc brakes with ABS; power steering; body constructed of aluminum, fiberglass and steel with body on frame design; one (1) bench seat; two (2) independent hi-back cloth bucket seats for driver and front passenger, equipped with in-board, seat mounted armrests; air conditioning; auxiliary rear heat and air conditioning; full gauges including tachometer; 12 volt, 145 amp alternator; power windows; power door locks with remote control; power remote controlled mirrors; sliding rear window with defroster; Hallogen headlights; AM/FM radio with weather band; fuel capacity 121 liters (32 gal.); aluminum, 43.2 cm (17.0 in.) wheels; LT315/70R17 all terrain tires; OEM brush guard; trailer tow provision (RH3 Draw Bar Receiver).

Item # 110C

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
BODY/CHASSIS		
MFG. MODEL CODE		KSCO
PAYLOAD min. kg. (lbs.)	1581 (3486)	3486
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4671 (10,300) min	10300
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.09 (3.6) min	3.6
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 6.5	8/6,5
HORSEPOWER (min)	195	195
TORQUE (ft.-lb.)	430	430
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	All wheel drive	comply
DIFFERENTIAL TYPE/RATIO	Torque biasing / Mfg std	comply
ELECTRICAL		
ALTERNATOR min. (Amps)	124	124
BATTERY min. (CCA)	Dual 625	625
FUEL		
FUEL CAPACITY min. Liters (gals.)	94 (25)	25
EXTERIOR		
REAR VIEW MIRRORS	Dual w/power remote and heated	comply
SKID PLATE	Driveline & Rocker protection	comply
FRONT BRUSH GUARD	Req	comply
TONNEAU COVER	Req	comply
DOORS AND WINDOWS		
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent w/washers	comply
REAR DOOR TYPE	OEM Std	comply
INTERIOR		
CRUISE CONTROL	Req	comply
AIR CONDITIONING	Front and rear	comply
UPHOLSTERY	Vinyl	vinyl
FLOOR		
FLOOR COVERING	OEM std	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/Cassette	am/fm cass
SEATS		
SEATING CAPACITY min.	4	4
FIRST ROW SEAT TYPE	2 Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR OPEN TOP PICKUP

Item # 110C

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
SAFETY (CONTINUED)		
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
ALUMINUM WHEELS	Req	comply
RUNFLAT TIRES W/ 2 PIECE ALUMINUM WHEELS	Req	comply
CENTRAL TIRE INFLATION SYSTEM	Req	comply
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	16.5	16.5
TIRES	37x12.5 R	37X12.5
TOWING		
REAR BUMPER	OEM std	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 4 DOOR OPEN TOP PICKUP

Item # 110C - OPTIONAL EQUIPMENT

		GM HUMMER
BODY/CHASSIS		
WR	INCREASE GVWR	Stand Alone
FUEL		
AFT	AUX FUEL TANK	Stand Alone
DOORS AND WINDOWS		
WNH	HEATED WINDSHIELD AND MIRRORS	Stand Alone
INTERIOR		
DAR	DELETE ARM RESTS	Stand Alone
LEFR	ELECTRONIC FRONT AND REAR LOCKER	Stand Alone
IRM	INTERIOR REARVIEW MIRROR	Stand Alone
EXTERIOR		
MEWH	WINCH,ELECTRIC	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 2 DOOR HARD TOP PICKUP

The vehicles specified are designed for heavy duty, off road use and at a minimum have the following: GVWR of 4,670 kg (10,300 lbs.); Wheelbase of 330 cm (130 in.); 6.5 liter, V8 turbocharged diesel engine; four (4) speed automatic transmission; two (2) speed transfer case with high and low speed differential lock out; independent, full time, four-wheel drive with automatic traction control; limited slip differentials; gear reduction hubs; power disc brakes with ABS; power steering; body constructed of aluminum, fiberglass and steel with body on frame design; four (4) independent high-back cloth seats; driver and front passenger seats, equipped with in-board, seat mounted armrests; air conditioning; auxiliary rear heat and air conditioning for Items 110A, 110B, and 110C; full gauges including tachometer; 12 volt, 123 amp alternator; tonneau cover for Item 110B through 110D; power windows; power door locks with remote control; power remote controlled mirrors; sliding rear-window with defroster; Hallogen headlights; AM/FM radio with weather band; fuel capacity 95 liters (25 gal.); two-piece bead lock, 41.9 cm (16.5 in.) wheels; 37x12.5 R all terrain tires; OEM brush guard; trailer tow provision (RH4 Draw Bar Receiver).

Item # 110D

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
BODY/CHASSIS		
MFG. MODEL CODE		KSC2
PAYLOAD min. kg. (lbs.)	1707 (3763)	3763
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4671 (10,300) min	10300
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.9 (6.3) min	6.3
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 6.5	8/6.5
HORSEPOWER (min)	195	195
TORQUE (ft.-lb.)	430	430
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	All wheel drive	comply
DIFFERENTIAL TYPE/RATIO	Torque biasing / Mfg std	comply
ELECTRICAL		
ALTERNATOR min. (Amps)	124	124
BATTERY min. (CCA)	Dual 625	625
FUEL		
FUEL CAPACITY min. Liters (gals.)	94 (25)	25
EXTERIOR		
REAR VIEW MIRRORS	Dual w/power remote and heated	comply
SKID PLATE	Driveline & Rocker protection	comply
FRONT BRUSH GUARD	Req	comply
TONNEAU COVER	Req	comply
DOORS AND WINDOWS		
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent w/washers	comply
INTERIOR		
CRUISE CONTROL	Req	comply
AIR CONDITIONING	Front	comply
UPHOLSTERY	Vinyl	vinyl
FLOOR		
FLOOR COVERING	OEM std	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM w/Cassette	am/fm cass
SEATS		
SEATING CAPACITY min.	2	2
FIRST ROW SEAT TYPE	2 Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 2 DOOR HARD TOP PICKUP

Item # 110D

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
ALUMINUM WHEELS	Req	comply
RUNFLAT TIRES W/ 2 PIECE ALUMINUM WHEELS	Req	comply
CENTRAL TIRE INFLATION SYSTEM	Req	comply
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	16.5	16.5
TIRES	37x12.5 R	37X12.5R
TOWING		
REAR BUMPER	OEM std	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER, 2 DOOR HARD TOP PICKUP

Item # 110D - OPTIONAL EQUIPMENT

		GM HUMMER
BODY/CHASSIS		
WR	INCREASE GVWR	Stand Alone
FUEL		
AFT	AUX FUEL TANK	Stand Alone
EXTERIOR		
TSD	DELETE TAILGATE AND SIDES	Stand Alone
MEW	WINCH,ELECTRIC	Stand Alone
DOORS AND WINDOWS		
WNH	HEATED WINDSHIELD AND MIRRORS	Stand Alone
INTERIOR		
DAR	DELETE ARM RESTS	Stand Alone
LEFR	ELECTRONIC FRONT AND REAR LOCKER	Stand Alone
IRM	INTERIOR REARVIEW MIRROR	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 3

4 X 4 SUV, HUMMER H2 , 4 DOOR HARD TOP WAGON

The vehicles specified are designed for heavy duty use and at a minimum have the following: GVWR of 3,901 kg (8,600lbs.); Wheelbase of 311 cm (122.6 in.); 6.0 liter, V8 gasoline engine; four (4) speed automatic transmission; two (2) speed transfer case with high and low speed differential lock out; independent, full time, four-wheel drive with automatic traction control; limited slip differentials; gear reduction hubs; power disc brakes with ABS; power steering; body constructed of aluminum, fiberglass and steel with body on frame design; one (1) bench seat; two (2) independent hi-back cloth bucket seats for driver and front passenger, equipped with in-board, seat mounted armrests; air conditioning; auxiliary rear heat and air conditioning; full gauges including tachometer; 12 volt, 145 amp alternator; power windows; power door locks with remote control; power remote controlled mirrors; sliding rear window with defroster; Hallogen headlights; AM/FM radio with weather band; fuel capacity 121 liters (32 gal.); aluminum, 43.2 cm (17.0 in.) wheels; LT315/70R17 all terrain tires; OEM brush guard; trailer tow provision (RH3 Draw Bar Receiver).

Item # 111

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER H2
BODY/CHASSIS		
MFG. MODEL CODE		RN25706
PAYLOAD min. kg. (lbs.)	998 (2200)	2200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3901 (8600)	8600
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	8/6.0
HORSEPOWER (min)	316	316
TORQUE (ft.-lb.)	360	360
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed HD	4 Speed
TRANSFER CASE	2 - Speed	2 Speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	All wheel drive	comply
DIFFERENTIAL TYPE/RATIO	Mfg std / 4.10	4.1
ELECTRICAL		
ALTERNATOR min. (Amps)	145	145
BATTERY min. (CCA)	880	880
FUEL		
FUEL CAPACITY min. Liters (gals.)	121 (32)	32
EXTERIOR		
REAR VIEW MIRRORS	Dual w/power remote and heated	comply
SKID PLATE	Driveline & Rocker protection	comply
FRONT BRUSH GUARD	Req	comply
DOORS AND WINDOWS		
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent w/washers	comply
REAR WINDOW WIPER	Intermittent w/washers	comply
REAR DOOR TYPE	OEM std	comply
INTERIOR		
CRUISE CONTROL	Req	comply
INTERIOR REARVIEW MIRROR	Req	comply
AIR CONDITIONING	Dual Zone	front- dual zone
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM/CD w/Cassette	am/fm stereo w cd & cass
SEATS		
SEATING CAPACITY min.	5	5
FIRST ROW SEAT TYPE	2 Individual	comply
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER H2 , 4 DOOR HARD TOP WAGON

Item # 111

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER H2
SAFETY (CONTINUED)		
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	17	17
TIRES	LT315/70R17	LT315/70RAT
TOWING		
REAR BUMPER	Step type w/ RH3 provisions	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER H2 , 4 DOOR HARD TOP WAGON

Item # 111 - OPTIONAL EQUIPMENT

		GM HUMMER H2
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER H2 , 4 DOOR HARD TOP SUT

The vehicles specified are designed for heavy duty use and at a minimum have the following: GVWR of 3,901 kg (8,600lbs.); Wheelbase of 311 cm (122.6 in.); 6.0 liter, V8 gasoline engine; four (4) speed automatic transmission; two (2) speed transfer case with high and low speed differential lock out; independent, full time, four-wheel drive with automatic traction control; limited slip differentials; gear reduction hubs; power disc brakes with ABS; power steering; body constructed of aluminum, fiberglass and steel with body on frame design; one (1) bench seat; two (2) independent hi-back cloth bucket seats for driver and front passenger, equipped with in-board, seat mounted armrests; air conditioning; auxiliary rear heat and air conditioning; full gauges including tachometer; 12 volt, 145 amp alternator; power windows; power door locks with remote control; power remote controlled mirrors; sliding rear window with defroster; Hallogen headlights; AM/FM radio with weather band; fuel capacity 121 liters (32 gal.); aluminum, 43.2 cm (17.0 in.) wheels; LT315/70R17 all terrain tires; OEM brush guard; trailer tow provision (RH3 Draw Bar Receiver).

Item # 111C

GSA COMPONENTS	GSA. MIN. REQ.	GM HUMMER H2 SUT
BODY/CHASSIS		
MFG. MODEL CODE		RN25736
PAYLOAD min. kg. (lbs.)	998 (2200)	2200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3901 (8600)	8600
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	8/6.0
HORSEPOWER (min)	316	316
TORQUE (ft.-lb.)	360	360
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed HD	4 SPEED
TRANSFER CASE	2 - Speed	comply
DRIVE AXLE		
PRIMARY DRIVE AXLE	All wheel drive	4 WHEEL DRIVE
DIFFERENTIAL TYPE/RATIO	Mfg std / 4.10	4.1
ELECTRICAL		
ALTERNATOR min. (Amps)	145	145
BATTERY min. (CCA)	880	880
FUEL		
FUEL CAPACITY min. Liters (gals.)	121 (32)	32
EXTERIOR		
REAR VIEW MIRRORS	Dual w/power remote and heated	comply
SKID PLATE	Driveline & Rocker protection	comply
FRONT BRUSH GUARD	Req	comply
DOORS AND WINDOWS		
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent w/washers	comply
REAR WINDOW WIPER	Intermittent w/washers	comply
REAR DOOR TYPE	OEM std	comply
INTERIOR		
CRUISE CONTROL	Req	comply
INTERIOR REARVIEW MIRROR	Req	comply
AIR CONDITIONING	Dual Zone	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front only
RADIO		
RADIO	AM/FM/CD w/Cassette	comply
SEATS		
SEATING CAPACITY min.	5	comply
FIRST ROW SEAT TYPE	2 Individual	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER H2 , 4 DOOR HARD TOP SUT

Item # 111C

GSA COMPONENTS	GSA. MIN. REQ.	GM
SAFETY		HUMMER H2 SUT
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
BODY/CHASSIS		
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
FRONT WHEEL LOCKING HUBS	OEM std	automatic
WHEEL DIAMETER	17	17
TIRES	LT315/70R17	LT315/70R
TOWING		
REAR BUMPER	Step type w/ RH3 provisions	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 3 - CONTINUED

4 X 4 SUV, HUMMER H2 , 4 DOOR HARD TOP SUT

Item # 111C - OPTIONAL EQUIPMENT

		GM
DELIVERY		HUMMER H2 SUT
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK