

TABLE 4

4 X 2 VAN WAGON, COMPACT, 7 PASSENGER

The compact wagon van specified, shall be an enclosed unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows (except sliding doors which may have either fixed or opening windows). Vehicle shall be equipped with a driver and passenger bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome lights(s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 20

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER GRAND CARAVAN	FORD FREESTAR	GM UPLANDER
BODY/CHASSIS				
MFG. MODEL CODE		RSKL53	A50	CU12216
PAYLOAD min. kg. (lbs.)	544 (1200)	1296	1,200	1200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2404 (5300) / 2698 (5950)	5500	5,820	5300
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	508 (200)	200.5	200.9	200.7
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	6 / 3.3	6/3.3	6/3.9	6/3.5
HORSEPOWER (min)	180	180	193	220
TORQUE (ft.-lb.)	210	210	240	215
COOLING SYSTEM	HDA	comply	comply	Comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed	4 Speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	Front	front	front	Front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.49	3.54	3.29
ELECTRICAL				
ALTERNATOR min. (Amps)	105	140	145	125
BATTERY min. (CCA)	540	600	750	540
FUEL				
FUEL CAPACITY min. Liters (gals.)	75 (20)	20	26	25
EXTERIOR				
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply	comply
DOORS AND WINDOWS				
DARK TINTED GLASS	Req	comply	comply	comply
KEYED DOOR LOCKS	Req	left only	left only	left only
WINDOWS	All around	comply	comply	Comply
REAR WINDOW ELECTRIC DEFROSTER	Req.	comply	comply	Comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	Comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	Comply
REAR DOOR TYPE	Liftgate	lift gate	liftgate	Comply
SIDE DOOR TYPE	Sliding left & right	comply	comply	comply
POWER WINDOWS & DOOR LOCKS		front and rear	front and rear	front and rear
INTERIOR				
AIR CONDITIONING/HEATING	Front and Rear	comply	comply	Comply
CRUISE CONTROL AND TILT STEERING	Req	comply	comply	Comply
POWER STEERING	Req	comply	comply	Comply
UPHOLSTERY	Cloth	comply	comply	Comply
FLOOR				
FLOOR COVERING	Carpet	comply	comply	comply
FLOOR MATS	Req	front and rear	front and rear	front and rear
RADIO				
RADIO	AM/FM w/clock	am/fm/cass w/clock	am/fm w/clock	AM/FM W CD
SEATS				
RECLINING BUCKET/CAPTAINS CHAIRS	Req	comply	comply	comply
SEATING CAPACITY min.	7	7	7	7
FIRST ROW SEAT TYPE	2 - Individual	Bucket	bucket	buckets

TABLE 4 - CONTINUED

4 X 2 VAN WAGON, COMPACT, 7 PASSENGER

Item # 20

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER GRAND CARAVAN	FORD FREESTAR	GM UPLANDER
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	Comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	Comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	Comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	Comply
TIRES AND WHEELS				
WHEEL DIAMETER	15	15	16	17
TIRES	P215/R/AS	P215/R/AS	P225/R/AS	P225/R/AS
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	Comply

TABLE 4 - CONTINUED

4 X 2 VAN WAGON, COMPACT, 7 PASSENGER

Item # 20 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER GRAND CARAVAN	FORD FREESTAR	GM UPLANDER
ALTERNATIVE FUEL ENGINES				
E2	UPGRADED 5/6 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A	Stand Alone 6/4.2,201,263	N/A
E85	ETHANOL FLEXIBLE FUEL	Package	N/A	N/A
ENGINE ACCESSORY OPTIONS				
OLS	Oil Life System	N/A	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
DRIVE AXLE				
ATC	TRACTION CONTROL-AUTOMATIC	N/A	Package	Package
EXTERIOR				
LR	LUGGAGE ROOF RACK	Stand Alone	Package	Stand Alone
DOORS AND WINDOWS				
RKE	REMOTE KEYLESS ENTRY	Stand Alone	Standard	Standard
LIGHTS AND LIGHTING				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Standard
INTERIOR				
AP	ADJUSTABLE OPERATING PEDALS	N/A	Package	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
RADIO				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Package	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Standard	Package	Standard
SEATS				
SCC	INDIVIDUAL HIGH BACK SEATS	Package	Stand Alone	Package
SEATING				
S5	5 PASSENGER SEATING	Stand Alone	N/A	N/A
SAFETY				
SRO	OEM Reverse Obstacle Sensor	N/A	Package	Package
SIAB	SIDE IMPACT AIR BAGS	Package	Package	Stand Alone
DELIVERY				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 4 - CONTINUED

4 X 2 VAN WAGON COMPACT, 8 PASSENGER

The compact wagon van specified, shall be an enclosed unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows (except sliding doors which may have either fixed or opening windows). Vehicle shall be equipped with a driver and passenger bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome lights(s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 20A

GSA COMPONENTS	GSA. MIN. REQ.	GM ASTRO
BODY/CHASSIS		
MFG. MODEL CODE		CM11006
PAYLOAD min. kg. (lbs.)	726 (1600)	2000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2698 (5950)	5900
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	480 (189)	189.8
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6/4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	105	105
FUEL		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
EXTERIOR		
LUGGAGE ROOF RACK	Min.	comply
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Min.	comply
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS		left and right
WINDOWS	All around	comply
REAR WINDOW ELECTRIC DEFROSTER	Req.	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Liftgate	dutch doors w liftgate
SIDE DOOR TYPE	Sliding left & right	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
LIGHTS AND LIGHTING		
DAYTIME RUNNING LIGHTS	Min.	comply
INTERIOR		
AIR CONDITIONING/HEATING	Front and Rear	comply
CRUISE CONTROL AND TILT STEERING	Min.	comply
POWER STEERING	Req.	comply
UPHOLSTERY	Cloth	cloth
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req.	front and rear
RADIO		
RADIO	AM/FM w/clock/CD	am/fm w/clock cd
SEATS		
SEATING CAPACITY min.	8	8
FIRST ROW SEAT TYPE	2 - Individual	comply

TABLE 4 - CONTINUED

4 X 2 VAN WAGON COMPACT, 8 PASSENGER

Item # 20A

GSA COMPONENTS	GSA. MIN. REQ.	GM ASTRO
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER TIRES	15 P215/R/AS	15 P215/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 4 - CONTINUED

4 X 2 VAN WAGON COMPACT, 8 PASSENGER

Item # 20A - OPTIONAL EQUIPMENT

		GM
ENGINE ACCESSORY OPTIONS		ASTRO
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
INTERIOR		
SK	METRIC ODOMETER	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 4 - CONTINUED

4 X 2 VAN WAGON, COMPACT, 7 PASSENGER, SHORT BODY/WHEELBASE

The compact wagon van specified, shall be an enclosed unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows (except sliding doors which may have either fixed or opening windows). Vehicle shall be equipped with a driver and passenger bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome lights(s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 20B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
BODY/CHASSIS		
MFG. MODEL CODE		RSKL52
PAYLOAD min. kg. (lbs.)	544 (1200)	1261
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2404 (5300) / 2698 (5950)	5400
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	472 (186)	189
SHORT BODY	Req	comply
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 3.3	6/3.3
HORSEPOWER (min)	180	180
TORQUE (ft.-lb.)	210	210
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Front	front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.49
ELECTRICAL		
ALTERNATOR min. (Amps)	105	140
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	75 (20)	20
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Req	comply
KEYED DOOR LOCKS	Min.	left only
WINDOWS	All around	comply
REAR WINDOW ELECTRIC DEFROSTER	Req.	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Liftgate	lift gate
SIDE DOOR TYPE	Sliding left & right	comply
POWER WINDOWS & DOOR LOCKS		front and rear
INTERIOR		
AIR CONDITIONING/HEATING	Front	front only
CRUISE CONTROL AND TILT STEERING	Req	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM w/clock	AM/FM CD W/CLOCK
SEATS		
RECLINING BUCKET/CAPTAINS CHAIRS	Req	comply
SEATING CAPACITY min.	7	7
FIRST ROW SEAT TYPE	2 - Individual	Bucket

TABLE 4 - CONTINUED

4 X 2 VAN WAGON, COMPACT, 7 PASSENGER, SHORT BODY/WHEELBASE

Item # 20B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
SAFETY		CARAVAN
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
		comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 4 - CONTINUED

4 X 2 VAN WAGON, COMPACT, 7 PASSENGER, SHORT BODY/WHEELBASE

Item # 20B - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER CARAVAN
ALTERNATIVE FUEL ENGINES		
E85	ETHANOL FLEXIBLE FUEL	Package
ENGINE ACCESSORY OPTIONS		
OLS	Oil Life System	N/A
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
ATC	TRACTION CONTROL-AUTOMATIC	N/A
EXTERIOR		
LR	LUGGAGE ROOF RACK	Stand Alone
DOORS AND WINDOWS		
RKE	REMOTE KEYLESS ENTRY	Stand Alone
LIGHTS AND LIGHTING		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone
INTERIOR		
SK	METRIC ODOMETER	Stand Alone
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Standard
SEATS		
SCC	INDIVIDUAL HIGH BACK SEATS	Stand Alone
SEATING		
S5	5 PASSENGER SEATING	Stand Alone
SAFETY		
SRO	OEM Reverse Obstacle Sensor	N/A
SIAB	SIDE IMPACT AIR BAGS	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 4 - CONTINUED

AWD VAN WAGON, COMPACT, 4 X 4, 7 PASSENGER

The compact wagon van specified, shall be an enclosed unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows (except sliding doors which may have either fixed or opening windows). Vehicle shall be equipped with a driver and passenger bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 25

GSA COMPONENTS	GSA. MIN. REQ.	GM UPLANDER
BODY/CHASSIS		
MFG. MODEL CODE		1UT16
PAYLOAD min. kg. (lbs.)	522 (1150)	1150
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2430 (5357) / 2631 (5800)	5400
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	508 (200)	200
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 3.4	6/3.5
HORSEPOWER (min)	185	200
TORQUE (ft.-lb.)	210	215
COOLING SYSTEM	HDA	comply
ENGINE ACCESSORY OPTIONS		
Oil Life System	Min.	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 Speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	All Wheel Drive	Comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.29
ELECTRICAL		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	75 (20)	20
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
SKID PLATE	Req	NA
DOORS AND WINDOWS		
KEYED DOOR LOCKS	Min.	left only
WINDOWS	All around	comply
REAR WINDOW ELECTRIC DEFROSTER	Req.	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Liftgate	comply
SIDE DOOR TYPE	Sliding left & right	comply
LIGHTS AND LIGHTING		
DAYTIME RUNNING LIGHTS	Req	comply
INTERIOR		
AIR CONDITIONING/HEATING	Front and Rear	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM/CD w/clock	AM/FM W CD
SEATS		
SEATING CAPACITY min.	7	7
FIRST ROW SEAT TYPE	2 - Individual	2

TABLE 4 - CONTINUED

AWD VAN WAGON, COMPACT, 4 X 4, 7 PASSENGER

Item # 25

GSA COMPONENTS	GSA. MIN. REQ.	GM UPLANDER
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	Comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	Comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	Comply
TIRES AND WHEELS		
WHEEL DIAMETER	16	17
TIRES	P215/R/AS	P225/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	Comply

TABLE 4 - CONTINUED

AWD VAN WAGON, COMPACT, 4 X 4, 7 PASSENGER

Item # 25 - OPTIONAL EQUIPMENT

ENGINE ACCESSORY OPTIONS		GM UPLANDER
EH	ENGINE BLOCK HEATER	Stand Alone
EXTERIOR		
LR	LUGGAGE ROOF RACK	Stand Alone
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Stand Alone
RKE	REMOTE KEYLESS ENTRY	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone
INTERIOR		
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone
SK	METRIC ODOMETER	Stand Alone
RADIO		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone
SEATING		
S5	5 PASSENGER SEATING	Stand Alone
SAFETY		
SRO	OEM Reverse Obstacle Sensor	Package
SIAB	SIDE IMPACT AIR BAGS	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 4 - CONTINUED

AWD VAN WAGON, COMPACT, 4 X 4, 8 PASSENGER

The compact wagon van specified, shall be an enclosed unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows (except sliding doors which may have either fixed or opening windows). Vehicle shall be equipped with a driver and passenger bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 25A

GSA COMPONENTS	GSA. MIN. REQ.	GM ASTRO
BODY/CHASSIS		
MFG. MODEL CODE		CL11006
PAYLOAD min. kg. (lbs.)	753 (1660)	1660
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2766 (6100)	6100
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	480 (189)	189.8
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	All Wheel Drive	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	94 (25)	25
EXTERIOR		
LUGGAGE ROOF RACK	Min.	comply
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
SKID PLATE	Req	NA
DOORS AND WINDOWS		
DARK TINTED GLASS	Min.	comply
REMOTE KEYLESS ENTRY	Min.	comply
KEYED DOOR LOCKS	Min.	left and right
WINDOWS	All around	comply
REAR WINDOW ELECTRIC DEFROSTER	Req	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Dutch door	dutch door w liftglass
SIDE DOOR TYPE	Sliding left & right	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
LIGHTS AND LIGHTING		
DAYTIME RUNNING LIGHTS	Min.	comply
INTERIOR		
AIR CONDITIONING/HEATING	Front and Rear	comply
CRUISE CONTROL AND TILT STEERING	Min.	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	cloth
FLOOR		
FLOOR COVERING	Carpet	comply
FLOOR MATS	Req	front and rear
RADIO		
RADIO	AM/FM w/clock/CD	am/fm w/clock cd

TABLE 4 - CONTINUED

AWD VAN WAGON, COMPACT, 4 X 4, 8 PASSENGER

Item # 25A

GSA COMPONENTS	GSA. MIN. REQ.	GM ASTRO
SEATS		
SEATING CAPACITY min.	8	8
FIRST ROW SEAT TYPE	2 - Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 4 - CONTINUED

AWD VAN WAGON, COMPACT, 4 X 4, 8 PASSENGER

Item # 25A - OPTIONAL EQUIPMENT

		GM ASTRO
ENGINE ACCESSORY OPTIONS		
EH	ENGINE BLOCK HEATER	Stand Alone
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
INTERIOR		
SK	METRIC ODOMETER	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 5

4 X 2 VAN WAGON, FULL SIZE, 8 PASSENGER

The wagon van specified, shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. The curbside shall have extra wide passenger door(s) and rear door(s) shall be hinged, dual vertical. Vehicle shall be equipped with a driver and companion highback bucket seats and removable rear seat(s) for multi-choice seating arrangements for passengers. Interior shall have trimmed side and door panels, and full length headlining; cloth interior, front and rear floor carpet; all doors, except rear doors, shall be capable of being opened from inside and outside, having keyed locks; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; curbside center doors shall be provided with built-in step; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside.

Item # 21

GSA COMPONENTS	GSA. MIN. REQ.	FORD ECONOLINE E150 REGULAR CLUB	GM G1300
BODY/CHASSIS			
MFG. MODEL CODE		E11	CG13406
PAYLOAD min. kg. (lbs.)	871 (1920)	2,065	1920
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3175 (7000) / 3537 (7800)	7,000	7200
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	536 (211) / 556 (219)	211.9	218.8
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.6	8/5.3
HORSEPOWER (min)	225	225	285
TORQUE (ft.-lb.)	286	286	325
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	145
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS	Min.	left only	left and right
WINDOWS	All around	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
INTERIOR			
AIR CONDITIONING/HEATING	Front and Rear	comply	comply
AIR CONDITIONING	Req front & rear	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpet	comply	comply
FLOOR MATS	Front	front only	front and rear
RADIO			
RADIO	AM/FM w/Clock	am/fm w/clock	AM/FM w/Clock
SEATS			
SEATING CAPACITY min.	8	8	8
FIRST ROW SEAT TYPE	2 - Individual	bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 8 PASSENGER

Item # 21

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
TIRES AND WHEELS		ECONOLINE E150 REGULAR CLUB	G1300
WHEEL DIAMETER	16	16	16
TIRES	P235/R/AS	P235/R/AS	P235/R/as
TOWING			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 8 PASSENGER

Item # 21 - OPTIONAL EQUIPMENT

		FORD	GM
		ECONOLINE E150 REGULAR CLUB	G1300
ENGINES			
E2	UPGRADED 5/6 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A	Stand Alone 6/4.3,195,260
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Stand Alone 8/5.4,255,350	Standard 8/5.3,285,325
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
AWD	OEM ALL WHEEL DRIVE	N/A	Package
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Stand Alone	Stand Alone
LD	LEFT DOOR	N/A	Package
RKE	REMOTE KEYLESS ENTRY	Package	Package
SE	SIDE DOORS, SLIDING TYPE, VAN	Stand Alone	Package
PWL	POWER WINDOWS & DOOR LOCKS	Standard	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
FLOOR			
RF	VINYL FLOOR COVERING	Stand Alone	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or ecludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 12 PASSENGER

The wagon van specified, shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. The curbside shall have extra wide passenger door(s) and rear door(s) shall be hinged, dual vertical. Vehicle shall be equipped with a driver and companion highback bucket seats and removable rear seat(s) for multi-choice seating arrangements for passengers. Interior shall have trimmed side and door panels, and full length headlining; cloth interior, front and rear floor carpet; all doors, except rear doors, shall be capable of being opened from inside and outside, having keyed locks; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; curbside center doors shall be provided with built-in step; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside.

Item # 22

GSA COMPONENTS	GSA. MIN. REQ.	FORD ECONOLINE E350 HD REGULAR CLUB	GM G2300
BODY/CHASSIS			
MFG. MODEL CODE		E31	CG23406
PAYLOAD min. kg. (lbs.)	907 (2000)	2911	2800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8600) / 4081 (9000)	8700	8600
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	528 (208) / 556 (219)	211.9	218.8
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	255	255	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 Speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS	Min.	left and right	left and right
WINDOWS	All around	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
INTERIOR			
AIR CONDITIONING/HEATING	Front and Rear	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpet	comply	comply
FLOOR MATS	Front	front only	front and rear
RADIO			
RADIO	AM/FM w/Clock	am/fm w/clock	AM/FM w/Clock
SEATS			
SEATING CAPACITY min.	12	12	12
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 12 PASSENGER

Item # 22

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
TIRES AND WHEELS		ECONOLINE E350 HD REGULAR CLUB	G2300
WHEEL DIAMETER	16	16	16
TIRES	LT225/R/AS	LT225/R/AS	LT225/R/AS
TOWING			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 12 PASSENGER

Item # 22 - OPTIONAL EQUIPMENT

		FORD	GM
		ECONOLINE E350 HD REGULAR CLUB	G2300
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	Standard
	Eng-Cyl/HP/Torque	10/6.8,305,420	8/6.0,300,360
YD	DIESEL ENGINE	Stand Alone	N/A
	Eng-Cyl/HP/Torque	8/6.0,325,560	
ALTERNATIVE FUEL ENGINES			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Package
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Package
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Stand Alone	Stand Alone
LD	LEFT DOOR	N/A	Package
RKE	REMOTE KEYLESS ENTRY	Package	Package
SE	SIDE DOORS, SLIDING TYPE, VAN	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Standard	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
FLOOR			
RF	VINYL FLOOR COVERING	Stand Alone	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
VENDOR INSTALLED BODY OPTIONS			
AWDC	CHASSIS MFG'S APPROVED 4X4 CONVERSI	Stand Alone	Package
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or ecludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 10 PASSENGER, DIESEL ONLY

The wagon van specified, shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. The curbside shall have extra wide passenger door(s) and rear door(s) shall be sliding. Vehicle shall be equipped with a driver and companion highback bucket seats and removable rear seat(s) for multi-choice seating arrangements for passengers. Interior shall have trimmed side and door panels, and full length headlining; cloth interior, front and rear floor carpet; all doors, except rear doors, shall be capable of being opened from inside and outside, having keyed locks; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; curbside center doors shall be provided with built-in step; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside.

Item # 22A

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER SPRINTER
BODY/CHASSIS		
MFG. MODEL CODE		VA2L52
PAYLOAD min. kg. (lbs.)	1805 (3979)	1805 (3979)
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3877 (8550) / 4081 (9000)	3878 (8550)
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	528 (208) / 564 (222)	564(222)
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	5 / 2.7	5/2.7
HORSEPOWER (min)	154	154
TORQUE (ft.-lb.)	243	243
COOLING SYSTEM	HDA	comply
ENGINES		
DIESEL ENGINE	Req	comply
ENGINE ACCESSORY OPTIONS		
ENGINE BLOCK HEATER	Req	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	5 - Speed	5 SPEED
DRIVE AXLE		
AUTOMATIC VEHICLE STABILITY CONTROL	Req	comply
PRIMARY DRIVE AXLE	Rear	REAR
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.72
ELECTRICAL		
ALTERNATOR min. (Amps)	150	150
BATTERY min. (CCA)	875	875
FUEL		
FUEL CAPACITY min. Liters (gals.)	100 (26)	100(26)
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
DOORS AND WINDOWS		
SIDE DOORS, SLIDING TYPE, VAN	Req	comply
KEYED DOOR LOCKS	Min.	left and right
WINDOWS	All around	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Dual vertical cargo	comply
SIDE DOOR TYPE	Sliding	comply
INTERIOR		
AIR CONDITIONING/HEATING	Front and Rear	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
FLOOR		
FLOOR COVERING	Vinyl	comply
RADIO		
AM/FM RADIO WITH CASSETTE PLAYER	AM/FM w/ CD	comply
SEATS		
SEATING CAPACITY min.	10	10
FIRST ROW SEAT TYPE	2 - Individual	BUCKET

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 10 PASSENGER, DIESEL ONLY

Item # 22A

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER SPRINTER
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	16	16
TIRES	LT225/R/AS	LT225/R/AS
TOWING		
REAR BUMPER	Gray Facia	comply
RECEIVER HITCH		
OEM DRAW BAR RECEIVER CLASS III	Req	comply
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 10 PASSENGER, DIESEL ONLY

Item # 22A - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER SPRINTER
BODY/CHASSIS		
XL	EXTRA LONG BODY	Package
DRIVE AXLE		
D7	TOWING/MOUNTAIN RATIO	Stand Alone
DOORS AND WINDOWS		
RKE	REMOTE KEYLESS ENTRY	Package
PWL	POWER WINDOWS & DOOR LOCKS	Package
LIGHTS AND LIGHTING		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone
RADIO		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone
DELIVERY		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 15 PASSENGER

The wagon van specified, shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. The curbside shall have extra wide passenger door(s) and rear door(s) shall be hinged, dual vertical. Vehicle shall be equipped with a driver and companion highback bucket seats and removable rear seat(s) for multi-choice seating arrangements for passengers. Interior shall have trimmed side and door panels, and full length headlining; cloth interior, front and rear floor carpet; all doors, except rear doors, shall be capable of being opened from inside and outside, having keyed locks; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; curbside center doors shall be provided with built-in step; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside.

Item # 24

GSA COMPONENTS	GSA. MIN. REQ.	FORD SUPER CLUB E350	GM CG3300
BODY/CHASSIS			
MFG. MODEL CODE		S31	CG33706
PAYLOAD min. kg. (lbs.)	1270 (2800)	2,999	3200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4127 (9100)	9,100	9600
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	587 (231) / 607 (239)	231.9	238.8
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	255	255	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 Speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS	Min.	left and right	left and right
WINDOWS	All around	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
INTERIOR			
AIR CONDITIONING/HEATING	Front and Rear	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Carpet	comply	comply
FLOOR MATS	Front	front only	front and rear
RADIO			
RADIO	AM/FM w/Clock	am/fm w/clock	AM/FM w/Clock
SEATS			
SEATING CAPACITY min.	15	15	15
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 15 PASSENGER

Item # 24

GSA COMPONENTS	GSA. MIN. REQ.	FORD SUPER CLUB E350	GM CG3300
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
TOWING			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 5 - CONTINUED

4 X 2 VAN WAGON, FULL SIZE, 15 PASSENGER

Item # 24 - OPTIONAL EQUIPMENT

		FORD	GM
		SUPER WAGON E350	CG3300
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	Standard
	Eng-Cyl/HP/Torque	10/6.8,305,420	8/6.0,300,360
YD	DIESEL ENGINE	Stand Alone	N/A
	Eng-Cyl/HP/Torque	8/6.0,235,440	
ALTERNATIVE FUEL ENGINES			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Package
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Package
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
DRIVE AXLE			
AVSC	AUTOMATIC VEHICLE STABILITY CONTROL	N/A	Standard
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	N/A
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
ATC	TRACTION CONTROL-AUTOMATIC	N/A	Standard
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Stand Alone	Stand Alone
RKE	REMOTE KEYLESS ENTRY	Package	Package
SE	SIDE DOORS, SLIDING TYPE, VAN	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Standard	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Standard
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
VUR	VINYL UPHOLSTERY, REAR SEATS ONLY	N/A	Stand Alone
FLOOR			
RF	VINYL FLOOR COVERING	Stand Alone	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
SEATING			
S12	12 PASSENGER SEATING	Stand Alone	Stand Alone
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
VENDOR INSTALLED BODY OPTIONS			
AWDC	CHASSIS MFG'S APPROVED 4X4 CONVERSION	Package	Package
DELIVERY			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK