



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



U.S. Department of Transportation

National Highway Traffic Safety

Administration

### **CASE SUMMARY**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

PSU 75

CASE NO. 103A

TYPE OF ACCIDENT Minivan Head on w/Large Pole

# A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. <u>Do not include any personal identifiers.</u>)

See Attached

|               | Class         |                 | Most Sever<br>Based on Vehi |                         |                      |
|---------------|---------------|-----------------|-----------------------------|-------------------------|----------------------|
| ehicle<br>No. | of<br>Vehicle | Year/Make/Model | Damage<br>Plane             | Severity<br>Description | Component<br>Failure |
|               |               |                 |                             |                         |                      |
|               |               |                 |                             |                         |                      |
|               |               |                 |                             |                         |                      |
|               |               |                 |                             |                         |                      |
|               |               |                 | ·                           |                         |                      |
|               |               |                 |                             |                         |                      |
|               |               |                 |                             |                         |                      |
|               |               |                 |                             |                         |                      |

DO NOT SANITIZE THIS FORM

|         | C. PERSON PROFILE(S) |      |           |             |   |     |               |
|---------|----------------------|------|-----------|-------------|---|-----|---------------|
| Vehicle | Person               | Seat | Restraint |             | Most Severe Injury (TO BE COMPLETED BY ZONE CENTER) |     |               |
| No.     | No. Role Position    |      | Use       | Body Region | Injury Type   | AIS | Injury Source |
|         |                      |      | . *       |             |   |     |               |
|         |                      |      |           |             |   |     |               |
|         |                      |      |           |             |   |     |               |
|         |                      |      | ·         |             |   |     |               |
|         |                      |      |           |             |   |     |               |
|         |                      |      |           | ·           |   |     |               |
|         |                      |      |           |             |   |     |               |

### **Body Region**

Abdomen Ankle-foot Arm (upper)

Back-thoracolumbar spine

Brain Chest Ears Eye Elbow Face Forearm

Head—skull Heart Kidneys

Knee Leg (lower)

Liver Lower limbs(s) (whole or unknown part)

Mouth

Neck-cervical spine

Nose

Pelvic-hip

Pulmonary-lungs

Shoulder Spleen Thigh

Thyroid, other endocrine gland Upper limb(s) (whole or unknown

part)
Vertebrae
Whole body
Wrist—hand

### Injury Type

Abrasion Amputation Avulsion Burn Concussion Contusion Crush

Detachment, separation

Dislocation

Fracture

Fracture and dislocation

Laceration Other

Perforation, puncture

Rupture Sprain Strain

Total severance, transection

Unknown

#### **Abbreviated Injury Scale**

(1) Minor injury

(2) Moderate injury

(3) Serious injury

(4) Severe injury

(5) Critical injury

(6) Maximum (untreatable)

(7) Injured, unknown severity

1995 Case Summary Form

CASE 103A

PSU75

TYPE OF ACCIDENT: MINIVAN HEAD ON W/LARGE POLE

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

V#1 was eastbound on a state six lane divided highway with three lanes on each side in the middle lane. The vehicle ran off the right side of the road up an embankment onto a cement embankment under a bridge. V#1 sideswiped two cement pillars and hit head on with a third cement pillar which flipped the vehicle upwards and to the right.  $V\!\#\!1$  rotated around the pillar and rolled onto its right side where it came to rest facing south. Driver #1 was found dead. Occupants #2 and #3 were hospitalized with serious injuries. V#1 was towed from the scene.

01

PSU75

1995 Case Summary Form

CASE 103A

TYPE OF ACCIDENT: MINIVAN HEAD ON W/LARGE POLE

### B. VEHICLE PROFILE(S)

| v<br>e<br>h.<br>No | Class of<br>Vehicle | Year/Make/<br>Model | Damage<br>Plane | Severity<br>Descr. | Component<br>Failure |
|--------------------|---------------------|---------------------|-----------------|--------------------|----------------------|
| 1                  | Minivan             | 95/Chev/Astro       | Front           | Severe             | None                 |

PSU75

1995 Case Summary Form

CASE 103A

TYPE OF ACCIDENT: MINIVAN HEAD ON W/LARGE POLE

### C. PERSON PROFILE(S)


| e<br>h.<br>No | Person<br>Role | Seat<br>Positon       | Restraint<br>Use | Body<br>Region   | Injury<br>Type              | A<br>I<br>S | Injury<br>Source |
|---------------|----------------|-----------------------|------------------|------------------|-----------------------------|-------------|------------------|
| 1             | Driver         | L Front               | L&S<br>w/airbag  | Injured          | Severity Unkn               | OWN         |                  |
| 1<br>1        | Pass<br>Pass   | R Front<br>2nd Middle | L&S              | Brain<br>Injured | Contusions<br>Severity Unkn |             |                  |

Λ

U.S. Department of Transportation

### **ACCIDENT COLLISION DIAGRAM**

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM



|   |                                       |          |   |     | 2 of 3             |
|---|---------------------------------------|----------|---|-----|--------------------|
|   |                                       | 1        |   | Cer | ankment            |
|   |                                       |          | •                                       | Em  | Dankment           |
|   |                                       |          | <b>,</b>                                |     |                    |
|   |                                       | •        | Δ                                       |     |                    |
|   |                                       |          | 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V |     |                    |
|   |                                       |          |   | G   | rassy<br>mbankment |
|   |                                       | <b>'</b> | **************************************  | E   | mbankment          |
|   |                                       |          | 10.11                                   | ,   |                    |
|   |                                       |          | 171 AG A                                |     |                    |
|   |                                       |          | P. C. C.                                | 1   |                    |
|   |                                       | R        | - RP                                    |     |                    |
|   | ,                                     |          | 101 y.                                  |     |                    |
|   |                                       |          | <u> </u>                                |     |                    |
|   |                                       |          |   |     |                    |
|   |                                       |          | # 2<br># :                              |     |                    |
|   |                                       |          |   |     |                    |
|   |                                       |          | ŢĄŤ                                     |     |                    |
|   |                                       |          | Į, V, Ł                                 |     |                    |
|   |                                       |          | 11                                      | 1   | į.                 |
|   |                                       |          |   |     |                    |
|   | · · · · · · · · · · · · · · · · · · · |          | , , , , , , , , , , , , , , , , , , ,   |     |                    |
|   |                                       |          | ÷ cs (                                  |     |                    |
| _ |                                       |          |   |     |                    |
|   |                                       |          | ī, ļ                                    |     |                    |
|   |                                       |          |   |     |                    |
|   |                                       |          | 100                                     |     |                    |
|   |                                       |          |   |     |                    |
|   |                                       |          | · ·                                     |     |                    |
|   |                                       |          | 14 C                                    |     |                    |
|   |                                       |          | 7                                       |     |                    |
|   |                                       |          | 7                                       |     |                    |
|   |                                       |          | •                                       |     |                    |
|   | 1                                     |          |   |     |                    |

|         |  |   | : | 3 | of 3 |   |
|---------|--|---|---|---|------|---|
|         |  | 11.41.9                                 |   |   |      | ļ |
| , , , , |  | 0.000                                   |   |   |      |   |
|         |  | 23.43.13.                               |   |   |      |   |
|         |  | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |   |   |      |   |
|         | /                                      | 1                                       |   |   |      |   |
|         |  | j<br>j                                  |   |   |      |   |
|         |  |   |   |   |      |   |
|         | 727                                    |   |   |   |      |   |
|         | \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |   |   |   |      |   |
|         |  |   |   |   |      |   |
|         |  |   | : |   |      |   |
|         |  |   |   |   |      |   |



U.S. Department of Transportation

National Highway Traffic Safety Administration

# ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary Sampling Unit Number 7 5 Case Number-Stratum 1 0 3 A ACCIDENT COLLISION DIAGRAM Document the physical plant: Document vehicle dynamics including: **CRASH DATA** reference point and reference line relative VEH. #1 VEH. #2 VEH. #3 \* all road/roadway delineation (e.g., to physical features present at the scene curbs/edge lines, lane markings, median markings, pavement markings, parked Heading Angle vehicles, poles, signs, etc.) scaled documentation of all accident induced physical evidence \* all traffic controls (e.g., speed limit) scaled documentation of all roadside objects contacted \* north arrow placed on diagram Surface scaled representations of the vehicle(s) at Condition \* roadway surface type and condition of applicable roadways pre-impact, impact, and final rest based Coefficient of upon either: grade measurements for all applicable Friction roadways and at location of rollover a) physical evidence, or Grade (v/h) initiation Measurement b) reconstructed accident dynamics (between impact \* roadway curvature and final rest) Grade (v/h) Measurement (at location of rollover initiation) Reference Point: West end of Guardrail Reference line: 5. Road Edge 4.2 50 of 5. Road edge Distance and Direction Distance and Direction Item from Reference Point from Reference Line BRF W 0 50.4 42.5 mid- RF 42.5 2.1 30.0 W 30.0 W RF 1 F S 5 13.8 12.9 31.9 pillar 36.1 40.1 11 HS Form 431A (1/95)

| ltem              | Distance and Direction from Reference Point | Distance and Direction from Reference Line |
|-------------------|---|--|
| 5 Piller          | 48.4 E 0                                    | 4,45 /                                     |
| 6 "               | 52.4 E 4<br>53,1 E                          | 4,45                                       |
| Oil spill         | . 53,1 E                                    | 5.0 S                                      |
|                   |   |  |
| He hit picters 4, | 5\$6 only.                                  |  |
|                   | 0   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   | •   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   | 1.00  |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
|                   |   |  |
| 11<br>  K         |   |  |
|                   |   |  |

.

U.S. Department of Transportation National Highway Traffic Safety Administration

### **ACCIDENT FORM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

| 7   | SPECIAL STUDIES - INDICATORS  |
|---|---|
| 1. Primary Sampling Unit Number  2. Case Number - Stratum  IDENTIFICATION   | Check ( ) each special study (SS15-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked. |
| 3. Number of General Vehicle Forms Submitted  | 6 SS15 Administrative Use   |
| 4. Date of Accident (Month, Day, Year)  5. Time of Accident  Code reported military time of accident.  NOTE: Midnight = 2400 Unknown = 9999 | 7 SS16 Pedestrian Crash Data Study  |
|   | in this accident.   |
| ACCIDEN   | T EVENTS  |
| For each event that occurred in the accident, code the kinvolved vehicle or object in the right columns.                                    | owest numbered vehicle in the left columns and the other  |
| Accident Event  | General Vehicle Number General Area of Class Of Area of   |

| Accident Event<br>Sequence<br>Number | Vehicle<br>Number | Class Of<br>Vehicle   | General<br>Area of<br>Damage | Vehicle Number<br>or<br>Object Contacted | Class Of<br>Vehicle | General<br>Area of<br>Damage |
|--------------------------------------|-------------------|-----------------------|------------------------------|--|---------------------|------------------------------|
| 12. <u>0 1</u>                       | 13                | 14. 20                | 15. <u></u>                  | 16. <u>52</u>                            | 17. <u>OO</u>       | 18.                          |
| 19. <u>0</u> <u>2</u>                | 20                | 21. <u>20</u>         | 22                           | 23. <u>52</u>                            | 24. <u>OO</u>       | 25.                          |
| 26. <u>0</u> <u>3</u>                | 27. <u>O/</u>     | 28. <u>20</u>         | 29. <u>F</u>                 | 30. <u>52</u>                            | 31. <u>OO</u>       | 32.                          |
| 33. <u>0 4</u>                       | 34                | 35. <u>2</u> <u>0</u> | з <b>6</b> . <u>R</u>        | 37. 3/                                   | 38. <u>OO</u>       | 39. 🖊                        |
| 40. <u>0</u> <u>5</u>                | 41                | 42                    | 43                           | 44                                       | 45                  | 46                           |

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

| (00) Not a motor vehicle (01) Subcompact/mini (wheelbase < 254 cm) (02) Compact (wheelbase ≥ 254 but < 265 cm) (03) Intermediate (wheelbase ≥ 265 but < 278 cm) (04) Full size (wheelbase ≥ 278 but < 291 cm) (05) Largest (wheelbase ≥ 291 cm) (31) Large pickup truck (≤ 4,500 kgs GVWR) (38) Other pickup truck (≤ 4,500 kgs GVWR) (39) Unknown pickup truck type (≤ 4,500 kgs GVWR) (45) Other light truck (≤ 4,500 kgs GVWR) (48) Unknown light truck type (≤ 4,500 kgs GVWR) (49) Unknown light vehicle type  |          |
|---|----------|
| (01) Subcompact/mini (wheelbase $<$ 254 cm) (38) Other pickup truck ( $\le$ 4,500 kgs GVWR) (02) Compact (wheelbase $\ge$ 254 but $<$ 265 cm) (39) Unknown pickup truck type ( $\le$ 4,500 kgs GVWR) (03) Intermediate (wheelbase $\ge$ 265 but $<$ 278 cm) (45) Other light truck ( $\le$ 4,500 kgs GVWR) (04) Full size (wheelbase $\ge$ 278 but $<$ 291 cm) (48) Unknown light truck type ( $\le$ 4,500 kgs GVWR)  |          |
| (02) Compact (wheelbase $\geq$ 254 but $<$ 265 cm)(39) Unknown pickup truck type ( $\leq$ 4,500 kgs(03) Intermediate (wheelbase $\geq$ 265 but $<$ 278 cm)(45) Other light truck ( $\leq$ 4,500 kgs GVWR)(04) Full size (wheelbase $\geq$ 278 but $<$ 291 cm)(48) Unknown light truck type ( $\leq$ 4,500 kgs GVWR)   |          |
| (03) Intermediate (wheelbase $\geq$ 265 but $<$ 278 cm) (45) Other light truck ( $\leq$ 4,500 kgs GVWR) (04) Full size (wheelbase $\geq$ 278 but $<$ 291 cm) (48) Unknown light truck type ( $\leq$ 4,500 kgs G   | GVWR     |
| (04) Full size (wheelbase ≥ 278 but < 291 cm) (48) Unknown light truck type (≤ 4,500 kgs G  |          |
|   | VWR)     |
|   |          |
| (09) Unknown passenger car size (50) School bus (excludes van based)(> 4,500  | kgs GVWR |
| (14) Compact utility vehicle (58) Other bus (> 4,500 kgs GVWR)  |          |
| (15) Large utility vehicle (≤ 4,500 kgs GVWR) (59) Unknown bus type   | •        |
| (16) Utility station wagon (≤ 4,500 kgs GVWR) (60) Truck (> 4,500 kgs GVWR)   |          |
| (19) Unknown utility type (67) Tractor without trailer  |          |
| (20) Minivan (≤ 4,500 kgs GVWR) (68) Tractor-trailer(s)   |          |
| (21) Large van (≤ 4,500 kgs GVWR) (78) Unknown medium/heavy truck type  |          |
| (24) Van Based school bus (≤ 4,500 kgs GVWR) (79) Unknown light/medium/heavy truck type   |          |
| (28) Other van type (≤ 4,500 kgs GVWR) (80) Motored cycle   |          |
| (29) Unknown van type (≤ 4,500 kgs GVWR) (90) Other vehicle   |          |
| (30) Compact pickup truck (≤ 4,500 kgs GVWR) (99) Unknown   |          |
| CODES FOR GENERAL AREA OF DAMAGE (GAD)  |          |
| CDS APPLICABLE (0) Not a motor vehicle (R) Right side (T) Top   |          |
| AND OTHER (N) Noncollision (L) Left side (U) Undercar   | riage    |
| VEHICLES (F) Front (B) Back (9) Unknown   | ו        |
| TDC (0) Not a motor vehicle (L) Left side (C) Rear of c   | ab       |
| APPLICABLE (N) Noncollision (B) Back of unit with cargo area (V) Front of   |          |
| VEHICLES (F) Front (rear of trailer or straight truck) (T) Top  |          |
| (R) Right side (D) Back (rear of tractor) (U) Undercar  | riage    |
| (9) Unknowi   | -        |
|   |          |
| CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED  |          |
| (01-30) — Vehicle Number (57) Fence   |          |
| (58) Wall   |          |
|   |          |
| Noncollision (59) Building (60) Disch or culture  |          |
| (31) Overturn — rollover (excludes end-over-end) (60) Ditch or culvert  |          |
| (31) Overturn — rollover (excludes end-over-end) (60) Ditch or culvert (32) Rollover — end-over-end (61) Ground   |          |
| (31) Overturn — rollover (excludes end-over-end) (60) Ditch or culvert (32) Rollover — end-over-end (61) Ground (33) Fire or explosion (62) Fire hydrant  |          |
| (31) Overturn — rollover (excludes end-over-end) (60) Ditch or culvert (32) Rollover — end-over-end (61) Ground (33) Fire or explosion (62) Fire hydrant (34) Jackknife (63) Curb   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify):   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify):  |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object (70) Passenger car, light truck, van, or other  | vehicle  |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport  |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter)  (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (72) Pedestrian  (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush  (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle  |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (72) Pedestrian  (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify):  (69) Unknown fixed object (Ollision with Nonfixed Object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle (74) Other nonmotorist or conveyance  |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify):  (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway pole or post (any diameter)  (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify):  (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle (74) Other nonmotorist or conveyance  |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway pole or post (any diameter)  Nonbreakaway Pole or Post (50) Pole or post (≤ 10 cm in diameter)  (75) Vehicle occupant (77) Train  |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify):  (36) Noncollision injury (38) Other noncollision (specify):  (39) Noncollision — details unknown  (39) Noncollision — details unknown  (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway Pole or Post (50) Pole or post (≤ 10 cm in diameter) (50) Pole or post (≤ 10 cm in diameter) (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (78) Trailer, disconnected in transport   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Breakaway pole or post (any diameter) (45) Breakaway Pole or Post (50) Pole or post (≤ 10 cm in diameter) (51) Pole or post (> 10 cm in diameter) (52) Pole or post (> 10 cm in diameter) (53) Pole or post (> 30 cm in diameter) (54) Pole or post (> 30 cm in diameter) (55) Pole or post (> 30 cm in diameter) (75) Object fell from vehicle in-transport (77) Object fell from vehicle in-transport (78) Object fell from vehicle in-transport   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify):  (36) Noncollision injury (38) Other noncollision (specify):  (39) Noncollision — details unknown  (39) Noncollision — details unknown  (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway Pole or Post (50) Pole or post (≤ 10 cm in diameter) (50) Pole or post (≤ 10 cm in diameter) (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (78) Trailer, disconnected in transport   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown (39) Noncollision — details unknown (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway pole or post (any diameter) (50) Pole or post (≤ 10 cm in diameter) (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (52) Pole or post (> 30 cm in diameter) (53) Pole or post (diameter unknown) (54) Concrete traffic barrier (65) Unknown fixed object (68) Other fixed object (specify): (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle (74) Other nonmotorist or conveyance (75) Vehicle occupant (76) Animal (77) Train (78) Trailer, disconnected in transport (79) Object fell from vehicle in-transport (79) Object fell from vehicle in-transport (88) Other nonfixed object   |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown (39) Noncollision — details unknown (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway pole or post (any diameter) (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (53) Pole or post (> 30 cm in diameter) (53) Pole or post (diameter unknown) (54) Concrete traffic barrier (55) Impact attenuator  |          |
| (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (38) Other noncollision (specify): (39) Noncollision — details unknown  Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway pole or post (any diameter)  Nonbreakaway Pole or Post (50) Pole or post (≤ 10 cm in diameter) (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (52) Pole or post (diameter unknown)  (54) Concrete traffic barrier  (66) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify):  (69) Unknown fixed object (70) Passenger car, light truck, van, or other not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle (74) Other nonmotorist or conveyance (75) Vehicle occupant (76) Animal (77) Train (78) Trailer, disconnected in transport (79) Object fell from vehicle in-transport (79) Object fell from vehicle in-transport (79) Object fell from vehicle in-transport (88) Unknown nonfixed object |          |

|     | DDECDACIL FAIVIDONINGENTAL DATA                   |       |   | 1            |
|-----|---|-------|---|--------------|
|     | PRECRASH ENVIRONMENTAL DATA                       | 25    | Roadway Surface Condition                       | /            |
|     |   | 25.   | (1) Dry   |              |
| 19. | Relation To Interchange Or Junction               |       | ·   |              |
|     | (0) Non-interchange area and non-junction         | 1     | (2) Wet   |              |
|     | (1) Interchange area related                      | 1     | (3) Snow or slush                               |              |
|     |   |       | (4) Ice   |              |
|     | Non-Interchange junctions                         |       | (5) Sand, dirt, or oil                          |              |
|     | (2) Intersection related                          |       | (8) Other (specify):                            |              |
|     | (3) Driveway, alley access related                |       | (9) Unknown                                     |              |
|     | (4) Other junction (specify)                      |       |   |              |
|     | 17/ Other junction (specify)                      |       | 11.1.0  |              |
|     | (5) Haknowa type of innetion                      | 26.   | Light Conditions                                |              |
|     | (5) Unknown type of junction                      |       | (1) Daylight                                    |              |
|     | (0) Halia anna                                    | l     | (2) Dark  |              |
|     | (9) Unknown                                       |       | (3) Dark, but lighted                           |              |
|     | -   |       | (4) Dawn  |              |
|     | <u></u>   |       | (5) Dusk  |              |
| 20. | Trafficway Flow                                   |       | (9) Unknown                                     |              |
|     | (0) Not physically divided (two way traffic)      |       |   |              |
|     | (1) Divided trafficway-median strip without       |       |   |              |
|     | positive barrier                                  | 27    | Atmospheric Conditions                          | ()           |
|     | (2) Divided trafficway-median strip with positive | - ′ ` | (0) No adverse atmospheric-related driving      |              |
|     | barrier   |       | conditions                                      |              |
|     | (3) One way traffic                               | ļ     |   |              |
|     | (9) Unknown                                       |       | (1) Rain  |              |
|     | (5) Chilliann                                     | 1     | (2) Sleet/hail                                  |              |
|     | 2   |       | (3) Snow  |              |
| 21. | Number Of Travel Lanes                            |       | (4) Fog   |              |
|     | (1) One   |       | (5) Rain and fog                                |              |
|     | (2) Two   |       | (6) Sleet and fog                               |              |
|     | (3) Three   |       | (7) Other (e.g., smog, smoke, blowing sand of   | or           |
|     | (4) Four  |       | dust, etc.) (specify):                          |              |
|     |   |       | • • • • • •                                     |              |
|     | (5) Five  | l     | (9) Unknown                                     |              |
|     | (6) Six   |       | K   | <b>~</b>     |
|     | (7) Seven or more                                 | 28    | Traffic Control Device                          | X            |
|     | (9) Unknown                                       | ~ 5.  | (0) No traffic control(s)                       | _            |
|     | 1   |       | (1) Traffic control signal (not RR crossing)    | `            |
| 22  | Roadway Alignment                                 |       | (1) Hame control signal (not no clossing)       |              |
| 22. | (1) Straight                                      |       | Poquilatory                                     |              |
|     | (2) Curve right                                   |       | Regulatory                                      |              |
|     | (3) Curve left                                    |       | (2) Stop sign                                   |              |
|     |   |       | (3) Yield sign                                  |              |
|     | (9) Unknown                                       |       | (4) School zone sign                            |              |
| }   | ,1  |       | (5) Other regulatory sign (specify):            |              |
| 23. | Roadway Profile                                   |       |   |              |
|     | (1) Level   |       | (6) Warning sign (not RR crossing)              |              |
|     | (2) Uphill grade (>2%)                            |       | (7) Unknown sign                                |              |
| Ì   | (3) Hill crest                                    |       | (8) Miscellaneous/other controls including RR   |              |
|     | (4) Downhill grade (>2%)                          |       | controls (specify):                             |              |
|     | (5) Sag   |       | RR MODING DIAN                                  |              |
|     | (9) Unknown                                       |       | (9) Unknown                                     | ion          |
|     | (3) OHKHOWH                                       |       | •   | ( <b>L</b> ) |
|     |   |       | `   | 7            |
| 24. | Roadway Surface Type                              | 29.   | Traffic Control Device Functioning              | X            |
|     | (1) Concrete                                      | 1     | (0) No traffic control device                   | _            |
|     | (2) Bituminous (asphalt)                          | 1     | (1) Traffic control device not functioning      |              |
|     | (3) Brick or block                                | Ì     | (specify):                                      |              |
|     | (4) Slag, gravel, or stone                        |       | (2) Traffic control device functioning properly | <del></del>  |
|     | (5) Dirt  | 1     | (9) Unknown                                     |              |
|     | (8) Other (specify):                              | -     | 10, 5110101111                                  |              |
|     | (9) Unknown                                       |       |   |              |
|     | (O) OHAHOWH                                       |       |   |              |
|     |   | 1     |   |              |

| U | 1    |   |
|---|------|---|
|   | Page | 5 |

| OCCUPANT RELATED  | 44. Vehicle Cargo Weight O. O. O. O.  |
|---|---|
| 37. Driver Presence in Vehicle (0) Driver not present (1) Driver present (9) Unknown  | Code weight to nearest  10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  |
| 38. Number of Occupants This Vehicle (00-96) Code actual number of occupants for this vehicle (97) 97 or more (99) Unknown  | Source:  ROLLOVER DATA  45. Rollover (00) No rollover (no overturning)  |
| 39. Number of Occupant Forms Submitted  | Rollover (primarily about the longitudinal axis)  |
| AIR BAG RELATED  40. Is this an AOPS Vehicle? (0) No (includes unknown) (1) Yes - researcher determined (2) VIN determined air bag system (3) VIN determined automatic (passive) belts (4) VIN determined air bag and automatic (passive) belts   | (01-16) Code the number of quarter turns (17) Rollover, 17 or more quarter turns (specify): (98) Rolloverend-over-end (i.e., primarily about the lateral axis) (99) Rollover (overturn), details unknown  46. Rollover Initiation Type (00) No rollover (01) Trip-over  |
| 41. Air Bag(s) Deployment, First Seat Frontal (O) Not equipped or not available (1) No air bags deployed  Single Air Bag Vehicle (2) Driver air bag deployed (3) Driver air bag, unknown if deployed  | (01) Trip-over (02) Flip-over (03) Turn-over (04) Climb-over (05) Fall-over (06) Bounce-over (07) Collision with another vehicle (08) Other rollover initiation type specify):  |
| Multiple Air Bag Vehicle  (4) Driver side only deployed (5) Passenger side only deployed (6) Driver and passenger side deployed (7) Driver and passenger side unknown if deployed (8) Air bag(s) deployed, details unknown (9) Unknown  42. Air Bag(s) Deployment, Other Than First Seat Frontal (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact)  | (98) Rolloverend-over-end (99) Unknown rollover initiation type  47. Location of Rollover Initiation (0) No rollover (1) On roadway (2) On shoulder—paved (3) On shoulder—unpaved (4) On roadside or divided trafficway median (8) Rolloverend-over-end (9) Unknown  48. Rollover Initiation Object Contacted |
| <ul> <li>(2) Deployed inadvertently just prior to accident</li> <li>(3) Deployed, details unknown</li> <li>(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)</li> <li>(5) Unknown if deployed</li> <li>(7) Nondeployed</li> <li>(9) Unknown</li> </ul> Specify type of "other" air bag present:   | (Note: Applicable codes on back of page)  49. Location on Vehicle Where Initial Principal Tripping Force Is Applied (0) No rollover (1) Wheels/tires (2) Side plane (3) End plane (4) Undercarriage (5) Other location on vehicle (specify):  (6) Non-contact rollover forces (specify):                      |
|   | (6) Non-contact rollover forces (specify):  (8) Rolloverend-over-end  |
| VEHICLE WEIGHT ITEMS  43. Vehicle Curb Weight  Code weight to nearest  10 kilograms.  1955  1955  1955  1950  1950  1950  1955  | (9) Unknown  50. Direction of Initial Roll (0) No rollover (1) Roll right - primarily about the longitudinal axis (2) Roll left - primarily about the longitudinal  |
| (\$10) 6,100 kilograms or more (\$200 0) (\$999). Unknown +45 (\$200 0) kgs (\$100 \text{Kgs} = \frac{1}{2},000 \text{Colores} = \frac{1} | (8) Rolloverend-over-end<br>(9) Unknown roll direction  |

# CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

| (00) No rollover<br>(01-30) — Vehicle Number      | (57) Fence<br>(58) Wall                        |
|---|--|
| Noncollision                                      | (59) Building<br>(60) Ditch or culvert         |
| (31) Turn-over — fall-over                        | (61) Ground                                    |
| (32) No rollover impact initiation (end-over-end) | (62) Fire hydrant                              |
| (34) Jackknife                                    | (63) Curb                                      |
| (OT) CHORRING                                     | (64) Bridge                                    |
| Collision With Fixed Object                       | (68) Other fixed object (specify):             |
| (41) Tree (≤ 10 cm in diameter)                   | (00) Other fixed object (opening).             |
| (42) Tree (> 10 cm in diameter)                   | (69) Unknown fixed object                      |
| (43) Shrubbery or bush                            | (OU) OTHEROWN IMOU OBJUCE                      |
| (44) Embankment                                   | Collision with Nonfixed Object                 |
| ( ) ) Linbandinone                                | (70) Passenger car, light truck, van, or other |
| (45) Breakaway pole or post (any diameter)        | vehicle not in-transport                       |
| ( 10) Broakaway polo or pour larry diameter,      | (71) Medium/heavy truck or bus not in-transpor |
| Nonbreakaway Pole or Post                         | (76) Animal                                    |
| (50) Pole or post (≤ 10 cm in diameter)           | (77) Train                                     |
| (51) Pole or post ( $> 10$ cm but $\le 30$ cm in  | (78) Trailer, disconnected in transport        |
| diameter)   | (79) Object fell from vehicle in-transport     |
| (52) Pole or post (> 30 cm in diameter)           | (88) Other nonfixed object (specify):          |
| (53) Pole or post (diameter unknown)              | (ob) outlot from object toposity,              |
| (oo, toloo, pool (alamoto olimina)                | (89) Unknown nonfixed object                   |
| (54) Concrete traffic barrier                     | (55) 5   |
| (55) Impact attenuator                            | (98) Other event (specify):                    |
| (56) Other traffic barrier (includes guardrail)   | (00, 00.00 00.00)                              |
| (specify):  | (99) Unknown event or object                   |

0

HS Form 435A (Rev. 1/95)

U.S. Department of Transportation NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM **EXTERIOR VEHICLE FORM** National Highway Traffic Safety Administration 3. Vehicle Number 1. Primary Sampling Unit Number 2. Case Number - Stratum VEHICLE IDENTIFICATION Model Year 95VIN 1 6 N D M 1 9 W 7 5 B Vehicle Model (specify): 25tro Vehicle Make (specify): \_\_\_\_\_\_\_ Chery LOCATOR Locate the end of the damage with respect to the vehicle longitudinal center line or bumper corner for end impacts or an undamaged axle for side impacts. Location of Max Crush Location of Field L Location of Direct Damage Specific Impact No. tront BC Same **CRUSH PROFILE IN CENTIMETERS** NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space). Stands one post at 484 ads on Post al 2n Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts. Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush. Use as many lines/columns as necessary to describe each damage profile. Direct Damage **Specific** Field Plane of Impact Ce C<sub>1</sub>  $C_2$ ±D Width  $C_3$ C. C<sub>5</sub> Max Impact **C-Measurements** (CDC) Crush Number 9.5 51.2 All Front Bunk 130 125 1.30 104 .S ۰,5 ک 5 .5 12.0 1.0 12.0 ۸٠٥ 10.0 10.0 10.6 10.0 107.5 J87, 5

# ORIGINAL SPECIFICATIONS WORK SHEET

| Wheelbase                |              | x 2.54 =  | 282cm        |
|--------------------------|--------------|-----------|--------------|
| Overall Length           | 186.8 inches | x 2.54 =  | 4.74 cm      |
| Maximum Width            | 77.5 inches  | x 2.54 =  | 197cm        |
| Curb Weight              |              | x .4536 = | 2000 kg      |
| Average Track            | inches       | x 2.54 =  | cm           |
| Front Overhang           | inches       | x 2.54 =  | <u></u>      |
| Rear Overhang            | inches       | x 2.54 =  | <u>89</u> cm |
| Undeformed End Width     | inches       | x 2.54 =  | cm           |
| Engine Size: cyl./displ. | <u>(</u> cc  | x .001 =  | L            |
|                          | CID          | x .0164 = | <u>43</u> ι  |



| National Accident Sampling System-o  | VEHICLE DAMAGE SKETCH  |   |
|--|--|---|
|  |  |   |
| TIRE—WHEEL DAMAGE  a. Rotation physically b. Tire restricted deflated  RF A RF LF LF LF      | ORIGINAL SPECIFICATIONS  Wheelbase 282 cm Overall Length 479 cm Maximum Width 197 cm   | WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only)  RF ± 0 0 0  LF 5 0 0  RR ± 0 0 0 |
| RR 3 RR 3 LR 3   | Curb Weight kg  Average Track cm   | LR ± <u>O</u> <u>O</u> o  Within ± 5 degrees  |
| (1) Yes (2) No (8) NA (9) Unk.   | Front Overhang cm  | DRIVE WHEELS  |
| TYPE OF TRANSMISSION  ☐ Manual     Automatic   | Rear Overhang <u>89</u> cm  Undeformed End Width <u>/15.0</u> cm   | ☐ FWD ☐ RWD 🔀 4WD   |
| UD, D END SHIFT ≥ 10 CM Yes □ No   | Engine Size: cyl./displ. 6 4.3 L   | Cargo Weightkg  |
| 5 de   | MEASUREMENTS IN CENTIMETERS  | 1 21 0x 33.   |
|  | 108.5×62.0   | probably by broken by   |
|  | Original Bumper height 30.0  |   |
| 175.0  | 80.0 27.0 × 18.0 + 1965  | 178.0<br>×49.0<br>×49.0   |
|  | POST-CRASH   | To gaws   |
|  | Bumper corner 356.0 (42) 314.0<br>Stringline 4847.0 (160) (195)  | 119.0<br>12.0× \\$.0  |
|  | POST-CRASH   |   |
|  | Bumper corner 12.0 410.0 (290)   | (6) 476.0<br>(4) 474.0  |
| NOTES: Sketch new perimeter and cross hat reconstructing the accident (e.g., grant process). | ch direct damage and single hatch induced damage on all views. An<br>ass in tire bead, direction of striations, scuff on sidewalls, etc.). If pu | notate observations which might be useful in<br>lling trailer, sketch type of trailer and damage            |

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

received on the back of this page.

CDC WORKSHEET

| CODES FOR OBJECT CONTACTED                    |                       |                         |                    |                             |              |                   |                    |
|---|-----------------------|-------------------------|--------------------|-----------------------------|--------------|-------------------|--------------------|
| (01-30) — Vehicle Num                         | nber                  |                         | -                  | 7) Fence<br>3) Wall         |              |                   |                    |
| Noncollision                                  |                       |                         | •                  | 9) Building                 |              |                   |                    |
| (31) Overturn — roll                          | lover (excludes       | end-over-en             |                    | ) Ditch or                  | culvert      |                   |                    |
| (32) Rollover—end-c                           |                       |                         |                    | l) Ground                   |              |                   |                    |
| (33) Fire or explosio                         |                       |                         |                    | 2) Fire hydr                | ant          |                   |                    |
| (34) Jackknife                                |                       |                         |                    | 3) Curb                     |              |                   |                    |
| (35) Other intraunit                          | damage (specif        | v):                     | (64                | l) Bridge                   |              |                   |                    |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,       |                       | •                       | (68                | 3) Other fix                | ed object (s | specify):         |                    |
| (36) Noncollision inj<br>(38) Other noncollis |                       |                         | (69                | ) Unknowi                   | n fixed obje | ct                |                    |
| (39) Noncollision —                           |                       | <u></u>                 | Collis             | ion with No                 | nfixed Obje  | ct                |                    |
| (00) Noncomsion                               | dotano amenon         | ••                      |                    |                             |              | truck, van,       | or other           |
| Collision With Fixed Ob                       | piect                 |                         |                    | vehicle n                   | ot in-transp | ort               |                    |
| (41) Tree (≤ 10 cm                            |                       |                         | (7                 | 1) Medium/                  | heavy truck  | or bus not        | in-transport       |
| (42) Tree (> 10 cm                            |                       |                         | (7:                | 2) Pedestria                | an           |                   |                    |
| (43) Shrubbery or b                           |                       |                         |                    | <ol><li>Cyclist o</li></ol> |              |                   |                    |
| (44) Embankment                               |                       |                         | (74                | 4) Other no                 | nmotorist o  | r conveyand       | e                  |
| (45) Breakaway pol                            | e or post (any o      | iameter)                | ·                  | 5) Vehicle                  | occupant     |                   |                    |
|   |                       |                         | •                  | 6) Animal                   |              |                   |                    |
| Nonbreakaway Pole or                          |                       |                         |                    | 7) Train                    | licconnecte  | d in transpor     | •+                 |
| (50) Pole or post (≤                          |                       |                         |                    |                             |              | icle in-transp    |                    |
| (51) Pole or post (> diameter)                | > 10 cm but S         | 30 Cm m                 |                    |                             |              | ct (specify):     | JOI C              |
| (52) Pole or post (>                          | > 30 cm in diam       | neter)                  | (0.                | o, Other ne                 | minde obje   | ot (opoony).      |                    |
| (53) Pole or post (d                          |                       |                         | (8:                | 9) Unknow                   | n nonfixed   | object            |                    |
| (54) Concrete traffic                         |                       |                         | /9:                | 8) Other ev                 | ent (specify | ۸۰                |                    |
| (55) Impact attenua                           |                       |                         | (3)                | <i>5,</i> 5 (115) 6 (       | one (opoon)  | •                 |                    |
| (56) Other traffic ba                         |                       | quardrail)              | (9:                | 9) Unknow                   | n event or o | object            |                    |
|   |                       |                         |                    |                             |              |                   |                    |
|   |                       |                         |                    |                             |              |                   | W                  |
|   | DEFORMA               | TION CLASS              | IFICATION E        | BY EVENT N<br>(4)           | UMBER<br>(5) |                   |                    |
| Accident                                      | (1) (2)               |                         | (0)                | Specific                    | Specific     | (6)<br>Turn of    | <i>(</i> 7)        |
| Event   | Direction             | Incremental<br>Value of | (3)<br>Deformation | Longitudinal or Lateral     |              | Type of<br>Damage | (7)<br>Deformation |
| Sequence Object Number Contacted              | of Force<br>(degrees) | Shift                   | Location           | Location                    | Location     | Distribution      | Extent             |
| 03 52   | 3 4 0                 | 40                      | F                  | <u>D</u>                    | A            |                   | 07                 |
|   | <u> </u>              |                         |                    |                             |              |                   | <del></del>        |
| 0431  | 000                   | 00                      | <u> </u>           | <u>Z</u>                    | <u>H</u>     | 0                 | 0/                 |
| <u>_</u>                                      |                       |                         |                    |                             |              |                   |                    |
| 1121  |                       |                         |                    |                             |              |                   |                    |
|   |                       |                         |                    |                             | <del></del>  | <del></del>       |                    |
|   |                       |                         |                    |                             |              | <del></del>       |                    |
|   |                       |                         |                    |                             |              |                   |                    |
|   |                       |                         |                    |                             |              |                   |                    |
|   |                       |                         |                    |                             |              |                   |                    |
|   |                       |                         |                    |                             |              |                   |                    |

| National Accident Sam                      |   |                                 |                                      | 101 10111010 1  |  |                        |  |
|--|---|---------------------------------|--------------------------------------|---|--|------------------------|--|
| COLLISION DEFORMATION CLASSIFICATION       |   |                                 |                                      |   |  |                        |  |
| HIGHEST DELTA "\                           | /"  |                                 |                                      |   |  |                        |  |
| Accident Event Sequence Obje Number Contac |   | (3)<br>Deformation<br>Location  | (4) Longitudinal or Lateral Location | (5)<br>Vertical or<br>Lateral<br>Location   | (6)<br>Type of<br>Damage<br>Distribution | (7) Deformation Extent |  |
| 4. <u>0</u> 3 5. <u>5</u>                  | 6. 11   | 7. <u>F</u>                     | 8. <u>D</u>                          | 9. <u>A</u>   | 10. <u>W</u>                             | 11.07                  |  |
| Second Highest De                          | 2 99  | 15.                             | 16                                   | 17. 4   | 18.                                      | 19.01                  |  |
|  | CRUS  | H PROFILE                       | IN CENTIM                            | ETERS   |  |                        |  |
| The crus<br>in the                         | sh profile for the dan<br>e appropriate space   | nage described<br>below. (ALL M | in the CDC(s)<br>IEASUREMENT         | above should<br>S ARE IN CEN  | be documente<br>TIMETERS.)               | d                      |  |
| HIGHEST DELTA "                            | V"  |                                 |                                      |   |  | ·                      |  |
| 20. 21.<br>L C <sub>1</sub>                |   |                                 |                                      | C <sub>5</sub>  | C <sub>6</sub>                           | 22.<br>                |  |
| 175 10                                     | 8 050   | 026                             | 012 0                                | x0 / 0  | 00                                       | 2051                   |  |
| Second Highest December 23. 24.            |   | C <sub>3</sub>                  |                                      | C <sub>5</sub>  | C <sub>6</sub>                           | 25.<br>±D              |  |
|  | <del>-</del>  |                                 | <del></del>                          |   |  | <del>-</del>           |  |
| (250) Code to                              | ighest severity<br>d plane impact.)<br>the nearest centimet<br>timeters or more<br>est severity end plane |                                 | (650)<br>(999)                       | al Wheelbase Code to the note | ers or more $(2.54 = 28)$                | 282<br>2 centimeters   |  |
|  | verity impact)<br>the nearest centimet<br>atimeters or more   |                                 | (185)                                | al Average Trac<br>Code to the n<br>centimter<br>185 centimete<br>Unknown<br>inches >   | earest                                   |                        |  |

|   |          | FUEL SYSTEM   |
|---|----------|---|
| 30. Are CDCs Documented but Not Coded on The  | 0        | 35. Location of Fuel Tank-1 Filler Cap  36. Location of Fuel Tank-2 Filler Cap  |
| Automated File?<br>(0) No<br>(1) Yes  |          | <ul> <li>(0) No fuel tank</li> <li>(1) On back plane</li> <li>(2) Aft of center of the rear wheels (rear axle) on left side plane</li> </ul>  |
| <ul> <li>31. Researcher's Assessment of Vehicle Disposition (0) Not towed due to vehicle damage (1) Towed due to vehicle damage</li> <li>(9) Unknown</li> </ul>   |          | on right side plane  (4) Forward of center of the rear wheels (rear axle) on left side plane  (5) Forward of center of the rear wheels (rear axle) on right side plane  (6) Over the center of the rear wheels (rear axle) on left side plane   |
| 32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? (0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify):  | <u>O</u> | (7) Over the center of the rear wheels (rear axle) on right side plane (8) Other (specify): (9) Unknown  37. Type of Fuel Tank-1  |
| (Include photograph of CERTIFICATION PLACARD in case report) (9) Unknown if vehicle is modified   | ·        | 38. Type of Fuel Tank-2 (0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown   |
| FIRE OCCURRENCE   |          | 39. Location of Fuel Tank-1  40. Location of Fuel Tank-2  |
| 33. Fire Occurrence (0) No fire  Yes, fire occurred (1) Minor (2) Major (9) Unknown   | 0        | (0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered (2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side (4) Forward of center of the rear wheels (rear axle) centered (5) Forward of center of the rear wheels (rear  |
| 34. Origin of Fire  (0) No fire  (1) Vehicle exterior (front, side, back, top)  (2) Exhaust system  (3) Fuel tank (and other fuel retention system parts)  (4) Engine compartment  (5) Cargo/trunk compartment  (6) Instrument panel  (7) Passenger compartment area  (8) Other location (specify): | 0        | axle) left side  (6) Forward of center of the rear wheels (rear axle) right side  (7) Over center of the rear wheels (rear axle)  (8) Other (specify):  (9) Unknown  41. Damage to Fuel Tank-1  42. Damage to Fuel Tank-2  (0) No fuel tank  (1) No damage to fuel tank  (2) Deformed, no seam failure  (3) Deformed, with a seam failure  (4) Punctured  (5) Lacerated (ripped)  (6) Abraded (scraped)  (7) Filler neck separation from the fuel tank  (8) Other damage (specify): |
|   |          | (9) Unknown   |

| National Accident S | ampling System-Cras | hworthiness Data | System: | Exterior | Vehicle | Form |
|---------------------|---------------------|------------------|---------|----------|---------|------|
|---------------------|---------------------|------------------|---------|----------|---------|------|

| 43. | Leakage Location of Fuel System-1          | 47. Is This Vehicle Equipped With More Than Two Fuel Tanks? |
|-----|--|---|
| 44. | Leakage Location of Fuel System-2          | (0) No (one or two tanks only)                              |
|     | (0) No fuel tank                           | Yes - More Than Two Tanks                                   |
|     | (1) No fuel leakage                        |   |
|     |  | (1) Yes no damage to any tank or filler                     |
|     | Primary Area Of Leakage                    | cap and no fuel system leakage                              |
|     | (2) Tank                                   | (2) Yes no damage to any tank or filler                     |
|     | (3) Filler neck                            | cap but there is fuel system leakage                        |
|     | (4) Cap                                    | (specify leakage location):                                 |
|     | (5) Lines/pump/filter                      | (a) V   |
|     | (6) Vent/emission recovery                 | (3) Yes damage to an additional tank or                     |
|     | (8) Other (specify):                       | filler cap and there is fuel system leakage                 |
|     | (9) Unknown                                | (specify the following):                                    |
|     |  | Type of tank  |
|     | <b>a</b> 1                                 | Tank location   |
| 45. | Fuel Type-1                                | Filler cap location   |
|     | • •  | Tank damage   |
| 46. | Fuel Type-2                                | Location of leakage   |
|     |  | Type of fuel  |
|     | Single Fuel Type                           | (9) Unknown if more than two tanks                          |
|     | (00) No fuel tank                          |   |
|     | (01) Gasoline                              |   |
|     | (O2) Diesel                                |   |
|     | (03) CNG (Compressed Natural Gas)          | COMMENTS  |
|     | (O4) LPG (Liquid Petroleum Gas) also       |   |
| 1   | known as Propane                           |   |
| 1   | (05) LNG (Liquid Natural Gas)              |   |
| [   | (06) Methanol (M100 or M85)                |   |
|     | (07) Ethanol (E100 or E85)                 |   |
| [   | (08) Other (Hydrogen or others) (specify): |   |
|     |  |   |
|     | Electric Powered or Electric/Solar         |   |
|     | Powered Vehicles                           |   |
|     | (10) Lead Acid Battery                     | -   |
| 1   | (11) Nickel-Iron Battery                   |   |
|     | (12) Nickel-Cadmium Battery                |   |
|     | (13) Sodium Metal Chloride Battery         |   |
|     | (14) Sodium Sulfur Battery                 |   |
|     | (18) Other (Specify):                      |   |
|     |  |   |
|     | (98) Other Hybrid (specify):               |   |
|     |  |   |
| 1   | (99) Unknown fuel type                     |   |
|     | (33) Olikilowii idei typo                  |   |
| 1   |  |   |
| 1   |  |   |
|     |  |   |
| 1   |  |   |
| 1   | ·  |   |
|     | *** STOP: IF THE CDS APPLICAB              | BLE VEHICLE WAS NOT TOWED ***                               |

\*\*\* STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED \*\*\*


(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.

STEM

(7) Glazing removed prior to accident (8) Glazing disintegrated by occupant contact (9) Unknown if contacted by occupant


| lational Highway Traffic Safety<br>Idministration  | INTERIOR VE                       | HICLE FORM  NATIONAL ACCIDENT SAMPLING SYSTE  CRASHWORTHINESS DATA SYSTE  |
|--|-----------------------------------|---|
|  | 75                                | GLAZING   |
| Primary Sampling Unit Number   | 75                                | Type of Window/Windshield Glazing   |
| 2. Case Number - Stratum   | 1 0 3 A                           | 15. WS / 16. LF 2 17. RF 3 18. LR 19. RR 3  |
| 3. Vehicle Number  | 01                                | 20. BL <u>3</u> 21. Roof <u>0</u> 22. Other <u>3</u>  |
| INTEGRITY  |                                   |   |
| 4. Passenger Compartment Integrity (00) No integrity loss  Yes, Integrity Was Lost Through (01) Windshield (02) Door (side) (03) Door/hatch (back door) (04) Roof (05) Roof glass (06) Side window   | 98                                | (0) No glazing (1) AS-1 — Laminated (2) AS-2 — Tempered (3) AS-3 — Tempered-tinted (original) (4) AS-2 — Tempered-with after market tint (5) AS-3 — Tempered-tinted (with additional after market tint) (6) AS-14 — Glass/Plastic (7) Glazing removed prior to accident (8) Other (specify):  (9) Unknown   |
| (07) Rear window (backlight) ?   |                                   | Window Precrash Glazing Status  |
| (08) Roof and roof glass (09) Windshield and door (side)   |                                   | 23. WS $\frac{1}{2}$ 24. LF $\frac{1}{2}$ 25. RF $\frac{1}{2}$ 26. LR $\frac{1}{2}$ 27. RR $\frac{1}{2}$  |
| (10) Windshield and roof (11) Side and rear window (side window a  | and backlight)                    | 28. BL <u>2</u> 29. Roof <u>0</u> 30. Other <u>1</u>  |
| (12) Windshield and side window (13) Door and side window (98) Other combination of above (specify): (99) Unknown  |                                   | <ul> <li>(0) No glazing</li> <li>(1) Fixed</li> <li>(2) Closed</li> <li>(3) Partially opened</li> <li>(4) Fully opened</li> <li>(7) Glazing removed prior to accident</li> <li>(9) Unknown</li> </ul>   |
| Door, Tailgate or Hatch Opening  | ~f/                               | Glazing Damage from Impact Forces   |
| 5. LF <u>3</u> 6. RF <u>3</u> 7. LR <u>0</u> 8. RR_  | <u>/</u> 9. т <u>G</u> /H <u></u> | 31. WS 3 32. LF 6 33. RF 6 34. LR 6 35. RR 1  |
| (0) No door/gate/hatch (1) Door/gate/hatch remained closed and (2) Door/gate/hatch came open during col (3) Door/gate/hatch jammed shut (8) Other (specify):  (9) Unknown  Damage/Failure Associated with Door,  | llision                           | 36. BL 37. Roof 38. Other (1) No glazing (1) No glazing damage from impact forces (2) Glazing in place and cracked from impact forces (3) Glazing in place and holed from impact forces (4) Glazing out-of-place (cracked or not) and not holed from impact forces (5) Glazing out-of-place and holed from impact forces (6) Glazing disintegrated from impact forces (7) Glazing removed prior to accident |
| Opening in Collision. If IV05-IV09 ≠ 3   |                                   | (9) Unknown if damaged  |
| 10. LF <u>O</u> 11. RF <u>O</u> 12. LR <u>O</u> 13. RF   | ₹ <u>Ø</u> 14. TG/H <u>Ø</u>      | Glazing Damage from Occupant Contact  |
| (0) No door/gate/hatch or door not opened  | d ,                               | 39. WS 40. LF 41. RF 42. LR 43. RR  |
| Door, Tailgate or Hatch Came Open During (1) Door operational (no damage) (2) Latch/striker failure due to damage (3) Hinge failure due to damage (4) Door structure failure due to damage (5) Door support (i.e., pillar, sill, roof side etc.) failure due to damage (6) Latch/striker and hinge failure due to c (8) Other failure (specify): | rail,                             | (0) No glazing (1) No occupant contact to glazing (2) Glazing contacted by occupant but no glazing damage (3) Glazing in place and cracked by occupant contact (4) Glazing in place and holed by occupant contact (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact (6) Glazing out-of-place by occupant contact and holed by occupant contact                |
| (3) UNKIIUWII  |                                   | (7) Glazing removed prior to accident   |



| OCCUPANT AR   | EA INTRUSION  |
|---|---|
| Note: If no intrusions, leave variables IV47-IV86 blank.  | INTRUDING COMPONENT   |
| Dominant Location of Intruding Magnitude Crush Intrusion Component of Intrusion Direction   | Interior Components —(01) Steering assembly —(02) Instrument panel left   |
| 1st 47. 1 2 48. 1 6 49. 6 50. 2   | (03) Instrument panel center     (04) Instrument panel right     (05) Toe pan     (06) A (A1/A2)-pillar     (07) B-pillar   |
| 2nd 51. 1 2 52. 1 3 53. 6 54. 2   | (08) C-pillar<br>(09) D-pillar<br>(10) Side panel - forward of the A1/A2-pillar<br>(11) Door panel (side)   |
| 3rd 55. 13 56. 13 57. 658. 2  | (12) Side panel - rear of the B-pillar  (13) Roof (or convertible top)  (14) Roof side rail  (15) Windshield  |
| 4th 59. 1 1 60. 0 5 61. 62. 2   | (16) Windshield header (17) Window frame (18) Floor pan (includes sill) (19) Backlight header   |
| 5th 63. 1 1 64. 1 6 65. 5 66. 2   | (20) Front seat back<br>(21) Second seat back<br>(22) Third seat back   |
| 6th 67. 1 68. 1 3 69. 5 70. 2   | (23) Fourth seat back (24) Fifth seat back (25) Seat cushion (26) Back door/panel (e.g., tailgate)  |
| 7th 71. 12 72. 03 73. 5 74.2  | (27) Other interior component (specify):  |
| 8th 75. 1 76. 02 77. 4 78. 2  | (30) Hood (31) Outside surface of this vehicle (specify):   |
| 9th 79. / / 80. <u>0</u> / 81. 4 82. 2  | (32) Other exterior object in the environment (specify):  (33) Unknown exterior object (97) Catastrophic  |
| 10th 83. / / 84. 0 6 85. 4 86. 2  | (98) Intrusion of unlisted component(s) (specify): (99) Unknown   |
| LOCATION OF INTRUSION  Front Seat Fourth Seat (11) Left (41) Left (12) Middle (42) Middle (13) Right (43) Right  Second Seat (97) Catastrophic (21) Left (98) Other enclosed (22) Middle area (specify) | MAGNITUDE OF INTRUSION  (1) ≥ 3 centimeters but < 8 centimeters  (2) ≥ 8 centimeters but < 15 centimeters  (3) ≥ 15 centimeters but < 30 centimeters  (4) ≥ 30 centimeters but < 46 centimeters  (5) ≥ 46 centimeters but < 61 centimeters  (6) ≥ 61 centimeters  (7) Catastrophic  (9) Unknown |
| (23) Right (99) Unknown Third Seat (31) Left (32) Middle (33) Right   | DOMINANT CRUSH DIRECTION (1) Vertical (2) Longitudinal (3) Lateral (7) Catastrophic (9) Unknown   |

|                  | (All N       | leasurements Are in Cen | timeters) |             |  |
|------------------|--------------|-------------------------|-----------|-------------|--|
| COMPARISON VALUE | _            | DAMAGE VALUE            | =         | DEFORMATION |  |
|                  | <del>_</del> |                         | . =       |             |  |
|                  |              |                         | =         |             |  |
|                  | _            |                         | =         |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
| •                |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |
|                  |              |                         |           |             |  |

| STEERING COLUMN   | INSTRUMENT PANEL   |
|---|--|
| 2   | 92. Odometer Reading O O O ,000  |
| 87. Steering Column Type  (1) Fixed column  (2) Tilt column  (3) Telescoping column  (4) Tilt and telescoping column  (8) Other column type (specify):  | kilometers   |
| 88. Tilt Steering Column Adjustment (0) No tilt steering column (1) Full up (2) Between full up and center (3) Center (4) Between center and full down (5) Full down (9) Unknown  | Source:  93. Instrument Panel Damage from Occupant Contact? (0) No (1) Yes (9) Unknown  94. Type of Knee Bolster Covering (0) No knee bolster (1) Padded   |
| 89. Telescoping Steering Column Adjustment (0) No telescoping steering column (1) Full back (2) Between full back and midpoint (3) Midpoint (4) Between midpoint and full forward (5) Full forward (9) Unknown  | (1) Padded (2) Rigid plastic (8) Other (specify): (9) Unknown  95. Knee Bolsters Deformed from Occupant Contact? (0) No knee bolster (1) No deformation (2) Yes - deformation (9) Unknown  |
| 90. Steering Rim/Spoke Deformation    8.5 Code actual measured deformation to the nearest centimeter (00) No steering rim deformation (01-14) Actual measured value in centimeters (15) 15 centimeters or more (98) Observed deformation cannot be measured (99) Unknown  | 96. Did Glove Compartment Door Open During Collision(s)? (0) No glove compartment door (1) No - door did not open (2) Yes - door opened (9) Unknown  97. Adaptive (Assistive) Driving Equipment  |
| 91. Location of Steering Rim/Spoke Deformation (00) No steering rim deformation   Quarter Sections (01) Section A (02) Section B (03) Section C (04) Section D   Half Sections (05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke (09) Complete steering wheel collapse (10) Undetermined location (99) Unknown | (O) No adaptive driving equipment (1) Adaptive driving equipment installed (Check all that apply.) [] Hand controls for braking/acceleration [] Steering control devices (attached to OEM steering wheel [] Steering knob attached to steering wheel [] Low effort power steering (unit or device) [] Replacement steering wheel (i.e., reduced diameter) [] Joy-stick steering controls [] Wheelchair tie-downs [] Modification to seat belts (specify): [] Additional or relocated switches (specify): [] Raised roof [] Wall-mounted head rest (used behind wheelchair) [] Other adaptive device (specify): (9) Unknown |



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure.

Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

|  |  | POIN   |  | JPANT CONTACT  |  | Confidence   |
|--|--|--|--|--|--|--|
| Conta  | Interior<br>Componen<br>Contacted  | Occupant<br>No. If<br>Known  | Body<br>Region<br>If<br>Known  | Supporting Physical Ev   | ridence  | Level of<br>Contact<br>Point   |
| A  |  | 2  |  | Broken   |  | 2  |
|  | 013  | 1 7  |  | Broken   |  |  |
| B  | 010  |  | chest  | Bert   |  | 1  |
| <u> </u>   | 004  | <del></del>  |  | Deplaya  |  | -1   |
| D  | 170  |  | Chest  | pringer  |  |  |
| E  |  |  |  |  |  | <u> </u>   |
| F  |  |  | <u> </u>   |  |  |  |
| G  |  |  |  |  |  |  |
| Н  |  |  |  |  |  | <del> </del>   |
| ī  |  |  |  |  |  |  |
| J  |  |  |  | •  |  |  |
| <u></u> к  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| <u>L</u>   |  |  | 1  |  |  |  |
| M  |  |  |  |  |  |  |
| N  |  |  | <u></u>  | RIOR COMPONENTS  | REAR   |  |
| (006) S<br>(007) S<br>(008) C<br>(009) A<br>(010) L<br>(011) C<br>(012) F<br>(013) C<br>(014) P<br>(015) N | itsering wheel hub/spoke itsering wheel (combinate of codes OO4 and OO5) itsering solumn, transmission selector lever, other strachment callular telephone or CB adio Add on equipment(e.g., transmission and conditioner) aft instrument panel and selow Center instrument panel and selow Glove compartment door Knee bolster Windshield including one more of the following: first header, A (A1/A2)-piller, instrument panel, mirror, steering assembly (driver side only) Windshield including one more of the following: first header, A (A1/A2)-piller, instrument panel, or mirror (passenger side only) Windshield reinforced by exterior object (specify): Other front object (specify): | on (052) Left a comme (053) Left A (054) Left B (055) Other (056) Left a (057) Left a (057) Left a (059) Left a (059) Left a (059) Left a corrocal and (060) Other (spector (101) Right exclusion arminator (102) Right exclusion (104) Right (105) Other (106) Right (107) Right (108) Right (109) Ri | (A1/A2)-piller I-piller I-piller (specify): Ide window glass Ide window sill Ide window sill Ide window glass Iing one or more of the ving: frame, window (A1/A2)-piller, B-piller, of side rail. I left side object Ify):  side interior surface, ding hardware or left I side hardware or left I side window glass I side window frame I side window sill I side window sill I side window sill I side window glass ding one or more of the wing: frame, window A (A1/A2)-piller, B-piller of side rail. I right side object | (163) Other interior object (specify):  AIR BAG (170) Air bag-driver side (175) Air bag compartment cover-driver side (180) Air bag-passenger side (185) Air bag compartment cover-passenger side (190) Other air bag (specify)  (195) Other air bag compartment cover (specify)  ROOF (201) Front hadder (202) Reof left side rail (204) Roof right side rail (205) Roof or convertible top | (403) Steering kno<br>steering who<br>(405) Replacemen<br>(i.e., reduce<br>(406) Joy stick str<br>(407) Wheelchair (<br>(408) Modification<br>(apacify):<br>(409) Additional o<br>switches, (s | is for ideration itrol devices OEM steering bb attached to sel t steering wheel d diameter) sering controls tic-downs i to seet belts, r relocated specify): ad heed rest d wheel chair) |
|  |  | · (spec  | :ify):   | (252) Floor or conside mounted transmission lever, including console (253) Parting brake handle (254) Foot controls including parking brake  | CONFIDENCE LEV<br>POINT<br>(1) Cartain<br>(2) Probable<br>(3) Possible<br>(9) Unknown  | EL OF CONTACT  |

### MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

|                       | If the vehicle has automatic to | Left | Center   | Right    |
|-----------------------|---------------------------------|------|----------|----------|
| F                     | Availability                    | Α.   | 0        | 4        |
|                       | Evidence of usage               | 04   | 0        | 04       |
|                       | Used in this crash?             |      | 0        |          |
| R<br>S                | Proper Use                      |      | 0        |          |
| Ť                     | Failure Modes                   |      | 0        |          |
|                       | Anchorage Adjustment            | a    | 0        | 4        |
|                       | Availability                    | 4    | 3        | 4        |
| •                     | Evidence of usage               | 0    | 03       | O O      |
| SECOZD                | Used in this crash?             | 0    |          | 0        |
|                       | Proper Use                      | 0    |          | 0        |
|                       | Failure Modes                   | 0    |          | 0        |
|                       | Anchorage Adjustment            | 0    | 0        | 9        |
| 0<br>T<br>H<br>E<br>R | Ávailability                    | 4    | 0        | 4        |
|                       | Evidence of usage               | 00   | 00       | 00       |
|                       | Used in this crash?             | 0    | 0        | 0        |
|                       | Proper Use                      | 0    | O        | 0        |
|                       | Failure Modes                   | 0    | <u> </u> |          |
|                       | Anchorage Adjustment            | 0    | 0        | <u> </u> |

| Manus | al (Active) Belt System Availability                |   |
|-------|---|---|
| (0)   | None available                                      |   |
| (1)   | Belt removed/destroyed                              |   |
| (2)   | Shoulder belt                                       |   |
| (3)   | Lap belt  |   |
| (4)   | Lap and shoulder belt                               |   |
| (5)   |   |   |
| Inte  | egral Belt Partially Destroyed                      |   |
| (6)   | Shoulder belt (lap belt                             |   |
|       | destroyed/removed)                                  |   |
| (7)   | Lap belt (shoulder belt                             |   |
|       | destroyed/removed)                                  |   |
| (8)   | Other belt (specify):                               |   |
| (9)   | Unknown   |   |
| Manu  | al (Active) Belt System Use                         |   |
| (00)  | None used, not available, or belt removed/destroyed | t |

Inoperable (specify):

(01)

#### Shoulder belt (02)Lap belt (03)Lap and shoulder belt (04)Belt used - type unknown (05)Other belt used (specify): (80) Shoulder belt used with child safety (12)Lap belt used with child safety seat (13)Lap and shoulder belt used with (14)child safety seat Belt used with child safety seat type unknown (18)Other belt used with child safety seat (specify): (99)Unknown if belt used

#### Proper Use of Manual (Active) Belts

- (O) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

#### Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of manual belt system (specify):
- (9) Unknown

### Shoulder Belt Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

#### Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

# Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other manual belt failure (specify):
- (9) Unknown

### **AUTOMATIC RESTRAINTS**

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form. AIR BAGS

|   |                       | Left Front | Right Front | Other |
|---|-----------------------|------------|-------------|-------|
| F | Availability/Function | /          |             |       |
| R | Deployment            | /          |             | X     |
| S | Failure               | /          |             |       |

#### Air Bag System Availability/Function

- (0) Not equipped/not available
- (1) Air bag

#### Non-functional

- (2) Air bag disconnected (specify):
- (3) Air bag not reinstalled
- (9) Unknown

#### Are There Indications of Air Bag System Failure? (This Occupant Position)

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (9) Unknown

#### Frontal Air Bag System Deployment (This Occupant Position)

- (O) Not equipped/not available
- (1) Deployed during accident (as a result of impact)
- (2) Deployed inadvertently just prior to accident
- (3) Deployed, accident sequence undetermined
- (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- Unknown if deployed
- (7) Nondeployed
- (9) Unknown

#### Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position)

- (0) Not equipped with an "other" air bag
- Deployed during accident (as a result of impact)
- Deployed inadvertently just prior to accident
- (3) Deployed, details unknown
- (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- Unknown if deployed
- Nondeployed (7)
- (9) Unknown

#### **AUTOMATIC BELTS**

|                  |                       | Left | Right |
|------------------|-----------------------|------|-------|
|                  | Availability/Function |      |       |
| F<br>R<br>S<br>T | Use                   |      |       |
|                  | Туре                  |      |       |
|                  | Proper Use            |      |       |
|                  | Failure Modes         |      |       |

#### Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts type unknown

#### Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

#### Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- Automatic belt use unknown
- (9) Unknown

#### Automatic (Passive) Belt System Type

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system (9) Unknown

#### Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

#### Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of automatic beit system (specify):
- (9) Unknown

#### Automatic (Passive) Belt Failure Modes **During Accident**

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- Torn webbing (stretched webbing not included)
- Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other automatic belt failure (specify):
- (9) Unknown

# FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

|                                 | Driver | Passenger |
|---------------------------------|--------|-----------|
| Type of air bag?                |        | 0         |
| Flaps open at tear points?      | . d    |           |
| Flaps damaged?                  | 1      |           |
| Air bag damaged?                | 01     |           |
| Source of air bag damage        | 01     |           |
| Air bag tethered?               |        |           |
| Air bag have vent ports?        | 2      |           |
| Other occupant contact air bag? |        |           |
| Occupant wearing eyewear?       | 9      |           |

#### Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

# Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

# Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

#### Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned (07) Abraded
- (88) Other damage (specify):
- (95) Damaged, details unknown
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

#### Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

### Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

#### Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
- (3) Deployed, unknown if vent ports
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown


# Was the Air Bag in this Occupant's Position Contacted by Another Occupant?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown


#### Was This Occupant Wearing Eye-wear?

- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

# DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)




54.0


| Univer Air DAG 3   | KETCHES (Cont a)                              |
|--|---|
| 3. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE) a. Upper Flap  width (Wu) 21.0 width (Wt) 21.0  height (Hu) 7.0 height (Ht) 7.0  H,  H,  H,  W, —————————————————————————————————— |   |
| 4. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE  | 5. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS |
|  |   |
| 6. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS  11 12 1 9 3 8 7 6 5   |   |

# PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)



| PASSENGER AIR BAG  | G SKETCHES (Cont'd)   |  |
|--|---|--|
| 3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE) a. Flap width (W) height (H)  W | 4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)  a. Upper Flap  width (W <sub>U</sub> )  height (H <sub>U</sub> )  W  H  H  H  H  H  H  H  H  H  H  H  H |  |
| 5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE                              | 6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS   |  |
| 7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS  10 11 12 1 2 9 3 8 7 6 5 4     |   |  |

| "OTHER" AIR BAG DAMAGE                        | AND CONTACT SKETCHES |
|---|----------------------|
|   |                      |
| 1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTH | ER" AIR BAG (Front)  |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
| 2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTH | ER" AIR BAG (Back)   |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |
|   |                      |

|    |                            | <i>"OTHER"</i> AIR BAG SI | (ETCHES (Cont'd) |  |
|----|----------------------------|---------------------------|------------------|--|
|    |                            |                           |                  |  |
| 3. | SKETCH AIR BAG MODULE FLAP | AND SIZE OR OPENING       | FOR AIRBAG       |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
| 4. | SKETCH AIR BAG VENT PORTS  |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |
|    |                            |                           |                  |  |

# HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

|             |                                   | Left | Center | Right |
|-------------|-----------------------------------|------|--------|-------|
|             | Head Restraint Type/Damage        |      | 0      |       |
| _           | Seat Type                         | 01   | Ò      | 01    |
| F           | Seat Performance                  | 9-04 | 0      | 6     |
| R<br>S      | Seat Orientation                  | 1    | 0      | 1     |
| T           | Seat Track Position               | 9    | 0      | 4     |
|             | Seat Back Incline Pre/Post Impact | a    | 0      | 01    |
|             | Head Restraint Type/Damage        | 0    | Ò      | 0     |
| _           | Seat Type                         | Oa   | 02     | 02    |
| S<br>E<br>C | Seat Performance                  | 99   | 99     | 99    |
| 0           | Seat Orientation                  | 1    |        | 1     |
| N<br>D      | Seat Track Position               |      |        | 1     |
|             | Seat Back Incline Pre/Post Impact | 01   | 01     | 01    |
|             | Head Restraint Type/Damage        |      |        |       |
| Т           | Seat Type                         |      |        |       |
| Ĥ           | Seat Performance                  |      |        |       |
| Ŕ           | Seat Orientation                  |      |        |       |
| D           | Seat Track Position               |      |        | ·     |
|             | Seat Back Incline Pre/Post Impact |      |        |       |
|             | Head Restraint Type/Damage        |      |        |       |
| o           | Seat Type                         |      |        |       |
| H           | Seat Performance                  |      |        |       |
| E<br>R      | Seat Orientation                  |      |        |       |
|             | Seat Track Position               |      |        |       |
|             | Seat Back Incline Pre/Post Impact |      |        |       |

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

# HEAD RESTRAINTS/SEAT EVALUATION

Head Restraint Type/Damage by Occupant at This Occupant Position Position)

- (0) No head restraints
- (1) Integral no damage
- (2) Integral damaged during accident
- (3) Adjustable no damage(4) Adjustable damaged during accident
- (5) Add-on no damage(6) Add-on damaged during accident
- Other Specify):
- (9) Unknown

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03)Bench
- (O4) Bench with separate back cushions
- Bench with folding back(s) (05)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify):
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

Seat Performance (this Occupant

- (0) Occupant not seated or no seat
- No seat performance failure(s)
- Seat adjusters failed
- Seat back folding locks or "seat back" failed (specify):
- Seat tracks/anchors failed
- Deformed by impact of occupant (5)
- (6) Deformed by passenger compartment, intrusion
- (specify): Header Combination of above (specify):
- (8) Other (specify):
- (9) Unknown

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- Forward facing seat
- Rear facing seat (2)
- Side facing seat (inward) (3)
- Side facing seat (outward) (4)
- Other (specify):
- (9) Unknown

Seat Track Adjusted Position Prior To Impact

- (0) Occupant not seated or no seat
- (1) Non-adjustable seat track

Adjustable Seat Track

- (2) Seat at forward most track position
- (3) Seat between forward most and middle track positions
- (4) Seat at middle track position
- (5) Seat between middle and rear most (37) track positions
- Seat at rear most track position
- (9) Unknown

Seat Back Incline Prior and Post **Impact** 

- (OO) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- (12)Moved to rearward midrange position
- (13)Moved to slightly rearward position
- (14)Retained pre-impact position
- (15)Moved to slightly forward position
- (16)Moved to forward midrange position
- Moved to completely forward (17)position


Slightly reclined prior to impact


- Moved to completely rearward (21)position
- Moved to rearward midrange (22)position
- (23)Retained pre-impact postion
- (24)Moved to upright position
- (25)Moved to slightly forward position
- (26)Moved to forward midrange position
- (27)Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32)Moved to rearward midrange position
- (33)Moved to slightly rearward position
- (34)Moved to upright position
- Moved to slightly forward (35)position
- Moved to forward midrange (36)position
- Moved to completely forward position
- (99) Unknown







Coding diagrams for Seat Back Incline Position Prior and Post Impact

|    | 7 CHILD SAFETY  |        |     |   |  |  |                          |
|----|---|--------|-----|---|--|--|--------------------------|
|    | en a child safety seat is present enter the oc<br>coccupant's number using the codes listed   |        |     |   |  |  |                          |
| Ос | cupant Number   |        |     |   |  |  |                          |
| 1. | Type of Child<br>Safety Seat  |        |     |   |  |  |                          |
| 2. | Child Safety Seat<br>Orientation  |        |     |   |  |  |                          |
| 3. | Child Safety Seat<br>Harness Usage  |        |     |   |  |  |                          |
| 4. | Child Safety Seat Shield Usage  |        |     |   |  |  |                          |
| 5. | Child Safety Seat<br>Tether Usage   |        |     |   |  |  |                          |
| 6. | Child Safety Seat<br>Make/Model   | Specif | у В | elow for Ea   | ch Child Safe  | ety Seat   |                          |
| 1. | Type of Child Safety Seat   |        | 4.  | Child Safe  | ety Seat Shiel   | d Usage  |                          |
|    | <ul> <li>(0) No child safety seat</li> <li>(1) Infant seat</li> <li>(2) Toddler seat</li> <li>(3) Convertible seat</li> <li>(4) Booster seat</li> <li>(7) Other type child safety seat (specify):</li> <li>(8) Unknown child safety seat type</li> <li>(9) Unknown if child safety seat used</li> </ul> |        | 5.  | Note: Opt<br>(00) No o<br>Not Desig<br>(01) Afte<br>adde<br>(02) Afte<br>(03) Child | child safety so<br>ned with Har<br>r market harr<br>ed, not used<br>r market harr<br>d safety seat | are Used for V eat ness/Shield/Te ness/shield/tet ness/shield/tet used, but no | ether<br>her<br>her used |
| 2. | Child Safety Seat Orientation  (00) No child safety seat  Designed for Rear Facing for This Age/Weight  (01) Rear facing  (02) Forward facing  (08) Other orientation (specify):  |        |     | (09) Unki<br>adde<br>Designed<br>(11) Harn<br>(12) Harn                             | ed or used<br>With Harness<br>ess/shield/te<br>ess/shield/te                                       | ess/shield/teth<br>s/Shield/Tethe<br>ther not used                             | r                        |
|    | (09) Unknown orientation  Designed for Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify):  |        |     | (21) Harr<br>(22) Harr<br>(29) Unki   | ness/shield/te<br>ness/shield/te<br>nown if harne<br>nown if child                                 | ess/shield/teth  | er used                  |
|    | (19) Unknown orientation  |        | 6.  |   | ety Seat Make<br>nake/model a  | e/Model<br>ind occupant i  | number)                  |
|    | Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify):   |        |     |   |  |  |                          |
|    | (29) Unknown orientation  |        |     |   | -,-  |  |                          |
| 3. | (99) Unknown if child safety seat used<br>Child Safety Seat Harness Usage   |        |     |   |  |  |                          |

| Complete the following if the research the vehicle. Code the appropriate EJECTION No [ Yes [ Describe indications of ejection and the complete indication and the complete i | te data on the Oc  | lication that an occupant Assessm      | ccupant<br>ent Form | was either ej | ected from or  | entrappe |
|--|--|--|---------------------|---------------|--|----------|
| Occupant Number  |  |  |                     |               |  |          |
| Ejection   |  |  |                     |               |  |          |
| (Note on Vehicle Interior Sketch) Ejection Area  |  |  |                     |               |  |          |
| Ejection Medium  |  |  |                     |               |  |          |
| Medium Status  |  |  |                     |               |  |          |
| Ejection (1) Complete ejection (2) Partial ejection (3) Ejection, Unknown degree (9) Unknown  Ejection Area (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear  | (9) Unknow  Ejection Media  (1) Door/ha  (2) Nonfixed  (3) Fixed glasses | um<br>tch/tailgate<br>d roof structure |                     | (9) Unknow    | nedium (specifi<br>vn<br>us (Immediatel<br>structure |          |
| ENTRAPMENT No [ ] Ye Describe entrapment mechanism:  | s(X)<br>Occ#   | 3 found u                              | nder                | dash          |  |          |
| Component(s):  |  |  |                     |               |  |          |
| (Note in vehicle interior diagram)   |  |  |                     |               |  |          |



U.S. Department of Transportation

# **OCCUPANT ASSESSMENT FORM**

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

National Highway Traffic Safety
Administration

| 1   | OCCUPANT'S SEATING  |
|---|---|
| 1. Primary Sampling Unit Number   | 10. Occupant's Seat Position  |
| 2. Case Number - Stratum  | Front Seat  |
| 3. Vehicle Number   | (11) Left side<br>(12) Middle   |
| 4. Coourant Number  | (13) Right side   |
| 4. Occupant Number  | (14) Other (specify):   |
| OCCUPANT'S CHARACTERISTICS  | (15) On or in the lap of another occupant   |
| 5. Occupant's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown  | Second Seat (21) Left side (22) Middle (23) Right side (24) Other (specify): (25) On or in the lap of another occupant  |
| 6. Occupant's Sex (1) Male (2) Female-not reported pregnant (3) Female-pregnant-1st trimester(1st-3rd month) (4) Female-pregnant-2nd trimester(4th-6th month) (5) Female-pregnant-3rd trimester(7th-9th month) (6) Female-pregnant-term unknown (9) Unknown | Third Seat (31) Left side (32) Middle (33) Right side (34) Other (specify): (35) On or in the lap of another occupant  Fourth Seat (41) Left side (42) Middle (43) Right side (44) Other (specify):   |
| 7. Occupant's Height Code actual height to the nearest centimeter. (999) Unknown  Offiches X 2.54 = 175 centimeters   | (45) On or in the lap of another occupant  (97) In or on unenclosed area (98) Other seat (specify): (99) Unknown  |
| 8. Occupant's Weight Code actual weight to the nearest kilogram. (999)Unknown   | 11. Occupant's Posture (0) Normal posture  Abnormal posture (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window |
| (1) Driver (2) Passenger (9) Unknown  | <ul> <li>(5) Sitting on a console</li> <li>(6) Lying back in a reclined seat position</li> <li>(7) Bracing with feet or hands on a surface in front of seat</li> <li>(8) Other abnormal posture (specify):</li> <li>(9) Unknown</li> </ul>                            |
|   |   |

| EJECT  | TION/EN | NTRAPMENT  |
|--|---------|--|
| Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown   | 0       | 15. Medium Status (Immediately Prior To Impact)  (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown  |
| Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown  Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify):  [5] Integral structure (8) Other medium (specify): |         | 16. Entrapment (0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restrained (2) Could not exit vehicle due to jammed doors, fire, etc. (specify):  (9) Unknown  17. Occupant Mobility (0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious or disoriented (2) Removed from vehicle due to injuries (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (9) Unknown |
| (9) Unknown  |         |  |
|  |         |  |

| BELT SYSTEM FUNCTION  |   |   |  |  |  |
|---|---|---|--|--|--|
| (0<br>(1<br>(2<br>(3<br>(4<br>(5<br><i>In</i><br>(6         | Belt removed/destroyed Shoulder belt Lap belt Lap and shoulder belt Belt available—type unknown  tegral Belt Partially Destroyed Shoulder belt (lap belt destroyed/removed) Lap belt (shoulder belt destroyed/removed) Other belt (specify):  | 22. Shoulder Belt Upper Anchorage Adjustment (0) No shoulder belt (1) No upper anchorage adjustment for shoulder belt  Adjustable shoulder Belt Upper Anchorage (2) In full up position (3) In mid position (4) In full down position (5) Position unknown (9) Unknown if position has adjustable upper anchorage adjustment  23. Automatic (Passive) Belt System Availability/ Function  |  |  |  |
| (0<br>(0<br>(0)<br>(0)<br>(0)<br>(0<br>(1<br>(1<br>(1<br>(1 | anual (Active) Belt System Use  O) None used, not available, or belt removed/destroyed  1) Inoperative (specify):  2) Shoulder belt  3) Lap belt  4) Lap and shoulder belt  5) Belt used—type unknown  8) Other belt used (specify):  2) Shoulder belt used with child safety seat  3) Lap belt used with child safety seat  4) Lap and shoulder belt used with child safety seat  5) Belt used with child safety seat—type unknown  8) Other belt used with child safety seat  (specify):  9) Unknown if belt used | (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown  Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown  24. Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown (9) Unknown  25. Automatic (Passive) Belt System Type (0) Not equipped/not available |  |  |  |
| (0<br>(1<br>(2<br><i>B</i><br>(3<br>(4<br>(5<br>(6<br>(7    | oper Use of Manual (Active) Belts None used or not available Belt used properly Belt used properly with child safety seat  Let Used Improperly Shoulder belt worn under arm Shoulder belt worn behind back or seat Belt worn around more than one person Lap belt worn on abdomen Lap belt or lap and shoulder belt used improperly with child safety seat (specify):  Other improper use of manual belt system (specify):  Unknown   | (1) Non-motorized system (2) Motorized system (9) Unknown  26. Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat  Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly    |  |  |  |
| (3) (4) (5) (6) (8) (8)                                     | lanual (Active) Belt Failure Modes uring Accident  No manual belt used or not available No manual belt failure(s) Torn webbing (stretched webbing not included) Broken buckle or latchplate Upper anchorage separated Other anchorage separated (specify):  Broken retractor Combination of above (specify):  Other manual belt failure (specify):  | with child safety seat (specify):  (8) Other improper use of automatic belt system (specify): (9) Unknown  27. Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify):  (6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify):   |  |  |  |


| POLICE REPORTED RESTRAINT USE   | AIR BAG SYSTEM FUNCTION   |
|---|---|
| 28. Police Reported Belt Use  (0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify):  (9) Police indicated "unknown"  29. Police Reported Air Bag Availability/Function (0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown" | 30. Frontal Air Bag System Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown  31. Frontal Air Bag System Deployment (This Occupant Position) (0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown |
| Check the Primary Source Used In Determining Belt Use.  [ ] Not equipped/not available/destroyed or rendered inoperative [ ] Vehicle inspection [ ] Official injury data [ ] Driver/occupant interview [ ] Other (specify):   | 32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown Specify type of "other" air bag present:   |
|   | 33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown  34. Are There Indications of Air Bag System Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify):   |


|     | FIRST SEAT FRONTAL AIR B   | SAG SYSTEM EVALUATION  |
|-----|--|--|
| 35. | Had Vehicle Been in Previous Accident(s)?  (0) Not equipped/not available (1) No previous accidents  Yes (2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown | 40. Longitudinal Component of Delta V For Air Bag Deployment Impact (_000) Not equipped/not available Code the value of the delta V for the impact that initiated the air bag deployment (_996) Deployment, unknown longitudinal Delta V (_997) Not deployed (_998) Unknown if deployed (_999) Unknown           |
|     | Type of Air Bag  (0) Not equipped/not available  (1) Original manufacturer installed system  (2) Retrofitted air bag  (3) Replacement air bag  (8) Unknown type of air bag  (9) Unknown  | <ul> <li>41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?</li> <li>(0) Not equipped/not available</li> <li>(1) No</li> <li>(2) Yes</li> <li>(3) Deployed, unknown if flap(s) opened at designated tear points</li> <li>(7) Not deployed</li> <li>(8) Unknown</li> <li>(9) Unknown</li> </ul> |
| 37. | Had Any Prior Maintenance/Service Been Performed On This Air Bag System?  (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify):  (9) Unknown   | 42. Were Air Bag Module Cover Flap(s) Damaged?  (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed  |
| 38. | Air Bag Deployment Accident Event  Sequence Number  (00) Not equipped/not available  Code the accident event sequence number that initiated the air bag deployment  (96) Deployed, unknown event   | (8) Unknown if deployed (9) Unknown  43. Was There Damage To The Air Bag? (00) Not equipped/not available (01) Not damaged   |
|     | (97) Not deployed<br>(98) Unknown if deployed<br>(99) Unknown  | Yes - Air Bag Damage<br>(02) Ruptured<br>(03) Cut<br>(04) Torn   |
| 39. | CDC For Air Bag Deployment Impact  (0) Not equipped/not available  (1) Highest delta V  (2) Second highest delta V  (3) Other non-coded delta V (specify):  (6) Deployed, unknown event  (7) Not deployed  (8) Unknown if deployed  (9) Unknown  | (05) Holed (06) Burned (07) Abraded (88) Other damage (specify):  (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown  |


| FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION continued   | HEAD RESTRAINT AND SEAT EVALUATION   |
|--|--|
| 44. Source of Air Bag Damage (00) Not equipped/not available (01) Not damaged (02) Object worn by occupant, (specify): (03) Object carried by occupant, (specify): (04) Adaptive/assistive controls, (specify): (05) Fire in vehicle   | 49. Head Restraint Type/Damage by Occupant at This Occupant Position (0) No head restraints (1) Integral—no damage (2) Integral—damaged during accident (3) Adjustable—no damage (4) Adjustable—damaged during accident (5) Add-on—no damage (6) Add-on—damaged during accident (8) Other (specify):             |
| (06) Thermal burns (07) Rescue or emergency efforts (88) Other damage source (specify):  (95) Damaged, unknown source  | (9) Unknown  50. Seat Type (this Occupant Position) (00) Occupant not seated or no seat (01) Bucket  |
| (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown  45. Was The Air Bag Tethered? (0) Not equipped/not available (1) No (2) Yes (specify number of tether straps):  | (02) Bucket with folding back (03) Bench (04) Bench with separate back cushions (05) Bench with folding back(s) (06) Split bench with separate back cushions (07) Split bench with folding back(s) (08) Pedestal (i.e., column supported) (09) Box mounted seat (i.e., van type) (10) Other seat type (specify): |
| (3) Deployed, unknown if tethered (7) Not deployed (8) Unknown if deployed (9) Unknown  46. Did The Air Bag Have Vent Ports? (0) Not equipped/not available (1) No (2) Yes (specify number of vent ports):   | (99) Unknown  51. Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat (1) Forward facing seat (2) Rear facing seat (3) Side facing seat (inward) (4) Side facing seat (outward) (8) Other (specify):  |
| (3) Deployed, unknown if vent ports present (7) Not deployed (8) Unknown if deployed (9) Unknown  47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? (0) Not equipped/not available (1) No (2) Yes (specify):  | (9) Unknown  52. Seat Track Adjusted Position Prior To Impact (0) Occupant not seated or no seat (1) Non-adjustable seat track  Adjustable Seat Track (2) Seat at forward most track position (3) Seat between forward most and middle track positions (4) Seat at middle track position                         |
| (3) Deployed, unknown if other occupant contact to air bag (7) Not deployed (8) Unknown if deployed (9) Unknown  48. Was This Occupant Wearing Eye-wear? (0) Not equipped/not available (1) No (2) Eyeglasses/sunglasses (3) Contact lenses (4) Deployed, unknown if eyewear worn (7) Not deployed (8) Unknown if deployed (9) Unknown | (5) Seat between middle and rear most track positions (6) Seat at rear most track position (9) Unknown   |

| Vatio | nal Accident Sampling System-Crashworthiness Dat   | a System: Occupant Assessme |
|-------|--|-----------------------------|
|       | HEAD RESTRAINT AND SE  | AT EVALUATION continued     |
| 53.   | Seat Back Incline Prior and Post Impact (00) Occupant not seated or no seat (01) Not adjustable  |                             |
|       | Upright prior to impact (11) Moved to completely rearward position (12) Moved to rearward midrange position (13) Moved to slightly rearward position (14) Retained pre-impact position (15) Moved to slightly forward position (16) Moved to forward midrange position (17) Moved to completely forward position                     | 15 14                       |
|       | Slightly reclined prior to impact (21) Moved to completely rearward position (22) Moved to rearward midrange position (23) Retained pre-impact position (24) Moved to upright position (25) Moved to slightly forward position (26) Moved to forward midrange position (27) Moved to completely forward position                     | 25 24<br>26<br>27           |
|       | Completely reclined prior to impact (31) Retained pre-impact position (32) Moved to rearward midrange position (33) Moved to slightly rearward position (34) Moved to upright position (35) Moved to slightly forward position (36) Moved to forward midrange position (37) Moved to completely forward position                     | 35 34<br>36<br>37           |
| 54.   | Seat Performance (this Occupant Position) (0) Occupant not seated or no seat (1) No seat performance failure(s) (2) Seat adjusters failed (3) Seat back folding locks or "seat back" failed (specify):  (4) Seat track/anchors failed (5) Deformed by impact of occupant (6) Deformed by passenger compartment intrusion, (specify): |                             |
| 1     | (7) Combination of above (specify):  |                             |

(8) Other (specify): \_ (9) Unknown







|     | CH  | IILD SAF | ETY | SEA   | \T  |                |
|-----|---|----------|-----|-------|---|----------------|
| 55. | Child Safety Seat Make/Model (000) No child safety seat   | 00       | 58. | Child | Safety Seat Harness Usage   | 00             |
|     | Applicable codes are found in your NASS (Data Collection, Coding and Editing (950) Built-in child safety seat | CDS      | 59. | Child | Safety Seat Shield Usage  | <u>00</u>      |
|     | (997) Other make/model (specify):  (998) Unknown make/model   |          | 60. | Child | Safety Seat Tether Usage  | <u>00</u>      |
|     | (999) Unknown if child safety seat used   |          |     | Varia | Options below applicable to bles OA58-OA60.  No child safety seat                   |                |
| 56. | Type of Child Safety Seat   | 0        |     | (00)  | No Clind Salety Seat  |                |
|     | (0) No child safety seat<br>(1) Infant seat   |          |     |       | Designed With Harness/Shield/7<br>After market harness/shield/te<br>added, not used |                |
|     | (2) Toddler seat (3) Convertible seat   |          |     | 1021  | After market harness/shield/te  | ther used      |
|     | (4) Booster seat - with shield  |          |     |       | Child safety seat used, but no  |                |
|     | (5) Booster seat - without shield   |          |     |       | harness/shield/tether added   |                |
|     | (7) Other type child safety seat (specify):   |          |     | (09)  | Unknown if harness/shield/teth added or used  | ner            |
|     | <ul><li>(8) Unknown child safety seat type</li><li>(9) Unknown if child safety seat used</li></ul>            |          |     | Desid | gned With Harness/Shield/Tethe  | o <i>r</i>     |
|     | (5) Officiowith Child Surety Scale asca   |          | •   | -     | Harness/shield/tether not used  |                |
|     |   | (0,0)    |     | (12)  | Harness/shield/tether used  |                |
| 57. | Child Safety Seat Orientation   | 00       |     | ·(19) | Unknown if harness/shield/tetl  | ner used       |
| l   | (00) No child safety seat   |          |     | 11-1  | and Mith Haman  | (Chiald/Tathas |
|     | Designed for Rear Facing for This Age/We  | iaht     |     |       | nown If Designed With Harness,<br>Harness/shield/tether not used                    |                |
|     | (01) Rear facing  | igiit    |     |       | Harness/shield/tether used  | •              |
|     | (O2) Forward facing   |          |     |       | Unknown if harness/shield/tetl  | her used       |
|     | (08) Other orientation (specify):   |          |     | (99)  | Unknown if child safety seat u  | ısed           |
|     | (09) Unknown orientation  |          |     |       |   |                |
|     | Designed For Forward Facing for This Age (11) Rear facing   | e/Weight |     |       |   |                |
|     | (12) Forward facing   |          |     |       |   |                |
|     | (18) Other orientation (specify):   |          |     |       |   |                |
|     | (19) Unknown orientation  |          |     |       |   |                |
|     | Unknown Design or Orientation For This  |          |     |       |   |                |
|     | Age/Weight, or Unknown Age/Weight (21) Rear facing  |          |     |       |   |                |
|     | (22) Forward facing   |          |     |       |   |                |
|     | (28) Other orientation (specify):   |          |     |       |   |                |
|     | (29) Unknown orientation  |          | 1   |       |   |                |
|     | (99) Unknown if child safety seat used  |          |     |       |   |                |
|     |   | •        |     |       |   |                |
|     |   |          |     |       |   |                |
|     |   |          |     |       |   | •              |

| Natio | onal Accident Sampling System-Crashworthiness Dat   | ta System: Occupant Assessment Form  | Page 9    |
|-------|---|--|-----------|
|       | INJURY CONSEQUENCES   |  |           |
|       | Injury Severity (Police Rating)  (O) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown  Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - nontransported (6) Treatment later (7) Treatment - other (specify):  (8) Transported to a medical facility-unknown if treated (9) Unknown | 63. Type Of Medical Facility (for Initial Treatm (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):  (9) Unknown  64. Hospital Stay (00) Not Hospitalized  Code the number of days (up through that the occupant stayed in hospital. (61) 61 days or more (99) Unknown  65. Working Days Lost  Code the number of days (up through 60) that the occupant lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown | <u>90</u> |
|       |   | ORK HERE<br>LES 66-74  | •         |
|       | TO BE CODED BY  | THE ZONE CENTER  |           |
|       |   |  |           |

### TO BE CODED BY THE ZONE CENTER

| INJURY CONSEQUENCES   | TRAUMA DATA   |
|---|---|
| Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60)  (00) Not fatal  (96) Fatal - ruled disease  (99) Unknown                                     | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured |
| 67. 1st Medically Reported Cause of Death   | 72. Was the Occupant Given Blood?  (1) No - blood not given  (2) Yes - blood given  |
| 68. 2nd Medically Reported Cause of Death O   | (2) Yes - blood given (specify units): (9) Unknown if blood given   |
| 69. 3rd Medically Reported Cause of Death  Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death  (00) Not fatal or no additional causes  (96) Mode of death given but specific injuries are not linked to cause of death. (specify): | 73. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured                                   |
| (97) Other result (includes fatal ruled disease) (specify):   | BELT USE DETERMINATION  |
| (99) Unknown  70. Number of Recorded Injuries for This Occupant  Code the actual number of injuries recorded for this occupant.  (00) No recorded injuries  (97) Injured, details unknown  (99) Unknown if injured  | 74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): (9) Unknown if belt used   |
|   |   |
|   |   |
|   |   |

PSU NUMBER
75
CASE NUMBER
76
VEHICLE NUMBER
01
OCCUPANT NUMBER
01

# OCCUPANT INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

| N  | ENTIRE FORM     |  |
|----|-----------------|--|
| [] | PAGE NUMBER (S) |  |



# OCCUPANT ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

Nati Adn

| Department of Transportation                                     | NATIONAL ACCIDENT SAMPLING SYSTEM                              |
|--|--|
| tional Highway Traffic Safety ministration                       | CRASHWORTHINESS DATA SYSTEM                                    |
|  | OCCUPANT'S SEATING   |
| 1. Primary Sampling Unit Number                                  | 12   |
| 1120   | 10. Occupant's Seat Position                                   |
| 2. Case Number - Stratum   | Front Seat   |
| 01   | (11) Left side   |
| 3. Vehicle Number  | (12) Middle  |
| 4. Occupant Number   | (13) Right side  |
| 4. Occupant Number OS  | (14) Other (specify):  |
| OCCUPANT'S CHARACTERISTICS                                       | (15) On or in the lap of another occupant                      |
| and only   | Oursel Cont  |
| 5. Occupant's Age 73   | Second Seat  |
| Code actual age at time of accident.                             | (21) Left side   |
| (00) Less than one year old (specify by month):                  | (22) Middle  |
|  | (23) Right side<br>(24) Other (specify):                       |
| (97) 97 years and older  | (25) On or in the lap of another occupant                      |
| (99) Unknown   | (25) Off of in the lap of another occupant                     |
|  | Third Seat   |
| •  | (31) Left side   |
| 2  | (32) Middle  |
| 6. Occupant's Sex  | (33) Right side  |
| (1) Male   | (34) Other (specify):  |
| (2) Female-not reported pregnant                                 | (35) On or in the lap of another occupant                      |
| (3) Female-pregnant-1st trimester(1st-3rd month)                 | (00) On or in the top or should be appeared                    |
| (4) Female-pregnant-2nd trimester(4th-6th month)                 | Fourth Seat  |
| (5) Female-pregnant-3rd trimester(7th-9th month)                 | (41) Left side   |
| (6) Female-pregnant-term unknown                                 | (42) Middle  |
| (9) Unknown  | (43) Right side  |
|  | (44) Other (specify):  |
| ,  | (45) On or in the lap of another occupant                      |
| 7 Cooupert's Height /(00   | 1 1  |
| 7. Occupant's Height   | (97) In or on unenclosed area                                  |
| centimeter.  | (98) Other seat (specify):                                     |
| (999) Unknown  | (99) Unknown   |
| <b>/</b> \   |  |
| 63 inches X 2.54 = $160$ centimeters                             |  |
| M / Q  | 9  |
| 8. Occupant's Weight 068   | 11. Occupant's Posture   |
| Code actual weight to the nearest                                | (0) Normal posture   |
| kilogram.  | Abnormal posture   |
| (000) Inknown  | (1) Kneeling or standing on seat                               |
| $\frac{150}{2} pounds \times .4536 = \underline{68.0} kilograms$ | (2) Lying on or across seat                                    |
| / $\bigcirc$ pounds X .4536 = $$ $$ $$ $$ kilograms              | (3) Kneeling, standing or sitting in front of seat             |
| 7  | (4) Sitting sideways or turned to talk with another            |
| 9. Occupant's Role   | occupant or to look out a rear window (5) Sitting on a console |
| (1) Driver   | (6) Lying back in a reclined seat position                     |
| (2) Passenger  | (7) Bracing with feet or hands on a surface in front           |
| (9) Unknown  | of seat  |
|  | (8) Other abnormal posture (specify):                          |
|  | (9) Unknown  |
|  | (3) Olikilowii   |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

| National Accident Sampling System-Crashworthir   | iess Dat | a System: Occupant Assessment Form   | Page 4 |
|--|----------|--|--------|
| EJEC.  | TION/E   | NTRAPMENT  |        |
| 12. Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown   | 0        | 15. Medium Status (Immediately Prior To Impact) (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown   | 0      |
| 13. Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown          | 0        | 16. Entrapment (0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restraine (2) Could not exit vehicle due to jammed doc fire, etc. (specify):  (9) Unknown  17. Occupant Mobility (0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious | 9      |
| 14. Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify):  (5) Integral structure (8) Other medium (specify):  (9) Unknown | <u>O</u> | disoriented (2) Removed from vehicle due to injuries (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (9) Unknown   |        |
|  |          |  |        |
|  |          |  |        |
|  |          |  |        |


| BELT SYSTE   | WI FUNCTION  |
|--|--|
| 18. Manual (Active) Belt System Availability (0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown  Integral Belt Partially Destroyed         | 22. Shoulder Belt Upper Anchorage Adjustment (0) No shoulder belt (1) No upper anchorage adjustment for shoulder belt  Adjustable shoulder Belt Upper Anchorage (2) In full up position (3) In mid position (4) In full down position (5) Position unknown |
| (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed) (8) Other belt (specify):  (9) Unknown   | (9) Unknown if position has adjustable upper anchorage adjustment  23. Automatic (Passive) Belt System Availability/ Function  |
| 19. Manual (Active) Belt System Use (00) None used, not available, or belt removed/destroyed (01) Inoperative (specify):   | (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown  Non-functional  |
| (02) Shoulder belt<br>(03) Lap belt<br>(04) Lap and shoulder belt<br>(05) Belt used—type unknown   | (4) Automatic belts destroyed or rendered inoperative (9) Unknown  24. Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or   |
| <ul> <li>(08) Other belt used (specify):</li> <li>(12) Shoulder belt used with child safety seat</li> <li>(13) Lap belt used with child safety seat</li> <li>(14) Lap and shoulder belt used with child safety seat</li> </ul> | rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown  |
| (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify):  (99) Unknown if belt used   | (9) Unknown  25. Automatic (Passive) Belt System Type (0) Not equipped/not available   |
| 20. Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat  | (1) Non-motorized system (2) Motorized system (9) Unknown  26. Proper Use of Automatic (Passive) Belt System   |
| Belt Used Improperly (3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person   | (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat   |
| <ul> <li>(6) Lap belt worn on abdomen</li> <li>(7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):</li> </ul>  | Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person   |
| (8) Other improper use of manual belt system (specify):  (9) Unknown   | <ul> <li>(6) Lap portion of automatic belt worn on abdomen</li> <li>(7) Automatic lap and shoulder belt or automatic shoulder belt used improperly</li> </ul>  |
| 21. Manual (Active) Belt Failure Modes  During Accident  | with child safety seat (specify):  (8) Other improper use of automatic belt system   |
| <ul><li>(0) No manual belt used or not available</li><li>(1) No manual belt failure(s)</li><li>(2) Torn webbing (stretched webbing not</li></ul>   | (specify):(9) Unknown  |
| included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify):   | 27. Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included)  |
| (6) Broken retractor (7) Combination of above (specify):   | <ul><li>(3) Broken buckle or latchplate</li><li>(4) Upper anchorage separated</li><li>(5) Other anchorage separated (specify):</li></ul>   |
| (8) Other manual belt failure (specify):  (9) Unknown  | (6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify):   |
|  | (9) Unknown  |


| POLICE REPORTED RESTRAINT USE   | AIR BAG SYSTEM FUNCTION  |
|---|--|
| 28. Police Reported Belt Use  (0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify):      | 30. Frontal Air Bag System Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown  |
| (9) Police indicated "unknown"  29. Police Reported Air Bag Availability/Function (0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown" | <ul> <li>31. Frontal Air Bag System Deployment (This Occupant Position)</li> <li>(0) Not equipped/not available</li> <li>(1) Deployed during accident (as a result of impact)</li> <li>(2) Deployed inadvertently just prior to accident</li> <li>(3) Deployed, details unknown</li> <li>(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)</li> <li>(5) Unknown if deployed</li> <li>(7) Nondeployed</li> <li>(9) Unknown</li> </ul> |
| Check the Primary Source Used In Determining Belt Use.  [ ] Not equipped/not available/destroyed or rendered inoperative [ ] Vehicle inspection [ ] Official injury data [ ] Driver/occupant interview [ ] Other (specify):                               | 32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown Specify type of "other" air bag present:  |
|   | 33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown  |
|   | 34. Are There Indications of Air Bag System Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify):   |


| FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION   |  |  |  |  |  |
|--|--|--|--|--|--|
| 35. Had Vehicle Been in Previous Accident(s)?  (0) Not equipped/not available (1) No previous accidents   Yes (2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown                    | 40. Longitudinal Component of  Delta V For Air Bag  Deployment Impact (_000) Not equipped/not available  Code the value of the delta V for the impact that initiated the air bag deployment (_996) Deployment, unknown longitudinal  Delta V (_997) Not deployed (_998) Unknown if deployed (_999) Unknown |  |  |  |  |
| 36. Type of Air Bag (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown  | 41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed  |  |  |  |  |
| 37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System?  (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify):  (9) Unknown  38. Air Bag Deployment Accident Event Sequence Number (00) Not equipped/not available Code the accident event sequence number that initiated the air bag       | (9) Unknown  42. Were Air Bag Module Cover Flap(s) Damaged?  (0) Not equipped/not available  (1) No  (2) Yes (specify):  (3) Deployed, unknown if air bag module cover flap(s) damaged  (7) Not deployed  (8) Unknown if deployed  (9) Unknown  43. Was There Damage To The Air Bag?                       |  |  |  |  |
| deployment  (96) Deployed, unknown event  (97) Not deployed  (98) Unknown if deployed  (99) Unknown  39. CDC For Air Bag Deployment Impact  (0) Not equipped/not available  (1) Highest delta V  (2) Second highest delta V  (3) Other non-coded delta V (specify):  (6) Deployed, unknown event  (7) Not deployed  (8) Unknown if deployed  (9) Unknown | (00) Not equipped/not available (01) Not damaged  Yes - Air Bag Damage (02) Ruptured (03) Cut (04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify):  (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown          |  |  |  |  |

| FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION continued  | HEAD RESTRAINT AND SEAT EVALUATION   |
|---|--|
| 44. Source of Air Bag Damage (00) Not equipped/not available (01) Not damaged (02) Object worn by occupant, (specify):  (03) Object carried by occupant, (specify):  (04) Adaptive/assistive controls, (specify):  (05) Fire in vehicle (06) Thermal burns (07) Rescue or emergency efforts (88) Other damage source (specify):  (95) Damaged, unknown source (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown  (99) Unknown                                    | 49. Head Restraint Type/Damage by Occupant at This Occupant Position (0) No head restraints (1) Integral—no damage (2) Integral—damaged during accident (3) Adjustable—no damage (4) Adjustable—damaged during accident (5) Add-on—no damage (6) Add-on—damaged during accident (8) Other (specify):  (9) Unknown  50. Seat Type (this Occupant Position) (00) Occupant not seated or no seat (01) Bucket (02) Bucket with folding back (03) Bench (04) Bench with separate back cushions (05) Bench with folding back(s) (06) Split bench with separate back cushions |
| 45. Was The Air Bag Tethered?  (0) Not equipped/not available (1) No (2) Yes (specify number of tether straps):  (3) Deployed, unknown if tethered (7) Not deployed (8) Unknown if deployed (9) Unknown  46. Did The Air Bag Have Vent Ports? (0) Not equipped/not available (1) No (2) Yes (specify number of vent ports):  (3) Deployed, unknown if vent ports present (7) Not deployed (8) Unknown if deployed (9) Unknown   | (07) Split bench with folding back(s) (08) Pedestal (i.e., column supported) (09) Box mounted seat (i.e., van type) (10) Other seat type (specify):  (99) Unknown  51. Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat (1) Forward facing seat (2) Rear facing seat (3) Side facing seat (inward) (4) Side facing seat (outward) (8) Other (specify):  (9) Unknown  52. Seat Track Adjusted Position Prior To Impact (0) Occupant not seated or no seat   |
| 47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? (O) Not equipped/not available (1) No (2) Yes (specify):  (3) Deployed, unknown if other occupant contact to air bag (7) Not deployed (8) Unknown if deployed (9) Unknown  48. Was This Occupant Wearing Eye-wear? (O) Not equipped/not available (1) No (2) Eyeglasses/sunglasses (3) Contact lenses (4) Deployed, unknown if eyewear worn (7) Not deployed (8) Unknown if deployed (9) Unknown | <ul> <li>(1) Non-adjustable seat track</li> <li>Adjustable Seat Track</li> <li>(2) Seat at forward most track position</li> <li>(3) Seat between forward most and middle track positions</li> <li>(4) Seat at middle track position</li> <li>(5) Seat between middle and rear most track positions</li> <li>(6) Seat at rear most track position</li> <li>(9) Unknown</li> </ul>   |

|     | HEAD RESTRAINT AND SE   | AT EVALUATION continued |
|-----|---|-------------------------|
| 53. | Seat Back Incline Prior and Post Impact (00) Occupant not seated or no seat (01) Not adjustable   | \ \frac{\gamma}{\cdot}  |
|     | Upright prior to impact (11) Moved to completely rearward position (12) Moved to rearward midrange position (13) Moved to slightly rearward position (14) Retained pre-impact position (15) Moved to slightly forward position (16) Moved to forward midrange position (17) Moved to completely forward position  | 15 14                   |
|     | Slightly reclined prior to impact (21) Moved to completely rearward position (22) Moved to rearward midrange position (23) Retained pre-impact position (24) Moved to upright position (25) Moved to slightly forward position (26) Moved to forward midrange position (27) Moved to completely forward position  | 25 24<br>26<br>27       |
|     | Completely reclined prior to impact (31) Retained pre-impact position (32) Moved to rearward midrange position (33) Moved to slightly rearward position (34) Moved to upright position (35) Moved to slightly forward position (36) Moved to forward midrange position (37) Moved to completely forward position  | 35 34<br>36<br>37       |
|     | (99) Unknown  |                         |
| 54  | . Seat Performance (this Occupant Position) (0) Occupant not seated or no seat (1) No seat performance failure(s) (2) Seat adjusters failed (3) Seat back folding locks or "seat back" failed (specify): (4) Seat track/anchors failed (5) Deformed by impact of occupant (6) Deformed by passenger compartment intrusion, (specify):  (7) Combination of above (specify): (8) Other (specify): (9) Unknown |                         |
|     |   |                         |







|     | CHILD SAF   | ETY SEAT   |
|-----|---|--|
| 55. | Child Safety Seat Make/Model (000) No child safety seat   | 58. Child Safety Seat Harness Usage  |
|     | Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat  | 59. Child Safety Seat Shield Usage   |
|     | (997) Other make/model (specify):   | 60. Child Safety Seat Tether Usage   |
|     | (998) Unknown make/model<br>(999) Unknown if child safety seat used   | Note: Options below applicable to<br>Variables OA58-OA60.<br>(00) No child safety seat   |
| 56. | Type of Child Safety Seat  (0) No child safety seat  (1) Infant seat  (2) Toddler seat  (3) Convertible seat  (4) Booster seat - with shield  (5) Booster seat - without shield  (7) Other type child safety seat (specify):  (8) Unknown child safety seat type  (9) Unknown if child safety seat used   | Not Designed With Harness/Shield/Tether (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used  Designed With Harness/Shield/Tether (11) Harness/shield/tether not used |
| 57. | Child Safety Seat Orientation (00) No child safety seat  Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify):  (09) Unknown orientation  Designed For Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify):  (19) Unknown orientation  Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (23) Other orientation (specify): | (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used  Unknown If Designed With Harness/Shield/Tether (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used (99) Unknown if child safety seat used   |
|     | (28) Other orientation (specify):  (29) Unknown orientation   |  |
|     | (99) Unknown if child safety seat used  |  |

| INJURY CONSEQUENCES  61. Injury Severity (Police Rating)  (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown   | 63. Type Of Medical Facility (for Initial Treatment) / (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):  |
|---|---|
| 62. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - nontransported (6) Treatment later (7) Treatment - other (specify):  (8) Transported to a medical facility-unknown if treated (9) Unknown | 64. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the occupant stayed in hospital. (61) 61 days or more (99) Unknown  65. Working Days Lost Code the number of days (up through 60) that the occupant lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown |

### **STOP WORK HERE**

**VARIABLES 66-74** 

TO BE CODED BY THE ZONE CENTER

### TO BE CODED BY THE ZONE CENTER

|     | TO BE CODED BY   | THE ZOIVE CEIVTEN   |
|-----|--|---|
|     | INJURY CONSEQUENCES  | TRAUMA DATA   |
| 66. | Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60)  (00) Not fatal (96) Fatal - ruled disease (99) Unknown                 | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured |
| 67. | 1st Medically Reported Cause of Death  | 72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given  |
| 68. | 2nd Medically Reported Cause of Death  | (specify units):(9) Unknown if blood given  |
| 69. | 3rd Medically Reported Cause of Death Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): | 73. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured                                   |
|     | (97) Other result (includes fatal ruled disease) (specify):  | BELT USE DETERMINATION  |
| 70. | Number of Recorded Injuries for This Occupant Code the actual number of injuries recorded for this occupant.  (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured  | 74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): (9) Unknown if belt used   |
|     |  |   |
|     |  |   |

### OCCUPANT INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Vehicle Number

4. Occupant Number

### INJURY DATA-

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

|       | · · · · · · · · · · · · · · · · · · · |                           |                                  | A.I.S S                           | 90                    |                      |         |                  | Injury<br>Source    | Direct/            | Occupant<br>Area    |
|-------|---------------------------------------|---------------------------|----------------------------------|-----------------------------------|-----------------------|----------------------|---------|------------------|---------------------|--------------------|---------------------|
|       | Source<br>of Injury<br>Data           | Body<br>Region            | Type of<br>Anatomic<br>Structure | Specific<br>Anatomic<br>Structure | Level of<br>Injury    | A.I.S.<br>Severity   | Aspect  | Injury<br>Source | Confidence<br>Level | Indirect<br>Injury | Intrusion<br>Number |
| 1st   | 5.2                                   | 6                         | 7.4                              | 8. <b>Ole</b>                     | 9. <b>0</b> 6         | 10. 3                | 111     | 2. 2.65          | 13                  | 14                 | 15.03               |
| 1     |                                       |                           |                                  |                                   | 20. <u>84</u>         |                      |         |                  |                     |                    |                     |
| 3rd   | 27.2                                  | 28                        | 29. 6                            | 30.02                             | 31. <u>0</u> <u>2</u> | -32. £               | зз з    | 4.205            | 35/                 | 36                 | 37. <u>O_</u> 3     |
| 4th   | 38. 2                                 | 39. 8                     | 40.5                             | 41.34                             | 42. <u>0</u> 8        | 43.3                 | 44.2 4  | 6. <u>D</u> /3   | 46.2                | 47                 | 48. <u>99</u>       |
| 5th   | 49.2                                  | 50. 8                     | 51.9                             | 52.04                             | 53. <u>Q</u> Z        | 54. /                | 55.2 5  | 6. <u>013</u>    | S 57. 2             | 58                 | 59. <u>9</u> 9      |
| 6th   | 60. 2                                 | 618                       | B2. <u>9</u>                     | 63. <u>0</u> 2                    | 64. <u>0J</u>         | - 65. <u> </u>       | 68.26   | 7. <u>0/3</u>    | 68.2                | 69                 | 70. <u>99</u>       |
| 7th   | 71. 2                                 | ₹2. <u></u>               | 73. 9                            | 74. <u>D</u> Q                    | 75. <u>0</u> 2        | <b>→6</b> . <u> </u> | 77. 1 7 | 8. <u>01</u> 2   | 79. 2               | 80                 | 81. <u>49</u>       |
| 8th   | 82. 2                                 | <b>83</b> . $\frac{7}{4}$ | B4. <u>G</u>                     | 85.02                             | 86. 02                | -87. <u></u>         | 88. 2   | 19. <u>0</u> //  | 90.2                | 91. 🖊              | 92. <b>6</b> 7      |
| 9th   | 93. <u>Z</u>                          | 94.Z                      | 95. 9                            | 96. <u>0 le</u>                   | 97.02                 | 98.                  | 998 10  | 2 <u>05</u>      | 101. 21             | 021                | 03. <u>03</u>       |
| 1 Oth | 104.21                                | 05.21                     | 06. 9                            | 07. 74                            | 108.22                | 109.                 | 110. 21 | 1. 205           | 112.2               | 131                | 14. <u>03</u>       |

|      |                             |                |                                  | occi  | JPANT I            | NJURY              | DATA-       |                  |   |                               |  |
|------|-----------------------------|----------------|----------------------------------|---|--------------------|--------------------|-------------|------------------|---|-------------------------------|--|
|      | Source<br>of Injury<br>Data | Body<br>Region | Type of<br>Anatomic<br>Structure | A.I.S 90<br>Specific<br>Anatomic<br>Structure | Level of<br>Injury | A.I.S.<br>Severity | Aspect      | Injury<br>Source | Injury<br>Source<br>Confidence<br>Level | Direct/<br>Indirect<br>Injury | Occupant Area Intrusion Number   |
| 11th | 2                           | 2              | 9                                | 76  | 02                 | 1                  | 2           | 205              | 2                                       | · 1                           | 03   |
| 12th | 2                           | 1              | 9                                | 06  | 04                 | 2                  |             |                  | 2                                       | Ĺ                             | 03   |
| 13th | 2                           |                |                                  | · · · · ·                                     |                    |                    |             |                  |   |                               |  |
| 14th | ·                           |                |                                  |   |                    |                    |             |                  |   |                               |  |
| 15th |                             |                |                                  |   |                    |                    |             |                  |   |                               | <u></u>  |
| 16th | _                           |                | ——                               |   |                    |                    |             |                  |   |                               | e<br>Adulting<br>The Adulting<br>Control of the Adulting<br>The Adulting |
| 17th |                             |                |                                  |   | 1.4                |                    |             |                  |   |                               |  |
| 18th |                             | —              |                                  | <del></del> .                                 |                    |                    | ·.<br>      |                  |   | _                             |  |
| 19th |                             | _              |                                  | <del></del> -                                 |                    |                    | <del></del> |                  |   | _                             |  |
| 20th |                             |                |                                  |   | <del></del>        |                    |             |                  | _                                       |                               | <del></del>  |
| 21st | _                           |                |                                  |   |                    |                    | _           |                  | _                                       |                               |  |
| 22nd |                             |                |                                  |   |                    |                    |             | `                |   | *******                       |  |
| 23rd | _                           | ******         |                                  |   |                    | _                  |             |                  | _                                       |                               |  |
| 24th | _                           |                |                                  |   |                    |                    |             |                  |   |                               |  |
| 25th |                             |                |                                  |   |                    | · · ·              |             |                  |   | ·                             |  |

## OCCUPANT INJURY CLASSIFICATION

### **Body Region** Head (2) **Face** (3)Neck (4) **Thorax** (5) Abdomen (6)Spine (7)**Upper Extremity Lower Extremity** (8)(9) Unspecified

# Type of Anatomic Structure

- (1) Whole Area(2) Vessels(3) Nerves
- (4) Organs (includes Muscles/ligaments)
- (5) Skeletal (includes joints)(6) Head LOC
- (9) Skin

# Specific Anatomic Structure

Vessels, Nerves, Organs.
Bones, Joints are assigned consecutive two digit numbers beginning with 02.

The exceptions to this rule apply to:

| Whole Area |                   |  |  |  |  |  |  |
|------------|-------------------|--|--|--|--|--|--|
| (02)       | Skin - Abrasion   |  |  |  |  |  |  |
| (04)       | Skin - Contusion  |  |  |  |  |  |  |
| (06)       | Skin - Laceration |  |  |  |  |  |  |
| (80)       | Skin - Avulsion   |  |  |  |  |  |  |
| (10)       | Amputation        |  |  |  |  |  |  |
| (20)       | Burn              |  |  |  |  |  |  |

- (30) Crush (40) Degloving (50) Injury - NFS
- (90) Trauma, other than mechanical

### Head - LOC (02) Length of LOC

- (04) Level (06) of
- (08) Consciousness
- (10) Concussion

### Spine

- (02) Cervical
- (04) Thoracic
- (06) Lumbar

### Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

### **Abbreviated Injury Scale**

- (1) Minor Injury
- (2) Moderate Injury
- (3) Serious Injury
- (4) Severe Injury
- (5) Critical Injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

### Aspect

- (1) Right
- (2) Left
- (3) Bilateral
- (4) Central (5) Anterior
- (6) Posterior
- (7) Superior
- (8) Inferior
- (9) Unknown
- (0) Whole region

### **SOURCE OF INJURY DATA**

### CONFIDENCE LEVEL

(1) Certain

(2) Probable

(3) Possible

(9) Unknown

**INJURY SOURCE** 

### OFFICIAL RECORDS

- (1) Autopsy records with or without hospital/medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency clinic

### **UNOFFICIAL RECORDS**

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify):
- (9) Police


### DIRECT/INDIRECT INJURY

### (1) Direct contact injury

- 2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

|        |                                   |        | INJURY S                                | SOUR  | CES                           |              |   |
|--------|-----------------------------------|--------|---|-------|-------------------------------|--------------|---|
| FRONT  |                                   | (102)  | Right side hardware or                  | (183) | Air bag-passenger side and    | (411)        | Wall mounted head rest  |
|        | Windshield                        | ,,     | armrest                                 |       | object held                   |              | (used behind wheel chair)   |
| (002)  |                                   | (103)  | Right A (A1/A2)-pillar                  | (184) | Air bag-passenger side and    | (412)        | Other adaptive device   |
|        | Sunvisor                          |        | Right B-pillar                          | (104) | object in mouth               | , <b>_ ,</b> | (specify):  |
|        | ·                                 |        | Other right pillar (specify):           | /195\ | Air bag compartment           |              | (0)000  |
|        | Steering wheel rim                | (100)  | Other right plant (specify).            | (100) | cover-passenger side          |              |   |
|        | Steering wheel hub/spoke          | (100)  | Disha sida windaw alaas                 | /106\ | · •                           | EYTEE        | IOR of OCCUPANT'S   |
| (006)  | Steering wheel (combination       |        | Right side window glass                 | (100) | Air bag compartment           | VEHIC        |   |
|        | of codes 004 and 005)             |        | Right side window frame                 |       | cover-passenger side and      |              |   |
| (007)  | Steering column,                  | (108)  | Right side window sill                  |       | eyewear                       | (451)        |   |
|        | transmission selector lever,      | (109)  | Right side window glass                 | (187) | Air bag compartment           | (452)        | Outside hardware (e.g.,   |
|        | other attachment                  |        | including one or more of the            |       | cover-passenger side and      |              | outside mirror, antenna)  |
| (800)  | Cellular telephone or CB          |        | following: frame, window                |       | jewelry                       | (453)        | Other exterior surface or   |
|        | radio                             |        | sill, A (A1/A2)-pillar, B-pillar,       | (188) | Air bag compartment           |              | tires (specify):  |
| (009)  | Add on equipment (e.g.,           |        | or roof side rail.                      |       | cover-passenger side and      |              |   |
|        | tape deck, air conditioner)       | (110)  | Other right side object                 |       | object held                   |              |   |
| (010)  | Left instrument panel and         |        | (specify):                              | (189) | Air bag compartment           | (454)        | Unknown exterior objects  |
| ,,,,,  | below                             |        |   | • •   | cover-passenger side and      |              | •   |
| (011)  | Center instrument panel and       |        |   |       | object in mouth               | FXTF         | IOR OF OTHER MOTOR  |
| (011)  | · ·                               | INITED | IOR                                     | (100) | •                             | VEHIC        |   |
|        | below                             | INTER  |   | (190) | Other air bag (specify)       |              |   |
| (012)  | Right instrument panel and        |        | Seat, back support                      | (405) |                               |              | Front bumper  |
|        | below                             | (152)  | Belt restraint                          | (195) | Other air bag compartment     |              | Hood edge   |
| (013)  | Glove compartment door            |        | webbing/buckle                          |       | cover (specify)               | (503)        | Other front of vehicle  |
| (014)  | Knee bolster                      | (153)  | Belt restraint B-pillar or door         |       |                               |              | (specify):  |
| (015)  | Windshield including one or       |        | frame attachment point                  |       |                               |              |   |
|        | more of the following: front      | (154)  | Other restraint system                  | ROOF  |                               | (504)        | Hood  |
|        | header, A (A1/A2)-pillar,         |        | component (specify):                    | (201) | Front header                  | (505)        | Hood ornament   |
|        | instrument panel, mirror, or      |        |   | (202) | Rear header                   | (506)        | Windshield, roof rail, A-pillar   |
|        | steering assembly (driver         | (155)  | Head restraint system                   | (203) | Roof left side rail           | (507)        | Side surface  |
|        | side only)                        |        | Other occupants (specify):              | (204) |                               | (508)        |   |
| (016)  | Windshield including one or       | (100)  | Other occupants (specify).              |       | Roof or convertible top       |              | Other side protrusions  |
| (010)  | ~                                 | 44.041 | Interior Incor objects                  | (200) | noor or convertible top       | (000)        | (specify):  |
|        | more of the following: front      |        | Interior loose objects                  | C1 00 | -                             |              | (specify).  |
|        | header, A (A1/A2)-pillar,         | (162)  | Child safety seat (specify):            | FLOO  |                               |              |   |
|        | instrument panel, or mirror       |        |   | (251) | Floor (including toe pan)     |              | Rear surface  |
|        | (passenger side only)             | (163)  | Other interior object                   | (252) | Floor or console mounted      | (511)        | Undercarriage   |
| (017)  | Windshield reinforced by          |        | (specify):                              |       | transmission lever, including | (512)        | Tires and wheels  |
|        | exterior object (specify)         |        |   |       | console                       | (513)        | Other exterior of other   |
|        |                                   |        |   | (253) | Parking brake handle          |              | motor vehicle (specify):  |
| (019)  | Other front object (specify):     | AIR B  | AG                                      | (254) | Foot controls including       |              |   |
|        | •••••••••                         | (170)  | Air bag-driver side                     |       | parking brake                 |              |   |
|        |                                   |        | Air bag-driver side and                 |       | <b>,</b>                      | (514)        | Unknown exterior of other   |
| LEFT : | SIDE                              | ,,,,,  | eyewear                                 | REAR  |                               | ,,,,,,       | motor vehicle   |
|        |                                   | (172)  | · · ·                                   |       | Backlight (rear window)       |              | motor vollidio  |
| (051)  | Left side interior surface,       | (172)  | Air bag-driver side and                 |       |                               | OTUE         | D VEHICLE OR OR LECT IN   |
|        | excluding hardware or             |        | jewelry                                 | (302) | Backlight storage rack,       |              | R VEHICLE OR OBJECT IN  |
|        | armrests                          | (173)  | Air bag-driver side and                 |       | door, etc.                    |              | ENVIRONMENT   |
| (052)  | Left side hardware or             |        | object held                             | (303) | Other rear object (specify):  |              | Ground  |
|        | armrest                           | (174)  | Air bag-driver side and                 |       |                               | (598)        | Other vehicle or object   |
| (053)  | Left A (A1/A2)-pillar             |        | object in mouth                         |       |                               |              | (specify):  |
| (054)  | Left B-pillar                     | (175)  | Air bag compartment                     | ADAF  | PTIVE (ASSISTIVE) DRIVING     |              |   |
| (055)  | Other left pillar (specify):      |        | cover-driver side                       | EQUI  | PMENT                         | (599)        | Unknown vehicle or object   |
|        |                                   | (176)  | Air bag compartment                     | (401) | Hand controls for             |              |   |
| (056)  | Left side window glass            |        | cover-driver side and                   |       | braking/acceleration          | NON          | CONTACT INJURY  |
|        | Left side window frame            |        | eyewear                                 | (402) | Steering control devices      |              | Fire in vehicle   |
|        | Left side window sill             | /1771  | Air bag compartment                     | (     | (attached to OEM steering     |              | Flying glass  |
|        | · ·                               | (177)  | - · · · · · · · · · · · · · · · · · · · |       |                               |              |   |
| (600)  | Left side window glass            |        | cover-driver side and jewelry           |       | wheel)                        | (603)        | Other noncontact injury   |
|        | including one or more of the      | (178)  | Air bag compartment                     | (403) | Steering knob attached to     |              | source  |
|        | following: frame, window          |        | cover-driver side and object            |       | steering wheel                |              | (specify):  |
|        | sill, A (A1/A2)-pillar, B-pillar, |        | held                                    | (405) | Replacement steering wheel    |              | Air bag exhaust gases   |
|        | or roof side rail.                | (179)  | Air bag compartment                     |       | (i.e., reduced diameter)      | (697)        | Injured, unknown source   |
|        | Other left side object            |        | cover-driver side and object            | (406) | Joy stick steering controls   |              |   |
| (060)  | (ennoity):                        |        | in mouth                                | (407) | Wheelchair tie-downs          |              |   |
| (060)  | (specify):                        |        | Air has passager side                   | (408) | Modification to seat belts,   |              |   |
| (060)  | (apacity).                        | (180   | Air bag-passenger side                  |       |                               |              | A contract of the contract of |
| (060)  | (specify).                        |        |   |       | (specify):                    |              |   |
|        |                                   |        | Air bag-passenger side and              | (409) | (specify):                    |              |   |
| RIGH   | T SIDE                            | (181)  | Air bag-passenger side and eyewear      | (409) | Additional or relocated       |              |   |
| RIGH   |                                   | (181)  | Air bag-passenger side and              | (409) |                               |              |   |

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)




Page

|   | OFFICIAL INJURY DATA — SKELETAL INJURIES   |
|---|--|
| Restrained? No Yes                      | Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) |
|   |  |
| Blood Alcohol<br>Level (mg/dl)<br>BAL = |  |
| Glasgow Coma<br>Scale Score<br>GCSS =   |  |
| Units of Blood<br>Given<br>Units =      |  |
| Arterial Blood<br>Gases<br>pH =         |  |
| PO <sub>2</sub> =                       | Jx Dtibia  |
| HCO <sub>3</sub>                        | Instrument<br>panel  |

### OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation

# OCCUPANT ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

National Highway Traffic Safety

| dministration   | OCCUPANT'S SEATING   |
|---|--|
| 1. Primary Sampling Unit Number   | 10. Occupant's Seat Position 22  |
| 2. Case Number - Stratum  | Front Seat (11) Left side  |
| 3. Vehicle Number   | (12) Middle  |
| 4. Occupant Number  | (13) Right side<br>(14) Other (specify):   |
| OCCUPANT'S CHARACTERISTICS  | (15) On or in the lap of another occupant  |
| 5. Occupant's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown  | Second Seat (21) Left side (22) Middle (23) Right side (24) Other (specify): (25) On or in the lap of another occupant  Third Seat   |
| 6. Occupant's Sex (1) Male (2) Female-not reported pregnant (3) Female-pregnant-1st trimester(1st-3rd month) (4) Female-pregnant-2nd trimester(4th-6th month) (5) Female-pregnant-3rd trimester(7th-9th month) (6) Female-pregnant-term unknown (9) Unknown  7. Occupant's Height Code actual height to the nearest centimeter. | (31) Left side (32) Middle (33) Right side (34) Other (specify): (35) On or in the lap of another occupant  Fourth Seat (41) Left side (42) Middle (43) Right side (44) Other (specify): (45) On or in the lap of another occupant  (97) In or on unenclosed area (98) Other seat (specify): (99) Unknown  |
| (999) Unknown  10 inches X 2.54 = 177 centimeters  8. Occupant's Weight Code actual weight to the nearest kilogram. (999)Unknown  155 pounds X .4536 = 70 kilograms  9. Occupant's Role (1) Driver (2) Passenger (9) Unknown  | 11. Occupant's Posture (0) Normal posture  Abnormal posture (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window (5) Sitting on a console (6) Lying back in a reclined seat position (7) Bracing with feet or hands on a surface in front of seat (8) Other abnormal posture (specify): (9) Unknown |
|   |  |

| EJECTION Accident Sampling System Grash EJECTION   | ON/EN | TRAPMENT  |
|--|-------|---|
| 12. Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown   |       | 15. Medium Status (Immediately Prior To Impact)  (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown   |
| 13. Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown  14. Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify):  (5) Integral structure (8) Other medium (specify): (9) Unknown | 0     | (0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restrained (2) Could not exit vehicle due to jammed doors, fire, etc. (specify):  (9) Unknown  17. Occupant Mobility (0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious or disoriented (2) Removed from vehicle due to injuries (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (9) Unknown |
|  |       |   |

| BELT SYSTEM  | FUNCTION   |
|--|--|
| 18. Manual (Active) Belt System Availability (0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown  | 22. Shoulder Belt Upper Anchorage Adjustment (0) No shoulder belt (1) No upper anchorage adjustment for shoulder belt  Adjustable shoulder Belt Upper Anchorage (2) In full up position (3) In mid position (4) In full down position  |
| Integral Belt Partially Destroyed  (6) Shoulder belt (lap belt destroyed/removed)  (7) Lap belt (shoulder belt destroyed/removed)  (8) Other belt (specify):  (9) Unknown  19. Manual (Active) Belt System Use  (00) None used, not available, or belt removed/destroyed  (01) Inoperative (specify):  | (5) Position unknown (9) Unknown if position has adjustable upper anchorage adjustment  23. Automatic (Passive) Belt System Availability/ Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown  Non-functional (4) Automatic belts destroyed or rendered   |
| <ul> <li>(O2) Shoulder belt</li> <li>(O3) Lap belt</li> <li>(O4) Lap and shoulder belt</li> <li>(O5) Belt used—type unknown</li> <li>(O8) Other belt used (specify):</li> <li>(12) Shoulder belt used with child safety seat</li> <li>(13) Lap belt used with child safety seat</li> <li>(14) Lap and shoulder belt used with child safety seat</li> <li>(15) Belt used with child safety seat—type unknown</li> </ul> | inoperative (9) Unknown  24. Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown (9) Unknown   |
| (18) Other belt used with child safety seat (specify): (99) Unknown if belt used  20. Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat  Belt Used Improperly  | 25. Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown  26. Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly  |
| <ul> <li>(3) Shoulder belt worn under arm</li> <li>(4) Shoulder belt worn behind back or seat</li> <li>(5) Belt worn around more than one person</li> <li>(6) Lap belt worn on abdomen</li> <li>(7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):</li> <li>(8) Other improper use of manual belt system (specify):</li> <li>(9) Unknown</li> </ul>                               | (2) Automatic belt used properly with child safety seat  Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly                                       |
| 21. Manual (Active) Belt Failure Modes During Accident (0) No manual belt used or not available (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify):  (6) Broken retractor (7) Combination of above (specify):   | with child safety seat (specify):  (8) Other improper use of automatic belt system (specify):  (9) Unknown  27. Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): |
| (8) Other manual belt failure (specify):  (9) Unknown  | (6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify): (9) Unknown   |

| POLICE REPORTED RESTRAINT USE   | AIR BAG SYSTEM FUNCTION  |  |  |
|---|--|--|--|
| 28. Police Reported Belt Use  (0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify):      | 30. Frontal Air Bag System Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown  |  |  |
| (9) Police indicated "unknown"  29. Police Reported Air Bag Availability/Function (0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown" | <ul> <li>31. Frontal Air Bag System Deployment (This Occupant Position)</li> <li>(0) Not equipped/not available</li> <li>(1) Deployed during accident (as a result of impact)</li> <li>(2) Deployed inadvertently just prior to accident</li> <li>(3) Deployed, details unknown</li> <li>(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)</li> <li>(5) Unknown if deployed</li> <li>(7) Nondeployed</li> <li>(9) Unknown</li> </ul> |  |  |
| Check the Primary Source Used In Determining Belt Use.  [ ] Not equipped/not available/destroyed or rendered inoperative [ ] Vehicle inspection [ ] Official injury data [ ] Driver/occupant interview [ ] Other (specify):                               | 32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown Specify type of "other" air bag present:  |  |  |
|   | 33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown  |  |  |
|   | Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify):  (9) Unknown  |  |  |

| FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION  |   |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|
| <ul> <li>35. Had Vehicle Been in Previous Accident(s)? <ul> <li>(0) Not equipped/not available</li> <li>(1) No previous accidents</li> </ul> </li> <li> Yes <ul> <li>(2) Previous accident(s) without deployment(s)</li> <li>(3) One previous accident with deployment</li> <li>(4) More than one previous accident with at least one deployment</li> <li>(8) Previous accidents, unknown deployment status</li> <li>(9) Unknown</li> </ul> </li> </ul> | 40. Longitudinal Component of + Delta V For Air Bag   |  |  |  |  |  |  |
| 36. Type of Air Bag  (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown  | 41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed (9) Unknown                   |  |  |  |  |  |  |
| 37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System?  (O) Not equipped/not available  (1) No prior maintenance  (2) Yes, prior maintenance (specify):  (9) Unknown  38. Air Bag Deployment Accident Event Sequence Number  (OO) Not equipped/not available Code the accident event sequence   | 42. Were Air Bag Module Cover Flap(s) Damaged?  (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed (8) Unknown if deployed (9) Unknown                                 |  |  |  |  |  |  |
| number that initiated the air bag deployment  (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown  39. CDC For Air Bag Deployment Impact (0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify):  (6) Deployed, unknown event (7) Not deployed  | (00) Not equipped/not available (01) Not damaged  Yes - Air Bag Damage (02) Ruptured (03) Cut (04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify):  (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed |  |  |  |  |  |  |
| (8) Unknown if deployed<br>(9) Unknown  | (98) Unknown if deployed<br>(99) Unknown  |  |  |  |  |  |  |

| FIRST SEAT FRONTAL AIR BAG SYSTEM                    | HEAD RESTRAINT AND SEAT EVALUATION                           |
|--|--|
| EVALUATION continued                                 | 49. Head Restraint Type/Damage by Occupant                   |
| 44. Source of Air Bag Damage                         | at This Occupant Position                                    |
| (OO) Not equipped/not available                      | (0) No head restraints                                       |
| (01) Not damaged                                     | (1) Integral—no damage                                       |
| (O2) Object worn by occupant, (specify):             | (2) Integral—damaged during accident                         |
|  | (3) Adjustable—no damage                                     |
| (03) Object carried by occupant, (specify):          | (4) Adjustable—damaged during accident                       |
|  | (5) Add-on—no damage   |
| (O4) Adaptive/assistive controls, (specify):         | (6) Add-on—damaged during accident (8) Other (specify):      |
| (05) Fire in vehicle                                 | ,_, ,-F//-   |
| (06) Thermal burns                                   | (9) Unknown  |
| (07) Rescue or emergency efforts                     | $\wedge$   |
| (88) Other damage source (specify):                  | 50. Seat Type (this Occupant Position)                       |
|  | (00) Occupant not seated or no seat                          |
| (95) Damaged, unknown source                         | (01) Bucket  |
| (96) Deployed, unknown if damaged                    | (02) Bucket with folding back                                |
| (97) Not deployed                                    | (03) Bench   |
| (98) Unknown if deployed                             | (O4) Bench with separate back cushions                       |
| (99) Unknown   | (05) Bench with folding back(s)                              |
|  | (06) Split bench with separate back cushions                 |
| 45. Was The Air Bag Tethered?                        | (07) Split bench with folding back(s)                        |
| (0) Not equipped/not available                       | (08) Pedestal (i.e., column supported)                       |
| (0) Not equipped/not available (1) No                | (09) Box mounted seat (i.e., van type)                       |
| (1) No<br>(2) Yes (specify number of tether straps): | (10) Other seat type (specify):                              |
| (2) 100 (opoon) number of totaler straps).           |  |
| (3) Deployed, unknown if tethered                    | (99) Unknown   |
| (7) Not deployed                                     | The Control of the Control of Parising                       |
| (8) Unknown if deployed                              | 51. Seat Orientation (this Occupant Position)                |
| (9) Unknown  | (0) Occupant not seated or no seat                           |
| ( )  | (1) Forward facing seat                                      |
| 46. Did The Air Bag Have Vent Ports?                 | (2) Rear facing seat (inward)                                |
| (0) Not equipped/not available                       | (3) Side facing seat (inward) (4) Side facing seat (outward) |
| (1) No (2) Yes (specify number of vent ports):       | (8) Other (specify):   |
|  |  |
| (3) Deployed, unknown if vent ports present          | (9) Unknown  |
| (7) Not deployed                                     | 52. Seat Track Adjusted Position Prior To Impact             |
| (8) Unknown if deployed                              | (0) Occupant not seated or no seat                           |
| (9) Unknown  | (1) Non-adjustable seat track                                |
| 47. Was the Air Bag in this Occupant's Position      | (1) Non adjustupio odat tradit                               |
| Contacted by Another Occupant?                       | Adjustable Seat Track  |
| (0) Not equipped/not available                       | (2) Seat at forward most track position                      |
| (1) No   | (3) Seat between forward most and middle track               |
| (2) Yes (specify):                                   | positions  |
| (2) .00 (0)50(())                                    | (4) Seat at middle track position                            |
| (3) Deployed, unknown if other occupant contact      | (5) Seat between middle and rear most track                  |
| to air bag   | positions  |
| (7) Not deployed                                     | (6) Seat at rear most track position                         |
| (8) Unknown if deployed                              | (9) Unknown  |
| (9) Unknown  |  |
| Λ)   |  |
| 48. Was This Occupant Wearing Eye-wear?              | .1   |
| (0) Not equipped/not available                       |  |
| (1) No   | 1  |
| (2) Eyeglasses/sunglasses                            |  |
| (3) Contact lenses                                   |  |
| (4) Deployed, unknown if eyewear worn                | 1  |
| (7) Not deployed                                     | i  |
| (8) Unknown if deployed                              | 1  |
| (9) Unknown  |  |
| 1 (b) Chancari                                       |  |

| lational Accident Sampling System-Clashworthiness Bats  |                                 |
|---|---------------------------------|
| HEAD RESTRAINT AND SEA  | AT EVALUATION continued         |
| 53. Seat Back Incline Prior and Post Impact (00) Occupant not seated or no seat (01) Not adjustable   |                                 |
| Upright prior to impact (11) Moved to completely rearward position (12) Moved to rearward midrange position (13) Moved to slightly rearward position (14) Retained pre-impact position (15) Moved to slightly forward position (16) Moved to forward midrange position (17) Moved to completely forward position  | 15 14 13 12 11                  |
| Slightly reclined prior to impact (21) Moved to completely rearward position (22) Moved to rearward midrange position (23) Retained pre-impact position (24) Moved to upright position (25) Moved to slightly forward position (26) Moved to forward midrange position (27) Moved to completely forward position  | 25 <sup>24</sup> 23 22<br>27 21 |
| Completely reclined prior to impact (31) Retained pre-impact position (32) Moved to rearward midrange position (33) Moved to slightly rearward position (34) Moved to upright position (35) Moved to slightly forward position (36) Moved to forward midrange position (37) Moved to completely forward position  | 35 34 33<br>36 32<br>37 31      |
| (99) Unknown  54. Seat Performance (this Occupant Position) (0) Occupant not seated or no seat (1) No seat performance failure(s) (2) Seat adjusters failed (3) Seat back folding locks or "seat back" failed (specify):  (4) Seat track/anchors failed (5) Deformed by impact of occupant (6) Deformed by passenger compartment intrusion, (specify):  (7) Combination of above (specify):  (8) Other (specify): (9) Unknown | found in back                   |
|   |                                 |

| 14110 | CHILD SAFETY SEAT  |    |  |                                 |  |  |  |
|-------|--|----|--|---------------------------------|--|--|--|
| 55.   | Child Safety Seat Make/Model   |    | 58. Child Safety Seat Harness Usage  | <u>00</u>                       |  |  |  |
|       | (000) No child safety seat Applicable codes are found in your NASS Cl Data Collection, Coding and Editing (950) Built-in child safety seat   | DS | 59. Child Safety Seat Shield Usage   | 00                              |  |  |  |
|       | (997) Other make/model (specify):  (998) Unknown make/model  |    | 60. Child Safety Seat Tether Usage   | <u>00</u>                       |  |  |  |
|       | (999) Unknown if child safety seat used  |    | Note: Options below applicable to Variables OA58-OA60. (00) No child safety seat   |                                 |  |  |  |
|       | Type of Child Safety Seat  (0) No child safety seat  (1) Infant seat  (2) Toddler seat  (3) Convertible seat  (4) Booster seat - with shield  (5) Booster seat - without shield  (7) Other type child safety seat (specify):  (8) Unknown child safety seat type  (9) Unknown if child safety seat used  Child Safety Seat Orientation  (00) No child safety seat  Designed for Rear Facing for This Age/Weig  (01) Rear facing  (02) Forward facing  (08) Other orientation (specify):  (09) Unknown orientation  Designed For Forward Facing for This Age/  (11) Rear facing  (12) Forward facing  (13) Other orientation (specify):  (19) Unknown orientation  Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight  (21) Rear facing  (22) Forward facing  (23) Other orientation (specify):  (29) Unknown orientation |    | Not Designed With Harness/Shield/Tether (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether u (03) Child safety seat used, but no after harness/shield/tether added (09) Unknown if harness/shield/tether added or used  Designed With Harness/Shield/Tether (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether us  Unknown If Designed With Harness/Shield (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether us (99) Unknown if child safety seat used | market<br>ed<br><i>d/Tether</i> |  |  |  |
|       |  |    |  |                                 |  |  |  |

| INJURY CONSEQUENCES   |   |
|---|---|
| (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown  62. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):   Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - nontransported (6) Treatment later (7) Treatment - other (specify):  (8) Transported to a medical facility-unknown if treated (9) Unknown | 63. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown  64. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the occupant stayed in hospital. (61) 61 days or more (99) Unknown  65. Working Days Lost Code the number of days (up through 60) that the occupant lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown |
| STOP W  | ORK HERE  |

**VARIABLES 66-74** 

TO BE CODED BY THE ZONE CENTER

### TO BE CODED BY THE ZONE CENTER

|   | IN HIRV CONCECUENCES  | TRALIMA DATA  |
|---|---|---|
|   | INJURY CONSEQUENCES   | TRAUMA DATA   |
| acciden<br>hours.<br>hours, o<br>31, 2 d<br>through<br>(00) No<br>(96) Fa | ode number of hours from time of the to time of death up through 24.  If time of death is greater than 24 code number of days. (Note: 1 day = days = 32, n days = 30 + n up to 30 days = 60)  | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured |
|   | dically Reported Cause of Death   | 72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given  |
| 68. 2nd Me  | edically Reported Cause of Death  | (specify units):(9) Unknown if blood given  |
| Conumber injury(s this occ (00) No (96) M                                 | edically Reported Cause of Death ode the Occupant Injury from line r(s) for the medically reported s) which reportedly contributed to cupant's death ot fatal or no additional causes lode of death given but specific juries are not linked to cause f death. (specify): | 73. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured                                   |
|   | ther result (includes fatal ruled   |   |
| di  | sease) (specify):   | BELT USE DETERMINATION  |
| 70. Number<br>This Oc<br>Co<br>injuries<br>(00) No<br>(97) In             | r of Recorded Injuries for ccupant ode the actual number of recorded for this occupant. o recorded injuries sjured, details unknown nknown if injured   | 74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): (9) Unknown if belt used   |
|   |   |   |
|   |   |   |
|   |   |   |

PSU NUMBER 75

CASE NUMBER /03A

VEHICLE NUMBER 01

OCCUPANT NUMBER 03

# OCCUPANT INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

| W  | ENTIRE FORM     |  |
|----|-----------------|--|
| [] | Page Number (s) |  |



U.S. Department of Transportation

# CRASHPC PROGRAM SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

| lational Highway Traffic Safet<br>Idministration  | ty               | (All Measureme                        | ents In Metric)     | CRASHWORTHINE                                       | SS DATA SYSTEM               |
|---|------------------|---------------------------------------|---------------------|---|------------------------------|
| Identifying Title Primary Sampling Unit   | Case NoStratum   |                                       | O3 cident Event Da  | te (Month, day, year) of                            | 25<br>Run                    |
| CRASHPC Vehicle Ide   | entification     | $\sim$ 1                              | $\triangle$         | _1_   | ,                            |
| Vehicle 1   | _1995            | Chev                                  |                     | tro   |                              |
| Vehicle 2   |                  |                                       |                     |   |                              |
|   | Year             | Make                                  |                     | Model   | NASS<br>Veh. No.             |
|   |                  | GENERAL IN                            | FORMATION           |   | 100                          |
| \   | /EHICLE I        |                                       |                     | VEHICLE 2   | , ,                          |
| Size  |                  | /_                                    | Size                |   |                              |
| Weight  | 2 2 2            | , a                                   | Weight              |   |                              |
| $\frac{2000}{\text{Curb}} + \frac{10}{\text{Occupant(s)}} + \frac{1}{\text{Curb}}$  | O = A A          | <u>1</u> <u> </u>                     | Curb Occupant(s)    | =   | kg                           |
| CDC   | LIFDE            | $2\omega$                             | CDC _               |   |                              |
| PDOF (-180 to +180  |                  | <u>20</u> .                           | PDOF (-180 to +18   | o) <u>+</u>   | · °                          |
| Stiffness   |                  | 7                                     | Stiffness           |   |                              |
|   |                  | SCENEINFO                             | ORMATION            |   | 1 +4.                        |
| Rest and Impact Posit   |                  | To Damage Info                        |                     |   |                              |
| Class Control of the | /EHICLE 1        |                                       |                     | VEHICLE 2   |                              |
| Rest  | X                | . m                                   | Rest                | x   | m                            |
| Position  | Υ                | m                                     | Position            | Υ   | m                            |
|   | PSI              | · °                                   |                     | PSI   | · · · · · ·                  |
| Impact  | X                | . m                                   | Impact              | X   | , m                          |
| Position  | Υ                | m                                     | Position            | Υ   | m                            |
|   | PSI              | 0                                     |                     | PSI   | o                            |
| Slip Angle(-180 to +  | 180)             | · · · · · · · · · · · · · · · · · · · | Slip Angle (-180 to | + 180)  | - <del></del> °              |
|   | V.               | VEHICLE                               | MOTION              |   |                              |
| Sustained Contact [   | No []Yes         |                                       |                     |   |                              |
| \   | ÆHICLE 1         |                                       |                     | VEHICLE 2   |                              |
| Vehicle Rotation  | [ ] No           | [ ] Yes                               | Vehicle Rotation    | [ ] No  | ) [ ] Yes                    |
|   | fore Rest [ ] No |                                       | Rotation Stop Be    | efore Rest [ ] No                                   | o []Yes                      |
| End of Rotation   | X                | m                                     | End of Rotation     | X   | m                            |
| End of Rotation<br>Position   |                  | m                                     | Position            | V   | m                            |
|   | PSI              | · •                                   |                     | PSI   | · °                          |
| Curved Path   | [ ] No           | [ ] Yes                               | Curved Path         | [ i Nr  | ) [ ] Yes                    |
| Point on Path   | , , , , ,        | াৰ আইনে বা মহীল                       | Point on Path       | errenne proportiere (1988), 1980 (1988) en 🐔 (1988) | angan me <del>m</del> erakan |
| ×   | m Y              | m                                     | ×                   | m Y   | m                            |
| Rotation Direction  | [ ] None [ ] CV  | v [ ] CCW                             | Rotation Direction  | [ ] None [ ] C\                                     | w [ ]ccw                     |
| Rotation > 360°   |                  |                                       | Rotation >360°      | [ ] No [ ] Yes                                      |                              |

National Accident Sampling System-Crashworthiness Data System: CRASHPC Program Summary

| FRICTION  | NEORMATION  | TRAJECTORY INFORMATION          |                      |            |
|---|---|---------------------------------|----------------------|------------|
|   |   | Trajectory Data [ ]             | No [ ] Yes           |            |
| Coefficient of Friction  Rolling Resistance Optic | ·   | If No, Go To Damage             | Information          |            |
| Holling Resistance Optic                          | <u></u>   | Vehicle 1 Steer Angles          | 3                    |            |
| Vehicle 1 Rolling Re                              | esistance   |                                 |                      | 0          |
| · ·   | RF  | IR                              | ° RF                 | o          |
| LR  |   | <u></u> -                       |                      |            |
|   |   | Vehicle 2 Steer Angle           | S                    |            |
| Vehicle 2 Rolling Re                              | esistance   | LF                              | ° RF                 | °          |
|   | RF  | LR                              | ° RF                 | <u> </u>   |
| LR  | RR  |                                 |                      |            |
|   |   | Terrain Boundary                | ] No [ ] Yes         |            |
|   |   | First Point                     |                      |            |
|   |   | X m                             | Y                    | m          |
|   |   | Second Point                    |                      |            |
|   |   | X m                             | Y                    | m          |
|   |   | Secondary Coefficient           |                      |            |
|   |   |                                 |                      |            |
|   | DAMAGE  | IFORMATION                      |                      |            |
| VE  | HICLE 1   | VEHICLE 2                       |                      |            |
| Damage Length                                     | L <u>175</u> cm   | Damage Length                   | L                    | cm         |
| Crush Depths                                      | c, 108 cm   | Crush Depths                    | C,                   | cm         |
| Crush Deptins                                     | $C_2 = 50 \text{ cm}$   |                                 | C <sub>2</sub>       |            |
|   | C <sub>3</sub>  |                                 | C <sub>3</sub>       | cm         |
|   | $C_4 = 12 \text{ cm}$   |                                 | C <sub>4</sub>       | cm         |
|   | $C_5  \underline{\qquad}  \underline{\qquad}  \underline{\qquad}  cm$ |                                 | C <sub>5</sub>       | cm         |
|   | C <sub>6</sub> <u> </u>   |                                 | C <sub>e</sub>       | cm         |
| Damage Offset                                     | D - cm  | Damage Offset                   | D ±                  | cm         |
|   |   |                                 |                      |            |
| HF THIS COMMON IMP                                | ACT WAS WITH A MOTOR VEHICL   | E <i>NOT IN TRANSPORT,</i> FILL | IN THE INFORMATIO    | N BELOW.   |
| Model Year:                                       |   | The Weight, CDC, Scen           | e Data and Damage I  | nformation |
|   |   | for this vehicle should b       |                      |            |
|   |   |                                 |                      |            |
|   |   |                                 |                      |            |
|   |   |                                 |                      |            |
|   |   |                                 |                      |            |
| Complete ar                                       | nd ATTACH the appropriate vehic                                       | cle damage sketch and dim       | nensions to the Form | ١.         |

### SUMMARY OF CRASHPC RESULTS USING DAMAGE

### CRASH3 RECONSTRUCTION

SPEED CHANGE (DAMAGE)

VEHICLE #1

TOTAL 47 KPH ( 29 MPH) -44 KPH ( -27 MPH) LONGITUDINAL LATITUDINAL 16 KPH ( 10 MPH) PDOF ANGLE -20 DEGREES

ENERGY DISSIPATED = 188524 JOULES ( 139030 FT-LB)

VEHICLE #2

O KPH ( O MPH) TOTAL LONGITUDINAL O KPH ( O MPH) O KPH ( O MPH) LATITUDINAL PDOF ANGLE O DEGREES

ENERGY DISSIPATED = 0 JOULES ( 0 FT-LB)

7. Les ster ples 

## DAMAGE DATA

### VEHICLE #1


### VEHICLE #2

| SIZE CATEGORY<br>STIFFNESS CATEGORY | 7<br>7               | 1 1<br>O                  |
|-------------------------------------|----------------------|---------------------------|
| VEHICLE WEIGHT                      | 2213 KGS ( 4879 LBS) | ***** KGS (2204586 LBS) * |
| CDC                                 | 11FDAW7              | BARRIER                   |
| PDOF ANGLE                          | -20 DEGREES          | O DEGREES *               |
| CRUSH LENGTH                        | 175 CM. ( 69 IN.)    | O CM. ( O IN.) *          |
| Ci                                  | 108 CM. ( 43 IN.)    | 0 CM. ( 0 IN.) *          |
| C2                                  | 50 CM. ( 20 IN.)     | 0 CM. ( 0 IN.) *          |
| C3                                  | 26 CM. ( 10 IN.)     | 0 CM. ( 0 IN.) *          |
| C4                                  | 12 CM. ( 5 IN.)      | 0 CM. ( 0 IN.) *          |
| C5                                  | 1 CM. ( O IN.)       | 0 CM. ( 0 IN.) *          |
| C6                                  | O CM. ( O IN.)       | O CM. ( O IN.) *          |
| D                                   | O CM. ( O IN.)       | 0 CM. ( 0 IN.) *          |
| D'                                  | -48 CM. ( -19 IN.)   | 0 CM. ( 0 IN.) *          |

(\* INDICATES DEFAULT VALUE)

### DIMENSIONS AND INERTIAL PROPERTIES

| •                  | VEHICLE #1             | VEHICLE #2            |
|--------------------|------------------------|-----------------------|
| CG TO FRONT AXLE   | 123 CM. ( 49 IN.)      | 127 CM. ( 50 IN.)     |
| CG TO REAR AXLE    | 174 CM. ( 69 IN.)      | 127 CM. ( 50 IN.)     |
| TRACK              | 172 CM. ( 68 IN.)      | 127 CM. ( 50 IN.)     |
| CG TO FRONT OF VEH | 192 CM. ( 76 IN.)      | 127 CM. ( 50 IN.)     |
| CG TO REAR OF VEH  | -272 CM. (-107 IN.)    | -127 CM. ( -50 IN.)   |
| CG TO SIDE OF VEH  | 100 CM. ( 40 IN.)      | 127 CM. ( 50 IN.)     |
| MOMENT OF INERTIA  | 21365 KGS ( 47100 LBS) | ***** KGS (***** LBS) |
| VEHICLE MASS       | 6 KGS ( 13 LBS)        | 2600 KGS ( 5732 LBS)  |



958.050000000000115100000004

```
75103A00000011
00168900005324608
                  0104
                 958.0510000000000120L52000
75103A00010012
                 958.0510000000000120L52000
75103A00020012
                358.0510000000000120F52000
75103A00030012
                 958.0510000000000120R3100N
75103A00040012
                   8.05 0000000009520441201GNDM19W7SB
75103A01000021
2314211000990113011401
                   8.05 00000000103031202000000106452310099899801101047-044+01
75103A01000022
61885998404702
                   8.05 000000000035211FDAW0702529999999175108050026012001000-
75103A01000031
051
                           17517528217701000402040101001000
75103A01000041
                   8.05 000000000983301300000122333031222220136661101111111101
75103A01000042
                   8.05 0000000001216621213621313621105621116521113521203521102
42110142110642290150500912220
75103A01010051
                   8.05 0000000005011750751119000000404112000005111001111031-04
42101011214101199990000000000041000620199000097979971
                   8.05 0000000007321600682139000009404114000005100000000000 00
75103A01020051
00000000001011499600000000003319997000000012141011
                   8.05 0000000002140606312051103
75103A01020161
75103A01020261
                   8.05 0000000002140684312051103
75103A01020361
                   8.05 0000000002160202202051103
                   8.05 0000000002853408320132199
75103A01020461
75103A01020561
                   8.05 0000000002890402120132199
75103A01020661
                   8.05 0000000002890202120132199
75103A01020761
                   8.05 0000000002890202110122199
75103A01020861
                   8.05 0000000002790202120112107
                   8.05 0000000002290602182052103
75103A01020961
                   8.05 0000000002297402122052103
75103A01021061
                   8.05 0000000002297602122052103
75103A01021161
                   8.05 0000000002190604212052103
75103A01021261
                   8.05 0000000004021780702229000009303110000005100000000000 00
75103A01030051
0000000000000211019000000000003319999000000097979971
75103A00000066
                   8.05 000000000MINIVAN HEAD DN W/LARGE POLE
75103A00000171
                   8.05 00000000V#1 was eastbound on a state six lane divided
highway with three lanes on
75103A00000271
                   8.05 000000000each side in the middle lane. The vehicle ran
off the right side of the road
75103A00000371
                   8.05 000000000up an embankment onto a cement embankment unde
r a bridge. V#1 sideswiped two
                   8.05 00000000cement pillars and hit head on with a third ce
75103A00000471
ment pillar which flipped the
                   8.05 00000000vehicle upwards and to the right. V#1 rotated
75103A00000571
around the pillar and rolled
                   8.05 000000000onto its right side where it came to rest faci
75103A00000671
ng south. Driver #1 was found
                   8.05 000000000dead.
75103A00000771
                                        Occupants #2 and #3 were hospitalized w
ith serious injuries. V#1 was
75103A00000871
                   8.05 000000000towed from the scene.
                                                   95/Chev/Astro
75103A00000181
                   8.05 0000000001
                                    Minivan
                                                                        Front
    Severe
              None
                                                                   Injured Seve
75103A00000191
                   8.05 0000000001
                                                        L&S
                                    Driver
                                             L Front
rity Unknown
75103A00000291
                   8.05 000000000
                                                        w/airbag
                                                                             C
75103A00000391
                   8.05 0000000001
                                    Pass
                                             R Front
                                                        L&S
                                                                   Brain
ontusions 3 Roof
75103A00000491
                   8.05 0000000001
                                                                   Injured Seve
                                    Pass
                                             2nd Middle Lap
rity Unknown
```

00000000000000

GENERAL VEHICLE Vehicle: 1

INTRA ERRORS

OGGO421 2 If ROLLOVER GV45 equals 01-17 or 98, then BASIS FOR DELTA V GV58 GG0422 should equal 04-10.

O

INTERIOR VEHICLE Vehicle: 1

1 1

INTRA ERRORS

OCCO541 2 \*\*\*\*\*\*\*\* THIS CASE SHOWS A POSSIBLE HOLED WINDSHIELD. \*\*\*\*\*\*\*

CCO542 \*\*\*\*\*\* CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE \*\*\*\*\*\*

CCO543 GLAZING WINDSHIELD IV31 equals 3 or 5 or CONTACT WINDSHIELD IV39

CCO544 equals 4 or 6.

01

PSU75

ERROR SUMMARY SCREEN

96

CASE 103A

CURRENT VERSION: 8.05

| FORM NAME           | NUMBER OF<br>DOLLAR SIGNS | NUMBER OF<br>LEVEL 1<br>ERRORS | NUMBER OF<br>LEVEL 2<br>ERRORS | VERSION<br>NUMBER<br>CONSISTENT |
|---------------------|---------------------------|--------------------------------|--------------------------------|---------------------------------|
| Accident            | o                         | 0                              | 0                              | Υ                               |
| General Vehicle     | O                         | Ō                              | 1                              | Ý                               |
| Vehicle Exterior    | 0                         | 0                              | 0                              | Υ                               |
| Vehicle Interior    | O                         | 0                              | 1                              | Υ                               |
| Occupant Assessment | . 0                       | 0                              | 0                              | Υ                               |
| Occupant Injury     | O                         | 0                              | O                              | Υ                               |
| Total Inter Errors  |                           | o                              | o                              |                                 |
| Total Case Errors   | O                         | 0                              | 2                              |                                 |



U.S. Department of Transportation National Highway Traffic Safety Administration

### **SLIDE INDEX**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

| Primary Sa    | ampling Ur     | nit Number                 | 75 Case Number-Stratum /03 A         |
|---------------|----------------|----------------------------|--------------------------------------|
| Slide<br>No.  | Vehicle<br>No. | Direction<br>of<br>Picture | Description of Slide Subject Matter  |
| 1-13          | 1              | East                       | Direction of travel                  |
| 14            | /              | 11                         | 1st Pole hit                         |
| 15            | /              | 11                         | 2 d " "                              |
| 16-17         | /              | a                          | 3 rd 4 "                             |
| 18            | 1              | West                       | Oil Spill opposite direction 3rd Pal |
| 19            | /              | "                          | Opposite direction 2rd Pole          |
| 20            | /              | 11                         | " Ist Pole                           |
| 21-26         | 1              | 1/                         | 4                                    |
| 27-31         |                |                            | Exterior                             |
| 32            | /              |                            | Front Interior                       |
| 33            | /              |                            | Floor of toe pan in 11412 position   |
| <i>3</i> 4-35 | 1              |                            | Floor of the pan in 11412 position   |
| 36            |                |                            | front floor                          |
| 37            | 1              |                            | Dask                                 |
| 38-39         | /              |                            | air bag                              |
| 40            | /              |                            | 2nd Drat area                        |
| 41-42         | 1              |                            | Belt in 2nd seat of                  |
| 43            |                |                            | Belt in 2nd seath                    |
| 4445          |                |                            | Cargo area<br>Whole front from back  |
| 46            | 1              |                            | Whole front from back                |
|               |                |                            |                                      |
|               |                |                            |                                      |
|               |                |                            |                                      |
|               | <u> </u>       |                            |                                      |
|               |                |                            |                                      |
|               |                |                            |                                      |
|               |                |                            | 41                                   |

| Slide<br>No. | Vehicle<br>No. | Direction<br>of<br>Picture | Description of Slide Subject Matter  |
|--------------|----------------|----------------------------|--|
|              |                |                            | Some of  |
|              |                | ·                          | Some of  my Efterior  a linterior slides  were lost. Ueh.  is nowhere to  be found |
|              |                |                            | were lost. Ush.  |
|              |                |                            | is nowhere to  |
|              |                |                            |  |
|              |                |                            |  |
|              |                |                            |  |
|              |                |                            |  |
|              |                |                            |  |
|              |                |                            |  |
|              |                |                            |  |
|              |                |                            |  |































PSU 75-103A (1995) #15 Best Available



PSU 75-103A (1995) #16 Best Available



PSU 75-103A (1995) #17 Best Available



PSU 75-103A (1995) #18 Best Available





3A (1993) #21



















PSU 75-103A (1995) #29





3A (1995) #3



PSU 75-103A (1995) #32



PSU 75-103A (1995) #33





MU ( 1990) #0





PSU 75-103A (1995) #37



PSU 75-103A (1995) #38











PSU 75-103A (1995) #43







PSU 75-103A (1995) #46