# NATIONAL ACCIDENT SAMPLING SYSTEM (NASS)

Analytical User's Manual

1987 File



U.S. Department of Transportation National Highway Traffic Safety Adminstration National Center for Statistics and Analysis Washington, D.C. 20590

# TABLE OF CONTENTS

SECTION		FAGE
1	INTRODUCTION	1
2	THE SAMPLING SYSTEM AND SAMPLE DESIGN	3
Ţ.	DERIVED VARIABLES	5
4	SEQUENTIAL ANALYTICAL FILE RECORD LAYOUTS	12
5	SAS FILE	19
AFFENDI (		
H	DATA COLLECTION FORMS	71
F	MALE AND MODEL CODES	56
С	FILE ADJUSTMENTS	91
D	CDC AND DELTA-V	94
Ε	SELECTED COLINTS	97
F	FSU DEMOGRAPHIC DATA	98

# SECTION 1

# INTRODUCTION

The National Accident Sampling System (NASS) is a continuous nationwide accident data collection program sponsored by the U.S. Department of Transportion. It is operated by the National Center for Statistics and Analysis (NCSA) of the National Highway Traffic Safety Administration (NHTSA).

NASS provides an automated, comprehensive national traffic accident data base. Data collection began in 1979 in 10 geographic sites, called Primary Sampling Units (PSU's). The 1987 NASS file contains data from 31 PSU's. These PSU's are monitored by 4 Zone (Quality Control) Centers. These data are 'not' weighted to represent all police reported motor vehicle accidents occurring in the USA during the year. The data are for clinical analysis only.

The structure of the NASS has been changed between 1986 and 1987, therefore comparing the 1987 file with previous years is not recommended. The changes in the NASS file include: focusing on accidents involving automobiles and automobile derivatives, light trucks with gross vehicle weight less than 10,000 pounds, and vans; selecting the accident with the most serious injury having the most recent accident date from the group of accidents listed on a given day; and the elimination of most of the pedestrian and non-motorist record, the driver record and vehicle registration information.

The 1987 NASS file is available in two automated formats: a sequential data set, or a Statistical Analysis System (SAS) data set. Handcopy data collection records, sanitized to protect privacy, are available for review. These records contain photographic slides, scene diagrams, and vehicle damage diagrams.

This Manual and the NASS Data Collection. Coding and Editing Manual - 1987 Crashwortheness Data Subsystem are the primary documentation supporting the automated file. When using this file one should be careful to understand the coding conventions of all variables used thoroughly. In addition, the user may find the following documents helpful:

Injury Coding Manual 1985 (Revised Edition)

CRASHI User's Guide and Technical Manual (DOT-HS-805-732)

National Accident Sampling System Sample Design. Phases 2 and 3 (DOT-HS-805-273,274.275)

Collision Deformation Classification (SAE J224 MAR 84)

The first document is available from the DOT/Transportation Systems Center (DTS-32), kendall Square, Cambridge, Massachusetts 02142. The next two documents are available through the National Technical Information Service (NTIS), Springfield, Virginia 22161. The last document is available from the Society of Automotive Engineers (SAE), Warrendale, Pennsylvania 15096.

Comments on the content and utility of the files and primary documentation are appreciated. Please address them to the National Center for Statistics and Analysis - NRD-30. National Highway Traffic Safety Administration. U.S. Department of Transportation. 400 Seventh St.. S.W.. Washington, D.C. 20590.

# SECTION 2

## THE SAMPLING SYSTEM AND SAMPLE DESIGN

The accidents investigated in the NASS for 1987 were based on the redesign of the NASS for 1988. The redesign specifications include reducing the number of PSU's from 50 to 36 and focusing the accident investigations to include only automobiles, automobile derivatives. Light trucks and vans. The 1987 NASS provided the transition from 1986 to 1988. Of the 50 PSU's that existed in 1986, 30 were reselected as part of the redesign and 1 was carried over for three months. These 31 PSU's provided the data for the 1987 NASS.

The data collection forms used in 1986 were also used in 1987 except that almost all of the pedestrian and non-motorist record, the majority of the driver record and the vehicle registration information were eliminated.

The emphasis was on the vehicle types described above and more serious injury accidents. Due to the status of the PSU's (30 were available in 1987, the remaining six would not be available until the end of 1987), the unavailability of the redesign sample system, and the new forms being developed for the 1999 system, it was not possible to produce estimates representative of the entire country.

The selection of accidents in NASS is accomplished by the following: on specified days of the week, the police juried.ct:ons are contacted and all accidents that qualify for the NASS for which a police accident report has been filed since the last date that jurisdiction was contacted are listed. While being listed, each accident is classified into a stratum based on accident severity.

Achidents are stratified based on the most severe injury level in the accident and the transported and towaway status for the less severe accidents. The strata are shown in Table 2.1. For example, an accident involving a light truck whose driver was killed and a passenger car whose driver was uninjured would be classified as Stratur A. Accidents from Stratum E were not selected, therefore no data was collected in this stratum.

Under this procedure each team is assigned a fixed number of accidents to be selected on a given contact day. To select a sample, within each stratum the accidents are sorted in descending order by (1) Accident Date, (2) Accident Time, and (3) PAR Number. Beginning with Stratum A and continuing through to Stratum D, the accident with the most recent accident date, time, and PAR number is selected. This procedure is repeated until the case load is fulfilled.

Table 2.1 1987 NASS Accident Strata

1		Mo	st	Severe		Police F	Rep.	orted	Injı	iry
lAutomobile. lAutomobile lDerivatives.	; ·			Serious Injury				iurv. r Unkr		njury.
(Light Trucks) Land Yans L	:		:		;	Trans- ported	; ;	Non	trans	sported
All Types		£	:	든 된 	1	C		 	;	E

Special Considerations in the 1987 Sample

The 1987 NASS provided for a transition from the 1986 NASS to the 1988 NASS. The 1987 NASS allowed for the bilot testing of the new variables, the training for the PSU's to collect the data for the new variables, the start-up of the six new PSU's, and the computer rainframe to be developed. Therefore it is not recommended that the NASS 1987 file be used to produce national estimates on the data available. Instead, it is advised that the data be used for clinical research — similar to the MultiDisciplinary Accident Investigations.

# SECTION 3

# DERIVED VARIABLES

Most of the data presented in the NASS record layout can be identified easily as coming from accident investigation and other activities of NASS field teams. The following data elements, however, are by-products of sampling procedures used by NASS or are derived from data processing applications, such as totaling the number of injured persons in a given accident. The following list identifies the specific data elements, gives their location in the Sequential File Record Layout, and emplains their derivation:

# DESCRIPTION

MAXIMUM TREATMENT (A71)

This single place numeric value indicates the most intensive treatment given to any occupant in the accident, using the following order of codes:

- 1 FATAL
- 3 HOSPITALIZATION
- 4 TREATED AND RELEASED
- 5 TREATMENT AT SCENE
- **5 TREATMENT LATER**
- 8 TREATMENT OTHER
- 2 FATAL RULED DISEASE
- 9 UNENOWN
- O NO TREATMENT

This variable is derived by scanning the TREATMENT - MORTALITY variable in each occupant record in the accident.

MA/IMEM ENOUN A.I.S. (A72) This single place numeric value indicates the single most severe injury level reported for any occupant in the accident, using the following order of codes:

- 5 MAXIMUM (UNTFEATABLE) INJURY
- 5 CRITICAL INJURY
- 4 SEVERE INJURY
- SERIOUS INJURY
- 2 MODERATE INJURY
- 1 MINOR INJURY
- 7 INJURY, UNKNOWN SEVERITY
- 9 UNENOWN IF INJURED
- O NOT INJURED

### DESCRIPTION

ALCOHOL INVOLVED (A73)

This single place numeric value indicates if any involved driver were reported to have had some alcohol involvement at the time of the accident, using the following codes:

- 1 YES
- 2 NO
- 9 UNENOWN

This variable is derived by scanning the POLICE REPORTED ALCOHOL PRESENCE and ALCOHOL TEST RESULT variables on the driver form. The ALCOHOL INVOLVED codes are derived as follows:

- (YES) 1 If FOLICE REPORTED ALCOHOL PRESENCE equals 1 (YES) or ALCOHOL TEST RESULT equals 01-49 (positive result).
- (ND) 2 If FOLICE REPORTED ALCOHOL PRESENCE equals 0 (NO) and ALCOHOL TEST RESULT equals 00 (NONE) or 96 (NONE GIVEN).
- (UNH NOWN) 9 If the variables shown above have any other combination of values.

NUMBER OF SEPTIOUSLY INJURED FERSONS (AT4-75)

This two place numeric value indicates the total number of fatally and other seriously injured occupants involved in the accident. It is derived by totaling the number of occupant records in which either the TREATMENT - MORTALITY value is coded "1" (Fatal) or the A.I.S. SEVERITY value is coded "3-6".

NUMBER OF INJURED PERSONS (A76-77)

This two place numeric value indicates the total number of injured occupants in the accident. It is derived by totaling the number of occupant records in which either the TREATMENT-MORTALITY value is coded "1" (fatal) or the A.I.S. SEVERITY value is coded "1-7".

### DESCRIPTION

DAY OF WEEK (A78-79)

This two place numeric value indicates on which day of the week the accident occured.

To protect the confidentiality of records concerning specific accidents used by NASS, the accident date is not provided. Instead, the accident record indicates year, month, and DAY OF WEEK of accident occurrence. DAY OF WEEK values are coded as follows:

01 Sunday 05 Thursday 02 Monday 06 Friday 07 Tuesday 07 Saturday

04 Wednesday

MAXIMUM KNOWN FEDESTRIAN A.I.S. (P100)

This variable contains "O" as the PEDESTRIAN A.I.S. variables were not collected in 1987.

PEDESTRIAN I.S.S. (P107-104)

This variable contains "O" as the FEDESTRIAN A.I.S. and FEDESTRIAN FODY REGION variables were not collected in 1987.

VIN LENGTH (V203-204)

This two place numeric value indicates the number of characters in the Vehicle Identification Number (VIN) as originally recorded. 99 denotes unknown.

NUMBER SEPIOUSLY INJURED IN THIS VEHICLE (V206-207) This two place numeric value indicates the total number of fatally and other seriously injured occupants of the vehicle. It is derived by totaling the number of occupant records for the vehicle in which either the TREATMENT- MOFITALITY value is coded "i" (fatal) or the A.I.S. SEVERITY value is coded "3-6".

NUMBER INJURED IN THIS VEHICLE (V208-209) This two place numeric value indicates the total number of injured occupants of the vehicle. It is derived by totaling the number of occupant records for the vehicle in which either the TREATMENT-MORTALITY value is coded "1" (fatal) or the A.I.S SEVERITY value is coded "1-7".

DESCRIPTION

WHEELBASE SHORT (V210-213)

WHEELBASE LONG (V214-217)

FRONT/REAR WHEEL DRIVE (V218)

MAXIMUM TREATMENT IN THIS VEHICLE (V217) These four place numeric values with one implied decimal indicate the shortest and longest number of inches between a passenger car's axles for a given make, model and model year. 9999 denotes unknown. These variables are derived from the VIN using the VINA program.

NOTE: If a model has only one length value. It will be coded in the WHEELBASE SHORT variable and the WHEELBASE LONG variable will be coded 9999 (UNENDWN).

This single place numeric value indicates which wheels of a passenger car are powered. Values are coded as follows:

- 1 REAR WHEEL DRIVE
- 2 FRONT WHEEL DRIVE
- 9 NOT APPLICABLE. NOT A PASSENGER CAR
- O UNENOWN

This variable is derived by scanning a coded table consisting of vehicle make, vehicle model and vehicle model year, to which a "drive" code has been appended.

This single place numeric value indicates the most intensive treatment given to an occupant in this vehicle. Order of coding is the same as for the accident variable MAYIMUM TREATMENT (A71).

DESCRIPTION

WEIGHT OF THE OTHER VEHICLE (V220-222)

PORY TYPE OF THE OTHER MEHICLE (MODIFICAL)

MAXIMUM ENOWN A.I.S. in this Vehicle (V225)

MAXIMUM FNOWN OCCUPANT A.I.S. (0108)

# 

This three place numeric value indicates the weight (in pounds) of the other vehicle, if the most severe impact is with another vehicle. Values are coded as follows:

001 LESS THAN 150 POUNDS
002 - 996 150-99,649 POUNDS
997 99.650 OR MORE
998 NOT AFFLICABLE (MOST
SEVERE IMPACT NOT WITH
ANOTHER VEHICLE OF WITH
VEHICLE HITTING ITSELF)
999 UNENDWN

This variable is derived from the VEHICLE CURB WEIGHT as coded for the other vehicle.

This two place numeric value indicates the body type of the other vehicle if the most severe impact is with another vehicle. If not, the value is coded as follows:

78 - NOT APPLICABLE (Most severe impact not with another vehicle or with vehicle hitting itself).

This variable is derived from the BODY TYPE as coded for the other vehicle.

This single place numeric value indicates the most severe injury level reported for an occupant in this vehicle.

Order of codes is the same as for the accident variable MAXIMUM FNOWN AIS (A72).

This single place numeric value indicates the most severe injury level reported for this occupant. Order of codes is the same as for the accident variable MAXIMUM KNOWN A.I.S. (A72).

OCCUPANT I.S.S. (0109-110)

### DESCRIPTION

This two place numeric value provides an index score indicating the relative severity of overall injury to the individual vehicle occupant. It is derived by adding the sources of the highest A.I.S. SEVERITY entries in each of the three most severely injured body regions. For example:

An Occupant suffered serious injury (A.I.S.=3) to the legs (Body Region 5), moderate injury (A.I.S.=2) to the pelvic area (Body Region 4), and moderate to minor injuries elsewhere (A.I.S.=2). The resulting I.S.S. is the sum of the squares of these three A.I.S. Severity scores: (3\*\*2) + (2\*\*2) or 17.

# SECTION 4 SEQUENTIAL AMAYTICAL FILE RECORD LAYOUTS

2	PSU MUMBER	1
7000	CASE BURGER	
7	NECORD NUMBER	I
	111111111111111111111111111111111111111	
•	VERSION MARGER	
16	111111111111111111111111111111111111111	
"	TYPE OF CASE	
13	MONTH OF ACCIDENT	
14 15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	OT INCI STUDIE
15	YEAR OF ACCIDENT	
18	<i>!!!!!!!</i> !!!!!!!!!!!!!!!!	
17 20	MUMBER OF VEHICLE Forms submitted	
21 22	NO. OF PEDESTRIAN & NON- OCCUPANT FORMS SUBMITTED	
23 24	FIRST MARMFUL EVENT	
n	MAKKER OF COLLISION	
24	RELATION TO ROADWAY	
27 28 27 30 30	TIME OF BAY OF ACCIDENT	
31	LIGHT CONDITIONS	
32	ATMOSPHERIC CONDITIONS	<b> </b>
7 22	RELATION TO JUNCTION	B.
Z	INTERCHANGE GEOMETRY	
34	SCHOOL ZONE	<b>5</b> , =
37	SCHOOL BUS RELATED	
74		
40		
41		
12		
43	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
44	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
45 46		
•	**************************************	

ACCUMENT RECORD

47 <b>4 4 3</b> 5 3 5 3 5 3		
ereseres		
33335357		
71	MAXIMUM TREATMENT	
72	MAIINUR KORDAN AIS	5
73	ALCOHOL SHVOLVENERT	ENTE
74	MUMBER OF BERIOUSLY INJURED PERSONS	STIPLIER CALLE
74	NUMBER OF INJURED PERSONS	Same
79	DAY OF WEEK OF ACCIDENT	

Heen muses			40 INJURY	8	
3			49 SOURCE 50 DIR. / INDIR, INJ.	74.14.17	
CASE MUNICER-STR	ATIFICATION		SI SOURCE OF	A CONT	•
7 NECORO MANDER		5	23 108Y 25610H		
• /////////////////////////////////////	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3	SHASPECT	1	l
P VERSION MUNICIPAL	4	OF ROLABOR	SS LESION .	1 1	l
10 ////////////////////////////////////	шшш	8	SA SYSTER/ORGAN		ł
11 PEDESTRIAN OR N	DISTOR-		57 ALS SEVERITY		
13 PENESTRIAN/MONR	DIDRIST TYPE		SE INJURY SH SOURCE		. [
14 PENETRIAL/HOURS	SAM TRINGTO		60 31R./1031R,11U.		
16 PEDESTRIAN/NOVE	OTORIST'S SEL		41 SOURCE OF		
17 PEHESTRIMUTION	OTORIST'S		43 BODY REGION	-	_
18 NE I BAT			44 ASPECT	1	MUSSES
19 PEDESTRIAN/NONES 20 NEI BHT 21	OTEKTET, B		AS LESION	]	E
h			44 SYSTEM/ORGAN		E
22 PEDESTRIAN/HONA 23 LOCATION		GIARGUM	67 AIS SEVERITY	AUTOR	70
24 DISTANCE FROM 1		Ð	AN INJURY 69 SOURCE	2	MILICOLATISBOD APPRIC
25 PEDESTRIAN ACTI	V117		70 018./18018,183	.]	7103
27 TREATMENT-NORTA	L11Y		71 SOURCE OF		
26 HOSPITAL STAY	•		73 BORY REGION	1	(COLUMNO)
30 MORY ING MAYS LO	<b>5</b> 1		74 ASPECT	<b>j</b>	
32 VEN. CONTACTED			75 LESION	]	
22 BOSY REGION	760.		74 SYSTEM/OREAR	걸	
34 ASPECT			77 AIS SEVERITY	<b>E</b>	
# Itilia		<b>=</b>	78 IBJURY 79 SOURCE	1 3	
34 SYSTEM/ORGAN	<b>151</b>	1	80 918./1K918,1KJ	1	
37 AIS SEVERITY	AUTORE	A CTUBERY MOTULES CO.	BI SOURCE OF	1	
34 SOURCE	7	NOTIFICATION ANTICAL LIGHT CONTROL	83 POST RESIDE	<del> </del> -	
44 PIR./IMIR, IMI.		7710	BH ABPECT	1	
41 SOURCE OF			85 FEBIUM	]	1
43 DOBY REGION			BA STSTER/DRAM	3	
44 ASPECT	<b>tu</b>		87 AIS SEVERITY	F	
45 LESION	8 11		SO INJUST SOURCE	1 3	
44 SYSTEM/ORSAN	APTRE		Wolk./Imir.in	1	İ
47 AIS SEVERITY			{	1	1
		L	SI SOURCE OF	1	<u> </u>

13	INURY MYERITY	
7	TIME TO DEATH	04 ICT
96	TRAFFIC VIRLATION	
17	ALCOHOL PRESENCE	2
74	ALCOHOL TEST MESULT	*
80	PEDESTRIAN RELATED FACTORS	
102	MATIRUM EMONN ATS	
103 104	JAJURY BEVERITY SCORE	

1 1/2	PSU KUNBER		
345	CASE NUMBER-STRATIFICA	TION	
7	NECORI NUMBER		
	ШИШШШЫШ	mmi	
,	VERSION NUMBER		100
10	///////////////////////////////////////	///////////////////////////////////////	TF 10
11 12	VEHICLE MARBER		NOT TROUT AT THERE
24	MUMBER OF BCCUPANT FOR	NS .	
15	VEHICLE ROLE		
14	MAJORER OF LEAVING SCEN		
17	MIT AND RUM INVOLVEMENT	T	
==	VEHICLE MODEL YEAR		
2021	VEHICLE MAKE		
nn nn	AEXICLE WODER		
	REGISTRATION OF VEHICLE		
RARRARAHHA	VEHICLE IDENTIFICATION WURDER		<b>0</b>
напяка:		[[]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]	DERI ROTRALI
22	DOBY TYPE		
#	TOWER TRAILING UNIT		
23	SEATING CAPACITY/TRUCK	VOCATION	
47	ATLE	#	
48	TIME	11	
47	CONSTITUT	M	
30	ATLE .		
31	TIME	<b>3</b>	
X	COMPITION	M	
n	AILE	3RD TIRE	

_			
4	TIME		
<u> </u>			
12	ATLE	ŧ	9
37		31.6	Seat entering
2		<u></u>	=
<b></b> -	LEFT GUTSINE NIRROR		8
3			8
61	OVEREING / MIDEDRING		
22	***************************************		
23			
7 7	MARGER OF AILES-POWER MIT		
4 47	MARKER OF ALLES-200 TRAILER		
3	MURSER OF AILES-3RS TRAILER		j# _
47	FIRST TRAILAR LENGTH		W SIE T ALIE Wesnendes
7			
71	MATINER		MIN.
77	OVERALL NIBTH		"
	MAIIRUM	•	
73	DVERALL LENGTH		
-	TYPE OF MAKES		
78	GROSS VEHICLE MEIGHT RATINS	(EVAR)	
7.7	VEHICLE REQUERCE MUNDER		
80	DBJECT CONTACTED		
	DIRECTION OF FORCE	Ω	
	DEFORMATION LOCATION	DET IN "Y"	
	LONG. /LATERAL LOCATION	A. ULTER HOTH JOLY.	8
	VERT./LATERAL LOCATION	DES	
87	TYPE OF BAMAGE DISTRIBUTION		
#	DEFORMATION Extent duide		OLLICI ATSSETO NOLLIMBOLER
90	ACCIDENT SEQUENCE NUMBER		1,17
71	VEHICLE SERVENCE NUMBER		11160
72 73	OBJECT CONTACTED	אל שנדע בנדעוא מביומר בחתוא	2
94	DIRECTION	N S	
73	OF FORCE	ארצו מברעה מכישל נמדעו	
94	DEFORMATION LOCATION	[₹ ₹	
97	LONG. /LATERAL LOCATION		

WEHICLE RECORD

11	VERT./LATERAL LOCATION	Ē g
11	TYPE OF DAMAGE DISTRIBUTION	
100	DEFORMATION EITENT SUIDE	9451 18 18 44-949 (945)
102		48
103	CRASH BAMASE BATA	
105	FOR HIGHEST BELTA "V" - L	
104	CRASH BANAGE DATA	
100	FOR HIGHEST BELTA "V" - CI	
	CRASH DARAGE DATA	
111	FOR HIGHEST DELTA "V" - C2	
113	CRASH BAHASE BATA	
1114	FOR HIGHEST DELTA "V" - C3	
	CRASH BAHADE BATA	
117	FOR HIGHEST DELTA "V" - C4	
119	CRASH DAMAGE BATA FOR HIGHEST DELTA "V" - CS	
121	in uthura Arris A - PA	
123	CRASH DAMAGE DATA FOR HIGHEST DELTA "V" - CA	
124	******	
124	CRASH DAMAGE DATA FOR HIGHEST DELTA "V" - 9	
127 126		3
129	CRASH DAMAGE Data for	STI 50M
31	2ND HIGHEST DELTA "V" - L	,
ın	CRASH SARAME DATA	
	FOR 2ND HIGHETS DELTA "V" - E1	
iñ	CRASH SAMSE MIS	
133	FOR 200 HISHETS DELTA "V" - EZ	
177	CRASH BARAGE BATA FOR 200 HIGHETS	
141	betju iri - ez	
143	CRASH SAMAGE DATA FOR 200 HIGHETS	
4	DELTA "V" - CA	
11461	CRASH SAMASE SATA FOR 200 HIDETS	
<u> </u>	DETA A C	
144	CRASH SAMASE SATA FOR 200 HISHETS	
	DELTA: "V" - CA	
i	CRASH SAFAGE SATA FOR 200 KINGST	
33.	MELTA 'Y' - B	
125	NORE TIME 2 CSC/TSC	

				_		
134	VEHICLE BECIAL USE				1	
55 <b>33.5</b> 5	OPOTETER READING					•
140	PASSENGER COMPARTMENT INTEGRITY					
1	INTRUDING CORPORENT	3			2	
ııs	MAG. OF THTRUSTON	1	- 1			
	INTRUBING Component	8	R	Ē		
144	MAE. OF INTRUSION		•		3	
23	INTRUDING COMPONENT	72		2000	EA LUI	
167	MAS. OF INTRUSION	1			OI STRUM	
170 171	INTRUDING COMPONENT	996		<b>BESSE</b>		
172	MAS. OF INTRUSION			8		
173	STEERING COL. SEPARATION					
174	STEERING RIN DEFORMATION		_	_		
173	FIRE OCCURRENCE				]	
176	NOST SEVERE EMPACT ROLE					I
177	ROLE OF BTHER CONTACTED PARTY		•••			
178	ROLLOVER	•	•••		]	
179	JACKKNIFE					
180	HAZARDOUS CARGO				L	
181 182 183	VEHICLE CURB MEIGHT				Ę	
166	VEHICLE CARSO WEIGHT	***		_ •	TO BE	*
187	CARGO MEIGHT INFO BOURCE				] !	3
184	BASIS FOR TOTAL BELTA "V"	_				٦
190	TOTAL BELTA "V"			_ =	$]_{\_}$	
191	LONGITUDINAL COMPONENT OF DELTA "V"					
194	LATERAL COMPONENT OF DELTA "V"	-	••••	-	CLIAN WATER	
197 198 199 200	EMERGY ABSORPTION	_				1
201 202	TRAVEL SPEED				Ì	Ī
203 204					Ī	1
205	114/11/11/11/11/11/11/11/11/11/11/11/11/	///	///	///		5

204 207	NUMBER OF SERIOUSLY INJURED IN THIS VEHICLE	
208 201	NUMBER INJURED IN THIS VEHICLE	
210 211 212 213	WHEELBASE - SHORT	ENIKE
214 215 216 217	UNEELBASE - LONG	ED (CONTINUE)
218	FRONT/REAR WHEEL BRIVE	
219	MAILHUM TREATHEAT	
	WEIGHT OF THE OTHER VEHICLE	
223 224	BODY TYPE OF THE OTHER VEHICLE	
225	MAXINUM KADWA AIS	

	PSU MUMBER	
	CASE MUMBER-STRATIFICATION	
	RECORD HUMBER	
		3
	VERSION NUMBER	MINOLABOR
1	VEHICLE MURBER	
11	MUMBER OF OCCUPANTS THIS MOTOR VEHICLE	
11	MIVER PRESENCE IN VEHICLE	
13	MONTHS DRIVING EXPERIENCE THIS CLASS OF VEHICLE	
ii X	ESTIMATED HILEAGE THIS VEHICLE	
21 22 23	TOTAL MILEAGE ALL VEHICLES	MUEN
N	DRIVER EDUCATION	5
23	TIME SINCE LAST SM. TRAIN	
24	FREQUENCY BRIVING ROAD	
27	TYPE OF OPERATION/CARRIER	
A	FEDERAL BAFETY REGULATED	
77	DRIVER'S CLASSIFICATION	
31	ACCIDENT TYPE	787
un	ATTEMPTED AVOIDANCE MANEUVER	Mese
Z,	MRIVER RELATED FACTOR	
35	IST VIOLATION CHARSED	
N.	200 VIBLATION CHARGED	
*	ALCOHOL PRESENCE	
	ALCOHOL TEST MESULTS	Q
_	MIVER LICENSE STATUS	<b>T</b>
	MIVER LIC. TYPE COMPLIANCE	7
	MIVER LIC. RESTRICTION	OFFICIAL RECORD
1	REVIOUS SPEEDING CONVICTION	<b>3</b>
***	MEVIOUS STHER HARDFUL HOVING	
4	PREVIOUS BUT CONVICTIONS	

47	PREVIOUS BUSPENSION/REVOC	В
34	PREVIOUS RECORDED ACCIDENTS	œa.
\$1	FEDERAL AID SYSTEM	3411
22	CLASS TRAFFICIAY	W III
BU	ROADMAY FUNCTION CLASS	
35	NUMBER OF TRAVEL LAMES	
35:3	LAME	
34	REDIAN TYPE	
33	REDIAN BIBTH	
62	ACESS CONTROL	
43	TRAFFICHAY FLOW	
H	LEFT SHOULDER TYPE	
13	RIGHT SHOULDER TYPE	
4	ROADUAY ALIGNMENT	•
67	CROSS SLOPE	78
357	SUPERELEVATION	BALICOCCIAE BALA
71	DEGREE	ATA
73	OF Curvature	
	GRADE NEASUREMENT	
77	ROADHAY PROFILE	
71	ROADHAY SURFACE TYPE	
71	ROADWAY SURFACE COSITION	
<b>80</b>	SPEED LINIT	
<b>8</b> 72	RESTR. OF ROADWAY	
<b>F</b> 3	TRAFFIC CONTROL DEVICE	
23	TRAF, CATTL FLAC	
34	DESIGNATED TRUCK SYSTEM	
	ENVIRONMENTAL RELATED FACTORS	

1 2	PSU MUMBER		
7456	CASE NUMBER-BTI	RATIFICATION	
7	RECORD MUMBER		
•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		OLIVOLAL DET
•	VERSION NUMBER		5
10	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
11 12	VEHICLE MARKER		
13	DCCUPART MURBER		
15 18	OCCUPANT'S ASE		
17	OCCUPANT'S SEI		
10	OCCUPANT'S NEI	нт	
2022	OCCUPANT'S NEI	БНТ	
23	OCCUPANT'S ROLL		_
7 70 70	OCCUPANT'S SEAT	POSITION	GIANGUN
26	ENTRAPHENT		
27	EVECTION		
23	EJECTION AREA		
21	EJECTION MEDIUM		
30	MEDIUM STATUS		
31	TREATRENT - NO	RTALITY	
ដដ	HOSPITAL STAY		
38	MORKING BAYS LI	DST	
35	CHILD RESTRAIN MAKE/NODEL		
Я	TYPE OF CHILD !	ESTMINT	
24	CHILD SEAT ORTH	ENTATION	700
40	CHILD RESTRAIN	MARIESS	E
41	MANUAL RESTRAIN	IT SYSTEM AWAIL.	OCCUPANT IMMAY CLASSIFICATION
42	MAMUAL RESTRAIS	IT SYSTEM ME	186
43	AUTONATIC RESTI	MAINT BYSTEN AVAIL.	II ATS
44	AUTOMATIC RESTI	MINT FUNCTION	3116
45	BOBY REBION	181	#
4	ASPECT	AUTHE	
47	LESION	Yel	

41	SYSTEM/ORGAN	1 _	
47	AIS SEVERITY	ST 1	
50 51	INJURY SOURCE	ISI I <b>milia</b> a cont	
<b>}</b>	DIR./INDIR,INJ.	Ē	
<b>-</b>	SOURCE OF	_	
-	BODY REGION		
	ASPECT		
	LESION		
	SYSTEM/DRGAN	216	
54	ALS SEVERITY	ABULAI	
	INJURY Source	_	
	DIR./INDIR, INJ.		
	SOURCE OF		
Н			OCCUPANT DICHER CLASSIFICATION (CONTINUED)
	BOBY REGION		<b>3</b>
	ASPECT LESION		
	SYSTEM/ORGAN		ě
Ä	AIS SEVERITY	11 (10)	8
70	INJURY	AUNTHI	<b>B</b>
71	SOURCE		9
<b></b>	DIR./INDIA, INJ.		
73 74	SOURCE OF DATA		5
75	BODY RESIDM		
76	ASPECT		
<b></b> -	LESION		
	SYSTEM/ORGAN	WI.	
	AIS SEVERITY	IMULA	
ii	INJURY SOURCE	**	
<b></b>	DIR./IMIR, IN.		
22	SOURCE OF MTA		
13	DOBY RESIGN		
Q.	ASPECT	SI .	
	LESION	STH THUMP	
	SYSTEM/ORSAN	URY .	
5	ALS SEVERITY		
70	INJURY SOURCE		

1				
11.	77	318./10018,10).	D SI	
	#	BOURCE OF MIA	STM IMPLE	OCCU#
П.	75	DOBY RESIDE		
	¥	MSPECT		E
[	77	LESION		P
11.	78	SYSTEM/ORGAN	Đị l	1334
	77	AIS SEVERITY	WITH R	
1	2	INJURY SOURCE	Jun 1	OCCUPANT INJUSY CLASSIFICATION (CONTINUED)
l	02	918./10018,1NJ	•	111111
1	25	SOURCE OF BATA		5
l	6	INJURY SEVERITY		Ø
1	04 07	TIME TO BEATH		
1	9	MAIINUR KOKOWA A	15	æ
	10	INJURY SEVERITY	BCORE	BERIVED

### SECTION 5

### SAS FILE

NASS data are available in the form of a Statistical Analysis System (SAS) file. SAS is a highly flexible statistical package that provides a high level programming language for effective matrix manipulation, and data management facilities.

SAS is a non-hierarchial data base. The SAS data base for NASS consists of five individual data sets, one for each of the five NASS record levels, i.e. Accident, Pedestrian, Vehicle, Driver, and Occupant. Using modified relational database concepts, SAS allows the natural hierarchial structure of NASS data to be fully explored by the analyst. An analyst can create a new SAS data set by merging data from several levels of the NASS hierarchy—e.g., vehicle and driver levels—through use of an appropriate set of SAS commands within the DATA step.

### SAS Data Pase Contents

The variable names in the NASS/SAS data base are from the data collection forms and are limited to eight characters. The SAS data base is generally an exact representation of the data contained on the NASS master file. The only exceptions are the following:

- Numeric variables for which 9. 99, etc. represent "unknown" are recoded to the SAS special missing value .U ("dot-u") and are not included in percentage tabulations:
- The value of 95 ("test refused") for Driver Alcohol Test Results (ALCTEST) has been recoded to .B: the value of 96 ("not given") has been recoded to .C: the value of 97 ("performed, results uninown") has been recoded to .D: and the value of 99 ("unknown") has been recoded to .U: these values are not included in percentage tabulations:
- Missing data for numeric values are recoded as "." in SAS and are not included in percentage tabulations:

- Numeric variables not not coded on the accident, pedestrian, vehicle, driver and occupant forms in 1987 have been recoded to .N (Not Collected);
- Hour of Day (Time) is stored as a SAS time value, and has an output format of HHMM5.

FSU NUMBER (PSU). CASE NUMBER-STRATIFICATION (CASEID) and SEQUENCE NUMBER (CASENO) are identical variables across all NASS records. CASENO is the first three digits of CASEID. Therefore. FSU and either CASENO or CASEID can be used to merge NASS record levels. Similarly, VEHICLE NUMBER (VEHNO) is identical in the Vehicle. Driver, and Occupant record levels and can be used to merge these records in the DATA step.

The remainder of this Section presents the SAS lavout for the 1987 NASS. In general, the order of variables in the SAS data sets follows the order of data fields on the master file (and thus the order of items on the data collection forms used by NASS investigation teams). The user can invoke PROC CONTENTS to produce the following list of SAS variables:

# CONTENTS OF SAS DATA SET NASSANL.ACCIDENT

# ALPHABETIC LIST OF VARIABLES

9	17	`	7	0		) - ) U		2	2	14		G		13	œ	_	0	0	9	23	9	u	2	Þ	9	28	27	25	*
YEAR	WEATHER	VERVION	3	ITPECASE	, <u>-</u>			SCHZONE		RELROAD	RELJUNC	RECNO	S	PEDFORMS	MONTH	MANCOLL	LGTCOND	HARMEV1	GEOMETRY	ENVIRON	DAYWEEK	CASENO	CASEID	TRE	ALCINV	AINJURED	SCRI	$\triangleright$	VARIABLE
Z	NOM M	Z	3	3	Z Z	3	7 X	NUM	NOX	NOM	Z Z	NOM	NOM	NUM	NCM	NC3	NC M	NC3	NC3	NOM	Z Z Z	Z	CHAR	NCM	Z Z	Z Z	Z Z	NCM M	TYPE LE
2	2	2	· ~	. ~	) N	·	<b>\</b> -	* N	· ~	2	2	2	2	2	2	2	2	2	2	2	2	u	4	2	2	2	~	2	LENGTH POSITION
								94						30	20	26	38	24	なな	52	64	_	6			62			NOI
						hhmmb.																							FORMAT
																													INFORMAT
R OF AC	<b>TMOSPHER</b>	ERSION NU	UMBER OF	YPE OF CA	TURN ON RED RELATED	2	NITIAL	IDENT	CHOOL B	<b>ELATION</b>	ELATION	ECORD 1	SU NUMB	ER OF	유	뛿	ც	IRST HA	RCHA	I RONM	, 유 포	UENCE	E NOM	. MOMI		Z	BER OI	MAXIMUM KNOWN AIS IN ACCIDENT	LABEL

# CONTENTS OF SAS DATA SET NASSANL.PEDES

# ALPHABETIC LIST OF VARIABLES

INFORMAT LABEL

VARIABLE TYPE LENGTH POSITION FORMAT

5 PAGE NUM 2 1 5 PALCTEST NUM 2 1 7 PEDEATH NUM 2 1 7 PEDACT NUM 2 1 7 PEDACT NUM 2 1 7 PEDACT NUM 2 1	5 LESION1 CHAR 1 6 LESION2 CHAR 1 7 LESION3 CHAR 1 8 LESION4 CHAR 1 9 LESION5 CHAR 1 0 LESION5 CHAR 1 0 LESION6 CHAR 1 0 LESION6 CHAR 1 0 MAIS NUM 2 1	UN NUM NUM NUM NUM NUM NUM NUM NUM NUM N	ASPECTA ASPECTA ASPECTA ASPECTA ASPECTA ASPECTA ASPECTA CHAR BODYREG1 CHAR BODYREG2 CHAR BODYREG3 CHAR BODYREG4 CHAR CHAR CHAR CHAR CHAR CHAR CHAR CHAR	AIS1 AIS2 AIS2 AIS3 AIS3 AIS4 AIS4 AIS5 AIS6 AIS6 AIS6 AIS6 AIS6 AIS6 AIS6 AIS6
AGE OF AG	MAMA WAR WAR WAR WAR WAR WAR WAR WAR WAR WA	92 DIRECT/ 96 DIRECT/ 98 DIRECT/ 98 DIRECT/ 98 DIRECT/ 100 DISTANC 66 INJURY 1NJURY 70 INJURY 1NJURY	ASPEC ASPEC OIC B OIC B	AIS S ASPEC ASPEC ASPEC ASPEC
PERSON (P) TEST RESULTS (P) DEATH (P) PRESENCE (P) IAN ACTIVITY IAN LOCATION	n	INDIRECT INJURY (SECON INDIRECT INJURY (FURTINDIRECT INJURY (FURTINDIRECT INJURY (FIFTH INDIRECT INJURY (SIXTH E FROM INTERSECTION SOURCE (FIRST) SOURCE (SECOND) SOURCE (THIRD) SOURCE (FIFTH) SOURCE (FIFTH) SOURCE (FIFTH) SOURCE (FIFTH)	(SITH) Y REGION (FIRST) Y REGION (SECOND) Y REGION (THIRD) Y REGION (FOURTH) Y REGION (FIFTH) Y REGION (SIXTH) Y REGION (SIXTH) MBER - STRATIFICATION E NUMBER WHICH CONTACTED PEDES INDIRECT INJURY (FIRST	CONTRACTOR

CONTENTS OF SAS DATA SET NASSANL.VEHICLE

# ALPHABETIC LIST OF VARIABLES

JACKNIFE NUM LMIRROR NUM MAKE NUM MAXLEN NUM MAXMIDTH NUM	4 GAD1 CHAR 1 5 GAD2 CHAR 1 7 GVWR NUM 2 1 HAZCARGO NUM 2 8 HITRUN NUM 2	DVTOTAL NUM 2 9 ENERGY NUM 3 2 EXTENT1 CHAR 2 3 EXTENT2 CHAR 2	1 DVC5 NUM 3 2 DVC6 NUM 3 3 DVD NUM 3 8 DVLAT NUM 3 7 DVI DNG NUM 2	DVBASIS NUM 2 7 DVC1 NUM 3 8 DVC2 NUM 3 9 DVC3 NUM 3	DOCCDC NUM DOCCMPNT NUM DOF1 DOF2 DOINTRSN NUM DPINTRSN NUM DPINTRSN NUM DPINTRSN NUM	ACCSEQ2 NUM 2 ACCSEQ2 NUM 2 ACCSEQ2 NUM 2 AXLESP NUM 2 AXLEST1 NUM 2 AXLEST2 NUM 2 AXLEST3 NUM 2 AXLEST3 NUM 2 AXLEST4 NUM 2 BRAKETY NUM 2 CABCONF NUM 2 CARGOWGT NUM 3 CASEID CHAR 3 CASEID NUM 3	* VARIABLE TYPE LENGT
003721	22022	- WN T W C	<i>~~~~</i> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ウサウススス	<b>80←←000</b>	7 7 7 7 7 7 7 8 8 9 7 7 7 8 8 9 7 7 8 8 9 7 7 8 7 8	ON FORMAT INFORMAT
IDE MIRROR IAKE VERALL LENG	ON LOCATION (HON LOCATION(2N LOCATION(2N LOCATION(2N LOCATION)) ICLE WEIGHT RACCARGO INVOLVEMENT	ROOV T	NAMAGE DATA MAX DELTA V - C NAMAGE DATA MAX DELTA V - C NAMAGE DATA MAX DELTA V - L NAMAGE DATA MAX DELTA V - L NAMAGE DATA MAX DELTA V - L	AAAA 7	DOCUMENTATION MORE THAN TWO CDC/TDC DRIVER OTHER (INTRUDING COMPONENT) DIRECTION OF FORCE (HIGHEST) DIRECTION OF FORCE(ZND HIGHEST) DRIVER OTHER (MAGNITUDE OF INTRUSION) DRIVER PRIMARY (INTRUDING COMPONENT) DRIVER PRIMARY (MAGNITUDE OF INTRUSION) DRIVER PRIMARY (MAGNITUDE OF INTRUSION)	ACCIDENT (PIGNES) ACCIDENT (PAD HIGH (POWER UNIT) (1ST TRAILER) (2ND TRAILER) (3RD TRAILER) CTUATION ON PRATIFICATION TRATIFICATION	ABEL

55 8-5-700000 5 100012121202000 550012000000 10001200001200001200001200001200001200001200001200001
MODEL
NNNOCONNUNUNUNUNUNUNUNUNUNUNUNUNUNUNUNUN
000000000000000000000000000000
11 1200
VEH STEER ST
CLE MODEL CCI CONTACTED (HIGHEST) CONDITION (AXLE - 2) CONDITION (AXLE - 2) CONDITION (CONDITION - 4) CONDITION (TIRE - 4) CONDITION (TIRE - 3) CONDITION (TIRE - 3) CONDITION (TIRE - 4) CONDITION (TIRE - 2) CONDITION (TIRE - 3) CONDITION (TIRE - 2) CONDITION (TIRE - 2) CONDITION (TIRE - 3) CONDITION (TIRE - 2) CONDITION (TIRE - 2) CONDITION (TIRE - 2) CONDITION (TIRE - 3) CONDITION (TIRE - 2) CONDITION (TIRE - 2) CONDITION (TIRE - 3) C

- 1-9	20	<u>.</u>	<u>-</u>	13	12	16	6	64	84	<del>-</del> 0	7	~	-	43	42
WHEEL SHT	WHEELLNG	VTREAT	VINLNGTH	VINJURED	VINJSER	VIN	VERSION	VEHSEQ2	VEHSEQ1	VEHROLE	VEHNO	VAIS	TRAVELSP	TRAILER3	TRAILER2
NOM MO	NOM	NOM M	NOM M	MOM	NUM M	CHAR	MUM	MOM	MON	NOM	MUM	NOM M	NCM M	NCM M	NOM
<b>0</b> 00	<b>∞</b>	2	2	2	2	10	2	2	2	2	2	ν.	2	2	2
263 5.1		252	246	250	248	36	16	110	108	24	18	261	244	98	96
WHEELBASE SHORT	WHEELBASE LONG	MAXIMUM TREATMENT(THIS VEH)	VIN LENGTH	NUMBER INJURED IN THIS VEHICLE	NUMBER SERIOUSLY INJURED IN THIS VEHICLE	VEHICLE IDENTIFICATION NUMBER	VERSION NUMBER	EVENT NUMBER THIS VEHICLE (2ND HIGHEST)	EVENT NUMBER THIS VEHICLE (HIGHEST)	VEHICLE ROLE	VEHICLE NUMBER	MAXIMUM KNOWN AIS IN THIS VEHICLE	TRAVEL SPEED	LENGTH OF TRAILER - 3	LENGTH OF TRAILER - 2

# ALPHABETIC LIST OF VARIABLES

53 54 57	244	452 452	50	29 32	30 T	202	420	40	26 27	16 28	37	49	7 % C	;=,	204	354	256	75°57	
SPLIMIT STRATIF SUPELEV SURCOND	<u> </u>	ELFACT ESTRIC	ROPI	REVS	RRZ MMV		ILEVEH	EDIA	STAT	REST	ANES ANES	REG	7 X Z	RPRES		LAST	MCSREG ASEID		ARIA
NUM CHAR		Z Z Z Z	MUM	E E	ZZZ ZZZ	S S S S S S S S S S S S S S S S S S S	N C	N N C	NCM EDM	Z Z :	Z Z :	Z Z Z			2 Z Z	ZZ ZZ	CHAR		H
<b>24-</b> 27	, v v v	, , , ,	1 <b>0</b> 00	<b>N</b> N	N N 1	) N N	) W W	22	221	220	(1 K)	<b>⊿</b> №1	) N L	) <b>/</b> /	) N W	1 N W	100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ENGTH POSITION
116 13 101 114				64 70	66° 60'	724	30	85 87	60	38 62	8 8 8 7 0 8	107	126	18 26	104	10 76	44	59268 59708	LION
																			FORMAT
																			INFORMAT
CROSS SLOPE SPEED LIMIT INITIAL STRATIFI SUPERELEVATION ROADWAY SURFACE	T SHOUL	VER RE	NUME	71003		BER	MATE	NA NA	ENSE L									ACCESS CON ACCIDENT OF ALCOHOL TO ROADWAY AND ATTEMPT AND ATTEMPT AND ATTEMPT AND ATTEMPT ATTE	LABEL

7	Ţ	<u>ي</u>	6	9	<b>~</b>	57	56	2	55	51
VIUCHAKZ	VIOCHARI	VIOCHADA	VERSION	VEHNO	TYPE0P	TRUCKSYS	TRCTLFCT	TRAFFIOM	TRAFCONT	SURTYPE
NOM	N		Z_X	NOM M	MUM	NOM	N CM	Z	NUM	MOM
^	7 (	<b>J</b>	2	2	2	2	2	٧	2	2
0	n (.	7.	16	22	42	124	122	91	120	112
A TOTO CITY OF COURT	VIOLATION CHARGED CARCOLD	VIOLATION CHARGED (EIRST)	VERSION NORTH	VEHICLE NOMBER	TYPE OF OPERALION OR CARRIER	DESIGNATED TRUCK SYSTEM	TRAFFIC CONTROL DEVICE FUNCTIONING	TRAFFICWAY FLOW	TRAFFIC CONTROL DEVICE	ROADWAY SURFACE TYPE

# CONTENTS OF SAS DATA SET NASSANL.OCCUPANT

# ALPHABETIC LIST OF VARIABLES

INFORMAT LABEL

VARIABLE TYPE LENGTH POSITION FORMAT

EJCTMED NUM EJCTMED NUM ENTRAP NUM HEIGHT NUM INFSEAT NUM INFSEAT NUM INJSOU2 NUM INJSOU3 NUM INJSOU4	1 AUTAVAIL NUM 2 AUTFNCT NUM 4 BODYREG1 CHA 5 BODYREG3 CHA 6 BODYREG5 CHA 6 BODYREG5 CHA 7 BODYREG5 CHA 8 BODYREG6 CHA 8 BODYREG6 CHA 8 BODYREG6 CHA 9 BODYREG6 CHA 1 CASENO NUM 2 CASENO NUM 3 DEATH NUM 3 DEATH NUM 4 DIRINJ3 NUM 5 DIRINJ5 NUM 6 DIRINJ5 NUM 7 DIRINJ5 NUM 9 DIRINJ5 NUM 9 DIRINJ5 NUM 1 DIRINJ6 NUM 1 DIRINJ6 NUM	AGE AIS1 AIS2 AIS3 AIS4 AIS3 NUM AIS5 AIS6 AIS6 AIS6 AIS6 AIS6 AUM ASPECT1 CHAR ASPECT3 CHAR ASPECT3 CHAR ASPECT4 CHAR ASPECT5 CHAR ASPECT5 CHAR ASPECT5 CHAR ASPECT6 CHAR ASPECT6 CHAR ASPECT7 CHAR ASP
126 127 128 128 136 136 136 106 106 106 106 106 106 106 106 106 10	142 142 334 344 35 36 37 36 37 36 37 38 38 38 38 38 38 38 38 38 38 38 38 38	124 144 144 144 144 144 144 144 144 144
JECTION MED JECTION MED JECTION MED NTRAPMENT EIGHT OF PE OSPITAL STA NFANT SEAT NFANT RESTR NJURY SOURC NJURY SOURC	CT (SIXTH IVE RESTRATED TO RESTRATE BODY REGILED BODY REGILED CT/INDIRECT/I	GE OF PERSO IS SEVERITY IS SEV

ERSION NUM 2 18 ERSION NUM 2 18 EIGHT NUM 2 2 ORKDAYS NUM 2 3	YSORGZ CHAR 1 57 YSORG3 CHAR 1 57 YSORG4 CHAR 1 57 YSORG5 CHAR 1 57 YSORG6 CHAR 1 57 PEATMNT NUM 2 2 23 YPEREST NUM 2 13	X NOM 2 NUM	ESION3 CHAR ESION4 CHAR ESION5 CHAR ESION6 CHAR AIS NUM 2 ANAVAIL NUM 2 ANUSE NUM 2 ECNO NUM 2 ECNO NUM 2 ECNO NUM 2 ECTMAKE NUM 2 ECTMAKE NUM 2 ECTMAKE NUM 2 ECTMAKE NUM 2
ERSION EIGHT ( ORKING	YSTEM/ORGAN YSTEM/ORGAN YSTEM/ORGAN YSTEM/ORGAN YSTEM/ORGAN YSTEM/ORGAN YFE CHILD RES	EX OF PERSON OURCE OF DATA ( O	LESION (THIRD) LESION (FOURTH) I FSION (FIFTH) LESION (SIXTH) MAXIMUM KNOWN OCC/PED/NM AIS MAXIMUM KNOWN OCC/PED/NM AIS ACTIVE RESTRAINT SYSTEM - AVAILABILITY ACTIVE RESTRAINT SYSTEM - USE MEDIUM STATUS OCCUPANT NUMBER PSU NUMBER RECORD NUMBER CHILD RESTRAINT MAKE/MODEL OCCUPANT'S ROLE OCCUPANT'S SPAT POSITION

# APPENDIX A

# DATA COLLECTION FORMS

NATIONAL ACCIDENT SAMPLING SYSTEM

dministration	Accident	Data	CONTINUOUS SAMPLING SUBSYSTE
		12. First Harmful Event	
1 Primary Campling L'nut Number	1 1	Non-collision.	
1 Primary Sampling Unit Number	$\frac{1}{1}$	(01) Fire or explosion	
	11	(02) Immersion	
2 Case Number-Stratification	1 1	(03) Gas inhalation	
$\frac{1}{3} \frac{1}{4}$	5 6		
	1 1	(04) Fell from vehicle	
3. Record Number	$\frac{1}{7}$	(05) Injured in vehicle	
	7	(06) Other noncollision (	specify).
. –	1 1	(07) Overturn	
4. Transaction Code			4
	, i	(08) Jackknife with intra	unit damage
5 Version Number	0	Collision With.	
3 Version Number	9	(09) Pedestrian	
		(10) Pedalcy clist	
6 Investigator I D Number	1 1	(11) Railway train	
investigator i Barreniet.	10	(12) Animal	
		(13) Motor vehicle in tra	insport (same
		roadway)	·
IDENTIFICATION		(14) Motor vehicle in tra	insport (other
IDENTIFICATION		roadway)	
		(15) Parked motor vehicle	ما
		,	
7 Type of Case		(16) Other type nonmoto	rist (specify)
(1) Full data collection	j j		<del></del>
(2) Nontowaway (Stratum E)	11	(17) Thrown or falling o	bject
(Reduced data collection)	11	(18) Boulder	
(3) Source document only	] ]	(19) Other object (not fix	(ed) (specify)
•	_ 1 1		
	1;	Collision with Fixed Object	et
	] }	(20) Building	
	1 1	(21) Impact attenuator/cr	ash cushion
	11	(22) Bridge pier or abutr	
9 Date (Month Day Year)	8 7	(23) Bridge parapet end	
8 Date (Month, Day Year) = 12 13 14 15	16 17	(24) Bridge rail	
	1 1	(25) Guardrail	
		(26) Concrete traffic barr	
	1 1		161
	!	(27) Median barrier	· · · · · · · · · · · · · · · · · · ·
9 Blank (This variable is left blank so that		(28) Other longitudinal b	arrier (specify)
numbering consistency can be maintained	[ [		
with the 1986 CSS)	1	(29) Highway/Traffic sig	•
		(30) Overhead sign suppo	
	i i	(31) Luminaire/Light sup	port
	X 18	(32) Utility pole	
	18	(33) Other post, pole, or	support (specify).
	ł I	(34) Culvert	
		(35) Curb	
10 Number of Vehicle Forms Submitted	1 1	(36) Ditch	
Code the number of motor vehicles in trans-	1 1	(37) Embankment-earth	
		(38) Embankment-rock,	stone or concrete
port for which a VEHICLE FORM was submitted	19 20	(39) Fence (wooden, wir	
	- 1 l	(40) Wall (stone, rock, n	
	1 1	(41) Fire hydrani	netar, etc. j
	11		
		(42) Shrubbery	
11 Number of Pedestrian & Nonmotorist		(43) Tree	_
Forms Submitted	11	(44) Other fixed object (	specify)
Code the number of pedestrians and or non-	1 1		<del></del>
motorists for which a PEDESTRIAN & NON-	11	(45) Pavement surface in	regularity (pothole,
MOTORIST FORM was submitted	1 1	grooved, grates)	
ALCO TO TO THE SHOWING	21 22	(99) Unknown	
	1 1		23 24

13 Manner of Collision (Based on First Harmful Event) (0) Not collision with vehicle in transport	ADMINISTRATIVE ITEMS
	18. Relation to Junction  (01) Non-junction  (02) Three leg intersection  (03) Four leg intersection  (04) More than four leg intersection  (05) Rotary or traffic circle  (06) Intersection related  (07) Channel  (08) Area of mergence related  (09) Area of divergence related  (10) Entrance ramp  (11) Exit ramp  (12) Driveway, alley access related  (13) Railroad grade crossing related  (14) Crossover related  (99) Unknown
(6) Off roadway location unknown (7) In parking lane (8) Gore or channel island (9) Unknown	19 Interchange Geometry  (0) No interchange (1) Full diamond
AMBIENT CONDITIONS	(2) Partial diamond (3) Full cloverleaf (4) Partial cloverleaf
15. Time: Code reported military time of accident (NOTE midnight = 2400) (9999) Unknown 27 28 29 30	(8) Other (specify). (9) Unknown
16 Light Conditions  (1) Daylight  (2) Dark  (3) Dark, but lighted  (4) Dawn	20 Accident Occurrence in School Zone
(5) Dusk (9) Unknown	21 School Bus Related(0) No(1) Yes
17 Atmospheric Conditions  (1) No adverse atmosphere related driving conditions  (2) Rain  (3) Sleet  (4) Snow  (5) Fog  (6) Rain and fog  (7) Sleet and fog  (8) Other (e.g., smog., smoke, blowing sand or dust, etc.) (specify)  (9) Unknown	22 Right or Left Turn on Red Related

ENVIRONMENTAL DATA	SPECIAL STUDIES - INDICATORS
23 Driver Level Environmental Data That Is  Most Representative of this Accident Location	Information Collected From This Accident As A Part of the Special Studies Subsystem
Code the driver level number (the vehicle number coded in variable D07) that best describes the accident's environmental conditions  39 40	NO - Code 0 for each of questions 24 through 29  If YES - Check () each of the studies from the list below that were indicated, code 1 for the checked studies and 0 for the studies not checked  24 _ SS8-Longitudinal Barrier  25 _ SS9-Crash Cushion  42  26 _ SS12  43  27 SS13
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

National Highway Traffic Safety

### PEDESTRIAN AND NONMOTORIST

NATIONAL ACCIDENT SAMPLING SYSTEM CONTINUOUS SAMPLING SUBSYSTEM

Administration			
Primary Sampling Unit Number	2	11. Pedestrian or Nonmotorist's Height	
2. Case Number - Stratification 3 4 5	6	inches - Code actual height to the nearest inch.  (99) Unknown	
3. Record Number	2 7	12. Pedestrian or Nonmotorist's Weight	7 18
4. Transaction Code	8	pounds — Code actual weight to the nearest pound. (999) Unknown	
5. Version Number	0	19 20 13. Pedestrian or Nonmotorist's Location	0 21
6. Investigator I.D. Number	10	(01) Intersection related — in crosswalk (02) Intersection related — on roadway, not	
IDENTIFICATION		in crosswalk (03) Intersection related — on roadway,	
7. Pedestrian or Nonmotorist's Number	12	crosswalk not available (04) Intersection related — on roadway, crosswalk availability unknown	
8. Pedestrian or Nonmotorist's Type		<ul> <li>(05) Intersection related – on sidewalk</li> <li>(06) Intersection related – not on roadway or sidewalk</li> </ul>	
— (1) Pedestrian — (2) Bicyclist . (3) Other cyclist (specify )		— (09) Intersection related – unknown — (10) Nonintersection – in crosswalk — (11) Nonintersection – on roadway, not in crosswalk	
(4) Occupant of vehicle not in transport (8) Other nonmotorist (specify)		<ul> <li>(12) Nonintersection – on roadway, crosswalk not available</li> <li>(13) Nonintersection – on roadway,</li> </ul>	
	13	crosswalk availability unknown  (14) Nonintersection – in parking lane  (15) Nonintersection – on road shoulder  (16) Nonintersection – on sidewalk  (17) Nonintersection – bike path  (18) Nonintersection – other, not on	
PEDESTRIAN OR NONMOTORIST INTERVIEW		roadway (specify):	
9. Pedestrian or Nonmotorist's Age  year(s) - Code actual age at time of accident (00) Less than one year old		(19) Nonintersection – outside trafficway (20) Nonintersection – unknown (99) Unknown	22 23
(97) 97 years and older (99) Unknown	15	14. Distance From Intersection	
10. Pedestrian or Nonmotorist's Sex		(0) Not on roadway	
(1) Male (2) Female (9) Unknown	16	On roadway  (1) Impact within 50 feet of intersection (2) Impact between 51 and 500 feet of intersection (3) Impact more than 500 feet from intersection (9) Unknown	24
	35		i

15 Deduction Activate	1	0(6 : 1
15. Pedestrian Activity	Inter- viewee	Official Sources
(00) Not a pedestrian (01) Near a motor vehicle (specify)	21. Hospital Stay	
	(00) Not hospitalized	_
(02) Near a bus stop or mass transit entrance (specify):	day(s) — Code the number of days (up through 60) that the pedestrian	<del></del>
(03) Near a mobile vendor (specify:)	nonmotonst stayed in hospital.	
	(61) 61 days or more	
(04) Near an entrance (specify)	(99) Unknown	28 29
(05) Darting or running into roadway		
(06) Crossing or attempting to cross roadway (07) Walking in the same direction as traffic	22. Working Days Lost	
(08) Walking in the opposite direction of traffic	(00) No working days lost day(s) - Code the number of days	
(09) Walking, direction unknown	(up through 60) that the pedestnan.	
(10) Jogging or running in the same direction as	nonmotonst lost from work due to	
traffic  (11) Jogging or running in the opposite direction	the accident (61) 61 days or more	
of traffic	(62) Fatally injured	
(12) Jogging or running, direction unknown	(97) Not working prior to accident	
(13) Playing (14) Working	(99) Uлкпоwп	30 31
(15) Stationary (specify)		35 5.
(98) Other (specify)	23. Vehicle Which Contacted Pedestrian	
(99) Unknown	or Nonmotorist	
16.–19. Omitted (These variables are omitted so that numbering consistency can be maintained with compatible variables on the Occupant Data Form )	(0) No injury (1) Vehicle number 01 (2) Vehicle number 02 (3) Vehicle number 03 (4) Vehicle number 04 (5) Vehicle number 05 (6) Vehicle number 06 (7) Multivehicle contact (8) Other vehicle number	
INTERVIEW AND OFFICIAL SOURCES	(specify): (9) Unknown	
Inter- Official		32
Inter- Official viewee Sources	2430. Omitted (These variables are omitted	i so 'hat
	numbenng consistency can be mainta	
20. Treatment - Mortality	with compatible variables on the Occi Data Form.)	uparit
(0) No treatment	Data Form.	
(1) Fatal		
(2) Fatal - ruled disease		
Nonfatal  (3) Hospitalization  (4) Transported and released  (5) Treatment at scene - nontransported  (6) Treatment later  (8) Treatment - Other (specify)		
(9) Unknown		

#### OCCUPANT INJURY CLASSIFICATION (FOR PEDESTRIAN AND NONMOTORIST)

Consider all injuries which are reported from both unofficul and official sources. The information from official sources takes precedence over similar injuries reported by any other source. In other words, do not list the same injury twice, supercede the interview data with official data in the case of similar injuries. List all injuries by official medical sources first. Police reported injuries may be used, but only when no other source of injury information is available

Were more than ten (10) injunes sustained"\_ \_\_Unknown, \_ \_\_ No, \_ Yes - If more than ten dissimilar injuries were identified during the interniew, from collection of official data, and from other unofficial sources (excluding police), list those from the official records first, exhausting that level of data before listing those from the interviewee or other sources.

	ISS Body Region	O.1.C. Body Region	Aspect	Lesion	System/ Organ	A.I.S. Seventy	Injury Source	Direct/ Induect Injury	Source of Data
1		_	_			_		_	
2	_	_		-	_	_	<del></del>		
3	_	_	_	_	_		<del></del>		
4		_	_	_					
5				_	_		<del></del>	_	
6		_	_	_		_			
7		_		-	_				
8	_	_						_	
9		_	_	_	_	_			
10	_	_	_	_					

#### Source of Data

#### Official

- (01) Autopsy records with or without hospital/medical records
- (02) Hospital medical records other than emergency room (e.g., discharge summary)
- (03) Emergency room records only (including associated x-rays or other lab reports)
- (04) Private physician, walk-in or emergency clinic

### Unofficial

- (05) Lay coroner report
- (06) E.M.S personnel
- (07) Interviewee
- (08) Other source.
- (09) Police
- (99) Unknown if injured
- (00) Not injured

#### I.S.S. Body Region

- (1) Head or neck
- (2) Face
- (3) Chest
- (4) Abdominal or pelvic contents
- (5) Extremities or pelvic girdle
- (6) General (external)
- (0) Not injured
- (9) Unknown

#### O.I.C. Body Region

- (M) Abdomen
- (Q) Ankle-foot
- (A) Arm (upper)
- (B) Back thoracolumbar spine
- (C) Chest
- (E) Elbou
- (I) Face
- (R) Forearm
- (H) Head skull
- (U) Injured, unknown region
- (K) Knee
- (L) Leg (lower)
- (Y) Lower lumb(s) (whole or unknown part)
- (N) Neck cervical spine
- (P) Pelvic hip
- (S) Shoulder
- T) Thigh
- () Upper limb(s) (whole or unknown part)
- (O) Whole body
- (W) Wrist ~ hand
- (0) Not injured
- (9) Unknown if injured

#### Aspect of Injury

- (A) Anterior front
- (C) Central
- (i) Infenor lower
- (U) Injured, unknown aspect
- (L) Left
- (P) Posterior back
- (R) Right
- (S) Superior upper
- (W) Whole region
- (0) Not injured
- (9) Unknown if injured

#### Lesion

- (A) Abrasion
- (M) Amputation
- (V) Avulsion
- (B) Burn
- (K) Concussion
- (C) Contusion
- (N) Crush
- (G) Detachment, separation
- (D) Dislocation
- (I) Fracture
- (Z) I racture and dislocation
- (U) Injured, unknown lesion
- (L) Laceration
- (O) Other
- (P) Perforation, puncture
- (R) Rupture
- (S) Sprain
- (T) Strain
- (E) Total severence, transection
- (0) Not injured
- (9) Unknown if injured

#### System/Organ

- (W) All systems in region
- (A) Arteries Veins
- (B) Brain
- (D) Digestive
- (E) Ears
- (O) Eye
- (H) Heart
- (U) Injured, unknown system
- (1) Integumentary
- (J) Joints
- (K) Kidneys
- (L) Liver
- (M) Muscles
- (N) Nervous system
- (P) Pulmonary lungs
- (R) Respiratory
- (S) Skeletal
- (C) Spinal cord (Q) Spleen
- (T) Thyroid, other endocrine gland
- (G) Urogenital
- (V) Vertebrae
- (0) Not injured
- (9) Unknown if injured

#### Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable) (7) Injured, unknown seventy
- (0) Not injured
- (9) Unknown if injured

Codina Sortion

Injury Source	ROOF	EXTERIOR of STRIKING MOTOR VEHICLE
(00) No injury	(31) Front header	(71) Front bumper
l ' '	(32) Rear header	(72) Hood edge
FRONT	(33) Roof side rails	(73) Other front of vehicle (specify)
(01) Windshield	(34) Roof or convertible top	(73) Other Holl of Venicle (spreigs)
(02) Mirror		(74) Hood
(03) Sunvisor	FLOOR	(75) Hood ornament
(04) Steering wheel rim	(41) Floor	, .,
(05) Steering wheel hub/spoke	(42) Floor or console mounted trans-	(76) Windshield roof rail, A-pillar
(06) Steering wheel (combination	mission lever, including console	(77) Side surface
of codes 04 and 05)	(43) Parking brake handle	(78) Side mirrors
(07) Steering column, transmission	(44) Foot controls including parking	(79) Other side protrusions (specify)
selector lever, other attachment	brake	
(08) Add on equipment (e.g. CB		(80) Rear surface
tape deck air conditioner)	REAR	(81) Undercarriage
(09) Left instrument panel and below	(45) Backlight (rear window)	(82) Tires and wheels
(10) Center instrument panel and below	(46) Backlight storage rack, door, etc	(83) Other exterior of striking
(11) Right instrument panel and below	(49) Other rear object (specify)	motor vehicle (specify)
(12) Other front object (specify)	<del></del>	
(12) Clinti Hom Coper (15)	EXTERIOR of NONMOTORIST S VEHICLE	(84) Unknown exterior of striking
	Noncy cle	motor vehicle
SIDE	(51) Hood	OTHER VEHICLE or OBJECT in the
(13) Side interior surface, excluding	(52) Outside hardware (e.g., outside	ENVIRONMENT
hardware or armrests	mirror, antenna)	(86) Ground
(14) Side hardware or armrest	(53) Other exterior surface or tires	(87) Other vehicle or object (specify)
(15) A pillar	(specify)	(87) Other venicle of object (specify)
(16) Bpdlar	(59) Unknown exterior objects	(89) Unknown vehicle or object
(17) Other pillar (specify)	(29) Chriowil exterior objects	(87) Chkhokh senicle of object
	Cycle	NONCONTACT INJURY
(18) Window glass or frame	(61) Handle bars or attachments	(90) Noncontact injury source
(19) Other side object (specify)	(62) Frame or suspension component or	(97) Injured, unknown source
<del></del>	fender	(99) Unknown if injured
INTERIOR	(63) Seat	DIRECT/INDIRECT INJURY
(21) Seat back support	(64) Foot pedal, foot rest, foot pegs	(0) No injury
(22) Belt restraint system	(65) Wheel or tire	(1) Direct contact injury
(23) Head restraint system	(66) Engine or transmission	(2) Indirect contact injury
(24) Aur cushion	(67) Gastank, gastank filler cap	(3) Noncontact injury
(25) Other occupants (specify)	or neck	(7) Injured, unknown source
(23) Since occupants (specify)	(69) Other cycle part (specify)	(9) Unknown if injured
(26) Interior loose objects		(*) Chknown ii injuieu
(29) Other interior object (specify)		
(2) Other interior object (specify)		

## OCCUPANT INJURY CLASSIFICATION (FOR PEDESTRIAN AND NONMOTORIST)

If there are six or less injuries listed in the O I C reduction section, code all of the injuries ordered by Source of Data (1st-autopsy, 2nd-hospital/medical, 3rd-emergency room, 4th-private physician, or 5th-unofficial sources) and by A 1.5 severity within source

If there are more than six injuries order the injuries by source and by A.1.S severity within source. Code this ordering, injury. If a group of ordered injuries has the same source, the same A.1.S., and the group includes at least the sixth and seventh injuries in the ordering, then a choice must be made as to which injury or injuries to code.

Choose the injury or injuries that will enable the maximum number of different 1.8.8, body regions to be represented in the coded data. If no new 1.8.8, body region can be added then simply code in accordance with the original ordering.

If the pedestrian or nonmotorist has less than six injuries, then the number of rows required to be completed is equal to the number of injuries plus one (e.g., no injuries requires one row i.e. columns 33 to 42). In the additional row "No Injury" will be coded for all variables, including A 1 S. severity

If you cannot increase the number of different I.S.S. body regions or if you can choose between two or more injuries of the same source and A.I.S. severity any of which would constitute an additional I.S.S. region, then choose the injury that has a known injury source.

													Update Cand	idate	C	Yes	O No
	I.S.S. Body Region		O1C. Body Remon		Aspect		Lesion		System/ Organ		A.1.S. Severity		Injury Source		Direct/ Induect Injury	t	Source of Data
1st		31.	33	32.	34	33.	35	34.	36	35.	37	36.	38 39	37.	40	38.	41 42
2nd	_	39.	43	40.	44	41.	45	42.	46	43.	47	44.	48 49	<b>4</b> 5.	50	46.	51 52
3rd		47.	53	48.	54	49	55	50.	56	51.	57	52.	58 59	53.	60	54.	61 62
4th	_	55	63	56.	64	57	65	58.	66	59.	67	60.	68 69	61.	70	62.	71 72
5th	-	63.	73	64	74	65.	75	66.				68.	78 79	69.	80	70.	81 82
6th		71	83	72	84	73.	85	74.	86	75.	87	76.	88 89	77.	90	78	B1 82

OFFICIAL RECORDS		INVESTIGATOR DETERMINED	
9. Injury Severity (Police Rating) MAX ATS  (0) No injury (O)  (1) Possible injury (C)  (2) Nonincapacitating injury (B)  (3) Incapacitating injury (A)  (4) Killed (K)  (5) Injury, severity unknown  (6) Died prior to accident  (9) Unknown	93	84. Pedestrian/Nonmotorist Related Factors  (00) No pedestrian/nonmotorist related factors  (01) Non-physical (i.e., mental or emotional factor)  Physical impairments  (02) Blind  (03) Restricted sight  (04) Walking cane/crutches required  (05) Deaf  (06) Restricted to wheelchair  (07) Paraplegic  (08) Previous injury	٠ <u></u>
<ul> <li>(00) Not fatal</li> <li>Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)</li> <li>(96) Fatal - ruled disease</li> <li>(99) Unknown</li> </ul>	94 95	(09) Other physical impairments (specify):  Drug Impairments (10) Drugs - medication (prescription, over-the-cot (11) Other drugs (excludes alcohol, includes uncontrolled substances) (specify):  Pedalcyclist Related (Includes Animal Related) (12) Inattention (13) Interference with operator by other passenger (14) Operator inexperience	
1. Traffic Violation Charged Against This Pedestrian or Nonmotorist  (0) No (1) Yes (specifi ) (9) Unknown	96	(15) Erratic lane changing — cutting in and out of traffic  (16) Not yielding right-of-way  (17) Failure to yield to an emergency vehicle  (18) Disobeying stop sign  (19) Disobeying traffic signal  (20) Failure to obey other traffic sign or signal (specify):	
82. Police Reported Alcohol Presence  (0) No (alcohol not present) (1) Yes (alcohol present) (8) Not reported (9) Unknown	97	(21) Riding over or on the centerline     (22) Riding over or on the median     (23) Riding wrong way on 1-way street or     extrance/exit ramp     (24) Pulling in front of traffic from a roadway     or driveway     (25) Turning left or U-turning in front of     oncoming traffic     (26) Making right turn from left lane.	
Actual value (decimal implied before first digit) (0.xx)  — (95) Test refused — (96) None given — (97) AC test performed, results unknown — (99) Unknown	98 99	or left turn from right lane  (27) Making other improper turn (specify):  (28) Proceeding despite view obstruction (29) Wrong signal given for manuever executed (30) Turning without giving a turn signal (31) Hazard lights not used when appropriate or required (32) Operator unfamiliar with roadway (33) Overloading or improper loading of passengers and/or cargo (38) Other pedalcyclist related factors (specify):	
		(99) Unknown 39	100 101

1 Primary Sampling Unit Number 7 2	11 Hit and Run Involvement(0) No hit-and-run	
2 Case Number-Stratification 3 4 5 6	(1) Yes - hit-and-run involved vehicle	
3 Record Number $\frac{3}{7}$	EXTERIOR ITEMS	
4 Transaction Code 8	12 Vehicle Model Year	
5 Version Number $\frac{0}{9}$	Code the last two digits of the model year  (99) Unknown  18 19	
6 Investigator I D. Number 10	13 Vehicle Make (specify)	
IDENTIFICATION	Applicable codes are found in your NASS Data Collection, Coding and Editing Manual (99) Unknown 20 21	
7 Vehicle Number 11 12	14 Vehicle Model (specify)	
8 Number of Occupant Forms Submitted  — Code only the number of occupants in this vehicle for which an OCCUPANT FORM was submitted  — (97) 97 or more  3 14	Applicable codes are found in your NASS Data Collection, Coding and Editing Manual (99) Unknown  22 23	
9 Vehicle Role (0) Noncollision (1) Striking unit (2) Struck unit (3) Both striking and struck (9) Unknown	(0) Not registered (1) In-state (at least) (2) Out-of-state (only) (8) Other registration (e.g., federal, foreign, military) (specify) (9) Unknown	
10 Manner of Leaving Scene (Determined by Investigator)  (1) Driven (2) Towed - due to vehicle damage (3) Towed - not due to vehicle damage (4) Towed - details unknown (5) Abandoned (9) Unknown	24	
16 Vehicle Identification Number  No VIN - Code all Zeros  Unknown - Code all nines  Left justify		production number
Slash zeros <b>0</b>	2     33     34     35     36     37     38     39     40     41	Delete sequen' portion of VII

Vehicle	No	

17 Pad. Tim		
17 Body Type Automobiles	Light Conventional Truck (Pickup style cab.	
(01) Convertible (excludes sun roof, 1-har)	≤ 10 000 lbs GVWR)	
(02) 2-door sedan, hardtop, coupe	(50) Pickup (includes open box and caps)	
(03) 3-door 2-door batchback	(51) Pickup with slide-in camper	•
(04) 4-door sedan, hardtop	(52) Pickup based motorhome (chassis	
(05) 5-door 4-door hatchback	mounted)	
(06) Station wagon (excluding van and truck	(53) Cab chassis based (includes rescue	
hased	vehicles, light stake, dump, and tow	
(08) Other automobile type (specify)	trucks)	
	(54) Truck based panel	
(09). Unknown automobile type	(55) Truck based station wagon (4-door, in	
	cludes Suburban, Travelall, Wagoneer)	
Automobile Derivatives and Short Utility Vehicles	(56) Truck based utility (2-door, includes	
(10) Auto based pickup (includes El	Blazer, Bronco - 78 on, Jimmy.	
Camino Caballero Ranchero and Brain	Ramcharger, Cherokee, Trailduster,	
(11) Auto based panel (cargo station wagon	Scout	
includes auto based ambulance hearse)	(58) Other light conventional truck (e.g.,	
(12) Short utility - not truck based (includes	stretched Suburban limousine) (specify)	
Jeep CJ-5 Jeep CJ T. Renegade		
Landrover Pre-78 Bronco	1591 Unknown light conventional truck	
Landeruiser Thing)	(69) Unknown light truck (van or pickup)	
(13) Large limousine - more than four side		
doors or stretched chassis	Medium Heavy Truck (> 10,000 lbs GVWR)	
	(70) Step vans	
Motorcycles	(71) Single unit straight truck	
(20) Motorcycle	$(10,000 \text{ lbs} < \text{GVWR} \le 26,000 \text{ lbs})$	
(21) Mopeds (motorized bicyles)	(72) Single unit straight truck	
(28) Other motoreyele (minibikes	(> 26,000 lbs GVWR)	
motorscooters) (specify)	(73) Medium heavy truck based motorhome	
(29) Unknown motorevele type	(74) Truck-tractor with no cargo trailer	
(2) Change in mondered type	(75) Truck-tractor pulling one or more	
Bus (excludes van based)	trailers	
(30) School bus (designed to carry students	(77) Truck-tractor (unknown if pulling	
not cross country or transit!	trailer)	
(31) Cross country intercity (designed for	(78) Unknown medium heavy truck type	
long distance)	(79) Unknown truck type	
(32) Transit bus (includes short ride city bus	(light medium heavy)	
and medium range suburban busi		
(38) Other hus (e.g., hus based motorhome)	Other Vehicles	
(specify)	(RO) Snowmobile	
(39) Unknown bus type	(81) Farm equipment other than trucks	
	(82) ATV, all terrain vehicle (e.g.,	
Van Based Light Truck (≤ 10),(MM) lhs GVWR1	dunc'swamp buggy)	
(40) Van (includes VW bus, Vanagon	(83) Construction equipment other than	
Kombi, Beauville, Chateau Club	trucks (e.g., grader, off road)	
Wagon, Sportsman, excludes moving	(88) Other (e.g., go-cart, fork lift, city	
van)	street sweeper) (specify)	
(41) Van-commercial cutaway fineludes hox		
van multi-stop parcel van pickupsi	(89) Unknown other vehicle (specify)	
(42) Van based motorhome		
(48) Other van type (specify)	(99) Unknown body type	
10.1.	1	42 43
(49) Unknown van type		

18 Towed Trailing Unit(0) No towed unit Yes.	Open (30) Pickup box (non-dump, includes open box and caps) (31) Pickup with slide-in camper
towed trailing unit hitch type	(32) Dump (any light, medium, or heavy
(1) Clamp on (temporary)	truck based)
(2) Bumper hitch (bolted)	(33) Dump with blade (front or
(3) Frame	undercarriage)
(4) Fifth wheel (5) Converter dolly - with 1 towbar	(34) Hopper (grain) (35) Auto carrier/transport (includes boat)
(6) Converter dolly - with 2 towbars	(36) Van - open top
(8) Other (specify)	(38) Other open (specify)
(9) Unknown hitch type	(30) Other open (specify)
44	
19 Seating Capacity Truck Vocation	Closed
Passenger Vehicle by Designated Seating Capacity	(40) Van - closed top (any light medium or
	heavy truck based, e.g., multi-stop)
Motorcycle Automobile Van Bus (exclude pickups)	(41) Low bed van (e.g., moving van)
(01) One seat position	(42) Refrigerated or insulated
1021 Two seat positions	(43) Mobile home
(0.3) Three seat positions	(44) Beverage, bottler
((4) Four seat positions	(45) Container (e.g., piggy back)
(05) Five scar positions	(46) Tank - liquid and gaseous
(06) Six seat positions	(47) Tank - dry bulk
(07) Seven sear positions	(48) Other closed (specify)
(08) Eight seat positions (09) Nine seat positions	
(10) 10 to 19 seat positions	Services Utility
	(50) Garbage refuse (including dumpster)
(12) 50 or more seat positions	(51) Fire apparatus
(13) Motorhomic (any light or medium truck	(52) Concrete mixer
based)	(53) Wrecker, tow
(14) Ambulance EMS (any auto or truck	(54) Crane, aerial basket
based	(55) Service, mobile repair (e.g. phone line
(19) Unknown passenger vehicle seating	truck)
capacity	(56) Pole (e.g., pipe or log)
	(57) Armored truck
Cargo Vehicle by Vocation (Cargo Configuration)	(58) Other service utility (specify)
Platform	
(20) Platform flatbed	(71) Truck-tractor - no trailer
(21) Platform with device te g self-loader.	(72) Chassis, incomplete vehicle
spreader)	(88) Other cargo vehicle (specify)
(22) Stake	(97) Other nontruck (e.g., construction
(23) Drop frame low bed lowbox	paver, farm tractor) (specify)
(24) Livestock carrier	
(28) Other platform (specify)	
	(98) Unknown cargo configuration
	$\frac{1}{45}$ (99) Unknown if passenger or cargo vehicle $\frac{1}{45}$

		- 1		
20 21 22 23 Tire Condition (at time of or			26 Override Underride (this vehicle)	
resulting from accident)			(0) No override underride or not applicable	
Code up to four tires - front to rear, left to right. See manual for tire numbering scheme			to CDC/TDC or a side impact.	
Tight See mandar for the nonwering several		[	Override (see specific CDC/TDC)	
AXLE			(1) Ist CDC	•
(0) No abnormal tire condition			(2) 2nd CDC	
(1-7) Code actual axle number (8) Axle number eight or greater (specify)		ì	(3) Other not automated CDC (specify)	
(8) A de number eignt of greater especify	_			
(9) Unknown axle	_		Underride (see specific CDC/TDC)	
TIRE			(4) 1st CDC (5) 2nd CDC	
(0) No abnormal tire condition			(6) Other not automated CDC (specify)	
(1) Left outermost tire				
(2) Left inner tire (if present)			(7) Medium/heavy truck override/underride	
(3) Right inner tire (if present) (4) Right outermost tire		1	(9) Lnknown	
(9) Unknown tire position				61
		ŀ	27 Rear Turn Signal Color	
CONDITION			(0) No turn signals	
(0) No abnormal tire condition			(I) Red	
(1) Evidence of fread separation (with no sign of collision damage)			(2) Amber	
(2) Carcass failure			(8) Other (specify)	
(3) Wear bars exposed			(9) Unknown	
_ (4) Damaged as a result of the accident			)	62
(9) Unknown tire condition	1 -	( 5		
(20) ====	45	<u> </u>		
$(21) = \frac{1}{52}$				
(22) 53				
(23) = 56	57	58		
24 25 Type of Outside Mirror  L R				
(0) Mirror not present		1		
(1) Plane mirror				
(2) Convex mirror				
(3) Plane plus stick-on convex mirror				
(4) Plane plus separate convex mirror		,		
(8) Other type mirror (specify)	24	25		
	<u>1</u>	<u>R</u>		
(9) Unknown	59	<u>60</u>		
		1		
-		ł		
		i		

MEDIUM/HEAVY TRUCK AND E	BUS DATA (V17 = 30-39 OR 70-78)
28 Cab Configuration  (0) Not a medium heavy truck or hus  (V17 ≠ 30-39 or 70-78)  Cab Over Engine (COE)  (1) COE high entry  (2) COE low entry  (3) COE, unknown entry	36 Maximum Overall Width (000) Not a medium heavy truck or bus   1
Conventional (CBE-Cab Behind Engine)  (4) 2-door (standard) (5) 2 door extended cab 4 door crew cap (6) Unknown number of doors (7) Cab alongside engine (CAE)  (8) Other (specify) (9) Unknown	37 Maximum Overall Length  (Includes the power unit and all trailers)  —— (OKO): Not a medium heavy truck or bus  (N 17 ≠ 30 39 or 70-78)  —— Code the actual value to the nearest foot  —— (998) 998 feet or more  —— (999) Unknown
29 30 31 32 Number of Aves	
Power   Trailer   Unit   1st   2nd   3rd	38 Type of Brake Actuation
Trailer Ist 2nd 3rd	(5) 26 001 33 000 lbs
181 2nd 3rd	(9) Unknown  Specify GVWR  ———————————————————————————————————

PSU/Case Number	 _	_	_	_	_
Vehicle Number					

## National Accident Sampling System - Continuous Sampling Subsystem: Vehicle Data

Page 7

کال	OBJECT CONTACTED	
-	(00) Noncollision	(57) Bridge rail
_	(01) through (30)	(58) Bridge parapet end
- 1	If the object contacted by the vehicle under consideration	(59) Guardrail bridge rail transition
- }	was a motor vehicle in transport, code the Vehicle	(61)) Guardrail end (non median)
1	Number assigned to that vehicle	(61) Guardrail end (median)
1	Collision with Stationary Object	(62) Guardrail (non median)
	(31) Motor vehicle not in transport*	(63) Guardrail (median)
ł	(32) Tree (46 inches in diameter)	(64) Concrete barrier (non median)
1	(33) Tree (>6 inches in diameter)	(65) Concrete barrier (median)
1	Highway Traffic Supports	(66) Other median barrier (specify)
	(34) Luminaire breakawas	
- 1	135) Luminaire nonhiedkawas	(6") Other longitudinal barrier
	1361 Large sign - breakawas	(non-median) (specify)
ľ	(37) Large sign nonbroakaway	
:	1381 Small sign breakawas	(68) Impact attenuator Crash cushion
- 1	34) Small sign inonbreakawas	1691 Ground
- 1	(40) Unliv pole	(70), Train
- 1	(41) Traffic signal pole	(1) Duch
- 1	(42) Delineator	(72) Other stationary fixed object
- [	(43) Other post pole or support	(specify)
- 1	(specify)	Collision with Nonstationary Objects
- [	144 Fence	(73) Animal
1	(45) Mail box	(74) Trailer disconnected in transport
	(46) Other movable object especitive	1751 Train
1		(76) Other nonstationary objects especify)
- 1	(4T) Culven	
ł	(48) Railfoad tracks	(81) through (95)
	(44) Cuth	If the object contacted by the vehicle under consideration
- 1	(50) Abutment	was pedestrian or nonmotorist, add eighty (80) to the
ļ	(51) Wall (stone rock metal etc.)	assigned Pedestrian & Nonmotorist Number, and code
- 1	(52) Einhankment earth	the resultant sum
1	(53) Embankment rock stone or concrete	196) Vehicle occupant
- 1	(S4) Building tigid	(9°) Other object (specify)
,	(55) Building nonrigid	
	(56) Bridge pier or abuiltient	199 Enknown

\*NOTE For coding CDC or TDC investigators must refer to appropriate reference documents for accurate coding. If this vehicle impacted a vehicle not in transport, fill in the information for that vehicle at the end of the CRASH Program Summary.

## DEFORMATION CLASSIFICATION BY EVENT NUMBER

Eveni Number (this vehicle)	Object Contacted	(1) (2) Direction of Force (degrees)	Incremental Value of Sh.ft	(3) Deformation Location	(4) Specific Longitudinal or Lateral Location	(5) Specific Vertical or Lateral Location	16) Type of Damage Distribution	(19) Deformation Extent Guide	Event Number (in accident)
1			<del></del>		_	_			_
2						_			_
3						_			
4				_		_			
5					_	_			_
6									
7						_	<del></del>		_

#### **DEFORMATION CLASSIFICATION**

HIGHEST DELTA V

Event Number (this vehicle)	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	Specific Longitudinal or Lateral Location	Specific Vertical or Lateral Location	16) Type of Damage Distribution	(7) Deformation Extent Guide	Event Number (in acc dent)
40 76	4) <u>B. B</u>	42 62 83	43 <u>w</u>	44	45 <u> </u>	46	47 <u> </u>	48 <u>-</u>
Second Highes	t Delta - V							
44 <u>-</u>	<b>4</b> () <u> </u>	54 <u>9c</u> <u>qc</u>	42 <u></u>	41 <u> </u>	5.4 98	5.5 95	56 <u>100 101</u>	۲٦ <u>- (2</u>

### CRUSH PROFILE

(The crush profile for the damage described in the CDC/TDC above should be documented in the appropriate space below )

Highest

58 <u>L</u>	54 <u>C1</u>	<u>G</u>	<u>0</u>	<u>C4</u>	<u>C</u> 5	<u>C6</u>	60 <u>. D</u>
103 Tok 106 TOK	<del>□</del> <del>1</del> <del>2</del>	<u></u> 2	1 3 1 4 115	116 117 118	119 120 121	122 123 124	- - 125 126 127 128
Second Highest  61  L	62 <u>C1</u>	<u>C</u>	<u>C1</u>	<u>C4</u>	<u>C5</u>	<u>C6</u>	61 - D
129 13K 131 137	133 134 135	136 137 138	135 140 14	142 143 144	145 146 147	148 149 150	- 151 152 53 154

## CODES FOR FRONT OCCUPANT AREA INTRUSION

Magnitude of Intrusion
(0) No passenger compartment or no
intrusion
(1) Less than 2 inches
$(2) \ge 2$ inches but $< 6$ inches
$(3) \ge 6$ inches but $< 12$ inches
(4) ≥ 12 inches
(9) Unknown
Intruding Component
Primary
(00) No passenger compartment or no
intrusion
(01) Steering column
(02) Instrument panel left
(03) Instrument panel center
(04) Instrument panel right
(05) A-pillar
(06) B-pillar
(07) Door panel or side panel kick panel
(08) Root
(09) Root side rail
(10) Windshield header
(11) No intrusion of primary component
212 Crist of incuston or primary component
Other
(20) Steering column and instrument panel
(21) Steering column instrument panel, and
A-pillar
(22) Instrument panel and A-pillar
(23) A-pillar and roof
(24) A-pillar and any of the following door
panel, side panel, or B-pillar
(25) A-pillar, roof, and windshield header
(26) Root and any of the following door
panel, side panel, or B-pillar
(27) Root and windshield header
(97) Other combination of the above com-
ponents (specify)
poments of specify
(98) Intrusion of unlisted component(s)
(specify)
(99) Unknown
177/ CHKDUM H

64 Documentation of N	fore Than I wo C	DC TDC \	76 Steering Column Separation	
(1) Two or less co			(0) No steering column	
(2) More than two			(1) No steering column did not separate	
		155	(2) Yes—steering column separated	
			(9) Unknown	173
65 Vehicle Special Use				
(0) No special use	~		77 Steering Rim Deformation	
(I) Taxi			(0) No steering rim deformation	
(2) Vehicle used a			(1) Yes steering rim deformation	
(3) Vehicle used a	s other bus		(9) Unknown	_
(4) Military			1 1	174
(5) Police			70 5 000	
(6) Ambulance			78 Fire Occurrence	
(7) Fire			(0) No fire	
(9) Unknown		1 <u>56</u>		
			Yes, fire occurred	
66 Odometer Reading			(1) Started in vehicle minor (2) Started in vehicle major	
miles Code mi	leage to the neare	of 1 that miles	(3) Started external to vehicle minor	
(000). No adometer	т		(4) Started external to vehicle, major	
(001) Less than 1			(5) Origin unknown	
1997 1 996 500 mile	es or more		10.1-1-0.5	
19991 L mknown	m=	0 0 0 15e 15e	- (4) Chkhown	175
	<del>}+</del> \	154		
47 Day and Campurto	ount Intrants		79 Type of Most Severe Impact This Vehicle	
67 Passenger Comparting (0) No passenger c			This Vehicle's Role	
			(0) Nonimpact	
(1) No integrity lo			(1) Front of this vehicle	
Yes integrity was lost th	hr. wush		(2) Left side of this vehicle	
(2) Windshield	un dağırı		(3) Right side of this vehicle	
(3) Door (side)			(4) Rear of this venicle	
(4) Door (rear)			(5) Other impact location (specify)	
(5) Root				
(6) Windshield and	f door (side)		— (9) Unknown impact type	·7 <u>e</u>
(7) Side or rear w:				
(8) Other combinat		es (1x)	80 Role of Other Contacted Vehicle, Object or	
		•	Person (for same impact as above)	
(9) Unknown			(0) Nonimpact	
		160	(1) Front of other vehicle	
<del></del>		<del></del>	(2) Side of other vehicle	
FRONT OCCUI	PANT AREA IN	TRUSION	(3) Rear of other vehicle	
(See reverse of pre	eceding page for	list of codes)	(4) Intraunit damage	
<del></del>		<del></del>	(5) Other location on other vehicle (specify)	
	Intruding	Magnitude		
	Component	of Intrusion	(6) Object (stationary or nonstationary)	
D A D	<del></del>		(7) Pedestrian or nonmotorist	
Driver Area Primary	68 162	69 163	(8) Motorcycle or moped	
Driver Area Other	70	71	(9) Unknown inipact type	
DITTE ARE OTHER	164 165	76€		177
Passenger Area Primary	72	73		
	167 168	69		
Passenger Area Other	74	7.5		
•	775 171	<sup>.</sup> । नक		
			1 1	

vehicle N	
-----------	--

National Accident Sampling System - Continuous Sampling Subsystem Vehicle Data

Page	12
raue	12

81 Rollover		VEHICLE WEIGHT ITEMS	
(0) No rollover (no overturning)  rollover primarily about the longitudinal axis  (1) Rollover, 1 quarter turn only  (2) Rollover, 2 quarter turns  (3) Rollover, 3 quarter turns  (4) Rollover, 4 or more quarter turns  (specify)		84 Vehicle Curb Weight  pounds - Code weight to nearest 100 pounds (001) Less than 150 pounds (997) 99.650 lbs or more (999) Unknown Source	0- 0
(5) Rollover primarily about the lateral axis (9) Rollover (Overturn), details unknown	178	85 Vehicle Cargo Weight	0 0
82 Jackknife (0) Not an articulated vehicle (1) No jackknife (2) Yes - prior to first impact for this vehicle (3) Yes - after first impact but prior to last impact for this vehicle (4) Yes - details unknown	179	86 Investigator Reported Source of Cargo Weight  (0) No cargo  (1) Measured  (2) Estimated  (3) Rated capacity  (9) Unknown source or weight	187
83 Hazardous Cargo  (0) No hazardous cargo  (1) Load of hazardous materials only (specify)  (2) Load of hazardous and nonhazardous materials (specify)  (9) Unknown	180	Source	
NOTE (See coding manual for definitions and examples of hazardous materials)	180		
<del></del>			

Vehick	No	

## National Accident Sampling System - Continuous Sampling Subsystem. Vehicle Data

Page 13

RECONSTRUCTION RESULTS	89. Longitudinal Component of Delta V
87 Basis for Total Delta V (highest)  Delta V Calculated	nearest m p h  (NOTE 00 means greater than  -0 5 and less than 0 5 m p h )  (97) 96 5 m p h and above  (99) Unknown  90 Lateral Component of Delta V
Delta V Not Calculated  (6) At least one vehicle (which may be this vehicle) is beyond the scope of an acceptable reconstruction program	
regardless of collision conditions  (7) All vehicles within scope (CDC applicable) of CRASH program but one of the collision conditions is beyond the scope of the CRASH program or other acceptable reconstruction technique regardless of adequacy of damage data	91 Energy Absorption
(8) All vehicle and collision conditions are within scope of one of the acceptable	POLICE REPORT
reconstruction programs but there is in sufficient data available  HIGHEST Secondary HIGHEST	92 Police Reported Travel Speed
88 Total Delta V	(99) Linknown 201 202

**Driver Data** 

US Department of transportation National Highway Traffic Safety

4. Transaction Code  5. Version Number ←	(Estimated total mileage that driver has driven in this specific accident involved vehicle.)  — miles to the nearest 100 — (001) Less than 150 miles — (997) 99,650 miles or more — (999) Unknown  12. Total Mileage All Vehicles (Past Twelve Months) — miles to the nearest 100
7. Vehicle Number	(001) Less than 150 miles (997) 99,650 miles or more (999) Unknown (999) Unknown
8. Number of Occupants This Vehicle  — occupant(s) - Code the actual number of persons (including the driver if present) that were occupants of this vehicle. The number of OCCUPANT FORMS does not have to equal this value  — (97) 97 or more — (99) Unknown  13  Driver Presence In Vehicle — (1) Driver present — (2) Driver not present  (NOTE If no driver was present in this vehicle, indicate and subsequently leave blank the remaining nonenvironmental questions (variables D10-D33) on this form. Do code the environmental elements. No OCCUPANT FORM for the driver is required. Remember, if the person who had been driving this motor vehicle prior to the accident was injured outside of this vehicle, that person is handled on the PEDESTRIAN & NON-MOTORIST FORM.)	13. Driver Education Automobile or Light Truck Driver Training  (0) No formal driver training (1) High school driver training (2) Commercial driver training (8) Other formal driver training (e.g., college, military, etc.) (specify):  (9) Unknown  Motorcycle Driver Training (0) No formal driver training (15) Motorcycle driver training (16) Other formal driver training (17) (e.g., college, military, etc.) (specify)  (9) Unknown  Medium/Heavy Vehicle Driver Training (>10,000 lbs.)  GVWR) (10) No formal driver training (11) High school driver training (12) Commercial driver training (13) Motor carrier program - On-the-Job-Training (4) Vocational training (CETA, Job Corps
DRIVER INTERVIEW	other government sponsored training.
10. Months Driving Experience This Class of Vehicle (e.g., passenger car, light truck, motorcycle, etc.)  ———————————————————————————————————	(8) Other formal driver training (e.g., college, military, etc.) (specify):  ———————————————————————————————————

51

					· <del></del>
Cate- gory	Configur-	ACCIDENT TO	YPES (Includes Intent)		•
	A. Righi Roadside Departure	DRIVE OFF CONTROL/ ROAD TRACTION LO	AVOID COLLISION	04 SPECIFICS OTHER	05 SPECIFICS UNKNOWN
Single Driver	B Left Roadside Departure	DRIVE OFF CONTROL/ ROAD TRACTION LO		09 SPECIFICS OTHER	10 - SPECIFICS UNKNOWN
-1	C Forward Impact			15 SPECIFICS OTHER	16  SPECIFICS  UNKNOWN
icway tion	D Rear-End	20 22 24 21 23 SLOWER 21, 22, 23 25, 26, 27	27 76 31 DECEL.	(EACH • 32) SPECIFICS OTHER	(EACH • 33)  SPECIFICS UNKNOWN
II. Same Trafficway Same Direction	E Forward Impact	34 35 36 123 37  CONTROL/ TRACTION LOSS TRACTION LOSS	AVOID COLLISION WITH VEH. WITH OBJECT	. 41	2) (EACH • 43)  SPECIFICS UNKNOWN
-	F Sideswipe Angle	44 45 (EACH • 46) SPECIFICS OTHER	(EACH • 47) SPECIFICS UNKNOWN		
vay ction	G Head-On	50 (EACH • 52) SPECIFICS OTHER	(EACH • 53)  SPECIFICS UNKNOWN	ı	
Satue Trafficway Opposite Directio	H Forward Impact	54 55 56 57  CONTROL/ TRACTION LOSS  TRACTION LOSS	AVOID COLLISION WITH VEH  58  59  AVOID COLLISION WITH OBJECT	- 61	SPECIFICS UNKNOWN
Ħ	I Sideswipe' Angle	65 (EACH • 66)  SPECIFICS OTHER	(EACH • 67) SPECIFICS UNKNOWN	V	
Change Trafficway Vehicle Turning	J Turn Across Path	68 71	TO 73-72 E DIRECTIONS	(EACH • 74 SPECIFICS OTHER	SPECIFICS UNKNOWN
IV Change Vehicle	K Turn Into Path	77 79 78 TURN INTO SAME DIRECTION	81 82 TURN INTO OPPOSITE DIRECTIONS	(EACH . 8 SPECIFICS OTHER	4) (EACH • 85)  SPECIFICS  UNKNOWN
v Intersecting Paths (Vehicle Damage)	L. Straight Paths	87	(EACH • 90)  SPECIFICS OTHER	(EACH • 9 SPECIFICS (	
l Miscel- lancous	M Backing Etc	92 .3 OTHER VEH OR OBJECT BACKING	98 Other Accider 99 Unknown Acc 52 00 No Impact		

Page 5

## National Accident Sampling System - Continuous Sampling Subsystem: Driver Data

14. Time Since Last Driver Training		ACCIDENT PRE-CRASH INFORM	ATION
(0) No formal driver training	ļ	Inter-	Inves-
(1) In training at time of accident			tigator
T (2) Less than five years	ľ	19. Accident Type	
(3) Five to ten years		(00) No impact	
(4) More than ten years		Code the number of the diagram that	
(4) More diam ten years (9) Unknown	ĺ	best describes the accident cir-	
(/) Cinciowii	25	cumstance (See reverse of preceding	
1	i	page for diagrams)	
15. Frequency Driving Road	<b>[</b>	(98) Other accident type (specify):	
		(50) Gaier accident type (epoony).	_
Familiar with Road	]	(99) Unknown	
(1) Daily	i		30 31
(2) Weekly			
(3) Monthly	ļ		
(4) Less than once a month	•		
(5) Unfamiliar with road			
(9) Unknown	26	20. Attempted Avoidance Maneuver	
TRUCK/BUS OPERATIONS		(00) No impact	_
<del></del>		(01) No avoidance actions	
16. Type of Operation or Carrier		(02) Braking (no lockup)	<del></del>
(0) Noncommercial or automobile, motorcy-	1	(03) Braking (lockup)	<del></del>
cle, or other vehicle (V17=01-29.		(04) Braking (lockup unknown)	
80-89)		(05) Releasing brakes	
(1) For hire/common carrier		(06) Steering left	
(2) For hire/contract carrier		(07) Steering right	_
(3) Private carrier of property or passengers		(08) Braking and steering left	
(4) Carrier of ICC exempt commodities		(09) Braking and steering right	_
(5) U.S mail carrier	- 1	(10) Accelerating	
(8) Other (specify).		(11) Accelerating and steering left	
(9) Unknown	_	(12) Accelerating and steering right	_
	27	(98) Other action (specify):	_
17. Federal Safety Regulated	1		
(0) Noncommercial or automobile, motor-		(99) Unknown	<del>-</del> <del>32</del> <del>33</del>
cycle, or other vehicle (V17=01-29, 80-89)	ł		<b></b>
·			
(1) Motor carrier not subject to U.S DOT (BMCS) regulations			
Motor Carrier Subject to U.S. DOT (BMCS) regulations			
(2) Intercity operations			
(3) Local pickup or delivery	ľ	}	
(*) 2002 primer or 200 (*)	1		
(9) Unknown	_		
	28		
18. Driver's Classification			
(0) Noncommercial or automobile, motorcy-	J		
cle, other vehicle (V17=01-29, 80-89)	j		
(1) Full time employee	- 1	1	
(2) Part time employee	-	1	
(3) Owner operator			
1 —— (4) Leased (from labor contractor)	1		
(8) Other (specify)	- 1		
(9) Unknown	<del></del>		
		•	
	5.3		

43

INVESTIGATOR DETERMINED		OFFICIAL RECORDS
21 Driver Related Factors  (00) No impact (01) No driver related factors - inappropriate (02) Being pursued by police - police chase (03) Over speed limit (04) Too fast for conditions (05) Excessive or erratic acceleration (06) Erratic lane changing - cutting in and out of traffic (07) Following too closely (tailgating) (08) Passing in no-passing zone (09) Not yielding right-of-way (10) Failure to yield to an emergency vehicle (11) Disobeying stop sign (12) Disobeying traffic signal (13) Failure to obey other traffic sign or signal (specify)	1st 2	(00) No violation charged (01) Speeding (02) Driving while intoxicated (or DUIL) (03) Reckless driving (04) Driving with suspended or revoked license (05) Failure to yield right-of-way (06) Following too closely (07) Running a traffic signal or stop sign (08) License restriction not complied with (98) Other violation charged
(14) Driving over or on the centerline (15) Driving over or on the median (16) Driving on road shoulder (17) Driving wrong way on 1-way street or		(specify):
(18) Driving arong way on 1-way street of entrance exit ramp  (18) Driving in parking lane (19) Pulling in front of traffic from a road- way or driveway  (20) Turning left or U-turning in front of on-	24	(2nd) ${38}$ ${39}$
coming traffic  (21) Improper lane change - cutting into another vehicle's path		<ul><li>(0) No (alcohol not present)</li><li>(1) Yes (alcohol present)</li><li>(8) Not reported</li></ul>
(22) Making right turn from left lane, or left turn from right lane (23) Making other improper turn (specify)		(9) Unknown 40
(24) Passing with close oncoming traffic (25) Proceeding despite view obstruction (26) Passing on blind curve or hill (27) Passing on wrong side of vehicle being overtaken (28) Illegally parked (29) Driving 100 slow or less than minimum		Alcohol Test Result  Actual value (decimal implied before first digital - 0 xx)  (95) Test refused  (96) None given  (97) AC test performed, results unknown  (99) Unknown
speed  (30) Braking rapidly and unnecessarily (slowing but not to stop)  (31) An abrupt stop without warning  (32) Wrong signal given for maneuver executed  (33) Turning without giving a turn signal  (34) Headlights not used when required  (35) Hazard lights not used when appropriate or required  (36) Failure to dim lights for oncoming traffic  (37) Operator inexperience with vehicle  (38) Operator unfamiliar with roadway  (39) Overloading or improper loading of passengers and/or cargo	No V	Driver License Status (Irrespective of Veh cle being Driven)  /alid License (0) Not licensed (1) Suspended (2) Revoked (3) Expired (4) Canceled or denied    License (5) Single class license (specify):
(98) Other driver related factor (specify)  (99) Unknown	35	<ul><li>(7) Learner's permit</li><li>(8) Temporary</li><li>(9) Unknown</li></ul>

Vehicle	Νo	
---------	----	--

National Accid nt Sampling System - Continuous Sampling Subsystem: Driver Data

Page 7

27. Driver License Type Compliance (For This Class Vehicle)		ADMINISTRATIVE ITEMS
(0) Not licensed (1) No license required for this class vehicle (2) No valid license for this class vehicle (3) Valid license for this class vehicle (9) Unknown	44	34. Federal Aid System (1) Interstate(2) Federal-aid primary (other than interstate)(3) Federal-aid urban(4) Federal-aid secondary (rural only)
28. Driver License Restriction  (0) No license restrictions (1) Corrective (or contact) lenses only (2) Corrective lenses and outside mirror (3) Corrective lenses and limited to daylight (4) Corrective lenses and other (specify):  (5) Outside mirror only (6) Limited to daylight only (7) Limited to employment only (8) Other (specify) (9) Unknown	45	
Code in the space provided the actual number of recorded convictions/suspensions/accidents that occurred within the last three (3) years (as measured im the date of the accident). If 8 or more convictions/suspensions or accidents, then code 8. Be sure that the actual value is recorded in the space provided near the question number. If unknown, code 9 for each of questions 29 through 33		36. Roadway Function Class Rural  (01) Principal arterial-interstate (02) Principal arterial-other (03) Minor arterial (04) Major collector (05) Minor collector (06) Local road or street (09) Unknown rural
<ul> <li>29. — Previous Speeding Convictions</li> <li>30 — Previous Other Harmful Moving Violations or Convictions (specify)</li> </ul>	46	Urban  (11) Principal arterial-interstate  (12) Principal arterial-other freeways or expressways  (13) Other principal arterial  (14) Minor arterial
31. Previous Driving While Intoxicated Convictions (or DUIL)	48	(15) Collector (16) Local road or street (19) Unknown urban
32 Previous Recorded Suspensions and Revocations	49	(99) Unknown 53 54
33. Previous Recorded Accidents	50	
		WAS THE DRIVER'S VEHICLE IN A SCHOOL ZONE? (FOR USE IN CODING A20)
		Yes No

Page 8

# National Accident Sampling System—Continuous Sampling Subsystem: Driver Data

ENVIRONMENTAL DATA		
		43. 44. Shoulder Type
		L R(0) No shoulder
37. Number of Travel Lanes		(1) Surfaced 2-6 feet
(1) One (5) Five		(2) Surfaced > 6 feet
(2) Two (6) Six (7) Seven or more		(3) Gravel or other granular maternal
(3) Inree (7) Seven of more (9) Unknown		2-6 feet
(4) 1001() Chidionii	55	(4) Gravel or other granular material
		> 6 feet
38. Lane Width		(5) Natural earth, with or without turf 2-6 feet
Code actual measured value to nearest tenth of a foot		
(999) Unknown		> 6 feet
	56 57 58	(9) Unknown
39. Median Type		64 65
(0) No median		45 Roadway Alignment
(1) Curbed with positive barrier		(1) Straight
(2) Positive barrier		(2) Curve right
(3) Curbed		(3) Curve left
(4) Unprotected		(9) Unknown
(9) Unknown	59	66
		46 Cross Slope
40. Median Width		(1) Flat
(00) No median		(2) Normal crown
Code actual measured value up to		(4) Negative expension
(97) 96.5 feet or above		(4) Negative superelevation (8) Other (specify).
(99) Unknown		(8) Other (specify)
	60 61	<del>67</del>
41. Access Control		47 Superelevation
(1) Full		(+00) Normal crown/flat
(2) Partial		Code actual value to the nearest hundredth
(3) Uncontrolled		(_98) Not a curve +
(9) Unknown	<u>~~</u>	$\frac{-}{68} \cdot \frac{-}{69} \cdot \frac{-}{70}$
		~ ~ ,,
42. Trafficway Flow		48 Degree of Curvature
(0) Not physically divided (two way traffic)		(000) Not curved - straight
(1) Divided trafficway - median strip		
without positive barrier  (2) Divided trafficway - median strip with		Code calculated value to nearest tenth of a
positive barrier		degree (See coding manual for formula)
(3) One way trafficway		(997) 99 65 degrees or more
(9) Unknown		(999) Unknown
	ស	71 72 73
		Length of chord ft
		Middle ordinate: inches
	-	

49. Grade Measurement(+00) No grade - level Code actual value to the nearest hundredth + (_99) Unknown	52. Roadway Surface Condition  (1) Dry (2) Wet (3) Snow or slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown  53. Speed Limit (00) No statutory limit m.p.h Code actual posted or statutory speed limit (99) Unknown
51. Roadway Surface Type  (1) Concrete (2) Bituminous (3) Brick or block (4) Slag. gravel or stone (5) Dirt (8) Other (specify) (9) Unknown	54 Restriction of Roadway at Scene (NOTE The restriction must have existed prior to this accident.)  — (0) No restrictions — (1) Narrow bridge (as defined) — (2) Previous accident on roadway — (3) Maintenance, repair or construction activity on roadway. — (4) Roadway immersion (e.g., standing water) — (5) Vehicle stopped on roadway — (6) Snow — (8) Other roadway obstruction (specify): — (9) Unknown  [82]  (NOTE. If more than one restriction exists, choose the restriction in the order in which they are numbered.)

55 Traffic Control Device	Passive Devices	
(00) No controls	(70) Crossbucks	
(00) 110 Comicis	(71) Stop sign	
Not at railroad grade crossing	(72) Other railroad crossing sign (specify)	
	(72) Other rainoad crossing sign (specify)	
Highway traffic signals (Active)	(78) Oiles	
(01) Traffic control signal (on colors)	(78) Other passive device (specify)	
without pedestrian signal		
(02) Traffic control signal (on colors) with	(79) Passive device, type unknown	
pedestrian signal		
(03) Traffic control signal (on colors) not	Miscellaneous controls	
known whether or not pedestrian signal	(80) Grade crossing control type unknown	
(04) Flashing traffic control signal		
(05) Flashing beacon	Whether or Not at Railroad Grade Crossing	
(06) Flashing highway traffic signal, type	Pavement marking (Passive)	
unknown or other than traffic control or	(90) Lane line	
beacon	(91) Center line	
(07) Lane use control signal		
	(92) No passing line	
(08) Other highway traffic signal (specify)	(93) Edge line	
	(94) Other pavement marking (specify)	
Regulatory signs (Passive)		
(20) Stop sign	(95) Unknown pavement marking type	
(21) Yield sign		
(28) Other regulatory sign (specify)	(98) Other	
	(99) Unknown	
(29) Unknown type regulatory sign		83 84
School zone signs (Passive)	56 Traffic Control Device Functioning	
(30) School speed limit sign	Active Device (D55 = $01-08$ , $50-69$ )	
(31) School advance or crossing sign	(0) No traffic control	
(38) Other school related sign (specify)	(1) Traffic control not functioning	
(36) Other school related sign (specify)	(2) Traffic control functioning - functioning	
(20. 12.1	improperly	
(39) Unknown type school zone sign	(3) Traffic control functioning properly	
Warning signs (Passive)	Passive Device (D55 = $20-41$ , $70-95$ )	
(40) Construction warning sign	(4) Traffic control device defaced, badly	
(41) Other warning sign (specify)	· ·	
	worn, etc.	
Miscellaneous (Active)	(5) Traffic control device obscured (e g .	
(50) Officer, crossing guard, flagman etc	covered with snow)	
}	(6) No abnormal condition of traffic control	
At railroad grade crossing	device	
Active Devices	(9) Unknown	85
(60) Gates		۵
(61) Flashing lights	67 Durand Tarah Sama	
· ·	57. Designated Truck System	
(62) N' control signal	(0) No	
(63) Wigwags	(1) Yes	
(64) Belis	(9) Unknown	86
(65) Special warning device - watchman.	1	€.
flagged by crew		
(68) Other active device (specify)		
(69) Active device, type unknown		
İ		
}		
}		
İ	}	

8. Environmental Related Factors  (00) No environmental related factors  Vision Obscured By (01) Rain, snow, fog, smoke, sand, dust (02) Reflected glare, bright sunlight, headlights (03) Curve, hill or other design features (including traffic signs, embankment) (04) Building, billboard, etc. (05) Trees, crops, vegetation (06) Moving vehicle (including load) (07) Splash or spray of passing vehicle (08) Parked vehicle (09) Other object not classifiable above (specify).  Swerving or Loss of Control Due to (20) Severe crosswind (21) Wind from passing truck (22) Slippery surface (23) Avoiding debris or objects in roadway (24) Ruts, holes, bumps in roadway (25) Avoiding animal(s) in roadway (26) Avoiding vehicle in roadway (27) Avoiding bedestrian, pedalcyclist, or other nonmotionist in roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway (28) Avoiding traffic controls, etc (31) Pavement marking obscured or absent (32) Surface washed out (caved in, road slippage) (33) Shoulder too low or high (34) Inadequate construction or poor design of roadway, bridge, etc (35) Vehicle unattended in roadway (98) Other (specify) (99) Unknown	(00) No environmental related factors  Vision Obscured By (01) Rain, snow, fog, smoke, sand, dust (02) Reflected glare, bright sunlight, headlights (03) Curve, hill or other design features (including traffic signs, embankment) (04) Building, billboard, etc. (05) Trees, crops, vegetation (06) Moving vehicle (including load) (07) Splash or spray of passing vehicle (08) Parked vehicle (09) Other object not classifiable above (specify).  Swerving or Loss of Control Due to (20) Severe crosswind (21) Wind from passing truck (22) Slipper, surface (23) Avoiding debris or objects in roadway (24) Ruts, holes, bumps in roadway (25) Avoiding animal(s) in roadway (26) Avoiding vehicle in roadway (27) Avoiding pedestrian, pedaleyclist, or other nonmotorist in roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway (30) Inadequate warning of exits, lanes narrowing, traffic controls, etc (31) Pavement marking obscured or absent (32) Surface washed out (caved in, road slippage) (33) Shoulder too low or high (34) Inadequate construction or poor design of roadway, bridge, etc (35) Vehicle unattended in roadway (98) Other (specify) (99) Unknown	INVESTIGATOR DETERMINED	
(01) Rain, snow, fog, smoke, sand, dust (02) Reflected glare, bright sunlight, headlights (03) Curve, hill or other design features (in- cluding traffic signs, embankment) (04) Building, billboard, etc. (05) Trees, crops, vegetation (06) Moving vehicle (including load) (07) Splash or spray of passing vehicle (08) Parked vehicle (09) Other object not classifiable above (specify).  Swerving or Loss of Control Due to (20) Severe crosswind (21) Wind from passing truck (22) Slippery surface (23) Avoiding debris or objects in roadway (24) Ruts, holes, bumps in roadway (25) Avoiding animal(s) in roadway (26) Avoiding vehicle in roadway (27) Avoiding pedestrian, pedalcyclist, or other nonmotorist in roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway  Roadway Features (30) Inadequate warning of exits, lanes nar- rowing, traffic controls, etc (31) Pavement marking obscured or absent (32) Surface washed out (caved in, road slippage) (33) Shoulder too low or high (34) Inadequate construction or poor design of roadway, bridge, etc (35) Vehicle unattended in roadway (98) Other (specify) (99) Unknown	(01) Rain, snow, fog, smoke, sand, dust (02) Reflected glare, bright sunlight, headlights (03) Curve, hill or other design features (in- cluding traffic signs, embankment) (04) Building, billboard, etc. (05) Trees, crops, vegetation (06) Moving vehicle (including load) (07) Splash or spray of passing vehicle (08) Parked vehicle (09) Other object not classifiable above (specify).  Swerving or Loss of Control Due to (20) Severe crosswind (21) Wind from passing truck (22) Slippery surface (23) Avoiding debris or objects in roadway (24) Ruts, holes, bumps in roadway (25) Avoiding animal(s) in roadway (26) Avoiding vehicle in roadway (27) Avoiding pedestrian, pedalcyclist, or other nonmotorist in roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway  Roadway Features (30) Inadequate warning of exits, lanes nar- rowing, traffic controls, etc (31) Pavement marking obscured or absent (32) Surface washed out (caved in, road slippage) (33) Shoulder too low or high (34) Inadequate construction or poor design of roadway, bridge, etc (35) Vehicle unattended in roadway (98) Other (specify) (99) Unknown		
Swerving or Loss of Control Due to  (20) Severe crosswind (21) Wind from passing truck (22) Slippery surface (23) Avoiding debris or objects in roadway (24) Ruts. holes. bumps in roadway (25) Avoiding animal(s) in roadway (26) Avoiding vehicle in roadway (27) Avoiding pedestrian, pedalcyclist, or other nonmotorist in roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway  Roadway Features (30) Inadequate warning of exits, lanes narrowing, traffic controls, etc (31) Pavement marking obscured or absent (32) Surface washed out (caved in, road slippage) (33) Shoulder too low or high (34) Inadequate construction or poor design of roadway, bridge, etc (35) Vehicle unattended in roadway  (98) Other (specify) (99) Unknown	Swerving or Loss of Control Due to  (20) Severe crosswind (21) Wind from passing truck (22) Slippery surface (23) Avoiding debris or objects in roadway (24) Ruts. holes. bumps in roadway (25) Avoiding animal(s) in roadway (26) Avoiding vehicle in roadway (27) Avoiding pedestrian, pedalcyclist, or other nonmotorist in roadway (28) Avoiding standing water, snow, oilslick or ice patch on roadway  Roadway Features (30) Inadequate warning of exits, lanes narrowing, traffic controls, etc (31) Pavement marking obscured or absent (32) Surface washed out (caved in, road slippage) (33) Shoulder too low or high (34) Inadequate construction or poor design of roadway, bridge, etc (35) Vehicle unattended in roadway  (98) Other (specify) (99) Unknown	<ul> <li>(01) Rain, snow, fog, smoke, sand, dust</li> <li>(02) Reflected glare, bright sunlight, headlights</li> <li>(03) Curve, hill or other design features (including traffic signs, embankment)</li> <li>(04) Building, billboard, etc.</li> <li>(05) Trees, crops, vegetation</li> <li>(06) Moving vehicle (including load)</li> <li>(07) Splash or spray of passing vehicle</li> <li>(08) Parked vehicle</li> <li>(09) Other object not classifiable above</li> </ul>	
	(30) Inadequate warning of exits, lanes narrowing, traffic controls, etc  (31) Pavement marking obscured or absent  (32) Surface washed out (caved in, road slippage)  (33) Shoulder too low or high  (34) Inadequate construction or poor design of roadway, bridge, etc  (35) Vehicle unattended in roadway  (98) Other (specify)  (99) Unknown	Swerving or Loss of Control Due to  (20) Severe crosswind  (21) Wind from passing truck (22) Slippery surface (23) Avoiding debris or objects in roadway  (24) Ruts. holes, bumps in roadway (25) Avoiding animal(s) in roadway  (26) Avoiding vehicle in roadway  (27) Avoiding pedestrian, pedalcyclist, or other nonmotorist in roadway  (28) Avoiding standing water, snow, oilslick	
(35) Vehicle unattended in roadway (98) Other (specify) (99) Unknown	(35) Vehicle unattended in roadway (98) Other (specify) (99) Unknown	<ul> <li>(30) Inadequate warning of exits, lanes narrowing, traffic controls, etc</li> <li>(31) Pavement marking obscured or absent</li> <li>(32) Surface washed out (caved in, road slippage)</li> <li>(33) Shoulder too low or high</li> <li>(34) Inadequate construction or poor design</li> </ul>	
		(35) Vehicle unattended in roadway	87 88



		Y	
1 Primary Sampling Unit Number		14 Occupant's Seat Position	
1 Primary Sampling Cinc Admices	1 2	(01) Front seat - left side	
	1	(02) Front seat - middle	
2 Case Number-Stratification		(03) Front seat - right side	
3	4 5 6	(04) Second seat - left side	ŀ
·	_	(05) Second seat - middle	
3 Record Number	$\frac{5}{7}$	(06) Second seat - right side	
	· ]	(06) Second seat - Fight side	
. –			
4 Transaction Code	8	(08) Third seat - middle	
		(09) Third seat - right side	
5 Version Number	0	(10) Front seat - additional passenger	
3 Version Number	9	(11) Second seat or beyond - additional	1]
		passenger	
6 Investigator I D Number		(12) Truck-tractor sleeping section	
	10	(13) Other enclosed area (specify)	
		(14) In or on unenclosed area (specify	
IDENTIFICATION		area type)	
		(15) In or on trailing unit (specify	
	1	unit type)	
7 Nehicle Number		(99) Unknown	
, vemere vanier	<u>.1 .5</u>	(99) CIIKIIOWII	24 25
8 Occupant Number	13 14		
	13 14	INVESTIGATOR DETERMIN	ED
OCCUPANT INTERVIEW	ļ	(NOTE INVESTIGATOR as used below	refers to
		the product of individual observation, po	
		and any other sources used that culminat	ed in the
0.0	ļ	assessment which represents the final op	
9 Occupant × Age	. 45.01		and of the
year(x) - Code actual age at time of acc	. Idem	investigator )	
(00) Less than one year old			. 1
(97) 97 years and older		Inter	Inves-
(99) Linknown	15 16	viewec	t gator
	15 10		'
		15 Entrapment	1
10 Occupant Sex		·	•
(1) Male	1	(NOTE Entrapped means that part of th	e occupant
(2) Female	j	was in the vehicle and mechanically rest	rained
(9) Unknown	<del>17</del>	jammed doors and immobilizing injuries	b) 1
	''	themselves are not sufficient to constitute	, ·
	l		
11 Occupant - Height		entrapment )	1
inches - Code actual height to the near	281 Inch		ļ
(99) Unknown	18 19	(0) Not entrapped	_
	10 13	(1) Entrapped	<u> </u>
		(9) Unknown	$-\frac{76}{26}$
12 Occupant's Weight			20
pounds - Code actual weight to the nea	rest pound		ł
(999) Unknown	$\frac{1}{20}$ $\frac{1}{21}$ $\frac{1}{22}$		į
13 Occupant s Role			ĺ
(1) Driver	j		
(2) Passenger		i	
(9) Unknown	23		
	23		ļ
	1	1	l
	F	50	
i e	· ·	· ·	

Vehicle No	
Occupant No	
	Page 2

National Accident Sampling System - Continuous Sampling Subsystem: Occupant Data

Inter-	Inves- tigator	INTERVIEW AND OFFICIAL S	OURCES
<del></del>		Inter-	Official
16. Ejection		viewee	Sources
9 (0) None		20 Treatment - Mortality	i
7)(1) Complete ejection	_	(0) No treatment	
(2) Partial ejection		(1) Fatal	_
(3) Ejection, unknown degree		(2) Fatal - ruled disease	_
(9) Unknown	_ =	1 1	
	$\overline{27}$	Nonfatal	
17 France Asso		(3) Hospitalization	
17. Ejection Area		(4) Transported and released	_
(0) No ejection		(5) Treatment at scene - non-	}
(1) Windshield	_	transported	
(2) Left front	<del></del>	(6) Treatment later	_ 1
(3) Right front		(8) Treatment - other (specify)	
(4) Left rear	_		
(5) Right rear	_	(9) Unknown	
(6) Rear			31
(7) Roof	_	1 21 Horniel Store	
(8) Other area (e.g. sidecar, back		21 Hospital Stay (00) Not hospitalized	ļ
pickup, etc.) (specify)		1 1 <del>-  </del>	-
		day(s) - Code the number of	- 1
(9) Unknown	<del>-</del> <del>2</del> 8	days (up through 60) that the	ľ
	26	occupant stayed in hospital	
		(61) 61 days or more	-
18. Ejection Medium		(99) Unknown	— <del>32</del> <del>33</del>
(0) No ejection			32 33
(1) Door		22 Working Days Lost	
(2) Open roof structure		LE WORKING Day's Bost	f
(3) Fixed windows	-	(00) No working days lost	}
		day(s) - Code the number of	1
Operable windows		days (up through 60) that the	i
(4) Roll down type		occupant lost from work due	
(5) Hinged type	_	to the accident	
(6) Sliding type	_		1
(7) Other type (specify)		(61) 61 days or more	1
		(62) Fatally injured	}
(8) Other medium (specify)		(97) Not working prior to accident	
		(99) Unknown	34 35
(9) Unknown	<del>-</del> <del>29</del>		
19 Medium Status		INVESTIGATOR DETERMIN	NED
(0) No ejection		Inter-	Inves-
(1) Open	_	viewee	tigator
-   - '	<del></del>		
	_	23 Infant or Child Restraint Make/Model	
(1) Closed, closed when damaged	<del></del>		[
(4) Integral structure ripped open (9) Unknown	<del></del>	(00) No infant or child restraint	- ;
(9) Unknown	30		ľ
		Applicable codes are found in your	
1		NASS Data Collection, Coding and	ŀ
		Editing Manual	
1		(97) Other make/model (specify)	_ }
1			
		(98) Unknown make model	_
		(99) Unknown if restraint available	

Vehicle	No _	
Occupa	nt No	

## National Accident Sampling System — Continuous Sampling Subsystem: Occupant Data

Page 3

24 Type of Infant or Child Restraint  (0) No infant or child restraint  (1) Infant seat (2) Child seat (3) Convertible seat (3) Convertible seat (4) Booster seat (7) Other type seat (specify)  (8) Unknown type restraint (9) Unknown if restraint available (1) Rear facing (2) Forward facing (3) Lonknown orientation (9) Unknown orientation (specify)  (8) Unknown orientation (specify)  (8) Unknown orientation (specify)  (8) Unknown orientation (specify)  (8) Unknown orientation (specify)  (1) Unknown orientation (specify)  (2) Infant or Child Restraint Harness Shield Usage (1) Harness shield used (2) Harness shield used (2) Harness shield used (3) Unknown orientation (4) Unknown orientation (5) Child safety seat (6) No infant or child restraint (7) Other orientation (specify)  (8) Unknown orientation (9) Unknown if restraint available (1) Harness shield used (2) Harness shield used (3) Lap and shoulder belt (4) Motorcycle helmet (4) Motorcycle helmet (5) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed with tether or unknown design) (6) Child safety seat (designed without tether or unknown design)		•	V10
(8) Unknown type restraint (9) Unknown if restraint available  25 Infant or Child Scat Orientation (0) No infant or child seat (1) Rear facing (2) Forward facing (7) Other orientation (specify)  (8) Unknown orientation (9) Unknown if restraint available  26 Infant or Child Restraint Harness Shield Usage (0) No infant or child restraint Usage (0) No infant or child restraint (1) Harness shield used (2) Harness shield used (2) Harness shield used (3) Unknown if restraint available  27 Manual (Active) Restraint System Availability (10) None available (11) Shoulder belt (12) Lap belt (13) Lap and shoulder belt (14) Motorcycle helmet (15) Child safety seat (ar lap belt used improperly) (6) Child safety seat (ar lap belt used improperly) (6) Child safety seat (ar lap belt used improperly) (6) Child safety seat (ar lap belt used improperly) (6) Child safety seat (ar lap belt used improperly) (7) Child safety seat (ar lap belt used improperly) (7) Child safety seat (ar lap belt used improperly) (7) Child safety seat (b) Restraint available (9) Unknown or other (specify) (9) Unknown (9) Unknown (10) Not equipped (11) Alrbag (12) Airbag disconnected (13) Airbag not reinstalled (14) 2 point automatic belts (16) Child safety seat (designed without tether or unknown design) (10) Child safety seat (designed without tether or unknown design) (10) Child safety seat (designed without tether or unknown design) (10) Child safety seat (designed without tether or unknown design) (10) Automatic belts destroyed or rendered inoperable	_		
Inflant or Child Seat Unentation	_		
- (8) Unknown orientation - (9) Unknown if restraint available - (9) Unknown if restraint available  26 Infant or Child Restraint Harness Shield Usage - (0) No infant or child restraint - (1) Harness shield used - (2) Harness shield used - (3) Unknown harness shield usage - (9) Unknown if restraint available  27 Manual (Active) Restraint System - (1) Shoulder belt - (1) Shoulder belt - (2) Lap belt - (3) Lap and shoulder belt - (4) Motorcycle helmet - (5) Child safety seat (designed without tether or unknown design) - (6) Child safety seat (designed without tether or unknown design) - (6) Child safety seat (designed without specify reason not used - 1 e  - unknown if car lap belt used properly - (8) Restraint used - 1 type unknown or other (specify) - (9) Unknown - (9) Unknown - (9) Unknown - (9) Unknown - (9) Unknown - (9) Unknown - (1) Shoulder (Passive) Restraint System Availability - (0) Not equipped - (1) Airbag - (2) Airbag disconnected - (3) Airbag not reinstalled - (4) 2 point automatic belts - (5) 3 point automatic belts - (6) Automatic belts - (6) Automatic belts - (6) Automatic belts - (7) Automatic belts - (8) Restraint used - 1 type unknown or other (specify) - (8) Restraint used - 1 type unknown or other (specify) - (1) Not equipped - (1) Airbag - (1) Airbag - (2) Airbag disconnected - (3) Airbag not reinstalled - (4) 2 point automatic belts - (5) 3 point automatic belts - (6) Automatic belts - (6) Automatic belts - (7) Automatic belts - (8) Restraint laped - 1 type unknown or other (specify)			
26 Infant or Child Restraint Harness Shield Usage  (0) No infant or child restraint  (1) Harness shield used  (2) Harness shield usage  (9) Unknown harness shield usage  (9) Unknown if restraint available  27 Manual (Active) Restraint System  Availability  (0) None available  (1) Shoulder belt  (2) Lap belt  (3) Lap and shoulder belt  (4) Motorcycle helmet  (5) Child safety seat (designed without tether or unknown design)  (6) Child safety seat (designed without with tether - tether not used)  (8) Restraint used  (9) Unknown or other (specify)  (9) Unknown  (9) Unknown  (9) Unknown  (9) Unknown  (1) Automatic (Passive) Restraint System  (0) Not equipped  (1) Airbag  (2) Airbag disconnected  (3) Airbag not reinstalled  (4) 2 point automatic belts  (5) 3 point automatic belts  (6) Automatic belts  (6) Automatic belts  (6) Automatic belts  (7) destroyed or reindered inoperable	-		
(2) Harness shield not used (8) Unknown harness shield usage (9) Unknown if restraint available  27 Manual (Active) Restraint System Availability (0) None available (1) Shoulder belt (2) Lap belt (2) Lap belt (3) Lap and shoulder belt (4) Motorcycle helmet (4) Motorcycle helmet (5) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed without tether - tether not used) (specify reason not used - 1 e  (9) Unknown  29 Automatic (Passive) Restraint System (0) Not equipped (1) Airbag (2) Airbag disconnected (3) Airbag not reinstalled (4) 2 point automatic belts (5) 3 point automatic belts (6) Automatic belts destroyed or rendered inoperable	_		
27 Manual (Active) Restraint System  Availability  (0) None available  (1) Shoulder belt  (2) Lap belt  (3) Lap and shoulder belt  (4) Motorcycle helmet  (5) Child safety seat (designed without tether or unknown design)  (6) Child safety seat (designed with out tether - tether not used)  (specify reason not used - 1 e  20 Automatic (Passive) Restraint System System Availability  (0) Not equipped  (1) Airbag  (2) Airbag disconnected  (3) Airbag not reinstalled  (4) 2 point automatic belts  (5) 3 point automatic belts  (6) Automatic belts  (6) Automatic belts  (7) destroyed or rendered inoperable	_	42	
(0) None available (1) Shoulder belt (2) Lap belt (3) Lap and shoulder belt (4) Motorcycle helmet (5) Child safety seat (designed without tether or unknown design) (6) Child safety seat (designed with lether - tether not used) (specify reason not used - 1 e  (2) Airbag disconnected (3) Airbag not reinstalled (4) 2 point automatic belts (5) 3 point automatic belts (6) Automatic belts (6) Automatic belts (6) reinstalled (6) Automatic belts (6) reinstalled (7) Airbag disconnected (6) Airbag not reinstalled (6) Automatic belts (7) destroyed or reindered inoperable	_		V10
(2) Lap belt			1,0
(5) Child safety seat (designed without tether or unknown design)  (6) Child safety seat (designed tith lether - tether not used) (specify reason not used - i e  (5) 3 point automatic belts (6) Automatic belts destroyed or rendered inoperable	_		
with lether - tether not used) (specify reason not used - i e rendered inoperable	_		
defeated or destroyed) (9) Unknown		43	
(7) Child safety seat (designed		~	
(8) Restraint available - type	<u>-</u>		V 10
(9) Unknown (2) Automatic belt not in use (3) Deployed airbag			
(4) Nondeployed airbag (9) Unknown		44	

PSU	Case	Number						
-----	------	--------	--	--	--	--	--	--

Vehicle No	
Occupant N	0

## National Accident Sampling System—Continuous Sampling Subsystem: Occupant Data

_	
Page	, F.

### OCCUPANT INJURY CLASSIFICATION

Consider all injuries which are reported from both unofficial and official sources. The information from official sources takes precedence over similar injuries reported by any other source. In other words, do not list the same injury twice, supersede the interview data with official data in the case of similar injuries. List all injuries by official medical sources first Police reported injuries may be used, but only when no other source of injury information is available

Were more than ten (10) injuries sustained? \_\_\_\_ Unknown, \_\_\_\_ No, \_\_\_\_ Yes — If more than ten dissimilar injuries were identified during the interview, from collection of official data, and from other unofficial sources (excluding police), list those from the official records first, exhausting that level of data before listing those from the interviewee or other sources

	ISS Body Region	O 1 C Body Region	Aspect	Lesion	System Organ	A 1 S Severity	Injury Source	Direct Indirect Injury	Source of Data
1	_	_		_		_		_	
2	_	_	_	_	_	_		_	
3	_	_	_			_		_	
4			_	-	_	_		_	
5	_	_	_		_	-	-· <del>-</del>	_	
6	_	_	_	_	_	_		_	
7	_		_	_		_	- <del>-</del>	<del></del>	
8	-			_	_	_		-	
9		_			_	_			
10		_		_	_	_		-	

#### Source of Data

#### Official

- (01) Autopsy records with or without hospital medical records
- (02) Hospital medical records other than emergency room (e.g. discharge summary i
- (03) Emergency room records only (including associated x-rays or other lab reports)
- (04) Private physician, walk-in or emergency clinic

#### Unofficial

- (05) Lay coroner report
- (06) E M S personnel
- (07) Interviewee
- (08) Other source
- (09) Police
- (99) Unknown if injured
- (00) Not injured

#### 155 Body Region

- the Head or neck
- (2) Face
- (3) Chest
- (4) Abdominal or pelos contents
- (5 Extremities or polyte girdle
- (b) General resternal+
- (0) Not injured
- (9) Unknown

#### O.I.C. Bods Region

- (M) Abdomen
- (Q) Ankle foot
- (A) Arm (upper)
- (B) Back thoracolumbar spine
- (C) Chest
- IE: Elbiw
- (F) Face
- (R) Forearm
- (H) Head skull
- (L) Injured unknown region
- (K) Knee
- (L) Leg (lower)
- (Y) Lower limbers (whole or unknown)
- Dart I
- (N) Neck cervical spine
- Pr Pelvic hip
- (S) Showager
- (T) Thigh
- (X) Upper limbis) (whole or unknown) pa⊓ ⊢
- (O) Whom hade
- the Mink thand
- (U) Not injured.
- 19: Unknown timured

#### Aspect of Injury

- (A) Anterior frost
- (C) Central
- the Interior lower
- (U) Injured unknown aspect
- (L) Lett
- (P) Posterior back
- (R) Right
- (S) Superior upper
- (W) Whole region
- (O) Not injured
- (4) Unknown if injured

### Lesion

- (A) Abrasion
- (M) Amputation
- (V) Avulsion
- (B) Burn
- (K) Concussion
- (C) Contusion
- (N) Crush
- (G) Detachment separation
- (D) Dislocation
- (F) Fracture
- (Z) Fracture and dislocation
- (L) Injured unknown lesion
- (L) Laceration
- (O) Other
- (P) Perforation puncture
- (R) Rupture
- (S) Sprain (T) Strain
- (E) Total severence transection
- 10) Not injured.
- 14 Unknown it injured

## System Organ

- (W) All systems in region
- (A) Americs veins
- (R) Brain
- (D) Digestive
- (E) Ears
- (O) Eve
- (H) Heart
- (U) Injured unknown system
- (I) Integumentary
- (J) Joints
- (K) Kidneys (L) Liver
- (M) Muscles
- (N) Nervous system
- (P) Pulmonary lungs
- (R) Respiratory
- (S) Skeletal
- (C) Spinal cord
- (Q) Spleen
- (T) Thyroid, other endocrine gland
- (G) Urocenital
- (V) Vertebrae
- (0) Not injured
- (9) Unknown if injured

#### Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured unknown severats
- (O) Not injured
- (9) Unknown if injured

Vehicle No	
Occupant No	

#### National Accident Sampling System - Continuous Sampling Subsystem: Occupant Data

Page 7

#### In ury Southe

(OC) No injury

#### FRONT

- 100 to Wandshield
- (C2) Mirror
- 103 L Sunvisor
- iChi Steering wheel rin.
- (04) Steering wheel hub spoke 🗢
- ith. Steering wheel icombination. or codes (is and the c
- (07) Steering column transmission. selector lever, other attachment
- CB بر ۱۵۶۰ Add on equipment او کا CB tape deck air conditioner
- (100) Len instrument pane, and below
- c10. Center instrumen pane and below
- (1) Right instrument panel and helina.
- (12) O her trans object specity

#### SIDE

- +13) Side miero i surface excise no hardware or at tire.
- (14) Side hardware in amines
- de Aprila
- ile Br =
- elf i Onset pe ar specif
- the Wind w bluss of the 14 Other viol to spec

#### INTERIOR

- (21) Sea thank support
- 22 Bu restain see n 323 Head restaint
- 124 Air Lustin F
- (25 Other Cupum Cape
- (26) Injury a loose one.
- (29 Other interes shick spec-

#### ROOF

- (31) Front header
- (32) Rear header
- (33) Roof side rails
- 1441 Roof or convenible top

#### FLOOR

- (41) Floor
- (42) Floor or console mounted transmission lever including console
- 123 Parking brake handle
- 1441 Foot controls including parking hrake

#### REAR

- in Backlight Freut windows
- 14h Back, ph . rape rack dimr etc.
- 124 Other feur Shield specific

#### ENTERIOR of NONMOTORIST SINEHICLE

- N 30.33.10
- 142 Ou side hardwarn ie gill outside ב וניט שחולתים
- (43) Other externin surface or tire aspective\_
- 154 ETHER WE EXTENT OFFICE

#### Cycle

- n. Handle hare in altachments
- 62). Frame or suspension component or tender
- 163 Seur
- the First peda soon test to 1 pegs.
- re Whi.
- the Engineer runshission
- nt Gartank gall ank filler cap or neck
- ha Clipto in the stirling

#### EXTERIOR of STRIKING MOTOR VEHICLE

- (71) Front bumper
- (72) Hood edge
- (73) Other front of vehicle (specific)
- (75) Hood ornament
- (76) Windshield roof rail. A pillar
- 177) Side surface
- 1781 Side mirrors
- (79) Other side protrusions (specify)
- (80) Rear surface
- (61) Undercarriage
- 1821 Tires and wheels
- (83) Other exterior of striking motor vehicle (specify)
- (84) Linknown exterior of striking motor vehicle

### OTHER VEHICLE or OBJECT in the

- **ENVIRONMENT**
- (An) Ground
- (KT) Other vehicle or object (specify)
- 1841 Linknown vehicle or object

#### NONCONTACT INJURY

- 1901 Noncontact injury source
- (97) Injured unknown source
- beruin it national 3 1991

#### DIRECT INDIRECT INJURY

- (0) Se miun
- (1) Direct contact injury
- (2) Indirect contact intur-
- 13. Noncontact intun-
- (7) Injured unknown source

Update Candidate \_\_\_ Ye \_\_\_ No

191 Unknown if injured

## OCCUPANT INJURY CLASSIFICATION

If the care six larger corrections contribe OTC reduction sees in code a lather injuries ordered by Source of Data Tist autopsy. 2nd hospital medical 3 d emergen, room with private phose and or 5th unit of a sources, and high A 1.5 severits within source

If there are more than six injuries, order the injuries by source and by A.1.5, severity within source. Code this ordering, injury by injury. If a group of ordered injuries has the same source, the same A.1.5, and the group includes at least the sixth and seventh injuries in the ordering, then a choice must be made as to which in jury or injuries to code.

Chiese the injury of injuries that will enable the maximum number of different 1.5.5, hads regions to be represented in the coded data. If no new 1.5.5, bads region can be added then simply code in accordance with the original ordering

If the occupant has less than six injuries, then the number of rows required to be completed is equal to the number of injuries plus one feig no injuries requires one row i.e. columns 45 to 54). In the additional row. No Injury, will be coded for all variables, including A L5, severity

If you cannot in trease the number of different LSIS, body region, or if you can choose between two or more injuries of the same source and ALLS, severity any of which would consitute an additional LSS region, then there the injury that has a known injury source

1 S S B SS Reymon	OTC Bisty Region	Aspest	Lesion	System	A I S Severity	Interv Source	Direct Indirect Injury	Source of Data
181	11 45	12 46	11 4-	14 48	49	36 50 51	5.	1 53 54
2nd	34 <u>55</u>	40 <u>-<del>5€</del></u>	÷ , <u>57</u>	•: <del>58</del>	÷ 59	44 <u>60 61</u>	4K <u>62</u>	46 63 64
`rd	4° 65	48 66	- <del></del>	68	65	75 7	72	\$4 <del>73</del> <del>74</del>
41h	44	<del>۱۳</del> ۳	· -	** <del>"E</del>	4 4 7 <u>9</u>	~ <u>B</u> <u>6</u>	61 8.	62 <u>83</u> <u>84</u>
<b>≤</b> ·+₁ —	P	<u> </u>	L . B.	uu <u>66</u>	P	5° 5	<u> </u>	93 94
nn <u> </u>	9:	ः 束	·, <del>'</del>	- <del> </del>	- ( - <del>- G</del>	~ <del>_</del>	100 100	* 10 TM

ž

Vehicle No _	
Occupant No	

National Accident Sampling System - Continuous Sampling Subsystem: Occupant Data

Page 8

OFFICIAL RECORDS	
79. Injury Severity (Police Rating)  (0) No injury (O)  (1) Possible injury (C)  (2) Nonincapacitating injury (B)  (3) Incapacitating injury (A)  (4) Killed (K)  (5) Injury, severity unknown  (6) Died prior to accident  (9) Unknown  80 Time to Death  (00) Not fatal	105
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60)  (96) Fatal - ruled disease (99) Unknown	10 <del>6</del> 107

#### APPENDIX B

#### CODING INFORMATION FOR VEHICLE MAKE/MODEL

The primary source of information on vehicle make and model is vehicle inspection; the VIN provides vehicle make data. Secondary sources include the police report and interviewees.

If the make of the vehicle is known, but if the model is not known, then Vehicle Model is coded as "99" (Unknown).

If the male of the vehicle is not known but the body type is known (e.g., a hit-and-run vehicle), then Vehicle Make and Vehicle Model are coded "99" (Unknown), and the body type is coded with the appropriate value.

If no information is available for a vehicle, then Vehicle Male. Vehicle Model and Pody Type are all coded "99" (Unknown).

Vehicle models are organized into general groups. These crowps are:

- 01-28. 99 domestic passenger car (automobile)
- 71-59. 99 Poreign massenger car (automobile)
- 60-68. 99 motored cycles (including motorcycles. mini-tiles, motor scopters, dirt biles, and mo-peds)
- 70-73. 99 light trucks (including truck based intility vehicles. light duty pickup trucks, standard pickup trucks, vans. van based station wagons, van based bides, van derivatives, and truck based station wacons)
- 80-90. 99 trucks and buses [includes all trucks over 10.000 lbs. GVWR except those pickup type trucks mentioned under Body Type code "50" (Fickup), and all buses except those that are van based]

Within these groups, the model codes for automobiles and light trucks generally are not ordered to give any indication of vehicle size or type. However, the model codes for motored cycles, trucks/buses, other and unknown have specific definition. These definitions are:

# Motored Cycles

\$1 0-50cc 62 51-124cc 67 125-349cc 64 350-449cc 65 450-749cc 66 750cc or over 99 Unlinewn

#### Trucks/Buses

80 Motor Home Medium/Heavy: CRE 81 Medium/Heavy: CDE. low entry ت د 93 Medium Heavy: COE, high entry 74 Medium Heavi: urlnown engine location ÷∂ಕ Bus: Convertional (engine out front) Pis: flat front front engine 9: ÇÞ Bus: flat front, rear eroine  $\neg c$ Other (truck) ر· ب Median (Mea.): COE. unl. entry position unt noun

+use code "35 (Eus) of the frontal plane or the engine location is unlimbur.

Other male (98)

28 Other domestic automobile

58 Other foreign automobile

78 Other light truck

98 Other truck

97 Other (e.g., snowmobile, gocart)

Other make (99,

99 Orknown\*

\*Use this code even if you know more detail about the model than this code indicates (e.g., unknown pickup truck, unknown CBE tractor semtrailer, unknown bus, or unknown car pickup body). Body Type, is available to code the additional information.

Vehicle Make, Vehicle Model and Body Type, have to be used in conjunction: therefore refer to Remarks under the data elements Vehicle Make and Body Type in the NASS Coding and Editino Manual.

#### VEHICLE FORM

Variable Name: Vehicle Model Bearnning Format: 2 columns - numeric column Element Values: Model Vehicle Model Code Line Includes Years American Motors (01) -----Hambler/American Regue, 220, 440. Scrambler
Rebel/Matadon 550,770,660. Classic. Brougham. Barcelona X.Marlin Ambassador BS0.990. SSt. DFL. Brougham 07. Facer **04** DL. Limited 05 AM: DL. Limited 68-70 Ja.elin EST. AMY (1971-1974) 00 Hornet/Concord SST. Sportabout. AMX(1975-1978). . . -Limited DL, SC 360 08 Spirit/Grenlin Limited, DL. Custom, AMX (1979 On). GT (1983 on) oo Eagle DL. Limited 80 on SX4/Farmback IL. Limited 10 81 on \* Alliance/Encore 25 Other (darestic automobile) Espace (Mini-Van) 72 99 Untrown Jeep (02) 0J-2/0J-3/0J-4 O1M:litar. CJ-5/CJ-6/CJ-7/ 02 CJ-S Scrambler.Golden Eagle.Renegade. thru 86 Laredo 03 Wrangler (YJ) 87 on 71 Cherol ee Wide Track Chief, Commando, Jeepster 73 J-10. J-20. Honcho Fict-up Eustom, Brougham Limited 76 Waddheer 77 Comanche 86 on 78 Other (light truth) 28 Other (domestic automobile) 79 Unknown

**≭See Renault** 

Variable Name: Vehicle Model (cont'd.)

Model Code	Vehicle Line	Includes	Model Years
AM Ger	<u>eral</u> (03)		
01	Dispatcher	Post Office (Jeep)	
75	Dispatcher	DJ-Series, Post Office Delivery (Van)	
87	Bus (rear engine)	Transit	
88	Other (truck)	Military off-road	
28	Other (domestic auto	emobile)	
99	Unknown		
Chrysl	<u>er</u> (06)		
07	LeBaron	S, Medallion, Salon,	77 on
09	Cordoba	Crown, 300, LS	
10	Newport	Custom	thru 81
		Royal, 300	thru 71
	New Yorker,		thru 82
		Imperial	81-83
	Fifth Avenue		83 on
<b>.</b> ,	n	Town and Country, Brougham	0.3
14	E-Class	New Yorker, Grand Lebaron, GTS	83 on 84-86
15	Laser	Turbo, XE, XT	85 on
16 28	Lebaron	mahila)	87 011
31	Other (domestic automobile) Maserati Sport		87 on
99	Unknown		07 011
,,	onknown.		
<u>Dodge</u>	(07)		
01	Dart	170,270, Custom, GT, Swinger, Sport, Demon, 340,360, Special, Special Edition	
02	Coronet/Charger/	Brougham, Custom, Super Bee, Crestwood, Deluxe, XE, R/T, 440,500	
03	Magnum Polara/Monaco	Custom, Special, Police, Taxi, Crestwood, Brougham	
04	Royal Monaco	-	
05	Challenger	R/T, T/A, Rallye	70-74
06	Aspen	Custom, Special Edition, Police	
07	Diplomat	Medallion, "S", Salon	
08	Omni	024, De Tomaso, Miser, Charger 2.2,	
		Custom, Shelby, GLH, America, Expo	

Variable Name: Vehicle Model (cont'd.)

Model <u>Code</u>	Vehicle Line	Includes	Model Years
<u>Dodge</u>	(07) (cont'd.)		
09	Mirada		
10	St. Regis	C ~ CP	
11 12	Aries (K)	Custom, SE	
13	400 Rampage	LS 2.2	
13	(car based pick-up)	2.2	
14	600	ES	83 on
15	Daytona	Turbo, Z, Shelby, Pacifica	84 on
16	Lancer	Pacifica	0.6
17	Shadow	ES	86 on
33	Challenger-foreign	CT Courte Common DC	78 on
34 35	Colt	GT, Custom, Carousel, RS	86 on
43	Conquest Colt Pickup,	Power Ram, Ram 50, D50, W50	00 011
40	Vista Van	Tower Rain, Rain 50, D50, W50	
70	Raider		87 on
71	Ramcharger	Ram	
72	Caravan	S-Van,	84 on
73	D, W-Series Pickup	Ram, Custom, Royal, Miser	
74	Van (B Series)	Sportsman Van, Royal, Maxiwagon, Ram Mini Ram Van	
75	Van Derívative	Karivan	
77	Dakota	4 x 4	
81	Medium/Heavy: CBE		
82	Medium/Heavy: COE,		
	low entry		
83	Medium/Heavy: COE,		
0.4	high entry		
84	Medium/Heavy: unk.		
85	engine location Medium: Bus (not		
0 )	van based)		
88	Other (truck)		
28	Other (domestic auto	omobile)	
90	Medium/Heavy: COE,		
	unk. entry position		
99	Unknown		

Model <u>Code</u>	Vehfcle Line	Includes	Model <u>Years</u>
<u>Imperi</u>	<u>ial</u> (08)		
10 28 99	Imperial Other (domestic auto Unknown	Imperial LeBaron, Crown omobile)	thru 75
Plymou	<u>ith</u> (09)		
01	Valiant/Duster/ Scamp	100,200, Taxi, Brougham, Signet, Custom, Special 340, Special 360 340, 360	thru 76
02	Satellite/ Belvedere	Belvedere I, II, GTX, Road Runner (thru 1974), Brougham, Sebring, Sebring Plus, Superbird	C.11 a 70
03	Fury	I, II, III, Road Runner (1975), Suburban, Salon, VIP, Sport	
04	Gran Fury	Sedan, Brougham, Custom, Sport, Suburban	
05	Barracuda	Formula "S", 340, Gran Coupe, AAR Cuda	
06	Volare	Custom, Premier, Road Runner (1976 on), Police	
07	Caravelle		
08	Horizon	TC-3, Turismo, Miser, Turismo 2.2, Custom, SE, Duster, America, Expo	
11	Reliant (K)	Custom, SE	
13	Scamp	GT	82 on
	(car based pick-up)		
17	Sundance		86 on
31	Cricket	· ·	
32	Arrow	GS, GT, Fire Arrow	
33	Sapporo	Contract	
34 35	Champ/Colt	Custom TSI	
71	Conquest Trailduster	151	
72	Voyager	S-Van	84 on
74	Van (Voyager)	Sport, Premier	04 011
77	Arrow pickup (foreig		
78	Other (light truck)	•	
28	Other (domestic autor	mobile)	
99	Unknown		

Model Code	Vehicle Line	Includes	Model <u>Years</u>
Ford (	12)		
01	Falcon	Falcon-Futura (through 1969)	thru 70
02	Fairlane	500, 500 XL, Fairlane-Torino (1968-70)	thru 70
03	Mustang/Mustang II	Mach I, Boss, Grande, Cobra, Cobra II, Ghia, SVO, GT	
04	Thunderbird	All sizes, Town Landau, Heritage, Elan, Fila, Turbo Coupe Sport, LX	
05	LTD II	Squire, Brougham	77-79
06	LTD/Galaxy/	XL, Landau, Ranch Wagon, County Squire,	
	Custom	S, 500, 500 XL, Brougham, Crown Victoria (81 and 82)	
0-	Ranchero	500, GT, Squire, Custom	
	(car based pick-up)		
08	Maverick	Grabber	70-77
09	Pinto	MPG, Pony, ESS	71-80
10	Torino/Gran Torino	Elite, GT, Cobra, Sport, Squire, Brougham	71-76
11	Granada	Ghia, L, GL, GLX	75 on
12	Fairmont	Fairmont-Futura (1978-1981)	78 on
13	Escort	L, GL, GLX, SS, GT	81 on
14	EXP	Turbo	82 on
15	Тетро	L, GL, GLX, Sport, 4x4	83 on
16	Crown Victoria		83 on
17	Taurus	LX, MT5	86 on
31	English Ford	(e.g., Cortina)	70.00
32	Fiesta		78-80
33	Laser	GL Ghia, GL Sport	83 on
34	Festivia	KIA/Mazda	87 on
70	Bronco II	Ranger based	83 on
71 72	Bronco	Full size truck based	
72	Aerostar	F 100 to F 350	
73 74	F-Series Pickup Van	F-100 to F-350	
		E-Series, Econoline, Club Wagon, Chateau, Cutaway based (e.g., box van, van bus/RV)	,
75	Van derivative	Parcel	
77	Ranger	Super Cab, Courier (Import), STX	82 on
78	Other (light truck)		
81	Medium/Heavy: CBE	F-500 through F-800, L/LN/LNT/LT/LS/LTS- series, FT8000, FT800D, FT800	
82	Medium/Heavy: COE low entry	C/CT-series	
83	Medium/Heavy: COE, high entry	C/CLT-series	

Model <u>Code</u>	Vehicle Line	Includes	Model Years
<u>Ford</u>	(12) (cont'd.)		
84	Medium/Heavy: unk. engine location		
85	Medium Bus	B-series (not van based)	
88	Other (truck)		
90	Medium/Heavy: COE, unk. entry position		
28	Other (domestic aut	omobile)	
99	Unknown		
Lincol	<u>ln</u> (13)		
01	Lincoln	Lincoln Continental (thru 81), Town Car (82 on)	
02	Mark	I, II, III, IV, V, VI, VII, LSC	
05	Continental	, , , , , , , , , , , , , , , , , , , ,	82 on
11	Versailles		77-80
28	Other (domestic aut	omobile)	
99	Unknown		
Mercur	y (14)		
02	Cyclone	GT, CJ, Spoiler	thru 71
03	Capri-Domestic	•	79-86
04	Cougar	Villager, Brougham, XR7 (thru 80)	67 on
05	Cougar XR7		81 on
06	Marquis/Monterey	Marauder, X-100, Parklane, Colony Park, S-55, Custom, Brougham, Grand (thru 82), Montclair	67 on
08	Comet	Caliente, Capri (1966-1967), GT, Voyager, 202	
09	Bobcat	, ,	75-80
10	Montego	GT, MX, Villager, Brougham	67-76
11	Monarch	Ghia	75-81
12	Zephyr	27, GS	78 on
13	Lynx	L, LS, GS, RS, XR3	81 on
14	LN7		82-83
15	Topaz	L, LS, GS, 4 x 4	83 on
16	Grand Marquis		83 on
17	Sable		86 on

Model	Vehicle		Model
Code	Line	Includes	Years
Mercur	<u>ा</u> (14) (cont'd.)		
31	Capri-foreign	Capri (1970-1978), Capri II	70-78
33	Pantera	capit (1570 1570), capit 11	, 0 , 0
34	Merkur	XR4Ti	
3.5	Scorpio		87 on
3 t	Tracer	Mazda	
28	Other (domestic au		
99	Unknown	,	
<u> Suici</u>	(18)		
01	Regal/Century/ Special	GS, GS350, GS400, GS455, Luxus, Skylark, (thru 1972), Sportswagon, Wagon, Custom Special, Sport Coupe, Limited	thru 81
02	LeSabre/Wildcat/	Estate Wagon, Custom, Luxus, Sport Coupe,	
	Centurion	Wagon, Limited, Invicta, T-Type	
03	Electra/Electra 225	Custom, Limited, Park Avenue, Wagon	
05	Riviera	"S" Type, "T" Type	
90	Apollo	S/R, Skylark (1975)	73-75
10	Regal	G-car, "T" Type, Grand National	82 <b>o</b> n
12	Skyhawk	"S" Type, Road Hawk	75-81
15	Skylark	Limited, Sport, S/R, "S", Custom (see code Ol), "T" Type, "T" Type Custom	76 on
16	Skyhawk	J-car, "T" Type	82 on
17	Century	A-car, "T" Type	82 on
18	Somerset	N-car, Regal	85 on
31	Opel Kadett		thru 75
32	Opel Manta/1900	Luxus, Rallye, Sports Coupe	thru 75
33	Opel GT		thru 75
34	Opel Isuzu	Deluxe, Sport	76-79
2.8	Other (domestic aut	comobile)	
99	Unknown		
Cadill	<u>ac</u> (19)		
03	DeVille/Brougham	Calais, Fleetwood 60-Special, Coupe, Sedan	
04	Limousine	Fleetwood 75, Formal	
05	Eldorado	Touring Coupe, Biarritz	
09	Allante	-	87 on

Model Code	Vehicle Line	Includes	Model <u>Years</u>
Cadill	<u>lac</u> (19) (cont'd.)		
06	Commercial Series	(e.g., ambulance, hearse)	thru 81
14	Seville	Elegante	76 on
16		J-car, D'oro	82 on
28 99	Other (domestic autom Unknown	oobile)	
Chevro	olet (20)		
01	Malibu/Chevelle	Classic, Councours, Laguna, S-3, Nomad Greenbriar, Estate, 300, SS-396/454, Deluxe	64 on
02	Caprice/Impala	Classic, Classic Brougham, Kingswood, Townsman, Estate, Brookwood, Super Sport, Bel Air, Biscayne	
04	Corvette	Stingray	53 on
06	Corvair	Corvair Monza,500,Corvair Spyder,Corsa	thru 69
07	El Camino	Royal Knight	59 on
08	Nova	Chevy II, Chevy Nova, LN, LE, Concours	thru 79
09	Camaro	SS, LT, Z-28, Berlinetta, Iroc-Z	67 on
10	Monte Carlo	G-car, SS, LS, Aerocoupe	70 on
11 12	Vega	GT, Cosworth, Kammback	71-77
13	Monza Chevette	2 + 2, Spyder, Sport, Towne Coupe Scooter	75-80 76 on
15	Citation	X-car, X-11	76 on 80 on
16	Cavalier	J-car, CS, RS, Z24	82 on
17	Celebrity	A-car, Wagon, Eurosport	82 on
19	Baretta/Corsica	n cur, wagon, burospore	87 on
31	Spectrum (Isuzu made)		0, 0
32	Nova (Toyota)		85 on
33	Sprint		
70	Blazer	S-10 based	83 on
71	Blazer	Full size truck based	
72	Astro Van		
73	C, K-Series Pickup		
74	G-Series Van	Beauville, Chevy Van, Sport Van	
75	Van Derivatives	P-Series, Parcel Van	
76	Suburban		
77	S-10	Luv Pickup	82 on
78	Other (light truck)		
81	Medium/Heavy: CBE	C50, C60 and C65 series, M60 and M65 series, H70, H80 and H90 series, J70, J80 and J90 series, Bison 90	

Model Code	Vehicle Line	Includes	Model Years
Chevro	olet (20) (cont'd.)		
82	Medium/Heavy: COE low entry	T60 and T65 series	
83	Medium/Heavy: COE high entry	Titan 90	
84	Medium/Heavy: unk engine location	PS6500, P6T042	
85	Bus	S60 series	
88	Other (truck)		
90	Medium/Heavy: COE		
	unk. entry position		
28	Other (domestic auto	mobile)	
99	Unknown		
Oldsmo	bile (21)		
01	Cutlass	Supreme, Calais, Cruiser, "S", "LS", Salon, Brougham, Vista Cruiser, 442, F-85 (thru 1972), Rallye 350, Hurst Olds	
02	Delta 88	Royale, Custom, Custom Cruiser, Jetstar 88, Delmont 88, Delta, Starfire (thru 1966)	
03	Ninety-Eight	Regency, Luxury	
05	Toronado	Brougham, XSR, Custom, Trofed	
06	Commercial Series	Chassis Cowl, CKD Chassis	
12	Starfire	"SX"	75-80
15	Omega	Brougham, Salon, F-87, F-85 (1975 on), X-car (1980 on)	73 on
16	Firenza	J-car	82 on
17	Ciera	A-car, Cutlass Ciera, ES, Brougham	82 on
18	Calais	N-car, GT	85 on
28	Other (domestic auto	mobile)	
99	Unknown	·	
<u>Pontia</u>	<u>c</u> (22)		
01	LeMans/Tempest	Grand Am, Safari, T-37, Grand Sport, Luxury, Custom, GTO (thru 1973), Judge, GT-37, Sprint, Daewoo (1987 on)	
02	Bonneville/ Catalina/Parisienne	Brougham, Grand Safari, Safari, GrandVille, Executive, 2 + 2, Starchief	

Model Code	Vehicle Line	Includes	Model Years
	<u>c</u> (22) (cont'd.)		
Pontia	<u>.c</u> (22) (cont d.)		•
05	Fiero	P-car, 2M4	84 on 71-77
08	Ventura	SJ, Custom, II, Sprint, GTO (1974 on)	68 on
09	Firebird/Trans Am	Esprit, Formula, Skybird, Redbird, Yellowbird, Spring, GTA	66 011
10	Grand Prix	LJ, SJ, Brougham, G-car	75-77
11	Astre	Safari, Wagon, SJ, Custom	76-80
12	Sunbird	Sport, Safari, Wagon	81 on
13	T-1000/1000	(1000)	78 on
15	Phoenix	LJ, SJ, X-car, (1980 on)	82 on
16	J-2000/2000	J-car, Sunbird, Convertible, LE, SE, GT	82 on
17	6000	A-car, STE	85 on
18	Grand Am	N-car, SE	05 011
28	Other (domestic auto	mobile)	
99	Unknown		
GMC (2	23)		
07	Caballero/Sprint		
70	Jimmy	S-15 based	83 on
71	Jimmy	Full sized truck based	
72	Safari (Mini-Van)		
73	C, K-Series Pickup		
74	G Van/Vandura,		
	Rally Van		
75	Van Derivatives	P-series, Value Van, Magnavan	
76	Suburban		90
77	S-15		82 on
78	Other (light truck)		
81	Medium/Heavy: CBE	C-5000, C-6000, C-7000 series, Brigadier 8000, Brigadier 9500, General 9500	
82	Medium/Heavy: COE low entry	W-6000, W-7000	
83	Medium/Heavy: COE high entry	Astro 95	
84	Medium/Heavy: unk. engine location	P5G500, P68042	
85	Bus	B-6000	
88	Other (truck)		
90	Medium/Heavy: COE		
	unk. entry position		

Model Code	Vehicle Line	Includes	Model <u>Years</u>
GMC (2	23) (cont'd.)		
28 99	Other (domestic auto Unknown	omobile)	
Other	domestic (29)		
01	Studebaker/Avanti		
02	Checker		
28	Other (domestic auto	omobile (e.g., Desoto)	
<u>Volks</u>	<u> </u>		
31	Karmann Ghia		
32	Beetle		
33	Super Beetle		
34	411/412	Squareback, Fastback	
35	Squareback/	Type 3, 1600	
	Fastback		
36	Rabbit	L, GTI Sport, LS Custom, GL Deluxe	thru 84
37	Dasher		
38	Scirocco		
39	The Thing		
40	Jetta		
41	Quantum	C CTI Cabrielet	85 on
42	Golf	Syncro, GTI, Cabriolet	05 011
43	Rabbit Pickup		
44	Fox		87 on
74 78	Van/Vanagon/Camper		
7.8 5.8	Other (light truck)	-ah41a)	
99	Other (foreign autor Unknown	modile)	
Alfa I	Romero (31)		
31	Spider	Veloce, 2000/1750, all roadsters	
32	Sports Sedan	Alfetta, Berlina, 2000/1750, Giulia	
	•	Super, 4 door sedans, Milano (86 on)	
33	Sprint Veloce	Alfetta GT 2000 GTV, 1750 GTV, Giulia Sprint GT, all 2 door coupes	
34	GTV-6	•	
58	Other (foreign auto	mobile)	
99	Unknown	•	

Model <u>Code</u>	Vehicle Line	Includes	Model <u>Years</u>
<u>Audi</u> (	32)		
31	Super 90		
32	100	LS, GL	
33	Fox	о ОТ	
34	4000	Coupe GT	
35	5000	Coupe	82 on
36	Quattro	mahila)	•••
58	Other (foreign auto Unknown	modile)	
99	Unknown		
Austin	/Austin Healey (33)		
31	Marina	GT	
32	America		
33	Healey Sprite		
34	Healey 3000	Healey 100	
35	Mini		
58	Other (foreign auto	mobile)	
99	Unknown		
<u>BMW</u> (3	4)		
31	1600, 2002	Tii	
32	Coupe	3.0CS, 2800 CS	
33	Bavaria Sedan	2500, 2800	
34	630, 633, 635	CSI	
35	320i, 318i, 325E		
36	524i, 528i, 530i	TD, Automatic	83 on
	533i, 535i		
37	733i, 735i		
61	0- 50 cc		
62	51-124 cc		
63	125-349 cc		
64	350-449 cc		
65	450-749 cc		
66	750 cc or over	177.3	
58	Other (foreign auto	omobile)	
99	Unknown		

Model <u>Code</u>	Vehicle Line	Includes	Model Years
Datsur	n/Nissan (35)		
31	F-10		
32	200 SX	W and a	
33	B210/210/1200	Honeybee	
34 35	240/260/280/300 310	Z, ZX, 2 + 2	
36	510	PL	
37	610	PL	
38	710	PL	
39	810/Maxima	Maxima	
40	Roadster (SPL 311/ SRL 311)		thru 70
41	PL 411/RL 411		
42	Stanza	XE	82 on
43	Sentra		83 or
44	Pulsar	NX, EXA (86 on)	83 on
70	MPV		86 on
77	Pickup		
78	Other (light truck)		
58	Other (foreign autom	obile)	86 on
83	Medium/Heavy COE		86 011
99	high entry Unknown		
	· · · · · · · · · · · · · · · · · · ·		
<u>Fiat</u> (	36)		
31	124 (Coupe/Sedan)	Sport	
32	124 (Spider)	Spider 2000	
33	Brava/131	·	
34	850 (Coupe & Spyder)		
35	128		
36	X-1/9		
37	Strada		
58	Other (foreign autom	obile)	
99	Unknown		
Honda	(37)		
31	Civic	1300, 1500, CVCC	
32	Accord	LX, CVCC	
J 2	necora	m.,	

Model Code	Vehicle Line	Includes	Model <u>Years</u>
<u>Honda</u>	(37) (cont'd.)		
33 34 35 36 61 62 63 64 65 66 58	Prelude 600 Civic-CRX Acura 0- 50 cc 51-124 cc 125-349 cc 350-449 cc 450-749 cc 750 cc or over Other (foreign autor	Coupe, Sedan 2 seater HX, Integra, Climax, Legend nobile)	86 on
99	Unknown		
<u>Isuzu</u>	(38)		
31 32 33 70 77 78 58 99	I Mark Impulse Aska Trooper II P'up (Pick-up) Other (light truck) Other (foreign autor Unknown	Gemini  Rodeo, Space Cab  mobile)	83 on 87 on 84 on
Jagua	<u>r</u> (39)		
31 32 33 58 99	XJ-S Coupe XJ6/XJ12 Sedan/Coupe XK-E Other (foreign autor Unknown	e L, XJ, C, 420/340 Sedans 2 + 2, V-12 Roadster, 120 mobile)	
Lanci	<u>a</u> (40)		
31 32 33 58 99	Beta Sedan /HPE Beta Coupe/Zagato Scorpion Other (foreign autor Unknown	nobile)	

Model	Vehicle	Includes	Model Years
<u>Code</u>	Line	Therudes	_
<u>Mazda</u>	(41)		
31	RX2		
32	RX3		
33	RX4		
34	RX7	GLE, SE	
35	GLC/323		
36	Cosmo		
37	626		
3.8	808		thru 76
39	Mizer		thru 72
40	R-100		-
41	618/616		
42	1800		86 on
43	929	and one Cab Plus IV	
77	Pick-up	B-2200, B-2000, SE5, Cab Plus, LX	
78	Other (light truck)		
58	Other (foreign autom	mobile)	
99	Unknown		
	edes-Benz (42) 200/220/230/240/	SE,CD,D,SD,TD,CE,E [excludes 280 S,	
31	250/280/300 <b>/</b> 260 (Sedan and 5	280 SE (1975 on), 300 SD Sedan (see Code 37]	
	passenger "C" only)		
32	230 SL/280 SL		
32	(2 passenger)		
2.2	350 SL/450 SL/		
33	380 SL/560 SL		
27	350 SLC/450 SLC/		
34	380 SLC/420 SLC/		
	560 SLC		
35	300 SEL/280 SEL	TD-T, TD, CDT	
36	450 SEL/380 SEL/		
70	500 SEL/500 SEC/		
	420 SEL/560 SEL/		
	560 SEC		
37	450 SE/380 SE/		
31	280S/280 SE		
	(1975 on)/300 SD		
20	600/6.9 Sedan	Pullman	
38	190		82 on
39 75	Van Derivative	Kurbstar	02 0
75	AUTI DELLAGOTA		

```
Model
            Vehicle
                                                                            Model
Code
                                         Includes
                                                                            Years
            Line
Mercedes-Benz (42) (cont'd.)
81
       Medium/Heavy: CBE
82
       Medium/Heavy: COE
       low entry
83
       Medium/Heavy: COE
       high entry
84
       Medium/Heavy: unk.
       engine location
85
       Medium: Bus
88
       Other (truck)
90
       Medium/Heavy: COE
       unk. entry position
58
       Other (foreign automobile)
99
       Unknown
MG (43)
31
       MG Midget
32
       MGB
33
       MGB GT
34
       MGA
35
       TA/TC/TD/TF
36
                             MGC/GT
58
       Other (foreign automobile)
99
       Unknown
Mitsubishi
             See V14 Code (52) listed after Volvo
Opel See Buick--(18)
Peugeot (44)
31
       304
32
       403
33
       404
34
       505/504
                             STI
35
       604
                             SL, D
58
       Other (foreign automobile)
61
       0-50 cc
62
       51-124 cc
99
       Unknown
```

Model Code	Vehicle Line	Includes	Model <u>Years</u>
Porsch	<u>ne</u> (45)		
31 32	911 912/912E	S, E, T, SC, Carrera	
33	914	914/S	
34	924	Turbo, S	
35	928	S	
36	930/Turbo		82 on
37	944	Turbo, S	0.6
38	959	3.73	86 on
58	Other (foreign auto	omobile)	
99	Unknown		
Renaul	t (46)		
31	LeCar	5	
32	10/Dauphine/		
	Caravelle/R-8		
33	12	R12	
34	15	R15TL	
35	16		
36	17	R17, Gordini Coupe	
37	R18i		
38	Fuego	TL, TS, GTL, GTS	0.2
39	Alliance	L, DL, Limited	83 on
40	Encore	X-37	07
41	Alpine GT		87 on <b>8</b> 7 on
44	Medallion	1. 11 . 1	67 011
58	Other (foreign aut	omobile)	
99	Unknown		
Saab (	(47)		
31	99/99E/900/9000	Turbo	
32	Sonnet	Sonnet III, Sonnet 97	
33	95/96/97		
58	Other (foreign aut	omobile)	
99	Unknown		

Model Code	Vehicle Line	Includes	Model Years
Subaru	(48)		
31	FE/GF/DL/STD/GL/G/ GLF	4 wheel drive, Turbo 4x4	
32	Star		
33	360		
43	Brat	DL, GL	
78	Other (light truck)		
58	Other (foreign autom	obile)	
99	Unknown		
<u>Toyota</u>	(49)		
31	Corona	Custom, Deluxe, Mark II, 1900, 2000	
32	Corolla	1100,1200,1600, Deluxe, Custom, SR 5, LE	
33	Celica	1900, 2000, GTS	
34	Celica Supra	Soarer	
<b>3</b> 5	Cressida		
36	Crown	2300, 2600	
37	Carina	2000	
38	Tercel	4WD Wagon, Corolla-Tercel	
39	Starlet		
40	Camry	(0)	0.5
41	MR2	(2-seater)	85 on
*	Nova	See Chevrolet	
70 71	4-Runner Landcruiser		
72	Mini-Van		
77	Pickup	Chinook, LN44, Wonder Wagon, SR5, Extra Cab Sport	
78	Other (light truck)		
58	Other (foreign autom	obile)	
99	Unknown		
Triumph	<u>1</u> (50)		
31 32	Spitfire GT6	I, II, III, IV, 1500	
33	TR4	TR3, TR2, TR4A	
34	TR6	and and anti-	
35	TR7/TR8		
36	Herald	Vitesse	

Model Code	Vehicle Line	Includes	Model <u>Years</u>
Triump	<u>h</u> (50) (cont'd.)		
37	Stag		
61	0- 50 cc		
62	51-124 cc		
63	125-349 cc		
64	350-449 cc		
65	450-749 cc		
66	750 cc or more		
58	Other (foreign autor	nobile)	
99	Unknown		
Volvo	(51)		
	122	S	
31	142/144/145	S, Deluxe, GL, GLS, E	
32	164	S. E	
33	242/244/245	Deluxe, DL, GLE, GLT, GL	
34	262/264/265	GL	
35	•	E, S, ES	
36	1800	-, -,	83 or
37	P-544		65 01
38	760/780	GLE	
39	740	<b>72</b> -	
81	Medium/Heavy: CBE		
82	Medium/Heavy: COE,		
	low entry		
83	Medium/Heavy: COE,		
	high entry		
84	Medium/Heavy: unk.		
	engine location		
85	Medium: Bus		
88	Other (truck)		
90	Medium/Heavy: COE,		
	unk. entry positio	n 	
58	Other (foreign aut	omobile)	
99	Unknown		
Mits	<u>subi<b>shi</b></u> (52)		
		2 + 2	83
31	Starion	Z + Z	83
32	Tredia		83
33	Cordia		

Model <u>Code</u>	Vehicle Line	Includes	Model <u>Years</u>		
Mitsub	Mitsubishi (52) (cont'd.)				
34	Galant				
35	Mirage				
70	Montero				
72	Mini-Van		83 on		
77	Pickup	Mighty, Max, SPX			
58	Other (foreign autom	obile)			
99	Unknown				
<u>Suzuki</u>	(53)				
31	SA310	GLX			
61	0-50 cc				
62	51-124 cc				
63	125-349 cc				
64	350-449 cc				
65	450-749 cc				
66	750 cc or over				
70	SJ - 410	Samurai SJ-413			
99	Unknown				
<u>Other</u>	Import (59)				
31	Aston Martin				
32	Bricklin				
33	Citroen				
34	Delorean				
35	Ferrari				
36	Hillman				
37	Jensen				
38	Lamborghini				
39	Lotus				
40	Maserati				
41	Morris				
42	Rolls Royce/Bentley				
43	Rover				
44	Simca				
45 46	Sunbeam TVR				
46	lvk Daihatsu				
47	Dainatsu Desta (APV-utility)				
<b>-</b> 40	nesta (MIA-MITTILY)				

```
Variable Name: Vehicle Model (cont'd.)
                                                                              Model
Model
              Vehicle
                                      Includes
Code
              Line
                                                                              Years
Other Import (59) (cont'd.)
49
       Reliant (British)
50
       Yugo
51
       Hyundai
58
       Other (foreign automobile) [e.g., Morgan, Singer]
MOTORED CYCLE (60-69)
<u>V13</u>
     BMW (34)
     <u>BSA</u> (60)
     Ducati (61)
     Harley-Davidson (62)
     <u>Honda</u> (37)
     <u>Kawasaki</u> (63)
     Moto-Guzzi (64)
     Norton (65)
     Suzuki (53)
     Triumph (50)
     Yamaha (67)
     Other Motored Cycle (69)
          <u>V14</u>
           61
                   0- 50 cc
           62
                  51-124 cc
                 125-349 cc
           63
           64
                 350-449 cc
                 450-749 cc
           65
                 750 cc or over
           66
           99
                 Unknown
<u>V13</u>
     Mo-ped (70)
          <u>V14</u>
           61
                  0- 50 cc
           62
                 51-124 cc
           99
```

Unknown

Model Vehicle Model Code Includes Years Line TRUCKS AND BUSES (80-83, 85-88) <u>V13</u> Brockway (80) Diamond Reo or Reo (81) Freightliner or White Freightliner (82) <u>FWD</u> (83) Kenworth (85 Mack (86) Peterbilt (87) White (88) <u>V14</u> Motor Home 80 81 Medium/Heavy: CBE 82 Medium/Heavy: COE, low entry 83 Medium/Heavy: COE, high entry Medium/Heavy: unk. engine location 84

+Use code "85" (Bus) if the frontal plane or the engine location is unknown.

Medium/Heavy: COE, unk. entry position

Bus: conventional (engine out front)

Bus: flat front, front engine

Bus: flat front, rear engine

Other (truck)

(Unknown Model)

#### International Harvester (84)

+85

86 87

88

90 99

71	Scout	Scout II, Utility Pickup, SS-2, Roadstar, Terra Traveltop, 800 Series, Traveler
73	Pickup/Panel	R100, 900A-1500C, 1000D-1500D, 1010-1510, 100-500
75	Multistop	Metro RM 120-160, MS1210, MS1510
76	Travellall	1010-1210, 100-200
78	Other (light truck)	
80	Motor Home	1310 MHC, 1500 MHC
81	Medium/Heavy: CBE	Loadstar/Fleetstar, Paystar, CBE Transstar (4200), S-Series, Mixer
82	Medium/Heavy: COE, low entry	CO, VCO, DCO (190-1950), Cargostar, LFM 5370 (Garbage)
83	Medium/Heavy: COE, high entry	DCO, DCOT, UCO, VCOT, (405 Series), COE Transstar, Unistar, Conco 707B, 9600 Series
84	Medium/Heavy: unk. engine location	

Model Code	Vehicle Line	Includes	Model <u>Years</u>	
Intern	ational Harvester (84	) (cont'd.)		
85 86	Bus: Conventional Bus: flat front, front engine	R153-1853, Loadstar 1603-1853 173 FC, 183 FC		
87	- U	183RE, 193RE, (transit)		
88 90		Fire Truck - R140-R306, CO 8190		
99	Unknown			
<u>Other</u>	(Truck or Bus) (95)			
01 02 03 04 05 78 88	Autocar Auto-Union-DKW Divco Western Star IVECO/MAGIRUS Other (light truck)* Other (truck+)	e.g., Oshkosh, Grumman)		
Other make (98)				
97 99	Other (e.g., snowmob Unknown**	ile, go-cart)		

- Use code "88" (other (truck)) if the vehicle's GVWR is unknown.
- Occurs when make is not explicitly listed and it is unknown whether make is domestic or import.
- Truck as used here includes (1) any truck of unknown GVWR, (2) medium or heavy trucks, and (3) buses.
- Farm tractors must be coded as make "98" and model "97" regardless of whether the model is known

## ACCIDENT FORM

\_\_\_\_\_

	Flat	SAS
Variable	File	File
A16 - A17	"9"	".N"
A18 +	"99"	".N"
A19 - A20	"9"	".N"
ATT	"9"	".N"
ADJ	"O1"	".N"

## FEDESTRIAN AND NONMOTORIST FORM

-----

	Flat	SAS
Variatle	File	File
₽⊕	" - 0 "	".N"
F10	11 Q 14	".N"
Fii	"Ģ9"	".N"
P12	"999"	".N"
F13	11.00	".N"
P14	"9"	".N"
P15	"OO"	"00"
	# <del></del>	"-N"
P20	# <b>9</b> //	".N"
FP1 - FPP	"99"	".N"
F2T	1 Q 11	".N"
P31 - P35	()	"O"
FC6	9 (37° 0	"•••"
F17	"()"	"O"
F38	"Qiri"	"OO"
F39 - F78	'Elant"	"." or "Blank"
F79	" <del>o</del> "	".N"
F80	*******	"00"
P81 - F82	" Ç "	".N"
P83 - F84	" 77"	".N"
MAIS, ISS	" O "	"O"

#### APPENDIX C

#### FILE ADJUSTMENTS

Number of Teams and Data Collection Period:

A total of 31 PSU's investigated cases and collected data during 1987. "Six of them collected 1987 data for nine months, eight collected data for eight months, eight collected for seven months and nine for three months. The remainder of the time was spent in training for the 1988 system, testing forms and procedures and investigating cases according to the 1988 protocol.

Data Elements not Encoded in 1987:

The 1987 Crashworthiness Data Subsystem used forms from the 1986 Continuous Sampling Subsystem on which only the date had been changed. However, due to the change in focus under the new system, many existing variables were no longer collected. These included environmental variables on the accident form, almost all variables on the pedestrian-renmotorist form, all variables on the vehicle form dealing with vehicle types other than passenger cars. Light trucks or vans and almost all variables on the driver form. In most cases the investigators were instructed to code a "9" in these variables and a "0" in the pedestrian injury (OIC) variables. The numeric variables which were coded "9" were recoded as ".N" (Not Collected) on the SAS file. Ording conventions for all "Not Collected" or partially collected variables are included on the following pages:

## VEHICLE FORM

\_\_\_\_\_

	Flat	SAS
Variable	File	File
V15	"9"	".N"
V19	"71"	"71"
*	"99"	".N"
V20 - <b>V</b> 23	"O"	"-N"
	"9"	".N"
V24. V25, V27	"5"	".N"
V28	"O"	"O"
	"8"	"8"
	"9"	".N"
V29 - V35	" <del>(</del> " "	"O"
	11 <b>9</b> 11	".N"
V36, V37	"OOO.	"ŌŎO"
	" <b>9</b> 09"	".N"
VI8. VI9	"0"	"Õ"
	n à n	".N"
V65. V83	"9"	".N"

## DRIVER FORM

\_\_\_\_\_

	Flat	SAS
Varistle	File	File
D10	"Elan!"	"•"
	<b>"</b> 99 "	".N"
D11. D12	"Plan!"	" . "
	"950"	".N"
D13 - D18	"Plank"	". "
	"9"	".N"
DD1 - DDD	"Blan!"	11 _ H
	"99"	".N"
D26 - D37	"Blank"	
	"9"	".N"
D34. D35	11 Q 11	".N"
D36	"òė»	".N"
DI7	"7"	".N"
D08	"599"	".N"
D39	"9"	".N"
DAO	"09"	".N"
D41 - D46	"9"	".N"
D47	" 99"	".N"
D48	"999"	".N"
D49	" 99"	".N"
D50 - D52	"Ģ"	".N"
D54	"9"	".N"
D55	"99"	".N"
D56, D57	" <del>"</del>	".N"
D58	"99"	".N"

#### AFFENDIX D

#### CDC/TDC AND DELTA-V

This section gives an overview of the Collision Deformation Classification (C.D.C.) for cars. vans, and light trucks. per SAE J224 MAR 84 is the 1987 NASS. The C.D.C. codes contain eight characters. If there is no C.D.C., these codes are left blank. If there is a C.D.C., these codes are as follows:

Direction of Force (2-character numeric). Sum of Clock Direction and Incremental Value of Shift if both are known. If either is unknown, direction of force is coded "99".

Clock Direction is coded as follows:

OO	Non-horizontal force	07	7 o'clock
0.1	1 o'clock	08	8 o'clock
02	2 ciclock	09	9 o'clock
$C \subseteq$	T office)	10	10 ofclock
ΩÇ	4 o'clock	1 1	11 o'clock
05	5 o'clock	12	12 o'clock
06	6 o`clcc	64	Unt nown

Incremental Value of Shift i.e., change in direction of the structure as opposed to crushing of the structure. It is coded as follows:

- (b) No shift
- 2) End shift vertical--up: top shift forward
- 40 End shift vertical--down; top shift rearward
- 40 End or too shift lateral--right
- 80 End or top shift lateral--left
- 99 Uricun

Deformation Location (4 character alphanumeric) is coded as follows:

- F Front
- R Right side
- L Left side
- B Back (rear)
- qoT T
- U Undergarriage
- 9 Unknown

Specific Longitudinal or Lateral Location (1 character alphanumeric) is coded as follows:

- D Distributed--side or end
- L Left--front or rear
- C Center--front or rear
- R Right-Front or rear
- F Side front--left or right
- P Side center section—L of R
- B Side rear--left or right
- Y Side (F + F) or end (L + C)
- 7 Side (P + B) or end (C + P)
- 9 Unlinewa

Specific Vertical or Lateral Location (1 character alphanumeric) is coded as follows:

Vertical - Front. Fear. or Side Impacts

- A All
- H Top of frame to top
- E Everything below belt line
- G Felt line and above
- M Middle--top of frame to belt line or hood
- L Frame--top of frame, frame, bottom of frame (including undercarriage)
- W Below undercarriage level (wheel and tires only)
- 9 Uninswn

Lateral - top and Undercarriage Impacts

- D Distributed
- L Left
- C Center
- R Right
- Y Left and Center (L + C)
- Z Right and Center (R + C)
- 9 Unknown

Type of Damage Distribution (1 character alphanumeric) is coded as follows:

- W Wide impact area
- N Narrow impact area
- S Sideswipe
- O Rollover (including side
- A Overhanging structure

- E Corner
- k Conversion in impact type-
- U No residual deformation
- R Override
- 9 Unknown

Deformation Extert Guide (2 character alphanumeric) is coded as follows:

- 01 One
- OF TWO
- 03 Three
- 04 Form
- 05 File

- 05 91%
- 07 Seven
- 08 Elaht
- 09 Nine
- 99 Uninewn

Delta V.

Delta-Use defined as the vector velocity change during the collision phase of an accident, or in a simple accident, as separation velocity minus approach velocity:

DELTA-V = V separation - V approach

The direction of the vector is determined by the investigator as the direction of principal force. For each vehicle, the components of its Delta-M are obtained by projecting on the longitudinal and lateral axis of that vehicle.




Figure D-1 shows the positive direction of the longitudinal and lateral components of Delta-V. For example, in a head-on collision, a vehicle is decelerated and the initial high positive longitudinal velocity is reduced; thus it will have a negative longitudinal De ta-V.

#### APPENDIX E

#### SELECTED COUNTS

Users of the NASS Analysis file occasionally have requested that the manual include total counts for certain NASS statistics. These counts may help assure that the users are accessing the desired NASS tape. Further, such counts help to identify the source of apparent anomalies.

For this edition of the User's Manual, the following counts have been identified as potentially the most useful:

- . Total Number of Accident Records 2,706
- . Total Number of Pedestrian Records 26
- . Total Number of Vehicle Records 4,633
- . Total Number of Driver Records 4.633
- . Total Number of Occupant Records 7.430
- . Total Number of Accident Records with neither Occupants nor Pedestrians -
- . Total Number of Accident Records with at least One Pedestrian but no Occupants -
- . Total Number of Vehicle Records with at least One Occupant but no Driver 12
- . Total Number of Vehicle records with no Occupant Record -

#### APPENDIX F - FSU DEMOGRAPHIC DATA

- (1). PSU Codes
- (2). PSU Description
- (3). Population (1980 % 1970)
- (4). Land Area(Square Miles)
- (5). Fopulation (by Age Group)
- (6). Means of Transportation to Work
- (7). Travel Time to Work

Demographics data on the 31 PSU's are included to give researchers supplementary information on the nature of the PSU's when analyzing NASS data. The 1980 and 1970 population figures are from the decennial censuses. The land area figures are from the County and City Data Book 1977. The figures on age distribution of the population in 1980 are from Tables 115 and 171, entitled "Gazeral Social and Economic Characteristics". The figures pertaining to means of transportation and travel time to work are from Tables 118 and 174 of the same report.

## PRIMARY SAMPLING UNIT (PSU) CODES AND DESCRIPTION

VALUES ====== 01, 31, 34	STRATA ===== 1	DESCRIPTION ========= Central City, one of the 10 largest 1970 SMSA's
51, 63, 78, 85	2	Central city, one of the 11th - 60th largest 1970 SMSA's
09, 28, 32, 79	3	Suburban, one of the 17 largest 1970 SMSA's: low gas sales
06. 37. 33. 61	4	Suburban, one of the 17 largest 1970 SMSA's: high gas sales
10. 33. 52. 56. 80	5	Suburban. one of the 18th - 60th largest 1970 SMSA's, or PSU within 61st - 119th largest SMSA's not containing a central city
04. 57. 87	Ś	PSU within 61st - 119th largest SMSA's containing a central city
02. 30. 55. 58	7	PSU containing towns with 1977 population over 19.718; low gas sales
11. 26. 81	8	PSU containing towns with 1977 population over 19.718: high gas sales
5.4	0	FSU with no town with 1977 population over 19,718: low gas sales

#### POPULATION

PSU	1980	1970	LAND AREA
rsu	1.0		
P01	3005078	3369357	223
P02	157589	157426	501
F:04	450449	445589	642
F05	522965	546253	513
F-0.9	1174552	1156305	467
F10	280026	231335	554
F11	7647 <b>4</b> 8	204100	771
F:25	158158	141241	1141
P28	555007	603456	184
F30	7 <b>27</b> 908	243131	454
PD1	1 588210	1949996	129
FC2	1026147	1085044	<b>67</b> 3
PII	81974	87120	197
F-T-4	2270976	2602012	70
F37	647621	624080	496
FTB	737822	7087 <b>6</b> 0	944
P5:	274602	246463	56
P52	107503	65993	1438
F:54	107222	119893	1031
F:55	137541	116029	1333
P56	1278916	932933	2008
F57	319694	276293	508
P58	T01T27	229006	358
F 5 1	65231 <i>6</i>	483294	589
F & D	904074	844401	270
F78	<b>39</b> 70 <b>38</b>	389455	335
F'79	656180	555805	715
F:80	374194	235572	931
P81	9055 <i>4</i>	60827	9983
F85	473846	530831	84
F'87	531440	351667	9240

## FOPULATION BY AGE GROUP (1980)

P·SU	UNDER 5	5 TO 9	10 TO 14	15 TO 19	20 TD 24
P01	231181	224889	237173	268201	294060
P02	12460	12664	13504	15949	13839
P:04	35990	37931	41977	<b>459</b> 07	43818
P06	44372	43382	45081	51082	48654
F09	76380	B3347	94403	107570	105764
F110	20048	22879	27981	29561	20640
F:11	17143	17053	18338	27587	43336
P26	9584	10276	13384	14979	13805
P28	32902	33554	42946	53879	51317
P30	13169	14188	16910	19730	18592
FC1	107673	109479	131005	151503	162120
PDD	56842	62913	78991	88524	84170
P33	4550	5538	7153	7232	4974
PB4	174080	161804	175955	192855	192876
P37	36137	40527	50219	58755	54051
F38	52204	55492	67716	76732	79478
P51	12615	17539	16056	19154	22455
P52	8981	9298	9332	9976	9298
P54	9484	10719	12117	12653	10672
P55	9729	10599	10137	15116	18277
F:56	74216	27200	91897	109826	104576
P57	19651	21140	27551	30217	35757
P58	18599	20931	23829	30119	35003
F61	52275	56302	59510	61574	59057
Po7	56545	64556	67227	77012	102616
F78	T086T	30083	32184	37568	39195
P79	44078	45079	54279	60085	52500
F:80	26465	29978	33718	35310	30815
F:81	8158	7779	7980	8235	9023
P85	24179	21106	24208	35215	59233
F87	37779	37586	39853	48720	56920

## FORULATION BY AGE GROUP (1980) CONT.

P02       12982       27824       31523       16         P04       ◆37978       86480       84554       3         P06       43884       97060       107884       4         P09       98794       213262       250933       10         P10       20151       63151       55008       26         P11       32757       53693       38149       1         P26       12589       31325       31739       26         P28       44024       94170       130934       7         P30       16138       37177       54780       3         P31       141378       284943       363157       23         P32       82229       187039       253672       13         P33       186722       415705       452338       27         P34       186722       415705       452338       27         P37       50129       122915       149962       8         P38       72495       169743       123628       4         P51       21679       47637       61779       5         P52       9210       23139       18801       6	1279 6844 5814 5556 4079
P04         \$37978         86480         84554         337978           P06         43884         97060         107884         48           P09         98794         213262         250933         10           P10         20151         63151         55008         26           P11         32757         53690         38149         1           P26         12589         31325         31739         26           P28         44024         94170         130904         7           P30         16138         37177         54780         3           P31         141378         284940         363157         23           P32         82229         187039         253672         13           P33         186722         415705         452338         27           P34         186722         415705         452338         27           P37         50129         122915         149962         8           P38         72495         169743         123628         4           P51         21679         47637         61779         5           P52         9210         23139         1880	58 <b>14</b> 5556 4079 9907
P06         43884         97060         107884         48           P09         98794         213262         250933         10           P10         20151         63151         55008         20           P11         32757         57690         38149         1           P26         12569         31325         31739         20           P28         44024         94170         150934         7           P30         16138         37177         54780         3           P31         141378         284940         363157         25           P32         82229         187039         253672         13           P37         5372         16325         20461         10           P34         186722         415705         452338         270           P37         50129         122915         149962         80           P38         72495         169743         123629         40           P51         21679         47637         61779         50           P52         9210         23139         18801         6	5556 4079 0907
P09         98794         213262         250933         10           P10         20151         63151         55008         20           P11         32757         53693         38149         10           P26         12569         31325         31739         20           P28         44024         94170         130934         7           P30         16138         37177         54780         3           P31         141378         284943         363157         23           F32         82229         187039         253672         13           P33         5372         16325         20461         10           P34         186722         415705         452338         270           P37         50129         122915         149962         80           P38         72495         169743         123628         40           P51         21679         47637         61779         50           P52         9210         23139         18801         6	4079 0907
P10         20151         63151         55008         26           P11         32757         53693         38149         1           P26         12569         31325         31739         26           P28         44024         94170         130934         7           P30         16138         37177         54780         3           P31         141378         284943         363157         23           F32         82228         187039         253672         13           P33         5272         16325         20461         16           P34         186722         415705         452338         276           P37         50129         122915         149962         86           P38         72495         169743         123628         46           P51         21679         47637         61779         57           P52         9210         23139         18801         6	0907
P11       32757       53693       38149       1         P26       12569       31325       31739       2         P28       44024       94170       130934       7         P30       16138       37177       54780       3         P31       141378       284943       363157       23         F32       82229       187039       253672       13         P33       572       16325       20461       1         P34       186722       415705       452338       27         P37       50129       122915       149962       8         P38       72495       169743       123628       4         P51       21679       47637       61779       5         P52       9210       23139       18801       6	
P26         12569         31325         31739         20           P28         44024         94170         130934         7           P30         16138         37177         54780         3           P31         141378         284943         363157         23           F32         82229         187039         253672         13           P37         572         16325         20461         10           P34         186722         415705         452338         270           P37         50129         122915         149962         80           P38         72495         169743         123628         40           P51         21679         47637         61779         50           P52         9210         23139         18801         60	
P28         44024         94170         130934         7           P30         16138         37177         54780         3           P31         141378         284943         363157         23           P32         82229         187039         253672         13           P33         5272         16325         20461         16           P34         186722         415705         452338         27           P37         50129         122915         149962         8           P38         72475         169743         123628         40           P51         21679         47637         61779         50           P52         9210         23139         18801         0	5672
P30         16138         37177         54780         3           P31         141378         284943         363157         23           P32         82229         187039         253672         13           P33         5272         16325         20461         16           P34         186722         415705         452338         27           P37         50129         122915         149962         8           P38         72475         169743         123628         40           P51         21679         47637         61779         50           P52         9210         23139         18801         0	34 97
FIG1     141378     284943     363157     23       FIG2     82228     187039     253672     13       FIG3     5372     16325     20461     16       FIG4     186722     415705     452338     27       FIG7     50129     122915     149962     86       FIG8     72495     169743     123628     46       FIG9     9210     23139     18801     6	1231
F32     82228     187039     253672     13       F37     5772     16325     20461     16       F34     186722     415705     452338     27       F37     50129     122915     149962     86       F38     72495     169743     123628     46       F51     21679     47637     61779     56       F52     9210     23139     18801     6	7224
PGT         5072         16025         20461         19           PG4         186722         415705         452338         279           PG7         50129         122915         149962         89           PG8         72495         169743         123628         49           PS1         21679         47637         61779         59           PS2         9210         23139         18801         9	5951
FG4     186722     415705     452338     270       FG7     50129     122915     149962     80       FG8     72495     169743     123629     40       FS1     21679     47637     61779     50       FS2     9210     23139     18801     0	1748
PG7     50129     122915     149962     84       PG8     72495     169743     123628     44       PS1     21679     47637     61779     54       PS2     9210     23139     18801	0269
PIS     72475     169743     123628     40       P51     21679     47637     61779     50       P52     9210     23139     18801     0	36.21
F51     21679     47637     61779     5       F52     9210     23139     18801	7976
F52 9210 23139 18801	)7.34
721	7638
E.E.A. 4.570E 577E4 90770	7458
FF4 10705 26654 28330 1	52B8
P55 10174 20615 24540 1	3354
F56 99885 246046 273887 19	5787
F57 18818 62342 62441 3	5777
FISE 20744 67190 52626 2	2086
F61 57129 157083 108001 C	5382
F57 99079 175177 156751 8	5211
P78 37978 74655 73099 4	1408
F79 53584 148569 137244 6	0562
F80 06126 90142 66094 2	2246
F81 7002 15451 16772	9824
P85 59783 96696 97826 7	<b>5</b> 040
P87 49894 97917 100880 6	1894

## MEANS OF TRANSPORTATION TO WORK

	MEANS OF TRANSPORTATION TO WORK							
				~				WORK
	FRIVATE		MOTOR-	FUBLIC	BI-			AT
PSU	CAR	OR VAN	CYCLE	TRANSIT	CYCLE	WALKING	OTHER	HOME
P01	661571	30691	492	385792	2114	93590	6067	11037
F02	45826	9209	176	542	158	2013	295	908
P04	131665	<b>24404</b>	202	1781	137	4258	610	1502
F05	163295	21959	205	6506	261	8499	731	1709
F'05	394306	46325	228	9937	993	11630	1661	3443
F10	110643	12811	330	1746	428	4732	544	2737
F11	89976	11546	195	4848	1127	13732	673	2890
F25	48744	7289	218	1705	236	5090	669	2007
P28	176075	14385	220	31823	652	13537	1153	3358
PBO	69585	5576	46	3375	43	7909	398	1384
P31	327866	19725	693	183432	2531	64005	2840	7294
PE2	317743	37129	360	51675	237	21941	1791	4730
PII	29419	3385	107	9188	139	1051	84	499
F-7.4	212075	10761	440	493236	1894	72149	3702	7 <b>9</b> 97
F77	240110	20784	545	19097	1080	15560	1191	5959
FIS	181616	31894	1263	36697	1035	12007	1726	4286
F:51	93207	12015	920	3782	1420	4857	1184	1950
F'52	31266	9459	149	147	21	1129	250	453
F <sup>.</sup> 54	45568	11119	100	278	18	1845	430	820
F55	T9462	9920	160	423	185	1892	284	444
F56	467193	47749	5108	27127	4235	17699	3195	6916
F:57	197340	18751	405	4742	167	5045	539	1745
F:58	122422	15836	587	4044	582	5330	984	2409
P61	251114	55952	2304	3870	507	5390	1730	4186
F'67	149802	46521	1468	37771	688	10846	2232	5739
F 78	141523	19250	520	11255	258	<b>8</b> 050	660	3137
F-20	217141	3573 <b>1</b>	2294	25794	1625	6851	3684	5634
F20	141541	27475	723	7909	537	4380	1025	3738
F'E 1	19850	8.758	851	593	554	2893	582	547
F'95	149979	17874	1595	47695	J120	19562	1742	5142
F'87	151229	40899	5107	6671	3928	<b>27</b> 33	1773	4549

## TRAVEL TIME TO WORE (IN MINUTES)

		1.111422 12112 1	O WC100 1111111	111401237	
	LESS				45 AND
F'SU	THAN 10	10 TO 19	20 TO 29	30 TO 44	OVER
F01	82020	227900	215965	329788	323755
FOR	10908	26382	12891	5823	2450
F:04	22460	62152	4 <i>E</i> 992	25037	6884
F06	27011	52180	48837	41782	21004
FO9	62112	145299	114940	103940	38361
F10	24013	41526	72681	24727	9022
F'11	23121	49751	25439	15066	9782
F26	17550	21932	17080	9153	6450
F128	29714	66495	47815	50025	42254
FIO	17218	38527	17233	9595	5216
F31	48001	129282	116974	159994	145474
FIG.2	54103	126240	92373	96897	50 <b>84</b> 5
FIT.	5237	17576	7901	6022	2020
FT4	40190	101641	78442	180685	384253
FIT	51774	102725	58015	50663	36077
F.38	\$1050	76557	76133	98693	85650
F 5 1	13178	47675	24463	21497	9960
F-5.2	e797	9500	5585	10812	9155
F 54	11308	24295	12363	7 <b>59</b> 3	4137
F:55	8726	27546	9590	57.78	4041
F:56	50751	165707	175519	140383	64132
P57	15980	48441	77451	28795	10971
P58	21024	56955	79797	24927	7966
P61	47847	100570	78259	76310	72532
F67	42477	172579	:15744	111585	47360
F/78	7,7774	74814	47999	21901	<b>6</b> 911
F-79	5613°	87471	53467	57732	52725
PB0	20725	40970	46967	45734	20639
P31	10777	177 )5	7851	3281	1482
P95	29 50	82557	61333	46972	21055
F:87	31065	7548±	51118	40649	17205