

---

# Program Memorandum Intermediaries/Carriers

---

Department of Health &  
Human Services (DHHS)  
Centers for Medicare &  
Medicaid Services (CMS)

Transmittal AB-03-053

Date: MAY 2, 2003

---

## CHANGE REQUEST 2615

**SUBJECT: Availability of Online Screens for the Laboratory National Coverage Determinations (NCDs)**

In a final rule published in the *Federal Register* dated November 23, 2001, (66 FR 58788) Medicare promulgated 23 NCDs for clinical diagnostic laboratory services. In Program Memorandums (PMs) AB-02-110 and PM AB-02-110A, Change Request 2130, dated July 31, 2002, we provided a national electronic automated edit module to be used in the processing of claims for laboratory services associated with the 23 NCDs. The edit module applies the NCDs and ensures that laboratory claims are processed consistently throughout the country.

As part of our soliciting comments on the specifications for the NCD laboratory edit module, several contractors requested an online version of the edit module so that their staff could review the logic and narrative of the laboratory edits. In response to those comments, we have instructed Computer Science Corporation to develop an online version of the edit module for use by our contractors.

The online screens for the laboratory edit module will be available for contractors to download from the CMS data center using connect:direct beginning April 1, 2003. The shared system maintainers will incorporate the screen into their systems in a manner that will allow for optional use by the local contractors. Use of the online screens at the local contractors is voluntary. The development of the online screens was made at the request of several contractors and is not mandatory for claims processing. The functional specifications for the online inquiry module is attached.

The online screens will utilize information from the edit tables that are used in the edit module software. Thus, when the edit tables are updated quarterly, the screens will access the updated information without any further action on the part of contractors.

**The *effective date* for this PM is October 1, 2003.**

**The *implementation date* for this PM is October 1, 2003.**

**These instructions should be implemented within your current operating budget.**

**This PM may be discarded after March 31, 2004.**

**If you have any questions, contact Jackie Sheridan-Moore at 410-786-4635.**

Attachment

---

# National Coverage Determinations Edit Module Online Inquiry

## Specification *Version 1.0*

February 26, 2003

*Document Control Number NCD-1141*

Prepared by:

ViPS Inc.  
One W. Pennsylvania Ave.  
Towson, Maryland 21204  
(410) 832-8300

## Table of Contents

<b>1</b>	<b>INTRODUCTION.....</b>	<b>4</b>
1.1	BACKGROUND.....	4
1.2	PURPOSE.....	4
<b>2</b>	<b>FUNCTIONAL OVERVIEW .....</b>	<b>4</b>
<b>3</b>	<b>TECHNICAL DESCRIPTION.....</b>	<b>5</b>
3.1	ENTRY TO THE PROGRAM.....	5
3.2	COMMUNICATIONS AREA.....	5
3.3	SCREEN DESCRIPTIONS.....	6
3.3.1	<i>Option 1</i> .....	7
3.3.2	<i>Option 2</i> .....	7
3.3.3	<i>Option 3</i> .....	8
3.3.4	<i>Option 4</i> .....	8
3.4	PROGRAM NAVIGATION .....	9
3.5	EXITING THE PROGRAM.....	9

## Table of Tables

Table 1: NCD Online Table Entry Methods.....	5
Table 2: NCD On-line Screen Navigation.....	9
Table 3 - PPT Entries.....	9
Table 4 - PCT Entries.....	10
Table 5 - Load Modules.....	10

## Introduction

### Background

The Centers for Medicare & Medicaid Services (CMS) issued a Program Memorandum AB-02-030 containing the instructions for 23 National Coverage Determinations (NCDs) that were included in a final rule published in the Federal Register (66 FR 58788). To meet the requirements of this Program Memorandum, an edit module was developed and implemented by all standard systems in January 2003. The design consisted of an edit module and a table module for diagnosis-to-procedure edits for each NCD.

The ability to view the diagnosis-to-procedure table was not included in the original edit module. This document describes the on-line process that will allow the Medicare standard systems and contractors to view the diagnosis-to-procedure table for assistance in resolution when errors occur in processing claims with NCD codes.

### Purpose

The need exists for contractors to be able to view the contents of the NCD edit table in order to better answer questions about the specifics and resolve errors that may occur in the NCD module edits. This module will allow users to view the contents of the NCD edit table in several different ways.

## Functional Overview

The NCD online inquiry module will allow the standard systems and the contractors access to the NCD edit table that is used by the NCD Edit Module. This online module will contain the following screens:

- A main screen that will allow for inquiring into the NCD edit table in several ways.
- A screen that will display all the diagnosis codes for a procedure code/date of service.
- A screen that will display all the diagnosis codes for a specific procedure code, along with their effective dates.
- A screen that will display all the procedure codes in the table, along with their effective dates

Technical Description

The NCD online inquiry module will be a mainframe-based CICS system. The program ID will be VNCXX101, and the CICS transaction ID will be VNCD.

Entry to the Program

The NCD online inquiry program will allow entrance using the two (2) methods described in Table 1. The method used is completely at the discretion of the standard system.

**Table 1: NCD Online Table Entry Methods**

Method	Description
Option 1 – Direct Entry	Enter transaction “VNCD” on a blank CICS screen.
Option 2 – START from another program	Issue a CICS “START” command from another program. Example: EXEC CICS START TRANSID      (START-TRANID) FROM         (W S-NCD-COMMAREA) LENGTH       (LENGTH OF WS-NCD-COMMAREA) TERMINAL      (EIBTRMID) END-EXEC.

Communications Area

STARTing the program will require specific information in the communications area. Copybook VNCCA101 will be provided and will contain the following information:

```
*
*   COMMUNICATIONS AREA COPYBOOK FOR PROGRAM VNCXX101
*
01  (*) -NCD-COMMAREA .
    05  (*) -PROC-CODE           PIC X(05) .
    05  (*) -DIAG-CODE          PIC X(05) .
    05  (*) -DATE-OF-SERVICE    PIC S9(07) COMP-3 .
    05  (*) -RETURN-TRANID      PIC X(04) .
    05  FILLER                   PIC X(82) .
```

The calling program should populate the communications area as follows before the START command is executed:

- Proc code – a valid procedure code – optional (required if diag code entered)
- Diag code – a valid diagnosis code - optional
- Date of service – optional
- Return tranid – transaction id that is to be started after exiting VNCXX101.

### Screen Descriptions

If the program is entered directly from CICS, the following screen will be displayed:

```

                                NCD EDIT MODULE
                                DISPLAY TABLE
                                VNCM101

PROCEDURE CODE ===>  _____
DIAGNOSIS CODE ===>  _____
DATE OF SERVICE ===>  ____ / ____ / ____
                        (MM / DD / YYYY)
RESPONSE ===>

NCD MODULE DATE: 11/21/02 14:20
CLEAR - EXIT
```

The user will enter one or more fields to inquire into the NCD edit table, or leave all fields blank to display the entire table.

If the program was started with a START, the screen above will be bypassed. Data will be passed to the program in the communications area described above. It will contain the same fields as are on the screen, and the program will continue in the same manner as when the fields are entered on the screen.

Either on the initial screen or in the communications area, all fields may be left blank, or any combination of fields may be entered, with the exception that if a diagnosis code is entered, a procedure code must also be entered. The actions described in sections 0- 0 will be taken based on the data entered.

Option 1

If the data entered on the initial screen is a procedure code, diagnosis code, and date of service, but the date of service is not entered, the current date is used. The program reads the NCD table and displays the appropriate response for that procedure/diagnosis combination.

```

02/20/03          NCD EDIT MODULE          VNCM101
11:32:41          DISPLAY TABLE

PROCEDURE CODE ===> 87088

DIAGNOSIS CODE ===> 0042

DATE OF SERVICE ===> 04 / 01 / 2003
                    (MM / DD / YYYY)

ACTION ===>        4 - DENY LIST 3

NCD TABLE DATE: 02/20/03 07.46
CLEAR - EXIT
    
```

Option 2

If the data entered on the initial screen is a procedure code and the date of service and the diagnosis code is not entered, the program will display all of the diagnosis codes in the lists related to that procedure code, which are effective on the date of service. The codes will be shown under the following headings:

- List 1 – Covered Diagnoses
- List 2 – Diagnoses Non-Covered by Statute
- List 3 – Diagnoses Not Medically Necessary

```

02/20/03          NCD EDIT MODULE          VNCM102
11:45:49          DISPLAY TABLE          PAGE: 01
PROCEDURE CODE: 87088
DATE OF SERVICE: 04/01/2003
---- LIST 1 COVERED DIAGNOSES ----
0031      0380      03810-03811  03819      0382      0383
03840-03844  03849      0388      0389      2762      2764
2866      2880      2888      30653     30659     51882
570       5800      5804      58081     58089     5809
5830      5831      5832      5834      5836      5837
58381     58389     5839      5845      5849      585
586       59000-59001  59010-59011  5902      5903      59080-59081
5909      5920      5921      5929      5930      5931
5932      5933      5934      5935      5936      59370-59373
59381-59382  59389     5939      5940      5941      5942
5948      5949      5950      5951      5952      5953
5954      59581-59582  59589     5959      5970      59780-59781
59789     59800-59801  5990      5997      6000      6001
6002      6003      6009      6010      6011      6012
6013      6014      6018      6019      6020      6021
6022      6023      6028      6029      6040      60490-60491

CLEAR-EXIT      PF3-RETURN      PF7-BACK      PF8-FORWARD
    
```

Option 3

If the data entered on the initial screen is a procedure code, and the diagnosis code and date of service are not entered, the program displays all of the diagnosis codes with their effective dates related to that procedure code.

```

02/20/03                NCD EDIT MODULE                VNCM103
11:50:00                DISPLAY TABLE                PAGE: 10
PROCEDURE CODE:  87088
DATE OF SERVICE: ALL

DIAGNOSIS CODES  ACTION          EFFECTIVE DATE    TERMINATION DATE
7806              0 - APPROVE      11/25/2002
78079             0 - APPROVE      11/25/2002
7809              0 - APPROVE      11/25/2002        12/31/2002
78099             0 - APPROVE      11/25/2002
7850              0 - APPROVE      11/25/2002
78550 - 78551    0 - APPROVE      11/25/2002
78559             0 - APPROVE      11/25/2002
7880              0 - APPROVE      11/25/2002
7881              0 - APPROVE      11/25/2002
78820 - 78821    0 - APPROVE      11/25/2002
78829             0 - APPROVE      11/25/2002
78830 - 78837    0 - APPROVE      11/25/2002
78839             0 - APPROVE      11/25/2002
78841 - 78843    0 - APPROVE      11/25/2002
7885              0 - APPROVE      11/25/2002
78861 - 78862    0 - APPROVE      11/25/2002
CLEAR-EXIT      PF3-RETURN      PF7-BACK        PF8-FORWARD
    
```

Option 4

If no data is entered on the initial screen, or only the date of service is entered, a list of all the procedure codes in the table will be displayed. If a date of service was entered, only those procedure codes that are effective in the NCD edit module on the date of service will be displayed. To display diagnosis codes for a procedure code on the screen, the user may enter ‘S’ next to a procedure code, and the VNCM103 screen will be displayed, as pictured in section 0 above.

```

02/20/03                NCD EDIT MODULE                VNCM104
11:49:23                DISPLAY TABLE                PAGE: 03
DATE OF SERVICE: ALL

S  PROCEDURE CODE    EFFECTIVE DATE    EXPIRATION DATE
-  85014              11/25/2002
-  85018              11/25/2002
-  85021              11/25/2002        03/31/2003
-  85022              11/25/2002        03/31/2003
-  85023              11/25/2002        03/31/2003
-  85024              11/25/2002        03/31/2003
-  85025              11/25/2002
-  85027              11/25/2002
-  85031              11/25/2002        03/31/2003
-  85048              11/25/2002
-  85590              11/25/2002        03/31/2003
-  85595              11/25/2002        03/31/2003
-  85610              11/25/2002
-  85730              11/25/2002
-  86300              11/25/2002
-  86301              11/25/2002
CLEAR-EXIT      PF3-RETURN      PF7-BACK        PF8-FORWARD
    
```



Program Navigation

Table 2 contains the methods used to navigate through the NCD on-line screens.

**Table 2: NCD On-line Screen Navigation**

If key selected is...	Then
Clear	The <CLEAR> key will terminate the program from any screen.
PF3	The <PF3> key will return to the previous screen. If there is no previous screen, the program ends.
PF7	The <PF7> key will page to the previous screen of data.
PF8	The <PF8> key will page to the next screen of data.

Exiting The Program

When the program ends, control will be returned to CICS (if entered directly from CICS) or to the STARTing program, depending on the method that started the on-line process. If the program was STARTed from another program, the RETURN-TRANSID will be started with a START command.

Installation Procedures

The load modules are delivered to the CMS data center for retrieval by the standard system data centers. The modules are in a partitioned dataset and the load modules have a block size of 6144 and RECFM=U.

If a START command will be used to enter VNCXX101, install the communications area copybook in the programs that will start the module. This communications area is described in section 0 above.

Install the PPT entries for CICS modules

Table 3 contains the PPT entries to be added.

**Table 3 - PPT Entries**

Program ID	Language	Usage
VNCXX101	COBOL	
VNCM101	ASM	MAP
VNCM102	ASM	MAP
VNCM103	ASM	MAP
VNCM104	ASM	MAP

Install the PCT entry for the CICS module

Table 4 contains the PCT entries to be added.

**Table 4 - PCT Entries**

Transid	Program
VNCD	VNCXX101

Install the load modules in the load library

Table 5 contains the load modules to be installed.

**Table 5 - Load Modules**

Program ID
VNCXX101
VNCM101
VNCM102
VNCM103
VNCM104