VITAL STATISTICS OF THE UNITED STATES

1976

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
OFFICE OF HEALTH RESEARCH, STATISTICS, AND TECHNOLOGY
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1979

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis*
GAIL F. FISHER, Ph.D., *Associate Director for the Cooperative Health Statistics System*
ROBERT A. ISRAEL, *Acting Associate Director for Data Systems*
JAMES T. BAIRD, JR., Ph.D., *Associate Director for International Statistics*
ROBERT C. HUBER, *Associate Director for Management*
MONROE G. SIRKEN, Ph.D., *Associate Director for Mathematical Statistics*
PETER L. HURLEY, *Associate Director for Operations*
JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*
PAUL E. LEAVERTON, Ph.D., *Associate Director for Research*
ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
ALICE M. HETZEL, *Deputy Director*
ROBERT J. ARMSTRONG, M.S., *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D. *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*
ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*
LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
MARSHALL C. EVANS, *Chief, Data Control Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
RITA U. HOFFMAN, *Chief, Programming Branch*

DHEW PUBLICATION No. (PHS) 79-1102

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

Stock Number 017-022-00671-5

VITAL STATISTICS OF THE UNITED STATES, 1976

VOLUME II — MORTALITY

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Complete contents pages for Sections 7 and 8 are on pages 7-1 and 8-1. Sections 1 through 6 are in Part A of Volume II of *Vital Statistics of the United States, 1976.* Section 6, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1976. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-3	-72	-90	-108	-134	-152	-458	-466	-524
Geographic area:									
Counties	[1]1								9
Metropolitan and nonmetropolitan counties		2	3						9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	[1]1	2	3		5		[2]7		9
Population-size groups		2							9
Type of entry:									
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Fetal-deaths ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Characteristics:									
Age:									
5-year age groups					5	6			
10-year age groups			3	4					
Cause of death:									
34 selected causes									9
69 selected causes					5	6	7	8	
Color		2	3	4	5	6			
Race	1								
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 8	-3	-3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area:												
Guam	1	2	3			6	7		[1]9	10	11	12
Puerto Rico	1	2		4		6	7	[1]8		10	11	12
Municipios								[1]8				
Virgin Islands	1	2			5	6	7		[1]9	10	11	12
Islands									[1]9			
Specified urban place									9			
Years:												
1940-76	1											
1976 only		2	3	4	5	6	7	8	9	10	11	12
Type of entry:												
Number of deaths	1	2	3	4	5	6	7	8	9			
Death rates	1											
Number of infant deaths			3	4	5			8	9	10	11	12
Number of neonatal deaths								8	9	10	11	12
Number of postneonatal deaths											11	12
Number of fetal deaths								8				
Characteristics:												
Age:												
10-year age groups			3	4	5							
Detailed age groups under 1 year											11	
Cause of death:												
65 selected causes of infant mortality												12
69 selected causes			3	4	5							
Motor vehicle accidents						6						
Nontransport accidents							7					
Person injured						6						
Color (for Virgin Islands only)		2			5	6	7		9	10	11	12
Month		2								10		
Place of accident							7					
Sex		2	3	4	5	6	7				11	

[1]Deaths by place of occurrence and place of residence.

Section 7.
Geographic Detail for Mortality

Table		Page
7-1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1976	7-3
7-2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1976	7-72
7-3.	Deaths by age, color, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1976	7-90
7-4.	Deaths by age, color, and sex, for standard metropolitan statistical areas of the United States: 1976	7-108
7-5.	Deaths from 69 selected causes, by age, color, and sex: United States, 1976	7-134
7-6.	Deaths from 69 selected causes, by age, color, and sex: Each State, 1976	7-152
7-7.	Deaths from 69 selected causes by State of occurrence: United States and each State, 1976	7-458
7-8.	Deaths from 69 selected causes for standard metropolitan statistical areas of the United States: 1976	7-466
7-9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1976	7-524

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Negro" are shown separately for those counties and urban places in which the 1970 populations for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	1,911,907	1,909,440	48,265	34,587	33,111
White	1,677,257	1,674,989	34,163	24,798	23,987
All other	234,650	234,451	14,102	9,789	9,124
Negro	219,491	219,442	13,142	9,217	8,363
Alabama	34,058	34,193	1,144	789	718
White	23,899	23,967	567	409	349
All other	10,159	10,226	577	380	369
Negro	10,155	10,222	576	379	367
Autauga	143	234	9	7	9
White	98	156	5	3	5
All other	45	78	4	4	4
Negro	45	78	4	4	4
Prattville	---	111	3	2	2
White	---	88	3	2	2
All other	---	23	–	–	–
Negro	---	23	–	–	–
Balance of county	---	123	6	5	7
White	---	68	2	1	3
All other	---	55	4	4	4
Negro	---	55	4	4	4
Baldwin	518	622	25	21	10
White	431	514	21	17	5
All other	87	108	4	4	5
Negro	87	108	4	4	5
Barbour	265	254	12	7	8
White	131	126	1	1	2
All other	134	128	11	6	6
Negro	134	128	11	6	6
Bibb	90	163	8	5	1
White	69	123	5	4	1
All other	21	40	3	1	–
Negro	21	40	3	1	–
Blount	187	276	11	7	2
Bullock	74	133	6	2	6
White	30	37	–	–	1
All other	44	96	6	2	5
Negro	44	96	6	2	5
Butler	248	241	11	5	4
White	166	146	1	–	1
All other	82	95	10	5	3
Negro	82	95	10	5	3
Calhoun	932	972	15	10	23
White	751	781	8	7	14
All other	181	191	7	3	9
Negro	180	190	7	3	8
Anniston	---	455	10	6	8
White	---	316	3	3	2
All other	---	139	7	3	6
Negro	---	139	7	3	5
Balance of county	---	517	5	4	15
Chambers	349	436	18	12	12
White	235	292	11	6	5
All other	114	144	7	6	7
Negro	114	144	7	6	7
Cherokee	130	173	2	2	2
Chilton	242	316	12	8	9
White	201	270	9	6	6
All other	41	46	3	2	3
Negro	41	46	3	2	3
Choctaw	105	157	7	5	6
White	57	84	–	–	3
All other	48	73	7	5	3
Negro	48	73	7	5	3
Clarke	271	294	17	12	12
White	136	158	4	2	5
All other	135	136	13	10	7
Negro	135	136	13	10	7
Clay	113	127	2	2	5
White	108	121	1	1	2
All other	5	6	1	1	3
Negro	5	6	1	1	3
Cleburne	54	94	1	1	1
Coffee	245	311	4	3	3
White	205	262	4	3	3
All other	40	49	–	–	–
Negro	40	49	–	–	–
Enterprise	---	127	1	1	–
White	---	100	1	1	–
All other	---	27	–	–	–
Negro	---	27	–	–	–
Alabama—Con.					
Coffee—Con.					
Balance of county	---	184	3	2	3
White	---	162	3	2	3
All other	---	22	–	–	–
Negro	---	22	–	–	–
Colbert	456	464	12	8	9
White	363	375	8	4	8
All other	93	89	4	4	1
Negro	93	89	4	4	1
Sheffield	---	138	1	1	4
White	---	94	–	–	4
All other	---	44	1	1	–
Negro	---	44	1	1	–
Balance of county	---	326	11	7	5
White	---	281	8	4	4
All other	---	45	3	3	1
Negro	---	45	3	3	1
Conecuh	94	185	3	1	2
White	52	111	1	–	1
All other	42	74	2	1	1
Negro	42	74	2	1	1
Coosa	50	130	5	4	1
White	31	88	3	3	–
All other	19	42	2	1	1
Negro	19	42	2	1	1
Covington	429	445	7	4	3
White	356	386	5	4	3
All other	73	59	2	–	–
Negro	73	59	2	–	–
Andalusia	---	116	5	2	–
White	---	86	3	2	–
All other	---	30	2	–	–
Negro	---	30	2	–	–
Balance of county	---	329	2	2	3
White	---	300	2	2	3
All other	---	29	–	–	–
Negro	---	29	–	–	–
Crenshaw	153	177	6	3	3
White	81	112	3	3	2
All other	72	65	3	–	1
Negro	72	65	3	–	1
Cullman	404	499	9	7	8
Cullman	---	118	3	2	–
Balance of county	---	381	6	5	8
Dale	252	303	13	9	7
White	206	256	10	6	4
All other	46	47	3	3	3
Negro	46	47	3	3	3
Ozark	---	93	3	3	1
White	---	60	2	2	–
All other	---	33	1	1	1
Negro	---	33	1	1	1
Balance of county	---	210	10	6	6
White	---	196	8	4	4
All other	---	14	2	2	2
Negro	---	14	2	2	2
Dallas	597	550	21	11	14
White	256	219	5	1	5
All other	341	331	16	10	9
Negro	341	331	16	10	9
Selma	---	351	10	7	8
White	---	146	2	–	3
All other	---	205	8	7	5
Negro	---	205	8	7	5
Balance of county	---	199	11	4	6
White	---	73	3	1	2
All other	---	126	8	3	4
Negro	---	126	8	3	4
De Kalb	317	431	7	3	6
Elmore	307	353	7	3	11
White	222	253	3	2	3
All other	85	100	4	1	8
Negro	85	100	4	1	8
Escambia	364	387	20	14	7
White	224	249	8	5	1
All other	140	138	12	9	6
Negro	140	138	12	9	6
Etowah	1,004	998	31	27	21
White	866	843	22	19	15
All other	138	155	9	8	6
Negro	138	155	9	8	6
Gadsden	---	602	15	15	11
White	---	477	10	10	6
All other	---	125	5	5	5
Negro	---	125	5	5	5
Balance of county	---	396	16	12	10

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama—Con.					
Fayette	153	202	9	8	4
White	132	171	6	5	4
All other	21	31	3	3	–
Negro	21	31	3	3	–
Franklin	233	262	6	5	6
Geneva	160	240	9	6	5
White	145	209	3	2	4
All other	15	31	6	4	1
Negro	15	31	6	4	1
Greene	116	133	6	4	3
White	29	37	1	1	–
All other	87	96	5	3	3
Negro	87	96	5	3	3
Hale	154	185	8	5	2
White	50	68	–	–	–
All other	104	117	8	5	2
Negro	104	117	8	5	2
Henry	75	153	6	4	7
White	44	98	2	2	3
All other	31	55	4	2	4
Negro	31	55	4	2	4
Houston	703	565	18	15	15
White	531	412	10	10	6
All other	172	153	8	5	9
Negro	172	153	8	5	9
Dothan	– – –	355	12	10	8
White	– – –	233	5	5	1
All other	– – –	122	7	5	7
Negro	– – –	122	7	5	7
Balance of county	– – –	210	6	5	7
White	– – –	179	5	5	5
All other	– – –	31	1	–	2
Negro	– – –	31	1	–	2
Jackson	349	422	12	7	7
Jefferson	8,010	6,693	182	124	125
White	5,250	4,184	90	62	55
All other	2,760	2,509	92	62	70
Negro	2,757	2,506	91	61	70
Bessemer	– – –	433	12	9	15
White	– – –	214	5	3	1
All other	– – –	219	7	6	14
Negro	– – –	219	7	6	14
Birmingham	– – –	3,499	90	58	59
White	– – –	1,799	30	19	16
All other	– – –	1,700	60	39	43
Negro	– – –	1,700	60	39	43
Fairfield	– – –	178	4	3	3
White	– – –	93	2	2	1
All other	– – –	85	2	1	2
Negro	– – –	85	2	1	2
Homewood	– – –	194	4	3	2
Mountain Brook	– – –	168	2	2	–
Balance of county	– – –	2,221	70	49	46
White	– – –	1,731	47	33	36
All other	– – –	490	23	16	10
Negro	– – –	487	22	15	10
Lamar	155	192	1	1	5
White	137	171	1	1	4
All other	18	21	–	–	1
Negro	18	21	–	–	1
Lauderdale	596	553	17	10	5
White	523	480	12	7	5
All other	73	73	5	3	–
Negro	73	73	5	3	–
Florence	– – –	288	10	5	3
White	– – –	232	5	2	3
All other	– – –	56	5	3	–
Negro	– – –	56	5	3	–
Balance of county	– – –	265	7	5	2
Lawrence	177	252	7	4	7
White	132	194	3	3	3
All other	45	58	4	1	4
Negro	45	58	4	1	4
Lee	413	447	18	12	10
White	242	257	6	5	4
All other	171	190	12	7	6
Negro	171	190	12	7	6
Auburn	– – –	80	3	2	4
White	– – –	51	3	2	2
All other	– – –	29	–	–	2
Negro	– – –	29	–	–	2
Opelika	– – –	193	6	3	2
White	– – –	118	2	2	1
All other	– – –	75	4	1	1
Negro	– – –	75	4	1	1
Balance of county	– – –	174	9	7	4
White	– – –	88	1	1	1
All other	– – –	86	8	6	3
Negro	– – –	86	8	6	3
Limestone	289	358	9	7	3
White	220	274	7	6	3
All other	69	84	2	1	–
Negro	69	84	2	1	–
Athens	– – –	139	4	3	1
White	– – –	95	2	2	1
All other	– – –	44	2	1	–
Negro	– – –	44	2	1	–
Balance of county	– – –	219	5	4	2
White	– – –	179	5	4	2
All other	– – –	40	–	–	–
Negro	– – –	40	–	–	–
Lowndes	50	109	7	4	6
White	10	27	–	–	–
All other	40	82	7	4	6
Negro	40	82	7	4	6
Macon	564	291	15	12	8
White	158	47	1	1	–
All other	406	244	14	11	8
Negro	406	244	14	11	8
Tuskegee	– – –	138	6	6	4
White	– – –	8	–	–	–
All other	– – –	130	6	6	4
Negro	– – –	130	6	6	4
Balance of county	– – –	153	9	6	4
White	– – –	39	1	1	–
All other	– – –	114	8	5	4
Negro	– – –	114	8	5	4
Madison	1,321	1,130	57	45	22
White	1,052	872	32	27	10
All other	269	258	25	18	12
Negro	269	258	25	18	12
Huntsville	– – –	822	43	34	15
White	– – –	646	25	21	6
All other	– – –	176	18	13	9
Negro	– – –	176	18	13	9
Balance of county	– – –	308	14	11	7
White	– – –	226	7	6	4
All other	– – –	82	7	5	3
Negro	– – –	82	7	5	3
Marengo	236	272	14	6	6
White	94	108	2	2	–
All other	142	164	12	4	6
Negro	142	164	12	4	6
Marion	241	267	11	8	4
Marshall	580	621	13	9	13
Mobile	3,180	2,925	120	88	60
White	2,079	1,910	55	37	22
All other	1,101	1,015	65	51	38
Negro	1,101	1,015	65	51	37
Mobile	– – –	1,954	69	47	44
White	– – –	1,257	31	19	11
All other	– – –	697	38	28	33
Negro	– – –	697	38	28	32
Prichard	– – –	333	24	17	3
White	– – –	122	3	–	–
All other	– – –	211	21	17	3
Negro	– – –	211	21	17	3
Balance of county	– – –	638	27	24	13
White	– – –	531	21	18	11
All other	– – –	107	6	6	2
Negro	– – –	107	6	6	2
Monroe	177	193	8	1	4
White	102	104	1	–	1
All other	75	89	7	1	3
Negro	75	89	7	1	3
Montgomery	2,124	1,729	48	37	50
White	1,212	944	15	12	10
All other	912	785	33	25	40
Negro	912	785	33	25	40
Montgomery	– – –	1,566	41	32	42
White	– – –	870	14	11	7
All other	– – –	696	27	21	35
Negro	– – –	696	27	21	35
Balance of county	– – –	163	7	5	8
White	– – –	74	1	1	3
All other	– – –	89	6	4	5
Negro	– – –	89	6	4	5
Morgan	634	613	30	24	14
Decatur	– – –	267	16	13	1
White	– – –	203	8	6	–
All other	– – –	64	8	7	1
Negro	– – –	64	8	7	1
Balance of county	– – –	346	14	11	13
Perry	121	179	8	4	2
White	50	69	1	–	–
All other	71	110	7	4	2
Negro	71	110	7	4	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama—Con.					
Pickens	153	212	5	4	5
White	82	139	3	3	–
All other	71	73	2	1	5
Negro	71	73	2	1	5
Pike	246	282	10	7	6
White	158	170	–	–	4
All other	88	112	10	7	2
Negro	88	112	10	7	2
Troy	– – –	126	3	3	1
White	– – –	66	–	–	1
All other	– – –	60	3	3	–
Negro	– – –	60	3	3	–
Balance of county	– – –	156	7	4	5
White	– – –	104	–	–	3
All other	– – –	52	7	4	2
Negro	– – –	52	7	4	2
Randolph	212	263	9	5	4
White	154	209	6	4	3
All other	58	54	3	1	1
Negro	58	54	3	1	1
Russell	456	522	19	10	16
White	272	291	4	3	9
All other	184	231	15	7	7
Negro	184	231	15	7	7
Phenix City	– – –	326	11	7	3
White	– – –	194	2	2	–
All other	– – –	132	9	5	3
Negro	– – –	132	9	5	3
Balance of county	– – –	196	8	3	13
White	– – –	97	2	1	9
All other	– – –	99	6	2	4
Negro	– – –	99	6	2	4
St. Clair	202	290	7	5	6
White	177	255	4	4	6
All other	25	35	3	1	–
Negro	25	35	3	1	–
Shelby	308	393	20	16	4
White	256	328	16	12	3
All other	52	65	4	4	1
Negro	52	65	4	4	1
Sumter	150	213	13	8	10
White	46	54	–	–	1
All other	104	159	13	8	9
Negro	104	159	13	8	9
Talladega	595	683	30	19	13
White	430	492	14	9	3
All other	165	191	16	10	10
Negro	165	191	16	10	10
Sylacauga	– – –	178	3	3	1
White	– – –	140	–	–	–
All other	– – –	38	3	3	1
Negro	– – –	38	3	3	1
Talladega	– – –	177	10	5	2
White	– – –	109	4	2	–
All other	– – –	68	6	3	2
Negro	– – –	68	6	3	2
Balance of county	– – –	328	17	11	10
White	– – –	243	10	7	3
All other	– – –	85	7	4	7
Negro	– – –	85	7	4	7
Tallapoosa	383	393	22	15	11
White	270	283	9	7	3
All other	113	110	13	8	8
Negro	113	110	13	8	8
Alexander City	– – –	155	9	6	4
White	– – –	113	4	3	–
All other	– – –	42	5	3	4
Negro	– – –	42	5	3	4
Balance of county	– – –	238	13	9	7
White	– – –	170	5	4	3
All other	– – –	68	8	5	4
Negro	– – –	68	8	5	4
Tuscaloosa	1,246	1,028	25	18	20
White	878	703	12	9	10
All other	368	325	13	9	10
Negro	368	325	13	9	10
Tuscaloosa	– – –	581	15	12	11
White	– – –	367	5	5	3
All other	– – –	214	10	7	8
Negro	– – –	214	10	7	8
Balance of county	– – –	447	10	6	9
White	– – –	336	7	4	7
All other	– – –	111	3	2	2
Negro	– – –	111	3	2	2
Walker	484	652	22	16	15
Jasper	– – –	142	4	4	5
White	– – –	114	2	2	2
All other	– – –	28	2	2	3
Negro	– – –	28	2	2	3
Balance of county	– – –	510	18	12	10
Washington	86	147	6	4	2
White	58	98	2	1	–
All other	28	49	4	3	2
Negro	28	49	4	3	2
Wilcox	128	179	11	6	3
White	48	59	–	–	1
All other	80	120	11	6	2
Negro	80	120	11	6	2
Winston	205	225	5	3	5
Alaska[1]	1,649	1,623	129	71	60
White	1,086	1,062	69	38	42
All other	563	561	60	33	18
Negro	40	44	8	7	2
Dist. 1, Prince of Wales	1	9	–	–	–
White	1	5	–	–	–
All other	–	4	–	–	–
Negro	–	–	–	–	–
Dist. 2, Ketchikan	87	89	4	3	2
White	65	69	2	2	1
All other	22	20	2	1	1
Negro	–	–	–	–	–
Dist. 3, Wrangell–Petersburg	38	35	1	–	–
White	30	26	1	–	–
All other	8	9	–	–	–
Negro	–	–	–	–	–
Dist. 4, Sitka	76	45	3	1	–
White	43	26	1	1	–
All other	33	19	2	–	–
Negro	–	–	–	–	–
Dist. 5, Juneau	76	93	5	3	5
White	57	70	3	1	4
All other	19	23	2	2	1
Negro	3	3	–	–	–
Dist. 6, Lynn Canal–Icy Straits	13	34	2	–	2
White	10	19	–	–	2
All other	3	15	2	–	–
Negro	–	–	–	–	–
Dist. 7, Cordova–McCarthy	25	22	–	–	–
White	20	16	–	–	–
All other	5	6	–	–	–
Negro	–	–	–	–	–
Dist. 8, Valdez–Chitina–Whittier	47	37	4	1	–
White	37	22	2	–	–
All other	10	15	2	1	–
Negro	–	–	–	–	–
Dist. 9, Palmer–Wasilla–Talkeetna	68	65	2	–	3
Dist. 10, Anchorage	563	542	48	29	28
White	402	432	39	23	23
All other	161	110	9	6	5
Negro	24	27	7	6	1
Anchorage	– – –	343	25	14	12
White	– – –	260	20	10	9
All other	– – –	83	5	4	3
Negro	– – –	17	4	4	–
Balance of district	– – –	199	23	15	16
Dist. 11, Seward	38	32	–	–	1
White	32	28	–	–	1
All other	6	4	–	–	–
Negro	1	1	–	–	–
Dist. 12, Kenai–Cook Inlet	60	74	9	4	2
Dist. 13, Kodiak	44	43	1	1	–
White	27	24	–	–	–
All other	17	19	1	1	–
Negro	1	–	–	–	–
Dist. 14, Aleutian Islands	27	27	1	1	–
White	11	8	–	–	–
All other	16	19	1	1	–
Negro	–	–	–	–	–
Dist. 15, Bristol Bay	34	32	1	1	–
White	10	7	–	–	–
All other	24	25	1	1	–
Negro	1	1	–	–	–
Dist. 16, Bethel	51	51	4	3	2
White	6	2	–	–	–
All other	45	49	4	3	2
Negro	–	–	–	–	–
Dist. 17, Kuskokwim	12	21	2	1	1
White	2	4	–	–	–
All other	10	17	2	1	1
Negro	1	1	–	–	–
Dist. 18, Yukon–Koyukuk	53	37	6	2	1
White	25	10	–	–	–
All other	28	27	6	2	1
Negro	–	–	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska—Con.					
Dist. 19, Fairbanks	208	200	15	11	9
Fairbanks	---	133	8	7	5
White	---	102	5	5	3
All other	---	31	3	2	2
Negro	---	8	–	–	–
Balance of district	---	67	7	4	4
Dist. 20, Upper Yukon	14	7	2	2	–
White	11	–	–	–	–
All other	3	7	2	2	–
Negro	–	–	–	–	–
Dist. 21, Barrow	21	20	5	–	1
White	4	3	1	–	–
All other	17	17	4	–	1
Negro	–	–	–	–	–
Dist. 22, Kobuk	28	28	4	1	–
White	4	2	–	–	–
All other	24	26	4	1	–
Negro	–	–	–	–	–
Dist. 23, Nome	47	55	6	4	2
White	5	7	–	–	1
All other	42	48	6	4	1
Negro	1	2	–	–	–
Dist. 24, Wade Hampton	18	25	4	3	1
White	2	1	–	–	–
All other	16	24	4	3	1
Negro	1	–	–	–	–
Arizona	**17,881**	**17,239**	**615**	**416**	**340**
White	16,454	15,825	471	343	254
All other	1,427	1,514	144	73	86
Negro	495	483	31	23	27
Apache	254	337	27	16	20
White	47	51	3	3	–
All other	207	286	24	13	20
Negro	–	1	–	–	–
Cochise	406	498	24	15	12
Douglas	---	116	8	4	3
Balance of county	---	382	16	11	9
Coconino	336	286	30	11	13
White	211	179	8	7	6
All other	125	107	22	4	7
Negro	8	5	–	–	2
Flagstaff	---	93	6	3	7
White	---	81	4	3	4
All other	---	12	2	–	3
Negro	---	4	–	–	2
Balance of county	---	193	24	8	6
White	---	98	4	4	2
All other	---	95	20	4	4
Negro	---	1	–	–	–
Gila	293	335	17	15	7
White	266	290	13	12	5
All other	27	45	4	3	2
Negro	1	1	–	–	–
Graham	93	134	9	7	8
White	84	118	8	6	7
All other	9	16	1	1	1
Negro	2	2	–	–	1
Greenlee	49	66	5	4	4
Maricopa	10,074	9,439	285	207	160
White	9,525	9,002	249	183	131
All other	549	437	36	24	29
Negro	294	299	25	19	18
Chandler	---	136	10	7	4
Glendale	---	423	18	15	11
Mesa	---	1,084	36	22	13
Phoenix	---	5,236	165	121	88
White	---	4,914	141	102	71
All other	---	322	24	19	17
Negro	---	269	22	17	11
Scottsdale	---	586	14	9	6
Tempe	---	346	15	12	5
Balance of county	---	1,628	27	21	33
Mohave	387	425	11	7	3
Navajo	293	403	43	18	15
White	174	204	10	5	4
All other	119	199	33	13	11
Negro	12	10	–	–	–
Pima	3,974	3,501	95	72	58
White	3,744	3,275	80	62	49
All other	230	226	15	10	9
Negro	104	100	5	3	4
Tucson	---	3,142	79	60	39
White	---	3,009	73	56	35
All other	---	133	6	4	4
Negro	---	94	4	2	3
Balance of county	---	359	16	12	19
Pinal	422	631	30	16	20
White	345	528	25	14	17
All other	77	103	5	2	3
Negro	27	27	–	–	–
Casa Grande	---	137	5	3	3
Balance of county	---	494	25	13	17
White	---	404	20	11	14
All other	---	90	5	2	3
Negro	---	20	–	–	–
Santa Cruz	98	126	2	2	2
Yavapai	631	633	8	5	4
Prescott	---	329	5	3	–
Balance of county	---	304	3	2	4
Yuma	571	525	29	21	14
Yuma	---	370	19	13	6
Balance of county	---	155	10	8	8
White	---	128	9	7	6
All other	---	27	1	1	2
Negro	---	4	–	–	–
Arkansas	**21,129**	**21,336**	**529**	**370**	**370**
White	17,346	17,398	340	250	216
All other	3,783	3,938	189	120	154
Negro	3,752	3,925	189	120	153
Arkansas	312	292	9	8	3
White	227	214	7	6	3
All other	85	78	2	2	–
Negro	85	78	2	2	–
Stuttgart	---	132	9	8	1
White	---	95	7	6	1
All other	---	37	2	2	–
Negro	---	37	2	2	–
Balance of county	---	160	–	–	2
White	---	119	–	–	2
All other	---	41	–	–	–
Negro	---	41	–	–	–
Ashley	147	230	7	6	2
White	100	156	2	2	–
All other	47	74	5	4	2
Negro	47	73	5	4	2
Baxter	284	316	4	4	2
Benton	702	659	11	8	7
Rogers	---	157	2	2	3
Springdale, part	---	–	–	–	–
Balance of county	---	502	9	6	4
Boone	350	249	3	–	2
Bradley	156	173	3	3	1
White	109	117	2	2	1
All other	47	56	1	1	–
Negro	47	56	1	1	–
Calhoun	33	59	1	1	1
White	28	41	–	–	1
All other	5	18	1	1	–
Negro	5	18	1	1	–
Carroll	153	188	4	4	3
Chicot	212	202	8	4	2
White	96	76	3	2	1
All other	116	126	5	2	1
Negro	115	126	5	2	1
Clark	173	205	7	6	6
White	137	157	5	5	2
All other	36	48	2	1	4
Negro	36	48	2	1	4
Clay	145	298	5	4	2
Cleburne	171	197	2	2	2
Cleveland	34	56	–	–	3
White	26	45	–	–	–
All other	8	11	–	–	3
Negro	8	11	–	–	3
Columbia	269	305	6	5	7
White	171	183	1	1	3
All other	98	122	5	4	4
Negro	98	122	5	4	4
Magnolia	---	120	2	2	4
White	---	80	1	1	3
All other	---	40	1	1	1
Negro	---	40	1	1	1
Balance of county	---	185	4	3	3
White	---	103	–	–	–
All other	---	82	4	3	3
Negro	---	82	4	3	3
Conway	143	167	2	2	2
White	121	144	2	2	2
All other	22	23	–	–	–
Negro	22	23	–	–	–
Craighead	678	536	10	7	7
Jonesboro	---	251	7	5	3
Balance of county	---	285	3	2	4
Crawford	170	259	7	5	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas—Con.					
Crittenden	380	441	18	8	9
White	201	193	3	2	2
All other	179	248	15	6	7
Negro	179	248	15	6	7
West Memphis	---	217	4	3	4
White	---	118	2	1	2
All other	---	99	2	2	2
Negro	---	99	2	2	2
Balance of county	---	224	14	5	5
White	---	75	1	1	–
All other	---	149	13	4	5
Negro	---	149	13	4	5
Cross	190	195	5	4	7
White	137	151	2	2	4
All other	53	44	3	2	3
Negro	53	44	3	2	3
Dallas	96	111	2	–	2
White	59	77	–	–	–
All other	37	34	2	–	2
Negro	37	34	2	–	2
Desha	195	198	3	2	3
White	107	103	1	1	1
All other	88	95	2	1	2
Negro	88	95	2	1	2
Drew	107	138	5	4	5
White	73	98	5	4	2
All other	34	40	–	–	3
Negro	34	40	–	–	3
Faulkner	270	316	6	4	7
Conway	---	141	4	3	3
Balance of county	---	175	2	1	4
White	---	161	–	–	4
All other	---	14	2	1	–
Negro	---	14	2	1	–
Franklin	104	141	4	3	2
Fulton	166	135	1	1	4
Garland	907	924	9	8	9
Hot Springs	---	705	5	4	7
White	---	628	3	2	4
All other	---	77	2	2	3
Negro	---	77	2	2	3
Balance of county	---	219	4	4	2
Grant	66	107	5	4	–
Greene	342	297	9	6	6
Paragould	---	175	5	3	5
Balance of county	---	122	4	3	1
Hempstead	232	264	6	3	6
White	167	197	2	1	2
All other	65	67	4	2	4
Negro	65	67	4	2	4
Hot Spring	204	257	5	3	4
White	178	226	5	3	4
All other	26	31	–	–	–
Negro	26	31	–	–	–
Howard	141	141	4	4	3
White	104	110	3	3	3
All other	37	31	1	1	–
Negro	37	31	1	1	–
Independence	270	268	8	8	3
Izard	103	122	1	1	3
Jackson	180	204	–	–	4
White	153	179	–	–	3
All other	27	25	–	–	1
Negro	26	24	–	–	1
Jefferson	785	784	15	11	14
White	439	429	6	5	2
All other	346	355	9	6	12
Negro	346	355	9	6	12
Pine Bluff	---	582	11	9	10
White	---	318	5	4	–
All other	---	264	6	5	10
Negro	---	264	6	5	10
Balance of county	---	202	4	2	4
White	---	111	1	1	2
All other	---	91	3	1	2
Negro	---	91	3	1	2
Johnson	104	152	4	3	1
Lafayette	89	118	5	3	4
White	62	81	2	1	2
All other	27	37	3	2	2
Negro	27	37	3	2	2
Lawrence	136	198	2	1	3
Lee	150	196	10	7	6
White	45	79	3	2	–
All other	105	117	7	5	6
Negro	105	117	7	5	6
Lincoln	50	113	5	3	1
White	27	64	3	2	1
All other	23	49	2	1	–
Negro	23	49	2	1	–
Little River	88	118	3	1	–
White	63	87	1	1	–
All other	25	31	2	–	–
Negro	25	31	2	–	–
Logan	143	214	3	1	2
Lonoke	145	289	9	7	3
White	107	237	6	4	2
All other	38	52	3	3	1
Negro	38	52	3	3	1
Madison	99	120	2	2	–
Marion	122	114	3	3	5
Miller	406	359	12	11	6
White	323	260	9	9	2
All other	83	99	3	2	4
Negro	83	99	3	2	4
Texarkana[2]	---	240	8	7	5
White	---	163	5	5	1
All other	---	77	3	2	4
Negro	---	77	3	2	4
Balance of county	---	119	4	4	1
White	---	97	4	4	1
All other	---	22	–	–	–
Negro	---	22	–	–	–
Mississippi	496	588	26	16	8
White	338	403	11	7	4
All other	158	185	15	9	4
Negro	157	183	15	9	4
Blytheville	---	242	10	6	3
White	---	164	6	4	1
All other	---	78	4	2	2
Negro	---	77	4	2	2
Balance of county	---	346	16	10	5
White	---	239	5	3	3
All other	---	107	11	7	2
Negro	---	106	11	7	2
Monroe	124	178	7	5	3
White	75	107	3	2	1
All other	49	71	4	3	2
Negro	49	71	4	3	2
Montgomery	36	69	–	–	–
Nevada	127	147	4	3	3
White	95	109	2	1	1
All other	32	38	2	2	2
Negro	32	38	2	2	2
Newton	30	58	1	–	1
Ouachita	355	379	8	5	5
White	205	229	6	4	4
All other	150	150	2	1	1
Negro	150	150	2	1	1
Camden	---	197	5	4	2
White	---	125	5	4	2
All other	---	72	–	–	–
Negro	---	72	–	–	–
Balance of county	---	182	3	1	3
White	---	104	1	–	2
All other	---	78	2	1	1
Negro	---	78	2	1	1
Perry	26	80	2	1	1
Phillips	370	439	17	13	18
White	152	184	4	4	3
All other	218	255	13	9	15
Negro	216	253	13	9	15
Helena	---	149	7	7	8
White	---	54	1	1	1
All other	---	95	6	6	7
Negro	---	95	6	6	7
West Helena	---	130	5	1	4
White	---	68	1	1	1
All other	---	62	4	–	3
Negro	---	62	4	–	3
Balance of county	---	160	5	5	6
White	---	62	2	2	1
All other	---	98	3	3	5
Negro	---	96	3	3	5
Pike	99	128	2	1	1
Poinsett	112	310	8	5	6
Polk	146	180	3	2	2
Pope	275	280	11	8	3
Russellville	---	126	8	5	2
Balance of county	---	154	3	3	1
Prairie	29	105	–	–	2
White	25	88	–	–	2
All other	4	17	–	–	–
Negro	4	17	–	–	–
Pulaski	3,957	2,684	92	61	63
White	3,084	2,056	47	31	28
All other	873	628	45	30	35
Negro	872	628	45	30	35
Jacksonville	---	99	12	10	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas—Con.					
Pulaski—Con.					
Little Rock	---	1,585	47	31	28
White	---	1,199	19	11	12
All other	---	386	28	20	16
Negro	---	386	28	20	16
North Little Rock	---	704	16	9	21
White	---	545	8	5	9
All other	---	159	8	4	12
Negro	---	159	8	4	12
Balance of county	---	296	17	11	9
White	---	220	9	5	3
All other	---	76	8	6	6
Negro	---	76	8	6	6
Randolph	135	183	5	3	2
St. Francis	221	292	13	4	15
White	116	142	3	–	3
All other	105	150	10	4	12
Negro	105	150	10	4	12
Forrest City	---	142	7	2	9
White	---	67	2	–	1
All other	---	75	5	2	8
Negro	---	75	5	2	8
Balance of county	---	150	6	2	6
White	---	75	1	–	2
All other	---	75	5	2	4
Negro	---	75	5	2	4
Saline	335	342	2	2	8
Benton	---	177	–	–	5
Balance of county	---	165	2	2	3
Scott	51	91	3	3	1
Searcy	44	97	1	–	2
Sebastian	1,287	779	24	20	14
Fort Smith	---	616	21	18	12
Balance of county	---	163	3	2	2
Sevier	196	161	3	2	1
Sharp	52	155	–	–	1
Stone	71	84	–	–	–
Union	600	574	6	2	9
White	411	397	1	–	–
All other	189	177	5	2	9
Negro	189	177	5	2	9
El Dorado	---	303	4	1	6
White	---	212	1	–	–
All other	---	91	3	1	6
Negro	---	91	3	1	6
Balance of county	---	271	2	1	3
White	---	185	–	–	–
All other	---	86	2	1	3
Negro	---	86	2	1	3
Van Buren	84	108	1	–	2
Washington	827	670	17	12	9
Fayetteville	---	193	8	4	2
Springdale, part	---	169	4	3	1
Springdale, total	---	169	4	3	1
Balance of county	---	308	5	5	6
White	367	401	13	12	11
Woodruff	97	150	6	4	2
White	72	102	3	1	2
All other	25	48	3	3	–
Negro	25	48	3	3	–
Yell	178	199	1	1	–
California	**171,454**	**171,022**	**4,129**	**2,830**	**3,051**
White	156,443	156,031	3,296	2,271	2,385
All other	15,011	14,991	833	559	666
Negro	11,610	11,605	710	469	518
Alameda	9,018	8,770	187	128	148
White	7,433	7,179	102	73	82
All other	1,585	1,591	85	55	66
Negro	1,381	1,399	77	49	57
Alameda	---	540	15	9	5
Albany	---	152	2	1	2
White	---	147	1	–	–
All other	---	5	1	1	2
Negro	---	2	–	–	–
Berkeley	---	753	8	5	13
White	---	543	4	3	6
All other	---	210	4	2	7
Negro	---	191	4	2	5
Fremont	---	518	18	12	14
Hayward	---	857	20	16	21
Livermore	---	257	4	4	5
Newark	---	107	4	2	3
Oakland	---	3,691	90	58	64
White	---	2,457	19	11	16
All other	---	1,234	71	47	48
Negro	---	1,134	68	44	45
Piedmont	---	108	1	1	–
Pleasanton	---	132	2	1	3
California—Con.					
Alameda—Con.					
San Leandro	---	799	8	6	8
Union City	---	116	6	5	2
Balance of county	---	740	9	8	8
Alpine	3	3	–	–	–
White	2	3	–	–	–
All other	1	–	–	–	–
Negro	1	–	–	–	–
Amador	134	168	3	2	–
Butte	1,251	1,276	19	14	19
Chico	---	175	5	4	3
Balance of county	---	1,101	14	10	16
Calaveras	140	164	1	1	4
Colusa	104	127	2	2	2
Contra Costa	4,000	4,109	93	63	72
White	3,624	3,734	74	54	52
All other	376	375	19	9	20
Negro	338	331	17	9	18
Antioch	---	212	7	3	4
Concord	---	550	20	17	5
El Cerrito	---	191	3	2	1
White	---	177	2	2	1
All other	---	14	1	–	–
Negro	---	9	–	–	–
Lafayette	---	134	6	6	–
Martinez	---	161	4	2	2
Pinole	---	50	1	–	3
Pittsburg	---	232	5	3	6
White	---	183	2	1	3
All other	---	49	3	2	3
Negro	---	44	3	2	2
Pleasant Hill	---	161	3	3	2
Richmond	---	706	18	11	20
White	---	447	4	4	4
All other	---	259	14	7	16
Negro	---	245	14	7	16
San Pablo	---	234	7	3	2
Walnut Creek	---	532	3	3	5
Balance of county	---	946	16	10	22
Del Norte	171	164	3	1	3
El Dorado	442	431	10	8	4
South Lake Tahoe	---	86	6	5	4
Balance of county	---	345	4	3	–
Fresno	3,991	3,667	114	83	72
White	3,641	3,343	99	69	63
All other	350	324	15	14	9
Negro	248	233	14	13	7
Clovis	---	143	6	5	5
Fresno	---	1,763	46	37	33
White	---	1,542	31	23	25
All other	---	221	15	14	8
Negro	---	194	14	13	6
Sanger	---	79	5	4	1
Balance of county	---	1,682	57	37	33
White	---	1,586	57	37	32
All other	---	96	–	–	1
Negro	---	37	–	–	1
Glenn	140	179	3	1	1
Humboldt	825	860	14	9	13
Eureka	---	281	3	2	–
Balance of county	---	579	11	7	13
Imperial	551	621	15	11	15
Brawley	---	120	6	4	2
Calexico	---	76	1	1	3
El Centro	---	130	2	1	4
Balance of county	---	295	6	5	6
Inyo	221	199	4	3	2
Kern	2,720	2,843	83	60	57
White	2,480	2,594	75	55	50
All other	240	249	8	5	7
Negro	187	196	8	5	3
Bakersfield	---	810	17	13	18
White	---	676	13	10	14
All other	---	134	4	3	4
Negro	---	127	4	3	3
Delano	---	129	9	7	2
White	---	91	9	7	1
All other	---	38	–	–	1
Negro	---	7	–	–	–
Balance of county	---	1,904	57	40	37
White	---	1,827	53	38	35
All other	---	77	4	2	2
Negro	---	62	4	2	–
Kings	420	475	21	14	15
Hanford	---	174	7	5	5
Balance of county	---	301	14	9	10
Lake	331	466	6	6	3
Lassen	126	159	4	2	1
Los Angeles	59,581	58,697	1,556	1,088	1,156
White	52,302	51,391	1,134	801	837
All other	7,279	7,306	422	287	319
Negro	6,274	6,316	377	251	275

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Los Angeles—Con.					
Alhambra	---	680	5	4	8
Arcadia	---	463	–	–	5
Artesia	---	100	2	2	1
Azusa	---	200	7	5	5
Baldwin Park	---	323	12	10	7
Bell	---	203	8	5	5
Bellflower	---	449	8	7	6
Bell Gardens	---	237	21	14	10
Beverly Hills	---	442	–	–	1
Burbank	---	839	12	9	3
Carson	---	387	13	10	20
White	---	301	8	6	12
All other	---	86	5	4	8
Negro	---	57	4	3	6
Cerritos	---	104	10	10	10
Claremont	---	207	3	3	1
Commerce	---	48	4	2	–
Compton	---	515	52	40	28
White	---	162	18	13	6
All other	---	353	34	27	22
Negro	---	346	34	27	22
Covina	---	318	7	5	3
Cudahy	---	98	7	4	3
Culver City	---	362	10	9	2
Downey	---	628	12	10	11
Duarte	---	149	5	2	2
El Monte	---	594	23	19	25
El Segundo	---	93	1	1	1
Gardena	---	435	10	7	15
White	---	355	6	4	7
All other	---	80	4	3	8
Negro	---	36	3	2	6
Glendale	---	1,566	14	9	15
Glendora	---	228	3	3	1
Hawthorne	---	449	12	11	9
Hermosa Beach	---	137	–	–	–
Huntington Park	---	479	19	12	18
Inglewood	---	769	36	25	22
White	---	627	16	12	9
All other	---	142	20	13	13
Negro	---	137	20	13	13
Lakewood	---	479	9	7	8
La Mirada	---	157	2	1	6
La Puente	---	260	15	12	14
La Verne	---	141	4	4	3
Lawndale	---	149	6	5	4
Lomita	---	169	5	4	3
Long Beach	---	4,135	64	41	38
White	---	3,938	50	34	25
All other	---	197	14	7	13
Negro	---	164	13	7	10
Los Angeles	---	25,739	731	510	538
White	---	20,421	473	334	338
All other	---	5,318	258	176	200
Negro	---	4,709	231	154	175
Lynwood	---	346	17	14	9
Manhattan Beach	---	153	2	2	1
Maywood	---	145	3	1	5
Monrovia	---	318	5	4	7
White	---	291	5	4	6
All other	---	27	–	–	1
Negro	---	26	–	–	1
Montebello	---	382	9	7	6
Monterey Park	---	326	6	5	8
White	---	293	4	3	8
All other	---	33	2	2	–
Negro	---	3	–	–	–
Norwalk	---	506	22	15	13
Palos Verdes Estates	---	77	1	1	–
Paramount	---	252	11	7	8
Pasadena	---	1,368	25	17	24
White	---	1,178	11	7	16
All other	---	190	14	10	8
Negro	---	171	13	9	8
Pico Rivera	---	345	6	4	11
Pomona	---	714	28	12	20
White	---	630	18	6	16
All other	---	84	10	6	4
Negro	---	83	10	6	4
Redondo Beach	---	397	7	5	7
Rosemead	---	371	9	4	6
San Dimas	---	118	2	2	3
San Fernando	---	204	7	5	4
San Gabriel	---	374	7	3	7
San Marino	---	97	–	–	1
Santa Fe Springs	---	74	3	2	7
Santa Monica	---	1,082	15	13	7
Sierra Madre	---	96	1	1	–
South El Monte	---	93	3	2	–
South Gate	---	598	17	12	16
South Pasadena	---	240	3	2	2
Temple City	---	246	4	2	1
Torrance	---	819	23	17	11
West Covina	---	365	9	5	11
Whittier	---	839	10	10	8
Balance of county	---	5,021	149	92	102
White	---	4,580	119	74	84
All other	---	441	30	18	18
Negro	---	390	29	17	14
Madera	346	465	15	9	9
Madera	---	178	12	8	5
White	---	162	10	7	5
All other	---	16	2	1	–
Negro	---	16	2	1	–
Balance of county	---	287	3	1	4
Marin	1,514	1,502	26	21	10
Larkspur	---	35	–	–	–
Mill Valley	---	178	3	3	1
Novato	---	226	6	5	4
San Anselmo	---	110	2	2	1
San Rafael	---	410	7	5	3
Balance of county	---	543	8	6	1
Mariposa	76	90	–	–	–
Mendocino	550	565	19	10	13
Ukiah	---	113	5	4	2
Balance of county	---	452	14	6	11
Merced	691	818	19	14	25
Atwater	---	57	1	–	2
White	---	52	1	–	1
All other	---	5	–	–	1
Negro	---	5	–	–	–
Merced	---	253	9	7	7
White	---	236	8	7	4
All other	---	17	1	–	3
Negro	---	17	1	–	3
Balance of county	---	508	9	7	16
Modoc	71	72	5	5	–
Mono	47	31	–	–	1
Monterey	1,814	1,849	55	38	39
White	1,676	1,704	43	31	35
All other	138	145	12	7	4
Negro	67	70	10	6	2
Monterey	---	225	4	2	3
Pacific Grove	---	168	1	1	–
Salinas	---	549	19	12	15
Seaside	---	140	10	5	2
White	---	84	4	2	–
All other	---	56	6	3	2
Negro	---	42	4	2	2
Balance of county	---	767	21	18	19
Napa	1,073	861	19	17	7
Napa	---	471	17	15	–
Balance of county	---	390	2	2	7
Nevada	437	420	7	3	2
Orange	10,117	10,749	281	211	206
White	9,953	10,577	266	198	192
All other	164	172	15	13	14
Negro	83	78	5	4	6
Anaheim	---	1,299	43	36	28
Brea	---	114	1	1	7
Buena Park	---	312	14	10	7
Costa Mesa	---	564	11	9	6
Cypress	---	152	1	1	4
Fountain Valley	---	169	10	9	4
Fullerton	---	551	14	12	13
Garden Grove	---	712	17	12	10
Huntington Beach	---	763	27	23	15
Laguna Beach	---	177	1	–	2
La Habra	---	283	7	3	6
Los Alamitos	---	112	2	1	2
Newport Beach	---	468	4	3	3
Orange	---	538	15	9	12
Placentia	---	120	5	5	6
San Clemente	---	210	3	1	–
Santa Ana	---	1,310	55	36	34
White	---	1,245	49	30	27
All other	---	65	6	6	7
Negro	---	46	2	2	3
Seal Beach	---	539	–	–	2
Stanton	---	149	6	6	5
Tustin	---	193	5	4	2
Westminster	---	335	7	7	6
Yorba Linda	---	96	2	1	5
Balance of county	---	1,583	31	22	27
Placer	816	793	13	7	13
Roseville	---	204	3	1	4
Balance of county	---	589	10	6	9
Plumas	131	134	–	–	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
Riverside	5,100	5,404	106	65	80
White	4,862	5,162	96	57	70
All other	238	242	10	8	10
Negro	201	206	9	7	8
Banning	– – –	183	3	2	1
White	– – –	165	2	1	1
All other	– – –	18	1	1	–
Negro	– – –	14	1	1	–
Corona	– – –	225	8	5	7
Hemet	– – –	467	1	1	–
India	– – –	145	4	3	5
Norco	– – –	69	1	1	1
Palm Springs	– – –	394	4	3	2
Riverside	– – –	1,164	27	18	18
Balance of county	– – –	2,757	58	32	46
White	– – –	2,617	54	29	39
All other	– – –	140	4	3	7
Negro	– – –	124	4	3	5
Sacramento	5,536	5,314	114	82	79
White	5,109	4,879	94	67	60
All other	427	435	20	15	19
Negro	264	266	16	12	15
Sacramento	– – –	3,023	50	33	46
White	– – –	2,653	35	21	30
All other	– – –	370	15	12	16
Negro	– – –	237	14	11	13
Balance of county	– – –	2,291	64	49	33
White	– – –	2,226	59	46	30
All other	– – –	65	5	3	3
Negro	– – –	29	2	1	2
San Benito	140	180	8	3	4
San Bernardino	6,180	5,922	152	90	118
White	5,907	5,688	137	83	102
All other	273	234	15	7	16
Negro	247	210	13	6	12
Barstow	– – –	117	4	3	3
White	– – –	106	3	3	3
All other	– – –	11	1	–	–
Negro	– – –	9	–	–	–
Chino	– – –	152	3	2	8
Colton	– – –	202	4	4	6
Fontana	– – –	259	4	3	2
Montclair	– – –	109	4	3	2
Ontario	– – –	526	20	7	17
Redlands	– – –	311	3	1	3
Rialto	– – –	203	6	1	3
San Bernardino	– – –	1,032	25	16	25
White	– – –	920	20	13	15
All other	– – –	112	5	3	10
Negro	– – –	109	5	3	8
Upland	– – –	239	6	5	4
Victorville	– – –	107	2	2	5
Balance of county	– – –	2,665	71	43	40
White	– – –	2,595	65	41	37
All other	– – –	70	6	2	3
Negro	– – –	56	5	1	2
San Diego	11,947	11,570	293	191	209
White	11,356	10,981	242	159	163
All other	591	589	51	32	46
Negro	448	442	38	25	32
Carlsbad	– – –	153	3	3	–
Chula Vista	– – –	565	12	6	11
Coronado	– – –	152	3	2	3
El Cajon	– – –	493	10	6	8
Escondido	– – –	492	9	7	8
Imperial Beach	– – –	112	11	5	4
La Mesa	– – –	426	3	3	–
National City	– – –	271	12	7	9
White	– – –	245	8	3	6
All other	– – –	26	4	4	3
Negro	– – –	13	3	3	1
Oceanside	– – –	467	31	20	12
San Diego	– – –	5,648	147	103	109
White	– – –	5,182	110	80	77
All other	– – –	466	37	23	32
Negro	– – –	388	27	18	25
Vista	– – –	294	4	–	5
Balance of county	– – –	2,497	48	29	40
White	– – –	2,451	48	29	38
All other	– – –	46	–	–	2
Negro	– – –	18	–	–	1
San Francisco, coext. with San Francisco city	8,632	8,319	116	81	72
White	7,005	6,755	58	43	32
All other	1,627	1,564	58	38	40
Negro	888	843	44	27	21
San Joaquin	2,788	2,894	60	32	49
White	2,503	2,602	48	28	38
All other	285	292	12	4	11
Negro	158	169	12	4	9
Lodi	– – –	383	3	3	4
Manteca	– – –	129	2	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
San Joaquin—Con.					
Stockton	– – –	1,225	31	13	23
White	– – –	1,015	22	11	14
All other	– – –	210	9	2	9
Negro	– – –	129	9	2	7
Tracy	– – –	156	4	3	1
Balance of county	– – –	1,001	20	12	19
White	– – –	937	17	10	17
All other	– – –	64	3	2	2
Negro	– – –	33	3	2	2
San Luis Obispo	1,144	1,165	20	13	9
San Luis Obispo	– – –	215	4	3	–
Balance of county	– – –	950	16	10	9
San Mateo	3,783	4,147	61	49	67
White	3,608	3,884	40	32	45
All other	175	263	21	17	22
Negro	108	175	17	14	11
Belmont	– – –	144	4	3	3
Burlingame	– – –	302	2	2	–
Daly City	– – –	482	10	8	11
White	– – –	435	5	4	6
All other	– – –	47	5	4	5
Negro	– – –	24	5	4	1
Menlo Park	– – –	327	1	–	5
White	– – –	299	–	–	–
All other	– – –	28	1	–	5
Negro	– – –	27	1	–	4
Millbrae	– – –	155	–	–	1
Pacifica	– – –	155	3	1	1
Redwood City	– – –	534	7	6	11
San Bruno	– – –	230	3	2	4
San Carlos	– – –	211	3	3	3
San Mateo	– – –	690	7	6	9
South San Francisco	– – –	290	5	5	7
Balance of county	– – –	627	16	13	12
White	– – –	537	8	6	7
All other	– – –	90	8	7	5
Negro	– – –	75	7	7	2
Santa Barbara	2,198	2,204	47	30	29
White	2,130	2,131	40	24	24
All other	68	73	7	6	5
Negro	39	41	7	6	4
Lompoc	– – –	140	6	3	–
Santa Barbara	– – –	966	15	10	12
Santa Maria	– – –	269	7	4	4
Balance of county	– – –	829	19	116	127
All other	357	287	14	9	19
Negro	210	151	9	5	13
Campbell	– – –	230	9	4	1
Cupertino	– – –	143	2	2	5
Gilroy	– – –	134	5	2	4
Los Altos	– – –	228	2	2	–
Los Gatos	– – –	305	2	2	3
Milpitas	– – –	106	9	5	6
White	– – –	95	9	5	6
All other	– – –	11	–	–	–
Negro	– – –	10	–	–	–
Mountain View	– – –	426	8	4	6
Palo Alto	– – –	490	8	7	2
San Jose	– – –	3,283	123	74	88
White	– – –	3,127	113	68	77
All other	– – –	156	10	6	11
Negro	– – –	89	8	4	8
Santa Clara	– – –	508	11	8	9
Saratoga	– – –	200	2	1	2
Sunnyvale	– – –	604	12	8	11
Balance of county	– – –	396	10	6	9
Santa Cruz	1,547	1,572	31	22	16
Santa Cruz	– – –	499	8	7	2
Watsonville	– – –	226	11	9	1
White	– – –	212	11	9	1
All other	– – –	14	–	–	–
Negro	– – –	2	–	–	–
Balance of county	– – –	847	12	6	13
Shasta	878	823	13	7	12
Redding	– – –	267	1	1	2
Balance of county	– – –	556	12	6	10
Sierra	13	25	–	–	1
Siskiyou	289	332	5	2	2
Solano	1,218	1,286	41	34	32
White	1,074	1,120	28	25	23
All other	144	166	13	9	9
Negro	113	134	13	9	7
Fairfield	– – –	183	6	5	9
White	– – –	169	3	3	6
All other	– – –	14	3	2	3
Negro	– – –	11	3	2	2
Vacaville	– – –	153	1	1	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
Solano—Con.					
Vallejo	---	673	16	15	7
White	---	551	11	10	4
All other	---	122	5	5	3
Negro	---	103	5	5	3
Balance of county	---	277	18	13	9
Sonoma	2,501	2,521	45	25	34
Petaluma	---	246	8	4	2
Santa Rosa	---	863	9	9	8
Balance of county	---	1,412	28	12	24
Stanislaus	2,092	1,995	41	28	29
Modesto	---	775	17	9	15
Turlock	---	241	5	3	2
Balance of county	---	979	19	16	12
Sutter	267	375	11	6	7
Yuba City	---	156	4	3	1
Balance of county	---	219	7	3	6
Tehama	266	342	4	3	3
Trinity	67	94	1	–	2
Tulare	1,575	1,741	52	32	40
White	1,506	1,665	47	28	39
All other	69	76	5	4	1
Negro	45	45	4	3	1
Porterville	---	173	7	5	2
Tulare	---	242	7	5	~
White	---	221	5	3	~
All other	---	21	2	2	~
Negro	---	21	2	2	~
Visalia	---	318	9	6	3
Balance of county	---	1,008	29	16	35
Tuolumne	266	271	2	1	3
Ventura	2,469	2,651	77	60	67
White	2,405	2,593	71	56	59
All other	64	58	6	4	8
Negro	39	36	5	3	6
Camarillo	---	125	3	3	3
Oxnard	---	495	20	14	20
White	---	461	17	12	18
All other	---	34	3	2	2
Negro	---	22	3	2	2
Port Hueneme	---	99	2	2	1
Santa Paula	---	168	3	3	3
Simi Valley	---	243	15	14	9
Thousand Oaks	---	186	6	5	1
Ventura	---	536	11	7	11
Balance of county	---	799	17	12	19
Yolo	662	740	15	9	15
Davis	---	101	4	3	1
Woodland	---	222	4	3	4
Balance of county	---	417	7	3	10
Yuba	343	355	14	9	11
Colorado	**18,668**	**17,999**	**532**	**359**	**497**
White	18,008	17,387	489	332	461
All other	660	612	43	27	36
Negro	529	513	39	24	31
Adams	889	1,041	52	32	57
Arvada, part	---	4	–	–	2
Aurora, part	---	114	11	7	7
Commerce City	---	120	4	–	3
North Glenn	---	92	4	3	6
Thornton	---	122	9	7	4
Westminster	---	171	5	2	10
Balance of county	---	418	19	13	25
Alamosa	75	66	5	3	6
Arapahoe	931	1,030	36	28	47
Aurora, part	---	324	15	12	19
Aurora, total	---	438	26	19	26
Englewood	---	314	8	6	13
Littleton	---	227	4	3	11
Balance of county	---	165	9	7	4
Archuleta	14	19	–	–	1
Baca	36	51	1	1	3
Bent	76	74	–	–	–
Boulder	781	834	28	22	17
Boulder	---	370	10	8	8
Longmont	---	244	9	6	6
Balance of county	---	220	9	8	3
Chaffee	109	100	6	6	3
Cheyenne	30	22	1	1	–
Clear Creek	41	43	1	1	–
Conejos	51	54	3	2	2
Costilla	7	29	1	–	–
Crowley	20	52	–	–	–
Custer	5	12	–	–	–
Delta	185	228	3	2	–
Denver, coext. with Denver city	6,123	4,679	101	65	85
White	5,696	4,248	76	47	71
All other	427	431	25	18	14
Negro	381	396	24	17	14
Colorado—Con.					
Dolores	7	15	1	–	1
White	7	15	1	–	1
All other	–	–	–	–	–
Negro	–	–	–	–	–
Douglas	42	57	6	6	–
Eagle	27	38	3	2	3
Elbert	15	43	–	–	–
El Paso	1,666	1,610	87	53	83
White	1,601	1,538	75	47	70
All other	65	72	12	6	13
Negro	57	64	12	6	11
Colorado Springs	---	1,288	66	39	67
Balance of county	---	322	21	14	16
Fremont	355	379	4	2	10
Garfield	142	139	3	2	1
Gilpin	15	10	1	1	1
Grand	36	29	3	2	1
Gunnison	30	30	3	1	2
Hinsdale	9	6	–	–	–
Huerfano	72	103	4	1	–
Jackson	6	14	–	–	–
Jefferson	1,396	1,669	50	38	56
Arvada, part	---	284	10	9	17
Arvada, total	---	288	10	9	19
Lakewood	---	673	18	11	18
Wheat Ridge	---	290	5	3	3
Balance of county	---	422	17	15	18
Kiowa	12	20	1	1	1
Kit Carson	55	67	1	–	2
Lake	27	42	1	1	3
La Plata	189	168	5	4	3
Durango	---	91	1	1	1
Balance of county	---	77	4	3	2
Larimer	858	814	14	9	16
Fort Collins	---	318	6	4	11
Loveland	---	248	2	2	2
Balance of county	---	248	6	3	3
Las Animas	178	207	6	3	–
Lincoln	60	46	–	–	–
Logan	197	201	3	3	6
Sterling	---	147	3	3	2
Balance of county	---	54	–	–	4
Mesa	695	587	12	9	7
Grand Junction	---	323	7	6	4
Balance of county	---	264	5	3	3
Mineral	9	3	–	–	–
Moffat	65	67	7	5	1
Montezuma	105	114	6	3	2
Montrose	191	188	3	2	9
Morgan	179	190	5	3	7
Otero	257	263	4	3	5
Ouray	4	10	1	1	1
Park	34	21	1	–	–
Phillips	44	58	–	–	–
Pitkin	35	33	–	–	–
Prowers	104	133	2	2	3
Pueblo	1,119	1,051	22	15	19
Pueblo	---	950	20	14	17
Balance of county	---	101	2	1	2
Rio Blanco	37	40	–	–	1
Rio Grande	94	94	1	1	2
Routt	69	60	1	1	5
Saguache	9	29	–	–	1
San Juan	12	5	1	–	–
San Miguel	12	19	–	–	1
Sedgwick	34	38	–	–	–
Summit	24	19	–	–	1
Teller	14	36	2	–	2
Washington	30	52	–	–	–
Weld	623	739	29	21	14
Greeley	---	379	11	6	7
Balance of county	---	360	18	15	7
Yuma	102	109	1	1	6
Connecticut	**26,181**	**26,128**	**505**	**403**	**305**
White	24,893	24,855	384	304	249
All other	1,288	1,273	121	99	56
Negro	1,257	1,243	117	96	54
Fairfield	6,315	6,656	124	105	86
White	5,954	6,266	88	73	69
All other	361	390	36	32	17
Negro	355	384	36	32	16
Bridgeport	---	1,614	37	30	28
White	---	1,433	20	15	22
All other	---	181	17	15	6
Negro	---	178	17	15	6
Danbury	---	480	10	8	8
Darien townt	---	138	–	–	–
Fairfield townt	---	487	2	2	4
Greenwich townt	---	440	6	4	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut—Con.					
Fairfield—Con.					
Norwalk	---	596	17	13	8
White	---	538	8	5	7
All other	---	58	9	8	1
Negro	---	57	9	8	1
Shelton	---	180	1	1	1
Stamford	---	916	26	24	18
White	---	817	18	17	9
All other	---	99	8	7	9
Negro	---	98	8	7	8
Stratford townt	---	468	6	6	1
Trumbull townt	---	219	1	1	2
Westport townt	---	153	3	3	3
Balance of county	---	965	15	13	11
Hartford	7,143	6,938	143	113	68
White	6,749	6,546	99	76	57
All other	394	392	44	37	11
Negro	383	380	41	34	11
Bristol	---	431	11	11	11
East Hartford townt	---	422	8	7	6
Enfield townt	---	242	7	4	1
Hartford	---	1,512	62	48	21
White	---	1,211	28	20	14
All other	---	301	34	28	7
Negro	---	296	33	27	7
Manchester townt	---	491	4	2	5
New Britain	---	842	14	12	2
Newington townt	---	198	2	1	–
Plainville townt	---	117	2	1	2
Southington townt	---	192	3	3	5
West Hartford townt	---	722	7	6	3
Wethersfield townt	---	273	2	2	2
Windsor Locks townt	---	89	–	–	–
Balance of county	---	1,407	21	16	10
Litchfield	1,263	1,375	24	19	11
Torrington	---	350	7	5	1
Balance of county	---	1,025	17	14	10
Middlesex	1,010	971	16	12	12
Middletown	---	296	5	4	3
Balance of county	---	675	11	8	9
New Haven	7,393	6,877	125	96	79
White	6,969	6,479	94	72	60
All other	424	398	31	24	19
Negro	419	396	31	24	19
Ansonia	---	179	3	2	2
Derby	---	117	2	2	–
East Haven townt	---	184	2	2	–
Hamden townt	---	538	7	5	3
Meriden	---	555	9	8	7
Milford	---	421	5	2	9
Naugatuck	---	204	2	1	4
New Haven	---	1,332	25	22	17
White	---	1,093	10	10	9
All other	---	239	15	12	8
Negro	---	239	15	12	8
Wallingford townt	---	308	8	6	1
Waterbury	---	1,142	33	22	12
White	---	1,055	22	14	9
All other	---	87	11	8	3
Negro	---	86	11	8	3
West Haven townt	---	439	6	5	5
Balance of county	---	1,458	23	19	19
New London	1,880	1,887	42	33	25
New London	---	332	8	6	6
White	---	303	4	3	6
All other	---	29	4	3	–
Negro	---	28	4	3	–
Norwich	---	406	9	7	4
Balance of county	---	1,149	25	20	15
Tolland	417	584	14	13	16
Vernon townt	---	158	7	7	7
Balance of county	---	426	7	6	9
Windham	760	840	17	12	8
Willimantic	---	90	2	2	5
Balance of county	---	750	15	10	3
Delaware	4,970	4,781	104	73	99
White	4,188	4,022	67	52	71
All other	782	759	37	21	28
Negro	771	749	37	21	27
Kent	583	623	19	10	14
White	477	516	12	6	12
All other	106	107	7	4	2
Negro	102	104	7	4	2
Dover	---	164	10	6	1
White	---	124	6	3	1
All other	---	40	4	3	–
Negro	---	39	4	3	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Delaware—Con.					
Kent—Con.					
Balance of county	---	459	9	4	13
White	---	392	6	3	11
All other	---	67	3	1	2
Negro	---	65	3	1	2
New Castle	3,364	3,144	61	47	60
White	2,861	2,677	41	36	43
All other	503	467	20	11	17
Negro	499	463	20	11	16
Newark	---	217	7	6	4
Wilmington	---	1,633	37	27	20
White	---	1,254	17	16	7
All other	---	379	20	11	13
Negro	---	379	20	11	13
Balance of county	---	1,294	17	14	36
White	---	1,215	17	14	32
All other	---	79	–	–	4
Negro	---	75	–	–	3
Sussex	1,023	1,014	24	16	25
White	850	829	14	10	16
All other	173	185	10	6	9
Negro	170	182	10	6	9
District of Columbia	9,180	7,312	245	199	163
White	4,033	2,359	15	10	14
All other	5,147	4,953	230	189	149
Negro	5,101	4,920	230	189	148
Florida	91,257	89,673	1,581	1,124	1,136
White	80,650	79,082	930	678	681
All other	10,607	10,591	651	446	455
Negro	10,524	10,514	639	435	451
Alachua	1,712	784	34	22	11
White	1,291	534	17	11	8
All other	421	250	17	11	3
Negro	419	249	16	11	3
Gainesville	---	404	13	8	7
White	---	291	8	5	4
All other	---	113	5	3	3
Negro	---	112	4	3	3
Balance of county	---	380	21	14	4
White	---	243	9	6	4
All other	---	137	12	8	–
Negro	---	137	12	8	–
Baker	129	112	3	2	5
White	112	97	2	1	3
All other	17	15	1	1	2
Negro	17	15	1	1	2
Bay	721	718	21	13	17
White	615	613	13	9	12
All other	106	105	8	4	5
Negro	106	104	7	3	5
Panama City	---	457	15	9	12
White	---	371	8	5	9
All other	---	86	7	4	3
Negro	---	85	6	3	3
Balance of county	---	261	6	4	5
Bradford	131	145	3	2	3
White	108	124	1	–	3
All other	23	21	2	2	–
Negro	23	21	2	2	–
Brevard	1,779	1,865	27	20	23
White	1,620	1,706	19	15	11
All other	159	159	8	5	12
Negro	159	159	8	5	11
Cocoa	---	175	–	–	7
White	---	140	–	–	4
All other	---	35	–	–	3
Negro	---	35	–	–	3
Melbourne	---	388	4	1	7
White	---	336	3	–	3
All other	---	52	1	1	4
Negro	---	52	1	1	4
Rockledge	---	75	–	–	2
Titusville	---	247	5	4	4
Balance of county	---	980	18	15	3
Broward	9,154	9,752	135	103	87
White	8,506	9,054	67	55	45
All other	648	698	68	48	42
Negro	641	691	68	48	41
Deerfield Beach	---	401	4	2	1
White	---	350	–	–	1
All other	---	51	4	2	–
Negro	---	51	4	2	–
Fort Lauderdale	---	2,527	44	35	24
White	---	2,304	15	13	8
All other	---	223	29	22	16
Negro	---	223	29	22	16

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
Broward—Con.					
Hallandale	---	609	4	4	2
White	---	546	2	2	–
All other	---	63	2	2	2
Negro	---	62	2	2	2
Hollywood	---	1,526	21	17	17
Lauderdale Lakes	---	255	2	2	2
Miramar	---	240	2	1	3
Oakland Park	---	150	–	–	1
Pembroke Pines	---	206	4	4	2
Plantation	---	247	4	3	1
Pompano Beach	---	821	10	8	12
White	---	744	2	2	8
All other	---	77	8	6	4
Negro	---	77	8	6	4
Wilton Manor	---	149	1	1	–
Balance of county	---	2,621	39	26	22
White	---	2,385	19	15	9
All other	---	236	20	11	13
Negro	---	232	20	11	13
Calhoun	110	82	9	6	2
White	86	65	6	4	–
All other	24	17	3	2	2
Negro	24	17	3	2	2
Charlotte	625	694	1	1	3
Citrus	414	519	6	4	4
Clay	283	358	10	6	9
Collier	726	660	8	5	11
Naples	---	257	2	2	5
Balance of county	---	403	6	3	6
Columbia	541	304	10	7	1
White	381	219	7	5	–
All other	160	85	3	2	1
Negro	159	84	3	2	1
Lake City	---	138	3	3	–
White	---	86	1	1	–
All other	---	52	2	2	–
Negro	---	51	2	2	–
Balance of county	---	166	7	4	1
White	---	133	6	4	–
All other	---	33	1	–	1
Negro	---	33	1	–	1
Dade	16,205	14,877	225	161	234
White	14,470	13,228	125	93	127
All other	1,735	1,649	100	68	107
Negro	1,718	1,637	100	68	107
Coral Gables	---	438	5	4	3
Hialeah	---	873	14	10	16
Homestead	---	144	7	3	9
White	---	114	6	3	6
All other	---	30	1	–	3
Negro	---	30	1	–	3
Miami	---	4,431	68	54	80
White	---	3,678	34	30	36
All other	---	753	34	24	44
Negro	---	748	34	24	44
Miami Beach	---	2,576	3	2	5
Miami Springs	---	135	2	2	–
North Miami	---	627	6	4	4
North Miami Beach	---	911	2	1	4
Opa-Locka	---	157	5	3	13
White	---	80	1	1	6
All other	---	77	4	2	7
Negro	---	77	4	2	7
South Miami	---	93	–	–	1
White	---	61	–	–	–
All other	---	32	–	–	1
Negro	---	32	–	–	1
Balance of county	---	4,492	113	78	99
White	---	3,775	55	39	49
All other	---	717	58	39	50
Negro	---	713	58	39	50
De Soto	233	160	8	4	2
White	204	134	4	3	–
All other	29	26	4	1	2
Negro	29	26	4	1	2
Dixie	31	71	1	1	–
White	22	55	1	1	–
All other	9	16	–	–	–
Negro	9	16	–	–	–
Duval, coext. with Jacksonville city	4,762	4,678	145	118	88
White	3,416	3,280	73	58	52
All other	1,346	1,398	72	60	36
Negro	1,339	1,391	71	59	34
Escambia	1,873	1,604	55	41	40
White	1,490	1,250	36	28	21
All other	383	354	19	13	19
Negro	379	352	19	13	19
Florida—Con.					
Escambia—Con.					
Pensacola	---	692	23	17	16
White	---	489	14	12	7
All other	---	203	9	5	9
Negro	---	203	9	5	9
Balance of county	---	912	32	24	24
White	---	761	22	16	14
All other	---	151	10	8	10
Negro	---	149	10	8	10
Flagler	83	82	2	1	2
White	75	75	1	1	1
All other	8	7	1	–	1
Negro	8	7	1	–	1
Franklin	55	91	4	2	–
White	42	71	1	1	–
All other	13	20	3	1	–
Negro	13	20	3	1	–
Gadsden	375	339	20	10	9
White	201	151	6	5	5
All other	174	188	14	5	4
Negro	174	188	14	5	4
Gilchrist	34	58	1	–	1
Glades	26	40	2	2	1
White	22	29	1	1	1
All other	4	11	1	1	–
Negro	4	8	1	1	–
Gulf	68	96	2	2	3
White	44	69	1	1	–
All other	24	27	1	1	3
Negro	22	25	–	–	3
Hamilton	87	86	3	2	3
White	61	52	2	2	2
All other	26	34	1	–	1
Negro	26	34	1	–	1
Hardee	112	164	10	6	2
White	100	153	9	6	1
All other	12	11	1	–	1
Negro	12	11	1	–	1
Hendry	138	146	8	5	3
White	94	104	3	1	2
All other	44	42	5	4	1
Negro	41	39	5	4	1
Hernando	292	381	7	3	4
White	275	358	3	1	4
All other	17	23	4	2	–
Negro	17	23	4	2	–
Highlands	579	584	10	5	7
White	517	512	3	2	3
All other	62	72	7	3	4
Negro	61	71	6	2	4
Hillsborough	5,359	4,977	105	75	82
White	4,668	4,317	65	48	63
All other	691	660	40	27	19
Negro	684	653	37	24	19
Plant City	---	190	8	5	1
White	---	142	3	2	–
All other	---	48	5	3	1
Negro	---	48	5	3	1
Tampa	---	3,138	58	42	47
White	---	2,574	25	19	32
All other	---	564	33	23	15
Negro	---	560	30	20	15
Balance of county	---	1,649	39	28	34
Holmes	108	153	3	3	1
Indian River	576	550	4	3	8
White	510	482	3	2	3
All other	66	68	1	1	5
Negro	66	68	1	1	5
Vero Beach	---	238	1	–	2
Balance of county	---	312	3	3	6
White	---	247	2	2	1
All other	---	65	1	1	5
Negro	---	65	1	1	5
Jackson	321	412	19	14	7
White	217	274	6	5	4
All other	104	138	13	9	3
Negro	104	138	13	9	3
Jefferson	90	115	5	4	1
White	35	53	–	–	–
All other	55	62	5	4	1
Negro	55	62	5	4	1
Lafayette	11	43	1	1	1
White	10	41	1	1	–
All other	1	2	–	–	1
Negro	1	2	–	–	1
Lake	1,365	1,304	15	13	9
White	1,191	1,145	8	7	3
All other	174	159	7	6	6
Negro	174	159	7	6	6

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
Lake—Con.					
Leesburg	---	219	3	3	–
White	---	177	1	1	–
All other	---	42	2	2	–
Negro	---	42	2	2	–
Balance of county	---	1,085	12	10	9
White	---	968	7	6	3
All other	---	117	5	4	6
Negro	---	117	5	4	6
Lee	1,818	1,844	24	22	19
White	1,703	1,721	16	15	15
All other	115	123	8	7	4
Negro	115	123	8	7	4
Fort Myers	---	479	13	12	7
White	---	378	5	5	4
All other	---	101	8	7	3
Negro	---	101	8	7	3
Balance of county	---	1,365	11	10	12
Leon	978	685	23	14	22
White	664	453	15	11	10
All other	314	232	8	3	12
Negro	313	231	8	3	12
Tallahassee	---	470	16	11	16
White	---	306	10	8	6
All other	---	164	6	3	10
Negro	---	163	6	3	10
Balance of county	---	215	7	3	6
White	---	147	5	3	4
All other	---	68	2	–	2
Negro	---	68	2	–	2
Levy	115	159	7	6	2
White	99	131	4	3	1
All other	16	28	3	3	1
Negro	16	28	3	3	1
Liberty	7	41	–	–	1
White	7	38	–	–	–
All other	–	3	–	–	1
Negro	–	3	–	–	1
Madison	118	165	5	3	6
White	83	110	2	1	2
All other	35	55	3	2	4
Negro	35	55	3	2	4
Manatee	1,915	1,836	24	17	8
White	1,794	1,699	17	12	6
All other	121	137	7	5	2
Negro	121	136	7	5	2
Bradenton	---	583	4	3	2
White	---	512	2	2	2
All other	---	71	2	1	–
Negro	---	71	2	1	–
Balance of county	---	1,253	20	14	6
Marion	1,030	1,071	25	17	16
White	815	846	14	10	9
All other	215	225	11	7	7
Negro	214	224	11	7	7
Ocala	---	392	9	7	14
White	---	282	2	1	7
All other	---	110	7	6	7
Negro	---	110	7	6	7
Balance of county	---	679	16	10	2
White	---	564	12	9	2
All other	---	115	4	1	–
Negro	---	114	4	1	–
Martin	640	605	8	6	6
White	594	555	7	5	5
All other	46	50	1	1	1
Negro	45	49	1	1	1
Monroe	511	542	4	3	8
Key West	---	257	3	3	6
White	---	224	3	3	6
All other	---	33	–	–	–
Negro	---	33	–	–	–
Balance of county	---	285	1	–	2
Nassau	141	222	8	3	3
White	99	167	4	2	3
All other	42	55	4	1	–
Negro	42	55	4	1	–
Okaloosa	451	489	26	19	17
Fort Walton Beach	---	115	2	1	3
Balance of county	---	374	24	18	14
Okeechobee	137	161	4	2	6
White	117	138	3	1	5
All other	20	23	1	1	1
Negro	20	23	1	1	1
Orange	3,681	3,289	77	52	55
White	3,207	2,848	45	31	33
All other	474	441	32	21	22
Negro	470	439	32	21	22
Florida—Con.					
Orange—Con.					
Orlando	---	1,274	40	27	26
White	---	1,019	17	13	10
All other	---	255	23	14	16
Negro	---	255	23	14	16
Winter Park	---	307	3	2	1
White	---	278	2	1	1
All other	---	29	1	1	–
Negro	---	29	1	1	–
Balance of county	---	1,708	34	23	28
White	---	1,551	26	17	22
All other	---	157	8	6	6
Negro	---	155	8	6	6
Osceola	483	470	6	4	10
Palm Beach	5,600	5,577	78	61	63
White	4,977	4,946	35	27	33
All other	623	631	43	34	30
Negro	618	625	43	34	30
Belle Glade	---	153	7	5	6
White	---	58	1	1	–
All other	---	95	6	4	6
Negro	---	95	6	4	6
Boca Raton	---	482	3	3	5
Boynton Beach	---	470	11	10	4
White	---	430	4	4	3
All other	---	40	7	6	1
Negro	---	40	7	6	1
Delray Beach	---	367	7	6	2
White	---	310	3	2	2
All other	---	57	4	4	–
Negro	---	57	4	4	–
Lake Worth	---	570	4	4	2
Riviera Beach	---	236	3	2	7
White	---	132	–	–	–
All other	---	104	3	2	7
Negro	---	104	3	2	7
West Palm Beach	---	935	14	11	8
White	---	751	6	5	4
All other	---	184	8	6	4
Negro	---	181	8	6	4
Balance of county	---	2,364	29	20	29
White	---	2,231	16	10	18
All other	---	133	13	10	11
Negro	---	131	13	10	11
Pasco	1,568	2,046	23	15	11
Pinellas	11,215	10,670	84	61	45
White	10,745	10,206	60	44	29
All other	470	464	24	17	16
Negro	466	461	23	16	16
Clearwater	---	1,130	15	12	3
White	---	1,065	10	7	2
All other	---	65	5	5	1
Negro	---	64	4	4	1
Dunedin	---	456	1	1	1
Largo	---	608	8	7	5
Pinellas Park	---	366	5	3	1
St. Petersburg	---	4,549	38	26	27
White	---	4,199	24	16	17
All other	---	350	14	10	10
Negro	---	348	14	10	10
Balance of county	---	3,561	17	12	8
Polk	2,991	2,941	64	50	34
White	2,600	2,534	43	33	16
All other	391	407	21	17	18
Negro	386	402	20	16	18
Bartow	---	142	2	2	2
White	---	100	1	1	–
All other	---	42	1	1	2
Negro	---	42	1	1	2
Lakeland	---	679	11	9	12
White	---	581	7	5	4
All other	---	98	4	4	8
Negro	---	96	3	3	8
Winter Haven	---	313	7	7	2
White	---	259	4	4	2
All other	---	54	3	3	–
Negro	---	54	3	3	–
Balance of county	---	1,807	44	32	18
White	---	1,594	31	23	10
All other	---	213	13	9	8
Negro	---	210	13	9	8
Putnam	404	518	10	4	7
White	313	400	4	1	4
All other	91	118	6	3	3
Negro	91	118	6	3	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
St. Johns	411	465	9	5	1
White	322	367	5	3	1
All other	89	98	4	2	–
Negro	89	98	4	2	–
St. Augustine	– – –	192	3	–	–
White	– – –	151	1	–	–
All other	– – –	41	2	–	–
Negro	– – –	41	2	–	–
Balance of county	– – –	273	6	5	1
White	– – –	216	4	3	1
All other	– – –	57	2	2	–
Negro	– – –	57	2	2	–
St. Lucie	689	816	21	9	16
White	527	634	6	4	4
All other	162	182	15	5	12
Negro	159	180	15	5	12
Fort Pierce	– – –	451	17	6	11
White	– – –	279	2	1	1
All other	– – –	172	15	5	10
Negro	– – –	171	15	5	10
Balance of county	– – –	365	4	3	5
Santa Rosa	199	326	12	10	12
Sarasota	2,657	2,590	27	16	7
Sarasota	– – –	836	13	8	1
White	– – –	771	6	5	–
All other	– – –	65	7	3	1
Negro	– – –	63	7	3	1
Balance of county	– – –	1,754	14	8	6
Seminole	858	905	26	16	25
White	727	752	20	13	16
All other	131	153	6	3	9
Negro	129	151	6	3	9
Sanford	– – –	265	8	3	9
White	– – –	173	4	1	2
All other	– – –	92	4	2	7
Negro	– – –	91	4	2	7
Balance of county	– – –	640	18	13	16
White	– – –	579	16	12	14
All other	– – –	61	2	1	2
Negro	– – –	60	2	1	2
Sumter	29	246	5	3	1
White	26	198	4	2	–
All other	3	48	1	1	1
Negro	3	48	1	1	1
Suwannee	155	239	7	3	3
White	120	192	5	2	3
All other	35	47	2	1	–
Negro	35	47	2	1	–
Taylor	100	134	5	5	3
White	74	99	3	3	1
All other	26	35	2	2	2
Negro	26	35	2	2	2
Union	43	61	4	3	–
White	32	48	3	3	–
All other	11	13	1	–	–
Negro	11	13	1	–	–
Volusia	2,938	3,137	35	23	42
White	2,697	2,879	20	12	25
All other	241	258	15	11	17
Negro	240	257	14	10	17
Daytona Beach	– – –	831	17	12	13
White	– – –	678	7	4	5
All other	– – –	153	10	8	8
Negro	– – –	153	10	8	8
De Land	– – –	287	3	2	6
White	– – –	255	1	–	2
All other	– – –	32	2	2	4
Negro	– – –	32	2	2	4
New Smyrna Beach	– – –	252	2	1	2
White	– – –	224	1	1	2
All other	– – –	28	1	–	–
Negro	– – –	28	1	–	–
Ormond Beach	– – –	332	3	2	3
Balance of county	– – –	1,435	10	6	18
Wakulla	58	78	–	–	1
White	39	59	–	–	–
All other	19	19	–	–	1
Negro	19	19	–	–	1
Walton	122	200	4	2	1
White	108	178	3	1	–
All other	14	22	1	1	1
Negro	14	22	1	1	1
Washington	87	141	4	3	1
White	65	115	2	2	1
All other	22	26	2	1	–
Negro	22	26	2	1	–
Georgia[3]	42,196	41,661	1,259	865	1,095
White	29,961	29,536	620	435	581
All other	12,235	12,125	639	430	514
Negro	12,219	12,108	638	429	506
Appling	104	143	4	2	6
White	79	111	2	1	5
All other	25	32	2	1	1
Negro	25	32	2	1	1
Atkinson	14	60	1	1	8
White	11	44	1	1	3
All other	3	16	–	–	5
Negro	3	16	–	–	5
Bacon	100	107	4	1	4
White	87	94	3	1	4
All other	13	13	1	–	–
Negro	13	13	1	–	–
Baker	8	41	–	–	1
White	4	28	–	–	–
All other	4	13	–	–	1
Negro	4	13	–	–	1
Baldwin	514	239	5	3	8
White	366	149	1	1	2
All other	148	90	4	2	6
Negro	147	90	4	2	6
Milledgeville	– – –	137	3	2	–
White	– – –	77	–	–	–
All other	– – –	60	3	2	–
Negro	– – –	60	3	2	–
Balance of county	– – –	102	2	1	8
White	– – –	72	1	1	2
All other	– – –	30	1	–	6
Negro	– – –	30	1	–	6
Banks	19	76	–	–	–
Barrow	139	174	5	3	–
White	121	145	2	2	–
All other	18	29	3	1	–
Negro	18	29	3	1	–
Bartow	255	321	8	5	7
White	208	271	7	5	5
All other	47	50	1	–	2
Negro	47	50	1	–	2
Ben Hill	153	149	3	1	6
White	103	109	1	1	4
All other	50	40	2	–	2
Negro	50	40	2	–	2
Berrien	62	106	3	1	1
White	54	93	3	1	–
All other	8	13	–	–	1
Negro	8	13	–	–	1
Bibb	1,756	1,542	50	35	42
White	1,159	1,008	20	13	12
All other	597	534	30	22	30
Negro	596	533	30	22	30
Macon	– – –	1,419	46	32	–
White	– – –	913	17	11	–
All other	– – –	506	29	21	–
Negro	– – –	506	29	21	–
Balance of county	– – –	123	4	3	42
White	– – –	95	3	2	12
All other	– – –	28	1	1	30
Negro	– – –	27	1	1	30
Bleckley	90	104	3	3	2
White	75	89	1	1	1
All other	15	15	2	2	1
Negro	15	15	2	2	1
Brantley	22	80	2	2	1
White	19	77	2	2	1
All other	3	3	–	–	–
Negro	3	3	–	–	–
Brooks	146	182	9	7	7
White	90	100	2	2	2
All other	56	82	7	5	5
Negro	56	82	7	5	5
Bryan	20	64	4	3	1
White	17	54	2	2	–
All other	3	10	2	1	1
Negro	3	10	2	1	1
Bulloch	315	277	10	9	5
White	208	185	6	5	3
All other	107	92	4	4	2
Negro	107	92	4	4	2
Statesboro	– – –	119	5	4	–
White	– – –	79	3	2	–
All other	– – –	40	2	2	–
Negro	– – –	40	2	2	–
Balance of county	– – –	158	5	5	5
White	– – –	106	3	3	3
All other	– – –	52	2	2	2
Negro	– – –	52	2	2	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Burke	199	239	8	4	3
White	97	109	2	2	–
All other	102	130	6	2	3
Negro	102	130	6	2	3
Butts	99	110	3	1	3
White	74	79	1	–	1
All other	25	31	2	1	2
Negro	25	31	2	1	2
Calhoun	77	81	2	2	1
White	37	32	–	–	–
All other	40	49	2	2	1
Negro	40	49	2	2	1
Camden	51	95	2	2	2
White	31	60	2	2	–
All other	20	35	–	–	2
Negro	20	35	–	–	2
Candler	150	67	4	2	1
White	89	48	3	1	1
All other	61	19	1	1	–
Negro	61	19	1	1	–
Carroll	399	450	17	11	20
White	336	379	9	6	13
All other	63	71	8	5	7
Negro	62	70	8	5	7
Carrollton	---	115	6	6	–
White	---	80	1	1	–
All other	---	35	5	5	–
Negro	---	35	5	5	–
Balance of county	---	335	11	5	20
White	---	299	8	5	13
All other	---	36	3	–	7
Negro	---	35	3	–	7
Catoosa	394	245	4	1	5
Charlton	128	82	5	3	–
White	96	57	2	2	–
All other	32	25	3	1	–
Negro	32	25	3	1	–
Chatham	1,973	1,874	49	35	58
White	1,250	1,140	23	19	21
All other	723	734	26	16	37
Negro	723	734	26	16	37
Savannah	---	1,469	37	29	–
White	---	769	13	13	–
All other	---	700	24	16	–
Negro	---	700	24	16	–
Balance of county	---	405	12	6	58
White	---	371	10	6	21
All other	---	34	2	–	37
Negro	---	34	2	–	37
Chattahoochee	149	42	6	5	3
White	117	28	4	3	1
All other	32	14	2	2	2
Negro	32	14	2	2	2
Chattooga	137	209	3	1	2
Cherokee	171	277	10	8	6
Clarke	620	399	11	8	9
White	454	256	6	4	7
All other	166	143	5	4	2
Negro	166	143	5	4	2
Athens	---	318	6	4	1
White	---	194	2	1	1
All other	---	124	4	3	–
Negro	---	124	4	3	–
Balance of county	---	81	5	4	8
White	---	62	4	3	6
All other	---	19	1	1	2
Negro	---	19	1	1	2
Clay	66	61	2	–	1
White	33	27	1	–	1
All other	33	34	1	–	–
Negro	33	34	1	–	–
Clayton	424	601	38	27	31
College Park, part	---	39	1	1	–
Forest Park	---	158	8	6	–
Balance of county	---	404	29	20	31
Clinch	58	59	1	–	1
White	42	43	–	–	–
All other	16	16	1	–	1
Negro	16	16	1	–	1
Cobb	1,283	1,294	27	20	40
Marietta	---	364	9	6	–
White	---	315	9	6	–
All other	---	49	–	–	–
Negro	---	49	–	–	–
Smyrna	---	187	7	7	–
Balance of county	---	743	11	7	40
Coffee	220	228	10	7	7
White	160	166	6	5	5
All other	60	62	4	2	2
Negro	60	62	4	2	2
Georgia—Con.					
Coffee—Con.					
Douglas	---	113	6	6	–
White	---	75	4	4	–
All other	---	38	2	2	–
Negro	---	38	2	2	–
Balance of county	---	115	4	1	7
White	---	91	2	1	5
All other	---	24	2	–	2
Negro	---	24	2	–	2
Colquitt	286	329	8	4	13
White	223	258	2	1	9
All other	63	71	6	3	4
Negro	63	71	6	3	4
Moultrie	---	174	6	3	–
White	---	122	1	1	–
All other	---	52	5	2	–
Negro	---	52	5	2	–
Balance of county	---	155	2	1	13
White	---	136	1	–	9
All other	---	19	1	1	4
Negro	---	19	1	1	4
Columbia	29	174	9	7	–
White	19	134	5	4	–
All other	10	40	4	3	–
Negro	10	40	4	3	–
Cook	103	122	2	2	1
White	75	92	2	2	–
All other	28	30	–	–	1
Negro	28	30	–	–	1
Coweta	358	319	6	3	9
White	262	225	3	1	4
All other	96	94	3	2	5
Negro	96	94	3	2	5
Newnan	---	137	4	3	–
White	---	85	2	1	–
All other	---	52	2	2	–
Negro	---	52	2	2	–
Balance of county	---	182	2	–	9
White	---	140	1	–	4
All other	---	42	1	–	5
Negro	---	42	1	–	5
Crawford	20	46	1	1	1
White	13	28	1	1	–
All other	7	18	–	–	1
Negro	7	18	–	–	1
Crisp	251	202	9	5	10
White	159	126	4	4	3
All other	92	76	5	1	7
Negro	92	76	5	1	7
Cordele	---	134	6	4	–
White	---	69	3	3	–
All other	---	65	3	1	–
Negro	---	65	3	1	–
Balance of county	---	68	3	1	10
White	---	57	1	1	3
All other	---	11	2	–	7
Negro	---	11	2	–	7
Dade	55	86	4	1	3
Dawson	9	31	2	2	1
Decatur	220	278	9	4	5
White	132	168	2	2	2
All other	88	110	7	2	3
Negro	88	110	7	2	3
Bainbridge	---	132	4	3	–
White	---	75	2	2	–
All other	---	57	2	1	–
Negro	---	57	2	1	–
Balance of county	---	146	5	1	5
White	---	93	–	–	2
All other	---	53	5	1	3
Negro	---	53	5	1	3
De Kalb	2,929	2,577	82	67	63
White	2,492	2,019	37	30	35
All other	437	558	45	37	28
Negro	432	551	44	36	28
Atlanta, part	---	716	25	18	–
White	---	435	5	3	–
All other	---	281	20	15	–
Negro	---	280	20	15	–
Decatur	---	456	19	15	–
White	---	289	4	2	–
All other	---	167	15	13	–
Negro	---	167	15	13	–
Balance of county	---	1,405	38	34	63
White	---	1,295	28	25	35
All other	---	110	10	9	28
Negro	---	104	9	8	28
Dodge	137	185	2	2	4
White	102	144	1	1	2
All other	35	41	1	1	2
Negro	35	41	1	1	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Dooly	118	137	6	6	3
White	72	78	3	3	–
All other	46	59	3	3	3
Negro	46	59	3	3	3
Dougherty	862	705	30	21	13
White	509	398	12	10	5
All other	353	307	18	11	8
Negro	353	307	18	11	8
Albany	---	631	27	19	1
White	---	340	11	9	–
All other	---	291	16	10	1
Negro	---	291	16	10	1
Balance of county	---	74	3	2	12
White	---	58	1	1	5
All other	---	16	2	1	7
Negro	---	16	2	1	7
Douglas	239	291	12	7	8
Early	103	136	8	5	4
White	55	82	4	4	2
All other	48	54	4	1	2
Negro	48	54	4	1	2
Echols	4	9	–	–	–
White	4	6	–	–	–
All other	–	3	–	–	–
Negro	–	3	–	–	–
Effingham	90	107	3	3	9
White	65	79	3	3	5
All other	25	28	–	–	4
Negro	25	28	–	–	4
Elbert	176	209	4	3	2
White	132	152	1	1	1
All other	44	57	3	2	1
Negro	44	57	3	2	1
Emanuel	170	205	4	4	7
White	124	147	3	3	5
All other	46	58	1	1	2
Negro	46	58	1	1	2
Evans	115	99	4	3	3
White	89	75	1	1	1
All other	26	24	3	2	2
Negro	26	24	3	2	2
Fannin	46	151	4	2	2
Fayette	35	105	–	–	1
White	27	92	–	–	–
All other	8	13	–	–	1
Negro	8	13	–	–	1
Floyd	943	723	13	11	21
White	790	598	12	10	18
All other	153	125	1	1	3
Negro	153	125	1	1	3
Rome	---	425	5	4	–
White	---	328	4	3	–
All other	---	97	1	1	–
Negro	---	97	1	1	–
Balance of county	---	298	8	7	21
Forsyth	98	152	2	1	3
Franklin	112	163	–	–	2
White	100	145	–	–	2
All other	12	18	–	–	–
Negro	12	18	–	–	–
Fulton	6,681	5,435	180	146	121
White	3,996	3,028	38	28	46
All other	2,685	2,407	142	118	75
Negro	2,680	2,404	142	118	72
Atlanta, part	---	4,302	148	125	1
White	---	2,039	23	20	–
All other	---	2,263	125	105	1
Negro	---	2,262	125	105	1
Atlanta, total	---	5,018	173	143	1
White	---	2,474	28	23	–
All other	---	2,544	145	120	1
Negro	---	2,542	145	120	1
College Park, part	---	225	10	7	–
White	---	179	4	3	–
All other	---	46	6	4	–
Negro	---	46	6	4	–
College Park, total	---	264	11	8	–
White	---	216	5	4	–
All other	---	48	6	4	–
Negro	---	48	6	4	–
East Point	---	330	6	3	–
Balance of county	---	578	16	11	120
Gilmer	81	103	2	–	2
Glascock	17	41	1	–	–
White	14	34	–	–	–
All other	3	7	1	–	–
Negro	3	7	1	–	–
Glynn	545	470	13	7	7
White	367	310	8	4	4
All other	178	160	5	3	3
Negro	178	160	5	3	3
Georgia—Con.					
Glynn—Con.					
Brunswick	---	261	8	4	–
White	---	134	3	1	–
All other	---	127	5	3	–
Negro	---	127	5	3	–
Balance of county	---	209	5	3	7
White	---	176	5	3	4
All other	---	33	–	–	3
Negro	---	33	–	–	3
Gordon	165	241	5	4	6
Grady	156	199	7	5	9
White	93	128	1	1	3
All other	63	71	6	4	6
Negro	63	71	6	4	6
Greene	122	119	4	3	2
White	73	70	–	–	–
All other	49	49	4	3	2
Negro	49	49	4	3	2
Gwinnett	474	639	35	24	25
Habersham	143	172	6	4	2
Hall	591	532	20	12	10
White	536	475	17	11	9
All other	55	57	3	1	1
Negro	55	57	3	1	1
Gainesville	---	179	5	2	–
White	---	146	3	2	–
All other	---	33	2	–	–
Negro	---	33	2	–	–
Balance of county	---	353	15	10	10
Hancock	56	89	–	–	2
White	20	28	–	–	–
All other	36	61	–	–	2
Negro	36	61	–	–	2
Haralson	136	182	7	3	2
Harris	48	131	5	3	4
White	22	82	–	–	4
All other	26	49	5	3	–
Negro	26	49	5	3	–
Hart	167	181	6	6	8
White	125	146	3	3	3
All other	42	35	3	3	5
Negro	42	35	3	3	5
Heard	33	48	2	1	–
White	29	40	1	1	–
All other	4	8	1	–	–
Negro	4	8	1	–	–
Henry	126	246	12	8	8
White	106	194	7	5	5
All other	20	52	5	3	3
Negro	20	52	5	3	3
Houston	379	397	15	10	18
White	283	305	11	7	12
All other	96	92	4	3	6
Negro	96	92	4	3	6
Warner Robins	---	233	9	6	–
Balance of county	---	164	6	4	18
White	---	112	4	3	12
All other	---	52	2	1	6
Negro	---	52	2	1	6
Irwin	78	92	1	1	3
White	55	65	1	1	–
All other	23	27	–	–	3
Negro	23	27	–	–	3
Jackson	153	164	1	1	2
White	135	142	1	1	1
All other	18	22	–	–	1
Negro	18	22	–	–	1
Jasper	56	82	–	–	–
White	30	44	–	–	–
All other	26	38	–	–	–
Negro	26	38	–	–	–
Jeff Davis	90	94	3	2	3
White	64	79	3	2	2
All other	26	15	–	–	1
Negro	26	15	–	–	1
Jefferson	110	163	3	2	6
White	42	71	1	1	2
All other	68	92	2	1	4
Negro	68	92	2	1	4
Jenkins	60	88	1	1	4
White	31	47	1	1	–
All other	29	41	–	–	4
Negro	29	41	–	–	4
Johnson	39	78	3	2	1
White	25	57	–	–	–
All other	14	21	3	2	1
Negro	14	21	3	2	1
Jones	70	92	8	4	5
White	45	51	3	2	4
All other	25	41	5	2	1
Negro	25	41	5	2	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Lamar	38	98	5	2	7
White	21	65	2	–	3
All other	17	33	3	2	4
Negro	17	33	3	2	4
Lanier	71	66	–	–	2
White	54	55	–	–	1
All other	17	11	–	–	1
Negro	17	11	–	–	1
Laurens	562	336	10	4	6
White	387	223	6	2	1
All other	175	113	4	2	5
Negro	175	113	4	2	4
Dublin	– – –	170	6	2	–
White	– – –	94	2	–	–
All other	– – –	76	4	2	–
Negro	– – –	76	4	2	–
Balance of county	– – –	166	4	2	6
White	– – –	129	4	2	1
All other	– – –	37	–	–	5
Negro	– – –	37	–	–	4
Lee	14	64	2	1	2
White	7	37	–	–	–
All other	7	27	2	1	2
Negro	7	27	2	1	2
Liberty	148	154	10	9	6
White	71	75	3	2	3
All other	77	79	7	7	3
Negro	77	79	7	7	3
Lincoln	29	81	1	–	2
White	22	61	–	–	–
All other	7	20	1	–	2
Negro	7	20	1	–	2
Long	8	44	1	–	1
White	6	36	–	–	–
All other	2	8	1	–	1
Negro	2	8	1	–	1
Lowndes	511	461	12	7	21
White	359	311	7	5	6
All other	152	150	5	2	15
Negro	152	150	5	2	14
Valdosta	– – –	306	10	5	–
White	– – –	186	5	3	–
All other	– – –	120	5	2	–
Negro	– – –	120	5	2	–
Balance of county	– – –	155	2	2	21
White	– – –	125	2	2	6
All other	– – –	30	–	–	15
Negro	– – –	30	–	–	14
Lumpkin	52	65	2	1	2
McDuffie	166	151	7	3	2
White	100	87	1	–	1
All other	66	64	6	3	1
Negro	66	64	6	3	1
McIntosh	29	78	1	1	2
White	17	43	–	–	2
All other	12	35	1	1	–
Negro	12	35	1	1	–
Macon	77	125	6	4	4
White	33	57	1	–	–
All other	44	68	5	4	4
Negro	44	68	5	4	4
Madison	31	139	1	1	3
White	29	126	1	1	3
All other	2	13	–	–	–
Negro	2	13	–	–	–
Marion	41	47	–	–	1
White	16	22	–	–	1
All other	25	25	–	–	–
Negro	25	25	–	–	–
Meriwether	147	225	6	4	8
White	70	111	–	–	5
All other	77	114	6	4	3
Negro	77	114	6	4	3
Miller	73	85	2	1	2
White	53	68	1	1	1
All other	20	17	1	–	1
Negro	20	17	1	–	1
Mitchell	136	211	11	3	5
White	65	106	1	–	2
All other	71	105	10	3	3
Negro	71	105	10	3	3
Monroe	128	124	–	–	6
White	89	75	–	–	3
All other	39	49	–	–	3
Negro	39	49	–	–	3
Montgomery	10	58	1	–	1
White	8	42	–	–	–
All other	2	16	1	–	1
Negro	2	16	1	–	1
Morgan	103	122	1	1	5
White	56	71	–	–	–
All other	47	51	1	1	5
Negro	47	51	1	1	5
Murray	68	136	1	–	9
Muscogee	1,532	1,389	56	35	32
White	970	918	26	16	15
All other	562	471	30	19	17
Negro	562	471	30	19	17
Columbus	– – –	1,356	52	32	–
White	– – –	899	24	14	–
All other	– – –	457	28	18	–
Negro	– – –	457	28	18	–
Balance of county	– – –	33	4	3	32
White	– – –	19	2	2	15
All other	– – –	14	2	1	17
Negro	– – –	14	2	1	17
Newton	214	263	8	6	8
White	165	197	4	4	5
All other	49	66	4	2	3
Negro	49	66	4	2	3
Covington	– – –	105	4	3	–
White	– – –	67	2	2	–
All other	– – –	38	2	1	–
Negro	– – –	38	2	1	–
Balance of county	– – –	158	4	3	8
White	– – –	130	2	2	5
All other	– – –	28	2	1	3
Negro	– – –	28	2	1	3
Oconee	12	88	1	1	1
White	9	74	1	1	1
All other	3	14	–	–	–
Negro	3	14	–	–	–
Oglethorpe	22	102	2	2	2
White	13	72	1	1	–
All other	9	30	1	1	2
Negro	9	30	1	1	2
Paulding	126	176	3	2	5
Peach	154	170	5	3	5
White	68	71	1	1	1
All other	86	99	4	2	4
Negro	86	99	4	2	4
Pickens	109	108	1	–	3
Pierce	92	118	1	1	1
White	69	93	1	1	–
All other	23	25	–	–	1
Negro	23	25	–	–	1
Pike	28	86	3	2	1
White	17	58	–	–	–
All other	11	28	3	2	1
Negro	11	28	3	2	1
Polk	281	331	6	6	10
White	245	290	6	6	7
All other	36	41	–	–	3
Negro	36	41	–	–	3
Pulaski	126	119	2	1	1
White	83	70	1	–	–
All other	43	49	1	1	1
Negro	43	49	1	1	1
Putnam	101	83	1	1	3
White	52	43	–	–	–
All other	49	40	1	1	3
Negro	49	40	1	1	3
Quitman	2	29	1	–	–
White	1	22	1	–	–
All other	1	7	–	–	–
Negro	1	7	–	–	–
Rabun	84	92	1	1	2
Randolph	125	147	5	4	2
White	49	55	–	–	–
All other	76	92	5	4	2
Negro	76	92	5	4	2
Richmond	2,454	1,365	35	28	60
White	1,592	853	18	12	25
All other	862	512	17	16	35
Negro	859	508	17	16	33
Augusta	– – –	947	25	23	–
White	– – –	521	10	9	–
All other	– – –	426	15	14	–
Negro	– – –	424	15	14	–
Balance of county	– – –	418	10	5	60
White	– – –	332	8	3	25
All other	– – –	86	2	2	35
Negro	– – –	84	2	2	33
Rockdale	107	165	3	3	2
White	89	135	3	3	1
All other	18	30	–	–	1
Negro	18	30	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Schley	6	25	1	–	–
White	5	19	–	–	–
All other	1	6	1	–	–
Negro	1	6	1	–	–
Screven	131	168	8	7	2
White	73	96	2	2	–
All other	58	72	6	5	2
Negro	58	72	6	5	2
Seminole	108	84	2	1	3
White	73	58	1	–	1
All other	35	26	1	1	2
Negro	35	26	1	1	2
Spalding	389	387	6	4	9
White	283	284	2	1	2
All other	106	103	4	3	7
Negro	106	103	4	3	7
Griffin	– – –	252	4	3	–
White	– – –	170	2	1	–
All other	– – –	82	2	2	–
Negro	– – –	82	2	2	–
Balance of county	– – –	135	2	1	9
White	– – –	114	–	–	2
All other	– – –	21	2	1	7
Negro	– – –	21	2	1	7
Stephens	253	204	6	5	2
White	229	177	6	5	1
All other	24	27	–	–	1
Negro	24	27	–	–	1
Stewart	44	68	4	3	–
White	11	25	2	2	–
All other	33	43	2	1	–
Negro	33	43	2	1	–
Sumter	335	268	7	1	2
White	186	138	1	1	1
All other	149	130	6	–	1
Negro	149	130	6	–	1
Americus	– – –	170	4	1	–
White	– – –	89	1	1	–
All other	– – –	81	3	–	–
Negro	– – –	81	3	–	–
Balance of county	– – –	98	3	–	2
White	– – –	49	–	–	1
All other	– – –	49	3	–	1
Negro	– – –	49	3	–	1
Talbot	19	57	1	–	–
White	6	24	–	–	–
All other	13	33	1	–	–
Negro	13	33	1	–	–
Taliaferro	9	43	2	1	–
White	5	20	–	–	–
All other	4	23	2	1	–
Negro	4	23	2	1	–
Tattnall	112	183	8	6	5
White	78	141	3	3	3
All other	34	42	5	3	2
Negro	34	42	5	3	2
Taylor	37	86	1	–	1
White	21	51	–	–	–
All other	16	35	1	–	1
Negro	16	35	1	–	1
Telfair	132	138	5	3	–
White	91	94	2	2	–
All other	41	44	3	1	–
Negro	41	44	3	1	–
Terrell	112	140	7	4	3
White	54	75	–	–	1
All other	58	65	7	4	2
Negro	58	65	7	4	2
Thomas	434	361	12	7	8
White	250	202	7	4	6
All other	184	159	5	3	2
Negro	184	159	5	3	2
Thomasville	– – –	214	8	3	–
White	– – –	103	3	–	–
All other	– – –	111	5	3	–
Negro	– – –	111	5	3	–
Balance of county	– – –	147	4	4	8
White	– – –	99	4	4	6
All other	– – –	48	–	–	2
Negro	– – –	48	–	–	2
Tift	310	247	10	7	14
White	227	179	5	4	4
All other	83	68	5	3	10
Negro	83	68	5	3	9
Tifton	– – –	135	8	6	–
White	– – –	105	3	3	–
All other	– – –	30	5	3	–
Negro	– – –	30	5	3	–
Balance of county	– – –	112	2	1	14
White	– – –	74	2	1	4
All other	– – –	38	–	–	10
Negro	– – –	38	–	–	9
Toombs	188	208	4	3	7
White	150	156	2	2	3
All other	38	52	2	1	4
Negro	38	52	2	1	4
Towns	77	66	1	–	–
Treutlen	47	64	3	1	1
White	33	45	1	1	–
All other	14	19	2	–	1
Negro	14	19	2	–	1
Troup	526	500	4	2	19
White	360	334	1	1	9
All other	166	166	3	1	10
Negro	166	166	3	1	10
La Grange	– – –	272	1	–	–
White	– – –	172	–	–	–
All other	– – –	100	1	–	–
Negro	– – –	100	1	–	–
Balance of county	– – –	228	3	2	19
White	– – –	162	1	1	9
All other	– – –	66	2	1	10
Negro	– – –	66	2	1	10
Turner	72	94	4	3	3
White	51	64	–	–	1
All other	21	30	4	3	2
Negro	21	30	4	3	2
Twiggs	58	75	3	3	2
White	32	40	1	1	–
All other	26	35	2	2	2
Negro	26	35	2	2	2
Union	103	75	3	3	2
Upson	311	245	11	8	6
White	229	182	2	2	4
All other	82	63	9	6	2
Negro	82	63	9	6	2
Thomaston	– – –	147	8	7	–
White	– – –	112	2	2	–
All other	– – –	35	6	5	–
Negro	– – –	35	6	5	–
Balance of county	– – –	98	3	1	6
White	– – –	70	–	–	4
All other	– – –	28	3	1	2
Negro	– – –	28	3	1	2
Walker	158	443	8	5	2
Walton	156	209	7	3	5
White	111	156	5	2	3
All other	45	53	2	1	2
Negro	45	53	2	1	2
Ware	404	350	10	6	2
White	306	248	6	2	1
All other	98	102	4	4	1
Negro	98	102	4	4	1
Waycross	– – –	237	7	6	–
White	– – –	140	3	2	–
All other	– – –	97	4	4	–
Negro	– – –	97	4	4	–
Balance of county	– – –	113	3	–	2
Warren	23	52	2	2	1
White	13	27	1	1	–
All other	10	25	1	1	1
Negro	10	25	1	1	1
Washington	198	207	7	4	3
White	100	113	2	2	1
All other	98	94	5	2	2
Negro	98	94	5	2	2
Wayne	203	182	6	5	4
White	149	133	3	3	2
All other	54	49	3	2	2
Negro	54	49	3	2	2
Webster	11	28	1	–	–
White	8	19	1	–	–
All other	3	9	–	–	–
Negro	3	9	–	–	–
Wheeler	43	56	–	–	1
White	26	43	–	–	1
All other	17	13	–	–	–
Negro	17	13	–	–	–
White	51	77	1	–	–
Whitfield	423	421	4	–	13
Dalton	– – –	205	1	–	1
White	– – –	178	1	–	1
All other	– – –	27	–	–	–
Negro	– – –	27	–	–	–
Balance of county	– – –	216	3	–	12
Wilcox	28	95	1	–	3
White	11	72	–	–	3
All other	17	23	1	–	–
Negro	17	23	1	–	–
Wilkes	132	115	2	1	3
White	74	64	2	1	2
All other	58	51	–	–	1
Negro	58	50	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Wilkinson	43	100	1	1	2
White	23	63	1	1	1
All other	20	37	–	–	1
Negro	20	37	–	–	1
Worth	100	142	5	2	2
White	59	89	1	–	–
All other	41	53	4	2	2
Negro	41	53	4	2	2
Hawaii	**4,719**	**4,420**	**177**	**128**	**213**
White	1,611	1,368	53	37	71
All other	3,108	3,052	124	91	142
Negro	29	19	4	2	7
Hawaii	508	551	21	17	25
White	150	140	7	5	4
All other	358	411	14	12	21
Negro	2	1	–	–	–
Hilo[4]	– – –	213	4	3	9
White	– – –	50	1	1	–
All other	– – –	163	3	2	9
Negro	– – –	–	–	–	–
Balance of county	– – –	338	17	14	16
White	– – –	90	6	4	4
All other	– – –	248	11	10	12
Negro	– – –	1	–	–	–
Honolulu	3,538	3,201	138	101	166
White	1,240	1,050	41	29	61
All other	2,298	2,151	97	72	105
Negro	26	17	4	2	7
Aiea	– – –	62	–	–	7
White	– – –	14	–	–	4
All other	– – –	48	–	–	3
Negro	– – –	–	–	–	–
Honolulu[4]	– – –	1,910	59	46	59
White	– – –	637	10	7	14
All other	– – –	1,273	49	39	45
Negro	– – –	3	1	1	3
Kailua	– – –	151	4	2	7
White	– – –	90	–	–	3
All other	– – –	61	4	2	4
Negro	– – –	1	1	–	–
Kaneohe	– – –	138	8	8	14
White	– – –	56	4	4	7
All other	– – –	82	4	4	7
Negro	– – –	1	–	–	–
Pearl City	– – –	89	2	2	3
White	– – –	16	–	–	3
All other	– – –	73	2	2	–
Negro	– – –	–	–	–	–
Schofield Barracks	– – –	8	4	4	5
White	– – –	6	3	3	4
All other	– – –	2	1	1	1
Negro	– – –	1	–	–	1
Wahiawa	– – –	88	5	2	5
White	– – –	21	4	2	4
All other	– – –	67	1	–	1
Negro	– – –	1	–	–	1
Waipahu	– – –	110	10	8	13
White	– – –	17	3	2	3
All other	– – –	93	7	6	10
Negro	– – –	2	–	–	–
Balance of county	– – –	645	46	29	53
White	– – –	193	17	11	19
All other	– – –	452	29	18	34
Negro	– – –	8	2	1	2
Kauai	223	217	6	5	11
White	73	53	1	1	4
All other	150	164	5	4	7
Negro	–	–	–	–	–
Maui	450	451	12	5	11
White	148	125	4	2	2
All other	302	326	8	3	9
Negro	1	1	–	–	–
Idaho	**6,323**	**6,635**	**227**	**144**	**127**
White	6,208	6,513	223	142	125
All other	115	122	4	2	2
Negro	11	9	–	–	1
Ada	1,179	1,036	36	27	12
Boise City	– – –	854	30	23	11
Balance of county	– – –	182	6	4	1
Adams	23	21	–	–	2
Bannock	449	413	21	14	13
Pocatello	– – –	332	19	13	11
Balance of county	– – –	81	2	1	2
Idaho—Con.					
Bear Lake	63	75	1	1	1
Benewah	54	71	1	–	4
Bingham	146	227	15	7	9
Blaine	46	52	1	–	–
Boise	23	15	1	1	–
Bonner	148	196	10	9	2
Bonneville	485	354	16	10	15
Idaho Falls	– – –	283	12	6	12
Balance of county	– – –	71	4	4	3
Boundary	43	46	1	1	1
Butte	29	20	–	–	–
Camas	–	3	–	–	1
Canyon	644	652	16	12	11
Caldwell	– – –	171	6	4	5
Nampa	– – –	243	7	6	1
Balance of county	– – –	238	3	2	5
Caribou	45	42	2	1	1
Cassia	129	145	6	4	4
Clark	1	6	–	–	–
Clearwater	73	64	2	1	1
Custer	18	29	2	–	–
Elmore	90	97	5	–	2
Franklin	49	70	–	–	–
Fremont	61	87	4	2	4
Gem	84	111	3	2	–
Gooding	114	115	2	1	1
Idaho	102	131	3	3	2
Jefferson	41	92	4	1	1
Jerome	91	98	2	2	5
Kootenai	403	448	14	7	6
Coeur d'Alene	– – –	226	4	–	1
Balance of county	– – –	222	10	7	5
Latah	182	186	4	3	3
Moscow	– – –	72	1	1	2
Balance of county	– – –	114	3	2	1
Lemhi	49	53	1	–	2
Lewis	13	27	1	1	–
Lincoln	22	35	–	–	–
Madison	63	92	9	6	4
Minidoka	91	119	8	6	9
Nez Perce	303	291	5	3	3
Lewiston	– – –	249	3	2	3
Balance of county	– – –	42	2	1	–
White	– – –	30	–	–	–
All other	– – –	12	2	1	–
Negro	– – –	–	–	–	–
Oneida	38	62	–	–	–
Owyhee	28	56	2	2	2
Payette	75	165	3	1	–
Power	44	45	4	3	1
Shoshone	157	180	7	4	3
Teton	18	17	1	–	–
Twin Falls	456	451	10	6	2
Twin Falls	– – –	239	6	4	2
Balance of county	– – –	212	4	2	–
Valley	59	43	1	1	–
Washington	92	97	3	2	–
Illinois	**101,221**	**103,665**	**2,847**	**2,082**	**1,859**
White	87,957	90,184	1,724	1,302	1,260
All other	13,264	13,481	1,123	780	599
Negro	13,014	13,229	1,105	766	579
Adams	959	818	13	11	15
Quincy	– – –	602	9	7	10
Balance of county	– – –	216	4	4	5
Alexander	122	214	3	2	3
White	68	148	2	2	2
All other	54	66	1	–	1
Negro	54	66	1	–	1
Bond	167	204	3	1	4
Boone	222	209	7	5	3
Belvidere	– – –	134	3	1	2
Balance of county	– – –	75	4	4	1
Brown	19	69	–	–	–
Bureau	416	433	9	7	6
Calhoun	39	65	–	–	2
Carroll	124	227	3	2	2
Cass	138	166	5	4	1
Champaign	1,185	914	29	18	20
White	1,111	842	22	13	16
All other	74	72	7	5	4
Negro	74	71	7	5	2
Champaign	– – –	358	9	6	9
White	– – –	307	4	2	6
All other	– – –	51	5	4	3
Negro	– – –	50	5	4	2
Rantoul	– – –	65	10	6	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

(See headnote at beginning of table)

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Champaign—Con.					
Urbana	---	214	4	3	2
White	---	196	4	3	2
All other	---	18	–	–	–
Negro	---	18	–	–	–
Balance of county	---	277	6	3	7
Christian	366	430	9	4	4
Taylorville	---	147	4	2	3
Balance of county	---	283	5	2	1
Clark	109	219	5	5	4
Clay	152	192	1	1	3
Clinton	211	265	2	1	6
Centralia, part	---	16	–	–	1
Balance of county	---	249	2	1	5
Coles	517	479	10	9	6
Charleston	---	134	3	3	1
Mattoon	---	237	6	5	4
Balance of county	---	108	1	1	1
Cook	50,382	50,952	1,647	1,181	987
White	39,256	39,719	732	559	499
All other	11,126	11,233	915	622	488
Negro	10,914	11,018	904	614	472
Alsip	---	98	5	4	3
Arlington Heights, part	---	411	9	6	9
Arlington Heights, total	---	411	9	6	9
Bellwood	---	179	4	4	3
Bensenville, part	---	5	–	–	–
Berwyn	---	654	4	4	4
Blue Island	---	281	–	–	7
Bridge View	---	118	5	5	2
Brookfield	---	193	6	4	4
Buffalo Grove, part	---	50	4	4	3
Buffalo Grove, total	---	56	4	4	4
Calumet City	---	339	10	7	3
Calumet Park	---	77	1	1	1
Chicago, part	---	33,571	1,272	890	706
White	---	23,108	429	323	268
All other	---	10,463	843	567	438
Negro	---	10,280	835	562	425
Chicago, total	---	33,572	1,272	890	706
White	---	23,109	429	323	268
All other	---	10,463	843	567	438
Negro	---	10,280	835	562	425
Chicago Heights	---	325	20	12	13
White	---	248	9	7	4
All other	---	77	11	5	9
Negro	---	77	11	5	9
Cicero	---	834	7	5	6
Deerfield, part	---	6	1	1	–
Des Plaines	---	513	10	8	7
Dolton	---	200	4	3	4
Elgin, part	---	46	2	1	2
Elk Grove Village, part	---	101	2	2	2
Elk Grove Village, total	---	101	2	2	2
Elmwood Park	---	257	5	5	2
Evanston	---	866	10	8	8
White	---	747	6	4	4
All other	---	119	4	4	4
Negro	---	116	4	4	4
Evergreen Park	---	292	3	3	6
Forest Park	---	193	1	1	1
Franklin Park	---	127	3	3	1
Glencoe	---	75	1	1	1
Glenview	---	295	4	3	5
Hanover Park, part	---	58	4	1	2
Hanover Park, total	---	63	5	2	2
Harvey	---	283	9	6	5
White	---	199	2	1	–
All other	---	84	7	5	5
Negro	---	84	7	5	5
Hazel Crest	---	85	3	3	–
Hickory Hills	---	72	3	3	4
Hinsdale, part	---	23	–	–	–
Hoffman Estates	---	90	4	3	9
Homewood	---	181	2	2	1
La Grange	---	185	2	2	3
La Grange Park	---	159	1	1	1
Lansing	---	202	3	3	6
Lincolnwood	---	102	1	–	–
Lyons	---	103	4	2	2
Markham	---	89	10	9	6
White	---	42	1	1	–
All other	---	47	9	8	6
Negro	---	46	9	8	6
Maywood	---	231	11	8	8
White	---	142	4	3	2
All other	---	89	7	5	6
Negro	---	89	7	5	6
Melrose Park	---	239	3	2	4
Midlothian	---	100	9	8	2
Morton Grove	---	178	1	–	1
Mount Prospect	---	227	6	2	2
Niles	---	335	1	1	2
Norridge	---	137	–	–	–
Northbrook	---	224	3	3	4
Northlake, part	---	115	3	3	3
Northlake, total	---	115	3	3	3
Oak Forest	---	125	5	3	4
Oak Lawn	---	560	4	3	8
Oak Park	---	672	7	7	10
Palatine	---	226	4	3	6
Park Forest, part	---	113	2	1	1
Park Forest, total	---	122	2	1	1
Park Ridge	---	329	3	1	–
Riverdale	---	177	2	1	4
River Forest	---	121	2	1	–
River Grove	---	80	1	1	–
Riverside	---	112	–	–	–
Rolling Meadows	---	78	3	2	3
Schaumburg, part	---	120	5	4	7
Schaumburg, total	---	123	5	4	7
Schiller Park	---	66	3	3	–
Skokie	---	560	6	5	1
South Holland	---	193	6	6	–
Streamwood	---	53	4	3	2
Summit	---	96	3	3	2
White	---	77	2	2	1
All other	---	19	1	1	1
Negro	---	19	1	1	1
Tinley Park, part	---	156	6	5	5
Tinley Park, total	---	157	6	5	5
Westchester	---	161	2	2	–
Western Springs	---	87	–	–	–
Wheeling	---	89	5	3	3
Wilmette	---	235	1	1	1
Winnetka	---	87	1	1	1
Worth	---	104	1	1	3
Balance of county	---	2,828	95	74	58
White	---	2,609	70	55	48
All other	---	219	25	19	10
Negro	---	215	24	18	10
Crawford	201	256	4	4	2
Cumberland	56	111	1	–	2
De Kalb	464	425	8	5	10
De Kalb	---	132	2	1	3
Balance of county	---	293	6	4	7
De Witt	150	202	4	4	3
Douglas	133	190	4	4	3
Du Page	3,173	3,432	98	83	72
Addison	---	118	4	3	3
Bensenville, part	---	120	2	2	–
Bensenville, total	---	125	2	2	–
Chicago, part	---	1	–	–	–
Downers Grove	---	355	9	8	10
Elk Grove Village, part	---	–	–	–	–
Elmhurst	---	338	5	3	3
Glendale Heights	---	39	7	7	–
Glen Ellyn	---	180	3	3	3
Hanover Park, part	---	5	1	1	–
Hinsdale, part	---	124	3	3	3
Hinsdale, total	---	147	3	3	3
Lombard	---	247	7	7	5
Naperville	---	163	3	3	1
Northlake, part	---	–	–	–	–
Schaumburg, part	---	3	–	–	–
Villa Park	---	198	3	3	4
West Chicago	---	114	9	6	5
Wheaton	---	286	9	7	8
Woodridge	---	54	3	3	2
Balance of county	---	1,087	30	24	25
Edgar	244	278	3	1	6
Edwards	29	106	5	5	–
Effingham	312	264	6	4	5
Fayette	216	253	5	5	3
Ford	175	194	2	2	1
Franklin	530	652	4	3	5
Fulton	374	482	5	4	1
Canton	---	170	2	2	1
Balance of county	---	312	3	2	–
Gallatin	33	103	3	1	2
Greene	202	251	–	–	6
Grundy	240	282	11	9	4
Hamilton	94	118	2	1	4
Hancock	193	305	1	1	1
Hardin	66	74	1	1	–
Henderson	20	76	3	1	–
Henry	522	597	11	9	13
Kewanee	---	239	2	1	7
Balance of county	---	358	9	8	6

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Iroquois	283	386	8	5	5
Jackson	511	459	13	9	6
Carbondale	---	132	4	1	1
White	---	98	2	–	1
All other	---	34	2	1	–
Negro	---	34	2	1	–
Murphysboro	---	136	2	2	2
Balance of county	---	191	7	6	3
Jasper	44	134	2	2	2
Jefferson	406	365	6	5	9
Mount Vernon	---	226	4	4	1
Balance of county	---	139	2	1	8
Jersey	164	186	3	1	–
Jo Daviess	142	228	6	5	2
Johnson	34	106	2	2	1
Kane	2,340	2,051	63	45	57
Aurora	---	724	28	19	20
Carpentersville	---	99	7	6	9
Elgin, part	---	551	16	11	14
Elgin, total	---	597	18	12	16
St. Charles	---	112	5	4	3
Balance of county	---	565	7	5	11
Kankakee	932	909	30	23	22
White	829	796	17	13	12
All other	103	113	13	10	10
Negro	103	113	13	10	10
Kankakee	---	368	8	5	10
White	---	328	3	2	3
All other	---	40	5	3	7
Negro	---	40	5	3	7
Balance of county	---	541	22	18	12
White	---	468	14	11	9
All other	---	73	8	7	3
Negro	---	73	8	7	3
Kendall	82	199	11	8	11
Knox	693	608	18	14	16
Galesburg	---	389	9	7	10
Balance of county	---	219	9	7	6
Lake	2,800	2,606	60	51	58
White	2,644	2,465	45	39	46
All other	156	141	15	12	12
Negro	148	135	14	11	11
Arlington Heights, part	---	–	–	–	–
Buffalo Grove, part	---	6	–	–	1
Deerfield, part	---	94	2	2	–
Deerfield, total	---	100	3	3	–
Highland Park	---	200	4	4	3
Lake Forest	---	111	–	–	4
Libertyville	---	108	2	2	–
Mundelein	---	100	1	1	4
North Chicago	---	113	4	4	6
White	---	72	–	–	2
All other	---	41	4	4	4
Negro	---	40	4	4	4
Waukegan	---	581	14	12	17
White	---	512	8	8	11
All other	---	69	6	4	6
Negro	---	69	6	4	6
Zion	---	146	4	4	4
White	---	130	3	3	2
All other	---	16	1	1	2
Negro	---	15	1	1	1
Balance of county	---	1,147	29	22	19
La Salle	1,236	1,194	23	17	10
La Salle	---	132	2	2	–
Ottawa	---	226	5	5	3
Peru	---	126	–	–	–
Streator, part	---	209	1	1	2
Streator, total	---	210	1	1	2
Balance of county	---	501	15	9	5
Lawrence	200	244	2	1	–
Lee	371	375	7	6	3
Dixon	---	196	4	4	1
Balance of county	---	179	3	2	2
Livingston	393	449	13	9	4
Streator, part	---	1	–	–	–
Balance of county	---	448	13	9	4
Logan	341	315	2	1	6
Lincoln	---	174	–	–	5
Balance of county	---	141	2	1	1
McDonough	312	322	–	–	4
Macomb	---	151	–	–	3
Balance of county	---	171	–	–	1
McHenry	817	958	16	15	10
Crystal Lake	---	118	1	1	–
Woodstock	---	137	1	1	1
Balance of county	---	703	14	13	9
McLean	822	883	14	10	12
Bloomington	---	434	6	4	6
Normal	---	129	1	1	3
Balance of county	---	320	7	5	3
Illinois—Con.					
Macon	1,410	1,246	38	31	20
White	1,333	1,164	24	20	12
All other	77	82	14	11	8
Negro	77	82	14	11	8
Decatur	---	1,035	32	26	17
White	---	953	18	15	9
All other	---	82	14	11	8
Negro	---	82	14	11	8
Balance of county	---	211	6	5	3
Macoupin	380	544	11	11	8
Madison	1,961	2,332	52	36	32
White	1,822	2,173	45	30	28
All other	139	159	7	6	4
Negro	137	157	7	6	4
Alton	---	457	6	4	7
White	---	371	2	1	4
All other	---	86	4	3	3
Negro	---	86	4	3	3
Collinsville, part	---	197	3	3	4
Collinsville, total	---	214	3	3	4
Edwardsville	---	129	5	4	–
Granite City	---	367	5	3	3
Wood River	---	137	1	1	1
Balance of county	---	1,045	32	21	17
Marion	519	521	4	3	4
Centralia, part	---	200	2	1	1
White	---	179	1	–	–
All other	---	21	1	1	1
Negro	---	21	1	1	1
Centralia, total	---	216	2	1	2
Balance of county	---	321	2	2	3
Marshall	61	166	2	2	–
Mason	113	214	4	3	–
Massac	168	178	2	2	1
Menard	66	129	3	3	1
Mercer	123	192	4	4	3
Monroe	83	190	–	–	4
Montgomery	415	395	5	4	4
Morgan	477	386	6	4	2
Jacksonville	---	275	2	2	–
Balance of county	---	111	4	2	2
Moultrie	126	143	3	1	1
Ogle	246	403	9	6	5
Peoria	2,256	1,793	43	30	43
White	2,128	1,663	27	20	35
All other	128	130	16	10	8
Negro	126	129	16	10	8
Pekin, part	---	1	–	–	–
Peoria	---	1,193	29	21	34
White	---	1,067	14	11	26
All other	---	126	15	10	8
Negro	---	126	15	10	8
Balance of county	---	599	14	9	9
Perry	219	254	3	1	2
Piatt	92	153	1	1	2
Pike	196	244	6	5	2
Pope	11	48	2	2	–
Pulaski	34	116	3	3	2
White	18	65	–	–	–
All other	16	51	3	3	2
Negro	16	51	3	3	2
Putnam	12	57	3	2	1
Randolph	449	357	6	5	6
Richland	293	176	3	3	2
Rock Island	1,553	1,521	48	32	22
East Moline	---	182	7	5	2
Moline	---	462	8	5	5
Rock Island	---	505	18	14	7
White	---	461	12	9	4
All other	---	44	6	5	3
Negro	---	43	6	5	3
Balance of county	---	372	15	8	8
St. Clair	2,625	2,631	88	62	58
White	2,091	1,999	31	24	31
All other	534	632	57	38	27
Negro	533	630	56	37	27
Belleville	---	641	6	5	5
Cahokia	---	127	1	1	1
Centreville	---	64	5	4	1
White	---	13	–	–	–
All other	---	51	5	4	1
Negro	---	51	5	4	1
Collinsville, part	---	17	–	–	–
East St. Louis	---	729	50	32	29
White	---	204	2	2	5
All other	---	525	48	30	24
Negro	---	525	48	30	24
Balance of county	---	1,053	26	20	22
Saline	494	457	2	2	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Sangamon	2,002	1,629	35	26	17
Springfield	---	1,142	26	19	9
Balance of county	---	487	9	7	8
Schuyler	150	108	1	1	1
Scott	30	90	4	4	1
Shelby	148	257	2	1	2
Stark	23	78	1	–	1
Stephenson	499	487	8	6	4
Freeport	---	318	5	4	3
Balance of county	---	169	3	2	1
Tazewell	596	851	22	17	15
East Peoria	---	133	1	1	2
Morton	---	84	2	2	1
Pekin, part	---	303	8	6	9
Pekin, total	---	304	8	6	9
Balance of county	---	331	11	8	3
Union	177	202	6	3	5
Vermilion	1,222	1,022	23	16	18
Danville	---	510	13	10	8
White	---	448	10	7	6
All other	---	62	3	3	2
Negro	---	62	3	3	2
Balance of county	---	512	10	6	10
Wabash	183	181	5	3	5
Warren	274	261	7	3	4
Monmouth	---	142	5	2	3
Balance of county	---	119	2	1	1
Washington	170	203	2	1	4
Wayne	190	224	1	1	2
White	208	254	5	4	5
Whiteside	555	583	10	8	8
Rock Falls	---	89	2	1	3
Sterling	---	151	3	3	1
Balance of county	---	343	5	4	4
Will	1,860	2,040	72	60	46
White	1,745	1,928	57	46	41
All other	115	112	15	14	5
Negro	113	110	14	13	5
Joliet	---	881	34	28	17
White	---	808	24	19	15
All other	---	73	10	9	2
Negro	---	72	10	9	2
Park Forest, part	---	9	–	–	–
Romeoville	---	40	4	4	2
Tinley Park, part	---	1	–	–	–
Balance of county	---	1,109	34	28	27
Williamson	759	617	14	10	5
Marion	---	177	6	6	–
Balance of county	---	440	8	4	5
Winnebago	2,149	2,007	48	31	38
White	2,062	1,913	40	25	35
All other	87	94	8	6	3
Negro	86	93	8	6	3
Loves Park	---	70	2	2	1
Rockford	---	1,423	35	24	28
White	---	1,344	27	18	25
All other	---	79	8	6	3
Negro	---	79	8	6	3
Balance of county	---	514	11	5	9
Woodford	166	241	4	2	1
Indiana	46,781	46,778	1,178	842	773
White	43,538	43,521	980	703	640
All other	3,243	3,257	198	139	133
Negro	3,219	3,233	197	138	131
Adams	166	214	3	3	6
Allen	2,706	2,245	74	53	38
White	2,554	2,095	62	46	33
All other	152	150	12	7	5
Negro	150	149	12	7	5
Fort Wayne	---	1,750	61	42	28
White	---	1,603	49	35	23
All other	---	147	12	7	5
Negro	---	146	12	7	5
Balance of county	---	495	13	11	10
Bartholomew	469	430	6	4	8
Columbus	---	238	4	4	7
Balance of county	---	192	2	–	1
Benton	43	104	–	–	1
Blackford	138	153	3	3	3
Boone	213	293	9	5	4
Brown	30	78	–	–	1
Carroll	72	171	2	2	1
Cass	407	429	6	5	3
Logansport	---	261	1	1	2
Balance of county	---	168	5	4	1
Clark	591	629	13	9	15
Clarksville	---	92	2	2	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana—Con.					
Clark—Con.					
Jeffersonville	---	263	5	4	8
White	---	237	4	3	8
All other	---	26	1	1	–
Negro	---	26	1	1	–
Balance of county	---	274	6	3	5
Clay	243	288	5	3	1
Clinton	281	370	11	11	4
Frankfort	---	225	8	8	3
Balance of county	---	145	3	3	1
Crawford	39	107	–	–	1
Daviess	318	298	7	5	4
Washington	---	160	1	1	2
Balance of county	---	138	6	4	2
Dearborn	306	302	12	12	2
Decatur	179	210	7	6	1
De Kalb	247	280	6	4	4
Delaware	1,115	1,049	21	16	13
Muncie	---	710	17	12	9
Balance of county	---	339	4	4	4
Dubois	321	290	8	5	3
Elkhart	1,098	1,027	31	23	17
Elkhart	---	449	13	8	5
Goshen	---	188	3	2	2
Balance of county	---	390	15	13	10
Fayette	202	203	4	1	7
Connersville	---	152	2	–	4
Balance of county	---	51	2	1	3
Floyd	568	576	15	12	7
New Albany	---	470	15	12	3
Balance of county	---	106	–	–	4
Fountain	83	209	4	3	2
Franklin	55	145	1	1	5
Fulton	145	189	4	1	2
Gibson	272	346	6	4	4
Grant	768	696	16	10	9
Marion	---	437	12	9	9
White	---	405	11	8	7
All other	---	32	1	1	2
Negro	---	32	1	1	2
Balance of county	---	259	4	1	–
Greene	325	379	4	3	4
Hamilton	334	450	12	7	6
Hancock	254	283	6	4	4
Harrison	182	227	8	6	6
Hendricks	353	402	12	10	2
Henry	424	519	8	4	6
New Castle	---	242	4	2	3
Balance of county	---	277	4	2	3
Howard	652	671	21	17	18
Kokomo	---	515	14	12	13
Balance of county	---	156	7	5	5
Huntington	254	370	9	7	7
Huntington	---	192	6	5	5
Balance of county	---	178	3	2	2
Jackson	314	350	9	7	3
Seymour	---	151	4	4	1
Balance of county	---	199	5	3	2
Jasper	124	171	5	2	6
Jay	188	281	4	3	4
Jefferson	383	263	10	7	6
Madison	---	146	5	5	–
Balance of county	---	117	5	2	6
Jennings	126	163	3	3	3
Johnson	485	510	7	5	6
Franklin	---	160	2	2	–
Greenwood	---	141	2	1	2
Balance of county	---	209	3	2	4
Knox	604	517	1	1	5
Vincennes	---	265	–	–	2
Balance of county	---	252	1	1	3
Kosciusko	333	483	9	5	10
Lagrange	153	174	2	1	5
Lake	4,320	4,326	150	119	122
White	3,359	3,310	85	69	71
All other	961	1,016	65	50	51
Negro	960	1,014	65	50	51
Crown Point	---	123	3	2	4
East Chicago	---	433	24	21	14
White	---	313	17	16	7
All other	---	120	7	5	7
Negro	---	120	7	5	7
Gary	---	1,539	58	44	55
White	---	697	9	7	15
All other	---	842	49	37	40
Negro	---	842	49	37	40
Griffith	---	115	5	5	5
Hammond	---	827	20	16	18
Highland	---	134	2	2	2
Hobart	---	147	3	2	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana—Con.					
Lake—Con.					
Munster	– – –	137	1	1	–
Balance of county	– – –	871	34	26	19
La Porte	1,052	956	26	19	19
La Porte	– – –	245	8	7	5
Michigan City	– – –	373	9	6	9
White	– – –	338	8	6	6
All other	– – –	35	1	–	3
Negro	– – –	35	1	–	3
Balance of county	– – –	338	9	6	5
Lawrence	412	403	7	4	4
Bedford	– – –	188	4	3	2
Balance of county	– – –	215	3	1	2
Madison	1,068	1,184	53	26	15
Anderson	– – –	682	21	16	10
White	– – –	[illegible]	18	14	8
All other	– – –	32	3	2	2
Negro	– – –	32	3	2	2
Elwood	– – –	137	5	4	–
Balance of county	– – –	364	7	6	5
White	– – –	363	7	6	5
All other	– – –	1	–	–	–
Negro	– – –	1	–	–	–
Marion	7,965	6,644	203	136	128
White	6,704	5,424	132	87	85
All other	1,261	1,220	71	49	43
Negro	1,253	1,214	71	49	42
Beech Grove	– – –	113	2	2	1
Indianapolis	– – –	6,275	193	130	121
White	– – –	5,061	122	81	78
All other	– – –	1,214	71	49	43
Negro	– – –	1,208	71	49	42
Lawrence	– – –	50	1	1	2
Speedway	– – –	52	1	1	–
Balance of county	– – –	154	6	2	4
Marshall	354	349	6	3	6
Martin	33	95	2	2	7
Miami	254	354	14	13	6
Peru	– – –	171	6	5	3
Balance of county	– – –	183	8	8	3
Monroe	630	513	19	10	7
Bloomington	– – –	328	11	6	2
Balance of county	– – –	185	8	4	5
Montgomery	323	345	5	3	7
Crawfordsville	– – –	163	1	1	3
Balance of county	– – –	182	4	2	4
Morgan	219	316	8	6	3
Newton	91	114	2	2	2
Noble	264	341	6	3	9
Ohio	12	45	–	–	–
Orange	140	187	4	2	2
Owen	59	122	–	–	3
Parke	68	179	2	2	1
Perry	178	196	3	3	5
Pike	66	183	3	2	2
Porter	666	651	23	14	16
Portage	– – –	128	12	8	8
Valparaiso	– – –	206	8	5	5
Balance of county	– – –	317	3	1	3
Posey	89	218	2	2	3
Pulaski	129	147	4	–	–
Putnam	250	282	6	3	2
Randolph	228	303	11	6	7
Ripley	177	235	3	3	4
Rush	153	204	3	3	4
St. Joseph	2,327	2,236	56	38	33
White	2,142	2,053	48	33	29
All other	185	183	8	5	4
Negro	182	180	8	5	4
Mishawaka	– – –	388	8	5	8
South Bend	– – –	1,306	34	23	18
White	– – –	1,130	26	18	14
All other	– – –	176	8	5	4
Negro	– – –	174	8	5	4
Balance of county	– – –	542	14	10	7
Scott	130	186	8	5	–
Shelby	288	342	3	1	6
Shelbyville	– – –	155	1	–	3
Balance of county	– – –	187	2	1	3
Spencer	101	189	3	2	–
Starke	224	238	3	3	5
Steuben	201	217	7	4	4
Sullivan	240	299	5	3	–
Switzerland	25	85	3	3	1
Tippecanoe	1,087	751	18	16	16
Lafayette	– – –	445	10	9	10
West Lafayette	– – –	97	1	1	2
Balance of county	– – –	209	7	6	4
Tipton	163	165	2	1	3
Union	20	58	1	1	–
Vanderburgh	2,289	1,760	34	27	16
White	2,143	1,618	28	22	16
All other	146	142	6	5	–
Negro	144	141	6	5	–
Evansville	– – –	1,664	32	25	15
White	– – –	1,526	26	20	15
All other	– – –	138	6	5	–
Negro	– – –	138	6	5	–
Balance of county	– – –	96	2	2	1
Vermillion	186	210	1	–	2
Vigo	1,424	1,250	28	22	10
Terre Haute	– – –	880	18	12	6
Balance of county	– – –	370	10	10	4
Wabash	369	360	5	3	7
Wabash	– – –	144	3	1	2
Balance of county	– – –	216	2	2	5
Warren	88	103	2	2	–
Warrick	151	284	7	5	3
Washington	183	231	8	7	2
Wayne	794	722	18	10	7
Richmond	– – –	471	9	5	4
Balance of county	– – –	251	9	5	3
Wells	327	236	8	5	2
White	175	197	4	2	3
Whitley	226	223	5	3	2
Iowa	**27,572**	**27,859**	**595**	**456**	**346**
White	27,188	27,495	564	432	331
All other	384	364	31	24	15
Negro	339	335	29	23	11
Adair	87	101	–	–	1
Adams	88	98	2	2	1
Allamakee	178	197	–	–	3
Appanoose	190	235	2	1	4
Audubon	77	111	–	–	–
Benton	162	248	4	3	–
Black Hawk	1,152	1,043	37	26	16
Cedar Falls	– – –	192	5	5	4
Waterloo	– – –	703	24	15	8
Balance of county	– – –	148	8	6	4
Boone	277	305	5	4	6
Boone	– – –	179	3	2	2
Balance of county	– – –	126	2	2	4
Bremer	160	178	5	5	3
Buchanan	169	213	3	3	3
Buena Vista	200	225	1	1	1
Butler	78	165	2	1	2
Calhoun	158	191	1	1	–
Carroll	266	272	2	1	6
Cass	231	218	2	2	1
Cedar	124	222	8	5	3
Cerro Gordo	665	521	6	4	2
Mason City	– – –	355	5	3	1
Balance of county	– – –	166	1	1	1
Cherokee	154	164	3	3	3
Chickasaw	101	153	1	–	2
Clarke	80	96	3	3	–
Clay	163	174	5	4	7
Spencer	– – –	107	3	2	1
Balance of county	– – –	67	2	2	6
Clayton	122	238	4	3	7
Clinton	606	598	14	11	6
Clinton	– – –	368	12	10	4
Balance of county	– – –	230	2	1	2
Crawford	171	200	3	3	–
Dallas	205	326	9	7	2
Davis	139	105	3	3	–
Decatur	111	99	1	1	2
Delaware	146	161	3	3	4
Des Moines	526	506	7	6	1
Burlington	– – –	392	3	3	1
Balance of county	– – –	114	4	3	–
Dickinson	138	140	2	1	2
Dubuque	871	789	19	15	10
Dubuque	– – –	601	15	12	5
Balance of county	– – –	188	4	3	5
Emmet	155	160	3	3	2
Fayette	235	277	5	5	4
Floyd	206	209	3	3	1
Franklin	138	159	3	1	1
Fremont	124	142	4	2	1
Greene	184	167	1	1	3
Grundy	74	111	2	2	1
Guthrie	94	152	3	2	1
Hamilton	137	213	1	–	4
Hancock	127	166	6	6	1
Hardin	175	229	3	2	1
Harrison	130	203	3	2	–
Henry	189	206	6	6	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa—Con.					
Howard	100	121	1	1	1
Humboldt	117	126	1	1	3
Ida	111	113	2	2	1
Iowa	153	190	3	3	1
Jackson	188	223	6	2	–
Jasper	241	330	6	4	2
Newton	– – –	148	1	1	1
Balance of county	– – –	182	5	3	1
Jefferson	134	162	–	–	1
Johnson	1,497	396	10	7	10
Iowa City	– – –	236	7	6	5
Balance of county	– – –	160	3	1	5
Jones	160	197	1	1	1
Keokuk	94	164	3	3	2
Kossuth	122	217	5	5	2
Lee	519	474	12	10	4
Fort Madison	– – –	162	5	4	–
Keokuk	– – –	171	3	3	1
Balance of county	– – –	141	4	3	3
Linn	1,314	1,269	34	24	22
Cedar Rapids	– – –	933	25	19	15
Marion	– – –	105	4	3	3
Balance of county	– – –	231	5	2	4
Louisa	66	117	4	2	1
Lucas	118	134	1	1	1
Lyon	68	118	4	4	2
Madison	127	163	3	2	2
Mahaska	276	287	6	5	2
Oskaloosa	– – –	176	3	2	–
Balance of county	– – –	111	3	3	2
Marion	334	314	2	2	1
Marshall	433	419	8	6	6
Marshalltown	– – –	281	5	4	4
Balance of county	– – –	138	3	2	2
Mills	64	101	2	–	2
Mitchell	189	159	2	2	–
Monona	155	164	1	–	1
Monroe	86	120	2	1	1
Montgomery	155	174	3	3	1
Muscatine	311	387	12	8	9
Muscatine	– – –	235	10	6	6
Balance of county	– – –	152	2	2	3
O'Brien	226	196	–	–	2
Osceola	63	93	3	3	2
Page	265	246	3	3	–
Palo Alto	117	140	1	1	2
Plymouth	175	223	8	7	2
Pocahontas	134	153	–	–	2
Polk	3,076	2,489	69	44	40
White	2,934	2,344	63	39	33
All other	142	145	6	5	7
Negro	137	141	6	5	7
Des Moines	– – –	1,992	55	34	34
White	– – –	1,850	49	29	27
All other	– – –	142	6	5	7
Negro	– – –	140	6	5	7
Urbandale	– – –	37	2	1	–
West Des Moines	– – –	126	4	4	–
Balance of county	– – –	334	8	5	6
Pottawattamie	648	735	24	22	9
Council Bluffs	– – –	543	17	15	5
Balance of county	– – –	192	7	7	4
Poweshiek	181	185	–	–	4
Ringgold	100	72	–	–	1
Sac	112	160	4	4	1
Scott	1,198	1,224	38	31	25
Bettendorf	– – –	122	5	5	2
Davenport	– – –	959	29	24	20
Balance of county	– – –	143	4	2	3
Shelby	124	138	1	1	1
Sioux	225	244	3	3	3
Story	424	401	17	16	4
Ames	– – –	165	9	8	3
Balance of county	– – –	236	8	8	1
Tama	129	230	3	2	2
Taylor	49	131	1	–	–
Union	177	173	3	2	–
Van Buren	80	126	1	1	2
Wapello	517	515	7	5	9
Ottumwa	– – –	388	4	3	6
Balance of county	– – –	127	3	2	3
Warren	121	206	7	4	5
Washington	204	204	4	4	–
Wayne	99	126	5	4	3
Webster	543	502	11	6	7
Fort Dodge	– – –	368	10	6	5
Balance of county	– – –	134	1	–	2
Winnebago	112	151	4	2	–
Winneshiek	161	185	–	–	–
Woodbury	1,200	979	39	31	18
Sioux City	– – –	812	33	26	15
Balance of county	– – –	167	6	5	3
Worth	36	93	4	3	2
Wright	181	214	1	1	1
Kansas	21,194	21,848	498	369	368
White	20,088	20,715	420	308	321
All other	1,106	1,133	78	61	47
Negro	1,052	1,080	73	58	41
Allen	194	188	1	–	4
Anderson	86	100	–	–	–
Atchison	191	229	6	5	6
Atchison	– – –	159	5	5	3
Balance of county	– – –	70	1	–	3
Barber	90	93	1	1	3
Barton	278	261	5	5	6
Great Bend	– – –	114	2	2	3
Balance of county	– – –	147	3	3	3
Bourbon	323	254	3	2	2
Brown	159	181	4	3	–
Butler	303	405	7	4	11
El Dorado	– – –	160	–	–	6
Balance of county	– – –	245	7	4	5
Chase	30	50	–	–	–
Chautauqua	94	92	2	–	–
Cherokee	251	317	1	1	3
Cheyenne	41	63	1	–	–
Clark	23	31	–	–	–
Clay	116	147	1	1	–
Cloud	229	196	2	–	–
Coffey	62	121	–	–	–
Comanche	22	42	1	1	–
Cowley	465	441	7	5	6
Arkansas City	– – –	193	5	3	3
Winfield	– – –	141	2	2	1
Balance of county	– – –	107	–	–	2
Crawford	441	480	2	2	4
Pittsburg	– – –	219	1	1	2
Balance of county	– – –	261	1	1	2
Decatur	62	71	–	–	–
Dickinson	238	249	5	4	5
Doniphan	37	122	4	4	1
Douglas	354	362	14	11	13
Lawrence	– – –	249	11	9	12
Balance of county	– – –	113	3	2	1
Edwards	49	62	–	–	–
Elk	30	79	–	–	–
Ellis	203	129	4	4	1
Hays	– – –	76	4	4	1
Balance of county	– – –	53	–	–	–
Ellsworth	90	79	–	–	2
Finney	183	159	13	8	5
Garden City	– – –	131	12	7	3
Balance of county	– – –	28	1	1	2
Ford	237	196	9	8	3
Dodge City	– – –	137	6	5	2
Balance of county	– – –	59	3	3	1
Franklin	206	266	3	1	5
Ottawa	– – –	152	3	1	3
Balance of county	– – –	114	–	–	2
Geary	186	210	20	10	10
White	160	173	15	8	8
All other	26	37	5	2	2
Negro	24	35	4	1	2
Junction City	– – –	158	12	6	6
White	– – –	130	9	5	4
All other	– – –	28	3	1	2
Negro	– – –	26	2	–	2
Balance of county	– – –	52	8	4	4
White	– – –	43	6	3	4
All other	– – –	9	2	1	–
Negro	– – –	9	2	1	–
Gove	26	34	1	1	–
Graham	41	43	–	–	–
Grant	44	41	2	1	4
Gray	19	37	–	–	–
Greeley	19	12	–	–	–
Greenwood	134	153	2	1	1
Hamilton	46	39	1	1	1
Harper	109	110	2	2	2
Harvey	406	270	9	7	5
Newton	– – –	162	3	2	3
Balance of county	– – –	108	6	5	2
Haskell	11	19	1	1	–
Hodgeman	21	28	1	–	1
Jackson	88	141	6	5	1
Jefferson	100	148	2	2	6

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas—Con.					
Jewell	53	85	–	–	–
Johnson	918	1,365	32	21	32
Lenwood	---	95	–	–	–
Merriam	---	60	1	1	3
Olathe	---	135	5	3	5
Overland Park	---	364	9	6	9
Prairie Village	---	157	1	1	3
Shawnee	---	113	1	–	2
Balance of county	---	441	15	10	10
Kearny	16	22	2	2	1
Kingman	103	113	1	–	–
Kiowa	63	52	2	2	–
Labette	341	356	4	4	5
Parsons	---	210	2	2	5
Balance of county	---	146	2	2	–
Lane	18	27	2	2	–
Leavenworth	559	437	11	8	5
White	507	400	11	8	5
All other	52	37	–	–	–
Negro	51	36	–	–	–
Leavenworth	---	275	3	2	4
White	---	243	3	2	4
All other	---	32	–	–	–
Negro	---	31	–	–	–
Balance of county	---	162	8	6	1
Lincoln	48	63	2	1	–
Linn	67	122	–	–	–
Logan	30	27	–	–	–
Lyon	321	307	4	3	6
Emporia	---	232	3	2	4
Balance of county	---	75	1	1	2
McPherson	245	236	5	4	5
McPherson	---	99	2	1	2
Balance of county	---	137	3	3	3
Marion	170	196	3	2	–
Marshall	196	220	1	1	4
Meade	31	35	–	–	1
Miami	245	246	3	2	4
Mitchell	124	121	–	–	–
Montgomery	524	544	12	8	7
Coffeyville	---	201	4	4	3
White	---	181	4	4	3
All other	---	20	–	–	–
Negro	---	19	–	–	–
Independence	---	152	5	2	1
White	---	132	4	2	1
All other	---	20	1	–	–
Negro	---	20	1	–	–
Balance of county	---	191	3	2	3
Morris	76	100	–	–	3
Morton	13	25	–	–	1
Nemaha	95	129	3	3	3
Neosho	220	247	3	3	2
Chanute	---	157	2	2	2
Balance of county	---	90	1	1	–
Ness	60	65	1	1	–
Norton	93	87	2	2	–
Osage	118	166	2	1	–
Osborne	75	94	1	1	–
Ottawa	91	91	1	1	–
Pawnee	104	112	4	4	1
Phillips	72	106	3	2	1
Pottawatomie	141	154	3	2	1
Manhattan, part	---	1	–	–	–
Balance of county	---	153	3	2	1
Pratt	129	129	1	–	1
Rawlins	47	56	1	1	1
Reno	515	584	12	7	12
Hutchinson	---	407	10	5	6
Balance of county	---	177	2	2	6
Republic	141	153	–	–	–
Rice	124	152	3	2	1
Riley	230	257	13	11	7
Manhattan, part	---	177	7	6	4
Manhattan, total	---	178	7	6	4
Balance of county	---	80	6	5	3
White	---	79	5	5	3
All other	---	1	1	–	–
Negro	---	1	1	–	–
Rooks	91	104	–	–	–
Rush	33	69	–	–	1
Russell	92	127	1	–	–
Saline	407	384	13	8	7
Salina	---	335	12	7	7
Balance of county	---	49	1	1	–
Scott	48	56	2	–	1
Sedgwick	3,039	2,655	92	75	72
White	2,806	2,435	71	56	60
All other	233	220	21	19	12
Negro	227	214	20	18	11
Kansas—Con.					
Sedgwick—Con.					
Wichita	---	2,368	84	68	59
White	---	2,150	63	49	47
All other	---	218	21	19	12
Negro	---	212	20	18	11
Balance of county	---	287	8	7	13
Seward	124	111	5	4	1
Liberal	---	103	4	3	1
Balance of county	---	8	1	1	–
Shawnee	1,693	1,291	26	20	15
White	1,558	1,174	17	13	8
All other	135	117	9	7	7
Negro	126	114	9	7	6
Topeka	---	1,168	25	19	13
White	---	1,052	16	12	6
All other	---	116	9	7	7
Negro	---	113	9	7	6
Balance of county	---	123	1	1	2
Sheridan	32	40	3	3	–
Sherman	77	73	3	3	5
Smith	89	99	2	2	–
Stafford	93	90	–	–	2
Stanton	14	17	–	–	–
Stevens	32	36	4	2	1
Sumner	224	276	–	–	2
Thomas	45	47	1	–	–
Trego	45	43	–	–	1
Wabaunsee	50	96	2	1	–
Wallace	8	24	1	–	1
Washington	107	149	2	2	–
Wichita	14	20	–	–	–
Wilson	176	183	3	1	3
Woodson	35	80	3	3	–
Wyandotte	1,873	1,747	55	43	41
White	1,484	1,319	26	20	29
All other	389	428	29	23	12
Negro	383	423	29	23	12
Kansas City	---	1,681	48	36	40
White	---	1,268	24	18	28
All other	---	413	24	18	12
Negro	---	409	24	18	12
Balance of county	---	66	7	7	1
Kentucky	32,165	32,305	814	569	613
White	29,430	29,574	706	495	535
All other	2,735	2,731	108	74	78
Negro	2,722	2,719	108	74	76
Adair	169	177	7	7	4
Allen	140	175	1	–	2
Anderson	43	93	–	–	–
Ballard	41	115	2	2	2
Barren	370	305	5	2	5
Glasgow	---	127	1	–	4
Balance of county	---	178	4	2	1
Bath	48	112	2	–	2
Bell	396	392	14	12	3
Middlesborough	---	158	6	4	–
Balance of county	---	234	8	8	3
Boone	155	261	10	9	5
Florence	---	87	4	4	1
Balance of county	---	174	6	5	4
Bourbon	145	185	3	3	6
White	128	166	3	3	4
All other	17	19	–	–	2
Negro	17	19	–	–	2
Boyd	610	531	9	7	5
Ashland	---	343	3	2	2
Balance of county	---	188	6	5	3
Boyle	299	241	2	1	3
White	260	204	2	1	2
All other	39	37	–	–	1
Negro	39	37	–	–	1
Danville	---	160	–	–	1
White	---	128	–	–	–
All other	---	32	–	–	1
Negro	---	32	–	–	1
Balance of county	---	81	2	1	2
Bracken	36	96	1	1	–
Breathitt	69	111	4	2	3
Breckinridge	152	170	5	4	–
Bullitt	92	198	9	5	6
Butler	95	135	3	2	2
Caldwell	182	177	8	7	3
Calloway	301	302	1	1	2
Murray	---	130	1	1	1
Balance of county	---	172	–	–	1
Campbell	841	937	20	13	10
Fort Thomas	---	153	1	1	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

(See headnote at beginning of table)

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky—Con.					
Campbell—Con.					
Newport	---	332	13	6	5
Balance of county	---	452	6	6	4
Carlisle	16	82	1	1	1
Carroll	92	93	5	3	1
Carter	68	208	3	2	4
Casey	63	116	3	3	4
Christian	585	519	26	18	17
White	437	365	14	8	9
All other	148	154	12	10	8
Negro	146	153	12	10	8
Hopkinsville	---	290	13	8	7
White	---	186	7	4	3
All other	---	104	6	4	4
Negro	---	104	6	4	4
Balance of county	---	229	13	10	10
White	---	179	7	4	6
All other	---	50	6	6	4
Negro	---	49	6	6	4
Clark	225	249	8	6	5
Winchester	---	186	6	5	4
White	---	156	5	4	3
All other	---	30	1	1	1
Negro	---	30	1	1	1
Balance of county	---	63	2	1	1
Clay	159	175	12	7	9
Clinton	60	86	2	2	2
Crittenden	66	107	1	–	3
Cumberland	77	95	2	1	–
Daviess	880	771	18	15	13
Owensboro	---	556	9	8	10
Balance of county	---	215	9	7	3
Edmonson	33	100	1	1	1
Elliott	19	56	1	–	–
Estill	94	137	2	1	3
Fayette	2,790	1,413	45	36	25
White	2,439	1,140	33	28	21
All other	351	273	12	8	4
Negro	349	271	12	8	4
Lexington	---	1,276	43	35	21
White	---	1,024	32	28	18
All other	---	252	11	7	3
Negro	---	250	11	7	3
Balance of county	---	137	2	1	4
Fleming	104	138	1	–	–
Floyd	396	352	18	15	9
Franklin	288	320	7	4	1
Frankfort	---	223	7	4	–
White	---	195	6	3	–
All other	---	28	1	1	–
Negro	---	28	1	1	–
Balance of county	---	97	–	–	1
Fulton	148	136	1	1	3
White	128	115	1	1	1
All other	20	21	–	–	2
Negro	20	21	–	–	2
Gallatin	25	55	1	1	–
Garrard	86	110	1	1	2
Grant	71	111	3	2	3
Graves	233	371	3	2	7
Mayfield	---	154	2	1	4
White	---	135	2	1	4
All other	---	19	–	–	–
Negro	---	19	–	–	–
Balance of county	---	217	1	1	3
Grayson	155	206	2	2	4
Green	93	107	2	1	2
Greenup	183	288	6	4	6
Hancock	23	74	4	3	–
Hardin	520	466	23	16	15
Elizabethtown	---	150	3	3	2
Balance of county	---	316	20	13	13
Harlan	438	461	8	4	11
Harrison	184	163	6	3	4
Hart	85	158	5	5	1
Henderson	379	377	8	7	9
Henderson	---	271	6	5	8
White	---	230	6	5	7
All other	---	41	–	–	1
Negro	---	40	–	–	1
Balance of county	---	106	2	2	1
Henry	42	125	–	–	2
Hickman	82	85	–	–	1
White	73	77	–	–	1
All other	9	8	–	–	–
Negro	9	8	–	–	–
Hopkins	606	480	6	4	7
Madisonville	---	232	2	2	3
White	---	199	2	2	2
All other	---	33	–	–	1
Negro	---	33	–	–	1
Kentucky—Con.					
Hopkins—Con.					
Balance of county	---	248	4	2	4
Jackson	37	104	4	3	2
Jefferson	7,359	6,338	157	107	127
White	6,185	5,226	108	76	90
All other	1,174	1,112	49	31	37
Negro	1,172	1,110	49	31	36
Louisville	---	4,070	87	59	73
White	---	3,072	51	38	43
All other	---	998	36	21	30
Negro	---	996	36	21	30
St. Matthews	---	143	–	–	–
Shively	---	157	1	1	–
Balance of county	---	1,968	69	47	54
White	---	1,860	57	38	47
All other	---	108	12	9	7
Negro	---	108	12	9	6
Jessamine	75	164	6	4	5
Johnson	160	223	4	2	4
Kenton	1,465	1,388	26	16	21
Covington	---	727	13	5	13
Erlanger	---	96	3	2	3
Balance of county	---	565	10	9	5
Knott	57	126	7	5	5
Knox	175	241	8	5	3
Larue	92	133	2	1	–
Laurel	266	258	6	3	10
Lawrence	204	142	3	3	1
Lee	31	65	3	–	–
Leslie	60	105	3	2	2
Letcher	214	256	9	6	5
Lewis	40	116	3	1	3
Lincoln	129	184	3	3	3
Livingston	88	121	–	–	1
Logan	203	243	2	1	4
White	190	222	1	–	3
All other	13	21	1	1	1
Negro	12	20	1	1	1
Lyon	59	70	–	–	2
McCracken	977	635	14	11	8
White	872	552	10	9	7
All other	105	83	4	2	1
Negro	105	83	4	2	–
Paducah	---	454	11	9	2
White	---	376	7	7	2
All other	---	78	4	2	–
Negro	---	78	4	2	–
Balance of county	---	181	3	2	6
McCreary	49	134	8	4	5
McLean	84	118	3	1	1
Madison	343	327	9	7	7
Richmond	---	143	4	4	2
White	---	122	4	4	1
All other	---	21	–	–	1
Negro	---	21	–	–	1
Balance of county	---	184	5	3	5
Magoffin	40	86	1	–	3
Marion	183	149	7	6	3
Marshall	217	236	4	2	2
Martin	40	93	4	3	1
Mason	261	227	5	5	6
Meade	42	113	6	4	3
Menifee	14	41	–	–	–
Mercer	164	190	2	1	3
Metcalfe	31	106	4	1	–
Monroe	139	142	3	2	6
Montgomery	153	166	4	4	5
Morgan	106	110	5	4	1
Muhlenberg	288	330	6	3	10
Nelson	141	209	4	1	4
Nicholas	71	78	1	1	1
Ohio	168	216	2	2	8
Oldham	98	121	1	1	1
Owen	70	102	3	3	–
Owsley	19	54	1	1	1
Pendleton	87	124	2	1	3
Perry	287	266	7	5	1
Pike	650	589	27	21	29
Powell	27	73	3	1	3
Pulaski	434	357	9	6	10
Somerset	---	114	2	1	1
Balance of county	---	243	7	5	9
Robertson	9	25	–	–	–
Rockcastle	76	122	2	1	1
Rowan	274	134	5	3	2
Russell	53	149	4	3	2
Scott	115	176	4	3	7
Shelby	235	205	3	3	3
White	216	179	1	1	3
All other	19	26	2	2	–
Negro	19	26	2	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky—Con.					
Simpson	121	157	6	1	1
White	112	139	4	–	1
All other	9	18	2	1	–
Negro	9	18	2	1	–
Spencer	14	43	4	3	–
Taylor	179	185	5	4	5
Todd	54	120	2	–	2
White	48	110	2	–	1
All other	6	10	–	–	1
Negro	6	10	–	–	1
Trigg	125	120	1	1	1
White	113	107	–	–	1
All other	12	13	1	1	–
Negro	12	13	1	1	–
Trimble	14	60	2	2	1
Union	131	151	9	7	2
White	121	138	9	7	1
All other	10	13	–	–	1
Negro	10	13	–	–	1
Warren	683	512	14	12	12
Bowling Green	– – –	326	7	6	6
White	– – –	293	7	6	5
All other	– – –	33	–	–	1
Negro	– – –	33	–	–	1
Balance of county	– – –	186	7	6	6
Washington	48	109	2	2	3
White	47	103	2	2	2
All other	1	6	–	–	1
Negro	1	6	–	–	1
Wayne	93	144	4	3	4
Webster	49	184	4	2	2
Whitley	277	333	5	3	2
Wolfe	28	70	2	2	2
Woodford	138	134	4	2	–
White	125	118	4	2	–
All other	13	16	–	–	–
Negro	13	16	–	–	–
Louisiana	**34,782**	**34,581**	**1,244**	**921**	**775**
White	23,427	23,234	539	396	347
All other	11,355	11,347	705	525	428
Negro	11,314	11,310	702	522	426
Acadia	397	519	21	19	7
White	316	427	11	10	2
All other	81	92	10	9	5
Negro	81	92	10	9	5
Crowley	– – –	168	5	5	1
White	– – –	129	2	2	1
All other	– – –	39	3	3	–
Negro	– – –	39	3	3	–
Eunice, part	– – –	–	–	–	–
Balance of parish	– – –	351	16	14	6
White	– – –	298	9	8	1
All other	– – –	53	7	6	5
Negro	– – –	53	7	6	5
Allen	165	224	7	7	4
White	134	174	4	4	3
All other	31	50	3	3	1
Negro	30	49	3	3	1
Ascension	277	350	3	3	5
White	191	247	2	2	1
All other	86	103	1	1	4
Negro	86	103	1	1	4
Assumption	74	148	8	6	4
White	45	88	3	2	3
All other	29	60	5	4	1
Negro	29	60	5	4	1
Avoyelles	389	442	16	13	7
White	290	338	10	9	5
All other	99	104	6	4	2
Negro	97	102	6	4	2
Beauregard	225	247	7	5	3
White	181	194	5	5	1
All other	44	53	2	–	2
Negro	44	53	2	–	2
Bienville	76	192	4	3	4
White	45	124	2	1	–
All other	31	68	2	2	4
Negro	31	68	2	2	4
Bossier	327	469	12	9	10
White	249	350	8	6	6
All other	78	119	4	3	4
Negro	78	119	4	3	4
Bossier City	– – –	276	12	9	5
Shreveport, part	– – –	–	–	–	–
Balance of parish	– – –	193	–	–	5
White	– – –	118	–	–	1
All other	– – –	75	–	–	4
Negro	– – –	75	–	–	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana—Con.					
Caddo	3,242	2,373	88	63	63
White	1,996	1,443	27	16	19
All other	1,246	930	61	47	44
Negro	1,245	929	61	47	44
Shreveport, part	– – –	2,027	76	55	55
White	– – –	1,270	23	13	14
All other	– – –	757	53	42	41
Negro	– – –	756	53	42	41
Shreveport, total	– – –	2,027	76	55	55
White	– – –	1,270	23	13	14
All other	– – –	757	53	42	41
Negro	– – –	756	53	42	41
Balance of parish	– – –	346	12	8	8
White	– – –	173	4	3	5
All other	– – –	173	8	5	3
Negro	– – –	173	8	5	3
Calcasieu	1,252	1,245	43	33	33
White	958	932	29	23	19
All other	294	313	14	10	14
Negro	294	312	14	10	14
Lake Charles	– – –	656	21	15	18
White	– – –	434	9	7	5
All other	– – –	222	12	8	13
Negro	– – –	222	12	8	13
Sulphur	– – –	141	5	3	3
Balance of parish	– – –	448	17	15	12
White	– – –	363	15	13	11
All other	– – –	85	2	2	1
Negro	– – –	84	2	2	1
Caldwell	107	120	2	1	1
White	80	91	2	1	1
All other	27	29	–	–	–
Negro	27	29	–	–	–
Cameron	50	56	2	1	1
Catahoula	118	127	2	2	3
White	69	76	2	2	1
All other	49	51	–	–	2
Negro	49	51	–	–	2
Claiborne	168	246	6	3	2
White	102	132	1	–	1
All other	66	114	5	3	1
Negro	66	114	5	3	1
Concordia	163	229	10	8	6
White	74	133	7	5	5
All other	89	96	3	3	1
Negro	89	96	3	3	1
De Soto	194	297	8	6	4
White	118	160	1	–	1
All other	76	137	7	6	3
Negro	76	137	7	6	3
East Baton Rouge	2,636	2,087	102	76	44
White	1,701	1,283	43	32	21
All other	935	804	59	44	23
Negro	932	801	59	44	23
Baton Rouge	– – –	1,638	79	62	33
White	– – –	1,032	34	27	15
All other	– – –	606	45	35	18
Negro	– – –	603	45	35	18
Balance of parish	– – –	449	23	14	11
White	– – –	251	9	5	6
All other	– – –	198	14	9	5
Negro	– – –	198	14	9	5
East Carroll	132	150	9	6	7
White	38	43	1	–	2
All other	94	107	8	6	5
Negro	94	107	8	6	5
East Feliciana	211	172	3	3	1
White	101	75	–	–	–
All other	110	97	3	3	1
Negro	110	97	3	3	1
Evangeline	319	363	16	10	8
White	245	290	8	5	4
All other	74	73	8	5	4
Negro	74	73	8	5	4
Franklin	240	285	7	5	10
White	167	203	2	1	4
All other	73	82	5	4	6
Negro	73	82	5	4	6
Grant	41	191	2	2	–
White	30	148	1	1	–
All other	11	43	1	1	–
Negro	11	43	1	1	–
Iberia	447	520	20	17	16
White	313	332	4	4	8
All other	134	188	16	13	8
Negro	134	188	16	13	8
New Iberia	– – –	288	8	7	8
White	– – –	195	2	2	6
All other	– – –	93	6	5	2
Negro	– – –	93	6	5	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Louisiana—Con.					
Iberia—Con.					
Balance of parish	---	232	12	10	8
White	---	137	2	2	2
All other	---	95	10	8	6
Negro	---	95	10	8	6
Iberville	203	283	8	5	4
White	105	154	5	3	1
All other	98	129	3	2	3
Negro	98	128	3	2	3
Jackson	149	182	4	3	2
White	105	127	3	2	2
All other	44	55	1	1	–
Negro	44	55	1	1	–
Jefferson	2,314	2,711	92	63	58
White	2,016	2,300	69	46	39
All other	298	411	23	17	19
Negro	297	406	22	16	19
Gretna	---	339	15	12	7
White	---	265	11	8	5
All other	---	74	4	4	2
Negro	---	71	3	3	2
Harahan	---	72	3	2	–
Kenner	---	241	10	6	5
White	---	177	7	3	4
All other	---	64	3	3	1
Negro	---	64	3	3	1
Westwego	---	133	3	1	4
White	---	107	3	1	4
All other	---	26	–	–	–
Negro	---	26	–	–	–
Balance of parish	---	1,926	61	42	42
White	---	1,679	45	32	26
All other	---	247	16	10	16
Negro	---	245	16	10	16
Jefferson Davis	271	299	8	7	5
White	223	243	3	2	4
All other	48	56	5	5	1
Negro	47	56	5	5	1
Jennings	---	110	3	3	3
White	---	80	1	1	2
All other	---	30	2	2	1
Negro	---	30	2	2	1
Balance of parish	---	189	5	4	2
White	---	163	2	1	2
All other	---	26	3	3	–
Negro	---	26	3	3	–
Lafayette	1,267	853	53	43	21
White	856	620	22	17	9
All other	411	233	31	26	12
Negro	407	232	30	25	12
Lafayette	---	584	44	36	15
White	---	406	17	13	5
All other	---	178	27	23	10
Negro	---	177	26	22	10
Balance of parish	---	269	9	7	6
White	---	214	5	4	4
All other	---	55	4	3	2
Negro	---	55	4	3	2
Lafourche	453	485	11	8	13
White	398	421	6	3	9
All other	55	64	5	5	4
Negro	55	64	5	5	4
Thibodaux	---	135	5	3	3
White	---	102	3	1	2
All other	---	33	2	2	1
Negro	---	33	2	2	1
Balance of parish	---	350	6	5	10
La Salle	142	172	3	2	1
White	125	152	3	2	–
All other	17	20	–	–	1
Negro	16	19	–	–	1
Lincoln	296	308	4	3	10
White	200	194	2	2	2
All other	96	114	2	1	8
Negro	96	114	2	1	8
Ruston	---	164	2	1	5
White	---	102	1	1	–
All other	---	62	1	–	5
Negro	---	62	1	–	5
Balance of parish	---	144	2	2	5
White	---	92	1	1	2
All other	---	52	1	1	3
Negro	---	52	1	1	3
Livingston	204	330	20	16	11
White	186	293	14	11	9
All other	18	37	6	5	2
Negro	18	37	6	5	2
Madison	118	179	8	6	5
White	31	54	1	1	1
All other	87	125	7	5	4
Negro	87	125	7	5	4
Morehouse	339	360	22	16	1
White	211	212	10	8	–
All other	128	148	12	8	1
Negro	128	148	12	8	1
Bastrop	---	187	15	9	–
White	---	113	6	4	–
All other	---	74	9	5	–
Negro	---	74	9	5	–
Balance of parish	---	173	7	7	1
White	---	99	4	4	–
All other	---	74	3	3	1
Negro	---	74	3	3	1
Natchitoches	269	363	13	8	11
White	156	215	4	3	4
All other	113	148	9	5	7
Negro	113	148	9	5	7
Natchitoches	---	147	8	5	6
White	---	80	3	3	1
All other	---	67	5	2	5
Negro	---	67	5	2	5
Balance of parish	---	216	5	3	5
White	---	135	1	–	3
All other	---	81	4	3	2
Negro	---	81	4	3	2
Orleans, coext. with New Orleans city	8,012	6,573	200	149	142
White	4,647	3,671	32	24	35
All other	3,365	2,902	168	125	107
Negro	3,347	2,891	168	125	107
Ouachita	1,311	1,115	36	21	30
White	828	737	16	10	8
All other	483	378	20	11	22
Negro	483	378	20	11	22
Monroe	---	627	23	13	19
White	---	346	5	4	3
All other	---	281	18	9	16
Negro	---	281	18	9	16
West Monroe	---	202	4	4	4
White	---	169	3	3	2
All other	---	33	1	1	2
Negro	---	33	1	1	2
Balance of parish	---	286	9	4	7
White	---	222	8	3	3
All other	---	64	1	1	4
Negro	---	64	1	1	4
Plaquemines	110	152	9	7	8
White	87	109	4	4	4
All other	23	43	5	3	4
Negro	23	43	5	3	4
Pointe Coupee	153	243	3	2	1
White	80	132	–	–	–
All other	73	111	3	2	1
Negro	73	111	3	2	1
Rapides	1,728	1,145	43	27	23
White	1,167	770	19	13	13
All other	561	375	24	14	10
Negro	561	374	24	14	10
Alexandria	---	567	25	13	11
White	---	314	8	5	5
All other	---	253	17	8	6
Negro	---	252	17	8	6
Balance of parish	---	578	18	14	12
White	---	456	11	8	8
All other	---	122	7	6	4
Negro	---	122	7	6	4
Red River	125	120	3	1	1
White	83	82	1	1	–
All other	42	38	2	–	1
Negro	42	38	2	–	1
Richland	237	232	9	6	5
White	165	146	3	2	2
All other	72	86	6	4	3
Negro	72	86	6	4	3
Sabine	192	242	4	1	5
White	137	185	2	–	3
All other	55	57	2	1	2
Negro	55	57	2	1	2
St. Bernard	242	450	15	14	6
St. Charles	184	219	4	4	7
White	125	156	3	3	5
All other	59	63	1	1	2
Negro	58	63	1	1	2
St. Helena	63	81	2	1	1
White	32	38	1	1	–
All other	31	43	1	–	1
Negro	31	43	1	–	1
St. James	151	180	8	7	–
White	90	88	4	4	–
All other	61	92	4	3	–
Negro	61	92	4	3	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana—Con.					
St. John the Baptist	88	195	9	8	6
White	48	97	3	3	2
All other	40	98	6	5	4
Negro	40	98	6	5	4
St. Landry	617	730	37	30	19
White	399	433	14	9	11
All other	218	297	23	21	8
Negro	218	297	23	21	8
Eunice, part	---	116	5	5	3
White	---	82	1	1	3
All other	---	34	4	4	–
Negro	---	34	4	4	–
Eunice, total	---	116	5	5	3
White	---	82	1	1	3
All other	---	34	4	4	–
Negro	---	34	4	4	–
Opelousas	---	219	9	8	7
White	---	104	4	3	5
All other	---	115	5	5	2
Negro	---	115	5	5	2
Balance of parish	---	395	23	17	9
White	---	247	9	5	3
All other	---	148	14	12	6
Negro	---	148	14	12	6
St. Martin	165	281	20	18	11
White	111	181	7	7	5
All other	54	100	13	11	6
Negro	54	100	13	11	6
St. Mary	327	423	17	14	19
White	231	287	9	7	8
All other	96	136	8	7	11
Negro	96	134	8	7	11
Morgan City	---	120	7	7	7
White	---	100	5	5	4
All other	---	20	2	2	3
Negro	---	20	2	2	3
Balance of parish	---	303	10	7	12
White	---	187	4	2	4
All other	---	116	6	5	8
Negro	---	114	6	5	8
St. Tammany	588	628	17	12	10
White	506	540	13	10	4
All other	82	88	4	2	6
Negro	82	88	4	2	6
Slidell	---	136	5	3	3
White	---	123	4	3	1
All other	---	13	1	–	2
Negro	---	13	1	–	2
Balance of parish	---	492	12	9	7
White	---	417	9	7	3
All other	---	75	3	2	4
Negro	---	75	3	2	4
Tangipahoa	707	797	41	28	23
White	489	538	12	7	9
All other	218	259	29	21	14
Negro	218	259	29	21	14
Hammond	---	157	4	3	4
White	---	87	–	–	1
All other	---	70	4	3	3
Negro	---	70	4	3	3
Balance of parish	---	640	37	25	19
White	---	451	12	7	8
All other	---	189	25	18	11
Negro	---	189	25	18	11
Tensas	86	139	6	4	3
White	30	44	1	–	–
All other	56	95	5	4	3
Negro	56	95	5	4	2
Terrebonne	539	599	37	27	23
White	452	477	27	19	20
All other	87	122	10	8	3
Negro	83	118	10	8	2
Houma	---	311	25	17	8
White	---	250	17	11	7
All other	---	61	8	6	1
Negro	---	60	8	6	1
Balance of parish	---	288	12	10	15
White	---	227	10	8	13
All other	---	61	2	2	2
Negro	---	58	2	2	1
Union	172	221	2	2	–
White	123	155	1	1	–
All other	49	66	1	1	–
Negro	49	66	1	1	–
Vermilion	381	451	12	10	8
White	337	386	6	5	6
All other	44	65	6	5	2
Negro	43	64	6	5	2
Louisiana—Con.					
Vermilion—Con.					
Abbeville	---	161	5	5	2
White	---	125	2	2	1
All other	---	36	3	3	1
Negro	---	35	3	3	1
Balance of parish	---	290	7	5	6
White	---	261	4	3	5
All other	---	29	3	2	1
Negro	---	29	3	2	1
Vernon	180	280	21	15	9
White	147	238	12	8	5
All other	33	42	9	7	4
Negro	31	40	8	6	4
Washington	421	503	11	9	17
White	307	354	9	8	7
All other	114	149	2	1	10
Negro	114	149	2	1	10
Bogalusa	---	255	6	5	9
White	---	167	4	4	2
All other	---	88	2	1	7
Negro	---	88	2	1	7
Balance of parish	---	248	5	4	8
White	---	187	5	4	5
All other	---	61	–	–	3
Negro	---	61	–	–	3
Webster	386	453	19	14	7
White	262	302	7	5	4
All other	124	151	12	9	3
Negro	124	151	12	9	3
Minden	---	163	11	10	–
White	---	96	3	3	–
All other	---	67	8	7	–
Negro	---	67	8	7	–
Balance of parish	---	290	8	4	7
White	---	206	4	2	4
All other	---	84	4	2	3
Negro	---	84	4	2	3
West Baton Rouge	64	149	5	2	2
White	27	70	–	–	1
All other	37	79	5	2	1
Negro	37	79	5	2	1
West Carroll	68	143	3	3	1
White	55	108	3	3	1
All other	13	35	–	–	–
Negro	13	35	–	–	–
West Feliciana	45	59	4	3	1
White	18	22	–	–	–
All other	27	37	4	3	1
Negro	27	37	4	3	1
Winn	165	201	3	1	2
White	119	140	–	–	1
All other	46	61	3	1	1
Negro	46	61	3	1	1
Maine	10,401	10,457	165	115	87
White	10,354	10,411	163	114	87
All other	47	46	2	1	–
Negro	14	14	1	–	–
Androscoggin	982	1,004	18	15	9
Auburn	---	280	3	2	3
Lewiston	---	455	7	6	2
Balance of county	---	269	8	7	4
Aroostook	703	747	15	9	12
Caribou	---	82	3	2	3
Presque Isle	---	98	2	2	–
Balance of county	---	567	10	5	9
Cumberland	2,381	2,017	26	19	7
Portland	---	800	8	5	–
South Portland	---	233	3	2	–
Westbrook	---	151	3	3	–
Balance of county	---	833	12	9	7
Franklin	189	215	5	2	3
Hancock	415	451	3	3	4
Kennebec	1,337	970	18	12	9
Augusta	---	216	4	1	1
Waterville	---	199	1	1	2
Balance of county	---	555	13	10	6
Knox	359	376	2	1	3
Lincoln	215	313	5	1	2
Oxford	364	441	7	5	3
Penobscot	1,287	1,141	20	18	9
Bangor	---	335	4	4	2
Balance of county	---	806	16	14	7
Piscataquis	166	198	1	1	2
Sagadahoc	190	237	1	1	5
Somerset	349	437	7	5	3
Waldo	199	283	8	6	3
Washington	350	428	5	4	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maine—Con.					
York	915	1,199	24	13	10
Biddeford	---	219	6	2	1
Saco	---	118	4	3	1
Sanford	---	162	1	–	1
Balance of county	---	700	13	8	7
Maryland	31,706	32,644	911	693	513
White	25,209	25,985	515	392	292
All other	6,497	6,659	396	301	221
Negro	6,411	6,567	386	291	216
Allegany	977	933	5	4	7
Cumberland	---	398	3	2	4
Balance of county	---	535	2	2	3
Anne Arundel	1,566	2,069	72	50	34
White	1,354	1,805	59	41	30
All other	212	264	13	9	4
Negro	211	260	12	8	4
Annapolis	---	321	9	7	3
White	---	230	5	4	3
All other	---	91	4	3	–
Negro	---	91	4	3	–
Balance of county	---	1,748	63	43	31
White	---	1,575	54	37	27
All other	---	173	9	6	4
Negro	---	169	8	5	4
Baltimore	4,295	5,123	97	81	58
White	4,055	4,879	81	69	49
All other	240	244	16	12	9
Negro	232	229	13	9	8
Baltimore city	11,769	9,916	279	211	132
White	7,524	5,813	79	57	38
All other	4,245	4,103	200	154	94
Negro	4,209	4,080	198	152	94
Calvert	194	224	9	7	4
White	146	165	–	–	4
All other	48	59	9	7	–
Negro	48	59	9	7	–
Caroline	80	231	2	1	1
White	66	199	2	1	1
All other	14	32	–	–	–
Negro	14	32	–	–	–
Carroll	559	621	13	10	10
Cecil	424	412	15	10	12
Charles	260	361	18	15	7
White	187	250	9	6	4
All other	73	111	9	9	3
Negro	73	111	9	9	3
Dorchester	369	347	8	7	6
White	244	230	5	5	2
All other	125	117	3	2	4
Negro	125	117	3	2	4
Cambridge	---	151	5	4	2
White	---	97	3	3	1
All other	---	54	2	1	1
Negro	---	54	2	1	1
Balance of county	---	196	3	3	4
White	---	133	2	2	1
All other	---	63	1	1	3
Negro	---	63	1	1	3
Frederick	614	740	23	19	8
Frederick	---	239	5	5	1
White	---	219	4	4	–
All other	---	20	1	1	1
Negro	---	20	1	1	1
Balance of county	---	501	18	14	7
Garrett	245	258	3	2	5
Harford	738	822	28	25	23
White	670	732	23	20	22
All other	68	90	5	5	1
Negro	67	89	5	5	1
Aberdeen	---	94	6	6	6
White	---	77	5	5	5
All other	---	17	1	1	1
Negro	---	16	1	1	1
Balance of county	---	728	22	19	17
Howard	224	451	20	16	9
Kent	152	178	2	1	3
White	124	136	–	–	2
All other	28	42	2	1	1
Negro	28	42	2	1	1
Montgomery	3,846	3,550	91	72	56
White	3,576	3,299	72	59	37
All other	270	251	19	13	19
Negro	246	225	19	13	17
Rockville	---	459	15	13	13
Maryland—Con.					
Montgomery—Con.					
Takoma Park, part	---	165	6	4	2
White	---	153	3	3	2
All other	---	12	3	1	–
Negro	---	12	3	1	–
Takoma Park, total	---	224	9	6	2
White	---	200	4	4	2
All other	---	24	5	2	–
Negro	---	24	5	2	–
Balance of county	---	2,926	70	55	41
White	---	2,722	58	46	28
All other	---	204	12	9	13
Negro	---	181	12	9	12
Prince Georges	2,296	3,455	173	123	112
White	1,779	2,783	83	59	43
All other	517	672	90	64	69
Negro	505	652	86	60	68
Bowie	---	139	2	2	–
College Park	---	141	7	6	–
Greenbelt	---	75	1	–	–
Hyattsville	---	431	15	12	8
Laurel	---	130	7	4	10
New Carrollton	---	42	–	–	–
Takoma Park, part	---	59	3	2	–
Balance of county	---	2,438	138	97	94
White	---	1,860	61	43	33
All other	---	578	77	54	61
Negro	---	564	74	51	61
Queen Annes	55	227	2	2	4
White	38	172	1	1	4
All other	17	55	1	1	–
Negro	17	55	1	1	–
St. Marys	228	278	13	9	5
White	168	209	9	5	2
All other	60	69	4	4	3
Negro	60	69	4	4	3
Somerset	130	233	5	3	5
White	95	170	2	2	5
All other	35	63	3	1	–
Negro	35	63	3	1	–
Talbot	491	295	1	1	3
White	394	227	–	–	3
All other	97	68	1	1	–
Negro	97	68	1	1	–
Washington	1,094	1,005	14	8	5
Hagerstown	---	463	8	4	1
Balance of county	---	542	6	4	4
Wicomico	982	600	13	11	3
White	744	455	6	5	1
All other	238	145	7	6	2
Negro	237	145	7	6	2
Salisbury	---	279	8	8	3
White	---	212	3	3	1
All other	---	67	5	5	2
Negro	---	67	5	5	2
Balance of county	---	321	5	3	–
White	---	243	3	2	–
All other	---	78	2	1	–
Negro	---	78	2	1	–
Worcester	118	315	5	5	1
White	94	233	1	1	–
All other	24	82	4	4	1
Negro	24	81	4	4	1
Massachusetts	54,387	54,049	800	585	579
White	52,909	52,584	709	526	518
All other	1,478	1,465	91	59	61
Negro	1,359	1,347	85	54	58
Barnstable	1,424	1,489	10	8	7
Berkshire	1,562	1,519	23	17	9
North Adams	---	197	4	4	–
Pittsfield	---	554	11	8	5
Balance of county	---	768	8	5	4
Bristol	4,153	4,485	72	50	54
Attleboro	---	267	5	4	3
Fall River	---	1,089	13	10	11
New Bedford	---	1,166	26	16	16
Somerset town†	---	143	2	1	1
Taunton	---	465	7	6	6
Balance of county	---	1,355	19	13	17
Dukes	111	116	–	–	1
Essex	6,122	6,370	89	64	69
Beverly	---	329	3	2	2
Danvers town†	---	184	4	3	1
Gloucester	---	327	5	4	5
Haverhill	---	567	11	8	5
Lawrence	---	817	12	8	12
Lynn	---	988	14	7	12

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Massachusetts—Con.					
Essex—Con.					
Marblehead town†	---	217	1	1	–
Methuen town†	---	378	5	5	6
Newburyport	---	208	1	–	3
Peabody	---	343	4	4	2
Salem	---	453	6	4	6
Saugus town†	---	206	3	1	2
Swampscott town†	---	166	2	2	–
Balance of county	---	1,187	18	15	13
Franklin	502	606	13	5	6
Hampden	4,579	4,385	68	43	38
White	4,425	4,228	55	34	33
All other	154	157	13	9	5
Negro	152	155	13	9	5
Chicopee	---	531	7	4	5
Holyoke	---	623	10	6	7
Longmeadow town†	---	154	–	–	–
Springfield	---	1,731	34	21	18
White	---	1,597	25	15	13
All other	---	134	9	6	5
Negro	---	132	9	6	5
Westfield	---	295	5	4	–
West Springfield town†	---	236	1	1	4
Balance of county	---	815	11	7	4
Hampshire	875	944	13	12	11
Amherst town†	---	84	2	2	–
Northampton	---	262	–	–	3
Balance of county	---	598	11	10	8
Middlesex	10,750	11,759	144	106	137
White	10,616	11,603	131	96	130
All other	134	156	13	10	7
Negro	116	136	10	7	6
Arlington town†	---	528	3	3	6
Belmont town†	---	315	2	1	2
Billerica town†	---	178	3	2	3
Burlington town†	---	99	1	–	3
Cambridge	---	828	11	7	10
Chelmsford town†	---	182	2	2	–
Everett	---	461	10	7	4
Framingham town†	---	502	5	5	7
Lexington town†	---	227	2	1	1
Lowell	---	1,036	21	15	8
Malden	---	618	3	3	7
Marlborough	---	240	3	2	7
Medford	---	661	8	7	5
Melrose	---	311	2	1	5
Natick town†	---	240	2	1	3
Newton	---	715	1	–	3
Reading town†	---	171	2	2	–
Somerville	---	839	9	4	9
Stoneham town†	---	189	1	–	2
Wakefield town†	---	224	2	2	–
Waltham	---	504	1	1	5
Watertown town†	---	355	3	2	3
Winchester town†	---	174	–	–	1
Woburn	---	285	3	3	3
Balance of county	---	1,877	44	35	40
Nantucket	57	68	1	1	1
Norfolk	4,472	5,400	66	58	47
Braintree town†	---	343	6	5	3
Brookline town†	---	659	–	–	1
Dedham town†	---	236	2	1	1
Holbrook town†	---	80	1	1	1
Milton town†	---	278	2	2	3
Needham town†	---	238	3	3	1
Norwood town†	---	300	2	2	5
Quincy	---	1,028	10	10	5
Randolph town†	---	224	5	3	–
Wellesley town†	---	200	1	1	1
Weymouth town†	---	485	8	7	3
Balance of county	---	1,329	26	23	23
Plymouth	2,847	3,143	75	56	47
Brockton	---	955	21	18	18
Rockland town†	---	126	8	4	2
Whitman town†	---	102	1	–	1
Balance of county	---	1,960	45	34	26
Suffolk	10,893	7,551	123	89	85
White	9,944	6,655	75	59	53
All other	949	896	48	30	32
Negro	868	826	46	29	31
Boston	---	6,578	112	80	83
White	---	5,694	67	53	51
All other	---	884	45	27	32
Negro	---	817	43	26	31
Chelsea	---	333	7	7	–
Revere	---	412	4	2	1
Winthrop town†	---	228	–	–	1
Worcester	6,040	6,214	103	76	67
Clinton town†	---	174	3	2	4
Fitchburg	---	440	13	11	6
Gardner	---	188	6	4	5
Leominster	---	248	2	2	6
Worcester	---	2,139	27	18	15
Balance of county	---	3,025	52	39	31
Michigan	74,959	75,862	1,991	1,439	1,270
White	65,644	66,509	1,398	1,027	952
All other	9,315	9,353	593	412	318
Negro	9,117	9,158	578	404	310
Alcona	64	122	3	1	2
Alger	101	118	4	3	–
Allegan	442	618	13	6	15
Holland, part	---	15	–	–	1
Balance of county	---	603	13	6	14
Alpena	345	266	6	4	7
Alpena	---	140	3	2	5
Balance of county	---	126	3	2	2
Antrim	111	177	2	2	3
Arenac	149	144	–	–	6
Baraga	107	102	2	1	2
Barry	256	346	6	4	8
Bay	886	933	19	13	11
Bay City	---	499	8	5	5
Midland, part	---	–	–	–	–
Balance of county	---	434	11	8	6
Benzie	128	129	2	2	2
Berrien	1,443	1,518	51	39	17
White	1,256	1,345	31	29	12
All other	187	173	20	10	5
Negro	183	169	18	9	5
Benton Harbor	---	191	16	10	4
White	---	105	2	2	1
All other	---	86	14	8	3
Negro	---	86	14	8	3
Niles	---	158	3	2	4
St. Joseph	---	138	–	–	1
Balance of county	---	1,031	32	27	8
Branch	346	356	5	5	1
Calhoun	1,402	1,289	37	22	23
White	1,314	1,205	26	16	19
All other	88	84	11	6	4
Negro	86	83	11	6	4
Albion	---	107	4	2	1
White	---	85	1	1	–
All other	---	22	3	1	1
Negro	---	22	3	1	1
Battle Creek	---	528	18	12	10
White	---	467	10	7	7
All other	---	61	8	5	3
Negro	---	61	8	5	3
Balance of county	---	654	15	8	12
Cass	230	393	4	2	5
White	206	346	3	2	5
All other	24	47	1	–	–
Negro	23	45	1	–	–
Charlevoix	116	190	4	1	1
Cheboygan	145	205	4	2	2
Chippewa	228	252	5	3	5
Sault Ste. Marie	---	145	3	3	–
Balance of county	---	107	2	–	5
Clare	237	239	1	1	5
Clinton	184	335	9	6	6
Lansing, part	---	2	–	–	–
Balance of county	---	333	9	6	6
Crawford	158	90	2	1	2
Delta	323	407	8	6	3
Escanaba	---	208	2	2	1
Balance of county	---	199	6	4	2
Dickinson	462	329	7	5	1
Eaton	339	537	15	10	9
Lansing, part	---	6	1	1	–
Balance of county	---	531	14	9	9
Emmet	468	223	4	3	4
Genesee	3,258	3,191	127	91	82
White	2,853	2,765	85	62	56
All other	405	426	42	29	26
Negro	399	419	42	29	26
Flint	---	1,586	67	47	44
White	---	1,185	26	19	21
All other	---	401	41	28	23
Negro	---	396	41	28	23
Balance of county	---	1,605	60	44	38
Gladwin	106	182	3	1	5
Gogebic	270	287	2	2	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

(See headnote at beginning of table)

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan—Con.					
Grand Traverse	638	426	6	5	5
Traverse City	---	190	5	4	1
Balance of county	---	236	1	1	4
Gratiot	439	357	9	6	7
Hillsdale	254	378	7	6	3
Houghton	425	448	7	4	7
Huron	339	401	5	4	1
Ingham	1,935	1,640	67	55	44
White	1,843	1,553	52	41	37
All other	92	87	15	14	7
Negro	91	86	14	13	7
East Lansing	---	134	5	3	7
Lansing, part	---	1,009	43	36	27
White	---	925	30	24	21
All other	---	84	13	12	6
Negro	---	83	12	11	6
Lansing, total	---	1,017	44	37	27
White	---	930	31	25	21
All other	---	87	13	12	6
Negro	---	86	12	11	6
Balance of county	---	497	19	16	10
Ionia	275	403	11	5	7
Iosco	195	254	5	3	6
Iron	176	214	1	–	1
Isabella	289	315	13	11	9
Mount Pleasant	---	108	3	2	2
Balance of county	---	207	10	9	7
Jackson	1,209	1,308	36	28	14
Jackson	---	623	13	8	5
White	---	471	7	2	5
All other	---	52	6	6	–
Negro	---	52	6	6	–
Balance of county	---	785	23	20	9
Kalamazoo	1,700	1,415	42	27	19
White	1,618	1,356	33	24	16
All other	82	59	9	3	3
Negro	78	58	9	3	3
Kalamazoo	---	669	24	13	11
White	---	616	15	10	8
All other	---	53	9	3	3
Negro	---	53	9	3	3
Portage	---	140	5	3	2
Balance of county	---	606	13	11	6
Kalkaska	70	109	4	3	4
Kent	4,035	3,452	84	64	56
White	3,845	3,269	68	50	44
All other	190	183	16	14	12
Negro	176	170	15	13	12
East Grand Rapids	---	78	1	1	–
Grand Rapids	---	1,969	44	32	29
White	---	1,794	30	20	19
All other	---	175	14	12	10
Negro	---	164	13	11	10
Grandville	---	79	2	2	–
Kentwood	---	128	7	5	5
Walker	---	84	1	1	–
Wyoming	---	351	8	6	6
Balance of county	---	763	21	17	16
Keweenaw	2	38	–	–	–
Lake	34	117	3	1	3
White	25	79	2	1	2
All other	9	38	1	–	1
Negro	9	38	1	–	1
Lapeer	435	474	14	13	6
Leelanau	54	111	5	4	–
Lenawee	702	739	20	12	10
Adrian	---	228	4	2	4
Balance of county	---	511	16	10	6
Livingston	390	527	11	11	8
Luce	105	71	4	3	3
Mackinac	63	112	1	1	–
Macomb	3,105	4,115	99	80	76
Center Line	---	91	3	3	1
East Detroit	---	379	7	4	2
Fraser	---	74	3	3	3
Mount Clemens	---	351	11	11	7
White	---	312	7	7	5
All other	---	39	4	4	2
Negro	---	39	4	4	2
Roseville	---	353	10	8	7
St. Clair Shores	---	595	3	3	5
Sterling Heights	---	306	9	8	11
Warren	---	1,043	10	10	17
Balance of county	---	923	43	30	23
Manistee	233	267	4	3	4
Marquette	510	512	22	13	11
Marquette	---	162	7	4	4
Balance of county	---	350	15	9	7
Mason	271	277	2	2	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan—Con.					
Mecosta	227	266	3	1	3
Big Rapids	---	99	1	–	1
Balance of county	---	167	2	1	2
Menominee	286	302	2	1	7
Menominee	---	157	1	1	2
Balance of county	---	145	1	–	5
Midland	415	393	12	9	7
Midland, part	---	209	4	4	2
Midland, total	---	209	4	4	2
Balance of county	---	184	8	5	5
Missaukee	15	74	3	2	2
Monroe	595	879	18	10	13
Monroe	---	232	5	2	2
Balance of county	---	647	13	8	11
Montcalm	436	444	9	5	7
Montmorency	34	85	1	–	2
Muskegon	1,408	1,402	33	18	23
White	1,283	1,268	28	14	19
All other	125	134	5	4	4
Negro	122	131	5	4	3
Muskegon	---	591	13	4	11
White	---	538	11	2	10
All other	---	53	2	2	1
Negro	---	51	2	2	1
Muskegon Heights	---	147	4	3	4
White	---	76	1	1	1
All other	---	71	3	2	3
Negro	---	71	3	2	2
Norton Shores	---	121	–	–	1
Balance of county	---	543	16	11	7
Newaygo	275	329	6	4	10
Oakland	6,894	6,712	185	141	106
White	6,542	6,467	163	124	102
All other	352	245	22	17	4
Negro	337	229	21	17	4
Berkley	---	156	3	2	2
Beverly Hills	---	62	–	–	–
Birmingham	---	258	4	4	4
Clawson	---	112	6	4	–
Farmington	---	137	2	1	–
Ferndale	---	299	5	5	2
Hazel Park	---	203	3	2	2
Madison Heights	---	224	5	4	6
Oak Park	---	321	5	3	5
Pontiac	---	679	32	24	21
White	---	519	17	13	17
All other	---	160	15	11	4
Negro	---	160	15	11	4
Royal Oak	---	594	9	7	9
Southfield	---	656	16	14	4
Troy	---	249	7	6	4
Balance of county	---	2,762	88	65	47
Oceana	155	215	3	3	4
Ogemaw	270	205	5	3	2
Ontonagon	111	117	2	1	–
Osceola	169	208	4	4	2
Oscoda	42	91	1	–	1
Otsego	102	95	1	1	1
Ottawa	787	914	27	16	20
Grand Haven	---	121	–	–	1
Holland, part	---	209	6	4	4
Holland, total	---	224	6	4	5
Balance of county	---	584	21	12	15
Presque Isle	126	169	2	1	2
Roscommon	70	192	1	–	4
Saginaw	2,097	1,834	67	54	28
White	1,876	1,606	50	44	26
All other	221	228	17	10	2
Negro	218	225	17	10	2
Saginaw	---	882	39	30	13
White	---	689	24	22	11
All other	---	193	15	8	2
Negro	---	191	15	8	2
Balance of county	---	952	28	24	15
St. Clair	1,171	1,254	23	23	17
Port Huron	---	427	12	12	4
Balance of county	---	827	11	11	13
St. Joseph	427	485	12	7	11
Sanilac	293	417	10	6	6
Schoolcraft	154	131	2	1	3
Shiawassee	427	515	11	9	11
Owosso	---	180	2	2	4
Balance of county	---	335	9	7	7
Tuscola	332	500	13	10	6
Van Buren	373	550	16	10	5
Washtenaw	2,456	1,284	41	29	34
White	2,227	1,154	25	17	27
All other	229	130	16	12	7
Negro	218	124	15	11	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan—Con.					
Washtenaw—Con.					
Ann Arbor	---	485	15	11	7
Ypsilanti	---	208	11	7	10
White	---	148	4	2	7
All other	---	60	7	5	3
Negro	---	60	7	5	3
Balance of county	---	591	15	11	17
Wayne	24,327	24,121	648	469	394
White	17,443	17,016	256	194	174
All other	6,884	7,105	392	275	220
Negro	6,827	7,047	387	273	218
Allen Park	---	294	3	3	3
Dearborn	---	990	5	5	14
Dearborn Heights	---	491	9	9	6
Detroit	---	15,561	465	324	251
White	---	8,986	110	77	56
All other	---	6,575	355	247	195
Negro	---	6,528	351	245	193
Ecorse	---	156	5	4	9
White	---	99	3	2	3
All other	---	57	2	2	6
Negro	---	57	2	2	6
Garden City	---	205	1	1	2
Grosse Pointe Farms	---	131	–	–	–
Grosse Pointe Park	---	167	1	1	–
Grosse Pointe Woods	---	174	–	–	–
Hamtramck	---	385	4	2	5
White	---	351	2	1	4
All other	---	34	2	1	1
Negro	---	33	2	1	1
Harper Woods	---	205	3	1	1
Highland Park	---	351	14	9	6
White	---	184	1	–	1
All other	---	167	13	9	5
Negro	---	167	13	9	5
Inkster	---	263	12	10	7
White	---	132	3	3	2
All other	---	131	9	7	5
Negro	---	131	9	7	5
Lincoln Park	---	436	9	9	7
Livonia	---	618	6	3	7
Melvindale	---	111	6	4	1
Plymouth	---	138	2	2	2
River Rouge	---	163	5	5	3
White	---	113	3	3	3
All other	---	50	2	2	–
Negro	---	49	2	2	–
Riverview	---	95	3	3	1
Southgate	---	181	5	3	1
Taylor	---	365	15	9	11
Trenton	---	147	2	2	2
Wayne	---	179	11	9	4
Westland	---	409	13	11	11
Wyandotte	---	381	7	6	7
Balance of county	---	1,525	42	34	33
Wexford	298	221	3	1	6
Minnesota	**33,458**	**32,796**	**787**	**561**	**500**
White	32,880	32,244	734	529	465
All other	578	552	53	32	35
Negro	333	327	28	21	19
Aitkin	141	172	–	–	2
Anoka	635	650	39	32	27
Anoka	---	106	2	2	7
Blaine, part	---	71	6	5	5
Blaine, total	---	72	6	5	5
Columbia Heights	---	135	5	4	1
Coon Rapids	---	84	10	7	5
Fridley	---	89	4	2	1
Balance of county	---	165	12	12	8
Becker	268	278	4	4	6
Beltrami	255	218	6	3	6
White	237	195	4	3	5
All other	18	23	2	–	1
Negro	–	–	–	–	–
Bemidji	---	102	2	1	1
Balance of county	---	116	4	2	5
White	---	97	2	2	4
All other	---	19	2	–	1
Negro	---	–	–	–	–
Benton	98	199	11	9	1
St. Cloud, part	---	40	3	2	–
Balance of county	---	159	8	7	1
Big Stone	89	93	3	2	3
Blue Earth	500	429	18	15	10
Mankato	---	234	12	12	4
Balance of county	---	195	6	3	6
Minnesota—Con.					
Brown	324	287	13	9	8
New Ulm	---	144	4	4	–
Balance of county	---	143	9	5	8
Carlton	281	275	2	–	2
Carver	182	187	7	5	2
Cass	136	245	3	3	–
Chippewa	108	139	2	1	1
Chisago	210	212	6	5	2
Clay	203	317	6	6	3
Moorhead	---	180	3	3	1
Balance of county	---	137	3	3	2
Clearwater	93	108	4	3	3
Cook	39	40	1	1	1
Cottonwood	176	184	3	2	2
Crow Wing	511	461	5	1	7
Brainerd	---	161	1	1	1
Balance of county	---	300	4	–	6
Dakota	476	709	31	17	24
Burnsville	---	60	2	1	5
Hastings, part	---	91	4	3	3
Hastings, total	---	91	4	3	3
Inver Grove Heights	---	53	1	–	1
South St. Paul	---	153	4	2	4
West St. Paul	---	125	3	2	3
Balance of county	---	227	17	9	8
Dodge	60	115	2	1	2
Douglas	251	260	3	1	2
Faribault	211	242	–	–	3
Fillmore	186	252	5	3	2
Freeborn	293	308	7	6	4
Albert Lea	---	182	3	3	3
Balance of county	---	126	4	3	1
Goodhue	388	374	6	6	1
Red Wing	---	158	2	2	1
Balance of county	---	216	4	4	–
Grant	61	89	–	–	–
Hennepin	8,692	7,461	174	120	93
White	8,402	7,208	139	100	71
All other	290	253	35	20	22
Negro	186	177	20	14	13
Bloomington	---	348	13	9	2
Brooklyn Center	---	134	4	4	3
Brooklyn Park	---	96	10	7	6
Crystal	---	131	9	8	2
Edina	---	317	2	2	2
Golden Valley	---	134	3	2	3
Hopkins	---	141	6	5	4
Minneapolis	---	4,609	86	63	44
White	---	4,376	55	45	26
All other	---	233	31	18	18
Negro	---	164	18	12	11
Minnetonka	---	155	7	3	1
New Hope	---	79	–	–	3
Plymouth	---	77	4	2	–
Richfield	---	244	6	2	2
Robbinsdale	---	156	1	1	3
St. Louis Park	---	349	4	2	2
Balance of county	---	491	19	10	16
Houston	114	173	3	2	5
Hubbard	152	142	3	2	1
Isanti	190	175	1	1	2
Itasca	391	402	11	9	4
Jackson	121	152	4	2	1
Kanabec	88	103	2	2	3
Kandiyohi	341	282	6	4	8
Willmar	---	137	3	2	3
Balance of county	---	145	3	2	5
Kittson	77	80	1	1	2
Koochiching	114	155	3	1	3
Lac qui Parle	112	135	1	1	–
Lake	98	105	1	1	–
Lake of the Woods	63	56	1	1	2
Le Sueur	124	234	4	2	3
Lincoln	116	92	1	1	1
Lyon	202	205	9	3	6
McLeod	274	286	7	4	2
Mahnomen	46	64	1	1	1
White	42	58	1	1	1
All other	4	6	–	–	–
Negro	–	–	–	–	–
Marshall	82	135	4	2	2
Martin	243	238	5	3	6
Fairmont	---	120	4	3	4
Balance of county	---	118	1	–	2
Meeker	177	186	4	2	2
Mille Lacs	178	189	3	2	2
Morrison	284	299	5	2	4
Mower	337	410	7	4	11
Austin	---	274	5	3	3
Balance of county	---	136	2	1	8

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota—Con.					
Murray	91	109	4	3	2
Nicollet	134	195	6	5	6
Nobles	204	209	4	4	4
Norman	116	146	1	–	5
Olmsted	1,434	514	11	8	11
Rochester	– – –	410	9	7	6
Balance of county	– – –	104	2	1	5
Otter Tail	479	542	8	6	9
Fergus Falls	– – –	156	3	3	1
Balance of county	– – –	386	5	3	8
Pennington	169	137	4	3	–
Pine	115	200	4	3	3
Pipestone	136	175	2	1	4
Polk	317	373	3	1	4
Pope	152	166	5	4	–
Ramsey	4,015	3,811	101	72	37
White	3,882	3,673	91	64	33
All other	133	138	10	8	4
Negro	118	121	8	7	3
Blaine, part	– – –	1	–	–	–
Maplewood	– – –	144	6	2	2
New Brighton	– – –	84	–	–	1
North St. Paul	– – –	59	4	3	1
Roseville	– – –	191	5	4	1
St. Paul	– – –	2,927	73	53	24
White	– – –	2,800	64	46	20
All other	– – –	127	9	7	4
Negro	– – –	111	8	7	3
Shoreview	– – –	57	4	4	2
White Bear Lake, part	– – –	152	1	1	2
White Bear Lake, total	– – –	154	1	1	2
Balance of county	– – –	196	8	5	4
Red Lake	48	68	–	–	2
Redwood	169	210	1	1	4
Renville	169	248	3	2	5
Rice	410	403	12	8	5
Faribault	– – –	198	8	6	2
Northfield	– – –	116	2	–	–
Balance of county	– – –	89	2	2	3
Rock	91	98	3	2	1
Roseau	93	107	3	1	1
St. Louis	2,422	2,280	43	34	20
Duluth	– – –	1,144	19	15	10
Hibbing	– – –	210	2	2	2
Virginia	– – –	167	4	4	1
Balance of county	– – –	759	18	13	7
Scott	245	225	9	8	4
Sherburne	94	148	7	5	4
St. Cloud, part	– – –	23	1	1	–
Balance of county	– – –	125	6	4	4
Sibley	113	147	4	3	3
Stearns	858	662	28	22	15
St. Cloud, part	– – –	200	8	7	3
St. Cloud, total	– – –	263	12	10	3
Balance of county	– – –	462	20	15	12
Steele	229	246	9	7	3
Owatonna	– – –	158	3	3	2
Balance of county	– – –	88	6	4	1
Stevens	116	115	–	–	3
Swift	122	149	5	2	5
Todd	216	264	6	2	5
Traverse	42	55	1	1	1
Wabasha	199	212	8	8	1
Wadena	145	137	1	1	4
Waseca	115	165	2	1	4
Washington	299	479	20	19	21
Cottage Grove	– – –	33	3	3	6
Hastings, part	– – –	–	–	–	–
Stillwater	– – –	105	6	5	2
White Bear Lake, part	– – –	2	–	–	–
Balance of county	– – –	339	11	11	13
Watonwan	127	147	2	1	1
Wilkin	152	85	2	2	–
Winona	392	439	4	3	3
Winona	– – –	301	2	2	1
Balance of county	– – –	138	2	1	2
Wright	275	367	11	8	6
Yellow Medicine	164	161	2	2	6
Mississippi	22,805	23,168	924	627	698
White	14,050	14,338	330	242	252
All other	8,755	8,830	594	385	446
Negro	8,692	8,763	585	378	442
Adams	479	381	15	8	11
White	245	171	1	1	2
All other	234	210	14	7	9
Negro	234	210	14	7	9

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Adams—Con.					
Natchez	– – –	248	10	6	8
White	– – –	108	1	1	2
All other	– – –	140	9	5	6
Negro	– – –	140	9	5	6
Balance of county	– – –	133	5	2	3
White	– – –	63	–	–	–
All other	– – –	70	5	2	3
Negro	– – –	70	5	2	3
Alcorn	248	301	4	3	8
White	216	259	4	3	5
All other	32	42	–	–	3
Negro	32	42	–	–	3
Corinth	– – –	141	1	1	3
White	– – –	110	1	1	1
All other	– – –	31	–	–	2
Negro	– – –	31	–	–	2
Balance of county	– – –	160	3	2	5
Amite	36	138	3	2	2
White	16	86	–	–	–
All other	20	52	3	2	2
Negro	20	52	3	2	2
Attala	244	261	5	3	5
White	157	165	3	3	1
All other	87	96	2	–	4
Negro	87	96	2	–	4
Benton	28	74	1	1	1
White	19	44	–	–	1
All other	9	30	1	1	–
Negro	9	30	1	1	–
Bolivar	430	510	30	21	28
White	121	167	6	3	1
All other	309	343	24	18	27
Negro	309	342	24	18	27
Cleveland	– – –	149	10	7	6
White	– – –	63	2	1	–
All other	– – –	86	8	6	6
Negro	– – –	86	8	6	6
Balance of county	– – –	361	20	14	22
White	– – –	104	4	2	1
All other	– – –	257	16	12	21
Negro	– – –	256	16	12	21
Calhoun	100	168	6	4	6
White	76	132	2	2	2
All other	24	36	4	2	4
Negro	24	36	4	2	4
Carroll	31	101	5	3	2
White	17	58	–	–	1
All other	14	43	5	3	1
Negro	14	43	5	3	1
Chickasaw	174	196	10	9	3
White	109	113	2	1	2
All other	65	83	8	8	1
Negro	64	82	8	8	1
Choctaw	65	107	2	2	7
White	45	88	1	1	2
All other	20	19	1	1	5
Negro	20	19	1	1	5
Claiborne	86	129	6	4	7
White	17	31	1	1	1
All other	69	98	5	3	6
Negro	69	98	5	3	6
Clarke	108	192	7	4	7
White	69	115	3	2	3
All other	39	77	4	2	4
Negro	39	77	4	2	4
Clay	164	211	12	11	7
White	90	114	4	4	1
All other	74	97	8	7	6
Negro	74	96	8	7	6
Coahoma	500	461	34	25	14
White	171	136	7	6	4
All other	329	325	27	19	10
Negro	328	324	27	19	10
Clarksdale	– – –	307	24	19	7
White	– – –	99	5	5	3
All other	– – –	208	19	14	4
Negro	– – –	207	19	14	4
Balance of county	– – –	154	10	6	7
White	– – –	37	2	1	1
All other	– – –	117	8	5	6
Negro	– – –	117	8	5	6
Copiah	184	323	11	8	10
White	96	179	3	3	3
All other	88	144	8	5	7
Negro	88	144	8	5	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Covington	129	175	4	3	6
White	89	118	1	1	2
All other	40	57	3	2	4
Negro	40	57	3	2	4
De Soto	113	269	7	4	9
White	60	179	4	3	4
All other	53	90	3	1	5
Negro	53	88	3	1	5
Forrest	877	644	33	25	13
White	642	456	15	11	8
All other	235	188	18	14	5
Negro	234	186	17	13	5
Hattiesburg, part	---	406	23	17	10
White	---	256	7	5	5
All other	---	150	16	12	5
Negro	---	149	15	11	5
Hattiesburg, total	---	406	23	17	10
White	---	256	7	5	5
All other	---	150	16	12	5
Negro	---	149	15	11	5
Balance of county	---	238	10	8	3
White	---	200	8	6	3
All other	---	38	2	2	–
Negro	---	37	2	2	–
Franklin	95	105	4	3	2
White	57	65	1	1	–
All other	38	40	3	2	2
Negro	38	40	3	2	2
George	101	125	5	3	3
White	96	120	5	3	3
All other	5	5	–	–	–
Negro	5	5	–	–	–
Greene	55	96	6	5	1
White	41	82	4	3	–
All other	14	14	2	2	1
Negro	14	14	2	2	1
Grenada	281	214	9	5	2
White	176	120	2	2	–
All other	105	94	7	3	2
Negro	105	94	7	3	2
Hancock	162	208	3	2	6
White	132	173	1	1	5
All other	30	35	2	1	1
Negro	30	34	2	1	1
Harrison	1,386	1,154	52	36	26
White	1,122	930	25	16	14
All other	264	224	27	20	12
Negro	260	221	25	19	12
Biloxi	---	339	20	16	4
White	---	280	9	8	4
All other	---	59	11	8	–
Negro	---	57	10	8	–
Gulfport	---	367	11	6	17
White	---	291	5	2	7
All other	---	76	6	4	10
Negro	---	75	5	3	10
Balance of county	---	448	21	14	5
White	---	359	11	6	3
All other	---	89	10	8	2
Negro	---	89	10	8	2
Hinds	3,074	1,821	72	52	84
White	1,809	1,051	22	17	33
All other	1,265	770	50	35	51
Negro	1,260	770	50	35	50
Jackson, part	---	1,429	56	42	64
White	---	848	20	16	23
All other	---	581	36	26	41
Negro	---	581	36	26	40
Jackson, total	---	1,430	56	42	64
White	---	848	20	16	23
All other	---	582	36	26	41
Negro	---	582	36	26	40
Balance of county	---	392	16	10	20
White	---	203	2	1	10
All other	---	189	14	9	10
Negro	---	189	14	9	10
Holmes	246	312	13	5	11
White	67	91	4	3	2
All other	179	221	9	2	9
Negro	179	221	9	2	9
Humphreys	146	151	11	7	6
White	28	49	1	1	1
All other	118	102	10	6	5
Negro	118	102	10	6	5
Issaquena	12	29	3	3	1
White	4	11	2	2	–
All other	8	18	1	1	1
Negro	8	18	1	1	1
Itawamba	137	170	–	–	2
Jackson	581	640	33	24	29
White	469	519	22	14	19
All other	112	121	11	10	10
Negro	111	120	11	10	10
Moss Point	---	129	13	11	6
White	---	63	5	3	–
All other	---	66	8	8	6
Negro	---	66	8	8	6
Pascagoula	---	212	12	8	7
White	---	170	10	7	5
All other	---	42	2	1	2
Negro	---	41	2	1	2
Balance of county	---	299	8	5	16
Jasper	112	167	8	7	6
White	74	101	–	–	–
All other	38	66	8	7	6
Negro	38	66	8	7	6
Jefferson	76	109	2	1	2
White	13	31	–	–	–
All other	63	78	2	1	2
Negro	63	78	2	1	2
Jefferson Davis	101	140	3	1	5
White	56	81	1	1	1
All other	45	59	2	–	4
Negro	45	59	2	–	4
Jones	684	626	19	17	16
White	492	483	13	12	4
All other	192	143	6	5	12
Negro	189	142	6	5	12
Laurel	---	288	8	7	13
White	---	189	4	4	3
All other	---	99	4	3	10
Negro	---	99	4	3	10
Balance of county	---	338	11	10	3
White	---	294	9	8	1
All other	---	44	2	2	2
Negro	---	43	2	2	2
Kemper	88	138	6	5	3
White	46	68	–	–	–
All other	42	70	6	5	3
Negro	41	67	6	5	3
Lafayette	201	173	8	2	4
White	140	112	4	1	2
All other	61	61	4	1	2
Negro	61	61	4	1	2
Oxford	---	48	3	1	–
White	---	32	1	–	–
All other	---	16	2	1	–
Negro	---	16	2	1	–
Balance of county	---	125	5	1	4
White	---	80	3	1	2
All other	---	45	2	–	2
Negro	---	45	2	–	2
Lamar	71	149	3	–	7
White	56	125	2	–	4
All other	15	24	1	–	3
Negro	15	24	1	–	3
Hattiesburg, part	---	–	–	–	–
Balance of county	---	149	3	–	7
White	---	125	2	–	4
All other	---	24	1	–	3
Negro	---	24	1	–	3
Lauderdale	1,026	773	29	22	22
White	665	495	8	6	8
All other	361	278	21	16	14
Negro	354	278	21	16	14
Meridian	---	545	20	16	13
White	---	335	3	2	4
All other	---	210	17	14	9
Negro	---	210	17	14	9
Balance of county	---	228	9	6	9
White	---	160	5	4	4
All other	---	68	4	2	5
Negro	---	68	4	2	5
Lawrence	106	147	8	6	5
White	65	102	3	3	1
All other	41	45	5	3	4
Negro	41	45	5	3	4
Leake	164	216	7	4	12
White	106	143	1	1	1
All other	58	73	6	3	11
Negro	55	65	5	2	9
Lee	690	493	17	12	7
White	511	366	10	10	7
All other	179	127	7	2	–
Negro	179	127	7	2	–
Tupelo	---	199	7	4	1
White	---	137	3	3	1
All other	---	62	4	1	–
Negro	---	62	4	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Lee—Con.					
Balance of county	– – –	294	10	8	6
White	– – –	229	7	7	6
All other	– – –	65	3	1	–
Negro	– – –	65	3	1	–
Leflore	513	457	31	20	14
White	223	195	7	6	4
All other	290	262	24	14	10
Negro	290	262	24	14	10
Greenwood	– – –	277	20	13	7
White	– – –	134	6	5	2
All other	– – –	143	14	8	5
Negro	– – –	143	14	8	5
Balance of county	– – –	180	11	7	7
White	– – –	61	1	1	2
All other	– – –	119	10	6	5
Negro	– – –	119	10	6	5
Lincoln	299	321	9	7	7
White	219	233	3	3	4
All other	80	88	6	4	3
Negro	80	87	5	3	3
Brookhaven	– – –	136	4	3	3
White	– – –	86	1	1	1
All other	– – –	50	3	2	2
Negro	– – –	50	3	2	2
Balance of county	– – –	185	5	4	4
White	– – –	147	2	2	3
All other	– – –	38	3	2	1
Negro	– – –	37	2	1	1
Lowndes	421	422	20	13	15
White	284	256	7	5	8
All other	137	166	13	8	7
Negro	136	164	13	8	7
Columbus	– – –	259	12	8	10
White	– – –	140	3	2	5
All other	– – –	119	9	6	5
Negro	– – –	118	9	6	5
Balance of county	– – –	163	8	5	5
White	– – –	116	4	3	3
All other	– – –	47	4	2	2
Negro	– – –	46	4	2	2
Madison	270	336	15	11	16
White	112	137	1	1	3
All other	158	199	14	10	13
Negro	157	199	14	10	13
Canton	– – –	143	8	6	6
White	– – –	64	1	1	1
All other	– – –	79	7	5	5
Negro	– – –	79	7	5	5
Balance of county	– – –	193	7	5	10
White	– – –	73	–	–	2
All other	– – –	120	7	5	8
Negro	– – –	120	7	5	8
Marion	198	268	6	4	7
White	128	175	1	1	2
All other	70	93	5	3	5
Negro	70	93	5	3	5
Marshall	166	261	15	7	3
White	87	133	7	3	–
All other	79	128	8	4	3
Negro	79	128	8	4	3
Monroe	374	371	15	11	3
White	252	259	9	7	2
All other	122	112	6	4	1
Negro	122	112	6	4	1
Montgomery	180	173	6	5	1
White	106	117	1	1	–
All other	74	56	5	4	1
Negro	74	56	5	4	1
Neshoba	150	234	8	5	2
White	100	174	2	2	–
All other	50	60	6	3	2
Negro	32	41	3	1	1
Newton	181	240	11	8	6
White	112	155	6	5	2
All other	69	85	5	3	4
Negro	62	76	4	2	4
Noxubee	123	131	12	10	5
White	36	49	1	1	1
All other	87	82	11	9	4
Negro	87	82	11	9	4
Oktibbeha	240	243	11	8	13
White	142	136	4	2	3
All other	98	107	7	6	10
Negro	97	107	7	6	10
Starkville	– – –	105	4	3	4
White	– – –	72	2	1	2
All other	– – –	33	2	2	2
Negro	– – –	33	2	2	2
Mississippi—Con.					
Oktibbeha—Con.					
Balance of county	– – –	138	7	5	9
White	– – –	64	2	1	1
All other	– – –	74	5	4	8
Negro	– – –	74	5	4	8
Panola	268	316	12	6	9
White	123	171	3	1	2
All other	145	145	9	5	7
Negro	145	145	9	5	7
Pearl River	243	279	9	5	6
White	204	226	8	4	5
All other	39	53	1	1	1
Negro	39	53	1	1	1
Picayune	– – –	92	1	–	–
White	– – –	57	1	–	–
All other	– – –	35	–	–	–
Negro	– – –	35	–	–	–
Balance of county	– – –	187	8	5	6
Perry	79	117	8	7	1
White	66	86	5	5	1
All other	13	31	3	2	–
Negro	13	31	3	2	–
Pike	440	415	9	7	9
White	270	256	4	4	3
All other	170	159	5	3	6
Negro	170	159	5	3	6
McComb	– – –	164	4	3	1
White	– – –	115	1	1	–
All other	– – –	49	3	2	1
Negro	– – –	49	3	2	1
Balance of county	– – –	251	5	4	8
White	– – –	141	3	3	3
All other	– – –	110	2	1	5
Negro	– – –	110	2	1	5
Pontotoc	130	213	2	1	5
White	116	186	2	1	3
All other	14	27	–	–	2
Negro	14	27	–	–	2
Prentiss	157	236	10	7	2
White	137	207	7	6	1
All other	20	29	3	1	1
Negro	19	29	3	1	1
Quitman	57	156	11	8	11
White	18	72	–	–	3
All other	39	84	11	8	8
Negro	39	83	11	8	8
Rankin	356	369	13	8	13
White	225	269	10	6	9
All other	131	100	3	2	4
Negro	131	99	3	2	4
Jackson, part	– – –	1	–	–	–
Balance of county	– – –	368	13	8	13
White	– – –	269	10	6	9
All other	– – –	99	3	2	4
Negro	– – –	98	3	2	4
Scott	220	254	5	4	7
White	153	167	3	2	3
All other	67	87	2	2	4
Negro	66	86	2	2	4
Sharkey	49	89	4	2	4
White	19	35	–	–	–
All other	30	54	4	2	4
Negro	30	54	4	2	4
Simpson	203	232	–	–	10
White	165	180	–	–	6
All other	38	52	–	–	4
Negro	38	52	–	–	4
Smith	49	142	7	1	1
White	32	108	1	–	–
All other	17	34	6	1	1
Negro	17	33	6	1	1
Stone	96	88	1	–	3
White	80	71	1	–	3
All other	16	17	–	–	–
Negro	16	17	–	–	–
Sunflower	300	365	19	14	14
White	117	150	3	3	–
All other	183	215	16	11	14
Negro	182	213	16	11	14
Tallahatchie	184	238	14	8	10
White	68	101	–	–	2
All other	116	137	14	8	8
Negro	116	137	14	8	8
Tate	87	193	7	4	–
White	44	121	6	3	–
All other	43	72	1	1	–
Negro	43	72	1	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Tippah	185	190	7	4	6
White	155	156	4	3	4
All other	30	34	3	1	2
Negro	30	34	3	1	2
Tishomingo	117	161	3	2	2
Tunica	100	120	10	5	7
White	29	43	1	1	–
All other	71	77	9	4	7
Negro	71	77	9	4	7
Union	228	229	8	6	8
White	180	189	5	3	6
All other	48	40	3	3	2
Negro	48	40	3	3	2
Walthall	140	141	5	3	3
White	97	99	1	1	–
All other	43	42	4	2	3
Negro	43	42	4	2	3
Warren	642	517	20	15	16
White	315	255	8	5	6
All other	327	262	12	10	10
Negro	326	261	12	10	10
Vicksburg	– – –	356	11	9	9
White	– – –	175	5	3	2
All other	– – –	181	6	6	7
Negro	– – –	180	6	6	7
Balance of county	– – –	161	9	6	7
White	– – –	80	3	2	4
All other	– – –	81	6	4	3
Negro	– – –	81	6	4	3
Washington	810	721	30	16	15
White	334	282	9	6	4
All other	476	439	21	10	11
Negro	472	436	21	10	11
Greenville	– – –	448	18	10	13
White	– – –	186	6	4	4
All other	– – –	262	12	6	9
Negro	– – –	260	12	6	9
Balance of county	– – –	273	12	6	2
White	– – –	96	3	2	–
All other	– – –	177	9	4	2
Negro	– – –	176	9	4	2
Wayne	167	185	8	6	10
White	109	125	1	1	4
All other	58	60	7	5	6
Negro	58	60	7	5	6
Webster	112	131	3	2	4
White	83	100	1	1	4
All other	29	31	2	1	–
Negro	29	31	2	1	–
Wilkinson	128	116	1	1	5
White	62	38	–	–	–
All other	66	78	1	1	5
Negro	66	78	1	1	5
Winston	188	222	6	4	5
White	121	140	2	2	1
All other	67	82	4	2	4
Negro	67	81	4	2	4
Yalobusha	104	153	4	2	6
White	69	98	1	1	2
All other	35	55	3	1	4
Negro	35	55	3	1	4
Yazoo	260	326	13	8	6
White	139	148	4	2	1
All other	121	178	9	6	5
Negro	121	178	9	6	5
Yazoo City	– – –	171	7	5	3
White	– – –	71	2	1	–
All other	– – –	100	5	4	3
Negro	– – –	100	5	4	3
Balance of county	– – –	155	6	3	3
White	– – –	77	2	1	1
All other	– – –	78	4	2	2
Negro	– – –	78	4	2	2
Missouri	**50,076**	**49,075**	**1,053**	**757**	**679**
White	44,953	44,123	777	578	539
All other	5,123	4,952	276	179	140
Negro	5,083	4,916	271	175	136
Adair	424	247	9	9	2
Kirksville	– – –	169	7	7	1
Balance of county	– – –	78	2	2	1
Andrew	84	118	2	1	–
Atchison	136	122	1	1	–
Audrain	396	308	9	7	2
Mexico	– – –	165	3	2	–
Balance of county	– – –	143	6	5	2
Barry	213	294	10	8	3
Barton	105	159	2	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri—Con.					
Bates	180	252	3	3	–
Benton	82	144	1	–	3
Bollinger	35	129	3	3	5
Boone	1,301	545	23	19	7
Columbia	– – –	347	17	15	5
Balance of county	– – –	198	6	4	2
Buchanan	1,331	1,118	16	10	15
St. Joseph	– – –	1,031	14	10	12
Balance of county	– – –	87	2	–	3
Butler	807	459	9	7	7
Poplar Bluff	– – –	258	6	5	5
Balance of county	– – –	201	3	2	2
Caldwell	62	113	1	1	1
Callaway	286	258	7	6	3
Fulton	– – –	110	1	1	1
White	– – –	96	1	1	1
All other	– – –	14	–	–	–
Negro	– – –	14	–	–	–
Jefferson City, part	– – –	–	–	–	–
Balance of county	– – –	148	6	5	2
Camden	118	209	1	1	1
Cape Girardeau	695	495	6	4	3
Cape Girardeau	– – –	293	5	4	2
Balance of county	– – –	202	1	–	1
Carroll	87	147	–	–	–
Carter	31	56	1	1	–
Cass	190	308	12	10	7
Cedar	153	184	3	3	4
Chariton	62	146	1	1	–
Christian	52	162	2	2	3
Clark	33	83	2	2	–
Clay	864	851	26	18	17
Gladstone	– – –	73	6	4	4
Independence, part	– – –	–	–	–	–
Kansas City, part	– – –	338	8	4	7
Liberty	– – –	124	4	3	1
Balance of county	– – –	316	8	7	5
Clinton	148	166	–	–	1
Cole	664	421	8	5	6
Jefferson City, part	– – –	320	6	3	2
Jefferson City, total	– – –	320	6	3	2
Balance of county	– – –	101	2	2	4
Cooper	147	184	3	3	3
Crawford	183	199	4	3	3
Dade	73	96	3	2	–
Dallas	89	159	–	–	–
Daviess	73	130	–	–	1
De Kalb	37	100	3	–	–
Dent	120	168	2	2	1
Douglas	55	97	1	–	1
Dunklin	326	398	8	6	8
Franklin	444	618	12	12	7
Gasconade	195	176	–	–	1
Gentry	127	150	–	–	2
Greene	2,503	1,567	27	19	15
Springfield	– – –	1,287	24	18	11
Balance of county	– – –	280	3	1	4
Grundy	196	213	3	3	–
Harrison	117	153	1	–	–
Henry	296	261	2	–	2
Hickory	25	92	–	–	–
Holt	44	101	1	1	–
Howard	136	154	5	4	4
Howell	311	311	9	5	5
Iron	119	116	3	2	5
Jackson	7,414	6,307	183	132	109
White	6,283	5,211	101	74	71
All other	1,131	1,096	82	58	38
Negro	1,120	1,087	80	56	37
Grandview	– – –	97	2	2	1
Independence, part	– – –	870	30	21	18
Independence, total	– – –	870	30	21	18
Kansas City, part	– – –	4,649	130	92	76
White	– – –	3,563	50	35	39
All other	– – –	1,086	80	57	37
Negro	– – –	1,080	79	56	37
Kansas City, total	– – –	5,041	142	100	85
White	– – –	3,954	62	43	48
All other	– – –	1,087	80	57	37
Negro	– – –	1,080	79	56	37
Lee's Summit	– – –	227	3	2	6
Raytown	– – –	223	2	2	3
Balance of county	– – –	241	16	13	5
Jasper	875	997	22	18	18
Carthage	– – –	158	5	5	1
Joplin, part	– – –	491	11	8	8
Joplin, total	– – –	527	13	10	8
Balance of county	– – –	348	6	5	9
Jefferson	455	799	30	19	13

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri—Con.					
Johnson	211	242	5	4	6
Warrensburg	---	84	1	1	3
Balance of county	---	158	4	3	3
Knox	33	86	2	–	1
Laclede	258	278	8	7	6
Lafayette	314	350	7	6	6
Lawrence	328	331	2	2	3
Lewis	52	127	1	–	7
Lincoln	219	233	3	2	1
Linn	276	263	2	2	7
Livingston	256	201	3	2	–
McDonald	61	178	–	–	1
Macon	191	253	5	4	1
Madison	119	145	1	1	1
Maries	19	84	2	2	4
Marion	441	387	5	5	3
Hannibal, part	---	298	4	4	2
Hannibal, total	---	299	4	4	2
Balance of county	---	89	1	1	1
Mercer	52	79	2	1	–
Miller	71	205	6	6	2
Mississippi	107	199	6	2	4
White	82	156	3	1	2
All other	25	43	3	1	2
Negro	25	43	3	1	2
Moniteau	72	142	1	1	4
Monroe	84	156	1	–	2
Montgomery	57	164	2	1	5
Morgan	135	177	2	1	3
New Madrid	101	277	9	5	8
White	77	221	6	4	4
All other	24	56	3	1	4
Negro	24	56	3	1	4
Sikeston, part	---	2	–	–	–
Balance of county	---	275	9	5	8
White	---	219	6	4	4
All other	---	56	3	1	4
Negro	---	56	3	1	4
Newton	521	395	10	8	6
Joplin, part	---	36	2	2	–
Balance of county	---	359	8	6	6
Nodaway	188	211	–	–	2
Oregon	78	149	1	–	2
Osage	44	120	1	–	1
Ozark	25	101	1	1	–
Pemiscot	308	371	7	4	6
White	211	274	2	2	6
All other	97	97	5	2	–
Negro	97	97	5	2	–
Perry	134	167	6	5	2
Pettis	440	416	3	2	5
Sedalia	---	324	3	2	3
Balance of county	---	92	–	–	2
Phelps	368	346	8	5	5
Rolla	---	92	2	2	3
Balance of county	---	254	6	3	2
Pike	220	239	2	2	2
Platte	89	215	9	8	5
Kansas City, part	---	54	4	4	2
Balance of county	---	161	5	4	3
Polk	137	205	2	1	2
Pulaski	170	224	15	11	3
Putnam	102	99	1	1	2
Ralls	33	89	2	2	–
Hannibal, part	---	1	–	–	–
Balance of county	---	88	2	2	–
Randolph	283	326	4	3	3
Moberly	---	202	2	2	1
Balance of county	---	124	2	1	2
Ray	164	220	5	4	3
Reynolds	25	72	–	–	–
Ripley	111	170	4	4	3
St. Charles	692	670	16	13	18
St. Charles	---	303	10	8	7
Balance of county	---	367	6	5	11
St. Clair	142	122	–	–	4
St. Francois	658	507	3	3	5
St. Louis	6,675	7,178	144	108	104
White	6,296	6,720	106	80	83
All other	379	458	38	28	21
Negro	371	452	37	28	21
Ballwin	---	79	3	3	2
Bellefontaine Neighbors	---	161	–	–	–
Berkeley	---	86	5	5	5
Brentwood	---	78	1	1	3
Bridgeton	---	110	1	1	1
Clayton	---	184	2	–	–
Crestwood	---	95	1	1	1
Ferguson	---	206	2	2	3
Florissant	---	427	13	12	6
Hazelwood	---	85	1	1	–
St. Louis—Con.					
Jennings	---	216	2	2	1
Kirkwood	---	276	4	4	7
Ladue	---	71	–	–	–
Maplewood	---	115	3	2	–
Overland	---	255	5	3	3
Richmond Heights	---	158	3	1	1
White	---	143	2	–	1
All other	---	15	1	1	–
Negro	---	15	1	1	–
St. Ann	---	108	3	2	2
University City	---	467	8	5	5
White	---	406	1	1	2
All other	---	61	7	4	3
Negro	---	59	6	4	3
Webster Groves	---	252	2	1	2
Balance of county	---	3,749	85	62	62
White	---	3,458	66	50	52
All other	---	291	19	12	10
Negro	---	289	19	12	10
St. Louis city	9,528	7,473	194	125	90
White	6,752	4,909	71	54	30
All other	2,776	2,564	123	71	60
Negro	2,766	2,552	122	70	60
Ste. Genevieve	115	136	4	3	1
Saline	296	317	6	5	8
Marshall	---	129	4	3	7
Balance of county	---	188	2	2	1
Schuyler	26	79	–	–	–
Scotland	68	82	–	–	1
Scott	485	361	12	10	10
Sikeston, part	---	152	7	6	4
White	---	133	5	4	3
All other	---	19	2	2	1
Negro	---	19	2	2	1
Sikeston, total	---	154	7	6	4
White	---	135	5	4	3
All other	---	19	2	2	1
Negro	---	19	2	2	1
Balance of county	---	209	5	4	6
Shannon	38	72	2	1	–
Shelby	60	136	1	1	–
Stoddard	198	300	4	2	1
Stone	43	132	2	2	5
Sullivan	84	129	–	–	2
Taney	185	212	4	3	–
Texas	234	267	5	3	2
Vernon	307	286	8	4	3
Warren	81	152	2	1	1
Washington	84	151	5	2	4
Wayne	57	141	3	1	–
Webster	88	170	–	–	3
Worth	18	52	1	1	–
Wright	118	218	1	–	1
Montana	6,632	6,741	208	147	109
White	6,339	6,443	185	135	94
All other	293	298	23	12	15
Negro	7	7	–	–	1
Beaverhead	87	113	1	1	1
Big Horn	85	83	5	5	2
White	44	44	1	1	1
All other	41	39	4	4	1
Negro	–	–	–	–	–
Blaine	38	71	1	–	1
White	27	53	–	–	–
All other	11	18	1	–	1
Negro	–	–	–	–	–
Broadwater	25	37	1	1	1
Carbon	77	103	1	–	1
Carter	17	25	–	–	–
Cascade	727	652	24	18	10
Great Falls	---	537	17	12	8
Balance of county	---	115	7	6	2
Chouteau	34	54	2	1	1
Custer	211	146	3	2	3
Daniels	27	36	1	–	1
Dawson	71	75	5	3	2
Deer Lodge	165	161	1	–	1
Fallon	22	31	–	–	1
Fergus	164	175	2	2	3
Flathead	413	394	15	10	4
Kalispell	---	128	4	3	1
Balance of county	---	266	11	7	3
Gallatin	259	246	6	5	3
Bozeman	---	143	4	4	1
Balance of county	---	103	2	1	2
Garfield	20	24	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

(See headnote at beginning of table)

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana—Con.					
Glacier	98	120	8	6	5
White	48	57	3	3	1
All other	50	63	5	3	4
Negro	–	–	–	–	–
Golden Valley	9	13	–	–	–
Granite	13	26	3	3	–
Hill	148	140	7	6	1
White	131	130	4	4	1
All other	17	10	3	2	–
Negro	–	–	–	–	–
Havre	– – –	95	4	4	–
Balance of county	– – –	45	3	2	1
White	– – –	37	1	1	1
All other	– – –	8	2	1	–
Negro	– – –	–	–	–	–
Jefferson	25	55	5	5	1
Judith Basin	7	22	–	–	–
Lake	161	198	7	5	2
White	137	171	6	4	1
All other	24	27	1	1	1
Negro	–	–	–	–	–
Lewis and Clark	441	339	8	4	5
Helena	– – –	243	5	3	3
Balance of county	– – –	96	3	1	2
Liberty	39	30	2	1	1
Lincoln	83	110	2	1	4
McCone	19	27	3	3	2
Madison	59	66	1	1	–
Meagher	16	24	1	1	1
Mineral	17	22	1	1	–
Missoula	544	464	13	8	8
Missoula	– – –	328	10	8	4
Balance of county	– – –	136	3	–	4
Musselshell	21	44	1	1	1
Park	122	147	3	3	2
Petroleum	–	10	–	–	–
Phillips	39	51	1	1	–
Pondera	56	61	1	–	1
Powder River	5	11	–	–	1
Powell	65	68	4	4	1
Prairie	13	20	1	–	–
Ravalli	147	182	2	1	4
Richland	90	106	2	1	2
Roosevelt	114	124	7	2	3
White	70	75	2	1	1
All other	44	49	5	1	2
Negro	–	–	–	–	–
Rosebud	44	68	3	3	3
White	39	50	3	3	1
All other	5	18	–	–	2
Negro	–	–	–	–	–
Sanders	58	90	6	4	–
Sheridan	50	60	1	1	2
Silver Bow	497	484	12	8	8
Butte	– – –	332	9	6	6
Balance of county	– – –	152	3	2	2
Stillwater	56	50	–	–	2
Sweet Grass	32	39	–	–	1
Teton	53	66	2	1	1
Toole	51	58	2	–	1
Treasure	7	12	–	–	–
Valley	95	113	3	2	1
Wheatland	29	34	3	3	–
Wibaux	6	14	–	–	–
Yellowstone	861	747	25	19	10
Billings	– – –	545	21	17	6
Balance of county	– – –	202	4	2	4
Yellowstone National Park	–	–	–	–	–
Nebraska	14,690	14,547	339	236	195
White	14,255	14,113	308	216	174
All other	435	434	31	20	21
Negro	327	332	27	17	16
Adams	404	357	6	5	4
Hastings	– – –	299	4	3	3
Balance of county	– – –	58	2	2	1
Antelope	84	95	4	3	3
Arthur	–	2	–	–	–
Banner	1	2	–	–	–
Blaine	2	8	1	–	–
Boone	58	79	1	–	1
Box Butte	129	135	6	3	–
Boyd	42	42	1	1	–
Brown	41	44	2	1	1
Buffalo	360	306	5	4	3
Kearney	– – –	178	2	2	1
Balance of county	– – –	128	3	2	2
Burt	94	127	2	2	1
Nebraska—Con.					
Butler	77	110	3	3	4
Cass	101	188	5	4	1
Cedar	63	130	5	3	1
Chase	61	56	1	1	2
Cherry	82	72	3	2	–
Cheyenne	123	125	2	1	2
Clay	37	83	1	–	–
Colfax	95	113	1	1	1
Cuming	128	132	3	2	3
Custer	167	185	5	4	2
Dakota	39	115	7	2	4
Dawes	115	111	5	4	1
Dawson	203	222	5	3	5
Deuel	7	38	–	–	–
Dixon	50	74	–	–	1
Dodge	367	369	8	8	5
Fremont	– – –	259	5	5	4
Balance of county	– – –	110	3	3	1
Douglas	4,141	3,287	89	64	43
White	3,826	2,971	65	49	28
All other	315	316	24	15	15
Negro	295	304	24	15	15
Omaha	– – –	3,140	85	62	35
White	– – –	2,824	61	47	20
All other	– – –	316	24	15	15
Negro	– – –	304	24	15	15
Balance of county	– – –	147	4	2	8
Dundy	50	39	–	–	–
Fillmore	98	115	1	–	–
Franklin	59	75	–	–	2
Frontier	30	44	–	–	–
Furnas	100	111	–	–	1
Gage	290	300	7	5	4
Beatrice	– – –	162	4	2	3
Balance of county	– – –	138	3	3	1
Garden	41	34	–	–	–
Garfield	48	43	–	–	–
Gosper	9	19	–	–	–
Grant	–	7	–	–	–
Greeley	26	45	1	1	1
Hall	582	427	11	6	4
Grand Island	– – –	344	8	4	2
Balance of county	– – –	83	3	2	2
Hamilton	103	90	–	–	–
Harlan	47	57	1	1	1
Hayes	3	14	1	1	–
Hitchcock	21	58	1	–	–
Holt	120	143	3	2	6
Hooker	9	11	–	–	–
Howard	74	70	1	1	2
Jefferson	110	142	3	1	–
Johnson	66	71	1	–	1
Kearney	56	71	–	–	2
Keith	89	93	3	3	2
Keya Paha	1	9	2	2	–
Kimball	51	50	3	1	1
Knox	96	137	5	4	1
Lancaster	1,671	1,393	34	23	18
Lincoln	– – –	1,282	34	23	16
Balance of county	– – –	111	–	–	2
Lincoln	238	266	9	5	4
North Platte	– – –	189	7	3	3
Balance of county	– – –	77	2	2	1
Logan	1	12	1	1	1
Loup	4	9	–	–	–
McPherson	1	3	–	–	1
Madison	379	323	4	4	4
Norfolk	– – –	210	2	2	4
Balance of county	– – –	113	2	2	–
Merrick	52	79	–	–	–
Morrill	44	71	1	1	–
Nance	59	67	1	1	–
Nemaha	78	94	–	–	1
Nuckolls	66	92	1	1	–
Otoe	176	185	–	–	1
Pawnee	49	62	1	1	–
Perkins	33	31	–	–	1
Phelps	110	117	1	1	1
Pierce	122	97	1	1	–
Platte	198	221	5	2	4
Columbus	– – –	141	4	1	3
Balance of county	– – –	80	1	1	1
Polk	74	90	1	1	–
Red Willow	121	138	4	2	3
Richardson	171	189	–	–	–
Rock	29	44	–	–	–
Saline	177	177	2	1	3
Sarpy	159	251	21	15	12
Bellevue	– – –	74	6	5	5
Balance of county	– – –	177	15	10	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

(See headnote at beginning of table)

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska—Con.					
Saunders	125	174	2	1	2
Scotts Bluff	363	340	13	10	8
Scottsbluff	---	144	7	5	6
Balance of county	---	196	6	5	2
Seward	128	134	4	2	6
Sheridan	111	111	–	–	1
Sherman	32	44	2	1	1
Sioux	5	14	–	–	1
Stanton	19	54	1	1	1
Thayer	88	115	1	1	–
Thomas	2	5	–	–	1
Thurston	83	96	4	3	3
White	65	54	1	1	1
All other	18	42	3	2	2
Negro	–	–	–	–	–
Valley	79	80	–	–	–
Washington	144	159	–	–	1
Wayne	61	81	–	–	–
Webster	67	82	4	4	–
Wheeler	2	9	–	–	–
York	119	156	6	4	–
Nevada	4,921	4,578	137	103	78
White	4,554	4,224	116	88	69
All other	367	354	21	15	9
Negro	259	253	17	13	9
Churchill	114	128	6	5	2
Clark	2,536	2,354	73	51	51
White	2,279	2,104	58	41	43
All other	257	250	15	10	8
Negro	233	229	13	9	8
Henderson	---	105	2	2	1
Las Vegas	---	1,288	37	28	29
White	---	1,140	29	22	26
All other	---	148	8	6	3
Negro	---	133	6	5	3
North Las Vegas	---	183	12	8	7
White	---	110	5	4	5
All other	---	73	7	4	2
Negro	---	73	7	4	2
Balance of county	---	778	22	13	14
Douglas	29	81	4	4	1
Elko	175	160	1	1	1
White	156	139	1	1	1
All other	19	21	–	–	–
Negro	2	2	–	–	–
Esmeralda	4	10	1	1	1
Eureka	1	9	1	1	–
Humboldt	64	74	4	1	1
White	60	70	4	1	1
All other	4	4	–	–	–
Negro	2	1	–	–	–
Lander	13	16	–	–	3
Lincoln	21	33	2	2	–
Lyon	52	87	4	3	–
Mineral	37	50	1	1	2
White	32	46	1	1	2
All other	5	4	–	–	–
Negro	1	1	–	–	–
Nye	44	40	–	–	–
Ormsby, coext. with Carson City	170	166	5	5	2
Pershing	33	35	–	–	1
Storey	2	10	–	–	–
Washoe	1,537	1,230	30	25	11
Reno	---	897	16	13	7
Sparks	---	201	8	8	1
Balance of county	---	132	6	4	3
White Pine	89	95	5	3	2
New Hampshire	7,327	7,417	129	101	81
White	7,311	7,400	129	101	79
All other	16	17	–	–	2
Negro	14	15	–	–	2
Belknap	394	396	8	7	3
Laconia	---	185	4	3	–
Balance of county	---	211	4	4	3
Carroll	249	269	3	2	3
Cheshire	355	485	4	4	4
Keene	---	184	–	–	3
Balance of county	---	301	4	4	1
Coos	338	396	9	8	6
Berlin	---	161	3	3	2
Balance of county	---	235	6	5	4
Grafton	889	543	7	6	4
Hillsborough	2,339	2,268	43	31	27
Manchester	---	1,093	15	8	7
Nashua	---	469	12	10	9
New Hampshire—Con.					
Hillsborough—Con.					
Balance of county	---	706	16	13	11
Merrimack	910	860	13	10	6
Concord	---	344	5	5	3
Balance of county	---	516	8	5	3
Rockingham	985	1,227	21	17	18
Portsmouth	---	223	5	3	4
Balance of county	---	1,004	16	14	14
Strafford	629	653	13	8	8
Dover	---	199	4	3	1
Rochester	---	188	2	1	4
Balance of county	---	266	7	4	3
Sullivan	239	320	8	8	2
Claremont	---	172	4	4	1
Balance of county	---	148	4	4	1
New Jersey	63,742	65,382	1,359	1,030	901
White	57,175	58,597	890	697	635
All other	6,567	6,785	469	333	266
Negro	6,435	6,646	452	323	258
Atlantic	2,586	2,461	31	21	33
White	2,202	2,037	13	9	23
All other	384	424	18	12	10
Negro	379	422	18	12	10
Atlantic City	---	972	17	12	9
White	---	667	3	2	3
All other	---	305	14	10	6
Negro	---	305	14	10	6
Hammonton	---	105	1	1	3
Margate City	---	139	–	–	–
Pleasantville	---	196	2	2	4
White	---	135	1	1	1
All other	---	61	1	1	3
Negro	---	61	1	1	3
Ventnor City	---	182	1	1	3
Balance of county	---	867	10	5	14
Bergen	6,285	7,672	91	72	61
White	6,050	7,409	78	62	54
All other	235	263	13	10	7
Negro	225	251	12	9	6
Bergenfield	---	231	2	2	2
Cliffside Park	---	261	3	2	3
Dumont	---	162	3	1	–
East Paterson	---	169	1	1	1
Englewood	---	257	5	5	–
White	---	166	2	2	–
All other	---	91	3	3	–
Negro	---	90	3	3	–
Fair Lawn	---	312	5	4	–
Fairview	---	110	3	3	–
Fort Lee	---	303	2	2	1
Garfield	---	305	3	3	4
Glen Rock	---	95	–	–	–
Hackensack	---	418	8	7	6
White	---	354	4	4	3
All other	---	64	4	3	3
Negro	---	63	4	3	3
Hasbrouck Heights	---	125	2	1	1
Hillsdale	---	50	1	–	1
Lodi	---	200	2	2	4
Lyndhurst township†	---	210	2	–	2
Maywood	---	115	–	–	–
New Milford	---	159	1	–	2
North Arlington	---	162	1	1	2
Oakland	---	63	2	2	–
Palisades Park	---	130	3	3	1
Paramus	---	175	1	1	–
Ramsey	---	69	3	3	–
Ridgefield	---	124	–	–	2
Ridgefield Park	---	143	–	–	2
Ridgewood	---	199	3	3	–
River Edge	---	128	2	2	–
Rutherford	---	228	–	–	2
Saddle Brook township†	---	127	–	–	–
Teaneck township†	---	336	7	6	4
White	---	294	5	4	2
All other	---	42	2	2	2
Negro	---	41	2	2	2
Tenafly	---	142	–	–	2
Waldwick	---	55	1	–	1
Wallington	---	136	–	–	1
Washington township†	---	43	1	–	–
Westwood	---	114	3	3	4
Wyckoff township†	---	93	–	–	–
Balance of county	---	1,723	21	15	13
Burlington	2,148	2,116	57	44	42
White	1,977	1,945	44	34	31
All other	171	171	13	10	11
Negro	169	168	13	10	10

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey—Con.					
Burlington—Con.					
Burlington	---	117	4	2	1
White	---	90	2	1	–
All other	---	27	2	1	1
Negro	---	27	2	1	1
Cinnaminson township†	---	85	1	1	1
Maple Shade township†	---	138	4	3	2
Mount Holly township†	---	113	3	3	2
White	---	105	2	2	2
All other	---	8	1	1	–
Negro	---	8	1	1	–
New Hanover township†	---	8	–	–	1
White	---	7	–	–	1
All other	---	1	–	–	–
Negro	---	1	–	–	–
Willingboro township†	---	162	6	5	2
White	---	133	4	3	2
All other	---	29	2	2	–
Negro	---	29	2	2	–
Balance of county	---	1,493	39	30	33
White	---	1,395	31	24	24
All other	---	98	8	6	9
Negro	---	95	8	6	8
Camden	3,738	3,909	102	73	60
White	3,303	3,447	63	51	40
All other	435	462	39	22	20
Negro	433	458	37	21	19
Audubon	---	123	–	–	1
Bellmawr	---	95	3	3	3
Camden	---	942	47	31	23
White	---	615	16	13	11
All other	---	327	31	18	12
Negro	---	326	31	18	12
Cherry Hill township†	---	365	–	–	3
Collingswood	---	232	5	4	1
Gloucester	---	167	3	3	1
Gloucester township†	---	156	7	6	4
Haddonfield	---	154	–	–	–
Haddon township†	---	128	–	–	–
Lindenwold	---	107	8	5	4
Pennsauken township†	---	326	3	3	6
Runnemede	---	67	1	–	–
Balance of county	---	1,047	25	18	14
Cape May	951	1,102	11	10	6
Ocean City	---	236	–	–	–
Balance of county	---	866	11	10	6
Cumberland	1,218	1,211	33	20	31
White	1,051	1,045	22	14	20
All other	167	166	11	6	11
Negro	165	163	11	6	8
Bridgeton	---	239	10	7	2
White	---	171	5	4	–
All other	---	68	5	3	2
Negro	---	68	5	3	2
Millville	---	241	7	3	14
Vineland	---	211	5	4	12
Balance of county	---	520	11	6	3
White	---	453	8	5	1
All other	---	67	3	1	2
Negro	---	65	3	1	1
Essex	9,507	8,681	266	194	139
White	7,118	6,308	101	77	58
All other	2,389	2,373	165	117	81
Negro	2,336	2,320	161	115	80
Belleville	---	336	8	6	6
Bloomfield	---	518	8	6	5
Cedar Grove township†	---	85	–	–	–
East Orange	---	568	20	17	12
White	---	304	–	–	1
All other	---	264	20	17	11
Negro	---	260	20	17	11
Irvington	---	790	9	5	10
Livingston township†	---	151	2	2	2
Maplewood township†	---	245	4	3	4
Millburn township†	---	176	–	–	1
Montclair	---	625	18	14	7
White	---	377	8	6	5
All other	---	248	10	8	2
Negro	---	245	10	8	2
Newark	---	3,202	172	121	79
White	---	1,690	50	37	21
All other	---	1,512	122	84	58
Negro	---	1,481	120	83	57
Nutley	---	307	2	–	–
Orange	---	401	7	6	9
White	---	250	3	3	3
All other	---	151	4	3	6
Negro	---	147	3	3	6
South Orange	---	176	1	1	1
Verona	---	125	4	4	–
West Caldwell	---	86	2	2	1
New Jersey—Con.					
Essex—Con.					
West Orange	---	378	6	5	1
Balance of county	---	512	3	2	1
Gloucester	1,292	1,520	50	40	31
White	1,183	1,378	39	31	24
All other	109	142	11	9	7
Negro	105	139	11	9	7
Glassboro	---	106	4	2	3
White	---	81	3	1	1
All other	---	25	1	1	2
Negro	---	25	1	1	2
Pitman	---	107	2	1	1
Woodbury	---	159	2	2	1
White	---	135	1	1	1
All other	---	24	1	1	–
Negro	---	23	1	1	–
Balance of county	---	1,148	42	35	26
White	---	1,056	33	28	21
All other	---	92	9	7	5
Negro	---	90	9	7	5
Hudson	5,410	6,196	132	99	88
White	4,929	5,678	89	70	67
All other	481	518	43	29	21
Negro	472	506	42	28	21
Bayonne	---	794	11	8	7
Harrison	---	131	2	1	1
Hoboken	---	377	7	6	1
Jersey City	---	2,680	82	63	53
White	---	2,219	41	35	35
All other	---	461	41	28	18
Negro	---	453	40	27	18
Kearny	---	426	5	4	5
North Bergen township†	---	527	8	6	2
Secaucus	---	115	–	–	–
Union City	---	523	8	6	6
Weehawken township†	---	131	1	1	1
West New York	---	363	5	2	8
Balance of county	---	129	3	2	4
Hunterdon	520	635	5	3	7
Mercer	3,281	2,818	54	40	47
White	2,849	2,389	25	20	20
All other	432	429	29	20	27
Negro	428	425	26	19	27
Ewing township†	---	293	6	6	5
Hamilton township†	---	709	7	5	6
Princeton	---	104	1	–	–
White	---	84	–	–	–
All other	---	20	1	–	–
Negro	---	20	1	–	–
Trenton	---	1,172	31	22	27
White	---	852	10	7	7
All other	---	320	21	15	20
Negro	---	319	21	15	20
Balance of county	---	540	9	7	9
Middlesex	3,404	4,064	81	68	77
White	3,215	3,888	72	60	63
All other	189	176	9	8	14
Negro	182	168	8	7	14
Carteret	---	188	5	5	2
East Brunswick township†	---	148	5	4	6
Edison township†	---	171	10	9	8
Highland Park	---	121	–	–	1
Madison township†	---	230	5	4	6
Metuchen	---	109	3	3	2
Middlesex	---	95	–	–	2
New Brunswick	---	346	5	5	1
White	---	270	2	2	–
All other	---	76	3	3	1
Negro	---	75	3	3	1
Perth Amboy	---	428	11	8	14
Piscataway township†	---	182	3	2	9
White	---	158	1	1	6
All other	---	24	2	1	3
Negro	---	24	2	1	3
Sayreville	---	207	2	–	4
South Plainfield	---	141	2	2	–
South River	---	152	3	3	2
Woodbridge township†	---	568	14	12	7
Balance of county	---	978	13	11	13
Monmouth	4,620	4,468	86	69	44
White	4,221	4,086	69	56	32
All other	399	382	17	13	12
Negro	386	371	16	13	12
Asbury Park	---	327	9	7	2
White	---	248	3	2	1
All other	---	79	6	5	1
Negro	---	79	6	5	1
Eatontown	---	70	3	2	3
Freehold	---	118	3	2	2
Hazlet township†	---	155	1	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey—Con.					
Monmouth—Con.					
Long Branch	---	325	6	4	2
White	---	284	5	3	1
All other	---	41	1	1	1
Negro	---	40	1	1	1
Matawan township†	---	96	2	1	3
White	---	79	2	1	2
All other	---	17	–	–	1
Negro	---	16	–	–	1
Middletown township†	---	417	6	5	1
Neptune township†	---	353	4	4	2
White	---	290	3	3	1
All other	---	63	1	1	1
Negro	---	63	1	1	1
Ocean township†	---	165	2	2	2
Red Bank	---	212	–	–	–
White	---	177	–	–	–
All other	---	35	–	–	–
Negro	---	35	–	–	–
Balance of county	---	2,230	50	42	27
White	---	2,127	44	36	22
All other	---	103	6	6	5
Negro	---	96	6	6	5
Morris	2,990	2,572	61	47	33
White	2,927	2,520	56	43	33
All other	63	52	5	4	–
Negro	58	47	4	3	–
Dover	---	150	5	5	2
Madison	---	140	2	2	1
Morristown	---	185	4	3	2
White	---	155	–	–	2
All other	---	30	4	3	–
Negro	---	29	4	3	–
Parsippany–Troy Hills township†	---	203	5	4	6
Pequannock township†	---	78	4	4	–
Balance of county	---	1,816	41	29	22
Ocean	3,321	3,524	58	47	24
Brick township†	---	435	5	4	4
Dover township†	---	579	12	7	5
Lakewood township†	---	535	16	14	2
White	---	490	8	6	1
All other	---	45	8	8	1
Negro	---	45	8	8	1
Point Pleasant†	---	243	1	1	3
Balance of county	---	1,732	24	21	10
Passaic	4,381	4,234	97	72	47
White	4,042	3,860	60	47	35
All other	339	374	37	25	12
Negro	336	372	36	24	12
Clifton	---	857	5	4	5
Hawthorne†	---	214	2	1	–
Little Falls township†	---	112	–	–	–
Passaic	---	547	17	15	11
White	---	469	10	10	5
All other	---	78	7	5	6
Negro	---	77	6	4	6
Paterson	---	1,419	53	38	21
White	---	1,137	24	18	15
All other	---	282	29	20	6
Negro	---	281	29	20	6
Pompton Lakes†	---	93	1	1	–
Ringwood†	---	63	1	1	–
Totowa†	---	94	1	–	2
Wayne township†	---	277	6	5	3
West Paterson†	---	81	2	2	1
Balance of county	---	477	9	5	4
Salem	608	592	13	9	10
White	506	491	6	4	4
All other	102	101	7	5	6
Negro	102	101	7	5	6
Somerset	1,370	1,363	30	24	23
Bound Brook†	---	102	2	2	2
Bridgewater township†	---	171	2	2	2
Franklin township†	---	185	7	6	3
White	---	156	5	4	2
All other	---	29	2	2	1
Negro	---	27	2	2	1
Manville†	---	103	1	1	1
North Plainfield†	---	156	7	6	3
Somerville†	---	159	2	2	3
White	---	142	2	2	2
All other	---	17	–	–	1
Negro	---	17	–	–	1
Balance of county	---	487	9	5	9
Sussex	762	756	13	12	21
Union	4,631	4,715	73	54	59
White	4,163	4,185	37	24	37
All other	468	530	36	30	22
Negro	464	524	35	29	22
Berkeley Heights township†	---	63	–	–	5
Clark township†	---	126	2	2	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey—Con.					
Union—Con.					
Cranford township†	---	201	2	2	3
Elizabeth	---	1,152	26	15	16
White	---	1,013	10	4	8
All other	---	139	16	11	8
Negro	---	137	16	11	8
Hillside township†	---	187	1	1	4
Linden	---	362	5	4	4
White	---	337	3	2	2
All other	---	25	2	2	2
Negro	---	24	2	2	2
New Providence†	---	69	–	–	–
Plainfield	---	432	14	12	6
White	---	244	1	–	1
All other	---	188	13	12	5
Negro	---	188	13	12	5
Rahway	---	260	2	2	5
White	---	231	2	2	4
All other	---	29	–	–	1
Negro	---	29	–	–	1
Roselle	---	206	5	2	1
White	---	173	3	–	–
All other	---	33	2	2	1
Negro	---	32	1	1	1
Roselle Park	---	116	2	1	2
Scotch Plains township†	---	140	1	1	–
Springfield township†	---	161	1	1	1
Summit	---	198	4	4	2
Union township†	---	543	3	3	2
Westfield	---	220	2	2	1
Balance of county	---	279	3	2	6
Warren	719	773	15	12	18
Phillipsburg	---	254	4	4	4
Balance of county	---	519	11	8	14
New Mexico	**8,118**	**8,224**	**341**	**214**	**204**
White	7,214	7,400	280	185	168
All other	904	824	61	29	36
Negro	168	161	11	10	7
Bernalillo	3,022	2,331	70	44	39
White	2,802	2,240	63	40	34
All other	220	91	7	4	5
Negro	56	47	1	1	3
Albuquerque	---	2,280	65	42	38
White	---	2,205	60	39	34
All other	---	75	5	3	4
Negro	---	45	1	1	3
Balance of county	---	51	5	2	1
Catron	7	17	4	3	–
Chaves	460	484	18	10	10
Roswell	---	417	14	7	8
Balance of county	---	67	4	3	2
Colfax	116	128	4	3	5
Curry	264	279	12	10	8
Clovis	---	231	8	6	5
Balance of county	---	48	4	4	3
De Baca	46	38	–	–	–
Dona Ana	322	414	28	23	12
Las Cruces	---	218	16	13	3
Balance of county	---	196	12	10	9
Eddy	354	371	17	15	10
Artesia	---	108	3	1	3
Carlsbad	---	224	12	12	4
Balance of county	---	39	2	2	3
Grant	179	179	12	9	2
Guadalupe	15	48	5	3	2
Harding	3	7	–	–	–
Hidalgo	67	65	6	5	1
Lea	305	375	23	15	17
Hobbs	---	206	19	12	7
Balance of county	---	169	4	3	10
Lincoln	67	68	2	1	2
Los Alamos	51	48	1	–	–
Luna	110	143	9	7	3
McKinley	385	377	23	6	16
White	108	112	3	–	2
All other	277	265	20	6	14
Negro	6	6	–	–	–
Gallup	---	122	6	–	3
White	---	92	3	–	2
All other	---	30	3	–	1
Negro	---	4	–	–	–
Balance of county	---	255	17	6	13
White	---	20	–	–	–
All other	---	235	17	6	13
Negro	---	2	–	–	–
Mora	14	36	–	–	–
Otero	197	240	17	9	11
Alamogordo	---	156	10	6	8

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico—Con.					
Otero—Con.					
Balance of county	---	84	7	3	3
White	---	54	6	2	1
All other	---	30	1	1	2
Negro	---	3	–	–	1
Quay	99	128	2	2	3
Rio Arriba	178	249	11	5	8
White	160	216	10	4	7
All other	18	33	1	1	1
Negro	1	1	1	1	–
Roosevelt	105	131	4	2	3
Portales	---	93	3	2	2
Balance of county	---	38	1	–	1
Sandoval	91	213	3	1	3
White	64	143	1	1	2
All other	27	70	2	–	1
Negro	–	–	–	–	–
San Juan	366	396	19	12	20
White	218	257	7	6	11
All other	148	139	12	6	9
Negro	1	1	–	–	1
Farmington	---	145	4	2	7
Balance of county	---	251	15	10	13
White	---	121	5	4	5
All other	---	130	10	6	8
Negro	---	–	–	–	–
San Miguel	235	193	8	5	3
Santa Fe	467	409	11	8	8
Santa Fe	---	319	9	6	4
Balance of county	---	90	2	2	4
Sierra	103	134	3	2	1
Socorro	66	104	3	1	2
Taos	132	171	8	4	1
Torrance	19	50	–	–	2
Union	48	59	2	2	–
Valencia	225	339	16	7	12
White	187	279	11	5	11
All other	38	60	5	2	1
Negro	2	–	–	–	–
New York	**171,952**	**172,554**	**3,773**	**2,784**	**2,661**
White	152,365	152,952	2,467	1,807	1,935
All other	19,587	19,602	1,306	977	726
Negro	18,758	18,780	1,258	945	689
Albany	3,793	2,961	40	29	36
White	3,642	2,842	31	22	29
All other	151	119	9	7	7
Negro	146	117	9	7	7
Albany	---	1,427	22	16	17
White	---	1,313	13	9	11
All other	---	114	9	7	6
Negro	---	112	9	7	6
Cohoes	---	263	6	4	1
Watervliet	---	164	2	2	1
Balance of county	---	1,107	10	7	17
Allegany	292	429	8	7	9
Broome	2,285	2,058	46	40	30
Binghamton	---	806	14	14	12
Endicott	---	220	5	4	5
Johnson City	---	231	5	5	1
Balance of county	---	801	22	17	12
Cattaraugus	781	877	11	10	13
Olean	---	263	3	2	3
Balance of county	---	614	8	8	10
Cayuga	812	810	21	17	19
Auburn	---	405	8	6	5
Balance of county	---	405	13	11	14
Chautauqua	1,485	1,568	25	14	40
Dunkirk	---	199	4	3	1
Fredonia	---	74	1	1	5
Jamestown	---	478	7	4	15
Balance of county	---	817	13	6	19
Chemung	965	934	15	10	17
Elmira	---	422	9	4	10
Balance of county	---	512	6	6	7
Chenango	346	491	6	4	11
Clinton	609	562	18	15	7
Plattsburgh	---	183	8	6	2
Balance of county	---	379	10	9	5
Columbia	619	665	9	7	9
Cortland	478	435	7	2	5
Cortland	---	213	2	1	2
Balance of county	---	222	5	1	3
Delaware	509	503	9	4	6
Dutchess	2,061	1,815	36	27	37
White	1,949	1,715	25	18	29
All other	112	100	11	9	8
Negro	107	96	9	7	8
New York—Con.					
Dutchess—Con.					
Beacon	---	125	3	2	4
White	---	110	2	1	3
All other	---	15	1	1	1
Negro	---	15	1	1	1
Poughkeepsie	---	435	14	12	11
White	---	387	7	7	5
All other	---	48	7	5	6
Negro	---	47	6	4	6
Balance of county	---	1,255	19	13	22
Erie	11,492	10,851	228	177	120
White	10,485	9,850	156	126	85
All other	1,007	1,001	72	51	35
Negro	963	951	67	50	33
Buffalo	---	5,382	138	101	62
White	---	4,456	70	53	29
All other	---	926	68	48	33
Negro	---	900	64	47	33
Depew	---	143	4	4	3
Hamburg	---	126	–	–	8
Kenmore	---	266	3	3	–
Lackawanna	---	287	9	6	3
White	---	260	7	4	3
All other	---	27	2	2	–
Negro	---	27	2	2	–
Lancaster	---	124	4	4	–
Tonawanda	---	237	–	–	4
Balance of county	---	4,286	70	59	40
Essex	311	440	3	3	3
Franklin	494	507	5	2	7
Fulton	520	612	19	14	14
Gloversville	---	252	8	7	4
Johnstown	---	123	2	–	2
Balance of county	---	237	9	7	8
Genesee	590	511	11	10	12
Batavia	---	189	6	6	5
Balance of county	---	322	5	4	7
Greene	310	441	4	3	7
Hamilton	27	59	1	1	1
Herkimer	630	707	12	11	7
Jefferson	973	982	16	12	7
Watertown	---	374	3	2	2
Balance of county	---	608	13	10	5
Lewis	161	213	5	4	4
Livingston	365	453	13	11	7
Madison	478	550	15	9	14
Oneida	---	119	3	3	–
Balance of county	---	431	12	6	14
Monroe	6,269	5,932	130	96	107
White	5,934	5,601	84	66	81
All other	335	331	46	30	26
Negro	329	325	46	30	25
Rochester	---	3,179	88	62	69
White	---	2,867	46	36	45
All other	---	312	42	26	24
Negro	---	308	42	26	24
Balance of county	---	2,753	42	34	38
Montgomery	539	649	9	6	13
Amsterdam	---	335	4	2	8
Balance of county	---	314	5	4	5
Nassau	10,926	11,651	189	145	138
White	10,424	11,132	147	114	103
All other	502	519	42	31	35
Negro	483	501	41	30	34
East Rockaway	---	102	1	1	1
Floral Park	---	162	–	–	1
Freeport	---	366	14	9	7
White	---	311	9	6	1
All other	---	55	5	3	6
Negro	---	55	5	3	6
Garden City	---	208	–	–	1
Glen Cove	---	224	6	5	2
Great Neck	---	111	1	1	5
Hempstead	---	380	15	11	10
White	---	269	4	3	4
All other	---	111	11	8	6
Negro	---	110	11	8	6
Long Beach	---	702	7	5	6
Lynbrook	---	183	2	2	2
Malverne	---	77	1	1	1
Massapequa Park	---	124	1	1	2
Mineola	---	182	4	2	2
New Hyde Park	---	90	–	–	–
Rockville Centre	---	278	1	1	3
Valley Stream	---	350	7	7	2
Westbury	---	169	3	2	8
Balance of county	---	7,943	126	97	85
White	---	7,681	103	80	67
All other	---	262	23	17	18
Negro	---	249	22	16	17

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York—Con.					
New York City	77,509	78,494	1,922	1,413	1,120
White	62,222	63,112	943	674	627
All other	15,287	15,382	979	739	493
Negro	14,682	14,782	949	718	470
Bronx Borough, Bronx County	---	13,436	378	268	282
White	---	10,777	189	127	161
All other	---	2,659	189	141	121
Negro	---	2,620	184	137	120
Brooklyn Borough, Kings County	---	23,920	747	559	386
White	---	18,883	320	229	195
All other	---	5,037	427	330	191
Negro	---	4,956	424	327	186
Manhattan Borough, New York County	---	17,957	377	275	182
White	---	12,765	180	131	100
All other	---	5,192	197	144	82
Negro	---	4,828	185	136	75
Queens Borough, Queens County	---	20,319	341	248	238
White	---	17,984	200	144	145
All other	---	2,335	141	104	93
Negro	---	2,228	132	99	83
Richmond Borough, Richmond County	---	2,862	79	63	32
White	---	2,703	54	43	26
All other	---	159	25	20	6
Negro	---	150	24	19	6
Niagara	2,130	2,220	40	29	40
White	2,065	2,150	31	22	28
All other	65	70	9	7	12
Negro	52	58	7	5	12
Lockport	---	331	6	5	5
Niagara Falls	---	887	17	12	27
White	---	832	11	7	17
All other	---	55	6	5	10
Negro	---	47	5	4	10
North Tonawanda	---	319	5	4	2
Balance of county	---	683	12	8	6
Oneida	2,758	2,529	42	30	44
Rome	---	409	11	7	3
Utica	---	1,037	17	14	14
Balance of county	---	1,083	14	9	27
Onondaga	4,382	4,032	94	74	96
White	4,206	3,858	74	58	80
All other	176	174	20	16	16
Negro	153	153	18	14	15
Syracuse	---	2,138	45	35	53
White	---	1,985	27	20	37
All other	---	153	18	15	16
Negro	---	144	17	14	15
Balance of county	---	1,894	49	39	43
Ontario	895	788	13	7	12
Canandaigua	---	130	1	1	3
Geneva	---	184	2	1	1
Balance of county	---	474	10	5	8
Orange	2,326	2,235	58	38	28
White	2,232	2,139	52	34	24
All other	94	96	6	4	4
Negro	92	94	6	4	3
Middletown	---	302	7	5	–
Newburgh	---	344	15	11	3
White	---	291	10	7	3
All other	---	53	5	4	–
Negro	---	52	5	4	–
Balance of county	---	1,589	36	22	25
Orleans	320	356	5	2	5
Oswego	727	949	21	14	14
Fulton	---	178	1	1	1
Oswego	---	239	4	3	1
Balance of county	---	532	16	10	12
Otsego	672	608	8	7	12
Oneonta	---	158	3	2	4
Balance of county	---	450	5	5	8
Putnam	398	480	6	5	7
Rensselaer	1,298	1,583	33	27	22
Rensselaer	---	137	3	3	4
Troy	---	808	15	11	11
Balance of county	---	638	15	13	7
Rockland	1,734	1,619	40	28	32
White	1,625	1,539	30	21	26
All other	109	80	10	7	6
Negro	107	77	10	7	6
Spring Valley	---	165	8	5	7
White	---	141	3	2	4
All other	---	24	5	3	3
Negro	---	24	5	3	3
Balance of county	---	1,454	32	23	25
White	---	1,398	27	19	22
All other	---	56	5	4	3
Negro	---	53	5	4	3
St. Lawrence	1,059	1,083	27	22	11
Massena	---	130	1	–	–
Ogdensburg	---	155	1	–	–
Balance of county	---	798	25	22	11
Saratoga	645	1,093	29	19	15
Saratoga Springs	---	250	4	3	1
New York—Con.					
Saratoga—Con.					
Balance of county	---	843	25	16	14
Schenectady	1,656	1,546	25	19	24
Schenectady	---	960	17	14	12
Balance of county	---	586	8	5	12
Schoharie	264	294	8	7	9
Schuyler	111	155	3	2	–
Seneca	299	314	6	6	5
Steuben	922	1,018	18	6	17
Corning	---	164	1	–	2
Hornell	---	182	1	–	3
Balance of county	---	672	16	6	12
Suffolk	9,798	8,818	217	158	212
White	9,276	8,352	187	134	191
All other	522	466	30	24	21
Negro	499	444	28	22	18
Babylon	---	93	2	2	1
Lindenhurst	---	231	6	5	11
Patchogue	---	103	2	1	1
Balance of county	---	8,391	207	150	199
White	---	7,931	177	126	179
All other	---	460	30	24	20
Negro	---	438	28	22	17
Sullivan	674	712	13	11	19
Tioga	198	387	11	8	10
Tompkins	495	508	16	11	11
Ithaca	---	211	6	6	4
Balance of county	---	297	10	5	7
Ulster	1,268	1,561	28	22	36
Kingston	---	375	6	5	7
Balance of county	---	1,186	22	17	29
Warren	848	519	6	5	7
Glens Falls	---	198	2	1	2
Balance of county	---	321	4	4	5
Washington	305	581	13	9	8
Wayne	549	724	20	14	16
Newark	---	107	1	1	3
Balance of county	---	617	19	13	13
Westchester	8,013	8,034	120	87	120
White	7,263	7,268	84	60	78
All other	750	766	36	27	42
Negro	738	750	34	26	39
Dobbs Ferry	---	81	–	–	1
Mamaroneck	---	134	1	1	–
Mount Vernon	---	735	11	10	12
White	---	490	2	2	4
All other	---	245	9	8	8
Negro	---	243	9	8	7
New Rochelle	---	749	15	10	18
White	---	625	10	7	10
All other	---	124	5	3	8
Negro	---	123	5	3	8
Ossining	---	202	6	4	5
White	---	181	6	4	4
All other	---	21	–	–	1
Negro	---	21	–	–	1
Peekskill	---	221	7	4	2
White	---	191	2	1	1
All other	---	30	5	3	1
Negro	---	30	5	3	1
Port Chester	---	256	1	–	5
White	---	237	1	–	3
All other	---	19	–	–	2
Negro	---	19	–	–	2
Rye	---	149	1	–	–
Scarsdale	---	146	1	1	–
Tarrytown	---	103	1	1	–
White Plains	---	545	7	6	6
White	---	469	3	3	5
All other	---	76	4	3	1
Negro	---	75	4	3	1
Yonkers	---	2,059	29	20	38
White	---	1,949	20	13	27
All other	---	110	9	7	11
Negro	---	107	8	7	11
Balance of county	---	2,654	40	30	33
White	---	2,538	36	27	23
All other	---	116	4	3	10
Negro	---	109	3	2	8
Wyoming	390	398	15	12	6
Yates	189	250	5	2	3
North Carolina	46,115	45,832	1,434	1,043	1,010
White	34,588	34,306	824	642	574
All other	11,527	11,526	610	401	436
Negro	11,226	11,218	582	384	406
Alamance	607	807	16	10	14
White	525	669	13	7	9
All other	82	138	3	3	5
Negro	82	138	3	3	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Alamance—Con.					
Burlington	– – –	329	7	5	2
White	– – –	280	5	3	1
All other	– – –	49	2	2	1
Negro	– – –	49	2	2	1
Balance of county	– – –	478	9	5	12
White	– – –	389	8	4	8
All other	– – –	89	1	1	4
Negro	– – –	89	1	1	4
Alexander	113	176	5	4	4
Alleghany	105	98	2	2	4
Anson	188	270	11	7	11
White	112	159	5	4	5
All other	76	111	6	3	6
Negro	76	111	6	3	6
Ashe	183	231	4	2	1
Avery	140	145	4	4	1
Beaufort	469	453	16	10	12
White	314	297	10	8	7
All other	155	156	6	2	5
Negro	155	156	6	2	5
Bertie	111	211	9	4	2
White	40	94	1	1	1
All other	71	117	8	3	1
Negro	71	117	8	3	1
Bladen	176	251	7	2	7
White	110	159	2	1	2
All other	66	92	5	1	5
Negro	66	91	5	1	5
Brunswick	142	257	17	13	10
White	106	198	12	9	7
All other	36	59	5	4	3
Negro	35	57	5	4	3
Buncombe	2,301	1,574	40	32	17
White	2,051	1,371	34	30	15
All other	250	203	6	2	2
Negro	246	203	6	2	2
Asheville	– – –	839	16	11	8
White	– – –	654	10	9	6
All other	– – –	185	6	2	2
Negro	– – –	185	6	2	2
Balance of county	– – –	735	24	21	9
Burke	580	472	16	11	6
Hickory, part	– – –	1	–	–	–
Morganton	– – –	121	6	3	1
White	– – –	99	4	1	1
All other	– – –	22	2	2	–
Negro	– – –	22	2	2	–
Balance of county	– – –	350	10	8	5
Cabarrus	690	701	9	7	13
White	581	582	9	7	9
All other	109	119	–	–	4
Negro	108	118	–	–	3
Concord	– – –	223	3	2	2
White	– – –	178	3	2	1
All other	– – –	45	–	–	1
Negro	– – –	45	–	–	1
Balance of county	– – –	478	6	5	11
White	– – –	404	6	5	8
All other	– – –	74	–	–	3
Negro	– – –	73	–	–	2
Caldwell	342	464	16	13	13
Lenoir	– – –	136	7	6	3
White	– – –	119	5	5	3
All other	– – –	17	2	1	–
Negro	– – –	17	2	1	–
Balance of county	– – –	328	9	7	10
Camden	12	60	1	1	–
White	4	38	–	–	–
All other	8	22	1	1	–
Negro	8	22	1	1	–
Carteret	357	375	12	10	5
White	326	342	11	9	4
All other	31	33	1	1	1
Negro	31	33	1	1	1
Caswell	58	154	2	2	5
White	32	85	–	–	1
All other	26	69	2	2	4
Negro	26	69	2	2	4
Catawba	691	692	24	16	19
Hickory, part	– – –	240	4	3	9
White	– – –	212	4	3	8
All other	– – –	28	–	–	1
Negro	– – –	28	–	–	1
Hickory, total	– – –	241	4	3	9
White	– – –	213	4	3	8
All other	– – –	28	–	–	1
Negro	– – –	28	–	–	1
Balance of county	– – –	452	20	13	10
Chatham	230	275	2	2	9
White	181	206	1	1	7
All other	49	69	1	1	2
Negro	49	69	1	1	2
Cherokee	136	162	1	1	6
Chowan	172	129	2	2	2
White	98	77	–	–	–
All other	74	52	2	2	2
Negro	74	52	2	2	2
Clay	13	54	–	–	3
Cleveland	691	657	33	21	12
White	563	523	18	13	9
All other	128	134	15	8	3
Negro	128	134	15	8	3
Shelby	– – –	169	6	3	5
White	– – –	123	2	1	4
All other	– – –	46	4	2	1
Negro	– – –	46	4	2	1
Balance of county	– – –	488	27	18	7
White	– – –	400	16	12	5
All other	– – –	88	11	6	2
Negro	– – –	88	11	6	2
Columbus	343	499	20	16	11
White	231	352	14	11	4
All other	112	147	6	5	7
Negro	112	145	6	5	6
Craven	519	498	28	17	18
White	356	333	16	10	9
All other	163	165	12	7	9
Negro	163	165	12	7	8
New Bern	– – –	204	3	3	6
White	– – –	124	1	1	2
All other	– – –	80	2	2	4
Negro	– – –	80	2	2	4
Balance of county	– – –	294	25	14	12
White	– – –	209	15	9	7
All other	– – –	85	10	5	5
Negro	– – –	85	10	5	4
Cumberland	1,362	1,183	99	71	67
White	907	807	59	40	31
All other	455	376	40	31	36
Negro	425	353	37	29	33
Fayetteville	– – –	583	44	36	23
White	– – –	355	27	21	5
All other	– – –	228	17	15	18
Negro	– – –	216	15	13	16
Balance of county	– – –	600	55	35	44
White	– – –	452	32	19	26
All other	– – –	148	23	16	18
Negro	– – –	137	22	16	17
Currituck	32	102	–	–	3
White	24	77	–	–	3
All other	8	25	–	–	–
Negro	8	25	–	–	–
Dare	46	92	3	3	2
Davidson	533	745	19	17	22
White	465	651	15	13	17
All other	68	94	4	4	5
Negro	68	94	4	4	5
High Point, part	– – –	1	–	–	–
Lexington	– – –	186	–	–	7
White	– – –	151	–	–	2
All other	– – –	35	–	–	5
Negro	– – –	35	–	–	5
Thomasville	– – –	153	4	4	2
White	– – –	111	1	1	2
All other	– – –	42	3	3	–
Negro	– – –	42	3	3	–
Balance of county	– – –	405	15	13	13
Davie	135	181	1	1	2
White	125	169	1	1	2
All other	10	12	–	–	–
Negro	10	12	–	–	–
Duplin	278	362	8	5	9
White	179	242	4	3	2
All other	99	120	4	2	7
Negro	99	120	4	2	7
Durham	2,386	1,234	39	27	26
White	1,573	768	12	10	11
All other	813	466	27	17	15
Negro	801	465	27	17	15
Chapel Hill, part	– – –	–	–	–	–
Durham	– – –	993	31	20	21
White	– – –	571	7	5	6
All other	– – –	422	24	15	15
Negro	– – –	421	24	15	15
Balance of county	– – –	241	8	7	5
White	– – –	197	5	5	5
All other	– – –	44	3	2	–
Negro	– – –	44	3	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Edgecombe	337	514	10	6	7
White	166	275	2	2	1
All other	171	239	8	4	6
Negro	171	239	8	4	6
Rocky Mount, part	---	158	3	1	2
White	---	83	1	1	–
All other	---	75	2	–	2
Negro	---	75	2	–	2
Balance of county	---	356	7	5	5
White	---	192	1	1	1
All other	---	164	6	4	4
Negro	---	164	6	4	4
Forsyth	2,756	1,866	53	39	31
White	2,085	1,303	29	23	18
All other	671	563	24	16	13
Negro	670	561	24	16	12
Winston-Salem	---	1,287	36	28	18
White	---	754	13	12	5
All other	---	533	23	16	13
Negro	---	532	23	16	12
Balance of county	---	579	17	11	13
Franklin	205	279	4	4	5
White	118	164	–	–	2
All other	87	115	4	4	3
Negro	87	115	4	4	3
Gaston	927	1,269	41	31	26
White	769	1,082	31	22	18
All other	158	187	10	9	8
Negro	157	187	10	9	8
Gastonia	---	487	18	15	9
White	---	375	10	8	3
All other	---	112	8	7	6
Negro	---	112	8	7	6
Balance of county	---	782	23	16	17
White	---	707	21	14	15
All other	---	75	2	2	2
Negro	---	75	2	2	2
Gates	22	88	–	–	1
White	13	50	–	–	–
All other	9	38	–	–	1
Negro	9	38	–	–	1
Graham	20	60	–	–	–
Granville	258	284	11	7	7
White	155	156	3	3	2
All other	103	128	8	4	5
Negro	103	128	8	4	5
Greene	31	122	5	4	1
White	20	77	2	1	–
All other	11	45	3	3	1
Negro	11	45	3	3	1
Guilford	2,532	2,404	69	57	33
White	1,973	1,840	41	36	19
All other	559	564	28	21	14
Negro	557	563	28	21	14
Greensboro	---	1,229	33	28	18
White	---	878	17	15	9
All other	---	351	16	13	9
Negro	---	350	16	13	9
High Point, part	---	601	20	13	6
White	---	469	11	8	3
All other	---	132	9	5	3
Negro	---	132	9	5	3
High Point, total	---	604	20	13	6
White	---	471	11	8	3
All other	---	133	9	5	3
Negro	---	133	9	5	3
Balance of county	---	574	16	16	9
White	---	493	13	13	7
All other	---	81	3	3	2
Negro	---	81	3	3	2
Halifax	596	604	25	16	14
White	323	310	6	5	5
All other	273	294	19	11	9
Negro	271	291	18	11	9
Roanoke Rapids	---	160	4	3	2
White	---	139	4	3	2
All other	---	21	–	–	–
Negro	---	21	–	–	–
Balance of county	---	444	21	13	12
White	---	171	2	2	3
All other	---	273	19	11	9
Negro	---	270	18	11	9
Harnett	413	508	8	6	14
White	301	370	7	5	10
All other	112	138	1	1	4
Negro	111	136	1	1	4
Haywood	428	427	4	4	2
Henderson	523	559	14	11	7
Hertford	314	234	6	3	7
White	145	90	1	–	2
All other	169	144	5	3	5
Negro	169	144	5	3	5
Hoke	137	123	4	3	7
White	75	59	–	–	3
All other	62	64	4	3	4
Negro	56	54	2	1	3
Hyde	27	68	3	2	2
White	20	47	–	–	–
All other	7	21	3	2	2
Negro	7	21	3	2	2
Iredell	625	658	25	17	10
White	507	525	16	11	3
All other	118	133	9	6	7
Negro	118	133	9	6	7
Statesville	---	223	5	4	5
White	---	158	1	1	1
All other	---	65	4	3	4
Negro	---	65	4	3	4
Balance of county	---	435	20	13	5
White	---	367	15	10	2
All other	---	68	5	3	3
Negro	---	68	5	3	3
Jackson	167	194	3	3	6
White	158	181	3	3	4
All other	9	13	–	–	2
Negro	3	2	–	–	–
Johnston	426	617	16	12	12
White	336	500	8	7	9
All other	90	117	8	5	3
Negro	90	117	8	5	3
Jones	22	100	2	2	–
White	16	62	1	1	–
All other	6	38	1	1	–
Negro	6	38	1	1	–
Lee	360	324	11	9	6
White	291	254	5	5	4
All other	69	70	6	4	2
Negro	69	70	6	4	2
Sanford	---	154	8	7	2
White	---	125	3	3	–
All other	---	29	5	4	2
Negro	---	29	5	4	2
Balance of county	---	170	3	2	4
White	---	129	2	2	4
All other	---	41	1	–	–
Negro	---	41	1	–	–
Lenoir	541	544	17	8	9
White	339	309	6	3	3
All other	202	235	11	5	6
Negro	202	235	11	5	6
Kinston	---	310	12	6	7
White	---	150	4	2	3
All other	---	160	8	4	4
Negro	---	160	8	4	4
Balance of county	---	234	5	2	2
White	---	159	2	1	–
All other	---	75	3	1	2
Negro	---	75	3	1	2
Lincoln	261	322	15	12	5
White	229	280	11	9	3
All other	32	42	4	3	2
Negro	32	42	4	3	2
McDowell	180	264	8	5	5
Macon	162	199	3	2	2
Madison	62	167	2	2	1
Martin	211	245	3	3	10
White	104	140	–	–	4
All other	107	105	3	3	6
Negro	107	105	3	3	6
Mecklenburg	3,269	2,704	92	68	61
White	2,429	1,918	43	33	26
All other	840	786	49	35	35
Negro	836	783	49	35	35
Charlotte	---	2,201	76	56	47
White	---	1,493	30	23	15
All other	---	708	46	33	32
Negro	---	705	46	33	32
Balance of county	---	503	16	12	14
White	---	425	13	10	11
All other	---	78	3	2	3
Negro	---	78	3	2	3
Mitchell	113	154	1	1	4
Montgomery	166	214	5	3	4
White	130	167	3	2	2
All other	36	47	2	1	2
Negro	36	47	2	1	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Moore	567	451	13	7	11
White	429	336	7	6	5
All other	138	115	6	1	6
Negro	137	115	6	1	6
Nash	662	595	18	13	18
White	398	367	7	7	8
All other	264	228	11	6	10
Negro	263	228	11	6	10
Rocky Mount, part	---	232	6	6	2
White	---	161	3	3	1
All other	---	71	3	3	1
Negro	---	71	3	3	1
Rocky Mount, total	---	390	9	7	4
White	---	244	4	4	1
All other	---	146	5	3	3
Negro	---	146	5	3	3
Balance of county	---	363	12	7	16
White	---	206	4	4	7
All other	---	157	8	3	9
Negro	---	157	8	3	9
New Hanover	1,008	808	31	23	18
White	737	579	19	15	11
All other	271	229	12	8	7
Negro	268	229	12	8	6
Wilmington	---	524	19	13	11
White	---	321	9	6	6
All other	---	203	10	7	5
Negro	---	203	10	7	5
Balance of county	---	284	12	10	7
Northampton	98	289	9	6	9
White	43	135	2	2	1
All other	55	154	7	4	8
Negro	55	154	7	4	8
Onslow	347	422	51	39	26
White	253	321	40	31	23
All other	94	101	11	8	3
Negro	93	101	11	8	3
Jacksonville	---	87	7	7	9
White	---	69	7	7	8
All other	---	18	–	–	1
Negro	---	18	–	–	1
Balance of county	---	335	44	32	17
White	---	252	33	24	15
All other	---	83	11	8	2
Negro	---	83	11	8	2
Orange	897	395	11	10	11
White	563	307	6	5	10
All other	334	88	5	5	1
Negro	329	88	5	5	1
Chapel Hill, part	---	120	1	1	5
White	---	93	1	1	5
All other	---	27	–	–	–
Negro	---	27	–	–	–
Chapel Hill, total	---	120	1	1	5
White	---	93	1	1	5
All other	---	27	–	–	–
Negro	---	27	–	–	–
Balance of county	---	275	10	9	6
White	---	214	5	4	5
All other	---	61	5	5	1
Negro	---	61	5	5	1
Pamlico	30	92	2	2	3
White	25	66	1	1	2
All other	5	26	1	1	1
Negro	5	26	1	1	1
Pasquotank	461	303	8	5	10
White	313	195	2	2	5
All other	148	108	6	3	5
Negro	147	107	6	3	5
Elizabeth City	---	205	5	4	1
White	---	126	1	1	1
All other	---	79	4	3	–
Negro	---	78	4	3	–
Balance of county	---	98	3	1	9
White	---	69	1	1	4
All other	---	29	2	–	5
Negro	---	29	2	–	5
Pender	175	205	5	4	5
White	108	130	3	3	2
All other	67	75	2	1	3
Negro	67	74	2	1	3
Perquimans	24	109	–	–	1
White	18	64	–	–	–
All other	6	45	–	–	1
Negro	6	45	–	–	1
Person	218	251	3	3	3
White	153	184	2	2	3
All other	65	67	1	1	–
Negro	65	67	1	1	–
Pitt	669	664	21	16	11
White	389	379	6	5	4
All other	280	285	15	11	7
Negro	280	285	15	11	7
Greenville	---	247	4	4	4
White	---	133	2	2	2
All other	---	114	2	2	2
Negro	---	114	2	2	2
Balance of county	---	417	17	12	7
White	---	246	4	3	2
All other	---	171	13	9	5
Negro	---	171	13	9	5
Polk	197	148	1	1	–
White	174	132	1	1	–
All other	23	16	–	–	–
Negro	23	16	–	–	–
Randolph	420	645	20	12	11
Asheboro	---	135	2	1	–
White	---	115	–	–	–
All other	---	20	2	1	–
Negro	---	20	2	1	–
High Point, part	---	2	–	–	–
Balance of county	---	508	18	11	11
Richmond	321	430	15	11	11
White	216	295	6	6	6
All other	105	135	9	5	5
Negro	103	134	9	5	5
Robeson	807	836	34	22	25
White	404	405	7	6	8
All other	403	431	27	16	17
Negro	237	229	11	4	3
Lumberton	---	189	2	1	6
White	---	120	–	–	5
All other	---	69	2	1	1
Negro	---	53	2	1	–
Balance of county	---	647	32	21	19
White	---	285	7	6	3
All other	---	362	25	15	16
Negro	---	176	9	3	3
Rockingham	620	752	24	19	17
White	471	582	15	13	9
All other	149	170	9	6	8
Negro	149	170	9	6	8
Eden	---	182	2	1	2
White	---	163	–	–	2
All other	---	19	2	1	–
Negro	---	19	2	1	–
Reidsville	---	176	3	2	6
White	---	105	3	2	1
All other	---	71	–	–	5
Negro	---	71	–	–	5
Balance of county	---	394	19	16	9
White	---	314	12	11	6
All other	---	80	7	5	3
Negro	---	80	7	5	3
Rowan	941	867	8	7	17
White	739	699	4	3	11
All other	202	168	4	4	6
Negro	202	168	4	4	6
Salisbury	---	305	4	4	2
White	---	203	–	–	–
All other	---	102	4	4	2
Negro	---	102	4	4	2
Balance of county	---	562	4	3	15
White	---	496	4	3	11
All other	---	66	–	–	4
Negro	---	66	–	–	4
Rutherford	419	482	13	9	4
White	358	416	12	8	3
All other	61	66	1	1	1
Negro	61	66	1	1	1
Sampson	384	454	10	6	8
White	250	302	4	3	5
All other	134	152	6	3	3
Negro	131	149	5	3	3
Scotland	286	270	6	4	9
White	168	164	3	2	4
All other	118	106	3	2	5
Negro	97	100	3	2	3
Stanly	362	442	5	3	7
White	326	402	4	3	7
All other	36	40	1	–	–
Negro	35	39	1	–	–
Albemarle	---	121	1	1	3
White	---	114	1	1	3
All other	---	7	–	–	–
Negro	---	7	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina—Con.					
Stanly—Con.					
Balance of county	---	321	4	2	4
White	---	288	3	2	4
All other	---	33	1	–	–
Negro	---	32	1	–	–
Stokes	129	222	3	2	4
Surry	491	530	10	9	5
Swain	106	93	4	2	4
White	90	76	2	2	1
All other	16	17	2	–	3
Negro	1	1	–	–	–
Transylvania	151	176	7	6	2
Tyrrell	50	64	3	2	–
White	35	40	1	1	–
All other	15	24	2	1	–
Negro	15	24	2	1	–
Union	355	460	20	12	9
White	280	372	12	8	5
All other	75	88	8	4	4
Negro	75	87	8	4	4
Monroe	---	109	7	4	–
White	---	72	3	2	–
All other	---	37	4	2	–
Negro	---	37	4	2	–
Balance of county	---	351	13	8	9
White	---	300	9	6	5
All other	---	51	4	2	4
Negro	---	50	4	2	4
Vance	325	357	7	5	12
White	187	214	4	4	2
All other	138	143	3	1	10
Negro	138	143	3	1	10
Henderson	---	169	3	3	4
White	---	96	2	2	–
All other	---	73	1	1	4
Negro	---	73	1	1	4
Balance of county	---	188	4	2	8
White	---	118	2	2	2
All other	---	70	2	–	6
Negro	---	70	2	–	6
Wake	1,948	1,753	55	44	35
White	1,386	1,249	30	24	17
All other	562	504	25	20	18
Negro	562	503	24	20	18
Raleigh	---	952	25	18	17
White	---	651	15	11	7
All other	---	301	10	7	10
Negro	---	300	9	7	10
Balance of county	---	801	30	26	18
White	---	598	15	13	10
All other	---	203	15	13	8
Negro	---	203	15	13	8
Warren	85	174	7	5	5
White	39	68	2	2	–
All other	46	106	5	3	5
Negro	46	106	5	3	5
Washington	90	124	8	5	6
White	51	68	–	–	2
All other	39	56	8	5	4
Negro	39	56	8	5	4
Watauga	188	178	2	2	3
Wayne	804	747	40	28	22
White	524	483	16	13	12
All other	280	264	24	15	10
Negro	278	261	23	15	10
Goldsboro	---	326	16	11	9
White	---	184	5	4	4
All other	---	142	11	7	5
Negro	---	142	11	7	5
Balance of county	---	421	24	17	13
White	---	299	11	9	8
All other	---	122	13	8	5
Negro	---	119	12	8	5
Wilkes	321	428	8	6	10
Wilson	742	577	16	12	12
White	470	351	7	6	2
All other	272	226	9	7	10
Negro	271	225	9	7	10
Wilson	---	349	9	7	6
White	---	200	2	2	1
All other	---	149	7	5	5
Negro	---	148	7	5	5
Balance of county	---	228	7	5	6
White	---	151	5	3	1
All other	---	77	2	2	5
Negro	---	77	2	2	5
Yadkin	110	225	6	6	7
Yancey	75	135	4	2	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Dakota	5,751	5,516	148	106	104
White	5,559	5,351	130	97	98
All other	192	165	18	9	6
Negro	5	5	3	3	1
Adams	67	38	–	–	–
Barnes	136	152	2	1	1
Benson	24	96	6	5	4
White	15	72	3	3	2
All other	9	24	3	2	2
Negro	–	–	–	–	–
Billings	1	4	–	–	–
Bottineau	93	114	2	1	–
Bowman	40	44	–	–	–
Burke	8	53	–	–	–
Burleigh	539	282	11	4	4
Bismarck	---	235	10	3	2
Balance of county	---	47	1	1	2
Cass	1,115	585	16	11	16
Fargo	---	416	7	5	13
Balance of county	---	169	9	6	3
Cavalier	71	86	1	1	1
Dickey	118	82	1	1	1
Divide	43	56	1	1	1
Dunn	10	44	–	–	–
Eddy	35	49	1	1	1
Emmons	30	57	1	1	2
Foster	54	48	1	1	1
Golden Valley	21	22	–	–	–
Grand Forks	483	378	20	17	9
Grand Forks	---	243	16	15	5
Balance of county	---	135	4	2	4
Grant	31	49	–	–	–
Griggs	35	51	2	2	–
Hettinger	9	45	1	1	1
Kidder	13	35	–	–	–
La Moure	24	70	1	1	1
Logan	4	23	–	–	1
McHenry	23	86	–	–	3
McIntosh	59	51	–	–	1
McKenzie	33	57	2	–	2
McLean	91	131	4	4	2
Mercer	60	66	–	–	–
Morton	93	188	5	4	7
Mandan	---	95	3	3	5
Balance of county	---	93	2	1	2
Mountrail	83	107	2	2	1
Nelson	63	91	1	1	3
Oliver	5	16	–	–	1
Pembina	109	117	2	1	4
Pierce	119	72	1	–	2
Ramsey	155	130	4	3	2
Ransom	55	93	–	–	1
Renville	20	36	2	1	–
Richland	101	200	3	3	3
Rolette	97	116	6	2	3
White	55	61	1	–	3
All other	42	55	5	2	–
Negro	–	–	–	–	–
Sargent	17	57	1	1	1
Sheridan	8	38	1	–	1
Sioux	30	42	2	1	1
White	1	13	–	–	–
All other	29	29	2	1	1
Negro	–	–	–	–	–
Slope	–	3	–	–	1
Stark	212	177	10	10	3
Dickinson	---	110	7	7	1
Balance of county	---	67	3	3	2
Steele	11	31	–	–	–
Stutsman	230	196	3	2	5
Jamestown	---	127	1	1	2
Balance of county	---	69	2	1	3
Towner	61	53	1	–	–
Traill	106	108	2	1	1
Walsh	141	162	1	1	1
Ward	474	350	20	13	10
Minot	---	240	13	7	7
Balance of county	---	110	7	6	3
Wells	88	95	2	2	1
Williams	203	184	6	5	–
Williston	---	113	4	3	–
Balance of county	---	71	2	2	–
Ohio	95,814	96,159	2,322	1,737	1,391
White	86,440	86,752	1,828	1,373	1,105
All other	9,374	9,407	494	364	286
Negro	9,315	9,349	490	361	277
Adams	175	242	3	1	1
Allen	1,313	996	23	20	24

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Allen—Con.					
Lima	---	564	20	18	16
White	---	494	11	9	11
All other	---	70	9	9	5
Negro	---	70	9	9	5
Balance of county	---	432	3	2	8
Ashland	393	375	10	8	6
Ashland	---	182	8	6	3
Balance of county	---	193	2	2	3
Ashtabula	813	1,001	29	20	7
Ashtabula	---	275	6	4	2
Conneaut	---	142	2	2	–
Balance of county	---	584	21	14	5
Athens	410	434	11	8	7
Athens	---	101	2	2	–
Balance of county	---	333	9	6	7
Auglaize	285	359	12	9	1
Belmont	820	962	16	14	6
Martins Ferry	---	148	2	2	2
Balance of county	---	814	14	12	4
Brown	283	310	6	4	–
Butler	1,779	1,786	42	34	29
White	1,684	1,686	35	29	27
All other	95	100	7	5	2
Negro	94	99	7	5	2
Fairfield	---	106	3	1	1
Hamilton	---	597	11	10	10
Middletown	---	468	10	6	7
White	---	416	7	5	7
All other	---	52	3	1	–
Negro	---	52	3	1	–
Oxford	---	44	–	–	2
Balance of county	---	571	18	17	9
Carroll	100	209	4	2	1
Champaign	238	302	7	3	5
Urbana	---	129	5	2	2
Balance of county	---	173	2	1	3
Clark	1,335	1,378	31	28	17
White	1,195	1,228	25	24	16
All other	140	150	6	4	1
Negro	140	150	6	4	1
Springfield	---	898	21	19	5
White	---	753	15	15	4
All other	---	145	6	4	1
Negro	---	145	6	4	1
Balance of county	---	480	10	9	12
Clermont	374	697	18	14	11
Clinton	293	294	8	6	3
Wilmington	---	104	5	4	–
Balance of county	---	190	3	2	3
Columbiana	1,167	1,223	23	16	15
East Liverpool	---	273	10	5	5
Salem	---	166	1	1	3
Balance of county	---	784	12	10	7
Coshocton	363	390	6	4	7
Coshocton	---	194	4	4	4
Balance of county	---	196	2	–	3
Crawford	451	496	15	11	5
Bucyrus	---	157	6	5	1
Galion	---	138	7	4	1
Balance of county	---	201	2	2	3
Cuyahoga	16,967	16,313	328	260	221
White	13,783	13,159	191	154	133
All other	3,184	3,154	137	106	88
Negro	3,164	3,136	136	106	88
Bay Village	---	130	–	–	1
Bedford	---	132	3	3	1
Bedford Heights	---	78	4	3	1
Berea	---	125	3	2	4
Broadview Heights	---	70	–	–	1
Brooklyn	---	104	–	–	1
Brook Park	---	101	6	6	3
Cleveland	---	8,002	208	162	131
White	---	5,167	87	71	62
All other	---	2,835	121	91	69
Negro	---	2,822	120	91	69
Cleveland Heights	---	656	8	6	4
East Cleveland	---	276	6	5	10
White	---	158	1	1	–
All other	---	118	5	4	10
Negro	---	118	5	4	10
Euclid	---	667	12	11	5
Fairview Park	---	198	1	–	2
Garfield Heights	---	365	6	5	2
Lakewood	---	724	9	8	1
Lyndhurst	---	165	–	–	3
Maple Heights	---	289	3	2	2
Mayfield Heights	---	247	1	1	2
Middleburg Heights	---	86	–	–	–
North Olmstead	---	221	5	3	2
Ohio—Con.					
Cuyahoga—Con.					
North Royalton	---	105	3	3	2
Parma	---	831	14	13	10
Parma Heights	---	217	5	4	–
Rocky River	---	245	2	2	4
Seven Hills	---	117	2	2	–
Shaker Heights	---	320	2	1	1
White	---	283	2	1	–
All other	---	37	–	–	1
Negro	---	37	–	–	1
Solon	---	69	–	–	–
South Euclid	---	301	6	3	4
Strongsville	---	101	3	2	5
University Heights	---	132	–	–	2
Warrensville Heights	---	101	6	6	2
White	---	70	2	2	–
All other	---	31	4	4	2
Negro	---	31	4	4	2
Westlake	---	124	1	–	2
Balance of county	---	1,014	9	7	13
Darke	407	528	9	7	10
Greenville	---	198	3	3	1
Balance of county	---	330	6	4	9
Defiance	290	313	11	9	9
Defiance	---	141	4	2	1
Balance of county	---	172	7	7	8
Delaware	350	367	8	6	3
Delaware	---	146	4	3	1
Westerville, part	---	8	–	–	–
Balance of county	---	213	4	3	2
Erie	790	727	22	18	14
Sandusky	---	397	10	9	7
White	---	353	4	4	6
All other	---	44	6	5	1
Negro	---	44	6	5	1
Balance of county	---	330	12	9	7
Fairfield	541	666	14	10	11
Lancaster	---	314	5	3	11
Balance of county	---	352	9	7	–
Fayette	322	286	4	3	1
Washington	---	172	1	–	–
Balance of county	---	114	3	3	1
Franklin	7,445	6,494	193	145	103
White	6,454	5,508	140	106	75
All other	991	986	53	39	28
Negro	985	979	53	39	28
Bexley	---	109	1	–	1
Columbus	---	4,732	154	115	76
White	---	3,777	101	76	50
All other	---	955	53	39	26
Negro	---	948	53	39	26
Gahanna	---	67	4	4	2
Grove City	---	107	2	1	2
Reynoldsburg, part	---	95	3	2	2
Reynoldsburg, total	---	97	3	2	2
Upper Arlington	---	261	2	2	1
Westerville, part	---	84	2	2	3
Westerville, total	---	92	2	2	3
Whitehall	---	123	4	2	2
Worthington	---	98	–	–	–
Balance of county	---	818	21	17	14
Fulton	236	289	9	7	3
Gallia	465	288	10	8	2
Geauga	347	415	11	7	7
Greene	645	701	22	17	8
Fairborn	---	156	7	4	2
Xenia	---	205	9	8	–
White	---	156	6	5	–
All other	---	49	3	3	–
Negro	---	49	3	3	–
Balance of county	---	340	6	5	6
Guernsey	465	455	14	11	5
Cambridge	---	188	6	6	–
Balance of county	---	267	8	5	5
Hamilton	9,672	8,638	208	152	101
White	8,147	7,125	153	112	67
All other	1,525	1,513	55	40	34
Negro	1,515	1,505	54	39	33
Cheviot	---	130	–	–	1
Cincinnati	---	5,472	137	102	74
White	---	4,087	85	63	40
All other	---	1,385	52	39	34
Negro	---	1,378	51	38	33
Forest Park	---	38	–	–	1
North College Hill	---	118	–	–	–
Norwood	---	316	6	4	–
Reading	---	96	–	–	–
Sharonville	---	68	4	3	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio—Con.					
Hamilton—Con.					
Balance of county	---	2,400	61	43	25
White	---	2,275	58	42	25
All other	---	125	3	1	–
Negro	---	124	3	1	–
Hancock	676	548	5	3	10
Findlay	---	341	3	1	7
Fostoria, part	---	21	–	–	–
Balance of county	---	186	2	2	3
Hardin	285	316	7	7	3
Harrison	161	219	4	4	1
Henry	230	287	8	6	1
Highland	287	382	7	6	5
Hocking	167	208	8	6	3
Holmes	266	189	10	8	3
Huron	426	471	11	4	5
Norwalk	---	125	3	1	2
Balance of county	---	346	8	3	3
Jackson	211	332	11	8	4
Jefferson	978	1,054	19	14	13
Steubenville	---	420	8	5	3
White	---	373	7	5	2
All other	---	47	1	–	1
Negro	---	47	1	–	1
Balance of county	---	634	11	9	10
Knox	476	463	9	7	2
Mount Vernon	---	183	2	2	1
Balance of county	---	280	7	5	1
Lake	1,259	1,384	31	22	30
Eastlake	---	126	6	3	5
Mentor	---	221	6	3	5
Painesville	---	178	4	4	3
White	---	163	3	3	1
All other	---	15	1	1	2
Negro	---	15	1	1	2
Wickliffe	---	124	2	2	5
Willoughby	---	144	3	3	4
Willowick	---	123	1	1	2
Balance of county	---	468	9	6	6
Lawrence	388	562	8	8	11
Ironton	---	201	2	2	2
Balance of county	---	361	6	6	9
Licking	868	1,022	25	18	11
Newark	---	500	8	4	5
Reynoldsburg, part	---	2	–	–	–
Balance of county	---	520	17	14	6
Logan	305	380	7	3	5
Bellefontaine	---	129	4	–	3
Balance of county	---	251	3	3	2
Lorain	1,900	1,970	72	54	48
White	1,763	1,825	60	46	40
All other	137	145	12	8	8
Negro	137	145	12	8	5
Avon Lake	---	77	1	–	–
Elyria	---	488	21	16	15
White	---	438	18	14	12
All other	---	50	3	2	3
Negro	---	50	3	2	2
Lorain	---	651	27	20	17
White	---	593	19	15	14
All other	---	58	8	5	3
Negro	---	58	8	5	2
North Ridgeville	---	68	2	2	3
Balance of county	---	686	21	16	13
Lucas	5,482	4,726	124	91	72
White	4,935	4,181	86	64	45
All other	547	545	38	27	27
Negro	541	540	38	27	24
Maumee	---	94	2	1	1
Oregon	---	162	5	5	2
Sylvania	---	102	3	3	1
Toledo	---	3,901	102	72	61
White	---	3,381	65	46	38
All other	---	520	37	26	23
Negro	---	515	37	26	23
Balance of county	---	467	12	10	7
Madison	204	252	8	6	2
Mahoning	2,592	3,017	63	45	47
White	2,234	2,581	34	27	29
All other	358	436	29	18	18
Negro	356	434	29	18	17
Alliance, part	---	–	–	–	–
Campbell	---	119	2	–	1
White	---	107	2	–	1
All other	---	12	–	–	–
Negro	---	12	–	–	–
Struthers	---	149	2	2	2
Youngstown, part	---	1,606	40	27	32
White	---	1,202	11	9	14
All other	---	404	29	18	18
Negro	---	402	29	18	17
Ohio—Con.					
Mahoning—Con.					
Youngstown, total	---	1,612	41	28	32
White	---	1,207	11	9	14
All other	---	405	30	19	18
Negro	---	403	30	19	17
Balance of county	---	1,143	19	16	12
Marion	629	597	22	16	5
Marion	---	372	20	14	4
Balance of county	---	225	2	2	1
Medina	654	659	19	16	11
Brunswick	---	90	3	2	1
Medina	---	124	5	5	3
Wadsworth	---	138	3	3	3
Balance of county	---	307	8	6	4
Meigs	158	246	7	5	2
Mercer	280	343	10	9	8
Miami	698	771	25	18	8
Piqua	---	242	8	6	2
Troy	---	189	4	4	3
Balance of county	---	340	13	8	3
Monroe	50	166	2	2	3
Montgomery	5,349	4,785	136	104	69
White	4,511	3,998	83	64	49
All other	838	787	53	40	20
Negro	832	783	52	39	20
Centerville	---	64	5	4	–
Dayton	---	2,416	76	57	35
White	---	1,721	30	23	18
All other	---	695	46	34	17
Negro	---	693	46	34	17
Kettering	---	444	12	9	3
Miamisburg	---	112	4	3	3
Oakwood	---	114	–	–	–
Vandalia	---	64	1	1	1
West Carrollton	---	69	–	–	–
Balance of county	---	1,502	38	30	27
Morgan	71	117	1	–	2
Morrow	158	208	3	1	5
Muskingum	1,031	793	15	9	13
Zanesville	---	447	8	4	6
Balance of county	---	346	7	5	7
Noble	61	130	2	2	2
Ottawa	210	383	5	3	9
Paulding	120	183	9	5	2
Perry	95	309	3	3	5
Pickaway	228	309	9	4	6
Circleville	---	122	4	2	2
Balance of county	---	187	5	2	4
Pike	165	234	7	5	1
Portage	658	777	23	15	13
Kent	---	111	2	1	–
Ravenna	---	138	3	2	2
Balance of county	---	528	18	12	11
Preble	133	277	7	7	6
Putnam	104	283	9	6	2
Richland	1,133	1,116	23	19	27
Mansfield	---	651	15	11	18
White	---	595	12	8	13
All other	---	56	3	3	5
Negro	---	54	2	2	5
Balance of county	---	465	8	8	9
Ross	771	592	17	11	18
Chillicothe	---	302	5	4	7
Balance of county	---	290	12	7	11
Sandusky	513	554	17	9	5
Fremont	---	213	7	4	3
Balance of county	---	341	10	5	2
Scioto	941	940	22	15	18
Portsmouth	---	438	6	4	6
Balance of county	---	502	16	11	12
Seneca	366	561	13	9	7
Fostoria, part	---	135	2	2	1
Fostoria, total	---	162	3	2	1
Tiffin	---	222	4	2	–
Balance of county	---	204	7	5	6
Shelby	280	317	5	5	8
Sidney	---	168	2	2	3
Balance of county	---	149	3	3	5
Stark	3,748	3,474	81	62	39
White	3,546	3,261	71	54	34
All other	202	213	10	8	5
Negro	200	210	10	8	5
Alliance, part	---	280	4	3	2
White	---	244	3	2	2
All other	---	36	1	1	–
Negro	---	35	1	1	–
Alliance, total	---	280	4	3	2
White	---	244	3	2	2
All other	---	36	1	1	–
Negro	---	35	1	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio—Con.					
Stark—Con.					
Canton	---	1,301	32	24	16
White	---	1,179	26	19	12
All other	---	122	6	5	4
Negro	---	120	6	5	4
Massillon	---	403	9	6	3
North Canton	---	96	1	1	3
Balance of county	---	1,394	35	28	15
Summit	4,842	4,792	117	88	70
White	4,430	4,370	77	60	47
All other	412	422	40	28	23
Negro	410	421	40	28	23
Akron	---	2,768	76	56	44
White	---	2,375	38	29	22
All other	---	393	38	27	22
Negro	---	393	38	27	22
Barberton	---	343	10	8	5
Cuyahoga Falls	---	385	6	5	5
Norton	---	65	1	1	1
Stow	---	118	8	6	3
Tallmadge	---	88	1	1	2
Balance of county	---	1,025	15	11	10
Trumbull	2,273	2,045	50	42	32
White	2,095	1,928	42	35	25
All other	178	117	8	7	7
Negro	178	117	8	7	7
Girard	---	128	2	–	1
Niles	---	250	2	2	3
Warren	---	714	22	19	11
White	---	629	15	13	6
All other	---	85	7	6	5
Negro	---	85	7	6	5
Youngstown, part	---	6	1	1	–
White	---	5	–	–	–
All other	---	1	1	1	–
Negro	---	1	1	1	–
Balance of county	---	947	23	20	17
Tuscarawas	737	856	13	7	15
Dover	---	126	1	1	–
New Philadelphia	---	189	1	–	1
Balance of county	---	541	11	6	14
Union	190	227	7	6	3
Van Wert	254	287	5	4	4
Van Wert	---	136	5	4	2
Balance of county	---	151	–	–	2
Vinton	42	100	3	3	1
Warren	246	540	17	9	13
Franklin	---	82	2	2	4
Balance of county	---	458	15	7	9
Washington	518	529	10	9	8
Marietta	---	193	2	1	5
Balance of county	---	336	8	8	3
Wayne	548	683	22	16	7
Wooster	---	181	3	2	2
Balance of county	---	502	19	14	5
Williams	259	299	2	–	4
Wood	423	724	16	9	18
Bowling Green	---	94	3	–	2
Fostoria, part	---	6	1	–	–
Balance of county	---	624	12	9	16
Wyandot	183	237	4	2	3
Oklahoma	26,412	27,129	729	493	431
White	23,731	24,418	562	380	324
All other	2,681	2,711	167	113	107
Negro	1,870	1,883	112	78	68
Adair	82	158	5	4	1
White	68	129	4	3	1
All other	14	29	1	1	–
Negro	–	–	–	–	–
Alfalfa	78	134	1	1	–
Atoka	115	143	3	1	2
White	105	135	3	1	2
All other	10	8	–	–	–
Negro	5	3	–	–	–
Beaver	40	50	–	–	1
Beckham	244	230	4	3	6
Blaine	154	180	8	6	2
White	130	136	4	3	1
All other	24	44	4	3	1
Negro	7	9	1	1	–
Bryan	273	336	8	6	3
Durant	---	159	5	4	1
Balance of county	---	177	3	2	2
Caddo	196	344	14	7	10
White	164	279	7	4	7
All other	32	65	7	3	3
Negro	4	6	–	–	–
Oklahoma—Con.					
Canadian	216	301	7	4	5
El Reno	---	167	2	1	–
White	---	149	1	1	–
All other	---	18	1	–	–
Negro	---	12	–	–	–
Oklahoma City, part	---	1	–	–	–
Balance of county	---	133	5	3	5
Carter	517	538	10	7	8
White	459	477	8	6	6
All other	58	61	2	1	2
Negro	49	50	2	1	1
Ardmore	---	358	5	3	5
White	---	311	4	3	3
All other	---	47	1	–	2
Negro	---	38	1	–	1
Balance of county	---	180	5	4	3
White	---	166	4	3	3
All other	---	14	1	1	–
Negro	---	12	1	1	–
Cherokee	230	261	6	4	3
White	155	203	5	3	2
All other	75	58	1	1	1
Negro	3	3	–	–	–
Choctaw	179	234	2	2	9
White	140	192	–	–	4
All other	39	42	2	2	5
Negro	34	40	2	2	3
Cimarron	24	31	1	1	1
Cleveland	554	545	15	13	9
Moore	---	98	7	7	2
Norman	---	331	5	4	4
Oklahoma City, part	---	12	–	–	–
Balance of county	---	104	3	2	3
Coal	59	75	–	–	2
Comanche	697	669	55	41	26
White	563	566	36	27	19
All other	134	103	19	14	7
Negro	63	69	15	12	5
Lawton	---	499	49	37	21
White	---	420	32	24	16
All other	---	79	17	13	5
Negro	---	62	14	12	5
Balance of county	---	170	6	4	5
White	---	146	4	3	3
All other	---	24	2	1	2
Negro	---	7	1	–	–
Cotton	44	86	1	1	1
Craig	190	182	3	3	–
White	179	172	3	3	–
All other	11	10	–	–	–
Negro	8	5	–	–	–
Creek	454	539	11	5	12
Sapulpa	---	227	5	1	4
White	---	205	5	1	1
All other	---	22	–	–	3
Negro	---	19	–	–	2
Balance of county	---	312	6	4	8
Custer	312	267	6	3	6
Delaware	220	262	8	7	5
White	190	220	3	3	4
All other	30	42	5	4	1
Negro	–	–	–	–	–
Dewey	23	75	–	–	1
Ellis	103	76	–	–	1
Garfield	707	608	16	11	9
Enid	---	501	16	11	6
Balance of county	---	107	–	–	3
Garvin	302	325	4	3	–
Grady	355	359	2	–	5
Chickasha	---	220	1	–	4
White	---	205	1	–	4
All other	---	15	–	–	–
Negro	---	12	–	–	–
Balance of county	---	139	1	–	1
Grant	47	81	–	–	–
Greer	125	148	1	1	–
Harmon	71	83	1	1	1
Harper	56	51	1	1	1
Haskell	113	147	2	1	5
Hughes	182	203	2	1	5
White	153	173	1	–	5
All other	29	30	1	1	–
Negro	11	7	–	–	–
Jackson	260	271	10	7	7
Altus	---	173	9	6	6
White	---	159	6	4	4
All other	---	14	3	2	2
Negro	---	12	3	2	2
Balance of county	---	98	1	1	1
Jefferson	93	116	2	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma—Con.					
Johnston	99	132	–	–	1
White	94	126	–	–	1
All other	5	6	–	–	–
Negro	–	–	–	–	–
Kay	557	581	9	7	8
Ponca City	– – –	292	6	6	4
Balance of county	– – –	289	3	1	4
Kingfisher	128	152	4	2	4
Kiowa	159	175	3	2	1
Latimer	123	113	1	1	–
Le Flore	246	421	13	10	4
Lincoln	182	238	3	–	–
Logan	251	303	8	1	3
White	218	257	5	1	2
All other	33	46	3	–	1
Negro	33	46	3	–	1
Love	56	86	–	–	1
McClain	141	174	5	3	5
Oklahoma City, part	– – –	2	–	–	–
Balance of county	– – –	172	5	3	5
McCurtain	291	379	13	8	4
White	226	300	10	5	4
All other	65	79	3	3	–
Negro	49	53	2	2	–
McIntosh	102	186	2	1	2
White	82	146	2	1	1
All other	20	40	–	–	1
Negro	13	26	–	–	1
Major	70	94	1	1	–
Marshall	108	134	4	2	1
Mayes	254	329	8	6	1
White	238	312	7	5	–
All other	16	17	1	1	1
Negro	2	2	–	–	–
Murray	194	185	2	2	2
Muskogee	1,011	775	18	11	6
White	810	589	14	9	4
All other	201	186	4	2	2
Negro	182	161	4	2	1
Muskogee	– – –	549	7	4	6
White	– – –	411	4	3	4
All other	– – –	138	3	1	2
Negro	– – –	119	3	1	1
Balance of county	– – –	226	11	7	–
White	– – –	178	10	6	–
All other	– – –	48	1	1	–
Negro	– – –	42	1	1	–
Noble	85	128	2	1	–
Nowata	87	126	1	1	2
White	81	120	1	1	2
All other	6	6	–	–	–
Negro	6	6	–	–	–
Okfuskee	89	153	2	1	2
White	72	121	1	–	2
All other	17	32	1	1	–
Negro	11	25	1	1	–
Oklahoma	5,624	4,645	156	105	71
White	4,978	4,097	107	69	49
All other	646	548	49	36	22
Negro	569	500	44	33	17
Bethany	– – –	126	3	2	1
Del City	– – –	141	9	5	1
Edmond	– – –	156	4	3	3
Midwest City	– – –	292	13	11	6
Oklahoma City, part	– – –	3,646	120	80	54
White	– – –	3,184	78	50	36
All other	– – –	462	42	30	18
Negro	– – –	425	39	29	14
Oklahoma City, total	– – –	3,661	120	80	54
White	– – –	3,199	78	50	36
All other	– – –	462	42	30	18
Negro	– – –	425	39	29	14
The Village	– – –	4	–	–	–
Balance of county	– – –	280	7	4	6
Okmulgee	377	490	6	4	4
White	311	395	4	3	4
All other	66	95	2	1	–
Negro	50	75	2	1	–
Okmulgee	– – –	230	5	3	2
White	– – –	173	4	3	2
All other	– – –	57	1	–	–
Negro	– – –	51	1	–	–
Balance of county	– – –	260	1	1	2
White	– – –	222	–	–	2
All other	– – –	38	1	1	–
Negro	– – –	24	1	1	–
Osage	198	294	7	4	6
White	174	256	5	3	6
All other	24	38	2	1	–
Negro	3	6	–	–	–
Oklahoma—Con.					
Osage—Con.					
Bartlesville, part	– – –	1	–	–	–
White	– – –	1	–	–	–
All other	– – –	–	–	–	–
Negro	– – –	–	–	–	–
Tulsa, part	– – –	4	–	–	–
White	– – –	4	–	–	–
All other	– – –	–	–	–	–
Negro	– – –	–	–	–	–
Balance of county	– – –	289	7	4	6
White	– – –	251	5	3	6
All other	– – –	38	2	1	–
Negro	– – –	6	–	–	–
Ottawa	330	392	7	4	1
Miami	– – –	184	2	1	–
Balance of county	– – –	208	5	3	1
Pawnee	137	159	4	2	2
Payne	383	404	14	12	5
Stillwater	– – –	181	9	9	4
Balance of county	– – –	223	5	3	1
Pittsburg	498	484	6	2	9
White	439	430	6	2	5
All other	59	54	–	–	4
Negro	44	40	–	–	4
McAlester	– – –	243	4	2	4
White	– – –	206	4	2	2
All other	– – –	37	–	–	2
Negro	– – –	31	–	–	2
Balance of county	– – –	241	2	–	5
Pontotoc	371	363	14	9	7
Ada	– – –	232	8	5	6
Balance of county	– – –	131	6	4	1
Pottawatomie	582	574	9	3	12
Oklahoma City, part	– – –	–	–	–	–
Shawnee	– – –	326	6	2	7
Balance of county	– – –	248	3	1	5
Pushmataha	108	143	5	4	–
Roger Mills	29	50	1	1	–
Rogers	267	296	8	5	5
Seminole	263	347	8	5	5
White	219	288	2	1	2
All other	44	59	6	4	3
Negro	21	27	2	1	1
Sequoyah	145	250	6	2	9
White	131	220	5	2	6
All other	14	30	1	–	3
Negro	6	12	–	–	–
Stephens	377	442	11	9	8
Duncan	– – –	226	7	6	4
Balance of county	– – –	216	4	3	4
Texas	102	139	5	2	3
Tillman	123	166	3	3	3
White	107	147	2	2	2
All other	16	19	1	1	1
Negro	15	19	1	1	1
Tulsa	4,004	3,467	130	96	70
White	3,556	3,067	101	75	54
All other	448	400	29	21	16
Negro	381	358	22	15	14
Broken Arrow	– – –	120	3	2	2
Sand Springs	– – –	119	6	5	–
Tulsa, part	– – –	2,931	108	79	57
White	– – –	2,553	80	59	42
All other	– – –	378	28	20	15
Negro	– – –	349	22	15	14
Tulsa, total	– – –	2,935	108	79	57
White	– – –	2,557	80	59	42
All other	– – –	378	28	20	15
Negro	– – –	349	22	15	14
Balance of county	– – –	297	13	10	11
Wagoner	133	221	2	1	6
White	108	189	2	1	4
All other	25	32	–	–	2
Negro	22	29	–	–	1
Washington	447	416	8	7	4
Bartlesville, part	– – –	286	7	6	3
Bartlesville, total	– – –	287	7	6	3
Balance of county	– – –	130	1	1	1
Washita	79	127	2	1	3
Woods	111	124	2	1	2
Woodward	176	164	7	5	2
Oregon	**20,493**	**20,486**	**443**	**276**	**307**
White	20,045	20,051	417	260	282
All other	448	435	26	16	25
Negro	238	237	15	9	11
Baker	170	184	7	2	5
Benton	358	300	12	5	4
Albany, part	– – –	1	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Oregon—Con.					
Benton—Con.					
Corvallis	---	171	6	4	1
Balance of county	---	128	6	1	3
Clackamas	1,448	1,564	37	28	26
Lake Oswego, part	---	113	3	1	1
Lake Oswego, total	---	116	3	1	1
Milwaukee, part	---	184	6	5	5
Milwaukee, total	---	184	6	5	5
Portland, part	---	2	–	–	–
Balance of county	---	1,265	28	22	20
Clatsop	305	347	3	2	1
Astoria	---	135	2	1	–
Balance of county	---	212	1	1	1
Columbia	182	269	5	4	3
Coos	547	548	13	6	7
Coos Bay	---	160	6	2	–
Balance of county	---	388	7	4	7
Crook	96	112	3	2	1
Curry	113	163	3	1	2
Deschutes	383	353	15	13	8
Bend	---	159	6	5	3
Balance of county	---	194	9	8	5
Douglas	674	700	15	7	14
Roseburg	---	225	1	1	2
Balance of county	---	475	14	6	12
Gilliam	19	24	–	–	–
Grant	75	72	4	1	–
Harney	61	70	2	1	–
Hood River	111	138	2	–	3
Jackson	1,034	1,008	19	12	14
Ashland	---	118	1	1	1
Medford	---	405	8	4	4
Balance of county	---	485	10	7	9
Jefferson	67	81	7	4	–
White	55	66	4	2	–
All other	12	15	3	2	–
Negro	1	1	–	–	–
Josephine	442	483	8	6	4
Grants Pass	---	180	2	2	–
Balance of county	---	303	6	4	4
Klamath	447	452	13	11	7
Klamath Falls	---	181	6	5	4
Balance of county	---	271	7	6	3
Lake	51	62	2	2	4
Lane	1,735	1,732	43	32	30
Eugene	---	735	15	12	11
Springfield	---	255	8	6	7
Balance of county	---	742	20	14	12
Lincoln	249	324	3	2	3
Linn	505	620	16	12	5
Albany, part	---	203	6	5	2
Albany, total	---	204	6	5	2
Balance of county	---	417	10	7	3
Malheur	254	202	7	3	4
Marion	1,617	1,596	39	19	26
Salem, part	---	832	15	8	14
Salem, total	---	918	16	9	15
Balance of county	---	764	24	11	12
Morrow	34	56	2	2	3
Multnomah	6,575	5,885	88	53	88
White	6,283	5,588	75	46	71
All other	292	297	13	7	17
Negro	197	209	10	6	11
Lake Oswego, part	---	2	–	–	–
Milwaukee, part	---	–	–	–	–
Portland, part	---	4,547	55	33	67
White	---	4,269	43	26	51
All other	---	278	12	7	16
Negro	---	201	9	6	11
Portland, total	---	4,561	55	33	67
White	---	4,283	43	26	51
All other	---	278	12	7	16
Negro	---	201	9	6	11
Balance of county	---	1,336	33	20	21
Polk	216	320	3	2	3
Salem, part	---	86	1	1	1
Balance of county	---	234	2	1	2
Sherman	6	22	–	–	–
Tillamook	174	209	8	3	3
Umatilla	445	474	15	11	5
Pendleton	---	149	5	3	2
Balance of county	---	325	10	8	3
Union	170	171	4	3	2
Wallowa	71	88	2	1	–
Wasco	216	186	2	1	1
City of the Dalles	---	132	2	1	1
Balance of county	---	54	–	–	–
Washington	1,244	1,213	30	21	25
Beaverton	---	157	7	5	2
Hillsboro	---	166	2	1	5
Oregon—Con.					
Washington—Con.					
Lake Oswego, part	---	1	–	–	–
Portland, part	---	12	–	–	–
Balance of county	---	877	21	15	18
Wheeler	3	16	–	–	1
Yamhill	396	442	11	4	5
McMinnville	---	132	4	1	1
Balance of county	---	310	7	3	4
Pennsylvania	**120,816**	**121,095**	**2,287**	**1,758**	**1,796**
White	109,835	110,198	1,767	1,370	1,405
All other	10,981	10,897	520	388	391
Negro	10,884	10,806	509	380	380
Adams	368	539	9	6	8
Allegheny	17,929	16,477	260	198	205
White	16,151	14,763	173	137	144
All other	1,778	1,714	87	61	61
Negro	1,772	1,709	87	61	59
Baldwin	---	184	4	4	3
Bellevue	---	148	–	–	–
Bethel Park	---	204	3	2	3
Brentwood	---	132	–	–	2
Carnegie	---	131	3	3	1
Castle Shannon	---	95	–	–	–
Clairton	---	148	3	–	3
White	---	113	–	–	2
All other	---	35	3	–	1
Negro	---	35	3	–	1
Dormont	---	133	–	–	2
Duquesne	---	159	3	2	1
White	---	134	2	2	–
All other	---	25	1	–	1
Negro	---	25	1	–	1
Harrison township†	---	159	–	–	2
McKees Rocks	---	152	1	–	–
McKeesport	---	501	10	8	8
White	---	445	7	6	7
All other	---	56	3	2	1
Negro	---	56	3	2	1
Monroeville	---	172	2	2	4
Mount Lebanon township†	---	360	3	3	–
Munhall	---	185	1	1	1
North Braddock	---	139	2	2	1
White	---	127	1	1	–
All other	---	12	1	1	1
Negro	---	12	1	1	1
North Versaille township†	---	85	1	1	–
Penn Hills township†	---	409	9	7	7
Pittsburgh	---	6,404	109	77	89
White	---	5,138	54	39	48
All other	---	1,266	55	38	41
Negro	---	1,264	55	38	40
Pleasant Hills	---	55	2	2	2
Plum	---	108	2	1	1
Ross township†	---	254	3	2	4
Scott township†	---	243	4	4	2
Shaler township†	---	262	3	3	2
Stowe township†	---	106	3	3	1
Swissvale	---	169	1	–	2
Upper St. Clair township†	---	74	1	1	1
West Mifflin	---	235	6	4	3
Whitehall	---	136	2	2	–
Wilkinsburg	---	352	8	7	7
White	---	313	2	1	2
All other	---	39	6	6	5
Negro	---	37	6	6	4
Balance of county	---	4,583	71	57	53
White	---	4,398	61	49	45
All other	---	185	10	8	8
Negro	---	184	10	8	8
Armstrong	510	768	10	10	9
Beaver	1,610	2,017	31	26	36
White	1,496	1,888	29	24	33
All other	114	129	2	2	3
Negro	113	128	2	2	3
Aliquippa	---	239	3	3	4
White	---	184	1	1	2
All other	---	55	2	2	2
Negro	---	55	2	2	2
Ambridge	---	155	3	3	–
Beaver Falls	---	172	1	1	7
White	---	150	1	1	7
All other	---	22	–	–	–
Negro	---	22	–	–	–
Ellwood City, part	---	8	–	–	–
Balance of county	---	1,443	24	19	25
Bedford	286	414	6	4	11

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania—Con.					
Berks	2,938	3,069	56	42	40
Reading	---	1,196	27	18	19
Balance of county	---	1,873	29	24	21
Blair	1,899	1,622	31	21	22
Altoona	---	842	19	13	4
Balance of county	---	780	12	8	18
Bradford	735	625	19	14	11
Bucks	2,977	3,109	70	53	60
Bensalem township†	---	223	6	2	5
Bristol	---	132	5	2	3
Bristol township†	---	317	12	8	12
Falls township†	---	140	3	2	6
Lower Southampton township†	---	89	1	1	1
Middletown township†	---	146	1	1	2
Morrisville	---	81	4	3	2
Upper Southampton township†	---	52	3	3	–
Warminster township†	---	169	1	1	2
Balance of county	---	1,760	34	30	27
Butler	1,074	1,198	28	23	12
Butler	---	239	3	3	4
Balance of county	---	959	25	20	8
Cambria	1,977	2,043	39	28	24
Johnstown	---	701	18	14	6
Balance of county	---	1,342	21	14	18
Cameron	25	67	–	–	–
Carbon	489	673	5	3	13
Centre	789	654	29	22	15
State College	---	112	9	5	1
Balance of county	---	542	20	17	14
Chester	2,073	2,259	57	49	59
White	1,897	2,064	43	37	47
All other	176	195	14	12	12
Negro	174	193	14	12	12
Coatesville	---	162	4	4	7
White	---	130	2	2	2
All other	---	32	2	2	5
Negro	---	32	2	2	5
Phoenixville	---	163	8	8	1
West Chester	---	234	7	4	8
White	---	196	4	3	6
All other	---	38	3	1	2
Negro	---	38	3	1	2
Balance of county	---	1,700	38	33	43
White	---	1,580	29	24	38
All other	---	120	9	9	5
Negro	---	118	9	9	5
Clarion	246	380	10	8	5
Clearfield	745	898	12	9	18
Du Bois	---	102	2	2	1
Balance of county	---	796	10	7	17
Clinton	347	422	4	3	9
Lock Haven	---	161	2	2	3
Balance of county	---	261	2	1	6
Columbia	625	624	8	6	7
Berwick	---	161	2	2	3
Bloomsburg	---	124	2	1	1
Balance of county	---	339	4	3	3
Crawford	838	909	28	22	11
Meadville	---	212	2	2	3
Balance of county	---	697	26	20	8
Cumberland	1,187	1,199	27	21	15
Carlisle	---	170	2	1	2
Balance of county	---	1,029	25	20	13
Dauphin	3,005	2,420	56	46	35
White	2,734	2,140	41	34	26
All other	271	280	15	12	9
Negro	268	280	15	12	9
Harrisburg	---	916	28	23	21
White	---	699	14	12	12
All other	---	217	14	11	9
Negro	---	217	14	11	9
Lower Paxton township†	---	187	4	4	–
Balance of county	---	1,317	24	19	14
Delaware	5,572	5,703	96	81	51
White	5,034	5,196	79	66	37
All other	538	507	17	15	14
Negro	534	504	17	15	14
Aston township†	---	104	2	2	1
Chester	---	625	17	14	12
White	---	347	5	4	3
All other	---	278	12	10	9
Negro	---	277	12	10	9
Collingdale	---	114	3	3	3
Darby	---	149	1	1	1
White	---	122	1	1	1
All other	---	27	–	–	–
Negro	---	27	–	–	–
Darby township†	---	38	1	1	–
White	---	18	1	1	–
All other	---	20	–	–	–
Negro	---	20	–	–	–
Pennsylvania—Con.					
Delaware—Con.					
Haverford township†	---	494	5	4	2
Lansdowne	---	166	3	2	1
Marple township†	---	193	2	2	–
Nether Providence township†	---	91	2	2	–
Radnor township†	---	171	–	–	2
Ridley township†	---	208	1	1	2
Springfield township†	---	216	2	2	–
Upper Chichester township†	---	58	1	1	–
Upper Darby township†	---	990	12	9	10
Yeadon	---	107	1	1	1
White	---	96	1	1	1
All other	---	11	–	–	–
Negro	---	11	–	–	–
Balance of county	---	1,979	43	36	16
Elk	334	352	3	3	8
Erie	2,702	2,557	57	53	69
Erie	---	1,340	33	30	32
Millcreek township†	---	320	4	4	5
Balance of county	---	897	20	19	32
Fayette	1,722	1,992	32	23	32
Connellsville	---	167	3	1	1
Uniontown	---	324	5	4	4
Balance of county	---	1,501	24	18	27
Forest	9	56	2	2	1
Franklin	899	964	25	19	9
Chambersburg	---	211	3	2	1
Waynesboro	---	107	3	2	–
Balance of county	---	646	19	15	8
Fulton	97	93	6	5	3
Greene	332	465	10	4	2
Huntingdon	321	394	10	7	7
Indiana	546	750	23	16	19
Indiana	---	100	2	1	1
Balance of county	---	650	21	15	18
Jefferson	459	553	6	4	1
Juniata	109	160	4	3	2
Lackawanna	3,004	2,906	44	34	23
Carbondale	---	150	2	2	1
Dunmore	---	201	3	1	1
Scranton	---	1,428	17	11	13
Balance of county	---	1,127	22	20	8
Lancaster	3,008	2,932	57	43	54
Columbia	---	148	1	1	3
Lancaster	---	693	12	11	16
Lancaster township†	---	120	3	3	–
Balance of county	---	1,971	41	28	35
Lawrence	1,121	1,134	16	11	16
Ellwood City, part	---	122	2	2	3
Ellwood City, total	---	130	2	2	3
New Castle	---	490	7	4	8
Balance of county	---	522	7	5	5
Lebanon	1,003	933	13	8	18
Lebanon	---	276	4	3	6
Balance of county	---	657	9	5	12
Lehigh	3,373	2,572	49	39	38
Allentown	---	1,293	27	21	17
Bethlehem, part	---	214	5	5	3
Emmaus	---	103	1	1	–
Balance of county	---	962	16	12	18
Luzerne	4,258	4,297	40	30	38
Hazleton	---	416	4	4	5
Kingston	---	204	1	1	1
Nanticoke	---	172	–	–	2
Pittston	---	138	1	–	1
Wilkes-Barre	---	814	6	4	9
Balance of county	---	2,553	28	21	20
Lycoming	1,306	1,247	24	19	21
Williamsport	---	461	11	8	5
Balance of county	---	786	13	11	16
McKean	550	594	9	5	14
Bradford	---	189	2	1	5
Balance of county	---	405	7	4	9
Mercer	1,363	1,296	23	12	14
Farrell	---	136	3	1	–
White	---	98	1	–	–
All other	---	38	2	1	–
Negro	---	38	2	1	–
Sharon	---	257	9	5	5
Balance of county	---	903	11	6	9
Mifflin	487	447	14	12	13
Lewistown	---	145	2	2	3
Balance of county	---	302	12	10	10
Monroe	680	640	10	9	8
Montgomery	6,545	5,705	99	81	71
White	6,122	5,435	81	68	65
All other	423	270	18	13	6
Negro	415	261	16	12	5
Abington township†	---	529	6	5	7
Cheltenham township†	---	369	5	5	6
Conshohocken	---	110	1	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Pennsylvania—Con.					
Montgomery—Con.					
East Norriton township†	---	86	3	3	1
Lansdale	---	190	2	2	4
Lower Merion township†	---	543	1	1	1
Lower Moreland township†	---	62	–	–	1
Norristown	---	462	21	18	7
White	---	391	14	12	5
All other	---	71	7	6	2
Negro	---	71	7	6	2
Plymouth township†	---	98	2	2	–
Pottstown	---	279	5	2	5
Springfield township†	---	214	1	1	2
Upper Moreland township†	---	146	2	2	1
West Norriton township†	---	73	2	2	1
Balance of county	---	2,544	48	37	35
Montour	803	178	6	6	1
Northampton	1,293	2,123	45	31	32
Bethlehem, part	---	638	15	8	3
Bethlehem, total	---	852	20	13	6
Easton	---	331	6	5	6
Balance of county	---	1,154	24	18	23
Northumberland	822	1,248	12	8	10
Shamokin	---	191	1	–	–
Sunbury	---	177	–	–	–
Balance of county	---	880	11	8	10
Perry	140	309	3	1	7
Philadelphia, coext. with Philadelphia city	21,337	21,127	503	373	370
White	14,813	14,517	198	147	142
All other	6,524	6,610	305	226	228
Negro	6,474	6,566	300	223	224
Pike	72	191	1	–	2
Potter	179	200	2	1	5
Schuylkill	2,051	2,175	29	23	26
Pottsville	---	266	3	3	4
Balance of county	---	1,909	26	20	22
Snyder	126	239	3	2	2
Somerset	774	841	18	15	14
Sullivan	46	64	2	2	1
Susquehanna	287	414	9	6	7
Tioga	313	371	6	5	11
Union	410	293	8	5	3
Venango	672	660	13	10	9
Oil City	---	182	1	1	2
Balance of county	---	478	12	9	7
Warren	514	513	7	7	11
Warren	---	195	–	–	5
Balance of county	---	318	7	7	6
Washington	2,228	2,313	41	31	31
Canonsburg	---	124	1	1	–
Washington	---	285	10	10	4
White	---	252	9	9	4
All other	---	33	1	1	–
Negro	---	33	1	1	–
Balance of county	---	1,904	30	20	27
Wayne	301	370	1	1	3
Westmoreland	3,310	3,567	63	55	51
Greensburg	---	235	4	4	5
Hempfield township†	---	260	2	2	–
Jeannette	---	168	1	1	2
Latrobe	---	149	1	1	3
Lower Burrell	---	97	2	2	1
Monessen	---	196	1	1	1
New Kensington	---	236	6	3	4
North Huntington township†	---	190	4	4	2
Balance of county	---	2,036	42	37	33
Wyoming	169	230	4	3	5
York	2,497	2,541	44	36	38
Hanover	---	175	3	3	–
Spring Garden township†	---	125	1	–	–
York	---	611	12	10	15
White	---	550	6	5	11
All other	---	61	6	5	4
Negro	---	60	5	4	4
Balance of county	---	1,630	28	23	23
Rhode Island	9,315	9,200	156	121	142
White	9,103	8,983	139	105	130
All other	212	217	17	16	12
Negro	196	200	16	16	11
Bristol	193	413	6	4	2
Barrington	---	123	4	3	1
Bristol	---	161	2	1	1
Warren	---	121	–	–	–
Balance of county	---	8	–	–	–
Kent	1,048	1,275	12	7	21
Warwick	---	754	6	4	8
West Warwick town†	---	242	4	2	8
Balance of county	---	279	2	1	5
Rhode Island—Con.					
Newport	502	649	21	21	6
Middletown town†	---	119	7	7	3
Newport	---	288	6	6	3
Balance of county	---	242	8	8	–
Providence	6,927	6,193	103	80	99
White	6,747	6,011	88	65	88
All other	180	182	15	15	11
Negro	170	173	15	15	10
Central Falls	---	217	4	4	3
Cranston	---	736	6	5	3
Cumberland town†	---	193	1	1	3
East Providence	---	524	4	3	10
North Providence town†	---	215	7	5	3
Pawtucket	---	902	9	4	12
Providence	---	2,046	47	41	38
White	---	1,890	33	27	29
All other	---	156	14	14	9
Negro	---	150	14	14	9
Woonsocket	---	524	13	8	10
Balance of county	---	836	12	9	17
Washington	645	670	14	9	14
North Kingstown town†	---	140	2	1	5
Balance of county	---	530	12	8	9
South Carolina	23,027	23,680	935	635	704
White	15,158	15,682	402	286	316
All other	7,869	7,998	533	349	388
Negro	7,853	7,984	532	348	383
Abbeville	172	196	11	9	8
White	101	124	4	3	4
All other	71	72	7	6	4
Negro	71	72	7	6	4
Aiken	521	825	28	20	28
White	369	598	16	11	13
All other	152	227	12	9	15
Negro	151	226	12	9	15
Aiken	---	177	7	4	4
White	---	114	2	2	–
All other	---	63	5	2	4
Negro	---	63	5	2	4
North Augusta	---	94	7	4	–
Balance of county	---	554	14	12	24
White	---	406	8	6	13
All other	---	148	6	6	11
Negro	---	147	6	6	11
Allendale	94	117	4	3	8
White	40	44	1	1	–
All other	54	73	3	2	8
Negro	54	73	3	2	8
Anderson	1,045	1,116	24	16	23
White	821	878	15	10	16
All other	224	238	9	6	7
Negro	224	237	9	6	7
Anderson	---	347	7	5	5
White	---	247	4	2	2
All other	---	100	3	3	3
Negro	---	100	3	3	3
Balance of county	---	769	17	11	18
White	---	631	11	8	14
All other	---	138	6	3	4
Negro	---	137	6	3	4
Bamberg	137	164	5	3	4
White	57	84	1	1	–
All other	80	80	4	2	4
Negro	80	80	4	2	4
Barnwell	120	168	8	7	4
White	64	94	–	–	2
All other	56	74	8	7	2
Negro	55	73	8	7	2
Beaufort	340	344	25	12	5
White	189	189	10	7	1
All other	151	155	15	5	4
Negro	151	155	15	5	4
Berkeley	177	426	20	17	12
White	83	246	15	13	9
All other	94	180	5	4	3
Negro	94	179	5	4	2
Calhoun	50	127	5	3	1
White	19	51	1	–	1
All other	31	76	4	3	–
Negro	31	76	4	3	–
Charleston	2,589	1,792	85	59	57
White	1,571	1,067	38	27	27
All other	1,018	725	47	32	30
Negro	1,016	724	47	32	28
Charleston	---	794	27	19	15
White	---	425	6	4	5
All other	---	369	21	15	10
Negro	---	369	21	15	10

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina—Con.					
Charleston—Con.					
Balance of county	---	998	58	40	42
White	---	642	32	23	22
All other	---	356	26	17	20
Negro	---	355	26	17	18
Cherokee	286	369	11	10	18
White	221	297	9	9	10
All other	65	72	2	1	8
Negro	65	72	2	1	8
Gaffney	---	149	6	5	9
White	---	103	4	4	4
All other	---	46	2	1	5
Negro	---	46	2	1	5
Balance of county	---	220	5	5	9
White	---	194	5	5	6
All other	---	26	–	–	3
Negro	---	26	–	–	3
Chester	218	303	12	11	13
White	133	184	2	2	4
All other	85	119	10	9	9
Negro	85	119	10	9	9
Chesterfield	258	373	17	13	14
White	157	241	4	3	6
All other	101	132	13	10	8
Negro	101	132	13	10	8
Clarendon	211	217	13	6	8
White	87	91	4	3	1
All other	124	126	9	3	7
Negro	124	126	9	3	7
Colleton	316	325	8	6	12
White	176	189	1	1	2
All other	140	136	7	5	10
Negro	140	136	7	5	10
Darlington	447	544	31	19	15
White	273	323	16	9	7
All other	174	221	15	10	8
Negro	174	221	15	10	8
Dillon	177	271	13	9	7
White	101	155	2	1	2
All other	76	116	11	8	5
Negro	75	115	11	8	5
Dorchester	104	276	12	8	8
White	62	168	4	3	2
All other	42	108	8	5	6
Negro	42	108	8	5	6
Edgefield	114	151	8	6	8
White	55	86	3	3	2
All other	59	65	5	3	6
Negro	59	65	5	3	6
Fairfield	130	219	10	5	5
White	68	106	1	1	–
All other	62	113	9	4	5
Negro	62	113	9	4	5
Florence	1,144	957	45	32	36
White	637	557	17	13	14
All other	507	400	28	19	22
Negro	507	400	28	19	22
Florence	---	357	9	8	16
White	---	183	2	2	6
All other	---	174	7	6	10
Negro	---	174	7	6	10
Balance of county	---	600	36	24	20
White	---	374	15	11	8
All other	---	226	21	13	12
Negro	---	226	21	13	12
Georgetown	297	319	20	11	15
White	159	159	2	1	3
All other	138	160	18	10	12
Negro	138	160	18	10	12
Georgetown	---	124	10	8	5
White	---	55	1	–	–
All other	---	69	9	8	5
Negro	---	69	9	8	5
Balance of county	---	195	10	3	10
White	---	104	1	1	3
All other	---	91	9	2	7
Negro	---	91	9	2	7
Greenville	2,272	2,119	67	46	52
White	1,845	1,729	42	29	35
All other	427	390	25	17	17
Negro	424	389	25	17	17
Greenville	---	740	28	18	19
White	---	470	12	8	8
All other	---	270	16	10	11
Negro	---	270	16	10	11
Greer, part	---	104	2	2	1
White	---	95	1	1	1
All other	---	9	1	1	–
Negro	---	9	1	1	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina—Con.					
Greenville—Con.					
Greer, total	---	136	2	2	4
White	---	116	1	1	3
All other	---	20	1	1	1
Negro	---	20	1	1	1
Balance of county	---	1,275	37	26	32
White	---	1,164	29	20	26
All other	---	111	8	6	6
Negro	---	110	8	6	6
Greenwood	637	514	18	14	16
White	425	340	8	6	6
All other	212	174	10	8	10
Negro	212	174	10	8	10
Greenwood	---	253	10	8	11
White	---	150	4	3	4
All other	---	103	6	5	7
Negro	---	103	6	5	7
Balance of county	---	261	8	6	5
White	---	190	4	3	2
All other	---	71	4	3	3
Negro	---	71	4	3	3
Hampton	141	194	9	5	8
White	72	111	2	2	1
All other	69	83	7	3	7
Negro	69	83	7	3	7
Horry	698	703	43	26	27
White	556	553	20	11	12
All other	142	150	23	15	15
Negro	142	150	23	15	14
Jasper	77	133	8	4	5
White	35	54	1	–	1
All other	42	79	7	4	4
Negro	42	79	7	4	4
Kershaw	276	360	4	1	10
White	165	232	2	1	6
All other	111	128	2	–	4
Negro	111	128	2	–	4
Lancaster	328	375	13	10	9
White	235	271	4	3	6
All other	93	104	9	7	3
Negro	93	104	9	7	3
Laurens	394	528	21	16	12
White	280	369	9	7	2
All other	114	159	12	9	10
Negro	114	159	12	9	10
Laurens	---	132	6	5	2
White	---	90	1	1	1
All other	---	42	5	4	1
Negro	---	42	5	4	1
Balance of county	---	396	15	11	10
White	---	279	8	6	1
All other	---	117	7	5	9
Negro	---	117	7	5	9
Lee	113	175	9	9	13
White	48	75	1	1	3
All other	65	100	8	8	10
Negro	64	100	8	8	10
Lexington	532	745	13	5	24
White	451	644	8	3	18
All other	81	101	5	2	6
Negro	79	100	5	2	6
McCormick	29	75	4	2	4
White	12	28	1	1	–
All other	17	47	3	1	4
Negro	17	47	3	1	4
Marion	398	354	24	16	17
White	189	152	6	5	3
All other	209	202	18	11	14
Negro	209	202	18	11	14
Marlboro	290	310	13	10	20
White	163	180	5	3	10
All other	127	130	8	7	10
Negro	125	129	8	7	10
Newberry	234	324	9	7	5
White	146	206	4	4	2
All other	88	118	5	3	3
Negro	88	118	5	3	3
Oconee	336	401	15	13	8
White	291	360	13	11	7
All other	45	41	2	2	1
Negro	45	41	2	2	1
Orangeburg	824	755	41	21	21
White	404	344	8	5	5
All other	420	411	33	16	16
Negro	420	411	33	16	16
Orangeburg	---	174	8	6	3
White	---	100	3	2	–
All other	---	74	5	4	3
Negro	---	74	5	4	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina—Con.					
Orangeburg—Con.					
Balance of county	---	581	33	15	18
White	---	244	5	3	5
All other	---	337	28	12	13
Negro	---	337	28	12	13
Pickens	378	494	16	13	18
Easley	---	93	2	1	4
White	---	85	2	1	3
All other	---	8	–	–	1
Negro	---	8	–	–	1
Balance of county	---	401	14	12	14
Richland	2,792	1,687	58	36	45
White	1,778	1,049	27	18	18
All other	1,014	638	31	18	27
Negro	1,012	636	31	18	27
Columbia	---	1,096	20	11	21
White	---	689	7	4	6
All other	---	407	13	7	15
Negro	---	405	13	7	15
Balance of county	---	591	38	25	24
White	---	360	20	14	12
All other	---	231	18	11	12
Negro	---	231	18	11	12
Saluda	78	150	2	2	5
White	54	98	–	–	–
All other	24	52	2	2	5
Negro	24	52	2	2	5
Spartanburg	1,538	1,643	50	32	25
White	1,231	1,307	34	22	17
All other	307	336	16	10	8
Negro	307	336	16	10	8
Greer, part	---	32	–	–	3
White	---	21	–	–	2
All other	---	11	–	–	1
Negro	---	11	–	–	1
Spartanburg	---	491	12	12	4
White	---	326	4	4	1
All other	---	165	8	8	3
Negro	---	165	8	8	3
Balance of county	---	1,120	38	20	18
White	---	960	30	18	14
All other	---	160	8	2	4
Negro	---	160	8	2	4
Sumter	558	600	31	21	14
White	254	271	6	3	5
All other	304	329	25	18	9
Negro	304	327	24	17	8
Sumter	---	242	11	7	2
White	---	120	3	2	1
All other	---	122	8	5	1
Negro	---	121	7	4	1
Balance of county	---	358	20	14	12
White	---	151	3	1	4
All other	---	207	17	13	8
Negro	---	206	17	13	7
Union	258	297	7	6	5
White	172	203	2	2	3
All other	86	94	5	4	2
Negro	86	94	5	4	2
Union	---	113	3	2	1
White	---	68	1	1	1
All other	---	45	2	1	–
Negro	---	45	2	1	–
Balance of county	---	184	4	4	4
White	---	135	1	1	2
All other	---	49	3	3	2
Negro	---	49	3	3	2
Williamsburg	218	348	18	13	12
White	83	157	2	1	3
All other	135	191	16	12	9
Negro	135	191	16	12	9
York	681	797	27	22	20
White	486	576	16	14	11
All other	195	221	11	8	9
Negro	194	220	11	8	9
Rock Hill	---	346	11	9	6
White	---	238	5	5	3
All other	---	108	6	4	3
Negro	---	108	6	4	3
Balance of county	---	451	16	13	14
White	---	338	11	9	8
All other	---	113	5	4	6
Negro	---	112	5	4	6
South Dakota	6,575	6,742	199	131	104
White	6,190	6,293	150	109	87
All other	385	449	49	22	17
Negro	6	6	1	1	–
Aurora	21	43	3	2	1
Beadle	232	212	3	2	1
Huron	---	162	3	2	1
Balance of county	---	50	–	–	–
Bennett	10	27	–	–	1
White	6	13	–	–	1
All other	4	14	–	–	–
Negro	–	–	–	–	–
Bon Homme	80	91	1	1	2
Brookings	132	147	3	2	3
Brookings	---	86	2	1	1
Balance of county	---	61	1	1	2
Brown	377	329	9	6	4
Aberdeen	---	222	5	2	3
Balance of county	---	107	4	4	1
Brule	80	70	2	2	1
Buffalo	4	24	2	1	–
White	2	5	–	–	–
All other	2	19	2	1	–
Negro	1	1	–	–	–
Butte	71	76	1	1	1
Campbell	6	32	–	–	–
Charles Mix	110	128	2	1	1
Clark	27	73	1	1	2
Clay	75	106	3	1	2
Codington	264	215	2	1	5
Watertown	---	170	1	1	3
Balance of county	---	45	1	–	2
Corson	29	55	7	4	2
White	14	23	1	1	–
All other	15	32	6	3	2
Negro	–	–	–	–	–
Custer	55	60	1	–	–
Davison	257	203	7	6	1
Mitchell	---	175	4	3	–
Balance of county	---	28	3	3	1
Day	90	114	2	1	–
Deuel	50	86	1	1	–
Dewey	27	54	4	–	3
White	6	27	1	–	1
All other	21	27	3	–	2
Negro	–	–	–	–	–
Douglas	39	45	–	–	–
Edmunds	42	51	1	1	–
Fall River	173	114	7	6	1
Faulk	34	37	–	–	3
Grant	107	121	3	2	1
Gregory	78	91	–	–	1
Haakon	15	21	1	1	3
Hamlin	33	85	2	2	–
Hand	60	67	1	1	1
Hanson	5	39	1	–	1
Harding	4	15	–	–	2
Hughes	135	105	4	4	5
Hutchinson	152	138	2	1	–
Hyde	8	25	–	–	–
Jackson	17	14	–	–	–
Jerauld	61	54	–	–	–
Jones	8	13	–	–	–
Kingsbury	92	90	2	2	–
Lake	80	101	1	1	3
Lawrence	141	163	5	4	4
Lincoln	84	149	2	1	1
Sioux Falls, part	---	–	–	–	–
Balance of county	---	149	2	1	1
Lyman	10	46	–	–	–
White	7	35	–	–	–
All other	3	11	–	–	–
Negro	–	–	–	–	–
McCook	46	96	1	–	2
McPherson	34	47	–	–	–
Marshall	64	88	–	–	–
Meade	157	119	9	3	1
Mellette	12	36	2	–	–
White	5	20	–	–	–
All other	7	16	2	–	–
Negro	–	–	–	–	–
Miner	18	46	1	1	1
Minnehaha	1,286	829	28	21	15
Sioux Falls, part	---	679	27	20	11
Sioux Falls, total	---	679	27	20	11
Balance of county	---	150	1	1	4
Moody	64	78	–	–	1
Pennington	506	446	28	24	11
Rapid City	---	341	21	18	8
Balance of county	---	105	7	6	3
Perkins	30	43	1	1	–
Potter	37	33	1	–	–
Roberts	101	118	1	1	–
White	79	94	–	–	–
All other	22	24	1	1	–
Negro	1	1	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota—Con.					
Sanborn	5	39	1	–	1
Shannon	67	104	13	7	5
White	3	6	–	–	–
All other	64	98	13	7	5
Negro	–	–	–	–	–
Spink	82	119	2	1	–
Stanley	4	23	2	2	2
Sully	8	21	1	1	1
Todd	54	84	7	4	1
White	5	18	–	–	–
All other	49	66	7	4	1
Negro	–	–	–	–	–
Tripp	60	81	4	1	2
Turner	86	127	2	–	–
Union	51	122	2	1	–
Walworth	108	97	1	1	4
Washabaugh	11	10	–	–	1
White	5	3	–	–	1
All other	6	7	–	–	–
Negro	–	–	–	–	–
Yankton	298	182	5	3	–
Yankton	– – –	125	2	–	–
Balance of county	– – –	57	3	3	–
Ziebach	11	25	1	–	–
White	3	11	–	–	–
All other	8	14	1	–	–
Negro	–	–	–	–	–
Tennessee	**41,324**	**38,970**	**1,011**	**727**	**732**
White	34,070	32,119	678	493	502
All other	7,254	6,851	333	234	230
Negro	7,232	6,832	330	233	224
Anderson	488	524	13	11	6
Oak Ridge, part	– – –	192	6	4	2
Oak Ridge, total	– – –	195	6	4	2
Balance of county	– – –	332	7	7	4
Bedford	221	291	6	3	7
White	193	254	6	3	6
All other	28	37	–	–	1
Negro	28	37	–	–	1
Shelbyville	– – –	158	1	–	3
White	– – –	133	1	–	2
All other	– – –	25	–	–	1
Negro	– – –	25	–	–	1
Balance of county	– – –	133	5	3	4
Benton	162	148	3	3	2
Bledsoe	57	84	4	2	1
Blount	541	590	23	17	11
Maryville	– – –	172	3	3	2
Balance of county	– – –	418	20	14	9
Bradley	456	465	23	15	11
Cleveland	– – –	289	16	9	8
Balance of county	– – –	176	7	6	3
Campbell	319	344	6	3	11
Cannon	127	128	2	1	3
Carroll	226	304	4	2	4
White	193	257	2	1	2
All other	33	47	2	1	2
Negro	33	47	2	1	2
Carter	314	441	14	8	10
Elizabethton	– – –	150	1	1	3
Balance of county	– – –	291	13	7	7
Cheatham	57	126	4	4	5
Chester	61	122	3	2	1
White	52	104	1	1	1
All other	9	18	2	1	–
Negro	9	18	2	1	–
Claiborne	227	232	6	5	6
Clay	56	70	2	–	1
Cocke	211	283	7	6	10
Coffee	306	279	6	3	8
Tullahoma, part	– – –	104	3	2	4
Tullahoma, total	– – –	108	3	2	4
Balance of county	– – –	175	3	1	4
Crockett	51	176	11	8	3
White	46	140	2	2	2
All other	5	36	9	6	1
Negro	5	36	9	6	1
Cumberland	307	252	8	7	4
Davidson, coext. with Nashville city	5,444	3,890	97	70	68
White	4,289	2,913	48	35	39
All other	1,155	977	49	35	29
Negro	1,149	973	48	35	27
Decatur	103	119	4	3	–
De Kalb	109	125	7	5	8
Dickson	245	256	7	4	4
Dyer	346	360	12	11	2
White	298	303	5	4	2
All other	48	57	7	7	–
Negro	48	57	7	7	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee—Con.					
Dyer—Con.					
Dyersburg	– – –	195	10	9	1
White	– – –	145	4	3	1
All other	– – –	50	6	6	–
Negro	– – –	50	6	6	–
Balance of county	– – –	165	2	2	1
Fayette	153	223	8	4	10
White	63	105	2	2	3
All other	90	118	6	2	7
Negro	90	118	6	2	7
Fentress	94	111	6	5	–
Franklin	243	290	9	7	2
Tullahoma, part	– – –	4	–	–	–
Balance of county	– – –	286	9	7	2
Gibson	573	611	6	4	7
White	464	502	5	4	4
All other	109	109	1	–	3
Negro	109	109	1	–	3
Humboldt	– – –	117	2	1	–
White	– – –	79	1	1	–
All other	– – –	38	1	–	–
Negro	– – –	38	1	–	–
Balance of county	– – –	494	4	3	7
White	– – –	423	4	3	4
All other	– – –	71	–	–	3
Negro	– – –	71	–	–	3
Giles	163	254	6	5	5
White	125	204	5	5	3
All other	38	50	1	–	2
Negro	38	50	1	–	2
Grainger	50	134	3	2	4
Greene	489	442	5	2	10
Greeneville	– – –	125	1	–	4
Balance of county	– – –	317	4	2	6
Grundy	70	145	4	3	1
Hamblen	383	350	15	12	9
Morristown	– – –	177	4	3	6
Balance of county	– – –	173	11	9	3
Hamilton	2,899	2,546	59	46	38
White	2,348	1,997	39	31	27
All other	551	549	20	15	11
Negro	551	549	20	15	11
Chattanooga	– – –	1,791	46	36	28
White	– – –	1,255	26	21	17
All other	– – –	536	20	15	11
Negro	– – –	536	20	15	11
East Ridge	– – –	154	2	2	–
Red Bank	– – –	108	–	–	4
Balance of county	– – –	493	11	8	6
Hancock	64	91	2	1	2
Hardeman	230	244	8	6	7
White	149	154	1	1	–
All other	81	90	7	5	7
Negro	81	90	7	5	7
Hardin	155	197	4	3	4
Hawkins	150	318	9	8	11
Kingsport, part	– – –	2	–	–	–
Balance of county	– – –	316	9	8	11
Haywood	229	231	13	8	8
White	133	123	2	1	–
All other	96	108	11	7	8
Negro	96	108	11	7	8
Henderson	154	216	7	6	3
White	137	195	6	5	3
All other	17	21	1	1	–
Negro	17	21	1	1	–
Henry	295	321	5	5	4
White	246	273	2	2	3
All other	49	48	3	3	1
Negro	49	48	3	3	1
Hickman	76	123	3	3	1
Houston	69	63	2	2	1
Humphreys	105	139	2	1	4
Jackson	60	90	1	–	3
Jefferson	228	255	4	1	1
Johnson	79	114	3	2	4
Knox	3,534	2,665	53	31	44
White	3,250	2,387	40	26	36
All other	284	278	13	5	8
Negro	284	276	12	5	8
Knoxville	– – –	1,860	35	19	26
White	– – –	1,595	22	14	18
All other	– – –	265	13	5	8
Negro	– – –	263	12	5	8
Balance of county	– – –	805	18	12	18
Lake	88	91	1	–	1
White	67	73	1	–	1
All other	21	18	–	–	–
Negro	21	18	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee—Con.					
Lauderdale	157	253	10	9	4
White	115	184	–	–	1
All other	42	69	10	9	3
Negro	42	69	10	9	2
Lawrence	264	305	8	5	6
Lewis	52	81	8	7	5
Lincoln	195	240	6	5	5
White	172	214	3	2	4
All other	23	26	3	3	1
Negro	23	26	3	3	1
Loudon	210	279	11	10	2
McMinn	321	346	9	8	4
Athens	– – –	114	1	1	–
Balance of county	– – –	232	8	7	4
McNairy	143	219	6	3	2
Macon	119	170	2	2	1
Madison	1,059	768	18	13	4
White	784	547	9	6	–
All other	275	221	9	7	4
Negro	275	221	9	7	4
Jackson	– – –	541	14	9	3
White	– – –	373	7	4	–
All other	– – –	168	7	5	3
Negro	– – –	168	7	5	3
Balance of county	– – –	227	4	4	1
White	– – –	174	2	2	–
All other	– – –	53	2	2	1
Negro	– – –	53	2	2	1
Marion	171	228	6	4	3
Marshall	198	197	3	2	3
White	164	167	3	2	1
All other	34	30	–	–	2
Negro	34	30	–	–	2
Maury	479	476	4	2	8
White	379	374	4	2	6
All other	100	102	–	–	2
Negro	100	102	–	–	2
Columbia	– – –	240	1	1	5
White	– – –	182	1	1	3
All other	– – –	58	–	–	2
Negro	– – –	58	–	–	2
Balance of county	– – –	236	3	1	3
White	– – –	192	3	1	3
All other	– – –	44	–	–	–
Negro	– – –	44	–	–	–
Meigs	25	65	3	2	–
Monroe	188	244	4	3	6
Montgomery	443	481	19	15	23
White	340	365	13	12	19
All other	103	116	6	3	4
Negro	103	115	6	3	4
Clarksville	– – –	287	14	11	17
White	– – –	203	11	10	13
All other	– – –	84	3	1	4
Negro	– – –	84	3	1	4
Balance of county	– – –	194	5	4	6
White	– – –	162	2	2	6
All other	– – –	32	3	2	–
Negro	– – –	31	3	2	–
Moore	5	33	–	–	–
Morgan	51	139	1	1	2
Obion	372	375	7	5	6
Union City	– – –	121	4	3	3
White	– – –	101	1	1	1
All other	– – –	20	3	2	2
Negro	– – –	20	3	2	1
Balance of county	– – –	254	3	2	3
Overton	169	190	6	5	5
Perry	88	104	1	1	–
Pickett	16	35	2	–	1
Polk	122	123	1	1	2
Putnam	343	353	12	11	3
Cookeville	– – –	128	4	4	–
Balance of county	– – –	225	8	7	3
Rhea	119	173	8	4	5
Roane	332	405	8	5	9
Oak Ridge, part	– – –	3	–	–	–
Balance of county	– – –	402	8	5	9
Robertson	286	368	5	4	7
White	242	314	4	4	5
All other	44	54	1	–	2
Negro	44	54	1	–	2
Rutherford	612	553	15	8	9
White	527	462	7	2	8
All other	85	91	8	6	1
Negro	85	91	8	6	1
Murfreesboro	– – –	269	8	4	2
White	– – –	218	2	–	2
All other	– – –	51	6	4	–
Negro	– – –	51	6	4	–
Tennessee—Con.					
Rutherford—Con.					
Balance of county	– – –	284	7	4	7
White	– – –	244	5	2	6
All other	– – –	40	2	2	1
Negro	– – –	40	2	2	1
Scott	176	183	6	6	7
Sequatchie	57	55	2	1	–
Sevier	181	276	5	2	4
Shelby	8,425	6,493	194	140	148
White	5,161	3,666	66	50	46
All other	3,264	2,827	128	90	102
Negro	3,251	2,818	127	89	101
Memphis	– – –	6,105	180	129	128
White	– – –	3,407	57	43	34
All other	– – –	2,698	123	86	94
Negro	– – –	2,689	122	85	94
Millington	– – –	56	3	2	5
Balance of county	– – –	332	11	9	15
White	– – –	216	7	6	9
All other	– – –	116	4	3	6
Negro	– – –	116	4	3	6
Smith	142	155	3	3	–
Stewart	32	82	–	–	–
Sullivan	1,407	1,089	25	18	16
Bristol[5]	– – –	249	3	1	3
Kingsport, part	– – –	358	6	4	3
Kingsport, total	– – –	360	6	4	3
Balance of county	– – –	482	16	13	10
Sumner	403	526	9	7	11
Gallatin	– – –	161	2	2	4
White	– – –	129	–	–	2
All other	– – –	32	2	2	2
Negro	– – –	32	2	2	2
Balance of county	– – –	365	7	5	7
Tipton	256	352	8	3	12
White	165	239	2	–	5
All other	91	113	6	3	7
Negro	91	113	6	3	7
Trousdale	39	54	2	1	–
White	31	46	2	1	–
All other	8	8	–	–	–
Negro	8	8	–	–	–
Unicoi	89	157	5	4	4
Union	30	82	2	1	3
Van Buren	14	49	1	–	–
Warren	244	269	9	8	4
McMinnville	– – –	113	1	1	2
Balance of county	– – –	156	8	7	2
Washington	1,240	757	15	12	9
Johnson City	– – –	439	10	8	3
Balance of county	– – –	318	5	4	6
Wayne	76	127	4	3	1
Weakley	223	321	8	8	2
White	155	190	5	4	3
Williamson	260	308	7	6	4
White	231	266	5	4	2
All other	29	42	2	2	2
Negro	29	42	2	2	2
Wilson	269	369	8	5	9
White	238	316	7	5	6
All other	31	53	1	–	3
Negro	31	53	1	–	3
Lebanon	– – –	139	2	–	4
White	– – –	114	1	–	2
All other	– – –	25	1	–	2
Negro	– – –	25	1	–	2
Balance of county	– – –	230	6	5	5
Texas	**102,414**	**100,760**	**3,507**	**2,502**	**2,260**
White	88,251	86,677	2,653	1,899	1,829
All other	14,163	14,083	854	603	431
Negro	14,015	13,955	838	592	414
Anderson	368	420	8	7	5
White	261	305	5	4	4
All other	107	115	3	3	1
Negro	107	115	3	3	1
Palestine	– – –	229	4	4	2
White	– – –	164	2	2	1
All other	– – –	65	2	2	1
Negro	– – –	65	2	2	1
Balance of county	– – –	191	4	3	3
White	– – –	141	3	2	3
All other	– – –	50	1	1	–
Negro	– – –	50	1	1	–
Andrews	100	83	7	5	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Angelina	598	562	27	18	11
White	480	466	16	10	9
All other	118	96	11	8	2
Negro	117	95	11	8	2
Lufkin	---	293	15	13	6
White	---	209	7	6	5
All other	---	84	8	7	1
Negro	---	83	8	7	1
Balance of county	---	269	12	5	5
Aransas	32	112	1	1	1
Archer	27	48	1	1	1
Armstrong	28	32	–	–	–
Atascosa	182	218	13	8	4
Austin	161	208	6	3	4
White	127	163	4	2	1
All other	34	45	2	1	3
Negro	34	45	2	1	3
Bailey	56	65	3	2	2
Bandera	33	76	1	–	2
Bastrop	203	264	7	6	6
White	164	210	7	6	5
All other	39	54	–	–	1
Negro	39	54	–	–	1
Baylor	81	85	–	–	2
Bee	157	173	5	3	4
Beeville	---	109	4	2	3
Balance of county	---	64	1	1	1
Bell	1,576	997	67	53	52
White	1,357	873	48	38	39
All other	219	124	19	15	13
Negro	214	117	17	13	12
Killeen	---	194	33	26	22
White	---	161	19	15	14
All other	---	33	14	11	8
Negro	---	28	12	9	8
Temple	---	431	9	6	5
White	---	368	7	5	5
All other	---	63	2	1	–
Negro	---	63	2	1	–
Balance of county	---	372	25	21	25
White	---	344	22	18	20
All other	---	28	3	3	5
Negro	---	26	3	3	4
Bexar	7,368	6,341	196	136	174
White	6,703	5,755	162	109	162
All other	665	586	34	27	12
Negro	632	562	29	23	12
San Antonio	---	5,553	168	116	157
White	---	4,998	138	93	146
All other	---	555	30	23	11
Negro	---	534	25	19	11
Balance of county	---	788	28	20	17
Blanco	59	62	1	1	1
Borden	1	4	–	–	–
Bosque	159	168	–	–	1
Bowie	715	760	20	14	15
White	535	587	9	7	11
All other	180	173	11	7	4
Negro	180	173	11	7	4
Texarkana[a]	---	381	9	7	4
White	---	279	1	1	2
All other	---	102	8	6	2
Negro	---	102	8	6	2
Balance of county	---	379	11	7	11
White	---	308	8	6	9
All other	---	71	3	1	2
Negro	---	71	3	1	2
Brazoria	549	789	39	28	21
White	491	708	32	22	21
All other	58	81	7	6	–
Negro	58	80	6	6	–
Alvin	---	102	6	4	2
Freeport	---	111	7	5	4
White	---	97	5	3	4
All other	---	14	2	2	–
Negro	---	14	2	2	–
Lake Jackson	---	55	4	3	2
Balance of county	---	521	22	16	13
White	---	458	18	12	13
All other	---	63	4	4	–
Negro	---	63	4	4	–
Brazos	403	439	23	15	5
White	312	330	18	11	4
All other	91	109	5	4	1
Negro	91	109	5	4	1
Bryan	---	333	16	10	4
White	---	240	11	6	3
All other	---	93	5	4	1
Negro	---	93	5	4	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Brazos—Con.					
College Station	---	60	5	3	–
Balance of county	---	46	2	2	1
White	---	40	2	2	1
All other	---	6	–	–	–
Negro	---	6	–	–	–
Brewster	99	67	–	–	–
Briscoe	11	37	–	–	–
Brooks	75	77	2	2	1
Brown	359	390	7	6	4
Brownwood	---	264	4	4	3
Balance of county	---	126	3	2	1
Burleson	90	165	3	1	2
White	78	129	2	1	2
All other	12	36	1	–	–
Negro	12	36	1	–	–
Burnet	152	162	2	2	3
Caldwell	163	210	8	4	4
White	138	177	7	4	2
All other	25	33	1	–	2
Negro	25	33	1	–	2
Calhoun	118	140	5	2	4
Port Lavaca	---	79	3	1	2
Balance of county	---	61	2	1	2
Callahan	72	124	6	4	1
Cameron	1,345	1,296	73	52	54
Brownsville	---	487	35	27	28
Harlingen	---	328	15	10	8
San Benito	---	132	10	8	3
Balance of county	---	349	13	7	15
Camp	150	144	5	4	5
White	93	88	2	2	3
All other	57	56	3	2	2
Negro	57	56	3	2	2
Carson	56	45	1	1	–
Cass	259	294	5	3	3
White	201	234	4	2	1
All other	58	60	1	1	2
Negro	58	60	1	1	2
Castro	61	68	9	8	5
Chambers	97	110	5	5	–
White	75	90	3	3	–
All other	22	20	2	2	–
Negro	22	20	2	2	–
Cherokee	461	421	11	8	8
White	351	337	7	5	5
All other	110	84	4	3	3
Negro	110	84	4	3	3
Childress	97	103	2	2	2
Clay	71	93	1	1	1
Cochran	31	50	1	1	2
Coke	28	37	–	–	–
Coleman	145	175	–	–	1
Collin	535	608	21	17	25
McKinney	---	181	5	3	6
White	---	164	5	3	4
All other	---	17	–	–	2
Negro	---	17	–	–	2
Plano	---	117	6	6	9
Richardson, part	---	4	–	–	2
Balance of county	---	306	10	8	8
Collingsworth	60	71	2	2	1
Colorado	230	227	6	4	1
White	187	170	2	1	1
All other	43	57	4	3	–
Negro	43	57	4	3	–
Comal	318	315	13	9	2
New Braunfels	---	232	9	6	2
Balance of county	---	83	4	3	–
Comanche	162	195	3	3	2
Concho	39	45	–	–	–
Cooke	247	284	2	1	4
Gainesville	---	194	1	–	2
Balance of county	---	90	1	1	2
Coryell	163	235	15	7	13
White	158	229	15	7	12
All other	5	6	–	–	1
Negro	5	6	–	–	–
Copperas Cove	---	46	13	6	7
Balance of county	---	189	2	1	6
White	---	185	2	1	6
All other	---	4	–	–	–
Negro	---	4	–	–	–
Cottle	40	39	–	–	–
White	38	37	–	–	–
All other	2	2	–	–	–
Negro	2	2	–	–	–
Crane	19	24	2	1	–
Crockett	22	32	1	–	–
Crosby	71	76	1	1	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Culberson	30	20	3	3	–
Dallam	14	78	6	4	–
Dallas	10,528	9,669	379	270	233
White	8,482	7,784	240	172	162
All other	2,046	1,885	139	98	71
Negro	2,026	1,867	135	96	69
Balch Springs	---	68	1	1	1
Carrollton, part	---	92	3	2	5
Carrollton, total	---	95	3	2	5
Dallas	---	6,888	262	187	155
White	---	5,098	132	94	85
All other	---	1,790	130	93	70
Negro	---	1,778	129	92	68
Duncanville	---	91	4	3	1
Farmers Branch	---	102	4	2	3
Garland	---	469	26	21	20
Grand Prairie, part	---	291	14	7	5
Grand Prairie, total	---	318	16	7	6
Highland Park	---	124	–	–	–
Irving	---	444	28	20	15
Lancaster	---	116	5	4	3
Mesquite	---	262	14	9	9
Richardson, part	---	187	9	7	7
Richardson, total	---	191	9	7	9
University Park	---	192	1	1	–
Balance of county	---	343	8	6	9
Dawson	131	160	8	4	10
Lamesa	---	125	4	3	9
Balance of county	---	35	4	1	1
Deaf Smith	84	114	10	8	3
Hereford	---	92	6	6	3
Balance of county	---	22	4	2	–
Delta	42	114	–	–	–
White	35	103	–	–	–
All other	7	11	–	–	–
Negro	7	11	–	–	–
Denton	528	616	13	10	16
Carrollton, part	---	3	–	–	–
Denton	---	266	3	2	8
Balance of county	---	347	10	8	8
De Witt	227	271	5	4	5
White	198	233	5	4	2
All other	29	38	–	–	3
Negro	29	38	–	–	3
Dickens	14	54	1	1	–
Dimmit	80	80	6	4	3
Donley	24	41	–	–	–
Duval	32	116	4	2	2
Eastland	351	360	3	3	4
Ector	719	684	34	23	16
Odessa	---	618	30	20	16
Balance of county	---	66	4	3	–
Edwards	11	19	1	1	–
Ellis	409	544	15	9	5
White	338	440	8	5	3
All other	71	104	7	4	2
Negro	71	104	7	4	2
Ennis	---	134	5	1	1
White	---	102	3	1	1
All other	---	32	2	–	–
Negro	---	32	2	–	–
Waxahachie	---	157	3	2	2
White	---	125	1	–	1
All other	---	32	2	2	1
Negro	---	32	2	2	1
Balance of county	---	253	7	6	2
White	---	213	4	4	1
All other	---	40	3	2	1
Negro	---	40	3	2	1
El Paso	2,632	2,339	136	92	84
White	2,539	2,258	129	87	81
All other	93	81	7	5	3
Negro	75	71	7	5	2
El Paso	---	2,179	116	81	81
White	---	2,109	112	78	78
All other	---	70	4	3	3
Negro	---	61	4	3	2
Balance of county	---	160	20	11	3
Erath	217	238	5	3	1
Falls	375	284	2	2	2
White	259	191	1	1	1
All other	116	93	1	1	1
Negro	116	93	1	1	1
Fannin	261	323	4	3	3
Fayette	167	279	7	5	2
White	143	233	6	5	2
All other	24	46	1	–	–
Negro	24	46	1	–	–
Fisher	67	86	2	1	–
Floyd	98	120	1	1	2
Foard	23	34	2	2	–
Fort Bend	271	432	25	18	19
White	229	348	19	14	16
All other	42	84	6	4	3
Negro	42	84	6	4	2
Houston, part	---	2	1	1	–
Rosenburg	---	105	4	3	4
Balance of county	---	325	20	14	15
White	---	255	14	10	12
All other	---	70	6	4	3
Negro	---	70	6	4	2
Franklin	90	97	–	–	–
Freestone	221	209	1	1	2
White	171	158	1	1	1
All other	50	51	–	–	1
Negro	50	51	–	–	1
Frio	87	82	3	3	3
Gaines	52	72	6	4	4
Galveston	2,002	1,545	54	36	22
White	1,500	1,220	36	23	15
All other	502	325	18	13	7
Negro	499	324	18	13	7
Galveston	---	733	20	12	10
White	---	521	8	5	5
All other	---	212	12	7	5
Negro	---	211	12	7	5
La Marque	---	121	4	3	–
White	---	101	2	1	1
All other	---	20	2	2	–
Negro	---	20	2	2	–
League City	---	37	3	1	2
Texas City	---	279	8	6	4
White	---	219	8	6	4
All other	---	60	–	–	–
Negro	---	60	–	–	–
Balance of county	---	375	19	14	6
White	---	342	15	10	4
All other	---	33	4	4	2
Negro	---	33	4	4	2
Garza	32	43	2	1	1
Gillespie	170	166	3	2	4
Glasscock	1	15	2	2	–
Goliad	54	71	2	1	–
White	48	62	2	1	–
All other	6	9	–	–	–
Negro	6	9	–	–	–
Gonzales	155	195	4	1	7
White	134	165	2	–	5
All other	21	30	2	1	2
Negro	21	30	2	1	2
Gray	255	280	9	7	7
Pampa	---	214	9	7	4
Balance of county	---	66	–	–	3
Grayson	1,071	975	9	8	11
Denison	---	318	1	1	–
White	---	288	1	1	–
All other	---	30	–	–	–
Negro	---	30	–	–	–
Sherman	---	304	5	4	7
White	---	276	2	2	6
All other	---	28	3	2	1
Negro	---	28	3	2	1
Balance of county	---	353	3	3	4
Gregg	909	851	23	16	16
White	719	671	19	14	9
All other	190	180	4	2	7
Negro	190	180	4	2	7
Longview	---	461	15	10	10
White	---	356	11	8	5
All other	---	105	4	2	5
Negro	---	105	4	2	5
Balance of county	---	390	8	6	6
White	---	315	8	6	4
All other	---	75	–	–	2
Negro	---	75	–	–	2
Grimes	155	182	2	2	1
White	100	122	2	2	1
All other	55	60	–	–	–
Negro	55	60	–	–	–
Guadalupe	261	373	11	8	9
Seguin	---	208	8	6	6
White	---	168	5	4	6
All other	---	40	3	2	–
Negro	---	39	2	1	–
Balance of county	---	165	3	2	3
Hale	337	313	17	12	12
Plainview	---	199	6	3	8
Balance of county	---	114	11	9	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Hall	73	81	5	2	3
White	67	75	3	1	3
All other	6	6	2	1	–
Negro	6	6	2	1	–
Hamilton	122	146	2	1	2
Hansford	20	32	1	1	1
Hardeman	108	103	1	1	2
White	99	94	–	–	2
All other	9	9	1	1	–
Negro	9	9	1	1	–
Hardin	208	304	12	10	4
White	175	260	7	7	3
All other	33	44	5	3	1
Negro	33	43	5	3	1
Harris	15,574	13,436	631	462	352
White	12,112	10,262	384	283	242
All other	3,462	3,174	247	179	110
Negro	3,428	3,143	247	179	106
Baytown	– – –	360	14	12	7
Bellaire	– – –	127	1	1	1
Deer Park	– – –	74	5	4	–
Galena Park	– – –	61	–	–	–
White	– – –	55	–	–	–
All other	– – –	6	–	–	–
Negro	– – –	6	–	–	–
Houston, part	– – –	10,610	501	359	283
White	– – –	7,585	264	189	176
All other	– – –	3,025	237	170	107
Negro	– – –	2,997	237	170	104
Houston, total	– – –	10,612	502	360	283
White	– – –	7,586	265	190	176
All other	– – –	3,026	237	170	107
Negro	– – –	2,998	237	170	104
Pasadena	– – –	574	31	19	14
South Houston	– – –	73	2	2	2
West University Place	– – –	55	–	–	–
Balance of county	– – –	1,502	77	65	45
White	– – –	1,394	69	58	44
All other	– – –	108	8	7	1
Negro	– – –	106	8	7	1
Harrison	426	526	14	10	10
White	259	319	7	4	5
All other	167	207	7	6	5
Negro	167	207	7	6	5
Marshall	– – –	290	8	5	4
White	– – –	183	5	2	2
All other	– – –	107	3	3	2
Negro	– – –	107	3	3	2
Balance of county	– – –	236	6	5	6
White	– – –	136	2	2	3
All other	– – –	100	4	3	3
Negro	– – –	100	4	3	3
Hartley	72	24	–	–	–
Haskell	94	128	–	–	–
Hays	142	210	5	5	4
San Marcos	– – –	113	4	4	4
Balance of county	– – –	97	1	1	–
Hemphill	42	41	2	2	–
Henderson	283	392	6	6	2
White	252	342	5	5	2
All other	31	50	1	1	–
Negro	31	50	1	1	–
Hidalgo	1,427	1,404	86	55	80
Edinburg	– – –	148	6	2	11
McAllen	– – –	319	11	8	12
Mission	– – –	105	8	4	8
Pharr	– – –	120	9	7	7
Weslaco	– – –	138	6	2	5
Balance of county	– – –	574	46	32	37
Hill	368	386	5	4	5
White	326	340	2	2	4
All other	42	46	3	2	1
Negro	42	46	3	2	1
Hockley	88	146	5	3	10
Levelland	– – –	94	2	1	7
Balance of county	– – –	52	3	2	3
Hood	94	121	2	–	2
Hopkins	251	279	9	8	5
White	226	254	5	4	3
All other	25	25	4	4	2
Negro	25	25	4	4	2
Sulphur Springs	– – –	160	7	7	4
White	– – –	142	3	3	3
All other	– – –	18	4	4	1
Negro	– – –	18	4	4	1
Balance of county	– – –	119	2	1	1
Houston	203	250	1	1	3
White	160	190	–	–	2
All other	43	60	1	1	1
Negro	43	60	1	1	1
Howard	553	361	23	17	6
Big Spring	– – –	277	17	12	3
Balance of county	– – –	84	6	5	3
Hudspeth	12	15	1	–	1
Hunt	456	522	13	9	4
White	393	458	7	4	2
All other	63	64	6	5	2
Negro	63	64	6	5	2
Greenville	– – –	254	8	5	–
White	– – –	210	4	2	–
All other	– – –	44	4	3	–
Negro	– – –	44	4	3	–
Balance of county	– – –	268	5	4	4
White	– – –	248	3	2	2
All other	– – –	20	2	2	2
Negro	– – –	20	2	2	2
Hutchinson	187	249	7	4	5
Borger	– – –	170	5	2	3
Balance of county	– – –	79	2	2	2
Irion	3	9	–	–	–
Jack	75	90	2	1	1
Jackson	92	132	5	4	1
White	71	107	5	4	1
All other	21	25	–	–	–
Negro	21	25	–	–	–
Jasper	258	279	6	5	7
White	216	228	4	4	5
All other	42	51	2	1	2
Negro	42	51	2	1	2
Jeff Davis	3	16	–	–	–
Jefferson	2,440	2,325	67	54	38
White	1,869	1,665	32	23	21
All other	571	660	35	31	17
Negro	568	658	35	31	15
Beaumont	– – –	1,194	32	25	17
White	– – –	807	17	13	7
All other	– – –	387	15	12	10
Negro	– – –	387	15	12	9
Groves	– – –	126	1	1	1
Nederland	– – –	108	5	3	3
Port Arthur	– – –	648	28	24	9
White	– – –	393	8	5	3
All other	– – –	255	20	19	6
Negro	– – –	253	20	19	6
Port Neches	– – –	93	1	1	4
Balance of county	– – –	156	–	–	4
White	– – –	140	–	–	3
All other	– – –	16	–	–	1
Negro	– – –	16	–	–	–
Jim Hogg	6	38	1	1	–
Jim Wells	250	234	6	6	5
Alice	– – –	150	4	4	4
Balance of county	– – –	84	2	2	1
Johnson	476	551	6	5	10
Cleburne	– – –	263	1	1	1
Fort Worth, part	– – –	3	–	–	–
White	– – –	2	–	–	–
All other	– – –	1	–	–	–
Negro	– – –	1	–	–	–
Balance of county	– – –	285	5	4	9
Jones	233	249	6	6	2
Abilene, part	– – –	2	–	–	–
Balance of county	– – –	247	6	6	2
Karnes	140	162	4	4	2
Kaufman	442	411	4	2	–
White	368	326	2	1	–
All other	74	85	2	1	–
Negro	74	85	2	1	–
Terrell	– – –	176	2	1	–
White	– – –	117	–	–	–
All other	– – –	59	2	1	–
Negro	– – –	59	2	1	–
Balance of county	– – –	235	2	1	–
White	– – –	209	2	1	–
All other	– – –	26	–	–	–
Negro	– – –	26	–	–	–
Kendall	67	94	4	3	–
Kenedy	11	2	–	–	–
Kent	5	20	–	–	–
Kerr	484	327	4	2	1
Kerrville	– – –	236	4	2	–
Balance of county	– – –	91	–	–	1
Kimble	34	44	–	–	1
King	2	3	–	–	–
Kinney	12	21	1	1	1
Kleberg	166	181	5	4	7
Kingsville	– – –	156	4	3	7
Balance of county	– – –	25	1	1	–
Knox	56	80	4	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Lamar	609	536	10	7	8
White	523	444	6	3	6
All other	86	92	4	4	2
Negro	86	91	4	4	2
Paris	---	365	7	5	5
White	---	291	4	2	4
All other	---	74	3	3	1
Negro	---	74	3	3	1
Balance of county	---	171	3	2	3
White	---	153	2	1	2
All other	---	18	1	1	1
Negro	---	17	1	1	1
Lamb	144	184	9	5	3
Lampasas	98	125	4	2	4
La Salle	12	49	3	2	–
Lavaca	240	283	3	2	8
Lee	92	107	–	–	–
White	69	78	–	–	–
All other	23	29	–	–	–
Negro	23	29	–	–	–
Leon	53	140	3	3	1
White	42	107	2	2	–
All other	11	33	1	1	1
Negro	11	33	1	1	1
Liberty	350	403	7	6	10
White	301	329	4	3	7
All other	49	74	3	3	3
Negro	49	74	3	3	3
Limestone	170	242	3	2	6
White	137	193	1	1	6
All other	33	49	2	1	–
Negro	33	49	2	1	–
Lipscomb	7	35	–	–	–
Live Oak	32	63	1	–	–
Llano	118	136	2	2	1
Loving	–	1	–	–	–
Lubbock	1,601	1,276	55	39	29
White	1,473	1,155	44	31	24
All other	128	121	11	8	5
Negro	124	119	11	8	5
Lubbock	---	1,076	47	32	25
White	---	966	38	26	20
All other	---	110	9	6	5
Negro	---	108	9	6	5
Balance of county	---	200	8	7	4
Lynn	53	86	3	2	–
McCulloch	145	163	2	1	1
McLennan	1,624	1,639	46	34	28
White	1,343	1,341	30	23	13
All other	281	298	16	11	15
Negro	281	298	16	11	15
Waco	---	1,175	34	26	21
White	---	933	18	15	9
All other	---	242	16	11	12
Negro	---	242	16	11	12
Balance of county	---	464	12	8	7
McMullen	2	9	–	–	–
Madison	124	97	4	2	1
White	94	68	1	1	1
All other	30	29	3	1	–
Negro	30	29	3	1	–
Marion	109	126	1	–	3
White	62	72	–	–	–
All other	47	54	1	–	3
Negro	47	54	1	–	3
Martin	31	38	1	–	2
Mason	34	60	–	–	–
Matagorda	281	302	11	8	9
White	219	234	6	4	7
All other	62	68	5	4	2
Negro	62	68	5	4	2
Bay City	---	155	7	5	6
White	---	109	3	2	5
All other	---	46	4	3	1
Negro	---	46	4	3	1
Balance of county	---	147	4	3	3
White	---	125	3	2	2
All other	---	22	1	1	1
Negro	---	22	1	1	1
Maverick	120	121	6	4	5
Eagle Pass	---	101	5	4	4
Balance of county	---	20	1	–	1
Medina	134	189	3	1	7
Menard	33	45	–	–	–
Midland	379	468	20	13	22
White	326	403	16	10	19
All other	53	65	4	3	3
Negro	53	64	4	3	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Midland—Con.					
Midland	---	444	20	13	19
White	---	379	16	10	16
All other	---	65	4	3	3
Negro	---	64	4	3	3
Balance of county	---	24	–	–	3
Milam	216	309	6	5	3
White	182	263	5	5	3
All other	34	46	1	–	–
Negro	34	46	1	–	–
Mills	77	84	–	–	–
Mitchell	115	115	4	3	2
Montague	243	254	3	1	2
Montgomery	427	608	17	10	17
White	357	523	16	9	15
All other	70	85	1	1	2
Negro	70	85	1	1	2
Conroe	---	175	3	3	4
White	---	131	2	2	3
All other	---	44	1	1	1
Negro	---	44	1	1	1
Houston, part	---	–	–	–	–
Balance of county	---	433	14	7	13
White	---	392	14	7	12
All other	---	41	–	–	1
Negro	---	41	–	–	1
Moore	86	99	5	4	3
Morris	152	144	4	4	4
White	121	110	2	2	1
All other	31	34	2	2	3
Negro	31	34	2	2	3
Motley	10	32	–	–	–
Nacogdoches	409	392	10	4	11
White	316	307	5	3	7
All other	93	85	5	1	4
Negro	93	84	5	1	4
Nacogdoches	---	195	5	2	8
White	---	145	3	2	4
All other	---	50	2	–	4
Negro	---	50	2	–	4
Balance of county	---	197	5	2	3
White	---	162	2	1	3
All other	---	35	3	1	–
Negro	---	34	3	1	–
Navarro	465	489	9	5	4
White	367	372	3	2	3
All other	98	117	6	3	1
Negro	98	117	6	3	1
Corsicana	---	306	5	4	3
White	---	230	2	2	2
All other	---	76	3	2	1
Negro	---	76	3	2	1
Balance of county	---	183	4	1	1
White	---	142	1	–	1
All other	---	41	3	1	–
Negro	---	41	3	1	–
Newton	42	78	2	2	4
White	31	52	1	1	3
All other	11	26	1	1	1
Negro	11	26	1	1	1
Nolan	190	237	9	4	3
Sweetwater	---	184	6	3	3
Balance of county	---	53	3	1	–
Nueces	2,077	1,802	90	65	64
White	1,951	1,685	80	59	58
All other	126	117	10	6	6
Negro	124	115	10	6	3
Corpus Christi	---	1,530	80	57	55
White	---	1,416	70	51	49
All other	---	114	10	6	6
Negro	---	112	10	6	3
Robstown	---	121	1	1	6
Balance of county	---	151	9	7	3
Ochiltree	61	67	3	2	1
Oldham	3	12	1	1	4
Orange	322	493	13	8	13
Orange	---	205	7	4	7
White	---	153	4	2	4
All other	---	52	3	2	3
Negro	---	52	3	2	3
Balance of county	---	288	6	4	6
Palo Pinto	264	315	–	–	3
Mineral Wells, part	---	206	–	–	2
Mineral Wells, total	---	207	–	–	2
Balance of county	---	109	–	–	1
Panola	235	230	5	4	3
White	188	192	4	4	3
All other	47	38	1	–	–
Negro	47	38	1	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Parker	233	298	4	4	7
Mineral Wells, part	– – –	1	–	–	–
Weatherford	– – –	154	–	–	3
Balance of county	– – –	143	4	4	4
Parmer	45	73	3	2	1
Pecos	76	97	6	5	–
Polk	145	231	10	7	5
White	115	175	4	2	4
All other	30	56	6	5	1
Negro	29	51	6	5	1
Potter	1,532	962	36	27	19
Amarillo, part	– – –	940	36	27	19
Amarillo, total	– – –	1,210	45	33	25
Balance of county	– – –	22	–	–	–
Presidio	14	43	1	1	–
Rains	11	63	4	4	1
Randall	118	347	9	6	6
Amarillo, part	– – –	270	9	6	6
Balance of county	– – –	77	–	–	–
Reagan	14	19	–	–	–
Real	9	27	–	–	1
Red River	147	197	1	–	4
White	124	165	1	–	3
All other	23	32	–	–	1
Negro	23	32	–	–	1
Reeves	93	119	6	4	7
Pecos	– – –	99	6	4	7
Balance of county	– – –	20	–	–	–
Refugio	57	101	3	1	–
White	50	90	2	1	–
All other	7	11	1	–	–
Negro	7	11	1	–	–
Roberts	1	15	–	–	1
Robertson	123	201	5	1	2
White	76	128	2	1	1
All other	47	73	3	–	1
Negro	47	73	3	–	1
Rockwall	46	98	1	–	–
White	45	90	–	–	–
All other	1	8	1	–	–
Negro	1	7	–	–	–
Runnels	127	166	2	2	2
Rusk	373	495	14	11	6
White	277	372	8	6	4
All other	96	123	6	5	2
Negro	96	123	6	5	2
Henderson	– – –	133	6	5	1
White	– – –	102	4	3	1
All other	– – –	31	2	2	–
Negro	– – –	31	2	2	–
Balance of county	– – –	362	8	6	5
White	– – –	270	4	3	3
All other	– – –	92	4	3	2
Negro	– – –	92	4	3	2
Sabine	46	118	1	1	–
White	41	101	1	1	–
All other	5	17	–	–	–
Negro	5	17	–	–	–
San Augustine	101	123	2	1	1
White	77	87	–	–	1
All other	24	36	2	1	–
Negro	24	36	2	1	–
San Jacinto	6	84	1	–	3
White	4	55	–	–	1
All other	2	29	1	–	2
Negro	2	29	1	–	2
San Patricio	293	379	19	17	18
San Saba	70	83	1	–	1
Schleicher	26	33	–	–	–
Scurry	137	177	2	2	5
Snyder	– – –	128	–	–	5
Balance of county	– – –	49	2	2	–
Shackelford	29	42	1	1	–
Shelby	213	313	5	3	2
White	167	247	2	1	2
All other	46	66	3	2	–
Negro	46	66	3	2	–
Sherman	11	35	5	4	1
Smith	1,397	1,013	27	19	19
White	1,090	760	13	11	10
All other	307	253	14	8	9
Negro	304	253	14	8	9
Tyler	– – –	593	17	12	12
White	– – –	444	10	8	7
All other	– – –	149	7	4	5
Negro	– – –	149	7	4	5
Balance of county	– – –	420	10	7	7
White	– – –	316	3	3	3
All other	– – –	104	7	4	4
Negro	– – –	104	7	4	4
Somervell	41	46	2	1	2
Starr	101	139	7	6	2
Stephens	146	158	3	3	2
Sterling	16	14	–	–	–
Stonewall	19	35	–	–	1
Sutton	34	35	2	2	–
Swisher	73	111	5	4	1
Tarrant	6,051	5,629	175	123	99
White	5,285	4,871	137	94	75
All other	766	758	38	29	24
Negro	763	756	37	28	23
Arlington	– – –	585	23	18	14
Bedford	– – –	48	2	1	1
Euless	– – –	75	7	6	–
Fort Worth, part	– – –	3,579	92	66	62
White	– – –	2,858	58	39	38
All other	– – –	721	34	27	24
Negro	– – –	720	33	26	23
Fort Worth, total	– – –	3,582	92	66	62
White	– – –	2,860	58	39	38
All other	– – –	722	34	27	24
Negro	– – –	721	33	26	23
Grand Prairie, part	– – –	27	2	–	1
White	– – –	19	1	–	1
All other	– – –	8	1	–	–
Negro	– – –	8	1	–	–
Haltom City	– – –	201	10	9	4
Hurst	– – –	129	6	4	1
North Richland Hills	– – –	84	3	2	–
White Settlement	– – –	92	4	3	4
Balance of county	– – –	809	26	14	12
Taylor	1,035	871	30	22	18
Abilene, part	– – –	744	22	16	15
Abilene, total	– – –	746	22	16	15
Balance of county	– – –	127	8	6	3
Terrell	5	10	1	1	–
Terry	110	117	13	9	5
Throckmorton	13	31	2	2	–
Titus	233	242	6	4	6
White	194	204	3	2	4
All other	39	38	3	2	2
Negro	39	37	3	2	2
Tom Green	876	782	17	13	11
San Angelo	– – –	703	17	13	10
Balance of county	– – –	79	–	–	1
Travis	2,287	2,075	74	54	48
White	1,964	1,769	59	47	35
All other	323	306	15	7	13
Negro	322	305	15	7	13
Austin	– – –	1,782	61	44	39
White	– – –	1,491	47	37	27
All other	– – –	291	14	7	12
Negro	– – –	290	14	7	12
Balance of county	– – –	293	13	10	9
Trinity	82	122	2	2	2
White	63	96	2	2	1
All other	19	26	–	–	1
Negro	19	26	–	–	1
Tyler	145	191	6	6	1
White	125	169	5	5	1
All other	20	22	1	1	–
Negro	16	22	1	1	–
Upshur	179	312	12	8	6
White	154	258	7	4	6
All other	25	54	5	4	–
Negro	25	54	5	4	–
Upton	23	38	3	3	–
Uvalde	153	182	6	5	5
Uvalde	– – –	119	6	5	4
Balance of county	– – –	63	–	–	1
Val Verde	195	209	11	9	10
Del Rio	– – –	192	9	7	6
Balance of county	– – –	17	2	2	4
Van Zandt	234	375	4	2	10
Victoria	518	438	20	13	11
Victoria	– – –	336	18	13	10
Balance of county	– – –	102	2	–	1
Walker	232	211	3	2	5
White	149	132	1	1	4
All other	83	79	2	1	1
Negro	83	79	2	1	1
Huntsville	– – –	117	2	1	3
White	– – –	74	–	–	3
All other	– – –	43	2	1	–
Negro	– – –	43	2	1	–
Balance of county	– – –	94	1	1	2
White	– – –	58	1	1	1
All other	– – –	36	–	–	1
Negro	– – –	36	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Waller	100	151	6	5	6
White	63	88	4	3	3
All other	37	63	2	2	3
Negro	37	63	2	2	3
Ward	67	114	7	5	2
Washington	324	296	5	1	3
White	248	224	2	1	2
All other	76	72	3	–	1
Negro	76	72	3	–	1
Webb	591	579	29	22	17
Laredo	– – –	562	27	20	17
Balance of county	– – –	17	2	2	–
Wharton	442	408	14	8	4
White	346	318	11	6	3
All other	96	90	3	2	1
Negro	96	90	3	2	1
Wheeler	80	88	3	2	1
Wichita	1,013	945	26	19	2
White	931	863	23	18	2
All other	82	82	3	1	–
Negro	81	81	3	1	–
Wichita Falls	– – –	733	21	15	2
White	– – –	654	18	14	2
All other	– – –	79	3	1	–
Negro	– – –	78	3	1	–
Balance of county	– – –	212	5	4	–
Wilbarger	181	202	9	6	2
White	171	187	6	3	1
All other	10	15	3	3	1
Negro	10	15	3	3	1
Vernon	– – –	171	9	6	2
White	– – –	157	6	3	1
All other	– – –	14	3	3	1
Negro	– – –	14	3	3	1
Balance of county	– – –	31	–	–	–
Willacy	70	130	10	6	5
Williamson	395	459	9	7	6
White	355	406	9	7	5
All other	40	53	–	–	1
Negro	40	53	–	–	1
Wilson	82	115	2	1	–
Winkler	77	84	1	1	6
Wise	186	242	6	4	5
Wood	248	311	1	1	2
White	222	275	1	1	2
All other	26	36	–	–	–
Negro	26	36	–	–	–
Yoakum	37	46	4	3	1
Young	239	236	6	2	1
Zapata	27	45	1	1	1
Zavala	25	68	4	4	2
Utah	7,808	7,482	413	279	273
White	7,646	7,323	392	273	259
All other	162	159	21	6	14
Negro	51	48	3	2	4
Beaver	42	40	–	–	–
Box Elder	152	198	16	11	11
Brigham City	– – –	90	5	3	3
Balance of county	– – –	108	11	8	8
Cache	302	293	13	12	3
Logan	– – –	146	3	3	2
Balance of county	– – –	147	10	9	1
Carbon	168	167	9	7	9
Daggett	2	2	–	–	1
Davis	264	456	34	24	21
Bountiful	– – –	134	6	6	6
Clearfield	– – –	56	4	2	2
White	– – –	55	4	2	2
All other	– – –	1	–	–	–
Negro	– – –	1	–	–	–
Layton	– – –	74	6	3	2
Balance of county	– – –	192	18	13	11
Duchesne	72	59	6	4	4
Emery	28	57	3	3	2
Garfield	24	22	1	1	–
Grand	51	51	4	3	2
Iron	82	94	7	6	6
Juab	54	45	1	–	–
Kane	32	26	1	–	2
Millard	55	79	2	1	3
Morgan	8	23	4	4	–
Piute	4	13	–	–	1
Rich	7	21	–	–	–
Salt Lake	3,864	3,184	162	108	122
Murray	– – –	127	2	1	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Utah—Con.					
Salt Lake—Con.					
Salt Lake City	– – –	1,857	65	40	58
Balance of county	– – –	1,200	95	67	58
San Juan	73	75	16	5	3
White	37	35	4	3	1
All other	36	40	12	2	2
Negro	–	–	–	–	–
Sanpete	97	125	1	1	3
Sevier	101	113	4	2	3
Summit	36	48	2	2	–
Tooele	93	128	4	2	3
Tooele	– – –	76	4	2	–
Balance of county	– – –	52	–	–	3
Uintah	61	94	3	2	5
White	59	80	2	2	4
All other	2	14	1	–	1
Negro	–	–	–	–	–
Utah	885	903	60	39	42
Orem	– – –	147	10	7	10
Provo	– – –	306	26	19	21
Balance of county	– – –	450	24	13	11
Wasatch	60	52	4	2	–
Washington	159	174	11	8	2
Wayne	7	15	1	–	2
Weber	1,025	925	44	32	23
Ogden	– – –	715	33	24	13
Roy	– – –	69	1	1	3
Balance of county	– – –	141	10	7	7
Vermont	4,373	4,269	85	62	43
White	4,360	4,260	85	62	42
All other	13	9	–	–	1
Negro	9	6	–	–	–
Addison	152	220	7	3	2
Bennington	344	329	5	4	1
Caledonia	264	284	2	1	6
Chittenden	1,032	727	18	14	9
Burlington	– – –	320	7	5	5
Balance of county	– – –	407	11	9	4
Essex	17	55	1	–	–
Franklin	315	328	11	7	4
Grand Isle	10	39	–	–	–
Lamoille	109	113	2	2	1
Orange	99	181	1	1	4
Orleans	183	203	5	5	4
Rutland	589	564	7	5	4
Rutland	– – –	249	4	3	2
Balance of county	– – –	315	3	2	2
Washington	492	480	12	8	3
Barre	– – –	133	3	3	–
Balance of county	– – –	347	9	5	3
Windham	348	335	5	4	3
Windsor	419	411	9	8	2
Virginia	39,590	40,133	1,140	833	977
White	30,399	31,015	697	516	611
All other	9,191	9,118	443	317	366
Negro	9,099	9,031	434	309	354
Accomack	175	411	8	3	4
White	121	271	2	–	3
All other	54	140	6	3	1
Negro	54	140	6	3	1
Albemarle	905	290	5	4	7
White	684	226	4	3	6
All other	221	64	1	1	1
Negro	218	63	1	1	1
Alleghany	62	106	3	1	1
Amelia	36	100	3	3	2
White	20	48	–	–	1
All other	16	52	3	3	1
Negro	16	52	3	3	1
Amherst	132	251	4	4	4
White	108	193	1	1	2
All other	24	58	3	3	2
Negro	24	58	3	3	2
Appomattox	53	115	5	3	1
White	42	90	3	2	1
All other	11	25	2	1	–
Negro	11	25	2	1	–
Arlington†	914	1,117	19	15	15
White	826	1,015	12	9	11
All other	88	102	7	6	4
Negro	79	90	3	3	3
Augusta	288	419	9	5	13
Bath	45	62	2	2	1
White	40	56	2	2	1
All other	5	6	–	–	–
Negro	5	6	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia—Con.					
Bedford	131	263	9	6	6
White	118	218	5	3	4
All other	13	45	4	3	2
Negro	13	45	4	3	2
Bland	12	59	4	4	2
Botetourt	74	153	1	1	4
Brunswick	75	179	4	4	3
White	39	87	–	–	1
All other	36	92	4	4	2
Negro	36	92	4	4	2
Buchanan	199	264	11	6	18
Buckingham	40	135	6	5	2
White	22	86	1	1	–
All other	18	49	5	4	2
Negro	18	49	5	4	2
Campbell	91	273	8	8	5
White	73	221	7	7	5
All other	18	52	1	1	–
Negro	18	52	1	1	–
Caroline	56	153	2	2	2
White	31	90	–	–	1
All other	25	63	2	2	1
Negro	25	62	2	2	1
Carroll	80	223	3	1	3
Charles City	23	47	5	3	2
White	6	9	–	–	–
All other	17	38	5	3	2
Negro	13	34	5	3	2
Charlotte	65	139	6	3	3
White	37	84	–	–	–
All other	28	55	6	3	3
Negro	28	55	6	3	3
Chesterfield	203	538	23	20	12
White	165	469	20	18	8
All other	38	69	3	2	4
Negro	38	69	3	2	3
Clarke	32	80	1	1	3
White	24	64	–	–	1
All other	8	16	1	1	2
Negro	8	16	1	1	2
Craig	10	24	–	–	–
Culpeper	216	223	7	7	3
White	189	185	4	4	3
All other	27	38	3	3	–
Negro	27	38	3	3	–
Cumberland	35	79	1	1	–
White	11	32	–	–	–
All other	24	47	1	1	–
Negro	24	47	1	1	–
Dickenson	61	185	6	4	4
Dinwiddie	207	169	1	–	4
White	108	94	–	–	1
All other	99	75	1	–	3
Negro	99	75	1	–	3
Essex	170	94	2	1	2
White	102	53	–	–	1
All other	68	41	2	1	1
Negro	67	41	2	1	1
Fairfax	1,540	1,990	59	41	64
White	1,452	1,884	47	33	58
All other	88	106	12	8	6
Negro	72	87	10	6	5
Vienna	– – –	70	3	1	5
Balance of county	– – –	1,920	56	40	59
White	– – –	1,820	45	32	53
All other	– – –	100	11	8	6
Negro	– – –	81	9	6	5
Fauquier	254	296	6	3	5
White	206	225	5	3	4
All other	48	71	1	–	1
Negro	48	71	1	–	1
Floyd	31	110	4	2	3
Fluvanna	26	80	2	2	3
White	15	52	1	1	2
All other	11	28	1	1	1
Negro	11	28	1	1	1
Franklin	164	246	4	2	2
White	140	222	2	1	2
All other	24	24	2	1	–
Negro	24	24	2	1	–
Frederick	21	206	3	3	3
Giles	128	193	6	4	2
Gloucester	58	160	1	–	2
White	45	126	1	–	2
All other	13	34	–	–	–
Negro	13	34	–	–	–
Goochland	37	76	1	–	2
White	26	49	–	–	2
All other	11	27	1	–	–
Negro	11	27	1	–	–
Grayson	46	176	3	3	4
Greene	26	55	1	1	1
White	19	48	1	1	1
All other	7	7	–	–	–
Negro	7	7	–	–	–
Greensville	34	95	4	3	3
White	15	43	–	–	1
All other	19	52	4	3	2
Negro	19	52	4	3	2
Halifax	78	330	9	7	9
White	43	195	3	3	5
All other	35	135	6	4	4
Negro	35	135	6	4	4
Hanover	169	347	8	7	10
White	136	298	6	6	7
All other	33	49	2	1	3
Negro	32	49	2	1	3
Henrico	1,328	1,249	32	29	31
White	1,120	1,111	22	20	19
All other	208	138	10	9	12
Negro	206	136	10	9	12
Henry	102	375	11	7	8
White	78	276	4	3	6
All other	24	99	7	4	2
Negro	24	99	7	4	2
Highland	13	28	–	–	1
Isle of Wight	44	174	2	–	1
White	23	94	–	–	–
All other	21	80	2	–	1
Negro	21	80	2	–	1
James City	196	109	2	–	4
White	136	69	1	–	1
All other	60	40	1	–	3
Negro	60	38	1	–	3
King and Queen	31	62	2	1	1
White	20	26	1	–	–
All other	11	36	1	1	1
Negro	11	35	1	1	1
King George	28	79	2	1	2
White	20	60	1	–	2
All other	8	19	1	1	–
Negro	8	19	1	1	–
King William	37	80	2	1	2
White	12	40	1	–	2
All other	25	40	1	1	–
Negro	23	37	1	1	–
Lancaster	66	126	3	3	2
White	47	86	3	3	1
All other	19	40	–	–	1
Negro	19	40	–	–	–
Lee	214	311	8	6	1
Loudoun	239	331	12	10	12
White	207	283	9	7	11
All other	32	48	3	3	1
Negro	32	48	3	3	1
Louisa	64	182	1	1	1
White	40	120	1	1	1
All other	24	62	–	–	–
Negro	24	62	–	–	–
Lunenburg	63	142	6	3	6
White	39	92	1	1	1
All other	24	50	5	2	5
Negro	24	50	5	2	5
Madison	43	104	2	1	2
White	37	85	2	1	2
All other	6	19	–	–	–
Negro	6	19	–	–	–
Mathews	62	110	2	1	–
White	49	89	–	–	–
All other	13	21	2	1	–
Negro	13	21	2	1	–
Mecklenburg	239	306	10	6	7
White	131	167	4	3	2
All other	108	139	6	3	5
Negro	108	139	6	3	5
Middlesex	60	98	2	2	1
White	40	66	1	1	–
All other	20	32	1	1	1
Negro	20	32	1	1	1
Montgomery	292	384	15	15	10
Nansemond[7]	–	–	–	–	–
White	–	–	–	–	–
All other	–	–	–	–	–
Negro	–	–	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia—Con.					
Nelson	76	163	3	2	4
White	60	123	1	1	4
All other	16	40	2	1	–
Negro	16	40	2	1	–
New Kent	24	52	1	1	2
White	17	32	–	–	–
All other	7	20	1	1	2
Negro	7	20	1	1	2
Northampton	307	183	5	4	6
White	180	95	3	2	–
All other	127	88	2	2	6
Negro	127	88	2	2	6
Northumberland	60	136	1	1	2
White	46	102	–	–	1
All other	14	34	1	1	1
Negro	14	34	1	1	1
Nottoway	86	177	3	1	3
White	51	111	1	–	3
All other	35	66	2	1	–
Negro	35	66	2	1	–
Orange	136	198	2	2	4
White	109	162	1	1	3
All other	27	36	1	1	1
Negro	27	36	1	1	1
Page	115	150	3	2	2
Patrick	120	141	4	4	–
Pittsylvania	184	551	24	16	11
White	129	394	12	9	7
All other	55	157	12	7	4
Negro	55	157	12	7	4
Powhatan	28	64	5	1	3
White	18	38	3	1	3
All other	10	26	2	–	–
Negro	10	26	2	–	–
Prince Edward	260	147	3	3	3
White	178	85	–	–	2
All other	82	62	3	3	1
Negro	81	62	3	3	1
Prince George	45	92	5	5	9
White	29	54	2	2	5
All other	16	38	3	3	4
Negro	14	34	3	3	3
Prince William	487	531	41	32	39
Pulaski	272	313	12	10	5
Pulaski	– – –	53	–	–	1
Balance of county	– – –	260	12	10	4
Rappahannock	19	61	1	1	–
White	13	52	1	1	–
All other	6	9	–	–	–
Negro	6	9	–	–	–
Richmond	26	81	–	–	1
White	16	57	–	–	1
All other	10	24	–	–	–
Negro	10	24	–	–	–
Roanoke	224	457	10	10	12
Rockbridge	67	153	4	2	–
Rockingham	172	388	3	2	10
Russell	143	224	7	5	6
Scott	67	244	2	1	3
Shenandoah	246	302	1	–	4
Smyth	377	346	5	4	4
Southampton	42	163	3	2	4
White	18	84	2	1	1
All other	24	79	1	1	3
Negro	24	79	1	1	3
Spotsylvania	64	180	8	6	2
White	54	141	6	5	1
All other	10	39	2	1	1
Negro	10	39	2	1	1
Stafford	79	192	7	4	2
Surry	23	66	1	1	3
White	8	26	–	–	–
All other	15	40	1	1	3
Negro	15	40	1	1	3
Sussex	45	139	3	2	1
White	17	64	1	1	–
All other	28	75	2	1	1
Negro	28	75	2	1	1
Tazewell	410	487	15	11	17
Warren	160	186	5	3	1
Washington	412	390	4	3	9
Westmoreland	56	172	2	1	4
White	38	130	–	–	2
All other	18	42	2	1	2
Negro	18	42	2	1	2
Wise	274	426	9	6	7
Wythe	216	251	7	7	5
Virginia—Con.					
York	52	187	4	3	5
White	43	141	4	3	5
All other	9	46	–	–	–
Negro	9	46	–	–	–
Independent Cities[8]					
Alexandria	985	813	32	24	24
White	824	640	17	13	12
All other	161	173	15	11	12
Negro	155	169	15	11	11
Bedford	158	116	1	1	–
White	136	106	1	1	–
All other	22	10	–	–	–
Negro	22	10	–	–	–
Bristol[9]	189	226	3	1	4
Buena Vista	27	68	1	1	–
Charlottesville	427	378	4	3	10
White	337	277	4	3	7
All other	90	101	–	–	3
Negro	89	100	–	–	3
Chesapeake	325	711	35	24	21
White	230	512	20	14	9
All other	95	199	15	10	12
Negro	94	197	15	10	12
Clifton Forge	245	77	2	–	2
White	223	67	1	–	1
All other	22	10	1	–	1
Negro	22	10	1	–	1
Colonial Heights	25	113	–	–	1
Covington	29	118	5	2	2
White	25	102	5	2	1
All other	4	16	–	–	1
Negro	4	15	–	–	1
Danville	852	529	15	8	14
White	569	363	5	2	4
All other	283	166	10	6	10
Negro	282	166	10	6	10
Emporia	152	65	2	2	2
White	64	38	–	–	1
All other	88	27	2	2	1
Negro	88	27	2	2	1
Fairfax	196	94	2	1	3
Falls Church	15	111	2	1	5
Franklin	160	67	2	2	2
White	89	36	2	2	–
All other	71	31	–	–	2
Negro	71	31	–	–	2
Fredericksburg	496	189	9	5	7
White	390	134	5	2	4
All other	106	55	4	3	3
Negro	106	55	4	3	3
Galax	193	59	–	–	1
Hampton	901	798	34	23	31
White	549	541	13	10	16
All other	352	257	21	13	15
Negro	351	256	21	13	15
Harrisonburg	491	151	–	–	–
Hopewell	168	202	4	2	4
White	141	160	1	–	1
All other	27	42	3	2	3
Negro	25	41	3	2	3
Lexington	135	56	2	1	–
White	119	42	1	1	–
All other	16	14	1	–	–
Negro	16	14	1	–	–
Lynchburg	1,215	733	16	11	11
White	924	537	8	4	9
All other	291	196	8	7	2
Negro	291	196	8	7	2
Martinsville	414	193	5	5	1
White	314	134	4	4	1
All other	100	59	1	1	–
Negro	100	59	1	1	–
Newport News	1,274	1,029	48	36	33
White	852	627	26	20	13
All other	422	402	22	16	20
Negro	419	400	22	16	18
Norfolk	2,992	2,447	92	66	70
White	1,838	1,464	41	25	26
All other	1,154	983	51	41	44
Negro	1,145	976	51	41	42
Norton	194	62	3	3	2
Petersburg	558	442	20	16	16
White	326	216	5	3	8
All other	232	226	15	13	8
Negro	230	224	14	12	8

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia—Con.					
Independent Cities—Con.					
Portsmouth	1,390	1,076	38	26	33
White	916	639	18	12	10
All other	474	437	20	14	23
Negro	464	434	19	13	23
Radford	181	89	–	–	3
Richmond	4,383	2,733	62	48	62
White	2,726	1,585	20	15	14
All other	1,657	1,148	42	33	48
Negro	1,655	1,147	42	33	48
Roanoke	1,511	1,185	18	13	26
White	1,300	972	12	10	16
All other	211	213	6	3	10
Negro	208	210	6	3	10
Salem	773	218	7	7	4
South Boston	342	90	4	4	2
White	215	62	3	3	1
All other	127	28	1	1	1
Negro	127	28	1	1	1
Staunton	407	254	3	–	5
White	373	222	2	–	4
All other	34	32	1	–	1
Negro	34	32	1	–	1
Suffolk[7]	456	481	23	17	15
White	235	231	11	9	2
All other	221	250	12	8	13
Negro	221	250	12	8	13
Virginia Beach	779	970	46	37	33
White	661	843	38	32	27
All other	118	127	8	5	6
Negro	118	125	8	5	6
Waynesboro	211	122	1	1	2
Williamsburg	197	72	1	1	–
White	140	58	1	1	–
All other	57	14	–	–	–
Negro	55	14	–	–	–
Winchester	647	242	2	1	2
Washington	30,565	30,327	770	494	442
White	29,414	29,189	702	458	397
All other	1,151	1,138	68	36	45
Negro	540	542	32	18	24
Adams	106	109	4	4	6
Asotin	163	177	3	–	1
Benton	495	497	13	10	14
Kennewick	– – –	189	6	3	5
Richland	– – –	165	6	6	3
Balance of county	– – –	143	1	1	6
Chelan	549	447	8	6	5
Wenatchee	– – –	243	7	5	1
Balance of county	– – –	204	1	1	4
Clallam	416	446	12	5	7
Port Angeles	– – –	179	7	3	2
Balance of county	– – –	267	5	2	5
Clark	1,179	1,172	26	14	22
Vancouver	– – –	540	10	7	6
Balance of county	– – –	632	16	7	16
Columbia	61	58	–	–	–
Cowlitz	623	613	23	17	5
Kelso	– – –	127	3	2	1
Longview	– – –	271	12	9	3
Balance of county	– – –	215	8	6	1
Douglas	56	140	2	1	3
Ferry	27	35	4	4	–
White	26	33	4	4	–
All other	1	2	–	–	–
Negro	–	–	–	–	–
Franklin	207	241	14	10	6
Pasco	– – –	189	8	6	3
White	– – –	171	7	6	3
All other	– – –	18	1	–	–
Negro	– – –	18	1	–	–
Balance of county	– – –	52	6	4	3
Garfield	23	29	–	–	–
Grant	267	323	11	6	15
Moses Lake	– – –	80	8	5	4
Balance of county	– – –	243	3	1	11
Grays Harbor	577	649	23	19	10
Aberdeen	– – –	232	8	7	1
Hoquiam	– – –	112	5	4	4
Balance of county	– – –	305	10	8	5
Island	198	255	10	6	4
Jefferson	120	130	–	–	3
King	10,083	9,457	192	127	108
White	9,419	8,820	168	111	85
All other	664	637	24	16	23
Negro	355	353	16	10	12

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Washington—Con.					
King—Con.					
Auburn	– – –	192	8	4	1
Bellevue	– – –	359	5	4	2
Kent	– – –	142	3	3	–
Kirkland	– – –	162	3	3	2
Mercer Island city	– – –	93	1	–	1
Redmond	– – –	89	4	4	1
Renton	– – –	268	11	9	3
Seattle	– – –	5,617	78	52	61
White	– – –	5,043	58	38	39
All other	– – –	574	20	14	22
Negro	– – –	333	15	10	12
Balance of county	– – –	2,535	79	48	37
Kitsap	895	969	29	20	21
Bremerton	– – –	363	12	7	6
Balance of county	– – –	606	17	13	15
Kittitas	203	209	4	2	2
Ellensburg	– – –	95	2	1	–
Balance of county	– – –	114	2	1	2
Klickitat	93	130	8	8	–
Lewis	483	544	19	12	11
Centralia	– – –	184	4	2	5
Balance of county	– – –	360	15	10	6
Lincoln	76	111	3	2	3
Mason	209	245	4	2	2
Okanogan	279	306	9	5	4
Pacific	206	212	4	2	1
Pend Oreille	72	80	2	–	–
Pierce	3,451	3,424	112	64	70
White	3,317	3,284	105	59	55
All other	134	140	7	5	15
Negro	88	93	5	3	12
Puyallup	– – –	179	8	8	1
Tacoma	– – –	1,726	40	26	24
White	– – –	1,626	37	24	17
All other	– – –	100	3	2	7
Negro	– – –	78	3	2	6
Balance of county	– – –	1,519	64	30	45
White	– – –	1,480	60	27	37
All other	– – –	39	4	3	8
Negro	– – –	15	2	1	6
San Juan	58	65	–	–	–
Skagit	578	540	9	6	8
Skamania	22	47	2	1	–
Snohomish	1,759	1,966	54	33	27
Edmonds	– – –	238	4	4	2
Everett	– – –	575	12	4	8
Lynnwood	– – –	119	8	5	7
Mountlake Terrace	– – –	65	2	1	–
Balance of county	– – –	969	28	19	10
Spokane	3,345	2,897	69	46	25
Spokane	– – –	2,040	40	27	12
Balance of county	– – –	857	29	19	13
Stevens	131	179	7	6	2
Thurston	697	745	14	6	10
Olympia	– – –	293	8	2	3
Balance of county	– – –	452	6	4	7
Wahkiakum	19	21	–	–	–
Walla Walla	552	467	6	4	5
Walla Walla	– – –	302	6	4	4
Balance of county	– – –	165	–	–	1
Whatcom	798	816	19	11	10
Bellingham	– – –	455	8	6	5
Balance of county	– – –	361	11	5	5
Whitman	162	204	4	3	1
Pullman	– – –	50	1	1	1
Balance of county	– – –	154	3	2	–
Yakima	1,327	1,372	47	32	31
Yakima	– – –	644	16	13	13
Balance of county	– – –	728	31	19	18
West Virginia	19,731	19,690	482	331	315
White	18,792	18,761	455	311	285
All other	939	929	27	20	30
Negro	936	925	27	20	29
Barbour	159	185	5	2	2
Berkeley	681	418	13	11	13
Martinsburg	– – –	244	5	5	4
Balance of county	– – –	174	8	6	9
Boone	207	315	14	10	7
Braxton	72	159	1	–	5
Brooke	61	265	5	4	3
Weirton, part	– – –	38	2	2	–
Balance of county	– – –	227	3	2	3
Cabell	1,733	1,287	28	21	15
Huntington, part	– – –	935	15	11	11
Huntington, total	– – –	984	15	11	11
Balance of county	– – –	352	13	10	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia—Con.					
Calhoun	93	95	4	2	1
Clay	53	127	8	5	1
Doddridge	28	74	1	1	–
Fayette	477	660	13	7	11
White	424	588	11	7	5
All other	53	72	2	–	6
Negro	53	72	2	–	5
Gilmer	30	80	–	–	2
Grant	101	95	–	–	1
Greenbrier	299	387	6	5	8
Hampshire	80	142	3	2	1
Hancock	341	366	11	8	3
Weirton, part	– – –	209	8	7	2
Weirton, total	– – –	247	10	9	2
Balance of county	– – –	157	3	1	1
Hardy	32	103	3	1	1
Harrison	1,023	945	17	13	5
Clarksburg	– – –	371	3	2	1
Balance of county	– – –	574	14	11	4
Jackson	150	175	4	2	5
Jefferson	175	236	8	6	7
White	157	205	6	4	6
All other	18	31	2	2	1
Negro	18	31	2	2	1
Kanawha	2,705	2,374	66	48	43
White	2,569	2,225	62	45	34
All other	136	149	4	3	9
Negro	135	147	4	3	9
Charleston	– – –	940	18	12	19
White	– – –	836	16	11	14
All other	– – –	104	2	1	5
Negro	– – –	104	2	1	5
St. Albans	– – –	147	5	4	2
South Charleston	– – –	171	7	6	3
Balance of county	– – –	1,116	36	26	19
Lewis	255	225	5	4	4
Lincoln	89	231	1	1	5
Logan	450	536	25	16	13
McDowell	452	569	21	14	13
White	369	446	19	13	8
All other	83	123	2	1	5
Negro	83	123	2	1	5
Marion	683	814	14	11	8
Fairmont	– – –	389	6	4	3
Balance of county	– – –	425	8	7	5
Marshall	321	415	8	6	5
Moundsville	– – –	168	3	2	–
Balance of county	– – –	247	5	4	5
Mason	202	261	9	3	3
Mercer	973	747	14	10	8
Bluefield[1 a]	– – –	266	2	2	4
White	– – –	199	2	2	4
All other	– – –	67	–	–	–
Negro	– – –	67	–	–	–
Balance of county	– – –	481	12	8	4
Mineral	129	216	5	4	4
Mingo	205	384	14	13	15
Monongalia	1,193	516	10	6	6
Morgantown	– – –	216	1	1	2
Balance of county	– – –	300	9	5	4
Monroe	31	131	2	1	3
Morgan	81	102	2	1	2
Nicholas	214	242	7	7	9
Ohio	1,105	771	13	7	7
Wheeling	– – –	652	10	5	6
Balance of county	– – –	119	3	2	1
Pendleton	40	102	2	1	2
Pleasants	32	75	2	2	1
Pocahontas	159	127	4	2	1
Preston	217	280	9	8	4
Putnam	80	249	5	4	3
Raleigh	1,311	901	25	18	17
White	1,135	763	21	14	16
All other	176	138	4	4	1
Negro	176	138	4	4	1
Beckley	– – –	313	2	1	5
White	– – –	232	2	1	4
All other	– – –	81	–	–	1
Negro	– – –	81	–	–	1
Balance of county	– – –	588	23	17	12
Randolph	416	282	4	3	2
Ritchie	38	123	1	1	6
Roane	208	205	4	2	3
Summers	160	188	4	4	5
Taylor	135	199	3	2	–
Tucker	63	107	2	2	1
Tyler	54	109	3	1	4
Upshur	161	193	5	1	–
Wayne	330	366	4	2	3
Huntington, part	– – –	49	–	–	–
Balance of county	– – –	317	4	2	3
Webster	91	140	2	1	3
Wetzel	186	230	7	3	4
Wirt	19	63	–	–	1
Wood	1,044	836	24	16	11
Parkersburg	– – –	545	16	11	8
Vienna	– – –	86	–	–	–
Balance of county	– – –	205	8	5	3
Wyoming	104	267	12	6	5
Wisconsin	**40,121**	**40,158**	**813**	**577**	**543**
White	39,016	39,063	710	512	478
All other	1,105	1,095	103	65	65
Negro	868	852	85	56	56
Adams	156	154	–	–	–
Ashland	265	252	3	1	1
Barron	379	396	10	8	5
Bayfield	87	145	1	–	1
Brown	1,488	1,236	37	26	22
De Pere	– – –	82	4	2	2
Green Bay	– – –	852	21	16	13
Balance of county	– – –	302	12	8	7
Buffalo	90	154	1	–	1
Burnett	92	132	1	1	2
Calumet	158	193	4	3	4
Appleton, part	– – –	9	1	1	–
Balance of county	– – –	184	3	2	4
Chippewa	436	450	13	11	5
Chippewa Falls	– – –	134	4	3	1
Eau Claire, part	– – –	–	–	–	–
Balance of county	– – –	316	9	8	4
Clark	205	324	6	6	7
Columbia	405	459	8	6	4
Crawford	158	169	1	1	1
Dane	2,600	1,873	43	30	18
Madison	– – –	1,069	19	16	11
Monona	– – –	60	–	–	1
Balance of county	– – –	744	24	14	6
Dodge	736	671	16	14	12
Beaver Dam	– – –	153	2	2	2
Watertown, part	– – –	58	2	2	1
Balance of county	– – –	460	12	10	9
Door	184	228	4	3	3
Douglas	393	511	15	12	3
Superior	– – –	380	12	11	2
Balance of county	– – –	131	3	1	1
Dunn	208	291	3	3	1
Menomonie	– – –	117	2	2	–
Balance of county	– – –	174	1	1	1
Eau Claire	757	599	10	4	6
Eau Claire, part	– – –	418	5	2	3
Eau Claire, total	– – –	418	5	2	3
Balance of county	– – –	181	5	2	3
Florence	27	54	2	1	–
Fond du Lac	747	771	18	15	7
Fond du Lac	– – –	381	6	3	4
Balance of county	– – –	390	12	12	3
Forest	45	92	2	1	2
Grant	432	489	13	12	7
Green	352	282	2	2	2
Green Lake	161	190	–	–	1
Iowa	166	222	3	2	2
Iron	43	102	1	–	1
Jackson	140	163	1	–	1
Jefferson	440	585	5	4	9
Watertown, part	– – –	124	–	–	3
Watertown, total	– – –	182	2	2	4
Whitewater, part	– – –	1	–	–	–
Balance of county	– – –	460	5	4	6
Juneau	145	224	3	2	1
Kenosha	916	1,010	12	7	19
Kenosha	– – –	729	10	6	13
Balance of county	– – –	281	2	1	6
Kewaunee	149	174	4	3	3
La Crosse	1,112	742	18	11	9
La Crosse	– – –	539	9	5	3
Balance of county	– – –	203	9	6	6
Lafayette	100	172	3	2	3
Langlade	171	184	6	5	–
Lincoln	248	265	4	2	3
Manitowoc	671	736	16	12	16
Manitowoc	– – –	376	2	2	9
Two Rivers	– – –	123	2	1	1
Balance of county	– – –	237	12	9	6

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1976–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin—Con.					
Marathon	707	803	17	12	12
Marshfield, part	---	1	–	–	–
Wausau	---	366	6	4	4
Balance of county	---	436	11	8	8
Marinette	390	447	6	3	2
Marinette	---	176	2	1	1
Balance of county	---	271	4	2	1
Marquette	51	127	3	2	2
Menominee	10	30	3	1	3
White	2	4	–	–	–
All other	8	26	3	1	3
Negro	–	–	–	–	–
Milwaukee	9,789	9,435	210	131	137
White	9,029	8,675	136	82	89
All other	760	760	74	49	48
Negro	719	720	69	46	48
Brown Deer	---	60	–	–	–
Cudahy	---	129	6	1	2
Franklin	---	63	2	2	–
Glendale	---	168	3	2	1
Greendale	---	60	1	1	–
Greenfield	---	175	6	3	4
Milwaukee, part	---	6,667	162	99	101
White	---	5,919	89	51	54
All other	---	748	73	48	47
Negro	---	711	69	46	47
Milwaukee, total	---	6,667	162	99	101
White	---	5,919	89	51	54
All other	---	748	73	48	47
Negro	---	711	69	46	47
Oak Creek	---	88	4	3	3
St. Francis	---	82	–	–	1
Shorewood	---	168	–	–	1
South Milwaukee	---	164	5	3	3
Wauwatosa	---	609	5	4	5
West Allis	---	692	12	9	9
Whitefish Bay	---	106	2	2	2
Balance of county	---	204	2	2	5
Monroe	346	310	4	4	3
Oconto	265	321	6	6	4
Oneida	361	290	8	6	1
Outagamie	931	886	28	21	17
Appleton, part	---	436	8	6	2
Appleton, total	---	445	9	7	2
Kaukauna	---	106	4	3	2
Balance of county	---	344	16	12	13
Ozaukee	268	372	7	4	4
Mequon	---	81	–	–	–
Balance of county	---	291	7	4	4
Pepin	73	71	1	1	2
Pierce	124	242	6	6	4
Polk	322	328	5	2	3
Portage	373	392	17	13	3
Stevens Point	---	176	7	6	–
Balance of county	---	216	10	7	3
Price	160	187	1	1	1
Racine	1,380	1,374	33	21	30
White	1,321	1,305	22	14	24
All other	59	69	11	7	6
Negro	56	66	11	7	6
Racine	---	843	20	14	21
White	---	777	9	7	15
All other	---	66	11	7	6
Negro	---	63	11	7	6
Balance of county	---	531	13	7	9
Richland	169	173	1	–	3
Rock	1,140	1,187	32	29	17
Beloit	---	338	9	8	4
Janesville	---	388	13	13	10
Balance of county	---	461	10	8	3
Rusk	108	149	4	4	1
St. Croix	353	337	8	5	11
Sauk	389	403	4	2	5
Sawyer	136	149	2	1	–
Shawano	323	403	5	5	9
Sheboygan	936	929	14	12	8
Sheboygan	---	521	9	7	2
Sheboygan—Con.					
Balance of county	---	408	5	5	6
Taylor	163	162	3	3	2
Trempealeau	223	303	9	8	5
Vernon	263	265	2	1	–
Vilas	139	162	1	–	1
Walworth	512	653	4	2	7
Whitewater, part	---	63	–	–	–
Whitewater, total	---	64	–	–	–
Balance of county	---	590	4	2	7
Washburn	162	155	4	3	4
Washington	478	505	11	8	8
Milwaukee, part	---	–	–	–	–
West Bend	---	137	3	3	4
Balance of county	---	368	8	5	4
Waukesha	1,591	1,592	30	26	22
Brookfield	---	182	5	4	–
Menomonee Falls	---	145	2	1	–
Muskego	---	24	1	1	2
New Berlin	---	129	3	3	2
Waukesha	---	305	8	8	6
Balance of county	---	807	11	9	12
Waupaca	508	528	7	4	6
Waushara	153	188	2	1	6
Winnebago	1,057	1,037	18	13	11
Menasha	---	119	3	1	1
Neenah	---	176	4	2	–
Oshkosh	---	465	9	9	7
Balance of county	---	277	2	1	3
Wood	906	569	8	6	7
Marshfield, part	---	149	–	–	1
Marshfield, total	---	150	–	–	1
Wisconsin Rapids	---	189	5	5	2
Balance of county	---	231	3	1	4
Wyoming	3,109	3,160	122	80	74
White	3,040	3,097	114	78	71
All other	69	63	8	2	3
Negro	18	17	2	1	2
Albany	157	160	6	3	2
Laramie	---	136	4	2	2
Balance of county	---	24	2	1	–
Big Horn	86	105	2	2	5
Campbell	76	79	5	3	–
Carbon	134	140	3	3	2
Converse	71	86	5	3	2
Crook	28	41	2	1	–
Fremont	233	249	13	7	8
White	203	215	7	6	7
All other	30	34	6	1	1
Negro	–	–	–	–	–
Goshen	92	121	6	4	8
Hot Springs	86	78	2	2	2
Johnson	73	72	3	3	–
Laramie	534	481	16	9	10
Cheyenne	---	396	13	6	6
Balance of county	---	85	3	3	4
Lincoln	51	77	5	4	1
Natrona	488	463	18	13	13
Casper	---	368	13	10	8
Balance of county	---	95	5	3	5
Niobrara	29	41	1	1	1
Park	149	151	5	3	2
Platte	51	66	1	1	1
Sheridan	252	237	5	1	2
Sheridan	---	182	3	–	2
Balance of county	---	55	2	1	–
Sublette	13	15	–	–	–
Sweetwater	245	244	16	11	11
Rock Springs	---	161	9	5	5
Balance of county	---	83	7	6	6
Teton	49	34	1	–	–
Uinta	98	77	2	2	2
Washakie	69	80	4	3	1
Weston	45	63	1	1	1

† Classified as urban under special rule; see Technical Appendix.
[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] Fetal deaths occurring in Georgia are reported only to the State and county level. Fetal deaths assigned to urban places are those occurring outside of Georgia; see Technical Appendix.
[4] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.
[7] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[8] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[9] Includes data for Bristol, Va., only.
[10] Includes data for Bluefield, W. Va., only.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States[1]	1,909,440	48,265	15.2	34,587	10.9	33,111	10.5
White	1,674,989	34,163	13.3	24,798	9.7	23,987	9.3
All other	234,451	14,102	23.5	9,789	16.3	9,124	15.2
Urban places	1,069,564	27,360	16.2	19,870	11.7	17,615	10.4
White	903,181	17,353	13.7	12,699	10.0	11,624	9.2
All other	166,383	10,007	23.4	7,171	16.8	5,991	14.0
Balance of area	839,876	20,905	14.2	14,717	10.0	15,496	10.5
White	771,808	16,810	12.9	12,099	9.3	12,363	9.5
All other	68,068	4,095	23.7	2,618	15.2	3,133	18.1
Metropolitan counties	1,241,299	31,742	15.0	23,103	10.9	21,597	10.2
White	1,074,875	21,592	12.9	15,813	9.5	15,122	9.1
All other	166,424	10,150	22.8	7,290	16.4	6,475	14.6
Urban places	915,211	23,413	16.0	17,045	11.7	15,198	10.4
White	766,579	14,421	13.4	10,577	9.9	9,805	9.1
All other	148,632	8,992	23.3	6,468	16.7	5,393	14.0
Balance of area	326,088	8,329	12.7	6,058	9.2	6,399	9.7
White	308,296	7,171	12.0	5,236	8.7	5,317	8.9
All other	17,792	1,158	19.9	822	14.1	1,082	18.6
Nonmetropolitan counties	668,141	16,523	15.7	11,484	10.9	11,514	10.9
White	600,114	12,571	14.0	8,985	10.0	8,865	9.9
All other	68,027	3,952	25.4	2,499	16.1	2,649	17.1
Urban places	154,353	3,947	16.9	2,825	12.1	2,417	10.4
White	136,602	2,932	15.3	2,122	11.0	1,819	9.5
All other	17,751	1,015	24.9	703	17.2	598	14.6
Balance of area	513,788	12,576	15.4	8,659	10.6	9,097	11.1
White	463,512	9,639	13.7	6,863	9.7	7,046	10.0
All other	50,276	2,937	25.7	1,796	15.7	2,051	17.9
Alabama	34,193	1,144	19.7	789	13.6	718	12.4
White	23,967	567	15.1	409	10.9	349	9.3
All other	10,226	577	28.1	380	18.5	369	18.0
Urban places	14,403	452	19.4	326	14.0	267	11.5
White	8,876	185	14.7	135	10.7	74	5.9
All other	5,527	267	25.1	191	17.9	193	18.1
Balance of area	19,790	692	19.9	463	13.3	451	13.0
White	15,091	382	15.4	274	11.0	275	11.1
All other	4,699	310	31.4	189	19.2	176	17.8
Metropolitan counties	17,403	565	19.0	412	13.8	357	12.0
White	11,702	294	15.7	218	11.6	157	8.4
All other	5,701	271	24.6	194	17.6	200	18.2
Urban places	10,937	338	19.6	246	14.2	214	12.4
White	6,595	137	15.4	101	11.4	55	6.2
All other	4,342	201	24.0	145	17.3	159	19.0
Balance of area	6,466	227	18.2	166	13.3	143	11.4
White	5,107	157	15.9	117	11.8	102	10.3
All other	1,359	70	26.7	49	18.7	41	15.6
Nonmetropolitan counties	16,790	579	20.5	377	13.4	361	12.8
White	12,265	273	14.6	191	10.2	192	10.3
All other	4,525	306	32.2	186	19.6	169	17.8
Urban places	3,466	114	19.1	80	13.4	53	8.9
White	2,281	48	13.0	34	9.2	19	5.1
All other	1,185	66	29.1	46	20.3	34	15.0
Balance of area	13,324	465	20.9	297	13.4	308	13.9
White	9,984	225	15.0	157	10.5	173	11.5
All other	3,340	240	33.1	140	19.3	135	18.6
Alaska	1,623	129	16.2	71	8.9	60	7.6
White	1,062	69	11.9	38	6.5	42	7.2
All other	561	60	28.2	33	15.5	18	8.5
Urban places	476	33	15.3	21	9.8	17	7.9
White	362	25	14.6	15	8.8	12	7.0
All other	114	8	18.1	6	13.6	5	11.3
Balance of area	1,147	96	16.6	50	8.6	43	7.4
White	700	44	10.7	23	5.6	30	7.3
All other	447	52	30.8	27	16.0	13	7.7
Metropolitan election districts[2]	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan election districts[2]	1,623	129	16.2	71	8.9	60	7.6
White	1,062	69	11.9	38	6.5	42	7.2
All other	561	60	28.2	33	15.5	18	8.5
Urban places	476	33	15.3	21	9.8	17	7.9
White	362	25	14.6	15	8.8	12	7.0
All other	114	8	18.1	6	13.6	5	11.3
Balance of area	1,147	96	16.6	50	8.6	43	7.4
White	700	44	10.7	23	5.6	30	7.3
All other	447	52	30.8	27	16.0	13	7.7

[1] All fetal deaths occurring in Georgia were assigned to "Balance of area" and none to "Urban places"; see Technical Appendix.
[2] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Arizona	17,339	615	15.4	416	10.4	340	8.5
White	15,825	471	14.1	343	10.2	254	7.6
All other	1,514	144	22.3	73	11.3	86	13.3
Urban places	11,998	380	15.2	272	10.9	185	7.4
White	11,440	339	14.9	245	10.8	156	6.9
All other	558	41	18.9	27	12.5	29	13.4
Balance of area	5,341	235	15.6	144	9.6	155	10.3
White	4,385	132	12.3	98	9.1	98	9.1
All other	956	103	24.1	46	10.7	57	13.3
Metropolitan counties	12,940	380	13.8	279	10.1	218	7.9
White	12,277	329	13.2	245	9.8	180	7.2
All other	663	51	20.0	34	13.3	38	14.9
Urban places	10,953	337	14.8	246	10.8	166	7.3
White	10,450	298	14.4	219	10.6	141	6.8
All other	503	39	19.9	27	13.8	25	12.7
Balance of area	1,987	43	8.9	33	6.8	52	10.7
White	1,827	31	7.3	26	6.1	39	9.2
All other	160	12	20.3	7	11.8	13	22.0
Nonmetropolitan counties	4,399	235	18.9	137	11.0	122	9.8
White	3,548	142	16.7	98	11.5	74	8.7
All other	851	93	23.9	39	10.0	48	12.3
Urban places	1,045	43	19.3	26	11.7	19	8.5
White	990	41	20.3	26	12.9	15	7.4
All other	55	2	9.7	–	–	4	19.4
Balance of area	3,354	192	18.8	111	10.9	103	10.1
White	2,558	101	15.5	72	11.1	59	9.1
All other	796	91	24.7	39	10.6	44	11.9
Arkansas	21,336	529	15.5	370	10.8	370	10.8
White	17,398	340	13.4	250	9.9	216	8.5
All other	3,938	189	21.3	120	13.5	154	17.3
Urban places	7,552	211	16.2	147	11.3	153	11.7
White	5,818	128	14.6	91	10.4	73	8.4
All other	1,734	83	19.3	56	13.0	80	18.6
Balance of area	13,784	318	15.1	223	10.6	217	10.3
White	11,580	212	12.8	159	9.6	143	8.6
All other	2,204	106	23.1	64	13.9	74	16.1
Metropolitan counties	5,648	170	14.6	118	10.1	117	10.1
White	4,242	94	12.0	71	9.0	54	6.9
All other	1,406	76	20.2	47	12.5	63	16.7
Urban places	4,220	119	14.1	87	10.3	90	10.7
White	3,165	67	12.3	51	9.4	40	7.4
All other	1,055	52	17.4	36	12.0	50	16.7
Balance of area	1,428	51	15.9	31	9.7	27	8.4
White	1,077	27	11.1	20	8.2	14	5.8
All other	351	24	30.8	11	14.1	13	16.7
Nonmetropolitan counties	15,688	359	15.9	252	11.2	253	11.2
White	13,156	246	14.1	179	10.3	162	9.3
All other	2,532	113	22.1	73	14.3	91	17.8
Urban places	3,332	92	20.0	60	13.0	63	13.7
White	2,653	61	18.5	40	12.1	33	10.0
All other	679	31	23.8	20	15.3	30	23.0
Balance of area	12,356	267	14.9	192	10.7	190	10.6
White	10,503	185	13.1	139	9.8	129	9.1
All other	1,853	82	21.5	53	13.9	61	16.0
California	171,022	4,129	12.4	2,830	8.5	3,051	9.2
White	156,031	3,296	11.8	2,271	8.2	2,385	8.6
All other	14,991	833	15.5	559	10.4	666	12.4
Urban places	128,487	3,151	12.7	2,203	8.9	2,303	9.3
White	115,165	2,412	12.0	1,703	8.5	1,704	8.5
All other	13,322	739	15.7	500	10.6	599	12.7
Balance of area	42,535	978	11.7	627	7.5	748	8.9
White	40,866	884	11.5	568	7.4	681	8.8
All other	1,669	94	14.2	59	8.9	67	10.1
Metropolitan counties	155,860	3,798	12.5	2,617	8.6	2,806	9.2
White	141,349	2,988	11.8	2,072	8.2	2,159	8.5
All other	14,511	810	15.5	545	10.4	647	12.4
Urban places	124,748	3,043	12.7	2,123	8.8	2,255	9.4
White	111,575	2,313	11.9	1,630	8.4	1,662	8.6
All other	13,173	730	15.7	493	10.6	593	12.7
Balance of area	31,112	755	11.7	494	7.7	551	8.6
White	29,774	675	11.5	442	7.5	497	8.4
All other	1,338	80	14.3	52	9.3	54	9.6
Nonmetropolitan counties	15,162	331	12.1	213	7.8	245	8.9
White	14,682	308	11.9	199	7.7	226	8.8
All other	480	23	14.5	14	8.8	19	11.9
Urban places	3,739	108	13.5	80	10.0	48	6.0
White	3,590	99	13.3	73	9.8	42	5.6
All other	149	9	15.8	7	12.3	6	10.5
Balance of area	11,423	223	11.5	133	6.9	197	10.2
White	11,092	209	11.4	126	6.9	184	10.0
All other	331	14	13.7	7	6.9	13	12.7

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Colorado	17,999	532	13.0	359	8.8	497	12.1
White	17,387	489	12.8	332	8.7	461	12.1
All other	612	43	15.6	27	9.8	36	13.1
Urban places	11,772	329	13.4	217	8.8	323	13.1
White	11,237	295	13.2	197	8.8	295	13.2
All other	535	34	14.8	20	8.7	28	12.2
Balance of area	6,227	203	12.4	142	8.6	174	10.6
White	6,150	194	12.1	135	8.5	166	10.4
All other	77	9	19.9	7	15.5	8	17.7
Metropolitan counties	11,914	376	13.0	253	8.7	364	12.5
White	11,350	335	12.7	227	8.6	330	12.5
All other	564	41	16.1	26	10.2	34	13.3
Urban places	10,266	299	13.7	195	8.9	296	13.5
White	9,736	265	13.5	175	8.9	269	13.7
All other	530	34	15.2	20	8.9	27	12.0
Balance of area	1,648	77	10.8	58	8.1	68	9.5
White	1,614	70	10.2	52	7.6	61	8.9
All other	34	7	23.0	6	19.7	7	23.0
Nonmetropolitan counties	6,085	156	13.0	106	8.8	133	11.1
White	6,037	154	13.1	105	8.9	131	11.1
All other	48	2	9.7	1	4.9	2	9.7
Urban places	1,506	30	11.1	22	8.1	27	10.0
White	1,501	30	11.4	22	8.3	26	9.8
All other	5	–	–	–	–	1	16.9
Balance of area	4,579	126	13.6	84	9.0	106	11.4
White	4,536	124	13.6	83	9.1	105	11.5
All other	43	2	13.6	1	6.8	1	6.8
Connecticut	26,128	505	14.2	403	11.3	305	8.6
White	24,855	384	12.3	304	9.8	249	8.0
All other	1,273	121	27.0	99	22.1	56	12.5
Urban places	18,273	371	15.9	297	12.7	219	9.4
White	17,098	253	13.1	200	10.3	169	8.7
All other	1,175	118	29.2	97	24.0	50	12.4
Balance of area	7,855	134	10.9	106	8.7	86	7.0
White	7,757	131	11.1	104	8.8	80	6.8
All other	98	3	6.7	2	4.4	6	13.3
Metropolitan counties	20,471	392	14.6	314	11.7	233	8.7
White	19,291	281	12.3	221	9.7	186	8.1
All other	1,180	111	27.5	93	23.1	47	11.7
Urban places	16,641	333	15.9	266	12.7	193	9.2
White	15,522	223	13.0	174	10.1	148	8.6
All other	1,119	110	29.0	92	24.3	45	11.9
Balance of area	3,830	59	10.0	48	8.2	40	6.8
White	3,769	58	10.3	47	8.3	38	6.7
All other	61	1	4.2	1	4.2	2	8.3
Nonmetropolitan counties	5,657	113	12.9	89	10.2	72	8.2
White	5,564	103	12.5	83	10.0	63	7.6
All other	93	10	21.9	6	13.1	9	19.7
Urban places	1,632	38	16.1	31	13.1	26	11.0
White	1,576	30	14.2	26	12.3	21	9.9
All other	56	8	32.5	5	20.3	5	20.3
Balance of area	4,025	75	11.8	58	9.1	46	7.2
White	3,988	73	11.9	57	9.3	42	6.8
All other	37	2	9.5	1	4.7	4	19.0
Delaware	4,781	104	12.9	73	9.0	99	12.2
White	4,022	67	10.8	52	8.4	71	11.5
All other	759	37	19.4	21	11.0	28	14.7
Urban places	2,014	54	29.4	39	21.2	25	13.6
White	1,586	30	30.7	25	25.6	12	12.3
All other	428	24	27.9	14	16.3	13	15.1
Balance of area	2,767	50	8.0	34	5.4	74	11.8
White	2,436	37	7.1	27	5.2	59	11.3
All other	331	13	12.5	7	6.7	15	14.4
Metropolitan counties	3,144	61	11.7	47	9.0	60	11.5
White	2,677	41	10.0	36	8.8	43	10.5
All other	467	20	18.1	11	9.9	17	15.3
Urban places	1,850	44	31.1	33	23.3	24	16.9
White	1,462	24	35.4	22	32.4	11	16.2
All other	388	20	27.1	11	14.9	13	17.6
Balance of area	1,294	17	4.5	14	3.7	36	9.5
White	1,215	17	5.0	14	4.1	32	9.3
All other	79	–	–	–	–	4	10.8
Nonmetropolitan counties	1,637	43	15.0	26	9.0	39	13.6
White	1,345	26	12.5	16	7.7	28	13.5
All other	292	17	21.4	10	12.6	11	13.8
Urban places	164	10	23.8	6	14.3	1	2.4
White	124	6	20.1	3	10.1	1	3.4
All other	40	4	32.8	3	24.6	–	–
Balance of area	1,473	33	13.4	20	8.1	38	15.5
White	1,221	20	11.2	13	7.3	27	15.2
All other	252	13	19.3	7	10.4	11	16.3

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
District of Columbia	7,312	245	25.3	199	20.5	163	16.8
White	2,359	15	10.1	10	6.7	14	9.4
All other	4,953	230	28.0	189	23.0	149	18.2
Urban places	7,312	245	25.3	199	20.5	163	16.8
White	2,359	15	10.1	10	6.7	14	9.4
All other	4,953	230	28.0	189	23.0	149	18.2
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Metropolitan	7,312	245	25.3	199	20.5	163	16.8
White	2,359	15	10.1	10	6.7	14	9.4
All other	4,953	230	28.0	189	23.0	149	18.2
Urban places	7,312	245	25.3	199	20.5	163	16.8
White	2,359	15	10.1	10	6.7	14	9.4
All other	4,953	230	28.0	189	23.0	149	18.2
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Florida	89,673	1,581	15.1	1,124	10.7	1,136	10.9
White	79,082	930	12.2	678	8.9	681	8.9
All other	10,591	651	22.9	446	15.7	455	16.0
Urban places	47,591	780	13.9	580	10.4	605	10.8
White	41,068	405	11.1	309	8.4	332	9.1
All other	6,523	375	19.3	271	14.0	273	14.1
Balance of area	42,082	801	16.5	544	11.2	531	10.9
White	38,014	525	13.2	369	9.3	349	8.8
All other	4,068	276	30.6	175	19.4	182	20.2
Metropolitan counties	58,124	999	14.5	734	10.6	764	11.1
White	51,169	570	11.6	429	8.7	448	9.1
All other	6,955	429	21.7	305	15.4	316	16.0
Urban places	39,256	638	13.6	483	10.3	482	10.3
White	34,078	341	11.1	264	8.6	268	8.7
All other	5,178	297	18.5	219	13.6	214	13.3
Balance of area	18,868	361	16.3	251	11.3	282	12.7
White	17,091	229	12.4	165	9.0	180	9.8
All other	1,777	132	35.6	86	23.2	102	27.5
Nonmetropolitan counties	31,549	582	16.3	390	10.9	372	10.4
White	27,913	360	13.3	249	9.2	233	8.6
All other	3,636	222	25.7	141	16.3	139	16.1
Urban places	8,335	142	15.6	97	10.6	123	13.5
White	6,990	64	11.0	45	7.7	64	11.0
All other	1,345	78	23.6	52	15.7	59	17.8
Balance of area	23,214	440	16.6	293	11.0	249	9.4
White	20,923	296	14.0	204	9.6	169	8.0
All other	2,291	144	27.1	89	16.7	80	15.0
Georgia[3]	41,661	1,259	15.9	865	10.9	1,095	13.8
White	29,536	620	12.2	435	8.6	581	11.4
All other	12,125	639	22.5	430	15.1	514	18.1
Urban places	17,289	554	20.0	410	14.8	4	0.1
White	10,423	194	15.7	141	11.4	2	0.2
All other	6,866	360	23.5	269	17.6	2	0.1
Balance of area	24,372	705	13.7	455	8.8	1,091	21.1
White	19,113	426	11.1	294	7.6	579	15.0
All other	5,259	279	21.2	161	12.2	512	38.9
Metropolitan counties	18,303	611	15.9	458	11.9	508	13.2
White	12,473	286	12.1	204	8.6	262	11.1
All other	5,830	325	22.0	254	17.2	246	16.6
Urban places	12,832	429	20.4	329	15.7	2	0.1
White	7,543	142	16.1	106	12.0	–	–
All other	5,289	287	23.5	223	18.3	2	0.2
Balance of area	5,471	182	10.4	129	7.4	506	29.0
White	4,930	144	9.7	98	6.6	262	17.6
All other	541	38	14.6	31	11.9	244	94.0
Nonmetropolitan counties	23,358	648	15.9	407	10.0	587	14.4
White	17,063	334	12.3	231	8.5	319	11.8
All other	6,295	314	23.0	176	12.9	268	19.6
Urban places	4,457	125	18.9	81	12.2	2	0.3
White	2,880	52	14.8	35	9.9	2	0.6
All other	1,577	73	23.6	46	14.8	–	–
Balance of area	18,901	523	15.3	326	9.5	585	17.1
White	14,183	282	11.9	196	8.3	317	13.4
All other	4,718	241	22.8	130	12.3	268	25.4

[3] Fetal deaths occurring in Georgia are reported only to the State and county level. Fetal deaths assigned to urban places are those occurring outside of Georgia; see Technical Appendix.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Hawaii	4,420	177	10.8	128	7.8	213	13.0
White	1,368	53	12.1	37	8.4	71	16.1
All other	3,052	124	10.4	91	7.6	142	11.9
Urban places	2,769	96	10.3	75	8.0	122	13.0
White	907	25	10.8	19	8.2	42	18.1
All other	1,862	71	10.1	56	8.0	80	11.4
Balance of area	1,651	81	11.5	53	7.5	91	13.0
White	461	28	13.5	18	8.7	29	13.9
All other	1,190	53	10.7	35	7.1	62	12.5
Metropolitan counties	3,201	138	10.5	101	7.7	166	12.7
White	1,050	41	10.7	29	7.6	61	15.9
All other	2,151	97	10.5	72	7.8	105	11.3
Urban places	2,556	92	10.6	72	8.3	113	13.0
White	857	24	10.7	18	8.0	42	18.7
All other	1,699	68	10.5	54	8.3	71	11.0
Balance of area	645	46	10.5	29	6.6	53	12.1
White	193	17	10.8	11	7.0	19	12.0
All other	452	29	10.3	18	6.4	34	12.1
Nonmetropolitan counties	1,219	39	11.9	27	8.3	47	14.4
White	318	12	21.0	8	14.0	10	17.5
All other	901	27	10.0	19	7.0	37	13.7
Urban places	213	4	6.3	3	4.7	9	14.2
White	50	1	13.9	1	13.9	–	–
All other	163	3	5.3	2	3.5	9	16.0
Balance of area	1,006	35	13.3	24	9.1	38	14.4
White	268	11	22.0	7	14.0	10	20.0
All other	738	24	11.2	17	8.0	28	13.1
Idaho	6,635	227	13.1	144	8.3	127	7.3
White	6,513	223	13.1	142	8.4	125	7.4
All other	122	4	10.3	2	5.2	2	5.2
Urban places	2,669	88	14.1	59	9.4	48	7.7
White	2,642	88	14.3	59	9.6	47	7.6
All other	27	–	–	–	–	1	9.1
Balance of area	3,966	139	12.5	85	7.7	79	7.1
White	3,871	135	12.5	83	7.7	78	7.2
All other	95	4	14.4	2	7.2	1	3.6
Metropolitan counties	1,036	36	14.6	27	10.9	12	4.9
White	1,030	36	14.9	27	11.2	12	5.0
All other	6	–	–	–	–	–	–
Urban places	854	30	16.0	23	12.3	11	5.9
White	848	30	16.4	23	12.5	11	6.0
All other	6	–	–	–	–	–	–
Balance of area	182	6	10.1	4	6.7	1	1.7
White	182	6	10.2	4	6.8	1	1.7
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	5,599	191	12.8	117	7.9	115	7.7
White	5,483	187	12.9	115	7.9	113	7.8
All other	116	4	11.8	2	5.9	2	5.9
Urban places	1,815	58	13.2	36	8.2	37	8.4
White	1,794	58	13.4	36	8.3	36	8.3
All other	21	–	–	–	–	1	13.9
Balance of area	3,784	133	12.7	81	7.7	78	7.4
White	3,689	129	12.6	79	7.7	77	7.5
All other	95	4	15.0	2	7.5	1	3.7
Illinois	102,665	2,847	16.7	2,082	12.2	1,859	10.9
White	90,184	1,724	13.2	1,302	9.9	1,260	9.6
All other	13,481	1,123	28.6	780	19.9	599	15.3
Urban places	71,337	2,135	18.4	1,553	13.4	1,358	11.7
White	58,552	1,071	13.6	820	10.4	786	10.0
All other	12,785	1,064	28.8	733	19.8	572	15.5
Balance of area	32,328	712	13.1	529	9.7	501	9.2
White	31,632	653	12.5	482	9.3	474	9.1
All other	696	59	25.9	47	20.6	27	11.8
Metropolitan counties	78,893	2,395	17.4	1,744	12.6	1,524	11.0
White	65,983	1,306	13.0	993	9.9	951	9.5
All other	12,910	1,089	28.8	751	19.9	573	15.2
Urban places	65,571	2,032	18.7	1,473	13.6	1,278	11.8
White	53,079	987	13.6	756	10.4	723	10.0
All other	12,492	1,045	29.0	717	19.9	555	15.4
Balance of area	13,322	363	12.4	271	9.2	246	8.4
White	12,904	319	11.5	237	8.6	228	8.2
All other	418	44	26.3	34	20.3	18	10.8
Nonmetropolitan counties	24,772	452	14.0	338	10.5	335	10.4
White	24,201	418	13.6	309	10.1	309	10.1
All other	571	34	22.5	29	19.2	26	17.2
Urban places	5,766	103	14.2	80	11.0	80	11.0
White	5,473	84	13.2	64	10.1	63	9.9
All other	293	19	21.1	16	17.7	17	18.8
Balance of area	19,006	349	14.0	258	10.3	255	10.2
White	18,728	334	13.7	245	10.1	246	10.1
All other	278	15	24.7	13	21.4	9	14.8

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Indiana	46,778	1,178	14.6	842	10.4	773	9.6
White	43,521	980	13.6	703	9.8	640	8.9
All other	3,257	198	22.9	139	16.1	133	15.4
Urban places	25,324	695	16.9	505	12.3	452	11.0
White	22,208	507	15.4	374	11.4	332	10.1
All other	3,116	188	22.7	131	15.8	120	14.5
Balance of area	21,454	483	12.2	337	8.5	321	8.1
White	21,313	473	12.1	329	8.4	308	7.9
All other	141	10	27.9	8	22.3	13	36.2
Metropolitan counties	27,629	761	15.4	552	11.2	474	9.6
White	24,673	583	14.0	425	10.2	362	8.7
All other	2,956	178	22.8	127	16.2	112	14.3
Urban places	19,620	567	17.2	410	12.5	364	11.1
White	16,724	393	15.5	287	11.3	256	10.1
All other	2,896	174	22.8	123	16.1	108	14.2
Balance of area	8,009	194	11.8	142	8.6	110	6.7
White	7,949	190	11.7	138	8.5	106	6.5
All other	60	4	20.9	4	20.9	4	20.9
Nonmetropolitan counties	19,149	417	13.3	290	9.3	299	9.6
White	18,848	397	13.0	278	9.1	278	9.1
All other	301	20	24.6	12	14.8	21	25.9
Urban places	5,704	128	15.5	95	11.5	88	10.7
White	5,484	114	15.0	87	11.5	76	10.0
All other	220	14	21.7	8	12.4	12	18.6
Balance of area	13,445	289	12.5	195	8.5	211	9.2
White	13,364	283	12.4	191	8.3	202	8.8
All other	81	6	35.7	4	23.8	9	53.6
Iowa	27,859	595	14.3	456	11.0	346	8.3
White	27,495	564	14.0	432	10.7	331	8.2
All other	364	31	23.4	24	18.1	15	11.3
Urban places	10,856	301	17.2	226	12.9	151	8.6
White	10,515	274	16.7	203	12.4	136	8.3
All other	341	27	23.9	23	20.4	15	13.3
Balance of area	17,003	294	12.2	230	9.5	195	8.1
White	16,980	290	12.1	229	9.6	195	8.2
All other	23	4	20.3	1	5.1	–	–
Metropolitan counties	8,528	260	16.3	193	12.1	140	8.8
White	8,241	240	16.0	175	11.7	127	8.5
All other	287	20	20.4	18	18.3	13	13.2
Urban places	7,125	218	17.4	163	13.0	111	8.9
White	6,840	198	17.1	145	12.5	98	8.4
All other	285	20	21.3	18	19.2	13	13.9
Balance of area	1,403	42	12.3	30	8.8	29	8.5
White	1,401	42	12.4	30	8.9	29	8.6
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	19,331	335	13.0	263	10.2	206	8.0
White	19,254	324	12.8	257	10.1	204	8.1
All other	77	11	32.0	6	17.4	2	5.8
Urban places	3,731	83	16.6	63	12.6	40	8.0
White	3,675	76	15.8	58	12.0	38	7.9
All other	56	7	36.5	5	26.0	2	10.4
Balance of area	15,600	252	12.2	200	9.7	166	8.0
White	15,579	248	12.1	199	9.7	166	8.1
All other	21	4	26.3	1	6.6	–	–
Kansas	21,848	498	14.1	369	10.4	368	10.4
White	20,715	420	13.1	308	9.6	321	10.0
All other	1,133	78	22.9	61	17.9	47	13.8
Urban places	10,541	294	14.8	217	10.9	221	11.1
White	9,532	225	13.3	162	9.6	176	10.4
All other	1,009	69	23.3	55	18.6	45	15.2
Balance of area	11,307	204	13.2	152	9.8	147	9.5
White	11,183	195	13.0	146	9.7	145	9.6
All other	124	9	20.2	6	13.5	2	4.5
Metropolitan counties	7,463	212	13.9	163	10.7	171	11.2
White	6,682	153	11.8	114	8.8	138	10.6
All other	781	59	26.5	49	22.0	33	14.8
Urban places	6,301	174	14.1	134	10.9	140	11.4
White	5,541	120	11.8	90	8.9	107	10.5
All other	760	54	25.2	44	20.6	33	15.4
Balance of area	1,162	38	13.0	29	9.9	31	10.6
White	1,141	33	11.6	24	8.4	31	10.9
All other	21	5	61.0	5	61.0	–	–
Nonmetropolitan counties	14,385	286	14.2	206	10.2	197	9.8
White	14,033	267	14.0	194	10.2	183	9.6
All other	352	19	16.1	12	10.2	14	11.8
Urban places	4,240	120	15.7	83	10.9	81	10.6
White	3,991	105	15.4	72	10.6	69	10.1
All other	249	15	18.3	11	13.4	12	14.7
Balance of area	10,145	166	13.2	123	9.8	116	9.2
White	10,042	162	13.3	122	10.0	114	9.3
All other	103	4	11.0	1	2.7	2	5.5

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	32,305	814	14.7	569	10.3	613	11.1
White	29,574	706	14.1	495	9.9	535	10.7
All other	2,731	108	20.9	74	14.3	78	15.1
Urban places	11,058	248	16.1	176	11.4	174	11.3
White	9,206	181	14.9	134	11.0	128	10.5
All other	1,852	67	20.8	42	13.0	46	14.3
Balance of area	21,247	566	14.2	393	9.9	439	11.0
White	20,368	525	13.9	361	9.5	407	10.7
All other	879	41	21.1	32	16.5	32	16.5
Metropolitan counties	12,016	293	14.3	210	10.3	215	10.5
White	10,464	227	13.1	168	9.7	171	9.9
All other	1,552	66	21.1	42	13.4	44	14.1
Urban places	8,211	183	15.8	128	11.0	137	11.8
White	6,798	130	14.4	96	10.6	101	11.2
All other	1,413	53	20.5	32	12.4	36	13.9
Balance of area	3,805	110	12.5	82	9.3	78	8.8
White	3,666	97	11.7	72	8.7	70	8.5
All other	139	13	23.7	10	18.2	8	14.6
Nonmetropolitan counties	20,289	521	15.0	359	10.3	398	11.4
White	19,110	479	14.6	327	10.0	364	11.1
All other	1,179	42	20.7	32	15.7	34	16.7
Urban places	2,847	65	17.3	48	12.7	37	9.8
White	2,408	51	16.3	38	12.2	27	8.6
All other	439	14	21.8	10	15.6	10	15.6
Balance of area	17,442	456	14.7	311	10.0	361	11.6
White	16,702	428	14.5	289	9.8	337	11.4
All other	740	28	20.1	22	15.8	24	17.2
Louisiana	34,581	1,244	17.8	921	13.2	775	11.1
White	23,234	539	12.9	396	9.5	347	8.3
All other	11,347	705	25.3	525	18.8	428	15.3
Urban places	16,913	643	20.3	476	15.0	390	12.3
White	10,565	226	14.8	165	10.8	141	9.3
All other	6,348	417	25.4	311	19.0	249	15.2
Balance of area	17,668	601	15.8	445	11.7	385	10.1
White	12,669	313	11.8	231	8.7	206	7.7
All other	4,999	288	25.0	214	18.6	179	15.5
Metropolitan parishes[4]	18,504	658	16.9	483	12.4	417	10.7
White	12,303	272	12.2	196	8.8	165	7.4
All other	6,201	386	23.4	287	17.4	252	15.3
Urban places	13,645	500	19.6	370	14.5	313	12.3
White	8,439	164	13.9	117	9.9	101	8.6
All other	5,206	336	24.6	253	18.5	212	15.5
Balance of area	4,859	158	11.8	113	8.5	104	7.8
White	3,864	108	10.2	79	7.5	64	6.1
All other	995	50	17.7	34	12.1	40	14.2
Nonmetropolitan parishes[4]	16,077	586	19.0	438	14.2	358	11.6
White	10,931	267	13.7	200	10.3	182	9.3
All other	5,146	319	27.9	238	20.8	176	15.4
Urban places	3,268	143	23.2	106	17.2	77	12.5
White	2,126	62	18.1	48	14.0	40	11.6
All other	1,142	81	29.7	58	21.3	37	13.6
Balance of area	12,809	443	17.9	332	13.4	281	11.4
White	8,805	205	12.8	152	9.5	142	8.8
All other	4,004	238	27.4	180	20.7	139	16.0
Maine	10,457	165	11.0	115	7.7	87	5.8
White	10,411	163	11.0	114	7.7	87	5.9
All other	46	2	8.4	1	4.2	–	–
Urban places	3,348	49	12.0	33	8.1	16	3.9
White	3,337	47	11.7	32	8.0	16	4.0
All other	11	2	38.5	1	19.2	–	–
Balance of area	7,109	116	10.6	82	7.5	71	6.5
White	7,074	116	10.8	82	7.6	71	6.6
All other	35	–	–	–	–	–	–
Metropolitan counties	2,017	26	9.5	19	6.9	7	2.6
White	2,011	26	9.6	19	7.0	7	2.6
All other	6	–	–	–	–	–	–
Urban places	1,184	14	10.7	10	7.7	–	–
White	1,180	14	10.9	10	7.8	–	–
All other	4	–	–	–	–	–	–
Balance of area	833	12	8.4	9	6.3	7	4.9
White	831	12	8.5	9	6.3	7	4.9
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	8,440	139	11.3	96	7.8	80	6.5
White	8,400	137	11.4	95	7.9	80	6.6
All other	40	2	9.7	1	4.8	–	–
Urban places	2,164	35	12.7	23	8.3	16	5.8
White	2,157	33	12.1	22	8.1	16	5.9
All other	7	2	60.6	1	30.3	–	–
Balance of area	6,276	104	10.9	73	7.7	64	6.7
White	6,243	104	11.1	73	7.8	64	6.9
All other	33	–	–	–	–	–	–

[4] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Maryland	32,644	911	17.3	693	13.1	513	9.7
White	25,985	515	13.9	392	10.6	292	7.9
All other	6,659	396	25.4	301	19.3	221	14.2
Urban places	13,502	379	23.2	290	17.7	185	11.3
White	8,968	146	18.3	111	13.9	72	9.0
All other	4,534	233	27.8	179	21.3	113	13.5
Balance of area	19,142	532	14.6	403	11.1	328	9.0
White	17,017	369	12.6	281	9.6	220	7.5
All other	2,125	163	22.7	122	17.0	108	15.0
Metropolitan counties	26,419	788	18.0	598	13.6	446	10.2
White	20,693	437	14.6	335	11.2	242	8.1
All other	5,726	351	25.2	263	18.9	204	14.7
Urban places	11,972	350	23.7	267	18.1	174	11.8
White	7,620	125	18.7	95	14.2	65	9.7
All other	4,352	225	27.9	172	21.3	109	13.5
Balance of area	14,447	438	15.0	331	11.4	272	9.3
White	13,073	312	13.4	240	10.3	177	7.6
All other	1,374	126	21.6	91	15.6	95	16.3
Nonmetropolitan counties	6,225	123	13.9	95	10.7	67	7.6
White	5,292	78	10.8	57	7.9	50	6.9
All other	933	45	27.1	38	22.9	17	10.2
Urban places	1,530	29	18.0	23	14.3	11	6.8
White	1,348	21	16.4	16	12.5	7	5.5
All other	182	8	24.8	7	21.7	4	12.4
Balance of area	4,695	94	13.0	72	9.9	56	7.7
White	3,944	57	9.6	41	6.9	43	7.3
All other	751	37	27.6	31	23.2	13	9.7
Massachusetts	54,049	800	12.1	585	8.9	579	8.8
White	52,584	709	11.6	526	8.6	518	8.5
All other	1,465	91	17.8	59	11.6	61	12.0
Urban places	38,856	542	12.3	390	8.9	398	9.1
White	37,509	459	11.7	338	8.6	342	8.7
All other	1,347	83	17.7	52	11.1	56	11.9
Balance of area	15,193	258	11.7	195	8.8	181	8.2
White	15,075	250	11.6	188	8.7	176	8.1
All other	118	8	19.5	7	17.1	5	12.2
Metropolitan counties	51,770	776	12.2	571	9.0	564	8.9
White	50,334	685	11.7	512	8.7	503	8.6
All other	1,436	91	18.1	59	11.7	61	12.1
Urban places	38,856	542	12.3	390	8.9	398	9.1
White	37,509	459	11.7	338	8.6	342	8.7
All other	1,347	83	17.7	52	11.1	56	11.9
Balance of area	12,914	234	11.9	181	9.2	166	8.4
White	12,825	226	11.7	174	9.0	161	8.3
All other	89	8	23.8	7	20.8	5	14.9
Nonmetropolitan counties	2,279	24	10.3	14	6.0	15	6.4
White	2,250	24	10.6	14	6.2	15	6.6
All other	29	–	–	–	–	–	–
Urban places	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–
Balance of area	2,279	24	10.3	14	6.0	15	6.4
White	2,250	24	10.6	14	6.2	15	6.6
All other	29	–	–	–	–	–	–
Michigan	75,862	1,991	15.2	1,439	11.0	1,270	9.7
White	66,509	1,398	13.0	1,027	9.5	952	8.8
All other	9,353	593	25.0	412	17.4	318	13.4
Urban places	43,381	1,169	16.5	849	12.0	718	10.2
White	34,632	605	12.4	452	9.3	430	8.8
All other	8,749	564	25.8	397	18.2	288	13.2
Balance of area	32,481	822	13.5	590	9.7	552	9.1
White	31,877	793	13.5	575	9.8	522	8.9
All other	604	29	15.2	15	7.9	30	15.7
Metropolitan counties	54,546	1,531	15.7	1,124	11.5	941	9.7
White	45,780	981	13.0	733	9.7	650	8.6
All other	8,766	550	25.2	391	17.9	291	13.3
Urban places	39,991	1,081	16.5	785	12.0	667	10.2
White	31,466	545	12.2	404	9.1	390	8.8
All other	8,525	536	25.7	381	18.3	277	13.3
Balance of area	14,555	450	14.1	339	10.6	274	8.6
White	14,314	436	14.1	329	10.6	260	8.4
All other	241	14	13.5	10	9.6	14	13.5
Nonmetropolitan counties	21,316	460	13.5	315	9.3	329	9.7
White	20,729	417	13.0	294	9.1	302	9.4
All other	587	43	23.0	21	11.2	27	14.5
Urban places	3,390	88	16.5	64	12.0	51	9.6
White	3,166	60	13.9	48	11.1	40	9.2
All other	224	28	28.1	16	16.0	11	11.0
Balance of area	17,926	372	13.0	251	8.7	278	9.7
White	17,563	357	12.8	246	8.8	262	9.4
All other	363	15	17.2	5	5.7	16	18.4

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	32,796	787	13.9	561	9.9	500	8.8
White	32,244	734	13.6	529	9.8	465	8.6
All other	552	53	20.5	32	12.4	35	13.5
Urban places	16,507	401	14.7	299	11.0	202	7.4
White	16,086	358	14.1	271	10.7	177	7.0
All other	421	43	22.8	28	14.8	25	13.2
Balance of area	16,289	386	13.1	262	8.9	298	10.1
White	16,158	376	13.1	258	9.0	288	10.0
All other	131	10	14.3	4	5.7	10	14.3
Metropolitan counties	16,221	425	13.8	308	10.0	236	7.7
White	15,794	378	13.1	279	9.7	207	7.2
All other	427	47	23.6	29	14.6	29	14.6
Urban places	13,803	335	14.4	244	10.5	173	7.4
White	13,396	292	13.6	216	10.1	148	6.9
All other	407	43	23.5	28	15.3	25	13.7
Balance of area	2,418	90	12.0	64	8.6	63	8.4
White	2,398	86	11.8	63	8.6	59	8.1
All other	20	4	24.5	1	6.1	4	24.5
Nonmetropolitan counties	16,575	362	14.0	253	9.8	264	10.2
White	16,450	356	14.1	250	9.9	258	10.2
All other	125	6	10.0	3	5.0	6	10.0
Urban places	2,704	66	16.8	55	14.0	29	7.4
White	2,690	66	17.1	55	14.3	29	7.5
All other	14	–	–	–	–	–	–
Balance of area	13,871	296	13.5	198	9.0	235	10.7
White	13,760	290	13.6	195	9.1	229	10.7
All other	111	6	11.2	3	5.6	6	11.2
Mississippi	23,168	924	21.5	627	14.6	698	16.3
White	14,338	330	14.5	242	10.6	252	11.0
All other	8,830	594	29.5	385	19.1	446	22.2
Urban places	6,959	307	23.3	221	16.8	215	16.3
White	4,081	104	16.1	77	11.9	75	11.6
All other	2,878	203	30.3	144	21.5	140	20.9
Balance of area	16,209	617	20.7	406	13.6	483	16.2
White	10,257	226	13.8	165	10.1	177	10.8
All other	5,952	391	29.2	241	18.0	306	22.8
Metropolitan counties	3,344	137	17.0	96	11.9	123	15.3
White	2,250	57	11.9	39	8.1	56	11.7
All other	1,094	80	24.6	57	17.5	67	20.6
Urban places	2,136	87	17.8	64	13.1	85	17.4
White	1,419	34	13.2	26	10.1	34	13.2
All other	717	53	23.0	38	16.5	51	22.1
Balance of area	1,208	50	15.8	32	10.1	38	12.0
White	831	23	10.3	13	5.8	22	9.9
All other	377	27	28.5	19	20.1	16	16.9
Nonmetropolitan counties	19,824	787	22.6	531	15.2	575	16.5
White	12,088	273	15.1	203	11.3	196	10.9
All other	7,736	514	30.5	328	19.5	379	22.5
Urban places	4,823	220	26.6	157	19.0	130	15.7
White	2,662	70	18.1	51	13.2	41	10.6
All other	2,161	150	34.1	106	24.1	89	20.2
Balance of area	15,001	567	21.3	374	14.1	445	16.7
White	9,426	203	14.3	152	10.7	155	10.9
All other	5,575	364	29.2	222	17.8	290	23.3
Missouri	49,075	1,053	15.3	757	11.0	679	9.9
White	44,123	777	13.4	578	10.0	539	9.3
All other	4,952	276	24.9	179	16.2	140	12.6
Urban places	23,809	576	18.8	413	13.5	328	10.7
White	19,654	338	15.5	256	11.7	215	9.9
All other	4,155	238	27.1	157	17.9	113	12.8
Balance of area	25,266	477	12.5	344	9.0	351	9.2
White	24,469	439	12.2	322	8.9	324	9.0
All other	797	38	16.7	22	9.7	27	11.9
Metropolitan counties	27,649	692	15.9	493	11.4	407	9.4
White	23,360	442	13.2	331	9.9	286	8.5
All other	4,289	250	25.5	162	16.5	121	12.4
Urban places	20,525	507	18.8	356	13.2	285	10.6
White	16,571	278	15.0	206	11.1	175	9.5
All other	3,954	229	27.1	150	17.7	110	13.0
Balance of area	7,124	185	11.3	137	8.3	122	7.4
White	6,789	164	10.9	125	8.3	111	7.3
All other	335	21	15.8	12	9.0	11	8.3
Nonmetropolitan counties	21,426	361	14.2	264	10.4	272	10.7
White	20,763	335	13.8	247	10.2	253	10.5
All other	663	26	20.3	17	13.3	19	14.8
Urban places	3,284	69	18.8	57	15.5	43	11.7
White	3,083	60	18.0	50	15.0	40	12.0
All other	201	9	26.8	7	20.8	3	8.9
Balance of area	18,142	292	13.4	207	9.5	229	10.5
White	17,680	275	13.2	197	9.4	213	10.2
All other	462	17	18.0	10	10.6	16	16.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Montana	6,741	208	16.5	147	11.7	109	8.7
White	6,443	185	16.4	135	12.0	94	8.4
All other	298	23	17.0	12	8.9	15	11.1
Urban places	2,351	74	18.8	57	14.5	29	7.4
White	2,311	71	19.4	56	15.3	29	7.9
All other	40	3	10.9	1	3.6	–	–
Balance of area	4,390	134	15.5	90	10.4	80	9.2
White	4,132	114	15.0	79	10.4	65	8.6
All other	258	20	18.6	11	10.2	15	13.9
Metropolitan counties	1,399	49	15.2	37	11.5	20	6.2
White	1,363	46	15.4	36	12.1	19	6.4
All other	36	3	12.8	1	4.3	1	4.3
Urban places	1,082	38	17.3	29	13.2	14	6.4
White	1,052	36	17.9	29	14.4	14	6.9
All other	30	2	11.2	–	–	–	–
Balance of area	317	11	10.7	8	7.8	6	5.9
White	311	10	10.3	7	7.2	5	5.2
All other	6	1	17.9	1	17.9	1	17.9
Nonmetropolitan counties	5,342	159	16.9	110	11.7	89	9.5
White	5,080	139	16.8	99	12.0	75	9.1
All other	262	20	17.9	11	9.8	14	12.5
Urban places	1,269	36	20.6	28	16.0	15	8.6
White	1,259	35	21.2	27	16.4	15	9.1
All other	10	1	10.2	1	10.2	–	–
Balance of area	4,073	123	16.1	82	10.7	74	9.7
White	3,821	104	15.7	72	10.9	60	9.1
All other	252	19	18.6	10	9.8	14	13.7
Nebraska	14,547	339	14.2	236	9.9	195	8.2
White	14,113	308	13.8	216	9.7	174	7.8
All other	434	31	21.7	20	14.0	21	14.7
Urban places	6,422	168	15.1	117	10.5	85	7.6
White	6,074	141	14.1	100	10.0	69	6.9
All other	348	27	23.8	17	15.0	16	14.1
Balance of area	8,125	171	13.5	119	9.4	110	8.7
White	8,039	167	13.5	116	9.4	105	8.5
All other	86	4	13.8	3	10.3	5	17.2
Metropolitan counties	5,046	151	14.2	104	9.8	77	7.2
White	4,700	124	13.1	87	9.2	60	6.3
All other	346	27	23.0	17	14.5	17	14.5
Urban places	4,496	125	15.2	90	10.9	56	6.8
White	4,155	98	13.7	73	10.2	40	5.6
All other	341	27	24.8	17	15.6	16	14.7
Balance of area	550	26	10.7	14	5.8	21	8.7
White	545	26	11.1	14	6.0	20	8.6
All other	5	–	–	–	–	1	12.0
Nonmetropolitan counties	9,501	188	14.3	132	10.0	118	9.0
White	9,413	184	14.3	129	10.0	114	8.8
All other	88	4	15.7	3	11.8	4	15.7
Urban places	1,926	43	14.9	27	9.3	29	10.0
White	1,919	43	15.1	27	9.5	29	10.2
All other	7	–	–	–	–	–	–
Balance of area	7,575	145	14.1	105	10.2	89	8.7
White	7,494	141	14.0	102	10.1	85	8.4
All other	81	4	19.3	3	14.5	4	19.3
Nevada	4,578	137	14.2	103	10.7	78	8.1
White	4,224	116	14.2	88	10.8	69	8.4
All other	354	21	14.2	15	10.1	9	6.1
Urban places	2,840	80	13.3	64	10.7	47	7.8
White	2,576	61	12.6	50	10.3	42	8.7
All other	264	19	16.5	14	12.2	5	4.4
Balance of area	1,738	57	15.6	39	10.7	31	8.5
White	1,648	55	16.5	38	11.4	27	8.1
All other	90	2	6.0	1	3.0	4	12.0
Metropolitan counties	3,584	103	13.1	76	9.7	62	7.9
White	3,286	84	12.8	62	9.5	53	8.1
All other	298	19	14.6	14	10.8	9	6.9
Urban places	2,674	75	13.2	59	10.4	45	7.9
White	2,414	57	12.5	46	10.1	40	8.8
All other	260	18	16.2	13	11.7	5	4.5
Balance of area	910	28	12.8	17	7.8	17	7.8
White	872	27	13.5	16	8.0	13	6.5
All other	38	1	5.4	1	5.4	4	21.6
Nonmetropolitan counties	994	34	18.8	27	15.0	16	8.9
White	938	32	19.7	26	16.0	16	9.9
All other	56	2	11.0	1	5.5	–	–
Urban places	166	5	14.8	5	14.8	2	5.9
White	162	4	13.2	4	13.2	2	6.6
All other	4	1	28.6	1	28.6	–	–
Balance of area	828	29	19.8	22	15.0	14	9.5
White	776	28	21.2	22	16.7	14	10.6
All other	52	1	6.8	–	–	–	–

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	7,417	129	11.5	101	9.0	81	7.2
White	7,400	129	11.7	101	9.2	79	7.2
All other	17	–	–	–	–	2	11.1
Urban places	3,218	54	12.3	40	9.1	34	7.8
White	3,211	54	12.6	40	9.3	33	7.7
All other	7	–	–	–	–	1	9.5
Balance of area	4,199	75	11.0	61	8.9	47	6.9
White	4,189	75	11.1	61	9.0	46	6.8
All other	10	–	–	–	–	1	13.3
Metropolitan counties	2,268	43	12.3	31	8.8	27	7.7
White	2,265	43	12.5	31	9.0	27	7.8
All other	3	–	–	–	–	–	–
Urban places	1,562	27	12.5	18	8.3	16	7.4
White	1,560	27	12.7	18	8.4	16	7.5
All other	2	–	–	–	–	–	–
Balance of area	706	16	11.9	13	9.7	11	8.2
White	705	16	12.1	13	9.8	11	8.3
All other	1	–	–	–	–	–	–
Nonmetropolitan counties	5,149	86	11.2	70	9.1	54	7.0
White	5,135	86	11.3	70	9.2	52	6.9
All other	14	–	–	–	–	2	15.7
Urban places	1,656	27	12.2	22	9.9	18	8.1
White	1,651	27	12.6	22	10.2	17	7.9
All other	5	–	–	–	–	1	14.1
Balance of area	3,493	59	10.7	48	8.7	36	6.6
White	3,484	59	10.8	48	8.8	35	6.4
All other	9	–	–	–	–	1	17.9
New Jersey	65,382	1,359	15.0	1,030	11.3	901	9.9
White	58,597	890	12.3	697	9.6	635	8.8
All other	6,785	469	25.4	333	18.0	266	14.4
Urban places	46,036	994	16.2	753	12.3	635	10.3
White	40,190	578	12.8	455	10.1	409	9.1
All other	5,846	416	25.6	298	18.3	226	13.9
Balance of area	19,346	365	12.4	277	9.4	266	9.1
White	18,407	312	11.5	242	8.9	226	8.3
All other	939	53	24.2	35	16.0	40	18.3
Metropolitan counties	49,470	1,075	15.7	797	11.6	699	10.2
White	43,457	648	12.4	498	9.5	464	8.9
All other	6,013	427	26.3	299	18.4	235	14.5
Urban places	37,808	835	17.0	624	12.7	526	10.7
White	32,509	449	12.9	351	10.1	323	9.3
All other	5,299	386	26.6	273	18.8	203	14.0
Balance of area	11,662	240	12.4	173	8.9	173	8.9
White	10,948	199	11.2	147	8.3	141	8.0
All other	714	41	23.6	26	15.0	32	18.4
Nonmetropolitan counties	15,912	284	12.8	233	10.5	202	9.1
White	15,140	242	12.1	199	10.0	171	8.6
All other	772	42	18.9	34	15.3	31	13.9
Urban places	8,228	159	13.0	129	10.5	109	8.9
White	7,681	129	12.3	104	9.9	86	8.2
All other	547	30	16.9	25	14.1	23	12.9
Balance of area	7,684	125	12.6	104	10.5	93	9.4
White	7,459	113	11.9	95	10.0	85	9.0
All other	225	12	26.7	9	20.0	8	17.8
New Mexico	8,224	341	15.5	214	9.7	204	9.3
White	7,400	280	15.3	185	10.1	168	9.2
All other	824	61	16.4	29	7.8	36	9.7
Urban places	4,519	169	15.1	109	9.8	92	8.2
White	4,322	152	14.9	99	9.7	83	8.2
All other	197	17	17.2	10	10.1	9	9.1
Balance of area	3,705	172	15.8	105	9.6	112	10.3
White	3,078	128	15.7	86	10.6	85	10.4
All other	627	44	16.1	19	7.0	27	9.9
Metropolitan counties	2,331	70	11.7	44	7.3	39	6.5
White	2,240	63	11.4	40	7.3	34	6.2
All other	91	7	14.1	4	8.0	5	10.1
Urban places	2,280	65	12.2	42	7.9	38	7.1
White	2,205	60	12.1	39	7.9	34	6.9
All other	75	5	13.1	3	7.8	4	10.4
Balance of area	51	5	7.5	2	3.0	1	1.5
White	35	3	5.4	1	1.8	–	–
All other	16	2	17.5	1	8.8	1	8.8
Nonmetropolitan counties	5,893	271	16.9	170	10.6	165	10.3
White	5,160	217	16.9	145	11.3	134	10.4
All other	733	54	16.7	25	7.8	31	9.6
Urban places	2,239	104	17.8	67	11.5	54	9.2
White	2,117	92	17.6	60	11.5	49	9.4
All other	122	12	19.7	7	11.5	5	8.2
Balance of area	3,654	167	16.4	103	10.1	111	10.9
White	3,043	125	16.5	85	11.2	85	11.2
All other	611	42	16.0	18	6.9	26	9.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New York	172,554	3,773	16.0	2,784	11.8	2,661	11.3
White	152,952	2,467	13.5	1,807	9.9	1,935	10.6
All other	19,602	1,306	24.6	977	18.4	726	13.6
Urban places	115,551	2,660	17.8	1,962	13.1	1,711	11.4
White	97,273	1,443	14.4	1,052	10.5	1,055	10.5
All other	18,278	1,217	24.8	910	18.5	656	13.3
Balance of area	57,003	1,113	12.9	822	9.5	950	11.0
White	55,679	1,024	12.5	755	9.2	880	10.7
All other	1,324	89	22.1	67	16.6	70	17.4
Metropolitan counties	147,547	3,292	16.4	2,440	12.1	2,229	11.1
White	128,441	2,020	13.5	1,487	10.0	1,526	10.2
All other	19,106	1,272	24.6	953	18.4	703	13.6
Urban places	108,948	2,532	17.8	1,872	13.2	1,603	11.3
White	90,900	1,337	14.3	977	10.4	959	10.3
All other	18,048	1,195	24.7	895	18.5	644	13.3
Balance of area	38,599	760	12.8	568	9.6	626	10.6
White	37,541	683	12.2	510	9.1	567	10.1
All other	1,058	77	23.2	58	17.5	59	17.8
Nonmetropolitan counties	25,007	481	13.9	344	9.9	432	12.5
White	24,511	447	13.5	320	9.7	409	12.4
All other	496	34	22.6	24	15.9	23	15.3
Urban places	6,603	128	16.8	90	11.8	108	14.2
White	6,373	106	15.6	75	11.0	96	14.1
All other	230	22	27.8	15	19.0	12	15.2
Balance of area	18,404	353	13.1	254	9.4	324	12.0
White	18,138	341	13.0	245	9.3	313	11.9
All other	266	12	16.8	9	12.6	11	15.4
North Carolina	45,832	1,434	17.8	1,043	12.9	1,010	12.5
White	34,306	824	15.0	642	11.6	574	10.4
All other	11,526	610	23.9	401	15.7	436	17.1
Urban places	15,418	462	20.8	345	15.5	292	13.1
White	10,530	217	17.1	172	13.6	128	10.1
All other	4,888	245	25.6	173	18.1	164	17.1
Balance of area	30,414	972	16.7	698	12.0	718	12.3
White	23,776	607	14.3	470	11.1	446	10.5
All other	6,638	365	22.9	228	14.3	272	17.1
Metropolitan counties	15,508	552	18.8	414	14.1	336	11.4
White	11,517	318	15.7	247	12.2	183	9.0
All other	3,991	234	25.6	167	18.3	153	16.8
Urban places	9,575	310	20.9	229	15.4	174	11.7
White	6,427	143	17.0	113	13.4	67	8.0
All other	3,148	167	25.9	116	18.0	107	16.6
Balance of area	5,933	242	16.6	185	12.7	162	11.1
White	5,090	175	14.8	134	11.3	116	9.8
All other	843	67	25.0	51	19.0	46	17.2
Nonmetropolitan counties	30,324	882	17.2	629	12.3	674	13.2
White	22,789	506	14.5	395	11.3	391	11.2
All other	7,535	376	23.0	234	14.3	283	17.3
Urban places	5,843	152	20.6	116	15.7	118	16.0
White	4,103	74	17.4	59	13.9	61	14.4
All other	1,740	78	25.0	57	18.3	57	18.3
Balance of area	24,481	730	16.7	513	11.7	556	12.7
White	18,686	432	14.1	336	11.0	330	10.8
All other	5,795	298	22.5	177	13.4	226	17.1
North Dakota	5,516	148	13.8	106	9.9	104	9.7
White	5,351	130	13.3	97	9.9	98	10.0
All other	165	18	20.4	9	10.2	6	6.8
Urban places	1,579	61	15.4	44	11.1	35	8.9
White	1,571	59	15.6	44	11.6	35	9.2
All other	8	2	12.3	–	–	–	–
Balance of area	3,937	87	12.9	62	9.2	69	10.2
White	3,780	71	11.8	53	8.8	63	10.5
All other	157	16	22.2	9	12.5	6	8.3
Metropolitan counties	585	16	12.5	11	8.6	16	12.5
White	583	16	13.0	11	8.9	16	13.0
All other	2	–	–	–	–	–	–
Urban places	416	7	8.1	5	5.8	13	15.0
White	414	7	8.5	5	6.1	13	15.8
All other	2	–	–	–	–	–	–
Balance of area	169	9	22.0	6	14.6	3	7.3
White	169	9	22.1	6	14.7	3	7.4
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	4,931	132	14.0	95	10.1	88	9.3
White	4,768	114	13.3	86	10.0	82	9.6
All other	163	18	21.4	9	10.7	6	7.1
Urban places	1,163	54	17.5	39	12.6	22	7.1
White	1,157	52	17.5	39	13.1	22	7.4
All other	6	2	16.5	–	–	–	–
Balance of area	3,768	78	12.3	56	8.8	66	10.4
White	3,611	62	11.1	47	8.4	60	10.7
All other	157	16	22.3	9	12.5	6	8.3

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	96,159	2,322	14.9	1,737	11.2	1,391	8.9
White	86,752	1,828	13.6	1,373	10.2	1,105	8.2
All other	9,407	494	23.3	364	17.2	286	13.5
Urban places	59,416	1,461	16.8	1,091	12.6	863	9.9
White	50,692	992	14.7	746	11.1	595	8.8
All other	8,724	469	24.1	345	17.7	268	13.8
Balance of area	36,743	861	12.6	646	9.4	528	7.7
White	36,060	836	12.5	627	9.4	510	7.6
All other	683	25	14.6	19	11.1	18	10.5
Metropolitan counties	72,299	1,754	15.0	1,334	11.4	1,069	9.2
White	63,304	1,283	13.3	985	10.2	793	8.2
All other	8,995	471	23.3	349	17.2	276	13.6
Urban places	51,858	1,295	16.8	981	12.8	766	10.0
White	43,385	841	14.5	646	11.1	505	8.7
All other	8,473	454	24.0	335	17.7	261	13.8
Balance of area	20,441	459	11.6	353	8.9	303	7.6
White	19,919	442	11.5	339	8.8	288	7.5
All other	522	17	12.7	14	10.5	15	11.2
Nonmetropolitan counties	23,860	568	14.6	403	10.4	322	8.3
White	23,448	545	14.4	388	10.2	312	8.2
All other	412	23	23.8	15	15.5	10	10.3
Urban places	7,558	166	16.6	110	11.0	97	9.7
White	7,307	151	16.1	100	10.6	90	9.6
All other	251	15	25.5	10	17.0	7	11.9
Balance of area	16,302	402	13.9	293	10.2	225	7.8
White	16,141	394	13.8	288	10.1	222	7.8
All other	161	8	21.1	5	13.2	3	7.9
Oklahoma	27,129	729	16.7	493	11.3	431	9.9
White	24,418	562	15.9	380	10.8	324	9.2
All other	2,711	167	19.8	113	13.4	107	12.7
Urban places	13,037	431	17.4	305	12.3	217	8.8
White	11,628	320	16.4	228	11.7	161	8.2
All other	1,409	111	21.5	77	14.9	56	10.9
Balance of area	14,092	298	15.7	188	9.9	214	11.3
White	12,790	242	15.4	152	9.7	163	10.4
All other	1,302	56	17.1	36	11.0	51	15.5
Metropolitan counties	11,131	400	17.2	280	12.0	212	9.1
White	9,922	298	16.1	208	11.2	156	8.4
All other	1,209	102	21.4	72	15.1	56	11.7
Urban places	8,875	334	17.6	237	12.5	155	8.2
White	7,895	240	16.1	168	11.3	113	7.6
All other	980	94	22.9	69	16.8	42	10.2
Balance of area	2,256	66	15.2	43	9.9	57	13.1
White	2,027	58	15.7	40	10.8	43	11.7
All other	229	8	12.2	3	4.6	14	21.3
Nonmetropolitan counties	15,998	329	16.1	213	10.4	219	10.7
White	14,496	264	15.8	172	10.3	168	10.0
All other	1,502	65	17.7	41	11.2	51	13.9
Urban places	4,162	97	16.9	68	11.9	62	10.8
White	3,733	80	17.1	60	12.8	48	10.2
All other	429	17	16.3	8	7.7	14	13.4
Balance of area	11,836	232	15.8	145	9.9	157	10.7
White	10,763	184	15.3	112	9.3	120	10.0
All other	1,073	48	18.3	33	12.6	37	14.1
Oregon	20,486	443	12.7	276	7.9	307	8.8
White	20,051	417	12.6	260	7.9	282	8.5
All other	435	26	13.9	16	8.6	25	13.4
Urban places	9,443	167	12.7	107	8.1	134	10.2
White	9,130	152	12.6	98	8.2	114	9.5
All other	313	15	12.9	9	7.8	20	17.2
Balance of area	11,043	276	12.7	169	7.8	173	8.0
White	10,921	265	12.6	162	7.7	168	8.0
All other	122	11	15.5	7	9.9	5	7.0
Metropolitan counties	12,310	240	11.6	155	7.5	198	9.6
White	11,974	222	11.5	145	7.5	176	9.1
All other	336	18	13.5	10	7.5	22	16.5
Urban places	7,092	112	11.6	72	7.5	113	11.7
White	6,797	97	11.3	63	7.3	93	10.8
All other	295	15	14.7	9	8.8	20	19.6
Balance of area	5,218	128	11.6	83	7.5	85	7.7
White	5,177	125	11.7	82	7.7	83	7.8
All other	41	3	9.4	1	3.1	2	6.3
Nonmetropolitan counties	8,176	203	14.3	121	8.5	109	7.7
White	8,077	195	14.2	115	8.4	106	7.7
All other	99	8	15.0	6	11.3	3	5.6
Urban places	2,351	55	15.5	35	9.9	21	5.9
White	2,333	55	16.2	35	10.3	21	6.2
All other	18	–	–	–	–	–	–
Balance of area	5,825	148	13.9	86	8.1	88	8.2
White	5,744	140	13.6	80	7.8	85	8.3
All other	81	8	20.4	6	15.3	3	7.7

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Pennsylvania	121,095	2,287	15.4	1,758	11.9	1,796	12.1
White	110,198	1,767	13.9	1,370	10.8	1,405	11.0
All other	10,897	520	24.9	388	18.6	391	18.7
Urban places	63,081	1,228	18.7	933	14.2	929	14.2
White	53,277	757	16.0	590	12.5	576	12.2
All other	9,804	471	25.9	343	18.9	353	19.4
Balance of area	58,014	1,059	12.8	825	10.0	867	10.5
White	56,921	1,010	12.6	780	9.7	829	10.4
All other	1,093	49	17.9	45	16.4	38	13.8
Metropolitan counties	94,661	1,804	15.7	1,399	12.2	1,398	12.2
White	84,164	1,302	13.7	1,023	10.8	1,020	10.8
All other	10,497	502	24.9	376	18.6	378	18.7
Urban places	57,974	1,145	18.8	876	14.4	860	14.2
White	48,334	682	15.9	536	12.5	512	11.9
All other	9,640	463	26.0	340	19.1	348	19.5
Balance of area	36,687	659	12.1	523	9.6	538	9.9
White	35,830	620	11.9	487	9.4	508	9.8
All other	857	39	16.5	36	15.2	30	12.7
Nonmetropolitan counties	26,434	483	14.5	359	10.8	398	12.0
White	26,034	465	14.3	347	10.7	385	11.8
All other	400	18	25.1	12	16.7	13	18.1
Urban places	5,107	83	17.4	57	11.9	69	14.5
White	4,943	75	16.9	54	12.2	64	14.4
All other	164	8	23.8	3	8.9	5	14.9
Balance of area	21,327	400	14.0	302	10.6	329	11.6
White	21,091	390	13.9	293	10.4	321	11.4
All other	236	10	26.2	9	23.6	8	21.0
Rhode Island	9,200	156	14.4	121	11.2	142	13.1
White	8,983	139	13.8	105	10.4	130	12.9
All other	217	17	22.9	16	21.6	12	16.2
Urban places	7,305	122	14.9	95	11.6	111	13.5
White	7,105	107	14.2	80	10.6	99	13.2
All other	200	15	21.9	15	21.9	12	17.5
Balance of area	1,895	34	13.1	26	10.0	31	11.9
White	1,878	32	12.6	25	9.8	31	12.2
All other	17	2	35.1	1	17.5	–	–
Metropolitan counties	7,881	121	14.0	91	10.6	122	14.2
White	7,698	106	13.2	76	9.5	111	13.8
All other	183	15	25.6	15	25.6	11	18.7
Urban places	6,758	107	14.8	81	11.2	100	13.9
White	6,577	93	14.0	67	10.1	89	13.4
All other	181	14	24.3	14	24.3	11	19.1
Balance of area	1,123	14	10.0	10	7.1	22	15.6
White	1,121	13	9.3	9	6.4	22	15.8
All other	2	1	100.0	1	100.0	–	–
Nonmetropolitan counties	1,319	35	16.0	30	13.7	20	9.1
White	1,285	33	16.2	29	14.3	19	9.3
All other	34	2	12.9	1	6.5	1	6.5
Urban places	547	15	15.1	14	14.1	11	11.1
White	528	14	15.8	13	14.7	10	11.3
All other	19	1	9.3	1	9.3	1	9.3
Balance of area	772	20	16.7	16	13.4	9	7.5
White	757	19	16.5	16	13.9	9	7.8
All other	15	1	21.3	–	–	–	–
South Carolina	23,680	935	19.6	635	13.3	704	14.7
White	15,682	402	14.0	286	10.0	316	11.0
All other	7,998	533	27.8	349	18.2	388	20.3
Urban places	5,858	186	21.0	134	15.1	131	14.8
White	3,657	68	15.1	49	10.9	48	10.7
All other	2,201	118	27.1	85	19.5	83	19.1
Balance of area	17,822	749	19.2	501	12.9	573	14.7
White	12,025	334	13.8	237	9.8	268	11.1
All other	5,797	415	28.0	264	17.8	305	20.6
Metropolitan counties	8,088	287	15.6	196	10.6	236	12.8
White	5,775	161	13.0	113	9.2	136	11.0
All other	2,313	126	20.8	83	13.7	100	16.5
Urban places	3,098	93	20.2	59	12.8	64	13.9
White	1,956	36	15.5	23	9.9	23	9.9
All other	1,142	57	24.9	36	15.7	41	17.9
Balance of area	4,990	194	14.1	137	9.9	172	12.5
White	3,819	125	12.5	90	9.0	113	11.3
All other	1,171	69	18.3	47	12.4	59	15.6
Nonmetropolitan counties	15,592	648	22.1	439	14.9	468	15.9
White	9,907	241	14.8	173	10.6	180	11.0
All other	5,685	407	31.1	266	20.3	288	22.0
Urban places	2,760	93	21.9	75	17.7	67	15.8
White	1,701	32	14.7	26	11.9	25	11.5
All other	1,059	61	29.6	49	23.8	42	20.4
Balance of area	12,832	555	22.1	364	14.5	401	16.0
White	8,206	209	14.8	147	10.4	155	11.0
All other	4,626	346	31.4	217	19.7	246	22.3

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
South Dakota	6,742	199	17.1	131	11.2	104	8.9
White	6,293	150	15.0	109	10.9	87	8.7
All other	449	49	29.9	22	13.4	17	10.4
Urban places	1,960	65	18.3	47	13.2	27	7.6
White	1,928	58	17.4	43	12.9	25	7.5
All other	32	7	31.0	4	17.7	2	8.8
Balance of area	4,782	134	16.5	84	10.4	77	9.5
White	4,365	92	13.7	66	9.9	62	9.3
All other	417	42	29.7	18	12.7	15	10.6
Metropolitan counties	829	28	17.2	21	12.9	15	9.2
White	823	26	16.4	19	12.0	15	9.5
All other	6	2	47.6	2	47.6	–	–
Urban places	679	27	21.6	20	16.0	11	8.8
White	675	25	20.6	18	14.8	11	9.0
All other	4	2	55.6	2	55.6	–	–
Balance of area	150	1	2.7	1	2.7	4	10.7
White	148	1	2.7	1	2.7	4	10.9
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	5,913	171	17.0	110	10.9	89	8.9
White	5,470	124	14.7	90	10.7	72	8.5
All other	443	47	29.4	20	12.5	17	10.6
Urban places	1,281	38	16.5	27	11.7	16	6.9
White	1,253	33	15.6	25	11.8	14	6.6
All other	28	5	26.3	2	10.5	2	10.5
Balance of area	4,632	133	17.2	83	10.7	73	9.4
White	4,217	91	14.4	65	10.3	58	9.2
All other	415	42	29.8	18	12.8	15	10.6
Tennessee	38,970	1,011	16.2	727	11.6	732	11.7
White	32,119	678	13.9	493	10.1	502	10.3
All other	6,851	333	24.2	234	17.0	230	16.7
Urban places	18,811	480	16.1	339	11.4	341	11.5
White	13,627	235	12.4	170	8.9	174	9.1
All other	5,184	245	22.8	169	15.7	167	15.5
Balance of area	20,159	531	16.2	388	11.8	391	11.9
White	18,492	443	14.9	323	10.8	328	11.0
All other	1,667	88	29.2	65	21.6	63	20.9
Metropolitan counties	17,603	456	15.2	327	10.9	335	11.2
White	12,832	241	12.0	178	8.9	179	8.9
All other	4,771	215	21.6	149	15.0	156	15.7
Urban places	14,628	376	16.0	267	11.4	271	11.5
White	10,072	167	11.9	123	8.8	123	8.8
All other	4,556	209	22.0	144	15.1	148	15.6
Balance of area	2,975	80	12.3	60	9.2	64	9.8
White	2,760	74	12.2	55	9.1	56	9.2
All other	215	6	13.8	5	11.5	8	18.4
Nonmetropolitan counties	21,367	555	17.0	400	12.3	397	12.2
White	19,287	437	15.2	315	10.9	323	11.2
All other	2,080	118	30.9	85	22.2	74	19.4
Urban places	4,183	104	16.6	72	11.5	70	11.1
White	3,555	68	13.5	47	9.3	51	10.1
All other	628	36	28.9	25	20.1	19	15.2
Balance of area	17,184	451	17.1	328	12.5	327	12.4
White	15,732	369	15.5	268	11.3	272	11.5
All other	1,452	82	31.8	60	23.3	55	21.4
Texas	100,760	3,507	16.0	2,502	11.4	2,240	10.3
White	86,677	2,653	14.3	1,899	10.3	1,829	9.9
All other	14,083	854	25.3	603	17.9	431	12.8
Urban places	61,908	2,372	15.8	1,689	11.3	1,519	10.1
White	51,725	1,702	13.8	1,208	9.8	1,184	9.6
All other	10,183	670	25.0	481	17.9	335	12.5
Balance of area	38,852	1,135	16.5	813	11.8	741	10.8
White	34,952	951	15.4	691	11.2	645	10.4
All other	3,900	184	26.7	122	17.7	96	13.9
Metropolitan counties	66,203	2,540	15.3	1,818	10.9	1,632	9.8
White	56,182	1,879	13.5	1,344	9.6	1,309	9.4
All other	10,021	661	24.6	474	17.6	323	12.0
Urban places	53,884	2,083	15.6	1,483	11.1	1,323	9.9
White	44,769	1,480	13.6	1,052	9.6	1,023	9.4
All other	9,115	603	24.8	431	17.7	300	12.3
Balance of area	12,319	457	13.9	335	10.2	309	9.4
White	11,413	399	13.1	292	9.6	286	9.4
All other	906	58	22.6	43	16.8	23	9.0
Nonmetropolitan counties	34,557	967	18.5	684	13.1	628	12.0
White	30,495	774	17.0	555	12.2	520	11.4
All other	4,062	193	28.4	129	19.0	108	15.9
Urban places	8,024	289	17.6	206	12.5	196	11.9
White	6,956	222	15.9	156	11.1	161	11.5
All other	1,068	67	27.3	50	20.4	35	14.3
Balance of area	26,533	678	18.9	478	13.4	432	12.1
White	23,539	552	17.5	399	12.7	359	11.4
All other	2,994	126	29.1	79	18.2	73	16.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Utah	7,482	413	11.7	279	7.9	273	7.7
White	7,323	392	11.5	273	8.0	259	7.6
All other	159	21	17.9	6	5.1	14	11.9
Urban places	3,797	165	10.6	111	7.2	126	8.1
White	3,714	159	10.7	109	7.3	119	8.0
All other	83	6	10.2	2	3.4	7	11.8
Balance of area	3,685	248	12.5	168	8.5	147	7.4
White	3,609	233	12.1	164	8.6	140	7.3
All other	76	15	25.7	4	6.9	7	12.0
Metropolitan counties	5,468	300	11.0	203	7.4	208	7.6
White	5,380	295	11.1	200	7.5	199	7.5
All other	88	5	6.4	3	3.8	9	11.4
Urban places	3,485	153	10.9	103	7.3	121	8.6
White	3,408	149	11.1	101	7.5	114	8.5
All other	77	4	7.2	2	3.6	7	12.6
Balance of area	1,983	147	11.0	100	7.5	87	6.5
White	1,972	146	11.1	99	7.5	85	6.5
All other	11	1	4.3	1	4.3	2	8.6
Nonmetropolitan counties	2,014	113	14.3	76	9.6	65	8.2
White	1,943	97	12.9	73	9.7	60	8.0
All other	71	16	41.3	3	7.8	5	12.9
Urban places	312	12	8.1	8	5.4	5	3.4
White	306	10	6.9	8	5.6	5	3.5
All other	6	2	55.6	–	–	–	–
Balance of area	1,702	101	15.7	68	10.6	60	9.4
White	1,637	87	14.3	65	10.7	55	9.1
All other	65	14	39.9	3	8.5	5	14.2
Vermont	4,269	85	12.6	62	9.2	43	6.4
White	4,260	85	12.7	62	9.3	42	6.3
All other	9	–	–	–	–	1	18.2
Urban places	702	14	17.4	11	13.7	7	8.7
White	700	14	17.6	11	13.8	7	8.8
All other	2	–	–	–	–	–	–
Balance of area	3,567	71	12.0	51	8.6	36	6.1
White	3,560	71	12.1	51	8.7	35	5.9
All other	7	–	–	–	–	1	21.3
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	4,269	85	12.6	62	9.2	43	6.4
White	4,260	85	12.7	62	9.3	42	6.3
All other	9	–	–	–	–	1	18.2
Urban places	702	14	17.4	11	13.7	7	8.7
White	700	14	17.6	11	13.8	7	8.8
All other	2	–	–	–	–	–	–
Balance of area	3,567	71	12.0	51	8.6	36	6.1
White	3,560	71	12.1	51	8.7	35	5.9
All other	7	–	–	–	–	1	21.3
Virginia	40,133	1,140	16.3	833	11.9	977	13.9
White	31,015	697	13.3	516	9.8	611	11.6
All other	9,118	443	25.4	317	18.2	366	21.0
Urban places	17,406	525	17.4	377	12.5	448	14.8
White	12,366	274	13.6	193	9.6	219	10.9
All other	5,040	251	24.8	184	18.2	229	22.6
Balance of area	22,727	615	15.4	456	11.5	529	13.3
White	18,649	423	13.0	323	9.9	392	12.1
All other	4,078	192	26.2	133	18.1	137	18.7
Metropolitan counties	21,207	682	15.6	519	11.8	599	13.7
White	15,911	404	12.5	308	9.6	349	10.8
All other	5,296	278	23.9	211	18.1	250	21.5
Urban places	14,862	478	17.5	351	12.9	397	14.5
White	10,323	244	13.7	177	9.9	188	10.5
All other	4,539	234	24.8	174	18.4	209	22.1
Balance of area	6,345	204	12.3	168	10.2	202	12.2
White	5,588	160	11.2	131	9.1	161	11.2
All other	757	44	20.0	37	16.8	41	18.6
Nonmetropolitan counties	18,926	458	17.5	314	12.0	378	14.4
White	15,104	293	14.4	208	10.2	262	12.9
All other	3,822	165	28.3	106	18.2	116	19.9
Urban places	2,544	47	16.1	26	8.9	51	17.5
White	2,043	30	13.4	16	7.2	31	13.9
All other	501	17	24.8	10	14.6	20	29.2
Balance of area	16,382	411	17.7	288	12.4	327	14.1
White	13,061	263	14.5	192	10.6	231	12.7
All other	3,321	148	28.8	96	18.7	96	18.7

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Washington	30,327	770	14.5	494	9.3	442	8.3
White	29,189	702	14.6	458	9.5	397	8.3
All other	1,138	68	13.6	36	7.2	45	9.0
Urban places	16,577	364	16.5	247	11.2	195	8.9
White	15,747	328	17.1	226	11.8	166	8.7
All other	830	36	12.5	21	7.3	29	10.1
Balance of area	13,750	406	13.1	247	8.0	247	8.0
White	13,442	374	13.0	232	8.0	231	8.0
All other	308	32	14.9	15	7.0	16	7.5
Metropolitan counties	18,916	453	14.0	284	8.8	252	7.8
White	18,051	411	14.3	259	9.0	214	7.4
All other	865	42	11.4	25	6.8	38	10.3
Urban places	12,404	237	15.1	161	10.2	131	8.3
White	11,641	206	15.5	142	10.7	102	7.7
All other	763	31	12.6	19	7.7	29	11.8
Balance of area	6,512	216	12.9	123	7.4	121	7.2
White	6,410	205	13.2	117	7.6	112	7.2
All other	102	11	8.9	6	4.8	9	7.3
Nonmetropolitan counties	11,411	317	15.4	210	10.2	190	9.2
White	11,138	291	15.1	199	10.3	183	9.5
All other	273	26	19.7	11	8.4	7	5.3
Urban places	4,173	127	20.1	86	13.6	64	10.2
White	4,106	122	20.7	84	14.3	64	10.9
All other	67	5	12.1	2	4.8	–	–
Balance of area	7,238	190	13.3	124	8.7	126	8.8
White	7,032	169	12.7	115	8.6	119	8.9
All other	206	21	23.3	9	10.0	7	7.8
West Virginia	19,690	482	16.9	331	11.6	315	11.0
White	18,761	455	16.6	311	11.4	285	10.4
All other	929	27	22.3	20	16.5	30	24.8
Urban places	5,739	103	16.9	75	12.3	70	11.5
White	5,327	96	17.2	70	12.5	59	10.5
All other	412	7	13.6	5	9.7	11	21.4
Balance of area	13,951	379	16.9	256	11.4	245	10.9
White	13,434	359	16.5	241	11.1	226	10.4
All other	517	20	28.7	15	21.5	19	27.2
Metropolitan counties	5,844	135	17.1	96	12.1	79	10.0
White	5,606	129	17.2	92	12.3	66	8.8
All other	238	6	14.2	4	9.5	13	30.7
Urban places	3,309	68	18.6	49	13.4	43	11.8
White	3,116	64	19.1	47	14.1	34	10.2
All other	193	4	12.9	2	6.4	9	28.9
Balance of area	2,535	67	15.8	47	11.1	36	8.5
White	2,490	65	15.7	45	10.9	32	7.7
All other	45	2	17.9	2	17.9	4	35.7
Nonmetropolitan counties	13,846	347	16.8	235	11.4	236	11.4
White	13,155	326	16.4	219	11.0	219	11.0
All other	691	21	26.6	16	20.3	17	21.5
Urban places	2,430	35	14.3	26	10.6	27	11.0
White	2,211	32	14.2	23	10.2	25	11.1
All other	219	3	14.8	3	14.8	2	9.9
Balance of area	11,416	312	17.1	209	11.5	209	11.5
White	10,944	294	16.7	196	11.1	194	11.0
All other	472	18	30.7	13	22.2	15	25.6
Wisconsin	40,158	813	12.5	577	8.9	543	8.4
White	39,063	710	11.8	512	8.5	478	8.0
All other	1,095	103	21.3	65	13.4	65	13.4
Urban places	20,351	430	13.5	302	9.4	272	8.5
White	19,448	339	12.2	243	8.8	215	7.8
All other	903	91	21.4	59	13.9	57	13.4
Balance of area	19,807	383	11.6	275	8.3	271	8.2
White	19,615	371	11.5	269	8.3	263	8.1
All other	192	12	20.7	6	10.3	8	13.8
Metropolitan counties	20,766	466	12.9	313	8.6	304	8.4
White	19,864	376	11.8	256	8.0	246	7.7
All other	902	90	21.1	57	13.4	58	13.6
Urban places	16,099	354	13.7	241	9.3	224	8.6
White	15,223	265	12.1	184	8.4	168	7.7
All other	876	89	21.8	57	13.9	56	13.7
Balance of area	4,667	112	10.9	72	7.0	80	7.8
White	4,641	111	11.0	72	7.1	78	7.7
All other	26	1	5.6	–	–	2	11.3
Nonmetropolitan counties	19,392	347	12.1	264	9.2	239	8.3
White	19,199	334	11.9	256	9.1	232	8.2
All other	193	13	22.7	8	14.0	7	12.2
Urban places	4,252	76	12.6	61	10.1	48	8.0
White	4,225	74	12.6	59	10.1	47	8.0
All other	27	2	11.9	2	11.9	1	6.0
Balance of area	15,140	271	12.0	203	9.0	191	8.4
White	14,974	260	11.7	197	8.8	185	8.3
All other	166	11	27.2	6	14.9	6	14.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Wyoming	3,160	122	16.5	80	10.8	74	10.0
White	3,097	114	16.2	78	11.1	71	10.1
All other	63	8	22.9	2	5.7	3	8.6
Urban places	1,243	42	16.8	23	9.2	23	9.2
White	1,226	41	17.4	23	9.7	22	9.3
All other	17	1	7.3	–	–	1	7.3
Balance of area	1,917	80	16.4	57	11.7	51	10.4
White	1,871	73	15.6	55	11.8	49	10.5
All other	46	7	33.0	2	9.4	2	9.4
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	3,160	122	16.5	80	10.8	74	10.0
White	3,097	114	16.2	78	11.1	71	10.1
All other	63	8	22.9	2	5.7	3	8.6
Urban places	1,243	42	16.8	23	9.2	23	9.2
White	1,226	41	17.4	23	9.7	22	9.3
All other	17	1	7.3	–	–	1	7.3
Balance of area	1,917	80	16.4	57	11.7	51	10.4
White	1,871	73	15.6	55	11.8	49	10.5
All other	46	7	33.0	2	9.4	2	9.4

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
United States	1,909,440	48,265	8,606	12,901	46,081	43,429	58,469	150,036	296,060	443,927	496,719	304,472	475
Male	1,051,983	27,320	4,915	8,068	34,253	30,162	37,160	95,324	189,695	267,466	244,193	113,119	308
Female	857,457	20,945	3,691	4,833	11,828	13,267	21,309	54,712	106,365	176,461	252,526	191,353	167
White	1,674,989	34,163	6,494	10,329	37,257	32,252	43,921	121,993	254,481	391,895	456,328	285,537	339
Male	918,589	19,548	3,732	6,467	27,887	22,465	28,062	78,171	164,637	238,155	223,947	105,286	232
Female	756,400	14,615	2,762	3,862	9,370	9,787	15,859	43,822	89,844	153,740	232,381	180,251	107
All other	234,451	14,102	2,112	2,572	8,824	11,177	14,548	28,043	41,579	52,032	40,391	18,935	136
Male	133,394	7,772	1,183	1,601	6,366	7,697	9,098	17,153	25,058	29,311	20,246	7,833	76
Female	101,057	6,330	929	971	2,458	3,480	5,450	10,890	16,521	22,721	20,145	11,102	60
Metropolitan counties	1,241,299	31,742	5,391	8,077	29,656	30,083	39,847	104,090	198,214	284,955	318,169	190,794	281
Male	673,315	17,925	3,045	5,010	21,843	20,701	25,062	65,399	125,499	168,270	151,970	68,405	186
Female	567,984	13,817	2,346	3,067	7,813	9,382	14,785	38,691	72,715	116,685	166,199	122,389	95
White	1,074,875	21,592	3,940	6,331	23,288	21,623	28,807	82,601	167,826	248,925	290,918	178,813	211
Male	578,507	12,309	2,225	3,929	17,307	14,894	18,186	52,200	107,164	148,020	138,512	63,616	145
Female	496,368	9,283	1,715	2,402	5,981	6,729	10,621	30,401	60,662	100,905	152,406	115,197	66
All other	166,424	10,150	1,451	1,746	6,368	8,460	11,040	21,489	30,388	36,030	27,251	11,981	70
Male	94,808	5,616	820	1,081	4,536	5,807	6,876	13,199	18,335	20,250	13,458	4,789	41
Female	71,616	4,534	631	665	1,832	2,653	4,164	8,290	12,053	15,780	13,793	7,192	29
Nonmetropolitan counties	668,141	16,523	3,215	4,824	16,425	13,346	18,622	45,946	97,846	158,972	178,550	113,678	194
Male	378,668	9,395	1,870	3,058	12,410	9,461	12,098	29,925	64,196	99,196	92,223	44,714	122
Female	289,473	7,128	1,345	1,766	4,015	3,885	6,524	16,021	33,650	59,776	86,327	68,964	72
White	600,114	12,571	2,554	3,998	13,969	10,629	15,114	39,392	86,655	142,970	165,410	106,724	128
Male	340,082	7,239	1,507	2,538	10,580	7,571	9,876	25,971	57,473	90,135	85,435	41,670	87
Female	260,032	5,332	1,047	1,460	3,389	3,058	5,238	13,421	29,182	52,835	79,975	65,054	41
All other	68,027	3,952	661	826	2,456	2,717	3,508	6,554	11,191	16,002	13,140	6,954	66
Male	38,586	2,156	363	520	1,830	1,890	2,222	3,954	6,723	9,061	6,788	3,044	35
Female	29,441	1,796	298	306	626	827	1,286	2,600	4,468	6,941	6,352	3,910	31
Alabama	34,193	1,144	178	283	910	927	1,295	2,931	5,477	8,322	8,003	4,717	6
Male	19,233	670	98	181	662	657	867	1,902	3,517	5,000	3,946	1,728	5
Female	14,960	474	80	102	248	270	428	1,029	1,960	3,322	4,057	2,989	1
White	23,967	567	90	184	572	530	795	2,008	3,836	5,808	5,973	3,600	4
Male	13,678	339	52	123	420	387	549	1,365	2,597	3,603	2,943	1,297	3
Female	10,289	228	38	61	152	143	246	643	1,239	2,205	3,030	2,303	1
All other	10,226	577	88	99	338	397	500	923	1,641	2,514	2,030	1,117	2
Male	5,555	331	46	58	242	270	318	537	920	1,397	1,003	431	2
Female	4,671	246	42	41	96	127	182	386	721	1,117	1,027	686	–
Metropolitan counties	17,403	565	74	138	474	482	665	1,633	2,865	4,265	3,968	2,270	4
Male	9,493	339	41	84	330	339	427	1,008	1,774	2,519	1,849	780	3
Female	7,910	226	33	54	144	143	238	625	1,091	1,746	2,119	1,490	1
White	11,702	294	32	92	287	264	372	1,059	1,885	2,832	2,844	1,738	3
Male	6,481	179	19	59	199	191	245	691	1,240	1,729	1,333	594	2
Female	5,221	115	13	33	88	73	127	368	645	1,103	1,511	1,144	1
All other	5,701	271	42	46	187	218	293	574	980	1,433	1,124	532	1
Male	3,012	160	22	25	131	148	182	317	534	790	516	186	1
Female	2,689	111	20	21	56	70	111	257	446	643	608	346	–
Nonmetropolitan counties	16,790	579	104	145	436	445	630	1,298	2,612	4,057	4,035	2,447	2
Male	9,740	331	57	97	332	318	440	894	1,743	2,481	2,097	948	2
Female	7,050	248	47	48	104	127	190	404	869	1,576	1,938	1,499	–
White	12,265	273	58	92	285	266	423	949	1,951	2,976	3,129	1,862	1
Male	7,197	160	33	64	221	196	304	674	1,357	1,874	1,610	703	1
Female	5,068	113	25	28	64	70	119	275	594	1,102	1,519	1,159	–
All other	4,525	306	46	53	151	179	207	349	661	1,081	906	585	1
Male	2,543	171	24	33	111	122	136	220	386	607	487	245	1
Female	1,982	135	22	20	40	57	71	129	275	474	419	340	–
Alaska	1,623	129	36	41	193	181	145	235	257	193	136	77	–
Male	1,092	79	25	22	145	144	104	158	167	129	78	41	–
Female	531	50	11	19	48	37	41	77	90	64	58	36	–
White	1,062	69	21	17	122	110	99	173	182	126	91	52	–
Male	732	49	14	8	96	90	76	119	119	84	50	27	–
Female	330	20	7	9	26	20	23	54	63	42	41	25	–
All other	561	60	15	24	71	71	46	62	75	67	45	25	–
Male	360	30	11	14	49	54	28	39	48	45	28	14	–
Female	201	30	4	10	22	17	18	23	27	22	17	11	–
Metropolitan election districts[1]	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan election districts[1]	1,623	129	36	41	193	181	145	235	257	193	136	77	–
Male	1,092	79	25	22	145	144	104	158	167	129	78	41	–
Female	531	50	11	19	48	37	41	77	90	64	58	36	–
White	1,062	69	21	17	122	110	99	173	182	126	91	52	–
Male	732	49	14	8	96	90	76	119	119	84	50	27	–
Female	330	20	7	9	26	20	23	54	63	42	41	25	–
All other	561	60	15	24	71	71	46	62	75	67	45	25	–
Male	360	30	11	14	49	54	28	39	48	45	28	14	–
Female	201	30	4	10	22	17	18	23	27	22	17	11	–

[1] County equivalents.

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Arizona	17,339	615	139	168	596	557	669	1,375	2,796	4,342	4,009	2,056	17
Male	10,293	346	80	110	450	402	408	876	1,789	2,757	2,207	857	11
Female	7,046	269	59	58	146	155	261	499	1,007	1,585	1,802	1,199	6
White	15,825	471	105	129	447	437	526	1,208	2,612	4,099	3,833	1,943	15
Male	9,337	272	64	92	334	309	321	767	1,674	2,605	2,094	794	11
Female	6,488	199	41	37	113	128	205	441	938	1,494	1,739	1,149	4
All other	1,514	144	34	39	149	120	143	167	184	243	176	113	2
Male	956	74	16	18	116	93	87	109	115	152	113	63	–
Female	558	70	18	21	33	27	56	58	69	91	63	50	2
Metropolitan counties	12,940	380	75	110	371	381	460	1,022	2,088	3,295	3,178	1,577	3
Male	7,588	208	49	69	271	267	290	652	1,328	2,078	1,739	636	1
Female	5,352	172	26	41	100	114	170	370	760	1,217	1,439	941	2
White	12,277	329	70	100	324	345	406	937	1,989	3,158	3,083	1,534	2
Male	7,179	187	47	68	236	240	254	595	1,269	1,990	1,674	618	1
Female	5,098	142	23	32	88	105	152	342	720	1,168	1,409	916	1
All other	663	51	5	10	47	36	54	85	99	137	95	43	1
Male	409	21	2	1	35	27	36	57	59	88	65	18	–
Female	254	30	3	9	12	9	18	28	40	49	30	25	1
Nonmetropolitan counties	4,399	235	64	58	225	176	209	353	708	1,047	831	479	14
Male	2,705	138	31	41	179	135	118	224	461	679	468	221	10
Female	1,694	97	33	17	46	41	91	129	247	368	363	258	4
White	3,548	142	35	29	123	92	120	271	623	941	750	409	13
Male	2,158	85	17	24	98	69	67	172	405	615	420	176	10
Female	1,390	57	18	5	25	23	53	99	218	326	330	233	3
All other	851	93	29	29	102	84	89	82	85	106	81	70	1
Male	547	53	14	17	81	66	51	52	56	64	48	45	–
Female	304	40	15	12	21	18	38	30	29	42	33	25	1
Arkansas	21,336	529	109	167	478	424	563	1,417	3,118	5,384	5,694	3,452	1
Male	12,280	298	66	100	353	291	365	919	2,041	3,369	3,008	1,470	–
Female	9,056	231	43	67	125	133	198	498	1,077	2,015	2,686	1,982	1
White	17,398	340	82	131	371	314	436	1,122	2,538	4,381	4,766	2,917	–
Male	10,144	199	49	78	274	219	282	760	1,701	2,811	2,550	1,221	–
Female	7,254	141	33	53	97	95	154	362	837	1,570	2,216	1,696	–
All other	3,938	189	27	36	107	110	127	295	580	1,003	928	535	1
Male	2,136	99	17	22	79	72	83	159	340	558	458	249	–
Female	1,802	90	10	14	28	38	44	136	240	445	470	286	1
Metropolitan counties	5,648	170	42	42	166	129	153	451	901	1,362	1,420	811	1
Male	3,090	97	27	25	128	90	99	253	569	811	694	297	–
Female	2,558	73	15	17	38	39	54	198	332	551	726	514	1
White	4,242	94	24	31	117	89	108	322	672	1,012	1,128	645	–
Male	2,328	56	13	20	90	64	69	185	428	617	560	226	–
Female	1,914	38	11	11	27	25	39	137	244	395	568	419	–
All other	1,406	76	18	11	49	40	45	129	229	350	292	166	1
Male	762	41	14	5	38	26	30	68	141	194	134	71	–
Female	644	35	4	6	11	14	15	61	88	156	158	95	1
Nonmetropolitan counties	15,688	359	67	125	312	295	410	966	2,217	4,022	4,274	2,641	–
Male	9,190	201	39	75	225	201	266	666	1,472	2,558	2,314	1,173	–
Female	6,498	158	28	50	87	94	144	300	745	1,464	1,960	1,468	–
White	13,156	246	58	100	254	225	328	800	1,866	3,369	3,638	2,272	–
Male	7,816	143	36	58	184	155	213	575	1,273	2,194	1,990	995	–
Female	5,340	103	22	42	70	70	115	225	593	1,175	1,648	1,277	–
All other	2,532	113	9	25	58	70	82	166	351	653	636	369	–
Male	1,374	58	3	17	41	46	53	91	199	364	324	178	–
Female	1,158	55	6	8	17	24	29	75	152	289	312	191	–
California	171,022	4,129	872	1,114	4,991	5,126	5,812	13,926	26,271	37,729	42,862	28,122	68
Male	93,168	2,333	523	655	3,674	3,595	3,674	8,641	16,331	22,607	20,946	10,140	49
Female	77,854	1,796	349	459	1,317	1,531	2,138	5,285	9,940	15,122	21,916	17,982	19
White	156,031	3,296	716	935	4,293	4,210	4,788	12,085	23,692	34,612	40,448	26,897	59
Male	84,212	1,870	427	554	3,180	2,953	3,033	7,474	14,711	20,707	19,677	9,582	44
Female	71,819	1,426	289	381	1,113	1,257	1,755	4,611	8,981	13,905	20,771	17,315	15
All other	14,991	833	156	179	698	916	1,024	1,841	2,579	3,117	2,414	1,225	9
Male	8,956	463	96	101	494	642	641	1,167	1,620	1,900	1,269	558	5
Female	6,035	370	60	78	204	274	383	674	959	1,217	1,145	667	4
Metropolitan counties	155,860	3,798	796	993	4,492	4,713	5,381	12,926	23,948	34,069	39,022	25,670	52
Male	84,268	2,161	480	580	3,312	3,288	3,396	7,991	14,865	20,192	18,833	9,132	38
Female	71,592	1,637	316	413	1,180	1,425	1,985	4,935	9,083	13,877	20,189	16,538	14
White	141,349	2,988	646	817	3,820	3,822	4,390	11,118	21,454	31,054	36,700	24,494	46
Male	75,629	1,707	389	480	2,838	2,666	2,778	6,849	13,306	18,364	17,619	8,599	34
Female	65,720	1,281	257	337	982	1,156	1,612	4,269	8,148	12,690	19,081	15,895	12
All other	14,511	810	150	176	672	891	991	1,808	2,494	3,015	2,322	1,176	6
Male	8,639	454	91	100	474	622	618	1,142	1,559	1,828	1,214	533	4
Female	5,872	356	59	76	198	269	373	666	935	1,187	1,108	643	2
Nonmetropolitan counties	15,162	331	76	121	499	413	431	1,000	2,323	3,660	3,840	2,452	16
Male	8,900	172	43	75	362	307	278	650	1,466	2,415	2,113	1,008	11
Female	6,262	159	33	46	137	106	153	350	857	1,245	1,727	1,444	5
White	14,682	308	70	118	473	388	398	967	2,238	3,558	3,748	2,403	13
Male	8,583	163	38	74	342	287	255	625	1,405	2,343	2,058	983	10
Female	6,099	145	32	44	131	101	143	342	833	1,215	1,690	1,420	3
All other	480	23	6	3	26	25	33	33	85	102	92	49	3
Male	317	9	5	1	20	20	23	25	61	72	55	25	1
Female	163	14	1	2	6	5	10	8	24	30	37	24	2

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado	17,999	532	117	159	609	597	654	1,393	2,487	3,691	4,523	3,233	4
Male	9,988	310	71	102	457	409	405	899	1,542	2,278	2,274	1,238	3
Female	8,011	222	46	57	152	188	249	494	945	1,413	2,249	1,995	1
White	17,387	489	106	149	574	557	612	1,309	2,402	3,599	4,422	3,164	4
Male	9,658	294	62	95	433	384	380	839	1,502	2,229	2,227	1,210	3
Female	7,729	195	44	54	141	173	232	470	900	1,370	2,195	1,954	1
All other	612	43	11	10	35	40	42	84	85	92	101	69	–
Male	330	16	9	7	24	25	25	60	40	49	47	28	–
Female	282	27	2	3	11	15	17	24	45	43	54	41	–
Metropolitan counties	11,914	376	72	109	392	423	463	1,016	1,786	2,399	2,865	2,012	1
Male	6,494	231	44	70	294	277	285	641	1,109	1,439	1,396	708	–
Female	5,420	145	28	39	98	146	178	375	677	960	1,469	1,304	1
White	11,350	335	62	101	362	387	424	939	1,709	2,313	2,769	1,948	1
Male	6,194	216	35	65	274	256	261	585	1,073	1,395	1,351	683	–
Female	5,156	119	27	36	88	131	163	354	636	918	1,418	1,265	1
All other	564	41	10	8	30	36	39	77	77	86	96	64	–
Male	300	15	9	5	20	21	24	56	36	44	45	25	–
Female	264	26	1	3	10	15	15	21	41	42	51	39	–
Nonmetropolitan counties	6,085	156	45	50	217	174	191	377	701	1,292	1,658	1,221	3
Male	3,494	79	27	32	163	132	120	258	433	839	878	530	3
Female	2,591	77	18	18	54	42	71	119	268	453	780	691	–
White	6,037	154	44	48	212	170	188	370	693	1,286	1,653	1,216	3
Male	3,464	78	27	30	159	128	119	254	429	834	876	527	3
Female	2,573	76	17	18	53	42	69	116	264	452	777	689	–
All other	48	2	1	2	5	4	3	7	8	6	5	5	–
Male	30	1	–	2	4	4	1	4	4	5	2	3	–
Female	18	1	1	–	1	–	2	3	4	1	3	2	–
Connecticut	26,128	505	66	131	454	433	642	2,002	4,174	5,835	7,121	4,759	6
Male	13,814	297	36	79	322	293	395	1,240	2,690	3,436	3,317	1,704	5
Female	12,314	208	30	52	132	140	247	762	1,484	2,399	3,804	3,055	1
White	24,855	384	60	116	411	371	522	1,803	3,938	5,608	6,955	4,682	5
Male	13,096	227	32	69	302	258	330	1,113	2,547	3,307	3,232	1,675	4
Female	11,759	157	28	47	109	113	192	690	1,391	2,301	3,723	3,007	1
All other	1,273	121	6	15	43	62	120	199	236	227	166	77	1
Male	718	70	4	10	20	35	65	127	143	129	85	29	1
Female	555	51	2	5	23	27	55	72	93	98	81	48	–
Metropolitan counties	20,471	392	41	99	342	330	512	1,593	3,367	4,553	5,526	3,711	5
Male	10,760	224	23	59	241	218	310	983	2,166	2,663	2,537	1,332	4
Female	9,711	168	18	40	101	112	202	610	1,201	1,890	2,989	2,379	1
White	19,291	281	36	84	301	271	393	1,418	3,146	4,340	5,377	3,640	4
Male	10,092	162	20	49	221	185	246	870	2,029	2,542	2,462	1,303	3
Female	9,199	119	16	35	80	86	147	548	1,117	1,798	2,915	2,337	1
All other	1,180	111	5	15	41	59	119	175	221	213	149	71	1
Male	668	62	3	10	20	33	64	113	137	121	75	29	1
Female	512	49	2	5	21	26	55	62	84	92	74	42	–
Nonmetropolitan counties	5,657	113	25	32	112	103	130	409	807	1,282	1,595	1,048	1
Male	3,054	73	13	20	81	75	85	257	524	773	780	372	1
Female	2,603	40	12	12	31	28	45	152	283	509	815	676	–
White	5,564	103	24	32	110	100	129	385	792	1,268	1,578	1,042	1
Male	3,004	65	12	20	81	73	84	243	518	765	770	372	1
Female	2,560	38	12	12	29	27	45	142	274	503	808	670	–
All other	93	10	1	–	2	3	1	24	15	14	17	6	–
Male	50	8	1	–	–	2	1	14	6	8	10	–	–
Female	43	2	–	–	2	1	–	10	9	6	7	6	–
Delaware	4,781	104	22	35	116	113	145	436	854	1,056	1,205	686	9
Male	2,662	52	11	22	88	79	105	285	550	640	580	243	7
Female	2,119	52	11	13	28	34	40	151	304	416	625	443	2
White	4,022	67	18	27	91	86	90	338	698	885	1,090	629	3
Male	2,216	34	9	20	72	62	68	222	451	534	521	221	2
Female	1,806	33	9	7	19	24	22	116	247	351	569	408	1
All other	759	37	4	8	25	27	55	98	156	171	115	57	6
Male	446	18	2	2	16	17	37	63	99	106	59	22	5
Female	313	19	2	6	9	10	18	35	57	65	56	35	1
Metropolitan counties	3,144	61	17	22	73	73	109	315	594	684	770	419	7
Male	1,739	28	8	16	57	52	78	201	387	404	370	133	5
Female	1,405	33	9	6	16	21	31	114	207	280	400	286	2
White	2,677	41	14	20	61	57	71	250	491	577	705	387	3
Male	1,457	20	7	16	49	41	53	159	313	336	336	125	2
Female	1,220	21	7	4	12	16	18	91	178	241	369	262	1
All other	467	20	3	2	12	16	38	65	103	107	65	32	4
Male	282	8	1	–	8	11	25	42	74	68	34	8	3
Female	185	12	2	2	4	5	13	23	29	39	31	24	1
Nonmetropolitan counties	1,637	43	5	13	43	40	36	121	260	372	435	267	2
Male	923	24	3	6	31	27	27	84	163	236	210	110	2
Female	714	19	2	7	12	13	9	37	97	136	225	157	–
White	1,345	26	4	7	30	29	19	88	207	308	385	242	–
Male	759	14	2	4	23	21	15	63	138	198	185	96	–
Female	586	12	2	3	7	8	4	25	69	110	200	146	–
All other	292	17	1	6	13	11	17	33	53	64	50	25	2
Male	164	10	1	2	8	6	12	21	25	38	25	14	2
Female	128	7	–	4	5	5	5	12	28	26	25	11	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
District of Columbia	7,312	245	27	46	149	240	376	829	1,287	1,697	1,483	929	4
Male	3,944	148	15	27	108	167	255	525	786	969	646	296	2
Female	3,368	97	12	19	41	73	121	304	501	728	837	633	2
White	2,359	15	2	3	16	34	43	110	298	557	740	540	1
Male	1,074	9	1	1	9	21	26	75	165	320	296	151	–
Female	1,285	6	1	2	7	13	17	35	133	237	444	389	1
All other	4,953	230	25	43	133	206	333	719	989	1,140	743	389	3
Male	2,870	139	14	26	99	146	229	450	621	649	350	145	2
Female	2,083	91	11	17	34	60	104	269	368	491	393	244	1
Metropolitan	7,312	245	27	46	149	240	376	829	1,287	1,697	1,483	929	4
Male	3,944	148	15	27	108	167	255	525	786	969	646	296	2
Female	3,368	97	12	19	41	73	121	304	501	728	837	633	2
White	2,359	15	2	3	16	34	43	110	298	557	740	540	1
Male	1,074	9	1	1	9	21	26	75	165	320	296	151	–
Female	1,285	6	1	2	7	13	17	35	133	237	444	389	1
All other	4,953	230	25	43	133	206	333	719	989	1,140	743	389	3
Male	2,870	139	14	26	99	146	229	450	621	649	350	145	2
Female	2,083	91	11	17	34	60	104	269	368	491	393	244	1
Nonmetropolitan	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Florida	89,673	1,581	358	510	1,641	1,633	2,387	6,428	13,439	24,234	24,993	12,458	11
Male	52,202	908	202	335	1,196	1,094	1,524	4,117	8,554	15,127	13,787	5,352	6
Female	37,471	673	156	175	445	539	863	2,311	4,885	9,107	11,206	7,106	5
White	79,082	930	259	381	1,229	1,174	1,730	5,097	11,258	21,633	23,478	11,909	4
Male	46,041	531	149	257	910	798	1,113	3,289	7,228	13,647	12,995	5,120	4
Female	33,041	399	110	124	319	376	617	1,808	4,030	7,986	10,483	6,789	–
All other	10,591	651	99	129	412	459	657	1,331	2,181	2,601	1,515	549	7
Male	6,161	377	53	78	286	296	411	828	1,326	1,480	792	232	2
Female	4,430	274	46	51	126	163	246	503	855	1,121	723	317	5
Metropolitan counties	58,124	999	223	325	1,051	1,110	1,531	4,159	8,516	15,335	16,554	8,320	1
Male	33,296	565	117	212	769	744	953	2,617	5,354	9,385	9,025	3,555	–
Female	24,828	434	106	113	282	366	578	1,542	3,162	5,950	7,529	4,765	1
White	51,169	570	158	240	772	784	1,074	3,255	7,065	13,660	15,608	7,983	–
Male	29,266	315	84	165	579	536	670	2,056	4,460	8,449	8,541	3,411	–
Female	21,903	255	74	75	193	248	404	1,199	2,605	5,211	7,067	4,572	–
All other	6,955	429	65	85	279	326	457	904	1,451	1,675	946	337	1
Male	4,030	250	33	47	190	208	283	561	894	936	484	144	–
Female	2,925	179	32	38	89	118	174	343	557	739	462	193	1
Nonmetropolitan counties	31,549	582	135	185	590	523	856	2,269	4,923	8,899	8,439	4,138	10
Male	18,906	343	85	123	427	350	571	1,500	3,200	5,742	4,762	1,797	6
Female	12,643	239	50	62	163	173	285	769	1,723	3,157	3,677	2,341	4
White	27,913	360	101	141	457	390	656	1,842	4,193	7,973	7,870	3,926	4
Male	16,775	216	65	92	331	262	443	1,233	2,768	5,198	4,454	1,709	4
Female	11,138	144	36	49	126	128	213	609	1,425	2,775	3,416	2,217	–
All other	3,636	222	34	44	133	133	200	427	730	926	569	212	6
Male	2,131	127	20	31	96	88	128	267	432	544	308	88	2
Female	1,505	95	14	13	37	45	72	160	298	382	261	124	4
Georgia	41,661	1,259	258	386	1,140	1,292	1,855	4,114	7,486	10,106	8,963	4,794	8
Male	23,358	728	137	264	832	904	1,176	2,606	4,854	6,091	4,181	1,580	5
Female	18,303	531	121	122	308	388	679	1,508	2,632	4,015	4,782	3,214	3
White	29,536	620	142	270	773	718	1,064	2,698	5,131	7,001	7,053	4,061	5
Male	16,766	358	78	181	569	518	711	1,804	3,538	4,379	3,336	1,291	3
Female	12,770	262	64	89	204	200	353	894	1,593	2,622	3,717	2,770	2
All other	12,125	639	116	116	367	574	791	1,416	2,355	3,105	1,910	733	3
Male	6,592	370	59	83	263	386	465	802	1,316	1,712	845	289	2
Female	5,533	269	57	33	104	188	326	614	1,039	1,393	1,065	444	1
Metropolitan counties	18,303	611	111	163	483	650	904	2,022	3,440	4,213	3,729	1,976	1
Male	9,933	348	65	109	344	455	550	1,231	2,150	2,450	1,628	602	1
Female	8,370	263	46	54	139	195	354	791	1,290	1,763	2,101	1,374	–
White	12,473	286	66	118	318	349	476	1,270	2,282	2,779	2,842	1,686	1
Male	6,814	164	43	77	231	249	303	816	1,524	1,673	1,233	500	1
Female	5,659	122	23	41	87	100	173	454	758	1,106	1,609	1,186	–
All other	5,830	325	45	45	165	301	428	752	1,158	1,434	887	290	–
Male	3,119	184	22	32	113	206	247	415	626	777	395	102	–
Female	2,711	141	23	13	52	95	181	337	532	657	492	188	–
Nonmetropolitan counties	23,358	648	147	223	657	642	951	2,092	4,046	5,893	5,234	2,818	7
Male	13,425	380	72	155	488	449	626	1,375	2,704	3,641	2,553	978	4
Female	9,933	268	75	68	169	193	325	717	1,342	2,252	2,681	1,840	3
White	17,063	334	76	152	455	369	588	1,428	2,849	4,222	4,211	2,375	4
Male	9,952	194	35	104	338	269	408	988	2,014	2,706	2,103	791	2
Female	7,111	140	41	48	117	100	180	440	835	1,516	2,108	1,584	2
All other	6,295	314	71	71	202	273	363	664	1,197	1,671	1,023	443	3
Male	3,473	186	37	51	150	180	218	387	690	935	450	187	2
Female	2,822	128	34	20	52	93	145	277	507	736	573	256	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Hawaii	4,420	177	20	29	196	175	162	428	753	969	870	640	1
Male	2,675	93	12	17	147	116	108	266	479	640	475	322	–
Female	1,745	84	8	12	49	59	54	162	274	329	395	318	1
White	1,368	53	6	11	69	68	45	130	266	280	266	174	–
Male	779	28	3	6	50	52	34	78	163	173	128	64	–
Female	589	25	3	5	19	16	11	52	103	107	138	110	–
All other	3,052	124	14	18	127	107	117	298	487	689	604	466	1
Male	1,896	65	9	11	97	64	74	188	316	467	347	258	–
Female	1,156	59	5	7	30	43	43	110	171	222	257	208	1
Metropolitan counties	3,201	138	17	19	135	133	126	326	572	683	594	457	1
Male	1,903	74	11	9	98	86	82	199	358	440	331	215	–
Female	1,298	64	6	10	37	47	44	127	214	243	263	242	1
White	1,050	41	4	8	48	49	37	102	205	209	199	148	–
Male	584	21	2	4	33	36	28	59	126	124	99	52	–
Female	466	20	2	4	15	13	9	43	79	85	100	96	–
All other	2,151	97	13	11	87	84	89	224	367	474	395	309	1
Male	1,319	53	9	5	65	50	54	140	232	316	232	163	–
Female	832	44	4	6	22	34	35	84	135	158	163	146	1
Nonmetropolitan counties	1,219	39	3	10	61	42	36	102	181	286	276	183	–
Male	772	19	1	8	49	30	26	67	121	200	144	107	–
Female	447	20	2	2	12	12	10	35	60	86	132	76	–
White	318	12	2	3	21	19	8	28	61	71	67	26	–
Male	195	7	1	2	17	16	6	19	37	49	29	12	–
Female	123	5	1	1	4	3	2	9	24	22	38	14	–
All other	901	27	1	7	40	23	28	74	120	215	209	157	–
Male	577	12	–	6	32	14	20	48	84	151	115	95	–
Female	324	15	1	1	8	9	8	26	36	64	94	62	–
Idaho	6,635	227	54	61	243	186	195	427	966	1,387	1,679	1,206	4
Male	3,919	126	36	46	187	140	116	293	611	902	929	531	2
Female	2,716	101	18	15	56	46	79	134	355	485	750	675	2
White	6,513	223	52	58	232	177	180	416	947	1,369	1,658	1,197	4
Male	3,845	123	34	43	181	134	109	287	599	891	915	527	2
Female	2,668	100	18	15	51	43	71	129	348	478	743	670	2
All other	122	4	2	3	11	9	15	11	19	18	21	9	–
Male	74	3	2	3	6	6	7	6	12	11	14	4	–
Female	48	1	–	–	5	3	8	5	7	7	7	5	–
Metropolitan counties	1,036	36	8	11	44	39	35	72	153	208	243	187	–
Male	585	17	5	9	32	27	23	51	96	127	130	68	–
Female	451	19	3	2	12	12	12	21	57	81	113	119	–
White	1,030	36	8	11	44	39	35	71	150	206	243	187	–
Male	581	17	5	9	32	27	23	51	94	125	130	68	–
Female	449	19	3	2	12	12	12	20	56	81	113	119	–
All other	6	–	–	–	–	–	–	1	3	2	–	–	–
Male	4	–	–	–	–	–	–	–	2	2	–	–	–
Female	2	–	–	–	–	–	–	1	1	–	–	–	–
Nonmetropoliton counties	5,599	191	46	50	199	147	160	355	813	1,179	1,436	1,019	4
Male	3,334	109	31	37	155	113	93	242	515	775	799	463	2
Female	2,265	82	15	13	44	34	67	113	298	404	637	556	2
White	5,483	187	44	47	188	138	145	345	797	1,163	1,415	1,010	4
Male	3,264	106	29	34	149	107	86	236	505	766	785	459	2
Female	2,219	81	15	13	39	31	59	109	292	397	630	551	2
All other	116	4	2	3	11	9	15	10	16	16	21	9	–
Male	70	3	2	3	6	6	7	6	10	9	14	4	–
Female	46	1	–	–	5	3	8	4	6	7	7	5	–
Illinois	103,665	2,847	485	676	2,576	2,427	3,184	8,160	16,163	23,366	27,086	16,686	9
Male	56,663	1,631	284	438	1,925	1,710	2,046	5,220	10,482	13,899	12,836	6,188	4
Female	47,002	1,216	201	238	651	717	1,138	2,940	5,681	9,467	14,250	10,498	5
White	90,184	1,724	316	518	1,924	1,637	2,229	6,347	13,899	20,732	25,047	15,804	7
Male	48,803	1,011	186	341	1,468	1,145	1,421	4,075	9,079	12,430	11,816	5,827	4
Female	41,381	713	130	177	456	492	808	2,272	4,820	8,302	13,231	9,977	3
All other	13,481	1,123	169	158	652	790	955	1,813	2,264	2,634	2,039	882	2
Male	7,860	620	98	97	457	565	625	1,145	1,403	1,469	1,020	361	–
Female	5,621	503	71	61	195	225	330	668	861	1,165	1,019	521	2
Metropolitan counties	78,893	2,395	393	540	2,065	2,081	2,656	6,808	12,849	17,592	19,884	11,622	8
Male	43,180	1,365	224	346	1,523	1,458	1,694	4,361	8,292	10,335	9,317	4,261	4
Female	35,713	1,030	169	194	542	623	962	2,447	4,557	7,257	10,567	7,361	4
White	65,983	1,306	233	386	1,429	1,300	1,727	5,047	10,674	15,084	17,978	10,813	6
Male	35,653	763	131	252	1,079	898	1,087	3,244	6,949	8,933	8,378	3,935	4
Female	30,330	543	102	134	350	402	640	1,803	3,725	6,151	9,600	6,878	2
All other	12,910	1,089	160	154	636	781	929	1,761	2,175	2,508	1,906	809	2
Male	7,527	602	93	94	444	560	607	1,117	1,343	1,402	939	326	–
Female	5,383	487	67	60	192	221	322	644	832	1,106	967	483	2
Nonmetropolitan counties	24,772	452	92	136	511	346	528	1,352	3,314	5,774	7,202	5,064	1
Male	13,483	266	60	92	402	252	352	859	2,190	3,564	3,519	1,927	–
Female	11,289	186	32	44	109	94	176	493	1,124	2,210	3,683	3,137	1
White	24,201	418	83	132	495	337	502	1,300	3,225	5,648	7,069	4,991	1
Male	13,150	248	55	89	389	247	334	831	2,130	3,497	3,438	1,892	–
Female	11,051	170	28	43	106	90	168	469	1,095	2,151	3,631	3,099	1
All other	571	34	9	4	16	9	26	52	89	126	133	73	–
Male	333	18	5	3	13	5	18	28	60	67	81	35	–
Female	238	16	4	1	3	4	8	24	29	59	52	38	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Indiana	**46,778**	**1,178**	**232**	**346**	**1,114**	**953**	**1,312**	**3,546**	**7,032**	**10,521**	**12,421**	**8,115**	**8**
Male	25,419	661	127	213	829	678	805	2,223	4,556	6,394	6,020	2,910	3
Female	21,359	517	105	133	285	275	507	1,323	2,476	4,127	6,401	5,205	5
White	43,521	980	193	315	1,002	816	1,136	3,153	6,445	9,801	11,837	7,836	7
Male	23,571	556	106	188	746	568	700	2,011	4,210	5,979	5,706	2,798	3
Female	19,950	424	87	127	256	248	436	1,142	2,235	3,822	6,131	5,038	4
All other	3,257	198	39	31	112	137	176	393	587	720	584	279	1
Male	1,848	105	21	25	83	110	105	212	346	415	314	112	–
Female	1,409	93	18	6	29	27	71	181	241	305	270	167	1
Metropolitan counties	27,629	761	142	204	669	595	802	2,295	4,355	6,194	7,128	4,479	5
Male	14,926	434	69	130	491	429	489	1,441	2,769	3,702	3,405	1,566	1
Female	12,703	327	73	74	178	166	313	854	1,586	2,492	3,723	2,913	4
White	24,673	583	107	180	568	471	640	1,932	3,812	5,544	6,594	4,238	4
Male	13,255	341	49	112	416	330	396	1,244	2,451	3,334	3,114	1,467	1
Female	11,418	242	58	68	152	141	244	688	1,361	2,210	3,480	2,771	3
All other	2,956	178	35	24	101	124	162	363	543	650	534	241	1
Male	1,671	93	20	18	75	99	93	197	318	368	291	99	–
Female	1,285	85	15	6	26	25	69	166	225	282	243	142	1
Nonmetropolitan counties	19,149	417	90	142	445	358	510	1,251	2,677	4,327	5,293	3,636	3
Male	10,493	227	58	83	338	249	316	782	1,787	2,692	2,615	1,344	2
Female	8,656	190	32	59	107	109	194	469	890	1,635	2,678	2,292	1
White	18,848	397	86	135	434	345	496	1,221	2,633	4,257	5,243	3,598	3
Male	10,316	215	57	76	330	238	304	767	1,759	2,645	2,592	1,331	2
Female	8,532	182	29	59	104	107	192	454	874	1,612	2,651	2,267	1
All other	301	20	4	7	11	13	14	30	44	70	50	38	–
Male	177	12	1	7	8	11	12	15	28	47	23	13	–
Female	124	8	3	–	3	2	2	15	16	23	27	25	–
Iowa	**27,859**	**595**	**111**	**162**	**632**	**432**	**541**	**1,471**	**3,406**	**6,051**	**8,314**	**6,139**	**5**
Male	15,052	337	70	97	485	300	342	944	2,242	3,777	4,150	2,304	4
Female	12,807	258	41	65	147	132	199	527	1,164	2,274	4,164	3,835	1
White	27,495	564	108	157	619	417	516	1,435	3,341	5,988	8,249	6,096	5
Male	14,852	318	69	94	479	290	326	922	2,203	3,739	4,121	2,287	4
Female	12,643	246	39	63	140	127	190	513	1,138	2,249	4,128	3,809	1
All other	364	31	3	5	13	15	25	36	65	63	65	43	–
Male	200	19	1	3	6	10	16	22	39	38	29	17	–
Female	164	12	2	2	7	5	9	14	26	25	36	26	–
Metropolitan counties	8,528	260	46	65	210	151	232	552	1,224	1,916	2,302	1,569	1
Male	4,625	148	26	42	155	102	150	356	821	1,184	1,072	568	1
Female	3,903	112	20	23	55	49	82	196	403	732	1,230	1,001	–
White	8,241	240	44	61	202	139	208	523	1,168	1,868	2,248	1,539	1
Male	4,469	134	25	39	152	95	134	338	787	1,157	1,049	558	1
Female	3,772	106	19	22	50	44	74	185	381	711	1,199	981	–
All other	287	20	2	4	8	12	24	29	56	48	54	30	–
Male	156	14	1	3	3	7	16	18	34	27	23	10	–
Female	131	6	1	1	5	5	8	11	22	21	31	20	–
Nonmetropolitan counties	19,331	335	65	97	422	281	309	919	2,182	4,135	6,012	4,570	4
Male	10,427	189	44	55	330	198	192	588	1,421	2,593	3,078	1,736	3
Female	8,904	146	21	42	92	83	117	331	761	1,542	2,934	2,834	1
White	19,254	324	64	96	417	278	308	912	2,173	4,120	6,001	4,557	4
Male	10,383	184	44	55	327	195	192	584	1,416	2,582	3,072	1,729	3
Female	8,871	140	20	41	90	83	116	328	757	1,538	2,929	2,828	1
All other	77	11	1	1	5	3	1	7	9	15	11	13	–
Male	44	5	–	–	3	3	–	4	5	11	6	7	–
Female	33	6	1	1	2	–	1	3	4	4	5	6	–
Kansas	**21,848**	**498**	**92**	**142**	**515**	**358**	**472**	**1,221**	**2,632**	**4,821**	**6,347**	**4,747**	**3**
Male	11,718	271	53	89	383	248	297	792	1,714	2,946	3,181	1,744	–
Female	10,130	227	39	53	132	110	175	429	918	1,875	3,166	3,003	3
White	20,715	420	80	125	475	313	427	1,123	2,466	4,576	6,102	4,605	3
Male	11,102	237	49	75	352	218	266	742	1,616	2,805	3,055	1,687	–
Female	9,613	183	31	50	123	95	161	381	850	1,771	3,047	2,918	3
All other	1,133	78	12	17	40	45	45	98	166	245	245	142	–
Male	616	34	4	14	31	30	31	50	98	141	126	57	–
Female	517	44	8	3	9	15	14	48	68	104	119	85	–
Metropolitan counties	7,463	212	40	45	216	171	223	558	1,066	1,668	1,907	1,354	3
Male	3,902	111	19	32	159	124	131	345	656	995	878	452	–
Female	3,561	101	21	13	57	47	92	213	410	673	1,029	902	3
White	6,682	153	32	33	190	136	189	492	940	1,496	1,753	1,265	3
Male	3,490	84	16	21	141	100	107	314	581	905	806	415	–
Female	3,192	69	16	12	49	36	82	178	359	591	947	850	3
All other	781	59	8	12	26	35	34	66	126	172	154	89	–
Male	412	27	3	11	18	24	24	31	75	90	72	37	–
Female	369	32	5	1	8	11	10	35	51	82	82	52	–
Nonmetropolitan counties	14,385	286	52	97	299	187	249	663	1,566	3,153	4,440	3,393	–
Male	7,816	160	34	57	224	124	166	447	1,058	1,951	2,303	1,292	–
Female	6,569	126	18	40	75	63	83	216	508	1,202	2,137	2,101	–
White	14,033	267	48	92	285	177	238	631	1,526	3,080	4,349	3,340	–
Male	7,612	153	33	54	211	118	159	428	1,035	1,900	2,249	1,272	–
Female	6,421	114	15	38	74	59	79	203	491	1,180	2,100	2,068	–
All other	352	19	4	5	14	10	11	32	40	73	91	53	–
Male	204	7	1	3	13	6	7	19	23	51	54	20	–
Female	148	12	3	2	1	4	4	13	17	22	37	33	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Kentucky	32,305	814	141	207	809	660	1,049	2,626	4,935	7,367	8,676	5,004	17
Male	18,335	475	91	126	619	469	693	1,717	3,278	4,525	4,381	1,948	13
Female	13,970	339	50	81	190	191	356	909	1,657	2,842	4,295	3,056	4
White	29,574	706	130	193	745	589	913	2,339	4,455	6,722	8,072	4,696	14
Male	16,822	412	84	115	577	420	611	1,547	2,990	4,170	4,069	1,816	11
Female	12,752	294	46	78	168	169	302	792	1,465	2,552	4,003	2,880	3
All other	2,731	108	11	14	64	71	136	287	480	645	604	308	3
Male	1,513	63	7	11	42	49	82	170	288	355	312	132	2
Female	1,218	45	4	3	22	22	54	117	192	290	292	176	1
Metropolitan counties	12,016	293	45	69	287	242	389	1,156	2,041	2,748	3,054	1,689	3
Male	6,564	171	28	48	201	168	238	739	1,322	1,620	1,459	567	3
Female	5,452	122	17	21	86	74	151	417	719	1,128	1,595	1,122	–
White	10,464	227	39	59	247	195	320	962	1,721	2,390	2,748	1,553	3
Male	5,702	134	25	41	176	137	192	627	1,123	1,428	1,301	515	3
Female	4,762	93	14	18	71	58	128	335	598	962	1,447	1,038	–
All other	1,552	66	6	10	40	47	69	194	320	358	306	136	–
Male	862	37	3	7	25	31	46	112	199	192	158	52	–
Female	690	29	3	3	15	16	23	82	121	166	148	84	–
Nonmetropolitan counties	20,289	521	96	138	522	418	660	1,470	2,894	4,619	5,622	3,315	14
Male	11,771	304	63	78	418	301	455	978	1,956	2,905	2,922	1,381	10
Female	8,518	217	33	60	104	117	205	492	938	1,714	2,700	1,934	4
White	19,110	479	91	134	498	394	593	1,377	2,734	4,332	5,324	3,143	11
Male	11,120	278	59	74	401	283	419	920	1,867	2,742	2,768	1,301	8
Female	7,990	201	32	60	97	111	174	457	867	1,590	2,556	1,842	3
All other	1,179	42	5	4	24	24	67	93	160	287	298	172	3
Male	651	26	4	4	17	18	36	58	89	163	154	80	2
Female	528	16	1	–	7	6	31	35	71	124	144	92	1
Louisiana	34,581	1,244	210	310	1,071	1,019	1,327	3,242	5,696	8,492	7,820	4,142	8
Male	19,363	693	108	202	817	715	871	2,087	3,671	4,966	3,701	1,527	5
Female	15,218	551	102	108	254	304	456	1,155	2,025	3,526	4,119	2,615	3
White	23,234	539	120	185	661	543	744	2,086	3,872	5,765	5,609	3,106	4
Male	13,142	316	60	123	514	403	508	1,382	2,599	3,478	2,661	1,095	3
Female	10,092	223	60	62	147	140	236	704	1,273	2,287	2,948	2,011	1
All other	11,347	705	90	125	410	476	583	1,156	1,824	2,727	2,211	1,036	4
Male	6,221	377	48	79	303	312	363	705	1,072	1,488	1,040	432	2
Female	5,126	328	42	46	107	164	220	451	752	1,239	1,171	604	2
Metropolitan parishes[1]	18,504	658	106	169	580	558	776	1,872	3,155	4,548	4,035	2,045	2
Male	10,236	363	55	110	430	392	520	1,190	2,021	2,612	1,856	686	1
Female	8,268	295	51	59	150	166	256	682	1,134	1,936	2,179	1,359	1
White	12,303	272	56	98	344	285	421	1,178	2,097	3,034	2,929	1,587	2
Male	6,870	151	28	67	258	213	299	760	1,403	1,791	1,382	517	1
Female	5,433	121	28	31	86	72	122	418	694	1,243	1,547	1,070	1
All other	6,201	386	50	71	236	273	355	694	1,058	1,514	1,106	458	–
Male	3,366	212	27	43	172	179	221	430	618	821	474	169	–
Female	2,835	174	23	28	64	94	134	264	440	693	632	289	–
Nonmetropolitan parishes[1]	16,077	586	104	141	491	461	551	1,370	2,541	3,944	3,785	2,097	6
Male	9,127	330	53	92	387	323	351	897	1,650	2,354	1,845	841	4
Female	6,950	256	51	49	104	138	200	473	891	1,590	1,940	1,256	2
White	10,931	267	64	87	317	258	323	908	1,775	2,731	2,680	1,519	2
Male	6,272	165	32	56	256	190	209	622	1,196	1,687	1,279	578	2
Female	4,659	102	32	31	61	68	114	286	579	1,044	1,401	941	–
All other	5,146	319	40	54	174	203	228	462	766	1,213	1,105	578	4
Male	2,855	165	21	36	131	133	142	275	454	667	566	263	2
Female	2,291	154	19	18	43	70	86	187	312	546	539	315	2
Maine	10,457	165	47	56	205	149	242	726	1,472	2,525	2,885	1,983	2
Male	5,648	105	25	34	146	104	154	460	945	1,509	1,442	724	–
Female	4,809	60	22	22	59	45	88	266	527	1,016	1,443	1,259	2
White	10,411	163	45	56	203	148	238	720	1,464	2,512	2,880	1,980	2
Male	5,620	103	24	34	145	103	152	457	941	1,501	1,439	721	–
Female	4,791	60	21	22	58	45	86	263	523	1,011	1,441	1,259	2
All other	46	2	2	–	2	1	4	6	8	13	5	3	–
Male	28	2	1	–	1	1	2	3	4	8	3	3	–
Female	18	–	1	–	1	–	2	3	4	5	2	–	–
Metropolitan counties	2,017	26	8	9	37	23	48	135	273	500	563	395	–
Male	1,062	21	3	5	28	14	33	83	166	303	266	140	–
Female	955	5	5	4	9	9	15	52	107	197	297	255	–
White	2,011	26	7	9	37	23	48	134	272	498	562	395	–
Male	1,058	21	2	5	28	14	33	82	166	302	265	140	–
Female	953	5	5	4	9	9	15	52	106	196	297	255	–
All other	6	–	1	–	–	–	–	1	1	2	1	–	–
Male	4	–	1	–	–	–	–	1	–	1	1	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Nonmetropolitan counties	8,440	139	39	47	168	126	194	591	1,199	2,025	2,322	1,588	2
Male	4,586	84	22	29	118	90	121	377	779	1,206	1,176	584	–
Female	3,854	55	17	18	50	36	73	214	420	819	1,146	1,004	2
White	8,400	137	38	47	166	125	190	586	1,192	2,014	2,318	1,585	2
Male	4,562	82	22	29	117	89	119	375	775	1,199	1,174	581	–
Female	3,838	55	16	18	49	36	71	211	417	815	1,144	1,004	2
All other	40	2	1	–	2	1	4	5	7	11	4	3	–
Male	24	2	–	–	1	1	2	2	4	7	2	3	–
Female	16	–	1	–	1	–	2	3	3	4	2	–	–

[1] County equivalents.

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Maryland	32,644	911	121	229	779	789	1,227	3,140	5,874	7,588	7,704	4,264	18
Male	17,804	496	62	141	570	542	790	2,012	3,700	4,484	3,591	1,404	12
Female	14,840	415	59	88	209	247	437	1,128	2,174	3,104	4,113	2,860	6
White	25,985	515	84	153	544	494	768	2,214	4,538	6,154	6,694	3,818	9
Male	13,950	283	46	96	399	343	509	1,416	2,878	3,675	3,077	1,222	6
Female	12,035	232	38	57	145	151	259	798	1,660	2,479	3,617	2,596	3
All other	6,659	396	37	76	235	295	459	926	1,336	1,434	1,010	446	9
Male	3,854	213	16	45	171	199	281	596	822	809	514	182	6
Female	2,805	183	21	31	64	96	178	330	514	625	496	264	3
Metropolitan counties	26,419	788	99	188	652	679	1,025	2,630	4,830	6,103	6,126	3,283	16
Male	14,328	433	51	115	475	467	660	1,699	3,035	3,562	2,782	1,039	10
Female	12,091	355	48	73	177	212	365	931	1,795	2,541	3,344	2,244	6
White	20,693	437	66	119	443	403	623	1,818	3,664	4,899	5,268	2,944	9
Male	11,019	243	39	74	324	282	409	1,170	2,320	2,883	2,360	909	6
Female	9,674	194	27	45	119	121	214	648	1,344	2,016	2,908	2,035	3
All other	5,726	351	33	69	209	276	402	812	1,166	1,204	858	339	7
Male	3,309	190	12	41	151	185	251	529	715	679	422	130	4
Female	2,417	161	21	28	58	91	151	283	451	525	436	209	3
Nonmetropolitan counties	6,225	123	22	41	127	110	202	510	1,044	1,485	1,578	981	2
Male	3,476	63	11	26	95	75	130	313	665	922	809	365	2
Female	2,749	60	11	15	32	35	72	197	379	563	769	616	–
White	5,292	78	18	34	101	91	145	396	874	1,255	1,426	874	–
Male	2,931	40	7	22	75	61	100	246	558	792	717	313	–
Female	2,361	38	11	12	26	30	45	150	316	463	709	561	–
All other	933	45	4	7	26	19	57	114	170	230	152	107	2
Male	545	23	4	4	20	14	30	67	107	130	92	52	2
Female	388	22	–	3	6	5	27	47	63	100	60	55	–
Massachusetts	54,049	800	131	215	939	839	1,212	3,657	7,787	12,294	15,747	10,417	11
Male	27,721	463	76	128	701	579	773	2,314	4,908	7,170	7,214	3,390	5
Female	26,328	337	55	87	238	260	439	1,343	2,879	5,124	8,533	7,027	6
White	52,584	709	121	202	888	754	1,110	3,464	7,533	12,050	15,479	10,263	11
Male	26,896	408	68	120	664	525	709	2,188	4,738	7,028	7,106	3,337	5
Female	25,688	301	53	82	224	229	401	1,276	2,795	5,022	8,373	6,926	6
All other	1,465	91	10	13	51	85	102	193	254	244	268	154	–
Male	825	55	8	8	37	54	64	126	170	142	108	53	–
Female	640	36	2	5	14	31	38	67	84	102	160	101	–
Metropolitan counties	51,770	776	127	208	902	804	1,171	3,539	7,506	11,705	15,034	9,987	11
Male	26,504	449	74	125	669	554	746	2,247	4,725	6,808	6,865	3,237	5
Female	25,266	327	53	83	233	250	425	1,292	2,781	4,897	8,169	6,750	6
White	50,334	685	118	195	852	719	1,071	3,351	7,258	11,469	14,771	9,834	11
Male	25,700	394	67	117	633	500	683	2,124	4,559	6,673	6,761	3,184	5
Female	24,634	291	51	78	219	219	388	1,227	2,699	4,796	8,010	6,650	6
All other	1,436	91	9	13	50	85	100	188	248	236	263	153	–
Male	804	55	7	8	36	54	63	123	166	135	104	53	–
Female	632	36	2	5	14	31	37	65	82	101	159	100	–
Nonmetropolitan counties	2,279	24	4	7	37	35	41	118	281	589	713	430	–
Male	1,217	14	2	3	32	25	27	67	183	362	349	153	–
Female	1,062	10	2	4	5	10	14	51	98	227	364	277	–
White	2,250	24	3	7	36	35	39	113	275	581	708	429	–
Male	1,196	14	1	3	31	25	26	64	179	355	345	153	–
Female	1,054	10	2	4	5	10	13	49	96	226	363	276	–
All other	29	–	1	–	1	–	2	5	6	8	5	1	–
Male	21	–	1	–	1	–	1	3	4	7	4	–	–
Female	8	–	–	–	–	–	1	2	2	1	1	1	–
Michigan	75,862	1,991	359	583	2,199	1,900	2,331	6,291	12,201	17,079	19,229	11,698	1
Male	42,538	1,094	198	362	1,625	1,301	1,441	3,940	7,923	10,425	9,749	4,480	–
Female	33,324	897	161	221	574	599	890	2,351	4,278	6,654	9,480	7,218	1
White	66,509	1,398	271	468	1,711	1,300	1,710	5,051	10,460	15,194	17,830	11,115	1
Male	36,953	761	145	291	1,262	887	1,047	3,163	6,822	9,307	9,035	4,233	–
Female	29,556	637	126	177	449	413	663	1,888	3,638	5,887	8,795	6,882	1
All other	9,353	593	88	115	488	600	621	1,240	1,741	1,885	1,399	583	–
Male	5,585	333	53	71	363	414	394	777	1,101	1,118	714	247	–
Female	3,768	260	35	44	125	186	227	463	640	767	685	336	–
Metropolitan counties	54,546	1,531	260	407	1,685	1,527	1,853	4,908	9,022	11,957	13,466	7,929	1
Male	30,519	831	144	250	1,248	1,046	1,144	3,055	5,850	7,177	6,757	3,017	–
Female	24,027	700	116	157	437	481	709	1,853	3,172	4,780	6,709	4,912	1
White	45,780	981	180	301	1,222	949	1,258	3,722	7,372	10,204	12,189	7,401	1
Male	25,284	519	96	183	906	648	767	2,315	4,809	6,140	6,109	2,792	–
Female	20,496	462	84	118	316	301	491	1,407	2,563	4,064	6,080	4,609	1
All other	8,766	550	80	106	463	578	595	1,186	1,650	1,753	1,277	528	–
Male	5,235	312	48	67	342	398	377	740	1,041	1,037	648	225	–
Female	3,531	238	32	39	121	180	218	446	609	716	629	303	–
Nonmetropolitan counties	21,316	460	99	176	514	373	478	1,383	3,179	5,122	5,763	3,769	–
Male	12,019	263	54	112	377	255	297	885	2,073	3,248	2,992	1,463	–
Female	9,297	197	45	64	137	118	181	498	1,106	1,874	2,771	2,306	–
White	20,729	417	91	167	489	351	452	1,329	3,088	4,990	5,641	3,714	–
Male	11,669	242	49	108	356	239	280	848	2,013	3,167	2,926	1,441	–
Female	9,060	175	42	59	133	112	172	481	1,075	1,823	2,715	2,273	–
All other	587	43	8	9	25	22	26	54	91	132	122	55	–
Male	350	21	5	4	21	16	17	37	60	81	66	22	–
Female	237	22	3	5	4	6	9	17	31	51	56	33	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Minnesota	32,796	787	129	237	762	539	676	1,892	4,361	6,815	9,605	6,991	2
Male	18,424	465	70	137	588	355	444	1,283	2,858	4,286	5,091	2,846	1
Female	14,372	322	59	100	174	184	232	609	1,503	2,529	4,514	4,145	1
White	32,244	734	120	231	728	504	626	1,828	4,278	6,734	9,526	6,933	2
Male	18,114	436	65	133	569	331	419	1,241	2,811	4,237	5,050	2,821	1
Female	14,130	298	55	98	159	173	207	587	1,467	2,497	4,476	4,112	1
All other	552	53	9	6	34	35	50	64	83	81	79	58	–
Male	310	29	5	4	19	24	25	42	47	49	41	25	–
Female	242	24	4	2	15	11	25	22	36	32	38	33	–
Metropolitan counties	16,221	425	63	119	355	322	376	1,081	2,348	3,366	4,466	3,298	2
Male	8,719	248	34	67	269	198	244	727	1,512	1,987	2,144	1,288	1
Female	7,502	177	29	52	86	124	132	354	836	1,379	2,322	2,010	1
White	15,794	378	57	117	334	292	337	1,028	2,287	3,307	4,402	3,253	2
Male	8,474	222	31	66	256	178	222	693	1,476	1,954	2,108	1,267	1
Female	7,320	156	26	51	78	114	115	335	811	1,353	2,294	1,986	1
All other	427	47	6	2	21	30	39	53	61	59	64	45	–
Male	245	26	3	1	13	20	22	34	36	33	36	21	–
Female	182	21	3	1	8	10	17	19	25	26	28	24	–
Nonmetropolitan counties	16,575	362	66	118	407	217	300	811	2,013	3,449	5,139	3,693	–
Male	9,705	217	36	70	319	157	200	556	1,346	2,299	2,947	1,558	–
Female	6,870	145	30	48	88	60	100	255	667	1,150	2,192	2,135	–
White	16,450	356	63	114	394	212	289	800	1,991	3,427	5,124	3,680	–
Male	9,640	214	34	67	313	153	197	548	1,335	2,283	2,942	1,554	–
Female	6,810	142	29	47	81	59	92	252	656	1,144	2,182	2,126	–
All other	125	6	3	4	13	5	11	11	22	22	15	13	–
Male	65	3	2	3	6	4	3	8	11	16	5	4	–
Female	60	3	1	1	7	1	8	3	11	6	10	9	–
Mississippi	23,168	924	162	209	608	531	834	1,813	3,440	5,533	5,666	3,433	15
Male	13,065	528	87	122	456	393	538	1,176	2,264	3,338	2,855	1,300	8
Female	10,103	396	75	87	152	138	296	637	1,176	2,195	2,811	2,133	7
White	14,338	330	61	102	347	276	467	1,144	2,225	3,516	3,724	2,144	2
Male	8,257	191	37	62	264	204	304	799	1,552	2,229	1,850	764	1
Female	6,081	139	24	40	83	72	163	345	673	1,287	1,874	1,380	1
All other	8,830	594	101	107	261	255	367	669	1,215	2,017	1,942	1,289	13
Male	4,808	337	50	60	192	189	234	377	712	1,109	1,005	536	7
Female	4,022	257	51	47	69	66	133	292	503	908	937	753	6
Metropolitan counties	3,344	137	33	36	103	104	150	334	512	771	718	444	2
Male	1,871	78	14	21	76	75	94	226	340	451	340	154	2
Female	1,473	59	19	15	27	29	56	108	172	320	378	290	–
White	2,250	57	20	20	69	57	97	225	336	540	519	310	–
Male	1,272	35	9	9	51	42	62	162	228	324	249	101	–
Female	978	22	11	11	18	15	35	63	108	216	270	209	–
All other	1,094	80	13	16	34	47	53	109	176	231	199	134	2
Male	599	43	5	12	25	33	32	64	112	127	91	53	2
Female	495	37	8	4	9	14	21	45	64	104	108	81	–
Nonmetropolitan counties	19,824	787	129	173	505	427	684	1,479	2,928	4,762	4,948	2,989	13
Male	11,194	450	73	101	380	318	444	950	1,924	2,887	2,515	1,146	6
Female	8,630	337	56	72	125	109	240	529	1,004	1,875	2,433	1,843	7
White	12,088	273	41	82	278	219	370	919	1,889	2,976	3,205	1,834	2
Male	6,985	156	28	53	213	162	242	637	1,324	1,905	1,601	663	1
Female	5,103	117	13	29	65	57	128	282	565	1,071	1,604	1,171	1
All other	7,736	514	88	91	227	208	314	560	1,039	1,786	1,743	1,155	11
Male	4,209	294	45	48	167	156	202	313	600	982	914	483	5
Female	3,527	220	43	43	60	52	112	247	439	804	829	672	6
Missouri	49,075	1,053	180	300	1,128	946	1,283	3,220	6,819	11,595	13,485	9,056	11
Male	26,878	593	105	200	840	662	819	2,026	4,445	7,069	6,725	3,386	8
Female	22,197	460	75	100	288	284	464	1,194	2,374	4,526	6,760	5,669	3
White	44,123	777	129	245	925	744	1,001	2,690	6,002	10,436	12,565	8,604	5
Male	24,053	446	81	162	683	520	634	1,708	3,956	6,428	6,244	3,188	3
Female	20,070	331	48	83	242	224	367	982	2,046	4,008	6,321	5,416	2
All other	4,952	276	51	55	203	202	282	530	817	1,159	920	451	6
Male	2,825	147	24	38	157	142	185	318	489	641	481	198	5
Female	2,127	129	27	17	46	60	97	212	328	518	439	253	1
Metropolitan counties	27,649	692	107	162	673	608	837	2,116	4,119	6,443	7,231	4,654	7
Male	14,647	375	55	110	510	428	533	1,327	2,608	3,772	3,385	1,537	7
Female	13,002	317	52	52	163	180	304	789	1,511	2,671	3,846	3,117	–
White	23,360	442	63	118	485	427	578	1,637	3,399	5,459	6,470	4,279	3
Male	12,196	240	35	79	362	300	360	1,035	2,188	3,221	2,995	1,378	3
Female	11,164	202	28	39	123	127	218	602	1,211	2,238	3,475	2,901	–
All other	4,289	250	44	44	188	181	259	479	720	984	761	375	4
Male	2,451	135	20	31	148	128	173	292	420	551	390	159	4
Female	1,838	115	24	13	40	53	86	187	300	433	371	216	–
Nonmetropolitan counties	21,426	361	73	138	455	338	446	1,104	2,700	5,152	6,254	4,401	4
Male	12,231	218	50	90	330	234	286	699	1,837	3,297	3,340	1,849	1
Female	9,195	143	23	48	125	104	160	405	863	1,855	2,914	2,552	3
White	20,763	335	66	127	440	317	423	1,053	2,603	4,977	6,095	4,325	2
Male	11,857	206	46	83	321	220	274	673	1,768	3,207	3,249	1,810	–
Female	8,906	129	20	44	119	97	149	380	835	1,770	2,846	2,515	2
All other	663	26	7	11	15	21	23	51	97	175	159	76	2
Male	374	12	4	7	9	14	12	26	69	90	91	39	1
Female	289	14	3	4	6	7	11	25	28	85	68	37	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Montana	6,741	208	48	54	246	175	209	446	1,017	1,383	1,645	1,310	–
Male	3,991	123	34	40	187	135	127	304	662	937	874	568	–
Female	2,750	85	14	14	59	40	82	142	355	446	771	742	–
White	6,443	185	41	40	217	147	185	405	972	1,350	1,611	1,290	–
Male	3,816	113	30	29	164	116	113	280	635	919	854	563	–
Female	2,627	72	11	11	53	31	72	125	337	431	757	727	–
All other	298	23	7	14	29	28	24	41	45	33	34	20	–
Male	175	10	4	11	23	19	14	24	27	18	20	5	–
Female	123	13	3	3	6	9	10	17	18	15	14	15	–
Metropolitan counties	1,399	49	12	9	57	35	48	94	224	282	330	259	–
Male	799	29	8	4	39	24	30	58	145	188	175	99	–
Female	600	20	4	5	18	11	18	36	79	94	155	160	–
White	1,363	46	9	6	54	29	45	89	218	280	329	258	–
Male	782	29	7	3	37	20	29	55	142	187	174	99	–
Female	581	17	2	3	17	9	16	34	76	93	155	159	–
All other	36	3	3	3	3	6	3	5	6	2	1	1	–
Male	17	–	1	1	2	4	1	3	3	1	1	–	–
Female	19	3	2	2	1	2	2	2	3	1	–	1	–
Nonmetropolitan counties	5,342	159	36	45	189	140	161	352	793	1,101	1,315	1,051	–
Male	3,192	94	26	36	148	111	97	246	517	749	699	469	–
Female	2,150	65	10	9	41	29	64	106	276	352	616	582	–
White	5,080	139	32	34	163	118	140	316	754	1,070	1,282	1,032	–
Male	3,034	84	23	26	127	96	84	225	493	732	680	464	–
Female	2,046	55	9	8	36	22	56	91	261	338	602	568	–
All other	262	20	4	11	26	22	21	36	39	31	33	19	–
Male	158	10	3	10	21	15	13	21	24	17	19	5	–
Female	104	10	1	1	5	7	8	15	15	14	14	14	–
Nebraska	14,547	339	87	86	316	238	333	794	1,731	3,100	4,251	3,272	–
Male	7,834	184	44	51	234	162	204	513	1,145	1,888	2,139	1,270	–
Female	6,713	155	43	35	82	76	129	281	586	1,212	2,112	2,002	–
White	14,113	308	83	83	289	210	289	742	1,678	3,023	4,171	3,237	–
Male	7,592	170	43	49	218	141	176	480	1,115	1,842	2,101	1,257	–
Female	6,521	138	40	34	71	69	113	262	563	1,181	2,070	1,980	–
All other	434	31	4	3	27	28	44	52	53	77	80	35	–
Male	242	14	1	2	16	21	28	33	30	46	38	13	–
Female	192	17	3	1	11	7	16	19	23	31	42	22	–
Metropolitan counties	5,046	151	40	30	123	117	159	350	713	1,120	1,340	903	–
Male	2,686	86	19	14	86	75	97	224	449	666	637	333	–
Female	2,360	65	21	16	37	42	62	126	264	454	703	570	–
White	4,700	124	37	27	104	98	130	305	668	1,058	1,276	873	–
Male	2,500	75	19	12	75	62	78	195	422	628	610	324	–
Female	2,200	49	18	15	29	36	52	110	246	430	666	549	–
All other	346	27	3	3	19	19	29	45	45	62	64	30	–
Male	186	11	–	2	11	13	19	29	27	38	27	9	–
Female	160	16	3	1	8	6	10	16	18	24	37	21	–
Nonmetropolitan counties	9,501	188	47	56	193	121	174	444	1,018	1,980	2,911	2,369	–
Male	5,148	98	25	37	148	87	107	289	696	1,222	1,502	937	–
Female	4,353	90	22	19	45	34	67	155	322	758	1,409	1,432	–
White	9,413	184	46	56	185	112	159	437	1,010	1,965	2,895	2,364	–
Male	5,092	95	24	37	143	79	98	285	693	1,214	1,491	933	–
Female	4,321	89	22	19	42	33	61	152	317	751	1,404	1,431	–
All other	88	4	1	–	8	9	15	7	8	15	16	5	–
Male	56	3	1	–	5	8	9	4	3	8	11	4	–
Female	32	1	–	–	3	1	6	3	5	7	5	1	–
Nevada	4,578	137	17	36	186	184	214	528	870	1,094	838	471	3
Male	2,839	86	11	21	132	134	139	326	562	708	498	219	3
Female	1,739	51	6	15	54	50	75	202	308	386	340	252	–
White	4,224	116	10	28	156	151	179	482	817	1,028	801	453	3
Male	2,617	73	7	17	111	112	115	296	529	664	477	213	3
Female	1,607	43	3	11	45	39	64	186	288	364	324	240	–
All other	354	21	7	8	30	33	35	46	53	66	37	18	–
Male	222	13	4	4	21	22	24	30	33	44	21	6	–
Female	132	8	3	4	9	11	11	16	20	22	16	12	–
Metropolitan counties	3,584	103	15	29	139	144	173	425	681	866	649	360	–
Male	2,219	64	10	15	99	107	115	265	447	561	379	157	–
Female	1,365	39	5	14	40	37	58	160	234	305	270	203	–
White	3,286	84	8	22	116	119	143	385	634	811	618	346	–
Male	2,030	52	6	12	82	90	95	238	417	524	362	152	–
Female	1,256	32	2	10	34	29	48	147	217	287	256	194	–
All other	298	19	7	7	23	25	30	40	47	55	31	14	–
Male	189	12	4	3	17	17	20	27	30	37	17	5	–
Female	109	7	3	4	6	8	10	13	17	18	14	9	–
Nonmetropolitan counties	994	34	2	7	47	40	41	103	189	228	189	111	3
Male	620	22	1	6	33	27	24	61	115	147	119	62	3
Female	374	12	1	1	14	13	17	42	74	81	70	49	–
White	938	32	2	6	40	32	36	97	183	217	183	107	3
Male	587	21	1	5	29	22	20	58	112	140	115	61	3
Female	351	11	1	1	11	10	16	39	71	77	68	46	–
All other	56	2	–	1	7	8	5	6	6	11	6	4	–
Male	33	1	–	1	4	5	4	3	3	7	4	1	–
Female	23	1	–	–	3	3	1	3	3	4	2	3	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

(For definition of areas, see Technical Appendix)

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Hampshire	7,417	129	29	43	155	118	186	509	1,096	1,757	2,030	1,364	1
Male	3,994	68	16	27	113	77	95	307	722	1,079	1,004	486	–
Female	3,423	61	13	16	42	41	91	202	374	678	1,026	878	1
White	7,400	129	29	43	155	118	185	508	1,094	1,755	2,023	1,361	–
Male	3,985	68	16	27	113	77	94	307	721	1,078	1,000	484	–
Female	3,415	61	13	16	42	41	91	201	373	677	1,023	877	–
All other	17	–	–	–	–	–	1	1	2	2	7	3	1
Male	9	–	–	–	–	–	1	–	1	1	4	2	–
Female	8	–	–	–	–	–	–	1	1	1	3	1	1
Metropolitan counties	2,268	43	7	20	43	32	61	166	362	480	645	409	–
Male	1,190	21	4	10	31	20	32	109	237	287	305	134	–
Female	1,078	22	3	10	12	12	29	57	125	193	340	275	–
White	2,265	43	7	20	43	32	61	165	361	480	644	409	–
Male	1,190	21	4	10	31	20	32	109	237	287	305	134	–
Female	1,075	22	3	10	12	12	29	56	124	193	339	275	–
All other	3	–	–	–	–	–	–	1	1	–	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	–	1	1	–	1	–	–
Nonmetropolitan counties	5,149	86	22	23	112	86	125	343	734	1,277	1,385	955	1
Male	2,804	47	12	17	82	57	63	198	485	792	699	352	–
Female	2,345	39	10	6	30	29	62	145	249	485	686	603	1
White	5,135	86	22	23	112	86	124	343	733	1,275	1,379	952	–
Male	2,795	47	12	17	82	57	62	198	484	791	695	350	–
Female	2,340	39	10	6	30	29	62	145	249	484	684	602	–
All other	14	–	–	–	–	–	1	–	1	2	6	3	1
Male	9	–	–	–	–	–	1	–	1	1	4	2	–
Female	5	–	–	–	–	–	–	–	–	1	2	1	1
New Jersey	65,382	1,359	209	356	1,161	1,188	1,875	5,306	10,813	15,515	17,697	9,885	18
Male	34,814	744	122	236	854	807	1,126	3,297	6,821	9,121	8,186	3,489	11
Female	30,568	615	87	120	307	381	749	2,009	3,992	6,394	9,511	6,396	7
White	58,597	890	140	264	904	816	1,315	4,425	9,566	14,171	16,638	9,456	12
Male	30,980	492	80	175	675	557	774	2,774	6,061	8,365	7,690	3,329	8
Female	27,617	398	60	89	229	259	541	1,651	3,505	5,806	8,948	6,127	4
All other	6,785	469	69	92	257	372	560	881	1,247	1,344	1,059	429	6
Male	3,834	252	42	61	179	250	352	523	760	756	496	160	3
Female	2,951	217	27	31	78	122	208	358	487	588	563	269	3
Metropolitan counties	49,470	1,075	158	259	896	931	1,461	4,074	8,246	11,536	13,276	7,543	15
Male	26,194	589	90	174	659	633	891	2,532	5,184	6,711	6,086	2,636	9
Female	23,276	486	68	85	237	298	570	1,542	3,062	4,825	7,190	4,907	6
White	43,457	648	99	176	671	600	951	3,287	7,136	10,353	12,351	7,174	11
Male	22,788	358	56	119	503	413	566	2,057	4,511	6,046	5,653	2,499	7
Female	20,669	290	43	57	168	187	385	1,230	2,625	4,307	6,698	4,675	4
All other	6,013	427	59	83	225	331	510	787	1,110	1,183	925	369	4
Male	3,406	231	34	55	156	220	325	475	673	665	433	137	2
Female	2,607	196	25	28	69	111	185	312	437	518	492	232	2
Nonmetropolitan counties	15,912	284	51	97	265	257	414	1,232	2,567	3,979	4,421	2,342	3
Male	8,620	155	32	62	195	174	235	765	1,637	2,410	2,100	853	2
Female	7,292	129	19	35	70	83	179	467	930	1,569	2,321	1,489	1
White	15,140	242	41	88	233	216	364	1,138	2,430	3,818	4,287	2,282	1
Male	8,192	134	24	56	172	144	208	717	1,550	2,319	2,037	830	1
Female	6,948	108	17	32	61	72	156	421	880	1,499	2,250	1,452	–
All other	772	42	10	9	32	41	50	94	137	161	134	60	2
Male	428	21	8	6	23	30	27	48	87	91	63	23	1
Female	344	21	2	3	9	11	23	46	50	70	71	37	1
New Mexico	8,224	341	72	99	445	395	390	708	1,156	1,734	1,785	1,086	13
Male	4,888	200	44	61	338	291	256	424	768	1,066	967	462	11
Female	3,336	141	28	38	107	104	134	284	388	668	818	624	2
White	7,400	280	58	79	353	278	289	624	1,073	1,648	1,693	1,016	9
Male	4,344	165	35	50	269	207	187	369	707	1,008	909	430	8
Female	3,056	115	23	29	84	71	102	255	366	640	784	586	1
All other	824	61	14	20	92	117	101	84	83	86	92	70	4
Male	544	35	9	11	69	84	69	55	61	58	58	32	3
Female	280	26	5	9	23	33	32	29	22	28	34	38	1
Metropolitan counties	2,331	70	16	25	108	108	97	205	341	493	536	329	3
Male	1,348	44	14	20	82	73	60	117	227	301	276	131	3
Female	983	26	2	5	26	35	37	88	114	192	260	198	–
White	2,240	63	14	25	103	93	90	195	325	482	526	322	2
Male	1,289	40	12	20	79	64	56	110	216	292	270	128	2
Female	951	23	2	5	24	29	34	85	109	190	256	194	–
All other	91	7	2	–	5	15	7	10	16	11	10	7	1
Male	59	4	2	–	3	9	4	7	11	9	6	3	1
Female	32	3	–	–	2	6	3	3	5	2	4	4	–
Nonmetropolitan counties	5,893	271	56	74	337	287	293	503	815	1,241	1,249	757	10
Male	3,540	156	30	41	256	218	196	307	541	765	691	331	8
Female	2,353	115	26	33	81	69	97	196	274	476	558	426	2
White	5,160	217	44	54	250	185	199	429	748	1,166	1,167	694	7
Male	3,055	125	23	30	190	143	131	259	491	716	639	302	6
Female	2,105	92	21	24	60	42	68	170	257	450	528	392	1
All other	733	54	12	20	87	102	94	74	67	75	82	63	3
Male	485	31	7	11	66	75	65	48	50	49	52	29	2
Female	248	23	5	9	21	27	29	26	17	26	30	34	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New York	172,554	3,773	537	927	3,156	3,781	4,992	13,197	26,541	40,295	47,361	27,937	57
Male	91,025	2,107	287	549	2,330	2,596	3,131	8,109	16,360	23,252	22,192	10,076	36
Female	81,529	1,666	250	378	826	1,185	1,861	5,088	10,181	17,043	25,169	17,861	21
White	152,952	2,467	382	717	2,409	2,541	3,392	10,343	22,952	36,511	44,516	26,674	48
Male	80,094	1,372	208	408	1,803	1,728	2,143	6,377	14,292	21,204	20,902	9,624	33
Female	72,858	1,095	174	309	606	813	1,249	3,966	8,660	15,307	23,614	17,050	15
All other	19,602	1,306	155	210	747	1,240	1,600	2,854	3,589	3,784	2,845	1,263	9
Male	10,931	735	79	141	527	868	988	1,732	2,068	2,048	1,290	452	3
Female	8,671	571	76	69	220	372	612	1,122	1,521	1,736	1,555	811	6
Metropolitan counties	147,547	3,292	456	768	2,663	3,426	4,467	11,545	22,957	34,199	40,326	23,404	44
Male	77,549	1,829	241	460	1,964	2,355	2,794	7,050	14,056	19,605	18,697	8,469	29
Female	69,998	1,463	215	308	699	1,071	1,673	4,495	8,901	14,594	21,629	14,935	15
White	128,441	2,020	303	563	1,933	2,213	2,899	8,763	19,442	30,532	37,556	22,181	36
Male	66,930	1,112	164	321	1,447	1,507	1,829	5,368	12,034	17,632	17,452	8,038	26
Female	61,511	908	139	242	486	706	1,070	3,395	7,408	12,900	20,104	14,143	10
All other	19,106	1,272	153	205	730	1,213	1,568	2,782	3,515	3,667	2,770	1,223	8
Male	10,619	717	77	139	517	848	965	1,682	2,022	1,973	1,245	431	3
Female	8,487	555	76	66	213	365	603	1,100	1,493	1,694	1,525	792	5
Nonmetropolitan counties	25,007	481	81	159	493	355	525	1,652	3,584	6,096	7,035	4,533	13
Male	13,476	278	46	89	366	241	337	1,059	2,304	3,647	3,495	1,607	7
Female	11,531	203	35	70	127	114	188	593	1,280	2,449	3,540	2,926	6
White	24,511	447	79	154	476	328	493	1,580	3,510	5,979	6,960	4,493	12
Male	13,164	260	44	87	356	221	314	1,009	2,258	3,572	3,450	1,586	7
Female	11,347	187	35	67	120	107	179	571	1,252	2,407	3,510	2,907	5
All other	496	34	2	5	17	27	32	72	74	117	75	40	1
Male	312	18	2	2	10	20	23	50	46	75	45	21	–
Female	184	16	–	3	7	7	9	22	28	42	30	19	1
North Carolina	45,832	1,434	245	395	1,353	1,227	1,879	4,540	8,036	10,851	10,358	5,504	10
Male	26,205	771	137	250	1,029	867	1,240	3,014	5,349	6,516	5,022	2,002	8
Female	19,627	663	108	145	324	360	639	1,526	2,687	4,335	5,336	3,502	2
White	34,306	824	140	264	971	732	1,217	3,122	5,822	8,127	8,389	4,696	2
Male	19,624	439	82	170	736	516	801	2,138	4,000	5,000	4,066	1,675	1
Female	14,682	385	58	94	235	216	416	984	1,822	3,127	4,323	3,021	1
All other	11,526	610	105	131	382	495	662	1,418	2,214	2,724	1,969	808	8
Male	6,581	332	55	80	293	351	439	876	1,349	1,516	956	327	7
Female	4,945	278	50	51	89	144	223	542	865	1,208	1,013	481	1
Metropolitan counties	15,508	552	79	120	472	456	696	1,637	2,773	3,468	3,414	1,838	3
Male	8,690	296	47	77	343	310	461	1,052	1,817	2,055	1,605	626	1
Female	6,818	256	32	43	129	146	235	585	956	1,413	1,809	1,212	2
White	11,517	318	46	86	346	274	442	1,132	1,983	2,543	2,749	1,597	1
Male	6,454	159	27	53	256	183	298	746	1,353	1,562	1,286	531	–
Female	5,063	159	19	33	90	91	144	386	630	981	1,463	1,066	1
All other	3,991	234	33	34	126	182	254	505	790	925	665	241	2
Male	2,236	137	20	24	87	127	163	306	464	493	319	95	1
Female	1,755	97	13	10	39	55	91	199	326	432	346	146	1
Nonmetropolitan counties	30,324	882	166	275	881	771	1,183	2,903	5,263	7,383	6,944	3,666	7
Male	17,515	475	90	173	686	557	779	1,962	3,532	4,461	3,417	1,376	7
Female	12,809	407	76	102	195	214	404	941	1,731	2,922	3,527	2,290	–
White	22,789	506	94	178	625	458	775	1,990	3,839	5,584	5,640	3,099	1
Male	13,170	280	55	117	480	333	503	1,392	2,647	3,438	2,780	1,144	1
Female	9,619	226	39	61	145	125	272	598	1,192	2,146	2,860	1,955	–
All other	7,535	376	72	97	256	313	408	913	1,424	1,799	1,304	567	6
Male	4,345	195	35	56	206	224	276	570	885	1,023	637	232	6
Female	3,190	181	37	41	50	89	132	343	539	776	667	335	–
North Dakota	5,516	148	35	32	147	73	123	307	686	1,287	1,518	1,160	–
Male	3,194	86	21	23	107	54	82	200	478	836	819	488	–
Female	2,322	62	14	9	40	19	41	107	208	451	699	672	–
White	5,351	130	30	28	131	60	106	290	661	1,268	1,497	1,150	–
Male	3,103	76	20	20	98	45	74	189	462	827	808	484	–
Female	2,248	54	10	8	33	15	32	101	199	441	689	666	–
All other	165	18	5	4	16	13	17	17	25	19	21	10	–
Male	91	10	1	3	9	9	8	11	16	9	11	4	–
Female	74	8	4	1	7	4	9	6	9	10	10	6	–
Metropolitan counties	585	16	4	4	19	6	10	40	68	135	150	133	–
Male	334	10	1	3	13	5	6	30	52	86	75	53	–
Female	251	6	3	1	6	1	4	10	16	49	75	80	–
White	583	16	4	4	19	6	10	40	67	134	150	133	–
Male	333	10	1	3	13	5	6	30	52	85	75	53	–
Female	250	6	3	1	6	1	4	10	15	49	75	80	–
All other	2	–	–	–	–	–	–	–	1	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Nonmetropolitan counties	4,931	132	31	28	128	67	113	267	618	1,152	1,368	1,027	–
Male	2,860	76	20	20	94	49	76	170	426	750	744	435	–
Female	2,071	56	11	8	34	18	37	97	192	402	624	592	–
White	4,768	114	26	24	112	54	96	250	594	1,134	1,347	1,017	–
Male	2,770	66	19	17	85	40	68	159	410	742	733	431	–
Female	1,998	48	7	7	27	14	28	91	184	392	614	586	–
All other	163	18	5	4	16	13	17	17	24	18	21	10	–
Male	90	10	1	3	9	9	8	11	16	8	11	4	–
Female	73	8	4	1	7	4	9	6	8	10	10	6	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Ohio	96,159	2,322	381	610	2,116	1,876	2,659	8,021	15,295	21,841	25,296	15,731	11
Male	52,286	1,311	229	375	1,556	1,247	1,652	5,181	9,738	12,979	12,149	5,865	4
Female	43,873	1,011	152	235	560	629	1,007	2,840	5,557	8,862	13,147	9,866	7
White	86,752	1,828	316	512	1,809	1,487	2,107	6,731	13,579	19,809	23,568	14,998	8
Male	46,829	1,046	186	320	1,334	987	1,317	4,364	8,663	11,801	11,237	5,572	2
Female	39,923	782	130	192	475	500	790	2,367	4,916	8,008	12,331	9,426	6
All other	9,407	494	65	98	307	389	552	1,290	1,716	2,032	1,728	733	3
Male	5,457	265	43	55	222	260	335	817	1,075	1,178	912	293	2
Female	3,950	229	22	43	85	129	217	473	641	854	816	440	1
Metropolitan counties	72,299	1,754	273	441	1,615	1,500	2,119	6,382	11,850	16,337	18,753	11,268	7
Male	39,188	994	161	266	1,202	992	1,303	4,106	7,563	9,619	8,830	4,149	3
Female	33,111	760	112	175	413	508	816	2,276	4,287	6,718	9,923	7,119	4
White	63,304	1,283	208	348	1,314	1,118	1,580	5,149	10,198	14,395	17,110	10,597	4
Male	33,972	746	118	211	983	736	978	3,324	6,528	8,495	7,973	3,879	1
Female	29,332	537	90	137	331	382	602	1,825	3,670	5,900	9,137	6,718	3
All other	8,995	471	65	93	301	382	539	1,233	1,652	1,942	1,643	671	3
Male	5,216	248	43	55	219	256	325	782	1,035	1,124	857	270	2
Female	3,779	223	22	38	82	126	214	451	617	818	786	401	1
Nonmetropolitan counties	23,860	568	108	169	501	376	540	1,639	3,445	5,504	6,543	4,463	4
Male	13,098	317	68	109	354	255	349	1,075	2,175	3,360	3,319	1,716	1
Female	10,762	251	40	60	147	121	191	564	1,270	2,144	3,224	2,747	3
White	23,448	545	108	164	495	369	527	1,582	3,381	5,414	6,458	4,401	4
Male	12,857	300	68	109	351	251	339	1,040	2,135	3,306	3,264	1,693	1
Female	10,591	245	40	55	144	118	188	542	1,246	2,108	3,194	2,708	3
All other	412	23	–	5	6	7	13	57	64	90	85	62	–
Male	241	17	–	–	3	4	10	35	40	54	55	23	–
Female	171	6	–	5	3	3	3	22	24	36	30	39	–
Oklahoma	27,129	729	143	202	646	621	729	1,969	3,771	6,324	7,297	4,689	9
Male	15,032	431	82	122	485	441	444	1,265	2,486	3,827	3,688	1,756	5
Female	12,097	298	61	80	161	180	285	704	1,285	2,497	3,609	2,933	4
White	24,418	562	113	178	536	503	607	1,692	3,368	5,753	6,770	4,329	7
Male	13,544	329	66	110	401	357	376	1,107	2,241	3,524	3,424	1,604	5
Female	10,874	233	47	68	135	146	231	585	1,127	2,229	3,346	2,725	2
All other	2,711	167	30	24	110	118	122	277	403	571	527	360	2
Male	1,488	102	16	12	84	84	68	158	245	303	264	152	–
Female	1,223	65	14	12	26	34	54	119	158	268	263	208	2
Metropolitan counties	11,131	400	67	87	314	335	347	974	1,669	2,527	2,732	1,674	5
Male	6,115	230	37	54	235	239	202	620	1,095	1,469	1,330	601	3
Female	5,016	170	30	33	79	96	145	354	574	1,058	1,402	1,073	2
White	9,922	298	52	76	251	273	296	827	1,501	2,262	2,531	1,550	5
Male	5,430	171	30	46	188	194	174	535	991	1,332	1,216	550	3
Female	4,492	127	22	30	63	79	122	292	510	930	1,315	1,000	2
All other	1,209	102	15	11	63	62	51	147	168	265	201	124	–
Male	685	59	7	8	47	45	28	85	104	137	114	51	–
Female	524	43	8	3	16	17	23	62	64	128	87	73	–
Nonmetropolitan counties	15,998	329	76	115	332	286	382	995	2,102	3,797	4,565	3,015	4
Male	8,917	201	45	68	250	202	242	645	1,391	2,358	2,358	1,155	2
Female	7,081	128	31	47	82	84	140	350	711	1,439	2,207	1,860	2
White	14,496	264	61	102	285	230	311	865	1,867	3,491	4,239	2,779	2
Male	8,114	158	36	64	213	163	202	572	1,250	2,192	2,208	1,054	2
Female	6,382	106	25	38	72	67	109	293	617	1,299	2,031	1,725	–
All other	1,502	65	15	13	47	56	71	130	235	306	326	236	2
Male	803	43	9	4	37	39	40	73	141	166	150	101	–
Female	699	22	6	9	10	17	31	57	94	140	176	135	2
Oregon	20,486	443	97	156	517	417	538	1,372	3,101	4,702	5,281	3,857	5
Male	11,512	250	59	103	365	287	361	864	1,966	2,967	2,754	1,531	5
Female	8,974	193	38	53	152	130	177	508	1,135	1,735	2,527	2,326	–
White	20,051	417	92	149	492	391	503	1,314	3,035	4,619	5,227	3,807	5
Male	11,236	236	55	98	345	270	335	827	1,918	2,915	2,724	1,508	5
Female	8,815	181	37	51	147	121	168	487	1,117	1,704	2,503	2,299	–
All other	435	26	5	7	25	26	35	58	66	83	54	50	–
Male	276	14	4	5	20	17	26	37	48	52	30	23	–
Female	159	12	1	2	5	9	9	21	18	31	24	27	–
Metropolitan counties	12,310	240	54	96	297	242	326	844	1,790	2,715	3,238	2,465	3
Male	6,726	142	31	65	214	163	218	529	1,147	1,656	1,621	937	3
Female	5,584	98	23	31	83	79	108	315	643	1,059	1,617	1,528	–
White	11,974	222	51	92	281	225	303	795	1,733	2,644	3,197	2,428	3
Male	6,504	131	29	61	201	152	200	500	1,103	1,610	1,595	919	3
Female	5,470	91	22	31	80	73	103	295	630	1,034	1,602	1,509	–
All other	336	18	3	4	16	17	23	49	57	71	41	37	–
Male	222	11	2	4	13	11	18	29	44	46	26	18	–
Female	114	7	1	–	3	6	5	20	13	25	15	19	–
Nonmetropolitan counties	8,176	203	43	60	220	175	212	528	1,311	1,987	2,043	1,392	2
Male	4,786	108	28	38	151	124	143	335	819	1,311	1,133	594	2
Female	3,390	95	15	22	69	51	69	193	492	676	910	798	–
White	8,077	195	41	57	211	166	200	519	1,302	1,975	2,030	1,379	2
Male	4,732	105	26	37	144	118	135	327	815	1,305	1,129	589	2
Female	3,345	90	15	20	67	48	65	192	487	670	901	790	–
All other	99	8	2	3	9	9	12	9	9	12	13	13	–
Male	54	3	2	1	7	6	8	8	4	6	4	5	–
Female	45	5	–	2	2	3	4	1	5	6	9	8	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Pennsylvania	121,095	2,287	346	641	2,075	1,948	2,980	9,055	20,023	29,556	33,227	18,927	30
Male	65,420	1,309	206	404	1,551	1,298	1,869	5,716	12,705	17,455	15,986	6,902	19
Female	55,675	978	140	237	524	650	1,111	3,339	7,318	12,101	17,241	12,025	11
White	110,198	1,767	269	543	1,749	1,513	2,320	7,679	17,976	27,094	31,204	18,065	19
Male	59,300	1,035	160	346	1,317	1,002	1,474	4,878	11,494	16,083	14,934	6,565	12
Female	50,898	732	109	197	432	511	846	2,801	6,482	11,011	16,270	11,500	7
All other	10,897	520	77	98	326	435	660	1,376	2,047	2,462	2,023	862	11
Male	6,120	274	46	58	234	296	395	838	1,211	1,372	1,052	337	7
Female	4,777	246	31	40	92	139	265	538	836	1,090	971	525	4
Metropolitan counties	94,661	1,804	258	494	1,581	1,563	2,420	7,347	15,882	23,072	25,741	14,471	28
Male	50,848	1,009	151	301	1,180	1,048	1,499	4,620	10,068	13,521	12,248	5,184	19
Female	43,813	795	107	193	401	515	921	2,727	5,814	9,551	13,493	9,287	9
White	84,164	1,302	184	401	1,266	1,139	1,777	5,987	13,894	20,711	23,827	13,659	17
Male	44,945	746	107	246	951	757	1,112	3,794	8,885	12,208	11,252	4,875	12
Female	39,219	556	77	155	315	382	665	2,193	5,009	8,503	12,575	8,784	5
All other	10,497	502	74	93	315	424	643	1,360	1,988	2,361	1,914	812	11
Male	5,903	263	44	55	229	291	387	826	1,183	1,313	996	309	7
Female	4,594	239	30	38	86	133	256	534	805	1,048	918	503	4
Nonmetropolitan counties	26,434	483	88	147	494	385	560	1,708	4,141	6,484	7,486	4,456	2
Male	14,572	300	55	103	371	250	370	1,096	2,637	3,934	3,738	1,718	–
Female	11,862	183	33	44	123	135	190	612	1,504	2,550	3,748	2,738	2
White	26,034	465	85	142	483	374	543	1,692	4,082	6,383	7,377	4,406	2
Male	14,355	289	53	100	366	245	362	1,084	2,609	3,875	3,682	1,690	–
Female	11,679	176	32	42	117	129	181	608	1,473	2,508	3,695	2,716	2
All other	400	18	3	5	11	11	17	16	59	101	109	50	–
Male	217	11	2	3	5	5	8	12	28	59	56	28	–
Female	183	7	1	2	6	6	9	4	31	42	53	22	–
Rhode Island	9,200	156	21	46	134	127	208	626	1,399	2,225	2,625	1,632	1
Male	4,892	91	9	27	106	99	131	396	885	1,298	1,251	599	–
Female	4,308	65	12	19	28	28	77	230	514	927	1,374	1,033	1
White	8,983	139	19	44	123	115	192	598	1,373	2,190	2,580	1,609	1
Male	4,766	82	7	26	98	88	120	377	867	1,284	1,230	587	–
Female	4,217	57	12	18	25	27	72	221	506	906	1,350	1,022	1
All other	217	17	2	2	11	12	16	28	26	35	45	23	–
Male	126	9	2	1	8	11	11	19	18	14	21	12	–
Female	91	8	–	1	3	1	5	9	8	21	24	11	–
Metropolitan counties	7,881	121	19	39	116	104	172	556	1,190	1,894	2,272	1,397	1
Male	4,194	71	8	23	92	79	106	355	750	1,108	1,083	519	–
Female	3,687	50	11	16	24	25	66	201	440	786	1,189	878	1
White	7,698	106	17	37	106	92	159	530	1,170	1,870	2,233	1,377	1
Male	4,083	63	6	22	85	68	97	337	736	1,099	1,063	507	–
Female	3,615	43	11	15	21	24	62	193	434	771	1,170	870	1
All other	183	15	2	2	10	12	13	26	20	24	39	20	–
Male	111	8	2	1	7	11	9	18	14	9	20	12	–
Female	72	7	–	1	3	1	4	8	6	15	19	8	–
Nonmetropolitan counties	1,319	35	2	7	18	23	36	70	209	331	353	235	–
Male	698	20	1	4	14	20	25	41	135	190	168	80	–
Female	621	15	1	3	4	3	11	29	74	141	185	155	–
White	1,285	33	2	7	17	23	33	68	203	320	347	232	–
Male	683	19	1	4	13	20	23	40	131	185	167	80	–
Female	602	14	1	3	4	3	10	28	72	135	180	152	–
All other	34	2	–	–	1	–	3	2	6	11	6	3	–
Male	15	1	–	–	1	–	2	1	4	5	1	–	–
Female	19	1	–	–	–	–	1	1	2	6	5	3	–
South Carolina	23,680	935	143	210	693	749	1,080	2,479	4,550	5,662	4,798	2,376	5
Male	13,240	523	82	130	542	508	718	1,630	2,895	3,256	2,186	768	2
Female	10,440	412	61	80	151	241	362	849	1,655	2,406	2,612	1,608	3
White	15,682	402	75	123	429	369	587	1,486	2,875	3,757	3,631	1,948	–
Male	8,820	232	42	73	342	254	386	1,032	1,910	2,286	1,662	601	–
Female	6,862	170	33	50	87	115	201	454	965	1,471	1,969	1,347	–
All other	7,998	533	68	87	264	380	493	993	1,675	1,905	1,167	428	5
Male	4,420	291	40	57	200	254	332	598	985	970	524	167	2
Female	3,578	242	28	30	64	126	161	395	690	935	643	261	3
Metropolitan counties	8,088	287	42	73	253	249	372	939	1,596	1,892	1,598	787	–
Male	4,530	168	27	45	196	176	235	605	1,027	1,062	726	263	–
Female	3,558	119	15	28	57	73	137	334	569	830	872	524	–
White	5,775	161	26	52	175	135	220	608	1,087	1,354	1,289	668	–
Male	3,233	93	17	31	133	93	139	408	721	795	589	214	–
Female	2,542	68	9	21	42	42	81	200	366	559	700	454	–
All other	2,313	126	16	21	78	114	152	331	509	538	309	119	–
Male	1,297	75	10	14	63	83	96	197	306	267	137	49	–
Female	1,016	51	6	7	15	31	56	134	203	271	172	70	–
Nonmetropolitan counties	15,592	648	101	137	440	500	708	1,540	2,954	3,770	3,200	1,589	5
Male	8,710	355	55	85	346	332	483	1,025	1,868	2,194	1,460	505	2
Female	6,882	293	46	52	94	168	225	515	1,086	1,576	1,740	1,084	3
White	9,907	241	49	71	254	234	367	878	1,788	2,403	2,342	1,280	–
Male	5,587	139	25	42	209	161	247	624	1,189	1,491	1,073	387	–
Female	4,320	102	24	29	45	73	120	254	599	912	1,269	893	–
All other	5,685	407	52	66	186	266	341	662	1,166	1,367	858	309	5
Male	3,123	216	30	43	137	171	236	401	679	703	387	118	2
Female	2,562	191	22	23	49	95	105	261	487	664	471	191	3

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

(For definition of areas, see Technical Appendix)

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
South Dakota	6,742	199	38	54	165	117	199	382	789	1,370	1,975	1,452	2
Male	3,809	104	20	30	114	85	128	237	523	857	1,102	607	2
Female	2,933	95	18	24	51	32	71	145	266	513	873	845	–
White	6,293	150	24	46	132	77	140	330	730	1,313	1,936	1,413	2
Male	3,548	78	13	27	94	58	88	208	488	827	1,078	587	2
Female	2,745	72	11	19	38	19	52	122	242	486	858	826	–
All other	449	49	14	8	33	40	59	52	59	57	39	39	–
Male	261	26	7	3	20	27	40	29	35	30	24	20	–
Female	188	23	7	5	13	13	19	23	24	27	15	19	–
Metropolitan counties	829	28	8	8	16	17	22	42	110	184	226	168	–
Male	463	18	5	5	12	11	13	21	79	99	134	66	–
Female	366	10	3	3	4	6	9	21	31	85	92	102	–
White	823	26	7	7	16	17	22	42	110	184	224	168	–
Male	458	16	4	5	12	11	13	21	79	99	132	66	–
Female	365	10	3	2	4	6	9	21	31	85	92	102	–
All other	6	2	1	1	–	–	–	–	–	–	2	–	–
Male	5	2	1	–	–	–	–	–	–	–	2	–	–
Female	1	–	–	1	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	5,913	171	30	46	149	100	177	340	679	1,186	1,749	1,284	2
Male	3,346	86	15	25	102	74	115	216	444	758	968	541	2
Female	2,567	85	15	21	47	26	62	124	235	428	781	743	–
White	5,470	124	17	39	116	60	118	288	620	1,129	1,712	1,245	2
Male	3,090	62	9	22	82	47	75	187	409	728	946	521	2
Female	2,380	62	8	17	34	13	43	101	211	401	766	724	–
All other	443	47	13	7	33	40	59	52	59	57	37	39	–
Male	256	24	6	3	20	27	40	29	35	30	22	20	–
Female	187	23	7	4	13	13	19	23	24	27	15	19	–
Tennessee	38,970	1,011	142	275	984	905	1,350	3,246	6,281	9,402	9,865	5,498	11
Male	21,957	569	72	176	750	650	866	2,113	4,178	5,599	4,915	2,064	5
Female	17,013	442	70	99	234	255	484	1,133	2,103	3,803	4,950	3,434	6
White	32,119	678	112	224	798	680	1,061	2,552	5,106	7,667	8,387	4,852	2
Male	18,186	399	54	148	609	485	703	1,685	3,502	4,648	4,158	1,795	–
Female	13,933	279	58	76	189	195	358	867	1,604	3,019	4,229	3,057	2
All other	6,851	333	30	51	186	225	289	694	1,175	1,735	1,478	646	9
Male	3,771	170	18	28	141	165	163	428	676	951	757	269	5
Female	3,080	163	12	23	45	60	126	266	499	784	721	377	4
Metropolitan counties	17,603	456	53	129	462	451	616	1,640	2,960	4,300	4,245	2,289	2
Male	9,547	252	28	83	349	317	363	1,035	1,878	2,469	1,982	790	1
Female	8,056	204	25	46	113	134	253	605	1,082	1,831	2,263	1,499	1
White	12,832	241	30	91	322	291	405	1,130	2,109	3,058	3,263	1,892	–
Male	6,951	143	15	63	244	200	247	718	1,395	1,799	1,499	628	–
Female	5,881	98	15	28	78	91	158	412	714	1,259	1,764	1,264	–
All other	4,771	215	23	38	140	160	211	510	851	1,242	982	397	2
Male	2,596	109	13	20	105	117	116	317	483	670	483	162	1
Female	2,175	106	10	18	35	43	95	193	368	572	499	235	1
Nonmetropolitan counties	21,367	555	89	146	522	454	734	1,606	3,321	5,102	5,620	3,209	9
Male	12,410	317	44	93	401	333	503	1,078	2,300	3,130	2,933	1,274	4
Female	8,957	238	45	53	121	121	231	528	1,021	1,972	2,687	1,935	5
White	19,287	437	82	133	476	389	656	1,422	2,997	4,609	5,124	2,960	2
Male	11,235	256	39	85	365	285	456	967	2,107	2,849	2,659	1,167	–
Female	8,052	181	43	48	111	104	200	455	890	1,760	2,465	1,793	2
All other	2,080	118	7	13	46	65	78	184	324	493	496	249	7
Male	1,175	61	5	8	36	48	47	111	193	281	274	107	4
Female	905	57	2	5	10	17	31	73	131	212	222	142	3
Texas	100,760	3,507	678	822	3,007	2,698	3,637	8,498	15,179	23,484	24,844	14,381	25
Male	56,572	1,978	388	536	2,248	1,896	2,348	5,451	9,864	14,427	12,263	5,151	22
Female	44,188	1,529	290	286	759	802	1,289	3,047	5,315	9,057	12,581	9,230	3
White	86,677	2,653	542	676	2,515	2,091	2,833	6,982	12,843	20,180	22,077	13,262	23
Male	48,541	1,515	312	441	1,884	1,486	1,834	4,530	8,451	12,590	10,790	4,687	21
Female	38,136	1,138	230	235	631	605	999	2,452	4,392	7,590	11,287	8,575	2
All other	14,083	854	136	146	492	607	804	1,516	2,336	3,304	2,767	1,119	2
Male	8,031	463	76	95	364	410	514	921	1,413	1,837	1,473	464	1
Female	6,052	391	60	51	128	197	290	595	923	1,467	1,294	655	1
Metropolitan counties	66,203	2,540	505	614	2,170	2,111	2,733	6,348	10,376	15,064	15,268	8,455	19
Male	36,945	1,433	287	401	1,608	1,484	1,779	4,052	6,707	9,039	7,271	2,867	17
Female	29,258	1,107	218	213	562	627	954	2,296	3,669	6,025	7,997	5,588	2
White	56,182	1,879	404	506	1,795	1,606	2,071	5,149	8,673	12,837	13,475	7,770	17
Male	31,194	1,070	225	335	1,331	1,141	1,357	3,322	5,665	7,808	6,336	2,588	16
Female	24,988	809	179	171	464	465	714	1,827	3,008	5,029	7,139	5,182	1
All other	10,021	661	101	108	375	505	662	1,199	1,703	2,227	1,793	685	2
Male	5,751	363	62	66	277	343	422	730	1,042	1,231	935	279	1
Female	4,270	298	39	42	98	162	240	469	661	996	858	406	1
Nonmetropolitan counties	34,557	967	173	208	837	587	904	2,150	4,803	8,420	9,576	5,926	6
Male	19,627	545	101	135	640	412	569	1,399	3,157	5,388	4,992	2,284	5
Female	14,930	422	72	73	197	175	335	751	1,646	3,032	4,584	3,642	1
White	30,495	774	138	170	720	485	762	1,833	4,170	7,343	8,602	5,492	6
Male	17,347	445	87	106	553	345	477	1,208	2,786	4,782	4,454	2,099	5
Female	13,148	329	51	64	167	140	285	625	1,384	2,561	4,148	3,393	1
All other	4,062	193	35	38	117	102	142	317	633	1,077	974	434	–
Male	2,280	100	14	29	87	67	92	191	371	606	538	185	–
Female	1,782	93	21	9	30	35	50	126	262	471	436	249	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Utah	7,482	413	93	79	248	230	207	500	1,063	1,565	1,885	1,195	4
Male	4,273	230	57	54	177	163	135	308	719	988	958	480	4
Female	3,209	183	36	25	71	67	72	192	344	577	927	715	–
White	7,323	392	84	76	238	212	194	488	1,043	1,542	1,869	1,181	4
Male	4,182	219	50	52	170	156	126	302	702	975	953	473	4
Female	3,141	173	34	24	68	56	68	186	341	567	916	708	–
All other	159	21	9	3	10	18	13	12	20	23	16	14	–
Male	91	11	7	2	7	7	9	6	17	13	5	7	–
Female	68	10	2	1	3	11	4	6	3	10	11	7	–
Metropolitan counties	5,468	300	63	56	175	186	155	385	794	1,135	1,353	864	2
Male	3,057	157	38	37	124	133	97	237	530	697	678	327	2
Female	2,411	143	25	19	51	53	58	148	264	438	675	537	–
White	5,380	295	60	54	170	177	148	379	782	1,118	1,341	854	2
Male	3,013	155	36	36	121	130	93	234	519	689	675	323	2
Female	2,367	140	24	18	49	47	55	145	263	429	666	531	–
All other	88	5	3	2	5	9	7	6	12	17	12	10	–
Male	44	2	2	1	3	3	4	3	11	8	3	4	–
Female	44	3	1	1	2	6	3	3	1	9	9	6	–
Nonmetropolitan counties	2,014	113	30	23	73	44	52	115	269	430	532	331	2
Male	1,216	73	19	17	53	30	38	71	189	291	280	153	2
Female	798	40	11	6	20	14	14	44	80	139	252	178	–
White	1,943	97	24	22	68	35	46	109	261	424	528	327	2
Male	1,169	64	14	16	49	26	33	68	183	286	278	150	2
Female	774	33	10	6	19	9	13	41	78	138	250	177	–
All other	71	16	6	1	5	9	6	6	8	6	4	4	–
Male	47	9	5	1	4	4	5	3	6	5	2	3	–
Female	24	7	1	–	1	5	1	3	2	1	2	1	–
Vermont	4,269	85	18	29	95	75	97	260	567	1,036	1,202	805	–
Male	2,328	48	11	19	75	53	69	168	370	642	596	277	–
Female	1,941	37	7	10	20	22	28	92	197	394	606	528	–
White	4,260	85	17	29	94	75	97	260	566	1,033	1,200	804	–
Male	2,323	48	11	19	74	53	69	168	369	640	595	277	–
Female	1,937	37	6	10	20	22	28	92	197	393	605	527	–
All other	9	–	1	–	1	–	–	–	1	3	2	1	–
Male	5	–	–	–	1	–	–	–	1	2	1	–	–
Female	4	–	1	–	–	–	–	–	–	1	1	1	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	4,269	85	18	29	95	75	97	260	567	1,036	1,202	805	–
Male	2,328	48	11	19	75	53	69	168	370	642	596	277	–
Female	1,941	37	7	10	20	22	28	92	197	394	606	528	–
White	4,260	85	17	29	94	75	97	260	566	1,033	1,200	804	–
Male	2,323	48	11	19	74	53	69	168	369	640	595	277	–
Female	1,937	37	6	10	20	22	28	92	197	393	605	527	–
All other	9	–	1	–	1	–	–	–	1	3	2	1	–
Male	5	–	–	–	1	–	–	–	1	2	1	–	–
Female	4	–	1	–	–	–	–	–	–	1	1	1	–
Virginia	40,133	1,140	198	324	965	1,011	1,576	3,852	7,124	9,370	9,249	5,316	8
Male	22,652	655	119	214	723	676	1,009	2,526	4,733	5,741	4,441	1,813	2
Female	17,481	485	79	110	242	335	567	1,326	2,391	3,629	4,808	3,503	6
White	31,015	697	136	233	731	679	1,084	2,793	5,258	7,223	7,567	4,608	6
Male	17,383	404	78	155	555	455	708	1,852	3,540	4,507	3,583	1,545	1
Female	13,632	293	58	78	176	224	376	941	1,718	2,716	3,984	3,063	5
All other	9,118	443	62	91	234	332	492	1,059	1,866	2,147	1,682	708	2
Male	5,269	251	41	59	168	221	301	674	1,193	1,234	858	268	1
Female	3,849	192	21	32	66	111	191	385	673	913	824	440	1
Metropolitan counties	21,207	682	114	168	509	563	875	2,273	3,908	4,776	4,706	2,631	2
Male	11,708	405	62	107	363	367	554	1,465	2,561	2,854	2,160	808	2
Female	9,499	277	52	61	146	196	321	808	1,347	1,922	2,546	1,823	–
White	15,911	404	78	127	385	367	583	1,577	2,797	3,542	3,749	2,301	1
Male	8,675	243	41	80	282	247	370	1,023	1,867	2,159	1,671	691	1
Female	7,236	161	37	47	103	120	213	554	930	1,383	2,078	1,610	–
All other	5,296	278	36	41	124	196	292	696	1,111	1,234	957	330	1
Male	3,033	162	21	27	81	120	184	442	694	695	489	117	1
Female	2,263	116	15	14	43	76	108	254	417	539	468	213	–
Nonmetropolitan counties	18,926	458	84	156	456	448	701	1,579	3,216	4,594	4,543	2,685	6
Male	10,944	250	57	107	360	309	455	1,061	2,172	2,887	2,281	1,005	–
Female	7,982	208	27	49	96	139	246	518	1,044	1,707	2,262	1,680	6
White	15,104	293	58	106	346	312	501	1,216	2,461	3,681	3,818	2,307	5
Male	8,708	161	37	75	273	208	338	829	1,673	2,348	1,912	854	–
Female	6,396	132	21	31	73	104	163	387	788	1,333	1,906	1,453	5
All other	3,822	165	26	50	110	136	200	363	755	913	725	378	1
Male	2,236	89	20	32	87	101	117	232	499	539	369	151	–
Female	1,586	76	6	18	23	35	83	131	256	374	356	227	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Washington	30,327	770	141	216	755	723	837	2,241	4,468	6,756	7,767	5,446	7
Male	16,812	468	78	125	549	498	508	1,371	2,869	4,222	3,915	2,202	7
Female	13,515	302	63	91	206	225	329	870	1,599	2,534	3,852	3,444	–
White	29,189	702	130	202	681	659	762	2,061	4,293	6,529	7,602	5,562	6
Male	16,093	424	69	116	499	452	469	1,257	2,751	4,065	3,834	2,151	6
Female	13,096	278	61	86	182	207	293	804	1,542	2,464	3,768	3,411	–
All other	1,138	68	11	14	74	64	75	180	175	227	165	84	1
Male	719	44	9	9	50	46	39	114	118	157	81	51	1
Female	419	24	2	5	24	18	36	66	57	70	84	33	–
Metropolitan counties	18,916	453	79	136	433	440	539	1,480	2,839	4,140	4,749	3,625	3
Male	10,349	277	42	77	302	294	328	928	1,846	2,553	2,318	1,381	3
Female	8,567	176	37	59	131	146	211	552	993	1,587	2,431	2,244	–
White	18,051	411	71	129	389	398	485	1,340	2,691	3,963	4,615	3,557	2
Male	9,801	249	35	72	277	264	302	836	1,742	2,431	2,254	1,337	2
Female	8,250	162	36	57	112	134	183	504	949	1,532	2,361	2,220	–
All other	865	42	8	7	44	42	54	140	148	177	134	68	1
Male	548	28	7	5	25	30	26	92	104	122	64	44	1
Female	317	14	1	2	19	12	28	48	44	55	70	24	–
Nonmetropolitan counties	11,411	317	62	80	322	283	298	761	1,629	2,616	3,018	2,021	4
Male	6,463	191	36	48	247	204	180	443	1,023	1,669	1,597	821	4
Female	4,948	126	26	32	75	79	118	318	606	947	1,421	1,200	–
White	11,138	291	59	73	292	261	277	721	1,602	2,566	2,987	2,005	4
Male	6,292	175	34	44	222	188	167	421	1,009	1,634	1,580	814	4
Female	4,846	116	25	29	70	73	110	300	593	932	1,407	1,191	–
All other	273	26	3	7	30	22	21	40	27	50	31	16	–
Male	171	16	2	4	25	16	13	22	14	35	17	7	–
Female	102	10	1	3	5	6	8	18	13	15	14	9	–
West Virginia	19,690	482	81	113	415	357	563	1,516	3,319	4,850	4,990	3,002	2
Male	11,118	275	40	72	307	252	376	973	2,127	2,950	2,515	1,229	2
Female	8,572	207	41	41	108	105	187	543	1,192	1,900	2,475	1,773	–
White	18,761	455	80	110	394	333	532	1,428	3,189	4,618	4,726	2,894	2
Male	10,592	260	40	69	292	235	360	922	2,052	2,822	2,367	1,171	2
Female	8,169	195	40	41	102	98	172	506	1,137	1,796	2,359	1,723	–
All other	929	27	1	3	21	24	31	88	130	232	264	108	–
Male	526	15	–	3	15	17	16	51	75	128	148	58	–
Female	403	12	1	–	6	7	15	37	55	104	116	50	–
Metropolitan counties	5,844	135	26	27	123	99	161	443	1,047	1,434	1,498	851	–
Male	3,283	79	13	15	90	64	112	287	653	892	748	330	–
Female	2,561	56	13	12	33	35	49	156	394	542	750	521	–
White	5,606	129	25	27	117	93	148	419	1,009	1,375	1,442	822	–
Male	3,162	73	13	15	87	61	107	274	634	865	718	315	–
Female	2,444	56	12	12	30	32	41	145	375	510	724	507	–
All other	238	6	1	–	6	6	13	24	38	59	56	29	–
Male	121	6	–	–	3	3	5	13	19	27	30	15	–
Female	117	–	1	–	3	3	8	11	19	32	26	14	–
Nonmetropolitan counties	13,846	347	55	86	292	258	402	1,073	2,272	3,416	3,492	2,151	2
Male	7,835	196	27	57	217	188	264	686	1,474	2,058	1,767	899	2
Female	6,011	151	28	29	75	70	138	387	798	1,358	1,725	1,252	–
White	13,155	326	55	83	277	240	384	1,009	2,180	3,243	3,284	2,072	2
Male	7,430	187	27	54	205	174	253	648	1,418	1,957	1,649	856	2
Female	5,725	139	28	29	72	66	131	361	762	1,286	1,635	1,216	–
All other	691	21	–	3	15	18	18	64	92	173	208	79	–
Male	405	9	–	3	12	14	11	38	56	101	118	43	–
Female	286	12	–	–	3	4	7	26	36	72	90	36	–
Wisconsin	40,158	813	135	259	908	658	907	2,520	5,518	9,118	11,642	7,676	4
Male	22,116	434	73	153	667	451	557	1,570	3,555	5,672	6,036	2,946	2
Female	18,042	379	62	106	241	207	350	950	1,963	3,446	5,606	4,730	2
White	39,063	710	120	243	841	589	826	2,353	5,357	8,901	11,505	7,614	4
Male	21,490	392	68	141	626	402	511	1,472	3,463	5,540	5,959	2,914	2
Female	17,573	318	52	102	215	187	315	881	1,894	3,361	5,546	4,700	2
All other	1,095	103	15	16	67	69	81	167	161	217	137	62	–
Male	626	42	5	12	41	49	46	98	92	132	77	32	–
Female	469	61	10	4	26	20	35	69	69	85	60	30	–
Metropolitan counties	20,766	466	71	147	466	400	565	1,553	3,021	4,632	5,858	3,584	3
Male	11,177	255	40	84	342	267	343	954	1,922	2,787	2,902	1,279	2
Female	9,589	211	31	63	124	133	222	599	1,099	1,845	2,956	2,305	1
White	19,864	376	56	134	420	342	493	1,408	2,892	4,450	5,754	3,536	3
Male	10,669	220	35	75	316	227	301	867	1,848	2,679	2,841	1,258	2
Female	9,195	156	21	59	104	115	192	541	1,044	1,771	2,913	2,278	1
All other	902	90	15	13	46	58	72	145	129	182	104	48	–
Male	508	35	5	9	26	40	42	87	74	108	61	21	–
Female	394	55	10	4	20	18	30	58	55	74	43	27	–
Nonmetropolitan counties	19,392	347	64	112	442	258	342	967	2,497	4,486	5,784	4,092	1
Male	10,939	179	33	69	325	184	214	616	1,633	2,885	3,134	1,667	–
Female	8,453	168	31	43	117	74	128	351	864	1,601	2,650	2,425	1
White	19,199	334	64	109	421	247	333	945	2,465	4,451	5,751	4,078	1
Male	10,821	172	33	66	310	175	210	605	1,615	2,861	3,118	1,656	–
Female	8,378	162	31	43	111	72	123	340	850	1,590	2,633	2,422	1
All other	193	13	–	3	21	11	9	22	32	35	33	14	–
Male	118	7	–	3	15	9	4	11	18	24	16	11	–
Female	75	6	–	–	6	2	5	11	14	11	17	3	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1976 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wyoming	**3,160**	**122**	**16**	**35**	**140**	**112**	**111**	**218**	**484**	**658**	**767**	**497**	–
Male	1,924	75	6	21	109	88	74	140	318	450	427	216	–
Female	1,236	47	10	14	31	24	37	78	166	208	340	281	–
White	3,097	114	15	34	138	105	104	214	479	648	753	493	–
Male	1,888	70	6	20	108	84	71	137	314	445	419	214	–
Female	1,209	44	9	14	30	21	33	77	165	203	334	279	–
All other	63	8	1	1	2	7	7	4	5	10	14	4	–
Male	36	5	–	1	1	4	3	3	4	5	8	2	–
Female	27	3	1	–	1	3	4	1	1	5	6	2	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	3,160	122	16	35	140	112	111	218	484	658	767	497	–
Male	1,924	75	6	21	109	88	74	140	318	450	427	216	–
Female	1,236	47	10	14	31	24	37	78	166	208	340	281	–
White	3,097	114	15	34	138	105	104	214	479	648	753	493	–
Male	1,888	70	6	20	108	84	71	137	314	445	419	214	–
Female	1,209	44	9	14	30	21	33	77	165	203	334	279	–
All other	63	8	1	1	2	7	7	4	5	10	14	4	–
Male	36	5	–	1	1	4	3	3	4	5	8	2	–
Female	27	3	1	–	1	3	4	1	1	5	6	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Total, 229 areas	**1,241,299**	**31,742**	**5,391**	**8,077**	**29,656**	**30,082**	**39,847**	**104,090**	**198,214**	**284,955**	**318,169**	**190,794**	**281**
Male	673,315	17,925	3,045	5,010	21,843	20,701	25,062	65,399	125,499	168,270	151,970	68,405	186
Female	567,984	13,817	2,346	3,067	7,813	9,382	14,785	38,691	72,715	116,685	166,199	122,389	95
White	1,074,875	21,592	3,940	6,331	23,288	21,623	28,807	82,601	167,826	248,925	290,918	178,813	211
Male	578,507	12,309	2,225	3,929	17,307	14,894	18,186	52,200	107,164	148,020	138,512	63,616	145
Female	496,368	9,283	1,715	2,402	5,981	6,729	10,621	30,401	60,662	100,905	152,406	115,197	66
All other	166,424	10,150	1,451	1,746	6,368	8,460	11,040	21,489	30,388	36,030	27,251	11,981	70
Male	94,808	5,616	820	1,081	4,536	5,807	6,876	13,199	18,335	20,250	13,458	4,789	41
Female	71,616	4,534	631	665	1,832	2,653	4,164	8,290	12,053	15,780	13,793	7,192	29
Abilene, Tex	1,120	36	8	8	33	17	33	66	159	273	305	182	–
Male	635	23	3	5	27	14	20	42	107	167	162	65	–
Female	485	13	5	3	6	3	13	24	52	106	143	117	–
White	1,059	29	6	7	31	15	27	63	153	258	294	176	–
Male	596	19	2	4	26	12	15	40	102	160	154	62	–
Female	463	10	4	3	5	3	12	23	51	98	140	114	–
All other	61	7	2	1	2	2	6	3	6	15	11	6	–
Male	39	4	1	1	1	2	5	2	5	7	8	3	–
Female	22	3	1	–	1	–	1	1	1	8	3	3	–
Akron, Ohio	5,569	140	31	36	136	112	168	493	948	1,222	1,476	806	1
Male	3,097	88	22	20	98	77	105	322	602	714	741	308	–
Female	2,472	52	9	16	38	35	63	171	346	508	735	498	1
White	5,114	99	23	29	124	94	142	430	866	1,122	1,397	787	1
Male	2,812	61	16	17	91	63	90	283	551	652	689	299	–
Female	2,302	38	7	12	33	31	52	147	315	470	708	488	1
All other	455	41	8	7	12	18	26	63	82	100	79	19	–
Male	285	27	6	3	7	14	15	39	51	62	52	9	–
Female	170	14	2	4	5	4	11	24	31	38	27	10	–
Albany, Ga	705	30	6	8	20	30	32	77	139	161	124	78	–
Male	385	18	3	5	13	18	18	44	80	97	61	28	–
Female	320	12	3	3	7	12	14	33	59	64	63	50	–
White	398	12	2	5	10	15	16	39	81	90	77	51	–
Male	213	8	–	3	6	6	9	26	52	51	36	16	–
Female	185	4	2	2	4	9	7	13	29	39	41	35	–
All other	307	18	4	3	10	15	16	38	58	71	47	27	–
Male	172	10	3	2	7	12	9	18	28	46	25	12	–
Female	135	8	1	1	3	3	7	20	30	25	22	15	–
Albany–Schenectady–Troy, N.Y	7,183	127	32	35	103	92	130	480	1,134	1,770	2,000	1,280	–
Male	3,826	72	18	22	79	68	74	299	730	1,063	949	452	–
Female	3,357	55	14	13	24	24	56	181	404	707	1,051	828	–
White	6,988	114	30	31	94	84	119	448	1,102	1,730	1,967	1,269	–
Male	3,703	64	16	19	72	60	70	277	709	1,039	933	444	–
Female	3,285	50	14	12	22	24	49	171	393	691	1,034	825	–
All other	195	13	2	4	9	8	11	32	32	40	33	11	–
Male	123	8	2	3	7	8	4	22	21	24	16	8	–
Female	72	5	–	1	2	–	7	10	11	16	17	3	–
Albuquerque, N. Mex	2,331	70	16	25	108	108	97	205	341	493	536	329	3
Male	1,348	44	14	20	82	73	60	117	227	301	276	131	3
Female	983	26	2	5	26	35	37	88	114	192	260	198	–
White	2,240	63	14	25	103	93	90	195	325	482	526	322	2
Male	1,289	40	12	20	79	64	56	110	216	292	270	128	2
Female	951	23	2	5	24	29	34	85	109	190	256	194	–
All other	91	7	2	–	5	15	7	10	16	11	10	7	1
Male	59	4	2	–	3	9	4	7	11	9	6	3	1
Female	32	3	–	–	2	6	3	3	5	2	4	4	–
Allentown–Bethlehem–Easton, Pa.–N.J	5,468	109	14	25	73	72	111	402	858	1,309	1,583	912	–
Male	2,929	65	10	15	57	53	72	268	556	765	755	313	–
Female	2,539	44	4	10	16	19	39	134	302	544	828	599	–
White	5,397	104	11	25	69	70	105	388	847	1,298	1,575	905	–
Male	2,880	61	7	15	54	51	67	257	550	758	751	309	–
Female	2,517	43	4	10	15	19	38	131	297	540	824	596	–
All other	71	5	3	–	4	2	6	14	11	11	8	7	–
Male	49	4	3	–	3	2	5	11	6	7	4	4	–
Female	22	1	–	–	1	–	1	3	5	4	4	3	–
Altoona, Pa	1,622	31	5	9	24	17	28	112	262	426	454	254	–
Male	831	19	2	4	19	12	17	66	170	229	212	81	–
Female	791	12	3	5	5	5	11	46	92	197	242	173	–
White	1,606	30	4	9	24	17	28	110	260	422	450	252	–
Male	818	18	2	4	19	12	17	65	168	226	208	79	–
Female	788	12	2	5	5	5	11	45	92	196	242	173	–
All other	16	1	1	–	–	–	–	2	2	4	4	2	–
Male	13	1	–	–	–	–	–	1	2	3	4	2	–
Female	3	–	1	–	–	–	–	1	–	1	–	–	–
Amarillo, Tex	1,309	45	8	12	39	41	52	116	209	298	312	177	–
Male	740	23	7	7	24	29	31	72	123	181	175	68	–
Female	569	22	1	5	15	12	21	44	86	117	137	109	–
White	1,227	42	6	9	35	38	48	106	197	280	293	173	–
Male	696	21	6	5	24	26	30	68	120	167	163	66	–
Female	531	21	–	4	11	12	18	38	77	113	130	107	–
All other	82	3	2	3	4	3	4	10	12	18	19	4	–
Male	44	2	1	2	–	3	1	4	3	14	12	2	–
Female	38	1	1	1	4	–	3	6	9	4	7	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Anaheim–Santa Ana–Garden Grove, Calif	10,749	281	67	69	390	319	392	997	1,587	2,159	2,790	1,698	–
Male	5,835	170	37	47	303	214	245	607	1,018	1,269	1,320	605	–
Female	4,914	111	30	22	87	105	147	390	569	890	1,470	1,093	–
White	10,577	266	62	66	378	306	375	971	1,554	2,141	2,774	1,684	–
Male	5,726	160	33	44	293	205	234	590	996	1,257	1,311	603	–
Female	4,851	106	29	22	85	101	141	381	558	884	1,463	1,081	–
All other	172	15	5	3	12	13	17	26	33	18	16	14	–
Male	109	10	4	3	10	9	11	17	22	12	9	2	–
Female	63	5	1	–	2	4	6	9	11	6	7	12	–
Anderson, Ind	1,184	33	4	11	24	33	25	101	175	280	290	208	–
Male	661	21	2	4	19	21	17	67	119	169	145	77	–
Female	523	12	2	7	5	12	8	34	56	111	145	131	–
White	1,151	30	4	11	24	33	25	92	169	273	287	203	–
Male	642	20	2	4	19	21	17	62	114	166	143	74	–
Female	509	10	2	7	5	12	8	30	55	107	144	129	–
All other	33	3	–	–	–	–	–	9	6	7	3	5	–
Male	19	1	–	–	–	–	–	5	5	3	2	3	–
Female	14	2	–	–	–	–	–	4	1	4	1	2	–
Ann Arbor, Mich	1,284	41	12	16	42	46	45	102	187	261	308	224	–
Male	669	18	7	10	33	28	26	67	126	149	135	70	–
Female	615	23	5	6	9	18	19	35	61	112	173	154	–
White	1,154	25	10	13	37	39	36	90	165	241	286	212	–
Male	595	13	7	9	29	24	21	57	108	139	123	65	–
Female	559	12	3	4	8	15	15	33	57	102	163	147	–
All other	130	16	2	3	5	7	9	12	22	20	22	12	–
Male	74	5	–	1	4	4	5	10	18	10	12	5	–
Female	56	11	2	2	1	3	4	2	4	10	10	7	–
Appleton–Oshkosh, Wis	2,116	50	10	22	55	30	47	152	268	476	611	394	1
Male	1,191	27	4	11	46	19	26	84	196	299	335	143	1
Female	925	23	6	11	9	11	21	68	72	177	276	251	–
White	2,102	50	10	22	54	30	47	150	264	469	611	394	1
Male	1,182	27	4	11	46	19	26	82	192	296	335	143	1
Female	920	23	6	11	8	11	21	68	72	173	276	251	–
All other	14	–	–	–	1	–	–	2	4	7	–	–	–
Male	9	–	–	–	–	–	–	2	4	3	–	–	–
Female	5	–	–	–	1	–	–	–	–	4	–	–	–
Asheville, N.C	1,574	40	4	14	32	28	62	110	254	352	411	267	–
Male	822	9	3	11	26	25	43	66	164	206	179	90	–
Female	752	31	1	3	6	3	19	44	90	146	232	177	–
White	1,371	34	3	12	29	23	50	89	222	297	366	246	–
Male	717	6	2	9	24	21	35	54	144	182	161	79	–
Female	654	28	1	3	5	2	15	35	78	115	205	167	–
All other	203	6	1	2	3	5	12	21	32	55	45	21	–
Male	105	3	1	2	2	4	8	12	20	24	18	11	–
Female	98	3	–	–	1	1	4	9	12	31	27	10	–
Atlanta, Ga	10,546	362	55	92	292	412	580	1,188	1,910	2,337	2,108	1,210	–
Male	5,703	203	34	68	204	296	356	725	1,182	1,372	902	361	–
Female	4,843	159	21	24	88	116	224	463	728	965	1,206	849	–
White	7,411	165	33	66	186	231	297	766	1,327	1,608	1,678	1,054	–
Male	4,006	92	22	47	133	172	192	495	866	966	715	306	–
Female	3,405	73	11	19	53	59	105	271	461	642	963	748	–
All other	3,135	197	22	26	106	181	283	422	583	729	430	156	–
Male	1,697	111	12	21	71	124	164	230	316	406	187	55	–
Female	1,438	86	10	5	35	57	119	192	267	323	243	101	–
Atlantic City, N.J	2,461	31	4	12	26	35	55	181	331	614	753	417	2
Male	1,314	16	2	11	21	26	36	122	208	327	368	176	1
Female	1,147	15	2	1	5	9	19	59	123	287	385	241	1
White	2,037	13	3	8	19	22	25	136	265	505	669	371	1
Male	1,083	8	2	8	16	15	18	93	165	270	330	157	1
Female	954	5	1	–	3	7	7	43	100	235	339	214	–
All other	424	18	1	4	7	13	30	45	66	109	84	46	1
Male	231	8	–	3	5	11	18	29	43	57	38	19	–
Female	193	10	1	1	2	2	12	16	23	52	46	27	1
Augusta, Ga.–S.C	2,190	63	7	19	53	69	88	249	428	537	454	222	1
Male	1,201	41	3	14	34	51	63	144	270	297	220	63	1
Female	989	22	4	5	19	18	25	105	158	240	234	159	–
White	1,451	34	5	16	40	29	39	160	262	359	332	174	1
Male	793	22	2	12	24	22	31	97	175	206	159	42	1
Female	658	12	3	4	16	7	8	63	87	153	173	132	–
All other	739	29	2	3	13	40	49	89	166	178	122	48	–
Male	408	19	1	2	10	29	32	47	95	91	61	21	–
Female	331	10	1	1	3	11	17	42	71	87	61	27	–
Austin, Tex	2,075	74	18	22	62	76	85	181	305	439	485	328	–
Male	1,125	44	10	15	40	57	60	118	185	255	225	116	–
Female	950	30	8	7	22	19	25	63	120	184	260	212	–
White	1,769	59	14	19	56	64	74	140	269	378	414	282	–
Male	951	35	8	14	35	48	51	88	161	222	187	102	–
Female	818	24	6	5	21	16	23	52	108	156	227	180	–
All other	306	15	4	3	6	12	11	41	36	61	71	46	–
Male	174	9	2	1	5	9	9	30	24	33	38	14	–
Female	132	6	2	2	1	3	2	11	12	28	33	32	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Bakersfield, Calif	2,843	83	16	22	109	99	128	235	485	659	655	350	2
Male	1,716	50	11	14	84	73	75	159	315	415	374	144	2
Female	1,127	33	5	8	25	26	53	76	170	244	281	206	–
White	2,594	75	13	20	101	91	120	206	437	588	609	332	2
Male	1,559	48	10	13	79	70	71	140	286	366	343	131	2
Female	1,035	27	3	7	22	21	49	66	151	222	266	201	–
All other	249	8	3	2	8	8	8	29	48	71	46	18	–
Male	157	2	1	1	5	3	4	19	29	49	31	13	–
Female	92	6	2	1	3	5	4	10	19	22	15	5	–
Baltimore, Md	19,002	509	64	131	467	469	700	1,855	3,517	4,516	4,452	2,308	14
Male	10,361	280	33	78	342	321	457	1,217	2,219	2,654	2,043	708	9
Female	8,641	229	31	53	125	148	243	638	1,298	1,862	2,409	1,600	5
White	14,227	268	38	79	293	239	382	1,178	2,514	3,471	3,720	2,037	8
Male	7,603	150	22	48	217	171	253	779	1,609	2,061	1,684	603	6
Female	6,624	118	16	31	76	68	129	399	905	1,410	2,036	1,434	2
All other	4,775	241	26	52	174	230	318	677	1,003	1,045	732	271	6
Male	2,758	130	11	30	125	150	204	438	610	593	359	105	3
Female	2,017	111	15	22	49	80	114	239	393	452	373	166	3
Baton Rouge, La	2,087	102	9	15	88	80	78	226	338	517	439	194	1
Male	1,161	60	4	7	67	52	53	141	219	287	212	59	–
Female	926	42	5	8	21	28	25	85	119	230	227	135	1
White	1,283	43	6	12	58	40	38	135	217	294	298	141	1
Male	711	29	3	6	45	28	26	84	139	172	139	40	–
Female	572	14	3	6	13	12	12	51	78	122	159	101	1
All other	804	59	3	3	30	40	40	91	121	223	141	53	–
Male	450	31	1	1	22	24	27	57	80	115	73	19	–
Female	354	28	2	2	8	16	13	34	41	108	68	34	–
Bay City, Mich	933	19	7	6	25	18	26	64	157	207	222	182	–
Male	497	10	5	5	16	13	14	36	101	124	113	60	–
Female	436	9	2	1	9	5	12	28	56	83	109	122	–
White	929	19	7	6	24	17	26	64	156	206	222	182	–
Male	495	10	5	5	15	13	14	36	101	123	113	60	–
Female	434	9	2	1	9	4	12	28	55	83	109	122	–
All other	4	–	–	–	1	1	–	–	1	1	–	–	–
Male	2	–	–	–	1	–	–	–	–	1	–	–	–
Female	2	–	–	–	–	1	–	–	1	–	–	–	–
Beaumont–Port Arthur–Orange, Tex	2,818	80	17	21	77	87	109	281	487	684	653	322	–
Male	1,542	42	9	7	55	65	64	173	301	407	317	102	–
Female	1,276	38	8	14	22	22	45	108	186	277	336	220	–
White	2,105	42	14	14	64	48	65	190	352	511	527	278	–
Male	1,147	20	8	6	46	35	36	124	228	325	236	83	–
Female	958	22	6	8	18	13	29	66	124	186	291	195	–
All other	713	38	3	7	13	39	44	91	135	173	126	44	–
Male	395	22	1	1	9	30	28	49	73	82	81	19	–
Female	318	16	2	6	4	9	16	42	62	91	45	25	–
Billings, Mont	747	25	8	7	35	21	20	46	115	157	178	135	–
Male	419	15	6	3	24	15	13	25	70	102	101	45	–
Female	328	10	2	4	11	6	7	21	45	55	77	90	–
White	731	22	7	4	35	18	20	43	114	156	178	134	–
Male	413	15	6	2	24	12	13	23	70	102	101	45	–
Female	318	7	1	2	11	6	7	20	44	54	77	89	–
All other	16	3	1	3	–	3	–	3	1	1	–	1	–
Male	6	–	–	1	–	3	–	2	–	–	–	–	–
Female	10	3	1	2	–	–	–	1	1	1	–	1	–
Biloxi–Gulfport, Miss	1,154	52	14	7	34	38	47	127	179	267	261	127	1
Male	673	28	7	5	25	23	28	91	121	168	128	48	1
Female	481	24	7	2	9	15	19	36	58	99	133	79	–
White	930	25	9	3	29	29	41	93	147	223	223	108	–
Male	547	15	4	1	21	18	26	70	101	140	108	43	–
Female	383	10	5	2	8	11	15	23	46	83	115	65	–
All other	224	27	5	4	5	9	6	34	32	44	38	19	1
Male	126	13	3	4	4	5	2	21	20	28	20	5	1
Female	98	14	2	–	1	4	4	13	12	16	18	14	–
Binghamton, N.Y.–Pa	2,859	66	4	23	42	42	67	179	422	725	799	490	–
Male	1,512	36	2	12	36	33	42	117	261	414	393	166	–
Female	1,347	30	2	11	6	9	25	62	161	311	406	324	–
White	2,831	65	3	20	41	39	67	177	417	721	794	487	–
Male	1,495	36	1	10	35	31	42	115	257	412	390	166	–
Female	1,336	29	2	10	6	8	25	62	160	309	404	321	–
All other	28	1	1	3	1	3	–	2	5	4	5	3	–
Male	17	–	1	2	1	2	–	2	4	2	3	–	–
Female	11	1	–	1	–	1	–	–	1	2	2	3	–
Birmingham, Ala	7,738	224	24	56	191	190	267	714	1,238	1,903	1,851	1,078	2
Male	4,232	130	11	37	146	133	172	437	755	1,139	907	364	1
Female	3,506	94	13	19	45	57	95	277	483	764	944	714	1
White	5,098	123	12	39	113	99	149	448	807	1,207	1,280	819	2
Male	2,828	68	4	27	87	69	101	299	518	747	622	285	1
Female	2,270	55	8	12	26	30	48	149	289	460	658	534	1
All other	2,640	101	12	17	78	91	118	266	431	696	571	259	–
Male	1,404	62	7	10	59	64	71	138	237	392	285	79	–
Female	1,236	39	5	7	19	27	47	128	194	304	286	180	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Bloomington–Normal, Ill	883	14	4	4	13	21	17	57	127	207	243	175	1
Male	467	8	3	2	9	13	14	40	92	120	103	63	–
Female	416	6	1	2	4	8	3	17	35	87	140	112	1
White	860	14	4	4	12	20	15	57	123	201	239	171	–
Male	454	8	3	2	8	12	12	40	90	117	102	60	–
Female	406	6	1	2	4	8	3	17	33	84	137	111	–
All other	23	–	–	–	1	1	2	–	4	6	4	4	1
Male	13	–	–	–	1	1	2	–	2	3	1	3	–
Female	10	–	–	–	–	–	–	–	2	3	3	1	1
Boise City, Idaho	1,036	36	8	11	44	39	35	72	153	208	243	187	–
Male	585	17	5	9	32	27	23	51	96	127	130	68	–
Female	451	19	3	2	12	12	12	21	57	81	113	119	–
White	1,030	36	8	11	44	39	35	71	150	206	243	187	–
Male	581	17	5	9	32	27	23	51	94	125	130	68	–
Female	449	19	3	2	12	12	12	20	56	81	113	119	–
All other	6	–	–	–	–	–	–	1	3	2	–	–	–
Male	4	–	–	–	–	–	–	–	2	2	–	–	–
Female	2	–	–	–	–	–	–	1	1	–	–	–	–
Boston–Lowell–Lawrence, Mass	31,080	422	67	111	552	516	712	2,181	4,438	7,050	9,022	6,002	7
Male	15,657	224	34	69	396	359	447	1,356	2,772	4,030	4,073	1,895	2
Female	15,423	198	33	42	156	157	265	825	1,666	3,020	4,949	4,107	5
White	29,965	356	60	102	514	443	635	2,035	4,243	6,872	8,810	5,888	7
Male	15,034	186	29	63	367	311	396	1,260	2,640	3,931	3,991	1,858	2
Female	14,931	170	31	39	147	132	239	775	1,603	2,941	4,819	4,030	5
All other	1,115	66	7	9	38	73	77	146	195	178	212	114	–
Male	623	38	5	6	29	48	51	96	132	99	82	37	–
Female	492	28	2	3	9	25	26	50	63	79	130	77	–
Bridgeport–Stamford–Norwalk, Conn	6,656	124	10	38	123	121	178	551	1,081	1,449	1,808	1,173	–
Male	3,427	65	5	21	84	81	103	342	677	849	808	392	–
Female	3,229	59	5	17	39	40	75	209	404	600	1,000	781	–
White	6,266	88	9	34	109	95	144	490	1,009	1,376	1,762	1,150	–
Male	3,208	44	4	18	77	69	84	303	634	805	786	384	–
Female	3,058	44	5	16	32	26	60	187	375	571	976	766	–
All other	390	36	1	4	14	26	34	61	72	73	46	23	–
Male	219	21	1	3	7	12	19	39	43	44	22	8	–
Female	171	15	–	1	7	14	15	22	29	29	24	15	–
Brockton, Mass	3,143	75	16	17	61	62	103	233	463	689	851	573	–
Male	1,660	49	12	13	48	44	63	143	284	409	403	192	–
Female	1,483	26	4	4	13	18	40	90	179	280	448	381	–
White	3,075	69	15	17	57	59	98	226	455	677	840	562	–
Male	1,615	44	11	13	45	42	61	137	278	400	398	186	–
Female	1,460	25	4	4	12	17	37	89	177	277	442	376	–
All other	68	6	1	–	4	3	5	7	8	12	11	11	–
Male	45	5	1	–	3	2	2	6	6	9	5	6	–
Female	23	1	–	–	1	1	3	1	2	3	6	5	–
Brownsville–Harlingen–San Benito, Tex	1,296	73	21	14	30	29	44	105	188	316	298	176	2
Male	747	33	11	10	25	18	31	65	137	187	159	69	2
Female	549	40	10	4	5	11	13	40	51	129	139	107	–
White	1,282	73	21	14	30	29	43	103	186	311	296	174	2
Male	740	33	11	10	25	18	30	64	137	184	158	68	2
Female	542	40	10	4	5	11	13	39	49	127	138	106	–
All other	14	–	–	–	–	–	1	2	2	5	2	2	–
Male	7	–	–	–	–	–	1	1	–	3	1	1	–
Female	7	–	–	–	–	–	–	1	2	2	1	1	–
Bryan–College Station, Tex	439	23	4	2	12	12	16	45	66	85	108	66	–
Male	244	15	2	2	8	8	10	27	38	54	59	21	–
Female	195	8	2	–	4	4	6	18	28	31	49	45	–
White	330	18	1	2	9	8	13	30	50	61	82	56	–
Male	184	12	–	2	7	6	9	15	31	40	46	16	–
Female	146	6	1	–	2	2	4	15	19	21	36	40	–
All other	109	5	3	–	3	4	3	15	16	24	26	10	–
Male	60	3	2	–	1	2	1	12	7	14	13	5	–
Female	49	2	1	–	2	2	2	3	9	10	13	5	–
Buffalo, N.Y	13,071	268	39	68	230	198	278	992	2,276	3,090	3,639	1,986	7
Male	6,991	142	22	45	162	120	168	635	1,416	1,855	1,721	699	6
Female	6,080	126	17	23	68	78	110	357	860	1,235	1,918	1,287	1
White	12,000	187	29	58	180	155	226	817	2,083	2,856	3,491	1,912	6
Male	6,375	98	18	35	133	91	135	526	1,295	1,721	1,653	664	6
Female	5,625	89	11	23	47	64	91	291	788	1,135	1,838	1,248	–
All other	1,071	81	10	10	50	43	52	175	193	234	148	74	1
Male	616	44	4	10	29	29	33	109	121	134	68	35	–
Female	455	37	6	–	21	14	19	66	72	100	80	39	1
Canton, Ohio	3,474	81	16	22	76	59	80	294	565	775	931	574	1
Male	1,914	42	8	11	58	46	47	197	359	461	471	214	–
Female	1,560	39	8	11	18	13	33	97	206	314	460	360	1
White	3,261	71	14	18	69	51	71	267	522	721	890	566	1
Male	1,787	38	8	9	53	40	40	179	336	428	446	210	–
Female	1,474	33	6	9	16	11	31	88	186	293	444	356	1
All other	213	10	2	4	7	8	9	27	43	54	41	8	–
Male	127	4	–	2	5	6	7	18	23	33	25	4	–
Female	86	6	2	2	2	2	2	9	20	21	16	4	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Cedar Rapids, Iowa	1,269	34	4	9	32	27	39	76	193	273	343	239	–
Male	703	19	2	4	23	19	27	53	125	176	162	93	–
Female	566	15	2	5	9	8	12	23	68	97	181	146	–
White	1,247	33	4	9	31	24	37	76	187	270	339	237	–
Male	690	18	2	4	23	17	25	53	122	173	161	92	–
Female	557	15	2	5	8	7	12	23	65	97	178	145	–
All other	22	1	–	–	1	3	2	–	6	3	4	2	–
Male	13	1	–	–	–	2	2	–	3	3	1	1	–
Female	9	–	–	–	1	1	–	–	3	–	3	1	–
Champaign–Urbana, Ill	914	29	5	8	23	29	26	60	144	177	249	164	–
Male	495	16	4	4	17	16	19	36	97	114	111	61	–
Female	419	13	1	4	6	13	7	24	47	63	138	103	–
White	842	22	4	8	16	25	22	50	132	163	238	162	–
Male	457	13	4	4	13	13	15	31	92	106	106	60	–
Female	385	9	–	4	3	12	7	19	40	57	132	102	–
All other	72	7	1	–	7	4	4	10	12	14	11	2	–
Male	38	3	–	–	4	3	4	5	5	8	5	1	–
Female	34	4	1	–	3	1	–	5	7	6	6	1	–
Charleston, S.C	2,218	105	16	18	89	81	99	269	445	547	365	184	–
Male	1,219	58	11	10	64	56	64	162	284	286	173	51	–
Female	999	47	5	8	25	25	35	107	161	261	192	133	–
White	1,313	53	8	9	58	39	48	143	249	304	257	145	–
Male	710	30	7	4	40	24	32	89	159	171	117	37	–
Female	603	23	1	5	18	15	16	54	90	133	140	108	–
All other	905	52	8	9	31	42	51	126	196	243	108	39	–
Male	509	28	4	6	24	32	32	73	125	115	56	14	–
Female	396	24	4	3	7	10	19	53	71	128	52	25	–
Charleston, W. Va	2,374	66	11	15	43	42	73	211	439	577	589	308	–
Male	1,318	39	8	9	34	27	49	127	278	358	267	122	–
Female	1,056	27	3	6	9	15	24	84	161	219	322	186	–
White	2,225	62	10	15	39	38	64	199	415	539	558	286	–
Male	1,239	35	8	9	32	25	45	120	266	339	251	109	–
Female	986	27	2	6	7	13	19	79	149	200	307	177	–
All other	149	4	1	–	4	4	9	12	24	38	31	22	–
Male	79	4	–	–	2	2	4	7	12	19	16	13	–
Female	70	–	1	–	2	2	5	5	12	19	15	9	–
Charlotte, N.C	3,164	112	16	17	101	85	150	359	586	678	715	343	2
Male	1,763	53	12	9	79	64	92	242	391	399	316	105	1
Female	1,401	59	4	8	22	21	58	117	195	279	399	238	1
White	2,290	55	8	12	71	37	83	234	407	495	591	296	1
Male	1,265	26	7	5	56	26	49	169	282	303	254	88	–
Female	1,025	29	1	7	15	11	34	65	125	192	337	208	1
All other	874	57	8	5	30	48	67	125	179	183	124	47	1
Male	498	27	5	4	23	38	43	73	109	96	62	17	1
Female	376	30	3	1	7	10	24	52	70	87	62	30	–
Chattanooga, Tenn.–Ga	2,989	67	11	31	76	82	103	278	516	799	673	353	–
Male	1,668	39	6	24	63	54	62	171	332	481	320	116	–
Female	1,321	28	5	7	13	28	41	107	184	318	353	237	–
White	2,409	46	6	27	65	62	77	206	400	628	568	324	–
Male	1,354	28	3	22	52	38	45	128	264	388	278	108	–
Female	1,055	18	3	5	13	24	32	78	136	240	290	216	–
All other	580	21	5	4	11	20	26	72	116	171	105	29	–
Male	314	11	3	2	11	16	17	43	68	93	42	8	–
Female	266	10	2	2	–	4	9	29	48	78	63	21	–
Chicago, Ill	62,039	1,956	312	424	1,656	1,706	2,199	5,601	10,334	13,682	15,483	8,682	4
Male	33,930	1,110	174	274	1,214	1,197	1,399	3,595	6,634	7,944	7,182	3,204	3
Female	28,109	846	138	150	442	509	800	2,006	3,700	5,738	8,301	5,478	1
White	50,475	999	170	288	1,083	1,002	1,346	3,994	8,380	11,455	13,796	7,959	3
Male	27,190	578	91	189	812	693	847	2,572	5,424	6,697	6,366	2,918	3
Female	23,285	421	79	99	271	309	499	1,422	2,956	4,758	7,430	5,041	–
All other	11,564	957	142	136	573	704	853	1,607	1,954	2,227	1,687	723	1
Male	6,740	532	83	85	402	504	552	1,023	1,210	1,247	816	286	–
Female	4,824	425	59	51	171	200	301	584	744	980	871	437	1
Cincinnati, Ohio–Ky.–Ind	12,763	311	42	80	247	231	397	1,087	1,957	3,022	3,402	1,985	2
Male	6,695	171	25	48	180	144	227	689	1,225	1,729	1,594	662	1
Female	6,068	140	17	32	67	87	170	398	732	1,293	1,808	1,323	1
White	11,158	252	35	66	212	180	291	885	1,642	2,622	3,125	1,847	1
Male	5,833	141	20	42	157	117	175	574	1,045	1,497	1,454	610	1
Female	5,325	111	15	24	55	63	116	311	597	1,125	1,671	1,237	–
All other	1,605	59	7	14	35	51	106	202	315	400	277	138	1
Male	862	30	5	6	23	27	52	115	180	232	140	52	–
Female	743	29	2	8	12	24	54	87	135	168	137	86	1
Cleveland, Ohio	18,771	389	56	104	418	412	541	1,738	3,189	4,200	4,871	2,851	2
Male	10,100	220	31	66	315	268	331	1,097	2,020	2,456	2,214	1,080	2
Female	8,671	169	25	38	103	144	210	641	1,169	1,744	2,657	1,771	–
White	15,579	251	36	76	304	257	343	1,264	2,585	3,587	4,266	2,609	1
Male	8,239	153	19	45	223	166	208	790	1,638	2,106	1,915	975	1
Female	7,340	98	17	31	81	91	135	474	947	1,481	2,351	1,634	–
All other	3,192	138	20	28	114	155	198	474	604	613	605	242	1
Male	1,861	67	12	21	92	102	123	307	382	350	299	105	1
Female	1,331	71	8	7	22	53	75	167	222	263	306	137	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado Springs, Colo	1,610	87	17	20	68	49	65	123	230	340	345	266	–
Male	856	49	12	13	50	27	35	82	131	202	163	92	–
Female	754	38	5	7	18	22	30	41	99	138	182	174	–
White	1,538	75	12	18	63	43	57	116	218	335	338	263	–
Male	819	45	8	12	47	24	28	77	129	200	159	90	–
Female	719	30	4	6	16	19	29	39	89	135	179	173	–
All other	72	12	5	2	5	6	8	7	12	5	7	3	–
Male	37	4	4	1	3	3	7	5	2	2	4	2	–
Female	35	8	1	1	2	3	1	2	10	3	3	1	–
Columbia, Mo	545	23	2	6	11	13	18	28	72	111	140	121	–
Male	284	10	1	4	8	10	12	19	46	63	69	42	–
Female	261	13	1	2	3	3	6	9	26	48	71	79	–
White	500	20	1	4	10	13	16	25	65	102	128	116	–
Male	263	9	1	3	8	10	10	17	43	58	63	41	–
Female	237	11	–	1	2	3	6	8	22	44	65	75	–
All other	45	3	1	2	1	–	2	3	7	9	12	5	–
Male	21	1	–	1	–	–	2	2	3	5	6	1	–
Female	24	2	1	1	1	–	–	1	4	4	6	4	–
Columbia, S.C	2,432	71	15	23	84	83	131	268	507	543	494	213	–
Male	1,357	39	8	14	68	56	75	173	333	316	202	73	–
Female	1,075	32	7	9	16	27	56	95	174	227	292	140	–
White	1,693	35	11	18	47	38	71	159	328	397	405	184	–
Male	937	16	6	11	39	27	40	99	233	239	167	60	–
Female	756	19	5	7	8	11	31	60	95	158	238	124	–
All other	739	36	4	5	37	45	60	109	179	146	89	29	–
Male	420	23	2	3	29	29	35	74	100	77	35	13	–
Female	319	13	2	2	8	16	25	35	79	69	54	16	–
Columbus, Ga.–Ala	1,953	81	16	14	51	63	83	203	440	475	360	167	–
Male	1,077	51	7	9	37	42	49	135	274	273	151	49	–
Female	876	30	9	5	14	21	34	68	166	202	209	118	–
White	1,237	34	10	11	33	33	38	121	265	304	256	132	–
Male	730	26	5	7	25	25	28	89	183	192	111	39	–
Female	507	8	5	4	8	8	10	32	82	112	145	93	–
All other	716	47	6	3	18	30	45	82	175	171	104	35	–
Male	347	25	2	2	12	17	21	46	91	81	40	10	–
Female	369	22	4	1	6	13	24	36	84	90	64	25	–
Columbus, Ohio	7,170	210	41	46	149	179	280	678	1,219	1,583	1,715	1,070	–
Male	3,844	108	26	28	114	117	177	435	786	902	771	380	–
Female	3,326	102	15	18	35	62	103	243	433	681	944	690	–
White	6,171	156	29	35	118	132	220	565	1,047	1,372	1,506	991	–
Male	3,286	84	17	19	91	87	141	368	670	790	666	353	–
Female	2,885	72	12	16	27	45	79	197	377	582	840	638	–
All other	999	54	12	11	31	47	60	113	172	211	209	79	–
Male	558	24	9	9	23	30	36	67	116	112	105	27	–
Female	441	30	3	2	8	17	24	46	56	99	104	52	–
Corpus Christi, Tex	2,181	109	25	23	79	53	69	209	328	524	502	259	1
Male	1,221	59	13	16	62	42	50	128	218	301	246	86	–
Female	960	50	12	7	17	11	19	81	110	223	256	173	1
White	2,049	97	23	22	75	52	64	185	303	500	474	254	–
Male	1,152	55	12	16	60	41	47	116	202	286	234	83	–
Female	897	42	11	6	15	11	17	69	101	214	240	171	–
All other	132	12	2	1	4	1	5	24	25	24	28	5	1
Male	69	4	1	–	2	1	3	12	16	15	12	3	–
Female	63	8	1	1	2	–	2	12	9	9	16	2	1
Dallas, Tex	11,946	433	86	110	346	385	504	1,136	1,917	2,669	2,813	1,547	–
Male	6,546	243	56	67	260	263	335	728	1,247	1,575	1,311	461	–
Female	5,400	190	30	43	86	122	169	408	670	1,094	1,502	1,086	–
White	9,795	282	65	79	257	270	346	869	1,542	2,222	2,437	1,426	–
Male	5,274	166	43	48	185	180	229	558	1,008	1,329	1,115	413	–
Female	4,521	116	22	31	72	90	117	311	534	893	1,322	1,013	–
All other	2,151	151	21	31	89	115	158	267	375	447	376	121	–
Male	1,272	77	13	19	75	83	106	170	239	246	196	48	–
Female	879	74	8	12	14	32	52	97	136	201	180	73	–
Davenport–Rock Island–Moline, Iowa–Ill	3,342	97	10	22	85	47	79	231	479	714	936	642	–
Male	1,796	58	7	15	69	26	46	149	310	430	457	229	–
Female	1,546	39	3	7	16	21	33	82	169	284	479	413	–
White	3,247	83	9	21	77	45	71	217	462	702	921	639	–
Male	1,744	49	6	14	64	24	41	142	299	425	452	228	–
Female	1,503	34	3	7	13	21	30	75	163	277	469	411	–
All other	95	14	1	1	8	2	8	14	17	12	15	3	–
Male	52	9	1	1	5	2	5	7	11	5	5	1	–
Female	43	5	–	–	3	–	3	7	6	7	10	2	–
Dayton, Ohio	6,534	190	22	47	166	151	199	613	1,043	1,450	1,632	1,021	–
Male	3,626	113	15	28	129	105	129	411	676	882	764	374	–
Female	2,908	77	7	19	37	46	70	202	367	568	868	647	–
White	5,663	132	18	41	126	112	156	486	875	1,277	1,484	956	–
Male	3,090	82	12	27	103	73	101	316	563	776	689	348	–
Female	2,573	50	6	14	23	39	55	170	312	501	795	608	–
All other	871	58	4	6	40	39	43	127	168	173	148	65	–
Male	536	31	3	1	26	32	28	95	113	106	75	26	–
Female	335	27	1	5	14	7	15	32	55	67	73	39	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Decatur, Ill.	1,246	38	5	11	25	19	25	67	165	301	328	262	–
Male	637	23	3	6	16	17	15	33	116	173	152	83	–
Female	609	15	2	5	9	2	10	34	49	128	176	179	–
White	1,164	24	4	8	24	14	22	58	149	288	318	255	–
Male	589	14	3	4	15	13	12	29	107	166	147	79	–
Female	575	10	1	4	9	1	10	29	42	122	171	176	–
All other	82	14	1	3	1	5	3	9	16	13	10	7	–
Male	48	9	–	2	1	4	3	4	9	7	5	4	–
Female	34	5	1	1	–	1	–	5	7	6	5	3	–
Denver, Colo	9,253	267	48	87	298	345	358	812	1,400	1,826	2,237	1,574	1
Male	5,068	167	25	56	223	233	226	510	885	1,109	1,085	549	–
Female	4,185	100	23	31	75	112	132	302	515	717	1,152	1,025	1
White	8,779	238	43	81	274	316	327	744	1,338	1,747	2,155	1,515	1
Male	4,810	156	20	52	206	215	209	459	852	1,067	1,047	527	–
Female	3,969	82	23	29	68	101	118	285	486	680	1,108	988	1
All other	474	29	5	6	24	29	31	68	62	79	82	59	–
Male	258	11	5	4	17	18	17	51	33	42	38	22	–
Female	216	18	–	2	7	11	14	17	29	37	44	37	–
Des Moines, Iowa	2,489	69	16	18	41	52	66	187	365	576	656	443	–
Male	1,334	38	7	12	29	34	45	112	251	352	307	147	–
Female	1,155	31	9	6	12	18	21	75	114	224	349	296	–
White	2,344	63	15	15	40	47	55	175	337	546	625	426	–
Male	1,255	34	7	10	29	31	37	104	237	334	292	140	–
Female	1,089	29	8	5	11	16	18	71	100	212	333	286	–
All other	145	6	1	3	1	5	11	12	28	30	31	17	–
Male	79	4	–	2	–	3	8	8	14	18	15	7	–
Female	66	2	1	1	1	2	3	4	14	12	16	10	–
Detroit, Mich.	34,948	932	147	234	1,140	1,060	1,280	3,379	6,096	7,594	8,503	4,582	1
Male	19,746	507	82	142	847	733	774	2,102	3,912	4,529	4,327	1,791	–
Female	15,202	425	65	92	293	327	506	1,277	2,184	3,065	4,176	2,791	1
White	27,526	512	80	151	740	555	778	2,359	4,691	6,107	7,402	4,150	1
Male	15,315	270	41	89	555	382	458	1,463	3,033	3,656	3,767	1,601	–
Female	12,211	242	39	62	185	173	320	896	1,658	2,451	3,635	2,549	1
All other	7,422	420	67	83	400	505	502	1,020	1,405	1,487	1,101	432	–
Male	4,431	237	41	53	292	351	316	639	879	873	560	190	–
Female	2,991	183	26	30	108	154	186	381	526	614	541	242	–
Dubuque, Iowa	789	19	2	2	21	7	27	41	118	159	231	162	–
Male	395	11	2	2	15	6	18	28	76	97	97	43	–
Female	394	8	–	–	6	1	9	13	42	62	134	119	–
White	788	19	2	2	21	7	27	41	118	158	231	162	–
Male	395	11	2	2	15	6	18	28	76	97	97	43	–
Female	393	8	–	–	6	1	9	13	42	61	134	119	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Duluth–Superior, Minn.–Wis	2,791	58	7	17	58	33	46	163	452	625	768	564	–
Male	1,622	36	2	9	49	22	30	110	312	399	380	273	–
Female	1,169	22	5	8	9	11	16	53	140	226	388	291	–
White	2,771	57	7	17	58	32	44	159	450	620	765	562	–
Male	1,608	35	2	9	49	21	29	107	311	396	377	272	–
Female	1,163	22	5	8	9	11	15	52	139	224	388	290	–
All other	20	1	–	–	–	1	2	4	2	5	3	2	–
Male	14	1	–	–	–	1	1	3	1	3	3	1	–
Female	6	–	–	–	–	–	1	1	1	2	–	1	–
Durham, N.C	1,629	50	6	12	47	47	55	179	287	380	372	194	–
Male	891	29	3	6	31	31	39	117	182	213	178	62	–
Female	738	21	3	6	16	16	16	62	105	167	194	132	–
White	1,075	18	2	9	34	31	33	112	182	238	267	149	–
Male	597	11	1	6	25	18	24	73	121	139	131	48	–
Female	478	7	1	3	9	13	9	39	61	99	136	101	–
All other	554	32	4	3	13	16	22	67	105	142	105	45	–
Male	294	18	2	–	6	13	15	44	61	74	47	14	–
Female	260	14	2	3	7	3	7	23	44	68	58	31	–
El Paso, Tex	2,339	136	26	19	110	68	89	227	349	496	512	305	2
Male	1,285	80	15	14	86	52	61	141	197	271	251	116	1
Female	1,054	56	11	5	24	16	28	86	152	225	261	189	1
White	2,258	129	25	19	98	63	86	214	344	477	502	299	2
Male	1,233	74	15	14	75	50	59	133	194	259	246	113	1
Female	1,025	55	10	5	23	13	27	81	150	218	256	186	1
All other	81	7	1	–	12	5	3	13	5	19	10	6	–
Male	52	6	–	–	11	2	2	8	3	12	5	3	–
Female	29	1	1	–	1	3	1	5	2	7	5	3	–
Erie, Pa	2,557	57	11	14	46	43	58	194	426	605	669	432	2
Male	1,400	28	8	11	36	24	31	120	274	373	332	161	2
Female	1,157	29	3	3	10	19	27	74	152	232	337	271	–
White	2,477	55	8	13	41	39	53	177	409	591	660	429	2
Male	1,348	26	5	10	32	23	28	109	264	365	324	160	2
Female	1,129	29	3	3	9	16	25	68	145	226	336	269	–
All other	80	2	3	1	5	4	5	17	17	14	9	3	–
Male	52	2	3	1	4	1	3	11	10	8	8	1	–
Female	28	–	–	–	1	3	2	6	7	6	1	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Eugene, Oreg	1,732	43	13	17	52	42	45	126	263	386	428	317	–
Male	967	27	5	12	39	33	27	70	166	238	223	127	–
Female	765	16	8	5	13	9	18	56	97	148	205	190	–
White	1,721	41	13	17	49	40	45	125	261	385	428	317	–
Male	959	26	5	12	36	31	27	69	165	238	223	127	–
Female	762	15	8	5	13	9	18	56	96	147	205	190	–
All other	11	2	–	–	3	2	–	1	2	1	–	–	–
Male	8	1	–	–	3	2	–	1	1	–	–	–	–
Female	3	1	–	–	–	–	–	–	1	1	–	–	–
Evansville, Ind.–Ky	2,421	49	12	15	49	36	66	195	368	583	666	382	–
Male	1,303	25	6	11	38	24	46	135	229	339	316	134	–
Female	1,118	24	6	4	11	12	20	60	139	244	350	248	–
White	2,235	43	11	14	44	31	58	168	338	544	625	359	–
Male	1,200	21	6	10	33	20	40	120	212	318	296	124	–
Female	1,035	22	5	4	11	11	18	48	126	226	329	235	–
All other	186	6	1	1	5	5	8	27	30	39	41	23	–
Male	103	4	–	1	5	4	6	15	17	21	20	10	–
Female	83	2	1	–	–	1	2	12	13	18	21	13	–
Fall River–New Bedford, Mass	4,485	72	9	21	55	54	95	282	653	1,055	1,394	794	1
Male	2,315	55	7	10	39	38	68	185	393	612	656	252	–
Female	2,170	17	2	11	16	16	27	97	260	443	738	542	1
White	4,453	72	9	21	55	54	93	279	646	1,050	1,385	788	1
Male	2,300	55	7	10	39	38	67	183	390	610	651	250	–
Female	2,153	17	2	11	16	16	26	96	256	440	734	538	1
All other	32	–	–	–	–	–	2	3	7	5	9	6	–
Male	15	–	–	–	–	–	1	2	3	2	5	2	–
Female	17	–	–	–	–	–	1	1	4	3	4	4	–
Fargo–Moorhead, N. Dak.–Minn	902	22	6	6	26	11	17	60	112	207	233	202	–
Male	523	15	3	4	19	8	11	43	82	132	119	87	–
Female	379	7	3	2	7	3	6	17	30	75	114	115	–
White	900	22	6	6	26	11	17	60	111	206	233	202	–
Male	522	15	3	4	19	8	11	43	82	131	119	87	–
Female	378	7	3	2	7	3	6	17	29	75	114	115	–
All other	2	–	–	–	–	–	–	–	1	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Fayetteville, N.C	1,183	99	17	12	85	62	78	156	228	189	183	74	–
Male	749	65	7	8	71	41	56	107	158	111	100	25	–
Female	434	34	10	4	14	21	22	49	70	78	83	49	–
White	807	59	9	8	61	32	55	106	157	128	138	54	–
Male	512	36	3	6	52	21	39	72	111	78	75	19	–
Female	295	23	6	2	9	11	16	34	46	50	63	35	–
All other	376	40	8	4	24	30	23	50	71	61	45	20	–
Male	237	29	4	2	19	20	17	35	47	33	25	6	–
Female	139	11	4	2	5	10	6	15	24	28	20	14	–
Flint, Mich	3,665	141	28	35	130	107	153	350	558	800	878	485	–
Male	2,062	76	12	18	100	73	95	225	369	486	417	191	–
Female	1,603	65	16	17	30	34	58	125	189	314	461	294	–
White	3,236	99	25	30	108	75	121	286	483	723	831	455	–
Male	1,801	51	11	14	83	53	73	188	315	437	395	181	–
Female	1,435	48	14	16	25	22	48	98	168	286	436	274	–
All other	429	42	3	5	22	32	32	64	75	77	47	30	–
Male	261	25	1	4	17	20	22	37	54	49	22	10	–
Female	168	17	2	1	5	12	10	27	21	28	25	20	–
Fort Lauderdale–Hollywood, Fla	9,752	135	25	39	136	179	235	578	1,414	2,936	2,927	1,148	–
Male	5,787	78	16	24	102	117	148	351	847	1,884	1,705	515	–
Female	3,965	57	9	15	34	62	87	227	567	1,052	1,222	633	–
White	9,054	67	18	32	105	140	176	479	1,250	2,794	2,863	1,130	–
Male	5,373	39	11	22	79	97	109	290	746	1,808	1,667	505	–
Female	3,681	28	7	10	26	43	67	189	504	986	1,196	625	–
All other	698	68	7	7	31	39	59	99	164	142	64	18	–
Male	414	39	5	2	23	20	39	61	101	76	38	10	–
Female	284	29	2	5	8	19	20	38	63	66	26	8	–
Fort Smith, Ark.–Okla	1,709	50	7	14	29	41	56	130	239	397	464	282	–
Male	987	30	4	11	25	29	39	91	155	249	249	105	–
Female	722	20	3	3	4	12	17	39	84	148	215	177	–
White	1,584	45	6	13	26	36	47	117	219	372	440	263	–
Male	906	27	3	10	22	26	34	79	142	233	234	96	–
Female	678	18	3	3	4	10	13	38	77	139	206	167	–
All other	125	5	1	1	3	5	9	13	20	25	24	19	–
Male	81	3	1	1	3	3	5	12	13	16	15	9	–
Female	44	2	–	–	–	2	4	1	7	9	9	10	–
Fort Wayne, Ind	2,245	74	18	15	64	40	63	190	317	510	547	407	–
Male	1,184	41	11	10	47	24	38	107	197	310	263	136	–
Female	1,061	33	7	5	17	16	25	83	120	200	284	271	–
White	2,095	62	13	13	54	35	53	169	293	486	519	398	–
Male	1,094	34	6	8	43	19	31	95	185	295	247	131	–
Female	1,001	28	7	5	11	16	22	74	108	191	272	267	–
All other	150	12	5	2	10	5	10	21	24	24	28	9	–
Male	90	7	5	2	4	5	7	12	12	15	16	5	–
Female	60	5	–	–	6	–	3	9	12	9	12	4	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Fort Worth, Tex	6,180	181	42	51	172	178	244	546	974	1,451	1,510	831	–
Male	3,411	115	22	31	127	117	160	334	646	889	717	253	–
Female	2,769	66	20	20	45	61	84	212	328	562	793	578	–
White	5,396	142	34	44	149	134	185	475	842	1,259	1,359	773	–
Male	2,965	91	15	26	108	86	127	294	566	782	639	231	–
Female	2,431	51	19	18	41	48	58	181	276	477	720	542	–
All other	784	39	8	7	23	44	59	71	132	192	151	58	–
Male	446	24	7	5	19	31	33	40	80	107	78	22	–
Female	338	15	1	2	4	13	26	31	52	85	73	36	–
Fresno, Calif	3,667	114	28	29	121	118	115	274	542	789	918	619	–
Male	2,114	61	17	17	85	89	71	184	361	486	479	264	–
Female	1,553	53	11	12	36	29	44	90	181	303	439	355	–
White	3,343	99	26	24	115	98	98	246	483	721	858	575	–
Male	1,896	54	17	14	81	74	60	162	317	442	440	235	–
Female	1,447	45	9	10	34	24	38	84	166	279	418	340	–
All other	324	15	2	5	6	20	17	28	59	68	60	44	–
Male	218	7	–	3	4	15	11	22	44	44	39	29	–
Female	106	8	2	2	2	5	6	6	15	24	21	15	–
Gadsden, Ala	998	31	3	5	18	17	31	92	160	266	223	152	–
Male	524	20	2	3	12	14	20	58	105	149	91	50	–
Female	474	11	1	2	6	3	11	34	55	117	132	102	–
White	843	22	2	4	15	12	23	70	136	221	202	136	–
Male	435	17	1	2	10	10	16	44	89	120	81	45	–
Female	408	5	1	2	5	2	7	26	47	101	121	91	–
All other	155	9	1	1	3	5	8	22	24	45	21	16	–
Male	89	3	1	1	2	4	4	14	16	29	10	5	–
Female	66	6	–	–	1	1	4	8	8	16	11	11	–
Gainesville, Fla	784	34	6	5	24	24	27	74	144	183	170	93	–
Male	444	21	4	3	16	15	23	47	90	105	87	33	–
Female	340	13	2	2	8	9	4	27	54	78	83	60	–
White	534	17	3	2	19	16	21	45	93	119	129	70	–
Male	304	11	1	1	13	9	18	30	60	72	63	26	–
Female	230	6	2	1	6	7	3	15	33	47	66	44	–
All other	250	17	3	3	5	8	6	29	51	64	41	23	–
Male	140	10	3	2	3	6	5	17	30	33	24	7	–
Female	110	7	–	1	2	2	1	12	21	31	17	16	–
Galveston–Texas City, Tex	1,545	54	6	7	48	54	73	177	269	352	324	181	–
Male	904	31	4	4	38	37	41	109	182	235	153	70	–
Female	641	23	2	3	10	17	32	68	87	117	171	111	–
White	1,220	36	5	5	39	43	51	130	206	284	264	157	–
Male	717	22	3	3	30	30	28	84	146	191	122	58	–
Female	503	14	2	2	9	13	23	46	60	93	142	99	–
All other	325	18	1	2	9	11	22	47	63	68	60	24	–
Male	187	9	1	1	8	7	13	25	36	44	31	12	–
Female	138	9	–	1	1	4	9	22	27	24	29	12	–
Gary–Hammond–East Chicago, Ind	4,977	173	29	38	165	158	215	501	913	1,118	1,096	568	3
Male	2,867	100	11	22	122	123	117	317	570	689	559	236	1
Female	2,110	73	18	16	43	35	98	184	343	429	537	332	2
White	3,961	108	19	29	115	107	135	365	721	908	942	509	3
Male	2,273	67	9	15	85	83	72	243	457	560	468	213	1
Female	1,688	41	10	14	30	24	63	122	264	348	474	296	2
All other	1,016	65	10	9	50	51	80	136	192	210	154	59	–
Male	594	33	2	7	37	40	45	74	113	129	91	23	–
Female	422	32	8	2	13	11	35	62	79	81	63	36	–
Grand Rapids, Mich	4,366	111	30	31	102	66	96	322	625	979	1,186	818	–
Male	2,358	58	16	21	72	44	63	202	410	584	577	311	–
Female	2,008	53	14	10	30	22	33	120	215	395	609	507	–
White	4,180	95	25	28	97	61	85	303	586	935	1,162	803	–
Male	2,253	48	12	19	68	40	57	192	391	555	567	304	–
Female	1,927	47	13	9	29	21	28	111	195	380	595	499	–
All other	186	16	5	3	5	5	11	19	39	44	24	15	–
Male	105	10	4	2	4	4	6	10	19	29	10	7	–
Female	81	6	1	1	1	1	5	9	20	15	14	8	–
Great Falls, Mont	652	24	4	2	22	14	28	48	109	125	152	124	–
Male	380	14	2	1	15	9	17	33	75	86	74	54	–
Female	272	10	2	1	7	5	11	15	34	39	78	70	–
White	632	24	2	2	19	11	25	46	104	124	151	124	–
Male	369	14	1	1	13	8	16	32	72	85	73	54	–
Female	263	10	1	1	6	3	9	14	32	39	78	70	–
All other	20	–	2	–	3	3	3	2	5	1	1	–	–
Male	11	–	1	–	2	1	1	1	3	1	1	–	–
Female	9	–	1	–	1	2	2	1	2	–	–	–	–
Green Bay, Wis	1,236	37	2	10	28	34	31	76	178	262	350	228	–
Male	657	21	2	6	20	29	16	41	115	144	188	75	–
Female	579	16	–	4	8	5	15	35	63	118	162	153	–
White	1,220	35	2	10	27	33	30	75	177	261	347	223	–
Male	649	21	2	6	20	28	16	41	114	143	185	73	–
Female	571	14	–	4	7	5	14	34	63	118	162	150	–
All other	16	2	–	–	1	1	1	1	1	1	3	5	–
Male	8	–	–	–	–	1	–	–	1	1	3	2	–
Female	8	2	–	–	1	–	1	1	–	–	–	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

(Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix)

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Greensboro–Winston Salem–High Point, N.C	5,140	148	19	41	128	152	230	522	921	1,208	1,148	623	–
Male	2,885	76	12	29	85	97	153	320	584	737	546	246	–
Female	2,255	72	7	12	43	55	77	202	337	471	602	377	–
White	3,948	91	13	29	94	102	148	374	684	926	920	567	–
Male	2,243	43	8	19	63	68	106	236	453	589	443	215	–
Female	1,705	48	5	10	31	34	42	138	231	337	477	352	–
All other	1,192	57	6	12	34	50	82	148	237	282	228	56	–
Male	642	33	4	10	22	29	47	84	131	148	103	31	–
Female	550	24	2	2	12	21	35	64	106	134	125	25	–
Greenville, S.C	2,613	83	8	25	60	66	109	297	468	603	585	309	–
Male	1,478	49	6	16	50	48	70	202	299	352	269	117	–
Female	1,135	34	2	9	10	18	39	95	169	251	316	192	–
White	2,171	57	5	20	53	47	82	230	394	498	504	281	–
Male	1,233	34	3	12	43	33	52	164	254	294	238	106	–
Female	938	23	2	8	10	14	30	66	140	204	266	175	–
All other	442	26	3	5	7	19	27	67	74	105	81	28	–
Male	245	15	3	4	7	15	18	38	45	58	31	11	–
Female	197	11	–	1	–	4	9	29	29	47	50	17	–
Hamilton–Middletown, Ohio	1,786	42	9	11	54	43	50	192	287	388	439	271	–
Male	1,022	26	5	4	41	28	30	122	198	242	230	96	–
Female	764	16	4	7	13	15	20	70	89	146	209	175	–
White	1,686	35	9	11	51	40	47	180	272	359	423	259	–
Male	965	22	5	4	38	27	28	116	187	223	223	92	–
Female	721	13	4	7	13	13	19	64	85	136	200	167	–
All other	100	7	–	–	3	3	3	12	15	29	16	12	–
Male	57	4	–	–	3	1	2	6	11	19	7	4	–
Female	43	3	–	–	–	2	1	6	4	10	9	8	–
Harrisburg, Pa	3,928	86	12	22	71	50	117	256	636	983	1,047	644	4
Male	2,057	50	8	10	43	36	66	146	398	578	491	228	3
Female	1,871	36	4	12	28	14	51	110	238	405	556	416	1
White	3,629	71	10	19	64	44	98	229	571	922	990	610	1
Male	1,903	42	6	7	39	31	58	132	359	546	466	216	1
Female	1,726	29	4	12	25	13	40	97	212	376	524	394	–
All other	299	15	2	3	7	6	19	27	65	61	57	34	3
Male	154	8	2	3	4	5	8	14	39	32	25	12	2
Female	145	7	–	–	3	1	11	13	26	29	32	22	1
Hartford–New Britain–Bristol, Conn	6,938	143	18	29	132	115	165	564	1,131	1,521	1,851	1,266	3
Male	3,686	93	12	17	93	68	113	346	737	881	852	471	3
Female	3,252	50	6	12	39	47	52	218	394	640	999	795	–
White	6,546	99	16	26	118	93	131	510	1,061	1,453	1,795	1,241	3
Male	3,456	68	10	14	85	55	91	311	687	845	828	459	3
Female	3,090	31	6	12	33	38	40	199	374	608	967	782	–
All other	392	44	2	3	14	22	34	54	70	68	56	25	–
Male	230	25	2	3	8	13	22	35	50	36	24	12	–
Female	162	19	–	–	6	9	12	19	20	32	32	13	–
Honolulu, Hawaii	3,201	138	17	19	135	133	126	326	572	683	594	457	1
Male	1,903	74	11	9	98	86	82	199	358	440	331	215	–
Female	1,298	64	6	10	37	47	44	127	214	243	263	242	1
White	1,050	41	4	8	48	49	37	102	205	209	199	148	–
Male	584	21	2	4	33	36	28	59	126	124	99	52	–
Female	466	20	2	4	15	13	9	43	79	85	100	96	–
All other	2,151	97	13	11	87	84	89	224	367	474	395	309	1
Male	1,319	53	9	5	65	50	54	140	232	316	232	163	–
Female	832	44	4	6	22	34	35	84	135	158	163	146	1
Houston, Tex	15,668	719	140	169	639	666	823	1,807	2,660	3,450	3,064	1,524	7
Male	9,026	385	75	114	470	461	532	1,183	1,747	2,090	1,434	528	7
Female	6,642	334	65	55	169	205	291	624	913	1,360	1,630	996	–
White	12,170	455	98	127	489	478	554	1,384	2,034	2,697	2,526	1,322	6
Male	6,970	238	52	88	360	342	364	918	1,347	1,666	1,148	441	6
Female	5,200	217	46	39	129	136	190	466	687	1,031	1,378	881	–
All other	3,498	264	42	42	150	188	269	423	626	753	538	202	1
Male	2,056	147	23	26	110	119	168	265	400	424	286	87	1
Female	1,442	117	19	16	40	69	101	158	226	329	252	115	–
Huntington–Ashland, W. Va.–Ky.–Ohio	2,746	49	15	13	63	51	69	192	457	659	772	404	2
Male	1,590	32	8	8	47	34	49	145	298	403	394	170	2
Female	1,156	17	7	5	16	17	20	47	159	256	378	234	–
White	2,668	49	15	13	60	50	65	185	447	638	747	398	1
Male	1,546	32	8	8	45	34	46	142	293	393	378	166	1
Female	1,122	17	7	5	15	16	19	43	154	245	369	232	–
All other	78	–	–	–	3	1	4	7	10	21	25	6	1
Male	44	–	–	–	2	–	3	3	5	10	16	4	1
Female	34	–	–	–	1	1	1	4	5	11	9	2	–
Huntsville, Ala	1,488	66	6	10	41	53	73	156	234	317	326	206	–
Male	822	45	4	5	21	38	47	108	151	171	153	79	–
Female	666	21	2	5	20	15	26	48	83	146	173	127	–
White	1,146	39	3	7	35	31	50	125	174	249	261	172	–
Male	621	25	3	3	19	23	32	87	117	133	118	61	–
Female	525	14	–	4	16	8	18	38	57	116	143	111	–
All other	342	27	3	3	6	22	23	31	60	68	65	34	–
Male	201	20	1	2	2	15	15	21	34	38	35	18	–
Female	141	7	2	1	4	7	8	10	26	30	30	16	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Indianapolis, Ind	9,240	260	58	69	201	215	267	759	1,438	2,055	2,414	1,502	2
Male	4,911	147	32	47	154	152	172	452	932	1,187	1,141	495	–
Female	4,329	113	26	22	47	63	95	307	506	868	1,273	1,007	2
White	8,004	188	41	59	175	163	216	616	1,198	1,771	2,176	1,400	1
Male	4,213	112	21	39	129	111	141	373	790	1,032	1,014	451	–
Female	3,791	76	20	20	46	52	75	243	408	739	1,162	949	1
All other	1,236	72	17	10	26	52	51	143	240	284	238	102	1
Male	698	35	11	8	25	41	31	79	142	155	127	44	–
Female	538	37	6	2	1	11	20	64	98	129	111	58	1
Jackson, Mich	1,308	36	2	7	27	31	27	88	202	305	352	231	–
Male	702	22	–	4	17	23	19	58	124	178	177	80	–
Female	606	14	2	3	10	8	8	30	78	127	175	151	–
White	1,250	30	2	7	27	25	25	84	193	291	338	228	–
Male	673	19	–	4	17	19	18	55	121	172	169	79	–
Female	577	11	2	3	10	6	7	29	72	119	169	149	–
All other	58	6	–	–	–	6	2	4	9	14	14	3	–
Male	29	3	–	–	–	4	1	3	3	6	8	1	–
Female	29	3	–	–	–	2	1	1	6	8	6	2	–
Jackson, Miss	2,190	85	19	29	69	66	103	207	333	504	457	317	1
Male	1,198	50	7	16	51	52	66	135	219	283	212	106	1
Female	992	35	12	13	18	14	37	72	114	221	245	211	–
White	1,320	32	11	17	40	28	56	132	189	317	296	202	–
Male	725	20	5	8	30	24	36	92	127	184	141	58	–
Female	595	12	6	9	10	4	20	40	62	133	155	144	–
All other	870	53	8	12	29	38	47	75	144	187	161	115	1
Male	473	30	2	8	21	28	30	43	92	99	71	48	1
Female	397	23	6	4	8	10	17	32	52	88	90	67	–
Jacksonville, Fla	4,678	145	38	38	127	129	191	453	892	1,140	995	530	–
Male	2,566	80	16	27	91	86	114	284	564	663	450	191	–
Female	2,112	65	22	11	36	43	77	169	328	477	545	339	–
White	3,280	73	24	22	78	83	112	300	590	767	767	464	–
Male	1,781	45	10	16	54	57	67	186	383	444	351	168	–
Female	1,499	28	14	6	24	26	45	114	207	323	416	296	–
All other	1,398	72	14	16	49	46	79	153	302	373	228	66	–
Male	785	35	6	11	37	29	47	98	181	219	99	23	–
Female	613	37	8	5	12	17	32	55	121	154	129	43	–
Jersey City, N.J	6,196	132	18	24	101	121	187	513	1,127	1,526	1,659	784	4
Male	3,311	77	10	15	78	88	110	335	706	870	744	275	3
Female	2,885	55	8	9	23	33	77	178	421	656	915	509	1
White	5,678	89	11	17	77	82	138	437	1,026	1,440	1,591	767	3
Male	3,020	53	7	12	63	58	84	294	645	822	713	267	2
Female	2,658	36	4	5	14	24	54	143	381	618	878	500	1
All other	518	43	7	7	24	39	49	76	101	86	68	17	1
Male	291	24	3	3	15	30	26	41	61	48	31	8	1
Female	227	19	4	4	9	9	23	35	40	38	37	9	–
Johnstown, Pa	2,884	57	7	23	57	35	55	209	502	715	772	451	1
Male	1,644	31	5	11	45	25	35	138	329	440	404	181	–
Female	1,240	26	2	12	12	10	20	71	173	275	368	270	1
White	2,831	53	7	21	56	35	52	201	491	700	765	449	1
Male	1,618	29	5	10	45	25	35	133	322	432	402	180	–
Female	1,213	24	2	11	11	10	17	68	169	268	363	269	1
All other	53	4	–	2	1	–	3	8	11	15	7	2	–
Male	26	2	–	1	–	–	–	5	7	8	2	1	–
Female	27	2	–	1	1	–	3	3	4	7	5	1	–
Kalamazoo, Mich	1,415	42	6	5	34	32	35	106	194	320	376	265	–
Male	734	20	6	4	28	21	22	56	118	174	185	100	–
Female	681	22	–	1	6	11	13	50	76	146	191	165	–
White	1,356	33	5	3	33	30	31	104	181	306	368	262	–
Male	701	18	5	2	27	20	18	55	111	164	181	100	–
Female	655	15	–	1	6	10	13	49	70	142	187	162	–
All other	59	9	1	2	1	2	4	2	13	14	8	3	–
Male	33	2	1	2	1	1	4	1	7	10	4	–	–
Female	26	7	–	–	–	1	–	1	6	4	4	3	–
Kansas City, Mo.–Kans	10,793	317	50	82	289	262	332	825	1,564	2,424	2,822	1,824	2
Male	5,760	161	30	57	205	192	212	523	994	1,426	1,324	636	–
Female	5,033	156	20	25	84	70	120	302	570	998	1,498	1,188	2
White	9,247	206	34	60	225	197	256	671	1,335	2,080	2,519	1,662	2
Male	4,903	111	21	41	158	146	164	434	855	1,237	1,169	567	–
Female	4,344	95	13	19	67	51	92	237	480	843	1,350	1,095	2
All other	1,546	111	16	22	64	65	76	154	229	344	303	162	–
Male	857	50	9	16	47	46	48	89	139	189	155	69	–
Female	689	61	7	6	17	19	28	65	90	155	148	93	–
Kenosha, Wis	1,010	12	4	10	32	26	30	68	136	214	290	188	–
Male	586	7	3	9	23	18	20	44	85	143	152	82	–
Female	424	5	1	1	9	8	10	24	51	71	138	106	–
White	999	12	4	10	31	26	29	66	135	210	289	187	–
Male	580	7	3	9	22	18	19	44	85	139	152	82	–
Female	419	5	1	1	9	8	10	22	50	71	137	105	–
All other	11	–	–	–	1	–	1	2	1	4	1	1	–
Male	6	–	–	–	1	–	1	–	–	4	–	–	–
Female	5	–	–	–	–	–	–	2	1	–	1	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Knoxville, Tenn	3,779	89	11	32	98	106	130	323	609	895	965	521	–
Male	2,091	46	6	23	75	83	81	201	388	528	470	190	–
Female	1,688	43	5	9	23	23	49	122	221	367	495	331	–
White	3,462	74	11	28	91	94	113	282	560	822	899	488	–
Male	1,910	39	6	21	69	72	70	176	356	492	430	179	–
Female	1,552	35	5	7	22	22	43	106	204	330	469	309	–
All other	317	15	–	4	7	12	17	41	49	73	66	33	–
Male	181	7	–	2	6	11	11	25	32	36	40	11	–
Female	136	8	–	2	1	1	6	16	17	37	26	22	–
La Crosse, Wis	742	18	–	4	26	10	10	30	105	163	234	142	–
Male	369	11	–	4	17	5	7	16	65	92	105	47	–
Female	373	7	–	–	9	5	3	14	40	71	129	95	–
White	741	17	–	4	26	10	10	30	105	163	234	142	–
Male	369	11	–	4	17	5	7	16	65	92	105	47	–
Female	372	6	–	–	9	5	3	14	40	71	129	95	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Lafayette, La	853	53	5	15	36	24	41	90	128	189	165	107	–
Male	492	30	2	10	21	17	29	63	82	121	77	40	–
Female	361	23	3	5	15	7	12	27	46	68	88	67	–
White	620	22	3	12	28	15	21	66	93	147	124	89	–
Male	367	10	2	8	19	10	16	45	64	95	63	35	–
Female	253	12	1	4	9	5	5	21	29	52	61	54	–
All other	233	31	2	3	8	9	20	24	35	42	41	18	–
Male	125	20	–	2	2	7	13	18	18	26	14	5	–
Female	108	11	2	1	6	2	7	6	17	16	27	13	–
Lafayette–West Lafayette, Ind	751	18	5	6	14	13	13	72	123	146	183	158	–
Male	405	8	–	6	11	12	7	48	72	94	98	49	–
Female	346	10	5	–	3	1	6	24	51	52	85	109	–
White	742	17	5	6	14	13	12	70	122	144	182	157	–
Male	403	7	–	6	11	12	7	48	72	94	97	49	–
Female	339	10	5	–	3	1	5	22	50	50	85	108	–
All other	9	1	–	–	–	–	1	2	1	2	1	1	–
Male	2	1	–	–	–	–	–	–	–	–	1	–	–
Female	7	–	–	–	–	–	1	2	1	2	–	1	–
Lake Charles, La	1,245	43	4	9	41	29	54	118	228	324	264	131	–
Male	702	26	2	6	34	23	41	77	136	184	123	50	–
Female	543	17	2	3	7	6	13	41	92	140	141	81	–
White	932	29	3	5	30	14	33	86	161	257	208	106	–
Male	527	17	2	4	26	13	23	60	103	143	98	38	–
Female	405	12	1	1	4	1	10	26	58	114	110	68	–
All other	313	14	1	4	11	15	21	32	67	67	56	25	–
Male	175	9	–	2	8	10	18	17	33	41	25	12	–
Female	138	5	1	2	3	5	3	15	34	26	31	13	–
Lancaster, Pa	2,932	57	10	23	56	43	67	187	401	639	824	624	1
Male	1,559	32	6	15	41	27	50	112	263	368	408	237	–
Female	1,373	25	4	8	15	16	17	75	138	271	416	387	1
White	2,862	55	8	23	54	38	65	183	392	617	814	612	1
Male	1,515	32	4	15	39	22	49	110	259	351	402	232	–
Female	1,347	23	4	8	15	16	16	73	133	266	412	380	1
All other	70	2	2	–	2	5	2	4	9	22	10	12	–
Male	44	–	2	–	2	5	1	2	4	17	6	5	–
Female	26	2	–	–	–	–	1	2	5	5	4	7	–
Lansing, Mich	2,512	91	12	31	66	63	66	182	356	532	653	460	–
Male	1,391	49	7	20	42	41	41	108	236	329	354	164	–
Female	1,121	42	5	11	24	22	25	74	120	203	299	296	–
White	2,417	76	12	28	62	57	60	171	343	514	643	451	–
Male	1,330	39	7	18	38	37	39	101	226	317	348	160	–
Female	1,087	37	5	10	24	20	21	70	117	197	295	291	–
All other	95	15	–	3	4	6	6	11	13	18	10	9	–
Male	61	10	–	2	4	4	2	7	10	12	6	4	–
Female	34	5	–	1	–	2	4	4	3	6	4	5	–
Laredo, Tex	579	29	7	6	10	21	21	33	85	122	166	77	2
Male	313	18	5	5	8	15	11	21	54	63	77	34	2
Female	266	11	2	1	2	6	10	12	31	59	89	43	–
White	579	29	7	6	10	21	21	33	85	122	166	77	2
Male	313	18	5	5	8	15	11	21	54	63	77	34	2
Female	266	11	2	1	2	6	10	12	31	59	89	43	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Las Vegas, Nev	2,354	73	11	20	99	92	127	288	465	593	382	204	–
Male	1,469	44	7	9	72	73	87	184	309	375	226	83	–
Female	885	29	4	11	27	19	40	104	156	218	156	121	–
White	2,104	58	4	13	80	74	100	253	424	547	359	192	–
Male	1,314	36	3	6	58	60	69	160	284	345	214	79	–
Female	790	22	1	7	22	14	31	93	140	202	145	113	–
All other	250	15	7	7	19	18	27	35	41	46	23	12	–
Male	155	8	4	3	14	13	18	24	25	30	12	4	–
Female	95	7	3	4	5	5	9	11	16	16	11	8	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lawton, Okla	669	55	7	5	32	26	23	64	117	121	142	77	–
Male	373	34	2	4	22	18	13	42	75	63	71	29	–
Female	296	21	5	1	10	8	10	22	42	58	71	48	–
White	566	36	4	5	22	20	20	55	105	103	126	70	–
Male	317	24	2	4	12	14	11	36	69	55	65	25	–
Female	249	12	2	1	10	6	9	19	36	48	61	45	–
All other	103	19	3	–	10	6	3	9	12	18	16	7	–
Male	56	10	–	–	10	4	2	6	6	8	6	4	–
Female	47	9	3	–	–	2	1	3	6	10	10	3	–
Lexington, Ky	1,413	45	8	8	44	35	50	145	261	310	317	190	–
Male	804	19	5	6	26	20	33	94	167	203	165	66	–
Female	609	26	3	2	18	15	17	51	94	107	152	124	–
White	1,140	33	8	6	42	26	41	119	202	246	252	165	–
Male	645	16	5	5	25	16	27	79	129	161	127	55	–
Female	495	17	3	1	17	10	14	40	73	85	125	110	–
All other	273	12	–	2	2	9	9	26	59	64	65	25	–
Male	159	3	–	1	1	4	6	15	38	42	38	11	–
Female	114	9	–	1	1	5	3	11	21	22	27	14	–
Lima, Ohio	1,566	37	5	7	41	27	33	107	231	321	463	294	–
Male	853	17	5	6	27	14	24	73	159	196	218	114	–
Female	713	20	–	1	14	13	9	34	72	125	245	180	–
White	1,488	28	4	7	38	25	30	93	216	305	454	288	–
Male	807	15	4	6	24	13	21	63	151	185	212	113	–
Female	681	13	–	1	14	12	9	30	65	120	242	175	–
All other	78	9	1	–	3	2	3	14	15	16	9	6	–
Male	46	2	1	–	3	1	3	10	8	11	6	1	–
Female	32	7	–	–	–	1	–	4	7	5	3	5	–
Lincoln, Nebr	1,393	34	9	5	31	34	40	67	173	317	399	284	–
Male	719	17	3	2	21	22	23	41	110	193	193	94	–
Female	674	17	6	3	10	12	17	26	63	124	206	190	–
White	1,369	32	9	5	31	29	38	62	173	311	397	282	–
Male	708	17	3	2	21	19	22	39	110	188	193	94	–
Female	661	15	6	3	10	10	16	23	63	123	204	188	–
All other	24	2	–	–	–	5	2	5	–	6	2	2	–
Male	11	–	–	–	–	3	1	2	–	5	–	–	–
Female	13	2	–	–	–	2	1	3	–	1	2	2	–
Little Rock–North Little Rock, Ark	3,026	94	22	26	99	77	85	239	487	716	756	424	1
Male	1,664	54	14	15	72	56	55	134	310	427	364	163	1
Female	1,362	40	8	11	27	21	30	105	177	289	392	261	1
White	2,386	49	14	18	76	55	63	182	379	561	629	360	1
Male	1,310	28	7	11	54	41	38	101	245	335	313	137	–
Female	1,076	21	7	7	22	14	25	81	134	226	316	223	1
All other	640	45	8	8	23	22	22	57	108	155	127	64	1
Male	354	26	7	4	18	15	17	33	65	92	51	26	–
Female	286	19	1	4	5	7	5	24	43	63	76	38	1
Lorain–Elyria, Ohio	1,970	72	10	17	55	50	49	184	335	424	462	312	–
Male	1,040	47	6	10	36	34	32	116	205	255	199	100	–
Female	930	25	4	7	19	16	17	68	130	169	263	212	–
White	1,825	60	9	13	48	40	41	168	305	399	440	302	–
Male	948	40	5	8	31	27	26	104	190	240	184	93	–
Female	877	20	4	5	17	13	15	64	115	159	256	209	–
All other	145	12	1	4	7	10	8	16	30	25	22	10	–
Male	92	7	1	2	5	7	6	12	15	15	15	7	–
Female	53	5	–	2	2	3	2	4	15	10	7	3	–
Los Angeles–Long Beach, Calif	58,697	1,556	294	338	1,537	1,798	2,138	4,938	9,120	12,534	14,581	9,853	10
Male	30,640	840	174	192	1,110	1,264	1,329	3,054	5,592	7,200	6,644	3,235	6
Female	28,057	716	120	146	427	534	809	1,884	3,528	5,334	7,937	6,618	4
White	51,391	1,134	219	248	1,197	1,344	1,586	3,982	7,860	11,064	13,489	9,259	9
Male	26,463	612	126	142	880	949	988	2,460	4,814	6,372	6,141	2,974	5
Female	24,928	522	93	106	317	395	598	1,522	3,046	4,692	7,348	6,285	4
All other	7,306	422	75	90	340	454	552	956	1,260	1,470	1,092	594	1
Male	4,177	228	48	50	230	315	341	594	778	828	503	261	1
Female	3,129	194	27	40	110	139	211	362	482	642	589	333	–
Louisville, Ky.–Ind	7,543	185	28	40	178	154	259	766	1,309	1,688	1,892	1,043	1
Male	4,096	116	17	27	123	109	166	494	864	981	882	316	1
Female	3,447	69	11	13	55	45	93	272	445	707	1,010	727	–
White	6,379	134	22	32	142	120	205	612	1,060	1,427	1,679	945	1
Male	3,446	83	14	21	102	85	130	404	709	846	768	283	1
Female	2,933	51	8	11	40	35	75	208	351	581	911	662	–
All other	1,164	51	6	8	36	34	54	154	249	261	213	98	–
Male	650	33	3	6	21	24	36	90	155	135	114	33	–
Female	514	18	3	2	15	10	18	64	94	126	99	65	–
Lubbock, Tex	1,276	55	6	10	42	41	50	118	205	265	299	185	–
Male	679	30	3	9	27	21	30	78	126	165	130	60	–
Female	597	25	3	1	15	20	20	40	79	100	169	125	–
White	1,155	44	6	9	35	30	43	100	181	246	281	180	–
Male	613	24	3	8	23	14	25	70	115	152	121	58	–
Female	542	20	3	1	12	16	18	30	66	94	160	122	–
All other	121	11	–	1	7	11	7	18	24	19	18	5	–
Male	66	6	–	1	4	7	5	8	11	13	9	2	–
Female	55	5	–	–	3	4	2	10	13	6	9	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lynchburg, Va	1,257	28	6	13	22	20	42	103	225	294	319	185	–
Male	703	17	3	10	18	15	30	78	160	170	144	58	–
Female	554	11	3	3	4	5	12	25	65	124	175	127	–
White	951	16	4	12	16	16	33	76	156	216	249	157	–
Male	537	11	2	9	14	12	23	58	123	131	107	47	–
Female	414	5	2	3	2	4	10	18	33	85	142	110	–
All other	306	12	2	1	6	4	9	27	69	78	70	28	–
Male	166	6	1	1	4	3	7	20	37	39	37	11	–
Female	140	6	1	–	2	1	2	7	32	39	33	17	–
Macon, Ga	1,939	65	17	19	45	53	94	238	375	442	388	203	–
Male	1,061	36	12	10	35	35	55	152	244	242	170	70	–
Female	878	29	5	9	10	18	39	86	131	200	218	133	–
White	1,313	31	11	14	38	27	61	155	253	259	299	165	–
Male	727	16	10	6	29	17	32	100	177	155	127	58	–
Female	586	15	1	8	9	10	29	55	76	104	172	107	–
All other	626	34	6	5	7	26	33	83	122	183	89	38	–
Male	334	20	2	4	6	18	23	52	67	87	43	12	–
Female	292	14	4	1	1	8	10	31	55	96	46	26	–
Madison, Wis	1,873	43	8	14	49	46	55	128	277	396	475	382	–
Male	1,044	26	7	8	38	34	40	89	179	249	233	141	–
Female	829	17	1	6	11	12	15	39	98	147	242	241	–
White	1,846	41	8	13	47	46	53	121	272	391	473	381	–
Male	1,030	25	7	7	37	34	39	87	177	246	231	140	–
Female	816	16	1	6	10	12	14	34	95	145	242	241	–
All other	27	2	–	1	2	–	2	7	5	5	2	1	–
Male	14	1	–	1	1	–	1	2	2	3	2	1	–
Female	13	1	–	–	1	–	1	5	3	2	–	–	–
Manchester, N.H	2,268	43	7	20	43	32	61	166	362	480	645	409	–
Male	1,190	21	4	10	31	20	32	109	237	287	305	134	–
Female	1,078	22	3	10	12	12	29	57	125	193	340	275	–
White	2,265	43	7	20	43	32	61	165	361	480	644	409	–
Male	1,190	21	4	10	31	20	32	109	237	287	305	134	–
Female	1,075	22	3	10	12	12	29	56	124	193	339	275	–
All other	3	–	–	–	–	–	–	1	1	–	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	–	1	1	–	1	–	–
Mansfield, Ohio	1,116	23	2	8	23	21	36	80	186	264	299	174	–
Male	613	14	–	5	11	11	26	52	127	163	147	57	–
Female	503	9	2	3	12	10	10	28	59	101	152	117	–
White	1,057	20	2	8	20	20	30	73	177	248	290	169	–
Male	575	12	–	5	11	10	21	47	120	154	141	54	–
Female	482	8	2	3	9	10	9	26	57	94	149	115	–
All other	59	3	–	–	3	1	6	7	9	16	9	5	–
Male	38	2	–	–	–	1	5	5	7	9	6	3	–
Female	21	1	–	–	3	–	1	2	2	7	3	2	–
McAllen–Pharr–Edinburg, Tex	1,404	86	12	17	45	33	42	93	199	329	332	213	3
Male	775	45	7	12	35	25	24	49	123	199	175	78	3
Female	629	41	5	5	10	8	18	44	76	130	157	135	–
White	1,397	86	12	17	45	33	42	93	195	329	331	211	3
Male	770	45	7	12	35	25	24	49	120	199	175	76	3
Female	627	41	5	5	10	8	18	44	75	130	156	135	–
All other	7	–	–	–	–	–	–	–	4	–	1	2	–
Male	5	–	–	–	–	–	–	–	3	–	–	2	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Memphis, Tenn.–Ark	6,934	212	26	47	188	178	249	660	1,144	1,711	1,652	865	2
Male	3,697	114	17	26	137	125	144	415	710	959	750	299	1
Female	3,237	98	9	21	51	53	105	245	434	752	902	566	1
White	3,859	69	6	23	93	76	124	358	626	903	989	592	–
Male	2,025	44	4	13	70	54	78	228	415	517	420	182	–
Female	1,834	25	2	10	23	22	46	130	211	386	569	410	–
All other	3,075	143	20	24	95	102	125	302	518	808	663	273	2
Male	1,672	70	13	13	67	71	66	187	295	442	330	117	1
Female	1,403	73	7	11	28	31	59	115	223	366	333	156	1
Miami, Fla	14,877	225	46	84	251	287	379	1,116	2,118	3,839	4,303	2,229	–
Male	8,442	128	25	58	185	188	244	690	1,335	2,259	2,348	982	–
Female	6,435	97	21	26	66	99	135	426	783	1,580	1,955	1,247	–
White	13,228	125	30	60	163	193	261	869	1,746	3,488	4,124	2,169	–
Male	7,477	70	19	41	126	127	164	540	1,120	2,057	2,259	954	–
Female	5,751	55	11	19	37	66	97	329	626	1,431	1,865	1,215	–
All other	1,649	100	16	24	88	94	118	247	372	351	179	60	–
Male	965	58	6	17	59	61	80	150	215	202	89	28	–
Female	684	42	10	7	29	33	38	97	157	149	90	32	–
Midland, Tex	468	20	6	8	20	14	20	53	73	101	93	60	–
Male	264	7	3	3	15	8	9	33	53	62	41	30	–
Female	204	13	3	5	5	6	11	20	20	39	52	30	–
White	403	16	5	7	17	11	18	42	61	87	84	55	–
Male	221	5	2	2	14	7	8	27	44	52	34	26	–
Female	182	11	3	5	3	4	10	15	17	35	50	29	–
All other	65	4	1	1	3	3	2	11	12	14	9	5	–
Male	43	2	1	1	1	1	1	6	9	10	7	4	–
Female	22	2	–	–	2	2	1	5	3	4	2	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Milwaukee, Wis	11,904	258	40	78	229	226	357	972	1,771	2,714	3,349	1,908	2
Male	6,336	138	20	40	161	144	214	593	1,101	1,616	1,639	669	1
Female	5,568	120	20	38	68	82	143	379	670	1,098	1,710	1,239	1
White	11,142	184	27	69	192	174	291	854	1,660	2,562	3,256	1,871	2
Male	5,902	108	15	34	140	108	175	522	1,041	1,522	1,584	652	1
Female	5,240	76	12	35	52	66	116	332	619	1,040	1,672	1,219	1
All other	762	74	13	9	37	52	66	118	111	152	93	37	–
Male	434	30	5	6	21	36	39	71	60	94	55	17	–
Female	328	44	8	3	16	16	27	47	51	58	38	20	–
Minneapolis–St. Paul, Minn	13,110	365	52	101	284	281	319	901	1,896	2,669	3,619	2,621	2
Male	6,945	209	29	58	212	174	207	608	1,201	1,554	1,722	970	1
Female	6,165	156	23	43	72	107	112	293	695	1,115	1,897	1,651	1
White	12,702	319	46	99	263	252	283	852	1,837	2,613	3,558	2,578	2
Male	6,712	184	26	57	199	155	186	577	1,166	1,522	1,689	950	1
Female	5,990	135	20	42	64	97	97	275	671	1,091	1,869	1,628	1
All other	408	46	6	2	21	29	36	49	59	56	61	43	–
Male	233	25	3	1	13	19	21	31	35	32	33	20	–
Female	175	21	3	1	8	10	15	18	24	24	28	23	–
Mobile, Ala	3,547	145	21	39	108	108	148	327	631	899	756	363	2
Male	1,983	86	12	24	78	76	97	185	395	552	351	125	2
Female	1,564	59	9	15	30	32	51	142	236	347	405	238	–
White	2,424	76	9	25	67	61	87	210	424	615	567	282	1
Male	1,394	52	7	15	43	48	56	115	287	396	279	95	1
Female	1,030	24	2	10	24	13	31	95	137	219	288	187	–
All other	1,123	69	12	14	41	47	61	117	207	284	189	81	1
Male	589	34	5	9	35	28	41	70	108	156	72	30	1
Female	534	35	7	5	6	19	20	47	99	128	117	51	–
Modesto, Calif	1,995	41	12	15	74	54	59	163	267	475	502	332	1
Male	1,103	25	6	8	53	37	43	104	152	298	249	129	1
Female	892	16	6	7	21	17	16	59	115	179	253	203	–
White	1,969	40	9	14	74	53	58	161	262	470	497	330	1
Male	1,086	24	5	7	53	36	42	103	149	292	245	129	1
Female	883	16	4	7	21	17	16	58	113	178	252	201	–
All other	26	1	3	1	–	1	1	2	5	5	5	2	–
Male	17	1	1	1	–	1	1	1	3	4	4	–	–
Female	9	–	2	–	–	–	–	1	2	1	1	2	–
Monroe, La	1,115	36	11	10	24	30	27	87	185	276	289	140	–
Male	625	18	5	4	20	19	15	58	118	179	143	46	–
Female	490	18	6	6	4	11	12	29	67	97	146	94	–
White	737	16	5	7	14	19	15	52	124	187	202	96	–
Male	427	5	3	3	11	14	12	36	83	131	98	31	–
Female	310	11	2	4	3	5	3	16	41	56	104	65	–
All other	378	20	6	3	10	11	12	35	61	89	87	44	–
Male	198	13	2	1	9	5	3	22	35	48	45	15	–
Female	180	7	4	2	1	6	9	13	26	41	42	29	–
Montgomery, Ala	2,082	55	11	14	69	60	94	175	338	481	477	308	–
Male	1,085	34	6	5	43	39	61	108	214	274	194	107	–
Female	997	21	5	9	26	21	33	67	124	207	283	201	–
White	1,197	18	4	7	28	30	37	100	181	285	304	203	–
Male	627	10	3	4	21	18	21	67	121	170	124	68	–
Female	570	8	1	3	7	12	16	33	60	115	180	135	–
All other	885	37	7	7	41	30	57	75	157	196	173	105	–
Male	458	24	3	1	22	21	40	41	93	104	70	39	–
Female	427	13	4	6	19	9	17	34	64	92	103	66	–
Muncie, Ind	1,049	21	3	10	30	25	37	91	178	228	263	163	–
Male	577	11	1	7	21	18	23	55	120	151	111	59	–
Female	472	10	2	3	9	7	14	36	58	77	152	104	–
White	990	19	2	10	29	22	34	84	170	214	247	159	–
Male	542	10	–	7	20	15	22	54	115	139	102	58	–
Female	448	9	2	3	9	7	12	30	55	75	145	101	–
All other	59	2	1	–	1	3	3	7	8	14	16	4	–
Male	35	1	1	–	1	3	1	1	5	12	9	1	–
Female	24	1	–	–	–	–	2	6	3	2	7	3	–
Muskegon–Muskegon Heights, Mich	1,402	33	2	12	35	33	40	92	224	350	351	230	–
Male	776	20	–	7	31	19	27	60	155	223	158	76	–
Female	626	13	2	5	4	14	13	32	69	127	193	154	–
White	1,268	28	2	7	29	28	31	74	199	319	330	221	–
Male	697	16	–	4	26	15	21	51	139	204	150	71	–
Female	571	12	2	3	3	13	10	23	60	115	180	150	–
All other	134	5	–	5	6	5	9	18	25	31	21	9	–
Male	79	4	–	3	5	4	6	9	16	19	8	5	–
Female	55	1	–	2	1	1	3	9	9	12	13	4	–
Nashville–Davidson, Tenn	4,785	114	16	29	130	108	170	442	824	1,139	1,156	657	–
Male	2,614	65	6	17	98	74	99	278	547	652	547	231	–
Female	2,171	49	10	12	32	34	71	164	277	487	609	426	–
White	3,707	62	12	22	93	75	118	328	614	870	943	570	–
Male	2,029	39	5	13	70	50	72	208	431	506	441	194	–
Female	1,678	23	7	9	23	25	46	120	183	364	502	376	–
All other	1,078	52	4	7	37	33	52	114	210	269	213	87	–
Male	585	26	1	4	28	24	27	70	116	146	106	37	–
Female	493	26	3	3	9	9	25	44	94	123	107	50	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Haven–Waterbury, Conn	6,877	125	13	32	87	94	169	478	1,155	1,583	1,867	1,272	2
Male	3,647	66	6	21	64	69	94	295	752	933	877	469	1
Female	3,230	59	7	11	23	25	75	183	403	650	990	803	1
White	6,479	94	11	24	74	83	118	418	1,076	1,511	1,820	1,249	1
Male	3,428	50	6	17	59	61	71	256	708	892	848	460	–
Female	3,051	44	5	7	15	22	47	162	368	619	972	789	1
All other	398	31	2	8	13	11	51	60	79	72	47	23	1
Male	219	16	–	4	5	8	23	39	44	41	29	9	1
Female	179	15	2	4	8	3	28	21	35	31	18	14	–
New Orleans, La	10,362	324	64	89	324	326	453	1,086	1,821	2,557	2,216	1,101	1
Male	5,684	183	35	62	235	231	300	697	1,162	1,451	976	351	1
Female	4,678	141	29	27	89	95	153	389	659	1,106	1,240	750	–
White	6,938	127	32	45	175	167	236	678	1,200	1,705	1,671	901	1
Male	3,813	75	14	34	127	124	166	437	796	989	765	285	1
Female	3,125	52	18	11	48	43	70	241	404	716	906	616	–
All other	3,424	197	32	44	149	159	217	408	621	852	545	200	–
Male	1,871	108	21	28	108	107	134	260	366	462	211	66	–
Female	1,553	89	11	16	41	52	83	148	255	390	334	134	–
New York, N.Y	108,616	2,488	327	530	1,980	2,834	3,620	8,776	16,735	25,194	29,451	16,654	27
Male	56,889	1,395	162	319	1,469	1,957	2,306	5,321	10,142	14,196	13,524	6,082	16
Female	51,727	1,093	165	211	511	877	1,314	3,455	6,593	10,998	15,927	10,572	11
White	91,403	1,391	199	353	1,344	1,709	2,161	6,299	13,549	21,899	26,935	15,543	21
Male	47,380	769	101	202	1,010	1,169	1,404	3,832	8,323	12,448	12,402	5,706	14
Female	44,023	622	98	151	334	540	757	2,467	5,226	9,451	14,533	9,837	7
All other	17,213	1,097	128	177	636	1,125	1,459	2,477	3,186	3,295	2,516	1,111	6
Male	9,509	626	61	117	459	788	902	1,489	1,819	1,748	1,122	376	2
Female	7,704	471	67	60	177	337	557	988	1,367	1,547	1,394	735	4
Newark, N.J	15,968	400	51	81	329	361	517	1,300	2,561	3,661	4,239	2,461	7
Male	8,375	224	32	53	235	238	318	778	1,588	2,142	1,956	807	4
Female	7,593	176	19	28	94	123	199	522	973	1,519	2,283	1,654	3
White	13,013	194	20	44	208	172	257	886	2,029	3,075	3,821	2,302	5
Male	6,693	110	13	27	154	112	149	531	1,269	1,809	1,768	748	3
Female	6,320	84	7	17	54	60	108	355	760	1,266	2,053	1,554	2
All other	2,955	206	31	37	121	189	260	414	532	586	418	159	2
Male	1,682	114	19	26	81	126	169	247	319	333	188	59	1
Female	1,273	92	12	11	40	63	91	167	213	253	230	100	1
Newport News–Hampton, Va	2,014	86	14	17	68	62	106	246	400	431	411	173	–
Male	1,218	51	10	13	48	38	63	156	288	276	218	57	–
Female	796	35	4	4	20	24	43	90	112	155	193	116	–
White	1,309	43	11	12	53	32	55	144	263	275	290	131	–
Male	787	24	7	9	37	23	31	98	190	185	145	38	–
Female	522	19	4	3	16	9	24	46	73	90	145	93	–
All other	705	43	3	5	15	30	51	102	137	156	121	42	–
Male	431	27	3	4	11	15	32	58	98	91	73	19	–
Female	274	16	–	1	4	15	19	44	39	65	48	23	–
Norfolk–Portsmouth, Va	5,204	211	39	38	111	153	203	572	1,019	1,171	1,114	572	1
Male	2,865	126	22	25	77	103	131	351	654	681	522	172	1
Female	2,339	85	17	13	34	50	72	221	365	490	592	400	–
White	3,458	117	26	24	74	77	119	349	618	756	819	479	–
Male	1,867	70	15	14	51	53	76	215	405	461	367	140	–
Female	1,591	47	11	10	23	24	43	134	213	295	452	339	–
All other	1,746	94	13	14	37	76	84	223	401	415	295	93	1
Male	998	56	7	11	26	50	55	136	249	220	155	32	1
Female	748	38	6	3	11	26	29	87	152	195	140	61	–
Odessa, Tex	684	34	8	14	22	28	34	86	125	149	125	58	1
Male	428	23	5	10	15	21	23	57	84	107	60	22	1
Female	256	11	3	4	7	7	11	29	41	42	65	36	–
White	647	31	7	13	21	27	30	77	117	144	123	56	1
Male	407	23	4	9	14	20	20	52	81	103	60	20	1
Female	240	8	3	4	7	7	10	25	36	41	63	36	–
All other	37	3	1	1	1	1	4	9	8	5	2	2	–
Male	21	–	1	1	1	1	3	5	3	4	–	2	–
Female	16	3	–	–	–	–	1	4	5	1	2	–	–
Ogden, Utah	925	44	10	3	27	37	37	66	130	218	214	139	–
Male	520	22	5	2	18	27	22	39	87	133	107	58	–
Female	405	22	5	1	9	10	15	27	43	85	107	81	–
White	894	43	10	2	27	35	32	63	125	210	211	136	–
Male	504	22	5	1	18	26	20	38	83	130	106	55	–
Female	390	21	5	1	9	9	12	25	42	80	105	81	–
All other	31	1	–	1	–	2	5	3	5	8	3	3	–
Male	16	–	–	1	–	1	2	1	4	3	1	3	–
Female	15	1	–	–	–	1	3	2	1	5	2	–	–
Oklahoma City, Okla	5,491	178	38	48	171	159	168	494	849	1,276	1,320	789	1
Male	2,978	98	22	25	123	113	92	312	566	740	606	281	–
Female	2,513	80	16	23	48	46	76	182	283	536	714	508	1
White	4,922	128	28	42	142	122	145	422	762	1,160	1,240	730	1
Male	2,656	72	16	21	104	85	78	270	511	678	565	256	–
Female	2,266	56	12	21	38	37	67	152	251	482	675	474	1
All other	569	50	10	6	29	37	23	72	87	116	80	59	–
Male	322	26	6	4	19	28	14	42	55	62	41	25	–
Female	247	24	4	2	10	9	9	30	32	54	39	34	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Omaha, Nebr.–Iowa	4,273	134	31	34	111	92	128	331	624	960	1,110	718	–
Male	2,338	82	16	19	84	59	78	215	393	574	535	283	–
Female	1,935	52	15	15	27	33	50	116	231	386	575	435	–
White	3,949	109	28	31	92	78	100	290	579	903	1,049	690	–
Male	2,162	71	16	17	73	49	60	187	366	541	508	274	–
Female	1,787	38	12	14	19	29	40	103	213	362	541	416	–
All other	324	25	3	3	19	14	28	41	45	57	61	28	–
Male	176	11	–	2	11	10	18	28	27	33	27	9	–
Female	148	14	3	1	8	4	10	13	18	24	34	19	–
Orlando, Fla	4,194	103	26	38	115	108	136	384	674	975	1,024	611	–
Male	2,370	63	9	22	85	77	82	235	444	567	525	261	–
Female	1,824	40	17	16	30	31	54	149	230	408	499	350	–
White	3,600	65	20	34	91	75	101	314	555	822	947	576	–
Male	2,022	37	6	19	68	57	63	192	368	486	482	244	–
Female	1,578	28	14	15	23	18	38	122	187	336	465	332	–
All other	594	38	6	4	24	33	35	70	119	153	77	35	–
Male	348	26	3	3	17	20	19	43	76	81	43	17	–
Female	246	12	3	1	7	13	16	27	43	72	34	18	–
Owensboro, Ky	771	18	1	4	24	13	20	54	117	167	211	142	–
Male	412	10	–	3	18	9	13	33	76	105	92	53	–
Female	359	8	1	1	6	4	7	21	41	62	119	89	–
White	725	15	1	4	23	11	19	47	114	155	200	136	–
Male	390	8	–	3	17	7	12	29	73	101	90	50	–
Female	335	7	1	1	6	4	7	18	41	54	110	86	–
All other	46	3	–	–	1	2	1	7	3	12	11	6	–
Male	22	2	–	–	1	2	1	4	3	4	2	3	–
Female	24	1	–	–	–	–	–	3	–	8	9	3	–
Oxnard–Ventura, Calif	2,651	77	24	22	95	77	111	249	389	603	622	379	3
Male	1,475	53	18	13	69	51	68	153	255	358	300	134	3
Female	1,176	24	6	9	26	26	43	96	134	245	322	245	–
White	2,593	71	22	19	90	73	108	238	384	595	615	375	3
Male	1,447	50	18	11	65	48	68	148	253	353	298	132	3
Female	1,146	21	4	8	25	25	40	90	131	242	317	243	–
All other	58	6	2	3	5	4	3	11	5	8	7	4	–
Male	28	3	–	2	4	3	–	5	2	5	2	2	–
Female	30	3	2	1	1	1	3	6	3	3	5	2	–
Patterson–Clifton–Passaic, N.J	11,906	188	31	46	190	186	325	945	2,017	2,723	3,233	2,020	2
Male	6,116	94	17	32	136	125	197	570	1,268	1,573	1,404	699	1
Female	5,790	94	14	14	54	61	128	375	749	1,150	1,829	1,321	1
White	11,269	138	27	37	167	148	251	871	1,896	2,605	3,144	1,983	2
Male	5,771	68	15	25	121	103	151	527	1,199	1,510	1,363	688	1
Female	5,498	70	12	12	46	45	100	344	697	1,095	1,781	1,295	1
All other	637	50	4	9	23	38	74	74	121	118	89	37	–
Male	345	26	2	7	15	22	46	43	69	63	41	11	–
Female	292	24	2	2	8	16	28	31	52	55	48	26	–
Pensacola, Fla	1,930	67	12	20	56	44	91	210	364	448	392	226	–
Male	1,126	31	7	13	38	33	53	147	241	285	192	86	–
Female	804	36	5	7	18	11	38	63	123	163	200	140	–
White	1,551	48	9	16	41	32	68	164	297	350	336	190	–
Male	914	18	6	12	30	24	41	122	199	231	159	72	–
Female	637	30	3	4	11	8	27	42	98	119	177	118	–
All other	379	19	3	4	15	12	23	46	67	98	56	36	–
Male	212	13	1	1	8	9	12	25	42	54	33	14	–
Female	167	6	2	3	7	3	11	21	25	44	23	22	–
Peoria, Ill	2,885	69	16	16	61	60	93	203	438	667	751	511	–
Male	1,606	46	9	11	52	40	63	124	288	415	377	181	–
Female	1,279	23	7	5	9	20	30	79	150	252	374	330	–
White	2,754	53	15	14	54	56	83	191	407	645	737	499	–
Male	1,540	35	8	10	48	39	56	119	269	407	371	178	–
Female	1,214	18	7	4	6	17	27	72	138	238	366	321	–
All other	131	16	1	2	7	4	10	12	31	22	14	12	–
Male	66	11	1	1	4	1	7	5	19	8	6	3	–
Female	65	5	–	1	3	3	3	7	12	14	8	9	–
Petersburg–Colonial Heights, Va	1,018	30	5	5	11	21	38	122	189	242	240	115	–
Male	566	20	3	3	5	16	20	78	131	147	104	39	–
Female	452	10	2	2	6	5	18	44	58	95	136	76	–
White	637	8	3	3	6	11	13	67	116	159	158	93	–
Male	344	5	2	2	3	9	8	43	81	99	63	29	–
Female	293	3	1	1	3	2	5	24	35	60	95	64	–
All other	381	22	2	2	5	10	25	55	73	83	82	22	–
Male	222	15	1	1	2	7	12	35	50	48	41	10	–
Female	159	7	1	1	3	3	13	20	23	35	41	12	–
Philadelphia, Pa.–N.J	45,448	1,034	141	256	846	937	1,403	3,851	7,745	10,728	11,930	6,567	10
Male	24,330	559	71	157	627	640	854	2,408	4,893	6,239	5,622	2,253	7
Female	21,118	475	70	99	219	297	549	1,443	2,852	4,489	6,308	4,314	3
White	37,000	611	86	175	589	573	844	2,703	6,101	8,881	10,485	5,950	2
Male	19,524	338	40	113	433	391	510	1,706	3,897	5,206	4,868	2,020	2
Female	17,476	273	46	62	156	182	334	997	2,204	3,675	5,617	3,930	–
All other	8,448	423	55	81	257	364	559	1,148	1,644	1,847	1,445	617	8
Male	4,806	221	31	44	194	249	344	702	996	1,033	754	233	5
Female	3,642	202	24	37	63	115	215	446	648	814	691	384	3

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Phoenix, Ariz	9,439	285	60	85	262	264	344	760	1,558	2,384	2,303	1,132	2
Male	5,562	157	39	52	186	183	218	486	1,001	1,534	1,267	439	–
Female	3,877	128	21	33	76	81	126	274	557	850	1,036	693	2
White	9,002	249	56	76	231	242	312	701	1,490	2,295	2,245	1,104	1
Male	5,300	144	37	51	165	168	199	447	960	1,474	1,226	429	–
Female	3,702	105	19	25	66	74	113	254	530	821	1,019	675	1
All other	437	36	4	9	31	22	32	59	68	89	58	28	1
Male	262	13	2	1	21	15	19	39	41	60	41	10	–
Female	175	23	2	8	10	7	13	20	27	29	17	18	1
Pine Bluff, Ark	784	15	8	6	25	20	13	65	132	184	190	126	–
Male	402	9	4	2	22	11	7	32	75	101	98	41	–
Female	382	6	4	4	3	9	6	33	57	83	92	85	–
White	429	6	4	4	12	10	6	31	73	96	116	71	–
Male	228	3	2	2	11	6	4	17	42	59	61	21	–
Female	201	3	2	2	1	4	2	14	31	37	55	50	–
All other	355	9	4	2	13	10	7	34	59	88	74	55	–
Male	174	6	2	–	11	5	3	15	33	42	37	20	–
Female	181	3	2	2	2	5	4	19	26	46	37	35	–
Pittsburgh, Pa	24,374	395	60	108	378	332	538	1,900	4,200	6,049	6,619	3,792	3
Male	13,175	240	33	71	288	216	326	1,219	2,615	3,543	3,184	1,438	2
Female	11,199	155	27	37	90	116	212	681	1,585	2,506	3,435	2,354	1
White	22,347	299	47	92	328	270	446	1,689	3,840	5,566	6,152	3,615	3
Male	12,071	185	28	61	254	173	273	1,093	2,410	3,287	2,937	1,368	2
Female	10,276	114	19	31	74	97	173	596	1,430	2,279	3,215	2,247	1
All other	2,027	96	13	16	50	62	92	211	360	483	467	177	–
Male	1,104	55	5	10	34	43	53	126	205	256	247	70	–
Female	923	41	8	6	16	19	39	85	155	227	220	107	–
Pittsfield, Mass	1,519	23	3	7	34	18	24	82	227	345	439	317	–
Male	796	16	1	5	27	12	12	54	149	216	209	95	–
Female	723	7	2	2	7	6	12	28	78	129	230	222	–
White	1,502	23	3	6	34	18	24	82	222	339	437	314	–
Male	787	16	1	5	27	12	12	54	145	213	207	95	–
Female	715	7	2	1	7	6	12	28	77	126	230	219	–
All other	17	–	–	1	–	–	–	–	5	6	2	3	–
Male	9	–	–	–	–	–	–	–	4	3	2	–	–
Female	8	–	–	1	–	–	–	–	1	3	–	3	–
Portland, Maine	2,017	26	8	9	37	23	48	135	273	500	563	395	–
Male	1,062	21	3	5	28	14	33	83	166	303	266	140	–
Female	955	5	5	4	9	9	15	52	107	197	297	255	–
White	2,011	26	7	9	37	23	48	134	272	498	562	395	–
Male	1,058	21	2	5	28	14	33	82	166	302	265	140	–
Female	953	5	5	4	9	9	15	52	106	196	297	255	–
All other	6	–	1	–	–	–	–	1	1	2	1	–	–
Male	4	–	1	–	–	–	–	1	–	1	1	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Portland, Oreg.–Wash	9,834	181	35	66	216	203	265	678	1,472	2,163	2,593	1,959	3
Male	5,345	109	22	44	148	136	178	424	952	1,312	1,273	744	3
Female	4,489	72	13	22	68	67	87	254	520	851	1,320	1,215	–
White	9,509	167	32	63	204	188	241	629	1,417	2,093	2,550	1,922	3
Male	5,131	99	20	41	139	127	159	395	910	1,266	1,246	726	3
Female	4,378	68	12	22	65	61	82	234	507	827	1,304	1,196	–
All other	325	14	3	3	12	15	24	49	55	70	43	37	–
Male	214	10	2	3	9	9	19	29	42	46	27	18	–
Female	111	4	1	–	3	6	5	20	13	24	16	19	–
Providence, R.I	7,881	121	19	39	116	104	172	556	1,190	1,894	2,272	1,397	1
Male	4,194	71	8	23	92	79	106	355	750	1,108	1,083	519	–
Female	3,687	50	11	16	24	25	66	201	440	786	1,189	878	1
White	7,698	106	17	37	106	92	159	530	1,170	1,870	2,233	1,377	1
Male	4,083	63	6	22	85	68	97	337	736	1,099	1,063	507	–
Female	3,615	43	11	15	21	24	62	193	434	771	1,170	870	1
All other	183	15	2	2	10	12	13	26	20	24	39	20	–
Male	111	8	2	1	7	11	9	18	14	9	20	12	–
Female	72	7	–	1	3	1	4	8	6	15	19	8	–
Provo–Orem, Utah	903	60	13	11	35	20	22	59	129	179	233	142	–
Male	514	28	7	5	24	16	14	35	91	119	124	51	–
Female	389	32	6	6	11	4	8	24	38	60	109	91	–
White	898	59	11	11	34	19	22	59	129	179	233	142	–
Male	512	27	6	5	24	16	14	35	91	119	124	51	–
Female	386	32	5	6	10	3	8	24	38	60	109	91	–
All other	5	1	2	–	1	1	–	–	–	–	–	–	–
Male	2	1	1	–	–	–	–	–	–	–	–	–	–
Female	3	–	1	–	1	1	–	–	–	–	–	–	–
Pueblo, Colo	1,051	22	7	2	26	29	40	81	156	233	283	172	–
Male	570	15	7	1	21	17	24	49	93	128	148	67	–
Female	481	7	–	1	5	12	16	32	63	105	135	105	–
White	1,033	22	7	2	25	28	40	79	153	231	276	170	–
Male	565	15	7	1	21	17	24	49	92	128	145	66	–
Female	468	7	–	1	4	11	16	30	61	103	131	104	–
All other	18	–	–	–	1	1	–	2	3	2	7	2	–
Male	5	–	–	–	–	–	–	–	1	–	3	1	–
Female	13	–	–	–	1	1	–	2	2	2	4	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Racine, Wis	1,374	33	7	7	36	24	28	101	186	295	406	251	–
Male	700	15	4	5	28	16	16	69	113	170	185	79	–
Female	674	18	3	2	8	8	12	32	73	125	221	172	–
White	1,305	22	5	4	32	19	26	86	179	284	401	247	–
Male	665	11	4	3	25	13	15	57	106	169	184	78	–
Female	640	11	1	1	7	6	11	29	73	115	217	169	–
All other	69	11	2	3	4	5	2	15	7	11	5	4	–
Male	35	4	–	2	3	3	1	12	7	1	1	1	–
Female	34	7	2	1	1	2	1	3	–	10	4	3	–
Raleigh, N.C	1,753	55	7	13	53	49	80	201	307	400	364	223	1
Male	962	33	3	8	32	30	48	139	219	235	161	54	–
Female	791	22	4	5	21	19	32	62	88	165	203	169	1
White	1,249	30	4	8	40	32	45	136	205	280	287	182	–
Male	670	19	1	5	23	20	23	94	159	165	120	41	–
Female	579	11	3	3	17	12	22	42	46	115	167	141	–
All other	504	25	3	5	13	17	35	65	102	120	77	41	1
Male	292	14	2	3	9	10	25	45	60	70	41	13	–
Female	212	11	1	2	4	7	10	20	42	50	36	28	1
Reading, Pa	3,069	56	12	13	36	34	55	215	457	757	947	487	–
Male	1,676	29	11	8	26	22	33	125	301	454	478	189	–
Female	1,393	27	1	5	10	12	22	90	156	303	469	298	–
White	2,999	48	12	12	32	33	49	210	449	741	933	480	–
Male	1,640	26	11	8	24	22	29	123	295	444	470	188	–
Female	1,359	22	1	4	8	11	20	87	154	297	463	292	–
All other	70	8	–	1	4	1	6	5	8	16	14	7	–
Male	36	3	–	–	2	–	4	2	6	10	8	1	–
Female	34	5	–	1	2	1	2	3	2	6	6	6	–
Reno, Nev	1,230	30	4	9	40	52	46	137	216	273	267	156	–
Male	750	20	3	6	27	34	28	81	138	186	153	74	–
Female	480	10	1	3	13	18	18	56	78	87	114	82	–
White	1,182	26	4	9	36	45	43	132	210	264	259	154	–
Male	716	16	3	6	24	30	26	78	133	179	148	73	–
Female	466	10	1	3	12	15	17	54	77	85	111	81	–
All other	48	4	–	–	4	7	3	5	6	9	8	2	–
Male	34	4	–	–	3	4	2	3	5	7	5	1	–
Female	14	–	–	–	1	3	1	2	1	2	3	1	–
Richmond, Va	4,867	125	15	22	103	105	192	476	876	1,159	1,132	661	1
Male	2,603	74	10	13	77	64	123	315	549	683	486	208	1
Female	2,264	51	5	9	26	41	69	161	327	476	646	453	–
White	3,463	68	6	13	68	64	115	286	569	820	881	572	1
Male	1,829	45	4	8	56	42	78	186	369	484	378	178	1
Female	1,634	23	2	5	12	22	37	100	200	336	503	394	–
All other	1,404	57	9	9	35	41	77	190	307	339	251	89	–
Male	774	29	6	5	21	22	45	129	180	199	108	30	–
Female	630	28	3	4	14	19	32	61	127	140	143	59	–
Roanoke, Va	1,860	35	6	15	36	46	71	168	303	448	474	258	–
Male	1,074	23	1	12	28	35	47	119	198	262	252	97	–
Female	786	12	5	3	8	11	24	49	105	186	222	161	–
White	1,602	29	2	11	32	39	56	132	264	378	421	238	–
Male	924	19	–	9	26	30	39	99	171	222	219	90	–
Female	678	10	2	2	6	9	17	33	93	156	202	148	–
All other	258	6	4	4	4	7	15	36	39	70	53	20	–
Male	150	4	1	3	2	5	8	20	27	40	33	7	–
Female	108	2	3	1	2	2	7	16	12	30	20	13	–
Rochester, Minn	514	11	2	1	17	7	11	23	56	112	139	135	–
Male	257	8	1	–	11	1	6	14	37	62	63	54	–
Female	257	3	1	1	6	6	5	9	19	50	76	81	–
White	513	11	2	1	17	7	10	23	56	112	139	135	–
Male	257	8	1	–	11	1	6	14	37	62	63	54	–
Female	256	3	1	1	6	6	4	9	19	50	76	81	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Rochester, N.Y	7,465	168	27	50	146	129	183	544	1,103	1,569	2,057	1,485	4
Male	3,905	86	16	35	103	85	108	322	699	946	961	542	2
Female	3,560	82	11	15	43	44	75	222	404	623	1,096	943	2
White	7,094	118	19	42	118	106	155	481	1,047	1,514	2,020	1,470	4
Male	3,691	61	11	29	86	71	91	283	672	908	941	536	2
Female	3,403	57	8	13	32	35	64	198	375	606	1,079	934	2
All other	371	50	8	8	28	23	28	63	56	55	37	15	–
Male	214	25	5	6	17	14	17	39	27	38	20	6	–
Female	157	25	3	2	11	9	11	24	29	17	17	9	–
Rockford, Ill	2,216	55	11	20	55	53	65	165	334	464	572	422	–
Male	1,235	32	6	15	42	36	46	101	226	293	270	168	–
Female	981	23	5	5	13	17	19	64	108	171	302	254	–
White	2,122	47	9	14	51	45	59	148	322	451	557	419	–
Male	1,179	29	5	12	40	29	43	90	217	286	261	167	–
Female	943	18	4	2	11	16	16	58	105	165	296	252	–
All other	94	8	2	6	4	8	6	17	12	13	15	3	–
Male	56	3	1	3	2	7	3	11	9	7	9	1	–
Female	38	5	1	3	2	1	3	6	3	6	6	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sacramento, Calif	6,847	142	40	41	194	182	248	603	1,176	1,572	1,611	1,035	3
Male	3,925	78	21	28	134	117	171	375	778	969	831	421	2
Female	2,922	64	19	13	60	65	77	228	398	603	780	614	1
White	6,371	122	33	37	172	162	218	545	1,099	1,471	1,529	980	3
Male	3,636	68	16	25	120	106	152	337	733	901	793	383	2
Female	2,735	54	17	12	52	56	66	208	366	570	736	597	1
All other	476	20	7	4	22	20	30	58	77	101	82	55	–
Male	289	10	5	3	14	11	19	38	45	68	38	38	–
Female	187	10	2	1	8	9	11	20	32	33	44	17	–
Saginaw, Mich	1,834	67	10	17	60	44	57	130	288	408	441	312	–
Male	1,046	42	6	12	46	31	44	80	205	259	207	114	–
Female	788	25	4	5	14	13	13	50	83	149	234	198	–
White	1,606	50	8	15	41	35	39	94	245	365	414	300	–
Male	896	30	5	12	32	25	30	56	173	233	189	111	–
Female	710	20	3	3	9	10	9	38	72	132	225	189	–
All other	228	17	2	2	19	9	18	36	43	43	27	12	–
Male	150	12	1	–	14	6	14	24	32	26	18	3	–
Female	78	5	1	2	5	3	4	12	11	17	9	9	–
St. Joseph, Mo	1,118	16	2	3	23	17	23	72	140	287	320	215	–
Male	622	13	1	2	23	12	14	48	93	185	148	83	–
Female	496	3	1	1	–	5	9	24	47	102	172	132	–
White	1,079	16	2	3	20	17	21	70	136	276	306	212	–
Male	600	13	1	2	20	12	13	46	93	178	140	82	–
Female	479	3	1	1	–	5	8	24	43	98	166	130	–
All other	39	–	–	–	3	–	2	2	4	11	14	3	–
Male	22	–	–	–	3	–	1	2	–	7	8	1	–
Female	17	–	–	–	–	–	1	–	4	4	6	2	–
St. Louis, Mo.–Ill	21,701	536	93	114	574	489	677	1,728	3,308	5,212	5,523	3,437	10
Male	11,572	297	50	73	434	342	419	1,090	2,076	3,065	2,612	1,106	8
Female	10,129	239	43	41	140	147	258	638	1,232	2,147	2,911	2,331	2
White	17,845	309	50	83	407	304	442	1,286	2,650	4,310	4,862	3,136	6
Male	9,332	171	28	51	303	213	258	815	1,694	2,560	2,261	974	4
Female	8,513	138	22	32	104	91	184	471	956	1,750	2,601	2,162	2
All other	3,856	227	43	31	167	185	235	442	658	902	661	301	4
Male	2,240	126	22	22	131	129	161	275	382	505	351	132	4
Female	1,616	101	21	9	36	56	74	167	276	397	310	169	–
Salem, Oreg	1,916	42	10	23	50	26	51	136	240	431	509	398	–
Male	1,069	25	7	16	40	15	34	89	151	277	267	148	–
Female	847	17	3	7	10	11	17	47	89	154	242	250	–
White	1,904	40	10	22	49	26	50	133	238	429	509	398	–
Male	1,062	25	7	15	39	15	34	88	149	275	267	148	–
Female	842	15	3	7	10	11	16	45	89	154	242	250	–
All other	12	2	–	1	1	–	1	3	2	2	–	–	–
Male	7	–	–	1	1	–	–	1	2	2	–	–	–
Female	5	2	–	–	–	–	1	2	–	–	–	–	–
Salinas–Monterey, Calif	1,849	55	12	16	82	58	61	172	286	388	433	284	2
Male	1,059	27	5	10	63	47	45	112	175	239	227	107	2
Female	790	28	7	6	19	11	16	60	111	149	206	177	–
White	1,704	43	12	15	74	51	51	157	265	356	398	280	2
Male	959	23	5	9	57	43	39	103	158	214	201	105	2
Female	745	20	7	6	17	8	12	54	107	142	197	175	–
All other	145	12	–	1	8	7	10	15	21	32	35	4	–
Male	100	4	–	1	6	4	6	9	17	25	26	2	–
Female	45	8	–	–	2	3	4	6	4	7	9	2	–
Salt Lake City, Utah	3,640	196	40	42	113	129	96	260	535	738	906	583	2
Male	2,023	107	26	30	82	90	61	163	352	445	447	218	2
Female	1,617	89	14	12	31	39	35	97	183	293	459	365	–
White	3,588	193	39	41	109	123	94	257	528	729	897	576	2
Male	1,997	106	25	30	79	88	59	161	345	440	445	217	2
Female	1,591	87	14	11	30	35	35	96	183	289	452	359	–
All other	52	3	1	1	4	6	2	3	7	9	9	7	–
Male	26	1	1	–	3	2	2	2	7	5	2	1	–
Female	26	2	–	1	1	4	–	1	–	4	7	6	–
San Angelo, Tex	782	17	–	6	15	10	23	58	103	194	227	129	–
Male	430	6	–	5	10	9	12	41	67	120	109	51	–
Female	352	11	–	1	5	1	11	17	36	74	118	78	–
White	749	17	–	5	15	9	22	57	99	180	216	129	–
Male	411	6	–	4	10	8	11	40	65	111	105	51	–
Female	338	11	–	1	5	1	11	17	34	69	111	78	–
All other	33	–	–	1	–	1	1	1	4	14	11	–	–
Male	19	–	–	1	–	1	1	1	2	9	4	–	–
Female	14	–	–	–	–	–	–	–	2	5	7	–	–
San Antonio, Tex	6,714	207	48	66	242	187	250	607	945	1,543	1,650	969	–
Male	3,652	127	28	42	181	137	159	390	592	911	720	365	–
Female	3,062	80	20	24	61	50	91	217	353	632	930	604	–
White	6,081	170	41	63	216	151	220	535	847	1,399	1,525	914	–
Male	3,314	108	22	39	168	112	139	350	533	836	665	342	–
Female	2,767	62	19	24	48	39	81	185	314	563	860	572	–
All other	633	37	7	3	26	36	30	72	98	144	125	55	–
Male	338	19	6	3	13	25	20	40	59	75	55	23	–
Female	295	18	1	–	13	11	10	32	39	69	70	32	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
San Bernardino–Riverside–Ontario, Calif	11,326	258	66	78	329	294	306	796	1,651	2,716	3,012	1,815	5
Male	6,333	153	40	43	249	204	198	488	998	1,673	1,564	720	3
Female	4,993	105	26	35	80	90	108	308	653	1,043	1,448	1,095	2
White	10,850	233	59	71	305	266	283	739	1,572	2,596	2,943	1,778	5
Male	6,061	136	37	38	230	187	185	450	955	1,606	1,525	709	3
Female	4,789	97	22	33	75	79	98	289	617	990	1,418	1,069	2
All other	476	25	7	7	24	28	23	57	79	120	69	37	–
Male	272	17	3	5	19	17	13	38	43	67	39	11	–
Female	204	8	4	2	5	11	10	19	36	53	30	26	–
San Diego, Calif	11,570	293	51	92	419	332	354	931	1,719	2,651	2,824	1,893	11
Male	6,355	178	25	64	337	220	214	569	1,038	1,594	1,417	690	9
Female	5,215	115	26	28	82	112	140	362	681	1,057	1,407	1,203	2
White	10,981	242	42	80	376	282	293	857	1,643	2,551	2,752	1,853	10
Male	6,006	142	21	57	301	190	174	517	1,000	1,535	1,383	677	9
Female	4,975	100	21	23	75	92	119	340	643	1,016	1,369	1,176	1
All other	589	51	9	12	43	50	61	74	76	100	72	40	1
Male	349	36	4	7	36	30	40	52	38	59	34	13	–
Female	240	15	5	5	7	20	21	22	38	41	38	27	1
San Francisco–Oakland, Calif	26,847	483	94	147	680	862	896	2,183	4,238	5,801	6,905	4,544	14
Male	14,455	283	63	76	485	621	581	1,338	2,647	3,429	3,312	1,611	9
Female	12,392	200	31	71	195	241	315	845	1,591	2,372	3,593	2,933	5
White	23,028	297	65	105	509	621	687	1,733	3,543	4,992	6,222	4,244	10
Male	12,095	176	45	54	365	443	453	1,047	2,203	2,901	2,922	1,480	6
Female	10,933	121	20	51	144	178	234	686	1,340	2,091	3,300	2,764	4
All other	3,819	186	29	42	171	241	209	450	695	809	683	300	4
Male	2,360	107	18	22	120	178	128	291	444	528	390	131	3
Female	1,459	79	11	20	51	63	81	159	251	281	293	169	1
San Jose, Calif	7,053	203	49	59	218	269	262	633	1,056	1,466	1,646	1,192	–
Male	3,780	123	35	27	160	177	157	378	652	870	761	440	–
Female	3,273	80	14	32	58	92	105	255	404	596	885	752	–
White	6,766	189	48	57	207	247	234	600	1,015	1,407	1,599	1,163	–
Male	3,617	119	34	27	152	157	137	359	626	841	740	425	–
Female	3,149	70	14	30	55	90	97	241	389	566	859	738	–
All other	287	14	1	2	11	22	28	33	41	59	47	29	–
Male	163	4	1	–	8	20	20	19	26	29	21	15	–
Female	124	10	–	2	3	2	8	14	15	30	26	14	–
Santa Barbara, Calif	2,204	47	11	14	59	55	64	175	284	504	587	404	–
Male	1,227	24	4	10	46	38	49	116	188	306	305	141	–
Female	977	23	7	4	13	17	15	59	96	198	282	263	–
White	2,131	40	11	13	58	51	61	165	274	489	573	396	–
Male	1,175	20	4	10	45	34	46	113	180	293	293	137	–
Female	956	20	7	3	13	17	15	52	94	196	280	259	–
All other	73	7	–	1	1	4	3	10	10	15	14	8	–
Male	52	4	–	–	1	4	3	3	8	13	12	4	–
Female	21	3	–	1	–	–	–	7	2	2	2	4	–
Santa Rosa, Calif	2,521	45	9	17	52	62	67	160	362	579	699	469	–
Male	1,385	26	7	10	41	40	42	96	208	358	363	194	–
Female	1,136	19	2	7	11	22	25	64	154	221	336	275	–
White	2,478	43	8	17	46	60	66	155	354	570	690	469	–
Male	1,356	24	6	10	35	39	41	94	203	353	357	194	–
Female	1,122	19	2	7	11	21	25	61	151	217	333	275	–
All other	43	2	1	–	6	2	1	5	8	9	9	–	–
Male	29	2	1	–	6	1	1	2	5	5	6	–	–
Female	14	–	–	–	–	1	–	3	3	4	3	–	–
Savannah, Ga	1,874	49	11	15	45	46	64	203	358	478	438	167	–
Male	994	26	7	5	32	31	33	125	220	279	192	44	–
Female	880	23	4	10	13	15	31	78	138	199	246	123	–
White	1,140	23	3	6	24	21	33	114	202	287	282	145	–
Male	616	8	3	2	19	14	19	77	135	178	126	35	–
Female	524	15	–	4	5	7	14	37	67	109	156	110	–
All other	734	26	8	9	21	25	31	89	156	191	156	22	–
Male	378	18	4	3	13	17	14	48	85	101	66	9	–
Female	356	8	4	6	8	8	17	41	71	90	90	13	–
Scranton, Pa	2,906	44	3	13	16	32	53	205	477	751	914	396	2
Male	1,510	26	1	9	13	22	39	134	305	435	400	124	2
Female	1,396	18	2	4	3	10	14	71	172	316	514	272	–
White	2,881	42	3	12	15	30	53	205	475	748	905	391	2
Male	1,500	24	1	8	13	22	39	134	305	433	396	123	2
Female	1,381	18	2	4	2	8	14	71	170	315	509	268	–
All other	25	2	–	1	1	2	–	–	2	3	9	5	–
Male	10	2	–	1	–	–	–	–	–	2	4	1	–
Female	15	–	–	–	1	2	–	–	2	1	5	4	–
Seattle–Everett, Wash	11,423	246	40	69	256	260	319	907	1,739	2,497	2,872	2,216	2
Male	6,251	151	23	38	182	178	200	583	1,127	1,533	1,392	842	2
Female	5,172	95	17	31	74	82	119	324	612	964	1,480	1,374	–
White	10,764	216	34	64	224	229	285	799	1,630	2,364	2,759	2,159	1
Male	5,820	131	17	34	164	156	182	509	1,049	1,434	1,338	805	1
Female	4,944	85	17	30	60	73	103	290	581	930	1,421	1,354	–
All other	659	30	6	5	32	31	34	108	109	133	113	57	1
Male	431	20	6	4	18	22	18	74	78	99	54	37	1
Female	228	10	–	1	14	9	16	34	31	34	59	20	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sherman–Denison, Tex	975	9	4	3	17	12	21	54	124	255	309	167	–
Male	545	7	4	3	14	9	17	43	73	155	169	51	–
Female	430	2	–	–	3	3	4	11	51	100	140	116	–
White	912	6	4	2	16	10	18	49	118	231	296	162	–
Male	516	5	4	2	13	8	14	40	71	146	162	51	–
Female	396	1	–	–	3	2	4	9	47	85	134	111	–
All other	63	3	–	1	1	2	3	5	6	24	13	5	–
Male	29	2	–	1	1	1	3	3	2	9	7	–	–
Female	34	1	–	–	–	1	–	2	4	15	6	5	–
Shreveport, La	2,842	100	13	31	67	69	123	265	455	685	662	372	–
Male	1,572	46	7	21	53	50	82	154	304	390	325	140	–
Female	1,270	54	6	10	14	19	41	111	151	295	337	232	–
White	1,793	35	7	17	39	30	78	161	302	444	426	254	–
Male	1,025	15	4	12	30	24	56	98	218	261	219	88	–
Female	768	20	3	5	9	6	22	63	84	183	207	166	–
All other	1,049	65	6	14	28	39	45	104	153	241	236	118	–
Male	547	31	3	9	23	26	26	56	86	129	106	52	–
Female	502	34	3	5	5	13	19	48	67	112	130	66	–
Sioux City, Iowa–Nebr	1,094	46	12	6	34	18	32	67	140	248	299	191	1
Male	615	26	8	5	23	13	20	45	103	153	136	82	1
Female	479	20	4	1	11	5	12	22	37	95	163	109	–
White	1,070	43	12	6	33	14	32	62	137	247	294	189	1
Male	602	24	8	5	23	11	20	43	100	152	134	81	1
Female	468	19	4	1	10	3	12	19	37	95	160	108	–
All other	24	3	–	–	1	4	–	5	3	1	5	2	–
Male	13	2	–	–	–	2	–	2	3	1	2	1	–
Female	11	1	–	–	1	2	–	3	–	–	3	1	–
Sioux Falls, S. Dak	829	28	8	8	16	17	22	42	110	184	226	168	–
Male	463	18	5	5	12	11	13	21	79	99	134	66	–
Female	366	10	3	3	4	6	9	21	31	85	92	102	–
White	823	26	7	7	16	17	22	42	110	184	224	168	–
Male	458	16	4	5	12	11	13	21	79	99	132	66	–
Female	365	10	3	2	4	6	9	21	31	85	92	102	–
All other	6	2	1	1	–	–	–	–	–	–	2	–	–
Male	5	2	1	–	–	–	–	–	–	–	2	–	–
Female	1	–	–	1	–	–	–	–	–	–	–	–	–
South Bend, Ind	2,585	62	10	16	64	33	45	187	370	603	720	475	–
Male	1,390	35	6	9	41	23	28	131	236	359	348	174	–
Female	1,195	27	4	7	23	10	17	56	134	244	372	301	–
White	2,399	54	9	15	57	27	40	172	343	546	685	451	–
Male	1,294	30	5	9	38	19	26	122	221	330	331	163	–
Female	1,105	24	4	6	19	8	14	50	122	216	354	288	–
All other	186	8	1	1	7	6	5	15	27	57	35	24	–
Male	96	5	1	–	3	4	2	9	15	29	17	11	–
Female	90	3	–	1	4	2	3	6	12	28	18	13	–
Spokane, Wash	2,897	69	15	24	62	61	75	199	398	606	771	616	1
Male	1,554	40	8	14	43	32	45	117	260	373	392	229	1
Female	1,343	29	7	10	19	29	30	82	138	233	379	387	–
White	2,843	64	15	24	62	57	71	194	385	596	763	611	1
Male	1,524	36	8	14	43	30	44	114	251	368	389	226	1
Female	1,319	28	7	10	19	27	27	80	134	228	374	385	–
All other	54	5	–	–	–	4	4	5	13	10	8	5	–
Male	30	4	–	–	–	2	1	3	9	5	3	3	–
Female	24	1	–	–	–	2	3	2	4	5	5	2	–
Springfield, Ill	1,629	35	4	18	39	36	34	96	242	411	420	294	–
Male	861	19	2	13	27	27	19	66	145	242	208	93	–
Female	768	16	2	5	12	9	15	30	97	169	212	201	–
White	1,536	21	3	16	36	30	27	88	232	391	406	286	–
Male	808	12	2	12	25	22	13	61	141	228	202	90	–
Female	728	9	1	4	11	8	14	27	91	163	204	196	–
All other	93	14	1	2	3	6	7	8	10	20	14	8	–
Male	53	7	–	1	2	5	6	5	4	14	6	3	–
Female	40	7	1	1	1	1	1	3	6	6	8	5	–
Springfield, Mo	1,567	27	8	9	18	33	35	104	235	346	446	306	–
Male	814	13	4	8	14	24	23	60	158	207	207	96	–
Female	753	14	4	1	4	9	12	44	77	139	239	210	–
White	1,534	25	7	9	17	32	34	101	230	340	439	300	–
Male	793	12	4	8	13	23	22	59	155	203	201	93	–
Female	741	13	3	1	4	9	12	42	75	137	238	207	–
All other	33	2	1	–	1	1	1	3	5	6	7	6	–
Male	21	1	–	–	1	1	1	1	3	4	6	3	–
Female	12	1	1	–	–	–	–	2	2	2	1	3	–
Springfield, Ohio	1,378	31	5	5	18	18	31	111	198	300	388	273	–
Male	723	15	1	2	15	12	18	69	127	176	182	106	–
Female	655	16	4	3	3	6	13	42	71	124	206	167	–
White	1,228	25	4	2	15	15	27	92	178	265	353	252	–
Male	651	12	1	–	12	10	15	60	113	159	168	101	–
Female	577	13	3	2	3	5	12	32	65	106	185	151	–
All other	150	6	1	3	3	3	4	19	20	35	35	21	–
Male	72	3	–	2	3	2	3	9	14	17	14	5	–
Female	78	3	1	1	–	1	1	10	6	18	21	16	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Springfield–Holyoke, Mass	5,329	81	16	24	96	80	114	358	794	1,159	1,547	1,057	3
Male	2,838	49	11	12	76	51	81	240	509	718	730	358	3
Female	2,491	32	5	12	20	29	33	118	285	441	817	699	–
White	5,168	68	15	22	89	72	103	336	765	1,129	1,522	1,044	3
Male	2,754	40	10	10	73	47	75	229	491	699	723	354	3
Female	2,414	28	5	12	16	25	28	107	274	430	799	690	–
All other	161	13	1	2	7	8	11	22	29	30	25	13	–
Male	84	9	1	2	3	4	6	11	18	19	7	4	–
Female	77	4	–	–	4	4	5	11	11	11	18	9	–
Steubenville–Weirton, Ohio–W. Va	1,685	35	4	7	30	25	41	131	292	445	425	250	–
Male	932	14	1	2	22	13	26	85	189	261	213	106	–
Female	753	21	3	5	8	12	15	46	103	184	212	144	–
White	1,602	34	4	7	29	23	37	118	278	422	408	242	–
Male	888	13	1	2	22	12	25	77	178	250	204	104	–
Female	714	21	3	5	7	11	12	41	100	172	204	138	–
All other	83	1	–	–	1	2	4	13	14	23	17	8	–
Male	44	1	–	–	–	1	3	8	11	11	9	2	–
Female	39	–	–	–	1	1	3	5	3	12	8	6	–
Stockton, Calif	2,894	60	14	22	82	77	96	237	458	688	693	467	–
Male	1,703	40	10	13	55	56	56	148	298	444	397	186	–
Female	1,191	20	4	9	27	21	40	89	160	244	296	281	–
White	2,602	48	11	19	71	68	84	214	409	601	631	446	–
Male	1,504	32	8	11	46	51	49	134	261	384	352	176	–
Female	1,098	16	3	8	25	17	35	80	148	217	279	270	–
All other	292	12	3	3	11	9	12	23	49	87	62	21	–
Male	199	8	2	2	9	5	7	14	37	60	45	10	–
Female	93	4	1	1	2	4	5	9	12	27	17	11	–
Syracuse, N.Y	5,531	130	23	38	115	103	139	397	847	1,229	1,551	954	5
Male	2,963	70	16	13	80	68	76	246	533	755	781	320	5
Female	2,568	60	7	25	35	35	63	151	314	474	770	634	–
White	5,354	110	19	35	109	92	126	372	812	1,202	1,526	947	4
Male	2,860	62	12	12	76	61	70	231	509	738	768	317	4
Female	2,494	48	7	23	33	31	56	141	303	464	758	630	–
All other	177	20	4	3	6	11	13	25	35	27	25	7	1
Male	103	8	4	1	4	7	6	15	24	17	13	3	1
Female	74	12	–	2	2	4	7	10	11	10	12	4	–
Tacoma, Wash	3,424	112	20	33	94	90	110	278	517	772	814	584	–
Male	1,889	67	8	18	64	63	62	174	337	476	392	228	–
Female	1,535	45	12	15	30	27	48	104	180	296	422	356	–
White	3,284	105	18	31	82	83	96	255	493	740	803	578	–
Male	1,809	63	7	17	57	57	56	161	321	460	386	224	–
Female	1,475	42	11	14	25	26	40	94	172	280	417	354	–
All other	140	7	2	2	12	7	14	23	24	32	11	6	–
Male	80	4	1	1	7	6	6	13	16	16	6	4	–
Female	60	3	1	1	5	1	8	10	8	16	5	2	–
Tallahassee, Fla	685	23	7	5	28	31	39	66	125	166	126	69	–
Male	396	13	5	4	22	19	21	46	87	98	62	19	–
Female	289	10	2	1	6	12	18	20	38	68	64	50	–
White	453	15	7	4	21	17	26	45	79	107	84	48	–
Male	269	8	5	4	17	12	18	33	53	65	41	13	–
Female	184	7	2	–	4	5	8	12	26	42	43	35	–
All other	232	8	–	1	7	14	13	21	46	59	42	21	–
Male	127	5	–	–	5	7	3	13	34	33	21	6	–
Female	105	3	–	1	2	7	10	8	12	26	21	15	–
Tampa–St. Petersburg, Fla	15,647	189	40	60	221	218	293	932	2,017	4,000	4,995	2,681	1
Male	8,822	99	22	39	165	151	177	598	1,248	2,454	2,713	1,156	–
Female	6,825	90	18	21	56	67	116	334	769	1,546	2,282	1,525	1
White	14,523	125	33	46	186	168	224	787	1,801	3,706	4,823	2,624	–
Male	8,170	67	19	32	139	113	133	504	1,116	2,296	2,619	1,132	–
Female	6,353	58	14	14	47	55	91	283	685	1,410	2,204	1,492	–
All other	1,124	64	7	14	35	50	69	145	216	294	172	57	1
Male	652	32	3	7	26	38	44	94	132	158	94	24	–
Female	472	32	4	7	9	12	25	51	84	136	78	33	1
Terre Haute, Ind	2,047	39	1	18	30	16	36	104	311	450	627	415	–
Male	1,039	26	–	12	22	15	17	61	180	282	281	143	–
Female	1,008	13	1	6	8	1	19	43	131	168	346	272	–
White	1,984	33	1	17	29	15	34	100	303	439	608	405	–
Male	1,011	22	–	12	22	14	16	59	176	275	275	140	–
Female	973	11	1	5	7	1	18	41	127	164	333	265	–
All other	63	6	–	1	1	1	2	4	8	11	19	10	–
Male	28	4	–	–	–	1	1	2	4	7	6	3	–
Female	35	2	–	1	1	–	1	2	4	4	13	7	–
Texarkana, Tex.–Ark	1,119	32	7	8	26	23	30	91	178	284	279	160	1
Male	614	22	6	8	24	17	20	59	117	164	123	53	1
Female	505	10	1	–	2	6	10	32	61	120	156	107	–
White	847	18	5	7	17	17	24	63	138	208	218	131	1
Male	474	12	4	7	17	14	17	43	92	128	98	41	1
Female	373	6	1	–	–	3	7	20	46	80	120	90	–
All other	272	14	2	1	9	6	6	28	40	76	61	29	–
Male	140	10	2	1	7	3	3	16	25	36	25	12	–
Female	132	4	–	–	2	3	3	12	15	40	36	17	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Toledo, Ohio–Mich	6,329	158	24	51	170	146	167	506	992	1,467	1,671	977	–
Male	3,482	87	13	31	122	100	100	331	621	898	827	352	–
Female	2,847	71	11	20	48	46	67	175	371	569	844	625	–
White	5,758	115	21	44	152	123	126	429	901	1,331	1,573	943	–
Male	3,150	62	11	28	108	83	75	279	568	824	771	341	–
Female	2,608	53	10	16	44	40	51	150	333	507	802	602	–
All other	571	43	3	7	18	23	41	77	91	136	98	34	–
Male	332	25	2	3	14	17	25	52	53	74	56	11	–
Female	239	18	1	4	4	6	16	25	38	62	42	23	–
Topeka, Kans	1,291	26	3	3	20	31	28	91	177	284	350	278	–
Male	648	13	3	2	12	18	14	57	109	165	156	99	–
Female	643	13	–	1	8	13	14	34	68	119	194	179	–
White	1,174	17	3	3	19	27	23	83	156	257	323	263	–
Male	593	7	3	2	11	15	11	56	96	152	146	94	–
Female	581	10	–	1	8	12	12	27	60	105	177	169	–
All other	117	9	–	–	1	4	5	8	21	27	27	15	–
Male	55	6	–	–	1	3	3	1	13	13	10	5	–
Female	62	3	–	–	–	1	2	7	8	14	17	10	–
Trenton, N.J	2,818	54	10	20	40	55	75	268	486	682	753	375	–
Male	1,531	29	8	16	33	35	51	170	311	398	335	145	–
Female	1,287	25	2	4	7	20	24	98	175	284	418	230	–
White	2,389	25	2	12	25	35	46	204	400	596	689	355	–
Male	1,284	14	2	10	20	24	29	125	260	350	308	142	–
Female	1,105	11	–	2	5	11	17	79	140	246	381	213	–
All other	429	29	8	8	15	20	29	64	86	86	64	20	–
Male	247	15	6	6	13	11	22	45	51	48	27	3	–
Female	182	14	2	2	2	9	7	19	35	38	37	17	–
Tucson, Ariz	3,501	95	15	25	109	117	116	262	530	911	875	445	1
Male	2,026	51	10	17	85	84	72	166	327	544	472	197	1
Female	1,475	44	5	8	24	33	44	96	203	367	403	248	–
White	3,275	80	14	24	93	103	94	236	499	863	838	430	1
Male	1,879	43	10	17	71	72	55	148	309	516	448	189	1
Female	1,396	37	4	7	22	31	39	88	190	347	390	241	–
All other	226	15	1	1	16	14	22	26	31	48	37	15	–
Male	147	8	–	–	14	12	17	18	18	28	24	8	–
Female	79	7	1	1	2	2	5	8	13	20	13	7	–
Tulsa, Okla	4,300	148	19	27	99	127	131	370	616	975	1,095	689	4
Male	2,352	89	11	20	79	91	80	230	395	566	553	235	3
Female	1,948	59	8	7	20	36	51	140	221	409	542	454	1
White	3,824	116	17	23	77	112	109	308	555	860	1,001	642	4
Male	2,085	67	10	17	63	80	69	197	356	510	495	218	3
Female	1,739	49	7	6	14	32	40	111	199	350	506	424	1
All other	476	32	2	4	22	15	22	62	61	115	94	47	–
Male	267	22	1	3	16	11	11	33	39	56	58	17	–
Female	209	10	1	1	6	4	11	29	22	59	36	30	–
Tuscaloosa, Ala	1,028	25	6	8	30	36	29	109	161	261	246	117	–
Male	562	13	5	6	21	26	19	69	95	155	113	40	–
Female	466	12	1	2	9	10	10	40	66	106	133	77	–
White	703	12	2	7	20	23	20	71	110	168	176	94	–
Male	401	6	1	6	14	15	14	51	73	107	83	31	–
Female	302	6	1	1	6	8	6	20	37	61	93	63	–
All other	325	13	4	1	10	13	9	38	51	93	70	23	–
Male	161	7	4	–	7	11	5	18	22	48	30	9	–
Female	164	6	–	1	3	2	4	20	29	45	40	14	–
Tyler, Tex	1,013	27	1	9	17	19	33	92	140	254	267	154	–
Male	571	12	–	6	10	17	30	59	88	164	136	49	–
Female	442	15	1	3	7	2	3	33	52	90	131	105	–
White	760	13	1	7	13	11	26	62	100	193	203	131	–
Male	433	6	–	5	7	10	23	40	65	134	101	42	–
Female	327	7	1	2	6	1	3	22	35	59	102	89	–
All other	253	14	–	2	4	8	7	30	40	61	64	23	–
Male	138	6	–	1	3	7	7	19	23	30	35	7	–
Female	115	8	–	1	1	1	–	11	17	31	29	16	–
Utica–Rome, N.Y	3,236	54	6	25	60	36	67	200	497	717	938	635	1
Male	1,706	34	6	15	46	30	33	127	310	444	426	235	–
Female	1,530	20	–	10	14	6	34	73	187	273	512	400	1
White	3,183	44	6	25	60	36	62	192	488	705	932	632	1
Male	1,669	28	6	15	46	30	30	121	304	434	423	232	–
Female	1,514	16	–	10	14	6	32	71	184	271	509	400	1
All other	53	10	–	–	–	–	5	8	9	12	6	3	–
Male	37	6	–	–	–	–	3	6	6	10	3	3	–
Female	16	4	–	–	–	–	2	2	3	2	3	–	–
Vallejo–Napa, Calif	2,147	60	9	12	51	57	84	180	328	485	544	336	1
Male	1,163	30	7	8	38	40	52	110	190	286	290	111	1
Female	984	30	2	4	13	17	32	70	138	199	254	225	–
White	1,971	46	6	12	47	49	68	149	300	442	521	330	1
Male	1,043	19	4	8	36	34	39	92	172	254	275	109	1
Female	928	27	2	4	11	15	29	57	128	188	246	221	–
All other	176	14	3	–	4	8	16	31	28	43	23	6	–
Male	120	11	3	–	2	6	13	18	18	32	15	2	–
Female	56	3	–	–	2	2	3	13	10	11	8	4	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Vineland–Millville–Bridgeton, N.J	1,211	33	3	8	32	22	30	107	199	273	314	190	–
Male	678	14	2	6	27	15	21	72	123	172	151	75	–
Female	533	19	1	2	5	7	9	35	76	101	163	115	–
White	1,045	22	1	3	21	19	16	92	174	233	284	180	–
Male	580	11	1	2	20	12	11	61	109	147	136	70	–
Female	465	11	–	1	1	7	5	31	65	86	148	110	–
All other	166	11	2	5	11	3	14	15	25	40	30	10	–
Male	98	3	1	4	7	3	10	11	14	25	15	5	–
Female	68	8	1	1	4	–	4	4	11	15	15	5	–
Waco, Tex	1,639	46	5	9	37	31	47	113	221	409	448	273	–
Male	917	32	1	6	25	23	34	76	153	244	232	91	–
Female	722	14	4	3	12	8	13	37	68	165	216	182	–
White	1,341	30	5	8	25	20	29	93	178	328	388	237	–
Male	746	20	1	5	17	16	24	62	127	194	204	76	–
Female	595	10	4	3	8	4	5	31	51	134	184	161	–
All other	298	16	–	1	12	11	18	20	43	81	60	36	–
Male	171	12	–	1	8	7	10	14	26	50	28	15	–
Female	127	4	–	–	4	4	8	6	17	31	32	21	–
Washington, D.C.–Md.–Va	19,304	676	89	159	486	594	900	2,151	3,430	4,222	4,071	2,520	6
Male	10,360	387	45	93	346	402	583	1,351	2,145	2,463	1,767	775	3
Female	8,944	289	44	66	140	192	317	800	1,285	1,759	2,304	1,745	3
White	12,932	293	54	93	297	315	453	1,237	2,197	2,837	3,125	2,029	2
Male	6,664	163	28	54	207	204	283	767	1,369	1,673	1,317	599	–
Female	6,268	130	26	39	90	111	170	470	828	1,164	1,808	1,430	2
All other	6,372	383	35	66	189	279	447	914	1,233	1,385	946	491	4
Male	3,696	224	17	39	139	198	300	584	776	790	450	176	3
Female	2,676	159	18	27	50	81	147	330	457	595	496	315	1
Waterloo, Iowa	1,043	37	6	10	22	15	26	46	148	250	289	194	–
Male	566	16	2	3	16	11	17	30	96	162	128	85	–
Female	477	21	4	7	6	4	9	16	52	88	161	109	–
White	985	32	6	10	20	15	21	40	135	242	278	186	–
Male	537	14	2	3	15	11	14	25	87	158	124	84	–
Female	448	18	4	7	5	4	7	15	48	84	154	102	–
All other	58	5	–	–	2	–	5	6	13	8	11	8	–
Male	29	2	–	–	1	–	3	5	9	4	4	1	–
Female	29	3	–	–	1	–	2	1	4	4	7	7	–
West Palm Beach, Fla	5,577	78	23	36	93	90	140	346	768	1,648	1,622	733	–
Male	3,343	52	13	22	65	58	91	219	498	1,070	943	312	–
Female	2,234	26	10	14	28	32	49	127	270	578	679	421	–
White	4,946	35	14	24	68	60	85	252	654	1,507	1,535	712	–
Male	2,956	20	7	18	53	40	57	159	415	990	900	297	–
Female	1,990	15	7	6	15	20	28	93	239	517	635	415	–
All other	631	43	9	12	25	30	55	94	114	141	87	21	–
Male	387	32	6	4	12	18	34	60	83	80	43	15	–
Female	244	11	3	8	13	12	21	34	31	61	44	6	–
Wheeling, W. Va.–Ohio	2,148	37	4	7	35	35	48	135	342	531	591	383	–
Male	1,180	24	–	4	22	29	30	91	204	329	298	149	–
Female	968	13	4	3	13	6	18	44	138	202	293	234	–
White	2,108	35	4	7	34	33	45	132	337	522	581	378	–
Male	1,160	22	–	4	21	27	29	90	202	323	294	148	–
Female	948	13	4	3	13	6	16	42	135	199	287	230	–
All other	40	2	–	–	1	2	3	3	5	9	10	5	–
Male	20	2	–	–	1	2	1	1	2	6	4	1	–
Female	20	–	–	–	–	–	2	2	3	3	6	4	–
Wichita, Kans	3,060	99	21	18	103	67	98	241	451	669	754	538	1
Male	1,643	57	6	11	80	53	62	148	288	403	355	180	–
Female	1,417	42	15	7	23	14	36	93	163	266	399	358	1
White	2,835	78	18	12	91	59	85	219	404	627	723	518	1
Male	1,514	46	6	6	72	47	53	136	254	381	342	171	–
Female	1,321	32	12	6	19	12	32	83	150	246	381	347	1
All other	225	21	3	6	12	8	13	22	47	42	31	20	–
Male	129	11	–	5	8	6	9	12	34	22	13	9	–
Female	96	10	3	1	4	2	4	10	13	20	18	11	–
Wichita Falls, Tex	993	27	2	2	39	31	28	83	133	218	271	159	–
Male	530	18	–	2	30	22	20	45	88	133	122	50	–
Female	463	9	2	–	9	9	8	38	45	85	149	109	–
White	911	24	1	2	39	27	26	72	126	203	242	149	–
Male	497	17	–	2	30	20	19	40	85	126	111	47	–
Female	414	7	1	–	9	7	7	32	41	77	131	102	–
All other	82	3	1	–	–	4	2	11	7	15	29	10	–
Male	33	1	–	–	–	2	1	5	3	7	11	3	–
Female	49	2	1	–	–	2	1	6	4	8	18	7	–
Wilkes Barre—Hazleton, Pa	4,297	40	9	21	57	48	90	307	782	1,211	1,207	520	5
Male	2,330	24	7	9	43	28	62	198	518	728	536	174	3
Female	1,967	16	2	12	14	20	28	109	264	483	671	346	2
White	4,266	40	8	21	55	47	90	306	777	1,204	1,195	518	5
Male	2,311	24	6	9	41	28	62	198	514	725	527	174	3
Female	1,955	16	2	12	14	19	28	108	263	479	668	344	2
All other	31	–	1	–	2	1	–	1	5	7	12	2	–
Male	19	–	1	–	2	–	–	–	4	3	9	–	–
Female	12	–	–	–	–	1	–	1	1	4	3	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wilmington, Del.–N.J.–Md	4,148	89	21	31	94	99	150	394	774	908	1,020	561	7
Male	2,294	43	11	23	74	69	100	254	492	535	491	197	5
Female	1,854	46	10	8	20	30	50	140	282	373	529	364	2
White	3,552	61	18	28	79	80	109	317	643	774	924	516	3
Male	1,944	32	10	22	63	56	73	205	402	452	445	182	2
Female	1,608	29	8	6	16	24	36	112	241	322	479	334	1
All other	596	28	3	3	15	19	41	77	131	134	96	45	4
Male	350	11	1	1	11	13	27	49	90	83	46	15	3
Female	246	17	2	2	4	6	14	28	41	51	50	30	1
Wilmington, N.C.	1,065	48	10	11	26	33	41	110	190	261	221	114	–
Male	618	31	7	6	19	22	30	61	119	154	125	44	–
Female	447	17	3	5	7	11	11	49	71	107	96	70	–
White	777	31	7	8	17	17	28	81	126	179	180	103	–
Male	450	18	5	3	13	9	22	48	83	106	102	41	–
Female	327	13	2	5	4	8	6	33	43	73	78	62	–
All other	288	17	3	3	9	16	13	29	64	82	41	11	–
Male	168	13	2	3	6	13	8	13	36	48	23	3	–
Female	120	4	1	–	3	3	5	16	28	34	18	8	–
Worcester, Mass.	6,214	103	16	28	104	74	123	403	931	1,407	1,781	1,244	–
Male	3,238	56	9	16	83	50	75	269	618	823	794	445	–
Female	2,976	47	7	12	21	24	48	134	313	584	987	799	–
White	6,171	97	16	27	103	73	118	393	927	1,402	1,777	1,238	–
Male	3,210	53	9	16	82	50	72	261	615	820	791	441	–
Female	2,961	44	7	11	21	23	46	132	312	582	986	797	–
All other	43	6	–	1	1	1	5	10	4	5	4	6	–
Male	28	3	–	–	1	–	3	8	3	3	3	4	–
Female	15	3	–	1	–	1	2	2	1	2	1	2	–
York, Pa	3,080	53	11	27	71	49	83	206	490	730	843	517	–
Male	1,708	28	5	16	48	33	52	125	324	448	427	202	–
Female	1,372	25	6	11	23	16	31	81	166	282	416	315	–
White	2,992	46	11	27	67	45	80	193	482	714	822	505	–
Male	1,657	25	5	16	46	31	50	120	317	435	416	196	–
Female	1,335	21	6	11	21	14	30	73	165	279	406	309	–
All other	88	7	–	–	4	4	3	13	8	16	21	12	–
Male	51	3	–	–	2	2	2	5	7	13	11	6	–
Female	37	4	–	–	2	2	1	8	1	3	10	6	–
Youngstown–Warren, Ohio	5,062	113	16	28	107	90	141	452	868	1,148	1,277	821	1
Male	2,821	71	9	20	87	64	84	278	565	681	618	344	–
Female	2,241	42	7	8	20	26	57	174	303	467	659	477	1
White	4,509	76	10	19	83	68	107	375	774	1,019	1,190	787	1
Male	2,490	45	5	14	72	48	64	234	503	606	570	329	–
Female	2,019	31	5	5	11	20	43	141	271	413	620	458	1
All other	553	37	6	9	24	22	34	77	94	129	87	34	–
Male	331	26	4	6	15	16	20	44	62	75	48	15	–
Female	222	11	2	3	9	6	14	33	32	54	39	19	–
Standard Consolidated Areas													
New York, N.Y.—Northeastern New Jersey[1]	148,113	3,319	443	722	2,716	3,607	4,828	12,068	23,440	34,282	39,957	22,691	40
Male	77,643	1,856	231	444	2,001	2,480	3,033	7,332	14,386	19,481	18,214	8,161	24
Female	70,470	1,463	212	278	715	1,127	1,795	4,736	9,054	14,801	21,743	14,530	16
White	126,558	1,911	270	485	1,901	2,201	2,968	8,998	19,458	30,166	36,815	21,354	31
Male	65,682	1,061	143	286	1,424	1,503	1,880	5,497	12,092	17,270	16,807	7,699	20
Female	60,876	850	127	199	477	698	1,088	3,501	7,366	12,896	20,008	13,655	11
All other	21,555	1,408	173	237	815	1,406	1,860	3,070	3,982	4,116	3,142	1,337	9
Male	11,961	795	88	158	577	977	1,153	1,835	2,294	2,211	1,407	462	4
Female	9,594	613	85	79	238	429	707	1,235	1,688	1,905	1,735	875	5
Chicago, Ill.—Northwestern Indiana[2]	67,016	2,129	341	462	1,821	1,864	2,414	6,102	11,247	14,800	16,579	9,250	7
Male	36,797	1,210	185	296	1,336	1,320	1,516	3,912	7,204	8,633	7,741	3,440	4
Female	30,219	919	156	166	485	544	898	2,190	4,043	6,167	8,838	5,810	3
White	54,436	1,107	189	317	1,198	1,109	1,481	4,359	9,101	12,363	14,738	8,468	6
Male	29,463	645	100	204	897	776	919	2,815	5,881	7,257	6,834	3,131	4
Female	24,973	462	89	113	301	333	562	1,544	3,220	5,106	7,904	5,337	2
All other	12,580	1,022	152	145	623	755	933	1,743	2,146	2,437	1,841	782	1
Male	7,334	565	85	92	439	544	597	1,097	1,323	1,376	907	309	–
Female	5,246	457	67	53	184	211	336	646	823	1,061	934	473	1

[1] Comprised of four standard metropolitan statistical areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill.; and Gary-Hammond-East Chicago, Ind.

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	**All causes**	**1,909,440**	**48,265**	**3,194**	**2,152**	**1,747**	**1,513**	**56,871**	**6,034**	**6,867**	**20,561**	**25,520**
02	Male	1,051,983	27,320	1,749	1,223	1,053	890	32,235	3,626	4,442	15,001	19,252
03	Female	857,457	20,945	1,445	929	694	623	24,636	2,408	2,425	5,560	6,268
04	White	1,674,989	34,163	2,359	1,625	1,337	1,173	40,657	4,730	5,599	17,222	20,035
05	Male	918,589	19,548	1,297	948	799	688	23,280	2,831	3,636	12,581	15,306
06	Female	756,400	14,615	1,062	677	538	485	17,377	1,899	1,963	4,641	4,729
07	All other	234,451	14,102	835	527	410	340	16,214	1,304	1,268	3,339	5,485
08	Male	133,394	7,772	452	275	254	202	8,955	795	806	2,420	3,946
09	Female	101,057	6,330	383	252	156	138	7,259	509	462	919	1,539
10	Bacillary dysentery and amebiasis—004,006	55	6	2	2	2	–	12	1	–	–	–
11	Male	35	4	1	1	1	–	7	–	–	–	–
12	Female	20	2	1	1	1	–	5	1	–	–	–
13	White	41	1	–	2	1	–	4	1	–	–	–
14	Male	27	1	–	1	1	–	3	–	–	–	–
15	Female	14	–	–	1	–	–	1	1	–	–	–
16	All other	14	5	2	–	1	–	8	–	–	–	–
17	Male	8	3	1	–	–	–	4	–	–	–	–
18	Female	6	2	1	–	1	–	4	–	–	–	–
19	Enteritis and other diarrheal diseases—008,009	1,939	718	54	18	7	3	800	16	14	10	8
20	Male	873	391	27	11	2	1	432	8	8	5	5
21	Female	1,066	327	27	7	5	2	368	8	6	5	3
22	White	1,449	386	37	14	5	1	443	12	12	10	6
23	Male	630	215	17	9	1	–	242	7	6	5	5
24	Female	819	171	20	5	4	1	201	5	6	5	1
25	All other	490	332	17	4	2	2	357	4	2	–	2
26	Male	243	176	10	2	1	1	190	1	2	–	–
27	Female	247	156	7	2	1	1	167	3	–	–	2
28	Tuberculosis, all forms—010–019	3,130	4	3	2	2	1	12	4	2	9	16
29	Male	2,137	2	–	–	1	1	4	3	2	3	5
30	Female	993	2	3	2	1	–	8	1	–	6	11
31	White	2,135	2	1	2	2	–	7	1	1	4	4
32	Male	1,430	2	–	–	1	–	3	1	1	1	1
33	Female	705	–	1	2	1	–	4	–	–	3	3
34	All other	995	2	2	–	–	1	5	3	1	5	12
35	Male	707	–	–	–	–	1	1	2	1	2	4
36	Female	288	2	2	–	–	–	4	1	–	3	8
37	Tuberculosis of respiratory system—010–012	2,419	3	–	–	–	–	3	2	–	5	11
38	Male	1,709	1	–	–	–	–	1	2	–	1	4
39	Female	710	2	–	–	–	–	2	–	–	4	7
40	White	1,648	1	–	–	–	–	1	1	–	4	4
41	Male	1,145	1	–	–	–	–	1	1	–	1	1
42	Female	503	–	–	–	–	–	–	–	–	3	3
43	All other	771	2	–	–	–	–	2	1	–	1	7
44	Male	564	–	–	–	–	–	–	1	–	–	3
45	Female	207	2	–	–	–	–	2	–	–	1	4
46	Tuberculosis, other forms—013–019	711	1	3	2	2	1	9	2	2	4	5
47	Male	428	1	–	–	1	1	3	1	2	2	1
48	Female	283	–	3	2	1	–	6	1	–	2	4
49	White	487	1	1	2	2	–	6	–	1	–	–
50	Male	285	1	–	–	1	–	2	–	1	–	–
51	Female	202	–	1	2	1	–	4	–	–	–	–
52	All other	224	–	2	–	–	1	3	2	1	4	5
53	Male	143	–	–	–	–	1	1	1	1	2	1
54	Female	81	–	2	–	–	–	2	1	–	2	4
55	Whooping cough—033	7	6	–	–	–	–	6	–	1	–	–
56	Male	6	5	–	–	–	–	5	–	1	–	–
57	Female	1	1	–	–	–	–	1	–	–	–	–
58	White	5	4	–	–	–	–	4	–	1	–	–
59	Male	4	3	–	–	–	–	3	–	1	–	–
60	Female	1	1	–	–	–	–	1	–	–	–	–
61	All other	2	2	–	–	–	–	2	–	–	–	–
62	Male	2	2	–	–	–	–	2	–	–	–	–
63	Female	–	–	–	–	–	–	–	–	–	–	–
64	Streptococcal sore throat and scarlet fever—034	14	–	–	1	–	1	2	1	–	–	–
65	Male	7	–	–	1	–	1	2	–	–	–	–
66	Female	7	–	–	–	–	–	–	1	–	–	–
67	White	11	–	–	1	–	1	2	1	–	–	–
68	Male	7	–	–	1	–	1	2	–	–	–	–
69	Female	4	–	–	–	–	–	–	1	–	–	–
70	All other	3	–	–	–	–	–	–	–	–	–	–
71	Male	–	–	–	–	–	–	–	–	–	–	–
72	Female	3	–	–	–	–	–	–	–	–	–	–
73	Meningococcal infections—036	330	85	40	23	18	9	175	16	16	27	13
74	Male	178	55	25	14	8	5	107	7	9	12	8
75	Female	152	30	15	9	10	4	68	9	7	15	5
76	White	264	73	34	19	14	7	147	11	8	21	8
77	Male	139	48	21	12	6	5	92	4	3	8	4
78	Female	125	25	13	7	8	2	55	7	5	13	4
79	All other	66	12	6	4	4	2	28	5	8	6	5
80	Male	39	7	4	2	2	–	15	3	6	4	4
81	Female	27	5	2	2	2	2	13	2	2	2	1

Age, Color, and Sex: United States, 1976

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
22,902	20,527	23,555	34,914	58,061	91,975	126,361	169,699	210,465	233,462	250,623	246,096	183,614	90,828	25,515	4,515	475	01
16,431	13,731	15,106	22,054	36,746	58,578	80,982	108,713	131,351	136,115	131,056	113,137	72,940	31,535	7,456	1,188	308	02
6,471	6,796	8,449	12,860	21,315	33,397	45,379	60,986	79,114	97,347	119,567	132,959	110,674	59,293	18,059	3,327	167	03
17,113	15,139	17,452	26,469	46,342	75,651	107,479	147,002	184,362	207,533	227,018	229,310	173,073	85,326	23,477	3,661	339	04
12,349	10,116	11,176	16,886	29,575	48,596	69,477	95,160	116,171	121,984	118,919	105,028	68,275	29,416	6,711	884	232	05
4,764	5,023	6,276	9,583	16,767	27,055	38,002	51,842	68,191	85,549	108,099	124,282	104,798	55,910	16,766	2,777	107	06
5,789	5,388	6,103	8,445	11,719	16,324	18,882	22,697	26,103	25,929	23,605	16,786	10,541	5,502	2,038	854	136	07
4,082	3,615	3,930	5,168	7,171	9,982	11,505	13,553	15,180	14,131	12,137	8,109	4,665	2,119	745	304	76	08
1,707	1,773	2,173	3,277	4,548	6,342	7,377	9,144	10,923	11,798	11,468	8,677	5,876	3,383	1,293	550	60	09
2	3	1	5	3	2	5	4	7	4	3	2	–	1	–	–	–	10
2	1	4	2	1	5	2	4	2	1	1	–	1	–	–	–	11	
–	1	–	1	1	–	2	3	2	2	1	–	–	–	–	–	12	
1	3	–	4	3	1	5	4	7	3	2	2	–	1	–	–	–	13
1	2	–	3	2	–	5	2	4	2	1	1	–	1	–	–	–	14
–	1	–	1	1	1	–	2	3	1	1	1	–	–	–	–	–	15
1	–	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	16
1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	18
13	14	12	16	24	38	40	75	99	112	164	196	157	95	29	7	–	19
5	7	7	3	11	22	16	36	41	54	59	72	44	28	8	2	–	20
8	7	5	13	13	16	24	39	58	58	105	124	113	67	21	5	–	21
10	9	6	12	20	30	36	66	83	98	144	181	149	91	27	4	–	22
3	4	3	2	9	19	16	33	34	47	50	66	44	28	7	–	–	23
7	5	3	10	11	11	20	33	49	51	94	115	105	63	20	4	–	24
3	5	6	4	4	8	4	9	16	14	20	15	8	4	2	3	–	25
2	3	4	1	2	3	–	3	7	7	9	6	–	–	1	2	–	26
1	2	2	3	2	5	4	6	9	7	11	9	8	4	1	1	–	27
34	43	97	106	156	224	296	332	432	381	377	335	190	72	8	2	2	28
22	26	64	70	115	178	217	237	311	254	245	223	115	38	3	–	2	29
12	17	33	36	41	46	79	95	121	127	132	112	75	34	5	2	–	30
18	8	34	44	80	119	194	239	332	275	278	267	158	63	6	1	2	31
11	5	20	31	55	97	141	164	229	184	174	180	94	33	3	–	2	32
7	3	14	13	25	22	53	75	103	91	104	87	64	30	3	1	–	33
16	35	63	62	76	105	102	93	100	106	99	68	32	9	2	1	–	34
11	21	44	39	60	81	76	73	82	70	71	43	21	5	–	–	–	35
5	14	19	23	16	24	26	20	18	36	28	25	11	4	2	1	–	36
18	31	78	86	126	166	227	261	320	285	288	273	165	63	7	2	2	37
11	18	53	59	97	138	173	195	240	205	190	184	99	34	3	–	2	38
7	13	25	27	29	28	54	66	80	80	98	89	66	29	4	2	–	39
7	5	29	35	64	88	145	186	246	207	205	220	139	54	5	1	2	40
4	4	17	26	46	77	113	132	177	148	133	149	81	29	3	–	2	41
3	1	12	9	18	11	32	54	69	59	72	71	58	25	2	1	–	42
11	26	49	51	62	78	82	75	74	78	83	53	26	9	2	1	–	43
7	14	36	33	51	61	60	63	63	57	57	35	18	5	–	–	–	44
4	12	13	18	11	17	22	12	11	21	26	18	8	4	2	1	–	45
16	12	19	20	30	58	69	71	112	96	89	62	25	9	1	–	–	46
11	8	11	11	18	40	44	42	71	49	55	39	16	4	–	–	–	47
5	4	8	9	12	18	25	29	41	47	34	23	9	5	1	–	–	48
11	3	5	9	16	31	49	53	86	68	73	47	19	9	1	–	–	49
7	1	3	5	9	20	28	32	52	36	41	31	13	4	–	–	–	50
4	2	2	4	7	11	21	21	34	32	32	16	6	5	1	–	–	51
5	9	14	11	14	27	20	18	26	28	16	15	6	–	–	–	–	52
4	7	8	6	9	20	16	10	19	13	14	8	3	–	–	–	–	53
1	2	6	5	5	7	4	8	7	15	2	7	3	–	–	–	–	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	55
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	2	1	–	2	1	1	–	2	–	2	–	–	–	–	–	64
–	–	1	–	–	2	1	–	–	–	–	1	–	–	–	–	–	65
–	–	1	1	–	–	–	1	–	2	–	1	–	–	–	–	–	66
–	–	1	–	–	2	1	–	–	2	–	2	–	–	–	–	–	67
–	–	1	–	–	2	1	–	–	–	–	1	–	–	–	–	–	68
–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	69
–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	72
3	6	6	4	4	9	8	6	13	9	8	4	3	–	–	–	–	73
1	5	2	3	2	6	1	2	6	2	3	–	2	–	–	–	–	74
2	1	4	1	2	3	7	4	7	7	5	4	1	–	–	–	–	75
3	4	5	3	3	8	6	6	11	8	5	4	3	–	–	–	–	76
1	4	2	3	1	5	–	2	4	2	2	–	2	–	–	–	–	77
2	–	3	–	2	3	6	4	7	6	3	4	1	–	–	–	–	78
–	2	1	1	1	1	2	–	2	1	3	–	–	–	–	–	–	79
–	1	–	–	1	1	1	–	2	–	1	–	–	–	–	–	–	80
–	1	1	1	–	–	1	–	–	1	2	–	–	–	–	–	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	Septicemia – 038	6,401	1,077	31	21	12	6	1,147	27	25	43	50
02	Male	3,339	603	15	7	6	4	635	16	14	23	28
03	Female	3,062	474	16	14	6	2	512	11	11	20	22
04	White	4,905	741	21	15	9	4	790	23	19	32	37
05	Male	2,589	430	9	6	4	3	452	14	10	16	23
06	Female	2,316	311	12	9	5	1	338	9	9	16	14
07	All other	1,496	336	10	6	3	2	357	4	6	11	13
08	Male	750	173	6	1	2	1	183	2	4	7	5
09	Female	746	163	4	5	1	1	174	2	2	4	8
10	Acute poliomyelitis – 040–043	16	–	–	–	–	–	–	–	–	–	–
11	Male	9	–	–	–	–	–	–	–	–	–	–
12	Female	7	–	–	–	–	–	–	–	–	–	–
13	White	15	–	–	–	–	–	–	–	–	–	–
14	Male	8	–	–	–	–	–	–	–	–	–	–
15	Female	7	–	–	–	–	–	–	–	–	–	–
16	All other	1	–	–	–	–	–	–	–	–	–	–
17	Male	1	–	–	–	–	–	–	–	–	–	–
18	Female	–	–	–	–	–	–	–	–	–	–	–
19	Measles – 055	12	–	2	–	–	1	3	2	3	1	–
20	Male	8	–	2	–	–	1	3	–	1	1	–
21	Female	4	–	–	–	–	–	–	2	2	–	–
22	White	10	–	2	–	–	1	3	–	3	1	–
23	Male	8	–	2	–	–	1	3	–	1	1	–
24	Female	2	–	–	–	–	–	–	–	2	–	–
25	All other	2	–	–	–	–	–	–	2	–	–	–
26	Male	–	–	–	–	–	–	–	–	–	–	–
27	Female	2	–	–	–	–	–	–	2	–	–	–
28	Syphilis and its sequelae – 090–097	225	4	–	–	–	–	4	1	1	1	1
29	Male	134	1	–	–	–	–	1	1	1	–	1
30	Female	91	3	–	–	–	–	3	–	–	1	–
31	White	120	3	–	–	–	–	3	1	1	–	1
32	Male	66	1	–	–	–	–	1	1	1	–	1
33	Female	54	2	–	–	–	–	2	–	–	–	–
34	All other	105	1	–	–	–	–	1	–	–	1	–
35	Male	68	–	–	–	–	–	–	–	–	–	–
36	Female	37	1	–	–	–	–	1	–	–	1	–
37	Other infective and parasitic diseases – Remainder of 000–136	4,424	316	53	33	34	16	452	100	96	106	130
38	Male	2,254	180	30	19	21	7	257	48	57	63	73
39	Female	2,170	136	23	14	13	9	195	52	39	43	57
40	White	3,544	233	39	29	30	15	346	81	80	83	96
41	Male	1,822	133	25	17	18	7	200	39	44	50	54
42	Female	1,722	100	14	12	12	8	146	42	36	33	42
43	All other	880	83	14	4	4	1	106	19	16	23	34
44	Male	432	47	5	2	3	–	57	9	13	13	19
45	Female	448	36	9	2	1	1	49	10	3	10	15
46	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	377,312	98	129	173	177	177	754	956	893	1,230	1,429
47	Male	205,406	52	68	96	95	93	404	576	529	778	850
48	Female	171,906	46	61	77	82	84	350	380	364	452	579
49	White	335,499	84	108	150	158	151	651	829	759	1,061	1,226
50	Male	181,095	40	59	86	85	76	346	501	461	670	732
51	Female	154,404	44	49	64	73	75	305	328	298	391	494
52	All other	41,813	14	21	23	19	26	103	127	134	169	203
53	Male	24,311	12	9	10	10	17	58	75	68	108	118
54	Female	17,502	2	12	13	9	9	45	52	66	61	85
55	Malignant neoplasms of buccal cavity and pharynx – 140–149	8,114	–	–	–	–	–	–	1	7	16	23
56	Male	5,731	–	–	–	–	–	–	–	3	10	14
57	Female	2,383	–	–	–	–	–	–	1	4	6	9
58	White	6,998	–	–	–	–	–	–	1	5	14	15
59	Male	4,883	–	–	–	–	–	–	–	2	8	7
60	Female	2,115	–	–	–	–	–	–	1	3	6	8
61	All other	1,116	–	–	–	–	–	–	–	2	2	8
62	Male	848	–	–	–	–	–	–	–	1	2	7
63	Female	268	–	–	–	–	–	–	–	1	–	1
64	Malignant neoplasms of digestive organs and peritoneum – 150–159	101,729	9	7	9	5	2	32	9	15	38	98
65	Male	53,729	7	3	3	3	2	18	4	8	26	51
66	Female	48,000	2	4	6	2	–	14	5	7	12	47
67	White	89,748	6	6	8	5	2	27	7	12	23	71
68	Male	46,845	4	3	3	3	2	15	3	6	14	35
69	Female	42,903	2	3	5	2	–	12	4	6	9	36
70	All other	11,981	3	1	1	–	–	5	2	3	15	27
71	Male	6,884	3	–	–	–	–	3	1	2	12	16
72	Female	5,097	–	1	1	–	–	2	1	1	3	11
73	Malignant neoplasms of respiratory system – 160–163	91,131	1	3	4	1	1	10	5	4	20	39
74	Male	69,617	1	2	2	1	–	6	3	–	15	28
75	Female	21,514	–	1	2	–	1	4	2	4	5	11
76	White	81,234	–	3	4	1	1	9	5	3	18	37
77	Male	61,715	–	2	2	1	–	5	3	–	13	26
78	Female	19,519	–	1	2	–	1	4	2	3	5	11
79	All other	9,897	1	–	–	–	–	1	–	1	2	2
80	Male	7,902	1	–	–	–	–	1	–	–	2	2
81	Female	1,995	–	–	–	–	–	–	–	1	–	–

Age, Color, and Sex: United States, 1976 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
71	56	76	113	175	242	337	459	567	650	757	789	501	245	59	12	–	01
38	29	34	68	93	126	193	267	322	353	363	393	218	99	21	6	–	02
33	27	42	45	82	116	144	192	245	297	394	396	283	146	38	6	–	03
47	35	50	71	109	169	235	345	434	525	610	680	430	218	41	5	–	04
27	15	18	47	61	90	144	211	250	286	298	335	185	92	13	2	–	05
20	20	32	24	48	79	91	134	184	239	312	345	245	126	28	3	–	06
24	21	26	42	66	73	102	114	133	125	147	109	71	27	18	7	–	07
11	14	16	21	32	36	49	56	72	67	65	58	33	7	8	4	–	08
13	7	10	21	34	37	53	58	61	58	82	51	38	20	10	3	–	09
2	2	1	1	2	2	4	1	1	–	–	–	–	–	–	–	–	10
1	1	1	–	2	–	2	1	1	–	–	–	–	–	–	–	–	11
1	1	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	12
1	2	1	1	2	2	4	1	1	–	–	–	–	–	–	–	–	13
–	1	1	–	2	–	2	1	1	–	–	–	–	–	–	–	–	14
1	1	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	15
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	19
1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	22
1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
1	–	1	3	5	13	21	21	49	34	34	21	12	1	–	1	–	28
1	–	1	1	3	10	11	10	30	17	24	14	6	1	–	1	–	29
–	–	–	2	2	3	10	11	19	17	10	7	6	–	–	–	–	30
1	–	–	1	4	5	10	11	20	20	19	13	10	–	–	–	–	31
1	–	–	–	2	3	3	5	11	8	14	9	6	–	–	–	–	32
–	–	–	1	2	2	7	6	9	12	5	4	4	–	–	–	–	33
–	–	1	2	1	8	11	10	29	14	15	8	2	1	–	1	–	34
–	–	1	1	1	7	8	5	19	9	10	5	–	1	–	1	–	35
–	–	–	1	–	1	3	5	10	5	5	3	2	–	–	–	–	36
140	112	136	160	185	285	338	366	369	377	364	337	239	101	30	1	–	37
66	58	60	77	99	152	178	202	217	190	181	146	84	38	8	–	–	38
74	54	76	83	86	133	160	164	152	187	183	191	155	63	22	1	–	39
82	70	82	98	123	213	282	298	315	330	318	301	221	95	29	1	–	40
39	37	43	53	66	111	150	168	193	171	157	129	74	36	8	–	–	41
43	33	39	45	57	102	132	130	122	159	161	172	147	59	21	1	–	42
58	42	54	62	62	72	56	68	54	47	46	36	18	6	1	–	–	43
27	21	17	24	33	41	28	34	24	19	24	17	10	2	–	–	–	44
31	21	37	38	29	31	28	34	30	28	22	19	8	4	1	–	–	45
1,978	2,651	4,178	7,678	15,666	27,359	38,303	49,665	56,750	54,861	48,005	36,587	20,012	6,855	1,317	156	29	46
1,044	1,159	1,769	3,448	7,573	13,907	20,793	28,574	33,418	31,957	26,734	19,030	9,410	2,909	479	46	19	47
934	1,492	2,409	4,230	8,093	13,452	17,510	21,091	23,332	22,904	21,271	17,557	10,602	3,946	838	110	10	48
1,729	2,271	3,551	6,318	13,185	23,226	33,266	43,757	50,442	49,270	43,635	33,956	18,698	6,330	1,201	118	20	49
933	1,013	1,518	2,813	6,285	11,624	17,767	24,917	29,521	28,490	24,122	17,526	8,742	2,651	419	30	14	50
796	1,258	2,033	3,505	6,900	11,602	15,499	18,840	20,921	20,780	19,513	16,430	9,956	3,679	782	88	6	51
249	380	627	1,360	2,481	4,133	5,037	5,908	6,308	5,591	4,370	2,631	1,314	525	116	38	9	52
111	146	251	635	1,288	2,283	3,026	3,657	3,897	3,467	2,612	1,504	668	258	60	16	5	53
138	234	376	725	1,193	1,850	2,011	2,251	2,411	2,124	1,758	1,127	646	267	56	22	4	54
24	38	66	174	432	793	1,116	1,396	1,261	1,041	747	512	311	131	22	3	–	55
17	20	48	127	330	577	795	1,020	917	747	519	343	174	62	7	1	–	56
7	18	18	47	102	216	321	376	344	294	228	169	137	69	15	2	–	57
17	29	46	113	306	587	927	1,250	1,142	923	695	483	296	124	22	3	–	58
12	12	33	80	231	426	659	901	825	653	482	321	166	57	7	1	–	59
5	17	13	33	75	161	268	349	317	270	213	162	130	67	15	2	–	60
7	9	20	61	126	206	189	146	119	118	52	29	15	7	–	–	–	61
5	8	15	47	99	151	136	119	92	94	37	22	8	5	–	–	–	62
2	1	5	14	27	55	53	27	27	24	15	7	7	2	–	–	–	63
201	343	662	1,357	2,952	5,758	8,718	12,351	15,253	16,113	15,134	12,481	7,201	2,490	456	55	12	64
116	192	346	765	1,726	3,393	5,092	7,245	8,791	8,632	7,556	5,816	2,866	910	146	22	8	65
85	151	316	592	1,226	2,365	3,626	5,106	6,462	7,481	7,578	6,665	4,335	1,580	310	33	4	66
153	263	534	1,083	2,402	4,667	7,344	10,658	13,349	14,333	13,660	11,650	6,732	2,307	423	42	8	67
86	145	273	607	1,422	2,752	4,215	6,219	7,656	7,614	6,755	5,372	2,667	836	133	14	6	68
67	118	261	476	980	1,915	3,129	4,439	5,693	6,719	6,905	6,278	4,065	1,471	290	28	2	69
48	80	128	274	550	1,091	1,374	1,693	1,904	1,780	1,474	831	469	183	33	13	4	70
30	47	73	158	304	641	877	1,026	1,135	1,018	801	444	199	74	13	8	2	71
18	33	55	116	246	450	497	667	769	762	673	387	270	109	20	5	2	72
72	203	641	1,816	4,446	8,185	11,873	15,328	16,324	13,834	9,764	5,562	2,284	596	102	16	7	73
38	125	412	1,227	3,109	5,893	8,835	11,788	12,932	11,183	7,759	4,258	1,590	364	43	4	5	74
34	78	229	589	1,337	2,292	3,038	3,540	3,392	2,651	2,005	1,304	694	232	59	12	2	75
58	172	537	1,475	3,649	6,919	10,341	13,660	14,755	12,585	9,047	5,181	2,126	547	92	13	5	76
30	105	346	980	2,509	4,915	7,590	10,401	11,626	10,168	7,185	3,961	1,476	334	36	3	3	77
28	67	191	495	1,140	2,004	2,751	3,259	3,129	2,417	1,862	1,220	650	213	56	10	2	78
14	31	104	341	797	1,266	1,532	1,668	1,569	1,249	717	381	158	49	10	3	2	79
8	20	66	247	600	978	1,245	1,387	1,306	1,015	574	297	114	30	7	1	2	80
6	11	38	94	197	288	287	281	263	234	143	84	44	19	3	2	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.											
01	Malignant neoplasm of breast—174	33,403	–	1	–	–	–	1	–	–	2	14
02	Male	284	–	1	–	–	–	1	–	–	–	–
03	Female	33,119	–	–	–	–	–	–	–	–	2	14
04	White	30,439	–	–	–	–	–	–	–	–	2	10
05	Male	239	–	–	–	–	–	–	–	–	–	–
06	Female	30,200	–	–	–	–	–	–	–	–	2	10
07	All other	2,964	–	1	–	–	–	1	–	–	–	4
08	Male	45	–	1	–	–	–	1	–	–	–	–
09	Female	2,919	–	–	–	–	–	–	–	–	–	4
10	Malignant neoplasms of genital organs—180–187	44,461	–	2	2	–	–	4	9	22	93	190
11	Male	21,332	–	2	2	–	–	4	5	12	47	135
12	Female	23,129	–	–	–	–	–	–	4	10	46	55
13	White	38,203	–	2	2	–	–	4	9	17	83	172
14	Male	18,041	–	2	2	–	–	4	5	9	45	132
15	Female	20,162	–	–	–	–	–	–	4	8	38	40
16	All other	6,258	–	–	–	–	–	–	–	5	10	18
17	Male	3,291	–	–	–	–	–	–	–	3	2	3
18	Female	2,967	–	–	–	–	–	–	–	2	8	15
19	Malignant neoplasms of urinary organs—188,189	16,980	7	9	7	12	9	44	45	10	16	18
20	Male	11,283	5	4	3	5	5	22	21	3	10	8
21	Female	5,697	2	5	4	7	4	22	24	7	6	10
22	White	15,543	6	7	6	12	5	36	33	7	11	14
23	Male	10,395	4	4	3	5	4	20	14	3	7	6
24	Female	5,148	2	3	3	7	1	16	19	4	4	8
25	All other	1,437	1	2	1	–	4	8	12	3	5	4
26	Male	888	1	–	–	–	1	2	7	–	3	2
27	Female	549	–	2	1	–	3	6	5	3	2	2
28	Malignant neoplasms of all other and unspecified sites—170–173,190–199	45,975	41	60	87	77	83	348	336	368	470	465
29	Male	24,038	22	34	46	42	35	179	196	210	299	279
30	Female	21,937	19	26	41	35	48	169	140	158	171	186
31	White	41,026	39	54	73	68	70	304	279	304	398	402
32	Male	21,368	20	31	40	38	28	157	161	181	253	241
33	Female	19,658	19	23	33	30	42	147	118	123	145	161
34	All other	4,949	2	6	14	9	13	44	57	64	72	63
35	Male	2,670	2	3	6	4	7	22	35	29	46	38
36	Female	2,279	–	3	8	5	6	22	22	35	26	25
37	Leukemia—204–207	15,056	30	44	57	74	69	274	482	381	405	316
38	Male	8,556	13	20	36	38	39	146	295	230	252	178
39	Female	6,500	17	24	21	36	30	128	187	151	153	138
40	White	13,765	24	33	51	64	62	234	434	333	364	274
41	Male	7,843	9	15	33	32	32	121	268	200	226	151
42	Female	5,922	15	18	18	32	30	113	166	133	138	123
43	All other	1,291	6	11	6	10	7	40	48	48	41	42
44	Male	713	4	5	3	6	7	25	27	30	26	27
45	Female	578	2	6	3	4	–	15	21	18	15	15
46	Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	20,463	10	3	7	8	13	41	69	86	170	266
47	Male	10,836	4	2	4	6	12	28	52	63	119	157
48	Female	9,627	6	1	3	2	1	13	17	23	51	109
49	White	18,543	9	3	6	8	11	37	61	78	148	231
50	Male	9,766	3	2	3	6	10	24	47	60	104	134
51	Female	8,777	6	1	3	2	1	13	14	18	44	97
52	All other	1,920	1	–	1	–	2	4	8	8	22	35
53	Male	1,070	1	–	1	–	2	4	5	3	15	23
54	Female	850	–	–	–	–	–	–	3	5	7	12
55	Benign neoplasms and neoplasms of unspecified nature—210–239	4,719	44	10	8	12	13	87	52	60	60	57
56	Male	2,313	20	5	6	8	8	47	33	39	37	28
57	Female	2,406	24	5	2	4	5	40	19	21	23	29
58	White	4,102	36	8	8	9	12	73	39	49	45	48
59	Male	2,009	14	5	6	7	7	39	26	31	31	24
60	Female	2,093	22	3	2	2	5	34	13	18	14	24
61	All other	617	8	2	–	3	1	14	13	11	15	9
62	Male	304	6	–	–	1	1	8	7	8	6	4
63	Female	313	2	2	–	2	–	6	6	3	9	5
64	Diabetes mellitis—250	34,508	10	2	1	1	4	18	18	27	47	112
65	Male	14,025	3	2	–	–	2	7	10	9	21	53
66	Female	20,483	7	–	1	1	2	11	8	18	26	59
67	White	28,758	7	2	–	1	3	13	15	22	36	83
68	Male	11,920	3	2	–	–	2	7	8	8	16	39
69	Female	16,838	4	–	–	1	1	6	7	14	20	44
70	All other	5,750	3	–	1	–	1	5	3	5	11	29
71	Male	2,105	–	–	–	–	–	–	2	1	5	14
72	Female	3,645	3	–	1	–	1	5	1	4	6	15
73	Avitaminoses and other nutritional deficiencies—260–269	2,619	78	10	1	3	1	93	–	4	11	13
74	Male	1,138	44	4	1	2	1	52	–	2	6	8
75	Female	1,481	34	6	–	1	–	41	–	2	5	5
76	White	2,173	38	5	–	2	–	45	–	3	10	11
77	Male	906	18	3	–	1	–	22	–	1	6	7
78	Female	1,267	20	2	–	1	–	23	–	2	4	4
79	All other	446	40	5	1	1	1	48	–	1	1	2
80	Male	232	26	1	1	1	1	30	–	1	–	1
81	Female	214	14	4	–	–	–	18	–	–	1	1

Age, Color, and Sex: United States, 1976—Con.

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
137	386	718	1,329	2,498	3,761	4,281	4,467	4,289	3,750	3,135	2,420	1,456	593	146	19	1	01
–	4	2	7	12	16	27	29	44	51	45	22	15	7	2	–	–	02
137	382	716	1,322	2,486	3,745	4,254	4,438	4,245	3,699	3,090	2,398	1,441	586	144	19	1	03
110	335	603	1,121	2,198	3,383	3,902	4,083	3,939	3,489	2,919	2,274	1,383	540	134	13	1	04
–	2	2	7	9	12	21	24	38	45	36	21	14	6	2	–	–	05
110	333	601	1,114	2,189	3,371	3,881	4,059	3,901	3,444	2,883	2,253	1,369	534	132	13	1	06
27	51	115	208	300	378	379	384	350	261	216	146	73	53	12	6	–	07
–	2	–	–	3	4	6	5	6	6	9	1	1	1	–	–	–	08
27	49	115	208	297	374	373	379	344	255	207	145	72	52	12	6	–	09
294	355	502	818	1,419	2,466	3,424	4,589	6,070	6,718	6,884	5,940	3,351	1,101	189	19	4	10
152	86	71	63	102	308	727	1,564	2,795	3,769	4,324	3,929	2,345	748	135	9	2	11
142	269	431	755	1,317	2,158	2,697	3,025	3,275	2,949	2,560	2,011	1,006	353	54	10	2	12
259	288	420	653	1,196	2,083	2,881	3,835	5,085	5,747	5,963	5,313	3,043	983	152	14	3	13
146	83	69	52	84	252	558	1,224	2,229	3,115	3,653	3,492	2,125	652	104	6	2	14
113	205	351	601	1,112	1,831	2,323	2,611	2,856	2,632	2,310	1,821	918	331	48	8	1	15
35	67	82	165	223	383	543	754	985	971	921	627	308	118	37	5	1	16
6	3	2	11	18	56	169	340	566	654	671	437	220	96	31	3	–	17
29	64	80	154	205	327	374	414	419	317	250	190	88	22	6	2	1	18
25	52	85	188	470	893	1,411	1,918	2,553	2,634	2,620	2,159	1,286	443	97	12	1	19
16	26	48	128	317	631	1,032	1,372	1,792	1,800	1,719	1,327	724	240	43	3	1	20
9	26	37	60	153	262	379	546	761	834	901	832	562	203	54	9	–	21
22	42	75	162	412	785	1,266	1,721	2,307	2,432	2,442	2,036	1,223	419	89	9	–	22
13	23	44	113	278	565	924	1,234	1,636	1,678	1,612	1,273	687	223	40	2	–	23
9	19	31	49	134	220	342	487	671	754	830	763	536	196	49	7	–	24
3	10	10	26	58	108	145	197	246	202	178	123	63	24	8	3	1	25
3	3	4	15	39	66	108	138	156	122	107	54	37	17	3	1	1	26
–	7	6	11	19	42	37	59	90	80	71	69	26	7	5	2	–	27
598	694	880	1,231	2,184	3,402	4,621	5,805	6,271	5,877	5,110	3,914	2,281	906	187	24	3	28
332	367	484	690	1,211	1,880	2,634	3,334	3,487	3,070	2,491	1,662	849	323	56	3	2	29
266	327	396	541	973	1,522	1,987	2,471	2,784	2,807	2,619	2,252	1,432	583	131	21	1	30
561	621	789	1,060	1,901	2,955	4,073	5,131	5,582	5,259	4,626	3,597	2,136	848	178	20	2	31
314	335	433	593	1,066	1,637	2,328	2,922	3,097	2,736	2,254	1,504	798	302	52	2	2	32
247	286	356	467	835	1,318	1,745	2,209	2,485	2,523	2,372	2,093	1,338	546	126	18	–	33
37	73	91	171	283	447	548	674	689	618	484	317	145	58	9	4	1	34
18	32	51	97	145	243	306	412	390	334	237	158	51	21	4	1	–	35
19	41	40	74	138	204	242	262	299	284	247	159	94	37	5	3	1	36
292	270	272	344	517	700	999	1,341	1,716	1,860	1,931	1,604	937	340	69	6	–	37
154	154	148	175	312	424	599	869	1,033	1,102	1,037	798	470	148	28	4	–	38
138	116	124	169	205	276	400	472	683	758	894	806	467	192	41	2	–	39
255	239	237	297	456	614	899	1,206	1,575	1,713	1,816	1,530	896	324	65	4	–	40
141	138	132	159	281	374	548	776	950	1,026	968	764	451	140	27	2	–	41
114	101	105	138	175	240	351	430	625	687	848	766	445	184	38	2	–	42
37	31	35	47	61	86	100	135	141	147	115	74	41	16	4	2	–	43
13	16	16	16	31	50	51	93	83	76	69	34	19	8	1	2	–	44
24	15	19	31	30	36	49	42	58	71	46	40	22	8	3	–	–	45
335	310	352	421	748	1,401	1,860	2,470	3,013	3,034	2,680	1,995	905	255	49	2	1	46
219	185	210	266	454	785	1,052	1,353	1,627	1,603	1,284	875	377	107	19	–	1	47
116	125	142	155	294	616	808	1,117	1,386	1,431	1,396	1,120	528	148	30	2	–	48
294	282	310	354	665	1,233	1,633	2,213	2,708	2,789	2,467	1,892	863	238	46	–	1	49
191	170	186	222	405	691	924	1,216	1,464	1,455	1,177	818	358	101	18	–	1	50
103	112	124	132	260	542	709	997	1,244	1,334	1,290	1,074	505	137	28	–	–	51
41	28	42	67	83	168	227	257	305	245	213	103	42	17	3	2	–	52
28	15	24	44	49	94	128	137	163	148	107	57	19	6	1	–	–	53
13	13	18	23	34	74	99	120	142	97	106	46	23	11	2	2	–	54
55	82	106	146	214	323	395	525	630	585	535	413	273	104	13	4	–	55
25	34	44	68	109	160	206	274	338	287	268	177	110	27	2	–	–	56
30	48	62	78	105	163	189	251	292	298	267	236	163	77	11	4	–	57
47	67	82	122	173	264	332	451	550	518	494	379	256	97	13	3	–	58
20	28	34	57	88	129	172	236	299	262	243	157	106	25	2	–	–	59
27	39	48	65	85	135	160	215	251	256	251	222	150	72	11	3	–	60
8	15	24	24	41	59	63	74	80	67	41	34	17	7	–	1	–	61
5	6	10	11	21	31	34	38	39	25	25	20	4	2	–	–	–	62
3	9	14	13	20	28	29	36	41	42	16	14	13	5	–	1	–	63
243	329	395	510	860	1,454	2,320	3,372	4,620	5,315	5,590	4,963	2,982	1,075	225	27	6	64
125	187	230	284	438	702	1,142	1,542	2,062	2,187	2,058	1,695	911	292	65	3	2	65
118	142	165	226	422	752	1,178	1,830	2,558	3,128	3,532	3,268	2,071	783	160	24	4	66
191	252	293	346	618	1,035	1,723	2,624	3,750	4,429	4,845	4,517	2,755	993	196	21	1	67
98	144	171	206	329	529	914	1,270	1,744	1,888	1,826	1,558	835	271	55	3	1	68
93	108	122	140	289	506	809	1,354	2,006	2,541	3,019	2,959	1,920	722	141	18	–	69
52	77	102	164	242	419	597	748	870	886	745	446	227	82	29	6	5	70
27	43	59	78	109	173	228	272	318	299	232	137	76	21	10	–	1	71
25	34	43	86	133	246	369	476	552	587	513	309	151	61	19	6	4	72
12	12	13	18	37	60	84	111	191	269	368	478	450	272	91	31	1	73
6	6	6	9	15	31	42	53	104	152	168	192	161	87	32	5	1	74
6	6	7	9	22	29	42	58	87	117	200	286	289	185	59	26	–	75
11	6	7	13	33	43	70	89	145	226	304	404	397	248	84	24	–	76
6	1	3	6	11	22	34	39	75	128	139	156	144	78	27	1	–	77
5	5	4	7	22	21	36	50	70	98	165	248	253	170	57	23	–	78
1	6	6	5	4	17	14	22	46	43	64	74	53	24	7	7	1	79
–	5	3	3	4	9	8	14	29	24	29	36	17	9	5	4	1	80
1	1	3	2	–	8	6	8	17	19	35	38	36	15	2	3	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	Anemias – 280–285	3,182	45	24	14	14	4	101	46	52	71	67
02	Male	1,473	23	11	6	10	3	53	24	26	44	42
03	Female	1,709	22	13	8	4	1	48	22	26	27	25
04	White	2,501	17	5	3	5	2	32	29	31	34	28
05	Male	1,152	10	1	–	3	2	16	15	16	23	15
06	Female	1,349	7	4	3	2	–	16	14	15	11	13
07	All other	681	28	19	11	9	2	69	17	21	37	39
08	Male	321	13	10	6	7	1	37	9	10	21	27
09	Female	360	15	9	5	2	1	32	8	11	16	12
10	Meningitis – 320	1,589	550	103	60	36	21	770	63	27	30	29
11	Male	899	302	74	42	23	13	454	34	13	22	16
12	Female	690	248	29	18	13	8	316	29	14	8	13
13	White	1,133	374	85	44	30	11	544	45	23	21	19
14	Male	657	217	66	29	18	6	336	26	11	14	9
15	Female	476	157	19	15	12	5	208	19	12	7	10
16	All other	456	176	18	16	6	10	226	18	4	9	10
17	Male	242	85	8	13	5	7	118	8	2	8	7
18	Female	214	91	10	3	1	3	108	10	2	1	3
19	Major cardiovascular diseases – 390–448	974,429	862	134	88	56	51	1,191	223	351	710	1,003
20	Male	512,008	488	80	52	32	27	679	121	193	425	629
21	Female	462,421	374	54	36	24	24	512	102	158	285	374
22	White	876,127	603	106	62	35	37	843	183	263	505	712
23	Male	460,908	357	61	40	19	19	496	97	148	306	455
24	Female	415,219	246	45	22	16	18	347	86	115	199	257
25	All other	98,302	259	28	26	21	14	348	40	88	205	291
26	Male	51,100	131	19	12	13	8	183	24	45	119	174
27	Female	47,202	128	9	14	8	6	165	16	43	86	117
28	Diseases of heart – 390–398,402,404,410–429	723,878	700	99	61	34	33	927	131	201	430	642
29	Male	400,601	404	59	33	21	20	537	69	105	279	411
30	Female	323,277	296	40	28	13	13	390	62	96	151	231
31	White	654,291	479	76	45	19	25	644	104	143	290	447
32	Male	363,098	289	44	26	12	13	384	53	74	195	294
33	Female	291,193	190	32	19	7	12	260	51	69	95	153
34	All other	69,587	221	23	16	15	8	283	27	58	140	195
35	Male	37,503	115	15	7	9	7	153	16	31	84	117
36	Female	32,084	106	8	9	6	1	130	11	27	56	78
37	Active rheumatic fever and chronic rheumatic heart disease – 390–398	13,110	5	2	5	1	3	16	16	27	55	93
38	Male	5,863	5	2	4	1	3	15	13	12	37	49
39	Female	7,247	–	–	1	–	–	1	3	15	18	44
40	White	11,952	4	2	5	1	1	13	10	18	24	63
41	Male	5,288	4	2	4	1	1	12	8	8	16	36
42	Female	6,664	–	–	1	–	–	1	2	10	8	27
43	All other	1,158	1	–	–	–	2	3	6	9	31	30
44	Male	575	1	–	–	–	2	3	5	4	21	13
45	Female	583	–	–	–	–	–	–	1	5	10	17
46	Hypertensive heart disease – 402	6,670	–	–	–	–	1	1	2	5	2	5
47	Male	2,738	–	–	–	–	–	–	1	3	–	4
48	Female	3,932	–	–	–	–	1	1	1	2	2	1
49	White	5,194	–	–	–	–	1	1	1	4	2	3
50	Male	2,074	–	–	–	–	–	–	1	2	–	3
51	Female	3,120	–	–	–	–	1	1	–	2	2	–
52	All other	1,476	–	–	–	–	–	–	1	1	–	2
53	Male	664	–	–	–	–	–	–	–	1	–	1
54	Female	812	–	–	–	–	–	–	1	–	–	1
55	Hypertensive heart and renal disease – 404	4,020	–	–	–	–	1	1	1	–	1	3
56	Male	1,763	–	–	–	–	1	1	–	–	1	2
57	Female	2,257	–	–	–	–	–	–	1	–	–	1
58	White	3,408	–	–	–	–	1	1	1	–	1	–
59	Male	1,469	–	–	–	–	1	1	–	–	1	–
60	Female	1,939	–	–	–	–	–	–	1	–	–	–
61	All other	612	–	–	–	–	–	–	–	–	–	3
62	Male	294	–	–	–	–	–	–	–	–	–	2
63	Female	318	–	–	–	–	–	–	–	–	–	1
64	Ischemic heart disease – 410–413	646,073	8	4	1	–	2	15	4	7	39	90
65	Male	360,535	5	1	–	–	1	7	3	6	27	66
66	Female	285,538	3	3	1	–	1	8	1	1	12	24
67	White	588,820	7	3	1	–	2	13	3	5	25	69
68	Male	329,574	5	1	–	–	1	7	2	5	17	55
69	Female	259,246	2	2	1	–	1	6	1	–	8	14
70	All other	57,253	1	1	–	–	–	2	1	2	14	21
71	Male	30,961	–	–	–	–	–	–	1	1	10	11
72	Female	26,292	1	1	–	–	–	2	–	1	4	10
73	Acute myocardial infarction – 410	319,477	6	3	1	–	–	10	2	3	24	55
74	Male	197,429	4	1	–	–	–	5	1	2	15	40
75	Female	122,048	2	2	1	–	–	5	1	1	9	15
76	White	295,613	5	2	1	–	–	8	1	1	15	39
77	Male	183,820	4	1	–	–	–	5	–	1	10	32
78	Female	111,793	1	1	1	–	–	3	1	–	5	7
79	All other	23,864	1	1	–	–	–	2	1	2	9	16
80	Male	13,609	–	–	–	–	–	–	1	1	5	8
81	Female	10,255	1	1	–	–	–	2	–	1	4	8

Age, Color, and Sex: United States, 1976 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
61	61	57	56	74	96	128	186	294	309	460	463	360	194	38	8	–	01
32	28	17	19	37	48	64	85	151	154	223	205	141	65	12	3	–	02
29	33	40	37	37	48	64	101	143	155	237	258	219	129	26	5	–	03
24	20	18	22	42	66	94	156	249	261	410	430	338	181	30	6	–	04
13	9	8	9	21	32	44	75	128	130	196	197	136	60	7	2	–	05
11	11	10	13	21	34	50	81	121	131	214	233	202	121	23	4	–	06
37	41	39	34	32	30	34	30	45	48	50	33	22	13	8	2	–	07
19	19	9	10	16	16	20	10	23	24	27	8	5	5	5	1	–	08
18	22	30	24	16	14	14	20	22	24	23	25	17	8	3	1	–	09
20	22	24	41	41	55	81	81	73	69	63	52	34	10	4	–	–	10
15	12	13	27	32	35	45	45	40	33	28	22	10	2	1	–	–	11
5	10	11	14	9	20	36	36	33	36	35	30	24	8	3	–	–	12
15	10	14	22	23	39	59	55	49	58	51	47	28	8	3	–	–	13
10	5	9	16	20	26	36	30	27	28	23	20	8	2	1	–	–	14
5	5	5	6	3	13	23	25	22	30	28	27	20	6	2	–	–	15
5	12	10	19	18	16	22	26	24	11	12	5	6	2	1	–	–	16
5	7	4	11	12	9	9	15	13	5	5	2	2	–	–	–	–	17
–	5	6	8	6	7	13	11	11	6	7	3	4	2	1	–	–	18
1,554	2,531	4,770	10,152	20,431	36,156	54,247	79,418	106,277	128,821	150,831	159,691	127,349	66,049	19,167	3,348	159	19
947	1,657	3,298	7,301	14,916	26,427	38,620	54,377	68,278	74,408	75,613	68,914	47,287	21,718	5,280	843	77	20
607	874	1,472	2,851	5,515	9,729	15,627	25,041	37,999	54,413	75,218	90,777	80,062	44,331	13,887	2,505	82	21
1,071	1,802	3,499	7,857	16,489	29,888	46,262	68,930	93,157	114,599	137,122	149,515	120,560	62,287	17,730	2,746	107	22
663	1,211	2,490	5,930	12,515	22,573	33,831	48,290	60,973	67,151	69,110	64,364	44,477	20,361	4,780	637	50	23
408	591	1,009	1,927	3,974	7,315	12,431	20,640	32,184	47,448	68,012	85,151	76,083	41,926	12,950	2,109	57	24
483	729	1,271	2,295	3,942	6,268	7,985	10,488	13,120	14,222	13,709	10,176	6,789	3,762	1,437	602	52	25
284	446	808	1,371	2,401	3,854	4,789	6,087	7,305	7,257	6,503	4,550	2,810	1,357	500	206	27	26
199	283	463	924	1,541	2,414	3,196	4,401	5,815	6,965	7,206	5,626	3,979	2,405	937	396	25	27
986	1,720	3,576	8,111	16,984	30,246	45,507	65,332	84,596	98,071	109,686	111,427	86,113	44,142	12,722	2,199	129	28
652	1,232	2,704	6,277	13,134	23,177	33,595	46,156	55,830	58,111	56,527	49,688	32,967	14,942	3,574	566	68	29
334	488	872	1,834	3,850	7,069	11,912	19,176	28,766	39,960	53,159	61,739	53,146	29,200	9,148	1,633	61	30
679	1,236	2,706	6,484	14,047	25,526	39,449	57,472	75,085	88,173	100,261	104,599	81,616	41,640	11,780	1,824	86	31
464	921	2,105	5,235	11,255	20,148	29,842	41,458	50,404	52,936	51,960	46,557	31,080	14,003	3,244	440	46	32
215	315	601	1,249	2,792	5,378	9,607	16,014	24,681	35,237	48,301	58,042	50,536	27,637	8,536	1,384	40	33
307	484	870	1,627	2,937	4,720	6,058	7,860	9,511	9,898	9,425	6,828	4,497	2,502	942	375	43	34
188	311	599	1,042	1,879	3,029	3,753	4,698	5,426	5,175	4,567	3,131	1,887	939	330	126	22	35
119	173	271	585	1,058	1,691	2,305	3,162	4,085	4,723	4,858	3,697	2,610	1,563	612	249	21	36
119	154	221	365	602	937	1,358	1,784	2,006	1,855	1,574	1,082	582	211	50	3	–	37
70	87	107	181	283	503	640	863	918	814	641	386	169	61	14	–	–	38
49	67	114	184	319	434	718	921	1,088	1,041	933	696	413	150	36	3	–	39
80	113	171	284	510	841	1,222	1,664	1,873	1,756	1,481	1,036	546	198	46	3	–	40
44	64	84	143	238	454	569	804	855	766	593	362	161	59	12	–	–	41
36	49	87	141	272	387	653	860	1,018	990	888	674	385	139	34	3	–	42
39	41	50	81	92	96	136	120	133	99	93	46	36	13	4	–	–	43
26	23	23	38	45	49	71	59	63	48	48	24	8	2	2	–	–	44
13	18	27	43	47	47	65	61	70	51	45	22	28	11	2	–	–	45
11	27	50	85	210	288	449	573	778	905	944	1,045	800	371	95	21	3	46
7	18	30	44	126	163	246	324	381	413	350	314	209	82	19	3	1	47
4	9	20	41	84	125	203	249	397	492	594	731	591	289	76	18	2	48
2	13	23	34	121	178	280	395	577	704	790	912	713	340	82	17	2	49
2	9	13	19	71	107	167	230	289	323	294	272	176	76	17	3	–	50
–	4	10	15	50	71	113	165	288	381	496	640	537	264	65	14	2	51
9	14	27	51	89	110	169	178	201	201	154	133	87	31	13	4	1	52
5	9	17	25	55	56	79	94	92	90	56	42	33	6	2	–	1	53
4	5	10	26	34	54	90	84	109	111	98	91	54	25	11	4	–	54
5	7	10	18	49	74	144	194	316	472	619	809	706	438	125	28	–	55
3	5	5	12	29	42	87	106	179	255	274	322	251	146	37	6	–	56
2	2	5	6	20	32	57	88	137	217	345	487	455	292	88	22	–	57
1	3	5	9	16	45	78	127	238	373	534	754	670	413	116	23	–	58
–	2	1	4	10	30	49	74	142	203	235	306	237	136	33	5	–	59
1	1	4	5	6	15	29	53	96	170	299	448	433	277	83	18	–	60
4	4	5	9	33	29	66	67	78	99	85	55	36	25	9	5	–	61
3	3	4	8	19	12	38	32	37	52	39	16	14	10	4	1	–	62
1	1	1	1	14	17	28	35	41	47	46	39	22	15	5	4	–	63
374	1,043	2,613	6,664	14,365	26,189	39,828	57,916	75,586	88,408	99,576	101,228	78,426	40,100	11,561	1,930	111	64
284	829	2,136	5,416	11,529	20,624	30,147	41,587	50,590	52,846	51,609	45,309	30,126	13,600	3,235	503	56	65
90	214	477	1,248	2,836	5,565	9,681	16,329	24,996	35,562	47,967	55,919	48,300	26,500	8,326	1,427	55	66
283	789	2,063	5,499	12,126	22,351	34,912	51,370	67,565	80,020	91,470	95,346	74,530	37,935	10,754	1,613	79	67
220	656	1,732	4,634	10,050	18,116	27,030	37,625	45,991	48,458	47,687	42,623	28,487	12,781	2,958	398	42	68
63	133	331	865	2,076	4,235	7,882	13,745	21,574	31,562	43,783	52,723	46,043	25,154	7,796	1,215	37	69
91	254	550	1,165	2,239	3,838	4,916	6,546	8,021	8,388	8,106	5,882	3,896	2,165	807	317	32	70
64	173	404	782	1,479	2,508	3,117	3,962	4,599	4,388	3,922	2,686	1,639	819	277	105	14	71
27	81	146	383	760	1,330	1,799	2,584	3,422	4,000	4,184	3,196	2,257	1,346	530	212	18	72
242	648	1,726	4,497	9,467	16,938	25,746	36,345	45,210	48,485	48,549	41,420	26,030	10,951	2,664	423	42	73
185	533	1,449	3,733	7,734	13,627	19,880	26,636	31,033	30,005	26,359	20,036	11,034	4,154	808	136	24	74
57	115	277	764	1,733	3,311	5,866	9,709	14,177	18,480	22,190	21,384	14,996	6,797	1,856	287	18	75
191	529	1,455	3,883	8,324	15,155	23,385	33,238	41,556	45,010	45,489	39,363	24,765	10,354	2,486	334	32	76
148	450	1,248	3,310	6,976	12,431	18,342	24,730	28,897	28,107	24,850	19,062	10,452	3,897	745	107	20	77
43	79	207	573	1,348	2,724	5,043	8,508	12,659	16,903	20,639	20,301	14,313	6,457	1,741	227	12	78
51	119	271	614	1,143	1,783	2,361	3,107	3,654	3,475	3,060	2,057	1,265	597	178	89	10	79
37	83	201	423	758	1,196	1,538	1,906	2,136	1,898	1,509	974	582	257	63	29	4	80
14	36	70	191	385	587	823	1,201	1,518	1,577	1,551	1,083	683	340	115	60	6	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Major cardiovascular diseases—Con.											
	Diseases of heart—Con.											
	Ischemic heart disease—Con.											
01	Other acute and subacute forms of ischemic heart disease—411	4,028	–	–	–	–	1	1	–	–	–	2
02	Male	2,634	–	–	–	–	–	–	–	–	–	2
03	Female	1,394	–	–	–	–	1	1	–	–	–	–
04	White	3,465	–	–	–	–	1	1	–	–	–	2
05	Male	2,291	–	–	–	–	–	–	–	–	–	2
06	Female	1,174	–	–	–	–	1	1	–	–	–	–
07	All other	563	–	–	–	–	–	–	–	–	–	–
08	Male	343	–	–	–	–	–	–	–	–	–	–
09	Female	220	–	–	–	–	–	–	–	–	–	–
10	Chronic ischemic heart disease—412	322,382	2	1	–	–	1	4	2	4	15	33
11	Male	160,375	1	–	–	–	1	2	2	4	12	24
12	Female	162,007	1	1	–	–	–	2	–	–	3	9
13	White	289,572	2	1	–	–	1	4	2	4	10	28
14	Male	143,372	1	–	–	–	1	2	2	4	7	21
15	Female	146,200	1	1	–	–	–	2	–	–	3	7
16	All other	32,810	–	–	–	–	–	–	–	–	5	5
17	Male	17,003	–	–	–	–	–	–	–	–	5	3
18	Female	15,807	–	–	–	–	–	–	–	–	–	2
19	Angina pectoris—413	186	–	–	–	–	–	–	–	–	–	–
20	Male	97	–	–	–	–	–	–	–	–	–	–
21	Female	89	–	–	–	–	–	–	–	–	–	–
22	White	170	–	–	–	–	–	–	–	–	–	–
23	Male	91	–	–	–	–	–	–	–	–	–	–
24	Female	79	–	–	–	–	–	–	–	–	–	–
25	All other	16	–	–	–	–	–	–	–	–	–	–
26	Male	6	–	–	–	–	–	–	–	–	–	–
27	Female	10	–	–	–	–	–	–	–	–	–	–
28	Chronic disease of endocardium and other myocardial insufficiency—424,428	4,195	27	10	3	2	1	43	13	12	29	44
29	Male	2,048	16	6	–	–	1	23	6	8	21	32
30	Female	2,147	11	4	3	2	–	20	7	4	8	12
31	White	3,670	17	9	2	2	1	31	12	9	23	28
32	Male	1,746	10	5	–	–	1	16	6	7	18	22
33	Female	1,924	7	4	2	2	–	15	6	2	5	6
34	All other	525	10	1	1	–	–	12	1	3	6	16
35	Male	302	6	1	–	–	–	7	–	1	3	10
36	Female	223	4	–	1	–	–	5	1	2	3	6
37	All other forms of heart disease—420–423,425–427,429	49,810	660	83	52	31	25	851	95	150	304	407
38	Male	27,654	378	50	29	20	14	491	46	76	193	258
39	Female	22,156	282	33	23	11	11	360	49	74	111	149
40	White	41,247	451	62	37	16	19	585	77	107	215	284
41	Male	22,947	270	36	22	11	9	348	36	52	143	178
42	Female	18,300	181	26	15	5	10	237	41	55	72	106
43	All other	8,563	209	21	15	15	6	266	18	43	89	123
44	Male	4,707	108	14	7	9	5	143	10	24	50	80
45	Female	3,856	101	7	8	6	1	123	8	19	39	43
46	Hypertension—400,401,403	6,130	2	1	–	–	–	3	1	5	3	7
47	Male	2,960	2	–	–	–	–	2	1	2	2	5
48	Female	3,170	–	1	–	–	–	1	–	3	1	2
49	White	4,832	2	–	–	–	–	2	1	5	1	4
50	Male	2,309	2	–	–	–	–	2	1	2	1	2
51	Female	2,523	–	–	–	–	–	–	–	3	–	2
52	All other	1,298	–	1	–	–	–	1	–	–	2	3
53	Male	651	–	–	–	–	–	–	–	–	1	3
54	Female	647	–	1	–	–	–	1	–	–	1	–
55	Cerebrovascular diseases—430–438	188,623	132	28	25	21	16	222	81	125	218	288
56	Male	80,597	69	16	18	10	6	119	45	73	111	170
57	Female	108,026	63	12	7	11	10	103	36	52	107	118
58	White	165,631	98	25	15	15	11	164	73	100	165	210
59	Male	69,840	56	13	13	6	5	93	40	61	83	124
60	Female	95,791	42	12	2	9	6	71	33	39	82	86
61	All other	22,992	34	3	10	6	5	58	8	25	53	78
62	Male	10,757	13	3	5	4	1	26	5	12	28	46
63	Female	12,235	21	–	5	2	4	32	3	13	25	32
64	Cerebral hemorrhage—431	24,845	62	5	3	1	1	72	20	31	70	81
65	Male	11,312	39	2	1	1	–	43	13	18	31	50
66	Female	13,533	23	3	2	–	1	29	7	13	39	31
67	White	20,928	50	5	1	1	1	58	16	26	54	53
68	Male	9,365	33	2	–	1	–	36	11	16	22	32
69	Female	11,563	17	3	1	–	1	22	5	10	32	21
70	All other	3,917	12	–	2	–	–	14	4	5	16	28
71	Male	1,947	6	–	1	–	–	7	2	2	9	18
72	Female	1,970	6	–	1	–	–	7	2	3	7	10
73	Cerebral thrombosis—433	44,803	5	1	2	2	1	11	2	2	12	11
74	Male	18,982	3	1	2	–	–	6	–	2	7	4
75	Female	25,821	2	–	–	2	1	5	2	–	5	7
76	White	40,354	4	–	2	2	1	9	2	2	10	7
77	Male	16,903	2	–	2	–	–	4	–	2	6	3
78	Female	23,451	2	–	–	2	1	5	2	–	4	4
79	All other	4,449	1	1	–	–	–	2	–	–	2	4
80	Male	2,079	1	1	–	–	–	2	–	–	1	1
81	Female	2,370	–	–	–	–	–	–	–	–	1	3

Age, Color, and Sex: United States, 1976 – Con.

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
7	18	27	83	180	299	397	472	539	535	480	435	316	176	50	9	2	01
4	10	26	68	146	242	309	373	398	356	265	220	129	67	15	2	2	02
3	8	1	15	34	57	88	99	141	179	215	215	187	109	35	7	–	03
5	15	23	57	149	238	318	397	470	464	425	393	291	164	43	8	2	04
4	8	23	48	124	196	260	317	353	318	242	197	116	65	14	2	2	05
1	7	–	9	25	42	58	80	117	146	183	196	175	99	29	6	–	06
2	3	4	26	31	61	79	75	69	71	55	42	25	12	7	1	–	07
–	2	3	20	22	46	49	56	45	38	23	23	13	2	1	–	–	08
2	1	1	6	9	15	30	19	24	33	32	19	12	10	6	1	–	09
125	377	860	2,077	4,709	8,940	13,677	21,088	29,816	39,360	50,520	59,340	52,058	28,969	8,843	1,498	67	10
95	286	661	1,612	3,643	6,748	9,954	14,571	19,145	22,467	24,971	25,039	18,956	9,376	2,412	365	30	11
30	91	199	465	1,066	2,192	3,723	6,517	10,671	16,893	25,549	34,301	33,102	19,593	6,431	1,133	37	12
87	245	585	1,552	3,644	6,949	11,204	17,725	25,523	34,519	45,529	55,559	49,452	27,414	8,221	1,271	45	13
68	198	461	1,273	2,944	5,482	8,425	12,571	16,729	20,016	22,581	23,351	17,912	8,817	2,199	289	20	14
19	47	124	279	700	1,467	2,779	5,154	8,794	14,503	22,948	32,208	31,540	18,597	6,022	982	25	15
38	132	275	525	1,065	1,991	2,473	3,363	4,293	4,841	4,991	3,781	2,606	1,555	622	227	22	16
27	88	200	339	699	1,266	1,529	2,000	2,416	2,451	2,390	1,688	1,044	559	213	76	10	17
11	44	75	186	366	725	944	1,363	1,877	2,390	2,601	2,093	1,562	996	409	151	12	18
–	–	–	7	9	12	8	11	21	28	27	33	22	4	4	–	–	19
–	–	–	3	6	7	4	7	14	18	14	14	7	3	–	–	–	20
–	–	–	4	3	5	4	4	7	10	13	19	15	1	4	–	–	21
–	–	–	7	9	9	5	10	16	27	27	31	22	3	4	–	–	22
–	–	–	3	6	7	3	7	12	17	14	13	7	2	–	–	–	23
–	–	–	4	3	2	2	3	4	10	13	18	15	1	4	–	–	24
–	–	–	–	–	3	3	1	5	1	–	2	–	1	–	–	–	25
–	–	–	–	–	–	1	–	2	1	–	1	–	1	–	–	–	26
–	–	–	–	–	3	2	1	3	–	–	1	–	–	–	–	–	27
48	51	46	83	120	201	217	326	375	436	532	635	537	324	92	29	2	28
27	31	28	52	75	119	136	192	231	214	249	269	188	115	23	7	2	29
21	20	18	31	45	82	81	134	144	222	283	366	349	209	69	22	–	30
31	35	29	60	90	155	188	286	332	385	476	585	502	305	83	24	1	31
19	23	15	36	58	91	119	164	205	183	213	247	172	106	20	5	1	32
12	12	14	24	32	64	69	122	127	202	263	338	330	199	63	19	–	33
17	16	17	23	30	46	29	40	43	51	56	50	35	19	9	5	1	34
8	8	13	16	17	28	17	28	26	31	36	22	16	9	3	2	1	35
9	8	4	7	13	18	12	12	17	20	20	28	19	10	6	3	–	36
429	438	636	896	1,638	2,557	3,511	4,539	5,535	5,995	6,441	6,628	5,062	2,698	799	188	13	37
261	262	398	572	1,092	1,726	2,339	3,084	3,531	3,569	3,404	3,088	2,024	938	246	47	9	38
168	176	238	324	546	831	1,172	1,455	2,004	2,426	3,037	3,540	3,038	1,760	553	141	4	39
282	283	415	598	1,184	1,956	2,769	3,630	4,500	4,935	5,510	5,966	4,655	2,449	699	144	4	40
179	167	260	399	828	1,350	1,908	2,561	2,922	3,003	2,938	2,747	1,847	845	204	29	3	41
103	116	155	199	356	606	861	1,069	1,578	1,932	2,572	3,219	2,808	1,604	495	115	1	42
147	155	221	298	454	601	742	909	1,035	1,060	931	662	407	249	100	44	9	43
82	95	138	173	264	376	431	523	609	566	466	341	177	93	42	18	6	44
65	60	83	125	190	225	311	386	426	494	465	321	230	156	58	26	3	45
24	43	54	98	159	213	308	401	587	736	938	1,076	867	452	121	31	3	46
9	28	31	60	94	131	170	216	321	377	454	468	368	171	37	12	1	47
15	15	23	38	65	82	138	185	266	359	484	608	499	281	84	19	2	48
9	18	20	31	78	113	179	273	412	576	786	969	805	418	109	21	2	49
2	9	9	20	50	73	98	148	232	310	393	427	337	156	34	3	–	50
7	9	11	11	28	40	81	125	180	266	393	542	468	262	75	18	2	51
15	25	34	67	81	100	129	128	175	160	152	107	62	34	12	10	1	52
7	19	22	40	44	58	72	68	89	67	61	41	31	15	3	9	1	53
8	6	12	27	37	42	57	60	86	93	91	66	31	19	9	1	–	54
448	647	971	1,671	2,724	4,697	6,685	10,524	16,293	23,459	31,750	36,946	30,734	15,237	4,228	657	18	55
228	327	464	807	1,350	2,454	3,641	5,751	8,835	11,804	14,050	14,170	10,355	4,593	1,087	158	5	56
220	320	507	864	1,374	2,243	3,044	4,773	7,458	11,655	17,700	22,776	20,379	10,644	3,141	499	13	57
315	457	648	1,131	1,920	3,411	5,127	8,376	13,328	19,926	28,267	34,306	28,958	14,339	3,886	511	13	58
156	226	300	554	931	1,792	2,826	4,651	7,312	10,118	12,489	13,054	9,642	4,303	970	112	3	59
159	231	348	577	989	1,619	2,301	3,725	6,016	9,808	15,778	21,252	19,316	10,036	2,916	399	10	60
133	190	323	540	804	1,286	1,558	2,148	2,965	3,533	3,483	2,640	1,776	898	342	146	5	61
72	101	164	253	419	662	815	1,100	1,523	1,686	1,561	1,116	713	290	117	46	2	62
61	89	159	287	385	624	743	1,048	1,442	1,847	1,922	1,524	1,063	608	225	100	3	63
144	198	283	535	852	1,453	1,757	2,219	2,865	3,407	3,592	3,506	2,423	1,039	252	44	2	64
74	105	158	263	441	770	991	1,183	1,539	1,662	1,495	1,324	785	298	56	12	1	65
70	93	125	272	411	683	766	1,036	1,326	1,745	2,097	2,182	1,638	741	196	32	1	66
91	128	160	316	560	1,009	1,345	1,785	2,383	2,936	3,236	3,259	2,277	971	234	30	1	67
46	64	88	157	284	543	771	960	1,283	1,441	1,324	1,215	728	280	53	10	1	68
45	64	72	159	276	466	574	825	1,100	1,495	1,912	2,044	1,549	691	181	20	–	69
53	70	123	219	292	444	412	434	482	471	356	247	146	68	18	14	1	70
28	41	70	106	157	227	220	223	256	221	171	109	57	18	3	2	–	71
25	29	53	113	135	217	192	211	226	250	185	138	89	50	15	12	1	72
17	20	53	117	242	581	1,035	1,983	3,532	5,646	8,086	9,686	8,315	4,142	1,116	189	5	73
10	8	24	70	138	351	625	1,154	1,958	2,909	3,599	3,794	2,766	1,225	285	46	1	74
7	12	29	47	104	230	410	829	1,574	2,737	4,487	5,892	5,549	2,917	831	143	4	75
14	15	28	69	157	413	819	1,607	2,969	4,868	7,298	9,072	7,880	3,923	1,031	156	5	76
8	6	10	43	86	251	503	956	1,675	2,531	3,248	3,530	2,594	1,151	259	36	1	77
6	9	18	26	71	162	316	651	1,294	2,337	4,050	5,542	5,286	2,772	772	120	4	78
3	5	25	48	85	168	216	376	563	778	788	614	435	219	85	33	–	79
2	2	14	27	52	100	122	198	283	378	351	264	172	74	26	10	–	80
1	3	11	21	33	68	94	178	280	400	437	350	263	145	59	23	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Major cardiovascular diseases – Con.											
	Cerebrovascular diseases – Con.											
01	Cerebral embolism – 434	826	1	–	–	–	–	1	–	–	1	1
02	Male	348	–	–	–	–	–	–	–	–	–	1
03	Female	478	1	–	–	–	–	1	–	–	1	–
04	White	762	1	–	–	–	–	1	–	–	1	1
05	Male	313	–	–	–	–	–	–	–	–	–	1
06	Female	449	1	–	–	–	–	1	–	–	1	–
07	All other	64	–	–	–	–	–	–	–	–	–	–
08	Male	35	–	–	–	–	–	–	–	–	–	–
09	Female	29	–	–	–	–	–	–	–	–	–	–
10	All other cerebrovascular diseases – 430,432,435–438	118,149	64	22	20	18	14	138	59	92	135	195
11	Male	49,955	27	13	15	9	6	70	32	53	73	115
12	Female	68,194	37	9	5	9	8	68	27	39	62	80
13	White	103,587	43	20	12	12	9	96	55	72	100	149
14	Male	43,259	21	11	11	5	5	53	29	43	55	88
15	Female	60,328	22	9	1	7	4	43	26	29	45	61
16	All other	14,562	21	2	8	6	5	42	4	20	35	46
17	Male	6,696	6	2	4	4	1	17	3	10	18	27
18	Female	7,866	15	–	4	2	4	25	1	10	17	19
19	Arteriosclerosis – 440	29,366	1	–	1	–	–	2	–	–	1	4
20	Male	11,813	–	–	–	–	–	–	–	–	–	2
21	Female	17,553	1	–	1	–	–	2	–	–	1	2
22	White	27,284	1	–	1	–	–	2	–	–	1	4
23	Male	10,892	–	–	–	–	–	–	–	–	–	2
24	Female	16,392	1	–	1	–	–	2	–	–	1	2
25	All other	2,082	–	–	–	–	–	–	–	–	–	–
26	Male	921	–	–	–	–	–	–	–	–	–	–
27	Female	1,161	–	–	–	–	–	–	–	–	–	–
28	Other diseases of arteries, arterioles, and capillaries – 441–448	26,432	27	6	1	1	2	37	10	20	58	62
29	Male	16,037	13	5	1	1	1	21	6	13	33	41
30	Female	10,395	14	1	–	–	1	16	4	7	25	21
31	White	24,089	23	5	1	1	1	31	5	15	48	47
32	Male	14,769	10	4	1	1	1	17	3	11	27	33
33	Female	9,320	13	1	–	–	–	14	2	4	21	14
34	All other	2,343	4	1	–	–	1	6	5	5	10	15
35	Male	1,268	3	1	–	–	–	4	3	2	6	8
36	Female	1,075	1	–	–	–	1	2	2	3	4	7
37	Acute bronchitis and bronchiolitis – 466	854	95	25	15	6	3	144	14	3	2	9
38	Male	479	64	16	6	5	3	94	9	1	2	6
39	Female	375	31	9	9	1	–	50	5	2	–	3
40	White	744	65	19	11	3	2	100	12	3	2	6
41	Male	411	43	11	6	2	2	64	7	1	2	4
42	Female	333	22	8	5	1	–	36	5	2	–	2
43	All other	110	30	6	4	3	1	44	2	–	–	3
44	Male	68	21	5	–	3	1	30	2	–	–	2
45	Female	42	9	1	4	–	–	14	–	–	–	1
46	Influenza and pneumonia – 470–474,480–486	61,866	1,961	246	103	77	54	2,441	168	194	277	334
47	Male	32,513	1,086	127	56	35	32	1,336	87	90	148	188
48	Female	29,353	875	119	47	42	22	1,105	81	104	129	146
49	White	54,629	1,229	162	67	53	34	1,545	131	155	214	243
50	Male	28,150	678	84	37	23	22	844	71	69	121	136
51	Female	26,479	551	78	30	30	12	701	60	86	93	107
52	All other	7,237	732	84	36	24	20	896	37	39	63	91
53	Male	4,363	408	43	19	12	10	492	16	21	27	52
54	Female	2,874	324	41	17	12	10	404	21	18	36	39
55	Influenza – 470–474	7,877	33	9	7	5	2	56	14	12	16	29
56	Male	3,324	20	6	4	2	2	34	10	6	4	14
57	Female	4,553	13	3	3	3	–	22	4	6	12	15
58	White	7,513	26	7	7	2	1	43	13	11	14	24
59	Male	3,145	17	4	4	1	1	27	9	5	4	10
60	Female	4,368	9	3	3	1	–	16	4	6	10	14
61	All other	364	7	2	–	3	1	13	1	1	2	5
62	Male	179	3	2	–	1	1	7	1	1	–	4
63	Female	185	4	–	–	2	–	6	–	–	2	1
64	Pneumonia – 480–486	53,989	1,928	237	96	72	52	2,385	154	182	261	305
65	Male	29,189	1,066	121	52	33	30	1,302	77	84	144	174
66	Female	24,800	862	116	44	39	22	1,083	77	98	117	131
67	White	47,116	1,203	155	60	51	33	1,502	118	144	200	219
68	Male	25,005	661	80	33	22	21	817	62	64	117	126
69	Female	22,111	542	75	27	29	12	685	56	80	83	93
70	All other	6,873	725	82	36	21	19	883	36	38	61	86
71	Male	4,184	405	41	19	11	9	485	15	20	27	48
72	Female	2,689	320	41	17	10	10	398	21	18	34	38
73	Bronchitis, emphysema, and asthma – 490–493	24,410	71	29	13	10	9	132	21	37	42	54
74	Male	17,784	44	13	9	7	5	78	8	22	22	30
75	Female	6,626	27	16	4	3	4	54	13	15	20	24
76	White	22,852	52	22	8	7	4	93	15	28	31	33
77	Male	16,667	32	10	7	5	2	56	7	16	15	17
78	Female	6,185	20	12	1	2	2	37	8	12	16	16
79	All other	1,558	19	7	5	3	5	39	6	9	11	21
80	Male	1,117	12	3	2	2	3	22	1	6	7	13
81	Female	441	7	4	3	1	2	17	5	3	4	8

Age, Color, and Sex: United States, 1976 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
4	2	6	5	15	14	40	52	83	135	177	142	91	43	11	3	–	01
1	2	3	2	8	6	29	26	39	58	77	52	33	9	2	–	–	02
3	–	3	3	7	8	11	26	44	77	100	90	58	34	9	3	–	03
3	2	3	4	12	11	35	48	73	121	165	138	87	43	11	3	–	04
–	2	2	1	6	5	26	23	33	49	72	51	31	9	2	–	–	05
3	–	1	3	6	6	9	25	40	72	93	87	56	34	9	3	–	06
1	–	3	1	3	3	5	4	10	14	12	4	4	–	–	–	–	07
1	–	1	1	2	1	3	3	6	9	5	1	2	–	–	–	–	08
–	–	2	–	1	2	2	1	4	5	7	3	2	–	–	–	–	09
283	427	629	1,014	1,615	2,649	3,853	6,270	9,813	14,271	19,895	23,612	19,905	10,013	2,849	421	11	10
143	212	279	472	763	1,327	1,996	3,388	5,299	7,175	8,879	9,000	6,771	3,061	744	100	3	11
140	215	350	542	852	1,322	1,857	2,882	4,514	7,096	11,016	14,612	13,134	6,952	2,105	321	8	12
207	312	457	742	1,191	1,978	2,928	4,936	7,903	12,001	17,568	21,837	18,714	9,402	2,610	322	7	13
102	154	200	353	555	993	1,526	2,712	4,321	6,097	7,845	8,258	6,289	2,863	656	66	1	14
105	158	257	389	636	985	1,402	2,224	3,582	5,904	9,723	13,579	12,425	6,539	1,954	256	6	15
76	115	172	272	424	671	925	1,334	1,910	2,270	2,327	1,775	1,191	611	239	99	4	16
41	58	79	119	208	334	470	676	978	1,078	1,034	742	482	198	88	34	2	17
35	57	93	153	216	337	455	658	932	1,192	1,293	1,033	709	413	151	65	2	18
2	8	14	30	62	161	336	707	1,275	2,380	4,030	6,303	6,920	4,939	1,776	409	7	19
2	7	9	15	37	101	214	461	740	1,262	1,863	2,522	2,445	1,546	489	96	2	20
–	1	5	15	25	60	122	246	535	1,118	2,167	3,781	4,475	3,393	1,287	313	5	21
2	7	11	24	51	137	277	612	1,098	2,097	3,685	5,949	6,624	4,683	1,667	348	5	22
2	6	7	13	33	85	185	409	642	1,123	1,708	2,375	2,319	1,462	447	74	–	23
–	1	4	11	18	52	92	203	456	974	1,977	3,574	4,305	3,221	1,220	274	5	24
–	1	3	6	11	24	59	95	177	283	345	354	296	256	109	61	2	25
–	1	2	2	4	16	29	52	98	139	155	147	126	84	42	22	2	26
–	–	1	4	7	8	30	43	79	144	190	207	170	172	67	39	–	27
94	113	155	242	502	839	1,411	2,454	3,526	4,175	4,427	3,939	2,715	1,279	320	52	2	28
56	63	90	142	301	564	1,000	1,793	2,552	2,854	2,719	2,066	1,152	466	93	11	1	29
38	50	65	100	201	275	411	661	974	1,321	1,708	1,873	1,563	813	227	41	1	30
66	84	114	187	393	701	1,230	2,197	3,234	3,827	4,123	3,692	2,557	1,207	288	42	1	31
39	49	69	108	246	475	880	1,624	2,383	2,664	2,560	1,951	1,099	437	85	8	1	32
27	35	45	79	147	226	350	573	851	1,163	1,563	1,741	1,458	770	203	34	–	33
28	29	41	55	109	138	181	257	292	348	304	247	158	72	32	10	1	34
17	14	21	34	55	89	120	169	169	190	159	115	53	29	8	3	–	35
11	15	20	21	54	49	61	88	123	158	145	132	105	43	24	7	1	36
14	13	12	15	21	23	43	50	74	86	87	92	91	48	9	4	–	37
7	4	5	8	9	14	21	32	46	56	52	40	48	21	3	1	–	38
7	9	7	7	12	9	22	18	28	30	35	52	43	27	6	3	–	39
12	6	9	12	15	21	34	45	69	81	85	89	87	46	7	3	–	40
6	1	4	7	6	13	19	29	43	51	50	37	45	20	1	1	–	41
6	5	5	5	9	8	15	16	26	30	35	52	42	26	6	2	–	42
2	7	3	3	6	2	9	5	5	5	2	3	4	2	2	1	–	43
1	3	1	1	3	1	2	3	3	5	2	3	3	1	2	–	–	44
1	4	2	2	3	1	7	2	2	–	–	–	1	1	–	1	–	45
359	421	535	712	1,073	1,667	2,219	3,051	4,175	5,772	8,474	11,126	10,286	6,199	1,960	413	10	46
204	235	310	442	633	1,061	1,431	2,034	2,718	3,525	4,683	5,685	4,609	2,328	646	113	7	47
155	186	225	270	440	606	788	1,017	1,457	2,247	3,791	5,441	5,677	3,871	1,314	300	3	48
260	258	344	470	729	1,271	1,796	2,489	3,579	5,092	7,693	10,408	9,804	5,929	1,843	370	6	49
148	140	195	288	412	786	1,133	1,643	2,300	3,110	4,207	5,281	4,356	2,202	607	96	5	50
112	118	149	182	317	485	663	846	1,279	1,982	3,486	5,127	5,448	3,727	1,236	274	1	51
99	163	191	242	344	396	423	562	596	680	781	718	482	270	117	43	4	52
56	95	115	154	221	275	298	391	418	415	476	404	253	126	39	17	2	53
43	68	76	88	123	121	125	171	178	265	305	314	229	144	78	26	2	54
33	31	39	51	56	110	169	270	434	668	1,019	1,558	1,731	1,137	364	80	–	55
17	9	18	26	27	60	86	138	255	355	471	649	646	370	113	16	–	56
16	22	21	25	29	50	83	132	179	313	548	909	1,085	767	251	64	–	57
29	27	32	43	43	97	155	243	403	621	973	1,508	1,690	1,117	351	76	–	58
14	8	16	23	18	51	78	121	238	328	446	624	635	366	108	16	–	59
15	19	16	20	25	46	77	122	165	293	527	884	1,055	751	243	60	–	60
4	4	7	8	13	13	14	27	31	47	46	50	41	20	13	4	–	61
3	1	2	3	9	9	8	17	17	27	25	25	11	4	5	–	–	62
1	3	5	5	4	4	6	10	14	20	21	25	30	16	8	4	–	63
326	390	496	661	1,017	1,557	2,050	2,781	3,741	5,104	7,455	9,568	8,555	5,062	1,596	333	10	64
187	226	292	416	606	1,001	1,345	1,896	2,463	3,170	4,212	5,036	3,963	1,958	533	97	7	65
139	164	204	245	411	556	705	885	1,278	1,934	3,243	4,532	4,592	3,104	1,063	236	3	66
231	231	312	427	686	1,174	1,641	2,246	3,176	4,471	6,720	8,900	8,114	4,812	1,492	294	6	67
134	132	179	265	394	735	1,055	1,522	2,062	2,782	3,761	4,657	3,721	1,836	499	80	5	68
97	99	133	162	292	439	586	724	1,114	1,689	2,959	4,243	4,393	2,976	993	214	1	69
95	159	184	234	331	383	409	535	565	633	735	668	441	250	104	39	4	70
53	94	113	151	212	266	290	374	401	388	451	379	242	122	34	17	2	71
42	65	71	83	119	117	119	161	164	245	284	289	199	128	70	22	2	72
64	85	108	202	484	939	1,721	2,896	4,134	4,484	4,025	2,847	1,516	504	101	12	2	73
35	37	49	98	289	566	1,160	2,074	3,130	3,516	3,081	2,147	1,064	308	64	5	1	74
29	48	59	104	195	373	561	822	1,004	968	944	700	452	196	37	7	1	75
43	58	85	154	404	813	1,552	2,696	3,892	4,292	3,865	2,748	1,464	480	92	12	2	76
26	25	37	72	240	483	1,041	1,932	2,934	3,364	2,952	2,070	1,025	293	56	5	1	77
17	33	48	82	164	330	511	764	958	928	913	678	439	187	36	7	1	78
21	27	23	48	80	126	169	200	242	192	160	99	52	24	9	–	–	79
9	12	12	26	49	83	119	142	196	152	129	77	39	15	8	–	–	80
12	15	11	22	31	43	50	58	46	40	31	22	13	9	1	–	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Bronchitis, emphysema, and asthma,– Con.											
01	Chronic and unqualified bronchitis – 490,491	4,639	56	20	11	5	3	95	8	10	9	6
02	Male	3,114	33	9	7	3	2	54	4	5	7	4
03	Female	1,525	23	11	4	2	1	41	4	5	2	2
04	White	4,364	43	14	7	4	2	70	8	9	7	6
05	Male	2,914	24	6	6	2	1	39	4	4	6	4
06	Female	1,450	19	8	1	2	1	31	4	5	1	2
07	All other	275	13	6	4	1	1	25	–	1	2	–
08	Male	200	9	3	1	1	1	15	–	1	1	–
09	Female	75	4	3	3	–	–	10	–	–	1	–
10	Emphysema – 492	17,796	11	1	1	–	–	13	–	1	5	6
11	Male	13,850	9	–	1	–	–	10	–	–	2	4
12	Female	3,946	2	1	–	–	–	3	–	1	3	2
13	White	16,936	7	1	1	–	–	9	–	1	4	5
14	Male	13,128	7	–	1	–	–	8	–	–	2	3
15	Female	3,808	–	1	–	–	–	1	–	1	2	2
16	All other	860	4	–	–	–	–	4	–	–	1	1
17	Male	722	2	–	–	–	–	2	–	–	–	1
18	Female	138	2	–	–	–	–	2	–	–	1	–
19	Asthma – 493	1,975	4	8	1	5	6	24	13	26	28	42
20	Male	820	2	4	1	4	3	14	4	17	13	22
21	Female	1,155	2	4	–	1	3	10	9	9	15	20
22	White	1,552	2	7	–	3	2	14	7	18	20	22
23	Male	625	1	4	–	3	1	9	3	12	7	10
24	Female	927	1	3	–	–	1	5	4	6	13	12
25	All other	423	2	1	1	2	4	10	6	8	8	20
26	Male	195	1	–	1	1	2	5	1	5	6	12
27	Female	228	1	1	–	1	2	5	5	3	2	8
28	Peptic ulcer – 531–533	6,428	25	5	–	–	–	30	3	6	11	8
29	Male	3,997	17	3	–	–	–	20	1	5	6	7
30	Female	2,431	8	2	–	–	–	10	2	1	5	1
31	White	5,762	8	4	–	–	–	12	3	5	10	8
32	Male	3,545	4	3	–	–	–	7	1	4	6	7
33	Female	2,217	4	1	–	–	–	5	2	1	4	1
34	All other	666	17	1	–	–	–	18	–	1	1	–
35	Male	452	13	–	–	–	–	13	–	1	–	–
36	Female	214	4	1	–	–	–	5	–	–	1	–
37	Appendicitis – 540–543	752	10	4	3	2	3	22	23	12	17	17
38	Male	442	7	2	1	1	2	13	16	6	8	14
39	Female	310	3	2	2	1	1	9	7	6	9	3
40	White	588	6	3	3	2	2	16	12	6	9	11
41	Male	343	4	1	1	1	1	8	8	4	6	10
42	Female	245	2	2	2	1	1	8	4	2	3	1
43	All other	164	4	1	–	–	1	6	11	6	8	6
44	Male	99	3	1	–	–	1	5	8	2	2	4
45	Female	65	1	–	–	–	–	1	3	4	6	2
46	Hernia and intestinal obstruction – 550–553,560	5,919	478	14	13	4	4	513	8	11	20	19
47	Male	2,514	285	8	10	3	2	308	6	7	12	10
48	Female	3,405	193	6	3	1	2	205	2	4	8	9
49	White	5,152	384	10	11	2	4	411	5	10	17	13
50	Male	2,124	226	6	8	2	2	244	4	6	12	7
51	Female	3,028	158	4	3	–	2	167	1	4	5	6
52	All other	767	94	4	2	2	–	102	3	1	3	6
53	Male	390	59	2	2	1	–	64	2	1	–	3
54	Female	377	35	2	–	1	–	38	1	–	3	3
55	Cirrhosis of liver – 571	31,453	33	4	1	2	1	41	8	10	22	102
56	Male	20,668	21	3	–	2	1	27	5	3	13	58
57	Female	10,785	12	1	1	–	–	14	3	7	9	44
58	White	26,054	24	3	–	2	1	30	3	7	15	50
59	Male	17,221	15	2	–	2	1	20	2	3	11	29
60	Female	8,833	9	1	–	–	–	10	1	4	4	21
61	All other	5,399	9	1	1	–	–	11	5	3	7	52
62	Male	3,447	6	1	–	–	–	7	3	–	2	29
63	Female	1,952	3	–	1	–	–	4	2	3	5	23
64	Cholelithiasis, cholecystitis and cholangitis – 574,575	2,956	–	–	–	–	1	1	1	–	3	4
65	Male	1,322	–	–	–	–	–	–	1	–	1	1
66	Female	1,634	–	–	–	–	1	1	–	–	2	3
67	White	2,724	–	–	–	–	–	–	1	–	3	2
68	Male	1,237	–	–	–	–	–	–	1	–	1	–
69	Female	1,487	–	–	–	–	–	–	–	–	2	2
70	All other	232	–	–	–	–	1	1	–	–	–	2
71	Male	85	–	–	–	–	–	–	–	–	–	1
72	Female	147	–	–	–	–	1	1	–	–	–	1
73	Nephritis and nephrosis – 580–584	8,541	35	7	8	3	5	58	25	19	33	96
74	Male	4,555	23	5	4	1	2	35	14	10	21	55
75	Female	3,986	12	2	4	2	3	23	11	9	12	41
76	White	6,259	25	4	7	2	5	43	20	15	20	70
77	Male	3,440	16	2	4	1	2	25	11	8	13	40
78	Female	2,819	9	2	3	1	3	18	9	7	7	30
79	All other	2,282	10	3	1	1	–	15	5	4	13	26
80	Male	1,115	7	3	–	–	–	10	3	2	8	15
81	Female	1,167	3	–	1	1	–	5	2	2	5	11

Age, Color, and Sex: United States, 1976 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
10	14	15	31	94	173	300	510	668	785	756	560	371	177	42	5	–	01
7	7	7	17	55	103	203	341	481	574	529	381	224	88	22	1	–	02
3	7	8	14	39	70	97	169	187	211	227	179	147	89	20	4	–	03
10	11	11	26	75	153	269	476	631	749	730	541	368	170	39	5	–	04
7	5	4	13	41	86	179	321	453	546	507	369	222	84	19	1	–	05
3	6	7	13	34	67	90	155	178	203	223	172	146	86	20	4	–	06
–	3	4	5	19	20	31	34	37	36	26	19	3	7	3	–	–	07
–	2	3	4	14	17	24	20	28	28	22	12	2	4	3	–	–	08
–	1	1	1	5	3	7	14	9	8	4	7	1	3	–	–	–	09
10	19	43	88	290	608	1,217	2,149	3,191	3,494	3,082	2,145	1,068	306	52	7	2	10
7	11	26	54	198	414	881	1,629	2,517	2,844	2,477	1,706	814	213	38	4	1	11
3	8	17	34	92	194	336	520	674	650	605	439	254	93	14	3	1	12
6	15	37	76	258	549	1,126	2,034	3,028	3,365	2,969	2,078	1,026	293	48	7	2	13
5	8	22	43	175	363	808	1,533	2,376	2,734	2,377	1,648	780	203	35	4	1	14
1	7	15	33	83	186	318	501	652	631	592	430	246	90	13	3	1	15
4	4	6	12	32	59	91	115	163	129	113	67	42	13	4	–	–	16
2	3	4	11	23	51	73	96	141	110	100	58	34	10	3	–	–	17
2	1	2	1	9	8	18	19	22	19	13	9	8	3	1	–	–	18
44	52	50	83	100	158	204	237	275	205	187	142	77	21	7	–	–	19
21	19	16	27	36	49	76	104	132	98	75	60	26	7	4	–	–	20
23	33	34	56	64	109	128	133	143	107	112	82	51	14	3	–	–	21
27	32	37	52	71	111	157	186	233	178	166	129	70	17	5	–	–	22
14	12	11	16	24	34	54	78	105	84	68	53	23	6	2	–	–	23
13	20	26	36	47	77	103	108	128	94	98	76	47	11	3	–	–	24
17	20	13	31	29	47	47	51	42	27	21	13	7	4	2	–	–	25
7	7	5	11	12	15	22	26	27	14	7	7	3	1	2	–	–	26
10	13	8	20	17	32	25	25	15	13	14	6	4	3	–	–	–	27
35	54	66	133	231	359	489	638	799	922	865	864	600	252	58	5	–	28
25	36	45	95	160	249	349	429	546	612	533	468	287	103	21	–	–	29
10	18	21	38	71	110	140	209	253	310	332	396	313	149	37	5	–	30
20	32	45	102	181	299	431	582	726	825	802	813	568	236	57	5	–	31
12	20	32	71	123	209	309	389	495	549	492	437	267	94	21	–	–	32
8	12	13	31	58	90	122	193	231	276	310	376	301	142	36	5	–	33
15	22	21	31	50	60	58	56	73	97	63	51	32	16	1	–	–	34
13	16	13	24	37	40	40	40	51	63	41	31	20	9	–	–	–	35
2	6	8	7	13	20	18	16	22	34	22	20	12	7	1	–	–	36
17	10	16	26	28	41	53	66	92	83	76	80	50	15	6	2	–	37
6	4	12	17	15	28	39	43	65	44	43	34	24	6	4	1	–	38
11	6	4	9	13	13	14	23	27	39	33	46	26	9	2	1	–	39
12	8	12	22	19	27	41	51	72	67	62	75	47	13	6	–	–	40
4	4	9	16	11	19	29	33	51	31	37	34	21	4	4	–	–	41
8	4	3	6	8	8	12	18	21	36	25	41	26	9	2	–	–	42
5	2	4	4	9	14	12	15	20	16	14	5	3	2	–	2	–	43
2	–	3	1	4	9	10	10	14	13	6	–	3	2	–	1	–	44
3	2	1	3	5	5	2	5	6	3	8	5	–	–	–	1	–	45
27	31	41	67	100	167	243	331	573	708	817	956	794	360	120	12	1	46
16	17	23	41	40	74	128	159	274	345	343	327	229	110	40	4	1	47
11	14	18	26	60	93	115	172	299	363	474	629	565	250	80	8	–	48
22	23	27	41	74	123	199	267	483	594	746	893	748	336	109	10	1	49
13	14	17	22	29	59	103	127	236	284	302	296	213	97	35	3	1	50
9	9	10	19	45	64	96	140	247	310	444	597	535	239	74	7	–	51
5	8	14	26	26	44	44	64	90	114	71	63	46	24	11	2	–	52
3	3	6	19	11	15	25	32	38	61	41	31	16	13	5	1	–	53
2	5	8	7	15	29	19	32	52	53	30	32	30	11	6	1	–	54
371	801	1,421	2,465	3,624	4,639	4,915	4,643	3,820	2,220	1,295	690	273	75	5	–	13	55
250	540	962	1,604	2,408	3,066	3,258	3,168	2,539	1,437	761	380	139	39	2	–	9	56
121	261	459	861	1,216	1,573	1,657	1,475	1,281	783	534	310	134	36	3	–	4	57
183	444	884	1,707	2,821	3,799	4,248	4,106	3,464	2,062	1,214	669	264	72	5	–	7	58
130	311	629	1,133	1,896	2,522	2,826	2,792	2,312	1,338	717	369	134	38	2	–	7	59
53	133	255	574	925	1,277	1,422	1,314	1,152	724	497	300	130	34	3	–	–	60
188	357	537	758	803	840	667	537	356	158	81	21	9	3	–	–	6	61
120	229	333	471	512	544	432	376	227	99	44	11	5	1	–	–	2	62
68	128	204	287	291	296	235	161	129	59	37	10	4	2	–	–	4	63
10	14	19	33	44	89	120	194	295	382	471	580	432	207	46	11	–	64
1	5	8	15	22	47	56	96	169	214	219	237	152	62	11	5	–	65
9	9	11	18	22	42	64	98	126	168	252	343	280	145	35	6	–	66
9	8	16	30	36	75	100	173	264	354	444	550	414	193	43	9	–	67
1	2	6	14	21	43	50	92	159	199	206	225	143	59	11	4	–	68
8	6	10	16	15	32	50	81	105	155	238	325	271	134	32	5	–	69
1	6	3	3	8	14	20	21	31	28	27	30	18	14	3	2	–	70
–	3	2	1	1	4	6	4	10	15	13	12	9	3	–	1	–	71
1	3	1	2	7	10	14	17	21	13	14	18	9	11	3	1	–	72
98	116	119	194	299	434	563	753	1,014	1,137	1,161	1,149	798	363	98	12	2	73
60	74	64	96	174	246	310	426	556	597	634	583	387	165	42	5	1	74
38	42	55	98	125	188	253	327	458	540	527	566	411	198	56	7	1	75
62	61	71	104	163	262	366	508	687	839	887	977	694	326	76	7	1	76
41	37	37	58	102	158	215	308	396	461	507	500	339	148	33	3	–	77
21	24	34	46	61	104	151	200	291	378	380	477	355	178	43	4	1	78
36	55	48	90	136	172	197	245	327	298	274	172	104	37	22	5	1	79
19	37	27	38	72	88	95	118	160	136	127	83	48	17	9	2	1	80
17	18	21	52	64	84	102	127	167	162	147	89	56	20	13	3	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Nephritis and nephrosis—Con.											
01	Acute nephritis and nephrotic syndrome—580,581	1,759	32	5	1	2	4	44	6	6	7	9
02	Male	942	21	4	1	1	1	28	4	3	5	6
03	Female	817	11	1	–	1	3	16	2	3	2	3
04	White	1,445	23	3	1	1	4	32	4	5	4	7
05	Male	781	15	2	1	1	1	20	3	3	2	5
06	Female	664	8	1	–	–	3	12	1	2	2	2
07	All other	314	9	2	–	1	–	12	2	1	3	2
08	Male	161	6	2	–	–	–	8	1	–	3	1
09	Female	153	3	–	–	1	–	4	1	1	–	1
10	Chronic and unqualified nephritis and renal sclerosis—582–584	6,782	3	2	7	1	1	14	19	13	26	87
11	Male	3,613	2	1	3	–	1	7	10	7	16	49
12	Female	3,169	1	1	4	1	–	7	9	6	10	38
13	White	4,814	2	1	6	1	1	11	16	10	16	63
14	Male	2,659	1	–	3	–	1	5	8	5	11	35
15	Female	2,155	1	1	3	1	–	6	8	5	5	28
16	All other	1,968	1	1	1	–	–	3	3	3	10	24
17	Male	954	1	1	–	–	–	2	2	2	5	14
18	Female	1,014	–	–	1	–	–	1	1	1	5	10
19	Infections of kidney—590	4,017	7	–	–	–	–	7	2	1	11	9
20	Male	1,690	4	–	–	–	–	4	–	–	4	4
21	Female	2,327	3	–	–	–	–	3	2	1	7	5
22	White	3,411	5	–	–	–	–	5	2	1	8	7
23	Male	1,421	2	–	–	–	–	2	–	–	2	3
24	Female	1,990	3	–	–	–	–	3	2	1	6	4
25	All other	606	2	–	–	–	–	2	–	–	3	2
26	Male	269	2	–	–	–	–	2	–	–	2	1
27	Female	337	–	–	–	–	–	–	–	–	1	1
28	Hyperplasia of prostate—600	1,077	–	–	–	–	–	–	–	–	–	–
29	Male	1,077	–	–	–	–	–	–	–	–	–	–
30	White	946	–	–	–	–	–	–	–	–	–	–
31	Male	946	–	–	–	–	–	–	–	–	–	–
32	All other	131	–	–	–	–	–	–	–	–	–	–
33	Male	131	–	–	–	–	–	–	–	–	–	–
34	Complications of pregnancy, childbirth, and the puerperium—630–678	390	–	–	–	–	–	–	–	–	39	98
35	Female	390	–	–	–	–	–	–	–	–	39	98
36	White	231	–	–	–	–	–	–	–	–	19	63
37	Female	231	–	–	–	–	–	–	–	–	19	63
38	All other	159	–	–	–	–	–	–	–	–	20	35
39	Female	159	–	–	–	–	–	–	–	–	20	35
40	Abortions—640–645	16	–	–	–	–	–	–	–	–	2	5
41	Female	16	–	–	–	–	–	–	–	–	2	5
42	White	5	–	–	–	–	–	–	–	–	–	1
43	Female	5	–	–	–	–	–	–	–	–	–	1
44	All other	11	–	–	–	–	–	–	–	–	2	4
45	Female	11	–	–	–	–	–	–	–	–	2	4
46	Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	374	–	–	–	–	–	–	–	–	37	93
47	Female	374	–	–	–	–	–	–	–	–	37	93
48	White	226	–	–	–	–	–	–	–	–	19	62
49	Female	226	–	–	–	–	–	–	–	–	19	62
50	All other	148	–	–	–	–	–	–	–	–	18	31
51	Female	148	–	–	–	–	–	–	–	–	18	31
52	Congenital anomalies—740–759	13,002	8,345	548	275	159	132	9,459	423	322	303	265
53	Male	6,854	4,477	255	147	83	65	5,027	211	156	176	153
54	Female	6,148	3,868	293	128	76	67	4,432	212	166	127	112
55	White	10,774	6,799	430	217	139	109	7,694	345	275	248	229
56	Male	5,707	3,672	204	115	73	52	4,116	173	143	140	134
57	Female	5,067	3,127	226	102	66	57	3,578	172	132	108	95
58	All other	2,228	1,546	118	58	20	23	1,765	78	47	55	36
59	Male	1,147	805	51	32	10	13	911	38	13	36	19
60	Female	1,081	741	67	26	10	10	854	40	34	19	17
61	Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	24,809	24,767	11	4	2	–	24,784	–	1	3	4
62	Male	14,198	14,178	5	3	1	–	14,187	–	1	–	1
63	Female	10,611	10,589	6	1	1	–	10,597	–	–	3	3
64	White	17,235	17,206	8	3	–	–	17,217	–	1	2	3
65	Male	9,975	9,959	5	2	–	–	9,966	–	1	–	1
66	Female	7,260	7,247	3	1	–	–	7,251	–	–	2	2
67	All other	7,574	7,561	3	1	2	–	7,567	–	–	1	1
68	Male	4,223	4,219	–	1	1	–	4,221	–	–	–	–
69	Female	3,351	3,342	3	–	1	–	3,346	–	–	1	1
70	Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	13,432	13,406	10	1	1	–	13,418	–	–	1	2
71	Male	7,816	7,804	4	1	–	–	7,809	–	–	–	1
72	Female	5,616	5,602	6	–	1	–	5,609	–	–	1	1
73	White	9,583	9,566	7	1	–	–	9,574	–	–	1	1
74	Male	5,647	5,637	4	1	–	–	5,642	–	–	–	1
75	Female	3,936	3,929	3	–	–	–	3,932	–	–	1	–
76	All other	3,849	3,840	3	–	1	–	3,844	–	–	–	1
77	Male	2,169	2,167	–	–	–	–	2,167	–	–	–	–
78	Female	1,680	1,673	3	–	1	–	1,677	–	–	–	1

Age, Color, and Sex: United States, 1976 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
13	13	27	18	41	57	105	137	193	255	260	272	188	83	22	3	–	01
6	5	17	10	30	37	60	86	100	132	145	139	87	34	6	2	–	02
7	8	10	8	11	20	45	51	93	123	115	133	101	49	16	1	–	03
8	8	19	13	29	41	79	110	155	207	216	234	176	78	17	3	–	04
5	3	10	8	21	27	49	71	83	110	120	123	79	33	4	2	–	05
3	5	9	5	8	14	30	39	72	97	96	111	97	45	13	1	–	06
5	5	8	5	12	16	26	27	38	48	44	38	12	5	5	–	–	07
1	2	7	2	9	10	11	15	17	22	25	16	8	1	2	–	–	08
4	3	1	3	3	6	15	12	21	26	19	22	4	4	3	–	–	09
85	103	92	176	258	377	458	616	821	882	901	877	610	280	76	9	2	10
54	69	47	86	144	209	250	340	456	465	489	444	300	131	36	3	1	11
31	34	45	90	114	168	208	276	365	417	412	433	310	149	40	6	1	12
54	53	52	91	134	221	287	398	532	632	671	743	518	248	59	4	1	13
36	34	27	50	81	131	166	237	313	351	387	377	260	115	29	1	–	14
18	19	25	41	53	90	121	161	219	281	284	366	258	133	30	3	1	15
31	50	40	85	124	156	171	218	289	250	230	134	92	32	17	5	1	16
18	35	20	36	63	78	84	103	143	114	102	67	40	16	7	2	1	17
13	15	20	49	61	78	87	115	146	136	128	67	52	16	10	3	–	18
16	20	24	34	52	94	151	274	374	499	664	754	622	299	90	18	2	19
8	6	6	10	17	34	63	112	170	230	306	325	242	112	28	8	1	20
8	14	18	24	35	60	88	162	204	269	358	429	380	187	62	10	1	21
15	18	15	23	42	70	122	209	270	413	565	687	572	269	82	15	1	22
8	6	5	4	14	24	51	89	113	193	262	297	216	101	23	7	1	23
7	12	10	19	28	46	71	120	157	220	303	390	356	168	59	8	–	24
1	2	9	11	10	24	29	65	104	86	99	67	50	30	8	3	1	25
–	–	1	6	3	10	12	23	57	37	44	28	26	11	5	1	–	26
1	2	8	5	7	14	17	42	47	49	55	39	24	19	3	2	1	27
–	–	–	–	–	4	4	31	70	161	197	240	215	126	26	3	–	28
–	–	–	–	–	4	4	31	70	161	197	240	215	126	26	3	–	29
–	–	–	–	–	2	4	27	54	131	162	223	200	117	23	3	–	30
–	–	–	–	–	2	4	27	54	131	162	223	200	117	23	3	–	31
–	–	–	–	–	2	–	4	16	30	35	17	15	9	3	–	–	32
–	–	–	–	–	2	–	4	16	30	35	17	15	9	3	–	–	33
107	70	53	16	4	1	–	–	–	–	–	–	–	–	–	–	2	34
107	70	53	16	4	1	–	–	–	–	–	–	–	–	–	–	2	35
66	39	28	12	2	1	–	–	–	–	–	–	–	–	–	–	1	36
66	39	28	12	2	1	–	–	–	–	–	–	–	–	–	–	1	37
41	31	25	4	2	–	–	–	–	–	–	–	–	–	–	–	1	38
41	31	25	4	2	–	–	–	–	–	–	–	–	–	–	–	1	39
2	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	40
2	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	41
2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	44
–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	45
105	67	50	15	4	1	–	–	–	–	–	–	–	–	–	–	2	46
105	67	50	15	4	1	–	–	–	–	–	–	–	–	–	–	2	47
64	38	27	12	2	1	–	–	–	–	–	–	–	–	–	–	1	48
64	38	27	12	2	1	–	–	–	–	–	–	–	–	–	–	1	49
41	29	23	3	2	–	–	–	–	–	–	–	–	–	–	–	1	50
41	29	23	3	2	–	–	–	–	–	–	–	–	–	–	–	1	51
243	190	158	149	206	216	243	216	181	161	121	74	42	22	4	–	4	52
138	106	82	74	101	116	123	121	90	70	50	30	20	7	1	–	2	53
105	84	76	75	105	100	120	95	91	91	71	44	22	15	3	–	2	54
210	158	141	126	184	188	220	196	165	146	114	70	38	21	3	–	3	55
122	89	71	60	90	95	112	109	84	65	46	28	20	7	1	–	2	56
88	69	70	66	94	93	108	87	81	81	68	42	18	14	2	–	1	57
33	32	17	23	22	28	23	20	16	15	7	4	4	1	1	–	1	58
16	17	11	14	11	21	11	12	6	5	4	2	–	–	–	–	–	59
17	15	6	9	11	7	12	8	10	10	3	2	4	1	1	–	1	60
–	–	–	–	1	–	–	–	–	1	–	1	2	–	–	–	12	61
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	8	62
–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	4	63
–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	8	64
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	6	65
–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	2	66
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	4	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	68
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	69
–	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	7	70
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	5	71
–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	2	72
–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	4	73
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	74
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	75
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	76
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	77
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	78

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Certain causes of mortality in early infancy—Con.											
01	Other causes of mortality in early infancy—Remainder of 760–778	11,377	11,361	1	3	1	–	11,366	–	1	2	2
02	Male	6,382	6,374	1	2	1	–	6,378	–	1	–	–
03	Female	4,995	4,987	–	1	–	–	4,988	–	–	2	2
04	White	7,652	7,640	1	2	–	–	7,643	–	1	1	2
05	Male	4,328	4,322	1	1	–	–	4,324	–	1	–	–
06	Female	3,324	3,318	–	1	–	–	3,319	–	–	1	2
07	All other	3,725	3,721	–	1	1	–	3,723	–	–	1	–
08	Male	2,054	2,052	–	1	1	–	2,054	–	–	–	–
09	Female	1,671	1,669	–	–	–	–	1,669	–	–	1	–
10	Symptoms and ill-defined conditions—780–796	30,802	5,209	170	68	40	26	5,513	74	88	374	672
11	Male	17,944	3,053	113	44	24	13	3,247	39	51	263	472
12	Female	12,858	2,156	57	24	16	13	2,266	35	37	111	200
13	White	22,337	3,426	122	47	23	19	3,637	48	62	270	484
14	Male	13,106	2,070	78	29	13	8	2,198	23	33	189	347
15	Female	9,231	1,356	44	18	10	11	1,439	25	29	81	137
16	All other	8,465	1,783	48	21	17	7	1,876	26	26	104	188
17	Male	4,838	983	35	15	11	5	1,049	16	18	74	125
18	Female	3,627	800	13	6	6	2	827	10	8	30	63
19	All other diseases—Residual	125,340	1,800	355	202	181	144	2,682	635	678	1,158	1,756
20	Male	71,566	1,037	213	115	109	71	1,545	330	388	697	1,097
21	Female	53,774	763	142	87	72	73	1,137	305	290	461	659
22	White	107,807	1,277	277	161	147	117	1,979	528	549	929	1,242
23	Male	61,345	739	161	90	85	57	1,132	272	326	574	824
24	Female	46,462	538	116	71	62	60	847	256	223	355	418
25	All other	17,533	523	78	41	34	27	703	107	129	229	514
26	Male	10,221	298	52	25	24	14	413	58	62	123	273
27	Female	7,312	225	26	16	10	13	290	49	67	106	241
28	Accidents—E800–E949	100,761	1,253	1,005	883	794	757	4,692	2,897	3,411	12,194	12,122
29	Male	70,277	710	561	515	523	488	2,797	1,898	2,445	9,356	9,858
30	Female	30,484	543	444	368	271	269	1,895	999	966	2,838	2,264
31	White	86,180	899	750	692	603	587	3,531	2,211	2,832	10,985	10,518
32	Male	59,604	516	416	414	399	382	2,127	1,441	2,012	8,394	8,592
33	Female	26,576	383	334	278	204	205	1,404	770	820	2,591	1,926
34	All other	14,581	354	255	191	191	170	1,161	686	579	1,209	1,604
35	Male	10,673	194	145	101	124	106	670	457	433	962	1,266
36	Female	3,908	160	110	90	67	64	491	229	146	247	338
37	Motor vehicle accidents—E810–E823	47,038	241	342	316	310	323	1,532	1,484	1,691	8,728	7,922
38	Male	34,049	111	184	183	187	197	862	905	1,121	6,478	6,325
39	Female	12,989	130	158	133	123	126	670	579	570	2,250	1,597
40	White	41,083	191	274	244	240	248	1,197	1,154	1,482	8,073	7,071
41	Male	29,584	88	143	144	146	156	677	694	970	5,969	5,657
42	Female	11,499	103	131	100	94	92	520	460	512	2,104	1,414
43	All other	5,955	50	68	72	70	75	335	330	209	655	851
44	Male	4,465	23	41	39	41	41	185	211	151	509	668
45	Female	1,490	27	27	33	29	34	150	119	58	146	183
46	All other accidents—E800–E807,E825–E949	53,723	1,012	663	567	484	434	3,160	1,413	1,720	3,466	4,200
47	Male	36,228	599	377	332	336	291	1,935	993	1,324	2,878	3,533
48	Female	17,495	413	286	235	148	143	1,225	420	396	588	667
49	White	45,097	708	476	448	363	339	2,334	1,057	1,350	2,912	3,447
50	Male	30,020	428	273	270	253	226	1,450	747	1,042	2,425	2,935
51	Female	15,077	280	203	178	110	113	884	310	308	487	512
52	All other	8,626	304	187	119	121	95	826	356	370	554	753
53	Male	6,208	171	104	62	83	65	485	246	282	453	598
54	Female	2,418	133	83	57	38	30	341	110	88	101	155
55	Suicide—E950–E959	26,832	...	...	...	...	...	...	5	158	1,556	3,191
56	Male	19,493	...	...	...	...	...	...	4	122	1,221	2,565
57	Female	7,339	...	...	...	...	...	...	1	36	335	626
58	White	24,854	...	...	...	...	...	...	2	139	1,381	2,812
59	Male	17,996	...	...	...	...	...	...	2	114	1,086	2,268
60	Female	6,858	...	...	...	...	...	...	–	25	295	544
61	All other	1,978	...	...	...	...	...	...	3	19	175	379
62	Male	1,497	...	...	...	...	...	...	2	8	135	297
63	Female	481	...	...	...	...	...	...	1	11	40	82
64	Homicide—E960–E978	19,554	170	115	83	66	42	476	143	249	1,816	3,222
65	Male	15,142	88	53	39	37	25	242	83	157	1,383	2,524
66	Female	4,412	82	62	44	29	17	234	60	92	433	698
67	White	10,115	99	67	34	37	29	266	92	163	950	1,513
68	Male	7,568	50	31	19	21	19	140	53	95	686	1,164
69	Female	2,547	49	36	15	16	10	126	39	68	264	349
70	All other	9,439	71	48	49	29	13	210	51	86	866	1,709
71	Male	7,574	38	22	20	16	6	102	30	62	697	1,360
72	Female	1,865	33	26	29	13	7	108	21	24	169	349
73	Other external causes—E980–E999	4,766	103	59	36	27	24	249	58	95	324	610
74	Male	3,226	53	28	18	13	14	126	33	74	228	463
75	Female	1,540	50	31	18	14	10	123	25	21	96	147
76	White	3,543	57	25	15	16	15	128	29	73	246	449
77	Male	2,406	30	12	9	8	9	68	16	58	176	354
78	Female	1,137	27	13	6	8	6	60	13	15	70	95
79	All other	1,223	46	34	21	11	9	121	29	22	78	161
80	Male	820	23	16	9	5	5	58	17	16	52	109
81	Female	403	23	18	12	6	4	63	12	6	26	52

Age, Color, and Sex: United States, 1976 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5	01
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	02
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	03
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	05
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	06
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	07
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	08
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	09
708	553	611	756	1,103	1,621	1,801	2,370	2,711	2,806	2,680	2,436	1,977	1,223	486	182	57	10
474	333	392	484	740	1,071	1,226	1,574	1,767	1,673	1,481	1,155	842	435	138	52	35	11
234	220	219	272	363	550	575	796	944	1,133	1,199	1,281	1,135	788	348	130	22	12
484	360	362	490	761	1,120	1,327	1,736	2,018	2,082	2,012	1,943	1,605	1,009	381	103	43	13
333	208	229	306	518	752	921	1,178	1,350	1,289	1,122	915	675	360	107	24	29	14
151	152	133	184	243	368	406	558	668	793	890	1,028	930	649	274	79	14	15
224	193	249	266	342	501	474	634	693	724	668	493	372	214	105	79	14	16
141	125	163	178	222	319	305	396	417	384	359	240	167	75	31	28	6	17
83	68	86	88	120	182	169	238	276	340	309	253	205	139	74	51	8	18
1,923	1,849	2,230	3,114	4,501	6,737	9,040	12,128	15,142	16,195	16,491	14,429	9,460	4,022	994	156	20	19
1,136	1,048	1,309	1,767	2,646	4,027	5,474	7,471	9,373	9,742	9,432	7,657	4,416	1,604	345	47	15	20
787	801	921	1,347	1,855	2,710	3,566	4,657	5,769	6,453	7,059	6,772	5,044	2,418	649	109	5	21
1,287	1,217	1,432	2,081	3,282	5,344	7,522	10,492	13,304	14,578	15,023	13,380	8,864	3,746	898	119	11	22
766	684	821	1,177	1,912	3,178	4,546	6,512	8,269	8,774	8,561	7,077	4,103	1,488	307	35	7	23
521	533	611	904	1,370	2,166	2,976	3,980	5,035	5,804	6,462	6,303	4,761	2,258	591	84	4	24
636	632	798	1,033	1,219	1,393	1,518	1,636	1,838	1,617	1,468	1,049	596	276	96	37	9	25
370	364	488	590	734	849	928	959	1,104	968	871	580	313	116	38	12	8	26
266	268	310	443	485	544	590	677	734	649	597	469	283	160	58	25	1	27
8,302	5,566	4,288	4,243	4,506	4,928	4,810	4,756	4,444	4,379	4,443	4,666	3,513	1,922	510	84	85	28
6,713	4,467	3,346	3,204	3,297	3,599	3,423	3,276	2,894	2,615	2,411	2,194	1,497	720	161	35	71	29
1,589	1,099	942	1,039	1,209	1,329	1,387	1,480	1,550	1,764	2,032	2,472	2,016	1,202	349	49	14	30
6,939	4,531	3,468	3,403	3,661	4,086	4,069	4,095	3,833	3,866	4,017	4,356	3,340	1,820	475	73	71	31
5,645	3,637	2,696	2,558	2,661	2,948	2,861	2,794	2,465	2,274	2,148	2,024	1,414	677	148	28	60	32
1,294	894	772	845	1,000	1,138	1,208	1,301	1,368	1,592	1,869	2,332	1,926	1,143	327	45	11	33
1,363	1,035	820	840	845	842	741	661	611	513	426	310	173	102	35	11	14	34
1,068	830	650	646	636	651	562	482	429	341	263	170	83	43	13	7	11	35
295	205	170	194	209	191	179	179	182	172	163	140	90	59	22	4	3	36
4,839	3,049	2,189	2,035	1,989	2,129	1,883	1,769	1,589	1,493	1,237	950	394	98	15	4	19	37
3,811	2,383	1,655	1,495	1,434	1,536	1,340	1,162	998	894	734	575	251	62	10	2	16	38
1,028	666	534	540	555	593	543	607	591	599	503	375	143	36	5	2	3	39
4,159	2,560	1,814	1,692	1,671	1,803	1,626	1,532	1,395	1,338	1,140	883	375	88	12	3	15	40
3,281	1,990	1,357	1,241	1,194	1,283	1,144	985	857	785	659	527	237	54	8	2	13	41
878	570	457	451	477	520	482	547	538	553	481	356	138	34	4	1	2	42
680	489	375	343	318	326	257	237	194	155	97	67	19	10	3	1	4	43
530	393	298	254	240	253	196	177	141	109	75	48	14	8	2	–	3	44
150	96	77	89	78	73	61	60	53	46	22	19	5	2	1	1	1	45
3,463	2,517	2,099	2,208	2,517	2,799	2,927	2,987	2,855	2,886	3,206	3,716	3,119	1,824	495	80	66	46
2,902	2,084	1,691	1,709	1,863	2,063	2,083	2,114	1,896	1,721	1,677	1,619	1,246	658	151	33	55	47
561	433	408	499	654	736	844	873	959	1,165	1,529	2,097	1,873	1,166	344	47	11	48
2,780	1,971	1,654	1,711	1,990	2,283	2,443	2,563	2,438	2,528	2,877	3,473	2,965	1,732	463	70	56	49
2,364	1,647	1,339	1,317	1,467	1,665	1,717	1,809	1,608	1,489	1,489	1,497	1,177	623	140	26	47	50
416	324	315	394	523	618	726	754	830	1,039	1,388	1,976	1,788	1,109	323	44	9	51
683	546	445	497	527	516	484	424	417	358	329	243	154	92	32	10	10	52
538	437	352	392	396	398	366	305	288	232	188	122	69	35	11	7	8	53
145	109	93	105	131	118	118	119	129	126	141	121	85	57	21	3	2	54
2,798	2,266	1,893	1,866	2,225	2,316	2,197	1,808	1,578	1,194	847	559	279	83	8	1	4	55
2,119	1,597	1,308	1,249	1,467	1,523	1,508	1,318	1,181	913	659	437	227	67	5	–	3	56
679	669	585	617	758	793	689	490	397	281	188	122	52	16	3	1	1	57
2,465	2,028	1,735	1,728	2,097	2,218	2,124	1,742	1,511	1,150	823	545	265	77	8	1	3	58
1,864	1,425	1,183	1,153	1,375	1,450	1,453	1,263	1,131	882	639	426	213	62	5	–	2	59
601	603	552	575	722	768	671	479	380	268	184	119	52	15	3	1	1	60
333	238	158	138	128	98	73	66	67	44	24	14	14	6	–	–	1	61
255	172	125	96	92	73	55	55	50	31	20	11	14	5	–	–	1	62
78	66	33	42	36	25	18	11	17	13	4	3	–	1	–	–	–	63
3,098	2,168	1,777	1,511	1,323	1,048	834	632	429	330	231	131	65	23	7	2	39	64
2,512	1,752	1,436	1,230	1,054	828	655	485	323	226	122	58	25	11	5	–	31	65
586	416	341	281	269	220	179	147	106	104	109	73	40	12	2	2	8	66
1,402	1,068	918	758	702	571	487	353	265	217	169	107	58	16	6	1	33	67
1,123	848	747	599	543	432	365	263	189	135	87	41	21	6	4	–	27	68
279	220	171	159	159	139	122	90	76	82	82	66	37	10	2	1	6	69
1,696	1,100	859	753	621	477	347	279	164	113	62	24	7	7	1	1	6	70
1,389	904	689	631	511	396	290	222	134	91	35	17	4	5	1	–	4	71
307	196	170	122	110	81	57	57	30	22	27	7	3	2	–	1	2	72
522	376	309	368	359	332	307	239	188	144	119	87	37	11	6	1	25	73
396	259	201	238	227	218	218	157	117	89	81	53	17	6	3	–	22	74
126	117	108	130	132	114	89	82	71	55	38	34	20	5	3	1	3	75
370	263	217	272	262	251	258	203	161	121	98	76	36	8	3	1	18	76
280	186	137	172	155	161	179	137	97	77	67	47	16	5	1	–	17	77
90	77	80	100	107	90	79	66	64	44	31	29	20	3	2	1	1	78
152	113	92	96	97	81	49	36	27	23	21	11	1	3	3	–	7	79
116	73	64	66	72	57	39	20	20	12	14	6	1	1	2	–	5	80
36	40	28	30	25	24	10	16	7	11	7	5	–	2	1	–	2	81

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama																							
	All causes	**34,193**	**1,144**	**178**	**137**	**146**	**442**	**468**	**459**	**468**	**510**	**785**	**1,182**	**1,749**	**2,367**	**3,110**	**4,021**	**4,301**	**4,221**	**3,782**	**2,789**	**1,391**	**537**	**6**
	White Male	13,678	339	52	58	65	226	194	188	199	202	347	530	835	1,126	1,471	1,825	1,778	1,614	1,329	840	365	92	3
	Female	10,289	228	38	39	22	74	78	63	80	112	134	256	387	544	695	989	1,216	1,437	1,593	1,384	684	235	1
	All other Male	5,555	331	46	21	37	101	141	148	122	123	195	218	319	390	530	689	708	594	409	234	133	64	2
	Female	4,671	246	42	19	22	41	55	60	67	73	109	178	208	307	414	518	599	576	451	331	209	146	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	63	38	5	–	1	–	–	–	–	1	–	2	–	1	1	3	1	2	3	3	1	1	–
	White Male	17	6	1	–	–	–	–	–	–	–	–	2	–	1	1	2	–	–	1	1	1	1	–
	Female	12	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–
	All other Male	18	15	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	16	13	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	98	–	1	–	–	–	–	–	1	5	3	5	7	10	13	13	7	13	12	6	1	1	–
	White Male	29	–	–	–	–	–	–	–	1	1	–	–	3	2	6	5	5	2	4	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	6	4	–	1	–
	All other Male	38	–	–	–	–	–	–	–	–	2	2	3	3	6	5	7	1	5	2	1	1	–	–
	Female	14	–	1	–	–	–	–	–	–	2	1	2	–	2	2	1	–	2	–	1	–	–	–
010–012	Tuberculosis of respiratory system	88	–	–	–	–	–	–	–	1	5	3	4	7	9	11	13	6	12	10	5	1	1	–
	White Male	26	–	–	–	–	–	–	–	1	1	–	–	3	2	6	5	4	1	3	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	5	3	–	1	–
	All other Male	36	–	–	–	–	–	–	–	–	2	2	3	3	5	4	7	1	5	2	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	2	1	1	–	2	1	1	–	2	–	1	–	–	–
013–019	Tuberculosis, other forms	10	–	1	–	–	–	–	–	–	–	–	1	–	1	2	–	1	1	2	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	14	6	5	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	7	3	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	129	37	1	1	–	2	1	2	2	–	3	4	2	6	3	9	11	20	12	9	2	2	–
	White Male	36	15	–	–	–	1	–	1	1	–	1	2	1	1	1	1	2	2	3	2	2	–	–
	Female	37	6	–	1	–	1	–	–	–	–	–	–	–	3	–	3	2	12	4	4	–	1	–
	All other Male	28	10	1	–	–	–	–	–	1	–	1	1	1	1	2	2	2	3	2	1	–	–	–
	Female	28	6	–	–	–	–	1	1	–	–	1	1	–	1	–	3	5	3	3	2	–	1	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	88	8	6	–	3	4	4	2	3	1	3	6	8	2	9	7	9	3	3	6	1	–	–
	White Male	26	4	2	–	–	–	2	–	–	–	1	2	3	–	2	4	3	–	2	1	–	–	–
	Female	25	1	1	–	–	1	–	1	1	–	1	–	2	1	3	3	2	2	–	5	1	–	–
	All other Male	16	2	–	–	3	2	–	–	2	–	1	3	1	–	2	–	–	–	–	–	–	–	–
	Female	21	1	3	–	–	1	2	1	–	1	–	1	2	1	2	–	4	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,984	2	11	14	14	24	25	27	44	69	162	277	470	632	851	955	861	695	487	247	94	23	–
	White—Male	2,494	1	3	7	3	13	9	7	19	14	59	106	208	282	390	426	374	280	169	90	29	5	–
	White—Female	1,916	1	5	2	7	6	12	9	17	31	53	101	141	193	243	275	267	217	185	108	34	9	–
	All other—Male	887	–	–	3	3	3	4	5	4	10	23	35	68	81	123	158	136	109	77	27	13	5	–
	All other—Female	687	–	3	2	1	2	–	6	4	14	27	35	53	76	95	96	84	89	56	22	18	4	–
140–149	Of buccal cavity and pharynx	115	–	–	–	–	–	–	–	–	–	2	7	10	12	13	18	20	14	13	5	1	–	–
	White—Male	73	–	–	–	–	–	–	–	–	–	1	5	7	9	10	12	10	9	7	2	1	–	–
	White—Female	27	–	–	–	–	–	–	–	–	–	–	2	1	3	2	4	5	4	5	1	–	–	–
	All other—Male	14	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	5	1	1	1	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,371	–	1	–	–	1	2	5	5	11	24	43	86	123	205	217	216	178	142	69	37	6	–
	White—Male	502	–	–	–	–	1	5	2	–	–	14	11	36	54	86	80	80	61	41	23	12	1	–
	White—Female	452	–	–	–	–	–	2	–	1	5	5	14	21	34	55	69	79	57	65	31	11	3	–
	All other—Male	235	–	–	–	–	–	–	2	2	5	3	8	21	23	34	42	33	28	17	9	7	1	–
	All other—Female	182	–	1	–	–	–	–	1	2	1	2	10	8	12	30	26	24	32	19	6	7	1	–
160–163	Of respiratory system	1,534	–	–	–	–	–	–	1	4	8	40	87	165	216	287	281	220	128	68	25	2	2	–
	White—Male	975	–	–	–	–	–	–	1	3	6	25	50	109	130	187	187	141	79	40	15	1	1	–
	White—Female	245	–	–	–	–	–	–	–	–	2	5	15	28	38	44	38	31	22	13	7	1	1	–
	All other—Male	259	–	–	–	–	–	–	–	1	–	7	15	23	39	46	52	40	24	10	2	–	–	–
	All other—Female	55	–	–	–	–	–	–	–	–	–	3	7	5	9	10	4	8	3	5	1	–	–	–
174	Of breast	473	–	–	–	–	–	–	1	6	13	33	35	60	50	53	67	48	47	25	22	11	2	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White—Female	353	–	–	–	–	–	–	1	6	7	25	30	42	37	40	50	37	34	20	17	7	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other—Female	116	–	–	–	–	–	–	–	–	6	8	5	18	12	13	17	9	12	5	5	4	2	–
180–187	Of genital organs	749	–	1	–	–	–	2	3	3	7	15	25	38	75	91	110	113	113	93	42	14	4	–
	White—Male	206	–	1	–	–	–	–	–	1	–	–	1	4	11	23	29	36	42	33	19	5	1	–
	White—Female	259	–	–	–	–	–	2	3	2	3	7	19	21	39	36	43	31	26	16	10	1	–	–
	All other—Male	141	–	–	–	–	–	–	–	–	–	2	–	3	2	9	20	21	30	35	11	5	3	–
	All other—Female	143	–	–	–	–	–	–	–	–	4	6	5	10	23	23	18	25	15	9	2	3	–	–
188, 189	Of urinary organs	190	–	1	1	–	–	–	–	2	–	1	3	12	7	22	44	25	29	23	13	6	1	–
	White—Male	95	–	–	–	–	–	–	–	–	–	1	3	5	6	10	27	13	17	6	5	2	–	–
	White—Female	48	–	1	–	–	–	–	–	1	–	–	–	3	1	5	7	9	4	8	5	4	–	–
	All other—Male	30	–	–	1	–	–	–	–	–	–	–	–	3	–	5	7	3	5	5	1	–	–	–
	All other—Female	17	–	–	–	–	–	–	–	1	–	–	–	1	–	2	3	–	3	4	2	–	1	–
170–173, 190–199	Of all other and unspecified sites	916	1	6	4	8	9	8	3	11	18	34	56	74	86	101	126	132	103	77	39	15	5	–
	White—Male	368	–	1	2	2	5	2	1	7	6	11	24	35	35	49	49	49	41	26	16	6	1	–
	White—Female	321	1	4	–	3	2	4	2	3	8	7	17	19	27	33	38	46	41	34	22	6	4	–
	All other—Male	126	–	–	1	3	–	2	–	1	2	10	9	13	10	14	18	27	9	6	1	–	–	–
	All other—Female	101	–	1	1	–	2	–	–	–	2	6	6	7	14	5	21	10	12	11	–	3	–	–
204–207	Leukemia	250	1	2	8	4	4	10	7	7	2	7	10	6	27	21	26	36	27	21	17	5	2	–
	White—Male	109	1	1	4	1	2	5	–	4	–	3	6	4	15	6	13	18	10	8	7	1	–	–
	White—Female	88	–	–	2	3	2	3	3	2	2	4	1	–	8	8	9	11	10	11	5	3	1	–
	All other—Male	25	–	–	1	–	–	2	1	–	–	–	2	–	1	3	3	3	4	2	1	1	1	–
	All other—Female	28	–	1	1	–	–	–	3	1	–	–	1	2	3	4	1	4	3	–	4	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	386	–	–	1	2	10	3	7	6	10	6	11	19	36	58	66	51	56	25	15	3	1	–
	White—Male	164	–	–	1	–	5	2	3	4	2	4	6	8	22	19	29	26	20	8	3	1	1	–
	White—Female	123	–	–	–	1	2	1	–	2	4	–	3	6	6	20	17	18	19	13	10	1	–	–
	All other—Male	55	–	–	–	–	3	–	2	–	3	–	1	3	5	11	14	3	8	1	1	–	–	–
	All other—Female	44	–	–	–	1	–	–	2	–	1	2	1	2	3	8	6	4	9	3	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	74	1	–	3	3	1	–	4	1	3	2	2	8	11	7	10	4	8	4	2	–	–	–
	White—Male	29	–	–	2	2	–	–	1	–	2	1	–	2	3	4	3	2	4	2	1	–	–	–
	White—Female	26	1	–	–	1	1	–	2	1	–	1	1	3	4	2	3	–	4	1	1	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–
	All other—Female	15	–	–	1	–	–	–	1	–	1	–	–	2	3	1	4	2	–	–	–	–	–	–
250	Diabetes mellitus	644	1	–	–	1	1	2	1	7	14	10	16	33	52	59	92	117	96	60	62	16	4	–
	White—Male	149	1	–	–	–	1	–	1	4	4	3	6	7	11	4	25	30	27	14	8	3	–	–
	White—Female	239	–	–	–	–	–	–	–	1	4	3	7	10	8	18	29	46	42	31	33	6	1	–
	All other—Male	70	–	–	–	–	–	–	–	1	2	1	2	6	8	8	9	11	9	5	6	1	1	–
	All other—Female	186	–	–	–	1	–	2	–	1	4	3	1	10	25	29	29	30	18	10	15	6	2	–
260–269	Avitaminoses and other nutritional deficiencies	48	5	–	–	–	–	–	–	–	–	1	–	2	3	4	7	6	5	7	2	3	3	–
	White—Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3	3	–	1	–	–
	White—Female	13	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	2	2	–	–
	All other—Male	14	3	–	–	–	–	–	–	–	–	1	–	1	–	1	3	3	–	1	–	–	1	–
	All other—Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	–	–	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
280–285	Anemias	86	–	–	2	3	3	2	1	3	3	5	6	1	6	5	11	6	4	15	3	5	2	–
	White Male	20	–	–	–	–	–	–	–	–	1	1	–	–	2	1	4	1	–	8	1	1	–	–
	Female	28	–	–	1	–	–	–	–	–	–	–	1	–	3	3	6	2	4	5	–	2	1	–
	All other Male	14	–	–	–	2	2	2	1	1	–	–	2	1	1	–	–	1	–	–	–	–	1	–
	Female	24	–	–	1	1	1	–	–	2	2	4	3	–	–	1	1	2	–	2	2	2	–	–
320	Meningitis	42	22	5	1	2	–	–	1	–	1	1	2	1	1	1	2	–	2	–	–	–	–	–
	White Male	13	4	2	–	1	–	–	1	–	1	–	1	1	1	–	–	–	1	–	–	–	–	–
	Female	9	6	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	13	6	3	–	1	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
	Female	7	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	16,315	22	3	8	6	21	18	30	68	100	215	378	639	984	1,370	1,975	2,368	2,507	2,422	1,861	950	370	–
	White Male	6,495	5	1	3	2	6	2	10	24	42	114	188	338	509	713	946	981	942	816	544	240	69	–
	Female	5,496	4	1	2	1	3	5	2	15	20	23	63	102	178	261	441	680	911	1,111	981	521	171	–
	All other Male	2,142	6	–	1	1	5	5	12	18	26	50	70	111	164	221	321	358	303	221	137	74	38	–
	Female	2,182	7	1	2	2	7	6	6	11	12	28	57	88	133	175	267	349	351	274	199	115	92	–
390–398, 402, 404, 410–429	Diseases of heart	11,095	18	2	3	2	14	11	12	34	71	161	297	494	787	1,032	1,415	1,647	1,660	1,557	1,109	551	218	–
	White Male	4,928	4	–	1	–	5	2	5	16	35	103	170	303	454	589	729	744	656	561	355	152	44	–
	Female	3,532	3	1	–	–	1	2	1	5	9	11	44	70	125	192	319	464	611	704	568	298	104	–
	All other Male	1,380	5	–	1	–	5	3	5	9	20	34	51	78	119	148	207	234	190	132	73	47	19	–
	Female	1,255	6	1	1	2	3	4	1	4	7	13	32	43	89	103	160	205	203	160	113	54	51	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	142	–	–	2	1	2	–	1	3	2	2	7	11	10	13	28	8	22	19	9	1	1	–
	White Male	42	–	–	–	–	–	–	–	–	–	–	4	4	–	6	11	3	8	4	2	–	–	–
	Female	57	–	–	–	–	–	–	–	1	–	1	1	3	6	6	11	3	9	12	2	1	1	–
	All other Male	20	–	–	1	–	2	–	1	2	1	–	–	2	3	1	2	1	3	1	–	–	–	–
	Female	23	–	–	1	1	–	–	–	–	1	1	2	2	1	–	4	1	2	2	5	–	–	–
402	Hypertensive heart disease	129	–	–	–	–	–	–	–	1	4	1	4	6	12	12	18	17	12	18	16	6	2	–
	White Male	26	–	–	–	–	–	–	–	1	1	–	–	1	1	3	4	2	3	5	4	–	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	1	1	2	3	4	4	4	7	6	4	1	–
	All other Male	25	–	–	–	–	–	–	–	–	3	–	2	2	2	4	6	3	–	–	3	–	–	–
	Female	41	–	–	–	–	–	–	–	–	–	1	1	2	7	2	4	8	5	6	3	2	–	–
404	Hypertensive heart and renal disease	56	–	–	–	–	–	–	–	–	–	–	3	2	–	5	4	8	8	13	8	3	2	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	3	3	4	5	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	8	2	2	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	1	–
	Female	12	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	2	1	1	1	–	1	–
410–413	Ischemic heart disease	9,168	–	–	–	–	1	–	–	19	42	119	226	382	623	854	1,187	1,397	1,404	1,315	939	470	190	–
	White Male	4,144	–	–	–	–	–	–	–	10	25	80	132	254	379	483	626	636	568	478	304	129	40	–
	Female	2,986	–	–	–	–	–	–	–	1	6	9	32	47	96	166	266	406	512	602	494	259	90	–
	All other Male	1,075	–	–	–	–	1	–	–	6	8	23	37	51	92	121	169	193	155	106	56	43	14	–
	Female	963	–	–	–	–	–	–	–	2	3	7	25	30	56	84	126	162	169	129	85	39	46	–
410	Acute myocardial infarction	5,482	–	–	–	–	1	–	–	16	33	96	187	320	472	622	793	878	782	644	401	179	58	–
	White Male	2,855	–	–	–	–	–	–	–	10	20	70	118	226	306	388	458	441	335	255	158	56	14	–
	Female	1,532	–	–	–	–	–	–	–	–	6	5	28	40	72	112	152	259	288	286	172	91	21	–
	All other Male	601	–	–	–	–	1	–	–	4	7	16	26	34	59	73	109	99	72	45	32	20	4	–
	Female	494	–	–	–	–	–	–	–	2	–	5	15	20	35	49	74	79	87	58	39	12	19	–
411	Other acute and subacute forms of ischemic heart disease	36	–	–	–	–	–	–	–	1	–	1	1	5	5	1	6	3	4	5	3	1	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	1	3	3	1	3	2	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	1	5	–	–	–	–
412	Chronic ischemic heart disease	3,642	–	–	–	–	–	–	–	2	9	22	38	57	145	231	387	514	617	663	535	290	132	–
	White Male	1,271	–	–	–	–	–	–	–	–	5	10	14	25	70	94	164	192	230	222	146	73	26	–
	Female	1,446	–	–	–	–	–	–	–	–	–	4	3	7	23	54	114	146	224	315	320	167	69	–
	All other Male	467	–	–	–	–	–	–	–	2	1	7	11	15	32	48	59	94	82	60	23	23	10	–
	Female	458	–	–	–	–	–	–	–	–	3	1	10	10	20	35	50	82	81	66	46	27	27	–
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	3	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	91	–	–	–	–	1	1	1	1	–	2	2	3	3	5	5	11	10	13	19	12	2	–
	White Male	31	–	–	–	–	–	–	–	–	–	2	–	1	2	2	4	4	3	7	4	2	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	3	5	6	8	7	1	–
	All other Male	16	–	–	–	–	1	–	1	–	–	–	–	1	–	2	–	3	2	–	3	2	1	–
	Female	9	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	1	–	–	4	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,509	18	2	1	1	10	10	10	10	23	37	55	90	139	143	173	206	204	179	118	59	21	–
	White Male	664	4	–	1	–	5	2	5	5	9	21	33	42	72	95	81	96	71	63	36	20	3	–
	Female	400	3	1	–	–	1	2	1	3	3	1	8	18	21	15	37	47	78	69	56	25	11	–
	All other Male	238	5	–	–	–	1	3	3	1	8	11	12	22	22	18	30	32	29	25	11	2	3	–
	Female	207	6	1	–	1	3	3	1	1	3	4	2	8	24	15	25	31	26	22	15	12	4	–
400, 401, 403	Hypertension	139	–	–	–	–	1	–	1	4	1	5	4	6	13	19	20	22	13	15	8	5	2	–
	White Male	37	–	–	–	–	–	–	–	–	–	1	1	1	4	5	6	9	4	3	2	1	–	–
	Female	30	–	–	–	–	–	–	–	1	1	–	1	–	4	4	1	2	4	4	5	3	–	–
	All other Male	30	–	–	–	–	–	–	1	–	–	1	1	2	3	5	4	4	3	5	–	–	1	–
	Female	42	–	–	–	–	1	–	–	3	–	3	1	3	2	5	9	7	2	3	1	1	1	–
430–438	Cerebrovascular diseases	4,259	4	1	3	3	5	6	15	25	26	44	71	126	155	276	470	595	709	699	598	313	115	–
	White Male	1,221	1	1	1	2	1	–	5	6	7	9	14	31	37	96	168	177	235	203	145	64	18	–
	Female	1,600	1	–	2	1	1	3	1	8	9	10	18	27	42	53	110	181	243	335	331	172	52	–
	All other Male	651	1	–	–	–	–	1	4	8	6	14	17	29	38	63	101	109	102	67	52	25	14	–
	Female	787	1	–	–	–	3	2	5	3	4	11	22	39	38	64	91	128	129	94	70	52	31	–
431	Cerebral hemorrhage	630	1	–	2	–	1	1	6	9	6	16	25	42	47	50	96	95	77	70	47	27	12	–
	White Male	161	–	–	–	–	1	–	2	2	1	2	3	11	5	14	35	28	19	20	10	7	1	–
	Female	210	–	–	2	–	–	1	–	4	2	3	7	8	15	9	17	31	31	31	31	14	4	–
	All other Male	122	1	–	–	–	–	–	2	2	2	7	6	10	15	12	23	20	9	9	1	2	1	–
	Female	137	–	–	–	–	–	–	2	1	1	4	9	13	12	15	21	16	18	10	5	4	6	–
433	Cerebral thrombosis	1,000	–	–	–	–	–	–	1	–	1	2	6	9	28	62	97	139	180	181	178	79	37	–
	White Male	308	–	–	–	–	–	–	1	–	–	–	3	4	12	33	44	36	61	54	34	19	7	–
	Female	422	–	–	–	–	–	–	–	–	1	–	2	2	6	9	25	45	68	88	115	40	21	–
	All other Male	133	–	–	–	–	–	–	–	–	–	1	–	2	5	13	18	25	25	18	13	9	4	–
	Female	137	–	–	–	–	–	–	–	–	–	1	1	1	5	7	10	33	26	21	16	11	5	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	1	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,623	3	1	1	3	4	5	8	16	18	26	39	75	80	164	276	361	451	447	373	206	66	–
	White Male	751	1	1	1	2	–	–	2	4	6	7	8	16	20	49	89	113	155	129	101	37	10	–
	Female	966	1	–	–	1	1	2	1	4	6	7	8	17	21	35	67	105	144	216	185	118	27	–
	All other Male	395	–	–	–	–	–	1	2	6	3	6	11	17	18	38	60	64	68	40	38	14	9	–
	Female	511	1	–	–	–	3	2	3	2	3	6	12	25	21	42	60	79	84	62	49	37	20	–
440	Arteriosclerosis	457	–	–	–	–	–	–	–	–	–	2	–	3	8	8	26	34	67	108	104	64	33	–
	White Male	141	–	–	–	–	–	–	–	–	–	1	–	1	3	5	12	13	20	32	29	18	7	–
	Female	223	–	–	–	–	–	–	–	–	–	1	–	2	4	3	7	13	29	53	57	39	15	–
	All other Male	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	6	5	12	8	1	4	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	13	11	10	6	7	–
441–448	Other diseases of arteries, arterioles, and capillaries	365	–	–	2	1	1	1	2	5	2	3	6	10	21	35	44	70	58	43	42	17	2	–
	White Male	168	–	–	1	–	–	–	–	2	–	–	3	2	11	18	31	38	27	17	13	5	–	–
	Female	111	–	–	–	–	1	–	–	1	1	1	–	3	3	9	4	20	24	15	20	9	–	–
	All other Male	41	–	–	1	–	1	2	1	–	1	1	2	4	5	5	5	3	5	4	1	–	–	–
	Female	45	–	–	1	–	–	–	–	1	1	1	2	3	3	3	4	7	4	6	5	2	2	–
466	Acute bronchitis and bronchiolitis	19	1	2	–	–	–	–	–	–	1	–	1	1	3	–	1	3	–	2	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	–	–	–	–	–	–
	All other Male	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	1	–	–
470–474, 480–486	Influenza and pneumonia	820	47	6	7	1	6	4	5	6	6	10	15	24	26	49	56	81	99	154	124	69	25	–
	White Male	334	11	–	4	–	3	4	1	–	1	3	4	7	14	27	25	37	43	68	50	28	4	–
	Female	265	7	1	1	1	2	–	1	1	1	2	5	10	4	8	13	16	30	61	61	26	14	–
	All other Male	134	19	4	1	–	1	–	2	1	1	4	3	4	5	10	14	19	15	18	8	4	1	–
	Female	87	10	1	1	–	–	–	1	4	3	1	3	3	3	4	4	9	11	7	5	11	6	–
470–474	Influenza	86	–	–	–	–	–	–	1	–	–	–	2	3	3	4	6	9	14	19	15	8	2	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	3	4	6	5	4	2	–
	Female	41	–	–	–	–	–	–	1	–	–	–	1	1	–	1	2	1	10	12	10	2	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	2	–	–
480–486	Pneumonia	734	47	6	7	1	6	4	4	6	6	10	13	21	23	45	50	72	85	135	109	61	23	–
	White Male	301	11	–	4	–	3	4	1	–	1	3	3	6	12	25	22	34	39	62	45	24	2	–
	Female	224	7	1	1	1	2	–	–	1	1	2	4	9	4	7	11	15	20	49	51	24	14	–
	All other Male	128	19	4	1	–	1	–	2	1	1	4	3	3	5	9	13	16	15	18	8	4	1	–
	Female	81	10	1	1	–	–	–	1	4	3	1	3	3	2	4	4	7	11	6	5	9	6	–
490–493	Bronchitis, emphysema, and asthma	381	2	2	–	–	–	2	2	1	4	4	8	22	19	43	70	77	67	31	20	6	1	–
	White Male	258	–	–	–	–	–	1	–	–	1	2	6	10	14	30	45	63	50	22	11	3	–	–
	Female	70	–	2	–	–	–	1	–	–	2	–	1	5	2	8	14	9	12	8	5	1	–	–
	All other Male	39	1	–	–	–	–	–	1	–	1	2	1	4	2	3	9	5	4	1	2	2	1	–
	Female	14	1	–	–	–	–	–	1	1	–	–	–	3	1	2	2	–	1	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
490, 491	Chronic and unqualified bronchitis	57	1	2	–	–	–	–	–	–	–	–	2	2	3	4	5	19	9	7	3	–	–	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	13	4	4	1	–	–	–
	Female	17	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	5	4	2	2	–	–	–
	All other Male	7	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
492	Emphysema	286	1	–	–	–	–	–	–	–	3	1	4	12	14	35	60	57	56	22	16	5	–	–
	White Male	215	–	–	–	–	–	–	–	–	1	1	4	7	12	24	40	50	46	17	10	3	–	–
	Female	48	–	–	–	–	–	–	–	–	1	–	–	3	2	8	13	4	8	5	3	1	–	–
	All other Male	19	–	–	–	–	–	–	–	–	1	–	–	1	–	3	6	3	2	–	2	1	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
493	Asthma	38	–	–	–	–	–	2	2	1	1	3	2	8	2	4	5	1	2	2	1	1	1	–
	White Male	12	–	–	–	–	–	1	–	–	–	1	1	2	1	2	3	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–
	All other Male	13	–	–	–	–	–	–	1	–	–	2	1	2	1	–	2	1	1	–	–	1	1	–
	Female	8	–	–	–	–	–	–	1	1	–	–	–	2	–	2	–	–	1	–	1	–	–	–
531–533	Peptic ulcer	83	2	–	–	–	–	–	–	–	2	1	4	9	10	9	6	10	9	10	9	2	–	–
	White Male	40	1	–	–	–	–	–	–	–	1	1	2	6	5	6	4	3	5	1	4	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	5	1	2	5	1	–	–
	All other Male	14	1	–	–	–	–	–	–	–	1	–	1	2	1	1	1	2	1	3	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	2	4	–	–	–	–
540–543	Appendicitis	20	–	–	–	–	1	1	–	–	–	1	2	1	–	4	3	5	1	1	–	–	–	–
	White Male	5	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–	1	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	94	13	–	–	–	–	–	–	–	1	4	4	3	3	6	7	14	15	13	9	1	1	–
	White Male	24	7	–	–	–	–	–	–	–	1	–	1	–	1	–	1	3	5	3	2	–	–	–
	Female	35	4	–	–	–	–	–	–	–	–	2	–	1	1	1	3	4	7	8	3	–	1	–
	All other Male	13	1	–	–	–	–	–	–	–	–	2	1	–	1	2	–	2	3	–	–	1	–	–
	Female	22	1	–	–	–	–	–	–	–	–	–	2	2	–	3	3	5	–	2	4	–	–	–
571	Cirrhosis of liver	342	1	–	2	2	–	5	2	11	21	21	40	64	52	40	39	20	9	6	5	1	–	1
	White Male	167	–	–	1	–	–	–	–	4	4	13	21	41	29	16	21	8	5	2	1	–	–	1
	Female	100	1	–	–	–	–	2	–	2	7	3	9	16	17	15	10	7	4	3	3	1	–	–
	All other Male	46	–	–	1	–	–	1	1	4	6	5	6	5	2	7	5	3	–	–	–	–	–	–
	Female	29	–	–	–	2	–	2	1	1	4	–	4	2	4	2	3	2	–	1	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	52	–	–	–	–	–	–	–	–	–	1	4	1	–	2	9	7	10	12	3	3	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	3	1	–	–	3	2	5	4	2	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	4	2	6	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	2	–	1	–	–
580–584	Nephritis and nephrosis	227	–	1	2	1	1	2	4	3	2	6	10	13	12	35	28	27	31	20	18	9	2	–
	White Male	54	–	1	1	–	–	–	–	1	1	2	1	3	2	4	7	3	12	8	5	2	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	2	3	5	9	8	6	5	4	3	6	–	–
	All other Male	59	–	–	–	1	1	–	1	2	–	–	3	5	3	9	4	11	9	4	4	1	1	–
	Female	63	–	–	1	–	–	2	3	–	1	4	4	2	2	13	9	7	5	4	6	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	36	–	–	2	–	1	–	1	1	1	–	–	1	1	6	5	5	5	4	2	–	1	–
	White Male	6	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	3	3	1	1	–	–	–
	All other Male	10	–	–	–	–	1	–	–	1	–	–	–	1	–	2	1	1	1	–	1	–	1	–
	Female	8	–	–	1	–	–	–	1	–	–	–	–	–	–	1	3	1	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	191	–	1	–	1	–	2	3	2	1	6	10	12	11	29	23	22	26	16	16	9	1	–
	White Male	48	–	1	–	–	–	–	–	1	–	2	1	3	2	4	6	3	11	6	5	2	1	–
	Female	39	–	–	–	–	–	–	–	–	–	–	2	3	4	6	8	3	2	3	2	6	–	–
	All other Male	49	–	–	–	1	–	–	1	1	–	–	3	4	3	7	3	10	8	4	3	1	–	–
	Female	55	–	–	–	–	–	2	2	–	1	4	4	2	2	12	6	6	5	3	6	–	–	–
590	Infections of kidney	141	1	–	–	–	–	–	1	–	–	–	–	3	7	8	14	20	25	31	19	8	4	–
	White Male	36	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	2	6	12	6	2	–	–
	Female	54	–	–	–	–	–	–	–	–	–	–	–	2	2	1	5	10	7	11	11	3	2	–
	All other Male	28	1	–	–	–	–	–	–	–	–	–	–	–	3	2	4	4	7	3	2	2	–	–
	Female	23	–	–	–	–	–	–	1	–	–	–	–	1	–	2	2	4	5	5	–	1	2	–
600	Hyperplasia of prostate	30	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	5	7	6	4	5	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	3	4	4	3	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	–	2	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	1	3	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	8	–	–	–	–	1	1	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	1	3	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	7	–	–	–	–	1	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	237	156	21	6	6	9	6	5	2	2	2	1	3	4	4	5	2	2	–	1	–	–	–
	White ..... Male	86	54	6	2	3	3	2	2	1	1	1	1	3	1	1	3	–	1	–	1	–	–	–
	Female	65	41	7	2	1	4	–	2	1	1	–	–	–	1	1	1	2	1	–	–	–	–	–
	All other ..... Male	47	36	4	1	–	1	2	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	39	25	4	1	2	1	2	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	548	548	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	157	157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	166	166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	117	117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	297	297	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	251	251	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,131	132	6	2	3	10	17	20	39	44	62	98	116	168	196	251	250	201	193	158	100	62	3
	White ..... Male	685	40	4	–	–	5	5	8	10	14	25	45	50	67	69	98	76	60	60	31	12	5	1
	Female	419	20	1	–	–	1	4	2	5	5	9	9	22	39	29	40	48	37	45	51	35	16	1
	All other ..... Male	542	41	1	2	1	4	5	6	15	13	18	26	27	41	58	62	69	54	41	26	18	13	1
	Female	485	31	–	–	2	–	3	4	9	12	10	18	17	21	40	51	57	50	47	50	35	28	–
Residual	All other diseases	2,156	51	16	12	6	26	31	35	35	37	47	94	126	167	206	266	268	286	204	150	68	24	1
	White ..... Male	867	15	3	5	3	9	7	15	6	19	19	29	50	77	98	114	124	118	85	50	19	2	–
	Female	650	12	5	6	2	5	8	7	6	7	4	24	34	41	50	82	73	92	78	71	29	14	–
	All other ..... Male	367	9	2	1	1	7	8	8	12	6	14	15	29	37	34	42	45	51	19	16	8	2	1
	Female	272	15	6	–	–	5	8	5	11	5	10	26	13	12	24	28	26	25	22	13	12	6	–
E800–E949	Accidents	2,313	44	83	76	87	269	228	177	141	111	114	110	123	140	127	134	86	86	63	60	42	12	–
	White ..... Male	1,166	13	26	33	48	163	120	100	82	57	60	62	67	77	66	60	37	28	25	21	16	5	–
	Female	445	8	11	23	9	42	31	20	19	21	15	14	16	27	29	34	22	35	21	29	15	4	–
	All other ..... Male	507	12	27	10	21	50	63	46	32	28	32	25	34	25	21	31	19	15	9	3	4	–	–
	Female	195	11	19	10	9	14	14	11	8	5	7	9	6	11	11	9	8	8	8	7	7	3	–
E810–E823	Motor vehicle accidents	1,127	7	32	36	39	180	153	112	77	52	68	54	58	58	61	51	29	33	17	5	4	1	–
	White ..... Male	598	2	11	16	25	110	83	63	44	24	35	33	31	32	31	23	12	11	10	2	–	–	–
	Female	214	1	3	12	7	35	24	16	15	13	12	6	8	8	15	12	9	14	2	1	1	–	–
	All other ..... Male	242	3	10	4	6	29	37	28	15	14	17	10	14	14	10	12	6	7	4	1	1	–	–
	Female	73	1	8	4	1	6	9	5	3	1	4	5	5	4	5	4	2	1	1	1	2	1	–
E800–E807, E825–E949	All other accidents	1,186	37	51	40	48	89	75	65	64	59	46	56	65	82	66	83	57	53	46	55	38	11	–
	White ..... Male	568	11	15	17	23	53	37	37	38	33	25	29	36	45	35	37	25	17	15	19	16	5	–
	Female	231	7	8	11	2	7	7	4	4	8	3	8	8	19	14	22	13	21	19	28	14	4	–
	All other ..... Male	265	9	17	6	15	21	26	18	17	14	15	15	20	11	11	19	13	8	5	2	3	–	–
	Female	122	10	11	6	8	8	5	6	5	4	3	4	1	7	6	5	6	7	7	6	5	2	–
E950–E959	Suicide	382	...	...	–	3	20	35	36	29	30	30	43	34	22	25	28	19	13	10	3	2	–	–
	White ..... Male	247	...	...	–	3	13	23	21	24	20	18	27	16	14	15	17	11	11	10	3	1	–	–
	Female	90	...	...	–	–	3	5	10	5	7	7	14	15	7	6	6	3	2	–	–	–	–	–
	All other ..... Male	38	...	...	–	–	2	5	4	–	3	5	2	3	–	4	5	4	–	–	–	1	–	–
	Female	7	...	...	–	–	2	2	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	521	2	3	–	3	33	64	94	59	46	66	46	24	20	23	13	17	5	1	–	1	–	1
	White ..... Male	138	2	–	–	–	3	11	18	17	16	18	20	9	6	6	4	5	1	1	–	–	–	1
	Female	47	–	1	–	–	3	5	5	4	3	9	2	3	4	4	1	1	2	–	–	–	–	–
	All other ..... Male	259	–	–	–	1	21	40	56	27	22	30	16	11	6	12	5	10	1	–	–	1	–	–
	Female	77	–	2	–	2	6	8	15	11	5	9	8	1	4	1	3	1	1	–	–	–	–	–
E980–E999	Other external causes	95	2	1	1	1	9	16	7	8	5	10	4	10	6	7	7	–	–	–	1	–	–	–
	White ..... Male	41	–	–	–	–	5	7	2	4	1	5	1	8	3	3	2	–	–	–	–	–	–	–
	Female	17	1	–	–	–	2	3	1	2	1	1	1	–	1	1	2	–	–	–	1	–	–	–
	All other ..... Male	28	1	1	1	1	2	5	4	2	2	2	2	–	2	1	2	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	1	–	–	1	2	–	2	–	2	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska																							
	All causes	1,623	129	36	15	26	65	128	89	92	61	84	107	128	136	121	99	94	81	55	44	22	11	–
	White Male	732	49	14	2	6	31	65	48	42	37	39	59	60	62	57	44	40	34	16	15	9	3	–
	Female	330	20	7	6	3	9	17	4	16	10	13	24	30	40	23	21	21	18	23	16	6	3	–
	All other Male	360	30	11	5	9	15	34	32	22	8	20	15	24	22	26	27	18	15	13	9	4	1	–
	Female	201	30	4	2	8	10	12	5	12	6	12	9	14	12	15	7	15	14	3	4	3	4	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	5	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	10	2	1	1	1	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	4	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	227	–	1	–	3	2	3	2	4	1	9	22	25	32	33	27	30	19	8	4	2	–	–
	White—Male	96	–	–	–	1	1	3	–	1	–	3	7	12	15	16	7	13	10	3	2	2	–	–
	Female	68	–	–	–	2	1	–	1	2	1	3	10	8	10	7	8	5	5	3	2	–	–	–
	All other—Male	32	–	–	–	–	–	–	1	–	–	1	1	4	3	8	9	5	–	–	–	–	–	–
	Female	31	–	1	–	–	–	–	–	1	–	2	4	1	4	2	3	7	4	2	–	–	–	–
140–149	Of buccal cavity and pharynx	4	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	59	–	–	–	–	–	–	–	–	–	3	5	4	10	11	14	4	3	4	–	1	–	–
	White—Male	26	–	–	–	–	–	–	–	–	–	1	3	1	5	5	4	1	3	2	–	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3	2	–	2	–	–	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	1	–	2	1	3	4	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	–	1	1	3	1	–	–	–	–	–	–
160–163	Of respiratory system	58	–	–	–	–	–	–	–	–	–	1	5	9	9	10	6	10	6	–	2	–	–	–
	White—Male	32	–	–	–	–	–	–	–	–	–	1	2	4	5	5	2	7	4	–	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	3	3	3	3	1	–	1	–	–	–	–	–
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	3	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
174	Of breast	12	–	–	–	–	–	–	–	1	–	3	1	1	1	1	1	1	1	1	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	2	–	1	1	1	1	–	1	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
180–187	Of genital organs	24	–	–	–	–	1	–	–	1	–	–	5	4	1	2	3	3	2	1	–	1	–	–
	White—Male	6	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	1	–	1	–	–
	Female	14	–	–	–	–	1	–	–	–	–	–	4	3	–	1	2	1	2	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	10	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	2	1	1	–	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	43	–	–	–	3	–	2	1	1	–	1	3	4	9	2	2	10	3	1	1	–	–	–
	White—Male	18	–	–	–	1	–	2	–	–	–	1	1	4	3	1	–	4	1	–	–	–	–	–
	Female	8	–	–	–	2	–	–	–	–	–	–	1	–	3	–	1	–	–	–	1	–	–	–
	All other—Male	7	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	2	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	4	2	1	–	–	–	–
204–207	Leukemia	13	–	1	–	–	1	1	–	1	1	1	1	–	1	2	1	–	2	–	–	–	–	–
	White—Male	7	–	–	–	–	1	1	–	–	–	–	1	–	1	2	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	5	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	1	–	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	12	–	–	–	–	–	–	–	1	–	–	–	2	2	–	1	2	1	1	–	1	1	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	1	–	1	1	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
280–285	Anemias	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	10	2	2	1	2	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
	White Male	4	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	5	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	403	2	–	2	–	1	3	2	5	14	20	23	38	44	38	49	40	41	29	33	14	5	
	White Male	188	2	–	1	–	–	1	2	3	6	9	16	21	25	23	25	15	15	6	13	4	1	
	Female	110	–	–	1	–	1	–	–	–	6	4	5	9	14	5	8	12	12	16	11	4	2	
	All other Male	68	–	–	–	–	–	2	–	1	2	2	–	6	3	7	14	7	8	6	6	3	1	
	Female	37	–	–	–	–	–	–	–	1	–	5	2	2	2	3	2	6	6	1	3	3	1	
390–398, 402, 404, 410–429	Diseases of heart	308	2	–	1	–	–	2	2	2	9	15	20	29	39	30	42	33	31	16	19	12	4	
	White Male	162	2	–	1	–	–	1	2	2	5	8	15	18	23	20	23	14	12	3	8	4	1	
	Female	69	–	–	–	–	–	–	–	–	3	1	4	4	11	4	6	10	8	10	4	2	2	
	All other Male	50	–	–	–	–	1	–	–	–	1	2	–	6	3	4	11	4	7	3	4	3	1	
	Female	27	–	–	–	–	–	–	–	–	–	4	1	1	2	2	2	5	4	–	3	3	–	
390–398	Active rheumatic fever and chronic rheumatic heart disease	10	–	–	–	–	–	–	–	1	–	–	–	1	–	2	4	–	1	–	1	–	–	
	White Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
404	Hypertensive heart and renal disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	230	–	–	–	–	–	1	2	–	8	11	14	23	32	26	31	26	21	11	14	7	3	
	White Male	132	–	–	–	–	–	1	2	–	5	7	10	15	18	19	19	13	9	2	8	3	1	
	Female	50	–	–	–	–	–	–	–	–	2	1	3	3	9	3	4	6	5	8	3	2	1	
	All other Male	33	–	–	–	–	–	–	–	–	1	2	–	5	3	3	7	3	5	1	1	1	1	
	Female	15	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	4	2	–	2	1	–	
410	Acute myocardial infarction	141	–	–	–	–	–	1	1	–	6	6	12	19	14	18	21	19	11	6	5	1	1	
	White Male	86	–	–	–	–	–	1	1	–	4	4	8	11	8	12	16	11	5	1	3	1	–	
	Female	28	–	–	–	–	–	–	–	–	1	1	3	3	3	2	2	5	2	4	1	–	1	
	All other Male	20	–	–	–	–	–	–	–	–	1	1	–	5	2	3	2	1	3	1	1	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	–	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	88	–	–	–	–	–	–	1	–	2	5	2	4	18	8	10	7	10	5	9	5	2	
	White Male	46	–	–	–	–	–	–	1	–	1	3	2	4	10	7	3	2	4	1	5	2	1	
	Female	22	–	–	–	–	–	–	–	–	1	–	–	–	6	1	2	1	3	4	2	2	–	
	All other Male	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	5	2	2	–	2	–	1	
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	–	2	1	–	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	5	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	2	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
420–423, 425–427, 429	All other forms of heart disease	60	2	–	1	–	–	1	–	1	1	2	6	5	6	2	6	6	8	5	2	5	1	–
	White Male	25	2	–	1	–	–	–	–	1	–	–	5	3	4	–	4	1	2	1	–	1	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	4	3	2	1	–	1	–
	All other Male	12	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	1	2	2	–	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	1	–	1	2	–	–
400, 401, 403	Hypertension	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	68	–	–	1	–	–	1	–	2	5	5	2	6	2	6	5	4	8	12	6	2	1	–
	White Male	17	–	–	–	–	–	–	–	–	1	1	–	1	–	3	2	1	2	3	3	–	–	–
	Female	30	–	–	1	–	–	–	–	–	3	3	1	4	2	–	2	–	4	6	2	2	–	–
	All other Male	13	–	–	–	–	–	1	–	1	1	–	–	–	–	3	1	2	1	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	1	1	1	–	–	1	–
431	Cerebral hemorrhage	7	–	–	–	–	–	–	–	–	–	–	–	4	1	1	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	2	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	53	–	–	1	–	–	1	–	2	5	5	1	2	–	5	4	3	6	10	5	2	1	–
	White Male	12	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	1	2	2	2	–	–	–
	Female	22	–	–	1	–	–	–	–	–	3	3	–	2	–	–	2	–	2	5	2	2	–	–
	All other Male	12	–	–	–	–	–	1	–	1	1	–	–	–	–	3	1	1	1	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	1	1	1	–	–	1	–
440	Arteriosclerosis	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	7	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	15	–	–	–	–	1	–	–	1	–	–	1	3	2	1	2	2	–	1	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	2	–	–	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	48	6	2	1	1	–	–	1	5	–	3	5	2	1	5	4	1	2	3	2	3	1	–
	White Male	13	1	1	–	1	–	–	–	2	–	1	2	–	–	1	1	1	–	1	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	1	1	1	1	–
	All other Male	16	3	1	–	–	–	–	–	2	–	2	2	1	–	1	1	–	1	1	–	1	–	–
	Female	10	2	–	1	–	–	–	1	1	–	–	–	–	1	1	1	–	1	–	1	–	–	–
470–474	Influenza	6	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	1	–
	White Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	42	6	1	1	1	–	–	1	5	–	3	5	1	1	5	3	–	2	3	2	2	–	–
	White Male	11	1	–	–	1	–	–	–	2	–	1	2	–	–	1	1	–	–	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	1	1	–	–	–
	All other Male	15	3	1	–	–	–	–	–	2	–	2	2	1	–	1	1	–	1	1	–	1	–	–
	Female	10	2	–	1	–	–	–	1	1	–	–	–	–	1	1	1	–	1	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	8	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	2	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
490, 491	Chronic and unqualified bronchitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	2	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	4	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	51	–	1	–	–	–	2	1	1	4	9	7	10	7	5	3	1	–	–	–	–	–	–
	White Male	23	–	–	–	–	–	–	–	–	1	6	4	4	3	2	2	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	3	2	2	–	1	–	–	–	–	–	–	–
	All other Male	10	–	1	–	–	–	–	1	–	–	3	–	2	2	1	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	2	–	1	3	–	–	2	–	2	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	37	26	3	1	1	–	2	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	White Male	17	12	1	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	6	4	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	8	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	63	33	3	–	–	–	1	1	1	–	1	3	2	2	1	2	2	1	2	3	1	4	–
	White Male	24	13	1	–	–	–	1	–	–	–	1	2	–	–	–	2	1	–	1	–	1	1	–
	Female	9	5	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	All other Male	15	5	1	–	–	–	–	–	1	–	–	1	–	1	–	–	1	1	1	3	–	–	–
	Female	15	10	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–
Residual	All other diseases	102	3	–	–	2	3	4	4	6	3	4	6	9	14	12	9	6	8	7	2	–	–	–
	White Male	31	–	–	–	–	1	1	–	1	1	–	3	3	1	4	4	4	6	2	–	–	–	–
	Female	20	2	–	–	–	–	–	1	–	–	1	–	2	6	3	2	–	–	1	2	–	–	–
	All other Male	34	1	–	–	–	–	2	2	3	–	2	3	3	5	5	2	1	1	4	–	–	–	–
	Female	17	–	–	–	2	2	1	1	2	2	1	–	1	2	–	1	1	1	–	–	–	–	–
E800–E949	Accidents	432	6	22	7	13	45	73	59	50	27	26	23	29	20	15	3	7	5	1	–	1	–	–
	White Male	233	5	9	1	3	25	40	37	27	20	11	12	15	11	9	2	4	2	–	–	–	–	–
	Female	60	–	6	4	–	5	13	1	10	1	4	4	4	4	2	–	1	–	–	–	1	–	–
	All other Male	103	1	6	2	7	8	16	19	10	5	9	5	4	3	2	1	2	2	1	–	–	–	–
	Female	36	–	1	–	3	7	4	2	3	1	2	2	6	2	2	–	–	1	–	–	–	–	–
E810–E823	Motor vehicle accidents	120	1	8	1	1	17	36	13	13	5	4	5	6	2	4	1	2	1	–	–	–	–	–
	White Male	65	1	5	–	–	8	20	9	5	5	1	1	3	1	4	1	1	–	–	–	–	–	–
	Female	27	–	3	1	–	3	9	1	5	–	1	1	1	1	–	–	1	–	–	–	–	–	–
	All other Male	20	–	–	–	1	4	4	2	3	–	2	2	1	–	–	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	2	3	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	312	5	14	6	12	28	37	46	37	22	22	18	23	18	11	2	5	4	1	–	1	–	–
	White Male	168	4	4	1	3	17	20	28	22	15	10	11	12	10	5	1	3	2	–	–	–	–	–
	Female	33	–	3	3	–	2	4	–	5	1	3	3	3	3	2	–	–	–	–	–	1	–	–
	All other Male	83	1	6	2	6	4	12	17	7	5	7	3	3	3	2	1	2	1	1	–	–	–	–
	Female	28	–	1	–	3	5	1	1	3	1	2	1	5	2	2	–	–	1	–	–	–	–	–
E950–E959	Suicide	74	. . .	. . .	–	2	7	22	10	10	4	2	6	3	5	2	–	–	–	1	–	–	–	–
	White Male	39	. . .	. . .	–	–	2	10	6	6	4	2	4	2	2	–	–	–	–	1	–	–	–	–
	Female	11	. . .	. . .	–	–	2	3	–	2	–	–	–	–	2	2	–	–	–	–	–	–	–	–
	All other Male	18	. . .	. . .	–	1	3	5	4	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–
	Female	6	. . .	. . .	–	1	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	52	–	1	2	1	4	14	4	6	5	5	5	4	1	–	–	–	–	–	–	–	–	–
	White Male	26	–	1	–	–	2	7	2	2	3	3	4	2	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	19	–	–	2	–	2	6	2	3	1	–	1	1	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	1	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	14	–	–	–	–	1	3	3	1	1	2	1	–	1	1	–	–	–	–	–	–	–	–
	White Male	4	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	1	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona																							
	All causes	17,339	615	139	82	86	252	344	282	275	285	384	509	866	1,126	1,670	2,135	2,207	2,126	1,883	1,252	598	206	17
	White Male	9,337	272	64	44	48	137	197	159	150	138	183	269	498	663	1,011	1,287	1,318	1,149	945	529	205	60	11
	Female	6,488	199	41	19	18	53	60	61	67	72	133	163	278	375	563	735	759	884	855	662	342	125	4
	All other Male	956	74	16	7	11	51	65	50	43	49	38	51	58	52	63	63	89	67	46	39	13	11	–
	Female	558	70	18	12	9	11	22	12	15	26	30	26	32	36	33	50	41	26	37	22	18	10	2
004, 006	Bacillary dysentery and amebiasis	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	29	11	6	1	–	–	–	–	–	–	1	–	1	1	3	–	–	3	1	–	–	1	–
	White Male	11	5	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–
	Female	9	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	1	–
	All other Male	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	38	–	–	–	–	–	1	–	–	–	5	1	2	3	5	4	8	5	2	2	–	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	6	3	–	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	2	1	–	–	3	1	2	2	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	2	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	23	–	–	–	–	–	1	–	–	–	1	1	2	3	3	2	3	4	1	2	–	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	3	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	15	–	–	–	–	–	–	–	–	–	4	–	–	–	2	2	5	1	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	1	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	58	20	–	–	–	1	–	2	–	–	–	–	1	–	3	8	8	6	3	5	1	–	–
	White Male	30	12	–	–	–	–	–	1	–	–	–	–	1	–	1	3	4	4	–	4	–	–	–
	Female	16	3	–	–	–	1	–	–	–	–	–	–	–	–	1	5	1	1	2	1	1	–	–
	All other Male	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
	Female	5	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	71	7	1	–	3	2	4	2	2	2	2	3	6	10	9	4	5	4	3	2	–	–	–
	White Male	34	2	–	–	2	2	1	1	1	1	–	2	2	6	4	2	2	3	2	1	–	–	–
	Female	22	2	1	–	–	–	2	–	1	1	–	–	3	3	2	1	3	1	1	1	–	–	–
	All other Male	11	3	–	–	1	–	–	1	–	–	1	–	1	1	3	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,494	1	9	11	9	13	11	19	24	44	77	120	220	332	481	610	553	405	338	164	46	7	–
	White—Male	1,886	–	4	4	6	7	8	10	9	18	27	50	103	169	269	350	334	227	191	81	17	2	–
	White—Female	1,432	–	4	5	2	4	3	6	14	22	44	66	100	147	190	238	184	163	134	76	26	4	–
	All other—Male	108	1	–	1	–	2	–	3	–	2	2	1	10	9	14	13	25	12	8	3	1	1	–
	All other—Female	68	–	1	1	1	–	–	–	1	2	4	3	7	7	8	9	10	3	5	4	2	–	–
140–149	Of buccal cavity and pharynx	87	–	–	–	–	–	–	1	–	1	1	3	3	17	16	20	7	11	4	3	–	–	–
	White—Male	49	–	–	–	–	–	–	–	–	–	–	1	1	13	10	9	5	7	2	1	–	–	–
	White—Female	31	–	–	–	–	–	–	–	–	–	1	1	1	3	5	11	2	4	2	1	–	–	–
	All other—Male	7	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–	1	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	869	–	–	–	–	–	1	1	1	9	13	21	42	64	111	162	159	125	96	49	14	1	–
	White—Male	469	–	–	–	–	–	1	–	1	3	4	14	24	40	58	91	90	66	54	18	4	1	–
	White—Female	349	–	–	–	–	–	–	1	–	6	6	7	11	22	49	62	59	52	38	28	8	–	–
	All other—Male	29	–	–	–	–	–	–	–	–	–	1	–	4	1	3	4	6	6	2	2	–	–	–
	All other—Female	22	–	–	–	–	–	–	–	–	–	2	–	3	1	1	5	4	1	2	1	2	–	–
160–163	Of respiratory system	870	–	–	–	–	–	–	1	1	2	16	29	63	101	165	168	142	93	62	19	8	–	–
	White—Male	628	–	–	–	–	–	–	–	–	2	10	15	39	71	118	128	107	70	48	15	5	–	–
	White—Female	220	–	–	–	–	–	–	–	1	–	5	14	23	26	43	37	29	23	12	4	3	–	–
	All other—Male	19	–	–	–	–	–	–	1	–	–	1	–	1	3	3	3	5	–	2	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
174	Of breast	297	–	–	–	–	–	–	–	4	8	15	23	34	40	33	42	32	28	22	13	1	2	–
	White—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	White—Female	285	–	–	–	–	–	–	–	4	8	13	22	34	38	32	41	30	27	21	12	1	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	10	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	1	1	1	–	–	–
180–187	Of genital organs	400	–	–	–	2	1	2	4	1	3	13	12	17	30	43	58	62	54	58	32	6	2	–
	White—Male	186	–	–	–	1	1	2	2	–	–	2	1	2	6	10	29	34	34	37	22	2	1	–
	White—Female	187	–	–	–	1	–	–	2	1	3	10	10	14	22	28	27	22	16	18	10	3	–	–
	All other—Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	6	4	2	–	1	1	–
	All other—Female	9	–	–	–	–	–	–	–	–	–	1	1	1	1	3	1	–	–	1	–	–	–	–
188, 189	Of urinary organs	148	–	–	1	–	–	–	–	–	1	1	3	4	7	16	26	34	19	23	11	2	–	–
	White—Male	107	–	–	1	–	–	–	–	–	–	–	2	3	7	14	18	25	14	16	6	1	–	–
	White—Female	37	–	–	–	–	–	–	–	–	1	1	1	–	–	2	7	8	5	6	5	1	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	475	–	2	2	4	4	3	4	8	11	11	20	34	43	60	83	63	45	42	23	11	2	–
	White—Male	248	–	–	–	2	2	–	2	5	8	7	11	20	19	36	43	35	23	20	12	3	–	–
	White—Female	196	–	1	2	1	1	3	1	2	3	4	8	11	21	20	36	22	20	20	10	8	2	–
	All other—Male	16	–	–	–	–	1	–	1	–	–	–	–	1	2	3	2	3	1	2	–	–	–	–
	All other—Female	15	–	1	–	1	–	–	–	1	–	–	1	2	1	1	2	3	1	–	1	–	–	–
204–207	Leukemia	161	1	5	6	3	5	3	4	4	6	5	3	11	12	16	15	22	15	15	7	3	–	–
	White—Male	88	–	3	3	3	1	3	4	1	2	2	2	6	5	10	10	16	6	5	4	2	–	–
	White—Female	62	–	2	2	–	3	–	–	3	1	3	1	3	7	5	4	6	9	10	2	1	–	–
	All other—Male	7	1	–	–	–	1	–	–	–	1	–	–	2	–	1	1	–	–	–	–	–	–	–
	All other—Female	4	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	187	–	2	2	–	3	2	4	5	3	2	6	12	18	21	36	32	15	16	7	1	–	–
	White—Male	109	–	1	–	–	3	2	2	2	3	1	4	8	8	13	22	21	7	9	3	–	–	–
	White—Female	65	–	1	1	–	–	–	2	3	–	1	2	3	8	6	13	6	7	7	4	1	–	–
	All other—Male	9	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	4	1	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	63	2	2	1	–	2	–	1	1	2	3	1	3	7	6	9	7	7	3	4	2	–	–
	White—Male	38	1	1	1	–	2	–	–	1	1	2	1	3	6	3	5	4	3	2	2	–	–	–
	White—Female	21	1	–	–	–	–	–	1	–	1	1	–	–	1	2	4	2	4	–	2	2	–	–
	All other—Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	291	–	–	–	–	–	1	1	7	3	7	6	9	21	32	47	47	46	39	16	7	2	–
	White—Male	106	–	–	–	–	–	1	1	3	2	2	3	2	8	13	16	19	17	15	2	2	–	–
	White—Female	146	–	–	–	–	–	–	–	3	1	3	2	7	7	13	28	20	25	18	13	5	1	–
	All other—Male	12	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	3	1	2	–	–	–	–
	All other—Female	27	–	–	–	–	–	–	–	–	–	–	–	–	5	5	3	5	3	4	1	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	37	2	–	–	–	–	–	–	–	–	–	–	1	1	3	5	6	6	2	8	1	2	–
	White—Male	17	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	3	2	3	1	–	–
	White—Female	11	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	–	3	–	1	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	–	–	–
	All other—Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
280–285	Anemias	24	–	–	2	1	–	2	–	–	–	–	2	1	1	3	–	2	3	–	6	–	1	–
	White Male	7	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	–
	Female	14	–	–	1	–	–	–	–	–	–	–	2	1	1	3	–	1	1	–	4	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
320	Meningitis	25	6	7	–	–	2	–	–	1	–	–	1	–	1	2	1	–	1	2	1	–	–	–
	White Male	11	2	5	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	9	1	2	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	1	1	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	7,339	9	1	4	2	5	5	11	26	35	80	128	315	408	678	934	1,103	1,180	1,090	768	415	140	2
	White Male	4,006	3	–	1	–	3	5	7	17	21	55	86	218	265	446	598	667	614	512	311	135	41	1
	Female	3,009	1	1	1	1	1	–	2	5	9	20	34	72	116	201	291	388	531	548	434	261	91	1
	All other Male	187	2	–	1	1	1	–	–	2	1	1	4	14	18	21	24	34	26	14	11	7	5	–
	Female	137	3	–	1	–	–	–	2	2	4	4	4	11	9	10	21	14	9	16	12	12	3	–
390–398, 402, 404, 410–429	Diseases of heart	5,401	9	1	3	2	2	5	6	18	26	67	104	269	320	566	757	847	822	732	492	264	87	2
	White Male	3,140	3	–	1	–	1	5	3	13	18	50	77	200	230	388	513	530	442	347	199	92	27	1
	Female	2,029	1	1	–	1	–	–	1	2	4	14	24	52	72	154	211	283	359	360	277	157	55	1
	All other Male	134	2	–	1	1	1	–	–	2	1	–	3	10	11	15	19	24	15	13	8	5	3	–
	Female	98	3	–	1	–	–	–	2	1	3	3	–	7	7	9	14	10	6	12	8	10	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	151	–	–	–	–	1	1	–	2	3	3	5	11	19	22	23	26	19	9	5	1	1	–
	White Male	65	–	–	–	–	–	1	–	1	1	1	2	4	8	6	11	16	9	3	2	–	–	–
	Female	77	–	–	–	–	–	–	–	1	–	2	3	6	10	15	11	10	9	6	3	–	1	–
	All other Male	3	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–	–	1	–	–
402	Hypertensive heart disease	61	–	–	–	–	–	–	–	–	2	2	2	4	4	5	8	13	8	6	4	3	–	–
	White Male	24	–	–	–	–	–	–	–	–	1	1	2	–	2	4	2	9	3	–	–	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	1	–	3	2	1	5	3	5	5	4	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	1	2	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	4,784	–	–	–	–	–	1	1	9	17	52	89	237	268	508	681	761	732	666	449	231	80	2
	White Male	2,861	–	–	–	–	–	1	1	7	13	42	70	185	205	367	476	482	402	315	185	83	26	1
	Female	1,760	–	–	–	–	–	–	–	1	3	7	18	38	50	122	183	251	314	332	251	138	51	1
	All other Male	94	–	–	–	–	–	–	–	1	–	–	1	9	9	11	13	18	12	8	7	3	2	–
	Female	69	–	–	–	–	–	–	–	–	1	3	–	5	4	8	9	10	4	11	6	7	1	–
410	Acute myocardial infarction	2,149	–	–	–	–	–	–	1	6	8	37	51	114	155	268	369	364	334	219	141	63	18	1
	White Male	1,379	–	–	–	–	–	–	1	4	7	30	36	89	120	201	262	234	188	110	64	26	6	1
	Female	710	–	–	–	–	–	–	–	1	1	5	14	19	28	59	99	116	142	105	74	36	11	–
	All other Male	37	–	–	–	–	–	–	–	1	–	–	1	3	5	4	6	9	4	2	2	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	2	–	3	2	4	2	5	–	2	1	1	1	–
411	Other acute and subacute forms of ischemic heart disease	272	–	–	–	–	–	–	–	2	2	8	12	46	34	55	46	32	19	11	4	–	1	–
	White Male	214	–	–	–	–	–	–	–	2	2	5	11	35	26	46	39	23	13	9	3	–	–	–
	Female	45	–	–	–	–	–	–	–	–	–	2	1	7	5	7	5	9	6	1	1	–	1	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	3	3	2	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,362	–	–	–	–	–	1	–	1	7	7	25	77	79	185	266	365	379	436	304	168	61	1
	White Male	1,267	–	–	–	–	–	1	–	1	4	7	22	61	59	120	175	225	201	196	118	57	20	–
	Female	1,005	–	–	–	–	–	–	–	–	2	–	3	12	17	56	79	126	166	226	176	102	39	1
	All other Male	47	–	–	–	–	–	–	–	–	–	–	–	3	1	5	6	9	8	5	5	3	2	–
	Female	43	–	–	–	–	–	–	–	–	1	–	–	1	2	4	6	5	4	9	5	6	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	26	1	–	–	–	–	–	–	1	–	3	–	1	–	4	6	2	2	1	3	1	1	–
	White Male	11	1	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	1	1	1	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	2	–	–	–	3	5	–	1	–	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
420–423, 425–427, 429	All other forms of heart disease	369	8	1	3	2	1	3	5	6	4	7	8	16	28	27	37	45	58	49	29	27	5	–
	White—Male	175	2	–	1	–	1	3	2	5	3	5	3	10	15	10	21	21	26	28	10	9	–	–
	White—Female	140	1	1	–	1	–	–	1	–	1	2	3	5	9	13	7	19	28	16	16	14	3	–
	All other—Male	34	2	–	1	1	–	–	–	–	–	–	2	1	2	3	6	5	3	4	1	2	1	–
	All other—Female	20	3	–	1	–	–	–	2	1	–	–	–	–	2	1	3	–	1	1	2	2	1	–
400, 401, 403	Hypertension	50	–	–	–	–	–	–	–	–	1	–	–	2	–	3	5	13	8	7	4	4	3	–
	White—Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	9	2	5	2	1	1	–
	White—Female	23	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	3	6	2	2	3	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–
430–438	Cerebrovascular diseases	1,409	–	–	1	–	3	–	5	8	6	12	18	33	64	86	125	180	275	247	212	103	31	–
	White—Male	580	–	–	–	–	2	–	4	4	2	4	6	10	26	43	52	87	124	95	85	28	8	–
	White—Female	752	–	–	1	–	1	–	1	3	4	6	7	17	31	37	62	83	138	148	121	71	21	–
	All other—Male	45	–	–	–	–	–	–	–	–	–	1	1	2	5	5	4	8	11	1	3	2	2	–
	All other—Female	32	–	–	–	–	–	–	–	1	–	1	4	4	2	1	7	2	2	3	3	2	–	–
431	Cerebral hemorrhage	196	–	–	–	–	1	–	–	–	2	6	6	13	16	18	22	24	36	23	20	8	1	–
	White—Male	76	–	–	–	–	1	–	–	–	–	3	3	3	7	8	10	9	15	10	6	1	–	–
	White—Female	102	–	–	–	–	–	–	–	–	2	3	1	7	6	9	9	12	19	13	14	7	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	3	1	–	–	–	1	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	1	–	–	–	–	–
433	Cerebral thrombosis	251	–	–	–	–	–	–	–	–	1	1	3	5	7	13	21	33	55	49	40	18	5	–
	White—Male	111	–	–	–	–	–	–	–	–	1	1	–	3	3	7	11	16	26	17	18	6	2	–
	White—Female	132	–	–	–	–	–	–	–	–	–	–	2	1	4	5	10	16	26	31	22	12	3	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	956	–	–	1	–	2	–	5	8	3	5	9	15	41	55	82	120	183	173	152	77	25	–
	White—Male	391	–	–	–	–	1	–	4	4	1	–	3	4	16	28	31	62	82	67	61	21	6	–
	White—Female	514	–	–	1	–	1	–	1	3	2	3	4	9	21	23	43	52	93	103	85	52	18	–
	All other—Male	29	–	–	–	–	–	–	–	–	–	1	–	–	3	3	3	4	8	1	3	2	1	–
	All other—Female	22	–	–	–	–	–	–	–	1	–	1	2	2	1	1	5	2	–	2	3	2	–	–
440	Arteriosclerosis	235	–	–	–	–	–	–	–	–	–	–	1	3	4	11	8	22	28	58	47	37	16	–
	White—Male	111	–	–	–	–	–	–	–	–	–	–	1	3	2	5	5	13	14	31	20	13	4	–
	White—Female	121	–	–	–	–	–	–	–	–	–	–	–	–	1	6	3	8	14	27	26	24	12	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	244	–	–	–	–	–	–	–	–	2	1	5	8	20	12	39	41	47	46	13	7	3	–
	White—Male	152	–	–	–	–	–	–	–	–	1	1	2	5	7	9	26	28	32	34	5	1	1	–
	White—Female	84	–	–	–	–	–	–	–	–	1	–	3	1	12	3	12	11	14	11	8	6	2	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	15	4	1	–	–	1	–	–	–	–	1	–	1	1	2	1	1	–	1	–	1	–	–
	White—Male	8	1	1	–	–	1	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–
	White—Female	5	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	603	21	7	3	3	2	4	6	6	7	7	13	17	22	38	48	60	76	100	95	49	19	–
	White—Male	293	3	2	2	–	1	1	2	–	2	3	7	10	13	29	24	36	37	54	45	17	5	–
	White—Female	227	5	3	1	2	–	1	2	2	–	3	2	6	8	8	16	20	30	37	41	29	11	–
	All other—Male	58	9	–	–	–	–	2	2	4	3	1	2	–	–	1	5	3	6	6	9	3	2	–
	All other—Female	25	4	2	–	1	1	–	–	–	2	–	2	1	1	–	3	1	3	3	–	–	1	–
470–474	Influenza	57	1	1	–	–	–	–	1	–	–	1	–	1	2	4	4	10	9	11	5	5	2	–
	White—Male	30	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	8	4	5	3	1	1	–
	White—Female	25	–	1	–	–	–	–	1	–	–	–	–	–	–	2	2	1	5	6	2	4	1	–
	All other—Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	546	20	6	3	3	2	4	5	6	7	6	13	16	20	34	44	50	67	89	90	44	17	–
	White—Male	263	3	2	2	–	1	1	2	–	2	2	7	9	11	27	22	28	33	49	42	16	4	–
	White—Female	202	5	2	1	2	–	1	1	2	–	3	2	6	8	6	14	19	25	31	39	25	10	–
	All other—Male	56	8	–	–	–	–	2	2	4	3	1	2	–	–	1	5	2	6	6	9	3	2	–
	All other—Female	25	4	2	–	1	1	–	–	–	2	–	2	1	1	–	3	1	3	3	–	–	1	–
490–493	Bronchitis, emphysema, and asthma	437	–	–	1	–	–	1	–	1	3	3	12	24	33	66	68	77	71	49	23	3	2	–
	White—Male	315	–	–	1	–	–	1	–	–	1	2	6	16	24	43	47	62	51	39	18	2	2	–
	White—Female	110	–	–	–	–	–	–	–	1	1	1	4	7	7	21	20	15	19	9	4	1	–	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	1	1	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
490, 491	Chronic and unqualified bronchitis	77	–	–	1	–	–	–	–	–	–	–	1	5	5	14	6	20	6	8	9	1	1	–
	White Male	59	–	–	1	–	–	–	–	–	–	–	–	4	5	9	5	18	5	3	7	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	2	1	4	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	323	–	–	–	–	–	1	–	–	2	1	8	15	25	47	60	50	62	37	13	2	–	–
	White Male	243	–	–	–	–	–	1	–	–	–	1	5	10	19	32	42	42	45	34	11	1	–	–
	Female	76	–	–	–	–	–	–	–	–	1	–	3	4	6	14	18	8	16	3	2	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	37	–	–	–	–	–	–	–	1	1	2	3	4	3	5	2	7	3	4	1	–	1	–
	White Male	13	–	–	–	–	–	–	–	–	1	1	1	2	–	2	–	2	1	2	–	–	1	–
	Female	19	–	–	–	–	–	–	–	1	–	1	1	2	1	3	1	5	2	2	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–
531–533	Peptic ulcer	53	–	–	1	–	–	–	1	–	–	–	3	3	4	6	5	9	5	10	5	1	–	–
	White Male	29	–	–	1	–	–	–	–	–	–	–	3	2	2	3	4	3	3	7	–	1	–	–
	Female	22	–	–	–	–	–	–	1	–	–	–	–	1	1	3	1	6	1	3	5	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	53	5	–	–	–	–	–	–	–	–	1	–	3	1	4	7	5	10	7	8	1	1	–
	White Male	18	1	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	4	2	2	1	–	–
	Female	26	2	–	–	–	–	–	–	–	–	1	–	2	–	1	3	2	4	4	6	–	1	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–
571	Cirrhosis of liver	352	–	–	–	–	–	–	3	9	28	29	43	56	53	42	42	21	11	8	2	2	2	1
	White Male	193	–	–	–	–	–	–	–	2	8	14	26	29	32	27	28	10	7	6	1	1	2	–
	Female	93	–	–	–	–	–	–	–	1	3	9	8	16	16	12	12	8	4	2	1	1	–	–
	All other Male	42	–	–	–	–	–	–	3	4	13	5	5	6	–	3	1	2	–	–	–	–	–	–
	Female	24	–	–	–	–	–	–	–	2	4	1	4	5	5	–	1	1	–	–	–	–	–	1
574, 575	Cholelithiasis, cholecystitis and cholangitis	24	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2	8	2	3	1	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	1	3	1	2	–
	Female	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	3	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	63	1	–	–	–	–	–	3	2	1	2	2	3	3	8	7	9	5	8	6	3	–	–
	White Male	36	–	–	–	–	–	–	1	1	–	1	1	1	1	5	4	7	3	7	2	2	–	–
	Female	16	–	–	–	–	–	–	1	1	–	1	–	1	2	2	2	2	2	–	2	–	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
	Female	7	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	11	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	1	2	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	52	–	–	–	–	–	–	3	2	1	2	2	3	2	8	7	6	2	7	4	3	–	–
	White Male	31	–	–	–	–	–	–	1	1	–	1	1	1	1	5	4	5	1	6	2	2	–	–
	Female	11	–	–	–	–	–	–	1	1	–	1	–	1	1	2	2	1	1	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	1	1	–	–
590	Infections of kidney	35	–	–	–	–	–	–	1	1	1	1	1	1	2	2	7	4	7	3	2	1	1	–
	White Male	14	–	–	–	–	–	–	1	–	–	–	1	1	2	–	4	1	2	1	1	–	–	–
	Female	15	–	–	–	–	–	–	–	1	1	–	–	–	–	1	2	3	3	1	1	1	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
600	Hyperplasia of prostate	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	3	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	171	121	18	3	4	3	2	4	3	1	–	1	2	2	3	1	2	1	–	–	–	–	–
	White.....Male	82	58	7	1	1	1	2	3	2	1	–	1	1	1	1	1	–	1	–	–	–	–	–
	Female	67	50	7	2	2	1	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–
	All other.....Male	14	9	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	4	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	282	281	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	126	126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	27	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	177	176	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	267	71	5	2	–	3	2	11	5	7	5	10	10	16	14	20	15	21	16	18	4	9	3
	White.....Male	99	29	3	–	–	1	2	6	2	1	–	2	1	9	5	12	6	7	2	5	2	1	3
	Female	69	20	–	–	–	–	–	1	1	3	–	2	4	2	3	5	4	6	8	5	1	4	–
	All other.....Male	53	8	1	–	–	2	–	3	1	2	1	4	3	2	3	1	2	8	2	8	–	2	–
	Female	46	14	1	2	–	–	–	1	1	1	4	2	2	3	3	2	3	–	4	–	1	2	–
Residual	All other diseases	1,497	29	5	8	7	14	40	31	30	27	41	53	86	114	160	216	188	185	140	74	37	10	2
	White.....Male	818	17	2	5	3	8	23	20	12	8	13	22	49	70	96	128	106	112	74	30	15	4	1
	Female	528	5	1	–	2	3	7	8	8	9	18	15	25	37	58	74	72	63	59	42	18	4	–
	All other.....Male	96	4	2	2	1	2	7	3	5	6	4	12	9	3	4	9	7	7	5	1	2	1	–
	Female	55	3	–	1	1	1	3	–	5	4	6	4	3	4	2	5	3	3	2	1	2	1	1
E800–E949	Accidents	1,349	17	70	44	47	160	188	107	85	77	67	56	64	55	57	49	55	39	46	34	23	7	2
	White.....Male	732	9	36	26	31	83	107	59	58	51	35	26	38	29	33	24	27	20	20	11	8	–	1
	Female	331	4	18	9	7	33	28	23	11	8	12	12	15	14	19	17	20	17	23	19	15	6	1
	All other.....Male	218	–	6	2	6	35	40	21	15	14	14	15	10	12	5	8	7	1	3	4	–	–	–
	Female	68	4	10	7	3	9	13	4	1	4	6	3	1	–	–	–	1	1	–	–	–	1	–
E810–E823	Motor vehicle accidents	703	4	21	26	21	112	132	73	61	46	34	29	34	24	21	14	19	11	14	4	2	1	–
	White.....Male	382	3	11	13	17	56	69	39	37	30	16	12	22	15	11	7	7	8	7	1	1	–	–
	Female	147	1	5	8	3	28	21	16	9	7	6	7	5	3	6	3	9	3	5	1	1	–	–
	All other.....Male	132	–	2	1	–	22	31	14	14	7	7	7	6	6	4	4	3	–	2	2	–	–	–
	Female	42	–	3	4	1	6	11	4	1	2	5	3	1	–	–	–	–	–	–	–	–	1	–
E800–E807, E825–E949	All other accidents	646	13	49	18	26	48	56	34	24	31	33	27	30	31	36	35	36	28	32	30	21	6	2
	White.....Male	350	6	25	13	14	27	38	20	21	21	19	14	16	14	22	17	20	12	13	10	7	–	1
	Female	184	3	13	1	4	5	7	7	2	1	6	5	10	11	13	14	11	14	18	18	14	6	1
	All other.....Male	86	–	4	1	6	13	9	7	1	7	7	8	4	6	1	4	4	1	1	2	–	–	–
	Female	26	4	7	3	2	3	2	–	–	2	1	–	–	–	–	–	1	1	–	–	–	–	–
E950–E959	Suicide	389	...	...	–	5	20	51	37	40	28	28	33	23	26	29	31	16	15	5	2	–	–	–
	White.....Male	244	...	...	–	3	12	34	22	24	13	12	22	13	17	19	22	12	14	3	2	–	–	–
	Female	116	...	...	–	1	6	10	11	11	11	12	10	10	9	10	9	3	1	2	–	–	–	–
	All other.....Male	23	...	...	–	–	2	7	2	5	3	3	1	–	–	–	–	–	–	–	–	–	–	–
	Female	6	...	...	–	1	–	–	2	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	206	3	5	1	5	17	27	35	25	17	15	16	11	7	11	3	1	1	2	1	–	–	3
	White.....Male	110	1	2	–	1	9	10	21	15	10	11	8	5	6	5	2	–	1	1	–	–	–	2
	Female	39	1	1	–	1	2	7	5	3	2	2	3	4	1	3	1	–	–	1	1	–	–	1
	All other.....Male	46	–	2	1	2	6	7	9	5	3	1	4	2	–	3	–	1	–	–	–	–	–	–
	Female	11	1	–	–	1	–	3	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	49	1	–	–	–	7	5	6	6	2	8	2	2	–	1	2	1	2	1	–	–	–	3
	White.....Male	28	1	–	–	–	5	2	4	3	–	5	2	–	–	1	–	1	1	–	–	–	–	3
	Female	14	–	–	–	–	2	2	–	3	–	3	–	1	–	–	2	–	–	1	–	–	–	–
	All other.....Male	6	–	–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas																							
	All causes	21,336	529	109	68	99	235	243	228	196	227	336	550	867	1,240	1,878	2,511	2,873	2,857	2,837	2,051	1,031	370	1
	White Male	10,144	199	49	26	52	145	129	122	97	103	179	279	481	672	1,029	1,347	1,464	1,365	1,185	783	350	88	–
	Female	7,254	141	33	27	26	49	48	48	47	69	85	145	217	329	508	701	869	995	1,221	966	528	202	–
	All other Male	2,136	99	17	9	13	28	51	40	32	38	45	59	100	152	188	281	277	248	210	146	68	35	–
	Female	1,802	90	10	6	8	13	15	18	20	17	27	67	69	87	153	182	263	249	221	156	85	45	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	23	9	1	–	–	–	–	–	–	–	–	–	–	1	2	3	1	–	2	3	–	1	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	1	–
	Female	10	3	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	–	–	–
	All other Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	42	–	–	–	–	–	–	–	–	3	–	2	3	2	3	3	8	6	5	3	2	2	–
	White Male	19	–	–	–	–	–	–	–	–	1	–	1	1	1	2	3	2	4	2	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	3	1	1	1	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	1	–
010–012	Tuberculosis of respiratory system	37	–	–	–	–	–	–	–	–	3	–	2	1	2	3	3	8	5	4	2	2	2	–
	White Male	15	–	–	–	–	–	–	–	–	1	–	1	–	1	2	3	2	3	1	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	3	1	1	1	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	61	18	3	–	1	–	1	–	–	1	1	2	1	3	5	5	6	6	2	4	2	–	–
	White Male	32	6	1	–	–	–	1	–	–	1	–	2	1	2	3	5	3	4	1	2	–	–	–
	Female	13	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	1	2	–	–	–
	All other Male	8	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
	Female	8	5	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	53	5	2	1	2	1	1	–	3	1	1	–	–	3	5	4	10	3	5	4	–	2	–
	White Male	27	1	2	1	1	1	–	–	1	–	–	–	–	2	3	3	7	–	3	1	–	1	–
	Female	14	2	–	–	1	–	1	–	–	–	1	–	–	–	1	–	1	2	2	2	–	1	–
	All other Male	7	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	Female	5	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,939	1	9	5	7	10	15	17	30	46	78	157	243	339	521	646	644	508	366	207	69	21	–
	White Male	1,902	1	5	5	1	4	4	10	13	17	36	67	110	156	253	341	334	266	167	78	27	7	–
	Female	1,426	–	3	–	5	4	8	4	12	22	29	63	96	140	196	211	201	159	143	93	28	9	–
	All other Male	352	–	1	–	–	2	3	1	–	5	6	9	21	28	37	61	61	53	31	20	11	2	–
	Female	259	–	–	–	1	–	–	2	5	2	7	18	16	15	35	33	48	30	25	16	3	3	–
140–149	Of buccal cavity and pharynx	80	–	–	–	–	–	–	1	1	–	–	5	4	7	11	14	11	11	7	6	1	1	–
	White Male	45	–	–	–	–	–	–	–	–	–	–	3	2	4	7	9	7	6	4	2	–	1	–
	Female	28	–	–	–	–	–	–	–	1	–	–	–	2	3	4	4	3	4	2	4	1	–	–
	All other Male	5	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	931	–	–	–	–	–	1	1	4	10	11	23	40	53	125	145	169	152	111	65	17	4	–
	White Male	400	–	–	–	–	–	–	1	2	2	6	13	23	23	53	65	76	73	39	19	5	–	–
	Female	349	–	–	–	–	–	–	–	2	4	2	5	7	23	50	55	62	47	50	31	9	2	–
	All other Male	101	–	–	–	–	–	1	–	–	2	1	2	9	6	11	15	13	18	11	9	3	–	–
	Female	81	–	–	–	–	–	–	–	–	2	2	3	1	1	11	10	18	14	11	6	–	2	–
160–163	Of respiratory system	1,001	–	–	–	–	1	–	–	2	8	21	50	86	116	156	205	158	102	67	18	9	2	–
	White Male	707	–	–	–	–	–	–	–	1	4	17	32	58	76	108	156	114	78	48	7	8	–	–
	Female	193	–	–	–	–	–	–	–	1	4	2	14	20	27	33	31	25	14	14	6	1	1	–
	All other Male	81	–	–	–	–	1	–	–	–	–	2	3	8	13	11	14	15	7	3	3	–	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	–	–	4	4	4	3	2	2	–	–	–
174	Of breast	277	–	–	–	–	–	–	3	1	6	12	24	29	28	32	46	41	19	18	11	6	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	238	–	–	–	–	–	–	2	1	6	11	19	23	25	28	42	32	18	16	9	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	39	–	–	–	–	–	–	1	–	–	1	5	6	3	4	4	9	1	2	2	1	–	–
180–187	Of genital organs	503	–	–	–	–	1	3	2	11	4	8	18	28	25	55	67	77	88	63	39	11	3	–
	White Male	194	–	–	–	–	–	2	2	3	2	–	3	3	3	13	27	30	42	34	23	5	2	–
	Female	186	–	–	–	–	1	1	–	3	2	5	9	20	17	31	24	24	24	17	6	2	–	–
	All other Male	72	–	–	–	–	–	–	–	–	–	–	–	–	1	4	12	17	18	9	7	4	–	–
	Female	51	–	–	–	–	–	–	–	5	–	3	6	5	4	7	4	6	4	3	3	–	1	–
188, 189	Of urinary organs	163	–	–	–	–	–	–	–	–	1	2	5	4	21	18	22	31	20	24	11	3	1	–
	White Male	101	–	–	–	–	–	–	–	–	1	1	2	2	15	11	12	25	12	14	6	–	–	–
	Female	42	–	–	–	–	–	–	–	–	–	–	2	2	4	7	5	4	6	7	4	–	1	–
	All other Male	15	–	–	–	–	–	–	–	–	–	1	1	–	1	–	4	2	1	2	–	3	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	606	1	3	–	2	4	6	6	5	11	16	23	34	58	88	84	99	61	40	44	15	6	–
	White Male	259	1	2	–	–	2	1	4	2	7	9	9	11	22	38	39	50	27	15	14	4	2	–
	Female	254	–	–	–	1	1	3	1	3	4	6	10	17	28	35	27	32	24	23	28	8	3	–
	All other Male	52	–	1	–	–	1	2	–	–	–	1	1	3	5	9	11	8	6	2	–	1	1	–
	Female	41	–	–	–	1	–	–	1	–	–	–	3	3	3	6	7	9	4	–	2	2	–	–
204–207	Leukemia	171	–	5	4	4	2	1	2	1	5	4	2	5	11	11	26	29	28	20	6	2	3	–
	White Male	93	–	3	4	–	–	1	1	1	1	2	1	1	5	9	15	18	15	10	3	2	2	–
	Female	57	–	2	–	4	2	1	1	–	1	1	1	2	4	2	9	8	11	5	2	–	1	–
	All other Male	14	–	–	–	–	–	–	–	–	3	–	–	1	2	–	1	3	1	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	3	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	207	–	1	1	1	2	4	2	5	1	4	7	13	20	25	37	29	27	16	7	5	–	–
	White Male	103	–	–	1	1	2	1	2	4	–	1	4	10	8	14	18	14	13	3	4	3	–	–
	Female	79	–	1	–	–	–	3	–	1	1	2	3	3	9	6	14	11	11	9	3	2	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	3	1	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	1	2	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	57	1	1	–	1	–	2	–	1	3	1	4	5	4	5	7	9	8	5	–	–	–	–
	White Male	30	–	–	–	1	–	1	–	1	1	1	4	2	3	4	4	5	3	–	–	–	–	–
	Female	23	1	1	–	–	–	1	–	–	2	–	–	2	1	–	3	4	4	4	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
250	Diabetes mellitus	371	–	–	–	–	–	1	2	3	4	6	6	14	25	46	51	66	54	48	27	12	5	1
	White Male	109	–	–	–	–	–	1	2	2	1	3	4	7	5	17	13	17	11	13	9	4	–	–
	Female	166	–	–	–	–	–	–	–	–	–	2	1	3	8	18	18	34	30	26	14	8	4	–
	All other Male	32	–	–	–	–	–	–	–	–	3	–	–	–	5	4	8	4	3	2	2	–	1	–
	Female	64	–	–	–	–	–	–	1	–	1	1	4	7	7	12	11	10	7	2	–	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	23	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	5	2	3	5	1	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	1	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	1	–	1	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	4	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
280–285	Anemias	35	1	2	1	–	2	3	–	1	–	–	1	1	2	2	4	2	4	5	4	–	–	
	White Male	10	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	1	2	1	2	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	4	1	–	–	
	All other Male	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	
	Female	11	1	1	1	–	2	1	–	1	–	–	1	–	1	1	–	–	1	–	–	–	–	
320	Meningitis	19	8	1	1	–	1	–	–	–	–	–	1	–	–	2	2	1	2	–	–	–	–	
	White Male	10	4	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	
	Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	4	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
390–448	Major cardiovascular diseases	11,009	8	4	3	2	7	11	13	21	48	106	195	359	550	857	1,265	1,579	1,725	1,858	1,428	725	245	
	White Male	5,111	4	2	2	1	4	3	4	6	24	64	106	223	333	496	686	805	802	752	524	221	49	
	Female	3,968	3	–	1	1	2	5	5	5	10	19	39	61	107	186	337	471	632	830	714	393	147	
	All other Male	960	–	2	–	–	–	2	1	6	10	14	22	40	74	92	142	150	132	123	86	44	20	
	Female	970	1	–	–	–	1	1	3	4	4	9	28	35	36	83	100	153	159	153	104	67	29	
390–398, 402, 404, 410–429	Diseases of heart	7,797	8	3	1	1	5	9	6	13	32	80	165	285	435	690	954	1,139	1,214	1,222	908	471	156	
	White Male	3,915	4	2	1	–	4	2	2	4	20	54	99	195	288	427	551	620	584	525	353	152	28	
	Female	2,625	3	–	–	1	1	4	4	2	3	10	28	39	77	133	244	316	442	525	438	259	96	
	All other Male	642	–	1	–	–	–	2	–	3	8	12	18	29	49	74	95	95	77	82	56	27	14	
	Female	615	1	–	–	–	–	1	–	4	1	4	20	22	21	56	64	108	111	90	61	33	18	
390–398	Active rheumatic fever and chronic rheumatic heart disease	85	–	–	–	–	1	1	–	–	–	4	5	6	6	7	16	12	10	7	7	2	1	
	White Male	34	–	–	–	–	1	–	–	–	–	–	1	1	1	1	7	6	7	4	5	–	–	
	Female	40	–	–	–	–	–	1	–	–	–	1	4	4	5	5	7	3	2	3	2	2	1	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	2	–	–	–	–	–	
402	Hypertensive heart disease	98	–	–	–	–	–	–	–	–	2	1	5	6	6	8	7	14	10	18	12	7	2	
	White Male	24	–	–	–	–	–	–	–	–	1	1	1	2	1	3	–	5	2	3	3	2	–	
	Female	27	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	4	7	5	3	1	
	All other Male	23	–	–	–	–	–	–	–	–	1	–	2	2	4	1	4	3	2	1	2	1	–	
	Female	24	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	2	2	7	2	1	1	
404	Hypertensive heart and renal disease	53	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	10	6	16	8	3	4	
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	5	1	9	2	–	2	
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	7	5	3	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	2	
410–413	Ischemic heart disease	6,537	–	–	–	–	–	–	2	7	21	62	126	223	363	559	809	974	1,055	1,035	773	395	133	
	White Male	3,383	–	–	–	–	–	–	1	4	17	50	87	168	249	358	478	542	517	451	305	131	25	
	Female	2,211	–	–	–	–	–	–	1	–	2	5	16	27	63	106	212	268	394	444	374	216	83	
	All other Male	472	–	–	–	–	–	–	–	1	1	6	11	17	38	52	69	78	56	67	42	23	11	
	Female	471	–	–	–	–	–	–	2	1	1	32	11	13	43	50	86	88	73	52	25	14		
410	Acute myocardial infarction	3,942	–	–	–	–	–	–	2	7	20	58	108	183	276	431	594	642	619	522	311	126	43	
	White Male	2,321	–	–	–	–	–	–	1	4	17	48	81	145	203	291	369	383	322	255	148	46	8	
	Female	1,123	–	–	–	–	–	–	1	–	2	5	12	18	40	80	153	169	222	196	138	62	25	
	All other Male	280	–	–	–	–	–	–	–	1	1	4	10	11	26	35	45	46	31	37	18	10	5	
	Female	218	–	–	–	–	–	–	–	2	–	1	5	9	7	25	27	44	44	34	7	8	5	
411	Other acute and subacute forms of ischemic heart disease	13	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	2	2	–	1	1	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	2	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	2,581	–	–	–	–	–	–	–	–	1	4	18	39	86	128	212	330	434	510	462	268	89	
	White Male	1,056	–	–	–	–	–	–	–	–	–	2	6	22	45	67	107	159	193	196	157	85	17	
	Female	1,082	–	–	–	–	–	–	–	–	–	–	4	9	23	26	58	98	172	246	236	153	57	
	All other Male	191	–	–	–	–	–	–	–	–	–	2	1	6	12	17	24	31	25	30	24	13	6	
	Female	252	–	–	–	–	–	–	–	–	1	–	7	2	6	18	23	42	44	38	45	17	9	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	52	–	–	–	–	–	1	–	1	–	–	1	2	1	6	7	6	3	6	9	7	2	
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	1	3	3	–	
	Female	19	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	2	1	3	3	3	–	
	All other Male	12	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	2	1	1	2	1	1	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	1	

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	972	8	3	1	1	4	7	4	5	9	12	28	47	59	108	113	123	130	140	99	57	14	–
	White—Male	439	4	2	1	–	3	2	1	–	2	3	10	23	36	63	63	60	57	57	35	16	1	–
	White—Female	305	3	–	–	1	1	3	3	2	1	4	7	6	9	19	20	36	37	61	49	32	11	–
	All other—Male	127	–	1	–	–	–	1	–	1	6	5	5	9	7	19	20	11	16	13	9	2	2	–
	All other—Female	101	1	–	–	–	–	1	–	2	–	–	6	9	7	7	10	16	20	9	6	7	–	–
400, 401, 403	Hypertension	67	–	–	–	–	–	–	–	–	1	2	2	4	5	5	6	8	9	12	11	2	–	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	1	4	4	5	–	–	–
	White—Female	19	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	6	4	1	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	2	1	–	2	–	–	–
	All other—Female	15	–	–	–	–	–	–	–	–	1	2	–	2	1	–	1	3	2	2	–	1	–	–
430–438	Cerebrovascular diseases	2,559	–	1	2	1	2	2	6	8	15	15	20	62	86	133	245	365	417	506	417	194	62	–
	White—Male	930	–	–	1	1	–	1	2	2	4	7	5	22	33	54	100	145	163	186	134	54	16	–
	White—Female	1,068	–	–	1	–	1	1	1	3	7	4	8	21	22	41	73	134	162	231	225	101	32	–
	All other—Male	268	–	1	–	–	–	–	1	3	2	1	1	10	20	15	39	46	51	37	23	13	5	–
	All other—Female	293	–	–	–	–	1	–	2	–	2	3	6	9	11	23	33	40	41	52	35	26	9	–
431	Cerebral hemorrhage	252	–	–	–	–	–	–	3	1	4	6	1	15	12	18	27	40	26	42	39	13	5	–
	White—Male	87	–	–	–	–	–	–	1	–	–	3	1	4	5	5	13	14	4	15	18	4	–	–
	White—Female	103	–	–	–	–	–	–	1	–	2	2	–	6	3	8	8	17	13	17	16	6	4	–
	All other—Male	30	–	–	–	–	–	–	–	1	1	–	–	3	2	2	2	4	6	5	3	–	1	–
	All other—Female	32	–	–	–	–	–	–	1	–	1	1	–	2	2	3	4	5	3	5	2	3	–	–
433	Cerebral thrombosis	366	–	1	–	–	–	–	–	–	1	–	1	5	8	14	31	51	68	77	65	38	6	–
	White—Male	119	–	–	–	–	–	–	–	–	–	–	–	2	4	5	12	10	27	26	21	10	2	–
	White—Female	166	–	–	–	–	–	–	–	–	1	–	1	–	1	7	9	25	25	38	33	24	2	–
	All other—Male	42	–	1	–	–	–	–	–	–	–	–	–	2	2	2	7	8	10	3	6	1	–	–
	All other—Female	39	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	8	6	10	5	3	2	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,935	–	–	2	1	2	2	3	7	10	9	18	42	66	100	187	273	321	385	313	143	51	–
	White—Male	721	–	–	1	1	–	1	1	2	4	4	4	16	24	43	75	121	131	144	95	40	14	–
	White—Female	796	–	–	1	–	1	1	–	3	4	2	7	15	18	26	56	91	123	175	176	71	26	–
	All other—Male	196	–	–	–	–	–	–	1	2	1	1	1	5	16	11	30	34	35	29	14	12	4	–
	All other—Female	222	–	–	–	–	1	–	1	–	1	2	6	6	8	20	26	27	32	37	28	20	7	–
440	Arteriosclerosis	305	–	–	–	–	–	–	–	–	–	2	2	1	5	7	20	26	37	70	65	47	23	–
	White—Male	102	–	–	–	–	–	–	–	–	–	2	–	–	2	1	8	13	17	23	21	13	2	–
	White—Female	159	–	–	–	–	–	–	–	–	–	–	2	–	–	3	9	8	15	42	36	25	19	–
	All other—Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	2	2	3	4	1	–
	All other—Female	24	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	1	3	3	5	5	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	281	–	–	–	–	–	–	1	–	–	7	6	7	19	22	40	41	48	48	27	11	4	–
	White—Male	143	–	–	–	–	–	–	–	–	–	1	2	4	9	11	26	26	34	14	11	2	3	–
	White—Female	97	–	–	–	–	–	–	–	–	–	5	1	1	6	8	10	11	11	26	11	7	–	–
	All other—Male	18	–	–	–	–	–	–	–	–	–	1	1	1	3	2	2	3	1	2	2	–	–	–
	All other—Female	23	–	–	–	–	–	–	1	–	–	–	2	1	1	1	2	1	2	6	3	2	1	–
466	Acute bronchitis and bronchiolitis	9	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	2	1	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	White—Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	584	26	6	2	1	3	5	2	4	2	4	8	14	19	30	31	61	80	113	89	59	25	–
	White—Male	289	6	1	–	–	–	2	2	1	–	4	8	9	19	19	35	47	49	47	29	11	–	–
	White—Female	209	4	2	2	1	3	3	–	1	1	2	2	2	7	4	9	16	25	56	31	27	11	–
	All other—Male	45	8	–	–	–	–	2	–	–	–	2	1	2	2	6	2	4	3	4	5	2	2	–
	All other—Female	41	8	3	–	–	–	–	–	1	–	–	1	2	1	1	1	6	5	4	6	1	1	–
470–474	Influenza	66	–	–	–	–	1	–	–	–	–	–	1	1	1	3	3	7	10	12	16	9	2	–
	White—Male	26	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	5	2	6	4	1	–
	White—Female	32	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	3	4	10	7	4	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	2	1	–	–
480–486	Pneumonia	518	26	6	2	1	2	5	2	4	2	4	7	13	18	27	28	54	70	101	73	50	23	–
	White—Male	263	6	1	–	–	–	–	2	2	1	–	4	8	8	16	18	32	42	47	41	25	10	–
	White—Female	177	4	2	2	1	2	3	–	1	1	2	2	1	7	4	8	13	21	46	24	23	10	–
	All other—Male	43	8	–	–	–	–	2	–	–	–	2	1	2	2	6	2	4	2	4	4	2	2	–
	All other—Female	35	8	3	–	–	–	–	–	1	–	–	–	2	1	1	–	5	5	4	4	–	1	–
490–493	Bronchitis, emphysema, and asthma	234	–	–	–	–	–	–	–	1	2	1	2	9	5	36	55	44	37	25	14	3	–	–
	White—Male	180	–	–	–	–	–	–	–	–	1	1	1	7	4	30	45	32	28	18	11	2	–	–
	White—Female	38	–	–	–	–	–	–	–	1	1	–	1	2	1	3	5	6	8	6	3	1	–	–
	All other—Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	5	1	1	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
490, 491	Chronic and unqualified bronchitis	37	–	–	–	–	–	–	–	–	1	–	2	1	–	6	8	6	5	4	2	2	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	1	1	–	4	6	4	4	2	1	2	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	2	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	186	–	–	–	–	–	–	–	–	1	1	–	8	5	29	44	36	28	21	12	1	–	–
	White Male	150	–	–	–	–	–	–	–	–	1	1	–	6	4	25	38	28	21	16	10	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	4	6	4	2	1	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
493	Asthma	11	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	2	4	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	46	2	–	–	–	–	–	–	–	–	–	2	1	4	7	5	8	6	5	5	1	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	1	1	3	5	2	4	6	2	2	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–
540–543	Appendicitis	11	–	–	–	1	1	–	–	–	1	1	–	–	1	–	4	–	2	–	–	–	–	–
	White Male	7	–	–	–	–	1	–	–	–	1	1	–	–	1	–	3	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	55	5	–	–	–	–	–	–	–	–	2	1	1	3	4	4	7	11	6	9	1	1	–
	White Male	20	2	–	–	–	–	–	–	–	–	1	–	1	1	2	2	2	6	2	1	–	–	–
	Female	27	1	–	–	–	–	–	–	–	–	1	1	–	1	2	1	3	5	4	7	1	–	–
	All other Male	5	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
571	Cirrhosis of liver	179	–	–	–	–	1	–	1	4	6	17	15	23	22	29	29	13	12	6	1	–	–	–
	White Male	99	–	–	–	–	1	–	1	1	3	9	7	12	11	17	18	9	5	4	1	–	–	–
	Female	52	–	–	–	–	–	–	–	2	2	3	6	5	6	7	11	1	7	2	–	–	–	–
	All other Male	22	–	–	–	–	–	–	–	1	1	3	2	5	5	3	–	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	40	–	–	–	–	1	–	–	–	–	–	1	1	–	1	5	3	7	8	7	5	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	5	4	4	–	–
	Female	13	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	4	3	2	–	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–
580–584	Nephritis and nephrosis	121	–	–	–	2	–	1	–	4	–	–	2	7	9	12	15	22	15	14	9	6	3	–
	White Male	59	–	–	–	2	–	1	–	2	–	–	2	4	4	5	8	10	7	5	5	3	1	–
	Female	33	–	–	–	–	–	–	–	1	–	–	–	2	3	3	3	8	3	3	4	2	1	–
	All other Male	14	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	1	3	3	–	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	3	2	3	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	18	–	–	–	–	–	–	–	1	–	–	1	–	1	2	3	5	2	2	1	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	103	–	–	–	2	–	1	–	3	–	–	1	7	8	10	12	17	13	12	8	6	3	–
	White Male	49	–	–	–	2	–	1	–	2	–	–	1	4	3	4	6	9	6	3	4	3	1	–
	Female	27	–	–	–	–	–	–	–	1	–	–	–	2	3	2	2	5	2	3	4	2	1	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	3	3	–	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	3	2	3	–	–	–	–
590	Infections of kidney	46	–	–	–	–	–	–	–	–	–	–	1	1	2	2	6	12	8	7	6	1	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	3	1	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	6	3	4	3	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
600	Hyperplasia of prostate	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	3	5	1	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	125	78	13	5	4	5	–	2	–	1	2	2	–	3	4	3	2	–	1	–	–	–	–
	White Male	58	38	6	1	1	3	–	2	–	1	–	1	–	–	2	2	1	–	–	–	–	–	–
	Female	34	18	4	1	3	1	–	–	–	–	1	1	–	2	2	–	–	–	1	–	–	–	–
	All other Male	15	9	2	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	13	1	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	253	253	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	119	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	909	78	2	1	–	4	7	4	1	4	9	19	33	56	77	116	105	98	110	84	62	39	–
	White Male	366	29	1	–	–	1	3	3	–	2	4	9	17	35	39	56	38	30	42	29	19	9	–
	Female	250	15	–	1	–	2	2	1	–	–	1	4	9	10	18	22	29	26	37	33	27	13	–
	All other Male	161	21	1	–	–	1	2	–	–	1	3	2	5	5	15	23	18	22	18	8	8	8	–
	Female	132	13	–	–	–	–	–	–	1	1	1	4	2	6	5	15	20	20	13	14	8	9	–
Residual	All other diseases	1,329	21	12	6	11	12	4	20	15	24	23	31	52	90	133	157	190	176	174	104	56	18	–
	White Male	649	9	6	–	6	6	1	3	6	3	8	12	26	44	73	79	103	94	84	53	26	7	–
	Female	445	3	4	6	2	4	2	8	6	12	7	9	12	26	40	52	60	52	68	35	28	9	–
	All other Male	143	6	2	–	1	1	–	4	1	5	6	4	10	10	13	16	15	20	15	13	–	1	–
	Female	92	3	–	–	2	1	1	5	2	4	2	6	4	10	7	10	12	10	7	3	2	1	–
E800–E949	Accidents	1,231	13	48	42	64	140	138	100	62	41	44	57	60	57	63	67	60	69	53	28	20	5	–
	White Male	718	5	22	16	38	100	86	66	42	24	29	39	39	37	34	34	32	35	22	7	9	2	–
	Female	287	5	14	16	12	23	22	18	10	8	7	7	10	7	16	21	20	23	22	13	10	3	–
	All other Male	155	2	8	7	12	12	21	12	8	5	5	7	9	9	9	8	6	5	4	6	–	–	–
	Female	71	1	4	3	2	5	9	4	2	4	3	4	2	4	4	4	2	6	5	2	1	–	–
E810–E823	Motor vehicle accidents	558	1	22	22	28	86	92	59	33	18	13	28	28	27	28	31	19	13	6	3	1	–	–
	White Male	335	1	10	5	17	60	59	38	24	13	6	21	18	15	12	15	11	8	2	–	–	–	–
	Female	126	–	4	11	8	18	16	11	5	3	5	2	5	4	8	13	5	3	2	2	1	–	–
	All other Male	67	–	5	3	3	3	11	10	4	1	1	2	4	5	7	3	2	1	1	1	–	–	–
	Female	30	–	3	3	–	5	6	–	–	1	1	3	1	3	1	–	1	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	673	12	26	20	36	54	46	41	29	23	31	29	32	30	35	36	41	56	47	25	19	5	–
	White Male	383	4	12	11	21	40	27	28	18	11	23	18	21	22	22	19	21	27	20	7	9	2	–
	Female	161	5	10	5	4	5	6	7	5	5	2	5	5	3	8	8	15	20	20	11	9	3	–
	All other Male	88	2	3	4	9	9	10	2	4	4	4	5	5	4	2	5	4	4	3	5	–	–	–
	Female	41	1	1	–	2	–	3	4	2	3	2	1	1	1	3	4	1	5	4	2	1	–	–
E950–E959	Suicide	247	...	...	–	1	21	19	25	20	18	17	20	25	19	20	13	12	8	7	2	–	–	–
	White Male	173	...	...	–	1	17	13	16	13	12	8	15	18	13	16	9	10	4	6	2	–	–	–
	Female	58	...	...	–	–	1	2	5	6	6	9	5	7	6	4	2	2	2	1	–	–	–	–
	All other Male	14	...	...	–	–	3	4	3	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	2	...	...	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E960–E978	Homicide	202	–	3	–	2	18	29	30	23	19	15	18	8	15	7	8	3	2	2	–	–	–	–
	White Male	68	–	2	–	–	5	9	10	8	10	9	1	1	5	1	4	2	1	–	–	–	–	–
	Female	19	–	1	–	1	3	2	2	1	1	2	4	–	1	1	–	–	–	–	–	–	–	–
	All other Male	97	–	–	–	–	7	17	16	11	7	4	10	7	5	5	4	1	1	2	–	–	–	–
	Female	18	–	–	–	1	3	1	2	3	1	–	3	–	4	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	54	1	2	1	–	6	5	9	1	1	7	4	4	4	3	3	1	1	–	1	–	–	–
	White Male	28	1	–	–	–	2	4	3	–	–	5	2	2	2	3	3	1	–	–	–	–	–	–
	Female	12	–	1	–	–	3	–	2	–	–	1	1	2	1	–	–	–	1	–	–	–	–	–
	All other Male	9	–	–	–	–	1	–	3	1	1	1	–	–	1	–	–	–	–	–	1	–	–	–
	Female	5	–	1	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California																							
	All causes	**171,022**	**4,129**	**872**	**544**	**570**	**1,985**	**3,006**	**2,729**	**2,397**	**2,477**	**3,335**	**5,415**	**8,511**	**11,454**	**14,817**	**18,091**	**19,638**	**21,482**	**21,380**	**16,717**	**8,524**	**2,881**	**68**
	White ..... Male	84,212	1,870	427	256	298	1,256	1,924	1,642	1,311	1,328	1,705	2,874	4,600	6,370	8,341	10,124	10,583	10,514	9,163	6,124	2,707	751	44
	Female	71,819	1,426	289	189	192	509	604	613	644	708	1,047	1,747	2,864	3,900	5,081	6,356	7,549	9,604	11,167	9,876	5,461	1,978	15
	All other ..... Male	8,956	463	96	54	47	155	339	334	308	280	361	476	691	736	884	995	905	775	494	336	161	61	5
	Female	6,035	370	60	45	33	65	139	140	134	161	222	318	356	448	511	616	601	589	556	381	195	91	4
004, 006	Bacillary dysentery and amebiasis	15	–	–	–	–	–	–	–	1	1	1	1	–	2	2	3	–	1	2	–	1	–	–
	White ..... Male	12	–	–	–	–	–	–	–	1	–	1	–	–	2	2	3	–	1	1	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	149	69	3	2	2	1	–	2	–	–	2	2	2	3	3	8	8	2	18	11	9	2	–
	White ..... Male	61	31	1	–	2	1	–	–	–	–	1	2	1	1	1	3	3	1	6	4	3	–	–
	Female	64	21	–	1	–	–	–	1	–	–	–	–	1	2	2	5	4	1	12	7	5	2	–
	All other ..... Male	13	10	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	7	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–
010–019	Tuberculosis, all forms	278	–	–	–	–	1	1	4	–	7	3	14	17	20	27	53	35	35	29	24	7	–	1
	White ..... Male	142	–	–	–	–	–	–	4	–	3	2	8	11	9	14	25	16	18	18	13	–	–	1
	Female	85	–	–	–	–	1	1	–	–	–	–	3	2	7	11	17	11	12	7	8	5	–	–
	All other ..... Male	37	–	–	–	–	–	–	–	–	4	1	2	3	3	1	8	5	4	2	2	2	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	1	2	1	–	–	–
010–012	Tuberculosis of respiratory system	197	–	–	–	–	1	1	1	–	6	3	12	13	11	18	32	27	23	23	19	6	–	1
	White ..... Male	106	–	–	–	–	–	–	1	–	3	2	8	10	6	11	16	13	11	14	10	–	–	1
	Female	53	–	–	–	–	1	1	–	–	–	–	1	1	2	5	10	7	8	6	7	4	–	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	3	1	2	2	2	1	5	5	3	2	2	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	1	–	–	–	–
013–019	Tuberculosis, other forms	81	–	–	–	–	–	–	3	–	1	–	2	4	9	9	21	8	12	6	5	1	–	–
	White ..... Male	36	–	–	–	–	–	–	3	–	–	–	–	1	3	3	9	3	7	4	3	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	2	1	5	6	7	4	4	1	1	1	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	27	8	7	1	1	3	–	–	1	1	1	–	2	–	–	1	1	–	–	–	–	–	–
	White ..... Male	13	7	3	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	8	1	3	–	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	3	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	370	82	1	3	2	3	3	4	3	5	12	8	17	16	28	39	29	30	44	23	13	5	–
	White ..... Male	166	37	–	1	–	2	1	1	1	1	7	5	6	11	16	15	16	14	17	9	4	2	–
	Female	149	30	–	2	1	1	1	1	2	4	3	2	7	3	7	20	10	13	20	13	8	1	–
	All other ..... Male	31	9	1	–	–	–	–	2	–	–	1	–	2	2	2	2	3	–	4	1	1	1	–
	Female	24	6	–	–	1	–	1	–	–	–	1	1	2	–	3	2	–	3	3	–	–	1	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	38	–	–	1	–	–	–	1	–	–	–	1	2	3	3	9	4	6	6	2	–	–	–
	White ..... Male	12	–	–	1	–	–	–	1	–	–	–	1	1	–	1	1	1	2	3	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	–	2	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	2	–	5	–	2	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	419	26	15	4	8	15	18	21	20	25	14	21	18	39	28	32	33	32	22	18	8	2	–
	White ..... Male	188	10	10	1	4	6	11	6	8	8	6	8	9	21	14	22	18	12	7	5	2	–	–
	Female	169	11	5	3	4	7	5	8	6	8	3	7	7	14	11	7	15	17	13	11	5	2	–
	All other ..... Male	34	2	–	–	–	2	1	4	4	4	2	5	1	3	2	1	–	1	1	–	1	–	–
	Female	28	3	–	–	–	–	1	3	2	5	3	1	1	1	1	2	–	2	1	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	35,706	11	69	91	77	138	147	208	281	424	788	1,508	2,677	3,698	4,759	5,278	5,015	4,403	3,460	1,874	641	157	2
	White—Male	17,139	6	27	47	38	74	76	103	110	163	282	629	1,113	1,693	2,303	2,745	2,675	2,254	1,673	821	262	44	1
	Female	15,549	4	30	34	27	45	53	88	137	211	397	673	1,280	1,651	2,040	2,062	1,986	1,839	1,587	957	346	102	–
	All other—Male	1,749	1	6	6	5	7	12	9	17	18	48	96	159	210	261	294	234	185	104	51	18	7	1
	Female	1,269	–	6	4	7	12	6	8	17	32	61	110	125	144	155	177	120	125	96	45	15	4	–
140–149	Of buccal cavity and pharynx	783	–	–	–	–	1	2	3	2	9	17	34	72	116	154	118	100	61	47	28	14	5	–
	White—Male	453	–	–	–	–	1	1	1	1	1	3	21	38	66	90	82	57	40	28	15	8	–	–
	Female	244	–	–	–	–	–	–	2	–	5	4	6	20	36	53	25	33	18	18	13	6	5	–
	All other—Male	70	–	–	–	–	–	1	–	1	2	7	5	12	12	10	8	8	3	1	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	3	2	2	2	1	3	2	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	9,417	–	1	1	1	1	11	20	35	62	131	290	549	797	1,163	1,406	1,501	1,350	1,144	655	238	61	–
	White—Male	4,496	–	–	–	–	1	6	11	11	23	66	148	281	402	582	742	759	639	500	225	85	15	–
	Female	3,992	–	1	1	1	–	4	8	13	29	47	88	201	291	438	500	618	605	569	389	146	43	–
	All other—Male	555	–	–	–	–	–	1	1	5	4	10	27	43	65	92	105	85	59	36	17	3	2	–
	Female	374	–	–	–	–	–	–	–	6	6	8	27	24	39	51	59	39	47	39	24	4	1	–
160–163	Of respiratory system	8,808	–	1	–	–	3	6	7	23	73	193	427	796	1,119	1,471	1,528	1,315	952	571	253	59	10	1
	White—Male	5,698	–	–	–	–	2	3	3	9	44	94	233	431	684	953	1,049	949	660	397	162	23	2	–
	Female	2,400	–	1	–	–	1	2	2	12	20	67	128	266	341	426	372	280	226	145	78	27	6	–
	All other—Male	538	–	–	–	–	–	1	2	2	4	24	47	68	72	75	91	63	52	22	9	4	1	1
	Female	172	–	–	–	–	–	–	–	–	5	8	19	31	22	17	16	23	14	7	4	5	1	–
174	Of breast	3,269	–	–	–	–	1	1	13	43	68	137	261	400	440	459	409	362	284	215	127	38	11	–
	White—Male	26	–	–	–	–	–	–	–	1	–	1	–	2	1	2	3	5	8	1	1	–	1	–
	Female	3,033	–	–	–	–	1	1	13	38	59	121	226	371	410	432	386	341	264	202	123	35	10	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–
	Female	205	–	–	–	–	–	–	–	4	9	15	35	27	28	25	19	15	12	11	3	2	–	–
180–187	Of genital organs	4,149	–	–	2	–	12	19	23	37	41	87	124	233	355	429	561	597	635	563	314	99	18	–
	White—Male	1,755	–	–	1	–	8	12	15	9	12	7	11	33	59	111	201	288	356	352	204	68	8	–
	Female	2,017	–	–	1	–	4	6	5	24	23	70	102	181	254	263	294	259	230	176	92	25	8	–
	All other—Male	176	–	–	–	–	–	–	1	–	–	–	–	–	15	23	31	34	30	24	12	4	2	–
	Female	201	–	–	–	–	–	1	2	4	6	10	11	19	27	32	35	16	19	11	6	2	–	–
188, 189	Of urinary organs	1,589	1	3	6	1	2	2	3	9	3	22	46	96	129	196	244	234	249	174	123	36	10	–
	White—Male	1,006	–	2	2	–	–	–	–	4	2	15	29	67	95	127	151	166	164	97	66	15	4	–
	Female	472	–	–	2	–	2	2	2	4	1	4	14	22	28	45	78	56	71	66	52	19	4	–
	All other—Male	67	1	–	1	–	–	–	1	1	–	1	3	5	5	14	7	11	7	3	4	1	2	–
	Female	44	–	1	1	1	–	–	–	–	–	2	–	2	1	10	8	1	7	8	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	4,199	6	31	30	38	49	44	74	84	102	130	198	333	447	530	555	438	448	366	187	86	22	1
	White—Male	1,987	4	11	17	19	21	22	42	51	46	65	110	160	238	261	288	200	196	134	63	31	7	1
	Female	1,885	2	15	8	14	17	16	29	27	47	55	74	139	174	232	221	211	214	210	115	51	14	–
	All other—Male	191	–	3	4	1	4	4	–	4	5	3	7	20	25	27	27	15	24	10	5	3	–	–
	Female	136	–	2	1	4	7	2	3	2	4	7	7	14	10	10	19	12	14	12	4	1	1	–
204–207	Leukemia	1,478	4	31	46	33	50	33	31	27	31	36	49	67	118	121	158	180	154	167	88	45	9	–
	White—Male	751	2	13	23	18	29	12	17	15	15	14	27	34	61	65	87	103	83	66	43	20	4	–
	Female	602	2	12	20	10	13	15	11	9	15	17	15	27	46	49	56	60	64	94	39	23	5	–
	All other—Male	59	–	3	1	3	3	3	1	3	–	1	2	4	6	4	8	6	3	3	3	2	–	–
	Female	66	–	3	2	2	5	3	2	–	1	4	5	2	5	3	7	11	4	4	3	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	2,014	–	2	6	4	19	29	34	21	35	35	79	131	177	236	299	288	270	213	99	26	11	–
	White—Male	967	–	1	4	1	12	20	14	9	20	17	50	67	87	112	142	148	108	98	42	12	3	–
	Female	904	–	1	2	2	7	7	16	10	12	12	20	53	71	102	130	128	147	107	56	14	7	–
	All other—Male	88	–	–	–	1	–	2	3	1	3	2	5	7	9	16	16	11	7	4	1	–	–	–
	Female	55	–	–	–	–	–	–	1	1	–	4	4	4	10	6	11	1	8	4	–	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	448	4	5	8	8	5	4	6	8	13	14	15	24	37	41	56	60	52	48	25	12	3	–
	White—Male	190	–	5	4	3	2	2	2	5	4	6	10	6	15	21	32	24	19	19	8	3	–	–
	Female	223	4	–	4	3	1	2	4	3	7	6	3	16	20	15	21	34	28	26	14	9	3	–
	All other—Male	17	–	–	–	2	1	–	–	–	–	1	1	1	2	–	2	–	4	2	1	–	–	–
	Female	18	–	–	–	–	1	–	–	–	2	1	1	1	–	5	1	2	1	1	2	–	–	–
250	Diabetes mellitus	2,311	1	1	2	1	1	7	26	22	33	34	70	99	155	216	271	336	385	326	234	69	22	–
	White—Male	876	1	1	2	–	1	4	9	12	15	15	26	33	74	105	119	116	149	104	65	20	5	–
	Female	1,108	–	–	–	1	–	1	12	7	13	7	29	42	49	81	104	174	187	192	152	43	14	–
	All other—Male	123	–	–	–	–	–	2	2	2	2	6	9	10	13	14	13	14	19	7	6	4	–	–
	Female	204	–	–	–	–	–	–	3	1	3	6	6	14	19	16	35	32	30	23	11	2	3	–
260–269	Avitaminoses and other nutritional deficiencies	239	3	2	–	1	1	2	2	1	–	1	3	6	5	8	15	21	29	49	44	27	19	–
	White—Male	80	–	1	–	–	1	–	1	–	–	–	–	2	2	3	7	11	10	15	15	7	5	–
	Female	141	2	–	–	1	–	2	1	–	–	1	3	3	2	5	6	10	17	31	25	20	12	–
	All other—Male	10	–	1	–	–	–	–	–	1	–	–	–	1	1	–	2	–	2	–	1	–	1	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
280–285	Anemias	251	1	5	6	7	6	8	8	8	6	3	6	6	7	12	19	32	37	29	28	15	2	–
	White—Male	100	–	3	3	2	3	1	3	2	2	–	1	3	2	5	9	14	18	17	7	4	1	–
	Female	111	1	1	2	2	2	4	1	3	1	1	3	3	2	5	10	13	16	10	20	10	1	–
	All other—Male	18	–	1	1	1	–	2	2	2	1	1	2	–	1	–	–	3	–	–	1	–	–	–
	Female	22	–	–	–	2	1	1	2	1	2	1	–	–	2	2	–	2	3	2	–	1	–	–
320	Meningitis	160	54	27	5	1	4	5	3	3	4	5	3	3	16	4	6	11	2	2	2	–	–	–
	White—Male	74	26	16	2	–	1	3	2	2	1	3	2	1	5	1	2	6	–	–	1	–	–	–
	Female	55	13	8	3	1	–	2	1	–	2	–	–	1	9	2	4	5	2	1	1	–	–	–
	All other—Male	17	7	1	–	–	3	–	–	1	–	2	–	1	–	1	–	–	–	1	–	–	–	–
	Female	14	8	2	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	84,343	53	28	15	12	56	80	149	246	406	812	1,708	3,018	4,507	6,449	8,779	10,484	12,856	13,949	11,949	6,509	2,261	17
	White—Male	40,065	17	12	4	5	27	39	66	120	242	495	1,075	1,988	2,928	4,009	5,156	5,657	6,100	5,573	4,049	1,939	558	6
	Female	38,148	17	10	8	5	17	22	41	64	85	164	367	612	1,094	1,778	2,842	3,997	5,981	7,733	7,415	4,297	1,592	7
	All other—Male	3,458	7	4	2	1	7	8	28	46	49	98	166	293	320	414	468	477	415	284	213	114	42	2
	Female	2,672	12	2	1	1	5	11	14	16	30	55	100	125	165	248	313	353	360	359	272	159	69	2
390–398, 402, 404, 410–429	Diseases of heart	61,218	43	14	9	10	33	45	101	155	299	644	1,397	2,519	3,784	5,251	6,920	7,885	9,049	9,440	7,849	4,261	1,495	15
	White—Male	31,039	15	6	2	4	17	22	44	85	205	424	964	1,775	2,575	3,421	4,221	4,406	4,491	3,927	2,729	1,314	386	6
	Female	25,800	11	7	5	4	8	12	27	33	46	99	234	428	834	1,313	2,118	2,882	4,024	5,109	4,788	2,775	1,038	5
	All other—Male	2,587	6	1	1	1	5	4	22	35	35	80	136	235	256	333	344	350	297	189	159	72	24	2
	Female	1,792	11	–	1	1	3	7	8	2	13	41	63	81	119	184	237	247	237	215	173	100	47	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,426	–	1	3	4	4	4	13	13	15	27	57	87	138	179	200	208	199	159	73	35	7	–
	White—Male	573	–	–	2	1	2	3	3	7	9	7	21	48	60	88	89	73	73	50	22	13	2	–
	Female	742	–	1	1	2	1	–	6	3	4	7	25	28	70	82	92	126	117	102	49	21	5	–
	All other—Male	64	–	–	–	–	1	–	3	2	2	9	9	8	3	4	10	6	5	2	–	–	–	–
	Female	47	–	–	–	1	–	1	1	1	–	4	2	3	5	5	9	3	4	5	2	1	–	–
402	Hypertensive heart disease	605	–	–	–	–	1	–	2	2	2	8	20	18	45	37	72	78	90	101	78	41	10	–
	White—Male	216	–	–	–	–	–	–	–	1	–	2	10	9	21	20	26	36	34	34	16	5	2	–
	Female	320	–	–	–	–	1	–	–	–	1	1	3	4	17	12	34	30	50	65	59	36	7	–
	All other—Male	36	–	–	–	–	–	–	2	1	–	1	4	4	5	2	6	7	2	2	–	–	–	–
	Female	33	–	–	–	–	–	–	–	–	1	4	3	1	2	3	6	5	4	–	3	–	1	–
404	Hypertensive heart and renal disease	202	–	–	–	–	–	1	1	–	1	2	3	2	4	8	20	26	27	46	33	19	9	–
	White—Male	77	–	–	–	–	–	–	–	–	1	–	1	1	2	2	7	12	16	17	10	7	1	–
	Female	97	–	–	–	–	–	–	–	–	–	1	1	1	1	3	8	8	9	26	21	10	8	–
	All other—Male	17	–	–	–	–	–	1	–	–	–	1	–	–	1	1	3	4	1	1	2	2	–	–
	Female	11	–	–	–	–	–	–	1	–	–	–	1	–	–	2	2	2	1	2	–	–	–	–
410–413	Ischemic heart disease	56,246	1	–	–	1	4	1	35	92	231	529	1,221	2,250	3,409	4,784	6,352	7,293	8,431	8,793	7,401	3,992	1,413	13
	White—Male	28,866	–	–	–	1	2	1	22	55	171	379	881	1,633	2,394	3,183	3,951	4,132	4,221	3,656	2,582	1,228	369	5
	Female	23,547	–	–	–	–	1	–	6	17	26	71	178	348	686	1,144	1,886	2,625	3,713	4,756	4,509	2,599	977	5
	All other—Male	2,265	–	–	–	–	–	–	6	19	27	57	115	203	230	296	306	314	275	176	149	68	23	1
	Female	1,568	1	–	–	–	1	–	1	1	7	22	47	66	99	161	209	222	222	205	161	97	44	2
410	Acute myocardial infarction	22,622	1	–	–	–	2	–	16	49	123	302	610	1,163	1,769	2,387	3,068	3,249	3,540	3,040	2,077	958	268	–
	White—Male	12,999	–	–	–	–	1	–	11	29	98	232	469	889	1,278	1,647	1,988	1,908	1,872	1,360	822	325	70	–
	Female	8,293	–	–	–	–	–	–	3	10	8	38	82	172	357	561	883	1,174	1,501	1,549	1,173	593	189	–
	All other—Male	823	–	–	–	–	–	–	2	9	15	23	40	83	97	116	114	101	97	61	44	19	2	–
	Female	507	1	–	–	–	1	–	–	1	2	9	19	19	37	63	83	66	70	70	38	21	7	–
411	Other acute and subacute forms of ischemic heart disease	252	–	–	–	–	–	–	1	2	5	4	3	9	25	26	31	32	24	39	37	11	3	–
	White—Male	157	–	–	–	–	–	–	1	1	5	3	2	6	20	20	19	22	16	24	12	5	1	–
	Female	81	–	–	–	–	–	–	–	1	–	1	–	2	3	5	8	9	7	14	23	6	2	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	–	–	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–
412	Chronic ischemic heart disease	33,361	–	–	–	1	2	1	18	41	103	223	607	1,078	1,614	2,371	3,252	4,010	4,867	5,711	5,286	3,022	1,141	13
	White—Male	15,704	–	–	–	1	1	1	10	25	68	144	410	738	1,096	1,516	1,943	2,200	2,333	2,270	1,747	898	298	5
	Female	15,169	–	–	–	–	1	–	3	6	18	32	95	174	326	578	995	1,442	2,205	3,192	3,313	1,999	785	5
	All other—Male	1,433	–	–	–	–	–	–	4	10	12	34	74	120	131	179	189	213	178	115	103	49	21	1
	Female	1,055	–	–	–	–	–	–	1	–	5	13	28	46	61	98	125	155	151	134	123	76	37	2
413	Angina pectoris	11	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	3	1	1	1	–
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	330	3	2	3	1	3	11	15	9	14	13	8	21	17	22	26	22	35	45	33	19	8	–
	White—Male	136	2	1	–	1	1	7	6	6	5	4	3	7	5	13	13	13	14	18	10	5	2	–
	Female	161	1	1	2	–	2	2	5	2	5	4	4	11	10	8	10	8	20	26	21	14	5	–
	All other—Male	16	–	–	–	–	–	1	2	1	3	3	–	2	–	–	1	1	–	1	–	–	1	–
	Female	17	–	–	1	–	–	1	2	–	1	2	1	1	2	1	2	–	1	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,409	39	11	3	4	21	28	35	39	36	65	88	141	171	221	250	258	267	296	231	155	48	2
	White Male	1,171	13	5	–	1	12	11	13	16	19	32	48	77	93	115	135	140	133	152	89	56	10	1
	White Female	933	10	5	2	2	3	10	10	11	10	15	23	36	50	64	88	85	115	134	129	95	36	–
	All other Male	189	6	1	1	1	4	2	9	12	3	9	8	18	17	30	18	18	14	7	8	2	–	1
	All other Female	116	10	–	–	–	2	5	3	–	4	9	9	10	11	12	9	15	5	3	5	2	2	–
400, 401, 403	Hypertension	506	–	–	–	–	–	2	1	2	3	5	5	13	18	32	30	62	79	108	90	35	21	–
	White Male	221	–	–	–	–	–	1	–	1	2	1	3	8	10	13	11	30	41	44	34	16	6	–
	White Female	228	–	–	–	–	–	–	–	–	–	1	1	1	4	12	14	25	36	52	49	18	15	–
	All other Male	29	–	–	–	–	–	1	1	1	–	1	–	2	2	4	3	5	1	4	3	1	–	–
	All other Female	28	–	–	–	–	–	–	–	–	1	2	1	2	2	3	2	2	1	8	4	–	–	–
430–438	Cerebrovascular diseases	17,559	7	13	6	2	18	25	35	73	95	142	257	381	561	850	1,369	1,984	2,921	3,494	3,121	1,663	541	1
	White Male	6,475	2	5	2	1	8	13	17	25	29	60	85	145	251	377	656	893	1,162	1,213	953	453	125	–
	White Female	9,690	4	3	3	1	6	8	10	27	37	57	113	152	219	362	560	897	1,563	2,103	2,045	1,129	390	1
	All other Male	680	–	3	1	–	2	3	2	9	14	14	29	47	52	56	94	105	91	71	44	30	13	–
	All other Female	714	1	2	–	–	2	1	6	12	15	11	30	37	39	55	59	89	105	107	79	51	13	–
431	Cerebral hemorrhage	1,995	2	1	2	–	4	5	13	25	31	38	81	118	154	181	232	261	279	297	170	79	22	–
	White Male	736	1	–	1	–	1	1	6	9	12	16	29	40	67	73	101	106	96	102	48	22	5	–
	White Female	1,003	1	1	1	–	2	3	3	11	9	15	31	44	62	81	101	122	165	170	113	52	16	–
	All other Male	142	–	–	–	–	–	1	1	4	6	5	11	20	14	14	18	21	10	14	3	–	–	–
	All other Female	114	–	–	–	–	1	–	3	1	4	2	10	14	11	13	12	12	8	11	6	5	1	–
433	Cerebral thrombosis	4,549	2	1	–	–	–	1	4	–	2	15	28	49	95	172	330	534	860	944	877	494	140	1
	White Male	1,682	1	1	–	–	–	1	1	–	–	8	7	26	48	76	174	241	348	344	241	138	27	–
	White Female	2,555	1	–	–	–	–	–	2	–	1	4	13	9	31	77	118	246	452	562	599	335	104	1
	All other Male	166	–	–	–	–	–	–	1	–	–	3	6	11	10	11	23	29	28	17	14	8	5	–
	All other Female	146	–	–	–	–	–	–	–	–	1	–	2	3	6	8	15	18	32	21	23	13	4	–
434	Cerebral embolism	86	–	–	–	–	–	–	–	–	1	1	2	2	2	5	8	11	20	16	10	6	2	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	5	11	4	–	1	–	–
	White Female	51	–	–	–	–	–	–	–	–	–	–	2	–	–	3	4	5	9	12	9	5	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	10,929	3	11	4	2	14	19	18	48	61	88	146	212	310	492	799	1,178	1,762	2,237	2,064	1,084	377	–
	White Male	4,029	–	4	1	1	7	11	10	16	17	36	49	77	134	227	379	541	707	763	664	292	93	–
	White Female	6,081	2	2	2	1	4	5	5	16	27	38	67	99	126	201	337	524	937	1,359	1,324	737	268	–
	All other Male	368	–	3	1	–	2	2	–	5	8	5	12	16	28	31	52	54	53	40	26	22	8	–
	All other Female	451	1	2	–	–	1	1	3	11	9	9	18	20	22	33	31	59	65	75	50	33	8	–
440	Arteriosclerosis	2,574	1	–	–	–	–	–	–	–	–	2	5	15	27	62	111	184	346	555	645	444	176	1
	White Male	902	–	–	–	–	–	–	–	–	–	–	2	7	15	34	54	78	135	198	220	124	35	–
	White Female	1,557	1	–	–	–	–	–	–	–	–	2	3	7	10	25	47	92	193	333	408	304	131	1
	All other Male	52	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	6	9	9	5	9	3	–
	All other Female	63	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	8	9	15	12	7	7	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,486	2	1	–	–	5	8	12	16	9	19	44	90	117	254	349	369	461	352	244	106	28	–
	White Male	1,428	–	1	–	–	2	3	5	9	6	10	21	53	77	164	214	250	271	191	113	32	6	–
	White Female	873	1	–	–	–	3	2	4	4	2	5	16	24	27	66	103	101	165	136	125	71	18	–
	All other Male	110	1	–	–	–	–	–	3	1	–	3	1	8	8	19	21	11	17	11	2	2	2	–
	All other Female	75	–	–	–	–	–	3	–	2	1	1	6	5	5	5	11	7	8	14	4	1	2	–
466	Acute bronchitis and bronchiolitis	115	13	10	4	1	–	1	1	3	2	1	2	1	5	9	9	11	13	14	12	2	1	–
	White Male	53	10	4	2	–	–	–	1	1	–	1	–	1	2	5	4	8	4	4	6	–	–	–
	White Female	50	1	6	1	1	–	–	–	1	1	–	2	–	2	2	5	2	9	10	5	2	–	–
	All other Male	9	2	–	1	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	1	–	1	–
	All other Female	3	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	5,032	150	45	20	21	36	33	30	35	50	67	75	149	173	251	336	460	644	873	852	515	216	1
	White Male	2,344	63	18	10	7	19	14	13	16	18	33	40	79	81	145	186	246	309	431	365	183	67	1
	White Female	2,302	52	15	4	13	8	13	12	14	16	18	26	45	67	84	119	181	300	403	453	322	137	–
	All other Male	245	15	7	1	1	5	4	3	5	9	11	7	14	16	16	23	26	25	23	22	6	6	–
	All other Female	141	20	5	5	–	4	2	2	–	7	5	2	11	9	6	8	7	10	16	12	4	6	–
470–474	Influenza	544	2	1	1	3	–	–	–	–	4	4	1	7	8	18	27	47	76	108	122	84	31	–
	White Male	205	2	1	1	–	–	–	–	–	2	1	–	3	4	6	14	19	28	47	44	23	10	–
	White Female	324	–	–	–	2	–	–	–	–	1	2	1	4	4	11	11	26	46	58	76	61	21	–
	All other Male	11	–	–	–	1	–	–	–	–	–	1	–	–	–	1	2	1	3	1	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	–	–
480–486	Pneumonia	4,488	148	44	19	18	36	33	30	35	46	63	74	142	165	233	309	413	568	765	730	431	185	1
	White Male	2,139	61	17	9	7	19	14	13	16	16	32	40	76	77	139	172	227	281	384	321	160	57	1
	White Female	1,978	52	15	4	11	8	13	12	14	15	16	25	41	63	73	108	155	254	345	377	261	116	–
	All other Male	234	15	7	1	–	5	4	3	5	9	10	7	14	16	15	22	24	24	20	21	6	6	–
	All other Female	137	20	5	5	–	4	2	2	–	6	5	2	11	9	6	7	7	9	16	11	4	6	–
490–493	Bronchitis, emphysema, and asthma	2,555	10	7	3	3	2	7	3	9	16	21	47	93	176	300	403	449	445	315	169	64	13	–
	White Male	1,622	4	–	1	1	2	3	1	2	5	10	22	38	92	199	268	303	303	217	112	29	10	–
	White Female	794	4	3	–	1	–	1	1	5	7	8	20	46	64	87	117	126	128	88	50	35	3	–
	All other Male	89	–	2	–	1	–	2	–	–	2	2	2	6	12	9	14	13	12	8	4	–	–	–
	All other Female	50	2	2	2	–	–	1	1	2	2	1	3	3	8	5	4	7	2	2	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
490, 491	Chronic and unqualified bronchitis	493	7	4	–	–	1	1	–	1	2	5	8	17	34	51	61	82	80	75	34	25	5	–
	White—Male	280	2	–	–	–	1	1	–	–	–	1	4	3	18	35	34	53	45	51	19	10	3	–
	White—Female	181	4	2	–	–	–	–	–	1	1	3	2	10	11	13	24	24	32	22	15	15	2	–
	All other—Male	19	–	1	–	–	–	–	–	–	–	1	1	4	3	2	2	2	2	1	–	–	–	–
	All other—Female	13	1	1	–	–	–	–	–	–	1	–	1	–	2	1	1	3	1	1	–	–	–	–
492	Emphysema	1,885	3	1	–	–	–	–	–	1	5	5	32	63	124	226	317	363	346	230	126	35	8	–
	White—Male	1,297	2	–	–	–	–	–	–	1	3	3	17	33	70	161	224	249	253	163	93	18	7	–
	White—Female	513	–	1	–	–	–	–	–	–	1	2	13	27	44	57	81	99	84	60	26	17	1	–
	All other—Male	58	–	–	–	–	–	–	–	–	1	–	1	2	8	6	10	11	9	6	4	–	–	–
	All other—Female	17	1	–	–	–	–	–	–	–	–	–	1	1	2	2	2	4	–	1	3	–	–	–
493	Asthma	177	–	2	3	3	1	6	3	7	9	11	7	13	18	23	25	4	19	10	9	4	–	–
	White—Male	45	–	–	1	1	1	2	1	1	2	6	1	2	4	3	10	1	5	3	–	1	–	–
	White—Female	100	–	–	–	1	–	1	1	4	5	3	5	9	9	17	12	3	12	6	9	3	–	–
	All other—Male	12	–	1	–	1	–	2	–	–	1	1	–	–	1	1	2	–	1	1	–	–	–	–
	All other—Female	20	–	1	2	–	–	1	1	2	1	1	1	2	4	2	1	–	1	–	–	–	–	–
531–533	Peptic ulcer	637	–	1	–	1	1	1	3	6	2	17	26	36	54	67	81	85	91	71	53	34	7	–
	White—Male	341	–	1	–	1	1	1	2	2	–	10	13	18	33	34	47	50	53	32	26	14	3	–
	White—Female	228	–	–	–	–	–	–	–	2	2	3	7	9	14	28	26	23	33	33	27	17	4	–
	All other—Male	51	–	–	–	–	–	–	–	2	–	4	4	6	6	4	6	9	3	4	–	3	–	–
	All other—Female	17	–	–	–	–	–	–	1	–	–	–	2	3	1	1	2	3	2	2	–	–	–	–
540–543	Appendicitis	69	–	2	2	2	–	1	2	3	2	2	4	4	4	6	4	7	7	8	5	3	1	–
	White—Male	31	–	1	1	1	–	1	1	1	2	–	1	3	1	1	3	4	2	4	3	–	1	–
	White—Female	29	–	1	1	1	–	–	–	1	–	1	2	1	1	4	1	3	5	4	1	2	–	–
	All other—Male	5	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–
	All other—Female	4	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	486	45	7	1	4	2	3	5	2	4	2	6	16	24	34	55	52	72	58	56	26	12	–
	White—Male	175	18	3	1	2	2	1	3	–	2	2	2	6	7	19	18	20	31	9	18	7	4	–
	White—Female	271	20	2	–	2	–	2	–	1	1	–	2	9	15	12	32	27	37	45	38	18	8	–
	All other—Male	24	5	1	–	–	–	–	1	1	1	–	1	1	1	–	3	3	4	1	–	1	–	–
	All other—Female	16	2	1	–	–	–	–	1	–	–	–	1	–	1	3	2	2	–	3	–	–	–	–
571	Cirrhosis of liver	4,250	4	–	1	–	–	12	39	85	186	335	497	712	715	637	474	273	158	85	27	8	–	2
	White—Male	2,426	2	–	–	–	–	7	28	41	106	176	275	422	421	368	283	163	74	41	13	4	–	2
	White—Female	1,399	1	–	–	–	–	4	7	26	41	98	162	216	242	219	157	98	70	42	13	3	–	–
	All other—Male	301	1	–	–	–	–	1	2	13	26	43	43	57	35	39	27	7	7	–	–	–	1	–
	All other—Female	124	–	–	1	–	–	–	2	5	13	18	17	17	17	11	7	5	7	2	1	1	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	230	–	–	–	–	–	–	1	1	2	4	1	8	8	12	26	28	36	46	34	18	5	–
	White—Male	91	–	–	–	–	–	–	–	–	–	3	–	4	5	6	14	16	12	18	7	5	1	–
	White—Female	124	–	–	–	–	–	–	1	1	2	1	1	4	3	5	10	11	20	24	26	12	3	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	–	1	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	–
580–584	Nephritis and nephrosis	552	1	5	2	5	2	5	5	10	6	18	22	29	31	41	63	72	95	62	53	21	4	–
	White—Male	255	1	2	1	2	1	3	3	2	3	6	11	10	11	19	30	41	50	25	22	10	2	–
	White—Female	178	–	1	1	2	–	–	2	4	1	3	3	9	8	16	17	18	26	29	25	11	2	–
	All other—Male	55	–	1	–	–	1	1	–	2	1	4	7	5	3	3	8	4	10	3	2	–	–	–
	All other—Female	64	–	1	–	1	–	1	–	2	1	5	1	5	9	3	8	9	9	5	4	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	106	1	2	1	3	–	1	–	2	1	1	1	4	5	9	10	12	21	10	15	6	1	–
	White—Male	49	1	1	1	1	–	1	–	–	–	–	1	1	2	5	4	8	10	3	7	3	–	–
	White—Female	40	–	–	–	1	–	–	–	2	–	–	–	2	2	3	4	2	7	5	8	3	1	–
	All other—Male	10	–	1	–	–	–	–	–	–	1	–	–	1	1	–	1	–	3	2	–	–	–	–
	All other—Female	7	–	–	–	1	–	–	–	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	446	–	3	1	2	2	4	5	8	5	17	21	25	26	32	53	60	74	52	38	15	3	–
	White—Male	206	–	1	–	1	1	2	3	2	3	6	10	9	9	14	26	33	40	22	15	7	2	–
	White—Female	138	–	1	1	1	–	–	2	2	1	3	3	7	6	13	13	16	19	24	17	8	1	–
	All other—Male	45	–	–	–	–	1	1	–	2	–	4	7	4	2	3	7	4	7	1	2	–	–	–
	All other—Female	57	–	1	–	–	–	1	–	2	1	4	1	5	9	2	7	7	8	5	4	–	–	–
590	Infections of kidney	327	–	–	–	–	–	1	2	2	1	6	5	8	14	19	28	40	53	61	54	28	5	–
	White—Male	117	–	–	–	–	–	–	2	–	–	1	1	5	5	8	9	13	25	21	18	8	1	–
	White—Female	182	–	–	–	–	–	–	–	2	1	5	4	3	8	7	16	19	27	38	33	17	2	–
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	1	1	1	–
	All other—Female	18	–	–	–	–	–	1	–	–	–	–	–	–	–	2	2	7	–	1	2	2	1	–
600	Hyperplasia of prostate	83	–	–	–	–	–	–	–	–	–	–	–	–	1	4	7	9	19	15	16	12	–	–
	White—Male	72	–	–	–	–	–	–	–	–	–	–	–	–	1	4	7	8	15	13	14	10	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	2	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	42	–	–	–	–	3	14	7	5	9	2	2	–	–	–	–	–	–	–	–	–	–	–
	White—Female	32	–	–	–	–	3	11	6	3	6	2	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	10	–	–	–	–	–	3	1	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	41	–	–	–	–	3	14	7	5	8	2	2	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	31	–	–	–	–	3	11	6	3	5	2	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	10	–	–	–	–	–	3	1	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	1,355	831	121	39	44	34	30	36	21	13	19	22	22	26	29	24	12	10	12	7	2	1	–
	White ..... Male	619	394	47	15	18	11	15	22	7	7	9	9	6	13	16	12	5	4	4	3	1	1	–
	Female	530	304	52	20	16	17	11	12	11	3	8	12	13	8	10	11	7	5	6	3	1	–	–
	All other ..... Male	111	69	14	2	5	5	3	2	1	2	1	–	2	2	1	1	–	–	1	–	–	–	–
	Female	95	64	8	2	5	1	1	–	2	1	1	1	1	3	2	–	–	1	1	1	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,942	1,942	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	878	878	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	663	663	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	230	230	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	171	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,125	1,125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	518	518	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	381	381	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	125	125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	817	817	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	360	360	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	282	282	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,003	531	12	4	3	25	38	33	21	19	16	17	25	35	35	37	28	30	25	31	13	14	11
	White ..... Male	447	232	8	2	–	12	18	20	10	6	9	5	11	15	16	20	11	13	14	11	5	2	7
	Female	370	176	3	1	2	8	10	6	7	8	4	9	12	17	17	13	14	13	10	19	6	11	4
	All other ..... Male	111	75	1	–	1	4	4	4	2	3	3	2	2	2	1	2	1	1	1	1	1	–	–
	Female	75	48	–	1	–	1	6	3	2	2	–	1	–	1	1	2	2	3	–	–	1	1	–
Residual	All other diseases	10,837	152	83	65	56	93	168	172	190	215	253	374	577	815	1,023	1,286	1,422	1,434	1,263	787	314	95	–
	White ..... Male	5,499	66	43	33	27	51	93	91	98	100	110	169	290	424	548	691	778	746	629	354	126	32	–
	Female	4,377	60	28	22	17	32	47	57	55	64	88	136	219	305	390	488	548	608	582	396	177	58	–
	All other ..... Male	597	18	7	6	8	5	16	14	26	34	26	36	47	44	59	78	63	58	28	20	3	1	–
	Female	364	8	5	4	4	5	12	10	11	17	29	33	21	42	26	29	33	22	24	17	8	4	–
E800–E949	Accidents	10,453	116	364	253	267	1,118	1,502	1,122	772	553	454	495	505	460	472	410	423	348	370	265	131	32	21
	White ..... Male	6,466	58	206	124	156	772	1,071	777	511	370	282	313	286	260	278	218	224	188	180	117	48	11	16
	Female	2,838	35	105	79	83	270	267	184	144	105	102	118	159	157	150	159	158	146	173	141	80	20	3
	All other ..... Male	822	10	36	32	20	57	126	115	84	57	52	46	44	33	31	23	31	8	10	3	2	1	1
	Female	327	13	17	18	8	19	38	46	33	21	18	18	16	10	13	10	10	6	7	4	1	–	1
E810–E823	Motor vehicle accidents	4,766	30	136	140	151	801	878	541	363	246	192	198	203	162	157	158	152	104	96	40	11	1	6
	White ..... Male	3,124	14	77	62	82	552	650	392	243	171	125	139	114	96	96	87	81	58	55	19	5	–	6
	Female	1,225	12	40	51	58	209	171	96	82	48	47	40	63	46	48	56	56	41	35	20	6	–	–
	All other ..... Male	301	2	11	16	6	29	49	39	32	18	12	16	18	13	8	10	14	4	2	1	–	1	–
	Female	116	2	8	11	5	11	8	14	6	9	8	3	8	7	5	5	1	1	4	–	–	–	–
E800–E807, E825–E949	All other accidents	5,687	86	228	113	116	317	624	581	409	307	262	297	302	298	315	252	271	244	274	225	120	31	15
	White ..... Male	3,342	44	129	62	74	220	421	385	268	199	157	174	172	164	182	131	143	130	125	98	43	11	10
	Female	1,613	23	65	28	25	61	96	88	62	57	55	78	96	111	102	103	102	105	138	121	74	20	3
	All other ..... Male	521	8	25	16	14	28	77	76	52	39	40	30	26	20	23	13	17	4	8	2	2	–	1
	Female	211	11	9	7	3	8	30	32	27	12	10	15	8	3	8	5	9	5	3	4	1	–	1
E950–E959	Suicide	3,765	...	...	1	15	180	451	416	375	278	257	312	307	296	221	222	152	122	93	48	16	1	2
	White ..... Male	2,353	...	...	–	14	124	315	263	220	159	156	171	178	173	141	150	109	73	62	36	8	–	1
	Female	1,174	...	...	–	1	44	87	114	115	92	87	126	119	112	77	66	39	45	30	10	8	1	1
	All other ..... Male	152	...	...	1	–	10	34	25	23	19	6	8	8	6	2	2	3	1	2	–	–	–	–
	Female	86	...	...	–	–	2	15	14	17	8	8	7	2	5	1	4	2	1	–	–	–	–	–
E960–E978	Homicide	2,260	16	44	8	24	240	426	379	241	171	148	136	108	89	65	46	38	32	21	14	5	1	8
	White ..... Male	1,166	6	14	1	14	136	224	192	127	96	72	68	60	49	34	21	23	12	4	2	3	1	7
	Female	371	5	14	2	6	48	53	43	24	19	24	22	17	18	8	12	10	17	16	11	2	–	–
	All other ..... Male	571	1	8	2	2	45	113	118	74	46	46	37	24	17	18	10	5	3	1	1	–	–	–
	Female	152	4	8	3	2	11	36	26	16	10	6	9	7	5	5	3	–	–	–	–	–	–	1
E980–E999	Other external causes	272	6	7	2	4	15	38	39	22	23	23	12	19	20	12	11	8	3	4	–	1	–	3
	White ..... Male	138	3	–	–	1	7	21	25	11	15	6	7	8	14	5	4	4	2	2	–	1	–	2
	Female	83	1	2	1	1	4	5	10	6	7	13	3	8	5	6	7	3	–	1	–	–	–	–
	All other ..... Male	30	1	3	–	–	2	9	1	2	1	3	1	2	–	1	–	1	1	1	–	–	–	1
	Female	21	1	2	1	2	2	3	3	3	–	1	1	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado																							
	All causes	**17,999**	**532**	**117**	**70**	**89**	**258**	**351**	**324**	**273**	**296**	**358**	**551**	**842**	**1,081**	**1,406**	**1,782**	**1,909**	**2,146**	**2,377**	**1,873**	**1,026**	**334**	**4**
	White Male	9,658	294	62	35	60	173	260	214	170	172	208	330	509	635	867	1,115	1,114	1,144	1,083	777	340	93	3
	Female	7,729	195	44	27	27	71	70	87	86	105	127	185	285	410	490	619	751	947	1,248	1,069	654	231	1
	All other Male	330	16	9	6	1	12	12	15	10	14	11	27	33	17	23	29	20	24	23	11	12	5	–
	Female	282	27	2	2	1	2	9	8	7	5	12	9	15	19	26	19	24	31	23	16	20	5	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	29	9	–	–	–	–	–	–	2	–	–	–	–	1	1	1	2	1	4	5	3	–	–
	White Male	9	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	20	3	–	–	–	–	–	–	1	–	–	–	–	1	1	1	2	1	3	4	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	27	–	–	–	–	–	–	–	–	–	–	1	–	2	5	4	2	5	4	4	–	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	4	3	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	13	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	–	3	–	3	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	4	1	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	81	10	2	1	–	–	2	–	2	1	2	2	2	5	7	5	12	8	11	5	4	–	–
	White Male	43	5	1	1	–	–	2	–	–	1	1	1	–	–	4	2	10	6	6	2	1	–	–
	Female	32	4	1	–	–	–	–	–	1	–	1	1	2	5	1	2	2	2	5	3	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–
040–043	Acute poliomyelitis	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	37	2	4	1	1	–	1	2	–	2	–	–	–	6	6	1	1	2	3	3	1	1	–
	White Male	21	1	3	–	1	–	1	1	–	2	–	–	–	3	2	1	1	2	1	1	1	–	–
	Female	15	1	1	1	–	–	–	1	–	–	–	–	–	3	4	–	–	–	1	2	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,103	2	8	15	11	13	23	22	29	39	81	129	244	299	382	433	415	385	307	182	69	15	–
	White Male	1,620	1	5	10	6	8	13	8	10	21	28	60	118	146	204	251	228	220	153	97	27	6	–
	Female	1,385	1	2	4	5	5	10	14	16	18	48	65	110	140	168	166	182	157	144	85	39	6	–
	All other Male	52	–	–	1	–	–	–	–	1	–	2	2	10	6	5	11	3	4	6	–	–	1	–
	Female	46	–	1	–	–	–	–	–	2	–	3	2	6	7	5	5	2	4	4	–	3	2	–
140–149	Of buccal cavity and pharynx	55	–	–	–	–	–	1	–	–	1	4	3	4	9	9	5	5	6	4	4	–	–	–
	White Male	41	–	–	–	–	–	1	–	–	1	1	3	1	9	6	5	2	6	3	3	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	2	–	3	–	2	–	3	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	765	1	1	–	–	1	–	1	1	7	12	33	54	62	86	112	108	104	95	61	18	8	–
	White Male	390	1	1	–	–	–	–	–	–	3	6	16	38	26	48	66	50	55	39	30	7	4	–
	Female	344	–	–	–	–	1	–	1	1	4	5	15	11	31	35	38	56	48	53	31	11	3	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	1	3	2	1	5	2	–	2	–	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	1	1	2	3	2	3	–	1	1	–	–	–	–
160–163	Of respiratory system	634	–	1	–	–	1	–	1	1	2	8	25	61	85	120	104	91	72	45	16	1	–	–
	White Male	482	–	1	–	–	1	–	–	–	2	5	20	43	59	90	79	76	56	35	14	1	–	–
	Female	135	–	–	–	–	–	–	1	–	–	1	5	16	24	26	23	14	13	10	2	–	–	–
	All other Male	14	–	–	–	–	–	–	–	1	–	1	–	1	1	4	2	1	3	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
174	Of breast	330	–	–	–	–	–	–	3	5	7	19	23	35	38	41	37	35	37	20	18	10	2	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	320	–	–	–	–	–	–	3	4	7	19	23	35	37	40	35	34	36	19	18	9	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	1	–	1	1	–
180–187	Of genital organs	390	–	–	–	–	2	3	6	5	6	6	9	19	26	31	57	46	60	54	39	19	2	–
	White Male	182	–	–	–	–	2	2	3	–	1	1	1	2	4	9	27	24	36	29	28	12	1	–
	Female	196	–	–	–	–	–	1	3	4	5	4	7	15	21	21	30	22	23	21	11	7	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	1	1	2	–	1	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	157	–	–	–	–	–	–	1	–	1	3	4	6	12	12	27	22	25	25	12	7	–	–
	White Male	102	–	–	–	–	–	–	1	–	1	1	2	4	10	11	20	11	20	11	7	3	–	–
	Female	50	–	–	–	–	–	–	–	–	–	2	2	2	2	1	4	10	5	13	5	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	438	–	5	5	5	5	9	5	10	10	22	20	33	43	47	48	62	49	26	23	9	2	–
	White Male	236	–	3	3	2	4	4	2	5	8	11	10	17	23	20	30	38	28	15	9	3	1	–
	Female	192	–	1	1	3	1	5	3	5	2	11	9	14	18	27	18	24	20	10	14	5	1	–
	All other Male	5	–	–	1	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–
204–207	Leukemia	154	1	1	10	5	3	8	1	3	2	4	4	14	10	11	18	22	12	21	3	1	–	–
	White Male	95	–	–	7	3	–	5	–	2	2	2	2	7	7	6	10	15	10	15	1	1	–	–
	Female	55	1	1	3	2	3	3	1	1	–	2	2	4	3	5	7	7	2	6	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	180	–	–	–	1	1	2	4	4	3	3	8	18	14	25	25	24	20	17	6	4	1	–
	White Male	91	–	–	–	1	1	1	2	3	3	1	6	6	8	14	13	12	9	6	5	–	–	–
	Female	81	–	–	–	–	–	1	2	1	–	2	2	10	4	11	11	12	10	11	1	3	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	40	1	–	–	1	–	–	–	3	–	3	1	2	2	7	2	5	5	4	3	1	–	–
	White Male	19	–	–	–	1	–	–	–	–	–	–	–	2	1	5	1	1	3	3	1	1	–	–
	Female	19	1	–	–	–	–	–	–	1	–	3	1	–	1	2	1	4	2	1	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	260	–	–	–	–	–	3	1	3	6	1	4	7	14	25	29	50	42	41	26	5	3	–
	White Male	83	–	–	–	–	–	1	1	2	3	1	1	1	5	11	15	14	13	10	5	–	–	–
	Female	164	–	–	–	–	–	2	–	1	2	–	1	4	5	14	14	33	28	31	21	5	3	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	2	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	34	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	4	8	8	9	2	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	5	5	3	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	6	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
280–285	Anemias	21	–	–	–	1	–	–	1	–	–	–	–	1	–	1	1	2	5	5	4	–	–	
	White—Male	9	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	1	2	2	1	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	3	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
320	Meningitis	19	8	2	1	–	–	2	2	–	1	1	–	–	–	–	–	2	–	–	–	–	–	
	White—Male	6	3	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
	Female	10	4	1	1	–	–	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	8,302	21	5	3	5	5	14	21	16	64	89	184	299	440	591	835	937	1,203	1,443	1,205	689	232	1
	White—Male	4,284	14	2	1	5	1	11	10	9	39	60	127	207	296	397	543	563	624	624	461	230	60	–
	Female	3,789	5	3	1	–	3	3	8	7	20	22	44	78	134	169	273	347	548	794	725	437	167	1
	All other—Male	114	–	–	–	–	–	–	2	–	4	6	11	8	8	14	10	12	11	11	6	8	3	–
	Female	115	2	–	1	–	1	–	1	–	1	1	2	6	2	11	9	15	20	14	13	14	2	–
390–398, 402, 404, 410–429	Diseases of heart	6,127	16	3	3	2	1	8	13	10	48	73	158	257	367	481	674	719	900	979	799	460	155	1
	White—Male	3,371	11	1	1	2	–	6	7	6	30	51	115	188	255	340	452	449	476	445	336	161	39	–
	Female	2,582	3	2	1	–	–	2	3	4	13	16	34	59	103	119	210	250	403	515	454	279	111	1
	All other—Male	88	–	–	–	–	–	–	2	–	4	5	8	6	8	12	7	9	6	9	1	8	3	–
	Female	86	2	–	1	–	1	–	1	–	1	1	1	4	1	10	5	11	15	10	8	12	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	194	–	–	–	–	–	–	2	1	4	6	10	19	20	19	28	27	27	16	11	3	1	
	White—Male	83	–	–	–	–	–	–	2	1	1	2	4	9	9	9	7	12	11	10	4	2	–	
	Female	108	–	–	–	–	–	–	–	–	2	3	6	10	11	10	21	14	16	6	7	1	1	
	All other—Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	
402	Hypertensive heart disease	51	–	–	–	–	–	–	–	–	1	1	6	5	3	6	4	5	2	11	6	1	–	
	White—Male	17	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	2	1	7	–	–	–	
	Female	29	–	–	–	–	–	–	–	–	1	–	2	3	1	5	2	3	1	4	6	1	–	
	All other—Male	4	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	68	–	–	–	–	–	–	–	–	1	1	1	–	2	4	2	4	6	14	14	14	5	–
	White—Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	4	2	2	
	Female	48	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	2	4	11	10	12	3	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	5,266	–	–	–	–	–	1	6	7	28	53	118	207	300	414	583	630	790	869	714	406	139	1
	White—Male	2,973	–	–	–	–	–	1	2	4	25	44	101	161	219	304	406	401	426	395	301	149	34	–
	Female	2,162	–	–	–	–	–	–	2	3	3	6	13	37	74	90	170	212	349	459	406	237	100	1
	All other—Male	68	–	–	–	–	–	–	2	–	–	2	4	6	6	10	5	8	6	7	1	8	3	–
	Female	63	–	–	–	–	–	–	–	–	–	1	–	3	1	10	2	9	9	8	6	12	2	–
410	Acute myocardial infarction	2,686	–	–	–	–	–	1	5	4	19	41	84	144	209	283	363	360	417	374	240	109	33	–
	White—Male	1,710	–	–	–	–	–	1	1	3	18	35	72	110	155	208	262	248	238	186	115	47	11	–
	Female	922	–	–	–	–	–	–	2	1	1	4	10	29	53	62	96	106	174	181	124	58	21	–
	All other—Male	31	–	–	–	–	–	–	2	–	–	1	2	3	1	8	3	3	2	4	–	1	1	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	2	–	5	2	3	3	3	1	3	–	–
411	Other acute and subacute forms of ischemic heart disease	40	–	–	–	–	–	–	–	–	3	2	1	4	3	3	7	2	4	6	2	2	1	–
	White—Male	28	–	–	–	–	–	–	–	–	3	–	1	4	2	2	6	2	3	3	–	2	–	–
	Female	12	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	–	1	3	2	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,540	–	–	–	–	–	–	1	3	6	10	33	59	88	128	213	268	369	489	472	295	105	1
	White—Male	1,235	–	–	–	–	–	–	1	1	4	9	28	47	62	94	138	151	185	206	186	100	23	–
	Female	1,228	–	–	–	–	–	–	–	2	2	–	3	8	20	27	73	106	174	275	280	179	78	1
	All other—Male	37	–	–	–	–	–	–	–	–	–	1	2	3	5	2	2	5	4	3	1	7	2	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	1	1	5	–	6	6	5	5	9	2	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	41	2	–	–	–	–	–	1	–	1	2	1	3	2	1	3	3	5	7	5	5	–	–
	White—Male	17	–	–	–	–	–	–	1	–	–	1	–	3	2	–	1	3	1	3	–	2	–	–
	Female	22	2	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	4	4	5	3	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death,[1] color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
420–423, 425–427, 429	All other forms of heart disease	507	14	3	3	2	1	7	4	2	13	10	22	23	40	37	54	50	70	62	49	31	10	–
	White Male	264	11	1	1	2	–	5	2	1	4	4	8	13	23	25	37	29	35	27	27	6	3	–
	Female	213	1	2	1	–	–	2	1	1	6	6	12	9	16	11	14	19	29	31	20	25	7	–
	All other Male	11	–	–	–	–	–	–	–	–	3	–	2	–	1	1	1	1	–	2	–	–	–	–
	Female	19	2	–	1	–	1	–	1	–	–	–	–	1	–	–	2	1	6	2	2	–	–	–
400, 401, 403	Hypertension	38	1	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	4	9	12	5	–	–
	White Male	15	1	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	2	3	4	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	6	8	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,555	4	2	–	2	4	5	8	5	11	15	19	32	52	77	119	143	237	334	289	144	53	–
	White Male	628	2	1	–	2	1	4	3	3	6	8	8	13	25	37	64	73	112	125	85	43	13	–
	Female	889	2	1	–	–	3	1	5	2	5	6	9	16	26	37	49	65	120	205	197	100	40	–
	All other Male	15	–	–	–	–	–	–	–	–	–	1	2	1	–	2	2	1	2	1	3	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	2	1	1	4	4	3	3	4	1	–	–
431	Cerebral hemorrhage	179	2	–	–	–	3	3	–	1	3	1	3	9	11	17	23	19	24	23	23	11	3	–
	White Male	74	1	–	–	–	1	3	–	1	3	1	–	6	5	5	12	10	9	7	7	3	–	–
	Female	98	1	–	–	–	2	–	–	–	–	–	3	3	5	12	9	8	15	15	15	7	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	1	–	–
433	Cerebral thrombosis	283	–	–	–	–	1	–	–	–	–	2	2	6	6	13	19	30	44	64	58	32	6	–
	White Male	109	–	–	–	–	–	–	–	–	–	1	2	2	2	8	10	8	19	29	14	11	3	–
	Female	164	–	–	–	–	1	–	–	–	–	1	–	3	4	3	9	20	24	34	41	21	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	1	–	–	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,086	2	2	–	2	–	2	8	4	8	12	14	17	35	45	76	93	168	247	207	100	44	–
	White Male	443	1	1	–	2	–	1	3	2	3	6	6	5	18	23	42	54	84	89	64	29	10	–
	Female	622	1	1	–	–	–	1	5	2	5	5	6	10	17	21	30	37	80	156	140	71	34	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	2	1	–	1	2	1	1	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	2	2	–	–	–
440	Arteriosclerosis	329	–	–	–	–	–	–	–	–	–	–	2	3	6	5	14	36	30	71	78	65	19	–
	White Male	128	–	–	–	–	–	–	–	–	–	–	–	2	4	3	5	18	14	30	24	22	6	–
	Female	190	–	–	–	–	–	–	–	–	–	–	1	1	2	2	9	17	12	40	51	42	13	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	253	–	–	–	1	–	1	–	1	5	1	5	6	14	27	25	38	32	50	27	15	5	–
	White Male	142	–	–	–	1	–	1	–	–	3	1	4	3	11	17	19	23	20	21	12	4	2	–
	Female	105	–	–	–	–	–	–	–	1	2	–	–	2	3	10	5	14	11	28	15	11	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	10	1	–	–	–	–	–	1	–	–	1	–	–	1	–	1	2	1	1	–	1	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	917	13	9	1	2	2	–	4	4	11	10	16	26	29	43	58	75	109	163	177	119	46	–
	White Male	451	7	4	1	2	2	–	4	3	4	6	11	18	19	28	34	40	50	76	85	42	15	–
	Female	455	5	5	–	–	–	–	–	1	7	3	5	8	10	14	23	34	56	87	90	76	31	–
	All other Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–
470–474	Influenza	209	–	–	1	1	–	–	–	–	2	–	1	5	1	8	10	10	31	45	50	33	11	–
	White Male	75	–	–	1	1	–	–	–	–	–	–	–	3	–	3	5	4	7	15	22	10	4	–
	Female	133	–	–	–	–	–	–	–	–	2	–	1	2	1	5	5	6	23	30	28	23	7	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	708	13	9	–	1	2	–	4	4	9	10	15	21	28	35	48	65	78	118	127	86	35	–
	White Male	376	7	4	–	1	2	–	4	3	4	6	11	15	19	25	29	36	43	61	63	32	11	–
	Female	322	5	5	–	–	–	–	–	1	5	3	4	6	9	9	18	28	33	57	62	53	24	–
	All other Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	338	1	–	–	–	–	–	2	–	1	1	4	9	18	30	68	78	53	45	19	5	4	–
	White Male	245	1	–	–	–	–	–	–	–	–	1	4	6	15	17	47	61	42	33	13	2	3	–
	Female	88	–	–	–	–	–	–	2	–	1	–	–	2	3	13	20	17	10	12	5	3	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
490, 491	Chronic and unqualified bronchitis	65	1	–	–	–	–	–	1	–	–	–	1	2	2	4	18	13	8	9	5	–	1	
	White Male	46	1	–	–	–	–	–	–	–	–	–	1	2	2	3	10	10	6	6	4	–	1	
	Female	18	–	–	–	–	–	–	1	–	–	–	–	–	–	1	7	3	2	3	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
492	Emphysema	250	–	–	–	–	–	–	–	–	–	1	3	7	15	25	40	60	44	35	13	4	3	
	White Male	190	–	–	–	–	–	–	–	–	–	1	3	4	12	14	32	48	36	27	9	2	2	
	Female	56	–	–	–	–	–	–	–	–	–	–	–	2	3	11	8	12	7	8	3	2	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	23	–	–	–	–	–	–	1	–	1	–	–	–	1	1	10	5	1	1	1	1	–	
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	3	–	–	–	–	–	
	Female	14	–	–	–	–	–	–	1	–	1	–	–	–	–	1	5	2	1	1	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	74	–	–	1	–	–	–	–	–	1	1	3	3	2	10	7	6	8	14	10	8	–	
	White Male	39	–	–	–	–	–	–	–	–	1	–	1	3	1	5	7	3	5	7	5	1	–	
	Female	33	–	–	1	–	–	–	–	–	–	1	2	–	1	4	–	3	3	6	5	7	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	6	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	1	–	–	1	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	65	8	2	–	–	–	–	–	–	–	–	1	1	2	2	9	5	5	15	10	5	–	
	White Male	27	4	1	–	–	–	–	–	–	–	–	–	–	2	1	5	3	2	5	3	1	–	
	Female	36	4	1	–	–	–	–	–	–	–	–	–	1	–	1	4	2	3	10	7	3	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	285	–	–	–	–	–	–	4	7	14	29	37	47	38	38	33	17	9	6	5	1	–	
	White Male	172	–	–	–	–	–	–	1	4	5	17	22	29	24	23	23	14	5	3	1	1	–	
	Female	102	–	–	–	–	–	–	2	3	7	10	14	16	12	14	10	3	4	3	4	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	9	–	–	–	–	–	–	1	–	1	2	1	1	2	1	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	44	–	–	–	–	–	–	–	1	–	1	1	–	2	2	4	7	9	6	6	5	–	
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	5	1	3	–	–	
	Female	23	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	4	5	3	5	–	
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	61	2	1	–	–	–	–	–	–	–	1	1	3	3	6	6	4	9	13	9	3	–	
	White Male	28	1	–	–	–	–	–	–	–	–	–	1	1	2	2	2	1	4	9	2	3	–	
	Female	29	–	1	–	–	–	–	–	–	–	–	–	1	–	4	4	3	5	4	7	–	–	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	16	2	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	4	2	2	–	
	White Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	
	Female	7	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	–	–	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	45	–	–	–	–	–	–	–	–	–	1	1	3	2	4	6	3	8	9	7	1	–	
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	3	7	2	1	–	
	Female	22	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	2	5	2	5	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	27	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	3	5	11	2	–	
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	1	4	1	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	7	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	–	
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	160	96	16	6	5	7	3	3	3	1	1	4	3	2	2	2	3	2	1	–	–	–	–
	White.....Male	82	53	8	2	2	3	2	1	1	–	1	2	1	–	1	1	2	2	–	–	–	–	–
	Female	67	36	8	4	3	3	–	1	2	1	–	2	2	2	–	1	1	–	1	–	–	–	–
	All other.....Male	4	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	247	247	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	131	131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	111	111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	154	58	2	–	–	4	5	5	4	3	4	7	4	3	5	4	3	11	16	3	8	4	1
	White.....Male	82	37	2	–	–	2	2	2	2	1	2	3	4	1	4	2	1	5	9	1	1	–	1
	Female	63	18	–	–	–	2	2	2	2	2	1	2	–	2	1	2	1	6	7	2	7	4	–
	All other.....Male	4	1	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Residual	All other diseases	1,586	26	21	7	10	14	20	20	26	29	30	47	84	107	151	189	210	199	199	120	58	19	–
	White.....Male	845	14	10	3	8	10	8	10	13	16	15	28	42	58	96	116	115	106	100	58	13	6	–
	Female	676	10	9	4	2	3	10	9	12	10	14	16	34	44	50	66	89	84	94	60	43	13	–
	All other.....Male	37	–	2	–	–	1	1	–	1	1	–	1	8	2	1	5	3	6	3	1	1	–	–
	Female	28	2	–	–	–	–	1	1	–	2	1	2	–	3	4	2	3	3	2	1	1	–	–
E800–E949	Accidents	1,369	22	34	34	46	167	181	140	98	71	55	57	53	55	62	59	43	46	54	49	33	9	1
	White.....Male	936	13	22	17	28	120	153	108	76	53	39	39	40	34	42	39	29	23	25	21	12	2	1
	Female	388	7	10	11	16	43	25	27	20	16	12	15	12	21	20	19	13	22	27	26	20	6	–
	All other.....Male	32	1	2	5	1	4	1	4	2	2	2	3	1	–	–	1	–	–	1	1	1	–	–
	Female	13	1	–	1	1	–	2	1	–	–	2	–	–	–	–	–	1	1	1	1	–	1	–
E810–E823	Motor vehicle accidents	621	2	14	14	25	107	110	82	53	35	28	27	21	22	16	17	18	17	4	7	2	–	–
	White.....Male	437	–	8	6	14	73	94	61	37	23	22	18	16	11	10	9	14	9	4	6	2	–	–
	Female	162	2	4	6	10	30	14	19	14	10	5	7	4	11	6	8	4	7	–	1	–	–	–
	All other.....Male	18	–	2	2	1	4	1	1	2	2	–	2	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	748	20	20	20	21	60	71	58	45	36	27	30	32	33	46	42	25	29	50	42	31	9	1
	White.....Male	499	13	14	11	14	47	59	47	39	30	17	21	24	23	32	30	15	14	21	15	10	2	1
	Female	226	5	6	5	6	13	11	8	6	6	7	8	8	10	14	11	9	15	27	25	20	6	–
	All other.....Male	14	1	–	3	–	–	–	3	–	–	2	1	–	–	–	1	–	–	1	1	1	–	–
	Female	9	1	–	1	1	–	1	–	–	–	1	–	–	–	–	–	1	–	1	1	–	1	–
E950–E959	Suicide	448	...	...	–	1	29	63	48	51	33	33	36	33	35	22	19	20	15	7	3	–	–	–
	White.....Male	306	...	...	–	1	20	50	32	35	18	23	22	22	21	14	16	16	10	4	2	–	–	–
	Female	129	...	...	–	–	5	10	15	13	13	10	14	11	14	8	3	4	5	3	1	–	–	–
	All other.....Male	10	...	...	–	–	4	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	179	3	8	–	5	13	28	33	17	15	8	14	13	7	3	5	1	2	–	1	1	1	1
	White.....Male	98	1	2	–	4	5	13	23	9	8	7	8	9	2	2	1	–	2	–	–	–	1	1
	Female	35	1	2	–	1	6	5	1	5	4	–	1	1	4	–	3	1	–	–	–	–	–	–
	All other.....Male	34	–	4	–	–	2	6	8	1	3	1	5	2	1	–	–	–	–	–	1	–	–	–
	Female	12	1	–	–	–	–	4	1	2	–	–	–	1	–	1	1	–	–	–	–	1	–	–
E980–E999	Other external causes	58	2	3	–	1	2	5	12	7	3	5	2	5	6	2	2	–	–	1	–	–	–	–
	White.....Male	35	1	2	–	1	–	4	11	5	–	4	–	3	1	2	–	–	–	1	–	–	–	–
	Female	19	1	–	–	–	1	1	1	1	3	1	1	2	5	–	2	–	–	–	–	–	–	–
	All other.....Male	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut																							
	All causes	**26,128**	**505**	**66**	**66**	**65**	**204**	**250**	**221**	**212**	**255**	**387**	**743**	**1,259**	**1,771**	**2,403**	**2,751**	**3,084**	**3,368**	**3,753**	**2,899**	**1,408**	**452**	**6**
	White ..... Male	13,096	227	32	31	38	143	159	145	113	131	199	392	721	1,041	1,506	1,617	1,690	1,578	1,654	1,093	477	105	4
	Female	11,759	157	28	24	23	46	63	50	63	69	123	247	443	617	774	1,035	1,266	1,692	2,031	1,763	902	342	1
	All other ..... Male	718	70	4	8	2	7	13	14	21	25	40	61	66	73	70	58	71	51	34	17	10	2	1
	Female	555	51	2	3	2	8	15	12	15	30	25	43	29	40	53	41	57	47	34	26	19	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	20	2	–	–	2	–	–	1	–	–	1	–	1	–	1	1	1	4	2	1	3	–	–
	White ..... Male	13	1	–	–	1	–	–	–	–	–	1	–	1	–	–	1	1	3	1	–	3	–	–
	Female	6	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	32	–	–	–	–	–	–	–	–	1	1	2	1	1	3	2	7	3	6	3	2	–	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	4	–	4	2	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	2	2	1	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	24	–	–	–	–	–	–	–	–	–	1	1	1	1	3	1	5	1	5	3	2	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	3	–	3	2	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	1	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	2	2	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	86	14	1	–	–	–	1	–	–	1	2	2	4	6	3	4	7	14	17	8	1	1	–
	White ..... Male	38	8	–	–	–	–	–	–	–	1	1	–	2	1	3	2	3	5	10	2	–	–	–
	Female	45	6	1	–	–	–	1	–	–	–	1	1	2	4	–	2	4	9	6	6	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	55	2	–	1	–	1	1	–	1	1	3	2	5	1	9	7	8	3	4	3	3	–	–
	White ..... Male	22	1	–	1	–	–	1	–	–	–	2	1	1	–	3	5	2	–	2	2	1	–	–
	Female	29	1	–	–	–	1	–	–	1	–	–	1	3	1	5	2	6	3	2	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,823	1	2	15	9	18	19	21	36	47	111	225	409	611	762	830	829	763	590	388	114	23	–
	White—Male	2,888	1	2	8	5	10	12	14	17	23	41	85	177	288	409	418	454	384	302	179	52	7	–
	White—Female	2,675	–	–	3	4	5	6	7	19	22	56	111	206	283	318	378	344	356	280	202	60	15	–
	All other—Male	146	–	–	3	–	1	–	–	–	–	6	15	15	27	17	18	20	16	5	2	1	–	–
	All other—Female	114	–	–	1	–	2	1	–	–	2	8	14	11	13	18	16	11	7	3	5	1	1	–
140–149	Of buccal cavity and pharynx	133	–	–	–	–	–	1	–	1	1	–	8	11	19	28	16	22	9	8	6	1	2	–
	White—Male	86	–	–	–	–	–	1	–	1	1	–	3	5	14	21	12	10	6	7	4	1	–	–
	White—Female	35	–	–	–	–	–	–	–	–	–	–	2	4	4	6	3	8	3	1	2	–	2	–
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	4	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritaneum	1,673	–	–	–	–	–	1	–	2	6	29	40	84	161	193	246	263	251	208	135	45	9	–
	White—Male	825	–	–	–	–	–	–	–	1	5	14	20	52	76	110	127	141	106	93	55	23	2	–
	White—Female	777	–	–	–	–	–	–	–	1	1	12	17	24	68	73	110	110	138	115	80	21	7	–
	All other—Male	45	–	–	–	–	–	–	–	–	–	1	1	5	13	5	6	8	5	–	–	1	–	–
	All other—Female	26	–	–	–	–	–	1	–	–	–	2	2	3	4	5	3	4	2	–	–	–	–	–
160–163	Of respiratory system	1,297	–	–	–	–	1	1	–	6	7	29	65	105	171	213	219	198	147	85	41	7	2	–
	White—Male	924	–	–	–	–	1	1	–	3	4	11	41	70	124	150	149	152	117	68	28	4	1	–
	White—Female	304	–	–	–	–	–	–	–	3	3	12	17	28	38	50	59	38	24	17	11	3	1	–
	All other—Male	49	–	–	–	–	–	–	–	–	–	4	7	5	7	7	8	4	5	–	2	–	–	–
	All other—Female	20	–	–	–	–	–	–	–	–	–	2	–	2	2	6	3	4	1	–	–	–	–	–
174	Of breast	631	–	–	–	–	–	–	3	5	10	18	49	75	76	89	89	74	51	44	34	13	1	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
	White—Female	609	–	–	–	–	–	–	3	5	10	14	43	74	73	89	86	74	50	43	32	12	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	18	–	–	–	–	–	–	–	–	–	4	6	1	2	–	2	–	–	–	2	1	–	–
180–187	Of genital organs	679	–	–	–	–	1	6	3	2	7	7	17	50	56	60	76	106	98	103	68	16	3	–
	White—Male	305	–	–	–	–	1	5	2	1	2	1	1	5	12	20	30	57	52	59	49	5	3	–
	White—Female	339	–	–	–	–	–	1	1	1	4	6	11	41	41	34	44	47	42	38	17	11	–	–
	All other—Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	2	5	–	–	–	–
	All other—Female	22	–	–	–	–	–	–	–	–	1	–	5	3	2	4	2	–	2	1	2	–	–	–
188, 189	Of urinary organs	259	–	–	–	–	–	–	–	–	1	3	6	10	20	44	38	28	48	32	21	8	–	–
	White—Male	174	–	–	–	–	–	–	–	–	–	1	3	7	13	34	26	18	31	26	10	5	–	–
	White—Female	75	–	–	–	–	–	–	–	–	1	2	3	3	5	6	11	9	15	6	11	3	–	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	632	1	1	6	5	8	3	7	8	10	13	24	41	69	86	86	66	89	47	45	13	4	–
	White—Male	317	1	1	2	3	4	2	5	7	8	8	10	20	34	48	40	36	40	22	19	7	–	–
	White—Female	290	–	–	2	2	3	1	2	1	2	5	11	18	32	37	39	28	49	24	25	6	3	–
	All other—Male	14	–	–	1	–	1	–	–	–	–	–	3	2	2	1	3	1	–	–	–	–	–	–
	All other—Female	11	–	–	1	–	–	–	–	–	–	–	–	1	1	–	4	1	–	1	1	–	1	–
204–207	Leukemia	220	–	1	9	3	8	5	2	5	2	6	4	11	13	22	18	21	24	35	24	5	2	–
	White—Male	111	–	1	6	1	4	1	2	1	2	3	2	5	4	11	8	15	13	17	10	4	1	–
	White—Female	100	–	–	1	2	2	4	–	4	–	3	1	5	7	11	10	6	10	18	14	1	1	–
	All other—Male	4	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	5	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	299	–	–	–	1	–	2	6	7	3	6	12	22	26	27	42	51	46	28	14	6	–	–
	White—Male	142	–	–	–	1	–	2	5	3	1	3	5	13	10	15	25	25	18	9	4	3	–	–
	White—Female	146	–	–	–	–	–	–	1	4	1	2	6	9	15	12	16	24	25	18	10	3	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	2	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	100	1	1	–	1	–	1	–	1	–	3	–	7	6	15	14	19	9	15	6	1	–	–
	White—Male	48	–	1	–	–	–	1	–	1	–	1	–	3	3	9	8	7	5	6	3	–	–	–
	White—Female	49	1	–	–	1	–	–	–	–	–	2	–	3	3	5	6	12	3	9	3	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	503	–	–	–	–	–	1	1	2	5	7	11	22	30	33	69	72	70	93	64	18	5	–
	White—Male	193	–	–	–	–	–	–	1	2	4	3	2	15	12	16	40	31	16	27	18	5	1	–
	White—Female	272	–	–	–	–	–	1	–	–	–	2	6	6	13	14	25	35	48	62	45	11	4	–
	All other—Male	10	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	2	2	1	–	–	–	–
	All other—Female	28	–	–	–	–	–	–	–	–	1	1	2	–	4	3	3	4	4	3	1	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	26	–	–	–	–	–	–	1	–	–	–	1	1	1	3	4	2	2	5	3	2	1	–
	White—Male	9	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	2	1	–	1	–
	White—Female	17	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	1	3	2	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut — Con.																							
280–285	Anemias	34	–	1	1	–	–	2	1	1	–	–	1	1	1	2	1	2	4	8	7	–	1	–
	White Male	11	–	–	1	–	–	1	–	–	–	–	1	–	1	1	–	1	1	1	3	–	–	–
	Female	21	–	1	–	–	–	1	1	–	–	–	–	1	–	–	1	1	3	7	4	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	19	6	1	1	–	–	1	–	–	–	–	–	–	2	1	1	1	1	3	1	–	–	–
	White Male	7	2	1	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
	Female	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	13,500	12	3	5	–	7	11	16	28	51	117	266	536	713	1,092	1,339	1,654	1,993	2,362	1,928	1,014	351	2
	White Male	6,675	8	–	2	–	4	8	9	15	30	77	168	368	506	780	847	910	914	971	655	325	77	1
	Female	6,361	2	3	3	–	2	1	5	7	11	17	61	131	168	263	447	682	1,026	1,348	1,246	668	270	–
	All other Male	252	2	–	–	–	–	1	1	4	2	15	23	27	25	31	28	31	21	20	11	7	2	1
	Female	212	–	–	–	–	1	1	1	2	8	8	14	10	14	18	17	31	32	23	16	14	2	–
390–398, 402, 404, 410–429	Diseases of heart	10,039	12	3	4	–	5	8	8	18	38	96	233	457	617	915	1,087	1,254	1,457	1,620	1,283	690	232	2
	White Male	5,233	8	–	2	–	2	6	3	10	25	70	155	333	449	685	711	700	674	687	433	224	55	1
	Female	4,461	2	3	2	–	2	1	3	3	7	7	46	91	135	199	343	513	743	902	833	452	174	–
	All other Male	192	2	–	–	–	–	1	1	4	1	12	20	25	22	19	24	19	15	14	6	5	1	1
	Female	153	–	–	–	–	1	–	1	1	5	7	12	8	11	12	9	22	25	17	11	9	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	197	–	–	–	–	–	1	1	2	–	3	9	22	26	27	34	27	20	14	11	–	–	–
	White Male	73	–	–	–	–	–	1	–	1	–	1	2	6	11	11	12	12	10	3	3	–	–	–
	Female	116	–	–	–	–	–	–	1	–	–	1	5	15	14	16	22	15	10	10	7	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	1	–	–	–
402	Hypertensive heart disease	96	–	–	1	–	–	–	–	–	1	3	6	9	8	7	15	11	9	11	10	3	2	–
	White Male	41	–	–	1	–	–	–	–	–	–	–	4	5	3	4	9	5	5	3	1	–	1	–
	Female	44	–	–	–	–	–	–	–	–	1	–	–	4	3	2	5	5	3	8	9	3	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	42	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	4	4	5	15	6	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	3	6	2	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	4	2	8	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
410–413	Ischemic heart disease	8,887	–	–	–	–	–	2	2	10	27	74	186	382	515	778	934	1,120	1,327	1,495	1,159	653	222	1
	White Male	4,652	–	–	–	–	–	1	1	7	21	61	133	292	391	596	625	640	612	625	389	206	51	1
	Female	3,987	–	–	–	–	–	1	–	2	4	5	29	63	102	162	290	448	681	842	756	434	168	–
	All other Male	136	–	–	–	–	–	–	1	1	1	7	16	19	15	11	14	14	12	14	5	5	1	–
	Female	112	–	–	–	–	–	–	–	–	1	1	8	8	7	9	5	18	22	14	9	8	2	–
410	Acute myocardial infarction	4,403	–	–	–	–	–	1	1	7	22	60	125	263	365	499	589	637	660	599	370	171	34	–
	White Male	2,626	–	–	–	–	–	1	–	5	20	48	96	210	277	388	406	369	311	285	149	51	10	–
	Female	1,662	–	–	–	–	–	–	–	1	1	5	17	41	75	102	168	254	334	306	219	115	24	–
	All other Male	74	–	–	–	–	–	–	1	1	1	7	8	9	9	5	11	8	5	4	2	3	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	4	3	4	4	4	6	10	4	–	2	–	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	3	1	–	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,471	–	–	–	–	–	1	1	3	5	14	61	118	149	279	343	482	666	892	788	482	186	1
	White Male	2,019	–	–	–	–	–	–	1	2	1	13	37	81	114	208	217	271	300	337	240	155	41	1
	Female	2,319	–	–	–	–	–	1	–	1	3	–	12	22	26	60	122	193	347	535	536	319	142	–
	All other Male	62	–	–	–	–	–	–	–	–	–	–	8	10	6	6	3	6	7	10	3	2	1	–
	Female	71	–	–	–	–	–	–	–	–	1	1	4	5	3	5	1	12	12	10	9	6	2	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	28	–	–	–	–	–	1	–	–	–	–	3	1	2	4	4	2	1	6	4	–	–	–
	White Male	14	–	–	–	–	–	1	–	–	–	–	1	–	1	4	4	–	–	2	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	2	1	4	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut — Con.																							
420–423, 425–427, 429	All other forms of heart disease	789	12	3	3	–	5	4	5	6	10	16	28	43	64	96	98	90	96	89	84	28	8	1
	White Male	437	8	–	1	–	2	3	2	2	4	8	15	30	41	70	61	40	47	51	33	16	3	–
	Female	278	2	3	2	–	2	–	2	1	2	1	10	8	15	17	25	42	44	36	50	11	5	–
	All other Male	46	2	–	–	–	–	1	–	3	–	2	2	5	6	7	9	4	3	–	1	–	–	1
	Female	28	–	–	–	–	1	–	1	–	4	5	1	–	2	2	3	4	2	2	–	1	–	–
400, 401, 403	Hypertension	72	–	–	–	–	–	–	–	–	–	3	1	–	3	5	8	7	12	17	8	7	1	–
	White Male	33	–	–	–	–	–	–	–	–	–	1	1	–	2	1	6	3	4	8	3	4	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	3	8	9	5	2	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,481	–	–	1	–	2	3	8	8	12	17	24	56	73	135	168	284	393	535	474	213	75	–
	White Male	981	–	–	–	–	2	2	6	5	5	6	9	21	40	66	82	138	156	204	160	65	14	–
	Female	1,417	–	–	1	–	–	–	2	3	4	8	12	33	29	54	80	131	225	324	307	144	60	–
	All other Male	42	–	–	–	–	–	–	–	–	1	2	2	1	2	11	1	8	6	3	4	–	1	–
	Female	41	–	–	–	–	–	1	–	–	2	1	1	1	2	4	5	7	6	4	3	4	–	–
431	Cerebral hemorrhage	332	–	–	1	–	–	1	2	3	4	5	4	12	20	40	39	53	52	53	25	11	7	–
	White Male	137	–	–	–	–	–	–	2	3	2	2	1	4	13	18	17	25	20	14	10	5	1	–
	Female	175	–	–	1	–	–	–	–	–	1	3	2	7	6	16	19	27	27	39	15	6	6	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	3	–	–	–	–	–
	Female	11	–	–	–	–	–	1	–	–	1	–	–	1	1	2	2	1	2	–	–	–	–	–
433	Cerebral thrombosis	795	–	–	–	–	–	–	1	1	1	–	2	10	16	29	43	92	119	190	188	76	27	–
	White Male	315	–	–	–	–	–	–	1	1	1	–	2	4	9	16	24	41	42	83	62	22	7	–
	Female	459	–	–	–	–	–	–	–	–	–	–	–	6	5	11	19	45	75	102	125	51	20	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4	1	3	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	2	–	3	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,352	–	–	–	–	2	2	5	4	7	12	18	34	37	65	86	139	221	292	261	126	41	–
	White Male	529	–	–	–	–	2	2	3	1	2	4	6	13	18	32	41	72	94	107	88	38	6	–
	Female	781	–	–	–	–	–	–	2	3	3	5	10	20	18	26	42	59	122	183	167	87	34	–
	All other Male	22	–	–	–	–	–	–	–	–	1	2	1	1	–	7	–	4	2	–	3	–	1	–
	Female	20	–	–	–	–	–	–	–	–	1	1	1	–	1	–	3	4	3	2	3	1	–	–
440	Arteriosclerosis	487	–	–	–	–	–	–	–	–	–	–	1	3	3	10	22	38	58	113	117	87	35	–
	White Male	183	–	–	–	–	–	–	–	–	–	–	–	3	3	6	14	17	29	39	38	28	6	–
	Female	293	–	–	–	–	–	–	–	–	–	–	1	–	–	4	7	17	29	70	78	58	29	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	421	–	–	–	–	–	–	–	2	1	1	7	20	17	27	54	71	73	77	46	17	8	–
	White Male	245	–	–	–	–	–	–	–	–	–	–	3	11	12	22	34	52	51	33	21	4	2	–
	Female	156	–	–	–	–	–	–	–	1	–	1	2	7	4	3	15	18	21	43	23	12	6	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	–	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	1	–	1	1	–	1	2	1	1	–	2	1	–	–
466	Acute bronchitis and bronchiolitis	13	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	3	2	2	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	3	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	927	12	3	3	5	1	4	6	5	9	10	9	18	27	45	50	76	110	185	194	120	34	1
	White Male	408	5	–	2	2	–	2	3	3	5	5	2	11	11	21	28	44	46	84	84	37	12	1
	Female	479	4	3	–	1	1	–	2	–	1	4	4	5	15	20	19	28	64	98	106	82	22	–
	All other Male	24	1	–	1	1	–	1	1	–	2	–	2	2	1	2	3	1	–	2	3	1	–	–
	Female	16	2	–	–	1	–	1	–	2	1	1	1	–	–	2	–	3	–	1	1	–	–	–
470–474	Influenza	173	–	–	–	–	–	1	1	1	1	1	–	2	5	6	13	11	15	38	44	25	9	–
	White Male	56	–	–	–	–	–	–	1	–	1	–	–	–	2	2	6	4	3	13	16	7	1	–
	Female	111	–	–	–	–	–	–	–	–	–	1	–	1	3	4	6	6	12	24	28	18	8	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
480–486	Pneumonia	754	12	3	3	5	1	3	5	4	8	9	9	16	22	39	37	65	95	147	150	95	25	1
	White Male	352	5	–	2	2	–	2	2	3	4	5	2	11	9	19	22	40	43	71	68	30	11	1
	Female	368	4	3	–	1	1	–	2	–	1	3	4	4	12	16	13	22	52	74	78	64	14	–
	All other Male	21	1	–	1	1	–	–	1	–	2	–	2	1	1	2	2	1	–	2	3	1	–	–
	Female	13	2	–	–	1	–	1	–	1	1	1	1	–	–	2	–	2	–	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	263	–	1	–	2	–	–	1	1	1	2	6	9	15	28	36	43	41	43	19	13	2	–
	White Male	188	–	1	–	1	–	–	–	–	–	–	4	5	8	17	24	35	34	34	18	7	–	–
	Female	70	–	–	–	1	–	–	–	1	–	1	1	3	7	11	12	8	7	9	1	6	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut — Con.																							
490, 491	Chronic and unqualified bronchitis	57	–	–	–	–	–	–	–	–	–	–	2	1	2	5	9	8	5	11	6	7	1	–
	White Male	36	–	–	–	–	–	–	–	–	–	–	1	1	–	3	7	5	5	8	5	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	3	–	3	1	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	175	–	–	–	–	–	–	–	–	–	1	2	6	10	19	26	32	33	26	13	6	1	–
	White Male	138	–	–	–	–	–	–	–	–	–	–	1	3	7	12	16	30	28	22	13	6	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	3	3	7	10	2	5	4	–	–	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	31	–	1	–	2	–	–	1	1	1	1	2	2	3	4	1	3	3	6	–	–	–	–
	White Male	14	–	1	–	1	–	–	–	–	–	–	2	1	1	2	1	–	1	4	–	–	–	–
	Female	14	–	–	–	1	–	–	–	1	–	1	–	–	2	2	–	3	2	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	80	–	1	–	–	–	–	–	1	–	1	1	2	7	9	9	11	4	17	12	5	–	–
	White Male	49	–	1	–	–	–	–	–	1	–	1	1	1	5	6	6	8	2	10	6	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	3	2	7	6	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	6	–	–	1	–	–	1	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–
	White Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	70	–	–	–	–	1	–	–	–	–	–	–	–	3	3	4	7	13	16	15	7	1	–
	White Male	24	–	–	–	–	1	–	–	–	–	–	–	–	3	–	1	3	3	8	5	–	–	–
	Female	44	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	9	8	10	7	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	442	–	–	–	–	–	–	5	7	21	21	50	50	77	81	59	39	18	11	3	–	–	–
	White Male	255	–	–	–	–	–	–	2	4	8	11	26	31	45	55	37	18	10	6	2	–	–	–
	Female	151	–	–	–	–	–	–	2	2	7	6	16	15	24	26	22	17	8	5	1	–	–	–
	All other Male	20	–	–	–	–	–	–	1	–	2	2	5	3	4	–	–	3	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	1	4	2	3	1	4	–	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	41	–	–	–	–	–	–	–	1	–	–	–	–	2	–	2	5	4	11	14	–	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	5	3	–	–	–
	Female	25	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	3	5	11	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	92	1	–	–	–	–	1	1	1	1	–	4	2	4	14	11	12	9	14	10	6	1	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	1	2	5	7	5	3	7	4	1	–	–
	Female	42	1	–	–	–	–	1	–	–	–	–	1	–	2	4	4	7	5	6	6	4	1	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	1	–	–	1	–	–
	Female	8	–	–	–	–	–	–	1	1	–	–	1	–	–	4	–	–	–	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	13	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	2	1	–	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	79	–	–	–	–	–	1	1	1	1	–	4	2	4	13	9	9	7	12	9	6	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	1	2	4	6	4	1	6	3	1	–	–
	Female	36	–	–	–	–	–	1	–	–	–	–	1	–	2	4	3	5	5	5	6	4	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	1	–	–	1	–	–
	Female	8	–	–	–	–	–	–	1	1	–	–	1	–	–	4	–	–	–	1	–	–	–	–
590	Infections of kidney	24	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	6	2	5	4	1	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	2	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	3	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
600	Hyperplasia of prostate	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	3	3	2	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	3	3	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	161	107	7	4	4	3	2	2	3	4	2	3	4	2	7	4	1	1	–	–	1	–	–
	White ..... Male	78	54	2	2	1	3	–	–	–	3	1	2	2	2	3	1	–	1	–	–	1	–	–
	Female	63	38	3	2	3	–	2	1	2	–	1	1	2	–	4	3	1	–	–	–	–	–	–
	All other ..... Male	11	8	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	7	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	284	284	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	131	131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	153	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	218	39	5	–	1	6	8	13	20	11	9	12	14	9	15	11	7	11	13	6	6	2	–
	White ..... Male	116	24	3	–	–	2	5	7	5	6	4	5	10	3	8	8	4	8	8	4	2	–	–
	Female	75	9	1	–	–	3	1	4	11	3	3	5	3	5	7	3	2	3	5	2	3	2	–
	All other ..... Male	17	5	1	–	1	–	1	1	3	2	2	1	–	–	–	–	–	–	–	–	–	–	–
	Female	10	1	–	–	–	1	1	1	1	–	–	1	1	1	–	–	1	–	–	–	1	–	–
Residual	All other diseases	1,780	13	10	6	8	14	21	17	27	37	33	59	86	140	184	219	206	235	244	146	60	14	1
	White ..... Male	918	4	3	3	6	10	11	8	13	11	10	33	38	72	111	138	115	117	120	66	26	3	–
	Female	716	3	7	3	2	3	4	3	4	12	16	19	35	53	57	71	74	109	119	77	33	11	1
	All other ..... Male	93	2	–	–	–	–	2	4	6	5	5	4	10	12	12	8	12	6	4	1	–	–	–
	Female	53	4	–	–	–	1	4	2	4	9	2	3	3	3	4	2	5	3	1	2	1	–	–
E800–E949	Accidents	1,001	6	29	29	28	121	102	90	44	28	25	47	47	56	54	42	47	42	72	54	26	12	–
	White ..... Male	612	2	17	12	19	89	73	69	31	20	20	31	28	39	29	23	24	17	32	24	10	3	–
	Female	335	2	9	12	8	27	26	15	9	6	3	10	16	16	21	17	22	23	39	29	16	9	–
	All other ..... Male	35	2	1	4	–	3	1	2	3	2	2	3	3	1	4	–	1	2	1	–	–	–	–
	Female	19	–	2	1	1	2	2	4	1	–	–	3	–	–	–	2	–	–	–	1	–	–	–
E810–E823	Motor vehicle accidents	445	–	6	18	17	98	78	57	21	16	12	24	19	15	12	12	13	7	16	4	–	–	–
	White ..... Male	303	–	2	9	10	76	58	44	17	10	9	19	12	12	6	4	4	1	8	2	–	–	–
	Female	127	–	4	7	7	21	19	10	3	5	2	4	7	3	5	8	8	5	7	2	–	–	–
	All other ..... Male	11	–	–	2	–	1	–	1	1	1	1	–	–	–	1	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	556	6	23	11	11	23	24	33	23	12	13	23	28	41	42	30	34	35	56	50	26	12	–
	White ..... Male	309	2	15	3	9	13	15	25	14	10	11	12	16	27	23	19	20	16	24	22	10	3	–
	Female	208	2	5	5	1	6	7	5	6	1	1	6	9	13	16	9	14	18	32	27	16	9	–
	All other ..... Male	24	2	1	2	–	2	1	1	2	1	1	3	3	1	3	–	–	1	–	–	–	–	–
	Female	15	–	2	1	1	2	1	2	1	–	–	2	–	–	–	2	–	–	–	1	–	–	–
E950–E959	Suicide	311	...	...	–	1	17	36	25	22	17	25	28	23	41	29	15	13	5	7	5	2	–	–
	White ..... Male	230	...	...	–	1	16	26	20	15	12	17	20	17	30	23	7	11	2	6	5	2	–	–
	Female	76	...	...	–	–	1	10	5	4	5	8	7	6	11	6	8	2	2	1	–	–	–	–
	All other ..... Male	4	...	...	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	111	–	–	–	2	9	26	14	10	11	8	7	10	5	3	3	1	–	1	–	–	1	–
	White ..... Male	50	–	–	–	–	4	10	6	6	5	1	5	7	2	1	2	–	–	–	–	–	1	–
	Female	24	–	–	–	2	1	5	3	2	–	2	1	2	2	1	1	1	–	1	–	–	–	–
	All other ..... Male	29	–	–	–	–	3	6	4	2	5	5	1	1	1	1	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	1	5	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	81	5	–	–	2	4	10	6	–	8	6	6	5	8	5	4	4	3	1	–	1	1	2
	White ..... Male	48	1	–	–	2	3	7	5	–	3	2	5	2	4	3	4	1	3	–	–	1	–	2
	Female	18	–	–	–	–	1	2	1	–	1	1	–	2	4	1	–	3	–	1	–	–	1	–
	All other ..... Male	8	1	–	–	–	–	1	–	–	3	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	7	3	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware																							
	All causes	4,781	104	22	16	19	53	63	61	52	63	82	158	278	388	466	522	534	604	601	414	206	66	9
	White Male	2,216	34	9	7	13	37	35	34	28	26	42	76	146	204	247	275	259	271	250	140	64	17	2
	Female	1,806	33	9	4	3	6	13	12	12	12	10	43	73	111	136	157	194	274	295	240	127	41	1
	All other Male	446	18	2	1	1	6	10	11	6	17	20	26	37	51	48	52	54	34	25	14	5	3	5
	Female	313	19	2	4	2	4	5	4	6	8	10	13	22	22	35	38	27	25	31	20	10	5	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	12	–	–	–	–	–	–	–	1	1	1	1	2	1	–	1	1	2	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	10	–	–	–	–	–	–	–	1	1	1	1	2	–	–	1	1	2	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	17	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	6	2	2	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	4	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	971	1	5	2	1	1	3	5	8	9	19	52	83	120	124	142	123	117	99	44	10	3	–
	White—Male	450	–	1	–	1	1	3	1	3	4	7	17	39	57	57	57	72	53	55	21	1	–	–
	White—Female	371	–	3	2	–	–	–	3	3	2	7	22	28	42	46	54	37	54	40	18	8	2	–
	All other—Male	96	–	–	–	–	–	–	–	–	1	4	8	9	14	14	23	10	8	2	2	–	1	–
	All other—Female	54	1	1	–	–	–	–	1	2	2	1	5	7	7	7	8	4	2	2	3	1	–	–
140–149	Of buccal cavity and pharynx	21	–	–	–	–	–	–	–	–	–	–	3	4	5	2	5	–	1	–	–	1	–	–
	White—Male	11	–	–	–	–	–	–	–	–	–	–	1	3	4	2	1	–	–	–	–	–	–	–
	White—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	–	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	231	–	–	–	–	–	–	1	1	1	4	6	15	18	27	36	35	38	25	16	6	2	–
	White—Male	100	–	–	–	–	–	–	–	–	1	2	5	6	6	15	15	13	17	14	6	–	–	–
	White—Female	92	–	–	–	–	–	–	1	1	–	–	1	5	3	7	16	15	18	10	8	5	2	–
	All other—Male	24	–	–	–	–	–	–	–	–	–	2	–	3	7	4	2	4	2	–	–	–	–	–
	All other—Female	15	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	3	1	1	2	1	–	–
160–163	Of respiratory system	259	–	–	–	–	–	–	–	–	2	2	22	25	43	43	39	42	21	15	3	1	1	–
	White—Male	163	–	–	–	–	–	–	–	–	1	2	5	17	27	23	27	32	15	11	3	–	–	–
	White—Female	61	–	–	–	–	–	–	–	–	–	–	10	3	9	16	6	6	6	4	–	1	–	–
	All other—Male	25	–	–	–	–	–	–	–	–	1	–	4	3	4	4	5	3	–	–	–	–	1	–
	All other—Female	10	–	–	–	–	–	–	–	–	–	–	3	2	3	–	1	1	–	–	–	–	–	–
174	Of breast	74	–	–	–	–	–	–	2	–	3	2	7	6	13	8	11	7	7	5	3	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White—Female	66	–	–	–	–	–	–	1	–	2	2	4	6	12	7	10	7	7	5	3	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	1	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	107	–	–	–	–	–	1	–	1	1	3	2	9	11	15	14	10	17	17	6	–	–	–
	White—Male	38	–	–	–	–	–	1	–	1	–	–	–	1	1	3	1	7	7	12	4	–	–	–
	White—Female	46	–	–	–	–	–	–	–	–	–	2	2	5	8	6	9	1	8	3	2	–	–	–
	All other—Male	14	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	2	2	2	–	–	–	–
	All other—Female	9	–	–	–	–	–	–	–	–	1	1	–	2	1	3	1	–	–	–	–	–	–	–
188, 189	Of urinary organs	60	–	–	–	–	–	–	–	–	–	–	3	8	3	9	8	8	7	10	3	1	–	–
	White—Male	34	–	–	–	–	–	–	–	–	–	–	2	3	2	3	4	7	6	5	2	–	–	–
	White—Female	14	–	–	–	–	–	–	–	–	–	–	–	2	–	6	–	–	1	4	–	1	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	1	–	–	1	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	142	–	4	1	–	1	1	1	2	2	6	6	10	22	14	16	10	18	17	10	1	–	–
	White—Male	71	–	1	–	–	1	1	–	–	2	3	3	5	14	7	7	6	6	10	4	1	–	–
	White—Female	54	–	2	1	–	–	–	1	1	–	2	2	5	7	3	5	4	10	7	4	–	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	1	1	–	1	2	4	–	1	–	1	–	–	–
	All other—Female	6	–	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	1	–	–	–
204–207	Leukemia	42	1	1	1	–	–	–	1	3	–	1	3	3	3	2	8	5	2	7	1	–	–	–
	White—Male	17	–	–	–	–	–	–	1	2	–	–	–	2	1	2	1	4	–	3	1	–	–	–
	White—Female	17	–	1	1	–	–	–	–	–	–	–	3	1	2	–	3	1	1	4	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–
	All other—Female	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	35	–	–	–	1	–	1	–	1	–	1	–	3	2	4	5	6	6	3	2	–	–	–
	White—Male	15	–	–	–	1	–	1	–	–	–	–	–	2	2	2	1	3	2	–	1	–	–	–
	White—Female	16	–	–	–	–	–	–	–	1	–	1	–	1	–	1	3	3	2	3	1	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	22	–	1	–	–	–	–	–	–	–	–	–	3	1	1	3	6	5	1	1	–	–	–
	White—Male	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	White—Female	14	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	4	3	1	–	–	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
250	Diabetes mellitus	124	–	–	1	–	–	2	–	–	1	–	4	4	13	18	8	15	22	20	10	4	2	–
	White—Male	32	–	–	1	–	–	1	–	–	–	–	–	–	4	5	2	5	4	5	3	1	1	–
	White—Female	67	–	–	–	–	–	–	–	–	1	–	1	3	7	5	4	6	16	14	6	3	1	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	1	–	1	5	1	2	1	–	–	–	–	–
	All other—Female	14	–	–	–	–	–	1	–	–	–	–	2	1	1	3	1	2	1	1	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
280–285	Anemias	7	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	1	1	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	4	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,506	1	–	1	1	4	4	1	12	15	31	52	114	171	240	266	302	360	392	304	176	55	4
	White Male	1,155	–	–	1	1	1	3	–	3	8	18	35	73	96	135	164	147	163	141	93	58	14	1
	Female	1,010	–	–	–	–	1	1	–	5	2	2	7	17	38	59	66	115	163	209	187	104	34	–
	All other Male	184	1	–	–	–	1	–	–	3	2	7	7	16	27	21	16	27	15	19	12	5	2	3
	Female	157	–	–	–	–	1	–	1	1	3	4	3	8	10	25	20	13	19	23	12	9	5	–
390–398, 402, 404, 410–429	Diseases of heart	2,017	–	–	–	–	4	3	1	8	11	26	45	97	143	200	230	249	293	290	235	135	44	3
	White Male	961	–	–	–	–	1	2	–	2	6	16	32	66	80	118	143	124	133	110	71	46	10	1
	Female	783	–	–	–	–	1	1	–	4	1	2	6	11	32	52	52	96	130	146	146	76	27	–
	All other Male	142	–	–	–	–	1	–	–	2	2	4	5	13	22	13	15	20	13	14	9	5	2	2
	Female	131	–	–	–	–	1	–	1	–	2	4	2	7	9	17	20	9	17	20	9	8	5	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	42	–	–	–	–	–	–	–	1	1	2	2	4	9	8	5	5	3	1	1	–	–	–
	White Male	13	–	–	–	–	–	–	–	1	–	–	1	3	–	2	2	2	1	1	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	2	–	–	5	4	2	3	2	–	1	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	21	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	2	6	3	1	2	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	3	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
404	Hypertensive heart and renal disease	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	6	1	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,846	–	–	–	–	–	–	1	4	10	20	41	89	126	184	214	226	273	270	222	122	41	3
	White Male	896	–	–	–	–	–	–	–	1	6	15	31	62	77	112	135	111	125	102	68	41	9	1
	Female	709	–	–	–	–	–	–	–	1	1	–	5	10	23	46	48	88	119	135	137	70	26	–
	All other Male	125	–	–	–	–	–	–	–	2	2	3	3	12	19	12	13	18	12	13	8	4	2	2
	Female	116	–	–	–	–	–	–	1	–	1	2	2	5	7	14	18	9	17	20	9	7	4	–
410	Acute myocardial infarction	795	–	–	–	–	–	–	–	2	5	9	23	50	80	105	118	108	120	81	54	35	5	–
	White Male	450	–	–	–	–	–	–	–	1	2	7	19	36	52	68	82	55	62	35	17	12	2	–
	Female	260	–	–	–	–	–	–	–	–	1	–	3	4	17	25	26	41	52	36	35	19	1	–
	All other Male	43	–	–	–	–	–	–	–	1	2	1	–	7	9	5	3	8	3	3	1	–	–	–
	Female	42	–	–	–	–	–	–	–	–	–	1	1	3	2	7	7	4	3	7	1	4	2	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	4	–	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,041	–	–	–	–	–	–	1	2	5	11	18	38	46	79	95	116	152	185	168	86	36	3
	White Male	441	–	–	–	–	–	–	–	–	4	8	12	25	25	44	52	54	63	66	51	29	7	1
	Female	444	–	–	–	–	–	–	–	1	–	–	2	6	6	21	22	47	66	96	102	50	25	–
	All other Male	82	–	–	–	–	–	–	–	1	–	2	3	5	10	7	10	10	9	10	7	4	2	2
	Female	74	–	–	–	–	–	–	1	–	1	1	1	2	5	7	11	5	14	13	8	3	2	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	11	–	–	–	–	1	–	–	1	–	2	–	2	2	1	1	–	–	–	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
420–423, 425–427, 429	All other forms of heart disease	81	–	–	–	–	3	3	–	2	–	2	2	1	4	7	9	12	11	7	8	9	1	–
	White Male	37	–	–	–	–	1	2	–	–	–	1	–	1	1	3	6	8	4	4	2	3	1	–
	Female	34	–	–	–	–	1	1	–	2	–	–	1	–	3	2	2	2	7	3	5	5	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	1	–	–
	Female	5	–	–	–	–	1	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–
400, 401, 403	Hypertension	8	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	3	–	1	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	339	1	–	1	1	–	–	–	3	4	4	6	16	20	27	23	37	49	71	46	24	5	1
	White Male	126	–	–	1	1	–	–	–	–	2	1	3	6	11	7	12	16	22	22	15	5	2	–
	Female	159	–	–	–	–	–	–	–	1	1	–	1	6	4	6	11	14	24	43	27	18	3	–
	All other Male	32	1	–	–	–	–	–	–	1	–	3	2	3	4	7	–	4	2	3	1	–	–	1
	Female	22	–	–	–	–	–	–	–	1	1	–	–	1	1	7	–	3	1	3	3	1	–	–
431	Cerebral hemorrhage	45	–	–	–	–	–	–	–	1	2	1	–	6	2	7	5	8	1	6	4	2	–	–
	White Male	16	–	–	–	–	–	–	–	–	2	–	–	2	1	1	3	4	–	2	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	3	1	4	4	–	–	–
	All other Male	6	–	–	–	–	–	–	–	1	–	1	–	1	–	3	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–
433	Cerebral thrombosis	77	–	–	–	–	–	–	–	–	–	–	–	2	4	4	8	14	11	15	14	5	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	5	6	4	4	1	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	6	4	9	9	4	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	216	1	–	1	1	–	–	–	2	2	3	6	8	14	16	10	15	37	49	28	17	5	1
	White Male	82	–	–	1	1	–	–	–	–	–	1	3	2	8	5	6	7	16	16	11	3	2	–
	Female	100	–	–	–	–	–	–	–	1	1	–	1	3	3	3	4	5	19	29	14	14	3	–
	All other Male	20	1	–	–	–	–	–	–	–	–	2	2	2	2	3	–	3	1	2	1	–	–	1
	Female	14	–	–	–	–	–	–	–	1	1	–	–	1	1	5	–	–	1	2	2	–	–	–
440	Arteriosclerosis	70	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	8	23	11	15	4	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	5	3	5	2	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	16	8	10	2	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	72	–	–	–	–	–	1	–	1	–	1	–	1	8	10	11	10	7	8	11	1	2	–
	White Male	44	–	–	–	–	–	1	–	1	–	1	–	1	5	8	7	7	5	4	3	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	2	4	6	–	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	87	–	–	–	–	–	2	2	–	–	1	3	2	4	3	9	9	18	13	14	5	2	–
	White Male	39	–	–	–	–	–	1	2	–	–	–	2	–	2	1	4	2	8	9	6	1	1	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	7	4	7	4	1	–
	All other Male	11	–	–	–	–	–	1	–	–	–	–	–	2	1	–	3	2	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–
470–474	Influenza	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	83	–	–	–	–	–	2	2	–	–	1	2	2	4	3	9	8	18	12	13	5	2	–
	White Male	37	–	–	–	–	–	1	2	–	–	–	1	–	2	1	4	2	8	8	6	1	1	–
	Female	32	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	7	4	7	4	1	–
	All other Male	11	–	–	–	–	–	1	–	–	–	–	–	2	1	–	3	2	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	51	–	–	–	–	–	–	1	–	1	1	–	4	7	7	9	3	8	10	–	–	–	–
	White Male	40	–	–	–	–	–	–	–	–	–	–	–	3	7	7	5	3	6	9	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	2	1	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
490, 491	Chronic and unqualified bronchitis	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	42	–	–	–	–	–	–	–	–	–	–	–	3	7	5	7	3	8	9	–	–	–	
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	2	7	5	4	3	6	8	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	5	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	–	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	8	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	–	1	–	1	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
540–543	Appendicitis	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	15	2	–	–	–	–	–	1	–	–	–	3	–	–	1	–	2	2	3	–	1	–	
	White Male	7	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	1	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–	2	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
571	Cirrhosis of liver	95	–	–	–	–	–	–	3	2	2	2	12	16	15	12	16	5	4	3	3	–	–	
	White Male	54	–	–	–	–	–	–	2	2	1	1	7	9	6	8	9	3	3	3	–	–	–	
	Female	23	–	–	–	–	–	–	–	–	–	–	3	4	7	2	2	1	1	–	3	–	–	
	All other Male	14	–	–	–	–	–	–	1	–	1	1	2	2	2	2	3	–	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	17	–	–	–	–	–	–	–	–	–	2	–	2	–	2	3	1	3	1	1	1	–	1
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–	–	1
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	14	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	3	1	1	1	–	1
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1
590	Infections of kidney	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	1	1	1
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	1	1	1
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	36	16	2	2	2	1	1	6	–	–	–	2	1	–	–	–	–	1	–	–	–	–	2
	White.....Male	14	5	–	1	1	1	–	2	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
	Female	19	11	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	All other.....Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	52	51	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	19	18	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	26	25	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	8	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	30	16	–	–	–	–	–	–	–	–	–	1	–	4	–	3	1	2	2	1	–	–	–
	White.....Male	13	5	–	–	–	–	–	–	–	–	–	–	–	4	–	1	1	1	1	–	–	–	–
	Female	8	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
	All other.....Male	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Residual	All other diseases	340	10	2	4	2	1	4	6	6	7	10	11	29	26	35	42	48	36	36	19	6	–	–
	White.....Male	148	2	–	3	–	–	2	4	2	1	5	5	12	14	20	21	17	14	16	9	1	–	–
	Female	129	1	1	1	1	1	2	2	1	2	1	3	10	8	12	15	21	17	15	10	5	–	–
	All other.....Male	38	4	1	–	1	–	–	–	1	3	2	2	4	1	3	2	8	4	2	–	–	–	–
	Female	25	3	–	–	–	–	–	–	2	1	2	1	3	3	–	4	2	1	3	–	–	–	–
E800–E949	Accidents	232	3	10	5	11	34	31	17	14	18	11	8	9	12	11	4	6	9	8	7	1	3	–
	White.....Male	142	–	5	1	8	29	18	12	11	9	7	5	4	6	8	3	1	5	5	4	–	1	–
	Female	41	–	3	–	2	2	5	2	2	2	–	–	3	3	3	–	2	4	3	2	1	2	–
	All other.....Male	33	1	1	–	–	2	5	3	1	6	3	3	2	3	–	1	2	–	–	–	–	–	–
	Female	16	2	1	4	1	1	3	–	–	1	1	–	–	–	–	–	1	–	–	1	–	–	–
E810–E823	Motor vehicle accidents	128	–	6	2	5	31	24	10	9	9	5	6	1	5	6	2	3	2	1	1	–	–	–
	White.....Male	82	–	3	–	3	27	14	7	6	4	4	5	–	2	3	1	–	1	1	1	–	–	–
	Female	24	–	2	–	2	2	4	1	2	2	–	–	1	2	3	–	2	1	–	–	–	–	–
	All other.....Male	15	–	1	–	–	1	3	2	1	2	1	1	–	1	–	1	1	–	–	–	–	–	–
	Female	7	–	–	2	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	104	3	4	3	6	3	7	7	5	9	6	2	8	7	5	2	3	7	7	6	1	3	–
	White.....Male	60	–	2	1	5	2	4	5	5	5	3	–	4	4	5	2	1	4	4	3	–	1	–
	Female	17	–	1	–	–	–	1	1	–	–	–	–	2	1	–	–	–	3	3	2	1	2	–
	All other.....Male	18	1	–	–	–	1	2	1	–	4	2	2	2	2	–	–	1	–	–	–	–	–	–
	Female	9	2	1	2	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
E950–E959	Suicide	71	- - -	- - -	–	1	4	10	8	7	4	–	4	6	8	5	6	2	4	2	–	–	–	–
	White.....Male	48	- - -	- - -	–	1	3	5	6	6	2	–	2	4	5	3	4	2	3	2	–	–	–	–
	Female	17	- - -	- - -	–	–	–	3	1	1	1	–	1	2	3	2	2	–	1	–	–	–	–	–
	All other.....Male	4	- - -	- - -	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	- - -	- - -	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	42	–	–	–	–	8	5	7	2	4	4	1	1	2	–	1	4	1	1	–	–	–	1
	White.....Male	11	–	–	–	–	2	1	1	1	–	3	–	1	1	–	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	2	2	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other.....Male	20	–	–	–	–	3	2	5	1	2	1	1	–	–	–	1	2	1	–	–	–	–	1
	Female	3	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
E980–E999	Other external causes	9	–	–	1	–	–	1	3	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–
	White.....Male	5	–	–	–	–	–	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other.....Male	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia																							
	All causes	7,312	245	27	25	21	40	109	123	117	159	217	326	503	579	708	905	792	756	727	540	259	130	4
	White Male	1,074	9	1	1	–	1	8	15	6	15	11	24	51	58	107	163	157	153	143	109	35	7	–
	Female	1,285	6	1	2	–	2	5	8	5	6	11	11	24	59	74	113	124	179	265	220	114	55	1
	All other Male	2,870	139	14	12	14	29	70	73	73	98	131	195	255	277	344	390	259	214	136	81	37	27	2
	Female	2,083	91	11	10	7	8	26	27	33	40	64	96	173	185	183	239	252	210	183	130	73	41	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	5	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	28	–	–	–	–	–	–	–	1	2	1	1	3	2	7	3	3	2	3	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other Male	17	–	–	–	–	–	–	–	1	1	1	1	3	1	4	1	2	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	2	–	–	–	–
010–012	Tuberculosis of respiratory system	22	–	–	–	–	–	–	–	1	2	–	1	2	2	6	2	1	2	3	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	14	–	–	–	–	–	–	–	1	1	–	1	2	1	4	1	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	37	2	–	–	–	–	1	–	2	–	–	3	2	2	2	4	3	3	9	1	3	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	1	–	–
	All other Male	11	1	–	–	–	–	–	–	1	–	–	–	–	1	1	3	1	1	2	–	–	–	–
	Female	17	–	–	–	–	–	1	–	1	–	–	2	2	1	1	1	2	–	4	–	2	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	24	–	–	–	–	–	2	–	1	2	1	2	3	–	3	3	1	2	1	3	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
	All other Male	11	–	–	–	–	–	1	–	1	1	1	–	1	–	3	1	–	1	–	1	–	–	–
	Female	9	–	–	–	–	–	1	–	–	1	–	2	2	–	–	1	–	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,549	–	2	3	3	1	6	6	10	16	32	71	145	194	223	265	201	149	119	67	24	12	–
	White—Male	222	–	–	–	–	–	1	2	–	4	3	5	12	14	27	51	32	30	23	14	4	–	–
	White—Female	241	–	–	–	–	–	–	2	1	1	2	4	14	25	33	36	30	35	30	21	5	2	–
	All other—Male	662	–	1	1	2	1	4	2	2	6	13	35	62	96	110	113	84	59	39	18	7	7	–
	All other—Female	424	–	1	2	1	–	1	–	7	5	14	27	57	59	53	65	55	25	27	14	8	3	–
140–149	Of buccal cavity and pharynx	59	–	–	–	–	–	–	–	–	2	1	5	10	7	10	10	6	3	4	1	–	–	–
	White—Male	13	–	–	–	–	–	–	–	–	1	–	–	1	2	2	3	2	–	1	1	–	–	–
	White—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–
	All other—Male	35	–	–	–	–	–	–	–	–	1	1	4	8	1	8	6	3	2	1	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	482	–	–	–	1	–	–	1	3	2	7	22	42	52	56	88	67	58	38	28	12	5	–
	White—Male	66	–	–	–	–	–	–	–	–	–	–	2	2	3	9	15	8	9	9	7	2	–	–
	White—Female	61	–	–	–	–	–	–	–	–	–	–	–	1	2	7	11	8	13	7	11	1	–	–
	All other—Male	212	–	–	–	1	–	–	1	1	1	4	11	20	32	23	39	26	26	13	5	5	4	–
	All other—Female	143	–	–	–	–	–	–	–	2	1	3	9	19	15	17	23	25	10	9	5	4	1	–
160–163	Of respiratory system	366	–	–	–	–	–	1	–	1	5	8	21	41	58	65	64	54	22	17	7	1	1	–
	White—Male	66	–	–	–	–	–	–	–	–	2	1	2	8	5	7	17	11	7	4	1	1	–	–
	White—Female	36	–	–	–	–	–	–	–	–	1	–	–	–	6	7	8	6	3	3	1	–	1	–
	All other—Male	216	–	–	–	–	–	1	–	–	2	5	15	24	41	41	34	33	8	8	4	–	–	–
	All other—Female	48	–	–	–	–	–	–	–	1	–	2	4	9	6	10	5	4	4	2	1	–	–	–
174	Of breast	135	–	–	–	–	–	–	–	–	3	6	9	17	23	22	19	9	6	9	6	5	1	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Female	55	–	–	–	–	–	–	–	–	–	2	2	5	10	10	6	4	5	5	3	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	79	–	–	–	–	–	–	–	–	3	4	7	12	13	12	13	5	–	4	3	2	1	–
180–187	Of genital organs	175	–	–	–	–	–	1	1	2	1	4	5	10	14	21	30	22	24	23	11	4	2	–
	White—Male	19	–	–	–	–	–	–	1	–	–	–	–	–	2	1	3	2	2	6	2	–	–	–
	White—Female	33	–	–	–	–	–	–	–	–	–	–	1	4	1	6	3	6	4	4	3	1	–	–
	All other—Male	66	–	–	–	–	–	–	–	–	–	–	–	–	3	6	16	7	15	10	5	2	2	–
	All other—Female	57	–	–	–	–	–	1	–	2	1	4	4	6	8	8	8	7	3	3	1	1	–	–
188, 189	Of urinary organs	57	–	–	–	–	–	–	–	–	–	1	3	2	4	9	11	12	7	5	2	–	1	–
	White—Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	4	1	–	1	–	–	–
	White—Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	3	1	–	–	–	–
	All other—Male	29	–	–	–	–	–	–	–	–	–	1	2	1	2	6	7	6	2	2	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	2	–	–	–	1	–
170–173, 190–199	Of all other and unspecified sites	181	–	2	1	–	1	2	3	1	3	4	5	16	26	29	24	19	20	15	7	1	2	–
	White—Male	31	–	–	–	–	–	1	1	–	1	1	1	1	2	4	5	3	8	1	1	1	–	–
	White—Female	24	–	–	–	–	–	–	1	–	–	–	1	2	3	1	4	2	5	4	–	–	1	–
	All other—Male	72	–	1	–	–	1	1	1	1	2	2	2	6	13	20	6	6	4	3	2	–	1	–
	All other—Female	54	–	1	1	–	–	–	–	–	–	1	1	7	8	4	9	8	3	7	4	–	–	–
204–207	Leukemia	38	–	–	2	2	–	1	–	2	–	–	–	2	3	3	8	6	2	4	3	–	–	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	1	–	–	–
	White—Female	9	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	1	1	1	–	–	–
	All other—Male	11	–	–	1	1	–	1	–	–	–	–	–	1	1	–	2	1	1	1	1	–	–	–
	All other—Female	11	–	–	1	1	–	–	–	1	–	–	–	1	1	1	2	2	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	56	–	–	–	–	–	1	1	1	–	1	1	5	7	8	11	6	7	4	2	1	–	–
	White—Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	2	1	–	–	–	–
	White—Female	9	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	1	2	1	1	–	–	–
	All other—Male	21	–	–	–	–	–	1	–	–	–	–	1	2	3	6	3	2	1	1	1	–	–	–
	All other—Female	19	–	–	–	–	–	–	–	1	–	–	–	2	4	–	5	3	2	1	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	20	–	–	–	–	1	–	1	1	–	–	–	–	2	–	–	6	3	2	4	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	White—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	–	–	–
	All other—Female	5	–	–	–	–	1	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	155	1	1	–	–	–	–	3	4	–	4	4	11	9	21	19	31	25	14	5	2	1	–
	White—Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	2	2	–	–	–
	White—Female	17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	4	2	2	–	–
	All other—Male	46	–	–	–	–	–	–	–	1	–	2	3	6	2	7	7	11	3	3	1	–	–	–
	All other—Female	78	1	1	–	–	–	–	3	3	–	2	1	5	6	12	10	15	13	5	–	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	20	–	–	–	–	–	–	–	–	1	1	1	1	2	1	–	1	4	4	2	1	1	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	2	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	1	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
280–285	Anemias	25	–	1	–	3	–	2	–	2	2	–	1	–	–	1	2	3	2	2	3	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–
	All other Male	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	–	–	–	3	–	2	–	1	2	–	1	–	–	1	–	2	–	1	2	–	–	–
320	Meningitis	14	3	1	–	–	–	–	1	–	–	1	2	1	–	–	2	–	1	1	–	1	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	All other Male	5	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	3,102	1	2	1	1	1	5	4	12	23	39	93	169	215	274	404	389	401	447	357	173	89	2
	White Male	518	–	–	–	–	–	–	–	1	2	1	5	19	29	49	64	85	86	86	64	22	5	–
	Female	742	–	–	–	–	–	–	–	–	–	5	3	5	13	26	47	64	95	190	159	88	46	1
	All other Male	952	1	1	–	1	–	2	3	9	19	24	59	90	103	122	176	109	91	66	42	20	14	–
	Female	890	–	1	1	–	1	3	1	2	2	9	26	55	70	77	117	131	129	105	92	43	24	1
390–398, 402, 404, 410–429	Diseases of heart	2,249	1	–	–	–	1	2	3	7	17	30	66	134	180	218	317	294	276	293	232	120	56	2
	White Male	415	–	–	–	–	–	–	–	1	2	1	5	18	29	43	54	71	66	57	46	17	5	–
	Female	508	–	–	–	–	–	–	–	–	–	3	2	4	12	20	36	46	66	133	101	59	25	1
	All other Male	713	1	–	–	–	–	1	2	5	14	20	42	71	85	94	142	83	63	44	24	15	7	–
	Female	613	–	–	–	–	1	1	1	1	1	6	17	41	54	61	85	94	81	59	61	29	19	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	33	–	–	–	–	1	–	–	–	1	–	2	1	3	1	6	5	4	5	1	2	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	–	–	2	–	3	2	1	1	–	–	1	–
	Female	11	–	–	–	–	1	–	–	–	–	–	2	–	1	–	1	2	2	1	1	–	–	–
402	Hypertensive heart disease	26	–	–	–	–	–	–	–	–	–	1	1	3	4	1	3	2	4	4	2	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	1	1	3	–	1	2	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	4	–	2	–	–	–
404	Hypertensive heart and renal disease	29	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	4	2	4	8	4	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	7	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–	–	–
410–413	Ischemic heart disease	1,980	–	–	–	–	–	–	1	4	9	27	49	120	156	198	280	266	250	262	203	103	50	2
	White Male	380	–	–	–	–	–	–	–	1	2	1	4	16	27	39	46	67	61	53	45	13	5	–
	Female	453	–	–	–	–	–	–	–	–	–	3	2	3	11	17	36	41	59	118	88	51	23	1
	All other Male	616	–	–	–	–	–	–	–	3	7	18	29	65	72	89	125	74	60	39	18	12	5	–
	Female	531	–	–	–	–	–	–	1	–	–	5	14	36	46	53	73	84	70	52	52	27	17	1
410	Acute myocardial infarction	536	–	–	–	–	–	–	–	2	4	11	7	33	36	55	77	68	79	79	50	25	10	–
	White Male	141	–	–	–	–	–	–	–	–	1	1	–	6	10	14	19	22	30	18	13	5	2	–
	Female	138	–	–	–	–	–	–	–	–	–	3	1	–	3	8	16	15	20	40	19	9	4	–
	All other Male	131	–	–	–	–	–	–	–	2	3	5	4	15	14	21	26	12	12	11	2	3	1	–
	Female	126	–	–	–	–	–	–	–	–	–	2	2	12	9	12	16	19	17	10	16	8	3	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	2	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–
412	Chronic ischemic heart disease	1,438	–	–	–	–	–	–	1	2	5	16	42	86	120	143	202	196	171	183	153	78	38	2
	White Male	238	–	–	–	–	–	–	–	1	1	–	4	10	17	25	26	45	31	35	32	8	3	–
	Female	313	–	–	–	–	–	–	–	–	–	–	1	2	8	9	20	26	39	78	69	42	18	1
	All other Male	485	–	–	–	–	–	–	–	1	4	13	25	50	58	68	99	62	48	28	16	9	4	–
	Female	402	–	–	–	–	–	–	1	–	–	3	12	24	37	41	57	63	53	42	36	19	13	1
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	16	–	–	–	–	–	–	–	–	1	–	1	2	2	–	2	–	1	4	2	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	165	1	–	–	–	–	2	2	3	6	2	13	7	13	17	23	17	15	14	16	9	5	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	1	1	1	4	3	3	2	1	–	2	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	6	4	5	2	2	–
	All other Male	70	1	–	–	–	–	1	2	2	5	1	11	4	7	5	12	4	2	4	5	3	1	–
	Female	50	–	–	–	–	–	1	–	1	1	1	1	1	4	6	8	6	5	5	6	2	2	–
400, 401, 403	Hypertension	22	–	1	–	–	–	–	–	–	1	1	–	1	1	2	2	1	3	3	4	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–
	All other Male	6	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	1	–	–	–	–	–
	Female	8	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	–	1	–	–
430–438	Cerebrovascular diseases	542	–	1	1	1	–	2	1	5	5	7	24	29	26	41	61	52	77	94	68	32	15	–
	White Male	62	–	–	–	–	–	–	–	–	–	–	–	1	–	2	6	9	12	17	11	4	–	–
	Female	144	–	–	–	–	–	–	–	–	–	1	1	1	–	4	6	8	21	38	33	19	12	–
	All other Male	159	–	1	–	1	–	1	1	4	4	3	14	14	12	22	24	16	15	11	11	3	2	–
	Female	177	–	–	1	–	–	1	–	1	1	3	9	13	14	13	25	19	29	28	13	6	1	–
431	Cerebral hemorrhage	84	–	–	–	1	–	1	1	3	1	3	14	8	5	7	12	9	8	4	4	2	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	2	1	1	–
	All other Male	39	–	–	–	1	–	1	1	3	1	1	8	4	5	4	4	2	3	–	1	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	2	6	4	–	2	6	2	2	1	1	1	–	–
433	Cerebral thrombosis	147	–	–	–	–	–	–	–	–	–	–	–	4	3	12	17	9	27	30	25	13	7	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	7	5	5	2	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	6	14	15	6	5	–
	All other Male	33	–	–	–	–	–	–	–	–	–	–	–	1	–	7	6	4	8	3	1	2	1	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	3	3	3	6	2	6	8	4	3	1	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	309	–	1	1	–	–	1	–	2	4	4	10	17	18	22	32	34	42	59	39	17	6	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	4	12	6	2	–	–
	Female	78	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	5	13	20	16	12	5	–
	All other Male	87	–	1	–	–	–	–	–	1	3	2	6	9	7	11	14	10	4	8	9	1	1	–
	Female	111	–	–	1	–	–	1	–	1	1	1	3	6	11	8	13	15	21	19	8	2	–	–
440	Arteriosclerosis	193	–	–	–	–	–	–	–	–	–	–	–	–	–	4	13	29	34	41	41	19	12	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	9	5	1	–	–
	Female	66	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	8	8	14	16	9	6	–
	All other Male	37	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	9	5	5	2	5	–
	Female	67	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	11	15	13	15	7	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	96	–	–	–	–	–	1	–	–	–	1	3	5	8	9	11	13	11	16	12	1	5	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	5	2	1	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	5	6	1	2	–
	All other Male	37	–	–	–	–	–	–	–	–	–	–	3	5	5	4	5	4	3	6	2	–	–	–
	Female	25	–	–	–	–	–	1	–	–	–	–	–	–	2	1	3	6	3	3	3	–	3	–
466	Acute bronchitis and bronchiolitis	4	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	247	10	1	–	1	2	4	3	3	3	10	12	15	7	15	16	25	31	32	29	21	7	–
	White Male	43	1	–	–	–	–	1	–	–	2	–	1	1	–	2	4	5	3	8	11	3	1	–
	Female	49	1	–	–	–	–	–	–	–	–	–	–	–	1	2	2	7	8	9	11	7	1	–
	All other Male	89	5	1	–	1	1	2	1	3	1	9	7	11	5	6	6	9	11	4	1	4	1	–
	Female	66	3	–	–	–	1	1	2	–	–	1	4	3	1	5	4	4	9	11	6	7	4	–
470–474	Influenza	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	2	3	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
480–486	Pneumonia	237	10	1	–	1	2	4	3	3	3	10	12	14	6	15	16	24	30	30	26	20	7	–
	White Male	40	1	–	–	–	–	1	–	–	2	–	1	1	–	2	4	5	3	8	8	3	1	–
	Female	45	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	8	7	11	7	1	–
	All other Male	88	5	1	–	1	1	2	1	3	1	9	7	11	5	6	6	9	11	4	1	3	1	–
	Female	64	3	–	–	–	1	1	2	–	–	1	4	2	1	5	4	4	8	11	6	7	4	–
490–493	Bronchitis, emphysema, and asthma	55	1	–	–	–	1	1	–	–	–	1	3	3	–	1	12	7	12	6	4	2	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	4	4	3	4	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	6	2	–	–	–	–
	All other Male	17	1	–	–	–	1	1	–	–	–	–	3	2	–	–	5	1	2	–	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
490, 491	Chronic and unqualified bronchitis	18	1	–	–	–	–	–	–	–	–	–	2	1	–	–	3	2	1	4	1	2	1	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
	All other Male	6	1	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	1	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	
492	Emphysema	29	–	–	–	–	–	–	–	–	–	–	–	2	–	–	9	5	8	2	3	–	–	
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	3	2	1	3	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–	–	
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	2	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
493	Asthma	8	–	–	–	–	1	1	–	–	–	1	1	–	–	1	–	–	3	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
	All other Male	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
531–533	Peptic ulcer	22	–	–	–	–	–	–	1	1	2	1	–	–	–	5	2	2	2	4	2	–	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	
	All other Male	8	–	–	–	–	–	–	1	1	1	–	–	–	–	2	1	–	–	1	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	1	1	–	–	
540–543	Appendicitis	8	–	–	–	–	1	–	–	–	–	1	1	1	–	–	1	–	1	1	–	1	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	3	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	
	Female	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	31	–	–	–	–	–	–	–	1	–	1	–	–	4	2	2	3	3	4	6	2	3	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	–	1	
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	1	2	
	Female	9	–	–	–	–	–	–	–	1	–	1	–	–	3	–	1	–	1	–	1	1	–	
571	Cirrhosis of liver	358	–	–	–	–	–	1	6	12	27	45	47	63	52	45	36	15	6	2	–	–	–	1
	White Male	36	–	–	–	–	–	–	–	–	1	1	1	8	4	8	6	5	1	1	–	–	–	
	Female	25	–	–	–	–	–	–	–	–	–	2	1	3	9	3	2	3	2	–	–	–	–	
	All other Male	202	–	–	–	–	–	–	4	10	21	31	30	30	22	25	23	3	2	–	–	–	–	1
	Female	95	–	–	–	–	–	1	2	2	5	11	15	22	17	9	5	4	1	1	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	52	–	–	–	–	–	1	1	–	1	–	3	5	2	3	7	10	7	5	3	3	1	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	
	All other Male	17	–	–	–	–	–	1	1	–	1	–	2	–	1	1	2	1	3	2	1	1	–	
	Female	25	–	–	–	–	–	–	–	–	–	–	1	4	–	2	4	6	2	2	1	2	1	
580, 581	Acute nephritis and nephrotic syndrome	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	1	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	
582–584	Chronic and unqualified nephritis and renal sclerosis	47	–	–	–	–	–	1	1	–	1	–	3	5	2	3	7	8	5	5	3	3	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	
	All other Male	16	–	–	–	–	–	1	1	–	1	–	2	–	1	1	2	1	2	2	1	1	–	
	Female	22	–	–	–	–	–	–	–	–	–	–	1	4	–	2	4	4	2	2	1	2	–	
590	Infections of kidney	17	–	–	–	–	–	–	–	–	1	1	–	–	2	3	3	–	1	3	–	3	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	1	–	2	–	
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	40	24	2	2	–	–	2	3	1	–	–	3	1	–	1	1	–	–	–	–	–	–	–
	White.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	22	15	–	1	–	–	–	2	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
	Female	13	5	1	1	–	–	2	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	169	169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	95	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	80	20	2	–	–	1	3	5	5	4	5	6	5	3	4	4	2	4	1	2	1	2	1
	White.....Male	6	–	–	–	–	–	–	–	–	–	2	1	–	1	–	2	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	1	1	–	1	–	1	–
	All other.....Male	39	12	2	–	–	–	2	4	1	2	1	4	1	1	2	2	1	2	–	1	–	–	1
	Female	26	8	–	–	–	1	1	1	2	1	2	1	2	1	2	–	–	1	1	–	1	1	–
Residual	All other diseases	614	4	4	1	1	3	8	13	12	21	37	35	37	49	54	87	59	72	52	38	16	11	–
	White.....Male	88	–	–	–	–	–	–	3	–	–	1	4	3	5	8	19	16	12	10	6	1	–	–
	Female	78	–	–	–	–	–	–	–	–	–	–	1	–	3	5	14	5	16	13	11	7	3	–
	All other.....Male	259	3	1	1	–	2	5	6	7	10	22	20	24	23	28	35	18	25	12	12	3	2	–
	Female	189	1	3	–	1	1	3	4	5	11	14	10	10	18	13	19	20	19	17	9	5	6	–
E800–E949	Accidents	288	6	7	16	8	10	15	24	16	18	15	14	22	13	24	18	22	12	11	11	4	2	–
	White.....Male	39	1	–	1	–	1	1	3	1	–	2	4	3	2	2	3	3	4	3	3	2	–	–
	Female	29	–	–	2	–	1	2	5	1	2	–	–	–	–	–	–	5	2	3	4	1	1	–
	All other.....Male	162	2	4	8	7	7	9	15	13	12	12	8	11	8	19	10	9	3	3	2	–	–	–
	Female	58	3	3	5	1	1	3	1	1	4	1	2	8	3	3	5	5	3	2	2	1	1	–
E810–E823	Motor vehicle accidents	84	1	1	10	3	5	9	16	8	8	3	1	5	4	2	1	3	1	2	1	–	–	–
	White.....Male	7	–	–	1	–	1	–	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	Female	13	–	–	2	–	–	2	5	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–
	All other.....Male	46	1	1	4	2	3	4	8	6	5	3	1	1	2	2	1	1	–	1	–	–	–	–
	Female	18	–	–	3	1	1	3	1	1	3	–	–	2	1	–	–	–	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	204	5	6	6	5	5	6	8	8	10	12	13	17	9	22	17	19	11	9	10	4	2	–
	White.....Male	32	1	–	–	–	–	1	1	1	–	2	4	1	1	2	3	3	4	3	3	2	–	–
	Female	16	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	3	2	3	3	1	1	–
	All other.....Male	116	1	3	4	5	4	5	7	7	7	9	7	10	6	17	9	8	3	2	2	–	–	–
	Female	40	3	3	2	–	–	–	–	–	1	1	2	6	2	3	5	5	2	1	2	1	1	–
E950–E959	Suicide	91	...	...	–	–	3	15	18	2	8	6	5	2	8	6	7	3	6	2	–	–	–	–
	White.....Male	20	...	...	–	–	–	3	3	2	2	–	2	1	–	3	2	–	1	1	–	–	–	–
	Female	22	...	...	–	–	–	2	1	–	2	1	1	–	6	3	3	1	2	–	–	–	–	–
	All other.....Male	36	...	...	–	–	2	10	9	–	3	2	2	1	1	–	1	1	3	1	–	–	–	–
	Female	13	...	...	–	–	1	–	5	–	1	3	–	–	1	–	1	1	–	–	–	–	–	–
E960–E978	Homicide	202	1	1	1	1	16	38	31	26	21	13	16	10	10	8	5	1	2	1	–	–	–	–
	White.....Male	12	–	–	–	–	–	1	3	2	2	–	–	–	1	1	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	1	1	–	1	–	1	–	–	7	–	–	–	–	1	–	–	–	–
	All other.....Male	157	1	1	–	–	14	31	23	20	17	10	15	9	7	7	1	–	1	–	–	–	–	–
	Female	28	–	–	1	1	1	5	5	3	2	2	1	1	2	–	3	–	1	–	–	–	–	–
E980–E999	Other external causes	40	1	1	1	2	–	5	3	3	6	2	2	2	3	4	1	2	2	–	–	–	–	–
	White.....Male	6	–	–	–	–	–	1	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	25	1	1	1	2	–	2	1	2	3	1	2	1	3	2	1	1	1	–	–	–	–	–
	Female	9	–	–	–	–	–	2	1	1	1	–	–	1	–	1	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida																							
	All causes	89,673	1,581	358	236	274	701	940	859	774	935	1,452	2,448	3,980	5,508	7,931	11,257	12,977	13,291	11,702	7,706	3,623	1,129	11
	White ..... Male	46,041	531	149	112	145	383	527	425	373	405	708	1,209	2,080	2,906	4,322	6,369	7,278	7,172	5,823	3,397	1,386	337	4
	Female	33,041	399	110	57	67	153	166	207	169	241	376	669	1,139	1,623	2,407	3,524	4,462	5,125	5,358	4,021	2,075	693	–
	All other ..... Male	6,161	377	53	42	36	115	171	151	145	183	228	354	474	612	714	821	659	524	268	135	65	32	2
	Female	4,430	274	46	25	26	50	76	76	87	106	140	216	287	367	488	543	578	470	253	153	97	67	5
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	83	23	1	1	1	–	–	1	1	2	–	–	2	3	3	5	11	10	5	12	2	–	–
	White ..... Male	25	4	–	1	–	–	–	–	–	1	–	–	1	2	1	2	6	3	2	1	1	–	–
	Female	34	6	1	–	1	–	–	1	–	–	–	–	–	1	2	1	5	4	3	9	–	–	–
	All other ..... Male	15	9	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	3	–	–	–	–	–
	Female	9	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	2	1	–	–
010–019	Tuberculosis, all forms	169	–	–	–	–	–	2	3	3	6	10	14	19	17	17	24	16	22	11	5	–	–	–
	White ..... Male	77	–	–	–	–	–	–	–	–	1	–	1	10	11	3	19	7	13	8	4	–	–	–
	Female	17	–	–	–	–	–	1	2	–	1	–	–	–	1	1	1	2	5	2	1	–	–	–
	All other ..... Male	55	–	–	–	–	–	–	–	1	2	8	11	9	2	9	3	5	4	1	–	–	–	–
	Female	20	–	–	–	–	–	1	1	2	2	2	2	–	3	4	1	2	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	128	–	–	–	–	–	1	1	2	4	10	11	18	11	12	17	11	15	10	5	–	–	–
	White ..... Male	59	–	–	–	–	–	–	–	–	–	–	1	9	7	1	14	7	9	7	4	–	–	–
	Female	10	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	4	2	1	–	–	–
	All other ..... Male	46	–	–	–	–	–	–	–	–	2	8	8	9	1	8	3	4	2	1	–	–	–	–
	Female	13	–	–	–	–	–	–	1	2	1	2	2	–	3	2	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	41	–	–	–	–	–	1	2	1	2	–	3	1	6	5	7	5	7	1	–	–	–	–
	White ..... Male	18	–	–	–	–	–	–	–	–	1	–	–	1	4	2	5	–	4	1	–	–	–	–
	Female	7	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	1	–	–	3	–	1	1	–	1	2	–	–	–	–	–
	Female	7	–	–	–	–	–	1	–	–	1	–	–	–	–	2	1	2	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	25	2	9	3	1	2	1	–	–	–	–	–	2	1	–	2	–	1	1	–	–	–	–
	White ..... Male	9	1	5	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	1	1	2	–	1	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–
	All other ..... Male	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
038	Septicemia	259	46	3	1	–	5	1	1	1	4	4	8	7	11	23	24	26	34	24	22	11	3	–
	White ..... Male	112	10	2	–	–	1	1	1	–	2	3	2	2	4	13	12	14	18	10	14	2	1	–
	Female	85	15	–	1	–	3	–	–	1	1	1	3	1	1	5	5	9	13	13	5	7	1	–
	All other ..... Male	30	11	1	–	–	1	–	–	–	1	–	1	1	1	3	3	2	2	–	2	1	–	–
	Female	32	10	–	–	–	–	–	–	–	–	2	3	5	2	4	1	1	1	1	1	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	13	1	–	–	–	1	–	–	–	–	–	–	2	1	–	3	4	–	–	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	–	–	–	–	–	–
	Female	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	209	10	3	5	2	3	4	5	3	6	7	8	11	20	20	20	30	19	12	15	5	1	–
	White ..... Male	91	3	1	1	1	–	2	2	1	2	3	2	4	7	8	12	17	11	6	6	2	–	–
	Female	79	3	1	2	1	2	2	2	–	3	2	3	4	8	6	7	11	7	5	6	3	1	–
	All other ..... Male	19	2	–	1	–	1	–	1	–	1	1	–	1	4	2	1	1	1	–	2	–	–	–
	Female	20	2	1	1	–	–	–	–	2	–	1	3	2	1	4	–	1	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,408	1	14	32	30	40	44	79	95	169	325	656	1,174	1,700	2,409	3,261	3,308	2,802	1,936	960	312	61	–
	White—Male	10,121	1	7	21	15	20	27	37	51	63	128	258	507	771	1,186	1,754	1,873	1,641	1,081	490	168	22	–
	Female	7,438	–	5	5	8	11	13	36	29	75	145	284	491	668	931	1,177	1,186	1,002	773	435	128	36	–
	All other—Male	1,147	–	1	3	3	3	3	3	6	13	33	65	100	165	188	216	165	99	54	17	10	–	–
	Female	702	–	1	3	4	6	1	3	9	18	19	49	76	96	104	114	84	60	28	18	6	3	–
140–149	Of buccal cavity and pharynx	438	–	–	1	–	–	3	2	–	4	6	20	53	56	78	70	62	44	26	11	2	–	–
	White—Male	241	–	–	–	–	–	–	–	–	2	2	8	23	28	53	40	33	30	14	7	1	–	–
	Female	131	–	–	1	–	–	1	1	–	1	3	6	16	14	17	22	23	11	10	4	1	–	–
	All other—Male	49	–	–	–	–	–	2	1	–	1	1	5	10	8	7	7	5	–	2	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	4	6	1	1	1	3	–	–	–	–	–
150–159	Of digestive organs and peritoneum	4,988	1	–	–	1	–	3	3	6	33	40	96	223	377	544	868	880	822	649	326	96	20	–
	White—Male	2,518	1	–	–	1	–	2	1	2	18	15	41	94	184	265	446	465	437	353	140	50	3	–
	Female	1,971	–	–	–	–	–	–	1	1	11	16	31	75	124	198	327	340	338	274	176	44	15	–
	All other—Male	294	–	–	–	–	–	1	–	–	4	7	15	29	46	47	57	42	25	14	5	2	–	–
	Female	205	–	–	–	–	–	–	1	3	–	2	9	25	23	34	38	33	22	8	5	–	2	–
160–163	Of respiratory system	5,295	–	–	–	–	–	2	5	13	30	90	209	406	581	802	1,012	939	655	354	156	36	5	–
	White—Male	3,615	–	–	–	–	–	2	1	9	16	54	118	234	355	512	703	711	502	263	112	22	1	–
	Female	1,213	–	–	–	–	–	–	3	1	7	19	55	119	149	205	219	176	124	77	42	13	4	–
	All other—Male	404	–	–	–	–	–	–	–	2	3	15	32	45	67	74	82	46	24	11	2	1	–	–
	Female	63	–	–	–	–	–	–	1	1	4	2	4	8	10	11	8	6	5	3	–	–	–	–
174	Of breast	1,494	–	–	–	–	–	–	5	11	29	47	110	141	183	189	211	190	169	128	56	22	3	–
	White—Male	15	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	4	3	–	–	1	–	–
	Female	1,367	–	–	–	–	–	–	5	9	22	44	96	127	161	178	194	173	158	125	53	19	3	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	110	–	–	–	–	–	–	–	2	6	3	14	14	20	9	14	13	8	3	2	2	–	–
180–187	Of genital organs	2,288	–	–	–	2	3	6	16	13	16	41	49	95	157	238	331	391	403	277	175	62	13	–
	White—Male	1,047	–	–	–	2	–	5	9	5	–	4	1	11	29	66	127	180	245	183	121	47	12	–
	Female	932	–	–	–	–	–	1	6	6	10	28	32	67	96	133	150	157	120	71	43	11	1	–
	All other—Male	160	–	–	–	–	–	–	–	–	–	2	2	2	12	18	26	41	30	16	7	4	–	–
	Female	149	–	–	–	–	3	–	1	2	6	7	14	15	20	21	28	13	8	7	4	–	–	–
188, 189	Of urinary organs	966	–	1	1	–	1	–	–	3	4	7	23	27	62	100	164	178	162	148	55	26	4	–
	White—Male	623	–	–	–	–	–	–	–	2	1	5	14	16	35	58	108	122	126	93	27	14	2	–
	Female	263	–	1	–	–	–	–	–	–	2	2	7	5	17	30	40	43	29	50	26	9	2	–
	All other—Male	49	–	–	1	–	–	–	–	1	–	–	1	4	9	8	10	5	5	2	1	2	–	–
	Female	31	–	–	–	–	1	–	–	–	1	–	1	2	1	4	6	8	2	3	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	2,196	–	11	16	12	19	16	24	27	29	61	92	143	185	263	338	346	281	185	101	38	9	–
	White—Male	1,143	–	6	10	3	10	10	14	17	17	34	44	78	91	131	182	183	152	93	47	17	4	–
	Female	869	–	3	2	3	5	5	10	9	8	21	39	53	72	96	127	149	114	81	50	18	4	–
	All other—Male	109	–	1	1	2	2	–	–	1	4	4	6	7	13	23	19	9	8	8	–	1	–	–
	Female	75	–	1	3	4	2	1	–	–	–	2	3	5	9	13	10	5	7	3	4	2	1	–
204–207	Leukemia	704	–	2	13	13	14	4	13	12	8	14	22	23	34	62	101	119	120	75	38	15	2	–
	White—Male	395	–	1	10	7	7	2	7	9	3	6	14	15	18	34	58	68	67	40	21	8	–	–
	Female	261	–	1	2	5	6	2	4	1	4	5	6	5	13	20	38	44	47	34	16	6	2	–
	All other—Male	30	–	–	1	1	1	–	2	1	–	1	1	2	2	6	3	5	3	1	–	–	–	–
	Female	18	–	–	–	–	–	–	–	1	1	2	1	1	1	2	2	2	3	–	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,039	–	–	1	2	3	10	11	10	16	19	35	63	65	133	166	203	146	94	42	15	5	–
	White—Male	524	–	–	1	2	3	6	5	7	5	8	18	36	30	65	87	107	79	42	15	8	–	–
	Female	431	–	–	–	–	–	4	6	2	10	7	12	24	22	54	60	81	61	51	25	7	5	–
	All other—Male	50	–	–	–	–	–	–	–	1	1	3	3	1	7	5	12	12	4	–	1	–	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	2	2	6	9	7	3	2	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	190	1	–	–	3	3	5	5	1	2	4	9	7	10	20	35	27	22	21	8	6	1	–
	White—Male	90	–	–	–	2	1	1	1	–	–	1	4	4	3	9	19	13	11	15	4	2	–	–
	Female	76	1	–	–	–	1	4	3	–	–	2	2	2	6	3	15	11	11	6	4	4	1	–
	All other—Male	9	–	–	–	–	1	–	1	1	1	–	–	–	1	3	–	1	–	–	–	–	–	–
	Female	15	–	–	–	1	–	–	–	–	1	1	3	1	–	5	1	2	–	–	–	–	–	–
250	Diabetes mellitus	1,506	1	–	–	1	1	2	9	10	15	17	32	59	101	152	219	232	246	217	127	55	10	–
	White—Male	568	–	–	–	–	–	1	–	3	2	2	11	23	39	48	87	96	99	90	45	19	3	–
	Female	655	1	–	–	1	–	–	4	5	6	5	7	16	28	61	92	93	124	104	70	33	5	–
	All other—Male	95	–	–	–	–	–	–	2	2	6	2	5	6	16	17	14	10	10	3	2	–	–	–
	Female	188	–	–	–	–	1	1	3	–	1	8	9	14	18	26	26	33	13	20	10	3	2	–
260–269	Avitaminoses and other nutritional deficiencies	122	1	1	–	–	–	–	–	–	–	1	–	4	2	7	13	17	22	15	20	14	5	–
	White—Male	35	1	–	–	–	–	–	–	–	–	1	–	1	–	1	4	6	7	4	5	4	1	–
	Female	61	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	9	12	11	13	8	4	–
	All other—Male	17	–	1	–	–	–	–	–	–	–	–	–	1	2	3	5	1	3	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–	1	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
280–285	Anemias	165	3	5	2	2	2	4	3	2	4	–	1	3	9	8	19	21	28	26	10	13	–	–
	White Male	55	1	–	–	–	–	–	–	–	–	–	1	1	5	2	10	8	11	7	6	3	–	–
	Female	69	1	1	–	–	–	–	–	–	–	–	–	–	2	5	5	10	15	17	4	9	–	–
	All other Male	22	–	2	1	–	2	2	1	1	2	–	–	1	2	–	3	2	2	–	–	1	–	–
	Female	19	1	2	1	2	–	2	2	1	2	–	–	1	–	1	1	1	–	2	–	–	–	–
320	Meningitis	56	21	9	1	–	–	2	–	5	–	–	2	2	2	1	4	5	1	1	–	–	–	–
	White Male	14	3	5	–	–	–	1	–	–	–	–	1	–	–	–	1	3	–	–	–	–	–	–
	Female	17	7	1	1	–	–	–	–	–	–	–	–	1	2	1	1	1	1	1	–	–	–	–
	All other Male	12	6	1	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	13	5	2	–	–	–	–	–	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	45,453	23	16	7	16	32	34	47	95	178	362	802	1,481	2,224	3,558	5,522	7,000	7,812	7,473	5,281	2,628	858	4
	White Male	23,429	8	9	4	7	12	15	16	39	77	209	483	912	1,347	2,142	3,283	3,903	4,063	3,473	2,234	947	245	1
	Female	17,673	4	5	1	6	3	3	11	23	39	56	130	282	481	867	1,576	2,384	3,143	3,676	2,867	1,574	542	–
	All other Male	2,270	6	1	–	1	11	9	11	20	30	59	109	167	229	307	370	355	281	158	86	36	23	1
	Female	2,081	5	1	2	2	6	7	9	13	32	38	80	120	167	242	293	358	325	166	94	71	48	2
390–398, 402, 404, 410–429	Diseases of heart	33,661	20	11	4	10	21	30	29	64	120	280	667	1,219	1,874	2,883	4,377	5,369	5,679	5,145	3,563	1,764	529	3
	White Male	18,307	6	5	1	3	7	14	10	29	64	176	437	822	1,208	1,818	2,700	3,083	3,033	2,500	1,576	658	156	1
	Female	12,355	3	4	1	4	2	3	7	10	24	38	97	200	376	674	1,206	1,804	2,244	2,428	1,863	1,040	327	–
	All other Male	1,635	6	1	–	1	9	7	5	15	18	46	81	115	172	238	269	247	196	112	59	21	17	1
	Female	1,364	5	1	2	2	3	6	7	10	14	20	52	82	118	153	202	235	206	105	65	45	29	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	751	–	–	1	1	4	7	6	6	11	15	35	32	66	86	149	139	87	58	32	13	3	–
	White Male	309	–	–	1	–	1	3	3	2	3	6	12	10	26	38	69	59	42	23	8	3	–	–
	Female	380	–	–	–	–	–	1	–	1	4	4	13	17	33	45	75	77	43	32	24	9	2	–
	All other Male	36	–	–	–	–	2	2	1	1	3	3	8	3	3	1	4	2	–	2	–	–	1	–
	Female	26	–	–	–	1	1	1	2	2	1	2	2	2	4	2	1	1	2	1	–	1	–	–
402	Hypertensive heart disease	255	–	–	1	–	–	–	–	1	–	5	9	14	14	27	39	37	38	33	29	7	1	–
	White Male	84	–	–	–	–	–	–	–	–	–	2	3	4	4	12	16	11	13	10	8	1	–	–
	Female	95	–	–	–	–	–	–	–	–	–	–	2	3	2	6	11	14	14	18	19	5	1	–
	All other Male	29	–	–	–	–	–	–	–	–	–	1	2	2	4	6	4	4	3	2	1	–	–	–
	Female	47	–	–	1	–	–	–	–	1	–	2	2	5	4	3	8	8	8	3	1	1	–	–
404	Hypertensive heart and renal disease	121	–	–	–	–	–	–	–	1	1	1	1	5	4	4	9	22	21	32	11	7	2	–
	White Male	50	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	12	6	17	5	4	2	–
	Female	39	–	–	–	–	–	–	–	–	1	–	–	–	2	–	3	3	8	14	5	3	–	–
	All other Male	17	–	–	–	–	–	–	–	1	–	–	1	2	1	1	1	4	5	1	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	–	1	1	2	4	3	2	–	1	–	–	–
410–413	Ischemic heart disease	30,873	–	–	–	–	1	2	10	36	84	232	560	1,077	1,681	2,609	3,985	4,946	5,316	4,825	3,356	1,654	496	3
	White Male	17,076	–	–	–	–	–	2	4	23	53	159	400	755	1,128	1,675	2,502	2,884	2,870	2,362	1,491	617	150	1
	Female	11,275	–	–	–	–	–	–	1	5	12	30	70	167	309	591	1,061	1,632	2,093	2,268	1,754	978	304	–
	All other Male	1,370	–	–	–	–	1	–	3	8	12	31	55	94	148	203	240	215	170	102	53	21	14	–
	Female	1,152	–	–	–	–	–	–	2	–	7	12	35	61	96	140	182	215	183	93	58	38	28	2
410	Acute myocardial infarction	14,197	–	–	–	–	–	2	6	17	44	138	333	621	975	1,447	2,162	2,556	2,426	1,961	1,000	401	107	1
	White Male	8,711	–	–	–	–	–	2	2	13	29	105	250	462	705	985	1,427	1,592	1,394	1,044	482	189	29	1
	Female	4,663	–	–	–	–	–	–	–	2	7	13	38	98	169	335	592	838	938	875	485	201	72	–
	All other Male	487	–	–	–	–	–	–	3	2	5	16	30	39	65	76	85	72	51	23	14	4	2	–
	Female	336	–	–	–	–	–	–	1	–	3	4	15	22	36	51	58	54	43	19	19	7	4	–
411	Other acute and subacute forms of ischemic heart disease	173	–	–	–	–	–	–	–	1	–	1	6	17	13	17	30	32	17	21	9	7	2	–
	White Male	109	–	–	–	–	–	–	–	1	–	1	4	11	10	11	19	26	9	11	4	2	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	3	3	3	6	4	5	9	2	4	2	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	1	2	–	3	5	2	2	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	2	1	–	–
412	Chronic ischemic heart disease	16,489	–	–	–	–	1	–	4	18	40	93	220	438	693	1,145	1,788	2,357	2,872	2,839	2,346	1,246	387	2
	White Male	8,249	–	–	–	–	–	–	2	9	24	53	145	282	413	679	1,054	1,265	1,466	1,305	1,005	426	121	–
	Female	6,567	–	–	–	–	–	–	1	3	5	17	32	66	137	253	462	790	1,150	1,382	1,266	773	230	–
	All other Male	866	–	–	–	–	1	–	–	6	7	15	24	53	83	124	149	141	117	79	38	17	12	–
	Female	807	–	–	–	–	–	–	1	–	4	8	19	37	60	89	123	161	139	73	37	30	24	2
413	Angina pectoris	14	–	–	–	–	–	–	–	–	–	–	1	1	–	–	5	1	1	4	1	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	144	1	1	–	1	–	3	–	3	3	–	5	4	7	18	11	18	15	20	20	10	4	–
	White Male	62	–	1	–	–	–	1	–	–	1	–	2	2	4	9	5	5	4	10	12	6	–	–
	Female	59	–	–	–	–	–	1	–	–	1	–	1	–	2	5	5	9	11	8	8	4	4	–
	All other Male	12	1	–	–	–	–	–	–	–	1	–	1	–	1	4	1	3	–	–	–	–	–	–
	Female	11	–	–	–	1	–	1	–	3	–	–	1	2	–	–	–	1	–	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,517	19	10	2	8	16	18	13	17	21	27	57	87	102	139	184	207	202	177	115	73	23	–
	White Male	726	6	4	–	3	6	8	3	4	7	9	20	49	46	83	107	112	98	78	52	27	4	–
	Female	507	3	4	1	4	2	1	6	4	6	4	11	13	28	27	51	69	75	88	53	41	16	–
	All other Male	171	5	1	–	1	6	5	1	5	2	11	14	14	15	23	19	19	18	5	5	–	2	–
	Female	113	5	1	1	–	2	4	3	4	6	3	12	11	13	6	7	7	11	6	5	5	1	–
400, 401, 403	Hypertension	290	–	–	1	–	–	–	–	1	10	4	11	8	16	31	34	37	46	40	33	14	4	–
	White Male	124	–	–	1	–	–	–	–	–	–	–	2	1	6	14	14	16	23	25	18	4	–	–
	Female	88	–	–	–	–	–	–	–	–	2	1	2	1	2	6	10	12	13	15	12	9	3	–
	All other Male	41	–	–	–	–	–	–	–	1	7	1	3	4	6	6	4	5	2	–	1	–	1	–
	Female	37	–	–	–	–	–	–	–	–	1	2	4	2	2	5	6	4	8	–	2	1	–	–
430–438	Cerebrovascular diseases	8,965	2	5	2	6	10	4	14	24	41	65	106	209	267	488	826	1,250	1,656	1,797	1,325	638	229	1
	White Male	3,650	1	4	2	4	4	1	6	10	9	24	33	62	98	209	385	594	732	714	489	206	63	–
	Female	4,232	1	1	–	2	1	–	3	9	11	16	29	71	90	155	281	465	752	995	798	403	149	–
	All other Male	495	–	–	–	–	2	2	5	4	4	10	23	41	39	53	83	91	72	36	16	10	3	1
	Female	588	–	–	–	–	3	1	–	1	17	15	21	35	40	71	77	100	100	52	22	19	14	–
431	Cerebral hemorrhage	993	–	–	1	1	2	–	7	7	13	24	34	64	75	76	127	162	156	141	75	22	6	–
	White Male	413	–	–	1	–	1	–	2	4	3	7	12	17	24	33	63	85	68	56	29	7	1	–
	Female	398	–	–	–	1	–	–	2	2	1	6	5	20	23	24	41	59	71	82	43	14	4	–
	All other Male	85	–	–	–	–	1	–	3	1	1	4	10	13	14	9	12	7	7	2	1	–	–	–
	Female	97	–	–	–	–	–	–	–	–	8	7	7	14	14	10	11	11	10	1	2	1	1	–
433	Cerebral thrombosis	2,450	–	–	–	–	1	1	–	–	1	6	5	30	37	101	200	349	510	561	402	187	59	–
	White Male	1,040	–	–	–	–	–	–	–	–	–	2	2	10	13	54	104	184	219	227	148	59	18	–
	Female	1,186	–	–	–	–	1	–	–	–	–	2	–	5	14	20	62	116	248	313	247	121	37	–
	All other Male	107	–	–	–	–	–	1	–	–	–	2	1	9	2	15	19	20	24	10	1	3	–	–
	Female	117	–	–	–	–	–	–	–	–	1	–	2	6	8	12	15	29	19	11	6	4	4	–
434	Cerebral embolism	39	–	–	–	–	–	–	1	–	–	–	1	–	–	2	4	7	8	10	4	2	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	6	1	3	1	–	–
	Female	19	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	4	2	8	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,483	2	5	1	5	7	3	6	17	27	35	66	115	155	309	495	732	982	1,085	844	427	164	1
	White Male	2,181	1	4	1	4	3	1	4	6	6	15	18	35	61	121	218	322	439	430	309	139	44	–
	Female	2,629	1	1	–	1	–	–	–	7	10	8	24	46	53	110	177	286	431	592	507	267	108	–
	All other Male	301	–	–	–	–	1	1	2	3	3	4	12	19	23	29	50	64	41	24	14	7	3	1
	Female	372	–	–	–	–	3	1	–	1	8	8	12	15	18	49	50	60	71	39	14	14	9	–
440	Arteriosclerosis	1,193	–	–	–	–	–	–	–	–	–	1	3	6	17	31	56	105	166	283	265	170	90	–
	White Male	466	–	–	–	–	–	–	–	–	–	1	1	5	4	12	29	45	88	108	92	58	23	–
	Female	633	–	–	–	–	–	–	–	–	–	–	1	1	6	7	19	44	68	163	162	103	60	–
	All other Male	45	–	–	–	–	–	–	–	–	–	–	1	–	3	5	5	6	4	6	8	5	2	–
	Female	49	–	–	–	–	–	–	–	–	–	–	1	–	4	7	3	10	6	6	3	4	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,344	1	–	–	–	1	–	4	6	7	12	15	39	50	125	229	239	265	208	95	42	6	–
	White Male	882	1	–	–	–	1	–	–	–	4	8	10	22	31	89	155	165	187	126	59	21	3	–
	Female	365	–	–	–	–	–	–	1	4	2	1	2	9	7	25	60	59	66	75	32	19	3	–
	All other Male	54	–	–	–	–	–	–	1	–	1	2	1	7	9	5	9	6	7	4	2	–	–	–
	Female	43	–	–	–	–	–	–	2	2	–	1	2	1	3	6	5	9	5	3	2	2	–	–
466	Acute bronchitis and bronchiolitis	43	4	–	–	–	–	1	1	2	1	–	1	–	1	2	4	4	7	4	6	3	2	–
	White Male	21	1	–	–	–	–	1	–	–	1	–	–	–	1	2	3	2	5	1	2	2	–	–
	Female	16	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	2	1	3	4	1	1	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
470–474, 480–486	Influenza and pneumonia	2,207	74	17	2	4	5	10	21	22	20	25	49	84	91	108	190	251	343	386	279	164	62	–
	White Male	1,092	16	6	–	3	1	7	9	4	3	7	15	36	48	52	94	150	201	222	127	72	19	–
	Female	792	12	5	2	–	1	2	7	6	6	5	14	26	17	32	62	74	106	146	146	85	38	–
	All other Male	214	26	2	–	–	3	–	2	6	6	6	16	17	22	21	29	13	24	13	4	3	1	–
	Female	109	20	4	–	1	–	1	3	6	5	7	4	5	4	3	5	14	12	5	2	4	4	–
470–474	Influenza	157	2	–	1	1	–	3	2	2	2	1	–	3	5	10	8	22	27	22	29	12	5	–
	White Male	75	2	–	–	1	–	2	–	–	–	1	–	1	3	6	4	11	12	12	14	5	1	–
	Female	76	–	–	1	–	–	1	2	2	2	–	–	2	–	4	4	11	14	10	14	6	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
480–486	Pneumonia	2,050	72	17	1	3	5	7	19	20	18	24	49	81	86	98	182	229	316	364	250	152	57	–
	White Male	1,017	14	6	–	2	1	5	9	4	3	6	15	35	45	46	90	139	189	210	113	67	18	–
	Female	716	12	5	1	–	1	1	5	4	4	5	14	24	17	28	58	63	92	136	132	79	35	–
	All other Male	211	26	2	–	–	3	–	2	6	6	6	16	17	20	21	29	13	23	13	4	3	1	–
	Female	106	20	4	–	1	–	1	3	6	5	7	4	5	4	3	5	14	12	5	1	3	3	–
490–493	Bronchitis, emphysema, and asthma	1,335	3	3	–	1	1	1	3	5	3	12	20	55	88	133	223	255	236	198	65	23	7	–
	White Male	922	1	1	–	1	1	–	2	2	–	4	8	23	45	83	168	187	176	151	48	17	4	–
	Female	329	1	–	–	–	–	–	–	2	2	4	7	21	35	38	42	59	51	44	16	4	3	–
	All other Male	59	1	–	–	–	–	–	–	–	1	–	3	9	6	10	12	5	8	2	–	2	–	–
	Female	25	–	2	–	–	–	1	1	–	1	4	2	2	2	2	1	4	1	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
490, 491	Chronic and unqualified bronchitis	215	3	3	–	–	1	–	–	–	–	3	1	9	13	19	32	33	48	22	16	9	3	–
	White Male	139	1	1	–	–	1	–	–	–	–	1	1	6	8	11	22	20	34	12	13	6	2	–
	White Female	66	1	–	–	–	–	–	–	–	–	2	–	2	4	7	9	12	13	10	3	2	1	–
	All other Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	–	–
	All other Female	3	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
492	Emphysema	1,033	–	–	–	–	–	–	–	3	2	4	13	33	59	105	184	211	182	171	48	14	4	–
	White Male	757	–	–	–	–	–	–	–	1	–	2	5	15	34	68	145	163	140	136	35	11	2	–
	White Female	232	–	–	–	–	–	–	–	2	2	2	6	13	23	29	28	44	35	32	12	2	2	–
	All other Male	39	–	–	–	–	–	–	–	–	–	–	2	5	2	7	10	3	7	2	–	1	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–
493	Asthma	87	–	–	–	1	–	1	3	2	1	5	6	13	16	9	7	11	6	5	1	–	–	–
	White Male	26	–	–	–	1	–	–	2	1	–	1	2	2	3	4	1	4	2	3	–	–	–	–
	White Female	31	–	–	–	–	–	–	–	–	–	–	1	6	8	2	5	3	3	2	1	–	–	–
	All other Male	13	–	–	–	–	–	–	–	1	–	–	1	4	3	2	1	1	–	–	–	–	–	–
	All other Female	17	–	–	–	–	–	1	1	–	1	4	2	1	2	1	–	3	1	–	–	–	–	–
531–533	Peptic ulcer	305	1	–	–	–	–	–	1	3	2	4	7	15	26	26	43	54	47	37	21	16	2	–
	White Male	196	1	–	–	–	–	–	1	1	2	–	3	7	17	15	35	38	31	23	11	10	1	–
	White Female	84	–	–	–	–	–	–	–	–	–	3	2	6	7	8	6	12	12	12	9	6	1	–
	All other Male	19	–	–	–	–	–	–	–	1	–	1	1	1	2	3	2	3	3	2	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	1	–	1	–	–	–
540–543	Appendicitis	39	1	1	4	2	1	2	–	–	–	–	1	2	3	5	2	5	3	2	3	2	–	–
	White Male	22	1	–	1	1	–	1	–	–	–	–	1	1	3	3	–	3	2	2	2	1	–	–
	White Female	7	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	–
	All other Male	7	–	–	3	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	252	18	–	–	–	1	2	–	–	2	2	3	5	19	13	17	42	35	44	31	13	5	–
	White Male	100	7	–	–	–	1	–	–	–	–	1	–	2	12	7	7	18	12	24	2	5	2	–
	White Female	118	5	–	–	–	–	–	–	–	1	1	3	1	7	3	5	17	20	18	26	8	3	–
	All other Male	20	5	–	–	–	–	1	–	–	–	–	–	1	–	2	2	5	2	1	1	–	–	–
	All other Female	14	1	–	–	–	1	–	–	–	1	–	–	1	–	1	3	2	1	1	2	–	–	–
571	Cirrhosis of liver	1,742	5	1	–	–	2	4	11	23	49	113	160	242	294	296	218	157	90	54	19	4	–	–
	White Male	960	2	1	–	–	–	1	2	9	23	59	84	131	149	170	126	98	59	34	10	2	–	–
	White Female	544	–	–	–	–	–	1	1	5	9	27	41	78	100	100	70	55	28	18	9	2	–	–
	All other Male	148	2	–	–	–	–	1	6	4	8	16	23	22	33	15	13	3	1	1	–	–	–	–
	All other Female	90	1	–	–	–	2	1	2	5	9	11	12	11	12	11	9	1	2	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	144	–	–	–	–	–	1	–	–	1	1	2	2	7	8	15	18	27	35	15	10	2	–
	White Male	67	–	–	–	–	–	–	–	–	–	–	1	–	2	3	8	12	13	19	6	3	–	–
	White Female	65	–	–	–	–	–	–	–	–	–	1	–	2	1	5	6	4	13	15	9	7	2	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Female	9	–	–	–	–	–	1	–	–	–	–	1	–	4	–	1	1	1	–	–	–	–	–
580–584	Nephritis and nephrosis	376	1	2	–	–	2	3	4	2	3	8	15	17	22	35	38	56	54	55	36	16	7	–
	White Male	169	–	1	–	–	1	2	2	–	1	1	8	4	6	11	17	31	24	35	18	3	4	–
	White Female	110	–	1	–	–	–	1	–	–	1	3	2	6	6	8	7	14	21	15	14	9	2	–
	All other Male	50	1	–	–	–	1	–	–	1	1	–	3	3	5	9	8	6	5	3	1	2	1	–
	All other Female	47	–	–	–	–	–	–	2	1	–	4	2	4	5	7	6	5	4	2	3	2	–	–
580, 581	Acute nephritis and nephrotic syndrome	87	–	1	–	–	–	–	1	–	1	–	2	4	3	8	7	16	15	16	10	2	1	–
	White Male	51	–	1	–	–	–	–	1	–	–	–	2	–	1	4	4	11	9	12	4	2	–	–
	White Female	25	–	–	–	–	–	–	–	–	1	–	–	3	–	2	2	2	5	4	6	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	1	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	289	1	1	–	–	2	3	3	2	2	8	13	13	19	27	31	40	39	39	26	14	6	–
	White Male	118	–	–	–	–	1	2	1	–	1	1	6	4	5	7	13	20	15	23	14	1	4	–
	White Female	85	–	1	–	–	–	1	–	–	–	3	2	3	6	6	5	12	16	11	8	9	2	–
	All other Male	45	1	–	–	–	1	–	–	1	1	–	3	2	5	8	8	4	5	3	1	2	–	–
	All other Female	41	–	–	–	–	–	–	2	1	–	4	2	4	3	6	5	4	3	2	3	2	–	–
590	Infections of kidney	203	–	–	–	–	2	–	–	3	1	–	5	3	7	15	18	23	38	41	22	17	8	–
	White Male	82	–	–	–	–	–	–	–	1	–	–	2	–	2	6	4	11	21	20	7	5	3	–
	White Female	89	–	–	–	–	–	–	–	2	–	–	1	1	4	6	9	8	14	18	12	11	3	–
	All other Male	17	–	–	–	–	1	–	–	–	–	–	1	2	–	1	3	2	2	2	2	–	1	–
	All other Female	15	–	–	–	–	1	–	–	–	1	–	1	–	1	2	2	2	1	1	1	1	1	–
600	Hyperplasia of prostate	67	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	11	17	16	11	4	3	–
	White Male	58	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	9	13	15	11	4	2	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	1	–	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	–	2	5	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	–	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	–	2	5	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	White—Female	5	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	503	283	55	19	15	13	12	10	7	3	12	8	7	12	9	12	8	11	3	3	1	–	–
	White—Male	200	107	20	8	6	5	6	6	4	–	5	3	5	6	6	4	3	2	1	2	1	–	–
	White—Female	177	88	19	7	7	5	5	3	2	2	5	4	2	6	1	5	4	9	2	1	–	–	–
	All other—Male	76	56	7	2	1	3	1	1	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–
	All other—Female	50	32	9	2	1	–	–	–	1	–	1	1	–	–	1	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	793	791	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White—Male	277	277	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	192	191	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	139	138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	424	424	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	146	146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	95	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	369	367	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White—Male	131	131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	85	84	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	63	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780–796	Symptoms and ill-defined conditions	1,343	161	9	1	3	7	21	11	6	8	16	28	56	81	111	160	149	151	153	102	73	34	2
	White—Male	572	50	1	1	1	2	15	4	3	–	8	11	27	42	51	83	80	64	61	37	22	9	–
	White—Female	486	36	6	–	–	2	4	3	2	1	3	10	13	12	35	42	44	65	83	59	47	19	–
	All other—Male	147	39	1	–	1	1	–	1	1	5	5	5	11	13	16	20	9	7	5	3	2	2	–
	All other—Female	138	36	1	–	1	2	2	3	–	2	–	2	5	14	9	15	16	15	4	3	2	4	2
Residual	All other diseases	5,998	62	32	19	25	55	74	70	58	95	129	193	298	381	578	824	890	900	682	441	152	40	–
	White—Male	3,070	26	12	11	9	22	31	27	19	42	50	81	146	186	297	430	496	507	392	212	63	11	–
	White—Female	2,080	18	9	5	6	13	15	20	14	18	30	49	89	123	178	285	309	327	259	207	82	24	–
	All other—Male	505	8	9	1	4	11	16	12	8	25	27	37	40	51	55	71	49	43	18	12	5	3	–
	All other—Female	343	10	2	2	6	9	12	11	17	10	22	26	23	21	48	38	36	23	13	10	2	2	–
E800–E949	Accidents	3,983	33	158	127	151	399	406	294	207	150	186	191	205	186	216	202	227	210	189	165	62	17	2
	White—Male	2,193	6	73	58	91	267	265	191	124	83	107	110	117	96	115	100	110	96	87	70	16	10	1
	White—Female	1,109	12	50	27	33	84	68	53	34	28	44	37	47	48	64	64	96	88	94	90	42	6	–
	All other—Male	500	11	21	29	21	38	55	39	39	31	25	35	34	32	28	24	12	18	3	2	2	–	1
	All other—Female	181	4	14	13	6	10	18	11	10	8	10	9	7	10	9	14	9	8	5	3	2	1	–
E810–E823	Motor vehicle accidents	1,927	5	51	69	91	301	266	181	120	82	92	93	98	80	84	87	80	70	43	27	4	2	1
	White—Male	1,137	–	20	33	52	208	171	117	77	46	51	56	57	43	44	44	38	35	20	20	2	2	1
	White—Female	505	2	17	17	28	71	55	39	22	17	24	18	27	21	24	32	33	28	22	6	2	–	–
	All other—Male	204	1	6	12	8	18	26	18	15	16	11	15	12	12	14	8	4	6	1	1	–	–	–
	All other—Female	81	2	8	7	3	4	14	7	6	3	6	4	2	4	2	3	5	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,056	28	107	58	60	98	140	113	87	68	94	98	107	106	132	115	147	140	146	138	58	15	1
	White—Male	1,056	6	53	25	39	59	94	74	47	37	56	54	60	53	71	56	72	61	67	50	14	8	–
	White—Female	604	10	33	10	5	13	13	14	12	11	20	19	20	27	40	32	63	60	72	84	40	6	–
	All other—Male	296	10	15	17	13	20	29	21	24	15	14	20	22	20	14	16	8	12	2	1	2	–	1
	All other—Female	100	2	6	6	3	6	4	4	4	5	4	5	5	6	7	11	4	7	5	3	2	1	–
E950–E959	Suicide	1,466	...	...	1	5	48	138	142	102	94	105	129	113	123	106	95	98	81	46	24	15	1	–
	White—Male	954	...	...	–	2	27	97	90	62	58	69	72	75	80	65	68	68	58	31	21	11	–	–
	White—Female	428	...	...	–	1	11	27	39	28	31	30	51	33	42	36	25	29	23	14	3	4	1	–
	All other—Male	73	...	...	1	1	8	14	13	10	4	5	4	4	1	5	2	1	–	–	–	–	–	–
	All other—Female	11	...	...	–	1	2	–	–	2	1	1	2	1	–	–	–	–	–	1	–	–	–	–
E960–E978	Homicide	987	8	15	9	9	69	139	109	105	101	95	80	79	50	40	31	21	13	10	1	1	–	2
	White—Male	358	4	4	6	3	18	42	24	44	37	44	35	30	17	16	12	7	6	6	–	1	–	2
	White—Female	142	2	4	2	2	14	13	12	14	14	7	13	9	8	3	6	9	6	3	1	–	–	–
	All other—Male	381	1	3	–	3	29	63	52	39	40	35	28	36	22	15	10	4	1	–	–	–	–	–
	All other—Female	106	1	4	1	1	8	21	21	8	10	9	4	4	3	6	3	1	–	1	–	–	–	–
E980–E999	Other external causes	215	2	3	1	3	7	25	24	11	14	14	23	23	16	11	11	11	9	5	1	1	–	–
	White—Male	97	–	1	–	2	4	9	10	6	7	6	12	11	4	6	3	7	5	3	1	–	–	–
	White—Female	61	1	–	1	1	2	6	6	1	2	2	5	6	9	5	6	3	3	2	–	–	–	–
	All other—Male	39	–	1	–	–	1	5	6	2	4	4	6	3	3	–	2	1	–	–	–	1	–	–
	All other—Female	18	1	1	–	–	–	5	2	2	1	2	–	3	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia																							
	All causes	41,661	1,259	258	174	212	507	633	692	600	754	1,101	1,647	2,467	3,369	4,117	5,115	4,991	4,783	4,180	2,926	1,352	516	8
	White Male	16,766	358	78	77	104	260	309	275	243	280	431	687	1,117	1,571	1,967	2,340	2,039	1,895	1,441	843	353	95	3
	Female	12,770	262	64	36	53	111	93	99	101	144	209	361	533	727	866	1,180	1,442	1,670	2,047	1,681	791	298	2
	All other Male	6,592	370	59	42	41	98	165	215	171	205	260	348	454	598	718	930	782	540	305	163	86	40	2
	Female	5,533	269	57	19	14	38	66	103	85	125	201	251	363	473	566	665	728	678	387	239	122	83	1
004, 006	Bacillary dysentery and amebiasis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	44	13	4	1	2	–	–	–	–	–	–	2	1	1	4	6	2	4	1	2	1	–	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–
	Female	17	1	1	1	1	–	–	–	–	–	–	1	–	–	1	4	2	2	–	2	1	–	–
	All other Male	9	5	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	12	6	1	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	82	–	–	–	–	–	1	1	4	2	3	4	8	6	10	7	13	12	9	2	–	–	–
	White Male	25	–	–	–	–	–	–	1	–	1	1	–	3	4	3	2	3	4	2	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	3	2	–	–	–	–
	All other Male	33	–	–	–	–	–	–	–	2	1	1	3	5	1	5	4	3	3	4	1	–	–	–
	Female	13	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	6	2	1	–	–	–	–
010–012	Tuberculosis of respiratory system	64	–	–	–	–	–	–	1	2	1	3	4	7	4	7	6	9	10	8	2	–	–	–
	White Male	20	–	–	–	–	–	–	1	–	–	1	–	2	3	3	2	3	3	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	3	2	–	–	–	–
	All other Male	28	–	–	–	–	–	–	–	1	1	1	3	5	–	3	4	3	2	4	1	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2	2	1	–	–	–	–
013–019	Tuberculosis, other forms	18	–	–	–	–	–	1	–	2	1	–	–	1	2	3	1	4	2	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	2	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	225	30	4	1	–	2	1	1	1	1	7	13	8	11	23	25	21	26	27	13	6	4	–
	White Male	72	11	–	1	–	1	–	1	1	1	2	4	1	4	9	6	7	7	8	6	2	–	–
	Female	56	7	2	–	–	1	1	–	–	–	2	2	1	3	2	5	4	7	12	3	2	2	–
	All other Male	47	8	1	–	–	–	–	–	–	–	1	5	2	2	6	6	7	4	3	1	–	1	–
	Female	50	4	1	–	–	–	–	–	–	–	2	2	4	2	6	8	3	8	4	3	2	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	–	–	–	–	–	–	–	–	1	–	–	–	2	2	3	–	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	128	15	6	6	7	3	7	3	2	3	4	5	4	11	9	10	10	11	5	5	2	–	–
	White Male	41	2	3	4	4	1	3	1	–	–	1	1	1	5	2	4	3	4	–	1	1	–	–
	Female	41	6	1	2	2	2	1	2	1	2	1	–	2	2	4	1	2	2	3	4	1	–	–
	All other Male	21	4	2	–	1	–	2	–	1	–	–	3	1	–	1	2	1	3	–	–	–	–	–
	Female	25	3	–	–	–	–	1	–	–	1	2	1	–	4	2	3	4	2	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,103	2	13	12	21	27	31	50	60	104	189	332	579	880	1,037	1,124	968	750	539	269	91	25	–
	White Male	3,049	2	6	9	7	12	12	18	20	36	68	124	240	392	489	519	412	329	222	96	33	3	–
	Female	2,313	–	4	3	7	1	9	18	21	39	69	121	184	246	285	304	310	253	239	138	44	18	–
	All other Male	993	–	1	–	3	9	6	6	6	13	23	52	75	132	164	184	148	97	45	17	9	3	–
	Female	748	–	2	–	4	5	4	8	13	16	29	35	80	110	99	117	98	71	33	18	5	1	–
140–149	Of buccal cavity and pharynx	172	–	–	–	–	–	1	2	–	1	5	9	17	24	31	25	25	10	12	5	3	2	–
	White Male	84	–	–	–	–	–	–	2	–	–	3	4	5	10	20	16	13	4	4	2	1	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	1	3	6	5	6	8	2	8	2	2	2	–
	All other Male	29	–	–	–	–	–	1	–	–	1	1	3	6	5	3	2	4	2	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	1	3	3	3	1	–	2	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,634	–	–	–	–	3	4	5	9	23	32	57	98	178	223	268	247	203	170	77	30	7	–
	White Male	600	–	–	–	–	2	1	–	3	9	8	19	41	71	85	109	85	82	57	21	5	2	–
	Female	584	–	–	–	–	–	1	1	3	9	12	17	25	54	57	69	97	86	90	44	15	4	–
	All other Male	249	–	–	–	–	–	1	2	1	3	6	13	19	30	52	51	34	13	13	6	5	–	–
	Female	201	–	–	–	–	1	1	2	2	2	6	8	13	23	29	39	31	22	10	6	5	1	–
160–163	Of respiratory system	1,893	–	–	–	–	1	2	3	4	14	47	100	192	298	353	340	243	168	87	32	7	2	–
	White Male	1,227	–	–	–	–	1	1	–	1	5	30	56	118	195	239	231	160	114	56	14	5	1	–
	Female	295	–	–	–	–	–	1	2	–	4	7	18	32	36	58	46	29	26	20	13	2	1	–
	All other Male	309	–	–	–	–	–	1	2	5	7	21	33	54	52	51	48	23	9	3	–	–	–	–
	Female	62	–	–	–	–	–	–	–	1	–	3	5	9	13	4	12	6	5	2	2	–	–	–
174	Of breast	537	–	–	–	–	–	–	5	5	17	30	45	66	90	67	62	52	39	25	26	5	3	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	1	1	–	–	–	–
	Female	410	–	–	–	–	–	–	1	5	9	20	34	55	67	53	46	40	30	17	25	5	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–
	Female	114	–	–	–	–	–	–	4	–	8	10	10	11	20	12	15	9	7	7	1	–	–	–
180–187	Of genital organs	922	–	1	–	–	1	2	9	7	19	16	22	54	83	106	153	141	130	115	45	16	2	–
	White Male	283	–	1	–	–	–	1	4	–	3	1	2	3	9	25	41	49	52	58	25	9	–	–
	Female	331	–	–	–	–	–	–	5	3	14	11	14	29	35	41	47	53	30	33	13	3	–	–
	All other Male	168	–	–	–	–	–	–	–	–	–	–	–	–	16	20	36	30	37	17	6	4	2	–
	Female	140	–	–	–	–	1	1	–	4	2	4	6	22	23	20	29	9	11	7	1	–	–	–
188, 189	Of urinary organs	288	–	–	2	–	1	1	2	2	1	4	3	15	32	32	52	56	38	24	14	6	3	–
	White Male	154	–	–	2	–	–	–	1	2	1	1	2	7	18	21	27	28	19	13	9	3	–	–
	Female	77	–	–	–	–	–	–	1	–	–	2	–	5	5	4	10	14	14	11	5	3	3	–
	All other Male	33	–	–	–	–	1	1	–	–	–	1	1	–	8	3	9	7	2	–	–	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	3	1	4	6	7	3	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,067	1	9	5	10	10	9	10	22	15	39	72	100	121	146	150	125	93	55	51	18	6	–
	White Male	428	1	4	5	3	2	5	5	10	7	19	30	49	60	57	64	39	32	11	17	8	–	–
	Female	370	–	4	–	4	–	2	3	5	2	11	28	24	29	46	55	45	36	35	26	10	5	–
	All other Male	128	–	–	–	2	5	1	1	1	3	5	9	12	13	22	23	15	10	4	1	–	1	–
	Female	141	–	1	–	1	3	1	1	6	3	4	5	15	19	21	8	26	15	5	7	–	–	–
204–207	Leukemia	274	1	3	5	11	7	7	6	6	8	8	9	14	23	37	34	27	36	22	9	1	–	–
	White Male	133	1	1	2	4	4	3	2	3	5	2	2	6	14	26	16	14	16	9	3	–	–	–
	Female	81	–	–	3	3	1	3	4	2	1	5	3	4	3	5	9	6	11	11	6	1	–	–
	All other Male	36	–	1	–	1	2	1	–	1	1	1	4	2	2	5	7	2	5	1	–	–	–	–
	Female	24	–	1	–	3	–	–	–	–	1	–	–	2	4	1	2	5	4	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	316	–	–	–	–	4	5	8	5	6	8	15	23	31	42	40	52	33	29	10	5	–	–
	White Male	132	–	–	–	–	3	1	4	1	6	4	9	11	12	15	15	22	9	13	5	2	–	–
	Female	120	–	–	–	–	–	2	1	3	–	1	6	7	11	16	16	18	18	14	4	3	–	–
	All other Male	36	–	–	–	–	1	1	2	1	–	2	–	3	4	6	4	7	4	1	–	–	–	–
	Female	28	–	–	–	–	–	1	1	–	–	1	–	2	4	5	5	5	2	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	114	2	–	2	3	2	1	2	4	1	4	5	11	9	7	26	16	11	2	2	4	–	–
	White Male	35	1	–	–	1	–	–	–	3	–	3	2	4	3	2	7	4	5	–	–	–	–	–
	Female	42	1	–	–	–	–	1	1	1	–	–	1	6	2	4	10	6	3	2	2	2	–	–
	All other Male	16	–	–	2	2	–	–	1	–	–	1	–	–	2	–	3	3	2	–	–	–	–	–
	Female	21	–	–	–	–	2	–	–	–	1	–	2	1	2	1	6	3	1	–	–	2	–	–
250	Diabetes mellitus	642	–	–	–	2	3	3	2	8	11	16	34	39	53	87	97	91	91	57	33	12	3	–
	White Male	169	–	–	–	–	–	2	–	3	5	3	8	12	17	25	28	22	22	12	9	1	–	–
	Female	225	–	–	–	1	2	–	2	1	3	1	8	7	11	26	32	35	34	29	21	10	2	–
	All other Male	88	–	–	–	–	1	1	–	4	1	4	4	6	9	16	12	13	9	6	2	–	–	–
	Female	160	–	–	–	1	–	–	–	–	2	8	14	14	16	20	25	21	26	10	1	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	84	5	–	–	–	–	1	1	–	–	1	2	5	5	5	4	8	13	14	12	7	1	–
	White Male	22	–	–	–	–	–	1	–	–	–	–	–	2	2	2	1	1	3	5	3	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	2	5	7	3	1	–
	All other Male	24	4	–	–	–	–	–	–	–	–	–	1	1	1	1	3	4	4	2	1	2	–	–
	Female	15	1	–	–	–	–	–	1	–	–	1	–	1	1	1	–	2	4	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
280–285	Anemias	72	1	3	2	1	4	–	2	3	5	2	1	2	1	5	6	7	6	11	7	3	–	–
	White Male	12	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	2	1	2	2	1	–	–
	Female	26	–	–	–	1	–	–	–	1	2	–	–	–	1	1	2	2	3	6	5	2	–	–
	All other Male	17	–	3	1	–	4	–	1	2	–	–	–	–	–	3	1	1	1	–	–	–	–	–
	Female	17	1	–	–	–	–	–	1	–	3	2	1	1	–	–	2	2	1	3	–	–	–	–
320	Meningitis	36	18	2	1	–	–	1	–	1	–	–	–	–	5	4	3	–	1	–	–	–	–	–
	White Male	14	7	2	–	–	–	1	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–
	Female	6	3	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other Male	7	3	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	9	5	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	21,084	26	11	5	8	22	30	53	87	167	326	644	1,081	1,551	2,071	2,794	2,965	3,041	2,796	2,041	971	389	5
	White Male	8,281	8	3	3	6	10	9	14	28	58	148	300	546	771	1,019	1,290	1,172	1,136	903	543	241	72	1
	Female	6,972	5	3	2	1	3	5	5	17	27	40	104	169	248	357	592	842	1,110	1,423	1,216	580	221	2
	All other Male	2,875	5	1	–	1	7	8	15	22	52	80	139	203	288	359	519	464	325	189	110	57	30	1
	Female	2,956	8	4	–	–	2	8	19	20	30	58	101	163	244	336	393	487	470	281	172	93	66	1
390–398, 402, 404, 410–429	Diseases of heart	14,605	21	8	4	5	12	18	37	62	120	238	500	847	1,209	1,596	2,097	2,013	2,048	1,771	1,201	557	238	3
	White Male	6,324	5	3	3	5	6	5	11	24	49	129	260	479	682	862	1,023	857	800	602	326	143	49	1
	Female	4,481	5	3	1	–	2	3	2	8	16	25	71	125	179	265	449	570	735	862	695	333	132	–
	All other Male	1,967	5	–	–	–	2	5	9	15	37	52	106	143	196	258	373	295	224	124	74	33	15	1
	Female	1,833	6	2	–	–	2	5	15	15	18	32	63	100	152	211	252	291	289	183	106	48	42	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	200	–	–	–	1	2	2	5	5	5	10	14	16	16	25	24	24	26	14	8	3	–	–
	White Male	73	–	–	–	1	–	1	2	2	1	2	5	8	8	12	7	11	6	3	2	2	–	–
	Female	69	–	–	–	–	–	–	–	1	3	2	5	3	4	9	9	7	13	8	5	–	–	–
	All other Male	29	–	–	–	–	1	1	2	1	–	2	1	2	2	2	6	3	4	2	–	–	–	–
	Female	29	–	–	–	–	1	–	1	1	1	4	3	3	2	2	2	3	3	1	1	1	–	–
402	Hypertensive heart disease	196	–	–	–	–	–	–	1	1	2	2	4	8	14	31	23	32	20	27	20	4	7	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	1	2	2	7	5	4	5	8	6	2	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	1	2	3	4	5	9	8	8	7	–	4	–
	All other Male	44	–	–	–	–	–	–	–	1	2	1	2	3	3	8	8	9	–	4	3	–	–	–
	Female	58	–	–	–	–	–	–	1	–	–	1	–	1	6	12	5	10	7	7	4	2	2	–
404	Hypertensive heart and renal disease	107	–	–	–	–	–	–	–	–	–	–	3	3	5	10	10	18	14	20	12	9	3	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	6	2	8	2	3	1	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	8	8	5	1	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	2	–	2	3	3	2	1	1	1	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	6	6	3	1	–	1	–
410–413	Ischemic heart disease	12,176	–	–	–	1	3	5	14	35	86	186	387	695	1,022	1,338	1,788	1,684	1,750	1,517	1,005	474	184	2
	White Male	5,520	–	–	–	1	1	2	4	15	42	114	225	417	610	757	915	747	701	531	275	124	38	1
	Female	3,805	–	–	–	–	–	1	–	2	7	16	51	101	150	228	388	485	637	752	595	286	106	–
	All other Male	1,497	–	–	–	–	1	1	4	7	27	36	74	108	149	203	285	227	186	98	56	27	8	–
	Female	1,354	–	–	–	–	1	1	6	11	10	20	37	69	113	150	200	225	226	136	79	37	32	1
410	Acute myocardial infarction	7,241	–	–	–	–	2	4	10	23	60	142	293	498	705	931	1,185	1,026	931	761	404	191	73	2
	White Male	3,769	–	–	–	–	1	2	4	15	34	95	183	330	457	570	660	507	423	282	122	61	22	1
	Female	2,056	–	–	–	–	–	–	–	2	5	11	37	71	98	165	263	293	349	387	224	112	39	–
	All other Male	763	–	–	–	–	–	1	2	4	17	24	48	59	83	112	149	116	66	42	28	9	3	–
	Female	653	–	–	–	–	1	1	4	2	4	12	25	38	67	84	113	110	93	50	30	9	9	1
411	Other acute and subacute forms of ischemic heart disease	102	–	–	–	–	–	–	–	–	1	4	7	14	14	17	10	13	9	3	7	3	–	–
	White Male	47	–	–	–	–	–	–	–	–	1	1	3	8	6	9	5	6	7	1	–	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	3	2	1	1	6	2	2	7	3	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	3	2	2	4	3	3	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	2	4	1	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,829	–	–	–	1	1	1	4	12	25	40	87	183	303	390	593	643	810	752	593	280	111	–
	White Male	1,702	–	–	–	1	–	–	–	–	7	18	39	79	147	178	250	233	271	248	152	63	16	–
	Female	1,719	–	–	–	–	–	1	–	–	2	5	13	27	50	62	124	185	286	362	364	171	67	–
	All other Male	716	–	–	–	–	1	–	2	3	10	9	24	47	62	88	133	110	120	56	28	18	5	–
	Female	692	–	–	–	–	–	–	2	9	6	8	11	30	44	62	86	115	133	86	49	28	23	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	77	2	1	1	–	1	1	2	2	–	2	4	3	2	3	10	7	8	12	12	2	2	–
	White Male	29	–	–	1	–	1	–	–	2	–	2	1	2	2	2	3	4	2	2	4	1	–	–
	Female	27	1	1	–	–	–	–	–	–	–	–	2	–	–	–	4	–	4	6	6	1	2	–
	All other Male	11	–	–	–	–	–	–	1	–	–	–	1	1	–	1	3	2	1	–	1	–	–	–
	Female	10	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	4	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,849	19	7	3	3	6	10	15	19	27	38	88	122	150	189	242	248	230	181	144	65	42	1
	White Male	627	5	3	2	3	4	2	5	5	6	11	28	48	59	81	89	85	84	50	37	11	9	–
	White Female	497	4	2	1	–	2	2	2	5	6	7	12	19	22	24	42	65	68	80	74	41	19	–
	All other Male	370	5	–	–	–	–	3	2	6	8	13	26	29	40	41	68	52	32	19	13	5	7	1
	All other Female	355	5	2	–	–	–	3	6	3	7	7	22	26	29	43	43	46	46	32	20	8	7	–
400, 401, 403	Hypertension	153	–	–	–	–	–	–	2	1	3	2	10	9	13	10	26	21	23	19	8	5	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	2	6	5	2	2	–	–
	White Female	42	–	–	–	–	–	–	–	–	–	–	3	1	2	1	3	7	7	11	4	3	–	–
	All other Male	43	–	–	–	–	–	–	1	1	2	1	4	4	7	3	12	3	4	–	1	–	–	–
	All other Female	43	–	–	–	–	–	–	1	–	1	1	2	2	2	5	9	9	6	3	1	–	1	–
430–438	Cerebrovascular diseases	5,240	4	3	1	3	8	10	12	21	36	73	114	190	281	388	559	775	808	838	686	321	109	–
	White Male	1,499	2	–	–	1	3	3	2	3	8	15	30	47	63	114	195	244	269	238	172	72	18	–
	White Female	2,051	–	–	1	1	–	1	3	8	8	12	25	38	58	81	122	228	304	469	431	197	64	–
	All other Male	742	–	1	–	1	5	3	4	5	12	23	29	48	75	86	124	143	76	51	31	16	9	–
	All other Female	948	2	2	–	–	–	3	3	5	8	23	30	57	85	107	118	160	159	80	52	36	18	–
431	Cerebral hemorrhage	793	2	–	–	1	2	5	8	7	7	34	33	65	61	81	87	114	92	75	77	37	5	–
	White Male	218	2	–	–	–	1	1	2	1	2	4	8	21	12	28	19	38	28	28	16	6	1	–
	White Female	230	–	–	–	1	–	–	2	1	1	2	7	6	9	19	22	26	34	31	45	21	3	–
	All other Male	153	–	–	–	–	1	2	3	3	2	11	10	15	19	14	26	18	13	6	6	4	–	–
	All other Female	192	–	–	–	–	–	2	1	2	2	17	8	23	21	20	20	32	17	10	10	6	1	–
433	Cerebral thrombosis	1,205	–	–	–	–	1	–	–	2	3	2	17	22	38	94	126	183	206	208	175	90	38	–
	White Male	364	–	–	–	–	–	–	–	–	–	1	3	3	11	29	49	62	68	61	44	25	8	–
	White Female	498	–	–	–	–	–	–	–	1	1	–	2	8	9	21	24	56	76	120	107	51	22	–
	All other Male	139	–	–	–	–	1	–	–	–	1	1	7	2	8	20	21	26	21	15	10	5	1	–
	All other Female	204	–	–	–	–	–	–	–	1	1	–	5	9	10	24	32	39	41	12	14	9	7	–
434	Cerebral embolism	20	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	2	3	4	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–
	White Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,222	2	3	1	2	5	5	4	12	26	37	63	102	181	212	343	475	508	552	430	193	66	–
	White Male	912	–	–	–	1	2	2	–	2	6	10	19	23	40	57	126	144	172	147	111	41	9	–
	White Female	1,315	–	–	1	–	–	1	1	6	6	10	16	24	40	40	75	145	194	317	276	124	39	–
	All other Male	445	–	1	–	1	3	1	1	2	9	11	11	31	48	52	76	97	41	30	15	7	8	–
	All other Female	550	2	2	–	–	–	1	2	2	5	6	17	24	53	63	66	89	101	58	28	21	10	–
440	Arteriosclerosis	559	–	–	–	–	–	–	–	1	–	2	2	8	9	31	37	69	92	109	98	66	33	2
	White Male	169	–	–	–	–	–	–	–	–	–	–	–	2	4	13	20	18	31	37	25	16	3	–
	White Female	255	–	–	–	–	–	–	–	1	–	1	–	3	1	4	6	20	39	53	65	39	21	2
	All other Male	59	–	–	–	–	–	–	–	–	–	–	–	3	2	8	5	14	9	7	1	5	5	–
	All other Female	76	–	–	–	–	–	–	–	–	–	1	2	–	2	6	6	17	13	12	7	6	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	527	1	–	–	–	2	2	2	2	8	11	18	27	39	46	75	87	70	59	48	22	8	–
	White Male	264	1	–	–	–	1	1	1	1	1	4	9	16	20	29	50	51	30	21	18	8	2	–
	White Female	143	–	–	–	–	1	1	–	–	3	2	5	2	8	6	12	17	25	28	21	8	4	–
	All other Male	64	–	–	–	–	–	–	1	1	1	4	–	5	8	4	5	9	12	7	3	3	1	–
	All other Female	56	–	–	–	–	–	–	–	–	3	1	4	4	3	7	8	10	3	3	6	3	1	–
466	Acute bronchitis and bronchiolitis	7	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	1	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–486	Influenza and pneumonia	1,365	119	36	8	6	3	7	15	18	34	26	41	56	63	70	112	134	157	174	165	82	39	–
	White Male	509	26	7	4	1	1	2	4	5	10	3	13	19	30	33	52	57	64	77	67	23	11	–
	White Female	425	17	6	–	2	2	1	2	2	5	2	10	12	15	8	26	41	43	71	83	53	24	–
	All other Male	258	45	8	1	1	–	3	6	7	12	12	10	20	14	22	25	23	28	12	4	5	–	–
	All other Female	173	31	15	3	2	–	1	3	4	7	9	8	5	4	7	9	13	22	14	11	1	4	–
470–474	Influenza	106	2	1	–	–	–	2	–	1	7	1	1	2	3	7	11	13	16	14	14	8	3	–
	White Male	44	–	–	–	–	–	–	–	–	3	–	–	1	1	2	9	7	7	6	4	3	1	–
	White Female	40	1	–	–	–	–	1	–	1	3	–	1	1	–	1	2	3	6	5	8	5	2	–
	All other Male	11	–	–	–	–	–	1	–	–	–	1	–	–	2	3	–	1	2	1	–	–	–	–
	All other Female	11	1	1	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	2	2	–	–	–
480–486	Pneumonia	1,259	117	35	8	6	3	5	15	17	27	25	40	54	60	63	101	121	141	160	151	74	36	–
	White Male	465	26	7	4	1	1	2	4	5	7	3	13	18	29	31	43	50	57	71	63	20	10	–
	White Female	385	16	6	–	2	2	–	2	1	2	2	9	11	15	7	24	38	37	66	75	48	22	–
	All other Male	247	45	8	1	1	–	2	6	7	12	11	10	20	12	19	25	22	26	11	4	5	–	–
	All other Female	162	30	14	3	2	–	1	3	4	6	9	8	5	4	6	9	11	21	12	9	1	4	–
490–493	Bronchitis, emphysema, and asthma	486	2	–	–	1	2	1	2	4	3	4	9	34	48	75	88	80	56	40	25	10	2	–
	White Male	315	–	–	–	–	1	–	–	1	2	–	3	20	22	46	67	66	43	22	17	5	–	–
	White Female	111	–	–	–	1	–	–	–	1	1	3	3	9	23	13	9	9	10	18	6	4	1	–
	All other Male	45	–	–	–	1	1	–	2	–	–	–	1	3	3	15	11	4	1	–	2	–	1	–
	All other Female	15	2	–	–	–	–	–	2	–	–	1	2	2	–	1	1	1	2	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
490, 491	Chronic and unqualified bronchitis	109	1	–	–	1	–	–	–	–	1	1	1	6	15	15	16	20	12	11	5	3	1	–
	White Male	68	–	–	–	–	–	–	–	–	1	–	–	3	6	10	12	15	9	7	3	2	–	–
	White Female	34	–	–	–	1	–	–	–	–	–	1	–	3	7	4	3	4	3	4	2	1	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–	–	–	–
	All other Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	327	–	–	–	–	–	–	1	1	2	1	4	24	24	53	64	57	43	27	20	6	–	–
	White Male	238	–	–	–	–	–	–	–	–	1	–	3	17	15	34	53	49	34	15	14	3	–	–
	White Female	59	–	–	–	–	–	–	–	1	1	1	1	4	8	8	4	5	7	12	4	3	–	–
	All other Male	27	–	–	–	–	–	–	–	–	–	–	–	2	1	11	7	3	1	–	2	–	–	–
	All other Female	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
493	Asthma	50	1	–	–	–	2	1	1	3	–	2	4	4	9	7	8	3	1	2	–	1	1	–
	White Male	9	–	–	–	–	1	–	–	1	–	–	–	–	1	2	2	2	–	–	–	–	–	–
	White Female	18	–	–	–	–	–	–	–	–	–	1	2	2	8	1	2	–	–	2	–	–	–	–
	All other Male	13	–	–	–	–	1	1	–	2	–	–	–	1	–	4	3	–	–	–	–	–	1	–
	All other Female	10	1	–	–	–	–	–	1	–	–	1	2	1	–	–	1	1	1	–	–	1	–	–
531–533	Peptic ulcer	131	1	1	–	1	–	–	2	–	–	4	6	13	14	10	14	20	21	16	4	4	–	–
	White Male	61	–	–	–	1	–	–	–	–	–	1	2	5	12	5	6	9	10	9	–	1	–	–
	White Female	41	–	1	–	–	–	–	–	–	–	2	1	4	1	4	5	5	7	5	3	3	–	–
	All other Male	18	1	–	–	–	–	–	2	–	–	–	3	3	1	1	3	1	3	–	–	–	–	–
	All other Female	11	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	5	1	2	1	–	–	–
540–543	Appendicitis	18	1	–	–	–	–	–	–	–	1	2	–	1	4	–	3	3	–	2	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	1	–	–
	All other Male	7	1	–	–	–	–	–	–	–	1	–	–	–	3	–	1	1	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	122	10	–	–	2	1	–	1	–	–	4	2	6	7	9	14	15	17	23	10	–	1	–
	White Male	35	–	–	–	1	1	–	–	–	–	1	1	–	2	3	3	4	7	10	2	–	–	–
	White Female	45	5	–	–	1	–	–	–	–	–	1	–	1	2	4	3	2	6	11	8	–	1	–
	All other Male	17	3	–	–	–	–	1	–	–	–	2	1	2	1	2	1	1	2	1	–	–	–	–
	All other Female	25	2	–	–	–	–	–	–	–	–	–	–	3	2	–	7	8	2	1	–	–	–	–
571	Cirrhosis of liver	607	2	–	–	2	–	–	9	19	28	49	96	100	96	70	60	35	29	6	4	2	–	–
	White Male	277	2	–	–	–	–	–	2	4	10	18	41	49	50	37	34	17	10	2	–	1	–	–
	White Female	170	–	–	–	1	–	–	–	2	4	10	24	24	28	20	20	11	17	4	4	1	–	–
	All other Male	77	–	–	–	–	–	–	6	6	4	10	11	11	12	8	5	3	1	–	–	–	–	–
	All other Female	83	–	–	–	1	–	–	1	7	10	11	20	16	6	5	1	4	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	57	–	–	–	–	–	–	–	–	–	3	1	2	2	6	10	9	9	9	3	2	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	1	1	–	2	6	4	4	4	–	–	1	–
	White Female	23	–	–	–	–	–	–	–	–	–	2	–	–	1	1	2	3	4	5	3	2	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	242	1	–	1	1	2	–	1	1	5	8	12	21	23	20	48	34	29	17	9	5	4	–
	White Male	58	1	–	–	–	–	–	–	–	–	3	3	7	6	3	11	10	7	5	1	1	–	–
	White Female	53	–	–	1	1	–	–	1	–	2	–	2	1	3	2	6	7	10	8	5	2	2	–
	All other Male	52	–	–	–	–	–	–	–	1	2	2	2	6	4	7	14	6	4	1	1	1	1	–
	All other Female	79	–	–	–	–	2	–	–	–	1	3	5	7	10	8	17	11	8	3	2	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	55	1	–	–	1	–	–	–	–	2	–	3	5	5	4	11	7	6	5	2	2	1	–
	White Male	21	1	–	–	–	–	–	–	–	–	–	1	3	1	2	6	3	2	2	–	–	–	–
	White Female	18	–	–	–	1	–	–	–	–	–	–	1	–	1	2	3	–	3	3	2	1	1	–
	All other Male	8	–	–	–	–	–	–	–	–	2	–	1	–	–	–	2	2	–	–	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	2	1	–	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	187	–	–	1	–	2	–	1	1	3	8	9	16	18	16	37	27	23	12	7	3	3	–
	White Male	37	–	–	–	–	–	–	–	–	–	3	2	4	5	1	5	7	5	3	1	1	–	–
	White Female	35	–	–	1	–	–	–	1	–	2	–	1	1	2	–	3	7	7	5	3	1	1	–
	All other Male	44	–	–	–	–	–	–	–	1	–	2	1	5	4	7	12	4	4	1	1	1	1	–
	All other Female	71	–	–	–	2	–	–	–	–	1	3	5	6	7	8	17	9	7	3	2	–	1	–
590	Infections of kidney	134	–	–	–	–	2	–	1	1	2	4	2	6	5	12	19	26	13	15	20	6	–	–
	White Male	30	–	–	–	–	–	–	1	1	–	–	–	–	2	3	5	7	3	4	3	1	–	–
	White Female	55	–	–	–	–	2	–	–	–	1	3	1	1	2	4	2	9	6	9	11	4	–	–
	All other Male	26	–	–	–	–	–	–	–	–	–	–	1	3	–	1	10	6	–	1	3	1	–	–
	All other Female	23	–	–	–	–	–	–	–	–	1	1	–	2	1	4	2	4	4	1	3	–	–	–
600	Hyperplasia of prostate	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	7	4	4	7	2	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	4	7	2	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	–	–	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	14	–	–	–	–	1	1	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	–	1	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	14	–	–	–	–	1	1	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	5	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	9	–	–	–	–	–	1	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	260	163	25	12	6	6	4	6	4	2	4	2	6	6	2	4	3	1	4	–	–	–	–
	White—Male	94	57	5	7	2	–	4	2	2	–	3	1	2	3	1	1	2	–	2	–	–	–	–
	Female	88	55	8	4	4	1	–	1	–	2	1	1	2	3	1	2	1	1	1	–	–	–	–
	All other—Male	42	29	7	–	–	2	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	36	22	5	1	–	3	–	2	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	643	643	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	181	181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	197	197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	142	142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	380	380	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	263	263	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	606	115	2	–	2	3	2	8	7	16	15	16	35	39	46	65	61	57	40	39	28	10	–
	White—Male	180	29	–	–	1	2	–	5	–	3	3	4	12	14	17	20	14	25	12	9	9	1	–
	Female	143	21	1	–	–	–	1	2	4	2	3	4	8	2	6	12	10	15	15	20	13	4	–
	All other—Male	152	36	1	–	1	–	1	–	2	7	5	5	8	16	14	20	18	5	6	4	2	1	–
	Female	131	29	–	–	–	1	–	1	1	4	4	3	7	7	9	13	19	12	7	6	4	4	–
Residual	All other diseases	3,057	41	27	18	10	21	43	65	71	87	134	170	187	271	330	385	329	314	264	183	81	26	–
	White—Male	1,160	11	8	6	4	9	15	18	20	24	28	55	57	100	144	180	153	148	93	60	22	5	–
	Female	962	9	12	6	4	6	6	13	15	15	28	32	52	75	82	104	103	105	134	97	48	16	–
	All other—Male	523	13	2	3	–	4	12	19	26	24	37	44	45	54	58	60	48	32	23	12	7	–	–
	Female	412	8	5	3	2	2	10	15	10	24	41	39	33	42	46	41	25	29	14	14	4	5	–
E800–E949	Accidents	2,757	42	112	94	125	309	314	244	163	144	159	127	146	156	128	115	93	86	95	65	30	8	2
	White—Male	1,409	19	42	38	72	183	192	133	89	75	85	65	73	79	74	46	42	43	34	14	7	2	2
	Female	574	7	22	14	24	72	45	32	21	21	23	26	28	31	23	29	27	25	42	43	14	5	–
	All other—Male	575	12	25	34	26	48	62	63	41	40	40	30	32	32	21	29	15	10	12	1	1	1	–
	Female	199	4	23	8	3	6	15	16	12	8	11	6	13	14	10	11	9	8	7	7	8	–	–
E810–E823	Motor vehicle accidents	1,299	2	53	53	57	203	214	133	81	69	83	48	56	64	52	37	42	28	15	6	2	–	1
	White—Male	717	1	17	16	33	127	134	71	44	31	46	26	33	35	32	13	23	19	10	3	2	–	1
	Female	275	–	12	11	17	60	39	21	14	14	10	10	8	12	10	12	13	7	3	2	–	–	–
	All other—Male	234	–	12	20	7	15	33	33	20	21	20	10	11	12	5	9	4	2	–	–	–	–	–
	Female	73	1	12	6	–	1	8	8	3	3	7	2	4	5	5	3	2	–	2	1	–	–	–
E800–E807, E825–E949	All other accidents	1,458	40	59	41	68	106	100	111	82	75	76	79	90	92	76	78	51	58	80	59	28	8	1
	White—Male	692	18	25	22	39	56	58	62	45	44	39	39	40	44	42	33	19	24	24	11	5	2	1
	Female	299	7	10	3	7	12	6	11	7	7	13	16	20	19	13	17	14	18	39	41	14	5	–
	All other—Male	341	12	13	14	19	33	29	30	21	19	20	20	21	20	16	20	11	8	12	1	1	1	–
	Female	126	3	11	2	3	5	7	8	9	5	4	4	9	9	5	8	7	8	5	6	8	–	–
E950–E959	Suicide	673	...	...	–	3	39	70	76	59	46	52	54	64	60	48	48	26	16	7	5	–	–	–
	White—Male	449	...	...	–	2	24	40	50	44	29	32	35	43	38	33	36	20	16	6	1	–	–	–
	Female	144	...	...	–	1	11	15	10	10	10	16	13	14	20	12	7	4	–	1	–	–	–	–
	All other—Male	62	...	...	–	–	4	10	11	5	6	3	3	5	2	3	4	2	–	–	4	–	–	–
	Female	18	...	...	–	–	–	5	5	–	1	1	3	2	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	794	3	11	9	9	54	111	135	79	85	79	65	49	37	25	20	13	6	–	1	1	1	1
	White—Male	222	–	2	3	2	15	26	24	22	24	26	24	17	11	11	10	4	–	–	1	–	–	–
	Female	62	1	2	2	1	7	8	6	4	7	1	4	7	5	1	1	3	2	–	–	–	–	–
	All other—Male	381	1	6	–	5	18	57	81	42	40	38	29	20	18	10	7	5	1	–	–	1	1	1
	Female	129	1	1	4	1	14	20	24	11	14	14	8	5	3	3	2	1	3	–	–	–	–	–
E980–E999	Other external causes	24	1	–	–	–	1	3	4	2	3	2	1	2	2	2	1	–	–	–	–	–	–	–
	White—Male	8	–	–	–	–	–	2	1	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other—Male	8	1	–	–	–	–	1	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii																							
	All causes	**4,420**	**177**	**20**	**12**	**17**	**83**	**113**	**97**	**78**	**72**	**90**	**163**	**265**	**316**	**437**	**465**	**504**	**473**	**397**	**400**	**163**	**77**	**1**
	White Male	779	28	3	4	2	17	33	28	24	16	18	29	49	64	99	94	79	75	53	42	12	10	–
	White Female	589	25	3	2	3	8	11	10	6	4	7	21	31	42	61	51	56	60	78	68	36	6	–
	All other Male	1,896	65	9	4	7	48	49	39	25	32	42	61	127	126	190	225	242	201	146	173	55	30	–
	All other Female	1,156	59	5	2	5	10	20	20	23	20	23	52	58	84	87	95	127	137	120	117	60	31	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	2	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	2	–	–
010–019	Tuberculosis, all forms	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	16	5	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–	1	3	1	2	–	–
	White Male	4	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other Male	5	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–
	All other Female	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	13	1	–	1	–	–	–	1	–	–	–	2	2	1	2	–	1	1	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	6	–	–	1	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	953	1	4	1	1	7	8	6	6	14	24	57	96	108	126	136	127	103	69	37	16	5	1
	White—Male	168	–	–	–	–	1	2	–	–	1	2	7	11	23	27	34	20	22	13	2	2	1	–
	White—Female	121	–	3	–	–	–	–	–	–	–	2	9	10	16	20	14	20	10	9	2	6	–	–
	All other—Male	410	–	1	1	–	5	4	5	3	6	11	18	45	42	48	57	56	45	33	21	7	2	–
	All other—Female	254	1	–	–	1	1	2	1	3	7	9	23	30	27	31	31	31	26	14	12	1	2	1
140–149	Of buccal cavity and pharynx	29	–	–	–	–	–	–	–	–	1	1	1	2	3	6	–	6	5	1	1	2	–	–
	White—Male	10	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	1	1	1	1	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	1	–	–	2	1	2	–	3	3	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	322	–	–	–	–	–	1	1	1	3	6	12	27	28	42	58	57	46	22	11	5	1	1
	White—Male	41	–	–	–	–	–	–	–	–	–	–	1	2	5	4	14	6	7	1	–	1	–	–
	White—Female	25	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	5	4	3	–	3	–	–
	All other—Male	161	–	–	–	–	–	1	1	1	2	4	5	13	11	23	28	27	24	12	7	1	1	–
	All other—Female	95	–	–	–	–	–	–	–	–	1	2	5	11	10	11	14	19	11	6	4	–	–	1
160–163	Of respiratory system	223	–	–	–	–	–	–	1	1	2	6	14	28	36	31	37	23	20	12	9	3	–	–
	White—Male	48	–	–	–	–	–	–	–	–	–	1	2	3	9	10	12	3	5	3	–	–	–	–
	White—Female	19	–	–	–	–	–	–	–	–	–	1	1	3	4	3	2	3	2	–	–	–	–	–
	All other—Male	124	–	–	–	–	–	–	1	–	3	10	18	21	16	18	12	9	7	6	3	–	–	–
	All other—Female	32	–	–	–	–	–	–	1	–	2	1	1	4	2	2	5	5	4	2	3	–	–	–
174	Of breast	47	–	–	–	–	–	–	–	3	1	3	9	5	7	7	4	4	3	1	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	18	–	–	–	–	–	–	–	–	–	1	2	2	1	3	3	4	1	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	29	–	–	–	–	–	–	–	3	1	2	7	3	6	4	1	–	2	–	–	–	–	–
180–187	Of genital organs	74	–	–	–	1	1	1	1	–	1	2	4	7	5	5	12	10	8	12	3	–	1	–
	White—Male	16	–	–	–	–	–	1	–	–	–	–	–	–	–	2	3	3	2	5	–	–	–	–
	White—Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	2	–	–	–	–
	All other—Male	24	–	–	–	–	1	–	1	–	–	–	–	3	1	–	3	5	3	4	2	–	1	–
	All other—Female	27	–	–	–	1	–	–	–	–	1	2	4	3	3	3	4	2	2	1	1	–	–	–
188, 189	Of urinary organs	40	–	1	–	–	–	–	–	–	–	1	2	2	5	6	7	5	3	3	1	3	1	–
	White—Male	10	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	1	2	–	–	–	–	–
	White—Female	6	–	1	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–
	All other—Male	16	–	–	–	–	–	–	–	–	–	1	–	–	4	2	2	3	1	–	1	2	–	–
	All other—Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	–	1	1	–
170–173, 190–199	Of all other and unspecified sites	114	–	–	–	–	1	2	2	–	1	2	11	13	14	15	12	11	6	12	8	3	1	–
	White—Male	27	–	–	–	–	–	–	–	–	1	–	2	3	5	5	1	4	2	2	1	–	1	–
	White—Female	23	–	–	–	–	–	–	–	–	–	–	3	–	6	3	3	4	–	2	–	2	–	–
	All other—Male	36	–	–	–	–	1	2	2	–	–	1	2	5	1	2	4	1	3	7	4	1	–	–
	All other—Female	28	–	–	–	–	–	–	–	–	–	1	4	5	2	5	4	2	1	1	3	–	–	–
204–207	Leukemia	43	1	3	1	–	4	3	–	1	3	1	3	1	2	7	1	3	5	1	2	–	1	–
	White—Male	7	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1	3	–	–	–	–	–
	White—Female	6	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–
	All other—Male	17	–	1	1	–	2	1	–	1	2	–	1	–	1	3	1	2	–	1	–	–	–	–
	All other—Female	13	1	–	–	–	1	2	–	–	1	1	1	1	1	2	–	–	1	–	–	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	61	–	–	–	–	1	1	1	–	2	2	1	11	8	7	5	8	7	5	2	–	–	–
	White—Male	9	–	–	–	–	–	1	–	–	–	–	–	2	2	1	1	1	–	1	–	–	–	–
	White—Female	14	–	–	–	–	–	–	–	–	–	–	1	3	1	3	1	3	1	1	–	–	–	–
	All other—Male	20	–	–	–	–	1	–	1	–	1	2	–	4	2	–	1	3	2	2	1	–	–	–
	All other—Female	18	–	–	–	–	–	–	–	–	1	–	–	2	3	3	2	1	4	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	12	–	–	–	1	–	2	–	1	–	–	–	1	1	1	–	–	2	2	–	1	–	–
	White—Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White—Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Male	5	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–
	All other—Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
250	Diabetes mellitus	141	–	–	–	–	–	–	3	2	1	7	2	6	9	20	22	28	11	17	11	1	1	–
	White—Male	14	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	4	–	2	2	–	–	–
	White—Female	15	–	–	–	–	–	–	2	–	1	–	–	–	1	4	1	–	–	4	2	–	–	–
	All other—Male	54	–	–	–	–	–	–	–	1	–	5	1	4	1	7	9	12	6	4	3	1	–	–
	All other—Female	58	–	–	–	–	–	–	1	1	–	2	1	2	5	6	11	12	5	7	4	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	9	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	3	3	1	–	–
	White—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii — Con.																							
280–285	Anemias	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	1	1	–	
	White — Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	All other — Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
320	Meningitis	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	
	White — Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other — Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
390–448	Major cardiovascular diseases	1,890	2	1	2	2	7	6	6	8	28	32	54	106	122	187	224	252	264	198	243	95	51	
	White — Male	297	1	–	–	–	1	1	–	1	4	5	13	24	19	49	43	36	36	25	27	6	6	
	Female	267	–	–	–	–	1	1	–	2	2	1	3	8	8	15	25	26	45	46	55	23	6	
	All other — Male	820	–	1	2	1	5	2	3	3	14	16	24	57	53	90	120	130	104	59	88	28	20	
	Female	506	1	–	–	1	–	2	3	2	8	10	14	17	42	33	36	60	79	68	73	38	19	
390–398, 402, 404, 410–429	Diseases of heart	1,431	2	1	2	2	5	5	3	4	22	23	44	87	107	145	176	173	205	132	193	69	31	
	White — Male	246	1	–	–	–	1	–	–	1	3	5	11	23	19	41	35	25	30	20	24	4	3	
	Female	195	–	–	–	–	–	1	–	–	2	–	2	6	8	10	22	16	35	30	42	18	3	
	All other — Male	623	–	1	2	1	4	2	1	1	11	12	22	47	47	68	90	91	79	37	71	22	14	
	Female	367	1	–	–	1	–	2	2	2	6	6	9	11	33	26	29	41	61	45	56	25	11	
390–398	Active rheumatic fever and chronic rheumatic heart disease	37	–	–	2	–	1	3	2	–	4	1	1	4	4	3	6	3	–	1	2	–	–	
	White — Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	
	Female	6	–	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	–	1	–	–	–	
	All other — Male	11	–	–	2	–	1	–	1	–	1	1	–	1	–	2	1	1	–	–	–	–	–	
	Female	17	–	–	–	–	–	2	1	–	3	–	1	2	2	1	2	1	–	–	2	–	–	
402	Hypertensive heart disease	20	–	–	–	–	–	–	–	1	–	1	–	1	–	2	3	3	4	1	4	–	–	
	White — Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other — Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	1	–	3	–	–	
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	–	–	–	–	
404	Hypertensive heart and renal disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	1	
	White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	All other — Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	
410–413	Ischemic heart disease	1,258	–	–	–	–	–	–	–	2	13	19	39	77	95	130	157	150	193	115	175	65	28	
	White — Male	226	–	–	–	–	–	–	–	1	3	5	11	22	17	39	32	19	30	17	23	4	3	
	Female	166	–	–	–	–	–	–	–	–	–	–	2	6	5	9	18	11	33	25	37	17	3	
	All other — Male	552	–	–	–	–	–	–	–	–	7	9	18	41	45	61	85	83	75	33	63	19	13	
	Female	314	–	–	–	–	–	–	–	1	3	5	8	8	28	21	22	37	55	40	52	25	9	
410	Acute myocardial infarction	576	–	–	–	–	–	–	–	1	5	11	21	40	52	75	71	81	82	51	56	19	11	
	White — Male	107	–	–	–	–	–	–	–	1	1	4	7	11	11	22	12	9	14	7	7	–	1	
	Female	60	–	–	–	–	–	–	–	–	–	–	–	–	2	5	9	6	11	11	10	5	1	
	All other — Male	263	–	–	–	–	–	–	–	–	4	4	11	25	23	36	37	48	31	15	15	8	6	
	Female	146	–	–	–	–	–	–	–	–	–	3	3	4	16	12	13	18	26	18	24	6	3	
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	
	White — Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	
412	Chronic ischemic heart disease	677	–	–	–	–	–	–	–	1	8	8	18	37	43	55	85	68	110	63	118	46	17	
	White — Male	118	–	–	–	–	–	–	–	–	2	1	4	11	6	17	20	10	16	9	16	4	2	
	Female	105	–	–	–	–	–	–	–	–	–	–	2	6	3	4	9	4	22	14	27	12	2	
	All other — Male	289	–	–	–	–	–	–	–	–	3	5	7	16	22	25	48	35	44	18	48	11	7	
	Female	165	–	–	–	–	–	–	–	1	3	2	5	4	12	9	8	19	28	22	27	19	6	
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	7	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	–	–	1	1	–	
	White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	1	–	
	All other — Male	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
420–423, 425–427, 429	All other forms of heart disease	103	2	1	–	2	4	2	1	1	4	2	2	5	7	9	10	15	8	13	11	2	2	–
	White—Male	15	1	–	–	–	1	–	–	–	–	–	–	–	1	2	2	4	–	3	1	–	–	–
	White—Female	15	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	1	3	4	–	–	–
	All other—Male	45	–	1	–	1	3	2	–	1	3	1	2	4	2	4	3	5	3	4	4	2	–	–
	All other—Female	28	1	–	–	1	–	–	1	–	–	1	–	1	3	2	4	3	4	3	2	–	2	–
400,. 401, 403	Hypertension	10	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	1	3	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	1	1	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
430–438	Cerebrovascular diseases	381	–	–	–	–	1	–	2	4	5	9	7	17	13	35	42	66	48	58	41	15	18	–
	White—Male	38	–	–	–	–	–	–	–	–	1	–	2	1	–	5	6	7	5	5	2	2	2	–
	White—Female	62	–	–	–	–	–	–	–	2	–	1	1	2	–	5	3	9	8	13	10	5	3	–
	All other—Male	158	–	–	–	1	–	1	2	2	4	1	8	5	19	27	32	18	19	12	2	5	–	–
	All other—Female	123	–	–	–	–	–	–	1	–	2	4	3	6	8	6	6	18	17	21	17	6	8	–
431	Cerebral hemorrhage	78	–	–	–	–	1	–	–	–	1	1	3	9	4	15	8	19	7	6	3	1	–	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	All other—Male	42	–	–	–	1	–	–	–	–	1	–	1	5	1	7	8	11	3	2	1	1	–	–
	All other—Female	29	–	–	–	–	–	–	–	–	–	1	2	4	3	3	–	7	4	3	2	–	–	–
433	Cerebral thrombosis	75	–	–	–	–	–	–	–	–	–	2	1	–	1	6	13	13	9	15	9	2	4	–
	White—Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	1	1	–	2	–
	White—Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	5	1	2	–
	All other—Male	29	–	–	–	–	–	–	–	–	–	2	–	–	–	2	7	6	4	8	–	–	–	–
	All other—Female	19	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	4	1	4	3	1	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	227	–	–	–	–	–	–	2	4	4	6	3	8	8	14	21	34	32	37	28	12	14	–
	White—Male	22	–	–	–	–	–	–	–	–	1	–	2	1	–	–	4	5	3	3	1	2	–	–
	White—Female	44	–	–	–	–	–	–	–	2	–	1	1	2	–	2	2	7	6	11	5	4	1	–
	All other—Male	87	–	–	–	–	–	–	1	2	1	2	–	3	4	10	12	15	11	9	11	1	5	–
	All other—Female	74	–	–	–	–	–	–	1	–	2	3	–	2	4	2	3	7	12	14	11	5	8	–
440	Arteriosclerosis	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	6	8	1	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White—Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	45	–	–	–	–	1	1	1	–	1	–	2	1	1	6	5	13	9	1	2	–	1	–
	White—Male	11	–	–	–	–	–	1	–	–	–	–	–	–	–	2	2	4	1	–	–	–	1	–
	White—Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other—Male	24	–	–	–	–	–	–	1	–	1	–	–	1	–	3	2	7	6	1	2	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	185	4	2	–	–	2	4	1	4	–	–	5	3	5	17	11	7	22	31	38	21	8	–
	White—Male	25	–	–	–	–	–	–	–	1	–	–	–	1	1	2	2	1	5	5	5	1	1	–
	White—Female	28	1	–	–	–	–	1	–	–	–	–	2	1	2	4	1	1	1	6	4	4	–	–
	All other—Male	79	3	2	–	–	1	1	–	–	–	–	1	–	1	9	7	2	9	14	19	8	2	–
	All other—Female	53	–	–	–	–	1	2	1	3	–	–	2	1	1	2	1	3	7	6	10	8	5	–
470–474	Influenza	22	–	–	–	–	–	1	–	1	–	–	–	–	–	2	–	1	3	4	5	5	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	1	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	3	–	–
480–486	Pneumonia	163	4	2	–	–	2	3	1	3	–	–	5	3	5	15	11	6	19	27	33	16	8	–
	White—Male	24	–	–	–	–	–	–	–	1	–	–	–	1	1	2	2	1	4	5	5	1	1	–
	White—Female	23	1	–	–	–	–	–	–	–	–	–	2	1	2	3	1	1	1	4	4	3	–	–
	All other—Male	70	3	2	–	–	1	1	–	–	–	–	1	–	1	8	7	2	8	12	15	7	2	–
	All other—Female	46	–	–	–	–	1	2	1	2	–	–	2	1	1	2	1	2	6	6	9	5	5	–
490–493	Bronchitis, emphysema, and asthma	35	–	–	–	–	–	1	–	–	–	–	–	2	3	4	2	5	6	2	3	5	2	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	2	–	–
	White—Female	7	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–	2	–	–
	All other—Male	18	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	5	1	3	1	2	–
	All other—Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
490, 491	Chronic and unqualified bronchitis	13	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	3	1	–	2	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	1	1	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
492	Emphysema	17	–	–	–	–	–	–	–	–	–	–	–	2	1	3	–	3	3	1	1	2	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	1	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	–	1	–	1	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
493	Asthma	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
531–533	Peptic ulcer	14	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	1	3	–	2	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	2	–	2	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	10	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	5	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
571	Cirrhosis of liver	75	–	–	–	–	–	–	–	1	4	4	10	9	13	8	13	10	2	1	–	–	–	–
	White Male	22	–	–	–	–	–	–	–	1	1	3	2	1	6	3	2	2	1	–	–	–	–	–
	White Female	21	–	–	–	–	–	–	–	–	–	1	4	3	5	3	3	2	–	–	–	–	–	–
	All other Male	20	–	–	–	–	–	–	–	–	3	–	3	4	1	2	3	3	1	–	–	–	–	–
	All other Female	12	–	–	–	–	–	–	–	–	–	–	1	1	1	–	5	3	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	24	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3	5	3	3	2	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	3	1	1	–	–
	All other Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	2	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	21	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	4	3	3	2	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	3	1	1	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	–	1	–	–	–
590	Infections of kidney	13	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	2	2	2	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	52	42	3	1	–	2	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	White Male	10	6	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	8	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	20	18	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	12	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	54	16	1	–	1	2	3	4	–	3	1	1	–	3	1	1	3	2	5	5	1	1	–
	White Male	12	4	–	–	–	–	1	3	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	24	4	1	–	1	2	2	–	–	1	–	–	–	2	1	–	2	1	2	4	1	–	–
	Female	15	8	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	2	1	–	1	–
Residual	All other diseases	325	7	3	–	2	4	7	7	8	5	3	12	15	22	37	33	36	27	40	37	13	7	–
	White Male	67	1	–	–	1	1	3	2	1	2	1	3	4	4	8	9	7	7	6	4	1	2	–
	Female	43	2	–	–	–	–	1	2	–	–	–	1	4	5	7	3	6	1	7	3	1	–	–
	All other Male	121	1	2	–	–	1	2	1	2	–	1	3	2	8	14	17	15	11	13	22	4	2	–
	Female	94	3	1	–	1	2	1	2	5	3	1	5	5	5	8	4	8	8	14	8	7	3	–
E800–E949	Accidents	293	5	4	7	9	43	52	30	22	3	7	12	14	11	20	6	13	15	11	7	–	2	–
	White Male	82	1	1	4	1	14	17	11	9	1	2	3	4	4	2	1	4	2	1	–	–	–	–
	Female	23	2	–	1	2	4	3	–	1	–	1	1	–	–	4	1	1	1	–	1	–	–	–
	All other Male	153	1	1	–	5	21	26	17	7	2	4	7	9	6	12	4	7	9	9	4	–	2	–
	Female	35	1	2	2	1	4	6	2	5	–	–	1	1	1	2	–	1	3	1	2	–	–	–
E810–E823	Motor vehicle accidents	143	3	2	4	5	24	26	11	18	2	2	7	9	5	10	1	5	5	4	–	–	–	–
	White Male	35	1	1	3	–	6	4	3	7	–	1	2	2	2	1	–	2	–	–	–	–	–	–
	Female	13	–	–	1	1	3	3	–	1	–	–	–	–	–	3	–	1	–	–	–	–	–	–
	All other Male	77	1	–	–	4	12	16	7	5	2	1	4	6	3	5	1	2	4	4	–	–	–	–
	Female	18	1	1	–	–	3	3	1	5	–	–	1	1	–	1	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	150	2	2	3	4	19	26	19	4	1	5	5	5	6	10	5	8	10	7	7	–	2	–
	White Male	47	–	–	1	1	8	13	8	2	1	1	1	2	2	1	1	2	2	1	–	–	–	–
	Female	10	2	–	–	1	1	–	–	–	–	1	1	–	–	1	1	–	1	–	1	–	–	–
	All other Male	76	–	1	–	1	9	10	10	2	–	3	3	3	3	7	3	5	5	5	4	–	2	–
	Female	17	–	1	2	1	1	3	1	–	–	–	–	–	1	1	–	1	2	1	2	–	–	–
E950–E959	Suicide	89	...	...	–	–	6	11	12	14	8	9	3	5	6	4	2	4	1	2	2	–	–	–
	White Male	24	...	...	–	–	–	2	2	7	4	4	1	1	1	1	–	1	–	–	–	–	–	–
	Female	14	...	...	–	–	1	3	2	1	–	2	–	3	1	1	–	–	–	–	–	–	–	–
	All other Male	40	...	...	–	–	4	4	6	5	3	2	–	1	4	2	2	3	1	1	2	–	–	–
	Female	11	...	...	–	–	1	2	2	1	1	1	2	–	–	–	–	–	–	1	–	–	–	–
E960–E978	Homicide	57	2	–	–	1	6	6	15	8	5	3	2	3	2	1	1	1	–	1	–	–	–	–
	White Male	13	–	–	–	–	–	1	5	2	2	–	–	2	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	28	1	–	–	–	4	5	5	3	2	3	2	1	–	–	1	1	–	–	–	–	–	–
	Female	11	1	–	–	1	–	–	4	1	1	–	–	–	1	1	–	–	–	1	–	–	–	–
E980–E999	Other external causes	37	–	2	–	–	3	11	10	2	–	–	–	–	2	–	1	4	1	1	–	–	–	–
	White Male	12	–	–	–	–	–	5	4	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	2	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	11	–	–	–	–	3	2	2	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	Female	9	–	2	–	–	–	2	2	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho																							
	All causes	6,635	227	54	30	31	119	124	105	81	88	107	186	241	401	565	663	724	859	820	706	379	121	4
	White Male	3,845	123	34	22	21	88	93	72	62	52	57	130	157	234	365	436	455	498	417	324	158	45	2
	White Female	2,668	100	18	6	9	28	23	26	17	31	40	50	79	158	190	212	266	347	396	379	218	73	2
	All other Male	74	3	2	2	1	1	5	5	1	1	6	5	1	6	6	10	1	11	3	2	2	–	–
	All other Female	48	1	–	–	–	2	3	2	1	4	4	1	4	3	4	5	2	3	4	1	1	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	1	–
	White Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	7	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	2	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	15	8	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–
	White Male	10	5	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
	White Female	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	20	2	2	1	–	1	–	–	–	–	1	–	1	–	2	1	4	1	3	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	2	–	–	–	–
	White Female	10	2	1	–	–	1	–	–	–	–	–	–	1	–	1	–	2	–	1	1	–	–	–
	All other Male	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,173	1	1	2	4	4	2	8	5	12	24	50	77	128	171	168	153	165	96	71	28	3	–
	White—Male	635	–	1	1	3	3	1	4	3	6	9	29	40	63	98	95	97	88	45	39	9	1	–
	White—Female	528	1	–	1	1	1	1	4	2	6	14	20	35	63	71	72	56	76	51	32	19	2	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	1	–	–	–	–	–
140–149	Of buccal cavity and pharynx	23	–	–	–	–	–	–	–	–	1	–	1	1	4	4	6	2	2	–	2	–	–	–
	White—Male	15	–	–	–	–	–	–	–	–	1	–	1	–	2	3	2	2	2	–	2	–	–	–
	White—Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	271	–	–	–	–	–	–	–	1	–	5	11	21	19	37	30	38	45	37	15	11	1	–
	White—Male	146	–	–	–	–	–	–	–	1	–	2	8	15	11	26	18	25	20	10	7	3	–	–
	White—Female	123	–	–	–	–	–	–	–	–	–	3	3	6	7	10	12	13	25	27	8	8	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	268	–	–	–	–	–	–	–	–	1	4	13	17	35	49	55	40	32	12	7	3	–	–
	White—Male	208	–	–	–	–	–	–	–	–	1	2	11	10	29	32	44	32	30	11	4	2	–	–
	White—Female	58	–	–	–	–	–	–	–	–	–	2	2	7	5	17	10	8	2	1	3	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	132	–	–	–	–	–	–	–	1	4	8	7	11	20	17	20	11	14	9	4	5	1	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White—Female	128	–	–	–	–	–	–	–	1	4	7	7	10	19	17	19	11	14	9	4	5	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	148	–	–	–	–	–	–	3	–	2	1	4	6	12	14	18	27	26	10	20	4	1	–
	White—Male	78	–	–	–	–	–	–	1	–	1	–	1	2	2	7	8	16	14	6	15	4	1	–
	White—Female	67	–	–	–	–	–	–	2	–	1	1	2	4	10	6	10	11	11	4	5	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
188, 189	Of urinary organs	40	–	–	–	–	–	–	–	–	–	–	2	1	7	7	6	4	5	3	4	1	–	–
	White—Male	25	–	–	–	–	–	–	–	–	–	–	–	1	4	5	4	3	2	2	4	–	–	–
	White—Female	15	–	–	–	–	–	–	–	–	–	–	2	–	3	2	2	1	3	1	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	165	1	1	1	3	2	2	2	3	3	3	7	14	18	25	19	17	21	14	8	1	–	–
	White—Male	93	–	1	–	2	2	1	1	2	2	3	4	9	10	14	11	11	10	8	2	–	–	–
	White—Female	72	1	–	1	1	–	1	1	1	1	–	3	5	8	11	8	6	11	6	6	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	55	–	–	1	–	2	–	1	–	–	1	3	2	4	8	4	8	11	3	7	–	–	–
	White—Male	30	–	–	1	–	1	–	–	–	–	–	2	1	1	5	2	6	5	2	4	–	–	–
	White—Female	25	–	–	–	–	1	–	1	–	–	1	1	1	3	3	2	2	6	1	3	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	71	–	–	–	1	–	–	2	–	1	2	2	4	9	10	10	6	9	8	4	3	–	–
	White—Male	38	–	–	–	1	–	–	2	–	1	2	2	2	3	6	5	2	5	6	1	–	–	–
	White—Female	33	–	–	–	–	–	–	–	–	–	–	–	2	6	4	5	4	4	2	3	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	15	–	1	–	–	–	–	–	–	2	2	–	2	–	1	2	–	1	1	3	–	–	–
	White—Male	8	–	1	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–	3	–	–	–
	White—Female	7	–	–	–	–	–	–	–	–	2	–	–	2	–	1	1	–	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	117	–	–	–	–	1	–	2	2	3	–	6	4	9	9	16	12	20	21	9	2	1	–
	White—Male	58	–	–	–	–	–	–	2	2	2	–	2	3	6	6	10	7	2	12	4	–	–	–
	White—Female	53	–	–	–	–	1	–	–	–	1	–	4	1	3	3	4	5	15	8	5	2	1	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	9	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	2	1	2	–	–
	White—Male	8	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	1	1	2	–	–
	White—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
280–285	Anemias	15	–	–	1	–	–	–	1	–	1	–	1	–	2	–	1	2	–	1	2	3	–	
	White Male	11	–	–	1	–	–	–	1	–	–	–	1	–	1	–	1	2	–	–	1	3	–	
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	5	1	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	White Male	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	3,124	4	3	3	4	2	3	1	8	13	23	51	85	154	250	328	380	492	524	466	244	83	3
	White Male	1,758	2	1	3	4	2	–	1	7	7	13	41	63	99	172	227	232	290	260	202	99	32	1
	Female	1,334	2	2	–	–	–	3	–	1	6	9	10	21	53	75	96	145	195	260	262	143	49	2
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	1	6	1	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	2	1	3	1	1	2	–
390–398, 402, 404, 410–429	Diseases of heart	2,187	2	–	1	1	–	2	–	5	8	14	43	68	124	209	259	277	347	349	293	135	47	3
	White Male	1,307	–	–	1	1	–	–	–	4	5	12	37	50	87	151	186	173	216	173	129	61	20	1
	Female	860	2	–	–	–	–	2	–	1	3	1	6	17	35	56	68	103	128	173	163	74	26	2
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	1	2	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	1	2	1	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	44	–	–	–	–	–	1	–	4	–	–	–	4	8	3	4	10	6	1	3	–	–	
	White Male	21	–	–	–	–	–	–	–	3	–	–	–	3	3	–	2	4	5	–	1	–	–	
	Female	22	–	–	–	–	–	1	–	1	–	–	–	1	5	3	2	5	1	1	2	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	20	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	4	3	4	4	1	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	1	2	2	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	7	4	3	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	2	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	1,913	–	–	1	–	–	–	–	1	6	11	35	54	106	191	229	246	295	314	257	120	45	2
	White Male	1,173	–	–	1	–	–	–	–	1	5	10	31	41	77	143	166	162	185	162	113	55	20	1
	Female	723	–	–	–	–	–	–	–	–	1	–	4	12	27	46	59	84	108	149	143	65	24	1
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	2	1	–	1	–
410	Acute myocardial infarction	1,033	–	–	–	–	–	–	–	–	5	6	30	44	84	143	161	148	150	125	92	35	9	1
	White Male	698	–	–	–	–	–	–	–	–	4	5	28	35	61	111	117	100	100	73	40	19	4	1
	Female	325	–	–	–	–	–	–	–	–	1	–	2	8	22	31	42	48	49	49	52	16	5	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	2	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	–	–	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	873	–	–	1	–	–	–	–	1	1	5	5	10	22	47	66	97	144	187	165	85	36	1
	White Male	470	–	–	1	–	–	–	–	1	1	5	3	6	16	31	48	61	84	88	73	36	16	–
	Female	396	–	–	–	–	–	–	–	–	–	–	2	4	5	15	16	36	59	99	91	49	19	1
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	11	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	1	2	4	–	–	–	
	White Male	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
420–423, 425–427, 429	All other forms of heart disease	179	2	–	–	–	–	1	–	–	2	3	7	10	10	14	23	17	35	20	25	8	1	1
	White Male	97	–	–	–	–	–	–	–	–	–	2	6	6	7	8	16	7	23	8	11	3	–	–
	Female	80	2	–	–	–	–	1	–	–	2	1	1	4	3	6	6	10	11	12	14	5	1	1
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
400, 401, 403	Hypertension	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	–	2	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	687	2	2	2	3	2	–	–	3	4	6	7	11	24	33	50	80	112	131	124	73	18	–
	White Male	321	2	–	2	3	2	–	–	3	1	–	3	7	9	17	25	41	58	64	56	22	6	–
	Female	358	–	2	–	–	–	–	–	–	3	6	4	4	15	15	25	38	51	66	68	50	11	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–
431	Cerebral hemorrhage	68	1	–	1	1	–	–	–	–	2	5	2	3	4	7	8	11	7	8	5	2	1	–
	White Male	30	1	–	1	1	–	–	–	–	1	–	1	–	2	6	4	4	4	5	–	–	–	–
	Female	37	–	–	–	–	–	–	–	–	1	5	1	3	2	1	4	7	2	3	5	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	108	–	1	–	–	1	–	–	–	–	–	–	2	2	6	6	16	22	18	23	9	2	–
	White Male	46	–	–	–	–	1	–	–	–	–	–	–	2	–	1	3	9	11	8	11	–	–	–
	Female	60	–	1	–	–	–	–	–	–	–	–	–	–	2	5	3	6	10	10	12	9	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	507	1	1	1	2	1	–	–	3	2	1	5	6	17	20	36	52	83	104	95	62	15	–
	White Male	242	1	–	1	2	1	–	–	3	–	–	2	5	6	10	18	27	43	51	44	22	6	–
	Female	260	–	1	–	–	–	–	–	–	2	1	3	1	11	9	18	25	39	52	51	39	8	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
440	Arteriosclerosis	137	–	–	–	–	–	–	–	–	1	–	–	–	1	2	6	7	14	26	35	29	16	–
	White Male	64	–	–	–	–	–	–	–	–	1	–	–	–	–	2	6	4	8	14	12	12	5	–
	Female	71	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	5	12	23	16	11	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	105	–	1	–	–	–	1	1	–	–	3	1	6	4	5	13	16	17	16	14	5	2	–
	White Male	63	–	1	–	–	–	–	1	–	–	1	1	6	3	1	10	14	7	9	5	3	1	–
	Female	40	–	–	–	–	–	1	–	–	–	2	–	–	1	4	3	1	10	7	8	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	301	12	2	1	–	–	1	2	1	1	2	1	5	6	8	21	19	36	57	59	45	22	–
	White Male	149	5	1	–	–	–	–	1	–	–	1	1	3	2	2	12	14	20	32	27	19	9	–
	Female	143	5	1	1	–	–	1	1	1	1	1	–	2	3	5	7	5	14	24	32	26	13	–
	All other Male	6	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
470–474	Influenza	99	–	–	1	–	–	–	–	–	–	–	–	1	2	1	6	6	12	20	18	24	8	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	3	4	8	8	7	2	–
	Female	59	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	3	7	12	10	17	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	202	12	2	–	–	–	1	2	1	1	2	1	4	4	7	15	13	24	37	41	21	14	–
	White Male	110	5	1	–	–	–	–	1	–	–	1	1	2	1	2	7	11	16	24	19	12	7	–
	Female	84	5	1	–	–	–	1	1	1	1	1	–	2	2	4	6	2	7	12	22	9	7	–
	All other Male	5	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	115	–	–	–	–	–	–	–	1	–	–	2	4	10	14	18	24	28	8	3	3	–	–
	White Male	86	–	–	–	–	–	–	–	1	–	–	1	2	7	9	16	20	21	6	1	2	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	2	3	5	2	4	7	2	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
490, 491	Chronic and unqualified bronchitis	23	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	4	7	1	–	2	–	
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	4	5	–	–	1	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	84	–	–	–	–	–	–	–	–	–	–	2	3	7	11	14	18	19	7	2	1	–	
	White Male	65	–	–	–	–	–	–	–	–	–	–	1	2	5	7	12	16	14	6	1	1	–	
	Female	19	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	2	5	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	8	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	2	–	1	–	–	
	White Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	21	–	–	–	–	–	–	–	–	–	1	1	–	3	3	2	1	4	2	3	1	–	
	White Male	13	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	–	2	1	2	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	1	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	5	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	
	White Male	4	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	27	2	–	–	–	1	–	–	–	1	–	1	1	–	3	1	5	3	2	3	2	2	
	White Male	13	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	3	2	1	–	1	
	Female	13	1	–	–	–	1	–	–	–	1	–	–	–	–	2	1	2	–	–	2	2	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	78	–	–	–	–	–	–	3	1	2	12	9	9	15	13	7	5	1	1	–	–	–	
	White Male	42	–	–	–	–	–	–	–	1	1	4	4	6	8	8	5	4	1	–	–	–	–	
	Female	24	–	–	–	–	–	–	–	–	–	2	5	2	7	4	2	1	–	1	–	–	–	
	All other Male	7	–	–	–	–	–	–	2	–	–	4	–	–	–	1	–	–	–	–	–	–	–	
	Female	5	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	1	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	19	–	–	1	–	1	1	–	–	1	–	1	1	–	1	2	3	3	2	2	–	–	
	White Male	10	–	–	1	–	1	1	–	–	–	–	1	–	–	1	1	1	1	–	2	–	–	
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	2	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	
	White Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	13	–	–	1	–	1	–	–	–	1	–	1	1	–	1	1	1	2	1	2	–	–	
	White Male	8	–	–	1	–	1	–	–	–	–	–	1	–	–	1	–	1	1	–	2	–	–	
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	1	1	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	2	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	57	39	3	2	–	–	2	1	1	2	1	–	3	1	–	1	–	–	–	1	–	–	–
	White Male	31	22	–	–	–	–	1	1	1	2	–	–	3	–	–	–	–	–	–	1	–	–	–
	Female	24	16	2	2	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	157	42	2	–	–	–	2	1	2	–	3	2	6	7	8	10	10	11	23	12	12	3	1
	White Male	92	24	2	–	–	–	1	1	1	–	1	1	4	5	6	7	8	6	10	8	6	–	1
	Female	59	18	–	–	–	–	–	–	1	–	1	1	2	2	2	2	2	5	12	3	6	2	–
	All other Male	5	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Residual	All other diseases	459	8	8	–	3	3	6	10	7	5	10	13	14	24	47	53	73	62	47	43	21	2	–
	White Male	270	5	3	–	–	3	5	5	5	2	5	6	7	11	31	33	47	45	27	20	10	–	–
	Female	177	3	5	–	2	–	1	5	1	2	5	5	7	10	14	18	26	17	20	23	11	2	–
	All other Male	9	–	–	–	1	–	–	–	1	–	–	2	–	3	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
E800–E949	Accidents	567	7	27	19	17	89	71	53	30	26	19	32	18	30	24	21	21	18	15	19	9	2	–
	White Male	415	3	20	16	12	68	57	41	22	19	13	28	16	21	20	18	10	10	8	7	5	1	–
	Female	138	4	7	2	5	19	12	10	7	6	5	3	2	8	4	2	11	8	7	12	3	1	–
	All other Male	8	–	–	1	–	–	1	2	–	–	1	1	–	–	–	1	–	–	–	–	1	–	–
	Female	6	–	–	–	–	2	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	266	2	8	7	7	59	48	30	11	13	12	15	9	11	7	7	8	7	5	–	–	–	–
	White Male	183	1	3	4	3	44	38	22	6	7	9	12	8	6	5	5	2	4	4	–	–	–	–
	Female	76	1	5	2	4	13	9	7	5	5	3	2	1	5	2	2	6	3	1	–	–	–	–
	All other Male	3	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	301	5	19	12	10	30	23	23	19	13	7	17	9	19	17	14	13	11	10	19	9	2	–
	White Male	232	2	17	12	9	24	19	19	16	12	4	16	8	15	15	13	8	6	4	7	5	1	–
	Female	62	3	2	–	1	6	3	3	2	1	2	1	1	3	2	–	5	5	6	12	3	1	–
	All other Male	5	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	136	...	...	–	2	12	22	18	16	12	3	9	8	9	5	6	6	3	5	–	–	–	–
	White Male	102	...	...	–	1	7	15	12	15	8	3	7	6	7	4	5	5	2	5	–	–	–	–
	Female	25	...	...	–	1	4	2	5	1	4	–	1	2	2	1	1	1	–	–	–	–	–	–
	All other Male	6	...	...	–	–	1	3	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	3	...	...	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	44	–	1	–	–	4	9	4	6	6	4	6	1	2	1	–	–	–	–	–	–	–	–
	White Male	35	–	1	–	–	3	8	3	4	4	4	5	1	1	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	9	–	–	–	–	1	3	–	1	1	–	1	1	–	–	–	–	–	1	–	–	–	–
	White Male	7	–	–	–	–	1	3	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois																							
	All causes	103,665	2,847	485	318	358	1,109	1,467	1,326	1,101	1,243	1,941	3,136	5,024	6,888	9,275	10,977	12,389	13,476	13,610	10,201	4,922	1,563	9
	White—Male	48,803	1,011	186	143	198	651	817	632	513	557	864	1,514	2,561	3,791	5,288	6,017	6,413	6,220	5,596	3,847	1,597	383	4
	White—Female	41,381	713	130	87	90	234	222	255	237	311	497	859	1,413	2,016	2,804	3,625	4,677	6,061	7,170	5,848	3,073	1,056	3
	All other—Male	7,860	620	98	53	44	150	307	318	247	265	360	483	662	688	715	751	718	615	405	225	92	44	1
	All other—Female	5,621	503	71	35	26	74	123	121	104	110	220	280	388	393	468	584	581	580	439	281	160	80	2
004, 006	Bacillary dysentery and amebiasis	6	1	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	–	–	–	–	–
	White—Male	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	White—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	89	40	5	–	2	–	1	–	1	–	–	–	1	3	1	4	4	5	9	4	6	3	–
	White—Male	28	10	1	–	–	–	–	–	1	–	–	–	1	1	–	2	2	2	5	2	–	1	–
	White—Female	34	10	2	–	2	–	–	–	–	–	–	–	–	–	1	1	1	3	4	2	6	2	–
	All other—Male	12	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other—Female	15	11	1	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	180	–	1	1	–	3	1	1	3	11	14	8	14	14	14	24	22	18	17	11	3	–	–
	White—Male	81	–	–	–	–	–	–	1	–	1	5	5	5	9	9	7	11	12	9	6	1	–	–
	White—Female	39	–	1	–	–	–	–	–	–	1	2	–	2	–	3	10	7	2	6	3	2	–	–
	All other—Male	41	–	–	–	–	1	–	–	2	7	4	3	4	3	2	7	2	3	2	1	–	–	–
	All other—Female	19	–	–	1	–	2	1	–	1	2	3	–	3	2	–	–	2	1	–	1	–	–	–
010–012	Tuberculosis of respiratory system	127	–	–	–	–	1	1	–	3	6	12	6	10	10	8	19	12	14	13	9	3	–	–
	White—Male	59	–	–	–	–	–	–	–	–	1	5	4	5	6	5	6	6	9	7	4	1	–	–
	White—Female	30	–	–	–	–	–	–	–	–	1	2	–	1	–	2	8	4	2	5	3	2	–	–
	All other—Male	25	–	–	–	–	–	–	–	2	3	3	2	2	2	1	5	1	2	1	1	–	–	–
	All other—Female	13	–	–	–	–	1	1	–	1	1	2	–	2	2	–	–	1	1	–	1	–	–	–
013–019	Tuberculosis, other forms	53	–	1	1	–	2	–	1	–	5	2	2	4	4	6	5	10	4	4	2	–	–	–
	White—Male	22	–	–	–	–	–	–	1	–	–	–	1	–	3	4	1	5	3	2	2	–	–	–
	White—Female	9	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	3	–	1	–	–	–	–
	All other—Male	16	–	–	–	–	1	–	–	–	4	1	1	2	1	1	2	1	1	1	–	–	–	–
	All other—Female	6	–	–	1	–	1	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	9	3	4	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White—Male	4	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	261	56	5	2	1	4	4	3	5	4	4	8	7	12	18	21	24	30	28	16	8	1	–
	White—Male	99	18	2	1	–	2	1	1	2	–	3	3	2	2	8	6	14	11	13	4	5	1	–
	White—Female	95	17	1	–	1	1	2	1	2	4	1	2	1	3	4	9	8	14	11	11	2	–	–
	All other—Male	37	14	–	–	–	–	1	–	–	–	–	2	3	5	4	1	2	1	4	–	–	–	–
	All other—Female	30	7	2	1	–	1	–	1	1	–	–	1	1	2	2	5	–	4	–	1	1	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	176	16	5	7	4	5	5	4	2	3	6	9	14	14	11	10	11	16	15	13	4	2	–
	White—Male	72	6	2	3	2	2	3	1	–	–	3	4	4	6	4	5	4	9	9	3	2	–	–
	White—Female	63	3	1	3	1	2	1	1	1	2	–	2	6	4	4	4	4	6	5	9	2	2	–
	All other—Male	25	4	1	1	1	1	1	1	1	1	2	1	3	2	1	1	–	1	1	1	–	–	–
	All other—Female	16	3	1	–	–	–	–	1	–	–	1	2	1	2	2	–	3	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	20,516	3	19	54	46	70	83	116	119	231	406	870	1,527	2,130	2,792	3,007	3,016	2,472	1,988	1,129	354	84	–
	White Male	9,688	2	9	32	27	36	49	42	38	82	149	341	643	985	1,400	1,569	1,530	1,226	877	482	145	24	–
	Female	8,403	–	7	19	9	26	24	55	52	102	167	356	610	819	1,055	1,120	1,171	1,015	977	577	188	54	–
	All other Male	1,427	1	2	2	3	4	4	6	13	21	43	93	154	204	209	198	203	137	77	34	15	4	–
	Female	998	–	1	1	7	4	6	13	16	26	47	80	120	122	128	120	112	94	57	36	6	2	–
140–149	Of buccal cavity and pharynx	491	–	–	–	1	1	2	1	1	2	10	44	50	58	72	77	64	42	33	21	12	–	–
	White Male	305	–	–	–	–	1	–	1	–	2	6	29	29	35	51	44	42	30	22	8	5	–	–
	Female	130	–	–	–	–	–	2	–	1	–	1	7	10	14	14	25	17	12	9	11	7	–	–
	All other Male	43	–	–	–	–	–	–	–	–	–	2	5	9	8	6	6	5	–	1	1	–	–	–
	Female	13	–	–	–	1	–	–	–	–	–	1	3	2	1	1	2	–	–	1	1	–	–	–
150–159	Of digestive organs and peritoneum	5,836	1	1	–	1	–	10	19	18	42	64	176	367	517	758	834	952	804	705	421	120	26	–
	White Male	2,652	–	1	–	1	–	2	3	5	18	32	71	177	246	375	428	451	341	281	161	49	10	–
	Female	2,417	–	–	–	–	–	5	10	5	15	18	59	97	171	272	317	393	369	377	229	65	15	–
	All other Male	460	1	–	–	–	–	2	2	5	6	11	27	56	69	71	54	61	50	26	13	5	1	–
	Female	307	–	–	–	–	–	1	4	3	3	3	19	37	31	40	35	47	44	21	18	1	–	–
160–163	Of respiratory system	4,837	–	–	–	–	1	2	4	7	32	113	248	432	653	854	844	693	486	285	140	37	6	–
	White Male	3,228	–	–	–	–	–	1	1	3	15	50	134	248	414	594	592	513	365	189	86	19	4	–
	Female	975	–	–	–	–	1	1	1	1	6	29	55	97	125	163	167	113	85	66	48	16	1	–
	All other Male	493	–	–	–	–	–	–	1	2	6	23	47	67	91	75	69	52	29	23	5	2	1	–
	Female	141	–	–	–	–	–	–	1	1	5	11	12	20	23	22	16	15	7	7	1	–	–	–
174	Of breast	1,855	–	–	–	–	–	1	4	14	29	68	119	191	258	257	220	214	185	163	78	39	15	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	1	–	1	–	–
	Female	1,682	–	–	–	–	–	1	2	13	23	55	102	172	236	229	196	200	172	156	75	36	14	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	162	–	–	–	–	–	–	2	1	6	13	17	18	20	27	22	12	12	6	3	2	1	–
180–187	Of genital organs	2,334	–	–	2	1	6	18	16	17	38	34	90	147	187	247	321	357	331	303	164	49	6	–
	White Male	890	–	–	1	–	3	14	6	5	4	2	4	15	33	64	122	147	170	176	96	26	2	–
	Female	1,101	–	–	1	1	2	2	8	9	26	20	67	108	119	142	152	153	116	102	54	17	2	–
	All other Male	180	–	–	–	–	–	–	1	1	–	–	2	4	9	21	30	45	33	17	9	6	2	–
	Female	163	–	–	–	–	1	2	1	2	8	12	17	20	26	20	17	12	12	8	5	–	–	–
188, 189	Of urinary organs	970	–	–	3	2	1	–	1	3	10	11	31	47	76	109	140	158	146	117	90	20	5	–
	White Male	601	–	–	1	1	1	–	1	–	6	7	16	29	52	71	94	96	92	64	56	13	1	–
	Female	293	–	–	2	–	–	–	–	1	4	2	11	15	18	31	30	50	43	46	31	5	4	–
	All other Male	45	–	–	–	–	–	–	–	–	–	1	3	1	4	5	9	8	9	2	2	1	–	–
	Female	31	–	–	–	1	–	–	–	2	–	1	1	2	2	2	7	4	2	5	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	2,279	2	9	19	19	30	21	38	26	41	62	106	164	221	287	312	298	250	194	112	48	20	–
	White Male	1,042	2	3	13	12	15	14	14	10	20	30	56	81	111	137	153	128	120	63	36	19	5	–
	Female	1,009	–	5	4	3	12	5	20	12	14	23	38	64	82	117	124	136	116	121	71	27	15	–
	All other Male	125	–	1	1	2	1	–	1	1	5	5	6	9	14	23	20	21	7	6	1	1	–	–
	Female	103	–	–	1	2	2	2	3	3	2	4	6	10	14	10	15	13	7	4	4	1	–	–
204–207	Leukemia	826	–	9	24	18	21	15	18	20	18	23	22	43	58	75	97	112	91	90	51	17	4	–
	White Male	437	–	5	11	10	11	11	8	8	9	9	12	24	37	45	56	67	43	44	20	6	1	–
	Female	335	–	2	12	5	8	4	8	6	7	12	8	12	17	28	38	37	46	43	29	11	2	–
	All other Male	26	–	1	1	1	2	–	–	4	1	1	1	5	1	1	3	3	–	–	1	–	–	–
	Female	28	–	1	–	2	–	–	2	2	1	1	1	2	3	1	–	5	2	3	1	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	1,088	–	–	6	4	10	14	15	13	19	21	34	86	102	133	162	168	137	98	52	12	2	–
	White Male	524	–	–	6	3	5	7	8	7	8	13	19	39	55	62	78	85	65	37	19	7	1	–
	Female	461	–	–	–	–	3	4	6	4	7	7	9	35	37	59	71	72	56	57	29	4	1	–
	All other Male	53	–	–	–	–	1	2	1	–	3	–	2	3	8	7	7	7	8	2	2	–	–	–
	Female	50	–	–	–	1	1	1	–	2	1	1	4	9	2	5	6	4	8	2	2	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	225	3	1	4	1	2	8	4	7	–	4	15	13	12	29	29	27	21	22	16	6	1	–
	White Male	85	–	–	3	1	2	4	1	3	–	2	4	4	4	9	14	11	6	8	7	2	–	–
	Female	114	1	–	–	–	–	3	3	3	–	1	8	5	5	17	15	14	13	13	8	4	1	–
	All other Male	12	1	–	1	–	–	–	–	–	–	–	2	3	–	2	–	–	1	1	1	–	–	–
	Female	14	1	1	–	–	–	1	–	1	–	1	1	1	3	1	–	2	1	–	–	–	–	–
250	Diabetes mellitus	1,792	1	–	1	1	1	6	16	24	22	21	55	70	115	164	252	239	301	292	147	57	7	–
	White Male	630	–	–	–	–	–	4	6	9	8	8	23	29	40	71	92	91	98	83	49	17	2	–
	Female	907	1	–	1	–	1	–	5	11	4	8	16	22	53	65	121	119	172	183	85	36	4	–
	All other Male	98	–	–	–	1	–	1	1	1	6	4	8	9	9	11	17	8	9	9	3	1	–	–
	Female	157	–	–	–	–	–	1	4	3	4	1	8	10	13	17	22	21	22	17	10	3	1	–
260–269	Avitaminoses and other nutritional deficiencies	94	8	2	–	–	–	–	1	1	2	3	3	1	4	7	9	3	16	11	14	8	1	–
	White Male	35	2	1	–	–	–	–	1	–	1	1	3	1	1	2	4	2	3	6	5	2	–	–
	Female	39	–	–	–	–	–	–	–	–	–	1	–	–	3	4	2	1	11	3	8	5	1	–
	All other Male	8	2	–	–	–	–	–	–	1	1	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	12	4	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
280–285	Anemias	158	2	2	2	4	2	9	4	3	3	3	2	4	11	9	13	23	18	21	14	5	4	–
	White—Male	52	1	–	–	3	–	2	1	–	–	–	–	–	4	4	9	7	8	6	7	–	–	–
	Female	70	–	–	1	–	1	2	–	–	–	1	1	4	5	3	3	12	9	14	7	5	2	–
	All other—Male	17	1	1	–	–	–	4	1	2	1	1	–	–	2	–	–	1	1	–	–	–	2	–
	Female	19	–	1	1	1	1	1	2	1	2	1	1	–	–	2	1	3	–	1	–	–	–	–
320	Meningitis	80	33	18	2	2	3	–	2	–	2	1	–	4	1	3	–	4	1	3	1	–	–	–
	White—Male	24	8	9	1	–	1	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–	–
	Female	28	10	5	1	2	1	–	–	–	1	–	–	1	–	–	–	3	1	3	–	–	–	–
	All other—Male	15	9	2	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	6	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	1	–	–	–
390–448	Major cardiovascular diseases	55,981	42	20	12	22	47	63	125	183	304	664	1,231	2,187	3,174	4,648	5,788	7,164	8,501	9,334	7,423	3,797	1,250	2
	White—Male	26,032	11	7	5	7	16	21	47	88	148	338	678	1,280	1,960	2,895	3,278	3,708	3,780	3,676	2,634	1,162	292	1
	Female	24,233	12	6	5	12	14	15	31	35	56	126	218	432	716	1,170	1,782	2,727	4,007	5,116	4,443	2,449	860	1
	All other—Male	3,044	10	6	2	1	11	18	27	37	73	118	214	313	309	344	389	363	345	235	141	57	31	–
	Female	2,672	9	1	–	2	6	9	20	23	27	82	121	162	189	239	339	366	369	307	205	129	67	–
390–398, 402, 404, 410–429	Diseases of heart	43,247	35	16	7	11	31	51	93	136	240	544	1,034	1,872	2,689	3,929	4,683	5,607	6,419	6,847	5,400	2,731	870	2
	White—Male	20,946	10	6	3	3	12	15	40	65	125	300	599	1,149	1,723	2,516	2,724	2,970	2,905	2,750	1,969	855	206	1
	Female	17,814	8	4	2	6	5	12	16	26	34	85	161	336	566	944	1,385	2,073	2,968	3,686	3,164	1,739	593	1
	All other—Male	2,455	9	6	2	1	10	17	22	31	61	97	183	262	257	285	307	284	266	184	111	40	20	–
	Female	2,032	8	–	–	1	4	7	15	14	20	62	91	125	143	184	267	280	280	227	156	97	51	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	630	–	1	1	3	3	3	6	3	10	18	28	55	58	103	103	78	73	49	26	7	2	–
	White—Male	254	–	–	–	–	1	–	3	2	5	4	10	22	29	54	45	37	19	14	7	1	1	–
	Female	320	–	–	–	3	1	–	2	1	2	11	12	27	24	36	52	37	53	34	18	6	1	–
	All other—Male	30	–	1	1	–	1	3	1	–	2	–	3	5	4	6	–	2	–	1	–	–	–	–
	Female	26	–	–	–	–	–	–	–	–	1	3	3	1	1	7	6	2	1	–	1	–	–	–
402	Hypertensive heart disease	546	–	–	–	1	–	–	2	4	8	8	18	22	35	49	59	76	93	84	58	26	3	–
	White—Male	151	–	–	–	–	–	–	1	1	1	–	3	5	14	22	21	18	23	22	14	4	2	–
	Female	256	–	–	–	1	–	–	–	–	4	2	4	5	7	6	24	38	55	51	37	21	1	–
	All other—Male	65	–	–	–	–	–	–	1	2	2	4	9	7	4	12	7	7	5	3	2	–	–	–
	Female	74	–	–	–	–	–	–	–	1	1	2	2	5	10	9	7	13	10	8	5	1	–	–
404	Hypertensive heart and renal disease	234	–	–	–	–	–	–	–	1	2	–	4	3	6	14	17	33	49	40	33	24	8	–
	White—Male	92	–	–	–	–	–	–	–	–	–	–	2	2	1	3	9	14	22	13	12	11	3	–
	Female	119	–	–	–	–	–	–	–	–	–	–	–	1	2	8	6	13	24	27	21	13	4	–
	All other—Male	16	–	–	–	–	–	–	–	1	2	–	–	3	3	1	3	2	–	–	–	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	3	1	–	–	–	–	–
410–413	Ischemic heart disease	38,620	1	1	–	1	1	7	27	76	171	446	874	1,593	2,348	3,445	4,152	5,051	5,801	6,283	5,027	2,505	808	2
	White—Male	19,114	1	–	–	1	–	4	16	39	97	263	534	1,027	1,560	2,264	2,489	2,745	2,690	2,562	1,842	790	189	1
	Female	16,061	–	1	–	–	–	2	6	14	22	60	122	251	478	833	1,215	1,876	2,685	3,382	2,949	1,604	560	1
	All other—Male	1,871	–	–	–	–	1	–	4	16	40	78	144	215	203	212	240	211	210	150	98	33	16	–
	Female	1,574	–	–	–	–	–	1	1	7	12	45	74	100	107	136	208	219	216	189	138	78	43	–
410	Acute myocardial infarction	19,346	1	1	–	1	–	2	17	43	117	308	581	1,103	1,641	2,251	2,575	2,827	2,857	2,545	1,576	689	210	1
	White—Male	10,794	1	–	–	1	–	1	10	22	77	196	366	742	1,119	1,521	1,589	1,627	1,413	1,176	625	241	66	1
	Female	6,966	–	1	–	–	–	–	3	9	10	32	79	167	332	543	765	1,037	1,288	1,262	882	420	136	–
	All other—Male	907	–	–	–	–	–	–	3	8	24	52	86	129	127	112	106	85	75	52	35	9	4	–
	Female	679	–	–	–	–	–	1	1	4	6	28	50	65	63	75	115	78	81	55	34	19	4	–
411	Other acute and subacute forms of ischemic heart disease	144	–	–	–	–	–	–	–	–	–	2	4	6	12	15	14	17	19	25	17	11	2	–
	White—Male	76	–	–	–	–	–	–	–	–	–	1	4	3	7	11	7	13	10	10	4	5	1	–
	Female	58	–	–	–	–	–	–	–	–	–	–	–	2	2	4	6	4	7	14	12	6	1	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	1	1	–	–	–
412	Chronic ischemic heart disease	19,125	–	–	–	–	1	5	10	33	54	136	288	483	695	1,179	1,563	2,206	2,924	3,712	3,434	1,805	596	1
	White—Male	8,240	–	–	–	–	–	3	6	17	20	66	163	281	434	732	893	1,104	1,266	1,376	1,213	544	122	–
	Female	9,036	–	–	–	–	–	2	3	5	12	28	43	82	144	286	444	835	1,390	2,105	2,055	1,178	423	1
	All other—Male	961	–	–	–	–	1	–	1	8	16	25	58	85	75	100	134	126	135	98	63	24	12	–
	Female	888	–	–	–	–	–	–	–	3	6	17	24	35	42	61	92	141	133	133	103	59	39	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	235	1	–	–	–	1	1	2	4	1	7	11	11	6	15	17	31	37	43	28	15	4	–
	White—Male	100	–	–	–	–	1	–	1	2	1	3	4	5	2	6	10	12	12	20	14	5	2	–
	Female	111	1	–	–	–	–	–	–	2	–	2	2	5	3	6	6	16	20	23	14	10	1	–
	All other—Male	18	–	–	–	–	–	–	1	–	–	–	4	1	1	3	1	2	5	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	1	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,982	33	14	6	6	26	40	56	48	48	65	99	188	236	303	335	338	366	348	228	154	45	–
	White Male	1,235	9	6	3	2	10	11	19	21	21	30	46	88	117	167	150	144	139	119	80	44	9	–
	Female	947	7	3	2	2	4	10	8	9	6	10	21	47	52	55	82	93	131	169	125	85	26	–
	All other Male	455	9	5	1	1	8	14	15	12	15	15	23	34	42	49	58	59	44	30	11	7	3	–
	Female	345	8	–	–	1	4	5	14	6	6	10	9	19	25	32	45	42	52	30	12	18	7	–
400, 401, 403	Hypertension	473	–	–	–	1	–	–	1	2	3	9	8	10	21	21	40	51	73	108	79	32	14	–
	White Male	184	–	–	–	–	–	–	–	1	1	2	4	4	5	6	15	21	33	45	29	14	4	–
	Female	215	–	–	–	1	–	–	–	–	1	–	2	–	6	8	14	21	34	55	47	17	9	–
	All other Male	39	–	–	–	–	–	–	1	1	1	5	2	4	5	3	7	2	2	2	2	1	1	–
	Female	35	–	–	–	–	–	–	–	–	–	2	–	2	5	4	4	7	4	6	1	–	–	–
430–438	Cerebrovascular diseases	9,620	7	3	5	10	13	11	27	38	52	97	158	254	374	543	838	1,188	1,606	1,896	1,507	756	237	–
	White Male	3,680	1	–	2	4	3	5	5	18	18	30	56	101	174	265	400	522	644	681	485	216	50	–
	Female	4,969	4	2	3	5	8	3	15	7	17	35	48	80	127	190	310	541	830	1,108	963	504	169	–
	All other Male	462	1	–	–	–	1	1	2	4	11	15	29	40	39	45	68	62	63	42	20	12	7	–
	Female	509	1	1	–	1	1	2	5	9	6	17	25	33	34	43	60	63	69	65	39	24	11	–
431	Cerebral hemorrhage	1,638	–	–	1	4	3	1	8	9	17	29	51	83	102	146	182	220	241	267	173	79	22	–
	White Male	612	–	–	1	3	–	–	1	4	5	5	15	31	43	78	88	81	94	88	49	20	6	–
	Female	810	–	–	–	1	2	1	4	–	6	9	14	27	38	46	65	116	127	163	120	56	15	–
	All other Male	113	–	–	–	–	1	–	2	1	5	7	9	17	13	12	16	10	8	8	2	2	–	–
	Female	103	–	–	–	–	–	–	1	4	1	8	13	8	8	10	13	13	12	8	2	1	1	–
433	Cerebral thrombosis	2,676	1	–	–	1	–	1	1	3	4	8	10	47	62	106	208	352	487	587	506	221	71	–
	White Male	1,054	–	–	–	1	–	–	–	1	–	3	4	19	34	50	102	164	212	205	171	72	16	–
	Female	1,382	1	–	–	–	–	–	1	1	1	1	–	10	18	36	74	143	243	351	313	137	52	–
	All other Male	105	–	–	–	–	–	–	–	–	2	1	3	13	5	8	11	19	18	14	6	4	1	–
	Female	135	–	–	–	–	–	1	–	1	1	3	3	5	5	12	21	26	14	17	16	8	2	–
434	Cerebral embolism	48	–	–	–	–	–	1	–	–	–	–	1	1	4	–	5	6	12	11	6	1	–	–
	White Male	24	–	–	–	–	–	1	–	–	–	–	1	1	2	–	3	2	8	4	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	6	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,258	6	3	4	5	10	8	18	26	31	60	96	123	206	291	443	610	866	1,031	822	455	144	–
	White Male	1,990	1	–	1	–	3	4	4	13	13	22	36	50	95	137	207	275	330	384	263	124	28	–
	Female	2,757	3	2	3	4	6	2	10	6	10	25	34	43	71	108	169	278	457	588	526	310	102	–
	All other Male	243	1	–	–	–	–	1	–	3	4	7	17	10	20	25	41	33	37	20	12	6	6	–
	Female	268	1	1	–	1	1	1	4	4	4	6	9	20	20	21	26	24	42	39	21	15	8	–
440	Arteriosclerosis	1,389	–	–	–	–	–	–	1	1	2	1	4	6	18	32	68	111	190	310	316	214	115	–
	White Male	504	–	–	–	–	–	–	1	1	1	1	4	3	9	20	33	52	77	120	96	56	30	–
	Female	799	–	–	–	–	–	–	–	–	1	–	–	2	4	7	31	41	97	181	209	149	77	–
	All other Male	41	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	8	4	6	3	3	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	10	8	5	5	6	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,252	–	1	–	–	3	1	3	6	7	13	27	45	72	123	159	207	213	173	121	64	14	–
	White Male	718	–	1	–	–	1	1	1	3	3	5	15	23	49	88	106	143	121	80	55	21	2	–
	Female	436	–	–	–	–	1	–	–	2	3	6	7	14	13	21	42	51	78	86	60	40	12	–
	All other Male	47	–	–	–	–	–	–	2	1	–	1	–	6	6	7	5	7	6	3	2	1	–	–
	Female	51	–	–	–	–	1	–	–	–	1	1	5	2	4	7	6	6	8	4	4	2	–	–
466	Acute bronchitis and bronchiolitis	48	3	2	–	–	–	1	1	–	1	–	1	–	2	4	8	4	5	6	6	4	–	–
	White Male	24	2	1	–	–	–	1	–	–	1	–	–	–	–	2	5	3	1	2	3	3	–	–
	Female	19	1	–	–	–	–	–	1	–	–	–	1	–	2	1	1	1	4	4	2	1	–	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,985	126	26	14	8	20	22	20	19	24	39	48	81	119	128	212	273	440	504	467	298	97	–
	White Male	1,339	43	7	3	3	8	10	3	6	8	14	17	32	69	69	112	139	213	236	208	109	30	–
	Female	1,177	33	10	5	4	4	6	6	8	6	7	10	23	24	33	56	82	174	222	233	171	60	–
	All other Male	287	28	5	1	–	6	4	6	2	5	12	13	18	19	18	33	35	28	27	14	10	3	–
	Female	182	22	4	5	1	2	2	5	3	5	6	8	8	7	8	11	17	25	19	12	8	4	–
470–474	Influenza	135	–	–	–	1	–	2	–	–	–	–	3	3	1	2	8	11	22	32	27	18	5	–
	White Male	56	–	–	–	–	–	1	–	–	–	–	1	2	–	–	5	3	11	13	11	9	–	–
	Female	70	–	–	–	1	–	1	–	–	–	–	1	1	1	1	2	7	10	17	15	9	4	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–
480–486	Pneumonia	2,850	126	26	14	7	20	20	20	19	24	39	45	78	118	126	204	262	418	472	440	280	92	–
	White Male	1,283	43	7	3	3	8	9	3	6	8	14	16	30	69	69	107	136	202	223	197	100	30	–
	Female	1,107	33	10	5	3	4	5	6	8	6	7	9	22	23	32	54	75	164	205	218	162	56	–
	All other Male	282	28	5	1	–	6	4	6	2	5	12	12	18	19	18	33	34	27	25	14	10	3	–
	Female	178	22	4	5	1	2	2	5	3	5	6	8	8	7	7	10	17	25	19	11	8	3	–
490–493	Bronchitis, emphysema, and asthma	1,388	7	4	1	3	6	2	2	3	7	12	35	41	100	142	260	240	236	169	82	29	7	–
	White Male	967	5	2	–	1	2	1	–	1	4	4	19	24	61	92	181	190	174	119	63	20	4	–
	Female	325	2	2	1	2	2	–	1	–	2	4	9	11	28	38	62	41	48	44	17	8	3	–
	All other Male	65	–	–	–	–	2	1	1	–	1	1	5	5	6	5	13	8	12	3	2	–	–	–
	Female	31	–	–	–	–	–	–	–	2	–	3	2	1	5	7	4	1	2	3	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
490, 491	Chronic and unqualified bronchitis	246	7	2	–	1	1	–	–	–	1	2	4	6	16	25	38	36	49	37	13	4	4	
	White Male	163	5	1	–	–	1	–	–	–	–	2	2	–	12	9	26	25	39	27	9	3	2	
	Female	70	2	1	–	1	–	–	–	–	–	–	–	5	2	15	10	9	9	9	4	1	2	
	All other Male	11	–	–	–	–	–	–	–	–	1	–	2	1	1	1	2	2	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	
492	Emphysema	1,055	–	–	–	–	1	–	1	1	3	7	21	30	76	105	211	200	179	125	68	24	3	
	White Male	778	–	–	–	–	1	–	–	1	2	2	15	21	49	82	148	164	132	90	53	16	2	
	Female	220	–	–	–	–	–	–	–	–	1	4	4	4	22	18	50	30	34	32	13	7	1	
	All other Male	46	–	–	–	–	–	–	1	–	–	1	2	4	3	3	10	6	11	3	2	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	2	–	–	1	–	
493	Asthma	87	–	2	1	2	4	2	1	2	3	3	10	5	8	12	11	4	8	7	1	1	–	
	White Male	26	–	1	–	1	–	1	–	–	2	–	2	3	–	1	7	1	3	2	1	1	–	
	Female	35	–	1	1	1	2	–	1	–	1	–	5	2	4	5	2	2	5	3	–	–	–	
	All other Male	8	–	–	–	–	2	1	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	
	Female	18	–	–	–	–	–	–	–	2	–	3	2	–	2	5	1	1	–	2	–	–	–	
531–533	Peptic ulcer	391	5	–	–	–	1	–	4	4	5	6	13	16	34	38	51	59	47	51	46	7	4	
	White Male	211	–	–	–	–	1	–	1	–	1	3	8	10	25	20	31	37	25	24	21	4	–	
	Female	140	1	–	–	–	–	–	–	2	2	–	3	4	7	15	16	18	20	25	21	2	4	
	All other Male	28	3	–	–	–	–	–	3	2	–	2	2	2	2	2	1	3	1	2	3	–	–	
	Female	12	1	–	–	–	–	–	–	–	2	1	–	–	–	1	3	1	1	–	1	1	–	
540–543	Appendicitis	59	–	1	1	–	2	3	1	1	2	4	1	3	5	4	6	4	7	10	3	–	1	
	White Male	33	–	–	–	–	–	–	1	1	1	4	–	1	3	2	4	3	4	6	2	–	1	
	Female	14	–	1	–	–	1	–	–	–	1	–	–	1	2	1	–	1	2	3	1	–	–	
	All other Male	6	–	–	–	–	–	3	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	
	Female	6	–	–	1	–	1	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	
550–553, 560	Hernia and intestinal obstruction	329	23	2	–	1	1	1	1	2	3	4	2	10	16	22	29	38	44	57	48	19	6	
	White Male	111	12	1	–	1	1	–	1	1	–	1	–	2	7	7	11	12	17	15	13	6	3	
	Female	182	6	–	–	–	–	1	–	–	1	2	1	5	5	13	15	22	24	39	35	11	2	
	All other Male	20	4	1	–	–	–	–	–	–	1	1	–	1	4	1	1	3	1	2	–	1	–	
	Female	16	1	–	–	–	–	–	–	1	1	1	1	2	–	1	2	1	2	1	–	1	1	
571	Cirrhosis of liver	1,716	–	1	1	–	2	7	29	60	84	155	208	235	266	237	182	114	72	40	19	4	–	
	White Male	941	–	–	–	–	–	1	10	24	32	65	108	119	163	154	114	74	45	19	12	1	–	
	Female	461	–	–	–	–	–	–	8	9	22	39	51	67	68	60	51	36	21	20	6	3	–	
	All other Male	207	–	–	1	–	–	6	9	18	21	32	30	30	25	20	8	3	2	1	1	–	–	
	Female	107	–	1	–	–	2	–	2	9	9	19	19	19	10	3	9	1	4	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	175	–	1	–	–	–	–	–	–	2	3	2	8	5	16	10	20	34	31	26	15	2	
	White Male	68	–	–	–	–	–	–	–	–	–	–	–	6	3	6	4	12	16	9	6	6	–	
	Female	99	–	–	–	–	–	–	–	–	2	2	2	1	2	9	5	7	17	22	19	9	2	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
	Female	6	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	1	–	–	
580–584	Nephritis and nephrosis	454	2	1	1	1	3	2	8	10	9	8	14	19	29	42	44	65	69	61	39	19	8	
	White Male	190	–	–	–	1	2	–	3	2	4	2	4	7	15	15	16	25	37	30	14	9	4	
	Female	149	1	1	1	–	–	1	–	3	2	1	7	6	5	10	17	25	16	23	19	10	1	
	All other Male	72	1	–	–	–	–	–	4	4	2	5	2	3	6	8	8	10	7	6	5	–	1	
	Female	43	–	–	–	–	1	1	1	1	1	–	1	3	3	9	3	5	9	2	1	–	2	
580, 581	Acute nephritis and nephrotic syndrome	101	2	–	–	–	–	–	2	1	3	–	3	3	8	8	11	19	13	15	7	5	1	
	White Male	46	–	–	–	–	–	–	1	1	1	–	2	1	4	3	1	10	8	8	3	2	1	
	Female	36	1	–	–	–	–	–	–	–	1	–	1	1	1	3	7	6	4	5	3	–	–	
	All other Male	17	1	–	–	–	–	–	1	–	1	–	–	1	3	1	2	3	1	2	1	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	353	–	1	1	1	3	2	6	9	6	8	11	16	21	34	33	46	56	46	32	14	7	
	White Male	144	–	–	–	1	2	–	2	1	3	2	2	6	11	12	15	15	29	22	11	7	3	
	Female	113	–	1	1	–	–	1	–	3	1	1	6	5	4	7	10	19	12	18	16	7	1	
	All other Male	55	–	–	–	–	–	–	3	4	1	5	2	2	3	7	6	7	6	4	4	–	1	
	Female	41	–	–	–	–	1	1	1	1	1	–	1	3	3	8	2	5	9	2	1	–	2	
590	Infections of kidney	226	–	–	–	–	–	2	–	1	–	2	3	3	8	15	26	27	47	43	28	16	5	
	White Male	104	–	–	–	–	–	1	–	1	–	–	–	1	5	6	8	12	21	21	18	9	1	
	Female	96	–	–	–	–	–	1	–	–	–	–	2	2	3	6	14	11	18	20	9	7	3	
	All other Male	14	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	3	2	1	–	1	
	Female	12	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	1	5	–	–	–	–	
600	Hyperplasia of prostate	50	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	12	7	11	8	3	2	
	White Male	47	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	11	7	10	8	3	2	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	–	5	5	3	3	1	–	–	–	–	–	–	–	–	–	–	–	1
	White Female	9	–	–	–	–	–	1	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	9	–	–	–	–	–	4	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
640–645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	–	4	5	3	3	1	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Female	9	–	–	–	–	–	1	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	8	–	–	–	–	–	3	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1
740–759	Congenital anomalies	678	475	49	9	20	11	6	11	8	7	8	9	14	13	9	8	8	10	2	1	–	–	–
	White.....Male	287	200	23	2	9	7	5	6	4	3	4	1	6	3	3	3	2	6	–	–	–	–	–
	Female	251	165	15	3	8	3	1	3	3	4	3	8	7	9	3	3	6	4	2	1	–	–	–
	All other.....Male	70	56	5	2	1	1	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–
	Female	70	54	6	2	2	–	–	2	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,510	1,506	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Male	538	537	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	360	358	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	333	333	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	279	278	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	883	880	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Male	326	325	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	219	218	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	153	152	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	627	626	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	212	212	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	141	140	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	148	148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	126	126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	937	343	27	9	12	32	51	51	30	29	18	18	29	32	34	35	46	47	33	34	13	11	3
	White.....Male	376	104	10	3	3	12	25	20	16	17	6	6	10	19	17	17	26	19	15	22	5	2	2
	Female	228	56	3	2	4	8	4	9	1	1	5	5	11	8	13	15	15	23	18	10	8	9	–
	All other.....Male	218	103	11	3	4	8	16	15	11	10	5	6	6	5	4	1	5	5	–	–	–	–	–
	Female	115	80	3	1	1	4	6	7	2	1	2	1	2	–	–	2	–	–	–	2	–	–	1
Residual	All other diseases	5,610	82	43	35	39	60	101	116	88	89	171	230	317	388	532	646	672	731	638	420	173	39	–
	White.....Male	2,577	25	15	13	21	22	39	44	35	40	64	104	147	191	278	338	330	340	296	173	51	11	–
	Female	2,189	22	14	14	8	22	19	26	25	24	42	71	104	135	188	227	263	324	295	232	110	24	–
	All other.....Male	490	24	11	3	5	4	23	28	17	15	39	34	37	42	41	41	47	38	25	10	5	1	–
	Female	354	11	3	5	5	12	20	18	11	10	26	21	29	20	25	40	32	29	22	5	7	3	–
E800–E949	Accidents	4,838	51	205	144	153	609	653	436	266	193	203	186	249	224	215	202	201	214	176	162	69	26	1
	White.....Male	2,933	19	86	72	102	432	473	288	181	122	113	108	147	133	125	123	113	105	78	75	33	5	–
	Female	1,173	12	57	27	31	128	92	53	37	37	48	44	57	62	59	56	66	88	88	78	32	20	1
	All other.....Male	546	12	39	33	17	39	66	74	45	29	32	29	34	21	22	12	13	17	3	6	2	1	–
	Female	186	8	23	12	3	10	22	21	3	5	10	5	11	8	9	11	9	4	7	3	2	–	–
E810–E823	Motor vehicle accidents	2,189	6	58	61	66	404	373	221	150	99	97	72	110	79	86	74	82	70	50	20	10	1	–
	White.....Male	1,471	2	26	32	42	297	293	163	116	63	60	44	67	48	43	38	52	37	26	12	9	1	–
	Female	510	4	19	13	18	93	57	30	21	24	23	19	26	24	30	29	23	26	23	7	1	–	–
	All other.....Male	158	–	6	10	4	13	18	23	12	11	9	6	13	5	11	2	6	7	1	1	–	–	–
	Female	50	–	7	6	2	1	5	5	1	1	5	3	4	2	2	5	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,649	45	147	83	87	205	280	215	116	94	106	114	139	145	129	128	119	144	126	142	59	25	1
	White.....Male	1,462	17	60	40	60	135	180	125	65	59	53	64	80	85	82	85	61	68	52	63	24	4	–
	Female	663	8	38	14	13	35	35	23	16	13	25	25	31	38	29	27	43	62	65	71	31	20	1
	All other.....Male	388	12	33	23	13	26	48	51	33	18	23	23	21	16	11	10	7	10	2	5	2	1	–
	Female	136	8	16	6	1	9	17	16	2	4	5	2	7	6	7	6	8	4	7	3	2	–	–
E950–E959	Suicide	1,060	---	---	–	9	64	131	104	94	71	63	96	73	88	90	59	45	35	23	12	3	–	–
	White.....Male	700	---	---	–	4	46	92	67	55	49	39	58	45	51	67	44	32	23	18	8	2	–	–
	Female	264	---	---	–	2	9	17	21	29	19	19	28	21	36	19	13	12	12	4	3	–	–	–
	All other.....Male	74	---	---	–	–	7	16	14	9	2	5	8	5	–	3	1	1	–	1	1	1	–	–
	Female	22	---	---	–	3	2	6	2	1	1	–	2	2	1	1	1	–	–	–	–	–	–	–
E960–E978	Homicide	1,255	6	23	12	15	136	244	211	134	107	88	50	55	49	35	26	13	23	12	12	2	1	1
	White.....Male	346	1	6	2	5	42	57	63	37	27	22	12	16	16	10	10	5	7	5	2	–	–	1
	Female	156	–	3	4	3	10	26	15	11	7	14	8	8	8	6	4	1	11	5	9	2	1	–
	All other.....Male	594	3	6	4	7	61	126	112	67	60	46	25	22	22	13	10	6	2	2	–	–	–	–
	Female	159	2	8	2	–	23	35	21	19	13	6	5	9	3	6	2	1	3	–	1	–	–	–
E980–E999	Other external causes	363	10	17	6	14	25	54	49	29	25	29	19	28	18	13	7	8	8	3	–	–	1	–
	White.....Male	175	2	3	3	8	17	27	23	7	8	13	8	17	13	9	6	5	5	1	–	–	–	–
	Female	57	1	–	–	1	1	5	11	5	8	4	6	2	4	4	–	1	2	1	–	–	1	–
	All other.....Male	90	2	6	–	4	4	17	14	14	8	7	5	7	1	–	1	–	–	–	–	–	–	–
	Female	41	5	8	3	1	3	5	1	3	1	5	–	2	–	–	–	2	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana																							
	All causes	**46,778**	**1,178**	**232**	**159**	**187**	**520**	**594**	**507**	**446**	**491**	**821**	**1,392**	**2,154**	**3,008**	**4,024**	**4,978**	**5,543**	**6,308**	**6,113**	**4,880**	**2,484**	**751**	**8**
	White Male	23,571	556	106	83	105	343	403	309	259	259	441	780	1,231	1,788	2,422	2,919	3,060	3,085	2,621	1,758	834	206	3
	Female	19,950	424	87	63	64	139	117	117	131	167	269	449	693	943	1,292	1,694	2,128	2,896	3,235	2,967	1,573	498	4
	All other Male	1,848	105	21	11	14	25	58	67	43	40	65	84	128	168	178	226	189	183	131	66	28	18	–
	Female	1,409	93	18	2	4	13	16	14	13	25	46	79	102	109	132	139	166	144	126	89	49	29	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	42	14	1	–	–	1	–	–	–	–	1	–	2	1	2	1	3	4	3	4	3	2	–
	White Male	16	4	–	–	–	1	–	–	–	–	–	–	2	–	2	1	–	2	1	1	2	–	–
	Female	17	5	1	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	1	3	1	2	–
	All other Male	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
010–019	Tuberculosis, all forms	55	1	–	–	–	–	–	–	–	1	1	1	1	3	9	11	8	7	9	2	1	–	–
	White Male	33	1	–	–	–	–	–	–	–	–	1	1	–	1	7	7	3	4	5	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	1	2	2	3	3	2	3	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	46	1	–	–	–	–	–	–	–	1	1	1	1	2	6	10	7	6	8	2	–	–	–
	White Male	27	1	–	–	–	–	–	–	–	–	1	1	–	2	4	7	3	3	5	2	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	–	1	2	2	2	3	2	2	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	9	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	1	–	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	130	21	3	–	–	1	3	1	2	2	1	5	9	7	5	10	9	18	18	9	6	–	–
	White Male	54	10	1	–	–	1	3	1	–	1	–	2	2	3	2	4	5	5	6	5	3	–	–
	Female	57	10	1	–	–	–	–	–	2	–	1	1	7	1	2	5	4	8	8	4	3	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	3	–	–	–	–
	Female	12	1	1	–	–	–	–	–	–	–	–	2	–	1	1	1	–	4	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	99	11	2	3	3	3	1	3	–	1	6	3	6	7	9	6	12	5	8	5	4	1	–
	White Male	42	5	2	2	2	2	–	2	–	–	3	1	1	4	4	1	6	2	3	2	–	–	–
	Female	43	4	–	–	1	1	1	–	–	1	3	1	4	3	4	4	1	3	5	3	3	1	–
	All other Male	7	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–
	Female	7	1	–	–	–	–	–	1	–	–	–	1	1	–	1	–	1	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,035	3	14	18	28	40	36	37	64	106	197	393	669	915	1,193	1,353	1,239	1,163	842	512	180	31	2
	White—Male	4,515	1	9	12	9	27	16	15	23	42	77	179	307	481	635	732	662	582	407	221	66	11	1
	Female	3,895	1	5	6	14	12	15	20	37	55	96	171	302	358	468	521	505	528	387	269	104	20	1
	All other—Male	343	1	–	–	3	1	2	–	2	4	15	17	29	45	43	62	35	35	35	10	4	–	–
	Female	282	–	–	–	2	–	3	2	2	5	9	26	31	31	47	38	37	18	13	12	6	–	–
140–149	Of buccal cavity and pharynx	155	–	–	–	–	–	1	–	1	1	2	10	12	24	23	20	18	22	7	9	4	1	–
	White—Male	106	–	–	–	–	–	–	–	–	–	1	8	8	17	13	13	14	18	4	6	3	1	–
	Female	30	–	–	–	–	–	–	–	1	–	–	–	1	4	7	5	3	3	2	3	1	–	–
	All other—Male	14	–	–	–	–	–	1	–	–	–	1	1	2	2	2	2	1	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,356	1	–	–	–	1	1	2	5	16	36	61	133	214	289	357	331	347	278	200	66	17	1
	White—Male	1,129	–	–	–	–	–	1	1	3	8	17	36	70	119	155	194	164	155	112	73	17	4	–
	Female	1,058	–	–	–	–	1	–	1	1	6	15	16	46	78	107	131	148	178	150	118	48	13	1
	All other—Male	92	1	–	–	–	–	–	–	1	2	3	4	9	13	15	16	7	7	11	3	–	–	–
	Female	77	–	–	–	–	–	–	–	–	–	1	5	8	4	12	16	12	7	5	6	1	–	–
160–163	Of respiratory system	2,221	–	–	–	–	1	–	1	6	15	43	120	212	284	381	406	343	230	122	40	16	1	–
	White—Male	1,633	–	–	–	–	1	–	–	5	8	28	76	145	207	284	315	263	182	88	24	6	1	–
	Female	428	–	–	–	–	–	–	1	1	5	6	29	48	53	70	67	63	37	25	15	8	–	–
	All other—Male	122	–	–	–	–	–	–	–	–	2	7	7	11	21	18	23	13	10	9	–	1	–	–
	Female	38	–	–	–	–	–	–	–	–	–	2	8	8	3	9	1	4	1	–	1	1	–	–
174	Of breast	817	–	–	–	–	–	–	3	10	20	34	62	93	103	120	99	96	77	54	30	13	3	–
	White—Male	7	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	2	1	–	–
	Female	766	–	–	–	–	–	–	2	9	19	30	60	85	96	113	92	91	76	51	28	11	3	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	–	–	–	–	–	–	1	1	1	3	2	7	6	6	7	5	1	3	–	1	–	–
180–187	Of genital organs	1,115	–	–	–	–	4	2	5	14	16	28	42	65	80	116	164	140	181	136	95	24	3	–
	White—Male	419	–	–	–	–	3	–	2	–	4	3	2	6	11	30	51	64	81	84	58	18	2	–
	Female	591	–	–	–	–	1	1	3	13	10	22	35	54	56	74	96	64	86	40	30	5	1	–
	All other—Male	45	–	–	–	–	–	–	–	–	–	–	–	2	2	4	8	6	10	8	5	–	–	–
	Female	60	–	–	–	–	–	1	–	1	2	3	5	3	11	8	9	6	4	4	2	1	–	–
188, 189	Of urinary organs	460	–	2	1	1	–	1	1	2	2	4	11	23	37	49	70	74	64	58	43	15	2	–
	White—Male	281	–	2	1	–	–	1	1	2	1	1	9	16	27	38	43	42	38	35	16	6	2	–
	Female	155	–	–	–	1	–	–	–	–	1	3	1	6	9	9	23	27	23	22	25	5	–	–
	All other—Male	13	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	3	1	1	–	3	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	–	2	1	–	–
170–173, 190–199	Of all other and unspecified sites	1,043	1	5	7	8	21	13	16	11	23	23	63	74	102	130	131	130	108	108	47	19	3	–
	White—Male	514	1	4	3	2	13	5	6	6	11	12	31	37	62	75	61	67	47	50	15	6	–	–
	Female	473	–	1	4	5	7	6	9	5	11	9	24	35	34	47	62	56	56	56	30	13	3	–
	All other—Male	30	–	–	–	–	1	–	–	–	–	2	3	1	4	3	6	4	3	1	2	–	–	–
	Female	26	–	–	–	1	–	2	1	–	1	–	5	1	2	5	2	3	2	1	–	–	–	–
204–207	Leukemia	367	1	7	8	17	10	11	3	7	10	12	13	17	27	22	36	42	62	28	21	12	1	–
	White—Male	194	–	3	8	6	8	5	2	2	8	5	10	9	17	13	18	19	30	12	13	5	1	–
	Female	152	1	4	–	8	2	5	1	5	2	5	3	6	8	7	15	19	31	16	7	7	–	–
	All other—Male	12	–	–	–	2	–	1	–	–	–	2	–	1	1	1	2	1	1	–	–	–	–	–
	Female	9	–	–	–	1	–	–	–	–	–	–	–	1	1	1	1	3	–	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	501	–	–	2	2	3	7	6	8	3	15	11	40	44	63	70	65	72	51	27	11	–	1
	White—Male	232	–	–	–	1	2	4	3	5	2	9	7	15	20	26	37	29	31	22	14	4	–	1
	Female	242	–	–	2	–	1	3	3	2	1	6	3	21	20	34	30	34	38	25	13	6	–	–
	All other—Male	15	–	–	–	1	–	–	–	1	–	–	1	2	2	–	2	–	2	4	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	2	1	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	113	–	2	3	3	1	1	1	2	4	2	6	6	8	16	15	10	13	12	6	1	1	–
	White—Male	54	–	–	1	1	1	–	1	–	3	1	2	2	3	10	7	7	7	4	4	–	–	–
	Female	50	–	1	2	1	–	1	–	1	1	1	3	4	5	4	8	2	4	8	2	1	1	–
	All other—Male	6	–	1	–	1	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
250	Diabetes mellitus	960	–	–	–	–	2	2	7	11	13	19	24	39	56	95	137	130	168	139	77	36	5	–
	White—Male	353	–	–	–	–	1	1	4	5	9	5	8	19	20	30	64	51	58	41	26	10	1	–
	Female	514	–	–	–	–	–	–	2	4	4	6	15	14	25	50	61	69	96	93	49	24	2	–
	All other—Male	32	–	–	–	–	–	–	1	2	–	3	1	1	3	6	5	5	4	–	–	–	1	–
	Female	61	–	–	–	–	1	1	–	–	–	5	–	5	8	9	7	5	10	5	2	2	1	–
260–269	Avitaminoses and other nutritional deficiencies	50	1	–	–	–	1	–	–	1	–	–	1	1	3	–	4	6	7	8	9	7	1	–
	White—Male	13	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	2	2	2	1	2	1	–
	Female	29	1	–	–	–	–	–	–	–	–	–	1	1	3	–	2	3	4	5	5	4	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
280–285	Anemias	69	1	2	–	2	1	1	1	1	–	–	–	2	4	3	11	2	10	9	11	6	2	–
	White Male	22	–	1	–	–	–	1	–	–	–	–	–	–	2	1	4	2	6	3	1	1	–	–
	Female	43	–	1	–	2	1	–	–	1	–	–	–	2	2	2	6	–	4	6	9	5	2	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
320	Meningitis	35	9	8	1	1	–	1	–	1	–	2	2	1	1	–	3	2	2	1	–	–	–	–
	White Male	18	8	4	1	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	–	–	–	–
	Female	13	1	3	–	1	–	1	–	1	–	1	1	1	–	–	1	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	25,135	28	10	8	13	24	27	36	60	113	258	524	877	1,372	1,996	2,566	3,188	3,952	4,138	3,519	1,852	572	2
	White Male	12,282	15	6	4	2	10	12	20	37	64	159	358	583	911	1,299	1,550	1,757	1,879	1,689	1,181	593	152	1
	Female	11,427	8	2	4	10	9	11	9	16	35	69	110	196	344	561	826	1,231	1,875	2,284	2,234	1,206	386	1
	All other Male	760	2	1	–	1	1	4	4	5	8	19	31	60	68	83	120	100	104	75	42	19	13	–
	Female	666	3	1	–	–	4	–	3	2	6	11	25	38	49	53	70	100	94	90	62	34	21	–
390–398, 402, 404, 410–429	Diseases of heart	17,777	26	7	3	6	15	17	25	42	80	201	429	762	1,142	1,635	2,019	2,350	2,712	2,701	2,155	1,121	327	2
	White Male	9,288	13	5	2	1	4	8	13	27	53	139	318	530	800	1,098	1,252	1,327	1,332	1,140	753	379	93	1
	Female	7,494	8	1	1	4	8	6	7	10	17	42	70	151	254	440	629	882	1,246	1,457	1,340	706	214	1
	All other Male	562	2	1	–	1	1	3	2	4	7	15	26	52	53	63	87	77	71	47	28	13	9	–
	Female	433	3	–	–	–	2	–	3	1	3	5	15	29	35	34	51	64	63	57	34	23	11	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	311	1	–	–	–	3	3	2	7	8	9	17	25	37	39	55	41	28	17	12	6	1	–
	White Male	125	1	–	–	–	1	–	1	3	4	2	4	10	15	24	25	14	10	5	4	2	–	–
	Female	169	–	–	–	–	2	3	1	4	3	6	9	13	18	15	29	24	18	12	7	4	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	1	3	2	1	–	1	3	–	–	1	–	–	–
402	Hypertensive heart disease	166	–	–	–	–	–	–	–	1	–	3	2	4	8	15	18	20	31	28	20	11	5	–
	White Male	52	–	–	–	–	–	–	–	–	–	–	–	1	3	6	12	6	9	7	4	1	3	–
	Female	90	–	–	–	–	–	–	–	–	–	2	–	2	2	3	5	9	21	21	15	9	1	–
	All other Male	13	–	–	–	–	–	–	–	1	–	1	1	1	1	2	–	4	1	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	2	4	1	1	–	–	–	1	1	–
404	Hypertensive heart and renal disease	252	–	1	–	–	–	–	–	–	–	–	4	–	3	6	12	20	44	59	60	35	8	–
	White Male	96	–	1	–	–	–	–	–	–	–	–	1	–	3	3	2	13	13	25	20	12	3	–
	Female	156	–	–	–	–	–	–	–	–	–	–	3	–	–	3	10	7	31	34	40	23	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	15,821	–	1	–	–	2	7	8	21	59	173	376	663	995	1,477	1,824	2,124	2,457	2,428	1,915	988	301	2
	White Male	8,462	–	1	–	–	–	4	7	19	44	128	293	480	730	1,007	1,154	1,221	1,232	1,041	683	333	84	1
	Female	6,499	–	–	–	–	1	2	–	–	9	30	50	113	197	388	542	778	1,104	1,290	1,175	621	198	1
	All other Male	492	–	–	–	–	–	1	1	2	5	12	24	44	42	54	81	71	64	44	26	12	9	–
	Female	368	–	–	–	–	1	–	–	–	1	3	9	26	26	28	47	54	57	53	31	22	10	–
410	Acute myocardial infarction	8,716	–	1	–	–	2	5	4	17	43	130	280	478	737	1,059	1,200	1,262	1,359	1,091	700	281	67	–
	White Male	5,299	–	1	–	–	–	3	3	15	34	99	227	367	566	766	827	772	716	496	281	101	25	–
	Female	3,078	–	–	–	–	1	1	–	–	4	23	37	78	141	260	313	433	608	567	401	171	40	–
	All other Male	210	–	–	–	–	–	1	1	2	4	8	11	20	20	24	42	35	17	11	9	4	1	–
	Female	129	–	–	–	–	1	–	–	–	1	–	5	13	10	9	18	22	18	17	9	5	1	–
411	Other acute and subacute forms of ischemic heart disease	60	–	–	–	–	–	–	–	–	1	–	1	1	2	5	6	6	11	12	7	5	3	–
	White Male	34	–	–	–	–	–	–	–	–	1	–	1	–	1	4	4	4	7	6	3	2	1	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	4	6	4	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	7,041	–	–	–	–	–	2	4	4	15	41	95	184	256	412	618	856	1,087	1,324	1,208	702	231	2
	White Male	3,126	–	–	–	–	–	1	4	4	9	28	65	113	163	236	323	445	509	538	399	230	58	1
	Female	3,394	–	–	–	–	–	1	–	–	5	6	13	34	55	127	227	343	492	717	770	447	156	1
	All other Male	282	–	–	–	–	–	–	–	–	1	4	13	24	22	30	39	36	47	33	17	8	8	–
	Female	239	–	–	–	–	–	–	–	–	–	3	4	13	16	19	29	32	39	36	22	17	9	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	126	1	–	1	–	1	1	1	–	–	2	1	6	16	4	5	15	19	17	20	14	2	–
	White Male	47	–	–	1	–	1	–	–	–	–	1	1	4	8	1	4	3	6	5	5	6	1	–
	Female	72	–	–	–	–	–	1	–	–	–	1	–	1	6	3	–	12	12	12	15	8	1	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,101	24	5	2	6	9	6	14	13	13	14	29	64	83	94	105	130	133	152	128	67	10	–
	White Male	506	12	3	1	1	2	4	5	5	5	8	19	35	41	57	55	70	62	57	37	25	2	–
	White Female	508	8	1	1	4	5	–	6	6	5	3	8	22	31	28	43	52	60	88	88	41	8	–
	All other Male	50	1	1	–	1	1	2	1	1	2	2	–	6	7	7	6	2	5	3	1	1	–	–
	All other Female	37	3	–	–	–	1	–	2	1	1	1	2	1	4	2	1	6	6	4	2	–	–	–
400, 401, 403	Hypertension	186	–	–	–	2	–	–	–	1	–	3	4	3	8	13	25	20	18	42	29	13	5	–
	White Male	72	–	–	–	–	–	–	–	–	–	2	–	1	3	7	12	8	11	17	8	1	2	–
	White Female	90	–	–	–	2	–	–	–	1	–	–	–	2	2	3	8	9	7	22	20	11	3	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	3	–	1	–	–
	All other Female	15	–	–	–	–	–	–	–	–	–	–	4	–	2	2	3	3	–	–	1	–	–	–
430–438	Cerebrovascular diseases	5,422	2	1	4	5	9	7	11	11	28	44	80	92	181	265	408	640	967	1,085	977	459	146	–
	White Male	2,152	2	–	1	1	6	3	7	7	9	14	32	40	87	137	216	308	405	401	301	142	33	–
	White Female	2,933	–	1	3	4	1	4	2	3	16	23	37	38	69	97	152	284	506	640	641	308	104	–
	All other Male	158	–	–	–	–	–	–	2	1	–	2	5	5	14	16	26	21	27	21	13	2	3	–
	All other Female	179	–	–	–	–	2	–	–	–	3	5	6	9	11	15	14	27	29	23	22	7	6	–
431	Cerebral hemorrhage	870	1	–	–	–	3	3	1	2	6	10	25	31	60	68	82	135	145	147	93	45	13	–
	White Male	342	1	–	–	–	2	2	–	1	1	4	8	16	30	30	39	57	65	45	26	13	2	–
	White Female	457	–	–	–	–	–	1	1	1	5	5	14	9	24	27	35	67	72	95	61	31	9	–
	All other Male	34	–	–	–	–	–	–	–	–	–	1	2	2	4	7	5	4	4	3	2	–	–	–
	All other Female	37	–	–	–	–	1	–	–	–	–	–	1	4	2	4	3	7	4	4	4	1	2	–
433	Cerebral thrombosis	1,176	–	–	–	–	–	–	–	1	–	2	8	16	30	49	83	129	219	263	225	113	38	–
	White Male	493	–	–	–	–	–	–	–	–	–	1	3	4	13	28	46	66	94	106	91	30	11	–
	White Female	622	–	–	–	–	–	–	–	–	–	–	4	8	12	17	30	56	115	147	126	81	26	–
	All other Male	31	–	–	–	–	–	–	–	1	–	–	–	2	4	1	5	2	7	5	4	–	–	–
	All other Female	30	–	–	–	–	–	–	–	–	–	1	1	2	1	3	2	5	3	5	4	2	1	–
434	Cerebral embolism	18	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	5	4	2	2	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	2	1	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,358	1	1	4	5	6	4	9	8	22	32	47	45	91	147	241	371	599	673	657	300	95	–
	White Male	1,311	1	–	1	1	4	1	7	6	8	9	21	20	44	78	130	183	245	249	184	99	20	–
	White Female	1,843	–	1	3	4	1	3	1	2	11	18	19	21	33	53	86	158	316	397	452	195	69	–
	All other Male	92	–	–	–	–	–	–	1	–	–	1	3	1	6	8	16	15	16	13	7	2	3	–
	All other Female	112	–	–	–	–	1	–	–	–	3	4	4	3	8	8	9	15	22	14	14	4	3	–
440	Arteriosclerosis	1,091	–	–	–	–	–	1	–	1	1	1	1	7	6	23	32	70	142	212	288	225	81	–
	White Male	401	–	–	–	–	–	–	–	1	–	–	1	4	4	18	19	43	66	72	91	61	21	–
	White Female	655	–	–	–	–	–	1	–	–	1	–	–	2	2	3	12	26	71	131	192	159	55	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	5	3	1	2	1	–
	All other Female	21	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	6	4	3	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	659	–	2	1	–	–	2	–	5	4	9	10	13	35	60	82	108	113	98	70	34	13	–
	White Male	369	–	1	1	–	–	1	–	2	2	4	7	8	17	39	51	71	65	59	28	10	3	–
	White Female	255	–	–	–	–	–	–	–	2	1	4	3	3	17	18	25	30	45	34	41	22	10	–
	All other Male	17	–	–	–	–	–	1	–	–	1	1	–	2	–	2	5	2	1	1	–	1	–	–
	All other Female	18	–	1	–	–	–	–	–	1	–	–	–	–	1	1	1	5	2	4	1	1	–	–
466	Acute bronchitis and bronchiolitis	13	1	1	–	–	–	–	–	–	1	–	–	–	–	–	2	4	1	1	1	1	–	–
	White Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	1	–	–
	White Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,254	54	14	1	6	8	2	8	7	7	16	21	39	44	50	86	123	173	212	198	133	52	–
	White Male	636	27	4	–	1	6	2	2	2	5	9	7	26	22	27	52	74	99	111	85	59	16	–
	White Female	536	18	8	1	3	1	–	5	3	2	5	8	11	16	20	27	42	62	95	106	72	31	–
	All other Male	47	4	–	–	1	1	–	–	–	–	1	4	1	4	3	6	4	8	3	4	–	3	–
	All other Female	35	5	2	–	1	–	–	1	2	–	1	2	1	2	–	1	3	4	3	3	2	2	–
470–474	Influenza	132	–	2	–	–	–	–	1	1	–	1	1	1	4	4	9	13	14	24	28	19	10	–
	White Male	56	–	1	–	–	–	–	–	–	–	–	–	1	1	2	5	8	6	12	10	7	3	–
	White Female	71	–	1	–	–	–	–	1	1	–	1	1	–	3	2	2	4	8	12	17	12	6	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
480–486	Pneumonia	1,122	54	12	1	6	8	2	7	6	7	15	20	38	40	46	77	110	159	188	170	114	42	–
	White Male	580	27	3	–	1	6	2	2	2	5	9	7	25	21	25	47	66	93	99	75	52	13	–
	White Female	465	18	7	1	3	1	–	4	2	2	4	7	11	13	18	25	38	54	83	89	60	25	–
	All other Male	45	4	–	–	1	1	–	–	–	–	1	4	1	4	3	4	4	8	3	4	–	3	–
	All other Female	32	5	2	–	1	–	–	1	2	–	1	2	1	2	–	1	2	4	3	2	2	1	–
490–493	Bronchitis, emphysema, and asthma	629	2	2	–	2	2	1	–	–	3	5	12	23	44	85	103	118	95	75	43	11	3	–
	White Male	474	1	1	–	1	–	–	–	–	2	1	6	15	32	63	81	94	78	57	32	7	3	–
	White Female	127	1	1	–	1	2	1	–	–	–	2	3	7	10	18	19	18	15	17	10	2	–	–
	All other Male	21	–	–	–	–	–	–	–	–	–	2	2	1	2	3	2	4	2	1	1	1	–	–
	All other Female	7	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
490, 491	Chronic and unqualified bronchitis	101	1	2	–	1	–	1	–	–	–	1	2	4	5	12	13	19	19	11	8	1	1	–
	White Male	70	–	1	–	1	–	–	–	–	–	–	1	3	4	8	10	13	14	8	5	1	1	–
	Female	25	1	1	–	–	–	1	–	–	–	–	–	1	1	3	3	3	5	3	3	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
492	Emphysema	496	1	–	–	–	1	–	–	–	2	1	8	16	38	67	86	96	75	62	31	10	2	–
	White Male	393	1	–	–	–	–	–	–	–	2	1	5	11	27	52	69	80	64	48	25	6	2	–
	Female	86	–	–	–	–	1	–	–	–	–	–	2	4	9	12	14	14	9	14	5	2	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	2	2	–	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
493	Asthma	32	–	–	–	1	1	–	–	–	1	3	2	3	1	6	4	3	1	2	4	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	–	1	2	–	–	–
	Female	16	–	–	–	1	1	–	–	–	–	2	1	2	–	3	2	1	1	–	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	158	2	–	–	–	–	1	–	3	–	2	8	9	8	11	18	27	24	16	14	11	4	–
	White Male	85	1	–	–	–	–	1	–	1	–	2	5	4	3	8	9	18	15	6	8	2	2	–
	Female	66	1	–	–	–	–	–	–	2	–	–	3	5	4	3	8	7	8	9	6	8	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
540–543	Appendicitis	16	–	–	–	–	1	–	–	–	–	1	2	2	–	1	4	3	–	1	1	–	–	–
	White Male	11	–	–	–	–	1	–	–	–	–	1	2	1	–	1	3	1	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	165	9	–	–	1	–	2	–	–	1	3	6	4	4	8	18	21	18	24	30	11	5	–
	White Male	59	4	–	–	–	–	1	–	–	1	1	–	1	2	3	9	9	5	7	11	4	1	–
	Female	90	3	–	–	–	–	1	–	–	–	1	5	1	1	3	8	9	12	17	18	7	4	–
	All other Male	10	1	–	–	1	–	–	–	–	–	–	–	1	1	2	1	2	–	–	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	1	–	–	–	–	–
571	Cirrhosis of liver	522	–	–	–	–	–	1	3	8	14	32	65	87	89	79	65	33	21	17	5	3	–	–
	White Male	319	–	–	–	–	–	–	1	4	6	20	37	53	51	57	48	19	11	10	–	2	–	–
	Female	143	–	–	–	–	–	–	–	1	3	7	15	26	30	14	12	13	9	7	5	1	–	–
	All other Male	40	–	–	–	–	–	–	2	2	1	5	8	6	6	5	3	1	1	–	–	–	–	–
	Female	20	–	–	–	–	–	1	–	1	4	–	5	2	2	3	2	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	75	–	–	–	–	–	–	–	–	–	2	–	1	6	3	3	9	13	17	13	5	3	–
	White Male	37	–	–	–	–	–	–	–	–	–	2	–	1	3	2	3	5	6	5	5	3	2	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	4	7	12	7	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	188	2	1	–	–	–	3	2	–	1	6	3	10	5	10	25	19	26	30	24	15	6	–
	White Male	78	1	–	–	–	–	1	1	–	1	2	–	6	1	5	15	6	13	10	8	7	1	–
	Female	84	1	1	–	–	–	1	1	–	–	1	3	3	2	5	6	7	9	19	13	8	4	–
	All other Male	16	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	6	3	–	2	–	–	–
	Female	10	–	–	–	–	–	1	–	–	–	2	–	1	–	–	2	–	1	1	1	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	54	2	1	–	–	–	–	–	–	–	2	–	2	1	6	6	4	7	8	10	2	3	–
	White Male	26	1	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	4	3	5	2	1	–
	Female	21	1	1	–	–	–	–	–	–	–	–	–	–	–	4	1	2	2	4	4	–	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	134	–	–	–	–	–	3	2	–	1	4	3	8	4	4	19	15	19	22	14	13	3	–
	White Male	52	–	–	–	–	–	1	1	–	1	2	–	5	–	3	11	4	9	7	3	5	–	–
	Female	63	–	–	–	–	–	1	1	–	–	1	3	3	2	1	5	5	7	15	9	8	2	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	6	3	–	1	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	1	–
590	Infections of kidney	119	–	–	–	–	–	–	–	1	1	–	2	2	6	3	16	12	23	24	20	6	2	1
	White Male	48	–	–	–	–	–	–	–	1	–	–	1	1	1	1	7	4	10	9	8	3	1	1
	Female	62	–	–	–	–	–	–	–	–	–	–	1	1	2	1	6	8	12	15	12	3	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–
600	Hyperplasia of prostate	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	3	8	5	1	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	3	8	5	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	1	3	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	1	2	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	1	3	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	7	–	–	–	–	1	2	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	318	197	32	12	8	10	6	6	3	4	4	4	2	10	8	1	4	3	3	–	1	–	–
	White.....Male	130	82	11	4	4	3	3	4	2	2	1	1	1	4	4	–	2	–	2	–	–	–	–
	Female	163	98	17	7	3	7	3	2	1	1	3	2	1	6	4	1	2	3	1	–	1	–	–
	All other.....Male	13	9	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	8	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	633	632	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	304	303	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	211	211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	333	332	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	158	157	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	300	300	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	146	146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	479	102	8	–	2	8	11	9	8	5	5	10	18	13	26	30	26	33	51	59	35	20	–
	White.....Male	222	49	1	–	2	4	7	6	2	1	1	5	10	7	16	18	17	17	20	23	11	5	–
	Female	206	30	4	–	–	3	3	2	6	2	2	4	5	5	7	11	7	14	29	36	23	13	–
	All other.....Male	25	12	1	–	–	1	1	1	–	1	–	1	1	–	1	1	–	2	2	–	–	–	–
	Female	26	11	2	–	–	–	–	–	–	1	2	–	2	1	2	–	2	–	–	–	1	2	–
Residual	All other diseases	2,849	44	26	16	21	20	43	29	26	53	79	102	143	213	256	345	383	396	313	217	102	22	–
	White.....Male	1,454	22	12	5	13	11	21	11	8	22	36	48	72	113	146	210	213	202	159	80	41	9	–
	Female	1,146	16	13	11	6	6	12	11	13	23	28	38	47	75	81	115	145	175	136	127	58	10	–
	All other.....Male	142	4	–	–	2	1	6	6	4	5	6	6	9	18	18	12	17	13	8	3	3	1	–
	Female	107	2	1	–	–	2	4	1	1	3	9	10	15	7	11	8	8	6	10	7	–	2	–
E800–E949	Accidents	2,559	33	88	94	87	323	328	232	154	94	92	112	127	107	101	98	116	99	118	84	53	19	–
	White.....Male	1,662	17	47	53	63	233	263	166	119	66	66	66	84	71	70	58	70	56	42	36	15	1	–
	Female	728	12	22	30	21	83	47	48	24	18	19	38	31	28	26	32	37	36	73	48	37	18	–
	All other.....Male	124	2	12	9	3	4	15	16	9	8	6	4	8	6	4	5	6	5	2	–	–	–	–
	Female	45	2	7	2	–	3	3	2	2	2	1	4	4	2	1	3	3	2	1	–	1	–	–
E810–E823	Motor vehicle accidents	1,263	5	33	43	41	231	239	143	97	45	43	56	72	44	49	35	32	25	21	8	1	–	–
	White.....Male	873	1	17	25	26	165	192	103	68	32	28	31	49	31	32	22	19	17	10	5	–	–	–
	Female	333	3	11	15	14	63	37	37	19	10	11	22	20	13	15	10	11	8	10	3	1	–	–
	All other.....Male	37	–	3	2	1	1	8	3	8	1	3	2	1	–	1	2	–	–	1	–	–	–	–
	Female	20	1	2	1	–	2	2	–	2	2	1	1	2	–	1	1	2	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,296	28	55	51	46	92	89	89	57	49	49	56	55	63	52	63	84	74	97	76	52	19	–
	White.....Male	789	16	30	28	37	68	71	63	51	34	38	35	35	40	38	36	51	39	32	31	15	1	–
	Female	395	9	11	15	7	20	10	11	5	8	8	16	11	15	11	22	26	28	63	45	36	18	–
	All other.....Male	87	2	9	7	2	3	7	13	1	7	3	2	7	6	3	3	6	5	1	–	–	–	–
	Female	25	1	5	1	–	1	1	2	–	–	–	3	2	2	–	2	1	2	1	–	1	–	–
E950–E959	Suicide	568	---	---	–	5	32	50	61	48	33	48	55	49	49	38	32	23	21	14	10	–	–	–
	White.....Male	400	---	---	–	5	22	35	48	32	21	35	37	32	33	22	25	17	16	11	9	–	–	–
	Female	143	---	---	–	–	8	10	8	11	12	12	18	15	13	14	7	6	5	3	1	–	–	–
	All other.....Male	24	---	---	–	–	2	5	5	5	–	–	–	2	3	2	–	–	–	–	–	–	–	–
	Female	1	---	---	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	354	7	8	3	3	28	57	60	40	23	24	25	18	26	11	8	5	6	–	–	–	–	2
	White.....Male	152	2	4	1	–	12	26	24	18	11	11	10	6	14	3	3	4	3	–	–	–	–	–
	Female	50	2	3	2	1	2	5	5	6	2	5	6	2	4	–	2	–	2	–	–	–	–	1
	All other.....Male	129	1	1	–	2	12	24	28	13	9	5	8	9	6	6	3	1	1	–	–	–	–	–
	Female	23	2	–	–	–	2	2	3	3	1	3	1	1	2	2	–	–	–	–	–	–	–	1
E980–E999	Other external causes	114	2	7	–	2	13	14	7	6	11	14	6	7	7	6	4	3	2	1	1	–	–	1
	White.....Male	63	1	2	–	2	7	10	3	4	2	6	3	2	6	4	4	3	2	1	1	–	–	–
	Female	33	–	2	–	–	3	3	1	2	6	5	2	5	1	2	–	–	–	–	–	–	–	1
	All other.....Male	15	1	3	–	–	2	1	3	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa																							
	All causes	27,859	595	111	75	87	309	323	225	207	230	311	539	932	1,451	1,955	2,747	3,304	3,946	4,368	3,613	1,909	617	5
	White—Male	14,852	318	69	41	53	225	254	153	137	138	188	329	593	898	1,305	1,766	1,973	2,115	2,006	1,495	635	157	4
	Female	12,643	246	39	31	32	80	60	65	62	82	108	196	317	522	616	950	1,299	1,802	2,326	2,091	1,262	456	1
	All other—Male	200	19	1	1	2	3	3	5	5	6	10	10	12	20	19	20	18	15	14	12	4	1	–
	Female	164	12	2	2	–	1	6	2	3	4	5	4	10	11	15	11	14	14	22	15	8	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	31	9	2	–	–	–	–	–	1	–	–	–	1	–	1	3	3	–	7	2	2	–	–
	White—Male	14	4	2	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	1	2	–	–
	Female	15	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	5	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	22	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	6	1	7	3	–	–	–
	White—Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	6	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	6	1	–	–	–
	White—Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	5	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	2	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	68	19	–	–	–	–	1	–	–	–	–	–	1	3	3	6	8	6	13	5	3	–	–
	White—Male	35	13	–	–	–	–	–	–	–	–	–	–	1	1	2	3	4	2	8	–	1	–	–
	Female	30	4	–	–	–	–	1	–	–	–	–	–	–	1	1	3	4	4	5	5	2	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	48	3	3	1	1	–	1	1	–	3	3	2	5	3	6	4	4	4	1	3	–	–	–
	White—Male	25	1	1	–	1	–	1	1	–	1	1	2	3	2	2	2	2	2	1	3	–	–	–
	Female	22	2	2	1	1	–	–	–	–	2	2	–	2	1	4	2	2	1	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,523	–	18	19	15	22	26	25	32	61	81	172	302	479	595	812	793	791	682	429	143	26	–
	White Male	3,011	–	9	9	11	16	13	19	18	26	35	84	151	258	359	482	475	446	339	196	60	5	–
	Female	2,454	–	9	8	3	6	12	6	14	35	44	88	144	212	228	324	315	338	337	228	82	21	–
	All other Male	25	–	–	–	1	–	–	–	–	–	2	–	1	4	5	2	1	6	2	1	–	–	–
	Female	33	–	–	2	–	–	1	–	–	–	–	–	6	5	3	4	2	1	4	4	1	–	–
140–149	Of buccal cavity and pharynx	81	–	–	–	–	1	–	1	1	2	1	1	3	8	8	16	16	13	6	–	3	1	–
	White Male	53	–	–	–	–	1	–	1	–	1	1	–	2	6	7	9	9	11	2	–	3	–	–
	Female	26	–	–	–	–	–	–	–	1	1	–	1	1	2	1	7	6	2	3	–	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,602	–	–	–	–	1	4	4	5	10	21	41	70	114	158	224	238	246	229	170	54	13	–
	White Male	822	–	–	–	–	–	1	3	5	4	13	25	36	63	99	120	137	125	110	61	17	3	–
	Female	763	–	–	–	–	1	3	1	–	6	7	16	31	49	58	103	101	117	119	105	36	10	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	3	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	3	1	–	–
160–163	Of respiratory system	1,207	–	1	–	–	1	–	1	2	8	14	46	83	132	189	230	199	152	103	31	15	–	–
	White Male	961	–	–	–	–	–	–	1	2	7	11	31	65	96	155	188	174	121	77	28	5	–	–
	Female	234	–	1	–	–	1	–	–	–	1	2	15	17	32	32	41	24	30	25	3	10	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	1	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
174	Of breast	482	–	–	–	–	–	–	–	4	11	17	24	36	60	49	67	63	50	51	36	10	4	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	474	–	–	–	–	–	–	–	4	11	17	24	34	59	48	66	63	50	50	34	10	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	1	1	–	–	–
180–187	Of genital organs	740	–	–	–	–	1	7	1	3	8	8	16	34	55	57	89	109	132	121	78	20	1	–
	White Male	386	–	–	–	–	1	4	1	2	1	–	1	4	8	24	49	62	88	73	56	12	–	–
	Female	349	–	–	–	–	–	2	–	1	7	8	15	30	46	33	40	47	43	46	22	8	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
188, 189	Of urinary organs	254	–	2	–	–	1	2	–	–	–	1	4	15	24	28	29	34	36	39	28	9	2	–
	White Male	168	–	1	–	–	1	1	–	–	–	1	2	9	19	18	23	24	22	23	17	6	1	–
	Female	86	–	1	–	–	–	1	–	–	–	–	2	6	5	10	6	10	14	16	11	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	543	–	7	5	4	6	6	11	8	14	8	26	28	44	56	69	65	67	56	40	21	2	–
	White Male	282	–	4	3	2	5	3	8	6	7	3	17	15	34	27	43	32	30	18	16	9	–	–
	Female	253	–	3	1	2	1	3	3	2	7	5	9	12	10	26	24	32	37	38	24	12	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	6	–	–	1	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–
204–207	Leukemia	277	–	6	11	11	9	4	6	4	4	3	5	8	10	21	33	19	50	37	24	10	2	–
	White Male	168	–	3	6	9	7	3	4	2	4	1	3	4	8	12	22	13	30	19	11	7	–	–
	Female	105	–	3	5	1	2	1	2	2	–	2	2	4	2	8	11	6	19	17	13	3	2	–
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	337	–	2	3	–	2	3	1	5	4	8	9	25	32	29	55	50	45	40	22	1	1	–
	White Male	170	–	1	–	–	1	1	1	1	2	5	5	16	24	17	28	24	19	17	6	1	1	–
	Female	164	–	1	2	–	1	2	–	4	2	3	4	9	7	12	26	26	26	23	16	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	36	1	–	–	–	1	–	–	1	–	–	1	3	3	6	4	3	2	3	7	1	–	–
	White Male	17	1	–	–	–	1	–	–	–	–	–	–	2	2	1	1	2	1	2	4	–	–	–
	Female	19	–	–	–	–	–	–	–	1	–	–	1	1	1	5	3	1	1	1	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	479	–	–	–	–	–	2	4	4	8	7	7	15	26	35	59	83	86	71	49	21	2	–
	White Male	194	–	–	–	–	–	1	1	3	6	3	4	7	8	15	29	31	29	31	17	9	–	–
	Female	279	–	–	–	–	–	1	3	1	2	4	3	8	18	20	29	50	55	40	31	12	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	41	1	–	–	–	1	–	–	–	–	–	–	–	–	2	2	1	9	6	10	5	4	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	2	4	1	1	–
	Female	26	1	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	4	4	6	4	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
280–285	Anemias	66	–	–	–	1	2	1	–	1	–	–	1	1	–	5	7	4	11	17	13	2	–	–
	White Male	34	–	–	–	–	2	1	–	–	–	–	–	1	–	2	4	1	5	10	6	2	–	–
	Female	31	–	–	–	1	–	–	–	1	–	–	1	–	–	3	3	2	6	7	7	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	16	5	3	–	–	–	1	–	–	1	2	–	–	1	–	–	3	–	–	–	–	–	–
	White Male	12	3	2	–	–	–	1	–	–	1	2	–	–	1	–	–	2	–	–	–	–	–	–
	Female	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	15,016	12	1	–	3	6	10	14	31	46	98	201	369	614	927	1,349	1,811	2,365	2,791	2,456	1,425	487	–
	White Male	7,662	5	1	–	1	2	8	8	20	28	73	144	283	432	662	923	1,087	1,234	1,214	962	448	127	–
	Female	7,189	6	–	–	2	4	2	6	10	15	20	50	77	170	247	411	703	1,113	1,551	1,477	967	358	–
	All other Male	84	1	–	–	–	–	–	–	–	1	3	6	7	8	8	10	11	8	8	9	4	–	–
	Female	81	–	–	–	–	–	–	–	1	2	2	1	2	4	10	5	10	10	18	8	6	2	–
390–398, 402, 404, 410–429	Diseases of heart	10,849	10	1	–	1	2	6	9	19	34	83	173	307	521	757	1,093	1,400	1,705	1,894	1,591	933	310	–
	White Male	5,883	3	1	–	–	1	5	5	14	22	65	133	245	381	558	772	861	916	863	645	316	77	–
	Female	4,849	6	–	–	1	1	1	4	4	9	14	34	54	132	185	310	523	782	1,013	934	611	231	–
	All other Male	66	1	–	–	–	–	–	–	–	1	3	6	6	6	6	8	8	5	7	7	2	–	–
	Female	51	–	–	–	–	–	–	–	1	2	1	–	2	2	8	3	8	2	11	5	4	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	161	–	–	–	–	–	–	–	1	2	2	7	14	15	16	20	28	28	17	6	4	1	–
	White Male	75	–	–	–	–	–	–	–	–	–	2	4	8	10	5	13	15	11	5	2	–	–	–
	Female	86	–	–	–	–	–	–	–	1	2	–	3	6	5	11	7	13	17	12	4	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	73	–	–	–	–	–	–	–	–	–	1	1	–	4	6	8	11	11	13	10	4	4	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	3	5	1	3	1	–	–
	Female	50	–	–	–	–	–	–	–	–	–	–	1	–	3	1	5	8	6	12	7	3	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	94	–	–	–	–	–	–	–	1	–	–	–	–	2	2	5	5	15	22	21	17	4	–
	White Male	41	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	5	9	9	7	2	–
	Female	51	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	10	11	12	10	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
410–413	Ischemic heart disease	9,751	–	–	–	–	–	1	4	12	28	77	153	271	457	682	993	1,286	1,554	1,700	1,437	817	279	–
	White Male	5,341	–	–	–	–	–	1	4	10	20	61	122	221	341	517	708	796	844	771	581	276	68	–
	Female	4,310	–	–	–	–	–	–	–	1	5	14	27	42	110	154	276	474	703	914	844	537	209	–
	All other Male	55	–	–	–	–	–	–	–	–	1	1	4	6	4	5	6	8	5	6	7	2	–	–
	Female	45	–	–	–	–	–	–	–	1	2	1	–	2	2	6	3	8	2	9	5	2	2	–
410	Acute myocardial infarction	5,399	–	–	–	–	–	1	3	10	22	62	131	202	358	497	700	826	906	829	518	267	67	–
	White Male	3,298	–	–	–	–	–	1	3	8	17	50	105	166	271	388	508	519	511	403	226	109	13	–
	Female	2,041	–	–	–	–	–	–	–	1	3	10	22	32	81	100	187	297	390	418	291	156	53	–
	All other Male	32	–	–	–	–	–	–	–	–	1	1	4	3	4	3	4	5	4	3	–	–	–	–
	Female	28	–	–	–	–	–	–	–	1	1	1	–	1	2	6	1	5	1	5	1	2	1	–
411	Other acute and subacute forms of ischemic heart disease	40	–	–	–	–	–	–	–	–	–	–	1	–	4	5	7	6	4	4	6	2	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	2	4	6	4	3	–	3	1	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	1	4	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,309	–	–	–	–	–	–	1	2	6	15	21	67	95	180	286	454	644	867	912	548	211	–
	White Male	2,016	–	–	–	–	–	–	1	2	3	11	17	53	68	125	194	273	330	368	351	166	54	–
	Female	2,253	–	–	–	–	–	–	–	–	2	4	4	10	27	53	88	175	312	492	550	380	156	–
	All other Male	23	–	–	–	–	–	–	–	–	–	–	–	3	–	2	2	3	1	3	7	2	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	3	1	4	4	–	1	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	92	–	–	–	–	–	–	–	1	1	–	–	–	6	3	5	6	19	22	19	9	1	–
	White Male	49	–	–	–	–	–	–	–	1	–	–	–	–	4	2	4	4	10	11	9	3	1	–
	Female	42	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	2	9	11	10	6	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
420–423, 425–427, 429	All other forms of heart disease	678	10	1	–	1	2	5	5	4	3	3	12	22	37	48	62	64	78	120	98	82	21	–
	White Male	356	3	1	–	–	1	4	1	3	2	2	7	16	24	29	41	39	41	66	41	29	6	–
	Female	310	6	–	–	1	1	1	4	1	1	–	3	6	11	18	19	25	37	53	57	51	15	–
	All other Male	9	1	–	–	–	–	–	–	–	–	1	2	–	2	–	2	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
400, 401, 403	Hypertension	101	–	–	–	–	–	–	–	–	–	–	–	1	2	6	6	10	13	24	24	12	3	–
	White Male	53	–	–	–	–	–	–	–	–	–	–	–	1	–	4	5	6	9	9	12	4	3	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	4	3	15	11	8	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	3,110	2	–	–	1	4	3	4	12	10	13	22	47	68	124	183	323	523	677	640	339	115	–
	White Male	1,281	2	–	–	–	1	2	2	6	4	7	7	26	39	71	96	165	237	262	230	91	33	–
	Female	1,792	–	–	–	1	3	1	2	6	6	5	14	20	26	52	83	153	279	408	406	245	82	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	3	1	1	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	2	4	6	3	2	–	–
431	Cerebral hemorrhage	312	–	–	–	–	1	–	3	4	3	5	3	11	17	24	35	35	50	58	43	17	3	–
	White Male	148	–	–	–	–	–	–	1	2	2	2	–	6	13	16	18	13	22	28	18	6	1	–
	Female	161	–	–	–	–	1	–	2	2	1	2	3	5	4	8	16	22	27	30	25	11	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
433	Cerebral thrombosis	649	–	–	–	–	1	–	–	1	–	1	4	5	10	15	28	74	103	151	140	85	31	–
	White Male	272	–	–	–	–	1	–	–	–	–	1	1	3	4	10	17	42	40	66	54	25	8	–
	Female	374	–	–	–	–	–	–	–	1	–	–	3	2	5	5	11	31	63	85	86	59	23	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
434	Cerebral embolism	14	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	5	5	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,135	2	–	–	1	2	3	1	7	7	7	14	31	40	85	120	214	368	463	452	237	81	–
	White Male	855	2	–	–	–	–	2	1	4	2	4	6	17	21	45	61	110	174	166	156	60	24	–
	Female	1,250	–	–	–	1	2	1	–	3	5	3	8	13	17	39	56	100	188	290	292	175	57	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	1	1	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	6	3	1	–	–	–
440	Arteriosclerosis	526	–	–	–	–	–	–	–	–	–	1	1	1	1	10	13	23	56	123	136	110	51	–
	White Male	199	–	–	–	–	–	–	–	–	–	–	1	–	–	8	11	16	27	44	52	29	11	–
	Female	325	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	7	29	78	84	80	40	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	430	–	–	–	1	–	1	1	–	2	1	5	13	22	30	54	55	68	73	65	31	8	–
	White Male	246	–	–	–	1	–	1	1	–	2	1	3	11	12	21	39	39	45	36	23	8	3	–
	Female	178	–	–	–	–	–	–	–	–	–	–	2	2	9	7	15	16	20	37	42	23	5	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	15	–	1	1	–	–	–	1	–	–	–	–	–	1	2	1	3	2	2	1	–	–	–
	White Male	7	–	1	1	–	–	–	1	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,100	20	7	2	1	5	3	6	5	2	4	6	16	22	31	55	82	146	230	251	153	52	1
	White Male	520	14	4	2	–	3	2	4	3	1	1	5	8	14	23	40	50	82	101	106	43	13	1
	Female	573	5	3	–	1	2	1	2	2	1	3	1	7	6	8	15	31	64	128	144	110	39	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	1	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	255	1	1	–	–	–	–	–	1	–	1	1	1	2	3	6	17	34	52	71	47	17	–
	White Male	87	–	–	–	–	–	–	–	–	–	–	1	1	1	2	5	11	14	17	24	8	3	–
	Female	168	1	1	–	–	–	–	–	1	–	1	–	–	1	1	1	6	20	35	47	39	14	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	845	19	6	2	1	5	3	6	4	2	3	5	15	20	28	49	65	112	178	180	106	35	1
	White Male	433	14	4	2	–	3	2	4	3	1	1	4	7	13	21	35	39	68	84	82	35	10	1
	Female	405	4	2	–	1	2	1	2	1	1	2	1	7	5	7	14	25	44	93	97	71	25	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	1	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	408	–	2	–	–	–	–	1	–	1	1	4	9	19	41	60	81	81	67	35	3	3	–
	White Male	318	–	2	–	–	–	–	–	–	1	1	2	4	13	34	45	66	66	55	25	3	1	–
	Female	88	–	–	–	–	–	–	1	–	–	–	2	5	5	7	14	15	15	12	10	–	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
490, 491	Chronic and unqualified bronchitis	68	–	1	–	–	–	–	1	–	–	–	–	1	3	11	11	14	12	7	5	–	2	–
	White Male	52	–	1	–	–	–	–	–	–	–	–	–	–	2	10	10	9	11	5	3	–	1	–
	Female	16	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	5	1	2	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	318	–	–	–	–	–	–	–	–	–	1	3	7	16	26	47	65	65	58	27	3	–	–
	White Male	256	–	–	–	–	–	–	–	–	–	1	2	4	11	22	34	55	53	50	21	3	–	–
	Female	60	–	–	–	–	–	–	–	–	–	–	1	3	4	4	12	10	12	8	6	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	22	–	1	–	–	–	–	–	–	1	–	1	1	–	4	2	2	4	2	3	–	1	–
	White Male	10	–	1	–	–	–	–	–	–	1	–	–	–	–	2	1	2	2	–	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	2	2	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	127	–	–	–	–	–	–	3	–	–	–	3	7	6	6	14	19	16	29	18	3	3	–
	White Male	65	–	–	–	–	–	–	1	–	–	–	2	6	3	3	11	9	7	12	9	2	–	–
	Female	61	–	–	–	–	–	–	1	–	–	–	1	1	3	3	3	10	9	17	9	1	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	11	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	3	–	2	2	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	90	9	–	–	–	–	1	–	–	1	–	1	3	5	1	12	8	12	17	14	4	2	–
	White Male	50	8	–	–	–	–	–	–	–	1	–	1	2	2	1	8	4	7	5	9	1	1	–
	Female	37	1	–	–	–	–	–	–	–	–	–	–	1	2	–	4	3	5	12	5	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	261	–	–	–	1	–	–	1	–	6	15	15	30	35	37	50	25	25	13	7	1	–	–
	White Male	175	–	–	–	–	–	–	1	–	5	9	11	20	24	28	34	15	14	8	5	1	–	–
	Female	80	–	–	–	1	–	–	–	–	1	5	4	8	11	8	15	10	11	4	2	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	70	–	–	–	–	–	–	1	–	1	–	–	4	1	4	6	8	10	19	11	4	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	7	6	4	–	1	–
	Female	45	–	–	–	–	–	–	1	–	1	–	–	3	–	3	6	5	3	13	6	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	98	–	–	–	–	–	4	–	1	–	1	2	2	1	9	4	13	14	20	21	6	–	–
	White Male	54	–	–	–	–	–	1	–	1	–	1	2	1	–	4	3	8	9	11	12	1	–	–
	Female	40	–	–	–	–	–	1	–	–	–	–	–	1	1	4	1	4	5	9	9	5	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	23	–	–	–	–	–	1	–	–	–	–	–	–	–	3	1	2	5	7	3	1	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	4	3	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	75	–	–	–	–	–	3	–	1	–	1	2	2	1	6	3	11	9	13	18	5	–	–
	White Male	39	–	–	–	–	–	1	–	1	–	1	2	1	–	2	2	6	6	7	9	1	–	–
	Female	33	–	–	–	–	–	1	–	–	–	–	–	1	1	3	1	4	3	6	9	4	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	59	–	–	–	–	–	–	–	–	–	–	1	–	1	–	6	7	10	18	10	6	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	6	8	1	5	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	4	10	8	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
600	Hyperplasia of prostate	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	5	5	4	1	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	5	5	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	174	110	7	2	3	1	3	3	4	2	2	4	4	5	3	6	5	2	4	3	1	–	–
	White ..... Male	89	53	4	2	1	–	1	–	3	2	–	1	3	3	2	3	4	2	2	2	1	–	–
	Female	84	56	3	–	2	1	2	3	1	–	2	3	1	2	1	3	1	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	332	329	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	White ..... Male	181	179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	131	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	177	176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	101	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	155	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White ..... Male	80	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	61	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	129	52	5	1	–	2	4	2	2	1	1	–	–	6	5	2	7	9	7	13	6	4	–
	White ..... Male	63	25	4	1	–	–	2	1	1	–	–	–	–	4	4	2	5	3	3	5	2	1	–
	Female	59	23	1	–	–	1	1	1	1	–	1	–	–	2	1	–	2	6	4	8	4	3	–
	All other ..... Male	6	3	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,698	16	10	6	5	16	15	19	15	18	19	48	77	113	144	188	238	255	231	178	67	20	–
	White ..... Male	920	9	7	4	4	7	8	9	6	10	9	21	48	65	92	112	140	141	118	76	30	4	–
	Female	755	7	3	2	1	9	7	8	7	8	9	23	28	45	50	74	97	113	112	101	37	14	–
	All other ..... Male	12	–	–	–	–	–	–	1	1	–	–	3	–	2	1	1	1	–	1	–	–	1	–
	Female	11	–	–	–	–	–	–	1	1	–	1	1	1	1	1	1	–	1	–	1	–	1	–
E800–E949	Accidents	1,495	8	46	42	54	219	193	109	71	55	53	44	55	70	65	62	64	79	89	58	48	11	–
	White ..... Male	998	3	30	21	35	169	172	80	55	43	36	29	32	44	46	33	40	36	41	33	18	2	–
	Female	466	4	14	20	18	47	21	27	13	8	13	14	22	25	15	28	24	43	47	25	29	9	–
	All other ..... Male	23	1	–	1	1	2	–	2	2	3	4	–	1	1	3	1	–	–	1	–	–	–	–
	Female	8	–	2	–	–	1	–	–	1	1	–	1	–	–	1	–	–	–	–	–	1	–	–
E810–E823	Motor vehicle accidents	808	2	26	24	38	173	142	75	44	26	30	28	33	33	28	22	20	30	26	6	2	–	–
	White ..... Male	558	1	18	10	25	131	125	55	34	17	20	15	17	17	21	7	11	15	15	4	–	–	–
	Female	237	1	7	13	12	41	17	19	10	6	9	13	15	15	7	14	9	15	10	2	2	–	–
	All other ..... Male	11	–	–	1	1	1	–	1	–	2	1	–	1	1	–	1	–	–	1	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	687	6	20	18	16	46	51	34	27	29	23	16	22	37	37	40	44	49	63	52	46	11	–
	White ..... Male	440	2	12	11	10	38	47	25	21	26	16	14	15	27	25	26	29	21	26	29	18	2	–
	Female	229	3	7	7	6	6	4	8	3	2	4	1	7	10	8	14	15	28	37	23	27	9	–
	All other ..... Male	12	1	–	–	–	1	–	1	2	1	3	–	–	–	3	–	–	–	–	–	–	–	–
	Female	6	–	1	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1	–	–
E950–E959	Suicide	315	...	...	1	1	19	47	27	26	17	14	18	20	27	24	27	19	4	15	7	1	–	1
	White ..... Male	246	...	...	1	1	16	38	23	20	9	11	13	14	18	21	23	15	3	12	6	1	–	1
	Female	63	...	...	–	–	3	6	3	5	7	3	5	6	9	3	4	4	1	3	1	–	–	–
	All other ..... Male	2	...	...	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	65	1	5	–	1	10	6	4	11	5	6	5	5	4	–	1	–	–	1	–	–	–	–
	White ..... Male	31	–	2	–	–	6	2	3	5	2	4	3	3	1	–	–	–	–	–	–	–	–	–
	Female	23	1	3	–	1	4	3	–	5	2	–	–	1	2	–	–	–	–	1	–	–	–	–
	All other ..... Male	9	–	–	–	–	–	1	1	1	1	1	1	1	1	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	35	–	1	–	1	5	3	2	2	2	3	4	2	3	1	1	–	2	1	2	–	–	–
	White ..... Male	25	–	–	–	–	3	3	1	2	2	1	4	2	2	1	1	–	1	1	1	–	–	–
	Female	9	–	–	–	1	2	–	1	–	–	2	–	–	1	–	–	–	1	–	1	–	–	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas																							
	All causes	**21,848**	**498**	**92**	**73**	**69**	**229**	**286**	**199**	**159**	**168**	**304**	**445**	**776**	**1,106**	**1,526**	**2,153**	**2,668**	**3,029**	**3,318**	**2,699**	**1,496**	**552**	**3**
	White Male	11,102	237	49	37	38	149	203	119	99	103	163	283	459	679	937	1,302	1,503	1,530	1,525	1,010	521	156	–
	White Female	9,613	183	31	26	24	67	56	51	44	47	114	125	256	356	494	737	1,034	1,370	1,677	1,613	930	375	3
	All other Male	616	34	4	8	6	11	20	18	12	15	16	18	32	42	56	68	73	68	58	35	15	7	–
	All other Female	517	44	8	2	1	2	7	11	4	3	11	19	29	29	39	46	58	61	58	41	30	14	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	38	5	–	–	–	–	–	1	–	–	–	–	–	1	1	1	6	6	6	7	2	2	–
	White Male	13	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	3	–	–	–
	White Female	24	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	3	5	4	4	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	18	–	–	–	–	–	–	–	–	–	–	1	–	1	1	7	4	1	2	1	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	1	1	2	1	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	15	–	–	–	–	–	–	–	–	–	–	1	–	1	1	6	2	1	2	1	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	1	2	1	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	47	8	–	–	–	–	1	–	–	–	2	–	–	–	2	4	4	7	9	7	3	–	–
	White Male	17	5	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	3	3	–	–	–
	White Female	25	2	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	5	6	3	3	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	46	1	1	–	–	–	–	1	–	2	1	–	2	3	6	5	6	3	8	4	2	1	–
	White Male	17	–	–	–	–	–	–	1	–	1	–	–	–	2	5	4	2	–	1	1	–	–	–
	White Female	29	1	1	–	–	–	–	–	–	1	1	–	2	1	1	1	4	3	7	3	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,036	4	4	16	10	15	13	18	21	37	76	136	246	311	458	630	629	533	499	271	95	14	–
	White Male	2,107	1	2	9	8	9	11	9	10	17	29	64	111	162	253	348	353	277	266	123	39	6	–
	White Female	1,728	3	2	7	2	5	2	8	10	17	43	61	119	134	182	247	247	232	209	141	50	7	–
	All other Male	123	–	–	–	–	1	–	–	1	1	1	4	13	9	16	22	19	12	17	3	3	1	–
	All other Female	78	–	–	–	–	–	–	1	–	2	3	7	3	6	7	13	10	12	7	4	3	–	–
140–149	Of buccal cavity and pharynx	70	–	–	–	–	–	–	–	–	–	–	–	9	11	21	8	8	3	5	4	1	–	–
	White Male	50	–	–	–	–	–	–	–	–	–	–	–	5	7	17	7	6	2	3	2	1	–	–
	White Female	17	–	–	–	–	–	–	–	–	–	–	–	2	4	4	1	2	1	2	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,050	1	–	–	–	–	2	1	5	9	18	22	51	63	98	167	163	170	149	95	30	6	–
	White Male	497	–	–	–	–	–	2	–	3	6	8	13	25	27	52	84	84	73	74	33	10	3	–
	White Female	499	1	–	–	–	–	–	1	2	2	9	6	22	30	39	75	71	90	71	60	17	3	–
	All other Male	35	–	–	–	–	–	–	–	–	–	1	1	3	4	5	6	6	4	2	1	2	–	–
	All other Female	19	–	–	–	–	–	–	–	–	1	–	2	1	2	2	2	2	3	2	1	1	–	–
160–163	Of respiratory system	967	–	–	–	–	–	–	3	2	2	14	42	73	102	149	187	170	110	77	23	11	2	–
	White Male	743	–	–	–	–	–	–	3	2	2	10	28	49	76	117	146	137	83	63	18	9	–	–
	White Female	169	–	–	–	–	–	–	–	–	–	3	10	19	21	24	31	23	20	9	5	2	2	–
	All other Male	45	–	–	–	–	–	–	–	–	–	–	2	5	5	7	10	8	4	4	–	–	–	–
	All other Female	10	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	2	3	1	–	–	–	–
174	Of breast	372	–	–	–	–	–	–	–	2	10	14	17	31	37	51	46	61	36	31	24	10	2	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–
	White Female	351	–	–	–	–	–	–	–	2	9	12	17	30	35	50	40	58	35	28	23	10	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	16	–	–	–	–	–	–	–	–	1	2	–	1	2	–	6	1	1	1	1	–	–	–
180–187	Of genital organs	518	–	–	–	–	2	1	3	4	1	8	13	25	28	42	65	83	75	100	55	12	1	–
	White Male	232	–	–	–	–	1	1	–	2	1	–	–	–	8	10	21	48	45	55	34	6	–	–
	White Female	253	–	–	–	–	1	–	2	2	–	8	12	22	18	28	40	30	27	39	19	5	–	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	3	–	2	2	1	2	5	–	–	1	–
	All other Female	17	–	–	–	–	–	–	1	–	–	–	1	–	2	2	2	4	1	1	2	1	–	–
188, 189	Of urinary organs	202	–	–	2	1	–	–	1	–	–	2	5	10	12	11	34	28	39	29	20	6	2	–
	White Male	144	–	–	2	–	–	–	–	–	–	2	3	8	11	7	27	20	28	16	15	3	2	–
	White Female	56	–	–	–	1	–	–	1	–	–	–	2	2	1	4	7	8	9	13	5	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	445	1	2	5	5	5	3	8	5	7	16	23	30	32	54	61	61	40	51	22	14	–	–
	White Male	226	–	1	3	5	4	2	4	3	3	7	12	17	16	31	31	26	20	26	9	6	–	–
	White Female	200	1	1	2	–	–	1	4	2	3	9	9	13	16	22	27	32	18	20	13	7	–	–
	All other Male	12	–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	3	1	4	–	–	–	–
	All other Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	1	–	1	–	–
204–207	Leukemia	188	2	2	8	4	8	5	1	2	–	–	6	8	11	11	27	24	22	25	15	6	1	–
	White Male	100	1	1	3	3	4	4	1	–	–	–	3	1	7	6	17	15	11	13	8	1	1	–
	White Female	80	1	1	5	1	4	1	–	1	–	–	3	6	4	4	8	8	11	11	6	5	–	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poletic tissues	224	–	–	1	–	–	2	1	1	8	4	8	9	15	21	35	31	38	32	13	5	–	–
	White Male	110	–	–	1	–	–	2	1	–	5	2	5	6	10	12	15	15	15	14	4	3	–	–
	White Female	103	–	–	–	–	–	–	–	1	3	2	2	3	5	7	18	15	21	16	9	1	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	1	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	27	–	1	–	–	–	1	1	–	–	1	1	3	3	2	3	3	2	4	2	–	–	–
	White Male	11	–	1	–	–	–	1	1	–	–	–	–	1	2	2	1	1	–	1	–	–	–	–
	White Female	16	–	–	–	–	–	–	–	–	–	1	1	2	1	–	2	2	2	3	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	384	–	–	–	–	1	–	2	3	4	6	5	16	22	34	39	57	70	58	50	12	5	–
	White Male	141	–	–	–	–	–	–	1	1	3	2	2	9	8	11	11	26	27	18	13	7	2	–
	White Female	210	–	–	–	–	1	–	1	–	–	2	3	6	10	18	23	25	38	38	37	5	3	–
	All other Male	11	–	–	–	–	–	–	–	1	1	1	–	1	–	3	1	1	1	1	–	–	–	–
	All other Female	22	–	–	–	–	–	–	–	1	–	1	–	–	4	2	4	5	4	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	39	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	12	8	8	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	6	1	2	1	–
	White Female	20	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	6	6	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
280–285	Anemias	33	–	–	–	–	–	1	–	–	–	–	–	1	4	–	4	3	4	7	6	3	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	4	5	1	–	–
	Female	15	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	1	3	3	1	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
320	Meningitis	15	7	1	2	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
	White Male	9	4	1	1	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,594	7	5	3	1	6	15	21	13	31	74	153	279	488	681	1,060	1,457	1,860	2,157	1,814	1,067	401	1
	White Male	5,683	3	4	1	1	3	7	11	10	24	52	116	196	337	465	675	803	919	935	653	364	104	–
	Female	5,414	2	–	2	–	3	6	5	1	4	17	26	61	123	177	336	580	859	1,149	1,105	676	281	1
	All other Male	244	–	–	–	–	–	1	2	2	3	4	5	5	17	23	30	38	46	31	24	8	5	–
	Female	253	2	1	–	–	–	1	3	–	–	1	6	17	11	16	19	36	36	42	32	19	11	–
390–398, 402, 404, 410–429	Diseases of heart	8,500	5	3	2	1	4	10	13	10	23	61	131	237	415	557	853	1,127	1,335	1,510	1,234	710	258	1
	White Male	4,415	3	2	1	1	1	5	8	9	19	48	105	176	301	393	555	652	683	667	470	253	63	–
	Female	3,761	1	–	1	–	3	4	2	–	3	10	18	45	94	135	259	432	594	793	740	442	184	1
	All other Male	165	–	–	–	–	–	1	–	1	1	3	4	4	12	17	23	25	36	19	10	6	3	–
	Female	159	1	1	–	–	–	–	3	–	–	–	4	12	8	12	16	18	22	31	14	9	8	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	128	–	–	–	–	–	–	1	2	2	3	6	9	9	16	12	27	15	13	9	4	–	–
	White Male	66	–	–	–	–	–	–	1	2	2	2	4	6	4	7	8	13	8	6	2	1	–	–
	Female	59	–	–	–	–	–	–	–	–	–	1	2	2	4	9	4	14	7	7	6	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
402	Hypertensive heart disease	45	–	–	–	–	–	–	–	–	–	–	–	1	5	2	1	3	11	9	5	5	3	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	2	3	3	1	1	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	7	5	4	4	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–	–	–	–
404	Hypertensive heart and renal disease	44	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	6	7	13	7	5	2	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	4	4	1	2	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	9	2	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	7,635	–	–	–	–	–	2	3	4	17	52	112	203	366	491	765	1,025	1,223	1,381	1,120	636	234	1
	White Male	4,020	–	–	–	–	–	1	2	4	16	42	93	157	276	357	503	602	630	618	432	232	55	–
	Female	3,350	–	–	–	–	–	1	–	–	1	8	14	37	74	112	227	387	540	723	667	390	168	1
	All other Male	140	–	–	–	–	–	–	–	–	–	2	2	2	9	16	20	23	33	15	9	6	3	–
	Female	125	–	–	–	–	–	–	1	–	–	–	3	7	7	6	15	13	20	25	12	8	8	–
410	Acute myocardial infarction	4,092	–	–	–	–	–	2	2	3	13	41	84	174	282	352	511	653	700	629	409	181	55	1
	White Male	2,453	–	–	–	–	–	1	1	3	13	33	73	139	215	271	355	409	374	299	186	70	11	–
	Female	1,512	–	–	–	–	–	1	–	–	–	7	8	30	51	68	142	225	298	312	220	109	40	1
	All other Male	72	–	–	–	–	–	–	–	–	–	1	2	2	9	11	8	12	16	4	3	2	2	–
	Female	55	–	–	–	–	–	–	1	–	–	–	1	3	7	2	6	7	12	14	–	–	2	–
411	Other acute and subacute forms of ischemic heart disease	26	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	4	4	3	3	5	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	1	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	2	2	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	3,511	–	–	–	–	–	–	1	1	4	10	28	28	83	137	251	367	518	747	708	449	179	–
	White Male	1,553	–	–	–	–	–	–	1	1	3	9	20	18	61	85	145	191	253	317	245	160	44	–
	Female	1,822	–	–	–	–	–	–	–	–	1	–	6	6	22	43	85	159	242	408	445	277	128	–
	All other Male	67	–	–	–	–	–	–	–	–	–	1	–	–	–	5	12	11	16	11	6	4	1	–
	Female	69	–	–	–	–	–	–	–	–	–	–	2	4	–	4	9	6	7	11	12	8	6	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	71	–	–	–	–	1	–	–	–	1	–	–	4	4	4	4	6	12	8	16	7	4	–
	White Male	28	–	–	–	–	1	–	–	–	–	–	–	4	–	2	3	3	6	4	4	1	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	3	6	4	11	6	4	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	577	5	3	2	1	3	8	9	4	3	6	13	20	30	43	69	60	67	86	77	53	15	–
	White Male	266	3	2	1	1	–	4	5	3	1	4	8	9	16	27	39	30	32	32	27	17	5	–
	White Female	264	1	–	1	–	3	3	2	–	2	1	2	6	12	11	26	23	31	45	50	35	10	–
	All other Male	21	–	–	–	–	–	1	–	1	–	1	2	2	2	1	3	2	2	4	–	–	–	–
	All other Female	26	1	1	–	–	–	–	2	–	–	–	1	3	–	4	1	5	2	5	–	1	–	–
400, 401, 403	Hypertension	77	–	–	–	–	–	1	–	–	1	1	1	1	1	–	4	8	15	19	19	4	2	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	7	9	8	2	–	–
	White Female	36	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	5	8	8	8	2	2	–
	All other Male	7	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	2	2	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
430–438	Cerebrovascular diseases	2,218	2	2	1	–	1	4	7	3	7	10	14	33	55	91	143	254	405	477	387	238	84	–
	White Male	883	–	2	–	–	1	2	3	1	5	4	5	13	23	48	78	113	173	189	122	74	27	–
	White Female	1,206	1	–	1	–	–	1	3	1	1	6	6	15	24	34	60	121	211	270	241	155	55	–
	All other Male	57	–	–	–	–	–	–	1	1	1	–	1	1	5	5	5	8	9	9	9	1	1	–
	All other Female	72	1	–	–	–	–	1	–	–	–	–	2	4	3	4	–	12	12	9	15	8	1	–
431	Cerebral hemorrhage	279	1	–	1	–	–	–	3	1	4	2	4	9	17	14	22	47	52	55	29	16	2	–
	White Male	110	–	–	–	–	–	–	1	–	2	1	2	3	7	8	15	20	20	15	11	4	1	–
	White Female	161	1	–	1	–	–	–	2	1	1	1	2	5	9	4	7	26	31	40	17	12	1	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–
433	Cerebral thrombosis	493	–	–	–	–	–	–	–	–	–	2	2	3	8	22	33	49	95	99	98	62	20	–
	White Male	206	–	–	–	–	–	–	–	–	–	2	–	1	4	11	16	22	49	42	33	22	4	–
	White Female	251	–	–	–	–	–	–	–	–	–	–	1	2	2	9	15	19	40	52	59	36	16	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	1	2	3	1	–	–
	All other Female	23	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	6	5	3	3	3	–	–
434	Cerebral embolism	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	1	2	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,436	1	2	–	–	1	4	4	2	3	6	8	21	30	55	88	153	256	323	259	158	62	–
	White Male	565	–	2	–	–	1	2	2	1	3	1	3	9	12	29	47	70	103	132	78	48	22	–
	White Female	787	–	–	–	–	–	1	1	–	–	5	3	8	13	21	38	73	139	178	164	105	38	–
	All other Male	40	–	–	–	–	–	–	1	1	–	–	1	1	3	4	3	5	7	7	6	–	1	–
	All other Female	44	1	–	–	–	–	1	–	–	–	–	1	3	2	1	–	5	7	6	11	5	1	–
440	Arteriosclerosis	487	–	–	–	–	–	–	–	–	–	1	2	2	2	9	17	32	54	97	130	96	45	–
	White Male	175	–	–	–	–	–	–	–	–	–	–	–	1	–	5	11	14	26	40	37	31	10	–
	White Female	291	–	–	–	–	–	–	–	–	–	–	2	–	2	3	4	12	27	55	90	62	34	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	1	–	–
	All other Female	15	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	4	1	2	1	2	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	312	–	–	–	–	1	–	1	–	–	1	5	6	15	24	43	36	51	54	44	19	12	–
	White Male	178	–	–	–	–	1	–	–	–	–	–	5	5	12	19	30	22	30	30	16	4	4	–
	White Female	120	–	–	–	–	–	–	–	–	–	1	–	1	3	5	11	10	19	23	26	15	6	–
	All other Male	9	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	3	1	1	1	–	1	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–
466	Acute bronchitis and bronchiolitis	8	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	1	–	–	–
	White Male	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	White Female	4	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	860	17	6	1	2	2	7	1	3	5	7	8	9	28	26	44	78	112	141	182	124	57	–
	White Male	395	6	2	–	1	1	6	–	1	4	3	3	4	10	13	30	54	51	72	68	43	23	–
	White Female	426	7	3	–	1	1	1	1	2	1	2	4	4	13	12	10	23	54	66	110	78	33	–
	All other Male	20	2	–	–	–	–	–	–	–	–	1	–	1	3	1	2	–	4	1	4	1	–	–
	All other Female	19	2	1	1	–	–	–	–	–	–	1	1	–	2	–	2	1	3	2	–	2	1	–
470–474	Influenza	198	1	1	–	–	–	1	–	–	1	–	–	–	2	4	9	17	24	31	53	33	21	–
	White Male	81	–	1	–	–	–	1	–	–	1	–	–	–	1	1	6	13	8	14	18	12	5	–
	White Female	114	1	–	–	–	–	–	–	–	–	–	–	–	1	3	3	4	15	17	34	20	16	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	662	16	5	1	2	2	6	1	3	4	7	8	9	26	22	35	61	88	110	129	91	36	–
	White Male	314	6	1	–	1	1	5	–	1	3	3	3	4	9	12	24	41	43	58	50	31	18	–
	White Female	312	6	3	–	1	1	1	1	2	1	2	4	4	12	9	7	19	39	49	76	58	17	–
	All other Male	18	2	–	–	–	–	–	–	–	–	1	–	1	3	1	2	–	3	1	3	1	–	–
	All other Female	18	2	1	1	–	–	–	–	–	–	1	1	–	2	–	2	1	3	2	–	1	1	–
490–493	Bronchitis, emphysema, and asthma	263	1	1	–	–	1	–	–	–	–	2	5	14	19	19	34	61	42	33	27	2	2	–
	White Male	196	1	1	–	–	1	–	–	–	–	1	3	11	13	11	26	48	33	28	16	2	1	–
	White Female	58	–	–	–	–	–	–	–	–	–	1	–	3	4	7	8	10	9	4	11	–	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	3	–	1	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
490, 491	Chronic and unqualified bronchitis	57	1	1	–	–	–	–	–	–	–	–	–	4	2	4	7	14	9	5	9	–	1	–
	White Male	32	1	1	–	–	–	–	–	–	–	–	–	3	1	–	5	8	5	4	4	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	5	4	1	5	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
492	Emphysema	187	–	–	–	–	1	–	–	–	–	2	4	10	14	12	26	42	31	25	17	2	1	–
	White Male	156	–	–	–	–	1	–	–	–	–	1	3	8	12	9	21	35	27	24	12	2	1	–
	Female	26	–	–	–	–	–	–	–	–	–	1	–	2	1	3	5	5	4	–	5	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	19	–	–	–	–	–	–	–	–	–	–	1	–	3	3	1	5	2	3	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	3	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	93	1	–	–	–	–	–	–	2	1	–	2	2	5	9	10	15	22	11	11	2	–	–
	White Male	51	1	–	–	–	–	–	–	1	–	–	2	2	2	5	6	10	14	3	4	1	–	–
	Female	36	–	–	–	–	–	–	–	–	1	–	–	–	3	3	3	5	8	7	5	1	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	2	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
540–543	Appendicitis	5	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–
	White Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	90	8	1	–	–	–	–	–	1	1	–	–	1	3	2	6	12	13	15	15	8	4	–
	White Male	40	4	1	–	–	–	–	–	1	1	–	–	–	3	–	2	8	5	6	3	4	2	–
	Female	46	3	–	–	–	–	–	–	–	–	–	–	–	–	1	4	4	7	9	12	4	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	201	–	–	–	–	–	4	2	2	3	9	21	30	33	31	26	17	12	7	4	–	–	–
	White Male	126	–	–	–	–	–	2	1	1	1	6	11	19	24	22	16	11	9	3	–	–	–	–
	Female	65	–	–	–	–	–	2	–	1	1	3	10	9	7	7	9	5	3	4	4	–	–	–
	All other Male	5	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	22	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	3	4	2	3	1	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	2	2	1	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
580–584	Nephritis and nephrosis	82	–	1	–	–	–	–	–	–	1	1	2	1	2	3	10	10	13	13	18	5	2	–
	White Male	32	–	1	–	–	–	–	–	–	1	–	2	1	–	2	2	–	6	6	8	2	1	–
	Female	40	–	–	–	–	–	–	–	–	–	1	–	–	2	–	6	8	6	5	9	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	–	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	20	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	1	2	4	6	2	–	–
	White Male	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	3	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	62	–	1	–	–	–	–	–	–	–	1	2	1	1	3	7	9	11	9	12	3	2	–
	White Male	26	–	1	–	–	–	–	–	–	–	–	2	1	–	2	2	–	6	5	5	1	1	–
	Female	30	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	7	4	4	7	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	1	–
590	Infections of kidney	47	–	–	–	–	–	1	1	–	–	1	–	1	2	–	4	4	6	7	12	7	1	–
	White Male	19	–	–	–	–	–	1	–	–	–	1	–	–	2	–	2	3	1	5	2	2	–	–
	Female	22	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	4	2	8	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–
600	Hyperplasia of prostate	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	5	3	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	5	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	131	93	12	4	–	2	2	1	1	3	3	2	3	1	–	1	–	2	1	–	–	–	–
	White.....Male	56	42	6	2	–	–	–	–	–	2	1	1	–	1	–	–	–	1	–	–	–	–	–
	Female	65	43	5	1	–	2	2	1	1	1	2	1	3	–	–	1	–	1	1	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	258	257	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White.....Male	130	129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	141	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White.....Male	75	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	117	117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	231	45	3	–	–	3	4	1	2	–	3	4	3	5	10	7	19	24	20	31	31	15	1
	White.....Male	101	21	3	–	–	1	1	–	1	–	3	2	3	4	6	2	7	11	12	13	9	2	–
	Female	109	14	–	–	–	2	3	1	–	–	–	1	–	–	4	3	10	12	7	18	20	13	1
	All other.....Male	13	7	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	–	–	–	–	–
	Female	8	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–
Residual	All other diseases	1,568	19	8	8	8	7	20	16	23	11	42	36	74	80	142	182	198	213	216	153	81	31	–
	White.....Male	825	8	5	3	5	5	16	7	7	7	20	20	39	46	81	121	112	120	109	57	29	8	–
	Female	661	10	2	4	2	1	4	8	12	4	17	11	24	29	49	53	77	88	101	95	49	21	–
	All other.....Male	49	1	1	1	–	1	–	–	3	–	1	1	7	3	7	5	6	4	4	1	2	1	–
	Female	33	–	–	–	1	–	–	1	1	–	4	4	4	2	5	3	3	1	2	–	1	1	–
E800–E949	Accidents	1,277	13	40	34	45	163	158	81	55	40	47	42	59	60	67	51	63	59	83	64	38	14	1
	White.....Male	800	7	20	19	20	111	120	56	46	29	30	38	42	39	42	29	39	33	37	26	12	5	–
	Female	393	4	13	10	19	43	28	16	6	7	12	3	14	16	19	20	21	25	45	37	25	9	1
	All other.....Male	63	–	3	5	6	7	8	8	2	4	4	1	3	4	3	1	2	–	1	–	1	–	–
	Female	21	2	4	–	–	2	2	1	1	–	1	–	–	1	3	1	1	1	–	1	–	–	–
E810–E823	Motor vehicle accidents	570	4	13	14	21	120	109	47	31	22	18	18	23	24	32	16	21	16	14	7	–	–	–
	White.....Male	371	1	4	5	9	75	81	29	26	17	10	17	15	14	20	12	12	11	8	5	–	–	–
	Female	160	2	7	6	11	37	22	12	3	5	6	1	6	7	9	4	9	5	6	2	–	–	–
	All other.....Male	34	–	2	3	1	6	6	6	1	–	2	–	2	3	2	–	–	–	–	–	–	–	–
	Female	5	1	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	707	9	27	20	24	43	49	34	24	18	29	24	36	36	35	35	42	43	69	57	38	14	1
	White.....Male	429	6	16	14	11	36	39	27	20	12	20	21	27	25	22	17	27	22	29	21	12	5	–
	Female	233	2	6	4	8	6	6	4	3	2	6	2	8	9	10	16	12	20	39	35	25	9	1
	All other.....Male	29	–	1	2	5	1	2	2	1	4	2	1	1	1	1	1	2	–	1	–	1	–	–
	Female	16	1	4	–	–	–	2	1	–	–	1	–	–	1	2	1	1	1	–	1	–	–	–
E950–E959	Suicide	259	...	...	–	1	20	32	29	22	16	17	15	25	21	17	16	11	13	2	2	–	–	–
	White.....Male	188	...	...	–	1	16	25	20	14	8	10	12	19	13	12	14	9	12	1	2	–	–	–
	Female	61	...	...	–	–	4	3	7	7	6	7	3	6	7	5	2	2	1	1	–	–	–	–
	All other.....Male	9	...	...	–	–	–	3	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	103	3	2	2	2	6	21	20	4	7	7	9	5	6	7	1	1	–	–	–	–	–	–
	White.....Male	39	–	–	1	2	2	8	10	1	2	3	3	2	3	2	–	–	–	–	–	–	–	–
	Female	21	3	1	–	–	2	4	1	2	2	–	1	–	2	3	–	–	–	–	–	–	–	–
	All other.....Male	32	–	–	1	–	2	7	4	1	3	4	4	1	1	2	1	1	–	–	–	–	–	–
	Female	11	–	1	–	–	–	2	5	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	49	4	3	2	–	3	6	2	5	6	3	3	–	5	3	1	2	1	–	–	–	–	–
	White.....Male	27	1	–	1	–	–	5	1	5	3	1	3	–	4	–	1	2	–	–	–	–	–	–
	Female	17	1	3	1	–	3	–	–	–	2	2	–	–	1	3	–	–	1	–	–	–	–	–
	All other.....Male	3	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky																							
	All causes	32,305	814	141	109	98	386	423	326	334	437	612	1,054	1,572	2,148	2,787	3,467	3,900	4,376	4,300	3,016	1,480	508	17
	White ..... Male	16,822	412	84	58	57	267	310	211	209	264	347	624	923	1,301	1,689	2,032	2,138	2,180	1,889	1,177	494	145	11
	Female	12,752	294	46	42	36	88	80	83	86	118	184	317	475	616	849	1,112	1,440	1,843	2,160	1,655	914	311	3
	All other ..... Male	1,513	63	7	8	3	21	21	22	27	30	52	70	100	134	154	172	183	180	132	78	32	22	2
	Female	1,218	45	4	1	2	10	12	10	12	25	29	43	74	97	95	151	139	173	119	106	40	30	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	32	11	2	–	–	–	–	–	1	–	–	1	–	–	–	–	2	5	1	7	2	–	–
	White ..... Male	10	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	1	–	–
	Female	17	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	3	1	6	1	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	66	–	–	–	–	–	–	–	–	1	3	7	3	7	2	10	10	6	12	4	1	–	–
	White ..... Male	33	–	–	–	–	–	–	–	–	1	1	3	3	3	2	6	5	2	4	3	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	2	2	–	4	–	3	3	2	4	–	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
010–012	Tuberculosis of respiratory system	55	–	–	–	–	–	–	–	–	1	3	5	2	5	1	10	10	5	8	4	1	–	–
	White ..... Male	28	–	–	–	–	–	–	–	–	1	1	2	2	3	1	6	5	2	2	3	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	2	2	–	2	–	3	3	1	2	–	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
013–019	Tuberculosis, other forms	11	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	1	4	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	4	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	7	3	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	112	24	4	–	3	–	–	–	–	2	–	2	7	8	6	8	11	12	17	2	3	3	–
	White ..... Male	50	10	3	–	2	–	–	–	–	1	–	1	3	5	2	4	4	4	8	1	2	–	–
	Female	35	9	1	–	1	–	–	–	–	1	–	–	2	–	2	1	3	5	7	1	1	1	–
	All other ..... Male	15	2	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	3	1	–	–	2	–
	Female	12	3	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	56	4	3	2	–	3	1	1	2	3	1	1	1	8	2	6	6	3	8	1	–	–	–
	White ..... Male	23	1	–	1	–	1	–	–	1	1	1	–	–	5	–	2	4	2	3	1	–	–	–
	Female	24	1	3	1	–	1	1	1	1	1	–	1	1	1	2	3	2	1	3	–	–	–	–
	All other ..... Male	5	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,901	2	15	15	11	18	25	31	49	71	151	278	449	631	750	825	859	759	535	310	91	25	1
	White Male	3,001	1	9	8	6	8	15	12	24	20	62	126	223	309	424	455	464	383	268	138	35	10	1
	White Female	2,373	1	6	5	5	9	7	17	24	44	76	127	177	244	263	293	334	308	227	146	47	13	–
	All other Male	272	–	–	2	–	–	1	–	1	2	5	13	15	39	45	42	40	36	20	8	3	–	–
	All other Female	255	–	–	–	–	1	2	2	–	5	8	12	34	39	18	35	21	32	20	18	6	2	–
140–149	Of buccal cavity and pharynx	110	–	–	–	–	–	–	–	2	–	3	9	8	13	16	16	12	12	10	4	5	–	–
	White Male	73	–	–	–	–	–	–	–	1	–	3	6	6	8	10	11	10	6	7	3	2	–	–
	White Female	23	–	–	–	–	–	–	–	1	–	–	2	1	3	5	3	–	2	3	1	2	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	–	–	1	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,517	–	2	–	–	2	4	2	5	15	18	43	90	129	162	203	271	234	179	110	36	12	–
	White Male	695	–	1	–	–	1	2	1	3	8	8	21	50	60	84	105	129	96	72	39	11	4	–
	White Female	667	–	1	–	–	1	–	1	2	6	9	14	31	50	61	75	122	112	92	61	23	6	–
	All other Male	72	–	–	–	–	–	–	–	–	1	–	3	5	9	9	13	10	10	9	3	–	–	–
	All other Female	83	–	–	–	–	–	2	–	–	–	1	5	4	10	8	10	10	16	6	7	2	2	–
160–163	Of respiratory system	1,590	–	1	1	–	–	–	1	3	7	44	94	153	240	271	276	219	163	70	35	10	1	1
	White Male	1,139	–	1	–	–	–	–	–	3	3	29	58	111	167	200	213	164	114	51	20	4	–	1
	White Female	313	–	–	1	–	–	–	1	–	3	9	27	31	44	45	46	39	38	13	12	3	1	–
	All other Male	102	–	–	–	–	–	–	–	–	–	4	6	5	20	23	14	15	9	3	2	1	–	–
	All other Female	36	–	–	–	–	–	–	–	–	1	2	3	6	9	3	3	1	2	3	1	2	–	–
174	Of breast	441	–	–	–	–	–	–	2	4	11	23	40	51	54	47	62	47	46	31	19	2	2	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
	White Female	399	–	–	–	–	–	–	1	4	9	22	39	44	49	43	55	43	42	28	16	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	38	–	–	–	–	–	–	1	–	2	1	1	7	5	4	5	3	3	3	3	–	–	–
180–187	Of genital organs	756	–	–	–	–	1	3	4	4	18	26	26	53	56	61	104	98	121	106	55	16	4	–
	White Male	315	–	–	–	–	1	1	2	2	1	3	2	3	7	15	41	51	72	63	38	9	4	–
	White Female	357	–	–	–	–	–	2	2	2	15	21	24	38	42	42	46	37	38	32	11	5	–	–
	All other Male	39	–	–	–	–	–	–	–	–	–	–	–	1	1	4	8	7	9	5	3	1	–	–
	All other Female	45	–	–	–	–	–	–	–	–	2	2	–	11	6	–	9	3	2	6	3	1	–	–
188, 189	Of urinary organs	250	–	–	1	–	–	–	–	1	1	2	5	19	21	36	30	36	36	36	23	3	–	–
	White Male	152	–	–	–	–	–	–	–	–	1	1	4	13	11	22	18	18	25	24	12	3	–	–
	White Female	83	–	–	1	–	–	–	–	1	–	1	1	3	8	10	12	16	10	10	10	–	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	2	4	–	2	–	1	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	702	2	7	–	5	8	9	16	20	11	23	40	42	77	88	74	84	78	56	44	14	4	–
	White Male	343	1	3	–	1	3	6	7	9	5	10	23	22	37	50	39	39	37	26	19	5	1	–
	White Female	312	1	4	–	4	5	3	9	10	6	11	14	15	31	34	28	42	34	27	23	8	3	–
	All other Male	22	–	–	–	–	–	–	–	1	–	1	3	2	4	2	3	1	3	2	–	–	–	–
	All other Female	25	–	–	–	–	–	–	–	–	–	1	–	3	5	2	4	2	4	1	2	1	–	–
204–207	Leukemia	243	–	3	13	5	3	5	2	4	3	4	10	13	22	20	20	40	31	30	11	3	1	–
	White Male	145	–	2	8	4	1	3	–	3	1	1	6	8	12	16	10	29	17	19	4	1	–	–
	White Female	83	–	1	3	1	1	1	1	1	2	2	2	5	8	4	7	9	14	11	7	2	1	–
	All other Male	6	–	–	2	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	All other Female	9	–	–	–	–	1	–	1	–	–	1	1	–	2	–	2	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	292	–	2	–	1	4	4	4	6	5	8	11	20	19	49	40	52	38	17	9	2	1	–
	White Male	135	–	2	–	1	2	3	2	3	1	7	6	10	7	27	16	23	15	6	3	–	1	–
	White Female	136	–	–	–	–	2	1	2	3	3	1	4	9	9	19	21	26	18	11	5	2	–	–
	All other Male	12	–	–	–	–	–	–	–	–	1	–	–	–	2	2	2	2	3	–	–	–	–	–
	All other Female	9	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	2	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	56	–	–	–	2	–	–	1	–	3	4	5	4	9	6	2	2	6	6	5	1	–	–
	White Male	19	–	–	–	1	–	–	–	–	2	1	2	1	4	2	1	1	3	–	1	–	–	–
	White Female	33	–	–	–	1	–	–	1	–	–	3	3	3	3	3	1	1	3	6	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	593	–	–	–	1	1	1	5	9	6	5	19	25	40	51	62	99	103	86	56	19	5	–
	White Male	203	–	–	–	1	–	1	–	3	3	2	10	13	20	16	20	32	29	24	22	4	3	–
	White Female	324	–	–	–	–	1	–	4	6	2	–	6	8	15	31	34	52	64	54	31	15	1	–
	All other Male	23	–	–	–	–	–	–	1	–	–	2	1	2	1	3	3	2	3	3	2	–	–	–
	All other Female	43	–	–	–	–	–	–	–	–	1	1	2	2	4	1	5	13	7	5	1	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	42	1	–	–	–	–	–	–	–	–	–	1	1	2	2	7	5	4	10	7	2	–	–
	White Male	18	1	–	–	–	–	–	–	–	–	–	–	1	2	1	3	3	2	1	4	–	–	–
	White Female	19	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	1	1	7	3	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky – Con.																							
280–285	Anemias	43	3	–	–	2	1	–	1	–	–	1	2	2	1	3	3	4	10	4	3	3	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	3	1	2	1	–	–
	Female	15	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1	1	5	3	–	2	–	–
	All other Male	9	2	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	1	–	1	–	–	–
	Female	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
320	Meningitis	31	11	2	1	1	2	–	–	–	1	–	–	3	2	3	1	1	2	–	–	–	1	–
	White Male	16	4	2	1	–	1	–	–	–	–	–	–	3	1	1	–	1	1	–	–	–	1	–
	Female	13	6	–	–	1	1	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	17,090	22	9	2	2	14	21	29	41	100	189	393	630	944	1,405	1,844	2,214	2,740	2,909	2,127	1,077	369	9
	White Male	8,581	13	6	1	–	6	8	16	23	62	122	268	422	641	898	1,102	1,220	1,329	1,204	796	342	98	4
	Female	7,235	7	1	1	2	3	10	11	11	25	37	88	151	223	390	579	807	1,202	1,553	1,211	685	235	3
	All other Male	675	–	1	–	–	2	1	1	4	9	20	19	36	52	67	83	109	106	73	54	23	14	1
	Female	599	2	1	–	–	3	2	1	3	4	10	18	21	28	50	80	78	103	79	66	27	22	1
390–398, 402, 404, 410–429	Diseases of heart	12,480	15	6	2	2	12	11	19	32	79	164	326	528	792	1,162	1,448	1,672	1,953	1,951	1,379	699	223	5
	White Male	6,686	9	4	1	–	6	4	12	18	50	111	239	370	562	764	901	965	998	835	539	233	62	3
	Female	4,891	6	1	1	2	2	5	5	8	17	27	63	112	170	307	435	572	809	1,011	762	432	143	1
	All other Male	497	–	1	–	–	2	1	1	3	9	18	14	29	36	58	52	79	81	54	35	16	7	1
	Female	406	–	–	–	–	2	1	1	3	3	8	10	17	24	33	60	56	65	51	43	18	11	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	132	1	–	–	–	1	2	5	2	6	1	7	14	14	16	22	17	11	5	5	3	–	–
	White Male	62	1	–	–	–	1	1	3	–	5	1	2	8	7	7	7	7	7	4	–	1	–	–
	Female	66	–	–	–	–	–	1	2	2	1	–	4	5	7	8	15	10	4	1	4	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
402	Hypertensive heart disease	90	–	–	–	1	–	–	–	–	1	–	–	7	5	8	9	15	15	13	10	4	2	–
	White Male	29	–	–	–	–	–	–	–	–	1	–	–	2	4	3	4	6	7	2	–	–	–	–
	Female	50	–	–	–	1	–	–	–	–	–	–	–	4	1	2	2	9	7	10	8	4	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	2	–	–	–
404	Hypertensive heart and renal disease	54	–	–	–	–	–	–	–	–	–	–	1	–	1	1	8	7	12	10	6	5	3	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	4	6	–	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	7	3	6	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	–	–	2	–
410–413	Ischemic heart disease	10,910	1	–	–	–	3	1	9	21	56	134	295	441	692	1,034	1,267	1,476	1,741	1,723	1,207	621	184	4
	White Male	5,924	–	–	–	–	2	1	5	14	37	92	223	322	498	686	806	866	888	737	476	216	53	2
	Female	4,224	1	–	–	–	–	–	2	4	9	20	53	83	143	275	369	494	722	892	660	376	120	1
	All other Male	422	–	–	–	–	1	–	1	2	8	17	11	24	30	48	42	65	74	48	34	12	4	1
	Female	340	–	–	–	–	–	–	1	1	2	5	8	12	21	25	50	51	57	46	37	17	7	–
410	Acute myocardial infarction	6,423	1	–	–	–	3	1	8	17	49	119	255	358	554	827	867	936	967	777	441	191	48	4
	White Male	3,903	–	–	–	–	2	1	4	13	36	85	193	264	411	570	553	570	534	374	196	75	20	2
	Female	2,097	1	–	–	–	–	–	2	2	6	16	46	68	104	205	262	301	367	364	219	107	26	1
	All other Male	253	–	–	–	–	1	–	1	2	5	13	9	16	24	35	28	34	40	21	16	5	2	1
	Female	170	–	–	–	–	–	–	1	–	2	5	7	10	15	17	24	31	26	18	10	4	–	–
411	Other acute and subacute forms of ischemic heart disease	22	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	7	6	3	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	2	–	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	6	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	4,462	–	–	–	–	–	–	1	4	7	15	40	82	135	206	398	540	765	940	763	430	136	–
	White Male	2,010	–	–	–	–	–	–	1	1	1	7	30	57	84	116	251	296	351	363	278	141	33	–
	Female	2,114	–	–	–	–	–	–	–	2	3	4	7	15	39	69	107	193	350	522	440	269	94	–
	All other Male	169	–	–	–	–	–	–	–	–	3	4	2	8	6	13	14	31	34	27	18	7	2	–
	Female	169	–	–	–	–	–	–	–	1	–	–	1	2	6	8	26	20	30	28	27	13	7	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	75	1	–	–	1	1	–	–	–	–	2	1	3	4	6	5	10	10	11	11	6	3	–
	White Male	30	1	–	–	–	–	–	–	–	–	1	–	1	3	4	3	2	6	3	6	–	–	–
	Female	38	–	–	–	1	–	–	–	–	–	1	1	1	1	1	2	6	4	7	5	5	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	1	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,219	12	6	2	–	7	8	5	9	16	27	22	63	76	97	137	147	164	189	140	60	31	1
	White Male	623	7	4	1	–	3	2	4	4	7	17	14	37	50	64	78	79	86	83	57	16	9	1
	Female	487	5	1	1	–	2	4	1	2	7	6	5	19	17	21	45	52	65	98	79	40	17	–
	All other Male	64	–	1	–	–	1	1	–	1	1	1	1	4	6	7	8	13	7	5	1	3	3	–
	Female	45	–	–	–	–	1	1	–	2	1	3	2	3	3	5	6	3	6	3	3	1	2	–
400, 401, 403	Hypertension	127	–	–	–	–	–	–	–	1	–	4	3	8	1	10	10	12	18	23	18	17	2	–
	White Male	49	–	–	–	–	–	–	–	–	–	1	–	4	1	3	5	5	6	11	8	4	1	–
	Female	63	–	–	–	–	–	–	–	–	–	1	1	3	–	3	3	6	12	11	9	13	1	–
	All other Male	8	–	–	–	–	–	–	–	1	–	2	1	1	–	–	1	1	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	–	1	–	–	–	–
430–438	Cerebrovascular diseases	3,570	7	3	–	–	1	7	7	8	18	21	54	76	122	191	306	426	614	771	571	274	90	3
	White Male	1,430	4	2	–	–	–	2	3	5	10	10	22	36	59	102	145	196	250	287	193	80	23	1
	Female	1,838	1	–	–	–	1	4	4	3	7	9	22	31	46	68	119	187	314	445	343	181	51	2
	All other Male	146	–	–	–	–	–	–	–	–	–	–	4	5	14	9	28	24	19	16	15	6	6	–
	Female	156	2	1	–	–	–	1	–	–	1	2	6	4	3	12	14	19	31	23	20	7	10	–
431	Cerebral hemorrhage	490	5	1	–	–	–	4	1	4	4	6	17	21	24	48	53	60	84	77	60	9	12	–
	White Male	209	4	1	–	–	–	1	1	3	2	3	6	7	17	19	25	29	31	36	22	1	1	–
	Female	231	–	–	–	–	–	3	–	1	1	3	5	9	5	24	21	21	49	36	36	8	9	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	3	3	1	1	4	4	1	4	–	–	–	–
	Female	29	1	–	–	–	–	–	–	–	1	–	3	2	1	4	3	6	3	1	2	–	2	–
433	Cerebral thrombosis	797	–	–	–	–	–	–	–	–	–	1	2	9	20	27	73	96	125	186	147	87	23	1
	White Male	298	–	–	–	–	–	–	–	–	–	–	2	7	10	16	30	40	52	60	55	23	3	–
	Female	423	–	–	–	–	–	–	–	–	–	–	–	2	5	8	33	44	65	112	82	58	13	1
	All other Male	32	–	–	–	–	–	–	–	–	–	–	–	–	4	1	6	6	2	4	3	2	4	–
	Female	44	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	6	6	10	7	4	3	–
434	Cerebral embolism	9	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	2	2	2	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	2	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,274	2	2	–	–	–	3	6	4	14	14	35	45	78	116	180	268	403	506	363	178	55	2
	White Male	921	–	1	–	–	–	1	2	2	8	7	14	22	32	67	90	127	166	190	116	56	19	1
	Female	1,178	1	–	–	–	–	1	4	2	6	6	17	19	36	36	65	120	200	296	224	115	29	1
	All other Male	93	–	–	–	–	–	–	–	–	–	–	1	2	9	7	18	14	16	8	12	4	2	–
	Female	82	1	1	–	–	–	1	–	–	–	1	3	2	1	6	7	7	21	12	11	3	5	–
440	Arteriosclerosis	465	–	–	–	–	–	–	–	–	2	–	2	3	6	7	21	43	69	98	106	66	42	–
	White Male	175	–	–	–	–	–	–	–	–	1	–	2	3	3	3	11	20	34	38	37	14	9	–
	Female	263	–	–	–	–	–	–	–	–	1	–	–	–	3	4	7	18	29	56	64	50	31	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	2	2	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	448	–	–	–	–	1	3	3	–	1	–	8	15	23	35	59	61	86	66	53	21	12	1
	White Male	241	–	–	–	–	–	2	1	–	1	–	5	9	16	26	40	34	41	33	19	11	3	–
	Female	180	–	–	–	–	–	1	2	–	–	–	2	5	4	8	15	24	38	30	33	9	9	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	4	1	–	–	–	–
	Female	15	–	–	–	–	1	–	–	–	–	–	1	–	1	1	3	–	3	2	1	1	–	1
466	Acute bronchitis and bronchiolitis	11	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	1	–	–
	White Male	8	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,039	43	8	4	3	1	5	3	5	11	8	11	28	31	57	74	98	153	195	154	105	42	–
	White Male	489	14	5	4	1	–	4	1	3	6	3	4	14	20	30	42	61	72	97	62	37	9	–
	Female	452	21	3	–	2	1	1	2	2	5	2	5	9	7	13	20	28	66	87	83	65	30	–
	All other Male	72	7	–	–	–	–	–	–	–	–	2	2	3	2	10	10	7	12	10	2	2	3	–
	Female	26	1	–	–	–	–	–	–	–	–	1	–	2	2	4	2	2	3	1	7	1	–	–
470–474	Influenza	88	2	–	1	–	1	–	–	–	–	–	–	2	2	2	4	8	21	21	14	6	4	–
	White Male	32	2	–	1	–	–	–	–	–	–	–	–	1	1	–	2	3	11	4	4	2	1	–
	Female	53	–	–	–	–	1	–	–	–	–	–	–	1	1	1	2	5	9	16	10	4	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	951	41	8	3	3	–	5	3	5	11	8	11	26	29	55	70	90	132	174	140	99	38	–
	White Male	457	12	5	3	1	–	4	1	3	6	3	4	13	19	30	40	58	61	93	58	35	8	–
	Female	399	21	3	–	2	–	1	2	2	5	2	5	8	6	12	18	23	57	71	73	61	27	–
	All other Male	69	7	–	–	–	–	–	–	–	–	2	2	3	2	9	10	7	11	9	2	2	3	–
	Female	26	1	–	–	–	–	–	–	–	–	1	–	2	2	4	2	2	3	1	7	1	–	–
490–493	Bronchitis, emphysema, and asthma	416	1	1	1	–	–	–	1	2	3	6	8	18	39	52	75	78	56	37	24	13	1	–
	White Male	292	1	–	1	–	–	–	1	1	1	2	7	10	29	31	55	58	44	27	18	6	–	–
	Female	108	–	–	–	–	–	–	–	–	2	3	1	8	9	19	16	20	10	8	5	6	1	–
	All other Male	9	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	1	–	–
	Female	7	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
490, 491	Chronic and unqualified bronchitis	78	–	1	1	–	–	–	–	–	1	–	4	5	7	10	11	11	10	7	7	2	1	–
	White Male	49	–	–	1	–	–	–	–	–	–	–	3	4	7	6	8	6	5	5	4	–	–	–
	Female	26	–	–	–	–	–	–	–	–	1	–	1	1	–	4	3	5	4	2	2	2	1	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	287	–	–	–	–	–	–	–	–	2	3	4	9	28	37	54	59	40	25	15	11	–	–
	White Male	218	–	–	–	–	–	–	–	–	1	2	4	5	21	24	43	46	36	18	12	6	–	–
	Female	60	–	–	–	–	–	–	–	–	1	1	–	4	6	11	8	13	4	5	3	4	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
493	Asthma	51	1	–	–	–	–	–	1	2	–	3	–	4	4	5	10	8	6	5	2	–	–	–
	White Male	25	1	–	–	–	–	–	1	1	–	–	–	1	1	1	4	6	3	4	2	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	2	–	3	3	4	5	2	2	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	110	–	–	–	–	1	1	1	1	2	7	4	7	5	15	14	14	10	17	8	2	1	–
	White Male	65	–	–	–	–	–	1	1	1	1	6	2	3	4	10	7	8	6	13	1	1	–	–
	Female	38	–	–	–	–	1	–	–	–	1	1	1	4	1	4	6	4	3	4	6	1	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
540–543	Appendicitis	18	–	–	2	–	–	–	1	–	1	–	–	–	2	4	3	–	1	4	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	1	–	–	–	–
	Female	6	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–
	All other Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	101	8	–	–	–	–	–	1	–	2	–	1	1	2	3	13	12	11	19	16	8	3	1
	White Male	52	6	–	–	–	–	–	1	–	2	–	–	1	1	1	8	7	5	5	6	6	2	1
	Female	41	2	–	–	–	–	–	–	–	–	–	1	–	1	2	4	4	4	12	8	2	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
571	Cirrhosis of liver	340	–	–	–	–	1	1	4	7	15	24	42	55	48	60	34	27	13	5	2	2	–	–
	White Male	228	–	–	–	–	1	–	1	4	11	14	33	38	37	38	21	15	10	3	1	1	–	–
	Female	84	–	–	–	–	–	1	2	2	3	4	6	12	9	15	11	12	3	2	1	1	–	–
	All other Male	12	–	–	–	–	–	–	1	–	–	3	2	3	–	2	1	–	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	1	1	3	1	2	2	5	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	61	–	–	–	–	–	1	–	–	1	–	–	–	5	5	2	13	8	13	8	4	1	–
	White Male	23	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	8	2	3	1	1	–	–
	Female	35	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	5	6	10	7	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	144	1	–	–	–	2	1	2	2	–	1	6	5	11	9	16	22	15	28	12	6	5	–
	White Male	67	1	–	–	–	1	–	1	1	–	–	2	1	5	6	5	11	9	12	7	3	2	–
	Female	45	–	–	–	–	–	1	1	–	–	–	–	1	3	1	6	7	4	13	4	2	2	–
	All other Male	14	–	–	–	–	1	–	–	–	–	1	3	1	2	–	2	2	–	2	–	–	–	–
	Female	18	–	–	–	–	–	–	–	1	–	–	1	2	1	2	3	2	2	1	1	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	35	1	–	–	–	1	1	–	1	–	–	2	–	2	5	5	6	2	3	4	1	1	–
	White Male	18	1	–	–	–	1	–	–	–	–	–	1	–	1	3	2	3	1	1	3	–	1	–
	Female	10	–	–	–	–	–	1	–	–	–	–	–	–	–	1	3	2	–	1	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	109	–	–	–	–	1	–	2	1	–	1	4	5	9	4	11	16	13	25	8	5	4	–
	White Male	49	–	–	–	–	–	–	1	1	–	–	1	1	4	3	3	8	8	11	4	3	1	–
	Female	35	–	–	–	–	–	–	1	–	–	–	1	1	3	–	3	5	4	12	3	1	2	–
	All other Male	12	–	–	–	–	1	–	–	–	–	1	2	1	1	–	2	2	–	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	1	1	–	1	1	1	–
590	Infections of kidney	99	–	–	–	–	–	–	–	–	1	3	–	1	6	–	9	13	19	21	15	8	3	–
	White Male	34	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	3	9	11	4	1	1	–
	Female	54	–	–	–	–	–	–	–	–	1	1	–	1	4	–	4	8	8	9	10	6	2	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	1	–	–
600	Hyperplasia of prostate	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	8	7	3	1	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	8	6	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	–	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	–	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	190	121	16	11	7	5	3	3	1	3	3	2	7	1	1	2	–	1	2	1	–	–	–
	White Male	79	54	5	4	2	3	2	1	–	–	1	–	3	–	1	2	–	1	–	–	–	–	–
	Female	88	50	11	7	4	2	1	2	1	2	2	–	3	1	–	–	–	–	2	–	–	–	–
	All other Male	15	11	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
	Female	8	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	411	408	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	225	224	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	28	26	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	242	241	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	17	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	169	167	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	91	90	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	241	84	2	–	–	3	6	2	4	1	5	10	4	7	8	16	12	15	21	15	12	13	1
	White Male	128	43	1	–	–	1	3	–	2	–	1	7	2	4	6	12	4	10	11	7	7	6	1
	Female	92	32	–	–	–	2	3	2	1	–	4	1	2	2	2	4	4	5	10	7	5	6	–
	All other Male	11	5	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	1	–	1	–
	Female	10	4	1	–	–	–	–	–	–	1	–	1	–	–	–	–	3	–	–	–	–	–	–
Residual	All other diseases	2,273	32	16	11	12	24	29	24	33	39	46	98	133	188	206	292	283	309	223	169	81	24	1
	White Male	1,256	13	13	8	9	12	17	13	18	20	25	51	64	107	121	179	165	187	123	74	29	7	1
	Female	796	14	3	2	3	11	9	8	12	8	15	31	39	53	68	87	99	100	87	88	47	12	–
	All other Male	124	4	–	–	–	1	1	2	1	5	4	10	20	19	8	17	8	8	9	4	2	1	–
	Female	97	1	–	1	–	–	2	1	2	6	2	6	10	9	9	9	11	14	4	3	3	4	–
E800–E949	Accidents	1,940	29	56	59	47	246	233	142	103	96	93	74	106	83	90	108	84	85	100	58	35	11	2
	White Male	1,302	15	34	30	32	192	191	112	82	74	67	53	70	53	56	70	42	40	50	18	14	5	2
	Female	492	10	16	24	13	46	30	22	10	13	20	17	27	21	24	24	35	37	43	34	21	5	–
	All other Male	110	3	4	5	2	6	10	7	10	7	4	3	9	5	9	7	5	6	5	2	–	1	–
	Female	36	1	2	–	–	2	2	1	1	2	2	1	–	4	1	7	2	2	2	4	–	–	–
E810–E823	Motor vehicle accidents	886	5	22	38	23	176	148	77	49	45	45	30	42	25	36	46	31	26	15	4	1	2	–
	White Male	624	3	13	19	13	137	122	62	40	35	30	19	26	10	21	29	19	13	9	2	1	1	–
	Female	204	2	7	15	8	35	20	14	5	5	13	10	12	12	12	11	7	10	5	1	–	–	–
	All other Male	46	–	1	4	2	2	5	–	4	3	2	1	4	2	3	3	4	3	1	1	–	1	–
	Female	12	–	1	–	–	2	1	1	–	2	–	–	–	1	–	3	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,054	24	34	21	24	70	85	65	54	51	48	44	64	58	54	62	53	59	85	54	34	9	2
	White Male	678	12	21	11	19	55	69	50	42	39	37	34	44	43	35	41	23	27	41	16	13	4	2
	Female	288	8	9	9	5	11	10	8	5	8	7	7	15	9	12	13	28	27	38	33	21	5	–
	All other Male	64	3	3	1	–	4	5	7	6	4	2	2	5	3	6	4	1	3	4	1	–	–	–
	Female	24	1	1	–	–	–	1	–	1	–	2	1	–	3	1	4	1	2	2	4	–	–	–
E950–E959	Suicide	432	---	---	–	2	24	42	21	37	38	29	51	44	42	28	30	15	15	10	3	1	–	–
	White Male	310	---	---	–	1	20	32	17	25	29	19	32	22	33	22	22	10	14	9	3	–	–	–
	Female	105	---	---	–	1	3	8	2	9	7	9	17	22	9	5	7	4	1	1	–	–	–	–
	All other Male	10	---	---	–	–	–	1	1	1	1	1	1	–	–	1	1	1	–	–	–	1	–	–
	Female	7	---	---	–	–	1	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	339	–	1	1	3	33	40	43	31	33	30	26	32	22	14	8	9	5	5	2	–	–	1
	White Male	207	–	–	–	1	15	29	29	19	25	17	17	22	12	8	5	3	2	1	1	–	–	1
	Female	44	–	1	1	–	6	5	5	3	2	4	3	2	1	2	2	4	1	2	–	–	–	–
	All other Male	76	–	–	–	1	9	6	9	8	5	8	6	7	8	4	1	2	1	1	–	–	–	–
	Female	12	–	–	–	1	3	–	–	1	1	1	–	1	1	–	–	–	1	1	1	–	–	–
E980–E999	Other external causes	71	2	–	–	1	7	10	8	5	3	3	11	6	4	1	1	3	3	3	–	–	–	–
	White Male	44	1	–	–	–	6	7	5	2	3	2	5	3	2	1	1	2	2	2	–	–	–	–
	Female	20	1	–	–	1	1	1	2	2	–	1	4	3	2	–	–	1	–	1	–	–	–	–
	All other Male	5	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana																							
	All causes	34,581	1,244	210	145	165	501	570	529	490	542	785	1,281	1,961	2,465	2,231	4,125	4,367	4,178	3,642	2,431	1,271	440	8
	White Male	13,142	316	60	54	69	249	265	228	175	204	304	536	846	1,117	1,482	1,743	1,735	1,500	1,161	688	322	85	3
	Female	10,092	223	60	27	35	74	73	68	72	97	139	269	435	544	729	1,040	1,247	1,411	1,537	1,172	641	198	1
	All other Male	6,221	377	48	38	41	131	172	163	149	161	202	297	408	475	597	744	744	605	435	256	116	60	2
	Female	5,126	328	42	26	20	47	60	70	94	80	140	179	272	329	423	598	641	662	509	315	192	97	2
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	41	16	1	–	–	–	–	–	–	1	–	–	–	2	2	3	3	2	3	5	3	–	–
	White Male	9	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	–	–
	Female	17	3	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	3	3	–	–
	All other Male	9	6	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	6	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–
010–019	Tuberculosis, all forms	67	–	–	–	–	–	–	1	2	3	2	5	8	8	5	12	4	7	6	3	1	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	1	–	2	5	2	4	2	2	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	2	1	–	–
	All other Male	33	–	–	–	–	–	–	1	2	2	1	5	5	1	2	6	2	4	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	2	–	–	–	–
010–012	Tuberculosis of respiratory system	53	–	–	–	–	–	–	1	–	3	2	4	7	6	5	6	4	7	4	3	1	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	1	–	2	4	2	1	2	2	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	2	1	–	–
	All other Male	27	–	–	–	–	–	–	1	–	2	1	4	4	1	2	5	2	4	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
013–019	Tuberculosis, other forms	14	–	–	–	–	–	–	–	2	–	–	1	1	2	–	6	–	–	2	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	2	–	–	1	1	–	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	19	5	7	–	2	1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	White Male	6	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	All other Male	5	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	189	41	2	1	2	2	1	5	2	5	4	4	9	14	11	15	17	24	19	6	4	1	–
	White Male	41	9	–	1	–	–	1	2	–	–	1	–	1	4	2	6	2	6	5	1	–	–	–
	Female	47	9	1	–	1	1	–	1	–	2	–	1	1	1	2	2	8	6	7	1	3	–	–
	All other Male	47	14	–	–	1	–	–	1	–	1	2	1	4	6	2	4	2	3	4	2	–	–	–
	Female	54	9	1	–	–	1	–	1	2	2	1	2	3	3	5	3	5	9	3	2	1	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	7	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	96	10	1	2	2	4	3	4	3	4	5	7	4	5	6	9	6	8	11	2	–	–	–
	White Male	32	4	–	2	1	3	1	1	–	1	2	2	1	1	4	3	2	1	3	–	–	–	–
	Female	27	–	1	–	–	–	2	–	1	–	1	3	2	2	2	3	2	3	4	1	–	–	–
	All other Male	17	3	–	–	1	1	–	2	1	–	–	2	–	1	–	1	1	2	1	1	–	–	–
	Female	20	3	–	–	–	–	–	1	1	3	2	–	1	1	–	2	1	2	3	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,439	1	14	23	15	22	24	35	49	75	149	299	580	683	885	998	979	795	475	220	99	19	–
	White — Male	2,627	–	8	7	5	6	7	14	11	26	46	98	218	296	384	421	439	334	186	94	23	4	–
	Female	1,911	1	4	6	5	6	7	8	22	27	46	100	175	193	241	277	274	233	159	71	49	7	–
	All other — Male	1,090	–	2	7	2	8	8	4	4	9	24	53	109	125	164	185	152	124	68	25	14	3	–
	Female	811	–	–	3	3	2	2	9	12	13	33	48	78	69	96	115	114	104	62	30	13	5	–
140–149	Of buccal cavity and pharynx	172	–	–	–	–	–	1	–	2	–	3	14	24	25	27	30	17	12	11	2	4	–	–
	White — Male	81	–	–	–	–	–	–	–	–	–	1	3	10	12	12	20	9	7	6	1	–	–	–
	Female	30	–	–	–	–	–	–	–	1	–	–	3	4	1	7	2	3	2	4	1	2	–	–
	All other — Male	48	–	–	–	–	–	1	–	–	–	2	7	9	10	8	6	2	2	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	–	–	1	1	2	–	2	3	1	–	–	2	–	–
150–159	Of digestive organs and peritoneum	1,573	–	–	–	2	1	2	4	9	11	30	47	118	153	195	249	291	229	141	61	26	4	–
	White — Male	598	–	–	–	–	–	–	–	1	4	11	17	48	54	85	97	111	83	58	23	5	1	–
	Female	500	–	–	–	1	–	1	2	2	3	7	16	33	50	53	75	84	82	54	22	14	1	–
	All other — Male	265	–	–	–	1	1	1	1	2	2	7	11	26	27	35	51	51	28	15	4	2	–	–
	Female	210	–	–	–	–	–	–	1	4	2	5	3	11	22	22	26	45	36	14	12	5	2	–
160–163	Of respiratory system	1,730	–	–	–	–	–	2	2	7	13	40	91	198	223	294	309	265	174	67	32	12	1	–
	White — Male	1,026	–	–	–	–	–	1	–	4	7	20	45	100	148	170	189	173	113	37	14	5	–	–
	Female	264	–	–	–	–	–	1	–	3	3	10	17	39	23	48	44	31	22	8	9	5	1	–
	All other — Male	353	–	–	–	–	–	–	1	–	2	7	21	44	46	66	61	48	32	18	5	2	–	–
	Female	87	–	–	–	–	–	–	1	–	1	3	8	15	6	10	15	13	7	4	4	–	–	–
174	Of breast	464	–	–	–	–	–	1	1	8	12	21	41	52	59	67	67	53	31	33	11	6	1	–
	White — Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–
	Female	346	–	–	–	–	–	1	–	7	8	10	25	36	51	51	51	41	23	27	9	6	–	–
	All other — Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	112	–	–	–	–	–	–	1	1	4	11	15	16	8	14	16	11	8	5	1	–	1	–
180–187	Of genital organs	701	–	–	–	1	1	–	5	8	6	7	24	44	47	78	101	95	130	91	40	20	3	–
	White — Male	217	–	–	–	–	1	–	3	2	1	1	–	2	12	16	24	31	50	40	27	7	–	–
	Female	204	–	–	–	1	–	–	–	5	3	2	14	21	21	29	29	32	28	12	2	4	1	–
	All other — Male	152	–	–	–	–	–	–	–	–	–	–	3	3	6	17	27	20	34	24	9	8	1	–
	Female	128	–	–	–	–	–	–	2	1	2	4	7	18	8	16	21	12	18	15	2	1	1	–
188, 189	Of urinary organs	228	1	1	–	–	–	–	–	–	3	2	8	16	20	30	33	33	40	19	12	6	4	–
	White — Male	110	–	1	–	–	–	–	–	–	1	2	3	9	9	16	14	24	13	12	2	2	2	–
	Female	61	1	–	–	–	–	–	–	–	1	–	2	3	5	5	10	5	13	5	7	3	1	–
	All other — Male	41	–	–	–	–	–	–	–	–	–	–	2	3	6	7	7	–	11	2	1	1	1	–
	Female	16	–	–	–	–	–	–	–	–	1	–	1	1	–	2	2	4	3	–	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	975	–	9	10	9	6	5	8	10	17	32	54	75	115	124	135	117	113	75	38	19	4	–
	White — Male	341	–	4	2	3	1	1	5	3	4	9	21	29	48	49	48	42	38	16	16	2	–	–
	Female	314	–	4	3	3	–	1	2	2	7	11	17	26	27	33	39	42	38	34	10	13	2	–
	All other — Male	148	–	1	3	1	3	2	–	1	4	5	6	11	21	20	27	18	14	5	5	–	1	–
	Female	172	–	–	2	2	2	1	1	4	2	7	10	9	19	22	21	15	23	20	7	4	1	–
204–207	Leukemia	255	–	4	10	1	8	9	9	3	6	4	5	17	11	23	32	42	32	18	14	6	1	–
	White — Male	118	–	3	3	–	3	3	4	–	4	–	3	4	4	12	15	24	19	8	6	2	1	–
	Female	77	–	–	3	–	4	2	2	2	1	2	1	5	5	4	10	10	11	6	7	2	–	–
	All other — Male	29	–	1	3	–	1	3	–	–	–	–	–	6	2	3	2	5	1	1	–	1	–	–
	Female	31	–	–	1	1	–	1	3	1	1	2	1	2	–	4	5	3	1	3	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	341	–	–	3	2	6	4	6	2	7	10	15	36	30	47	42	66	34	20	10	–	1	–
	White — Male	132	–	–	2	2	1	2	2	1	5	2	5	16	9	24	14	24	11	8	4	–	–	–
	Female	115	–	–	–	–	2	1	2	–	1	4	5	8	10	11	17	26	14	9	4	–	1	–
	All other — Male	52	–	–	1	–	3	1	2	1	1	3	3	7	7	6	4	8	2	2	1	–	–	–
	Female	42	–	–	–	–	–	–	–	–	–	1	2	5	4	6	7	8	7	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	108	1	2	1	2	4	2	1	3	4	4	6	13	9	13	14	14	7	5	3	–	–	–
	White — Male	36	–	–	–	1	2	1	–	–	1	1	3	3	4	3	3	7	3	1	3	–	–	–
	Female	31	–	2	1	1	1	1	–	–	1	1	1	5	2	4	3	3	2	3	–	–	–	–
	All other — Male	22	–	–	–	–	–	–	1	1	2	2	1	3	2	2	5	2	1	–	–	–	–	–
	Female	19	1	–	–	–	1	–	–	2	–	–	1	2	1	4	3	2	1	1	–	–	–	–
250	Diabetes mellitus	858	–	–	–	–	–	1	7	6	11	12	26	45	67	115	135	122	126	103	48	24	10	–
	White — Male	183	–	–	–	–	–	–	2	1	1	2	10	8	19	28	31	22	30	19	8	1	1	–
	Female	289	–	–	–	–	–	–	2	3	3	–	5	7	14	35	36	45	43	54	25	14	3	–
	All other — Male	144	–	–	–	–	–	1	–	1	4	5	7	14	14	18	29	19	10	10	7	2	3	–
	Female	242	–	–	–	–	–	–	3	1	3	5	4	16	20	34	39	36	43	20	8	7	3	–
260–269	Avitaminoses and other nutritional deficiencies	54	2	–	–	–	–	–	–	–	–	–	4	2	1	4	2	1	9	10	10	6	3	–
	White — Male	9	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	1	2	2	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	3	4	2	4	3	–
	All other — Male	13	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	2	3	1	1	–	–
	Female	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	5	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
280–285	Anemias	93	3	8	3	–	5	5	2	3	2	2	2	3	5	5	10	11	9	7	3	2	3	–
	White Male	14	–	–	–	–	–	1	–	–	–	–	–	–	1	3	2	3	1	3	–	–	–	–
	Female	22	1	1	–	–	–	1	–	–	1	–	1	–	1	–	3	4	1	3	2	2	1	–
	All other Male	35	–	3	1	–	4	3	1	2	–	1	–	3	3	–	3	3	6	1	–	–	1	–
	Female	22	2	4	2	–	1	–	1	1	1	1	1	–	–	2	2	1	1	–	1	–	1	–
320	Meningitis	44	16	6	3	–	1	1	1	1	1	3	2	1	2	3	–	1	–	–	1	–	1	–
	White Male	11	4	3	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	4	–	–	1	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	16	5	2	1	–	–	1	–	–	–	2	2	–	1	1	–	–	–	–	1	–	–	–
	Female	13	7	1	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–
390–448	Major cardiovascular diseases	17,165	29	7	3	9	17	36	47	78	116	270	505	785	1,126	1,570	2,230	2,469	2,500	2,391	1,729	916	331	1
	White Male	6,356	5	3	1	4	4	11	12	21	49	123	238	379	552	753	959	940	840	719	449	231	63	–
	Female	5,553	2	1	1	1	2	7	6	10	15	35	75	129	198	305	557	724	918	1,070	881	468	148	–
	All other Male	2,642	12	2	1	2	7	11	16	27	35	59	113	160	211	290	382	413	347	264	171	72	47	–
	Female	2,614	10	1	–	2	4	7	13	20	17	53	79	117	165	222	332	392	395	338	228	145	73	1
390–398, 402, 404, 410–429	Diseases of heart	12,614	21	3	1	6	10	19	32	47	91	212	417	640	911	1,247	1,729	1,827	1,839	1,634	1,138	583	207	–
	White Male	5,043	4	2	–	2	2	7	8	14	42	113	212	338	481	643	799	735	643	508	304	150	36	–
	Female	3,890	1	–	–	1	1	1	3	3	12	24	61	95	154	229	423	539	664	716	584	287	92	–
	All other Male	1,857	9	1	1	1	4	6	14	20	27	42	90	116	160	207	279	278	243	182	102	49	26	–
	Female	1,824	7	–	–	2	3	5	7	10	10	33	54	91	116	168	228	275	289	228	148	97	53	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	143	–	1	–	–	1	3	4	4	5	9	10	8	19	22	20	16	10	7	3	1	–	–
	White Male	56	–	–	–	–	–	3	–	–	1	3	3	2	8	12	5	10	4	4	1	–	–	–
	Female	41	–	–	–	–	–	–	–	1	1	1	4	2	4	5	10	4	5	2	2	–	–	–
	All other Male	22	–	1	–	–	–	–	3	1	2	1	1	1	5	1	3	1	1	1	–	–	–	–
	Female	24	–	–	–	–	1	–	1	2	1	4	2	3	2	4	2	1	–	–	–	1	–	–
402	Hypertensive heart disease	106	–	–	–	1	–	–	–	–	1	3	5	3	16	8	18	12	13	15	7	2	2	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	1	–	3	2	3	3	3	3	–	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	1	1	7	2	5	7	5	1	1	–
	All other Male	23	–	–	–	1	–	–	–	–	1	1	3	–	5	4	–	5	2	1	–	–	–	–
	Female	35	–	–	–	–	–	–	–	–	–	2	1	3	7	1	8	2	3	4	2	1	1	–
404	Hypertensive heart and renal disease	77	–	–	–	–	–	–	1	–	1	–	2	3	7	3	9	6	12	18	7	6	2	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	5	1	1	1	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	4	9	3	4	1	–
	All other Male	13	–	–	–	–	–	–	1	–	–	–	–	–	3	1	1	1	3	2	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	1	–	2	2	3	1	3	1	4	2	2	1	–	–
410–413	Ischemic heart disease	10,994	–	–	–	–	3	3	13	34	61	173	361	573	789	1,085	1,537	1,634	1,616	1,423	997	508	184	–
	White Male	4,532	–	–	–	–	–	1	4	12	30	97	194	313	441	582	732	669	583	442	270	131	31	–
	Female	3,415	–	–	–	–	–	–	1	2	6	19	50	81	131	199	370	490	586	624	516	253	87	–
	All other Male	1,535	–	–	–	–	2	2	5	15	19	36	76	103	128	169	245	234	195	154	87	43	22	–
	Female	1,512	–	–	–	–	1	–	3	5	6	21	41	76	89	135	190	241	252	203	124	81	44	–
410	Acute myocardial infarction	5,588	–	–	–	–	2	3	7	22	38	121	251	393	529	661	898	844	749	563	320	148	39	–
	White Male	2,735	–	–	–	–	–	1	3	10	23	77	145	249	317	386	479	387	305	195	103	47	8	–
	Female	1,567	–	–	–	–	–	–	–	1	5	10	32	54	88	124	223	264	283	247	152	69	15	–
	All other Male	709	–	–	–	–	1	2	3	8	7	25	48	54	76	83	122	95	82	55	33	8	7	–
	Female	577	–	–	–	–	1	–	1	3	3	9	26	36	48	68	74	98	79	66	32	24	9	–
411	Other acute and subacute forms of ischemic heart disease	30	–	–	–	–	–	–	1	–	–	1	–	4	2	4	2	2	6	4	2	2	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	1	–	3	–	2	1	1	1	1	2	2	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	4	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	5,370	–	–	–	–	1	–	5	12	23	51	110	175	258	420	637	786	860	854	675	358	145	–
	White Male	1,780	–	–	–	–	–	–	1	2	7	19	49	61	124	194	252	279	276	246	165	82	23	–
	Female	1,834	–	–	–	–	–	–	1	1	1	9	18	26	41	74	146	225	299	373	364	184	72	–
	All other Male	825	–	–	–	–	1	–	2	7	12	11	28	49	52	86	123	139	113	98	54	35	15	–
	Female	931	–	–	–	–	–	–	1	2	3	12	15	39	41	66	116	143	172	137	92	57	35	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	110	1	–	–	1	–	2	1	–	1	2	1	8	7	5	8	15	17	12	17	9	3	–
	White Male	42	–	–	–	1	–	–	1	–	–	1	–	5	5	1	6	5	7	2	5	3	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	8	6	4	9	5	–	–
	All other Male	18	1	–	–	–	–	2	–	–	1	1	–	1	1	–	–	2	4	3	1	–	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	3	2	1	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,184	20	2	1	4	6	11	13	9	22	25	38	45	73	124	137	144	171	159	107	57	16	–
	White—Male	379	4	2	–	1	2	3	3	2	11	12	14	18	23	45	51	45	45	52	27	15	4	–
	White—Female	341	1	–	–	1	1	1	2	–	5	4	7	10	18	22	31	34	58	70	49	24	3	–
	All other—Male	246	8	–	1	–	2	2	5	4	4	3	10	11	18	32	30	35	38	21	13	6	3	–
	All other—Female	218	7	–	–	2	1	5	3	3	2	6	7	6	14	25	25	30	30	16	18	12	6	–
400, 401, 403	Hypertension	109	–	–	–	–	–	–	–	1	–	4	8	8	8	6	13	17	14	15	8	4	3	–
	White—Male	16	–	–	–	–	–	–	–	–	–	1	1	–	1	1	5	2	2	3	–	–	–	–
	White—Female	23	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	2	1	7	4	4	–	–
	All other—Male	35	–	–	–	–	–	–	–	–	–	2	3	5	3	2	2	6	5	2	3	–	2	–
	All other—Female	35	–	–	–	–	–	–	–	–	–	1	4	3	3	2	4	7	6	3	1	–	1	–
430–438	Cerebrovascular diseases	3,425	7	4	2	3	5	13	12	24	22	47	62	117	171	253	391	482	496	568	433	232	80	1
	White—Male	922	1	1	1	2	2	3	2	4	5	6	19	32	54	80	118	135	137	150	96	59	15	–
	White—Female	1,281	1	1	1	–	1	3	3	4	3	9	13	27	37	60	106	152	198	275	226	123	38	–
	All other—Male	595	3	1	–	1	2	5	1	7	7	14	15	37	39	67	75	103	83	62	49	13	11	–
	All other—Female	627	2	1	–	–	–	2	6	9	7	18	15	21	41	46	92	92	78	81	62	37	16	1
431	Cerebral hemorrhage	422	5	1	–	1	2	3	3	3	4	7	20	26	47	48	57	62	41	47	33	11	1	–
	White—Male	105	1	–	–	1	1	–	–	–	1	1	6	5	15	13	17	19	9	13	1	2	–	–
	White—Female	131	1	–	–	–	–	1	–	–	–	1	3	6	7	10	16	25	18	21	18	4	–	–
	All other—Male	90	3	1	–	–	1	1	2	3	3	4	11	13	14	14	10	7	6	4	6	–	–	–
	All other—Female	96	–	–	–	–	–	1	2	1	–	2	7	4	12	11	14	11	8	9	8	5	1	–
433	Cerebral thrombosis	719	–	–	–	–	–	1	1	–	–	4	2	13	23	50	70	103	116	139	105	61	31	–
	White—Male	188	–	–	–	–	–	–	–	–	–	–	–	3	6	19	20	25	31	31	32	13	8	–
	White—Female	321	–	–	–	–	–	–	–	–	–	1	1	2	9	12	20	34	53	77	56	39	17	–
	All other—Male	94	–	–	–	–	–	–	–	–	–	1	1	6	7	12	12	21	13	13	6	–	2	–
	All other—Female	116	–	–	–	–	–	1	1	–	–	2	–	2	1	7	18	23	19	18	11	9	4	–
434	Cerebral embolism	13	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	3	–	–	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	White—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,271	2	3	2	2	3	9	8	21	18	36	40	77	100	153	260	315	336	382	295	160	48	1
	White—Male	626	–	1	1	1	1	3	2	4	4	5	13	24	32	48	80	90	97	106	63	44	7	–
	White—Female	823	–	1	1	–	1	2	3	4	3	7	9	19	21	37	68	93	124	177	152	80	21	–
	All other—Male	407	–	–	–	1	1	4	–	5	4	10	10	19	19	40	52	74	64	45	37	13	9	–
	All other—Female	415	2	1	–	–	–	–	3	8	7	14	8	15	28	28	60	58	51	54	43	23	11	1
440	Arteriosclerosis	584	–	–	–	–	–	1	–	–	–	–	–	5	9	18	37	66	100	107	126	81	34	–
	White—Male	191	–	–	–	–	–	1	–	–	–	–	–	1	3	5	10	32	33	35	43	18	10	–
	White—Female	258	–	–	–	–	–	–	–	–	–	–	–	4	2	7	12	15	46	47	61	48	16	–
	All other—Male	68	–	–	–	–	–	–	–	–	–	–	–	–	2	3	14	11	11	6	11	5	5	–
	All other—Female	67	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	8	10	19	11	10	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	433	1	–	–	–	2	3	3	6	3	7	18	15	27	46	60	77	51	67	24	16	7	–
	White—Male	184	–	–	–	–	–	–	2	3	2	3	6	8	13	24	27	36	25	23	6	4	2	–
	White—Female	101	–	–	–	–	–	3	–	2	–	2	1	3	4	8	14	16	9	25	6	6	2	–
	All other—Male	87	–	–	–	–	1	–	1	–	1	1	5	2	7	11	12	15	5	12	6	5	3	–
	All other—Female	61	1	–	–	–	1	–	–	1	–	1	6	2	3	3	7	10	12	7	6	1	–	–
466	Acute bronchitis and bronchiolitis	14	1	–	1	–	–	1	–	–	1	1	–	–	–	1	–	1	–	3	2	2	–	–
	White—Male	7	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	2	1	–	–
	White—Female	5	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other—Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	989	83	12	4	3	4	7	13	7	6	21	33	33	56	47	90	103	135	138	105	63	25	1
	White—Male	338	13	4	2	1	3	3	4	4	1	7	8	15	22	17	36	37	53	42	34	24	8	–
	White—Female	300	15	2	1	1	1	2	–	–	1	2	8	9	11	7	20	24	45	57	50	31	13	–
	All other—Male	201	36	3	–	1	–	2	4	1	3	8	11	7	12	15	24	21	20	19	11	2	1	–
	All other—Female	150	19	3	1	–	–	–	5	2	1	4	6	2	11	8	10	21	17	20	10	6	3	1
470–474	Influenza	134	–	–	–	–	–	–	2	–	1	–	6	3	6	2	13	12	25	26	17	15	6	–
	White—Male	52	–	–	–	–	–	–	–	–	–	–	1	1	2	–	5	7	10	10	7	6	3	–
	White—Female	54	–	–	–	–	–	–	–	–	–	–	2	1	2	1	5	3	10	13	7	9	1	–
	All other—Male	15	–	–	–	–	–	–	1	–	1	–	2	1	1	1	2	2	2	1	1	–	–	–
	All other—Female	13	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	3	2	2	–	2	–
480–486	Pneumonia	855	83	12	4	3	4	7	11	7	5	21	27	30	50	45	77	91	110	112	88	48	19	1
	White—Male	286	13	4	2	1	3	3	4	4	1	7	7	14	20	17	31	30	43	32	27	18	5	–
	White—Female	246	15	2	1	1	1	2	–	–	1	2	6	8	9	6	15	21	35	44	43	22	12	–
	All other—Male	186	36	3	–	1	–	2	3	1	2	8	9	6	11	14	22	19	18	18	10	2	1	–
	All other—Female	137	19	3	1	–	–	–	4	2	1	4	5	2	10	8	9	21	14	18	8	6	1	1
490–493	Bronchitis, emphysema, and asthma	388	1	–	–	–	2	3	2	3	–	6	15	13	30	54	65	62	61	46	19	6	–	–
	White—Male	248	–	–	–	–	–	1	–	–	–	1	8	9	19	38	41	47	39	31	13	1	–	–
	White—Female	69	–	–	–	–	–	–	2	–	–	1	4	2	7	5	11	10	10	9	5	3	–	–
	All other—Male	52	1	–	–	–	1	1	–	1	–	3	1	1	4	8	9	5	11	4	1	1	–	–
	All other—Female	19	–	–	–	–	1	1	–	2	–	1	2	1	–	3	4	–	1	2	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
490, 491	Chronic and unqualified bronchitis	64	–	–	–	–	–	1	1	1	–	1	6	3	2	7	16	9	7	6	3	1	–	–
	White Male	39	–	–	–	–	–	1	–	–	–	1	2	2	2	5	9	7	5	3	2	–	–	–
	Female	14	–	–	–	–	–	–	1	–	–	–	2	1	–	–	3	2	1	2	1	1	–	–
	All other Male	6	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	–	–	–	–	–
492	Emphysema	286	–	–	–	–	1	1	–	–	–	2	7	8	25	41	45	52	51	36	13	4	–	–
	White Male	201	–	–	–	–	–	–	–	–	–	–	6	6	16	31	32	39	33	27	10	1	–	–
	Female	45	–	–	–	–	–	–	–	–	–	1	1	1	6	3	6	8	8	6	3	2	–	–
	All other Male	38	–	–	–	–	–	1	–	–	–	1	–	1	3	7	6	5	10	3	–	1	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	38	1	–	–	–	1	1	1	2	–	3	2	2	3	6	4	1	3	4	3	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	1	1	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	1	–	1	2	2	–	1	1	1	–	–	–
	All other Male	8	1	–	–	–	1	–	–	–	–	2	–	–	1	1	1	–	–	–	1	–	–	–
	Female	12	–	–	–	–	–	1	–	2	–	1	1	1	–	1	1	–	1	2	–	1	–	–
531–533	Peptic ulcer	98	–	1	–	–	–	–	2	3	2	3	3	8	5	6	11	22	14	10	3	5	–	–
	White Male	48	–	–	–	–	–	–	–	1	1	2	1	2	2	5	7	10	7	4	2	4	–	–
	Female	28	–	–	–	–	–	–	1	1	–	–	1	1	2	1	1	6	7	5	1	1	–	–
	All other Male	15	–	–	–	–	–	–	1	1	–	1	1	3	1	–	2	4	–	1	–	–	–	–
	Female	7	–	1	–	–	–	–	–	–	1	–	–	2	–	–	1	2	–	–	–	–	–	–
540–543	Appendicitis	15	3	1	–	1	–	–	–	–	1	–	–	1	–	1	1	1	3	1	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	1	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	109	12	–	1	–	–	1	–	–	1	1	2	3	3	5	14	10	14	20	13	8	1	–
	White Male	29	4	–	–	–	–	1	–	–	–	–	–	1	1	1	6	6	2	3	3	1	–	–
	Female	41	6	–	–	–	–	–	–	–	1	–	–	1	1	2	1	2	7	11	7	2	–	–
	All other Male	19	1	–	–	–	–	–	–	–	–	1	2	–	–	1	4	1	2	2	1	3	1	–
	Female	20	1	–	1	–	–	–	–	–	–	–	–	1	1	1	3	1	3	4	2	2	–	–
571	Cirrhosis of liver	416	–	–	–	–	1	4	5	9	21	32	51	61	69	54	46	31	13	10	6	2	1	–
	White Male	202	–	–	–	–	–	1	1	–	10	11	22	36	38	22	24	16	7	9	4	1	–	–
	Female	103	–	–	–	–	–	–	1	1	–	7	12	11	18	20	14	11	4	1	1	1	1	–
	All other Male	76	–	–	–	–	1	2	1	6	9	11	11	8	9	11	2	3	1	–	1	–	–	–
	Female	35	–	–	–	–	–	1	2	2	2	3	6	6	4	1	6	1	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	49	–	–	–	–	–	–	1	1	–	–	–	1	4	1	8	8	9	8	4	2	2	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	1	1	–	–
	Female	25	–	–	–	–	–	–	1	–	–	–	–	1	3	–	4	4	4	5	2	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	2	3	1	1	1	–
580–584	Nephritis and nephrosis	247	1	1	3	1	1	6	–	4	8	6	9	8	19	26	25	39	37	28	17	5	3	–
	White Male	67	–	–	–	–	1	5	–	1	2	1	3	3	2	6	9	11	7	6	7	3	–	–
	Female	41	–	–	–	1	–	–	–	–	2	1	–	–	4	6	3	3	6	9	2	2	2	–
	All other Male	62	–	–	2	–	–	–	–	1	2	3	3	2	8	4	5	12	11	5	4	–	–	–
	Female	77	1	1	1	–	–	1	–	2	2	1	3	3	5	10	8	13	13	8	4	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	27	1	1	1	–	–	–	–	–	–	–	1	–	2	5	3	7	1	2	1	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	1	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	All other Male	6	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–
	Female	11	1	1	–	–	–	–	–	–	–	–	–	–	1	3	1	3	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	220	–	–	2	1	1	6	–	4	8	6	8	8	17	21	22	32	36	26	16	4	2	–
	White Male	59	–	–	–	–	1	5	–	1	2	1	2	3	2	6	8	9	6	5	6	2	–	–
	Female	39	–	–	–	1	–	–	–	–	2	1	–	–	3	6	3	3	6	9	2	2	1	–
	All other Male	56	–	–	1	–	–	–	–	1	2	3	3	2	8	2	4	10	11	5	4	–	–	–
	Female	66	–	–	1	–	–	1	–	2	2	1	3	3	4	7	7	10	13	7	4	–	1	–
590	Infections of kidney	99	–	–	–	–	1	–	–	1	1	–	1	5	1	5	14	11	17	23	12	6	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	2	7	8	–	1	–	–
	Female	42	–	–	–	–	1	–	–	1	–	–	1	2	–	2	–	5	4	13	10	2	1	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	2	2	1	2	2	–	–
	Female	18	–	–	–	–	–	–	–	–	1	–	–	1	–	2	6	2	4	1	–	1	–	–
600	Hyperplasia of prostate	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	4	1	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	15	–	–	–	–	2	1	2	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	12	–	–	–	–	2	–	1	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
640–645	Abortions	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	14	–	–	–	–	1	1	2	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	11	–	–	–	–	1	–	1	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	268	163	30	7	13	6	6	5	3	4	3	4	5	3	3	3	6	2	–	2	–	–	–
	White..... Male	87	53	7	3	3	3	2	4	1	–	–	2	–	2	2	2	1	2	–	–	–	–	–
	Female	89	53	10	3	4	1	1	1	1	4	1	1	3	1	1	–	3	–	–	1	–	–	–
	All other..... Male	51	35	7	–	1	1	2	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
	Female	41	22	6	1	5	1	1	–	1	–	1	–	1	–	–	–	1	–	–	1	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	683	682	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	173	172	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	214	214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	195	195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	346	346	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	337	336	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	90	89	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	356	61	1	–	–	5	4	3	3	4	7	6	18	15	21	36	40	27	41	42	10	11	1
	White..... Male	120	15	1	–	–	1	2	2	3	3	3	2	10	8	10	16	10	8	15	7	2	2	–
	Female	95	10	–	–	–	1	–	1	–	–	1	1	1	3	4	7	9	8	17	22	4	5	1
	All other..... Male	67	17	–	–	–	–	2	–	–	1	–	2	3	3	4	7	10	5	4	6	2	1	–
	Female	74	19	–	–	–	3	–	–	–	–	3	1	4	1	3	6	11	6	5	7	2	3	–
Residual	All other diseases	2,335	65	24	15	16	28	41	52	56	66	86	96	149	184	239	251	286	260	202	121	78	20	–
	White..... Male	850	16	6	4	8	9	16	16	15	12	22	26	57	71	113	104	112	104	71	39	24	5	–
	Female	669	13	9	6	3	7	8	13	9	13	16	22	38	45	61	61	86	82	77	56	34	10	–
	All other..... Male	459	15	6	3	3	7	6	11	12	27	24	31	34	36	42	45	59	38	32	16	11	1	–
	Female	357	21	3	2	2	5	11	12	20	14	24	17	20	32	23	41	29	36	22	10	9	4	–
E800–E949	Accidents	2,302	44	84	73	92	311	279	201	149	121	97	112	121	93	102	96	88	82	72	48	24	8	5
	White..... Male	1,153	12	25	32	43	187	164	120	83	59	52	64	60	39	52	42	43	31	24	14	2	2	3
	Female	409	8	24	5	17	43	26	23	12	14	13	19	24	23	22	27	19	22	23	25	17	3	–
	All other..... Male	551	13	18	23	26	67	73	50	43	39	27	27	30	21	23	17	19	12	11	5	3	2	2
	Female	189	11	17	13	6	14	16	8	11	9	5	2	7	10	5	10	7	17	14	4	2	1	–
E810–E823	Motor vehicle accidents	988	6	29	41	40	182	158	98	55	47	36	45	48	40	45	47	32	19	12	6	2	–	–
	White..... Male	528	1	7	21	20	113	91	61	27	23	17	23	24	19	22	21	19	10	6	3	–	–	–
	Female	193	2	12	3	9	37	21	17	5	9	7	11	11	12	10	15	5	2	2	2	1	–	–
	All other..... Male	198	1	6	9	8	23	35	15	18	12	11	10	11	6	11	7	7	2	4	1	1	–	–
	Female	69	2	4	8	3	9	11	5	5	3	1	1	2	3	2	4	1	5	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,314	38	55	32	52	129	121	103	94	74	61	67	73	53	57	49	56	63	60	42	22	8	5
	White..... Male	625	11	18	11	23	74	73	59	56	36	35	41	36	20	30	21	24	21	18	11	2	2	3
	Female	216	6	12	2	8	6	5	6	7	5	6	8	13	11	12	12	14	20	21	23	16	3	–
	All other..... Male	353	12	12	14	18	44	38	35	25	27	16	17	19	15	12	10	12	10	7	4	2	2	2
	Female	120	9	13	5	3	5	5	3	6	6	4	1	5	7	3	6	6	12	14	4	2	1	–
E950–E959	Suicide	434	...	...	–	2	24	52	40	30	31	32	46	48	35	34	26	18	7	5	3	1	–	–
	White..... Male	289	...	...	–	2	16	31	29	17	18	17	39	26	22	27	18	13	7	4	2	1	–	–
	Female	89	...	...	–	–	4	8	2	8	7	11	6	19	11	3	5	3	–	1	1	–	–	–
	All other..... Male	48	...	...	–	–	4	13	8	5	5	3	1	1	1	3	2	2	–	–	–	–	–	–
	Female	8	...	...	–	–	–	–	1	–	1	1	–	2	1	1	1	–	–	–	–	–	–	–
E960–E978	Homicide	539	1	6	5	5	56	84	97	65	46	37	39	34	23	12	8	10	6	–	2	3	–	–
	White..... Male	126	–	–	2	1	11	13	19	17	17	9	7	11	7	5	1	4	2	–	–	–	–	–
	Female	39	–	1	2	1	5	6	3	1	3	3	5	3	1	–	2	1	1	–	1	–	–	–
	All other..... Male	297	1	2	–	3	30	46	62	40	21	24	21	17	14	6	3	4	1	–	–	2	–	–
	Female	77	–	3	1	–	10	19	13	7	5	1	6	3	1	1	2	1	2	–	1	1	–	–
E980–E999	Other external causes	31	3	1	–	–	4	7	3	1	3	2	3	2	–	–	1	–	–	1	–	–	–	–
	White..... Male	14	1	–	–	–	2	3	2	–	1	2	1	1	–	–	1	–	–	–	–	–	–	–
	Female	9	–	1	–	–	1	3	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	6	2	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine																							
	All causes	10,457	165	47	26	30	96	109	78	71	93	149	260	466	571	901	1,175	1,350	1,446	1,439	1,138	640	205	2
	White Male	5,620	103	24	19	15	70	75	62	41	59	93	158	299	368	573	723	778	752	687	449	212	60	–
	Female	4,791	60	21	7	15	26	32	16	29	33	53	99	164	200	323	447	564	690	751	688	427	144	2
	All other Male	28	2	1	–	–	–	1	–	1	–	2	2	1	2	2	4	4	2	1	1	1	1	–
	Female	18	–	1	–	–	–	1	–	–	1	1	1	2	1	3	1	4	2	–	–	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	4	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	26	6	–	–	–	–	–	1	–	–	–	–	1	1	6	3	5	–	2	1	–	–	–
	White Male	15	4	–	–	–	–	–	1	–	–	–	–	–	1	4	2	2	–	1	–	–	–	–
	Female	11	2	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	28	1	1	–	–	–	–	–	–	–	–	2	2	1	3	3	4	6	2	1	2	–	–
	White Male	14	1	1	–	–	–	–	–	–	–	–	–	2	–	2	1	1	4	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	3	2	2	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,169	–	1	5	3	7	4	5	14	29	44	77	147	181	264	313	324	301	264	122	50	14	–
	White Male	1,151	–	–	5	2	5	2	5	5	9	16	34	73	104	157	174	182	156	137	54	25	6	–
	White Female	1,001	–	1	–	1	2	1	–	9	19	27	43	72	76	104	136	139	144	127	67	25	8	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	–	–	1	–	–	–
	All other Female	9	–	–	–	–	–	1	–	–	1	1	–	2	–	1	1	1	1	–	–	–	–	–
140–149	Of buccal cavity and pharynx	43	–	–	–	–	–	–	–	–	–	2	1	3	6	7	6	11	4	2	1	–	–	–
	White Male	29	–	–	–	–	–	–	–	–	–	2	1	3	4	7	5	4	2	1	–	–	–	–
	White Female	13	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	6	2	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	633	–	–	–	–	–	–	–	4	3	12	15	36	35	67	88	93	106	100	51	17	6	–
	White Male	315	–	–	–	–	–	–	–	3	3	5	8	18	20	43	45	43	51	50	17	5	4	–
	White Female	313	–	–	–	–	–	–	–	1	–	6	7	16	15	24	42	49	55	50	34	12	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–
160–163	Of respiratory system	523	–	–	1	–	–	–	–	–	8	8	24	52	58	69	88	90	65	42	10	6	2	–
	White Male	403	–	–	1	–	–	–	–	–	3	5	16	34	43	57	69	75	51	34	9	6	–	–
	White Female	116	–	–	–	–	–	–	–	–	5	3	8	18	14	12	17	14	14	8	1	–	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	191	–	–	–	–	–	–	–	3	6	9	14	17	14	28	28	19	22	20	6	4	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White Female	188	–	–	–	–	–	–	–	3	6	9	14	17	14	27	28	18	22	19	6	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	253	–	–	–	–	–	–	–	1	5	8	6	8	19	17	28	46	41	37	22	12	3	–
	White Male	108	–	–	–	–	–	–	–	–	–	–	–	–	3	5	12	20	20	26	13	9	–	–
	White Female	143	–	–	–	–	–	–	–	1	4	8	6	8	16	12	16	26	20	11	9	3	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
188, 189	Of urinary organs	104	–	–	1	–	–	–	–	–	1	–	5	7	8	10	21	12	13	14	7	3	2	–
	White Male	66	–	–	1	–	–	–	–	–	–	–	4	6	7	5	13	7	5	10	5	1	2	–
	White Female	38	–	–	–	–	–	–	–	–	1	–	1	1	1	5	8	5	8	4	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	224	–	1	1	–	3	2	1	4	4	3	6	16	24	32	36	24	24	23	14	6	–	–
	White Male	120	–	–	1	–	1	1	1	1	3	2	1	7	16	21	22	14	13	7	6	3	–	–
	White Female	101	–	1	–	–	2	–	–	3	1	1	5	9	8	10	14	10	11	16	7	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	70	–	–	1	1	2	1	3	–	1	1	2	5	1	11	3	11	14	8	3	2	–	–
	White Male	35	–	–	1	–	2	–	3	–	–	1	1	3	–	6	2	6	6	2	1	1	–	–
	White Female	34	–	–	–	1	–	1	–	–	1	–	1	2	1	4	1	5	8	6	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	128	–	–	1	2	2	1	1	2	1	1	4	3	16	23	15	18	12	18	8	–	–	–
	White Male	73	–	–	1	2	2	1	1	1	–	1	3	2	11	13	6	12	8	6	3	–	–	–
	White Female	55	–	–	–	–	–	–	–	1	1	–	1	1	5	10	9	6	4	12	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	25	–	–	1	–	–	–	1	–	–	–	1	–	3	1	6	2	3	5	1	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	1	2	2	–	1	–	–
	White Female	14	–	–	1	–	–	–	1	–	–	–	–	–	1	1	4	1	1	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	160	–	–	–	–	–	–	1	2	2	–	4	8	12	13	20	25	21	29	13	9	1	–
	White Male	68	–	–	–	–	–	–	1	1	1	–	2	4	7	7	7	9	8	12	6	3	–	–
	White Female	91	–	–	–	–	–	–	–	1	1	–	1	4	5	6	13	16	13	17	7	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	14	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	3	3	–	2	3	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	2	–	2	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
280–285	Anemias	9	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	5,582	5	2	2	1	4	2	8	8	18	46	94	178	244	448	605	759	859	883	798	461	156	1
	White Male	2,882	4	2	1	–	2	1	5	3	15	32	71	137	169	294	386	438	437	402	294	143	46	–
	Female	2,685	1	–	1	1	2	1	3	5	3	13	22	40	74	153	218	316	421	480	504	317	109	1
	All other Male	11	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	2	1	1	–	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	4,124	4	2	1	–	1	1	5	5	15	39	75	155	204	376	490	580	635	614	527	298	96	1
	White Male	2,236	4	2	1	–	–	–	3	3	12	30	58	122	157	261	317	342	323	285	197	88	31	–
	Female	1,876	–	–	–	–	1	1	2	2	3	8	16	33	46	114	173	234	311	328	330	209	64	1
	All other Male	9	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	1	1	–	1	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	79	–	–	–	–	–	–	2	1	–	2	–	4	4	11	11	11	12	7	11	1	2	–
	White Male	33	–	–	–	–	–	–	1	1	–	2	–	–	2	6	6	6	7	1	1	–	–	–
	Female	46	–	–	–	–	–	–	1	–	–	–	–	4	2	5	5	5	5	6	10	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	38	–	–	–	–	–	–	–	–	–	–	–	–	3	4	9	5	5	2	6	3	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	3	2	1	–	2	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	2	3	1	6	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	18	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	4	4	3	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,711	–	–	–	–	–	–	1	2	14	34	69	143	185	340	440	528	578	562	478	257	79	1
	White Male	2,030	–	–	–	–	–	–	1	2	12	26	53	115	144	239	289	311	293	263	184	72	26	–
	Female	1,671	–	–	–	–	–	–	–	–	2	7	15	28	40	100	151	215	284	298	294	184	52	1
	All other Male	8	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	1	–	1	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
410	Acute myocardial infarction	2,203	–	–	–	–	–	–	1	2	13	30	53	117	147	272	313	354	322	288	181	86	23	1
	White Male	1,318	–	–	–	–	–	–	1	2	11	24	41	94	111	190	208	209	173	146	76	25	7	–
	Female	877	–	–	–	–	–	–	–	–	2	5	11	23	35	82	105	143	148	141	105	61	15	1
	All other Male	7	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	1	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,496	–	–	–	–	–	–	–	–	1	4	16	25	37	68	126	172	253	274	294	170	56	–
	White Male	705	–	–	–	–	–	–	–	–	1	2	12	20	32	49	81	101	118	117	106	47	19	–
	Female	789	–	–	–	–	–	–	–	–	–	2	4	5	5	18	45	71	135	157	188	122	37	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	29	1	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	2	3	4	10	3	–
	White Male	15	1	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	1	2	1	3	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	7	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
420–423, 425–427, 429	All other forms of heart disease	249	3	2	1	–	1	1	2	2	1	3	6	8	10	19	26	33	36	36	24	24	11	–
	White Male	134	3	2	1	–	–	–	1	–	–	2	5	7	8	11	15	21	19	17	9	10	3	–
	Female	113	–	–	–	–	1	1	1	2	1	1	1	1	2	8	11	10	17	19	15	14	8	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
400, 401, 403	Hypertension	28	–	–	–	–	–	–	–	–	–	–	3	–	2	–	1	2	7	7	4	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	3	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	6	4	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,038	–	–	1	–	1	–	3	3	1	6	15	21	30	48	79	127	163	194	205	109	32	–
	White Male	446	–	–	–	–	–	–	2	–	1	2	12	14	6	20	44	67	81	78	71	41	7	–
	Female	590	–	–	1	–	1	–	1	3	–	4	3	6	24	28	35	59	82	116	134	68	25	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
431	Cerebral hemorrhage	190	–	–	–	–	1	–	–	1	–	2	6	3	7	10	12	25	32	33	39	14	5	–
	White Male	76	–	–	–	–	–	–	–	–	–	1	4	3	1	3	5	14	13	12	13	6	1	–
	Female	114	–	–	–	–	1	–	–	1	–	1	2	–	6	7	7	11	19	21	26	8	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	229	–	–	–	–	–	–	–	–	–	–	3	3	6	7	21	26	44	51	47	13	8	–
	White Male	102	–	–	–	–	–	–	–	–	–	–	2	3	1	4	11	18	23	19	14	4	3	–
	Female	127	–	–	–	–	–	–	–	–	–	–	1	–	5	3	10	8	21	32	33	9	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	612	–	–	1	–	–	–	3	2	1	4	6	15	17	30	44	75	85	109	119	82	19	–
	White Male	265	–	–	–	–	–	–	2	–	1	1	6	8	4	13	28	34	43	47	44	31	3	–
	Female	345	–	–	1	–	–	–	1	2	–	3	–	6	13	17	16	40	42	62	75	51	16	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
440	Arteriosclerosis	203	–	–	–	–	–	–	–	–	–	–	–	1	–	4	4	20	22	40	49	40	23	–
	White Male	73	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	8	10	19	19	8	6	–
	Female	130	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	12	12	21	30	32	17	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	189	1	–	–	1	2	1	–	–	2	1	1	1	8	20	31	30	32	28	13	12	5	–
	White Male	118	–	–	–	–	2	1	–	–	2	–	–	1	5	12	22	20	22	17	7	5	2	–
	Female	70	1	–	–	1	–	–	–	–	–	1	1	–	3	8	8	10	10	11	6	7	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	9	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	1	1	–	1	1	1	–
	White Male	4	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	353	3	4	1	–	–	1	1	–	1	1	5	12	10	17	24	29	46	70	70	43	15	–
	White Male	168	3	2	1	–	–	–	1	–	1	–	–	9	3	14	14	17	27	34	28	9	5	–
	Female	185	–	2	–	–	–	1	–	–	–	1	5	3	7	3	10	12	19	36	42	34	10	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	80	–	–	1	–	–	–	1	–	–	–	–	3	4	3	6	5	7	14	21	10	5	–
	White Male	27	–	–	1	–	–	–	1	–	–	–	–	2	2	–	2	3	3	5	5	3	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	2	4	9	16	7	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	273	3	4	–	–	–	1	–	–	1	1	5	9	6	14	18	24	39	56	49	33	10	–
	White Male	141	3	2	–	–	–	–	–	–	1	–	–	7	1	14	12	14	24	29	23	6	5	–
	Female	132	–	2	–	–	–	1	–	–	–	1	5	2	5	–	6	10	15	27	26	27	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	168	–	–	–	–	1	–	2	–	1	1	5	4	10	27	28	33	25	18	9	4	–	–
	White Male	121	–	–	–	–	–	–	1	–	1	–	3	3	6	21	17	26	18	14	7	4	–	–
	Female	46	–	–	–	–	1	–	1	–	–	1	2	1	4	6	11	7	6	4	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
490, 491	Chronic and unqualified bronchitis	39	–	–	–	–	–	–	–	–	–	–	1	1	2	9	7	7	4	4	1	3	–	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	1	2	7	4	5	4	3	1	3	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	2	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	113	–	–	–	–	–	–	–	–	–	1	3	3	4	17	19	25	21	12	7	1	–	–
	White Male	86	–	–	–	–	–	–	–	–	–	–	3	2	2	14	13	21	14	10	6	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	1	–	1	2	3	6	4	6	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	16	–	–	–	–	1	–	2	–	1	–	1	–	4	1	2	1	–	2	1	–	–	–
	White Male	5	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	1	–	–	–	–
	Female	11	–	–	–	–	1	–	1	–	–	–	1	–	2	1	2	1	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	36	–	–	–	–	–	–	–	–	–	1	2	2	1	6	4	5	2	8	3	2	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	1	2	2	–	5	2	4	2	5	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	3	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	41	1	–	–	–	–	–	–	1	–	–	–	1	2	2	3	6	12	5	5	3	–	–
	White Male	17	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	6	1	2	1	–	–
	Female	24	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	4	6	4	3	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	149	–	–	–	–	–	1	1	2	6	8	19	23	22	20	19	17	6	4	–	1	–	–
	White Male	90	–	–	–	–	–	–	–	2	5	7	11	14	14	11	14	9	1	1	–	1	–	–
	Female	58	–	–	–	–	–	1	1	–	1	1	8	9	7	9	5	8	5	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	22	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	4	2	3	5	2	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	1	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	2	4	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	40	–	–	–	–	–	1	–	–	–	–	2	1	2	2	5	4	4	7	6	3	3	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	2	2	5	1	2	–	–
	Female	21	–	–	–	–	–	1	–	–	–	–	–	–	1	2	2	2	2	2	5	1	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	35	–	–	–	–	–	1	–	–	–	–	2	1	2	2	4	4	4	7	4	2	2	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	2	2	5	1	1	–	–
	Female	17	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	2	2	2	3	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	4	4	4	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	3	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	72	43	8	4	2	1	1	2	–	–	–	1	3	2	1	3	1	–	–	–	–	–	–
	White Male	47	31	3	3	2	–	1	–	–	–	–	1	1	1	1	2	1	–	–	–	–	–	–
	Female	25	12	5	1	–	1	–	2	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	57	24	–	–	–	1	–	–	–	–	1	3	1	–	1	4	3	7	4	3	2	3	–
	White Male	28	12	–	–	–	1	–	–	–	–	–	3	–	–	1	3	1	3	1	2	1	–	–
	Female	28	11	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	4	3	1	1	3	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	705	3	6	–	4	7	4	2	7	7	11	12	37	47	59	95	94	108	96	69	30	7	–
	White Male	424	1	4	–	1	5	4	1	4	5	7	6	21	35	36	63	63	62	55	36	13	2	–
	Female	279	2	2	–	3	2	–	1	3	2	4	6	16	12	22	32	31	45	41	33	17	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E800–E949	Accidents	486	2	21	13	18	63	70	35	22	16	23	19	26	18	13	20	24	19	24	19	19	1	1
	White Male	322	2	10	9	8	46	51	31	16	11	20	10	20	14	10	13	13	12	11	8	7	–	–
	Female	162	–	11	4	10	17	19	4	5	5	3	8	6	4	3	7	11	7	13	11	12	1	1
	All other Male	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	220	–	4	5	11	51	43	29	7	8	10	11	9	5	4	5	8	2	6	1	–	–	1
	White Male	146	–	1	3	4	37	28	25	4	4	8	4	7	3	4	4	5	2	3	–	–	–	–
	Female	74	–	3	2	7	14	15	4	3	4	2	7	2	2	–	1	3	–	3	1	–	–	1
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	266	2	17	8	7	12	27	6	15	8	13	8	17	13	9	15	16	17	18	18	19	1	–
	White Male	176	2	9	6	4	9	23	6	12	7	12	6	13	11	6	9	8	10	8	8	7	–	–
	Female	88	–	8	2	3	3	4	–	2	1	1	1	4	2	3	6	8	7	10	10	12	1	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	135	...	...	–	–	6	19	11	11	10	6	12	17	10	12	8	5	4	1	2	–	1	–
	White Male	106	...	...	–	–	6	13	11	7	8	6	10	10	8	7	8	4	4	1	2	–	1	–
	Female	29	...	...	–	–	–	6	–	4	2	–	2	7	2	5	–	1	–	–	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	28	–	2	–	2	2	1	6	2	1	1	1	2	1	–	2	1	4	–	–	–	–	–
	White Male	17	–	1	–	2	2	–	3	1	1	1	1	1	1	–	2	–	1	–	–	–	–	–
	Female	10	–	–	–	–	–	1	3	1	–	–	–	1	–	–	–	1	3	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	21	–	–	–	–	3	5	–	1	1	4	1	–	1	–	3	1	–	–	1	–	–	–
	White Male	12	–	–	–	–	2	3	–	1	1	2	1	–	–	–	2	–	–	–	–	–	–	–
	Female	7	–	–	–	–	1	1	–	–	–	1	–	–	1	–	1	1	–	–	1	–	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland																							
	All causes	**32,644**	**911**	**121**	**109**	**120**	**351**	**428**	**386**	**483**	**483**	**744**	**1,237**	**1,903**	**2,542**	**3,332**	**3,740**	**3,848**	**4,062**	**3,642**	**2,625**	**1,233**	**406**	**18**
	White ..... Male	13,950	283	46	45	51	195	204	168	175	199	310	533	883	1,199	1,679	1,859	1,816	1,737	1,340	847	298	77	6
	Female	12,035	232	38	26	31	66	79	72	79	105	154	306	492	719	941	1,166	1,313	1,725	1,892	1,538	796	262	3
	All other ..... Male	3,854	213	16	26	19	61	110	98	101	118	163	263	333	394	428	417	392	322	192	103	51	28	6
	Female	2,805	183	21	12	19	29	35	48	48	61	117	135	195	230	284	298	327	278	218	137	88	39	3
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	29	15	1	2	–	–	–	1	1	–	–	–	–	2	–	–	2	2	1	1	1	–	–
	White ..... Male	9	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
	Female	8	1	1	1	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–
	All other ..... Male	3	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	53	–	–	–	–	–	–	–	1	1	2	3	8	4	7	7	8	5	5	2	–	–	–
	White ..... Male	25	–	–	–	–	–	–	–	–	1	1	3	3	1	2	6	3	3	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	–	2	1	–	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	1	–	1	–	4	1	5	–	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	1	–	–	–
010–012	Tuberculosis of respiratory system	46	–	–	–	–	–	–	–	1	1	2	3	8	3	7	4	6	4	5	2	–	–	–
	White ..... Male	20	–	–	–	–	–	–	–	–	1	1	3	3	1	2	3	2	2	2	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	2	1	–	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	1	–	1	–	4	1	5	–	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
013–019	Tuberculosis, other forms	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	163	18	2	–	–	–	1	1	1	2	3	4	7	11	13	8	21	17	26	13	10	5	–
	White ..... Male	57	5	–	–	–	–	–	–	–	–	3	1	2	3	4	4	7	4	10	7	5	2	–
	Female	58	3	2	–	–	–	1	–	–	–	–	1	2	4	4	3	8	8	11	6	4	1	–
	All other ..... Male	23	4	–	–	–	–	–	–	1	1	–	1	2	2	3	1	3	2	2	–	–	1	–
	Female	25	6	–	–	–	–	–	1	–	1	–	1	1	2	2	–	3	3	3	–	1	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	79	4	–	3	3	1	2	7	3	1	2	1	6	10	7	6	6	6	5	4	1	1	–
	White ..... Male	30	1	–	1	1	–	–	–	2	–	–	1	2	5	4	2	5	2	2	2	–	–	–
	Female	29	3	–	1	2	–	–	3	–	–	–	–	2	4	3	3	–	4	2	1	–	1	–
	All other ..... Male	9	–	–	–	–	–	2	1	–	1	–	–	2	–	–	–	1	–	1	1	–	–	–
	Female	11	–	–	1	–	1	–	3	1	–	2	–	–	1	–	1	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,230	1	7	16	15	26	23	39	57	89	178	365	590	837	1,044	1,084	946	849	597	334	119	12	2
	White—Male	3,065	–	3	7	5	10	7	18	23	34	61	134	210	353	458	513	441	384	240	125	35	3	1
	Female	2,767	1	2	7	7	10	11	15	23	35	64	130	220	298	371	396	329	327	279	167	69	6	–
	All other—Male	842	–	–	1	1	6	4	3	4	8	26	64	90	121	131	121	105	87	41	20	7	2	–
	Female	556	–	2	1	2	–	1	3	7	12	27	37	70	65	84	54	71	51	37	22	8	1	1
140–149	Of buccal cavity and pharynx	193	–	–	–	–	1	1	–	1	–	4	17	28	38	29	26	17	14	11	5	1	–	–
	White—Male	114	–	–	–	–	1	–	–	1	–	1	9	16	18	21	17	11	9	7	3	–	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	1	3	8	5	7	5	5	4	2	1	–	–
	All other—Male	30	–	–	–	–	–	1	–	–	–	2	6	6	10	2	2	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	3	2	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,872	–	–	–	–	1	1	1	5	8	39	65	114	172	253	262	293	279	206	122	46	5	–
	White—Male	739	–	–	–	–	–	1	1	2	4	16	26	48	64	116	118	123	105	70	36	7	2	–
	Female	742	–	–	–	–	–	–	–	1	–	10	18	31	51	84	100	111	123	107	70	33	3	–
	All other—Male	233	–	–	–	–	1	–	–	2	3	7	16	24	39	30	28	33	28	14	6	2	–	–
	Female	158	–	–	–	–	–	–	–	–	1	6	5	11	18	23	16	26	23	15	10	4	–	–
160–163	Of respiratory system	1,890	–	–	–	–	–	–	2	2	14	42	92	202	295	349	343	242	174	89	35	7	2	–
	White—Male	1,097	–	–	–	–	–	–	–	–	8	15	47	90	166	188	214	161	116	64	22	5	1	–
	Female	413	–	–	–	–	–	–	2	2	2	11	16	51	70	83	70	42	34	21	7	2	–	–
	All other—Male	296	–	–	–	–	–	–	–	–	3	9	24	41	50	62	47	30	21	4	4	–	1	–
	Female	84	–	–	–	–	–	–	–	–	1	7	5	20	9	16	12	9	3	–	2	–	–	–
174	Of breast	642	–	–	–	–	–	–	1	9	17	26	54	73	91	88	79	54	55	50	29	14	2	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	3	–	2	–	2	–	–	–	–	–	–	–
	Female	524	–	–	–	–	–	–	1	5	12	21	41	58	71	76	66	46	47	42	26	11	1	–
	All other—Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	109	–	–	–	–	–	–	–	3	5	5	10	15	18	12	11	8	7	8	3	3	1	–
180–187	Of genital organs	788	–	1	1	1	1	1	6	11	6	14	36	45	64	95	117	119	104	94	55	16	1	–
	White—Male	270	–	1	1	1	–	1	2	2	1	–	3	3	12	26	42	43	46	44	32	10	–	–
	Female	350	–	–	–	–	1	–	2	7	5	10	27	32	45	48	51	45	28	31	16	2	–	–
	All other—Male	99	–	–	–	–	–	–	1	–	–	2	–	2	2	9	18	19	21	14	6	4	1	–
	Female	69	–	–	–	–	–	–	1	2	–	2	6	8	5	12	6	12	9	5	1	–	–	–
188, 189	Of urinary organs	300	–	–	1	–	–	–	1	–	2	5	14	14	32	34	45	46	56	20	21	8	1	–
	White—Male	162	–	–	–	–	–	–	1	–	1	4	6	8	18	18	27	26	36	7	6	4	–	–
	Female	98	–	–	1	–	–	–	–	–	–	–	4	1	9	10	15	14	19	10	11	3	1	–
	All other—Male	26	–	–	–	–	–	–	–	–	–	–	3	3	4	4	2	4	1	2	2	1	–	–
	Female	14	–	–	–	–	–	–	–	–	1	1	1	2	1	2	1	2	–	1	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	971	1	3	6	5	9	9	9	15	25	31	60	75	93	137	144	122	101	69	33	22	–	2
	White—Male	405	–	–	1	1	2	2	5	9	14	15	24	31	48	61	57	52	43	21	12	6	–	1
	Female	379	1	1	3	2	4	5	4	4	8	10	15	29	25	44	63	46	41	39	20	15	–	–
	All other—Male	101	–	–	1	–	3	1	–	–	1	2	12	6	9	20	18	14	10	3	1	–	–	–
	Female	86	–	2	1	2	–	1	–	2	2	4	9	9	11	12	6	10	7	6	–	1	–	1
204–207	Leukemia	232	–	3	7	7	11	4	11	9	7	5	10	7	21	15	15	19	36	23	20	2	–	–
	White—Male	117	–	2	4	1	6	–	5	7	3	4	5	3	14	8	7	9	16	12	10	1	–	–
	Female	83	–	1	3	5	4	2	3	2	2	–	3	2	5	5	6	8	15	10	6	1	–	–
	All other—Male	21	–	–	–	1	1	2	1	–	1	–	2	2	1	2	1	1	4	1	1	–	–	–
	Female	11	–	–	–	–	–	–	2	–	1	1	–	–	1	–	1	1	1	–	3	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	342	–	–	1	2	3	7	8	5	10	12	17	32	31	44	53	34	30	35	14	3	1	–
	White—Male	154	–	–	1	2	1	3	4	2	3	6	11	11	11	20	29	16	13	15	4	2	–	–
	Female	137	–	–	–	–	1	4	3	2	6	2	5	13	14	16	18	12	15	15	9	1	1	–
	All other—Male	34	–	–	–	–	1	–	1	1	–	4	1	6	6	2	5	3	1	3	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	2	–	6	1	3	1	2	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	128	3	–	–	–	1	1	1	1	7	5	8	11	12	15	12	18	11	12	6	4	–	–
	White—Male	55	1	–	–	–	–	–	–	1	1	2	4	5	6	8	6	7	5	5	3	1	–	–
	Female	46	1	–	–	–	1	1	1	–	3	1	1	2	5	4	4	8	4	7	1	2	–	–
	All other—Male	15	1	–	–	–	–	–	–	–	2	1	1	3	–	3	2	2	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	1	2	–	2	1	–	–
250	Diabetes mellitus	682	–	2	2	1	2	1	5	7	8	5	13	37	60	77	87	109	113	87	45	18	3	–
	White—Male	202	–	1	–	1	–	–	4	2	3	–	3	15	18	24	26	34	36	20	12	3	–	–
	Female	291	–	–	2	–	–	1	1	1	2	2	6	10	18	29	32	41	55	50	26	12	3	–
	All other—Male	71	–	–	–	–	1	–	–	1	1	1	1	7	10	10	14	14	8	2	1	–	–	–
	Female	118	–	1	–	–	1	–	–	3	2	2	3	5	14	14	15	20	14	15	6	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	49	–	–	–	–	–	–	–	–	–	–	1	–	2	2	6	5	7	10	12	4	–	–
	White—Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	1	1	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	6	7	3	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	2	3	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
280–285	Anemias	55	–	1	–	–	4	2	1	–	2	2	4	3	2	4	5	3	8	7	3	4	–	–
	White Male	19	–	–	–	–	2	1	–	–	–	–	1	1	1	2	–	–	4	6	1	–	–	–
	Female	19	–	–	–	–	1	–	–	–	1	1	–	–	1	2	4	2	2	1	2	2	–	–
	All other Male	8	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	1	1	–	–	2	–	–
	Female	9	–	1	–	–	–	1	–	–	–	1	3	1	–	–	1	–	1	–	–	–	–	–
320.	Meningitis	33	10	6	–	2	–	2	–	–	1	3	1	–	–	3	3	1	–	1	–	–	–	–
	White Male	14	4	4	–	1	–	–	–	–	1	–	1	–	–	1	–	1	–	1	–	–	–	–
	Female	4	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	12	4	2	–	–	–	2	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	16,059	7	2	7	8	12	15	31	47	120	221	442	760	1,086	1,550	1,864	2,099	2,398	2,327	1,861	882	312	8
	White Male	6,975	3	–	2	2	5	4	8	25	62	118	239	432	603	887	979	993	995	807	562	190	57	2
	Female	6,452	2	–	3	1	2	2	7	7	11	29	73	144	240	359	525	732	1,082	1,282	1,141	601	207	2
	All other Male	1,398	1	2	2	2	1	5	11	9	30	36	85	128	149	175	191	191	153	113	63	32	17	2
	Female	1,234	1	–	–	3	4	4	5	6	17	38	45	56	94	129	169	183	168	125	95	59	31	2
390–398, 402, 404, 410–429	Diseases of heart	12,663	7	1	6	8	7	10	22	35	95	180	377	666	927	1,326	1,535	1,652	1,831	1,747	1,352	642	229	8
	White Male	5,769	3	–	2	2	2	3	7	21	54	110	218	386	541	778	831	805	785	626	406	142	45	2
	Female	4,862	2	–	3	1	–	2	4	3	5	20	57	118	191	302	428	563	808	949	822	434	148	2
	All other Male	1,108	1	1	1	2	1	3	8	7	26	28	69	115	127	147	142	147	111	81	49	27	13	2
	Female	924	1	–	–	3	4	2	3	4	10	22	33	47	68	99	134	137	127	91	75	39	23	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	223	–	–	–	–	1	1	3	5	7	14	5	18	27	43	27	27	15	19	6	4	1	–
	White Male	96	–	–	–	–	–	–	–	3	3	5	2	8	7	23	15	13	9	5	2	1	–	–
	Female	102	–	–	–	–	–	1	2	1	2	5	2	10	16	15	11	13	5	12	3	3	1	–
	All other Male	10	–	–	–	–	–	–	1	–	1	–	–	–	2	4	–	–	–	1	1	–	–	–
	Female	15	–	–	–	–	1	–	–	1	1	4	1	–	2	1	1	1	1	1	–	–	–	–
402	Hypertensive heart disease	96	–	–	–	–	–	–	–	–	–	2	5	6	7	13	10	8	17	14	9	3	1	1
	White Male	19	–	–	–	–	–	–	–	–	–	–	1	2	1	4	1	1	4	2	3	–	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	1	–	1	5	3	6	9	9	4	3	1	1
	All other Male	18	–	–	–	–	–	–	–	–	–	1	2	3	2	3	2	–	3	1	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	1	1	3	1	4	1	1	2	1	–	–	–
404	Hypertensive heart and renal disease	51	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	9	8	9	13	2	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	2	8	–	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	6	4	2	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
410–413	Ischemic heart disease	11,233	–	–	1	–	–	1	9	20	73	140	325	565	809	1,146	1,384	1,485	1,669	1,573	1,222	594	213	4
	White Male	5,193	–	–	–	–	–	–	4	14	46	97	199	350	496	681	755	728	718	571	356	135	42	1
	Female	4,320	–	–	–	–	–	–	1	1	3	13	45	95	150	248	381	501	738	851	752	401	139	1
	All other Male	931	–	–	1	–	–	–	4	3	19	19	59	82	109	127	129	132	100	70	42	22	12	1
	Female	789	–	–	–	–	–	1	–	2	5	11	22	38	54	90	119	124	113	81	72	36	20	1
410	Acute myocardial infarction	4,869	–	–	1	–	–	1	3	8	32	75	157	309	455	588	733	736	696	581	327	138	28	1
	White Male	2,637	–	–	–	–	–	–	1	6	25	59	106	204	299	382	429	389	333	238	122	39	5	–
	Female	1,690	–	–	–	–	–	–	1	1	–	8	24	63	92	141	216	261	300	300	179	87	17	–
	All other Male	299	–	–	1	–	–	–	1	1	4	5	16	24	43	30	48	51	31	21	11	7	4	1
	Female	243	–	–	–	–	–	1	–	–	3	3	11	18	21	35	40	35	32	22	15	5	2	–
411	Other acute and subacute forms of ischemic heart disease	72	–	–	–	–	–	–	–	–	1	2	7	5	8	8	9	12	10	5	2	3	–	–
	White Male	39	–	–	–	–	–	–	–	–	1	–	6	5	5	6	4	8	1	1	2	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	3	8	3	–	3	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–
412	Chronic ischemic heart disease	6,288	–	–	–	–	–	–	6	12	40	63	160	251	345	549	641	737	963	987	893	453	185	3
	White Male	2,513	–	–	–	–	–	–	3	8	20	38	86	141	191	292	321	331	384	332	232	96	37	1
	Female	2,605	–	–	–	–	–	–	–	–	3	5	21	32	55	105	162	237	430	548	573	311	122	1
	All other Male	628	–	–	–	–	–	–	3	2	15	13	42	58	66	97	80	81	68	49	31	15	8	–
	Female	542	–	–	–	–	–	–	–	2	2	7	11	20	33	55	78	88	81	58	57	31	18	1
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	263	–	–	1	1	1	–	2	3	3	4	12	24	23	39	31	26	30	28	25	5	3	2
	White Male	127	–	–	1	1	–	–	–	–	1	2	7	11	13	25	19	13	15	8	8	2	–	1
	Female	103	–	–	–	–	–	–	1	1	–	–	2	7	8	13	9	9	14	17	17	3	2	–
	All other Male	20	–	–	–	–	–	–	–	2	2	2	–	5	1	1	3	2	–	1	–	–	–	1
	Female	13	–	–	–	–	1	–	1	–	–	–	3	1	1	–	–	2	1	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland – Con.																							
420–423, 425–427, 429	All other forms of heart disease	797	7	1	4	7	5	8	8	7	12	20	29	52	59	83	80	97	92	104	77	34	10	1
	White Male	313	3	–	1	1	2	3	3	4	4	6	9	15	24	44	38	46	37	38	29	4	2	–
	Female	274	2	–	3	1	–	1	–	–	–	2	7	6	16	20	24	31	38	54	42	22	5	–
	All other Male	122	1	1	–	2	1	3	3	2	4	6	7	24	12	12	8	12	7	7	4	5	1	–
	Female	88	1	–	–	3	2	1	2	1	4	6	6	7	7	7	10	8	10	5	2	3	2	1
400, 401, 403	Hypertension	80	–	–	–	–	–	–	1	–	–	2	3	3	9	6	12	9	12	9	7	6	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	1	–	1	3	5	4	2	3	2	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	6	3	4	4	–	–
	All other Male	21	–	–	–	–	–	–	1	–	–	2	1	2	2	–	6	1	3	2	–	–	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	1	4	3	–	3	1	1	1	–	–	–
430–438	Cerebrovascular diseases	2,403	–	1	1	–	2	3	6	8	22	36	47	74	114	152	237	318	405	428	348	154	47	–
	White Male	792	–	–	–	–	1	–	3	3	7	7	15	37	41	68	97	120	135	121	105	29	6	–
	Female	1,171	–	–	–	–	1	–	3	3	5	8	11	20	43	42	79	129	205	258	221	109	34	–
	All other Male	213	–	1	1	–	–	1	2	–	4	6	13	10	13	19	37	33	31	24	11	5	2	–
	Female	227	–	–	–	–	–	2	1	2	6	15	8	7	17	23	24	36	34	25	11	11	5	–
431	Cerebral hemorrhage	330	–	–	1	–	1	–	1	4	11	15	14	22	39	32	42	43	46	31	16	8	4	–
	White Male	120	–	–	–	–	–	–	–	1	5	–	6	15	19	10	21	14	11	11	5	2	–	–
	Female	125	–	–	–	–	1	–	–	1	2	3	–	3	12	10	12	21	25	17	9	5	4	–
	All other Male	36	–	–	1	–	–	–	1	–	3	3	4	2	2	5	4	3	4	2	2	–	–	–
	Female	49	–	–	–	–	–	–	–	2	1	9	4	2	6	7	5	5	6	1	–	1	–	–
433	Cerebral thrombosis	448	–	–	–	–	–	–	–	–	–	–	5	9	9	20	40	59	74	98	77	42	15	–
	White Male	144	–	–	–	–	–	–	–	–	–	–	–	5	4	11	20	24	21	31	19	8	1	–
	Female	246	–	–	–	–	–	–	–	–	–	–	2	4	4	3	13	24	39	61	52	31	13	–
	All other Male	27	–	–	–	–	–	–	–	–	–	–	3	–	1	3	5	5	5	2	2	–	1	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	6	9	4	4	3	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,619	–	1	–	–	1	3	5	4	11	21	28	43	64	98	155	216	283	299	255	104	28	–
	White Male	525	–	–	–	–	1	–	–	2	2	7	9	17	17	45	56	82	103	79	81	19	5	–
	Female	798	–	–	–	–	–	–	3	2	3	5	9	13	27	29	54	84	139	180	160	73	17	–
	All other Male	149	–	1	–	–	–	1	1	–	1	3	6	8	9	11	28	25	22	20	7	5	1	–
	Female	147	–	–	–	–	–	2	1	–	5	6	4	5	11	13	17	25	19	20	7	7	5	–
440	Arteriosclerosis	434	–	–	–	–	–	–	–	–	–	–	3	4	6	11	21	40	67	82	102	67	31	–
	White Male	136	–	–	–	–	–	–	–	–	–	–	1	1	2	6	6	15	26	28	31	15	5	–
	Female	248	–	–	–	–	–	–	–	–	–	–	–	2	1	3	8	20	35	45	65	46	23	–
	All other Male	20	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	2	3	4	2	–	1	–
	Female	30	–	–	–	–	–	–	–	–	–	–	1	–	2	–	4	3	3	5	4	6	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	479	–	–	–	–	3	2	2	4	3	3	12	13	30	55	59	80	83	61	52	13	4	–
	White Male	255	–	–	–	–	2	1	1	1	1	1	4	8	18	32	40	49	47	29	18	2	1	–
	Female	150	–	–	–	–	1	–	–	1	1	1	5	4	3	12	9	19	28	27	29	8	2	–
	All other Male	36	–	–	–	–	–	1	–	2	–	–	1	–	6	7	3	8	5	2	1	–	–	–
	Female	38	–	–	–	–	–	–	1	–	1	1	2	1	3	4	7	4	3	3	4	3	1	–
466	Acute bronchitis and bronchiolitis	9	–	2	–	–	–	–	1	–	–	–	–	1	1	–	–	1	2	1	–	–	–	–
	White Male	6	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–
	Female	3	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	830	14	9	2	4	4	7	8	7	12	11	14	31	38	54	57	84	115	154	109	69	26	1
	White Male	310	4	1	–	–	1	2	4	2	2	3	3	12	10	19	29	43	46	66	36	24	3	–
	Female	347	4	3	1	1	–	2	2	1	3	3	6	7	14	12	19	26	49	73	66	37	18	–
	All other Male	110	5	1	–	–	1	1	1	4	5	4	3	8	10	14	7	8	16	8	5	4	4	1
	Female	63	1	4	1	3	2	2	1	–	2	1	2	4	4	9	2	7	4	7	2	4	1	–
470–474	Influenza	77	–	1	–	–	–	–	1	1	–	–	–	2	4	3	8	8	10	19	10	9	1	–
	White Male	30	–	–	–	–	–	–	1	1	–	–	–	1	1	–	4	5	4	9	1	3	–	–
	Female	38	–	1	–	–	–	–	–	–	–	–	–	1	3	1	3	3	5	8	8	4	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	2	–	–
480–486	Pneumonia	753	14	8	2	4	4	7	7	6	12	11	14	29	34	51	49	76	105	135	99	60	25	1
	White Male	280	4	1	–	–	1	2	3	1	2	3	3	11	9	19	25	38	42	57	35	21	3	–
	Female	309	4	2	1	1	–	2	2	1	3	3	6	6	11	11	16	23	44	65	58	33	17	–
	All other Male	108	5	1	–	–	1	1	1	4	5	4	3	8	10	13	6	8	16	8	5	4	4	1
	Female	56	1	4	1	3	2	2	1	–	2	1	2	4	4	8	2	7	3	5	1	2	1	–
490–493	Bronchitis, emphysema, and asthma	300	–	–	1	1	2	–	1	1	1	2	5	10	22	36	55	57	51	32	14	5	4	–
	White Male	182	–	–	–	1	1	–	–	–	1	–	2	3	12	18	36	41	33	23	7	4	–	–
	Female	77	–	–	1	–	–	–	–	–	–	1	–	1	5	12	13	12	15	7	7	1	2	–
	All other Male	26	–	–	–	–	1	–	1	–	–	1	1	4	4	4	4	2	–	2	–	–	2	–
	Female	15	–	–	–	–	–	–	–	1	–	–	2	2	1	2	2	2	3	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
490, 491	Chronic and unqualified bronchitis	62	–	–	1	–	2	–	–	–	–	–	–	1	4	5	8	15	14	6	5	–	1	–
	White Male	40	–	–	–	–	1	–	–	–	–	–	–	–	2	3	6	11	10	4	3	–	–	–
	Female	17	–	–	1	–	–	–	–	–	–	–	–	–	1	1	2	4	4	2	2	–	–	–
	All other Male	5	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	197	–	–	–	–	–	–	–	–	1	1	2	5	14	27	40	35	31	25	8	5	3	–
	White Male	134	–	–	–	–	–	–	–	–	1	–	2	3	10	13	28	28	22	19	4	4	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	–	–	2	10	6	5	9	4	4	1	2	–
	All other Male	17	–	–	–	–	–	–	–	–	–	1	–	2	2	3	4	2	–	2	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
493	Asthma	41	–	–	–	1	–	–	1	1	–	1	3	4	4	4	7	7	6	1	1	–	–	–
	White Male	8	–	–	–	1	–	–	–	–	–	–	–	–	–	2	2	2	1	–	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	1	2	1	5	3	2	1	1	–	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	–	2	2	1	1	–	2	3	–	–	–	–	–
531–533	Peptic ulcer	79	2	–	–	–	–	–	–	1	–	–	3	6	8	9	10	14	11	7	5	3	–	–
	White Male	37	–	–	–	–	–	–	–	1	–	–	3	4	4	5	2	8	4	3	2	1	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	2	2	3	5	3	7	3	3	1	–	–
	All other Male	6	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	–	1	–	–
540–543	Appendicitis	12	2	–	1	1	1	1	–	–	–	–	–	–	–	3	–	–	1	1	–	1	–	–
	White Male	6	1	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	3	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	123	8	2	–	–	–	–	–	–	2	1	3	5	6	11	16	16	16	18	11	7	1	–
	White Male	42	1	1	–	–	–	–	–	–	1	–	–	2	3	1	7	9	7	5	2	3	–	–
	Female	53	2	1	–	–	–	–	–	–	–	–	3	2	1	5	5	5	6	10	8	4	1	–
	All other Male	16	2	–	–	–	–	–	–	–	–	1	–	–	2	3	2	2	2	1	1	–	–	–
	Female	12	3	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	1	2	–	–	–	–
571	Cirrhosis of liver	608	2	–	–	–	–	2	10	24	31	56	77	96	91	94	60	31	21	5	8	–	–	–
	White Male	280	1	–	–	–	–	–	–	6	9	24	33	47	37	56	33	17	11	4	2	–	–	–
	Female	142	1	–	–	–	–	–	–	3	5	10	16	21	26	22	15	8	8	1	6	–	–	–
	All other Male	103	–	–	–	–	–	1	4	10	9	11	18	17	12	11	5	5	–	–	–	–	–	–
	Female	83	–	–	–	–	–	1	6	5	8	11	10	11	16	5	7	1	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	42	–	–	–	–	–	1	–	–	–	1	–	2	1	2	2	8	13	8	1	3	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	3	6	3	1	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	6	5	–	1	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
580–584	Nephritis and nephrosis	182	1	–	–	1	2	1	1	6	10	2	12	10	20	6	27	26	16	23	10	4	4	–
	White Male	41	–	–	–	–	–	–	–	3	1	–	2	4	1	1	5	4	5	8	4	1	2	–
	Female	53	–	–	–	–	–	1	–	–	1	–	1	1	5	2	9	7	7	10	4	3	2	–
	All other Male	50	1	–	–	–	1	–	1	3	5	1	8	2	8	2	5	8	2	2	1	–	–	–
	Female	38	–	–	–	1	1	–	–	–	3	1	1	3	6	1	8	7	2	3	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	27	1	–	–	–	–	–	–	–	2	–	–	2	4	1	5	1	3	4	2	2	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	2	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	2	–	3	–	1	1	1	1	–	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	155	–	–	–	1	2	1	1	6	8	2	12	8	16	5	22	25	13	19	8	2	4	–
	White Male	34	–	–	–	–	–	–	–	3	1	–	2	2	1	1	5	4	3	6	4	–	2	–
	Female	43	–	–	–	–	1	–	–	–	–	–	1	1	3	2	6	7	6	9	3	2	2	–
	All other Male	46	–	–	–	1	1	–	1	3	5	1	8	2	7	1	5	8	2	1	1	–	–	–
	Female	32	–	–	–	1	1	–	–	–	2	1	1	3	5	1	6	6	2	3	–	–	–	–
590	Infections of kidney	38	1	–	–	–	1	–	1	–	–	–	1	–	3	2	6	4	6	4	6	3	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	1	2	1	–	–	–
	Female	23	1	–	–	–	–	–	1	–	–	–	1	–	2	2	1	2	3	2	5	3	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
600	Hyperplasia of prostate	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	10	4	2	3	2	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	5	4	2	2	2	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
640–645	Abortions	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	241	155	18	10	4	5	1	6	4	3	1	6	6	6	5	3	5	2	1	–	–	–	–
	White..... Male	100	62	8	4	2	3	1	3	3	1	1	3	1	2	2	1	1	1	1	–	–	–	–
	Female	85	52	7	2	2	1	–	2	–	2	–	3	4	3	–	2	4	1	–	–	–	–	–
	All other..... Male	27	17	1	3	–	–	–	1	1	–	–	–	–	1	3	–	–	–	–	–	–	–	–
	Female	29	24	2	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	521	518	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	147	146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	127	126	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	106	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	237	236	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	74	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	284	282	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	78	77	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	58	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	288	104	6	1	3	8	16	11	15	9	6	11	15	11	11	11	9	11	9	9	8	2	2
	White..... Male	97	33	2	1	1	3	5	4	7	2	1	1	5	4	5	3	4	6	3	5	1	–	1
	Female	75	22	1	–	2	1	3	2	4	2	1	3	5	3	3	6	1	2	4	3	6	1	–
	All other..... Male	73	27	2	–	–	2	6	2	3	4	3	5	3	4	2	2	3	2	–	1	–	1	1
	Female	43	22	1	–	–	2	2	3	1	1	1	2	2	–	1	–	1	1	2	–	1	–	–
Residual	All other diseases	2,213	27	13	9	13	15	23	22	28	45	83	97	160	182	228	286	273	287	218	130	52	21	1
	White..... Male	929	10	6	2	7	8	13	6	7	7	26	30	65	67	98	139	135	135	95	53	16	4	–
	Female	727	4	4	3	2	2	4	4	9	11	16	24	32	59	69	92	93	101	97	64	25	12	–
	All other..... Male	331	5	1	3	–	2	2	7	6	18	23	30	41	41	34	32	29	32	13	6	4	1	1
	Female	226	8	2	1	4	3	4	5	6	9	18	13	22	15	27	23	16	19	13	7	7	4	–
E800–E949	Accidents	1,567	16	44	50	45	182	192	112	96	70	81	88	64	71	93	81	66	69	68	35	32	12	–
	White..... Male	774	7	19	23	19	115	116	63	47	38	36	34	32	29	49	38	31	29	21	15	10	3	–
	Female	401	5	14	5	11	40	36	20	17	12	16	20	13	18	26	19	17	29	36	19	20	8	–
	All other..... Male	281	–	6	15	11	22	33	22	25	17	20	27	13	17	13	18	10	8	3	1	–	–	–
	Female	111	4	5	7	4	5	7	7	7	3	9	7	6	7	5	6	8	3	8	–	2	1	–
E810–E823	Motor vehicle accidents	704	4	12	26	19	129	140	69	54	37	40	38	27	18	30	22	18	10	9	2	–	–	–
	White..... Male	386	3	5	12	6	84	87	40	26	21	22	13	18	5	15	10	10	4	4	1	–	–	–
	Female	164	1	4	4	8	31	28	14	12	6	10	14	3	2	11	6	1	5	3	1	–	–	–
	All other..... Male	115	–	1	8	5	11	20	11	15	9	6	8	3	7	2	3	4	1	1	–	–	–	–
	Female	39	–	2	2	–	3	5	4	1	1	2	3	3	4	2	3	3	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	863	12	32	24	26	53	52	43	42	33	41	50	37	53	63	59	48	59	59	33	32	12	–
	White..... Male	388	4	14	11	13	31	29	23	21	17	14	21	14	24	34	28	21	25	17	14	10	3	–
	Female	237	4	10	1	3	9	8	6	5	6	6	6	10	16	15	13	16	24	33	18	20	8	–
	All other..... Male	166	–	5	7	6	11	13	11	10	8	14	19	10	10	11	15	6	7	2	1	–	–	–
	Female	72	4	3	5	4	2	2	3	6	2	7	4	3	3	3	3	5	3	7	–	2	1	–
E950–E959	Suicide	476	...	...	–	6	44	47	56	43	37	32	41	47	35	28	22	20	9	5	4	–	–	–
	White..... Male	315	...	...	–	4	31	33	38	25	21	20	24	30	28	18	15	14	8	3	3	–	–	–
	Female	103	...	...	–	1	5	8	8	11	11	5	12	15	6	7	5	5	1	2	1	–	–	–
	All other..... Male	45	...	...	–	1	5	6	7	5	4	7	3	–	1	3	2	1	–	–	–	–	–	–
	Female	13	...	...	–	–	3	–	3	2	1	–	2	2	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	352	2	1	4	5	22	69	54	44	28	37	25	12	16	16	9	2	1	4	–	–	–	1
	White..... Male	90	–	–	4	2	6	10	8	11	11	9	7	3	6	9	2	1	–	1	–	–	–	–
	Female	31	–	–	–	1	1	7	3	1	5	2	2	2	–	2	3	–	–	1	–	–	–	1
	All other..... Male	192	2	–	–	1	13	44	34	25	12	23	14	5	8	4	4	1	–	2	–	–	–	–
	Female	39	–	1	–	1	2	8	9	7	–	3	2	2	2	1	–	–	1	–	–	–	–	–
E980–E999	Other external causes	161	–	5	1	8	17	20	15	16	4	10	12	16	4	9	7	7	5	2	–	–	1	2
	White..... Male	81	–	1	–	5	9	11	11	10	3	4	3	4	2	4	4	4	3	1	–	–	1	1
	Female	28	–	1	–	–	2	1	1	2	1	3	4	6	1	2	1	–	2	1	–	–	–	–
	All other..... Male	30	–	1	1	3	4	3	2	2	–	2	2	3	1	2	1	2	–	–	–	–	–	1
	Female	22	–	2	–	–	2	5	1	2	–	1	3	3	–	1	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts																							
	All causes	**54,049**	**800**	**131**	**98**	**117**	**406**	**533**	**446**	**393**	**477**	**735**	**1,380**	**2,277**	**3,335**	**4,452**	**5,666**	**6,628**	**7,724**	**8,023**	**6,228**	**3,069**	**1,120**	**11**
	White ..... Male	26,896	408	68	47	73	271	393	306	219	263	446	813	1,375	2,028	2,710	3,350	3,678	3,742	3,364	2,171	911	255	5
	Female	25,688	301	53	44	38	116	108	106	123	164	237	485	791	1,174	1,621	2,192	2,830	3,828	4,545	3,962	2,121	843	6
	All other ..... Male	825	55	8	5	3	14	23	24	30	30	34	52	74	95	75	77	65	70	38	39	10	4	–
	Female	640	36	2	2	3	5	9	10	21	20	18	30	37	38	46	47	55	84	76	56	27	18	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	26	3	–	–	–	–	–	1	–	–	–	–	–	2	2	–	1	6	5	4	2	–	–
	White ..... Male	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–
	Female	18	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	5	3	3	2	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	63	–	–	–	–	–	1	–	–	–	3	1	3	7	8	7	8	6	8	6	4	1	–
	White ..... Male	34	–	–	–	–	–	–	–	–	–	1	1	2	4	5	2	5	5	3	3	2	1	–
	Female	24	–	–	–	–	–	–	–	–	–	2	–	–	2	2	4	3	1	5	3	2	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	49	–	–	–	–	–	–	–	–	–	3	1	2	6	7	7	6	3	5	5	3	1	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	1	1	1	4	4	2	4	2	2	2	1	1	–
	Female	20	–	–	–	–	–	–	–	–	–	2	–	–	1	2	4	2	1	3	3	2	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	14	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	2	3	3	1	1	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	1	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	229	12	2	1	–	–	6	1	1	1	4	9	5	17	18	16	23	31	36	29	15	2	–
	White ..... Male	116	8	1	1	–	–	4	–	–	–	4	3	3	10	9	10	11	16	19	11	5	1	–
	Female	102	3	1	–	–	–	2	1	1	1	–	6	2	5	7	6	11	13	15	18	9	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	2	–	1	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	114	4	–	2	2	1	1	2	3	1	3	2	5	10	6	12	13	14	11	11	8	3	–
	White ..... Male	51	2	–	1	1	1	–	1	–	–	–	1	2	4	2	7	7	7	4	5	4	2	–
	Female	59	1	–	1	1	–	1	–	3	1	2	1	2	6	4	5	6	7	7	6	4	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	11,452	1	12	17	19	31	41	55	65	112	167	427	732	1,066	1,359	1,691	1,646	1,637	1,298	760	256	57	3
	White—Male	5,724	–	9	8	12	18	23	30	23	43	68	177	346	542	724	927	921	831	598	296	109	17	2
	Female	5,451	1	3	7	7	12	17	23	34	60	86	232	361	490	600	730	697	770	686	449	145	40	1
	All other—Male	155	–	–	1	–	–	1	2	4	3	4	11	13	23	24	21	18	18	3	7	2	–	–
	Female	122	–	–	1	–	1	–	–	4	6	9	7	12	11	11	13	10	18	11	8	–	–	–
140–149	Of buccal cavity and pharynx	290	–	–	–	–	–	–	1	1	1	2	9	22	44	52	51	32	26	24	20	3	2	–
	White—Male	200	–	–	–	–	–	–	1	–	–	2	3	18	32	34	38	23	18	16	10	3	2	–
	Female	80	–	–	–	–	–	–	–	1	–	–	6	4	10	15	12	8	7	7	10	–	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,386	–	–	–	–	–	3	6	5	24	30	83	148	266	368	485	518	570	482	281	98	16	3
	White—Male	1,630	–	–	–	–	–	1	3	2	9	19	41	75	141	200	267	274	263	187	103	37	6	2
	Female	1,681	–	–	–	–	–	2	2	2	12	9	39	68	112	162	207	234	296	288	176	61	10	1
	All other—Male	40	–	–	–	–	–	–	1	1	2	1	2	4	9	1	7	6	4	1	1	–	–	–
	Female	35	–	–	–	–	–	–	–	–	1	1	1	1	4	5	4	4	7	6	1	–	–	–
160–163	Of respiratory system	2,491	–	–	–	–	–	–	–	5	25	43	130	194	296	362	442	400	308	179	79	26	2	–
	White—Male	1,810	–	–	–	–	–	–	–	2	15	23	83	138	204	272	336	309	233	130	46	18	1	–
	Female	616	–	–	–	–	–	–	–	2	10	19	39	45	85	81	97	87	67	47	29	7	1	–
	All other—Male	51	–	–	–	–	–	–	–	1	–	1	6	8	6	8	6	3	6	1	4	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	3	1	1	3	1	2	1	–	–	–	1
174	Of breast	1,116	–	–	–	–	–	–	2	11	13	32	78	130	132	135	144	125	108	106	68	25	7	–
	White—Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	–	–	–	–	–
	Female	1,086	–	–	–	–	–	–	2	10	11	29	76	125	130	132	140	122	106	106	65	25	7	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	1	2	3	2	4	2	2	1	1	1	–	3	–	–	–
180–187	Of genital organs	1,253	–	–	–	–	4	6	4	4	10	12	32	56	84	115	158	190	205	205	119	39	10	–
	White—Male	579	–	–	–	–	1	6	1	1	1	–	2	10	17	37	58	114	109	129	64	24	5	–
	Female	641	–	–	–	–	3	–	3	3	8	10	30	43	65	74	89	73	92	75	53	15	5	–
	All other—Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	2	4	–	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	1	2	–	3	2	1	5	1	–	1	1	–	–	–
188, 189	Of urinary organs	508	–	–	1	–	2	1	2	–	1	1	10	28	45	55	78	70	90	67	37	14	6	–
	White—Male	311	–	–	–	–	–	–	1	–	–	1	7	17	29	35	59	50	52	35	18	7	–	–
	Female	184	–	–	–	–	2	1	1	–	1	–	1	11	13	19	18	18	35	32	19	7	6	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	–	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,414	–	5	5	7	11	9	23	25	25	36	53	94	126	158	203	197	189	121	88	28	11	–
	White—Male	680	–	5	2	5	8	5	14	8	13	18	24	53	76	89	100	90	85	46	29	9	1	–
	Female	692	–	–	2	2	3	3	8	12	11	14	27	40	46	64	103	101	99	72	57	18	10	–
	All other—Male	24	–	–	1	–	–	1	1	2	–	2	2	–	3	4	–	4	2	–	1	1	–	–
	Female	18	–	–	–	–	–	–	–	3	1	2	–	1	1	1	–	2	3	3	1	–	–	–
204–207	Leukemia	389	1	7	10	12	12	11	5	7	7	7	12	12	14	37	45	48	55	40	32	14	1	–
	White—Male	210	–	4	5	7	7	3	2	4	2	2	7	5	9	19	31	28	31	24	12	8	–	–
	Female	175	1	3	5	5	4	8	3	3	5	4	5	7	5	17	14	19	24	16	20	6	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	605	–	–	1	–	2	11	12	7	6	4	20	48	59	77	85	66	86	74	36	9	2	–
	White—Male	296	–	–	1	–	2	8	8	6	3	3	10	29	34	37	35	31	39	31	14	3	2	–
	Female	296	–	–	–	–	–	3	4	1	2	1	9	18	24	36	50	35	44	43	20	6	–	–
	All other—Male	7	–	–	–	–	–	–	–	–	1	–	1	1	1	3	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	2	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	188	1	2	3	–	–	4	1	3	4	4	7	11	19	25	25	25	20	14	17	3	–	–
	White—Male	95	1	2	3	–	–	3	1	2	1	2	3	7	12	9	19	12	9	3	6	–	–	–
	Female	90	–	–	–	–	–	1	–	1	3	2	3	4	6	16	5	13	11	11	11	3	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	1,013	–	–	–	1	–	2	4	9	4	9	19	31	54	94	102	155	184	182	110	40	13	–
	White—Male	416	–	–	–	–	–	2	3	5	2	4	13	19	28	45	45	83	68	56	31	10	2	–
	Female	562	–	–	–	1	–	–	1	3	2	5	4	10	22	42	55	70	107	123	77	29	11	–
	All other—Male	14	–	–	–	–	–	–	–	1	–	–	1	1	2	–	2	2	3	1	1	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	1	2	7	–	–	6	2	1	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	43	1	–	–	1	–	–	–	–	–	–	–	–	4	2	4	9	7	5	5	3	2	–
	White—Male	20	1	–	–	1	–	–	–	–	–	–	–	–	3	1	2	5	4	2	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	3	2	4	3	2	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
280–285	Anemias	85	1	–	–	3	1	–	–	4	–	2	–	1	5	2	7	8	17	15	15	3	1	–
	White Male	36	–	–	–	2	1	–	–	–	–	2	–	–	3	1	4	2	3	9	5	3	1	–
	Female	42	1	–	–	–	–	–	–	1	–	–	–	–	1	1	3	6	13	6	10	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	3	–	–	–	1	1	–	–	–	1	–	–	–	–	–
320	Meningitis	26	4	1	–	1	–	–	1	–	–	–	1	2	2	–	1	3	4	4	2	–	–	–
	White Male	14	3	1	–	1	–	–	1	–	–	–	1	–	1	–	1	1	2	1	1	–	–	–
	Female	12	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	2	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	27,865	17	10	7	6	12	18	31	52	118	225	507	891	1,410	2,056	2,723	3,477	4,361	4,937	4,085	2,108	808	6
	White Male	13,303	6	4	2	4	5	11	21	32	74	169	369	647	970	1,365	1,698	1,893	2,012	1,966	1,329	551	174	1
	Female	14,015	8	5	5	2	5	5	9	15	36	45	111	201	396	640	964	1,533	2,273	2,910	2,696	1,532	619	5
	All other Male	287	2	1	–	–	1	2	1	2	4	8	20	32	31	33	39	25	34	22	21	6	3	–
	Female	260	1	–	–	–	1	–	–	3	4	3	7	11	13	18	22	26	42	39	39	19	12	–
390–398, 402, 404, 410–429	Diseases of heart	21,277	14	4	4	3	8	13	17	37	84	192	434	767	1,218	1,717	2,235	2,759	3,252	3,559	2,915	1,475	567	3
	White Male	10,755	5	1	–	1	3	8	12	27	65	153	330	582	864	1,171	1,422	1,542	1,562	1,483	993	396	134	1
	Female	10,087	7	2	4	2	3	3	4	6	13	31	82	152	320	501	758	1,179	1,625	2,032	1,876	1,062	423	2
	All other Male	240	1	1	–	–	1	2	1	1	2	8	18	26	24	30	35	19	31	16	16	5	3	–
	Female	195	1	–	–	–	1	–	–	3	4	–	4	7	10	15	20	19	34	28	30	12	7	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	501	–	1	1	–	–	3	3	5	4	7	12	31	47	75	64	77	81	52	26	9	3	–
	White Male	190	–	1	–	–	–	3	2	3	1	4	7	19	18	31	22	26	30	14	5	4	–	–
	Female	300	–	–	1	–	–	–	–	2	2	3	4	10	27	43	41	49	51	38	21	5	3	–
	All other Male	5	–	–	–	–	–	–	1	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	–	–	–	–	–	–
402	Hypertensive heart disease	240	–	–	–	–	–	–	–	–	4	1	4	3	9	26	26	21	41	53	28	19	5	–
	White Male	77	–	–	–	–	–	–	–	–	–	1	1	1	2	11	15	11	9	14	7	5	–	–
	Female	149	–	–	–	–	–	–	–	–	1	–	1	1	5	13	9	9	32	38	21	14	5	–
	All other Male	9	–	–	–	–	–	–	–	–	1	–	2	–	2	2	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	1	–	–	–	–	–	–
404	Hypertensive heart and renal disease	59	–	–	–	–	–	–	–	–	–	–	–	–	–	7	3	7	10	8	15	6	3	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	3	5	4	1	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	7	3	11	5	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	19,162	–	–	–	–	1	3	5	25	64	166	375	664	1,072	1,502	1,997	2,496	2,948	3,247	2,696	1,368	530	3
	White Male	9,774	–	–	–	–	–	2	5	20	56	132	299	516	784	1,061	1,291	1,402	1,433	1,362	915	366	129	1
	Female	9,032	–	–	–	–	–	–	–	3	7	26	63	123	263	404	658	1,063	1,458	1,844	1,741	986	391	2
	All other Male	197	–	–	–	–	1	1	–	1	–	8	12	20	16	25	32	17	28	15	14	4	3	–
	Female	159	–	–	–	–	–	–	–	1	1	–	1	5	9	12	16	14	29	26	26	12	7	–
410	Acute myocardial infarction	9,351	–	–	–	–	1	2	5	21	54	119	273	424	697	970	1,266	1,383	1,503	1,301	887	328	116	1
	White Male	5,300	–	–	–	–	–	1	5	17	48	98	220	337	515	685	827	794	744	561	332	83	33	–
	Female	3,881	–	–	–	–	–	–	–	3	6	19	44	79	168	262	413	569	732	720	544	242	79	1
	All other Male	105	–	–	–	–	1	1	–	1	–	2	9	7	10	16	19	11	16	7	4	–	1	–
	Female	65	–	–	–	–	–	–	–	–	–	–	–	1	4	7	7	9	11	13	7	3	3	–
411	Other acute and subacute forms of ischemic heart disease	34	–	–	–	–	–	–	–	–	–	–	3	1	–	1	6	5	3	7	3	5	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	3	1	–	1	6	3	1	2	2	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	1	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	9,769	–	–	–	–	–	1	–	4	10	47	99	239	374	529	725	1,104	1,442	1,939	1,805	1,035	414	2
	White Male	4,449	–	–	–	–	–	1	–	3	8	34	76	178	268	374	458	602	688	799	581	282	96	1
	Female	5,134	–	–	–	–	–	–	–	–	1	7	19	44	95	141	245	491	724	1,119	1,195	740	312	1
	All other Male	92	–	–	–	–	–	–	–	–	–	6	3	13	6	9	13	6	12	8	10	4	2	–
	Female	94	–	–	–	–	–	–	–	1	1	–	1	4	5	5	9	5	18	13	19	9	4	–
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	4	–	–	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	74	–	–	1	–	1	1	1	1	–	2	1	4	4	6	7	11	12	11	6	3	2	–
	White Male	32	–	–	–	–	–	–	1	1	–	2	1	1	3	2	5	3	4	7	2	–	–	–
	Female	38	–	–	1	–	–	–	–	–	–	–	–	3	1	4	2	8	6	4	4	3	2	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,241	14	3	2	3	6	6	8	6	12	16	42	65	86	101	138	147	160	188	144	70	24	–
	White Male	662	5	–	–	1	3	3	4	3	8	14	22	45	57	63	88	97	83	81	60	20	5	–
	Female	529	7	2	2	2	3	3	4	1	3	2	14	15	24	33	46	46	71	105	78	49	19	–
	All other Male	27	1	1	–	–	–	–	–	–	1	–	4	4	4	3	2	2	2	–	2	1	–	–
	Female	23	1	–	–	–	–	–	–	2	–	–	2	1	1	2	2	2	4	2	4	–	–	–
400, 401, 403	Hypertension	173	–	–	–	–	–	–	1	–	2	1	4	4	4	5	13	18	31	33	32	17	7	1
	White Male	77	–	–	–	–	–	–	–	–	2	–	2	2	2	4	10	11	10	11	12	10	1	–
	Female	93	–	–	–	–	–	–	1	–	–	1	1	2	2	1	3	6	20	22	20	7	6	1
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	4,748	2	6	3	1	4	3	9	14	26	28	58	93	141	242	351	530	814	1,027	835	420	141	–
	White Male	1,703	–	3	2	1	2	2	6	5	5	13	27	54	72	124	178	232	298	345	217	95	22	–
	Female	2,956	1	3	1	–	2	1	3	9	20	12	28	31	60	112	170	286	508	667	607	320	115	–
	All other Male	36	1	–	–	–	–	–	–	–	1	–	1	4	6	3	2	5	2	6	4	1	–	–
	Female	53	–	–	–	–	–	–	–	–	–	3	2	4	3	3	1	7	6	9	7	4	4	–
431	Cerebral hemorrhage	831	2	–	1	–	4	1	2	4	8	8	22	37	53	75	91	113	129	128	97	43	13	–
	White Male	329	–	–	1	–	2	1	2	1	1	4	11	25	27	36	49	48	40	42	27	9	3	–
	Female	477	1	–	–	–	2	–	–	3	6	3	9	9	20	37	41	64	87	85	68	33	9	–
	All other Male	12	1	–	–	–	–	–	–	–	1	–	1	1	4	–	1	–	1	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	2	2	2	–	1	1	–	1	1	1	–
433	Cerebral thrombosis	1,550	–	2	–	–	–	–	–	–	2	3	6	11	24	40	97	161	287	382	309	174	52	–
	White Male	543	–	1	–	–	–	–	–	–	–	–	4	4	19	19	49	76	110	129	84	39	9	–
	Female	985	–	1	–	–	–	–	–	–	2	2	2	7	4	19	48	81	175	247	222	132	43	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	–	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	6	2	3	–	–
434	Cerebral embolism	20	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	4	8	–	–	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	4	7	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,347	–	4	2	1	–	2	7	10	16	17	30	45	62	124	163	254	394	509	429	203	75	–
	White Male	826	–	2	1	1	–	1	4	4	4	9	12	25	25	67	80	108	148	173	106	47	9	–
	Female	1,479	–	2	1	–	–	1	3	6	12	7	17	15	35	55	81	139	242	328	317	155	63	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	2	1	5	2	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	5	3	3	4	–	3	–
440	Arteriosclerosis	829	–	–	–	–	–	1	1	–	–	–	–	3	9	23	28	46	98	190	209	143	76	2
	White Male	288	–	–	–	–	–	–	1	–	–	–	–	2	4	14	16	26	43	64	67	36	15	–
	Female	533	–	–	–	–	–	1	–	–	–	–	–	1	4	9	9	20	54	125	141	107	60	2
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	838	1	–	–	2	–	1	3	1	6	4	11	24	38	69	96	124	166	128	94	53	17	–
	White Male	480	1	–	–	2	–	1	2	–	2	3	10	7	28	52	72	82	99	63	40	14	2	–
	Female	346	–	–	–	–	–	–	1	–	3	1	–	15	10	17	24	42	66	64	52	36	15	–
	All other Male	5	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	3	–	–
466	Acute bronchitis and bronchiolitis	30	2	1	–	–	–	–	–	1	–	–	1	–	–	1	4	4	1	7	4	2	2	–
	White Male	15	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	–	5	1	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	2	3	–	2	–
	All other Male	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,707	36	7	2	5	5	6	5	10	17	30	33	58	102	109	155	250	399	507	511	325	135	–
	White Male	1,272	17	4	–	3	4	2	2	4	6	22	14	30	59	64	101	146	210	237	210	106	31	–
	Female	1,342	12	2	1	2	1	4	2	2	7	5	13	22	36	39	51	98	180	258	292	216	99	–
	All other Male	58	4	–	1	–	–	–	1	3	3	3	3	6	7	4	3	3	4	5	6	1	1	–
	Female	35	3	1	–	–	–	–	–	1	1	–	3	–	–	2	–	3	5	7	3	2	4	–
470–474	Influenza	314	–	–	–	1	1	–	2	2	4	1	2	3	4	5	12	20	42	57	87	51	20	–
	White Male	114	–	–	–	–	1	–	1	2	1	1	1	3	1	3	6	9	19	18	30	12	6	–
	Female	198	–	–	–	1	–	–	1	–	3	–	1	–	3	2	6	10	22	39	57	39	14	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
480–486	Pneumonia	2,393	36	7	2	4	4	6	3	8	13	29	31	55	98	104	143	230	357	450	424	274	115	–
	White Male	1,158	17	4	–	3	3	2	1	2	5	21	13	27	58	61	95	137	191	219	180	94	25	–
	Female	1,144	12	2	1	1	1	4	1	2	4	5	12	22	33	37	45	88	158	219	235	177	85	–
	All other Male	58	4	–	1	–	–	–	1	3	3	3	3	6	7	4	3	3	4	5	6	1	1	–
	Female	33	3	1	–	–	–	–	–	1	1	–	3	–	–	2	–	2	4	7	3	2	4	–
490–493	Bronchitis, emphysema, and asthma	579	1	2	2	2	–	–	1	1	2	3	3	14	35	49	98	105	131	74	42	10	4	–
	White Male	396	–	–	1	1	–	–	–	–	–	3	3	6	24	34	66	78	98	48	28	4	2	–
	Female	167	1	1	1	1	–	–	–	–	1	–	–	5	8	15	30	26	31	26	13	6	2	–
	All other Male	10	–	1	–	–	–	–	–	–	1	–	–	2	1	–	2	–	2	–	1	–	–	–
	Female	6	–	–	–	–	–	–	1	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
490, 491	Chronic and unqualified bronchitis	133	1	2	1	1	–	–	–	–	–	1	1	2	5	7	17	19	32	29	8	6	1	
	White Male	86	–	–	1	1	–	–	–	–	–	1	1	1	3	4	13	15	22	19	4	1	–	
	Female	44	1	1	–	–	–	–	–	–	–	–	–	1	2	3	4	3	10	10	3	5	1	
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
492	Emphysema	387	–	–	–	–	–	–	–	–	1	2	2	7	22	38	71	76	89	41	32	4	2	
	White Male	287	–	–	–	–	–	–	–	–	–	2	2	4	17	26	48	59	71	29	24	3	2	
	Female	96	–	–	–	–	–	–	–	–	1	–	–	2	4	12	22	17	17	12	8	1	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	59	–	–	1	1	–	–	1	1	1	–	–	5	8	4	10	10	10	4	2	–	1	
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	4	4	5	4	5	–	–	–	–	
	Female	27	–	–	1	1	–	–	–	–	–	–	–	2	2	–	4	6	4	4	2	–	1	
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	
	Female	5	–	–	–	–	–	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	179	–	–	–	–	–	–	–	–	1	4	7	8	10	18	19	28	27	28	17	10	2	
	White Male	112	–	–	–	–	–	–	–	–	1	3	5	6	6	10	11	20	18	17	10	5	–	
	Female	62	–	–	–	–	–	–	–	–	–	1	2	–	3	8	7	7	9	11	7	5	2	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	19	–	1	–	1	–	–	–	–	–	–	–	–	3	–	4	6	1	2	1	–	–	
	White Male	9	–	1	–	–	–	–	–	–	–	–	–	–	2	–	3	1	1	–	1	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	–	2	–	–	–	
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	155	10	–	–	–	1	–	1	–	1	3	1	3	4	6	11	16	31	29	23	11	4	
	White Male	58	4	–	–	–	1	–	1	–	–	2	–	1	2	3	5	6	12	7	9	3	2	
	Female	89	5	–	–	–	–	–	–	–	–	1	–	2	2	2	5	9	19	22	13	8	1	
	All other Male	5	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	
571	Cirrhosis of liver	964	–	–	–	–	–	–	2	20	35	68	93	126	136	158	140	85	58	27	11	4	–	1
	White Male	599	–	–	–	–	–	–	–	13	22	41	62	77	79	100	86	61	34	16	6	1	–	1
	Female	329	–	–	–	–	–	–	2	4	9	23	28	45	50	53	53	21	24	10	4	3	–	
	All other Male	18	–	–	–	–	–	–	–	1	1	2	–	4	5	2	1	2	–	–	–	–	–	
	Female	18	–	–	–	–	–	–	–	2	3	2	3	–	2	3	–	1	–	1	1	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	94	–	–	–	–	–	–	–	–	1	–	1	3	2	3	8	10	14	26	17	8	1	
	White Male	38	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	5	4	11	7	3	1	
	Female	51	–	–	–	–	–	–	–	–	1	–	–	1	–	1	6	4	9	15	9	5	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	
580–584	Nephritis and nephrosis	238	2	–	–	1	–	2	1	1	2	5	6	9	15	18	26	32	34	36	31	12	5	
	White Male	116	1	–	–	1	–	1	–	1	1	1	4	3	11	9	12	14	18	17	14	6	2	
	Female	108	1	–	–	–	–	1	1	–	1	3	2	4	4	6	14	14	16	16	16	6	3	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	1	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	–	2	1	–	–	
580, 581	Acute nephritis and nephrotic syndrome	65	1	–	–	1	–	–	–	–	1	2	–	1	6	2	10	7	8	14	9	2	1	
	White Male	33	1	–	–	1	–	–	–	–	–	–	–	1	5	2	4	3	5	8	2	1	–	
	Female	30	–	–	–	–	–	–	–	–	1	2	–	–	1	–	6	4	3	5	6	1	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	173	1	–	–	–	–	2	1	1	1	3	6	8	9	16	16	25	26	22	22	10	4	
	White Male	83	–	–	–	–	–	1	–	1	1	1	4	2	6	7	8	11	13	9	12	5	2	
	Female	78	1	–	–	–	–	1	1	–	–	1	2	4	3	6	8	10	13	11	10	5	2	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	1	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	–	1	–	–	–	
590	Infections of kidney	95	–	–	–	–	1	–	–	2	–	1	1	–	2	12	7	13	15	19	15	5	2	
	White Male	40	–	–	–	–	–	–	–	–	–	1	1	–	–	6	2	6	8	6	7	2	1	
	Female	50	–	–	–	–	1	–	–	2	–	–	–	–	2	6	2	7	6	12	8	3	1	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	
600	Hyperplasia of prostate	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	6	9	3	2	
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	6	9	3	2	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	271	172	27	9	8	3	8	2	4	2	2	3	5	9	3	3	1	3	5	2	–	–	–
	White ..... Male	147	95	10	3	6	1	7	1	2	2	1	2	4	4	3	1	–	1	3	1	–	–	–
	Female	109	67	17	6	–	2	1	–	2	–	–	1	1	4	–	2	1	2	2	1	–	–	–
	All other ..... Male	8	6	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	7	4	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	408	407	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	205	204	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	153	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	212	211	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	111	110	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	196	196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	561	72	5	4	2	16	40	33	23	21	22	20	33	24	32	41	43	36	40	31	16	7	–
	White ..... Male	302	36	1	1	1	13	32	24	11	12	15	10	18	12	22	24	20	19	17	11	3	–	–
	Female	233	26	1	3	1	2	7	8	10	8	5	10	14	11	10	17	22	16	23	20	12	7	–
	All other ..... Male	16	6	3	–	–	1	–	1	1	1	1	–	–	1	–	–	–	1	–	–	2	–	–
	Female	10	4	–	–	–	–	1	–	1	–	1	–	1	–	–	–	1	–	–	–	1	–	–
Residual	All other diseases	3,650	32	11	11	16	31	29	37	33	42	71	105	185	249	337	429	513	521	506	313	139	40	–
	White ..... Male	1,900	20	6	3	11	11	19	17	19	21	35	53	106	146	202	252	290	277	227	114	60	11	–
	Female	1,622	8	5	7	4	18	6	15	10	13	30	39	71	87	129	168	211	232	271	195	75	28	–
	All other ..... Male	71	2	–	1	–	2	1	4	2	5	5	8	5	13	4	4	8	4	1	1	1	–	–
	Female	57	2	–	–	1	–	3	1	2	3	1	5	3	3	2	5	4	8	7	3	3	1	–
E800–E949	Accidents	2,163	19	46	38	42	251	246	144	81	55	59	74	97	98	88	103	127	148	185	152	81	29	–
	White ..... Male	1,289	7	27	24	25	182	196	125	53	37	36	47	62	64	60	49	67	70	75	50	28	5	–
	Female	780	11	16	12	16	63	41	14	16	9	16	21	30	28	25	51	54	75	103	102	53	24	–
	All other ..... Male	66	1	2	1	1	5	8	4	11	9	7	3	1	4	3	1	2	1	2	–	–	–	–
	Female	28	–	1	1	–	1	1	1	1	–	–	3	4	2	–	2	4	2	5	–	–	–	–
E810–E823	Motor vehicle accidents	842	1	14	15	22	199	156	95	50	30	23	36	39	30	23	21	34	24	19	9	2	–	–
	White ..... Male	583	–	9	8	11	147	123	88	32	20	14	21	21	19	16	10	16	12	10	4	2	–	–
	Female	222	1	4	5	11	50	28	7	12	6	5	11	15	9	5	11	17	12	8	5	–	–	–
	All other ..... Male	27	–	–	1	–	2	4	–	6	4	4	2	1	1	2	–	–	–	–	–	–	–	–
	Female	10	–	1	1	–	–	1	–	–	–	–	2	2	1	–	–	1	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,321	18	32	23	20	52	90	49	31	25	36	38	58	68	65	82	93	124	166	143	79	29	–
	White ..... Male	706	7	18	16	14	35	73	37	21	17	22	26	41	45	44	39	51	58	65	46	26	5	–
	Female	558	10	12	7	5	13	13	7	4	3	11	10	15	19	20	40	37	63	95	97	53	24	–
	All other ..... Male	39	1	2	–	1	3	4	4	5	5	3	1	–	3	1	1	2	1	2	–	–	–	–
	Female	18	–	–	–	–	1	–	1	1	–	–	1	2	1	–	2	3	2	4	–	–	–	–
E950–E959	Suicide	521	...	...	–	1	25	77	81	55	37	36	46	42	32	31	21	18	9	5	4	1	–	–
	White ..... Male	388	...	...	–	1	17	64	54	37	28	25	34	31	27	23	17	15	6	5	3	1	–	–
	Female	116	...	...	–	–	6	11	23	14	8	10	11	10	5	8	4	2	3	–	1	–	–	–
	All other ..... Male	9	...	...	–	–	1	2	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	8	...	...	–	–	1	–	2	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	205	1	1	2	4	23	39	33	22	16	8	11	8	10	10	7	4	1	3	1	–	–	1
	White ..... Male	120	–	–	–	2	15	20	20	15	11	6	6	3	6	6	4	1	1	2	1	–	–	1
	Female	39	1	1	1	2	3	8	4	4	1	1	1	2	2	3	3	2	–	–	–	–	–	–
	All other ..... Male	39	–	–	1	–	4	9	7	2	3	1	4	3	2	1	–	1	–	1	–	–	–	–
	Female	7	–	–	–	–	1	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	66	1	1	–	2	5	11	10	2	4	6	2	4	6	4	1	3	1	3	–	–	–	–
	White ..... Male	43	1	–	–	1	2	8	4	2	2	5	2	1	5	4	1	3	–	2	–	–	–	–
	Female	14	–	1	–	1	3	2	3	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	2	–	–	1	–	2	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan																							
	All causes	75,862	1,991	359	295	288	966	1,233	1,046	854	949	1,382	2,415	3,876	5,291	6,910	8,045	9,034	9,486	9,743	7,225	3,413	1,060	1
	White ..... Male	36,953	761	145	147	144	575	687	503	384	414	633	1,185	1,978	2,899	3,923	4,475	4,832	4,627	4,408	2,811	1,141	281	–
	Female	29,556	637	126	90	87	228	221	208	205	261	402	717	1,171	1,600	2,038	2,619	3,268	4,039	4,756	4,069	2,113	700	1
	All other ..... Male	5,585	333	53	32	39	124	239	231	183	176	218	320	457	502	599	564	554	427	287	160	59	28	–
	Female	3,768	260	35	26	18	39	86	104	82	98	129	193	270	290	350	387	380	393	292	185	100	51	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	73	26	1	–	–	–	1	–	–	–	–	2	1	–	4	4	4	5	13	7	3	2	–
	White ..... Male	25	9	–	–	–	–	1	–	–	–	–	–	–	–	4	1	1	1	5	2	1	–	–
	Female	35	7	1	–	–	–	–	–	–	–	–	2	1	–	–	2	2	3	8	5	2	2	–
	All other ..... Male	8	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	103	–	2	–	1	–	–	1	1	3	–	10	6	10	14	13	15	6	14	4	3	–	–
	White ..... Male	50	–	–	–	1	–	–	–	–	–	–	4	3	4	8	9	9	2	8	–	2	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	1	3	2	1	2	2	2	2	1	–	–
	All other ..... Male	26	–	1	–	–	–	–	–	–	2	–	4	2	2	4	2	3	1	3	2	–	–	–
	Female	10	–	1	–	–	–	–	1	1	–	–	2	–	1	–	1	1	1	1	–	–	–	–
010–012	Tuberculosis of respiratory system	80	–	–	–	–	–	–	1	1	3	–	7	2	7	11	10	13	6	12	4	3	–	–
	White ..... Male	37	–	–	–	–	–	–	–	–	–	–	2	1	2	6	6	8	2	8	–	2	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	2	2	2	1	–	–
	All other ..... Male	21	–	–	–	–	–	–	–	–	2	–	3	1	2	4	2	3	1	1	2	–	–	–
	Female	9	–	–	–	–	–	–	1	1	–	–	2	–	1	–	1	1	1	1	–	–	–	–
013–019	Tuberculosis, other forms	23	–	2	–	1	–	–	–	–	–	–	3	4	3	3	3	2	–	2	–	–	–	–
	White ..... Male	13	–	–	–	1	–	–	–	–	–	–	2	2	2	2	3	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
	All other ..... Male	5	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	2	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	233	34	3	1	–	–	3	6	–	2	2	12	17	8	17	21	17	26	33	22	8	1	–
	White ..... Male	90	16	–	–	–	–	1	1	–	–	–	3	10	–	8	12	7	9	19	4	–	–	–
	Female	79	8	1	–	–	–	1	1	–	–	1	4	3	4	5	2	5	10	10	15	8	1	–
	All other ..... Male	32	3	2	1	–	–	–	3	–	2	1	3	1	3	2	3	3	3	1	1	–	–	–
	Female	32	7	–	–	–	–	1	1	–	–	–	2	3	1	2	4	2	4	3	2	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	–	–	–	1	–	–	–	–	–	–	–	–	1	–	6	1	1	–	–	1	–	–
	White ..... Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	165	9	8	–	6	1	8	6	5	3	7	9	11	14	16	14	13	13	11	8	3	–	–
	White ..... Male	66	6	5	–	2	–	2	1	1	–	3	1	3	4	11	6	5	7	4	4	1	–	–
	Female	61	1	1	–	4	1	1	4	3	2	–	3	5	5	3	6	7	4	5	4	2	–	–
	All other ..... Male	20	1	2	–	–	–	2	1	1	–	2	1	2	2	2	–	1	1	2	–	–	–	–
	Female	18	1	–	–	–	–	3	–	–	1	2	4	1	3	–	2	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	14,893	3	28	61	44	51	73	90	97	173	309	656	1,147	1,619	1,992	2,165	2,117	1,791	1,415	779	249	34	–
	White—Male	7,192	–	12	37	22	31	29	40	37	61	101	271	483	749	1,006	1,119	1,127	890	705	354	108	10	–
	White—Female	5,965	3	12	19	18	16	31	33	48	91	157	283	478	645	713	780	752	743	620	383	119	21	–
	All other—Male	1,051	–	3	2	2	4	7	10	3	5	18	57	111	151	163	177	153	97	50	27	9	2	–
	All other—Female	685	–	1	3	2	–	6	7	9	16	33	45	75	74	110	89	85	61	40	15	13	1	–
140–149	Of buccal cavity and pharynx	283	–	–	–	–	2	–	1	1	1	8	15	26	35	54	54	42	21	15	5	3	–	–
	White—Male	187	–	–	–	–	1	–	1	1	1	4	8	13	23	31	37	34	14	13	5	1	–	–
	White—Female	53	–	–	–	–	1	–	–	–	–	2	–	4	6	15	9	6	6	2	–	2	–	–
	All other—Male	29	–	–	–	–	–	–	–	–	–	1	6	5	4	4	7	1	1	–	–	–	–	–
	All other—Female	14	–	–	–	–	–	–	–	–	–	1	1	4	2	4	1	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,874	–	2	2	–	1	5	5	13	19	54	139	234	317	514	579	620	522	491	258	91	8	–
	White—Male	1,856	–	1	1	–	–	–	3	6	9	23	62	119	156	275	296	301	220	235	110	35	4	–
	White—Female	1,563	–	1	1	–	1	3	–	5	5	23	49	63	116	182	205	248	246	225	140	46	4	–
	All other—Male	261	–	–	–	–	–	1	2	1	3	3	13	31	38	36	45	40	30	15	2	1	–	–
	All other—Female	194	–	–	–	–	–	1	–	1	2	5	15	21	7	21	33	31	26	16	6	9	–	–
160–163	Of respiratory system	3,558	–	1	–	–	–	4	2	6	31	64	195	344	504	561	616	550	371	185	103	19	2	–
	White—Male	2,372	–	1	–	–	–	3	1	4	18	37	115	194	307	384	425	399	265	144	62	12	1	–
	White—Female	727	–	–	–	–	–	1	1	1	10	15	46	86	115	100	120	86	81	29	30	5	1	–
	All other—Male	380	–	–	–	–	–	–	–	1	1	6	26	53	69	63	66	56	21	9	9	–	–	–
	All other—Female	79	–	–	–	–	–	–	–	–	2	6	8	11	13	14	5	9	4	3	2	2	–	–
174	Of breast	1,287	–	–	–	–	–	7	12	35	63	87	163	181	185	146	130	118	81	56	18	5	–	–
	White—Male	9	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	1	3	–	–	–	–	–
	White—Female	1,164	–	–	–	–	–	4	12	29	54	79	149	163	155	138	122	108	73	56	18	4	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other—Female	112	–	–	–	–	–	–	3	–	6	9	8	12	17	27	8	7	9	5	–	–	1	–
180–187	Of genital organs	1,798	–	–	–	1	7	9	19	17	19	47	66	95	146	188	232	249	274	245	136	42	6	–
	White—Male	730	–	–	–	1	4	6	10	6	1	4	6	7	20	53	82	125	144	145	89	26	1	–
	White—Female	798	–	–	–	–	3	2	7	8	15	33	55	73	101	92	109	79	88	82	35	12	4	–
	All other—Male	141	–	–	–	–	–	–	–	–	–	–	1	2	8	20	26	28	28	13	10	4	1	–
	All other—Female	129	–	–	–	–	–	1	2	3	3	10	4	13	17	23	15	17	14	5	2	–	–	–
188, 189	Of urinary organs	707	–	3	2	–	–	1	–	1	5	12	20	36	69	97	114	105	97	85	42	15	3	–
	White—Male	422	–	–	–	–	–	–	–	–	2	6	8	24	48	56	70	61	59	53	24	9	2	–
	White—Female	216	–	2	2	–	–	1	–	1	3	6	7	4	12	26	26	38	35	29	17	6	1	–
	All other—Male	45	–	–	–	–	–	–	–	–	–	–	3	6	7	12	11	2	2	1	1	–	–	–
	All other—Female	24	–	1	–	–	–	–	–	–	–	–	2	2	2	3	7	4	1	2	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,894	2	11	17	18	23	23	23	21	37	34	80	159	209	248	243	226	210	180	88	36	6	–
	White—Male	859	–	6	8	6	14	12	11	12	15	15	39	70	113	120	119	114	89	54	27	14	1	–
	White—Female	858	2	5	6	9	7	8	11	8	19	13	32	72	75	99	103	93	106	111	55	19	5	–
	All other—Male	102	–	–	1	1	2	2	1	–	1	4	5	10	15	17	11	11	9	9	1	2	–	–
	All other—Female	75	–	–	2	2	–	1	–	1	2	2	4	7	6	12	10	8	6	6	5	1	–	–
204–207	Leukemia	604	–	9	30	12	11	16	16	11	9	10	17	32	48	55	68	69	70	60	48	11	2	–
	White—Male	340	–	2	21	7	9	6	6	4	5	5	10	18	26	37	44	42	42	27	23	5	1	–
	White—Female	206	–	4	9	4	1	8	6	3	4	4	3	11	17	9	19	19	27	30	23	4	1	–
	All other—Male	39	–	3	–	1	1	1	3	–	–	1	1	2	2	8	3	7	1	2	2	1	–	–
	All other—Female	19	–	–	–	–	–	1	1	4	–	–	3	1	3	1	2	1	–	1	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	888	1	2	10	13	7	15	17	15	17	17	37	58	110	90	113	126	108	73	43	14	2	–
	White—Male	417	–	2	7	8	3	2	8	4	10	7	23	36	56	48	46	50	56	31	14	6	–	–
	White—Female	380	1	–	1	5	3	8	4	10	6	7	12	16	40	35	51	61	46	39	27	7	1	–
	All other—Male	52	–	–	1	–	1	3	4	1	–	3	2	2	7	2	8	8	5	1	2	1	1	–
	All other—Female	39	–	–	1	–	–	2	1	–	1	–	–	4	7	5	8	7	1	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	129	3	2	2	1	2	2	–	3	1	5	10	7	9	13	24	15	15	6	5	2	2	–
	White—Male	61	2	2	2	1	1	1	–	–	–	2	5	4	4	5	10	7	10	3	1	–	1	–
	White—Female	53	1	–	–	–	–	1	–	2	1	3	3	1	4	6	12	6	5	3	3	2	–	–
	All other—Male	3	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other—Female	12	–	–	–	–	1	–	–	–	–	–	2	2	–	1	2	2	–	–	1	–	1	–
250	Diabetes mellitus	1,720	1	–	–	1	6	7	12	14	9	24	30	65	109	159	229	254	280	260	176	69	15	–
	White—Male	596	–	–	–	–	1	1	5	7	5	11	10	18	44	74	85	89	94	79	55	13	5	–
	White—Female	877	–	–	–	–	4	3	4	5	1	5	10	25	42	59	103	125	150	166	114	53	8	–
	All other—Male	110	–	–	–	–	1	3	2	–	2	5	4	11	10	12	15	19	17	5	3	1	–	–
	All other—Female	137	1	–	–	1	–	–	1	2	1	3	6	11	13	14	26	21	19	10	4	2	2	–
260–269	Avitaminoses and other nutritional deficiencies	91	–	–	–	–	–	–	–	1	–	–	1	3	6	2	11	8	12	6	20	13	8	–
	White—Male	37	–	–	–	–	–	–	–	–	–	–	–	1	3	1	6	4	6	2	8	4	2	–
	White—Female	43	–	–	–	–	–	–	–	–	–	–	1	2	3	1	4	2	5	1	11	8	5	–
	All other—Male	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	1	1	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
280–285	Anemias	142	1	4	3	–	3	2	4	5	5	1	2	2	7	8	13	10	17	23	22	6	4	–
	White—Male	42	–	–	–	–	–	–	2	3	1	–	1	2	2	2	5	2	6	9	7	–	–	–
	Female	65	–	–	1	–	3	–	–	–	–	–	–	–	–	4	7	7	8	11	15	5	4	–
	All other—Male	17	1	3	2	–	–	1	1	1	2	–	–	–	–	1	1	1	1	1	–	1	–	–
	Female	18	–	1	–	–	–	1	1	1	2	1	1	–	5	1	–	–	2	2	–	–	–	–
320	Meningitis	48	15	6	3	–	2	–	–	1	1	6	–	2	1	1	1	2	1	3	2	1	–	–
	White—Male	15	4	1	1	–	–	–	–	–	–	3	–	1	1	1	1	1	–	1	–	–	–	–
	Female	13	4	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	1	2	2	1	–	–
	All other—Male	12	3	4	1	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–
	Female	8	4	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	39,193	28	11	8	10	31	34	68	87	195	390	861	1,596	2,367	3,381	4,152	5,162	5,833	6,481	5,120	2,556	822	–
	White—Male	19,114	15	6	–	3	17	20	28	42	93	232	514	963	1,460	2,050	2,418	2,792	2,766	2,789	1,886	809	211	–
	Female	16,466	8	4	5	4	10	7	21	19	46	76	194	355	572	889	1,280	1,884	2,590	3,323	2,994	1,636	549	–
	All other—Male	1,944	4	1	1	2	1	5	12	13	34	57	93	165	198	285	256	271	218	171	99	37	21	–
	Female	1,669	1	–	2	1	3	2	7	13	22	25	60	113	137	157	198	215	259	198	141	74	41	–
390–398, 402, 404, 410–429	Diseases of heart	29,273	16	6	7	6	19	25	39	61	141	315	706	1,316	1,949	2,785	3,366	3,941	4,257	4,550	3,492	1,733	543	–
	White—Male	15,031	7	4	–	2	12	15	21	35	77	208	452	849	1,246	1,756	2,036	2,195	2,065	2,026	1,329	552	144	–
	Female	11,553	4	2	4	3	5	4	7	10	28	55	137	265	438	681	975	1,393	1,820	2,274	1,987	1,101	360	–
	All other—Male	1,499	4	–	1	1	1	5	8	6	24	41	76	129	159	233	200	202	175	119	73	29	13	–
	Female	1,190	1	–	2	–	1	1	3	10	12	11	41	73	106	115	155	151	197	131	103	51	26	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	487	–	1	–	–	–	3	2	4	8	17	22	41	47	59	75	81	65	27	23	10	2	–
	White—Male	199	–	1	–	–	–	2	–	1	2	7	8	16	22	25	34	36	24	11	7	3	–	–
	Female	237	–	–	–	–	–	–	–	2	4	6	12	18	18	27	30	44	36	16	15	7	2	–
	All other—Male	23	–	–	–	–	1	2	–	–	–	2	1	3	2	3	6	1	2	–	–	–	–	–
	Female	28	–	–	–	–	–	–	–	1	2	2	1	4	5	4	5	–	3	–	1	–	–	–
402	Hypertensive heart disease	300	–	–	–	–	–	1	–	1	1	–	6	12	23	25	43	39	41	44	35	25	4	–
	White—Male	92	–	–	–	–	–	1	–	–	1	–	1	4	5	10	13	16	16	13	4	6	2	–
	Female	152	–	–	–	–	–	–	–	–	–	–	2	6	8	10	18	17	23	23	24	19	2	–
	All other—Male	28	–	–	–	–	–	–	–	1	–	–	2	2	7	3	5	2	1	3	2	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	–	3	2	7	4	1	5	5	–	–	–
404	Hypertensive heart and renal disease	108	–	–	–	–	–	–	–	–	–	1	–	3	7	5	9	9	16	19	21	11	7	–
	White—Male	43	–	–	–	–	–	–	–	–	–	–	–	2	2	1	4	4	6	8	9	4	3	–
	Female	48	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	4	7	10	11	7	4	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	–	1	–	1	–	–	–
410–413	Ischemic heart disease	26,568	–	–	–	–	5	3	17	46	109	270	617	1,188	1,755	2,523	3,088	3,597	3,938	4,156	3,182	1,578	496	–
	White—Male	13,860	–	–	–	–	3	1	11	29	65	187	412	793	1,151	1,612	1,910	2,026	1,935	1,857	1,233	507	128	–
	Female	10,350	–	–	–	–	1	1	3	5	17	43	106	214	378	600	870	1,247	1,663	2,074	1,794	1,002	332	–
	All other—Male	1,331	–	–	–	–	1	–	2	4	19	32	65	119	141	211	180	188	160	109	65	24	11	–
	Female	1,027	–	–	–	–	–	1	1	8	8	8	34	62	85	100	128	136	180	116	90	45	25	–
410	Acute myocardial infarction	14,130	–	–	–	–	3	3	10	31	66	180	436	815	1,199	1,719	1,949	2,127	2,048	1,785	1,201	443	115	–
	White—Male	8,366	–	–	–	–	2	1	7	22	44	134	312	595	850	1,163	1,290	1,300	1,091	859	506	151	39	–
	Female	4,826	–	–	–	–	1	1	2	5	14	29	77	149	250	406	533	700	839	851	635	268	66	–
	All other—Male	528	–	–	–	–	–	–	1	1	6	14	33	45	63	100	68	78	52	29	24	11	3	–
	Female	410	–	–	–	–	–	1	–	3	2	3	14	26	36	50	58	49	66	46	36	13	7	–
411	Other acute and subacute forms of ischemic heart disease	80	–	–	–	–	–	–	–	–	–	1	3	6	10	11	9	3	11	7	10	7	2	–
	White—Male	49	–	–	–	–	–	–	–	–	–	–	3	3	7	10	6	2	3	3	6	4	2	–
	Female	22	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	7	4	4	2	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	1	–	–	1	–	–
412	Chronic ischemic heart disease	12,354	–	–	–	–	2	–	7	15	43	89	178	366	546	792	1,130	1,466	1,879	2,364	1,970	1,128	379	–
	White—Male	5,442	–	–	–	–	1	–	4	7	21	53	97	194	294	438	614	724	841	995	720	352	87	–
	Female	5,501	–	–	–	–	–	–	1	–	3	13	29	64	128	193	336	545	817	1,219	1,155	732	266	–
	All other—Male	801	–	–	–	–	1	–	1	3	13	18	32	73	77	111	112	110	108	80	41	13	8	–
	Female	610	–	–	–	–	–	–	1	5	6	5	20	35	47	50	68	87	113	70	54	31	18	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	110	2	–	–	1	–	1	1	–	3	4	4	9	3	12	9	17	10	20	7	6	1	–
	White—Male	54	1	–	–	1	–	–	–	–	2	3	2	3	2	9	3	7	4	12	2	2	1	–
	Female	47	–	–	–	–	–	–	–	–	1	1	1	5	1	2	5	9	5	8	5	4	–	–
	All other—Male	7	1	–	–	–	–	1	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,700	14	5	7	5	14	17	19	10	20	23	57	63	114	161	142	198	187	284	224	103	33	–
	White—Male	783	6	3	–	1	9	11	10	5	7	11	29	31	64	99	72	106	80	125	74	30	10	–
	Female	719	4	2	4	3	4	3	4	3	6	5	16	22	33	39	50	72	86	143	138	62	20	–
	All other—Male	102	3	–	1	1	–	3	3	1	5	6	7	5	8	15	6	10	9	6	6	5	2	–
	Female	96	1	–	2	–	1	–	2	1	2	1	5	5	9	8	14	10	12	10	6	6	1	–
400, 401, 403	Hypertension	242	–	–	–	–	1	–	2	4	1	2	8	12	17	22	22	27	40	40	23	13	8	–
	White—Male	85	–	–	–	–	1	–	–	1	–	1	3	6	4	9	8	12	12	13	8	6	1	–
	Female	108	–	–	–	–	–	–	1	1	–	–	2	1	7	5	9	11	23	21	13	7	7	–
	All other—Male	28	–	–	–	–	–	–	–	2	1	1	1	3	3	7	2	2	3	2	1	–	–	–
	Female	21	–	–	–	–	–	–	1	–	–	–	2	2	3	1	3	2	2	4	1	–	–	–
430–438	Cerebrovascular diseases	7,365	9	5	1	4	9	8	23	17	45	63	126	223	301	437	599	913	1,221	1,468	1,174	549	170	–
	White—Male	2,850	5	2	–	1	3	5	6	3	13	18	49	82	141	193	268	416	504	564	379	158	40	–
	Female	3,761	4	2	1	1	4	2	10	7	17	20	51	78	105	175	247	383	627	806	741	365	115	–
	All other—Male	354	–	1	–	1	–	–	4	4	6	12	13	26	32	34	46	62	35	44	21	8	5	–
	Female	400	–	–	–	1	2	1	3	3	9	13	13	37	23	35	38	52	55	54	33	18	10	–
431	Cerebral hemorrhage	967	5	–	–	2	5	1	6	4	13	18	55	64	85	93	111	125	123	119	87	36	15	–
	White—Male	381	2	–	–	1	2	–	2	–	5	4	18	19	46	44	49	58	49	39	24	13	6	–
	Female	435	3	–	–	1	1	–	3	1	–	7	20	15	23	36	48	53	61	72	60	22	9	–
	All other—Male	77	–	–	–	–	–	–	1	–	5	5	8	13	10	7	5	9	10	3	1	–	–	–
	Female	74	–	–	–	–	2	1	–	3	3	2	9	17	6	6	9	5	3	5	2	1	–	–
433	Cerebral thrombosis	2,086	–	–	–	–	1	–	1	1	3	8	11	41	60	108	137	276	375	468	372	163	61	–
	White—Male	811	–	–	–	–	–	–	–	–	2	2	5	17	33	46	62	119	156	186	121	50	12	–
	Female	1,051	–	–	–	–	1	–	1	1	1	2	3	14	15	33	56	117	190	243	231	105	38	–
	All other—Male	102	–	–	–	–	–	–	–	–	–	2	2	4	5	15	9	26	8	16	7	4	4	–
	Female	122	–	–	–	–	–	–	–	–	–	2	1	6	7	14	10	14	21	23	13	4	7	–
434	Cerebral embolism	41	–	–	–	–	–	–	1	–	–	–	1	–	3	3	5	5	7	6	9	–	1	–
	White—Male	15	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	3	5	2	–	–	–
	Female	25	–	–	–	–	–	–	1	–	–	–	1	–	1	3	2	4	4	1	7	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	4,271	4	5	1	2	3	7	15	12	29	37	59	118	153	233	346	507	716	875	706	350	93	–
	White—Male	1,643	3	2	–	–	1	5	4	3	6	12	26	46	60	103	154	239	296	334	232	95	22	–
	Female	2,250	1	2	1	–	2	2	5	5	16	11	27	49	66	103	141	209	372	490	443	238	67	–
	All other—Male	175	–	1	–	1	–	–	3	4	1	5	3	9	17	12	32	27	17	25	13	4	1	–
	Female	203	–	–	–	1	–	–	3	–	6	9	3	14	10	15	19	32	31	26	18	13	3	–
440	Arteriosclerosis	1,210	–	–	–	–	–	–	–	1	–	–	2	6	18	33	34	100	156	262	312	202	84	–
	White—Male	513	–	–	–	–	–	–	–	1	–	–	2	5	13	18	19	52	83	102	127	68	23	–
	Female	660	–	–	–	–	–	–	–	–	–	–	–	1	4	10	13	42	70	153	181	130	56	–
	All other—Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	3	3	–	3	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	2	4	1	4	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,103	3	–	–	–	2	1	4	4	8	10	19	39	82	104	131	181	159	161	119	59	17	–
	White—Male	635	3	–	–	–	1	–	1	2	3	5	8	21	56	74	87	117	102	84	43	25	3	–
	Female	384	–	–	–	–	1	1	3	1	1	1	4	10	18	18	36	55	50	69	72	33	11	–
	All other—Male	45	–	–	–	–	–	–	–	1	3	3	3	7	4	8	6	2	4	3	1	–	–	–
	Female	39	–	–	–	–	–	–	–	–	1	1	4	1	4	4	2	7	3	5	3	1	3	–
466	Acute bronchitis and bronchiolitis	25	1	3	–	–	–	–	–	1	–	–	–	1	–	1	5	–	3	3	3	4	–	–
	White—Male	15	–	3	–	–	–	–	–	–	–	–	–	1	–	1	4	–	1	–	3	2	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	3	–	2	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,112	60	28	5	9	5	14	21	19	26	30	48	70	88	120	135	189	283	406	305	179	72	–
	White—Male	985	22	8	2	–	1	2	4	6	11	15	16	36	46	67	80	92	145	213	125	69	25	–
	Female	867	21	8	1	7	2	9	12	6	10	6	17	20	23	28	36	74	118	162	165	101	41	–
	All other—Male	157	10	8	2	1	1	1	2	5	2	6	10	10	14	17	12	12	13	17	7	5	2	–
	Female	103	7	4	–	1	1	2	3	2	3	3	5	4	5	8	7	11	7	14	8	4	4	–
470–474	Influenza	295	–	–	–	–	1	1	2	1	3	1	2	5	7	10	14	19	37	69	68	38	17	–
	White—Male	121	–	–	–	–	–	–	1	–	1	1	–	2	2	5	11	8	20	32	18	12	8	–
	Female	164	–	–	–	–	–	1	1	1	2	–	1	3	3	5	2	11	17	36	47	26	8	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–
480–486	Pneumonia	1,817	60	28	5	9	4	13	19	18	23	29	46	65	81	110	121	170	246	337	237	141	55	–
	White—Male	864	22	8	2	–	1	2	3	6	10	14	16	34	44	62	69	84	125	181	107	57	17	–
	Female	703	21	8	1	7	2	8	11	5	8	6	16	17	20	23	34	63	101	126	118	75	33	–
	All other—Male	152	10	8	2	1	1	1	2	5	2	6	9	10	12	17	11	12	13	16	7	5	2	–
	Female	98	7	4	–	1	–	2	3	2	3	3	5	4	5	8	7	11	7	14	5	4	3	–
490–493	Bronchitis, emphysema, and asthma	1,049	1	5	1	–	3	7	3	3	8	11	16	39	79	110	180	178	186	124	64	23	8	–
	White—Male	710	–	3	–	–	1	3	–	2	4	3	8	17	43	80	122	130	140	89	44	17	4	–
	Female	252	1	–	1	–	1	1	1	–	4	5	6	16	22	25	44	38	32	29	16	6	4	–
	All other—Male	65	–	–	–	–	1	3	–	1	–	2	–	3	10	2	12	9	13	6	3	–	–	–
	Female	22	–	2	–	–	–	–	2	–	–	1	2	3	4	3	2	1	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
490, 491	Chronic and unqualified bronchitis	187	1	3	–	–	1	–	–	1	–	3	–	6	12	24	27	33	29	30	13	4	–	–
	White Male	130	–	2	–	–	1	–	–	1	–	1	–	2	9	15	20	22	21	24	10	2	–	–
	White Female	44	1	–	–	–	–	–	–	–	–	1	–	4	3	7	4	8	6	5	3	2	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	2	1	–	–	–	–
	All other Female	4	–	1	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
492	Emphysema	759	–	–	–	–	–	1	1	2	4	1	11	24	54	75	139	136	147	88	51	18	7	–
	White Male	550	–	–	–	–	–	1	–	1	3	–	7	12	31	60	100	104	116	63	34	14	4	–
	White Female	155	–	–	–	–	–	–	–	–	1	–	3	8	13	13	29	25	22	21	13	4	3	–
	All other Male	45	–	–	–	–	–	–	–	1	–	1	–	2	8	2	9	6	9	4	3	–	–	–
	All other Female	9	–	–	–	–	–	–	1	–	–	–	1	2	2	–	1	1	–	–	1	–	–	–
493	Asthma	103	–	2	1	–	2	6	2	–	4	7	5	9	13	11	14	9	10	6	–	1	1	–
	White Male	30	–	1	–	–	–	2	–	–	1	2	1	3	3	5	2	4	3	2	–	1	–	–
	White Female	53	–	–	1	–	1	1	1	–	3	4	3	4	6	5	11	5	4	3	–	–	1	–
	All other Male	11	–	–	–	–	1	3	–	–	–	–	–	1	2	–	1	–	2	1	–	–	–	–
	All other Female	9	–	1	–	–	–	–	1	–	–	1	1	1	2	1	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	264	2	–	–	–	–	–	–	1	3	4	8	27	18	28	30	34	33	41	24	8	3	–
	White Male	134	–	–	–	–	–	–	–	–	1	2	4	12	14	18	15	18	16	19	11	4	–	–
	White Female	106	–	–	–	–	–	–	–	–	2	2	–	9	3	10	12	15	14	20	12	4	3	–
	All other Male	16	2	–	–	–	–	–	–	–	–	–	2	5	1	–	1	1	3	1	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	1	–	–	2	1	–	–	2	–	–	1	1	–	–	–
540–543	Appendicitis	24	–	–	1	–	–	1	–	–	–	1	–	2	3	2	3	3	2	4	2	–	–	–
	White Male	12	–	–	–	–	–	1	–	–	–	1	–	–	2	1	2	1	2	2	–	–	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	2	1	–	–	–
	All other Male	4	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	237	21	1	–	–	1	–	–	3	4	2	10	9	16	12	23	26	26	30	34	15	4	–
	White Male	89	10	1	–	–	–	–	–	2	2	1	3	6	8	4	9	13	12	8	7	3	–	–
	White Female	117	6	–	–	–	1	–	–	1	2	–	2	2	5	8	10	10	9	20	25	12	4	–
	All other Male	19	5	–	–	–	–	–	–	–	–	–	2	–	2	–	3	3	3	1	–	–	–	–
	All other Female	12	–	–	–	–	–	–	–	–	–	1	3	1	1	–	1	–	2	1	2	–	–	–
571	Cirrhosis of liver	1,488	3	2	1	–	3	7	22	37	71	124	164	228	224	215	193	95	55	26	14	4	–	–
	White Male	801	2	2	1	–	3	2	5	15	25	52	73	114	149	123	116	58	32	16	10	3	–	–
	White Female	362	1	–	–	–	–	2	5	3	10	27	38	52	43	59	57	33	18	9	4	1	–	–
	All other Male	217	–	–	–	–	–	1	9	10	26	29	31	41	26	26	12	3	2	1	–	–	–	–
	All other Female	108	–	–	–	–	–	2	3	9	10	16	22	21	6	7	8	1	3	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	117	–	–	–	–	–	–	–	–	1	–	4	2	7	14	11	8	16	24	21	8	1	–
	White Male	61	–	–	–	–	–	–	–	–	1	–	2	2	5	6	7	5	11	12	7	3	–	–
	White Female	50	–	–	–	–	–	–	–	–	–	–	1	–	2	7	3	2	5	12	13	4	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
580–584	Nephritis and nephrosis	296	3	–	–	–	1	5	6	8	8	13	10	11	28	30	36	38	36	25	22	13	3	–
	White Male	117	2	–	–	–	–	3	2	1	1	6	2	2	9	11	13	14	18	17	12	3	1	–
	White Female	106	–	–	–	–	1	2	2	1	3	4	1	6	12	9	11	19	11	6	7	9	2	–
	All other Male	36	1	–	–	–	–	–	1	3	2	–	5	1	3	6	8	3	1	–	2	–	–	–
	All other Female	37	–	–	–	–	–	–	1	3	2	3	2	2	4	4	4	2	6	2	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	55	3	–	–	–	–	1	3	1	2	–	2	1	4	6	5	9	6	4	5	2	1	–
	White Male	24	2	–	–	–	–	1	1	–	1	–	1	–	2	4	3	2	1	3	3	–	–	–
	White Female	21	–	–	–	–	–	–	1	–	1	–	–	–	2	–	2	7	4	–	2	1	1	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	1	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	241	–	–	–	–	1	4	3	7	6	13	8	10	24	24	31	29	30	21	17	11	2	–
	White Male	93	–	–	–	–	–	2	1	1	–	6	1	2	7	7	10	12	17	14	9	3	1	–
	White Female	85	–	–	–	–	1	2	1	1	2	4	1	6	10	9	9	12	7	6	5	8	1	–
	All other Male	32	–	–	–	–	–	–	1	3	2	–	4	–	3	5	8	3	1	–	2	–	–	–
	All other Female	31	–	–	–	–	–	–	–	2	2	3	2	2	4	3	4	2	5	1	1	–	–	–
590	Infections of kidney	120	–	–	–	–	–	1	1	–	–	–	2	7	9	6	10	19	15	18	20	10	2	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	–	–	5	–	3	8	7	8	11	1	–	–
	White Female	52	–	–	–	–	–	1	1	–	–	–	1	4	3	4	5	8	4	8	5	7	1	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	2	–	3	1	–	–
	All other Female	12	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	2	2	1	1	1	–
600	Hyperplasia of prostate	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	7	6	7	6	5	2	–
	White Male	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	6	6	7	6	5	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	14	–	–	–	–	2	2	6	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	10	–	–	–	–	–	2	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	14	–	–	–	–	2	2	6	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	10	–	–	–	–	–	2	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	574	391	40	28	9	13	13	13	11	6	2	5	6	9	6	6	4	7	2	2	1	–	–
	White Male	255	168	13	14	3	7	7	5	5	6	1	3	3	6	1	3	3	3	1	2	1	–	–
	Female	217	145	23	7	4	5	4	5	5	–	1	1	3	3	5	3	–	2	1	–	–	–	–
	All other Male	55	41	2	3	1	1	2	1	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	47	37	2	4	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,030	1,029	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	375	375	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	330	329	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	507	507	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	189	189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	171	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	523	522	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	186	186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	159	158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	518	233	6	1	2	6	8	6	7	4	9	4	8	10	14	31	27	28	42	36	25	10	1
	White Male	197	82	3	1	1	3	5	2	2	1	3	–	2	6	6	14	14	14	16	14	7	1	–
	Female	192	55	1	–	1	1	1	3	3	1	5	2	4	4	7	13	10	11	22	20	18	9	1
	All other Male	73	54	1	–	–	2	2	–	1	1	1	2	1	–	1	2	–	2	1	2	–	–	–
	Female	56	42	1	–	–	–	–	1	1	1	–	–	1	–	–	2	3	1	3	–	–	–	–
Residual	All other diseases	4,760	63	40	33	24	74	132	138	121	106	106	181	252	345	472	496	572	587	512	334	135	37	–
	White Male	2,328	23	21	17	12	41	47	46	31	29	30	84	103	170	267	282	306	319	266	161	63	10	–
	Female	1,648	25	15	12	6	21	19	24	30	29	33	51	93	116	133	155	200	220	215	159	67	25	–
	All other Male	479	9	3	1	3	9	40	39	41	32	25	34	35	36	44	29	39	30	20	7	2	1	–
	Female	305	6	1	3	3	3	26	29	19	16	18	12	21	23	28	30	27	18	11	7	3	1	–
E800–E949	Accidents	3,900	46	145	134	141	535	500	311	192	147	153	177	187	179	165	160	144	154	179	156	66	29	–
	White Male	2,337	19	58	67	81	375	361	228	125	94	91	98	111	101	102	95	71	75	92	65	20	8	–
	Female	1,110	16	58	41	37	124	93	50	37	26	40	47	45	52	42	46	55	66	81	89	45	20	–
	All other Male	325	4	16	15	17	25	37	22	23	21	19	23	25	18	16	15	13	8	4	2	1	1	–
	Female	128	7	13	11	6	11	9	11	7	6	3	9	6	8	5	4	5	5	2	–	–	–	–
E810–E823	Motor vehicle accidents	1,982	6	54	73	83	414	361	189	105	85	81	76	89	71	69	51	52	44	48	25	6	–	–
	White Male	1,294	2	20	35	47	285	264	140	74	56	53	42	56	43	38	35	27	21	35	17	4	–	–
	Female	508	4	23	26	24	108	71	31	20	17	20	25	19	23	22	12	22	20	11	8	2	–	–
	All other Male	136	–	6	9	8	15	21	11	7	10	7	8	12	5	6	4	2	3	2	–	–	–	–
	Female	44	–	5	3	4	6	5	7	4	2	1	1	2	–	3	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,918	40	91	61	58	121	139	122	87	62	72	101	98	108	96	109	92	110	131	131	60	29	–
	White Male	1,043	17	38	32	34	90	97	88	51	38	38	56	55	58	64	60	44	54	57	48	16	8	–
	Female	602	12	35	15	13	16	22	19	17	9	20	22	26	29	20	34	33	46	70	81	43	20	–
	All other Male	189	4	10	6	9	10	16	11	16	11	12	15	13	13	10	11	11	5	2	2	1	1	–
	Female	84	7	8	8	2	5	4	4	3	4	2	8	4	8	2	4	4	5	2	–	–	–	–
E950–E959	Suicide	1,186	...	...	1	10	90	174	123	107	79	90	105	100	80	70	46	44	36	17	10	3	1	–
	White Male	777	...	...	–	7	59	121	84	65	51	55	59	64	45	50	26	37	32	11	8	2	1	–
	Female	287	...	...	–	–	17	29	21	26	21	27	35	33	29	15	19	6	2	5	2	–	–	–
	All other Male	90	...	...	–	2	12	17	15	10	4	4	10	3	5	3	1	1	2	1	–	–	–	–
	Female	32	...	...	1	1	2	7	3	6	3	4	1	–	1	2	–	–	–	–	–	1	–	–
E960–E978	Homicide	1,098	8	15	10	23	118	210	189	110	76	76	64	59	37	32	17	24	12	12	6	–	–	–
	White Male	298	3	4	4	5	27	63	43	31	24	15	16	13	15	11	5	9	2	4	4	–	–	–
	Female	103	3	1	3	6	16	12	15	8	4	5	6	5	–	2	1	4	3	7	2	–	–	–
	All other Male	573	2	3	2	11	61	110	106	65	39	45	32	37	20	13	11	9	6	1	–	–	–	–
	Female	124	–	7	1	1	14	25	25	6	9	11	10	4	2	6	–	2	1	–	–	–	–	–
E980–E999	Other external causes	203	8	7	2	6	19	29	20	18	17	15	24	11	6	5	6	4	1	5	–	–	–	–
	White Male	90	2	3	1	5	8	17	7	9	4	5	8	4	3	5	2	3	1	3	–	–	–	–
	Female	46	2	–	–	–	3	2	1	5	7	3	9	7	2	–	3	–	–	2	–	–	–	–
	All other Male	40	1	3	1	–	6	8	7	3	1	3	6	–	–	–	–	1	–	–	–	–	–	–
	Female	27	3	1	–	1	2	2	5	1	5	4	1	–	1	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota																							
	All causes	32,796	787	129	106	131	382	380	289	250	267	409	709	1,183	1,763	2,598	3,105	3,710	4,571	5,034	4,113	2,128	750	2
	White Male	18,114	436	65	56	77	285	284	182	149	165	254	461	780	1,142	1,669	1,989	2,248	2,529	2,521	1,790	812	219	1
	Female	14,130	298	55	48	50	86	73	91	82	85	122	220	367	582	885	1,075	1,422	2,010	2,466	2,290	1,297	525	1
	All other Male	310	29	5	2	2	6	13	11	13	8	17	20	22	22	25	23	26	19	22	15	8	2	–
	Female	242	24	4	–	2	5	10	5	6	9	16	8	14	17	19	18	14	13	25	18	11	4	–
004, 006	Bacillary dysentery and amebiasis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	36	9	3	–	–	–	–	–	–	1	–	–	1	–	2	2	1	5	2	7	2	1	–
	White Male	15	2	2	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	–	3	1	–	–
	Female	19	5	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	3	2	4	1	1	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	27	–	–	–	–	–	–	–	–	1	–	–	1	4	2	5	2	4	7	–	1	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	1	4	1	2	1	3	6	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	19	–	–	–	–	–	–	–	–	–	–	–	–	4	1	3	1	3	6	–	1	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	–	2	5	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	1	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	4	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	82	14	–	–	1	–	–	–	1	–	–	2	2	3	7	6	6	13	15	7	3	2	–
	White Male	33	6	–	–	–	–	–	–	–	–	–	1	2	2	3	1	4	4	5	3	1	1	–
	Female	46	8	–	–	1	–	–	–	1	–	–	1	–	1	3	5	2	8	9	4	2	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	73	5	2	2	–	3	2	3	2	3	2	1	7	5	7	3	2	4	5	12	2	1	–
	White Male	35	2	1	1	–	2	2	1	2	2	1	1	5	1	3	2	2	2	3	2	–	–	–
	Female	32	2	1	1	–	1	–	2	–	1	1	–	2	2	2	1	–	2	2	10	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,399	–	10	14	23	24	23	34	49	56	98	192	368	552	752	907	912	884	776	506	168	51	–
	White Male	3,365	–	4	5	13	14	13	17	20	22	53	87	186	279	435	506	511	452	427	237	61	23	–
	White Female	2,950	–	5	9	10	10	9	16	29	32	42	102	173	263	307	391	393	426	340	259	106	28	–
	All other Male	48	–	–	–	–	–	–	–	–	1	–	3	4	6	6	6	6	3	8	5	–	–	–
	All other Female	36	–	1	–	–	–	1	1	–	1	3	–	5	4	4	4	2	3	1	5	1	–	–
140–149	Of buccal cavity and pharynx	129	–	–	–	–	1	–	1	–	1	4	5	15	11	26	27	14	8	8	3	3	2	–
	White Male	95	–	–	–	–	–	–	1	–	1	3	3	13	8	20	20	10	5	8	2	1	–	–
	White Female	32	–	–	–	–	1	–	–	–	–	1	2	2	3	4	7	4	3	–	1	2	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,941	–	–	–	1	1	1	5	7	13	24	38	83	148	206	240	308	302	270	206	68	20	–
	White Male	997	–	–	–	1	1	1	4	4	5	14	23	48	87	123	128	168	125	145	88	21	11	–
	White Female	922	–	–	–	–	–	–	1	3	7	10	13	33	60	80	110	137	174	122	116	47	9	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	3	1	2	–	–	–	–
	All other Female	11	–	–	–	–	–	–	–	–	1	–	–	2	–	2	1	–	2	1	2	–	–	–
160–163	Of respiratory system	1,234	–	–	–	–	–	–	–	3	3	19	50	93	157	204	222	184	138	102	44	11	4	–
	White Male	933	–	–	–	–	–	–	–	–	1	15	30	69	110	159	175	146	115	75	30	7	1	–
	White Female	278	–	–	–	–	–	–	–	3	1	4	19	20	41	43	44	37	23	25	11	4	3	–
	All other Male	20	–	–	–	–	–	–	–	–	1	–	1	3	5	2	3	1	–	2	2	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
174	Of breast	547	–	–	–	–	–	1	4	11	7	17	33	60	74	63	61	55	75	36	30	14	6	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	–	1	–	–	–
	White Female	535	–	–	–	–	–	1	4	11	7	15	33	58	73	62	60	53	73	36	29	14	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	835	–	–	–	2	2	2	3	3	8	9	14	36	46	75	126	127	129	133	92	23	5	–
	White Male	447	–	–	–	1	2	2	–	1	1	1	1	7	10	27	58	70	90	93	63	15	5	–
	White Female	370	–	–	–	1	–	–	3	2	7	7	13	28	35	48	65	55	37	37	25	7	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	3	–	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	1	–	1	1	–	–
188, 189	Of urinary organs	326	–	1	2	1	–	–	–	–	1	3	11	15	18	36	42	42	62	51	27	10	4	–
	White Male	210	–	–	1	1	–	–	–	–	1	3	11	10	11	24	27	31	36	31	15	6	2	–
	White Female	112	–	1	1	–	–	–	–	–	–	–	–	5	7	10	15	10	26	19	12	4	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	674	–	5	7	12	9	5	10	17	16	13	21	35	64	74	91	86	70	67	50	16	6	–
	White Male	315	–	2	1	7	3	3	4	11	7	11	10	21	30	42	44	45	30	24	15	3	2	–
	White Female	354	–	3	6	5	6	2	6	6	9	2	11	14	34	31	46	40	39	43	34	13	4	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
204–207	Leukemia	284	–	4	4	7	9	4	6	4	2	4	7	12	12	19	38	30	40	43	23	14	2	–
	White Male	149	–	2	2	3	7	3	6	2	2	3	3	7	10	11	21	9	21	20	12	4	1	–
	White Female	133	–	1	2	4	2	1	–	2	–	1	4	4	2	8	17	21	19	23	11	10	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	429	–	–	1	–	2	10	5	4	5	5	13	19	22	49	60	66	60	66	31	9	2	–
	White Male	211	–	–	1	–	1	4	2	2	4	3	6	10	13	28	32	30	28	31	11	4	1	–
	White Female	214	–	–	–	–	1	5	2	2	1	2	7	9	8	21	27	36	32	35	20	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	55	1	1	–	1	2	–	–	–	–	1	–	–	4	7	6	7	7	11	5	1	1	–
	White Male	29	–	1	–	1	2	–	–	–	–	–	–	–	1	4	2	5	6	4	3	–	–	–
	White Female	26	1	–	–	–	–	–	–	–	–	1	–	–	3	3	4	2	1	7	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	507	–	1	–	–	1	1	5	11	6	7	6	19	28	38	46	71	88	78	68	28	5	–
	White Male	226	–	–	–	–	–	–	1	3	5	6	3	10	17	18	26	28	37	34	26	11	1	–
	White Female	268	–	1	–	–	1	1	4	8	1	1	2	9	9	19	19	40	51	42	40	16	4	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	2	1	–	–	–
	All other Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	1	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	56	2	–	–	–	–	–	–	1	–	–	–	1	2	2	3	4	5	14	8	10	4	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	4	1	3	5	5	1	–
	White Female	31	1	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	4	11	3	5	3	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota — Con.																							
280–285	Anemias	55	1	–	2	–	–	–	–	1	–	1	1	1	2	5	4	2	8	11	9	5	2	–
	White Male	13	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	2	2	1	–	–
	Female	40	–	–	2	–	–	–	–	–	–	1	–	1	2	4	2	1	5	9	7	4	2	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	17	7	5	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	White Male	13	5	4	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	17,085	19	3	7	9	10	15	18	36	57	122	272	458	772	1,248	1,549	2,008	2,683	3,156	2,675	1,425	542	1
	White Male	9,327	4	1	3	5	6	7	11	22	36	83	213	364	586	884	1,072	1,246	1,485	1,510	1,118	524	147	–
	Female	7,584	12	2	4	4	4	7	7	11	18	31	50	86	175	349	458	743	1,181	1,618	1,542	890	391	1
	All other Male	89	–	–	–	–	–	1	–	3	1	6	7	4	6	13	10	11	9	7	4	5	2	–
	Female	85	3	–	–	–	–	–	–	–	2	2	2	4	5	2	9	8	8	21	11	6	2	–
390–398, 402, 404, 410–429	Diseases of heart	12,203	15	2	5	5	7	11	10	29	36	101	240	378	657	1,048	1,240	1,539	1,905	2,113	1,688	840	333	1
	White Male	7,123	4	1	2	3	4	6	8	18	27	75	195	320	519	765	889	975	1,094	1,049	760	321	88	–
	Female	4,954	8	1	3	2	3	5	2	9	6	21	36	52	130	271	337	548	797	1,047	920	512	243	1
	All other Male	71	–	–	–	–	–	–	–	2	1	4	7	4	5	10	9	11	7	4	2	3	2	–
	Female	55	3	–	–	–	–	–	–	–	2	1	2	2	3	2	5	5	7	13	6	4	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	277	–	–	–	–	1	2	1	2	1	7	8	18	23	30	42	38	34	42	21	6	1	–
	White Male	132	–	–	–	–	1	–	1	–	–	5	2	14	7	19	20	20	13	19	8	2	1	–
	Female	143	–	–	–	–	–	2	–	2	1	1	6	4	16	10	22	18	21	23	13	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	99	–	–	–	–	–	–	–	1	–	1	1	1	3	10	10	6	12	24	21	7	2	–
	White Male	37	–	–	–	–	–	–	–	–	–	1	–	–	1	2	8	3	6	8	6	2	–	–
	Female	61	–	–	–	–	–	–	–	1	–	–	1	1	2	8	2	3	6	15	15	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
404	Hypertensive heart and renal disease	43	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	7	2	14	9	5	3	–
	White Male	20	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	2	10	2	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	7	4	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	10,835	–	–	1	–	–	–	4	14	27	81	212	330	589	945	1,108	1,390	1,729	1,892	1,477	747	288	1
	White Male	6,433	–	–	1	–	–	–	4	10	23	63	180	288	479	701	808	893	997	936	677	294	79	–
	Female	4,296	–	–	–	–	–	–	–	2	4	14	25	39	103	233	286	483	719	940	793	446	208	1
	All other Male	63	–	–	–	–	–	–	–	2	–	3	6	3	5	10	9	10	6	4	1	3	1	–
	Female	43	–	–	–	–	–	–	–	–	–	1	1	–	2	1	5	4	7	12	6	4	–	–
410	Acute myocardial infarction	5,415	–	–	–	–	–	–	3	7	19	52	139	202	353	604	665	813	925	807	539	211	76	–
	White Male	3,508	–	–	–	–	–	–	3	5	16	42	125	178	296	452	508	536	543	431	255	99	19	–
	Female	1,864	–	–	–	–	–	–	–	1	3	9	10	21	56	144	151	270	378	371	283	110	57	–
	All other Male	34	–	–	–	–	–	–	–	1	–	1	4	3	1	7	5	6	3	1	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	58	–	–	–	–	–	–	–	–	–	–	1	1	3	3	14	6	9	8	7	5	1	–
	White Male	41	–	–	–	–	–	–	–	–	–	–	1	1	3	3	10	4	5	6	5	2	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	2	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,358	–	–	1	–	–	–	1	7	8	28	72	127	233	338	429	570	794	1,077	930	531	211	1
	White Male	2,882	–	–	1	–	–	–	1	5	7	21	54	109	180	246	290	352	448	499	417	193	59	–
	Female	2,413	–	–	–	–	–	–	–	1	1	4	15	18	47	89	131	211	337	567	507	333	151	1
	All other Male	29	–	–	–	–	–	–	–	1	–	2	2	–	4	3	4	4	3	3	–	2	1	–
	Female	34	–	–	–	–	–	–	–	–	–	1	1	–	2	–	4	3	6	8	6	3	–	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	88	2	–	–	–	–	–	–	–	1	–	1	3	–	6	8	10	8	15	18	8	8	–
	White Male	41	–	–	–	–	–	–	–	–	–	–	1	1	–	4	6	5	5	9	4	3	3	–
	Female	44	1	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	3	6	14	5	5	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota — Con.																							
420–423, 425–427, 429	All other forms of heart disease	861	13	2	4	5	6	9	5	12	7	11	18	26	41	57	71	88	120	126	142	67	31	–
	White Male	460	4	1	1	3	3	6	3	8	4	5	12	17	32	39	46	51	71	67	63	19	5	–
	Female	388	7	1	3	2	3	3	2	4	1	6	4	7	9	18	25	35	48	59	78	48	25	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	1	–	1	–
	Female	7	2	–	–	–	–	–	–	–	2	–	1	1	–	–	–	1	–	–	–	–	–	–
400, 401, 403	Hypertension	87	–	–	–	–	–	–	1	1	–	1	–	–	3	9	4	15	13	18	13	9	–	–
	White Male	33	–	–	–	–	–	–	–	1	–	1	–	–	1	2	1	4	7	7	5	4	–	–
	Female	53	–	–	–	–	–	–	1	–	–	–	–	–	2	7	3	10	6	11	8	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430–438	Cerebrovascular diseases	3,681	2	1	2	4	2	3	6	6	17	18	26	61	81	154	235	342	604	819	732	432	134	–
	White Male	1,621	–	–	1	2	1	–	3	3	5	5	15	30	45	87	131	186	300	344	273	153	37	–
	Female	2,021	2	1	1	2	1	2	3	2	12	10	11	29	34	64	100	154	302	465	454	277	95	–
	All other Male	16	–	–	–	–	–	1	–	1	–	2	–	–	1	3	1	–	1	3	1	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	2	1	–	3	2	1	7	4	–	2	–
431	Cerebral hemorrhage	387	1	1	1	1	–	2	3	1	1	3	6	15	18	31	40	45	69	71	49	24	5	–
	White Male	183	–	–	1	–	–	–	2	1	–	–	4	8	11	14	22	24	35	37	19	4	1	–
	Female	199	1	1	–	1	–	1	1	–	1	2	2	6	6	17	17	21	34	34	30	20	4	–
	All other Male	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
433	Cerebral thrombosis	698	–	–	–	–	1	–	–	–	1	–	5	3	13	31	44	65	113	165	146	86	25	–
	White Male	324	–	–	–	–	–	–	–	–	1	–	4	1	8	17	26	43	63	62	61	30	8	–
	Female	367	–	–	–	–	1	–	–	–	–	–	1	2	4	13	16	22	50	101	85	56	16	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–
434	Cerebral embolism	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	5	3	5	4	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	4	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,574	1	–	1	3	1	1	3	5	15	15	15	43	50	91	150	229	417	580	532	318	104	–
	White Male	1,104	–	–	–	2	1	–	1	2	4	5	7	21	26	56	82	118	198	243	192	118	28	–
	Female	1,443	1	–	1	1	–	1	2	2	11	8	8	21	24	33	67	109	217	329	335	198	75	–
	All other Male	10	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	–	1	1	1	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	7	4	–	1	–
440	Arteriosclerosis	613	–	–	–	–	–	–	–	–	–	1	–	3	6	8	18	47	79	116	160	109	66	–
	White Male	246	–	–	–	–	–	–	–	–	–	1	–	2	4	7	12	29	32	56	54	30	19	–
	Female	364	–	–	–	–	–	–	–	–	–	–	–	1	2	1	6	18	46	60	106	77	47	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	501	2	–	–	–	1	1	1	–	4	1	6	16	25	29	52	65	82	90	82	35	9	–
	White Male	304	–	–	–	–	1	1	–	–	4	1	3	12	17	23	39	52	52	54	26	16	3	–
	Female	192	2	–	–	–	–	–	1	–	–	–	3	4	7	6	12	13	30	35	54	19	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–
466	Acute bronchitis and bronchiolitis	10	3	–	–	–	–	1	–	–	–	1	–	–	–	–	–	2	–	1	1	1	–	–
	White Male	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	6	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,408	23	3	–	4	6	2	2	5	6	8	13	20	27	38	49	110	192	284	325	214	77	–
	White Male	685	13	3	–	4	2	2	1	3	2	4	3	10	16	24	30	59	99	158	146	83	23	–
	Female	703	10	–	–	–	4	–	1	2	2	2	9	8	10	13	18	48	91	125	178	128	54	–
	All other Male	13	–	–	–	–	–	–	–	–	2	–	–	2	1	–	1	3	1	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	1	–	–	2	–	–
470–474	Influenza	303	1	–	–	–	1	1	–	–	–	2	1	2	5	8	8	29	33	56	79	55	22	–
	White Male	123	1	–	–	–	–	1	–	–	–	2	–	1	2	4	3	17	12	23	32	15	10	–
	Female	179	–	–	–	–	1	–	–	–	–	–	1	–	3	4	5	12	21	33	47	40	12	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,105	22	3	–	4	5	1	2	5	6	6	12	18	22	30	41	81	159	228	246	159	55	–
	White Male	562	12	3	–	4	2	1	1	3	2	2	3	9	14	20	27	42	87	135	114	68	13	–
	Female	524	10	–	–	–	3	–	1	2	2	2	8	8	7	9	13	36	70	92	131	88	42	–
	All other Male	12	–	–	–	–	–	–	–	–	2	–	–	1	1	–	1	3	1	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	1	–	–	2	–	–
490–493	Bronchitis, emphysema, and asthma	365	1	1	1	–	–	–	1	–	1	2	5	8	25	37	48	59	75	62	26	12	1	–
	White Male	284	1	1	–	–	–	–	1	–	1	1	3	5	17	27	41	50	62	50	16	7	1	–
	Female	77	–	–	1	–	–	–	–	–	–	–	–	3	8	10	7	8	13	12	10	5	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota — Con.																							
490, 491	Chronic and unqualified bronchitis	66	1	1	1	–	–	–	–	–	–	–	–	2	3	5	7	8	11	7	12	8	–	
	White Male	38	1	1	–	–	–	–	–	–	–	–	–	1	–	3	6	4	7	4	7	4	–	
	Female	28	–	–	1	–	–	–	–	–	–	–	–	1	3	2	1	4	4	3	5	4	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	268	–	–	–	–	–	–	1	–	1	2	5	4	19	29	34	46	61	51	11	3	1	
	White Male	234	–	–	–	–	–	–	1	–	1	1	3	4	16	24	31	43	54	44	8	3	1	
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	3	5	3	2	7	7	3	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	
493	Asthma	31	–	–	–	–	–	–	–	–	–	–	–	2	3	3	7	5	3	4	3	1	–	
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	1	2	1	–	–	
	Female	19	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	2	2	2	2	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	108	–	–	–	1	–	1	–	–	1	2	5	8	3	9	10	12	22	14	15	5	–	
	White Male	63	–	–	–	–	–	1	–	–	1	–	3	5	3	4	8	7	16	7	5	3	–	
	Female	41	–	–	–	1	–	–	–	–	–	1	1	3	–	5	1	5	6	7	9	2	–	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	8	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–	2	1	1	–	–	
	White Male	4	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	126	9	1	1	1	–	1	1	1	2	1	1	2	2	6	10	8	15	26	26	9	3	
	White Male	55	8	1	–	1	–	–	–	1	–	–	1	–	–	4	5	4	7	8	12	2	1	
	Female	66	1	–	–	–	–	1	1	–	1	–	–	2	2	1	5	4	7	18	14	7	2	
	All other Male	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	
571	Cirrhosis of liver	384	–	–	–	–	–	2	1	5	15	21	30	57	56	69	53	36	19	13	6	1	–	
	White Male	254	–	–	–	–	–	1	–	4	9	12	20	38	34	47	34	28	12	10	4	1	–	
	Female	109	–	–	–	–	–	–	1	–	3	5	7	17	17	20	19	8	7	3	2	–	–	
	All other Male	10	–	–	–	–	–	–	–	–	2	1	2	2	2	1	–	–	–	–	–	–	–	
	Female	11	–	–	–	–	–	1	–	1	1	3	1	–	3	1	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	66	–	–	–	–	–	–	–	–	–	2	–	2	3	2	4	5	10	14	13	8	3	
	White Male	34	–	–	–	–	–	–	–	–	–	1	–	1	2	–	3	5	8	5	4	3	2	
	Female	31	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	2	9	9	5	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	107	–	–	–	–	1	2	2	–	–	2	3	3	4	8	10	11	22	23	12	3	1	
	White Male	59	–	–	–	–	–	2	1	–	–	–	2	–	3	5	5	7	10	15	7	2	–	
	Female	42	–	–	–	–	1	–	1	–	–	1	1	2	1	1	4	4	11	8	5	1	1	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	21	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	2	3	6	5	1	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	3	2	–	–	
	Female	13	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	2	3	3	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	86	–	–	–	–	–	2	2	–	–	2	3	3	4	6	9	9	19	17	7	2	1	
	White Male	51	–	–	–	–	–	2	1	–	–	–	2	–	3	3	5	7	9	12	5	2	–	
	Female	29	–	–	–	–	–	–	1	–	–	1	1	2	1	1	3	2	9	5	2	–	1	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	
590	Infections of kidney	54	–	–	–	–	–	–	–	–	2	–	–	–	2	2	1	7	10	15	10	2	3	
	White Male	25	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	4	10	5	1	–	
	Female	28	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	5	6	5	5	1	3	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	10	6	9	8	3	
	White Male	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	10	6	9	8	3	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	238	155	21	9	5	5	6	8	4	2	1	3	4	2	2	3	3	1	3	1	–	–	–
	White ..... Male	132	88	6	6	3	3	4	4	3	2	–	3	1	1	1	2	3	–	1	1	–	–	–
	Female	98	61	13	3	2	2	2	4	1	–	1	–	3	1	1	1	–	1	2	–	–	–	–
	All other ..... Male	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	394	393	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	225	224	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	146	146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	216	216	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	125	125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	178	177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	100	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	417	84	3	–	1	1	5	7	3	2	6	7	9	15	35	36	37	45	44	33	31	13	–
	White ..... Male	226	50	2	–	–	1	2	4	–	1	2	5	7	10	18	23	23	23	25	11	16	3	–
	Female	169	23	1	–	1	–	2	3	2	–	3	1	1	5	15	13	14	21	18	22	15	9	–
	All other ..... Male	10	3	–	–	–	–	1	–	1	–	1	1	1	–	1	–	–	1	–	–	–	–	–
	Female	12	8	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	1	–
Residual	All other diseases	2,277	32	14	4	14	17	24	20	14	22	35	56	91	115	212	244	301	334	334	245	125	24	–
	White ..... Male	1,308	16	8	4	8	8	16	11	8	15	17	30	56	65	118	154	187	213	178	127	58	11	–
	Female	914	13	6	–	5	7	5	6	4	7	15	23	31	46	88	85	108	120	153	114	66	12	–
	All other ..... Male	35	3	–	–	–	2	2	–	1	–	3	2	3	3	3	3	4	1	2	3	–	–	–
	Female	20	–	–	–	1	–	1	3	1	–	–	1	1	1	3	2	2	–	1	1	1	1	–
E800–E949	Accidents	1,804	21	53	61	56	249	221	121	65	60	58	75	78	90	76	83	75	98	106	83	62	13	–
	White ..... Male	1,217	9	27	35	32	201	186	89	52	48	46	61	57	67	43	52	47	60	42	39	22	2	–
	Female	534	10	22	25	21	45	26	30	8	11	8	12	12	20	33	30	28	36	62	44	40	11	–
	All other ..... Male	31	1	2	1	2	1	4	2	3	1	1	2	6	2	–	1	–	1	1	–	–	–	–
	Female	22	1	2	–	1	2	5	–	2	–	3	–	3	1	–	–	–	1	1	–	–	–	–
E810–E823	Motor vehicle accidents	826	7	20	24	24	182	147	76	36	29	31	28	34	40	31	30	21	36	23	5	2	–	–
	White ..... Male	604	2	12	15	13	143	124	53	27	24	24	26	25	30	16	17	13	23	12	3	2	–	–
	Female	199	5	6	9	11	37	19	22	5	5	6	2	4	8	15	12	8	12	11	2	–	–	–
	All other ..... Male	12	–	1	–	–	1	1	1	2	–	–	–	4	1	–	1	–	–	–	–	–	–	–
	Female	11	–	1	–	–	1	3	–	2	–	1	–	1	1	–	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	978	14	33	37	32	67	74	45	29	31	27	47	44	50	45	53	54	62	83	78	60	13	–
	White ..... Male	613	7	15	20	19	58	62	36	25	24	22	35	32	37	27	35	34	37	30	36	20	2	–
	Female	335	5	16	16	10	8	7	8	3	6	2	10	8	12	18	18	20	24	51	42	40	11	–
	All other ..... Male	19	1	1	1	2	–	3	1	1	1	1	2	2	1	–	–	–	1	1	–	–	–	–
	Female	11	1	1	–	1	1	2	–	–	–	2	–	2	–	–	–	–	–	1	–	–	–	–
E950–E959	Suicide	394	...	...	–	4	36	50	50	31	20	29	24	31	31	26	15	23	9	9	5	1	–	–
	White ..... Male	296	...	...	–	4	30	35	36	21	15	22	17	21	21	23	11	19	8	9	3	1	–	–
	Female	86	...	...	–	–	4	14	9	9	5	5	6	10	10	3	4	4	1	–	2	–	–	–
	All other ..... Male	9	...	...	–	–	1	–	5	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	104	1	2	2	9	15	14	10	14	5	6	10	2	5	3	2	1	–	2	1	–	–	–
	White ..... Male	50	–	1	1	5	9	6	3	6	2	4	5	1	5	1	1	–	–	–	–	–	–	–
	Female	32	1	1	1	4	3	2	3	3	1	1	4	1	–	2	1	1	–	2	1	–	–	–
	All other ..... Male	14	–	–	–	–	1	5	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	2	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	88	4	4	1	2	8	10	5	7	4	3	3	8	9	3	4	3	5	2	2	1	–	–
	White ..... Male	50	3	2	–	1	4	7	2	4	3	1	2	6	5	1	4	1	1	1	1	1	–	–
	Female	33	1	1	1	1	3	3	2	3	1	1	1	2	3	2	–	2	4	1	1	–	–	–
	All other ..... Male	5	–	1	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi																							
	All causes	**23,168**	**924**	**162**	**106**	**103**	**296**	**312**	**276**	**255**	**337**	**497**	**692**	**1,121**	**1,423**	**2,017**	**2,591**	**2,942**	**2,965**	**2,701**	**1,980**	**1,008**	**445**	**15**
	White ..... Male	8,257	191	37	29	33	140	124	112	92	125	179	294	505	654	898	1,090	1,139	1,008	842	505	216	43	1
	Female	6,081	139	24	23	17	45	38	24	48	58	105	134	211	276	397	559	728	893	981	801	427	152	1
	All other ..... Male	4,808	337	50	26	34	78	114	104	85	100	134	147	230	285	427	545	564	572	433	298	148	90	7
	Female	4,022	257	51	28	19	33	36	36	30	54	79	117	175	208	295	397	511	492	445	376	217	160	6
004, 006	Bacillary dysentery and amebiasis	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	57	20	4	2	–	–	1	–	1	–	–	1	–	1	2	3	4	8	2	4	1	3	–
	White ..... Male	6	1	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–
	Female	13	1	–	1	–	–	–	–	1	–	–	–	–	–	1	–	1	4	–	2	1	1	–
	All other ..... Male	14	8	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–
	Female	24	10	1	1	–	–	1	–	–	–	–	–	–	–	–	2	2	3	2	2	–	–	–
010–019	Tuberculosis, all forms	52	–	–	1	–	–	–	3	3	1	2	3	3	4	8	5	1	7	7	3	1	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	1	–	1	3	4	1	–	2	4	1	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
	All other ..... Male	21	–	–	1	–	–	–	2	1	1	–	1	1	1	3	3	1	2	3	1	–	–	–
	Female	10	–	–	–	–	–	–	–	2	–	1	2	–	–	1	1	–	1	–	1	1	–	–
010–012	Tuberculosis of respiratory system	37	–	–	–	–	–	–	–	3	1	1	3	2	3	6	3	1	4	6	3	1	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	–	1	3	1	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	1	1	–	1	–	1	2	1	1	–	3	1	–	–	–
	Female	9	–	–	–	–	–	–	–	2	–	–	2	–	–	1	1	–	1	–	1	1	–	–
013–019	Tuberculosis, other forms	15	–	–	1	–	–	–	3	–	–	1	–	1	1	2	2	–	3	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	–	–	1	–	–	–	2	–	–	–	–	1	–	1	2	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	75	29	2	–	1	1	–	–	–	1	1	2	1	3	3	4	7	4	7	1	5	3	–
	White ..... Male	25	7	–	–	–	–	–	–	–	–	1	–	–	1	1	2	5	2	4	–	1	1	–
	Female	14	4	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	1	2	–
	All other ..... Male	19	8	1	–	–	1	–	–	–	1	–	1	–	–	1	2	1	1	1	–	1	–	–
	Female	17	10	1	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	2	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	90	11	2	1	–	2	–	1	2	2	4	2	10	2	4	8	4	11	16	5	2	1	–
	White ..... Male	31	1	1	1	–	–	–	–	1	1	1	1	2	1	2	5	1	3	7	2	1	–	–
	Female	20	2	–	–	–	1	–	–	–	–	1	1	2	–	1	1	1	4	4	1	1	–	–
	All other ..... Male	15	5	1	–	–	–	–	–	–	–	–	–	3	1	–	–	1	2	2	–	–	–	–
	Female	24	3	–	–	–	1	–	1	1	1	2	–	3	–	1	2	1	2	3	2	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,724	4	10	14	9	17	21	18	36	41	79	156	268	341	492	604	583	437	315	195	70	14	–
	White—Male	1,450	1	6	4	2	4	4	10	11	13	32	52	117	153	215	260	236	151	114	49	15	1	–
	Female	1,043	3	2	8	3	3	7	3	14	17	27	56	74	92	119	150	149	123	92	66	29	6	–
	All other—Male	715	–	–	1	3	9	3	–	4	4	10	24	32	50	104	115	129	101	63	44	14	5	–
	Female	516	–	2	1	1	1	7	5	7	7	10	24	45	46	54	79	69	62	46	36	12	2	–
140–149	Of buccal cavity and pharynx	73	–	–	–	–	–	1	–	–	1	3	4	4	8	15	6	11	4	7	8	1	–	–
	White—Male	34	–	–	–	–	–	–	–	–	1	1	1	3	4	8	5	4	1	4	2	–	–	–
	Female	25	–	–	–	–	–	1	–	–	–	2	1	–	1	3	1	4	3	3	5	1	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	2	1	2	3	–	3	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	918	1	1	–	–	4	2	2	9	4	11	32	57	77	101	152	153	130	105	54	18	5	–
	White—Male	326	–	1	–	–	–	–	–	–	–	4	11	32	30	45	54	60	32	41	13	3	–	–
	Female	261	1	–	–	–	–	–	1	6	2	3	9	6	21	23	37	46	46	32	16	9	3	–
	All other—Male	187	–	–	–	–	4	2	–	2	1	2	6	9	14	27	32	28	29	16	12	2	1	–
	Female	144	–	–	–	–	–	–	1	1	1	2	6	10	12	6	29	19	23	16	13	4	1	–
160–163	Of respiratory system	943	–	–	–	–	–	–	1	2	6	21	45	90	112	159	181	154	90	51	21	9	1	–
	White—Male	574	–	–	–	–	–	–	1	1	3	13	24	51	78	103	118	95	51	23	10	3	–	–
	Female	125	–	–	–	–	–	–	–	–	1	3	8	18	13	16	20	18	7	10	5	5	1	–
	All other—Male	198	–	–	–	–	–	–	–	1	1	4	12	16	18	35	34	34	26	12	5	–	–	–
	Female	46	–	–	–	–	–	–	–	–	1	1	1	5	3	5	9	7	6	6	1	1	–	–
174	Of breast	260	–	–	–	–	–	1	1	4	7	14	24	29	33	37	34	23	21	14	12	5	1	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	171	–	–	–	–	–	–	–	2	5	11	17	17	17	25	27	14	15	11	7	2	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	–	–	–	–	–	1	1	2	2	3	7	12	15	12	6	9	6	3	5	3	–	–
180–187	Of genital organs	481	–	–	–	–	1	1	3	5	3	7	12	25	30	54	63	90	64	64	46	9	4	–
	White—Male	112	–	–	–	–	1	1	1	1	–	–	–	3	1	6	16	25	24	20	12	1	–	–
	Female	127	–	–	–	–	–	–	–	1	3	5	5	14	19	18	13	19	11	10	7	2	–	–
	All other—Male	152	–	–	–	–	–	–	–	–	–	–	2	–	5	15	23	34	20	24	19	6	4	–
	Female	90	–	–	–	–	–	–	2	3	–	2	5	8	5	15	11	12	9	10	8	–	–	–
188, 189	Of urinary organs	144	–	–	–	–	–	1	–	–	1	3	2	8	13	14	23	20	28	13	13	5	–	–
	White—Male	67	–	–	–	–	–	–	–	–	–	1	2	5	9	5	13	10	13	6	2	1	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	1	2	5	5	4	6	2	5	4	–	–
	All other—Male	26	–	–	–	–	–	–	–	–	1	1	–	1	2	3	3	4	6	1	4	–	–	–
	Female	17	–	–	–	–	–	1	–	–	–	1	–	1	–	1	2	2	3	4	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	538	1	7	8	4	8	6	7	8	12	14	26	35	46	66	83	77	51	36	23	18	2	–
	White—Male	191	1	5	1	1	2	1	6	4	5	9	9	15	21	26	29	23	16	9	3	5	–	–
	Female	185	–	1	6	–	2	3	–	2	4	3	13	12	12	20	27	29	16	14	15	5	1	–
	All other—Male	89	–	–	1	2	3	1	–	1	1	2	2	2	5	15	15	14	10	9	1	5	–	–
	Female	73	–	1	–	1	1	1	1	1	2	–	2	6	8	5	12	11	9	4	4	3	1	–
204–207	Leukemia	165	–	2	5	5	4	6	1	3	3	2	4	6	11	23	27	20	23	8	11	–	1	–
	White—Male	74	–	–	2	1	1	2	–	3	1	1	3	2	5	14	12	10	6	5	5	–	1	–
	Female	47	–	1	2	3	1	2	1	–	1	–	–	2	3	4	8	6	8	2	3	–	–	–
	All other—Male	22	–	–	–	1	2	–	–	–	–	–	–	1	2	2	4	1	7	1	1	–	–	–
	Female	22	–	1	1	–	–	2	–	–	1	1	1	1	1	3	3	3	2	–	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	202	2	–	1	–	–	3	3	5	4	4	7	14	11	23	35	35	26	17	7	5	–	–
	White—Male	70	–	–	1	–	–	–	2	2	3	3	2	6	4	8	12	9	8	6	2	2	–	–
	Female	68	2	–	–	–	–	1	1	3	1	–	3	4	4	5	12	9	11	8	3	1	–	–
	All other—Male	29	–	–	–	–	–	–	–	–	–	1	–	2	2	4	4	11	3	–	1	1	–	–
	Female	35	–	–	–	–	–	2	–	–	–	–	2	2	1	6	7	6	4	3	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	30	–	–	–	–	1	1	–	–	1	2	2	1	5	1	2	4	5	2	1	3	–	–
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–	–	2	–	–
	All other—Male	8	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–	1	1	1	1	–	–
	Female	8	–	–	–	–	1	–	–	–	1	1	–	2	–	–	2	1	–	–	–	–	–	–
250	Diabetes mellitus	375	–	–	1	2	–	2	1	4	7	8	10	16	31	36	44	77	63	44	17	6	5	1
	White—Male	70	–	–	–	–	–	1	–	1	5	2	–	3	7	5	10	9	15	9	1	–	2	–
	Female	109	–	–	–	2	–	–	–	–	1	1	2	3	8	6	15	18	17	20	10	4	2	–
	All other—Male	62	–	–	1	–	–	1	1	2	1	2	4	5	4	6	8	10	10	5	2	–	–	–
	Female	134	–	–	–	–	–	–	–	1	–	3	4	5	12	19	11	40	21	10	4	2	1	1
260–269	Avitaminoses and other nutritional deficiencies	38	6	–	–	–	–	1	–	–	–	–	–	1	1	–	3	1	2	11	5	4	3	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	3	2	–	–
	All other—Male	15	5	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	4	–	1	3	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi — Con.																							
280–285	Anemias	46	2	–	–	2	1	2	2	–	–	3	–	1	–	4	3	8	5	5	5	3	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	2	–	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	2	–	3	1	2	–	–
	All other Male	9	1	–	–	2	–	1	1	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
	Female	15	1	–	–	–	1	1	1	–	–	1	–	1	–	1	1	2	2	1	1	1	–	–
320	Meningitis	37	15	6	1	1	–	3	1	1	3	–	2	1	–	–	–	1	1	–	1	–	–	–
	White Male	13	6	2	1	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	3	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	3	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	5	1	–	–	–	1	–	1	2	–	1	1	–	–	–	1	–	–	1	–	–	–
390–448	Major cardiovascular diseases	11,108	21	8	5	7	11	18	18	26	78	142	254	417	609	910	1,272	1,536	1,762	1,686	1,322	701	294	11
	White Male	3,973	2	2	2	1	2	4	6	7	30	55	124	217	296	418	558	603	585	530	348	155	28	–
	Female	3,302	3	–	–	–	1	2	1	8	11	26	34	55	99	156	271	404	577	649	574	312	118	1
	All other Male	1,912	10	3	2	3	3	4	5	10	25	30	45	85	126	197	246	257	309	230	169	99	48	6
	Female	1,921	6	3	1	3	5	8	6	1	12	31	51	60	88	139	197	272	291	277	231	135	100	4
390–398, 402, 404, 410–429	Diseases of heart	7,674	17	6	1	4	7	11	12	17	54	109	200	329	491	703	936	1,090	1,178	1,068	824	436	174	7
	White Male	3,032	2	1	1	–	–	1	4	7	27	51	106	200	273	350	447	451	420	358	224	93	16	–
	Female	2,173	3	–	–	–	–	–	–	4	6	17	24	35	61	114	189	304	376	407	362	198	73	–
	All other Male	1,261	9	3	–	2	2	4	4	6	13	19	29	56	89	139	172	172	200	139	105	62	32	4
	Female	1,208	3	2	–	2	5	6	4	–	8	22	41	38	68	100	128	163	182	164	133	83	53	3
390–398	Active rheumatic fever and chronic rheumatic heart disease	73	1	–	1	3	1	5	1	3	–	3	1	4	6	12	7	6	10	4	3	1	1	–
	White Male	22	–	–	1	–	–	–	–	1	–	2	1	1	2	5	4	2	1	1	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	6	1	2	–	–	–
	All other Male	17	1	–	–	2	1	–	2	–	–	–	–	2	2	2	1	–	1	1	–	1	–	–
	Female	15	–	–	–	1	–	4	1	–	–	1	–	1	1	2	–	–	2	1	–	–	1	–
402	Hypertensive heart disease	83	–	–	–	–	–	–	–	–	1	2	2	4	5	5	7	11	13	11	12	7	2	1
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	1	3	2	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	2	5	3	–	–
	All other Male	29	–	–	–	–	–	–	–	–	–	–	–	3	1	3	5	4	7	2	2	1	–	1
	Female	27	–	–	–	–	–	–	–	–	1	1	1	1	3	1	–	4	4	6	2	1	2	–
404	Hypertensive heart and renal disease	34	–	–	–	–	–	–	–	–	–	1	1	1	1	3	1	3	4	7	6	6	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	5	2	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	3	1	1	1	–	–
410–413	Ischemic heart disease	6,449	–	–	–	–	–	1	8	7	37	88	155	261	405	584	796	932	1,008	928	708	379	148	4
	White Male	2,650	–	–	–	–	–	–	4	5	22	44	86	172	233	297	399	402	376	314	201	82	13	–
	Female	1,873	–	–	–	–	–	–	–	1	3	11	19	24	51	101	159	266	320	364	314	173	67	–
	All other Male	958	–	–	–	–	–	1	2	1	8	14	21	35	67	107	131	133	159	112	85	53	28	1
	Female	968	–	–	–	–	–	–	2	–	4	19	29	30	54	79	107	131	153	138	108	71	40	3
410	Acute myocardial infarction	3,697	–	–	–	–	–	1	7	4	33	67	124	197	301	401	525	579	552	432	308	123	41	2
	White Male	1,763	–	–	–	–	–	–	4	4	21	34	75	137	183	227	289	270	223	155	95	38	8	–
	Female	1,000	–	–	–	–	–	–	–	–	2	11	15	21	41	72	106	183	183	174	123	51	18	–
	All other Male	505	–	–	–	–	–	1	2	–	7	10	14	27	44	61	84	66	85	45	45	10	4	–
	Female	429	–	–	–	–	–	–	1	–	3	12	20	12	33	41	46	60	61	58	45	24	11	2
411	Other acute and subacute forms of ischemic heart disease	57	–	–	–	–	–	–	1	–	–	2	2	2	5	6	6	10	7	7	6	3	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	2	3	3	3	6	1	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	3	2	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	3	–	3	1	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	2	–	1	1	–	–
412	Chronic ischemic heart disease	2,694	–	–	–	–	–	–	–	3	4	19	29	62	98	177	265	343	449	489	394	253	107	2
	White Male	866	–	–	–	–	–	–	–	1	1	10	10	33	47	67	107	126	152	158	105	44	5	–
	Female	860	–	–	–	–	–	–	–	1	1	–	4	3	10	29	53	82	133	187	188	120	49	–
	All other Male	437	–	–	–	–	–	–	–	1	1	3	6	8	21	44	44	64	74	64	39	43	24	1
	Female	531	–	–	–	–	–	–	–	–	1	6	9	18	20	37	61	71	90	80	62	46	29	1
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	62	–	–	–	–	–	–	1	–	–	2	3	2	4	3	2	8	11	7	10	7	2	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	3	3	2	1	3	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	4	2	7	3	1	–
	All other Male	11	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	1	2	2	–	1	–	–
	Female	12	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	2	2	1	2	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
420–423, 425–427, 429	All other forms of heart disease	973	16	6	–	1	6	5	2	7	16	13	38	57	70	96	123	130	132	111	85	36	21	2
	White Male	319	2	1	–	–	–	1	–	1	5	4	16	26	36	47	41	42	38	35	16	5	3	–
	White Female	237	3	–	–	–	–	–	–	3	3	4	5	11	8	7	27	31	46	37	32	15	5	–
	All other Male	241	8	3	–	–	1	2	2	3	5	4	8	15	17	26	34	32	30	22	17	6	4	2
	All other Female	176	3	2	–	1	5	2	–	–	3	1	9	5	9	16	21	25	18	17	20	10	9	–
400, 401, 403	Hypertension	113	–	–	–	–	–	–	1	1	2	8	4	7	4	9	14	16	14	14	8	7	2	2
	White Male	27	–	–	–	–	–	–	–	–	1	–	1	2	1	3	5	4	5	2	1	2	–	–
	White Female	17	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	3	6	3	–	–	1
	All other Male	33	–	–	–	–	–	–	–	1	–	3	2	2	2	2	6	5	3	1	2	3	–	1
	All other Female	36	–	–	–	–	–	–	1	–	1	4	1	3	–	3	3	6	3	5	2	2	2	–
430–438	Cerebrovascular diseases	2,793	4	2	3	3	2	6	5	5	21	22	41	70	99	176	265	363	488	518	413	200	86	1
	White Male	745	–	1	1	1	1	3	2	–	2	4	16	14	16	52	77	122	128	147	99	51	8	–
	White Female	920	–	–	–	–	1	2	1	3	5	7	9	15	34	38	68	80	174	195	176	82	30	–
	All other Male	524	1	–	2	1	–	–	1	1	11	7	8	23	31	52	60	67	90	79	51	27	12	–
	All other Female	604	3	1	–	1	–	1	1	1	3	4	8	18	18	34	60	94	96	97	87	40	36	1
431	Cerebral hemorrhage	349	2	–	1	–	–	1	1	3	4	7	8	21	23	35	30	44	55	55	41	13	4	1
	White Male	89	–	–	–	–	–	1	–	–	–	–	2	5	5	11	8	18	16	14	7	2	–	–
	White Female	112	–	–	–	–	–	–	–	2	1	3	2	3	7	11	9	10	19	24	15	4	2	–
	All other Male	67	–	–	1	–	–	–	–	1	3	3	2	5	6	9	7	3	11	7	7	2	–	–
	All other Female	81	2	–	–	–	–	–	1	–	–	1	2	8	5	4	6	13	9	10	12	5	2	1
433	Cerebral thrombosis	535	–	–	–	–	–	1	1	–	3	1	7	9	13	24	48	72	94	124	79	43	16	–
	White Male	165	–	–	–	–	–	–	1	–	–	–	3	2	4	10	16	29	24	37	25	12	2	–
	White Female	180	–	–	–	–	–	1	–	–	1	–	1	4	2	4	12	21	36	41	31	19	7	–
	All other Male	93	–	–	–	–	–	–	–	–	2	1	2	2	6	8	11	14	16	19	6	5	1	–
	All other Female	97	–	–	–	–	–	–	–	–	–	–	1	1	1	2	9	8	18	27	17	7	6	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,905	2	2	2	3	2	4	3	2	13	14	24	40	63	117	187	246	339	339	293	144	66	–
	White Male	490	–	1	1	1	1	2	1	–	2	4	11	7	7	31	53	74	88	96	67	37	6	–
	White Female	626	–	–	–	–	1	1	1	1	2	4	5	8	25	23	47	49	119	130	130	59	21	–
	All other Male	363	1	–	1	1	–	–	1	–	6	3	3	16	19	35	42	50	63	53	38	20	11	–
	All other Female	426	1	1	–	1	–	1	–	1	3	3	5	9	12	28	45	73	69	60	58	28	28	–
440	Arteriosclerosis	279	–	–	–	–	–	–	–	–	–	–	–	3	5	7	21	34	42	44	53	44	25	1
	White Male	75	–	–	–	–	–	–	–	–	–	–	–	–	1	3	9	14	12	11	13	8	4	–
	White Female	115	–	–	–	–	–	–	–	–	–	–	–	1	2	1	6	9	16	20	23	25	12	–
	All other Male	46	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	7	7	8	9	4	4	1
	All other Female	43	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	4	7	5	8	7	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	249	–	–	1	–	2	1	–	3	1	3	9	8	10	15	36	33	40	42	24	14	7	–
	White Male	94	–	–	–	–	1	–	–	–	–	–	1	1	5	10	20	12	20	12	11	1	–	–
	White Female	77	–	–	–	–	–	–	–	1	–	1	1	4	1	2	8	10	8	21	10	7	3	–
	All other Male	48	–	–	–	–	1	–	–	2	1	1	6	2	4	2	6	6	9	3	2	3	–	–
	All other Female	30	–	–	1	–	–	1	–	–	–	1	1	1	–	1	2	5	3	6	1	3	4	–
466	Acute bronchitis and bronchiolitis	8	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–
	White Male	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	670	48	17	1	5	7	3	4	3	8	13	5	13	25	29	62	72	76	111	83	63	22	–
	White Male	218	3	2	–	1	4	–	1	–	2	7	2	6	10	13	21	33	36	32	21	20	4	–
	White Female	208	2	1	1	–	1	–	1	–	1	2	–	2	8	6	12	20	23	55	35	30	8	–
	All other Male	122	24	7	–	2	1	3	–	3	2	2	3	4	5	2	20	6	7	15	12	2	2	–
	All other Female	122	19	7	–	2	1	–	2	–	3	2	–	1	2	8	9	13	10	9	15	11	8	–
470–474	Influenza	118	1	1	–	–	–	1	–	1	–	5	1	2	6	6	10	19	11	22	12	14	6	–
	White Male	46	–	–	–	–	–	–	–	–	–	3	–	1	3	2	4	9	4	9	3	7	1	–
	White Female	34	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	6	10	4	4	1	–
	All other Male	17	–	1	–	–	–	1	–	1	–	1	1	1	–	1	2	2	1	3	–	–	2	–
	All other Female	21	1	–	–	–	–	–	–	–	–	1	–	–	2	2	1	4	–	–	5	3	2	–
480–486	Pneumonia	552	47	16	1	5	7	2	4	2	8	8	4	11	19	23	52	53	65	89	71	49	16	–
	White Male	172	3	2	–	1	4	–	1	–	2	4	2	5	7	11	17	24	32	23	18	13	3	–
	White Female	174	2	1	1	–	1	–	1	–	1	2	–	2	7	5	9	16	17	45	31	26	7	–
	All other Male	105	24	6	–	2	1	2	–	2	2	1	2	3	5	1	18	4	6	12	12	2	–	–
	All other Female	101	18	7	–	2	1	–	2	–	3	1	–	1	–	6	8	9	10	9	10	8	6	–
490–493	Bronchitis, emphysema, and asthma	241	2	1	1	–	–	–	1	2	–	1	4	13	15	36	40	40	44	27	9	5	–	–
	White Male	145	1	–	–	–	–	–	1	2	–	–	1	5	9	24	23	27	30	17	4	1	–	–
	White Female	60	1	–	–	–	–	–	–	–	–	–	3	5	2	7	9	9	10	7	3	4	–	–
	All other Male	29	–	1	–	–	–	–	–	–	–	1	–	3	3	3	6	4	4	3	1	–	–	–
	All other Female	7	–	–	1	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi — Con.																							
490, 491	Chronic and unqualified bronchitis	38	2	1	–	–	–	–	1	–	–	–	–	3	4	6	5	2	6	4	3	1	–	–
	White — Male	17	1	–	–	–	–	–	1	–	–	–	–	–	1	4	2	–	4	2	2	–	–	–
	White — Female	14	1	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	2	1	1	1	–	–
	All other — Male	6	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	1	–	–	–	–
	All other — Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
492	Emphysema	183	–	–	–	–	–	–	–	2	–	–	4	9	10	27	31	34	37	22	3	4	–	–
	White — Male	126	–	–	–	–	–	–	–	2	–	–	1	5	8	20	21	26	25	15	2	1	–	–
	White — Female	36	–	–	–	–	–	–	–	–	–	–	3	3	–	4	4	6	8	5	–	3	–	–
	All other — Male	20	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	2	4	2	1	–	–	–
	All other — Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	20	–	–	1	–	–	–	–	–	–	1	–	1	1	3	4	4	1	1	3	–	–	–
	White — Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White — Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	1	2	–	–	–
	All other — Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
	All other — Female	5	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–
531–533	Peptic ulcer	71	1	–	–	–	–	–	–	–	–	1	1	3	6	4	12	18	10	6	6	2	1	–
	White — Male	35	–	–	–	–	–	–	–	–	–	1	1	3	4	3	6	6	6	3	2	–	–	–
	White — Female	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	4	–	1	–
	All other — Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	1	1	–	–	–	–
	All other — Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	–	–	2	–	–
540–543	Appendicitis	14	–	–	1	–	–	1	–	1	–	–	–	2	2	1	–	1	3	1	–	–	1	–
	White — Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	White — Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other — Male	6	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	1	–
	All other — Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	71	5	1	–	–	–	1	1	–	1	1	2	–	1	5	8	9	11	10	11	4	–	–
	White — Male	19	1	–	–	–	–	1	–	–	–	1	1	–	1	1	3	5	3	1	1	–	–	–
	White — Female	25	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	3	6	5	5	2	–	–
	All other — Male	16	2	1	–	–	–	–	–	–	1	–	–	–	–	1	3	1	1	2	2	2	–	–
	All other — Female	11	1	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	2	3	–	–	–
571	Cirrhosis of liver	219	1	–	1	–	1	–	2	5	11	19	23	38	35	28	20	17	9	5	3	1	–	–
	White — Male	106	–	–	–	–	–	–	1	3	4	7	11	17	21	18	11	9	2	–	1	1	–	–
	White — Female	59	–	–	–	–	1	–	–	1	2	6	4	8	10	7	6	4	6	3	1	–	–	–
	All other — Male	33	–	–	1	–	–	–	1	–	3	4	4	8	2	2	2	3	1	1	1	–	–	–
	All other — Female	21	1	–	–	–	–	–	–	1	2	2	4	5	2	1	1	1	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	41	–	–	–	–	–	–	–	–	–	–	–	3	2	3	3	6	7	6	7	3	1	–
	White — Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	–	1	1	–	–
	White — Female	19	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2	1	5	5	2	–	–
	All other — Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	1	–	–	1	–
	All other — Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–
580–584	Nephritis and nephrosis	154	1	–	–	–	–	2	2	3	1	2	7	12	8	18	17	18	23	16	16	5	3	–
	White — Male	31	–	–	–	–	–	–	1	–	1	–	–	1	1	8	3	4	3	5	3	1	–	–
	White — Female	24	1	–	–	–	–	–	–	–	–	1	–	1	1	2	–	3	2	5	4	3	1	–
	All other — Male	46	–	–	–	–	–	1	–	2	–	1	2	5	1	6	7	4	9	3	3	1	1	–
	All other — Female	53	–	–	–	–	–	1	1	1	–	–	5	5	5	2	7	7	9	3	6	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	40	1	–	–	–	–	–	1	1	–	–	–	3	3	5	2	6	7	6	1	3	1	–
	White — Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	1	–	1	–	–
	White — Female	9	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	–	1	1	–
	All other — Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	1	–	1	–	–
	All other — Female	13	–	–	–	–	–	–	1	1	–	–	–	1	2	1	1	1	3	1	1	–	–	–
582–584	*Chronic and unqualified* nephritis and renal sclerosis	114	–	–	–	–	–	2	1	2	1	2	7	9	5	13	15	12	16	10	15	2	2	–
	White — Male	21	–	–	–	–	–	–	1	–	1	–	–	–	1	6	2	1	2	4	3	–	–	–
	White — Female	15	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	2	1	2	4	2	–	–
	All other — Male	38	–	–	–	–	–	1	–	2	–	1	2	4	1	4	7	3	7	2	3	–	1	–
	All other — Female	40	–	–	–	–	–	1	–	–	–	–	5	4	3	1	6	6	6	2	5	–	1	–
590	Infections of kidney	77	–	–	–	–	–	1	–	–	1	1	–	–	2	8	7	5	13	13	15	8	3	–
	White — Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	5	6	1	1	–
	White — Female	32	–	–	–	–	–	–	–	–	–	1	–	–	–	4	3	2	7	6	5	4	–	–
	All other — Male	16	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	1	3	1	3	1	2	–
	All other — Female	11	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	2	1	1	2	–	–
600	*Hyperplasia of prostate*	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	7	5	2	–	–
	White — Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	2	1	–	–
	All other — Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	3	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White — Female	4	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other — Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	3	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	166	106	16	6	4	3	2	1	3	2	1	2	2	3	4	3	4	2	1	–	1	–	–
	White ..... Male	44	26	5	1	1	1	1	1	–	–	1	–	2	2	1	1	–	1	–	–	–	–	–
	Female	50	25	5	1	2	1	–	–	3	1	–	1	–	1	3	2	4	–	1	–	–	–	–
	All other ..... Male	39	32	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	33	23	4	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	458	457	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	110	110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	67	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	172	172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	266	266	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	192	191	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	31	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	67	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,805	120	10	3	–	7	7	12	14	34	46	52	93	111	180	208	240	221	185	129	66	66	1
	White ..... Male	456	18	–	1	–	3	1	1	3	12	14	13	35	43	65	69	69	56	25	18	6	3	1
	Female	263	13	2	–	–	–	–	2	1	3	10	7	10	15	22	28	27	35	41	29	14	4	–
	All other ..... Male	589	46	7	2	–	3	4	6	8	13	13	21	26	37	54	62	84	75	58	36	17	17	–
	Female	497	43	1	–	–	1	2	3	2	6	9	11	22	16	39	49	60	55	61	46	29	42	–
Residual	All other diseases	1,449	31	14	14	6	11	18	17	22	36	47	60	97	108	132	169	202	169	149	96	33	18	–
	White ..... Male	532	7	4	5	1	5	4	4	7	8	11	29	31	43	58	68	85	69	52	32	6	3	–
	Female	389	4	1	2	1	2	3	3	5	9	12	8	27	23	40	39	51	54	52	35	11	7	–
	All other ..... Male	293	11	3	3	2	2	8	7	7	9	14	16	20	25	20	38	35	25	28	11	3	6	–
	Female	235	9	6	4	2	2	3	3	3	10	10	7	19	17	14	24	31	21	17	18	13	2	–
E800–E949	Accidents	1,492	36	63	52	56	191	148	127	75	59	81	66	82	79	69	62	55	59	62	39	22	7	2
	White ..... Male	695	6	13	14	26	107	76	73	41	34	32	42	43	37	37	29	22	25	22	10	6	–	–
	Female	242	8	9	10	6	30	14	7	9	6	7	7	16	11	11	10	16	18	25	15	5	2	–
	All other ..... Male	388	7	19	11	16	41	51	38	20	15	38	12	22	19	15	20	9	10	8	8	6	2	1
	Female	167	15	22	17	8	13	7	9	5	4	4	5	1	12	6	3	8	6	7	6	5	3	1
E810–E823	Motor vehicle accidents	690	5	23	29	26	113	96	72	34	36	31	36	30	35	32	26	23	19	12	7	3	–	2
	White ..... Male	351	–	7	8	16	65	56	37	20	24	11	20	14	15	18	13	11	9	4	3	–	–	–
	Female	118	3	5	6	4	25	11	7	4	4	3	4	9	4	7	3	6	7	6	–	–	–	–
	All other ..... Male	164	–	3	5	5	17	26	23	7	8	17	7	7	11	6	9	4	1	2	2	3	–	1
	Female	57	2	8	10	1	6	3	5	3	–	–	5	–	5	1	1	2	2	–	2	–	–	1
E800–E807, E825–E949	All other accidents	802	31	40	23	30	78	52	55	41	23	50	30	52	44	37	36	32	40	50	32	19	7	–
	White ..... Male	344	6	6	6	10	42	20	36	21	10	21	22	29	22	19	16	11	16	18	7	6	–	–
	Female	124	5	4	4	2	5	3	–	5	2	4	3	7	7	4	7	10	11	19	15	5	2	–
	All other ..... Male	224	7	16	6	11	24	25	15	13	7	21	5	15	8	9	11	5	9	6	6	3	2	–
	Female	110	13	14	7	7	7	4	4	2	4	4	–	1	7	5	2	6	4	7	4	5	3	–
E950–E959	Suicide	216	...	...	–	2	16	27	19	14	15	17	20	15	15	18	19	13	4	2	–	–	–	–
	White ..... Male	136	...	...	–	1	11	17	9	8	9	8	11	11	12	10	14	10	3	2	–	–	–	–
	Female	45	...	...	–	1	2	5	3	3	2	6	6	3	3	6	1	3	1	–	–	–	–	–
	All other ..... Male	30	...	...	–	–	2	4	7	2	3	3	3	1	–	2	3	–	–	–	–	–	–	–
	Female	5	...	...	–	–	1	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	305	3	6	1	4	23	46	40	39	29	25	14	22	15	15	8	8	6	1	–	–	–	–
	White ..... Male	57	–	1	–	–	2	13	3	6	5	4	4	5	5	4	2	2	–	1	–	–	–	–
	Female	25	1	2	–	–	2	2	2	3	2	3	1	–	1	2	3	–	1	–	–	–	–	–
	All other ..... Male	186	–	1	1	2	13	29	31	26	20	15	9	12	8	8	3	5	3	–	–	–	–	–
	Female	37	2	2	–	2	6	2	4	4	2	3	–	5	1	1	–	1	2	–	–	–	–	–
E980–E999	Other external causes	42	–	–	–	3	2	4	5	1	3	1	5	3	3	5	2	1	1	3	–	–	–	–
	White ..... Male	15	–	–	–	–	–	1	1	1	–	1	–	3	2	4	–	1	–	1	–	–	–	–
	Female	10	–	–	–	1	–	1	–	–	1	–	4	–	1	–	1	–	–	1	–	–	–	–
	All other ..... Male	14	–	–	–	1	2	2	4	–	2	–	1	–	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri																							
	All causes	**49,075**	**1,053**	**180**	**139**	**161**	**566**	**562**	**505**	**441**	**522**	**761**	**1,279**	**1,941**	**2,811**	**4,008**	**5,396**	**6,199**	**6,788**	**6,697**	**5,477**	**2,692**	**886**	**11**
	White ..... Male	24,053	446	81	70	92	352	331	289	231	246	388	673	1,035	1,650	2,306	3,139	3,289	3,323	2,921	2,062	876	250	3
	Female	20,070	331	48	42	41	128	114	113	111	151	216	380	602	820	1,226	1,694	2,314	2,928	3,393	3,159	1,671	586	2
	All other ..... Male	2,825	147	24	19	19	69	88	76	66	89	96	132	186	217	272	308	333	286	195	119	61	18	5
	Female	2,127	129	27	8	9	17	29	27	33	36	61	94	118	124	204	255	263	251	188	137	84	32	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	40	13	3	–	–	–	–	–	1	–	–	–	1	1	1	–	5	1	6	4	2	2	–
	White ..... Male	14	2	1	–	–	–	–	–	1	–	–	–	–	1	1	–	3	1	2	2	–	–	–
	Female	16	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	2	2	1	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
010–019	Tuberculosis, all forms	57	–	–	–	–	–	–	–	–	5	1	2	3	5	5	7	8	6	9	3	3	–	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	2	2	3	4	3	4	3	7	1	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	2	2	1	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	3	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	44	–	–	–	–	–	–	–	–	4	1	2	2	3	4	3	5	5	9	3	3	–	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	2	1	2	3	2	3	2	7	1	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	2	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	13	–	–	–	–	–	–	–	–	1	–	–	1	2	1	4	3	1	–	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	1	4	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	161	23	1	2	–	2	2	1	1	1	–	4	8	9	17	11	19	26	15	12	6	1	–
	White ..... Male	71	16	1	1	–	–	–	–	1	–	–	3	–	6	7	4	6	10	10	4	1	1	–
	Female	58	3	–	1	–	1	2	1	–	–	–	–	6	1	8	4	10	8	3	6	4	–	–
	All other ..... Male	17	3	–	–	–	1	–	–	–	1	–	1	1	1	1	–	2	3	2	1	–	–	–
	Female	15	1	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	5	–	1	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	–	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	115	7	3	2	2	4	3	1	1	–	4	5	2	12	9	15	10	15	13	4	3	–	–
	White ..... Male	53	2	2	1	–	2	1	1	–	–	–	3	–	7	4	11	5	6	6	1	1	–	–
	Female	45	2	–	1	–	2	1	–	–	–	1	1	2	4	3	4	5	8	6	3	2	–	–
	All other ..... Male	10	3	–	–	2	–	1	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	7	–	1	–	–	–	–	–	1	–	1	1	–	–	2	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,349	4	14	24	21	19	36	49	56	108	179	368	609	883	1,163	1,416	1,417	1,230	954	543	194	61	1
	White Male	4,658	3	8	12	11	13	18	22	15	39	74	156	263	422	599	804	756	636	467	244	72	24	–
	White Female	3,744	–	4	10	4	4	15	22	34	53	79	158	257	355	424	473	521	494	430	266	107	34	–
	All other Male	566	1	2	2	3	2	1	3	2	9	19	31	51	59	86	84	88	59	31	22	9	1	1
	All other Female	381	–	–	–	3	–	2	2	5	7	7	23	38	47	54	55	52	41	26	11	6	2	–
140–149	Of buccal cavity and pharynx	182	–	–	–	–	–	–	–	1	1	3	10	16	18	34	35	18	20	15	4	6	1	–
	White Male	115	–	–	–	–	–	–	–	–	1	2	6	8	12	20	25	13	14	10	2	2	–	–
	White Female	45	–	–	–	–	–	–	–	1	–	–	2	4	5	11	5	3	5	3	1	4	1	–
	All other Male	16	–	–	–	–	–	–	–	–	–	1	2	2	–	2	4	2	1	1	1	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	2,454	1	–	–	–	–	1	6	8	12	29	69	125	182	276	378	375	391	335	179	65	22	–
	White Male	1,095	1	–	–	–	–	1	1	7	5	16	35	56	82	140	195	162	161	133	70	24	6	–
	White Female	1,081	–	–	–	–	–	–	4	1	5	10	25	43	71	102	132	166	190	185	99	35	13	–
	All other Male	165	–	–	–	–	–	–	1	–	2	3	9	15	17	18	28	35	20	7	6	3	1	–
	All other Female	113	–	–	–	–	–	–	–	–	–	–	–	11	12	16	23	12	20	10	4	3	2	–
160–163	Of respiratory system	2,310	–	1	–	–	–	1	1	6	22	47	106	195	271	385	411	387	258	145	59	9	5	1
	White Male	1,631	–	1	–	–	–	1	1	2	12	27	71	120	173	258	318	304	196	104	35	6	2	–
	White Female	445	–	–	–	–	–	–	–	3	6	8	17	46	67	80	61	52	46	33	20	3	3	–
	All other Male	181	–	–	–	–	–	–	–	–	4	10	14	22	21	42	25	22	13	6	1	–	–	1
	All other Female	53	–	–	–	–	–	–	–	1	–	2	4	7	10	5	7	9	3	2	3	–	–	–
174	Of breast	743	–	–	–	–	–	1	4	8	21	38	49	75	88	98	88	106	62	52	25	21	7	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	White Female	678	–	–	–	–	–	1	4	8	17	36	43	70	77	90	80	99	53	48	25	20	7	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
	All other Female	59	–	–	–	–	–	–	–	–	4	2	6	5	11	8	8	6	6	2	–	1	–	–
180–187	Of genital organs	1,064	–	1	–	1	1	3	4	9	10	11	36	52	83	91	152	153	166	160	95	27	9	–
	White Male	472	–	1	–	1	1	1	2	–	1	–	3	6	14	21	67	76	97	99	60	13	9	–
	White Female	453	–	–	–	–	–	1	1	7	7	9	26	35	59	56	69	49	52	48	26	8	–	–
	All other Male	68	–	–	–	–	–	–	–	–	–	–	–	1	3	4	10	17	12	8	8	5	–	–
	All other Female	71	–	–	–	–	–	1	1	2	2	2	7	10	7	10	6	11	5	5	1	1	–	–
188, 189	Of urinary organs	427	–	–	2	1	–	–	–	3	4	3	11	17	32	47	69	64	64	47	43	15	5	–
	White Male	253	–	–	1	–	–	–	–	–	2	2	5	6	20	31	49	43	32	27	23	10	2	–
	White Female	144	–	–	1	–	–	–	–	2	1	1	5	9	8	10	17	19	28	18	17	5	3	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	1	2	4	3	2	2	2	1	2	–	–	–
	All other Female	11	–	–	–	1	–	–	–	1	1	–	–	–	–	3	1	–	2	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,307	–	5	5	11	13	16	17	16	23	31	63	81	148	148	169	192	137	105	83	36	8	–
	White Male	632	–	1	2	6	8	5	7	3	9	15	26	39	82	86	92	97	63	52	26	9	4	–
	White Female	551	–	3	2	2	3	9	10	10	12	12	28	34	51	43	62	80	64	44	53	25	4	–
	All other Male	75	–	1	1	1	2	1	–	2	2	3	4	6	10	11	11	4	7	5	3	1	–	–
	All other Female	49	–	–	–	2	–	1	–	1	–	1	5	2	5	8	4	11	3	4	1	1	–	–
204–207	Leukemia	381	1	4	16	6	3	10	9	1	8	7	14	16	21	35	42	46	56	46	30	9	1	–
	White Male	209	–	3	8	2	2	8	6	1	4	6	7	11	16	23	20	25	25	19	17	5	1	–
	White Female	150	–	1	7	2	1	2	2	–	3	1	7	4	5	9	18	16	30	25	13	4	–	–
	All other Male	17	1	–	1	2	–	–	–	–	1	–	–	1	–	3	3	3	–	2	–	–	–	–
	All other Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	481	2	3	1	2	2	4	8	4	7	10	10	32	40	49	72	76	76	49	25	6	3	–
	White Male	248	2	2	1	2	2	2	5	2	5	6	3	17	23	20	38	35	48	21	11	3	–	–
	White Female	197	–	–	–	–	–	2	1	2	2	2	5	12	12	23	29	37	26	26	12	3	3	–
	All other Male	22	–	1	–	–	–	–	2	–	–	2	1	2	4	3	1	3	1	1	1	–	–	–
	All other Female	14	–	–	–	–	–	–	–	–	–	–	1	1	1	3	4	1	1	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	85	2	–	–	2	–	–	2	1	2	1	3	7	7	8	12	12	13	6	5	1	1	–
	White Male	42	1	–	–	1	–	–	2	1	1	–	1	3	5	3	5	6	6	3	3	1	–	–
	White Female	34	–	–	–	1	–	–	–	–	1	–	–	3	2	3	6	5	7	3	2	–	1	–
	All other Male	4	1	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–
250	Diabetes mellitus	906	–	–	1	–	1	3	2	6	13	12	20	33	54	92	117	156	151	119	85	35	5	1
	White Male	325	–	–	–	–	–	–	1	4	4	6	11	12	24	31	54	56	48	41	25	6	2	–
	White Female	465	–	–	–	–	1	1	1	–	6	4	5	12	23	41	46	83	83	71	58	28	2	–
	All other Male	46	–	–	1	–	–	1	–	–	2	1	1	5	4	4	8	6	8	3	1	–	–	1
	All other Female	70	–	–	–	–	–	1	–	2	1	1	3	4	3	16	9	11	12	4	1	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	87	2	–	–	–	2	–	–	–	–	2	1	–	1	2	7	12	8	16	20	13	–	1
	White Male	33	–	–	–	–	2	–	–	–	–	1	–	–	1	2	2	7	4	5	4	5	–	–
	White Female	43	1	–	–	–	–	–	–	–	–	1	1	–	–	–	4	3	1	10	15	7	–	–
	All other Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	1
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
280–285	Anemias	88	1	1	–	1	2	2	–	–	–	5	–	–	2	6	4	6	13	19	16	8	2	–
	White—Male	39	–	–	–	1	2	–	–	–	–	1	–	–	–	1	1	4	7	10	8	3	1	–
	Female	41	–	–	–	–	–	1	–	–	–	2	–	–	2	4	3	2	5	8	8	5	1	–
	All other—Male	5	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
320	Meningitis	31	9	5	2	–	–	1	–	1	3	–	1	2	–	1	2	1	–	–	1	1	1	–
	White—Male	16	5	3	2	–	–	–	–	1	1	–	1	2	–	–	1	–	–	–	–	–	–	–
	Female	10	1	2	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	1	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	25,264	21	9	9	2	15	24	27	59	98	216	433	700	1,137	1,768	2,668	3,340	4,029	4,322	3,781	1,945	661	–
	White—Male	11,899	9	1	4	1	2	9	10	33	48	119	258	450	752	1,108	1,576	1,716	1,898	1,775	1,341	613	176	–
	Female	11,342	6	2	4	1	7	9	11	14	22	48	91	152	250	466	824	1,302	1,839	2,308	2,296	1,240	450	–
	All other—Male	1,062	3	2	1	–	4	2	1	9	21	27	48	61	93	103	144	166	149	118	62	35	13	–
	Female	961	3	4	–	–	2	4	5	3	7	22	36	37	42	91	124	156	143	121	82	57	22	–
390–398, 402, 404, 410–429	Diseases of heart	18,428	16	8	6	–	8	15	14	41	74	168	363	569	937	1,454	2,101	2,469	2,878	3,042	2,527	1,298	440	–
	White—Male	9,197	7	1	2	–	1	6	6	24	38	102	233	403	639	951	1,311	1,319	1,407	1,299	905	429	114	–
	Female	7,818	5	2	3	–	3	6	5	7	13	30	66	99	194	358	609	932	1,272	1,572	1,529	811	302	–
	All other—Male	771	3	2	1	–	3	–	1	8	17	22	40	47	71	82	104	114	100	79	44	22	11	–
	Female	642	1	3	–	–	1	3	2	2	6	14	24	20	33	63	77	104	99	92	49	36	13	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	277	–	–	–	–	–	3	–	1	6	2	14	17	30	29	46	36	43	30	15	4	1	–
	White—Male	114	–	–	–	–	–	–	–	1	1	2	6	9	17	16	28	12	13	7	2	–	–	–
	Female	148	–	–	–	–	–	1	–	–	4	–	8	8	11	12	17	21	26	22	13	4	1	–
	All other—Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	3	–	–	–	–	–
	Female	10	–	–	–	–	–	2	–	–	–	–	–	–	2	1	1	2	1	1	–	–	–	–
402	Hypertensive heart disease	183	–	–	–	–	–	–	–	–	2	2	5	3	13	10	19	31	28	29	19	17	5	–
	White—Male	64	–	–	–	–	–	–	–	–	1	–	1	3	9	6	8	12	11	7	3	3	–	–
	Female	83	–	–	–	–	–	–	–	–	–	–	2	–	1	1	7	14	12	15	14	13	4	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	3	2	1	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	1	2	1	–	1	2	4	2	3	6	–	1	1	–
404	Hypertensive heart and renal disease	188	–	–	–	–	–	–	–	–	–	–	3	2	1	7	7	12	32	39	37	38	10	–
	White—Male	85	–	–	–	–	–	–	–	–	–	–	1	2	–	4	6	6	14	17	17	17	1	–
	Female	90	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	16	20	19	20	9	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	2	1	1	–	–
410–413	Ischemic heart disease	16,288	–	–	–	–	–	2	6	26	46	140	294	502	815	1,290	1,865	2,220	2,570	2,734	2,264	1,135	379	–
	White—Male	8,234	–	–	–	–	–	2	4	17	31	91	204	355	577	860	1,171	1,193	1,264	1,178	817	368	102	–
	Female	6,892	–	–	–	–	–	–	2	4	4	20	47	84	159	311	535	838	1,137	1,412	1,366	719	254	–
	All other—Male	646	–	–	–	–	–	–	–	5	7	21	27	45	58	70	92	100	85	68	37	20	11	–
	Female	516	–	–	–	–	–	–	–	–	4	8	16	18	21	49	67	89	84	76	44	28	12	–
410	Acute myocardial infarction	8,411	–	–	–	–	–	2	3	19	33	108	208	381	570	884	1,196	1,326	1,358	1,135	781	323	84	–
	White—Male	4,904	–	–	–	–	–	2	3	14	23	75	154	292	428	619	785	771	701	568	326	121	22	–
	Female	3,051	–	–	–	–	–	–	–	3	4	16	36	59	107	211	345	470	593	528	429	193	57	–
	All other—Male	289	–	–	–	–	–	–	–	2	4	13	11	21	28	38	40	48	35	21	19	4	5	–
	Female	167	–	–	–	–	–	–	–	–	2	4	7	9	7	16	26	37	29	18	7	5	–	–
411	Other acute and subacute forms of ischemic heart disease	34	–	–	–	–	–	–	–	1	–	–	1	1	1	1	4	4	7	6	4	4	–	–
	White—Male	15	–	–	–	–	–	–	–	1	–	–	1	–	1	1	3	1	4	2	–	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2	4	3	3	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	7,816	–	–	–	–	–	–	3	6	13	32	85	120	244	403	662	885	1,199	1,590	1,472	808	294	–
	White—Male	3,302	–	–	–	–	–	–	1	2	8	16	49	63	148	238	380	417	557	607	490	246	80	–
	Female	3,810	–	–	–	–	–	–	2	1	–	4	11	24	52	100	189	364	538	878	928	523	196	–
	All other—Male	356	–	–	–	–	–	–	–	3	3	8	16	24	30	32	52	52	50	47	17	16	6	–
	Female	348	–	–	–	–	–	–	–	–	2	4	9	9	14	33	41	52	54	58	37	23	12	–
413	Angina pectoris	27	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	6	3	7	–	1	–
	White—Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	2	1	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	6	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	128	–	–	–	–	–	–	–	1	–	2	2	3	2	5	10	9	24	30	25	10	5	–
	White—Male	48	–	–	–	–	–	–	–	–	–	2	–	1	2	4	2	10	10	11	6	–	–	–
	Female	72	–	–	–	–	–	–	–	1	–	–	1	1	1	3	6	5	13	20	13	3	5	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,364	16	8	6	–	8	10	8	13	20	22	45	42	76	113	154	161	181	180	167	94	40	–
	White—Male	652	7	1	2	–	1	4	2	6	5	7	21	34	35	63	94	94	95	80	55	35	11	–
	White—Female	533	5	2	3	–	3	5	3	2	5	10	8	6	22	29	43	51	68	83	104	52	29	–
	All other—Male	103	3	2	1	–	3	–	1	3	9	1	10	1	11	11	12	8	10	10	5	2	–	–
	All other—Female	76	1	3	–	–	1	1	2	2	1	4	6	1	8	10	5	8	8	7	3	5	–	–
400, 401, 403	Hypertension	182	–	–	–	–	–	–	1	1	2	3	6	4	12	11	21	20	31	27	28	13	2	–
	White—Male	66	–	–	–	–	–	–	1	–	1	–	1	1	6	5	5	10	14	9	10	3	–	–
	White—Female	83	–	–	–	–	–	–	–	–	–	–	1	–	2	4	11	7	14	16	18	8	2	–
	All other—Male	17	–	–	–	–	–	–	–	1	1	1	2	1	2	2	2	2	2	–	–	1	–	–
	All other—Female	16	–	–	–	–	–	–	–	–	–	2	2	2	2	–	3	1	1	2	–	1	–	–
430–438	Cerebrovascular diseases	5,152	5	1	2	1	6	7	8	13	18	38	55	110	146	241	426	685	895	977	944	432	142	–
	White—Male	1,952	2	–	1	1	1	2	3	6	7	14	22	36	75	111	182	292	375	353	318	121	30	–
	White—Female	2,712	1	–	1	–	3	3	4	6	8	15	20	48	49	87	174	304	446	567	584	289	103	–
	All other—Male	223	–	–	–	–	1	1	–	–	2	3	4	13	15	17	30	43	35	34	15	8	2	–
	All other—Female	265	2	1	–	–	1	1	1	1	1	6	9	13	7	26	40	46	39	23	27	14	7	–
431	Cerebral hemorrhage	644	1	–	–	–	2	4	3	3	5	10	15	31	38	49	63	110	106	79	78	40	7	–
	White—Male	225	–	–	–	–	–	–	–	3	1	4	6	8	17	23	26	44	40	26	17	9	1	–
	White—Female	356	–	–	–	–	2	2	2	–	1	4	5	19	18	21	26	49	61	50	60	30	6	–
	All other—Male	30	–	–	–	–	–	1	–	–	2	–	1	2	2	3	2	8	4	3	1	1	–	–
	All other—Female	33	1	–	–	–	–	1	1	–	1	2	3	2	1	2	9	9	1	–	–	–	–	–
433	Cerebral thrombosis	1,276	–	–	–	–	1	1	1	2	–	4	6	15	24	43	100	167	222	268	261	119	42	–
	White—Male	477	–	–	–	–	1	–	1	1	–	1	4	4	12	18	45	64	102	102	81	33	8	–
	White—Female	666	–	–	–	–	–	1	–	1	–	2	2	5	8	15	40	78	97	144	163	80	30	–
	All other—Male	66	–	–	–	–	–	–	–	–	–	–	–	5	4	3	6	15	9	15	5	2	2	–
	All other—Female	67	–	–	–	–	–	–	–	–	–	1	–	1	–	7	9	10	14	7	12	4	2	–
434	Cerebral embolism	48	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	4	18	9	7	3	1	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	9	4	4	–	–	–
	White—Female	26	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	9	5	3	3	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,184	4	1	2	1	3	2	4	8	13	24	34	63	83	148	260	404	549	621	598	270	92	–
	White—Male	1,229	2	–	1	1	–	2	2	2	6	9	12	24	45	69	110	183	224	221	216	79	21	–
	White—Female	1,664	1	–	1	–	1	–	2	5	7	9	13	23	23	51	106	175	279	368	358	176	66	–
	All other—Male	127	–	–	–	–	1	–	–	–	–	3	3	6	9	11	22	20	22	16	9	5	–	–
	All other—Female	164	1	1	–	–	1	–	–	1	–	3	6	10	6	17	22	26	24	16	15	10	5	–
440	Arteriosclerosis	871	–	–	–	–	–	–	–	–	1	2	1	2	9	12	28	70	129	186	190	170	71	–
	White—Male	323	–	–	–	–	–	–	–	–	1	–	–	1	5	4	11	36	50	67	67	52	29	–
	White—Female	504	–	–	–	–	–	–	–	–	–	2	–	–	3	7	10	29	73	114	117	109	40	–
	All other—Male	23	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	3	4	4	2	3	–	–
	All other—Female	21	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	1	4	6	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	631	–	–	1	1	1	2	4	4	3	5	8	15	33	50	92	96	96	90	92	32	6	–
	White—Male	361	–	–	1	–	–	1	–	3	1	3	2	9	27	37	67	59	52	47	41	8	3	–
	White—Female	225	–	–	–	1	1	–	2	1	1	1	4	5	2	10	20	30	34	39	48	23	3	–
	All other—Male	28	–	–	–	–	–	1	–	–	1	1	1	–	4	1	4	4	8	1	1	1	–	–
	All other—Female	17	–	–	–	–	–	–	2	–	–	–	1	1	–	2	1	3	2	3	2	–	–	–
466	Acute bronchitis and bronchiolitis	25	1	1	–	–	–	–	2	–	–	–	–	–	2	3	–	1	2	5	4	4	–	–
	White—Male	12	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	3	1	–	–
	White—Female	12	–	1	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	3	1	3	–	–
	All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,505	35	9	3	6	10	4	6	7	8	10	20	33	45	79	103	145	235	284	269	148	46	–
	White—Male	688	11	3	1	1	2	2	2	3	2	7	8	13	26	41	57	83	113	130	119	52	12	–
	White—Female	678	9	4	2	5	5	1	3	2	3	1	3	8	16	26	36	53	99	143	135	91	33	–
	All other—Male	82	6	2	–	–	–	1	1	1	–	2	5	7	1	12	6	4	14	8	8	3	1	–
	All other—Female	57	9	–	–	–	3	–	–	1	3	–	4	5	2	–	4	5	9	3	7	2	–	–
470–474	Influenza	151	2	–	–	1	–	1	1	–	1	–	–	3	3	7	9	15	16	30	34	22	6	–
	White—Male	64	–	–	–	–	–	1	1	–	1	–	–	1	–	3	3	8	5	14	17	9	1	–
	White—Female	84	2	–	–	1	–	–	–	–	–	–	–	2	3	3	4	7	11	16	17	13	5	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
480–486	Pneumonia	1,354	33	9	3	5	10	3	5	7	7	10	20	30	42	72	94	130	219	254	235	126	40	–
	White—Male	624	11	3	1	1	2	1	1	3	1	7	8	12	26	38	54	75	108	116	102	43	11	–
	White—Female	594	7	4	2	4	5	1	3	2	3	1	3	6	13	23	32	46	88	127	118	78	28	–
	All other—Male	81	6	2	–	–	–	1	1	1	–	2	5	7	1	11	6	4	14	8	8	3	1	–
	All other—Female	55	9	–	–	–	3	–	–	1	3	–	4	5	2	–	2	5	9	3	7	2	–	–
490–493	Bronchitis, emphysema, and asthma	597	3	2	–	1	–	2	1	2	–	3	7	20	48	70	105	111	105	63	46	8	–	–
	White—Male	428	1	1	–	1	–	1	–	1	–	2	1	8	33	48	79	89	84	41	33	5	–	–
	White—Female	137	–	–	–	–	–	1	1	–	–	–	5	11	11	17	23	17	17	19	12	3	–	–
	All other—Male	26	2	–	–	–	–	–	–	1	–	1	–	–	4	3	3	5	3	3	1	–	–	–
	All other—Female	6	–	1	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
490, 491	Chronic and unqualified bronchitis	96	3	1	–	–	–	1	–	–	–	–	1	3	5	11	14	15	12	16	13	1	–	
	White Male	64	1	1	–	–	–	1	–	–	–	–	–	1	2	7	10	12	10	11	8	–	–	
	Female	28	–	–	–	–	–	–	–	–	–	–	1	1	3	4	4	3	1	5	5	1	–	
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
492	Emphysema	457	–	–	–	–	–	–	–	1	–	3	4	16	38	50	88	87	87	43	33	7	–	
	White Male	350	–	–	–	–	–	–	–	1	–	2	1	7	30	40	68	70	71	30	25	5	–	
	Female	88	–	–	–	–	–	–	–	–	–	–	2	9	5	8	18	13	13	11	7	2	–	
	All other Male	17	–	–	–	–	–	–	–	–	–	1	–	–	3	1	2	4	3	2	1	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
493	Asthma	44	–	1	–	1	–	1	1	1	–	–	2	1	5	9	3	9	6	4	–	–	–	
	White Male	14	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	7	3	–	–	–	–	
	Female	21	–	–	–	–	–	1	1	–	–	–	2	1	3	5	1	1	3	3	–	–	–	
	All other Male	7	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	1	–	–	–	
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
531–533	Peptic ulcer	141	1	–	–	–	1	–	1	3	1	1	6	13	7	15	18	19	17	20	13	5	–	
	White Male	87	–	–	–	–	1	–	1	1	–	1	2	7	5	9	14	13	9	14	8	2	–	
	Female	38	–	–	–	–	–	–	–	1	–	–	–	2	2	5	3	5	7	6	5	2	–	
	All other Male	11	1	–	–	–	–	–	–	1	1	–	2	2	–	–	1	1	1	–	–	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	
540–543	Appendicitis	15	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	3	3	3	1	1	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	
	Female	8	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	2	3	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	164	17	–	1	–	–	–	2	–	1	–	1	4	6	9	12	18	18	30	27	9	9	
	White Male	56	8	–	1	–	–	–	1	–	1	–	1	1	3	2	6	7	5	10	7	2	1	
	Female	95	8	–	–	–	–	–	–	–	–	–	–	2	2	7	5	10	12	16	19	6	8	
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	
	Female	9	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	–	3	1	–	–	
571	Cirrhosis of liver	493	–	–	–	–	1	3	3	14	22	33	50	62	77	73	64	43	24	13	7	4	–	
	White Male	266	–	–	–	–	–	1	2	8	13	12	30	29	40	49	34	23	11	9	4	1	–	
	Female	142	–	–	–	–	1	–	–	3	6	5	13	18	21	16	24	14	12	4	3	2	–	
	All other Male	48	–	–	–	–	–	1	1	2	2	11	3	10	7	4	4	2	1	–	–	–	–	
	Female	37	–	–	–	–	–	1	–	1	1	5	4	5	9	4	2	4	–	–	–	1	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	81	–	–	–	–	–	–	1	–	–	–	–	1	1	2	10	16	14	17	10	7	2	
	White Male	41	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	9	8	7	7	3	1	
	Female	36	–	–	–	–	–	–	1	–	–	–	–	–	–	2	3	6	6	10	3	4	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	
580–584	Nephritis and nephrosis	244	1	–	1	–	1	4	2	3	5	3	6	11	10	20	23	34	34	39	31	13	3	
	White Male	101	1	–	–	–	1	3	–	2	3	1	4	3	3	10	7	12	14	14	18	4	1	
	Female	84	–	–	1	–	–	1	–	1	1	1	1	4	2	4	7	13	12	18	9	8	1	
	All other Male	36	–	–	–	–	–	–	1	–	1	–	1	3	4	3	5	5	6	2	3	1	1	
	Female	23	–	–	–	–	–	–	1	–	–	1	–	1	1	3	4	4	2	5	1	–	–	
580, 581	Acute nephritis and nephrotic syndrome	52	–	–	–	–	–	–	–	–	2	–	–	1	2	5	5	9	11	4	9	3	1	
	White Male	21	–	–	–	–	–	–	–	–	2	–	–	–	1	3	2	2	4	1	4	1	1	
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	6	4	1	3	2	–	
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	192	1	–	1	–	1	4	2	3	3	3	6	10	8	15	18	25	23	35	22	10	2	
	White Male	80	1	–	–	–	1	3	–	2	1	1	4	3	2	7	5	10	10	13	14	3	–	
	Female	65	–	–	1	–	–	1	–	1	1	1	1	3	1	4	6	7	8	17	6	6	1	
	All other Male	29	–	–	–	–	–	–	1	–	1	–	1	3	4	2	3	5	3	2	2	1	1	
	Female	18	–	–	–	–	–	–	1	–	–	1	–	1	1	2	4	3	2	3	–	–	–	
590	Infections of kidney	113	–	–	1	1	–	2	3	–	–	–	1	1	4	8	9	11	20	15	20	12	5	
	White Male	47	–	–	–	–	–	1	1	–	–	–	–	–	2	5	3	8	7	5	8	5	2	
	Female	54	–	–	1	1	–	1	2	–	–	–	1	1	2	2	5	2	8	9	9	7	3	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	–	–	
600	Hyperplasia of prostate	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	6	5	7	4	2	
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	6	5	6	3	2	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	3	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	4	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	3	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	273	180	23	8	9	8	7	8	2	2	1	5	4	5	2	5	–	1	–	2	1	–	–
	White ..... Male	120	78	9	3	6	2	5	3	2	1	–	2	2	3	1	3	–	–	–	–	–	–	–
	Female	100	64	10	4	2	1	1	4	–	–	1	3	1	2	1	2	–	1	–	2	1	–	–
	All other ..... Male	26	16	1	1	1	5	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	27	22	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	546	546	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	239	239	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	177	177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	310	310	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	137	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	236	236	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,718	111	7	3	3	5	3	14	9	14	37	54	88	113	180	194	213	218	167	149	98	36	2
	White ..... Male	928	42	2	–	1	2	–	9	4	10	22	34	59	80	112	131	122	132	78	47	29	10	2
	Female	565	30	4	–	2	2	2	4	1	2	8	14	19	20	42	44	72	64	73	82	56	24	–
	All other ..... Male	121	19	–	2	–	1	1	1	3	2	3	3	7	9	20	8	12	13	6	6	4	1	–
	Female	104	20	1	1	–	–	–	–	1	–	4	3	3	4	6	11	7	9	10	14	9	1	–
Residual	All other diseases	3,138	43	13	16	18	31	33	32	49	53	75	90	135	187	284	404	427	431	394	287	103	31	2
	White ..... Male	1,564	15	8	7	6	17	14	15	19	16	33	38	69	103	140	227	245	228	200	118	37	9	–
	Female	1,165	13	1	6	5	10	13	9	14	16	20	33	40	61	102	122	142	172	167	144	56	18	1
	All other ..... Male	220	7	4	3	4	3	3	4	7	14	13	12	15	13	23	23	24	15	16	11	5	–	1
	Female	189	8	–	–	3	1	3	4	9	7	9	7	11	10	19	32	16	16	11	14	5	4	–
E800–E949	Accidents	2,523	28	74	62	86	336	266	185	124	106	94	108	108	110	113	132	120	136	140	118	60	16	1
	White ..... Male	1,593	11	34	36	61	252	199	138	89	72	67	67	62	78	77	79	76	60	63	42	23	7	–
	Female	697	13	18	12	17	75	46	31	22	21	17	27	32	18	27	36	34	63	72	73	35	8	–
	All other ..... Male	149	2	11	7	6	6	14	11	9	11	3	8	11	12	7	10	7	8	3	1	1	–	1
	Female	84	2	11	7	2	3	7	5	4	2	7	6	3	2	2	7	3	5	2	2	1	1	–
E810–E823	Motor vehicle accidents	1,243	6	23	33	42	270	191	124	79	60	54	54	46	44	43	51	42	37	28	14	1	1	–
	White ..... Male	849	3	10	16	30	200	140	91	56	42	40	33	28	35	25	31	24	21	14	8	1	1	–
	Female	307	2	10	9	7	66	36	25	16	12	9	17	13	6	14	16	17	13	13	6	–	–	–
	All other ..... Male	54	–	–	4	3	1	11	5	4	6	–	4	3	3	3	3	1	3	–	–	–	–	–
	Female	33	1	3	4	2	3	4	3	3	–	5	–	2	–	1	1	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,280	22	51	29	44	66	75	61	45	46	40	54	62	66	70	81	78	99	112	104	59	15	1
	White ..... Male	744	8	24	20	31	52	59	47	33	30	27	34	34	43	52	48	52	39	49	34	22	6	–
	Female	390	11	8	3	10	9	10	6	6	9	8	10	19	12	13	20	17	50	59	67	35	8	–
	All other ..... Male	95	2	11	3	3	5	3	6	5	5	3	4	8	9	4	7	6	5	3	1	1	–	1
	Female	51	1	8	3	–	–	3	2	1	2	2	6	1	2	1	6	3	5	1	2	1	1	–
E950–E959	Suicide	620	...	...	–	1	43	52	61	45	37	44	49	64	54	55	34	30	23	15	9	3	1	–
	White ..... Male	417	...	...	–	–	32	39	44	30	22	23	32	35	35	37	23	24	17	12	8	3	1	–
	Female	171	...	...	–	–	7	8	10	11	12	21	15	27	17	18	10	6	6	2	1	–	–	–
	All other ..... Male	27	...	...	–	1	4	4	5	3	3	–	2	2	2	–	–	–	–	1	–	–	–	–
	Female	5	...	...	–	–	–	1	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	461	2	5	2	5	66	89	74	43	31	24	31	26	18	13	11	10	3	3	2	1	–	2
	White ..... Male	134	–	–	1	–	11	22	22	10	9	10	11	10	10	7	2	4	2	1	–	1	–	1
	Female	52	–	–	–	2	7	8	5	4	2	2	3	4	3	2	3	3	–	2	1	–	–	1
	All other ..... Male	238	1	2	1	2	43	52	42	25	17	10	14	10	5	4	6	3	–	–	1	–	–	–
	Female	37	1	3	–	1	5	7	5	4	3	2	3	2	–	–	–	–	1	–	–	–	–	–
E980–E999	Other external causes	180	2	5	2	2	14	26	27	13	9	16	14	5	12	10	6	7	4	4	1	–	–	1
	White ..... Male	109	1	3	1	2	11	16	15	6	4	9	8	4	6	7	4	5	4	3	–	–	–	–
	Female	41	1	–	–	–	2	3	6	3	4	5	6	1	3	2	2	1	–	1	1	–	–	–
	All other ..... Male	20	–	–	1	–	–	6	5	3	–	2	–	–	2	1	–	–	–	–	–	–	–	–
	Female	10	–	2	–	–	1	1	1	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana																							
	All causes	**6,741**	**208**	**48**	**23**	**31**	**128**	**118**	**87**	**88**	**82**	**127**	**175**	**271**	**441**	**576**	**669**	**714**	**801**	**844**	**791**	**401**	**118**	–
	White Male	3,816	113	30	11	18	84	80	63	53	50	63	103	177	280	355	447	472	454	400	370	151	42	–
	Female	2,627	72	11	5	6	27	26	13	18	21	51	52	73	137	200	207	224	330	427	413	240	74	–
	All other Male	175	10	4	6	5	14	9	6	13	5	9	13	11	13	14	10	8	12	8	3	2	–	–
	Female	123	13	3	1	2	3	3	5	4	6	4	7	10	11	7	5	10	5	9	5	8	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	6	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	9	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	2	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	9	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	2	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	18	7	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	4	1	1	1	–	–
	White Male	7	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	8	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	12	3	–	–	1	1	1	–	–	–	–	–	–	1	1	–	1	2	–	1	–	–	–
	White Male	7	1	–	–	1	–	1	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,181	1	4	1	3	3	7	6	9	10	27	36	69	118	155	177	162	132	132	96	28	5	–
	White—Male	667	–	2	1	–	1	3	4	5	3	6	18	34	59	99	114	98	81	73	55	11	–	–
	Female	488	1	2	–	3	2	4	2	4	7	20	15	28	57	54	62	61	48	57	41	15	5	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	3	2	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	3	5	1	1	1	2	–	–	–	2	–	–
140–149	Of buccal cavity and pharynx	20	–	–	–	–	–	–	–	–	–	–	1	2	3	6	3	2	–	–	2	1	–	–
	White—Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	6	3	2	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	2	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	313	–	–	–	–	–	–	1	1	2	6	8	7	26	32	57	49	45	36	32	9	2	–
	White—Male	179	–	–	–	–	–	–	1	1	1	4	3	2	15	22	40	26	25	17	18	4	–	–
	Female	130	–	–	–	–	–	–	–	–	1	1	5	5	11	10	17	23	19	19	14	3	2	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
160–163	Of respiratory system	263	–	–	–	–	–	1	–	1	1	4	11	19	28	52	40	39	32	21	12	1	1	–
	White—Male	199	–	–	–	–	–	–	–	1	–	1	7	15	24	41	30	29	24	16	10	1	–	–
	Female	58	–	–	–	–	–	1	–	–	1	3	4	4	3	10	10	7	8	4	2	–	1	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
174	Of breast	107	–	–	–	–	–	–	1	1	3	6	5	9	17	12	14	8	8	14	4	5	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	–	–	–	–	–	–	1	1	3	6	3	8	17	12	14	8	8	14	4	5	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	152	–	–	–	–	–	–	1	1	–	7	–	6	15	17	20	23	15	25	19	3	–	–
	White—Male	92	–	–	–	–	–	–	1	–	–	–	–	–	5	9	11	15	13	18	17	3	–	–
	Female	56	–	–	–	–	–	–	–	1	–	7	–	4	9	8	9	8	2	6	2	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	65	–	–	–	–	–	–	–	–	–	–	2	4	6	7	7	7	6	13	10	3	–	–
	White—Male	43	–	–	–	–	–	–	–	–	–	–	2	2	3	5	6	5	6	8	5	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	2	–	5	5	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	134	1	2	1	2	2	1	1	2	3	3	6	13	10	12	19	17	11	11	13	3	1	–
	White—Male	70	–	1	1	–	1	–	1	–	2	1	4	10	5	6	15	11	5	4	2	1	–	–
	Female	60	1	1	–	2	1	1	–	2	1	2	2	2	5	6	3	6	4	7	11	2	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
204–207	Leukemia	53	–	1	–	1	1	2	1	2	–	1	2	2	6	2	4	10	3	10	4	1	–	–
	White—Male	28	–	–	–	–	–	–	–	2	–	–	1	2	3	–	3	4	2	8	3	–	–	–
	Female	24	–	1	–	1	1	2	1	–	–	1	–	–	3	2	1	6	1	2	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	74	–	1	–	–	–	3	1	1	1	–	1	7	7	15	13	7	12	2	–	2	1	–
	White—Male	44	–	1	–	–	–	3	1	1	–	–	1	2	4	10	6	6	6	2	–	1	–	–
	Female	26	–	–	–	–	–	–	–	–	1	–	–	2	3	4	7	1	6	–	–	1	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	9	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	1	2	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	98	–	1	–	–	–	1	1	–	2	6	2	5	7	9	7	18	9	11	13	6	–	–
	White—Male	40	–	1	–	–	–	1	–	–	1	2	1	1	5	3	2	13	2	4	2	2	–	–
	Female	53	–	–	–	–	–	–	–	–	1	4	1	3	1	6	5	4	7	6	11	4	–	–
	All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–	2	1	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
280–285	Anemias	15	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	3	1	3	2	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	3	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	2	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	8	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	
	White Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	3,107	6	1	–	1	4	2	3	6	8	27	57	105	167	247	322	360	453	487	499	280	72	
	White Male	1,697	3	–	–	1	4	1	–	3	6	14	41	77	125	153	221	236	247	216	224	104	21	
	Female	1,329	3	1	–	–	–	1	1	2	1	10	12	23	35	82	97	118	198	260	267	169	49	
	All other Male	44	–	–	–	–	–	–	–	–	1	2	3	4	5	8	3	2	6	5	3	2	–	
	Female	37	–	–	–	–	–	–	2	1	–	1	1	1	2	4	1	4	2	6	5	5	2	
390–398, 402, 404, 410–429	Diseases of heart	2,188	4	1	–	1	3	2	1	4	7	19	53	84	144	196	246	284	300	335	287	170	47	
	White Male	1,259	2	–	–	1	3	1	–	2	6	12	39	65	112	127	173	189	172	149	129	62	15	
	Female	865	2	1	–	–	–	1	1	1	–	5	10	14	25	61	69	90	123	177	151	104	30	
	All other Male	36	–	–	–	–	–	–	–	–	1	1	3	4	5	5	3	2	4	5	2	1	–	
	Female	28	–	–	–	–	–	–	–	1	–	1	1	1	2	3	1	3	1	4	5	3	2	
390–398	Active rheumatic fever and chronic rheumatic heart disease	50	–	–	–	–	–	–	–	–	–	2	5	3	4	9	7	4	9	3	1	3	–	
	White Male	13	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	2	2	1	–	–	–	
	Female	37	–	–	–	–	–	–	–	–	–	1	4	1	2	8	6	2	7	2	1	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	11	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	4	2	1	1	
	White Male	3	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	1	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	8	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	–	
	White Male	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	1,762	–	–	–	–	1	–	1	1	5	13	35	60	121	162	187	225	252	281	239	144	35	
	White Male	1,042	–	–	–	–	1	–	–	1	4	10	27	48	97	109	138	153	153	128	105	54	14	
	Female	675	–	–	–	–	–	–	1	–	–	2	5	9	18	46	46	70	95	147	128	87	21	
	All other Male	28	–	–	–	–	–	–	–	–	1	–	3	3	5	5	2	1	3	2	2	1	–	
	Female	17	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	1	4	4	2	–	
410	Acute myocardial infarction	965	–	–	–	–	–	–	1	1	4	11	27	50	95	121	134	147	123	134	78	34	5	
	White Male	632	–	–	–	–	–	–	–	1	3	9	20	42	74	84	97	104	76	65	41	14	2	
	Female	305	–	–	–	–	–	–	1	–	–	1	4	8	16	31	34	42	43	66	36	20	3	
	All other Male	20	–	–	–	–	–	–	–	–	1	–	3	–	4	5	2	1	3	1	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	2	1	–	–	
411	Other acute and subacute forms of ischemic heart disease	14	–	–	–	–	–	–	–	–	–	–	1	–	1	3	6	1	1	–	–	1	–	
	White Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	1	–	–	–	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	783	–	–	–	–	1	–	–	–	1	2	7	10	25	38	47	77	128	147	161	109	30	
	White Male	400	–	–	–	–	1	–	–	–	1	1	6	6	22	24	36	48	77	63	64	39	12	
	Female	366	–	–	–	–	–	–	–	–	–	1	1	1	2	13	11	28	51	81	92	67	18	
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	1	2	1	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	3	2	–	
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	38	–	–	–	–	–	1	–	1	–	–	–	1	1	2	2	5	4	9	7	5	–	
	White Male	22	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	3	2	5	5	3	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	4	2	2	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	319	4	1	–	–	1	1	–	2	2	4	13	20	18	22	50	48	33	37	37	15	11	–
	White Male	176	2	–	–	–	1	–	–	1	2	1	11	15	12	15	33	31	15	14	17	5	1	–
	Female	126	2	1	–	–	–	1	–	1	–	2	1	4	5	6	16	14	17	20	19	9	8	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	3	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	1	1	2	–
400, 401, 403	Hypertension	12	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	3	2	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	642	1	–	–	–	1	–	1	2	1	8	4	16	21	36	47	55	107	107	152	65	18	–
	White Male	297	–	–	–	–	1	–	–	1	–	2	2	9	11	18	29	35	52	44	68	20	5	–
	Female	335	1	–	–	–	–	–	–	1	1	5	2	7	10	16	18	20	53	61	83	44	13	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	1	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
431	Cerebral hemorrhage	60	1	–	–	–	–	–	–	1	–	3	–	4	4	11	6	6	6	7	9	2	–	–
	White Male	34	–	–	–	–	–	–	–	1	–	1	–	3	3	4	3	6	3	4	4	2	–	–
	Female	24	1	–	–	–	–	–	–	–	–	1	–	1	1	6	3	–	3	3	5	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	121	–	–	–	–	–	–	–	–	–	1	–	2	2	5	9	9	15	21	29	25	3	–
	White Male	55	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	6	9	9	14	6	1	–
	Female	64	–	–	–	–	–	–	–	–	–	1	–	–	1	3	4	3	5	12	15	18	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	460	–	–	–	–	1	–	1	1	1	4	4	10	15	20	32	40	85	79	114	38	15	–
	White Male	208	–	–	–	–	1	–	–	–	–	1	2	4	7	12	21	23	40	31	50	12	4	–
	Female	246	–	–	–	–	–	–	–	1	1	3	2	6	8	7	11	17	44	46	63	26	11	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
440	Arteriosclerosis	163	–	–	–	–	–	–	–	–	–	–	–	1	1	4	6	10	26	29	46	33	7	–
	White Male	73	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	5	12	13	19	15	1	–
	Female	87	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	14	16	27	17	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	102	1	–	–	–	–	–	–	–	–	–	–	4	1	10	22	9	20	13	12	10	–	–
	White Male	63	1	–	–	–	–	–	–	–	–	–	–	3	1	6	13	6	11	10	7	5	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	1	–	3	9	3	8	3	5	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	304	9	1	–	–	–	–	2	–	3	2	6	5	12	13	17	18	34	61	63	36	22	–
	White Male	164	5	–	–	–	–	–	1	–	2	–	4	4	8	7	14	12	17	30	34	14	12	–
	Female	131	2	–	–	–	–	–	–	–	1	2	1	1	2	6	2	6	16	31	29	22	10	–
	All other Male	7	2	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
470–474	Influenza	94	–	–	–	–	–	–	1	–	1	1	–	1	3	4	5	5	6	22	26	12	7	–
	White Male	40	–	–	–	–	–	–	–	–	1	–	–	1	2	2	4	3	3	5	11	4	4	–
	Female	53	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	2	3	17	15	8	3	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	210	9	1	–	–	–	–	1	–	2	1	6	4	9	9	12	13	28	39	37	24	15	–
	White Male	124	5	–	–	–	–	–	1	–	1	–	4	3	6	5	10	9	14	25	23	10	8	–
	Female	78	2	–	–	–	–	–	–	–	1	1	1	1	1	4	1	4	13	14	14	14	7	–
	All other Male	6	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	117	–	–	–	–	–	–	–	–	–	1	3	2	9	21	22	21	21	14	3	–	–	–
	White Male	90	–	–	–	–	–	–	–	–	–	1	1	1	6	14	18	18	19	10	2	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	2	1	2	7	4	3	2	4	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
490, 491	Chronic and unqualified bronchitis	22	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	4	2	4	1	–	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	4	2	3	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	83	–	–	–	–	–	–	–	–	–	–	1	1	5	16	15	16	18	9	2	–	–	–
	White Male	69	–	–	–	–	–	–	–	–	–	–	1	–	5	12	13	13	16	7	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	3	2	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	12	–	–	–	–	–	–	–	–	–	1	2	–	2	2	2	1	1	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	22	–	–	–	1	–	–	–	–	1	–	3	1	–	1	2	4	4	4	1	–	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	4	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	2	–	–	–	–
	All other Male	3	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	35	2	–	–	–	–	–	–	–	–	1	1	1	2	1	5	6	2	8	2	2	2	–
	White Male	16	1	–	–	–	–	–	–	–	–	1	–	1	2	1	2	2	1	4	–	1	–	–
	Female	18	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	1	4	2	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	112	–	–	–	–	2	–	1	5	7	5	8	18	23	18	14	3	5	2	1	–	–	–
	White Male	58	–	–	–	–	2	–	–	1	2	1	5	12	10	10	9	3	2	1	–	–	–	–
	Female	31	–	–	–	–	–	–	–	1	1	2	–	4	8	8	2	–	3	1	1	–	–	–
	All other Male	15	–	–	–	–	–	–	–	3	2	1	3	1	2	–	3	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	1	–	2	1	–	1	3	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	24	–	–	–	–	–	–	–	1	1	–	–	–	–	1	2	2	5	3	6	3	–	–
	White Male	8	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	2	1	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	6	2	–	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	15	–	–	–	–	–	1	–	–	–	–	–	–	–	3	1	3	3	–	3	1	–	–
	White Male	7	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	12	–	–	–	–	–	1	–	–	–	–	–	–	–	3	1	2	2	–	2	1	–	–
	White Male	6	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	59	32	10	3	1	2	1	1	1	–	–	2	–	2	1	2	1	–	–	–	–	–	–
	White.....Male	35	18	7	2	1	2	–	1	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
	Female	20	13	1	–	–	–	1	–	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
	All other.....Male	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	204	26	2	1	–	1	1	1	2	2	1	6	6	15	20	18	16	31	13	26	12	4	–
	White.....Male	114	9	1	1	–	1	1	1	–	2	1	3	5	9	11	12	13	17	6	15	5	1	–
	Female	79	14	1	–	–	–	–	–	1	–	–	2	1	4	7	5	2	14	7	11	7	3	–
	All other.....Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–	–	–	–
	Female	5	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	481	5	–	5	1	9	2	8	6	9	11	18	20	38	40	52	56	63	68	48	14	8	–
	White.....Male	273	3	–	1	1	4	1	3	4	5	7	7	12	20	26	34	41	36	35	22	7	4	–
	Female	177	–	–	2	–	4	–	4	–	3	1	7	6	16	13	15	13	25	32	26	6	4	–
	All other.....Male	18	1	–	2	–	1	1	1	1	–	2	2	1	2	1	2	1	–	–	–	–	–	–
	Female	13	1	–	–	–	–	–	–	1	1	1	2	1	–	–	1	1	2	1	–	1	–	–
E800–E949	Accidents	591	5	27	11	22	92	75	53	43	24	35	22	20	24	22	16	28	16	25	17	11	3	–
	White.....Male	397	4	18	6	13	59	54	45	33	19	24	14	15	18	14	9	20	10	11	6	3	2	–
	Female	138	1	5	2	3	19	13	4	4	3	8	7	3	5	7	7	7	6	14	11	8	1	–
	All other.....Male	41	–	2	3	4	11	6	3	5	1	2	1	1	–	1	–	1	–	–	–	–	–	–
	Female	15	–	2	–	2	3	2	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	292	–	9	7	5	61	56	33	27	15	18	9	12	8	8	5	7	4	5	3	–	–	–
	White.....Male	195	–	4	3	2	38	37	28	20	10	11	4	9	6	5	5	6	1	3	3	–	–	–
	Female	61	–	1	2	2	14	12	2	3	3	6	4	2	2	3	–	–	3	2	–	–	–	–
	All other.....Male	27	–	2	2	1	7	5	2	3	1	1	1	1	–	–	–	1	–	–	–	–	–	–
	Female	9	–	2	–	–	2	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	299	5	18	4	17	31	19	20	16	9	17	13	8	16	14	11	21	12	20	14	11	3	–
	White.....Male	202	4	14	3	11	21	17	17	13	9	13	10	6	12	9	4	14	9	8	3	3	2	–
	Female	77	1	4	–	1	5	1	2	1	–	2	3	1	3	4	7	7	3	12	11	8	1	–
	All other.....Male	14	–	–	1	3	4	1	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	2	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	129	. . .	. . .	–	1	10	20	7	11	10	10	5	11	14	10	7	6	3	4	–	–	–	–
	White.....Male	95	. . .	. . .	–	1	10	13	5	5	7	5	4	9	10	8	7	4	3	4	–	–	–	–
	Female	27	. . .	. . .	–	–	–	5	1	4	2	4	1	2	4	2	–	2	–	–	–	–	–	–
	All other.....Male	4	. . .	. . .	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	. . .	. . .	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	35	1	1	1	–	3	2	3	2	3	–	5	1	4	4	2	1	–	1	1	–	–	–
	White.....Male	20	1	1	–	–	1	–	2	1	2	–	3	1	4	2	2	–	–	–	–	–	–	–
	Female	11	–	–	1	–	–	2	1	1	1	–	1	–	–	2	–	–	–	1	1	–	–	–
	All other.....Male	4	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	18	1	–	–	–	1	4	1	2	1	1	–	4	1	1	–	1	–	–	–	–	–	–
	White.....Male	11	–	–	–	–	1	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–
	Female	4	1	–	–	–	–	4	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska																							
	All causes	14,547	339	87	39	47	150	166	127	111	126	207	327	467	709	1,022	1,412	1,688	1,984	2,267	1,897	1,055	320	–
	White Male	7,592	170	43	22	27	104	114	82	59	63	113	199	281	452	663	862	980	1,027	1,074	796	375	86	–
	Female	6,521	138	40	15	19	36	35	30	39	47	66	100	162	230	333	509	672	908	1,162	1,085	666	229	–
	All other Male	242	14	1	1	1	8	8	11	10	12	16	16	17	17	13	22	24	22	16	7	6	–	–
	Female	192	17	3	1	–	2	9	4	3	4	12	12	7	10	13	19	12	27	15	9	8	5	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	13	2	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	3	2	–	–	–
	White Male	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	7	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	13	–	–	–	–	–	–	–	–	–	1	–	2	3	2	–	–	2	–	2	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	2	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	2	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	29	8	1	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	8	3	1	–	–
	White Male	11	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–
	Female	18	2	1	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	6	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	39	6	1	2	1	1	2	–	–	2	2	–	1	3	4	1	2	4	5	2	–	–	–
	White Male	19	4	–	–	1	1	1	–	–	–	1	–	1	1	4	1	–	1	2	1	–	–	–
	Female	19	2	1	2	–	–	1	–	–	1	1	–	–	2	–	–	2	3	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,639	–	13	10	5	8	8	10	17	25	48	96	140	219	284	373	383	379	339	197	71	14	–
	White Male	1,353	–	5	7	4	3	3	5	5	9	18	43	59	115	163	204	199	199	195	82	33	2	–
	White Female	1,211	–	7	3	1	4	5	5	12	14	29	47	72	98	115	155	177	171	135	113	37	11	–
	All other Male	45	–	1	–	–	1	–	–	–	1	–	3	6	4	4	8	6	5	5	1	–	–	–
	All other Female	30	–	–	–	–	–	–	–	–	1	1	3	3	2	2	6	1	4	4	1	1	1	–
140–149	Of buccal cavity and pharynx	56	–	–	–	–	1	–	–	1	–	1	–	6	8	6	10	7	8	2	4	1	1	–
	White Male	44	–	–	–	–	–	–	–	–	–	1	–	5	6	6	9	6	6	1	3	1	–	–
	White Female	11	–	–	–	–	1	–	–	1	–	–	–	1	1	–	1	1	2	1	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	788	–	2	–	–	–	1	3	1	7	12	19	36	59	69	109	105	122	131	81	26	5	–
	White Male	404	–	–	–	–	–	–	2	–	4	7	13	15	36	46	58	50	52	72	34	14	1	–
	White Female	360	–	2	–	–	–	1	1	1	3	5	5	17	22	21	47	52	65	56	47	11	4	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	3	1	2	2	2	3	3	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	2	–	–	1	–	–
160–163	Of respiratory system	533	–	–	–	–	2	–	–	1	1	8	28	37	61	88	88	82	63	53	14	7	–	–
	White Male	392	–	–	–	–	1	–	–	1	–	4	20	24	40	67	70	60	57	35	9	4	–	–
	White Female	120	–	–	–	–	–	–	–	–	1	4	6	11	19	18	13	21	4	15	5	3	–	–
	All other Male	15	–	–	–	–	1	–	–	–	–	–	2	2	1	2	3	1	1	2	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	–	–	–	–
174	Of breast	235	–	–	–	–	–	–	2	5	4	11	11	13	19	35	36	31	25	24	13	3	3	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White Female	228	–	–	–	–	–	–	2	5	4	11	10	12	19	34	35	31	23	23	13	3	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–	–
180–187	Of genital organs	332	–	–	–	–	–	–	–	1	2	7	15	14	19	23	37	51	67	52	28	16	–	–
	White Male	150	–	–	–	–	–	–	–	–	–	1	2	–	3	5	13	31	36	36	15	9	–	–
	White Female	176	–	–	–	–	–	–	–	1	2	6	12	14	16	18	24	18	30	16	12	7	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	127	–	–	–	–	–	–	–	–	–	1	2	6	12	12	20	15	19	19	15	5	1	–
	White Male	84	–	–	–	–	–	–	–	–	–	–	1	3	9	9	12	12	14	15	6	3	–	–
	White Female	40	–	–	–	–	–	–	–	–	–	1	1	3	3	3	6	3	5	4	9	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
170–173, 190–199	Of all other and unspecified sites	263	–	8	3	3	3	4	1	5	10	5	13	18	19	24	33	34	21	28	22	8	1	–
	White Male	135	–	3	2	3	1	3	1	2	5	3	5	10	9	17	17	13	11	20	9	1	–	–
	White Female	121	–	4	1	–	2	1	–	3	4	2	7	7	10	7	16	20	10	7	12	7	1	–
	All other Male	4	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
204–207	Leukemia	128	–	3	5	2	2	2	1	3	–	1	2	2	11	9	12	22	22	16	10	1	2	–
	White Male	63	–	2	3	1	1	–	–	2	–	1	–	1	6	5	8	8	11	10	4	–	–	–
	White Female	64	–	1	2	1	1	2	1	1	–	–	2	1	5	4	4	14	11	5	6	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	177	–	–	2	–	–	1	3	–	1	2	6	8	11	18	28	36	32	14	10	4	1	–
	White Male	79	–	–	2	–	–	–	2	–	–	2	2	1	6	8	16	19	11	6	2	1	1	–
	White Female	91	–	–	–	–	–	1	1	–	–	–	4	6	3	10	9	17	21	8	8	3	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	26	–	–	–	–	–	1	1	2	1	1	1	1	1	2	1	8	3	2	1	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	4	–	1	–	–	–	–
	White Female	15	–	–	–	–	–	–	1	2	1	–	1	–	1	–	1	3	3	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	237	–	–	–	–	–	1	3	–	–	2	9	8	13	25	33	35	43	42	17	5	1	–
	White Male	103	–	–	–	–	–	–	1	–	–	1	8	3	8	14	16	14	16	13	7	2	–	–
	White Female	125	–	–	–	–	–	1	1	–	–	1	–	3	5	10	16	21	24	29	10	3	1	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	46	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	6	8	7	13	5	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	6	1	–
	White Female	31	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	6	5	7	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
280–285	Anemias	23	–	–	–	–	–	1	–	1	–	–	1	2	1	1	3	–	2	4	3	4	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	1	3	1	–	–
	Female	11	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	1	3	–	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	12	1	4	1	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	2	–	–	–
	White Male	4	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	5	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	7,694	7	6	1	5	6	4	4	14	19	63	112	166	293	482	707	890	1,218	1,426	1,307	739	225	–
	White Male	3,909	5	3	–	3	3	2	2	9	13	39	79	119	210	338	456	540	622	629	524	253	60	–
	Female	3,623	2	3	1	2	–	1	2	4	4	13	25	39	69	132	231	332	567	786	772	476	162	–
	All other Male	88	–	–	–	–	1	1	–	1	2	5	4	7	9	7	10	10	13	8	5	5	–	–
	Female	74	–	–	–	–	2	–	–	–	–	6	4	1	5	5	10	8	16	3	6	5	3	–
390–398, 402, 404, 410–429	Diseases of heart	5,485	4	4	1	4	2	2	3	10	14	45	90	140	246	414	566	686	863	942	826	470	153	–
	White Male	2,951	2	1	–	2	1	1	2	7	11	30	67	105	184	301	371	432	460	429	340	165	40	–
	Female	2,423	2	3	1	2	–	–	1	2	2	8	19	30	53	103	177	243	380	506	482	298	111	–
	All other Male	61	–	–	–	–	–	1	–	1	1	4	2	5	5	7	10	6	10	5	–	4	–	–
	Female	50	–	–	–	–	1	–	–	–	–	3	2	–	4	3	8	5	13	2	4	3	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	98	–	1	–	1	–	–	–	1	1	3	6	5	7	11	14	17	11	11	7	2	–	–
	White Male	48	–	1	–	1	–	–	–	–	–	1	3	3	2	8	8	7	8	4	1	1	–	–
	Female	48	–	–	–	–	–	–	–	1	1	2	3	2	5	2	6	10	3	6	6	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	59	–	–	–	–	–	–	–	–	–	–	3	–	3	5	5	7	8	11	11	6	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	4	2	2	–	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	1	–	1	4	2	2	6	9	10	5	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
404	Hypertensive heart and renal disease	89	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	6	15	15	21	18	5	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	8	5	4	4	1	–
	Female	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	7	10	17	14	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	4,798	–	–	–	–	–	1	2	8	11	35	71	127	209	351	509	612	769	826	726	412	129	–
	White Male	2,626	–	–	–	–	–	1	2	7	9	27	55	96	165	261	338	383	404	381	317	151	29	–
	Female	2,080	–	–	–	–	–	–	–	–	1	3	13	27	37	82	154	220	343	440	407	255	98	–
	All other Male	48	–	–	–	–	–	–	–	1	1	2	1	4	3	5	9	6	10	3	–	3	–	–
	Female	44	–	–	–	–	–	–	–	–	–	3	2	–	4	3	8	3	12	2	2	3	2	–
410	Acute myocardial infarction	2,512	–	–	–	–	–	1	2	4	5	24	46	92	149	232	316	375	422	390	281	136	37	–
	White Male	1,531	–	–	–	–	–	1	2	4	5	21	35	74	123	185	218	242	229	204	126	53	9	–
	Female	955	–	–	–	–	–	–	–	–	–	1	11	17	24	46	94	128	185	184	155	82	28	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	3	2	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	2	5	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	25	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	4	4	2	6	1	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	3	2	3	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,261	–	–	–	–	–	–	–	4	6	11	25	35	59	115	190	233	343	434	439	275	92	–
	White Male	1,080	–	–	–	–	–	–	–	3	4	6	20	22	42	74	119	137	172	175	188	98	20	–
	Female	1,117	–	–	–	–	–	–	–	–	1	2	2	10	13	35	58	92	157	256	249	172	70	–
	All other Male	33	–	–	–	–	–	–	–	1	1	2	1	3	2	4	6	3	7	1	–	2	–	–
	Female	31	–	–	–	–	–	–	–	–	–	1	2	–	2	2	7	1	7	2	2	3	2	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	33	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	2	7	10	3	3	1	–
	White Male	18	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	2	4	3	–	2	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	7	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
420–423, 425–427, 429	All other forms of heart disease	408	4	3	1	3	2	1	1	1	2	6	9	8	25	43	30	42	53	69	58	29	18	–
	White—Male	213	2	–	–	1	1	–	–	–	2	1	7	6	15	28	17	32	34	34	18	6	9	–
	White—Female	184	2	3	1	2	–	–	1	1	–	3	2	1	9	15	12	9	19	34	39	22	9	–
	All other—Male	8	–	–	–	–	–	1	–	–	–	2	–	1	1	–	1	–	–	1	–	1	–	–
	All other—Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
400, 401, 403	Hypertension	42	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	3	6	7	12	4	1	–
	White—Male	24	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3	5	3	5	3	–	–
	White—Female	18	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	4	7	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,606	2	2	–	1	2	2	1	3	4	12	14	22	34	44	105	151	269	349	366	183	40	–
	White—Male	654	2	2	–	1	–	1	–	1	1	5	7	11	18	23	59	72	114	132	137	54	14	–
	White—Female	911	–	–	–	–	–	1	1	2	2	4	4	8	11	19	44	73	151	214	223	128	26	–
	All other—Male	24	–	–	–	–	1	–	–	–	1	1	2	2	4	–	–	3	2	3	4	1	–	–
	All other—Female	17	–	–	–	–	1	–	–	–	–	2	1	1	1	2	2	3	2	–	2	–	–	–
431	Cerebral hemorrhage	206	1	–	–	–	–	–	–	–	1	5	9	9	8	10	16	25	41	26	31	21	3	–
	White—Male	89	1	–	–	–	–	–	–	–	1	2	3	1	4	2	9	14	15	14	17	6	–	–
	White—Female	107	–	–	–	–	–	–	–	–	–	2	3	6	3	7	6	11	25	12	14	15	3	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–	–	–
433	Cerebral thrombosis	337	–	–	–	–	–	–	1	–	1	1	1	1	4	7	19	36	54	78	85	40	9	–
	White—Male	144	–	–	–	–	–	–	–	–	–	–	–	1	1	5	12	18	30	32	27	15	3	–
	White—Female	188	–	–	–	–	–	–	1	–	1	–	1	–	2	2	7	17	24	46	57	24	6	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	2	2	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
	White—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,054	1	2	–	1	2	2	–	3	2	6	4	11	22	27	70	90	170	243	248	122	28	–
	White—Male	418	1	2	–	1	–	1	–	1	–	3	4	8	13	16	38	40	69	85	92	33	11	–
	White—Female	610	–	–	–	–	–	1	–	2	1	2	–	2	6	10	31	45	98	155	151	89	17	–
	All other—Male	17	–	–	–	–	1	–	–	–	1	1	–	–	2	–	–	3	2	3	4	–	–	–
	All other—Female	9	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	2	1	–	1	–	–	–
440	Arteriosclerosis	303	–	–	–	–	–	–	–	–	–	–	2	–	1	4	9	11	39	83	70	61	23	–
	White—Male	130	–	–	–	–	–	–	–	–	–	–	1	–	1	3	6	6	16	42	29	23	3	–
	White—Female	167	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	22	40	40	37	19	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	258	1	–	–	–	2	–	–	1	1	6	5	3	10	18	24	39	41	45	33	21	8	–
	White—Male	150	1	–	–	–	2	–	–	1	1	4	3	2	6	10	19	27	27	23	13	8	3	–
	White—Female	104	–	–	–	–	–	–	–	–	–	1	2	1	4	8	5	11	13	22	20	12	5	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	681	8	–	1	1	1	2	2	2	6	3	9	14	17	28	36	49	68	136	146	111	41	–
	White—Male	319	2	–	1	–	–	2	2	–	4	2	4	7	12	13	25	26	40	63	72	32	12	–
	White—Female	350	3	–	–	1	1	–	–	2	2	1	4	7	5	15	11	22	27	70	72	78	29	–
	All other—Male	5	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
	All other—Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–
470–474	Influenza	200	–	–	–	–	–	–	1	–	1	1	–	3	3	8	11	13	19	41	44	39	16	–
	White—Male	86	–	–	–	–	–	–	1	–	1	–	–	2	1	6	5	7	9	13	24	13	4	–
	White—Female	114	–	–	–	–	–	–	–	–	–	1	–	1	2	2	6	6	10	28	20	26	12	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	481	8	–	1	1	1	2	1	2	5	2	9	11	14	20	25	36	49	95	102	72	25	–
	White—Male	233	2	–	1	–	–	2	1	–	3	2	4	5	11	7	20	19	31	50	48	19	8	–
	White—Female	236	3	–	–	1	1	–	–	2	2	–	4	6	3	13	5	16	17	42	52	52	17	–
	All other—Male	5	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
	All other—Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–
490–493	Bronchitis, emphysema, and asthma	202	–	–	–	–	–	–	–	–	–	2	4	3	17	23	30	42	30	31	13	7	–	–
	White—Male	147	–	–	–	–	–	–	–	–	–	1	3	2	11	18	23	34	20	24	9	2	–	–
	White—Female	53	–	–	–	–	–	–	–	–	–	1	1	1	5	5	7	8	10	7	4	4	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
490, 491	Chronic and unqualified bronchitis	50	–	–	–	–	–	–	–	–	–	–	2	1	1	7	8	8	6	6	6	5	–	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	1	1	–	6	7	7	3	4	3	2	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	2	3	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
492	Emphysema	134	–	–	–	–	–	–	–	–	–	1	2	2	13	15	18	33	22	21	7	–	–	–
	White Male	108	–	–	–	–	–	–	–	–	–	1	2	1	10	11	15	27	17	18	6	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	6	5	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	18	–	–	–	–	–	–	–	–	–	1	–	–	3	1	4	1	2	4	–	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	1	2	2	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	52	–	–	–	–	–	–	–	–	1	1	–	–	7	3	2	10	7	12	3	4	2	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	–	6	2	2	5	5	8	2	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	1	4	1	4	2	–
	All other Male	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1,	1	2	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	51	3	–	–	–	–	–	–	–	–	–	1	1	1	2	6	2	7	9	10	8	1	–
	White Male	20	2	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	4	3	4	2	–	–
	Female	31	1	–	–	–	–	–	–	–	–	–	–	–	–	2	4	2	3	6	6	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	137	–	–	–	–	–	1	1	–	2	17	19	17	21	15	20	12	6	4	–	2	–	–
	White Male	89	–	–	–	–	–	–	–	–	1	7	14	11	16	13	12	10	4	–	–	1	–	–
	Female	33	–	–	–	–	–	–	–	–	1	5	1	6	4	1	7	2	2	3	–	1	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	3	1	–	1	1	1	–	–	1	–	–	–	–
	Female	7	–	–	–	–	–	1	1	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	26	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	3	3	6	8	–	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	5	–	–	–
	Female	10	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	3	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	67	–	–	–	–	–	1	–	–	–	1	–	2	3	5	5	15	8	11	10	4	2	–
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	2	3	2	4	9	4	7	5	1	1	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	5	4	4	4	3	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	2	1	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
582–584	Chronic and unqualified nephritis and renal sclerosis	55	–	–	–	–	–	1	–	–	–	1	–	2	2	4	4	13	6	9	9	3	1	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	8	3	6	4	–	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	4	3	3	4	3	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
590	Infections of kidney	26	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	3	7	6	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	2	4	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	5	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	4	3	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	4	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	114	65	10	2	4	2	1	1	3	2	1	3	3	2	1	2	7	2	1	2	–	–	–
	White Male	63	35	6	1	2	2	1	1	1	1	1	2	2	2	–	1	5	–	–	–	–	–	–
	Female	42	25	3	–	2	–	–	–	1	1	–	1	1	–	1	1	1	2	1	2	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	165	164	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	73	72	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	95	94	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	47	46	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	174	41	3	–	–	1	–	–	1	–	2	1	7	6	10	14	20	11	18	23	9	7	–
	White Male	97	24	1	–	–	1	–	–	1	–	2	1	5	3	7	11	13	6	7	10	3	2	–
	Female	73	13	2	–	–	–	–	–	–	–	–	–	2	3	3	3	7	5	11	13	6	5	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,035	20	9	8	8	4	7	7	8	19	20	26	43	59	85	121	151	139	141	94	52	14	–
	White Male	558	12	6	5	3	2	4	3	5	7	5	15	27	30	56	66	83	73	84	45	22	5	–
	Female	434	6	2	3	5	2	2	1	3	9	11	8	14	25	25	53	63	62	53	49	29	9	–
	All other Male	23	–	–	–	–	–	–	2	–	2	2	3	1	1	1	2	5	3	–	–	1	–	–
	Female	20	2	1	–	–	–	1	1	–	1	2	–	1	3	3	–	–	1	4	–	–	–	–
E800–E949	Accidents	794	11	32	13	21	108	104	67	41	33	31	29	38	28	27	35	41	28	43	34	22	8	–
	White Male	514	5	17	6	12	83	78	52	27	20	25	17	22	23	16	24	26	15	16	13	14	3	–
	Female	243	4	15	6	8	22	20	12	8	10	2	11	14	5	10	11	13	13	25	21	8	5	–
	All other Male	27	1	–	1	1	3	2	2	6	3	4	–	1	–	–	–	2	–	1	–	–	–	–
	Female	10	1	–	–	–	–	4	1	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–
E810–E823	Motor vehicle accidents	392	4	19	7	14	74	68	44	21	20	15	12	19	10	12	15	20	9	4	5	–	–	–
	White Male	254	2	11	2	7	53	47	31	11	11	13	6	12	8	6	9	12	6	4	3	–	–	–
	Female	120	2	8	5	6	20	17	12	5	7	1	6	6	2	5	6	7	3	–	2	–	–	–
	All other Male	14	–	–	–	1	1	1	1	5	2	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	402	7	13	6	7	34	36	23	20	13	16	17	19	18	15	20	21	19	39	29	22	8	–
	White Male	260	3	6	4	5	30	31	21	16	9	12	11	10	15	10	15	14	9	12	10	14	3	–
	Female	123	2	7	1	2	2	3	–	3	3	1	5	8	3	5	5	6	10	25	19	8	5	–
	All other Male	13	1	–	1	–	2	1	1	1	1	3	–	–	–	–	–	1	–	1	–	–	–	–
	Female	6	1	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–
E950–E959	Suicide	150	...	...	–	–	10	20	14	8	8	9	14	12	10	14	10	8	7	3	2	1	–	–
	White Male	123	...	...	–	–	7	18	10	7	6	8	12	11	6	10	8	8	6	3	2	1	–	–
	Female	24	...	...	–	–	3	1	3	1	2	1	1	1	4	4	2	–	1	–	–	–	–	–
	All other Male	2	...	...	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	46	1	1	–	1	6	7	11	8	6	–	1	2	1	–	–	–	1	–	–	–	–	–
	White Male	16	1	1	–	1	2	2	4	2	–	–	–	1	1	–	–	–	1	–	–	–	–	–
	Female	10	–	–	–	–	1	2	2	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	18	–	–	–	–	3	3	5	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	31	1	3	1	1	2	4	4	4	1	3	–	2	2	2	–	–	–	1	–	–	–	–
	White Male	20	1	–	1	1	–	3	2	2	1	2	–	2	2	2	–	–	–	1	–	–	–	–
	Female	9	–	3	–	–	2	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada																							
	All causes	**4,578**	**137**	**17**	**19**	**17**	**90**	**96**	**94**	**90**	**90**	**124**	**208**	**320**	**367**	**503**	**537**	**557**	**449**	**389**	**288**	**134**	**49**	**3**
	White Male	2,617	73	7	10	7	53	58	56	56	49	66	112	184	209	320	337	327	260	217	135	64	14	3
	White Female	1,607	43	3	4	7	21	24	24	15	23	41	75	111	135	153	166	198	165	159	143	64	33	–
	All other Male	222	13	4	1	3	11	10	10	12	12	12	13	17	14	19	20	24	15	6	4	2	–	–
	All other Female	132	8	3	4	–	5	4	4	7	6	5	8	8	9	11	14	8	9	7	6	4	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	8	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	11	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	2	1	1	1	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	1	1	1	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	1	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	12	2	–	–	–	1	–	1	–	–	1	–	–	–	1	1	2	2	–	–	–	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–
	White Female	6	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
	All other Male	3	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	11	–	1	–	–	–	–	2	–	1	–	–	–	1	1	1	1	1	1	–	1	–	–
	White Male	9	–	1	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	1	–	1	–	–
	White Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	913	–	1	2	1	4	2	5	10	5	22	64	95	108	158	141	117	85	55	26	11	1	–
	White—Male	467	–	1	1	–	3	2	2	6	1	9	19	46	45	83	78	69	51	33	12	5	1	–
	White—Female	382	–	–	1	–	1	–	3	4	4	12	34	45	57	65	50	41	28	19	14	4	–	–
	All other—Male	47	–	–	–	1	–	–	–	–	–	1	8	3	3	7	11	5	5	2	–	1	–	–
	All other—Female	17	–	–	–	–	–	–	–	–	–	–	3	1	3	3	2	2	1	1	–	1	–	–
140–149	Of buccal cavity and pharynx	25	–	–	–	–	–	–	–	–	–	1	5	3	6	2	3	4	1	–	–	–	–	–
	White—Male	17	–	–	–	–	–	–	–	–	–	–	4	1	4	2	3	3	–	–	–	–	–	–
	White—Female	6	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	1	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	218	–	–	–	–	–	–	2	1	1	3	9	17	26	36	32	34	23	23	7	3	1	–
	White—Male	107	–	–	–	–	–	–	1	1	–	–	2	9	10	19	19	18	13	13	1	–	1	–
	White—Female	92	–	–	–	–	–	–	1	–	1	2	6	5	14	15	8	15	9	8	6	2	–	–
	All other—Male	15	–	–	–	–	–	–	–	–	–	1	1	2	1	2	5	1	1	1	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–
160–163	Of respiratory system	269	–	–	–	–	–	–	–	–	1	8	21	30	27	58	47	31	26	13	6	1	–	–
	White—Male	182	–	–	–	–	–	–	–	–	1	4	8	24	15	43	31	25	19	8	3	1	–	–
	White—Female	69	–	–	–	–	–	–	–	–	–	4	7	6	10	13	12	5	5	4	3	–	–	–
	All other—Male	15	–	–	–	–	–	–	–	–	–	–	5	–	1	2	3	1	2	1	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
174	Of breast	77	–	–	–	–	–	–	–	1	2	2	10	13	7	15	11	6	5	3	2	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	74	–	–	–	–	–	–	–	1	2	2	9	13	7	14	11	5	5	3	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
180–187	Of genital organs	114	–	–	–	–	–	–	–	2	–	1	9	13	15	18	14	17	15	4	4	2	–	–
	White—Male	38	–	–	–	–	–	–	–	1	–	–	–	4	2	1	6	7	9	3	4	1	–	–
	White—Female	63	–	–	–	–	–	–	–	1	–	1	8	9	12	14	5	8	3	1	–	1	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	2	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
188, 189	Of urinary organs	46	–	–	–	–	–	–	–	1	–	1	4	4	6	5	9	7	2	4	2	1	–	–
	White—Male	32	–	–	–	–	–	–	–	1	–	1	2	2	3	3	7	5	2	4	1	1	–	–
	White—Female	11	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	2	–	–	1	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	92	–	1	–	1	1	2	1	4	1	3	3	13	11	15	13	9	5	4	2	3	–	–
	White—Male	53	–	1	–	–	1	2	1	2	–	2	1	6	7	10	7	5	3	2	1	2	–	–
	White—Female	35	–	–	–	–	–	–	–	2	1	1	2	7	4	4	6	3	2	2	1	–	–	–
	All other—Male	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	34	–	–	2	–	1	–	2	–	–	1	3	2	2	3	3	5	4	2	3	1	–	–
	White—Male	19	–	–	1	–	1	–	–	–	–	–	2	–	1	2	2	3	3	2	2	–	–	–
	White—Female	14	–	–	1	–	–	–	2	–	–	1	–	2	1	1	1	2	1	–	1	1	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	38	–	–	–	–	2	–	–	1	–	2	–	–	8	6	9	4	4	2	–	–	–	–
	White—Male	19	–	–	–	–	1	–	–	1	–	2	–	–	3	3	3	3	2	1	–	–	–	–
	White—Female	18	–	–	–	–	1	–	–	–	–	–	–	–	5	2	6	1	2	1	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	11	–	–	–	–	–	–	–	1	1	2	1	–	–	–	2	3	–	–	–	1	–	–
	White—Male	6	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	2	–	–	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	67	–	–	–	–	–	2	1	–	1	1	4	1	4	3	12	13	7	12	5	1	–	–
	White—Male	29	–	–	–	–	–	1	1	–	–	1	1	–	2	2	6	6	3	4	2	–	–	–
	White—Female	31	–	–	–	–	–	1	–	–	1	–	2	–	2	1	4	4	4	8	3	1	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	5	1	1	–
	White—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	1	–	–
	White—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
280–285	Anemias	7	–	–	1	–	–	–	–	–	1	–	–	–	2	1	–	1	1	–	–	–	–	–
	White Male	5	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,006	1	1	2	1	–	–	3	11	19	25	59	116	151	214	252	300	257	257	205	96	35	1
	White Male	1,176	–	–	1	–	–	–	1	8	12	16	45	79	97	150	167	168	152	139	85	46	9	1
	Female	721	1	–	1	1	–	–	1	1	3	6	12	27	44	50	71	116	94	111	111	47	24	–
	All other Male	62	–	1	–	–	–	–	1	1	3	2	2	4	5	10	5	14	7	3	3	1	–	–
	Female	47	–	–	–	–	–	–	–	1	1	1	–	6	5	4	9	2	4	4	6	2	2	–
390–398, 402, 404, 410–429	Diseases of heart	1,474	–	1	–	–	–	–	3	8	14	22	46	100	123	174	196	224	180	175	124	59	24	1
	White Male	919	–	–	–	–	–	–	1	7	10	16	38	72	87	127	136	135	105	98	47	31	8	1
	Female	479	–	–	–	–	–	–	1	–	2	3	7	22	30	37	49	77	66	74	71	26	14	–
	All other Male	45	–	1	–	–	–	–	1	1	2	2	1	3	3	8	3	10	5	2	2	1	–	–
	Female	31	–	–	–	–	–	–	–	–	–	1	–	3	3	2	8	2	4	1	4	1	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	47	–	–	–	–	–	–	–	–	1	1	5	5	4	6	9	8	1	5	–	1	1	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	4	1	1	4	3	2	–	3	–	1	1	–
	Female	26	–	–	–	–	–	–	–	–	1	1	1	3	3	2	6	6	1	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	1	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,310	–	–	–	–	–	–	2	8	10	21	36	88	115	155	173	193	168	153	115	52	20	1
	White Male	830	–	–	–	–	–	–	1	7	7	16	31	66	84	113	125	117	99	87	43	27	6	1
	Female	409	–	–	–	–	–	–	1	–	1	2	4	17	25	32	39	64	60	63	66	23	12	–
	All other Male	43	–	–	–	–	–	–	–	1	2	2	1	3	3	8	3	10	5	2	2	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	1	–	2	3	2	6	2	4	1	4	1	2	–
410	Acute myocardial infarction	614	–	–	–	–	–	–	2	4	7	14	28	50	59	84	81	97	72	60	40	13	2	1
	White Male	411	–	–	–	–	–	–	1	4	6	10	23	37	44	58	63	60	45	38	13	7	1	1
	Female	180	–	–	–	–	–	–	1	–	1	2	4	11	15	21	17	33	25	22	24	4	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	1	1	1	–	5	1	4	–	–	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	2	1	1	–
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	2	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	689	–	–	–	–	–	–	–	4	3	7	8	38	56	69	90	96	95	93	75	37	18	–
	White Male	415	–	–	–	–	–	–	–	3	1	6	8	29	40	53	62	57	53	49	30	19	5	–
	Female	227	–	–	–	–	–	–	–	–	–	–	–	6	10	11	21	31	35	41	42	18	12	–
	All other Male	27	–	–	–	–	–	–	–	1	2	1	–	2	3	3	1	6	5	2	1	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	3	2	6	2	2	1	2	–	1	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
420–423, 425–427, 429	All other forms of heart disease	101	–	1	–	–	–	–	1	–	3	–	5	6	4	12	11	21	10	15	6	4	2	–
	White Male	59	–	–	–	–	–	–	–	–	3	–	3	4	2	9	6	14	6	8	1	2	1	–
	Female	38	–	–	–	–	–	–	–	–	–	–	2	2	2	3	3	7	4	7	5	2	1	–
	All other Male	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
400, 401, 403	Hypertension	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	420	1	–	1	–	–	–	–	3	3	3	10	15	18	25	47	61	58	66	71	28	10	–
	White Male	186	–	–	1	–	–	–	–	1	1	–	5	6	3	14	25	24	37	29	30	9	1	–
	Female	206	1	–	–	–	–	–	–	1	1	3	4	5	13	7	19	33	20	34	38	18	9	–
	All other Male	15	–	–	–	–	–	–	–	–	1	–	1	1	1	2	2	4	1	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	1	–	–	–	3	1	2	1	–	–	2	2	1	–	–
431	Cerebral hemorrhage	46	–	–	–	–	–	–	–	2	1	1	4	5	5	4	6	9	4	3	1	–	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	4	2	2	2	3	3	2	1	–	–	–	–
	Female	21	–	–	–	–	–	–	–	1	–	1	–	2	3	1	3	4	2	2	1	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	102	–	–	–	–	–	–	–	–	–	1	1	1	2	4	12	13	13	19	23	10	3	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	6	10	9	9	4	–	–
	Female	49	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	6	3	10	12	6	3	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	271	1	–	1	–	–	–	–	1	2	1	5	9	11	17	29	39	41	43	47	18	6	–
	White Male	121	–	–	1	–	–	–	–	1	1	–	1	4	1	10	16	15	25	19	21	5	1	–
	Female	136	1	–	–	–	–	–	–	–	1	1	4	3	8	4	12	23	15	22	25	12	5	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	2	–	1	–	–
440	Arteriosclerosis	43	–	–	–	–	–	–	–	–	–	–	1	–	4	2	2	2	6	10	8	7	1	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1	2	9	6	5	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	1	2	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	64	–	–	1	1	–	–	–	–	2	–	1	1	6	13	6	11	13	5	2	2	–	–
	White Male	42	–	–	–	–	–	–	–	–	1	–	1	1	4	8	5	8	8	3	2	1	–	–
	Female	18	–	–	1	1	–	–	–	–	–	–	–	–	1	5	1	3	4	1	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	107	3	1	–	–	1	1	1	3	4	–	2	2	5	9	11	10	14	10	16	10	4	–
	White Male	60	–	1	–	–	1	–	1	–	–	–	1	1	4	8	5	7	9	9	9	3	1	–
	Female	36	1	–	–	–	–	1	–	2	1	–	–	–	–	1	5	3	4	1	7	7	3	–
	All other Male	8	1	–	–	–	–	–	–	–	3	–	–	1	1	–	1	–	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	22	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	4	4	2	3	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	4	3	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	85	3	1	–	–	1	1	1	3	4	–	2	2	4	7	8	8	10	6	14	7	3	–
	White Male	45	–	1	–	–	1	–	1	–	–	–	1	1	3	6	3	6	5	6	7	3	1	–
	Female	29	1	–	–	–	–	1	–	2	1	–	–	–	–	1	4	2	4	–	7	4	2	–
	All other Male	8	1	–	–	–	–	–	–	–	3	–	–	1	1	–	1	–	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	86	–	–	–	–	1	–	–	–	–	–	3	7	4	9	14	23	12	6	4	2	1	–
	White Male	51	–	–	–	–	–	–	–	–	–	–	1	3	2	5	7	15	7	5	3	2	1	–
	Female	33	–	–	–	–	1	–	–	–	–	–	2	4	2	4	6	7	5	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
490, 491	Chronic and unqualified bronchitis	14	–	–	–	–	–	–	–	–	–	–	–	3	–	3	2	4	–	–	1	1	–	
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	–	–	1	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	63	–	–	–	–	–	–	–	–	–	–	3	3	2	5	10	18	11	6	3	1	1	
	White Male	39	–	–	–	–	–	–	–	–	–	–	1	2	1	2	5	12	7	5	2	1	1	
	Female	22	–	–	–	–	–	–	–	–	–	–	2	1	1	3	4	5	4	1	1	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	9	–	–	–	–	1	–	–	–	–	–	–	1	2	1	2	1	1	–	–	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
	Female	7	–	–	–	–	1	–	–	–	–	–	–	1	1	–	2	1	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	20	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	4	4	1	2	–	–	
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	3	2	–	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	17	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	7	–	–	–	
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
571	Cirrhosis of liver	159	–	–	–	–	1	–	1	5	9	11	21	28	23	21	23	10	5	–	1	–	–	
	White Male	84	–	–	–	–	–	–	–	–	5	5	10	12	14	12	13	8	4	–	1	–	–	
	Female	59	–	–	–	–	1	–	–	–	–	4	10	14	8	9	10	2	1	–	–	–	–	
	All other Male	6	–	–	–	–	–	–	1	2	–	1	–	1	1	–	–	–	–	–	–	–	–	
	Female	10	–	–	–	–	–	–	–	3	4	1	1	1	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
580–584	Nephritis and nephrosis	13	–	–	–	–	–	1	–	–	2	1	–	1	3	–	1	1	1	–	2	–	–	
	White Male	6	–	–	–	–	–	1	–	–	1	–	–	–	2	–	1	–	–	–	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	1	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	9	–	–	–	–	–	1	–	–	1	1	–	1	2	–	1	–	1	–	1	–	–	
	White Male	5	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	
590	Infections of kidney	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	
	White Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	33	25	2	1	–	1	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
	White—Male	20	14	1	1	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	Female	11	9	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	37	15	–	–	1	–	2	1	–	1	1	–	1	–	1	1	4	1	2	1	3	–	2
	White—Male	24	9	–	–	1	–	–	1	–	–	–	–	–	–	1	1	4	–	1	1	3	–	2
	Female	10	4	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–	–
	All other—Male	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	329	3	1	–	3	4	8	6	4	5	12	15	16	35	42	44	46	34	24	16	5	6	–
	White—Male	188	3	–	–	1	3	5	3	3	2	3	6	9	22	23	30	29	17	13	13	2	1	–
	Female	112	–	–	–	2	–	2	–	–	1	7	8	5	10	16	12	17	14	9	2	2	5	–
	All other—Male	13	–	–	–	–	1	–	2	–	2	1	–	2	2	–	1	–	1	–	1	–	–	–
	Female	16	–	1	–	–	–	1	1	1	–	1	1	–	1	3	1	–	2	2	–	1	–	–
E800–E949	Accidents	371	5	9	13	10	58	45	37	26	18	27	19	21	21	18	15	10	7	6	3	3	–	–
	White—Male	240	3	3	6	4	38	28	27	17	14	16	14	14	14	16	11	5	2	4	3	1	–	–
	Female	87	1	2	2	4	13	14	8	5	3	7	3	4	6	–	3	4	5	1	–	2	–	–
	All other—Male	32	1	2	1	2	4	3	1	4	1	4	–	3	1	2	1	1	–	1	–	–	–	–
	Female	12	–	2	4	–	3	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	185	1	6	4	6	38	29	27	11	9	13	5	9	9	7	3	4	2	2	–	–	–	–
	White—Male	115	1	1	–	2	21	17	20	8	7	6	4	8	9	6	2	1	–	2	–	–	–	–
	Female	53	–	1	1	4	12	11	7	2	2	5	1	1	–	–	1	3	2	–	–	–	–	–
	All other—Male	10	–	2	1	–	2	1	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–
	Female	7	–	2	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	186	4	3	9	4	20	16	10	15	9	14	14	12	12	11	12	6	5	4	3	3	–	–
	White—Male	125	2	2	6	2	17	11	7	9	7	10	10	6	5	10	9	4	2	2	3	1	–	–
	Female	34	1	1	1	–	1	3	1	3	1	2	2	3	6	–	2	1	3	1	–	2	–	–
	All other—Male	22	1	–	–	2	2	2	1	3	1	2	–	3	1	1	1	1	–	1	–	–	–	–
	Female	5	–	–	2	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	163	...	...	–	1	12	23	19	15	15	13	12	16	7	13	8	4	2	3	–	–	–	–
	White—Male	118	...	...	–	1	7	17	12	12	10	9	10	11	4	9	8	3	2	3	–	–	–	–
	Female	32	...	...	–	–	2	3	5	1	5	2	1	5	3	4	–	1	–	–	–	–	–	–
	All other—Male	9	...	...	–	–	2	3	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	75	–	1	–	–	6	10	13	12	7	4	4	10	1	3	1	2	1	–	–	–	–	–
	White—Male	36	–	–	–	–	–	3	7	8	2	3	3	5	–	2	1	2	–	–	–	–	–	–
	Female	13	–	–	–	–	1	1	2	1	3	–	–	4	–	–	–	–	1	–	–	–	–	–
	All other—Male	21	–	1	–	–	4	4	3	3	2	1	1	1	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	1	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	14	–	–	–	–	1	2	2	2	1	3	–	2	–	–	1	–	–	–	–	–	–	–
	White—Male	4	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	1	–	1	1	–	2	–	2	–	–	1	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire																							
	All causes	**7,417**	**129**	**29**	**20**	**23**	**87**	**68**	**60**	**58**	**78**	**108**	**191**	**318**	**448**	**648**	**801**	**956**	**1,026**	**1,004**	**815**	**413**	**136**	**1**
	White Male	3,985	68	16	11	16	62	51	44	33	38	56	118	189	294	427	513	565	534	466	310	147	27	–
	Female	3,415	61	13	9	7	25	17	16	25	39	52	72	129	152	221	288	389	488	535	503	265	109	–
	All other Male	9	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	2	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	1	1	–	–	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	12	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	3	–	4	–	–
	White Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	12	–	–	–	–	2	–	–	–	–	–	2	1	–	–	1	1	1	3	1	–	–	–
	White Male	9	–	–	–	–	1	–	–	–	–	–	2	1	–	–	1	1	1	1	1	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	10	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	1	1	3	1	–	–	–
	White Male	7	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	1	1	1	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	15	2	–	–	–	–	–	–	–	1	–	–	1	–	3	2	1	1	4	–	–	–	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	1	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	10	–	1	–	–	–	–	–	–	–	–	1	3	–	2	–	–	2	1	–	–	–	–
	White Male	4	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,542	–	2	5	4	5	5	9	13	13	27	58	93	151	196	240	225	216	166	78	28	8	–
	White Male	830	–	1	3	3	3	3	4	4	4	7	27	41	89	119	140	132	113	93	30	14	–	–
	Female	707	–	1	2	1	2	2	5	9	9	20	30	52	61	77	100	92	102	72	48	14	8	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
140–149	Of buccal cavity and pharynx	31	–	–	–	–	–	–	–	–	–	–	4	2	1	7	2	5	4	4	2	–	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	3	2	–	6	2	4	3	3	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	392	–	–	–	–	–	–	1	1	–	2	9	16	34	48	70	60	63	46	26	13	3	–
	White Male	196	–	–	–	–	–	–	–	–	–	–	6	6	24	29	36	32	23	26	7	7	–	–
	Female	194	–	–	–	–	–	–	1	1	–	2	3	10	9	19	34	28	39	20	19	6	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
160–163	Of respiratory system	373	–	–	–	–	1	–	–	1	3	7	15	24	52	52	70	58	53	26	7	4	–	–
	White Male	289	–	–	–	–	1	–	–	–	1	3	9	19	42	41	52	49	41	22	7	2	–	–
	Female	83	–	–	–	–	–	–	–	1	2	4	6	5	10	11	18	9	12	3	–	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	141	–	–	–	–	–	1	2	1	2	7	9	14	12	16	16	20	22	10	5	2	2	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	139	–	–	–	–	–	1	2	1	2	7	9	14	11	15	16	20	22	10	5	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	199	–	–	–	–	–	1	1	3	3	6	5	8	17	22	25	32	29	30	11	6	–	–
	White Male	90	–	–	–	–	–	1	1	2	–	1	–	1	3	6	16	17	19	17	2	4	–	–
	Female	109	–	–	–	–	–	–	–	1	3	5	5	7	14	16	9	15	10	13	9	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	76	–	–	–	–	–	–	–	–	1	1	2	3	5	4	9	12	13	18	6	1	1	–
	White Male	46	–	–	–	–	–	–	–	–	1	1	–	2	4	4	5	6	9	11	3	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	2	1	1	–	4	5	4	7	3	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	192	–	1	2	3	3	1	2	2	2	–	11	16	20	27	29	22	20	18	11	1	1	–
	White Male	101	–	–	1	2	2	1	2	1	2	–	7	7	9	18	17	13	11	5	3	–	–	–
	Female	90	–	1	1	1	1	–	–	1	–	–	3	9	11	9	12	9	9	13	8	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	70	–	1	3	1	1	1	2	3	1	1	–	3	3	9	9	9	5	8	8	1	1	–
	White Male	50	–	1	2	1	–	1	–	–	–	1	–	2	3	8	8	5	4	8	5	1	–	–
	Female	20	–	–	1	–	1	–	2	3	1	–	–	1	–	1	1	4	1	–	3	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	68	–	–	–	–	–	1	1	2	1	3	3	7	7	11	10	7	7	6	2	–	–	–
	White Male	31	–	–	–	–	–	–	1	1	–	1	2	2	3	6	4	6	3	1	1	–	–	–
	Female	37	–	–	–	–	–	1	–	1	1	2	1	5	4	5	6	1	4	5	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	25	–	–	1	–	–	–	–	–	–	2	–	1	3	3	3	3	5	2	2	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	4	–	–	–	–	–
	Female	17	–	–	1	–	–	–	–	–	–	1	–	1	3	2	2	2	1	2	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	156	–	–	–	–	–	–	–	3	1	3	1	6	8	12	22	24	24	33	13	6	–	–
	White Male	69	–	–	–	–	–	–	–	1	–	2	1	3	6	9	7	9	10	15	4	2	–	–
	Female	86	–	–	–	–	–	–	–	2	1	1	–	3	2	3	15	15	14	17	9	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	2	2	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
280–285	Anemias	22	–	–	–	–	1	–	–	–	–	–	2	–	–	1	2	3	5	6	1	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	3	1	1	–	–
	Female	10	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	1	3	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,746	3	1	–	1	1	2	3	5	18	36	59	117	181	305	374	509	570	601	562	296	101	1
	White Male	1,951	2	–	–	1	1	–	1	2	12	23	44	88	137	220	260	304	290	247	201	99	19	–
	Female	1,788	1	1	–	–	–	2	2	3	6	13	15	29	44	85	114	204	278	353	360	196	82	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1
390–398, 402, 404, 410–429	Diseases of heart	2,704	2	1	–	1	1	1	3	3	16	30	50	98	156	249	300	384	392	405	347	201	63	1
	White Male	1,486	1	–	–	1	1	–	1	2	12	20	39	80	125	188	210	227	196	177	130	64	12	–
	Female	1,212	1	1	–	–	–	1	2	1	4	10	11	18	31	61	90	156	194	228	216	136	51	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	49	–	–	–	–	–	–	–	–	1	–	4	2	2	8	10	4	3	9	4	2	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	2	2	–	2	8	2	1	4	1	1	–	–
	Female	26	–	–	–	–	–	–	–	–	1	–	2	–	2	6	2	2	2	5	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	21	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	4	5	3	1	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	3	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	14	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	3	3	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,391	–	–	–	–	–	–	3	3	12	28	39	82	134	216	264	345	347	363	320	180	55	–
	White Male	1,329	–	–	–	–	–	–	1	2	10	19	32	69	111	167	184	211	172	161	120	58	12	–
	Female	1,058	–	–	–	–	–	–	2	1	2	9	7	13	23	49	80	133	174	202	199	121	43	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
410	Acute myocardial infarction	1,296	–	–	–	–	–	–	2	3	8	23	31	57	103	153	180	210	177	163	117	64	5	–
	White Male	814	–	–	–	–	–	–	1	2	7	16	26	48	91	120	130	132	89	69	54	29	–	–
	Female	481	–	–	–	–	–	–	1	1	1	7	5	9	12	33	50	78	88	94	62	35	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,085	–	–	–	–	–	–	1	–	4	5	8	25	31	61	83	133	170	199	200	115	50	–
	White Male	509	–	–	–	–	–	–	–	–	3	3	6	21	20	45	54	77	83	91	66	28	12	–
	Female	573	–	–	–	–	–	–	1	–	1	2	2	4	11	16	29	55	86	108	134	86	38	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	21	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	2	3	3	4	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	1	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	2	3	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
420–423, 425–427, 429	All other forms of heart disease	208	2	1	–	1	1	1	–	–	3	2	5	12	17	20	21	27	34	26	16	12	6	1
	White Male	112	1	–	–	1	1	–	–	–	2	1	4	8	12	16	15	13	18	9	8	3	–	–
	White Female	94	1	1	–	–	–	1	–	–	1	1	1	4	5	4	6	14	15	17	8	9	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
400, 401, 403	Hypertension	27	–	–	–	–	–	–	–	–	–	1	1	–	1	3	1	5	3	4	5	3	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	5	1	2	3	–	–	–
	White Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	2	2	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	684	1	–	–	–	–	1	–	1	2	4	6	16	16	42	51	84	122	133	132	54	19	–
	White Male	306	1	–	–	–	–	–	–	–	–	1	3	6	7	23	34	49	64	49	43	23	3	–
	White Female	377	–	–	–	–	–	1	–	1	2	3	3	10	9	19	17	35	58	83	89	31	16	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
431	Cerebral hemorrhage	96	1	–	–	–	–	–	–	–	1	1	4	7	5	5	16	13	15	11	9	8	–	–
	White Male	42	1	–	–	–	–	–	–	–	–	–	3	3	3	2	9	9	6	2	–	4	–	–
	White Female	54	–	–	–	–	–	–	–	–	1	1	1	4	2	3	7	4	9	9	9	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	137	–	–	–	–	–	–	–	–	–	–	–	1	2	10	5	18	24	33	26	12	6	–
	White Male	59	–	–	–	–	–	–	–	–	–	–	–	–	1	5	2	11	11	13	10	5	1	–
	White Female	78	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	7	13	20	16	7	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	449	–	–	–	–	–	1	–	1	1	3	2	8	9	27	30	53	82	89	96	34	13	–
	White Male	205	–	–	–	–	–	–	–	–	–	1	–	3	3	16	23	29	47	34	33	14	2	–
	White Female	243	–	–	–	–	–	1	–	1	1	2	2	5	6	11	7	24	35	54	63	20	11	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
440	Arteriosclerosis	195	–	–	–	–	–	–	–	–	–	1	–	–	2	4	5	9	28	42	61	25	18	–
	White Male	70	–	–	–	–	–	–	–	–	–	1	–	–	1	4	4	5	15	11	18	7	4	–
	White Female	125	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	13	31	43	18	14	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	136	–	–	–	–	–	–	–	1	–	–	2	3	6	7	17	27	25	17	17	13	1	–
	White Male	75	–	–	–	–	–	–	–	–	–	–	2	2	3	4	12	18	14	8	7	5	–	–
	White Female	61	–	–	–	–	–	–	–	1	–	–	–	1	3	3	5	9	11	9	10	8	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza and pneumonia	284	9	2	1	2	1	1	2	3	2	3	1	7	11	12	18	23	43	48	57	29	9	–
	White Male	143	3	1	1	1	–	1	1	3	1	2	1	5	8	8	12	14	28	20	21	10	2	–
	White Female	141	6	1	–	1	1	–	1	–	1	1	–	2	3	4	6	9	15	28	36	19	7	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	49	–	–	–	–	–	–	2	1	–	–	–	–	1	–	2	2	8	10	15	6	2	–
	White Male	19	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	2	3	4	5	2	–	–
	White Female	30	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	5	6	10	4	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	235	9	2	1	2	1	1	–	2	2	3	1	7	10	12	16	21	35	38	42	23	7	–
	White Male	124	3	1	1	1	–	1	–	2	1	2	1	5	8	8	11	12	25	16	16	8	2	–
	White Female	111	6	1	–	1	1	–	–	–	1	1	–	2	2	4	5	9	10	22	26	15	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	124	–	–	–	–	–	–	–	–	–	–	4	6	3	18	22	22	18	14	12	3	2	–
	White Male	81	–	–	–	–	–	–	–	–	–	–	1	1	2	9	16	17	11	10	11	3	–	–
	White Female	43	–	–	–	–	–	–	–	–	–	–	3	5	1	9	6	5	7	4	1	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
490, 491	Chronic and unqualified bronchitis	37	–	–	–	–	–	–	–	–	–	–	3	3	2	3	5	5	6	4	4	–	2	
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	3	3	4	–	–	
	Female	18	–	–	–	–	–	–	–	–	–	–	3	2	1	2	2	2	3	1	–	–	2	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	78	–	–	–	–	–	–	–	–	–	–	1	2	–	13	15	16	11	9	8	3	–	
	White Male	59	–	–	–	–	–	–	–	–	–	–	1	–	–	8	12	13	8	7	7	3	–	
	Female	19	–	–	–	–	–	–	–	–	–	–	–	2	–	5	3	3	3	2	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	9	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	1	–	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	25	–	–	–	–	–	–	–	–	1	–	–	2	4	1	4	4	1	5	3	–	–	
	White Male	13	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	3	–	2	1	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	1	3	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	1	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	34	5	–	–	–	–	–	1	–	–	–	1	1	1	1	1	7	5	2	2	5	2	
	White Male	13	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	1	2	1	1	1	
	Female	20	2	–	–	–	–	–	–	–	–	–	1	1	–	1	1	5	3	–	1	4	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
571	Cirrhosis of liver	133	–	–	–	–	1	1	–	1	3	7	15	18	14	19	25	13	7	6	2	1	–	
	White Male	81	–	–	–	–	1	1	–	1	1	3	9	7	7	13	19	10	3	5	1	–	–	
	Female	52	–	–	–	–	–	–	–	–	2	4	6	11	7	6	6	3	4	1	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	13	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	1	2	3	–	2	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	1	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	24	–	–	–	–	–	1	–	–	–	–	–	–	1	2	6	4	3	4	3	–	–	
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	3	2	–	–	–	
	Female	13	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	3	–	2	3	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	20	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	3	2	4	3	–	–	
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	2	2	–	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	3	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	3	5	–	1	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	3	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	53	29	5	4	2	4	1	2	–	3	–	–	–	1	–	1	1	–	–	–	–	–	–
	White Male	27	16	1	1	2	2	–	2	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	26	13	4	3	–	2	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	174	8	–	–	–	1	–	3	1	3	4	4	15	17	15	13	22	15	26	13	10	4	–
	White Male	103	5	–	–	–	1	–	2	1	1	1	4	9	14	11	9	13	6	16	6	4	–	–
	Female	71	3	–	–	–	–	–	1	–	2	3	–	6	3	4	4	9	9	10	7	6	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	440	1	5	4	3	4	4	3	3	6	7	22	21	33	34	40	69	82	48	35	11	5	–
	White Male	241	1	3	2	2	2	3	2	1	3	4	16	12	15	16	21	44	42	29	16	4	3	–
	Female	198	–	2	2	1	2	1	1	2	2	3	6	9	18	18	19	25	40	19	19	7	2	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	322	4	12	5	9	59	37	21	8	14	11	9	13	14	7	17	13	14	18	20	13	4	–
	White Male	213	2	8	4	6	44	32	16	6	7	8	4	9	10	4	13	5	9	9	10	6	1	–
	Female	108	2	4	1	3	15	5	5	2	7	3	5	4	3	3	4	8	5	9	10	7	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	153	–	4	4	3	50	29	14	4	6	6	5	4	5	2	5	4	3	2	3	–	–	–
	White Male	109	–	4	3	3	36	25	10	2	2	5	2	4	4	–	4	1	2	–	2	–	–	–
	Female	44	–	–	1	–	14	4	4	2	4	1	3	–	1	2	1	3	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	169	4	8	1	6	9	8	7	4	8	5	4	9	9	5	12	9	11	16	17	13	4	–
	White Male	104	2	4	1	3	8	7	6	4	5	3	2	5	6	4	9	4	7	9	8	6	1	–
	Female	64	2	4	–	3	1	1	1	–	3	2	2	4	2	1	3	5	4	7	9	7	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	107	...	...	–	2	4	10	12	15	11	4	10	9	6	7	4	3	6	2	2	–	–	–
	White Male	80	...	...	–	1	4	8	11	9	6	3	8	7	4	6	2	2	5	2	2	–	–	–
	Female	27	...	...	–	1	–	2	1	6	5	1	2	2	2	1	2	1	1	–	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	18	1	–	–	–	3	1	2	3	1	–	–	2	–	1	–	2	1	1	–	–	–	–
	White Male	12	1	–	–	–	2	1	2	2	–	–	–	2	–	–	–	1	1	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	15	–	–	–	–	1	3	2	3	1	2	2	–	–	–	1	–	–	–	–	–	–	–
	White Male	11	–	–	–	–	1	2	2	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey																							
	All causes	65,382	1,359	209	182	174	519	642	591	597	751	1,124	1,995	3,311	4,615	6,198	7,420	8,095	8,879	8,818	6,154	2,847	884	18
	White Male	30,980	492	80	82	93	299	376	295	262	293	481	1,007	1,767	2,546	3,515	4,131	4,234	4,041	3,649	2,181	932	216	8
	White Female	27,617	398	60	48	41	125	104	115	144	211	330	611	1,040	1,477	2,028	2,628	3,178	4,203	4,745	3,724	1,794	609	4
	All other Male	3,834	252	42	33	28	74	105	124	126	162	190	219	304	360	400	387	369	313	183	97	46	17	3
	All other Female	2,951	217	27	19	12	21	57	57	65	85	123	158	200	232	255	274	314	322	241	152	75	42	3
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	59	21	1	3	–	–	–	–	–	2	–	1	–	1	5	3	2	5	6	6	2	1	–
	White Male	17	5	1	1	–	–	–	–	–	–	–	–	–	1	2	–	–	3	1	2	1	–	–
	White Female	30	7	–	1	–	–	–	–	–	–	–	1	–	–	3	3	2	2	5	4	1	1	–
	All other Male	8	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	108	1	–	–	–	1	1	–	2	5	5	6	8	11	8	18	13	12	9	2	6	–	–
	White Male	47	–	–	–	–	–	–	–	1	1	1	1	5	4	3	10	8	6	5	1	1	–	–
	White Female	29	–	–	–	–	1	1	–	–	–	–	2	1	3	3	4	3	3	2	1	5	–	–
	All other Male	23	–	–	–	–	–	–	–	–	3	4	2	2	1	2	3	2	3	1	–	–	–	–
	All other Female	9	1	–	–	–	–	–	–	1	1	–	1	–	3	–	1	–	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	90	1	–	–	–	1	1	–	2	5	5	5	6	8	7	13	9	12	8	2	5	–	–
	White Male	40	–	–	–	–	–	–	–	1	1	1	1	3	4	3	7	6	6	5	1	1	–	–
	White Female	22	–	–	–	–	1	1	–	–	–	–	2	1	1	2	2	2	3	2	1	4	–	–
	All other Male	21	–	–	–	–	–	–	–	–	3	4	1	2	1	2	3	1	3	1	–	–	–	–
	All other Female	7	1	–	–	–	–	–	–	1	1	–	1	–	2	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	18	–	–	–	–	–	–	–	–	–	–	1	2	3	1	5	4	–	1	–	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	2	–	–	–	–	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	234	20	2	1	1	1	2	2	2	7	7	4	10	25	21	27	27	22	25	18	9	1	–
	White Male	99	6	1	1	–	1	1	–	1	–	4	1	4	12	11	12	11	10	12	7	4	–	–
	White Female	77	1	1	–	1	–	–	–	–	3	2	–	4	5	9	11	11	9	7	7	5	1	–
	All other Male	31	8	–	–	–	–	1	–	1	2	–	2	2	5	–	3	3	1	1	2	–	–	–
	All other Female	27	5	–	–	–	–	–	2	–	2	1	1	–	3	1	1	2	2	5	2	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	2	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	112	5	8	2	1	2	5	3	4	8	7	4	5	9	5	9	12	4	9	7	3	–	–
	White Male	47	3	3	2	1	2	1	2	2	–	1	1	2	4	1	6	6	2	4	2	2	–	–
	White Female	37	–	4	–	–	–	3	–	1	2	2	–	1	4	–	2	5	2	5	5	1	–	–
	All other Male	13	2	–	–	–	–	1	–	–	–	1	3	2	1	3	–	–	–	–	–	–	–	–
	All other Female	15	–	1	–	–	–	–	1	1	6	3	–	–	–	1	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	14,465	4	23	31	24	33	48	62	101	172	298	623	1,051	1,499	1,869	2,222	2,131	1,870	1,387	734	238	44	1
	White ..... Male	6,845	2	9	15	14	17	26	27	42	57	93	228	435	685	962	1,146	1,094	921	643	311	97	20	1
	Female	6,288	1	7	9	4	13	14	26	44	87	148	296	477	665	737	880	870	813	659	389	129	20	–
	All other ..... Male	760	1	5	4	4	2	4	2	6	14	30	45	83	85	109	117	107	78	44	15	5	–	–
	Female	572	–	2	3	2	1	4	7	9	14	27	54	56	64	61	79	60	58	41	19	7	4	–
140–149	Of buccal cavity and pharynx	314	–	–	–	–	–	–	–	2	3	8	17	35	49	44	49	45	32	15	13	2	–	–
	White ..... Male	193	–	–	–	–	–	–	–	–	2	2	8	19	28	28	36	30	24	9	7	–	–	–
	Female	83	–	–	–	–	–	–	–	1	–	4	5	9	15	12	11	8	5	5	6	2	–	–
	All other ..... Male	29	–	–	–	–	–	–	–	1	1	2	1	6	5	4	1	5	3	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	2	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	4,312	–	2	–	–	–	2	7	19	25	53	119	239	401	542	641	673	649	520	297	104	19	–
	White ..... Male	2,010	–	1	–	–	–	1	4	11	9	16	57	110	221	280	339	319	285	209	99	41	8	–
	Female	1,883	–	1	–	–	–	–	1	3	10	17	40	86	138	209	236	298	314	283	180	57	10	–
	All other ..... Male	239	–	–	–	–	–	1	1	4	3	10	11	21	32	35	36	36	29	12	7	1	–	–
	Female	180	–	–	–	–	–	–	1	1	3	10	11	22	10	18	30	20	21	16	11	• 5	1	–
160–163	Of respiratory system	3,401	–	–	–	–	–	–	5	8	33	71	151	278	425	571	605	532	387	221	85	25	3	1
	White ..... Male	2,288	–	–	–	–	–	–	2	2	14	37	79	165	263	408	423	380	283	157	56	16	2	1
	Female	799	–	–	–	–	–	–	3	4	12	21	42	69	114	121	136	113	80	51	24	8	1	–
	All other ..... Male	245	–	–	–	–	–	–	–	1	6	11	25	36	33	36	39	30	16	9	2	1	–	–
	Female	69	–	–	–	–	–	–	–	1	1	2	5	8	15	6	7	9	8	4	3	–	–	–
174	Of breast	1,429	–	1	–	–	–	–	4	16	34	48	117	163	190	167	190	183	138	97	57	21	3	–
	White ..... Male	17	–	–	–	–	–	–	–	1	–	–	1	–	1	2	4	3	2	1	2	–	–	–
	Female	1,313	–	–	–	–	–	–	3	13	28	44	102	151	177	153	177	170	127	90	55	20	3	–
	All other ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	97	–	–	–	–	–	–	1	2	6	4	14	12	12	12	9	10	8	6	–	1	–	–
180–187	Of genital organs	1,676	–	–	1	–	3	3	7	13	20	46	65	103	136	169	251	271	228	222	91	39	8	–
	White ..... Male	641	–	–	–	–	–	2	2	5	4	4	3	11	13	49	84	130	121	128	56	25	4	–
	Female	845	–	–	1	–	3	1	2	6	13	34	50	83	106	98	135	115	78	73	31	13	3	–
	All other ..... Male	89	–	–	–	–	–	–	–	–	–	1	–	2	5	10	17	16	19	16	2	1	–	–
	Female	101	–	–	–	–	–	–	3	2	3	7	12	7	12	12	15	10	10	5	2	–	1	–
188, 189	Of urinary organs	655	2	2	1	–	1	–	–	2	1	9	26	36	43	77	107	97	114	78	44	11	4	–
	White ..... Male	398	2	–	1	–	1	–	–	1	1	4	13	24	28	44	72	56	69	49	28	4	1	–
	Female	197	–	1	–	–	–	–	–	1	–	1	8	7	12	28	24	30	39	25	13	6	2	–
	All other ..... Male	38	–	1	–	–	–	–	–	–	–	2	2	4	2	3	6	9	3	3	2	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	2	3	1	1	2	5	2	3	1	1	–	1	–
170–173, 190–199	Of all other and unspecified sites	1,500	–	9	9	6	16	23	20	15	28	41	76	118	156	181	203	186	173	134	80	23	3	–
	White ..... Male	726	–	5	4	3	8	16	9	8	15	20	40	58	82	90	98	102	75	51	33	7	2	–
	Female	672	–	2	5	2	5	5	11	6	12	19	30	46	63	77	89	74	90	75	44	16	1	–
	All other ..... Male	60	–	1	–	–	2	1	–	–	1	2	4	10	5	10	10	6	4	3	1	–	–	–
	Female	42	–	1	–	1	1	1	–	1	–	–	2	4	6	4	6	4	4	5	2	–	–	–
204–207	Leukemia	491	2	7	19	16	11	4	7	13	9	10	14	34	31	44	73	58	55	46	30	6	2	–
	White ..... Male	268	–	2	10	10	7	1	3	8	3	4	8	24	15	26	45	35	25	21	18	2	1	–
	Female	186	1	3	3	2	4	3	2	5	5	4	5	9	12	12	28	22	29	23	11	3	–	–
	All other ..... Male	19	1	1	3	3	–	–	1	–	1	–	–	1	1	4	–	–	1	–	1	1	–	–
	Female	18	–	1	3	1	–	–	1	–	–	2	1	–	3	2	–	1	–	2	–	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	687	–	2	1	2	2	16	12	13	19	12	38	45	68	74	103	86	94	54	37	7	2	–
	White ..... Male	304	–	1	–	1	1	6	7	6	9	6	19	24	34	35	45	39	37	18	12	2	2	–
	Female	310	–	–	–	–	1	5	4	5	7	4	14	17	28	27	44	40	51	34	25	4	–	–
	All other ..... Male	39	–	1	1	1	–	2	–	–	2	2	2	3	2	7	8	5	2	1	–	–	–	–
	Female	34	–	–	–	–	–	3	1	2	1	–	3	1	4	5	6	2	4	1	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	171	1	1	5	3	–	1	2	3	3	2	8	13	19	21	25	17	15	17	10	5	–	–
	White ..... Male	82	1	–	2	2	–	1	–	2	1	–	3	6	9	14	15	9	8	8	1	–	–	–
	Female	74	–	1	1	1	–	–	2	1	1	2	3	6	8	6	7	8	6	8	8	5	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	2	1	2	–	3	–	1	–	–	–	–	–
	Female	6	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–
250	Diabetes mellitus	1,282	1	–	2	–	1	1	6	13	12	11	31	57	78	136	166	190	224	180	127	38	7	1
	White ..... Male	440	–	–	–	–	–	–	3	2	2	4	10	24	29	61	77	78	60	56	25	5	3	1
	Female	672	1	–	2	–	1	–	2	4	6	2	13	22	28	51	70	89	142	113	93	31	2	–
	All other ..... Male	56	–	–	–	–	–	–	1	2	3	1	1	–	7	13	6	6	9	5	2	–	–	–
	Female	114	–	–	–	–	–	1	–	5	1	4	7	11	14	11	13	17	13	6	7	2	2	–
260–269	Avitaminoses and other nutritional deficiencies	65	–	–	–	–	–	1	–	1	2	–	–	3	2	1	2	8	5	21	15	2	2	–
	White ..... Male	27	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	3	2	10	8	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	3	11	7	2	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey — Con.																							
280–285	Anemias	107	–	1	1	2	2	–	1	3	2	4	1	5	2	12	14	7	28	10	10	2	–	–
	White Male	49	–	–	–	–	1	–	–	1	1	1	1	1	1	6	9	3	15	4	4	1	–	–
	White Female	40	–	–	–	1	–	–	–	–	–	–	–	3	–	5	4	4	11	6	5	1	–	–
	All other Male	8	–	1	–	1	–	–	–	–	–	2	–	1	1	–	1	–	1	–	–	–	–	–
	All other Female	10	–	–	1	–	1	–	1	2	1	1	–	–	–	1	–	–	1	–	1	–	–	–
320	Meningitis	50	18	1	1	–	–	–	–	1	2	3	–	2	2	9	5	2	–	2	2	–	–	–
	White Male	17	5	1	–	–	–	–	–	–	–	2	–	2	–	3	1	2	–	–	1	–	–	–
	White Female	19	7	–	1	–	–	–	–	–	–	1	–	–	1	3	3	–	–	2	1	–	–	–
	All other Male	10	4	–	–	–	–	–	–	1	1	–	–	–	1	2	1	–	–	–	–	–	–	–
	All other Female	4	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	34,882	28	5	9	15	22	28	57	82	161	384	761	1,385	2,124	3,016	3,766	4,458	5,453	5,888	4,371	2,145	717	7
	White Male	16,550	10	2	5	10	9	18	31	47	78	215	485	893	1,335	1,874	2,219	2,334	2,387	2,281	1,477	671	164	5
	White Female	15,557	11	2	1	2	7	5	8	15	32	76	140	289	507	839	1,244	1,742	2,676	3,336	2,727	1,390	506	2
	All other Male	1,434	3	–	2	2	4	3	14	14	33	55	88	115	179	181	162	190	174	108	64	30	13	–
	All other Female	1,341	4	1	1	1	2	2	4	6	18	38	48	88	103	122	141	192	216	163	103	54	34	–
390–398, 402, 404, 410–429	Diseases of heart	27,589	20	4	6	6	12	16	33	53	122	308	646	1,178	1,836	2,560	3,129	3,544	4,228	4,474	3,269	1,613	526	6
	White Male	13,684	7	1	4	3	4	11	19	36	66	195	442	804	1,199	1,648	1,885	1,906	1,893	1,774	1,145	513	125	4
	White Female	11,804	9	2	1	2	5	3	3	3	20	46	99	214	404	676	997	1,350	2,057	2,496	2,012	1,041	362	2
	All other Male	1,132	2	–	–	1	2	2	10	9	24	45	71	94	153	146	136	150	128	82	44	23	10	–
	All other Female	969	2	1	1	–	1	–	1	5	12	22	34	66	80	90	111	138	150	122	68	36	29	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	612	–	–	1	2	2	6	7	5	11	19	30	42	63	105	105	76	69	41	21	7	–	–
	White Male	232	–	–	1	1	–	3	3	1	6	7	13	19	28	48	36	23	20	16	4	3	–	–
	White Female	331	–	–	–	1	1	2	1	1	2	9	16	21	32	51	63	44	44	25	15	3	–	–
	All other Male	24	–	–	–	–	1	1	2	3	–	2	1	1	1	3	1	4	4	–	–	–	–	–
	All other Female	25	–	–	–	–	–	–	1	–	3	1	–	1	2	3	5	5	1	–	2	1	–	–
402	Hypertensive heart disease	208	–	–	–	–	–	–	1	2	3	4	9	9	22	24	16	30	25	34	23	5	1	–
	White Male	71	–	–	–	–	–	–	–	2	1	1	1	5	13	9	4	13	2	14	4	2	–	–
	White Female	101	–	–	–	–	–	–	–	–	–	2	3	1	5	9	9	13	17	19	19	3	1	–
	All other Male	18	–	–	–	–	–	–	1	–	2	–	3	2	1	4	1	2	2	–	–	–	–	–
	All other Female	18	–	–	–	–	–	–	–	–	–	1	2	1	3	2	2	2	4	1	–	–	–	–
404	Hypertensive heart and renal disease	112	–	–	–	–	–	–	1	–	–	3	4	1	3	6	6	13	18	15	26	12	4	–
	White Male	47	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	5	8	7	12	7	–	–
	White Female	49	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	6	9	7	12	5	4	–
	All other Male	10	–	–	–	–	–	–	1	–	–	2	4	–	1	–	1	1	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	–	–
410–413	Ischemic heart disease	25,451	–	–	–	–	–	2	10	37	91	254	570	1,054	1,645	2,319	2,871	3,292	3,975	4,217	3,079	1,534	495	6
	White Male	12,820	–	–	–	–	–	2	8	29	54	179	410	743	1,114	1,533	1,771	1,803	1,812	1,675	1,079	486	118	4
	White Female	10,832	–	–	–	–	–	–	1	1	14	28	71	175	331	585	882	1,242	1,912	2,351	1,900	995	342	2
	All other Male	968	–	–	–	–	–	–	1	5	18	32	59	80	134	127	120	131	114	77	41	21	8	–
	All other Female	831	–	–	–	–	–	–	–	2	5	15	30	56	66	74	98	116	137	114	59	32	27	–
410	Acute myocardial infarction	11,767	–	–	–	–	–	1	9	21	63	157	386	666	1,025	1,419	1,646	1,627	1,790	1,571	899	388	96	3
	White Male	6,794	–	–	–	–	–	1	7	18	40	119	302	506	734	987	1,053	969	879	670	351	134	22	2
	White Female	4,296	–	–	–	–	–	–	1	–	11	17	43	104	203	339	502	575	825	843	525	241	66	1
	All other Male	383	–	–	–	–	–	1	2	7	17	28	39	56	59	53	34	40	27	11	6	3	–	–
	All other Female	294	–	–	–	–	–	–	1	5	4	13	17	32	34	38	49	46	31	12	7	5	–	–
411	Other acute and subacute forms of ischemic heart disease	71	–	–	–	–	–	–	–	1	–	–	3	4	3	7	9	9	20	4	6	5	–	–
	White Male	37	–	–	–	–	–	–	–	1	–	–	–	2	2	6	8	5	8	2	2	1	–	–
	White Female	29	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	3	12	2	3	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	13,611	–	–	–	–	–	1	1	15	28	97	181	384	617	892	1,216	1,655	2,165	2,642	2,174	1,141	399	3
	White Male	5,989	–	–	–	–	–	1	1	10	14	60	108	235	378	540	710	829	925	1,003	726	351	96	2
	White Female	6,506	–	–	–	–	–	–	–	1	3	11	27	69	128	245	379	663	1,075	1,506	1,372	750	276	1
	All other Male	583	–	–	–	–	–	–	–	3	11	15	31	41	77	68	67	96	74	50	30	15	5	–
	All other Female	533	–	–	–	–	–	–	–	1	–	11	15	39	34	39	60	67	91	83	46	25	22	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	71	–	–	–	–	2	–	2	–	–	2	1	2	9	5	11	7	7	8	7	5	3	–
	White Male	30	–	–	–	–	1	–	1	–	–	–	1	1	2	3	7	5	3	3	2	1	–	–
	White Female	35	–	–	–	–	1	–	–	–	–	1	–	–	6	2	3	1	4	5	5	4	3	–
	All other Male	6	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,135	20	4	5	4	8	8	12	9	17	26	32	70	94	101	120	126	134	159	113	50	23	–
	White Male	484	7	1	3	2	3	6	7	4	5	8	17	35	41	52	64	57	48	59	44	14	7	–
	Female	456	9	2	1	1	3	1	1	1	4	5	9	17	29	27	38	44	71	89	61	31	12	–
	All other Male	106	2	–	–	1	1	1	4	1	4	8	4	10	15	12	12	11	8	5	3	2	2	–
	Female	89	2	1	1	–	1	–	–	3	4	5	2	8	9	10	6	14	7	6	5	3	2	–
400, 401, 403	Hypertension	180	–	–	–	–	–	–	1	–	4	3	5	8	9	9	21	15	28	31	29	12	5	–
	White Male	69	–	–	–	–	–	–	–	–	–	–	2	3	4	3	10	6	11	13	11	3	3	–
	Female	79	–	–	–	–	–	–	–	–	2	1	–	4	3	4	6	6	10	17	17	7	2	–
	All other Male	17	–	–	–	–	–	–	–	–	1	1	1	1	2	1	3	–	5	1	–	1	–	–
	Female	15	–	–	–	–	–	–	1	–	1	1	2	–	–	1	2	3	2	–	1	1	–	–
430–438	Cerebrovascular diseases	5,552	7	1	2	6	8	10	21	24	31	65	101	165	218	345	460	718	962	1,098	815	373	121	1
	White Male	2,087	3	1	1	6	5	6	10	9	10	20	36	67	101	156	222	308	360	385	244	113	23	1
	Female	2,932	2	–	–	–	2	2	5	10	9	24	40	61	77	131	198	333	507	662	532	245	92	–
	All other Male	221	–	–	1	–	–	1	4	5	7	7	13	17	18	27	16	31	38	19	13	2	2	–
	Female	312	2	–	–	–	1	1	2	–	5	14	12	20	22	31	24	46	57	32	26	13	4	–
431	Cerebral hemorrhage	877	3	1	–	–	2	–	9	7	8	21	30	50	56	85	104	120	130	129	85	31	5	1
	White Male	348	2	1	–	–	2	–	4	2	3	8	8	21	27	35	59	45	50	44	26	9	1	1
	Female	421	–	–	–	–	–	–	2	2	–	3	10	18	18	35	39	61	71	80	57	21	4	–
	All other Male	43	–	–	–	–	–	–	1	3	–	3	11	3	6	4	2	5	3	2	–	–	–	–
	Female	65	1	–	–	–	–	–	2	–	5	7	1	8	5	11	4	9	6	3	2	1	–	–
433	Cerebral thrombosis	1,589	–	–	–	1	–	–	–	2	3	3	7	21	36	76	131	218	297	355	282	116	41	–
	White Male	633	–	–	–	1	–	–	–	–	–	1	3	10	19	45	56	114	114	129	92	40	9	–
	Female	832	–	–	–	–	–	–	–	2	–	–	1	5	13	21	59	88	153	214	176	69	31	–
	All other Male	53	–	–	–	–	–	–	–	–	3	1	2	5	2	2	8	11	12	3	3	1	–	–
	Female	71	–	–	–	–	–	–	–	–	–	1	1	1	2	8	8	5	18	9	11	6	1	–
434	Cerebral embolism	36	–	–	–	–	–	–	1	–	–	1	–	1	2	3	5	7	4	7	5	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	–	3	–	–	–
	Female	24	–	–	–	–	–	–	1	–	–	1	–	1	1	1	3	4	3	7	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,050	4	–	2	5	6	10	11	15	20	40	64	93	124	181	220	373	531	607	443	226	75	–
	White Male	1,095	1	–	1	5	3	6	6	7	7	11	25	36	54	74	105	147	195	212	123	64	13	–
	Female	1,655	2	–	–	–	2	2	2	6	9	20	29	37	45	74	97	180	280	361	297	155	57	–
	All other Male	125	–	–	1	–	–	1	3	2	4	3	–	9	10	21	6	15	23	14	10	1	2	–
	Female	175	1	–	–	–	1	1	–	–	–	6	10	11	15	12	12	31	33	20	13	6	3	–
440	Arteriosclerosis	728	–	–	–	–	–	–	–	–	–	–	–	7	12	25	37	52	97	147	175	116	60	–
	White Male	246	–	–	–	–	–	–	–	–	–	–	–	6	5	20	16	27	36	47	46	31	12	–
	Female	437	–	–	–	–	–	–	–	–	–	–	–	1	5	5	16	21	53	93	119	78	46	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	3	5	4	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	5	4	5	3	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	833	1	–	1	3	2	2	2	5	4	8	9	27	49	77	119	129	138	138	83	31	5	–
	White Male	464	–	–	–	1	–	1	2	2	2	–	5	13	26	47	86	87	87	62	31	11	1	–
	Female	305	–	–	–	–	–	–	–	2	1	5	1	9	18	23	27	32	49	68	47	19	4	–
	All other Male	43	1	–	1	1	2	–	–	–	1	2	3	3	5	7	4	8	–	3	2	–	–	–
	Female	21	–	–	–	1	–	1	–	1	–	1	–	2	–	–	2	2	2	5	3	1	–	–
466	Acute bronchitis and bronchialitis	38	3	–	1	–	–	–	1	–	1	2	–	1	2	3	7	1	7	3	3	3	–	–
	White Male	22	1	–	–	–	–	–	–	–	–	1	–	1	1	3	4	1	6	2	1	1	–	–
	Female	9	1	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	2	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	–	–	–
	Female	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,818	53	12	3	7	11	12	13	18	14	22	46	47	78	106	133	183	250	356	271	132	51	–
	White Male	861	13	6	2	4	3	6	6	6	5	5	16	19	42	62	76	129	118	183	105	45	10	–
	Female	767	18	5	1	2	5	1	5	4	4	5	10	15	26	29	40	49	114	160	155	78	41	–
	All other Male	115	8	1	–	–	–	3	2	6	5	6	12	9	7	12	13	4	10	7	5	5	–	–
	Female	75	14	–	–	1	3	2	–	2	–	6	8	4	3	3	4	1	8	6	6	4	–	–
470–474	Influenza	116	–	–	–	–	–	–	–	2	–	–	1	1	3	2	3	7	22	30	23	13	9	–
	White Male	52	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	6	8	15	15	2	2	–
	Female	59	–	–	–	–	–	–	–	2	–	–	–	1	2	–	1	1	13	15	7	10	7	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–
480–486	Pneumonia	1,702	53	12	3	7	11	12	13	16	14	22	45	46	75	104	130	176	228	326	248	119	42	–
	White Male	809	13	6	2	4	3	6	6	6	5	5	15	19	41	62	74	123	110	168	90	43	8	–
	Female	708	18	5	1	2	5	1	5	2	4	5	10	14	24	29	39	48	101	145	148	68	34	–
	All other Male	114	8	1	–	–	–	3	2	6	5	6	12	9	7	11	13	4	10	7	5	5	–	–
	Female	71	14	–	–	1	3	2	–	2	–	6	8	4	3	2	4	1	7	6	5	3	–	–
490–493	Bronchitis, emphysema, and asthma	647	1	3	1	3	–	1	1	3	3	6	11	23	32	91	96	127	113	73	43	13	3	–
	White Male	427	–	3	1	–	–	–	1	1	–	2	5	11	21	58	61	95	78	53	26	9	2	–
	Female	173	–	–	–	1	–	–	–	–	1	2	5	9	6	28	29	26	30	15	17	3	1	–
	All other Male	33	1	–	–	2	–	–	–	2	1	1	1	3	2	2	5	5	4	3	–	1	–	–
	Female	14	–	–	–	–	–	1	–	–	1	1	–	–	3	3	1	1	1	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey — Con.																							
490, 491	Chronic and unqualified bronchitis	132	–	2	–	–	–	–	–	1	1	–	4	4	5	19	22	19	23	17	13	1	1	
	White Male	86	–	2	–	–	–	–	–	1	–	–	3	3	4	10	13	13	15	12	9	1	–	
	Female	37	–	–	–	–	–	–	–	–	–	–	1	–	1	9	7	4	6	4	4	–	1	
	All other Male	8	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	1	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
492	Emphysema	481	1	–	–	–	–	–	1	2	–	3	6	18	22	65	69	107	89	54	30	12	2	
	White Male	323	–	–	–	–	–	–	1	–	–	2	1	7	15	43	45	81	62	39	17	8	2	
	Female	129	–	–	–	–	–	–	–	–	–	1	4	9	4	18	20	22	24	11	13	3	–	
	All other Male	22	1	–	–	–	–	–	–	2	–	–	1	2	2	2	3	3	3	2	–	1	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	2	–	–	–	
493	Asthma	34	–	1	1	3	–	1	–	–	2	3	1	1	5	7	5	1	1	2	–	–	–	
	White Male	18	–	1	1	–	–	–	–	–	–	–	1	1	2	5	3	1	1	2	–	–	–	
	Female	7	–	–	–	1	–	–	–	–	1	1	–	–	1	1	2	–	–	–	–	–	–	
	All other Male	3	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	6	–	–	–	–	–	1	–	–	1	1	–	–	2	1	–	–	–	–	–	–	–	
531–533	Peptic ulcer	252	1	–	–	–	–	2	–	4	4	6	7	6	23	25	31	38	39	32	25	6	3	
	White Male	134	–	–	–	–	–	1	–	1	1	2	5	3	14	14	20	22	22	19	9	1	–	
	Female	94	1	–	–	–	–	1	–	1	–	–	1	2	8	6	9	14	15	13	15	5	3	
	All other Male	16	–	–	–	–	–	–	–	2	1	4	1	1	–	3	2	–	2	–	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	2	–	–	1	–	–	
540–543	Appendicitis	18	–	1	–	–	1	–	–	1	–	3	–	1	3	2	3	–	1	1	–	1	–	
	White Male	9	–	–	–	–	1	–	–	–	–	2	–	1	2	1	1	–	1	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	1	–	
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	196	11	4	–	–	–	1	1	1	2	3	4	10	10	13	20	25	35	29	16	11	–	
	White Male	64	3	1	–	–	–	1	1	1	–	–	1	3	6	7	8	11	9	9	–	3	–	
	Female	98	4	1	–	–	–	–	–	–	–	–	2	4	3	4	8	10	24	18	13	7	–	
	All other Male	16	3	–	–	–	–	–	–	–	2	2	–	1	1	–	2	2	1	–	1	1	–	
	Female	18	1	2	–	–	–	–	–	–	–	1	1	2	–	2	2	2	1	2	2	–	–	
571	Cirrhosis of liver	1,247	1	1	–	–	–	3	19	39	52	99	118	190	162	187	176	93	59	31	12	2	–	3
	White Male	656	–	1	–	–	–	2	7	10	16	34	71	99	91	104	100	55	40	18	7	1	–	–
	Female	376	–	–	–	–	–	–	1	7	13	31	27	53	54	61	57	35	18	13	5	1	–	–
	All other Male	131	1	–	–	–	–	1	8	14	15	16	13	23	11	15	11	2	–	–	–	–	–	1
	Female	84	–	–	–	–	–	–	3	8	8	18	7	15	6	7	8	1	1	–	–	–	–	2
574, 575	Cholelithiasis, cholecystitis and cholangitis	103	–	–	–	–	–	–	1	–	–	–	3	4	5	9	9	14	17	18	15	7	1	
	White Male	46	–	–	–	–	–	–	1	–	–	–	1	2	2	6	5	7	8	9	5	–	–	
	Female	54	–	–	–	–	–	–	–	–	–	–	1	1	3	3	4	7	8	9	10	7	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	303	2	1	–	–	1	4	6	6	5	4	17	10	22	22	32	52	43	41	16	14	5	
	White Male	123	1	–	–	–	–	–	4	3	1	–	9	4	8	8	15	19	16	18	7	9	1	
	Female	105	–	1	–	–	–	2	2	–	2	–	1	3	3	6	10	22	21	18	9	3	2	
	All other Male	41	1	–	–	–	1	1	–	3	2	1	5	2	7	6	4	4	1	2	–	–	1	
	Female	34	–	–	–	–	–	1	–	–	–	3	2	1	4	2	3	7	5	3	–	2	1	
580, 581	Acute nephritis and nephrotic syndrome	71	2	–	–	–	1	1	–	–	1	–	6	–	4	2	5	17	11	12	5	4	–	
	White Male	31	1	–	–	–	–	–	–	–	–	–	5	–	1	–	2	6	4	6	3	3	–	
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	10	5	4	2	1	–	
	All other Male	8	1	–	–	–	1	1	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	232	–	1	–	–	–	3	6	6	4	4	11	10	18	20	27	35	32	29	11	10	5	
	White Male	92	–	–	–	–	–	–	4	3	1	–	4	4	7	8	13	13	12	12	4	6	1	
	Female	79	–	1	–	–	–	2	2	–	2	–	1	3	3	4	8	12	16	14	7	2	2	
	All other Male	33	–	–	–	–	–	–	–	3	1	1	4	2	5	6	3	4	1	2	–	–	1	
	Female	28	–	–	–	–	–	1	–	–	–	3	2	1	3	2	3	6	3	1	–	2	1	
590	Infections of kidney	118	–	–	–	–	–	–	–	–	–	3	2	1	2	7	10	22	22	22	19	6	2	
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	8	5	10	5	3	–	
	Female	70	–	–	–	–	–	–	–	–	–	2	1	1	2	4	6	9	17	11	12	3	2	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	5	–	–	1	–	–	
600	Hyperplasia of prostate	37	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	7	7	7	4	6	–	
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	7	7	4	6	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	1	3	7	2	3	1	–	–	–	–	–	–	–	–	–	–	–	
	White Female	7	–	–	–	–	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	10	–	–	–	–	–	1	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	1	3	7	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	10	–	–	–	–	–	1	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	380	227	29	13	11	10	11	7	11	3	3	4	8	6	6	9	9	6	4	2	1	–	–
	White Male	161	97	9	5	9	3	6	4	6	1	2	–	3	3	3	4	1	1	2	1	1	–	–
	Female	161	92	14	7	2	5	4	2	4	1	–	4	3	1	3	4	7	5	2	1	–	–	–
	All other Male	33	20	3	–	–	2	1	–	1	1	1	–	1	2	–	1	–	–	–	–	–	–	–
	Female	25	18	3	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	775	772	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	278	278	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	222	221	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	141	141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	134	132	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	394	391	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	106	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	62	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	381	381	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	129	129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	67	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	728	104	10	3	2	33	72	59	44	42	24	34	42	34	47	39	29	33	26	21	20	8	2
	White Male	316	37	3	1	2	17	35	26	18	15	5	20	16	18	22	22	16	14	9	7	13	–	–
	Female	203	17	–	–	–	5	6	6	13	9	8	11	19	11	17	12	9	15	17	14	5	8	1
	All other Male	135	29	5	2	–	10	19	19	7	10	9	2	5	4	5	4	4	–	–	–	–	–	1
	Female	74	21	2	–	–	1	12	8	6	8	2	1	2	1	3	1	–	4	–	–	2	–	–
Residual	All other diseases	3,731	49	20	10	21	36	55	61	56	71	75	132	203	254	388	452	478	471	459	293	120	27	–
	White Male	1,741	19	10	5	10	19	24	21	13	21	24	61	105	125	179	240	247	232	216	117	44	9	–
	Female	1,511	12	6	2	7	11	10	17	18	18	19	38	71	86	157	168	190	209	227	161	70	14	–
	All other Male	302	8	4	1	3	4	9	16	17	23	24	22	18	24	30	31	26	21	8	7	3	3	–
	Female	177	10	–	2	1	2	12	7	8	9	8	11	9	19	22	13	15	9	8	8	3	1	–
E800–E949	Accidents	2,381	25	70	91	74	279	242	156	119	99	92	104	141	133	120	99	111	114	146	102	50	12	2
	White Male	1,310	9	29	41	36	179	181	99	74	55	52	48	86	80	63	49	48	57	61	42	13	7	1
	Female	670	2	14	20	18	62	29	23	17	19	16	33	32	32	38	36	48	51	80	59	36	5	–
	All other Male	295	11	17	23	15	33	27	24	22	21	17	13	18	16	11	10	11	4	2	–	–	–	–
	Female	106	3	10	7	5	5	5	10	6	4	7	10	5	5	8	4	4	2	3	1	1	–	1
E810–E823	Motor vehicle accidents	1,052	5	21	48	38	201	159	86	73	51	34	36	60	55	42	35	35	34	30	8	1	–	–
	White Male	661	2	12	26	14	128	127	60	48	33	20	21	42	36	22	14	16	22	14	3	1	–	–
	Female	264	1	4	10	15	51	23	16	11	8	8	13	13	12	15	17	14	12	16	5	–	–	–
	All other Male	99	2	3	10	6	18	6	8	10	8	4	2	5	6	4	3	4	–	–	–	–	–	–
	Female	28	–	2	2	3	4	3	2	4	2	2	–	–	1	1	1	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,329	20	49	43	36	78	83	70	46	48	58	68	81	78	78	64	76	80	116	94	49	12	2
	White Male	649	7	17	15	22	51	54	39	26	22	32	27	44	44	41	35	32	35	47	39	12	7	1
	Female	406	1	10	10	3	11	6	7	6	11	8	20	19	20	23	19	34	39	64	54	36	5	–
	All other Male	196	9	14	13	9	15	21	16	12	13	13	11	13	10	7	7	7	4	2	–	–	–	–
	Female	78	3	8	5	2	1	2	8	2	2	5	10	5	4	7	3	3	2	3	1	1	–	1
E950–E959	Suicide	549	. . .	. . .	–	3	37	67	61	32	35	28	48	47	55	40	36	23	15	10	9	3	–	–
	White Male	363	. . .	. . .	–	2	30	47	37	17	18	18	28	31	39	32	25	15	9	8	6	1	–	–
	Female	141	. . .	. . .	–	–	3	14	11	10	10	7	18	16	14	8	11	7	6	2	3	1	–	–
	All other Male	35	. . .	. . .	–	–	2	4	12	3	7	3	1	–	1	–	–	1	–	–	–	1	–	–
	Female	10	. . .	. . .	–	1	2	2	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	395	6	10	4	4	39	69	57	40	36	26	21	28	13	17	5	7	5	4	–	2	–	2
	White Male	124	1	–	1	1	13	18	19	8	17	11	9	6	7	8	1	2	1	1	–	–	–	–
	Female	67	1	3	2	2	9	10	6	4	1	4	3	7	3	–	1	2	3	3	–	2	–	1
	All other Male	153	3	4	1	1	13	29	26	22	15	10	5	11	2	6	3	1	–	–	–	–	–	1
	Female	51	1	3	–	–	4	12	6	6	3	1	4	4	1	3	–	2	1	–	–	–	–	–
E980–E999	Other external causes	99	3	3	1	2	9	12	8	9	5	6	4	9	8	8	2	7	2	1	–	–	–	–
	White Male	49	–	–	–	2	4	7	6	6	2	2	2	4	6	3	1	2	2	–	–	–	–	–
	Female	24	1	–	–	–	2	2	2	–	2	1	1	1	1	5	1	4	–	1	–	–	–	–
	All other Male	18	1	1	–	–	3	2	–	2	1	2	1	4	1	–	–	–	–	–	–	–	–	–
	Female	8	1	2	1	–	–	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico																							
	All causes	8,224	341	72	40	59	192	253	225	170	186	204	281	427	495	661	781	953	952	833	608	381	97	13
	White Male	4,344	165	35	21	29	117	152	113	94	87	100	147	222	308	399	460	548	504	405	257	151	22	8
	Female	3,056	115	23	11	18	36	48	40	31	44	58	97	158	160	206	279	361	391	393	315	212	59	1
	All other Male	544	35	9	6	5	29	40	57	27	42	27	30	25	21	40	31	27	33	25	17	8	7	3
	Female	280	26	5	2	7	10	13	15	18	13	19	7	22	6	16	11	17	24	10	19	10	9	1
004, 006	Bacillary dysentery and amebiasis	3	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	15	9	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	3	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	Female	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
010–019	Tuberculosis, all forms	34	–	–	–	–	–	–	–	1	–	1	–	1	1	6	4	8	6	3	1	1	1	–
	White Male	16	–	–	–	–	–	–	–	–	–	1	–	–	–	4	2	5	1	2	–	1	–	–
	Female	10	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	3	2	1	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	3	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
010–012	Tuberculosis of respiratory system	22	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	6	4	2	–	1	1	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	5	–	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
013–019	Tuberculosis, other forms	12	–	–	–	–	–	–	–	1	–	1	–	–	1	2	1	2	2	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	2	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
038	Septicemia	41	12	1	–	–	–	–	2	–	2	1	2	1	–	1	5	3	4	4	3	–	–	–
	White Male	17	5	1	–	–	–	–	1	–	1	–	–	–	–	–	1	3	2	1	2	–	–	–
	Female	14	4	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	1	2	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–
	Female	6	3	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	25	2	1	1	–	1	1	1	1	2	–	1	1	2	–	1	3	1	1	1	3	1	–
	White Male	15	1	1	–	–	1	1	–	–	2	–	–	1	1	–	1	2	1	–	–	2	1	–
	Female	7	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,430	1	5	5	6	9	7	11	14	22	28	73	121	142	164	201	190	189	139	68	30	4	1
	White Male	742	–	2	3	3	8	6	9	7	4	12	37	47	66	88	116	98	113	70	37	14	1	1
	White Female	603	1	3	2	2	1	–	1	6	17	15	35	63	72	63	74	82	64	60	27	13	2	–
	All other Male	46	–	–	–	–	–	1	1	–	–	1	1	3	3	9	8	4	7	6	–	2	–	–
	All other Female	39	–	–	–	1	–	–	–	1	1	–	–	8	1	4	3	6	5	3	4	1	1	–
140–149	Of buccal cavity and pharynx	12	–	–	–	–	1	–	–	–	–	–	–	2	1	–	1	3	1	1	1	–	1	–
	White Male	6	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	396	–	–	–	–	–	–	–	2	4	6	19	31	42	39	51	61	62	46	22	10	1	–
	White Male	208	–	–	–	–	–	–	–	1	–	2	13	17	23	26	22	29	34	24	11	5	1	–
	White Female	161	–	–	–	–	–	–	–	1	4	4	6	12	16	10	25	26	24	18	10	5	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	3	2	2	–	–	–	–
	All other Female	12	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	3	2	2	1	–	–	–
160–163	Of respiratory system	315	–	–	–	–	–	–	2	1	1	6	16	28	36	49	55	41	41	22	12	4	1	–
	White Male	225	–	–	–	–	–	–	2	–	1	4	8	18	25	36	42	31	35	15	7	1	–	–
	White Female	81	–	–	–	–	–	–	–	1	–	2	8	7	11	12	12	9	5	6	5	2	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	1	–	1	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
174	Of breast	101	–	–	–	–	–	–	–	3	6	3	5	14	15	11	10	11	11	8	3	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	95	–	–	–	–	–	–	–	3	5	3	5	13	14	10	10	11	10	7	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	1	–	–	–	–
180–187	Of genital organs	189	–	–	–	–	–	2	1	2	3	2	9	15	9	19	32	31	27	20	13	3	–	1
	White Male	96	–	–	–	–	–	2	1	–	–	–	–	1	2	7	20	13	20	17	10	2	–	1
	White Female	82	–	–	–	–	–	–	–	1	3	2	9	12	7	11	9	18	4	3	3	–	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	3	–	–	1	–	–
	All other Female	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	59	1	2	–	–	–	–	–	1	1	2	2	4	7	6	4	9	11	6	1	2	–	–
	White Male	34	–	–	–	–	–	–	–	1	1	–	2	–	6	3	2	5	7	5	1	1	–	–
	White Female	20	1	2	–	–	–	–	–	–	–	1	–	3	1	3	2	2	3	1	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	216	–	2	3	–	3	3	5	2	3	6	15	18	21	30	29	24	17	19	9	7	–	–
	White Male	99	–	1	2	–	2	2	4	2	1	3	10	7	7	16	20	12	2	4	2	2	–	–
	White Female	102	–	1	1	–	1	–	1	–	2	3	4	10	14	10	8	11	12	15	5	4	–	–
	All other Male	6	–	–	–	–	–	1	–	–	–	–	1	–	–	3	–	–	1	–	–	–	–	–
	All other Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	2	1	–	–
204–207	Leukemia	66	–	1	2	5	4	1	3	1	2	2	4	3	3	1	5	5	10	9	2	3	–	–
	White Male	44	–	1	1	2	4	1	2	1	1	2	3	2	1	–	3	4	8	4	1	3	–	–
	White Female	19	–	–	1	2	–	–	–	–	1	–	1	1	2	–	2	1	2	5	1	–	–	–
	All other Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	76	–	–	–	1	1	1	–	2	2	1	3	6	8	9	14	5	9	8	5	–	1	–
	White Male	29	–	–	–	1	1	1	–	2	–	1	1	1	2	–	6	3	5	1	4	–	–	–
	White Female	37	–	–	–	–	–	–	–	–	2	–	2	4	6	7	6	2	4	4	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	3	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	20	1	–	1	–	–	–	–	–	1	2	2	2	–	1	1	3	3	1	1	1	–	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	1	1	–	–	–	–
	White Female	11	–	–	–	–	–	–	–	–	1	2	–	1	–	–	1	2	2	–	1	1	–	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	150	–	–	1	1	1	2	1	1	3	4	5	6	9	16	21	25	24	17	10	3	–	–
	White Male	54	–	–	–	1	1	–	–	1	2	2	3	6	6	6	10	8	4	2	2	–	–	–
	White Female	82	–	–	1	1	–	–	1	1	1	1	3	3	2	7	15	14	13	11	7	1	–	–
	All other Male	6	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	2	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	3	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	17	2	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	3	2	3	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	3	2	2	1	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
280–285	Anemias	22	–	–	–	1	–	1	1	–	–	–	1	–	1	1	1	2	6	4	1	1	1	–
	White—Male	9	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	1	3	1	–	1	–
	Female	12	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	2	4	1	–	1	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	15	7	–	–	–	–	–	–	–	–	1	1	–	3	–	1	–	1	–	–	1	–	–
	White—Male	9	5	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	2,875	3	6	–	1	4	8	11	8	11	28	58	116	150	236	306	431	451	442	329	227	45	4
	White—Male	1,510	1	3	–	–	2	2	4	5	9	16	36	76	109	156	187	251	217	221	132	76	5	2
	Female	1,239	1	3	–	–	2	5	4	2	1	9	19	32	37	68	100	165	212	214	186	142	36	1
	All other—Male	83	1	–	–	–	–	1	2	–	1	2	2	5	2	9	15	12	12	5	5	4	4	1
	Female	43	–	–	–	1	–	–	1	1	–	1	1	3	2	3	4	3	10	2	6	5	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,998	2	5	–	1	2	5	5	5	10	23	52	88	123	179	228	314	303	290	214	118	28	3
	White—Male	1,138	1	3	–	–	1	1	1	3	8	16	35	62	93	130	140	202	152	153	95	36	4	2
	Female	776	–	2	–	–	1	3	2	1	1	5	15	19	29	41	76	102	135	132	113	76	23	–
	All other—Male	56	1	–	–	–	–	1	1	–	1	2	1	4	1	7	10	8	9	4	2	2	1	1
	Female	28	–	–	–	1	–	–	1	1	–	–	1	3	–	1	2	2	7	1	4	4	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	55	–	1	–	–	–	–	2	–	2	1	2	4	6	7	6	6	8	4	6	–	–	–
	White—Male	24	–	1	–	–	–	–	–	–	2	1	1	2	2	4	4	3	1	2	1	–	–	–
	Female	29	–	–	–	–	–	–	1	–	–	–	1	2	4	2	2	3	7	2	5	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	17	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	4	2	2	4	–	–
	White—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	1	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	2	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,690	1	–	–	–	1	–	1	2	6	19	43	77	102	158	196	274	257	245	179	102	25	2
	White—Male	988	1	–	–	–	–	–	–	2	5	13	32	56	80	117	122	175	135	133	82	30	3	2
	Female	649	–	–	–	–	1	–	1	–	1	5	9	14	21	35	66	91	112	110	94	67	22	–
	All other—Male	37	–	–	–	–	–	–	–	–	–	1	1	4	1	6	7	7	6	2	–	2	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	1	4	–	3	3	–	–
410	Acute myocardial infarction	879	1	–	–	–	–	–	–	–	4	15	31	39	68	99	117	159	137	107	60	34	6	2
	White—Male	557	1	–	–	–	–	–	–	–	3	9	22	29	53	74	78	103	75	63	32	12	1	2
	Female	302	–	–	–	–	–	–	–	–	1	5	7	9	15	23	35	51	59	43	28	21	5	–
	All other—Male	17	–	–	–	–	–	–	–	–	–	1	1	1	–	2	3	5	2	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	1	–	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	805	–	–	–	–	1	–	1	2	2	4	12	36	34	59	78	115	118	137	119	68	19	–
	White—Male	426	–	–	–	–	–	–	–	2	2	4	10	25	27	43	44	72	58	69	50	18	2	–
	Female	346	–	–	–	–	1	–	1	–	–	–	2	5	6	12	30	40	53	67	66	46	17	–
	All other—Male	20	–	–	–	–	–	–	–	–	–	–	–	3	1	4	4	2	4	1	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	3	–	3	3	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	20	–	2	–	–	1	1	–	–	–	2	–	–	1	2	1	2	2	1	3	1	1	–
	White—Male	11	–	–	–	–	1	–	–	–	–	1	–	–	1	2	1	2	–	1	2	–	1	–
	Female	7	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
420–423, 425–427, 429	All other forms of heart disease	207	1	2	–	1	–	4	2	3	2	1	7	7	10	12	25	29	29	36	22	11	2	1
	White Male	104	–	2	–	–	–	1	1	1	1	1	2	4	7	7	13	20	13	17	9	4	1	–
	Female	78	–	–	–	–	–	3	–	1	–	–	5	3	3	4	8	7	11	16	11	6	–	–
	All other Male	15	1	–	–	–	–	–	1	–	1	–	–	–	–	–	3	1	2	2	1	–	1	1
	Female	10	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	1	3	1	1	1	–	–
400, 401, 403	Hypertension	40	–	–	–	–	–	1	–	–	–	–	1	4	2	4	4	3	8	4	2	7	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	2	2	1	1	–	–
	Female	25	–	–	–	–	–	1	–	–	–	–	–	2	1	3	2	3	4	2	1	6	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	613	–	1	–	–	2	2	4	2	1	4	4	19	17	41	52	85	103	109	86	69	11	1
	White Male	247	–	–	–	–	1	1	1	2	1	–	–	8	9	19	33	34	43	44	23	28	–	–
	Female	333	–	1	–	–	1	1	2	–	–	3	3	11	6	19	14	46	56	63	59	39	8	1
	All other Male	20	–	–	–	–	–	–	1	–	–	–	1	–	–	2	3	4	2	1	2	1	3	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	2	1	2	1	–	–
431	Cerebral hemorrhage	83	–	–	–	–	1	1	1	2	1	1	1	10	7	10	11	17	14	3	2	1	–	–
	White Male	38	–	–	–	–	–	–	–	2	1	–	–	3	4	6	6	9	4	2	–	1	–	–
	Female	42	–	–	–	–	1	1	–	–	–	–	1	7	2	4	5	8	10	1	2	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	103	–	–	–	–	–	–	–	–	–	2	1	3	1	8	8	12	18	15	18	15	2	–
	White Male	55	–	–	–	–	–	–	–	–	–	–	–	3	1	4	5	7	12	8	8	7	–	–
	Female	46	–	–	–	–	–	–	–	–	–	2	1	–	–	4	3	5	6	6	10	7	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	426	–	1	–	–	1	1	3	–	–	1	2	6	8	23	33	56	71	91	66	53	9	1
	White Male	153	–	–	–	–	1	1	1	–	–	–	–	2	3	9	22	18	27	34	15	20	–	–
	Female	245	–	1	–	–	–	–	2	–	–	1	1	4	4	11	6	33	40	56	47	32	6	1
	All other Male	18	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	2	–	2	1	3	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	2	–	–	–
440	Arteriosclerosis	123	–	–	–	–	–	–	–	–	–	1	–	3	1	4	9	15	18	20	21	28	3	–
	White Male	61	–	–	–	–	–	–	–	–	–	–	–	3	1	3	6	8	9	11	10	9	1	–
	Female	60	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	7	9	9	11	18	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	101	1	–	–	–	–	–	2	1	–	–	1	2	7	8	13	14	19	19	6	5	3	–
	White Male	53	–	–	–	–	–	–	2	–	–	–	–	2	6	3	6	7	11	11	3	2	–	–
	Female	45	1	–	–	–	–	–	–	1	–	–	1	–	1	4	6	7	8	8	2	3	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
466	Acute branchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	359	20	6	–	1	1	3	2	2	5	2	11	6	11	14	20	32	53	55	58	37	20	–
	White Male	178	12	2	–	–	1	1	1	1	–	–	5	1	7	7	14	16	35	25	25	19	7	–
	Female	142	4	1	–	1	1	–	1	–	2	1	2	4	2	6	6	14	17	28	28	16	8	–
	All other Male	27	3	2	–	–	–	1	–	–	2	–	2	1	2	1	–	1	1	2	5	2	2	–
	Female	12	1	1	–	–	–	1	–	1	1	1	2	–	–	–	–	1	–	–	–	–	3	–
470–474	Influenza	93	1	1	–	–	–	–	2	–	–	1	1	2	2	6	6	9	13	17	16	12	4	–
	White Male	45	–	–	–	–	–	–	1	–	–	–	1	–	1	2	4	4	10	8	7	5	2	–
	Female	43	1	1	–	–	–	–	1	–	–	–	–	2	–	4	2	5	2	8	8	7	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	266	19	5	–	1	1	3	–	2	5	1	10	4	9	8	14	23	40	38	42	25	16	–
	White Male	133	12	2	–	–	1	–	–	1	–	–	4	1	6	5	10	12	25	17	18	14	5	–
	Female	99	3	–	–	1	1	–	–	–	2	1	2	2	2	2	4	9	15	20	20	9	6	–
	All other Male	23	3	2	–	–	–	1	–	–	2	–	2	1	1	1	–	1	–	1	4	2	2	–
	Female	11	1	1	–	–	–	1	–	1	1	–	2	–	–	–	–	1	–	–	–	–	3	–
490–493	Bronchitis, emphysema, and asthma	137	–	–	–	–	–	–	–	–	1	1	3	5	9	20	28	29	16	17	6	2	–	–
	White Male	99	–	–	–	–	–	–	–	–	1	1	1	3	8	13	19	24	13	13	2	1	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	1	1	–	6	9	5	3	4	4	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
490, 491	Chronic and unqualified bronchitis	18	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	1	3	4	2	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	3	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	103	–	–	–	–	–	–	–	–	–	–	–	4	8	18	24	23	11	10	4	1	–	–
	White Male	82	–	–	–	–	–	–	–	–	–	–	–	3	7	12	17	22	10	9	1	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	–	5	7	1	1	1	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
493	Asthma	16	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–	5	2	3	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	2	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	1	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	23	–	–	–	–	–	–	–	1	1	1	2	2	1	1	4	4	1	1	1	2	1	–
	White Male	14	–	–	–	–	–	–	–	1	–	1	2	–	1	–	2	3	1	1	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	2	–	–	2	1	–	–	–	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	27	–	–	–	–	1	–	–	1	1	1	–	2	1	2	–	4	6	5	1	2	–	–
	White Male	13	–	–	–	–	1	–	–	1	1	–	–	1	–	1	–	2	3	2	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	2	3	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	194	1	–	–	–	–	1	5	14	15	23	19	27	29	23	18	9	9	–	1	–	–	–
	White Male	114	1	–	–	–	–	–	2	6	8	13	10	16	21	19	7	5	6	–	–	–	–	–
	Female	43	–	–	–	–	–	–	–	–	–	2	6	7	8	3	9	4	3	–	1	–	–	–
	All other Male	20	–	–	–	–	–	3	4	4	3	2	3	–	–	–	1	–	–	–	–	–	–	–
	Female	17	–	–	–	–	–	1	–	4	3	5	1	1	–	1	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	22	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	1	8	5	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	5	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
580–584	Nephritis and nephrosis	26	–	–	–	–	–	–	2	–	1	–	–	–	2	5	2	3	7	3	–	1	–	–
	White Male	13	–	–	–	–	–	–	1	–	1	–	–	–	–	4	1	1	4	1	–	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	2	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	3	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	19	–	–	–	–	–	–	2	–	–	–	–	–	2	5	2	1	4	2	–	1	–	–
	White Male	8	–	–	–	–	–	–	1	–	–	–	–	–	–	4	1	–	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
590	Infections of kidney	11	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	2	1	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico —Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	81	57	11	1	1	–	1	–	–	–	–	1	3	1	–	–	2	2	1	–	–	–	–
	White ..... Male	32	21	6	1	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
	Female	33	22	4	–	–	–	1	–	–	–	–	1	2	1	–	–	1	1	–	–	–	–	–
	All other ..... Male	10	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	142	142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	509	54	3	1	1	2	4	6	5	6	8	15	24	32	51	44	66	53	40	48	31	13	2
	White ..... Male	287	32	2	1	–	1	–	4	2	2	4	9	12	21	36	32	41	32	15	20	18	3	–
	Female	168	16	–	–	1	–	3	–	2	1	2	5	9	8	10	12	20	17	22	20	12	8	–
	All other ..... Male	30	5	1	–	–	–	–	1	–	2	1	1	1	3	3	–	2	3	2	3	–	1	1
	Female	24	1	–	–	–	1	1	1	1	1	1	–	2	–	2	–	3	1	1	5	1	1	1
Residual	All other diseases	759	14	3	4	7	5	18	36	27	26	35	30	48	54	79	70	90	83	55	46	21	6	2
	White ..... Male	391	7	1	3	4	2	11	14	15	9	13	13	26	30	45	38	52	45	31	22	7	1	2
	Female	260	3	1	1	3	–	5	9	4	5	11	9	15	16	25	27	33	35	22	20	13	3	–
	All other ..... Male	77	2	1	–	–	2	2	12	5	11	9	5	3	6	7	3	3	2	2	2	–	–	–
	Female	31	2	–	–	–	1	–	1	3	1	2	3	4	2	2	2	2	1	–	2	1	2	–
E800–E949	Accidents	895	6	31	24	35	134	138	94	61	43	42	32	36	32	27	34	35	25	25	22	13	2	4
	White ..... Male	503	2	16	12	17	79	77	51	36	20	24	17	23	25	12	24	23	16	9	8	8	1	3
	Female	185	3	9	5	9	27	28	11	5	7	7	4	4	4	11	8	7	7	11	13	4	1	–
	All other ..... Male	158	–	3	5	5	22	26	23	14	15	5	11	7	3	4	2	5	2	4	1	–	–	1
	Female	49	1	3	2	4	6	7	9	6	1	6	–	2	–	–	–	–	–	1	–	1	–	–
E810–E823	Motor vehicle accidents	536	1	15	13	20	106	104	67	45	30	26	16	17	17	9	12	19	10	6	2	–	–	1
	White ..... Male	298	1	9	8	9	59	57	30	27	11	15	10	11	14	4	8	13	8	2	1	–	–	1
	Female	95	–	2	1	7	22	19	8	4	4	4	3	2	2	4	4	3	2	3	1	–	–	–
	All other ..... Male	109	–	3	3	3	19	22	21	9	14	3	3	4	1	1	–	3	–	–	–	–	–	–
	Female	34	–	1	1	1	6	6	8	5	1	4	–	–	–	–	–	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	359	5	16	11	15	28	34	27	16	13	16	16	19	15	18	22	16	15	19	20	13	2	3
	White ..... Male	205	1	7	4	8	20	20	21	9	9	9	7	12	11	8	16	10	8	7	7	8	1	2
	Female	90	3	7	4	2	5	9	3	1	3	3	1	2	2	7	4	4	5	8	12	4	1	–
	All other ..... Male	49	–	–	2	2	3	4	2	5	1	2	8	3	2	3	2	2	2	4	1	–	–	1
	Female	15	1	2	1	3	–	1	1	1	–	2	–	2	–	–	–	–	–	–	–	1	–	–
E950–E959	Suicide	214	...	...	–	3	16	42	22	22	26	12	12	21	11	7	8	7	2	2	1	–	–	–
	White ..... Male	130	...	...	–	1	11	29	11	14	17	5	6	10	7	4	6	6	–	2	1	–	–	–
	Female	56	...	...	–	1	2	4	4	6	6	6	5	11	4	2	2	1	2	–	–	–	–	–
	All other ..... Male	24	...	...	–	–	2	7	7	2	3	1	1	–	–	1	–	–	–	–	–	–	–	–
	Female	4	...	...	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	124	8	1	1	2	16	15	24	9	17	12	6	4	3	1	4	1	–	–	–	–	–	–
	White ..... Male	72	2	1	1	2	9	14	14	5	10	7	2	1	3	–	–	1	–	–	–	–	–	–
	Female	25	6	–	–	–	3	–	5	2	2	–	2	1	–	1	3	–	–	–	–	–	–	–
	All other ..... Male	18	–	–	–	–	3	–	4	1	3	3	2	1	–	–	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	1	1	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	36	–	2	–	–	2	10	5	2	3	1	5	1	–	3	1	1	–	–	–	–	–	–
	White ..... Male	20	–	–	–	–	2	9	1	1	1	1	2	–	–	2	1	–	–	–	–	–	–	–
	Female	8	–	1	–	–	–	–	2	–	–	–	3	1	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	6	–	1	–	–	–	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York																							
	All causes	172,554	3,773	537	418	509	1,314	1,842	1,979	1,802	2,009	2,983	5,282	7,915	11,332	15,209	19,039	21,256	23,732	23,629	17,269	8,146	2,522	57
	White—Male	80,094	1,372	208	170	238	780	1,023	968	760	849	1,294	2,502	3,875	6,001	8,291	10,330	10,874	10,966	9,936	6,358	2,637	629	33
	Female	72,858	1,095	174	140	169	274	332	393	420	485	764	1,565	2,401	3,590	5,070	6,767	8,540	11,086	12,528	10,166	5,149	1,735	15
	All other—Male	10,931	735	79	71	70	193	334	438	430	434	554	757	975	1,008	1,060	1,061	987	800	490	278	124	50	3
	Female	8,671	571	76	37	32	67	153	180	192	241	371	458	664	733	788	881	855	880	675	467	236	108	6
004, 006	Bacillary dysentery and amebiasis	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	109	40	1	–	–	1	1	2	–	–	–	1	3	3	5	4	10	15	12	7	4	–	–
	White—Male	42	16	1	–	–	1	1	1	–	–	–	–	2	–	1	–	3	7	7	2	–	–	–
	Female	45	5	–	–	–	–	–	–	–	–	–	–	1	3	4	4	6	8	5	5	4	–	–
	All other—Male	6	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	16	14	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	304	–	–	1	–	–	3	9	6	9	19	15	22	31	33	42	28	37	26	12	7	3	1
	White—Male	107	–	–	–	–	–	1	1	1	2	4	4	5	10	11	21	11	14	12	4	4	1	1
	Female	83	–	–	–	–	–	–	2	1	3	3	2	3	6	13	12	6	15	9	7	–	1	–
	All other—Male	71	–	–	1	–	–	1	5	2	3	6	7	10	11	5	7	6	3	2	1	1	–	–
	Female	43	–	–	–	–	–	1	1	2	1	6	2	4	4	4	2	5	5	3	–	2	1	–
010–012	Tuberculosis of respiratory system	241	–	–	1	–	–	3	7	5	8	14	12	16	27	29	32	22	23	23	9	7	2	1
	White—Male	86	–	–	–	–	–	1	–	1	2	2	4	5	8	10	15	9	9	11	3	4	1	1
	Female	52	–	–	–	–	–	–	1	–	2	1	–	–	5	11	8	3	8	8	5	–	–	–
	All other—Male	64	–	–	1	–	–	1	5	2	3	6	7	7	10	5	7	5	2	1	1	1	–	–
	Female	39	–	–	–	–	–	1	1	2	1	5	1	4	4	3	2	5	4	3	–	2	1	–
013–019	Tuberculosis, other forms	63	–	–	–	–	–	–	2	1	1	5	3	6	4	4	10	6	14	3	3	–	1	–
	White—Male	21	–	–	–	–	–	–	1	–	–	2	–	–	2	1	6	2	5	1	1	–	–	–
	Female	31	–	–	–	–	–	–	1	1	1	2	2	3	1	2	4	3	7	1	2	–	1	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
033	Whooping cough	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	26	7	7	–	1	3	1	–	–	1	–	–	1	–	1	–	2	2	–	–	–	–	–
	White—Male	7	–	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	15	6	3	–	1	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	All other—Male	3	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
038	Septicemia	574	77	3	–	3	1	5	6	5	–	9	14	14	29	40	42	69	92	70	58	28	9	–
	White—Male	237	22	–	–	2	–	2	4	1	–	3	4	6	13	19	25	28	44	29	24	11	–	–
	Female	244	31	2	–	–	1	1	1	–	–	2	5	7	10	15	13	36	37	37	26	15	5	–
	All other—Male	53	15	1	–	1	–	–	1	4	–	3	3	–	2	2	3	2	9	1	2	1	3	–
	Female	40	9	–	–	–	–	2	–	–	–	1	2	1	4	4	1	3	2	3	6	1	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	18	1	–	–	–	–	–	–	–	–	2	–	2	1	4	2	1	2	2	1	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	2	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	368	13	5	5	9	12	9	18	7	6	19	15	34	29	29	24	31	30	34	26	12	1	–
	White—Male	143	8	1	2	1	6	7	4	1	3	8	5	13	9	10	15	13	15	9	6	7	–	–
	Female	148	1	1	2	5	3	–	3	1	2	4	4	10	15	14	7	15	13	23	19	5	1	–
	All other—Male	44	2	2	–	2	1	1	6	4	–	3	4	6	3	4	1	3	–	1	1	–	–	–
	Female	33	2	1	1	1	2	1	5	1	1	4	2	5	2	1	1	–	2	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	36,379	6	57	76	72	110	102	168	232	363	686	1,447	2,465	3,584	4,749	5,396	5,277	4,924	3,818	2,015	688	137	7
	White—Male	16,843	3	26	38	33	67	57	75	80	125	213	521	919	1,561	2,302	2,705	2,641	2,417	1,854	887	268	48	3
	Female	15,756	1	20	23	29	24	28	71	106	163	294	684	1,114	1,577	1,912	2,156	2,184	2,142	1,752	1,028	367	78	3
	All other—Male	2,047	2	5	9	9	14	10	13	15	30	82	124	237	245	313	307	268	187	105	43	26	3	–
	Female	1,733	–	6	6	1	5	7	9	31	45	97	118	195	201	222	228	184	178	107	57	27	8	1
140–149	Of buccal cavity and pharynx	828	–	–	–	–	2	1	4	4	11	24	46	76	119	145	122	109	69	45	37	13	1	–
	White—Male	503	–	–	–	–	2	1	1	1	5	14	28	42	70	91	82	67	49	25	19	5	1	–
	Female	197	–	–	–	–	–	–	1	1	1	2	3	13	27	35	32	25	17	16	17	7	–	–
	All other—Male	87	–	–	–	–	–	–	1	2	5	5	12	12	13	11	5	14	3	2	1	1	–	–
	Female	41	–	–	–	–	–	–	1	–	–	3	3	9	9	8	3	3	–	2	–	–	–	–
150–159	Of digestive organs and peritoneum	10,970	–	2	–	2	5	5	17	32	48	129	302	595	974	1,328	1,624	1,691	1,711	1,426	784	252	40	3
	White—Male	5,035	–	1	–	–	1	2	8	13	14	37	148	272	464	669	815	784	773	628	308	84	12	2
	Female	4,761	–	1	–	2	1	1	6	11	21	49	93	212	359	487	626	759	798	721	436	151	27	–
	All other—Male	661	–	–	–	–	3	1	2	5	3	24	31	66	95	96	107	90	71	43	15	8	1	–
	Female	513	–	–	–	–	–	1	1	3	10	19	30	45	56	76	76	58	69	34	25	9	–	1
160–163	Of respiratory system	8,132	–	–	1	–	2	5	5	22	67	161	351	615	969	1,357	1,430	1,221	964	616	248	77	18	3
	White—Male	5,324	–	–	1	–	–	5	3	13	32	70	175	329	583	875	980	889	707	436	176	42	7	1
	Female	1,962	–	–	–	–	2	–	2	7	20	46	107	152	273	323	326	246	202	154	64	26	10	2
	All other—Male	655	–	–	–	–	–	–	–	1	10	33	53	107	90	128	94	65	41	22	6	5	–	–
	Female	191	–	–	–	–	–	–	–	1	5	12	16	27	23	31	30	21	14	4	2	4	1	–
174	Of breast	3,659	–	–	–	–	–	1	8	34	60	123	266	401	457	488	481	420	376	275	179	69	20	1
	White—Male	26	–	–	–	–	–	–	–	–	–	–	1	–	2	4	5	5	3	2	3	1	–	–
	Female	3,296	–	–	–	–	–	–	6	23	47	94	233	352	416	441	434	394	352	254	168	62	19	1
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	Female	334	–	–	–	–	–	1	2	11	13	29	32	48	39	42	41	21	21	19	8	6	1	–
180–187	Of genital organs	4,123	–	–	–	3	7	14	28	31	40	63	140	232	326	454	552	618	668	541	279	107	20	–
	White—Male	1,574	–	–	–	1	7	9	13	5	7	4	3	18	48	108	196	270	327	312	171	62	13	–
	Female	2,030	–	–	–	1	–	3	11	19	26	38	119	179	226	279	282	268	269	187	87	34	2	–
	All other—Male	224	–	–	–	1	–	1	2	–	–	–	–	7	11	25	44	41	45	21	14	10	2	–
	Female	295	–	–	–	–	–	1	2	7	7	21	18	28	41	42	30	39	27	21	7	1	3	–
188, 189	Of urinary organs	1,677	–	5	2	1	1	–	3	5	6	17	31	85	129	180	232	282	274	231	143	37	13	–
	White—Male	1,057	–	4	–	–	–	–	1	2	4	8	23	50	80	121	154	188	173	146	72	25	6	–
	Female	500	–	–	–	1	–	–	–	–	1	7	5	25	36	45	61	75	86	75	66	11	6	–
	All other—Male	68	–	–	1	–	–	–	2	–	1	2	3	5	7	11	11	12	7	3	3	–	–	–
	Female	52	–	1	1	–	1	–	–	3	–	–	–	5	6	3	6	7	8	7	2	1	1	–
170–173, 190–199	Of all other and unspecified sites	3,774	6	21	30	31	47	31	36	41	72	105	189	263	330	479	551	519	432	325	185	65	16	–
	White—Male	1,731	3	9	15	13	31	17	17	14	36	42	87	109	160	263	270	230	192	137	61	20	5	–
	Female	1,656	1	8	10	11	7	8	18	21	30	40	77	105	143	177	225	238	206	169	113	40	9	–
	All other—Male	207	2	1	3	6	6	5	–	4	3	12	15	27	15	27	30	30	11	7	2	1	–	–
	Female	180	–	3	2	1	3	1	1	2	3	11	10	22	12	12	26	21	23	12	9	4	2	–
204–207	Leukemia	1,319	–	29	40	27	30	28	26	20	21	28	52	67	91	98	146	155	174	169	75	35	8	–
	White—Male	669	–	12	21	15	13	14	8	8	8	18	27	34	55	60	69	79	79	91	40	15	3	–
	Female	549	–	11	12	10	12	10	15	9	8	8	17	24	30	31	67	67	88	72	34	19	5	–
	All other—Male	55	–	4	4	2	5	1	1	2	3	1	3	6	1	6	5	5	2	3	1	–	–	–
	Female	46	–	2	3	–	–	3	2	1	2	1	5	3	5	1	5	4	5	3	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,897	–	–	3	8	16	17	41	43	38	36	70	131	189	220	258	262	256	190	85	33	1	–
	White—Male	924	–	–	1	4	13	9	24	24	19	20	29	65	99	111	134	129	114	77	37	14	1	–
	Female	805	–	–	1	4	2	6	12	15	9	10	30	52	67	94	103	112	124	104	43	17	–	–
	All other—Male	87	–	–	1	–	–	2	5	1	5	5	7	6	13	8	10	11	7	4	1	1	–	–
	Female	81	–	–	–	–	1	–	–	3	5	1	4	8	10	7	11	10	11	5	4	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	581	2	8	4	7	10	5	9	13	9	18	20	38	39	68	78	88	69	52	28	14	2	–
	White—Male	245	1	4	1	3	6	1	6	3	1	6	4	16	15	27	40	44	34	21	7	5	–	–
	Female	269	–	3	–	2	2	4	2	8	7	9	13	15	17	34	29	35	32	27	20	8	2	–
	All other—Male	37	1	–	2	1	1	–	1	–	1	1	1	5	3	4	6	6	3	1	–	–	–	–
	Female	30	–	1	1	1	1	–	–	2	–	2	2	2	4	3	3	3	–	3	1	1	–	–
250	Diabetes mellitus	3,474	1	1	1	–	2	5	17	17	39	55	85	151	235	309	459	546	525	558	327	109	32	–
	White—Male	1,284	–	–	1	–	2	2	5	5	14	23	32	45	97	137	181	223	212	184	86	30	5	–
	Female	1,696	1	1	–	–	–	2	5	7	13	14	26	59	88	114	208	250	253	333	222	74	26	–
	All other—Male	198	–	–	–	–	–	–	4	4	7	7	15	22	23	15	32	26	24	10	5	3	1	–
	Female	296	–	–	–	–	–	1	3	1	5	11	12	25	27	43	38	47	36	31	14	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	167	4	1	–	–	2	2	–	–	2	–	4	4	9	7	8	24	26	32	25	10	7	–
	White—Male	68	1	–	–	–	1	1	–	–	–	–	1	1	5	2	5	14	12	9	12	3	1	–
	Female	78	2	–	–	–	1	–	–	–	–	–	3	2	3	5	3	6	10	18	12	7	6	–
	All other—Male	7	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	3	–	–	–	–
	Female	14	–	1	–	–	–	1	–	–	1	–	–	1	1	–	–	3	3	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
280–285	Anemias	268	5	4	7	8	7	4	9	4	6	7	6	11	5	14	28	21	28	41	32	17	4	–
	White Male	104	2	–	2	3	2	1	1	1	1	1	4	3	2	3	14	9	13	22	14	6	–	–
	Female	113	–	–	3	2	1	1	4	2	2	–	1	5	1	10	10	10	13	19	15	11	3	–
	All other Male	21	–	3	1	1	1	2	2	1	–	–	1	2	1	1	1	2	1	–	1	–	–	–
	Female	30	3	1	1	2	3	–	2	–	3	6	–	1	1	–	3	–	1	–	2	–	1	–
320	Meningitis	129	29	7	2	2	3	3	2	3	–	–	6	9	11	11	6	3	11	12	7	2	–	–
	White Male	56	15	2	1	–	2	–	2	1	–	–	4	4	5	5	1	1	4	6	2	1	–	–
	Female	39	6	2	–	2	–	2	–	1	–	–	–	3	2	2	2	1	6	5	5	–	–	–
	All other Male	17	4	2	–	–	1	1	–	1	–	–	2	2	1	1	2	–	–	–	–	–	–	–
	Female	17	4	1	1	–	–	–	–	–	–	–	–	–	3	3	1	1	1	1	–	1	–	–
390–448	Major cardiovascular diseases	89,214	56	19	13	24	52	70	135	234	356	792	1,818	3,113	4,850	7,161	9,641	11,799	14,253	15,134	11,880	5,870	1,919	25
	White Male	41,329	27	5	6	10	27	29	65	101	173	470	1,111	1,888	2,988	4,280	5,492	6,095	6,308	5,966	4,039	1,778	456	15
	Female	40,672	20	5	5	7	8	17	34	54	72	133	355	639	1,144	2,100	3,220	4,758	6,995	8,512	7,362	3,865	1,360	7
	All other Male	3,593	5	5	2	4	12	18	18	43	68	105	222	340	413	444	485	468	414	255	169	66	37	–
	Female	3,620	4	4	–	3	5	6	18	36	43	84	130	246	305	337	444	478	536	401	310	161	66	3
390–398, 402, 404, 410–429	Diseases of heart	71,084	47	14	7	15	30	50	73	154	268	661	1,526	2,660	4,209	6,136	8,107	9,499	11,326	11,504	8,987	4,350	1,438	23
	White Male	34,301	24	3	4	6	18	21	40	71	151	425	1,005	1,707	2,672	3,788	4,745	5,020	5,136	4,650	3,115	1,342	344	14
	Female	31,164	14	4	2	4	5	12	16	32	42	92	244	492	940	1,739	2,626	3,745	5,457	6,347	5,501	2,827	1,017	6
	All other Male	2,903	5	3	1	3	5	13	11	30	50	84	175	280	355	357	398	383	329	205	129	57	30	–
	Female	2,716	4	4	–	2	2	4	6	21	25	60	102	181	242	252	338	351	404	302	242	124	47	3
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,330	–	–	1	2	7	12	14	24	23	36	66	97	171	214	212	175	133	88	40	14	1	–
	White Male	464	–	–	1	–	–	4	4	9	9	9	28	53	66	72	71	63	41	20	11	3	–	–
	Female	744	–	–	–	1	1	4	6	7	7	15	27	35	88	133	128	103	87	63	28	10	1	–
	All other Male	55	–	–	–	1	4	2	2	5	2	5	4	5	8	3	5	5	2	2	–	–	–	–
	Female	67	–	–	–	–	2	2	2	3	5	7	7	4	9	6	8	4	3	3	1	1	–	–
402	Hypertensive heart disease	596	–	1	–	–	–	2	–	1	2	9	14	29	42	48	74	76	93	101	66	31	6	1
	White Male	184	–	–	–	–	–	–	–	–	1	1	5	16	13	16	29	28	28	22	18	7	–	–
	Female	287	–	1	–	–	–	–	–	–	–	2	4	7	10	17	25	35	52	68	40	19	6	1
	All other Male	53	–	–	–	–	–	1	–	1	1	3	2	3	10	9	8	4	6	2	2	1	–	–
	Female	72	–	–	–	–	–	1	–	–	–	3	3	3	9	6	12	9	7	9	6	4	–	–
404	Hypertensive heart and renal disease	178	–	–	–	–	–	1	1	1	2	1	1	3	6	9	10	21	27	40	28	21	6	–
	White Male	68	–	–	–	–	–	–	–	–	–	1	–	1	2	4	7	11	10	18	11	2	1	–
	Female	86	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	6	13	20	17	18	5	–
	All other Male	11	–	–	–	–	–	1	1	–	2	–	–	–	1	–	–	2	2	1	–	1	–	–
	Female	13	–	–	–	–	–	–	–	1	–	–	1	2	2	1	1	2	2	1	–	–	–	–
410–413	Ischemic heart disease	65,746	–	–	–	–	2	8	26	81	205	565	1,330	2,359	3,779	5,606	7,450	8,850	10,605	10,830	8,526	4,122	1,381	21
	White Male	32,097	–	–	–	–	2	3	14	46	131	395	908	1,562	2,477	3,558	4,442	4,734	4,847	4,401	2,961	1,272	331	13
	Female	28,734	–	–	–	–	–	2	4	11	25	65	191	400	784	1,503	2,357	3,454	5,094	5,961	5,215	2,688	975	5
	All other Male	2,554	–	–	–	–	–	2	7	15	36	63	153	247	317	323	359	349	292	189	124	49	29	–
	Female	2,361	–	–	–	–	–	1	1	9	13	42	78	150	201	222	292	313	372	279	226	113	46	3
410	Acute myocardial infarction	28,417	–	–	–	–	–	4	14	34	114	279	695	1,209	2,044	2,978	3,920	4,264	4,715	4,011	2,671	1,102	354	9
	White Male	15,408	–	–	–	–	–	2	9	24	89	219	514	862	1,428	1,966	2,432	2,353	2,275	1,780	980	372	97	6
	Female	11,324	–	–	–	–	–	2	2	7	11	29	104	217	439	810	1,222	1,662	2,198	2,095	1,589	692	244	1
	All other Male	900	–	–	–	–	–	–	3	1	10	14	46	89	112	127	147	135	99	63	34	15	5	–
	Female	785	–	–	–	–	–	–	–	2	4	17	31	41	65	75	119	114	143	73	68	23	8	2
411	Other acute and subacute forms of ischemic heart disease	335	–	–	–	–	–	–	–	–	2	6	14	10	40	36	37	55	46	43	25	14	6	1
	White Male	209	–	–	–	–	–	–	–	–	2	5	8	8	33	30	23	41	20	20	11	5	2	1
	Female	108	–	–	–	–	–	–	–	–	–	1	6	2	5	4	11	9	23	21	13	9	4	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	1	–	–	–
412	Chronic ischemic heart disease	36,983	–	–	–	–	2	4	12	47	89	279	621	1,139	1,694	2,591	3,493	4,531	5,842	6,775	5,827	3,005	1,021	11
	White Male	16,475	–	–	–	–	2	1	5	22	40	171	386	691	1,015	1,562	1,987	2,340	2,552	2,601	1,968	894	232	6
	Female	17,296	–	–	–	–	–	–	2	4	14	34	81	181	340	688	1,124	1,783	2,871	3,844	3,612	1,987	727	4
	All other Male	1,644	–	–	–	–	–	2	4	14	26	49	107	158	204	195	210	210	192	125	90	34	24	–
	Female	1,568	–	–	–	–	–	1	1	7	9	25	47	109	135	146	172	198	227	205	157	90	38	1
413	Angina pectoris	11	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	2	1	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	218	2	1	1	–	2	4	4	9	1	2	9	17	14	21	26	24	30	25	11	12	3	–
	White Male	104	1	–	1	–	1	3	2	5	–	–	9	6	7	11	13	10	13	11	3	6	2	–
	Female	94	–	–	–	–	1	1	1	3	–	–	–	7	7	8	10	14	15	12	8	6	1	–
	All other Male	9	–	–	–	–	–	–	–	1	–	2	–	1	–	2	2	–	1	–	–	–	–	–
	Female	11	1	1	–	–	–	–	1	–	1	–	–	3	–	–	1	–	1	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
420–423, 425–427, 429	All other forms of heart disease	3,016	45	12	5	13	19	23	28	38	35	48	106	155	197	238	335	353	438	420	316	150	41	1
	White Male	1,384	23	3	2	6	15	11	20	11	10	19	55	69	107	127	183	174	197	178	111	52	10	1
	Female	1,219	14	3	2	3	3	5	5	11	10	10	22	43	50	74	104	133	196	223	193	86	29	–
	All other Male	221	5	3	1	2	1	7	1	8	9	11	16	24	19	20	24	23	26	11	3	6	1	–
	Female	192	3	3	–	2	–	–	2	8	6	8	13	19	21	17	24	23	19	8	9	6	1	–
400, 401, 403	Hypertension	489	–	–	–	–	–	–	2	10	4	4	13	17	21	17	38	60	65	105	73	51	9	–
	White Male	187	–	–	–	–	–	–	–	1	–	2	5	5	6	7	13	31	26	35	31	23	2	–
	Female	226	–	–	–	–	–	–	2	2	2	–	1	3	7	5	16	21	32	63	37	28	7	–
	All other Male	42	–	–	–	–	–	–	–	5	1	1	5	8	4	3	6	2	2	4	1	–	–	–
	Female	34	–	–	–	–	–	–	–	2	1	1	2	1	4	2	3	6	5	3	4	–	–	–
430–438	Cerebrovascular diseases	13,558	7	4	5	9	18	16	50	61	73	107	234	363	482	748	1,131	1,716	2,190	2,751	2,208	1,048	335	2
	White Male	4,917	3	2	2	4	7	6	20	25	18	34	76	134	215	315	484	735	838	948	685	287	78	1
	Female	7,397	4	–	3	3	5	14	18	24	35	99	125	165	296	489	822	1,185	1,693	1,440	729	244	1	
	All other Male	515	–	2	–	1	5	3	7	7	14	17	36	44	46	65	70	58	64	34	34	6	2	–
	Female	729	–	–	–	1	3	2	9	11	17	21	23	60	56	72	88	101	103	76	49	26	11	–
431	Cerebral hemorrhage	2,054	6	1	–	3	6	6	17	16	25	43	83	132	133	184	224	260	289	312	197	90	27	–
	White Male	784	3	1	–	2	1	2	9	5	6	17	31	53	68	76	100	116	107	93	67	21	6	–
	Female	1,009	3	–	–	1	1	1	2	7	4	12	28	37	41	73	100	116	164	209	127	65	18	–
	All other Male	106	–	–	–	–	2	1	3	1	6	6	17	19	8	12	10	8	7	3	2	–	1	–
	Female	155	–	–	–	–	2	2	3	3	9	8	7	23	16	23	14	20	11	7	1	4	2	–
433	Cerebral thrombosis	3,376	–	–	1	–	–	–	–	2	4	5	17	45	68	128	217	411	578	800	669	328	101	2
	White Male	1,236	–	–	–	–	–	–	–	1	1	1	5	23	33	62	98	202	221	283	194	82	29	1
	Female	1,954	–	–	1	–	–	–	–	–	2	1	9	9	24	51	96	185	325	492	449	241	68	1
	All other Male	89	–	–	–	–	–	–	–	–	–	2	2	7	8	11	12	11	16	8	11	1	–	–
	Female	97	–	–	–	–	–	–	–	1	1	1	1	6	3	4	11	13	16	17	15	4	4	–
434	Cerebral embolism	67	–	–	–	–	–	–	–	1	–	–	–	1	4	4	10	9	15	10	7	6	–	–
	White Male	24	–	–	–	–	–	–	–	1	–	–	–	–	2	1	7	1	3	6	3	–	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	7	9	4	3	6	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	8,061	1	3	4	6	12	10	33	42	44	59	134	185	277	432	680	1,036	1,308	1,629	1,335	624	207	–
	White Male	2,873	–	1	2	2	6	4	11	18	11	16	40	58	112	176	279	416	507	566	421	184	43	–
	Female	4,400	1	–	2	2	2	4	12	11	18	22	62	79	99	171	290	514	687	988	861	417	158	–
	All other Male	314	–	2	–	1	3	2	4	6	8	9	17	18	29	40	48	38	39	23	21	5	1	–
	Female	474	–	–	–	1	1	–	6	7	7	12	15	30	37	45	63	68	75	52	32	18	5	–
440	Arteriosclerosis	1,841	–	–	–	–	–	–	–	1	1	1	3	13	24	44	83	158	282	416	406	292	117	–
	White Male	692	–	–	–	–	–	–	–	1	–	1	1	4	18	26	41	88	96	166	134	90	26	–
	Female	1,052	–	–	–	–	–	–	–	–	–	–	1	6	4	12	34	62	168	231	261	192	81	–
	All other Male	40	–	–	–	–	–	–	–	1	–	1	1	2	3	3	3	10	6	4	2	4	–	
	Female	57	–	–	–	–	–	–	–	–	–	–	–	2	–	3	5	5	8	13	7	8	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,242	2	1	1	–	4	4	10	8	10	19	42	60	114	216	282	366	390	358	206	129	20	–
	White Male	1,232	–	–	–	–	2	2	5	3	4	8	24	38	77	144	209	221	212	167	74	36	6	–
	Female	833	2	1	–	–	–	–	2	2	4	6	10	13	28	48	55	108	153	178	123	89	11	–
	All other Male	93	–	–	1	–	2	2	–	1	2	3	5	7	6	16	8	22	9	6	1	1	1	–
	Female	84	–	–	–	–	–	–	3	2	–	2	3	2	3	8	10	15	16	7	8	3	2	–
466	Acute bronchitis and bronchiolitis	64	9	5	2	1	–	–	1	–	1	–	–	3	5	2	2	5	6	8	10	3	1	–
	White Male	28	4	2	–	–	–	–	–	–	–	–	–	2	1	2	1	3	3	4	5	1	–	–
	Female	30	2	2	2	1	–	–	1	–	1	–	–	1	2	–	1	2	3	4	5	2	1	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	6,568	141	29	16	19	22	28	30	41	54	82	113	176	231	307	438	633	903	1,218	1,183	660	243	1
	White Male	2,872	48	11	2	10	11	8	15	10	20	24	39	71	106	145	258	308	428	541	500	249	67	1
	Female	2,907	42	5	11	6	7	7	6	10	14	23	30	56	67	85	131	247	403	595	627	377	158	–
	All other Male	439	24	7	1	2	1	3	6	12	11	26	28	32	33	52	25	49	46	38	27	14	2	–
	Female	350	27	6	2	1	3	10	3	9	9	9	16	17	25	25	24	29	26	44	29	20	16	–
470–474	Influenza	560	2	1	–	–	1	2	2	3	1	6	2	8	9	12	30	45	60	128	131	81	36	–
	White Male	227	2	–	–	–	1	2	1	2	–	–	1	2	6	7	16	19	29	54	53	26	6	–
	Female	311	–	–	–	–	–	–	1	–	–	5	1	5	3	5	12	23	30	69	75	54	28	–
	All other Male	11	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	3	1	3	–	1	–	–
	Female	11	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	–	2	3	–	2	–
480–486	Pneumonia	6,008	139	28	16	19	21	26	28	38	53	76	111	168	222	295	408	588	843	1,090	1,052	579	207	1
	White Male	2,645	46	11	2	10	10	6	14	8	20	24	38	69	100	138	242	289	399	487	447	223	61	1
	Female	2,596	42	5	11	6	7	7	5	10	14	18	29	51	64	80	119	224	373	526	552	323	130	–
	All other Male	428	24	6	1	2	1	3	6	12	10	26	28	31	33	52	25	46	45	35	27	13	2	–
	Female	339	27	6	2	1	3	10	3	8	9	8	16	17	25	25	22	29	26	42	26	20	14	–
490–493	Bronchitis, emphysema, and asthma	1,967	6	7	–	4	3	7	11	11	11	20	42	62	145	219	332	347	314	239	130	45	10	2
	White Male	1,282	1	2	–	–	–	2	5	3	1	6	22	35	81	142	231	243	216	168	90	28	5	1
	Female	548	2	3	–	2	2	2	1	6	4	9	14	19	45	66	85	86	80	63	37	16	5	1
	All other Male	97	3	1	–	–	–	1	5	2	4	3	3	4	12	8	13	16	11	7	3	1	–	–
	Female	40	–	1	–	2	1	2	–	–	2	2	3	4	7	3	3	2	7	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York — Con.																							
490, 491	Chronic and unqualified bronchitis	426	3	2	–	1	–	1	2	1	2	1	7	9	19	50	59	67	87	56	35	20	4	–
	White Male	269	–	–	–	–	–	1	2	–	1	–	3	7	13	34	41	46	51	35	21	13	1	–
	Female	140	1	2	–	1	–	–	–	1	–	–	3	2	5	15	16	18	32	21	14	6	3	–
	All other Male	17	2	–	–	–	–	–	–	–	1	1	1	–	1	1	2	3	4	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	1,323	2	1	–	1	–	–	1	1	–	13	20	37	102	150	247	259	204	168	86	23	6	2
	White Male	958	1	1	–	–	–	–	–	–	–	6	15	25	62	106	179	191	160	127	65	15	4	1
	Female	295	–	–	–	1	–	–	–	1	–	4	4	9	27	37	59	55	34	35	18	8	2	1
	All other Male	57	1	–	–	–	–	–	1	–	–	2	–	3	10	6	8	12	5	6	3	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	–	3	1	1	1	5	–	–	–	–	–
493	Asthma	218	1	4	–	2	3	6	8	9	9	6	15	16	24	19	26	21	23	15	9	2	–	–
	White Male	55	–	1	–	–	–	1	3	3	–	–	4	3	6	2	11	6	5	6	4	–	–	–
	Female	113	1	1	–	–	2	2	1	4	4	5	7	8	13	14	10	13	14	7	5	2	–	–
	All other Male	23	–	1	–	–	–	1	4	2	3	–	2	1	1	1	3	1	2	1	–	–	–	–
	Female	27	–	1	–	2	1	2	–	–	2	1	2	4	4	2	2	1	2	1	–	–	–	–
531–533	Peptic ulcer	723	1	–	–	1	4	–	6	4	9	10	31	29	55	67	88	97	99	105	86	26	5	–
	White Male	390	–	–	–	1	2	–	2	1	5	9	12	15	31	41	58	59	57	47	41	6	3	–
	Female	261	–	–	–	–	2	–	3	–	–	1	13	10	12	21	23	27	36	53	41	17	2	–
	All other Male	50	1	–	–	–	–	–	1	2	3	–	4	3	6	4	5	9	4	2	3	3	–	–
	Female	22	–	–	–	–	–	–	–	1	1	–	2	1	6	1	2	2	2	3	1	–	–	–
540–543	Appendicitis	65	–	–	2	2	–	2	1	–	1	1	3	5	3	7	11	8	8	8	3	–	–	–
	White Male	29	–	–	–	1	–	–	–	–	–	1	2	3	2	1	9	2	6	2	–	–	–	–
	Female	23	–	–	–	1	–	1	–	–	–	–	1	1	1	4	–	5	–	6	3	–	–	–
	All other Male	9	–	–	–	–	–	1	–	–	1	–	–	–	–	2	2	1	2	–	–	–	–	–
	Female	4	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	502	37	4	1	–	2	2	2	2	2	7	9	11	20	25	50	65	66	82	74	31	10	–
	White Male	168	17	2	1	–	2	1	–	–	–	2	2	2	9	12	21	19	21	24	24	7	2	–
	Female	268	11	2	–	–	–	–	2	1	1	2	5	6	8	7	24	33	41	51	47	22	5	–
	All other Male	32	4	–	–	–	–	–	–	1	1	3	2	3	1	4	2	4	2	4	1	–	–	–
	Female	34	5	–	–	–	–	1	–	–	–	–	–	–	2	2	3	9	2	3	2	2	3	–
571	Cirrhosis of liver	3,864	4	1	1	1	2	17	80	147	230	328	471	517	561	528	461	243	158	83	25	4	–	2
	White Male	1,897	2	1	–	1	2	4	25	42	93	119	219	251	294	298	263	143	83	43	9	3	–	2
	Female	916	–	–	1	–	–	4	8	20	19	54	95	118	137	127	143	78	59	38	14	1	–	–
	All other Male	709	1	–	–	–	–	8	29	62	74	102	106	100	94	65	37	17	12	1	1	–	–	–
	Female	342	1	–	–	–	–	1	18	23	44	53	51	48	36	38	18	5	4	1	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	257	–	–	–	–	–	–	–	1	4	2	4	9	14	19	21	33	43	50	33	20	4	–
	White Male	95	–	–	–	–	–	–	–	1	–	–	1	1	2	8	13	16	14	23	11	4	1	–
	Female	147	–	–	–	–	–	–	–	–	3	2	2	6	8	9	7	14	29	27	22	16	2	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	2	–	–	–	–	1	–
580–584	Nephritis and nephrosis	873	1	–	–	2	–	13	10	11	12	22	33	40	55	73	116	120	117	121	84	39	4	–
	White Male	358	–	–	–	–	–	2	5	1	3	4	6	12	29	34	54	50	48	55	39	16	–	–
	Female	310	–	–	–	1	–	7	1	2	2	7	8	8	15	17	35	44	50	49	40	22	2	–
	All other Male	100	1	–	–	1	–	3	3	7	4	5	5	10	6	11	14	9	8	11	2	–	–	–
	Female	105	–	–	–	–	–	1	1	1	3	6	14	10	5	11	13	17	11	6	3	1	2	–
580, 581	Acute nephritis and nephrotic syndrome	178	1	–	–	–	–	–	1	–	3	4	3	4	11	10	28	20	26	39	13	13	2	–
	White Male	72	–	–	–	–	–	–	1	–	1	2	–	1	8	7	13	8	10	16	2	3	–	–
	Female	82	–	–	–	–	–	–	–	–	1	2	2	2	2	2	9	10	13	17	11	10	1	–
	All other Male	15	1	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	2	5	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	1	1	1	–	–	1	–
582–584	Chronic and unqualified nephritis and renal sclerosis	695	–	–	–	2	–	13	9	11	9	18	30	36	44	63	88	100	91	82	71	26	2	–
	White Male	286	–	–	–	–	–	2	4	1	2	2	6	11	21	27	41	42	38	39	37	13	–	–
	Female	228	–	–	–	1	–	7	1	2	1	5	6	6	13	15	26	34	37	32	29	12	1	–
	All other Male	85	–	–	–	1	–	3	3	7	3	5	5	9	5	10	12	8	6	6	2	–	–	–
	Female	96	–	–	–	–	–	1	1	1	3	6	13	10	5	11	9	16	10	5	3	1	1	–
590	Infections of kidney	275	2	–	–	–	–	–	–	–	1	2	4	10	9	26	31	41	42	45	38	16	8	–
	White Male	99	1	–	–	–	–	–	–	–	–	–	–	1	3	8	8	21	16	16	15	8	2	–
	Female	138	1	–	–	–	–	–	–	–	1	1	3	5	3	15	14	16	21	22	22	8	6	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	–	1	–	2	5	1	1	2	–	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	3	3	1	4	3	4	5	1	–	–	–
600	Hyperplasia of prostate	118	–	–	–	–	–	–	–	–	–	–	–	–	–	2	10	19	16	35	22	11	3	–
	White Male	110	–	–	–	–	–	–	–	–	–	–	–	–	–	2	8	17	14	34	21	11	3	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	31	–	–	–	–	3	11	6	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	19	–	–	–	–	3	7	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	12	–	–	–	–	–	4	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
640–645	Abortions	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	29	–	–	–	–	3	9	6	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	19	–	–	–	–	3	7	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	10	–	–	–	–	–	2	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	980	628	79	43	23	18	17	14	14	15	16	12	16	26	15	15	12	9	4	1	1	1	1
	White Male	389	247	29	11	8	9	7	6	5	4	8	7	11	10	5	10	5	4	2	–	–	–	1
	Female	381	235	30	18	14	3	7	6	5	9	6	4	4	13	9	4	5	4	2	1	1	1	–
	All other Male	118	82	8	8	–	5	1	2	2	2	2	1	1	1	1	–	1	1	–	–	–	–	–
	Female	92	64	12	6	1	1	2	–	2	–	–	–	–	2	–	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	2,102	2,100	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	734	734	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	576	575	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	452	451	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	340	340	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,061	1,060	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	371	371	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	278	278	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	232	231	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	180	180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	1,041	1,040	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	363	363	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	298	297	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	220	220	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	160	160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,734	389	37	14	16	58	156	170	96	84	85	123	96	79	64	75	47	52	38	29	17	5	4
	White Male	752	145	14	4	7	31	79	84	40	30	33	49	43	31	33	37	22	28	19	15	5	1	2
	Female	541	91	11	6	5	13	35	35	27	28	36	42	34	31	23	32	22	22	18	13	12	4	1
	All other Male	247	85	5	3	2	8	29	30	19	16	10	15	6	12	3	3	1	–	–	–	–	–	–
	Female	194	68	7	1	2	6	13	21	10	10	6	17	13	5	5	3	2	2	1	1	–	–	1
Residual	All other diseases	10,532	130	56	44	54	91	210	256	190	197	276	391	529	741	965	1,174	1,257	1,416	1,324	796	356	78	1
	White Male	4,883	55	19	15	24	48	103	89	60	57	92	143	226	367	500	593	661	710	627	350	122	22	–
	Female	4,046	33	27	21	22	23	39	56	45	46	69	121	158	246	328	438	485	614	612	406	210	46	1
	All other Male	892	25	7	3	3	11	36	67	52	66	68	79	92	69	69	69	68	46	37	14	9	2	–
	Female	711	17	3	5	5	9	32	44	33	28	47	48	53	59	68	74	43	46	48	26	15	8	–
E800–E949	Accidents	5,731	43	146	150	208	603	560	418	276	207	222	282	263	278	262	297	296	346	396	291	149	32	6
	White Male	3,219	14	70	76	110	402	392	289	164	116	122	148	157	168	155	165	146	161	160	128	60	12	4
	Female	1,717	19	44	40	56	146	100	64	48	34	40	62	52	65	80	104	124	166	220	147	86	18	2
	All other Male	592	6	22	29	33	45	48	56	57	40	46	55	39	33	20	22	18	11	7	4	–	1	–
	Female	203	4	10	5	9	10	20	9	7	17	14	17	15	12	7	6	8	8	9	12	3	1	–
E810–E823	Motor vehicle accidents	2,310	7	44	80	97	397	342	243	137	92	100	102	111	105	86	91	88	77	69	34	7	1	–
	White Male	1,413	–	23	38	58	262	240	172	79	53	52	55	76	63	45	47	42	37	38	28	4	1	–
	Female	617	5	15	24	24	112	70	43	27	18	26	25	20	24	34	38	38	38	27	6	3	–	–
	All other Male	212	1	5	14	10	18	20	24	28	14	18	17	9	14	4	5	6	2	3	–	–	–	–
	Female	68	1	1	4	5	5	12	4	3	7	4	5	6	4	3	1	2	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	3,421	36	102	70	111	206	218	175	139	115	122	180	152	173	176	206	208	269	327	257	142	31	6
	White Male	1,806	14	47	38	52	140	152	117	85	63	70	93	81	105	110	118	104	124	122	100	56	11	4
	Female	1,100	14	29	16	32	34	30	21	21	16	14	37	32	41	46	66	86	128	193	141	83	18	2
	All other Male	380	5	17	15	23	27	28	32	29	26	28	38	30	19	16	17	12	9	4	4	–	1	–
	Female	135	3	9	1	4	5	8	5	4	10	10	12	9	8	4	5	6	8	8	12	3	1	–
E950–E959	Suicide	1,676	. . .	. . .	–	11	84	203	175	148	126	98	122	139	142	106	111	77	61	45	22	4	2	–
	White Male	1,091	. . .	. . .	–	5	64	146	115	95	77	59	74	83	93	65	64	53	44	33	16	4	–	–
	Female	451	. . .	. . .	–	3	12	31	43	38	37	29	39	45	42	37	41	20	15	11	6	–	2	–
	All other Male	100	. . .	. . .	–	1	7	23	12	11	9	7	7	6	5	3	4	3	2	–	–	–	–	–
	Female	34	. . .	. . .	–	2	1	3	5	4	3	3	2	5	1	1	2	1	–	1	–	–	–	–
E960–E978	Homicide	1,900	17	21	11	24	182	314	318	251	207	135	129	74	75	42	34	21	23	10	7	1	–	4
	White Male	800	3	4	3	9	75	129	116	109	100	54	62	32	34	20	19	9	12	3	4	–	–	3
	Female	189	3	4	3	7	16	23	26	19	12	11	14	7	12	4	3	8	7	6	3	1	–	–
	All other Male	740	6	4	3	6	76	128	149	106	79	56	46	29	20	15	8	3	4	1	–	–	–	1
	Female	171	5	9	2	2	15	34	27	17	16	14	7	6	9	3	4	1	–	–	–	–	–	–
E980–E999	Other external causes	973	22	39	25	17	38	92	105	82	53	68	82	68	67	49	42	36	39	26	17	2	2	2
	White Male	425	5	11	7	10	20	48	52	35	23	33	26	25	34	22	19	9	19	15	6	–	–	–
	Female	223	7	9	5	3	4	15	15	15	10	14	19	12	16	13	16	16	11	9	11	2	1	–
	All other Male	222	7	7	9	4	9	19	28	23	14	17	26	24	11	10	4	2	5	1	–	–	1	1
	Female	103	3	12	4	–	5	10	10	9	6	4	11	7	6	4	3	3	4	1	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina																							
	All causes	45,832	1,434	245	196	199	617	736	633	594	765	1,114	1,783	2,757	3,555	4,481	5,275	5,576	5,547	4,811	3,329	1,647	528	10
	White Male	19,624	439	82	67	103	359	377	271	245	318	483	829	1,309	1,730	2,270	2,483	2,517	2,270	1,796	1,075	472	128	1
	Female	14,682	385	58	53	41	118	117	101	115	166	250	391	593	802	1,020	1,438	1,689	2,103	2,220	1,803	928	290	1
	All other Male	6,581	332	55	46	34	110	183	195	156	181	258	363	513	625	724	772	744	585	371	197	86	44	7
	Female	4,945	278	50	30	21	30	59	66	78	100	123	200	342	398	467	582	626	589	424	254	161	66	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	53	26	3	–	–	1	1	–	–	–	1	1	3	–	1	4	–	2	4	3	3	–	–
	White Male	10	2	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	1	1	2	–	–
	Female	12	2	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–	–	3	1	1	–	–
	All other Male	13	9	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
	Female	18	13	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	99	–	1	–	–	–	–	1	3	3	5	2	8	7	9	21	11	11	8	7	2	–	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	1	3	1	3	11	3	5	3	–	1	–	–
	Female	14	–	1	–	–	–	–	–	–	–	–	–	1	–	3	3	1	–	1	3	1	–	–
	All other Male	40	–	–	–	–	–	–	1	3	1	2	1	4	6	2	6	6	4	1	3	–	–	–
	Female	14	–	–	–	–	–	–	–	–	2	3	–	–	–	1	1	1	2	3	1	–	–	–
010–012	Tuberculosis of respiratory system	77	–	–	–	–	–	–	–	3	3	4	2	6	5	7	15	9	10	4	7	2	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	1	3	1	2	7	2	5	1	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	1	1	–	–	–
	All other Male	31	–	–	–	–	–	–	–	3	1	1	1	3	4	1	4	6	3	1	3	–	–	–
	Female	13	–	–	–	–	–	–	–	–	2	3	–	–	–	1	1	1	2	2	1	–	–	–
013–019	Tuberculosis, other forms	22	–	1	–	–	–	–	1	–	–	1	–	2	2	2	6	2	1	4	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	–	2	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
	All other Male	9	–	–	–	–	–	–	1	–	–	1	–	1	2	1	2	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	15	3	1	1	1	4	–	1	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	White Male	3	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	2	1	–	1	2	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	All other Male	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	191	39	1	2	1	2	3	3	3	3	3	8	5	14	18	11	20	13	19	12	9	2	–
	White Male	59	11	–	1	1	–	–	1	–	–	3	2	5	7	4	7	4	9	1	3	–	–	–
	Female	52	6	–	1	–	1	–	1	2	–	–	1	1	3	5	2	7	3	6	7	5	1	–
	All other Male	38	11	–	–	–	1	2	–	–	1	2	2	1	1	3	2	3	2	4	3	–	–	–
	Female	42	11	1	–	–	–	1	2	–	2	1	2	1	5	3	3	3	4	–	1	1	1	–
040–043	Acute poliomyelitis	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	138	8	7	4	2	1	4	10	9	3	8	5	13	12	12	10	8	9	6	2	4	1	–
	White Male	53	6	3	–	–	–	2	1	2	1	1	3	7	6	5	5	2	3	4	1	1	–	–
	Female	38	1	2	2	1	–	–	2	1	–	2	–	1	4	4	3	5	4	1	1	3	1	–
	All other Male	30	–	–	1	–	–	2	5	2	2	5	1	4	–	2	2	1	2	1	–	–	–	–
	Female	17	1	2	1	1	1	–	2	4	–	–	1	1	2	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,255	1	12	33	20	29	40	57	72	105	218	399	706	974	1,162	1,264	1,154	936	639	306	105	23	–
	White—Male	3,426	–	5	14	7	21	22	17	22	39	62	154	276	407	527	553	510	413	247	93	29	8	–
	White—Female	2,874	–	4	9	10	5	13	23	30	49	94	145	243	314	342	406	373	317	270	168	53	6	–
	All other—Male	1,124	1	1	4	1	2	4	8	4	4	37	54	96	154	196	177	167	117	60	22	11	4	–
	All other—Female	831	–	2	6	2	1	1	9	16	13	25	46	91	99	97	128	104	89	62	23	12	5	–
140–149	Of buccal cavity and pharynx	196	–	–	–	1	2	2	2	1	2	9	14	23	29	35	32	14	15	7	4	3	1	–
	White—Male	103	–	–	–	1	–	–	1	–	–	2	7	11	17	23	20	8	7	2	1	2	1	–
	White—Female	48	–	–	–	–	1	1	–	–	–	2	2	2	6	6	9	3	7	5	3	1	–	–
	All other—Male	37	–	–	–	–	1	–	1	1	1	5	5	8	5	6	2	2	–	–	–	–	–	–
	All other—Female	8	–	–	–	–	–	1	–	–	1	–	–	2	1	–	1	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,010	–	–	–	2	1	2	7	8	12	32	72	138	209	277	327	297	283	204	94	36	9	–
	White—Male	755	–	–	–	–	1	1	2	2	7	8	25	54	78	115	138	118	110	65	19	11	1	–
	White—Female	715	–	–	–	2	–	1	1	3	4	10	28	36	48	77	106	103	115	101	59	18	3	–
	All other—Male	311	–	–	–	–	–	–	3	1	1	9	13	24	51	64	45	43	30	16	6	2	3	–
	All other—Female	229	–	–	–	–	–	–	1	2	–	5	6	24	32	21	38	33	28	22	10	5	2	–
160–163	Of respiratory system	1,909	–	–	–	1	–	1	2	5	19	46	106	194	308	346	316	265	168	89	32	8	3	–
	White—Male	1,224	–	–	–	–	–	–	–	1	14	25	61	126	186	223	211	178	120	55	19	4	1	–
	White—Female	309	–	–	–	1	–	1	1	2	4	8	19	25	56	48	51	38	23	20	9	2	1	–
	All other—Male	324	–	–	–	–	–	–	1	1	1	12	22	35	58	68	50	42	21	9	3	1	–	–
	All other—Female	52	–	–	–	–	–	–	–	1	–	1	4	8	8	7	4	7	4	5	1	1	1	–
174	Of breast	717	–	–	–	–	–	–	7	11	24	33	59	94	103	98	91	72	47	38	28	11	1	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	White—Female	579	–	–	–	–	–	–	5	8	20	28	44	75	83	83	70	60	37	31	27	8	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	134	–	–	–	–	–	–	2	3	4	5	15	19	20	14	19	11	10	7	1	3	1	–
180–187	Of genital organs	1,032	–	–	–	–	–	6	7	9	13	25	35	77	71	122	147	165	161	118	55	16	5	–
	White—Male	337	–	–	–	–	–	4	3	–	3	1	3	8	10	30	39	59	78	61	30	4	4	–
	White—Female	334	–	–	–	–	–	2	2	5	7	17	19	49	35	43	41	44	32	22	11	5	–	–
	All other—Male	194	–	–	–	–	–	–	–	–	–	–	–	2	9	22	39	48	36	21	11	6	–	–
	All other—Female	167	–	–	–	–	–	–	2	4	3	7	13	18	17	27	28	14	15	14	3	1	1	–
188, 189	Of urinary organs	329	–	1	3	–	2	1	–	–	1	4	13	22	30	39	62	60	40	36	12	3	–	–
	White—Male	170	–	1	–	–	2	–	–	–	–	1	6	12	17	25	28	38	17	18	4	1	–	–
	White—Female	91	–	–	–	–	–	1	–	–	–	1	4	3	6	8	21	14	13	13	6	1	–	–
	All other—Male	40	–	–	2	–	–	–	–	–	–	1	2	2	5	4	8	5	6	3	1	1	–	–
	All other—Female	28	–	–	1	–	–	–	–	–	1	1	1	5	2	2	5	3	4	2	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,278	–	7	11	4	8	14	18	22	22	39	65	103	154	158	181	159	142	93	56	21	1	–
	White—Male	485	–	2	4	2	6	8	4	10	7	15	35	44	66	72	71	56	48	20	11	4	–	–
	White—Female	507	–	2	4	1	2	5	9	7	10	15	17	31	53	48	66	63	63	56	38	16	1	–
	All other—Male	128	–	1	2	–	–	1	2	1	1	5	7	16	20	18	19	16	12	7	–	–	–	–
	All other—Female	158	–	2	1	1	–	–	3	4	4	4	6	12	15	20	25	24	19	10	7	1	–	–
204–207	Leukemia	362	1	3	17	11	15	9	7	6	6	12	12	22	24	34	49	47	38	27	15	5	2	–
	White—Male	167	–	1	9	3	11	6	2	3	4	3	6	9	12	15	22	19	16	16	7	2	1	–
	White—Female	128	–	2	5	6	2	1	5	2	2	8	5	8	8	10	20	17	10	8	8	1	–	–
	All other—Male	40	1	–	–	1	1	2	–	–	–	1	1	2	2	5	6	6	8	2	–	1	1	–
	All other—Female	27	–	–	3	1	1	–	–	1	–	–	–	3	2	4	1	5	4	1	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	422	–	1	2	1	1	5	7	10	6	18	23	33	46	53	59	75	42	27	10	2	1	–
	White—Male	182	–	1	1	1	1	3	5	6	4	7	11	12	21	23	23	33	17	10	2	1	–	–
	White—Female	163	–	–	–	–	–	1	–	3	2	5	7	14	19	19	22	31	17	14	7	1	1	–
	All other—Male	49	–	–	–	–	–	1	1	–	–	4	4	7	4	9	7	5	4	2	1	–	–	–
	All other—Female	28	–	–	1	–	–	–	1	1	–	2	1	–	2	2	7	6	4	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	121	–	–	1	–	3	2	1	1	3	8	10	7	6	18	20	13	10	10	6	2	–	–
	White—Male	48	–	–	–	–	1	1	–	–	1	3	5	4	4	10	5	4	3	2	5	–	–	–
	White—Female	40	–	–	–	–	2	1	–	–	1	2	3	–	1	3	7	6	5	7	–	2	–	–
	All other—Male	18	–	–	–	–	–	–	–	–	1	1	–	2	–	4	6	2	2	–	–	–	–	–
	All other—Female	15	–	–	1	–	–	–	1	1	–	2	2	1	1	1	2	1	–	1	1	–	–	–
250	Diabetes mellitus	875	–	–	–	2	1	5	7	9	13	15	26	45	62	107	148	137	117	96	64	15	6	–
	White—Male	263	–	–	–	1	–	1	3	5	6	7	10	16	24	28	48	38	27	23	21	3	2	–
	White—Female	319	–	–	–	–	–	4	–	2	4	2	4	6	16	27	51	57	46	54	34	9	3	–
	All other—Male	110	–	–	–	–	–	–	4	2	1	5	5	12	9	13	17	16	12	11	3	–	–	–
	All other—Female	183	–	–	–	1	1	–	–	–	2	1	7	11	13	39	32	26	32	8	6	3	1	–
260–269	Avitaminoses and other nutritional deficiencies	55	4	1	–	–	–	–	–	–	–	–	2	2	2	3	5	5	8	13	6	3	1	–
	White—Male	16	1	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	1	4	2	1	–	–
	White—Female	19	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	5	3	1	–	–
	All other—Male	10	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	1	–	1	–
	All other—Female	10	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	2	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
280–285	Anemias	82	1	2	–	–	–	2	1	3	2	2	2	3	2	10	9	11	8	12	6	6	–	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	5	4	7	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	2	3	1	3	–	–
	All other Male	17	1	2	–	–	–	2	–	2	–	–	2	–	1	2	2	1	1	–	–	–	–	–
	Female	18	–	–	–	–	–	–	1	1	2	2	–	1	–	1	2	1	1	1	3	2	–	–
320	Meningitis	36	11	5	2	1	–	1	–	–	–	1	1	2	3	4	2	–	2	–	1	–	–	–
	White Male	9	1	3	1	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	Female	10	4	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–
	All other Male	13	2	–	1	–	–	1	–	–	–	1	1	1	1	2	1	–	2	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	23,214	28	15	8	12	26	38	48	77	150	331	664	1,176	1,638	2,177	2,849	3,268	3,536	3,204	2,333	1,236	396	4
	White Male	9,940	11	7	5	6	7	13	17	27	57	182	367	647	876	1,185	1,393	1,462	1,395	1,131	721	340	91	–
	Female	7,986	3	3	–	3	8	8	7	14	27	53	93	168	293	414	716	979	1,415	1,557	1,297	706	221	1
	All other Male	2,772	7	2	2	1	7	11	19	23	45	56	123	223	273	341	416	433	339	225	126	64	33	3
	Female	2,516	7	3	1	2	4	6	5	13	21	40	81	138	196	237	324	394	387	291	189	126	51	–
390–398, 402, 404, 410–429	Diseases of heart	16,818	26	11	5	7	15	24	30	52	120	255	543	957	1,347	1,746	2,220	2,332	2,464	2,112	1,519	783	247	3
	White Male	7,825	10	4	3	5	4	7	13	25	50	156	326	571	778	999	1,169	1,102	1,044	782	487	233	57	–
	Female	5,384	2	3	–	1	3	6	5	5	19	36	65	121	222	321	543	684	958	988	833	430	138	1
	All other Male	1,968	7	2	2	–	5	6	8	13	36	37	91	171	213	252	296	294	224	163	79	46	21	2
	Female	1,641	7	2	–	1	3	5	4	9	15	26	61	94	134	174	212	252	238	179	120	74	31	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	307	–	–	2	1	5	5	1	2	7	13	25	25	30	37	46	41	26	24	8	5	4	–
	White Male	117	–	–	1	–	1	2	1	–	2	5	6	14	14	15	19	19	7	6	2	1	2	–
	Female	115	–	–	–	1	1	1	–	1	4	6	7	6	10	14	17	17	11	14	1	2	2	–
	All other Male	36	–	–	1	–	2	–	–	–	1	1	5	2	6	3	4	3	5	2	1	–	–	–
	Female	39	–	–	–	–	1	2	–	1	–	1	7	3	–	5	6	2	3	2	4	2	–	–
402	Hypertensive heart disease	128	–	–	–	–	–	–	–	3	–	2	7	10	12	14	21	25	9	8	10	4	3	–
	White Male	37	–	–	–	–	–	–	–	1	–	–	3	4	5	6	4	8	1	2	2	1	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	1	1	–	1	4	8	6	5	5	2	2	–
	All other Male	33	–	–	–	–	–	–	–	–	–	1	3	3	4	5	8	6	–	1	2	–	–	–
	Female	23	–	–	–	–	–	–	–	2	–	1	–	2	3	2	5	3	2	–	1	1	1	–
404	Hypertensive heart and renal disease	121	–	–	–	–	–	1	–	–	1	–	4	9	5	11	20	19	14	11	14	10	2	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	1	3	1	4	7	5	5	2	3	2	–	–
	Female	48	–	–	–	–	–	–	–	–	1	–	–	3	–	1	7	5	7	6	10	6	2	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	1	–	1	4	4	5	1	1	–	1	–	–
	Female	22	–	–	–	–	–	1	–	–	–	–	2	3	3	2	2	4	1	2	1	1	–	–
410–413	Ischemic heart disease	15,014	–	1	–	–	1	1	11	36	83	206	448	824	1,210	1,568	1,989	2,104	2,268	1,945	1,385	714	217	3
	White Male	7,137	–	–	–	–	1	4	23	42	141	292	512	715	922	1,071	1,012	968	728	445	213	48	–	–
	Female	4,829	–	1	–	–	1	–	2	2	7	25	45	92	198	279	479	622	891	910	762	391	121	1
	All other Male	1,686	–	–	–	–	–	–	4	8	24	26	70	151	184	222	259	255	200	148	71	43	19	2
	Female	1,362	–	–	–	–	–	–	1	3	10	14	41	69	113	145	180	215	209	159	107	67	29	–
410	Acute myocardial infarction	8,338	–	1	–	–	1	–	7	28	60	159	316	589	862	1,059	1,290	1,228	1,136	837	507	196	61	1
	White Male	4,530	–	–	–	–	–	–	4	22	37	114	222	408	538	664	742	646	527	350	172	68	16	–
	Female	2,377	–	1	–	–	1	–	2	1	6	20	33	66	147	200	318	355	451	373	272	99	31	1
	All other Male	850	–	–	–	–	–	–	1	4	13	18	41	83	117	124	141	137	76	51	27	12	5	–
	Female	581	–	–	–	–	–	–	–	1	4	7	20	32	60	71	89	90	82	63	36	17	9	–
411	Other acute and subacute forms of ischemic heart disease	74	–	–	–	–	–	–	–	–	2	–	5	7	7	9	12	7	11	8	3	2	1	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	2	3	4	3	6	4	5	3	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	1	4	4	1	–	–	–
	All other Male	18	–	–	–	–	–	–	–	–	1	–	2	4	2	3	1	1	1	1	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	–	–	1	3	1	1	1	–	1	2	–	–
412	Chronic ischemic heart disease	6,600	–	–	–	–	–	1	4	8	21	47	127	227	341	500	687	869	1,121	1,099	875	516	155	2
	White Male	2,576	–	–	–	–	–	1	–	1	5	27	68	101	173	255	323	362	436	374	273	145	32	–
	Female	2,436	–	–	–	–	–	–	–	1	1	5	11	25	51	79	157	266	436	533	489	292	90	2
	All other Male	818	–	–	–	–	–	–	3	4	10	8	27	64	65	95	117	117	123	96	43	31	13	2
	Female	770	–	–	–	–	–	–	1	2	5	7	21	37	52	71	90	124	126	96	70	48	20	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	78	1	1	–	–	–	2	–	2	3	3	2	7	2	7	12	5	6	10	10	3	2	–
	White Male	36	–	–	–	–	–	–	–	–	1	1	1	4	2	2	8	4	2	7	4	–	–	–
	Female	24	–	–	–	–	–	–	–	–	2	1	1	3	–	3	2	1	1	3	2	3	2	–
	All other Male	12	–	1	–	–	–	2	–	1	–	1	–	–	–	1	2	–	1	–	3	–	–	–
	Female	6	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,170	25	9	3	6	9	15	18	9	26	31	57	82	88	109	132	138	141	114	92	47	19	–
	White Male	465	10	4	2	5	3	4	8	1	5	9	23	34	41	50	60	54	61	37	31	16	7	–
	White Female	333	2	2	–	–	1	5	3	2	5	4	11	16	14	23	34	31	42	50	53	26	9	–
	All other Male	183	7	1	1	–	3	4	4	4	11	8	12	15	18	17	19	25	17	11	2	2	2	–
	All other Female	189	6	2	–	1	2	2	3	2	5	10	11	17	15	19	19	28	21	16	6	3	1	–
400, 401, 403	Hypertension	203	–	–	–	–	1	1	1	2	2	5	8	13	14	10	20	34	38	26	15	11	2	–
	White Male	56	–	–	–	–	–	–	–	–	1	1	3	2	–	4	5	8	9	14	5	3	1	–
	White Female	50	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	14	7	9	5	5	1	–
	All other Male	44	–	–	–	–	1	1	1	2	1	3	2	5	4	2	4	8	6	2	2	–	–	–
	All other Female	53	–	–	–	–	–	–	–	–	–	1	2	4	9	2	8	4	16	1	3	3	–	–
430–438	Cerebrovascular diseases	5,033	2	4	3	5	7	12	14	21	23	59	93	181	228	327	495	734	863	869	642	351	100	–
	White Male	1,574	1	3	2	1	2	5	2	2	4	21	30	56	75	128	159	266	283	256	181	77	20	–
	White Female	2,109	1	–	–	2	3	2	1	9	7	12	22	41	58	77	145	231	375	474	368	224	57	–
	All other Male	648	–	–	–	1	1	4	10	8	6	14	25	46	48	65	98	117	92	53	39	14	7	–
	All other Female	702	–	1	1	1	1	1	1	2	6	12	16	38	47	57	93	120	113	86	54	36	16	–
431	Cerebral hemorrhage	558	1	1	2	2	1	2	3	7	10	22	26	50	68	52	59	76	69	62	27	17	1	–
	White Male	186	1	–	1	–	–	1	–	–	2	5	8	18	21	22	18	37	21	21	8	2	–	–
	White Female	200	–	–	–	1	1	–	1	3	4	1	4	10	19	13	20	22	40	31	15	15	–	–
	All other Male	93	–	–	–	–	–	1	1	3	3	9	6	13	14	11	11	11	3	4	3	–	–	–
	All other Female	79	–	1	1	1	–	–	1	1	1	7	8	9	14	6	10	6	5	6	1	–	1	–
433	Cerebral thrombosis	1,235	–	–	–	–	1	1	1	1	1	3	7	20	30	63	117	201	214	254	188	107	26	–
	White Male	414	–	–	–	–	1	–	–	–	–	1	3	5	12	24	44	80	76	87	53	23	5	–
	White Female	554	–	–	–	–	–	1	–	1	–	–	2	4	7	21	36	61	97	133	106	70	15	–
	All other Male	126	–	–	–	–	–	–	1	–	–	1	1	7	4	12	20	28	20	12	13	5	2	–
	All other Female	141	–	–	–	–	–	–	–	–	1	1	1	4	7	6	17	32	21	22	16	9	4	–
434	Cerebral embolism	16	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	3	–	5	–	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	3	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,224	1	3	1	3	5	9	10	13	12	34	59	111	130	212	317	453	577	553	422	227	72	–
	White Male	967	–	3	1	1	1	4	2	2	2	15	18	33	42	82	96	148	185	148	117	52	15	–
	White Female	1,349	1	–	–	1	2	1	–	5	3	11	16	27	32	43	89	145	237	310	246	139	41	–
	All other Male	428	–	–	–	1	1	3	8	5	3	4	18	26	30	42	67	78	69	37	22	9	5	–
	All other Female	480	–	–	–	–	1	1	–	1	4	4	7	25	26	45	65	82	86	58	37	27	11	–
440	Arteriosclerosis	577	–	–	–	–	–	–	–	–	–	1	3	5	7	25	36	64	87	123	111	71	43	1
	White Male	201	–	–	–	–	–	–	–	–	–	–	2	3	4	15	8	29	30	47	31	20	12	–
	White Female	264	–	–	–	–	–	–	–	–	–	–	1	1	1	3	15	22	36	56	69	38	22	–
	All other Male	49	–	–	–	–	–	–	–	–	–	1	–	–	1	6	8	6	11	5	3	2	5	1
	All other Female	63	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	7	10	15	8	11	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	583	–	–	–	–	3	1	3	2	5	11	17	20	42	69	78	104	84	74	46	20	4	–
	White Male	284	–	–	–	–	1	1	2	–	2	4	6	15	19	39	52	57	29	32	17	7	1	–
	White Female	179	–	–	–	–	2	–	1	–	1	5	4	3	11	11	10	28	39	30	22	9	3	–
	All other Male	63	–	–	–	–	–	–	–	–	2	1	5	1	7	16	10	8	6	2	3	2	–	–
	All other Female	57	–	–	–	–	–	–	–	2	–	1	2	1	5	3	6	11	10	10	4	2	–	–
466	Acute bronchitis and bronchiolitis	20	4	3	–	–	–	–	–	–	–	2	–	–	1	1	1	2	1	1	2	2	–	–
	White Male	11	2	1	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	2	2	–	–
	White Female	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–
	All other Male	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–486	Influenza and pneumonia	1,361	39	9	4	3	4	11	8	8	24	21	38	47	76	88	93	144	176	236	203	87	42	–
	White Male	586	12	2	1	1	2	5	3	2	8	10	13	15	33	36	53	72	71	111	91	33	12	–
	White Female	465	7	3	–	1	2	3	2	1	7	5	12	11	14	16	20	38	66	88	96	49	24	–
	All other Male	203	13	3	3	1	–	3	2	3	5	4	12	15	23	27	14	18	21	19	11	3	3	–
	All other Female	107	7	1	–	–	–	–	1	2	4	2	1	6	6	9	6	16	18	18	5	2	3	–
470–474	Influenza	123	–	–	1	–	–	1	–	–	1	3	2	3	6	6	10	18	16	16	19	16	5	–
	White Male	53	–	–	1	–	–	–	–	–	1	2	–	–	2	1	6	10	6	6	9	8	1	–
	White Female	56	–	–	–	–	–	1	–	–	–	1	1	2	3	5	4	5	4	8	10	8	4	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	4	1	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–
480–486	Pneumonia	1,238	39	9	3	3	4	10	8	8	23	18	36	44	70	82	83	126	160	220	184	71	37	–
	White Male	533	12	2	–	1	2	5	3	2	7	8	13	15	31	35	47	62	65	105	82	25	11	–
	White Female	409	7	3	–	1	2	2	2	1	7	4	11	9	11	11	16	33	62	80	86	41	20	–
	All other Male	194	13	3	3	1	–	3	2	3	5	4	11	14	23	27	14	16	17	18	11	3	3	–
	All other Female	102	7	1	–	–	–	–	1	2	4	2	1	6	5	9	6	15	16	17	5	2	3	–
490–493	Bronchitis, emphysema, and asthma	500	–	2	1	–	–	1	–	2	3	8	16	23	47	78	74	85	75	45	28	9	3	–
	White Male	320	–	–	–	–	–	–	–	–	2	3	5	11	29	54	51	59	53	31	16	5	1	–
	White Female	108	–	–	–	–	–	–	–	1	1	3	6	5	8	16	13	12	17	10	12	3	1	–
	All other Male	54	–	1	–	–	–	1	–	–	–	1	5	5	6	7	8	12	4	4	–	–	–	–
	All other Female	18	–	1	1	–	–	–	–	1	–	1	–	2	4	1	2	2	1	–	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	113	–	2	–	–	–	–	–	–	1	2	2	1	12	12	13	21	19	14	9	3	2	
	White Male	61	–	–	–	–	–	–	–	–	–	1	1	1	4	8	9	11	13	8	4	–	1	
	Female	36	–	–	–	–	–	–	–	–	1	1	–	–	5	3	3	5	5	5	5	2	1	
	All other Male	13	–	1	–	–	–	–	–	–	–	–	1	–	2	1	1	5	1	1	–	–	–	
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	
492	Emphysema	325	–	–	–	–	–	–	–	–	–	4	7	16	27	60	53	61	46	26	19	5	1	
	White Male	241	–	–	–	–	–	–	–	–	–	1	3	8	23	45	41	47	36	21	12	4	–	
	Female	51	–	–	–	–	–	–	–	–	–	2	3	3	2	11	5	7	7	3	7	1	–	
	All other Male	30	–	–	–	–	–	–	–	–	–	1	1	5	2	4	6	6	3	2	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	
493	Asthma	62	–	–	1	–	–	1	–	2	2	2	7	6	8	6	8	3	10	5	–	1	–	
	White Male	18	–	–	–	–	–	–	–	–	2	1	1	2	2	1	1	1	4	2	–	1	–	
	Female	21	–	–	–	–	–	–	–	1	–	–	3	2	1	2	5	–	5	2	–	–	–	
	All other Male	11	–	–	–	–	–	1	–	–	–	–	3	–	2	2	1	1	–	1	–	–	–	
	Female	12	–	–	1	–	–	–	–	1	–	1	–	2	3	1	1	1	1	–	–	–	–	
531–533	Peptic ulcer	149	1	–	–	–	1	–	1	2	2	9	9	14	9	17	23	17	12	16	10	5	1	
	White Male	67	–	–	–	–	–	–	–	–	1	4	4	9	4	12	16	7	2	6	2	–	–	
	Female	43	–	–	–	–	–	–	–	–	–	2	2	2	4	1	4	7	4	6	6	4	1	
	All other Male	24	–	–	–	–	–	1	2	1	2	3	3	1	3	3	1	2	–	2	–	–	–	
	Female	15	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	2	4	4	–	1	–	
540–543	Appendicitis	21	–	1	–	–	1	–	1	–	2	–	–	2	1	–	1	5	2	2	3	–	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	–	–	–	–	
	Female	12	–	1	–	–	1	–	1	–	1	–	–	1	–	–	1	1	–	2	3	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	114	14	–	–	–	–	2	1	1	1	2	2	8	3	8	14	13	16	13	8	3	5	
	White Male	30	5	–	–	–	–	–	–	1	1	–	1	2	–	2	1	5	7	3	–	–	2	
	Female	53	7	–	–	–	–	1	–	–	–	–	1	2	–	5	4	4	8	7	8	3	3	
	All other Male	12	1	–	–	–	–	2	–	–	–	2	–	1	1	–	1	2	1	1	–	–	–	
	Female	19	1	–	–	–	–	–	–	–	–	–	–	3	2	1	8	2	–	2	–	–	–	
571	Cirrhosis of liver	673	–	–	1	–	–	4	7	22	37	67	101	112	111	77	62	50	13	5	3	1	–	
	White Male	317	–	–	–	–	–	1	2	8	16	30	43	46	63	42	26	27	10	2	1	–	–	
	Female	161	–	–	–	–	–	1	1	1	4	15	22	27	25	24	21	12	3	2	2	1	–	
	All other Male	110	–	–	–	–	–	1	3	9	11	10	24	20	12	6	7	6	–	1	–	–	–	
	Female	85	–	–	1	–	–	1	1	4	6	12	12	19	11	5	8	5	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	48	–	–	–	–	–	–	1	–	–	–	–	2	3	3	3	4	10	10	6	3	3	
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	2	2	2	1	–	1	
	Female	25	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	6	7	3	2	2	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	
580–584	Nephritis and nephrosis	254	1	–	2	–	4	5	3	2	5	11	11	21	30	23	34	31	29	23	13	6	–	
	White Male	75	–	–	2	–	1	3	1	2	2	3	3	3	10	5	8	10	11	7	2	2	–	
	Female	70	1	–	–	–	1	1	1	–	2	2	3	6	4	6	10	9	7	9	5	3	–	
	All other Male	55	–	–	–	–	2	1	1	–	–	3	3	3	8	6	8	6	5	5	3	1	–	
	Female	54	–	–	–	–	–	–	–	–	1	3	2	9	8	6	8	6	6	2	3	–	–	
580, 581	Acute nephritis and nephrotic syndrome	35	1	–	–	–	1	–	1	–	–	1	–	3	5	1	6	6	5	4	–	1	–	
	White Male	12	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	3	2	2	–	–	–	
	Female	13	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	1	2	–	1	–	
	All other Male	6	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	219	–	–	2	–	3	5	2	2	5	10	11	18	25	22	28	25	24	19	13	5	–	
	White Male	63	–	–	2	–	1	3	1	2	2	2	3	3	6	5	8	7	9	5	2	2	–	
	Female	57	–	–	–	–	1	1	–	–	2	2	3	5	4	5	6	8	6	7	5	2	–	
	All other Male	49	–	–	–	–	1	1	1	–	–	3	3	2	8	6	7	4	4	5	3	1	–	
	Female	50	–	–	–	–	–	–	–	–	1	3	2	8	7	6	7	6	5	2	3	–	–	
590	Infections of kidney	129	–	–	–	–	–	–	–	1	2	–	1	7	6	15	7	20	17	19	17	14	3	
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	1	1	5	2	5	4	9	4	5	2	
	Female	49	–	–	–	–	–	–	–	1	1	–	1	4	–	5	–	5	7	4	13	7	1	
	All other Male	17	–	–	–	–	–	–	–	–	1	–	–	–	3	1	3	3	3	3	–	–	–	
	Female	25	–	–	–	–	–	–	–	–	–	–	–	2	2	4	2	7	3	3	–	2	–	
600	Hyperplasia of prostate	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	3	1	–	
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	1	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	13	–	–	–	–	1	5	1	5	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	4	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	9	–	–	–	–	1	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	13	–	–	–	–	1	5	1	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	1	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	377	256	35	11	7	3	14	5	2	7	2	3	9	7	6	2	3	2	–	–	1	1	1
	White Male	131	82	15	3	4	2	6	2	–	3	–	1	2	4	5	1	1	–	–	–	–	–	–
	Female	136	101	6	5	2	1	4	1	–	3	1	1	2	2	1	1	1	2	–	–	1	1	–
	All other Male	55	36	5	1	–	–	1	1	2	1	1	1	4	1	–	–	1	–	–	–	–	–	–
	Female	55	37	9	2	1	–	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	733	733	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	237	237	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	204	204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	166	166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	126	126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	391	391	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	122	122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	342	342	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	509	159	10	1	1	3	5	13	8	12	16	32	25	20	34	25	33	33	29	27	17	5	1
	White Male	166	40	4	–	1	2	2	3	3	3	4	15	7	10	17	14	12	6	10	7	5	1	–
	Female	126	23	1	1	–	–	1	2	–	1	2	8	7	5	3	9	8	15	12	15	9	4	–
	All other Male	121	45	4	–	–	1	1	6	4	6	9	6	6	3	7	2	8	6	2	2	2	–	1
	Female	96	51	1	–	–	–	1	2	1	2	1	3	5	2	7	–	5	6	5	3	1	–	–
Residual	All other diseases	3,223	64	24	19	13	38	40	49	54	101	113	157	215	265	351	394	393	368	289	174	77	23	2
	White Male	1,399	20	8	4	4	17	16	15	19	36	40	59	96	114	179	178	200	163	131	67	27	6	–
	Female	958	11	11	9	3	7	7	11	14	20	21	29	44	62	84	120	114	138	116	81	41	15	–
	All other Male	525	24	3	4	3	8	8	18	11	26	37	48	47	55	51	61	38	40	25	14	1	1	2
	Female	341	9	2	2	3	6	9	5	10	19	15	21	28	34	37	35	41	27	17	12	8	1	–
E800–E949	Accidents	3,135	37	103	101	128	397	375	239	164	142	158	181	194	161	166	129	115	114	99	83	35	13	1
	White Male	1,624	8	33	34	72	251	228	136	92	75	84	85	99	74	84	61	61	60	43	32	10	2	–
	Female	647	11	20	24	20	75	54	27	21	27	28	36	35	27	32	29	33	32	47	42	21	6	–
	All other Male	658	10	30	29	26	62	80	60	38	32	40	42	48	51	38	25	15	17	5	4	3	2	1
	Female	206	8	20	14	10	9	13	16	13	8	6	18	12	9	12	14	6	5	4	5	1	3	–
E810–E823	Motor vehicle accidents	1,566	9	40	60	64	299	254	159	97	76	75	75	74	69	65	42	34	44	18	5	6	–	1
	White Male	850	2	14	22	38	187	159	82	54	44	44	35	33	36	27	18	16	25	10	1	3	–	–
	Female	316	3	7	14	10	64	40	22	18	13	16	20	17	12	15	12	12	9	7	3	2	–	–
	All other Male	315	2	9	17	10	41	48	45	18	15	12	16	23	19	18	6	4	8	1	1	1	–	1
	Female	85	2	10	7	6	7	7	10	7	4	3	4	1	2	5	6	2	2	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,569	28	63	41	64	98	121	80	67	66	83	106	120	92	101	87	81	70	81	78	29	13	–
	White Male	774	6	19	12	34	64	69	54	38	31	40	50	66	38	57	43	45	35	33	31	7	2	–
	Female	331	8	13	10	10	11	14	5	3	14	12	16	18	15	17	17	21	23	40	39	19	6	–
	All other Male	343	8	21	12	16	21	32	15	20	17	28	26	25	32	20	19	11	9	4	3	2	2	–
	Female	121	6	10	7	4	2	6	6	6	4	3	14	11	7	7	8	4	3	4	5	1	3	–
E950–E959	Suicide	677	...	...	–	4	42	69	67	50	49	49	61	76	55	64	48	19	14	7	2	1	–	–
	White Male	455	...	...	–	3	25	46	45	31	34	31	39	47	43	41	34	14	14	6	1	1	–	–
	Female	147	...	...	–	–	8	11	11	14	9	13	17	23	10	17	9	4	–	1	–	–	–	–
	All other Male	58	...	...	–	1	7	8	8	5	5	3	4	5	2	4	5	–	–	–	1	–	–	–
	Female	17	...	...	–	–	2	4	3	–	1	2	1	1	–	2	–	1	–	–	–	–	–	–
E960–E978	Homicide	678	4	9	3	4	51	103	100	89	86	59	45	30	33	26	16	10	7	1	1	–	–	1
	White Male	219	–	–	2	2	24	27	24	26	29	16	16	10	14	10	8	4	6	–	–	–	–	1
	Female	61	–	3	1	–	4	6	7	9	8	2	3	–	5	7	1	3	–	1	1	–	–	–
	All other Male	312	3	1	–	1	19	55	55	45	36	35	23	13	12	9	4	1	–	–	–	–	–	–
	Female	86	1	5	–	1	4	15	14	9	13	6	3	7	2	–	3	2	1	–	–	–	–	–
E980–E999	Other external causes	63	1	1	2	–	4	6	7	7	8	5	5	2	6	3	4	1	–	1	–	–	–	–
	White Male	26	–	–	–	–	4	3	1	4	3	2	2	–	3	2	1	–	–	1	–	–	–	–
	Female	16	–	–	1	–	–	2	2	1	1	2	3	1	2	–	1	–	–	–	–	–	–	–
	All other Male	9	–	–	–	–	–	–	2	1	2	1	–	–	1	–	1	1	–	–	–	–	–	–
	Female	12	1	1	1	–	–	1	2	1	2	–	–	1	–	1	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota																							
	All causes	5,516	148	35	7	25	66	81	46	27	48	75	139	168	270	416	596	691	743	775	708	341	111	–
	White Male	3,103	76	20	3	17	41	57	29	16	31	43	75	114	174	288	384	443	419	389	319	133	32	–
	Female	2,248	54	10	3	5	19	14	8	7	10	22	54	47	85	114	199	242	311	378	386	204	76	–
	All other Male	91	10	1	1	2	4	5	6	3	3	5	5	6	7	9	5	4	8	3	–	2	2	–
	Female	74	8	4	–	1	2	5	3	1	4	5	5	1	4	5	8	2	5	5	3	2	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	11	5	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–	1	–	–	–	–
	White Male	4	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	7	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	12	2	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	3	2	1	–	–
	White Male	7	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	1	1	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	10	–	–	1	–	–	–	1	–	–	–	–	–	1	–	1	1	2	3	–	–	–	–
	White Male	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	980	–	–	2	2	2	5	3	3	7	15	49	51	82	104	155	154	117	119	84	23	3	–
	White—Male	529	–	–	1	–	2	4	1	1	5	10	15	27	41	57	99	96	65	57	40	7	1	–
	Female	434	–	–	1	1	–	1	2	2	2	5	32	24	39	42	54	57	50	61	43	16	2	–
	All other—Male	7	–	–	–	1	–	–	–	–	–	–	–	–	1	3	1	1	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	2	1	1	–	–	–
140–149	Of buccal cavity and pharynx	13	–	–	–	1	–	–	–	–	–	–	1	–	2	3	1	1	–	3	1	–	–	–
	White—Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	3	1	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	321	–	–	–	–	1	–	–	1	1	5	17	7	19	30	47	55	48	51	28	10	1	–
	White—Male	180	–	–	–	–	1	–	–	–	1	4	8	6	11	19	32	33	26	23	11	4	1	–
	Female	135	–	–	–	–	–	–	–	1	–	1	9	1	8	10	14	22	20	27	16	6	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–	–
160–163	Of respiratory system	169	–	–	–	–	–	–	1	1	1	3	9	12	17	25	40	28	12	9	10	1	–	–
	White—Male	117	–	–	–	–	–	–	–	1	1	1	1	8	9	21	32	22	8	7	6	–	–	–
	Female	49	–	–	–	–	–	–	1	–	–	2	8	4	7	3	8	5	4	2	4	1	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	88	–	–	–	–	–	–	–	–	1	–	6	12	10	9	6	12	8	8	10	6	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	86	–	–	–	–	–	–	–	–	1	–	5	12	10	8	6	12	8	8	10	6	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	138	–	–	–	–	–	1	1	–	2	3	7	7	8	10	18	24	15	21	17	3	1	–
	White—Male	81	–	–	–	–	–	–	–	–	1	1	1	2	3	3	10	18	13	15	12	2	–	–
	Female	56	–	–	–	–	–	1	1	–	1	2	6	5	4	7	8	6	2	6	5	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	65	–	–	–	–	–	–	–	–	–	2	3	4	8	5	14	10	5	8	5	–	1	–
	White—Male	37	–	–	–	–	–	–	–	–	–	2	2	4	5	1	7	8	3	3	2	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	–	3	2	6	2	2	5	3	–	1	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	73	–	–	2	–	–	1	–	1	1	2	2	4	9	10	10	6	9	7	7	2	–	–
	White—Male	37	–	–	1	–	–	1	–	–	1	2	–	3	5	5	6	1	6	2	4	–	–	–
	Female	35	–	–	1	–	–	–	–	1	–	–	1	1	4	5	4	5	3	5	3	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	39	–	–	–	1	1	–	–	–	1	–	2	4	1	3	4	6	8	5	3	–	–	–
	White—Male	21	–	–	–	–	1	–	–	–	1	–	1	3	1	1	3	4	2	2	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	6	3	1	–	–	–
	All other—Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	74	–	–	–	–	–	3	1	–	–	–	2	1	8	9	15	12	12	7	3	1	–	–
	White—Male	46	–	–	–	–	–	3	1	–	–	–	1	1	6	5	8	9	7	2	2	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	–	2	4	7	3	5	5	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	11	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	1	2	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	–	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	94	–	–	–	–	–	1	–	–	–	3	1	–	5	7	11	15	19	15	14	2	1	–
	White—Male	44	–	–	–	–	–	–	–	–	–	3	–	–	3	5	6	6	9	5	6	1	–	–
	Female	48	–	–	–	–	–	1	–	–	–	–	1	–	1	2	5	9	9	10	8	1	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	10	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	1	2	–	–
	White—Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	1	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
280–285	Anemias	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	–	–	
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	2,849	5	–	–	3	–	1	4	3	10	16	34	56	114	203	309	374	463	479	455	242	78	
	White Male	1,599	3	–	–	3	–	–	2	3	8	11	25	40	90	156	206	239	260	239	194	98	22	
	Female	1,210	1	–	–	–	–	1	1	–	1	4	6	14	20	43	96	133	197	239	259	141	54	
	All other Male	21	1	–	–	–	–	–	1	–	–	1	2	2	2	2	2	1	4	–	–	1	2	
	Female	19	–	–	–	–	–	–	–	–	1	–	1	–	2	2	5	1	2	1	2	2	–	
390–398, 402, 404, 410–429	Diseases of heart	2,073	4	–	–	1	–	–	2	3	7	13	31	45	99	168	248	291	325	322	297	171	46	
	White Male	1,224	3	–	–	1	–	–	1	3	6	11	24	35	80	134	167	189	190	162	132	70	16	
	Female	819	–	–	–	–	–	–	–	–	1	1	4	8	16	31	76	101	131	159	164	99	28	
	All other Male	17	1	–	–	–	–	–	1	–	–	1	2	2	1	2	2	–	2	–	–	1	2	
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	2	1	1	1	–	
390–398	Active rheumatic fever and chronic rheumatic heart disease	36	–	–	–	–	–	–	–	–	–	1	1	1	4	3	5	6	9	3	2	1	–	
	White Male	17	–	–	–	–	–	–	–	–	–	1	1	–	2	–	4	4	3	–	2	–	–	
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	2	6	3	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	8	3	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	5	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	3	2	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	1,817	1	–	–	1	–	–	1	3	5	9	28	40	87	151	221	257	290	283	258	145	37	
	White Male	1,092	1	–	–	1	–	–	–	3	5	8	22	32	73	122	149	169	172	143	115	63	14	
	Female	702	–	–	–	–	–	–	–	–	–	1	3	6	12	27	68	87	114	139	143	81	21	
	All other Male	14	–	–	–	–	–	–	1	–	–	–	2	2	1	1	2	–	2	–	–	1	2	
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	2	1	–	–	–	
410	Acute myocardial infarction	1,106	1	–	–	–	–	–	–	3	4	8	25	30	67	119	167	180	186	144	117	43	12	
	White Male	720	1	–	–	–	–	–	–	3	4	7	20	26	54	97	115	119	116	74	63	18	3	
	Female	372	–	–	–	–	–	–	–	–	–	1	2	3	11	21	49	60	68	69	54	25	9	
	All other Male	8	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	–	1	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	12	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	–	–	1	–	2	–	
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	–	–	1	–	2	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	698	–	–	–	1	–	–	1	–	1	1	3	8	17	30	52	77	104	138	140	100	25	
	White Male	362	–	–	–	1	–	–	–	–	1	1	2	5	16	24	32	50	56	68	52	43	11	
	Female	327	–	–	–	–	–	–	–	–	–	–	1	2	1	5	19	27	46	70	88	56	12	
	All other Male	6	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	1	2	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	2	2	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	186	3	–	–	–	–	–	1	–	2	3	2	4	8	11	21	23	26	31	26	18	7	–
	White Male	100	2	–	–	–	–	–	1	–	1	2	1	3	5	9	13	15	15	16	10	5	2	–
	Female	80	–	–	–	–	–	–	–	–	1	–	1	1	2	1	7	8	11	15	15	13	5	–
	All other Male	3	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
400, 401, 403	Hypertension	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	1	–	4	–	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	–	3	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	580	1	–	–	1	–	1	2	–	3	3	2	8	11	26	45	60	101	120	125	55	16	–
	White Male	265	–	–	–	1	–	–	1	–	2	–	1	2	9	15	28	34	48	53	50	18	3	–
	Female	310	1	–	–	–	–	1	1	–	–	3	1	6	2	10	16	26	52	67	75	36	13	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	1	–	–
431	Cerebral hemorrhage	63	1	–	–	–	–	–	–	–	–	–	–	2	3	3	9	6	17	9	7	5	1	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	–	3	3	5	5	8	2	4	–	–	–
	Female	33	1	–	–	–	–	–	–	–	–	–	–	2	–	–	4	1	9	7	3	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	120	–	–	–	–	–	–	–	–	1	–	–	1	2	1	10	9	17	26	30	20	3	–
	White Male	58	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	7	9	12	13	7	–	–
	Female	60	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	7	14	17	13	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	394	–	–	–	1	–	1	2	–	1	3	2	5	6	22	26	43	67	85	88	30	12	–
	White Male	176	–	–	–	1	–	–	1	–	1	–	1	1	5	11	16	22	31	39	33	11	3	–
	Female	215	–	–	–	–	–	1	1	–	–	3	1	4	1	10	9	21	36	46	55	18	9	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
440	Arteriosclerosis	109	–	–	–	–	–	–	–	–	–	–	–	1	1	4	5	8	16	24	24	11	15	–
	White Male	56	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	6	10	15	8	7	2	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	6	9	16	4	13	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	74	–	–	–	1	–	–	–	–	–	–	1	2	2	5	10	10	20	13	5	5	–	–
	White Male	44	–	–	–	1	–	–	–	–	–	–	–	2	1	3	7	6	11	9	1	3	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	8	4	3	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
466	Acute bronchitis and bronchiolitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	265	3	3	–	–	1	2	1	1	1	1	3	4	4	9	11	22	34	53	62	39	11	–
	White Male	127	1	–	–	–	1	1	–	–	–	1	1	3	4	7	3	13	20	29	27	14	2	–
	Female	130	1	2	–	–	–	–	1	–	1	–	2	–	–	2	8	8	14	22	35	25	9	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	6	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–
470–474	Influenza	75	–	1	–	–	–	1	–	–	–	–	1	–	–	2	3	6	10	13	21	11	6	–
	White Male	33	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	2	9	7	7	4	–	–
	Female	40	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	5	14	7	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
480–486	Pneumonia	190	3	2	–	–	1	1	1	1	1	1	2	4	4	7	8	16	24	40	41	28	5	–
	White Male	94	1	–	–	–	1	–	–	–	–	1	–	3	4	6	2	11	11	22	20	10	2	–
	Female	90	1	1	–	–	–	–	1	–	1	–	2	–	–	1	6	5	13	17	21	18	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	72	–	–	–	–	–	–	–	–	1	1	–	3	3	11	19	14	10	3	6	1	–	–
	White Male	51	–	–	–	–	–	–	–	–	–	–	–	3	3	7	12	8	10	3	4	1	–	–
	Female	20	–	–	–	–	–	–	–	–	1	1	–	–	–	4	6	6	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	2	–	1	–	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	47	–	–	–	–	–	–	–	–	1	–	–	1	2	9	13	7	8	1	4	1	–	
	White Male	37	–	–	–	–	–	–	–	–	–	–	–	1	2	5	10	5	8	1	4	1	–	
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	–	4	3	2	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	12	–	–	–	–	–	–	–	–	–	1	–	2	1	–	3	2	–	2	1	–	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	2	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
531–533	Peptic ulcer	33	–	–	–	–	–	1	–	1	–	2	–	1	2	2	2	4	5	3	5	3	2	
	White Male	22	–	–	–	–	–	1	–	–	–	2	–	1	1	2	2	3	4	1	2	2	1	
	Female	11	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	2	3	1	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	5	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	–	
	White Male	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	28	2	–	–	–	–	–	–	–	–	–	–	–	1	4	3	6	1	6	5	–	–	
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	4	–	2	3	–	–	
	Female	12	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	63	–	–	–	–	–	–	–	1	3	4	8	10	6	13	3	7	6	2	–	–	–	
	White Male	44	–	–	–	–	–	–	–	1	2	–	6	8	4	9	3	6	5	–	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	1	–	2	–	–	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	13	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	3	–	3	1	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	1	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	21	–	–	–	–	–	1	–	–	–	1	1	1	2	1	2	3	2	3	4	–	–	
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	4	–	–	
	Female	8	–	–	–	–	–	1	–	–	–	1	1	1	2	–	–	1	1	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	17	–	–	–	–	–	1	–	–	–	1	1	1	2	1	1	2	2	3	2	–	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	–	–	
	Female	8	–	–	–	–	–	1	–	–	–	1	1	1	2	–	–	1	1	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5	–	2	2	–	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	2	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	White Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	56	37	6	–	1	2	–	–	2	–	–	1	2	1	1	–	2	1	–	–	–	–	–
	White ..... Male	33	20	5	–	1	1	–	–	1	–	–	1	–	1	1	–	1	1	–	–	–	–	–
	Female	21	15	1	–	–	1	–	–	1	–	–	–	2	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	67	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	46	13	1	–	1	–	–	–	–	1	–	–	1	1	2	–	3	3	6	7	3	4	–
	White ..... Male	23	8	1	–	–	–	–	–	–	1	–	–	1	–	1	–	3	–	2	2	1	3	–
	Female	18	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	5	1	1	–
	All other ..... Male	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	343	4	3	1	1	2	6	3	1	7	7	13	12	21	24	41	50	40	50	34	16	7	–
	White ..... Male	201	2	3	–	1	1	4	1	–	4	5	8	9	9	16	24	34	20	30	23	5	2	–
	Female	129	1	–	1	–	1	2	–	1	3	1	4	2	11	8	17	15	18	17	11	11	5	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	–	–	–
	Female	8	1	–	–	–	–	–	2	–	–	1	1	1	–	–	–	1	–	1	–	–	–	–
E800–E949	Accidents	394	5	22	3	14	50	52	28	6	13	20	15	13	18	22	25	15	26	19	16	7	5	–
	White ..... Male	247	3	11	2	9	34	39	20	4	8	10	11	9	15	13	17	11	12	10	6	2	1	–
	Female	108	–	7	–	4	11	7	4	1	2	6	2	2	2	9	6	4	14	9	10	5	3	–
	All other ..... Male	23	1	1	1	–	3	3	3	1	2	2	2	2	1	–	1	–	–	–	–	–	–	–
	Female	16	1	3	–	1	2	3	1	–	1	2	–	–	–	–	1	–	–	–	–	–	1	–
E810–E823	Motor vehicle accidents	203	3	9	–	7	39	35	20	5	8	16	5	3	9	10	9	7	9	7	1	1	–	–
	White ..... Male	124	2	1	–	3	27	26	14	3	4	7	3	2	7	4	6	5	5	4	–	1	–	–
	Female	52	–	5	–	3	8	4	2	1	2	5	1	1	2	6	2	2	4	3	1	–	–	–
	All other ..... Male	13	–	–	–	–	2	3	3	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–
	Female	14	1	3	–	1	2	2	1	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	191	2	13	3	7	11	17	8	1	5	4	10	10	9	12	16	8	17	12	15	6	5	–
	White ..... Male	123	1	10	2	6	7	13	6	1	4	3	8	7	8	9	11	6	7	6	6	1	1	–
	Female	56	–	2	–	1	3	3	2	–	–	1	1	1	–	3	4	2	10	6	9	5	3	–
	All other ..... Male	10	1	1	1	–	1	–	–	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
E950–E959	Suicide	70	...	...	–	1	6	8	5	5	2	3	7	10	5	7	3	5	2	1	–	–	–	–
	White ..... Male	52	...	...	–	1	2	5	4	4	1	1	6	10	2	7	3	4	1	1	–	–	–	–
	Female	12	...	...	–	–	3	1	–	–	–	2	1	–	3	–	–	1	1	–	–	–	–	–
	All other ..... Male	6	...	...	–	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	12	–	–	–	–	2	2	1	1	–	–	1	–	–	2	2	–	1	–	–	–	–	–
	White ..... Male	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	4	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	17	2	–	–	1	1	2	–	1	3	1	3	2	–	1	–	–	–	–	–	–	–	–
	White ..... Male	10	–	–	–	1	–	2	–	1	2	–	1	2	–	1	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio																							
	All causes	96,159	2,322	381	306	304	966	1,150	960	916	1,029	1,630	2,991	5,030	6,578	8,717	10,448	11,393	12,712	12,584	9,559	4,717	1,455	11
	White Male	46,829	1,046	186	150	170	603	731	539	448	498	819	1,592	2,772	3,688	4,975	5,867	5,934	5,942	5,295	3,619	1,557	396	2
	Female	39,923	782	130	104	88	245	230	221	279	308	482	889	1,478	2,086	2,830	3,518	4,490	5,775	6,556	5,544	2,929	953	6
	All other Male	5,457	265	43	27	28	77	145	131	129	135	200	322	495	510	565	645	533	551	361	162	85	46	2
	Female	3,950	229	22	25	18	41	44	69	60	88	129	188	285	294	347	418	436	444	372	234	146	60	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	91	25	5	1	–	–	1	1	–	3	1	3	2	3	4	6	5	11	8	4	5	3	–
	White Male	32	10	2	1	–	–	1	–	–	1	–	–	–	1	1	4	4	2	2	–	2	1	–
	Female	42	5	1	–	–	–	–	1	–	1	1	3	2	2	1	2	1	7	6	4	3	2	–
	All other Male	8	6	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	4	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–
010–019	Tuberculosis, all forms	106	–	–	–	–	–	–	–	1	–	6	6	10	15	6	15	11	15	11	7	3	–	–
	White Male	48	–	–	–	–	–	–	–	–	–	1	–	4	8	3	7	6	7	7	3	2	–	–
	Female	26	–	–	–	–	–	–	–	1	–	1	2	–	2	3	7	–	2	3	4	1	–	–
	All other Male	24	–	–	–	–	–	–	–	–	–	2	2	3	5	–	1	5	5	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	79	–	–	–	–	–	–	–	1	–	5	3	6	10	4	11	9	13	9	6	2	–	–
	White Male	36	–	–	–	–	–	–	–	–	–	1	–	1	5	2	5	5	6	7	2	2	–	–
	Female	16	–	–	–	–	–	–	–	1	–	1	–	–	1	2	5	–	1	1	4	–	–	–
	All other Male	22	–	–	–	–	–	–	–	–	–	2	2	3	4	–	1	4	5	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	27	–	–	–	–	–	–	–	–	–	1	3	4	5	2	4	2	2	2	1	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	3	3	1	2	1	1	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	1	2	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	19	8	7	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	White Male	13	6	6	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	5	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	293	57	4	1	1	3	1	2	3	2	4	8	11	13	18	12	36	39	31	30	13	4	–
	White Male	123	31	2	1	1	1	–	2	1	1	1	3	4	7	7	6	14	16	10	11	4	–	–
	Female	118	17	–	–	–	1	–	–	–	1	2	2	3	4	7	3	15	20	17	15	9	2	–
	All other Male	22	3	1	–	–	–	1	–	1	–	–	–	2	–	2	2	3	2	1	2	–	2	–
	Female	30	6	1	–	–	1	–	–	1	–	1	3	2	2	2	1	4	1	3	2	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	3	2	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	215	22	8	8	1	5	2	4	3	3	6	12	19	14	13	22	20	25	13	8	2	5	–
	White Male	93	9	4	4	1	3	1	3	1	2	1	6	8	6	6	11	5	12	5	2	1	2	–
	Female	93	7	3	4	–	1	1	1	2	–	4	5	6	8	6	7	13	9	6	6	1	3	–
	All other Male	13	4	–	–	–	1	–	–	–	1	–	–	3	–	–	1	1	1	1	–	–	–	–
	Female	16	2	1	–	–	–	–	–	–	–	1	1	2	–	1	3	1	3	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,302	4	36	57	46	82	94	112	148	222	396	833	1,541	2,071	2,560	2,835	2,611	2,386	1,823	1,019	350	76	–
	White—Male	9,316	3	16	23	26	43	55	65	54	90	156	355	687	960	1,316	1,523	1,332	1,169	845	439	139	20	–
	Female	8,101	1	19	26	16	32	30	38	76	107	194	361	621	886	973	1,037	1,058	1,020	852	522	186	46	–
	All other—Male	1,166	–	1	5	2	2	5	3	12	8	25	62	143	143	187	173	140	129	80	31	10	5	–
	Female	719	–	–	3	2	5	4	6	6	17	21	55	90	82	84	102	81	68	46	27	15	5	–
140–149	Of buccal cavity and pharynx	393	–	–	–	1	2	2	2	3	4	11	20	43	56	72	58	43	45	16	8	6	1	–
	White—Male	234	–	–	–	–	–	2	1	1	2	7	11	24	32	44	41	24	27	11	3	3	1	–
	Female	102	–	–	–	1	2	–	1	2	1	1	3	8	15	22	11	11	14	4	5	1	–	–
	All other—Male	40	–	–	–	–	–	–	–	–	–	1	3	8	8	6	3	6	3	–	–	2	–	–
	Female	17	–	–	–	–	–	–	–	–	1	2	3	3	1	–	3	2	1	1	–	–	–	–
150–159	Of digestive organs and peritoneum	5,227	–	1	–	–	3	5	12	18	32	73	153	316	481	655	751	770	771	638	380	141	27	–
	White—Male	2,411	–	–	–	–	2	2	8	9	17	39	82	160	243	352	373	349	334	251	134	49	7	–
	Female	2,261	–	1	–	–	1	3	3	4	11	25	51	96	179	226	298	342	362	343	219	81	16	–
	All other—Male	332	–	–	–	–	–	–	–	5	2	8	11	32	39	50	48	43	48	27	12	5	2	–
	Female	223	–	–	–	–	–	–	1	–	2	1	9	28	20	27	32	36	27	17	15	6	2	–
160–163	Of respiratory system	4,868	–	–	–	1	–	3	6	11	36	90	250	496	682	830	863	656	501	280	128	29	6	–
	White—Male	3,306	–	–	–	–	–	1	2	5	18	50	137	298	436	577	642	481	360	198	79	20	2	–
	Female	1,041	–	–	–	1	–	2	2	3	11	30	64	117	171	162	139	126	103	59	41	7	3	–
	All other—Male	409	–	–	–	–	–	–	–	1	4	10	37	67	57	76	62	40	30	18	6	1	–	–
	Female	112	–	–	–	–	–	–	2	2	3	–	12	14	18	15	20	9	8	5	2	1	1	–
174	Of breast	1,784	–	–	–	–	–	2	11	30	37	74	131	224	231	245	205	190	172	114	82	30	6	–
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–
	Female	1,652	–	–	–	–	–	2	9	27	30	64	115	203	221	228	191	180	166	105	78	28	5	–
	All other—Male	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	124	–	–	–	–	–	–	2	2	7	10	16	20	10	17	13	10	5	8	2	1	1	–
180–187	Of genital organs	2,260	–	–	2	3	9	15	17	17	33	44	72	111	176	212	308	332	352	299	178	65	15	–
	White—Male	914	–	–	1	1	1	14	10	6	4	4	3	9	28	46	118	158	182	166	121	35	7	–
	Female	1,111	–	–	1	1	7	–	6	11	27	37	60	90	124	139	153	137	136	108	43	25	6	–
	All other—Male	145	–	–	–	–	–	1	–	–	–	–	2	1	10	19	25	26	24	23	10	2	2	–
	Female	90	–	–	–	1	1	–	1	–	2	3	7	11	14	8	12	11	10	2	4	3	–	–
188, 189	Of urinary organs	896	1	1	5	–	1	4	–	3	8	12	28	62	75	103	119	134	119	126	67	19	9	–
	White—Male	555	1	1	–	–	1	1	–	–	5	9	16	46	49	68	78	86	76	76	32	9	1	–
	Female	281	–	–	5	–	–	1	–	2	3	2	10	7	20	25	33	43	37	43	32	10	8	–
	All other—Male	41	–	–	–	–	–	1	–	1	–	1	1	6	4	8	8	3	3	2	3	–	–	–
	Female	19	–	–	–	–	–	1	–	–	–	–	1	3	2	2	–	2	3	5	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,058	1	17	20	19	32	32	31	35	35	63	108	175	210	249	281	238	199	183	89	36	5	–
	White—Male	974	1	6	7	11	19	19	22	14	20	36	62	94	90	126	137	116	82	71	26	15	–	–
	Female	897	–	10	8	6	10	9	8	19	12	22	38	56	92	95	121	105	98	104	61	18	5	–
	All other—Male	112	–	1	4	1	1	2	1	1	2	3	4	18	16	17	15	13	9	4	–	–	–	–
	Female	75	–	–	1	1	2	2	–	1	1	2	4	7	12	11	8	4	10	4	2	3	–	–
204–207	Leukemia	796	1	15	26	19	18	15	14	11	20	15	36	45	57	79	93	93	99	76	49	12	3	–
	White—Male	408	1	7	13	11	11	10	8	7	14	5	23	24	29	43	47	50	47	31	24	3	–	–
	Female	329	–	8	10	7	7	4	6	4	5	7	10	16	25	30	36	35	46	38	24	9	2	–
	All other—Male	35	–	–	1	1	–	–	–	–	–	1	2	4	2	6	4	4	5	4	–	–	1	–
	Female	24	–	–	2	–	–	1	–	–	1	2	1	1	1	–	6	4	1	3	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,020	1	2	4	3	17	16	19	20	17	14	35	69	103	115	157	155	128	91	38	12	4	–
	White—Male	508	–	2	2	3	9	6	14	12	10	6	21	32	53	60	86	68	60	40	18	4	2	–
	Female	427	1	–	2	–	5	9	3	4	7	6	10	28	39	46	55	79	58	48	19	7	1	–
	All other—Male	50	–	–	–	–	1	1	2	3	–	1	2	6	7	5	8	5	7	2	–	–	–	–
	Female	35	–	–	–	–	2	–	–	1	–	1	2	3	4	4	8	3	3	1	1	1	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	206	2	2	–	4	2	3	3	2	9	5	13	19	22	14	19	29	27	14	11	6	–	–
	White—Male	86	–	2	–	3	2	3	2	–	5	–	8	7	7	7	7	12	14	2	4	1	–	–
	Female	86	2	–	–	–	–	–	1	1	1	4	2	8	10	7	8	12	11	9	6	4	–	–
	All other—Male	15	–	–	–	–	–	–	–	–	1	–	2	2	3	–	2	1	2	2	–	–	–	–
	Female	19	–	–	–	1	–	–	–	1	2	1	1	2	2	–	2	4	–	1	1	1	–	–
250	Diabetes mellitus	2,024	–	–	2	1	1	4	11	20	18	31	55	91	139	191	280	302	368	281	160	57	12	–
	White—Male	700	–	–	1	–	1	–	5	10	8	12	18	27	57	67	106	116	117	85	53	13	4	–
	Female	1,079	–	–	–	1	–	3	4	7	3	14	24	47	48	93	142	150	224	177	95	40	7	–
	All other—Male	83	–	–	–	–	–	–	2	3	4	3	8	4	11	12	9	14	6	2	3	1	1	–
	Female	162	–	–	1	–	–	1	–	–	3	2	5	13	23	19	23	22	21	17	9	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	125	2	–	–	–	1	1	2	–	–	–	2	2	4	5	6	18	15	26	23	13	5	–
	White—Male	48	1	–	–	–	–	1	1	–	–	–	1	–	1	2	1	10	4	9	10	5	2	–
	Female	65	1	–	–	–	1	–	1	–	–	–	1	1	3	2	2	7	10	13	12	8	3	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio — Con.																							
280–285	Anemias	151	1	–	2	1	4	1	4	–	2	2	3	2	9	13	14	22	19	23	15	10	4	–
	White Male	65	–	–	2	1	1	1	1	–	–	–	1	1	3	9	5	10	7	10	6	6	1	–
	Female	68	–	–	–	–	–	–	1	–	–	1	1	1	6	4	7	10	11	11	9	4	2	–
	All other Male	11	–	–	–	–	2	–	2	–	1	1	1	–	–	–	1	1	–	1	–	–	1	–
	Female	7	1	–	–	–	1	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	–	–
320	Meningitis	60	20	5	2	1	1	–	1	1	–	–	1	3	6	3	3	2	5	3	2	1	–	–
	White Male	27	10	2	–	–	1	–	1	–	–	–	–	1	3	1	2	–	2	3	–	1	–	–
	Female	22	6	2	2	1	–	–	–	1	–	–	–	–	2	1	1	2	3	–	1	–	–	–
	All other Male	8	3	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	50,768	30	14	7	19	29	50	59	112	242	511	1,101	2,062	2,842	4,120	5,392	6,494	7,817	8,369	6,801	3,553	1,140	4
	White Male	24,330	14	6	5	8	11	29	21	64	127	329	729	1,347	1,831	2,563	3,110	3,379	3,530	3,362	2,438	1,122	305	–
	Female	22,387	8	5	1	5	14	9	21	29	61	87	218	404	663	1,155	1,739	2,576	3,694	4,565	4,106	2,266	758	3
	All other Male	2,176	3	1	–	4	2	8	12	12	34	55	98	206	221	238	317	278	300	199	99	58	30	1
	Female	1,875	5	2	1	2	2	4	5	7	20	40	56	105	127	164	226	261	293	243	158	107	47	–
390–398, 402, 404, 410–429	Diseases of heart	37,925	25	11	3	10	15	30	36	78	181	408	938	1,747	2,426	3,384	4,337	4,999	5,711	5,912	4,580	2,331	760	3
	White Male	19,140	11	5	2	3	8	19	19	51	110	282	662	1,207	1,622	2,181	2,600	2,676	2,613	2,459	1,648	751	211	–
	Female	15,789	8	3	1	3	3	5	10	15	37	62	161	298	527	892	1,333	1,918	2,667	3,132	2,750	1,468	494	2
	All other Male	1,656	2	1	–	4	2	5	5	9	24	38	78	160	181	179	244	219	230	144	69	42	19	1
	Female	1,340	4	2	–	–	2	1	2	3	10	26	37	82	96	132	160	186	201	177	113	70	36	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	681	1	1	1	1	2	4	3	7	20	20	27	57	70	107	91	107	76	57	23	4	2	–
	White Male	289	1	1	1	1	2	2	2	4	4	9	11	26	33	46	39	45	35	20	5	1	1	–
	Female	353	–	–	–	–	–	1	–	1	15	10	14	27	31	54	49	56	39	35	17	3	1	–
	All other Male	22	–	–	–	–	–	1	1	1	1	1	–	2	5	4	1	2	1	1	1	–	–	–
	Female	17	–	–	–	–	–	–	–	1	–	–	2	2	1	3	2	4	1	1	–	–	–	–
402	Hypertensive heart disease	389	–	–	–	–	–	1	–	2	3	6	16	23	30	34	39	44	55	64	46	19	7	–
	White Male	135	–	–	–	–	–	1	–	–	–	2	9	10	10	14	19	21	21	14	10	3	1	–
	Female	192	–	–	–	–	–	–	–	1	–	1	4	4	10	11	16	18	31	45	32	14	5	–
	All other Male	32	–	–	–	–	–	–	–	1	1	2	2	3	5	7	3	1	2	1	2	1	1	–
	Female	30	–	–	–	–	–	–	–	–	2	1	1	6	5	2	1	4	1	4	2	1	–	–
404	Hypertensive heart and renal disease	521	–	–	–	–	–	–	–	1	–	3	3	13	40	32	55	68	69	98	77	40	22	–
	White Male	212	–	–	–	–	–	–	–	–	–	1	2	6	18	19	33	28	26	37	27	8	7	–
	Female	220	–	–	–	–	–	–	–	–	–	1	–	1	10	7	13	29	26	50	46	26	11	–
	All other Male	55	–	–	–	–	–	–	–	1	–	1	1	4	9	4	8	10	9	5	–	1	2	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	1	8	6	4	5	2	–
410–413	Ischemic heart disease	34,205	1	2	–	1	–	4	12	52	134	353	828	1,533	2,144	3,040	3,927	4,578	5,231	5,389	4,184	2,129	660	3
	White Male	17,524	–	1	–	–	–	4	7	40	94	261	610	1,097	1,483	2,007	2,391	2,499	2,401	2,246	1,511	689	183	–
	Female	14,144	1	–	–	–	–	–	4	7	15	44	123	238	438	768	1,180	1,723	2,448	2,865	2,514	1,342	432	2
	All other Male	1,404	–	–	–	1	–	–	1	4	18	31	66	135	147	150	219	192	205	124	59	36	15	1
	Female	1,133	–	1	–	–	–	–	–	1	7	17	29	63	76	115	137	164	177	154	100	62	30	–
410	Acute myocardial infarction	15,945	–	1	–	1	–	2	7	32	84	223	516	974	1,340	1,829	2,291	2,374	2,303	2,052	1,253	532	131	–
	White Male	9,431	–	–	–	–	–	2	4	27	64	175	400	748	978	1,285	1,464	1,398	1,196	943	517	185	45	–
	Female	5,659	–	–	–	–	–	–	3	4	7	31	79	147	277	449	691	844	1,006	1,028	693	321	79	–
	All other Male	500	–	–	–	1	–	–	–	–	9	13	26	56	60	51	84	70	59	34	22	13	2	–
	Female	355	–	1	–	–	–	–	–	1	4	4	11	23	25	44	52	62	42	47	21	13	5	–
411	Other acute and subacute forms of ischemic heart disease	137	–	–	–	–	–	–	–	–	–	2	8	8	6	11	14	17	17	17	21	10	6	–
	White Male	78	–	–	–	–	–	–	–	–	–	1	7	7	4	10	10	10	11	4	8	5	1	–
	Female	55	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	7	6	11	13	5	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–
412	Chronic ischemic heart disease	18,118	1	1	–	–	–	2	5	20	50	128	304	551	798	1,200	1,622	2,185	2,911	3,319	2,908	1,587	523	3
	White Male	8,015	–	1	–	–	–	2	3	13	30	85	203	342	501	712	917	1,091	1,194	1,299	986	499	137	–
	Female	8,425	1	–	–	–	–	–	1	3	8	13	44	90	159	318	485	870	1,436	1,825	1,806	1,016	348	2
	All other Male	903	–	–	–	–	–	–	1	4	9	18	39	79	87	99	135	122	146	90	37	23	13	1
	Female	775	–	–	–	–	–	–	–	–	3	12	18	40	51	71	85	102	135	105	79	49	25	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	181	1	–	1	–	2	2	3	3	–	1	4	6	7	21	17	14	17	35	25	14	8	–
	White Male	79	1	–	–	–	2	2	2	2	–	–	2	3	7	11	8	4	7	14	8	4	2	–
	Female	96	–	–	1	–	–	–	1	–	–	1	2	3	–	10	8	8	9	20	17	10	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,948	22	8	1	8	11	19	18	13	24	25	60	115	135	150	208	188	263	269	225	125	61	–
	White Male	901	9	3	1	2	4	10	8	5	12	9	28	65	71	84	110	79	123	128	87	46	17	–
	Female	784	7	3	–	3	3	4	5	6	7	5	18	25	38	42	67	84	114	117	124	73	39	–
	All other Male	142	2	1	–	3	2	4	3	2	4	3	9	16	15	14	13	13	13	13	7	4	1	–
	Female	121	4	1	–	–	2	1	2	–	1	8	5	9	11	10	18	12	13	11	7	2	4	–
400, 401, 403	Hypertension	335	–	–	–	1	–	–	–	2	3	7	7	14	17	16	35	43	54	55	53	20	8	–
	White Male	161	–	–	–	1	–	–	–	2	–	–	3	7	9	8	17	25	29	29	26	3	2	–
	Female	116	–	–	–	–	–	–	–	–	1	1	1	5	5	11	11	16	21	24	15	4	–	–
	All other Male	34	–	–	–	–	–	–	–	–	1	5	1	5	3	1	3	3	5	3	2	–	2	–
	Female	24	–	–	–	–	–	–	–	–	1	1	2	1	–	2	4	4	4	2	1	2	–	–
430–438	Cerebrovascular diseases	9,417	5	3	4	5	9	13	22	26	47	73	131	262	304	550	794	1,119	1,593	1,847	1,590	803	216	1
	White Male	3,600	3	1	3	3	1	5	2	9	13	36	53	114	144	269	359	478	657	624	537	240	49	–
	Female	5,022	–	2	–	2	8	3	11	11	20	19	45	93	105	216	320	536	802	1,134	1,007	527	160	1
	All other Male	386	1	–	–	–	–	3	6	2	7	9	17	36	30	42	60	45	56	40	19	11	2	–
	Female	409	1	–	1	–	–	2	3	4	7	9	16	19	25	23	55	60	78	49	27	25	5	–
431	Cerebral hemorrhage	1,256	2	1	1	2	3	5	4	8	14	23	36	83	76	120	131	179	184	192	126	52	14	–
	White Male	479	1	–	–	2	–	1	–	3	3	10	10	41	33	51	53	74	71	66	39	19	2	–
	Female	615	–	1	–	–	3	1	2	3	3	6	13	22	24	46	58	88	102	117	83	31	12	–
	All other Male	99	–	–	–	–	–	2	1	1	4	4	6	13	14	17	13	8	7	4	3	2	–	–
	Female	63	1	–	1	–	–	1	1	1	4	3	7	7	5	6	7	9	4	5	1	–	–	–
433	Cerebral thrombosis	2,478	–	–	–	–	–	–	–	1	3	5	15	29	59	118	199	292	461	498	492	249	57	–
	White Male	973	–	–	–	–	–	–	–	–	–	3	5	13	33	57	103	127	198	189	158	74	13	–
	Female	1,337	–	–	–	–	–	–	–	1	1	–	4	7	16	46	69	145	229	289	322	165	43	–
	All other Male	88	–	–	–	–	–	–	–	–	1	2	5	7	6	9	15	10	12	12	6	3	–	–
	Female	80	–	–	–	–	–	–	–	–	1	–	1	2	4	6	12	10	22	8	6	7	1	–
434	Cerebral embolism	36	–	–	–	–	–	–	–	–	–	–	1	–	1	6	7	7	4	1	6	1	2	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	4	1	–	2	–	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	1	2	1	4	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,647	3	2	3	3	6	8	18	17	30	45	79	150	168	306	457	641	944	1,156	966	501	143	1
	White Male	2,136	2	1	3	1	1	4	2	6	10	23	37	60	78	158	203	273	387	369	338	147	33	–
	Female	3,050	–	1	–	2	5	2	9	7	16	13	28	64	64	121	187	302	469	727	598	330	104	1
	All other Male	197	1	–	–	–	–	1	5	1	2	3	6	16	10	16	31	26	37	24	10	6	2	–
	Female	264	–	–	–	–	–	1	2	3	2	6	8	10	16	11	36	40	51	36	20	18	4	–
440	Arteriosclerosis	1,723	–	–	–	–	1	1	–	–	3	3	3	3	20	34	57	123	232	354	426	324	139	–
	White Male	664	–	–	–	–	–	1	–	–	1	1	2	–	12	20	31	55	99	144	160	97	41	–
	Female	973	–	–	–	–	1	–	–	–	1	–	1	2	7	11	22	58	123	195	250	214	88	–
	All other Male	38	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2	2	3	8	9	3	5	–
	Female	48	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	8	7	7	7	10	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,368	–	–	–	3	4	6	1	6	8	20	22	36	75	136	169	210	227	201	152	75	17	–
	White Male	765	–	–	–	1	2	4	–	2	3	10	9	19	44	85	103	145	132	106	67	31	2	–
	Female	487	–	–	–	–	2	1	–	3	2	5	10	10	19	31	53	53	86	83	75	42	12	–
	All other Male	62	–	–	–	–	–	–	1	1	1	2	2	4	6	14	8	9	6	4	–	2	2	–
	Female	54	–	–	–	2	–	1	–	–	2	3	1	3	6	6	5	3	3	8	10	–	1	–
466	Acute bronchitis and bronchiolitis	42	7	–	1	–	–	–	–	1	1	–	2	7	1	2	4	2	5	2	7	–	–	–
	White Male	19	1	–	–	–	–	–	–	–	–	–	–	4	–	1	4	1	4	–	4	–	–	–
	Female	14	3	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	1	2	3	–	–	–
	All other Male	7	3	–	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,655	82	18	7	13	15	14	17	23	9	25	41	65	100	143	165	245	374	480	464	266	88	1
	White Male	1,236	38	11	6	3	5	6	9	8	3	12	15	30	56	83	93	130	187	235	189	94	23	–
	Female	1,173	29	6	1	7	4	6	4	9	5	9	13	21	30	36	54	90	155	219	256	160	58	1
	All other Male	140	10	–	–	2	2	1	3	4	1	1	8	7	11	14	10	13	22	16	5	7	3	–
	Female	106	5	1	–	1	4	1	1	2	–	3	5	7	3	10	8	12	10	10	14	5	4	–
470–474	Influenza	339	2	1	–	–	–	–	–	3	–	1	1	3	5	12	19	29	42	63	90	48	20	–
	White Male	119	2	1	–	–	–	–	–	–	–	–	1	1	2	5	11	11	15	28	23	15	4	–
	Female	215	–	–	–	–	–	–	–	3	–	1	–	1	3	5	7	18	27	35	67	33	15	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
480–486	Pneumonia	2,316	80	17	7	13	15	14	17	20	9	24	40	62	95	131	146	216	332	417	374	218	68	1
	White Male	1,117	36	10	6	3	5	6	9	8	3	12	14	29	54	78	82	119	172	207	166	79	19	–
	Female	958	29	6	1	7	4	6	4	6	5	8	13	20	27	31	47	72	128	184	189	127	43	1
	All other Male	139	10	–	–	2	2	1	3	4	1	1	8	7	11	14	10	13	22	16	5	7	2	–
	Female	102	5	1	–	1	4	1	1	2	–	3	5	6	3	8	7	12	10	10	14	5	4	–
490–493	Bronchitis, emphysema, and asthma	1,374	5	1	1	1	3	–	3	4	6	9	39	69	107	156	234	235	234	150	86	26	5	–
	White Male	947	5	–	–	–	1	–	1	1	1	3	21	40	67	102	167	178	176	116	50	16	2	–
	Female	341	–	–	1	–	2	–	1	2	3	5	12	22	29	44	53	49	50	25	32	8	3	–
	All other Male	58	–	–	–	1	–	–	1	–	1	–	3	3	7	7	13	7	6	6	1	2	–	–
	Female	28	–	1	–	–	–	–	–	1	1	1	3	4	4	3	1	1	2	3	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio—Con.																							
490, 491	Chronic and unqualified bronchitis	263	4	1	–	1	1	–	–	–	–	2	10	11	34	30	34	35	43	23	21	11	2	–
	White—Male	165	4	–	–	–	–	–	–	–	–	1	6	5	22	21	24	24	26	16	10	6	–	–
	Female	81	–	–	–	–	1	–	–	–	–	1	3	5	9	8	5	11	16	5	10	5	2	–
	All other—Male	10	–	–	–	1	–	–	–	–	–	–	–	–	3	–	5	–	1	–	–	–	–	–
	Female	7	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	2	1	–	–	–
492	Emphysema	1,036	1	–	–	–	–	–	1	1	4	3	22	52	67	119	188	195	184	122	60	14	3	–
	White—Male	760	1	–	–	–	–	–	1	–	1	1	13	35	42	77	139	153	147	99	39	10	2	–
	Female	218	–	–	–	–	–	–	–	1	2	2	5	13	17	33	41	35	31	16	19	2	1	–
	All other—Male	45	–	–	–	–	–	–	–	–	1	–	3	3	4	7	7	6	5	6	1	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	4	2	1	1	1	1	1	–	–	–
493	Asthma	75	–	–	1	–	2	–	2	3	2	4	7	6	6	7	12	5	7	5	5	1	–	–
	White—Male	22	–	–	–	–	1	–	–	1	–	1	2	–	3	4	4	1	3	1	1	–	–	–
	Female	42	–	–	1	–	1	–	1	1	1	2	4	4	3	3	7	3	3	4	3	1	–	–
	All other—Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	1	–	1	–	–	–
531–533	Peptic ulcer	292	–	–	–	1	–	–	–	2	5	5	11	19	17	31	42	36	37	50	25	8	3	–
	White—Male	162	–	–	–	1	–	–	–	–	3	1	8	11	9	20	28	22	21	16	14	5	3	–
	Female	100	–	–	–	–	–	–	–	–	2	2	–	4	7	5	9	13	13	31	11	3	–	–
	All other—Male	24	–	–	–	–	–	–	–	–	–	2	3	3	1	4	4	1	3	3	–	–	–	–
	Female	6	–	–	–	–	–	–	–	2	–	–	–	1	–	2	1	–	–	–	–	–	–	–
540–543	Appendicitis	35	–	–	1	–	1	–	1	–	1	1	3	2	1	3	4	3	5	4	2	2	1	–
	White—Male	18	–	–	1	–	1	–	–	–	1	–	1	2	1	2	2	3	1	2	–	–	1	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	3	1	2	2	–	–
	All other—Male	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	285	26	–	1	–	–	–	1	2	1	1	7	5	7	10	39	27	34	60	39	18	7	–
	White—Male	111	13	–	–	–	–	–	1	1	1	–	6	2	3	4	19	14	11	15	14	3	4	–
	Female	154	9	–	1	–	–	–	–	–	–	1	1	2	4	5	16	9	22	43	25	14	2	–
	All other—Male	9	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	1	–
	Female	11	2	–	–	–	–	–	–	1	–	–	–	1	–	–	3	2	–	1	–	1	–	–
571	Cirrhosis of liver	1,406	3	–	–	–	–	1	8	19	41	105	147	200	237	242	193	84	64	46	14	2	–	–
	White—Male	814	2	–	–	–	–	–	4	9	13	49	87	102	151	154	125	53	29	25	9	2	–	–
	Female	385	1	–	–	–	–	–	–	4	12	24	31	65	55	59	54	26	30	19	5	–	–	–
	All other—Male	129	–	–	–	–	1	–	3	8	16	18	23	21	22	10	2	4	1	–	–	–	–	–
	Female	78	–	–	–	–	–	–	4	3	8	16	11	10	10	7	4	3	1	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	132	–	–	–	–	1	–	–	–	–	2	3	4	4	10	12	19	13	28	20	10	6	–
	White—Male	54	–	–	–	–	1	–	–	–	–	2	2	2	1	7	7	7	3	11	8	3	–	–
	Female	69	–	–	–	–	–	–	–	–	–	–	1	1	2	3	4	12	9	14	12	6	5	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	–	1	1	–
580–584	Nephritis and nephrosis	421	–	1	–	–	1	1	5	7	4	11	11	29	23	42	48	52	55	67	44	16	4	–
	White—Male	168	–	–	–	–	–	–	3	1	2	3	2	16	11	18	16	23	25	24	18	6	–	–
	Female	171	–	–	–	–	1	–	1	3	1	6	3	6	8	14	21	22	16	33	24	9	3	–
	All other—Male	42	–	1	–	–	–	1	–	2	1	1	4	7	1	4	4	3	8	5	–	–	–	–
	Female	40	–	–	–	–	–	–	1	1	–	1	2	–	3	6	7	4	6	5	2	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	76	–	–	–	–	1	–	–	–	1	–	4	5	3	8	8	11	13	13	8	1	–	–
	White—Male	34	–	–	–	–	–	–	–	–	1	–	1	5	1	4	5	7	2	2	6	–	–	–
	Female	31	–	–	–	–	1	–	–	–	–	–	1	–	2	3	3	4	7	7	2	1	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	345	–	1	–	–	–	1	5	7	3	11	7	24	20	34	40	41	42	54	36	15	4	–
	White—Male	134	–	–	–	–	–	–	3	1	1	3	1	11	10	14	11	16	23	22	12	6	–	–
	Female	140	–	–	–	–	–	–	1	3	1	6	2	6	6	11	18	18	9	26	22	8	3	–
	All other—Male	36	–	1	–	–	1	–	2	1	1	3	7	1	3	4	3	6	3	–	–	–	–	–
	Female	35	–	–	–	–	–	–	1	1	–	1	1	–	3	6	7	4	4	3	2	1	1	–
590	Infections of kidney	234	–	–	–	–	–	–	2	3	3	–	1	6	10	22	16	36	33	44	34	18	6	–
	White—Male	82	–	–	–	–	–	–	2	–	1	–	–	–	3	7	4	16	11	17	15	5	1	–
	Female	122	–	–	–	–	–	–	–	2	1	–	1	4	6	8	7	17	16	24	19	12	5	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	2	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	1	1	–	–	1	1	7	1	2	4	3	–	1	–	–
600	Hyperplasia of prostate	55	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	7	9	10	14	6	1	–
	White—Male	49	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	5	8	9	14	6	1	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	19	–	–	–	–	2	4	8	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	13	–	–	–	–	1	3	5	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	19	–	–	–	–	2	4	8	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	13	–	–	–	–	1	3	5	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	6	–	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	664	440	49	25	12	18	16	9	11	9	9	9	11	9	14	10	6	2	2	1	2	–	–
	White ..... Male	306	205	19	14	3	11	11	6	9	3	3	3	5	3	8	1	–	–	1	1	–	–	–
	Female	282	180	20	8	7	6	5	3	2	6	6	4	4	6	6	8	6	2	1	–	2	–	–
	All other ..... Male	31	24	2	2	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
	Female	45	31	8	1	2	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,249	1,246	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2
	White ..... Male	555	554	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	397	396	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	156	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	141	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	685	682	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2
	White ..... Male	323	322	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	210	209	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	73	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Remainder of 760–778	Other causes of mortality in early infancy	564	564	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	232	232	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	187	187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,462	183	28	11	7	54	73	68	51	52	78	101	132	77	109	90	90	60	78	55	44	19	2
	White ..... Male	724	77	14	3	3	34	44	28	23	21	38	57	72	42	52	48	48	36	39	24	15	5	1
	Female	492	63	10	5	3	9	14	18	14	15	16	29	36	22	48	33	35	21	35	28	25	12	1
	All other ..... Male	169	25	4	–	1	9	13	16	11	8	21	13	17	10	5	6	3	1	3	1	1	1	–
	Female	77	18	–	3	–	2	2	6	3	8	3	2	7	3	4	3	4	2	1	2	3	1	–
Residual	All other diseases	5,964	106	34	36	29	62	79	73	76	89	131	217	345	498	633	683	730	779	693	453	179	39	–
	White ..... Male	2,912	44	16	14	18	40	34	28	23	34	51	84	178	240	327	392	397	400	323	190	67	12	–
	Female	2,345	31	14	19	8	14	26	25	35	30	36	74	114	194	240	222	268	318	315	237	101	24	–
	All other ..... Male	417	19	4	2	2	3	13	7	8	12	27	34	29	39	40	48	40	40	29	14	5	2	–
	Female	290	12	–	1	1	5	6	13	10	13	17	25	24	25	26	21	25	21	26	12	6	1	–
E800–E949	Accidents	4,208	43	147	128	144	515	495	306	212	157	137	185	182	192	219	195	180	220	225	199	99	27	1
	White ..... Male	2,536	20	78	69	91	362	372	226	147	104	77	104	119	119	128	117	84	103	90	86	31	9	–
	Female	1,240	17	43	32	33	127	82	45	37	27	29	50	43	53	74	55	78	99	125	107	65	18	1
	All other ..... Male	311	4	22	15	12	19	32	22	23	21	18	26	15	15	12	18	11	15	7	3	1	–	–
	Female	121	2	4	12	8	7	9	13	5	5	13	5	5	5	5	5	7	3	3	3	2	–	–
E810–E823	Motor vehicle accidents	1,917	10	58	64	80	386	319	187	128	85	59	80	85	71	73	69	50	51	34	23	4	–	1
	White ..... Male	1,264	4	31	34	50	261	248	139	88	60	33	47	54	45	41	44	19	26	18	20	2	–	–
	Female	497	6	17	20	20	111	55	29	29	16	14	24	21	19	26	18	28	23	15	3	2	–	1
	All other ..... Male	117	–	9	5	7	9	15	13	8	9	8	7	8	4	4	7	2	1	1	–	–	–	–
	Female	39	–	1	5	3	5	1	6	3	–	4	2	2	3	2	–	1	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,291	33	89	64	64	129	176	119	84	72	78	105	97	121	146	126	130	169	191	176	95	27	–
	White ..... Male	1,272	16	47	35	41	101	124	87	59	44	44	57	65	74	87	73	65	77	72	66	29	9	–
	Female	743	11	26	12	13	16	27	16	8	11	15	26	22	34	48	37	50	76	110	104	63	18	–
	All other ..... Male	194	4	13	10	5	10	17	9	15	12	10	19	7	11	8	11	9	14	6	3	1	–	–
	Female	82	2	3	7	5	2	8	7	2	5	9	3	3	2	3	5	6	2	3	3	2	–	–
E950–E959	Suicide	1,347	...	...	–	5	79	158	144	110	80	87	102	146	103	89	65	73	46	36	16	8	–	–
	White ..... Male	895	...	...	–	4	50	117	89	61	53	55	58	84	71	63	45	57	40	27	13	8	–	–
	Female	357	...	...	–	1	18	24	36	39	22	28	38	53	29	24	15	14	5	9	2	–	–	–
	All other ..... Male	71	...	...	–	–	7	13	16	7	3	2	4	8	3	1	4	1	1	–	1	–	–	–
	Female	24	...	...	–	–	4	4	3	3	2	2	2	1	–	1	1	1	–	–	–	–	–	–
E960–E978	Homicide	793	8	17	12	14	72	137	107	91	61	51	60	38	41	31	29	11	8	2	3	–	–	–
	White ..... Male	275	2	5	5	5	29	49	34	28	20	16	17	16	17	10	8	6	4	2	2	–	–	–
	Female	118	4	5	2	4	8	22	14	12	5	6	7	5	4	7	7	2	3	–	1	–	–	–
	All other ..... Male	322	2	4	2	4	28	55	45	40	30	25	31	14	17	11	12	2	–	–	–	–	–	–
	Female	78	–	3	3	1	7	11	14	11	6	4	5	3	3	3	2	1	1	–	–	–	–	–
E980–E999	Other external causes	146	2	5	2	2	15	15	9	12	8	13	15	8	12	9	9	4	3	1	1	–	–	1
	White ..... Male	78	1	3	–	1	6	7	7	7	4	9	6	3	10	3	6	2	2	–	1	–	–	–
	Female	43	–	1	2	1	6	5	1	2	4	2	5	3	1	3	3	2	1	1	–	–	–	–
	All other ..... Male	17	1	1	–	–	2	2	1	2	–	1	2	1	1	2	–	–	–	–	–	–	–	1
	Female	8	–	–	–	–	1	1	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma																							
	All causes	**27,129**	**729**	**143**	**89**	**113**	**288**	**358**	**339**	**282**	**278**	**451**	**750**	**1,219**	**1,556**	**2,215**	**2,941**	**3,383**	**3,591**	**3,706**	**2,759**	**1,411**	**519**	**9**
	White ..... Male	13,544	329	66	50	60	177	224	206	151	144	232	420	687	948	1,293	1,697	1,827	1,840	1,584	1,015	442	147	5
	Female	10,874	233	47	31	37	60	75	67	79	83	148	218	367	438	689	945	1,284	1,471	1,875	1,542	876	307	2
	All other ..... Male	1,488	102	16	4	8	38	46	49	35	28	40	66	92	104	141	162	141	143	121	90	38	24	–
	Female	1,223	65	14	4	8	13	13	17	17	23	31	46	73	66	92	137	131	137	126	112	55	41	2
004, 006	Bacillary dysentery and amebiasis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	35	12	2	–	–	–	–	–	–	–	–	–	1	1	1	3	–	5	5	4	1	–	–
	White ..... Male	17	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	2	1	–	–	–
	Female	12	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	2	2	1	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
010–019	Tuberculosis, all forms	54	–	–	–	–	–	–	–	–	3	–	4	6	3	10	8	4	5	8	2	1	–	–
	White ..... Male	29	–	–	–	–	–	–	–	–	1	–	3	2	1	7	3	2	3	5	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	1	–	4	1	2	3	–	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	1	–	–	2	–	2	1	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	46	–	–	–	–	–	–	–	–	3	–	4	4	3	8	7	4	3	7	2	1	–	–
	White ..... Male	27	–	–	–	–	–	–	–	–	1	–	3	2	1	6	3	2	3	4	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	1	–	3	–	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	2	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	3	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	6	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	114	18	2	–	–	1	–	1	2	2	2	2	4	6	7	11	15	11	17	6	5	2	–
	White ..... Male	45	6	–	–	–	1	–	–	–	–	2	1	–	4	5	5	7	5	6	2	1	–	–
	Female	51	9	2	–	–	–	–	1	2	2	–	1	3	1	1	4	3	5	11	2	3	1	–
	All other ..... Male	10	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	2	–	1	–
	Female	8	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	71	8	4	1	4	3	2	2	–	–	1	2	3	2	10	8	2	11	2	6	–	–	–
	White ..... Male	33	1	3	1	4	3	–	2	–	–	1	1	2	1	4	2	2	5	–	1	–	–	–
	Female	27	6	1	–	–	–	1	–	–	–	–	1	1	–	2	5	–	4	2	4	–	–	–
	All other ..... Male	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,102	3	11	17	16	6	18	24	33	49	97	199	367	463	654	771	794	660	519	270	112	18	1
	White Male	2,538	–	6	8	9	4	13	12	14	19	45	79	166	231	378	405	394	353	243	110	43	5	1
	White Female	2,092	3	3	7	5	1	4	10	17	27	43	97	152	184	217	298	337	244	235	134	62	12	–
	All other Male	256	–	1	1	2	–	–	2	–	2	1	10	19	26	33	39	36	39	26	16	3	–	–
	All other Female	216	–	1	1	–	1	1	–	2	1	8	13	30	22	26	29	27	24	15	10	4	1	–
140–149	Of buccal cavity and pharynx	124	–	–	–	–	–	–	–	–	–	1	3	15	8	17	15	17	19	15	9	4	1	–
	White Male	82	–	–	–	–	–	–	–	–	–	1	1	10	4	13	12	11	13	9	6	2	–	–
	White Female	32	–	–	–	–	–	–	–	–	–	–	1	3	2	4	3	5	4	5	2	2	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	1	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,259	–	–	–	–	1	1	4	7	10	19	37	76	85	138	191	213	170	162	100	38	6	1
	White Male	557	–	–	–	–	1	1	2	3	8	11	13	34	46	68	98	88	80	63	29	10	1	1
	White Female	561	–	–	–	–	–	–	–	4	–	7	20	24	29	51	72	105	69	88	62	25	5	–
	All other Male	80	–	–	–	–	–	–	2	–	1	–	2	6	6	12	14	12	13	6	5	1	–	–
	All other Female	61	–	–	–	–	–	–	–	–	1	1	2	12	4	7	7	8	8	5	4	2	–	–
160–163	Of respiratory system	1,369	–	1	–	–	–	1	1	2	6	28	60	119	164	235	258	209	157	83	33	10	2	–
	White Male	988	–	–	–	–	–	1	1	2	–	15	36	78	111	175	188	158	129	64	23	6	1	–
	White Female	277	–	1	–	–	–	–	–	–	5	12	16	31	38	46	49	37	18	12	8	3	1	–
	All other Male	80	–	–	–	–	–	–	–	–	1	1	6	7	12	8	17	12	9	4	2	1	–	–
	All other Female	24	–	–	–	–	–	–	–	–	–	–	2	3	3	6	4	2	1	3	–	–	–	–
174	Of breast	394	–	–	–	–	–	–	5	4	4	15	25	44	43	47	60	54	36	25	19	12	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White Female	356	–	–	–	–	–	–	5	4	4	12	22	41	39	41	57	49	30	25	17	10	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	37	–	–	–	–	–	–	–	–	–	3	3	3	4	6	3	5	6	–	2	1	1	–
180–187	Of genital organs	557	–	–	–	–	–	3	4	3	4	6	21	24	38	49	72	85	99	93	37	17	2	–
	White Male	237	–	–	–	–	–	2	3	1	–	2	3	–	9	17	24	43	46	52	23	10	2	–
	White Female	250	–	–	–	–	–	–	1	2	4	3	14	17	25	26	39	35	41	32	5	6	–	–
	All other Male	37	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	4	8	8	8	1	–	–
	All other Female	33	–	–	–	–	–	1	–	–	–	1	4	6	3	2	7	3	4	1	1	–	–	–
188, 189	Of urinary organs	231	–	2	–	–	–	–	–	–	1	2	5	9	19	30	34	38	30	33	18	10	–	–
	White Male	141	–	1	–	–	–	–	–	–	–	2	2	4	16	24	20	19	18	20	8	7	–	–
	White Female	72	–	–	–	–	–	–	–	–	1	–	3	4	2	4	12	14	11	11	7	3	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	2	1	–	–	–
	All other Female	7	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	652	1	5	7	5	4	4	7	11	13	13	30	55	63	84	80	89	80	52	29	17	3	–
	White Male	308	–	3	2	3	2	4	5	5	8	6	15	27	27	49	36	38	40	18	12	7	1	–
	White Female	294	1	2	3	1	1	–	2	4	5	6	12	24	28	28	40	44	37	28	17	9	2	–
	All other Male	20	–	–	1	1	–	–	–	–	–	–	1	2	2	4	2	3	2	2	–	–	–	–
	All other Female	30	–	–	1	–	1	–	–	2	–	1	2	2	6	3	2	4	1	4	–	1	–	–
204–207	Leukemia	215	2	3	9	11	1	5	2	5	7	5	7	7	8	24	23	34	24	25	10	1	2	–
	White Male	100	–	2	5	6	1	2	1	3	1	4	4	5	4	12	14	16	14	5	1	–	–	–
	White Female	104	2	–	4	4	–	3	1	2	6	–	3	–	4	9	8	17	10	19	9	1	2	–
	All other Male	8	–	1	–	1	–	–	–	–	–	–	–	1	–	3	1	1	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	301	–	–	1	–	–	4	1	1	4	8	11	18	35	30	38	55	45	31	15	3	1	–
	White Male	124	–	–	1	–	–	3	–	–	2	4	5	8	14	20	13	21	13	12	8	–	–	–
	White Female	146	–	–	–	–	–	1	1	1	2	3	6	8	17	8	18	31	24	15	7	3	1	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	1	5	3	–	–	–	–
	All other Female	16	–	–	–	–	–	–	–	–	–	1	–	–	2	2	5	2	3	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	56	2	2	1	1	–	–	1	–	1	2	1	2	4	8	8	10	9	3	1	–	–	–
	White Male	27	–	1	1	–	–	–	1	–	1	1	1	2	2	3	5	6	1	1	1	–	–	–
	White Female	22	2	1	–	1	–	–	–	–	–	1	–	–	2	3	2	3	6	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
250	Diabetes mellitus	410	–	–	–	–	2	1	4	4	4	3	7	18	32	35	50	68	64	60	43	12	2	1
	White Male	148	–	–	–	–	2	1	2	3	2	2	4	7	11	9	22	16	24	22	15	5	1	–
	White Female	193	–	–	–	–	–	–	2	–	2	–	1	6	11	16	21	40	31	31	25	6	1	–
	All other Male	23	–	–	–	–	–	–	–	1	–	1	–	2	5	4	1	3	3	2	1	–	–	–
	All other Female	46	–	–	–	–	–	–	–	–	–	–	2	3	5	6	6	9	6	5	2	1	–	1
260–269	Avitaminoses and other nutritional deficiencies	45	–	–	–	–	1	–	–	–	–	–	1	–	2	5	2	4	8	10	8	3	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	5	7	4	1	–	–
	White Female	19	–	–	–	–	1	–	–	–	–	–	1	–	–	–	4	2	1	3	3	1	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma — Con.																							
280–285	Anemias	50	2	–	1	–	–	2	2	–	–	–	1	1	3	3	6	5	11	4	4	5	–	–
	White Male	23	1	–	–	–	–	–	1	–	–	–	1	1	–	1	2	5	5	3	1	2	–	–
	Female	20	–	–	1	–	–	–	1	–	–	–	–	–	3	2	2	–	5	1	3	2	–	–
	All other Male	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
320	Meningitis	23	10	5	1	–	–	–	–	–	–	–	1	1	1	–	1	1	–	1	–	–	1	–
	White Male	9	2	3	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
	Female	5	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	All other Male	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	13,882	18	5	1	8	14	11	28	24	56	107	252	465	665	991	1,481	1,881	2,162	2,439	1,901	989	381	3
	White Male	6,808	6	5	1	4	7	5	12	15	36	64	170	319	462	609	903	1,041	1,091	994	664	298	102	–
	Female	5,912	6	–	–	3	5	2	6	6	11	27	47	92	140	277	416	707	920	1,291	1,102	623	229	2
	All other Male	589	4	–	–	1	1	3	6	2	6	7	25	33	42	68	85	67	66	69	58	28	18	–
	Female	573	2	–	–	–	1	1	4	1	3	9	10	21	21	37	77	66	85	85	77	40	32	1
390–398, 402, 404, 410–429	Diseases of heart	9,956	17	5	1	8	9	6	18	20	45	84	211	391	569	798	1,170	1,410	1,499	1,660	1,197	586	250	2
	White Male	5,230	6	5	1	4	5	3	7	12	30	55	150	284	415	502	748	796	801	687	445	199	75	–
	Female	3,904	5	–	–	3	2	1	4	5	7	16	32	64	108	208	309	523	591	865	671	346	142	2
	All other Male	440	4	–	–	1	1	1	6	2	6	6	22	25	31	58	62	53	48	53	33	16	12	–
	Female	382	2	–	–	–	1	1	1	1	2	7	7	18	15	30	51	38	59	55	48	25	21	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	130	–	1	–	–	–	–	2	1	3	6	4	10	11	17	17	14	18	17	8	1	–	–
	White Male	56	–	1	–	–	–	–	1	1	2	1	2	5	4	10	9	4	5	8	3	–	–	–
	Female	58	–	–	–	–	–	–	–	–	1	3	2	4	6	6	7	9	7	8	4	1	–	–
	All other Male	10	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	5	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–	–
402	Hypertensive heart disease	111	–	–	–	1	1	–	–	–	1	2	2	2	6	5	5	20	17	24	18	4	3	–
	White Male	39	–	–	–	1	–	–	–	–	1	1	1	1	1	4	1	6	5	9	6	1	1	–
	Female	51	–	–	–	–	1	–	–	–	–	–	–	–	3	–	3	12	6	11	10	3	2	–
	All other Male	8	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	2	3	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	4	1	2	–	–	–
404	Hypertensive heart and renal disease	51	–	–	–	–	–	–	–	–	1	–	1	–	2	4	1	2	6	9	10	10	5	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	3	1	4	3	–
	Female	26	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	3	5	8	4	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–
410–413	Ischemic heart disease	8,755	–	–	–	1	–	1	5	16	33	66	186	349	512	728	1,072	1,275	1,322	1,462	1,028	491	206	2
	White Male	4,699	–	–	–	1	–	1	2	10	25	50	136	262	384	466	692	729	725	604	381	170	61	–
	Female	3,365	–	–	–	–	–	–	1	4	3	8	26	50	88	184	276	463	516	762	578	289	115	2
	All other Male	377	–	–	–	–	–	–	2	1	5	4	18	23	27	53	59	50	36	45	29	13	12	–
	Female	314	–	–	–	–	–	–	–	1	–	4	6	14	13	25	45	33	45	51	40	19	18	–
410	Acute myocardial infarction	4,994	–	–	–	–	–	1	3	12	20	47	116	219	344	482	735	816	765	728	480	174	52	–
	White Male	2,914	–	–	–	–	–	1	1	8	13	36	85	175	264	306	490	486	432	336	200	62	19	–
	Female	1,708	–	–	–	–	–	–	1	3	3	6	16	28	59	122	183	282	292	346	245	100	22	–
	All other Male	205	–	–	–	–	–	–	1	1	4	3	10	9	15	34	35	30	17	20	16	6	4	–
	Female	167	–	–	–	–	–	–	–	–	–	2	5	7	6	20	27	18	24	26	19	6	7	–
411	Other acute and subacute forms of ischemic heart disease	368	–	–	–	–	–	–	–	1	3	3	22	34	42	57	48	48	45	30	22	7	6	–
	White Male	219	–	–	–	–	–	–	–	–	3	2	17	23	35	34	35	21	24	13	9	2	1	–
	Female	98	–	–	–	–	–	–	–	1	–	–	–	4	2	15	6	21	15	16	11	5	2	–
	All other Male	35	–	–	–	–	–	–	–	–	–	1	4	7	3	8	5	3	2	1	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	3	4	–	1	–	3	–
412	Chronic ischemic heart disease	3,390	–	–	–	1	–	–	2	3	10	16	48	96	126	188	288	411	512	703	526	310	148	2
	White Male	1,565	–	–	–	1	–	–	1	2	9	12	34	64	85	126	166	222	269	255	172	106	41	–
	Female	1,557	–	–	–	–	–	–	–	–	–	2	10	18	27	46	87	160	209	399	322	184	91	2
	All other Male	137	–	–	–	–	–	–	1	–	1	–	4	7	9	11	19	17	17	24	12	7	8	–
	Female	131	–	–	–	–	–	–	–	1	–	2	–	7	5	5	16	12	17	25	20	13	8	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	57	1	–	–	–	–	1	–	1	–	–	1	5	2	3	3	4	11	7	10	5	3	–
	White Male	23	–	–	–	–	–	1	–	–	–	–	–	3	2	2	1	1	4	3	5	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	5	4	5	3	2	–	–
	All other Male	5	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
420–423, 425–427, 429	All other forms of heart disease	852	16	4	1	6	8	4	11	2	7	10	17	25	36	41	72	95	125	141	123	75	33	–
	White Male	397	6	4	1	2	5	1	4	1	2	3	11	13	22	19	45	56	60	60	49	23	10	–
	Female	378	5	–	–	3	1	1	3	1	2	5	4	9	11	15	21	35	54	75	66	46	21	–
	All other Male	36	3	–	–	1	1	1	3	–	1	–	1	1	3	3	3	3	3	4	3	2	–	–
	Female	41	2	–	–	–	1	1	1	–	2	2	1	2	–	4	3	1	8	2	5	4	2	–
400, 401, 403	Hypertension	89	–	–	–	–	–	–	–	–	–	1	3	4	8	10	7	9	15	10	12	8	2	–
	White Male	31	–	–	–	–	–	–	–	–	–	1	1	2	4	3	3	3	5	4	5	–	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	1	1	1	5	3	4	9	5	5	6	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	1	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	–	1	1	1	–
430–438	Cerebrovascular diseases	3,000	1	–	–	–	4	5	6	4	10	19	31	54	67	136	241	357	521	625	527	299	92	1
	White Male	1,167	–	–	–	–	2	2	3	3	5	6	15	24	28	68	109	179	218	243	166	78	18	–
	Female	1,579	1	–	–	–	2	1	2	1	4	10	12	21	26	56	89	143	271	349	323	206	62	–
	All other Male	112	–	–	–	–	–	2	–	–	–	1	2	7	8	7	21	11	14	10	17	8	4	–
	Female	142	–	–	–	–	–	–	1	–	1	2	2	2	5	5	22	24	18	23	21	7	8	1
431	Cerebral hemorrhage	329	–	–	–	–	–	1	–	1	1	5	7	22	14	31	43	33	42	58	38	27	6	–
	White Male	138	–	–	–	–	–	1	–	1	–	3	6	9	5	14	22	18	12	24	12	10	1	–
	Female	159	–	–	–	–	–	–	–	–	–	1	1	8	6	14	14	14	26	31	22	17	5	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	–	3	2	2	2	–	2	–	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	–	2	1	1	5	1	2	3	3	–	–	–
433	Cerebral thrombosis	567	–	–	–	–	1	–	–	–	1	1	4	1	12	22	37	76	107	126	94	60	25	–
	White Male	219	–	–	–	–	1	–	–	–	–	–	2	1	6	14	13	38	48	54	31	10	1	–
	Female	304	–	–	–	–	–	–	–	–	1	1	–	–	4	7	20	30	54	64	59	46	18	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	2	2	2	2	2	3	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	3	6	2	2	3	–
434	Cerebral embolism	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	8	4	–	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,088	1	–	–	–	3	4	6	3	8	13	20	31	41	83	159	247	364	437	395	211	61	1
	White Male	802	–	–	–	–	1	1	3	2	5	3	7	14	17	40	73	122	154	164	123	57	16	–
	Female	1,108	1	–	–	–	2	1	2	1	3	8	11	13	16	35	54	99	187	251	242	143	39	–
	All other Male	81	–	–	–	–	–	2	–	–	–	–	–	4	5	4	18	9	10	8	14	6	1	–
	Female	97	–	–	–	–	–	–	1	–	–	2	2	–	3	4	14	17	13	14	16	5	5	1
440	Arteriosclerosis	443	–	–	–	–	–	–	–	–	–	–	1	1	3	6	24	33	59	91	117	79	29	–
	White Male	157	–	–	–	–	–	–	–	–	–	–	1	1	2	3	14	19	25	37	32	16	7	–
	Female	248	–	–	–	–	–	–	–	–	–	–	–	–	–	3	7	14	27	50	75	54	18	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	5	2	2	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	5	7	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	394	–	–	–	–	1	–	4	–	1	3	6	15	18	41	39	72	68	53	48	17	8	–
	White Male	223	–	–	–	–	–	–	2	–	1	2	3	8	13	33	29	44	42	23	16	5	2	–
	Female	140	–	–	–	–	1	–	–	–	–	1	2	6	5	5	8	23	22	22	28	11	6	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	1	3	2	1	–	–
	Female	18	–	–	–	–	–	–	2	–	–	–	1	–	–	1	2	2	3	5	2	–	–	–
466	Acute bronchitis and bronchiolitis	14	1	2	–	–	–	–	–	–	–	1	2	–	1	–	–	2	–	2	1	1	1	–
	White Male	8	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	1	1	–	–
	Female	5	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	986	33	2	1	2	1	2	3	9	7	7	16	25	28	48	58	83	140	180	175	114	52	–
	White Male	457	14	1	–	1	1	–	2	3	3	3	7	9	19	21	35	53	71	85	78	30	21	–
	Female	441	8	1	1	1	–	2	1	3	2	2	5	11	5	19	18	25	62	82	88	78	27	–
	All other Male	43	8	–	–	–	–	–	–	1	1	–	2	1	2	5	4	4	3	6	4	2	–	–
	Female	45	3	–	–	–	–	–	–	2	1	2	2	4	2	3	1	1	4	7	5	4	4	–
470–474	Influenza	108	–	–	–	–	–	1	–	1	1	2	1	–	4	8	9	8	13	15	25	15	5	–
	White Male	43	–	–	–	–	–	–	–	–	1	–	–	–	3	3	6	3	8	8	7	3	1	–
	Female	61	–	–	–	–	–	1	–	1	–	2	–	–	–	4	3	4	5	7	18	12	4	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
480–486	Pneumonia	878	33	2	1	2	1	1	3	8	6	5	15	25	24	40	49	75	127	165	150	99	47	–
	White Male	414	14	1	–	1	1	–	2	3	2	3	7	9	16	18	29	50	63	77	71	27	20	–
	Female	380	8	1	1	1	–	1	1	2	2	–	5	11	5	15	15	21	57	75	70	66	23	–
	All other Male	41	8	–	–	–	–	–	–	1	1	–	1	1	2	5	4	3	3	6	4	2	–	–
	Female	43	3	–	–	–	–	–	–	2	1	2	2	4	1	2	1	1	4	7	5	4	4	–
490–493	Bronchitis, emphysema, and asthma	310	2	4	–	2	1	1	2	2	2	4	6	13	21	39	58	61	38	35	15	4	–	–
	White Male	217	1	1	–	1	1	1	1	2	–	1	2	6	16	26	46	46	26	28	10	2	–	–
	Female	79	–	2	–	–	–	–	–	–	2	3	4	6	4	12	9	14	10	6	5	2	–	–
	All other Male	7	1	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–	–
	Female	7	–	–	–	1	–	–	1	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma — Con.																							
490, 491	Chronic and unqualified bronchitis	44	2	2	–	1	–	–	–	–	–	1	–	1	2	3	6	10	7	5	2	2	–	
	White Male	27	1	1	–	1	–	–	–	–	–	–	–	1	2	2	5	7	3	3	1	–	–	
	Female	15	–	1	–	–	–	–	–	–	–	1	–	–	–	1	1	3	3	2	1	2	–	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
492	Emphysema	241	–	–	–	–	–	–	1	1	–	2	6	11	18	36	49	46	28	29	12	2	–	
	White Male	183	–	–	–	–	–	–	1	1	–	1	2	5	14	24	40	38	22	24	9	2	–	
	Female	52	–	–	–	–	–	–	–	–	–	1	4	6	4	11	6	8	5	4	3	–	–	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	
493	Asthma	25	–	2	–	1	1	1	1	1	2	1	–	1	1	–	3	5	3	1	1	–	–	
	White Male	7	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	1	1	1	–	–	–	
	Female	12	–	1	–	–	–	–	–	–	2	1	–	–	–	–	2	3	2	–	1	–	–	
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
531–533	Peptic ulcer	77	–	–	–	–	–	–	–	–	–	3	1	4	3	10	10	13	11	13	2	6	1	
	White Male	43	–	–	–	–	–	–	–	–	–	3	1	3	2	4	5	9	4	6	1	4	1	
	Female	30	–	–	–	–	–	–	–	–	–	–	–	1	1	5	5	3	6	6	1	2	–	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
540–543	Appendicitis	11	–	–	–	–	1	–	1	–	–	–	–	1	–	1	3	–	1	3	–	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	2	–	–	–	
	All other Male	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	92	4	–	–	–	1	–	1	1	–	1	1	2	4	7	10	11	10	17	15	7	–	
	White Male	34	4	–	–	–	–	–	1	1	–	–	1	1	1	2	3	6	6	2	2	4	–	
	Female	50	–	–	–	–	1	–	–	–	–	–	–	1	1	5	7	4	4	12	12	3	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	
571	Cirrhosis of liver	358	1	–	–	–	1	3	5	14	12	24	47	46	42	56	50	28	14	7	5	2	–	1
	White Male	171	–	–	–	–	–	–	–	5	3	9	17	26	18	35	34	15	6	–	2	–	–	1
	Female	112	1	–	–	–	–	1	–	2	3	8	14	13	14	17	12	9	6	7	3	2	–	
	All other Male	41	–	–	–	–	–	1	4	3	2	4	9	6	5	3	3	1	–	–	–	–	–	
	Female	34	–	–	–	–	1	1	1	4	4	3	7	1	5	1	1	3	2	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	38	–	–	–	–	–	–	–	–	1	1	–	–	2	4	6	8	3	5	7	1	–	
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	–	1	3	–	–	
	Female	20	–	–	–	–	–	–	–	–	1	1	–	–	–	3	3	3	2	2	4	1	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	
580–584	Nephritis and nephrosis	131	1	1	1	–	–	–	1	3	–	2	3	4	6	11	16	14	20	18	15	11	4	
	White Male	63	1	1	1	–	–	–	1	2	–	1	1	3	3	4	7	10	8	7	6	6	1	
	Female	39	–	–	–	–	–	–	–	1	–	–	1	–	–	3	6	3	8	9	5	2	1	
	All other Male	15	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	–	2	1	1	2	1	
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	2	1	3	1	1	
580, 581	Acute nephritis and nephrotic syndrome	37	1	1	–	–	–	–	–	1	–	1	1	1	1	1	5	2	8	5	5	4	–	
	White Male	17	1	1	–	–	–	–	–	–	–	1	1	1	1	–	2	1	4	–	2	2	–	
	Female	17	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	1	3	4	3	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
582–584	Chronic and unqualified, nephritis and renal sclerosis	94	–	–	1	–	–	–	1	2	–	1	2	3	5	10	11	12	12	13	10	7	4	
	White Male	46	–	–	1	–	–	–	1	2	–	–	–	2	2	4	5	9	4	7	4	4	1	
	Female	22	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	2	5	5	2	1	1	
	All other Male	14	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	–	1	1	1	2	1	
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	2	–	3	–	1	
590	Infections of kidney	94	–	–	–	–	–	–	–	–	–	2	1	1	4	5	10	8	10	22	17	10	4	
	White Male	30	–	–	–	–	–	–	–	–	–	–	1	–	2	–	4	5	6	6	3	2	1	
	Female	50	–	–	–	–	–	–	–	–	–	2	–	–	2	3	3	1	1	15	12	8	3	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	1	1	1	–	–	
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	–	1	
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	–	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	2	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	4	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	5	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma — Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	155	105	12	2	–	5	4	2	1	2	1	5	3	3	2	1	3	2	2	–	–	–	–
	White ..... Male	73	45	2	2	–	2	2	2	1	2	1	5	1	2	2	1	2	1	–	–	–	–	–
	Female	56	40	7	–	–	2	1	–	–	–	–	–	1	1	–	–	1	1	2	–	–	–	–
	All other ..... Male	15	11	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	11	9	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	349	348	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	160	160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	208	207	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	141	141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	412	100	5	–	–	5	14	13	11	9	13	10	14	12	24	19	28	41	24	35	24	11	–
	White ..... Male	188	48	3	–	–	2	8	7	3	2	8	6	6	8	14	10	15	16	13	13	5	1	–
	Female	165	34	1	–	–	–	3	4	6	5	2	1	7	4	6	9	9	20	9	19	18	8	–
	All other ..... Male	37	11	1	–	–	2	1	2	1	2	2	1	1	–	4	–	1	4	2	–	1	1	–
	Female	22	7	–	–	–	1	2	–	1	–	1	2	–	–	–	–	3	1	–	3	–	1	–
Residual	All other diseases	1,928	29	11	9	8	19	22	26	17	28	54	73	108	134	166	240	240	256	223	167	73	25	–
	White ..... Male	1,008	18	8	4	3	10	14	13	5	12	31	39	59	80	95	133	127	153	100	72	24	8	–
	Female	728	5	2	4	5	4	6	7	6	4	15	21	33	38	59	86	90	86	111	86	46	14	–
	All other ..... Male	122	5	–	1	–	3	2	5	3	4	5	8	10	12	9	13	15	13	7	4	1	2	–
	Female	70	1	1	–	–	2	–	1	3	8	3	5	6	4	3	8	8	4	5	5	2	1	–
E800–E949	Accidents	1,689	25	67	50	63	193	188	138	92	61	75	74	78	82	91	80	76	84	74	53	28	15	2
	White ..... Male	999	7	28	28	30	124	133	97	62	41	41	49	45	56	55	43	42	38	42	19	12	5	2
	Female	475	11	23	17	21	41	39	24	17	10	22	15	18	17	26	25	24	41	28	32	15	9	–
	All other ..... Male	145	6	10	2	5	24	12	12	11	5	9	7	10	7	3	8	6	2	3	2	1	–	–
	Female	70	1	6	3	7	4	4	5	2	5	3	3	5	2	7	4	4	3	1	–	–	1	–
E810–E823	Motor vehicle accidents	871	11	32	22	30	148	125	88	61	39	41	42	33	30	34	42	28	24	30	10	–	–	1
	White ..... Male	509	2	10	10	12	94	86	57	38	24	22	27	17	19	18	20	13	14	21	4	–	–	1
	Female	242	7	13	10	13	35	29	19	15	6	13	7	7	9	14	15	11	9	5	5	–	–	–
	All other ..... Male	81	2	6	1	2	16	7	7	6	5	5	5	6	1	–	5	2	1	3	1	–	–	–
	Female	39	–	3	1	3	3	3	5	2	4	1	3	3	1	2	2	2	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	818	14	35	28	33	45	63	50	31	22	34	32	45	52	57	38	48	60	44	43	28	15	1
	White ..... Male	490	5	18	18	18	30	47	40	24	17	19	22	28	37	37	23	29	24	21	15	12	5	1
	Female	233	4	10	7	8	6	10	5	2	4	9	8	11	8	12	10	13	32	23	27	15	9	–
	All other ..... Male	64	4	4	1	3	8	5	5	5	–	4	2	4	6	3	3	4	1	–	1	1	–	–
	Female	31	1	3	2	4	1	1	–	–	1	2	–	2	1	5	2	2	3	–	–	–	1	–
E950–E959	Suicide	351	. . .	. . .	1	4	17	41	39	40	19	29	22	39	20	16	26	18	9	6	4	1	–	–
	White ..... Male	236	. . .	. . .	1	4	12	28	35	22	8	11	17	19	18	12	21	11	8	5	3	1	–	–
	Female	95	. . .	. . .	–	–	3	10	3	12	10	15	5	18	2	4	5	6	–	1	1	–	–	–
	All other ..... Male	16	. . .	. . .	–	–	2	3	1	4	1	2	–	2	–	–	–	–	1	–	–	–	–	–
	Female	4	. . .	. . .	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	218	2	4	2	2	10	44	39	26	20	19	15	8	7	10	3	3	1	2	–	–	–	1
	White ..... Male	99	2	1	1	1	5	17	17	11	12	6	10	4	4	4	2	1	–	–	–	–	–	1
	Female	43	–	1	1	1	2	5	3	6	4	5	2	3	3	4	1	–	–	2	–	–	–	–
	All other ..... Male	64	–	–	–	–	3	19	16	9	4	7	2	1	–	2	–	1	–	–	–	–	–	–
	Female	12	–	2	–	–	–	3	3	–	–	1	1	–	–	–	–	1	1	–	–	–	–	–
E980–E999	Other external causes	45	1	2	–	3	4	3	2	3	2	3	4	4	5	1	2	1	2	2	–	1	–	–
	White ..... Male	27	1	–	–	3	3	2	–	2	2	2	2	4	3	–	–	1	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–
	All other ..... Male	8	–	–	–	–	1	1	1	–	–	–	2	–	–	–	2	–	–	1	–	–	–	–
	Female	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon																							
	All causes	**20,486**	**443**	**97**	**80**	**76**	**241**	**276**	**242**	**175**	**207**	**331**	**524**	**848**	**1,309**	**1,792**	**2,286**	**2,416**	**2,645**	**2,636**	**2,257**	**1,198**	**402**	**5**
	White Male	11,236	236	55	41	57	150	195	160	110	125	210	310	517	811	1,107	1,464	1,451	1,480	1,244	981	413	114	5
	Female	8,815	181	37	34	17	84	63	74	47	63	105	188	299	468	649	784	920	1,135	1,368	1,249	768	282	–
	All other Male	276	14	4	4	1	6	14	7	10	12	14	15	22	24	24	24	28	17	13	13	8	2	–
	Female	159	12	1	1	1	1	4	1	8	7	2	11	10	6	12	14	17	13	11	14	9	4	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	17	3	–	–	–	–	1	–	–	–	–	–	–	–	2	2	–	3	2	3	1	–	–
	White Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–
	Female	12	2	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	2	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	22	–	–	–	–	–	–	1	–	–	–	2	–	4	2	5	2	1	2	–	3	–	–
	White Male	12	–	–	–	–	–	–	1	–	–	–	2	–	1	2	2	1	–	1	–	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	1	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	16	–	–	–	–	–	–	1	–	–	–	2	–	3	1	3	1	–	2	–	3	–	–
	White Male	10	–	–	–	–	–	–	1	–	–	–	2	–	1	1	1	1	–	1	–	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	1	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
	White Male	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	45	12	1	1	–	–	–	2	–	–	–	3	1	3	–	–	5	7	4	5	1	–	–
	White Male	22	3	–	1	–	–	–	–	–	–	–	3	–	2	–	–	2	6	3	2	–	–	–
	Female	19	7	1	–	–	–	–	2	–	–	–	–	1	–	–	–	3	1	–	3	1	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	39	4	–	2	–	1	–	2	3	1	1	1	3	4	3	2	3	2	3	1	3	–	–
	White Male	19	3	–	–	–	–	–	–	2	1	–	–	–	3	3	1	2	–	2	1	1	–	–
	Female	20	1	–	2	–	1	–	2	1	–	1	1	3	1	–	1	1	2	1	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,994	2	13	10	10	12	9	23	19	40	83	152	250	391	550	646	566	494	369	245	88	22	–
	White Male	2,189	2	9	5	9	6	6	13	8	17	41	68	132	198	289	386	345	291	193	123	37	11	–
	Female	1,734	–	4	5	1	6	2	10	9	22	39	76	111	184	253	250	214	196	175	117	49	11	–
	All other Male	44	–	–	–	–	–	1	–	1	–	3	3	4	7	4	9	3	4	1	4	–	–	–
	Female	27	–	–	–	–	–	–	–	1	1	–	5	3	2	4	1	4	3	–	1	2	–	–
140–149	Of buccal cavity and pharynx	72	–	–	–	–	–	1	–	–	–	3	3	2	10	11	17	10	6	4	2	3	–	–
	White Male	42	–	–	–	–	–	1	–	–	–	1	2	1	8	7	9	5	2	4	1	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	1	1	1	1	4	8	5	3	–	1	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	976	–	2	–	–	–	1	4	3	7	16	29	43	85	118	159	134	140	117	79	32	7	–
	White Male	509	–	2	–	–	–	1	1	2	4	12	13	23	46	59	107	79	67	51	28	11	3	–
	Female	451	–	–	–	–	–	–	3	1	3	4	13	18	36	56	51	54	73	66	49	20	4	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	2	2	3	1	1	1	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	1	1	–	–
160–163	Of respiratory system	1,033	–	–	–	1	–	–	1	1	9	18	48	95	119	190	195	157	117	50	21	9	2	–
	White Male	760	–	–	–	–	–	–	1	–	4	8	27	70	78	136	149	135	96	39	10	6	1	–
	Female	254	–	–	–	1	–	–	–	1	5	10	19	21	39	52	43	21	18	11	9	3	1	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	1	2	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–
174	Of breast	360	–	–	–	–	–	–	1	3	4	11	28	23	45	60	57	43	35	29	11	6	4	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	356	–	–	–	–	–	–	1	3	4	11	26	23	45	60	57	43	34	29	11	5	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–
180–187	Of genital organs	475	–	–	–	–	1	1	3	2	4	8	6	31	38	56	68	70	59	60	47	17	4	–
	White Male	248	–	–	–	–	1	1	2	–	2	1	1	6	6	20	26	38	46	42	39	13	4	–
	Female	215	–	–	–	–	–	–	1	1	2	7	5	24	30	35	38	30	13	17	8	4	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	–	–	–	–	–	–
188, 189	Of urinary organs	173	1	2	–	–	–	–	1	–	1	3	5	6	15	10	29	21	25	30	18	6	–	–
	White Male	120	1	2	–	–	–	–	1	–	–	2	4	4	11	9	24	12	16	19	15	–	–	–
	Female	51	–	–	–	–	–	–	–	–	1	1	1	2	3	1	4	9	9	11	3	6	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	468	–	5	5	4	2	5	8	6	10	12	16	33	38	65	63	67	47	41	31	8	2	–
	White Male	254	–	2	1	4	–	3	3	4	4	8	6	18	22	34	42	41	29	19	11	3	–	–
	Female	204	–	3	4	–	2	1	5	1	5	4	10	15	16	30	20	24	16	22	19	5	2	–
	All other Male	7	–	–	–	–	–	1	–	1	–	–	–	–	–	1	1	–	2	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
204–207	Leukemia	181	1	4	5	5	6	1	2	2	1	7	7	8	11	12	21	19	31	17	16	4	1	–
	White Male	102	1	3	4	5	3	–	2	1	1	5	5	5	7	7	10	7	15	9	10	1	1	–
	Female	76	–	1	1	–	3	1	–	1	–	1	1	3	4	5	11	12	15	8	6	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	256	–	–	–	–	3	–	3	2	4	5	10	9	30	28	37	45	34	21	20	3	2	–
	White Male	153	–	–	–	–	2	–	3	1	2	4	10	5	20	17	19	28	19	10	9	2	2	–
	Female	100	–	–	–	–	1	–	–	1	2	–	–	4	10	10	18	16	15	11	11	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	50	–	–	–	1	1	–	–	1	–	1	3	2	4	4	3	6	9	7	7	1	–	–
	White Male	18	–	–	–	–	1	–	–	–	–	–	2	1	–	2	1	2	4	2	3	–	–	–
	Female	32	–	–	–	1	–	–	–	1	–	1	1	1	4	2	2	4	5	5	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	289	–	–	–	1	–	3	2	2	4	6	7	7	16	28	41	46	46	38	23	16	3	–
	White Male	124	–	–	–	1	–	–	–	1	3	5	4	4	6	16	20	17	26	8	10	1	2	–
	Female	155	–	–	–	–	–	3	1	–	1	1	3	3	8	11	21	27	20	30	13	12	1	–
	All other Male	6	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	1	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	49	4	–	–	–	–	–	–	–	–	1	–	1	1	–	1	6	6	7	12	7	3	–
	White Male	18	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	3	–	5	2	1	–
	Female	29	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	7	7	5	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
280–285	Anemias	30	1	–	1	–	–	–	–	–	–	–	–	2	–	–	4	–	4	7	6	4	1	–
	White Male	17	–	–	1	–	–	–	–	–	–	–	–	2	–	–	4	–	2	5	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	1	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	16	2	1	3	–	1	–	–	–	–	–	–	1	2	–	1	1	2	1	1	–	–	–
	White Male	8	1	–	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–
	Female	7	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,364	7	2	1	3	6	13	11	12	39	83	162	321	554	799	1,097	1,312	1,579	1,693	1,536	851	282	1
	White Male	5,553	3	2	1	1	4	7	6	9	25	65	111	230	385	546	736	805	858	771	624	292	71	1
	Female	4,657	4	–	–	1	2	5	5	2	11	17	46	81	155	240	343	486	702	904	895	552	206	–
	All other Male	85	–	–	–	–	–	–	–	–	1	1	2	8	11	11	9	11	11	8	7	3	2	–
	Female	69	–	–	–	1	–	1	–	1	2	–	3	2	3	2	9	10	8	10	10	4	3	–
390–398, 402, 404, 410–429	Diseases of heart	7,293	7	1	–	3	4	10	8	9	30	69	133	278	456	661	853	986	1,082	1,108	914	515	165	1
	White Male	4,189	3	1	–	1	3	5	5	7	20	57	100	206	338	463	590	614	632	529	397	178	39	1
	Female	2,997	4	–	–	1	1	4	3	2	8	11	31	63	108	187	250	357	435	566	508	334	124	–
	All other Male	65	–	–	–	–	–	–	–	–	1	1	1	8	8	9	7	8	9	7	5	1	–	–
	Female	42	–	–	–	1	–	1	–	–	1	–	1	1	2	2	6	7	6	6	4	2	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	158	–	–	–	–	1	2	–	1	2	4	6	8	12	13	24	26	29	14	7	9	–	–
	White Male	78	–	–	–	–	1	1	–	–	–	3	3	6	6	5	14	12	15	6	5	1	–	–
	Female	77	–	–	–	–	–	–	–	1	2	1	3	2	5	7	10	14	14	8	2	8	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	33	–	–	–	–	–	–	–	–	1	–	–	1	2	5	2	6	4	5	5	2	–	–
	White Male	16	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	4	2	1	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	4	4	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	51	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	7	8	11	13	3	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	5	4	7	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	7	6	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	6,611	–	–	–	–	1	1	3	7	24	57	119	254	410	603	779	900	977	1,014	830	475	156	1
	White Male	3,850	–	–	–	–	1	1	3	6	18	49	95	190	307	436	549	569	571	491	360	166	37	1
	Female	2,668	–	–	–	–	–	–	–	1	5	7	23	57	94	158	218	318	392	511	461	306	117	–
	All other Male	58	–	–	–	–	–	–	–	–	1	1	1	6	7	7	7	8	8	6	5	1	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	5	6	6	4	2	2	–
410	Acute myocardial infarction	2,700	–	–	–	–	–	–	–	3	11	31	71	126	183	316	362	436	399	364	262	105	31	–
	White Male	1,698	–	–	–	–	–	–	–	3	7	27	54	95	134	230	263	280	243	191	121	45	5	–
	Female	982	–	–	–	–	–	–	–	–	4	4	16	28	47	85	96	152	153	172	140	60	25	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	4	1	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2	1	–	–	1	–
411	Other acute and subacute forms of ischemic heart disease	37	–	–	–	–	–	–	–	1	–	–	–	2	3	3	3	4	7	6	3	4	1	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	4	7	4	1	1	1	–
	Female	10	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	2	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,873	–	–	–	–	1	1	3	3	13	26	48	126	224	284	414	460	570	644	565	366	124	1
	White Male	2,124	–	–	–	–	1	1	3	3	11	22	41	93	170	204	284	285	320	296	238	120	31	1
	Female	1,676	–	–	–	–	–	–	–	–	1	3	7	29	47	72	121	166	239	337	319	243	92	–
	All other Male	46	–	–	–	–	–	–	–	–	1	1	–	3	7	6	6	4	7	6	4	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	5	4	5	4	2	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	26	–	1	–	–	–	–	–	–	–	–	–	–	1	4	3	3	3	5	2	3	1	–
	White Male	11	–	1	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	1	–	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	4	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon — Con.																							
420–423, 425–427, 429	All other forms of heart disease	414	7	–	–	3	2	7	5	1	3	8	8	14	30	32	42	44	61	59	57	23	8	–
	White Male	207	3	–	–	1	1	3	2	1	1	5	2	10	21	15	22	23	36	26	24	9	2	–
	Female	197	4	–	–	1	1	4	3	–	1	3	5	2	9	16	19	19	25	32	33	14	6	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–
	Female	6	–	–	–	1	–	–	–	–	1	–	1	–	–	–	1	2	–	–	–	–	–	–
400, 401, 403	Hypertension	41	–	–	–	–	–	–	–	–	–	–	1	2	2	2	6	4	4	7	10	2	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	2	2	3	6	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	2	4	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,251	–	1	1	–	1	2	2	3	6	12	25	33	74	98	178	243	390	449	448	208	77	–
	White Male	948	–	1	1	–	–	2	1	2	3	7	9	19	33	58	100	136	163	170	156	66	21	–
	Female	1,266	–	–	–	–	1	–	1	–	3	5	14	14	38	38	74	103	224	274	285	138	54	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	1	2	2	2	–
	Female	21	–	–	–	–	–	–	–	1	–	–	2	–	1	–	3	2	1	4	5	2	–	–
431	Cerebral hemorrhage	220	–	–	–	–	–	1	1	1	1	4	6	10	19	19	34	22	29	32	27	11	3	–
	White Male	97	–	–	–	–	–	1	–	1	–	3	2	5	8	14	19	9	12	11	9	2	1	–
	Female	117	–	–	–	–	–	–	1	–	1	1	3	5	10	4	15	13	17	20	17	8	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–
433	Cerebral thrombosis	491	–	–	–	–	–	1	–	–	–	–	2	2	18	15	30	54	82	101	108	60	18	–
	White Male	207	–	–	–	–	–	1	–	–	–	–	2	2	8	9	11	30	42	39	40	16	7	–
	Female	273	–	–	–	–	–	–	–	–	–	–	–	–	9	6	18	21	39	61	65	43	11	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	–	–
434	Cerebral embolism	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,535	–	1	1	–	1	–	1	2	5	8	17	21	37	64	113	166	278	314	313	137	56	–
	White Male	640	–	1	1	–	–	–	1	1	3	4	5	12	17	35	69	96	109	118	107	48	13	–
	Female	875	–	–	–	–	1	–	–	–	2	4	11	9	19	28	41	69	167	193	203	87	41	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	2	2	–
	Female	10	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	1	2	3	–	–	–
440	Arteriosclerosis	458	–	–	–	–	–	–	–	–	–	1	1	1	6	11	14	26	59	82	123	102	32	–
	White Male	199	–	–	–	–	–	–	–	–	–	–	–	–	4	8	8	15	31	45	45	35	8	–
	Female	257	–	–	–	–	–	–	–	–	–	1	1	1	2	3	6	11	28	37	77	67	23	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	321	–	–	–	–	1	1	1	–	3	1	2	7	16	27	46	53	44	47	41	24	7	–
	White Male	196	–	–	–	–	1	–	–	–	2	1	1	3	10	16	35	38	30	24	20	12	3	–
	Female	117	–	–	–	–	–	1	1	–	–	–	–	3	5	11	10	13	13	23	21	12	4	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	7	–	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	2	–	1	–	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	800	17	5	2	3	3	3	3	4	3	7	9	14	33	25	45	64	101	157	162	99	41	–
	White Male	394	10	4	1	2	1	1	2	3	2	4	5	9	19	16	26	36	59	74	75	32	13	–
	Female	394	6	1	1	1	2	2	–	1	1	3	3	4	14	8	18	26	42	83	83	67	28	–
	All other Male	6	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	2	–	–	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–
470–474	Influenza	219	–	2	–	–	1	1	2	–	–	–	2	3	10	4	7	22	22	49	50	35	9	–
	White Male	94	–	2	–	–	–	–	2	–	–	–	1	2	6	2	3	11	11	20	21	13	–	–
	Female	123	–	–	–	–	1	1	–	–	–	–	–	1	4	2	4	11	11	29	28	22	9	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	581	17	3	2	3	2	2	1	4	3	7	7	11	23	21	38	42	79	108	112	64	32	–
	White Male	300	10	2	1	2	1	1	–	3	2	4	4	7	13	14	23	25	48	54	54	19	13	–
	Female	271	6	1	1	1	1	1	–	1	1	3	3	3	10	6	14	15	31	54	55	45	19	–
	All other Male	6	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	2	–	–	1	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
490–493	Bronchitis, emphysema, and asthma	323	–	–	–	1	–	–	3	1	–	2	4	10	25	37	48	63	61	35	25	6	2	–
	White Male	225	–	–	–	1	–	–	1	–	–	–	3	5	15	20	35	44	46	31	20	2	2	–
	Female	98	–	–	–	–	–	–	2	1	–	2	1	5	10	17	13	19	15	4	5	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
490, 491	Chronic and unqualified bronchitis	59	–	–	–	–	–	–	–	–	–	–	–	2	3	6	6	15	11	5	8	3	–	–
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	11	7	4	7	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	4	4	1	1	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	237	–	–	–	–	–	–	–	–	–	–	4	8	20	29	37	45	46	27	17	2	2	–
	White Male	172	–	–	–	–	–	–	–	–	–	–	3	4	13	15	27	32	37	25	13	1	2	–
	Female	65	–	–	–	–	–	–	–	–	–	–	1	4	7	14	10	13	9	2	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	27	–	–	–	1	–	–	3	1	–	2	–	–	2	2	5	3	4	3	–	1	–	–
	White Male	15	–	–	–	1	–	–	1	–	–	–	–	–	–	2	5	1	2	2	–	1	–	–
	Female	12	–	–	–	–	–	–	2	1	–	2	–	–	2	–	–	2	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	60	–	–	–	–	–	–	–	–	2	1	1	3	4	3	8	6	9	9	7	5	2	–
	White Male	36	–	–	–	–	–	–	–	–	1	1	–	3	3	1	5	5	5	6	3	3	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	4	3	4	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	*Hernia and intestinal obstruction*	62	4	–	–	1	1	–	1	–	–	1	2	2	1	4	4	4	6	14	7	5	5	–
	White Male	20	2	–	–	–	–	–	1	–	–	–	–	1	–	1	3	2	1	5	2	2	–	–
	Female	40	2	–	–	1	1	–	–	–	–	1	2	1	1	3	1	2	4	9	5	3	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
571	Cirrhosis of liver	341	–	–	–	–	1	1	3	5	9	21	31	47	63	65	47	31	11	3	3	–	–	–
	White Male	213	–	–	–	–	–	–	–	2	5	12	16	27	43	40	37	19	7	2	3	–	–	–
	Female	104	–	–	–	–	–	–	3	2	1	4	12	18	20	21	9	10	3	1	–	–	–	–
	All other Male	18	–	–	–	–	1	1	–	–	2	4	3	2	–	2	1	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	32	–	–	–	–	–	–	–	–	–	1	–	1	3	3	8	4	5	3	3	–	1	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	3	4	1	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	2	1	4	1	1	2	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	62	–	–	1	–	–	–	2	1	1	2	–	4	6	4	4	5	3	10	10	8	1	–
	White Male	24	–	–	–	–	–	–	–	–	1	1	–	2	3	1	2	2	2	–	6	3	1	–
	Female	32	–	–	1	–	–	–	1	1	–	–	–	2	3	3	2	2	1	8	4	4	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	12	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	2	–	2	2	1	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	1	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
582–584	*Chronic and unqualified nephritis and renal sclerosis*	50	–	–	1	–	–	–	1	1	1	2	–	4	4	4	3	3	3	8	8	7	–	–
	White Male	17	–	–	–	–	–	–	–	–	1	1	–	2	2	1	1	1	2	–	4	2	–	–
	Female	28	–	–	1	–	–	–	–	1	–	–	–	2	2	3	2	2	1	6	4	4	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
590	Infections of kidney	41	–	–	–	–	–	–	–	–	1	–	–	1	–	2	3	1	5	13	8	7	–	–
	White Male	11	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	2	3	2	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	5	11	5	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	2	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White.....Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	145	92	15	3	–	4	1	4	2	1	1	2	2	4	3	4	1	3	2	1	–	–	–
	White.....Male	68	40	7	3	–	2	1	2	1	–	1	1	1	1	2	2	1	2	–	1	–	–	–
	Female	70	46	8	–	–	2	–	2	1	1	–	1	1	3	1	1	–	1	2	–	–	–	–
	All other.....Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	176	176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	328	88	4	3	1	1	1	2	1	2	4	3	10	17	24	40	28	32	22	16	15	14	–
	White.....Male	172	49	3	1	–	–	1	1	–	1	3	3	5	11	18	26	12	13	6	10	5	5	–
	Female	145	35	1	2	1	1	1	1	–	2	1	–	4	5	5	12	14	19	16	6	10	9	–
	All other.....Male	8	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,335	16	14	11	6	16	17	7	13	9	18	34	66	77	135	190	172	190	166	114	48	16	–
	White.....Male	747	9	8	5	4	9	11	2	7	3	10	19	37	47	74	114	96	111	101	60	15	5	–
	Female	559	5	6	5	2	7	4	5	6	4	8	12	25	30	56	74	73	78	64	54	30	11	–
	All other.....Male	20	–	–	1	–	–	1	–	–	1	–	2	3	–	4	1	2	1	1	–	3	–	–
	Female	9	2	–	–	–	–	1	–	–	1	–	1	1	–	1	1	1	–	–	–	–	–	–
E800–E949	Accidents	1,301	12	36	40	42	174	156	113	68	51	57	61	55	56	62	58	64	48	58	52	26	9	3
	White.....Male	866	9	18	20	35	116	124	87	50	39	38	48	33	39	46	38	40	28	23	19	10	3	3
	Female	379	2	13	16	6	54	26	22	13	7	16	10	18	15	13	18	22	20	35	32	15	6	–
	All other.....Male	44	1	4	3	1	3	6	3	3	4	3	3	3	1	1	2	2	–	–	1	–	–	–
	Female	12	–	1	1	–	1	–	1	2	1	–	–	1	1	2	–	–	–	–	–	1	–	–
E810–E823	Motor vehicle accidents	636	3	15	20	18	127	104	63	43	31	27	36	23	20	26	21	24	11	13	8	2	–	1
	White.....Male	431	3	5	9	15	82	79	47	32	21	19	27	12	15	19	12	15	7	6	4	1	–	1
	Female	178	–	6	10	3	42	21	15	8	6	7	7	10	5	6	8	9	4	7	3	1	–	–
	All other.....Male	22	–	3	–	–	3	4	1	2	3	1	2	1	–	–	1	–	–	–	1	–	–	–
	Female	5	–	1	1	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	665	9	21	20	24	47	52	50	25	20	30	25	32	36	36	37	40	37	45	44	24	9	2
	White.....Male	435	6	13	11	20	34	45	40	18	18	19	21	21	24	27	26	25	21	17	15	9	3	2
	Female	201	2	7	6	3	12	5	7	5	1	9	3	8	10	7	10	13	16	28	29	14	6	–
	All other.....Male	22	1	1	3	1	–	2	2	1	1	2	1	2	1	1	2	–	–	–	–	–	–	–
	Female	7	–	–	–	–	1	–	1	1	–	–	–	1	1	1	–	–	–	–	–	1	–	–
E950–E959	Suicide	349	...	...	–	3	13	38	39	23	31	30	27	31	33	23	18	16	13	5	4	2	–	–
	White.....Male	240	...	...	–	2	9	28	29	13	19	20	16	19	26	16	14	12	10	3	2	2	–	–
	Female	100	...	...	–	1	3	8	10	7	10	10	11	12	7	7	4	4	3	1	2	–	–	–
	All other.....Male	7	...	...	–	–	1	1	–	2	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	...	...	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	97	1	1	2	4	4	20	8	12	7	9	6	5	4	2	2	5	1	2	1	1	–	–
	White.....Male	48	–	1	–	2	1	8	4	7	5	6	4	3	3	1	1	1	–	1	–	–	–	–
	Female	31	1	–	2	2	2	7	4	2	1	–	1	1	–	1	1	2	1	1	1	1	–	–
	All other.....Male	14	–	–	–	–	1	4	–	2	1	2	–	1	1	–	–	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	89	1	2	–	–	3	13	16	8	6	2	12	7	3	6	4	2	1	–	2	–	–	1
	White.....Male	50	1	1	–	–	1	9	11	6	3	2	4	2	2	4	3	–	–	–	–	–	–	1
	Female	34	–	1	–	–	2	4	4	–	2	–	7	5	1	2	1	2	1	–	2	–	–	–
	All other.....Male	4	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania																							
	All causes	**121,095**	**2,287**	**346**	**301**	**340**	**941**	**1,134**	**1,005**	**943**	**1,126**	**1,854**	**3,373**	**5,682**	**8,473**	**11,550**	**13,945**	**15,611**	**16,808**	**16,419**	**11,707**	**5,522**	**1,698**	**30**
	White ..... Male	59,300	1,035	160	151	195	599	718	557	445	545	929	1,797	3,081	4,813	6,681	7,925	8,158	7,905	7,029	4,310	1,825	430	12
	Female	50,898	732	109	101	96	223	209	248	263	319	527	1,023	1,778	2,732	3,750	4,823	6,188	7,693	8,577	6,905	3,441	1,154	7
	All other ..... Male	6,120	274	46	30	28	84	150	135	161	173	222	328	510	556	655	701	671	635	417	223	87	27	7
	Female	4,777	246	31	19	21	35	57	65	74	89	176	225	313	372	464	496	594	575	396	269	169	87	4
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	98	36	4	–	2	3	–	–	–	–	2	3	3	1	3	3	11	2	12	8	3	2	–
	White ..... Male	36	14	2	–	2	2	–	–	–	–	–	1	–	1	1	2	6	–	2	2	–	1	–
	Female	42	9	2	–	–	1	–	–	–	–	1	2	1	–	1	1	2	2	10	6	3	1	–
	All other ..... Male	13	10	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	7	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–
010–019	Tuberculosis, all forms	184	–	–	–	–	–	2	4	3	3	5	8	17	20	24	17	25	23	16	16	1	–	–
	White ..... Male	99	–	–	–	–	–	–	1	1	2	2	4	5	14	16	12	13	11	7	10	1	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	2	4	2	4	1	8	5	3	3	–	–	–
	All other ..... Male	35	–	–	–	–	–	–	1	1	1	1	2	6	3	3	3	3	4	5	2	–	–	–
	Female	18	–	–	–	–	–	2	2	1	–	2	–	2	1	1	1	1	3	1	1	–	–	–
010–012	Tuberculosis of respiratory system	151	–	–	–	–	–	1	2	3	2	4	5	10	20	20	15	22	21	12	13	1	–	–
	White ..... Male	85	–	–	–	–	–	–	–	1	1	1	2	4	14	14	10	11	11	6	9	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	2	–	2	3	1	7	3	1	3	–	–	–
	All other ..... Male	30	–	–	–	–	–	–	1	1	1	1	1	5	3	2	3	3	4	5	–	–	–	–
	Female	14	–	–	–	–	–	1	1	1	–	2	–	1	1	1	1	1	3	–	1	–	–	–
013–019	Tuberculosis, other forms	33	–	–	–	–	–	1	2	–	1	1	3	7	–	4	2	3	2	4	3	–	–	–
	White ..... Male	14	–	–	–	–	–	–	1	–	1	1	2	1	–	2	2	2	–	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	1	2	2	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	2	–	–	–
	Female	4	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	11	2	2	1	1	1	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	White ..... Male	6	2	–	1	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	491	43	2	3	4	3	–	5	7	5	7	11	16	25	33	67	61	59	70	40	23	7	–
	White ..... Male	212	14	1	3	2	3	–	4	1	1	1	3	3	11	14	31	30	24	35	16	13	2	–
	Female	174	11	–	–	2	–	–	1	2	1	2	4	7	8	8	30	19	24	27	17	9	2	–
	All other ..... Male	52	10	1	–	–	–	–	–	3	1	3	1	5	2	6	4	4	4	4	4	–	–	–
	Female	53	8	–	–	–	–	–	–	1	2	1	3	1	4	5	2	8	7	4	3	1	3	–
040–043	Acute poliomyelitis	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	12	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	3	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	256	14	6	5	7	5	5	8	4	7	7	6	17	18	21	26	25	23	32	16	4	–	–
	White ..... Male	108	8	4	3	4	2	2	2	2	3	2	1	9	3	12	13	12	10	9	5	2	–	–
	Female	109	5	1	1	2	2	2	4	1	–	2	2	7	9	6	10	11	11	20	11	2	–	–
	All other ..... Male	14	–	–	1	–	–	1	2	–	2	–	2	–	2	1	2	–	1	–	–	–	–	–
	Female	25	1	1	–	1	1	–	–	1	2	3	1	1	4	2	1	2	1	3	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	24,025	5	36	44	50	60	69	100	130	217	423	954	1,691	2,543	3,356	3,583	3,517	3,137	2,352	1,249	433	72	4
	White—Male	11,621	1	15	29	30	33	32	58	47	67	148	391	715	1,213	1,692	1,901	1,791	1,579	1,151	548	157	22	1
	Female	10,229	2	17	12	17	26	29	34	70	119	206	446	779	1,053	1,343	1,360	1,417	1,307	1,063	626	258	44	1
	All other—Male	1,259	2	1	2	2	1	5	3	4	16	25	50	117	164	177	194	193	165	81	46	8	2	1
	Female	916	–	3	1	1	–	3	5	9	15	44	67	80	113	144	128	116	86	57	29	10	4	1
140–149	Of buccal cavity and pharynx	486	–	–	–	1	–	1	1	4	5	8	23	48	64	90	74	60	48	38	16	5	–	–
	White—Male	319	–	–	–	1	–	–	1	2	3	2	13	26	44	60	47	43	35	28	12	2	–	–
	Female	110	–	–	–	–	–	1	–	2	1	1	2	11	9	24	23	12	9	8	4	3	–	–
	All other—Male	45	–	–	–	–	–	–	–	–	1	3	7	9	7	6	1	5	4	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	2	1	2	4	–	3	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	6,834	1	1	–	1	2	7	6	18	47	75	187	382	608	873	1,025	1,066	1,041	822	485	166	19	2
	White—Male	3,185	–	–	–	1	1	–	3	5	15	37	100	184	310	444	513	487	490	371	165	56	2	1
	Female	3,027	–	–	–	–	1	6	2	11	22	31	65	147	233	338	407	475	474	410	287	102	16	–
	All other—Male	351	1	–	–	–	–	1	1	2	8	4	11	33	35	49	63	57	42	23	16	4	–	1
	Female	271	–	1	–	–	–	–	–	–	2	3	11	18	30	42	42	47	35	18	17	4	1	–
160–163	Of respiratory system	5,400	–	–	–	–	1	2	1	7	25	93	266	459	724	958	982	843	565	321	122	26	5	–
	White—Male	3,748	–	–	–	–	1	1	1	3	12	54	162	282	475	653	718	618	424	241	84	17	2	–
	Female	1,095	–	–	–	–	–	1	–	4	11	25	63	110	158	202	166	147	101	64	33	7	3	–
	All other—Male	430	–	–	–	–	–	–	–	–	1	10	23	51	75	78	71	67	33	14	5	2	–	–
	Female	127	–	–	–	–	–	–	–	–	1	4	18	16	16	25	27	11	7	2	–	–	–	–
174	Of breast	2,185	–	–	–	–	–	–	4	21	32	94	163	261	275	311	281	233	202	162	88	47	11	–
	White—Male	20	–	–	–	–	–	–	–	–	1	1	1	1	1	1	2	6	1	3	1	–	1	–
	Female	2,001	–	–	–	–	–	–	3	19	28	74	151	242	248	289	263	212	189	149	84	43	7	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–	–
	Female	159	–	–	–	–	–	–	1	2	3	19	10	17	25	21	15	15	11	10	3	4	3	–
180–187	Of genital organs	2,680	–	–	–	–	6	7	20	14	30	37	87	149	222	302	353	416	416	345	200	63	11	2
	White—Male	1,076	–	–	–	–	3	6	10	3	3	2	3	10	30	91	124	186	213	216	133	38	5	–
	Female	1,293	–	–	–	–	3	–	8	6	21	31	73	122	165	177	188	182	140	100	50	22	4	1
	All other—Male	173	–	–	–	–	–	–	–	–	1	–	–	4	9	10	20	36	53	21	15	2	2	–
	Female	138	–	–	–	–	–	1	2	5	5	4	11	13	18	24	21	12	10	8	2	1	–	1
188, 189	Of urinary organs	1,081	–	–	1	–	–	2	1	4	5	6	27	58	88	133	161	167	185	129	76	30	8	–
	White—Male	684	–	–	–	–	–	1	1	4	2	2	18	39	56	94	108	103	112	77	49	13	5	–
	Female	331	–	–	1	–	–	1	–	–	2	2	8	15	23	31	40	55	63	45	25	17	3	–
	All other—Male	39	–	–	–	–	–	–	–	–	1	–	1	3	6	4	9	3	7	4	1	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	2	–	1	3	4	4	6	3	3	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	3,260	–	23	19	22	16	28	33	32	41	58	129	217	375	443	432	456	395	306	161	63	11	–
	White—Male	1,564	–	12	13	13	10	15	20	12	18	26	59	107	204	220	238	213	163	130	61	24	6	–
	Female	1,444	–	8	6	9	5	11	12	18	18	21	55	88	140	186	167	211	199	156	90	39	5	–
	All other—Male	138	–	1	–	–	1	–	–	1	3	6	3	11	19	18	19	18	18	14	6	–	–	–
	Female	114	–	2	–	–	–	2	1	1	2	5	12	11	12	19	8	14	15	6	4	–	–	–
204–207	Leukemia	876	3	11	20	25	24	10	14	14	13	22	37	37	73	77	89	112	126	88	53	23	5	–
	White—Male	429	1	2	12	15	11	4	7	7	5	11	16	21	40	45	50	60	62	31	23	5	1	–
	Female	384	2	9	5	7	13	4	5	6	6	8	18	14	26	22	34	47	58	51	27	18	4	–
	All other—Male	36	–	–	2	2	–	2	1	–	1	1	1	1	5	9	4	1	3	1	2	–	–	–
	Female	27	–	–	1	1	–	–	1	1	1	2	2	1	2	1	1	4	3	5	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,223	1	1	4	1	11	12	20	16	19	30	35	80	114	169	186	164	159	141	48	10	2	–
	White—Male	596	–	1	4	–	7	5	15	11	8	13	19	45	53	84	101	75	79	54	20	2	–	–
	Female	544	–	–	–	1	4	5	4	4	10	13	11	30	51	74	72	76	74	80	26	7	2	–
	All other—Male	42	1	–	–	–	–	2	1	1	–	1	3	4	7	3	6	6	4	2	1	–	–	–
	Female	41	–	–	–	–	–	–	–	–	1	3	2	1	3	8	7	7	2	5	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	337	2	4	3	2	6	1	2	7	9	12	15	26	30	45	54	37	35	25	18	3	1	–
	White—Male	146	1	2	1	1	3	1	1	1	4	4	4	9	13	22	26	17	17	9	9	1	–	–
	Female	154	–	2	1	–	2	–	–	6	4	6	8	12	14	19	24	18	15	12	8	2	1	–
	All other—Male	19	1	–	–	1	–	–	1	–	–	–	2	3	2	4	3	–	1	1	–	–	–	–
	Female	18	–	–	1	–	1	–	–	–	1	2	1	2	1	–	1	2	2	3	1	–	–	–
250	Diabetes mellitus	2,315	–	–	–	1	4	2	19	16	26	22	51	92	164	229	322	343	402	346	189	77	9	1
	White—Male	806	–	–	–	–	2	–	8	6	18	15	20	43	78	85	133	113	126	104	40	14	1	–
	Female	1,286	–	–	–	1	–	1	9	7	5	7	22	34	62	121	150	191	246	224	140	58	8	–
	All other—Male	88	–	–	–	–	–	–	1	1	3	–	5	8	8	9	12	16	15	5	4	1	–	–
	Female	135	–	–	–	–	2	1	1	2	–	–	4	7	16	14	27	23	15	13	5	4	–	1
260–269	Avitaminoses and other nutritional deficiencies	140	4	3	–	–	–	1	–	2	1	1	2	2	6	12	15	15	19	18	19	13	7	–
	White—Male	57	1	1	–	–	–	1	–	–	–	–	–	1	1	7	9	9	7	8	6	5	1	–
	Female	64	1	–	–	–	–	–	–	2	1	1	2	1	5	3	3	4	9	8	12	8	4	–
	All other—Male	10	1	2	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	1	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania — Con.																							
280–285	Anemias	193	3	–	1	2	4	1	1	3	3	4	8	6	9	5	12	28	29	35	30	8	1	–
	White ..... Male	84	–	–	–	1	3	–	1	1	–	2	2	4	5	4	4	13	16	12	10	5	1	–
	Female	87	1	–	1	–	1	1	–	–	–	2	3	1	3	1	7	13	10	21	20	2	–	–
	All other ..... Male	9	1	–	–	1	–	–	–	1	1	–	2	–	–	–	1	–	2	–	–	–	–	–
	Female	13	1	–	–	–	–	–	–	1	2	–	1	1	1	–	–	2	1	2	–	1	–	–
320	Meningitis	85	20	8	8	2	2	–	2	–	–	3	1	4	8	4	7	5	5	3	3	–	–	–
	White ..... Male	34	7	5	2	1	2	–	–	–	–	1	–	2	6	–	6	1	1	–	–	–	–	–
	Female	23	6	2	3	–	–	–	1	–	–	–	–	–	–	3	1	2	2	2	1	–	–	–
	All other ..... Male	18	6	1	1	–	–	–	1	–	–	1	1	1	2	1	–	1	1	1	–	–	–	–
	Female	10	1	–	2	1	–	–	–	–	–	1	–	1	–	–	–	1	1	–	2	–	–	–
390–448	Major cardiovascular diseases	64,339	41	18	9	33	38	62	85	138	248	595	1,169	2,266	3,683	5,468	7,063	8,691	10,129	10,824	8,301	4,128	1,339	11
	White ..... Male	30,986	23	5	4	12	19	39	42	72	163	385	804	1,516	2,408	3,413	4,166	4,522	4,581	4,338	2,829	1,317	326	2
	Female	29,498	9	8	5	10	12	13	26	33	49	121	246	540	1,006	1,638	2,433	3,575	4,956	6,052	5,192	2,635	934	5
	All other ..... Male	1,870	3	4	–	3	3	7	8	20	21	48	68	118	157	239	239	280	256	211	106	60	17	2
	Female	1,985	6	1	–	8	4	3	9	13	15	41	51	92	112	178	225	314	336	223	174	116	62	2
390–398, 402, 404, 410–429	Diseases of heart	49,733	34	11	7	19	23	35	65	89	199	491	1,001	1,916	3,128	4,573	5,679	6,828	7,643	8,000	6,002	3,005	977	8
	White ..... Male	25,005	18	3	3	7	12	23	33	51	139	348	740	1,356	2,136	2,957	3,410	3,646	3,541	3,295	2,073	968	244	2
	Female	21,985	8	5	4	4	7	9	20	15	35	83	182	403	800	1,314	1,910	2,753	3,692	4,405	3,745	1,907	682	2
	All other ..... Male	1,374	3	2	–	2	2	3	5	15	13	35	48	95	119	180	197	206	177	142	69	45	14	2
	Female	1,369	5	1	–	6	2	–	7	8	12	25	31	62	73	122	162	223	233	158	115	85	37	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	962	1	–	–	2	5	8	4	7	7	29	48	88	129	147	137	115	104	67	49	12	3	–
	White ..... Male	398	1	–	–	–	3	2	1	3	4	13	18	44	56	73	53	52	33	23	18	1	–	–
	Female	514	–	–	–	1	–	5	3	2	2	12	26	37	70	69	78	61	66	40	29	11	2	–
	All other ..... Male	30	–	–	–	–	1	1	–	2	–	2	3	5	–	4	4	1	3	3	1	–	–	–
	Female	20	–	–	–	1	1	–	–	–	1	2	1	2	3	1	2	1	2	1	1	–	1	–
402	Hypertensive heart disease	373	–	–	–	–	–	1	2	2	2	3	10	21	21	28	44	64	49	45	54	21	6	–
	White ..... Male	128	–	–	–	–	–	1	–	1	–	1	3	7	10	13	17	28	19	11	10	6	1	–
	Female	195	–	–	–	–	–	–	–	–	1	1	4	6	7	8	22	27	27	32	41	14	5	–
	All other ..... Male	28	–	–	–	–	–	–	–	1	1	–	2	4	3	5	4	3	1	2	1	1	–	–
	Female	22	–	–	–	–	–	–	2	–	–	1	1	4	1	2	1	6	2	–	2	–	–	–
404	Hypertensive heart and renal disease	282	–	–	–	–	–	–	1	2	–	1	1	4	6	9	22	42	48	57	49	29	11	–
	White ..... Male	93	–	–	–	–	–	–	–	2	–	–	–	2	4	5	11	13	19	14	11	11	1	–
	Female	177	–	–	–	–	–	–	1	–	–	1	1	2	1	2	10	22	29	43	38	17	10	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
410–413	Ischemic heart disease	44,561	–	2	1	–	1	6	32	54	156	394	851	1,657	2,752	4,064	5,091	6,166	6,956	7,290	5,444	2,747	889	8
	White ..... Male	22,787	–	–	–	–	–	5	23	33	115	301	659	1,224	1,947	2,688	3,121	3,360	3,262	3,042	1,896	884	225	2
	Female	19,589	–	2	1	–	1	1	7	9	25	51	139	315	664	1,133	1,678	2,467	3,338	3,992	3,391	1,749	624	2
	All other ..... Male	1,084	–	–	–	–	–	–	1	6	9	25	33	73	88	145	157	164	151	120	60	39	11	2
	Female	1,101	–	–	–	–	–	–	1	6	7	17	20	45	53	98	135	175	205	136	97	75	29	2
410	Acute myocardial infarction	23,132	–	–	1	–	1	3	22	35	117	306	663	1,246	2,005	2,861	3,322	3,609	3,481	2,889	1,726	678	160	7
	White ..... Male	13,339	–	–	–	–	–	3	15	25	91	238	531	928	1,455	1,965	2,109	2,038	1,723	1,301	637	239	39	2
	Female	8,702	–	–	1	–	1	–	6	4	16	39	94	244	470	741	1,044	1,390	1,602	1,491	1,037	404	116	2
	All other ..... Male	596	–	–	–	–	–	–	–	3	6	18	25	46	49	97	95	83	67	66	22	15	2	2
	Female	495	–	–	–	–	–	–	1	3	4	11	13	28	31	58	74	98	89	31	30	20	3	1
411	Other acute and subacute forms of ischemic heart disease	195	–	1	–	–	–	–	1	2	3	5	6	7	21	20	27	19	22	26	22	7	6	–
	White ..... Male	116	–	–	–	–	–	–	1	1	2	4	4	7	16	17	19	11	11	11	9	1	2	–
	Female	67	–	1	–	–	–	–	–	1	–	–	2	–	2	3	7	5	11	13	13	5	4	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	2	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–
412	Chronic ischemic heart disease	21,227	–	1	–	–	–	3	9	17	36	82	182	402	725	1,183	1,741	2,537	3,453	4,374	3,696	2,062	723	1
	White ..... Male	9,329	–	–	–	–	–	2	7	7	22	58	124	287	476	706	993	1,311	1,528	1,730	1,250	644	184	–
	Female	10,818	–	1	–	–	–	1	1	4	9	12	43	71	191	389	627	1,072	1,725	2,487	2,341	1,340	504	–
	All other ..... Male	480	–	–	–	–	–	–	1	3	2	6	8	27	37	48	62	78	84	53	38	24	9	–
	Female	600	–	–	–	–	–	–	–	3	3	6	7	17	21	40	59	76	116	104	67	54	26	1
413	Angina pectoris	7	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	265	1	–	1	2	2	2	5	2	2	4	7	11	15	21	28	28	34	49	30	18	3	–
	White ..... Male	102	1	–	1	1	1	2	–	2	1	2	6	3	8	5	16	10	14	15	8	4	2	–
	Female	142	–	–	–	–	1	–	4	–	1	1	–	5	3	15	10	15	18	32	22	14	1	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	1	–	2	3	1	1	2	2	2	–	–	–	–
	Female	7	–	–	–	1	–	–	1	–	–	–	1	1	1	–	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
420–423, 425–427, 429	All other forms of heart disease	3,290	32	9	5	15	15	18	21	22	32	60	84	135	205	304	357	413	452	492	376	178	65	–
	White Male	1,497	16	3	2	6	8	13	9	10	19	31	54	76	111	173	192	183	194	190	130	62	15	–
	Female	1,368	8	3	3	3	5	3	5	4	6	17	12	38	55	87	112	161	214	266	224	102	40	–
	All other Male	209	3	2	–	2	1	2	4	6	3	7	10	11	24	23	31	31	20	15	7	4	3	–
	Female	216	5	1	–	4	1	–	3	2	4	5	8	10	15	21	22	38	24	21	15	10	7	–
400, 401, 403	Hypertension	287	–	–	–	1	–	–	1	2	–	1	6	11	15	29	30	28	47	45	41	26	4	–
	White Male	128	–	–	–	1	–	–	–	1	–	1	2	5	5	14	15	12	22	22	19	8	1	–
	Female	131	–	–	–	–	–	–	1	1	–	–	1	4	7	7	14	15	24	19	21	15	2	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	1	1	2	6	–	1	1	1	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	–	–	3	–	2	1	–
430–438	Cerebrovascular diseases	10,666	7	6	1	11	11	26	17	40	39	88	120	268	439	668	1,029	1,384	1,866	2,134	1,590	717	202	3
	White Male	4,128	5	2	1	2	3	15	7	15	20	28	41	110	202	324	515	595	728	770	492	215	38	–
	Female	5,646	1	3	–	6	5	4	5	17	9	34	49	117	167	260	424	655	986	1,258	1,023	474	146	3
	All other Male	398	–	1	–	1	1	4	3	4	7	13	14	16	33	40	36	60	70	52	28	12	3	–
	Female	494	1	–	–	2	2	3	2	4	3	13	16	25	37	44	54	74	82	54	47	16	15	–
431	Cerebral hemorrhage	1,406	5	1	–	2	6	10	6	14	13	33	40	74	104	111	185	193	216	204	133	45	11	–
	White Male	585	4	–	–	1	3	6	3	3	8	9	16	30	53	49	100	78	89	78	39	13	3	–
	Female	678	1	1	–	–	2	–	1	7	2	12	13	33	34	46	77	103	108	114	87	29	8	–
	All other Male	72	–	–	–	1	1	3	1	3	2	7	6	4	7	5	3	10	9	8	–	2	–	–
	Female	71	–	–	–	–	–	1	1	1	1	5	5	7	10	11	5	2	10	4	7	1	–	–
433	Cerebral thrombosis	2,753	–	–	–	–	1	2	2	2	3	8	11	27	81	152	263	367	495	615	454	209	60	1
	White Male	1,070	–	–	–	–	–	1	1	1	1	6	3	12	42	87	141	168	185	224	133	52	13	–
	Female	1,495	–	–	–	–	–	–	1	–	–	1	4	13	28	55	100	161	271	367	304	149	40	1
	All other Male	89	–	–	–	–	–	–	–	1	2	1	2	1	5	4	10	19	20	11	8	4	1	–
	Female	99	–	–	–	–	1	1	–	–	–	–	2	1	6	6	12	19	19	13	9	4	6	–
434	Cerebral embolism	53	–	–	–	–	–	–	–	–	–	–	1	2	2	3	4	9	12	10	3	5	2	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	4	2	1	1	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	5	7	8	2	4	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	6,454	2	5	1	9	4	14	9	24	23	47	68	165	252	402	577	815	1,143	1,305	1,000	458	129	2
	White Male	2,457	1	2	1	1	–	8	3	11	11	13	21	68	106	187	272	346	450	466	319	149	22	–
	Female	3,438	–	2	–	6	3	4	3	10	7	21	32	69	104	157	245	386	600	769	630	292	96	2
	All other Male	236	–	1	–	–	–	1	2	–	3	5	6	11	21	31	23	30	41	33	20	6	2	–
	Female	323	1	–	–	2	1	1	1	3	2	8	9	17	21	27	37	53	52	37	31	11	9	–
440	Arteriosclerosis	1,940	–	–	–	–	–	–	–	1	1	3	1	7	20	41	79	152	273	417	503	308	134	–
	White Male	739	–	–	–	–	–	–	–	1	1	2	–	5	11	22	42	75	124	141	177	102	36	–
	Female	1,121	–	–	–	–	–	–	–	–	–	1	1	1	8	14	30	68	136	262	314	195	91	–
	All other Male	30	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	3	10	5	2	–	–
	Female	50	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	4	10	4	2	9	7	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,713	–	1	1	2	4	1	2	6	9	12	41	64	81	157	246	299	300	228	165	72	22	–
	White Male	986	–	–	–	2	4	1	2	4	3	6	21	40	54	96	184	194	166	110	68	24	7	–
	Female	615	–	–	1	–	–	–	–	–	5	3	13	15	24	43	55	84	118	108	89	44	13	–
	All other Male	53	–	1	–	–	–	–	–	1	1	–	5	5	3	11	4	8	5	6	3	–	–	–
	Female	59	–	–	–	–	–	–	–	1	–	3	2	4	–	7	3	13	11	4	5	4	2	–
466	Acute bronchitis and bronchiolitis	47	4	1	1	1	–	–	–	–	–	1	4	2	3	2	2	9	7	4	4	2	–	–
	White Male	25	2	1	1	1	–	–	–	–	–	–	2	2	1	1	1	4	5	2	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	4	2	2	3	1	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	3,388	80	11	11	11	16	24	18	21	32	30	50	105	131	200	268	342	533	625	488	274	117	1
	White Male	1,647	33	7	6	2	6	9	7	10	15	14	22	62	69	122	149	188	272	307	216	98	32	1
	Female	1,424	26	3	5	6	7	7	7	7	8	9	9	25	38	51	77	121	224	293	257	166	78	–
	All other Male	198	12	–	–	2	3	5	1	3	4	2	13	13	19	14	32	22	23	14	10	5	1	–
	Female	119	9	1	–	1	–	3	3	1	5	5	6	5	5	13	10	11	14	11	5	5	6	–
470–474	Influenza	279	2	–	2	–	2	1	1	2	–	1	–	7	6	9	9	28	41	57	49	47	15	–
	White Male	104	1	–	1	–	1	–	1	–	–	–	–	5	3	4	4	11	17	24	14	16	2	–
	Female	170	1	–	1	–	1	1	–	2	–	1	–	2	3	5	5	16	24	31	35	30	12	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
480–486	Pneumonia	3,109	78	11	9	11	14	23	17	19	32	29	50	98	125	191	259	314	492	568	439	227	102	1
	White Male	1,543	32	7	5	2	5	9	6	10	15	14	22	57	66	118	145	177	255	283	202	82	30	1
	Female	1,254	25	3	4	6	6	6	7	5	8	8	9	23	35	46	72	105	200	262	222	136	66	–
	All other Male	196	12	–	–	2	3	5	1	3	4	2	13	13	19	14	32	21	23	13	10	5	1	–
	Female	116	9	1	–	1	–	3	3	1	5	5	6	5	5	13	10	11	14	10	5	4	5	–
490–493	Bronchitis, emphysema, and asthma	1,182	5	1	1	1	1	2	1	7	5	6	24	44	82	132	206	244	185	132	70	32	1	–
	White Male	823	3	–	–	–	1	1	1	2	1	3	8	24	46	97	155	185	134	97	45	19	1	–
	Female	303	1	1	–	1	–	1	–	4	4	3	12	13	28	28	46	47	46	34	23	11	–	–
	All other Male	39	–	–	–	–	–	–	–	–	–	–	3	4	5	7	4	8	5	–	2	1	–	–
	Female	17	1	–	1	–	–	–	–	1	–	–	1	3	3	–	1	4	–	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania — Con.																							
490, 491	Chronic and unqualified bronchitis	221	4	–	–	1	1	–	–	2	2	3	7	11	14	20	22	43	40	23	18	10	–	–
	White Male	128	2	–	–	–	1	–	–	2	–	2	2	5	7	11	14	31	28	13	6	4	–	–
	Female	86	1	–	–	1	–	–	–	–	2	1	4	4	6	9	7	11	12	10	12	6	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	871	1	–	–	–	–	2	1	–	1	1	13	25	58	100	169	188	140	104	46	21	1	–
	White Male	666	1	–	–	–	–	1	1	–	1	–	5	19	35	81	135	148	104	83	36	15	1	–
	Female	169	–	–	–	–	–	1	–	–	–	1	5	3	17	15	31	31	31	21	8	5	–	–
	All other Male	30	–	–	–	–	–	–	–	–	–	–	2	2	4	4	3	7	5	–	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	2	–	–	–	–	–	–
493	Asthma	90	–	1	1	–	–	–	–	5	2	2	4	8	10	12	15	13	5	5	6	1	–	–
	White Male	29	–	–	–	–	–	–	–	–	–	1	1	–	4	5	6	6	2	1	3	–	–	–
	Female	48	–	1	–	–	–	–	–	4	2	1	3	6	5	4	8	5	3	3	3	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	Female	10	–	–	1	–	–	–	–	1	–	–	–	2	1	–	1	2	–	1	–	1	–	–
531–533	Peptic ulcer	356	–	–	–	–	–	1	3	3	3	5	12	22	34	33	51	52	53	34	34	12	4	–
	White Male	211	–	–	–	–	–	1	1	3	2	4	8	19	24	15	31	33	26	18	22	4	–	–
	Female	120	–	–	–	–	–	–	1	–	–	–	3	3	5	17	17	16	25	13	10	7	3	–
	All other Male	17	–	–	–	–	–	–	1	–	1	1	–	–	4	–	3	2	2	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	1	1	1	–
540–543	Appendicitis	36	–	1	2	–	1	1	1	–	1	1	2	3	4	3	5	1	6	2	1	1	–	–
	White Male	18	–	–	2	–	1	1	–	–	1	1	1	2	3	2	–	–	2	1	–	1	–	–
	Female	13	–	1	–	–	–	–	1	–	–	–	–	–	1	1	3	1	3	1	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	334	28	2	–	–	1	–	1	4	2	3	3	4	17	18	31	44	52	46	47	23	8	–
	White Male	124	15	2	–	–	1	–	–	2	1	2	1	1	4	7	15	16	26	14	9	6	2	–
	Female	181	7	–	–	–	–	–	1	–	1	1	2	2	12	9	14	24	22	29	35	16	6	–
	All other Male	17	3	–	–	–	–	–	–	1	–	–	–	1	–	–	2	3	3	2	1	1	–	–
	Female	12	3	–	–	–	–	–	–	1	–	–	–	–	1	2	–	1	1	1	2	–	–	–
571	Cirrhosis of liver	1,704	1	–	–	1	2	2	22	36	69	120	199	206	269	287	226	136	76	37	12	3	–	–
	White Male	1,039	1	–	–	–	1	1	8	20	31	72	118	117	156	199	152	85	47	20	9	2	–	–
	Female	426	–	–	–	1	1	–	2	2	9	20	42	55	83	62	61	45	23	16	3	1	–	–
	All other Male	164	–	–	–	–	–	–	10	11	20	19	28	21	19	19	11	3	2	1	–	–	–	–
	Female	75	–	–	–	–	–	1	2	3	9	9	11	13	11	7	2	3	4	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	164	–	–	–	–	–	–	3	1	1	–	2	6	7	10	17	25	26	30	22	12	2	–
	White Male	70	–	–	–	–	–	–	–	–	1	–	1	1	2	6	9	12	11	14	10	3	–	–
	Female	84	–	–	–	–	–	–	2	–	–	–	–	3	3	4	7	13	14	16	12	8	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	1	–	–	1	2	–	–	1	–	–	–	–	1	–	–
580–584	Nephritis and nephrosis	611	–	1	1	–	4	7	5	11	5	9	22	27	47	51	64	75	96	81	69	28	8	–
	White Male	280	–	1	1	–	2	4	3	6	–	6	8	13	22	31	31	28	43	36	32	10	3	–
	Female	222	–	–	–	–	2	3	1	3	4	2	4	5	15	13	15	30	34	39	33	15	4	–
	All other Male	57	–	–	–	–	–	–	–	1	–	–	3	5	4	3	11	9	12	4	3	1	1	–
	Female	52	–	–	–	–	–	–	1	1	1	1	7	4	6	4	7	8	7	2	1	2	–	–
580, 581	Acute nephritis and nephrotic syndrome	157	–	1	–	–	–	1	–	1	–	3	5	5	10	12	16	18	24	26	23	10	2	–
	White Male	78	–	1	–	–	–	1	–	1	–	2	2	3	4	8	10	8	13	13	10	2	–	–
	Female	60	–	–	–	–	–	–	–	–	–	1	1	1	5	3	2	8	5	12	13	7	2	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	1	4	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	454	–	–	1	–	4	6	5	10	5	6	17	22	37	39	48	57	72	55	46	18	6	–
	White Male	202	–	–	1	–	2	3	3	5	–	4	6	10	18	23	21	20	30	23	22	8	3	–
	Female	162	–	–	–	–	2	3	1	3	4	1	3	4	10	10	13	22	29	27	20	8	2	–
	All other Male	45	–	–	–	–	–	–	–	1	–	–	1	4	3	2	9	8	8	4	3	1	1	–
	Female	45	–	–	–	–	–	–	1	1	1	1	7	4	6	4	5	7	5	1	1	1	–	–
590	Infections of kidney	181	1	–	–	–	–	1	2	–	–	–	3	4	8	12	15	19	33	33	33	13	4	–
	White Male	62	–	–	–	–	–	–	1	–	–	–	1	2	3	4	1	6	14	13	11	5	1	–
	Female	108	1	–	–	–	–	1	1	–	–	–	2	2	4	7	12	12	17	19	19	8	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	3	–	–	–
600	Hyperplasia of prostate	27	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	5	6	7	4	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	3	6	7	4	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	20	–	–	–	–	1	3	5	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	14	–	–	–	–	–	2	4	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	19	–	–	–	–	1	3	4	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	13	–	–	–	–	–	2	3	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	611	386	42	22	14	16	14	11	15	7	7	15	11	15	14	8	9	3	2	–	–	–	–
	White Male	295	192	15	7	8	10	8	6	8	4	2	9	4	8	4	2	4	2	2	–	–	–	–
	Female	237	145	19	8	3	3	6	5	3	3	4	5	7	6	10	5	4	1	–	–	–	–	–
	All other Male	28	16	4	3	1	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	51	33	4	4	2	2	–	–	2	–	1	1	–	–	–	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,272	1,271	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	563	563	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	415	414	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	158	158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	692	691	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	320	320	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	223	222	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	580	580	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	243	243	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	192	192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,912	203	8	3	2	9	7	20	31	53	90	144	277	293	342	351	324	293	238	133	63	27	1
	White Male	1,105	87	5	1	1	3	2	5	8	10	18	55	96	126	159	140	139	102	78	41	21	7	1
	Female	675	52	3	1	1	2	1	2	6	3	9	14	31	43	52	74	91	93	92	63	27	15	–
	All other Male	719	37	–	–	–	3	3	7	14	30	43	55	101	78	90	90	52	59	38	14	4	1	–
	Female	413	27	–	1	–	1	1	6	3	10	20	20	49	46	41	47	42	39	30	15	11	4	–
Residual	All other diseases	8,596	75	44	39	45	57	74	95	87	105	159	276	411	619	830	1,162	1,241	1,218	1,078	685	240	51	5
	White Male	4,636	41	24	15	21	27	36	38	25	43	55	121	180	332	506	713	759	664	585	341	95	13	2
	Female	3,024	22	10	19	17	21	19	34	28	38	54	86	145	208	243	353	388	458	422	298	130	30	1
	All other Male	529	7	9	2	3	4	9	12	24	12	25	41	48	44	43	62	58	55	37	23	6	3	2
	Female	407	5	1	3	4	5	10	11	10	12	25	28	38	35	38	34	36	41	34	23	9	5	–
E800–E949	Accidents	4,777	45	132	137	140	535	518	312	227	157	156	202	257	264	275	244	241	281	298	196	118	36	6
	White Male	2,886	23	62	70	97	396	406	223	143	104	106	122	160	159	162	140	114	132	128	78	41	16	4
	Female	1,429	16	35	43	28	117	78	67	46	31	28	49	62	77	79	87	109	124	154	109	71	19	–
	All other Male	321	3	20	18	12	16	28	16	31	19	14	20	27	22	23	13	8	16	7	6	–	–	2
	Female	141	3	15	6	3	6	6	6	7	3	8	11	8	6	11	4	10	9	9	3	6	1	–
E810–E823	Motor vehicle accidents	2,071	5	44	64	72	384	376	204	122	77	85	79	102	105	79	88	58	59	46	17	3	2	–
	White Male	1,382	3	18	26	46	286	293	145	80	47	55	48	64	66	52	52	28	31	31	8	1	2	–
	Female	546	2	14	28	19	87	67	52	25	24	18	19	29	36	20	33	25	24	14	8	2	–	–
	All other Male	107	–	9	7	4	8	15	4	14	6	5	10	8	2	7	2	2	3	1	–	–	–	–
	Female	36	–	3	3	3	3	1	3	3	–	7	2	1	1	–	1	3	1	–	1	–	–	–
E800–E807, E825–E949	All other accidents	2,706	40	88	73	68	151	142	108	105	80	71	123	155	159	196	156	183	222	252	179	115	34	6
	White Male	1,504	20	44	44	51	110	113	78	63	57	51	74	96	93	110	88	86	101	97	70	40	14	4
	Female	883	14	21	15	9	30	11	15	21	7	10	30	33	41	59	54	84	100	140	101	69	19	–
	All other Male	214	3	11	11	8	8	13	12	17	13	9	10	19	20	16	11	6	13	6	6	–	–	2
	Female	105	3	12	3	–	3	5	3	4	3	1	9	7	5	11	3	7	8	9	2	6	1	–
E950–E959	Suicide	1,365	. . .	. . .	–	2	66	160	148	102	81	97	112	116	132	99	87	68	51	29	14	1	–	–
	White Male	921	. . .	. . .	–	1	48	112	104	59	47	57	58	79	89	80	64	49	38	26	10	–	–	–
	Female	340	. . .	. . .	–	1	11	26	32	29	27	28	43	31	39	17	21	16	12	3	3	1	–	–
	All other Male	77	. . .	. . .	–	–	4	15	9	10	7	10	9	4	3	2	1	1	1	–	1	–	–	–
	Female	27	. . .	. . .	–	–	3	7	3	4	–	2	2	2	1	–	1	2	–	–	–	–	–	–
E960–E978	Homicide	743	14	14	8	13	87	132	102	59	63	61	52	34	25	25	20	12	16	3	1	2	–	–
	White Male	243	4	6	5	8	24	37	29	20	21	20	24	6	10	8	10	4	5	1	1	–	–	–
	Female	102	2	3	1	4	12	13	9	5	7	13	5	6	2	6	3	2	6	1	–	2	–	–
	All other Male	319	2	3	2	1	46	67	50	27	27	23	18	22	9	9	7	3	3	–	–	–	–	–
	Female	79	6	2	–	–	5	15	14	7	8	5	5	–	4	2	–	3	2	1	–	–	–	–
E980–E999	Other external causes	281	4	5	2	6	19	44	30	23	20	25	22	12	14	12	17	6	8	7	2	1	1	1
	White Male	127	–	2	–	3	10	24	14	8	6	8	7	5	6	10	8	3	5	5	2	–	–	1
	Female	60	2	–	1	2	2	6	4	3	4	7	8	2	4	2	7	3	2	1	–	–	–	–
	All other Male	68	1	1	1	1	3	10	12	7	8	7	4	4	4	–	2	–	1	1	–	–	1	–
	Female	26	1	2	–	–	4	4	–	5	2	3	3	1	–	–	–	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island																							
	All causes	**9,200**	**156**	**21**	**24**	**22**	**57**	**77**	**65**	**62**	**87**	**121**	**222**	**404**	**608**	**791**	**1,045**	**1,180**	**1,307**	**1,318**	**988**	**479**	**165**	**1**
	White Male	4,766	82	7	13	13	43	55	46	42	52	68	126	251	381	486	626	658	649	581	385	158	44	–
	White Female	4,217	57	12	10	8	11	14	13	14	31	41	87	134	216	290	400	506	634	716	585	316	121	1
	All other Male	126	9	2	1	–	3	5	5	6	4	7	5	14	9	9	10	4	10	11	10	2	–	–
	All other Female	91	8	–	–	1	–	3	1	–	–	5	4	5	2	6	9	12	14	10	8	3	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
	White Male	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	11	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	1	4	–	–	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	2	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	1	–	–	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	32	3	–	–	–	–	–	–	–	–	–	1	3	–	1	2	2	6	6	5	3	–	–
	White Male	12	2	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	1	1	1	2	–	–
	White Female	18	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	4	5	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	21	2	–	–	–	1	1	–	–	2	–	2	2	1	1	–	5	1	2	1	–	–	–
	White Male	12	1	–	–	–	1	–	–	–	1	–	1	2	1	–	–	3	–	1	1	–	–	–
	White Female	9	1	–	–	–	–	1	–	–	1	–	1	–	–	1	–	2	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,111	–	1	2	6	7	2	11	10	19	29	81	123	202	259	314	302	301	263	129	44	6	–
	White—Male	1,118	–	1	–	4	4	2	3	5	8	9	34	61	109	148	176	180	159	133	61	18	3	–
	White—Female	951	–	–	2	2	3	–	8	4	11	14	45	60	90	104	130	117	140	126	66	26	3	–
	All other—Male	25	–	–	–	–	–	–	–	1	–	3	1	1	3	4	5	2	2	2	1	–	–	–
	All other—Female	17	–	–	–	–	–	–	–	–	–	3	1	1	–	3	3	3	–	2	1	–	–	–
140–149	Of buccal cavity and pharynx	44	–	–	–	–	–	–	–	–	–	–	1	2	7	11	7	5	3	4	3	1	–	–
	White—Male	34	–	–	–	–	–	–	–	–	–	–	1	1	5	7	6	5	1	4	3	1	–	–
	White—Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	–	2	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	660	–	–	–	1	–	–	1	1	3	3	16	42	45	57	104	111	106	105	46	18	1	–
	White—Male	347	–	–	–	1	–	–	1	–	3	1	10	27	23	38	54	61	53	49	21	5	–	–
	White—Female	300	–	–	–	–	–	–	–	–	–	2	6	14	21	17	48	48	52	54	24	13	1	–
	All other—Male	9	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	1	1	1	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
160–163	Of respiratory system	480	–	–	–	–	–	–	–	3	1	9	31	36	61	80	83	74	52	32	14	3	1	–
	White—Male	354	–	–	–	–	–	–	–	1	–	3	20	22	47	59	63	61	39	26	10	2	1	–
	White—Female	117	–	–	–	–	–	–	–	2	1	4	11	14	14	19	17	12	13	6	3	1	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	2	–	–	–	2	2	1	–	–	1	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
174	Of breast	202	–	–	–	–	–	–	2	1	3	6	15	18	27	28	21	17	23	23	11	7	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	White—Female	198	–	–	–	–	–	–	2	1	3	4	14	18	26	28	21	17	23	23	11	7	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	249	–	–	–	–	–	–	1	3	2	3	10	5	17	27	33	35	48	41	16	6	2	–
	White—Male	119	–	–	–	–	–	–	–	2	–	–	–	2	3	6	14	16	29	28	12	6	1	–
	White—Female	126	–	–	–	–	–	–	1	1	2	3	9	3	14	21	18	18	19	12	4	–	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	104	–	–	–	–	–	–	2	–	1	2	2	4	8	7	12	17	16	20	9	4	–	–
	White—Male	74	–	–	–	–	–	–	–	–	–	1	1	2	5	6	8	16	12	14	5	4	–	–
	White—Female	30	–	–	–	–	–	–	2	–	1	1	1	2	3	1	4	1	4	6	4	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	208	–	–	2	1	3	–	2	–	4	3	5	13	29	29	30	22	27	17	15	4	2	–
	White—Male	100	–	–	–	1	1	–	1	–	2	1	1	5	20	18	16	9	15	5	4	–	1	–
	White—Female	98	–	–	2	–	2	–	1	–	2	–	3	7	9	8	13	12	12	11	11	4	1	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	–	1	–	–	–	–
204–207	Leukemia	75	–	1	–	4	3	–	1	–	3	2	–	1	1	8	7	12	15	8	9	–	–	–
	White—Male	44	–	1	–	2	2	–	–	–	2	2	–	–	–	8	5	8	8	3	3	–	–	–
	White—Female	30	–	–	–	2	1	–	1	–	1	–	–	1	1	–	2	4	6	5	6	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	89	–	–	–	–	1	2	2	2	2	1	1	2	7	12	17	9	11	13	6	1	–	–
	White—Male	44	–	–	–	–	1	2	1	2	1	1	–	2	5	6	10	4	2	4	3	–	–	–
	White—Female	44	–	–	–	–	–	–	1	–	1	–	1	–	1	6	7	5	9	9	3	1	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	29	–	–	–	–	–	–	–	–	1	2	1	3	5	2	1	2	6	–	5	–	1	–
	White—Male	12	–	–	–	–	–	–	–	–	–	1	–	2	3	1	–	1	2	–	2	–	–	–
	White—Female	16	–	–	–	–	–	–	–	–	1	1	1	1	2	1	1	1	3	–	3	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
250	Diabetes mellitus	212	–	–	–	–	–	–	2	1	1	2	3	9	9	20	27	38	35	38	18	7	2	–
	White—Male	80	–	–	–	–	–	–	1	1	–	2	–	1	3	9	15	18	9	13	7	1	–	–
	White—Female	129	–	–	–	–	–	–	1	–	1	–	3	6	5	11	12	20	26	25	11	6	2	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	3	–	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island —Con.																							
280–285	Anemias	11	–	–	1	–	–	–	–	–	–	–	1	–	–	1	2	2	2	–	–	2	–	
	White Male	5	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	4,916	8	–	1	4	3	1	2	8	23	44	77	166	276	391	509	656	753	817	690	355	131	1
	White Male	2,477	7	–	1	3	2	1	1	6	18	31	57	121	198	257	311	358	372	338	255	108	32	–
	Female	2,367	1	–	–	1	–	–	1	1	5	11	18	38	76	130	192	290	370	468	423	242	99	1
	All other Male	35	–	–	–	–	1	–	–	1	–	1	1	5	2	3	1	1	4	5	8	2	–	
	Female	37	–	–	–	–	–	–	–	–	–	1	1	2	–	1	5	7	7	6	4	3	–	
390–398, 402, 404, 410–429	Diseases of heart	3,857	7	–	1	2	2	1	1	6	22	42	70	145	243	317	417	540	597	612	489	249	94	
	White Male	2,024	6	–	1	1	1	1	1	5	18	31	53	112	177	217	258	292	299	265	187	80	19	
	Female	1,780	1	–	–	1	–	–	–	1	4	9	15	29	65	96	155	243	290	337	294	165	75	
	All other Male	26	–	–	–	–	1	–	–	–	–	1	1	3	1	3	1	1	3	5	5	1	–	
	Female	27	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	4	5	5	3	3	–	
390–398	Active rheumatic fever and chronic rheumatic heart disease	84	–	–	–	1	–	–	–	1	–	3	1	7	3	11	15	18	11	7	4	2	–	
	White Male	38	–	–	–	1	–	–	–	–	–	2	1	3	1	5	6	11	6	1	1	–	–	
	Female	46	–	–	–	–	–	–	–	1	–	1	–	4	2	6	9	7	5	6	3	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	31	–	–	–	–	–	–	–	1	–	1	–	2	–	4	3	3	6	3	4	3	1	
	White Male	13	–	–	–	–	–	–	–	1	–	1	–	1	–	4	–	1	2	2	–	–	1	
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	1	4	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	3,617	–	–	–	–	–	–	–	3	17	36	65	130	232	287	385	502	563	589	476	240	92	
	White Male	1,907	–	–	–	–	–	–	–	3	14	27	50	104	170	199	246	271	281	259	186	79	18	
	Female	1,663	–	–	–	–	–	–	–	–	3	7	13	22	61	85	137	226	275	321	282	157	74	
	All other Male	22	–	–	–	–	–	–	–	–	–	1	1	3	1	3	–	1	2	4	5	1	–	
	Female	25	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	4	5	5	3	3	–	
410	Acute myocardial infarction	1,634	–	–	–	–	–	–	–	1	7	19	35	76	132	179	221	262	281	220	125	57	19	
	White Male	947	–	–	–	–	–	–	–	1	6	15	29	61	97	124	139	140	151	100	54	28	2	
	Female	670	–	–	–	–	–	–	–	–	1	4	6	12	35	53	81	120	125	118	69	29	17	
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	1	–	2	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	2	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	8	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	1	1	1	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	1,974	–	–	–	–	–	–	–	2	10	16	30	54	99	107	163	240	281	368	350	182	72	
	White Male	957	–	–	–	–	–	–	–	2	8	12	21	43	73	74	106	131	129	159	132	51	16	
	Female	987	–	–	–	–	–	–	–	–	2	2	7	10	25	32	56	106	150	202	212	127	56	
	All other Male	15	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	1	4	3	1	–	
	Female	15	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	1	3	3	3	–	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	3	–	–	–	–	
	White Male	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island —Con.																							
420–423, 425–427, 429	All other forms of heart disease	113	6	–	1	1	2	1	1	1	5	1	4	6	7	15	11	15	13	13	5	4	1	–
	White Male	59	5	–	1	–	1	1	1	1	4	1	2	4	5	9	5	8	7	3	–	1	–	–
	Female	49	1	–	–	1	–	–	–	–	1	–	2	2	2	5	5	7	5	9	5	3	1	–
	All other Male	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	37	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	6	6	6	5	6	1	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	4	1	2	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	5	3	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	746	1	–	–	1	1	–	1	2	–	2	4	15	25	40	62	70	112	145	153	79	32	1
	White Male	301	1	–	–	1	1	–	–	1	–	–	1	5	16	17	31	41	50	53	52	19	12	–
	Female	433	–	–	–	–	–	–	1	–	–	2	3	8	9	23	30	27	60	91	99	59	20	1
	All other Male	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	1	–	–	–
431	Cerebral hemorrhage	90	–	–	–	–	–	–	–	2	–	–	–	5	8	10	10	9	12	19	10	2	3	–
	White Male	34	–	–	–	–	–	–	–	1	–	–	–	3	5	6	7	2	4	4	2	–	–	–
	Female	55	–	–	–	–	–	–	–	–	–	–	–	2	3	4	3	7	8	15	8	2	3	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	236	–	–	–	–	–	–	–	–	–	–	1	3	3	12	16	13	45	47	53	27	16	–
	White Male	93	–	–	–	–	–	–	–	–	–	–	–	–	2	3	9	12	20	17	20	6	4	–
	Female	142	–	–	–	–	–	–	–	–	–	–	1	2	1	9	7	1	25	30	33	21	12	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	420	1	–	–	1	1	–	1	–	–	2	3	7	14	18	36	48	55	79	90	50	13	1
	White Male	174	1	–	–	1	1	–	–	–	–	–	1	2	9	8	15	27	26	32	30	13	8	–
	Female	236	–	–	–	–	–	–	1	–	–	2	2	4	5	10	20	19	27	46	58	36	5	1
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	1	–	–	–
440	Arteriosclerosis	135	–	–	–	–	–	–	–	–	–	–	3	2	3	11	8	16	18	34	23	14	3	–
	White Male	60	–	–	–	–	–	–	–	–	–	–	3	1	3	7	5	8	6	12	7	7	1	–
	Female	71	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	8	11	22	15	7	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	141	–	–	–	1	–	–	–	–	1	–	–	3	3	21	20	24	20	20	20	7	1	–
	White Male	78	–	–	–	1	–	–	–	–	–	–	–	2	1	15	16	15	13	7	7	1	–	–
	Female	61	–	–	–	–	–	–	–	–	1	–	–	1	2	6	4	8	7	13	12	6	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	6	1	1	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	216	4	–	2	–	–	2	3	–	1	3	3	6	1	6	14	18	28	48	43	29	5	–
	White Male	101	3	–	–	–	–	1	2	–	–	1	3	5	–	1	9	9	11	26	15	13	2	–
	Female	109	1	–	2	–	–	–	–	–	1	2	–	–	1	4	5	8	16	22	28	16	3	–
	All other Male	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	35	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	3	2	8	12	5	2	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	3	2	1	–
	Female	24	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	2	4	9	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	181	4	–	2	–	–	2	3	–	–	3	3	6	1	6	12	15	26	40	31	24	3	–
	White Male	90	3	–	–	–	–	1	2	–	–	1	3	5	–	1	8	9	11	22	12	11	1	–
	Female	85	1	–	2	–	–	–	–	–	–	2	–	–	1	4	4	5	14	18	19	13	2	–
	All other Male	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	87	–	–	1	–	–	–	–	1	–	–	3	4	2	6	17	13	22	7	6	4	1	–
	White Male	64	–	–	–	–	–	–	–	–	–	–	2	2	2	6	14	13	14	5	3	2	1	–
	Female	22	–	–	1	–	–	–	–	1	–	–	1	1	–	–	3	–	8	2	3	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island — Con.																							
490, 491	Chronic and unqualified bronchitis	30	–	–	1	–	–	–	–	1	–	–	1	2	1	1	7	5	5	3	2	–	1	
	White ... Male	22	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	5	3	2	1	–	1	
	Female	8	–	–	1	–	–	–	–	1	–	–	1	1	–	–	–	–	2	1	1	–	–	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	53	–	–	–	–	–	–	–	–	–	–	2	2	1	4	8	8	17	4	3	4	–	
	White ... Male	40	–	–	–	–	–	–	–	–	–	–	2	1	1	4	7	8	11	3	1	2	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	6	1	2	2	–	
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	33	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	6	7	4	5	1	–	
	White ... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	5	1	–	1	–	
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	3	5	–	–	
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	28	1	–	–	–	–	–	–	–	–	–	1	–	1	2	5	3	3	3	5	2	2	
	White ... Male	9	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1	1	–	–	
	Female	18	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	2	2	4	2	2	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
571	Cirrhosis of liver	149	–	–	–	–	–	2	2	2	5	7	14	28	28	22	20	8	6	3	2	–	–	
	White ... Male	93	–	–	–	–	–	2	1	1	3	5	6	17	21	12	15	3	3	3	1	–	–	
	Female	47	–	–	–	–	–	–	–	1	1	2	5	9	7	9	5	5	2	–	1	–	–	
	All other ... Male	6	–	–	–	–	–	–	1	–	1	–	2	2	–	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	3	2	2	–	
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	2	–	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	41	–	–	–	–	–	–	1	–	–	1	1	1	1	3	3	5	7	10	7	–	1	
	White ... Male	24	–	–	–	–	–	–	1	–	–	1	–	1	–	1	1	3	4	7	4	–	1	
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	1	3	3	–	–	
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	4	2	–	–	
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	4	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	31	–	–	–	–	–	–	1	–	–	1	1	–	1	2	2	4	7	6	5	–	1	
	White ... Male	17	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	2	4	3	4	–	1	
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	3	1	–	–	
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
590	Infections of kidney	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	2	4	2	1	
	White ... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	3	1	1	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	1	
	White ... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	1	
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	White ... Female	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	All other ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	56	32	3	4	1	1	4	–	–	1	–	4	–	1	1	1	1	–	1	1	–	–	–
	White ..... Male	25	19	–	3	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	31	13	3	1	1	1	3	–	–	1	–	4	–	–	1	1	–	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	20	10	–	–	–	–	–	–	2	2	–	–	–	–	1	–	–	2	1	1	–	1	–
	White ..... Male	11	7	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	8	2	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1	1	–	–	1	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	620	2	5	4	6	1	7	7	7	5	11	12	31	45	54	98	78	91	83	48	17	8	–
	White ..... Male	347	2	2	2	3	–	6	6	4	3	9	10	18	21	35	59	46	49	40	23	8	1	–
	Female	250	–	2	2	2	1	1	–	2	1	2	2	11	21	17	37	32	41	37	23	9	7	–
	All other ..... Male	14	–	1	–	–	–	–	–	1	1	–	–	1	2	1	2	–	–	4	1	–	–	–
	Female	9	–	–	–	1	–	–	1	–	–	–	–	1	1	1	–	–	1	2	1	–	–	–
E800–E949	Accidents	306	6	8	8	5	32	31	23	16	15	7	10	16	15	13	15	22	21	19	12	8	4	–
	White ..... Male	200	3	3	6	3	30	24	20	12	12	5	9	10	8	9	9	7	10	8	6	3	3	–
	Female	90	3	4	2	2	2	4	2	1	2	2	1	5	6	4	4	15	8	11	6	5	1	–
	All other ..... Male	15	–	1	–	–	–	3	1	3	1	–	–	1	1	–	2	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E810–E823	Motor vehicle accidents	144	2	1	5	3	26	24	16	8	10	3	2	8	7	6	3	9	6	5	–	–	–	–
	White ..... Male	106	1	–	4	1	24	19	14	6	8	2	2	5	3	4	2	3	4	4	–	–	–	–
	Female	33	1	1	1	2	2	3	2	1	1	1	–	3	3	2	1	6	2	1	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	2	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	162	4	7	3	2	6	7	7	8	5	4	8	8	8	7	12	13	15	14	12	8	4	–
	White ..... Male	94	2	3	2	2	6	5	6	6	4	3	7	5	5	5	7	4	6	4	6	3	3	–
	Female	57	2	3	1	–	–	1	–	–	1	1	1	2	3	2	3	9	6	10	6	5	1	–
	All other ..... Male	10	–	1	–	–	–	1	1	2	–	–	–	1	–	–	2	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E950–E959	Suicide	111	...	...	–	–	6	19	9	12	6	8	6	8	14	3	6	9	1	2	1	1	–	–
	White ..... Male	75	...	...	–	–	4	14	8	10	1	4	4	5	8	1	5	6	1	2	1	1	–	–
	Female	35	...	...	–	–	2	4	1	2	5	4	2	3	6	2	1	3	–	–	–	–	–	–
	All other ..... Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	27	–	1	1	–	5	8	3	2	2	1	–	2	–	–	1	–	1	–	–	–	–	–
	White ..... Male	13	–	–	–	–	2	4	1	1	2	–	–	1	–	–	1	–	1	–	–	–	–	–
	Female	4	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	–	–	1	–	2	2	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	15	–	–	–	–	–	–	1	1	3	5	–	–	–	1	–	1	1	1	1	–	–	–
	White ..... Male	7	–	–	–	–	–	–	1	1	2	2	–	–	–	1	–	1	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina																							
	All causes	23,688	935	143	100	110	299	394	394	355	422	658	966	1,513	2,048	2,502	2,840	2,822	2,607	2,191	1,422	705	249	5
	White Male	8,820	232	42	40	33	152	190	140	114	129	257	395	637	863	1,047	1,179	1,107	929	733	395	167	39	–
	Female	6,862	170	33	25	25	38	49	62	53	81	120	171	283	446	519	660	811	940	1,029	796	420	131	–
	All other Male	4,420	291	40	23	34	89	111	128	126	145	187	244	354	456	529	525	445	326	198	100	43	24	2
	Female	3,578	242	28	12	18	20	44	64	62	67	94	156	239	283	407	476	459	412	231	131	75	55	3
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	39	25	1	–	–	–	–	–	–	–	–	1	1	1	2	3	1	2	–	–	1	1	–
	White Male	5	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	1	–	–
	All other Male	19	17	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	8	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	63	1	–	–	–	–	–	1	4	3	2	–	6	12	8	9	5	6	3	2	1	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	2	1	2	–	1	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	37	–	–	–	–	–	–	–	3	2	2	–	5	10	5	3	1	4	1	1	–	–	–
	Female	8	1	–	–	–	–	–	–	1	1	–	–	1	1	–	–	2	–	–	1	–	–	–
010–012	Tuberculosis of respiratory system	44	1	–	–	–	–	–	1	1	2	2	–	4	8	7	7	3	4	3	1	–	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	2	1	2	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	25	–	–	–	–	–	–	–	1	2	2	–	3	7	5	1	–	2	1	1	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	19	–	–	–	–	–	–	–	3	1	–	–	2	4	1	2	2	2	–	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	–	–	–	–	–	–	–	2	–	–	–	2	3	–	2	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	4	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	95	20	–	–	–	–	1	–	1	1	5	2	5	7	6	14	10	7	7	9	–	–	–
	White Male	31	5	–	–	–	–	1	–	–	–	–	1	3	3	–	5	4	2	3	4	–	–	–
	Female	18	2	–	–	–	–	–	–	–	–	–	–	1	2	1	–	3	3	4	2	–	–	–
	All other Male	22	5	–	–	–	–	–	–	1	1	1	–	–	1	2	6	2	2	–	1	–	–	–
	Female	24	8	–	–	–	–	–	–	–	–	4	1	1	1	3	3	1	–	–	2	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	73	4	4	3	2	4	2	2	2	2	5	3	5	5	5	8	1	9	2	4	–	1	–
	White Male	16	3	1	–	1	–	–	–	–	–	2	–	1	1	1	–	1	3	1	–	–	1	–
	Female	25	–	3	1	1	–	1	–	1	1	–	–	1	3	2	3	–	4	–	4	–	–	–
	All other Male	20	1	–	1	1	2	1	–	–	1	–	3	2	1	1	3	–	2	1	–	–	–	–
	Female	12	–	–	1	–	1	–	2	1	–	3	–	1	–	1	2	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,957	1	7	8	12	11	22	32	47	56	105	187	321	517	562	607	552	422	291	131	55	10	1
	White—Male	1,555	1	1	3	5	5	11	9	15	19	39	77	103	210	219	269	219	165	121	50	13	1	–
	Female	1,272	–	3	4	3	2	5	14	16	19	34	43	111	154	160	158	182	155	114	57	31	7	–
	All other—Male	627	–	2	–	–	4	1	2	9	7	16	31	51	94	106	107	86	64	30	10	5	1	1
	Female	503	–	1	1	4	–	5	7	7	11	16	36	56	59	77	73	65	38	26	14	6	1	–
140–149	Of buccal cavity and pharynx	85	–	–	–	–	–	–	–	1	–	5	5	14	15	12	9	9	6	4	3	2	–	–
	White—Male	39	–	–	–	–	–	–	–	–	–	2	2	5	8	7	6	3	1	3	1	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	4	5	1	1	1	–	–
	All other—Male	19	–	–	–	–	–	–	–	1	–	3	1	3	3	4	3	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	2	3	2	–	–	1	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	923	–	2	–	–	1	2	5	10	13	16	36	70	106	117	143	134	122	84	42	15	4	1
	White—Male	319	–	–	–	–	–	1	1	5	4	6	19	19	38	41	59	35	40	32	15	3	1	–
	Female	309	–	2	–	–	–	–	2	3	4	5	3	20	31	26	38	54	50	38	20	10	3	–
	All other—Male	152	–	–	–	–	1	–	1	2	2	1	6	18	21	26	28	18	17	6	3	1	–	1
	Female	143	–	–	–	–	–	1	1	–	3	4	8	13	16	24	18	27	15	8	4	1	–	–
160–163	Of respiratory system	1,012	–	–	–	1	–	–	–	2	11	32	62	91	153	167	202	140	93	41	13	4	–	–
	White—Male	630	–	–	–	–	–	–	–	–	5	17	35	47	95	108	133	97	58	29	5	1	–	–
	Female	143	–	–	–	–	–	–	–	–	4	8	7	19	18	15	30	14	16	5	4	3	–	–
	All other—Male	201	–	–	–	–	–	–	–	2	2	6	16	18	34	38	38	25	16	4	2	–	–	–
	Female	38	–	–	–	1	–	–	–	–	–	1	4	7	6	6	1	4	3	3	2	–	–	–
174	Of breast	325	–	–	–	–	–	–	3	2	5	9	20	42	61	46	39	31	26	20	12	6	3	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	255	–	–	–	–	–	–	1	1	3	5	16	33	50	36	31	26	20	14	12	5	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	67	–	–	–	–	–	–	2	1	2	4	4	8	11	10	8	4	5	6	–	1	1	–
180–187	Of genital organs	530	–	–	–	–	1	3	5	10	7	16	17	30	61	68	75	69	68	59	29	10	2	–
	White—Male	135	–	–	–	–	–	2	1	–	–	1	–	1	11	9	19	16	28	26	15	6	–	–
	Female	177	–	–	–	–	1	1	3	4	4	9	9	17	23	25	15	28	14	16	7	–	1	–
	All other—Male	113	–	–	–	–	–	–	–	–	1	–	1	2	17	14	22	19	19	12	3	2	1	–
	Female	105	–	–	–	–	–	–	1	6	2	6	7	10	10	20	19	6	7	5	4	2	–	–
188, 189	Of urinary organs	172	–	1	2	–	–	–	2	–	–	1	5	9	15	22	24	39	21	22	6	3	–	–
	White—Male	75	–	–	–	–	–	–	1	–	–	–	3	5	6	11	8	19	7	10	4	1	–	–
	Female	42	–	–	1	–	–	–	1	–	–	1	–	–	2	4	6	8	11	6	1	1	–	–
	All other—Male	36	–	–	–	–	–	–	–	–	–	–	1	3	7	6	5	6	1	5	1	1	–	–
	Female	19	–	1	1	–	–	–	–	–	–	–	1	1	–	1	5	6	2	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	528	1	1	1	3	4	7	9	12	11	14	29	39	64	75	68	74	51	36	19	9	1	–
	White—Male	199	1	–	–	1	2	5	3	5	4	6	13	17	31	25	23	28	17	12	6	–	–	–
	Female	199	–	–	1	1	1	–	4	6	3	5	3	10	20	32	24	26	24	20	9	9	1	–
	All other—Male	51	–	1	–	–	1	–	1	1	2	2	3	3	7	10	4	7	7	1	1	–	–	–
	Female	79	–	–	–	1	–	2	1	–	2	1	10	9	6	8	17	13	3	3	3	–	–	–
204–207	Leukemia	146	–	3	5	4	3	6	2	2	5	3	2	11	16	21	15	16	16	9	4	3	–	–
	White—Male	59	–	1	3	1	2	1	–	2	3	2	1	4	10	6	6	4	7	3	3	–	–	–
	Female	51	–	1	2	2	–	3	2	–	1	–	1	4	2	9	4	8	3	6	1	2	–	–
	All other—Male	16	–	1	–	–	1	1	–	–	–	1	–	1	2	2	1	2	4	–	–	–	–	–
	Female	20	–	–	–	1	–	1	–	–	1	–	–	2	2	4	4	2	2	–	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	236	–	–	–	4	2	4	6	8	4	9	11	15	26	34	32	40	19	16	3	3	–	–
	White—Male	96	–	–	–	3	1	2	3	3	3	5	4	4	11	12	15	16	6	6	1	1	–	–
	Female	78	–	–	–	–	–	1	1	2	–	1	4	5	6	12	10	14	12	8	2	–	–	–
	All other—Male	39	–	–	–	–	1	–	–	3	–	3	3	3	3	6	6	8	–	2	–	1	–	–
	Female	23	–	–	–	1	–	1	2	–	1	–	–	3	6	4	1	2	1	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	57	1	1	–	–	1	3	–	1	3	1	2	8	7	8	8	5	4	3	1	–	–	–
	White—Male	15	1	–	–	–	–	1	–	–	–	–	2	2	1	3	3	1	1	–	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	2	–	–	3	5	1	2	3	2	2	1	–	–	–
	All other—Male	10	–	–	–	–	1	1	–	–	1	1	–	1	1	2	–	–	1	1	–	–	–	–
	Female	11	–	1	–	–	–	1	–	1	–	–	–	2	–	2	3	1	–	–	–	–	–	–
250	Diabetes mellitus	475	–	–	–	–	–	3	3	5	7	15	19	28	35	63	83	68	66	43	25	11	1	–
	White—Male	99	–	–	–	–	–	–	1	2	–	5	3	4	3	13	16	19	17	13	3	–	–	–
	Female	152	–	–	–	–	–	–	1	1	1	3	2	8	9	13	21	20	26	21	17	8	1	–
	All other—Male	60	–	–	–	–	–	2	–	–	3	4	3	1	9	14	10	7	5	1	–	1	–	–
	Female	164	–	–	–	–	–	1	1	2	3	3	11	15	14	23	36	22	18	8	5	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	35	2	1	–	–	–	–	–	2	1	1	–	1	–	–	5	4	8	5	1	4	–	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	3	–	1	–	–
	All other—Male	9	2	–	–	–	–	–	–	1	1	–	–	1	–	–	1	1	1	1	–	–	–	–
	Female	8	–	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	2	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
280–285	Anemias	43	–	–	1	–	–	–	2	2	1	1	1	9	3	–	7	8	4	1	2	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	5	1	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	1	–	2	1	–	–
	All other Male	12	–	–	1	–	–	–	1	1	–	–	1	2	3	–	2	–	–	1	–	–	–	–
	Female	10	–	–	–	–	–	–	1	1	1	–	–	5	–	–	–	–	2	–	–	–	–	–
320	Meningitis	34	17	4	1	–	–	1	2	–	1	3	1	–	–	1	1	1	–	1	–	–	–	–
	White Male	11	6	–	1	–	–	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	6	4	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	1	2	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–
	Female	10	6	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,766	19	3	5	5	9	21	43	56	101	235	398	666	923	1,320	1,536	1,649	1,613	1,466	1,011	497	190	–
	White Male	4,346	10	1	1	–	4	6	8	16	32	103	177	322	414	586	647	634	529	451	265	112	28	–
	Female	3,782	1	1	2	1	2	1	10	11	18	23	58	85	159	237	355	480	601	738	593	305	101	–
	All other Male	1,830	3	1	1	1	2	9	15	17	37	74	99	159	205	266	263	247	196	122	65	32	16	–
	Female	1,808	5	–	1	3	1	5	10	12	14	35	64	100	145	231	271	288	287	155	88	48	45	–
390–398, 402, 404, 410–429	Diseases of heart	8,397	18	2	4	2	5	15	25	38	74	173	312	529	722	1,059	1,141	1,189	1,099	953	636	297	104	–
	White Male	3,428	9	1	1	–	3	4	7	12	28	86	162	286	349	513	517	485	385	312	176	76	16	–
	Female	2,529	1	–	2	1	–	1	4	8	10	15	36	63	122	191	270	345	411	469	363	164	53	–
	All other Male	1,267	3	1	–	1	1	5	9	9	29	50	73	117	153	193	179	171	121	76	39	26	11	–
	Female	1,173	5	–	1	–	1	5	5	9	7	22	41	63	98	162	175	188	182	96	58	31	24	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	131	–	–	–	–	1	–	2	4	2	11	12	8	13	16	18	19	12	9	3	1	–	–
	White Male	46	–	–	–	–	–	–	1	1	–	6	3	4	5	6	7	7	4	2	–	–	–	–
	Female	55	–	–	–	–	–	–	–	2	2	2	4	2	4	9	6	9	5	7	2	1	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2	2	–	–	–	–	–
	Female	20	–	–	–	–	1	–	1	1	–	2	4	2	3	–	3	1	1	–	1	–	–	–
402	Hypertensive heart disease	95	–	–	–	–	–	–	–	–	1	2	3	4	9	9	24	12	13	10	3	3	2	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	1	–	–	1	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	1	4	5	2	–	2	–
	All other Male	27	–	–	–	–	–	–	–	–	1	1	1	3	3	3	4	5	3	2	–	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	1	2	1	4	5	11	5	6	3	–	2	–	–
404	Hypertensive heart and renal disease	46	–	–	–	–	–	–	–	–	–	–	2	3	7	10	3	5	6	4	6	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	1	3	–	–	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	2	4	2	1	–	1	1	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	–	2	5	2	2	3	2	–	–	–	–
410–413	Ischemic heart disease	7,121	–	–	–	–	2	5	12	21	50	127	251	441	603	898	976	1,013	973	840	555	268	86	–
	White Male	2,996	–	–	–	–	1	1	4	7	21	70	137	251	306	452	453	428	348	285	152	68	12	–
	Female	2,195	–	–	–	–	–	–	1	3	4	10	29	50	103	161	230	298	371	413	325	152	45	–
	All other Male	1,005	–	–	–	–	1	1	6	6	20	33	56	91	123	158	151	135	101	61	31	23	8	–
	Female	925	–	–	–	–	–	3	1	5	5	14	29	49	71	127	142	152	153	81	47	25	21	–
410	Acute myocardial infarction	4,100	–	–	–	–	2	5	11	14	42	92	194	331	416	599	643	570	475	397	201	87	21	–
	White Male	2,010	–	–	–	–	1	1	4	4	19	52	104	204	233	332	341	274	189	151	69	27	5	–
	Female	1,119	–	–	–	–	–	–	1	2	4	8	27	38	70	117	155	166	179	190	107	44	11	–
	All other Male	558	–	–	–	–	1	1	5	5	14	21	46	59	74	87	79	73	50	26	7	9	1	–
	Female	413	–	–	–	–	–	3	1	3	5	11	17	30	39	63	68	57	57	30	18	7	4	–
411	Other acute and subacute forms of ischemic heart disease	45	–	–	–	–	–	–	–	–	1	2	3	–	5	6	8	3	7	6	4	–	–	–
	White Male	18	–	–	–	–	–	–	–	–	1	2	2	–	2	4	3	1	1	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	5	1	1	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	2	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	1	–	–	–
412	Chronic ischemic heart disease	2,970	–	–	–	–	–	–	1	7	7	33	54	109	181	293	324	440	489	436	350	181	65	–
	White Male	967	–	–	–	–	–	–	–	3	1	16	31	47	71	116	108	153	158	132	83	41	7	–
	Female	1,061	–	–	–	–	–	–	–	1	–	2	1	12	32	44	72	132	185	221	217	108	34	–
	All other Male	438	–	–	–	–	–	–	1	1	6	12	10	32	49	69	70	61	51	33	22	14	7	–
	Female	504	–	–	–	–	–	–	–	2	–	3	12	18	29	64	74	94	95	50	28	18	17	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	63	–	–	–	–	–	1	1	–	–	–	5	4	1	5	6	11	7	8	9	4	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	1	5	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	7	2	4	3	1	–	–
	All other Male	16	–	–	–	–	–	1	–	–	–	–	3	3	–	2	–	1	3	1	1	1	–	–
	Female	11	–	–	–	–	–	–	1	–	–	–	1	1	–	2	1	1	1	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	941	18	2	4	2	2	9	10	13	21	33	39	69	89	121	114	129	88	82	60	21	15	–
	White Male	357	9	1	1	–	2	3	2	4	7	10	21	31	37	51	50	46	32	24	16	6	4	–
	White Female	227	1	–	2	1	–	1	3	3	4	3	2	10	12	20	27	28	27	39	28	10	6	–
	All other Male	197	3	1	–	1	–	3	3	3	8	15	12	18	22	27	21	28	11	11	6	1	3	–
	All other Female	160	5	–	1	–	–	2	2	3	2	5	4	10	18	23	16	27	18	8	10	4	2	–
400, 401, 403	Hypertension	88	–	–	–	–	–	–	3	1	–	3	4	7	11	10	12	9	8	6	8	4	2	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	–	3	1	4	1	3	3	4	1	–	–
	White Female	18	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	3	2	1	3	3	1	–
	All other Male	23	–	–	–	–	–	–	1	1	–	1	1	4	3	6	3	2	1	–	–	–	–	–
	All other Female	26	–	–	–	–	–	–	2	–	–	2	1	2	4	3	3	3	2	2	1	–	1	–
430–438	Cerebrovascular diseases	2,731	1	1	–	3	3	4	13	16	24	52	71	111	162	213	318	361	424	428	309	155	62	–
	White Male	693	1	–	–	–	1	1	1	4	3	13	12	30	47	48	94	106	113	107	71	30	11	–
	White Female	1,024	–	1	–	–	1	–	5	3	7	7	16	15	30	40	71	107	158	232	190	107	34	–
	All other Male	485	–	–	–	–	1	3	4	6	7	21	23	36	46	63	69	65	65	43	23	6	4	–
	All other Female	529	–	–	–	3	–	–	3	3	7	11	20	30	39	62	84	83	88	46	25	12	13	–
431	Cerebral hemorrhage	444	–	–	–	–	1	1	9	7	8	23	21	40	41	46	65	46	51	40	32	8	5	–
	White Male	123	–	–	–	–	–	–	–	1	1	5	3	9	8	14	22	16	18	10	12	2	2	–
	White Female	141	–	–	–	–	1	–	3	1	–	2	3	8	10	14	17	16	24	21	15	6	–	–
	All other Male	97	–	–	–	–	–	1	3	4	5	10	8	13	15	9	15	3	6	2	3	–	–	–
	All other Female	83	–	–	–	–	–	–	3	1	2	6	7	10	8	9	11	11	3	7	2	–	3	–
433	Cerebral thrombosis	596	–	–	–	–	1	–	–	–	3	9	9	15	29	41	57	87	104	97	85	42	17	–
	White Male	150	–	–	–	–	1	–	–	–	–	2	2	5	14	11	16	24	25	21	19	5	5	–
	White Female	251	–	–	–	–	–	–	–	–	1	1	–	–	3	8	16	28	41	56	55	33	9	–
	All other Male	93	–	–	–	–	–	–	–	–	–	3	4	5	9	11	11	16	14	13	5	2	–	–
	All other Female	102	–	–	–	–	–	–	–	–	2	3	3	5	3	11	14	19	24	7	6	2	3	–
434	Cerebral embolism	15	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	5	2	5	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	3	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,676	1	1	–	3	1	3	4	9	12	20	41	56	90	126	196	223	267	286	192	105	40	–
	White Male	412	1	–	–	–	–	1	1	3	2	6	7	16	24	23	56	63	69	73	40	23	4	–
	White Female	627	–	1	–	–	–	–	2	2	6	4	13	7	16	18	38	62	92	153	120	68	25	–
	All other Male	294	–	–	–	–	1	2	1	2	2	8	11	18	22	43	43	45	45	28	15	4	4	–
	All other Female	343	–	–	–	3	–	–	–	2	2	2	10	15	28	42	59	53	61	32	17	10	7	–
440	Arteriosclerosis	234	–	–	–	–	–	–	–	1	–	–	1	3	8	11	21	27	37	44	36	29	16	–
	White Male	62	–	–	–	–	–	–	–	–	–	–	–	2	5	5	8	10	10	10	7	4	1	–
	White Female	109	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	9	15	25	24	20	10	–
	All other Male	19	–	–	–	–	–	–	–	1	–	–	–	–	1	2	6	2	4	1	2	–	–	–
	All other Female	44	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	6	8	8	3	5	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	316	–	–	1	–	1	2	2	–	3	7	10	16	20	27	44	63	45	35	22	12	6	–
	White Male	142	–	–	–	–	–	1	–	–	1	4	2	4	10	19	24	32	18	19	7	1	–	–
	White Female	102	–	–	–	–	1	–	1	–	1	1	4	6	6	4	9	16	15	11	13	11	3	–
	All other Male	36	–	–	1	–	–	1	1	–	1	2	2	2	2	2	6	7	5	2	1	–	1	–
	All other Female	36	–	–	–	–	–	–	–	–	–	–	2	4	2	2	5	8	7	3	1	–	2	–
466	Acute bronchitis and bronchiolitis	8	1	1	1	–	–	–	1	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–
	White Male	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–486	Influenza and pneumonia	675	47	6	4	5	4	7	8	8	10	8	24	31	36	38	50	76	85	102	65	41	18	2
	White Male	248	7	–	2	1	2	1	2	1	2	2	8	13	15	19	22	33	41	35	24	13	5	–
	White Female	205	6	–	1	1	1	3	1	1	–	3	4	5	6	7	14	14	23	49	35	23	8	–
	All other Male	134	19	3	1	2	–	2	3	3	7	1	10	9	10	10	7	20	11	9	3	1	2	1
	All other Female	88	15	3	–	1	1	1	2	3	1	2	2	4	5	2	7	9	10	9	3	4	3	1
470–474	Influenza	57	2	2	1	–	–	–	–	1	1	1	–	2	1	4	7	4	7	9	7	6	2	–
	White Male	14	–	–	1	–	–	–	–	–	–	–	–	1	1	–	2	–	3	2	4	–	–	–
	White Female	27	–	–	–	–	–	–	–	1	–	1	–	1	–	3	2	1	2	6	3	6	1	–
	All other Male	6	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
	All other Female	10	1	1	–	–	–	–	–	–	1	–	–	–	–	–	2	3	–	1	–	–	1	–
480–486	Pneumonia	618	45	4	3	5	4	7	8	7	9	7	24	29	35	34	43	72	78	93	58	35	16	2
	White Male	234	7	–	1	1	2	1	2	1	2	2	8	12	14	19	20	33	38	33	20	13	5	–
	White Female	178	6	–	1	1	1	3	1	–	–	2	4	4	6	4	12	13	21	43	32	17	7	–
	All other Male	128	18	2	1	2	–	2	3	3	7	1	10	9	10	9	6	20	9	9	3	1	2	1
	All other Female	78	14	2	–	1	1	1	2	3	–	2	2	4	5	2	5	6	10	8	3	4	2	1
490–493	Bronchitis, emphysema, and asthma	259	–	1	–	–	1	1	1	1	2	2	5	18	21	41	45	43	38	27	7	5	–	–
	White Male	180	–	–	–	–	1	–	–	–	1	–	3	12	15	27	35	30	32	18	4	2	–	–
	White Female	42	–	1	–	–	–	1	–	–	1	–	1	2	3	7	4	5	5	7	3	2	–	–
	All other Male	28	–	–	–	–	–	–	–	–	–	2	1	3	3	6	4	6	1	2	–	–	–	–
	All other Female	9	–	–	–	–	–	–	1	1	–	–	–	1	–	1	2	2	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	51	–	1	–	–	–	–	–	1	–	–	1	4	3	10	9	4	10	5	1	2	–	
	White Male	35	–	–	–	–	–	–	–	–	–	–	1	2	2	7	5	2	9	5	1	1	–	
	Female	7	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	1	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	
492	Emphysema	186	–	–	–	–	–	–	–	–	1	1	3	11	18	26	33	35	27	22	6	3	–	
	White Male	138	–	–	–	–	–	–	–	–	1	–	2	8	13	19	29	27	22	13	3	1	–	
	Female	29	–	–	–	–	–	–	–	–	–	–	1	1	2	5	2	3	4	7	3	1	–	
	All other Male	17	–	–	–	–	–	–	–	–	–	1	–	2	3	2	1	5	1	2	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	
493	Asthma	22	–	–	–	–	1	1	1	–	1	1	1	3	–	5	3	4	1	–	–	–	–	
	White Male	7	–	–	–	–	1	–	–	–	–	–	–	2	–	1	1	1	1	–	–	–	–	
	Female	6	–	–	–	–	–	1	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	
531–533	Peptic ulcer	73	1	–	–	–	–	–	–	1	2	2	4	3	8	8	11	11	7	9	2	2	2	
	White Male	31	–	–	–	–	–	–	–	1	1	–	2	2	3	1	4	6	4	4	1	–	2	
	Female	20	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	2	1	5	1	1	–	
	All other Male	18	1	–	–	–	–	–	–	–	1	1	1	1	2	3	3	3	1	–	–	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	
540–543	Appendicitis	9	–	–	1	1	–	–	–	–	–	–	–	–	1	1	1	1	1	–	2	–	–	
	White Male	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	81	9	2	–	–	1	–	–	1	–	2	–	6	5	12	7	10	8	10	6	–	2	
	White Male	22	5	1	–	–	1	–	–	–	–	–	–	2	2	3	1	2	3	2	–	–	–	
	Female	27	1	–	–	–	–	–	–	–	–	–	–	–	1	4	1	4	4	7	5	–	–	
	All other Male	18	2	1	–	–	–	–	–	–	–	2	–	1	2	2	3	2	–	1	–	–	2	
	Female	14	1	–	–	–	–	–	–	1	–	–	–	3	–	3	2	2	1	–	1	–	–	
571	Cirrhosis of liver	299	–	–	–	–	–	2	6	11	21	38	39	46	44	39	25	17	3	6	2	–	–	
	White Male	135	–	–	–	–	–	–	2	3	8	15	17	25	25	18	9	7	3	3	–	–	–	
	Female	75	–	–	–	–	–	–	1	1	4	11	10	5	13	9	9	7	–	3	2	–	–	
	All other Male	61	–	–	–	–	–	1	1	7	3	7	9	12	4	10	4	3	–	–	–	–	–	
	Female	28	–	–	–	–	–	1	2	–	6	5	3	4	2	2	3	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	26	–	–	–	–	–	–	–	–	1	–	3	1	–	4	4	4	5	2	2	–	–	
	White Male	11	–	–	–	–	–	–	–	–	–	–	3	–	–	2	3	1	1	1	–	–	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	4	1	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
580–584	Nephritis and nephrosis	161	1	–	1	–	1	–	2	3	1	8	11	16	20	20	36	19	10	8	3	1	–	
	White Male	39	1	–	–	–	–	–	2	–	–	2	2	4	5	6	8	3	1	2	2	1	–	
	Female	21	–	–	1	–	–	–	–	–	–	1	1	1	1	2	3	4	3	3	1	–	–	
	All other Male	56	–	–	–	–	–	–	1	1	2	5	9	8	5	15	6	2	2	2	–	–	–	
	Female	45	–	–	–	–	1	–	2	–	3	3	2	6	7	10	6	4	1	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	19	1	–	–	–	–	–	–	–	–	1	2	–	2	3	3	3	1	2	1	–	–	
	White Male	8	1	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	–	–	1	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	142	–	–	1	–	1	–	2	3	1	7	9	16	18	17	33	16	9	6	2	1	–	
	White Male	31	–	–	–	–	–	–	2	–	–	1	2	4	5	4	6	2	1	2	1	1	–	
	Female	19	–	–	1	–	–	–	–	–	–	1	–	1	1	2	3	4	3	2	1	–	–	
	All other Male	49	–	–	–	–	–	–	1	1	2	4	9	7	4	14	5	1	1	–	–	–	–	
	Female	43	–	–	–	–	1	–	–	2	–	3	3	2	5	7	10	5	4	1	–	–	–	
590	Infections of kidney	62	–	–	–	–	2	–	–	–	–	–	3	4	6	5	9	11	7	6	5	2	2	
	White Male	18	–	–	–	–	1	–	–	–	–	–	1	1	2	2	1	4	3	3	–	–	–	
	Female	27	–	–	–	–	1	–	–	–	–	–	1	2	2	1	6	4	1	2	3	2	2	
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	1	1	1	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	–	1	–	–	
600	Hyperplasia of prostate	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	2	–	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	2	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	8	–	–	–	–	2	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	2	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	8	–	–	–	–	2	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	196	131	24	5	4	7	–	2	4	2	6	3	1	3	2	–	–	1	–	–	1	–	–
	White ..... Male	70	50	9	2	–	4	–	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	55	36	6	2	2	–	–	1	–	1	2	1	–	2	–	–	–	1	–	–	1	–	–
	All other ..... Male	34	19	7	1	–	2	–	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–
	Female	37	26	2	–	2	1	–	–	1	–	1	2	–	1	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	486	485	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	110	110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	151	151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	131	130	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	262	261	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	54	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	224	224	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	814	109	4	1	3	6	12	8	10	15	14	34	68	87	78	92	84	68	53	39	17	10	2
	White ..... Male	216	19	1	–	–	2	6	1	1	1	4	8	27	33	21	24	28	16	9	10	4	1	–
	Female	134	13	1	–	–	2	3	1	–	2	2	5	5	14	8	12	10	17	16	10	8	5	–
	All other ..... Male	265	46	2	1	2	2	1	5	5	10	8	14	23	27	29	36	20	12	9	11	–	2	–
	Female	199	31	–	–	1	–	2	1	4	2	–	7	13	13	20	20	26	23	19	8	5	2	2
Residual	All other diseases	1,585	28	19	14	11	16	22	37	34	46	65	86	125	176	177	196	154	167	86	78	41	7	–
	White ..... Male	591	6	2	6	5	10	7	4	9	10	18	28	45	66	72	82	69	79	40	20	12	1	–
	Female	448	3	7	6	3	1	2	7	6	5	17	21	26	43	45	43	46	61	30	48	23	5	–
	All other ..... Male	311	15	6	1	3	1	4	12	12	20	21	24	32	38	36	36	19	16	9	5	1	–	–
	Female	235	4	4	1	–	4	9	14	7	11	9	13	22	29	24	35	20	11	7	5	5	1	–
E800–E949	Accidents	1,622	25	55	54	63	189	215	152	93	91	87	90	85	80	66	52	67	54	52	24	24	4	–
	White ..... Male	716	4	20	23	21	104	123	69	41	33	36	41	41	33	27	21	24	17	21	10	7	–	–
	Female	289	6	10	8	13	21	18	14	12	17	13	14	17	17	10	12	16	22	24	10	13	2	–
	All other ..... Male	480	8	14	16	24	57	65	58	31	32	32	29	26	27	21	13	15	5	4	2	1	–	–
	Female	137	7	11	7	5	7	9	11	9	9	6	6	1	3	8	6	12	10	3	2	3	2	–
E810–E823	Motor vehicle accidents	809	5	25	34	32	132	134	95	56	48	55	43	30	30	22	18	22	13	10	5	–	–	–
	White ..... Male	392	3	12	14	14	78	76	40	22	16	24	22	13	15	9	11	8	4	6	5	–	–	–
	Female	127	2	5	5	9	16	11	10	8	9	8	6	7	6	5	5	5	6	4	–	–	–	–
	All other ..... Male	239	–	6	11	7	37	42	37	20	17	19	10	9	8	7	2	5	2	–	–	–	–	–
	Female	51	–	2	4	2	1	5	8	6	6	4	5	1	1	1	–	4	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	813	20	30	20	31	57	81	57	37	43	32	47	55	50	44	34	45	41	42	19	24	4	–
	White ..... Male	324	1	8	9	7	26	47	29	19	17	12	19	28	18	18	10	16	13	15	5	7	–	–
	Female	162	4	5	3	4	5	7	4	4	8	5	8	10	11	5	7	11	16	20	10	13	2	–
	All other ..... Male	241	8	8	5	17	20	23	21	11	15	13	19	17	19	14	11	10	3	4	2	1	–	–
	Female	86	7	9	3	3	6	4	3	3	3	2	1	–	2	7	6	8	9	3	2	3	2	–
E950–E959	Suicide	275	...	...	–	2	13	32	27	20	19	27	21	27	27	16	20	13	8	2	1	–	–	–
	White ..... Male	183	...	...	–	1	7	19	19	11	10	19	13	18	18	14	16	9	7	1	1	–	–	–
	Female	58	...	...	–	1	4	7	4	3	6	5	7	6	8	2	3	2	–	–	–	–	–	–
	All other ..... Male	29	...	...	–	–	2	6	4	5	3	2	–	2	1	–	1	2	–	1	–	–	–	–
	Female	5	...	...	–	–	–	–	–	1	–	1	1	1	–	–	–	–	1	–	–	–	–	–
E960–E978	Homicide	335	4	6	–	2	26	44	54	44	30	23	27	26	16	16	6	4	3	3	–	1	–	–
	White ..... Male	101	1	2	–	–	7	12	18	11	9	10	8	7	5	7	2	2	–	–	–	–	–	–
	Female	33	1	1	–	–	4	7	4	–	2	2	3	2	2	3	–	1	1	–	–	–	–	–
	All other ..... Male	149	1	1	–	1	13	16	25	26	13	8	11	13	8	6	4	–	1	1	–	1	–	–
	Female	52	1	2	–	1	2	9	7	7	6	3	5	4	1	–	–	1	1	2	–	–	–	–
E980–E999	Other external causes	52	1	1	1	–	6	5	6	3	5	3	2	6	7	2	2	–	–	1	–	–	1	–
	White ..... Male	25	–	1	–	–	3	3	3	1	1	–	1	4	6	–	1	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	2	2	–	1	–	2	1	–	–	–	–	–	–	–
	All other ..... Male	12	–	–	–	–	3	2	2	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	7	1	–	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota																							
	All causes	6,742	199	38	19	35	80	85	62	55	85	114	143	239	357	432	619	751	963	1,012	825	470	157	2
	White Male	3,548	78	13	12	15	45	49	29	29	40	48	62	146	230	258	376	451	566	512	339	193	55	2
	White Female	2,745	72	11	3	16	14	24	8	11	24	28	51	71	96	146	211	275	375	483	466	263	97	–
	All other Male	261	26	7	1	2	12	8	16	11	15	25	17	12	19	16	17	13	13	11	12	4	4	–
	All other Female	188	23	7	3	2	9	4	9	4	6	13	13	10	12	12	15	12	9	6	8	10	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	5	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White Female	4	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	9	–	–	–	1	–	–	–	–	1	–	1	2	1	1	–	2	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	2	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	4	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	17	2	–	–	–	–	–	1	–	2	–	–	–	2	1	1	2	2	–	3	1	–	–
	White Male	9	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	1	–	1	1	–	–
	White Female	6	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	8	1	–	–	–	–	1	–	–	1	–	–	–	2	–	1	–	2	–	–	–	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,243	–	6	1	6	3	3	3	10	11	19	39	66	109	140	165	181	195	153	92	29	12	–
	White ..... Male	679	–	2	1	2	3	2	3	6	3	7	13	32	60	65	95	105	129	90	47	10	4	–
	Female	536	–	4	–	3	–	1	–	4	8	10	22	33	43	72	65	75	64	63	42	19	8	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	1	1	–	2	–	2	–	–	–	3	–	–	–
	Female	19	–	–	–	1	–	–	–	–	–	1	3	1	4	3	3	1	2	–	–	–	–	–
140–149	Of buccal cavity and pharynx	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	355	–	–	–	–	–	–	–	2	–	5	7	14	35	28	49	48	62	60	35	7	3	–
	White ..... Male	189	–	–	–	–	–	–	–	2	–	2	3	4	22	16	31	29	36	29	12	2	1	–
	Female	159	–	–	–	–	–	–	–	–	–	2	3	9	12	12	18	19	24	31	22	5	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–
160–163	Of respiratory system	247	–	–	–	–	1	–	–	1	1	2	4	17	29	37	47	35	46	16	10	–	1	–
	White ..... Male	190	–	–	–	–	1	–	–	1	1	1	3	10	22	25	38	27	41	14	6	–	–	–
	Female	52	–	–	–	–	–	–	–	–	–	1	1	7	5	12	7	8	5	2	3	–	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
174	Of breast	109	–	–	–	–	–	–	–	–	4	6	10	7	11	17	12	20	6	6	3	4	3	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	103	–	–	–	–	–	–	–	–	4	4	8	7	10	17	11	20	6	6	3	4	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–
180–187	Of genital organs	161	–	–	–	–	–	1	1	2	2	3	2	4	9	17	11	33	34	20	17	5	–	–
	White ..... Male	91	–	–	–	–	–	1	1	–	–	–	1	–	3	4	3	23	22	16	14	3	–	–
	Female	67	–	–	–	–	–	–	–	2	2	3	1	4	6	12	7	9	12	4	3	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	72	–	–	–	–	–	–	–	1	1	–	1	5	8	6	6	9	9	14	6	5	1	–
	White ..... Male	47	–	–	–	–	–	–	–	–	–	–	–	4	5	4	3	6	5	11	4	4	1	–
	Female	24	–	–	–	–	–	–	–	1	1	–	–	1	3	2	3	3	4	3	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	144	–	4	1	4	–	–	1	–	1	1	9	9	10	19	18	14	23	12	12	3	3	–
	White ..... Male	71	–	1	1	1	–	–	1	–	1	1	4	7	4	7	6	5	17	6	7	1	1	–
	Female	68	–	3	–	2	–	–	–	–	–	–	5	2	4	11	11	9	6	6	5	2	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
204–207	Leukemia	70	–	2	–	2	2	2	–	1	2	–	3	5	2	6	5	11	4	14	4	4	1	–
	White ..... Male	40	–	1	–	1	2	1	–	–	1	–	1	4	1	3	4	7	2	9	2	–	1	–
	Female	29	–	1	–	1	–	1	–	1	1	–	2	1	1	2	1	4	2	5	2	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	79	–	–	–	–	–	–	1	3	–	2	3	5	4	9	16	11	11	9	4	1	–	–
	White ..... Male	47	–	–	–	–	–	–	1	3	–	2	1	3	2	5	10	8	6	4	2	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	2	2	2	4	6	3	5	5	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	18	–	–	–	–	–	–	–	1	–	1	–	–	3	1	2	1	2	4	–	3	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	2	3	–	2	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	102	–	–	–	–	–	2	1	1	–	3	–	1	6	8	12	18	12	18	13	7	–	–
	White ..... Male	39	–	–	–	–	–	1	1	1	–	1	–	1	3	4	5	7	4	6	2	3	–	–
	Female	50	–	–	–	–	–	1	–	–	–	1	–	–	1	2	4	10	6	11	10	4	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	1	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	11	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–
	Female	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota — Con.																							
280–285	Anemias	15	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	3	1	3	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	3,468	3	1	–	1	2	2	3	3	14	29	42	97	152	177	317	412	576	654	545	329	109	
	White Male	1,839	1	–	–	1	1	–	2	8	17	27	72	115	124	201	252	321	313	209	137	38		
	Female	1,520	–	–	–	1	–	1	2	–	5	5	11	16	29	44	105	146	244	334	326	182	69	
	All other Male	64	2	–	–	–	1	–	1	1	–	4	4	5	6	6	7	6	10	3	4	2	2	
	Female	45	–	1	–	–	–	–	–	–	1	3	–	4	2	3	4	8	1	4	6	8	–	
390–398, 402, 404, 410–429	Diseases of heart	2,516	2	1	–	–	1	1	–	3	10	23	35	87	135	144	245	333	421	446	335	217	77	
	White Male	1,418	–	–	–	–	1	1	–	2	7	13	25	65	104	104	160	211	240	221	147	91	26	
	Female	1,014	–	–	–	–	–	–	–	–	3	4	9	14	24	31	78	111	172	220	180	118	50	
	All other Male	48	2	–	–	–	–	–	–	1	–	4	1	5	6	6	5	4	8	1	3	1	1	
	Female	36	–	1	–	–	–	–	–	–	–	2	–	3	1	3	2	7	1	4	5	7	–	
390–398	Active rheumatic fever and chronic rheumatic heart disease	34	–	–	–	–	–	1	–	–	1	–	–	3	1	4	3	6	5	2	5	1	2	
	White Male	14	–	–	–	–	–	1	–	–	–	–	–	–	–	2	2	5	2	2	–	–	–	
	Female	19	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	1	3	–	5	1	2	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	18	–	–	–	–	–	–	–	–	–	2	–	1	–	2	5	2	–	2	2	2	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–	
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	–	1	2	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	4	3	2	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	1	2	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	2,205	–	–	–	–	–	–	–	2	7	18	27	75	113	120	220	290	371	398	301	193	70	
	White Male	1,256	–	–	–	–	–	–	–	1	7	13	20	61	86	87	142	185	211	203	136	79	25	
	Female	885	–	–	–	–	–	–	–	–	–	1	6	9	21	25	72	97	153	191	158	108	44	
	All other Male	38	–	–	–	–	–	–	–	1	–	4	1	3	5	6	4	2	6	1	3	1	1	
	Female	26	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	6	1	3	4	5	–	
410	Acute myocardial infarction	1,333	–	–	–	–	–	–	–	2	6	17	21	56	99	88	158	203	244	223	137	62	17	
	White Male	817	–	–	–	–	–	–	–	1	6	12	16	49	75	58	105	132	144	118	59	35	7	
	Female	475	–	–	–	–	–	–	–	–	–	1	4	6	19	23	49	67	94	102	76	25	9	
	All other Male	26	–	–	–	–	–	–	–	1	–	4	1	–	4	5	3	–	5	1	1	–	1	
	Female	15	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	4	1	2	1	2	–	
411	Other acute and subacute forms of ischemic heart disease	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	3	1	1	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	862	–	–	–	–	–	–	–	–	1	1	6	19	14	32	59	87	126	171	163	130	53	
	White Male	433	–	–	–	–	–	–	–	–	1	1	4	12	11	29	35	53	67	82	76	44	18	
	Female	406	–	–	–	–	–	–	–	–	–	–	2	3	2	2	22	30	58	88	82	82	35	
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	2	1	–	2	1	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	3	3	–	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	3	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota – Con.																							
420–423, 425–427, 429	All other forms of heart disease	233	2	1	–	–	1	–	–	1	2	3	8	8	20	18	17	32	39	41	22	15	3	–
	White Male	134	–	–	–	–	1	–	–	1	–	–	5	4	17	14	14	20	24	14	11	8	1	–
	Female	82	–	–	–	–	–	–	–	–	2	2	3	3	2	3	2	9	13	26	10	5	2	–
	All other Male	9	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	–	–	–	–	–
	Female	8	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	2	–	–
400, 401, 403	Hypertension	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	9	6	2	2	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	2	1	1	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	721	–	–	–	1	1	1	3	–	3	5	6	9	14	28	50	64	121	154	157	79	25	–
	White Male	308	–	–	–	–	–	–	–	–	1	3	1	6	8	18	28	32	57	63	48	33	10	–
	Female	392	–	–	–	1	–	1	2	–	2	1	2	2	5	10	18	29	63	90	107	45	14	–
	All other Male	13	–	–	–	–	1	–	1	–	–	–	3	–	–	–	2	2	1	1	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	1	1	–	–
431	Cerebral hemorrhage	96	–	–	–	–	–	–	–	–	1	4	2	2	4	5	7	6	18	18	17	11	1	–
	White Male	34	–	–	–	–	–	–	–	–	–	2	1	1	3	3	2	2	7	7	2	3	1	–
	Female	58	–	–	–	–	–	–	–	–	1	1	–	1	1	2	4	4	11	11	14	8	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	128	–	–	–	–	–	–	–	–	1	–	–	1	3	4	11	12	23	19	36	14	4	–
	White Male	53	–	–	–	–	–	–	–	–	1	–	–	1	2	3	6	5	11	7	9	6	2	–
	Female	74	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	7	12	12	27	8	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	494	–	–	–	1	1	1	3	–	1	1	4	6	7	19	32	45	78	117	104	54	20	–
	White Male	219	–	–	–	–	–	–	–	–	–	1	–	4	3	12	20	24	38	49	37	24	7	–
	Female	259	–	–	–	1	–	1	2	–	1	–	2	1	3	7	10	18	39	67	66	29	12	–
	All other Male	9	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	2	1	1	–	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	1	1	–	–
440	Arteriosclerosis	109	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	2	12	24	31	26	4	–
	White Male	49	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	1	9	13	9	10	1	–
	Female	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	3	10	22	15	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	96	1	–	–	–	–	–	–	–	1	1	–	1	1	3	15	9	21	21	16	5	1	–
	White Male	50	1	–	–	–	–	–	–	–	–	1	–	1	1	–	11	5	14	11	3	2	–	–
	Female	44	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	6	10	13	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	White Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	302	12	2	–	2	2	–	2	1	–	4	7	3	5	8	21	19	47	57	60	36	14	–
	White Male	138	1	–	–	1	1	–	1	1	–	–	1	–	4	3	11	16	23	34	25	10	6	–
	Female	132	2	–	–	1	–	–	–	–	–	2	3	1	1	3	6	3	22	22	35	24	7	–
	All other Male	17	3	1	–	–	–	–	1	–	–	1	2	–	–	2	3	–	2	1	–	1	–	–
	Female	15	6	1	–	–	1	–	–	–	–	1	1	2	–	–	1	–	–	–	–	1	1	–
470–474	Influenza	72	–	1	–	–	–	–	–	–	–	–	–	1	–	1	5	3	9	20	21	6	5	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	6	10	5	2	3	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	9	16	4	2	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	230	12	1	–	2	2	–	2	1	–	4	7	2	5	7	16	16	38	37	39	30	9	–
	White Male	107	1	–	–	1	1	–	1	1	–	–	1	–	4	3	9	13	17	24	20	8	3	–
	Female	95	2	–	–	1	–	–	–	–	–	2	3	1	1	2	4	3	19	13	19	20	5	–
	All other Male	15	3	–	–	–	–	–	1	–	–	1	2	–	–	2	3	–	2	–	–	1	–	–
	Female	13	6	1	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	1	1	–
490–493	Bronchitis, emphysema, and asthma	109	–	–	–	1	–	–	1	1	–	2	2	4	9	11	15	17	19	11	13	3	–	–
	White Male	88	–	–	–	–	–	–	1	1	–	1	1	1	7	9	13	15	17	9	10	3	–	–
	Female	17	–	–	–	1	–	–	–	–	–	1	1	2	2	1	1	2	2	2	2	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	17	–	–	–	1	–	–	–	–	–	–	1	1	2	–	1	2	2	4	1	2	–	
	White—Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	3	1	2	–	
	White—Female	4	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	85	–	–	–	–	–	–	–	–	–	2	1	2	7	11	12	14	17	7	11	1	–	
	White—Male	71	–	–	–	–	–	–	–	–	–	1	1	1	5	9	11	12	16	6	8	1	–	
	White—Female	12	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	2	1	1	2	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	7	–	–	–	–	–	–	1	1	–	–	–	1	–	–	2	1	–	–	1	–	–	
	White—Male	6	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	1	–	–	1	–	–	
	White—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	21	–	–	–	–	1	–	1	–	–	–	–	–	2	1	1	2	2	4	5	2	–	
	White—Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	2	–	–	
	White—Female	10	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	2	3	2	–	
	All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	–	
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	30	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	7	3	6	3	5	–	
	White—Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	2	–	3	–	
	White—Female	17	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	4	1	4	3	2	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	82	–	–	–	–	–	–	1	5	9	10	9	13	7	9	10	6	–	1	1	1	–	
	White—Male	38	–	–	–	–	–	–	–	1	3	3	2	8	4	6	5	5	–	1	–	–	–	
	White—Female	18	–	–	–	–	–	–	–	–	–	1	3	3	1	2	5	1	–	–	1	1	–	
	All other—Male	13	–	–	–	–	–	–	–	2	4	3	2	1	–	1	–	–	–	–	–	–	–	
	All other—Female	13	–	–	–	–	–	–	1	2	2	3	2	1	2	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	15	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	3	–	3	2	1	1	
	White—Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	–	1	–	–	
	White—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	
580–584	Nephritis and nephrosis	21	–	–	1	–	–	–	–	1	1	–	1	–	1	–	1	3	2	6	4	–	–	
	White—Male	8	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	–	–	
	White—Female	11	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	2	–	4	2	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	All other—Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	2	1	–	–	
	White—Male	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	White—Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	15	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	3	2	4	3	–	–	
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	
	White—Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	2	1	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	All other—Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	11	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	1	4	1	–	1	
	White—Male	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	–	–	1	
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	54	41	4	1	–	–	1	–	–	–	1	–	1	–	1	1	1	1	–	1	–	–	–
	White Male	23	20	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	22	13	2	–	–	–	1	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–	–
	All other Male	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	80	15	–	–	1	2	–	2	2	1	1	2	4	2	8	6	9	6	6	7	3	3	–
	White Male	36	3	–	–	–	1	–	–	1	–	–	1	3	–	7	3	5	5	1	3	2	1	–
	Female	23	8	–	–	1	1	–	–	1	1	–	–	–	1	1	2	1	1	2	2	–	1	–
	All other Male	13	1	–	–	–	–	–	1	–	–	1	–	1	1	–	–	2	–	2	2	1	1	–
	Female	8	3	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–
Residual	All other diseases	440	9	3	4	2	2	5	6	3	14	10	14	14	23	31	43	46	68	53	52	25	12	1
	White Male	226	3	2	2	1	2	2	1	1	4	4	6	6	15	19	26	20	42	30	26	11	2	1
	Female	172	3	–	1	1	–	3	3	2	5	3	4	7	5	10	12	23	21	21	25	14	9	–
	All other Male	23	2	–	–	–	–	–	1	–	5	2	1	–	3	1	2	2	–	2	1	–	1	–
	Female	19	1	1	1	–	–	–	1	–	–	1	3	1	–	1	3	1	5	–	–	–	–	–
E800–E949	Accidents	451	9	17	12	19	61	55	30	21	20	17	16	24	20	22	15	16	17	24	19	14	2	1
	White Male	243	2	7	7	10	33	32	15	13	13	7	8	18	8	13	9	9	12	13	9	4	–	1
	Female	117	4	3	2	7	12	15	3	–	3	3	2	5	6	5	5	6	5	10	9	10	2	–
	All other Male	60	3	4	1	1	9	5	8	7	3	5	4	1	5	3	1	–	–	–	–	–	–	–
	Female	31	–	3	2	1	7	3	4	1	1	2	2	–	1	1	–	1	–	1	1	–	–	–
E810–E823	Motor vehicle accidents	238	4	8	7	11	50	41	18	15	9	6	9	13	8	7	8	8	6	6	3	1	–	–
	White Male	128	1	5	4	6	27	21	8	11	6	1	4	7	2	4	5	5	4	4	2	1	–	–
	Female	57	1	2	2	4	11	13	1	–	1	1	1	5	4	1	3	3	2	1	1	–	–	–
	All other Male	37	2	1	1	1	7	4	5	4	1	3	3	1	2	2	–	–	–	–	–	–	–	–
	Female	16	–	–	–	–	5	3	4	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	213	5	9	5	8	11	14	12	6	11	11	7	11	12	15	7	8	11	18	16	13	2	1
	White Male	115	1	2	3	4	6	11	7	2	7	6	4	11	6	9	4	4	8	9	7	3	–	1
	Female	60	3	1	–	3	1	2	2	–	2	2	1	–	2	4	2	3	3	9	8	10	2	–
	All other Male	23	1	3	–	–	2	1	3	3	2	2	1	–	3	1	1	–	–	–	–	–	–	–
	Female	15	–	3	2	1	2	–	–	1	–	1	1	–	1	1	–	1	–	–	1	–	–	–
E950–E959	Suicide	76	...	...	–	–	5	13	7	3	8	9	6	7	5	6	4	2	–	–	–	1	–	–
	White Male	54	...	...	–	–	3	10	7	1	7	5	3	5	3	4	3	2	–	–	–	1	–	–
	Female	11	...	...	–	–	–	–	–	2	1	–	3	2	1	1	1	–	–	–	–	–	–	–
	All other Male	10	...	...	–	–	2	3	–	–	–	3	–	–	1	1	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	27	2	2	–	–	2	2	4	2	2	3	3	2	1	1	–	–	1	–	–	–	–	–
	White Male	6	2	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	6	–	1	–	–	–	2	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	All other Male	12	–	–	–	–	–	–	3	1	2	2	2	1	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	6	–	–	–	1	–	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–
	White Male	3	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee																							
	All causes	**38,970**	**1,011**	**142**	**125**	**150**	**455**	**529**	**457**	**448**	**551**	**799**	**1,212**	**2,034**	**2,638**	**3,643**	**4,592**	**4,810**	**5,047**	**4,818**	**3,332**	**1,573**	**593**	**11**
	White Male	18,186	399	54	64	84	292	317	258	227	287	416	617	1,068	1,489	2,013	2,364	2,284	2,197	1,961	1,152	476	167	–
	Female	13,933	279	58	34	42	89	100	87	108	142	216	340	527	663	941	1,350	1,669	1,967	2,262	1,815	920	322	2
	All other Male	3,771	170	18	11	17	55	86	86	79	64	99	154	274	289	387	492	459	459	298	168	58	43	5
	Female	3,080	163	12	16	7	19	26	26	34	58	68	101	165	197	302	386	398	424	297	197	119	61	4
004, 006	Bacillary dysentery and amebiasis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	43	17	1	–	–	1	–	–	–	–	–	–	3	–	2	1	1	4	7	–	2	4	–
	White Male	12	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	2	1	–	1	2	–
	Female	20	5	1	–	–	1	–	–	–	–	–	–	1	–	–	1	1	1	6	–	1	2	–
	All other Male	5	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	93	–	–	–	–	–	–	–	–	3	1	5	6	6	7	7	15	12	11	16	2	2	–
	White Male	51	–	–	–	–	–	–	–	–	–	1	2	3	6	4	4	7	6	6	9	2	1	–
	Female	27	–	–	–	–	–	–	–	–	1	–	1	–	–	2	3	4	6	4	5	–	1	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	3	–	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	79	–	–	–	–	–	–	–	–	1	1	3	4	6	7	6	13	10	10	15	1	2	–
	White Male	45	–	–	–	–	–	–	–	–	–	1	1	3	6	4	3	6	5	5	9	1	1	–
	Female	26	–	–	–	–	–	–	–	–	1	–	1	–	–	2	3	4	5	4	5	–	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
013–019	Tuberculosis, other forms	14	–	–	–	–	–	–	–	–	2	–	2	2	–	–	1	2	2	1	1	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	11	1	2	2	2	–	–	–	–	–	1	–	1	1	–	–	–	–	1	–	–	–	–
	White Male	4	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	126	27	3	–	2	1	–	1	1	1	2	3	7	5	8	16	6	12	13	14	4	–	–
	White Male	37	8	–	–	1	–	–	1	1	–	–	–	3	1	4	5	1	2	5	3	2	–	–
	Female	39	4	1	–	–	1	–	–	–	1	–	2	1	4	3	3	3	5	4	5	2	–	–
	All other Male	28	8	–	–	1	–	–	–	–	–	1	1	1	–	–	6	1	3	4	2	–	–	–
	Female	22	7	2	–	–	–	–	–	–	–	1	–	2	–	1	2	1	2	–	4	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	101	7	2	6	3	3	2	2	4	3	3	7	6	8	8	10	8	8	5	3	2	1	–
	White Male	45	2	1	2	2	3	–	–	1	1	1	6	1	2	5	5	5	3	2	2	1	–	–
	Female	36	4	1	–	1	–	2	1	2	1	2	–	4	4	1	3	1	3	3	1	1	1	–
	All other Male	6	–	–	1	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–
	Female	14	1	–	3	–	–	–	1	1	1	–	1	–	1	1	1	1	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,202	3	10	25	14	22	31	38	63	114	159	325	575	728	985	1,104	1,043	911	633	290	96	32	1
	White: Male	3,334	1	6	12	8	9	12	17	33	40	72	123	240	363	488	561	501	423	278	113	30	4	–
	Female	2,597	2	4	8	3	6	11	19	26	49	59	134	213	231	317	358	369	320	263	137	49	19	–
	All other: Male	739	–	–	3	2	5	4	1	2	8	14	40	72	79	100	103	116	99	56	23	6	5	1
	Female	532	–	–	2	1	2	4	1	2	17	14	28	50	55	80	82	57	69	36	17	11	4	–
140–149	Of buccal cavity and pharynx	183	–	–	–	–	1	1	–	2	1	4	18	19	27	21	22	25	12	13	12	5	–	–
	White: Male	84	–	–	–	–	–	–	–	1	1	2	7	4	17	12	9	12	6	7	4	2	–	–
	Female	54	–	–	–	–	–	1	–	1	–	–	3	4	2	5	8	10	5	6	7	2	–	–
	All other: Male	32	–	–	–	–	1	–	–	–	–	2	8	6	4	4	4	1	1	–	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	5	4	–	1	2	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,769	–	–	1	–	2	4	4	10	23	20	62	115	143	234	264	281	263	212	97	25	9	–
	White: Male	726	–	–	–	–	–	1	2	6	8	10	21	40	61	115	126	117	97	87	29	4	2	–
	Female	708	–	–	–	–	–	–	1	4	8	9	22	41	50	69	96	112	114	101	58	18	5	–
	All other: Male	182	–	–	–	–	1	1	1	–	3	–	11	18	19	24	17	38	27	15	7	–	–	–
	Female	153	–	–	1	–	1	2	–	–	4	1	8	16	13	26	25	14	25	9	3	3	2	–
160–163	Of respiratory system	1,890	–	–	–	–	2	–	3	4	15	44	101	199	276	311	354	267	179	98	28	4	5	–
	White: Male	1,301	–	–	–	–	2	–	3	3	9	28	59	125	184	220	261	194	128	65	17	2	1	–
	Female	294	–	–	–	–	–	–	–	1	2	8	21	37	45	43	43	38	27	18	6	2	3	–
	All other: Male	232	–	–	–	–	–	–	–	–	2	5	13	32	34	37	46	27	18	12	5	–	1	–
	Female	63	–	–	–	–	–	–	–	–	2	3	8	5	13	11	4	8	6	3	–	–	–	–
174	Of breast	563	–	–	–	–	–	1	2	6	15	21	43	57	61	83	76	64	57	48	19	7	3	–
	White: Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	471	–	–	–	–	–	–	1	6	11	15	37	50	56	68	60	57	45	44	14	5	2	–
	All other: Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
	Female	87	–	–	–	–	–	1	1	–	4	6	5	6	5	14	16	6	11	4	5	2	1	–
180–187	Of genital organs	843	–	–	–	1	1	4	6	4	14	19	34	56	60	96	109	132	138	91	50	23	5	–
	White: Male	290	–	–	–	–	–	2	2	–	–	–	1	8	13	18	39	49	71	47	29	11	–	–
	Female	360	–	–	–	1	–	1	4	3	11	15	27	35	34	55	43	50	37	25	10	7	2	–
	All other: Male	114	–	–	–	–	1	1	–	–	–	2	2	2	4	11	15	21	26	14	8	4	3	–
	Female	79	–	–	–	–	–	–	–	1	3	2	4	11	9	12	12	12	4	5	3	1	–	–
188, 189	Of urinary organs	270	–	–	–	–	–	–	–	1	3	5	7	12	26	27	38	48	45	32	20	5	–	1
	White: Male	160	–	–	–	–	–	–	–	1	1	5	3	7	19	20	19	29	24	21	8	3	–	–
	Female	78	–	–	–	–	–	–	–	–	2	–	4	3	4	5	10	16	15	9	9	1	–	–
	All other: Male	20	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	2	4	1	2	–	–	1
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	1	2	1	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	959	3	6	8	4	7	8	7	23	33	26	33	83	90	130	132	119	116	68	37	17	9	–
	White: Male	434	1	3	5	2	4	3	4	13	13	14	16	35	45	67	62	54	50	22	16	4	1	–
	Female	348	2	3	1	–	2	5	3	10	14	7	11	33	24	38	52	42	40	29	17	9	6	–
	All other: Male	99	–	–	2	1	1	–	–	–	3	4	4	9	14	14	8	15	11	10	1	1	1	–
	Female	78	–	–	–	1	–	–	–	–	3	1	2	6	7	11	10	8	15	7	3	3	1	–
204–207	Leukemia	293	–	3	15	5	5	7	10	4	3	12	12	8	14	29	39	36	41	30	13	6	1	–
	White: Male	144	–	2	6	3	1	3	3	2	1	7	5	5	9	12	18	18	27	15	4	3	–	–
	Female	102	–	1	7	1	3	2	7	–	1	4	5	3	4	9	15	13	7	9	8	2	1	–
	All other: Male	27	–	–	1	1	1	1	–	2	–	–	1	–	1	6	3	4	5	1	–	–	–	–
	Female	20	–	–	1	–	–	1	–	–	1	1	1	–	–	2	3	1	2	5	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	432	–	1	1	4	4	6	6	9	7	8	15	26	31	54	70	71	60	41	14	4	–	–
	White: Male	194	–	1	1	3	2	3	3	7	7	6	11	16	15	23	27	28	20	14	6	1	–	–
	Female	182	–	–	–	1	1	2	3	1	–	1	4	7	12	25	31	31	30	22	8	3	–	–
	All other: Male	29	–	–	–	–	–	1	–	–	–	1	–	2	2	2	5	7	6	3	–	–	–	–
	Female	27	–	–	–	–	1	–	–	1	–	–	–	1	2	4	7	5	4	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	92	1	–	1	–	3	1	–	–	1	4	7	7	7	11	15	13	8	6	5	2	–	–
	White: Male	31	1	–	1	–	1	–	–	–	–	2	1	3	2	3	9	3	5	–	–	–	–	–
	Female	35	–	–	–	–	1	–	–	–	1	1	6	3	–	7	1	4	2	4	3	2	–	–
	All other: Male	10	–	–	–	–	1	–	–	–	–	1	–	–	3	–	2	1	1	1	–	–	–	–
	Female	16	–	–	–	–	–	1	–	–	–	–	–	1	2	1	3	5	–	1	2	–	–	–
250	Diabetes mellitus	541	–	–	–	1	5	2	5	6	7	13	11	22	36	52	86	86	75	86	32	13	3	–
	White: Male	146	–	–	–	–	1	1	1	2	3	4	4	9	8	14	26	25	18	22	6	1	1	–
	Female	246	–	–	–	1	2	1	2	3	2	4	2	6	10	21	33	44	38	49	20	7	1	–
	All other: Male	54	–	–	–	–	2	–	1	–	1	1	2	5	10	6	9	4	4	5	2	2	–	–
	Female	95	–	–	–	–	–	–	1	1	1	4	3	2	8	11	18	13	15	10	4	3	1	–
260–269	Avitaminoses and other nutritional deficiencies	47	–	–	–	–	1	–	–	–	1	–	–	2	2	2	4	10	2	7	11	3	2	–
	White: Male	14	–	–	–	–	1	–	–	–	1	–	–	1	–	–	1	4	1	2	2	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	3	6	2	2	–
	All other: Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	–	1	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
280–285	Anemias	44	–	2	–	3	2	–	2	–	–	–	2	1	4	4	5	2	4	5	4	3	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	1	1	–	–
	Female	17	–	–	–	2	–	–	1	–	–	–	–	1	1	1	2	1	–	2	3	2	1	–
	All other Male	10	–	1	–	1	1	–	1	–	–	–	2	–	1	–	1	1	1	–	–	–	–	–
	Female	9	–	1	–	–	1	–	–	–	–	–	–	–	1	1	2	–	1	2	–	–	–	–
320	Meningitis	46	15	8	2	3	–	–	–	–	–	1	–	–	1	1	3	6	5	1	–	–	–	–
	White Male	20	5	5	1	2	–	–	–	–	–	1	–	–	–	–	1	2	2	1	–	–	–	–
	Female	14	6	2	–	1	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	Female	8	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
390–448	Major cardiovascular diseases	20,400	14	3	3	8	17	18	33	76	116	273	453	841	1,234	1,788	2,483	2,749	3,140	3,176	2,369	1,162	439	5
	White Male	9,187	7	2	1	2	5	8	21	30	61	149	268	498	751	1,034	1,286	1,301	1,287	1,230	776	351	119	–
	Female	7,848	1	–	2	3	5	7	5	21	23	68	84	169	266	407	713	942	1,298	1,563	1,353	679	239	–
	All other Male	1,710	4	1	–	2	4	3	6	16	17	32	57	106	121	186	272	253	274	176	109	40	29	2
	Female	1,655	2	–	–	1	3	–	1	9	15	24	44	68	96	161	212	253	281	207	131	92	52	3
390–398, 402, 404, 410–429	Diseases of heart	14,406	14	2	–	5	12	10	24	58	91	223	372	696	1,030	1,448	1,879	1,968	2,115	1,996	1,472	712	274	5
	White Male	6,956	7	1	–	1	4	4	16	26	53	137	243	444	663	881	1,012	977	894	802	509	211	71	–
	Female	5,174	1	–	–	2	2	4	3	14	17	44	65	124	209	308	529	654	859	953	820	416	150	–
	All other Male	1,187	4	1	–	1	3	2	4	12	11	29	37	76	89	141	196	167	183	115	70	26	18	2
	Female	1,089	2	–	–	1	3	–	1	6	10	13	27	52	69	118	142	170	179	126	73	59	35	3
390–398	Active rheumatic fever and chronic rheumatic heart disease	198	–	–	–	–	1	–	4	5	5	11	11	14	24	33	25	25	23	8	5	3	1	–
	White Male	73	–	–	–	–	–	–	2	1	3	6	6	6	7	12	8	8	6	4	1	2	1	–
	Female	92	–	–	–	–	–	–	1	1	1	5	5	7	11	15	16	13	11	3	3	–	–	–
	All other Male	15	–	–	–	1	–	–	1	2	–	–	–	–	2	3	1	2	1	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	1	1	–	–	1	4	3	–	2	5	–	–	1	–	–
402	Hypertensive heart disease	78	–	–	–	–	–	–	1	1	2	1	5	4	2	9	6	11	12	10	6	5	3	–
	White Male	27	–	–	–	–	–	–	1	1	1	1	1	1	–	3	2	2	7	3	2	2	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	4	2	4	4	2	3	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	–	1	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	3	3	2	–	1	–	–
404	Hypertensive heart and renal disease	73	–	–	–	–	–	–	–	–	–	–	1	4	3	4	8	8	11	13	12	8	1	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	4	3	5	4	2	1	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	7	7	6	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	2	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	–	–	–	–
410–413	Ischemic heart disease	13,104	–	–	–	1	1	–	15	42	76	198	329	626	937	1,320	1,738	1,798	1,944	1,838	1,353	640	244	4
	White Male	6,460	–	–	–	–	–	–	12	21	47	127	223	414	615	823	960	913	836	741	467	195	66	–
	Female	4,661	–	–	–	–	1	–	1	9	15	36	54	103	182	268	475	592	786	884	757	369	129	–
	All other Male	1,033	–	–	–	–	–	–	2	9	7	24	33	69	82	122	170	145	168	100	60	23	17	2
	Female	950	–	–	–	1	–	–	–	3	7	11	19	40	58	107	133	148	154	113	69	53	32	2
410	Acute myocardial infarction	7,956	–	–	–	1	1	–	13	32	65	152	264	480	714	993	1,198	1,150	1,072	957	555	231	78	–
	White Male	4,557	–	–	–	–	–	–	10	17	43	104	193	345	505	675	737	642	518	451	216	76	25	–
	Female	2,525	–	–	–	–	1	–	1	6	13	28	42	80	134	204	318	380	428	420	298	130	42	–
	All other Male	491	–	–	–	–	–	–	2	7	5	16	21	39	45	64	80	76	70	38	16	10	2	–
	Female	383	–	–	–	1	–	–	–	2	4	4	8	16	30	50	63	52	56	48	25	15	9	–
411	Other acute and subacute forms of ischemic heart disease	19	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	4	6	1	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	2	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	5,127	–	–	–	–	–	–	2	10	11	46	64	145	222	326	536	647	868	875	797	408	166	4
	White Male	1,892	–	–	–	–	–	–	2	4	4	23	30	68	109	147	221	271	316	288	250	118	41	–
	Female	2,127	–	–	–	–	–	–	–	3	2	8	11	23	48	64	155	211	356	461	459	239	87	–
	All other Male	542	–	–	–	–	–	–	2	2	8	12	30	37	58	90	69	98	62	44	13	15	2	
	Female	566	–	–	–	–	–	–	1	3	7	11	24	28	57	70	96	98	64	44	38	23	2	
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	103	1	–	–	1	–	–	–	–	2	1	3	2	2	7	7	15	19	20	11	8	4	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	1	1	1	4	3	4	6	6	3	–	1	–
	Female	56	–	–	–	1	–	–	–	–	1	1	1	–	1	1	2	9	12	11	6	7	3	–
	All other Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	3	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
420–423, 425–427, 429	All other forms of heart disease	850	13	2	–	3	10	10	4	10	6	12	23	46	62	75	95	111	106	107	85	48	21	1
	White Male	340	7	1	–	1	4	4	1	3	2	3	12	20	39	38	36	46	36	43	32	10	2	–
	Female	310	1	–	–	1	1	4	1	4	–	2	4	12	14	20	32	35	45	44	43	32	15	–
	All other Male	112	3	1	–	1	2	2	1	1	4	5	2	5	3	12	19	16	11	13	7	3	1	–
	Female	88	2	–	–	–	3	–	1	2	–	2	5	9	6	5	8	14	14	7	3	3	3	1
400, 401, 403	Hypertension	134	–	–	–	–	–	–	–	1	2	3	3	5	7	5	15	17	23	22	15	11	5	–
	White Male	42	–	–	–	–	–	–	–	–	–	–	–	2	2	1	5	4	11	8	3	4	2	–
	Female	54	–	–	–	–	–	–	–	1	–	1	–	2	3	2	5	6	9	9	9	5	2	–
	All other Male	24	–	–	–	–	–	–	–	–	2	1	3	–	2	1	2	6	1	3	1	1	1	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	1	2	2	2	1	–	–
430–438	Cerebrovascular diseases	4,840	–	1	3	3	3	7	5	17	22	43	72	118	156	290	498	646	822	964	715	333	122	–
	White Male	1,747	–	1	1	1	1	3	4	4	8	11	22	38	60	126	209	265	301	345	213	100	34	–
	Female	2,176	–	–	2	1	1	3	1	6	5	20	17	40	45	89	160	238	358	501	425	196	68	–
	All other Male	438	–	–	–	1	1	1	–	4	4	2	16	27	28	38	70	68	80	49	31	10	8	–
	Female	479	–	–	–	–	–	–	–	3	5	10	17	13	23	37	59	75	83	69	46	27	12	–
431	Cerebral hemorrhage	487	–	–	1	–	–	2	1	6	5	10	22	26	45	49	65	65	78	51	40	17	4	–
	White Male	192	–	–	1	–	–	2	–	2	2	2	7	6	24	28	22	24	32	15	16	6	3	–
	Female	196	–	–	–	–	–	–	1	1	–	3	7	9	11	15	31	26	36	31	17	8	–	–
	All other Male	52	–	–	–	–	–	–	–	2	3	–	4	6	8	3	7	10	5	1	3	–	–	–
	Female	47	–	–	–	–	–	–	–	1	–	5	4	5	2	3	5	5	5	4	4	3	1	–
433	Cerebral thrombosis	1,039	–	–	–	–	–	1	1	–	2	2	3	8	15	45	113	141	199	233	177	65	34	–
	White Male	374	–	–	–	–	–	–	1	–	–	–	–	3	6	25	48	63	69	86	48	18	7	–
	Female	514	–	–	–	–	–	1	–	–	2	2	–	1	6	12	43	54	87	129	112	43	22	–
	All other Male	66	–	–	–	–	–	–	–	–	–	–	3	2	2	4	13	11	15	4	11	1	–	–
	Female	85	–	–	–	–	–	–	–	–	–	–	–	2	1	4	9	13	28	14	6	3	5	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	2	2	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,303	–	1	2	3	3	4	3	11	15	31	47	84	96	196	320	437	544	677	496	249	84	–
	White Male	1,174	–	1	–	1	1	1	3	2	6	9	15	29	30	73	139	176	199	242	147	76	24	–
	Female	1,462	–	–	2	1	1	2	–	5	3	15	10	30	28	62	86	157	235	340	296	143	46	–
	All other Male	320	–	–	–	1	1	1	–	2	1	2	9	19	18	31	50	47	60	44	17	9	8	–
	Female	347	–	–	–	–	–	–	–	2	5	5	13	6	20	30	45	57	50	51	36	21	6	–
440	Arteriosclerosis	557	–	–	–	–	–	–	–	–	–	–	1	5	4	10	15	64	89	126	121	87	35	–
	White Male	205	–	–	–	–	–	–	–	–	–	–	1	4	2	5	5	28	40	40	40	29	11	–
	Female	282	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	24	36	74	70	52	17	–
	All other Male	31	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	8	4	5	5	2	2	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	9	7	6	4	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	463	–	–	–	–	2	1	4	–	1	4	5	17	37	35	76	54	91	68	46	19	3	–
	White Male	237	–	–	–	–	–	1	1	–	–	1	2	10	24	21	55	27	41	35	11	7	1	–
	Female	162	–	–	–	–	2	–	1	–	1	3	2	3	9	6	12	20	36	26	29	10	2	–
	All other Male	30	–	–	–	–	–	–	2	–	–	–	1	2	1	4	3	4	6	4	2	1	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	2	3	4	6	3	8	3	4	1	–	–
466	Acute bronchitis and bronchiolitis	13	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	4	3	1	–	–
	White Male	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,238	49	12	3	5	10	4	4	11	6	9	28	28	39	66	95	118	166	244	185	114	42	–
	White Male	549	16	3	2	3	5	1	1	3	2	1	11	10	23	39	41	54	87	118	77	36	16	–
	Female	502	14	6	1	1	3	–	2	4	1	3	13	5	6	9	37	42	61	104	93	75	22	–
	All other Male	110	9	2	–	1	–	2	1	1	1	4	2	8	9	14	10	12	13	12	3	3	3	–
	Female	77	10	1	–	–	2	1	–	3	2	1	2	5	1	4	7	10	5	10	12	–	1	–
470–474	Influenza	159	1	–	–	1	2	1	2	1	–	2	4	9	5	11	14	13	18	22	30	16	7	–
	White Male	64	–	–	–	1	–	–	–	–	–	1	–	5	3	5	6	8	9	9	9	5	3	–
	Female	78	1	–	–	–	1	–	1	1	–	1	3	2	2	4	6	4	8	11	18	11	4	–
	All other Male	7	–	–	–	–	–	–	1	–	–	–	–	1	–	2	2	–	1	–	–	–	–	–
	Female	10	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	1	–	2	3	–	–	–
480–486	Pneumonia	1,079	48	12	3	4	8	3	2	10	6	7	24	19	34	55	81	105	148	222	155	98	35	–
	White Male	485	16	3	2	2	5	1	1	3	2	–	11	5	20	34	35	46	78	109	68	31	13	–
	Female	424	13	6	1	1	2	–	1	3	1	2	10	3	4	5	31	38	53	93	75	64	18	–
	All other Male	103	9	2	–	1	–	2	–	1	1	4	2	7	9	12	8	12	12	12	3	3	3	–
	Female	67	10	1	–	–	1	–	–	3	2	1	1	4	1	4	7	9	5	8	9	–	1	–
490–493	Bronchitis, emphysema, and asthma	468	–	1	–	–	–	1	1	1	4	6	7	18	34	79	66	85	75	56	24	6	4	–
	White Male	325	–	–	–	–	–	–	–	–	2	3	5	7	20	55	49	70	59	36	15	3	1	–
	Female	101	–	1	–	–	–	1	1	1	2	2	2	6	11	11	12	12	13	14	6	3	3	–
	All other Male	30	–	–	–	–	–	–	–	–	–	–	–	4	2	8	5	2	2	4	3	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	1	1	5	–	1	1	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
490, 491	Chronic and unqualified bronchitis	100	–	1	–	–	–	–	–	–	3	–	2	8	5	18	13	15	12	11	7	3	2	
	White Male	62	–	–	–	–	–	–	–	–	2	–	2	3	2	11	11	12	8	5	4	1	1	
	Female	27	–	1	–	–	–	–	–	–	1	–	–	4	1	4	1	2	4	3	3	2	1	
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	–	2	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	
492	Emphysema	335	–	–	–	–	–	–	–	1	–	4	5	6	25	53	51	66	62	43	14	3	2	
	White Male	255	–	–	–	–	–	–	–	–	–	3	3	4	18	41	38	56	51	30	9	2	–	
	Female	59	–	–	–	–	–	–	–	1	–	1	2	–	7	6	9	9	8	11	2	1	2	
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	2	–	4	4	–	2	1	3	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	
493	Asthma	33	–	–	–	–	–	1	1	–	1	2	–	4	4	8	2	4	1	2	3	–	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	1	2	–	–	
	Female	15	–	–	–	–	–	1	1	–	1	1	–	2	3	1	2	1	1	–	1	–	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–	
531–533	Peptic ulcer	127	–	–	–	–	–	–	1	2	4	4	7	9	13	13	15	19	11	17	8	3	1	–
	White Male	74	–	–	–	–	–	–	–	–	2	2	5	5	12	10	12	11	6	8	–	–	1	
	Female	36	–	–	–	–	–	–	–	1	2	2	2	2	1	1	2	5	5	6	6	2	–	
	All other Male	11	–	–	–	–	–	–	1	–	1	–	–	1	–	1	1	3	–	2	1	–	–	
	Female	6	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	1	1	–	
540–543	Appendicitis	26	1	–	1	–	1	–	2	–	1	–	4	2	1	2	4	2	–	4	1	–	–	
	White Male	7	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	1	–	1	–	–	–	
	Female	11	–	–	1	–	–	–	–	–	1	–	3	–	–	–	1	1	–	3	1	–	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	
	Female	4	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	103	11	–	–	–	1	1	–	1	–	4	1	6	3	5	9	15	10	17	15	4	–	–
	White Male	33	6	–	–	–	–	–	–	–	–	1	–	3	2	1	2	3	2	8	5	–	–	
	Female	45	3	–	–	–	–	–	–	1	–	–	1	2	–	3	4	6	7	7	8	3	–	
	All other Male	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	5	1	2	–	–	–	
	Female	15	2	–	–	–	1	1	–	–	–	2	–	1	1	1	2	1	–	–	2	1	–	
571	Cirrhosis of liver	385	–	–	–	1	–	–	4	12	22	21	32	55	63	65	58	23	16	7	2	1	2	1
	White Male	234	–	–	–	1	–	–	2	4	15	12	18	38	44	39	41	9	9	1	–	1	–	
	Female	110	–	–	–	–	–	–	1	4	3	6	13	14	11	20	12	10	6	6	2	–	2	
	All other Male	23	–	–	–	–	–	–	1	3	1	1	1	2	6	4	–	3	1	–	–	–	–	
	Female	18	–	–	–	–	–	–	–	1	3	2	–	1	2	2	5	1	–	–	–	–	–	1
574, 575	Cholelithiasis, cholecystitis and cholangitis	76	–	–	1	–	–	–	1	1	–	2	2	2	2	5	14	5	11	12	13	4	1	–
	White Male	33	–	–	1	–	–	–	–	–	–	1	–	2	1	2	8	4	5	4	5	–	–	
	Female	36	–	–	–	–	–	–	1	–	–	1	2	–	1	2	4	1	6	7	7	3	1	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–	1	–	
580–584	Nephritis and nephrosis	197	–	–	–	–	–	2	5	–	4	1	3	16	15	22	27	28	25	23	19	6	–	1
	White Male	66	–	–	–	–	–	1	1	–	2	–	–	7	6	6	7	10	9	8	6	3	–	
	Female	58	–	–	–	–	–	–	1	–	1	–	3	4	4	7	4	6	6	9	10	2	–	1
	All other Male	28	–	–	–	–	–	1	2	–	–	1	–	2	–	8	6	3	3	1	–	1	–	
	Female	45	–	–	–	–	–	–	1	–	1	–	–	3	5	1	10	9	7	5	3	–	–	
580, 581	Acute nephritis and nephrotic syndrome	26	–	–	–	–	–	–	1	–	1	–	–	1	1	3	–	2	6	4	6	1	–	
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	3	3	3	1	–	
	Female	8	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	1	3	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	171	–	–	–	–	–	2	4	–	3	1	3	15	14	19	27	26	19	19	13	5	–	1
	White Male	51	–	–	–	–	–	1	1	–	2	–	–	6	5	4	7	9	6	5	3	2	–	
	Female	50	–	–	–	–	–	–	1	–	–	–	3	4	4	6	4	6	4	8	7	2	–	1
	All other Male	28	–	–	–	–	–	1	2	–	–	1	–	2	–	8	6	3	3	1	–	1	–	
	Female	42	–	–	–	–	–	–	–	–	1	–	–	3	5	1	10	8	6	5	3	–	–	
590	Infections of kidney	114	–	–	1	–	–	–	1	–	–	2	3	7	4	10	14	10	15	20	19	6	2	
	White Male	31	–	–	–	–	–	–	–	–	–	–	2	4	–	1	4	1	4	9	5	1	–	
	Female	60	–	–	1	–	–	–	1	–	–	1	1	2	3	4	4	7	10	7	13	4	2	
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	–	1	1	–	–	–	
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	1	3	4	–	1	3	–	1	–	
600	Hyperplasia of prostate	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	8	5	1	–	
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	8	4	–	–	
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	1	1	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	2	–	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	4	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	2	–	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	4	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	221	147	17	5	6	7	3	1	3	4	5	4	2	3	6	2	5	1	–	–	–	–	–
	White..... Male	97	66	4	2	2	3	2	–	1	1	2	1	1	2	5	1	3	1	–	–	–	–	–
	Female	80	51	8	1	3	2	1	–	1	3	3	3	–	–	1	1	2	–	–	–	–	–	–
	All other..... Male	23	16	3	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	21	14	2	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	525	523	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	208	208	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	144	142	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	248	246	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	109	109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	69	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	277	277	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	765	123	4	–	1	2	–	7	8	10	11	22	46	40	63	73	88	82	79	54	33	18	1
	White..... Male	356	48	1	–	–	1	–	5	4	6	5	13	21	29	30	43	45	35	36	23	6	5	–
	Female	255	29	2	–	1	–	–	1	2	2	2	4	11	7	22	17	34	27	40	21	22	10	1
	All other..... Male	77	22	–	–	–	1	–	1	2	1	2	4	9	1	8	5	5	9	2	3	1	1	–
	Female	77	24	1	–	–	–	–	–	–	1	2	1	5	3	3	8	4	11	1	7	4	2	–
Residual	All other diseases	2,488	30	8	10	16	29	35	31	27	44	72	91	169	198	243	325	328	307	265	168	62	29	1
	White..... Male	1,154	7	3	4	11	14	15	11	12	22	29	33	81	98	136	161	152	145	117	70	20	13	–
	Female	847	10	4	2	2	10	11	7	6	12	19	27	46	58	63	101	124	107	113	76	37	12	–
	All other..... Male	294	6	1	3	–	5	5	5	6	6	13	20	25	29	26	44	25	33	21	14	2	4	1
	Female	193	7	–	1	3	–	4	8	3	4	11	11	17	13	18	19	27	22	14	8	3	–	–
E800–E949	Accidents	2,279	37	62	58	76	273	283	168	124	110	117	100	123	100	125	105	98	105	94	69	42	9	1
	White..... Male	1,414	18	27	33	46	205	191	118	83	74	80	68	75	61	84	63	46	52	47	26	14	3	–
	Female	553	7	24	15	19	47	53	26	23	20	25	19	24	25	26	21	37	38	39	37	24	4	–
	All other..... Male	231	8	8	4	9	18	32	19	17	14	11	7	17	10	12	13	9	11	5	3	2	1	1
	Female	81	4	3	6	2	3	7	5	1	2	1	6	7	4	3	8	6	4	3	3	2	1	–
E810–E823	Motor vehicle accidents	1,164	6	25	29	45	199	183	109	84	57	71	54	60	47	52	42	42	34	14	7	2	1	1
	White..... Male	742	3	8	17	28	150	120	74	59	36	48	35	33	30	30	21	18	20	8	4	–	–	–
	Female	274	3	11	8	14	38	43	20	16	10	15	9	15	12	12	10	18	11	3	3	2	1	–
	All other..... Male	113	–	6	1	3	8	16	10	8	10	7	5	9	3	8	8	5	3	2	–	–	–	1
	Female	35	–	–	3	–	3	4	5	1	1	1	5	3	2	2	3	1	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,115	31	37	29	31	74	100	59	40	53	46	46	63	53	73	63	56	71	80	62	40	8	–
	White..... Male	672	15	19	16	18	55	71	44	24	38	32	33	42	31	54	42	28	32	39	22	14	3	–
	Female	279	4	13	7	5	9	10	6	7	10	10	10	9	13	14	11	19	27	36	34	22	3	–
	All other..... Male	118	8	2	3	6	10	16	9	9	4	4	2	8	7	4	5	4	8	3	3	2	1	–
	Female	46	4	3	3	2	–	3	–	–	1	–	1	4	2	1	5	5	4	2	3	2	1	–
E950–E959	Suicide	556	...	...	–	4	31	59	55	38	45	36	49	45	55	41	32	26	25	13	1	–	1	–
	White..... Male	406	...	...	–	2	25	50	39	27	29	23	32	35	41	30	22	18	20	11	1	–	1	–
	Female	106	...	...	–	2	4	4	9	3	11	11	15	9	10	9	9	5	4	1	–	–	–	–
	All other..... Male	39	...	...	–	–	1	5	7	6	4	1	2	1	4	2	1	3	1	1	–	–	–	–
	Female	5	...	...	–	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	491	3	4	6	2	30	71	83	58	45	47	37	26	26	18	13	12	6	3	1	–	–	–
	White..... Male	209	1	1	4	–	12	24	34	20	24	24	19	11	10	8	8	5	3	–	1	–	–	–
	Female	54	1	3	1	2	2	5	8	5	5	5	2	3	4	1	1	3	2	1	–	–	–	–
	All other..... Male	188	1	–	–	–	16	34	36	26	9	16	13	12	11	7	3	2	–	2	–	–	–	–
	Female	40	–	–	1	–	–	8	5	7	7	2	3	–	1	2	1	2	1	–	–	–	–	–
E980–E999	Other external causes	117	–	2	1	3	13	16	9	11	5	5	9	9	7	12	5	4	4	–	1	1	–	–
	White..... Male	79	–	–	1	3	7	12	6	6	2	3	6	7	5	10	2	3	4	–	1	1	–	–
	Female	23	–	–	–	–	3	4	–	4	2	2	1	1	2	2	2	–	–	–	–	–	–	–
	All other..... Male	11	–	1	–	–	1	–	3	–	1	–	2	1	–	–	1	1	–	–	–	–	–	–
	Female	4	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas																							
	All causes	100,760	3,507	678	375	447	1,375	1,632	1,407	1,291	1,485	2,152	3,388	5,110	6,454	8,725	11,170	12,314	12,750	12,094	8,642	4,281	1,458	25
	White—Male	48,541	1,515	312	194	247	892	992	809	677	740	1,094	1,726	2,804	3,585	4,866	6,119	6,471	5,786	5,004	3,076	1,281	330	21
	Female	38,136	1,138	230	113	122	295	336	279	326	405	594	990	1,462	1,828	2,564	3,425	4,165	5,360	5,927	4,963	2,680	932	2
	All other—Male	8,031	463	76	48	47	137	227	232	178	223	291	426	495	638	775	939	898	858	615	270	128	66	1
	Female	6,052	391	60	20	31	51	77	87	110	117	173	246	349	403	520	687	780	746	548	333	192	130	1
004, 006	Bacillary dysentery and amebiasis	9	–	2	–	–	–	–	–	1	–	1	1	–	3	1	–	–	–	–	–	–	–	
	White—Male	7	–	1	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–	–	–	–	
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
008, 009	Enteritis and other diarrheal diseases	169	82	6	2	–	1	–	–	2	1	4	2	4	3	8	7	5	12	15	6	8	1	
	White—Male	61	31	–	2	–	–	–	–	–	–	–	–	4	2	3	3	1	3	7	2	3	–	
	Female	72	25	4	–	–	1	–	–	1	1	4	2	–	1	4	2	3	9	5	4	5	1	
	All other—Male	19	12	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	3	–	–	–	
	Female	17	14	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
010–019	Tuberculosis, all forms	188	1	2	1	–	–	–	2	3	9	4	8	11	20	21	22	24	19	20	16	5	–	
	White—Male	112	1	1	1	–	–	–	1	1	2	3	5	7	9	12	12	18	10	13	12	4	–	
	Female	45	–	1	–	–	–	–	1	–	3	1	3	2	5	6	6	3	6	4	3	1	–	
	All other—Male	24	–	–	–	–	–	–	–	2	3	–	–	1	5	3	3	1	3	2	1	–	–	
	Female	7	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–	1	–	–	–	
010–012	Tuberculosis of respiratory system	157	–	–	1	–	–	–	2	1	8	2	8	8	17	19	18	18	17	18	15	5	–	
	White—Male	94	–	–	1	–	–	–	1	–	2	2	5	5	8	10	10	13	9	12	12	4	–	
	Female	35	–	–	–	–	–	–	1	–	2	–	3	2	4	6	4	2	5	3	2	1	–	
	All other—Male	21	–	–	–	–	–	–	–	1	3	–	–	–	4	3	3	1	3	2	1	–	–	
	Female	7	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–	1	–	–	–	
013–019	Tuberculosis, other forms	31	1	2	–	–	–	–	–	2	1	2	–	3	3	2	4	6	2	2	1	–	–	
	White—Male	18	1	1	–	–	–	–	–	1	–	1	–	2	1	2	2	5	1	1	–	–	–	
	Female	10	–	1	–	–	–	–	–	–	1	1	–	–	1	–	2	1	1	1	1	–	–	
	All other—Male	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
034	Streptococcal sore throat and scarlet fever	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	
	White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
036	Meningococcal infections	22	5	6	1	–	1	1	–	1	–	–	1	–	–	1	2	2	1	–	–	–	–	
	White—Male	6	2	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	
	Female	12	1	3	1	–	1	1	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	
	All other—Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
038	Septicemia	474	75	4	3	–	5	4	10	6	11	13	13	23	22	32	47	44	56	56	33	12	5	
	White—Male	210	33	3	–	–	2	4	1	3	3	6	6	10	9	18	25	21	23	23	14	6	–	
	Female	163	26	1	2	–	1	–	6	3	6	2	3	7	6	7	11	13	21	24	16	5	3	
	All other—Male	56	7	–	1	–	2	–	2	–	1	2	2	4	4	5	5	7	4	7	2	–	1	
	Female	45	9	–	–	–	–	–	1	–	1	3	2	2	3	2	6	3	8	2	1	1	1	
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	White—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
090–097	Syphilis and its sequelae	13	2	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	2	–	2	–	–	
	White—Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	
	Female	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
Remainder of 000–136	Other infective and parasitic diseases	283	28	12	3	6	3	11	6	6	18	14	10	18	22	23	27	21	16	18	12	5	4	
	White—Male	106	12	4	1	1	1	4	1	1	6	3	3	10	13	12	10	9	7	5	2	1	–	
	Female	120	12	6	2	4	1	5	1	2	4	5	5	5	8	8	10	8	8	11	8	3	4	
	All other—Male	28	3	1	–	1	1	2	1	1	3	2	2	2	–	1	3	2	1	–	2	–	–	
	Female	29	1	1	–	–	–	–	3	2	5	4	–	1	1	2	4	2	–	2	–	1	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	18,963	8	39	57	57	67	78	121	174	239	428	890	1,550	1,937	2,435	2,894	2,799	2,343	1,630	844	297	76	–
	White Male	9,280	2	20	29	32	37	38	60	67	78	161	350	704	922	1,259	1,546	1,521	1,184	787	360	107	16	–
	Female	7,247	5	13	19	12	24	28	43	87	128	182	397	634	718	856	984	917	894	685	408	162	51	–
	All other Male	1,458	1	4	7	7	4	7	8	6	12	32	84	116	187	221	228	215	165	97	38	13	6	–
	Female	978	–	2	2	6	2	5	10	14	21	53	59	96	110	99	136	146	100	61	38	15	3	–
140–149	Of buccal cavity and pharynx	423	–	–	–	1	–	1	1	2	2	8	12	36	58	76	70	58	43	31	16	7	1	–
	White Male	244	–	–	–	–	–	–	–	1	1	2	6	23	27	48	38	40	23	24	8	3	–	–
	Female	120	–	–	–	–	–	1	–	1	1	3	3	6	13	23	24	12	17	4	7	4	1	–
	All other Male	50	–	–	–	1	–	–	–	–	–	3	3	5	15	5	8	4	3	3	–	–	–	–
	Female	9	–	–	–	–	–	–	1	–	–	–	–	2	3	–	–	2	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	4,737	1	1	3	2	3	2	17	21	28	77	149	323	394	584	712	769	702	518	295	108	28	–
	White Male	2,138	1	1	2	1	1	2	5	9	9	40	80	157	192	273	342	358	323	207	103	27	5	–
	Female	1,947	–	–	–	–	–	–	6	9	13	23	42	115	140	222	261	299	296	262	171	67	21	–
	All other Male	385	–	–	1	–	1	–	4	1	6	8	16	33	39	57	68	57	51	30	6	6	1	–
	Female	267	–	–	–	1	1	–	2	2	–	6	11	18	23	32	41	55	32	19	15	8	1	–
160–163	Of respiratory system	5,043	1	–	1	–	–	3	4	9	30	96	272	520	670	831	918	793	512	260	91	27	5	–
	White Male	3,444	–	–	1	–	–	3	1	6	17	53	134	337	430	567	661	590	379	186	62	17	–	–
	Female	994	–	–	–	–	–	–	3	3	9	27	76	113	135	153	163	124	97	59	19	9	4	–
	All other Male	494	1	–	–	–	–	–	–	–	2	9	47	56	88	98	77	64	29	13	8	1	1	–
	Female	111	–	–	–	–	–	–	–	–	2	7	15	14	17	13	17	15	7	2	2	–	–	–
174	Of breast	1,486	–	–	–	–	1	3	8	23	48	64	140	195	196	185	196	155	118	75	50	21	8	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–
	Female	1,311	–	–	–	–	1	2	7	19	44	51	129	172	177	165	177	128	98	71	46	17	7	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	167	–	–	–	–	–	1	1	4	4	13	11	23	17	19	18	25	18	4	4	4	1	–
180–187	Of genital organs	2,212	–	–	–	2	3	11	22	24	34	40	82	138	146	190	313	378	336	278	157	47	11	–
	White Male	881	–	–	–	–	–	5	15	6	1	1	7	13	19	51	121	187	174	158	95	24	4	–
	Female	931	–	–	–	1	3	4	6	13	24	25	66	100	96	108	136	116	99	75	38	18	3	–
	All other Male	217	–	–	–	1	–	–	–	–	–	2	2	5	8	15	31	56	48	27	15	4	3	–
	Female	183	–	–	–	–	–	2	1	5	9	12	7	20	23	16	25	19	15	18	9	1	1	–
188, 189	Of urinary organs	762	–	1	1	–	1	1	–	6	6	13	23	40	80	84	116	117	111	85	52	21	4	–
	White Male	469	–	–	–	–	1	1	–	3	4	7	14	23	56	55	79	76	60	49	27	12	2	–
	Female	211	–	–	1	–	–	–	–	3	1	4	5	14	14	16	29	30	35	28	21	9	1	–
	All other Male	39	–	–	–	–	–	–	–	–	–	1	2	1	6	9	3	5	7	2	2	–	1	–
	Female	43	–	1	–	–	–	–	–	–	1	1	2	2	4	4	5	6	9	6	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,413	3	17	20	24	19	28	35	56	51	85	132	181	254	284	303	294	261	215	102	35	14	–
	White Male	1,157	1	8	8	12	11	14	17	26	33	35	63	95	127	151	159	146	111	93	31	13	3	–
	Female	987	2	5	6	6	8	9	14	23	17	38	52	70	94	100	103	115	126	102	65	21	11	–
	All other Male	159	–	3	5	4	–	4	3	4	–	7	9	9	19	22	24	17	13	12	4	–	–	–
	Female	110	–	1	1	2	–	1	1	3	1	5	8	7	14	11	17	16	11	8	2	1	–	–
204–207	Leukemia	809	1	14	27	18	31	17	18	17	19	20	31	32	47	79	105	79	104	78	48	20	4	–
	White Male	417	–	7	15	12	19	8	10	7	5	7	20	19	23	51	59	39	50	35	20	9	2	–
	Female	310	1	6	10	4	9	7	4	9	10	6	8	9	16	22	35	30	49	38	26	9	2	–
	All other Male	49	–	1	1	1	2	2	1	1	1	2	2	2	6	4	8	6	4	4	–	1	–	–
	Female	33	–	–	1	1	1	–	3	–	3	5	1	2	2	2	3	4	1	1	2	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	1,078	2	6	5	10	9	12	16	16	21	25	49	85	92	122	161	156	156	90	33	11	1	–
	White Male	524	–	4	3	7	5	5	12	9	8	16	26	37	47	62	86	84	62	35	14	2	–	–
	Female	436	2	2	2	1	3	5	3	7	9	5	16	35	33	47	56	63	77	46	15	8	1	–
	All other Male	63	–	–	–	–	1	1	–	–	3	–	3	5	5	11	9	5	10	6	3	1	–	–
	Female	55	–	–	–	2	–	1	1	–	1	4	4	8	7	2	10	4	7	3	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	193	1	2	1	5	1	4	3	3	5	6	9	10	16	18	26	20	24	22	11	6	–	–
	White Male	73	–	–	1	3	–	1	–	1	2	3	3	2	9	7	10	8	11	8	3	1	–	–
	Female	92	1	1	–	2	1	2	3	2	1	2	3	6	4	9	11	9	13	9	8	5	–	–
	All other Male	16	–	–	–	–	–	1	–	–	1	–	3	2	1	2	2	–	–	4	–	–	–	–
	Female	12	–	1	–	–	–	–	–	–	1	1	–	–	2	–	3	3	–	1	–	–	–	–
250	Diabetes mellitus	1,818	–	1	1	5	5	14	16	22	16	33	58	94	137	185	263	279	294	229	120	40	6	–
	White Male	584	–	1	1	2	2	5	8	8	4	15	22	36	50	63	75	88	85	76	27	14	2	–
	Female	884	–	–	–	3	3	6	6	6	8	10	18	30	47	76	127	134	168	134	82	23	3	–
	All other Male	142	–	–	–	–	–	1	1	7	2	5	8	10	17	21	26	22	7	7	6	1	1	–
	Female	208	–	–	–	–	–	2	1	1	2	3	10	18	23	25	35	35	34	12	5	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	163	11	3	–	–	–	1	1	–	3	1	1	3	3	7	12	16	23	30	24	18	6	–
	White Male	56	3	–	–	–	–	–	–	–	–	–	–	1	1	3	6	8	10	11	8	3	2	–
	Female	84	3	3	–	–	–	1	1	–	3	1	1	2	2	3	4	8	9	16	13	11	3	–
	All other Male	13	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	2	3	1	–
	Female	10	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
280–285	Anemias	171	5	4	3	1	4	4	3	6	2	6	3	6	7	8	11	14	24	19	18	19	4	–
	White Male	51	1	1	1	–	1	–	1	1	1	–	–	3	3	3	6	4	11	4	6	4	–	–
	Female	75	–	1	1	1	–	–	–	1	1	2	1	1	3	3	3	4	12	14	10	15	2	–
	All other Male	19	3	–	1	–	2	3	1	1	–	2	1	1	–	1	–	2	1	–	–	–	–	–
	Female	26	1	2	–	–	1	1	1	3	–	2	1	1	1	1	2	4	–	1	2	–	2	–
320	Meningitis	110	53	22	6	3	2	1	–	–	–	1	1	4	3	5	1	3	1	1	2	1	–	–
	White Male	53	27	11	2	2	–	–	–	–	–	1	–	2	3	3	1	–	–	1	–	–	–	–
	Female	35	17	5	2	1	1	–	–	–	–	–	1	1	–	1	–	3	–	–	2	1	–	–
	All other Male	11	4	4	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	5	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	47,940	76	25	12	21	42	67	88	147	291	623	1,130	1,887	2,631	3,994	5,482	6,548	7,384	7,673	5,816	2,971	1,029	3
	White Male	22,163	24	12	5	10	24	30	38	73	145	359	664	1,181	1,631	2,345	3,068	3,396	3,193	2,979	1,952	827	206	1
	Female	19,519	29	6	5	6	8	21	27	31	67	137	224	367	553	1,021	1,564	2,219	3,225	3,955	3,461	1,917	675	1
	All other Male	3,223	15	5	2	3	6	9	13	20	51	84	148	190	258	340	464	467	494	365	160	85	44	–
	Female	3,035	8	2	–	2	4	7	10	23	28	43	94	149	189	288	386	466	472	374	243	142	104	1
390–398, 402, 404, 410–429	Diseases of heart	34,023	59	20	5	10	31	44	62	108	213	479	920	1,577	2,175	3,212	4,212	4,765	5,116	4,983	3,629	1,791	609	3
	White Male	17,010	19	10	–	4	19	21	31	58	118	303	586	1,041	1,410	1,972	2,485	2,614	2,340	2,034	1,296	522	126	1
	Female	12,734	22	5	3	3	4	12	14	19	47	86	148	275	421	753	1,135	1,544	2,155	2,497	2,075	1,122	393	1
	All other Male	2,304	11	4	2	3	6	5	10	14	36	63	116	162	208	276	332	304	323	237	103	59	30	–
	Female	1,975	7	1	–	–	2	6	7	17	12	27	70	99	136	211	260	303	298	215	155	88	60	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	423	–	1	–	3	2	2	6	5	10	16	19	27	44	51	69	66	47	35	13	6	1	–
	White Male	183	–	1	–	2	1	2	2	2	3	7	8	12	19	23	29	28	23	15	3	2	1	–
	Female	186	–	–	–	–	–	–	3	1	3	7	8	11	16	21	35	28	22	20	8	3	–	–
	All other Male	26	–	–	–	1	1	–	1	–	4	2	2	2	2	3	2	5	–	–	–	1	–	–
	Female	28	–	–	–	–	–	–	–	2	–	–	1	2	7	4	3	5	2	–	2	–	–	–
402	Hypertensive heart disease	359	–	–	–	–	–	–	1	–	–	4	14	12	19	27	38	48	44	68	55	21	8	–
	White Male	107	–	–	–	–	–	–	–	–	–	2	4	4	8	9	17	14	12	19	13	5	–	–
	Female	157	–	–	–	–	–	–	–	–	–	1	5	2	3	6	13	16	22	35	35	15	4	–
	All other Male	37	–	–	–	–	–	–	–	–	–	1	3	4	1	3	3	9	5	4	3	–	1	–
	Female	58	–	–	–	–	–	–	1	–	–	–	2	2	7	9	5	9	5	10	4	1	3	–
404	Hypertensive heart and renal disease	151	–	–	1	–	–	–	–	–	–	–	1	6	3	3	18	13	28	36	20	15	7	–
	White Male	37	–	–	–	–	–	–	–	–	–	–	–	2	–	2	6	4	9	6	4	4	–	–
	Female	85	–	–	1	–	–	–	–	–	–	–	–	2	2	–	4	5	16	25	15	8	7	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	3	–	–	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	1	–	1	5	1	–	5	1	2	–	–
410–413	Ischemic heart disease	27,963	2	–	–	–	2	9	23	65	150	372	714	1,267	1,735	2,621	3,485	3,994	4,306	4,163	3,052	1,499	501	3
	White Male	14,151	2	–	–	–	2	4	15	45	90	252	479	866	1,158	1,629	2,095	2,198	1,952	1,722	1,093	441	107	1
	Female	10,532	–	–	–	–	–	3	5	6	28	53	101	197	316	617	929	1,323	1,848	2,089	1,744	942	330	1
	All other Male	1,774	–	–	–	–	–	1	1	8	26	47	89	122	162	223	253	229	265	190	90	48	20	–
	Female	1,506	–	–	–	–	–	1	2	6	6	20	45	82	99	152	208	244	241	162	125	68	44	1
410	Acute myocardial infarction	14,734	1	–	–	–	1	3	16	38	88	241	429	755	1,066	1,609	2,122	2,307	2,233	1,931	1,216	545	132	1
	White Male	8,385	1	–	–	–	1	1	9	30	58	169	312	558	775	1,065	1,342	1,381	1,094	893	484	185	27	–
	Female	5,095	–	–	–	–	–	2	5	2	20	35	66	119	201	371	594	750	945	916	665	318	85	1
	All other Male	701	–	–	–	–	–	–	1	3	8	27	35	51	61	102	101	91	99	71	26	18	7	–
	Female	553	–	–	–	–	–	–	1	3	2	10	16	27	29	71	85	85	95	51	41	24	13	–
411	Other acute and subacute forms of ischemic heart disease	110	–	–	–	–	–	1	–	–	1	4	3	5	9	8	15	10	14	22	14	3	1	–
	White Male	50	–	–	–	–	–	1	–	–	1	4	1	2	6	7	6	6	4	9	3	–	–	–
	Female	48	–	–	–	–	–	–	–	–	–	–	1	3	1	1	7	4	5	11	11	3	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	1	–	–	–	–
412	Chronic ischemic heart disease	13,109	1	–	–	–	1	5	7	27	61	126	280	506	660	1,004	1,346	1,676	2,056	2,210	1,822	951	368	2
	White Male	5,713	1	–	–	–	1	2	6	15	31	78	165	306	377	557	747	811	853	820	606	256	80	1
	Female	5,382	–	–	–	–	–	1	–	4	8	18	33	74	114	245	326	568	896	1,162	1,068	621	244	–
	All other Male	1,068	–	–	–	–	–	1	–	5	18	20	53	71	100	121	152	138	164	118	64	30	13	–
	Female	946	–	–	–	–	–	1	1	3	4	10	29	55	69	81	121	159	143	110	84	44	31	1
413	Angina pectoris	10	–	–	–	–	–	–	–	–	–	1	2	1	–	–	2	1	3	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	282	1	2	–	2	4	2	1	2	5	4	7	10	11	9	20	30	41	50	40	32	9	–
	White Male	108	1	1	–	1	3	2	1	1	2	2	3	5	5	5	13	12	15	20	7	10	–	–
	Female	130	1	1	–	–	–	–	–	–	1	1	2	4	4	2	5	12	19	21	30	18	9	–
	All other Male	24	–	–	–	1	1	–	–	–	1	–	2	–	2	1	1	3	4	5	1	2	–	–
	Female	20	–	–	–	–	–	–	–	1	1	1	–	1	–	1	1	3	3	4	2	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	4,845	56	17	4	5	23	31	31	36	48	83	165	255	363	501	582	614	650	631	449	218	83	–
	White Male	2,424	17	8	–	1	13	13	13	10	23	40	92	152	220	304	325	358	329	252	176	60	18	–
	Female	1,644	21	4	2	3	4	9	6	12	15	24	32	59	80	107	149	160	228	307	243	136	43	–
	All other Male	431	11	4	2	1	4	4	8	6	5	13	20	33	40	46	70	55	46	38	9	7	9	–
	Female	346	7	1	–	–	2	5	4	8	5	6	21	11	23	44	38	41	47	34	21	15	13	–
400, 401, 403	Hypertension	315	–	–	–	–	–	2	3	3	5	6	6	7	16	24	32	39	49	50	46	19	8	–
	White Male	94	–	–	–	–	–	1	1	1	1	2	2	3	4	8	17	11	14	11	14	4	–	–
	Female	135	–	–	–	–	–	–	1	–	1	1	–	1	1	9	7	17	21	27	29	13	7	–
	All other Male	40	–	–	–	–	–	1	–	2	1	3	4	1	4	4	5	2	6	3	1	2	1	–
	Female	46	–	–	–	–	–	–	1	–	2	–	–	2	7	3	3	9	8	9	2	–	–	–
430–438	Cerebrovascular diseases	10,691	12	4	7	10	9	17	20	28	61	124	168	250	361	589	987	1,393	1,812	2,057	1,659	843	280	–
	White Male	3,815	4	1	5	5	4	6	4	8	22	50	59	114	170	251	421	577	657	699	487	216	55	–
	Female	5,289	4	1	2	3	4	8	11	12	15	44	65	70	110	215	352	544	875	1,138	1,055	574	187	–
	All other Male	731	3	1	–	–	–	2	3	3	12	14	23	23	40	55	108	133	137	100	48	15	11	–
	Female	856	1	1	–	2	1	1	2	5	12	16	21	43	41	68	106	139	143	120	69	38	27	–
431	Cerebral hemorrhage	1,251	4	–	1	4	4	4	5	8	21	38	49	66	81	114	147	173	186	162	125	38	21	–
	White Male	459	3	–	1	1	1	1	1	–	7	10	10	30	38	42	63	79	69	60	31	5	7	–
	Female	578	–	–	–	1	2	3	2	4	5	15	24	17	24	49	51	64	94	90	90	30	13	–
	All other Male	104	1	–	–	–	–	–	–	1	5	9	8	7	8	13	22	14	12	3	–	1	–	–
	Female	110	–	–	–	2	1	–	2	3	4	4	7	12	11	10	11	16	11	9	4	2	1	–
433	Cerebral thrombosis	1,683	–	1	–	–	–	–	–	–	3	8	13	33	35	74	157	207	307	374	295	143	33	–
	White Male	620	–	–	–	–	–	–	–	–	2	5	7	16	20	35	72	81	110	144	82	39	7	–
	Female	853	–	1	–	–	–	–	–	–	–	1	1	10	7	24	60	90	154	198	191	96	20	–
	All other Male	94	–	–	–	–	–	–	–	–	1	2	2	2	4	7	11	16	18	13	12	4	2	–
	Female	116	–	–	–	–	–	–	–	–	–	–	3	5	4	8	14	20	25	19	10	4	4	–
434	Cerebral embolism	44	–	–	–	–	–	–	–	1	1	–	–	–	6	6	6	9	5	4	–	5	1	–
	White Male	24	–	–	–	–	–	–	–	1	1	–	–	–	4	5	4	4	–	2	–	3	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	4	3	2	–	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	7,713	8	3	6	6	5	13	15	19	36	78	106	151	239	395	677	1,004	1,314	1,517	1,239	657	225	–
	White Male	2,712	1	1	4	4	3	5	3	7	12	35	42	68	108	169	282	413	478	493	374	169	41	–
	Female	3,841	4	–	2	2	2	5	9	8	10	28	40	43	77	141	239	386	624	848	774	446	153	–
	All other Male	531	2	1	–	–	–	2	3	2	6	3	13	14	28	35	75	103	105	84	36	10	9	–
	Female	629	1	1	–	–	–	1	–	2	8	12	11	26	26	50	81	102	107	92	55	32	22	–
440	Arteriosclerosis	1,685	–	–	–	–	–	–	–	1	1	1	3	7	19	40	87	163	238	380	365	265	115	–
	White Male	602	–	–	–	–	–	–	–	1	–	–	1	3	13	27	43	74	99	136	116	67	22	–
	Female	912	–	–	–	–	–	–	–	–	–	1	1	4	4	8	29	64	106	208	232	177	78	–
	All other Male	71	–	–	–	–	–	–	–	–	–	–	–	–	1	1	7	16	16	14	7	7	2	–
	Female	100	–	–	–	–	–	–	–	–	1	–	1	–	1	4	8	9	17	22	10	14	13	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,226	5	1	–	1	2	4	3	7	11	13	33	46	60	129	164	188	169	203	117	53	17	–
	White Male	642	1	1	–	1	1	2	2	5	4	4	16	20	34	87	102	120	83	99	39	18	3	–
	Female	449	3	–	–	–	–	1	1	–	4	5	10	17	17	36	41	50	68	85	70	31	10	–
	All other Male	77	1	–	–	–	–	1	–	1	2	4	5	4	5	4	12	12	12	11	1	2	–	–
	Female	58	–	–	–	–	1	–	–	1	1	–	2	5	4	2	9	6	6	8	7	2	4	–
466	Acute bronchitis and bronchiolitis	55	13	8	–	–	–	2	–	1	1	–	–	–	2	1	4	4	8	4	4	2	1	–
	White Male	25	6	2	–	–	–	–	–	–	1	–	–	–	1	1	3	2	5	2	–	1	1	–
	Female	17	1	1	–	–	–	1	–	1	–	–	–	–	1	–	1	1	3	2	4	1	–	–
	All other Male	11	6	3	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	3,610	175	48	8	10	24	25	27	30	40	51	78	101	115	184	264	332	481	628	543	333	113	–
	White Male	1,615	77	16	2	5	15	10	13	8	17	25	33	55	57	101	138	169	230	269	219	118	38	–
	Female	1,559	59	17	3	4	7	11	10	8	9	11	24	28	39	55	83	116	198	303	304	198	72	–
	All other Male	278	22	9	2	1	–	1	2	10	10	8	13	14	14	22	31	27	34	37	12	7	2	–
	Female	158	17	6	1	–	2	3	2	4	4	7	8	4	5	6	12	20	19	19	8	10	1	–
470–474	Influenza	539	4	1	–	1	3	3	4	3	4	7	8	8	10	28	36	56	76	104	86	77	20	–
	White Male	200	2	–	–	1	1	–	1	1	1	5	2	4	4	16	23	30	30	31	14	27	7	–
	Female	304	–	1	–	–	2	3	3	2	2	–	6	3	6	10	11	21	39	64	71	48	12	–
	All other Male	15	1	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	1	2	1	1	1	–
	Female	20	1	–	–	–	–	–	–	–	1	2	–	–	–	–	1	1	6	7	–	1	–	–
480–486	Pneumonia	3,071	171	47	8	9	21	22	23	27	36	44	70	93	105	156	228	276	405	524	457	256	93	–
	White Male	1,415	75	16	2	4	14	10	12	7	16	20	31	51	53	85	115	139	200	238	205	91	31	–
	Female	1,255	59	16	3	4	5	8	7	6	7	11	18	25	33	45	72	95	159	239	233	150	60	–
	All other Male	263	21	9	2	1	–	1	2	10	10	8	13	13	14	20	30	23	33	35	11	6	1	–
	Female	138	16	6	1	–	2	3	2	4	3	5	8	4	5	6	11	19	13	12	8	9	1	–
490–493	Bronchitis, emphysema, and asthma	1,484	11	4	2	4	3	5	6	7	5	14	36	57	109	159	261	289	240	160	83	26	3	–
	White Male	983	5	3	2	3	–	–	5	2	1	4	20	32	64	100	178	214	166	112	54	15	3	–
	Female	401	4	–	–	–	2	3	1	4	2	6	8	18	37	44	70	65	66	36	25	10	–	–
	All other Male	75	1	1	–	1	–	1	–	1	1	1	5	4	7	11	12	9	7	9	3	1	–	–
	Female	25	1	–	–	–	1	1	–	–	1	3	3	3	1	4	1	1	1	3	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
490, 491	Chronic and unqualified bronchitis	250	10	2	1	–	1	–	3	4	–	2	9	7	20	22	43	44	34	24	15	8	1	–
	White Male	148	4	2	1	–	–	–	3	1	–	–	3	3	11	12	26	29	23	16	9	4	1	–
	Female	83	4	–	–	–	–	–	–	2	–	1	3	3	9	6	16	13	10	6	6	4	–	–
	All other Male	11	1	–	–	–	–	–	–	1	–	–	1	1	–	3	–	2	1	1	–	–	–	–
	Female	8	1	–	–	–	1	–	–	–	–	1	2	–	–	1	1	–	–	1	–	–	–	–
492	Emphysema	1,141	1	–	–	–	1	1	–	1	4	7	24	39	79	125	211	236	197	130	65	18	2	–
	White Male	806	1	–	–	–	–	–	–	–	1	4	16	27	49	87	149	182	140	94	43	11	2	–
	Female	273	–	–	–	–	1	1	–	1	1	3	3	9	24	31	52	47	50	26	18	6	–	–
	All other Male	52	–	–	–	–	–	–	–	–	1	–	4	3	5	5	10	6	6	8	3	1	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	1	1	2	1	–	–	–
493	Asthma	93	–	2	1	4	1	4	3	2	1	5	3	11	10	12	7	9	9	6	3	–	–	–
	White Male	29	–	1	1	3	–	–	2	1	–	–	1	2	4	1	3	3	3	2	2	–	–	–
	Female	45	–	–	–	–	1	2	1	1	1	2	2	6	4	7	2	5	6	4	1	–	–	–
	All other Male	12	–	1	–	1	–	1	–	–	–	1	–	–	2	3	2	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	1	–	–	–	2	–	3	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	253	–	–	1	–	1	–	–	3	4	11	9	9	17	34	37	36	30	31	22	7	1	–
	White Male	143	–	–	–	–	1	–	–	1	4	4	2	5	10	27	22	20	20	21	3	3	–	–
	Female	80	–	–	1	–	–	–	–	1	–	4	3	3	5	5	13	9	6	9	16	4	1	–
	All other Male	21	–	–	–	–	–	–	–	1	–	2	2	–	2	2	2	5	2	1	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	2	2	–	1	–	–	–
540–543	Appendicitis	37	–	1	–	–	2	1	2	–	–	–	3	1	2	3	4	5	1	3	7	–	2	–
	White Male	18	–	1	–	–	–	1	1	–	–	–	2	–	2	1	3	1	1	2	3	–	–	–
	Female	11	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	1	–	1	4	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	Female	5	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–
550–553, 560	Hernia and intestinal obstruction	351	33	2	1	1	2	1	3	1	1	6	8	14	14	13	34	41	48	57	40	22	9	–
	White Male	108	14	1	1	1	–	–	–	–	–	4	2	5	3	3	12	16	14	18	8	3	3	–
	Female	194	9	–	–	–	1	1	2	1	–	1	3	5	7	6	18	17	31	38	31	17	6	–
	All other Male	23	5	1	–	–	–	–	1	–	–	1	–	1	2	2	2	5	2	1	–	–	–	–
	Female	26	5	–	–	–	1	–	–	–	1	–	3	3	2	2	2	3	1	–	1	2	–	–
571	Cirrhosis of liver	1,408	1	1	–	2	–	3	10	31	62	117	187	226	220	182	158	112	57	29	8	2	–	–
	White Male	809	–	–	–	1	–	1	5	19	28	59	107	136	128	101	101	75	29	16	2	1	–	–
	Female	411	1	1	–	1	–	–	1	4	18	27	50	61	69	58	48	31	24	12	5	–	–	–
	All other Male	135	–	–	–	–	–	1	–	5	13	21	21	21	17	22	5	4	2	1	1	1	–	–
	Female	53	–	–	–	–	–	1	4	3	3	10	9	8	6	1	4	2	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	151	–	–	–	–	–	1	–	2	2	–	7	13	5	11	16	20	20	24	18	8	4	–
	White Male	64	–	–	–	–	–	–	–	–	2	–	4	8	1	5	11	10	10	7	5	1	–	–
	Female	80	–	–	–	–	–	1	–	1	–	–	3	3	4	6	3	9	10	17	12	7	4	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	–	–
580–584	Nephritis and nephrosis	459	7	6	5	1	2	7	7	5	7	10	9	23	29	38	62	46	58	67	43	22	5	–
	White Male	189	3	2	2	–	1	2	3	2	3	3	4	11	12	18	23	19	28	26	14	11	2	–
	Female	166	3	3	2	1	1	1	1	1	2	3	2	6	8	12	25	17	16	27	24	9	2	–
	All other Male	42	–	1	1	–	–	3	–	1	1	3	2	1	4	2	5	5	5	4	4	–	–	–
	Female	62	1	–	–	–	–	1	3	1	1	1	1	5	5	6	9	5	9	10	1	2	1	–
580, 581	Acute nephritis and nephrotic syndrome	97	7	4	1	–	1	–	1	–	2	–	2	1	9	3	9	13	16	14	10	4	–	–
	White Male	41	3	1	–	–	1	–	1	–	–	–	1	1	3	3	2	5	11	4	3	2	–	–
	Female	40	3	2	1	–	–	–	–	–	1	–	1	–	4	–	6	5	4	6	5	2	–	–
	All other Male	8	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	1	2	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	3	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	362	–	2	4	1	1	7	6	5	5	10	7	22	20	35	53	33	42	53	33	18	5	–
	White Male	148	–	1	2	–	–	2	2	2	3	3	3	10	9	15	21	14	17	22	11	9	2	–
	Female	126	–	1	1	1	1	1	1	1	1	3	1	6	4	12	19	12	12	21	19	7	2	–
	All other Male	34	–	–	1	–	–	3	–	1	–	3	2	1	4	2	5	3	4	3	2	–	–	–
	Female	54	–	–	–	–	–	1	3	1	1	1	1	5	3	6	8	4	9	7	1	2	1	–
590	Infections of kidney	262	1	–	–	–	1	–	–	1	1	4	4	4	4	15	16	30	56	46	40	24	15	–
	White Male	95	–	–	–	–	–	–	–	–	–	–	–	3	–	3	8	9	24	17	13	11	7	–
	Female	138	–	–	–	–	1	–	–	1	1	2	2	1	4	9	7	17	24	25	26	11	7	–
	All other Male	13	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	3	1	2	1	–
	Female	16	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	4	5	1	–	–	–	–
600	Hyperplasia of prostate	43	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	7	6	6	12	6	1	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	6	5	12	5	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	–	1	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	34	–	–	–	–	5	13	4	7	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	25	–	–	–	–	2	10	4	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	3	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
640–645	Abortions	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	31	–	–	–	–	5	12	4	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	24	–	–	–	–	2	10	4	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	3	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	874	580	81	22	15	24	26	18	9	14	14	14	10	8	11	5	9	8	2	2	1	1	–
	White Male	415	282	47	11	6	10	10	6	4	4	5	4	3	7	6	2	5	2	–	1	–	–	–
	Female	342	223	25	8	6	12	11	8	5	8	6	8	6	–	3	3	3	5	1	–	1	–	–
	All other Male	46	33	3	–	–	–	2	1	–	1	1	2	1	–	1	–	–	–	1	–	–	–	–
	Female	71	42	6	3	3	2	3	3	–	1	2	–	–	1	1	–	1	1	–	1	–	1	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,751	1,748	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	White Male	746	744	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	534	534	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	259	259	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	212	211	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,035	1,033	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	451	450	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	321	321	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	114	113	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	716	715	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	295	294	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	213	213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	110	110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	98	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	3,168	286	26	3	10	19	37	43	35	52	63	105	157	203	280	342	389	369	314	249	126	60	–
	White Male	1,521	114	10	–	5	9	19	21	12	32	31	65	88	120	159	195	201	170	128	91	33	18	–
	Female	1,028	86	8	3	2	5	12	13	9	10	21	20	27	50	63	81	124	128	134	125	79	28	–
	All other Male	355	50	5	–	2	4	3	6	4	3	6	11	34	16	34	47	35	41	25	19	6	4	–
	Female	264	36	3	–	1	1	3	3	10	7	5	9	8	17	24	19	29	30	27	14	8	10	–
Residual	All other diseases	6,667	138	82	47	47	81	89	83	90	107	179	240	353	439	624	779	896	874	737	501	211	70	–
	White Male	3,172	63	36	23	21	40	35	34	42	35	85	105	163	232	347	405	468	398	350	202	69	19	–
	Female	2,574	47	25	18	18	26	32	21	29	33	50	80	129	135	192	257	331	363	330	279	133	46	–
	All other Male	513	14	13	3	3	7	12	16	5	25	25	27	29	48	47	71	58	65	32	10	2	1	–
	Female	408	14	8	3	5	8	10	12	14	14	19	28	32	24	38	46	39	48	25	10	7	4	–
E800–E949	Accidents	6,428	152	262	184	224	814	760	536	361	297	293	314	318	312	290	272	234	249	246	156	101	38	15
	White Male	3,946	62	128	106	135	592	550	376	240	204	189	190	209	191	171	159	124	109	99	54	33	11	14
	Female	1,629	48	96	43	52	146	119	73	62	48	63	68	60	83	88	77	84	113	129	92	62	22	1
	All other Male	635	21	20	26	26	62	76	72	46	35	32	48	36	31	22	23	16	18	11	5	5	4	–
	Female	218	21	18	9	11	14	15	15	13	10	9	8	13	7	9	13	10	9	7	5	1	1	–
E810–E823	Motor vehicle accidents	3,201	28	111	98	100	577	513	310	203	163	148	151	158	138	132	105	81	91	66	18	5	4	1
	White Male	2,020	6	52	49	57	405	362	208	138	109	97	92	98	90	70	57	46	41	31	8	2	1	1
	Female	761	12	44	30	27	121	89	53	36	27	31	35	32	35	46	33	27	40	29	10	1	3	–
	All other Male	314	3	6	13	11	40	53	42	20	21	15	19	20	10	9	12	5	8	5	–	2	–	–
	Female	106	7	9	6	5	11	9	7	9	6	5	5	8	3	7	3	3	2	1	–	–	–	–
E800–E807, E825–E949	All other accidents	3,227	124	151	86	124	237	247	226	158	134	145	163	160	174	158	167	153	158	180	138	96	34	14
	White Male	1,926	56	76	57	78	187	188	168	102	95	92	98	111	101	101	102	78	68	68	46	31	10	13
	Female	868	36	52	13	25	25	30	20	26	21	32	33	28	48	42	44	57	73	100	82	61	19	1
	All other Male	321	18	14	13	15	22	23	30	26	14	17	29	16	21	13	11	11	10	6	5	3	4	–
	Female	112	14	9	3	6	3	6	8	4	4	4	3	5	4	2	10	7	7	6	5	1	1	–
E950–E959	Suicide	1,492	. . .	. . .	–	12	115	205	151	130	116	109	128	109	104	92	90	59	35	22	6	7	1	1
	White Male	1,032	. . .	. . .	–	10	77	153	102	80	81	66	81	68	70	68	73	45	29	17	5	6	1	–
	Female	381	. . .	. . .	–	2	29	38	34	40	33	38	43	40	28	21	13	12	6	4	–	–	–	–
	All other Male	58	. . .	. . .	–	–	7	11	10	7	2	4	3	1	3	3	2	1	–	1	1	1	–	1
	Female	21	. . .	. . .	–	–	2	3	5	3	–	1	1	–	3	–	2	1	–	–	–	–	–	–
E960–E978	Homicide	1,622	14	21	12	22	147	258	260	200	172	139	110	92	58	42	25	25	10	5	3	1	3	3
	White Male	807	8	8	4	10	77	120	127	108	84	65	49	52	27	23	18	13	6	1	2	1	1	3
	Female	186	2	6	3	7	20	31	23	17	15	10	14	14	10	3	2	4	2	2	–	–	1	–
	All other Male	530	4	2	4	3	41	89	97	59	58	59	44	24	20	11	5	7	–	2	1	–	–	–
	Female	99	–	5	1	2	9	18	13	16	15	5	3	2	1	5	–	1	2	–	–	–	1	–
E980–E999	Other external causes	92	1	7	–	1	4	14	7	7	4	6	7	12	9	6	2	1	1	–	1	–	–	2
	White Male	49	–	2	–	–	3	9	6	2	2	2	3	6	5	3	2	1	1	–	–	–	–	2
	Female	27	1	3	–	–	1	1	–	4	1	4	3	5	1	2	–	–	–	–	1	–	–	–
	All other Male	9	–	1	–	–	–	3	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–
	Female	7	–	1	–	1	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah																							
	All causes	7,482	413	93	41	38	127	121	128	102	86	121	194	306	454	609	758	807	910	975	741	342	112	4
	White—Male	4,182	219	50	27	25	87	83	93	63	52	74	113	189	305	397	499	476	496	457	312	129	32	4
	Female	3,141	173	34	14	10	36	32	28	28	31	37	76	110	143	198	246	321	408	508	423	207	78	—
	All other—Male	91	11	7	—	2	2	5	2	5	2	7	1	5	5	12	6	7	3	2	3	3	1	—
	Female	68	10	2	—	1	2	1	5	6	1	3	4	2	1	2	7	3	3	8	3	3	1	—
004, 006	Bacillary dysentery and amebiasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
008, 009	Enteritis and other diarrheal diseases	18	10	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	2	1	—	—	—
	White—Male	7	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
	Female	7	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—
	All other—Male	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010–019	Tuberculosis, all forms	8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	2	—	—	1	—	—
	White—Male	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	All other—Male	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010–012	Tuberculosis of respiratory system	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	1	—	—
	White—Male	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
013–019	Tuberculosis, other forms	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—
	White—Male	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
033	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
034	Streptococcal sore throat and scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
036	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
038	Septicemia	25	6	1	—	—	—	—	1	—	—	—	1	—	1	1	3	3	1	4	1	2	—	—
	White—Male	15	2	1	—	—	—	—	1	—	—	—	—	—	1	1	3	3	—	1	1	1	—	—
	Female	9	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	1	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
040–043	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
090–097	Syphilis and its sequelae	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of 000–136	Other infective and parasitic diseases	15	3	—	—	—	1	—	—	—	—	1	2	—	—	3	—	1	1	—	2	—	1	—
	White—Male	9	2	—	—	—	1	—	—	—	—	1	1	—	—	2	—	—	1	—	—	—	1	—
	Female	6	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	2	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,231	2	6	5	4	8	9	11	16	15	21	54	79	124	143	182	169	142	143	79	14	4	1
	White Male	658	1	4	2	3	3	5	9	5	4	8	25	35	69	75	103	93	85	78	44	6	–	1
	White Female	554	1	2	3	1	5	4	2	10	11	11	28	43	53	67	73	73	57	65	34	7	4	–
	All other Male	12	–	–	–	–	–	–	–	1	–	1	–	–	1	1	4	3	–	–	1	–	–	–
	All other Female	7	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	–	–	1	–	–
140–149	Of buccal cavity and pharynx	19	–	–	–	–	–	–	–	–	–	2	–	–	3	3	6	1	3	1	–	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	1	–	–	1	1	4	–	2	–	–	–	–	–
	White Female	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	312	–	–	–	–	–	–	1	1	2	10	10	16	29	32	53	47	41	38	23	7	2	–
	White Male	166	–	–	–	–	–	–	1	–	1	5	5	9	22	19	31	24	18	18	12	1	–	–
	White Female	139	–	–	–	–	–	–	–	–	1	4	4	7	6	13	22	22	23	20	10	5	2	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
160–163	Of respiratory system	204	–	–	–	–	–	1	–	1	–	1	8	16	24	36	35	34	26	15	5	1	1	–
	White Male	159	–	–	–	–	–	1	–	1	–	1	5	13	20	24	25	30	23	12	4	–	–	–
	White Female	40	–	–	–	–	–	–	–	–	–	–	3	3	4	11	7	3	3	3	1	1	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	112	–	–	–	–	–	–	1	4	1	5	7	13	13	13	16	12	8	12	6	–	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	110	–	–	–	–	–	–	1	4	1	5	7	13	13	13	15	11	8	12	6	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
180–187	Of genital organs	178	–	–	–	–	1	2	3	1	–	1	5	10	16	16	22	22	26	33	18	1	–	1
	White Male	107	–	–	–	–	–	2	3	–	–	–	1	1	3	5	11	13	22	30	14	1	–	1
	White Female	70	–	–	–	–	1	–	–	1	–	1	4	9	13	11	10	9	4	3	4	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	49	–	1	–	–	–	–	–	–	–	–	2	1	4	3	6	6	9	8	8	1	–	–
	White Male	31	–	1	–	–	–	–	–	–	–	–	1	1	4	2	5	3	7	2	4	1	–	–
	White Female	18	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	2	6	4	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	189	1	2	1	1	2	3	2	6	8	1	14	12	21	23	24	23	16	16	9	4	–	–
	White Male	90	–	–	1	1	1	2	3	2	–	–	8	5	12	12	14	8	7	7	3	3	–	–
	White Female	96	1	2	–	–	1	2	–	3	6	1	6	6	8	11	10	14	9	9	6	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
204–207	Leukemia	65	–	3	4	–	5	1	1	1	1	1	3	5	6	5	3	10	3	8	5	–	–	–
	White Male	34	–	3	1	–	2	–	1	1	–	1	2	3	2	3	1	8	2	1	3	–	–	–
	White Female	31	–	–	3	–	3	1	–	–	1	–	1	2	4	2	2	2	1	7	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	103	1	–	–	3	–	2	3	2	3	–	5	6	8	12	17	14	10	12	5	–	–	–
	White Male	61	1	–	–	2	–	1	2	–	1	–	3	3	5	9	12	6	4	8	4	–	–	–
	White Female	42	–	–	–	1	–	1	1	2	2	–	2	3	3	3	5	8	6	4	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	15	–	–	1	2	1	1	–	–	–	–	–	–	–	2	–	1	3	1	3	–	–	–
	White Male	9	–	–	1	1	1	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–
	White Female	6	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	149	1	–	1	2	–	1	4	3	2	4	1	4	11	14	25	21	20	21	9	5	–	–
	White Male	73	1	–	–	2	–	–	3	3	2	3	1	2	7	8	13	9	6	9	3	1	–	–
	White Female	75	–	–	1	–	–	1	1	–	–	1	–	2	4	6	11	12	14	12	6	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	12	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1	2	2	2	1	1	–
	White Male	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–
	White Female	6	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
280–285	Anemias	23	–	–	–	–	–	–	1	–	–	–	2	1	–	1	2	2	2	5	4	2	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	4	1	1	–	–
	Female	12	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	2	1	3	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
320	Meningitis	17	9	6	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	6	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	3	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,437	11	3	–	1	5	4	7	8	15	26	56	113	172	282	358	456	533	610	478	231	67	1
	White Male	1,863	8	1	–	–	3	1	4	6	10	21	44	79	123	204	250	262	293	266	179	90	18	1
	Female	1,538	3	2	–	1	2	3	3	2	5	4	11	31	47	73	105	189	238	340	295	136	48	–
	All other Male	19	–	–	–	–	–	–	–	–	–	1	1	3	2	5	–	3	–	–	1	3	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	4	3	2	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,519	9	3	–	–	5	2	2	8	10	23	47	96	147	232	288	354	379	406	308	154	45	1
	White Male	1,440	6	1	–	–	3	1	2	6	8	18	38	71	108	174	207	205	214	190	112	63	12	1
	Female	1,058	3	2	–	–	2	1	–	2	2	4	8	23	37	54	80	147	165	212	195	88	33	–
	All other Male	14	–	–	–	–	–	–	–	–	–	1	1	2	2	4	–	1	–	–	1	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	–	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	88	–	–	–	–	–	–	–	1	–	4	3	3	12	13	13	14	11	9	2	1	2	–
	White Male	39	–	–	–	–	–	–	–	–	–	2	2	2	7	6	5	6	5	3	–	–	1	–
	Female	48	–	–	–	–	–	–	–	1	–	2	1	1	5	7	8	8	6	6	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
402	Hypertensive heart disease	24	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	8	4	2	2	–	3	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	6	4	1	2	–	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	5	1	2	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,129	–	–	–	–	1	–	1	7	8	16	38	84	121	199	248	306	330	346	266	124	33	1
	White Male	1,266	–	–	–	–	1	–	1	6	6	14	34	63	96	151	187	182	191	164	106	54	9	1
	Female	845	–	–	–	–	–	–	–	1	2	1	4	19	23	44	60	122	139	178	160	68	24	–
	All other Male	12	–	–	–	–	–	–	–	–	–	1	–	2	2	4	–	1	–	–	–	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–
410	Acute myocardial infarction	1,019	–	–	–	–	1	–	–	5	4	10	30	60	74	123	155	158	149	139	76	26	9	–
	White Male	682	–	–	–	–	1	–	–	5	3	9	28	43	58	98	124	95	97	75	35	9	2	–
	Female	332	–	–	–	–	–	–	–	–	1	1	2	16	16	24	30	62	52	63	41	17	7	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	117	–	–	–	–	–	–	1	1	1	3	2	3	9	15	13	24	13	9	12	9	1	1
	White Male	79	–	–	–	–	–	–	1	–	1	2	2	3	6	12	10	15	11	8	3	4	–	1
	Female	33	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	9	2	1	9	4	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	993	–	–	–	–	–	–	–	1	3	3	6	21	38	61	80	124	168	198	178	89	23	–
	White Male	505	–	–	–	–	–	–	–	1	2	3	4	17	32	41	53	72	83	81	68	41	7	–
	Female	480	–	–	–	–	–	–	–	–	1	–	2	3	5	19	27	51	85	114	110	47	16	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	30	–	1	–	–	–	1	1	–	–	–	1	2	1	2	3	4	1	4	5	2	2	–
	White Male	11	–	–	–	–	–	1	1	–	–	–	1	2	–	–	–	3	1	1	–	–	1	–
	Female	19	–	1	–	–	–	–	–	–	–	–	–	–	1	2	3	1	–	3	5	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
420–423, 425–427, 429	All other forms of heart disease	236	9	2	–	–	4	1	–	–	2	3	4	6	13	17	21	20	32	40	32	25	5	–
	White Male	113	6	1	–	–	2	–	–	–	2	2	1	4	5	16	14	11	16	18	6	8	1	–
	Female	122	3	1	–	–	2	1	–	–	–	1	2	2	8	1	7	9	16	22	26	17	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	14	1	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	2	4	1	–	–
	White Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	668	1	–	–	1	–	2	4	–	4	3	8	12	22	34	46	80	114	148	123	52	14	–
	White Male	299	1	–	–	–	–	–	1	–	2	3	5	5	13	17	27	46	55	56	47	15	6	–
	Female	357	–	–	–	1	–	2	3	–	2	–	3	7	9	16	17	31	57	92	73	36	8	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	3	–	–	–
431	Cerebral hemorrhage	87	1	–	–	1	–	1	4	–	1	–	7	6	5	8	10	8	12	15	6	1	1	–
	White Male	39	1	–	–	–	–	–	1	–	1	–	4	1	2	2	6	5	5	5	5	–	1	–
	Female	48	–	–	–	1	–	1	3	–	–	–	3	5	3	6	4	3	7	10	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	127	–	–	–	–	–	–	–	–	1	–	–	2	4	8	10	18	19	30	19	13	3	–
	White Male	59	–	–	–	–	–	–	–	–	–	–	–	2	3	6	6	11	12	9	5	3	2	–
	Female	65	–	–	–	–	–	–	–	–	1	–	–	–	1	2	4	6	6	21	13	10	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	450	–	–	–	–	–	1	–	–	2	3	1	4	13	18	26	53	81	102	98	38	10	–
	White Male	200	–	–	–	–	–	–	–	–	1	3	1	2	8	9	15	30	37	42	37	12	3	–
	Female	241	–	–	–	–	–	1	–	–	1	–	–	2	5	8	9	21	43	60	59	25	7	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	–	–
440	Arteriosclerosis	119	–	–	–	–	–	–	–	–	–	–	–	–	1	6	9	13	31	31	21	7	–	–
	White Male	48	–	–	–	–	–	–	–	–	–	–	–	–	1	6	6	6	7	12	10	–	–	–
	Female	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	7	24	19	10	6	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	117	–	–	–	–	–	–	1	–	1	–	1	4	3	13	16	12	27	23	12	3	1	–
	White Male	69	–	–	–	–	–	–	1	–	–	–	1	3	2	11	9	5	18	11	7	1	–	–
	Female	48	–	–	–	–	–	–	–	–	1	–	–	1	1	2	7	7	9	12	5	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	White Male	3	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	252	8	2	–	–	2	4	–	–	2	5	2	2	9	9	16	19	36	48	50	27	11	–
	White Male	119	1	1	–	–	1	2	–	–	–	4	–	2	5	4	12	13	12	23	24	10	5	–
	Female	127	5	1	–	–	1	2	–	–	1	1	2	–	4	4	4	6	23	24	26	17	6	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
470–474	Influenza	52	–	–	–	–	–	2	–	–	–	2	1	–	1	–	2	5	6	6	13	8	6	–
	White Male	28	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	2	3	1	9	5	4	–
	Female	24	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	3	3	5	4	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	200	8	2	–	–	2	2	–	–	2	3	1	2	8	9	14	14	30	42	37	19	5	–
	White Male	91	1	1	–	–	1	1	–	–	–	2	–	2	5	4	11	11	9	22	15	5	1	–
	Female	103	5	1	–	–	1	1	–	–	1	1	1	–	3	4	3	3	20	19	22	14	4	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	114	–	1	–	–	–	–	–	–	–	1	3	3	10	25	29	14	12	10	4	1	1	–
	White Male	87	–	1	–	–	–	–	–	–	–	–	1	1	8	20	24	13	6	9	3	–	1	–
	Female	27	–	–	–	–	–	–	–	–	–	1	2	2	2	5	5	1	6	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
490, 491	Chronic and unqualified bronchitis	28	–	1	–	–	–	–	–	–	–	–	1	1	2	5	7	5	2	1	2	1	–	–
	White Male	19	–	1	–	–	–	–	–	–	–	–	–	–	2	3	4	5	1	1	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	–	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	73	–	–	–	–	–	–	–	–	–	–	1	–	7	18	22	7	9	8	1	–	–	–
	White Male	64	–	–	–	–	–	–	–	–	–	–	1	–	6	16	20	7	5	8	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	4	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	13	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	2	1	1	1	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	27	–	–	–	–	–	–	–	–	–	–	1	2	1	4	2	3	5	5	2	1	1	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	3	4	4	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	27	2	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	7	1	4	5	–	–
	White Male	7	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	1	–	–
	Female	20	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	6	1	3	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	93	–	–	–	–	–	1	3	2	3	10	10	20	15	10	5	4	7	1	2	–	–	–
	White Male	60	–	–	–	–	–	–	1	–	2	4	8	15	12	6	2	3	5	1	1	–	–	–
	Female	26	–	–	–	–	–	–	1	–	1	3	2	5	3	4	3	1	2	–	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	13	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	2	4	2	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	36	–	–	–	–	–	–	–	–	1	1	2	2	2	4	4	–	6	6	3	2	3	–
	White Male	19	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	–	3	1	1	1	3	–
	Female	17	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	–	3	5	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	35	–	–	–	–	–	–	–	–	1	1	2	2	2	3	4	–	6	6	3	2	3	–
	White Male	18	–	–	–	–	–	–	–	–	–	1	1	2	2	1	2	–	3	1	1	1	3	–
	Female	17	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	–	3	5	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	6	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	4	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	–	3	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	–	3	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	–	3	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	–	3	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	120	84	14	5	1	1	4	–	2	–	1	2	–	2	1	2	–	1	–	–	–	–	–
	White Male	48	33	7	2	–	1	–	–	2	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	Female	69	50	5	3	1	–	4	–	–	–	–	1	–	2	1	1	–	1	–	–	–	–	–
	All other Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	196	196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	161	51	4	–	–	3	4	2	3	–	2	4	2	3	5	5	8	12	14	15	15	8	1
	White Male	75	28	3	–	–	2	2	2	1	–	1	2	1	3	1	4	4	5	3	5	6	1	1
	Female	74	18	1	–	–	–	2	–	1	–	1	1	–	–	1	1	4	7	11	10	9	7	–
	All other Male	7	3	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	649	17	8	3	4	5	8	15	10	6	14	23	32	51	66	90	79	79	64	52	19	4	–
	White Male	398	8	4	3	–	3	5	10	2	3	8	12	18	34	41	59	61	52	34	31	8	2	–
	Female	229	8	4	–	3	2	3	3	6	2	5	11	12	16	23	29	17	24	28	20	11	2	–
	All other Male	14	1	–	–	–	–	–	1	–	1	1	–	2	1	2	–	–	2	2	1	–	–	–
	Female	8	–	–	–	1	–	–	1	2	–	–	–	–	–	–	2	1	1	–	–	–	–	–
E800–E949	Accidents	575	12	42	23	21	82	54	46	31	19	27	11	24	32	23	14	15	29	22	25	13	9	1
	White Male	370	5	22	16	17	59	46	32	24	13	18	8	16	25	16	7	6	14	15	9	1	–	1
	Female	179	6	14	7	3	20	5	11	4	5	7	3	8	6	6	7	9	15	7	16	12	8	–
	All other Male	18	–	6	–	1	2	3	–	2	1	1	–	–	1	–	–	–	–	–	–	–	1	–
	Female	8	1	–	–	–	1	–	3	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	286	4	27	15	10	56	31	27	19	14	9	5	12	14	13	4	9	8	5	2	1	–	1
	White Male	187	1	14	9	9	35	27	19	14	8	6	4	7	10	9	2	4	4	4	–	–	–	1
	Female	81	3	9	6	–	18	2	7	2	5	1	1	5	3	4	2	5	4	1	2	1	–	–
	All other Male	14	–	4	–	1	2	2	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	289	8	15	8	11	26	23	19	12	5	18	6	12	18	10	10	6	21	17	23	12	9	–
	White Male	183	4	8	7	8	24	19	13	10	5	12	4	9	15	7	5	2	10	11	9	1	–	–
	Female	98	3	5	1	3	2	3	4	2	–	6	2	3	3	2	5	4	11	6	14	11	8	–
	All other Male	4	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	4	1	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E950–E959	Suicide	160	...	...	–	1	11	15	22	15	17	7	14	13	17	10	10	3	3	2	–	–	–	–
	White Male	123	...	...	–	1	8	14	18	12	13	4	7	10	13	9	9	1	2	2	–	–	–	–
	Female	35	...	...	–	–	3	1	4	2	4	2	7	3	4	1	1	2	1	–	–	–	–	–
	All other Male	1	...	...	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	59	–	3	1	2	7	10	15	6	5	–	2	2	1	1	2	–	1	1	–	–	–	–
	White Male	41	–	1	1	1	4	5	13	5	5	–	1	2	–	–	2	–	1	1	–	–	–	–
	Female	11	–	1	–	–	3	3	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	All other Male	5	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	17	1	–	–	–	–	3	–	3	–	–	2	3	2	2	–	–	–	1	–	–	–	–
	White Male	11	–	–	–	–	–	3	–	3	–	–	–	2	1	2	–	–	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont																							
	All causes	**4,269**	**85**	**18**	**15**	**14**	**40**	**55**	**38**	**37**	**32**	**65**	**99**	**161**	**244**	**323**	**475**	**561**	**576**	**626**	**453**	**259**	**93**	–
	White Male	2,323	48	11	9	10	31	43	27	26	24	45	65	103	158	211	303	337	306	289	194	67	16	–
	White Female	1,937	37	6	6	4	9	11	11	11	8	20	34	58	85	112	170	223	269	336	258	192	77	–
	All other Male	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	All other Female	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	17	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	5	–	1	1	–
	White Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–
	White Female	10	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	6	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	2	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	809	–	3	3	2	1	1	3	8	6	14	32	56	77	82	127	134	101	88	46	23	2	–
	White Male	430	–	3	2	1	1	–	2	6	3	7	16	21	45	46	75	85	50	36	22	9	–	–
	Female	377	–	–	1	1	–	1	1	2	3	7	16	35	32	36	51	49	50	52	24	14	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	9	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	3	1	–	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	181	–	–	–	–	–	–	1	1	1	–	6	9	15	17	35	28	26	20	14	8	–	–
	White Male	89	–	–	–	–	–	–	1	1	1	–	2	5	8	11	19	15	13	8	5	–	–	–
	Female	90	–	–	–	–	–	–	–	–	–	–	4	4	7	6	15	13	12	12	9	8	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
160–163	Of respiratory system	187	–	–	–	–	–	–	–	2	1	4	9	15	29	25	37	29	18	14	3	1	–	–
	White Male	149	–	–	–	–	–	–	–	2	1	3	8	9	22	18	34	26	12	10	3	1	–	–
	Female	38	–	–	–	–	–	–	–	–	–	1	1	6	7	7	3	3	6	4	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	70	–	–	–	–	–	–	–	–	2	1	6	12	5	7	9	9	11	5	3	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	69	–	–	–	–	–	–	–	–	2	1	6	11	5	7	9	9	11	5	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	125	–	–	–	–	–	–	–	–	1	4	4	5	11	10	13	24	13	21	10	8	1	–
	White Male	53	–	–	–	–	–	–	–	–	–	–	–	–	3	5	6	14	6	9	5	5	–	–
	Female	72	–	–	–	–	–	–	–	–	1	4	4	5	8	5	7	10	7	12	5	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	44	–	–	–	–	–	–	–	–	–	–	2	3	3	6	4	6	7	6	5	1	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	2	2	1	4	–	3	5	2	3	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	3	2	4	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	100	–	1	1	–	–	–	1	3	1	1	2	7	4	10	17	17	16	12	5	2	–	–
	White Male	51	–	1	–	–	–	–	–	1	1	1	2	3	4	5	9	10	9	2	3	–	–	–
	Female	49	–	–	1	–	–	–	1	2	–	–	–	4	–	5	8	7	7	10	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	41	–	2	2	2	1	–	1	–	–	3	2	3	1	1	5	5	4	4	3	2	–	–
	White Male	26	–	2	2	1	1	–	1	–	–	2	1	1	–	–	4	2	3	3	2	1	–	–
	Female	15	–	–	–	1	–	–	–	–	–	1	1	2	1	1	1	3	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	52	–	–	–	–	–	1	–	2	–	–	1	1	8	5	6	13	5	6	3	1	–	–
	White Male	31	–	–	–	–	–	–	–	2	–	–	1	–	7	2	2	12	1	2	1	1	–	–
	Female	21	–	–	–	–	–	1	–	–	–	–	–	1	1	3	4	1	4	4	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	16	–	–	1	–	–	–	1	–	–	2	1	–	2	1	2	2	1	2	–	–	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	1	–	–	–	–
	Female	10	–	–	1	–	–	–	1	–	–	1	1	–	1	1	1	1	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	69	–	–	1	–	–	1	1	–	1	1	3	3	7	5	8	10	6	8	8	2	4	–
	White Male	32	–	–	1	–	–	–	1	–	1	1	1	2	5	4	5	3	1	5	2	–	–	–
	Female	37	–	–	–	–	–	1	–	–	–	–	2	1	2	1	3	7	5	3	6	2	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	3	1	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
280–285	Anemias	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–
	White Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,206	2	1	–	1	–	2	3	1	7	27	33	51	98	154	238	289	341	399	312	186	61	–
	White Male	1,140	2	–	–	1	–	1	3	1	6	23	29	42	70	104	148	175	179	177	125	43	11	–
	Female	1,064	–	1	–	–	–	1	–	–	1	4	4	9	27	50	90	113	162	222	187	143	50	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,653	2	1	–	–	–	2	3	1	6	25	31	42	83	126	197	219	252	286	216	123	38	–
	White Male	901	2	–	–	–	–	1	3	1	5	23	28	36	66	86	125	135	142	132	85	25	6	–
	Female	750	–	1	–	–	–	1	–	–	1	2	3	6	16	40	72	83	110	154	131	98	32	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	26	–	–	–	–	–	–	–	–	2	–	3	–	1	4	2	4	6	4	–	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	2	1	3	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	1	–	1	3	1	2	5	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	5	3	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	2	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,490	–	–	–	–	–	–	3	1	4	22	27	40	73	114	175	194	232	257	196	117	35	–
	White Male	806	–	–	–	–	–	–	3	1	4	20	25	34	58	79	117	115	130	115	75	24	6	–
	Female	682	–	–	–	–	–	–	–	–	–	2	2	6	14	35	58	78	102	142	121	93	29	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410	Acute myocardial infarction	693	–	–	–	–	–	–	3	1	1	21	19	29	54	69	110	105	108	99	46	24	4	–
	White Male	428	–	–	–	–	–	–	3	1	1	19	18	24	43	47	69	67	61	47	19	8	1	–
	Female	265	–	–	–	–	–	–	–	–	–	2	1	5	11	22	41	38	47	52	27	16	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	792	–	–	–	–	–	–	–	–	3	1	8	11	19	45	64	88	122	157	150	93	31	–
	White Male	374	–	–	–	–	–	–	–	–	3	1	7	10	15	32	47	48	67	67	56	16	5	–
	Female	416	–	–	–	–	–	–	–	–	–	–	1	1	3	13	17	39	55	90	94	77	26	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	–	1	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
420–423, 425–427, 429	All other forms of heart disease	105	2	–	–	–	–	2	–	–	–	3	1	2	8	7	14	19	11	15	14	4	3	–
	White Male	72	2	–	–	–	–	1	–	–	–	3	1	2	7	5	3	17	9	11	10	1	–	–
	White Female	33	–	–	–	–	–	1	–	–	–	–	–	–	1	2	11	2	2	4	4	3	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	16	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	3	–	4	2	2	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	1	–
	White Female	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	350	–	–	–	1	–	–	–	–	1	1	–	6	11	19	27	35	57	76	63	43	10	–
	White Male	141	–	–	–	1	–	–	–	–	1	–	–	3	3	12	15	16	20	30	24	14	2	–
	White Female	209	–	–	–	–	–	–	–	–	–	1	–	3	8	7	12	19	37	46	39	29	8	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	52	–	–	–	1	–	–	–	–	–	–	–	–	4	5	3	9	11	7	5	7	–	–
	White Male	19	–	–	–	1	–	–	–	–	–	–	–	–	–	4	2	4	2	2	1	3	–	–
	White Female	33	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	5	9	5	4	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	84	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	7	16	18	18	14	3	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	4	7	4	5	1	–
	White Female	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	12	11	14	9	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	213	–	–	–	–	–	–	–	–	1	1	–	6	6	10	20	19	30	51	40	22	7	–
	White Male	93	–	–	–	–	–	–	–	–	1	–	–	3	2	5	11	10	14	21	19	6	1	–
	White Female	120	–	–	–	–	–	–	–	–	–	1	–	3	4	5	9	9	16	30	21	16	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	110	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	13	14	28	22	17	10	–
	White Male	45	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	8	7	12	11	3	1	–
	White Female	65	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	7	16	11	14	9	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	77	–	–	–	–	–	–	–	–	–	1	1	3	3	7	9	20	15	9	7	1	1	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	1	3	1	5	6	15	7	3	3	1	1	–
	White Female	31	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	5	8	6	4	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–
	White Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	169	3	2	–	–	–	1	1	1	–	2	–	2	3	6	9	22	29	36	23	17	12	–
	White Male	76	1	1	–	–	–	–	–	–	–	2	–	2	–	4	6	13	15	16	11	4	1	–
	White Female	92	2	–	–	–	–	1	1	1	–	–	–	–	3	2	3	9	14	20	12	13	11	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	40	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	10	6	9	6	4	4	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	6	4	5	2	–	–	–
	White Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	4	4	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	129	3	2	–	–	–	1	1	1	–	2	–	2	3	5	9	12	23	27	17	13	8	–
	White Male	58	1	1	–	–	–	–	–	–	–	2	–	2	–	3	6	7	11	11	9	4	1	–
	White Female	70	2	–	–	–	–	1	1	1	–	–	–	–	3	2	3	5	12	16	8	9	7	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	56	–	–	–	–	–	1	–	–	–	–	1	2	–	4	11	15	12	5	5	–	–	–
	White Male	47	–	–	–	–	–	–	–	–	–	–	–	–	–	3	9	14	11	5	5	–	–	–
	White Female	9	–	–	–	–	–	1	–	–	–	–	1	2	–	1	2	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
490, 491	Chronic and unqualified bronchitis	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	1	1	1	–	–	
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	1	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	44	–	–	–	–	–	–	–	–	–	–	1	1	–	4	7	12	11	4	4	–	–	
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	11	10	4	4	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	18	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	1	6	4	–	–	
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	4	3	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	3	2	2	–	1	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	1	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	57	–	–	–	–	–	–	–	–	2	1	7	7	11	11	7	4	5	–	1	1	–	
	White Male	35	–	–	–	–	–	–	–	–	2	1	3	4	8	6	6	1	3	–	1	–	–	
	Female	22	–	–	–	–	–	–	–	–	–	–	4	3	3	5	1	3	2	–	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	1	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	16	–	–	–	–	1	1	–	–	–	–	1	1	–	1	2	2	1	5	–	1	–	
	White Male	10	–	–	–	–	1	–	–	–	–	–	1	–	–	1	2	2	–	3	–	–	–	
	Female	6	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	2	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	13	–	–	–	–	1	1	–	–	–	–	1	–	–	1	2	2	1	3	–	1	–	
	White Male	9	–	–	–	–	1	–	–	–	–	–	1	–	–	1	2	2	–	2	–	–	–	
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	4	1	1	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	1	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	23	11	2	3	1	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	1	–	–
	White Male	11	6	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	12	5	1	1	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	41	12	–	–	–	–	–	–	–	2	–	1	–	1	5	3	5	4	5	1	–	2	–
	White Male	29	9	–	–	–	–	–	–	–	2	–	1	–	1	4	2	3	3	3	–	–	1	–
	Female	12	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	333	4	–	2	–	1	4	4	2	4	5	6	11	28	32	44	43	47	46	30	15	5	–
	White Male	202	2	–	1	–	1	4	3	1	4	1	3	9	17	22	27	25	28	29	16	6	3	–
	Female	129	2	–	1	–	–	–	1	1	–	4	3	2	11	10	16	18	19	17	13	9	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E800–E949	Accidents	221	5	7	5	9	29	25	19	15	5	7	9	10	7	6	11	15	9	9	9	7	3	–
	White Male	154	2	5	3	7	22	23	15	12	2	4	8	8	2	4	11	10	5	4	5	2	–	–
	Female	66	3	2	2	2	7	2	4	3	3	3	1	2	5	2	–	5	4	4	4	5	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E810–E823	Motor vehicle accidents	92	1	3	–	5	21	15	14	6	2	3	1	3	1	4	2	6	4	1	–	–	–	–
	White Male	68	–	2	–	4	16	14	11	4	1	3	–	2	–	3	2	3	3	–	–	–	–	–
	Female	23	1	1	–	1	5	1	3	2	1	–	1	1	1	1	–	3	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	129	4	4	5	4	8	10	5	9	3	4	8	7	6	2	9	9	5	8	9	7	3	–
	White Male	86	2	3	3	3	6	9	4	8	1	1	8	6	2	1	9	7	2	4	5	2	–	–
	Female	43	2	1	2	1	2	1	1	1	2	3	–	1	4	1	–	2	3	4	4	5	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	74	...	...	–	–	5	12	5	5	3	3	5	8	5	9	4	5	2	2	1	–	–	–
	White Male	59	...	...	–	–	5	9	3	5	2	2	3	7	4	8	3	3	2	2	1	–	–	–
	Female	14	...	...	–	–	–	2	2	–	1	1	2	1	1	1	1	2	–	–	–	–	–	–
	All other Male	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	18	–	–	–	–	2	4	–	2	2	1	–	4	2	–	–	1	–	–	–	–	–	–
	White Male	14	–	–	–	–	1	4	–	–	2	1	–	4	2	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	5	–	–	–	–	1	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia																							
	All causes	**40,133**	**1,140**	**198**	**134**	**190**	**454**	**511**	**519**	**492**	**643**	**933**	**1,492**	**2,360**	**3,194**	**3,930**	**4,513**	**4,857**	**4,913**	**4,336**	**3,177**	**1,580**	**559**	**8**
	White ..... Male	17,383	404	78	53	102	269	286	250	205	282	426	733	1,119	1,580	1,960	2,255	2,252	1,993	1,590	1,004	430	111	1
	Female	13,632	293	58	37	41	91	85	96	128	159	217	348	593	766	952	1,197	1,519	1,942	2,042	1,767	951	345	5
	All other ..... Male	5,269	251	41	26	33	66	102	114	107	124	177	253	421	545	648	654	580	489	369	166	64	38	1
	Female	3,849	192	21	18	14	28	38	59	52	78	113	158	227	303	370	407	506	489	335	240	135	65	1
004, 006	Bacillary dysentery and amebiosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	31	10	1	–	1	–	–	1	1	1	–	–	1	–	–	3	–	3	6	2	1	–	–
	White ..... Male	8	2	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	2	–	–	–	–
	Female	12	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	1	–	–
	All other ..... Male	5	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–
	Female	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	77	–	–	–	–	–	–	–	–	1	–	4	2	12	11	10	10	13	7	4	3	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	3	4	2	1	2	2	1	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	1	2	1	–	–
	All other ..... Male	33	–	–	–	–	–	–	–	–	1	–	3	–	7	5	7	3	3	3	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	4	4	1	–	–	–	–
010–012	Tuberculosis of respiratory system	57	–	–	–	–	–	–	–	–	1	–	4	–	10	9	6	6	10	4	4	3	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	1	2	1	1	2	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	2	1	–	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	1	–	3	–	5	4	3	2	3	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	3	–	–	–	–	–
013–019	Tuberculosis, other forms	20	–	–	–	–	–	–	–	–	–	–	–	2	2	2	4	4	3	3	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	1	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	3	1	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	201	32	1	1	–	1	1	3	1	3	4	4	12	14	20	21	18	26	18	14	4	3	–
	White ..... Male	56	9	–	–	–	–	–	1	–	1	–	–	5	5	4	6	5	7	9	2	1	1	–
	Female	63	7	1	1	–	–	1	1	1	1	2	1	1	3	8	4	5	9	6	8	2	1	–
	All other ..... Male	41	6	–	–	–	–	–	1	–	1	1	2	–	3	4	8	5	4	2	3	1	–	–
	Female	41	10	–	–	–	1	–	–	–	–	1	1	6	3	4	3	3	6	1	1	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	7	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	2	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	107	11	2	7	3	–	5	3	4	4	2	9	12	5	6	9	8	5	5	3	4	–	–
	White ..... Male	31	4	1	3	2	–	1	–	1	1	–	1	3	2	2	4	1	1	3	–	1	–	–
	Female	38	3	1	2	1	–	2	–	–	1	1	4	3	1	3	2	5	2	1	3	3	–	–
	All other ..... Male	10	2	–	–	–	–	–	1	1	–	–	1	1	1	–	2	–	–	1	–	–	–	–
	Female	28	2	–	2	–	–	2	2	2	2	1	3	5	1	1	1	2	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,551	–	26	20	39	34	36	49	69	121	176	367	659	850	1,045	1,106	1,052	842	570	347	118	25	–
	White—Male	3,198	–	9	12	20	16	13	21	19	47	55	154	267	337	465	539	475	352	223	133	35	6	–
	White—Female	2,679	–	10	5	11	8	11	18	38	54	71	128	226	294	338	329	327	318	254	160	64	15	–
	All other—Male	1,005	–	5	2	3	5	9	2	5	7	20	48	98	134	161	152	155	110	62	20	6	1	–
	All other—Female	669	–	2	1	5	5	3	8	7	13	30	37	68	85	81	86	95	62	31	34	13	3	–
140–149	Of buccal cavity and pharynx	165	–	–	–	–	–	–	–	3	3	4	10	19	21	26	25	29	10	7	7	–	1	–
	White—Male	84	–	–	–	–	–	–	–	1	2	2	5	7	8	16	15	19	5	1	2	–	1	–
	White—Female	42	–	–	–	–	–	–	–	–	1	2	2	–	9	4	5	6	5	4	4	–	–	–
	All other—Male	37	–	–	–	–	–	–	–	2	–	–	3	12	4	5	5	4	–	2	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,836	–	–	–	–	–	3	6	4	23	33	66	120	178	272	283	290	224	160	115	52	7	–
	White—Male	701	–	–	–	–	–	1	3	1	10	9	32	57	63	107	127	114	83	42	38	12	2	–
	White—Female	679	–	–	–	–	–	–	1	1	9	11	18	31	50	87	85	107	89	96	59	32	3	–
	All other—Male	263	–	–	–	–	–	1	1	1	1	10	10	20	41	49	46	35	30	11	4	2	1	–
	All other—Female	193	–	–	–	–	–	1	1	1	3	3	6	12	24	29	25	34	22	11	14	6	1	–
160–163	Of respiratory system	1,970	–	1	–	–	–	–	2	5	19	45	113	215	298	328	335	295	156	110	40	5	3	–
	White—Male	1,206	–	–	–	–	–	–	1	3	13	23	64	117	176	198	223	187	101	69	27	3	1	–
	White—Female	342	–	1	–	–	–	–	–	2	3	9	17	45	52	64	52	37	27	23	9	–	1	–
	All other—Male	340	–	–	–	–	–	–	1	–	1	6	23	41	57	60	48	59	25	16	2	1	–	–
	All other—Female	82	–	–	–	–	–	–	–	–	2	7	9	12	13	6	12	12	3	2	2	1	1	–
174	Of breast	682	–	–	–	–	–	–	4	21	24	24	62	86	77	89	87	71	49	41	30	13	4	–
	White—Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–
	White—Female	544	–	–	–	–	–	–	4	17	21	16	51	70	64	70	70	53	37	36	23	8	4	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	133	–	–	–	–	–	–	–	4	3	7	11	16	13	19	15	17	11	5	7	5	–	–
180–187	Of genital organs	861	–	–	1	1	3	3	8	11	11	26	23	53	80	90	104	124	156	88	54	23	2	–
	White—Male	283	–	–	1	–	–	1	3	2	2	–	2	9	12	23	35	40	68	41	31	13	–	–
	White—Female	349	–	–	–	–	2	1	2	7	8	17	17	34	46	40	38	43	48	24	13	7	2	–
	All other—Male	134	–	–	–	1	–	–	–	2	–	–	–	–	3	15	21	28	36	18	7	3	–	–
	All other—Female	95	–	–	–	–	1	1	3	–	1	9	4	10	19	12	10	13	4	5	3	–	–	–
188, 189	Of urinary organs	319	–	1	2	–	2	1	1	–	2	3	11	26	29	36	51	48	40	38	18	8	2	–
	White—Male	176	–	–	1	–	–	1	1	–	1	3	5	17	16	21	32	27	22	19	8	2	–	–
	White—Female	85	–	1	–	–	–	–	–	–	–	–	3	4	6	8	10	12	11	14	9	6	1	–
	All other—Male	38	–	–	1	–	2	–	–	–	1	–	2	4	5	6	3	5	6	2	1	–	–	–
	All other—Female	20	–	–	–	–	–	–	–	–	–	–	1	1	2	1	6	4	1	3	–	–	1	–
170–173, 190–199	Of all other and unspecified sites	1,054	–	9	9	18	14	13	13	17	24	23	54	99	108	129	140	119	122	75	50	15	3	–
	White—Male	451	–	4	4	9	8	3	8	9	9	13	25	45	46	61	65	55	43	28	12	3	1	–
	White—Female	382	–	3	3	6	4	6	4	8	9	7	17	26	40	39	39	38	59	32	29	11	2	–
	All other—Male	130	–	1	1	–	2	3	–	–	4	2	6	18	15	19	24	15	6	11	3	–	–	–
	All other—Female	91	–	1	1	3	–	1	1	–	2	1	6	10	7	10	12	11	14	4	6	1	–	–
204–207	Leukemia	282	–	13	7	17	8	10	5	4	3	4	14	10	22	27	30	27	34	20	22	2	3	–
	White—Male	142	–	5	5	9	4	7	2	2	2	1	10	4	5	18	20	13	14	8	10	2	1	–
	White—Female	91	–	4	2	4	1	1	2	1	1	1	1	5	8	6	7	10	15	11	9	–	2	–
	All other—Male	28	–	3	–	2	–	2	–	–	–	–	3	–	4	3	2	3	3	–	3	–	–	–
	All other—Female	21	–	1	–	2	3	–	1	1	–	2	–	1	5	–	1	1	2	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	382	–	2	1	3	7	6	10	4	12	14	14	31	37	48	51	49	51	31	11	–	–	–
	White—Male	150	–	–	1	2	4	–	3	1	8	3	11	11	11	21	20	19	15	15	5	–	–	–
	White—Female	165	–	1	–	1	1	3	5	2	2	8	2	11	19	20	23	21	27	14	5	–	–	–
	All other—Male	35	–	1	–	–	1	3	–	–	–	2	1	3	5	4	3	6	4	2	–	–	–	–
	All other—Female	32	–	–	–	–	1	–	2	1	2	1	–	6	2	3	5	3	5	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	106	2	–	2	1	2	–	–	1	3	3	6	9	19	16	9	8	16	6	2	1	–	–
	White—Male	45	–	–	1	–	–	–	–	–	1	1	3	4	8	7	4	6	6	3	–	1	–	–
	White—Female	34	2	–	–	–	1	–	–	1	2	2	2	2	3	3	3	1	8	2	2	–	–	–
	All other—Male	17	–	–	1	1	1	–	–	–	–	–	1	1	4	4	1	–	2	1	–	–	–	–
	All other—Female	10	–	–	–	–	–	–	–	–	–	–	–	2	4	2	1	1	–	–	–	–	–	–
250	Diabetes mellitus	621	1	–	1	–	–	1	3	8	13	14	12	28	51	56	82	114	94	87	39	11	6	–
	White—Male	164	–	–	1	–	–	–	1	4	3	4	6	8	13	19	17	33	17	31	5	2	–	–
	White—Female	264	–	–	–	–	–	–	2	3	5	3	3	4	14	18	35	53	48	40	23	8	5	–
	All other—Male	72	–	–	–	–	–	–	–	–	3	2	2	8	9	7	14	8	6	6	5	1	1	–
	All other—Female	121	1	–	–	–	–	1	–	1	2	5	1	8	15	12	16	20	23	10	6	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	72	–	–	–	1	–	–	–	–	–	–	1	1	1	2	4	12	14	13	15	4	4	–
	White—Male	13	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	3	2	2	–	–	–
	White—Female	35	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	5	5	11	3	4	–
	All other—Male	9	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	2	2	2	–	–	–	–
	All other—Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	4	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
280–285	Anemias	62	2	2	–	1	5	1	2	1	2	–	1	4	1	3	5	6	12	9	2	2	1	–
	White Male	17	1	–	–	–	2	–	–	–	–	–	–	–	–	1	3	3	2	4	1	–	–	–
	Female	22	1	1	–	1	–	–	–	1	–	–	–	2	–	–	2	2	7	2	1	2	–	–
	All other Male	13	–	1	–	–	1	1	1	–	–	–	1	2	1	–	–	1	2	1	–	–	1	–
	Female	10	–	–	–	–	2	–	1	–	2	–	–	–	–	2	–	–	1	2	–	–	–	–
320	Meningitis	40	9	4	4	–	2	1	–	–	–	–	4	2	–	4	3	1	3	1	1	1	–	–
	White Male	15	4	1	1	–	–	1	–	–	–	–	2	1	–	2	–	1	1	1	–	–	–	–
	Female	9	2	2	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–
	All other Male	8	–	1	1	–	1	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–
	Female	8	3	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
390–448	Major cardiovascular diseases	20,151	20	9	3	11	18	28	32	56	122	298	579	957	1,446	1,897	2,411	2,769	2,989	2,797	2,155	1,139	410	5
	White Male	8,655	6	3	1	3	6	13	11	22	60	154	342	516	820	1,013	1,243	1,277	1,171	979	637	304	74	–
	Female	7,306	6	2	2	2	6	5	6	13	17	50	98	166	246	380	592	865	1,245	1,398	1,257	692	254	4
	All other Male	2,253	4	2	–	4	5	6	9	14	23	63	89	192	246	318	340	307	266	195	101	39	29	1
	Female	1,937	4	2	–	2	1	4	6	7	22	31	50	83	134	186	236	320	307	225	160	104	53	–
390–398, 402, 404, 410–429	Diseases of heart	14,913	18	9	–	5	10	15	23	38	92	236	481	810	1,189	1,560	1,910	2,114	2,096	1,899	1,384	751	268	5
	White Male	6,873	6	3	–	–	3	5	8	16	53	130	314	457	718	883	1,041	1,009	861	676	429	214	47	–
	Female	5,042	4	2	–	2	4	3	4	9	12	40	61	130	183	298	446	645	863	944	786	439	163	4
	All other Male	1,655	4	2	–	2	3	4	7	10	17	47	68	152	194	238	255	229	175	131	73	25	18	1
	Female	1,343	4	2	–	1	–	3	4	3	10	19	38	71	94	141	168	231	197	148	96	73	40	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	208	–	–	–	–	–	2	7	3	2	5	12	15	24	27	28	33	27	14	8	1	–	–
	White Male	87	–	–	–	–	–	–	2	–	1	1	5	7	6	15	17	14	14	3	1	1	–	–
	Female	88	–	–	–	–	–	1	3	2	–	2	6	7	9	9	7	17	8	10	7	–	–	–
	All other Male	20	–	–	–	–	–	–	1	1	–	2	1	–	5	3	2	2	–	–	–	–	–	–
	Female	13	–	–	–	–	–	1	1	–	1	–	–	1	4	–	1	–	3	1	–	–	–	–
402	Hypertensive heart disease	126	–	–	–	–	–	–	1	–	2	–	4	11	14	8	21	17	17	15	10	4	2	–
	White Male	26	–	–	–	–	–	–	–	–	1	–	–	2	5	1	5	4	4	3	–	–	1	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	2	3	2	8	7	3	9	6	1	–	–
	All other Male	17	–	–	–	–	–	–	1	–	1	–	1	2	4	1	2	1	3	1	–	–	–	–
	Female	42	–	–	–	–	–	–	–	–	–	–	3	5	2	4	6	5	7	2	4	3	1	–
404	Hypertensive heart and renal disease	118	–	–	–	–	–	–	–	–	–	1	3	2	10	6	15	14	18	18	17	9	5	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	8	6	4	2	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	7	8	4	4	–
	All other Male	24	–	–	–	–	–	–	–	–	–	1	2	1	5	2	6	4	1	1	1	–	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	1	4	3	5	4	5	4	4	3	1	–
410–413	Ischemic heart disease	13,260	–	–	–	–	–	4	8	22	68	199	408	701	1,035	1,402	1,717	1,919	1,890	1,708	1,255	681	238	5
	White Male	6,322	–	–	–	–	–	2	5	11	48	125	288	413	656	822	964	938	788	619	401	199	43	–
	Female	4,493	–	–	–	–	–	–	–	4	5	25	51	105	155	261	403	580	791	854	713	396	146	4
	All other Male	1,363	–	–	–	–	–	1	2	5	12	37	49	127	157	205	215	198	144	112	62	23	13	1
	Female	1,082	–	–	–	–	–	1	1	2	3	12	20	56	67	114	135	203	167	123	79	63	36	–
410	Acute myocardial infarction	6,544	–	–	–	–	–	2	4	12	42	118	250	428	636	843	999	984	863	718	431	158	54	2
	White Male	3,532	–	–	–	–	–	–	3	6	33	78	181	275	429	532	604	524	383	276	145	51	12	–
	Female	1,980	–	–	–	–	–	–	–	3	3	17	30	63	98	167	228	307	356	358	234	88	26	2
	All other Male	602	–	–	–	–	–	1	–	2	4	17	28	61	83	90	112	73	59	39	26	5	2	–
	Female	430	–	–	–	–	–	1	1	1	2	6	11	29	26	54	55	80	65	45	26	14	14	–
411	Other acute and subacute forms of ischemic heart disease	690	–	–	–	–	–	1	1	5	1	27	53	78	87	96	91	107	60	42	19	13	9	–
	White Male	321	–	–	–	–	–	1	1	1	–	14	35	41	37	42	52	44	26	16	6	4	1	–
	Female	125	–	–	–	–	–	–	–	1	–	1	7	4	12	17	15	23	15	13	8	4	5	–
	All other Male	161	–	–	–	–	–	–	–	2	1	11	7	23	25	29	17	19	12	11	3	1	–	–
	Female	83	–	–	–	–	–	–	–	1	–	1	4	10	13	8	7	21	7	2	2	4	3	–
412	Chronic ischemic heart disease	6,022	–	–	–	–	–	1	3	5	25	54	104	195	312	463	624	828	967	948	805	510	175	3
	White Male	2,467	–	–	–	–	–	1	1	4	15	33	71	97	190	248	307	370	379	327	250	144	30	–
	Female	2,388	–	–	–	–	–	–	–	–	2	7	14	38	45	77	160	250	420	483	471	304	115	2
	All other Male	599	–	–	–	–	–	2	1	7	9	14	43	49	86	85	106	73	62	33	17	11	1	
	Female	568	–	–	–	–	–	–	–	1	5	5	17	28	52	72	102	95	76	51	45	19	–	
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	150	–	2	–	–	3	2	1	2	1	6	7	11	17	16	17	19	12	14	8	8	4	–
	White Male	51	–	1	–	–	3	1	–	–	–	1	5	7	11	5	4	9	1	2	–	–	1	–
	Female	47	–	1	–	–	–	–	–	2	–	3	–	1	–	6	3	6	5	7	7	5	1	–
	All other Male	29	–	–	–	–	–	–	1	–	1	2	1	2	4	3	4	1	4	4	–	1	1	–
	Female	23	–	–	–	–	–	1	–	–	–	–	1	1	2	2	6	3	2	1	1	2	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,051	18	7	–	5	7	7	6	11	19	25	47	70	89	101	112	112	132	130	86	48	19	–
	White Male	359	6	2	–	–	–	2	1	5	3	3	15	28	40	39	49	40	46	43	23	12	2	–
	Female	341	4	1	–	2	4	2	1	1	7	10	4	15	15	20	23	33	52	57	45	33	12	–
	All other Male	202	4	2	–	2	3	3	2	4	3	5	14	20	19	24	25	23	21	13	10	1	4	–
	Female	149	4	2	–	1	–	–	2	1	6	7	14	7	15	18	15	16	13	17	8	2	1	–
400, 401, 403	Hypertension	112	–	–	–	–	–	–	–	1	1	1	3	4	7	10	15	15	22	15	10	2	6	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	9	10	5	4	–	1	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	1	2	8	4	2	3	–
	All other Male	20	–	–	–	–	–	–	–	–	–	1	1	–	4	2	4	2	2	–	2	–	2	–
	Female	29	–	–	–	–	–	–	–	1	1	–	1	2	2	2	7	3	8	2	–	–	–	–
430–438	Cerebrovascular diseases	3,965	1	–	3	6	8	11	8	15	23	53	74	113	198	257	386	487	695	704	575	264	84	–
	White Male	1,251	–	–	1	3	3	7	2	4	5	18	18	43	71	82	147	192	220	226	141	57	11	–
	Female	1,771	1	–	2	–	2	1	2	4	5	10	27	29	55	64	115	162	319	366	369	179	59	–
	All other Male	484	–	–	–	2	2	2	2	4	6	14	19	33	39	70	71	63	70	49	25	7	6	–
	Female	459	–	–	–	1	1	1	2	3	7	11	10	8	33	41	53	70	86	63	40	21	8	–
431	Cerebral hemorrhage	546	–	–	–	–	3	6	3	7	7	15	20	39	49	49	71	75	76	68	42	11	5	–
	White Male	176	–	–	–	–	2	3	–	2	–	6	7	13	21	16	27	30	12	22	11	3	1	–
	Female	213	–	–	–	–	1	1	1	1	1	3	8	10	12	12	24	25	43	34	27	6	4	–
	All other Male	95	–	–	–	–	–	2	2	2	4	3	4	13	9	14	14	10	9	6	2	1	–	–
	Female	62	–	–	–	–	–	–	–	2	2	3	1	3	7	7	6	10	12	6	2	1	–	–
433	Cerebral thrombosis	867	–	–	1	–	–	–	–	–	1	1	7	15	37	43	81	104	163	171	153	68	22	–
	White Male	282	–	–	–	–	–	–	–	–	–	–	1	6	14	13	35	49	59	52	38	12	3	–
	Female	404	–	–	1	–	–	–	–	–	–	–	2	6	8	8	19	33	77	90	97	47	16	–
	All other Male	76	–	–	–	–	–	–	–	–	–	1	2	3	5	9	11	10	14	11	6	3	1	–
	Female	105	–	–	–	–	–	–	–	–	1	–	2	–	10	13	16	12	13	18	12	6	2	–
434	Cerebral embolism	13	1	–	–	–	–	–	–	–	–	1	–	1	1	–	2	2	3	1	–	–	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	1	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,539	–	–	2	6	5	5	5	8	15	36	47	58	111	165	232	306	453	464	380	185	56	–
	White Male	787	–	–	1	3	1	4	2	2	5	11	10	24	35	53	84	111	149	151	92	42	7	–
	Female	1,148	–	–	1	–	1	–	1	3	4	7	17	12	35	44	72	104	196	242	245	126	38	–
	All other Male	313	–	–	–	2	2	–	–	2	2	10	13	17	25	47	46	43	47	32	17	3	5	–
	Female	291	–	–	–	1	1	1	2	1	4	8	7	5	16	21	30	48	61	39	26	14	6	–
440	Arteriosclerosis	584	–	–	–	–	–	–	–	–	–	1	2	6	11	14	35	60	83	112	121	99	40	–
	White Male	201	–	–	–	–	–	–	–	–	–	1	2	2	3	11	16	15	33	38	42	27	11	–
	Female	287	–	–	–	–	–	–	–	–	–	–	–	2	2	3	13	30	33	58	64	59	23	–
	All other Male	37	–	–	–	–	–	–	–	–	–	–	–	2	2	–	3	7	8	7	1	4	3	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	8	9	9	14	9	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	577	1	–	–	–	–	2	1	2	6	7	19	24	41	56	65	93	93	67	65	23	12	–
	White Male	296	–	–	–	–	–	1	1	2	2	5	7	14	28	34	38	52	47	34	21	6	4	–
	Female	177	1	–	–	–	–	1	–	–	–	–	10	3	5	12	15	27	28	22	34	13	6	–
	All other Male	57	–	–	–	–	–	–	–	–	–	1	1	5	7	8	7	6	11	8	–	3	–	–
	Female	47	–	–	–	–	–	–	–	–	4	1	1	2	1	2	5	8	7	3	10	1	2	–
466	Acute bronchitis and bronchiolitis	15	1	–	–	–	–	1	–	–	–	1	2	2	1	2	2	2	–	–	–	1	–	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	1	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,398	35	10	8	3	6	9	4	10	17	23	23	57	66	111	114	128	184	232	202	100	56	–
	White Male	581	10	4	2	2	1	4	1	2	4	8	5	26	31	55	52	66	90	101	70	33	14	–
	Female	514	9	1	5	–	3	2	2	2	1	5	4	15	16	26	34	31	61	92	110	58	37	–
	All other Male	192	7	4	1	1	–	2	–	4	8	9	8	13	14	19	21	22	19	22	12	4	2	–
	Female	111	9	1	–	–	2	1	1	2	4	1	6	3	5	11	7	9	14	17	10	5	3	–
470–474	Influenza	131	1	1	1	–	–	1	–	–	–	–	5	–	6	6	11	4	13	33	25	11	13	–
	White Male	66	1	1	–	–	–	–	–	–	–	–	2	–	4	2	9	2	7	18	12	5	3	–
	Female	54	–	–	–	–	–	–	–	–	–	–	1	–	2	4	1	2	4	13	12	6	9	–
	All other Male	8	–	–	1	–	–	1	–	–	–	–	2	–	–	–	1	–	–	1	1	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
480–486	Pneumonia	1,267	34	9	7	3	6	8	4	10	17	23	18	57	60	105	103	124	171	199	177	89	43	–
	White Male	515	9	3	2	2	1	4	1	2	4	8	3	26	27	53	43	64	83	83	58	28	11	–
	Female	460	9	1	5	–	3	2	2	2	1	5	3	15	14	22	33	29	57	79	98	52	28	–
	All other Male	184	7	4	–	1	–	1	–	4	8	9	6	13	14	19	20	22	19	21	11	4	1	–
	Female	108	9	1	–	–	2	1	1	2	4	1	6	3	5	11	7	9	12	16	10	5	3	–
490–493	Bronchitis, emphysema, and asthma	442	–	1	2	1	3	3	2	3	–	5	13	27	41	61	82	75	56	28	30	7	2	–
	White Male	269	–	–	–	1	1	1	1	–	–	3	4	12	22	37	52	51	40	19	23	2	–	–
	Female	114	–	–	1	–	1	1	1	1	–	2	5	12	13	12	15	19	13	7	5	4	2	–
	All other Male	49	–	1	1	–	–	1	–	1	–	–	3	2	6	11	12	4	3	2	2	–	–	–
	Female	10	–	–	–	–	1	–	–	1	–	–	1	1	–	1	3	1	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
490, 491	Chronic and unqualified bronchitis	100	–	1	1	–	–	–	1	–	–	2	2	7	12	11	17	14	14	7	5	4	2	
	White Male	56	–	–	–	–	–	–	1	–	–	2	–	5	6	5	11	10	9	4	2	1	–	
	Female	34	–	–	1	–	–	–	–	–	–	–	2	2	4	3	5	4	3	3	3	2	2	
	All other Male	8	–	1	–	–	–	–	–	–	–	–	–	–	2	2	1	–	2	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	
492	Emphysema	294	–	–	–	–	–	–	1	1	–	2	9	14	25	43	55	57	41	18	25	3	–	
	White Male	200	–	–	–	–	–	–	–	–	–	1	4	5	15	29	38	40	31	15	21	1	–	
	Female	62	–	–	–	–	–	–	1	–	–	1	2	8	8	8	8	12	9	1	2	2	–	
	All other Male	30	–	–	–	–	–	–	–	–	–	–	3	1	2	6	9	4	1	2	2	–	–	
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	
493	Asthma	48	–	–	1	1	3	3	–	2	–	1	2	6	4	7	10	4	1	3	–	–	–	
	White Male	13	–	–	–	1	1	1	–	–	–	–	–	2	1	3	3	1	–	–	–	–	–	
	Female	18	–	–	–	–	1	1	–	1	–	1	1	2	1	1	2	3	1	3	–	–	–	
	All other Male	11	–	–	1	–	–	1	–	1	–	–	–	1	2	3	2	–	–	–	–	–	–	
	Female	6	–	–	–	–	1	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	
531–533	Peptic ulcer	147	–	–	–	–	–	–	2	–	1	5	4	12	20	18	15	16	22	17	12	3	–	
	White Male	73	–	–	–	–	–	–	1	–	–	1	2	6	12	13	11	7	9	8	3	–	–	
	Female	49	–	–	–	–	–	–	1	–	–	1	2	3	4	3	2	6	8	8	8	3	–	
	All other Male	14	–	–	–	–	–	–	–	–	1	3	–	1	1	–	1	1	4	1	1	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	2	1	–	–	–	–	
540–543	Appendicitis	12	–	–	1	–	–	1	1	–	1	–	–	–	1	2	1	1	1	1	1	–	–	
	White Male	3	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	All other Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
550–553, 560	Hernia and intestinal obstruction	110	8	1	–	–	–	–	1	1	2	2	1	5	1	11	13	13	16	19	9	7	–	
	White Male	34	5	1	–	–	–	–	–	1	1	–	–	2	–	3	5	7	2	5	–	2	–	
	Female	44	3	–	–	–	–	–	1	–	–	2	–	1	–	3	5	2	6	11	6	4	–	
	All other Male	24	–	–	–	–	–	–	–	–	–	–	–	1	1	5	2	4	6	3	2	–	–	
	Female	8	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	2	–	1	1	–	
571	Cirrhosis of liver	630	1	–	–	–	–	2	7	27	28	61	81	101	112	82	64	38	17	6	2	1	–	
	White Male	300	–	–	–	–	–	–	2	10	15	26	35	45	52	47	35	24	6	1	1	1	–	
	Female	176	–	–	–	–	–	1	1	6	6	8	17	33	36	22	19	11	10	5	1	–	–	
	All other Male	94	1	–	–	–	–	–	2	4	6	14	18	13	18	8	9	–	1	–	–	–	–	
	Female	60	–	–	–	–	–	1	2	7	1	13	11	10	6	5	1	3	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	44	–	–	–	–	–	–	–	1	–	1	–	–	3	6	2	6	4	8	8	5	–	
	White Male	14	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	3	2	3	–	–	–	
	Female	19	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	2	2	2	6	3	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	2	–	
580–584	Nephritis and nephrosis	167	1	–	1	1	–	2	2	1	4	6	5	13	14	12	22	26	16	22	13	5	1	
	White Male	57	1	–	–	1	–	2	–	–	1	3	–	6	4	4	5	12	5	7	4	2	–	
	Female	34	–	–	1	–	–	–	–	–	2	–	1	–	4	1	5	3	2	10	4	1	–	
	All other Male	32	–	–	–	–	–	–	2	1	–	1	2	4	2	1	7	4	2	3	1	1	1	
	Female	44	–	–	–	–	–	–	–	–	1	2	2	3	4	6	5	7	7	2	4	1	–	
580, 581	Acute nephritis and nephrotic syndrome	35	1	–	–	–	–	1	–	–	1	1	1	3	–	2	2	8	2	8	4	1	–	
	White Male	13	1	–	–	–	–	1	–	–	1	1	–	1	–	–	–	4	–	3	1	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2	1	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	1	1	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	132	–	–	1	1	–	1	2	1	3	5	4	10	14	10	20	18	14	14	9	4	1	
	White Male	44	–	–	–	1	–	1	–	–	–	2	–	5	4	4	5	8	5	4	3	2	–	
	Female	26	–	–	1	–	–	–	–	–	2	–	1	–	4	–	5	3	1	7	2	–	–	
	All other Male	27	–	–	–	–	–	–	2	1	–	1	1	4	2	1	6	3	2	2	–	1	1	
	Female	35	–	–	–	–	–	–	–	–	1	2	2	1	4	5	4	4	6	1	4	1	–	
590	Infections of kidney	64	–	–	–	–	–	–	–	1	1	–	1	1	4	4	7	7	11	13	11	1	2	
	White Male	18	–	–	–	–	–	–	–	1	–	–	1	–	1	2	2	1	3	2	4	1	–	
	Female	33	–	–	–	–	–	–	–	–	1	–	–	1	3	1	2	4	6	7	6	–	2	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	1	–	–	
600	Hyperplasia of prostate	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	–	1	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
	White Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	5	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	322	207	30	7	8	11	3	4	8	7	2	2	4	6	6	3	8	2	3	–	1	–	–
	White Male	138	84	18	1	4	5	–	4	3	3	–	2	3	2	3	3	2	1	–	–	–	–	–
	Female	109	66	8	5	4	3	3	–	4	2	–	–	–	3	3	–	3	1	3	–	1	–	–
	All other Male	40	31	2	–	–	2	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–	–
	Female	35	26	2	1	–	1	–	–	–	2	1	–	–	–	–	–	2	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	583	583	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	211	211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	129	129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	143	143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	280	280	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	121	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	303	303	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	465	145	8	1	–	3	6	8	3	7	8	16	12	18	24	25	29	46	36	30	28	10	2
	White Male	149	45	2	–	–	2	3	2	–	1	3	6	2	8	13	10	10	14	11	9	5	3	–
	Female	160	39	2	–	–	1	–	2	–	2	2	2	4	6	3	7	10	16	18	18	21	6	1
	All other Male	90	39	3	1	–	–	2	2	2	3	–	5	4	3	2	4	5	9	4	1	1	–	–
	Female	66	22	1	–	–	–	1	2	1	1	3	3	2	1	6	4	4	7	3	2	1	1	1
Residual	All other diseases	2,940	40	22	12	23	23	37	31	60	60	84	129	187	259	328	336	359	350	308	180	89	23	–
	White Male	1,286	8	9	4	8	10	16	14	17	14	28	43	80	121	159	169	180	174	125	73	26	8	–
	Female	950	17	7	2	9	7	11	10	17	14	21	34	54	69	88	96	124	111	117	78	54	10	–
	All other Male	394	9	4	2	5	2	2	3	13	17	15	31	34	39	48	41	32	34	39	14	7	3	–
	Female	310	6	2	4	1	4	8	4	13	15	20	21	19	30	33	30	23	31	27	15	2	2	–
E800–E949	Accidents	2,429	24	65	62	85	266	229	197	126	112	121	120	144	147	129	109	107	134	109	85	42	16	–
	White Male	1,292	12	24	26	54	181	148	115	68	62	72	63	80	77	59	56	50	60	40	29	11	5	–
	Female	560	4	20	12	10	48	32	28	16	22	23	20	30	26	25	28	31	51	50	51	24	9	–
	All other Male	435	6	12	16	15	31	39	45	35	23	24	24	29	36	36	19	20	9	11	1	4	–	–
	Female	142	2	9	8	6	6	10	9	7	5	2	13	5	8	9	6	6	14	8	4	3	2	–
E810–E823	Motor vehicle accidents	1,041	5	26	31	40	208	141	126	69	56	49	45	59	56	32	31	26	19	16	4	2	–	–
	White Male	608	2	9	14	26	139	95	69	31	29	30	26	34	33	13	19	17	11	6	3	2	–	–
	Female	213	2	8	8	5	46	22	19	12	17	11	4	13	11	8	7	5	7	7	1	–	–	–
	All other Male	173	1	5	4	6	19	19	32	23	8	7	12	10	10	8	4	1	1	3	–	–	–	–
	Female	47	–	4	5	3	4	5	6	3	2	1	3	2	2	3	1	3	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,388	19	39	31	45	58	88	71	57	56	72	75	85	91	97	78	81	115	93	81	40	16	–
	White Male	684	10	15	12	28	42	53	46	37	33	42	37	46	44	46	37	33	49	34	26	9	5	–
	Female	347	2	12	4	5	2	10	9	4	5	12	16	17	15	17	21	26	44	43	50	24	9	–
	All other Male	262	5	7	12	9	12	20	13	12	15	17	12	19	26	28	15	19	8	8	1	4	–	–
	Female	95	2	5	3	3	2	5	3	4	3	1	10	3	6	6	5	3	14	8	4	3	2	–
E950–E959	Suicide	799	...	...	–	7	40	82	76	60	75	71	68	76	78	48	40	34	24	10	9	1	–	–
	White Male	535	...	...	–	5	33	62	47	35	46	50	45	40	50	32	27	29	20	8	6	–	–	–
	Female	188	...	...	–	2	5	10	13	19	20	18	19	27	23	11	9	5	2	1	3	1	–	–
	All other Male	56	...	...	–	–	2	10	7	5	9	3	2	5	3	4	4	–	1	1	–	–	–	–
	Female	20	...	...	–	–	–	–	9	1	–	–	2	4	2	1	–	–	1	–	–	–	–	–
E960–E978	Homicide	492	5	12	2	3	36	60	84	47	57	43	40	29	20	22	13	7	7	3	1	–	–	1
	White Male	175	–	3	–	2	12	19	26	20	21	16	17	11	8	8	6	3	1	1	–	–	–	1
	Female	60	1	3	–	–	6	6	7	5	9	4	5	5	–	1	3	1	2	1	1	–	–	–
	All other Male	207	1	4	1	1	15	30	39	20	20	21	13	10	12	10	3	3	3	1	–	–	–	–
	Female	50	3	2	1	–	3	5	12	2	7	2	5	3	–	3	1	–	1	–	–	–	–	–
E980–E999	Other external causes	26	3	1	–	–	2	2	4	2	1	2	–	1	3	3	1	–	1	–	–	–	–	–
	White Male	14	1	1	–	–	–	2	2	2	–	1	–	–	2	2	–	–	1	–	–	–	–	–
	Female	5	1	–	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	6	1	–	–	–	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington																							
	All causes	30,327	770	141	88	128	311	444	401	322	331	506	875	1,366	1,832	2,636	3,150	3,606	3,737	4,030	3,276	1,792	578	7
	White Male	16,093	424	69	39	77	205	294	261	191	187	282	480	777	1,132	1,619	1,966	2,099	1,984	1,850	1,319	636	196	6
	Female	13,096	278	61	42	44	79	103	105	102	120	173	303	501	628	914	1,071	1,393	1,664	2,104	1,914	1,124	373	–
	All other Male	719	44	9	5	4	19	31	26	20	15	24	63	51	53	65	74	83	50	31	25	18	8	1
	Female	419	24	2	2	3	8	16	9	9	9	27	29	37	19	38	39	31	39	45	18	14	1	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	32	12	1	1	–	1	–	–	–	–	–	–	1	–	2	3	2	1	3	4	–	1	–
	White Male	11	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	Female	19	5	1	–	–	1	–	–	–	–	–	–	1	–	1	2	–	–	3	4	–	1	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	38	–	–	–	–	–	–	–	–	–	–	1	1	2	4	9	8	6	4	3	–	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	6	3	4	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	2	2	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	28	–	–	–	–	–	–	–	–	–	–	1	1	1	2	5	7	4	4	3	–	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	5	1	4	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	2	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	63	10	–	–	–	–	–	–	–	–	–	2	3	3	5	7	4	7	9	12	1	–	–
	White Male	34	6	–	–	–	–	–	–	–	–	–	2	2	2	3	3	4	2	5	4	1	–	–
	Female	24	4	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	3	4	8	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	69	1	1	3	4	1	3	1	1	1	1	5	6	4	5	6	8	4	5	5	4	–	–
	White Male	32	1	1	–	3	–	1	1	1	–	–	4	4	2	3	5	2	1	2	1	–	–	–
	Female	30	–	–	3	1	–	2	–	–	–	–	1	2	2	1	1	5	3	2	3	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	1	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,121	1	10	17	12	22	22	37	45	72	114	218	444	574	843	893	920	730	615	358	146	28	–
	White Male	3,166	–	3	12	10	13	14	20	17	27	43	90	201	277	443	496	520	406	319	186	56	13	–
	Female	2,759	1	7	4	2	8	8	16	25	44	64	113	220	279	375	363	370	305	290	162	88	15	–
	All other Male	119	–	–	1	–	–	–	1	2	–	–	8	11	15	14	23	22	12	4	4	2	–	–
	Female	77	–	–	–	–	1	–	–	1	1	7	7	12	3	11	11	8	7	2	6	–	–	–
140–149	Of buccal cavity and pharynx	134	–	–	–	1	–	–	–	–	2	1	4	10	15	21	21	21	24	7	2	5	–	–
	White Male	79	–	–	–	–	–	–	–	–	2	1	–	7	6	13	13	17	15	3	2	–	–	–
	Female	50	–	–	–	1	–	–	–	–	–	–	3	2	9	6	7	4	9	4	–	5	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,527	–	1	–	–	–	1	2	7	9	22	38	84	130	198	209	263	213	180	118	41	11	–
	White Male	795	–	1	–	–	–	–	1	3	5	13	22	44	75	111	120	135	110	86	56	9	4	–
	Female	665	–	–	–	–	–	1	1	4	4	4	13	32	49	78	81	113	94	93	59	32	7	–
	All other Male	39	–	–	–	–	–	–	–	–	–	–	1	4	4	4	6	12	5	1	2	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	5	2	4	2	5	2	3	4	–	1	–	–	–
160–163	Of respiratory system	1,550	–	–	1	–	1	–	–	3	10	22	57	131	195	244	281	258	173	114	48	10	2	–
	White Male	1,092	–	–	–	–	1	–	–	2	7	9	34	82	117	176	205	196	135	88	33	7	–	–
	Female	412	–	–	1	–	–	–	–	1	3	13	19	43	71	66	63	55	35	24	13	3	2	–
	All other Male	40	–	–	–	–	–	–	–	–	–	–	3	5	7	2	11	6	3	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	1	–	–	–
174	Of breast	600	–	–	–	–	–	–	4	6	18	18	33	74	77	88	75	66	51	48	28	11	3	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	583	–	–	–	–	–	–	4	5	18	18	31	69	77	87	71	65	51	46	27	11	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	1	–	–	2	4	–	1	4	1	–	2	1	–	–	–
180–187	Of genital organs	739	–	–	–	–	3	5	5	8	9	15	24	41	53	96	107	96	89	94	60	30	4	–
	White Male	374	–	–	–	–	1	5	2	2	–	–	2	7	15	41	46	63	54	66	46	20	4	–
	Female	342	–	–	–	–	1	–	3	6	8	13	20	33	38	52	56	30	33	28	12	9	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	–	–	1	–	–
	Female	15	–	–	–	–	1	–	–	–	1	2	2	1	–	1	2	2	1	–	2	–	–	–
188, 189	Of urinary organs	271	–	1	–	–	–	–	–	1	1	4	9	13	21	29	32	37	46	36	24	15	2	–
	White Male	172	–	–	–	–	–	–	–	–	1	4	6	10	14	18	20	21	32	20	18	6	2	–
	Female	93	–	1	–	–	–	–	–	1	–	–	3	2	5	10	12	15	13	16	6	9	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	692	1	6	7	6	4	10	15	13	12	14	27	53	54	102	84	99	75	50	37	20	3	–
	White Male	336	–	1	5	6	2	6	11	5	5	7	17	29	34	44	46	45	34	17	13	8	1	–
	Female	334	1	5	2	–	2	4	4	6	7	7	10	23	19	52	36	51	37	33	22	11	2	–
	All other Male	17	–	–	–	–	–	–	–	2	–	–	–	1	1	4	1	3	3	–	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–	–	–
204–207	Leukemia	274	–	2	9	4	10	3	6	4	4	7	11	6	11	38	34	28	30	34	22	9	2	–
	White Male	158	–	1	7	4	6	2	3	2	2	2	4	3	8	24	21	20	13	19	12	3	2	–
	Female	112	–	1	1	–	4	1	3	2	2	5	6	2	2	14	13	8	17	15	10	6	–	–
	All other Male	3	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	334	–	–	–	1	4	3	5	3	7	11	15	32	18	27	50	52	29	52	19	5	1	–
	White Male	159	–	–	–	–	3	1	3	3	5	7	5	18	8	16	25	23	13	20	6	3	–	–
	Female	168	–	–	–	1	1	2	1	–	2	4	8	14	9	10	24	29	16	31	13	2	1	–
	All other Male	6	–	–	–	–	–	–	1	–	–	–	2	–	1	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	66	–	1	2	1	–	–	–	1	–	1	3	7	5	8	12	4	11	4	4	1	1	–
	White Male	36	–	1	1	1	–	–	–	1	–	1	–	4	3	5	10	4	2	1	2	–	–	–
	Female	26	–	–	1	–	–	–	–	–	–	–	3	2	1	3	2	–	8	3	2	–	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	485	–	–	–	1	–	4	5	7	8	9	13	14	28	40	54	69	78	81	51	19	4	–
	White Male	189	–	–	–	–	–	1	3	4	5	4	7	5	13	18	21	33	24	26	16	8	1	–
	Female	272	–	–	–	1	–	3	2	3	3	5	6	8	12	17	29	36	50	50	34	10	3	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	–	4	4	–	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	57	1	–	–	–	–	–	1	–	–	–	–	1	1	2	2	4	6	15	13	7	4	–
	White Male	24	1	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	2	6	4	3	1	–
	Female	31	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	4	8	9	3	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
280–285	Anemias	49	–	–	–	–	–	–	–	–	1	–	2	1	2	2	7	4	10	5	6	7	2	–
	White Male	23	–	–	–	–	–	–	–	–	1	–	1	–	–	1	4	2	5	3	2	3	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	5	2	4	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	23	11	4	–	–	–	–	–	1	–	–	1	–	1	–	1	–	1	2	–	1	–	–
	White Male	11	5	3	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	15,158	11	3	4	6	11	19	20	31	67	132	321	495	780	1,142	1,563	1,870	2,213	2,571	2,244	1,243	412	–
	White Male	7,866	6	2	–	1	4	12	10	18	49	96	214	338	562	768	1,041	1,095	1,140	1,114	844	416	136	–
	Female	6,899	4	–	3	4	6	4	10	10	14	25	80	137	190	325	476	719	1,030	1,410	1,377	806	269	–
	All other Male	247	1	1	–	1	1	1	–	2	4	5	20	13	21	37	31	37	21	20	14	11	6	–
	Female	146	–	–	1	–	–	2	–	1	–	6	7	7	7	12	15	19	22	27	9	10	1	–
390–398, 402, 404, 410–429	Diseases of heart	10,898	9	1	4	4	5	9	13	17	52	103	266	418	650	934	1,228	1,399	1,544	1,731	1,462	781	268	–
	White Male	6,055	5	–	–	1	2	7	8	12	44	83	193	298	493	655	834	838	830	809	584	264	95	–
	Female	4,572	4	–	3	3	2	–	5	3	6	14	54	101	136	236	365	524	686	896	863	502	169	–
	All other Male	175	–	1	–	–	1	1	–	2	2	4	15	13	16	32	21	25	14	11	8	6	3	–
	Female	96	–	–	1	–	–	1	–	–	–	2	4	6	5	11	8	12	14	15	7	9	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	258	–	–	–	–	2	1	2	3	4	4	9	12	19	21	47	43	31	31	17	8	4	–
	White Male	126	–	–	–	–	–	–	–	3	3	3	6	6	15	16	26	15	10	12	8	2	1	–
	Female	128	–	–	–	–	1	–	2	–	1	1	3	6	4	5	21	28	20	19	8	6	3	–
	All other Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
402	Hypertensive heart disease	96	–	–	–	–	–	–	–	–	1	1	5	7	1	7	10	11	14	15	14	9	1	–
	White Male	33	–	–	–	–	–	–	–	–	–	1	2	5	1	2	5	3	6	–	5	3	–	–
	Female	60	–	–	–	–	–	–	–	–	1	–	3	2	–	4	3	8	8	15	9	6	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	50	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	10	12	13	6	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	6	7	6	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	5	7	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	9,578	–	–	–	–	–	2	5	11	40	84	216	355	567	836	1,074	1,232	1,356	1,550	1,310	705	235	–
	White Male	5,345	–	–	–	–	–	2	2	9	36	69	165	258	434	586	744	742	733	725	516	238	86	–
	Female	3,993	–	–	–	–	–	–	3	–	3	9	33	78	115	211	306	455	599	802	781	453	145	–
	All other Male	156	–	–	–	–	–	–	–	2	1	4	14	13	13	31	18	23	12	9	7	6	3	–
	Female	84	–	–	–	–	–	–	–	–	–	2	4	6	5	8	6	12	12	14	6	8	1	–
410	Acute myocardial infarction	4,372	–	–	–	–	–	–	3	7	31	51	140	218	350	477	595	654	628	590	401	176	51	–
	White Male	2,699	–	–	–	–	–	–	1	6	28	44	105	159	271	329	433	403	371	295	169	66	19	–
	Female	1,575	–	–	–	–	–	–	2	–	2	3	22	54	71	128	149	240	250	288	227	108	31	–
	All other Male	61	–	–	–	–	–	–	–	1	1	2	10	5	5	17	9	5	3	–	2	1	–	–
	Female	37	–	–	–	–	–	–	–	–	–	2	3	–	3	3	4	6	4	7	3	1	1	–
411	Other acute and subacute forms of ischemic heart disease	45	–	–	–	–	–	–	–	–	–	–	1	2	3	1	7	3	10	5	9	3	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	2	3	–	7	1	4	2	4	1	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	6	3	5	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,159	–	–	–	–	–	2	2	4	9	33	75	135	214	358	472	575	717	954	900	526	183	–
	White Male	2,620	–	–	–	–	–	2	1	3	8	25	60	97	160	257	304	338	358	427	343	171	66	–
	Female	2,397	–	–	–	–	–	–	1	–	1	6	10	24	44	82	157	213	342	511	549	343	114	–
	All other Male	95	–	–	–	–	–	–	–	1	–	2	4	8	8	14	9	18	9	9	5	5	3	–
	Female	47	–	–	–	–	–	–	–	–	–	–	1	6	2	5	2	6	8	7	3	7	–	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	69	–	–	1	–	–	–	1	–	–	1	3	1	3	9	5	3	13	8	10	7	4	–
	White Male	36	–	–	–	–	–	–	1	–	–	–	1	1	1	6	4	3	7	4	4	3	1	–
	Female	32	–	–	1	–	–	–	–	–	–	1	2	–	1	3	1	–	6	4	6	4	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
420–423, 425–427, 429	All other forms of heart disease	847	9	1	3	4	3	6	5	3	7	13	33	43	60	60	90	105	120	115	98	46	23	–
	White—Male	490	5	–	–	1	2	5	5	–	5	10	19	28	42	44	54	72	68	61	45	17	7	–
	White—Female	334	4	–	2	3	1	–	–	3	1	3	13	15	16	13	33	31	49	51	52	28	16	–
	All other—Male	13	–	1	–	–	–	1	–	–	1	–	1	–	2	–	1	2	2	2	–	–	–	–
	All other—Female	10	–	–	1	–	–	–	–	–	–	–	–	–	–	3	2	–	1	1	1	1	–	–
400, 401, 403	Hypertension	86	–	–	–	–	–	–	–	–	1	–	3	2	1	5	3	9	22	15	16	6	3	–
	White—Male	38	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	5	13	6	4	3	2	–
	White—Female	46	–	–	–	–	–	–	–	–	1	–	1	1	–	4	2	4	9	8	12	3	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
430–438	Cerebrovascular diseases	3,095	2	–	–	2	5	9	4	10	11	25	40	56	99	146	228	364	474	638	579	314	89	–
	White—Male	1,234	1	–	–	–	2	4	1	4	4	9	13	28	49	70	136	196	195	219	183	98	22	–
	White—Female	1,758	–	–	–	1	3	4	3	5	5	11	20	27	44	72	80	149	269	402	388	211	64	–
	All other—Male	60	1	–	–	1	–	–	–	–	2	1	5	–	4	3	7	12	3	8	6	4	3	–
	All other—Female	43	–	–	–	–	–	1	–	1	–	4	2	1	2	1	5	7	7	9	2	1	–	–
431	Cerebral hemorrhage	335	1	–	–	1	2	1	1	3	1	6	9	14	22	23	42	53	40	54	32	25	5	–
	White—Male	139	1	–	–	–	–	1	1	2	–	2	3	5	11	13	27	26	15	19	6	5	2	–
	White—Female	181	–	–	–	1	2	–	–	–	1	2	5	9	10	10	11	24	24	33	26	20	3	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	1	1	–	1	–	4	2	–	2	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–	–	–	–
433	Cerebral thrombosis	689	1	–	–	–	–	–	–	–	1	3	4	8	14	22	40	84	111	139	159	79	24	–
	White—Male	263	–	–	–	–	–	–	–	–	–	1	1	5	10	13	24	47	42	47	46	20	7	–
	White—Female	412	–	–	–	–	–	–	–	–	–	–	2	3	3	9	16	36	68	90	110	58	17	–
	All other—Male	7	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	1	1	1	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	1	2	–	–	–
434	Cerebral embolism	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	3	–	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–
	White—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,061	–	–	–	1	3	8	3	7	9	16	27	33	62	100	146	225	321	442	388	210	60	–
	White—Male	828	–	–	–	–	2	3	–	2	4	6	9	17	27	44	85	123	137	152	131	73	13	–
	White—Female	1,159	–	–	–	1	4	3	5	4	9	13	15	31	52	53	87	176	277	252	133	44	–	
	All other—Male	42	–	–	–	1	–	–	–	–	1	–	3	–	3	3	3	9	3	5	5	3	3	–
	All other—Female	32	–	–	–	–	–	1	–	–	–	1	2	1	1	1	5	6	5	8	–	1	–	–
440	Arteriosclerosis	570	–	–	–	–	–	–	–	–	–	1	2	1	3	11	32	40	88	111	130	112	39	–
	White—Male	245	–	–	–	–	–	–	–	–	–	1	1	1	1	7	19	17	46	51	48	40	13	–
	White—Female	318	–	–	–	–	–	–	–	–	–	–	1	–	2	4	12	23	38	59	82	71	26	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	1	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	509	–	2	–	–	1	1	3	4	3	3	10	18	27	46	72	58	85	76	57	30	13	–
	White—Male	294	–	2	–	–	–	1	1	2	1	3	6	10	18	35	51	39	56	29	25	11	4	–
	White—Female	205	–	–	–	–	1	–	2	2	2	–	4	8	8	9	17	19	28	45	32	19	9	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	1	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	13	1	–	–	–	–	–	–	–	1	–	–	1	–	–	4	1	1	2	1	–	1	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
	White—Female	8	1	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	2	–	–	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,241	30	2	4	1	6	8	7	6	3	14	16	19	19	58	62	103	161	218	257	184	63	–
	White—Male	584	18	–	3	–	1	2	5	3	1	5	9	9	11	38	36	59	87	99	114	65	19	–
	White—Female	604	7	2	1	1	4	5	2	2	1	5	5	6	6	15	22	38	69	115	139	116	43	–
	All other—Male	32	–	–	–	–	–	1	–	1	–	3	1	3	2	2	3	6	4	1	3	1	1	–
	All other—Female	21	5	–	–	–	1	–	–	–	1	1	1	1	–	3	1	–	1	3	1	2	–	–
470–474	Influenza	365	3	–	1	1	2	–	–	2	2	1	1	–	3	12	17	20	57	72	92	58	21	–
	White—Male	163	2	–	1	–	–	–	–	1	1	1	1	–	1	8	8	8	30	30	41	21	9	–
	White—Female	196	1	–	–	1	2	–	–	1	–	–	–	–	2	3	9	10	25	42	51	37	12	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
480–486	Pneumonia	876	27	2	3	–	4	8	7	4	1	13	15	19	16	46	45	83	104	146	165	126	42	–
	White—Male	421	16	–	2	–	1	2	5	2	–	4	8	9	10	30	28	51	57	69	73	44	10	–
	White—Female	408	6	2	1	–	2	5	2	1	1	5	5	6	4	12	13	28	44	73	88	79	31	–
	All other—Male	29	–	–	–	–	1	–	–	1	–	3	1	3	2	2	3	4	3	1	3	1	1	–
	All other—Female	18	5	–	–	–	1	–	–	–	–	1	1	1	–	2	1	–	–	3	1	2	–	–
490–493	Bronchitis, emphysema, and asthma	451	1	–	–	–	1	1	–	1	2	2	6	17	25	50	70	94	79	51	35	13	3	–
	White—Male	309	–	–	–	–	–	–	–	–	2	1	4	8	13	32	52	66	63	38	20	9	1	–
	White—Female	134	1	–	–	–	1	1	–	1	–	1	2	7	11	18	17	26	15	13	15	3	2	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	–	–	1	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
490, 491	Chronic and unqualified bronchitis	84	1	–	–	–	–	1	–	1	–	–	1	2	5	8	12	19	11	7	8	7	1	
	White Male	55	–	–	–	–	–	–	–	–	–	–	1	1	4	4	9	14	9	5	3	5	–	
	Female	27	1	–	–	–	–	1	–	1	–	–	–	1	–	4	3	5	2	2	5	1	1	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	329	–	–	–	–	–	–	–	–	2	1	3	11	17	39	50	67	65	43	23	6	2	
	White Male	241	–	–	–	–	–	–	–	–	2	1	1	7	8	26	40	50	52	32	17	4	1	
	Female	85	–	–	–	–	–	–	–	–	–	–	2	4	9	13	9	16	12	11	6	2	1	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	38	–	–	–	–	1	–	–	–	–	1	2	4	3	3	8	8	3	1	4	–	–	
	White Male	13	–	–	–	–	–	–	–	–	–	–	2	–	1	2	3	2	2	1	–	–	–	
	Female	22	–	–	–	–	1	–	–	–	–	1	–	2	2	1	5	5	1	–	4	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	108	–	–	–	–	–	–	–	–	–	2	1	8	5	8	18	20	11	13	7	12	3	
	White Male	62	–	–	–	–	–	–	–	–	–	1	1	5	4	6	9	16	4	9	3	2	2	
	Female	42	–	–	–	–	–	–	–	–	–	1	–	1	1	2	8	3	7	4	4	10	1	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	8	–	–	–	–	–	–	–	2	–	–	–	–	–	1	3	2	–	–	–	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	108	7	2	–	–	–	–	–	1	–	1	3	1	4	5	9	10	18	23	15	6	3	
	White Male	43	6	1	–	–	–	–	–	–	–	1	–	–	2	4	3	4	3	11	5	1	2	
	Female	63	1	1	–	–	–	–	–	1	–	–	3	1	2	1	6	5	15	11	10	5	1	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	491	1	–	–	–	–	1	5	11	13	34	58	70	89	83	57	37	14	11	4	3	–	
	White Male	295	–	–	–	–	–	–	4	4	9	12	31	44	57	63	34	20	8	6	2	1	–	
	Female	142	1	–	–	–	–	1	–	2	1	13	15	18	26	17	17	16	6	5	2	2	–	
	All other Male	30	–	–	–	–	–	–	–	2	1	6	8	4	4	1	3	1	–	–	–	–	–	
	Female	24	–	–	–	–	–	–	1	3	2	3	4	4	2	2	3	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	45	–	–	–	–	–	–	–	1	–	–	–	–	2	2	5	4	9	11	10	1	–	
	White Male	20	–	–	–	–	–	–	–	1	–	–	–	–	2	–	5	1	4	4	3	–	–	
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	5	6	6	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
580–584	Nephritis and nephrosis	99	–	–	–	1	–	2	–	4	–	2	6	9	4	12	9	14	12	14	6	3	1	
	White Male	58	–	–	–	–	–	1	–	2	–	1	4	4	1	9	6	9	7	8	5	1	–	
	Female	36	–	–	–	1	–	1	–	1	–	1	2	5	2	2	1	5	5	6	1	2	1	
	All other Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	19	–	–	–	–	–	–	–	2	–	–	1	2	–	3	3	1	5	1	–	1	–	
	White Male	12	–	–	–	–	–	–	–	1	–	–	1	1	–	2	3	–	3	1	–	–	–	
	Female	7	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	2	–	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	80	–	–	–	1	–	2	–	2	–	2	5	7	4	9	6	13	7	13	6	2	1	
	White Male	46	–	–	–	–	–	1	–	1	–	1	3	3	1	7	3	9	4	7	5	1	–	
	Female	29	–	–	–	1	–	1	–	–	–	1	2	4	2	1	1	4	3	6	1	1	1	
	All other Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
590	Infections of kidney	49	–	–	–	–	–	–	–	1	–	–	–	–	2	4	4	7	11	13	3	2	2	
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	7	6	1	1	1	
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	3	4	5	2	1	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	4	1	–	–	
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	4	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	219	134	16	6	15	3	6	5	4	–	–	6	3	4	5	1	2	4	1	2	2	–	–
	White Male	106	74	4	2	8	2	2	2	1	–	–	3	1	3	4	–	–	–	–	–	–	–	–
	Female	102	55	11	3	7	1	3	3	2	–	–	2	2	1	–	1	2	4	1	2	2	–	–
	All other Male	8	4	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	337	336	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	195	194	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	114	114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	203	202	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	122	121	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	250	150	7	–	1	3	1	7	3	3	2	2	8	7	7	5	10	4	9	10	4	6	1
	White Male	126	79	3	–	1	2	1	3	1	1	1	2	3	4	5	2	5	2	3	5	1	1	1
	Female	97	51	4	–	–	–	–	3	2	1	1	–	3	3	2	3	4	1	6	5	3	5	–
	All other Male	18	14	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	9	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Residual	All other diseases	2,066	46	23	8	13	14	20	31	26	24	50	62	113	126	203	235	291	267	245	149	88	32	–
	White Male	1,133	17	11	3	5	8	11	16	15	8	23	31	61	73	110	154	172	167	125	64	44	15	–
	Female	840	24	9	5	7	4	7	8	9	14	23	20	42	49	87	76	110	92	112	84	42	16	–
	All other Male	64	5	2	–	–	1	1	4	2	2	1	10	7	3	2	4	8	6	2	1	2	1	–
	Female	29	–	1	–	1	1	1	3	–	–	3	1	3	1	4	1	1	2	6	–	–	–	–
E800–E949	Accidents	1,844	14	62	40	62	204	249	180	111	86	69	77	81	91	95	75	84	59	86	64	42	12	1
	White Male	1,203	11	34	18	38	149	186	132	81	59	51	39	48	68	64	44	48	32	48	27	22	3	1
	Female	528	2	23	20	19	44	45	33	24	22	11	26	23	20	28	27	34	24	38	36	20	9	–
	All other Male	77	1	4	1	3	9	12	11	6	3	3	9	6	2	1	2	2	2	–	–	–	–	–
	Female	36	–	1	1	2	2	6	4	–	2	4	3	4	1	2	2	–	1	–	1	–	–	–
E810–E823	Motor vehicle accidents	848	3	25	14	16	145	159	107	67	41	32	40	23	42	26	20	38	14	20	10	5	1	–
	White Male	571	2	11	8	9	105	116	76	49	25	24	21	10	31	18	8	23	9	15	7	4	–	–
	Female	227	–	12	6	7	33	33	22	15	13	7	13	9	10	8	11	13	5	5	3	1	1	–
	All other Male	34	1	2	–	–	6	7	7	3	1	–	3	1	1	–	–	2	–	–	–	–	–	–
	Female	16	–	–	–	–	1	3	2	–	2	1	3	3	–	–	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	996	11	37	26	46	59	90	73	44	45	37	37	58	49	69	55	46	45	66	54	37	11	1
	White Male	632	9	23	10	29	44	70	56	32	34	27	18	38	37	46	36	25	23	33	20	18	3	1
	Female	301	2	11	14	12	11	12	11	9	9	4	13	14	10	20	16	21	19	33	33	19	8	–
	All other Male	43	–	2	1	3	3	5	4	3	2	3	6	5	1	1	2	–	2	–	–	–	–	–
	Female	20	–	1	1	2	1	3	2	–	–	3	–	1	1	2	1	–	1	–	1	–	–	–
E950–E959	Suicide	535	...	...	–	6	25	63	67	39	33	43	49	42	43	37	27	23	16	11	9	2	–	–
	White Male	350	...	...	–	6	16	43	44	28	21	27	25	24	27	28	21	15	11	6	6	2	–	–
	Female	151	...	...	–	–	4	14	18	8	11	13	18	17	15	7	5	8	5	5	3	–	–	–
	All other Male	25	...	...	–	–	4	6	5	1	1	2	3	1	1	1	–	–	–	–	–	–	–	–
	Female	9	...	...	–	–	1	–	–	2	–	1	3	–	–	1	1	–	–	–	–	–	–	–
E960–E978	Homicide	180	2	4	3	2	17	29	26	18	8	19	11	13	7	7	3	5	1	3	1	–	–	1
	White Male	90	–	3	–	1	8	14	15	10	1	10	4	10	2	4	2	2	1	2	–	–	–	1
	Female	45	2	–	2	1	5	4	6	5	4	5	4	–	2	1	–	2	–	1	1	–	–	–
	All other Male	36	–	1	1	–	3	7	5	3	2	3	2	2	3	2	1	1	–	–	–	–	–	–
	Female	9	–	–	–	–	1	4	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	100	1	2	–	3	3	15	8	6	8	11	12	8	4	4	2	3	2	1	2	1	–	4
	White Male	56	–	–	–	3	2	6	6	3	3	5	8	4	3	3	1	3	1	1	1	–	–	3
	Female	34	–	2	–	–	1	5	2	3	4	5	3	4	1	1	1	–	1	–	1	1	–	–
	All other Male	8	1	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	1
	Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia																							
	All causes	19,690	482	81	50	63	189	226	196	161	215	348	563	953	1,391	1,928	2,276	2,574	2,560	2,430	1,800	911	291	2
	White Male	10,592	260	40	34	35	127	165	131	104	150	210	360	562	863	1,189	1,377	1,445	1,292	1,075	737	341	93	2
	Female	8,169	195	40	15	26	54	48	51	47	55	117	167	339	473	664	798	998	1,120	1,239	1,003	535	185	–
	All other Male	526	15	–	1	2	6	9	9	8	4	12	21	30	30	45	56	72	85	63	37	14	7	–
	Female	403	12	1	–	–	2	4	5	2	6	9	15	22	25	30	45	59	63	53	23	21	6	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	21	5	2	–	–	–	1	–	–	–	–	1	–	1	–	2	1	1	3	–	4	–	–
	White Male	8	1	1	–	–	–	1	–	–	–	–	1	–	–	–	2	1	–	–	–	1	–	–
	Female	10	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	3	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	38	–	–	–	–	1	1	–	–	–	2	1	3	3	2	6	4	8	5	1	1	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	2	–	2	1	2	5	3	5	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	1	1	–	–
	All other Male	7	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	37	–	–	–	–	–	1	–	–	–	2	1	3	3	2	6	4	8	5	1	1	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	2	–	2	1	2	5	3	5	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	1	1	–	–
	All other Male	6	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	57	6	2	–	–	–	–	2	1	–	1	1	1	6	5	8	6	4	7	5	2	–	–
	White Male	28	4	1	–	–	–	–	1	–	–	–	–	1	3	4	3	3	3	2	1	2	–	–
	Female	22	2	1	–	–	–	–	1	–	–	–	–	–	3	1	5	2	–	5	2	–	–	–
	All other Male	4	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	35	3	1	2	1	1	–	1	2	1	–	–	3	4	6	4	–	2	3	1	–	–	
	White Male	16	2	1	–	–	–	–	–	1	1	–	–	1	2	3	2	–	2	–	1	–	–	
	Female	18	1	–	2	1	1	–	1	1	–	–	–	1	2	3	2	–	–	3	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,469	3	5	6	6	9	15	20	21	29	73	147	239	386	503	514	493	427	337	165	54	17	–
	White Male	1,789	1	3	5	4	4	9	8	6	18	30	72	108	194	269	290	274	216	163	86	21	8	–
	Female	1,524	2	2	1	2	4	6	12	15	11	42	68	120	177	216	206	190	188	152	73	30	7	–
	All other Male	89	–	–	–	–	–	–	–	–	–	–	2	7	9	10	11	17	11	14	3	3	2	–
	Female	67	–	–	–	–	1	–	–	–	–	1	5	4	6	8	7	12	12	8	3	–	–	–
140–149	Of buccal cavity and pharynx	54	–	–	–	–	–	–	–	–	–	–	2	5	10	11	8	6	3	5	3	1	–	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	2	2	5	8	7	5	1	3	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	4	2	1	1	2	1	2	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	896	–	–	–	–	1	2	2	2	3	11	37	38	88	99	114	149	145	116	70	16	3	–
	White Male	444	–	–	–	–	–	–	2	1	1	6	24	21	48	52	58	75	61	55	33	6	1	–
	Female	403	–	–	–	–	1	2	–	1	2	5	13	15	38	43	51	65	72	51	33	10	1	–
	All other Male	24	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	3	7	6	1	–	1	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	6	5	4	3	–	–	–
160–163	Of respiratory system	899	–	–	–	–	–	–	1	–	6	18	34	88	141	184	156	113	89	38	23	3	5	–
	White Male	634	–	–	–	–	–	–	–	–	5	13	24	49	96	128	120	91	66	26	12	1	3	–
	Female	231	–	–	–	–	–	–	1	–	1	5	7	34	39	49	32	18	22	10	11	1	1	–
	All other Male	26	–	–	–	–	–	–	–	–	–	–	1	4	5	5	3	4	–	2	–	1	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	–	1	–	–	–	–	–
174	Of breast	263	–	–	–	–	–	–	3	3	2	15	20	25	36	43	41	22	22	23	4	2	2	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	253	–	–	–	–	–	–	3	3	2	14	20	25	36	41	40	20	19	22	4	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	2	–	–	–	–	–
180–187	Of genital organs	391	–	–	–	–	–	4	2	6	4	5	18	25	27	50	49	58	49	53	30	10	1	–
	White Male	165	–	–	–	–	–	2	–	1	1	–	2	4	3	11	25	27	34	28	20	7	–	–
	Female	199	–	–	–	–	–	2	2	5	3	5	14	19	24	37	19	24	13	21	8	2	1	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	1	3	2	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	2	–	–	3	1	1	1	–	–	–	–
188, 189	Of urinary organs	157	–	–	–	–	–	–	–	–	2	2	5	8	14	15	27	30	24	16	6	7	1	–
	White Male	91	–	–	–	–	–	–	–	–	1	2	3	5	7	8	17	21	13	7	4	2	1	–
	Female	62	–	–	–	–	–	–	–	–	1	–	2	3	6	7	10	8	11	7	2	5	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	511	1	2	2	3	4	4	7	4	8	14	21	32	44	70	81	72	62	50	18	9	3	–
	White Male	257	1	1	2	2	2	4	3	1	6	6	11	16	21	44	41	33	28	21	9	3	2	–
	Female	234	–	1	–	1	2	–	4	3	2	8	9	15	22	26	37	33	29	27	9	5	1	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	2	1	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	3	1	–	–	–	–
204–207	Leukemia	120	2	3	2	3	1	4	1	3	3	7	4	5	9	13	10	11	13	17	4	3	2	–
	White Male	73	–	2	1	2	1	3	1	1	3	3	3	2	5	7	8	7	4	14	4	1	1	–
	Female	45	2	1	1	1	–	1	–	2	–	4	–	3	3	6	2	4	9	3	–	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	178	–	–	2	–	3	1	4	3	1	1	6	13	17	18	28	32	20	19	7	3	–	–
	White Male	89	–	–	2	–	1	–	2	2	1	–	3	9	9	11	14	15	8	8	3	1	–	–
	Female	81	–	–	–	–	1	1	2	1	–	1	3	4	5	5	14	17	11	10	4	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	64	–	–	–	–	2	–	–	2	–	1	7	5	7	7	11	2	5	6	5	4	–	–
	White Male	30	–	–	–	–	2	–	–	–	–	–	2	2	4	2	6	1	2	6	2	1	–	–
	Female	30	–	–	–	–	–	–	–	2	–	1	4	2	2	4	5	1	3	–	3	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	320	–	–	–	–	2	2	2	2	3	3	5	11	15	36	51	52	54	43	26	12	1	–
	White Male	112	–	–	–	–	1	1	1	2	2	3	2	5	7	18	19	13	18	12	5	3	–	–
	Female	186	–	–	–	–	1	1	1	–	1	–	2	5	8	16	27	34	33	26	21	9	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	5	1	4	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	39	–	–	–	–	–	1	–	–	–	1	2	1	–	1	1	3	14	5	6	4	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	5	1	3	1	–	–
	Female	18	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	7	4	1	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
280–285	Anemias	30	1	2	–	–	1	1	–	–	1	–	–	3	–	2	2	1	9	5	1	1	–	–
	White Male	11	–	1	–	–	1	1	–	–	–	–	–	1	–	–	1	1	3	1	1	–	–	–
	Female	19	1	1	–	–	–	–	–	–	1	–	–	2	–	2	1	–	6	4	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	13	7	1	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–
	White Male	5	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	8	5	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,258	6	4	4	5	6	8	11	26	46	126	206	402	608	948	1,163	1,476	1,536	1,559	1,266	644	207	1
	White Male	5,375	3	3	3	2	3	4	6	15	29	84	151	273	432	632	718	820	761	657	487	231	60	1
	Female	4,482	3	1	1	3	3	3	3	9	15	35	46	118	155	277	392	599	705	842	741	393	138	–
	All other Male	211	–	–	–	–	–	1	1	2	1	2	6	3	9	23	27	32	41	28	24	7	4	–
	Female	190	–	–	–	–	–	–	1	–	1	5	3	8	12	16	26	25	29	32	14	13	5	–
390–398, 402, 404, 410–429	Diseases of heart	7,852	5	3	2	4	4	5	5	15	38	102	183	334	513	793	944	1,152	1,163	1,124	863	460	140	–
	White Male	4,269	2	3	1	1	2	3	3	9	27	76	137	236	375	541	593	652	592	477	341	161	37	–
	Female	3,279	3	–	1	3	2	2	1	4	9	21	38	90	124	220	310	456	513	602	501	282	97	–
	All other Male	160	–	–	–	–	–	–	1	2	1	2	5	2	4	20	20	24	34	20	15	7	3	–
	Female	144	–	–	–	–	–	–	–	–	1	3	3	6	10	12	21	20	24	25	6	10	3	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	103	–	–	–	1	–	1	2	2	5	2	3	6	14	16	21	12	9	3	5	1	–	–
	White Male	34	–	–	–	–	–	1	1	–	2	–	–	1	7	4	8	5	1	1	2	1	–	–
	Female	65	–	–	–	1	–	–	1	2	3	2	3	5	7	10	12	7	7	2	3	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	51	–	–	–	–	–	–	–	–	–	–	2	1	2	8	11	7	7	7	4	2	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	2	–	1	3	5	4	2	1	1	1	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	1	1	5	5	3	5	5	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
404	Hypertensive heart and renal disease	34	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	3	7	8	8	1	1	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	3	4	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	4	5	3	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
410–413	Ischemic heart disease	7,045	–	–	–	–	1	1	3	10	26	92	156	298	454	717	837	1,033	1,068	1,016	789	420	124	–
	White Male	3,858	–	–	–	–	–	1	2	7	20	70	121	219	338	498	532	586	542	435	313	144	30	–
	Female	2,912	–	–	–	–	1	–	–	2	4	17	27	72	102	193	270	405	473	542	456	260	88	–
	All other Male	145	–	–	–	–	–	–	1	1	1	2	5	2	4	16	19	23	30	18	14	6	3	–
	Female	130	–	–	–	–	–	–	–	–	1	3	3	5	10	10	16	19	23	21	6	10	3	–
410	Acute myocardial infarction	3,783	–	–	–	–	–	1	3	7	20	73	123	217	336	521	528	619	506	429	277	96	27	–
	White Male	2,317	–	–	–	–	–	1	2	5	16	56	98	169	262	369	349	349	278	204	120	32	7	–
	Female	1,328	–	–	–	–	–	–	–	1	3	13	20	44	66	136	156	246	202	212	150	60	19	–
	All other Male	74	–	–	–	–	–	–	1	1	–	2	3	–	2	9	14	15	14	7	4	2	–	–
	Female	64	–	–	–	–	–	–	–	–	1	2	2	4	6	7	9	9	12	6	3	2	1	–
411	Other acute and subacute forms of ischemic heart disease	35	–	–	–	–	–	–	–	–	–	1	2	3	3	1	5	7	3	4	4	2	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	4	2	2	1	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	2	–	4	3	–	1	3	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
412	Chronic ischemic heart disease	3,226	–	–	–	–	1	–	–	3	6	18	31	78	115	195	304	407	558	583	508	322	97	–
	White Male	1,525	–	–	–	–	–	–	–	2	4	13	22	49	75	128	182	233	262	229	192	111	23	–
	Female	1,567	–	–	–	–	1	–	–	1	1	4	7	26	34	57	110	156	270	329	303	199	69	–
	All other Male	70	–	–	–	–	–	–	–	–	1	–	1	2	2	7	5	8	16	11	10	4	3	–
	Female	64	–	–	–	–	–	–	–	–	–	1	1	1	4	3	7	10	10	14	3	8	2	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	37	–	–	–	–	–	–	–	1	1	–	2	2	2	5	2	6	4	3	5	–	4	–
	White Male	18	–	–	–	–	–	–	–	1	1	–	–	2	1	2	2	4	2	–	1	–	2	–
	Female	16	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	2	1	3	4	–	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	582	5	3	2	3	3	3	–	2	6	8	20	27	39	47	69	91	68	87	52	36	11	–
	White Male	325	2	3	1	1	2	1	–	1	4	6	14	14	28	34	43	53	42	37	20	14	5	–
	White Female	239	3	–	1	2	1	2	–	–	2	2	6	12	11	11	23	36	23	45	32	21	6	–
	All other Male	10	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	2	2	–	1	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	3	–	–	–	–
400, 401, 403	Hypertension	68	–	–	–	–	–	–	–	1	–	2	1	3	1	6	3	6	13	13	9	6	4	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	4	3	3	2	1	–
	White Female	42	–	–	–	–	–	–	–	1	–	1	–	2	–	5	1	2	7	10	6	4	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	2	–	–	–	–	–
430–438	Cerebrovascular diseases	1,782	1	1	2	1	2	3	5	8	8	17	14	53	68	114	152	243	286	330	309	120	45	–
	White Male	778	1	–	2	1	1	1	3	6	2	6	8	30	37	62	82	114	120	137	110	40	15	–
	White Female	933	–	1	–	–	1	1	1	2	6	10	5	22	27	46	62	119	158	179	186	79	28	–
	All other Male	37	–	–	–	–	–	1	–	–	–	–	1	1	3	2	4	5	5	7	7	–	1	–
	All other Female	34	–	–	–	–	–	–	1	–	–	1	–	–	1	4	4	5	3	7	6	1	1	–
431	Cerebral hemorrhage	227	1	–	1	1	1	1	1	1	3	6	7	12	15	15	26	38	27	25	31	11	4	–
	White Male	107	1	–	1	1	–	–	1	1	–	2	5	8	10	9	8	14	13	13	17	3	–	–
	White Female	109	–	–	–	–	1	–	–	–	3	3	2	4	5	3	16	21	13	12	14	8	4	–
	All other Male	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–	–	–	–	–
433	Cerebral thrombosis	433	–	–	–	–	–	–	1	1	–	–	–	6	13	17	30	56	80	90	85	40	14	–
	White Male	199	–	–	–	–	–	–	1	1	–	–	–	3	7	14	17	23	39	42	29	19	4	–
	White Female	221	–	–	–	–	–	–	–	–	–	–	–	3	5	2	12	31	40	44	54	21	9	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	2	–	1	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
434	Cerebral embolism	12	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	6	1	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	3	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,110	–	1	1	–	1	2	3	6	5	9	6	35	39	81	96	143	178	215	193	69	27	–
	White Male	467	–	–	1	–	1	1	1	4	2	4	2	19	19	39	57	74	68	82	64	18	11	–
	White Female	596	–	1	–	–	–	1	1	2	3	5	3	15	17	40	34	64	104	123	118	50	15	–
	All other Male	23	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	2	4	5	5	–	–	–
	All other Female	24	–	–	–	–	–	–	1	–	–	–	–	–	1	1	3	3	2	5	6	1	1	–
440	Arteriosclerosis	278	–	–	–	–	–	–	–	–	–	–	1	6	5	11	18	24	40	58	60	41	14	–
	White Male	139	–	–	–	–	–	–	–	–	–	–	1	3	4	9	11	18	23	23	21	20	6	–
	White Female	128	–	–	–	–	–	–	–	–	–	–	–	2	–	2	7	5	16	34	35	20	7	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	278	–	–	–	–	–	–	1	2	–	5	7	6	21	24	46	51	34	34	25	17	4	1
	White Male	171	–	–	–	–	–	–	–	–	–	2	4	4	15	20	32	33	22	17	12	8	1	1
	White Female	100	–	–	–	–	–	–	1	2	–	3	3	2	4	4	12	17	11	17	13	8	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	601	22	3	1	2	4	4	1	3	5	2	3	15	34	39	49	63	99	88	83	59	22	–
	White Male	299	7	1	1	–	1	2	–	1	2	–	2	6	16	25	31	34	49	41	47	25	8	–
	White Female	270	15	2	–	2	3	2	1	1	3	2	1	7	16	12	16	26	42	42	33	31	13	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	5	4	1	2	–	–
	All other Female	13	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	3	1	2	1	1	–
470–474	Influenza	50	–	–	1	–	–	1	–	–	–	–	1	–	5	2	6	8	6	7	4	7	2	–
	White Male	22	–	–	1	–	–	–	–	–	–	–	1	–	3	2	5	3	2	–	1	4	–	–
	White Female	27	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	5	4	6	3	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
480–486	Pneumonia	551	22	3	–	2	4	3	1	3	5	2	2	15	29	37	43	55	93	81	79	52	20	–
	White Male	277	7	1	–	–	1	2	–	1	2	–	1	6	13	23	26	31	47	41	46	21	8	–
	White Female	243	15	2	–	2	3	1	1	1	3	2	1	7	14	12	15	21	38	36	30	28	11	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	5	4	1	2	–	–
	All other Female	12	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	3	–	2	1	1	–
490–493	Bronchitis, emphysema, and asthma	280	–	–	–	2	1	–	1	–	2	2	2	15	22	45	55	51	28	23	18	9	4	–
	White Male	195	–	–	–	1	1	–	1	–	–	–	1	5	11	30	42	40	23	19	10	7	4	–
	White Female	73	–	–	–	–	–	–	–	–	2	2	1	9	11	14	9	8	5	3	7	2	–	–
	All other Male	10	–	–	–	1	–	–	–	–	–	–	–	–	–	1	4	3	–	–	1	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
490, 491	Chronic and unqualified bronchitis	54	–	–	–	1	–	–	–	–	–	1	–	4	4	7	8	7	5	5	6	2	4	
	White Male	31	–	–	–	1	–	–	–	–	–	–	–	1	3	4	5	4	3	4	2	–	4	
	Female	22	–	–	–	–	–	–	–	–	–	1	–	3	1	2	3	3	2	1	4	2	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	198	–	–	–	–	–	–	–	–	1	1	2	10	13	31	42	41	21	18	12	6	–	
	White Male	153	–	–	–	–	–	–	–	–	–	–	1	4	8	24	34	34	19	15	8	6	–	
	Female	37	–	–	–	–	–	–	–	–	1	1	1	6	5	7	5	4	2	2	3	–	–	
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
493	Asthma	28	–	–	–	1	1	–	1	–	1	–	–	1	5	7	5	3	2	–	–	1	–	
	White Male	11	–	–	–	–	1	–	1	–	–	–	–	–	–	2	3	2	1	–	–	1	–	
	Female	14	–	–	–	–	–	–	–	–	1	–	–	–	5	5	1	1	1	–	–	–	–	
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	61	1	–	–	–	–	–	1	1	1	3	2	1	6	7	8	5	8	4	9	2	2	
	White Male	37	–	–	–	–	–	–	1	1	1	2	2	1	5	3	3	3	6	4	4	1	–	
	Female	22	–	–	–	–	–	–	–	–	–	1	–	–	1	4	4	2	2	–	5	1	2	
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	71	7	–	–	–	–	–	–	1	–	–	2	1	3	3	3	15	14	5	10	7	–	
	White Male	28	3	–	–	–	–	–	–	1	–	–	1	1	–	2	2	6	5	3	3	1	–	
	Female	36	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	9	2	6	6	–	
	All other Male	4	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	
571	Cirrhosis of liver	266	–	–	–	–	–	–	3	3	16	24	38	33	41	32	29	21	15	8	2	1	–	
	White Male	172	–	–	–	–	–	–	1	1	12	14	26	19	28	25	18	12	9	4	2	1	–	
	Female	71	–	–	–	–	–	–	–	2	3	6	9	8	9	6	10	8	6	4	–	–	–	
	All other Male	12	–	–	–	–	–	–	–	–	–	3	1	4	2	1	–	1	–	–	–	–	–	
	Female	11	–	–	–	–	–	–	2	–	1	1	2	2	2	–	1	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	37	–	–	–	–	1	–	–	–	–	–	–	1	1	3	5	3	9	5	8	–	1	
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	4	3	4	–	–	
	Female	19	–	–	–	–	1	–	–	–	–	–	–	–	–	2	4	–	5	2	4	–	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	74	–	–	1	1	–	–	1	–	–	2	1	5	6	5	9	16	5	16	2	3	1	
	White Male	33	–	–	1	1	–	–	–	–	–	–	1	2	3	2	5	4	3	8	–	2	1	
	Female	31	–	–	–	–	–	–	1	–	–	1	–	1	3	2	3	9	1	7	2	1	–	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	1	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	25	–	–	–	1	–	–	–	–	–	1	–	1	2	2	2	7	1	4	2	1	1	
	White Male	9	–	–	–	1	–	–	–	–	–	–	–	1	2	–	1	2	–	1	–	1	1	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	1	3	2	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	49	–	–	1	–	–	–	1	–	–	1	1	4	4	3	7	9	4	12	–	2	–	
	White Male	24	–	–	1	–	–	–	–	–	–	–	1	1	1	2	4	2	3	7	–	2	–	
	Female	17	–	–	–	–	–	–	1	–	–	1	–	1	3	–	2	5	–	4	–	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	–	–	–	
590	Infections of kidney	43	–	–	–	–	–	–	–	–	1	–	1	1	1	5	2	3	7	11	8	2	1	
	White Male	23	–	–	–	–	–	–	–	–	1	–	–	–	1	3	1	1	5	7	3	–	1	
	Female	19	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	1	4	5	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
640–645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	131	72	16	7	2	4	2	3	3	2	1	8	2	1	1	4	–	–	2	–	1	–	–
	White Male	62	31	9	4	1	2	1	1	2	2	1	2	1	1	–	2	–	–	2	–	–	–	–
	Female	63	38	6	2	1	2	1	1	1	–	–	6	1	–	1	2	–	–	–	–	1	–	–
	All other Male	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	264	264	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	152	152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	95	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	648	52	3	–	2	3	5	5	3	9	14	20	40	38	74	63	83	74	62	50	36	11	1
	White Male	364	33	–	–	1	3	5	3	–	5	10	19	27	25	46	37	53	38	25	18	13	2	1
	Female	231	16	3	–	1	–	–	2	2	3	4	1	10	13	25	25	17	22	31	30	17	9	–
	All other Male	22	1	–	–	–	–	–	–	–	–	–	–	3	–	2	–	6	6	3	–	1	–	–
	Female	31	2	–	–	–	–	–	–	1	1	–	–	–	–	2	1	7	8	3	2	5	–	–
Residual	All other diseases	1,407	16	10	7	3	6	8	17	14	26	26	36	85	101	139	208	193	183	173	95	44	17	–
	White Male	777	11	3	4	1	1	4	7	9	17	12	17	48	58	79	136	112	106	89	40	17	6	–
	Female	541	5	7	3	2	5	3	8	5	6	11	13	30	40	54	61	70	58	72	52	26	10	–
	All other Male	64	–	–	–	–	–	1	2	–	1	2	4	4	2	6	7	5	14	11	3	1	1	–
	Female	25	–	–	–	–	–	–	–	–	2	1	2	3	1	–	4	6	5	1	–	–	–	–
E800–E949	Accidents	1,054	13	29	21	37	125	143	86	55	37	35	44	56	65	44	52	61	46	49	31	19	6	–
	White Male	723	8	15	15	24	90	114	69	48	28	27	32	38	42	28	33	43	22	17	15	12	3	–
	Female	290	5	14	6	13	30	23	12	3	8	6	10	14	20	15	18	16	23	29	16	6	3	–
	All other Male	29	–	–	–	–	5	3	4	4	–	2	1	3	3	–	1	1	–	2	–	–	–	–
	Female	12	–	–	–	–	–	3	1	–	1	–	1	1	–	1	–	1	1	1	–	1	–	–
E810–E823	Motor vehicle accidents	492	2	9	9	18	87	104	43	26	24	16	23	23	26	16	22	23	12	6	2	1	–	–
	White Male	337	1	4	6	11	56	81	33	21	15	11	17	15	15	8	15	16	7	3	2	–	–	–
	Female	137	1	5	3	7	27	19	8	2	8	4	5	7	11	8	7	6	5	3	–	1	–	–
	All other Male	12	–	–	–	–	4	1	1	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	562	11	20	12	19	38	39	43	29	13	19	21	33	39	28	30	38	34	43	29	18	6	–
	White Male	386	7	11	9	13	34	33	36	27	13	16	15	23	27	20	18	27	15	14	13	12	3	–
	Female	153	4	9	3	6	3	4	4	1	–	2	5	7	9	7	11	10	18	26	16	5	3	–
	All other Male	17	–	–	–	–	1	2	3	1	–	1	–	2	3	–	1	1	–	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	1	–	–
E950–E959	Suicide	182	...	...	–	–	8	9	11	9	12	10	19	18	25	15	19	10	9	5	3	–	–	–
	White Male	140	...	...	–	–	4	4	9	7	11	8	16	11	19	11	17	9	7	5	2	–	–	–
	Female	37	...	...	–	–	3	3	2	2	1	2	3	7	6	4	2	1	1	–	–	–	–	–
	All other Male	4	...	...	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	1	...	...	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	129	1	1	–	1	8	14	23	11	14	15	12	8	8	1	2	7	1	1	–	–	1	–
	White Male	86	–	1	–	–	7	10	15	6	12	12	9	5	4	1	1	3	–	–	–	–	–	–
	Female	27	1	–	–	–	1	2	6	4	–	2	–	1	3	–	–	4	1	1	–	–	1	–
	All other Male	13	–	–	–	1	–	1	2	1	2	1	2	2	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	70	1	–	1	–	7	9	8	4	9	7	4	4	8	2	2	3	–	1	–	–	–	–
	White Male	62	–	–	1	–	7	9	8	4	9	5	3	3	7	1	1	3	–	1	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	2	1	1	–	1	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin																							
	All causes	**40,158**	**813**	**135**	**96**	**163**	**447**	**461**	**378**	**280**	**373**	**534**	**995**	**1,525**	**2,239**	**3,279**	**4,064**	**5,054**	**5,621**	**6,021**	**4,565**	**2,346**	**765**	**4**
	White Male	21,490	392	68	45	96	290	336	234	168	212	299	562	910	1,374	2,089	2,531	3,009	3,056	2,903	1,877	838	199	2
	Female	17,573	318	52	42	60	120	95	106	81	123	192	354	527	793	1,101	1,418	1,943	2,495	3,051	2,658	1,485	557	2
	All other Male	626	42	5	7	5	24	17	29	20	21	25	45	53	42	50	76	56	39	38	14	13	5	–
	Female	469	61	10	2	2	13	13	9	11	17	18	34	35	30	39	39	46	31	29	16	10	4	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	36	6	3	–	–	–	–	–	–	–	1	1	–	1	–	1	3	8	4	6	2	–	–
	White Male	14	–	2	–	–	–	–	–	–	–	–	1	–	1	–	1	2	2	1	3	1	–	–
	Female	20	4	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	6	3	3	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	41	–	–	–	–	1	–	1	–	–	–	3	3	6	4	4	3	5	5	3	3	–	–
	White Male	24	–	–	–	–	–	–	1	–	–	–	1	3	6	2	3	2	4	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	3	2	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	33	–	–	–	–	–	–	–	–	–	–	3	3	5	3	4	3	4	4	3	1	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	1	3	5	1	3	2	3	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	3	2	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–	1	1	–	2	–	–
	White Male	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
	White Male	4	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	75	8	–	–	–	–	–	–	–	3	1	–	4	4	6	9	10	8	12	4	4	2	–
	White Male	41	4	–	–	–	–	–	–	–	1	1	–	3	3	5	6	5	4	5	1	2	1	–
	Female	32	4	–	–	–	–	–	–	–	2	–	–	1	1	–	3	5	4	6	3	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	82	6	1	–	1	1	5	2	3	2	3	7	–	3	11	7	6	8	10	5	1	–	–
	White Male	34	4	–	–	1	1	1	–	3	–	2	–	–	3	3	3	1	4	5	3	–	–	–
	Female	37	1	1	–	–	–	2	–	–	1	1	5	–	–	6	4	4	4	5	2	1	–	–
	All other Male	4	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	2	1	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,856	2	15	17	23	21	28	39	42	59	129	288	497	702	1,020	1,096	1,172	1,104	903	486	178	35	–
	White Male	4,037	1	8	5	13	12	15	21	23	27	61	124	230	323	551	602	660	608	449	232	60	12	–
	Female	3,638	1	7	11	10	9	12	14	17	27	64	147	244	354	452	467	484	487	442	249	117	23	–
	All other Male	104	–	–	–	–	–	–	2	1	1	3	6	14	14	8	22	19	5	7	2	–	–	–
	Female	77	–	–	1	–	–	1	2	1	4	1	11	9	11	9	5	9	4	5	3	1	–	–
140–149	Of buccal cavity and pharynx	147	–	–	–	–	–	–	–	–	2	1	4	18	22	25	25	18	16	8	7	1	–	–
	White Male	109	–	–	–	–	–	–	–	–	1	1	3	13	17	20	18	13	12	6	5	–	–	–
	Female	35	–	–	–	–	–	–	–	–	1	–	1	4	5	5	5	5	4	2	2	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,371	–	–	2	–	–	–	2	5	8	24	53	108	167	247	317	415	380	340	202	83	18	–
	White Male	1,204	–	–	–	–	–	–	2	4	4	12	30	59	75	144	164	224	196	161	94	28	7	–
	Female	1,116	–	–	2	–	–	–	–	1	2	9	20	45	81	98	148	182	181	175	106	55	11	–
	All other Male	23	–	–	–	–	–	–	–	–	–	2	1	2	5	2	3	4	1	3	–	–	–	–
	Female	28	–	–	–	–	–	–	–	–	2	1	2	2	6	3	2	5	2	1	2	–	–	–
160–163	Of respiratory system	1,481	–	1	–	–	–	1	1	4	4	21	70	121	175	262	251	240	183	101	37	9	–	–
	White Male	1,098	–	1	–	–	–	1	–	3	1	15	45	80	123	192	198	188	150	73	26	2	–	–
	Female	335	–	–	–	–	–	–	1	1	2	5	20	33	42	67	45	43	33	26	11	6	–	–
	All other Male	41	–	–	–	–	–	–	–	–	1	1	3	7	9	2	8	8	–	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	–	–	–	1	–	–
174	Of breast	748	–	–	–	–	–	–	1	4	12	23	62	63	90	105	97	83	86	64	42	12	4	–
	White Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	–	–	–	–	–
	Female	728	–	–	–	–	–	–	1	4	11	22	58	61	88	102	94	81	85	63	42	12	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	4	2	1	2	2	1	–	1	–	–	–	–
180–187	Of genital organs	944	–	–	–	–	1	5	6	5	8	8	19	52	74	105	125	135	158	139	80	18	6	–
	White Male	450	–	–	–	–	1	3	4	2	3	–	–	5	16	33	52	72	97	92	53	13	4	–
	Female	468	–	–	–	–	–	2	1	3	4	8	18	44	57	68	66	59	59	46	26	5	2	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	–	1	–	3	7	3	2	1	1	–	–	–
	Female	8	–	–	–	–	–	–	1	–	1	–	1	2	1	1	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	409	–	2	1	2	–	–	3	1	1	4	12	21	42	40	48	54	62	59	38	16	3	–
	White Male	268	–	–	–	1	–	–	2	–	1	3	9	17	27	29	36	36	38	39	21	8	1	–
	Female	133	–	2	1	1	–	–	1	1	–	1	1	3	15	11	10	18	23	18	17	8	2	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	975	1	6	4	7	11	9	14	13	15	28	37	70	81	137	147	117	108	98	47	21	4	–
	White Male	478	–	5	1	4	7	3	6	7	9	16	23	30	39	69	79	62	56	38	20	4	–	–
	Female	479	1	1	2	3	4	5	6	4	6	12	13	39	41	67	68	50	51	59	26	17	4	–
	All other Male	10	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	4	1	–	1	–	–	–
	Female	8	–	–	1	–	–	1	–	1	–	–	1	–	1	1	–	1	–	1	–	–	–	–
204–207	Leukemia	341	1	5	9	10	9	9	7	6	2	10	15	22	20	28	31	49	45	33	15	15	–	–
	White Male	184	1	1	4	4	4	4	5	4	2	6	5	16	10	19	23	29	21	14	7	5	–	–
	Female	154	–	4	5	6	5	5	1	2	–	4	9	6	10	9	8	20	23	19	8	10	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	440	–	1	1	4	–	4	5	4	7	10	16	22	31	71	55	61	66	61	18	3	–	–
	White Male	240	–	1	–	4	–	4	2	3	6	7	9	10	15	44	31	35	37	26	6	–	–	–
	Female	190	–	–	1	–	–	–	3	1	1	3	7	9	15	25	23	26	28	34	11	3	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	67	–	–	–	–	–	–	–	–	2	1	2	4	6	6	6	6	10	8	9	6	1	–
	White Male	31	–	–	–	–	–	–	–	–	–	1	–	2	3	2	3	3	6	4	4	2	1	–
	Female	33	–	–	–	–	–	–	–	–	1	–	2	2	3	4	1	3	4	4	5	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
250	Diabetes mellitus	698	–	–	–	–	1	4	7	8	5	6	18	23	42	62	84	112	113	111	70	22	10	–
	White Male	293	–	–	–	–	–	1	3	6	3	2	10	8	23	25	43	49	42	43	23	8	4	–
	Female	382	–	–	–	–	1	3	4	–	2	4	7	9	18	33	40	60	71	65	45	14	6	–
	All other Male	9	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	1	–	2	1	–	–	–
	Female	14	–	–	–	–	–	–	–	1	–	–	–	5	1	2	1	2	–	1	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	59	2	–	–	–	1	1	1	1	–	2	1	1	3	1	3	3	7	8	11	7	6	–
	White Male	24	1	–	–	–	–	1	1	–	–	2	1	–	2	–	1	2	5	3	1	2	2	–
	Female	33	1	–	–	–	–	–	–	1	–	–	–	1	1	1	2	1	2	4	10	5	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin — Con.																							
280–285	Anemias	60	1	2	–	–	2	–	–	–	1	–	–	1	2	3	6	4	12	11	10	3	2	
	White Male	28	–	–	–	–	2	–	–	–	–	–	–	–	1	2	2	3	7	6	2	2	1	
	Female	28	–	1	–	–	–	–	–	–	–	–	–	1	1	1	3	1	5	5	8	1	1	
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	26	10	4	1	2	–	–	–	–	2	1	1	2	–	2	1	–	–	–	–	–	–	
	White Male	16	4	3	1	1	–	–	–	–	2	–	1	1	–	2	1	–	–	–	–	–	–	
	Female	9	5	1	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	21,799	16	9	7	9	13	21	33	37	89	162	354	606	991	1,543	2,110	2,871	3,471	3,968	3,194	1,726	569	
	White Male	11,475	8	4	6	5	7	13	15	20	56	111	245	428	699	1,089	1,379	1,727	1,844	1,836	1,236	614	133	
	Female	9,928	7	5	1	4	5	8	16	13	24	40	84	144	267	412	666	1,096	1,581	2,094	1,938	1,095	428	
	All other Male	224	–	–	–	–	1	–	2	2	5	6	15	22	17	24	39	23	23	20	10	10	5	
	Female	172	1	–	–	–	–	–	–	2	4	5	10	12	8	18	26	25	23	18	10	7	3	
390–398, 402, 404, 410–429	Diseases of heart	16,173	9	5	5	4	4	9	17	26	62	128	282	504	831	1,254	1,694	2,212	2,540	2,797	2,214	1,184	392	
	White Male	8,954	6	3	4	2	4	6	9	17	43	99	219	379	606	905	1,137	1,366	1,372	1,358	897	421	101	
	Female	6,933	3	2	1	2	–	3	7	7	13	20	47	96	206	316	510	811	1,137	1,413	1,302	751	286	
	All other Male	177	–	–	–	–	–	–	1	1	3	5	11	20	13	22	31	18	16	17	9	7	3	
	Female	109	–	–	–	–	–	–	–	1	3	4	5	9	6	11	16	17	15	9	6	5	2	
390–398	Active rheumatic fever and chronic rheumatic heart disease	288	–	1	–	–	–	1	3	3	6	6	15	18	28	36	50	36	42	21	14	6	2	
	White Male	128	–	1	–	–	–	–	2	3	3	5	7	14	11	16	25	17	16	5	1	2	–	
	Female	153	–	–	–	–	–	1	–	–	3	1	6	4	15	20	25	19	25	15	13	4	2	
	All other Male	7	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	1	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	154	–	–	–	–	–	–	–	1	–	–	6	7	8	14	15	27	21	25	20	8	2	
	White Male	72	–	–	–	–	–	–	–	–	–	–	5	6	7	9	7	15	7	6	7	2	1	
	Female	76	–	–	–	–	–	–	–	1	–	–	1	1	1	4	6	12	14	16	13	6	1	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
404	Hypertensive heart and renal disease	66	–	–	–	–	–	–	–	–	–	1	–	–	2	1	8	5	6	13	21	6	3	
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	3	4	5	5	3	–	
	Female	39	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	2	8	16	3	3	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
410–413	Ischemic heart disease	14,334	–	–	–	–	1	1	7	16	45	103	224	420	683	1,074	1,442	1,972	2,304	2,554	2,033	1,092	363	
	White Male	7,932	–	–	–	–	1	1	3	11	31	80	178	320	512	794	981	1,218	1,245	1,253	819	388	97	
	Female	6,163	–	–	–	–	–	–	4	3	8	16	35	77	156	253	423	721	1,031	1,283	1,199	693	261	
	All other Male	142	–	–	–	–	–	–	–	1	3	4	7	15	10	16	25	18	13	12	9	6	3	
	Female	97	–	–	–	–	–	–	–	1	3	3	4	8	5	11	13	15	15	6	6	5	2	
410	Acute myocardial infarction	6,633	–	–	–	–	1	–	5	10	31	70	140	271	441	671	872	1,072	1,109	976	637	249	78	
	White Male	4,139	–	–	–	–	1	–	3	6	22	55	117	222	347	501	612	684	641	516	287	95	30	
	Female	2,399	–	–	–	–	–	–	2	2	5	13	20	44	86	159	246	376	459	450	342	148	47	
	All other Male	55	–	–	–	–	–	–	–	1	1	1	1	4	6	8	6	8	4	7	4	4	–	
	Female	40	–	–	–	–	–	–	–	1	3	1	2	1	2	3	8	4	5	3	4	2	1	
411	Other acute and subacute forms of ischemic heart disease	63	–	–	–	–	–	–	1	–	–	1	3	1	4	5	5	14	7	8	5	8	1	
	White Male	45	–	–	–	–	–	–	–	–	–	1	3	1	2	4	5	12	3	6	2	6	–	
	Female	18	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	2	4	2	3	2	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	7,637	–	–	–	–	–	1	1	6	14	32	81	148	238	398	565	886	1,188	1,569	1,391	835	284	
	White Male	3,748	–	–	–	–	–	1	–	5	9	24	58	97	163	289	364	522	601	731	530	287	67	
	Female	3,745	–	–	–	–	–	–	1	1	3	3	15	33	68	93	177	343	568	830	854	543	213	
	All other Male	87	–	–	–	–	–	–	–	–	2	3	6	11	4	8	19	10	9	5	5	2	3	
	Female	57	–	–	–	–	–	–	–	–	–	2	2	7	3	8	5	11	10	3	2	3	1	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	109	–	1	2	–	1	1	1	–	–	2	2	–	4	6	7	11	14	19	19	15	4	
	White Male	52	–	1	1	–	1	–	1	–	–	2	1	–	3	3	4	6	7	8	7	7	–	
	Female	55	–	–	1	–	–	1	–	–	–	–	1	–	1	3	3	5	7	9	12	8	4	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,222	9	3	3	4	2	6	6	6	11	16	35	59	106	123	172	161	153	165	107	57	18	–
	White Male	744	6	1	3	2	2	5	3	3	9	12	28	39	72	83	115	107	93	81	58	19	3	–
	Female	447	3	2	–	2	–	1	3	3	2	2	4	14	32	35	51	52	58	82	49	37	15	–
	All other Male	23	–	–	–	–	–	–	–	–	–	1	2	5	1	5	5	–	2	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	2	–	1	–	–	–	–
400, 401, 403	Hypertension	120	–	–	–	–	–	–	–	–	1	1	3	3	6	2	11	18	20	25	13	14	3	–
	White Male	61	–	–	–	–	–	–	–	–	–	1	1	1	3	1	5	11	8	15	6	9	–	–
	Female	52	–	–	–	–	–	–	–	–	–	–	2	1	3	–	3	7	11	10	7	5	3	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	4,169	5	3	2	4	8	10	10	10	19	30	54	89	123	204	318	517	738	875	719	346	85	–
	White Male	1,797	2	1	2	3	2	6	4	3	8	11	18	41	67	124	168	274	361	336	237	114	15	–
	Female	2,287	2	2	–	1	5	4	6	5	10	17	27	44	51	76	137	231	365	529	478	229	68	–
	All other Male	35	–	–	–	–	1	–	–	1	1	1	4	2	3	1	5	4	7	2	–	2	1	–
	Female	50	1	–	–	–	–	–	–	1	–	1	5	2	2	3	8	8	5	8	4	1	1	–
431	Cerebral hemorrhage	578	3	1	1	2	4	3	3	5	4	8	16	42	36	56	66	85	79	78	57	24	5	–
	White Male	271	1	–	1	2	–	3	1	1	2	3	7	18	21	41	30	49	37	25	17	12	–	–
	Female	286	2	1	–	–	3	–	2	3	2	5	8	20	15	15	32	35	40	49	39	12	3	–
	All other Male	12	–	–	–	–	1	–	–	1	–	–	1	2	–	–	2	1	2	1	–	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	3	1	–	1	–
433	Cerebral thrombosis	834	1	–	–	–	–	–	–	–	1	–	1	7	15	37	59	104	174	184	163	72	16	–
	White Male	356	1	–	–	–	–	–	–	–	–	–	–	5	9	21	36	49	77	69	65	22	2	–
	Female	465	–	–	–	–	–	–	–	–	–	–	1	2	3	14	22	52	96	113	98	50	14	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	–	–	–	–
434	Cerebral embolism	27	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	3	7	4	3	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	1	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	2	4	3	3	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,730	1	2	1	2	4	7	7	5	14	22	36	40	71	110	188	325	478	609	496	249	63	–
	White Male	1,162	–	1	1	1	2	3	3	2	6	8	11	18	36	61	101	175	244	241	155	80	13	–
	Female	1,517	–	1	–	1	2	4	4	2	8	12	17	22	33	47	79	142	225	364	338	166	50	–
	All other Male	18	–	–	–	–	–	–	–	–	–	1	3	–	1	–	3	2	5	1	–	2	–	–
	Female	33	1	–	–	–	–	–	–	1	–	1	5	–	1	2	5	6	4	3	3	1	–	–
440	Arteriosclerosis	727	–	1	–	–	–	–	–	–	1	–	1	1	3	15	19	37	82	167	179	145	76	–
	White Male	278	–	–	–	–	–	–	–	–	1	–	–	–	3	8	13	16	41	74	57	50	15	–
	Female	438	–	1	–	–	–	–	–	–	–	–	1	1	–	5	4	21	39	92	121	93	60	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	610	2	–	–	1	1	2	6	1	6	3	14	9	28	68	68	87	91	104	69	37	13	–
	White Male	385	–	–	–	–	1	1	2	–	4	–	7	7	20	51	56	60	62	53	39	20	2	–
	Female	218	2	–	–	1	–	1	3	1	1	3	7	2	7	15	12	26	29	50	30	17	11	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	2	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,314	16	7	3	3	3	6	4	6	8	11	23	27	39	47	73	124	188	266	253	159	48	–
	White Male	686	8	4	–	1	1	4	3	2	6	6	13	13	22	31	45	80	116	151	107	57	16	–
	Female	595	5	3	3	2	1	2	1	2	1	4	7	10	15	13	27	40	68	112	145	102	32	–
	All other Male	19	1	–	–	–	–	–	–	–	1	1	1	4	1	2	–	2	4	2	–	–	–	–
	Female	14	2	–	–	–	1	–	–	2	–	–	2	–	1	1	1	2	–	1	1	–	–	–
470–474	Influenza	249	–	2	1	1	–	–	1	–	–	3	1	2	4	4	12	16	29	49	69	44	11	–
	White Male	104	–	2	–	1	–	–	–	–	–	2	–	–	1	3	6	9	16	23	27	11	3	–
	Female	141	–	–	1	–	–	–	1	–	–	1	1	2	3	1	6	5	13	25	41	33	8	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
480–486	Pneumonia	1,065	16	5	2	2	3	6	3	6	8	8	22	25	35	43	61	108	159	217	184	115	37	–
	White Male	582	8	2	–	–	1	4	3	2	6	4	13	13	21	28	39	71	100	128	80	46	13	–
	Female	454	5	3	2	2	1	2	–	2	1	3	6	8	12	12	21	35	55	87	104	69	24	–
	All other Male	17	1	–	–	–	–	–	–	–	1	1	1	4	1	2	–	1	4	1	–	–	–	–
	Female	12	2	–	–	–	1	–	–	2	–	–	2	–	1	1	1	1	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	489	1	1	–	1	–	1	1	–	–	3	7	8	33	62	88	101	63	66	41	11	1	–
	White Male	366	–	1	–	1	–	1	1	–	–	–	3	7	20	42	68	84	51	51	29	6	1	–
	Female	113	1	–	–	–	–	–	–	–	–	3	3	1	10	18	18	16	11	15	12	5	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin—Con.																							
490, 491	Chronic and unqualified bronchitis	91	1	–	–	–	–	–	–	–	–	–	–	3	2	11	12	16	12	8	19	7	–	
	White Male	64	–	–	–	–	–	–	–	–	–	–	–	3	–	8	10	15	9	4	12	3	–	
	Female	25	1	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	3	4	7	4	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	368	–	–	–	–	–	–	–	–	–	2	6	5	28	47	72	84	46	52	21	4	1	
	White Male	286	–	–	–	–	–	–	–	–	–	–	2	4	18	32	56	69	40	45	16	3	1	
	Female	74	–	–	–	–	–	–	–	–	–	2	3	1	7	15	14	14	5	7	5	1	–	
	All other Male	8	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	1	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	30	–	1	–	1	–	–	1	–	–	1	1	–	3	4	4	1	5	6	1	–	–	
	White Male	16	–	1	–	1	–	–	1	–	–	–	1	–	2	2	2	–	2	2	1	–	–	
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	3	4	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	132	–	1	–	–	–	–	–	1	–	2	3	6	8	18	13	19	21	23	10	5	2	
	White Male	89	–	1	–	–	–	–	–	1	–	–	1	3	5	16	9	12	14	16	7	3	1	
	Female	41	–	–	–	–	–	–	–	–	–	1	2	3	3	2	4	6	7	7	3	2	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	18	–	–	1	–	–	1	–	–	–	–	1	1	2	1	1	2	3	1	2	1	1	
	White Male	12	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	1	2	1	1	–	1	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	1	–	
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	125	10	1	1	–	1	–	–	2	1	–	2	2	3	6	8	13	12	23	24	10	6	
	White Male	52	6	–	–	–	1	–	–	–	–	–	1	1	1	4	4	6	5	9	8	4	2	
	Female	69	4	1	–	–	–	–	–	2	–	–	1	1	2	2	3	6	7	14	16	6	4	
	All other Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	
571	Cirrhosis of liver	532	–	–	–	–	–	1	4	12	22	23	61	68	89	76	81	46	23	18	5	3	–	
	White Male	329	–	–	–	–	–	1	2	5	11	13	34	38	58	50	61	31	15	7	2	1	–	
	Female	166	–	–	–	–	–	–	1	3	7	8	20	22	27	23	18	13	8	11	3	2	–	
	All other Male	24	–	–	–	–	–	–	–	3	4	1	4	6	1	2	1	2	–	–	–	–	–	
	Female	13	–	–	–	–	–	–	1	1	–	1	3	2	3	1	1	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	72	–	–	–	–	–	–	–	–	–	2	1	1	3	3	11	11	9	16	7	7	1	
	White Male	37	–	–	–	–	–	–	–	–	–	1	–	1	–	2	8	7	2	11	–	5	–	
	Female	32	–	–	–	–	–	–	–	–	–	1	–	–	3	1	3	2	7	5	7	2	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
580–584	Nephritis and nephrosis	116	–	–	–	–	–	–	1	–	–	3	4	3	4	13	6	12	24	27	8	9	2	
	White Male	66	–	–	–	–	–	–	1	–	–	2	3	1	3	10	4	10	12	12	4	4	–	
	Female	44	–	–	–	–	–	–	–	–	–	1	1	2	1	3	2	2	8	14	4	4	2	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	
580, 581	Acute nephritis and nephrotic syndrome	31	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	5	9	5	2	2	1	
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	3	4	4	–	–	–	
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	1	2	2	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	85	–	–	–	–	–	–	1	–	–	3	4	2	3	9	5	7	15	22	6	7	1	
	White Male	49	–	–	–	–	–	–	1	–	–	2	3	–	2	7	3	7	8	8	4	4	–	
	Female	31	–	–	–	–	–	–	–	–	–	1	1	2	1	2	2	–	4	13	2	2	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	
590	Infections of kidney	72	–	–	–	–	1	–	–	–	–	1	–	–	2	6	4	10	13	16	13	2	4	
	White Male	34	–	–	–	–	1	–	–	–	–	–	–	–	–	2	3	8	6	6	7	1	–	
	Female	35	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	2	7	10	6	1	4	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	4	11	5	3	–	
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	4	11	5	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
	White Female	5	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	270	172	13	5	8	4	4	5	1	10	4	7	6	9	7	3	3	4	1	3	1	–	–
	White Male	123	75	7	2	4	3	3	2	–	5	–	4	4	3	4	2	–	1	1	2	1	–	–
	Female	122	76	4	3	3	1	1	3	1	5	4	2	2	6	3	1	3	3	–	1	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	15	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	402	402	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	192	192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	168	168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	191	191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	98	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	211	211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	365	104	3	–	–	3	3	3	2	–	2	5	8	8	12	27	31	34	31	36	29	23	1
	White Male	186	58	2	–	–	2	1	2	2	–	2	3	5	5	7	18	20	16	12	17	8	6	–
	Female	151	24	1	–	–	1	1	1	–	–	–	2	1	2	5	9	10	18	19	19	20	17	1
	All other Male	11	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	Female	17	13	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Residual	All other diseases	2,603	34	17	10	13	23	31	34	26	40	49	75	113	137	236	299	354	362	341	264	109	36	–
	White Male	1,439	21	10	3	2	10	15	20	10	22	17	36	59	84	146	180	212	216	187	133	41	15	–
	Female	1,068	10	4	6	10	9	8	11	13	17	22	36	46	45	83	110	135	141	147	129	66	20	–
	All other Male	56	1	1	1	1	2	4	2	3	1	7	3	3	4	3	7	2	4	5	1	1	–	–
	Female	40	2	2	–	–	2	4	1	–	–	3	–	5	4	4	2	5	1	2	1	1	1	–
E800–E949	Accidents	1,998	17	55	48	94	301	255	152	85	80	68	71	71	88	84	73	97	97	119	85	42	16	–
	White Male	1,304	8	23	28	63	211	202	109	63	51	44	43	53	69	62	46	55	57	61	41	12	3	–
	Female	586	4	23	17	26	72	42	31	15	21	15	19	16	17	20	23	41	40	58	44	29	13	–
	All other Male	80	2	4	3	4	14	9	11	5	5	6	6	2	1	2	4	1	–	–	–	1	–	–
	Female	28	3	5	–	1	4	2	1	2	3	3	3	–	1	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	945	4	22	17	47	214	176	87	44	47	31	39	31	27	34	22	36	32	23	10	1	1	–
	White Male	627	2	11	9	27	142	140	66	31	29	22	21	23	20	20	8	17	16	15	6	1	1	–
	Female	276	1	8	8	18	61	32	16	11	13	8	13	8	7	13	12	19	16	8	4	–	–	–
	All other Male	34	–	2	–	2	8	4	4	2	4	1	4	–	–	1	2	–	–	–	–	–	–	–
	Female	8	1	1	–	–	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,053	13	33	31	47	87	79	65	41	33	37	32	40	61	50	51	61	65	96	75	41	15	–
	White Male	677	6	12	19	36	69	62	43	32	22	22	22	30	49	42	38	38	41	46	35	11	2	–
	Female	310	3	15	9	8	11	10	15	4	8	7	6	8	10	7	11	22	24	50	40	29	13	–
	All other Male	46	2	2	3	2	6	5	7	3	1	5	2	2	1	1	2	1	–	–	–	1	–	–
	Female	20	2	4	–	1	1	2	–	2	2	3	2	–	1	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	598	. . .	. . .	–	3	45	72	55	39	37	45	45	63	48	39	44	26	12	19	6	–	–	–
	White Male	423	. . .	. . .	–	3	32	61	32	27	24	24	31	46	35	25	34	21	10	13	5	–	–	–
	Female	159	. . .	. . .	–	–	11	8	19	10	11	18	14	17	13	14	10	5	2	6	1	–	–	–
	All other Male	7	. . .	. . .	–	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	. . .	. . .	–	–	1	2	1	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	152	3	3	–	4	23	22	28	5	10	11	12	6	5	5	1	5	4	3	1	–	–	1
	White Male	68	1	3	–	1	5	12	19	1	3	9	4	2	3	3	–	1	1	1	–	–	–	1
	Female	42	2	–	–	3	9	6	1	–	3	2	1	3	1	1	1	3	2	2	1	–	–	1
	All other Male	33	–	–	–	–	6	3	7	4	3	–	6	–	1	–	–	2	1	–	–	–	–	–
	Female	9	–	–	–	–	3	1	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	42	–	–	1	1	2	5	5	9	2	3	2	1	–	4	4	–	–	–	–	1	–	2
	White Male	25	–	–	–	–	2	3	2	5	1	1	2	1	–	2	3	–	–	–	–	1	–	2
	Female	12	–	–	–	1	–	2	1	3	1	1	–	–	–	2	1	–	–	–	–	–	–	–
	All other Male	3	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming																							
	All causes	**3,160**	**122**	**16**	**14**	**21**	**67**	**73**	**62**	**50**	**49**	**62**	**89**	**129**	**216**	**268**	**331**	**327**	**361**	**406**	**309**	**150**	**38**	–
	White Male	1,888	70	6	8	12	51	57	47	37	30	41	54	83	143	171	236	209	213	206	133	71	10	–
	Female	1,209	44	9	6	8	16	14	11	10	16	17	33	44	70	95	91	112	138	196	174	78	27	–
	All other Male	36	5	–	–	1	–	1	2	2	2	1	1	2	2	2	1	4	6	2	1	1	–	–
	Female	27	3	1	–	–	–	1	2	1	1	3	1	–	1	–	3	2	4	2	1	–	1	–
004, 006	Bacillary dysentery and amebiasis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	10	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
	White Male	4	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	8	1	–	–	1	1	–	1	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–
	White Male	5	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	493	1	1	3	4	2	3	2	5	4	10	10	34	51	69	64	76	56	50	34	12	2	–
	White—Male	261	–	–	3	2	1	1	1	2	–	5	5	17	26	37	41	43	28	24	18	6	1	–
	White—Female	223	1	1	–	2	1	2	1	2	4	5	5	17	24	31	22	30	26	26	16	6	1	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	121	–	–	–	–	–	–	–	–	–	2	2	5	10	13	18	20	17	15	14	5	–	–
	White—Male	61	–	–	–	–	–	–	–	–	–	2	1	1	6	6	12	9	8	5	7	4	–	–
	White—Female	57	–	–	–	–	–	–	–	–	–	–	1	4	4	7	6	9	8	10	7	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
160–163	Of respiratory system	127	–	–	–	–	–	–	–	1	–	2	3	15	15	20	23	23	14	7	2	2	–	–
	White—Male	93	–	–	–	–	–	–	–	–	–	2	3	10	13	15	15	18	8	7	1	1	–	–
	White—Female	28	–	–	–	–	–	–	–	–	–	–	–	5	1	4	7	4	5	–	1	1	–	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	41	–	–	–	–	–	–	–	1	3	1	–	3	10	6	3	5	2	4	3	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	41	–	–	–	–	–	–	–	1	3	1	–	3	10	6	3	5	2	4	3	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	57	–	–	–	–	–	–	1	–	–	1	1	2	5	5	2	16	7	9	5	2	1	–
	White—Male	27	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	5	6	4	1	1	–
	White—Female	30	–	–	–	–	–	–	1	–	–	1	1	2	4	4	1	9	2	3	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	24	–	–	–	–	–	–	–	–	–	–	–	4	1	3	5	3	3	2	1	1	1	–
	White—Male	14	–	–	–	–	–	–	–	–	–	–	–	2	–	1	5	3	–	2	1	–	–	–
	White—Female	10	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	3	–	–	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	59	–	1	2	–	–	–	–	1	1	3	–	1	4	12	9	4	7	6	6	2	–	–
	White—Male	31	–	–	2	–	–	–	–	–	–	1	–	1	2	8	6	3	3	1	4	–	–	–
	White—Female	28	–	1	–	–	–	–	–	1	1	2	–	–	2	4	3	1	4	5	2	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	26	1	–	1	4	1	2	1	1	–	–	2	1	1	1	–	1	3	4	2	–	–	–
	White—Male	15	–	–	1	2	–	–	1	1	–	–	–	1	1	1	–	1	3	2	1	–	–	–
	White—Female	11	1	–	–	2	1	2	–	–	–	–	2	–	–	–	–	–	–	2	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	34	–	–	–	–	1	1	–	1	–	1	2	3	3	7	4	4	3	3	1	–	–	–
	White—Male	18	–	–	–	–	1	1	–	1	–	–	1	2	2	4	2	2	1	1	–	–	–	–
	White—Female	16	–	–	–	–	–	–	–	–	–	1	1	1	1	3	2	2	2	2	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	1	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	6	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
250	Diabetes mellitus	41	–	–	–	–	–	–	–	–	–	1	–	2	4	3	3	10	8	7	1	1	1	–
	White—Male	20	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	8	3	1	–	–	–	–
	White—Female	20	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	2	4	6	1	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
280–285	Anemias	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	1,483	1	1	1	1	3	1	1	3	6	12	28	44	98	120	164	172	223	263	215	99	27	
	White Male	853	–	–	–	–	2	–	–	1	4	10	17	31	71	83	119	109	138	132	87	42	7	
	Female	611	1	1	1	–	1	1	1	2	2	2	10	12	27	37	42	60	80	130	126	56	19	
	All other Male	11	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	2	3	1	1	1	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	1	–	1	
390–398, 402, 404, 410–429	Diseases of heart	1,107	1	–	–	1	1	–	–	3	6	10	21	38	88	103	129	133	168	179	144	63	19	
	White Male	667	–	–	–	–	1	–	–	1	4	9	15	29	66	75	94	83	110	91	55	28	6	
	Female	425	1	–	–	–	–	–	–	2	2	1	5	8	22	28	32	48	54	88	87	34	13	
	All other Male	8	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	2	–	1	1	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	1	–	–	
390–398	Active rheumatic fever and chronic rheumatic heart disease	20	–	–	–	–	–	–	–	1	1	1	1	1	1	2	1	3	5	3	–	–	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	4	–	–	–	–	–	
	Female	11	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	2	1	3	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
402	Hypertensive heart disease	8	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	1	1	–	1	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	975	–	–	–	–	–	–	–	1	3	8	17	35	82	90	114	121	153	154	130	49	18	
	White Male	605	–	–	–	–	–	–	–	1	2	8	13	26	63	67	85	78	99	81	52	24	6	
	Female	361	–	–	–	–	–	–	–	–	1	–	3	8	19	23	28	42	50	73	77	25	12	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	–	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	
410	Acute myocardial infarction	568	–	–	–	–	–	–	–	1	2	7	15	25	69	72	79	77	82	66	48	19	6	
	White Male	398	–	–	–	–	–	–	–	1	1	7	12	20	53	54	63	54	63	40	19	10	1	
	Female	165	–	–	–	–	–	–	–	–	1	–	2	5	16	18	15	22	18	26	28	9	5	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	403	–	–	–	–	–	–	–	–	1	1	1	9	13	17	35	44	70	88	82	30	12	
	White Male	206	–	–	–	–	–	–	–	–	1	1	1	6	10	13	22	24	35	41	33	14	5	
	Female	194	–	–	–	–	–	–	–	–	–	–	–	3	3	4	13	20	32	47	49	16	7	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
420–423, 425–427, 429	All other forms of heart disease	96	1	–	–	1	1	–	–	–	2	1	2	1	4	11	13	8	9	19	13	10	–	–
	White Male	48	–	–	–	–	1	–	–	–	2	1	1	1	3	6	8	4	6	9	3	3	–	–
	Female	43	1	–	–	–	–	–	–	–	–	–	1	–	1	5	3	4	3	10	9	6	–	–
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
400, 401, 403	Hypertension	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	3	1	–	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
430–438	Cerebrovascular diseases	254	–	1	1	–	1	1	1	–	–	2	5	4	10	12	23	26	39	49	48	27	4	–
	White Male	115	–	–	–	–	1	–	–	–	–	1	1	1	5	6	15	15	16	25	18	11	–	–
	Female	137	–	1	1	–	–	1	1	–	–	1	4	3	5	6	8	10	22	24	30	16	4	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	37	–	–	–	–	–	–	1	–	–	1	1	1	3	3	3	1	8	6	4	4	1	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	5	–	2	–	–
	Female	23	–	–	–	–	–	–	1	–	–	1	1	1	1	1	2	–	7	1	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	32	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	5	3	8	7	2	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	4	2	5	2	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	5	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	185	–	1	1	–	1	1	–	–	–	1	3	2	6	9	17	20	28	35	37	21	2	–
	White Male	82	–	–	–	–	1	–	–	–	–	1	–	–	2	4	12	10	13	15	16	8	–	–
	Female	101	–	1	1	–	–	1	–	–	–	–	3	2	4	5	5	9	14	20	21	13	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	58	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	6	20	14	8	3	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	9	8	2	1	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	10	6	6	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	55	–	–	–	–	1	–	–	–	–	–	1	2	–	2	9	10	9	12	8	1	–	–
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	1	–	2	7	8	8	6	5	1	–	–
	Female	17	–	–	–	–	1	–	–	–	–	–	1	1	–	–	2	2	1	6	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	139	7	1	1	–	–	–	–	–	3	2	4	1	8	10	7	7	15	24	28	17	4	–
	White Male	78	4	1	1	–	–	–	–	–	1	–	2	1	5	5	5	4	12	11	14	11	1	–
	Female	59	3	–	–	–	–	–	–	–	2	2	2	–	3	5	2	3	2	12	14	6	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	32	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	4	5	12	5	2	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	5	4	1	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	4	7	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	107	7	1	1	–	–	–	–	–	3	2	4	1	8	6	7	7	11	19	16	12	2	–
	White Male	64	4	1	1	–	–	–	–	–	1	–	2	1	5	4	5	4	10	10	9	7	–	–
	Female	41	3	–	–	–	–	–	–	–	2	2	2	–	3	2	2	3	–	8	7	5	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	46	–	–	–	–	1	–	–	–	–	–	2	1	3	2	9	8	6	8	5	1	–	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	1	–	3	1	7	7	4	7	2	–	–	–
	Female	14	–	–	–	–	1	–	–	–	–	–	1	1	–	1	2	1	2	1	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
490, 491	Chronic and unqualified bronchitis	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	–	2	–	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	32	–	–	–	–	–	–	–	–	–	–	1	1	3	2	5	5	5	7	2	1	–	
	White Male	24	–	–	–	–	–	–	–	–	–	–	1	–	3	1	4	5	3	6	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	11	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	1	2	2	–	–	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	1	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	11	1	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	2	1	–	2	–	
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	53	1	–	–	–	–	–	2	2	3	6	3	7	5	10	7	3	2	–	2	–	–	
	White Male	31	–	–	–	–	–	–	1	1	1	3	2	6	2	4	6	2	1	–	2	–	–	
	Female	13	1	–	–	–	–	–	–	–	–	2	1	1	1	5	1	1	–	–	–	–	–	
	All other Male	6	–	–	–	–	–	–	1	1	1	–	–	–	1	1	–	–	1	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	1	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
580–584	Nephritis and nephrosis	10	–	–	–	–	–	–	–	–	1	1	1	–	1	1	2	1	2	–	–	–	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	9	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	1	2	–	–	–	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1976–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	20	12	1	2	2	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Male	10	6	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	9	5	–	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	44	22	–	–	–	–	1	–	–	–	1	–	1	3	–	6	2	–	3	3	2	–	–
	White Male	28	11	–	–	–	–	1	–	–	–	1	–	1	3	–	5	1	–	2	2	1	–	–
	Female	15	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	241	4	–	–	2	6	6	3	2	3	6	14	17	10	30	33	34	22	26	12	9	2	–
	White Male	145	2	–	–	–	4	2	2	2	3	7	9	8	20	24	23	10	19	5	5	–	–	–
	Female	92	1	–	–	2	6	2	1	–	1	2	6	7	2	10	9	11	12	7	7	4	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	351	7	8	7	11	39	50	38	28	18	16	23	11	17	11	19	8	14	15	6	3	2	–
	White Male	267	3	3	4	8	35	41	31	25	14	14	17	9	13	8	15	6	10	5	3	2	1	–
	Female	78	3	5	3	3	4	7	6	2	3	2	6	2	4	3	4	2	4	10	3	1	1	–
	All other Male	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	196	3	2	4	4	35	32	19	19	9	10	12	8	7	4	10	6	4	6	2	–	–	–
	White Male	150	1	1	2	1	31	25	13	17	6	9	9	7	7	2	8	5	3	1	2	–	–	–
	Female	42	1	1	2	3	4	6	5	2	2	1	3	1	–	2	2	1	1	5	–	–	–	–
	All other Male	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	155	4	6	3	7	4	18	19	9	9	6	11	3	10	7	9	2	10	9	4	3	2	–
	White Male	117	2	2	2	7	4	16	18	8	8	5	8	2	6	6	7	1	7	4	1	2	1	–
	Female	36	2	4	1	–	–	1	1	–	1	1	3	1	4	1	2	1	3	5	3	1	1	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	69	. . .	. . .	–	–	7	8	7	5	8	5	1	6	6	4	4	2	3	1	1	1	–	–
	White Male	60	. . .	. . .	–	–	6	7	6	4	6	5	1	5	5	4	4	2	3	1	–	1	–	–
	Female	8	. . .	. . .	–	–	1	1	–	1	2	–	–	1	1	–	–	–	–	–	1	–	–	–
	All other Male	1	. . .	. . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	. . .	. . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	23	–	–	–	–	3	2	2	4	3	1	2	1	4	–	1	–	–	–	–	–	–	–
	White Male	16	–	–	–	–	3	2	1	2	2	–	2	–	3	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	16	–	1	–	–	5	2	4	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	White Male	8	–	–	–	–	3	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	1	–	–	2	1	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
All causes	1,911,907	34,058	1,649	17,881	21,129	171,454	18,668	26,181	4,970	9,180	91,257	42,196	4,719
Bacillary dysentery and amebiasis—004,006	57	1	–	4	–	16	–	–	–	–	–	2	–
Enteritis and other diarrheal diseases—008,009	1,941	61	1	28	20	151	33	18	2	11	85	46	8
Tuberculosis, all forms—010–019	3,134	97	5	38	42	277	33	32	12	28	168	82	6
Tuberculosis of respiratory system—010–012	2,421	87	3	24	37	195	14	23	10	22	126	64	–
Tuberculosis, other forms—013–019	713	10	2	14	5	82	19	9	2	6	42	18	6
Whooping cough—033	7	–	–	–	–	–	–	–	–	–	1	–	–
Streptococcal sore throat and scarlet fever—034	14	–	–	–	–	–	–	–	–	–	1	1	–
Meningococcal infections—036	331	13	1	3	3	27	2	5	–	1	24	8	–
Septicemia—038	6,408	124	8	60	56	369	87	86	16	48	266	238	16
Acute poliomyelitis—040–043	16	1	–	–	–	1	2	1	–	–	–	–	–
Measles—055	12	–	–	–	–	2	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	225	3	–	1	4	38	2	2	–	2	13	10	–
Other infective and parasitic diseases—Remainder of 000–136	4,439	84	4	63	53	426	39	55	6	40	206	127	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	377,631	5,917	198	3,502	3,813	35,910	3,218	5,882	1,056	2,259	19,211	7,175	973
Malignant neoplasms of buccal cavity and pharynx—140–149	8,117	112	3	84	76	785	56	134	24	88	435	169	30
Malignant neoplasms of digestive organs and peritoneum—150–159	101,810	1,359	50	856	911	9,468	805	1,686	254	646	4,929	1,661	327
Malignant neoplasms of respiratory system—160–163	91,186	1,518	52	883	956	8,846	650	1,298	292	532	5,269	1,899	228
Malignant neoplasm of breast—174	33,427	475	12	294	265	3,280	338	636	81	189	1,479	542	49
Malignant neoplasms of genital organs—180–187	44,490	741	19	408	491	4,188	403	686	110	243	2,271	926	75
Malignant neoplasms of urinary organs—188,189	16,992	193	10	152	162	1,599	160	267	65	89	957	284	40
Malignant neoplasms of all other and unspecified sites—170–173,190–199	46,018	894	39	471	605	4,236	453	646	145	270	2,147	1,086	119
Leukemia—204–207	15,097	239	9	164	157	1,488	162	229	44	85	697	283	44
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	20,494	386	4	190	190	2,020	191	300	41	117	1,027	325	61
Benign neoplasms and neoplasms of unspecified nature—210–239	4,725	74	2	61	53	449	43	104	22	28	191	118	12
Diabetes mellitis—250	34,532	645	11	283	375	2,313	273	500	127	175	1,531	657	141
Avitaminoses and other nutritional deficiencies—260–269	2,619	49	–	36	23	236	34	28	4	22	123	82	9
Anemias—280–285	3,189	84	1	24	36	254	21	30	6	30	163	74	9
Meningitis—320	1,594	37	9	25	18	157	21	19	5	17	59	41	5
Major cardiovascular diseases—390–448	975,563	16,251	406	7,692	11,050	84,590	8,551	13,515	2,554	3,613	46,731	21,442	2,071
Diseases of heart—390–398,402,404,410–429	724,812	11,072	312	5,728	7,828	61,418	6,319	10,017	2,058	2,640	34,771	14,886	1,588
Active rheumatic fever and chronic rheumatic heart disease—390–398	13,152	147	8	156	86	1,448	204	192	37	77	759	205	36
Hypertensive heart disease—402	6,681	128	3	59	96	612	49	96	22	29	250	203	20
Hypertensive heart and renal disease—404	4,023	57	–	10	52	202	69	43	15	23	119	106	7
Ischemic heart disease—410–413	646,879	9,122	235	5,105	6,569	56,427	5,422	8,873	1,893	2,289	32,018	12,400	1,408
Acute myocardial infarction—410	319,903	5,459	147	2,265	3,993	22,672	2,790	4,390	794	689	14,722	7,361	641
Other acute and subacute forms of ischemic heart disease—411	4,040	36	–	353	9	237	38	9	8	6	169	112	6
Chronic ischemic heart disease—412	322,750	3,619	87	2,486	2,566	33,507	2,594	4,471	1,091	1,594	17,112	4,923	761
Angina pectoris—413	186	8	1	1	1	11	–	3	–	–	15	4	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4,205	94	6	26	51	332	41	27	8	12	151	78	7
All other forms of heart disease—420–423,425–427,429	49,872	1,524	60	372	974	2,397	534	786	83	210	1,474	1,894	110

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	6,135	137	1	48	65	504	39	72	10	22	294	151	10
Cerebrovascular diseases—430–438	188,767	4,224	70	1,427	2,583	17,585	1,580	2,513	347	601	9,095	5,318	399
Cerebral hemorrhage—431	24,884	622	8	195	252	1,990	178	334	46	109	1,015	818	85
Cerebral thrombosis—433	44,828	993	8	255	386	4,562	286	807	79	157	2,483	1,234	76
Cerebral embolism—434	826	6	–	6	7	88	8	2	1	2	42	21	1
All other cerebrovascular diseases—430,432,435–438	118,229	2,603	54	971	1,938	10,945	1,108	1,370	221	333	5,555	3,245	237
Arteriosclerosis—440	29,377	454	10	238	313	2,575	334	493	72	200	1,188	561	23
Other diseases of arteries, arterioles, and capillaries—441–448	26,472	364	13	251	261	2,508	279	420	67	150	1,383	526	51
Acute bronchitis and bronchiolitis—466	854	18	2	16	10	116	11	14	3	5	46	7	3
Influenza and pneumonia—470–474,480–486	61,917	828	50	618	587	5,044	938	946	108	277	2,227	1,383	194
Influenza—470–474	7,886	88	5	62	68	545	216	177	4	12	153	107	23
Pneumonia—480–486	54,031	740	45	556	519	4,499	722	769	104	265	2,074	1,276	171
Bronchitis, emphysema, and asthma—490–493	24,421	381	9	453	240	2,557	347	263	51	67	1,358	488	35
Chronic and unqualified bronchitis—490,491	4,640	57	1	78	37	497	66	58	3	20	217	109	13
Emphysema—492	17,803	287	7	336	190	1,886	255	174	43	37	1,054	327	17
Asthma—493	1,978	37	1	39	13	174	26	31	5	10	87	52	5
Peptic ulcer—531–533	6,436	80	5	58	40	642	76	81	9	30	305	138	14
Appendicitis—540–543	753	19	–	5	12	68	5	6	3	8	41	16	3
Hernia and intestinal obstruction—550–553,560	5,925	95	5	54	55	488	68	72	13	44	257	118	11
Cirrhosis of liver—571	31,478	346	48	357	177	4,263	295	443	109	406	1,756	605	77
Cholelithiasis, cholecystitis and cholangitis—574,575	2,961	52	–	23	37	231	46	41	4	9	148	56	5
Nephritis and nephrosis—580–584	8,550	221	3	60	123	553	64	90	17	65	382	244	25
Acute nephritis and nephrotic syndrome—580,581	1,765	34	2	10	19	108	16	13	2	6	87	58	4
Chronic and unqualified nephritis and renal sclerosis—582–584	6,785	187	1	50	104	445	48	77	15	59	295	186	21
Infections of kidney—590	4,017	143	2	36	46	327	28	23	10	17	196	138	13
Hyperplasia of prostate—600	1,078	29	–	11	13	83	9	15	1	9	70	30	–
Complications of pregnancy, childbirth, and the puerperium—630–678	393	12	–	3	4	43	3	1	1	2	12	14	1
Abortions—640–645	17	1	–	–	–	2	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	376	11	–	3	4	41	3	1	1	2	11	14	1
Congenital anomalies—740–759	13,075	262	28	168	112	1,374	182	160	29	136	501	257	55
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	24,838	544	43	287	232	1,933	268	283	59	296	798	659	90
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	13,444	297	21	177	105	1,122	151	132	29	133	431	388	49
Other causes of mortality in early infancy—Remainder of 760–778	11,394	247	22	110	127	811	117	151	30	163	367	271	41
Symptoms and ill-defined conditions—780–796	30,843	2,143	64	266	913	974	145	216	25	90	1,406	599	55
All other diseases—Residual	125,487	2,129	103	1,528	1,280	10,892	1,637	1,795	355	782	6,083	3,112	339
Accidents—E800–E949	101,216	2,324	496	1,467	1,202	10,343	1,486	964	240	316	4,186	2,726	337
Motor vehicle accidents—E810–E823	47,268	1,139	133	777	525	4,670	658	413	135	81	2,021	1,301	157
All other accidents—E800–E807,E825–E949	53,948	1,185	363	690	677	5,673	828	551	105	235	2,165	1,425	180
Suicide—E950–E959	26,869	377	75	390	248	3,776	454	308	70	96	1,478	682	97
Homicide—E960–E978	19,587	519	53	210	196	2,266	188	104	45	206	1,009	798	57
Other external causes—E980–E999	4,772	95	17	51	56	265	59	79	8	45	225	23	45

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massa-chusetts	Michigan	Minnesota	Mississippi
All causes	**6,323**	**101,221**	**46,781**	**27,572**	**21,194**	**32,165**	**34,782**	**10,401**	**31,706**	**54,387**	**74,959**	**33,458**	**22,805**
Bacillary dysentery and amebiasis—004,006	–	6	1	–	–	–	1	–	1	–	–	1	2
Enteritis and other diarrheal diseases—008,009	6	84	43	34	36	33	42	7	25	26	72	34	57
Tuberculosis, all forms—010–019	7	181	53	19	17	64	70	8	53	66	104	28	51
Tuberculosis of respiratory system—010–012	4	128	47	13	15	53	56	5	46	51	81	19	37
Tuberculosis, other forms—013–019	3	53	6	6	2	11	14	3	7	15	23	9	14
Whooping cough—033	–	–	–	–	–	–	–	–	–	–	–	–	1
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	1	1	–	–	–	–	1	1
Meningococcal infections—036	–	10	6	2	4	8	19	4	2	6	8	7	6
Septicemia—038	10	246	122	69	43	114	191	23	155	229	235	86	67
Acute poliomyelitis—040–043	–	1	–	–	–	–	–	–	–	1	1	–	–
Measles—055	–	1	1	–	1	1	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	6	–	2	2	1	7	1	8	6	11	4	–
Other infective and parasitic diseases—Remainder of 000–136	18	174	95	49	47	54	99	28	74	112	161	84	87
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	1,063	19,993	8,982	5,447	3,823	5,750	6,489	2,114	6,920	11,602	14,745	6,646	3,604
Malignant neoplasms of buccal cavity and pharynx—140–149	25	491	148	86	69	110	174	45	172	289	280	133	69
Malignant neoplasms of digestive organs and peritoneum—150–159	253	5,713	2,356	1,615	1,010	1,492	1,583	619	1,770	3,417	3,827	1,983	917
Malignant neoplasms of respiratory system—160–163	237	4,706	2,207	1,185	901	1,543	1,763	519	1,783	2,509	3,522	1,253	925
Malignant neoplasm of breast—174	126	1,815	822	473	351	434	464	184	619	1,127	1,283	567	253
Malignant neoplasms of genital organs—180–187	137	2,293	1,120	743	500	734	705	246	764	1,284	1,786	843	472
Malignant neoplasms of urinary organs—188,189	37	936	478	252	195	243	235	103	276	512	702	342	140
Malignant neoplasms of all other and unspecified sites—170–173,190–199	150	2,219	1,026	530	418	690	997	213	958	1,447	1,882	706	494
Leukemia—204–207	41	774	336	248	169	225	237	64	240	399	594	339	146
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	57	1,046	489	315	210	279	331	121	338	618	869	480	188
Benign neoplasms and neoplasms of unspecified nature—210–239	15	218	112	35	25	57	109	24	127	191	125	59	27
Diabetes mellitis—250	110	1,760	970	481	369	593	870	158	670	1,018	1,713	522	363
Avitaminoses and other nutritional deficiencies—260–269	7	88	51	38	37	43	55	13	47	40	92	56	38
Anemias—280–285	13	151	73	59	28	43	93	9	58	86	139	61	47
Meningitis—320	4	81	32	15	12	28	43	2	32	26	48	19	37
Major cardiovascular diseases—390–448	3,040	54,987	25,259	14,909	11,355	17,097	17,194	5,591	15,847	28,006	38,732	17,216	10,912
Diseases of heart—390–398,402,404,410–429	2,129	42,497	17,824	10,774	8,324	12,503	12,615	4,141	12,483	21,345	28,932	12,294	7,558
Active rheumatic fever and chronic rheumatic heart disease—390–398	40	589	306	152	118	130	137	77	198	513	481	298	62
Hypertensive heart disease—402	19	537	173	76	45	92	105	38	97	239	304	97	82
Hypertensive heart and renal disease—404	21	226	255	102	45	53	76	18	59	59	106	45	34
Ischemic heart disease—410–413	1,860	37,986	15,874	9,691	7,494	10,916	10,999	3,732	11,088	19,211	26,283	10,893	6,346
Acute myocardial infarction—410	1,026	18,979	8,753	5,389	4,040	6,456	5,592	2,241	4,772	9,376	13,973	5,443	3,658
Other acute and subacute forms of ischemic heart disease—411	6	135	56	33	22	21	26	10	69	31	73	45	60
Chronic ischemic heart disease—412	828	18,867	7,061	4,266	3,427	4,436	5,375	1,479	6,243	9,795	12,233	5,402	2,627
Angina pectoris—413	–	5	4	3	5	3	6	2	4	9	4	3	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	10	233	124	92	72	76	110	29	282	74	109	88	61
All other forms of heart disease—420–423,425–427,429	179	2,926	1,092	661	550	1,236	1,188	247	759	1,249	1,649	873	973

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massa-chusetts	Michigan	Minnesota	Mississippi
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	9	463	186	100	79	123	112	30	81	171	237	84	114
Cerebrovascular diseases—430–438	668	9,463	5,454	3,088	2,168	3,572	3,453	1,035	2,390	4,807	7,294	3,700	2,720
Cerebral hemorrhage—431	60	1,613	870	305	272	485	427	194	314	845	953	389	345
Cerebral thrombosis—433	104	2,647	1,189	643	475	803	719	224	455	1,557	2,072	708	513
Cerebral embolism—434	4	45	18	15	9	8	13	6	7	20	41	21	4
All other cerebrovascular diseases—430,432,435–438	500	5,158	3,377	2,125	1,412	2,276	2,294	611	1,614	2,385	4,228	2,582	1,858
Arteriosclerosis—440	138	1,366	1,127	524	486	462	580	200	435	832	1,199	624	280
Other diseases of arteries, arterioles, and capillaries—441–448	96	1,198	668	423	298	437	434	185	458	851	1,070	514	240
Acute bronchitis and bronchiolitis—466	4	46	12	15	9	12	15	9	5	29	24	11	8
Influenza and pneumonia—470–474,480–486	283	2,927	1,248	1,107	865	1,051	993	352	811	2,733	2,083	1,414	665
Influenza—470–474	97	129	132	258	202	92	134	79	78	318	296	308	114
Pneumonia—480–486	186	2,798	1,116	849	663	959	859	273	733	2,415	1,787	1,106	551
Bronchitis, emphysema, and asthma—490–493	106	1,364	642	405	259	425	389	159	286	567	1,037	368	241
Chronic and unqualified bronchitis—490,491	21	243	102	69	55	77	65	37	60	131	187	69	36
Emphysema—492	78	1,037	509	313	184	297	286	106	187	376	747	268	185
Asthma—493	7	84	31	23	20	51	38	16	39	60	103	31	20
Peptic ulcer—531–533	18	380	151	117	93	112	98	35	75	184	257	117	68
Appendicitis—540–543	5	60	20	10	6	15	15	3	14	19	23	11	16
Hernia and intestinal obstruction—550–553,560	25	312	165	88	88	97	109	40	116	157	238	128	69
Cirrhosis of liver—571	68	1,679	514	263	198	312	424	150	572	961	1,473	406	220
Cholelithiasis, cholecystitis and cholangitis—574,575	10	165	78	67	22	60	49	22	37	95	113	67	41
Nephritis and nephrosis—580–584	17	443	185	97	75	138	250	42	179	241	294	116	148
Acute nephritis and nephrotic syndrome—580,581	5	99	54	25	19	33	27	5	26	64	54	24	41
Chronic and unqualified nephritis and renal sclerosis—582–584	12	344	131	72	56	105	223	37	153	177	240	92	107
Infections of kidney—590	8	226	122	60	48	97	100	18	35	95	119	56	77
Hyperplasia of prostate—600	8	47	24	24	14	31	11	3	26	28	37	41	25
Complications of pregnancy, childbirth, and the puerperium—630–678	1	18	8	5	2	7	15	–	3	2	13	5	6
Abortions—640–645	–	1	–	–	–	–	1	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	17	8	5	2	7	14	–	2	2	13	5	6
Congenital anomalies—740–759	39	656	292	166	111	193	264	65	190	289	566	301	147
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	63	1,460	605	296	214	404	684	70	427	416	1,027	419	449
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	32	861	305	160	109	238	346	31	187	216	504	234	264
Other causes of mortality in early infancy—Remainder of 760–778	31	599	300	136	105	166	338	39	240	200	523	185	185
Symptoms and ill-defined conditions—780–796	157	893	478	112	219	235	352	51	274	563	485	406	1,828
All other diseases—Residual	432	5,421	2,832	1,661	1,505	2,260	2,372	693	2,145	3,665	4,698	2,369	1,412
Accidents—E800–E949	597	4,505	2,569	1,497	1,251	1,983	2,345	520	1,509	2,133	3,840	1,807	1,521
Motor vehicle accidents—E810–E823	290	2,027	1,273	812	563	900	1,007	234	682	827	1,955	832	719
All other accidents—E800–E807,E825–E949	307	2,478	1,296	685	688	1,083	1,338	286	827	1,306	1,885	975	802
Suicide—E950–E959	138	1,037	571	320	267	434	438	139	479	531	1,168	396	213
Homicide—E960–E978	43	1,240	353	68	103	344	543	26	341	203	1,081	107	312
Other external causes—E980–E999	8	355	112	35	46	68	33	22	163	61	197	89	39

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976 – Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
All causes	50,076	6,632	14,690	4,921	7,327	63,742	8,118	171,952	46,115	5,751	95,814	26,412	20,493
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	2	2	3	–	–	–	1	–
Enteritis and other diarrheal diseases – 008,009	43	4	14	8	12	55	13	109	53	12	89	30	16
Tuberculosis, all forms – 010–019	58	10	13	10	10	106	35	307	98	7	101	50	21
Tuberculosis of respiratory system – 010–012	44	9	7	9	9	88	23	244	77	4	74	43	15
Tuberculosis, other forms – 013–019	14	1	6	1	1	18	12	63	21	3	27	7	6
Whooping cough – 033	–	–	–	–	–	–	–	2	–	–	1	1	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	2	–	–	1	–	–
Meningococcal infections – 036	6	–	1	–	–	3	2	26	15	–	20	7	7
Septicemia – 038	168	17	31	9	16	222	39	566	195	13	295	108	47
Acute poliomyelitis – 040–043	–	–	–	–	–	–	1	–	2	–	1	1	–
Measles – 055	2	–	–	–	–	–	–	1	1	–	–	–	–
Syphilis and its sequelae – 090–097	8	–	–	–	–	9	2	19	3	–	13	1	1
Other infective and parasitic diseases – Remainder of 000–136	115	13	39	10	9	101	25	372	138	12	212	65	37
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	9,772	1,130	2,682	889	1,525	13,722	1,357	36,840	8,291	1,075	19,345	4,898	3,969
Malignant neoplasms of buccal cavity and pharynx – 140–149	177	19	55	25	30	295	12	854	202	15	401	121	71
Malignant neoplasms of digestive organs and peritoneum – 150–159	2,532	307	780	219	409	4,192	380	11,043	2,010	338	5,232	1,210	972
Malignant neoplasms of respiratory system – 160–163	2,448	255	560	264	344	3,240	297	8,215	1,935	201	4,889	1,321	1,018
Malignant neoplasm of breast – 174	784	102	239	77	146	1,354	92	3,692	714	95	1,796	376	365
Malignant neoplasms of genital organs – 180–187	1,088	144	337	108	192	1,605	180	4,181	1,036	155	2,246	529	458
Malignant neoplasms of urinary organs – 188,189	441	61	133	44	80	631	54	1,692	333	63	889	224	173
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	1,358	132	263	89	190	1,394	209	3,844	1,262	88	2,072	623	475
Leukemia – 204–207	431	46	138	28	62	412	59	1,368	372	41	791	206	180
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	513	64	177	35	72	599	74	1,951	427	79	1,029	288	257
Benign neoplasms and neoplasms of unspecified nature – 210–239	93	9	24	11	25	142	19	585	125	12	208	53	55
Diabetes mellitus – 250	932	96	242	75	155	1,274	140	3,449	882	89	2,027	398	291
Avitaminoses and other nutritional deficiencies – 260–269	91	9	49	14	9	65	18	165	55	11	129	43	50
Anemias – 280–285	94	14	26	7	22	100	22	270	81	9	150	47	31
Meningitis – 320	34	6	10	2	5	48	16	128	37	1	62	22	17
Major cardiovascular diseases – 390–448	25,460	3,069	7,718	2,247	3,707	34,629	2,844	88,355	23,347	2,920	50,548	13,585	10,347
Diseases of heart – 390–398,402,404,410–429	18,550	2,168	5,502	1,671	2,674	27,371	1,984	70,470	16,909	2,105	37,713	9,761	7,280
Active rheumatic fever and chronic rheumatic heart disease – 390–398	302	42	104	47	44	554	48	1,324	324	45	690	122	164
Hypertensive heart disease – 402	184	10	55	11	21	205	18	597	129	19	389	112	33
Hypertensive heart and renal disease – 404	190	8	90	3	14	112	9	170	119	9	529	50	50
Ischemic heart disease – 410–413	16,348	1,749	4,789	1,499	2,357	25,381	1,688	65,179	15,079	1,834	34,017	8,596	6,605
Acute myocardial infarction – 410	8,421	962	2,506	720	1,302	11,767	870	28,087	8,397	1,114	15,756	4,924	2,688
Other acute and subacute forms of ischemic heart disease – 411	35	13	27	8	2	63	4	332	70	7	138	374	36
Chronic ischemic heart disease – 412	7,865	774	2,256	771	1,050	13,549	813	36,749	6,610	712	18,119	3,294	3,880
Angina pectoris – 413	27	–	–	–	3	2	1	11	2	1	4	4	1
Chronic disease of endocardium and other myocardial insufficiency – 424,428	129	38	34	4	20	66	19	212	81	9	179	58	27
All other forms of heart disease – 420–423,425–427,429	1,397	321	430	107	218	1,053	202	2,988	1,177	189	1,909	823	401

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976—Con.

(Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	184	12	40	4	26	181	47	490	210	14	343	88	39
Cerebrovascular diseases—430–438	5,214	629	1,620	458	683	5,539	592	13,360	5,062	601	9,405	2,933	2,246
Cerebral hemorrhage—431	668	59	214	55	98	875	82	2,031	567	66	1,262	322	225
Cerebral thrombosis—433	1,287	117	344	112	134	1,603	98	3,306	1,245	119	2,476	550	486
Cerebral embolism—434	50	1	9	1	3	35	1	67	16	3	36	17	4
All other cerebrovascular diseases—430,432,435–438	3,209	452	1,053	290	448	3,026	411	7,956	3,234	413	5,631	2,044	1,531
Arteriosclerosis—440	858	162	305	49	191	736	122	1,812	579	112	1,723	433	460
Other diseases of arteries, arterioles, and capillaries—441–448	654	98	251	65	133	802	99	2,223	587	88	1,364	370	322
Acute bronchitis and bronchiolitis—466	23	3	3	1	4	37	2	66	20	–	40	12	5
Influenza and pneumonia—470–474,480–486	1,491	300	691	113	262	1,790	342	6,537	1,373	258	2,653	959	805
Influenza—470–474	151	94	195	22	48	118	89	555	122	70	337	103	221
Pneumonia—480–486	1,340	206	496	91	214	1,672	253	5,982	1,251	188	2,316	856	584
Bronchitis, emphysema, and asthma—490–493	600	118	209	90	128	649	133	1,951	503	72	1,373	305	326
Chronic and unqualified bronchitis—490,491	97	22	51	13	40	135	16	421	113	14	263	44	60
Emphysema—492	460	84	141	68	80	480	101	1,309	326	47	1,034	236	238
Asthma—493	43	12	17	9	8	34	16	221	64	11	76	25	28
Peptic ulcer—531–533	145	21	59	18	26	241	22	720	153	33	291	73	62
Appendicitis—540–543	14	2	4	4	6	19	2	65	20	4	36	9	3
Hernia and intestinal obstruction—550–553,560	174	36	49	20	33	198	26	497	117	26	284	90	61
Cirrhosis of liver—571	515	110	133	159	138	1,212	184	3,866	680	73	1,414	337	344
Cholelithiasis, cholecystitis and cholangitis—574,575	79	24	26	5	15	99	24	261	49	16	133	37	33
Nephritis and nephrosis—580–584	254	15	68	13	19	292	29	875	254	24	425	132	62
Acute nephritis and nephrotic syndrome—580,581	54	3	11	3	4	68	7	179	33	4	77	38	12
Chronic and unqualified nephritis and renal sclerosis—582–584	200	12	57	10	15	224	22	696	221	20	348	94	50
Infections of kidney—590	111	9	27	3	10	115	11	277	128	8	240	90	44
Hyperplasia of prostate—600	32	6	11	–	6	39	6	113	16	8	52	9	11
Complications of pregnancy, childbirth, and the puerperium—630–678	7	–	3	2	3	16	2	32	12	–	19	9	1
Abortions—640–645	1	–	–	–	–	–	–	2	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	6	–	3	2	3	16	2	30	12	–	19	8	1
Congenital anomalies—740–759	319	50	111	29	46	308	73	1,004	379	62	664	146	155
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	633	96	186	80	57	698	131	2,114	744	70	1,249	330	188
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	364	58	106	43	32	338	73	1,067	395	38	693	200	104
Other causes of mortality in early infancy—Remainder of 760–778	269	38	80	37	25	360	58	1,047	349	32	556	130	84
Symptoms and ill-defined conditions—780–796	1,775	206	179	42	174	711	537	1,699	493	47	1,460	404	323
All other diseases—Residual	3,231	471	1,062	346	449	3,572	747	10,486	3,251	364	5,944	1,897	1,323
Accidents—E800–E949	2,538	601	796	436	317	2,290	929	5,606	3,164	419	4,092	1,650	1,320
Motor vehicle accidents—E810–E823	1,239	307	400	240	150	1,035	557	2,233	1,582	208	1,848	858	664
All other accidents—E800–E807,E825–E949	1,299	294	396	196	167	1,255	372	3,373	1,582	211	2,244	792	656
Suicide—E950–E959	618	131	145	186	106	528	218	1,675	684	75	1,318	348	343
Homicide—E960–E978	449	37	44	80	18	366	129	1,922	686	12	782	222	103
Other external causes—E980–E999	192	19	35	12	15	84	36	987	66	19	143	43	92

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	120,816	9,315	23,027	6,575	41,324	102,414	7,808	4,373	39,590	30,565	19,731	40,121	3,109
Bacillary dysentery and amebiasis—004,006	–	–	–	–	1	11	–	–	–	1	–	–	1
Enteritis and other diarrheal diseases—008,009	104	6	38	5	46	173	18	6	32	34	19	38	1
Tuberculosis, all forms—010–019	185	11	60	7	96	195	8	7	81	39	36	41	1
Tuberculosis of respiratory system—010–012	154	7	41	5	81	161	4	6	60	29	34	32	1
Tuberculosis, other forms—013–019	31	4	19	2	15	34	4	1	21	10	2	9	–
Whooping cough—033	–	–	–	–	–	–	–	–	–	–	–	1	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	2	–	–	2	1	–	1	–
Meningococcal infections—036	13	1	6	2	11	22	–	1	5	2	5	6	1
Septicemia—038	497	32	85	14	148	483	32	15	197	68	66	76	5
Acute poliomyelitis—040–043	2	–	–	–	–	1	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–	–	–	1	1	–
Syphilis and its sequelae—090–097	12	–	1	–	3	13	–	1	7	3	–	6	–
Other infective and parasitic diseases—Remainder of 000–136	262	23	69	8	124	288	20	8	101	69	35	81	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	24,099	2,138	3,743	1,189	7,869	19,377	1,327	808	7,327	6,252	3,461	7,804	450
Malignant neoplasms of buccal cavity and pharynx—140–149	476	42	80	5	194	430	22	11	163	136	51	140	3
Malignant neoplasms of digestive organs and peritoneum—150–159	6,831	674	900	343	1,883	4,813	324	182	1,795	1,559	901	2,361	113
Malignant neoplasms of respiratory system—160–163	5,433	496	941	252	2,086	5,116	214	202	1,902	1,587	909	1,467	118
Malignant neoplasm of breast—174	2,205	204	319	102	587	1,540	116	73	657	600	248	746	40
Malignant neoplasms of genital organs—180–187	2,679	251	507	158	905	2,257	185	115	833	755	402	945	51
Malignant neoplasms of urinary organs—188,189	1,075	104	163	71	297	763	53	42	316	275	164	400	22
Malignant neoplasms of all other and unspecified sites—170–173,190–199	3,263	199	497	142	1,057	2,457	207	96	1,033	693	510	971	53
Leukemia—204–207	906	74	120	49	372	884	79	41	262	302	99	341	21
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	1,231	94	216	67	488	1,117	127	46	366	345	177	433	29
Benign neoplasms and neoplasms of unspecified nature—210–239	357	28	52	18	98	201	15	15	98	62	65	67	7
Diabetes mellitus—250	2,296	214	466	103	560	1,837	154	71	614	483	319	693	44
Avitaminoses and other nutritional deficiencies—260–269	141	8	36	11	49	164	12	9	73	60	33	61	3
Anemias—280–285	193	13	41	14	44	174	25	5	63	57	32	60	3
Meningitis—320	89	7	31	4	51	109	17	–	42	24	12	27	1
Major cardiovascular diseases—390–448	63,848	4,974	11,530	3,398	21,328	48,610	3,505	2,282	19,997	15,210	10,187	21,844	1,463
Diseases of heart—390–398,402,404,410–429	49,327	3,914	8,249	2,458	15,005	34,537	2,561	1,717	14,827	10,914	7,806	16,174	1,109
Active rheumatic fever and chronic rheumatic heart disease—390–398	978	83	117	25	212	494	94	25	197	255	109	281	16
Hypertensive heart disease—402	370	33	93	17	79	361	24	14	127	94	50	154	11
Hypertensive heart and renal disease—404	288	4	45	18	70	152	12	11	119	50	33	65	1
Ischemic heart disease—410–413	44,099	3,680	6,991	2,169	13,656	28,281	2,161	1,549	13,175	9,584	6,992	14,311	976
Acute myocardial infarction—410	22,922	1,652	4,061	1,319	8,316	14,916	1,040	726	6,461	4,382	3,778	6,614	581
Other acute and subacute forms of ischemic heart disease—411	181	8	46	9	18	104	122	5	728	38	36	62	4
Chronic ischemic heart disease—412	20,989	2,019	2,878	840	5,320	13,251	999	817	5,982	5,162	3,177	7,633	391
Angina pectoris—413	7	1	6	1	2	10	–	1	4	2	1	2	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	265	7	62	10	103	284	30	9	145	71	35	110	5
All other forms of heart disease—420–423,425–427,429	3,327	107	941	219	885	4,965	240	109	1,064	860	587	1,253	100

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1976—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	278	37	82	26	140	319	13	17	107	90	71	126	9
Cerebrovascular diseases—430–438	10,609	737	2,667	715	5,081	10,780	681	350	3,934	3,128	1,755	4,186	248
Cerebral hemorrhage—431	1,391	86	434	94	515	1,270	85	50	540	342	220	573	36
Cerebral thrombosis—433	2,755	232	570	130	1,088	1,696	132	89	861	692	417	826	28
Cerebral embolism—434	54	–	13	3	11	42	4	1	12	10	11	27	–
All other cerebrovascular diseases—430,432,435–438	6,409	419	1,650	488	3,467	7,772	460	210	2,521	2,084	1,107	2,760	184
Arteriosclerosis—440	1,929	139	230	106	574	1,707	117	113	565	573	275	738	55
Other diseases of arteries, arterioles, and capillaries—441–448	1,705	147	302	93	528	1,267	133	85	564	505	280	620	42
Acute bronchitis and bronchiolitis—466	46	6	8	4	13	55	5	5	12	13	10	10	1
Influenza and pneumonia—470–474,480–486	3,375	214	632	311	1,309	3,646	260	177	1,385	1,253	604	1,317	128
Influenza—470–474	271	36	55	73	167	545	55	40	127	367	48	249	31
Pneumonia—480–486	3,104	178	577	238	1,142	3,101	205	137	1,258	886	556	1,068	97
Bronchitis, emphysema, and asthma—490–493	1,183	93	249	110	490	1,495	119	57	435	445	275	476	40
Chronic and unqualified bronchitis—490,491	223	30	48	16	109	251	30	9	100	82	52	85	8
Emphysema—492	872	59	181	86	347	1,151	75	45	290	325	194	362	26
Asthma—493	88	4	20	8	34	93	14	3	45	38	29	29	6
Peptic ulcer—531–533	362	33	68	23	145	255	30	18	142	109	68	130	6
Appendicitis—540–543	32	–	9	5	30	40	2	2	12	8	3	17	2
Hernia and intestinal obstruction—550–553,560	337	27	78	32	110	351	28	11	111	108	69	130	10
Cirrhosis of liver—571	1,690	150	288	75	433	1,426	103	60	607	499	289	523	48
Cholelithiasis, cholecystitis and cholangitis—574,575	160	13	25	13	86	155	13	8	44	45	36	77	7
Nephritis and nephrosis—580–584	609	42	152	17	213	466	44	19	169	96	69	114	6
Acute nephritis and nephrotic syndrome—580,581	158	10	17	2	30	102	3	4	38	19	21	33	–
Chronic and unqualified nephritis and renal sclerosis—582–584	451	32	135	15	183	364	41	15	131	77	48	81	6
Infections of kidney—590	178	19	62	8	111	267	12	14	66	50	45	71	1
Hyperplasia of prostate—600	27	5	7	8	23	45	6	–	9	13	9	25	3
Complications of pregnancy, childbirth, and the puerperium—630–678	21	2	10	–	11	35	7	2	7	3	3	5	–
Abortions—640–645	1	–	–	–	–	3	–	–	1	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	20	2	10	–	11	32	7	2	6	3	2	5	–
Congenital anomalies—740–759	649	57	187	42	251	928	135	24	284	220	135	261	13
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	1,325	96	458	102	586	1,799	231	43	560	345	263	389	39
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	731	46	241	62	285	1,061	146	23	262	208	146	181	19
Other causes of mortality in early infancy—Remainder of 760–778	594	50	217	40	301	738	85	20	298	137	117	208	20
Symptoms and ill-defined conditions—780–796	2,956	17	822	74	776	3,208	166	46	446	249	674	363	47
All other diseases—Residual	8,620	639	1,518	428	2,689	6,766	690	326	2,869	2,068	1,426	2,591	214
Accidents—E800–E949	4,791	299	1,647	449	2,425	6,579	584	236	2,476	1,857	1,086	2,023	442
Motor vehicle accidents—E810–E823	2,061	136	834	238	1,280	3,240	282	95	1,062	862	518	951	257
All other accidents—E800–E807,E825–E949	2,730	163	813	211	1,145	3,339	302	141	1,414	995	568	1,072	185
Suicide—E950–E959	1,352	106	265	72	568	1,505	161	73	803	541	194	599	73
Homicide—E960–E978	722	27	330	26	509	1,642	61	18	496	179	132	153	27
Other external causes—E980–E999	283	15	54	3	118	91	18	6	18	100	70	40	17

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany–Schenectady–Troy, N.Y.	Albuquerque, N. Mex.	Allentown–Bethlehem–Easton, Pa.–N.J.	Altoona, Pa.
All causes	1,241,299	1,120	5,569	705	7,183	2,331	5,468	1,622
Bacillary dysentery and amebiasis—004,006	36	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1,131	–	3	–	6	2	8	2
Tuberculosis, all forms—010–019	2,113	4	3	3	13	9	6	5
Tuberculosis of respiratory system—010–012	1,629	2	2	2	13	5	5	4
Tuberculosis, other forms—013–019	484	2	1	1	–	4	1	1
Whooping cough—033	5	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	6	–	–	–	–	–	–	–
Meningococcal infections—036	195	–	2	1	–	–	–	–
Septicemia—038	4,563	7	23	5	26	12	15	3
Acute poliomyelitis—040–043	11	–	–	–	–	1	–	–
Measles—055	6	–	–	–	1	–	–	–
Syphilis and its sequelae—090–097	163	–	4	–	–	–	3	2
Other infective and parasitic diseases—Remainder of 000–136	2,927	1	8	–	9	13	12	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	255,381	196	1,130	125	1,535	466	1,097	310
Malignant neoplasms of buccal cavity and pharynx—140–149	5,866	3	18	2	30	4	24	2
Malignant neoplasms of digestive organs and peritoneum—150–159	69,485	37	325	23	443	126	325	89
Malignant neoplasms of respiratory system—160–163	61,930	55	250	30	391	101	237	65
Malignant neoplasm of breast—174	23,734	21	107	13	154	37	118	24
Malignant neoplasms of genital organs—180–187	29,056	27	130	19	155	65	108	45
Malignant neoplasms of urinary organs—188,189	11,317	13	39	4	61	20	53	9
Malignant neoplasms of all other and unspecified sites—170–173,190–199	30,509	27	131	20	180	74	147	43
Leukemia—204–207	9,829	4	52	6	47	20	33	14
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	13,655	9	78	8	74	19	52	19
Benign neoplasms and neoplasms of unspecified nature—210–239	3,250	3	15	3	26	6	7	3
Diabetes mellitis—250	22,273	18	98	13	167	35	97	33
Avitaminoses and other nutritional deficiencies—260–269	1,605	2	8	1	10	3	2	3
Anemias—280–285	2,052	1	9	3	16	7	6	1
Meningitis—320	1,062	1	4	–	6	5	6	1
Major cardiovascular diseases—390–448	625,768	545	2,808	336	3,840	808	3,164	913
Diseases of heart—390–398,402,404,410–429	470,984	373	2,050	191	2,988	550	2,487	691
Active rheumatic fever and chronic rheumatic heart disease—390–398	9,273	5	47	4	51	18	55	13
Hypertensive heart disease—402	4,448	8	23	5	14	4	15	4
Hypertensive heart and renal disease—404	2,245	2	9	–	9	3	8	4
Ischemic heart disease—410–413	423,602	280	1,818	171	2,781	484	2,322	641
Acute myocardial infarction—410	194,790	193	931	78	1,273	192	1,191	332
Other acute and subacute forms of ischemic heart disease—411	2,664	–	11	1	7	1	3	1
Chronic ischemic heart disease—412	226,048	87	876	92	1,501	291	1,128	308
Angina pectoris—413	100	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	2,395	1	5	3	6	2	5	1
All other forms of heart disease—420–423,425–427,429	29,021	77	148	8	127	39	82	28

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany–Schenectady–Troy, N.Y.	Albuquerque, N. Mex.	Allentown–Bethlehem–Easton, Pa.–N.J.	Altoona, Pa.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3,824	1	15	2	14	8	13	15
Cerebrovascular diseases—430–438	116,104	139	541	129	610	170	491	159
Cerebral hemorrhage—431	15,430	8	90	33	111	16	72	26
Cerebral thrombosis—433	29,230	7	136	32	180	15	178	48
Cerebral embolism—434	513	–	2	1	1	–	8	1
All other cerebrovascular diseases—430,432,435–438	70,931	124	313	63	318	139	233	84
Arteriosclerosis—440	17,890	19	115	6	100	44	99	30
Other diseases of arteries, arterioles, and capillaries—441–448	16,966	13	87	8	128	36	74	18
Acute bronchitis and bronchiolitis—466	582	–	–	–	4	1	–	–
Influenza and pneumonia—470–474,480–486	39,003	38	130	16	257	104	138	34
Influenza—470–474	3,856	11	15	1	27	25	14	4
Pneumonia—480–486	35,147	27	115	15	230	79	124	30
Bronchitis, emphysema, and asthma—490–493	15,334	24	70	10	108	40	42	25
Chronic and unqualified bronchitis—490,491	3,025	4	15	2	32	4	15	6
Emphysema—492	11,051	18	50	7	69	31	26	18
Asthma—493	1,258	2	5	1	7	5	1	1
Peptic ulcer—531–533	4,155	3	16	2	27	7	10	10
Appendicitis—540–543	473	–	2	–	1	–	–	2
Hernia and intestinal obstruction—550–553,560	3,669	5	11	3	26	10	10	3
Cirrhosis of liver—571	23,792	10	84	15	117	48	81	16
Cholelithiasis, cholecystitis and cholangitis—574,575	1,764	2	4	1	11	4	9	4
Nephritis and nephrosis—580–584	5,532	13	25	4	30	10	22	7
Acute nephritis and nephrotic syndrome—580,581	1,142	3	4	1	6	2	6	2
Chronic and unqualified nephritis and renal sclerosis—582–584	4,390	10	21	3	24	8	16	5
Infections of kidney—590	2,364	3	16	–	10	5	8	4
Hyperplasia of prostate—600	616	1	1	1	4	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	259	–	–	1	–	1	1	–
Abortions—640–645	13	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	246	–	–	1	–	1	1	–
Congenital anomalies—740–759	8,705	8	37	6	39	19	33	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	16,582	20	78	10	63	30	48	14
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	8,885	12	38	8	29	19	30	11
Other causes of mortality in early infancy—Remainder of 760–778	7,697	8	40	2	34	11	18	3
Symptoms and ill-defined conditions—780–796	17,432	43	403	28	57	139	30	9
All other diseases—Residual	82,384	73	333	46	410	242	344	117
Accidents—E800–E949	59,056	74	166	33	273	187	194	65
Motor vehicle accidents—E810–E823	26,152	40	83	14	117	95	93	32
All other accidents—E800–E807,E825–E949	32,904	34	83	19	156	92	101	33
Suicide—E950–E959	18,445	9	62	17	70	67	54	20
Homicide—E960–E978	15,008	15	11	22	18	41	8	7
Other external causes—E980–E999	3,597	1	5	–	3	10	12	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim–Santa Ana–Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton–Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
All causes	1,309	10,749	1,184	1,284	2,116	1,574	10,546	2,461
Bacillary dysentery and amebiasis—004,006	1	–	–	–	–	–	2	–
Enteritis and other diarrheal diseases—008,009	–	11	1	1	–	–	6	2
Tuberculosis, all forms—010–019	–	8	2	2	3	3	23	6
Tuberculosis of respiratory system—010–012	–	6	2	2	3	2	17	5
Tuberculosis, other forms—013–019	–	2	–	–	–	1	6	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	1	–	–	1	1	3	–
Septicemia—038	4	18	1	9	–	2	99	9
Acute poliomyelitis—040–043	–	–	–	1	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	1	–	–	–	–	5	–
Other infective and parasitic diseases—Remainder of 000–136	2	24	2	5	3	3	40	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	239	2,364	239	273	399	305	2,013	478
Malignant neoplasms of buccal cavity and pharynx—140–149	3	32	2	8	8	11	51	12
Malignant neoplasms of digestive organs and peritoneum—150–159	57	607	54	75	115	69	475	160
Malignant neoplasms of respiratory system—160–163	54	605	63	63	76	68	507	102
Malignant neoplasm of breast—174	25	244	26	25	33	32	168	38
Malignant neoplasms of genital organs—180–187	33	253	26	40	59	35	251	55
Malignant neoplasms of urinary organs—188,189	12	111	11	16	23	15	81	27
Malignant neoplasms of all other and unspecified sites—170–173,190–199	31	255	30	21	56	39	302	42
Leukemia—204–207	12	106	15	11	8	12	83	12
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	12	151	12	14	21	24	95	30
Benign neoplasms and neoplasms of unspecified nature—210–239	2	14	3	3	2	5	48	2
Diabetes mellitis—250	17	112	23	31	27	19	139	33
Avitaminoses and other nutritional deficiencies—260–269	1	13	–	–	2	3	24	2
Anemias—280–285	–	10	1	5	7	1	15	5
Meningitis—320	1	15	1	–	2	1	12	1
Major cardiovascular diseases—390–448	676	5,382	630	626	1,204	779	4,866	1,438
Diseases of heart—390–398,402,404,410–429	505	3,912	443	446	890	525	3,535	1,185
Active rheumatic fever and chronic rheumatic heart disease—390–398	12	85	11	12	13	14	52	21
Hypertensive heart disease—402	2	29	2	7	5	5	34	2
Hypertensive heart and renal disease—404	–	9	7	1	6	4	11	3
Ischemic heart disease—410–413	453	3,652	402	395	822	476	2,938	1,120
Acute myocardial infarction—410	287	2,067	214	242	388	251	1,505	635
Other acute and subacute forms of ischemic heart disease—411	–	13	–	–	3	–	33	2
Chronic ischemic heart disease—412	166	1,571	188	153	431	225	1,400	483
Angina pectoris—413	–	1	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	–	15	1	1	1	3	16	2
All other forms of heart disease—420–423,425–427,429	38	122	20	30	43	23	484	37

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim–Santa Ana–Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton–Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	3	23	5	3	6	6	30	4
Cerebrovascular diseases – 430–438	127	1,154	124	125	226	186	1,089	200
Cerebral hemorrhage – 431	20	114	14	14	30	25	157	32
Cerebral thrombosis – 433	15	276	28	23	46	51	217	50
Cerebral embolism – 434	–	12	–	2	4	5	11	–
All other cerebrovascular diseases – 430,432,435–438	92	752	82	86	146	105	704	118
Arteriosclerosis – 440	21	132	36	25	43	40	98	16
Other diseases of arteries, arterioles, and capillaries – 441–448	20	161	22	27	39	22	114	33
Acute bronchitis and bronchiolitis – 466	–	6	–	–	–	1	2	–
Influenza and pneumonia – 470–474,480–486	50	264	30	42	53	57	312	73
Influenza – 470–474	10	16	4	2	5	5	11	8
Pneumonia – 480–486	40	248	26	40	48	52	301	65
Bronchitis, emphysema, and asthma – 490–493	28	138	16	16	28	26	133	17
Chronic and unqualified bronchitis – 490,491	2	19	–	3	3	9	38	3
Emphysema – 492	26	110	15	9	24	16	84	13
Asthma – 493	–	9	1	4	1	1	11	1
Peptic ulcer – 531–533	3	31	3	1	4	2	27	13
Appendicitis – 540–543	1	5	–	1	1	–	7	1
Hernia and intestinal obstruction – 550–553,560	6	41	4	4	4	4	28	10
Cirrhosis of liver – 571	18	242	11	18	19	26	208	42
Cholelithiasis, cholecystitis and cholangitis – 574,575	2	9	2	2	4	2	11	6
Nephritis and nephrosis – 580–584	4	27	6	6	4	6	74	11
Acute nephritis and nephrotic syndrome – 580,581	–	9	1	–	2	–	12	2
Chronic and unqualified nephritis and renal sclerosis – 582–584	4	18	5	6	2	6	62	9
Infections of kidney – 590	1	22	2	4	–	2	25	4
Hyperplasia of prostate – 600	–	7	1	–	–	–	6	3
Complications of pregnancy, childbirth, and the puerperium – 630–678	1	3	–	–	–	–	3	2
Abortions – 640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	1	3	–	–	–	–	3	2
Congenital anomalies – 740–759	16	95	11	11	15	12	76	11
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	22	149	20	23	24	23	231	16
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	12	93	10	6	14	17	110	6
Other causes of mortality in early infancy – Remainder of 760–778	10	56	10	17	10	6	121	10
Symptoms and ill-defined conditions – 780–796	8	25	6	12	13	19	83	12
All other diseases – Residual	82	607	79	62	131	118	867	124
Accidents – E800–E949	85	741	69	78	123	102	661	102
Motor vehicle accidents – E810–E823	39	315	41	42	58	36	285	48
All other accidents – E800–E807,E825–E949	46	426	28	36	65	66	376	54
Suicide – E950–E959	22	268	11	34	34	30	225	16
Homicide – E960–E978	16	90	5	13	6	21	266	11
Other external causes – E980–E999	1	6	5	1	3	1	6	8

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

(See headnote at beginning of table)

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.–S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont–Port Arthur–Orange, Tex.	Billings, Mont.
All causes	2,190	2,075	2,843	19,002	2,087	933	2,818	747
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	2	1	21	3	2	5	1
Tuberculosis, all forms—010–019	3	2	7	37	5	–	3	–
Tuberculosis of respiratory system—010–012	2	2	6	33	4	–	3	–
Tuberculosis, other forms—013–019	1	–	1	4	1	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	1	–	–	3	–	1	–
Septicemia—038	7	8	4	127	12	–	9	3
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	6	1	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	10	7	9	44	3	1	7	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	397	403	554	4,172	357	177	601	143
Malignant neoplasms of buccal cavity and pharynx—140–149	13	10	10	120	11	2	14	1
Malignant neoplasms of digestive organs and peritoneum—150–159	91	94	139	1,067	73	38	151	33
Malignant neoplasms of respiratory system—160–163	102	104	152	1,142	97	31	169	28
Malignant neoplasm of breast—174	32	33	50	352	33	10	57	16
Malignant neoplasms of genital organs—180–187	60	41	56	451	47	16	58	16
Malignant neoplasms of urinary organs—188,189	13	23	25	166	12	5	28	14
Malignant neoplasms of all other and unspecified sites—170–173,190–199	55	59	69	566	49	61	67	18
Leukemia—204–207	14	12	17	133	14	5	24	9
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	17	27	36	175	21	9	33	8
Benign neoplasms and neoplasms of unspecified nature—210–239	3	4	9	74	12	3	4	–
Diabetes mellitis—250	41	23	46	422	34	19	56	10
Avitaminoses and other nutritional deficiencies—260–269	5	2	5	36	1	1	4	–
Anemias—280–285	4	5	5	33	10	–	7	2
Meningitis—320	2	3	3	21	3	–	3	1
Major cardiovascular diseases—390–448	1,077	936	1,344	9,288	1,113	533	1,335	340
Diseases of heart—390–398,402,404,410–429	766	616	1,037	7,553	858	395	967	220
Active rheumatic fever and chronic rheumatic heart disease—390–398	9	12	24	122	6	6	10	9
Hypertensive heart disease—402	22	2	26	53	3	7	21	1
Hypertensive heart and renal disease—404	1	3	3	25	3	2	1	1
Ischemic heart disease—410–413	672	483	928	6,757	787	346	774	186
Acute myocardial infarction—410	330	264	358	2,757	186	208	439	84
Other acute and subacute forms of ischemic heart disease—411	2	1	1	30	3	–	4	2
Chronic ischemic heart disease—412	340	218	569	3,966	598	138	331	100
Angina pectoris—413	–	–	–	4	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	2	9	48	4	–	6	1
All other forms of heart disease—420–423,425–427,429	58	114	47	548	55	34	155	22

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.–S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont–Port Arthur–Orange, Tex.	Billings, Mont.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	18	7	14	42	10	1	14	3
Cerebrovascular diseases—430–438	245	199	224	1,222	195	107	282	79
Cerebral hemorrhage—431	40	28	41	194	26	26	32	7
Cerebral thrombosis—433	86	37	54	146	33	37	59	17
Cerebral embolism—434	1	–	–	4	–	–	–	–
All other cerebrovascular diseases—430,432,435–438	118	134	129	878	136	44	191	55
Arteriosclerosis—440	22	88	31	198	24	18	46	24
Other diseases of arteries, arterioles, and capillaries—441–448	26	26	38	273	26	12	26	14
Acute bronchitis and bronchiolitis—466	–	–	3	4	1	3	–	–
Influenza and pneumonia—470–474,480–486	73	68	68	480	48	18	77	25
Influenza—470–474	7	8	5	33	6	6	13	5
Pneumonia—480–486	66	60	63	447	42	12	64	20
Bronchitis, emphysema, and asthma—490–493	23	20	53	152	18	13	52	9
Chronic and unqualified bronchitis—490,491	9	5	9	24	1	3	3	2
Emphysema—492	14	15	43	102	15	9	46	5
Asthma—493	–	–	1	26	2	1	3	2
Peptic ulcer—531–533	6	6	9	40	2	3	10	1
Appendicitis—540–543	1	1	1	6	–	–	1	–
Hernia and intestinal obstruction—550–553,560	2	6	7	71	6	4	7	5
Cirrhosis of liver—571	41	38	89	359	22	18	34	12
Cholelithiasis, cholecystitis and cholangitis—574,575	3	3	7	17	4	3	2	1
Nephritis and nephrosis—580–584	12	4	9	127	13	3	20	1
Acute nephritis and nephrotic syndrome—580,581	2	–	1	18	1	–	3	–
Chronic and unqualified nephritis and renal sclerosis—582–584	10	4	8	109	12	3	17	1
Infections of kidney—590	5	3	7	20	7	1	11	1
Hyperplasia of prostate—600	1	1	1	15	–	–	1	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	2	1	–	–	–
Abortions—640–645	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	1	1	–	–	–
Congenital anomalies—740–759	16	27	23	123	25	8	22	9
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	36	37	49	295	54	10	47	12
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	28	18	21	142	24	2	26	7
Other causes of mortality in early infancy—Remainder of 760–778	8	19	28	153	30	8	21	5
Symptoms and ill-defined conditions—780–796	47	80	11	169	12	3	88	30
All other diseases—Residual	154	141	182	1,391	116	45	155	55
Accidents—E800–E949	130	168	219	856	125	58	163	60
Motor vehicle accidents—E810–E823	61	83	131	347	64	31	78	30
All other accidents—E800–E807,E825–E949	69	85	88	509	61	27	85	30
Suicide—E950–E959	37	45	61	239	39	6	46	14
Homicide—E960–E978	51	31	54	244	31	1	44	7
Other external causes—E980–E999	2	–	3	111	6	–	2	4

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi–Gulfport, Miss.	Binghamton, N.Y.–Pa.	Birmingham, Ala.	Bloomington–Normal, Ill.	Boise City, Idaho	Boston–Lowell–Lawrence, Mass.	Bridgeport–Stamford–Norwalk, Conn.	Brockton, Mass.
All causes	1,154	2,859	7,738	883	1,036	31,080	6,656	3,143
Bacillary dysentery and amebiasis–004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases–008,009	2	–	12	4	–	16	5	1
Tuberculosis, all forms–010–019	2	3	27	–	–	40	12	5
Tuberculosis of respiratory system–010–012	2	2	24	–	–	33	11	4
Tuberculosis, other forms–013–019	–	1	3	–	–	7	1	1
Whooping cough–033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever–034	–	1	–	–	–	–	–	–
Meningococcal infections–036	–	–	1	–	–	4	2	1
Septicemia–038	4	9	28	1	4	162	18	13
Acute poliomyelitis–040–043	–	–	–	–	–	1	1	–
Measles–055	–	–	–	–	–	–	–	–
Syphilis and its sequelae–090–097	–	1	1	–	–	4	1	–
Other infective and parasitic diseases–Remainder of 000–136	4	7	18	1	2	69	17	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues–140–209	229	593	1,498	187	204	6,722	1,549	636
Malignant neoplasms of buccal cavity and pharynx–140–149	7	11	27	3	9	176	37	19
Malignant neoplasms of digestive organs and peritoneum–150–159	50	176	339	48	37	1,977	442	183
Malignant neoplasms of respiratory system–160–163	53	144	402	34	57	1,431	346	156
Malignant neoplasm of breast–174	25	59	147	21	23	684	173	48
Malignant neoplasms of genital organs–180–187	29	68	166	24	24	697	185	70
Malignant neoplasms of urinary organs–188,189	7	27	49	12	9	295	71	30
Malignant neoplasms of all other and unspecified sites–170–173,190–199	38	53	217	23	29	867	167	76
Leukemia–204–207	6	18	45	8	9	248	54	23
Other neoplasms of lymphatic and hematopoietic tissues–200–203,208,209	14	37	106	14	7	347	74	31
Benign neoplasms and neoplasms of unspecified nature–210–239	1	10	19	3	3	105	28	9
Diabetes mellitis–250	21	45	139	13	9	525	142	57
Avitaminoses and other nutritional deficiencies–260–269	4	6	10	3	1	26	11	1
Anemias–280–285	1	3	23	1	–	55	7	3
Meningitis–320	2	–	10	1	1	17	4	2
Major cardiovascular diseases–390–448	557	1,524	3,398	497	511	15,611	3,333	1,655
Diseases of heart–390–398,402,404,410–429	427	1,201	2,171	358	333	11,988	2,432	1,309
Active rheumatic fever and chronic rheumatic heart disease–390–398	4	22	40	5	8	329	68	21
Hypertensive heart disease–402	4	12	29	3	1	145	21	14
Hypertensive heart and renal disease–404	2	6	7	2	–	28	7	2
Ischemic heart disease–410–413	314	1,109	1,840	338	302	10,664	2,225	1,177
Acute myocardial infarction–410	129	578	1,026	146	180	5,559	1,143	516
Other acute and subacute forms of ischemic heart disease–411	12	2	3	2	–	19	2	2
Chronic ischemic heart disease–412	173	529	810	190	122	5,079	1,078	659
Angina pectoris–413	–	–	1	–	–	7	2	–
Chronic disease of endocardium and other myocardial insufficiency–424,428	1	4	14	2	–	54	9	5
All other forms of heart disease–420–423,425–427,429	102	48	241	8	22	768	102	90

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi–Gulfport, Miss.	Binghamton, N.Y.–Pa.	Birmingham, Ala.	Bloomington–Normal, Ill.	Boise City, Idaho	Boston–Lowell–Lawrence, Mass.	Bridgeport–Stamford–Norwalk, Conn.	Brockton, Mass.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	9	8	37	2	1	88	11	7
Cerebrovascular diseases—430–438	100	239	978	106	113	2,582	660	260
Cerebral hemorrhage—431	15	38	110	22	5	453	80	47
Cerebral thrombosis—433	20	64	213	33	19	810	163	76
Cerebral embolism—434	–	1	–	1	–	12	–	1
All other cerebrovascular diseases—430,432,435–438	65	136	655	50	89	1,307	417	136
Arteriosclerosis—440	11	35	110	12	48	477	126	33
Other diseases of arteries, arterioles, and capillaries—441–448	10	41	102	19	16	476	104	46
Acute bronchitis and bronchiolitis—466	–	1	3	–	–	21	2	–
Influenza and pneumonia—470–474,480–486	26	111	182	19	33	1,711	223	121
Influenza—470–474	3	19	6	2	4	156	42	18
Pneumonia—480–486	23	92	176	17	29	1,555	181	103
Bronchitis, emphysema, and asthma—490–493	16	51	70	17	12	331	55	30
Chronic and unqualified bronchitis—490,491	2	10	12	3	3	74	11	8
Emphysema—492	13	38	49	14	8	220	38	17
Asthma—493	1	3	9	–	1	37	6	5
Peptic ulcer—531–533	4	18	16	5	5	113	19	12
Appendicitis—540–543	1	–	6	–	–	6	2	1
Hernia and intestinal obstruction—550–553,560	6	6	27	3	2	88	12	6
Cirrhosis of liver—571	24	44	83	8	9	592	114	60
Cholelithiasis, cholecystitis and cholangitis—574,575	1	6	14	2	2	52	12	4
Nephritis and nephrosis—580–584	3	5	54	2	2	141	27	18
Acute nephritis and nephrotic syndrome—580,581	1	3	5	1	1	44	1	4
Chronic and unqualified nephritis and renal sclerosis—582–584	2	2	49	1	1	97	26	14
Infections of kidney—590	1	8	36	2	2	55	7	6
Hyperplasia of prostate—600	–	1	8	–	–	15	5	2
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	4	1	–	2	1	–
Abortions—640–645	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	3	1	–	2	1	–
Congenital anomalies—740–759	11	19	62	6	13	149	43	30
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	26	39	98	4	15	223	73	37
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	17	20	54	–	10	110	36	18
Other causes of mortality in early infancy—Remainder of 760–778	9	19	44	4	5	113	37	19
Symptoms and ill-defined conditions—780–796	30	19	633	2	13	332	40	34
All other diseases—Residual	64	167	594	42	71	2,207	476	184
Accidents—E800–E949	71	113	416	46	72	1,210	277	165
Motor vehicle accidents—E810–E823	27	47	210	23	36	430	118	76
All other accidents—E800–E807,E825–E949	44	66	206	23	36	780	159	89
Suicide—E950–E959	19	35	93	9	36	272	87	33
Homicide—E960–E978	23	8	141	3	9	152	35	6
Other external causes—E980–E999	–	6	14	1	5	51	16	2

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Brownsville–Harlingen–San Benito, Tex.	Bryan–College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign–Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
All causes	1,296	439	13,071	3,474	1,269	914	2,218	2,374
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	–	2	13	5	1	–	4	2
Tuberculosis, all forms – 010–019	6	–	10	6	4	2	6	9
Tuberculosis of respiratory system – 010–012	6	–	6	4	4	1	3	9
Tuberculosis, other forms – 013–019	–	–	4	2	–	1	3	–
Whooping cough – 033	–	–	–	1	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	1	–	–	–	–	–
Meningococcal infections – 036	–	–	3	2	–	1	1	1
Septicemia – 038	10	2	38	10	2	2	15	10
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	1	2	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	6	3	31	7	3	2	6	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	236	84	2,724	696	284	196	426	438
Malignant neoplasms of buccal cavity and pharynx – 140–149	10	4	59	10	7	4	6	5
Malignant neoplasms of digestive organs and peritoneum – 150–159	72	15	774	186	71	51	102	105
Malignant neoplasms of respiratory system – 160–163	52	24	651	183	74	49	120	114
Malignant neoplasm of breast – 174	12	9	275	66	23	21	31	26
Malignant neoplasms of genital organs – 180–187	30	9	333	71	32	22	60	49
Malignant neoplasms of urinary organs – 188,189	6	1	128	37	19	3	22	24
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	35	9	234	78	31	28	46	81
Leukemia – 204–207	7	3	117	24	15	6	9	8
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	12	10	153	41	12	12	30	26
Benign neoplasms and neoplasms of unspecified nature – 210–239	1	–	30	5	2	2	7	6
Diabetes mellitus – 250	42	8	275	93	19	13	33	29
Avitaminoses and other nutritional deficiencies – 260–269	6	2	12	6	2	1	6	4
Anemias – 280–285	3	–	16	5	4	2	3	3
Meningitis – 320	3	1	8	2	–	2	1	2
Major cardiovascular diseases – 390–448	550	200	7,044	1,856	646	459	1,058	1,231
Diseases of heart – 390–398,402,404,410–429	422	129	5,355	1,401	462	319	797	1,025
Active rheumatic fever and chronic rheumatic heart disease – 390–398	6	2	120	29	4	8	16	13
Hypertensive heart disease – 402	1	1	36	17	1	6	13	8
Hypertensive heart and renal disease – 404	–	–	12	7	1	–	–	3
Ischemic heart disease – 410–413	330	115	4,929	1,272	413	288	707	920
Acute myocardial infarction – 410	151	51	2,778	585	181	157	308	441
Other acute and subacute forms of ischemic heart disease – 411	2	–	14	8	2	4	14	–
Chronic ischemic heart disease – 412	177	63	2,136	678	229	127	385	479
Angina pectoris – 413	–	1	1	1	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	4	5	31	11	–	2	2	2
All other forms of heart disease – 420–423,425–427,429	81	6	227	65	43	15	59	79

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Brownsville–Harlingen–San Benito, Tex.	Bryan–College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign–Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	3	50	10	8	8	3	10
Cerebrovascular diseases—430–438	90	51	1,257	336	133	85	216	153
Cerebral hemorrhage—431	11	4	175	52	17	6	45	19
Cerebral thrombosis—433	20	7	385	97	23	15	46	33
Cerebral embolism—434	–	2	8	1	–	2	3	1
All other cerebrovascular diseases—430,432,435–438	59	38	689	186	93	62	122	100
Arteriosclerosis—440	16	12	181	59	23	35	15	16
Other diseases of arteries, arterioles, and capillaries—441–448	19	5	201	50	20	12	27	27
Acute bronchitis and bronchiolitis—466	–	–	7	1	–	1	1	–
Influenza and pneumonia—470–474,480–486	29	13	367	113	41	23	53	64
Influenza—470–474	1	1	31	23	4	1	5	–
Pneumonia—480–486	28	12	336	90	37	22	48	64
Bronchitis, emphysema, and asthma—490–493	15	4	211	48	18	21	18	32
Chronic and unqualified bronchitis—490,491	1	–	40	12	2	3	4	6
Emphysema—492	12	3	162	29	15	18	11	24
Asthma—493	2	1	9	7	1	–	3	2
Peptic ulcer—531–533	1	–	49	6	4	1	4	6
Appendicitis—540–543	–	–	2	–	–	1	2	1
Hernia and intestinal obstruction—550–553,560	5	1	41	9	7	3	8	9
Cirrhosis of liver—571	19	5	260	40	12	14	40	48
Cholelithiasis, cholecystitis and cholangitis—574,575	3	–	20	4	2	4	–	–
Nephritis and nephrosis—580–584	4	2	45	10	1	3	16	12
Acute nephritis and nephrotic syndrome—580,581	1	2	10	–	–	2	2	5
Chronic and unqualified nephritis and renal sclerosis—582–584	3	–	35	10	1	1	14	7
Infections of kidney—590	6	1	28	20	5	2	3	4
Hyperplasia of prostate—600	–	–	8	–	1	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	–	–	–	–
Congenital anomalies—740–759	18	7	60	23	14	8	19	17
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	34	9	164	44	18	10	61	38
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	22	4	64	27	8	6	26	16
Other causes of mortality in early infancy—Remainder of 760–778	12	5	100	17	10	4	35	22
Symptoms and ill-defined conditions—780–796	93	29	112	17	7	5	29	80
All other diseases—Residual	87	23	803	214	71	69	141	150
Accidents—E800–E949	95	31	437	172	60	44	192	124
Motor vehicle accidents—E810–E823	51	14	181	81	26	26	89	58
All other accidents—E800–E807,E825–E949	44	17	256	91	34	18	103	66
Suicide—E950–E959	17	10	115	42	25	14	34	28
Homicide—E960–E978	7	2	68	16	9	9	29	16
Other external causes—E980–E999	–	–	69	–	5	–	1	4

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
All causes	3,164	2,989	62,039	12,763	18,771	1,610	545	2,432
Bacillary dysentery and amebiasis—004,006	–	–	5	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	14	3	60	6	20	3	1	4
Tuberculosis, all forms—010–019	7	6	119	26	28	7	1	4
Tuberculosis of respiratory system—010–012	5	4	80	21	23	1	1	3
Tuberculosis, other forms—013–019	2	2	39	5	5	6	–	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	5	4	3	–	–	–
Septicemia—038	10	7	197	36	62	6	3	12
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	1	–	–	–	–	–
Syphilis and its sequelae—090–097	–	1	4	–	1	–	–	1
Other infective and parasitic diseases—Remainder of 000–136	8	10	109	28	35	4	3	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	618	611	12,474	2,825	3,874	255	98	436
Malignant neoplasms of buccal cavity and pharynx—140–149	11	23	337	52	84	5	3	10
Malignant neoplasms of digestive organs and peritoneum—150–159	165	149	3,656	783	1,079	55	24	96
Malignant neoplasms of respiratory system—160–163	143	157	2,908	751	919	55	19	127
Malignant neoplasm of breast—174	57	45	1,174	271	389	28	9	35
Malignant neoplasms of genital organs—180–187	69	89	1,399	330	462	24	9	57
Malignant neoplasms of urinary organs—188,189	30	25	585	118	178	13	1	20
Malignant neoplasms of all other and unspecified sites—170–173,190–199	86	74	1,300	277	424	51	20	46
Leukemia—204–207	23	20	470	112	139	10	5	21
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	34	29	645	131	200	14	8	24
Benign neoplasms and neoplasms of unspecified nature—210–239	4	9	134	30	43	3	–	5
Diabetes mellitus—250	63	52	1,049	216	337	16	14	39
Avitaminoses and other nutritional deficiencies—260–269	6	3	43	12	24	2	2	2
Anemias—280–285	8	4	91	18	31	5	1	4
Meningitis—320	2	1	64	9	13	3	1	2
Major cardiovascular diseases—390–448	1,529	1,540	32,945	6,614	9,851	721	276	1,260
Diseases of heart—390–398,402,404,410–429	1,115	1,116	26,209	4,985	7,462	537	204	959
Active rheumatic fever and chronic rheumatic heart disease—390–398	28	15	390	80	148	17	6	10
Hypertensive heart disease—402	5	6	358	61	90	1	2	6
Hypertensive heart and renal disease—404	10	2	81	25	35	3	2	4
Ischemic heart disease—410–413	986	1,004	23,147	4,601	6,797	480	181	800
Acute myocardial infarction—410	457	759	11,128	1,635	2,352	208	93	504
Other acute and subacute forms of ischemic heart disease—411	4	3	64	8	33	27	–	1
Chronic ischemic heart disease—412	525	242	11,951	2,957	4,412	245	88	294
Angina pectoris—413	–	–	4	1	–	–	–	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	4	109	11	45	2	–	6
All other forms of heart disease—420–423,425–427,429	82	85	2,124	207	347	34	13	133

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	12	12	285	36	68	2	–	11
Cerebrovascular diseases—430–438	316	333	5,193	1,227	1,702	136	63	245
Cerebral hemorrhage—431	38	32	900	157	215	15	8	32
Cerebral thrombosis—433	68	61	1,563	344	493	31	21	55
Cerebral embolism—434	–	2	28	7	4	–	2	–
All other cerebrovascular diseases—430,432,435–438	210	238	2,702	719	990	90	32	158
Arteriosclerosis—440	51	46	601	163	342	28	5	13
Other diseases of arteries, arterioles, and capillaries—441–448	35	33	657	203	277	18	4	32
Acute bronchitis and bronchiolitis—466	1	3	29	9	11	3	–	–
Influenza and pneumonia—470–474,480–486	96	90	1,813	323	552	89	17	64
Influenza—470–474	4	7	67	17	80	24	1	3
Pneumonia—480–486	92	83	1,746	306	472	65	16	61
Bronchitis, emphysema, and asthma—490–493	27	39	644	153	232	36	11	37
Chronic and unqualified bronchitis—490,491	6	7	117	32	42	4	3	9
Emphysema—492	19	30	470	107	174	30	7	26
Asthma—493	2	2	57	14	16	2	1	2
Peptic ulcer—531–533	14	9	224	40	53	14	–	9
Appendicitis—540–543	2	1	36	6	5	1	–	–
Hernia and intestinal obstruction—550–553,560	12	9	178	46	48	5	1	9
Cirrhosis of liver—571	55	37	1,305	212	385	32	3	40
Cholelithiasis, cholecystitis and cholangitis—574,575	2	6	91	16	26	4	1	3
Nephritis and nephrosis—580–584	23	19	292	55	92	8	4	12
Acute nephritis and nephrotic syndrome—580,581	5	1	70	9	14	6	1	2
Chronic and unqualified nephritis and renal sclerosis—582–584	18	18	222	46	78	2	3	10
Infections of kidney—590	11	12	138	32	43	4	1	5
Hyperplasia of prostate—600	–	–	22	8	7	–	–	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	1	15	5	4	1	–	–
Abortions—640–645	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	1	14	5	4	1	–	–
Congenital anomalies—740–759	34	18	430	101	126	11	4	31
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	50	40	1,053	146	219	43	15	19
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	34	18	642	82	125	28	7	12
Other causes of mortality in early infancy—Remainder of 760–778	16	22	411	64	94	15	8	7
Symptoms and ill-defined conditions—780–796	27	21	589	42	96	14	8	23
All other diseases—Residual	236	179	3,334	867	1,148	135	32	172
Accidents—E800–E949	188	178	2,598	559	766	120	27	151
Motor vehicle accidents—E810–E823	98	95	1,039	210	302	65	9	71
All other accidents—E800–E807,E825–E949	90	83	1,559	349	464	55	18	80
Suicide—E950–E959	41	34	647	177	291	42	15	35
Homicide—E960–E978	69	45	1,015	108	309	12	3	41
Other external causes—E980–E999	6	1	286	34	36	11	3	4

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.–Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport–Rock Island–Moline, Iowa–Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
All causes	1,953	7,170	2,181	11,946	3,342	6,534	1,246	9,253
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	5	4	1	17	5	5	1	11
Tuberculosis, all forms – 010–019	4	8	9	24	6	4	1	16
Tuberculosis of respiratory system – 010–012	4	7	6	21	5	3	1	8
Tuberculosis, other forms – 013–019	–	1	3	3	1	1	–	8
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	1	–	1	–	–	–	–
Meningococcal infections – 036	–	–	–	3	–	–	–	2
Septicemia – 038	5	32	13	49	5	18	–	47
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	1
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	3	–	2	1	2
Other infective and parasitic diseases – Remainder of 000–136	4	19	7	30	9	15	1	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	303	1,451	435	2,252	635	1,332	230	1,709
Malignant neoplasms of buccal cavity and pharynx – 140–149	11	39	11	65	12	29	1	35
Malignant neoplasms of digestive organs and peritoneum – 150–159	64	391	112	552	174	364	68	428
Malignant neoplasms of respiratory system – 160–163	76	385	116	608	144	373	56	351
Malignant neoplasm of breast – 174	24	129	33	195	59	120	21	185
Malignant neoplasms of genital organs – 180–187	42	158	47	244	71	132	25	209
Malignant neoplasms of urinary organs – 188,189	11	56	14	77	32	62	12	88
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	49	152	59	264	90	138	22	235
Leukemia – 204–207	14	74	20	101	23	52	11	80
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	12	67	23	146	30	62	14	98
Benign neoplasms and neoplasms of unspecified nature – 210–239	4	17	8	25	9	16	5	24
Diabetes mellitis – 250	34	156	52	178	59	125	32	125
Avitaminoses and other nutritional deficiencies – 260–269	1	11	4	11	4	4	–	19
Anemias – 280–285	4	7	5	17	5	13	3	8
Meningitis – 320	2	9	9	14	–	5	1	10
Major cardiovascular diseases – 390–448	1,041	3,527	961	5,681	1,866	3,375	721	4,115
Diseases of heart – 390–398,402,404,410–429	668	2,586	733	4,084	1,431	2,549	474	3,096
Active rheumatic fever and chronic rheumatic heart disease – 390–398	12	55	8	60	21	45	10	95
Hypertensive heart disease – 402	8	27	8	30	7	18	7	35
Hypertensive heart and renal disease – 404	2	283	3	12	3	14	7	44
Ischemic heart disease – 410–413	548	2,016	646	3,661	1,336	2,331	411	2,595
Acute myocardial infarction – 410	295	1,135	281	1,541	774	1,019	248	1,273
Other acute and subacute forms of ischemic heart disease – 411	31	–	2	13	15	7	1	10
Chronic ischemic heart disease – 412	222	880	363	2,103	547	1,305	162	1,312
Angina pectoris – 413	–	1	–	4	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	7	10	4	31	7	7	7	16
All other forms of heart disease – 420–423,425–427,429	91	195	64	290	57	134	32	311

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.–Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport–Rock Island–Moline, Iowa–Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	9	33	5	29	15	19	9	21
Cerebrovascular diseases—430–438	311	690	177	1,210	333	614	177	718
Cerebral hemorrhage—431	60	80	25	150	43	91	30	79
Cerebral thrombosis—433	87	147	28	153	106	139	58	121
Cerebral embolism—434	–	–	1	1	1	1	–	3
All other cerebrovascular diseases—430,432,435–438	164	463	123	906	183	383	89	515
Arteriosclerosis—440	30	109	19	206	34	102	42	149
Other diseases of arteries, arterioles, and capillaries—441–448	23	109	27	152	53	91	19	131
Acute bronchitis and bronchiolitis—466	1	2	–	7	1	3	–	4
Influenza and pneumonia—470–474,480–486	49	191	87	393	83	157	28	459
Influenza—470–474	4	9	14	51	7	20	–	64
Pneumonia—480–486	45	182	73	342	76	137	28	395
Bronchitis, emphysema, and asthma—490–493	17	114	42	162	62	86	32	159
Chronic and unqualified bronchitis—490,491	5	19	3	45	12	19	2	38
Emphysema—492	11	90	34	107	44	66	30	110
Asthma—493	1	5	5	10	6	1	–	11
Peptic ulcer—531–533	9	17	5	32	13	14	4	39
Appendicitis—540–543	–	2	–	6	1	1	–	3
Hernia and intestinal obstruction—550–553,560	11	23	13	46	8	18	1	37
Cirrhosis of liver—571	27	102	32	167	42	82	6	154
Cholelithiasis, cholecystitis and cholangitis—574,575	3	6	6	14	7	11	–	17
Nephritis and nephrosis—580–584	11	27	13	51	7	28	2	29
Acute nephritis and nephrotic syndrome—580,581	2	3	5	9	1	7	–	4
Chronic and unqualified nephritis and renal sclerosis—582–584	9	24	8	42	6	21	2	25
Infections of kidney—590	1	6	6	44	5	14	1	10
Hyperplasia of prostate—600	2	4	1	3	7	3	–	6
Complications of pregnancy, childbirth, and the puerperium—630–678	2	1	–	–	–	–	–	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	1	–	–	–	–	–	1
Congenital anomalies—740–759	19	49	31	112	25	60	5	82
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	31	117	55	225	50	111	24	126
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	20	60	40	119	20	60	12	60
Other causes of mortality in early infancy—Remainder of 760–778	11	57	15	106	30	51	12	66
Symptoms and ill-defined conditions—780–796	24	410	20	320	18	90	18	92
All other diseases—Residual	142	466	164	823	176	479	52	868
Accidents—E800–E949	115	228	137	743	182	289	53	634
Motor vehicle accidents—E810–E823	53	83	74	363	96	154	28	277
All other accidents—E800–E807,E825–E949	62	145	63	380	86	135	25	357
Suicide—E950–E959	27	116	26	199	23	93	16	268
Homicide—E960–E978	49	40	32	284	20	76	6	122
Other external causes—E980–E999	6	7	7	10	9	5	2	36

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth–Superior, Minn.–Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
All causes	**2,489**	**34,948**	**789**	**2,791**	**1,629**	**2,339**	**2,557**	**1,732**
Bacillary dysentery and amebiasis–004,006	–	–	–	–	–	5	–	–
Enteritis and other diarrheal diseases–008,009	2	22	2	3	2	4	–	2
Tuberculosis, all forms–010–019	3	64	–	2	2	6	3	–
Tuberculosis of respiratory system–010–012	–	52	–	1	2	5	3	–
Tuberculosis, other forms–013–019	3	12	–	1	–	1	–	–
Whooping cough–033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever–034	–	–	–	–	–	–	–	–
Meningococcal infections–036	–	5	–	–	1	–	1	–
Septicemia–038	8	149	1	8	8	20	5	4
Acute poliomyelitis–040–043	–	–	–	–	–	–	–	–
Measles–055	–	–	–	–	–	–	–	–
Syphilis and its sequelae–090–097	1	7	–	–	1	–	–	–
Other infective and parasitic diseases–Remainder of 000–136	10	85	1	3	9	5	6	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues–140–209	525	7,101	173	543	341	434	507	345
Malignant neoplasms of buccal cavity and pharynx–140–149	7	153	2	17	8	6	10	5
Malignant neoplasms of digestive organs and peritoneum–150–159	167	1,893	47	169	77	123	154	84
Malignant neoplasms of respiratory system–160–163	125	1,791	35	118	88	83	138	79
Malignant neoplasm of breast–174	46	605	14	43	32	45	46	34
Malignant neoplasms of genital organs–180–187	54	855	34	61	29	53	47	38
Malignant neoplasms of urinary organs–188,189	20	327	4	34	8	21	18	20
Malignant neoplasms of all other and unspecified sites–170–173,190–199	55	818	16	49	60	55	59	44
Leukemia–204–207	21	251	7	19	26	16	17	18
Other neoplasms of lymphatic and hematopoietic tissues–200–203,208,209	30	408	14	33	13	32	18	23
Benign neoplasms and neoplasms of unspecified nature–210–239	4	61	2	2	4	2	5	6
Diabetes mellitis–250	30	739	12	61	17	63	31	16
Avitaminoses and other nutritional deficiencies–260–269	2	38	2	2	3	11	6	1
Anemias–280–285	5	74	–	–	2	1	2	2
Meningitis–320	–	28	–	4	2	4	1	1
Major cardiovascular diseases–390–448	1,258	17,482	437	1,447	753	943	1,435	886
Diseases of heart–390–398,402,404,410–429	955	13,602	318	1,085	560	652	1,074	599
Active rheumatic fever and chronic rheumatic heart disease–390–398	14	232	9	28	15	14	21	11
Hypertensive heart disease–402	7	131	3	9	6	22	12	2
Hypertensive heart and renal disease–404	6	35	–	2	2	1	–	4
Ischemic heart disease–410–413	893	12,507	283	984	472	521	953	549
Acute myocardial infarction–410	553	6,131	114	453	255	235	531	223
Other acute and subacute forms of ischemic heart disease–411	5	31	–	2	3	5	3	2
Chronic ischemic heart disease–412	335	6,343	169	529	214	281	419	324
Angina pectoris–413	–	2	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency–424,428	3	37	3	7	2	10	9	1
All other forms of heart disease–420–423,425–427,429	32	660	20	55	63	84	79	32

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth–Superior, Minn.–Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	7	97	3	2	2	17	4	2
Cerebrovascular diseases—430–438	232	3,040	92	261	144	205	256	215
Cerebral hemorrhage—431	18	420	7	32	26	33	33	15
Cerebral thrombosis—433	32	1,010	28	52	31	41	70	74
Cerebral embolism—434	1	22	–	4	–	3	1	1
All other cerebrovascular diseases—430,432,435–438	181	1,588	57	173	87	128	152	125
Arteriosclerosis—440	33	309	14	47	22	32	57	39
Other diseases of arteries, arterioles, and capillaries—441–448	31	434	10	52	25	37	44	31
Acute bronchitis and bronchiolitis—466	–	5	1	–	1	3	–	1
Influenza and pneumonia—470–474,480–486	91	921	11	128	60	88	72	56
Influenza—470–474	15	86	2	40	1	7	8	12
Pneumonia—480–486	76	835	9	88	59	81	64	44
Bronchitis, emphysema, and asthma—490–493	39	410	12	53	19	29	27	50
Chronic and unqualified bronchitis—490,491	7	68	2	14	6	5	6	11
Emphysema—492	32	299	9	34	11	19	18	35
Asthma—493	–	43	1	5	2	5	3	4
Peptic ulcer—531–533	9	125	3	15	5	8	7	4
Appendicitis—540–543	2	9	1	–	1	1	3	1
Hernia and intestinal obstruction—550–553,560	7	105	1	9	7	9	9	9
Cirrhosis of liver—571	29	867	11	46	26	56	34	21
Cholelithiasis, cholecystitis and cholangitis—574,575	7	43	2	6	1	3	3	4
Nephritis and nephrosis—580–584	11	150	2	5	14	19	9	1
Acute nephritis and nephrotic syndrome—580,581	1	26	1	–	1	5	5	–
Chronic and unqualified nephritis and renal sclerosis—582–584	10	124	1	5	13	14	4	1
Infections of kidney—590	7	49	1	5	1	5	6	3
Hyperplasia of prostate—600	2	18	–	4	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	5	–	–	–	3	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	5	–	–	–	3	–	–
Congenital anomalies—740–759	21	231	2	16	7	44	14	17
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	30	500	11	34	26	61	42	21
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	257	4	18	13	33	16	10
Other causes of mortality in early infancy—Remainder of 760–778	15	243	7	16	13	28	26	11
Symptoms and ill-defined conditions—780–796	29	204	4	38	14	29	13	15
All other diseases—Residual	166	2,281	45	181	141	204	167	108
Accidents—E800–E949	133	1,563	38	137	83	198	104	113
Motor vehicle accidents—E810–E823	58	785	25	60	30	97	50	53
All other accidents—E800–E807,E825–E949	75	778	13	77	53	101	54	60
Suicide—E950–E959	43	598	10	31	43	46	28	31
Homicide—E960–E978	9	860	1	5	33	35	15	8
Other external causes—E980–E999	5	149	3	3	2	–	1	3

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.–Ky.	Fall River–New Bedford, Mass.	Fargo–Moorhead, N. Dak.–Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale–Hollywood, Fla.	Fort Smith, Ark.–Okla.	Fort Wayne, Ind.
All causes	2,421	4,485	982	1,183	3,665	9,752	1,709	2,245
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	–	4	5	11	4	4	3
Tuberculosis, all forms – 010–019	2	2	1	3	3	18	1	3
Tuberculosis of respiratory system – 010–012	2	1	1	2	1	11	1	3
Tuberculosis, other forms – 013–019	–	1	–	1	2	7	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	–	1	1	–	1
Septicemia – 038	6	13	4	6	11	27	9	6
Acute poliomyelitis – 040–043	–	–	–	1	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	1	1	–	–
Other infective and parasitic diseases – Remainder of 000–136	10	7	3	2	8	19	4	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	479	978	155	215	660	2,321	317	491
Malignant neoplasms of buccal cavity and pharynx – 140–149	8	9	2	5	7	48	6	6
Malignant neoplasms of digestive organs and peritoneum – 150–159	117	323	47	58	148	638	55	121
Malignant neoplasms of respiratory system – 160–163	126	213	30	61	163	590	101	106
Malignant neoplasm of breast – 174	36	105	13	19	64	188	23	62
Malignant neoplasms of genital organs – 180–187	62	109	22	24	80	277	41	67
Malignant neoplasms of urinary organs – 188,189	34	43	11	7	31	117	11	24
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	51	96	7	22	87	219	48	58
Leukemia – 204–207	22	24	10	10	27	94	17	18
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	23	56	13	9	53	150	15	29
Benign neoplasms and neoplasms of unspecified nature – 210–239	5	15	1	2	8	14	3	2
Diabetes mellitis – 250	44	132	7	18	89	143	33	45
Avitaminoses and other nutritional deficiencies – 260–269	5	4	5	1	4	9	2	4
Anemias – 280–285	4	3	2	2	11	19	2	3
Meningitis – 320	1	1	–	6	–	6	4	2
Major cardiovascular diseases – 390–448	1,312	2,447	472	467	1,820	5,052	836	1,172
Diseases of heart – 390–398,402,404,410–429	907	1,901	300	342	1,327	3,810	607	847
Active rheumatic fever and chronic rheumatic heart disease – 390–398	15	29	11	14	24	105	6	8
Hypertensive heart disease – 402	7	24	7	1	9	29	5	14
Hypertensive heart and renal disease – 404	30	15	–	3	3	18	2	18
Ischemic heart disease – 410–413	799	1,770	262	308	1,202	3,509	524	767
Acute myocardial infarction – 410	462	896	157	147	776	1,539	292	440
Other acute and subacute forms of ischemic heart disease – 411	4	–	1	1	2	22	23	1
Chronic ischemic heart disease – 412	333	874	104	160	424	1,948	208	324
Angina pectoris – 413	–	–	–	–	–	–	1	2
Chronic disease of endocardium and other myocardial insufficiency – 424,428	4	3	–	–	3	13	4	7
All other forms of heart disease – 420–423,425–427,429	52	60	20	16	86	136	66	33

Table 7–B. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.–Ky.	Fall River–New Bedford, Mass.	Fargo–Moorhead, N. Dak.–Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale–Hollywood, Fla.	Fort Smith, Ark.–Okla.	Fort Wayne, Ind.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	10	18	5	5	9	44	3	6
Cerebrovascular diseases—430–438	277	421	122	97	375	915	179	252
Cerebral hemorrhage—431	57	114	7	13	42	109	19	35
Cerebral thrombosis—433	54	126	22	19	83	254	15	38
Cerebral embolism—434	–	1	–	–	3	4	–	–
All other cerebrovascular diseases—430,432,435–438	166	180	93	65	247	548	145	179
Arteriosclerosis—440	73	54	29	10	60	119	25	41
Other diseases of arteries, arterioles, and capillaries—441–448	45	53	16	13	49	164	22	26
Acute bronchitis and bronchiolitis—466	2	1	–	1	5	4	1	–
Influenza and pneumonia—470–474,480–486	55	144	36	24	107	216	61	57
Influenza—470–474	–	23	4	2	21	13	11	5
Pneumonia—480–486	55	121	32	22	86	203	50	52
Bronchitis, emphysema, and asthma—490–493	39	43	14	6	55	110	17	26
Chronic and unqualified bronchitis—490,491	6	8	–	3	11	16	1	2
Emphysema—492	31	30	14	2	39	85	16	23
Asthma—493	2	5	–	1	5	9	–	1
Peptic ulcer—531–533	14	7	3	4	16	35	3	6
Appendicitis—540–543	1	2	2	–	1	5	1	1
Hernia and intestinal obstruction—550–553,560	8	8	5	6	11	28	3	12
Cirrhosis of liver—571	23	70	14	28	88	206	17	30
Cholelithiasis, cholecystitis and cholangitis—574,575	6	6	2	1	9	18	2	4
Nephritis and nephrosis—580–584	9	17	3	6	12	38	2	6
Acute nephritis and nephrotic syndrome—580,581	5	4	1	–	4	11	1	1
Chronic and unqualified nephritis and renal sclerosis—582–584	4	13	2	6	8	27	1	5
Infections of kidney—590	6	4	1	7	11	19	4	7
Hyperplasia of prostate—600	3	3	1	2	–	6	2	2
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	3	–	–	1	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	3	–	–	1	–
Congenital anomalies—740–759	18	21	8	13	30	33	8	26
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	29	32	6	54	76	82	27	33
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	21	23	3	35	36	41	12	21
Other causes of mortality in early infancy—Remainder of 760–778	8	9	3	19	40	41	15	12
Symptoms and ill-defined conditions—780–796	9	42	7	18	20	21	131	17
All other diseases—Residual	149	284	64	81	245	662	94	117
Accidents—E800–E949	129	150	63	134	233	338	87	115
Motor vehicle accidents—E810–E823	49	75	35	88	129	144	42	61
All other accidents—E800–E807,E825–E949	80	75	28	46	104	194	45	54
Suicide—E950–E959	33	39	13	24	67	174	18	26
Homicide—E960–E978	15	9	2	39	41	105	13	25
Other external causes—E980–E999	2	1	4	4	11	18	2	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston–Texas City, Tex.	Gary–Hammond–East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
All causes	6,180	3,667	998	784	1,545	4,977	4,366	652
Bacillary dysentery and amebiasis – 004,006	–	1	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	16	5	–	1	–	4	5	1
Tuberculosis, all forms – 010–019	9	9	1	7	6	2	3	1
Tuberculosis of respiratory system – 010–012	8	8	1	6	6	2	3	1
Tuberculosis, other forms – 013–019	1	1	–	1	–	–	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	1	1	–	–	–	–
Septicemia – 038	26	7	4	3	19	9	8	2
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	13	16	2	4	3	15	5	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	1,209	725	179	156	337	971	865	115
Malignant neoplasms of buccal cavity and pharynx – 140–149	37	16	2	4	8	21	20	6
Malignant neoplasms of digestive organs and peritoneum – 150–159	289	204	37	43	90	261	216	34
Malignant neoplasms of respiratory system – 160–163	344	174	42	36	100	235	182	36
Malignant neoplasm of breast – 174	99	53	14	14	27	88	107	6
Malignant neoplasms of genital organs – 180–187	128	84	26	16	34	123	96	9
Malignant neoplasms of urinary organs – 188,189	47	32	8	4	11	52	36	2
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	146	93	31	25	41	106	110	12
Leukemia – 204–207	39	32	7	8	13	28	47	8
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	80	37	12	6	13	57	51	2
Benign neoplasms and neoplasms of unspecified nature – 210–239	13	11	2	1	4	18	9	4
Diabetes mellitus – 250	98	61	15	14	34	127	71	9
Avitaminoses and other nutritional deficiencies – 260–269	10	6	–	1	–	7	10	–
Anemias – 280–285	11	4	2	2	–	5	6	–
Meningitis – 320	3	5	1	1	1	5	3	–
Major cardiovascular diseases – 390–448	3,072	1,702	572	351	684	2,502	2,369	304
Diseases of heart – 390–398,402,404,410–429	2,055	1,230	441	242	528	1,816	1,707	203
Active rheumatic fever and chronic rheumatic heart disease – 390–398	36	24	3	11	6	27	36	4
Hypertensive heart disease – 402	26	20	3	5	3	25	10	–
Hypertensive heart and renal disease – 404	15	1	2	3	5	3	16	1
Ischemic heart disease – 410–413	1,803	1,147	411	186	465	1,661	1,516	143
Acute myocardial infarction – 410	822	438	229	111	175	886	801	76
Other acute and subacute forms of ischemic heart disease – 411	5	45	9	1	3	5	3	7
Chronic ischemic heart disease – 412	976	664	173	74	287	770	712	60
Angina pectoris – 413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	16	7	3	–	–	6	5	23
All other forms of heart disease – 420–423,425–427,429	159	31	19	37	49	94	124	32

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston–Texas City, Tex.	Gary–Hammond–East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	15	6	5	3	4	27	18	2
Cerebrovascular diseases—430–438	790	363	94	83	126	530	458	56
Cerebral hemorrhage—431	74	34	20	10	16	112	42	8
Cerebral thrombosis—433	96	93	40	31	13	115	143	13
Cerebral embolism—434	6	–	–	–	–	1	–	–
All other cerebrovascular diseases—430,432,435–438	614	236	34	42	97	302	273	35
Arteriosclerosis—440	142	62	17	15	11	70	110	34
Other diseases of arteries, arterioles, and capillaries—441–448	70	41	15	8	15	59	76	9
Acute bronchitis and bronchiolitis—466	5	4	1	1	1	2	1	–
Influenza and pneumonia—470–474,480–486	221	129	20	17	47	111	122	24
Influenza—470–474	22	24	3	2	5	10	13	6
Pneumonia—480–486	199	105	17	15	42	101	109	18
Bronchitis, emphysema, and asthma—490–493	110	72	11	11	17	65	50	9
Chronic and unqualified bronchitis—490,491	25	13	2	6	2	6	14	3
Emphysema—492	80	56	9	5	14	54	30	4
Asthma—493	5	3	–	–	1	5	6	2
Peptic ulcer—531–533	21	17	3	1	–	9	13	2
Appendicitis—540–543	4	2	1	1	–	3	–	–
Hernia and intestinal obstruction—550–553,560	21	11	2	4	3	10	16	2
Cirrhosis of liver—571	103	81	8	10	26	107	59	9
Cholelithiasis, cholecystitis and cholangitis—574,575	8	5	–	–	–	4	5	–
Nephritis and nephrosis—580–584	22	13	5	3	13	31	16	–
Acute nephritis and nephrotic syndrome—580,581	3	2	–	–	3	8	1	–
Chronic and unqualified nephritis and renal sclerosis—582–584	19	11	5	3	10	23	15	–
Infections of kidney—590	12	5	2	–	2	9	14	–
Hyperplasia of prostate—600	3	1	–	2	–	1	5	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	1	–	1	–	1	1	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	1	–	1	–	1	1	–
Congenital anomalies—740–759	62	36	3	9	9	37	46	5
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	87	63	22	15	30	100	52	13
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	60	42	8	7	15	65	33	7
Other causes of mortality in early infancy—Remainder of 760–778	27	21	14	8	15	35	19	6
Symptoms and ill-defined conditions—780–796	40	15	12	27	17	74	51	39
All other diseases—Residual	445	235	61	63	128	273	270	33
Accidents—E800–E949	313	286	48	51	97	314	221	55
Motor vehicle accidents—E810–E823	149	186	19	28	41	151	102	30
All other accidents—E800–E807,E825–E949	164	100	29	23	56	163	119	25
Suicide—E950–E959	92	68	7	8	31	44	50	19
Homicide—E960–E978	113	61	10	14	29	94	16	4
Other external causes—E980–E999	17	10	3	4	7	23	4	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston Salem–High Point, N.C.	Greenville, S.C.	Hamilton–Middletown, Ohio	Harrisburg, Pa.	Hartford–New Britain–Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
All causes	1,236	3,140	2,613	1,786	3,928	6,938	3,201	15,668
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	2
Enteritis and other diarrheal diseases—008,009	–	3	1	–	1	6	5	25
Tuberculosis, all forms—010–019	2	5	3	–	5	8	5	24
Tuberculosis of respiratory system—010–012	1	3	2	–	4	5	–	20
Tuberculosis, other forms—013–019	1	2	1	–	1	3	5	4
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	2	–	–	–	3	–	7
Septicemia—038	1	30	10	5	18	24	14	100
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	1	–	2	–	–
Other infective and parasitic diseases—Remainder of 000–136	–	12	6	6	11	14	6	72
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	248	985	495	384	821	1,506	698	3,127
Malignant neoplasms of buccal cavity and pharynx—140–149	4	25	17	4	14	32	23	59
Malignant neoplasms of digestive organs and peritoneum—150–159	78	247	112	97	224	439	237	756
Malignant neoplasms of respiratory system—160–163	41	216	127	111	205	350	169	936
Malignant neoplasm of breast—174	29	90	43	34	67	156	41	271
Malignant neoplasms of genital organs—180–187	22	121	55	37	93	171	56	333
Malignant neoplasms of urinary organs—188,189	19	35	24	19	34	58	23	118
Malignant neoplasms of all other and unspecified sites—170–173,190–199	28	149	70	43	102	172	78	361
Leukemia—204–207	14	37	17	16	36	54	29	132
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	13	65	30	23	46	74	42	161
Benign neoplasms and neoplasms of unspecified nature—210–239	3	25	10	5	10	25	9	25
Diabetes mellitus—250	18	92	42	21	83	112	98	236
Avitaminoses and other nutritional deficiencies—260–269	2	9	9	–	7	3	6	25
Anemias—280–285	1	8	3	2	8	8	4	34
Meningitis—320	1	3	3	1	1	6	4	21
Major cardiovascular diseases—390–448	658	2,594	1,372	956	2,135	3,531	1,378	6,809
Diseases of heart—390–398,402,404,410–429	455	1,875	964	728	1,625	2,604	1,062	4,931
Active rheumatic fever and chronic rheumatic heart disease—390–398	8	39	15	11	50	41	29	81
Hypertensive heart disease—402	6	19	4	13	8	23	14	37
Hypertensive heart and renal disease—404	1	8	2	10	6	9	1	12
Ischemic heart disease—410–413	330	1,650	857	656	1,442	2,412	943	4,262
Acute myocardial infarction—410	132	966	611	312	917	1,043	412	1,688
Other acute and subacute forms of ischemic heart disease—411	1	1	5	–	4	4	5	14
Chronic ischemic heart disease—412	197	683	240	344	521	1,364	526	2,558
Angina pectoris—413	–	–	1	–	–	1	–	2
Chronic disease of endocardium and other myocardial insufficiency—424,428	6	11	7	1	10	4	5	32
All other forms of heart disease—420–423,425–427,429	104	148	79	37	109	115	70	507

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston Salem–High Point, N.C.	Greenville, S.C.	Hamilton–Middletown, Ohio	Harrisburg, Pa.	Hartford–New Britain–Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	5	16	3	7	8	20	7	52
Cerebrovascular diseases—430–438	139	568	331	156	386	679	265	1,433
Cerebral hemorrhage—431	18	65	51	16	39	85	52	183
Cerebral thrombosis—433	41	161	53	22	56	243	54	298
Cerebral embolism—434	1	2	2	2	1	1	–	6
All other cerebrovascular diseases—430,432,435–438	79	340	225	116	290	350	159	946
Arteriosclerosis—440	36	60	23	41	56	135	13	210
Other diseases of arteries, arterioles, and capillaries—441–448	23	75	51	24	60	93	31	183
Acute bronchitis and bronchiolitis—466	–	1	1	2	3	3	3	13
Influenza and pneumonia—470–474,480–486	24	130	72	58	130	279	127	485
Influenza—470–474	9	10	7	3	8	60	11	39
Pneumonia—480–486	15	120	65	55	122	219	116	446
Bronchitis, emphysema, and asthma—490–493	23	66	30	13	36	64	23	212
Chronic and unqualified bronchitis—490,491	4	14	9	2	6	11	8	31
Emphysema—492	15	42	20	10	26	47	12	164
Asthma—493	4	10	1	1	4	6	3	17
Peptic ulcer—531–533	3	20	11	6	10	21	11	31
Appendicitis—540–543	1	3	–	1	–	2	3	5
Hernia and intestinal obstruction—550–553,560	4	12	8	5	10	24	8	49
Cirrhosis of liver—571	17	80	36	26	35	128	59	336
Cholelithiasis, cholecystitis and cholangitis—574,575	1	6	1	3	4	7	1	12
Nephritis and nephrosis—580–584	3	28	14	4	20	24	16	63
Acute nephritis and nephrotic syndrome—580,581	2	7	1	–	6	2	2	10
Chronic and unqualified nephritis and renal sclerosis—582–584	1	21	13	4	14	22	14	53
Infections of kidney—590	1	5	9	3	4	7	10	24
Hyperplasia of prostate—600	–	2	–	–	–	1	–	3
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	1	1	1	–	1	7
Abortions—640–645	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	1	1	1	–	1	6
Congenital anomalies—740–759	7	54	26	13	32	43	42	177
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	20	75	45	26	47	83	65	365
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	9	37	26	9	32	39	38	210
Other causes of mortality in early infancy—Remainder of 760–778	11	38	19	17	15	44	27	155
Symptoms and ill-defined conditions—780–796	17	39	21	10	18	91	31	290
All other diseases—Residual	97	374	179	102	273	497	237	1,081
Accidents—E800–E949	56	307	143	78	139	284	195	1,179
Motor vehicle accidents—E810–E823	26	146	73	47	72	120	95	597
All other accidents—E800–E807,E825–E949	30	161	70	31	67	164	100	582
Suicide—E950–E959	24	86	29	29	45	78	69	364
Homicide—E960–E978	4	74	29	18	17	33	43	451
Other external causes—E980–E999	–	9	4	7	4	21	30	14

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

(See headnote at beginning of table)

Cause of death	Standard metropolitan statistical area							
	Huntington–Ashland, W. Va.–Ky.–Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
All causes	2,746	1,488	9,240	1,308	2,190	4,678	6,196	2,884
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	3	10	2	3	4	7	–
Tuberculosis, all forms – 010–019	4	9	13	1	6	13	15	2
Tuberculosis of respiratory system – 010–012	3	7	12	1	5	11	13	2
Tuberculosis, other forms – 013–019	1	2	1	–	1	2	2	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	2	1	1	4	1	–
Septicemia – 038	3	3	45	–	9	21	34	7
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	1	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	1	1	1
Other infective and parasitic diseases – Remainder of 000–136	4	2	19	1	6	15	7	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	510	291	1,903	287	412	943	1,289	503
Malignant neoplasms of buccal cavity and pharynx – 140–149	4	4	28	7	9	23	33	12
Malignant neoplasms of digestive organs and peritoneum – 150–159	134	53	459	73	95	193	416	139
Malignant neoplasms of respiratory system – 160–163	133	71	525	70	111	304	291	91
Malignant neoplasm of breast – 174	39	28	178	28	32	63	122	45
Malignant neoplasms of genital organs – 180–187	57	32	205	33	48	113	136	67
Malignant neoplasms of urinary organs – 188,189	29	10	90	20	15	58	47	21
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	78	55	232	22	64	115	141	80
Leukemia – 204–207	18	14	81	17	22	30	47	21
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	18	24	105	17	16	44	56	27
Benign neoplasms and neoplasms of unspecified nature – 210–239	6	7	20	4	3	9	17	6
Diabetes mellitus – 250	49	27	184	29	34	88	122	76
Avitaminoses and other nutritional deficiencies – 260–269	3	1	5	–	4	6	8	1
Anemias – 280–285	1	6	14	–	5	7	9	7
Meningitis – 320	–	1	8	–	10	4	6	–
Major cardiovascular diseases – 390–448	1,493	681	4,789	685	977	2,206	3,358	1,605
Diseases of heart – 390–398,402,404,410–429	1,148	439	3,517	492	690	1,646	2,769	1,244
Active rheumatic fever and chronic rheumatic heart disease – 390–398	12	3	58	9	15	26	43	30
Hypertensive heart disease – 402	4	5	38	5	8	17	37	20
Hypertensive heart and renal disease – 404	3	1	24	6	5	7	9	19
Ischemic heart disease – 410–413	1,059	313	3,106	452	605	1,517	2,558	1,107
Acute myocardial infarction – 410	535	194	1,487	207	387	496	889	608
Other acute and subacute forms of ischemic heart disease – 411	1	–	6	1	–	2	17	5
Chronic ischemic heart disease – 412	523	119	1,613	244	218	1,018	1,652	494
Angina pectoris – 413	–	–	–	–	–	1	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	4	11	2	2	5	2	3
All other forms of heart disease – 420–423,425–427,429	68	113	280	18	55	74	120	65

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Huntington–Ashland, W. Va.–Ky.–Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	11	15	31	3	5	21	16	7
Cerebrovascular diseases—430–438	260	178	897	130	226	433	476	252
Cerebral hemorrhage—431	20	28	129	17	37	81	89	27
Cerebral thrombosis—433	59	37	210	26	70	93	134	64
Cerebral embolism—434	1	–	2	1	–	2	4	1
All other cerebrovascular diseases—430,432,435–438	180	113	556	86	119	257	249	160
Arteriosclerosis—440	39	31	215	35	29	37	52	58
Other diseases of arteries, arterioles, and capillaries—441–448	35	18	129	25	27	69	45	44
Acute bronchitis and bronchiolitis—466	2	–	4	–	–	4	1	3
Influenza and pneumonia—470–474,480–486	70	22	239	26	70	117	139	69
Influenza—470–474	6	3	14	4	12	5	9	10
Pneumonia—480–486	64	19	225	22	58	112	130	59
Bronchitis, emphysema, and asthma—490–493	35	14	89	17	23	77	68	32
Chronic and unqualified bronchitis—490,491	9	5	19	2	7	13	12	5
Emphysema—492	26	7	65	12	15	60	50	24
Asthma—493	–	2	5	3	1	4	6	3
Peptic ulcer—531–533	3	6	39	7	5	13	25	8
Appendicitis—540–543	1	–	3	–	–	3	2	–
Hernia and intestinal obstruction—550–553,560	9	2	30	4	10	12	23	3
Cirrhosis of liver—571	34	16	96	14	28	135	160	44
Cholelithiasis, cholecystitis and cholangitis—574,575	5	2	11	2	5	6	9	3
Nephritis and nephrosis—580–584	14	13	53	1	15	25	25	13
Acute nephritis and nephrotic syndrome—580,581	3	2	18	–	3	1	6	1
Chronic and unqualified nephritis and renal sclerosis—582–584	11	11	35	1	12	24	19	12
Infections of kidney—590	7	2	26	1	6	13	10	3
Hyperplasia of prostate—600	2	1	4	–	3	4	3	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	3	–	2	2	2	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	3	–	2	2	2	–
Congenital anomalies—740–759	23	17	64	10	29	48	35	9
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	29	36	132	21	37	76	72	35
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	16	31	53	6	20	42	33	25
Other causes of mortality in early infancy—Remainder of 760–778	13	5	79	15	17	34	39	10
Symptoms and ill-defined conditions—780–796	57	86	73	10	65	34	115	18
All other diseases—Residual	194	87	628	95	185	329	348	265
Accidents—E800–E949	131	94	452	61	153	239	168	123
Motor vehicle accidents—E810–E823	60	46	215	44	68	99	43	54
All other accidents—E800–E807,E825–E949	71	48	237	17	85	140	125	69
Suicide—E950–E959	31	29	132	22	26	96	53	37
Homicide—E960–E978	17	21	104	6	48	104	48	5
Other external causes—E980–E999	6	8	45	1	10	20	16	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.–Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette–West Lafayette, Ind.	Lake Charles, La.
All causes	1,415	10,793	1,010	3,779	742	853	751	1,245
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	1	10	–	1	–	1	–	–
Tuberculosis, all forms – 010–019	3	16	1	12	–	1	–	2
Tuberculosis of respiratory system – 010–012	2	10	–	12	–	1	–	–
Tuberculosis, other forms – 013–019	1	6	1	–	–	–	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	2	–	1	–	–	–	–
Septicemia – 038	–	44	2	7	4	7	3	6
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	3	30	3	6	5	3	4	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	296	2,133	224	793	164	165	160	230
Malignant neoplasms of buccal cavity and pharynx – 140–149	7	49	4	28	–	5	5	9
Malignant neoplasms of digestive organs and peritoneum – 150–159	58	519	67	190	43	35	34	61
Malignant neoplasms of respiratory system – 160–163	67	516	42	209	34	44	39	66
Malignant neoplasm of breast – 174	24	173	17	66	21	15	18	17
Malignant neoplasms of genital organs – 180–187	42	254	33	86	16	18	14	17
Malignant neoplasms of urinary organs – 188,189	20	111	15	37	6	6	9	7
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	41	282	26	88	28	19	20	33
Leukemia – 204–207	12	96	7	30	8	6	12	9
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	25	133	13	59	8	17	9	11
Benign neoplasms and neoplasms of unspecified nature – 210–239	1	13	1	7	1	7	1	5
Diabetes mellitis – 250	38	179	21	46	20	11	10	20
Avitaminoses and other nutritional deficiencies – 260–269	2	13	3	4	1	1	2	1
Anemias – 280–285	1	14	–	3	1	1	2	4
Meningitis – 320	1	16	1	5	–	–	1	1
Major cardiovascular diseases – 390–448	735	5,191	549	1,627	357	386	391	639
Diseases of heart – 390–398,402,404,410–429	539	3,707	430	1,083	254	275	275	449
Active rheumatic fever and chronic rheumatic heart disease – 390–398	10	65	4	24	5	3	6	9
Hypertensive heart disease – 402	3	30	2	5	2	6	1	1
Hypertensive heart and renal disease – 404	1	13	1	9	–	1	1	3
Ischemic heart disease – 410–413	486	3,238	413	985	219	233	258	377
Acute myocardial infarction – 410	235	1,565	187	567	120	103	157	210
Other acute and subacute forms of ischemic heart disease – 411	1	13	6	–	–	2	–	1
Chronic ischemic heart disease – 412	250	1,658	220	418	99	128	101	166
Angina pectoris – 413	–	2	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	22	–	1	4	–	1	6
All other forms of heart disease – 420–423,425–427,429	37	339	10	59	24	32	8	53

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.–Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette–West Lafayette, Ind.	Lake Charles, La.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	4	37	8	9	4	1	3	2
Cerebrovascular diseases—430–438	125	1,139	83	438	77	80	85	132
Cerebral hemorrhage—431	16	108	17	35	14	8	15	13
Cerebral thrombosis—433	19	251	22	93	8	18	22	29
Cerebral embolism—434	–	6	2	–	1	–	–	–
All other cerebrovascular diseases—430,432,435–438	90	774	42	310	54	54	48	90
Arteriosclerosis—440	35	153	12	51	9	22	16	30
Other diseases of arteries, arterioles, and capillaries—441–448	32	155	16	46	13	8	12	26
Acute bronchitis and bronchiolitis—466	1	6	–	2	–	–	–	–
Influenza and pneumonia—470–474,480–486	45	317	37	107	21	22	24	34
Influenza—470–474	3	47	5	16	2	–	3	8
Pneumonia—480–486	42	270	32	91	19	22	21	26
Bronchitis, emphysema, and asthma—490–493	14	135	12	48	10	11	13	23
Chronic and unqualified bronchitis—490,491	2	32	2	12	2	1	–	4
Emphysema—492	11	97	8	32	8	9	12	17
Asthma—493	1	6	2	4	–	1	1	2
Peptic ulcer—531–533	1	27	3	10	–	3	3	6
Appendicitis—540–543	–	3	–	2	1	2	–	1
Hernia and intestinal obstruction—550–553,560	3	37	3	9	5	1	4	–
Cirrhosis of liver—571	21	140	10	41	5	9	6	15
Cholelithiasis, cholecystitis and cholangitis—574,575	5	6	1	5	1	–	–	3
Nephritis and nephrosis—580–584	6	60	1	15	4	3	1	9
Acute nephritis and nephratic syndrome—580,581	1	14	–	–	1	–	1	1
Chronic and unqualified nephritis and renal sclerosis—582–584	5	46	1	15	3	3	–	8
Infections of kidney—590	–	20	1	8	1	1	2	2
Hyperplasia of prostate—600	–	6	–	1	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	1	–	2	–	1
Abortions—640–645	–	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	1	–	1	–	1
Congenital anomalies—740–759	13	85	7	19	3	13	7	9
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	19	160	2	47	9	29	13	23
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	9	100	1	27	4	13	4	12
Other causes of mortality in early infancy—Remainder of 760–778	10	60	1	20	5	16	9	11
Symptoms and ill-defined conditions—780–796	11	403	3	380	7	5	21	6
All other diseases—Residual	100	789	34	238	71	70	44	91
Accidents—E800–E949	64	558	72	224	35	74	28	79
Motor vehicle accidents—E810–E823	31	242	41	118	14	37	19	44
All other accidents—E800–E807,E825–E949	33	316	31	106	21	37	9	35
Suicide—E950–E959	23	181	14	58	13	12	9	19
Homicide—E960–E978	5	147	5	45	3	13	1	16
Other external causes—E980–E999	3	51	–	7	–	–	1	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
All causes	2,932	2,512	579	2,354	669	1,413	1,566	1,393
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	1	5	–	3	1	1	1	3
Tuberculosis, all forms – 010–019	1	2	4	5	3	2	2	1
Tuberculosis of respiratory system – 010–012	1	2	3	4	3	1	2	–
Tuberculosis, other forms – 013–019	–	–	1	1	–	1	–	1
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	–	1	–	1	1
Septicemia – 038	6	8	4	9	3	8	3	3
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	3	9	1	6	3	2	6	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	586	463	115	478	115	272	327	261
Malignant neoplasms of buccal cavity and pharynx – 140–149	7	11	3	9	2	3	2	6
Malignant neoplasms of digestive organs and peritoneum – 150–159	166	125	34	108	36	63	91	79
Malignant neoplasms of respiratory system – 160–163	121	105	14	156	31	71	84	51
Malignant neoplasm of breast – 174	53	35	9	38	7	23	30	27
Malignant neoplasms of genital organs – 180–187	59	58	11	61	5	44	35	31
Malignant neoplasms of urinary organs – 188,189	18	13	5	28	5	6	15	9
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	101	72	25	51	13	46	40	31
Leukemia – 204–207	19	22	7	12	6	7	16	13
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	42	22	7	15	10	9	14	14
Benign neoplasms and neoplasms of unspecified nature – 210–239	10	5	2	7	2	2	8	1
Diabetes mellitus – 250	70	55	23	39	11	25	38	16
Avitaminoses and other nutritional deficiencies – 260–269	4	4	2	6	1	2	2	5
Anemias – 280–285	3	5	2	4	2	1	4	1
Meningitis – 320	1	2	1	–	–	–	–	1
Major cardiovascular diseases – 390–448	1,651	1,274	240	1,043	276	699	837	735
Diseases of heart – 390–398,402,404,410–429	1,250	946	173	751	193	531	589	511
Active rheumatic fever and chronic rheumatic heart disease – 390–398	36	16	1	27	4	4	11	15
Hypertensive heart disease – 402	10	15	5	1	3	5	2	6
Hypertensive heart and renal disease – 404	8	5	–	–	–	4	1	3
Ischemic heart disease – 410–413	1,100	846	143	670	171	481	541	432
Acute myocardial infarction – 410	562	479	72	275	94	225	258	165
Other acute and subacute forms of ischemic heart disease – 411	4	8	1	5	6	1	1	1
Chronic ischemic heart disease – 412	534	358	70	390	71	255	282	266
Angina pectoris – 413	–	1	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	5	3	2	–	1	5	1
All other forms of heart disease – 420–423,425–427,429	94	59	21	51	15	36	29	54

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	7	5	6	3	4	4	8	2
Cerebrovascular diseases—430–438	274	224	44	244	64	124	171	166
Cerebral hemorrhage—431	25	22	5	30	12	20	35	21
Cerebral thrombosis—433	70	53	16	71	8	34	24	22
Cerebral embolism—434	–	1	–	1	–	–	–	1
All other cerebrovascular diseases—430,432,435–438	179	148	23	142	44	70	112	122
Arteriosclerosis—440	69	59	11	15	7	16	45	29
Other diseases of arteries, arterioles, and capillaries—441–448	51	40	6	30	8	24	24	27
Acute bronchitis and bronchiolitis—466	3	–	1	1	–	–	–	–
Influenza and pneumonia—470–474,480–486	85	89	17	35	16	44	36	57
Influenza—470–474	11	15	2	9	3	3	7	10
Pneumonia—480–486	74	74	15	26	13	41	29	47
Bronchitis, emphysema, and asthma—490–493	26	39	10	39	10	24	20	20
Chronic and unqualified bronchitis—490,491	3	11	1	8	1	2	5	3
Emphysema—492	21	27	9	27	8	18	15	16
Asthma—493	2	1	–	4	1	4	–	1
Peptic ulcer—531–533	2	8	1	10	–	3	3	5
Appendicitis—540–543	–	2	–	2	1	1	–	–
Hernia and intestinal obstruction—550–553,560	10	6	1	5	1	3	6	4
Cirrhosis of liver—571	32	32	13	87	13	24	16	8
Cholelithiasis, cholecystitis and cholangitis—574,575	3	6	1	1	–	2	4	1
Nephritis and nephrosis—580–584	12	11	–	6	3	7	6	5
Acute nephritis and nephrotic syndrome—580,581	5	4	–	3	1	3	1	1
Chronic and unqualified nephritis and renal sclerosis—582–584	7	7	–	3	2	4	5	4
Infections of kidney—590	1	–	–	2	3	1	4	5
Hyperplasia of prostate—600	2	1	–	–	1	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	–	1	–	–	1	–
Abortions—640–645	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	1	–	–	1	–
Congenital anomalies—740–759	22	33	6	13	10	11	8	13
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	33	50	15	39	26	24	24	17
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	19	25	9	21	14	8	9	9
Other causes of mortality in early infancy—Remainder of 760–778	14	25	6	18	12	16	15	8
Symptoms and ill-defined conditions—780–796	15	20	38	18	23	6	5	16
All other diseases—Residual	189	174	36	157	60	121	101	109
Accidents—E800–E949	130	152	35	197	51	76	81	80
Motor vehicle accidents—E810–E823	61	79	11	99	31	35	47	46
All other accidents—E800–E807,E825–E949	69	73	24	98	20	41	34	34
Suicide—E950–E959	24	39	5	83	14	30	14	16
Homicide—E960–E978	5	15	4	51	18	19	6	3
Other external causes—E980–E999	1	3	2	7	1	3	1	2

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock–North Little Rock, Ark.	Lorain–Elyria, Ohio	Los Angeles–Long Beach, Calif.	Louisville, Ky.–Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	3,026	1,970	58,697	7,543	1,276	1,257	1,939	1,873
Bacillary dysentery and amebiasis—004,006	–	–	5	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	4	54	8	2	–	2	1
Tuberculosis, all forms—010–019	4	1	91	16	2	–	3	–
Tuberculosis of respiratory system—010–012	4	–	61	12	–	–	–	–
Tuberculosis, other forms—013–019	–	1	30	4	2	–	3	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	1	–
Meningococcal infections—036	–	–	13	2	–	–	–	1
Septicemia—038	9	5	112	51	4	5	16	4
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	1	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	9	–	–	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	8	7	125	14	7	1	6	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	587	386	12,054	1,556	202	237	304	357
Malignant neoplasms of buccal cavity and pharynx—140–149	12	14	298	35	2	7	9	6
Malignant neoplasms of digestive organs and peritoneum—150–159	144	102	3,238	399	54	56	70	96
Malignant neoplasms of respiratory system—160–163	150	97	2,930	442	39	64	91	70
Malignant neoplasm of breast—174	40	43	1,177	128	18	12	23	39
Malignant neoplasms of genital organs—180–187	74	41	1,424	176	23	28	24	43
Malignant neoplasms of urinary organs—188,189	26	15	524	61	12	9	13	23
Malignant neoplasms of all other and unspecified sites—170–173,190–199	81	42	1,332	182	25	27	44	43
Leukemia—204–207	24	8	476	61	15	19	18	21
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	36	24	655	72	14	15	12	16
Benign neoplasms and neoplasms of unspecified nature—210–239	10	4	105	17	5	4	4	3
Diabetes mellitus—250	53	61	826	124	26	15	49	33
Avitaminoses and other nutritional deficiencies—260–269	2	9	57	8	2	3	6	3
Anemias—280–285	5	3	96	11	3	2	6	2
Meningitis—320	4	–	59	15	2	2	4	1
Major cardiovascular diseases—390–448	1,462	925	30,475	3,709	623	674	970	976
Diseases of heart—390–398,402,404,410–429	1,021	716	22,459	2,595	456	480	647	692
Active rheumatic fever and chronic rheumatic heart disease—390–398	9	7	430	46	9	6	8	18
Hypertensive heart disease—402	11	8	247	14	4	1	11	5
Hypertensive heart and renal disease—404	3	1	83	11	1	2	–	6
Ischemic heart disease—410–413	838	650	20,934	2,282	294	446	525	604
Acute myocardial infarction—410	455	289	7,008	1,331	151	202	374	263
Other acute and subacute forms of ischemic heart disease—411	4	29	45	3	1	19	–	1
Chronic ischemic heart disease—412	379	332	13,877	947	142	225	151	340
Angina pectoris—413	–	–	4	1	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	5	6	112	30	1	4	2	1
All other forms of heart disease—420–423,425–427,429	155	44	653	212	147	21	101	58

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock–North Little Rock, Ark.	Lorain–Elyria, Ohio	Los Angeles–Long Beach, Calif.	Louisville, Ky.–Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	9	5	224	40	3	–	6	7
Cerebrovascular diseases—430–438	344	158	6,207	866	129	169	239	212
Cerebral hemorrhage—431	32	16	721	91	8	43	60	21
Cerebral thrombosis—433	110	44	1,756	208	16	44	41	55
Cerebral embolism—434	1	1	36	6	1	–	–	1
All other cerebrovascular diseases—430,432,435–438	201	97	3,694	561	104	82	138	135
Arteriosclerosis—440	42	28	855	104	13	5	62	42
Other diseases of arteries, arterioles, and capillaries—441–448	46	18	730	104	22	20	16	23
Acute bronchitis and bronchiolitis—466	5	–	29	1	1	1	–	–
Influenza and pneumonia—470–474,480–486	83	60	1,452	254	68	37	62	80
Influenza—470–474	3	13	138	13	19	5	5	20
Pneumonia—480–486	80	47	1,314	241	49	32	57	60
Bronchitis, emphysema, and asthma—490–493	40	33	700	94	22	14	32	22
Chronic and unqualified bronchitis—490,491	5	5	160	16	2	–	2	5
Emphysema—492	31	27	488	66	18	13	26	17
Asthma—493	4	1	52	12	2	1	4	–
Peptic ulcer—531–533	6	3	214	24	4	6	9	4
Appendicitis—540–543	2	1	29	4	1	–	2	–
Hernia and intestinal obstruction—550–553,560	13	8	140	18	4	3	5	2
Cirrhosis of liver—571	40	31	1,479	116	14	21	27	28
Cholelithiasis, cholecystitis and cholangitis—574,575	4	7	72	17	1	2	2	7
Nephritis and nephrosis—580–584	19	34	207	36	4	5	10	1
Acute nephritis and nephrotic syndrome—580,581	2	4	30	8	1	–	2	–
Chronic and unqualified nephritis and renal sclerosis—582–584	17	30	177	28	3	5	8	1
Infections of kidney—590	2	4	111	17	3	3	6	1
Hyperplasia of prostate—600	–	1	32	4	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	25	3	2	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	25	3	2	–	–	–
Congenital anomalies—740–759	21	16	500	41	10	15	16	11
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	44	34	743	91	30	12	37	23
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	24	13	435	53	23	5	22	8
Other causes of mortality in early infancy—Remainder of 760–778	20	21	308	38	7	7	15	15
Symptoms and ill-defined conditions—780–796	109	40	322	77	18	10	12	18
All other diseases—Residual	213	128	3,180	628	81	95	159	124
Accidents—E800–E949	169	109	3,057	352	78	60	104	114
Motor vehicle accidents—E810–E823	75	57	1,259	132	25	27	42	61
All other accidents—E800–E807,E825–E949	94	52	1,798	220	53	33	62	53
Suicide—E950–E959	49	32	1,217	113	30	20	40	47
Homicide—E960–E978	49	22	1,060	110	27	10	42	7
Other external causes—E980–E999	13	2	46	12	–	–	2	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen–Pharr–Edinburg, Tex.	Memphis, Tenn.–Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis–St. Paul, Minn.
All causes	2,268	1,116	1,404	6,934	14,877	468	11,904	13,110
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	1
Enteritis and other diarrheal diseases—008,009	5	2	7	12	11	3	9	5
Tuberculosis, all forms—010–019	3	1	4	12	27	–	17	14
Tuberculosis of respiratory system—010–012	3	1	4	10	16	–	15	9
Tuberculosis, other forms—013–019	–	–	–	2	11	–	2	5
Whooping cough—033	–	–	–	–	–	–	1	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	1
Meningococcal infections—036	–	–	–	3	1	–	3	1
Septicemia—038	6	1	5	51	58	1	29	43
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	1	–
Syphilis and its sequelae—090–097	–	1	1	2	5	–	2	1
Other infective and parasitic diseases—Remainder of 000–136	5	3	7	19	38	–	23	42
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	478	230	243	1,376	3,322	83	2,488	2,712
Malignant neoplasms of buccal cavity and pharynx—140–149	9	2	5	23	84	2	60	66
Malignant neoplasms of digestive organs and peritoneum—150–159	139	60	78	342	923	22	728	800
Malignant neoplasms of respiratory system—160–163	108	56	51	352	828	26	526	546
Malignant neoplasm of breast—174	42	18	14	105	299	7	270	229
Malignant neoplasms of genital organs—180–187	67	22	25	146	368	9	268	353
Malignant neoplasms of urinary organs—188,189	20	9	7	39	160	2	107	118
Malignant neoplasms of all other and unspecified sites—170–173,190–199	53	35	38	227	352	11	303	310
Leukemia—204–207	19	17	14	55	110	2	95	122
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	21	11	11	87	198	2	131	168
Benign neoplasms and neoplasms of unspecified nature—210–239	11	4	2	19	37	2	25	23
Diabetes mellitis—250	50	28	60	91	290	7	221	189
Avitaminoses and other nutritional deficiencies—260–269	2	–	2	6	18	3	15	19
Anemias—280–285	6	–	–	14	45	–	10	33
Meningitis—320	–	–	3	13	14	2	3	4
Major cardiovascular diseases—390–448	1,082	579	585	3,524	7,469	190	6,265	6,512
Diseases of heart—390–398,402,404,410–429	739	394	417	2,440	5,986	142	4,677	4,723
Active rheumatic fever and chronic rheumatic heart disease—390–398	17	9	5	48	132	3	98	124
Hypertensive heart disease—402	5	7	5	14	37	1	45	45
Hypertensive heart and renal disease—404	5	1	1	10	12	–	15	14
Ischemic heart disease—410–413	661	360	330	2,178	5,514	93	4,286	4,212
Acute myocardial infarction—410	355	183	203	865	2,375	50	1,655	1,666
Other acute and subacute forms of ischemic heart disease—411	1	–	3	1	24	–	5	16
Chronic ischemic heart disease—412	305	177	124	1,312	3,110	43	2,626	2,528
Angina pectoris—413	–	–	–	–	5	–	–	2
Chronic disease of endocardium and other myocardial insufficiency—424,428	6	1	7	13	15	–	28	16
All other forms of heart disease—420–423,425–427,429	45	16	69	177	276	45	205	312

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen–Pharr–Edinburg, Tex.	Memphis, Tenn.–Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis–St. Paul, Minn.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	7	1	1	31	32	1	38	41
Cerebrovascular diseases—430–438	192	139	132	887	1,117	36	1,191	1,324
Cerebral hemorrhage—431	25	13	18	87	152	4	186	145
Cerebral thrombosis—433	40	28	34	210	368	8	251	208
Cerebral embolism—434	–	2	–	1	4	–	3	1
All other cerebrovascular diseases—430,432,435–438	127	96	80	589	593	24	751	970
Arteriosclerosis—440	88	32	24	82	121	6	181	229
Other diseases of arteries, arterioles, and capillaries—441–448	56	13	11	84	213	5	178	195
Acute bronchitis and bronchiolitis—466	1	–	1	4	6	–	4	7
Influenza and pneumonia—470–474,480–486	88	20	64	204	358	30	363	496
Influenza—470–474	15	6	3	29	17	5	32	66
Pneumonia—480–486	73	14	61	175	341	25	331	430
Bronchitis, emphysema, and asthma—490–493	33	18	12	65	206	10	123	123
Chronic and unqualified bronchitis—490,491	12	3	2	14	30	–	24	30
Emphysema—492	19	13	9	47	159	10	93	90
Asthma—493	2	2	1	4	17	–	6	3
Peptic ulcer—531–533	4	7	2	21	53	2	48	41
Appendicitis—540–543	3	1	–	4	8	–	5	2
Hernia and intestinal obstruction—550–553,560	11	1	5	11	43	2	27	44
Cirrhosis of liver—571	47	18	26	64	323	7	237	195
Cholelithiasis, cholecystitis and cholangitis—574,575	8	3	5	8	26	–	22	25
Nephritis and nephrosis—580–584	7	3	6	43	82	2	27	41
Acute nephritis and nephrotic syndrome—580,581	–	–	1	7	25	2	8	8
Chronic and unqualified nephritis and renal sclerosis—582–584	7	3	5	36	57	–	19	33
Infections of kidney—590	3	7	5	13	29	–	33	15
Hyperplasia of prostate—600	1	2	–	6	13	1	4	15
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	3	2	1	2	1
Abortions—640–645	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	3	1	1	2	1
Congenital anomalies—740–759	22	5	19	46	93	3	98	102
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	20	15	32	97	108	6	115	181
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	13	7	20	42	52	3	54	99
Other causes of mortality in early infancy—Remainder of 760–778	7	8	12	55	56	3	61	82
Symptoms and ill-defined conditions—780–796	122	47	81	92	72	7	79	257
All other diseases—Residual	122	51	98	531	1,071	35	825	977
Accidents—E800–E949	83	44	101	342	538	57	473	647
Motor vehicle accidents—E810–E823	40	19	58	165	260	33	193	250
All other accidents—E800–E807,E825–E949	43	25	43	177	278	24	280	397
Suicide—E950–E959	37	12	15	98	287	3	204	204
Homicide—E960–E978	4	10	12	135	219	10	69	71
Other external causes—E980–E999	4	3	1	5	5	1	34	66

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon–Muskegon Heights, Mich.	Nashville–Davidson, Tenn.	New Haven–Waterbury, Conn.
All causes	3,547	1,995	1,115	2,082	1,049	1,402	4,785	6,877
Bacillary dysentery and amebiasis—004,006	1	–	–	–	–	–	1	–
Enteritis and other diarrheal diseases—008,009	6	1	1	6	2	–	5	6
Tuberculosis, all forms—010–019	11	2	1	10	3	–	8	8
Tuberculosis of respiratory system—010–012	11	1	1	8	3	–	5	5
Tuberculosis, other forms—013–019	–	1	–	2	–	–	3	3
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	4	1	–	–	–	–	–	–
Septicemia—038	12	3	2	7	1	1	13	31
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	1	–	–	–	–	–	–	–
Other infective and parasitic diseases—Remainder of 000–136	13	2	1	4	5	2	19	16
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	716	421	179	358	192	286	912	1,527
Malignant neoplasms of buccal cavity and pharynx—140–149	17	10	3	8	6	5	32	40
Malignant neoplasms of digestive organs and peritoneum—150–159	168	112	39	70	51	62	214	434
Malignant neoplasms of respiratory system—160–163	197	100	55	97	48	69	256	339
Malignant neoplasm of breast—174	55	37	15	29	20	24	87	174
Malignant neoplasms of genital organs—180–187	86	56	22	52	27	44	120	177
Malignant neoplasms of urinary organs—188,189	27	22	12	11	7	11	23	70
Malignant neoplasms of all other and unspecified sites—170–173,190–199	96	42	18	53	22	35	99	166
Leukemia—204–207	27	22	10	13	3	19	42	60
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	43	20	5	25	8	17	39	67
Benign neoplasms and neoplasms of unspecified nature—210–239	9	13	3	2	1	3	11	24
Diabetes mellitis—250	62	28	23	33	7	37	72	144
Avitaminoses and other nutritional deficiencies—260–269	5	1	2	4	4	–	10	4
Anemias—280–285	10	–	2	3	–	2	11	9
Meningitis—320	4	2	–	–	1	–	1	5
Major cardiovascular diseases—390–448	1,680	959	608	970	532	773	2,476	3,659
Diseases of heart—390–398,402,404,410–429	1,213	690	507	638	398	533	1,833	2,793
Active rheumatic fever and chronic rheumatic heart disease—390–398	13	19	3	9	11	7	24	54
Hypertensive heart disease—402	13	8	6	8	3	10	21	39
Hypertensive heart and renal disease—404	14	2	7	1	3	–	4	10
Ischemic heart disease—410–413	1,075	623	372	595	365	494	1,668	2,229
Acute myocardial infarction—410	613	291	248	331	171	263	1,073	1,118
Other acute and subacute forms of ischemic heart disease—411	8	–	–	1	–	–	1	2
Chronic ischemic heart disease—412	454	332	124	263	194	231	594	1,109
Angina pectoris—413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	7	9	4	1	2	2	26	9
All other forms of heart disease—420–423,425–427,429	91	29	115	24	14	20	90	452

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon–Muskegon Heights, Mich.	Nashville–Davidson, Tenn.	New Haven–Waterbury, Conn.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	11	7	6	8	3	3	15	21
Cerebrovascular diseases—430–438	389	194	67	263	101	178	516	620
Cerebral hemorrhage—431	49	9	7	25	11	17	47	103
Cerebral thrombosis—433	108	55	10	58	30	54	125	189
Cerebral embolism—434	2	–	–	–	–	–	1	–
All other cerebrovascular diseases—430,432,435–438	230	130	50	180	60	107	343	328
Arteriosclerosis—440	37	35	17	36	19	31	56	101
Other diseases of arteries, arterioles, and capillaries—441–448	30	33	11	25	11	28	56	124
Acute bronchitis and bronchiolitis—466	–	2	1	2	–	–	–	5
Influenza and pneumonia—470–474,480–486	85	69	34	46	31	28	143	216
Influenza—470–474	5	14	5	6	1	2	14	24
Pneumonia—480–486	80	55	29	40	30	26	129	192
Bronchitis, emphysema, and asthma—490–493	52	35	16	17	25	22	72	83
Chronic and unqualified bronchitis—490,491	4	8	–	1	4	1	16	22
Emphysema—492	42	25	15	16	20	18	50	51
Asthma—493	6	2	1	–	1	3	6	10
Peptic ulcer—531–533	13	4	1	6	4	4	14	22
Appendicitis—540–543	–	1	–	2	–	1	7	1
Hernia and intestinal obstruction—550–553,560	12	7	7	4	3	3	16	14
Cirrhosis of liver—571	51	41	20	36	11	17	55	110
Cholelithiasis, cholecystitis and cholangitis—574,575	2	2	1	1	–	–	8	11
Nephritis and nephrosis—580–584	10	6	8	22	1	10	24	21
Acute nephritis and nephrotic syndrome—580,581	3	–	1	1	1	1	3	5
Chronic and unqualified nephritis and renal sclerosis—582–584	7	6	7	21	–	9	21	16
Infections of kidney—590	8	4	3	13	–	1	13	7
Hyperplasia of prostate—600	1	1	–	–	1	2	–	5
Complications of pregnancy, childbirth, and the puerperium—630–678	3	–	2	1	–	1	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	3	–	2	1	–	1	–	–
Congenital anomalies—740–759	34	13	7	9	6	11	20	34
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	75	20	20	31	11	16	60	69
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	35	16	7	18	7	7	30	35
Other causes of mortality in early infancy—Remainder of 760–778	40	4	13	13	4	9	30	34
Symptoms and ill-defined conditions—780–796	82	5	27	180	22	5	24	47
All other diseases—Residual	221	123	71	114	81	70	353	476
Accidents—E800–E949	245	164	57	134	73	69	251	192
Motor vehicle accidents—E810–E823	122	88	17	69	43	32	122	76
All other accidents—E800–E807,E825–E949	123	76	40	65	30	37	129	116
Suicide—E950–E959	41	45	11	25	17	23	66	73
Homicide—E960–E978	71	19	7	36	10	12	94	28
Other external causes—E980–E999	7	1	–	6	5	3	26	30

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
All causes	10,362	108,616	15,968	2,014	5,204	684	925	5,491
Bacillary dysentery and amebiasis – 004,006	–	2	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	6	64	13	1	2	–	1	4
Tuberculosis, all forms – 010–019	32	221	32	10	9	2	3	11
Tuberculosis of respiratory system – 010–012	28	179	26	7	7	2	2	8
Tuberculosis, other forms – 013–019	4	42	6	3	2	–	1	3
Whooping cough – 033	–	2	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	6	13	1	–	3	1	–	1
Septicemia – 038	63	387	71	18	37	2	2	30
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	3	10	5	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	27	247	28	6	18	1	5	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	2,009	23,209	3,539	398	1,097	148	150	1,103
Malignant neoplasms of buccal cavity and pharynx – 140–149	70	565	85	9	22	3	1	19
Malignant neoplasms of digestive organs and peritoneum – 150–159	495	7,215	1,037	89	272	36	46	266
Malignant neoplasms of respiratory system – 160–163	512	4,974	800	122	291	44	24	290
Malignant neoplasm of breast – 174	154	2,389	373	35	106	9	15	96
Malignant neoplasms of genital organs – 180–187	187	2,540	433	43	103	14	23	125
Malignant neoplasms of urinary organs – 188,189	78	1,059	153	18	44	3	8	44
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	334	2,487	365	49	175	18	20	144
Leukemia – 204–207	66	807	114	13	42	13	6	52
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	113	1,173	179	20	42	8	7	67
Benign neoplasms and neoplasms of unspecified nature – 210–239	37	397	35	7	12	–	2	12
Diabetes mellitis – 250	322	2,179	357	34	61	8	12	77
Avitaminoses and other nutritional deficiencies – 260–269	23	84	23	6	8	–	2	10
Anemias – 280–285	32	174	29	2	7	–	4	13
Meningitis – 320	10	86	12	1	7	1	2	7
Major cardiovascular diseases – 390–448	4,973	55,116	8,266	916	2,531	226	413	2,661
Diseases of heart – 390–398,402,404,410–429	3,784	45,278	6,576	735	1,915	156	311	1,925
Active rheumatic fever and chronic rheumatic heart disease – 390–398	52	786	163	6	19	4	15	25
Hypertensive heart disease – 402	32	393	60	4	21	4	2	20
Hypertensive heart and renal disease – 404	19	82	33	11	43	–	1	10
Ischemic heart disease – 410–413	3,293	42,214	6,006	645	1,614	113	266	1,688
Acute myocardial infarction – 410	1,463	16,469	2,713	323	762	75	143	749
Other acute and subacute forms of ischemic heart disease – 411	7	76	13	69	204	1	3	231
Chronic ischemic heart disease – 412	1,820	25,661	3,279	253	648	37	120	708
Angina pectoris – 413	3	8	1	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	27	82	13	9	67	2	4	5
All other forms of heart disease – 420–423,425–427,429	361	1,721	301	60	151	33	23	177

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	30	268	46	1	19	1	1	14
Cerebrovascular diseases—430–438	933	7,457	1,309	138	474	52	84	556
Cerebral hemorrhage—431	129	1,145	194	14	76	9	14	58
Cerebral thrombosis—433	221	1,735	376	15	107	5	18	141
Cerebral embolism—434	3	43	6	1	1	–	1	2
All other cerebrovascular diseases—430,432,435–438	580	4,534	733	108	290	38	51	355
Arteriosclerosis—440	111	896	147	13	65	5	7	83
Other diseases of arteries, arterioles, and capillaries—441–448	115	1,217	188	29	58	12	10	83
Acute bronchitis and bronchiolitis—466	4	35	15	–	2	–	2	7
Influenza and pneumonia—470–474,480–486	259	4,304	464	82	172	27	32	169
Influenza—470–474	21	213	28	5	15	3	4	17
Pneumonia—480–486	238	4,091	436	77	157	24	28	152
Bronchitis, emphysema, and asthma—490–493	110	922	163	15	47	24	10	52
Chronic and unqualified bronchitis—490,491	20	202	37	5	7	4	4	13
Emphysema—492	83	564	114	8	36	19	5	33
Asthma—493	7	156	12	2	4	1	1	6
Peptic ulcer—531–533	28	457	63	11	21	2	6	13
Appendicitis—540–543	3	41	6	2	2	2	1	3
Hernia and intestinal obstruction—550–553,560	23	293	60	4	11	4	3	18
Cirrhosis of liver—571	184	2,867	314	32	92	14	18	81
Cholelithiasis, cholecystitis and cholangitis—574,575	14	155	18	3	4	–	2	5
Nephritis and nephrosis—580–584	82	611	80	10	23	–	5	22
Acute nephritis and nephrotic syndrome—580,581	7	115	20	2	4	–	–	8
Chronic and unqualified nephritis and renal sclerosis—582–584	75	496	60	8	19	–	5	14
Infections of kidney—590	22	152	33	5	14	2	1	4
Hyperplasia of prostate—600	3	70	7	–	2	–	–	1
Complications of pregnancy, childbirth, and the puerperium—630–678	3	28	6	3	–	–	1	5
Abortions—640–645	–	2	–	1	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	3	26	6	2	–	–	1	4
Congenital anomalies—740–759	82	605	98	24	51	13	13	38
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	179	1,406	234	44	102	18	22	87
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	95	744	140	20	38	15	9	48
Other causes of mortality in early infancy—Remainder of 760–778	84	662	94	24	64	3	13	39
Symptoms and ill-defined conditions—780–796	61	1,324	192	24	85	64	21	106
All other diseases—Residual	778	6,626	926	163	363	30	85	425
Accidents—E800–E949	614	3,041	571	105	255	71	67	336
Motor vehicle accidents—E810–E823	216	1,074	217	43	94	33	23	170
All other accidents—E800–E807,E825–E949	398	1,967	354	62	161	38	44	166
Suicide—E950–E959	124	964	119	48	77	11	27	103
Homicide—E960–E978	234	1,687	168	39	85	12	10	63
Other external causes—E980–E999	12	837	20	1	4	1	3	13

Table 7–B. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

(See headnote at beginning of table)

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Patterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
All causes	4,273	4,194	771	2,651	11,906	1,939	2,885	1,018
Bacillary dysentery and amebiasis—004,006	–	–	–	3	1	–	–	–
Enteritis and other diarrheal diseases—008,009	3	5	–	2	5	5	1	2
Tuberculosis, all forms—010–019	8	10	2	2	16	1	2	3
Tuberculosis of respiratory system—010–012	4	9	2	2	15	1	1	2
Tuberculosis, other forms—013–019	4	1	–	–	1	–	1	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	1	1	–	–	–	–	1	–
Septicemia—038	14	13	2	4	32	7	2	4
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	1	1	–	–	–	–	–	1
Other infective and parasitic diseases—Remainder of 000–136	13	18	–	9	19	1	4	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	868	908	142	572	2,760	401	616	181
Malignant neoplasms of buccal cavity and pharynx—140–149	17	22	4	8	56	3	11	5
Malignant neoplasms of digestive organs and peritoneum—150–159	239	212	35	134	803	93	146	49
Malignant neoplasms of respiratory system—160–163	228	232	39	142	628	142	160	49
Malignant neoplasm of breast—174	79	76	12	49	324	29	57	17
Malignant neoplasms of genital organs—180–187	101	83	17	74	322	42	71	15
Malignant neoplasms of urinary organs—188,189	34	47	8	29	145	14	33	10
Malignant neoplasms of all other and unspecified sites—170–173,190–199	83	157	11	66	283	40	78	19
Leukemia—204–207	30	36	5	27	86	9	27	8
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	57	43	11	43	113	29	33	9
Benign neoplasms and neoplasms of unspecified nature—210–239	11	10	2	4	33	3	7	3
Diabetes mellitis—250	72	59	18	48	219	31	37	16
Avitaminoses and other nutritional deficiencies—260–269	10	9	–	3	10	3	1	–
Anemias—280–285	7	7	1	3	24	3	8	2
Meningitis—320	4	5	–	3	11	3	–	1
Major cardiovascular diseases—390–448	2,149	2,013	436	1,213	6,425	909	1,503	533
Diseases of heart—390–398,402,404,410–429	1,603	1,562	318	890	5,087	624	1,066	375
Active rheumatic fever and chronic rheumatic heart disease—390–398	33	28	2	18	139	24	15	7
Hypertensive heart disease—402	21	13	2	4	43	4	12	1
Hypertensive heart and renal disease—404	8	6	6	–	21	1	5	2
Ischemic heart disease—410–413	1,422	1,438	289	824	4,742	553	979	335
Acute myocardial infarction—410	642	665	138	276	2,215	294	595	138
Other acute and subacute forms of ischemic heart disease—411	5	2	–	1	10	5	6	47
Chronic ischemic heart disease—412	775	771	151	546	2,517	254	378	150
Angina pectoris—413	–	–	–	1	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	5	6	4	13	4	5	1
All other forms of heart disease—420–423,425–427,429	115	72	13	40	129	38	50	29

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Patterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	8	4	4	28	5	11	3
Cerebrovascular diseases—430–438	405	341	85	240	1,028	219	310	131
Cerebral hemorrhage—431	61	35	4	20	157	29	54	13
Cerebral thrombosis—433	109	79	6	49	298	30	42	32
Cerebral embolism—434	2	2	–	2	7	2	–	2
All other cerebrovascular diseases—430,432,435–438	233	225	75	169	566	158	214	84
Arteriosclerosis—440	73	55	15	46	109	36	57	7
Other diseases of arteries, arterioles, and capillaries—441–448	60	47	14	33	173	25	59	17
Acute bronchitis and bronchiolitis—466	1	2	3	4	5	–	2	1
Influenza and pneumonia—470–474,480–486	148	129	8	82	362	56	93	34
Influenza—470–474	15	9	2	9	22	4	4	1
Pneumonia—480–486	133	120	6	73	340	52	89	33
Bronchitis, emphysema, and asthma—490–493	68	94	17	50	129	29	42	11
Chronic and unqualified bronchitis—490,491	22	13	4	6	34	5	11	3
Emphysema—492	41	79	11	42	88	20	29	6
Asthma—493	5	2	2	2	7	4	2	2
Peptic ulcer—531–533	20	15	4	6	57	5	13	4
Appendicitis—540–543	–	–	–	–	4	2	3	1
Hernia and intestinal obstruction—550–553,560	10	15	2	17	24	4	10	6
Cirrhosis of liver—571	58	70	8	54	200	35	37	13
Cholelithiasis, cholecystitis and cholangitis—574,575	7	5	3	3	23	4	3	3
Nephritis and nephrosis—580–584	23	13	1	10	49	9	14	7
Acute nephritis and nephrotic syndrome—580,581	10	5	–	3	11	–	2	2
Chronic and unqualified nephritis and renal sclerosis—582–584	13	8	1	7	38	9	12	5
Infections of kidney—590	3	13	1	8	23	7	4	2
Hyperplasia of prostate—600	3	3	3	–	7	1	–	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	1	3	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	1	3	–	–	–
Congenital anomalies—740–759	47	32	5	17	52	19	24	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	69	50	10	47	114	36	33	17
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	34	21	6	28	58	19	19	7
Other causes of mortality in early infancy—Remainder of 760–778	35	29	4	19	56	17	14	10
Symptoms and ill-defined conditions—780–796	25	18	4	18	173	11	19	3
All other diseases—Residual	303	302	41	186	633	151	181	69
Accidents—E800–E949	235	233	42	176	351	133	170	53
Motor vehicle accidents—E810–E823	97	105	14	89	176	50	79	18
All other accidents—E800–E807,E825–E949	138	128	28	87	175	83	91	35
Suicide—E950–E959	51	86	8	59	89	32	32	16
Homicide—E960–E978	29	48	6	36	37	18	19	19
Other external causes—E980–E999	12	6	2	11	16	11	4	2

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
All causes	**45,448**	**9,439**	**784**	**24,374**	**1,519**	**2,017**	**9,834**	**7,881**
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	50	11	–	21	2	1	5	6
Tuberculosis, all forms—010–019	84	16	3	24	2	2	15	10
Tuberculosis of respiratory system—010–012	70	11	3	18	–	1	12	6
Tuberculosis, other forms—013–019	14	5	–	6	2	1	3	4
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	4	2	–	1	–	–	3	1
Septicemia—038	249	29	2	101	4	4	23	30
Acute poliomyelitis—040–043	2	1	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	6	–	–	1	1	–	–	–
Other infective and parasitic diseases—Remainder of 000–136	127	36	1	38	4	3	9	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	9,275	2,019	140	5,178	302	466	1,929	1,821
Malignant neoplasms of buccal cavity and pharynx—140–149	200	51	3	111	8	11	36	41
Malignant neoplasms of digestive organs and peritoneum—150–159	2,649	486	27	1,408	95	130	461	564
Malignant neoplasms of respiratory system—160–163	2,209	508	32	1,230	54	124	520	423
Malignant neoplasm of breast—174	836	179	14	458	19	47	186	176
Malignant neoplasms of genital organs—180–187	965	226	24	586	42	41	223	209
Malignant neoplasms of urinary organs—188,189	422	99	1	234	14	19	74	92
Malignant neoplasms of all other and unspecified sites—170–173,190–199	1,259	278	27	689	40	49	226	185
Leukemia—204–207	302	85	7	193	12	18	80	59
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	433	107	5	269	18	27	123	72
Benign neoplasms and neoplasms of unspecified nature—210–239	135	35	2	76	4	8	31	23
Diabetes mellitus—250	761	162	16	471	42	27	107	186
Avitaminoses and other nutritional deficiencies—260–269	57	16	2	24	–	2	22	3
Anemias—280–285	74	14	3	42	4	3	20	10
Meningitis—320	39	4	–	15	–	–	5	6
Major cardiovascular diseases—390–448	22,042	4,173	419	13,400	807	1,030	5,066	4,220
Diseases of heart—390–398,402,404,410–429	17,102	3,064	294	10,372	585	756	3,596	3,313
Active rheumatic fever and chronic rheumatic heart disease—390–398	331	85	4	201	14	20	80	68
Hypertensive heart disease—402	121	41	15	77	2	10	20	31
Hypertensive heart and renal disease—404	72	7	1	44	2	2	29	4
Ischemic heart disease—410–413	15,064	2,767	223	9,418	539	670	3,238	3,103
Acute myocardial infarction—410	7,795	1,232	62	4,594	314	392	1,156	1,401
Other acute and subacute forms of ischemic heart disease—411	60	238	2	22	1	3	15	8
Chronic ischemic heart disease—412	7,205	1,296	159	4,800	224	275	2,067	1,693
Angina pectoris—413	4	1	–	2	–	–	–	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	71	13	1	47	1	6	14	6
All other forms of heart disease—420–423,425–427,429	1,443	151	50	585	27	48	215	101

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	88	27	2	67	7	3	22	33
Cerebrovascular diseases—430–438	3,687	814	110	2,240	161	207	1,082	632
Cerebral hemorrhage—431	475	118	15	294	25	24	104	77
Cerebral thrombosis—433	872	159	18	648	29	64	243	196
Cerebral embolism—434	20	3	–	12	–	3	2	–
All other cerebrovascular diseases—430,432,435–438	2,320	534	77	1,286	107	116	733	359
Arteriosclerosis—440	555	122	7	371	23	33	220	120
Other diseases of arteries, arterioles, and capillaries—441–448	610	146	6	350	31	31	146	122
Acute bronchitis and bronchiolitis—466	17	10	–	7	–	–	2	5
Influenza and pneumonia—470–474,480–486	1,375	311	16	673	69	66	381	177
Influenza—470–474	60	30	1	47	19	11	91	24
Pneumonia—480–486	1,315	281	15	626	50	55	290	153
Bronchitis, emphysema, and asthma—490–493	345	246	4	228	15	44	149	76
Chronic and unqualified bronchitis—490,491	77	45	1	44	3	12	23	25
Emphysema—492	247	187	3	168	11	27	112	47
Asthma—493	21	14	–	16	1	5	14	4
Peptic ulcer—531–533	141	29	–	69	4	6	36	26
Appendicitis—540–543	18	2	1	6	–	–	–	–
Hernia and intestinal obstruction—550–553,560	126	33	1	68	5	8	28	23
Cirrhosis of liver—571	741	172	–	436	28	33	214	122
Cholelithiasis, cholecystitis and cholangitis—574,575	51	11	1	39	4	4	12	11
Nephritis and nephrosis—580–584	232	30	8	120	14	8	31	40
Acute nephritis and nephrotic syndrome—580,581	70	6	1	29	3	3	8	10
Chronic and unqualified nephritis and renal sclerosis—582–584	162	24	7	91	11	5	23	30
Infections of kidney—590	59	18	–	41	4	2	22	14
Hyperplasia of prostate—600	13	9	–	5	–	–	2	5
Complications of pregnancy, childbirth, and the puerperium—630–678	11	–	1	3	–	–	1	2
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	11	–	1	3	–	–	1	2
Congenital anomalies—740–759	223	80	1	114	8	8	54	46
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	589	142	8	223	13	13	82	60
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	304	93	1	124	7	6	42	23
Other causes of mortality in early infancy—Remainder of 760–778	285	49	7	99	6	7	40	37
Symptoms and ill-defined conditions—780–796	2,498	87	25	122	7	7	153	14
All other diseases—Residual	3,124	769	46	1,553	96	156	611	542
Accidents—E800–E949	1,728	641	57	844	61	85	541	257
Motor vehicle accidents—E810–E823	673	299	27	341	31	34	233	120
All other accidents—E800–E807,E825–E949	1,055	342	30	503	30	51	308	137
Suicide—E950–E959	554	209	8	252	17	21	155	87
Homicide—E960–E978	517	108	13	114	2	8	56	25
Other external causes—E980–E999	181	14	6	65	–	2	69	12

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

(See headnote at beginning of table)

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
All causes	903	1,051	1,374	1,753	3,069	1,230	4,867	1,860
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	4	1	2	3	1	3	1	3
Tuberculosis, all forms – 010–019	1	–	2	4	6	3	13	1
Tuberculosis of respiratory system – 010–012	1	–	2	3	5	3	8	1
Tuberculosis, other forms – 013–019	–	–	–	1	1	–	5	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	2	–	–	–	–
Septicemia – 038	6	6	1	7	7	1	34	2
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	1	–	–	1	–
Other infective and parasitic diseases – Remainder of 000–136	1	2	5	10	7	2	15	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	152	183	255	350	613	251	975	313
Malignant neoplasms of buccal cavity and pharynx – 140–149	2	3	4	8	6	8	20	4
Malignant neoplasms of digestive organs and peritoneum – 150–159	36	40	70	73	192	65	234	82
Malignant neoplasms of respiratory system – 160–163	25	43	53	75	137	72	276	81
Malignant neoplasm of breast – 174	10	16	24	42	65	21	108	24
Malignant neoplasms of genital organs – 180–187	26	18	37	32	61	29	110	42
Malignant neoplasms of urinary organs – 188,189	3	8	9	13	28	13	37	10
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	27	31	33	64	72	18	123	42
Leukemia – 204–207	7	10	9	18	21	13	25	11
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	16	14	16	25	31	12	42	17
Benign neoplasms and neoplasms of unspecified nature – 210–239	1	2	5	2	5	4	11	3
Diabetes mellitis – 250	22	17	19	37	57	14	59	36
Avitaminoses and other nutritional deficiencies – 260–269	–	2	4	3	5	3	17	3
Anemias – 280–285	1	1	4	3	4	2	5	2
Meningitis – 320	1	1	2	–	5	1	7	1
Major cardiovascular diseases – 390–448	405	527	731	840	1,764	558	2,418	923
Diseases of heart – 390–398,402,404,410–429	286	389	532	605	1,328	424	1,801	654
Active rheumatic fever and chronic rheumatic heart disease – 390–398	8	11	11	13	32	10	24	12
Hypertensive heart disease – 402	1	–	6	2	2	3	23	4
Hypertensive heart and renal disease – 404	–	5	2	2	19	1	17	4
Ischemic heart disease – 410–413	239	355	431	547	1,225	390	1,578	592
Acute myocardial infarction – 410	126	170	178	265	700	193	670	278
Other acute and subacute forms of ischemic heart disease – 411	4	–	7	2	8	–	80	66
Chronic ischemic heart disease – 412	109	185	246	280	516	197	826	248
Angina pectoris – 413	–	–	–	–	1	–	2	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	1	1	1	7	2	8	4
All other forms of heart disease – 420–423,425–427,429	35	17	81	40	43	18	151	38

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	3	4	3	12	–	16	3
Cerebrovascular diseases—430–438	71	94	148	189	293	108	472	197
Cerebral hemorrhage—431	7	14	15	15	38	9	60	29
Cerebral thrombosis—433	11	30	46	32	84	22	101	46
Cerebral embolism—434	–	2	2	–	–	–	2	1
All other cerebrovascular diseases—430,432,435–438	53	48	85	142	171	77	309	121
Arteriosclerosis—440	30	26	23	18	73	7	63	42
Other diseases of arteries, arterioles, and capillaries—441–448	16	15	24	25	58	19	66	27
Acute bronchitis and bronchiolitis—466	–	1	2	–	4	–	5	–
Influenza and pneumonia—470–474,480–486	28	58	46	46	89	31	148	63
Influenza—470–474	6	17	17	6	5	6	4	3
Pneumonia—480–486	22	41	29	40	84	25	144	60
Bronchitis, emphysema, and asthma—490–493	21	21	28	21	34	24	51	27
Chronic and unqualified bronchitis—490,491	–	3	5	6	9	4	17	9
Emphysema—492	18	18	23	11	23	18	27	18
Asthma—493	3	–	–	4	2	2	7	–
Peptic ulcer—531–533	4	1	4	5	10	5	13	10
Appendicitis—540–543	–	–	–	1	1	2	–	1
Hernia and intestinal obstruction—550–553,560	2	3	6	2	5	5	15	7
Cirrhosis of liver—571	9	30	17	28	36	45	93	43
Cholelithiasis, cholecystitis and cholangitis—574,575	3	7	1	5	6	3	7	1
Nephritis and nephrosis—580–584	6	2	2	13	13	3	20	10
Acute nephritis and nephrotic syndrome—580,581	–	–	1	–	2	–	3	3
Chronic and unqualified nephritis and renal sclerosis—582–584	6	2	1	13	11	3	17	7
Infections of kidney—590	1	1	6	1	5	1	9	1
Hyperplasia of prostate—600	–	–	–	1	1	–	2	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	–	1	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	–	1	–	–	–	–
Congenital anomalies—740–759	23	10	16	11	18	8	34	11
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	25	9	11	29	22	19	68	19
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	17	7	5	20	13	12	30	7
Other causes of mortality in early infancy—Remainder of 760–778	8	2	6	9	9	7	38	12
Symptoms and ill-defined conditions—780–796	31	4	15	20	10	4	39	30
All other diseases—Residual	71	78	79	135	166	98	401	166
Accidents—E800–E949	72	54	84	112	116	79	250	118
Motor vehicle accidents—E810–E823	38	24	41	53	48	39	101	34
All other accidents—E800–E807,E825–E949	34	30	43	59	68	40	149	84
Suicide—E950–E959	3	21	13	34	47	44	83	38
Homicide—E960–E978	7	7	13	25	9	16	70	23
Other external causes—E980–E999	2	2	1	1	3	1	3	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.–Ill.	Salem, Oreg.
All causes	514	7,465	2,216	6,847	1,834	1,118	21,701	1,916
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	5	1	3	–	–	15	2
Tuberculosis, all forms—010–019	–	13	3	18	3	1	29	1
Tuberculosis of respiratory system—010–012	–	7	3	13	2	–	25	1
Tuberculosis, other forms—013–019	–	6	–	5	1	1	4	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	1	2	–	–	–	–	2	–
Septicemia—038	1	31	4	21	7	–	82	7
Acute poliomyelitis—040–043	–	–	1	–	–	–	–	–
Measles—055	–	–	–	–	–	–	1	–
Syphilis and its sequelae—090–097	–	1	–	2	–	–	2	–
Other infective and parasitic diseases—Remainder of 000–136	1	18	6	12	2	1	46	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	96	1,583	419	1,460	311	213	4,485	333
Malignant neoplasms of buccal cavity and pharynx—140–149	1	27	13	34	6	6	94	2
Malignant neoplasms of digestive organs and peritoneum—150–159	29	474	128	369	62	49	1,215	76
Malignant neoplasms of respiratory system—160–163	16	348	88	393	80	51	1,171	70
Malignant neoplasm of breast—174	15	153	34	124	33	15	385	30
Malignant neoplasms of genital organs—180–187	12	191	51	145	39	26	480	53
Malignant neoplasms of urinary organs—188,189	4	71	24	64	15	10	194	13
Malignant neoplasms of all other and unspecified sites—170–173,190–199	9	163	39	190	47	34	554	46
Leukemia—204–207	3	66	13	64	11	11	176	21
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	7	90	29	77	18	11	216	22
Benign neoplasms and neoplasms of unspecified nature—210–239	–	20	6	18	2	–	31	5
Diabetes mellitis—250	6	165	38	94	43	23	476	37
Avitaminoses and other nutritional deficiencies—260–269	1	8	2	13	2	2	38	4
Anemias—280–285	–	8	2	9	5	3	38	1
Meningitis—320	–	6	1	7	–	–	7	2
Major cardiovascular diseases—390–448	248	3,703	1,165	3,227	1,003	618	11,133	1,051
Diseases of heart—390–398,402,404,410–429	194	2,744	810	2,411	711	434	8,429	746
Active rheumatic fever and chronic rheumatic heart disease—390–398	8	52	22	71	11	10	139	16
Hypertensive heart disease—402	4	17	8	27	6	7	84	1
Hypertensive heart and renal disease—404	–	4	1	4	5	5	56	5
Ischemic heart disease—410–413	156	2,489	734	2,161	642	377	7,679	690
Acute myocardial infarction—410	59	1,229	392	1,036	351	178	3,664	303
Other acute and subacute forms of ischemic heart disease—411	3	90	1	6	1	1	11	–
Chronic ischemic heart disease—412	93	1,169	341	1,119	290	198	4,001	386
Angina pectoris—413	1	1	–	–	–	–	3	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	–	17	6	17	3	4	51	1
All other forms of heart disease—420–423,425–427,429	26	165	39	131	44	31	420	33

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.–Ill.	Salem, Oreg.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	14	10	9	8	6	104	2
Cerebrovascular diseases—430–438	34	711	249	637	206	120	1,977	205
Cerebral hemorrhage—431	3	109	28	67	25	24	283	25
Cerebral thrombosis—433	6	144	59	119	58	26	578	32
Cerebral embolism—434	–	2	3	1	–	–	9	–
All other cerebrovascular diseases—430,432,435–438	25	456	159	450	123	70	1,107	148
Arteriosclerosis—440	9	130	65	72	40	45	358	65
Other diseases of arteries, arterioles, and capillaries—441–448	9	104	31	98	38	13	265	33
Acute bronchitis and bronchiolitis—466	1	3	2	7	1	1	6	1
Influenza and pneumonia—470–474,480–486	19	377	64	206	54	24	626	63
Influenza—470–474	2	61	8	13	7	2	33	17
Pneumonia—480–486	17	316	56	193	47	22	593	46
Bronchitis, emphysema, and asthma—490–493	9	118	42	109	27	11	255	31
Chronic and unqualified bronchitis—490,491	2	29	7	15	3	1	42	7
Emphysema—492	5	74	34	88	23	10	194	23
Asthma—493	2	15	1	6	1	–	19	1
Peptic ulcer—531–533	2	29	8	25	5	8	76	3
Appendicitis—540–543	–	4	–	2	–	–	8	–
Hernia and intestinal obstruction—550–553,560	6	25	5	21	4	4	68	7
Cirrhosis of liver—571	7	110	38	165	38	11	284	19
Cholelithiasis, cholecystitis and cholangitis—574,575	1	13	6	10	5	1	40	3
Nephritis and nephrosis—580–584	3	35	4	33	5	5	99	8
Acute nephritis and nephrotic syndrome—580,581	1	13	–	7	1	1	23	2
Chronic and unqualified nephritis and renal sclerosis—582–584	2	22	4	26	4	4	76	6
Infections of kidney—590	2	7	2	11	5	2	41	4
Hyperplasia of prostate—600	–	5	–	2	1	3	11	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	2	–	–	–	–	3	–
Abortions—640–645	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	2	–	–	–	–	2	–
Congenital anomalies—740–759	2	53	17	47	25	3	136	12
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	8	84	21	56	34	9	276	13
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	1	26	14	30	7	5	137	5
Other causes of mortality in early infancy—Remainder of 760–778	7	58	7	26	27	4	139	8
Symptoms and ill-defined conditions—780–796	11	36	15	49	5	44	334	58
All other diseases—Residual	52	510	142	535	95	69	1,362	97
Accidents—E800–E949	31	312	128	405	95	41	1,006	102
Motor vehicle accidents—E810–E823	13	138	59	211	45	12	483	48
All other accidents—E800–E807,E825–E949	18	174	69	194	50	29	523	54
Suicide—E950–E959	5	123	48	173	17	16	259	40
Homicide—E960–E978	–	36	22	92	38	3	342	5
Other external causes—E980–E999	–	20	4	15	2	2	84	4

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
All causes	1,849	3,640	782	6,714	11,326	11,570	26,847	7,053
Bacillary dysentery and amebiasis—004,006	–	–	–	–	2	2	–	1
Enteritis and other diarrheal diseases—008,009	4	2	2	16	10	6	25	11
Tuberculosis, all forms—010–019	4	2	3	21	23	17	41	12
Tuberculosis of respiratory system—010–012	2	1	1	19	15	14	33	8
Tuberculosis, other forms—013–019	2	1	2	2	8	3	8	4
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	–	2	2	3	1	1
Septicemia—038	–	13	–	59	33	19	65	24
Acute poliomyelitis—040–043	–	–	–	–	–	–	1	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	1	3	2	14	2
Other infective and parasitic diseases—Remainder of 000–136	3	6	1	21	30	40	79	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	352	630	159	1,327	2,191	2,574	5,791	1,502
Malignant neoplasms of buccal cavity and pharynx—140–149	7	11	3	30	30	71	148	32
Malignant neoplasms of digestive organs and peritoneum—150–159	105	138	34	325	573	670	1,599	391
Malignant neoplasms of respiratory system—160–163	90	111	53	324	545	638	1,396	348
Malignant neoplasm of breast—174	24	66	15	114	187	235	515	142
Malignant neoplasms of genital organs—180–187	37	82	16	158	259	277	662	176
Malignant neoplasms of urinary organs—188,189	20	23	11	55	93	110	247	56
Malignant neoplasms of all other and unspecified sites—170–173,190–199	37	101	20	174	292	314	659	205
Leukemia—204–207	12	42	2	72	89	115	225	69
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	20	56	5	75	123	144	340	83
Benign neoplasms and neoplasms of unspecified nature—210–239	7	8	1	13	29	39	99	18
Diabetes mellitis—250	10	75	8	162	160	137	330	120
Avitaminoses and other nutritional deficiencies—260–269	2	5	1	13	21	17	53	11
Anemias—280–285	2	13	2	11	13	16	35	12
Meningitis—320	3	5	–	10	9	11	19	3
Major cardiovascular diseases—390–448	862	1,636	422	3,101	5,529	5,486	12,998	3,251
Diseases of heart—390–398,402,404,410–429	577	1,215	258	2,256	3,909	3,872	9,358	2,276
Active rheumatic fever and chronic rheumatic heart disease—390–398	21	44	6	41	97	111	218	65
Hypertensive heart disease—402	6	11	–	31	59	36	56	10
Hypertensive heart and renal disease—404	2	7	–	7	9	13	32	7
Ischemic heart disease—410–413	512	1,026	232	1,909	3,540	3,510	8,577	2,097
Acute myocardial infarction—410	261	439	142	1,062	1,649	1,597	3,293	793
Other acute and subacute forms of ischemic heart disease—411	1	100	–	9	33	15	22	5
Chronic ischemic heart disease—412	250	487	90	837	1,857	1,898	5,261	1,299
Angina pectoris—413	–	–	–	1	1	–	1	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	1	15	–	14	20	18	58	8
All other forms of heart disease—420–423,425–427,429	35	112	20	254	184	184	417	89

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	8	2	21	35	40	58	13
Cerebrovascular diseases—430–438	229	306	139	638	1,224	1,179	2,730	744
Cerebral hemorrhage—431	27	47	7	80	171	134	327	69
Cerebral thrombosis—433	77	66	19	106	360	287	770	153
Cerebral embolism—434	2	2	1	1	5	5	13	1
All other cerebrovascular diseases—430,432,435–438	123	191	112	451	688	753	1,620	521
Arteriosclerosis—440	24	47	15	118	162	214	438	101
Other diseases of arteries, arterioles, and capillaries—441–448	31	60	8	68	199	181	414	117
Acute bronchitis and bronchiolitis—466	–	2	1	4	10	8	21	6
Influenza and pneumonia—470–474,480–486	82	122	25	237	425	323	774	246
Influenza—470–474	11	26	8	19	39	25	91	33
Pneumonia—480–486	71	96	17	218	386	298	683	213
Bronchitis, emphysema, and asthma—490–493	37	58	25	78	214	226	350	108
Chronic and unqualified bronchitis—490,491	5	17	1	16	47	50	72	17
Emphysema—492	31	35	23	57	149	154	253	84
Asthma—493	1	6	1	5	18	22	25	7
Peptic ulcer—531–533	11	12	1	18	54	51	104	21
Appendicitis—540–543	2	1	–	1	8	2	8	1
Hernia and intestinal obstruction—550–553,560	3	12	7	27	35	26	75	19
Cirrhosis of liver—571	46	41	10	129	250	263	840	195
Cholelithiasis, cholecystitis and cholangitis—574,575	2	4	1	16	13	16	42	5
Nephritis and nephrosis—580–584	4	19	3	30	35	39	78	21
Acute nephritis and nephrotic syndrome—580,581	–	1	–	5	11	9	17	5
Chronic and unqualified nephritis and renal sclerosis—582–584	4	18	3	25	24	30	61	16
Infections of kidney—590	3	8	1	11	33	14	40	20
Hyperplasia of prostate—600	1	5	–	3	8	7	12	5
Complications of pregnancy, childbirth, and the puerperium—630–678	–	4	–	5	1	–	7	–
Abortions—640–645	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	4	–	5	1	–	6	–
Congenital anomalies—740–759	14	50	6	69	87	98	178	59
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	28	98	4	86	114	129	239	84
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	16	62	3	44	69	71	116	48
Other causes of mortality in early infancy—Remainder of 760–778	12	36	1	42	45	58	123	36
Symptoms and ill-defined conditions—780–796	10	66	7	127	83	81	133	45
All other diseases—Residual	120	348	42	479	836	765	1,832	511
Accidents—E800–E949	175	260	38	384	716	742	1,474	440
Motor vehicle accidents—E810–E823	102	139	11	206	388	311	489	206
All other accidents—E800–E807,E825–E949	73	121	27	178	328	431	985	234
Suicide—E950–E959	27	100	9	104	215	279	661	197
Homicide—E960–E978	32	26	3	144	106	109	338	70
Other external causes—E980–E999	3	9	–	5	28	23	90	11

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle–Everett, Wash.	Sherman–Denison, Tex.	Shreveport, La.	Sioux City, Iowa–Nebr.
All causes	2,204	2,521	1,874	2,986	11,423	975	2,842	1,094
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	1	2	3	–	11	–	4	3
Tuberculosis, all forms – 010–019	1	4	10	4	19	–	5	2
Tuberculosis of respiratory system – 010–012	–	2	7	4	13	–	3	2
Tuberculosis, other forms – 013–019	1	2	3	–	6	–	2	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	–	–	1	–	–	–
Septicemia – 038	7	6	9	4	33	3	22	4
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	1	1	–
Other infective and parasitic diseases – Remainder of 000–136	4	3	6	8	27	1	9	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	488	535	379	538	2,386	184	588	243
Malignant neoplasms of buccal cavity and pharynx – 140–149	6	12	10	11	55	1	17	5
Malignant neoplasms of digestive organs and peritoneum – 150–159	130	134	93	187	620	46	131	71
Malignant neoplasms of respiratory system – 160–163	88	125	102	105	607	55	151	54
Malignant neoplasm of breast – 174	52	46	33	55	242	13	44	24
Malignant neoplasms of genital organs – 180–187	73	63	63	66	261	21	84	27
Malignant neoplasms of urinary organs – 188,189	32	30	12	27	92	12	22	11
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	53	71	51	61	271	18	82	20
Leukemia – 204–207	24	26	7	7	106	10	20	11
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	30	28	8	19	132	8	37	20
Benign neoplasms and neoplasms of unspecified nature – 210–239	9	8	3	10	16	4	4	–
Diabetes mellitis – 250	24	30	31	86	178	14	83	30
Avitaminoses and other nutritional deficiencies – 260–269	–	1	3	4	17	2	11	1
Anemias – 280–285	5	2	4	4	22	5	8	3
Meningitis – 320	1	–	–	–	6	–	3	–
Major cardiovascular diseases – 390–448	1,130	1,240	919	1,621	5,676	518	1,313	517
Diseases of heart – 390–398,402,404,410–429	799	855	690	1,288	4,096	366	979	377
Active rheumatic fever and chronic rheumatic heart disease – 390–398	21	31	9	32	96	–	10	–
Hypertensive heart disease – 402	4	11	16	18	34	–	14	4
Hypertensive heart and renal disease – 404	4	2	7	21	18	–	7	6
Ischemic heart disease – 410–413	738	740	610	1,141	3,642	323	833	337
Acute myocardial infarction – 410	313	322	342	551	1,403	159	288	193
Other acute and subacute forms of ischemic heart disease – 411	1	5	3	2	15	–	10	1
Chronic ischemic heart disease – 412	424	412	264	588	2,224	164	534	143
Angina pectoris – 413	–	1	1	–	–	–	1	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	4	7	4	31	26	1	23	11
All other forms of heart disease – 420–423,425–427,429	28	64	44	45	280	42	92	19

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle–Everett, Wash.	Sherman–Denison, Tex.	Shreveport, La.	Sioux City, Iowa–Nebr.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	4	9	6	6	34	1	18	10
Cerebrovascular diseases—430–438	262	285	177	251	1,144	121	255	88
Cerebral hemorrhage—431	33	35	26	44	123	21	25	10
Cerebral thrombosis—433	68	45	67	76	253	41	56	22
Cerebral embolism—434	1	–	–	–	3	–	2	–
All other cerebrovascular diseases—430,432,435–438	160	205	84	131	765	59	172	56
Arteriosclerosis—440	30	51	19	42	207	13	22	25
Other diseases of arteries, arterioles, and capillaries—441–448	35	40	27	34	195	17	39	17
Acute bronchitis and bronchiolitis—466	–	–	–	2	2	–	–	–
Influenza and pneumonia—470–474,480–486	54	93	67	52	526	40	84	46
Influenza—470–474	9	4	4	11	127	10	10	6
Pneumonia—480–486	45	89	63	41	399	30	74	40
Bronchitis, emphysema, and asthma—490–493	39	40	18	52	162	8	33	21
Chronic and unqualified bronchitis—490,491	7	8	3	7	30	–	2	2
Emphysema—492	30	25	12	39	117	7	21	18
Asthma—493	2	7	3	6	15	1	10	1
Peptic ulcer—531–533	3	5	4	7	39	3	8	2
Appendicitis—540–543	–	1	–	–	3	–	4	1
Hernia and intestinal obstruction—550–553,560	6	11	8	9	32	5	10	4
Cirrhosis of liver—571	36	54	29	48	212	12	30	12
Cholelithiasis, cholecystitis and cholangitis—574,575	1	4	2	3	21	1	3	–
Nephritis and nephrosis—580–584	6	8	8	11	37	2	29	3
Acute nephritis and nephrotic syndrome—580,581	1	1	2	2	9	–	2	–
Chronic and unqualified nephritis and renal sclerosis—582–584	5	7	6	9	28	2	27	3
Infections of kidney—590	5	4	4	5	19	–	3	3
Hyperplasia of prostate—600	–	1	2	–	2	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	1	–	1	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	1	–	1	–	–	–
Congenital anomalies—740–759	16	27	8	14	62	2	22	11
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	19	13	27	26	117	5	52	30
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	9	18	10	80	5	34	21
Other causes of mortality in early infancy—Remainder of 760–778	4	4	9	16	37	–	18	9
Symptoms and ill-defined conditions—780–796	8	13	25	75	89	56	38	5
All other diseases—Residual	136	197	150	221	799	53	226	59
Accidents—E800–E949	134	146	105	82	577	41	152	68
Motor vehicle accidents—E810–E823	63	84	40	30	223	19	62	37
All other accidents—E800–E807,E825–E949	71	62	65	52	354	22	90	31
Suicide—E950–E959	60	57	18	14	219	11	49	24
Homicide—E960–E978	11	11	31	5	72	3	47	1
Other external causes—E980–E999	–	4	–	1	40	1	–	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield–Holyoke, Mass.	Steubenville–Weirton, Ohio–W. Va.
All causes	**829**	**2,585**	**2,897**	**1,629**	**1,567**	**1,378**	**5,329**	**1,685**
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	–	2	5	–	1	3	2	2
Tuberculosis, all forms—010–019	–	1	6	4	1	–	5	3
Tuberculosis of respiratory system—010–012	–	–	5	4	1	–	5	3
Tuberculosis, other forms—013–019	–	1	1	–	–	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	1	–	–	–	–	–
Septicemia—038	3	7	5	4	8	5	20	5
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	1
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	–	1	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	1	5	12	5	1	2	12	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	170	525	564	382	282	277	1,115	345
Malignant neoplasms of buccal cavity and pharynx—140–149	1	9	8	13	4	9	37	5
Malignant neoplasms of digestive organs and peritoneum—150–159	39	150	137	101	83	70	325	90
Malignant neoplasms of respiratory system—160–163	43	131	131	115	69	79	268	88
Malignant neoplasm of breast—174	18	51	73	36	22	20	100	35
Malignant neoplasms of genital organs—180–187	22	65	65	38	30	30	136	41
Malignant neoplasms of urinary organs—188,189	10	28	26	15	10	9	46	13
Malignant neoplasms of all other and unspecified sites—170–173,190–199	19	31	64	32	34	32	125	41
Leukemia—204–207	9	28	25	18	8	13	27	17
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	9	32	35	14	22	15	51	15
Benign neoplasms and neoplasms of unspecified nature—210–239	2	8	4	3	4	3	19	2
Diabetes mellitis—250	6	44	44	30	14	36	128	48
Avitaminoses and other nutritional deficiencies—260–269	–	1	7	1	–	1	2	7
Anemias—280–285	2	4	2	2	1	5	8	1
Meningitis—320	1	1	5	4	2	–	1	2
Major cardiovascular diseases—390–448	427	1,419	1,418	849	812	762	2,753	921
Diseases of heart—390–398,402,404,410–429	291	1,019	965	607	544	531	2,009	707
Active rheumatic fever and chronic rheumatic heart disease—390–398	4	24	33	9	8	10	43	12
Hypertensive heart disease—402	3	7	9	6	4	2	22	7
Hypertensive heart and renal disease—404	–	3	11	5	4	4	6	6
Ischemic heart disease—410–413	270	924	804	569	501	494	1,813	631
Acute myocardial infarction—410	142	482	443	245	274	281	702	365
Other acute and subacute forms of ischemic heart disease—411	2	3	1	1	–	3	3	–
Chronic ischemic heart disease—412	126	439	360	323	227	210	1,108	266
Angina pectoris—413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	3	8	7	2	4	1	6	1
All other forms of heart disease—420–423,425–427,429	11	53	101	16	23	20	119	50

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield–Holyoke, Mass.	Steubenville–Weirton, Ohio–W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	12	13	8	7	7	21	3
Cerebrovascular diseases—430–438	109	313	297	199	191	196	572	164
Cerebral hemorrhage—431	23	35	33	14	25	13	63	33
Cerebral thrombosis—433	15	59	40	78	49	107	269	30
Cerebral embolism—434	1	–	–	1	1	2	2	1
All other cerebrovascular diseases—430,432,435–438	70	219	224	106	116	74	238	100
Arteriosclerosis—440	15	40	94	18	56	11	73	23
Other diseases of arteries, arterioles, and capillaries—441–448	9	35	49	17	14	17	78	24
Acute bronchitis and bronchiolitis—466	–	1	3	2	1	–	1	1
Influenza and pneumonia—470–474,480–486	35	81	113	27	42	45	251	41
Influenza—470–474	3	21	24	–	3	5	40	1
Pneumonia—480–486	32	60	89	27	39	40	211	40
Bronchitis, emphysema, and asthma—490–493	13	27	56	31	8	20	58	32
Chronic and unqualified bronchitis—490,491	2	12	5	8	1	1	15	4
Emphysema—492	10	12	50	23	7	18	40	28
Asthma—493	1	3	1	–	–	1	3	–
Peptic ulcer—531–533	3	5	14	6	4	4	10	4
Appendicitis—540–543	–	–	2	1	–	–	5	–
Hernia and intestinal obstruction—550–553,560	3	4	19	3	8	3	16	4
Cirrhosis of liver—571	12	40	49	20	13	18	87	26
Cholelithiasis, cholecystitis and cholangitis—574,575	3	5	2	3	2	–	13	5
Nephritis and nephrosis—580–584	1	4	13	3	4	9	21	10
Acute nephritis and nephrotic syndrome—580,581	1	–	1	1	–	2	6	3
Chronic and unqualified nephritis and renal sclerosis—582–584	–	4	12	2	4	7	15	7
Infections of kidney—590	2	4	8	2	4	11	4	2
Hyperplasia of prostate—600	1	2	2	1	1	–	1	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	–	–	–	–
Congenital anomalies—740–759	8	21	16	8	7	8	27	9
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	17	31	28	20	15	16	37	19
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	15	12	10	10	6	15	10
Other causes of mortality in early infancy—Remainder of 760–778	6	16	16	10	5	10	22	9
Symptoms and ill-defined conditions—780–796	2	40	27	17	92	10	69	8
All other diseases—Residual	54	149	231	86	117	80	350	109
Accidents—E800–E949	52	112	158	84	77	38	229	53
Motor vehicle accidents—E810–E823	23	47	74	35	39	15	81	20
All other accidents—E800–E807,E825–E949	29	65	84	49	38	23	148	33
Suicide—E950–E959	10	19	57	8	31	15	58	10
Homicide—E960–E978	1	19	18	15	5	7	19	8
Other external causes—E980–E999	–	4	8	8	9	–	7	3

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa–St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.–Ark.	Toledo, Ohio–Mich.
All causes	2,894	5,531	3,424	685	15,647	2,047	1,119	6,329
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	6	2	3	15	–	1	2
Tuberculosis, all forms—010–019	7	13	–	1	23	3	5	4
Tuberculosis of respiratory system—010–012	6	11	–	1	18	2	5	2
Tuberculosis, other forms—013–019	1	2	–	–	5	1	–	2
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	1	5	–	2	1	–	–	1
Septicemia—038	7	18	4	3	40	2	3	18
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	1	–	–	–	1	–	–	1
Other infective and parasitic diseases—Remainder of 000–136	5	9	6	5	27	3	6	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	601	1,164	716	131	3,262	380	218	1,240
Malignant neoplasms of buccal cavity and pharynx—140–149	14	23	24	4	74	5	3	35
Malignant neoplasms of digestive organs and peritoneum—150–159	142	325	161	33	824	108	51	295
Malignant neoplasms of respiratory system—160–163	162	296	182	40	855	99	66	322
Malignant neoplasm of breast—174	50	108	72	10	265	23	17	143
Malignant neoplasms of genital organs—180–187	74	132	88	17	414	50	27	134
Malignant neoplasms of urinary organs—188,189	30	53	35	5	164	17	10	50
Malignant neoplasms of all other and unspecified sites—170–173,190–199	74	118	85	15	364	42	24	137
Leukemia—204–207	30	50	28	1	123	15	9	64
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	25	59	41	6	179	21	11	60
Benign neoplasms and neoplasms of unspecified nature—210–239	9	17	9	4	27	6	2	10
Diabetes mellitis—250	57	85	43	11	227	46	24	151
Avitaminoses and other nutritional deficiencies—260–269	3	8	6	1	17	8	–	9
Anemias—280–285	8	7	7	4	18	5	–	12
Meningitis—320	3	6	1	1	3	1	2	5
Major cardiovascular diseases—390–448	1,356	2,876	1,754	279	8,357	1,192	547	3,358
Diseases of heart—390–398,402,404,410–429	1,008	2,077	1,254	186	5,776	772	381	2,480
Active rheumatic fever and chronic rheumatic heart disease—390–398	21	67	23	7	120	10	–	37
Hypertensive heart disease—402	7	26	10	12	34	1	22	10
Hypertensive heart and renal disease—404	9	5	2	–	25	20	–	11
Ischemic heart disease—410–413	925	1,715	1,146	135	5,388	701	225	2,303
Acute myocardial infarction—410	391	826	622	64	2,411	393	120	1,238
Other acute and subacute forms of ischemic heart disease—411	2	2	10	–	13	–	1	4
Chronic ischemic heart disease—412	531	887	514	71	2,961	308	104	1,061
Angina pectoris—413	1	–	–	–	3	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	8	11	6	–	18	5	1	14
All other forms of heart disease—420–423,425–427,429	38	253	67	32	191	35	133	105

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa–St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.–Ark.	Toledo, Ohio–Mich.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	9	18	8	5	52	6	4	30
Cerebrovascular diseases—430–438	254	602	359	68	1,996	329	144	644
Cerebral hemorrhage—431	29	68	37	9	152	67	11	80
Cerebral thrombosis—433	56	153	81	15	627	100	19	186
Cerebral embolism—434	2	5	3	–	5	–	1	5
All other cerebrovascular diseases—430,432,435–438	167	376	238	44	1,212	162	113	373
Arteriosclerosis—440	48	102	79	8	273	67	7	118
Other diseases of arteries, arterioles, and capillaries—441–448	37	77	54	12	260	18	11	86
Acute bronchitis and bronchiolitis—466	3	4	3	–	7	1	–	4
Influenza and pneumonia—470–474,480–486	115	228	94	16	428	55	28	150
Influenza—470–474	12	76	32	3	25	4	–	7
Pneumonia—480–486	103	152	62	13	403	51	28	143
Bronchitis, emphysema, and asthma—490–493	48	78	41	9	230	30	19	104
Chronic and unqualified bronchitis—490,491	16	14	7	1	39	2	3	24
Emphysema—492	30	57	32	5	182	28	14	76
Asthma—493	2	7	2	3	9	–	2	4
Peptic ulcer—531–533	18	18	9	1	47	7	3	30
Appendicitis—540–543	–	–	–	–	5	2	–	4
Hernia and intestinal obstruction—550–553,560	6	15	7	1	36	3	3	13
Cirrhosis of liver—571	68	85	51	12	269	21	14	114
Cholelithiasis, cholecystitis and cholangitis—574,575	7	10	8	2	28	1	2	8
Nephritis and nephrosis—580–584	10	20	17	6	51	7	4	21
Acute nephritis and nephrotic syndrome—580,581	2	4	3	2	12	–	1	8
Chronic and unqualified nephritis and renal sclerosis—582–584	8	16	14	4	39	7	3	13
Infections of kidney—590	7	14	4	3	41	5	3	12
Hyperplasia of prostate—600	2	2	3	1	12	1	–	3
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	1	–	–	–	–	3
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	1	–	–	–	–	3
Congenital anomalies—740–759	26	29	36	9	75	8	5	39
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	18	72	43	10	97	23	17	74
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	34	33	6	57	11	4	44
Other causes of mortality in early infancy—Remainder of 760–778	7	38	10	4	40	12	13	30
Symptoms and ill-defined conditions—780–796	22	48	23	10	412	9	45	41
All other diseases—Residual	194	363	204	66	979	114	70	397
Accidents—E800–E949	212	244	228	48	539	89	77	313
Motor vehicle accidents—E810–E823	101	124	78	27	262	34	31	164
All other accidents—E800–E807,E825–E949	111	120	150	21	277	55	46	149
Suicide—E950–E959	51	63	65	26	233	18	11	111
Homicide—E960–E978	26	16	31	13	113	6	10	53
Other external causes—E980–E999	2	8	8	7	27	1	–	12

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica–Rome, N.Y.	Vallejo–Napa, Calif.
All causes	**1,291**	**2,818**	**3,501**	**4,300**	**1,028**	**1,013**	**3,236**	**2,147**
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	1	–
Enteritis and other diarrheal diseases – 008,009	1	2	2	4	–	2	4	1
Tuberculosis, all forms – 010–019	1	6	10	12	1	4	2	5
Tuberculosis of respiratory system – 010–012	1	5	3	11	1	3	2	4
Tuberculosis, other forms – 013–019	–	1	7	1	–	1	–	1
Whooping cough – 033	–	–	–	1	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	1	1	–	–	–	–
Septicemia – 038	3	10	11	16	6	2	9	4
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	1	–	1	–	–	1	–
Other infective and parasitic diseases – Remainder of 000–136	2	8	20	12	5	–	4	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	242	613	734	846	169	211	628	483
Malignant neoplasms of buccal cavity and pharynx – 140–149	3	21	22	22	8	5	16	6
Malignant neoplasms of digestive organs and peritoneum – 150–159	68	204	181	197	39	46	187	124
Malignant neoplasms of respiratory system – 160–163	57	147	189	244	38	72	133	131
Malignant neoplasm of breast – 174	18	52	64	68	4	17	69	30
Malignant neoplasms of genital organs – 180–187	24	68	85	94	29	23	73	63
Malignant neoplasms of urinary organs – 188,189	22	15	22	34	4	10	34	27
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	25	59	93	106	24	24	55	55
Leukemia – 204–207	11	19	36	30	10	8	27	17
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	14	28	42	51	13	6	34	30
Benign neoplasms and neoplasms of unspecified nature – 210–239	3	7	15	4	1	1	5	10
Diabetes mellitis – 250	28	59	46	55	29	14	65	36
Avitaminoses and other nutritional deficiencies – 260–269	–	2	5	6	–	2	3	3
Anemias – 280–285	2	5	4	7	3	1	3	3
Meningitis – 320	–	1	6	5	3	–	6	2
Major cardiovascular diseases – 390–448	697	1,450	1,492	2,120	535	534	1,839	992
Diseases of heart – 390–398,402,404,410–429	513	1,129	1,115	1,525	349	405	1,365	708
Active rheumatic fever and chronic rheumatic heart disease – 390–398	14	35	44	29	9	7	31	27
Hypertensive heart disease – 402	–	2	9	9	3	5	15	2
Hypertensive heart and renal disease – 404	–	8	1	3	3	–	10	–
Ischemic heart disease – 410–413	469	1,054	967	1,368	300	305	1,253	640
Acute myocardial infarction – 410	249	376	372	715	157	158	669	305
Other acute and subacute forms of ischemic heart disease – 411	–	4	5	23	–	2	1	1
Chronic ischemic heart disease – 412	220	674	590	630	143	145	582	334
Angina pectoris – 413	–	–	–	–	–	–	1	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	–	4	5	7	–	2	6	2
All other forms of heart disease – 420–423,425–427,429	30	26	89	109	34	86	50	37

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica–Rome, N.Y.	Vallejo–Napa, Calif.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	9	7	12	2	1	13	3
Cerebrovascular diseases—430–438	136	239	272	477	161	100	368	226
Cerebral hemorrhage—431	21	50	36	47	29	11	56	16
Cerebral thrombosis—433	33	67	48	104	31	15	97	57
Cerebral embolism—434	1	3	2	–	2	1	–	–
All other cerebrovascular diseases—430,432,435–438	81	119	186	326	99	73	215	153
Arteriosclerosis—440	28	43	53	38	13	20	57	19
Other diseases of arteries, arterioles, and capillaries—441–448	17	30	45	68	10	8	36	36
Acute bronchitis and bronchiolitis—466	–	–	3	1	1	1	2	1
Influenza and pneumonia—470–474,480–486	39	73	131	125	21	31	100	82
Influenza—470–474	7	6	9	6	1	4	17	9
Pneumonia—480–486	32	67	122	119	20	27	83	73
Bronchitis, emphysema, and asthma—490–493	15	30	97	66	13	12	66	33
Chronic and unqualified bronchitis—490,491	1	7	18	7	3	3	10	6
Emphysema—492	14	22	68	52	10	9	52	26
Asthma—493	–	1	11	7	–	–	4	1
Peptic ulcer—531–533	5	8	12	13	3		12	6
Appendicitis—540–543	–	1	–	2	1	–	1	–
Hernia and intestinal obstruction—550–553,560	9	10	8	13	5	2	6	7
Cirrhosis of liver—571	21	55	75	69	12	4	43	48
Cholelithiasis, cholecystitis and cholangitis—574,575	2	7	4	6	2	2	3	3
Nephritis and nephrosis—580–584	4	13	11	18	7	4	12	5
Acute nephritis and nephrotic syndrome—580,581	1	3	2	7	1	2	3	1
Chronic and unqualified nephritis and renal sclerosis—582–584	3	10	9	11	6	2	9	4
Infections of kidney—590	–	2	9	26	3	3	4	4
Hyperplasia of prostate—600	–	–	1	2	–	1	3	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	2	–	1	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	2	–	1	–	–
Congenital anomalies—740–759	10	10	37	30	7	3	13	24
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	12	35	42	82	10	15	30	33
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	9	15	19	46	7	9	10	22
Other causes of mortality in early infancy—Remainder of 760–778	3	20	23	36	3	6	20	11
Symptoms and ill-defined conditions—780–796	10	77	56	53	35	11	12	9
All other diseases—Residual	88	174	340	328	60	72	181	162
Accidents—E800–E949	61	112	198	258	60	49	139	117
Motor vehicle accidents—E810–E823	18	41	110	133	28	22	70	58
All other accidents—E800–E807,E825–E949	43	71	88	125	32	27	69	59
Suicide—E950–E959	27	20	74	67	12	17	27	48
Homicide—E960–E978	6	20	36	44	20	14	8	16
Other external causes—E980–E999	3	5	21	5	4	–	4	5

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
All causes	1,211	1,639	19,304	1,043	5,577	2,148	3,060	993
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	3	–	12	1	5	2	7	1
Tuberculosis, all forms—010–019	3	–	37	–	10	4	2	1
Tuberculosis of respiratory system—010–012	3	–	30	–	7	4	2	1
Tuberculosis, other forms—013–019	–	–	7	–	3	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	1	–	1	1	2	–
Septicemia—038	6	5	79	1	16	7	6	5
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	4	–	2	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	3	3	54	3	10	1	10	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	214	283	4,344	199	1,310	382	614	179
Malignant neoplasms of buccal cavity and pharynx—140–149	3	10	133	7	28	9	8	4
Malignant neoplasms of digestive organs and peritoneum—150–159	61	68	1,236	52	364	106	153	54
Malignant neoplasms of respiratory system—160–163	48	81	966	61	367	97	171	49
Malignant neoplasm of breast—174	16	17	414	13	114	38	74	12
Malignant neoplasms of genital organs—180–187	27	24	490	16	134	41	62	18
Malignant neoplasms of urinary organs—188,189	10	16	175	6	57	21	29	4
Malignant neoplasms of all other and unspecified sites—170–173,190–199	29	46	576	14	150	39	62	22
Leukemia—204–207	11	9	135	15	44	15	24	6
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	9	12	219	15	52	16	31	10
Benign neoplasms and neoplasms of unspecified nature—210–239	2	2	69	1	17	8	2	2
Diabetes mellitis—250	23	23	371	13	86	46	44	18
Avitaminoses and other nutritional deficiencies—260–269	1	2	37	–	7	4	16	3
Anemias—280–285	–	–	47	–	13	4	5	1
Meningitis—320	–	1	26	4	4	1	2	–
Major cardiovascular diseases—390–448	715	870	8,669	573	2,903	1,170	1,495	497
Diseases of heart—390–398,402,404,410–429	593	623	6,402	388	2,102	891	1,109	340
Active rheumatic fever and chronic rheumatic heart disease—390–398	11	11	125	4	47	18	22	5
Hypertensive heart disease—402	2	4	69	1	19	4	6	7
Hypertensive heart and renal disease—404	3	3	48	1	9	2	14	–
Ischemic heart disease—410–413	539	408	5,510	365	1,933	811	998	294
Acute myocardial infarction—410	287	235	1,994	217	905	439	577	186
Other acute and subacute forms of ischemic heart disease—411	1	3	79	–	54	1	2	–
Chronic ischemic heart disease—412	251	170	3,437	148	972	371	418	108
Angina pectoris—413	–	–	–	–	2	–	1	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	11	5	228	3	8	2	4	1
All other forms of heart disease—420–423,425–427,429	27	192	422	14	86	54	65	33

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	4	4	41	1	19	6	14	–
Cerebrovascular diseases—430–438	94	188	1,563	135	597	210	287	117
Cerebral hemorrhage—431	11	15	221	10	52	26	38	4
Cerebral thrombosis—433	22	40	395	25	165	55	74	36
Cerebral embolism—434	1	1	6	–	8	–	1	–
All other cerebrovascular diseases—430,432,435–438	60	132	941	100	372	129	174	77
Arteriosclerosis—440	15	35	370	20	113	31	43	18
Other diseases of arteries, arterioles, and capillaries—441–448	9	20	293	29	72	32	42	22
Acute bronchitis and bronchiolitis—466	–	1	9	1	3	–	4	–
Influenza and pneumonia—470–474,480–486	25	68	549	19	132	63	100	49
Influenza—470–474	–	9	41	3	8	4	18	7
Pneumonia—480–486	25	59	508	16	124	59	82	42
Bronchitis, emphysema, and asthma—490–493	12	28	180	15	96	38	50	18
Chronic and unqualified bronchitis—490,491	1	3	45	5	19	5	11	5
Emphysema—492	11	22	114	10	69	31	36	13
Asthma—493	–	3	21	–	8	2	3	–
Peptic ulcer—531–533	1	3	55	7	13	9	10	7
Appendicitis—540–543	–	–	12	–	1	–	3	1
Hernia and intestinal obstruction—550–553,560	4	9	66	3	16	9	16	2
Cirrhosis of liver—571	23	22	627	16	111	34	21	11
Cholelithiasis, cholecystitis and cholangitis—574,575	–	2	22	1	4	3	2	2
Nephritis and nephrosis—580–584	5	14	102	5	16	9	8	–
Acute nephritis and nephrotic syndrome—580,581	–	2	12	1	3	2	2	–
Chronic and unqualified nephritis and renal sclerosis—582–584	5	12	90	4	13	7	6	–
Infections of kidney—590	3	4	32	3	10	3	8	3
Hyperplasia of prostate—600	–	1	15	1	3	1	5	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	3	–	1	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	3	–	1	–	–	–
Congenital anomalies—740–759	7	6	162	14	24	11	21	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	15	25	412	16	43	20	57	14
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	5	13	170	4	24	12	25	8
Other causes of mortality in early infancy—Remainder of 760–778	10	12	242	12	19	8	32	6
Symptoms and ill-defined conditions—780–796	12	26	198	7	25	26	26	4
All other diseases—Residual	54	124	1,367	72	315	162	252	67
Accidents—E800–E949	62	84	957	50	242	95	192	67
Motor vehicle accidents—E810–E823	45	27	411	30	121	29	94	35
All other accidents—E800–E807,E825–E949	17	57	546	20	121	66	98	32
Suicide—E950–E959	10	14	391	15	76	24	47	22
Homicide—E960–E978	5	19	326	1	47	6	23	10
Other external causes—E980–E999	3	–	69	2	15	5	9	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre–Hazleton, Pa.	Wilmington, Del.–N.J.–Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown–Warren, Ohio	New York, N.Y.–Northeastern New Jersey[1]	Chicago, Ill.–Northwestern Indiana[2]
All causes	**4,297**	**4,148**	**1,065**	**6,214**	**3,080**	**5,062**	**148,113**	**67,016**
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	3	5
Enteritis and other diarrheal diseases – 008,009	2	1	–	5	6	6	94	64
Tuberculosis, all forms – 010–019	14	9	4	7	3	10	290	121
Tuberculosis of respiratory system – 010–012	11	7	2	5	3	6	236	82
Tuberculosis, other forms – 013–019	3	2	2	2	–	4	54	39
Whooping cough – 033	–	–	–	–	–	–	2	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	1	–	2	–	1	–	16	5
Septicemia – 038	11	15	5	13	13	13	538	206
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	1
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	16	4
Other infective and parasitic diseases – Remainder of 000–136	4	6	1	12	6	12	314	124
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	788	884	189	1,207	673	982	32,112	13,445
Malignant neoplasms of buccal cavity and pharynx – 140–149	29	16	6	30	7	28	766	358
Malignant neoplasms of digestive organs and peritoneum – 150–159	256	212	49	335	162	258	9,869	3,917
Malignant neoplasms of respiratory system – 160–163	139	246	47	257	138	254	6,994	3,143
Malignant neoplasm of breast – 174	85	73	9	125	65	81	3,341	1,262
Malignant neoplasms of genital organs – 180–187	85	88	20	147	90	117	3,576	1,522
Malignant neoplasms of urinary organs – 188,189	28	56	8	53	39	52	1,462	637
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	95	117	37	149	110	91	3,405	1,406
Leukemia – 204–207	33	38	3	36	31	37	1,109	498
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	38	38	10	75	31	64	1,590	702
Benign neoplasms and neoplasms of unspecified nature – 210–239	9	25	3	28	9	12	505	152
Diabetes mellitis – 250	95	123	21	90	56	101	2,993	1,176
Avitaminoses and other nutritional deficiencies – 260–269	5	2	–	5	3	4	130	50
Anemias – 280–285	7	6	1	6	6	5	250	96
Meningitis – 320	2	2	3	3	6	4	118	69
Major cardiovascular diseases – 390–448	2,318	2,110	509	3,411	1,593	2,780	75,951	35,447
Diseases of heart – 390–398,402,404,410–429	1,890	1,687	367	2,636	1,282	2,040	61,921	28,025
Active rheumatic fever and chronic rheumatic heart disease – 390–398	33	39	3	45	30	37	1,171	417
Hypertensive heart disease – 402	10	17	1	22	6	17	545	383
Hypertensive heart and renal disease – 404	22	16	1	3	10	10	154	84
Ischemic heart disease – 410–413	1,727	1,529	341	2,436	1,157	1,863	57,590	24,808
Acute myocardial infarction – 410	805	659	191	959	613	1,049	23,253	12,014
Other acute and subacute forms of ischemic heart disease – 411	1	10	1	6	2	6	123	69
Chronic ischemic heart disease – 412	921	860	149	1,470	542	808	34,205	12,721
Angina pectoris – 413	–	–	–	1	–	–	9	4
Chronic disease of endocardium and other myocardial insufficiency – 424,428	10	12	1	5	6	14	113	115
All other forms of heart disease – 420–423,425–427,429	88	74	20	125	73	99	2,348	2,218

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1976—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre–Hazleton, Pa.	Wilmington, Del.–N.J.–Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown–Warren, Ohio	New York, N.Y.–Northeastern New Jersey[1]	Chicago, Ill.–Northwestern Indiana[2]
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	6	11	3	22	8	16	372	312
Cerebrovascular diseases—430–438	302	292	107	521	205	533	10,699	5,723
Cerebral hemorrhage—431	48	45	14	84	27	74	1,649	1,012
Cerebral thrombosis—433	56	66	37	177	47	153	2,676	1,678
Cerebral embolism—434	2	–	1	3	–	1	65	29
All other cerebrovascular diseases—430,432,435–438	196	181	55	257	131	305	6,309	3,004
Arteriosclerosis—440	58	65	21	118	46	120	1,274	671
Other diseases of arteries, arterioles, and capillaries—441–448	62	55	11	114	52	71	1,685	716
Acute bronchitis and bronchiolitis—466	1	2	–	3	4	–	60	31
Influenza and pneumonia—470–474,480–486	74	81	23	304	93	138	5,415	1,924
Influenza—470–474	5	2	1	42	14	14	276	77
Pneumonia—480–486	69	79	22	262	79	124	5,139	1,847
Bronchitis, emphysema, and asthma—490–493	37	40	10	73	30	81	1,322	709
Chronic and unqualified bronchitis—490,491	2	1	4	18	9	11	291	123
Emphysema—492	32	37	5	49	18	64	848	524
Asthma 493	3	2	1	6	3	6	183	62
Peptic ulcer 531–533	12	8	1	28	13	14	621	233
Appendicitis 540–543	1	1	–	5	2	3	53	39
Hernia and intestinal obstruction 550–553,560	16	12	1	24	8	14	415	188
Cirrhosis of liver 571	65	89	25	89	24	86	3,643	1,412
Cholelithiasis, cholecystitis and cholangitis 574,575	5	5	–	11	1	5	218	95
Nephritis and nephrosis 580 584	18	14	8	21	14	15	788	323
Acute nephritis and nephrotic syndrome 580,581	4	3	1	4	6	3	159	78
Chronic and unqualified nephritis and renal sclerosis 582 584	14	11	7	17	8	12	629	245
Infections of kidney 590	8	10	2	15	5	12	231	147
Hyperplasia of prostate 600	2	2	1	5	1	1	89	23
Complications of pregnancy, childbirth, and the puerperium 630 678	1	1	–	–	1	–	40	16
Abortions 640–645	–	–	–	–	–	–	2	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	1	–	–	1	–	38	15
Congenital anomalies—740–759	12	31	13	24	13	27	832	467
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	27	49	24	56	29	69	1,891	1,153
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	17	26	12	35	14	43	1,003	707
Other causes of mortality in early infancy—Remainder of 760–778	10	23	12	21	15	26	888	446
Symptoms and ill-defined conditions—780–796	17	30	12	46	10	21	1,834	663
All other diseases—Residual	567	267	87	372	231	301	8,850	3,607
Accidents—E800–E949	138	214	86	259	157	221	4,341	2,912
Motor vehicle accidents—E810–E823	61	112	33	104	83	94	1,613	1,190
All other accidents—E800–E807,E825–E949	77	102	53	155	74	127	2,728	1,722
Suicide—E950–E959	34	67	18	73	49	69	1,276	691
Homicide—E960–E978	3	33	14	14	18	50	1,963	1,109
Other external causes—E980–E999	3	9	2	5	2	6	899	309

[1] Comprised of four standard metropolitan statistical areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill.; and Gary-Hammond-East Chicago, Ind.

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**United States**	1,909,440	3,130	225	13,198	377,312	101,729	91,131	33,403	44,461	16,980	15,056	74,552	34,508	974,429	723,878	13,110	10,690
02	Urban places	1,069,564	1,984	162	7,692	215,864	59,359	52,160	19,783	24,929	9,470	8,280	41,883	19,511	542,030	404,984	7,771	6,055
03	Balance of area	839,876	1,146	63	5,506	161,448	42,370	38,971	13,620	19,532	7,510	6,776	32,669	14,997	432,399	318,894	5,339	4,635
04	Metropolitan counties	1,241,299	2,113	163	8,880	255,381	69,485	61,930	23,734	29,056	11,317	9,829	50,030	22,273	625,768	470,984	9,273	6,693
05	Urban places	915,211	1,741	139	6,729	186,874	51,643	45,170	17,298	21,383	8,130	7,066	36,184	16,625	461,374	347,441	6,810	5,120
06	Balance of area	326,088	372	24	2,151	68,507	17,842	16,760	6,436	7,673	3,187	2,763	13,846	5,648	164,394	123,543	2,463	1,573
07	Nonmetropolitan counties	668,141	1,017	62	4,318	121,931	32,244	29,201	9,669	15,405	5,663	5,227	24,522	12,235	348,661	252,894	3,837	3,997
08	Urban places	154,353	243	23	963	28,990	7,716	6,990	2,485	3,546	1,340	1,214	5,699	2,886	80,656	57,543	961	935
09	Balance of area	513,788	774	39	3,355	92,941	24,528	22,211	7,184	11,859	4,323	4,013	18,823	9,349	268,005	195,351	2,876	3,062
10	**Alabama**	34,193	98	2	296	5,984	1,371	1,534	473	749	190	250	1,417	644	16,315	11,095	142	185
11	Urban places	14,403	52	2	129	2,672	620	662	255	352	93	97	593	274	6,758	4,444	70	81
12	Balance of area	19,790	46	–	167	3,312	751	872	218	397	97	153	824	370	9,557	6,651	72	104
13	Metropolitan counties	17,403	63	2	141	3,270	726	856	285	396	110	119	778	318	8,131	5,422	77	90
14	Urban places	10,937	46	2	95	2,079	472	536	210	258	73	70	460	201	5,168	3,371	55	62
15	Balance of area	6,466	17	–	46	1,191	254	320	75	138	37	49	318	117	2,963	2,051	22	28
16	Nonmetropolitan counties	16,790	35	–	155	2,714	645	678	188	353	80	131	639	326	8,184	5,673	65	95
17	Urban places	3,466	6	–	34	593	148	126	45	94	20	27	133	73	1,590	1,073	15	19
18	Balance of area	13,324	29	–	121	2,121	497	552	143	259	60	104	506	253	6,594	4,600	50	76
19	Autauga	234	–	–	6	34	10	11	1	2	1	1	8	4	131	89	–	2
20	Prattville	111	–	–	2	17	7	2	1	1	1	–	5	2	53	34	–	–
21	Balance of county	123	–	–	4	17	3	9	–	1	–	1	3	2	78	55	–	2
22	Baldwin	622	3	–	3	124	33	30	9	15	6	8	23	19	301	208	1	4
23	Barbour	254	–	–	1	37	10	5	3	8	–	2	9	7	106	67	–	–
24	Bibb	163	–	–	–	31	8	9	2	2	1	3	6	2	80	61	2	1
25	Blount	276	1	–	–	47	12	16	3	5	1	3	7	4	139	105	1	2
26	Bullock	133	–	–	1	16	5	2	1	5	–	–	3	2	67	49	–	1
27	Butler	241	2	–	2	37	5	9	5	3	1	1	13	4	116	79	3	1
28	Calhoun	972	3	–	5	174	43	38	14	27	1	4	47	18	499	350	4	3
29	Anniston	455	2	–	2	81	17	19	9	13	–	2	21	11	233	154	4	1
30	Balance of county	517	1	–	3	93	26	19	5	14	1	2	26	7	266	196	–	2
31	Chambers	436	1	–	5	74	21	16	7	9	3	4	14	7	231	151	3	–
32	Cherokee	173	–	–	1	29	6	7	3	1	1	2	9	2	103	77	2	5
33	Chilton	316	–	–	2	46	5	14	3	6	2	1	15	4	175	120	–	5
34	Choctaw	157	–	–	1	21	8	6	1	–	–	1	5	5	71	50	–	–
35	Clarke	294	–	–	8	47	13	9	2	8	–	3	12	6	131	105	1	1
36	Clay	127	–	–	1	17	1	4	3	4	1	–	4	3	73	55	1	–
37	Cleburne	94	–	–	2	13	3	4	–	1	–	–	5	–	51	35	–	4
38	Coffee	311	–	–	1	57	12	21	–	7	2	4	11	7	158	116	2	1
39	Enterprise	127	–	–	1	26	5	7	–	4	1	3	6	3	67	52	1	–
40	Balance of county	184	–	–	–	31	7	14	–	3	1	1	5	4	91	64	1	1
41	Colbert	464	1	–	3	79	15	28	3	11	–	3	19	7	229	153	2	2
42	Sheffield	138	–	–	1	22	4	4	1	5	–	1	7	1	60	44	–	1
43	Balance of county	326	1	–	2	57	11	24	2	6	–	2	12	6	169	109	2	1
44	Conecuh	185	–	–	2	36	8	5	2	4	–	1	16	6	100	70	1	1
45	Coosa	130	1	–	1	31	5	7	3	2	4	2	8	–	57	33	–	1
46	Covington	445	1	–	4	67	12	23	6	6	3	3	14	5	224	157	3	2
47	Andalusia	116	–	–	4	15	5	2	–	4	1	1	2	–	63	46	1	1
48	Balance of county	329	1	–	–	52	7	21	6	2	2	2	12	5	161	111	2	1
49	Crenshaw	177	–	–	1	25	6	9	–	2	1	–	7	4	81	48	1	1
50	Cullman	499	3	–	7	88	30	18	9	7	4	2	18	6	266	182	3	1
51	Cullman	118	1	–	1	14	6	1	1	1	2	1	2	1	67	41	1	–
52	Balance of county	381	2	–	6	74	24	17	8	6	2	1	16	5	199	141	2	1
53	Dale	303	–	–	5	43	5	12	3	8	2	2	11	4	144	115	–	10
54	Ozark	93	–	–	3	16	2	3	2	4	1	–	4	–	47	39	–	5
55	Balance of county	210	–	–	2	27	3	9	1	4	1	2	7	4	97	76	–	5
56	Dallas	550	1	–	3	97	21	25	4	12	5	3	27	18	215	130	3	1
57	Selma	351	1	–	2	70	17	15	4	7	4	2	21	11	140	84	2	–
58	Balance of county	199	–	–	1	27	4	10	–	5	1	1	6	7	75	46	1	1
59	De Kalb	431	2	–	1	60	9	7	6	11	4	1	22	4	254	212	3	5
60	Elmore	353	1	–	1	61	9	16	3	8	3	3	19	7	173	130	–	1
61	Escambia	387	–	–	4	59	15	22	5	7	2	2	6	5	199	143	1	3
62	Etowah	998	1	–	7	179	37	42	14	26	8	7	45	15	572	441	3	5
63	Gadsden	602	1	–	3	112	21	25	11	18	5	5	27	10	346	270	2	3
64	Balance of county	396	–	–	4	67	16	17	3	8	3	2	18	5	226	171	1	2
65	Fayette	202	1	–	–	31	6	6	2	5	1	5	6	4	102	64	–	–
66	Franklin	262	2	–	1	51	15	15	4	4	–	2	11	5	142	111	–	–
67	Geneva	240	–	–	4	44	6	11	2	8	–	1	16	9	109	83	–	–
68	Greene	133	1	–	–	18	7	4	2	2	1	–	2	–	81	50	1	–
69	Hale	185	–	–	3	21	5	6	1	3	2	2	2	5	99	37	1	3
70	Henry	153	–	–	4	20	9	1	2	5	–	–	3	3	82	46	–	1
71	Houston	565	–	–	6	85	14	29	5	12	2	7	16	10	248	165	1	1
72	Dothan	355	–	–	5	52	11	15	4	6	1	5	10	10	152	104	1	1
73	Balance of county	210	–	–	1	33	3	14	1	6	1	2	6	–	96	61	–	–
74	Jackson	422	1	–	2	64	20	12	7	8	4	4	9	8	237	171	2	1
75	Jefferson	6,693	25	1	48	1,330	300	357	134	146	46	38	309	127	2,991	1,886	34	32
76	Bessemer	433	7	–	4	78	16	13	7	6	2	4	30	11	197	122	1	1
77	Birmingham	3,499	12	1	26	686	160	174	71	85	31	22	143	62	1,571	959	23	19

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
646,073	**54,005**	**6,130**	**188,623**	**29,366**	**26,432**	**61,866**	**24,410**	**6,428**	**31,453**	**8,541**	**390**	**13,002**	**24,809**	**30,802**	**153,024**	**47,038**	**53,723**	**26,832**	**19,554**	**4,766**	01
363,471	27,687	3,545	103,332	15,630	14,539	34,978	13,291	3,689	21,189	4,975	239	7,135	14,446	16,010	86,962	19,641	27,861	14,891	13,795	3,219	02
282,602	26,318	2,585	85,291	13,736	11,893	26,888	11,119	2,739	10,264	3,566	151	5,867	10,363	14,792	66,062	27,397	25,862	11,941	5,759	1,547	03
423,602	31,416	3,824	116,104	17,890	16,966	39,003	15,334	4,155	23,792	5,532	259	8,705	16,582	17,432	99,821	26,152	32,904	18,445	15,008	3,597	04
312,381	23,130	2,883	85,848	12,944	12,258	29,641	11,084	3,149	18,994	4,269	207	6,132	12,391	12,959	74,468	16,091	23,688	13,076	12,652	2,928	05
111,221	8,286	941	30,256	4,946	4,708	9,362	4,250	1,006	4,798	1,263	52	2,573	4,191	4,473	25,353	10,061	9,216	5,369	2,356	669	06
222,471	22,589	2,306	72,519	11,476	9,466	22,863	9,076	2,273	7,661	3,009	131	4,297	8,227	13,370	53,203	20,886	20,819	8,387	4,546	1,169	07
51,090	4,557	662	17,484	2,686	2,281	5,337	2,207	540	2,195	706	32	1,003	2,055	3,051	12,494	3,550	4,173	1,815	1,143	291	08
171,381	18,032	1,644	55,035	8,790	7,185	17,526	6,869	1,733	5,466	2,303	99	3,294	6,172	10,319	40,709	17,336	16,646	6,572	3,403	878	09
9,168	**1,600**	**139**	**4,259**	**457**	**365**	**820**	**381**	**83**	**342**	**227**	**12**	**237**	**548**	**2,131**	**2,762**	**1,127**	**1,186**	**382**	**521**	**95**	10
3,736	557	79	1,862	198	175	354	142	36	186	98	6	105	227	877	1,240	360	433	141	278	33	11
5,432	1,043	60	2,397	259	190	466	239	47	156	129	6	132	321	1,254	1,522	767	753	241	243	62	12
4,687	568	83	2,175	249	202	384	183	48	211	112	9	137	278	1,038	1,470	512	528	215	310	43	13
2,912	342	60	1,435	165	137	254	107	31	152	76	6	84	168	610	938	271	292	107	224	26	14
1,775	226	23	740	84	65	130	76	17	59	36	3	53	110	428	532	241	236	108	86	17	15
4,481	1,032	56	2,084	208	163	436	198	35	131	115	3	100	270	1,093	1,292	615	658	167	211	52	16
824	215	19	427	33	38	100	35	5	34	22	–	21	59	267	302	89	141	34	54	7	17
3,657	817	37	1,657	175	125	336	163	30	97	93	3	79	211	826	990	526	517	133	157	45	18
47	40	1	30	9	2	4	3	–	–	3	–	2	2	5	17	14	6	3	–	–	19
18	16	–	13	6	–	4	–	–	–	3	–	1	–	5	9	10	3	2	–	–	20
29	24	1	17	3	2	–	3	–	–	–	–	1	2	–	8	4	3	1	–	–	21
183	20	4	71	9	9	17	8	2	5	3	1	4	15	4	44	29	22	13	3	2	22
59	8	2	34	3	–	6	2	1	5	–	–	1	4	35	26	6	11	1	4	1	23
30	28	–	15	–	4	8	2	–	1	3	–	–	3	8	11	3	8	3	–	–	24
87	15	–	25	6	3	8	6	1	5	1	–	2	5	9	21	10	11	3	2	1	25
39	9	–	17	1	–	9	2	–	–	2	–	1	1	10	13	4	–	–	3	2	26
63	12	–	33	–	4	9	6	1	–	7	–	2	4	16	14	10	8	–	1	2	27
316	27	1	127	10	11	19	17	3	11	6	–	5	9	11	89	19	50	19	14	1	28
137	12	–	68	6	5	11	8	–	7	3	–	2	6	6	39	6	21	7	9	1	29
179	15	1	59	4	6	8	9	3	4	3	–	3	3	5	50	13	29	12	5	–	30
134	14	2	73	1	4	12	6	1	3	6	–	5	9	7	35	10	10	4	8	2	31
51	19	2	20	3	1	3	2	–	3	–	–	–	1	5	11	2	5	4	1	1	32
91	24	–	51	–	4	8	5	2	3	2	–	3	3	10	22	10	14	1	2	4	33
42	8	2	14	3	2	8	4	1	1	2	–	–	5	8	17	6	4	–	1	2	34
94	9	–	21	3	2	8	3	2	2	3	–	2	11	4	24	20	18	2	2	1	35
43	11	–	17	–	1	3	2	–	1	–	–	–	–	9	4	2	10	2	–	–	36
28	3	–	12	3	1	2	–	–	1	–	–	–	1	10	6	3	2	1	1	1	37
76	37	2	29	9	2	7	4	–	1	2	–	2	2	6	23	14	15	4	5	3	38
33	18	–	11	2	2	2	3	–	–	1	–	1	–	2	8	5	4	–	2	2	39
43	19	2	18	7	–	5	1	–	1	1	–	1	2	4	15	9	11	4	3	1	40
124	25	–	67	4	5	12	5	1	5	2	–	2	7	29	24	21	27	4	6	–	41
36	7	–	13	–	3	7	2	–	2	–	–	1	1	12	5	6	16	1	1	–	42
88	18	–	54	4	2	5	3	1	3	2	–	1	6	17	19	15	11	3	5	–	43
41	27	2	24	3	1	2	3	–	–	1	–	1	1	14	7	3	8	–	1	–	44
23	9	–	22	2	–	3	1	–	1	2	–	1	3	5	8	9	2	1	4	–	45
126	26	1	58	3	5	16	6	2	7	3	–	2	4	24	43	12	14	7	2	2	46
38	6	–	15	1	1	4	–	1	2	–	–	–	2	6	13	–	4	2	–	–	47
88	20	1	43	2	4	12	6	1	5	3	–	2	2	18	30	12	10	5	2	2	48
35	11	–	28	3	2	5	4	–	2	1	–	1	2	17	16	6	7	–	4	1	49
138	40	–	66	11	7	17	6	1	4	1	–	1	4	17	35	21	15	3	4	–	50
34	6	–	24	1	1	4	1	–	1	–	–	1	2	3	13	3	4	–	2	–	51
104	34	–	42	10	6	13	5	1	3	1	–	–	2	14	22	18	11	3	2	–	52
83	22	2	20	3	4	3	4	–	2	1	–	4	5	31	18	14	15	6	3	1	53
26	8	2	4	1	1	–	–	–	–	–	–	1	1	9	5	2	5	2	2	–	54
57	14	–	16	2	3	3	4	–	2	1	–	3	4	22	13	12	10	4	1	1	55
87	39	2	65	9	9	15	7	2	6	2	1	2	7	60	61	14	22	6	11	–	56
58	24	2	42	6	6	9	5	1	4	1	–	2	5	36	34	8	11	5	6	–	57
29	15	–	23	3	3	6	2	1	2	1	1	–	2	24	27	6	11	1	5	–	58
192	12	2	35	4	1	10	3	1	3	4	–	3	2	20	27	13	11	11	–	2	59
122	7	1	37	2	3	8	3	2	3	1	1	1	2	29	23	13	14	6	3	1	60
115	24	6	41	6	3	6	7	–	4	4	–	2	10	14	37	13	13	3	6	1	61
411	22	5	94	17	15	20	11	3	8	5	–	3	22	12	72	19	29	7	10	3	62
256	9	4	51	8	13	14	7	1	7	4	–	2	12	6	40	9	16	4	6	2	63
155	13	1	43	9	2	6	4	2	1	1	–	1	10	6	32	10	13	3	4	1	64
49	15	–	30	3	5	7	4	–	1	–	–	1	4	19	7	6	9	3	3	–	65
86	25	–	27	2	2	9	1	1	1	1	–	1	4	15	10	11	4	–	3	–	66
69	14	–	21	5	–	11	5	–	4	1	–	–	6	6	16	7	13	2	1	2	67
46	3	1	21	9	–	–	–	–	–	–	1	2	3	9	6	7	4	1	–	–	68
30	3	–	52	6	4	3	–	–	–	1	–	1	4	17	19	5	3	1	2	1	69
42	3	–	32	–	4	9	–	–	–	1	–	–	3	8	6	11	2	1	3	–	70
99	64	3	72	5	3	12	4	1	6	6	–	5	10	59	60	17	25	4	7	–	71
62	40	3	42	1	2	6	1	1	5	5	–	2	7	38	41	6	16	2	6	–	72
37	24	–	30	4	1	6	3	–	1	1	–	3	3	21	19	11	9	2	1	–	73
140	28	–	52	8	6	8	5	1	2	4	–	4	5	11	28	12	19	4	7	–	74
1,586	234	35	874	106	90	149	62	14	78	49	3	53	79	461	659	169	170	80	132	13	75
108	12	2	62	4	7	10	5	2	5	3	–	2	6	29	34	21	6	3	10	–	76
786	131	23	477	64	48	78	24	6	44	26	2	20	41	271	365	68	78	28	82	8	77

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alabama—Con.																	
	Jefferson—Con.																	
01	Fairfield	178	–	–	3	38	6	14	3	4	–	1	10	4	82	51	1	–
02	Homewood	194	1	–	2	40	14	9	4	2	2	1	8	3	93	63	2	1
03	Mountain Brook	168	–	–	–	49	9	15	10	6	1	1	7	2	76	48	1	–
04	Balance of county	2,221	5	–	13	439	95	132	39	43	10	9	111	45	972	643	6	11
05	Lamar	192	1	–	1	33	9	9	–	9	–	2	4	7	91	64	–	2
06	Lauderdale	553	–	–	6	104	25	23	10	10	4	7	25	6	255	169	2	1
07	Florence	288	–	–	3	59	14	15	5	9	2	2	12	4	135	76	1	–
08	Balance of county	265	–	–	3	45	11	8	5	1	2	5	13	2	120	93	1	1
09	Lawrence	252	1	–	5	37	10	10	3	3	1	2	8	11	114	76	–	1
10	Lee	447	2	–	3	60	15	10	6	4	4	2	19	5	159	93	3	1
11	Auburn	80	1	–	2	9	2	3	–	–	1	–	3	1	34	22	–	–
12	Opelika	193	1	–	1	30	9	4	5	3	2	1	6	2	67	39	1	–
13	Balance of county	174	–	–	–	21	4	3	1	1	1	1	10	2	58	32	2	1
14	Limestone	358	3	–	1	67	8	16	6	6	–	4	27	8	180	100	–	–
15	Athens	139	2	–	–	25	3	8	5	1	–	–	8	2	75	43	–	–
16	Balance of county	219	1	–	1	42	5	8	1	5	–	4	19	6	105	57	–	–
17	Lowndes	109	–	–	–	16	2	6	1	2	1	1	3	4	35	18	–	–
18	Macon	291	–	–	8	48	14	8	2	14	2	2	6	9	135	89	–	4
19	Tuskegee	138	–	–	2	29	9	5	–	9	2	1	3	6	57	39	–	1
20	Balance of county	153	–	–	6	19	5	3	2	5	–	1	3	3	78	50	–	3
21	Madison	1,130	6	–	7	224	45	55	22	26	10	10	56	19	501	339	3	6
22	Huntsville	822	4	–	5	158	33	40	20	18	4	5	38	17	362	239	1	4
23	Balance of county	308	2	–	2	66	12	15	2	8	6	5	18	2	139	100	2	2
24	Marengo	272	2	–	5	41	9	13	3	4	1	3	8	4	106	70	1	1
25	Marion	267	–	–	6	27	9	5	2	1	2	1	7	3	143	109	–	1
26	Marshall	621	–	–	5	103	28	28	4	12	1	7	23	10	301	213	4	6
27	Mobile	2,925	8	1	33	592	135	167	46	71	21	19	133	43	1,379	1,005	12	23
28	Mobile	1,954	7	1	22	392	93	111	37	46	14	11	80	26	967	697	7	21
29	Prichard	333	–	–	6	75	19	16	3	14	3	2	18	6	133	97	3	1
30	Balance of county	638	1	–	5	125	23	40	6	11	4	6	35	11	279	211	2	1
31	Monroe	193	–	–	1	32	4	9	3	4	–	4	8	3	104	70	1	–
32	Montgomery	1,729	9	–	16	297	61	81	26	44	8	10	67	26	797	508	9	8
33	Montgomery	1,566	8	–	15	271	57	73	26	40	7	10	58	25	727	456	9	6
34	Balance of county	163	1	–	1	26	4	8	–	4	1	–	9	1	70	52	–	2
35	Morgan	613	1	–	1	112	25	24	10	12	4	8	29	8	280	190	6	4
36	Decatur	267	–	–	1	54	12	13	5	8	1	3	12	3	108	77	3	3
37	Balance of county	346	1	–	–	58	13	11	5	4	3	5	17	5	172	113	3	1
38	Perry	179	–	–	3	23	4	6	1	5	–	2	5	6	89	63	–	2
39	Pickens	212	1	–	1	39	12	8	2	9	–	2	6	3	111	63	–	–
40	Pike	282	1	–	3	51	9	6	4	11	3	2	16	5	151	104	–	5
41	Troy	126	–	–	–	24	5	1	1	8	–	1	8	3	72	49	–	4
42	Balance of county	156	1	–	3	27	4	5	3	3	3	1	8	2	79	55	–	1
43	Randolph	263	2	–	–	34	10	8	3	7	–	3	3	5	149	103	–	2
44	Russell	522	4	–	3	59	20	9	8	5	1	3	13	13	295	171	–	–
45	Phenix City	326	3	–	1	44	15	5	7	3	1	2	11	10	185	109	–	1
46	Balance of county	196	1	–	2	15	5	4	1	2	–	1	2	3	110	62	–	–
47	St. Clair	290	1	–	3	50	11	16	1	2	1	1	18	6	146	102	4	2
48	Shelby	393	–	–	5	60	17	15	3	6	2	1	16	1	159	109	4	–
49	Sumter	213	2	–	5	43	8	13	2	5	2	1	12	3	88	58	–	1
50	Talladega	683	–	–	5	100	29	23	7	15	1	7	18	19	307	222	1	2
51	Sylacauga	178	–	–	1	21	6	3	1	6	1	1	3	9	90	77	–	1
52	Talladega	177	–	–	2	26	9	4	3	3	–	3	4	4	78	46	–	1
53	Balance of county	328	–	–	2	53	14	16	3	6	–	3	11	6	139	99	1	–
54	Tallapoosa	393	–	–	3	66	16	23	5	7	–	2	13	9	180	135	–	2
55	Alexander City	155	–	–	1	28	8	10	3	3	–	–	4	2	67	50	–	–
56	Balance of county	238	–	–	2	38	8	13	2	4	–	2	9	7	113	85	–	2
57	Tuscaloosa	1,028	1	–	11	169	39	38	4	29	4	10	45	29	535	349	9	6
58	Tuscaloosa	581	1	–	7	85	21	23	2	12	3	5	19	19	299	179	5	4
59	Balance of county	447	–	–	4	84	18	15	2	17	1	5	26	10	236	170	4	2
60	Walker	652	2	–	6	108	22	30	10	14	1	6	25	11	248	176	2	4
61	Jasper	142	–	–	1	26	5	10	4	3	–	1	3	4	55	38	–	1
62	Balance of county	510	2	–	5	82	17	20	6	11	1	5	22	7	193	138	2	3
63	Washington	147	–	–	1	24	8	5	–	4	1	–	6	7	67	54	1	–
64	Wilcox	179	–	–	–	29	7	4	1	5	2	1	9	6	69	43	–	–
65	Winston	225	–	–	3	43	11	10	4	3	1	2	12	9	104	86	1	–
66	**Alaska**[1]	1,623	5	–	17	227	59	58	12	24	10	13	51	12	403	308	10	3
67	Urban places	476	1	–	8	81	24	19	6	8	2	9	13	7	107	86	4	1
68	Balance of area	1,147	4	–	9	146	35	39	6	16	8	4	38	5	296	222	6	2
69	Nonmetropolitan counties	1,623	5	–	17	227	59	58	12	24	10	13	51	12	403	308	10	3
70	Urban places	476	1	–	8	81	24	19	6	8	2	9	13	7	107	86	4	1
71	Balance of area	1,147	4	–	9	146	35	39	6	16	8	4	38	5	296	222	6	2
72	Dist. 1, Prince of Wales	9	–	–	–	3	1	1	–	1	–	–	–	–	5	4	–	–
73	Dist. 2, Ketchikan	89	–	–	3	10	4	3	–	1	–	–	2	2	36	25	–	–
74	Dist. 3, Wrangell–Petersburg	35	–	–	–	9	–	3	–	2	–	1	3	–	8	6	1	–
75	Dist. 4, Sitka	45	1	–	2	6	2	4	–	–	–	–	–	1	18	11	1	–
76	Dist. 5, Juneau	93	–	–	–	16	4	7	1	2	–	–	2	–	41	23	1	–
77	Dist. 6, Lynn Canal–Icy Straits	34	–	–	–	5	3	–	–	–	2	–	–	–	11	7	–	–
78	Dist. 7, Cordova–McCarthy	22	–	–	–	3	1	–	–	1	–	–	1	–	7	5	–	–
79	Dist. 8, Valdez–Chitina–Whittier	37	–	–	–	4	1	–	–	–	1	–	2	–	4	3	–	–
80	Dist. 9, Palmer–Wasilla–Talkeetna	65	–	–	–	10	3	4	1	1	–	–	1	–	26	19	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
43	7	1	22	7	1	9	–	–	5	3	–	3	2	8	16	2	2	2	7	–	01
53	7	2	24	1	3	6	4	1	–	–	–	1	1	5	20	3	2	5	–	–	02
44	3	–	22	2	4	5	1	–	–	1	–	3	1	4	13	8	4	1	–	–	03
552	74	7	267	28	27	41	28	5	24	16	1	25	28	144	211	67	78	41	33	5	04
56	6	–	24	1	2	9	6	1	2	–	–	–	1	11	12	9	5	1	2	1	05
157	9	6	73	4	3	12	2	1	5	5	–	4	3	44	47	18	20	13	6	2	06
68	7	5	50	2	2	7	1	1	3	4	–	2	2	19	26	5	8	4	4	1	07
89	2	1	23	2	1	5	1	–	2	1	–	2	1	25	21	13	12	9	2	1	08
49	27	1	34	3	–	7	4	–	–	4	–	–	3	12	26	12	11	2	3	–	09
78	11	2	60	1	3	10	2	1	4	1	–	–	11	102	37	19	17	6	7	1	10
19	3	–	12	–	–	3	–	–	–	–	–	–	1	15	5	3	3	1	2	–	11
33	5	2	24	–	2	3	1	1	4	–	–	–	3	48	21	6	2	2	–	1	12
26	3	–	24	1	1	4	1	–	–	1	–	–	7	39	11	10	12	3	5	–	13
55	45	6	57	14	3	6	–	1	3	4	–	2	4	23	24	10	15	4	2	1	14
23	20	4	22	5	1	3	–	–	3	3	–	2	1	7	9	3	5	–	1	–	15
32	25	2	35	9	2	3	–	1	2	1	–	–	3	16	15	7	10	4	1	1	16
17	1	1	15	1	–	4	–	–	–	1	–	–	4	28	4	6	3	2	1	1	17
75	10	–	41	1	4	9	2	–	–	1	–	–	10	10	28	8	11	2	9	–	18
33	5	–	15	–	3	7	1	–	–	–	–	–	5	3	15	1	6	2	3	–	19
42	5	–	26	1	1	2	1	–	–	–	–	–	5	7	13	7	5	–	6	–	20
258	72	9	121	17	15	16	14	5	13	9	1	15	32	63	85	36	33	25	19	7	21
189	45	7	92	12	12	11	11	5	12	4	1	13	22	39	70	30	21	20	15	2	22
69	27	2	29	5	3	5	3	–	1	5	–	2	10	24	15	6	12	5	4	5	23
52	16	–	30	2	4	3	1	1	3	1	–	1	5	34	24	14	16	3	6	2	24
98	10	–	28	2	4	4	5	1	2	1	–	3	3	6	27	19	12	3	1	1	25
172	31	1	65	14	8	19	4	4	6	4	–	1	8	42	51	32	19	5	3	4	26
892	78	7	318	28	21	68	44	11	46	7	2	30	60	78	228	93	101	28	68	5	27
614	55	7	234	15	14	53	27	6	29	6	1	18	31	49	151	46	61	14	43	4	28
87	6	–	30	3	3	6	4	2	4	–	1	4	12	14	29	10	13	2	11	1	29
191	17	–	54	10	4	9	13	3	13	1	–	8	17	15	48	37	27	12	14	–	30
63	6	–	23	7	4	1	–	–	–	1	–	2	1	7	16	11	5	3	5	1	31
473	18	7	226	34	22	38	14	4	33	21	–	8	29	151	122	56	51	19	33	5	32
424	17	6	213	32	20	35	12	4	33	20	–	8	24	124	117	46	45	17	30	5	33
49	1	1	13	2	2	3	2	–	–	1	–	–	5	27	5	10	6	2	3	–	34
148	32	2	76	6	6	18	4	–	4	4	–	4	22	46	50	19	30	3	7	–	35
57	14	1	23	4	3	12	4	–	1	2	–	2	12	23	17	5	18	–	5	–	36
91	18	1	53	2	3	6	–	–	3	2	–	2	10	23	33	14	12	3	2	–	37
34	27	1	21	2	2	3	1	2	1	–	–	–	4	17	11	7	8	–	4	–	38
54	9	2	42	4	–	5	4	–	2	3	–	3	4	10	10	2	10	1	2	1	39
91	8	2	38	3	4	6	2	–	1	2	–	–	4	6	23	14	4	3	3	3	40
40	5	1	18	2	2	3	1	–	1	–	–	–	1	2	9	4	2	2	2	–	41
51	3	1	20	1	2	3	1	–	–	2	–	–	3	4	14	10	2	1	1	3	42
92	9	1	40	4	1	6	5	–	3	1	1	1	4	4	16	11	10	5	6	–	43
153	17	5	112	5	2	8	6	1	5	1	–	5	6	10	43	18	25	8	11	1	44
99	9	3	69	2	2	6	4	1	2	1	–	4	5	4	24	6	14	5	7	–	45
54	8	2	43	3	–	2	2	–	3	–	–	1	1	6	19	12	11	3	4	1	46
64	32	–	35	5	4	12	4	–	1	4	–	2	3	21	15	9	9	2	2	–	47
100	5	1	43	2	4	10	6	1	2	5	–	2	10	61	30	14	14	7	5	1	48
40	17	–	25	5	–	6	5	–	–	4	–	4	6	18	9	13	3	1	3	–	49
199	20	1	75	2	7	22	8	–	9	1	–	6	12	78	54	21	24	3	11	3	50
73	3	–	11	1	1	6	4	–	2	–	–	–	3	16	14	3	3	–	6	–	51
38	7	–	29	–	3	8	1	–	2	1	–	5	3	20	10	7	8	1	–	1	52
88	10	1	35	1	3	8	3	–	5	–	–	1	6	42	30	11	13	2	5	2	53
86	47	3	38	1	3	10	7	–	–	2	–	2	11	19	30	14	27	3	9	1	54
21	29	3	13	–	1	4	2	–	–	1	–	1	5	4	18	9	7	1	4	1	55
65	18	–	25	1	2	6	5	–	–	1	–	1	6	15	12	5	20	2	5	–	56
300	34	2	161	13	10	21	13	3	12	7	–	7	10	35	79	28	32	12	20	4	57
155	15	1	103	9	7	15	8	2	9	5	–	5	7	24	42	13	20	5	11	4	58
145	19	1	58	4	3	6	5	1	3	2	–	2	3	11	37	15	12	7	9	–	59
154	16	1	61	2	8	23	2	1	3	–	1	7	9	111	61	27	22	6	4	–	60
31	6	–	14	1	2	3	–	1	1	–	1	–	3	26	8	6	5	1	1	–	61
123	10	1	47	1	6	20	2	–	2	–	–	7	6	85	53	21	17	5	3	–	62
49	4	–	13	–	–	1	1	–	–	1	–	3	3	13	9	4	9	1	3	–	63
34	9	1	21	3	1	2	1	1	–	1	–	3	4	30	17	3	10	–	3	–	64
48	37	1	16	–	1	5	1	1	3	1	–	2	1	7	15	15	10	1	4	–	65
230	**65**	**1**	**68**	**11**	**15**	**48**	**8**	**4**	**51**	**3**	–	**37**	**46**	**63**	**127**	**120**	**312**	**74**	**52**	**14**	**66**
69	12	–	15	–	6	19	2	–	25	–	–	11	12	17	39	37	63	22	20	5	67
161	53	1	53	11	9	29	6	4	26	3	–	26	34	46	88	83	249	52	32	9	68
230	65	1	68	11	15	48	8	4	51	3	–	37	46	63	127	120	312	74	52	14	69
69	12	–	15	–	6	19	2	–	25	–	–	11	12	17	39	37	63	22	20	5	70
161	53	1	53	11	9	29	6	4	26	3	–	26	34	46	88	83	249	52	32	9	71
3	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	72
18	7	–	7	2	2	4	2	–	2	2	–	–	2	1	10	5	8	1	–	1	73
4	1	–	1	1	–	2	–	–	–	–	–	1	–	–	1	1	10	3	–	–	74
10	–	–	4	2	1	2	–	–	1	–	–	2	–	–	5	2	4	1	–	–	75
20	2	–	13	4	1	1	–	–	5	–	–	2	1	2	4	6	11	2	1	1	76
4	3	–	3	–	1	1	–	–	1	–	–	–	2	2	5	–	7	1	1	1	77
5	–	–	1	1	–	1	–	–	–	–	–	–	–	–	2	–	7	1	1	–	78
1	2	–	1	–	–	3	–	–	1	–	–	1	2	2	7	1	11	2	–	–	79
17	1	–	6	–	1	–	–	–	1	–	–	–	3	4	5	–	13	2	1	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alaska—Con.																	
01	Dist. 10, Anchorage	542	1	–	6	80	19	21	7	9	3	6	15	4	103	80	4	1
02	Anchorage	343	–	–	5	54	13	14	5	7	1	5	9	3	69	53	2	1
03	Balance of district	199	1	–	1	26	6	7	2	2	2	1	6	1	34	27	2	–
04	Dist. 11, Seward	32	–	–	–	8	2	1	1	–	1	–	3	–	14	12	–	–
05	Dist. 12, Kenai–Cook Inlet	74	–	–	–	3	–	–	–	1	–	–	2	–	21	20	–	–
06	Dist. 13, Kodiak	43	–	–	–	5	–	2	–	1	1	–	1	–	12	9	–	–
07	Dist. 14, Aleutian Islands	27	–	–	–	5	1	–	–	–	1	–	3	–	8	7	–	2
08	Dist. 15, Bristol Bay	32	–	–	–	2	1	1	–	–	–	–	–	–	4	4	–	–
09	Dist. 16, Bethel	51	1	–	–	5	2	1	–	–	–	–	2	–	5	4	–	–
10	Dist. 17, Kuskokwim	21	–	–	–	4	1	1	–	1	–	–	1	–	4	4	–	–
11	Dist. 18, Yukon–Koyukuk	37	–	–	–	4	–	2	–	–	–	1	1	1	7	7	–	–
12	Dist. 19, Fairbanks	200	1	–	3	33	11	6	2	3	1	5	5	4	54	46	2	–
13	Fairbanks	133	1	–	3	27	11	5	1	1	1	4	4	4	38	33	2	–
14	Balance of district	67	–	–	–	6	–	1	1	2	–	1	1	–	16	13	–	–
15	Dist. 20, Upper Yukon	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16	Dist. 21, Barrow	20	–	–	1	4	–	1	–	–	–	–	3	–	1	1	–	–
17	Dist. 22, Kobuk	28	1	–	1	3	1	–	–	1	–	–	1	–	2	2	–	–
18	Dist. 23, Nome	55	–	–	–	4	2	–	–	–	–	–	2	–	9	8	–	–
19	Dist. 24, Wade Hampton	25	–	–	1	1	–	–	–	–	–	–	1	–	3	1	–	–
20	**Arizona**	17,339	38	1	165	3,494	869	870	297	400	148	161	749	291	7,339	5,401	151	71
21	Urban places	11,998	23	–	104	2,523	615	641	222	281	105	113	546	189	5,206	3,819	114	56
22	Balance of area	5,341	15	1	61	971	254	229	75	119	43	48	203	102	2,133	1,582	37	15
23	Metropolitan counties	12,940	26	–	113	2,753	667	697	243	311	121	121	593	208	5,665	4,179	129	58
24	Urban places	10,953	21	–	93	2,329	558	596	213	261	97	103	501	162	4,765	3,515	110	53
25	Balance of area	1,987	5	–	20	424	109	101	30	50	24	18	92	46	900	664	19	5
26	Nonmetropolitan counties	4,399	12	1	52	741	202	173	54	89	27	40	156	83	1,674	1,222	22	13
27	Urban places	1,045	2	–	11	194	57	45	9	20	8	10	45	27	441	304	4	3
28	Balance of area	3,354	10	1	41	547	145	128	45	69	19	30	111	56	1,233	918	18	10
29	Apache	337	1	–	9	35	9	3	2	6	–	6	9	4	47	38	2	–
30	Cochise	498	–	–	3	89	22	19	7	15	5	5	16	11	212	163	1	–
31	Douglas	116	–	–	1	17	8	2	–	3	–	–	4	6	54	43	1	–
32	Balance of county	382	–	–	2	72	14	17	7	12	5	5	12	5	158	120	–	–
33	Coconino	286	–	–	9	34	7	8	1	4	–	3	11	7	76	58	2	–
34	Flagstaff	93	–	–	–	11	3	2	–	–	–	1	5	2	27	21	–	–
35	Balance of county	193	–	–	9	23	4	6	1	4	–	2	6	5	49	37	2	–
36	Gila	335	3	–	4	45	9	14	3	4	2	2	11	5	149	116	2	1
37	Graham	134	–	–	–	25	4	8	2	4	2	1	4	2	50	37	–	–
38	Greenlee	66	1	–	–	15	3	6	2	2	–	–	2	1	30	25	–	1
39	Maricopa	9,439	16	–	79	2,019	486	508	179	226	99	85	436	162	4,173	3,064	85	48
40	Chandler	136	1	–	3	25	3	7	1	4	–	1	9	3	60	47	1	–
41	Glendale	423	1	–	2	84	21	22	5	10	6	1	19	12	177	125	5	1
42	Mesa	1,084	2	–	12	256	60	50	19	36	15	18	58	11	487	347	9	7
43	Phoenix	5,236	9	–	40	1,080	261	297	99	115	45	40	223	81	2,272	1,681	46	27
44	Scottsdale	586	–	–	7	133	28	32	21	7	6	6	33	8	267	202	5	6
45	Tempe	346	–	–	–	81	17	16	10	10	4	6	18	11	135	99	3	2
46	Balance of county	1,628	3	–	15	360	96	84	24	44	23	13	76	36	775	563	16	5
47	Mohave	425	1	–	2	82	24	22	7	11	2	2	14	7	209	160	5	–
48	Navajo	403	1	–	7	47	14	10	1	4	2	3	13	6	121	87	2	3
49	Pima	3,501	10	–	34	734	181	189	64	85	22	36	157	46	1,492	1,115	44	10
50	Tucson	3,142	8	–	29	670	168	172	58	79	21	31	141	36	1,367	1,014	41	10
51	Balance of county	359	2	–	5	64	13	17	6	6	1	5	16	10	125	101	3	–
52	Pinal	631	1	–	9	112	31	20	11	13	4	5	28	18	240	170	3	3
53	Casa Grande	137	–	–	4	23	5	5	1	3	–	1	8	6	57	39	1	–
54	Balance of county	494	1	–	5	89	26	15	10	10	4	4	20	12	183	131	2	3
55	Santa Cruz	126	1	1	1	30	9	5	4	2	–	2	8	3	46	35	–	–
56	Yavapai	633	1	–	6	136	41	32	12	16	8	7	20	8	294	206	2	3
57	Prescott	329	1	–	5	74	21	16	7	7	6	5	12	4	160	108	1	2
58	Balance of county	304	–	–	1	62	20	16	5	9	2	2	8	4	134	98	1	1
59	Yuma	525	2	–	2	91	29	26	2	8	2	4	20	11	200	127	3	3
60	Yuma	370	1	–	1	69	20	20	1	7	2	3	16	9	143	93	1	1
61	Balance of county	155	1	–	1	22	9	6	1	1	–	1	4	2	57	34	2	2
62	**Arkansas**	21,336	42	4	140	3,939	931	1,001	277	503	163	171	893	371	11,009	7,797	85	151
63	Urban places	7,552	20	2	55	1,457	348	358	116	179	61	57	338	128	3,796	2,635	27	54
64	Balance of area	13,784	22	2	85	2,482	583	643	161	324	102	114	555	243	7,213	5,162	58	97
65	Metropolitan counties	5,648	11	–	38	1,073	241	278	83	146	41	46	238	109	2,719	1,901	19	56
66	Urban places	4,220	8	–	29	812	191	206	66	107	30	31	181	78	2,064	1,453	15	41
67	Balance of area	1,428	3	–	9	261	50	72	17	39	11	15	57	31	655	448	4	15
68	Nonmetropolitan counties	15,688	31	4	102	2,866	690	723	194	357	122	125	655	262	8,290	5,896	66	95
69	Urban places	3,332	12	2	26	645	157	152	50	72	31	26	157	50	1,732	1,182	12	13
70	Balance of area	12,356	19	2	76	2,221	533	571	144	285	91	99	498	212	6,558	4,714	54	82
71	Arkansas	292	–	–	–	64	12	15	3	10	2	4	18	2	160	99	1	1
72	Stuttgart	132	–	–	–	29	5	8	–	5	1	–	10	1	67	38	–	–
73	Balance of county	160	–	–	–	35	7	7	3	5	1	4	8	1	93	61	1	1
74	Ashley	230	–	–	2	34	9	8	3	5	1	4	4	5	117	79	–	2
75	Baxter	316	–	–	–	76	20	14	4	9	3	1	25	2	158	127	2	1
76	Benton	659	–	–	5	114	32	22	8	12	6	6	28	6	376	237	2	2
77	Rogers	157	–	–	2	33	7	5	3	2	2	3	11	–	95	55	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
64	11	–	16	–	7	17	3	1	30	–	–	18	19	15	40	54	93	34	24	–	01
41	9	–	11	–	5	16	2	–	23	–	–	9	10	9	27	30	50	19	17	–	02
23	2	–	5	–	2	1	1	1	7	–	–	9	9	6	13	24	43	15	7	–	03
10	2	–	1	1	–	1	1	–	1	–	–	–	–	–	2	1	3	–	1	–	04
15	5	–	1	–	–	1	2	–	1	–	–	3	3	5	4	5	19	4	3	–	05
7	2	–	2	–	1	1	–	–	–	–	–	–	1	2	5	3	10	3	1	–	06
3	2	–	1	–	–	–	–	–	–	–	–	1	1	–	2	1	8	–	1	–	07
2	2	–	–	–	–	–	–	–	2	–	–	1	1	1	2	–	18	1	–	–	08
–	4	–	1	–	–	–	3	–	1	1	–	1	3	7	6	1	12	–	5	–	09
3	1	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	9	–	–	–	10
3	4	–	–	–	–	2	–	–	–	–	–	2	2	2	2	3	6	2	–	4	11
35	9	–	7	–	1	3	–	–	3	–	–	3	5	12	13	20	28	7	5	6	12
28	3	–	4	–	1	3	–	–	2	–	–	2	2	8	12	7	13	3	3	5	13
7	6	–	3	–	–	–	–	–	1	–	–	1	3	4	1	13	15	4	2	1	14
–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	1	1	–	–	1	–	15
1	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	8	1	1	–	16
1	1	–	–	–	–	1	–	–	–	–	–	1	1	2	6	–	6	3	1	–	17
3	5	–	1	–	–	2	–	1	1	–	–	1	3	2	6	3	14	3	5	1	18
1	–	1	1	–	–	–	–	–	–	–	–	–	2	2	4	1	7	3	1	–	19
4,784	**395**	**50**	**1,409**	**235**	**244**	**603**	**437**	**53**	**352**	**63**	**2**	**171**	**282**	**267**	**1,788**	**703**	**646**	**389**	**206**	**49**	**20**
3,405	244	31	1,005	179	172	425	333	34	224	35	–	116	182	121	1,242	382	393	290	142	34	21
1,379	151	19	404	56	72	178	104	19	128	28	2	55	100	146	546	321	253	99	64	15	22
3,734	258	34	1,086	175	191	442	343	41	247	41	–	117	184	143	1,316	409	430	283	144	35	23
3,139	213	27	914	153	156	387	300	32	206	32	–	106	161	110	1,141	341	353	259	124	31	24
595	45	7	172	22	35	55	43	9	41	9	–	11	23	33	175	68	77	24	20	4	25
1,050	137	16	323	60	53	161	94	12	105	22	2	54	98	124	472	294	216	106	62	14	26
266	31	4	91	26	16	38	33	2	18	3	–	10	21	11	101	41	40	31	18	3	27
784	106	12	232	34	37	123	61	10	87	19	2	44	77	113	371	253	176	75	44	11	28
17	19	2	6	1	–	23	2	–	9	2	1	5	12	30	48	65	27	7	8	2	29
139	23	3	38	4	4	17	11	3	11	2	–	8	11	12	53	20	18	11	5	1	30
36	6	–	8	1	2	6	5	–	2	1	–	3	3	–	10	3	3	1	1	–	31
103	17	3	30	3	2	11	6	3	9	1	–	5	8	12	43	17	15	10	4	1	32
46	10	–	12	5	1	14	4	–	11	1	–	5	9	10	40	28	21	5	9	3	33
20	1	–	3	3	–	6	3	–	1	1	–	1	3	1	12	7	6	4	6	2	34
26	9	–	9	2	1	8	1	–	10	–	–	4	6	9	28	21	15	1	3	1	35
107	6	2	23	2	6	11	9	–	9	4	–	3	10	4	40	17	11	7	4	–	36
33	4	–	10	1	2	6	1	–	2	1	–	6	2	7	12	6	8	3	2	1	37
25	–	1	3	–	1	4	1	–	3	–	–	2	2	2	1	2	2	–	–	–	38
2,767	164	27	814	122	146	311	246	29	172	30	–	80	142	87	921	299	342	209	108	14	39
45	1	1	10	1	1	6	3	–	5	–	–	2	4	2	8	3	8	1	2	–	40
108	11	1	37	5	9	18	7	2	6	–	–	7	11	1	38	17	15	15	10	–	41
310	21	5	93	20	22	28	42	3	8	2	–	9	13	10	112	22	35	23	9	–	42
1,521	87	10	445	68	68	191	141	16	112	19	–	48	83	47	555	162	188	116	66	10	43
181	10	2	48	5	10	11	13	2	13	3	–	4	6	8	47	21	16	22	3	2	44
91	3	2	27	3	4	12	2	–	4	–	–	3	10	5	22	20	22	15	3	1	45
511	31	6	154	20	32	45	38	6	24	6	–	7	15	14	139	54	58	17	15	1	46
145	10	–	33	6	10	6	10	–	8	3	–	2	5	6	36	20	11	14	3	–	47
66	16	–	28	5	1	22	3	2	10	4	1	6	14	22	40	42	35	12	7	1	48
967	94	7	272	53	45	131	97	12	75	11	–	37	42	56	395	110	88	74	36	21	49
883	80	6	254	51	42	121	92	9	58	8	–	33	34	37	359	96	69	67	31	18	50
84	14	1	18	2	3	10	5	3	17	3	–	4	8	19	36	14	19	7	5	3	51
145	19	5	50	9	6	15	19	2	19	3	–	11	10	17	68	35	32	10	8	2	52
31	7	2	13	2	1	1	7	–	3	–	–	4	1	2	15	3	7	2	1	1	53
114	12	3	37	7	5	14	12	2	16	3	–	7	9	15	53	32	25	8	7	1	54
35	–	–	9	–	2	8	4	–	–	1	–	–	2	–	11	11	2	2	2	1	55
188	13	1	59	15	13	21	20	2	12	–	–	1	4	1	64	20	17	20	6	–	56
98	7	–	32	13	7	12	11	1	3	–	–	–	3	–	26	6	8	12	3	–	57
90	6	1	27	2	6	9	9	1	9	–	–	1	1	1	38	14	9	8	3	–	58
104	17	2	52	12	7	14	10	3	11	1	–	5	17	13	59	28	32	15	8	3	59
81	10	2	35	7	6	13	7	1	9	1	–	2	11	8	38	22	16	12	7	–	60
23	7	–	17	5	1	1	3	2	2	–	–	3	6	5	21	6	16	3	1	3	61
6,537	**1,024**	**67**	**2,559**	**305**	**281**	**584**	**234**	**46**	**179**	**121**	**7**	**125**	**253**	**909**	**1,639**	**558**	**673**	**247**	**202**	**54**	**62**
2,175	379	30	926	101	104	206	90	15	90	37	4	39	113	300	612	179	200	99	90	20	63
4,362	645	37	1,633	204	177	378	144	31	89	84	3	86	140	609	1,027	379	473	148	112	34	64
1,503	323	18	664	65	71	148	67	9	62	31	2	31	84	306	458	145	171	81	80	23	65
1,147	250	12	487	55	57	115	53	7	56	18	2	19	66	194	343	100	113	65	63	15	66
356	73	6	177	10	14	33	14	2	6	13	–	12	18	112	115	45	58	16	17	8	67
5,034	701	49	1,895	240	210	436	167	37	117	90	5	94	169	603	1,181	413	502	166	122	31	68
1,028	129	18	439	46	47	91	37	8	34	19	2	20	47	108	269	79	87	34	27	5	69
4,006	572	31	1,456	194	163	345	130	29	83	71	3	74	122	497	912	334	415	132	95	26	70
89	8	–	52	4	5	3	1	1	2	3	–	2	8	17	9	9	4	3	2	2	71
33	5	–	26	1	2	1	–	1	–	2	–	1	8	10	5	3	1	2	1	–	72
56	3	–	26	3	3	2	1	–	2	1	–	1	–	7	4	6	3	1	1	2	73
66	11	–	30	4	4	6	2	–	1	1	–	3	4	17	17	3	13	1	4	–	74
105	19	–	23	2	6	8	2	1	8	–	1	1	4	5	31	6	5	6	1	1	75
212	21	2	113	9	15	13	10	5	3	2	–	–	7	37	43	19	5	7	3	4	76
48	7	–	35	2	3	1	2	1	–	–	–	–	2	6	9	5	–	–	1	–	77

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
	Benton—Con.																	
01	Springdale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
02	Balance of county	502	–	–	3	81	25	17	5	10	4	3	17	6	281	182	2	2
03	Boone	249	4	1	1	55	7	17	5	5	4	3	14	10	109	76	1	–
04	Bradley	173	–	–	2	24	6	8	–	6	1	–	3	2	96	70	–	1
05	Calhoun	59	–	–	–	8	2	2	–	1	2	1	–	2	33	26	–	–
06	Carroll	188	–	–	1	39	6	8	4	8	1	3	9	8	84	63	–	–
07	Chicot	202	–	–	2	31	14	4	2	6	1	1	3	4	98	65	–	–
08	Clark	205	1	–	1	26	12	4	2	4	2	–	2	4	112	70	–	1
09	Clay	298	–	–	1	52	21	11	6	2	2	2	8	3	170	125	–	2
10	Cleburne	197	–	–	–	38	10	6	3	4	6	3	6	1	119	96	1	–
11	Cleveland	56	–	–	–	6	1	1	1	–	–	1	2	–	30	25	1	–
12	Columbia	305	–	–	3	55	11	12	6	9	3	2	12	4	166	111	–	1
13	Magnolia	120	–	–	2	17	5	4	2	1	1	–	4	3	72	46	–	1
14	Balance of county	185	–	–	1	38	6	8	4	8	2	2	8	1	94	65	–	–
15	Conway	167	–	–	–	34	7	10	1	6	1	1	8	3	99	81	3	–
16	Craighead	536	3	–	3	100	20	32	7	15	1	5	20	11	290	188	2	1
17	Jonesboro	251	–	–	1	50	12	14	2	10	1	2	9	3	144	93	1	1
18	Balance of county	285	3	–	2	50	8	18	5	5	–	3	11	8	146	95	1	–
19	Crawford	259	–	–	1	51	5	21	6	5	2	4	8	11	101	72	–	1
20	Crittenden	441	–	–	6	86	20	15	6	15	3	1	26	3	189	123	2	4
21	West Memphis	217	–	–	2	46	9	8	5	8	1	–	15	3	88	61	–	1
22	Balance of county	224	–	–	4	40	11	7	1	7	2	1	11	–	101	62	2	3
23	Cross	195	1	–	1	32	5	9	2	3	1	2	10	4	100	63	–	–
24	Dallas	111	–	–	–	25	6	3	2	5	1	–	8	2	52	42	–	–
25	Desha	198	–	–	1	30	9	7	3	6	–	3	2	6	111	74	1	3
26	Drew	138	–	–	1	26	5	7	2	4	–	–	8	3	63	45	–	–
27	Faulkner	316	–	–	2	65	15	13	6	8	3	4	16	8	152	114	4	1
28	Conway	141	–	–	–	30	6	3	4	4	1	2	10	2	63	43	–	1
29	Balance of county	175	–	–	2	35	9	10	2	4	2	2	6	6	89	71	4	–
30	Franklin	141	–	–	–	23	4	6	1	5	1	–	6	1	73	54	2	–
31	Fulton	135	–	–	1	17	6	3	1	2	2	–	3	2	76	56	–	–
32	Garland	924	7	–	8	179	45	40	11	22	7	4	50	21	479	360	7	2
33	Hot Springs	705	6	–	7	136	35	26	9	17	6	4	39	16	357	265	4	2
34	Balance of county	219	1	–	1	43	10	14	2	5	1	–	11	5	122	95	3	–
35	Grant	107	–	–	1	21	1	9	1	3	3	1	3	2	52	37	–	–
36	Greene	297	1	–	2	53	15	12	4	6	6	–	10	7	154	117	–	–
37	Paragould	175	1	–	1	32	10	6	1	3	5	–	7	4	91	69	–	–
38	Balance of county	122	–	–	1	21	5	6	3	3	1	–	3	3	63	48	–	–
39	Hempstead	264	–	–	–	43	8	8	4	10	4	1	8	14	150	120	–	1
40	Hot Spring	257	1	–	1	51	15	10	6	6	4	1	9	3	141	108	1	2
41	Howard	141	–	1	–	25	5	7	1	3	–	–	9	4	81	58	2	1
42	Independence	268	–	–	1	49	13	15	3	7	4	1	6	1	157	130	1	1
43	Izard	122	–	–	–	28	6	8	1	4	–	–	9	–	66	50	1	2
44	Jackson	204	–	–	1	44	11	14	–	7	2	2	8	2	122	90	1	4
45	Jefferson	784	3	–	3	140	27	32	14	24	1	7	35	16	419	294	4	16
46	Pine Bluff	582	3	–	2	109	19	28	13	19	1	3	26	9	308	218	3	13
47	Balance of county	202	–	–	1	31	8	4	1	5	–	4	9	7	111	76	1	3
48	Johnson	152	1	–	2	32	8	5	3	3	2	2	9	4	88	66	–	–
49	Lafayette	118	–	–	1	20	2	8	–	4	1	–	5	5	42	24	–	3
50	Lawrence	198	–	–	1	41	9	17	1	3	1	2	8	4	105	75	–	7
51	Lee	196	–	–	1	42	9	10	1	11	–	1	10	1	99	71	1	2
52	Lincoln	113	–	–	–	17	2	6	–	5	–	–	4	1	67	48	1	–
53	Little River	118	–	–	1	23	8	6	2	1	1	2	3	2	58	43	–	1
54	Logan	214	1	–	5	30	5	10	2	1	2	1	9	4	112	92	1	1
55	Lonoke	289	1	–	2	44	8	8	6	7	1	1	13	2	150	87	2	1
56	Madison	120	–	–	–	11	2	4	–	1	–	–	4	5	71	40	1	3
57	Marion	114	1	–	–	22	6	6	1	2	–	–	7	2	62	40	–	–
58	Miller	359	3	–	3	70	21	16	8	8	4	1	12	14	167	111	–	20
59	Texarkana[2]	240	2	–	2	49	14	10	6	6	3	1	9	10	111	76	–	14
60	Balance of county	119	1	–	1	21	7	6	2	2	1	–	3	4	56	35	–	6
61	Mississippi	588	1	1	7	111	27	27	10	8	8	7	24	11	288	213	2	3
62	Blytheville	242	–	1	5	55	13	12	6	5	2	5	12	4	112	89	–	2
63	Balance of county	346	1	–	2	56	14	15	4	3	6	2	12	7	176	124	2	1
64	Monroe	178	–	–	1	30	11	6	5	2	–	1	5	3	93	58	–	1
65	Montgomery	69	–	–	–	14	6	5	–	1	–	–	2	1	38	29	–	–
66	Nevada	147	–	–	1	18	2	6	2	3	–	2	3	1	74	53	–	–
67	Newton	58	–	–	1	10	1	2	1	–	1	1	4	1	31	24	1	2
68	Ouachita	379	1	–	1	58	13	18	2	9	–	5	11	5	185	126	3	2
69	Camden	197	1	–	–	30	6	10	1	2	–	4	7	3	98	65	2	–
70	Balance of county	182	–	–	1	28	7	8	1	7	–	1	4	2	87	61	1	2
71	Perry	80	–	–	1	14	2	4	1	1	1	1	4	2	35	28	–	–
72	Phillips	439	2	1	4	59	16	19	1	5	3	3	12	8	241	167	1	3
73	Helena	149	1	1	3	20	6	10	–	1	1	–	2	2	76	51	–	1
74	West Helena	130	–	–	–	17	7	3	–	–	1	1	5	2	74	51	1	1
75	Balance of county	160	1	–	1	22	3	6	1	4	1	2	5	4	91	65	1	1
76	Pike	128	–	–	3	27	7	7	1	4	–	2	6	2	63	45	1	–
77	Poinsett	310	–	–	3	61	14	16	4	4	–	4	19	8	155	103	3	2
78	Polk	180	–	–	2	32	9	8	2	1	2	2	8	1	112	85	1	3
79	Pope	280	1	–	1	50	9	15	7	2	1	3	13	6	154	107	2	1
80	Russellville	126	1	–	–	27	6	7	6	1	1	1	5	3	64	40	2	1
81	Balance of county	154	–	–	1	23	3	8	1	1	–	2	8	3	90	67	–	–
82	Prairie	105	–	–	1	12	2	6	–	–	1	–	3	1	57	35	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	01
164	14	2	78	7	12	12	8	4	3	2	–	–	5	31	34	14	5	7	2	4	02
64	11	–	27	3	3	10	4	–	–	–	–	2	1	5	29	5	10	2	1	–	03
63	6	1	19	2	4	7	6	2	–	4	–	2	2	–	13	5	3	–	5	–	04
17	9	–	7	–	–	1	1	–	–	–	–	–	1	2	4	1	2	–	3	–	05
57	6	1	15	4	1	7	1	–	–	2	–	1	3	8	15	4	7	5	–	–	06
59	6	2	24	7	–	5	1	–	–	1	–	2	4	17	11	8	9	2	7	–	07
65	4	–	38	2	2	7	1	–	–	1	–	3	3	18	12	6	4	3	2	1	08
116	7	–	41	3	1	18	6	1	2	–	–	–	2	9	17	8	6	1	1	1	09
79	16	–	14	3	6	4	4	–	1	–	–	–	1	–	14	7	5	2	1	–	10
24	–	–	5	–	–	2	–	–	3	–	–	–	–	3	8	1	2	1	1	–	11
99	11	3	46	3	3	10	2	–	2	5	–	3	4	6	24	4	10	1	5	1	12
42	3	2	22	–	2	4	–	–	2	–	–	1	2	2	10	2	1	–	1	1	13
57	8	1	24	3	1	6	2	–	–	5	–	2	2	4	14	2	9	1	4	–	14
69	9	–	14	1	3	2	–	1	3	–	–	1	2	3	7	4	8	–	–	–	15
173	12	1	87	10	4	15	8	2	1	1	–	1	7	11	46	19	6	10	2	–	16
85	6	–	42	8	1	6	1	1	–	1	–	1	5	3	21	6	2	5	–	–	17
88	6	1	45	2	3	9	7	1	–	–	–	2	2	8	25	13	4	5	2	–	18
67	4	–	26	1	2	8	5	–	–	1	–	3	2	39	17	3	9	4	3	1	19
74	43	3	53	3	7	8	5	–	6	2	–	–	5	52	39	13	11	6	8	2	20
39	21	1	22	1	3	5	5	–	5	–	–	–	2	20	20	7	4	5	4	1	21
35	22	2	31	2	4	3	–	–	1	2	–	–	3	32	19	6	7	1	4	1	22
53	10	–	29	4	4	8	1	–	1	–	–	–	3	16	18	6	4	–	–	–	23
37	5	–	8	1	1	3	–	1	2	2	–	–	–	5	10	2	3	1	2	1	24
59	11	2	27	6	2	4	–	–	–	2	–	–	2	7	13	7	10	3	2	–	25
41	4	–	16	–	2	4	–	–	1	1	–	–	3	10	7	3	10	2	3	1	26
89	20	3	32	3	3	11	4	1	1	1	–	–	3	13	26	11	10	2	1	2	27
33	9	2	16	2	2	6	2	1	1	1	–	–	2	3	16	3	5	2	–	1	28
56	11	–	16	1	1	5	2	–	–	–	–	–	1	10	10	8	5	–	1	1	29
45	7	–	12	2	5	6	–	–	1	1	–	3	1	10	7	9	6	–	–	–	30
51	5	–	13	5	2	4	3	–	–	–	–	–	1	4	18	5	3	2	–	–	31
313	38	2	97	3	17	19	10	–	15	4	–	4	2	15	98	21	21	13	8	–	32
227	32	2	75	3	12	17	7	–	12	4	–	2	1	12	80	16	16	9	7	–	33
86	6	–	22	–	5	2	3	–	3	–	–	2	1	3	18	5	5	4	1	–	34
36	1	1	8	5	1	3	1	–	–	1	–	–	4	2	12	5	3	–	–	–	35
105	12	–	33	1	3	8	7	1	1	4	–	2	3	6	21	13	7	6	1	–	36
64	5	–	20	1	1	7	4	–	1	1	–	2	1	3	11	7	5	3	1	–	37
41	7	–	13	–	2	1	3	1	1	3	–	–	2	3	10	6	2	3	–	–	38
114	5	–	27	1	2	8	3	1	1	1	–	–	3	2	22	3	11	2	–	–	39
94	11	–	28	2	3	8	3	1	4	1	–	–	2	6	18	4	6	6	1	1	40
54	1	–	18	3	2	2	4	–	–	1	–	–	2	–	9	3	2	3	1	–	41
115	13	–	17	4	6	6	1	–	3	3	–	–	2	1	15	9	9	3	1	1	42
41	6	–	10	4	2	7	1	–	–	1	–	–	1	2	8	1	3	3	–	–	43
70	15	–	29	–	3	2	3	1	1	1	–	–	–	1	10	2	7	5	2	–	44
223	51	2	110	7	6	16	4	–	–	8	1	1	8	25	56	27	30	8	13	6	45
165	37	2	77	6	5	12	4	–	–	6	1	1	7	20	44	18	16	7	13	2	46
58	14	–	33	1	1	4	–	–	–	2	–	–	1	5	12	9	14	1	–	4	47
56	10	1	16	2	3	1	–	–	1	–	–	–	3	1	9	4	1	3	2	–	48
18	3	–	14	1	3	3	–	–	–	2	–	1	2	13	9	8	7	2	2	–	49
59	9	–	21	3	6	6	2	–	3	1	–	–	–	4	19	6	4	1	1	–	50
52	16	2	23	–	3	5	3	1	1	1	–	5	3	6	18	3	5	1	1	–	51
40	7	–	18	–	1	6	1	–	–	–	–	3	1	3	2	4	7	–	1	–	52
39	3	–	13	1	1	7	1	1	3	–	–	1	1	4	11	–	4	1	–	–	53
64	26	1	12	6	1	7	–	1	2	–	–	1	1	15	15	7	8	2	3	–	54
71	13	–	55	2	6	9	3	–	3	1	–	5	1	16	23	8	13	4	4	–	55
35	1	1	9	18	3	5	2	–	2	1	–	–	1	4	7	4	5	1	1	–	56
34	6	2	18	2	–	3	1	1	1	–	–	–	3	6	6	2	3	1	–	–	57
66	25	3	46	3	4	11	5	2	5	–	–	–	3	8	3	9	13	4	5	–	58
44	18	–	28	3	4	9	3	1	4	–	–	–	2	5	3	6	7	4	2	–	59
22	7	3	18	–	–	2	1	1	1	–	–	–	1	3	–	3	6	–	3	–	60
189	19	1	65	4	5	17	10	2	2	4	1	–	2	14	31	14	24	3	5	2	61
79	8	–	19	–	4	7	2	1	2	3	–	–	2	5	12	8	6	1	3	–	62
110	11	1	46	4	1	10	8	1	–	1	1	–	–	9	19	25	6	18	2	2	2 63
47	10	1	29	4	1	5	3	–	–	1	–	2	2	4	14	10	4	3	1	2	64
24	5	–	5	1	3	–	–	–	–	–	–	–	–	–	7	3	3	3	–	–	65
39	14	1	19	–	1	7	3	–	–	3	–	1	2	6	13	5	8	2	2	–	66
20	1	–	6	1	–	1	1	–	–	–	–	–	–	3	5	–	3	2	–	–	67
98	23	5	42	9	3	6	10	2	3	1	–	–	4	40	31	5	19	1	6	–	68
52	11	4	24	3	2	3	6	1	1	1	–	–	4	19	14	3	10	–	2	–	69
46	12	1	18	6	1	3	4	1	2	–	–	–	–	21	17	2	9	1	4	–	70
24	4	–	3	2	2	5	1	–	2	1	–	–	1	1	6	4	5	1	–	1	71
144	19	12	52	3	7	15	6	–	4	1	–	–	3	9	21	23	22	2	10	1	72
45	5	6	17	1	1	3	4	–	2	1	–	–	6	5	5	3	9	2	6	–	73
44	6	1	18	2	2	7	2	–	1	–	–	–	–	7	9	2	8	–	1	–	74
55	8	5	17	–	4	5	–	–	1	–	–	–	3	9	9	2	5	–	3	1	75
27	17	1	14	2	1	2	1	–	1	1	–	–	–	5	15	4	3	1	–	–	76
71	27	1	44	4	3	9	4	–	2	2	–	–	1	6	24	6	18	5	1	1	77
80	1	–	17	9	1	4	2	–	1	1	–	–	3	–	6	4	8	1	2	2	78
98	6	–	38	5	4	8	3	–	2	2	–	–	3	9	16	7	9	2	–	1	79
33	4	–	19	2	3	2	2	–	2	–	–	–	2	4	8	2	4	–	–	1	80
65	2	–	19	3	1	6	1	–	–	2	–	–	1	4	5	5	5	2	–	–	81
28	7	–	21	–	1	2	1	–	–	3	–	1	2	–	10	7	3	–	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
01	Pulaski	2,684	3	–	15	521	124	132	37	69	20	22	117	44	1,274	871	8	11
02	Jacksonville	99	1	–	2	13	2	3	–	2	2	1	3	1	39	27	–	–
03	Little Rock	1,585	1	–	8	310	73	83	25	36	10	9	74	26	796	551	4	5
04	North Little Rock	704	1	–	4	134	40	29	7	18	6	8	26	16	314	215	3	5
05	Balance of county	296	–	–	1	64	9	17	5	13	2	4	14	1	125	78	1	1
06	Randolph	183	–	–	1	45	14	9	4	2	1	6	9	3	96	68	–	–
07	St. Francis	292	1	–	3	48	14	12	1	8	2	2	9	7	153	113	1	6
08	Forrest City	142	–	–	1	19	7	5	–	3	1	–	3	5	80	58	–	2
09	Balance of county	150	1	–	2	29	7	7	1	5	1	2	6	2	73	55	1	4
10	Saline	342	1	–	3	66	20	18	3	5	6	2	12	9	188	150	1	3
11	Benton	177	–	–	3	39	15	9	3	2	4	1	5	4	91	69	1	2
12	Balance of county	165	1	–	–	27	5	9	–	3	2	1	7	5	97	81	–	1
13	Scott	91	–	–	1	18	9	2	–	2	–	–	5	–	54	34	–	–
14	Searcy	97	–	–	–	16	2	6	–	3	–	–	5	–	45	31	1	–
15	Sebastian	779	1	–	7	139	24	44	9	20	5	9	28	12	381	280	4	1
16	Fort Smith	616	–	–	6	112	19	36	7	16	3	8	23	9	317	236	4	1
17	Balance of county	163	1	–	1	27	5	8	2	4	2	1	5	3	64	44	–	–
18	Sevier	161	–	–	1	30	6	9	3	5	–	–	7	–	101	82	–	17
19	Sharp	155	–	–	–	30	11	9	4	–	3	1	2	–	99	73	2	1
20	Stone	84	–	–	–	14	3	4	–	1	1	1	4	1	60	51	–	1
21	Union	574	1	–	6	113	25	31	9	14	2	5	27	4	306	190	3	4
22	El Dorado	303	1	–	4	65	15	17	6	7	2	3	15	–	162	89	1	1
23	Balance of county	271	–	–	2	48	10	14	3	7	–	2	12	4	144	101	2	3
24	Van Buren	108	–	–	–	14	3	3	1	1	–	–	6	3	64	46	–	1
25	Washington	670	1	–	3	153	27	43	12	20	10	5	36	7	326	250	4	1
26	Fayetteville	193	1	–	–	53	10	11	8	8	4	1	11	2	83	58	1	1
27	Springdale, part	169	–	–	–	32	7	11	2	3	2	–	7	–	94	72	1	–
28	Springdale, total	169	–	–	–	32	7	11	2	3	2	–	7	–	94	72	1	–
29	Balance of county	308	–	–	3	68	10	21	2	9	4	4	18	5	149	120	2	1
30	White	401	1	–	5	77	19	18	4	12	2	5	17	5	150	111	1	–
31	Woodruff	150	–	–	2	27	10	6	–	4	2	2	3	2	81	50	1	2
32	Yell	199	–	–	–	36	10	7	1	4	–	2	12	3	129	82	–	1
33	**California**	**171,022**	**278**	**38**	**983**	**35,706**	**9,417**	**8,808**	**3,269**	**4,149**	**1,589**	**1,478**	**6,996**	**2,311**	**84,343**	**61,218**	**1,426**	**807**
34	Urban places	128,487	217	34	746	26,703	7,155	6,515	2,473	3,110	1,166	1,100	5,184	1,781	64,242	46,577	1,044	591
35	Balance of area	42,535	61	4	237	9,003	2,262	2,293	796	1,039	423	378	1,812	530	20,101	14,641	382	216
36	Metropolitan counties	155,860	251	34	899	32,667	8,671	8,019	3,015	3,776	1,452	1,351	6,383	2,119	77,146	55,991	1,283	732
37	Urban places	124,748	209	30	729	25,977	6,970	6,319	2,416	3,031	1,130	1,063	5,048	1,727	62,407	45,298	1,013	574
38	Balance of area	31,112	42	4	170	6,690	1,701	1,700	599	745	322	288	1,335	392	14,739	10,693	270	158
39	Nonmetropolitan counties	15,162	27	4	84	3,039	746	789	254	373	137	127	613	192	7,197	5,227	143	75
40	Urban places	3,739	8	4	17	726	185	196	57	79	36	37	136	54	1,835	1,279	31	17
41	Balance of area	11,423	19	–	67	2,313	561	593	197	294	101	90	477	138	5,362	3,948	112	58
42	Alameda	8,770	9	1	63	1,796	496	436	141	224	64	57	378	101	4,477	3,275	64	33
43	Alameda	540	–	–	5	115	34	27	7	9	6	9	23	7	261	176	1	1
44	Albany	152	–	–	1	31	6	7	2	4	2	2	8	4	88	66	1	–
45	Berkeley	753	1	–	4	154	45	26	16	23	8	8	28	8	380	271	2	4
46	Fremont	518	–	–	5	118	37	35	11	7	6	–	22	5	257	197	5	–
47	Hayward	857	–	1	3	186	50	48	6	25	4	4	49	6	425	311	3	3
48	Livermore	257	1	–	3	49	13	11	4	6	2	4	9	2	120	92	4	1
49	Newark	107	–	–	1	21	3	6	2	5	–	–	5	2	46	37	1	–
50	Oakland	3,691	6	–	24	721	198	165	58	98	26	19	157	42	1,926	1,424	29	17
51	Piedmont	108	–	–	1	24	7	5	2	1	4	1	4	2	48	34	–	–
52	Pleasanton	132	–	–	1	33	4	9	3	3	1	1	12	4	51	36	1	–
53	San Leandro	799	–	–	8	157	48	43	15	24	5	2	20	12	448	320	7	4
54	Union City	116	–	–	1	23	11	4	–	1	–	1	6	3	49	40	3	–
55	Balance of county	740	1	–	6	164	40	50	15	18	–	6	35	4	378	271	7	3
56	Alpine	3	–	–	1	–	–	–	–	–	–	–	–	–	2	2	–	–
57	Amador	168	–	–	2	36	8	7	4	7	–	4	6	1	90	61	1	1
58	Butte	1,276	–	–	7	292	82	64	30	41	10	11	54	18	624	420	6	4
59	Chico	175	–	–	1	37	12	7	4	5	1	1	7	5	88	52	2	2
60	Balance of county	1,101	–	–	6	255	70	57	26	36	9	10	47	13	536	368	4	2
61	Calaveras	164	–	–	1	30	8	11	1	2	2	–	6	–	81	66	1	–
62	Colusa	127	–	–	–	29	6	9	2	6	1	1	4	–	61	47	2	–
63	Contra Costa	4,109	3	1	31	878	226	223	84	90	47	36	172	48	1,932	1,423	35	14
64	Antioch	212	1	–	3	44	8	15	3	4	4	2	8	4	95	71	1	–
65	Concord	550	–	–	3	115	30	23	16	11	7	3	25	6	259	214	7	–
66	El Cerrito	191	1	–	3	52	14	11	6	6	1	3	11	4	87	64	–	–
67	Lafayette	134	–	–	1	31	11	5	4	2	–	4	5	1	60	40	1	–
68	Martinez	161	–	–	–	33	6	11	4	3	3	–	6	1	70	51	1	–
69	Pinole	50	–	–	1	13	–	5	3	2	–	1	2	1	20	12	–	–
70	Pittsburg	232	–	–	2	32	10	9	2	3	1	1	6	4	113	87	5	2
71	Pleasant Hill	161	–	–	1	37	10	7	3	3	2	2	10	–	71	54	2	–
72	Richmond	706	–	–	10	124	29	33	12	14	10	4	22	10	344	241	3	8
73	San Pablo	234	–	–	1	47	11	15	5	3	4	2	7	1	100	69	1	–
74	Walnut Creek	532	–	1	1	121	30	24	9	21	4	5	28	6	262	190	6	–
75	Balance of county	946	1	–	5	229	67	65	17	18	11	9	42	10	451	330	8	4
76	Del Norte	164	2	–	–	34	8	6	4	4	–	2	10	2	65	47	1	–
77	El Dorado	431	1	–	4	85	17	22	7	12	4	5	18	7	210	143	3	1
78	South Lake Tahoe	86	–	–	1	17	2	4	1	5	–	–	5	3	36	23	–	–
79	Balance of county	345	1	–	3	68	15	18	6	7	4	5	13	4	174	120	3	1
80	Fresno	3,667	9	–	29	725	204	174	53	84	32	32	146	61	1,702	1,230	24	21
81	Clovis	143	–	–	1	23	7	6	1	3	2	2	2	2	71	48	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
705	147	8	311	40	44	76	36	6	38	19	–	19	43	107	234	65	79	47	46	12	01
17	10	–	10	1	1	7	2	–	1	1	–	2	7	3	7	2	6	3	1	1	02
442	100	3	187	26	29	41	24	4	21	6	–	8	23	60	126	36	36	21	32	6	03
181	26	4	77	9	9	20	6	1	14	4	–	3	7	32	78	17	26	16	7	4	04
65	11	1	37	4	5	8	4	1	2	8	–	6	6	12	23	10	11	7	6	1	05
65	3	–	24	3	1	8	1	1	1	1	–	1	2	2	11	7	1	1	1	–	06
88	18	1	31	5	3	7	3	–	2	1	2	3	1	18	24	5	7	4	3	–	07
44	12	1	15	4	2	2	2	–	1	1	2	1	1	3	16	2	4	1	1	–	08
44	6	–	16	1	1	5	1	–	1	–	–	2	–	15	8	3	3	3	2	–	09
133	13	1	33	2	2	7	4	–	2	–	–	2	1	2	26	10	15	2	3	1	10
62	4	1	19	1	1	6	3	–	1	–	–	–	–	2	15	3	7	–	3	–	11
71	9	–	14	1	1	1	1	–	1	–	–	2	1	–	11	7	8	2	–	1	12
32	2	–	17	2	1	–	1	–	–	–	–	1	1	9	1	1	2	1	1	–	13
20	10	–	12	2	–	2	–	–	2	2	–	1	–	13	6	3	4	2	1	–	14
235	40	1	85	9	6	22	8	1	11	1	1	3	17	78	52	18	14	10	2	1	15
197	34	1	67	8	5	15	6	1	10	1	1	3	15	54	33	11	11	9	1	1	16
38	6	–	18	1	1	7	2	–	1	–	–	–	2	24	19	7	3	1	1	–	17
55	10	–	17	1	1	5	1	–	–	–	–	1	1	3	11	2	5	–	–	–	18
63	8	–	15	6	5	1	1	–	3	1	–	–	–	–	9	4	6	–	–	1	19
34	17	–	7	2	–	–	–	–	1	–	–	–	–	–	3	1	3	–	1	–	20
167	16	1	88	17	10	22	2	3	8	7	–	3	2	13	42	12	15	5	8	2	21
80	7	–	56	10	7	12	–	1	4	3	–	2	1	7	19	7	11	–	3	1	22
87	9	1	32	7	3	10	2	2	4	4	–	1	1	6	23	5	4	5	5	1	23
42	4	–	16	2	–	1	1	1	–	–	–	2	–	2	9	5	5	–	1	–	24
226	19	3	57	11	5	18	4	1	6	2	–	8	6	20	63	23	16	11	–	2	25
54	3	1	19	2	3	4	3	–	4	1	–	2	2	7	18	5	2	6	–	–	26
65	6	1	16	5	–	9	–	1	–	–	–	1	2	3	15	5	3	3	–	1	27
65	6	1	16	5	–	9	–	1	–	–	–	1	2	3	15	5	3	3	–	1	28
107	10	1	22	4	2	5	1	–	2	1	–	5	2	10	30	13	11	2	–	1	29
101	9	–	33	2	4	15	3	–	3	4	–	2	8	48	43	10	20	4	3	–	30
32	15	–	25	3	3	1	1	–	–	–	–	1	1	8	10	3	12	–	1	–	31
78	3	–	40	4	3	2	1	–	1	–	1	1	1	1	13	6	2	2	–	–	32
56,246	**2,739**	**506**	**17,559**	**2,574**	**2,486**	**5,032**	**2,555**	**637**	**4,250**	**552**	**42**	**1,355**	**1,942**	**1,003**	**13,245**	**4,766**	**5,687**	**3,765**	**2,260**	**272**	**33**
42,960	1,982	395	13,534	1,919	1,817	3,691	1,806	473	3,342	419	34	999	1,538	694	9,716	2,983	4,215	2,843	1,805	206	34
13,286	757	111	4,025	655	669	1,341	749	164	908	133	8	356	404	309	3,529	1,783	1,472	922	455	66	35
51,548	2,428	459	16,152	2,320	2,224	4,464	2,252	579	3,951	511	38	1,260	1,804	849	11,957	4,081	5,123	3,486	2,131	258	36
41,800	1,911	382	13,134	1,846	1,747	3,551	1,746	461	3,245	406	33	968	1,485	663	9,413	2,842	4,097	2,789	1,767	203	37
9,748	517	77	3,018	474	477	913	506	118	706	105	5	292	319	186	2,544	1,239	1,026	697	364	55	38
4,698	311	47	1,407	254	262	568	303	58	299	41	4	95	138	154	1,288	685	564	279	129	14	39
1,160	71	13	400	73	70	140	60	12	97	13	1	31	53	31	303	141	118	54	38	3	40
3,538	240	34	1,007	181	192	428	243	46	202	28	3	64	85	123	985	544	446	225	91	11	41
3,019	159	16	888	181	117	192	115	35	237	31	2	73	87	54	713	168	319	190	89	18	42
167	7	–	67	6	12	16	2	1	15	1	–	1	9	6	42	9	28	16	5	1	43
62	3	–	14	2	6	2	1	2	3	–	–	1	–	1	13	–	3	1	1	–	44
251	14	1	88	9	11	14	13	1	20	1	–	7	4	7	68	12	25	22	9	3	45
178	14	1	50	3	6	6	7	–	10	4	–	7	7	3	33	22	23	8	3	–	46
294	11	–	77	28	9	16	16	7	23	4	1	6	9	2	62	17	39	27	5	2	47
84	3	1	21	3	3	7	4	–	2	1	–	2	3	–	27	23	5	8	–	–	48
31	5	–	5	2	2	3	1	1	3	–	1	1	1	3	8	7	6	2	–	–	49
1,303	75	10	377	74	41	90	44	17	118	13	–	25	42	24	297	32	140	63	58	9	50
31	3	–	10	2	2	–	3	1	2	1	–	1	1	–	13	3	2	5	1	–	51
34	1	–	10	4	1	3	2	1	4	–	–	2	–	1	14	7	8	1	–	–	52
296	13	1	101	15	11	19	14	1	19	3	–	9	2	4	60	11	14	14	1	3	53
36	1	1	6	1	1	2	2	–	2	–	–	6	3	1	11	4	3	6	–	–	54
252	9	1	62	32	12	14	6	3	16	3	–	5	6	2	65	21	23	17	6	–	55
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
56	3	–	16	3	10	3	1	–	3	–	–	2	1	1	10	10	5	4	–	–	57
389	21	10	143	27	24	51	26	1	14	2	–	4	11	4	107	38	36	31	9	1	58
48	–	3	23	7	3	8	2	–	4	–	–	1	2	1	11	7	4	3	1	–	59
341	21	7	120	20	21	43	24	1	10	2	–	3	9	3	96	31	32	28	8	1	60
62	3	1	10	2	2	6	5	3	1	2	–	2	–	–	16	8	5	3	1	–	61
43	2	1	9	1	3	4	2	–	2	–	–	2	–	2	12	6	4	2	1	–	62
1,308	66	8	384	58	59	132	67	10	113	6	–	29	47	22	355	122	153	96	57	7	63
65	5	–	19	2	3	2	5	–	3	–	–	2	2	2	27	5	9	3	5	–	64
199	8	4	32	6	3	23	6	1	15	1	–	6	14	3	42	14	17	19	6	–	65
60	4	–	15	3	5	3	8	1	5	–	–	–	2	1	8	3	8	5	–	–	66
38	1	–	18	1	1	4	2	1	3	1	–	–	5	–	11	1	7	5	1	–	67
49	1	–	15	1	3	9	–	–	3	2	–	2	1	1	19	8	6	5	1	–	68
11	1	–	8	–	–	2	1	–	1	–	–	–	–	–	2	4	5	–	–	–	69
78	2	1	13	9	3	7	1	2	7	–	–	3	3	1	22	17	6	5	5	2	70
51	1	–	14	–	3	17	–	1	3	–	–	1	2	–	16	5	3	2	2	–	71
210	20	–	83	10	10	17	9	–	30	–	–	5	7	5	65	13	31	14	21	1	72
63	5	–	20	1	10	4	10	1	13	–	–	3	3	1	25	2	10	9	4	–	73
179	5	2	54	12	4	20	13	1	10	1	–	1	2	2	44	13	18	15	1	–	74
305	13	1	93	13	14	24	12	2	20	1	–	6	6	6	74	37	33	14	11	4	75
42	4	–	13	5	–	8	1	–	2	–	–	1	1	9	22	9	3	3	2	–	76
132	7	1	47	14	5	11	9	–	6	–	2	1	6	4	35	23	13	12	2	–	77
21	2	1	11	–	1	–	2	–	2	–	1	1	3	1	7	7	1	3	1	–	78
111	5	–	36	14	4	11	7	–	4	–	1	–	3	3	28	16	12	9	1	–	79
1,147	38	6	363	62	41	129	72	17	81	13	1	36	63	15	289	186	100	68	61	10	80
44	3	–	14	4	5	5	2	–	–	1	–	–	5	1	13	7	4	3	3	2	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Fresno—Con.																	
01	Fresno	1,763	6	–	14	347	95	92	20	39	12	10	79	29	866	634	14	14
02	Sanger	79	–	–	–	20	8	5	–	2	1	–	4	2	31	22	1	–
03	Balance of county	1,682	3	–	14	335	94	71	32	40	17	20	61	28	734	526	9	6
04	Glenn	179	–	–	–	31	12	5	2	5	1	1	5	5	92	70	3	1
05	Humboldt	860	–	–	6	183	41	44	23	31	6	5	33	11	407	303	10	10
06	Eureka	281	–	–	2	57	14	15	7	8	1	2	10	3	133	98	1	3
07	Balance of county	579	–	–	4	126	27	29	16	23	5	3	23	8	274	205	9	7
08	Imperial	621	2	–	4	130	23	33	10	20	4	10	30	11	235	188	4	5
09	Brawley	120	–	–	1	21	2	7	1	3	2	1	5	2	45	38	1	1
10	Calexico	76	–	–	1	18	4	1	2	3	–	4	4	5	35	25	–	1
11	El Centro	130	1	–	1	33	7	11	2	3	1	3	6	2	49	37	2	1
12	Balance of county	295	1	–	1	58	10	14	5	11	1	2	15	2	106	88	1	2
13	Inyo	199	–	–	1	38	11	8	3	3	3	2	8	1	103	81	–	–
14	Kern	2,843	7	–	14	554	139	152	50	56	25	17	115	46	1,344	1,037	24	29
15	Bakersfield	810	1	–	3	146	38	40	16	16	2	4	30	16	387	304	7	13
16	Delano	129	2	–	–	22	6	5	1	2	1	1	6	1	57	41	1	–
17	Balance of county	1,904	4	–	11	386	95	107	33	38	22	12	79	29	900	692	16	16
18	Kings	475	–	–	5	96	25	18	6	10	5	8	24	11	200	136	6	3
19	Hanford	174	–	–	–	35	9	6	3	5	1	3	8	6	82	50	1	–
20	Balance of county	301	–	–	5	61	16	12	3	5	4	5	16	5	118	86	5	3
21	Lake	466	–	–	2	104	24	30	5	13	4	2	26	4	214	156	6	4
22	Lassen	159	1	–	1	25	4	9	–	1	1	3	7	–	74	63	1	–
23	Los Angeles	58,697	91	9	310	12,054	3,238	2,930	1,177	1,424	524	476	2,285	826	30,475	22,459	430	330
24	Alhambra	680	–	–	1	148	39	28	18	16	9	8	30	13	387	303	7	3
25	Arcadia	463	1	–	1	112	33	32	12	17	6	2	10	10	257	184	2	1
26	Artesia	100	–	–	1	23	10	4	2	2	1	–	4	2	49	41	–	–
27	Azusa	200	–	–	1	39	11	9	6	2	–	2	9	3	102	71	3	–
28	Baldwin Park	323	1	–	1	65	19	17	10	7	1	–	11	6	159	118	2	–
29	Bell	203	–	–	2	31	7	10	3	2	3	1	5	3	96	80	4	2
30	Bellflower	449	–	–	1	78	20	23	9	9	3	4	10	6	247	189	3	3
31	Bell Gardens	237	–	–	1	41	11	11	2	5	2	3	7	1	117	93	4	4
32	Beverly Hills	442	–	–	1	115	30	24	14	15	11	5	16	3	264	186	3	1
33	Burbank	839	1	–	3	193	41	64	15	20	8	4	41	11	434	306	6	8
34	Carson	387	–	–	4	83	21	26	9	9	4	2	12	4	177	126	4	3
35	Cerritos	104	–	–	–	24	8	2	3	1	–	2	8	–	48	38	–	1
36	Claremont	207	–	–	–	25	3	7	4	4	–	1	6	4	135	86	1	1
37	Commerce	48	–	–	1	9	3	2	–	2	–	–	2	1	15	13	–	–
38	Compton	515	1	–	10	84	21	26	6	12	2	2	15	6	213	160	5	5
39	Covina	318	1	–	1	57	13	16	6	5	3	3	11	4	174	136	6	–
40	Cudahy	98	–	–	1	20	6	4	4	2	1	–	3	1	40	32	–	–
41	Culver City	362	–	–	1	77	18	13	7	9	4	3	23	3	186	142	3	–
42	Downey	628	–	–	1	155	47	33	16	23	2	6	28	8	313	247	10	5
43	Duarte	149	1	–	–	33	13	7	4	3	3	1	2	2	79	53	–	–
44	El Monte	594	1	–	1	112	31	27	7	23	5	4	15	13	303	232	4	3
45	El Segundo	93	–	–	–	21	2	5	3	4	–	3	4	–	52	42	3	–
46	Gardena	435	1	–	3	86	25	26	10	7	2	3	13	6	225	158	1	5
47	Glendale	1,566	3	1	8	337	77	82	30	52	17	19	60	14	881	614	18	8
48	Glendora	228	–	–	–	47	14	10	5	6	–	1	11	2	130	94	1	–
49	Hawthorne	449	2	–	–	101	21	45	5	11	2	1	16	7	212	169	2	5
50	Hermosa Beach	137	–	–	2	31	6	12	6	–	–	–	7	2	68	46	1	–
51	Huntington Park	479	–	–	3	68	19	15	6	8	4	1	15	7	293	227	1	2
52	Inglewood	769	1	–	4	116	36	28	14	11	4	7	16	9	431	329	4	8
53	Lakewood	479	–	–	–	124	26	35	13	11	6	7	26	2	233	182	6	2
54	La Mirada	157	–	–	–	32	3	10	6	2	2	3	6	3	76	56	1	–
55	La Puente	260	–	–	4	54	11	13	4	2	4	4	16	1	128	99	–	–
56	La Verne	141	–	–	1	29	12	6	4	2	1	1	3	3	80	55	–	–
57	Lawndale	149	–	–	–	33	4	9	2	5	4	1	8	5	60	41	–	–
58	Lomita	169	1	–	3	34	8	5	4	4	2	1	10	3	86	47	–	2
59	Long Beach	4,135	2	1	22	803	230	203	79	85	30	33	143	42	2,290	1,700	31	27
60	Los Angeles	25,739	53	6	145	5,283	1,469	1,252	510	631	231	216	974	399	13,146	9,639	173	156
61	Lynwood	346	2	–	2	60	17	20	3	2	2	2	14	5	176	124	2	3
62	Manhattan Beach	153	–	–	1	40	12	8	4	5	2	1	8	–	71	46	–	–
63	Maywood	145	–	1	1	31	9	13	2	5	1	1	–	1	63	43	–	–
64	Monrovia	318	2	–	1	60	15	12	8	5	2	2	16	3	184	124	2	–
65	Montebello	382	–	–	4	84	24	17	7	12	1	5	18	4	197	142	1	4
66	Monterey Park	326	–	–	2	83	30	19	10	6	5	5	8	6	154	121	–	2
67	Norwalk	506	1	–	1	113	17	37	11	18	2	4	24	7	234	183	3	2
68	Palos Verdes Estates	77	–	–	–	17	5	1	4	3	1	1	2	1	44	34	–	–
69	Paramount	252	–	–	–	46	14	11	4	3	1	2	11	5	114	90	5	–
70	Pasadena	1,368	1	–	3	284	85	59	28	45	10	9	48	17	791	539	9	5
71	Pico Rivera	345	–	–	2	60	11	13	4	12	4	2	14	10	180	143	4	3
72	Pomona	714	–	–	8	121	27	28	8	14	5	3	36	10	382	255	3	2
73	Redondo Beach	397	1	–	1	89	28	22	5	13	4	2	15	8	192	138	2	1
74	Rosemead	371	–	–	–	78	13	27	5	8	–	2	23	6	196	154	1	1
75	San Dimas	118	1	–	–	25	9	4	2	2	1	2	5	1	64	49	–	1
76	San Fernando	204	–	–	1	31	9	7	4	5	–	2	4	4	109	76	5	1
77	San Gabriel	374	–	–	1	75	18	19	6	8	7	4	13	3	219	166	4	1
78	San Marino	97	–	–	–	27	7	1	1	6	1	2	9	–	54	39	1	–
79	Santa Fe Springs	74	–	–	–	12	5	2	1	–	1	–	3	1	35	28	2	–
80	Santa Monica	1,082	1	–	6	231	56	60	26	25	11	4	49	17	610	452	11	6
81	Sierra Madre	96	–	–	–	18	3	6	3	3	–	–	3	2	62	48	–	–
82	South El Monte	93	–	–	–	23	7	7	1	2	1	–	5	5	38	29	1	2
83	South Gate	598	1	–	3	123	36	32	8	12	5	5	25	9	335	252	9	3
84	South Pasadena	240	1	–	1	51	19	9	6	8	1	–	8	3	146	112	2	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E580–E599)	
589	17	3	185	28	16	53	35	8	36	4	–	17	27	8	135	64	47	30	32	5	01
20	1	–	9	–	–	5	3	1	2	1	–	2	4	1	2	3	–	1	1	–	02
494	17	3	155	30	20	66	32	8	43	7	–	17	27	5	139	112	49	34	25	3	03
57	9	3	17	–	2	10	3	1	3	–	–	3	1	3	9	5	6	5	2	–	04
260	23	2	74	16	12	33	16	3	13	1	–	4	5	7	75	43	32	13	5	3	05
91	3	1	22	6	6	10	8	2	7	–	–	1	1	2	26	9	11	5	3	1	06
169	20	1	52	10	6	23	8	1	6	1	–	3	4	5	49	34	21	8	2	2	07
156	23	3	35	5	4	20	8	3	23	1	–	6	3	8	78	27	44	10	8	–	08
33	3	–	6	1	–	8	1	1	10	–	–	2	–	–	21	3	3	1	1	–	09
21	3	–	8	1	1	1	1	–	–	–	–	–	–	–	9	1	5	–	–	–	10
28	6	1	8	1	2	2	2	–	5	–	–	1	–	1	17	5	6	2	3	–	11
74	11	2	13	2	1	9	4	2	8	1	–	3	3	7	31	18	30	7	4	–	12
76	5	1	18	–	3	12	6	1	4	–	–	2	2	–	12	7	5	5	–	–	13
928	56	14	224	31	38	68	53	9	89	9	–	23	49	11	230	131	88	61	54	3	14
270	14	6	61	4	12	28	16	4	28	2	–	6	9	3	69	40	16	16	19	1	15
36	4	3	8	2	3	5	4	1	1	2	–	1	7	1	11	7	3	3	–	1	16
622	38	5	155	25	23	35	33	4	60	5	–	16	33	7	150	84	69	42	35	1	17
124	3	2	37	20	5	10	5	–	9	4	–	4	9	5	41	32	26	10	8	–	18
47	2	–	21	10	1	2	1	–	4	2	–	2	4	1	14	8	6	4	3	–	19
77	1	2	16	10	4	8	4	–	5	2	–	2	5	4	27	24	20	6	5	–	20
137	9	1	47	3	7	12	20	6	15	–	–	1	5	1	40	25	4	11	2	–	21
57	5	–	7	1	3	6	3	–	2	2	–	1	2	1	12	12	10	6	1	–	22
20,934	765	224	6,207	855	730	1,452	700	214	1,479	207	25	500	743	322	3,910	1,259	1,798	1,217	1,060	46	23
289	4	–	75	5	4	15	5	1	17	1	–	2	2	3	44	6	21	12	2	–	24
177	4	1	56	10	6	7	12	1	11	2	–	3	–	–	24	6	5	9	2	–	25
39	2	–	7	–	1	4	2	–	2	–	1	1	1	1	9	1	3	–	–	–	26
65	3	1	24	3	3	2	1	–	5	1	–	4	2	1	12	13	4	6	4	–	27
114	2	3	29	5	4	9	8	3	11	–	–	6	6	–	12	13	9	5	8	1	28
71	3	–	15	–	1	4	6	–	6	–	–	4	4	4	17	3	6	7	10	–	29
177	6	1	44	8	5	9	10	1	10	1	–	6	3	–	40	11	19	3	4	–	30
78	7	3	13	2	6	4	4	–	8	–	1	8	9	3	23	4	3	3	6	1	31
177	5	1	62	7	8	11	1	–	3	–	–	–	–	–	25	–	9	8	2	–	32
284	8	5	99	12	12	22	10	1	23	6	1	7	3	2	66	17	20	13	5	1	33
111	8	3	36	5	7	14	3	1	4	1	1	9	6	4	32	10	11	10	12	1	34
35	2	–	7	–	3	1	1	1	1	3	–	5	4	1	5	4	3	2	1	–	35
84	–	1	37	6	5	3	6	1	–	–	–	4	2	–	15	4	5	2	1	–	36
13	–	–	2	–	–	2	3	–	5	–	–	1	2	–	4	2	1	1	1	–	37
137	13	3	44	3	3	13	3	5	15	2	2	6	31	9	34	12	19	5	45	–	38
128	2	1	30	4	3	8	5	1	2	–	–	5	2	1	27	6	9	12	2	1	39
31	1	2	4	1	1	3	–	–	6	–	–	1	4	–	6	5	4	3	4	–	40
135	4	2	33	6	3	9	4	2	14	–	–	4	6	1	30	6	10	7	1	1	41
225	7	1	50	7	8	15	8	5	19	1	–	2	8	–	45	12	24	7	4	1	42
49	4	–	20	5	1	4	2	–	1	1	–	–	2	2	11	4	2	1	4	–	43
221	4	1	61	4	5	10	7	2	12	4	–	4	14	2	50	15	18	7	19	–	44
39	–	–	8	2	–	2	2	–	3	–	–	–	1	–	2	4	3	3	–	–	45
143	9	–	47	10	10	8	6	2	11	2	–	6	5	2	30	12	15	10	4	1	46
568	20	6	203	38	20	41	25	9	35	2	–	6	4	6	97	29	32	30	5	1	47
93	–	2	29	1	4	9	5	3	3	–	–	1	2	–	12	4	4	5	1	–	48
160	2	–	36	3	4	7	6	2	13	–	–	3	10	1	33	12	25	11	4	–	49
44	1	1	16	3	2	1	–	–	8	–	–	3	–	–	9	2	5	3	3	–	50
214	10	6	46	6	8	10	10	1	10	1	–	7	6	3	27	10	11	8	4	–	51
301	16	1	82	9	10	21	8	3	11	6	–	10	16	6	56	11	24	20	15	1	52
170	4	4	33	7	7	9	5	2	15	2	1	5	5	2	35	13	10	13	3	–	53
54	1	–	16	2	2	7	3	1	4	–	–	3	–	–	13	4	5	5	1	–	54
96	3	–	25	2	2	4	1	–	8	3	–	2	9	–	17	5	6	10	8	–	55
55	–	1	23	1	–	3	1	–	2	–	–	1	3	–	10	1	3	1	3	–	56
40	1	–	16	1	2	–	–	–	6	1	–	1	4	1	14	6	10	5	3	–	57
43	2	1	19	17	2	5	5	–	–	2	–	2	2	1	13	4	5	3	–	–	58
1,600	42	17	466	49	58	101	48	23	98	18	2	27	23	21	290	59	103	96	62	4	59
8,947	363	88	2,758	349	312	688	270	87	661	101	8	196	368	146	1,710	500	865	506	579	22	60
112	7	1	36	8	7	10	6	2	6	1	–	4	7	1	17	6	16	10	13	2	61
43	3	1	19	3	2	4	2	1	4	1	–	–	2	–	9	4	4	7	3	–	62
43	–	1	14	3	2	4	4	–	3	1	–	1	1	1	13	7	6	3	4	–	63
121	1	–	50	6	4	9	5	1	3	–	–	2	2	1	23	7	7	4	4	–	64
133	4	2	39	9	5	8	4	2	9	1	–	4	4	3	33	7	12	3	3	–	65
115	4	2	20	6	5	7	6	–	11	2	–	3	3	2	20	9	8	4	6	–	66
168	10	4	40	5	2	9	9	–	14	1	2	6	14	5	36	21	17	9	7	–	67
33	1	–	5	3	2	3	3	–	1	1	–	1	1	–	3	2	–	–	–	–	68
81	4	–	21	2	1	8	4	–	10	2	–	1	6	3	28	4	11	7	3	–	69
510	15	6	194	30	22	39	12	6	26	3	–	10	11	4	88	18	24	18	13	–	70
131	5	–	31	3	3	3	1	2	16	1	–	3	2	3	23	14	12	7	6	–	71
241	9	7	105	8	7	11	9	2	21	2	1	5	10	6	39	26	31	17	12	1	72
133	2	1	45	4	4	10	8	3	10	–	–	2	3	4	25	7	16	12	6	–	73
145	8	1	34	2	5	4	5	2	13	1	–	1	4	4	20	9	11	7	9	1	74
47	1	–	11	3	1	–	–	–	4	–	–	1	1	–	9	7	3	1	1	–	75
69	2	2	22	3	6	6	3	2	5	2	–	2	3	2	14	5	8	3	4	–	76
155	6	3	41	5	4	6	3	1	7	–	–	2	–	3	30	5	10	6	3	–	77
37	1	–	12	1	2	–	3	–	–	1	–	–	–	–	6	2	2	2	–	–	78
26	–	–	5	–	2	1	2	–	4	–	1	1	2	1	2	4	3	3	2	–	79
422	13	6	97	37	18	31	13	6	28	–	–	5	10	6	46	15	20	28	9	–	80
47	1	–	12	1	1	2	–	–	–	–	–	1	–	–	5	2	3	–	1	–	81
25	1	–	7	2	–	1	2	1	2	1	–	2	–	–	7	3	4	–	4	–	82
238	2	1	64	10	8	15	9	1	12	–	–	4	9	1	34	5	19	14	4	–	83
101	7	–	25	3	6	4	–	–	2	–	–	1	2	2	11	2	4	8	2	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Los Angeles—Con.																	
01	Temple City	246	–	–	2	38	8	7	4	7	–	2	10	1	152	111	4	–
02	Torrance	819	1	–	3	197	60	49	18	19	7	8	36	9	410	302	1	6
03	West Covina	365	1	–	2	76	17	17	8	8	4	4	18	5	197	144	3	1
04	Whittier	839	2	–	6	168	39	32	18	17	13	3	46	16	451	346	8	2
05	Balance of county	5,021	6	–	31	1,070	270	250	110	122	55	45	218	58	2,429	1,835	38	29
06	Madera	465	1	–	4	85	29	12	7	8	5	3	21	4	234	176	2	1
07	Madera	178	–	–	3	30	15	5	2	1	2	–	5	–	89	58	–	–
08	Balance of county	287	1	–	1	55	14	7	5	7	3	3	16	4	145	118	2	1
09	Marin	1,502	2	1	13	377	93	95	46	33	12	16	82	19	649	423	12	2
10	Larkspur	35	–	–	1	7	1	1	–	–	–	–	5	–	15	8	–	–
11	Mill Valley	178	–	–	1	55	15	11	7	9	–	3	10	–	68	49	1	–
12	Novato	226	–	–	1	52	12	14	8	3	3	–	12	4	93	67	2	1
13	San Anselmo	110	–	–	1	23	2	6	3	1	2	3	6	2	58	32	–	–
14	San Rafael	410	1	–	4	108	29	28	13	6	4	6	22	3	176	121	2	–
15	Balance of county	543	1	1	5	132	34	35	15	14	3	4	27	10	239	146	7	1
16	Mariposa	90	–	–	–	18	5	4	1	2	1	–	5	–	46	26	1	2
17	Mendocino	565	–	–	4	99	21	29	8	12	5	4	20	5	245	183	7	3
18	Ukiah	113	–	–	–	24	7	7	3	2	2	–	3	–	56	39	2	–
19	Balance of county	452	–	–	4	75	14	22	5	10	3	4	17	5	189	144	5	3
20	Merced	818	3	–	5	153	45	44	14	16	6	7	21	16	372	280	7	3
21	Atwater	57	–	–	–	12	3	3	1	1	–	–	4	–	21	20	–	–
22	Merced	253	–	–	1	43	13	9	4	5	1	2	9	4	119	83	5	1
23	Balance of county	508	3	–	4	98	29	32	9	10	5	5	8	12	232	177	2	2
24	Modoc	72	–	–	2	8	–	1	1	1	–	4	1	–	34	22	–	–
25	Mono	31	–	–	–	7	2	3	–	–	–	–	2	–	10	7	1	–
26	Monterey	1,849	4	–	7	352	105	90	24	37	20	12	64	10	862	577	21	8
27	Monterey	225	–	–	–	42	10	15	3	3	1	1	9	–	114	70	4	–
28	Pacific Grove	168	1	–	–	26	8	5	1	4	4	–	4	–	92	64	3	–
29	Salinas	549	–	–	3	100	28	26	6	8	8	2	22	6	261	180	2	5
30	Seaside	140	1	–	–	33	9	11	3	3	1	2	4	2	56	36	1	1
31	Balance of county	767	2	–	4	151	50	33	11	19	6	7	25	2	339	227	11	2
32	Napa	861	3	–	3	182	45	48	9	31	6	10	33	14	421	304	11	–
33	Napa	471	1	–	2	112	31	30	3	19	3	7	19	8	222	159	4	–
34	Balance of county	390	2	–	1	70	14	18	6	12	3	3	14	6	199	145	7	–
35	Nevada	420	1	–	2	112	27	39	9	18	2	2	15	2	208	148	2	3
36	Orange	10,749	8	1	54	2,364	607	605	244	253	111	106	438	112	5,382	3,912	85	38
37	Anaheim	1,299	1	–	7	273	61	86	23	26	15	10	52	16	611	459	4	5
38	Brea	114	–	–	1	19	4	4	2	3	2	1	3	2	59	48	1	–
39	Buena Park	312	–	–	2	71	13	25	8	10	4	3	8	4	129	99	2	–
40	Costa Mesa	564	1	–	2	139	31	39	16	13	4	9	27	4	294	210	4	3
41	Cypress	152	–	–	1	52	12	17	5	3	4	3	8	–	67	53	1	1
42	Fountain Valley	169	–	–	–	36	11	6	4	5	2	2	6	2	78	62	2	–
43	Fullerton	551	–	–	2	135	32	37	14	13	8	4	27	8	259	188	8	3
44	Garden Grove	712	1	–	9	169	47	38	14	16	8	8	38	10	342	266	6	1
45	Huntington Beach	763	2	–	5	145	34	35	12	24	3	7	30	12	377	269	7	4
46	Laguna Beach	177	–	–	1	50	22	10	4	4	1	–	9	1	84	56	2	–
47	La Habra	283	–	–	1	69	15	22	9	4	3	3	13	5	144	109	2	1
48	Los Alamitos	112	–	–	1	18	5	3	3	–	3	–	4	3	55	40	1	–
49	Newport Beach	468	–	–	1	102	27	23	15	8	7	6	16	4	243	178	8	1
50	Orange	538	–	–	1	127	36	28	17	10	4	7	25	5	269	202	4	1
51	Placentia	120	1	–	–	28	7	6	1	4	–	1	9	–	50	34	–	1
52	San Clemente	210	–	–	–	40	12	11	2	7	1	1	6	–	110	81	1	1
53	Santa Ana	1,310	1	1	9	257	69	65	22	35	12	12	42	14	650	429	9	8
54	Seal Beach	539	1	–	2	89	29	18	12	5	6	3	16	2	355	252	1	–
55	Stanton	149	–	–	–	19	2	5	1	5	–	1	5	2	80	60	1	–
56	Tustin	193	–	–	2	36	8	9	11	2	2	–	4	3	94	71	1	–
57	Westminster	335	–	–	2	72	21	21	7	9	2	4	8	5	174	137	5	2
58	Yorba Linda	96	–	–	–	30	8	7	3	4	–	–	8	–	38	30	–	–
59	Balance of county	1,583	–	–	5	388	101	90	39	43	20	21	74	10	820	579	15	6
60	Placer	793	2	–	4	175	44	56	13	20	7	9	26	15	363	274	6	4
61	Roseville	204	–	–	1	41	10	14	6	3	2	2	4	6	101	76	3	1
62	Balance of county	589	2	–	3	134	34	42	7	17	5	7	22	9	262	198	3	3
63	Plumas	134	–	–	1	32	5	11	2	4	2	1	7	2	60	48	4	–
64	Riverside	5,404	12	1	35	1,055	268	269	80	136	50	37	215	89	2,673	1,830	51	29
65	Banning	183	–	–	–	21	6	3	2	6	2	1	1	3	101	71	2	–
66	Corona	225	1	–	3	48	13	8	4	6	2	4	11	6	109	82	2	2
67	Hemet	467	1	–	3	87	23	23	7	9	4	–	21	5	274	177	5	–
68	Indio	145	1	–	2	29	7	9	–	7	1	1	4	2	52	42	2	1
69	Norco	69	–	–	–	17	7	4	1	2	1	–	2	2	22	13	–	–
70	Palm Springs	394	2	–	1	83	24	19	7	7	5	6	15	9	192	137	7	3
71	Riverside	1,164	4	1	7	206	53	41	18	38	9	7	40	18	593	397	9	11
72	Balance of county	2,757	3	–	19	564	135	162	41	61	26	18	121	44	1,330	911	24	12
73	Sacramento	5,314	14	1	29	1,135	292	283	102	110	53	47	248	69	2,537	1,890	57	26
74	Sacramento	3,023	10	–	19	621	173	150	59	59	28	25	127	40	1,465	1,094	35	13
75	Balance of county	2,291	4	1	10	514	119	133	43	51	25	22	121	29	1,072	796	22	13
76	San Benito	180	–	–	1	35	11	10	4	3	1	1	5	3	83	61	2	2
77	San Bernardino	5,922	11	2	42	1,136	305	276	107	123	43	52	230	71	2,856	2,079	46	39
78	Barstow	117	2	–	2	25	10	5	1	3	–	1	5	–	51	41	1	–
79	Chino	152	–	–	2	24	6	8	–	5	–	1	4	2*	78	53	–	2
80	Colton	202	–	–	–	46	12	5	4	8	1	1	15	5	95	73	2	–
81	Fontana	259	–	–	3	41	8	9	7	5	2	2	8	4	125	88	1	1
82	Montclair	109	–	–	–	15	3	6	–	1	–	1	4	1	52	44	1	–
83	Ontario	526	1	–	–	108	35	21	11	8	2	10	21	3	245	168	2	5
84	Redlands	311	1	–	1	56	10	10	4	9	3	5	15	5	158	107	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E976)	All other external causes (E980–E999)	
106	1	2	33	3	3	7	7	3	5	1	–	3	–	2	10	6	6	3	–	–	01
286	9	5	71	20	12	19	5	1	24	3	–	5	14	5	42	31	20	27	3	–	02
138	2	1	45	6	1	6	2	3	6	–	–	4	6	2	16	10	12	10	5	1	03
323	13	4	85	8	8	17	9	1	19	1	–	5	6	3	59	25	19	22	9	–	04
1,698	70	18	453	68	55	123	68	16	151	20	2	66	51	35	343	166	159	130	92	5	05
164	9	1	40	9	8	12	7	–	12	2	–	4	4	4	40	25	14	5	7	1	06
54	4	1	21	6	3	7	3	–	7	1	–	3	3	2	12	8	4	2	3	1	07
110	5	–	19	3	5	5	4	–	5	1	–	1	1	2	28	17	10	3	4	–	08
388	21	2	170	27	27	43	21	5	51	5	–	8	17	6	134	40	40	49	11	11	09
8	–	–	6	–	1	1	1	–	1	–	–	–	–	–	6	2	–	1	–	–	10
48	–	–	15	2	2	4	–	–	11	1	–	–	2	1	17	4	5	7	–	2	11
59	5	–	19	4	3	7	5	1	9	2	–	1	4	–	18	11	5	9	3	1	12
29	3	–	17	6	3	3	2	–	2	–	–	1	1	–	8	–	3	6	–	–	13
116	3	–	44	7	4	15	11	1	8	1	–	2	5	1	37	9	10	10	3	5	14
128	10	2	69	8	14	13	2	3	20	1	–	4	5	4	48	14	17	16	5	3	15
21	2	–	11	3	6	1	2	1	4	2	–	–	–	–	6	6	4	–	–	–	16
164	9	2	41	11	8	17	28	7	15	2	–	3	5	3	62	24	28	13	5	–	17
37	–	1	10	2	4	4	3	1	8	–	–	1	3	–	6	3	2	2	–	–	18
127	9	1	31	9	4	13	25	6	7	2	–	2	2	3	56	21	26	11	5	–	19
256	14	2	73	8	9	32	23	3	21	3	–	7	12	1	74	46	28	9	9	1	20
20	–	–	1	–	–	4	1	–	–	–	–	–	–	–	7	9	3	–	–	–	21
71	6	1	29	2	4	11	5	–	9	2	–	5	5	–	25	8	11	1	4	–	22
165	8	1	44	5	5	17	17	3	12	1	–	2	7	1	42	29	14	8	5	1	23
20	2	–	8	–	4	4	2	–	1	1	–	–	4	–	4	3	7	2	–	–	24
6	–	–	1	1	1	3	–	–	–	–	–	–	–	1	3	3	1	1	–	–	25
512	36	1	229	24	31	82	37	11	46	4	–	14	28	10	145	102	73	27	32	3	26
61	5	1	35	2	6	12	3	3	5	–	–	–	2	1	17	7	9	6	4	–	27
59	2	–	23	3	2	10	3	–	2	–	–	–	1	–	18	3	10	2	–	–	28
160	13	–	64	9	8	21	19	5	20	1	–	4	8	4	40	25	16	5	11	–	29
30	4	–	14	2	4	7	2	–	5	2	–	3	5	1	7	5	7	1	3	–	30
202	12	1	93	8	11	32	10	3	14	1	–	7	12	4	63	62	31	13	14	3	31
283	10	1	93	9	14	45	16	1	15	–	–	4	12	4	80	20	17	15	5	4	32
150	5	1	52	3	7	17	6	1	9	–	–	4	11	3	43	11	10	7	2	2	33
133	5	–	41	6	7	28	10	–	6	–	–	–	1	1	37	9	7	8	3	2	34
141	2	2	39	6	13	20	3	1	9	1	–	1	2	2	21	13	8	9	3	2	35
3,652	137	23	1,154	132	161	264	138	31	242	27	3	95	149	25	749	315	426	268	90	6	36
438	12	1	126	12	13	34	16	8	30	3	–	16	24	6	88	53	60	38	14	1	37
46	1	1	6	2	2	1	4	–	4	–	–	1	1	–	7	3	6	6	–	–	38
95	2	–	21	1	8	10	8	1	9	1	–	1	10	2	20	11	14	13	5	1	39
194	9	–	66	9	9	6	10	2	19	2	1	4	6	1	27	17	11	13	5	–	40
49	2	–	11	–	3	1	1	–	1	–	–	–	1	–	11	3	10	4	–	–	41
54	6	–	14	1	1	3	4	1	1	1	–	1	9	–	9	5	12	6	1	–	42
171	6	2	56	7	6	20	7	1	11	2	–	6	7	3	28	24	17	14	6	1	43
251	8	1	60	10	5	9	7	–	19	–	1	4	8	–	45	28	32	21	6	1	44
249	9	2	90	1	15	17	16	2	7	2	–	11	13	3	52	29	37	23	10	–	45
49	5	1	23	4	–	8	1	–	1	–	–	1	–	–	21	5	3	1	–	–	46
101	5	2	29	–	4	6	4	1	5	2	–	3	2	–	11	9	11	8	2	–	47
39	–	1	9	4	1	2	–	–	3	–	–	2	–	–	8	6	8	3	3	–	48
165	4	–	54	3	8	5	3	1	17	2	–	2	2	–	39	5	22	20	–	–	49
188	9	–	56	6	5	12	8	4	16	–	1	6	6	1	40	9	21	11	1	–	50
32	1	2	9	1	4	5	2	–	5	1	–	1	4	–	8	7	8	–	–	–	51
74	5	–	23	4	2	10	4	–	6	–	–	2	–	–	17	4	9	7	1	–	52
395	17	3	174	26	18	43	16	4	39	3	–	16	28	4	98	32	45	30	19	1	53
245	6	3	83	8	9	19	6	1	4	2	–	–	–	–	41	4	7	5	1	–	54
57	2	–	15	4	1	5	2	–	3	–	–	1	4	1	14	2	8	6	2	–	55
69	1	–	17	2	4	2	3	–	7	–	–	2	4	1	18	4	10	5	2	–	56
121	9	–	22	6	9	5	2	2	8	–	–	1	4	–	27	11	11	6	4	1	57
29	1	1	6	–	1	3	2	–	–	1	–	2	1	1	5	5	3	4	1	–	58
541	17	3	184	21	33	38	12	3	27	5	–	12	15	2	115	39	61	24	7	–	59
252	12	–	68	10	11	30	12	6	13	2	–	3	5	5	75	26	29	22	5	1	60
67	5	–	18	2	5	7	1	2	6	–	–	–	1	1	19	4	6	6	2	–	61
185	7	–	50	8	6	23	11	4	7	2	–	3	4	4	56	22	23	16	3	1	62
40	4	–	10	1	1	2	7	–	1	–	–	–	–	1	10	5	8	5	–	–	63
1,636	114	16	632	92	103	203	93	25	113	16	–	35	51	32	462	180	168	106	53	2	64
59	10	1	24	1	4	13	5	–	3	–	–	1	2	2	19	2	8	3	–	–	65
72	6	–	20	4	3	8	3	1	3	1	–	2	4	–	15	8	5	6	2	–	66
163	9	–	75	11	11	20	9	1	4	–	–	–	1	–	37	8	8	7	2	–	67
36	3	–	7	–	3	3	2	3	5	–	–	2	2	1	20	13	5	–	3	–	68
13	–	–	5	3	1	3	1	–	1	–	–	–	1	–	10	5	3	3	1	–	69
121	6	–	47	3	5	17	6	1	11	1	–	1	2	2	29	12	13	11	1	–	70
352	25	2	147	19	28	49	16	3	21	1	–	9	14	5	100	33	44	26	14	–	71
820	55	13	307	51	48	90	51	16	65	13	–	20	25	22	232	99	82	50	30	2	72
1,683	124	8	510	54	75	152	76	16	130	25	–	42	44	40	484	154	143	130	81	12	73
969	77	5	292	31	43	100	46	6	83	18	–	16	19	28	278	65	85	59	57	8	74
714	47	3	218	23	32	52	30	10	47	7	–	26	25	12	206	89	58	71	24	4	75
54	3	–	14	4	4	8	5	–	4	–	–	3	2	1	16	7	10	1	1	–	76
1,904	90	19	592	70	96	222	121	29	137	19	1	52	63	51	553	208	160	109	53	26	77
40	–	–	7	2	1	6	–	1	2	–	–	1	3	–	14	4	6	–	–	–	78
50	1	2	16	2	5	5	1	1	8	–	–	2	1	–	11	5	4	4	3	1	79
68	3	1	15	2	4	5	5	–	3	1	–	1	3	2	23	4	4	2	3	–	80
85	1	–	31	3	3	10	3	3	6	–	–	4	3	1	26	14	5	8	1	2	81
39	4	–	6	1	1	6	4	–	4	–	–	3	2	1	9	6	2	3	1	–	82
155	6	2	66	4	5	23	10	3	15	–	–	6	5	4	48	16	18	12	7	2	83
95	8	1	37	7	6	23	6	–	4	3	–	3	–	1	26	12	5	5	2	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	San Bernardino—Con.																	
01	Rialto	203	–	–	4	34	7	9	3	5	1	1	8	1	99	79	1	2
02	San Bernardino	1,032	–	1	5	202	63	47	22	18	10	7	35	12	510	361	9	9
03	Upland	239	1	–	3	43	9	12	3	5	3	2	9	2	130	93	4	2
04	Victorville	107	–	–	1	23	1	8	1	4	1	4	4	2	45	28	1	–
05	Balance of county	2,665	6	1	21	519	141	136	51	52	20	17	102	34	1,268	944	21	17
06	San Diego	11,570	17	2	70	2,574	670	638	235	277	110	115	529	137	5,486	3,872	111	49
07	Carlsbad	153	–	–	2	34	9	4	6	4	4	3	4	1	72	55	2	–
08	Chula Vista	565	1	–	4	141	40	30	15	14	10	2	30	7	266	196	6	–
09	Coronado	152	1	–	1	32	9	8	4	5	1	1	4	–	75	51	1	1
10	El Cajon	493	–	–	3	105	23	35	14	9	3	3	18	11	230	159	6	2
11	Escondido	492	1	–	3	107	34	25	7	9	8	3	21	4	265	179	5	3
12	Imperial Beach	112	–	–	2	18	3	4	4	–	2	1	4	2	46	36	–	1
13	La Mesa	426	–	–	–	118	37	27	14	11	2	3	24	7	210	148	3	3
14	National City	271	1	–	2	56	14	15	3	8	2	1	13	6	120	73	1	–
15	Oceanside	467	1	–	6	115	30	31	9	15	3	3	24	2	209	159	6	1
16	San Diego	5,648	10	1	40	1,214	312	297	105	128	47	67	258	70	2,649	1,867	55	24
17	Vista	294	–	–	1	67	23	12	5	10	3	4	10	3	154	110	2	1
18	Balance of county	2,497	2	1	6	567	136	150	49	64	25	24	119	24	1,190	839	24	13
19	San Francisco coext. with San Francisco city	8,319	23	7	47	1,781	534	408	147	204	80	76	332	115	3,955	2,860	62	25
20	San Joaquin	2,894	7	1	14	601	142	162	50	74	30	30	113	57	1,356	1,008	21	16
21	Lodi	383	–	–	1	68	19	15	5	12	2	2	13	8	202	139	5	–
22	Manteca	129	–	–	1	20	5	4	2	3	–	2	4	4	68	53	1	2
23	Stockton	1,225	6	1	5	262	67	71	25	29	9	13	48	26	553	404	8	3
24	Tracy	156	–	–	2	31	3	13	3	6	3	1	2	1	74	52	–	–
25	Balance of county	1,001	1	–	5	220	48	59	15	24	16	12	46	18	459	360	7	11
26	San Luis Obispo	1,165	2	1	4	210	45	45	14	39	9	6	52	19	618	467	21	15
27	San Luis Obispo	215	1	1	–	37	8	10	1	3	3	2	10	3	125	83	3	1
28	Balance of county	950	1	–	4	173	37	35	13	36	6	4	42	16	493	384	18	14
29	San Mateo	4,147	4	4	17	959	250	234	97	111	44	40	183	47	1,985	1,377	45	14
30	Belmont	144	1	–	–	33	10	11	2	2	1	2	5	1	73	49	2	–
31	Burlingame	302	–	–	1	64	18	9	5	9	2	3	18	5	162	106	1	1
32	Daly City	482	–	1	3	105	31	27	6	15	5	5	16	5	218	161	5	2
33	Menlo Park	327	–	–	3	79	18	20	12	10	2	1	16	3	159	101	2	2
34	Millbrae	155	–	–	–	32	11	8	1	3	3	1	5	–	85	61	4	–
35	Pacifica	155	–	–	–	40	13	11	3	4	2	2	5	4	66	48	–	1
36	Redwood City	534	2	2	1	112	27	18	16	14	5	5	27	9	269	179	3	2
37	San Bruno	230	–	–	2	56	17	17	4	5	1	3	9	2	106	76	2	2
38	San Carlos	211	–	–	–	55	14	17	6	6	2	2	8	2	103	69	3	–
39	San Mateo	690	1	–	1	152	39	39	15	17	10	3	29	5	368	263	11	2
40	South San Francisco	290	–	1	2	74	17	18	4	7	3	5	20	2	126	88	3	–
41	Balance of county	627	–	–	4	157	35	39	23	19	8	8	25	9	250	176	9	2
42	Santa Barbara	2,204	1	–	12	488	130	88	52	73	32	24	89	24	1,130	799	21	8
43	Lompoc	140	–	–	1	29	6	8	3	3	3	–	6	2	63	41	1	–
44	Santa Barbara	966	1	–	7	197	54	35	23	26	14	14	31	8	527	359	9	2
45	Santa Maria	269	–	–	1	56	13	10	3	12	2	2	14	2	141	108	1	2
46	Balance of county	829	–	–	3	206	57	35	23	32	13	8	38	12	399	291	10	4
47	Santa Clara	7,053	12	2	58	1,502	391	348	142	176	56	69	320	120	3,251	2,276	65	17
48	Campbell	230	–	–	3	57	12	13	9	4	1	1	17	1	104	70	3	–
49	Cupertino	143	–	–	–	35	9	8	3	2	–	2	11	2	62	38	1	–
50	Gilroy	134	1	–	2	23	7	6	2	3	–	1	4	3	64	44	2	1
51	Los Altos	228	–	–	2	51	21	6	4	5	3	4	8	4	106	68	2	–
52	Los Gatos	305	–	–	2	60	14	9	9	8	2	4	14	4	168	113	3	–
53	Milpitas	106	1	–	1	30	5	9	–	3	2	3	8	1	39	27	–	–
54	Mountain View	426	–	–	3	102	22	30	8	12	2	4	24	6	184	122	2	–
55	Palo Alto	490	1	1	4	107	34	16	16	14	2	6	19	4	235	155	3	1
56	San Jose	3,283	7	1	33	672	178	159	60	80	28	25	142	61	1,482	1,062	38	12
57	Santa Clara	508	1	–	3	103	21	34	11	13	3	7	14	8	260	184	2	–
58	Saratoga	200	–	–	1	42	13	8	3	5	1	1	11	5	104	60	–	–
59	Sunnyvale	604	–	–	–	139	29	34	11	15	9	10	31	12	252	187	5	2
60	Balance of county	396	1	–	4	81	26	16	6	12	3	1	17	9	191	146	4	1
61	Santa Cruz	1,572	3	1	8	337	90	79	32	41	24	16	55	23	803	566	16	3
62	Santa Cruz	499	–	1	2	96	28	21	10	10	9	6	12	5	272	185	4	1
63	Watsonville	226	1	–	1	49	14	14	4	7	2	3	5	2	112	80	1	–
64	Balance of county	847	2	–	5	192	48	44	18	24	13	7	38	16	419	301	11	2
65	Shasta	823	1	1	2	175	42	53	13	13	8	9	37	7	382	260	3	–
66	Redding	267	1	1	1	50	14	14	1	5	1	4	11	2	134	91	1	–
67	Balance of county	556	–	–	1	125	28	39	12	8	7	5	26	5	248	169	2	–
68	Sierra	25	–	–	–	5	–	3	1	–	1	–	–	–	8	8	–	–
69	Siskiyou	332	1	–	1	64	16	15	12	6	–	2	13	1	140	102	–	–
70	Solano	1,286	2	–	7	301	79	83	21	32	21	7	58	22	571	404	16	2
71	Fairfield	183	–	–	2	53	15	15	5	3	1	1	13	3	71	52	4	–
72	Vacaville	153	1	–	–	43	20	9	1	4	1	1	7	6	69	48	1	1
73	Vallejo	673	1	–	4	148	32	46	7	21	15	2	25	8	304	215	9	1
74	Balance of county	277	–	–	1	57	12	13	8	4	4	3	13	5	127	89	2	–
75	Sonoma	2,521	4	–	12	535	134	125	46	63	30	26	111	30	1,240	855	31	13
76	Petaluma	246	1	–	4	51	8	15	6	5	4	4	9	3	115	84	4	2
77	Santa Rosa	863	2	–	2	200	50	45	18	27	9	7	44	13	407	281	15	6
78	Balance of county	1,412	1	–	6	284	76	65	22	31	17	15	58	14	718	490	12	5
79	Stanislaus	1,995	2	–	7	421	112	100	37	56	22	22	72	28	959	690	19	10
80	Modesto	775	1	–	4	170	42	37	15	23	8	8	37	12	361	258	11	1
81	Turlock	241	–	–	1	49	19	10	3	5	1	3	8	4	133	95	1	1
82	Balance of county	979	1	–	2	202	51	53	19	28	13	11	27	12	465	337	7	8

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
72	4	–	19	1	–	4	5	–	2	1	–	2	1	4	24	3	6	8	3	2	01
328	15	4	114	19	12	49	19	6	26	3	–	5	10	10	90	29	24	15	12	4	02
86	1	1	30	4	2	4	4	1	7	–	–	–	3	3	21	6	7	3	–	1	03
26	1	–	13	1	3	2	6	2	1	2	–	1	2	–	7	7	3	2	1	–	04
860	46	8	238	24	54	85	58	12	59	9	1	24	30	25	254	102	76	47	20	14	05
3,510	202	40	1,179	214	181	323	226	51	263	39	–	98	129	81	921	311	431	279	109	23	06
49	4	1	14	1	1	2	3	–	6	1	–	2	2	–	14	5	7	2	–	–	07
185	5	5	57	7	1	14	7	1	19	–	–	3	4	7	43	15	17	12	4	–	08
48	1	1	16	3	4	3	6	–	5	–	–	4	2	–	12	1	9	3	2	–	09
143	8	1	48	13	9	8	13	1	18	5	–	6	4	2	31	13	25	12	5	1	10
160	11	1	54	19	12	16	4	3	8	2	–	2	5	2	31	15	14	8	1	1	11
29	6	–	7	1	2	3	3	1	7	–	–	3	4	3	9	5	3	2	1	–	12
133	9	–	47	10	5	14	8	–	4	4	–	1	2	1	23	8	16	9	1	–	13
64	8	3	35	4	5	9	5	1	10	–	–	2	6	5	16	9	8	8	5	2	14
147	5	3	33	5	9	4	12	3	7	1	–	9	13	9	31	14	17	7	7	–	15
1,693	95	19	593	92	78	167	108	31	144	16	–	48	67	33	479	124	213	155	64	15	16
102	5	–	33	6	5	8	8	1	5	–	–	2	–	3	28	5	6	2	1	–	17
757	45	6	242	53	50	75	49	9	30	10	–	20	20	16	204	97	96	59	18	4	18
2,613	160	18	833	98	146	289	94	39	315	25	3	40	56	42	700	85	345	192	125	41	19
925	46	9	254	48	37	115	48	18	68	10	–	26	18	22	242	101	111	51	26	2	20
124	10	–	42	15	6	21	7	3	7	2	–	–	3	1	36	7	9	6	2	–	21
49	1	–	10	3	2	9	–	2	1	1	–	2	1	–	7	9	2	2	–	–	22
382	11	6	110	19	14	40	18	5	43	2	–	15	5	11	97	41	58	21	14	2	23
52	–	2	14	3	3	7	–	1	2	2	–	2	1	2	12	4	8	6	1	–	24
318	24	1	78	8	12	38	23	7	15	3	–	7	8	8	90	40	34	16	9	–	25
403	28	1	108	26	16	46	16	6	27	1	–	7	9	3	106	33	40	11	6	–	26
69	10	–	31	7	4	3	2	2	7	1	–	3	3	–	18	1	4	2	2	–	27
334	18	1	77	19	12	43	14	4	20	–	–	4	6	3	88	32	36	9	4	–	28
1,249	69	14	455	74	65	118	53	15	124	11	2	28	32	9	334	74	128	134	56	13	29
43	4	1	19	3	1	4	2	–	4	–	–	2	3	–	9	1	5	4	2	–	30
102	2	2	32	7	15	13	4	1	6	1	1	1	–	2	22	1	9	6	3	–	31
143	11	1	45	4	7	10	5	1	11	–	–	6	6	2	52	12	18	14	9	4	32
90	7	2	42	8	6	10	2	1	5	1	–	2	–	–	32	3	12	11	3	1	33
57	–	1	20	3	–	5	3	–	5	1	–	–	–	–	12	4	2	5	1	–	34
43	4	–	15	2	1	1	3	1	5	1	–	1	1	–	12	3	3	9	5	–	35
167	7	2	65	11	12	23	7	3	21	–	–	3	4	2	40	9	13	10	1	3	36
69	3	–	24	4	2	4	3	1	11	–	–	2	2	–	17	7	4	12	1	–	37
62	4	2	26	5	1	4	4	–	4	–	–	2	2	1	19	1	4	7	4	–	38
233	17	–	81	12	12	18	8	2	23	3	–	2	4	–	46	6	22	21	8	–	39
81	4	1	27	6	4	8	5	1	8	1	–	–	5	–	20	8	11	14	3	1	40
159	6	2	59	9	4	18	7	4	21	3	1	7	6	2	53	19	25	21	16	4	41
738	32	4	262	30	35	54	39	3	36	6	–	16	19	8	163	63	71	60	11	–	42
38	2	1	16	2	3	4	7	–	3	–	–	2	3	1	11	10	1	1	2	–	43
330	18	1	133	21	13	26	18	1	19	4	–	4	6	4	70	20	25	27	2	–	44
102	3	–	27	3	3	6	3	–	1	–	–	2	3	2	29	8	7	4	4	–	45
268	9	2	86	4	16	18	11	2	13	2	–	8	7	1	53	25	38	28	3	–	46
2,097	97	13	744	101	117	246	108	21	195	21	–	59	84	45	611	206	234	197	70	11	47
63	4	1	27	2	4	5	4	–	9	–	–	2	3	2	12	7	8	8	5	–	48
35	2	1	19	2	2	8	2	–	9	–	–	–	2	2	6	4	4	7	–	–	49
41	–	–	13	3	4	7	1	–	4	1	–	–	–	2	15	5	2	4	–	–	50
63	3	–	29	3	6	11	6	–	4	–	–	2	2	–	24	3	9	5	1	–	51
108	2	–	44	6	5	15	7	1	5	1	–	2	1	–	19	12	5	3	–	–	52
26	1	–	11	1	–	2	1	–	5	–	–	3	3	1	8	3	4	2	–	–	53
114	6	2	47	4	9	6	11	2	21	2	–	1	3	2	46	10	13	10	3	1	54
145	6	–	47	22	11	24	9	2	6	1	–	3	3	3	47	4	13	20	1	2	55
961	51	4	333	37	46	106	43	9	98	11	–	26	51	29	297	108	118	85	42	4	56
175	7	2	57	8	9	21	5	2	7	3	–	10	4	1	39	13	10	15	2	1	57
58	2	1	33	3	7	11	2	–	4	–	–	2	–	–	13	2	5	8	–	1	58
173	7	2	51	5	7	24	13	2	15	2	–	8	7	2	54	20	27	19	7	1	59
135	6	–	33	5	7	6	4	3	8	–	–	2	3	3	31	15	16	11	7	1	60
508	39	7	175	22	33	73	19	4	23	4	–	6	18	12	112	43	52	21	10	–	61
167	13	1	71	7	8	26	9	1	4	–	–	–	6	2	40	8	18	6	3	–	62
74	5	1	19	3	9	6	3	1	3	3	–	3	8	2	13	11	3	3	2	–	63
267	21	5	85	12	16	41	7	2	16	1	–	3	4	8	59	24	31	12	5	–	64
247	10	2	89	15	16	29	18	–	13	2	–	5	3	37	64	26	33	19	5	1	65
85	5	–	30	6	7	6	6	–	7	–	–	2	1	10	22	6	7	9	2	–	66
162	5	2	59	9	9	23	12	–	6	2	–	3	2	27	42	20	26	10	3	1	67
7	1	–	–	–	–	1	1	–	–	–	–	–	–	–	5	2	2	1	–	–	68
93	9	–	33	1	4	12	3	1	9	–	–	2	1	9	38	26	15	7	1	1	69
357	29	2	133	10	22	37	17	5	33	5	–	20	21	5	115	38	42	33	11	1	70
44	4	1	14	1	3	3	1	–	4	–	–	3	2	1	20	7	8	5	–	–	71
43	3	–	18	1	2	1	3	–	1	–	–	3	–	–	12	4	6	3	1	–	72
189	16	–	70	6	13	25	8	5	24	4	–	6	11	–	62	13	18	21	10	1	73
81	6	1	31	2	4	8	5	–	4	1	–	8	8	4	21	14	10	4	–	–	74
740	71	9	285	51	40	93	40	5	54	8	–	27	13	13	229	84	62	57	11	4	75
71	7	1	25	3	2	10	5	1	2	–	–	2	3	1	22	12	6	8	–	–	76
238	22	2	97	12	15	31	15	1	21	4	–	6	5	2	87	24	21	19	2	1	77
431	42	6	163	36	23	52	20	3	31	4	–	19	5	10	120	48	35	30	9	3	78
623	38	7	194	35	33	69	35	4	41	6	–	13	20	5	156	88	76	45	19	1	79
229	17	5	75	12	11	27	10	2	20	2	–	5	7	2	61	26	33	22	9	1	80
89	4	2	26	4	6	11	3	1	1	2	–	1	2	–	21	2	6	4	–	–	81
305	17	–	93	19	16	31	22	1	20	2	–	7	11	3	74	60	37	19	10	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
01	Sutter	375	1	–	1	61	10	26	2	4	5	2	12	6	163	124	5	3
02	Yuba City	156	1	–	–	29	6	14	1	1	3	1	3	1	76	54	1	1
03	Balance of county	219	–	–	1	32	4	12	1	3	2	1	9	5	87	70	4	2
04	Tehama	342	–	–	1	76	19	22	6	8	6	1	14	7	159	109	3	–
05	Trinity	94	–	–	1	12	2	2	2	2	–	1	3	1	43	30	1	–
06	Tulare	1,741	8	1	9	315	72	93	24	31	16	9	70	19	832	606	20	9
07	Porterville	173	1	–	1	36	7	11	4	5	–	2	7	2	73	48	–	1
08	Tulare	242	–	1	1	43	11	19	1	2	4	1	5	4	126	94	2	2
09	Visalia	318	2	–	–	59	9	18	5	5	3	2	17	5	164	121	5	2
10	Balance of county	1,008	5	–	7	177	45	45	14	19	9	4	41	8	469	343	13	4
11	Tuolumne	271	–	–	–	63	19	15	3	5	2	3	16	5	135	99	2	1
12	Ventura	2,651	2	–	18	572	134	142	49	74	29	27	117	48	1,213	890	18	4
13	Camarillo	125	–	–	1	28	3	8	4	4	3	1	5	2	64	45	3	–
14	Oxnard	495	1	–	10	92	19	24	4	18	3	3	21	12	216	160	5	–
15	Port Hueneme	99	–	–	–	17	4	4	–	2	1	1	5	2	56	47	1	–
16	Santa Paula	168	–	–	2	36	12	9	2	7	2	1	3	5	75	49	1	–
17	Simi Valley	243	–	–	2	71	18	18	7	8	3	5	12	8	89	69	–	1
18	Thousand Oaks	186	–	–	–	46	8	8	8	3	2	1	16	2	85	71	2	–
19	Ventura	536	1	–	–	111	25	26	15	14	7	4	20	9	269	197	5	2
20	Balance of county	799	–	–	3	171	45	45	9	18	8	11	35	8	359	252	1	1
21	Yolo	740	2	1	3	150	33	54	9	15	4	8	27	10	327	247	8	1
22	Davis	101	–	–	1	29	6	10	3	4	–	–	6	–	44	34	1	–
23	Woodland	222	1	1	1	32	6	11	1	3	2	4	5	2	123	100	1	–
24	Balance of county	417	1	–	1	89	21	33	5	8	2	4	16	8	160	113	6	1
25	Yuba	355	–	–	4	59	17	17	2	5	3	2	13	1	164	122	3	1
26	**Colorado**	**17,999**	**27**	**2**	**152**	**3,103**	**765**	**634**	**330**	**390**	**157**	**154**	**673**	**260**	**8,302**	**6,127**	**194**	**119**
27	Urban places	11,772	21	2	99	2,056	509	424	219	254	114	82	454	165	5,489	4,102	127	91
28	Balance of area	6,227	6	–	53	1,047	256	210	111	136	43	72	219	95	2,813	2,025	67	28
29	Metropolitan counties	11,914	23	2	101	2,147	523	449	229	251	109	100	486	158	5,363	4,022	123	88
30	Urban places	10,266	20	2	89	1,821	446	383	199	223	93	69	408	140	4,715	3,554	106	83
31	Balance of area	1,648	3	–	12	326	77	66	30	28	16	31	78	18	648	468	17	5
32	Nonmetropolitan counties	6,085	4	–	51	956	242	185	101	139	48	54	187	102	2,939	2,105	71	31
33	Urban places	1,506	1	–	10	235	63	41	20	31	21	13	46	25	774	548	21	8
34	Balance of area	4,579	3	–	41	721	179	144	81	108	27	41	141	77	2,165	1,557	50	23
35	Adams	1,041	1	–	11	192	49	45	18	14	4	11	51	11	417	307	15	6
36	Arvada, part	4	–	–	–	1	–	–	–	–	–	–	1	–	3	2	1	–
37	Aurora, part	114	–	–	4	27	9	4	2	2	–	1	9	–	47	35	–	–
38	Commerce City	120	–	–	2	24	3	10	1	1	–	1	8	2	43	32	3	2
39	North Glenn	92	–	–	–	14	1	2	6	1	–	–	4	1	45	35	1	–
40	Thornton	122	–	–	–	17	4	6	1	2	–	1	3	2	51	41	1	1
41	Westminster	171	1	–	2	28	7	11	2	2	–	–	6	1	72	54	3	2
42	Balance of county	418	–	–	3	81	25	12	6	6	4	8	20	5	156	108	6	1
43	Alamosa	66	–	–	–	12	2	3	1	1	1	1	3	1	23	15	–	–
44	Arapahoe	1,030	2	1	7	219	47	49	36	24	12	9	42	17	419	302	12	10
45	Aurora, part	324	1	1	5	56	10	10	12	3	4	1	16	6	129	101	5	5
46	Aurora, total	438	1	1	9	83	19	14	14	5	4	2	25	6	176	136	5	5
47	Englewood	314	1	–	–	71	11	22	9	14	2	3	10	5	140	102	2	2
48	Littleton	227	–	–	1	56	17	9	8	6	4	2	10	4	93	54	2	2
49	Balance of county	165	–	–	1	36	9	8	7	1	2	3	6	2	57	45	3	1
50	Archuleta	19	–	–	–	2	1	–	–	–	–	–	1	–	10	6	–	–
51	Baca	51	–	–	1	12	–	4	–	1	–	1	6	–	25	19	3	–
52	Bent	74	1	–	–	14	2	1	2	5	–	1	3	2	24	13	–	–
53	Boulder	834	1	–	8	128	35	19	14	16	4	9	31	13	405	299	5	4
54	Boulder	370	1	–	5	49	12	9	4	8	1	4	11	8	184	134	3	1
55	Longmont	244	–	–	2	37	12	4	5	5	1	–	10	1	121	90	1	1
56	Balance of county	220	–	–	1	42	11	6	5	3	2	5	10	4	100	75	1	2
57	Chaffee	100	–	–	–	11	3	3	1	–	1	1	2	2	52	36	1	1
58	Cheyenne	22	–	–	–	5	1	1	–	1	–	1	1	–	12	7	–	–
59	Clear Creek	43	–	–	–	12	–	5	–	2	–	–	5	1	16	10	1	1
60	Conejos	54	–	–	1	6	1	2	–	1	–	1	1	3	26	22	1	2
61	Costilla	29	–	–	–	6	1	1	2	–	–	–	2	4	10	8	2	–
62	Crowley	52	–	–	–	6	2	–	2	1	–	–	1	2	30	21	–	–
63	Custer	12	–	–	–	2	–	–	1	–	–	–	1	–	8	5	–	–
64	Delta	228	–	–	3	35	7	12	3	5	1	2	5	3	130	91	3	1
65	Denver, coext. with Denver city	4,679	9	1	39	821	229	163	77	114	47	34	157	60	2,163	1,656	50	48
66	Dolores	15	–	–	–	–	–	–	–	–	–	–	–	1	7	5	1	–
67	Douglas	57	–	–	1	7	1	–	1	1	–	1	3	1	25	19	–	–
68	Eagle	38	–	–	3	7	1	1	–	2	–	1	2	1	7	6	–	–
69	Elbert	43	–	–	–	9	5	2	1	1	–	–	–	–	23	20	–	–
70	El Paso	1,610	7	–	13	255	55	55	28	24	13	10	70	16	721	537	17	4
71	Colorado Springs	1,288	5	–	11	204	45	43	24	19	11	7	55	14	596	447	12	4
72	Balance of county	322	2	–	2	51	10	12	4	5	2	3	15	2	125	90	5	–
73	Fremont	379	–	–	3	53	11	13	3	10	1	2	13	4	195	136	5	1
74	Garfield	139	–	–	1	20	7	5	1	2	1	3	1	4	53	37	2	1
75	Gilpin	10	–	–	–	–	–	–	–	–	–	–	–	–	9	7	–	–
76	Grand	29	–	–	1	6	–	2	1	1	–	–	2	–	13	9	–	–
77	Gunnison	30	–	–	–	6	–	–	–	3	–	2	1	2	10	9	1	–
78	Hinsdale	6	–	–	–	1	1	–	–	–	–	–	–	–	4	4	–	–
79	Huerfano	103	–	–	1	19	5	3	2	6	1	1	1	–	49	33	–	1
80	Jackson	14	–	–	–	1	1	–	–	–	–	–	–	–	8	7	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
463	45	1	125	30	23	89	28	7	22	4	–	18	24	17	162	62	66	58	10	1	01
74	12	–	21	6	2	12	3	2	2	1	–	3	6	1	24	9	11	10	2	–	02
74	13	–	22	6	2	12	3	2	2	1	–	3	6	1	24	9	11	10	2	–	03
187	16	–	45	9	12	42	15	3	5	2	–	9	6	9	63	25	29	26	2	–	04
107	5	–	24	11	4	14	4	2	4	1	–	2	1	4	25	9	7	4	2	–	05
95	12	1	35	4	5	21	6	–	11	–	–	4	11	3	50	19	19	18	4	1	06
4	1	–	–	–	1	–	1	–	–	–	–	1	–	1	3	2	1	1	–	–	07
19	3	–	4	2	1	2	1	–	1	–	–	–	–	–	9	2	5	–	–	–	08
4	–	–	6	2	–	1	1	–	1	1	–	–	1	–	3	8	5	1	–	–	09
51	4	–	12	5	4	10	2	–	4	–	–	3	3	–	15	5	6	5	1	1	10
28	2	–	9	3	1	8	2	–	1	–	–	1	–	–	6	3	3	2	–	1	11
23	2	–	3	2	3	2	–	–	3	–	–	2	3	–	9	2	3	3	1	–	12
275	22	–	76	16	12	34	17	4	9	1	–	3	6	4	72	28	78	13	–	2	13
113	12	–	27	4	7	10	5	2	6	–	–	–	3	1	29	13	13	4	–	1	14
92	4	–	32	8	4	14	6	–	1	1	–	–	2	1	23	6	11	1	–	–	15
70	6	–	17	4	1	10	6	2	2	–	–	3	1	2	20	9	5	8	–	1	16
66	5	1	28	4	2	10	3	–	4	–	–	1	2	1	16	9	5	2	4	–	17
22	–	–	4	1	–	1	–	–	3	–	–	–	–	–	7	2	1	–	–	–	18
64	4	1	15	–	4	8	3	–	4	1	–	1	2	–	27	6	12	3	3	–	19
45	3	1	10	–	3	7	2	–	4	–	–	1	2	–	20	3	7	3	1	–	20
19	1	–	5	–	1	1	1	–	–	1	–	–	–	–	7	3	5	–	2	–	21
164	18	1	72	10	10	14	15	1	10	3	–	8	5	2	62	32	24	13	1	–	22
91	10	–	44	7	5	10	10	1	6	1	–	4	4	1	36	16	14	4	1	–	23
73	8	1	28	3	5	4	5	–	4	2	–	4	1	1	26	16	10	9	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	25
12	7	1	3	2	–	1	3	–	–	–	–	3	3	1	7	3	5	4	–	1	26
26	3	–	7	5	1	8	2	–	2	2	–	3	2	1	16	6	3	2	3	1	27
39	11	–	20	4	4	14	3	3	–	1	–	2	1	2	20	10	13	4	–	–	28
64	4	–	23	4	5	13	5	1	2	1	–	–	1	5	11	8	4	2	–	–	29
94	4	1	32	3	5	18	5	1	1	1	–	4	–	–	27	8	4	8	4	–	30
3	1	–	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	31
9	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–	32
23	1	–	4	1	1	–	1	–	–	–	–	–	–	–	5	3	3	–	–	–	33
4	1	–	3	–	–	1	–	–	1	–	–	1	–	–	5	2	6	1	–	3	34
42	9	–	7	3	1	6	–	1	1	–	–	1	2	2	14	5	8	2	–	–	35
355	18	3	94	26	15	58	21	1	30	2	–	10	9	4	96	24	30	21	7	2	36
317	16	2	82	25	14	56	20	1	28	2	–	10	8	3	92	22	25	20	7	2	37
38	2	1	12	1	1	2	1	–	2	–	–	–	1	1	4	2	5	1	–	–	38
14	–	1	5	–	–	3	4	–	–	–	–	–	–	–	2	2	2	–	–	–	39
21	5	–	12	4	2	7	2	–	2	–	–	–	–	1	10	6	6	1	–	–	40
21	2	–	–	2	2	2	3	–	2	–	–	–	1	–	7	3	2	1	–	1	41
10	–	–	4	–	1	1	–	–	1	1	–	–	–	–	5	1	–	–	–	–	42
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	43
5	2	–	2	–	–	2	–	–	–	–	–	–	–	–	1	1	3	1	–	–	44
10	1	–	3	–	–	–	3	–	–	–	–	–	–	–	4	–	1	2	–	–	45
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	4	2	–	–	46
6	–	–	6	–	–	–	–	–	–	–	–	–	–	2	3	4	1	2	–	–	47
14	1	–	5	–	4	2	2	–	–	–	–	1	–	–	6	2	1	–	1	–	48
230	11	3	72	12	8	41	14	4	3	3	–	9	16	6	71	34	29	13	4	–	49
115	4	2	46	9	4	27	8	1	3	2	–	3	6	2	36	11	18	6	–	–	50
115	7	1	26	3	4	14	6	3	–	1	–	6	10	4	35	23	11	7	4	–	51
38	9	–	16	6	3	1	–	–	1	2	–	1	–	1	8	4	1	–	–	–	52
8,887	**817**	**72**	**2,481**	**487**	**421**	**927**	**263**	**80**	**442**	**92**	**1**	**161**	**284**	**218**	**2,127**	**445**	**556**	**311**	**111**	**81**	**53**
6,196	601	50	1,787	338	297	630	182	58	318	66	1	113	220	148	1,559	250	401	197	94	55	54
2,691	216	22	694	149	124	297	81	22	124	26	–	48	64	70	568	195	155	114	17	26	55
6,866	691	52	1,959	362	321	718	202	62	352	72	1	120	225	178	1,710	314	439	238	96	67	56
5,574	570	41	1,625	308	265	581	166	54	297	58	1	99	197	135	1,432	224	366	178	90	52	57
1,292	121	11	334	54	56	137	36	8	55	14	–	21	28	43	278	90	73	60	6	15	58
2,021	126	20	522	125	100	209	61	18	90	20	–	41	59	40	417	131	117	73	15	14	59
622	31	9	162	30	32	49	16	4	21	8	–	14	23	13	127	26	35	19	4	3	60
1,399	95	11	360	95	68	160	45	14	69	12	–	27	36	27	290	105	82	54	11	11	61
2,225	111	11	660	126	104	223	55	19	114	27	1	43	73	40	566	118	159	87	35	16	62
555	24	4	137	45	19	53	11	6	36	8	–	10	25	10	181	18	40	13	24	7	63
150	9	–	58	11	8	19	3	3	6	1	–	1	8	1	31	12	15	5	–	–	64
43	3	1	13	3	1	7	–	–	2	–	–	–	–	–	12	2	1	2	–	1	65
187	6	–	44	12	5	7	6	–	4	2	–	4	–	4	42	9	11	8	2	–	66
144	14	1	41	7	6	16	3	1	14	1	–	2	2	3	43	1	12	9	3	1	67
198	6	1	73	4	9	19	8	2	12	5	1	3	11	2	46	6	20	9	1	2	68
56	3	–	23	11	1	8	3	2	4	–	–	1	–	1	15	5	4	1	–	–	69
283	10	1	87	9	25	41	6	2	10	7	–	11	14	5	63	28	21	17	3	1	70
165	10	1	62	12	4	7	5	–	8	–	–	–	5	–	41	5	5	2	–	1	71
81	3	–	23	4	4	7	1	–	2	–	–	–	1	3	17	3	4	1	1	–	72
46	3	–	16	2	3	4	2	–	3	–	–	–	3	3	8	2	4	2	–	2	73
317	20	2	83	6	19	35	7	3	13	3	–	11	4	8	67	27	22	18	1	1	74
2,412	119	20	679	135	93	279	64	21	128	24	–	43	83	91	583	120	164	78	33	21	75
133	9	1	42	5	4	14	4	1	9	1	–	3	8	6	38	9	17	3	1	–	76
158	8	1	26	10	6	15	6	3	10	2	–	4	5	6	37	6	9	2	1	1	77
85	5	–	14	2	6	10	–	–	4	–	–	2	4	1	28	5	4	3	–	1	78
503	28	4	144	28	21	62	12	10	36	6	–	13	35	25	166	14	37	11	24	7	79
159	12	2	47	9	11	25	9	3	8	1	–	3	1	4	32	11	18	10	1	1	80
262	22	6	96	17	19	28	4	1	18	2	–	3	8	15	77	11	21	10	2	2	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Connecticut—Con.																	
	Hartford—Con.																	
01	Newington townt	198	–	–	–	53	17	9	7	4	1	2	13	2	107	88	1	–
02	Plainville townt	117	–	–	–	30	3	10	5	2	–	1	9	2	66	45	1	–
03	Southington townt	192	–	–	1	40	14	10	4	5	3	–	4	5	103	80	–	1
04	West Hartford townt	722	1	–	2	155	48	32	19	15	6	4	31	13	411	287	4	2
05	Wethersfield townt	273	–	–	1	68	16	14	8	8	3	4	15	3	140	105	3	–
06	Windsor Locks townt	89	–	–	1	20	3	7	4	1	–	2	3	2	47	38	–	1
07	Balance of county	1,407	1	–	18	324	86	76	39	34	15	18	56	15	705	530	6	7
08	Litchfield	1,375	–	–	7	305	95	59	29	30	19	13	60	22	714	533	7	11
09	Torrington	350	–	–	3	70	25	9	11	6	3	3	13	6	199	144	1	2
10	Balance of county	1,025	–	–	4	235	70	50	18	24	16	10	47	16	515	389	6	9
11	Middlesex	971	2	–	5	227	54	49	26	37	9	9	43	17	516	384	7	3
12	Middletown	296	–	–	3	70	22	15	5	12	–	2	14	6	155	117	3	1
13	Balance of county	675	2	–	2	157	32	34	21	25	9	7	29	11	361	267	4	2
14	New Haven	6,877	8	–	53	1,527	434	339	174	177	70	60	273	144	3,659	2,793	54	49
15	Ansonia	179	–	–	–	40	16	6	5	4	2	–	7	4	99	63	–	–
16	Derby	117	–	–	–	25	10	1	3	4	1	–	6	1	66	52	–	–
17	East Haven townt	184	–	–	–	55	19	8	9	5	3	2	9	4	85	66	1	1
18	Hamden townt	538	2	–	2	119	39	16	16	13	6	2	27	13	303	236	2	3
19	Meriden	555	–	–	5	124	32	34	13	17	7	6	15	11	303	209	5	4
20	Milford	421	–	–	1	98	27	26	11	7	4	6	17	9	221	170	1	2
21	Naugatuck	204	–	–	–	40	11	9	2	6	2	3	7	6	113	86	3	6
22	New Haven	1,332	4	–	12	269	66	68	25	35	13	11	51	38	677	542	9	6
23	Wallingford townt	308	–	–	2	60	18	13	8	8	1	4	8	6	179	132	1	1
24	Waterbury	1,142	1	–	8	225	77	53	15	22	16	6	36	19	632	474	10	21
25	West Haven townt	439	–	–	5	109	25	26	14	14	1	9	20	9	229	181	3	1
26	Balance of county	1,458	1	–	18	363	94	79	53	42	14	11	70	24	752	582	19	4
27	New London	1,887	1	–	7	404	128	92	41	36	18	19	70	36	1,020	755	11	9
28	New London	332	–	–	–	63	15	18	6	7	4	3	10	5	194	138	2	–
29	Norwich	406	1	–	–	76	32	13	7	9	3	4	8	13	222	173	3	2
30	Balance of county	1,149	–	–	7	265	81	61	28	20	11	12	52	18	604	444	6	7
31	Tolland	584	–	–	4	123	32	22	12	22	5	5	25	7	305	230	4	2
32	Vernon townt	158	–	–	–	29	6	5	1	7	2	3	5	3	83	57	1	1
33	Balance of county	426	–	–	4	94	26	17	11	15	3	2	20	4	222	173	3	1
34	Windham	840	1	–	2	182	49	40	20	21	9	6	37	23	422	308	5	4
35	Willimantic	90	–	–	–	13	5	2	–	1	1	1	3	7	49	40	–	–
36	Balance of county	750	1	–	2	169	44	38	20	20	8	5	34	16	373	268	5	4
37	**Delaware**	**4,781**	**12**	**–**	**23**	**971**	**231**	**259**	**74**	**107**	**60**	**42**	**198**	**124**	**2,506**	**2,017**	**42**	**37**
38	Urban places	2,014	3	–	14	415	99	113	34	40	26	19	84	60	1,022	821	22	22
39	Balance of area	2,767	9	–	9	556	132	146	40	67	34	23	114	64	1,484	1,196	20	15
40	Metropolitan counties	3,144	6	–	19	678	154	199	56	63	44	31	131	104	1,588	1,272	34	27
41	Urban places	1,850	3	–	13	385	93	107	33	34	25	18	75	57	936	757	22	20
42	Balance of area	1,294	3	–	6	293	61	92	23	29	19	13	56	47	652	515	12	7
43	Nonmetropolitan counties	1,637	6	–	4	293	77	60	18	44	16	11	67	20	918	745	8	10
44	Urban places	164	–	–	1	30	6	6	1	6	1	1	9	3	86	64	–	2
45	Balance of area	1,473	6	–	3	263	71	54	17	38	15	10	58	17	832	681	8	8
46	Kent	623	3	–	2	105	31	19	6	17	6	3	23	10	354	277	2	2
47	Dover	164	–	–	1	30	6	6	1	6	1	1	9	3	86	64	–	2
48	Balance of county	459	3	–	1	75	25	13	5	11	5	2	14	7	268	213	2	–
49	New Castle	3,144	6	–	19	678	154	199	56	63	44	31	131	104	1,588	1,272	34	27
50	Newark	217	–	–	2	53	12	11	5	6	4	4	11	4	87	70	2	–
51	Wilmington	1,633	3	–	11	332	81	96	28	28	21	14	64	53	849	687	20	20
52	Balance of county	1,294	3	–	6	293	61	92	23	29	19	13	56	47	652	515	12	7
53	Sussex	1,014	3	–	2	188	46	41	12	27	10	8	44	10	564	468	6	8
54	**District of Columbia**	**7,312**	**28**	**2**	**67**	**1,549**	**482**	**366**	**135**	**175**	**57**	**38**	**296**	**155**	**3,102**	**2,249**	**33**	**55**
55	**Florida**	**89,673**	**169**	**13**	**578**	**19,408**	**4,988**	**5,295**	**1,494**	**2,288**	**966**	**704**	**3,673**	**1,506**	**45,453**	**33,661**	**751**	**376**
56	Urban places	47,591	91	8	321	10,175	2,667	2,722	807	1,212	490	362	1,915	805	24,383	17,985	390	203
57	Balance of area	42,082	78	5	257	9,233	2,321	2,573	687	1,076	476	342	1,758	701	21,070	15,676	361	173
58	Metropolitan counties	58,124	110	11	390	12,754	3,323	3,394	1,058	1,464	626	455	2,434	949	29,539	21,934	500	251
59	Urban places	39,256	75	7	260	8,410	2,218	2,225	684	979	410	295	1,599	664	20,228	15,015	327	174
60	Balance of area	18,868	35	4	130	4,344	1,105	1,169	374	485	216	160	835	285	9,311	6,919	173	77
61	Nonmetropolitan counties	31,549	59	2	188	6,654	1,665	1,901	436	824	340	249	1,239	557	15,914	11,727	251	125
62	Urban places	8,335	16	1	61	1,765	449	497	123	233	80	67	316	141	4,155	2,970	63	29
63	Balance of area	23,214	43	1	127	4,889	1,216	1,404	313	591	260	182	923	416	11,759	8,757	188	96
64	Alachua	784	7	–	9	156	43	36	14	16	4	8	35	14	351	242	11	8
65	Gainesville	404	4	–	4	80	21	19	7	8	2	2	21	4	186	127	9	2
66	Balance of county	380	3	–	5	76	22	17	7	8	2	6	14	10	165	115	2	6
67	Baker	112	–	–	1	19	4	5	1	7	–	1	1	1	57	39	1	–
68	Bay	718	2	1	9	136	36	40	4	21	6	2	27	9	319	226	2	3
69	Panama City	457	1	1	7	91	23	30	4	14	1	1	18	7	197	138	1	–
70	Balance of county	261	1	–	2	45	13	10	–	7	5	1	9	2	122	88	1	3
71	Bradford	145	–	–	2	24	3	5	1	2	4	1	8	2	74	56	–	1
72	Brevard	1,865	4	–	5	475	126	136	33	58	25	16	81	38	898	683	11	7
73	Cocoa	175	–	–	–	55	12	18	3	8	3	1	10	2	76	61	1	–
74	Melbourne	388	–	–	1	90	23	27	7	11	4	3	15	11	198	167	3	4
75	Rockledge	75	–	–	1	21	6	7	–	3	2	1	2	1	32	24	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
82	5	–	17	1	1	7	3	–	1	–	–	2	1	3	12	5	–	2	–	–	01
41	3	–	17	3	1	3	–	–	2	–	–	–	1	–	9	2	1	–	–	1	02
78	1	1	17	2	3	9	2	–	5	–	–	3	1	3	8	5	4	2	–	1	03
273	8	1	93	29	1	33	8	1	7	2	–	3	5	5	49	7	10	9	1	–	04
101	1	1	28	1	5	8	2	1	5	3	–	2	1	4	16	5	10	3	1	–	05
36	1	–	5	3	1	4	1	–	1	–	–	–	–	1	5	3	3	1	–	–	06
501	16	3	133	25	14	61	13	1	22	7	–	5	13	18	106	37	30	22	2	7	07
501	14	7	119	28	27	45	19	3	23	7	–	7	12	9	121	24	32	18	3	4	08
137	4	1	35	8	11	9	5	–	1	3	–	3	3	2	34	4	6	2	–	–	09
364	10	6	84	20	16	36	14	3	22	4	–	4	9	7	87	20	26	16	3	4	10
349	25	4	92	15	21	34	13	2	20	–	–	3	8	6	65	21	14	10	4	4	11
109	4	1	28	3	6	12	4	–	5	–	–	1	4	4	17	5	4	3	2	1	12
240	21	3	64	12	15	22	9	2	15	–	–	2	4	2	48	16	10	7	2	3	13
2,229	461	21	620	101	124	216	83	22	110	21	–	34	69	47	561	76	116	73	28	30	14
58	5	–	23	5	8	6	1	–	1	–	–	2	2	–	18	1	1	4	–	–	15
48	4	1	9	2	2	4	1	–	1	–	–	2	1	–	12	2	1	–	1	–	16
40	24	–	13	2	4	5	3	–	2	–	–	–	1	1	17	2	5	1	1	2	17
162	69	–	50	4	13	12	6	–	8	2	–	2	4	4	35	6	16	3	1	–	18
170	30	4	73	7	10	20	5	4	12	2	–	6	5	2	39	4	8	3	–	2	19
158	9	3	40	4	4	14	4	–	9	1	–	–	2	4	35	4	5	11	2	1	20
73	4	2	21	2	2	5	4	2	1	–	–	1	1	1	23	3	2	1	–	1	21
369	158	3	94	12	26	45	21	6	31	8	–	2	17	7	127	8	30	17	9	4	22
117	13	–	43	2	2	20	4	2	2	1	–	3	3	1	14	8	2	–	–	1	23
428	15	1	106	29	22	28	13	4	16	1	–	9	19	9	102	10	18	10	9	9	24
132	45	1	30	9	8	16	5	–	7	2	–	2	3	1	34	2	7	3	2	3	25
474	85	6	118	23	23	41	16	4	20	4	–	5	11	17	105	26	21	20	3	7	26
671	64	7	191	43	24	68	11	8	26	8	–	19	22	16	129	44	35	28	3	2	27
124	12	1	44	9	2	9	1	1	8	1	–	2	5	1	20	6	9	7	–	–	28
162	6	5	35	6	3	16	2	2	2	4	–	3	5	4	39	4	9	2	1	1	29
385	46	1	112	28	19	43	8	5	16	3	–	14	12	11	70	34	17	19	2	1	30
210	14	1	59	4	11	26	6	1	6	2	–	6	8	6	38	20	14	9	1	2	31
52	3	1	15	3	7	2	3	1	1	–	–	4	5	2	9	5	6	4	–	1	32
158	11	–	44	1	4	24	3	–	5	2	–	2	3	4	29	15	8	5	1	1	33
290	9	1	61	35	17	36	12	4	15	3	–	6	9	3	64	22	22	8	4	2	34
38	2	–	5	1	3	1	1	–	4	–	–	1	1	–	8	2	1	1	1	–	35
252	7	1	56	34	14	35	11	4	11	3	–	5	8	3	56	20	21	7	3	2	36
1,846	92	8	339	70	72	87	51	8	95	17	1	36	52	30	414	128	104	71	42	9	37
738	39	4	145	28	24	37	21	1	53	7	–	15	28	15	170	49	47	32	22	3	38
1,108	53	4	194	42	48	50	30	7	42	10	1	21	24	15	244	79	57	39	20	6	39
1,147	64	4	213	56	43	55	34	4	71	11	1	27	35	17	258	77	73	54	26	6	40
678	37	3	131	25	20	31	20	–	51	7	–	13	24	14	155	40	45	31	22	3	41
469	27	1	82	31	23	24	14	4	20	4	1	14	11	3	103	37	28	23	4	3	42
699	28	4	126	14	29	32	17	4	24	6	–	9	17	13	156	51	31	17	16	3	43
60	2	1	14	3	4	6	1	1	2	–	–	2	4	1	15	9	2	1	–	–	44
639	26	3	112	11	25	26	16	3	22	6	–	7	13	12	141	42	29	16	16	3	45
264	9	1	52	11	13	17	5	1	7	–	–	4	5	5	56	26	11	5	6	1	46
60	2	1	14	3	4	6	1	1	2	–	–	2	4	1	15	9	2	1	–	–	47
204	7	–	38	8	9	11	4	–	5	–	–	2	1	4	41	17	9	4	6	1	48
1,147	64	4	213	56	43	55	34	4	71	11	1	27	35	17	258	77	73	54	26	6	49
64	4	1	11	3	2	4	2	–	7	–	–	2	5	4	18	13	7	6	3	–	50
614	33	2	120	22	18	27	18	–	44	7	–	11	19	10	137	27	38	25	19	3	51
469	27	1	82	31	23	24	14	4	20	4	1	14	11	3	103	37	28	23	4	3	52
435	19	3	74	3	16	15	12	3	17	6	–	5	12	8	100	25	20	12	10	2	53
1,980	181	22	542	193	96	247	55	22	358	52	2	40	169	80	763	84	204	91	202	40	54
30,873	1,661	290	8,965	1,193	1,344	2,207	1,335	305	1,742	376	12	503	793	1,343	7,279	1,927	2,056	1,466	987	215	55
16,594	798	164	4,933	591	710	1,264	680	161	1,023	220	4	257	414	615	3,918	813	1,011	741	574	113	56
14,279	863	126	4,032	602	634	943	655	144	719	156	8	246	379	728	3,361	1,114	1,045	725	413	102	57
20,173	1,010	189	5,769	777	870	1,469	862	183	1,171	243	7	342	517	630	4,774	1,096	1,265	1,018	681	113	58
13,868	646	133	3,990	493	597	1,053	562	126	843	182	4	222	339	425	3,239	620	810	637	473	77	59
6,305	364	56	1,779	284	273	416	300	57	328	61	3	120	178	205	1,535	476	455	381	208	36	60
10,700	651	101	3,196	416	474	738	473	122	571	133	5	161	276	713	2,505	831	791	448	306	102	61
2,726	152	31	943	98	113	211	118	35	180	38	–	35	75	190	679	193	201	104	101	36	62
7,974	499	70	2,253	318	361	527	355	87	391	95	5	126	201	523	1,826	638	590	344	205	66	63
186	37	3	83	15	8	17	11	1	10	3	1	9	15	27	76	28	23	8	14	4	64
103	13	1	45	10	3	10	6	1	8	1	–	7	3	13	47	10	15	1	2	2	65
83	24	2	38	5	5	7	5	–	2	2	1	2	12	14	29	18	8	7	12	2	66
36	2	–	16	2	–	2	1	1	3	–	–	1	1	–	13	5	4	2	1	–	67
205	16	2	72	6	13	14	11	2	15	2	–	5	6	49	55	22	29	14	14	4	68
125	12	–	46	4	9	11	6	2	9	–	–	3	6	25	37	13	19	9	11	2	69
80	4	2	26	2	4	3	5	–	6	2	–	2	–	24	18	9	10	5	3	2	70
52	3	–	11	5	2	6	3	1	2	1	–	1	2	1	6	11	5	3	1	–	71
644	21	12	160	19	24	30	29	11	30	5	–	13	17	5	149	61	38	31	14	12	72
58	2	–	11	2	2	1	6	–	2	2	–	–	1	–	18	3	3	–	4	2	73
154	6	1	21	6	3	6	6	5	4	1	–	1	1	1	30	12	8	7	3	3	74
24	–	2	4	1	1	1	–	–	1	–	–	1	–	–	8	2	2	3	1	1	75

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
	Brevard—Con.																	
01	Titusville	247	–	–	–	60	13	13	4	12	5	2	11	6	113	72	1	1
02	Balance of county	980	4	–	3	249	72	71	19	24	11	9	43	18	479	359	6	2
03	Broward	9,752	18	1	51	2,321	638	590	188	277	117	94	417	143	5,052	3,810	105	47
04	Deerfield Beach	401	2	–	2	79	20	15	10	16	5	5	8	6	217	160	7	3
05	Fort Lauderdale	2,527	4	–	11	563	138	152	45	66	29	21	112	28	1,309	966	30	11
06	Hallandale	609	2	–	5	149	52	20	11	21	9	10	26	13	350	271	5	2
07	Hollywood	1,526	2	–	12	345	110	85	13	33	21	14	69	28	798	630	17	6
08	Lauderdale Lakes	255	–	–	1	67	21	17	5	4	3	3	14	6	138	106	3	2
09	Miramar	240	–	–	1	63	10	24	8	8	4	–	9	3	120	90	2	–
10	Oakland Park	150	–	–	–	33	10	10	1	5	2	2	3	4	79	56	1	2
11	Pembroke Pines	206	–	–	1	56	16	14	6	6	1	1	12	3	105	85	1	2
12	Plantation	247	1	–	1	56	15	22	–	2	4	2	11	3	134	98	4	1
13	Pompano Beach	821	3	–	6	195	56	47	17	24	10	9	32	12	421	299	2	8
14	Wilton Manor	149	–	–	–	34	5	8	9	5	2	1	4	–	83	62	3	–
15	Balance of county	2,621	4	1	11	681	185	176	63	87	27	26	117	37	1,298	987	30	10
16	Calhoun	82	1	–	2	11	–	2	2	2	–	1	4	–	39	31	1	–
17	Charlotte	694	2	–	4	153	34	52	12	16	10	2	27	8	383	303	6	4
18	Citrus	519	–	–	3	130	26	45	6	15	8	2	28	5	261	187	5	2
19	Clay	358	1	–	–	66	19	15	3	8	5	8	8	7	190	161	1	2
20	Collier	660	–	–	4	159	34	48	11	22	4	5	35	13	297	241	8	3
21	Naples	257	–	–	1	68	17	19	3	11	3	1	14	4	125	103	4	1
22	Balance of county	403	–	–	3	91	17	29	8	11	1	4	21	9	172	138	4	2
23	Columbia	304	1	–	2	51	9	18	4	7	2	1	10	6	128	92	2	2
24	Lake City	138	–	–	1	29	5	11	2	3	2	–	6	2	61	44	1	–
25	Balance of county	166	1	–	1	22	4	7	2	4	–	1	4	4	67	48	1	2
26	Dade	14,877	27	5	108	3,322	923	828	299	368	160	110	634	290	7,469	5,986	132	49
27	Coral Gables	438	–	–	2	97	28	23	7	10	7	2	20	7	224	173	3	1
28	Hialeah	873	–	1	7	213	54	58	20	23	9	7	42	16	398	332	10	5
29	Homestead	144	–	–	1	30	10	5	1	5	1	2	6	5	58	48	–	–
30	Miami	4,431	13	2	29	945	253	242	81	111	44	32	182	96	2,063	1,614	32	17
31	Miami Beach	2,576	–	1	15	537	175	119	53	55	20	17	98	53	1,578	1,326	24	4
32	Miami Springs	135	–	–	1	28	5	13	3	1	1	1	4	3	71	46	1	–
33	North Miami	627	–	–	4	136	34	38	12	18	7	4	23	13	338	284	4	1
34	North Miami Beach	911	1	–	7	210	72	41	20	22	10	6	39	15	553	460	13	4
35	Opa-Locka	157	2	–	1	31	10	7	1	–	1	3	9	7	64	54	–	1
36	South Miami	93	–	–	–	30	9	11	1	2	–	2	5	1	34	27	2	–
37	Balance of county	4,492	11	1	41	1,065	273	271	100	121	60	34	206	74	2,088	1,622	43	16
38	De Soto	160	–	–	1	33	8	5	2	6	2	1	9	3	81	67	–	–
39	Dixie	71	–	–	2	11	1	6	–	–	–	–	4	3	31	17	–	–
40	Duval, coext. with Jacksonville city	4,678	13	1	44	943	193	304	63	113	58	30	182	88	2,206	1,646	26	24
41	Escambia	1,604	1	–	11	344	80	119	27	36	14	8	60	25	735	492	21	5
42	Pensacola	692	–	–	7	132	31	37	14	16	6	2	26	10	337	222	8	4
43	Balance of county	912	1	–	4	212	49	82	13	20	8	6	34	15	398	270	13	1
44	Flagler	82	–	–	–	8	3	1	–	–	–	–	4	1	46	41	–	1
45	Franklin	91	–	–	2	18	4	7	1	2	3	–	1	–	40	33	–	–
46	Gadsden	339	–	–	3	61	17	18	2	5	5	5	9	3	150	94	2	5
47	Gilchrist	58	1	–	1	9	1	4	–	2	1	1	–	3	24	18	–	1
48	Glades	40	–	–	–	11	2	5	–	3	–	–	1	2	13	9	–	–
49	Gulf	96	–	–	1	15	5	3	2	1	–	–	4	3	40	34	1	–
50	Hamilton	86	1	–	–	15	6	1	1	2	1	1	3	1	32	28	–	1
51	Hardee	164	1	–	–	33	6	9	–	8	–	1	9	2	74	58	–	2
52	Hendry	146	–	–	1	23	5	5	2	3	2	–	6	6	63	46	2	–
53	Hernando	381	–	–	7	74	20	26	3	9	5	6	5	3	194	134	2	–
54	Highlands	584	1	–	5	112	33	24	5	16	8	6	20	14	292	210	4	2
55	Hillsborough	4,977	14	1	42	1,022	195	303	87	130	44	46	217	85	2,396	1,712	36	15
56	Plant City	190	2	1	1	34	7	8	4	3	2	2	8	4	100	75	2	1
57	Tampa	3,138	10	–	26	644	117	194	60	83	21	24	145	51	1,531	1,085	21	11
58	Balance of county	1,649	2	–	15	344	71	101	23	44	21	20	64	30	765	552	13	3
59	Holmes	153	–	–	1	25	4	7	1	6	3	–	4	5	75	60	–	–
60	Indian River	550	1	–	2	121	30	38	7	12	6	9	19	18	268	202	9	–
61	Vero Beach	238	1	–	–	59	18	15	3	9	1	3	10	5	118	85	6	–
62	Balance of county	312	–	–	2	62	12	23	4	3	5	6	9	13	150	117	3	–
63	Jackson	412	1	–	2	68	17	22	2	11	2	1	13	5	211	152	1	–
64	Jefferson	115	–	–	2	16	3	3	1	4	2	2	1	2	54	36	5	4
65	Lafayette	43	–	–	–	3	–	2	–	1	–	–	–	–	28	15	–	–
66	Lake	1,304	–	–	6	271	71	57	19	44	20	11	49	28	701	496	8	6
67	Leesburg	219	–	–	1	48	9	11	2	7	2	3	14	4	115	83	1	–
68	Balance of county	1,085	–	–	5	223	62	46	17	37	18	8	35	24	586	413	7	6
69	Lee	1,844	3	–	7	428	100	124	33	39	20	9	103	20	951	718	25	3
70	Fort Myers	479	1	–	4	106	27	35	8	6	3	2	25	4	223	160	4	1
71	Balance of county	1,365	2	–	3	322	73	89	25	33	17	7	78	16	728	558	21	2
72	Leon	685	1	–	13	131	33	40	10	17	5	1	25	11	279	186	7	12
73	Tallahassee	470	–	–	8	93	23	28	7	15	2	–	18	5	199	129	5	9
74	Balance of county	215	1	–	5	38	10	12	3	2	3	1	7	6	80	57	2	3
75	Levy	159	–	–	1	40	5	13	2	6	3	3	8	6	71	51	3	1
76	Liberty	41	1	–	–	7	1	1	1	–	1	–	3	1	20	15	2	–
77	Madison	165	–	–	–	31	1	10	4	7	1	2	6	4	81	68	–	2
78	Manatee	1,836	1	–	9	383	107	81	33	45	23	18	76	32	949	720	12	3
79	Bradenton	583	1	–	6	109	28	21	10	13	11	7	19	7	321	233	4	–
80	Balance of county	1,253	–	–	3	274	79	60	23	32	12	11	57	25	628	487	8	3
81	Marion	1,071	–	1	9	236	56	89	13	17	11	11	39	21	521	319	6	2
82	Ocala	392	–	–	4	83	21	31	4	5	2	8	12	9	185	107	3	2
83	Balance of county	679	–	1	5	153	35	58	9	12	9	3	27	12	336	212	3	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
67	3	2	31	2	6	6	5	–	6	–	–	2	4	1	18	14	8	3	1	–	01
341	10	7	93	8	12	16	12	6	17	2	–	9	11	3	75	30	17	18	5	6	02
3,509	149	44	915	119	164	216	110	35	206	38	–	33	82	21	790	144	194	174	105	18	03
143	7	4	44	3	6	11	2	2	10	5	–	–	2	–	36	5	6	9	5	2	04
896	29	18	245	36	44	49	24	13	60	8	–	13	30	11	213	40	55	51	40	5	05
249	15	1	60	7	11	8	2	2	8	–	–	2	2	1	39	6	8	3	9	–	06
584	23	4	126	12	26	33	20	4	28	7	–	5	10	1	138	28	35	21	9	2	07
98	3	–	24	2	6	6	2	–	4	–	–	1	1	–	23	1	2	2	1	1	08
83	5	–	23	1	6	8	2	–	6	1	–	2	1	–	21	3	6	3	–	–	09
49	4	–	15	5	3	3	1	–	7	–	–	–	–	–	10	5	3	5	–	–	10
78	4	–	18	1	1	7	–	1	3	–	–	2	2	1	11	2	5	3	3	1	11
88	5	–	23	5	8	13	3	–	5	1	–	1	2	–	14	3	5	2	1	2	12
278	11	3	93	13	13	19	19	5	22	2	–	1	7	2	57	6	19	20	5	–	13
58	1	1	18	1	1	6	3	–	2	1	–	–	1	–	10	4	2	2	1	–	14
905	42	13	226	33	39	53	32	8	51	13	–	7	24	5	218	41	48	53	31	5	15
25	5	–	8	–	–	1	–	1	2	–	–	1	5	4	6	2	5	–	–	2	16
283	10	3	50	7	20	16	21	3	11	2	–	–	–	2	49	10	16	9	4	1	17
173	7	–	66	3	5	9	7	2	7	2	–	2	2	3	66	7	6	6	–	1	18
142	16	1	21	2	5	6	4	–	7	4	–	3	6	3	22	17	11	5	6	–	19
222	8	1	45	3	7	13	12	3	24	–	–	4	2	4	58	23	21	14	9	–	20
96	2	–	18	–	4	2	4	1	10	–	–	3	–	–	17	10	6	3	3	–	21
126	6	1	27	3	3	11	8	2	14	–	–	1	2	4	41	13	15	11	6	–	22
81	7	1	34	–	1	9	4	–	6	3	–	–	5	22	26	15	11	3	2	10	23
41	2	–	17	–	–	2	1	–	4	–	–	–	3	6	13	6	6	–	–	4	24
40	5	1	17	–	1	7	3	–	2	3	–	–	2	16	13	9	5	3	2	6	25
5,514	291	32	1,117	121	213	358	206	53	323	82	2	93	108	72	1,310	260	278	287	219	5	26
164	5	–	45	1	5	21	6	–	7	2	–	2	4	3	29	11	7	10	6	–	27
308	9	1	42	7	16	25	16	3	24	5	–	5	5	3	78	26	11	23	13	1	28
43	5	1	6	1	2	3	1	–	3	1	–	4	2	1	17	6	8	2	2	–	29
1,472	93	9	347	44	49	123	64	19	135	38	–	33	31	23	480	75	82	80	97	3	30
1,257	41	10	171	11	60	52	26	8	25	11	–	3	2	5	185	10	26	31	8	–	31
41	4	1	19	2	3	3	2	1	4	–	–	–	2	–	12	3	4	1	–	–	32
263	16	–	40	4	10	21	7	2	18	2	–	2	3	4	48	5	10	11	3	–	33
433	10	–	82	6	5	16	10	3	4	–	–	1	1	–	49	8	15	15	3	–	34
47	6	–	7	2	1	2	3	–	7	1	–	1	3	3	9	5	5	7	6	–	35
22	3	–	6	–	1	3	1	1	3	–	–	–	2	–	9	4	2	3	2	–	36
1,464	99	10	352	43	61	89	70	16	93	22	2	42	55	30	394	107	108	104	79	1	37
67	–	–	10	2	2	5	1	–	1	2	–	2	2	2	16	3	2	2	3	1	38
16	1	–	11	3	–	2	1	–	–	–	–	1	–	7	6	1	2	2	2	–	39
1,517	79	21	433	37	69	117	77	13	135	25	2	48	76	34	397	99	140	96	104	20	40
430	36	4	182	34	23	47	25	5	30	7	–	13	31	10	154	42	74	26	15	9	41
192	18	3	84	17	11	23	10	2	11	3	–	7	11	2	76	15	28	6	10	2	42
238	18	1	98	17	12	24	15	3	19	4	–	6	20	8	78	27	46	20	5	7	43
37	3	–	2	1	2	5	2	–	3	1	–	–	1	1	8	1	2	2	1	–	44
29	4	–	5	1	1	1	1	–	1	–	–	–	1	10	7	2	6	1	1	–	45
70	17	5	45	1	5	10	5	1	5	2	1	5	6	15	33	12	16	4	5	2	46
15	2	–	5	1	–	–	1	–	1	–	–	–	–	3	7	2	3	1	2	–	47
8	1	–	2	–	2	1	–	–	1	–	–	–	1	1	3	2	3	1	1	–	48
27	6	–	5	1	–	3	1	–	1	2	–	1	1	14	8	1	2	–	1	2	49
20	7	–	4	–	–	4	1	1	2	1	–	–	2	4	6	6	3	2	2	3	50
54	2	1	13	2	–	7	1	–	2	–	–	2	4	5	16	6	5	2	4	–	51
44	–	3	13	1	–	4	5	4	2	–	–	1	4	2	9	6	7	8	1	–	52
125	7	1	47	5	7	7	6	–	5	–	–	2	2	29	27	13	7	3	2	1	53
192	12	2	60	12	8	13	20	2	8	3	–	1	7	7	41	16	21	11	9	1	54
1,587	74	12	537	68	67	153	62	11	102	23	–	45	50	118	402	144	118	99	71	19	55
69	3	–	19	4	2	2	3	1	1	2	–	6	5	2	12	5	4	1	4	–	56
1,006	47	8	352	43	43	103	40	5	71	17	–	24	28	74	262	61	73	61	45	12	57
512	24	4	166	21	22	48	19	5	30	4	–	15	17	42	128	78	41	37	22	7	58
55	5	–	12	2	1	4	5	1	3	1	–	–	2	4	9	6	5	2	2	3	59
182	11	4	50	6	6	15	2	1	10	4	–	2	2	14	54	17	12	5	2	–	60
77	2	1	24	4	4	7	1	–	2	3	–	–	–	7	28	6	–	1	–	–	61
105	9	3	26	2	2	8	1	1	8	1	–	2	2	7	26	11	12	4	2	–	62
128	23	1	45	8	5	7	5	1	7	–	1	1	11	20	34	8	21	4	3	2	63
23	4	–	16	1	1	4	1	1	–	2	–	1	3	4	14	2	3	1	5	–	64
14	1	–	11	–	2	2	–	–	1	–	–	1	–	–	1	2	2	2	–	1	65
448	34	7	153	25	20	30	16	9	15	8	–	7	8	12	99	33	26	14	18	3	66
75	7	1	26	1	4	10	3	1	1	1	–	3	1	3	14	4	2	2	4	2	67
373	27	6	127	24	16	20	13	8	14	7	–	4	7	9	85	29	24	12	14	1	68
656	34	2	168	21	42	40	38	8	42	6	–	6	18	4	147	48	27	27	17	7	69
146	9	2	49	6	6	12	11	4	12	3	–	1	10	1	36	20	14	5	10	2	70
510	25	–	119	15	36	28	27	4	30	3	–	5	8	3	111	28	13	22	7	5	71
135	32	5	68	8	12	16	9	1	12	6	–	9	10	10	83	27	21	26	13	7	72
97	18	4	52	7	7	11	6	1	7	5	–	5	9	6	58	11	13	20	7	6	73
38	14	1	16	1	5	5	3	–	5	1	–	4	1	4	25	16	8	6	6	1	74
46	1	–	12	5	3	1	–	–	1	–	–	2	5	1	21	3	4	2	1	–	75
13	–	–	3	2	–	–	–	–	1	–	–	–	–	2	3	2	1	2	1	–	76
62	4	–	8	2	3	7	4	–	1	–	–	2	3	5	13	7	1	2	4	–	77
660	45	5	177	16	31	44	31	10	20	8	–	11	13	129	112	23	26	22	5	8	78
219	10	2	71	7	8	16	14	3	11	2	–	1	3	35	27	10	6	9	1	1	79
441	35	3	106	9	23	28	17	7	9	6	–	10	10	94	85	13	20	13	4	7	80
292	19	4	172	10	16	24	14	9	18	7	–	4	16	4	87	30	31	11	19	9	81
96	6	–	70	4	4	9	6	4	8	3	–	–	7	2	36	12	11	3	5	5	82
196	13	4	102	6	12	15	8	5	10	4	–	4	9	2	51	18	20	8	14	4	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
01	Martin	605	1	–	5	149	36	36	13	22	5	4	33	8	299	204	3	2
02	Monroe	542	1	–	1	110	19	38	6	17	1	5	24	10	250	199	3	6
03	Key West	257	1	–	1	47	9	14	2	7	1	3	11	8	121	102	1	5
04	Balance of county	285	–	–	–	63	10	24	4	10	–	2	13	2	129	97	2	1
05	Nassau	222	1	–	2	39	8	14	2	4	1	–	10	6	101	77	3	–
06	Okaloosa	489	–	–	7	85	16	32	6	8	7	2	14	4	224	178	7	4
07	Fort Walton Beach	115	–	–	1	25	6	9	1	1	3	1	4	–	51	42	–	1
08	Balance of county	374	–	–	6	60	10	23	5	7	4	1	10	4	173	136	7	3
09	Okeechobee	161	2	–	–	35	6	15	1	2	1	3	7	4	76	61	2	1
10	Orange	3,289	7	1	28	722	174	180	62	66	33	35	172	47	1,549	1,200	24	11
11	Orlando	1,274	5	–	17	267	67	63	20	27	10	17	63	19	603	463	10	9
12	Winter Park	307	–	–	–	62	21	11	6	4	7	2	11	1	170	119	1	1
13	Balance of county	1,708	2	1	11	393	86	106	36	35	16	16	98	27	776	618	13	1
14	Osceola	470	1	–	2	88	29	17	8	13	2	7	12	9	271	219	2	3
15	Palm Beach	5,577	10	2	32	1,310	364	367	114	134	57	44	230	86	2,903	2,102	47	28
16	Belle Glade	153	–	–	2	16	4	5	1	–	1	1	4	6	57	41	–	3
17	Boca Raton	482	2	–	–	128	35	37	11	15	5	2	23	9	236	183	5	1
18	Boynton Beach	470	1	–	4	128	36	41	12	15	4	3	17	6	229	183	1	–
19	Delray Beach	367	–	–	2	95	26	28	6	13	6	5	11	5	182	133	2	–
20	Lake Worth	570	–	–	1	104	30	24	8	12	4	2	24	6	339	242	4	3
21	Riviera Beach	236	1	1	2	54	14	16	6	6	3	–	9	3	126	75	4	1
22	West Palm Beach	935	–	–	7	223	69	55	24	18	6	8	43	15	471	321	6	3
23	Balance of county	2,364	6	1	14	562	150	161	46	55	28	23	99	36	1,263	924	25	17
24	Pasco	2,046	8	–	8	448	123	135	26	53	29	19	63	29	1,122	886	18	8
25	Pinellas	10,670	9	–	41	2,240	629	552	178	284	120	77	400	142	5,961	4,064	84	44
26	Clearwater	1,130	1	–	5	276	80	66	13	35	17	7	58	19	581	407	13	5
27	Dunedin	456	–	–	2	110	31	34	4	14	5	2	20	2	268	169	5	3
28	Largo	608	1	–	1	133	34	26	10	22	10	4	27	15	339	238	7	6
29	Pinellas Park	366	–	–	1	83	22	27	10	7	3	3	11	9	190	127	4	–
30	St. Petersburg	4,549	4	–	18	864	245	219	71	110	43	35	141	61	2,582	1,719	30	15
31	Balance of county	3,561	3	–	14	774	217	180	70	96	42	26	143	36	2,001	1,404	25	15
32	Polk	2,941	5	–	18	586	140	165	33	85	30	22	111	82	1,428	1,031	23	11
33	Bartow	142	–	–	1	26	9	9	1	2	1	2	2	3	71	42	3	1
34	Lakeland	679	1	–	5	128	39	32	9	20	8	3	17	12	360	255	5	5
35	Winter Haven	313	1	–	4	75	10	19	3	19	3	3	18	8	144	106	4	1
36	Balance of county	1,807	3	–	8	357	82	105	20	44	18	14	74	59	853	628	11	4
37	Putnam	518	3	–	4	96	21	36	5	15	5	1	13	19	257	183	6	10
38	St. Johns	465	–	–	3	93	25	24	5	13	6	2	18	7	215	139	2	6
39	St. Augustine	192	–	–	2	45	16	12	3	5	2	2	5	4	80	50	2	2
40	Balance of county	273	–	–	1	48	9	12	2	8	4	–	13	3	135	89	–	4
41	St. Lucie	816	3	–	4	184	37	61	15	19	11	11	30	12	404	301	7	2
42	Fort Pierce	451	3	–	4	95	22	33	10	9	2	5	14	5	210	151	4	1
43	Balance of county	365	–	–	–	89	15	28	5	10	9	6	16	7	194	150	3	1
44	Santa Rosa	326	–	–	2	57	13	23	2	6	–	1	12	6	174	132	3	–
45	Sarasota	2,590	5	–	18	585	168	173	36	52	17	21	118	38	1,408	977	25	2
46	Sarasota	836	3	–	6	152	42	47	10	14	2	5	32	13	454	309	6	–
47	Balance of county	1,754	2	–	12	433	126	126	26	38	15	16	86	25	954	668	19	2
48	Seminole	905	3	–	9	186	38	52	14	17	14	1	50	12	464	362	4	8
49	Sanford	265	1	–	1	44	9	12	3	6	5	–	9	4	161	124	–	3
50	Balance of county	640	2	–	8	142	29	40	11	11	9	1	41	8	303	238	4	5
51	Sumter	246	2	–	2	49	15	15	1	7	2	2	7	2	116	88	3	1
52	Suwannee	239	–	–	–	38	7	9	5	6	–	2	9	–	134	91	4	1
53	Taylor	134	–	–	1	32	8	11	1	4	2	–	6	–	52	42	4	2
54	Union	61	–	–	–	11	3	5	–	1	1	–	1	1	25	20	–	–
55	Volusia	3,137	5	–	19	678	190	166	59	88	37	18	120	47	1,655	1,190	17	7
56	Daytona Beach	831	3	–	6	171	49	38	19	24	8	3	30	11	437	316	5	–
57	De Land	287	–	–	2	50	8	15	5	10	2	2	8	5	155	110	2	1
58	New Smyrna Beach	252	–	–	3	57	15	15	6	10	4	2	5	3	130	84	–	1
59	Ormond Beach	332	–	–	–	75	22	16	4	10	5	4	14	7	178	126	2	2
60	Balance of county	1,435	2	–	8	325	96	82	25	34	18	7	63	21	755	554	8	3
61	Wakulla	78	–	–	–	19	7	4	–	2	–	1	5	–	33	27	2	1
62	Walton	200	–	–	–	31	7	9	1	3	–	2	9	4	115	90	–	1
63	Washington	141	–	–	–	22	3	9	2	3	–	1	4	–	73	64	1	–
64	**Georgia**	41,661	82	11	407	7,103	1,634	1,893	537	922	288	274	1,555	642	21,084	14,605	200	303
65	Urban places	17,289	51	7	204	3,040	733	737	232	425	114	116	683	290	8,515	5,940	97	144
66	Balance of area	24,372	31	4	203	4,063	901	1,156	305	497	174	158	872	352	12,569	8,665	103	159
67	Metropolitan counties	18,303	42	6	230	3,400	777	874	281	450	140	138	740	288	8,715	6,191	92	114
68	Urban places	12,832	36	5	175	2,290	559	551	181	319	82	94	504	222	6,153	4,333	67	91
69	Balance of area	5,471	6	1	55	1,110	218	323	100	131	58	44	236	66	2,562	1,858	25	23
70	Nonmetropolitan counties	23,358	40	5	177	3,703	857	1,019	256	472	148	136	815	354	12,369	8,414	108	189
71	Urban places	4,457	15	2	29	750	174	186	51	106	32	22	179	68	2,362	1,607	30	53
72	Balance of area	18,901	25	3	148	2,953	683	833	205	366	116	114	636	286	10,007	6,807	78	136
73	Appling	143	–	–	2	21	2	9	2	1	1	–	6	2	77	61	2	1
74	Atkinson	60	–	–	1	10	1	4	1	2	–	1	1	1	29	22	–	–
75	Bacon	107	–	–	1	18	2	7	–	4	1	–	4	3	57	41	–	1
76	Baker	41	–	–	–	9	2	2	–	3	–	–	2	1	22	15	–	–
77	Baldwin	239	1	–	4	42	10	9	3	10	–	2	8	1	118	80	2	1
78	Milledgeville	137	1	–	4	26	7	5	2	7	–	–	5	–	63	42	1	1
79	Balance of county	102	–	–	–	16	3	4	1	3	–	2	3	1	55	38	1	–
80	Banks	76	–	–	–	17	4	5	–	2	–	1	5	1	37	25	1	–
81	Barrow	174	–	–	2	27	5	3	5	6	1	2	5	4	85	60	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
194	5	1	62	17	15	10	10	4	11	3	–	2	3	3	49	20	17	9	2	–	01
176	14	–	37	5	9	16	9	1	25	1	–	1	1	4	45	16	24	7	17	3	02
90	6	–	15	3	1	8	2	1	13	1	–	1	1	2	24	5	6	4	8	3	03
86	8	–	22	2	8	8	7	–	12	–	–	–	–	2	21	11	18	3	9	–	04
71	3	–	22	1	1	7	3	–	8	1	–	5	1	5	15	8	11	4	3	2	05
159	8	1	37	2	6	11	6	2	13	2	1	6	11	5	35	26	29	16	4	2	06
38	3	–	8	1	–	5	1	1	1	1	–	2	–	3	5	4	9	4	1	1	07
121	5	1	29	1	6	6	5	1	12	1	1	4	11	2	30	22	20	12	3	1	08
52	6	–	10	2	3	5	1	–	7	1	–	1	2	1	12	4	5	2	3	–	09
1,108	57	4	265	43	37	103	78	12	59	12	1	24	39	17	301	85	93	65	40	6	10
428	16	1	107	18	14	45	31	2	24	8	1	9	21	5	118	14	37	21	25	2	11
111	6	1	38	8	4	11	3	1	4	–	–	2	1	2	36	2	8	4	–	–	12
569	35	2	120	17	19	47	44	9	31	4	–	13	17	10	147	69	48	40	15	4	13
206	8	2	37	9	4	13	9	2	2	2	–	3	2	6	32	5	9	7	7	–	14
1,933	94	19	597	113	72	132	96	13	111	16	1	24	43	25	393	121	121	76	47	15	15
29	9	1	13	1	1	6	1	1	6	1	–	1	4	2	17	10	9	4	5	5	16
168	9	1	43	2	7	18	9	1	10	1	–	–	3	4	30	16	8	3	2	2	17
179	3	2	37	4	3	13	11	–	7	3	–	2	9	4	36	6	4	3	4	–	18
128	3	1	40	4	4	12	3	1	9	2	1	2	4	1	30	7	7	1	3	–	19
228	7	4	63	16	14	14	11	4	20	2	–	2	3	1	30	9	12	11	1	–	20
62	8	1	42	6	2	4	2	–	4	–	–	2	2	–	21	2	7	1	4	–	21
298	14	–	115	25	10	25	19	2	18	4	–	6	7	4	66	20	19	15	11	3	22
841	41	9	244	55	31	40	40	4	37	3	–	9	11	9	163	51	55	38	17	5	23
824	36	2	160	43	31	42	18	8	28	7	–	5	10	53	157	38	40	22	3	–	24
3,801	135	40	1,459	205	193	275	168	36	167	28	–	30	47	294	771	118	159	134	42	8	25
374	15	6	138	15	15	34	21	3	14	6	–	4	8	30	77	13	19	14	4	1	26
155	6	3	78	8	10	13	2	2	9	–	–	–	1	9	21	7	3	6	–	1	27
214	11	3	77	8	13	14	10	–	8	1	–	1	6	7	47	5	11	7	2	–	28
119	4	1	45	8	9	10	5	1	8	1	–	2	2	7	22	9	6	5	4	1	29
1,623	51	15	686	86	76	129	69	21	83	15	–	13	22	159	333	40	63	50	20	3	30
1,316	48	12	435	80	70	75	61	9	45	5	–	10	8	82	271	44	57	52	12	2	31
955	42	9	310	46	32	88	50	8	47	10	–	16	36	92	219	108	66	35	42	5	32
35	3	–	21	4	4	6	3	–	3	1	–	1	1	–	12	4	7	2	1	–	33
239	6	4	85	7	9	25	12	3	12	–	–	3	7	30	44	14	11	5	6	1	34
98	3	–	32	4	2	6	5	–	5	1	–	2	4	6	25	4	9	3	11	–	35
583	30	5	172	31	17	51	30	5	27	8	–	10	24	56	138	86	39	25	24	4	36
160	7	3	54	11	6	14	10	2	11	3	–	5	1	9	44	8	16	9	4	3	37
117	14	4	53	14	5	9	1	1	8	–	–	2	4	29	47	16	15	6	9	–	38
39	7	2	25	1	2	4	–	–	6	–	–	1	–	14	21	5	6	3	1	–	39
78	7	2	28	13	3	5	1	1	2	–	–	1	4	15	26	11	9	3	8	–	40
269	23	3	82	5	13	18	7	2	21	4	1	3	8	4	55	25	29	14	18	–	41
128	18	2	47	2	8	11	2	2	15	3	–	3	5	3	38	13	19	6	14	–	42
141	5	1	35	3	5	7	5	–	6	1	1	–	3	1	17	12	10	8	4	–	43
123	6	1	37	2	2	9	4	–	5	2	–	6	5	1	27	8	9	6	3	2	44
906	44	6	340	33	52	55	43	5	52	12	–	9	11	13	216	30	40	40	5	5	45
290	13	3	113	14	15	21	14	–	18	4	–	4	6	6	88	9	16	14	5	3	46
616	31	3	227	19	37	34	29	5	34	8	–	5	5	7	128	21	24	26	–	2	47
330	20	4	76	12	10	26	16	3	11	1	–	8	11	1	70	20	35	21	8	–	48
114	7	3	29	2	3	7	9	–	1	–	–	2	3	1	15	3	8	3	2	–	49
216	13	1	47	10	7	19	7	3	10	1	–	6	8	–	55	17	27	18	6	–	50
76	8	–	24	–	4	12	5	–	4	–	–	3	3	2	22	7	12	4	1	–	51
75	11	1	33	2	7	5	4	–	5	1	1	2	2	9	12	11	11	2	2	–	52
31	5	–	8	1	1	2	1	–	1	–	–	3	1	8	14	6	7	2	3	1	53
15	5	–	4	1	–	2	1	1	1	–	–	–	3	1	8	3	2	–	2	–	54
1,106	60	14	359	45	47	76	33	13	60	17	–	11	17	67	260	53	64	39	15	8	55
299	12	3	99	9	10	24	2	5	20	8	–	2	12	18	66	8	19	11	6	2	56
97	10	–	38	4	3	7	4	2	6	1	–	–	1	18	17	7	7	4	1	–	57
80	3	4	30	7	5	5	4	1	7	2	–	–	1	4	21	5	3	–	2	4	58
115	7	2	42	5	3	6	6	–	4	1	–	1	1	5	36	3	4	3	2	–	59
515	28	5	150	20	26	34	17	5	23	5	–	8	2	22	120	30	31	21	4	2	60
20	4	–	4	2	–	–	3	–	–	–	–	1	–	1	10	2	1	5	2	1	61
80	9	–	21	2	2	4	3	–	7	1	–	1	1	3	8	12	6	3	1	–	62
62	1	–	7	–	2	3	3	1	2	2	–	–	1	6	14	8	3	2	1	–	63
12,176	**1,926**	**153**	**5,240**	**559**	**527**	**1,365**	**486**	**131**	**607**	**242**	**14**	**260**	**643**	**606**	**3,730**	**1,299**	**1,458**	**673**	**794**	**24**	**64**
4,836	863	81	2,061	232	201	568	204	47	331	125	9	103	318	194	1,678	340	560	255	435	15	65
7,340	1,063	72	3,179	327	326	797	282	84	276	117	5	157	325	412	2,052	959	898	418	359	9	66
5,185	800	65	2,021	228	210	561	227	55	338	115	8	132	356	176	1,774	462	612	349	443	14	67
3,549	626	50	1,461	168	141	399	153	38	254	95	7	85	262	129	1,282	238	429	206	360	14	68
1,636	174	15	560	60	69	162	74	17	84	20	1	47	94	47	492	224	183	143	83	–	69
6,991	1,126	88	3,219	331	317	804	259	76	269	127	6	128	287	430	1,956	837	846	324	351	10	70
1,287	237	31	600	64	60	169	51	9	77	30	2	18	56	65	396	102	131	49	75	1	71
5,704	889	57	2,619	267	257	635	208	67	192	97	4	110	231	365	1,560	735	715	275	276	9	72
48	10	–	16	–	–	7	1	–	3	–	–	1	1	1	14	6	6	1	–	–	73
19	3	–	6	1	–	–	1	–	2	–	–	–	1	2	5	3	3	1	1	–	74
39	1	–	13	1	2	3	–	–	1	–	–	–	1	1	9	6	7	–	–	–	75
13	2	1	5	–	1	–	–	–	–	–	–	1	–	1	2	3	1	–	1	–	76
74	3	3	28	4	3	18	6	1	3	3	–	1	2	–	16	6	9	5	8	–	77
38	2	2	14	2	3	8	3	1	2	2	–	1	1	–	10	3	5	2	5	–	78
36	1	1	14	2	–	5	3	–	1	1	–	–	1	–	6	3	4	3	3	–	79
22	2	–	10	1	1	1	1	1	–	–	–	–	–	–	5	6	4	1	2	–	80
43	16	–	21	2	2	7	2	1	1	2	–	1	2	3	18	9	5	4	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Bartow	321	1	–	3	62	11	25	4	9	2	1	10	1	175	115	–	–
02	Ben Hill	149	1	–	1	24	6	5	4	5	–	1	3	2	92	62	–	–
03	Berrien	106	–	–	–	17	5	1	–	3	–	1	7	1	57	41	–	–
04	Bibb	1,542	3	1	21	228	54	72	19	17	8	12	46	39	797	519	7	8
05	Macon	1,419	3	1	19	211	50	70	15	15	7	11	43	37	732	472	5	8
06	Balance of county	123	–	–	2	17	4	2	4	2	1	1	3	2	65	47	2	–
07	Bleckley	104	1	–	2	15	5	2	1	3	–	–	4	3	49	38	1	1
08	Brantley	80	–	–	–	20	4	9	1	1	–	3	2	1	34	26	–	2
09	Brooks	182	–	–	–	16	4	8	–	2	–	–	2	1	120	89	1	1
10	Bryan	64	–	–	1	19	9	6	–	–	1	–	3	–	31	22	1	1
11	Bulloch	277	–	–	4	44	14	13	2	8	–	–	7	3	141	79	2	3
12	Statesboro	119	–	–	1	21	6	4	1	6	–	–	4	–	58	36	2	2
13	Balance of county	158	–	–	3	23	8	9	1	2	–	–	3	3	83	43	–	1
14	Burke	239	1	–	1	34	9	12	2	4	1	–	6	3	137	77	3	4
15	Butts	110	–	–	–	20	5	7	1	1	1	–	5	3	60	46	–	–
16	Calhoun	81	–	–	1	13	1	4	1	–	–	1	6	2	49	17	–	–
17	Camden	95	–	–	–	20	3	7	–	1	1	–	8	1	40	27	–	1
18	Candler	67	–	–	1	7	–	3	–	1	3	–	–	2	33	20	1	1
19	Carroll	450	–	–	6	58	17	8	2	8	2	6	15	13	233	172	3	2
20	Carrollton	115	–	–	–	18	7	2	2	3	–	1	3	3	60	46	–	–
21	Balance of county	335	–	–	6	40	10	6	–	5	2	5	12	10	173	126	3	2
22	Catoosa	245	1	–	1	47	11	18	4	2	4	–	8	8	123	90	1	2
23	Charlton	82	–	–	–	9	2	4	–	2	1	–	–	2	45	37	1	1
24	Chatham	1,874	10	–	18	379	93	102	33	63	12	7	69	31	919	690	9	23
25	Savannah	1,469	8	–	17	284	77	61	24	56	8	6	52	28	728	540	7	21
26	Balance of county	405	2	–	1	95	16	41	9	7	4	1	17	3	191	150	2	2
27	Chattahoochee	42	–	–	–	3	–	1	–	1	–	–	1	1	15	8	–	–
28	Chattooga	209	2	–	1	35	14	7	1	3	2	1	7	4	96	65	–	–
29	Cherokee	277	–	–	1	53	13	14	4	3	3	2	14	2	145	96	1	1
30	Clarke	399	1	–	4	69	12	23	4	7	2	3	18	3	201	134	3	4
31	Athens	318	–	–	2	52	9	19	1	6	2	3	12	3	168	105	3	4
32	Balance of county	81	1	–	2	17	3	4	3	1	–	–	6	–	33	29	–	–
33	Clay	21	–	–	–	5	–	2	–	3	–	–	–	4	37	13	–	1
34	Clayton	601	–	–	5	130	20	39	12	17	4	7	31	6	249	181	3	3
35	College Park, part	39	–	–	–	9	–	1	3	2	–	1	2	1	15	14	–	–
36	Forest Park	158	–	–	2	33	9	9	3	4	1	–	7	–	62	48	1	2
37	Balance of county	404	–	–	3	88	11	29	6	11	3	6	22	5	172	119	2	1
38	Clinch	59	–	–	–	11	–	9	1	1	–	–	–	–	30	25	–	–
39	Cobb	1,294	1	–	13	259	55	82	15	29	6	9	63	16	595	441	4	8
40	Marietta	364	–	–	3	72	15	21	3	6	1	5	21	4	172	108	1	5
41	Smyrna	187	–	–	3	36	10	10	1	6	1	–	8	2	75	58	–	–
42	Balance of county	743	1	–	7	151	30	51	11	17	4	4	34	10	348	275	3	3
43	Coffee	228	–	–	2	37	8	7	2	7	2	–	11	4	128	87	1	3
44	Douglas	113	–	–	1	19	4	2	1	5	–	–	7	2	62	44	–	3
45	Balance of county	115	–	–	1	18	4	5	1	2	2	–	4	2	66	43	1	–
46	Colquitt	329	–	–	1	46	11	11	4	1	1	3	15	10	190	134	1	13
47	Moultrie	174	–	–	–	27	7	6	2	–	1	1	10	5	91	66	–	8
48	Balance of county	155	–	–	1	19	4	5	2	1	–	2	5	5	99	68	1	5
49	Columbia	174	–	–	–	34	4	12	2	3	1	3	9	2	80	62	2	1
50	Cook	122	–	–	1	17	2	9	–	–	–	–	6	–	60	43	2	–
51	Coweta	319	–	–	1	52	9	16	2	7	2	1	15	2	154	106	1	1
52	Newnan	137	–	–	–	21	4	6	–	4	1	–	6	1	69	44	–	1
53	Balance of county	182	–	–	1	31	5	10	2	3	1	1	9	1	85	62	1	–
54	Crawford	46	–	–	–	8	4	3	–	–	–	–	1	3	23	16	–	–
55	Crisp	202	2	–	2	33	6	20	–	3	–	1	3	4	99	56	–	–
56	Cordele	134	2	–	1	22	4	12	–	3	–	1	2	2	61	34	–	–
57	Balance of county	68	–	–	1	11	2	8	–	–	–	–	1	2	38	22	–	–
58	Dade	86	–	–	–	15	2	3	1	2	–	1	6	1	32	21	–	–
59	Dawson	31	–	–	–	4	1	2	–	–	–	–	1	–	16	12	–	–
60	Decatur	278	–	–	–	49	11	19	3	7	–	–	9	4	147	117	2	1
61	Bainbridge	132	–	–	–	21	7	5	1	4	–	–	4	3	74	58	1	1
62	Balance of county	146	–	–	–	28	4	14	2	3	–	–	5	1	73	59	1	–
63	De Kalb	2,577	2	1	35	520	127	122	48	61	36	16	110	22	1,210	842	6	7
64	Atlanta, part	716	–	–	9	141	45	27	10	20	7	5	27	3	342	243	–	1
65	Decatur	456	1	1	9	87	19	17	9	9	6	4	23	4	201	146	–	2
66	Balance of county	1,405	1	–	17	292	63	78	29	32	23	7	60	15	667	453	6	4
67	Dodge	185	–	–	3	28	7	6	2	4	1	–	8	4	75	52	–	–
68	Dooly	137	–	–	1	22	8	2	4	6	–	1	1	–	69	50	–	1
69	Dougherty	705	3	–	6	125	23	30	13	19	4	6	30	13	336	191	4	5
70	Albany	631	3	–	6	108	21	23	11	17	4	6	26	12	301	168	3	5
71	Balance of county	74	–	–	–	17	2	7	2	2	–	–	4	1	35	23	1	–
72	Douglas	291	–	–	3	51	9	13	5	9	3	1	11	5	151	111	2	–
73	Early	136	–	–	1	20	7	2	1	2	–	1	7	2	67	42	1	3
74	Echols	9	–	–	–	2	–	2	–	–	–	–	–	–	5	3	–	–
75	Effingham	107	–	–	–	10	4	3	1	2	–	–	–	1	55	36	–	4
76	Elbert	209	1	–	–	34	9	11	1	5	–	1	7	10	109	60	–	–
77	Emanuel	205	–	–	–	31	3	14	1	2	1	1	9	2	125	83	–	1
78	Evans	99	–	–	1	11	5	1	–	1	–	–	4	1	55	34	–	1
79	Fannin	151	–	–	1	17	3	4	1	4	–	3	2	1	91	67	–	2
80	Fayette	105	–	–	2	23	4	3	1	3	–	5	7	1	48	30	–	–
81	Floyd	723	–	–	1	131	29	33	18	12	6	4	29	8	413	264	4	13
82	Rome	425	–	–	1	77	16	19	6	5	4	4	23	4	245	149	2	5
83	Balance of county	298	–	–	–	54	13	14	12	7	2	–	6	4	168	115	2	8
84	Forsyth	152	–	–	1	25	6	6	3	4	1	–	5	2	75	57	–	1
85	Franklin	163	1	–	1	28	8	3	2	4	–	1	10	4	97	78	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
94	21	1	51	3	5	7	6	–	4	1	–	4	4	3	15	15	13	3	4	–	01
58	4	1	27	1	1	3	1	2	3	1	–	–	–	1	12	4	2	–	1	–	02
35	6	–	14	–	2	2	1	–	1	–	–	3	–	1	14	2	1	3	2	–	03
414	90	5	203	57	13	48	22	5	22	9	–	11	38	9	153	28	50	29	35	2	04
376	83	5	194	49	12	41	21	4	19	9	–	11	27	9	144	24	47	26	32	2	05
38	7	–	9	8	1	7	1	1	3	–	–	–	3	–	9	4	3	3	3	–	06
35	1	–	8	1	2	7	1	–	2	–	–	–	2	2	10	6	2	1	1	–	07
20	4	–	7	1	–	3	2	1	–	–	–	–	1	2	6	4	4	2	–	–	08
81	6	–	23	3	5	2	3	2	1	–	–	1	5	3	8	6	11	1	2	–	09
14	6	–	9	–	–	–	–	–	1	–	–	–	2	–	2	3	1	1	2	–	10
65	9	3	55	1	3	5	2	–	2	–	–	3	6	17	25	9	11	–	5	–	11
27	5	2	18	–	2	2	1	–	2	–	–	1	3	5	14	2	7	–	2	–	12
38	4	1	37	1	1	3	1	–	–	–	–	2	3	12	11	7	4	–	3	–	13
54	16	–	56	2	2	5	4	–	1	3	–	1	1	2	25	6	8	2	4	1	14
44	2	–	6	5	3	7	3	–	–	1	–	–	–	–	8	6	1	–	1	–	15
13	4	–	29	–	3	1	–	–	–	–	–	–	2	1	7	–	3	–	2	–	16
19	7	–	10	2	1	2	2	–	–	–	–	–	2	4	9	4	10	1	–	–	17
16	2	–	9	3	1	2	–	1	–	–	–	2	2	–	10	4	–	1	2	–	18
149	18	2	49	6	4	4	3	–	5	7	–	2	10	7	47	20	20	6	8	1	19
42	4	1	10	2	1	1	1	–	2	–	–	–	5	4	11	2	4	–	4	–	20
107	14	1	39	4	3	3	2	–	3	7	–	2	5	3	36	18	16	6	4	1	21
69	18	1	29	1	2	8	5	1	5	–	–	2	–	2	14	11	12	3	2	–	22
31	4	–	8	–	–	3	1	–	1	1	–	–	3	3	5	6	1	1	1	–	23
610	48	6	177	19	27	67	18	4	29	8	1	8	27	25	176	40	65	18	31	–	24
471	41	5	143	19	21	55	16	2	23	6	1	6	22	19	140	19	58	11	26	–	25
139	7	1	34	–	6	12	2	2	6	2	–	2	5	6	36	21	7	7	5	–	26
7	1	–	6	1	–	1	–	–	1	–	–	2	3	2	1	4	4	5	–	–	27
58	7	–	26	2	3	8	7	–	2	–	–	2	1	5	27	9	6	4	2	–	28
80	14	–	38	4	7	9	2	1	3	1	–	2	7	3	24	12	6	6	–	–	29
125	2	3	56	5	3	17	7	–	9	3	–	3	4	1	48	9	6	5	8	–	30
96	2	3	53	4	3	14	5	–	8	3	1	2	2	–	42	5	3	4	4	–	31
29	–	–	3	1	–	3	2	–	1	–	–	1	2	1	6	4	3	1	4	–	32
11	1	–	23	1	–	3	1	–	1	1	–	–	–	–	4	1	2	1	1	–	33
150	25	1	53	7	7	13	10	2	14	1	–	11	18	5	53	20	28	23	13	–	34
13	1	–	1	–	–	–	–	–	1	–	–	–	1	1	4	1	2	3	1	–	35
41	4	–	12	1	1	6	5	1	3	–	–	4	3	1	18	2	6	8	4	–	36
96	20	1	40	6	6	7	5	1	10	1	–	7	14	3	31	17	20	12	8	–	37
22	3	–	4	–	1	3	2	–	–	–	–	1	–	1	6	–	4	–	1	–	38
387	42	5	126	9	14	37	21	2	31	4	–	13	13	7	136	39	47	38	22	–	39
91	11	1	51	5	7	5	6	–	14	2	–	6	4	3	33	6	18	11	5	–	40
53	5	1	13	1	2	5	2	–	4	1	–	2	4	1	27	8	3	8	6	–	41
243	26	3	62	3	5	27	13	2	13	1	–	5	5	3	76	25	26	19	11	–	42
81	2	–	37	1	3	5	4	–	4	1	–	1	5	4	15	4	9	–	5	–	43
41	–	–	18	–	–	3	1	–	2	1	–	1	4	2	6	2	5	–	2	–	44
40	2	–	19	1	3	2	3	–	2	–	–	–	1	2	9	2	4	–	3	–	45
90	30	2	45	3	6	24	4	2	1	3	–	1	3	1	25	1	12	2	3	–	46
42	16	1	21	1	2	14	3	1	1	1	–	–	3	1	16	1	7	1	2	–	47
48	14	1	24	2	4	10	1	1	–	2	–	–	–	–	9	–	5	1	1	–	48
54	5	–	13	1	4	5	1	3	–	1	–	2	5	2	14	11	6	4	3	1	49
38	3	–	14	2	1	2	–	–	2	–	–	–	2	19	8	4	5	–	2	–	50
84	20	–	47	1	–	9	5	–	3	3	–	–	4	28	26	8	12	6	6	–	51
37	6	–	25	–	–	2	1	–	1	1	–	–	3	15	11	2	5	1	4	–	52
47	14	–	22	1	–	7	4	–	2	2	–	–	1	13	15	6	7	5	2	–	53
13	3	–	7	–	–	3	–	–	1	–	–	–	1	2	3	1	1	–	–	–	54
53	3	1	37	3	2	11	3	–	8	1	–	2	2	1	12	9	8	2	3	–	55
32	2	–	24	1	2	9	1	–	7	–	–	1	2	1	9	7	6	–	3	–	56
21	1	1	13	2	–	2	2	–	1	1	–	1	–	–	3	2	2	2	–	–	57
17	4	–	7	3	1	2	1	–	1	–	–	1	1	7	8	3	12	1	1	–	58
10	2	–	3	–	1	1	1	–	1	–	–	–	2	–	2	–	3	–	1	–	59
107	7	2	23	–	5	11	1	–	1	2	–	2	–	7	17	11	13	8	4	1	60
52	4	2	13	1	1	8	1	–	1	1	–	2	–	4	7	1	4	3	3	–	61
55	3	–	10	–	4	3	1	–	1	1	–	–	–	3	10	10	9	5	1	1	62
747	82	9	294	44	21	57	33	5	43	19	1	20	50	25	245	81	89	65	51	3	63
207	35	5	84	6	4	18	6	–	15	4	–	6	13	11	65	18	25	17	21	2	64
128	16	2	41	10	2	9	5	1	8	3	1	2	14	7	47	13	20	10	12	1	65
412	31	2	169	28	15	30	22	4	20	12	–	12	23	7	133	50	44	38	18	–	66
46	6	1	19	1	2	9	1	–	–	1	–	–	1	5	25	14	8	3	7	–	67
48	1	1	16	2	–	4	–	–	2	2	–	2	5	–	10	5	8	3	4	–	68
171	11	2	129	6	8	16	10	2	15	4	1	6	10	28	58	14	19	17	22	–	69
149	11	2	119	5	7	16	10	2	14	3	1	5	9	24	50	13	18	15	21	–	70
22	–	–	10	1	1	–	–	–	1	1	–	1	1	4	8	1	1	2	1	–	71
101	8	1	25	8	6	14	3	–	4	3	–	3	5	1	20	12	10	4	1	–	72
36	2	–	22	2	1	6	1	–	1	4	–	–	3	1	12	5	6	3	4	–	73
2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	74
25	7	1	15	2	1	4	1	1	1	–	–	1	3	3	10	4	10	1	2	–	75
58	2	–	45	3	1	3	3	2	2	2	–	2	2	1	19	8	2	1	7	–	76
70	12	–	35	2	5	8	2	–	1	3	–	2	3	1	14	4	6	2	1	–	77
32	1	1	18	1	1	4	–	–	1	1	–	1	2	–	13	7	1	–	–	–	78
61	4	–	23	–	1	4	6	1	1	–	–	1	–	4	9	8	5	2	–	–	79
28	2	–	16	1	1	6	3	–	3	–	–	–	8	–	9	5	4	–	1	–	80
225	22	3	122	15	9	15	3	2	11	2	1	2	8	3	66	17	18	11	11	–	81
129	13	3	79	8	6	10	2	1	6	1	1	–	3	1	42	10	9	4	8	–	82
96	9	–	43	7	3	5	1	1	5	1	–	2	5	2	24	7	9	7	3	–	83
53	3	1	14	1	2	4	1	–	2	1	–	2	–	1	13	8	11	5	1	–	84
71	6	–	18	–	1	6	2	1	1	–	–	–	–	1	13	3	3	1	1	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Fulton	5,435	19	4	91	984	247	235	80	132	30	42	218	91	2,509	1,850	33	25
02	Atlanta, part	4,302	17	3	79	759	194	177	60	102	19	31	176	70	1,984	1,474	26	23
03	Atlanta, total	5,018	17	3	88	900	239	204	70	122	26	36	203	73	2,326	1,717	26	24
04	College Park, part	225	1	–	2	43	9	14	6	6	2	–	6	4	98	77	3	–
05	College Park, total	264	1	–	2	52	9	15	9	8	2	1	8	5	113	91	3	–
06	East Point	330	1	–	2	61	16	10	4	12	3	4	12	10	151	105	3	1
07	Balance of county	578	–	1	8	121	28	34	10	12	6	7	24	7	276	194	1	1
08	Gilmer	103	–	–	1	12	3	3	–	4	1	–	1	–	61	33	–	2
09	Glascock	41	–	–	–	3	–	1	1	–	–	–	1	1	24	16	1	–
10	Glynn	470	3	–	2	76	20	19	8	6	5	3	15	2	244	178	4	3
11	Brunswick	261	3	–	1	42	14	10	4	4	1	1	8	1	130	93	3	2
12	Balance of county	209	–	–	1	34	6	9	4	2	4	2	7	1	114	85	1	1
13	Gordon	241	–	–	2	54	13	16	4	6	1	2	12	7	122	83	–	–
14	Grady	199	–	–	–	22	4	6	2	2	–	–	8	3	115	72	2	5
15	Greene	119	–	–	–	13	6	2	2	–	1	–	2	4	70	50	–	–
16	Gwinnett	639	1	–	6	120	26	29	13	12	5	9	26	4	303	221	6	2
17	Habersham	172	–	–	–	41	12	9	3	6	4	1	6	3	84	55	1	–
18	Hall	532	2	–	–	84	22	19	9	9	7	–	18	12	284	205	4	1
19	Gainesville	179	1	–	–	29	7	4	3	5	4	–	6	4	105	72	2	1
20	Balance of county	353	1	–	–	55	15	15	6	4	3	–	12	8	179	133	2	1
21	Hancock	89	1	–	–	9	2	2	–	1	–	–	4	2	58	44	–	–
22	Haralson	182	–	–	2	22	2	11	1	2	1	1	4	–	103	73	1	1
23	Harris	131	–	–	1	18	4	6	1	2	–	–	5	–	75	44	1	7
24	Hart	181	–	–	3	37	12	7	3	5	1	3	6	1	90	71	–	–
25	Heard	48	–	–	–	4	1	–	–	1	1	1	–	–	24	18	–	1
26	Henry	246	–	1	2	47	11	15	1	7	2	2	9	6	123	80	3	2
27	Houston	397	–	–	4	76	16	19	4	7	5	6	19	10	173	128	1	3
28	Warner Robins	233	–	–	2	44	8	11	2	4	3	3	13	8	94	68	1	1
29	Balance of county	164	–	–	2	32	8	8	2	3	2	3	6	2	79	60	–	2
30	Irwin	92	–	–	1	16	6	3	1	3	1	1	1	–	53	30	–	–
31	Jackson	164	–	–	2	36	10	13	2	4	1	1	5	4	82	58	1	–
32	Jasper	82	–	–	2	9	–	3	1	–	2	–	3	–	38	23	–	–
33	Jeff Davis	94	–	–	–	21	5	6	2	4	1	–	3	1	47	37	–	–
34	Jefferson	163	1	–	1	21	2	5	3	3	2	–	6	1	85	53	1	–
35	Jenkins	88	–	–	2	7	3	1	–	1	–	1	1	–	52	33	1	–
36	Johnson	78	–	–	1	6	1	1	1	1	–	1	1	1	35	20	–	–
37	Jones	92	–	–	–	14	5	4	–	2	–	–	3	2	39	22	–	–
38	Lamar	98	–	–	3	17	2	7	1	2	–	1	4	–	44	28	–	–
39	Lanier	66	–	–	–	4	–	2	1	–	–	–	1	–	42	33	–	–
40	Laurens	336	–	–	3	43	10	7	2	4	4	4	12	5	184	149	1	2
41	Dublin	170	–	–	2	28	7	5	2	2	2	3	7	3	92	75	–	2
42	Balance of county	166	–	–	1	15	3	2	–	2	2	1	5	2	92	74	1	–
43	Lee	64	–	–	2	10	2	2	2	–	–	–	4	2	27	22	–	–
44	Liberty	154	–	1	2	26	5	11	2	3	–	–	5	2	62	38	1	–
45	Lincoln	81	–	–	2	13	1	4	2	–	–	–	6	–	45	32	–	–
46	Long	44	–	–	–	2	1	–	–	1	–	–	–	1	25	21	1	–
47	Lowndes	461	2	–	5	67	15	16	7	12	1	1	15	7	253	179	1	6
48	Valdosta	306	2	–	4	51	12	12	5	9	1	1	11	4	161	106	1	5
49	Balance of county	155	–	–	1	16	3	4	2	3	–	–	4	3	92	73	–	1
50	Lumpkin	65	1	–	–	11	3	1	–	1	–	3	3	–	34	20	–	–
51	McDuffie	151	–	–	1	26	7	6	3	2	–	2	6	–	75	44	–	2
52	McIntosh	78	–	–	–	8	2	2	–	–	–	–	3	1	42	29	–	–
53	Macon	125	–	–	1	19	2	8	–	1	–	–	8	2	70	48	1	4
54	Madison	139	–	–	2	25	8	5	3	2	–	2	5	1	75	48	–	1
55	Marion	47	–	–	–	6	2	1	1	1	1	–	3	2	22	18	1	1
56	Meriwether	225	1	–	1	35	11	5	4	5	3	1	6	–	133	82	1	1
57	Miller	85	–	–	–	13	3	3	2	2	–	–	3	3	42	23	–	2
58	Mitchell	211	–	–	3	34	8	15	1	–	4	–	6	4	105	58	1	1
59	Monroe	124	–	–	1	21	2	6	–	6	–	1	6	2	73	51	–	1
60	Montgomery	58	–	–	1	15	3	5	–	3	–	1	3	3	29	20	–	–
61	Morgan	122	–	–	1	22	5	9	3	1	–	–	4	1	80	44	–	–
62	Murray	136	1	–	–	24	5	6	1	2	–	3	7	–	64	47	–	–
63	Muscogee	1,389	–	–	11	241	44	66	16	36	10	11	58	20	731	489	12	9
64	Columbus	1,356	–	–	11	238	43	66	16	36	10	10	57	19	715	480	12	9
65	Balance of county	33	–	–	–	3	1	–	–	–	–	1	1	1	16	9	–	–
66	Newton	263	–	–	4	37	9	8	6	3	3	–	8	2	130	75	1	–
67	Covington	105	–	–	2	16	6	2	4	1	1	–	2	1	51	28	–	–
68	Balance of county	158	–	–	2	21	3	6	2	2	2	–	6	1	79	47	1	–
69	Oconee	88	–	–	–	11	1	5	1	–	1	1	2	2	48	27	–	–
70	Oglethorpe	102	1	–	–	13	6	–	–	2	1	1	3	2	58	35	–	–
71	Paulding	176	1	–	1	27	7	6	–	4	3	–	7	–	98	67	–	–
72	Peach	170	–	–	1	22	5	6	–	3	2	1	5	5	85	63	–	13
73	Pickens	108	1	–	1	23	3	5	2	4	3	3	3	2	56	41	–	2
74	Pierce	118	–	–	–	16	3	4	1	3	–	2	3	1	65	51	1	1
75	Pike	86	–	–	1	14	6	2	–	–	–	2	4	2	47	28	–	1
76	Polk	331	1	–	7	46	10	10	4	7	3	4	8	4	195	143	3	1
77	Pulaski	119	–	–	1	17	4	5	2	1	1	–	4	2	69	43	1	2
78	Putnam	83	–	–	–	10	5	3	–	–	1	–	1	2	42	27	–	1
79	Quitman	29	–	–	–	6	2	2	2	–	–	–	–	–	15	9	–	–
80	Rabun	92	–	–	1	18	6	4	1	1	–	–	6	3	40	30	–	–
81	Randolph	147	–	–	2	20	2	5	3	4	1	1	4	3	68	39	–	1
82	Richmond	1,365	3	–	14	252	61	58	24	36	13	11	49	24	667	470	6	19
83	Augusta	947	2	–	11	164	43	34	14	24	10	8	31	20	483	332	5	13
84	Balance of county	418	1	–	3	88	18	24	10	12	3	3	18	4	184	138	1	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,461	331	13	549	35	62	180	62	17	117	49	2	22	130	37	560	120	189	79	170	3	01
1,138	287	11	424	31	44	144	42	13	99	44	2	18	113	28	464	73	146	57	144	3	02
1,345	322	16	508	37	48	162	48	13	114	48	2	24	126	39	529	91	171	74	165	5	03
62	12	–	19	–	2	9	5	–	1	–	–	3	5	1	23	7	13	3	7	–	04
75	13	–	20	–	2	9	5	–	2	–	–	3	6	2	27	8	15	6	8	–	05
92	9	1	39	1	5	7	8	2	6	4	–	1	3	5	31	10	11	7	11	–	06
169	23	1	67	3	11	20	7	2	11	1	–	1	9	3	42	30	19	12	8	–	07
28	3	–	15	6	7	11	2	–	–	–	–	1	1	2	5	4	2	2	–	–	08
13	2	–	8	–	–	1	–	1	–	–	–	–	–	6	3	–	–	–	1	–	09
104	67	1	50	8	7	15	6	–	15	2	–	4	4	8	38	16	18	8	8	1	10
50	38	1	27	3	6	12	2	–	7	1	–	2	2	6	25	7	10	3	6	1	11
54	29	–	23	5	1	3	4	–	8	1	–	2	2	2	13	9	8	5	2	–	12
60	23	–	31	5	3	7	4	1	1	–	–	–	3	2	19	4	7	6	2	–	13
60	5	–	40	2	1	10	2	–	2	1	–	–	1	3	23	6	8	2	1	–	14
49	1	–	15	3	2	4	1	1	–	–	–	2	3	–	10	3	3	–	5	–	15
193	20	2	67	3	10	25	7	1	3	1	–	10	20	9	51	25	23	20	10	–	16
50	4	–	27	–	2	6	–	1	1	–	–	–	4	–	8	13	8	2	1	–	17
186	14	3	61	8	7	13	10	1	8	3	–	3	9	4	34	19	24	11	10	1	18
66	4	2	21	6	4	6	5	–	2	1	–	–	1	3	13	2	4	2	1	–	19
120	10	1	40	2	3	7	5	1	6	2	–	3	8	1	21	17	20	9	9	1	20
39	5	1	11	–	2	2	1	–	2	–	–	–	–	–	7	–	4	1	2	–	21
65	7	1	24	4	1	5	–	3	2	2	1	2	2	7	11	7	7	1	5	–	22
28	8	1	23	6	1	5	1	–	2	1	–	–	3	–	12	5	4	2	2	–	23
66	5	1	15	1	2	6	2	–	2	–	–	1	5	3	15	4	8	2	2	–	24
14	3	–	6	–	–	–	–	–	–	–	–	–	1	7	4	5	1	–	2	–	25
71	4	–	37	4	2	5	1	2	1	–	–	3	5	1	18	7	10	10	4	–	26
111	13	1	36	5	3	14	10	4	5	1	–	5	7	3	41	14	12	11	7	–	27
59	7	–	20	4	2	10	7	3	4	1	–	5	5	2	25	8	6	5	4	–	28
52	6	1	16	1	1	4	3	1	1	–	–	–	2	1	16	6	6	6	3	–	29
28	2	–	23	–	–	1	1	1	–	–	–	–	–	–	7	6	2	2	1	–	30
55	2	2	18	2	2	4	1	2	1	–	–	–	1	–	14	3	6	2	6	–	31
20	3	–	14	1	–	7	–	–	1	–	–	–	–	9	7	3	5	1	–	–	32
33	4	–	9	–	1	3	–	–	1	–	–	–	1	1	11	2	1	2	1	–	33
43	9	–	22	8	2	6	–	–	2	–	–	1	1	2	24	9	5	–	4	–	34
30	2	–	15	–	4	1	1	–	4	–	–	–	1	–	9	4	3	1	3	–	35
16	4	–	13	2	2	4	–	–	1	–	1	–	1	11	6	3	6	–	2	–	36
14	8	–	14	2	1	5	1	–	2	–	–	–	1	1	7	5	5	4	2	–	37
24	4	–	14	2	–	5	1	–	–	–	–	–	4	1	13	2	6	2	1	–	38
24	9	–	7	1	1	2	1	1	–	–	–	–	1	1	7	2	5	–	–	–	39
99	47	2	24	3	6	12	4	1	4	4	–	2	2	1	41	10	6	8	6	–	40
48	25	1	11	2	3	5	2	1	–	4	–	–	1	–	15	5	3	3	5	–	41
51	22	1	13	1	3	7	2	–	4	–	–	1	1	1	26	5	3	5	1	–	42
17	5	1	4	–	–	1	2	–	–	–	–	–	1	1	7	7	3	–	1	–	43
32	5	2	20	–	2	6	–	–	2	1	–	2	7	1	13	13	10	1	5	–	44
28	4	–	7	3	3	2	1	–	–	–	–	–	1	1	7	5	3	2	–	–	45
17	3	–	2	1	1	1	1	–	1	–	–	–	1	1	5	4	2	1	–	–	46
102	70	1	59	8	6	16	2	2	5	4	–	3	3	8	37	11	24	10	2	–	47
56	44	1	45	6	3	12	2	1	5	4	–	2	3	6	24	4	17	3	1	–	48
46	26	–	14	2	3	4	–	1	–	–	–	1	1	2	13	7	7	7	1	–	49
19	1	–	13	1	–	3	–	–	1	1	–	–	1	–	8	1	3	–	1	–	50
36	6	–	28	2	1	8	–	1	1	1	–	1	2	10	12	5	4	1	3	–	51
18	11	–	7	2	4	3	–	–	–	–	–	–	1	1	8	5	4	1	4	–	52
41	2	–	16	5	1	2	2	–	2	–	–	1	4	2	10	3	4	1	2	–	53
41	6	–	24	2	1	6	–	1	1	–	–	1	–	1	6	10	3	3	4	–	54
13	3	–	4	–	–	–	1	–	–	–	–	–	–	1	7	2	3	–	2	–	55
70	10	4	43	2	2	5	1	–	3	–	–	1	4	1	17	8	7	5	3	–	56
19	2	1	15	2	1	1	2	1	1	1	–	–	1	3	7	4	2	4	1	–	57
46	10	–	41	4	2	11	1	1	1	1	–	–	1	16	18	4	8	2	2	–	58
46	4	–	19	1	2	4	1	–	–	–	–	–	–	–	10	5	4	–	3	–	59
16	4	1	6	1	1	1	2	–	1	–	–	–	–	–	5	1	–	–	–	–	60
40	4	–	31	3	2	2	–	–	–	–	–	–	1	–	6	3	2	2	2	–	61
34	13	–	15	1	1	6	1	–	3	1	–	–	–	1	17	8	6	1	3	–	62
388	80	4	193	24	21	40	11	8	21	10	2	12	22	12	127	31	33	14	38	5	63
382	77	4	187	24	20	38	11	7	19	10	2	11	20	12	125	31	31	13	38	5	64
6	3	–	6	–	1	2	–	1	2	–	–	1	2	–	2	–	2	1	–	–	65
67	7	–	37	13	5	5	1	–	1	4	–	3	5	11	29	15	7	4	5	–	66
24	4	–	13	8	2	1	1	–	–	2	–	1	3	3	15	3	2	2	2	–	67
43	3	–	24	5	3	4	–	–	1	2	–	2	2	8	14	12	5	2	3	–	68
22	5	1	18	–	2	4	1	1	1	–	–	–	1	4	7	3	2	2	1	–	69
31	4	–	20	2	1	2	–	–	1	–	–	–	2	4	7	3	5	2	–	–	70
63	4	–	27	1	3	3	3	1	1	2	–	–	2	3	12	8	6	3	4	–	71
39	11	2	15	5	–	6	1	–	2	–	–	–	1	6	15	14	3	4	5	–	72
38	1	–	14	–	1	2	–	–	–	1	–	1	–	3	10	2	4	2	–	–	73
35	14	–	13	1	–	8	2	–	–	2	–	–	1	3	8	8	1	–	3	–	74
19	8	1	16	1	1	1	–	2	3	–	–	–	2	4	4	2	1	2	1	–	75
117	23	–	42	4	6	9	2	–	3	–	–	2	3	1	30	6	13	7	2	–	76
34	6	2	19	1	4	2	–	–	2	–	–	–	–	8	7	2	4	1	3	–	77
21	5	–	11	1	3	4	2	–	–	–	–	–	1	2	9	2	3	2	3	1	78
8	1	2	3	–	1	1	1	–	–	–	–	–	–	1	5	–	–	–	–	–	79
26	4	–	7	–	3	9	2	–	3	–	–	–	–	–	9	5	1	–	1	–	80
36	2	1	27	1	–	5	1	–	1	–	–	–	–	33	6	2	3	–	–	–	81
405	40	15	151	14	17	50	14	5	34	9	–	8	23	8	125	25	40	24	39	1	82
287	27	13	114	12	12	36	9	3	24	8	–	6	19	5	86	5	25	12	28	1	83
118	13	2	37	2	5	14	5	2	10	1	–	2	4	3	39	20	15	12	11	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Rockdale	165	1	–	1	35	5	10	5	5	2	1	7	2	74	52	1	–
02	Schley	25	–	–	–	2	–	2	–	–	–	–	–	–	12	6	–	–
03	Screven	168	–	–	1	21	8	8	1	1	–	–	3	1	110	77	1	3
04	Seminole	84	–	–	1	8	–	5	–	1	–	1	1	–	56	32	1	–
05	Spalding	387	2	1	3	70	16	14	5	8	2	4	21	3	215	143	1	3
06	Griffin	252	2	1	1	47	9	11	2	4	1	1	19	2	136	92	1	1
07	Balance of county	135	–	–	2	23	7	3	3	4	1	3	2	1	79	51	–	2
08	Stephens	204	–	–	4	27	6	6	3	3	1	1	7	3	110	73	1	1
09	Stewart	68	–	–	1	7	1	1	1	2	–	–	2	1	34	19	–	–
10	Sumter	268	–	1	3	40	7	13	3	4	3	1	9	6	148	110	3	–
11	Americus	170	–	–	1	26	5	8	2	4	2	1	4	5	91	68	3	–
12	Balance of county	98	–	1	2	14	2	5	1	–	1	–	5	1	57	42	–	–
13	Talbot	57	–	–	–	5	1	2	–	1	1	–	–	–	26	20	–	1
14	Taliaferro	43	–	–	1	5	1	3	–	1	–	–	–	–	24	18	–	1
15	Tattnall	183	1	–	2	37	14	8	1	7	1	1	5	2	94	68	2	3
16	Taylor	86	–	–	–	8	3	2	–	2	–	–	1	–	45	28	1	2
17	Telfair	138	–	–	1	29	8	8	4	4	–	–	5	2	74	54	–	–
18	Terrell	140	–	–	–	19	2	5	2	2	–	2	6	1	68	38	–	–
19	Thomas	361	1	–	2	58	9	21	3	7	3	3	12	11	185	108	–	6
20	Thomasville	214	–	1	1	34	4	11	2	5	3	2	7	8	109	64	–	1
21	Balance of county	147	–	–	1	24	5	10	1	2	–	1	5	3	76	44	–	5
22	Tift	247	2	–	4	41	10	9	2	7	1	2	10	4	123	76	1	2
23	Tifton	135	2	–	2	19	4	5	2	4	–	–	4	3	72	48	–	–
24	Balance of county	112	–	–	2	22	6	4	–	3	1	2	6	1	51	28	1	2
25	Toombs	208	1	–	4	31	4	5	2	5	2	–	13	4	104	70	2	2
26	Towns	66	–	–	–	11	5	–	–	1	–	1	4	3	32	27	–	–
27	Treutlen	64	–	–	1	7	4	1	–	–	–	–	2	–	35	26	–	–
28	Troup	500	–	–	4	90	24	22	7	12	3	2	20	11	257	177	–	2
29	La Grange	272	–	–	2	52	16	10	5	5	3	1	12	7	152	106	–	2
30	Balance of county	228	–	–	2	38	8	12	2	7	–	1	8	4	105	71	–	–
31	Turner	94	–	–	–	8	5	1	–	1	–	–	1	1	56	28	1	–
32	Twiggs	75	–	–	–	10	4	2	–	1	1	–	2	1	36	19	–	1
33	Union	75	–	–	1	13	6	3	–	1	–	–	3	1	39	29	–	1
34	Upson	245	–	–	1	40	11	6	1	6	3	1	12	2	140	85	2	2
35	Thomaston	147	–	–	–	24	5	4	1	3	2	–	9	1	84	47	2	2
36	Balance of county	98	–	–	1	16	6	2	–	3	1	1	3	1	56	38	–	–
37	Walker	443	–	–	6	83	11	19	4	20	7	2	20	11	211	161	1	2
38	Walton	209	–	–	3	25	5	4	1	5	3	–	7	3	113	84	–	1
39	Ware	350	1	–	3	54	6	16	1	12	2	2	15	3	197	159	7	13
40	Waycross	237	1	–	2	31	1	10	–	9	1	1	9	3	140	116	6	11
41	Balance of county	113	–	–	1	23	5	6	1	3	1	1	6	–	57	43	1	2
42	Warren	52	–	–	–	16	3	4	3	3	1	1	1	–	25	12	–	–
43	Washington	207	–	–	–	30	6	7	3	9	–	1	4	3	105	77	2	–
44	Wayne	182	1	–	2	26	4	13	–	2	–	–	7	–	108	76	–	1
45	Webster	28	–	–	–	4	1	1	–	–	–	2	–	–	17	14	–	1
46	Wheeler	56	–	–	–	10	4	3	1	–	1	–	1	3	30	21	–	–
47	White	77	–	–	–	9	2	2	1	2	2	–	–	–	50	35	–	1
48	Whitfield	421	1	–	5	85	20	25	3	13	7	3	14	10	212	167	4	3
49	Dalton	205	1	–	1	47	13	14	3	8	3	1	5	3	88	68	3	2
50	Balance of county	216	–	–	4	38	7	11	–	5	4	2	9	7	124	99	1	1
51	Wilcox	95	–	–	–	13	2	5	–	4	–	1	1	4	55	36	–	–
52	Wilkes	115	–	–	1	16	2	5	1	5	1	–	2	6	60	39	1	2
53	Wilkinson	100	1	–	–	16	4	6	1	2	–	–	3	1	54	33	–	–
54	Worth	142	–	–	–	14	3	2	2	2	–	2	3	2	79	52	2	1
55	**Hawaii**	4,420	5	–	37	953	322	223	47	74	40	43	204	141	1,890	1,431	37	26
56	Urban places	2,769	5	–	16	611	218	144	35	48	22	27	117	84	1,239	947	25	16
57	Balance of area	1,651	–	–	21	342	104	79	12	26	18	16	87	57	651	484	12	10
58	Metropolitan counties	3,201	5	–	25	698	237	169	41	56	23	29	143	98	1,378	1,062	29	15
59	Urban places	2,556	5	–	14	560	194	136	35	44	21	21	109	73	1,144	884	24	13
60	Balance of area	645	–	–	11	138	43	33	6	12	2	8	34	25	234	178	5	2
61	Nonmetropolitan counties	1,219	–	–	12	255	85	54	6	18	17	14	61	43	512	369	8	11
62	Urban places	213	–	–	2	51	24	8	–	4	1	6	8	11	95	63	1	3
63	Balance of area	1,006	–	–	10	204	61	46	6	14	16	8	53	32	417	306	7	8
64	Hawaii	551	–	–	6	115	48	24	2	10	3	7	21	27	222	149	6	5
65	Hilo[3]	213	–	–	2	51	24	8	–	4	1	6	8	11	95	63	1	3
66	Balance of county	338	–	–	4	64	24	16	2	6	2	1	13	16	127	86	5	2
67	Honolulu	3,201	5	–	25	698	237	169	41	56	23	29	143	98	1,378	1,062	29	15
68	Aiea	62	–	–	1	17	6	6	3	1	–	1	–	–	28	21	–	–
69	Honolulu[3]	1,910	5	–	8	411	137	101	25	36	17	14	81	49	892	688	23	10
70	Kailua	151	–	–	–	33	7	9	2	1	3	1	10	5	51	42	–	2
71	Kaneohe	138	–	–	–	22	11	5	1	2	–	1	2	7	60	48	1	–
72	Pearl City	89	–	–	1	28	15	5	–	2	–	1	5	4	35	30	–	–
73	Schofield Barracks	8	–	–	2	1	–	–	–	1	–	–	–	–	2	1	–	–
74	Wahiawa	88	–	–	2	19	11	2	1	–	1	2	2	4	35	25	–	1
75	Waipahu	110	–	–	–	29	7	8	3	1	–	1	9	4	41	29	–	–
76	Balance of county	645	–	–	11	138	43	33	6	12	2	8	34	25	234	178	5	2
77	Kauai	217	–	–	1	56	15	8	3	5	7	2	16	5	97	81	–	1
78	Maui	451	–	–	5	84	22	22	1	3	7	5	24	11	193	139	2	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
47	4	–	15	4	3	5	1	1	3	3	–	1	3	2	16	7	7	3	–	–	01
4	2	1	4	1	–	3	–	–	–	–	–	–	–	–	4	–	2	1	–	–	02
65	8	4	23	1	5	2	1	1	1	1	–	1	6	1	9	7	2	3	1	–	03
27	4	–	24	–	–	4	–	–	–	–	–	–	1	–	5	3	4	1	–	–	04
132	7	1	57	7	7	13	4	–	8	2	–	–	4	2	25	7	11	8	9	–	05
84	6	1	36	4	3	7	2	–	7	2	–	–	3	2	17	3	7	6	7	–	06
48	1	–	21	3	4	6	2	–	1	–	–	–	1	–	8	4	4	2	2	–	07
65	6	–	33	1	3	6	–	–	3	–	–	1	5	2	22	8	6	5	2	–	08
16	3	–	11	2	2	1	–	–	2	–	–	–	2	2	9	2	8	–	1	–	09
88	19	4	27	5	2	13	1	–	4	3	–	1	1	1	22	10	9	4	1	–	10
54	11	4	13	4	2	8	1	–	3	2	–	1	1	1	15	6	6	3	1	–	11
34	8	–	14	1	–	5	–	–	1	1	–	1	–	–	7	4	3	1	–	–	12
18	1	1	5	–	–	2	2	1	1	2	–	1	–	–	6	2	–	–	3	–	13
16	1	–	4	2	–	1	–	–	–	–	–	–	1	–	5	3	1	–	1	–	14
58	5	–	19	3	4	7	4	2	1	–	–	2	2	2	1	12	7	6	3	–	15
24	1	–	10	3	4	4	3	–	–	3	–	–	–	–	5	6	6	2	2	–	16
40	14	–	17	1	2	6	2	–	2	1	–	1	2	–	5	5	4	6	1	–	17
34	4	1	24	1	4	10	1	–	3	3	–	1	4	5	14	4	2	1	4	–	18
93	9	3	65	5	4	16	13	1	3	1	–	2	5	4	27	14	7	6	5	–	19
56	7	1	38	4	2	14	5	1	3	–	–	1	2	3	18	7	4	1	2	–	20
37	2	2	27	1	2	2	8	–	–	1	–	1	3	1	9	7	3	5	3	–	21
62	11	1	39	4	3	4	3	2	–	2	–	3	6	1	26	7	10	4	5	–	22
40	8	–	21	2	1	1	1	1	–	1	–	2	5	1	11	5	4	2	3	–	23
22	3	1	18	2	2	3	2	1	–	1	–	1	1	–	15	2	6	2	2	–	24
54	12	–	24	3	7	12	6	2	3	–	–	2	1	2	13	6	10	3	2	2	25
25	2	–	4	–	1	4	–	–	–	–	–	–	–	–	10	4	2	–	–	–	26
13	13	–	7	1	1	6	–	–	1	–	–	1	–	–	5	1	3	1	3	–	27
166	9	3	61	8	8	17	4	3	7	5	–	2	1	2	52	16	20	5	4	–	28
97	7	2	38	2	4	6	3	–	4	2	–	–	–	–	24	11	3	2	3	–	29
69	2	1	23	6	4	11	1	3	3	3	–	2	1	1	28	5	17	3	1	–	30
25	2	–	24	2	2	5	1	1	6	1	–	–	2	–	6	–	1	2	4	–	31
17	1	–	14	2	1	3	2	–	–	1	–	–	2	1	7	8	3	–	1	–	32
27	1	–	6	1	3	2	1	–	1	–	–	1	1	–	9	3	2	–	1	–	33
67	14	1	49	3	2	5	3	1	3	2	–	1	6	2	25	4	6	4	–	–	34
38	5	1	32	2	2	5	1	1	3	1	–	1	5	2	14	1	3	2	–	–	35
29	9	–	17	1	–	–	2	–	–	2	–	–	1	–	11	3	3	2	–	–	36
141	17	2	37	4	7	13	9	–	3	–	1	4	3	6	48	21	13	6	5	–	37
66	17	1	21	4	3	6	2	–	–	1	–	4	1	2	23	6	10	2	8	–	38
129	10	1	29	3	5	14	9	1	6	1	–	1	4	3	23	11	12	3	4	–	39
91	8	1	18	2	3	9	5	–	6	–	–	–	4	2	17	7	6	1	3	–	40
38	2	–	11	1	2	5	4	1	–	1	–	1	–	1	6	4	6	2	1	–	41
8	4	–	13	–	–	–	–	–	1	–	–	–	2	2	3	1	2	–	–	–	42
69	6	–	26	2	–	13	1	3	3	1	–	5	3	5	13	10	5	2	5	–	43
68	7	1	25	4	2	4	1	–	3	–	–	1	4	–	14	6	7	1	4	–	44
11	2	–	3	–	–	2	–	–	–	–	–	–	–	2	–	–	2	1	–	–	45
17	4	1	8	–	–	3	1	–	2	1	–	–	–	–	2	2	1	1	–	–	46
24	10	–	12	3	–	7	–	1	–	–	–	–	–	1	2	3	4	–	–	–	47
118	42	2	33	4	6	19	3	1	7	1	–	–	–	2	33	15	14	5	8	–	48
47	16	2	12	1	5	12	2	1	6	1	–	–	–	2	20	6	7	4	4	–	49
71	26	–	21	3	1	7	1	–	1	–	–	–	–	–	13	9	7	1	4	–	50
30	6	–	14	3	2	4	–	–	1	–	–	–	–	–	7	1	8	2	–	–	51
35	1	1	12	6	2	3	2	2	–	–	–	1	1	–	13	1	6	1	2	–	52
29	4	1	15	4	1	–	3	1	–	1	–	1	–	2	13	1	4	1	1	–	53
40	9	–	24	2	1	7	2	–	–	1	–	–	2	1	10	2	9	4	2	–	54
1,258	110	10	381	23	45	185	35	14	75	24	1	52	87	54	391	143	150	89	57	37	55
842	64	7	247	13	25	121	18	10	52	14	–	31	51	26	235	67	78	59	32	20	56
416	46	3	134	10	20	64	17	4	23	10	1	21	36	28	156	76	72	30	25	17	57
943	75	7	265	13	31	127	23	11	59	16	1	42	65	31	285	95	100	69	43	30	58
795	52	7	217	12	24	112	18	10	51	13	–	28	49	19	221	66	69	54	31	19	59
148	23	–	48	1	7	15	5	1	8	3	1	14	16	12	64	29	31	15	12	11	60
315	35	3	116	10	14	58	12	3	16	8	–	10	22	23	106	48	50	20	14	7	61
47	12	–	30	1	1	9	–	–	1	1	–	3	2	7	14	1	9	5	1	1	62
268	23	3	86	9	13	49	12	3	15	7	–	7	20	16	92	47	41	15	13	6	63
115	23	–	64	5	4	29	2	–	4	3	–	7	12	14	46	22	26	8	4	4	64
47	12	–	30	1	1	9	–	–	1	1	–	3	2	7	14	1	9	5	1	1	65
68	11	–	34	4	3	20	2	–	3	2	–	4	10	7	32	21	17	3	3	3	66
943	75	7	265	13	31	127	23	11	59	16	1	42	65	31	285	95	100	69	43	30	67
19	2	–	6	–	1	2	–	–	2	1	–	–	–	–	3	4	1	1	1	1	68
618	37	5	172	11	16	84	13	8	37	9	–	21	31	17	162	37	47	42	23	14	69
38	2	–	8	–	1	10	1	1	4	2	–	2	1	–	18	9	7	5	1	1	70
43	4	1	9	–	2	5	1	1	4	–	–	2	5	–	16	4	7	2	–	2	71
28	2	–	4	–	1	4	–	–	–	–	–	–	2	–	4	7	–	1	3	–	72
1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	73
21	3	–	8	1	1	5	3	–	1	1	–	–	2	2	8	2	1	1	2	–	74
27	2	1	10	–	1	2	–	–	3	–	–	3	6	–	10	3	5	2	1	1	75
148	23	–	48	1	7	15	5	1	8	3	1	14	16	12	64	29	31	15	12	11	76
78	2	–	11	1	4	7	3	2	5	–	–	–	5	2	17	8	5	2	–	2	77
122	10	3	41	4	6	22	7	1	7	5	–	3	5	7	43	18	19	10	10	1	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Idaho**	6,635	7	1	42	1,173	271	268	132	148	40	55	259	117	3,124	2,187	44	40
02	Urban places	2,669	1	–	14	488	99	122	58	67	16	24	102	51	1,285	872	17	5
03	Balance of area	3,966	6	1	28	685	172	146	74	81	24	31	157	66	1,839	1,315	27	35
04	Metropolitan counties	1,036	–	–	6	204	37	57	23	24	9	9	45	9	511	333	8	1
05	Urban places	854	–	–	4	167	31	47	18	21	7	7	36	8	422	274	6	1
06	Balance of area	182	–	–	2	37	6	10	5	3	2	2	9	1	89	59	2	–
07	Nonmetropolitan counties	5,599	7	1	36	969	234	211	109	124	31	46	214	108	2,613	1,854	36	39
08	Urban places	1,815	1	–	10	321	68	75	40	46	9	17	66	43	863	598	11	4
09	Balance of area	3,784	6	1	26	648	166	136	69	78	22	29	148	65	1,750	1,256	25	35
10	Ada	1,036	–	–	6	204	37	57	23	24	9	9	45	9	511	333	8	1
11	Boise City	854	–	–	4	167	31	47	18	21	7	7	36	8	422	274	6	1
12	Balance of county	182	–	–	2	37	6	10	5	3	2	2	9	1	89	59	2	–
13	Adams	21	–	–	–	2	–	–	2	–	–	–	–	–	11	6	–	1
14	Bannock	413	–	–	5	61	17	9	6	8	1	4	16	8	190	149	2	–
15	Pocatello	332	–	–	4	49	14	6	4	8	1	4	12	7	150	120	1	–
16	Balance of county	81	–	–	1	12	3	3	2	–	–	–	4	1	40	29	1	–
17	Bear Lake	75	–	–	1	7	2	–	1	1	–	–	3	2	42	31	–	1
18	Benewah	71	–	1	1	13	3	2	1	3	1	1	2	2	38	24	–	1
19	Bingham	227	2	–	1	37	5	6	7	3	–	3	13	7	84	56	2	1
20	Blaine	52	–	–	1	9	5	2	1	–	–	–	1	1	24	19	–	–
21	Boise	15	–	–	–	2	–	–	1	–	1	–	–	–	6	5	–	–
22	Bonner	196	–	–	3	40	9	15	3	3	1	2	7	4	109	88	–	15
23	Bonneville	354	–	–	3	67	14	10	11	7	5	3	17	10	135	96	–	1
24	Idaho Falls	283	–	–	2	55	10	9	8	7	3	3	15	9	112	79	–	1
25	Balance of county	71	–	–	1	12	4	1	3	–	2	–	2	1	23	17	–	–
26	Boundary	46	–	–	–	6	2	1	–	–	–	–	3	1	22	13	–	–
27	Butte	20	–	–	–	3	–	–	1	1	–	–	1	1	10	9	–	–
28	Camas	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
29	Canyon	652	1	–	1	119	34	30	14	13	1	4	23	14	331	226	6	2
30	Caldwell	171	–	–	–	29	7	11	5	2	–	1	3	6	86	57	2	–
31	Nampa	243	1	–	1	42	7	12	6	4	1	1	11	3	121	86	1	1
32	Balance of county	238	–	–	–	48	20	7	3	7	–	2	9	5	124	83	3	1
33	Caribou	42	–	–	–	7	3	–	–	–	–	–	4	2	20	17	–	–
34	Cassia	145	–	–	4	22	9	3	2	2	1	1	4	1	57	41	3	–
35	Clark	6	–	–	–	1	1	–	–	–	–	–	–	–	2	–	–	–
36	Clearwater	64	2	–	–	13	1	6	–	3	–	–	3	2	13	9	–	–
37	Custer	29	–	–	–	5	1	1	2	–	1	–	–	–	16	12	–	–
38	Elmore	97	1	–	–	28	2	8	5	5	2	–	6	1	25	13	1	–
39	Franklin	70	–	–	–	15	1	3	2	3	2	1	3	2	40	30	2	–
40	Fremont	87	–	–	–	10	2	2	–	3	1	2	–	1	33	24	1	–
41	Gem	111	–	–	–	16	9	–	1	2	–	–	4	–	62	39	1	–
42	Gooding	115	–	–	1	18	4	3	1	3	2	–	5	3	65	45	–	–
43	Idaho	131	–	–	–	20	6	8	–	2	–	2	2	–	62	48	–	–
44	Jefferson	92	–	–	–	14	3	4	1	–	1	–	5	2	43	38	1	2
45	Jerome	98	–	–	–	19	5	3	4	1	1	–	5	–	55	38	1	7
46	Kootenai	448	–	–	2	99	20	26	11	19	2	9	12	7	219	150	3	–
47	Coeur d'Alene	226	–	–	1	43	9	14	3	10	1	4	2	4	128	87	2	–
48	Balance of county	222	–	–	1	56	11	12	8	9	1	5	10	3	91	63	1	–
49	Latah	186	–	–	–	34	7	7	4	7	–	1	8	3	82	51	–	–
50	Moscow	72	–	–	–	16	2	3	3	4	–	–	4	2	29	17	–	–
51	Balance of county	114	–	–	–	18	5	4	1	3	–	1	4	1	53	34	–	–
52	Lemhi	53	1	–	–	10	1	1	3	1	–	–	4	–	25	20	–	–
53	Lewis	27	–	–	–	2	1	–	–	–	–	–	1	2	8	6	–	–
54	Lincoln	35	–	–	–	8	1	3	2	–	–	1	1	–	16	10	1	–
55	Madison	92	–	–	–	9	4	1	–	–	1	1	2	4	38	29	–	–
56	Minidoka	119	–	–	1	23	4	4	1	4	–	–	10	1	60	48	1	–
57	Nez Perce	291	–	–	2	59	13	14	9	9	2	5	7	11	118	71	2	2
58	Lewiston	249	–	–	1	53	12	13	9	7	2	4	6	9	104	62	1	2
59	Balance of county	42	–	–	1	6	1	1	–	2	–	1	1	2	14	9	1	–
60	Oneida	62	–	–	1	9	3	–	–	1	–	1	4	–	35	25	–	–
61	Owyhee	56	–	–	–	9	4	2	–	–	–	1	2	–	24	16	1	–
62	Payette	165	–	–	1	28	5	6	5	3	1	–	8	1	92	67	–	1
63	Power	45	–	–	1	4	2	–	–	–	–	1	1	2	16	10	1	1
64	Shoshone	180	–	–	4	36	12	13	3	4	2	–	2	2	80	65	2	3
65	Teton	17	–	–	–	3	1	–	–	–	–	1	1	1	9	8	–	–
66	Twin Falls	451	–	–	1	66	15	14	5	9	1	2	20	7	249	165	5	1
67	Twin Falls	239	–	–	1	34	7	7	2	4	1	–	13	3	133	90	4	–
68	Balance of county	212	–	–	–	32	8	7	3	5	–	2	7	4	116	75	1	1
69	Valley	43	–	–	2	5	2	2	–	–	1	–	–	2	17	11	–	–
70	Washington	97	–	–	–	10	1	2	–	3	–	–	4	1	30	26	–	–
71	**Illinois**	103,665	180	6	543	20,516	5,836	4,837	1,855	2,334	970	826	3,858	1,792	55,981	43,247	630	780
72	Urban places	71,337	143	5	398	14,230	4,134	3,367	1,302	1,615	674	545	2,593	1,210	38,182	29,755	443	522
73	Balance of area	32,328	37	1	145	6,286	1,702	1,470	553	719	296	281	1,265	582	17,799	13,492	187	258
74	Metropolitan counties	78,893	146	5	443	15,896	4,565	3,777	1,485	1,788	739	615	2,927	1,335	41,991	32,774	500	568
75	Urban places	65,571	136	5	378	13,139	3,851	3,095	1,198	1,492	625	493	2,385	1,112	34,916	27,403	413	484
76	Balance of area	13,322	10	–	65	2,757	714	682	287	296	114	122	542	223	7,075	5,371	87	84
77	Nonmetropolitan counties	24,772	34	1	100	4,620	1,271	1,060	370	546	231	211	931	457	13,990	10,473	130	212
78	Urban places	5,766	7	–	20	1,091	283	272	104	123	49	52	208	98	3,266	2,352	30	38
79	Balance of area	19,006	27	1	80	3,529	988	788	266	423	182	159	723	359	10,724	8,121	100	174

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,913	190	8	687	137	105	301	115	21	78	19	1	57	100	157	566	266	301	136	44	9	01
792	58	6	276	83	48	121	44	10	37	10	–	26	37	48	232	93	87	64	15	6	02
1,121	132	2	411	54	57	180	71	11	41	9	1	31	63	109	334	173	214	72	29	3	03
302	22	1	113	48	16	33	12	5	9	2	–	13	15	13	82	36	36	36	9	5	04
252	15	1	95	39	13	28	8	4	8	2	–	11	12	11	69	31	29	30	6	4	05
50	7	–	18	9	3	5	4	1	1	–	–	2	3	2	13	5	7	6	3	1	06
1,611	168	7	574	89	89	268	103	16	69	17	1	44	85	144	484	230	265	100	35	4	07
540	43	5	181	44	35	93	36	6	29	8	–	15	25	37	163	62	58	34	9	2	08
1,071	125	2	393	45	54	175	67	10	40	9	1	29	60	107	321	168	207	66	26	2	09
302	22	1	113	48	16	33	12	5	9	2	–	13	15	13	82	36	36	36	9	5	10
252	15	1	95	39	13	28	8	4	8	2	–	11	12	11	69	31	29	30	6	4	11
50	7	–	18	9	3	5	4	1	1	–	–	2	3	2	13	5	7	6	3	1	12
4	1	–	3	1	1	1	–	–	–	–	–	–	–	1	3	2	1	–	–	–	13
137	10	1	26	10	4	13	12	3	10	2	–	2	12	5	40	14	22	12	2	–	14
111	8	1	18	9	2	11	10	3	5	1	–	2	11	2	36	12	17	11	1	–	15
26	2	–	8	1	2	2	2	–	5	1	–	–	1	3	4	2	5	1	1	–	16
21	9	–	7	–	4	3	2	–	–	–	–	1	–	–	7	1	8	1	–	–	17
22	1	–	12	2	–	4	1	–	3	–	–	–	–	–	3	3	1	–	1	–	18
37	16	–	22	4	2	12	5	–	4	1	–	1	5	13	19	9	16	10	1	–	19
17	2	–	5	–	–	1	–	–	1	–	–	–	–	2	2	2	8	1	–	–	20
4	1	–	1	–	–	1	–	–	–	–	–	–	–	2	1	–	2	–	1	–	21
68	5	–	15	6	–	5	1	1	1	–	–	3	5	1	7	6	7	2	1	–	22
91	4	1	24	8	6	23	7	–	6	2	–	8	7	19	26	16	16	7	2	–	23
74	4	1	19	8	5	19	7	–	4	2	–	6	4	15	21	12	10	4	1	–	24
17	–	–	5	–	1	4	–	–	2	–	–	2	3	4	5	4	6	3	1	–	25
11	2	–	8	–	1	5	1	–	–	–	–	1	–	–	6	–	4	–	–	–	26
9	–	–	1	–	–	2	2	–	2	–	–	–	–	–	1	1	1	–	–	–	27
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	28
200	18	1	81	8	15	36	8	2	5	3	–	7	6	12	56	22	13	8	7	1	29
49	6	–	21	3	5	9	2	–	–	–	–	–	2	4	18	6	–	5	3	1	30
75	9	1	25	3	6	13	4	–	5	3	–	4	3	5	23	7	4	2	2	–	31
76	3	–	35	2	4	14	2	2	–	–	–	3	1	3	15	9	9	1	2	–	32
17	–	–	3	–	–	–	–	–	1	1	–	–	1	1	4	1	2	2	–	–	33
35	3	1	11	3	1	2	4	–	2	–	–	1	4	14	8	12	12	1	1	–	34
–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	35
7	2	–	3	1	–	4	2	1	–	–	–	–	1	7	1	8	5	4	1	–	36
11	1	–	4	–	1	1	1	–	–	–	–	1	–	1	–	3	1	1	–	–	37
11	1	–	10	–	2	5	1	–	3	1	1	–	–	3	20	5	3	–	–	–	38
26	2	–	6	2	2	1	1	1	1	–	–	–	–	–	5	4	–	–	–	–	39
20	3	–	8	–	1	5	1	–	1	–	–	1	2	3	11	6	10	2	–	1	40
35	3	–	18	4	1	5	1	–	–	1	–	–	2	3	11	7	1	2	–	–	41
39	6	–	19	–	1	2	2	–	1	–	–	–	1	2	7	4	9	–	–	–	42
34	14	–	9	2	3	11	3	–	–	1	–	–	3	4	12	4	8	3	–	–	43
33	2	–	5	–	–	9	3	–	–	–	–	1	1	2	6	5	3	2	1	–	44
25	5	–	14	2	1	3	1	–	–	–	–	1	1	–	4	4	4	4	2	–	45
137	10	–	54	8	7	23	4	–	1	3	–	4	6	8	34	15	14	6	3	–	46
78	7	–	31	6	4	18	3	–	–	2	–	1	–	3	12	5	3	2	1	–	47
59	3	–	23	2	3	5	1	–	1	1	–	3	6	5	22	10	11	4	2	–	48
50	1	–	25	3	3	14	1	1	3	–	–	–	3	5	16	10	11	3	–	–	49
17	–	–	8	2	2	3	–	–	2	–	–	–	1	–	5	5	8	1	–	–	50
33	1	–	17	1	1	11	1	1	1	–	–	–	2	5	11	5	3	2	–	–	51
16	4	–	4	–	1	3	3	–	–	–	–	–	–	–	6	2	2	1	–	–	52
6	–	–	2	–	–	3	–	1	–	–	–	–	1	1	4	1	3	–	1	–	53
8	1	–	5	–	1	5	–	–	–	–	–	–	–	–	5	1	–	–	–	–	54
26	3	–	7	–	2	4	2	1	1	–	–	2	6	–	12	5	6	–	1	1	55
43	4	1	9	–	2	2	1	–	1	–	–	1	5	2	7	4	8	2	1	–	56
64	3	2	30	8	7	18	6	1	8	–	–	3	1	6	27	11	14	6	–	–	57
56	3	2	27	7	6	16	4	1	6	–	–	1	1	5	24	10	10	4	–	–	58
8	–	–	3	1	1	2	2	–	2	–	–	2	–	1	3	1	4	2	–	–	59
20	5	–	7	–	3	2	2	–	1	–	–	–	–	1	8	1	2	–	–	–	60
13	2	–	8	–	–	2	2	–	1	–	–	–	2	–	8	–	7	1	–	–	61
62	4	–	19	4	2	7	5	1	–	–	–	1	–	2	12	8	5	2	–	–	62
5	3	–	4	2	–	1	1	–	–	–	–	1	1	–	8	3	4	2	1	–	63
56	4	–	13	–	2	11	3	–	1	1	–	1	2	2	14	8	9	5	1	–	64
8	–	–	1	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	65
149	10	–	63	10	11	9	9	2	9	1	–	2	5	3	43	16	15	7	6	1	66
80	6	–	32	6	5	4	6	2	7	–	–	1	3	3	24	5	6	5	1	1	67
69	4	–	31	4	6	5	3	–	2	1	–	1	2	–	19	11	9	2	5	–	68
9	2	–	3	1	2	1	–	–	1	–	–	–	1	–	10	1	2	1	–	–	69
25	1	–	4	–	–	9	4	1	1	–	–	1	1	18	9	2	7	2	1	–	70
38,620	3,217	473	9,620	1,389	1,252	2,985	1,388	391	1,716	454	18	678	1,510	937	7,054	2,189	2,649	1,060	1,255	363	71
26,349	2,441	332	6,441	845	809	2,090	883	265	1,379	332	15	470	1,144	673	4,874	1,097	1,791	730	1,125	301	72
12,271	776	141	3,179	544	443	895	505	126	337	122	3	208	366	264	2,180	1,092	858	330	130	62	73
29,144	2,562	378	6,987	935	917	2,263	939	287	1,506	346	16	541	1,270	721	5,318	1,496	2,029	831	1,185	329	74
24,239	2,267	310	5,764	717	722	1,920	759	241	1,314	302	15	437	1,091	617	4,449	999	1,670	678	1,102	291	75
4,905	295	68	1,223	218	195	343	180	46	192	44	1	104	179	104	869	497	359	153	83	38	76
9,476	655	95	2,633	454	335	722	449	104	210	108	2	137	240	216	1,736	693	620	229	70	34	77
2,110	174	22	677	128	87	170	124	24	65	30	–	33	53	56	425	98	121	52	23	10	78
7,366	481	73	1,956	326	248	552	325	80	145	78	2	104	187	160	1,311	595	499	177	47	24	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Adams	818	2	–	6	149	33	33	13	22	10	8	30	9	470	327	2	6
02	Quincy	602	2	–	5	106	22	27	8	14	6	6	23	6	345	232	1	3
03	Balance of county	216	–	–	1	43	11	6	5	8	4	2	7	3	125	95	1	3
04	Alexander	214	–	–	–	45	14	12	3	5	1	3	7	3	119	94	–	4
05	Bond	204	–	–	1	34	8	6	1	2	6	1	10	2	126	109	–	7
06	Boone	209	–	–	3	34	13	7	4	5	2	–	3	7	116	86	2	3
07	Belvidere	134	–	–	2	22	8	4	2	4	2	–	2	7	76	56	1	1
08	Balance of county	75	–	–	1	12	5	3	2	1	–	–	1	–	40	30	1	2
09	Brown	69	–	–	–	12	2	4	2	1	1	1	1	–	38	34	–	–
10	Bureau	433	–	–	2	77	28	14	10	7	4	3	11	3	259	202	1	–
11	Calhoun	65	–	–	1	19	4	2	–	1	–	2	10	–	39	25	1	–
12	Carroll	227	1	–	1	54	15	13	5	5	4	3	9	4	117	83	1	5
13	Cass	166	–	–	–	30	4	9	2	4	5	1	5	2	92	78	1	2
14	Champaign	914	2	–	5	196	51	49	21	22	3	6	44	13	459	319	8	6
15	Champaign	358	2	–	3	83	25	17	7	8	1	2	23	5	184	127	5	3
16	Rantoul	65	–	–	1	16	3	4	4	2	–	–	3	1	25	21	–	1
17	Urbana	214	–	–	–	44	12	10	7	6	–	1	8	5	111	68	–	2
18	Balance of county	277	–	–	1	53	11	18	3	6	2	3	10	2	139	103	3	–
19	Christian	430	–	–	1	82	18	19	5	12	5	5	18	7	234	186	3	6
20	Taylorville	147	–	–	1	24	4	5	2	3	2	2	6	1	80	71	–	3
21	Balance of county	283	–	–	–	58	14	14	3	9	3	3	12	6	154	115	3	3
22	Clark	219	–	–	1	34	12	7	1	3	4	–	7	4	123	84	–	2
23	Clay	192	–	–	2	34	7	11	1	3	2	1	9	3	97	77	–	–
24	Clinton	265	–	–	3	54	22	16	1	4	–	1	10	5	129	99	–	1
25	Centralia, part	16	–	–	1	6	1	2	1	1	–	1	–	–	8	7	–	–
26	Balance of county	249	–	–	2	48	21	14	–	3	–	–	10	5	121	92	–	1
27	Coles	479	1	–	1	96	24	26	8	9	1	2	26	10	264	182	1	2
28	Charleston	134	–	–	–	33	7	7	5	2	1	2	9	5	63	39	–	1
29	Mattoon	237	1	–	1	40	12	12	2	3	–	–	11	3	141	97	–	–
30	Balance of county	108	–	–	–	23	5	7	1	4	–	–	6	2	60	46	1	1
31	Cook	50,952	113	2	318	10,156	3,075	2,353	917	1,145	473	369	1,824	862	27,047	21,768	312	369
32	Alsip	98	–	–	1	21	6	5	2	2	–	1	5	2	50	41	–	–
33	Arlington Heights, part	411	1	–	3	100	17	19	11	14	6	7	26	3	248	183	7	2
34	Arlington Heights, total	411	1	–	3	100	17	19	11	14	6	7	26	3	248	183	7	2
35	Bellwood	179	1	–	1	50	15	14	6	6	2	2	5	7	83	68	1	1
36	Bensenville, part	5	–	–	–	4	1	1	–	1	–	–	1	–	–	–	–	–
37	Berwyn	654	–	–	5	139	44	30	12	14	7	5	27	7	386	311	5	5
38	Blue Island	281	–	–	–	64	23	14	6	8	5	1	7	4	148	114	2	5
39	Bridge View	118	–	–	–	18	3	6	–	2	1	3	3	2	70	57	2	–
40	Brookfield	193	–	–	2	40	13	10	5	6	2	1	3	3	114	87	1	2
41	Buffalo Grove, part	50	–	–	1	15	3	2	1	2	2	2	3	1	17	16	1	–
42	Buffalo Grove, total	56	–	–	1	16	3	2	1	2	3	2	3	1	19	18	1	–
43	Calumet City	339	–	–	–	78	29	12	16	6	1	3	11	7	175	146	2	4
44	Calumet Park	77	–	–	–	21	6	5	3	2	–	–	5	1	36	30	–	–
45	Chicago, part	33,571	96	2	235	6,302	1,964	1,495	521	738	284	196	1,104	579	17,607	14,380	181	274
46	Chicago, total	33,572	96	2	235	6,302	1,964	1,495	521	738	284	196	1,104	579	17,608	14,381	181	274
47	Chicago Heights	325	–	–	2	67	23	6	6	13	5	1	13	6	167	123	3	3
48	Cicero	834	1	–	2	175	55	43	9	23	9	4	32	13	446	362	6	4
49	Deerfield, part	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
50	Des Plaines	513	1	–	4	125	36	30	13	9	8	6	23	3	275	210	2	–
51	Dolton	200	–	–	2	53	20	10	2	4	2	2	13	–	94	77	2	1
52	Elgin, part	46	1	–	–	11	2	3	–	2	1	–	3	–	22	18	–	–
53	Elk Grove Village, part	101	–	–	–	25	7	7	1	5	1	–	4	–	46	38	3	–
54	Elk Grove Village, total	101	–	–	–	25	7	7	1	5	1	–	4	–	46	38	3	–
55	Elmwood Park	257	1	–	2	65	14	14	10	5	2	4	16	3	137	109	2	3
56	Evanston	866	1	–	4	138	39	33	14	10	9	8	25	14	526	407	7	5
57	Evergreen Park	292	–	–	1	63	18	15	6	9	5	–	10	8	173	129	5	–
58	Forest Park	193	1	–	–	35	14	7	2	3	2	2	5	3	129	101	–	–
59	Franklin Park	127	–	–	–	21	6	6	1	2	–	4	2	1	68	55	–	–
60	Glencoe	75	–	–	3	19	6	3	3	–	1	1	5	–	40	28	3	–
61	Glenview	295	2	–	1	74	20	13	10	8	4	4	15	5	143	105	1	2
62	Hanover Park, part	58	1	–	–	14	3	1	–	1	–	3	6	1	19	15	–	–
63	Hanover Park, total	63	1	–	–	15	4	1	–	1	–	3	6	1	21	17	–	–
64	Harvey	283	–	–	–	58	23	12	5	6	3	3	6	7	137	111	–	2
65	Hazel Crest	85	–	–	–	24	6	3	2	2	2	2	7	3	40	36	–	–
66	Hickory Hills	72	–	–	–	13	2	3	1	1	2	2	2	–	40	26	–	–
67	Hinsdale, part	23	–	–	–	4	1	–	–	–	1	–	2	1	14	11	1	–
68	Hoffman Estates	90	–	–	–	16	4	4	1	2	1	1	3	1	36	29	1	2
69	Homewood	181	–	–	2	43	18	8	4	4	2	1	6	–	103	81	–	1
70	La Grange	185	–	–	1	42	8	10	5	8	3	2	6	4	100	75	1	–
71	La Grange Park	159	–	–	–	37	16	2	4	5	2	1	7	2	90	70	2	2
72	Lansing	202	–	–	1	38	10	10	3	4	2	–	9	5	120	101	3	1
73	Lincolnwood	102	–	–	–	23	3	4	4	1	1	2	8	5	58	44	3	1
74	Lyons	103	–	–	–	24	10	4	3	2	1	2	2	2	52	46	–	–
75	Markham	89	1	–	–	17	1	8	–	3	–	–	5	1	39	32	–	1
76	Maywood	231	–	–	2	47	15	14	5	5	1	1	6	3	120	91	1	4
77	Melrose Park	239	1	–	2	63	16	12	6	7	2	3	17	12	114	94	1	3
78	Midlothian	100	–	–	1	15	3	4	1	3	–	–	4	1	52	37	–	–
79	Morton Grove	178	–	–	1	53	17	14	2	3	4	3	10	4	96	75	3	2
80	Mount Prospect	227	–	–	1	57	19	11	9	3	3	5	7	2	110	82	–	–
81	Niles	335	–	–	1	62	22	14	7	7	1	3	8	5	214	175	5	1
82	Norridge	137	–	–	–	44	14	10	6	7	4	3	–	2	63	53	–	–
83	Northbrook	224	–	–	1	41	10	11	4	6	2	3	5	5	115	80	1	2
84	Northlake, part	115	–	–	–	16	6	4	1	2	–	–	3	3	64	52	1	–
85	Northlake, total	115	–	–	–	16	6	4	1	2	–	–	3	3	64	52	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–436)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
297	22	3	104	24	12	21	20	5	12	2		4	5	12	56	14	13	11	3	4	01
214	14	3	83	17	10	18	15	5	10	2		3	2	8	46	9	7	6	3	4	02
83	8	–	21	7	2	3	5	–	2	–		1	3	4	10	5	6	5	–	–	03
86	4	2	17	1	5	5	4	–	2	4		1	2	1	15	3	8	–	2	–	04
96	6	–	14	2	1	8	4	–	–	1		1	–	1	15	5	5	–	1	–	05
66	15	–	21	6	3	6	3	3	6	–		2	1	1	10	2	11	2	2	–	06
43	11	–	15	3	2	4	2	–	3	–		1	–	–	8	2	4	2	–	–	07
23	4	–	6	3	1	2	1	2	3	–		1	1	1	2	–	7	–	2	–	08
34	–	–	4	–	–	2	–	–	1	1		–	–	–	2	8	3	2	–	–	09
167	34	–	47	4	6	9	8	–	7	1		4	4	3	29	19	3	3	1	1	10
24	–	–	13	–	1	–	1	–	–	–		–	2	–	2	–	1	–	–	1	11
68	9	–	24	6	4	10	4	1	3	–		–	2	–	15	5	4	6	–	–	12
73	2	2	10	1	1	6	3	–	–	1		–	4	2	15	4	4	3	–	–	13
288	17	8	85	35	12	23	21	1	14	3		8	10	5	87	26	18	14	9	–	14
113	6	2	36	13	6	11	6	1	9	1		–	4	–	22	9	5	6	7	–	15
20	–	–	3	1	–	1	2	–	–	–		1	5	2	7	1	2	1	–	–	16
62	4	3	25	13	2	3	6	–	3	–		–	3	1	21	4	6	3	2	–	17
93	7	3	21	8	4	8	7	–	2	2		–	4	–	37	12	5	4	–	–	18
168	9	–	35	9	4	11	10	2	8	5		3	2	2	42	8	8	4	–	1	19
64	4	–	6	3	–	5	1	1	3	3		2	–	–	21	3	1	–	–	1	20
104	5	–	29	6	4	6	9	1	5	2		1	2	2	21	5	7	4	–	–	21
78	4	–	30	6	3	2	2	–	5	–		1	4	1	18	13	7	3	–	1	22
74	3	2	15	1	2	6	5	–	1	2		1	1	2	24	11	2	1	–	–	23
93	5	2	20	5	3	4	3	–	2	3		2	1	1	21	25	9	3	–	–	24
6	1	–	–	–	1	–	–	–	–	–		1	–	–	–	–	–	–	–	–	25
87	4	2	20	5	2	4	3	–	2	3		1	1	1	21	25	9	3	–	–	26
169	10	2	67	9	4	5	20	–	9	1		1	8	3	30	8	14	6	2	2	27
34	4	1	18	4	1	2	7	–	3	1		–	3	–	9	2	1	5	–	–	28
94	3	1	36	4	3	1	11	–	4	–		1	4	3	14	3	9	1	–	–	29
41	3	–	13	1	–	2	2	–	2	–		–	1	–	7	3	4	–	–	2	30
19,106	1,981	236	4,065	469	509	1,539	484	194	1,121	256	13	335	874	526	3,436	701	1,281	486	950	258	31
40	1	1	5	1	2	3	4	–	–	1		2	4	–	4	–	2	3	–	1	32
169	5	1	54	5	5	10	4	3	5	–		4	2	1	13	6	4	2	–	2	33
169	5	1	54	5	5	10	4	3	5	–		4	2	1	13	6	4	2	–	2	34
64	2	–	13	2	–	5	2	–	1	1		2	1	1	13	2	6	2	1	–	35
–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	1	–	–	–	36
284	17	3	58	6	8	12	9	4	15	2		1	3	1	50	3	5	8	4	–	37
104	3	1	26	–	7	12	2	–	10	3		–	–	–	26	4	7	1	–	–	38
49	6	3	8	1	1	3	–	1	2	–		1	5	–	7	3	1	4	–	1	39
79	5	1	20	–	6	5	4	–	2	–		1	3	1	10	3	2	3	–	–	40
15	–	–	1	–	–	2	2	–	1	–		1	2	–	2	2	1	–	2	1	41
17	–	–	1	–	–	3	2	–	1	–		1	2	–	2	2	2	–	2	2	42
136	4	2	17	6	4	10	4	2	11	1		2	6	3	21	7	5	5	2	–	43
29	1	–	6	–	–	3	2	–	4	–		–	1	–	5	1	1	1	1	–	44
12,333	1,592	151	2,542	247	287	1,066	301	127	811	190	13	230	662	430	2,260	405	909	287	858	201	45
12,334	1,592	151	2,542	247	287	1,066	301	127	811	190	13	230	662	430	2,260	405	909	287	858	201	46
108	9	1	25	14	4	9	2	–	5	2		1	9	9	18	13	5	2	6	2	47
326	26	1	74	6	3	33	8	5	18	6		2	4	3	58	16	26	4	9	5	48
1	–	–	1	–	–	1	–	–	1	–		–	1	–	1	–	–	–	–	–	49
201	7	1	44	7	13	10	3	1	4	2		3	5	2	41	10	15	5	3	1	50
71	3	1	10	3	3	13	4	1	3	2		1	2	3	10	3	4	3	2	–	51
18	–	–	3	–	1	–	–	–	1	–		–	1	1	4	1	3	1	–	–	52
32	3	1	6	–	1	3	3	–	1	–		1	1	2	8	4	2	1	3	1	53
32	3	1	6	–	1	3	3	–	1	–		1	1	2	8	4	2	1	3	1	54
100	4	–	25	2	1	4	1	–	4	–		2	4	1	22	2	6	3	–	–	55
370	25	5	96	11	7	29	3	1	7	1		3	6	4	81	7	20	9	5	7	56
120	4	4	34	3	3	4	6	2	3	–		1	2	1	19	5	3	1	–	–	57
94	7	–	21	3	4	1	2	1	5	1		–	1	–	9	3	2	–	–	–	58
52	3	–	11	1	1	5	–	1	5	–		–	3	2	11	1	5	3	1	–	59
23	2	2	9	–	1	4	1	–	1	1		–	1	–	–	–	1	3	–	1	60
94	8	2	26	8	2	16	2	1	8	–		–	2	2	25	3	6	2	1	–	61
14	1	1	1	–	2	2	–	–	2	–		–	2	1	5	3	1	3	2	2	62
16	1	1	1	–	2	2	–	–	3	–		–	3	1	5	3	1	3	2	2	63
104	5	–	18	2	6	6	1	2	7	–		–	3	6	25	–	14	4	11	1	64
36	–	–	2	1	1	1	2	–	1	–		–	1	2	4	1	2	2	–	1	65
23	3	1	10	1	2	2	–	1	2	–		–	1	2	5	1	2	1	2	–	66
9	–	–	3	–	–	1	–	–	–	1		–	–	–	2	–	–	–	–	–	67
25	1	1	6	–	–	2	–	–	5	1		–	4	–	10	5	2	5	–	–	68
76	4	1	15	1	5	7	–	1	1	–		–	2	1	15	3	2	1	–	–	69
70	4	1	19	4	3	3	2	1	3	1		–	1	1	13	2	5	3	2	–	70
57	9	–	15	4	2	7	3	1	1	3		–	1	–	8	1	1	3	–	–	71
91	6	–	12	4	3	3	2	–	2	1		–	3	1	11	9	3	2	1	–	72
38	2	1	9	1	3	–	1	–	–	–		–	–	2	6	–	1	6	–	–	73
43	3	1	4	–	1	1	2	1	1	2		–	2	2	6	1	3	1	–	2	74
28	3	–	6	–	1	3	–	–	1	–		–	9	1	10	2	3	1	1	–	75
79	7	2	17	6	4	5	2	1	6	1		–	3	6	12	4	10	3	4	–	76
87	3	1	12	2	5	7	2	2	5	–		–	2	2	12	–	8	1	2	3	77
37	–	1	10	2	3	–	3	1	5	1		–	2	1	4	3	2	1	1	1	78
68	2	1	16	2	2	3	1	–	1	1		–	–	1	12	2	2	–	1	–	79
76	6	2	22	1	3	5	3	–	6	–		–	3	1	16	5	8	6	–	1	80
162	7	3	26	6	4	9	3	1	5	1		–	2	4	19	1	5	2	1	–	81
51	2	–	9	–	1	3	3	2	3	–		–	1	–	8	2	4	1	1	–	82
69	8	1	25	4	5	7	3	–	3	–		–	1	2	24	6	7	7	–	1	83
48	3	1	9	1	1	6	2	–	1	2		–	3	–	11	2	4	–	1	–	84
48	3	1	9	1	1	6	2	–	1	2		–	3	–	11	2	4	–	1	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Cook—Con.																	
01	Oak Forest	125	–	–	1	26	9	6	2	3	1	1	4	2	65	54	–	3
02	Oak Lawn	560	–	–	4	144	38	39	11	16	9	4	27	15	306	244	4	5
03	Oak Park	672	–	–	2	165	56	36	18	17	9	2	27	11	362	251	7	3
04	Palatine	226	1	–	–	51	16	11	6	3	2	1	12	2	124	86	2	–
05	Park Forest, part	113	–	–	2	29	13	3	–	3	2	1	7	1	58	48	1	–
06	Park Forest, total	122	–	–	2	31	14	3	–	3	3	1	7	1	64	52	1	–
07	Park Ridge	329	–	–	–	74	22	19	7	5	5	2	14	4	198	148	3	2
08	Riverdale	177	–	–	–	38	11	7	4	5	–	2	9	4	101	79	1	1
09	River Forest	121	–	–	–	28	5	7	4	2	3	2	5	1	70	55	1	1
10	River Grove	80	–	–	–	13	–	6	1	–	–	1	5	3	50	39	–	–
11	Riverside	112	–	–	–	23	2	4	4	2	1	1	4	2	70	56	1	–
12	Rolling Meadows	78	–	–	–	17	5	7	–	1	1	–	3	2	40	33	1	1
13	Schaumburg, part	120	–	–	–	28	9	3	8	1	2	3	2	–	61	46	–	–
14	Schaumburg, total	123	–	–	–	30	9	4	8	1	2	3	3	–	62	46	–	–
15	Schiller Park	66	–	–	–	11	2	2	3	–	–	–	4	2	40	31	–	–
16	Skokie	560	–	–	4	138	35	29	22	8	4	6	34	9	312	255	4	4
17	South Holland	193	–	–	–	42	16	7	6	4	1	1	7	6	108	87	1	–
18	Streamwood	53	–	–	–	18	4	2	5	3	–	1	3	2	16	9	–	1
19	Summit	96	–	–	2	24	8	3	4	3	1	2	3	2	37	29	–	1
20	Tinley Park, part	156	1	–	3	31	7	13	2	4	1	–	4	2	77	65	–	1
21	Tinley Park, total	157	1	–	3	31	7	13	2	4	1	–	4	2	78	66	–	1
22	Westchester	161	–	–	–	34	14	4	–	6	–	1	9	1	99	77	2	2
23	Western Springs	87	–	–	–	27	5	3	6	5	–	1	7	2	47	44	2	–
24	Wheeling	89	–	–	1	17	5	4	1	2	–	3	2	–	45	38	2	–
25	Wilmette	235	–	–	2	49	12	12	5	6	1	4	9	5	140	102	2	–
26	Winnetka	87	–	–	1	20	3	7	6	2	–	2	–	1	41	31	–	–
27	Worth	104	–	–	–	24	7	7	1	5	1	1	2	1	58	53	2	–
28	Balance of county	2,828	2	–	14	611	160	146	58	63	33	27	124	41	1,524	1,196	21	10
29	Crawford	256	1	–	–	35	12	8	2	4	1	3	5	3	165	124	2	3
30	Cumberland	111	1	–	–	21	5	7	–	3	1	2	3	2	62	39	2	2
31	De Kalb	425	–	–	1	76	14	20	12	9	3	1	17	6	233	156	2	6
32	De Kalb	132	–	–	1	21	1	7	5	1	1	–	6	2	79	50	1	3
33	Balance of county	293	–	–	–	55	13	13	7	8	2	1	11	4	154	106	2	3
34	De Witt	202	–	–	1	32	3	7	5	5	3	2	7	2	128	84	3	–
35	Douglas	190	–	–	1	33	8	8	3	3	3	–	8	3	117	87	1	3
36	Du Page	3,432	3	2	20	764	173	195	88	85	40	34	149	60	1,809	1,360	32	10
37	Addison	118	–	–	1	32	5	9	2	4	3	3	6	–	60	47	1	–
38	Bensenville, part	120	–	–	–	30	9	10	1	3	2	3	2	1	70	52	3	–
39	Bensenville, total	125	–	–	–	34	10	11	1	4	2	3	3	1	70	52	3	–
40	Chicago, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
41	Downers Grove	355	1	2	–	61	12	16	5	10	6	3	9	6	204	147	5	1
42	Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Elmhurst	338	–	–	1	77	12	27	4	10	2	6	16	6	191	148	1	1
44	Glendale Heights	39	–	–	–	10	–	4	4	1	1	–	–	–	12	10	1	–
45	Glen Ellyn	180	–	–	2	49	5	13	6	7	4	2	12	4	88	67	2	2
46	Hanover Park, part	5	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–
47	Hinsdale, part	124	–	–	1	31	3	11	5	3	–	2	7	1	73	52	1	–
48	Hinsdale, total	147	–	–	1	35	4	11	5	3	1	2	9	2	87	63	2	1
49	Lombard	247	–	–	2	69	17	18	7	9	3	3	12	4	113	89	–	–
50	Naperville	163	–	–	3	35	12	5	5	2	–	1	10	1	88	73	2	1
51	Northlake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Schaumburg, part	3	–	–	–	2	–	1	–	–	–	–	1	–	1	–	–	–
53	Villa Park	198	–	–	1	50	16	10	5	9	3	–	7	4	108	76	4	–
54	West Chicago	114	–	–	–	19	6	6	1	1	1	1	3	–	54	40	–	–
55	Wheaton	286	–	–	1	56	16	9	6	3	6	2	14	10	152	110	2	1
56	Woodridge	54	–	–	–	12	2	2	3	–	1	–	4	1	22	17	1	–
57	Balance of county	1,087	2	–	8	230	57	54	34	23	8	8	46	22	570	429	9	4
58	Edgar	278	–	–	–	55	10	13	8	7	1	1	15	7	157	105	–	5
59	Edwards	106	–	–	–	17	5	2	3	1	–	1	5	7	59	42	–	3
60	Effingham	264	–	–	1	56	14	9	3	7	8	3	12	7	142	91	–	3
61	Fayette	253	1	–	–	44	9	14	2	6	–	4	9	8	147	99	1	1
62	Ford	194	1	–	3	40	8	10	5	6	3	1	7	1	96	66	1	–
63	Franklin	652	2	–	3	130	39	30	6	8	10	6	31	8	402	328	6	5
64	Fulton	482	1	–	1	98	23	20	7	8	8	4	28	2	269	199	3	4
65	Canton	170	–	–	–	43	9	9	4	3	5	3	10	1	77	55	1	1
66	Balance of county	312	1	–	1	55	14	11	3	5	3	1	18	1	192	144	2	3
67	Gallatin	103	1	–	1	11	1	3	1	1	1	–	4	2	59	48	–	1
68	Greene	251	–	–	–	39	6	10	6	5	3	–	9	5	157	118	–	–
69	Grundy	282	1	–	1	45	12	10	3	7	2	–	11	6	145	110	2	4
70	Hamilton	118	–	–	–	24	7	7	3	2	1	1	3	1	77	53	–	1
71	Hancock	305	–	–	–	65	22	8	3	7	4	7	14	5	175	132	–	17
72	Hardin	74	–	–	–	14	3	2	1	1	1	1	5	–	35	27	–	–
73	Henderson	76	–	–	–	9	1	2	1	1	–	–	4	1	40	31	–	1
74	Henry	597	1	–	1	102	23	24	14	10	4	5	22	13	366	277	6	3
75	Kewanee	239	1	–	–	34	4	11	5	3	4	2	5	4	158	111	3	2
76	Balance of county	358	–	–	1	68	19	13	9	7	–	3	17	9	208	166	3	1
77	Iroquois	386	–	–	1	69	23	15	5	9	3	2	12	7	238	185	4	1
78	Jackson	459	–	–	1	89	22	20	3	11	6	3	24	2	269	196	1	3
79	Carbondale	132	–	–	–	29	8	8	–	2	1	2	8	1	78	56	–	2
80	Murphysboro	136	–	–	–	19	4	6	1	3	1	–	4	–	83	59	1	–
81	Balance of county	191	–	–	1	41	10	6	2	6	4	1	12	1	108	81	–	1
82	Jasper	134	–	–	–	21	6	4	1	3	3	2	2	6	76	56	1	–
83	Jefferson	365	2	–	2	77	25	24	2	6	–	5	15	5	189	140	3	6
84	Mount Vernon	226	2	–	–	48	15	17	2	1	–	4	9	1	128	93	–	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
50	1	1	9	1	–	6	1		1			2	3		10	4	1	3			01
224	11	1	50	8	3	15	4	3	11	2		3	–	1	33	7	9	3			02
228	13	–	86	14	11	23	9	5	16	3		3	4	2	37	7	13	5	3	2	03
82	2	–	35	2	1	3	3		8	1		1	3	1	17	3	5	3	1		04
44	3	–	7	3	–	–	–	–	2	–	–	–	1	–	10	4	2	3	1	–	05
48	3	–	8	3	1	–	–	–	3	–	–	–	1	–	10	4	2	3	1	–	06
138	5	2	39	2	7	7	4	1	4	–	–	5	1	2	16	5	5	3	1	–	07
77	2	–	13	6	1	2	3	1	5	–	–	1	1	1	12	2	4	1	1	–	08
53	1	1	12	2	–	6	3	–	2	1	–	1	1	1	8	–	1	1	–	1	09
38	1	1	8	–	2	1	–	–	–	–	–	1	–	–	5	2	3	–	–	–	10
54	1	–	11	–	3	2	–	–	–	1	–	–	–	1	5	–	3	3	–	2	11
29	3	1	4	–	3	1	2	–	2	–	–	–	1	–	4	7	2	2	–	–	12
44	2	1	9	1	4	4	–	–	–	–	–	3	2	2	5	5	4	4	1	1	13
44	2	1	9	1	5	4	–	–	–	–	–	3	2	2	5	5	4	4	1	1	14
31	–	–	6	2	1	2	2	–	–	1	–	1	–	–	2	2	1	–	–	1	15
237	10	4	45	1	7	15	1	4	4	3	–	–	4	1	41	5	9	5	1	4	16
82	4	1	14	3	3	7	1	1	1	2	–	2	4	1	11	3	3	–	–	1	17
7	2	–	4	2	1	3	1	–	–	–	–	1	2	1	5	2	2	–	–	–	18
24	4	1	6	1	–	2	3	–	1	–	–	–	3	1	9	3	6	1	1	1	19
58	6	1	7	–	4	7	1	1	3	1	–	1	4	2	13	4	1	4	–	–	20
59	6	1	7	–	4	7	1	1	3	1	–	1	4	2	13	4	1	4	–	–	21
70	5	–	17	2	3	5	2	–	1	2	–	2	1	–	9	1	1	2	–	1	22
39	3	–	1	2	–	–	–	–	1	–	–	–	–	–	3	4	1	–	–	–	23
35	1	–	6	–	1	–	–	–	2	1	–	1	3	–	9	7	1	2	–	–	24
93	7	1	30	5	2	8	1	1	1	1	–	1	1	–	15	3	2	4	1	–	25
30	1	1	8	–	1	5	1	1	2	–	–	–	–	–	8	–	2	4	–	1	26
48	3	–	5	–	–	2	–	–	2	1	–	1	1	–	6	1	2	3	–	–	27
1,088	77	19	232	44	33	67	36	11	63	8	–	18	53	15	187	63	70	24	13	8	28
109	10	1	38	1	1	9	1	1	1	2	–	–	4	2	17	7	5	1	2	–	29
34	1	1	18	3	1	4	4	2	1	–	–	1	–	1	6	3	2	1	–	–	30
136	12	1	53	12	11	11	7	–	5	1	–	3	5	2	37	12	23	3	–	–	31
41	6	1	21	3	4	4	2	–	3	1	–	1	1	–	9	1	7	–	–	–	32
95	6	–	32	9	7	7	5	–	2	–	–	2	4	2	28	11	16	3	–	–	33
78	3	–	39	4	1	8	5	1	1	1	–	–	4	–	10	7	1	1	–	–	34
81	2	1	23	3	3	8	3	2	–	2	–	1	3	–	8	6	2	1	–	–	35
1,241	77	20	342	44	43	78	57	8	54	10	1	35	55	10	219	89	71	65	14	8	36
43	3	–	9	2	2	2	–	–	–	1	–	1	3	–	4	4	5	2	2	1	37
48	1	–	13	1	4	9	1	–	1	–	–	–	–	–	6	1	1	–	–	–	38
48	1	–	13	1	4	9	1	–	1	–	–	–	–	–	6	1	2	–	–	–	39
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
127	14	5	46	4	2	6	8	–	2	–	–	4	6	2	23	7	7	14	2	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
135	11	2	36	3	2	8	4	1	8	–	–	1	3	–	21	4	7	5	1	–	43
8	1	–	1	–	1	1	–	–	3	–	–	2	5	–	1	3	–	1	–	1	44
61	2	1	16	3	1	3	5	1	3	–	–	3	1	–	10	5	6	–	–	–	45
2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	46
47	4	1	18	1	1	1	3	–	2	–	–	1	1	–	5	2	1	2	–	–	47
56	4	1	21	1	1	2	3	–	2	1	–	1	1	–	7	2	1	2	–	–	48
84	5	1	16	4	3	5	5	2	6	–	–	3	5	1	15	8	5	4	–	–	49
67	3	–	10	4	1	3	2	2	1	–	1	2	2	–	10	6	2	5	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
68	4	–	28	–	4	2	5	1	1	1	–	–	3	–	13	3	2	4	–	–	53
38	2	–	12	2	–	3	1	1	2	1	–	1	5	–	11	5	5	2	3	1	54
101	6	2	30	7	3	8	7	–	3	–	–	2	5	1	26	4	6	3	2	–	55
15	1	–	3	–	2	1	–	–	1	–	–	1	2	–	6	3	1	2	1	1	56
396	20	8	104	13	16	26	16	1	20	7	–	13	14	6	68	34	23	21	3	4	57
93	7	–	48	2	2	13	5	1	2	1	–	–	1	–	13	8	15	–	–	–	58
36	3	–	13	1	3	1	2	–	–	–	–	–	5	–	6	7	1	1	–	–	59
84	4	4	38	5	4	8	7	2	1	1	–	1	3	2	18	7	6	1	1	–	60
93	4	1	41	1	5	6	5	2	3	–	–	2	4	–	16	6	5	4	–	–	61
58	7	2	20	7	1	12	4	–	–	2	–	1	1	1	24	3	5	–	–	–	62
308	9	2	60	5	7	13	11	3	3	6	–	1	3	–	36	8	13	7	2	1	63
156	36	–	56	8	6	9	8	–	2	6	–	1	1	37	26	4	16	1	–	–	64
41	12	–	17	2	3	3	3	–	1	2	–	1	–	16	14	1	7	1	–	–	65
115	24	–	39	6	3	6	5	–	1	4	–	–	1	21	12	3	9	–	–	–	66
42	5	–	8	1	2	5	1	1	–	2	–	1	1	–	6	1	9	1	–	1	67
99	19	1	23	12	3	3	2	3	3	1	–	–	–	1	24	6	3	3	–	1	68
96	8	1	29	3	2	15	8	1	5	–	–	2	7	3	18	17	6	1	1	–	69
52	–	–	22	1	1	3	3	–	2	–	–	–	1	–	1	2	3	–	–	–	70
107	8	–	27	13	3	3	3	–	2	4	–	–	1	1	25	11	9	1	–	–	71
27	–	–	7	–	1	3	–	1	1	1	–	–	1	1	4	7	4	–	2	–	72
25	5	–	9	–	–	3	1	–	–	–	–	2	–	3	11	4	1	1	–	–	73
253	15	2	71	7	9	17	7	2	4	2	–	3	8	3	36	13	14	3	2	–	74
98	8	1	40	3	3	10	2	1	2	1	–	2	1	1	11	4	5	1	1	–	75
155	7	1	31	4	6	7	5	1	2	1	–	1	7	2	25	9	9	2	1	–	76
164	16	1	44	7	1	7	5	–	2	2	–	3	4	4	17	18	7	1	1	1	77
185	7	1	58	9	5	13	15	–	5	2	–	7	6	1	24	10	10	2	1	2	78
51	3	–	15	5	2	3	4	–	–	1	–	3	–	–	8	1	2	–	–	2	79
56	2	1	20	1	2	6	8	–	2	1	–	2	1	–	4	4	4	2	–	–	80
78	2	–	23	3	1	4	3	–	3	–	–	2	5	1	12	5	4	–	1	–	81
52	3	–	12	6	2	8	1	1	2	2	–	–	2	1	7	3	4	1	1	–	82
118	13	–	40	4	5	9	10	3	7	2	–	2	3	2	28	12	9	1	1	1	83
80	9	–	30	3	2	6	6	2	2	2	–	2	2	–	17	2	5	1	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Jefferson—Con.																	
01	Balance of county	139	–	–	2	29	10	7	–	5	–	1	6	4	61	47	3	2
02	Jersey	186	–	–	1	41	11	9	6	4	3	2	6	8	98	74	2	6
03	Jo Daviess	228	–	–	3	34	10	8	1	5	2	4	4	2	141	95	1	–
04	Johnson	106	–	–	–	21	6	7	–	3	–	–	5	7	54	43	1	–
05	Kane	2,051	1	–	8	392	114	79	42	47	23	18	69	28	1,139	855	14	12
06	Aurora	724	1	–	2	143	44	31	9	12	12	9	26	11	408	295	4	8
07	Carpentersville	99	–	–	1	20	2	6	1	3	3	–	5	1	40	31	2	–
08	Elgin, part	551	–	–	2	91	29	19	14	9	2	3	15	8	328	242	5	1
09	Elgin, total	597	1	–	2	102	31	22	14	11	3	3	18	8	350	260	5	1
10	St. Charles	112	–	–	1	15	5	2	6	–	–	–	2	3	66	50	–	–
11	Balance of county	565	–	–	2	123	34	21	12	23	6	6	21	5	297	237	3	3
12	Kankakee	909	1	–	4	176	45	42	14	14	10	8	43	15	509	418	2	4
13	Kankakee	368	–	–	1	63	15	10	5	8	3	5	17	7	216	171	1	1
14	Balance of county	541	1	–	3	113	30	32	9	6	7	3	26	8	293	247	1	3
15	Kendall	199	–	–	–	46	11	11	4	10	1	1	8	4	101	72	–	1
16	Knox	608	1	–	3	107	30	30	9	10	7	3	18	10	351	232	6	4
17	Galesburg	389	1	–	1	71	18	18	7	7	5	3	13	8	230	153	4	4
18	Balance of county	219	–	–	2	36	12	12	2	3	2	–	5	2	121	79	2	–
19	Lake	2,606	–	–	17	552	128	136	64	55	27	21	121	51	1,296	975	13	21
20	Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Buffalo Grove, part	6	–	–	–	1	–	–	–	–	1	–	–	–	2	2	–	–
22	Deerfield, part	94	–	–	–	26	5	7	4	3	1	–	6	2	48	35	–	1
23	Deerfield, total	100	–	–	–	26	5	7	4	3	1	–	6	2	50	36	–	1
24	Highland Park	200	–	–	2	35	8	10	3	6	1	2	5	3	110	79	2	–
25	Lake Forest	111	–	–	1	22	8	4	2	2	–	1	5	1	59	38	–	2
26	Libertyville	108	–	–	1	22	8	3	2	2	1	–	6	1	56	43	1	1
27	Mundelein	100	–	–	–	26	4	6	4	1	3	–	8	1	49	34	1	–
28	North Chicago	113	–	–	2	22	5	6	2	5	–	–	4	4	59	46	–	–
29	Waukegan	581	–	–	2	117	31	24	12	10	3	6	31	10	280	210	1	7
30	Zion	146	–	–	–	33	8	6	3	5	2	1	8	4	68	41	3	–
31	Balance of county	1,147	–	–	9	248	51	70	32	21	15	11	48	25	565	447	5	10
32	La Salle	1,194	1	–	3	252	66	63	21	28	6	11	57	21	654	479	5	10
33	La Salle	132	–	–	–	34	11	7	2	5	–	1	8	3	71	52	–	1
34	Ottawa	226	–	–	1	44	11	14	6	5	2	–	6	3	131	93	2	–
35	Peru	126	–	–	–	25	4	8	4	5	–	1	3	1	80	54	–	1
36	Streator, part	209	–	–	–	52	14	15	1	5	3	4	10	4	116	83	2	1
37	Streator, total	210	–	–	–	52	14	15	1	5	3	4	10	4	117	84	2	1
38	Balance of county	501	1	–	2	97	26	19	8	8	1	5	30	10	256	197	1	7
39	Lawrence	244	1	–	1	35	11	7	3	4	2	1	7	3	152	101	–	2
40	Lee	375	–	–	2	62	18	14	5	6	2	4	13	7	207	162	2	1
41	Dixon	196	–	–	1	30	5	8	3	3	2	–	9	4	102	81	1	–
42	Balance of county	179	–	–	1	32	13	6	2	3	–	4	4	3	105	81	1	1
43	Livingston	449	–	–	1	94	32	15	5	10	6	5	21	4	251	192	4	1
44	Streator, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
45	Balance of county	448	–	–	1	94	32	15	5	10	6	5	21	4	250	191	4	1
46	Logan	315	–	–	1	49	16	10	5	4	1	4	9	3	199	150	–	3
47	Lincoln	174	–	–	1	23	9	2	3	3	–	1	5	2	111	80	–	–
48	Balance of county	141	–	–	–	26	7	8	2	1	1	3	4	1	88	70	–	3
49	McDonough	322	–	–	2	68	18	15	8	10	3	4	10	8	191	133	6	1
50	Macomb	151	–	–	1	33	5	8	4	6	1	3	6	4	91	60	4	1
51	Balance of county	171	–	–	1	35	13	7	4	4	2	1	4	4	100	73	2	–
52	McHenry	958	2	–	4	203	63	51	14	23	9	6	37	16	527	407	6	4
53	Crystal Lake	118	–	–	–	28	7	7	1	5	2	1	5	2	61	48	–	2
54	Woodstock	137	–	–	1	18	8	1	1	2	2	1	3	1	89	69	1	1
55	Balance of county	703	2	–	3	157	48	43	12	16	5	4	29	13	377	290	5	1
56	McLean	883	–	–	6	187	48	34	21	24	12	8	40	13	497	358	5	5
57	Bloomington	434	–	–	4	99	21	18	13	14	8	4	21	4	247	179	2	2
58	Normal	129	–	–	–	27	9	2	3	6	2	1	4	1	80	53	2	1
59	Balance of county	320	–	–	2	61	18	14	5	4	2	3	15	8	170	126	1	2
60	Macon	1,246	1	1	2	230	68	56	21	25	12	11	37	32	721	474	10	14
61	Decatur	1,035	1	1	–	195	58	47	16	21	11	9	33	29	589	396	8	11
62	Balance of county	211	–	–	2	35	10	9	5	4	1	2	4	3	132	78	2	3
63	Macoupin	544	3	–	4	116	33	19	14	15	5	5	25	20	300	212	1	8
64	Madison	2,332	4	–	6	461	112	133	39	48	25	19	85	39	1,283	995	14	21
65	Alton	457	2	–	2	79	22	25	2	10	2	2	16	10	258	200	5	12
66	Collinsville, part	197	–	–	–	40	14	9	6	1	2	2	6	–	120	94	1	–
67	Collinsville, total	214	–	–	–	46	16	11	8	1	2	2	6	–	128	101	1	–
68	Edwardsville	129	–	–	–	31	10	6	3	2	2	2	6	4	70	53	2	–
69	Granite City	367	2	–	–	81	14	32	5	10	4	1	15	6	206	165	3	1
70	Wood River	137	–	–	–	27	6	5	3	6	1	2	4	3	72	52	1	1
71	Balance of county	1,045	–	–	4	203	46	56	20	19	14	10	38	16	557	431	2	7
72	Marion	521	1	–	1	110	40	30	11	15	6	3	5	16	299	247	5	2
73	Centralia, part	200	–	–	–	43	13	15	6	5	2	–	2	8	111	89	3	2
74	Centralia, total	216	–	–	1	49	14	17	7	6	2	1	2	8	119	96	3	2
75	Balance of county	321	1	–	1	67	27	15	5	10	4	3	3	8	188	158	2	–
76	Marshall	166	1	–	–	40	10	6	3	3	4	3	11	3	85	66	–	1
77	Mason	214	–	–	1	39	8	7	6	6	3	2	7	2	118	93	1	1
78	Massac	178	–	–	–	33	9	8	1	7	1	–	7	6	80	63	–	1
79	Menard	129	–	–	–	23	6	5	1	2	1	1	7	2	75	61	–	–
80	Mercer	192	–	–	2	25	9	4	–	2	2	–	8	5	104	86	2	–
81	Monroe	190	–	–	–	25	7	2	4	5	1	2	4	4	111	83	1	3
82	Montgomery	395	–	–	2	75	31	20	3	4	5	6	6	11	235	175	3	2
83	Morgan	386	–	–	1	60	21	12	6	7	–	3	11	9	231	184	–	3
84	Jacksonville	275	–	–	1	37	11	9	4	4	–	1	8	8	175	137	–	2
85	Balance of county	111	–	–	–	23	10	3	2	3	–	2	3	1	56	47	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
38	4	–	10	1	3	3	4	1	5	–	–	–	1	2	11	10	4	–	1	1	01
63	3	–	19	3	2	2	4	–	–	–	–	1	1	8	10	7	4	1	–	–	02
84	10	1	35	1	9	10	6	–	1	–	–	1	2	1	11	4	9	1	–	1	03
36	6	–	7	2	2	5	3	–	–	–	–	1	1	–	8	2	2	2	–	–	04
786	43	7	232	18	27	48	30	10	33	8	–	16	35	14	133	56	63	23	14	–	05
266	17	3	95	7	8	14	12	5	12	5	–	7	15	6	45	11	21	1	5	–	06
28	1	–	9	–	–	2	1	1	2	–	–	4	4	3	10	4	3	2	1	–	07
225	11	4	70	4	8	12	7	1	10	2	–	1	9	2	38	11	18	9	2	–	08
243	11	4	73	4	9	12	7	1	11	2	–	1	10	3	42	12	21	10	2	–	09
48	2	–	13	–	3	5	–	–	2	–	–	–	4	–	5	4	6	1	–	–	10
219	12	–	45	7	8	15	10	3	7	1	–	4	3	3	35	26	15	10	6	–	11
402	10	3	68	6	14	19	14	5	6	3	–	5	20	8	56	28	19	8	10	3	12
164	5	1	35	3	6	10	7	2	2	1	–	–	5	4	24	8	10	5	3	–	13
238	5	2	33	3	8	9	7	3	4	2	–	5	15	4	32	20	9	3	7	3	14
69	2	–	22	5	2	5	1	2	1	–	–	5	6	1	14	6	6	1	–	–	15
213	9	7	73	26	13	20	12	4	5	4	–	9	8	3	43	15	8	3	1	1	16
138	7	6	48	17	6	12	9	1	4	2	–	3	5	2	25	5	5	3	1	1	17
75	2	1	25	9	7	8	3	3	1	2	–	6	3	1	18	10	3	–	–	–	18
863	78	6	266	18	31	84	32	7	49	10	1	24	34	25	195	93	74	34	21	7	19
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	21
32	2	–	11	–	2	4	1	–	–	1	–	–	2	–	4	2	1	2	1	–	22
33	2	–	12	–	2	5	1	–	1	1	–	–	3	–	5	2	1	2	1	–	23
71	6	–	24	2	5	12	4	1	4	1	–	1	3	1	17	–	3	2	1	–	24
32	4	1	18	–	2	4	1	–	1	–	–	–	–	–	14	3	5	–	–	–	25
38	3	1	11	–	1	4	2	–	2	–	–	6	–	–	6	4	–	1	2	1	26
32	1	–	12	1	2	1	1	1	–	1	–	2	–	–	11	2	4	1	–	–	27
38	8	–	10	2	1	3	1	–	3	–	–	–	3	1	3	1	4	1	5	1	28
188	14	3	57	6	4	19	4	1	18	2	–	5	9	7	48	15	21	13	7	3	29
36	2	1	25	1	–	10	–	–	2	–	–	–	3	1	10	5	4	2	1	–	30
394	38	–	98	6	14	26	18	4	19	5	1	8	14	15	82	61	31	12	4	–	31
430	34	6	132	19	18	34	15	6	18	4	–	7	11	5	71	42	33	12	4	1	32
49	2	–	14	2	3	3	2	1	3	1	–	1	1	–	5	3	3	1	–	–	33
85	6	1	30	4	3	8	5	1	2	–	–	1	4	1	14	4	6	1	–	–	34
47	6	–	18	5	3	2	1	1	2	–	–	–	–	–	6	5	2	1	–	–	35
74	6	1	24	6	2	5	4	–	3	1	–	1	1	1	12	3	2	1	3	–	36
75	6	1	24	6	2	5	4	–	3	1	–	1	1	1	12	3	2	1	3	–	37
175	14	4	46	2	7	16	3	3	8	2	–	4	5	3	34	27	20	8	1	1	38
96	3	3	38	4	6	15	4	1	2	–	–	2	–	1	12	5	6	4	–	–	39
152	7	4	31	3	7	15	3	3	–	2	–	–	5	7	40	8	11	3	–	–	40
75	5	1	16	2	2	11	1	2	–	2	–	–	3	3	26	4	7	–	–	–	41
77	2	3	15	1	5	4	2	1	–	–	–	–	2	4	14	4	4	3	–	–	42
178	9	2	38	10	9	10	13	3	3	1	–	2	7	5	26	18	9	2	–	–	43
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
177	9	2	38	10	9	10	13	3	3	1	–	2	7	5	26	18	9	2	–	–	45
134	13	1	30	15	3	8	2	–	–	–	–	1	1	5	26	9	4	2	5	–	46
74	6	–	17	12	2	5	2	–	–	–	–	–	–	3	18	4	3	–	2	–	47
60	7	1	13	3	1	3	–	–	–	–	–	1	1	2	8	5	1	2	3	–	48
117	9	1	39	15	3	8	5	1	–	–	–	–	–	–	19	9	7	3	–	1	49
50	5	1	21	8	1	4	3	–	–	–	–	–	–	–	9	2	2	1	–	1	50
67	4	–	18	7	2	4	2	1	–	–	–	–	–	–	10	7	5	2	–	–	51
390	7	8	79	12	21	25	12	1	14	6	–	4	11	4	54	40	14	10	4	7	52
45	1	2	8	2	1	3	–	–	4	1	–	–	1	1	7	7	2	–	1	–	53
67	–	–	12	4	4	3	4	–	–	2	–	1	1	1	10	4	1	1	–	–	54
278	6	6	59	6	16	19	8	1	10	3	–	3	9	2	37	29	11	9	3	7	55
338	10	2	106	12	19	19	17	5	8	2	1	6	4	2	57	23	23	9	3	1	56
169	6	–	56	5	7	6	8	1	5	1	–	3	1	1	32	6	6	7	2	1	57
50	–	1	17	2	7	1	3	–	2	–	1	1	–	–	5	2	6	–	–	–	58
119	4	1	33	5	5	12	6	4	1	1	–	2	3	1	20	15	11	2	1	–	59
411	39	9	177	42	19	28	32	4	6	2	–	5	24	18	63	28	25	16	6	2	60
344	33	7	142	27	17	22	29	4	5	2	–	4	21	16	57	18	21	14	6	1	61
67	6	2	35	15	2	6	3	–	1	–	–	1	3	2	6	10	4	2	–	1	62
191	12	1	80	3	4	8	6	6	3	–	–	5	6	2	36	11	11	4	3	–	63
896	64	5	219	26	38	56	33	8	27	9	–	12	25	24	156	77	62	17	25	8	64
171	12	1	42	7	8	8	7	3	11	1	–	1	3	3	34	7	14	1	11	2	65
89	4	1	23	1	1	4	2	–	2	–	–	1	2	–	12	9	4	1	–	–	66
96	4	1	24	1	1	4	5	–	2	–	–	1	2	–	12	9	4	1	–	–	67
46	5	–	10	–	7	3	2	–	1	–	–	1	1	–	7	2	4	2	1	–	68
160	1	–	36	2	3	3	7	–	5	3	–	1	2	2	27	3	9	5	5	–	69
43	7	–	18	–	2	3	5	1	1	–	–	–	4	1	8	7	4	1	–	–	70
387	35	3	90	16	17	35	10	4	7	5	–	8	16	15	68	49	27	7	8	6	71
224	16	2	38	7	5	15	4	1	2	2	–	1	3	5	42	5	11	1	1	1	72
80	4	1	16	5	–	6	1	–	2	1	–	1	1	3	16	3	3	1	–	–	73
86	5	1	16	5	1	6	1	–	2	1	–	2	1	3	16	3	8	1	1	1	74
144	12	1	22	2	5	9	3	1	–	1	–	–	2	2	26	2	8	–	–	–	75
65	–	–	12	5	2	4	4	2	–	1	–	2	1	–	10	4	6	2	1	–	76
85	6	–	16	2	7	11	2	–	–	2	–	1	2	–	17	9	4	5	1	–	77
55	7	1	11	3	2	7	10	1	1	1	–	1	1	1	22	3	7	3	1	–	78
58	3	–	13	–	1	13	2	–	–	–	–	–	3	2	2	1	5	1	–	–	79
80	4	–	13	3	2	11	2	–	2	–	–	1	3	2	17	11	7	–	–	–	80
77	2	–	16	10	2	–	–	1	5	–	–	–	1	4	16	12	4	4	–	3	81
164	6	2	36	13	9	8	4	–	6	1	–	2	2	1	20	11	12	5	–	–	82
165	16	2	32	9	4	9	7	–	4	3	–	5	1	3	24	9	12	6	1	1	83
123	12	–	27	8	3	8	3	–	3	2	–	4	–	2	18	4	6	4	–	–	84
42	4	2	5	1	1	1	4	–	1	1	–	1	1	1	6	5	6	2	1	1	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Moultrie	143	–	–	1	32	10	10	–	2	1	1	8	2	81	59	2	1
02	Ogle	403	–	1	2	72	21	14	7	10	4	2	14	9	225	159	1	4
03	Peoria	1,793	–	–	3	408	97	95	36	53	25	18	84	19	913	631	12	10
04	Pekin, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
05	Peoria	1,193	–	–	3	272	65	56	24	36	19	12	60	10	602	427	7	9
06	Balance of county	599	–	–	–	136	32	39	12	17	6	6	24	9	310	203	5	1
07	Perry	254	–	–	–	47	19	6	4	5	–	5	8	5	149	122	1	2
08	Piatt	153	1	–	–	24	7	1	1	4	1	1	9	5	90	64	1	3
09	Pike	244	1	–	2	37	12	11	3	3	1	–	7	5	148	108	2	1
10	Pope	48	–	–	1	6	1	3	–	1	–	1	–	–	24	19	–	–
11	Pulaski	116	–	–	2	13	4	5	–	–	–	–	3	2	66	49	3	–
12	Putnam	57	–	–	–	16	5	1	3	3	–	1	3	1	23	16	1	–
13	Randolph	357	2	–	1	65	10	10	11	18	1	1	14	13	198	147	1	8
14	Richland	176	–	–	2	25	8	3	4	3	3	–	4	3	107	78	2	1
15	Rock Island	1,521	3	–	8	296	90	59	18	38	12	11	68	23	858	695	7	1
16	East Moline	182	1	–	2	39	14	8	1	4	2	1	9	2	96	75	1	–
17	Moline	462	1	–	2	101	34	17	5	13	5	2	25	9	259	208	–	–
18	Rock Island	505	–	–	1	105	28	28	6	12	3	6	22	7	287	230	1	1
19	Balance of county	372	1	–	3	51	14	6	6	9	2	2	12	5	216	182	5	–
20	St. Clair	2,631	7	–	9	533	142	151	50	62	14	27	87	48	1,345	964	14	42
21	Belleville	641	2	–	–	141	37	42	17	10	2	7	26	5	359	255	3	8
22	Cahokia	127	–	–	–	31	5	4	5	6	2	3	6	1	66	47	2	1
23	Centreville	64	–	–	–	9	1	5	1	2	–	–	–	1	29	23	–	–
24	Collinsville, part	17	–	–	–	6	2	2	2	–	–	–	–	–	8	7	–	–
25	East St. Louis	729	2	–	7	139	41	41	8	19	6	7	17	22	322	232	4	13
26	Balance of county	1,053	3	–	2	207	56	57	17	25	4	10	38	19	561	400	5	20
27	Saline	457	1	–	3	92	23	25	6	10	5	6	17	7	263	194	1	1
28	Sangamon	1,629	4	–	9	382	101	115	36	38	15	18	59	30	849	607	9	11
29	Springfield	1,142	4	–	7	266	69	85	27	28	11	14	32	20	598	437	4	9
30	Balance of county	487	–	–	2	116	32	30	9	10	4	4	27	10	251	170	5	2
31	Schuyler	108	–	–	–	19	4	2	1	3	2	1	6	2	72	66	2	1
32	Scott	90	–	–	–	11	2	2	–	3	–	2	2	2	58	48	–	–
33	Shelby	257	–	–	–	45	13	13	1	6	–	3	9	2	128	98	3	2
34	Stark	78	–	–	–	13	6	1	1	1	–	3	1	1	50	42	–	2
35	Stephenson	487	–	–	–	99	40	16	7	10	3	4	19	5	278	220	4	4
36	Freeport	318	–	–	–	65	29	12	3	8	1	3	9	3	193	150	3	2
37	Balance of county	169	–	–	–	34	11	4	4	2	2	1	10	2	85	70	1	2
38	Tazewell	851	2	–	3	174	34	56	18	18	7	7	34	13	443	327	3	4
39	East Peoria	133	2	–	–	41	6	13	3	4	4	–	11	3	66	49	1	–
40	Morton	84	–	–	–	15	5	2	3	2	–	–	3	1	51	44	–	–
41	Pekin, part	303	–	–	1	52	8	20	5	6	1	3	9	5	160	108	1	1
42	Pekin, total	304	–	–	1	52	8	20	5	6	1	3	9	5	161	109	1	1
43	Balance of county	331	–	–	2	66	15	21	7	6	2	4	11	4	166	126	1	3
44	Union	202	–	–	4	30	5	9	3	8	2	2	1	3	127	94	–	–
45	Vermilion	1,022	2	–	2	182	40	51	14	22	14	9	32	20	526	376	8	11
46	Danville	510	1	–	1	98	22	24	9	12	8	5	18	8	252	172	6	4
47	Balance of county	512	1	–	1	84	18	27	5	10	6	4	14	12	274	204	2	7
48	Wabash	181	1	–	–	20	5	7	–	3	1	1	3	4	115	91	1	6
49	Warren	261	–	–	2	45	18	8	5	5	1	3	5	2	167	110	2	–
50	Monmouth	142	–	–	1	19	9	2	5	2	1	–	–	1	94	58	–	–
51	Balance of county	119	–	–	1	26	9	6	–	3	–	3	5	1	73	52	2	–
52	Washington	203	–	–	–	42	10	10	2	8	2	1	9	4	121	103	2	–
53	Wayne	224	–	–	1	49	12	15	4	3	1	4	10	5	130	111	–	3
54	White	254	1	–	1	43	12	13	4	7	1	–	6	7	141	104	3	2
55	Whiteside	583	–	–	7	108	36	17	10	18	5	6	16	8	310	231	2	2
56	Rock Falls	89	–	–	2	18	6	2	2	6	–	1	1	3	50	39	–	1
57	Sterling	151	–	–	–	31	10	5	3	3	2	4	4	1	77	57	1	1
58	Balance of county	343	–	–	5	59	20	10	5	9	3	1	11	4	183	135	1	–
59	Will	2,040	–	–	10	407	103	94	49	44	13	22	82	32	1,127	844	13	23
60	Joliet	881	–	–	5	158	39	37	15	16	6	8	37	9	522	368	7	11
61	Park Forest, part	9	–	–	–	2	1	–	–	–	1	–	–	–	6	4	–	–
62	Romeoville	40	–	–	1	8	2	4	1	–	–	1	–	–	11	9	–	1
63	Tinley Park, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
64	Balance of county	1,109	–	–	4	239	61	53	33	28	6	13	45	23	587	462	6	11
65	Williamson	617	1	–	1	134	31	38	12	18	3	2	30	22	303	247	4	–
66	Marion	177	–	–	–	36	8	13	7	3	2	–	3	10	83	63	–	–
67	Balance of county	440	1	–	1	98	23	25	5	15	1	2	27	12	220	184	4	–
68	Winnebago	2,007	3	–	9	385	115	81	30	46	22	13	78	31	1,049	724	20	6
69	Loves Park	70	–	–	–	17	5	4	3	–	–	–	5	–	32	23	1	–
70	Rockford	1,423	3	–	6	261	80	57	19	32	19	9	45	27	759	514	14	5
71	Balance of county	514	–	–	3	107	30	20	8	14	3	4	28	4	258	187	5	1
72	Woodford	241	–	–	2	34	15	9	3	–	1	2	4	5	147	108	–	3
73	**Indiana**	**46,778**	**55**	**–**	**280**	**9,035**	**2,356**	**2,221**	**817**	**1,115**	**460**	**367**	**1,699**	**960**	**25,135**	**17,777**	**311**	**418**
74	Urban places	25,324	21	–	167	5,001	1,291	1,276	461	606	251	189	927	514	13,349	9,459	180	196
75	Balance of area	21,454	34	–	113	4,034	1,065	945	356	509	209	178	772	446	11,786	8,318	131	222
76	Metropolitan counties	27,629	32	–	176	5,587	1,433	1,426	518	668	282	229	1,031	547	14,515	10,374	177	209
77	Urban places	19,620	20	–	129	3,965	1,022	1,037	365	470	198	151	722	393	10,248	7,344	129	144
78	Balance of area	8,009	12	–	47	1,622	411	389	153	198	84	78	309	154	4,267	3,030	48	65
79	Nonmetropolitan counties	19,149	23	–	104	3,448	923	795	299	447	178	138	668	413	10,620	7,403	134	209
80	Urban places	5,704	1	–	38	1,036	269	239	96	136	53	38	205	121	3,101	2,115	51	52
81	Balance of area	13,445	22	–	66	2,412	654	556	203	311	125	100	463	292	7,519	5,288	83	157

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
53	3	1	17	2	2	1	3	–	2	1	–	1	–	3	9	2	3	2	–	–	01
143	11	4	43	12	7	12	9	2	1	–	–	1	6	3	31	9	11	6	3	–	02
569	40	4	209	33	36	46	22	7	25	10	–	15	20	8	146	45	61	29	14	2	03
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	04
384	27	4	131	16	24	27	18	4	19	9	–	7	15	7	106	23	40	20	9	2	05
184	13	–	78	17	12	19	4	3	6	1	–	8	5	1	40	22	21	9	5	–	06
117	2	–	23	2	2	11	5	3	1	–	–	2	–	1	18	2	8	1	1	–	07
60	–	4	18	3	1	5	6	–	–	–	–	2	–	–	10	6	4	–	–	–	08
102	3	1	31	5	3	10	6	–	1	1	–	2	3	1	16	4	4	2	1	–	09
19	–	–	5	–	–	4	–	1	–	–	–	–	1	2	8	–	1	–	–	–	10
33	13	2	11	3	1	12	1	–	–	1	–	–	1	5	6	2	3	–	1	1	11
13	2	–	5	2	–	–	–	–	1	–	–	–	1	3	7	–	3	2	–	–	12
135	3	3	38	7	3	7	8	1	4	1	–	4	3	8	17	10	8	5	2	–	13
73	2	–	18	9	2	6	1	–	1	–	–	1	1	–	16	3	6	3	1	–	14
662	25	6	115	16	26	37	31	5	17	4	–	13	23	7	96	42	35	8	9	6	15
72	2	1	15	–	5	6	1	–	1	1	–	–	3	–	12	5	10	2	–	1	16
202	6	1	39	5	6	10	9	2	5	1	–	4	2	1	31	11	9	3	1	1	17
218	10	1	40	9	7	10	13	1	6	1	–	5	11	1	37	4	8	1	5	2	18
170	7	3	21	2	8	11	8	2	5	1	–	4	7	5	16	22	8	2	3	2	19
867	41	32	263	56	30	86	39	11	30	11	–	15	49	22	168	75	84	29	60	10	20
237	7	9	68	23	4	21	10	2	9	2	–	–	6	2	42	15	15	9	–	1	21
41	3	–	13	4	2	3	1	–	4	–	–	–	1	1	5	6	3	2	2	1	22
20	3	1	5	–	–	4	–	–	1	–	–	1	4	–	6	2	4	–	3	–	23
7	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	24
201	14	11	64	9	6	27	11	5	6	4	–	7	24	7	53	13	27	3	43	7	25
361	14	11	112	20	18	31	14	4	10	5	–	7	14	12	62	39	35	15	12	1	26
184	8	3	52	7	7	13	6	1	4	–	–	–	2	3	36	18	6	1	–	1	27
569	18	8	199	18	17	27	31	6	20	3	–	8	20	17	108	35	49	8	15	8	28
408	16	6	131	13	11	22	23	5	15	2	–	5	16	11	78	16	36	5	9	4	29
161	2	2	68	5	6	5	8	1	5	1	–	3	4	6	30	19	13	3	6	4	30
63	–	–	4	1	1	1	2	–	–	–	–	1	1	1	7	2	–	–	1	–	31
48	–	–	7	2	1	1	1	–	–	–	–	1	3	–	4	4	3	2	–	–	32
90	3	2	25	1	2	18	4	5	1	2	–	1	1	3	26	12	8	1	–	–	33
34	6	–	8	–	–	3	–	1	1	–	–	1	–	–	4	3	–	1	–	–	34
208	4	1	46	3	8	9	9	4	3	2	–	–	6	1	38	9	13	8	3	–	35
141	4	1	35	2	5	6	5	2	2	1	–	–	4	1	20	5	3	5	3	–	36
67	–	–	11	1	3	3	4	2	1	1	–	–	2	–	18	4	10	3	–	–	37
309	11	3	75	20	18	40	17	5	10	3	–	6	12	8	56	27	23	3	4	2	38
47	1	–	8	5	4	3	1	1	1	–	–	–	1	1	7	2	3	–	1	–	39
44	–	–	7	–	–	1	7	–	–	–	–	–	2	–	3	1	1	–	1	1	40
103	3	2	36	6	8	23	6	3	6	3	–	1	5	3	17	8	6	2	1	1	41
104	3	2	36	6	8	23	6	3	6	3	–	1	5	3	17	8	6	2	1	1	42
115	7	1	24	9	6	13	3	1	3	–	–	5	4	4	29	16	13	1	1	–	43
93	1	–	24	5	4	5	3	1	–	–	–	3	1	2	13	3	6	1	–	–	44
295	62	2	118	13	17	32	34	5	12	5	–	8	12	13	89	25	31	15	7	2	45
132	30	–	62	5	13	21	17	3	6	2	–	4	7	6	40	12	15	10	6	1	46
163	32	2	56	8	4	11	17	2	6	3	–	4	5	7	49	13	16	5	1	1	47
83	1	–	17	5	2	3	3	1	1	1	–	4	–	1	9	4	8	5	1	–	48
99	9	–	48	5	4	7	1	–	2	1	–	–	3	1	19	4	4	3	–	–	49
53	5	–	29	4	3	4	1	–	1	1	–	–	2	1	10	3	2	2	–	–	50
46	4	–	19	1	1	3	–	–	1	–	–	–	1	–	9	1	2	1	–	–	51
99	2	1	15	1	1	4	1	1	–	2	–	–	1	1	10	3	10	3	–	–	52
106	2	–	13	1	5	8	3	1	1	–	–	1	–	–	10	6	6	3	–	–	53
95	4	–	26	8	3	4	4	1	5	–	–	1	3	3	26	4	5	3	1	1	54
207	20	4	55	12	8	27	11	5	9	2	1	2	6	4	46	15	14	7	1	–	55
34	4	1	7	–	3	1	1	1	2	1	–	–	–	1	6	1	1	1	–	–	56
52	3	1	15	2	2	6	2	1	4	1	–	1	3	1	18	3	1	–	1	–	57
121	13	2	33	10	3	20	8	3	3	–	1	1	3	2	22	11	12	6	–	–	58
761	47	8	209	40	26	39	29	4	34	2	–	16	44	10	123	60	56	29	12	6	59
326	24	6	112	22	14	21	15	3	11	–	–	8	22	3	55	11	19	11	6	2	60
4	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	61
7	1	–	2	–	–	1	–	–	4	–	–	–	4	–	2	4	2	3	–	–	62
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
423	22	2	94	18	11	17	14	1	18	2	–	8	18	7	66	45	35	15	6	4	64
226	17	1	41	5	9	19	10	4	4	5	–	2	8	3	53	22	18	7	1	–	65
57	6	–	17	1	2	10	3	1	1	–	–	1	4	–	16	3	7	–	1	–	66
169	11	1	24	4	7	9	7	3	3	4	–	1	4	3	37	19	11	7	–	–	67
668	30	10	228	59	28	58	39	5	32	4	–	15	20	14	158	57	58	46	20	4	68
21	1	–	6	3	–	2	2	–	1	–	–	1	1	1	4	7	–	2	–	–	69
476	19	8	176	40	21	39	31	2	23	4	–	11	16	10	112	31	44	29	12	3	70
171	10	2	46	16	7	17	6	3	8	–	–	3	3	3	42	19	14	15	8	1	71
101	4	4	26	4	5	7	3	1	2	1	–	3	1	3	17	7	7	–	1	–	72
15,821	1,227	186	5,422	1,091	659	1,254	629	158	522	188	9	318	633	479	3,528	1,263	1,296	568	354	114	73
8,449	634	109	2,876	563	342	675	354	85	352	111	4	172	380	274	2,030	525	673	293	268	76	74
7,372	593	77	2,546	528	317	579	275	73	170	77	5	146	253	205	1,498	738	623	275	86	38	75
9,319	669	104	3,065	602	370	727	346	91	351	120	4	204	411	298	2,090	682	743	329	288	88	76
6,608	463	75	2,134	438	257	505	250	63	286	90	3	140	306	218	1,565	397	515	219	242	66	77
2,711	206	29	931	164	113	222	96	28	65	30	1	64	105	80	525	285	228	110	46	22	78
6,502	558	82	2,357	489	289	527	283	67	171	68	5	114	222	181	1,438	581	553	239	66	26	79
1,841	171	34	742	125	85	170	104	22	66	21	1	32	74	56	465	128	158	74	26	10	80
4,661	387	48	1,615	364	204	357	179	45	105	47	4	82	148	125	973	453	395	165	40	16	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Adams	214	–	–	3	32	13	8	4	3	–	–	4	5	146	90	1	1
02	Allen	2,245	3	–	13	491	121	106	62	67	24	18	93	45	1,172	847	8	32
03	Fort Wayne	1,750	3	–	12	374	98	79	50	51	17	12	67	35	916	660	6	28
04	Balance of county	495	–	–	1	117	23	27	12	16	7	6	26	10	256	187	2	4
05	Bartholomew	430	–	–	2	80	18	15	14	10	5	2	16	18	234	164	5	3
06	Columbus	238	–	–	2	43	6	8	10	8	4	1	6	9	133	91	3	2
07	Balance of county	192	–	–	–	37	12	7	4	2	1	1	10	9	101	73	2	1
08	Benton	104	–	–	–	18	3	3	2	5	–	1	4	2	54	35	–	2
09	Blackford	153	–	–	1	24	9	3	2	3	–	1	6	4	88	53	1	–
10	Boone	293	1	–	–	52	13	12	2	11	4	4	6	6	163	112	–	1
11	Brown	78	–	–	–	18	4	4	2	2	2	1	3	–	37	29	–	1
12	Carroll	171	–	–	1	37	9	11	4	4	3	1	5	2	99	68	1	2
13	Cass	429	–	–	7	66	18	14	9	5	3	2	15	8	237	155	2	–
14	Logansport	261	–	–	4	39	10	9	5	2	1	2	10	4	147	93	2	–
15	Balance of county	168	–	–	3	27	8	5	4	3	2	–	5	4	90	62	–	–
16	Clark	629	1	–	5	125	35	37	4	8	3	5	33	8	326	222	6	2
17	Clarksville	92	–	–	–	20	4	5	2	–	1	1	7	2	48	31	1	–
18	Jeffersonville	263	1	–	3	42	10	14	–	6	2	1	9	1	141	93	2	2
19	Balance of county	274	–	–	2	63	21	18	2	2	–	3	17	5	137	98	3	–
20	Clay	288	2	–	1	68	21	19	7	6	3	1	11	13	136	81	1	3
21	Clinton	370	–	–	3	65	19	13	4	10	4	3	12	10	204	137	2	5
22	Frankfort	225	–	–	3	32	11	7	2	5	1	1	5	8	129	88	1	3
23	Balance of county	145	–	–	–	33	8	6	2	5	3	2	7	2	75	49	1	2
24	Crawford	107	–	–	–	20	6	7	1	4	–	–	2	4	53	38	2	–
25	Daviess	298	1	–	2	44	11	14	2	4	4	1	8	3	185	134	1	6
26	Washington	160	–	–	1	23	6	5	2	1	3	1	5	1	102	73	1	4
27	Balance of county	138	1	–	1	21	5	9	–	3	1	–	3	2	83	61	–	2
28	Dearborn	302	–	–	–	68	26	10	6	11	3	3	9	7	147	103	1	2
29	Decatur	210	–	–	3	38	9	10	6	4	1	1	7	5	111	76	1	1
30	De Kalb	280	1	–	1	48	9	13	2	5	7	1	11	7	160	113	3	6
31	Delaware	1,049	3	–	8	192	51	48	20	27	7	3	36	7	532	398	11	6
32	Muncie	710	1	–	6	131	40	33	14	18	3	1	22	6	366	272	8	3
33	Balance of county	339	2	–	2	61	11	15	6	9	4	2	14	1	166	126	3	3
34	Dubois	290	–	–	–	60	24	8	3	12	4	3	6	8	156	118	3	1
35	Elkhart	1,027	–	–	5	191	49	36	22	24	14	9	37	25	573	373	11	3
36	Elkhart	449	–	–	2	76	17	14	6	12	5	3	19	6	257	164	8	2
37	Goshen	188	–	–	–	32	7	6	9	3	2	1	4	4	108	76	2	1
38	Balance of county	390	–	–	3	83	25	16	7	9	7	5	14	15	208	133	1	–
39	Fayette	203	–	–	–	44	9	11	4	8	3	2	7	3	114	77	5	–
40	Connersville	152	–	–	–	33	8	7	4	6	1	1	6	3	83	57	3	–
41	Balance of county	51	–	–	–	11	1	4	–	2	2	1	1	–	31	20	2	–
42	Floyd	576	3	–	1	119	29	27	11	18	7	4	23	6	301	202	–	1
43	New Albany	470	2	–	1	96	22	20	10	15	6	3	20	5	241	164	–	1
44	Balance of county	106	1	–	–	23	7	7	1	3	1	1	3	1	60	38	–	–
45	Fountain	209	–	–	2	37	8	10	5	6	1	1	6	4	105	71	–	–
46	Franklin	145	1	–	–	22	7	5	1	–	1	1	7	3	87	70	2	2
47	Fulton	189	–	–	3	38	10	9	4	4	2	1	8	5	106	75	1	1
48	Gibson	346	–	–	4	61	16	9	5	10	3	4	14	7	196	140	5	5
49	Grant	696	–	–	3	107	27	32	6	10	3	4	25	16	384	247	8	24
50	Marion	437	–	–	1	68	16	23	3	5	2	2	17	12	229	160	7	20
51	Balance of county	259	–	–	2	39	11	9	3	5	1	2	8	4	155	87	1	4
52	Greene	379	–	–	1	69	10	23	5	7	5	4	15	7	223	183	2	12
53	Hamilton	450	–	–	6	87	28	20	8	5	7	3	16	7	257	193	4	3
54	Hancock	283	–	–	2	55	9	16	6	7	2	5	10	5	153	123	1	4
55	Harrison	227	1	–	1	36	8	13	3	2	2	2	6	7	120	86	2	2
56	Hendricks	402	–	–	4	83	18	19	11	8	5	3	19	6	222	150	2	11
57	Henry	519	–	–	1	93	22	12	12	14	7	3	23	6	292	229	6	3
58	New Castle	242	–	–	1	45	11	6	4	8	4	1	11	2	129	100	2	–
59	Balance of county	277	–	–	–	48	11	6	8	6	3	2	12	4	163	129	4	3
60	Howard	671	1	–	3	129	26	35	13	18	8	6	23	11	345	221	4	2
61	Kokomo	515	1	–	3	98	20	30	7	17	4	3	17	9	267	160	3	2
62	Balance of county	156	–	–	–	31	6	5	6	1	4	3	6	2	78	61	1	–
63	Huntington	370	–	–	3	87	27	16	6	15	4	–	19	9	199	134	2	1
64	Huntington	192	–	–	2	45	13	8	2	9	2	–	11	5	96	74	1	1
65	Balance of county	178	–	–	1	42	14	8	4	6	2	–	8	4	103	60	1	–
66	Jackson	350	2	–	6	69	16	14	4	12	3	5	15	4	185	141	1	4
67	Seymour	151	–	–	4	28	5	6	1	3	2	4	7	2	82	61	–	2
68	Balance of county	199	2	–	2	41	11	8	3	9	1	1	8	2	103	80	1	2
69	Jasper	171	–	–	1	35	7	12	4	5	1	–	6	3	94	73	–	–
70	Jay	281	–	–	–	65	16	15	6	7	2	4	15	6	143	76	–	1
71	Jefferson	263	1	–	2	46	16	7	5	6	3	3	6	3	130	90	2	–
72	Madison	146	–	–	1	33	14	5	2	5	2	1	4	–	77	52	2	–
73	Balance of county	117	1	–	1	13	2	2	3	1	1	2	2	3	53	38	–	–
74	Jennings	163	2	–	3	26	6	7	–	6	1	2	4	3	76	62	–	2
75	Johnson	510	–	–	1	104	25	25	12	17	2	6	17	15	271	184	3	1
76	Franklin	160	–	–	1	20	5	2	2	4	–	1	6	7	101	63	1	–
77	Greenwood	141	–	–	–	23	5	6	3	5	–	–	4	2	75	57	1	1
78	Balance of county	209	–	–	–	61	15	17	7	8	2	5	7	6	95	64	1	–
79	Knox	517	1	–	–	89	21	22	7	10	4	3	22	17	290	196	2	5
80	Vincennes	265	–	–	–	46	13	13	2	3	2	2	11	11	141	87	–	–
81	Balance of county	252	1	–	–	43	8	9	5	7	2	1	11	6	149	109	2	5
82	Kosciusko	483	–	–	–	88	22	12	9	24	1	4	16	12	282	190	7	5
83	Lagrange	174	–	–	–	23	8	3	1	3	2	–	6	2	96	68	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
79	9	–	41	11	4	4	–	1	1	–	–	1	2	4	5	6	1	3	–	–	01
767	40	6	252	41	26	57	26	6	30	6	–	26	33	17	154	61	54	26	25	–	02
594	32	6	193	36	21	45	21	3	23	5	–	20	27	15	128	40	47	17	19	–	03
173	8	–	59	5	5	12	5	3	7	1	–	6	6	2	26	21	7	9	6	–	04
142	14	1	54	9	6	12	4	–	3	2	–	4	4	2	40	10	8	7	–	–	05
79	7	–	34	5	3	6	3	–	2	2	–	1	3	2	20	5	4	3	–	–	06
63	7	1	20	4	3	6	1	–	1	–	–	3	1	–	20	5	4	4	–	–	07
32	1	2	15	–	2	3	2	1	3	1	–	–	–	1	7	5	4	1	1	1	08
48	4	–	34	–	1	4	5	–	1	–	–	2	4	4	7	3	6	4	–	–	09
104	7	1	39	7	4	7	1	–	–	2	1	2	4	2	26	10	11	3	–	2	10
27	1	–	7	1	–	2	2	–	3	–	–	–	–	1	5	3	5	1	1	–	11
61	4	–	23	6	2	3	–	–	1	–	–	–	2	2	14	6	3	1	–	–	12
136	17	2	56	18	6	13	14	1	7	1	–	–	4	3	29	11	14	10	1	2	13
82	9	1	42	8	3	13	10	1	4	1	–	–	1	1	14	5	11	5	1	–	14
54	8	1	14	10	3	–	4	–	3	–	–	1	3	2	15	6	3	5	–	2	15
194	20	2	77	18	7	29	11	4	6	1	–	4	7	12	46	15	17	8	2	2	16
28	2	–	14	1	2	1	4	–	–	–	–	–	2	1	8	–	1	5	–	–	17
80	9	1	36	8	3	18	5	1	5	–	–	2	3	2	22	7	8	1	1	–	18
86	9	1	27	9	2	10	2	3	1	1	–	2	2	2	9	16	8	8	2	2	19
74	3	–	49	3	3	8	5	3	2	–	–	1	3	–	27	8	10	1	–	–	20
122	8	4	42	17	4	11	7	–	4	3	–	1	8	4	26	9	12	2	1	–	21
77	7	4	21	13	3	6	5	–	3	2	–	1	6	3	17	4	5	–	1	–	22
45	1	–	21	4	1	5	2	–	1	1	–	–	2	1	9	5	7	2	–	–	23
34	2	–	8	4	3	6	–	–	1	1	–	–	–	1	3	6	7	4	1	–	24
117	10	2	39	7	3	6	3	–	1	–	–	2	4	–	25	10	7	3	1	1	25
61	7	1	22	4	2	4	3	–	–	–	–	–	1	–	14	3	4	2	1	1	26
56	3	1	17	3	1	2	–	–	1	–	–	2	3	–	11	7	3	1	–	–	27
91	9	1	35	5	3	5	4	1	2	–	–	2	9	1	29	8	13	6	–	–	28
66	8	–	30	2	3	8	1	–	1	2	–	1	3	4	13	9	9	2	–	–	29
91	13	–	40	3	4	11	5	–	3	–	–	2	3	3	19	7	8	1	1	–	30
365	16	3	101	19	11	31	25	4	11	1	–	6	11	22	91	43	30	17	10	5	31
255	6	2	72	13	7	27	17	3	9	1	–	3	9	12	64	15	20	9	6	5	32
110	10	1	29	6	4	4	8	1	2	–	–	3	2	10	27	28	10	8	4	–	33
108	6	–	25	9	4	2	3	1	5	3	–	2	5	2	19	8	8	5	–	3	34
348	11	8	147	31	14	14	20	1	4	2	–	9	16	7	75	30	34	14	5	2	35
147	7	4	71	10	8	8	10	1	3	2	–	3	6	4	40	10	14	4	3	1	36
72	1	3	19	9	1	1	3	1	1	–	–	1	2	1	15	5	8	4	1	1	37
129	3	1	57	12	5	5	7	–	–	–	–	5	8	2	20	15	12	6	1	–	38
64	8	3	24	4	6	8	2	–	2	1	–	3	1	1	14	4	4	2	–	–	39
49	5	2	17	2	5	8	2	–	2	1	–	3	–	–	10	2	4	1	–	–	40
15	3	1	7	2	1	–	–	–	–	–	–	–	1	1	4	2	–	1	–	–	41
185	16	–	80	9	10	20	8	–	6	2	–	1	9	14	40	8	15	12	10	1	42
153	10	–	62	7	8	19	6	–	5	2	–	1	9	12	34	6	12	12	6	1	43
32	6	–	18	2	2	1	2	–	1	–	–	–	–	2	6	2	3	–	4	–	44
67	4	3	23	6	2	13	5	–	1	2	–	–	3	–	19	8	7	2	–	–	45
59	7	–	15	1	1	1	2	–	1	1	–	1	1	1	11	6	5	–	1	–	46
68	5	–	16	12	3	2	2	1	–	–	–	1	1	1	16	4	6	3	–	–	47
121	9	1	28	20	7	6	5	–	6	3	1	4	2	2	27	16	4	1	1	1	48
204	11	4	108	14	11	15	8	3	9	2	–	4	8	26	52	25	18	8	5	3	49
124	9	1	52	10	6	11	6	3	4	2	–	2	8	19	33	14	12	5	5	3	50
80	2	3	56	4	5	4	2	–	5	–	–	2	–	7	19	11	6	3	–	–	51
152	17	–	32	4	4	10	3	2	3	1	–	1	3	2	27	10	11	5	1	–	52
170	16	4	46	7	7	10	2	1	2	2	–	3	4	5	29	12	12	7	2	2	53
108	10	1	19	4	6	4	7	–	2	1	–	3	3	3	22	9	4	7	1	2	54
80	2	1	28	2	3	10	6	2	–	5	–	1	6	3	10	10	8	1	–	–	55
124	13	3	50	12	7	15	3	3	2	2	–	1	8	4	18	9	14	7	–	–	56
194	26	3	50	3	7	14	5	2	3	–	–	3	3	2	51	16	13	10	4	1	57
86	12	–	23	1	5	7	1	–	2	–	–	2	1	1	30	9	4	5	2	1	58
108	14	3	27	2	2	7	4	2	1	–	–	1	2	1	21	7	9	5	2	–	59
192	23	5	94	17	8	21	13	1	7	2	1	3	14	11	53	21	25	8	1	1	60
138	17	4	80	15	8	15	11	1	6	1	1	3	9	7	43	17	17	4	1	1	61
54	6	1	14	2	–	6	2	–	1	1	–	–	5	4	10	4	8	4	–	–	62
124	7	–	54	6	5	6	1	2	2	2	–	1	5	–	25	15	11	2	–	–	63
67	5	–	18	3	1	4	1	2	2	2	–	1	3	–	13	9	5	2	–	–	64
57	2	–	36	3	4	2	–	–	–	–	–	–	2	–	12	6	6	–	–	–	65
130	6	1	33	5	5	13	4	2	6	3	–	–	5	–	24	10	11	4	–	–	66
58	1	–	15	2	4	6	1	1	4	1	–	2	3	–	7	3	5	4	–	–	67
72	5	1	18	3	1	7	3	1	2	2	–	2	2	–	17	7	6	–	–	–	68
69	4	1	14	6	–	2	–	–	1	–	–	1	2	4	15	6	5	4	–	–	69
69	6	2	39	23	3	5	6	–	1	1	–	1	2	11	19	12	7	3	–	–	70
77	11	1	28	7	4	7	2	–	1	1	–	1	3	2	33	13	9	3	1	–	71
42	8	1	18	5	1	3	2	–	–	1	–	1	4	1	13	5	3	2	–	–	72
35	3	–	10	2	3	4	–	–	–	–	–	1	2	1	20	8	6	1	1	–	73
47	13	–	12	1	1	10	1	–	2	–	–	–	2	4	20	2	3	5	2	–	74
173	7	3	49	26	9	19	6	2	2	3	–	–	4	5	34	12	18	8	2	4	75
61	1	1	16	16	5	5	1	–	–	1	–	–	1	2	10	3	5	1	–	2	76
53	2	–	15	3	–	9	2	1	1	1	–	–	1	3	10	4	5	4	–	–	77
59	4	2	18	7	4	5	3	1	1	1	–	–	2	–	14	5	8	3	2	2	78
158	31	4	74	7	9	20	9	–	6	2	–	2	1	3	47	11	14	4	–	1	79
70	17	3	44	3	4	13	6	–	4	1	–	1	–	2	27	4	7	1	–	1	80
88	14	1	30	4	5	7	3	–	2	1	–	1	1	1	20	7	7	3	–	–	81
166	12	1	64	15	12	19	5	1	3	–	–	4	4	1	25	17	11	8	1	1	82
57	9	–	25	2	1	3	4	–	–	–	–	1	1	9	20	11	2	2	–	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Lake	4,326	2	–	22	847	222	206	76	113	49	23	158	116	2,180	1,599	27	24
02	Crown Point	123	–	–	1	28	8	7	4	4	–	–	5	2	71	60	1	2
03	East Chicago	433	–	–	1	80	27	26	6	8	4	2	7	10	216	158	1	4
04	Gary	1,539	–	–	7	271	66	75	19	40	15	8	48	56	724	504	7	9
05	Griffith	115	–	–	3	24	3	7	5	3	–	–	6	3	62	50	1	1
06	Hammond	827	1	–	4	174	44	38	16	18	15	5	38	22	429	321	7	4
07	Highland	134	–	–	–	32	6	5	2	8	3	3	5	2	70	51	–	2
08	Hobart	147	–	–	–	33	11	5	1	8	2	1	5	1	80	64	–	–
09	Munster	137	–	–	–	32	8	6	4	1	2	1	10	2	80	64	1	–
10	Balance of county	871	1	–	6	173	49	37	19	23	8	3	34	18	448	327	9	2
11	La Porte	956	1	–	5	169	46	41	18	19	9	7	29	21	538	378	9	5
12	La Porte	245	–	–	4	47	12	14	1	7	1	1	11	5	140	98	1	1
13	Michigan City	373	–	–	1	69	26	12	10	6	5	2	8	10	199	137	2	4
14	Balance of county	338	1	–	–	53	8	15	7	6	3	4	10	6	199	143	6	–
15	Lawrence	403	1	–	4	69	18	17	6	10	1	4	13	6	220	155	–	7
16	Bedford	188	–	–	2	33	9	5	5	6	–	3	5	1	99	71	–	3
17	Balance of county	215	1	–	2	36	9	12	1	4	1	1	8	5	121	84	–	4
18	Madison	1,184	2	–	4	239	54	63	26	26	11	15	44	23	630	443	11	9
19	Anderson	683	–	–	1	144	36	41	16	14	5	8	24	11	355	235	3	3
20	Elwood	137	–	–	1	21	5	1	1	5	1	2	6	4	83	54	1	2
21	Balance of county	364	2	–	2	74	13	21	9	7	5	5	14	8	192	154	7	4
22	Marion	6,644	12	–	59	1,398	341	400	128	141	63	53	272	135	3,359	2,493	45	40
23	Beech Grove	113	–	–	1	21	7	6	2	1	1	–	4	–	67	49	–	2
24	Indianapolis	6,275	9	–	56	1,328	323	380	124	130	60	49	262	128	3,160	2,338	45	38
25	Lawrence	50	1	–	1	9	2	1	–	5	–	1	–	–	24	21	–	–
26	Speedway	52	–	–	–	14	5	6	–	1	–	1	1	2	28	22	–	–
27	Balance of county	154	2	–	1	26	4	7	2	4	2	2	5	5	80	63	–	–
28	Marshall	349	–	–	3	61	17	9	5	8	6	3	13	9	194	141	1	3
29	Martin	95	–	–	–	22	8	4	1	2	1	1	5	2	52	45	–	3
30	Miami	354	–	–	3	65	15	17	5	7	1	3	17	9	194	143	1	3
31	Peru	171	–	–	1	29	9	8	2	3	1	3	3	5	100	83	1	2
32	Balance of county	183	–	–	2	36	6	9	3	4	–	–	14	4	94	60	–	1
33	Monroe	513	1	–	5	106	35	28	8	16	2	3	14	16	255	169	3	4
34	Bloomington	328	–	–	3	61	20	13	4	12	2	3	7	12	167	111	3	1
35	Balance of county	185	1	–	2	45	15	15	4	4	–	–	7	4	88	58	–	3
36	Montgomery	345	1	–	–	61	13	24	3	5	–	3	13	6	201	131	4	1
37	Crawfordsville	163	–	–	–	32	5	15	3	2	–	1	6	2	91	64	3	1
38	Balance of county	182	1	–	–	29	8	9	–	3	–	2	7	4	110	67	1	–
39	Morgan	316	–	–	2	75	10	23	5	10	5	5	17	6	157	114	1	–
40	Newton	114	–	–	–	20	6	6	2	2	1	–	3	3	61	46	–	–
41	Noble	341	–	–	3	65	21	14	4	10	7	2	7	7	202	151	1	1
42	Ohio	45	–	–	–	9	3	1	–	1	1	1	2	5	24	20	–	1
43	Orange	187	–	–	–	30	13	8	1	1	–	–	7	4	102	77	1	1
44	Owen	122	–	–	3	23	7	6	2	3	1	–	4	2	70	44	1	–
45	Parke	179	–	–	1	24	9	6	2	3	1	–	3	3	110	72	–	9
46	Perry	196	–	–	–	35	6	8	3	4	4	2	8	3	107	78	2	3
47	Pike	183	–	–	–	28	8	8	–	2	3	–	7	2	118	70	–	3
48	Porter	651	–	–	6	124	39	29	12	10	3	5	26	11	322	217	–	4
49	Portage	128	–	–	2	25	9	8	–	3	1	1	3	1	53	40	–	–
50	Valparaiso	206	–	–	2	35	10	5	6	4	–	2	8	4	112	73	–	2
51	Balance of county	317	–	–	2	64	20	16	6	3	2	2	15	6	157	104	–	2
52	Posey	218	1	–	2	47	13	12	4	3	1	1	13	3	123	79	3	–
53	Pulaski	147	–	–	1	29	11	4	2	5	4	1	2	1	86	56	1	2
54	Putnam	282	–	–	–	41	12	15	2	5	1	–	6	2	167	133	4	4
55	Randolph	303	–	–	4	52	11	12	6	5	2	4	12	6	158	129	1	10
56	Ripley	235	1	–	3	39	14	8	3	4	2	3	5	6	137	109	–	3
57	Rush	204	–	–	1	35	11	7	4	5	3	–	5	1	124	79	–	–
58	St. Joseph	2,236	1	–	11	464	133	122	46	57	22	25	59	35	1,225	878	23	7
59	Mishawaka	388	1	–	–	86	27	23	7	9	3	5	12	1	233	165	3	2
60	South Bend	1,306	–	–	6	272	82	67	26	41	15	10	31	25	697	504	18	3
61	Balance of county	542	–	–	5	106	24	32	13	7	4	10	16	9	295	209	2	2
62	Scott	186	1	–	–	27	7	7	–	6	1	2	4	6	87	64	–	2
63	Shelby	342	–	–	3	49	15	10	6	6	2	2	8	4	207	148	2	2
64	Shelbyville	155	–	–	3	20	8	4	1	2	–	–	5	1	102	76	1	1
65	Balance of county	187	–	–	–	29	7	6	5	4	2	2	3	3	105	72	2	1
66	Spencer	189	1	–	–	24	6	5	3	4	–	2	4	4	116	84	2	1
67	Starke	238	–	–	4	45	15	6	3	6	1	3	11	4	137	97	–	–
68	Steuben	217	–	–	–	35	13	7	1	5	3	–	6	6	119	81	–	7
69	Sullivan	299	–	–	1	42	14	9	–	12	2	2	3	4	203	116	1	4
70	Switzerland	85	1	–	–	15	2	5	2	–	1	2	3	–	48	31	–	1
71	Tippecanoe	751	–	–	7	160	34	39	18	14	9	12	34	10	391	275	6	2
72	Lafayette	445	–	–	3	92	18	24	10	7	4	8	21	5	235	161	3	–
73	West Lafayette	97	–	–	1	26	5	5	3	4	2	2	5	3	49	36	1	1
74	Balance of county	209	–	–	3	42	11	10	5	3	3	2	8	2	107	78	2	1
75	Tipton	165	–	–	–	31	6	14	2	1	2	1	5	2	87	66	2	14
76	Union	58	–	–	–	11	4	4	–	1	2	–	4	3	29	25	2	1
77	Vanderburgh	1,760	1	–	12	356	94	95	27	41	28	15	56	38	961	649	14	26
78	Evansville	1,664	1	–	11	334	87	90	24	38	26	15	54	36	912	615	13	26
79	Balance of county	96	–	–	1	22	7	5	3	3	2	–	2	2	49	34	1	–
80	Vermillion	210	–	–	–	39	12	7	4	6	1	2	7	7	135	103	2	5
81	Vigo	1,250	1	–	3	231	61	64	12	26	11	10	47	22	718	472	6	9
82	Terre Haute	880	–	–	2	158	41	48	7	17	10	8	27	16	518	343	5	7
83	Balance of county	370	1	–	1	73	20	16	5	9	1	2	20	6	200	129	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,464	84	26	459	46	50	101	56	7	97	30	1	28	91	60	295	119	131	32	90	21	01
55	2	–	9	1	1	3	1	1	–	2	–	2	1	–	7	1	2	1	–	–	02
148	5	3	42	8	5	9	6	1	17	3	1	2	16	9	32	3	13	3	8	3	03
451	37	9	180	14	17	41	19	2	33	20	–	5	36	28	108	39	60	12	68	10	04
48	–	–	9	2	1	2	3	–	3	–	–	2	1	1	6	3	1	–	–	1	05
299	11	9	84	6	9	18	11	1	22	1	–	6	12	7	68	17	21	5	6	2	06
48	1	1	13	1	4	1	1	–	6	–	–	2	2	2	8	1	8	1	–	–	07
62	2	1	13	1	1	1	3	–	3	1	–	1	2	1	10	6	1	2	2	–	08
59	4	1	12	2	1	5	–	–	1	–	–	1	1	2	9	1	3	–	–	1	09
294	22	2	97	11	11	21	12	2	12	3	–	10	20	10	47	48	22	8	6	4	10
349	15	12	121	11	16	14	12	8	11	2	–	6	15	9	70	29	27	14	4	1	11
94	2	3	32	4	3	6	6	4	2	2	–	–	4	1	15	3	4	2	–	–	12
126	5	4	53	–	5	5	4	2	6	–	–	3	5	6	37	5	10	7	4	–	13
129	8	5	36	7	8	3	2	2	3	–	–	3	6	2	18	21	13	5	–	1	14
137	11	2	49	5	9	10	8	2	6	4	–	1	4	1	38	9	15	4	1	–	15
59	9	1	21	2	4	6	6	–	5	2	–	–	3	1	18	5	4	3	–	–	16
78	2	1	28	3	5	4	2	2	1	2	–	1	1	–	20	4	11	1	1	–	17
402	21	5	124	36	22	30	16	3	11	6	–	11	20	6	93	41	28	11	5	5	18
213	16	3	86	21	10	14	10	3	9	3	–	4	14	4	59	24	15	6	4	3	19
48	3	2	16	8	3	4	2	–	2	1	–	1	2	1	11	1	2	1	–	–	20
141	2	–	22	7	9	12	4	–	–	2	–	6	4	1	23	16	11	4	1	2	21
2,192	216	17	617	144	88	153	65	31	82	40	2	53	103	50	580	141	163	91	96	31	22
46	1	–	15	1	2	2	1	–	1	1	–	1	2	1	7	2	3	3	–	–	23
2,051	204	17	584	138	83	145	62	31	80	39	2	49	100	45	558	129	149	84	90	31	24
18	3	–	2	1	–	1	–	–	–	–	–	1	–	1	6	4	1	–	1	–	25
19	3	–	6	–	–	1	1	–	–	–	–	1	–	–	2	1	2	–	–	–	26
58	5	–	10	4	3	4	1	–	1	–	–	1	1	3	7	5	8	4	5	–	27
124	13	1	43	6	3	26	3	1	3	–	–	2	3	2	26	8	8	–	–	–	28
38	4	–	7	–	–	4	2	–	–	–	–	1	1	–	5	1	2	2	1	–	29
131	8	1	33	13	4	11	6	–	4	–	–	1	11	2	23	10	10	3	2	–	30
73	7	1	10	3	3	6	5	–	2	–	–	–	4	1	10	2	3	3	–	–	31
58	1	–	23	10	1	5	1	–	2	–	–	1	7	1	13	8	7	–	2	–	32
153	9	–	67	8	11	22	9	5	4	–	–	3	7	8	30	12	19	6	4	1	33
99	8	–	43	7	6	16	9	4	3	–	–	2	5	4	16	7	12	4	3	–	34
54	1	–	24	1	5	6	–	1	1	–	–	1	2	4	14	5	7	2	1	1	35
113	13	–	51	16	3	10	9	3	1	1	–	1	2	1	25	7	9	6	1	–	36
53	7	–	26	1	–	6	4	1	1	1	–	–	1	–	16	1	4	3	–	–	37
60	6	–	25	15	3	4	5	2	–	–	–	1	1	1	9	6	5	3	1	–	38
103	10	2	31	8	2	15	3	–	2	3	–	1	6	2	19	9	8	5	1	2	39
40	6	–	9	5	1	5	1	–	2	1	–	–	1	2	6	3	4	4	–	1	40
146	3	4	34	10	3	9	2	1	5	1	1	2	2	–	14	13	6	5	2	1	41
17	2	–	1	3	–	–	–	–	–	–	–	–	–	–	3	1	3	–	–	–	42
66	9	1	20	3	1	12	2	–	1	–	–	1	2	1	18	8	4	1	–	1	43
37	6	–	20	3	3	2	3	–	1	–	–	–	–	1	7	7	3	–	–	–	44
61	2	–	29	5	4	4	4	1	4	1	–	1	1	–	14	6	2	1	2	–	45
70	3	–	15	11	3	9	5	1	3	2	–	–	2	1	12	6	5	3	1	1	46
62	5	1	37	5	5	2	2	–	1	1	–	–	2	–	14	4	7	1	–	1	47
197	16	1	71	24	9	10	9	2	10	1	–	9	9	14	42	32	32	12	4	2	48
37	3	1	11	–	1	–	3	–	5	–	–	4	4	4	10	10	6	1	–	–	49
66	5	–	29	10	–	5	3	–	2	–	–	1	4	6	11	6	8	5	1	1	50
94	8	–	31	14	8	5	3	2	3	1	–	4	1	4	21	16	18	6	3	1	51
73	3	–	26	6	12	3	4	1	2	–	–	1	2	–	12	3	8	6	–	–	52
49	4	–	22	7	1	3	–	–	3	–	–	1	–	1	9	5	6	1	1	–	53
108	17	–	24	3	7	15	6	1	4	–	–	4	2	2	23	8	4	3	–	–	54
105	13	–	26	2	1	5	11	–	1	1	–	1	5	4	32	4	10	8	1	–	55
93	13	–	23	2	3	5	2	3	3	4	–	2	2	2	15	7	4	–	–	–	56
76	3	–	36	3	6	4	4	3	–	–	–	–	3	–	15	7	5	1	1	–	57
800	48	11	270	34	32	55	24	4	37	4	–	19	28	38	153	39	57	19	19	4	58
156	4	2	55	5	6	8	2	–	8	–	–	4	3	7	17	6	7	2	2	1	59
451	32	7	147	22	17	37	15	3	22	–	–	9	17	26	106	11	34	11	13	2	60
193	12	2	68	7	9	10	7	1	7	4	–	6	8	5	30	22	16	6	4	1	61
58	4	2	19	–	2	7	4	2	2	1	–	3	4	4	17	12	6	3	–	–	62
132	12	–	46	7	6	16	2	2	3	–	–	1	–	2	25	13	7	4	2	2	63
70	5	–	20	4	2	6	1	–	1	–	–	1	–	1	11	4	2	1	–	1	64
62	7	–	26	3	4	10	1	2	2	–	–	–	–	1	14	9	5	3	2	1	65
79	2	–	24	6	2	3	4	1	1	–	–	2	1	4	16	4	5	2	1	–	66
84	13	–	33	5	2	4	5	2	2	1	–	1	1	2	13	4	9	1	3	–	67
69	5	–	27	5	6	12	2	–	–	–	–	3	3	–	19	2	12	3	1	–	68
106	5	1	77	7	2	3	4	1	2	3	–	2	1	2	16	7	5	3	–	–	69
30	–	–	9	6	2	1	1	–	1	–	–	–	2	1	10	1	3	–	–	–	70
258	9	3	85	16	12	24	13	3	6	1	–	7	13	21	56	19	9	9	1	1	71
154	4	1	54	11	8	11	8	3	4	1	–	4	8	15	35	12	4	4	–	1	72
32	2	–	12	1	–	3	2	–	–	–	–	1	–	3	3	2	2	2	–	–	73
72	3	2	19	4	4	10	3	–	2	–	–	2	5	3	18	5	3	3	1	–	74
47	3	1	17	2	1	5	2	2	–	3	–	2	–	1	16	6	4	2	2	–	75
18	4	–	2	2	–	2	2	–	–	–	–	–	1	1	5	1	1	–	1	–	76
570	39	8	214	59	31	39	27	9	12	6	–	13	20	1	147	34	51	20	12	1	77
540	36	6	204	57	30	36	27	9	12	6	–	13	18	1	141	30	46	18	12	1	78
30	3	2	10	2	1	3	–	–	–	–	–	–	2	–	6	4	5	2	–	–	79
91	5	2	27	2	1	4	4	1	3	1	–	1	–	1	10	1	–	3	–	–	80
430	27	3	176	55	12	40	17	2	14	3	–	4	19	6	94	18	40	11	6	1	81
313	18	2	123	40	10	28	13	1	12	2	–	2	11	6	64	9	27	8	3	–	82
117	9	1	53	15	2	12	4	1	2	1	–	2	8	–	30	9	13	3	3	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Wabash	360	–	–	1	56	14	13	6	5	2	–	16	11	210	112	3	1
02	Wabash	144	–	–	1	23	3	5	3	1	2	–	9	4	79	41	2	–
03	Balance of county	216	–	–	–	33	11	8	3	4	–	–	7	7	131	71	1	1
04	Warren	103	1	–	–	21	5	9	–	3	1	1	2	5	53	44	–	1
05	Warrick	284	–	–	2	58	11	11	4	13	3	2	14	2	153	111	1	8
06	Washington	231	2	–	–	45	14	7	4	5	2	7	6	1	126	101	1	7
07	Wayne	722	–	–	2	148	43	29	15	17	10	2	32	10	383	277	6	4
08	Richmond	471	–	–	2	101	28	20	9	12	7	2	23	6	246	174	4	3
09	Balance of county	251	–	–	–	47	15	9	6	5	3	–	9	4	137	103	2	1
10	Wells	236	–	–	–	48	12	6	4	10	3	3	10	10	138	98	3	4
11	White	197	–	–	1	24	6	7	2	5	–	1	3	9	118	74	2	3
12	Whitley	223	–	–	–	44	13	4	4	5	2	4	12	5	116	73	–	1
13	**Iowa**	**27,859**	**22**	**3**	**148**	**5,523**	**1,602**	**1,207**	**482**	**740**	**254**	**277**	**961**	**479**	**15,016**	**10,849**	**161**	**167**
14	Urban places	10,856	14	3	77	2,216	621	549	211	243	89	102	401	191	5,685	4,095	58	61
15	Balance of area	17,003	8	–	71	3,307	981	658	271	497	165	175	560	288	9,331	6,754	103	106
16	Metropolitan counties	8,528	12	3	56	1,774	493	443	159	200	82	77	320	143	4,396	3,229	46	38
17	Urban places	7,125	10	3	46	1,476	410	380	143	157	61	61	264	121	3,691	2,700	35	32
18	Balance of area	1,403	2	–	10	298	83	63	16	43	21	16	56	22	705	529	11	6
19	Nonmetropolitan counties	19,331	10	–	92	3,749	1,109	764	323	540	172	200	641	336	10,620	7,620	115	129
20	Urban places	3,731	4	–	31	740	211	169	68	86	28	41	137	70	1,994	1,395	23	29
21	Balance of area	15,600	6	–	61	3,009	898	595	255	454	144	159	504	266	8,626	6,225	92	100
22	Adair	101	–	–	–	26	6	7	2	5	–	3	3	2	50	37	1	–
23	Adams	98	–	–	–	15	5	3	2	2	–	–	3	4	58	32	–	–
24	Allamakee	197	–	–	1	36	11	9	–	6	3	4	3	6	99	78	2	–
25	Appanoose	235	–	–	–	34	7	7	4	8	2	3	3	10	145	107	–	1
26	Audubon	111	–	–	–	25	7	5	1	7	2	2	1	4	55	38	1	1
27	Benton	248	–	–	2	51	7	17	1	6	–	2	18	2	140	93	1	2
28	Black Hawk	1,043	–	–	5	199	52	61	13	16	6	15	36	13	573	388	4	2
29	Cedar Falls	192	–	–	1	41	9	12	4	1	2	2	11	4	99	58	1	–
30	Waterloo	703	–	–	3	130	34	43	9	10	4	10	20	8	395	273	3	2
31	Balance of county	148	–	–	1	28	9	6	–	5	–	3	5	1	79	57	–	–
32	Boone	305	–	–	1	49	14	12	6	1	1	5	10	11	174	110	2	1
33	Boone	179	–	–	–	24	9	7	3	1	–	2	2	7	110	69	2	1
34	Balance of county	126	–	–	1	25	5	5	3	–	1	3	8	4	64	41	–	–
35	Bremer	178	–	–	–	38	18	9	2	4	1	1	3	4	94	61	2	1
36	Buchanan	213	–	–	–	43	13	7	5	5	4	4	5	3	116	98	–	–
37	Buena Vista	225	–	–	–	41	10	9	3	10	1	1	7	3	130	83	–	–
38	Butler	165	–	–	1	29	9	6	–	4	–	4	6	–	89	61	1	–
39	Calhoun	191	–	–	2	32	11	4	5	3	1	2	6	1	109	65	1	–
40	Carroll	272	–	–	–	51	16	13	3	4	3	2	10	2	157	118	1	3
41	Cass	218	–	–	–	40	11	8	4	5	3	1	8	9	123	88	–	1
42	Cedar	222	–	–	4	41	11	6	–	11	5	1	7	2	122	87	2	2
43	Cerro Gordo	521	–	–	3	112	29	25	14	14	7	8	15	6	258	190	2	–
44	Mason City	355	–	–	2	71	17	17	9	8	4	5	11	5	180	128	2	–
45	Balance of county	166	–	–	1	41	12	8	5	6	3	3	4	1	78	62	–	–
46	Cherokee	164	–	–	1	35	8	12	4	5	1	–	5	6	87	66	1	1
47	Chickasaw	153	–	–	–	30	10	8	–	3	1	2	6	3	87	67	2	3
48	Clarke	96	–	–	–	26	14	2	1	3	–	1	5	2	47	36	–	–
49	Clay	174	–	–	–	39	12	7	1	6	2	1	10	2	94	55	1	2
50	Spencer	107	–	–	–	24	6	7	–	3	1	1	6	1	58	31	–	–
51	Balance of county	67	–	–	–	15	6	–	1	3	1	–	4	1	36	24	1	2
52	Clayton	238	–	–	1	36	10	6	6	5	2	–	7	6	141	92	2	3
53	Clinton	598	–	–	5	131	33	30	16	22	6	9	15	11	302	212	8	3
54	Clinton	368	–	–	3	73	16	19	8	11	4	5	10	6	194	127	4	1
55	Balance of county	230	–	–	2	58	17	11	8	11	2	4	5	5	108	85	4	2
56	Crawford	200	–	–	1	30	10	4	1	5	1	5	4	8	118	89	–	2
57	Dallas	326	–	–	3	65	21	17	4	5	3	3	12	3	196	138	1	4
58	Davis	105	–	–	–	15	7	–	–	2	2	2	2	–	66	58	–	–
59	Decatur	99	–	–	2	15	5	2	2	2	–	1	3	–	60	39	–	–
60	Delaware	161	–	–	–	32	8	9	3	4	2	2	4	1	89	51	–	–
61	Des Moines	506	1	–	3	107	36	17	7	10	4	10	23	13	268	194	3	7
62	Burlington	392	1	–	3	79	28	9	6	7	4	8	17	11	206	151	3	6
63	Balance of county	114	–	–	–	28	8	8	1	3	–	2	6	2	62	43	–	1
64	Dickinson	140	1	–	–	22	9	2	2	2	2	–	5	3	86	62	2	–
65	Dubuque	789	–	–	4	173	47	35	14	34	4	7	32	12	437	318	9	3
66	Dubuque	601	–	–	3	139	37	28	13	25	2	7	27	9	338	242	5	3
67	Balance of county	188	–	–	1	34	10	7	1	9	2	–	5	3	99	76	4	–
68	Emmet	160	–	–	–	28	8	5	2	4	1	1	7	3	90	59	2	–
69	Fayette	277	–	–	–	53	17	9	6	8	–	5	8	4	144	98	2	1
70	Floyd	209	–	–	–	45	13	9	3	8	1	2	9	5	109	86	2	1
71	Franklin	159	–	–	2	20	1	6	2	3	2	4	2	3	102	82	1	–
72	Fremont	142	–	–	3	29	11	4	–	6	2	1	5	1	66	55	1	4
73	Greene	167	–	–	–	40	10	5	2	4	4	2	13	2	100	76	1	–
74	Grundy	111	–	–	–	17	6	4	2	1	–	–	4	2	61	47	–	1
75	Guthrie	152	–	–	2	36	19	7	1	–	2	3	4	2	77	51	4	1
76	Hamilton	213	–	–	–	46	15	13	4	10	1	1	2	4	106	76	–	3
77	Hancock	166	–	–	1	30	16	2	3	4	2	–	3	3	90	74	–	2
78	Hardin	229	–	–	–	45	15	8	5	5	1	–	11	3	130	105	1	–
79	Harrison	203	–	–	–	35	7	6	6	7	3	2	4	4	124	100	3	–
80	Henry	206	–	–	2	37	11	7	4	7	–	1	7	2	121	95	3	3
81	Howard	121	–	–	1	22	8	2	3	3	–	1	5	2	57	43	–	–
82	Humboldt	126	–	–	2	24	7	6	2	3	1	4	1	3	77	51	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
95	13	3	54	25	16	9	3	–	4	–	–	7	3	4	28	12	6	4	1	1	01
31	8	–	24	7	7	5	1	–	3	–	–	7	1	1	12	3	2	2	–	–	02
64	5	3	30	18	9	4	2	–	1	–	–	–	2	3	16	9	4	2	1	1	03
40	3	–	7	1	1	5	2	–	1	–	–	–	2	2	5	3	–	3	–	–	04
95	7	–	28	7	7	6	5	1	3	2	–	4	3	8	18	6	6	7	–	–	05
90	3	–	20	5	–	10	1	1	–	–	1	3	4	1	18	7	7	3	1	–	06
250	17	2	82	16	6	19	8	5	9	1	–	5	7	1	71	14	21	11	6	1	07
154	13	1	57	11	3	15	5	2	6	1	–	1	4	1	45	7	16	8	4	1	08
96	4	1	25	5	3	4	3	3	3	–	–	4	3	–	26	7	5	3	2	–	09
84	7	2	32	4	2	5	2	–	1	–	–	–	3	1	10	7	8	2	1	–	10
61	8	1	26	14	3	4	1	1	2	1	–	1	2	2	11	9	8	3	–	–	11
64	8	1	33	4	5	8	5	–	1	1	–	2	2	1	19	9	10	–	–	–	12
9,751	770	101	3,110	526	430	1,100	408	127	261	98	4	174	332	129	2,125	808	687	315	65	35	13
3,730	246	37	1,189	178	186	384	168	46	132	39	3	85	162	67	833	269	274	152	40	16	14
6,021	524	64	1,921	348	244	716	240	81	129	59	1	89	170	62	1,292	539	413	163	25	19	15
2,952	193	34	868	132	133	257	139	35	108	26	1	77	140	59	643	239	233	135	34	18	16
2,484	149	27	734	114	116	221	118	29	90	21	1	63	117	48	543	172	196	114	31	14	17
468	44	7	134	18	17	36	21	6	18	5	–	14	23	11	100	67	37	21	3	4	18
6,799	577	67	2,242	394	297	843	269	92	153	72	3	97	192	70	1,482	569	454	180	31	17	19
1,246	97	10	455	64	70	163	50	17	42	18	2	22	45	19	290	97	78	38	9	2	20
5,553	480	57	1,787	330	227	680	219	75	111	54	1	75	147	51	1,192	472	376	142	22	15	21
33	3	1	9	–	3	5	4	–	1	2	–	1	–	–	6	–	3	1	–	–	22
30	2	–	21	1	4	2	2	–	–	–	–	1	1	–	9	3	2	1	–	–	23
67	9	–	18	2	1	15	2	–	3	1	–	1	–	–	17	9	6	1	–	–	24
86	20	1	29	5	3	6	3	1	3	–	–	–	1	2	22	5	2	1	–	–	25
30	6	–	12	4	1	2	2	2	–	–	–	–	–	–	11	7	2	1	–	–	26
86	4	2	37	3	5	5	3	–	4	–	–	2	2	–	18	12	4	2	–	1	27
365	17	1	135	20	29	19	15	7	16	5	–	14	16	7	86	30	20	15	1	2	28
54	3	1	31	6	3	5	1	1	1	–	–	2	2	1	14	10	3	5	1	1	29
257	11	–	89	13	20	11	13	6	14	4	–	10	9	4	66	6	15	8	–	1	30
54	3	–	15	1	6	3	1	–	1	1	–	2	5	2	6	14	2	2	–	–	31
101	6	2	50	6	6	13	2	–	3	–	–	–	4	3	25	6	9	4	1	–	32
61	5	1	30	5	5	8	–	–	1	–	–	–	2	3	14	3	5	1	1	–	33
40	1	1	20	1	1	5	2	–	2	–	–	–	2	–	11	3	4	3	–	–	34
57	1	–	29	1	3	8	5	–	–	–	–	3	2	–	12	5	6	1	–	–	35
90	8	–	14	1	3	8	1	1	2	–	–	2	2	–	13	11	6	3	–	2	36
78	5	–	37	6	4	14	4	1	2	1	–	–	1	–	17	6	4	1	–	–	37
55	5	1	23	1	3	9	3	2	–	–	–	2	1	1	16	7	4	1	–	–	38
60	4	2	35	5	2	5	4	–	1	1	–	–	1	–	19	7	7	2	–	–	39
104	10	–	34	2	3	10	6	3	4	1	–	2	1	1	22	6	2	4	–	–	40
79	8	–	23	8	4	9	2	–	–	1	–	–	2	1	17	5	2	7	–	–	41
72	11	1	27	6	1	16	1	1	1	–	–	2	3	2	12	5	8	1	1	–	42
184	4	1	52	4	11	44	8	–	7	3	–	3	3	1	43	15	8	7	–	–	43
124	2	–	41	3	8	28	6	–	5	1	–	3	3	1	30	11	4	5	–	–	44
60	2	1	11	1	3	16	2	–	2	2	–	–	–	–	13	4	4	2	–	–	45
58	6	–	15	5	1	7	2	3	1	1	–	–	2	1	9	4	3	1	–	1	46
55	7	–	15	2	3	7	2	1	1	–	–	–	1	1	9	8	4	–	–	–	47
35	1	1	9	1	–	2	1	–	–	–	–	–	3	–	7	2	5	–	1	–	48
50	2	–	28	5	6	8	1	–	1	2	–	2	2	1	13	7	2	–	–	–	49
30	1	–	19	4	4	5	–	–	1	2	–	2	2	1	9	4	1	–	–	–	50
20	1	–	9	1	2	3	1	–	–	–	–	–	2	–	4	3	2	–	–	–	51
76	11	1	36	8	4	7	2	1	4	1	–	1	2	–	24	2	6	4	–	–	52
188	13	3	72	10	5	23	9	7	7	3	–	5	9	1	41	25	14	3	–	2	53
111	11	3	56	6	2	15	7	5	3	3	–	3	8	1	26	6	11	3	–	1	54
77	2	–	16	4	3	8	2	2	4	–	–	2	1	–	15	19	3	–	–	1	55
82	5	–	24	2	3	9	6	–	1	–	–	–	3	–	13	5	4	2	–	–	56
122	11	3	44	6	5	5	5	2	1	2	–	3	4	1	26	3	2	4	1	–	57
58	–	–	4	1	3	9	1	–	–	–	–	2	3	–	2	3	4	–	–	–	58
33	6	–	17	–	4	5	1	–	–	–	–	–	1	–	7	4	2	2	–	–	59
47	4	3	34	–	1	3	2	–	–	–	–	–	3	–	19	8	3	1	–	–	60
170	14	2	51	5	16	34	6	2	5	1	–	2	4	–	29	12	10	7	2	–	61
132	10	2	37	4	12	29	6	1	4	1	–	1	1	–	24	9	8	6	2	–	62
38	4	–	14	1	4	5	–	1	1	–	–	1	3	–	5	3	2	1	–	–	63
54	6	–	20	3	1	5	4	–	1	–	–	–	1	1	9	3	3	1	–	–	64
283	23	3	92	14	10	11	12	3	11	2	–	2	11	4	55	25	13	10	1	3	65
220	14	3	74	12	7	8	8	2	9	–	–	1	9	2	40	17	8	6	1	1	66
63	9	–	18	2	3	3	4	1	2	2	–	1	2	2	15	8	5	4	–	2	67
52	5	–	26	2	3	9	–	2	1	–	–	1	3	–	15	5	2	1	–	–	68
93	2	–	38	5	3	21	8	2	1	1	–	–	5	1	16	9	10	2	–	–	69
77	6	2	13	5	3	12	–	2	1	1	–	3	1	–	20	7	2	1	–	–	70
77	4	1	18	1	–	4	4	–	–	1	–	2	–	–	13	2	5	1	–	–	71
49	1	–	9	1	1	8	4	–	2	1	–	2	2	4	12	2	4	1	–	–	72
68	7	1	18	2	3	5	–	–	–	1	–	–	–	–	11	6	1	–	–	–	73
41	5	–	7	5	2	6	4	–	–	1	–	–	2	1	10	6	1	–	–	–	74
40	6	–	19	6	1	5	3	–	–	1	–	1	2	1	8	6	4	4	–	–	75
72	1	–	20	6	4	15	3	2	2	1	–	–	–	1	18	9	5	1	–	–	76
69	3	1	13	2	–	8	4	2	3	1	–	1	4	1	9	6	4	–	–	–	77
100	4	1	17	6	1	9	4	2	1	1	–	1	2	–	17	2	7	4	1	–	78
93	4	–	19	3	2	4	3	–	2	1	–	–	2	–	19	5	4	–	–	–	79
82	7	1	22	2	1	6	3	1	2	–	–	2	3	–	17	6	2	–	1	1	80
40	3	–	11	3	–	10	–	1	2	1	–	–	1	1	10	9	3	1	–	–	81
41	8	1	17	3	5	1	2	–	1	–	–	–	1	–	5	8	2	–	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Iowa—Con.																	
01	Ida	113	1	–	–	27	10	3	2	6	1	–	5	1	62	43	–	2
02	Iowa	190	–	–	–	49	12	13	2	7	2	6	7	1	94	71	1	1
03	Jackson	223	–	–	2	45	14	11	1	5	1	3	10	4	113	85	2	1
04	Jasper	330	3	–	–	64	18	16	2	9	2	4	13	1	188	131	4	2
05	Newton	148	2	–	–	38	12	8	2	6	1	2	7	–	80	58	3	–
06	Balance of county	182	1	–	–	26	6	8	–	3	1	2	6	1	108	73	1	2
07	Jefferson	162	–	–	–	39	12	5	7	9	–	4	2	5	87	65	1	1
08	Johnson	396	–	–	6	96	23	24	10	14	6	5	14	5	182	131	2	3
09	Iowa City	236	–	–	5	57	13	15	7	8	2	2	10	3	110	77	–	1
10	Balance of county	160	–	–	1	39	10	9	3	6	4	3	4	2	72	54	2	2
11	Jones	197	–	–	–	31	4	8	–	8	1	3	7	3	123	90	3	–
12	Keokuk	164	–	–	1	27	11	2	2	6	–	3	3	5	86	65	4	2
13	Kossuth	217	–	–	1	35	9	6	5	9	1	1	4	1	131	93	–	–
14	Lee	474	–	–	3	84	22	23	5	12	1	5	16	10	244	197	–	5
15	Fort Madison	162	–	–	1	21	5	5	1	3	–	1	6	2	92	76	–	1
16	Keokuk	171	–	–	1	27	8	7	2	2	–	3	5	3	95	70	–	4
17	Balance of county	141	–	–	1	36	9	11	2	7	1	1	5	5	57	51	–	–
18	Linn	1,269	4	2	6	284	71	74	23	32	19	15	50	19	646	462	4	2
19	Cedar Rapids	933	3	2	3	199	55	51	14	22	12	9	36	15	487	353	4	1
20	Marion	105	–	–	–	22	6	7	3	2	–	2	2	–	53	31	–	–
21	Balance of county	231	1	–	3	63	10	16	6	8	7	4	12	4	106	78	–	1
22	Louisa	117	–	–	–	23	4	9	1	2	2	1	4	3	61	49	–	1
23	Lucas	134	–	–	1	30	3	13	2	1	5	1	5	2	74	60	–	4
24	Lyon	118	–	–	–	26	8	7	1	6	1	1	2	2	69	53	1	–
25	Madison	163	–	–	1	25	10	4	4	–	–	1	6	–	98	73	2	–
26	Mahaska	287	–	–	1	55	21	9	9	5	4	3	4	6	170	117	1	1
27	Oskaloosa	176	–	–	1	32	9	8	4	5	2	–	4	2	105	72	1	1
28	Balance of county	111	–	–	–	23	12	1	5	–	2	3	–	4	65	45	–	–
29	Marion	314	–	–	2	68	24	11	6	8	1	1	17	7	166	122	3	1
30	Marshall	419	–	–	3	86	23	18	3	14	4	5	19	8	238	163	2	2
31	Marshalltown	281	–	–	3	62	17	15	1	8	2	4	15	5	157	110	2	–
32	Balance of county	138	–	–	–	24	6	3	2	6	2	1	4	3	81	53	–	2
33	Mills	101	–	–	–	15	7	3	–	3	–	–	2	–	54	38	–	–
34	Mitchell	159	1	–	–	33	8	3	5	6	1	2	8	1	91	60	1	1
35	Monona	164	–	–	1	29	4	6	4	7	3	2	3	6	102	83	1	1
36	Monroe	120	–	–	1	21	6	6	1	4	–	–	4	2	62	42	–	1
37	Montgomery	174	–	–	–	30	13	2	4	6	1	1	3	2	109	62	1	1
38	Muscatine	387	–	–	3	78	21	20	9	10	2	3	13	6	184	133	5	3
39	Muscatine	235	–	–	3	50	16	14	5	5	1	2	7	4	110	80	2	3
40	Balance of county	152	–	–	–	28	5	6	4	5	1	1	6	2	74	53	3	–
41	O'Brien	196	–	–	2	31	11	5	3	6	3	–	3	–	122	91	1	2
42	Osceola	93	–	–	–	22	7	5	–	3	3	–	4	–	48	38	–	1
43	Page	246	–	–	–	43	15	5	7	4	1	2	9	–	147	114	–	5
44	Palo Alto	140	–	–	1	18	3	7	–	1	2	1	4	–	85	66	1	–
45	Plymouth	223	–	–	–	46	12	6	4	9	3	1	11	5	110	71	1	2
46	Pocahontas	153	–	–	–	34	9	4	2	13	–	–	6	2	76	52	–	–
47	Polk	2,489	3	1	20	525	167	125	46	54	20	21	92	30	1,258	955	14	13
48	Des Moines	1,992	1	1	15	409	122	100	42	44	16	18	67	25	1,002	760	10	10
49	Urbandale	37	–	–	–	6	2	2	1	–	–	–	1	1	19	14	–	1
50	West Des Moines	126	1	–	2	32	13	7	–	2	1	1	8	1	69	54	1	1
51	Balance of county	334	1	–	3	78	30	16	3	8	3	2	16	3	168	127	3	1
52	Pottawattamie	735	1	–	3	139	30	38	17	16	7	2	29	18	378	307	7	3
53	Council Bluffs	543	1	–	2	97	21	29	12	12	3	1	19	16	282	230	5	1
54	Balance of county	192	–	–	1	42	9	9	5	4	4	1	10	2	96	77	2	2
55	Poweshiek	185	1	–	–	30	14	3	4	4	2	–	3	5	110	78	5	1
56	Ringgold	72	–	–	–	14	3	4	–	3	–	–	4	–	49	33	1	–
57	Sac	160	–	–	–	36	8	8	3	5	3	2	7	3	81	45	–	–
58	Scott	1,224	2	–	10	237	61	61	27	23	16	7	42	23	642	459	8	6
59	Bettendorf	122	–	–	1	23	3	5	3	1	–	1	10	2	73	52	2	1
60	Davenport	959	2	–	9	188	51	51	23	18	14	2	29	16	503	362	4	4
61	Balance of county	143	–	–	–	26	7	5	1	4	2	4	3	5	66	45	2	1
62	Shelby	138	–	–	–	20	10	2	–	2	1	1	4	1	83	59	–	–
63	Sioux	244	–	–	1	59	26	12	6	4	–	5	6	5	116	73	–	1
64	Story	401	–	–	6	70	22	12	9	9	4	2	12	3	216	159	2	3
65	Ames	165	–	–	3	29	13	2	4	3	1	1	5	–	91	69	2	2
66	Balance of county	236	–	–	3	41	9	10	5	6	3	1	7	3	125	90	–	1
67	Tama	230	–	–	–	43	16	5	3	10	3	2	4	4	138	98	2	10
68	Taylor	131	–	–	–	23	7	3	2	4	3	–	4	2	72	50	1	2
69	Union	173	–	–	–	35	7	8	4	4	5	3	4	3	89	61	1	2
70	Van Buren	126	–	–	–	26	10	5	1	4	1	3	2	1	77	57	1	–
71	Wapello	515	1	–	6	90	23	18	12	7	2	4	24	12	298	215	3	8
72	Ottumwa	388	1	–	5	72	17	15	9	6	2	3	20	12	222	156	2	6
73	Balance of county	127	–	–	1	18	6	3	3	1	–	1	4	–	76	59	1	2
74	Warren	206	–	–	1	41	7	5	6	8	2	2	11	6	101	75	3	2
75	Washington	204	–	–	1	39	8	10	5	8	1	1	6	5	121	100	1	1
76	Wayne	126	–	–	1	23	4	5	4	4	1	1	4	4	75	46	–	–
77	Webster	502	–	–	2	103	33	23	9	13	5	3	17	12	260	172	–	3
78	Fort Dodge	368	–	–	1	81	25	21	7	10	4	2	12	9	184	121	–	3
79	Balance of county	134	–	–	1	22	8	2	2	3	1	1	5	3	76	51	–	–
80	Winnebago	151	–	–	1	35	10	10	2	3	1	–	9	1	71	58	–	–
81	Winneshiek	185	1	–	–	36	7	9	4	4	3	2	7	2	97	66	–	–
82	Woodbury	979	2	–	8	217	65	49	19	25	10	10	39	28	462	340	–	9
83	Sioux City	812	2	–	7	190	57	45	19	20	7	8	34	24	371	271	–	8
84	Balance of county	167	–	–	1	27	8	4	–	5	3	2	5	4	91	69	–	1
85	Worth	93	–	–	–	20	5	4	1	4	–	2	4	3	48	28	–	–
86	Wright	214	–	–	1	43	13	8	3	5	5	2	7	6	128	86	2	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
37	4	–	11	6	2	5	1	–	–	1	–	1	1	–	5	7	1	–	–	–	01
67	2	–	20	2	1	6	1	1	–	–	–	3	1	–	21	5	6	2	–	–	02
80	2	–	23	5	–	6	1	–	–	–	–	1	–	–	19	12	9	5	–	–	03
113	12	–	39	14	4	19	6	–	–	2	1	2	2	1	12	10	10	5	1	–	04
49	6	–	17	4	1	4	3	–	–	2	–	1	–	–	5	4	2	2	1	–	05
64	6	–	22	10	3	15	3	–	–	–	–	1	2	1	7	6	8	3	–	–	06
57	7	1	18	1	2	7	3	1	3	–	–	–	–	–	10	3	2	2	–	–	07
110	16	–	37	6	8	16	4	6	6	1	–	1	6	1	31	11	12	11	1	–	08
68	8	–	23	4	6	7	4	3	4	–	–	–	5	–	21	6	5	4	1	–	09
42	8	–	14	2	2	9	–	3	2	1	–	–	1	1	10	5	7	7	–	–	10
76	11	2	26	1	4	8	5	1	–	–	–	1	1	2	9	4	6	3	–	1	11
54	5	1	15	3	2	10	4	–	2	–	–	–	2	1	17	3	3	–	–	1	12
84	9	–	28	8	2	7	2	1	1	–	–	–	4	1	17	5	7	2	1	–	13
176	16	1	37	6	3	16	7	6	7	3	–	1	7	4	40	22	16	1	3	–	14
69	6	1	11	3	1	5	1	3	3	1	–	–	1	3	14	7	6	–	1	–	15
64	2	–	20	3	2	4	4	1	3	1	–	–	3	1	11	9	6	1	1	–	16
43	8	–	6	–	–	7	2	2	1	1	–	–	3	–	15	6	4	–	1	–	17
413	43	8	133	23	20	41	18	4	12	1	–	14	18	7	94	26	34	25	9	5	18
310	38	6	90	19	19	27	13	3	6	–	–	9	14	5	68	21	25	20	9	4	19
28	3	1	19	1	–	7	2	1	–	1	–	2	2	–	11	1	2	1	–	1	20
75	2	1	24	3	–	7	3	–	6	–	–	3	2	2	15	4	7	4	–	1	21
47	1	–	7	–	5	2	5	–	2	4	–	2	1	2	5	5	1	1	1	–	22
52	4	1	9	1	3	3	3	1	2	1	–	–	1	–	6	2	5	3	–	–	23
43	9	2	12	–	2	1	1	1	–	–	–	–	4	–	6	5	3	–	–	–	24
66	5	1	19	5	–	3	4	1	2	3	–	–	2	2	16	2	3	1	–	–	25
110	5	2	49	1	1	3	7	–	1	1	–	–	4	–	20	7	7	4	–	–	26
67	3	1	31	–	1	2	5	–	–	1	–	–	2	–	15	6	4	1	–	–	27
43	2	1	18	1	–	1	2	–	–	1	–	–	2	–	5	1	3	3	–	–	28
107	12	1	38	1	5	26	3	1	1	1	–	–	1	–	19	6	9	1	2	–	29
146	13	1	48	20	6	10	4	1	4	–	–	3	5	3	24	9	13	6	1	1	30
97	11	1	28	13	5	8	3	1	4	–	–	3	3	1	19	5	3	3	–	1	31
49	2	–	20	7	1	2	1	–	–	–	–	–	2	2	5	4	10	3	1	–	32
37	1	–	14	2	–	7	1	1	–	–	–	–	–	2	12	3	3	2	–	–	33
52	6	1	20	6	4	7	–	1	1	1	–	–	1	2	9	6	4	–	–	–	34
68	13	3	14	1	1	3	3	–	1	–	–	–	–	1	9	2	3	3	1	–	35
34	7	–	13	7	–	13	1	–	–	–	–	–	1	1	13	2	3	–	–	–	36
59	1	–	34	11	2	6	3	–	2	–	–	–	3	–	14	2	2	1	–	–	37
107	18	–	38	3	10	24	6	2	–	2	1	2	4	1	31	19	14	7	1	2	38
65	10	–	22	1	7	16	3	1	–	2	1	1	2	1	17	10	10	4	–	–	39
42	8	–	16	2	3	8	3	1	–	–	–	1	2	–	14	9	4	3	1	2	40
81	7	1	21	5	4	4	2	1	3	–	–	–	–	–	24	4	3	–	–	–	41
35	2	–	8	2	–	4	–	–	2	–	–	1	1	–	11	4	–	–	–	–	42
107	2	3	14	12	4	10	2	2	1	1	–	–	3	–	26	5	4	2	–	–	43
63	2	–	11	6	2	5	–	2	4	1	–	–	1	–	14	3	5	–	1	–	44
62	6	–	24	10	5	12	5	2	1	–	–	2	7	–	16	6	10	–	–	1	45
50	2	3	16	2	3	19	3	1	1	1	–	–	–	–	9	3	2	1	–	1	46
893	35	7	232	33	31	91	39	9	29	11	1	21	30	29	202	58	75	43	9	5	47
713	27	4	185	26	27	80	29	8	25	8	1	15	24	25	167	51	57	37	7	5	48
13	–	–	5	–	–	1	1	–	–	2	–	1	1	–	1	–	1	2	1	–	49
50	2	–	12	3	–	1	1	–	–	–	–	2	1	2	7	–	7	–	–	–	50
117	6	3	30	4	4	9	8	1	4	1	–	3	4	2	27	7	10	4	1	–	51
275	22	–	52	9	10	25	13	4	7	3	–	8	18	1	52	23	27	11	4	–	52
209	15	–	37	6	9	18	9	2	5	3	–	6	12	–	37	14	25	10	4	–	53
66	7	–	15	3	1	7	4	2	2	–	–	2	6	1	15	9	2	1	–	–	54
68	4	–	23	4	5	2	3	1	1	1	–	1	–	–	17	8	3	1	–	1	55
30	2	–	12	–	4	1	2	–	–	–	–	1	–	–	2	2	1	–	–	–	56
43	2	–	29	6	1	10	2	–	1	1	–	1	2	–	11	10	2	–	–	–	57
421	24	7	147	11	18	29	24	6	21	1	–	9	19	8	91	41	37	12	9	3	58
43	6	–	16	1	4	2	2	–	1	–	–	1	3	–	8	2	1	2	1	–	59
339	15	7	114	9	11	24	22	4	18	1	–	8	15	6	72	27	28	8	6	2	60
39	3	–	17	1	3	3	–	2	2	–	–	–	1	2	11	12	8	2	2	1	61
56	3	1	15	7	1	2	1	1	3	1	–	–	–	1	15	5	2	–	1	1	62
63	9	1	27	8	7	14	1	2	2	2	–	–	3	–	22	9	7	–	1	–	63
143	11	3	44	8	2	19	3	1	1	2	–	5	10	1	34	10	13	7	–	–	64
64	1	1	20	–	1	4	–	–	1	1	–	3	7	1	14	5	4	2	–	–	65
79	10	2	24	8	1	15	3	1	–	1	–	2	3	–	20	5	9	5	–	–	66
81	5	–	31	2	7	11	4	–	1	–	–	2	–	1	14	4	5	1	2	–	67
46	3	–	15	5	2	5	3	2	–	–	–	1	–	1	13	3	5	–	1	–	68
56	2	1	24	1	2	14	2	1	2	2	–	1	2	2	11	2	5	2	–	–	69
48	8	–	14	2	4	5	–	2	–	–	–	–	1	–	8	3	2	–	1	–	70
183	21	1	63	8	11	20	7	1	2	1	–	1	4	3	44	11	7	6	1	–	71
136	12	–	50	7	9	12	4	1	2	1	–	1	2	2	35	5	5	6	1	–	72
47	9	1	13	1	2	8	3	1	–	–	–	–	2	1	9	6	2	–	–	–	73
67	3	–	17	5	4	5	3	–	2	1	–	1	3	1	17	9	8	7	–	–	74
91	7	–	13	6	2	6	1	1	–	–	–	1	2	–	17	2	5	2	1	–	75
40	6	1	22	5	1	2	–	1	–	–	–	1	3	2	5	5	1	2	–	–	76
151	18	1	68	12	7	21	4	2	11	1	–	3	6	4	47	13	9	2	2	–	77
109	9	–	50	7	6	16	4	2	9	1	–	2	6	4	36	7	5	–	1	–	78
42	9	1	18	5	1	5	–	–	2	–	–	1	–	–	11	6	4	2	1	–	79
55	3	–	12	1	3	10	2	1	–	1	–	1	1	1	16	4	4	2	–	–	80
61	5	1	22	5	3	8	5	–	3	–	–	1	1	–	17	4	8	2	–	–	81
302	29	8	77	22	15	41	18	2	12	3	–	9	28	3	63	36	27	19	1	–	82
248	15	5	62	18	15	37	17	2	11	2	–	6	25	3	52	23	24	15	1	–	83
54	14	3	15	4	–	4	1	–	1	1	–	3	–	–	11	13	3	4	–	–	84
24	4	1	12	4	3	5	–	1	1	–	–	1	1	1	8	2	2	–	–	–	85
79	3	1	30	3	8	3	3	–	1	1	–	–	1	1	12	3	7	4	–	1	86

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Kansas**	21,848	18	2	136	4,036	1,050	967	372	518	202	188	739	384	11,594	8,508	128	89
02	Urban places	10,541	6	1	75	2,033	500	529	193	252	96	95	368	183	5,394	3,955	70	36
03	Balance of area	11,307	12	1	61	2,003	550	438	179	266	106	93	371	201	6,200	4,545	58	53
04	Metropolitan counties	7,463	5	1	56	1,487	370	380	155	159	87	65	271	127	3,734	2,750	53	26
05	Urban places	6,301	4	1	48	1,263	309	337	128	135	70	59	225	111	3,158	2,324	48	15
06	Balance of area	1,162	1	–	8	224	61	43	27	24	17	6	46	16	576	426	5	11
07	Nonmetropolitan counties	14,385	13	1	80	2,549	680	587	217	359	115	123	468	257	7,860	5,750	75	63
08	Urban places	4,240	2	–	27	770	191	192	65	117	26	36	143	72	2,236	1,631	22	21
09	Balance of area	10,145	11	1	53	1,779	489	395	152	242	89	87	325	185	5,624	4,119	53	42
10	Allen	188	–	–	–	38	10	12	1	3	4	1	7	7	98	85	1	2
11	Anderson	100	1	–	1	17	3	3	–	5	–	1	5	4	57	47	1	–
12	Atchison	229	1	–	1	49	13	6	5	9	2	3	11	1	131	94	1	9
13	Atchison	159	1	–	–	25	7	4	2	4	1	2	5	1	95	66	1	6
14	Balance of county	70	–	–	1	24	6	2	3	5	1	1	6	–	36	28	–	3
15	Barber	93	–	–	1	16	3	6	–	3	2	1	1	1	50	39	–	1
16	Barton	261	–	–	–	41	11	7	2	6	1	3	11	6	149	106	–	1
17	Great Bend	114	–	–	–	20	2	4	1	4	1	2	6	3	57	37	–	–
18	Balance of county	147	–	–	–	21	9	3	1	2	–	1	5	3	92	69	–	1
19	Bourbon	254	–	–	1	49	13	12	4	7	1	2	10	3	154	95	1	–
20	Brown	181	–	–	3	27	7	5	3	2	3	–	7	3	113	79	–	–
21	Butler	405	–	–	2	71	18	14	12	8	7	–	12	7	227	153	4	3
22	El Dorado	160	–	–	1	32	12	5	6	2	3	–	4	2	97	63	3	–
23	Balance of county	245	–	–	1	39	6	9	6	6	4	–	8	5	130	90	1	3
24	Chase	50	–	–	–	7	1	2	–	2	–	–	2	–	27	20	–	1
25	Chautauqua	92	–	–	–	21	2	10	1	3	1	1	3	–	51	38	1	2
26	Cherokee	317	2	–	2	51	10	21	3	7	2	1	7	3	182	126	3	2
27	Cheyenne	63	–	–	–	10	3	3	–	1	–	1	2	4	39	34	2	–
28	Clark	31	–	–	–	6	2	1	–	1	–	1	1	1	17	13	–	–
29	Clay	147	–	–	–	23	11	3	3	1	–	2	3	4	94	70	2	2
30	Cloud	196	–	–	2	35	8	6	4	5	1	1	10	5	109	86	–	–
31	Coffey	121	–	–	–	16	4	3	1	4	1	–	3	1	75	57	–	1
32	Comanche	42	–	–	1	9	1	1	–	5	–	1	1	2	20	15	–	1
33	Cowley	441	–	–	3	62	10	19	8	7	3	4	11	6	264	182	2	–
34	Arkansas City	193	–	–	1	22	4	8	3	2	1	2	2	3	121	76	–	–
35	Winfield	141	–	–	2	23	3	7	5	2	–	–	6	2	80	60	2	–
36	Balance of county	107	–	–	–	17	3	4	–	3	2	2	3	1	63	46	–	–
37	Crawford	480	–	–	2	89	26	24	7	9	4	3	16	9	280	219	3	1
38	Pittsburg	219	–	–	1	45	16	12	1	5	1	2	8	4	122	103	2	1
39	Balance of county	261	–	–	1	44	10	12	6	4	3	1	8	5	158	116	1	–
40	Decatur	71	–	–	–	11	5	4	1	1	–	–	–	–	38	28	1	–
41	Dickinson	249	–	–	1	48	16	5	4	6	3	6	8	4	117	86	4	3
42	Doniphan	122	–	–	–	22	6	4	4	1	1	2	4	1	71	53	–	–
43	Douglas	362	–	–	2	65	14	15	5	10	3	3	15	1	184	131	1	–
44	Lawrence	249	–	–	1	49	9	11	5	8	3	3	10	1	121	85	1	–
45	Balance of county	113	–	–	1	16	5	4	–	2	–	–	5	–	63	46	–	–
46	Edwards	62	–	–	–	6	3	–	1	1	–	–	1	6	42	37	–	–
47	Elk	79	–	–	–	17	2	6	2	–	1	–	6	2	46	29	–	1
48	Ellis	129	–	–	1	24	7	4	5	1	1	–	6	6	58	47	2	–
49	Hays	76	–	–	1	12	4	2	2	1	1	–	2	2	38	32	2	–
50	Balance of county	53	–	–	–	12	3	2	3	–	–	–	4	4	20	15	–	–
51	Ellsworth	79	–	–	–	14	2	2	2	5	2	–	1	5	43	39	–	–
52	Finney	159	–	–	5	33	5	16	3	5	2	1	1	2	62	43	1	–
53	Garden City	131	–	–	3	27	3	14	3	3	2	1	1	2	53	36	1	–
54	Balance of county	28	–	–	2	6	2	2	–	2	–	–	–	–	9	7	–	–
55	Ford	196	–	1	3	27	6	7	–	3	2	2	7	4	109	79	1	2
56	Dodge City	137	–	–	3	21	3	5	–	3	1	2	7	4	65	47	1	1
57	Balance of county	59	–	1	–	6	3	2	–	–	1	–	–	–	44	32	–	1
58	Franklin	266	–	–	–	52	12	15	1	8	–	6	10	5	149	118	1	1
59	Ottawa	152	–	–	–	29	4	6	–	5	–	5	9	2	79	59	–	1
60	Balance of county	114	–	–	–	23	8	9	1	3	–	1	1	3	70	59	–	1
61	Geary	210	–	–	1	35	9	11	1	5	–	1	8	2	87	73	–	1
62	Junction City	158	–	–	1	28	7	11	1	3	–	1	5	1	70	60	–	1
63	Balance of county	52	–	–	–	7	2	–	–	2	–	–	3	1	17	13	–	–
64	Gove	34	–	–	1	8	2	3	2	1	–	–	–	1	15	13	–	–
65	Graham	43	–	–	1	8	2	2	–	2	–	–	2	1	21	19	1	–
66	Grant	41	–	–	–	4	–	–	1	–	–	–	3	2	22	21	–	–
67	Gray	37	–	–	1	8	2	2	–	1	–	1	2	2	16	13	1	–
68	Greeley	12	–	–	–	2	2	–	–	–	–	–	–	–	7	6	–	–
69	Greenwood	153	2	–	1	24	8	5	–	3	2	1	5	4	91	67	–	–
70	Hamilton	39	–	–	1	7	2	2	–	1	–	1	1	–	17	13	–	–
71	Harper	110	–	–	1	18	2	3	3	1	–	1	8	–	63	45	2	–
72	Harvey	270	–	–	2	49	15	11	6	10	1	1	5	3	139	103	3	–
73	Newton	162	–	–	2	28	10	6	4	6	1	–	1	2	87	63	2	–
74	Balance of county	108	–	–	–	21	5	5	2	4	–	1	4	1	52	40	1	–
75	Haskell	19	–	–	–	2	–	–	–	1	–	1	–	1	10	8	1	1
76	Hodgeman	28	–	–	–	4	1	–	–	1	–	1	1	2	13	7	–	–
77	Jackson	141	–	–	–	26	7	7	2	1	1	3	5	–	70	55	1	–
78	Jefferson	148	–	–	3	21	5	5	1	5	2	1	2	3	79	52	1	–
79	Jewell	85	1	–	–	15	4	4	3	1	–	–	3	–	52	38	1	1
80	Johnson	1,365	2	–	9	288	70	58	34	31	20	15	60	17	693	515	8	1
81	Leawood	95	–	–	1	18	5	4	2	2	2	–	3	–	58	35	–	–
82	Merriam	60	–	–	–	13	2	4	1	1	2	1	2	–	30	23	–	–
83	Olathe	135	–	–	1	22	5	4	4	2	–	1	6	3	76	58	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
7,635	648	77	2,218	487	312	860	263	93	201	82	2	131	258	231	1,869	570	707	259	103	49	01
3,538	311	40	1,065	186	148	355	146	43	113	40	1	69	153	132	939	250	351	145	79	33	02
4,097	337	37	1,153	301	164	505	117	50	88	42	1	62	105	99	930	320	356	114	24	16	03
2,456	215	28	739	121	96	234	109	24	84	30	–	51	118	86	688	184	242	118	62	23	04
2,084	177	22	632	99	81	188	89	20	70	28	–	40	97	72	598	138	202	93	60	21	05
372	38	6	107	22	15	46	20	4	14	2	–	11	21	14	90	46	40	25	2	2	06
5,179	433	49	1,479	366	216	626	154	69	117	52	2	80	140	145	1,181	386	465	141	41	26	07
1,454	134	18	433	87	67	167	57	23	43	12	1	29	56	60	341	112	149	52	19	12	08
3,725	299	31	1,046	279	149	459	97	46	74	40	1	51	84	85	840	274	316	89	22	14	09
75	7	–	10	1	2	10	4	–	–	1	–	1	–	3	12	6	4	3	–	1	10
46	–	–	7	3	–	2	–	1	–	–	–	–	–	1	6	5	3	1	1	–	11
76	8	1	24	5	7	7	3	–	2	2	–	–	3	5	15	4	2	2	–	1	12
52	7	1	20	3	5	6	3	–	1	2	–	–	3	5	11	2	1	2	–	1	13
24	1	–	4	2	2	1	–	–	1	–	–	–	–	–	4	2	1	–	–	–	14
37	1	–	6	3	2	7	1	2	1	–	–	1	–	2	4	4	2	1	–	–	15
100	5	2	31	5	5	6	1	1	1	–	–	2	4	2	23	8	9	4	2	2	16
35	2	1	15	3	1	2	1	–	–	–	–	2	1	2	11	3	5	3	2	2	17
65	3	1	16	2	4	4	–	1	1	–	–	–	3	–	12	5	4	1	–	–	18
92	2	–	52	4	3	10	5	2	2	–	–	–	1	3	14	5	2	2	–	1	19
77	2	–	17	14	3	3	2	1	2	–	–	2	1	–	11	5	8	–	–	–	20
139	7	4	53	8	9	15	8	–	2	2	–	5	1	2	34	12	12	5	–	–	21
59	1	1	26	4	3	3	2	–	1	1	–	–	–	–	17	2	2	–	–	–	22
80	6	3	27	4	6	12	6	–	1	1	–	5	1	2	17	10	10	5	–	–	23
19	–	1	3	3	–	1	1	–	1	–	–	–	–	–	3	9	1	–	–	–	24
34	1	–	8	3	2	3	1	1	1	–	–	–	–	–	3	7	2	1	–	–	25
111	10	1	37	13	5	7	3	2	3	1	–	–	–	2	38	8	9	3	–	1	26
32	–	–	3	1	1	6	–	–	–	–	–	1	–	–	1	1	1	–	–	–	27
11	2	–	2	2	–	–	–	–	–	–	–	–	–	–	4	2	1	–	–	–	28
52	16	–	20	2	2	4	2	–	3	1	–	–	1	–	9	1	3	2	–	–	29
82	3	1	15	6	1	6	–	2	1	1	–	1	–	1	24	4	2	3	–	–	30
51	4	1	13	3	1	7	1	–	1	3	–	–	–	–	9	2	3	2	1	–	31
13	1	–	2	2	1	2	–	–	–	–	–	–	–	1	6	–	1	–	–	–	32
161	19	1	60	10	11	17	6	1	1	–	–	3	3	3	40	13	12	2	–	–	33
69	7	1	33	7	4	6	5	–	1	–	–	–	3	5	14	5	5	2	–	–	34
53	5	–	14	2	4	7	1	–	–	–	–	2	–	2	13	5	4	–	–	–	35
39	7	–	13	1	3	4	–	1	–	–	–	1	–	1	13	3	3	–	–	–	36
202	13	1	45	10	5	9	5	3	9	1	–	1	2	4	36	5	22	2	1	–	37
96	4	1	15	1	2	2	2	1	3	–	–	1	1	3	19	1	11	2	1	–	38
106	9	–	30	9	3	7	3	2	6	1	–	–	1	1	17	4	11	–	–	–	39
26	1	–	9	–	1	4	2	–	2	–	–	–	–	2	10	–	1	1	–	–	40
74	5	1	19	6	5	18	3	2	3	1	–	–	4	1	26	5	11	4	1	–	41
49	4	–	13	1	4	2	–	–	–	–	–	2	3	–	14	3	3	1	–	–	42
118	12	–	38	11	4	18	2	1	4	–	–	1	9	16	24	11	19	2	–	3	43
75	9	–	27	7	2	11	2	1	3	–	–	1	7	11	16	5	15	2	–	3	44
43	3	–	11	4	2	7	–	–	1	–	–	–	2	5	8	6	4	–	–	–	45
37	–	–	5	–	–	1	–	–	–	–	–	–	–	1	4	3	–	–	–	–	46
27	1	–	5	10	2	6	1	–	–	–	–	–	–	1	1	–	4	–	–	1	47
44	1	1	6	1	3	9	1	–	1	–	–	1	3	1	10	7	3	3	1	–	48
29	1	–	3	1	2	5	–	–	1	–	–	1	3	1	6	3	1	1	1	–	49
15	–	1	3	–	1	4	1	–	–	–	–	–	–	–	4	4	2	2	–	–	50
33	6	–	2	–	2	4	1	1	2	–	–	–	–	–	5	–	1	3	–	–	51
36	6	1	14	2	2	8	4	–	1	–	–	6	4	–	14	7	8	4	–	1	52
30	5	1	12	2	2	5	3	–	1	–	–	6	3	–	11	6	6	4	–	1	53
6	1	–	2	–	–	3	1	–	–	–	–	–	1	–	3	1	2	–	–	–	54
75	1	1	24	2	3	7	4	1	1	–	–	2	5	2	11	9	6	2	2	–	55
44	1	–	14	2	2	7	4	1	1	–	–	1	4	2	6	9	6	1	2	–	56
31	–	1	10	–	1	–	–	–	–	–	–	1	1	–	5	–	–	1	–	–	57
107	10	1	20	7	3	6	3	2	1	1	–	1	1	1	22	7	11	3	1	–	58
55	3	1	13	4	2	5	3	2	1	1	–	1	1	1	12	5	7	2	1	–	59
52	7	–	7	3	1	1	–	–	–	–	–	–	–	–	10	2	4	1	–	–	60
60	12	–	5	3	6	3	–	–	5	1	–	6	7	4	24	10	16	2	3	4	61
49	10	–	3	3	4	3	–	–	4	1	–	1	4	4	22	6	8	1	2	2	62
11	2	–	2	–	2	–	–	–	1	–	–	5	3	–	2	4	8	1	1	2	63
12	1	–	1	–	1	2	–	–	1	–	–	–	–	–	2	2	1	1	–	–	64
17	1	–	2	–	–	3	1	1	–	1	–	–	–	1	2	1	1	–	1	–	65
20	1	–	1	–	–	1	1	–	–	–	–	2	–	2	–	2	3	1	1	–	66
12	–	–	3	–	–	3	–	–	–	–	–	–	–	–	5	–	1	1	–	–	67
4	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	68
66	1	–	15	7	2	3	4	2	1	1	–	1	–	–	8	3	4	4	–	–	69
13	–	1	3	–	–	2	1	–	–	–	–	1	1	–	5	1	2	1	–	–	70
42	1	–	14	3	1	4	–	–	–	–	–	1	1	3	10	3	5	1	–	–	71
96	4	2	22	6	6	15	3	–	–	–	–	1	5	1	29	5	13	3	2	–	72
58	3	–	17	3	4	6	3	–	–	–	–	–	1	–	17	4	8	2	2	–	73
38	1	2	5	3	2	9	–	–	–	–	–	1	4	1	12	1	5	1	–	–	74
6	–	–	–	–	2	–	–	–	–	–	–	–	1	1	1	–	2	–	1	–	75
6	1	2	3	1	–	–	–	–	–	–	–	–	–	–	5	2	–	1	1	–	76
50	4	–	13	1	1	4	1	1	2	2	–	3	3	3	14	2	9	1	–	–	77
47	4	–	20	3	4	10	3	–	–	–	–	–	2	–	15	4	6	–	1	1	78
34	2	–	9	3	2	5	–	–	1	–	–	–	–	–	7	3	–	1	–	–	79
464	42	3	127	30	18	44	19	4	15	5	–	12	16	24	108	36	45	22	5	1	80
35	–	–	18	2	3	2	3	–	–	–	–	–	–	–	6	4	1	1	1	–	81
23	–	1	5	1	–	–	–	–	1	1	–	–	1	2	5	2	3	1	1	–	82
51	7	–	9	7	2	4	1	–	1	–	–	1	2	3	12	2	6	1	–	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
	Johnson—Con.																	
01	Overland Park	364	1	–	3	69	12	13	8	9	6	8	13	4	188	146	4	1
02	Prairie Village	157	–	–	–	38	10	10	4	6	1	2	5	3	81	55	–	–
03	Shawnee	113	–	–	2	22	4	6	1	3	–	1	7	4	48	38	1	–
04	Balance of county	441	1	–	2	106	32	17	14	8	9	2	24	3	212	160	3	–
05	Kearny	22	–	–	–	3	–	2	1	–	–	–	–	1	7	7	–	–
06	Kingman	113	–	–	1	22	3	5	3	5	1	1	4	4	57	42	–	–
07	Kiowa	52	–	–	1	7	3	2	–	1	–	–	1	3	32	18	–	–
08	Labette	356	–	–	–	65	19	16	5	13	3	2	7	6	203	150	2	–
09	Parsons	210	–	–	–	32	10	7	3	7	–	1	4	4	133	103	1	–
10	Balance of county	146	–	–	–	33	9	9	2	6	3	1	3	2	70	47	1	–
11	Lane	27	–	–	–	4	–	1	–	3	–	–	–	1	16	10	–	–
12	Leavenworth	437	–	–	3	93	26	22	8	17	3	4	13	8	205	163	1	3
13	Leavenworth	275	–	–	–	62	17	15	6	11	–	3	10	5	127	102	1	2
14	Balance of county	162	–	–	3	31	9	7	2	6	3	1	3	3	78	61	1	1
15	Lincoln	63	–	–	–	14	5	1	–	4	1	1	2	4	30	24	–	2
16	Linn	122	–	–	1	23	6	4	3	3	1	–	6	1	67	47	–	–
17	Logan	27	–	–	–	6	1	1	1	1	–	1	1	–	13	10	–	–
18	Lyon	307	–	–	2	44	15	8	3	9	–	3	6	6	183	126	2	2
19	Emporia	232	–	–	2	37	15	7	1	8	–	–	6	6	140	99	2	2
20	Balance of county	75	–	–	–	7	–	1	2	1	–	3	–	–	43	27	–	–
21	McPherson	236	–	–	1	36	7	7	5	4	2	1	10	1	145	108	2	–
22	McPherson	99	–	–	–	18	3	5	3	3	2	–	2	–	59	40	–	–
23	Balance of county	137	–	–	1	18	4	2	2	1	–	1	8	1	86	68	2	–
24	Marion	196	–	–	1	23	9	3	3	2	2	–	4	4	117	89	2	3
25	Marshall	220	–	–	–	40	10	6	5	5	5	2	7	3	130	103	–	–
26	Meade	35	–	–	–	5	1	1	–	–	–	–	3	–	24	19	–	–
27	Miami	246	1	–	–	46	14	15	3	3	2	1	8	3	138	106	4	–
28	Mitchell	121	–	–	–	27	9	6	1	2	2	–	7	2	58	35	–	–
29	Montgomery	544	–	–	1	107	24	26	7	18	4	10	18	10	281	188	3	2
30	Coffeyville	201	–	–	1	43	6	10	3	12	1	5	6	6	100	72	1	2
31	Independence	152	–	–	–	28	7	7	2	3	2	2	5	2	75	47	–	–
32	Balance of county	191	–	–	–	36	11	9	2	3	1	3	7	2	106	69	2	–
33	Morris	100	–	–	1	16	7	3	2	2	1	1	–	1	57	41	1	–
34	Morton	25	–	–	–	5	2	1	–	1	–	–	1	–	11	11	–	–
35	Nemaha	129	–	–	1	26	6	5	2	3	2	1	7	3	65	45	–	1
36	Neosho	247	–	–	–	41	15	11	3	4	–	–	8	6	143	103	1	1
37	Chanute	157	–	–	–	32	12	8	3	3	–	–	6	4	89	62	1	1
38	Balance of county	90	–	–	–	9	3	3	–	1	–	–	2	2	54	41	–	–
39	Ness	65	–	–	–	8	2	2	–	3	–	–	1	2	33	23	–	–
40	Norton	87	–	–	1	11	2	2	–	3	1	1	2	5	47	36	–	–
41	Osage	166	–	–	2	27	8	8	1	4	–	2	4	3	106	86	1	–
42	Osborne	94	–	–	1	15	5	3	2	1	–	–	3	–	56	42	–	1
43	Ottawa	91	–	–	–	15	6	3	1	3	–	1	1	1	61	24	–	1
44	Pawnee	112	–	–	–	10	6	1	–	–	1	–	2	1	69	51	–	1
45	Phillips	106	1	–	1	19	5	5	2	2	–	3	2	1	48	29	1	–
46	Pottawatomie	154	–	–	2	34	17	8	2	1	1	1	4	2	89	61	1	–
47	Manhattan, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Balance of county	153	–	–	2	34	17	8	2	1	1	1	4	2	89	61	1	–
49	Pratt	129	–	–	1	21	–	5	2	6	1	3	4	6	66	47	1	–
50	Rawlins	56	–	–	–	7	3	1	–	1	–	1	1	1	34	30	1	–
51	Reno	584	1	–	2	98	36	23	6	9	4	3	17	8	329	258	7	2
52	Hutchinson	407	1	–	1	62	18	16	5	6	3	2	12	6	230	180	3	1
53	Balance of county	177	–	–	1	36	18	7	1	3	1	1	5	2	99	78	4	1
54	Republic	153	–	–	–	25	9	4	1	3	4	1	3	2	78	54	1	–
55	Rice	152	–	–	–	31	6	6	5	3	5	–	6	4	80	66	1	–
56	Riley	257	–	–	5	47	12	11	4	8	1	–	11	8	112	79	–	–
57	Manhattan, part	177	–	–	3	41	10	9	4	7	1	–	10	7	71	50	–	–
58	Manhattan, total	178	–	–	3	41	10	9	4	7	1	–	10	7	71	50	–	–
59	Balance of county	80	–	–	2	6	2	2	–	1	–	–	1	1	41	29	–	–
60	Rooks	104	–	–	–	23	8	6	2	3	2	2	–	2	60	48	1	–
61	Rush	69	–	–	–	13	1	3	2	3	1	–	3	2	44	37	–	–
62	Russell	127	1	–	–	25	7	3	4	4	–	2	5	2	73	50	1	1
63	Saline	384	–	–	5	77	20	13	11	10	4	3	16	6	202	133	3	4
64	Salina	335	–	–	5	65	18	11	7	9	3	3	14	5	178	118	2	3
65	Balance of county	49	–	–	–	12	2	2	4	1	1	–	2	1	24	15	1	1
66	Scott	56	–	–	–	15	4	2	3	–	–	4	2	2	17	10	–	–
67	Sedgwick	2,655	2	1	23	543	135	157	62	54	22	24	89	37	1,268	956	18	17
68	Wichita	2,368	2	1	21	494	121	143	56	50	21	23	80	34	1,124	844	18	9
69	Balance of county	287	–	–	2	49	14	14	6	4	1	1	9	3	144	112	–	8
70	Seward	111	–	–	–	22	4	7	1	2	2	–	6	–	50	37	–	–
71	Liberal	103	–	–	–	21	3	7	1	2	2	–	6	–	46	34	–	–
72	Balance of county	8	–	–	–	1	1	–	–	–	–	–	–	–	4	3	–	–
73	Shawnee	1,291	1	–	6	242	68	57	18	24	22	11	42	28	697	513	14	–
74	Topeka	1,168	1	–	4	221	63	54	17	22	19	8	38	23	634	471	14	–
75	Balance of county	123	–	–	2	21	5	3	1	2	3	3	4	5	63	42	–	–
76	Sheridan	40	–	–	–	13	8	1	–	2	1	–	1	1	14	12	–	–
77	Sherman	73	–	–	–	14	5	2	2	–	1	1	3	1	39	33	1	1
78	Smith	99	–	–	–	8	–	3	–	3	–	1	1	1	62	30	–	–
79	Stafford	90	–	–	–	14	2	–	1	–	2	–	9	–	62	55	–	–
80	Stanton	17	1	–	–	1	–	1	–	–	–	–	–	–	11	6	–	–
81	Stevens	36	–	–	1	5	–	1	–	2	–	–	2	1	16	13	–	–
82	Sumner	276	1	–	1	62	20	11	4	12	5	–	10	3	150	99	1	1
83	Thomas	47	–	–	1	12	2	2	4	1	1	–	2	1	17	10	–	–
84	Trego	43	–	–	–	8	1	1	2	–	1	1	2	1	24	15	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
135	6	1	28	7	6	9	5	1	5	2	–	4	4	7	31	8	15	6	1	1	01
48	7	–	23	2	1	4	3	–	–	1	–	–	2	2	13	2	3	4	1	–	02
35	2	–	6	4	–	5	1	–	–	1	–	3	–	1	15	3	5	2	1	–	03
137	20	1	38	7	6	20	6	3	8	–	–	4	7	9	26	15	12	7	–	–	04
6	1	–	–	–	–	1	1	–	–	2	–	–	2	–	3	–	2	–	–	–	05
36	6	1	9	3	2	2	–	–	–	–	–	1	–	–	18	3	5	–	–	–	06
17	1	–	10	2	2	1	1	–	–	–	–	2	1	–	3	1	–	–	–	–	07
135	13	2	37	9	5	17	5	3	1	1	–	2	1	3	21	14	10	2	2	2	08
92	10	–	22	4	4	4	5	1	1	–	–	1	1	3	12	4	7	1	–	2	09
43	3	2	15	5	1	13	–	2	–	1	–	1	–	–	9	10	3	1	–	–	10
10	–	–	5	–	1	1	–	–	–	–	–	1	1	–	3	–	–	–	–	–	11
150	9	–	36	2	4	17	5	5	5	4	–	2	6	3	48	8	15	6	2	2	12
93	7	–	21	1	3	10	3	5	4	2	–	–	2	2	34	4	10	3	1	1	13
57	2	–	15	1	1	7	2	–	1	2	–	2	4	1	14	4	5	3	1	1	14
22	–	–	5	–	1	3	2	–	–	1	–	1	–	1	3	1	3	–	–	–	15
46	1	–	16	1	3	13	1	–	–	–	–	–	–	2	10	2	1	1	–	–	16
10	–	–	3	–	–	2	–	–	–	–	–	–	–	–	2	2	–	1	1	–	17
112	10	2	48	4	3	12	–	4	5	3	–	1	3	–	21	9	7	4	3	–	18
87	8	1	34	3	3	9	–	3	4	3	–	1	2	–	13	5	4	3	1	–	19
25	2	1	14	1	–	3	–	1	1	–	–	1	1	–	8	4	3	1	2	–	20
99	7	–	26	4	7	13	4	1	2	2	–	2	2	–	14	5	5	3	–	–	21
39	1	–	13	3	3	4	2	1	2	1	–	1	1	–	5	2	2	2	–	–	22
60	6	–	13	1	4	9	2	–	–	1	–	–	2	–	9	3	3	1	–	–	23
76	8	1	18	8	1	11	1	1	2	3	–	–	2	1	19	3	8	–	–	–	24
95	8	1	18	5	3	6	2	3	1	1	–	–	1	3	20	6	3	1	–	–	25
19	–	–	5	–	–	1	–	–	–	–	–	–	–	–	1	1	1	1	–	–	26
91	11	1	18	10	3	15	4	1	–	–	–	2	–	2	18	4	6	4	1	1	27
26	9	1	9	12	1	9	1	–	1	–	–	–	–	–	16	1	3	1	–	1	28
165	18	8	64	15	6	16	5	3	3	4	–	–	–	7	37	17	18	7	3	–	29
61	8	6	17	2	3	6	3	1	–	2	–	–	–	4	14	9	7	3	1	–	30
40	7	1	18	7	2	5	2	1	1	–	–	–	–	2	11	2	5	2	1	–	31
64	3	1	29	6	1	5	–	1	2	2	–	–	–	1	12	6	6	2	1	–	32
37	2	–	15	1	–	5	2	–	–	1	–	–	–	2	7	3	3	1	–	–	33
9	2	–	–	–	–	2	–	–	1	–	–	–	–	–	2	2	2	–	–	–	34
39	5	–	12	7	1	11	1	–	1	–	–	1	3	–	7	3	6	1	–	–	35
91	10	–	31	4	5	11	1	4	–	–	–	1	2	3	17	4	10	3	–	1	36
55	5	–	25	2	–	8	1	4	–	–	–	–	2	1	7	–	6	3	–	–	37
36	5	–	6	2	5	3	–	–	–	–	–	1	–	2	10	4	4	–	–	1	38
19	4	–	6	2	2	4	–	–	–	–	–	1	–	–	9	5	1	2	–	–	39
35	1	–	9	–	2	7	–	–	–	–	–	1	–	–	9	3	3	–	–	–	40
82	3	1	11	7	1	3	2	2	1	–	–	–	–	2	8	4	6	–	–	–	41
31	10	1	11	1	1	2	1	–	–	1	–	–	–	–	15	1	2	–	–	–	42
21	2	–	33	1	3	–	1	–	1	–	–	–	–	1	7	3	1	–	–	–	43
50	–	–	12	4	2	6	1	1	–	–	–	–	4	1	9	1	6	2	–	1	44
24	4	–	14	4	1	6	2	–	1	1	–	–	2	2	12	3	7	–	–	–	45
59	1	1	24	1	2	12	–	–	–	2	–	–	2	1	2	2	5	1	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	47
59	1	1	24	1	2	12	–	–	–	2	–	–	2	1	2	2	4	1	–	–	48
42	4	1	14	4	–	8	1	1	3	–	–	1	–	3	8	1	7	2	–	–	49
26	3	–	2	1	1	4	–	–	1	–	–	–	–	–	2	–	4	–	1	2	50
234	15	2	45	16	8	26	8	1	8	2	–	7	3	1	44	18	18	8	2	–	51
164	12	2	32	10	6	21	5	1	7	–	–	6	2	–	32	13	11	8	1	–	52
70	3	–	13	6	2	5	3	–	1	2	–	1	1	1	12	5	7	–	1	–	53
50	3	–	21	2	1	20	1	2	–	–	–	–	–	2	14	3	6	–	–	–	54
57	8	–	13	–	1	10	3	–	2	–	–	1	1	–	14	3	3	–	–	–	55
72	7	1	21	9	2	24	4	2	3	–	–	1	6	1	25	8	6	4	1	–	56
45	5	1	11	7	2	16	3	1	3	–	–	–	4	–	17	5	4	2	–	–	57
45	5	1	11	7	2	16	3	1	3	–	–	–	4	–	17	5	5	2	–	–	58
27	2	–	10	2	–	8	1	1	–	–	–	1	2	1	8	3	2	2	1	–	59
47	–	1	9	1	1	7	1	1	–	–	–	–	–	–	5	3	2	–	–	–	60
36	1	–	5	1	1	1	1	–	–	–	–	–	–	–	2	–	5	–	–	–	61
46	2	–	13	6	4	3	4	–	1	1	–	–	1	–	12	–	3	–	–	–	62
113	13	1	53	7	8	13	4	1	2	–	–	1	5	2	32	15	9	4	1	–	63
100	13	1	45	7	7	13	4	–	2	–	–	1	5	4	31	10	7	3	1	–	64
13	1	–	8	–	1	–	–	1	–	–	–	–	1	1	1	5	2	1	–	–	65
9	1	–	4	1	2	1	–	–	–	–	–	–	1	3	10	3	2	1	–	–	66
859	62	10	234	35	33	85	42	10	19	6	–	16	56	24	281	82	86	42	23	9	67
760	57	8	209	30	33	75	38	10	18	5	–	15	49	22	254	68	74	34	22	8	68
99	5	2	25	5	–	10	4	–	1	1	–	1	7	2	27	14	12	8	1	1	69
36	1	–	9	3	1	6	2	–	3	–	–	–	4	1	8	4	9	–	2	–	70
33	1	–	9	3	–	6	2	–	3	–	–	–	3	1	7	4	8	–	2	–	71
3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	72
469	30	3	136	28	17	39	15	5	21	4	–	10	12	10	104	18	43	27	6	3	73
432	25	3	123	23	14	37	12	4	20	4	–	10	11	10	91	12	42	24	6	2	74
37	5	–	13	5	3	2	3	1	1	–	–	–	1	–	13	6	1	3	–	1	75
11	1	1	1	–	–	–	1	1	–	–	–	–	3	–	3	2	–	2	–	–	76
25	6	–	4	2	–	3	–	1	1	–	–	–	3	–	8	1	1	1	–	–	77
27	3	1	22	4	5	3	2	–	1	1	–	–	2	–	12	3	4	–	–	–	78
52	3	–	5	2	–	2	–	–	1	–	–	–	–	–	3	4	2	2	–	–	79
5	1	–	5	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	80
13	1	1	2	–	–	3	2	–	–	–	–	–	2	–	3	–	2	–	1	–	81
81	17	–	31	14	6	3	3	3	5	4	–	–	–	2	18	12	7	2	–	–	82
8	1	–	4	3	–	2	1	–	1	–	–	1	–	–	6	3	2	–	–	–	83
14	1	–	4	3	2	1	–	–	1	–	–	–	–	–	4	2	1	–	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
01	Wabaunsee	96	–	–	–	18	2	8	1	4	–	–	3	2	47	24	–	–
02	Wallace	24	–	–	–	6	2	3	–	–	–	1	–	–	12	10	–	–
03	Washington	149	–	–	2	25	6	3	4	6	–	2	4	1	82	63	–	–
04	Wichita	20	–	–	–	5	–	–	–	1	–	–	4	–	9	6	–	–
05	Wilson	183	–	–	1	34	10	9	5	3	1	2	4	3	102	70	–	1
06	Woodson	80	–	–	–	12	2	3	1	2	1	1	2	–	46	30	–	1
07	Wyandotte	1,747	–	–	16	343	79	94	29	42	16	15	68	38	849	613	9	5
08	Kansas City	1,681	–	–	15	334	75	94	29	38	16	15	67	38	822	591	8	5
09	Balance of county	66	–	–	1	9	4	–	–	4	–	–	1	–	27	22	1	–
10	**Kentucky**	32,305	66	1	210	5,901	1,517	1,590	441	756	250	243	1,104	593	17,090	12,480	132	144
11	Urban places	11,058	22	–	79	2,149	574	583	170	279	89	79	375	220	5,770	4,096	46	57
12	Balance of area	21,247	44	1	131	3,752	943	1,007	271	477	161	164	729	373	11,320	8,384	86	87
13	Metropolitan counties	12,016	27	–	96	2,450	615	688	210	308	100	97	432	229	6,080	4,364	62	56
14	Urban places	8,211	18	–	72	1,636	425	461	136	209	67	61	277	157	4,177	3,009	39	41
15	Balance of area	3,805	9	–	24	814	190	227	74	99	33	36	155	72	1,903	1,355	23	15
16	Nonmetropolitan counties	20,289	39	1	114	3,451	902	902	231	448	150	146	672	364	11,010	8,116	70	88
17	Urban places	2,847	4	–	7	513	149	122	34	70	22	18	98	63	1,593	1,087	7	16
18	Balance of area	17,442	35	1	107	2,938	753	780	197	378	128	128	574	301	9,417	7,029	63	72
19	Adair	177	1	–	–	30	7	11	–	5	2	–	5	6	93	72	–	1
20	Allen	175	–	–	–	26	6	7	–	3	1	–	9	1	106	82	–	2
21	Anderson	93	1	–	–	17	4	5	1	3	–	1	3	1	55	36	–	–
22	Ballard	115	–	–	–	25	7	4	3	1	–	4	6	1	72	52	–	–
23	Barren	305	–	–	2	58	12	13	3	10	5	2	13	4	171	118	–	5
24	Glasgow	127	–	–	–	25	5	4	–	3	5	2	6	3	75	49	–	4
25	Balance of county	178	–	–	2	33	7	9	3	7	–	–	7	1	96	69	–	1
26	Bath	112	–	–	–	20	3	3	2	6	1	2	3	1	69	56	–	–
27	Bell	392	–	–	2	64	15	18	5	4	4	1	17	10	209	164	–	–
28	Middlesborough	158	–	–	1	28	7	7	3	2	1	–	8	5	89	64	–	–
29	Balance of county	234	–	–	1	36	8	11	2	2	3	1	9	5	120	100	–	–
30	Boone	261	1	–	–	49	11	14	5	9	3	2	5	4	149	108	1	–
31	Florence	87	–	–	–	14	3	5	1	3	–	–	2	2	46	34	–	–
32	Balance of county	174	1	–	–	35	8	9	4	6	3	2	3	2	103	74	1	–
33	Bourbon	185	1	–	–	36	12	8	1	7	1	1	6	2	94	71	–	5
34	Boyd	531	–	–	–	97	28	28	4	14	5	1	17	11	313	235	1	–
35	Ashland	343	–	–	–	59	21	18	1	8	3	–	8	10	206	151	–	–
36	Balance of county	188	–	–	–	38	7	10	3	6	2	1	9	1	107	84	1	–
37	Boyle	241	–	–	–	38	9	13	3	2	2	–	9	9	132	79	–	–
38	Danville	160	–	–	–	24	6	8	1	1	2	–	6	7	91	49	–	–
39	Balance of county	81	–	–	–	14	3	5	2	1	–	–	3	2	41	30	–	–
40	Bracken	96	–	–	3	18	4	6	3	–	–	1	4	2	62	47	1	2
41	Breathitt	111	1	–	1	19	4	6	1	3	2	1	2	3	53	44	–	–
42	Breckinridge	170	–	–	1	30	6	8	1	7	2	1	5	1	102	73	1	–
43	Bullitt	198	1	–	1	34	7	12	2	5	1	3	4	6	88	74	–	–
44	Butler	135	–	–	3	15	4	2	3	2	–	1	3	–	57	43	–	–
45	Caldwell	177	–	–	–	29	10	8	–	3	2	4	2	2	90	56	–	1
46	Calloway	302	–	–	–	58	17	11	4	8	5	1	12	3	181	124	1	2
47	Murray	130	–	–	–	27	9	4	3	5	2	–	4	1	80	56	–	1
48	Balance of county	172	–	–	–	31	8	7	1	3	3	1	8	2	101	68	1	1
49	Campbell	937	2	–	2	208	53	50	18	31	14	12	30	33	492	344	6	7
50	Fort Thomas	153	1	–	–	36	9	9	3	6	1	3	5	5	84	61	1	2
51	Newport	332	–	–	1	69	17	20	4	10	7	4	7	12	164	119	1	2
52	Balance of county	452	1	–	1	103	27	21	11	15	6	5	18	16	244	164	4	3
53	Carlisle	82	–	–	1	12	4	1	–	1	1	1	4	1	46	32	1	–
54	Carroll	93	–	–	1	10	3	1	–	1	2	–	3	2	51	35	1	–
55	Carter	208	–	–	–	40	12	11	1	2	1	2	11	4	117	86	1	–
56	Casey	116	–	–	–	19	2	9	1	2	1	1	3	3	62	46	–	–
57	Christian	519	1	–	3	63	20	15	5	13	4	1	5	6	284	204	2	1
58	Hopkinsville	290	1	–	1	42	12	9	4	10	3	1	3	6	157	111	1	1
59	Balance of county	229	–	–	2	21	8	6	1	3	1	–	2	–	127	93	1	–
60	Clark	249	1	–	1	54	12	13	5	8	2	2	12	7	135	106	–	4
61	Winchester	186	1	–	–	39	7	6	2	8	2	2	12	7	103	77	–	3
62	Balance of county	63	–	–	1	15	5	7	3	–	–	–	–	–	32	29	–	1
63	Clay	175	–	–	1	27	6	8	1	3	–	–	9	4	92	61	1	2
64	Clinton	86	–	–	–	23	9	2	–	4	1	1	6	2	41	33	–	–
65	Crittenden	107	–	–	–	14	4	2	–	6	–	–	2	1	66	52	–	1
66	Cumberland	95	1	–	–	15	4	2	1	3	1	–	4	1	64	49	–	1
67	Daviess	771	2	–	2	142	35	39	12	17	8	5	26	18	436	318	2	8
68	Owensboro	556	1	–	–	103	26	29	9	12	6	2	19	15	329	237	1	6
69	Balance of county	215	1	–	2	39	9	10	3	5	2	3	7	3	107	81	1	2
70	Edmonson	100	1	–	1	14	5	3	2	1	–	1	2	–	55	35	–	–
71	Elliott	56	–	–	1	10	2	1	1	2	1	3	–	2	29	20	–	–
72	Estill	137	–	–	–	24	7	4	2	5	1	2	3	4	77	56	–	1
73	Fayette	1,413	2	–	11	272	63	71	23	44	6	7	58	25	699	531	4	9
74	Lexington	1,276	2	–	11	247	59	64	23	37	6	7	51	22	630	477	3	8
75	Balance of county	137	–	–	–	25	4	7	–	7	–	–	7	3	69	54	1	1
76	Fleming	138	–	–	2	17	2	6	–	2	1	2	4	2	82	62	–	–
77	Floyd	352	1	–	4	51	12	16	4	8	4	2	5	6	185	147	2	–
78	Franklin	320	–	–	1	48	15	9	3	5	3	2	11	5	189	132	1	4
79	Frankfort	223	–	–	–	35	11	7	3	4	2	–	8	3	131	84	1	4
80	Balance of county	97	–	–	1	13	4	2	–	1	1	2	3	2	58	48	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
23	1	1	15	7	–	7	–	–	1	–	–	1	1	–	10	6	2	1	–	–	01
9	1	–	2	–	–	2	1	–	–	–	–	–	–	–	1	1	1	–	–	–	02
50	13	–	10	7	2	10	1	–	–	1	–	2	–	1	18	–	5	1	–	–	03
3	3	–	1	1	1	–	–	–	–	–	–	–	–	2	1	–	2	–	1	–	04
67	3	–	24	6	2	7	1	–	2	–	1	2	1	1	18	2	5	3	–	–	05
29	–	–	13	2	1	6	–	1	–	–	–	–	3	–	10	1	1	–	–	–	06
525	74	8	189	20	19	51	25	5	27	13	–	8	33	26	161	36	56	22	28	10	07
506	72	8	185	19	19	49	24	5	24	13	–	7	28	25	154	35	51	20	27	10	08
19	2	–	4	1	–	2	1	–	3	–	–	1	5	1	7	1	5	2	1	–	09
10,910	**1,294**	**127**	**3,570**	**465**	**448**	**1,039**	**416**	**110**	**340**	**144**	**7**	**190**	**411**	**241**	**2,764**	**886**	**1,054**	**432**	**339**	**71**	**10**
3,616	377	68	1,281	160	165	351	138	37	173	52	4	58	123	69	1,029	172	309	144	137	22	11
7,294	917	59	2,289	305	283	688	278	73	167	92	3	132	288	172	1,735	714	745	288	202	49	12
3,903	343	58	1,310	162	186	333	154	41	204	55	3	69	144	77	1,132	222	364	168	148	20	13
2,675	254	49	878	118	123	251	96	28	147	41	3	40	86	52	814	122	233	110	112	16	14
1,228	89	9	432	44	63	82	58	13	57	14	–	29	58	25	318	100	131	58	36	4	15
7,007	951	69	2,260	303	262	706	262	69	136	89	4	121	267	164	1,632	664	690	264	191	51	16
941	123	19	403	42	42	100	42	9	26	11	1	18	37	17	215	50	76	34	25	6	17
6,066	828	50	1,857	261	220	606	220	60	110	78	3	103	230	147	1,417	614	614	230	166	45	18
57	14	–	15	3	3	5	3	–	3	3	–	1	7	–	10	5	3	4	3	–	19
80	–	–	19	1	4	11	–	1	1	–	–	1	–	–	15	4	4	3	–	2	20
34	2	–	13	3	3	3	–	–	1	–	–	–	1	–	9	2	3	–	–	–	21
47	5	1	15	2	2	3	–	–	–	1	–	1	1	–	4	3	3	–	1	–	22
94	19	–	40	6	7	9	5	3	3	3	–	1	2	1	11	9	12	7	3	1	23
39	6	–	19	4	3	3	1	1	1	2	–	1	–	–	4	1	5	2	2	1	24
55	13	–	21	2	4	6	4	2	2	1	–	–	2	1	7	8	7	5	1	–	25
45	11	–	11	1	1	4	–	–	–	–	–	1	–	2	11	3	1	–	–	–	26
109	55	1	35	3	6	15	8	6	3	–	–	1	8	2	32	5	13	5	8	1	27
51	13	1	19	–	5	9	5	3	1	–	–	–	2	–	10	1	2	1	1	–	28
58	42	–	16	3	1	6	3	3	2	–	–	1	6	2	22	4	11	4	7	1	29
103	4	1	34	2	4	1	3	2	2	–	–	4	5	1	16	9	10	3	2	–	30
33	1	1	9	–	2	1	1	1	–	–	–	1	3	1	8	2	5	2	–	–	31
70	3	–	25	2	2	–	2	1	2	–	–	3	2	–	8	7	5	1	2	–	32
60	6	1	13	5	4	5	6	–	1	–	–	1	2	1	23	6	2	2	3	–	33
212	22	4	54	13	7	16	5	–	9	5	–	1	6	5	38	7	11	4	3	–	34
135	16	3	38	9	5	15	3	–	4	1	–	–	1	3	28	2	7	3	1	–	35
77	6	1	16	4	2	1	2	–	5	4	–	1	5	2	10	5	4	1	2	–	36
71	8	3	40	6	4	13	3	–	3	–	–	–	1	1	16	5	12	3	3	2	37
44	5	3	33	4	2	10	2	–	2	–	–	–	–	–	10	3	6	2	2	1	38
27	3	–	7	2	2	3	1	–	1	–	–	–	1	1	6	2	6	1	1	1	39
42	2	–	13	1	1	1	–	–	–	–	–	–	1	1	4	1	2	1	–	–	40
43	1	1	5	1	2	2	–	–	–	–	–	1	2	2	11	9	1	–	5	1	41
67	5	1	27	–	1	6	1	–	2	–	–	2	2	3	12	2	6	–	–	–	42
57	17	–	13	–	1	5	4	1	4	1	–	3	2	4	9	9	19	4	3	–	43
34	9	–	12	–	2	15	2	3	1	–	–	–	2	7	17	6	4	1	2	–	44
51	4	3	28	2	1	7	5	–	1	1	–	1	6	–	11	10	10	2	1	1	45
100	21	1	51	3	2	7	1	–	2	–	–	–	1	2	20	11	9	4	2	1	46
46	9	1	23	–	–	4	–	–	1	–	–	–	1	–	9	–	3	2	2	–	47
54	12	–	28	3	2	3	1	–	1	–	–	–	–	2	11	11	6	2	–	1	48
310	21	3	122	9	14	14	17	1	15	1	–	5	9	1	69	19	29	10	7	3	49
55	3	–	18	3	2	2	3	–	2	–	–	1	–	–	11	1	6	1	–	–	50
110	6	3	36	3	3	2	9	1	6	1	–	2	4	–	30	8	10	5	6	2	51
145	12	–	68	3	9	10	5	–	7	–	–	2	5	1	28	10	13	4	1	1	52
29	2	–	12	2	–	–	1	1	2	1	–	–	1	–	6	4	4	1	1	–	53
29	5	–	13	2	1	3	–	–	–	–	–	–	2	2	12	1	6	2	1	–	54
61	24	–	21	4	6	10	2	2	1	1	–	–	1	–	14	6	6	1	2	1	55
35	11	–	13	2	1	3	–	1	1	1	–	1	1	2	13	2	6	1	–	–	56
189	12	2	61	11	6	21	7	3	4	2	–	7	13	4	37	26	21	5	8	4	57
105	4	1	37	6	2	16	5	–	3	2	–	2	8	2	20	10	10	–	3	2	58
84	8	1	24	5	4	5	2	3	1	–	–	5	5	2	17	16	11	5	5	2	59
98	4	1	22	1	5	4	3	–	2	1	1	5	4	1	14	5	6	3	2	–	60
70	4	1	21	1	3	3	1	–	1	1	1	4	3	1	8	3	5	3	2	–	61
28	–	–	1	–	2	1	2	–	1	–	–	1	1	–	6	2	1	–	–	–	62
46	12	3	21	5	2	9	1	1	1	1	–	3	5	1	12	5	4	2	5	1	63
30	3	1	3	1	3	3	–	–	2	1	–	–	2	1	6	3	2	–	–	–	64
47	4	–	14	–	–	8	1	1	2	–	–	–	–	1	7	2	2	2	–	–	65
47	1	5	8	1	1	3	2	1	–	–	–	1	1	–	2	1	–	3	–	–	66
289	19	4	85	15	14	8	17	4	8	1	–	5	10	4	56	14	28	8	6	2	67
215	15	4	66	12	10	5	11	2	7	–	–	3	5	2	39	6	17	6	4	1	68
74	4	–	19	3	4	3	6	2	1	1	–	2	5	2	17	8	11	2	2	1	69
33	2	–	16	3	1	4	3	2	–	–	–	–	1	2	10	3	3	–	1	–	70
18	2	–	7	1	1	2	1	–	–	–	–	–	–	1	4	4	1	1	–	–	71
52	3	–	16	1	4	3	–	–	–	–	–	1	1	–	11	2	9	5	–	–	72
481	37	4	124	16	24	44	24	3	24	7	–	11	24	6	133	35	41	30	19	3	73
432	34	4	113	13	23	42	23	3	22	6	–	11	23	5	121	28	37	25	15	3	74
49	3	–	11	3	1	2	1	–	2	1	–	–	1	1	12	7	4	5	4	–	75
58	4	–	19	–	1	4	–	–	1	–	–	–	–	1	15	4	6	3	1	–	76
128	17	1	27	8	2	12	4	1	2	–	–	3	11	2	31	8	24	1	4	2	77
113	14	1	48	1	7	12	4	–	3	2	–	–	6	1	29	4	9	4	2	1	78
69	10	1	40	1	5	7	4	–	3	1	–	–	6	1	20	2	5	2	2	1	79
44	4	–	8	–	2	5	–	–	–	1	–	–	–	–	9	2	4	2	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Fulton	136	–	–	1	24	7	8	1	2	3	1	2	2	92	67	–	–
02	Gallatin	55	1	–	3	9	1	4	2	–	–	1	1	–	26	17	–	–
03	Garrard	110	–	–	–	22	6	4	1	1	–	2	8	4	71	55	2	–
04	Grant	111	–	–	–	23	3	10	1	5	1	–	3	3	57	47	1	1
05	Graves	371	1	–	3	65	18	15	3	7	3	2	17	11	224	178	1	1
06	Mayfield	154	1	–	–	33	6	9	2	4	1	2	9	3	87	65	1	1
07	Balance of county	217	–	–	3	32	12	6	1	3	2	–	8	8	137	113	1	1
08	Grayson	206	–	–	–	33	7	11	3	6	–	3	3	–	118	85	2	–
09	Green	107	1	–	2	18	7	5	2	–	1	–	3	3	59	41	–	–
10	Greenup	288	2	–	3	57	16	11	2	11	2	5	10	7	154	113	1	1
11	Hancock	74	–	–	–	7	1	2	–	2	–	1	1	2	38	29	–	1
12	Hardin	466	1	–	4	98	35	27	5	12	3	3	13	6	192	142	1	2
13	Elizabethtown	150	–	–	–	31	11	10	–	4	–	–	6	2	69	49	–	1
14	Balance of county	316	1	–	4	67	24	17	5	8	3	3	7	4	123	93	1	1
15	Harlan	461	1	–	4	63	17	20	2	10	2	1	11	9	222	187	3	3
16	Harrison	163	–	–	–	24	9	4	2	3	–	1	5	2	98	60	–	–
17	Hart	158	–	–	–	18	5	7	–	1	–	–	5	2	90	65	3	1
18	Henderson	377	1	–	5	65	12	20	5	8	3	5	12	4	198	147	–	3
19	Henderson	271	–	–	5	48	12	11	4	6	2	4	9	3	144	104	–	3
20	Balance of county	106	1	–	–	17	–	9	1	2	1	1	3	1	54	43	–	–
21	Henry	125	1	–	–	20	6	4	4	3	1	1	1	4	70	52	1	–
22	Hickman	85	–	–	1	16	5	3	3	2	–	–	3	–	44	40	–	–
23	Hopkins	480	1	–	2	74	16	24	5	9	4	3	13	9	267	196	3	3
24	Madisonville	232	–	–	–	34	10	11	2	4	2	–	5	7	135	102	2	–
25	Balance of county	248	1	–	2	40	6	13	3	5	2	3	8	2	132	94	1	3
26	Jackson	104	–	–	1	26	6	4	2	2	6	1	5	3	53	40	–	3
27	Jefferson	6,338	12	–	69	1,312	335	378	113	150	51	52	233	110	3,082	2,171	40	22
28	Louisville	4,070	10	–	49	814	212	229	68	94	37	33	141	68	2,015	1,428	27	15
29	St. Matthews	143	–	–	1	34	10	11	3	6	–	1	3	2	73	45	–	–
30	Shively	157	–	–	1	28	7	9	1	4	–	1	6	2	76	57	1	1
31	Balance of county	1,968	2	–	18	436	106	129	41	46	14	17	83	38	918	641	12	7
32	Jessamine	164	2	–	3	25	5	6	2	3	–	1	8	1	85	71	2	1
33	Johnson	223	–	–	2	34	6	5	1	10	1	1	10	5	126	92	1	–
34	Kenton	1,388	7	–	7	305	78	88	30	35	10	13	51	24	711	510	8	7
35	Covington	727	3	–	2	164	42	49	19	21	5	5	23	16	360	260	5	3
36	Erlanger	96	1	–	2	20	7	7	–	2	–	1	3	–	50	36	–	2
37	Balance of county	565	3	–	3	121	29	32	11	12	5	7	25	8	301	214	3	2
38	Knott	126	–	–	3	20	3	7	1	4	–	2	3	1	62	46	1	–
39	Knox	241	–	–	–	30	4	9	–	7	2	2	6	5	149	111	4	1
40	Larue	133	–	–	–	21	9	5	2	2	2	–	1	1	78	60	–	–
41	Laurel	258	–	–	–	54	9	15	5	13	1	2	9	2	137	104	–	1
42	Lawrence	142	–	–	1	25	7	6	3	2	1	–	6	5	71	58	–	–
43	Lee	65	–	–	–	18	4	8	1	1	–	1	3	–	31	21	1	–
44	Leslie	105	–	–	–	19	5	3	1	4	–	1	5	3	49	34	–	1
45	Letcher	256	–	–	2	36	11	18	–	1	–	–	6	7	124	106	1	1
46	Lewis	116	–	–	1	16	3	2	3	3	1	–	4	2	66	54	1	1
47	Lincoln	184	–	–	1	25	8	5	2	6	1	–	3	1	99	77	–	–
48	Livingston	121	–	–	–	21	8	5	1	1	–	–	6	3	64	48	–	1
49	Logan	243	2	–	–	48	18	14	1	6	1	–	8	2	125	79	1	1
50	Lyon	70	2	–	–	11	3	4	–	1	–	1	2	1	44	26	–	–
51	McCracken	635	1	–	2	115	39	37	4	10	2	9	14	8	356	262	1	–
52	Paducah	454	1	–	1	83	33	23	2	7	1	7	10	7	257	184	–	–
53	Balance of county	181	–	–	1	32	6	14	2	3	1	2	4	1	99	78	1	–
54	McCreary	134	–	–	1	24	4	10	1	4	–	–	5	1	62	46	1	–
55	McLean	118	–	–	–	20	5	7	1	4	–	–	3	1	62	46	–	1
56	Madison	327	–	–	1	67	20	13	9	8	1	2	14	5	167	116	2	–
57	Richmond	143	–	–	–	31	12	5	5	5	–	1	3	4	76	50	1	–
58	Balance of county	184	–	–	1	36	8	8	4	3	1	1	11	1	91	66	1	–
59	Magoffin	86	–	–	–	7	1	2	1	1	1	–	1	–	50	41	–	–
60	Marion	149	1	–	1	21	4	5	1	3	1	3	4	5	81	68	2	–
61	Marshall	236	2	–	1	36	8	8	1	2	4	1	12	7	136	111	–	2
62	Martin	93	–	–	1	9	4	–	1	2	–	–	2	1	42	31	–	–
63	Mason	227	–	–	1	42	12	8	5	7	2	3	5	–	133	99	–	–
64	Meade	113	1	–	–	14	2	7	1	1	1	–	2	–	64	52	1	1
65	Menifee	41	–	–	–	12	4	2	–	2	1	–	3	–	21	12	–	1
66	Mercer	190	1	–	1	41	10	10	8	2	1	1	9	2	92	70	1	1
67	Metcalfe	106	1	1	1	17	5	5	1	4	–	–	2	–	54	33	1	–
68	Monroe	142	1	–	1	23	9	4	3	3	–	–	4	–	83	64	–	–
69	Montgomery	166	–	–	1	26	2	7	2	6	1	2	6	2	99	70	–	3
70	Morgan	110	–	–	–	19	4	6	1	2	–	–	6	2	60	47	1	–
71	Muhlenberg	330	–	–	2	63	20	17	1	4	5	2	14	6	187	129	1	–
72	Nelson	209	–	–	2	36	4	11	1	3	1	1	15	5	100	73	–	–
73	Nicholas	78	–	–	–	16	4	5	3	1	1	–	2	2	47	32	–	–
74	Ohio	216	–	–	–	44	14	7	3	6	1	3	10	4	111	82	–	1
75	Oldham	121	–	–	1	29	10	4	3	3	2	1	6	3	62	40	–	1
76	Owen	102	–	–	2	13	2	4	1	1	–	1	4	–	62	42	–	–
77	Owsley	54	–	–	1	4	1	–	–	–	1	1	1	2	27	20	–	1
78	Pendleton	124	–	–	2	17	4	6	1	1	1	1	3	6	75	66	1	–
79	Perry	266	2	–	–	54	14	15	–	6	3	6	10	3	140	116	1	–
80	Pike	589	1	–	1	85	24	20	5	12	5	5	14	19	316	250	2	2
81	Powell	73	–	–	1	11	4	1	–	1	2	1	2	–	42	35	–	2
82	Pulaski	357	1	–	1	71	14	14	4	12	5	3	19	9	190	132	2	2
83	Somerset	114	–	–	1	22	5	4	1	5	1	1	5	4	63	48	1	–
84	Balance of county	243	1	–	–	49	9	10	3	7	4	2	14	5	127	84	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
61	6	–	20	3	2	1	2	–	2	–	–	–	1	–	8	1	1	–	–	1	01
17	1	1	7	–	1	5	–	–	–	–	–	–	1	–	3	5	2	–	–	–	02
39	14	–	12	1	3	–	2	–	–	1	–	1	1	–	7	–	2	–	–	–	03
43	3	–	8	–	2	4	2	–	–	1	–	1	1	2	7	2	4	–	2	–	04
134	42	1	36	4	5	9	10	–	1	1	–	1	1	5	17	8	8	3	2	–	05
54	11	1	18	1	2	3	5	–	1	–	–	1	1	3	8	2	3	3	1	–	06
80	31	–	18	3	3	6	5	–	1	1	–	1	2	2	9	6	5	–	1	–	07
79	4	–	25	5	3	14	2	–	–	4	–	2	1	–	15	10	5	1	1	1	08
36	5	–	13	3	2	2	–	–	–	1	–	1	1	1	10	3	2	4	–	–	09
108	4	1	30	6	4	13	5	1	1	3	–	1	4	2	19	3	6	3	4	–	10
26	2	–	5	4	–	1	–	–	–	1	–	1	2	2	7	11	3	–	–	–	11
111	28	2	38	3	7	26	5	2	4	2	1	5	13	6	44	22	16	12	5	2	12
37	11	–	16	2	2	10	3	–	1	1	–	3	1	–	14	4	6	5	–	–	13
74	17	2	22	1	5	16	2	2	3	1	1	2	12	6	30	18	10	7	5	2	14
177	4	–	26	2	7	18	7	2	3	2	–	2	3	5	50	17	33	8	10	2	15
56	4	–	29	7	2	7	–	–	1	–	–	–	3	3	12	3	5	3	2	–	16
52	10	–	17	5	3	6	–	1	2	3	–	1	2	–	21	4	5	2	1	–	17
134	10	2	35	7	7	10	7	4	8	1	–	1	6	–	25	9	23	6	3	1	18
92	9	2	27	5	6	8	5	2	7	1	–	1	4	–	18	6	13	4	1	1	19
42	1	–	8	2	1	2	2	2	1	–	–	–	2	–	7	3	10	2	2	–	20
51	–	1	15	1	1	6	–	1	1	–	–	–	–	1	10	4	4	2	–	1	21
39	1	–	3	1	–	4	1	–	1	1	–	–	–	1	8	–	5	1	–	1	22
179	11	–	54	8	9	23	3	–	2	6	–	2	1	–	40	26	11	8	5	–	23
96	4	–	26	2	5	11	1	–	2	3	–	2	–	–	23	6	5	2	1	–	24
83	7	–	28	6	4	12	2	–	–	3	–	–	1	–	17	20	6	6	4	–	25
33	4	–	11	1	1	1	–	–	1	–	–	–	3	1	7	3	4	1	–	–	26
1,903	206	38	709	77	87	205	75	20	104	33	3	36	75	51	654	109	188	93	98	9	27
1,235	151	28	455	57	47	138	36	14	70	26	3	15	43	32	431	59	116	50	75	6	28
44	1	1	23	2	2	5	–	–	4	1	–	–	1	1	14	2	2	4	–	–	29
50	6	2	13	–	4	9	3	–	4	–	–	1	1	2	18	1	4	3	3	1	30
574	48	7	218	18	34	53	36	6	26	6	–	20	31	16	191	47	66	36	20	2	31
61	7	1	10	1	2	5	1	–	–	1	–	–	2	–	14	11	7	5	2	–	32
85	6	–	27	3	4	3	2	3	2	–	2	1	2	1	18	13	4	1	2	2	33
471	24	2	147	23	29	35	6	7	34	7	–	6	9	9	141	20	34	14	10	2	34
243	9	1	71	12	16	23	2	5	20	5	–	3	2	6	86	5	15	5	5	–	35
31	3	–	9	2	3	1	–	–	1	–	–	2	–	–	10	2	1	2	2	2	36
197	12	1	67	9	10	11	4	2	13	2	–	1	7	3	45	13	18	7	3	–	37
42	3	–	12	4	–	4	1	1	1	–	–	2	4	1	13	5	7	1	1	–	38
80	26	–	32	1	5	7	5	–	2	–	–	4	5	1	21	2	9	1	–	–	39
42	18	–	16	1	1	9	–	–	1	–	–	1	–	–	11	2	4	3	2	–	40
91	12	–	23	5	5	7	3	2	–	–	–	2	2	3	22	9	7	1	3	2	41
49	9	–	6	4	3	7	–	–	–	–	–	4	2	1	15	6	4	–	1	–	42
20	–	–	7	2	1	1	–	–	–	–	–	1	–	2	7	1	3	1	–	–	43
30	3	–	12	2	1	1	2	–	–	1	–	1	2	–	8	6	9	1	3	–	44
96	9	–	14	–	4	5	6	–	3	1	–	–	6	–	25	13	19	1	3	5	45
48	4	1	8	2	1	1	1	2	2	–	–	1	–	–	12	4	5	–	2	1	46
72	5	1	11	8	2	9	3	–	–	2	–	–	1	1	18	13	5	4	1	1	47
42	5	1	14	1	–	7	4	–	2	–	–	–	–	2	10	1	5	2	–	–	48
71	6	1	41	1	3	9	6	1	1	1	–	2	1	14	12	10	4	2	3	–	49
21	5	5	11	2	–	1	1	–	–	–	–	–	–	–	4	3	1	1	1	–	50
237	24	2	80	5	7	14	12	2	7	2	–	3	10	5	41	20	17	12	7	1	51
165	19	2	60	4	7	10	8	2	6	1	–	3	8	4	29	10	12	5	6	1	52
72	5	–	20	1	–	4	4	–	1	1	–	–	2	1	12	10	5	7	1	–	53
30	15	–	14	1	1	4	2	1	1	2	–	–	3	6	14	3	5	3	1	1	54
29	16	1	10	2	3	3	1	–	2	–	–	1	1	1	15	2	7	2	–	–	55
100	14	–	44	3	4	6	5	2	1	1	–	2	8	3	38	9	7	4	1	–	56
43	6	–	22	2	2	2	1	–	1	–	–	–	4	2	17	–	3	1	1	–	57
57	8	–	22	1	2	4	4	2	–	1	–	2	4	1	21	9	4	3	–	–	58
36	5	–	7	2	–	5	–	–	–	–	–	–	–	2	6	7	3	1	2	3	59
61	5	–	11	1	1	3	3	–	1	–	–	1	6	–	10	3	6	5	2	–	60
97	12	1	19	4	1	7	5	–	2	–	–	–	2	4	14	7	6	7	1	–	61
21	10	1	7	3	–	5	1	1	–	–	–	2	1	4	9	6	8	1	2	–	62
96	3	2	22	8	2	6	4	–	2	2	–	1	3	1	14	10	2	3	2	1	63
43	7	–	10	1	1	4	1	–	–	–	–	–	5	1	15	3	5	–	–	–	64
6	5	–	8	1	–	1	1	–	–	1	–	–	–	–	1	–	3	–	1	–	65
62	7	–	17	3	2	8	3	–	–	1	–	–	–	2	20	7	5	6	1	–	66
29	3	–	17	3	1	5	–	–	1	1	–	1	–	2	9	5	7	1	–	–	67
61	3	–	18	–	1	7	1	–	2	1	–	1	–	1	14	6	–	–	1	1	68
58	9	2	18	8	1	9	1	–	1	1	–	1	1	2	10	5	2	4	1	–	69
40	6	–	11	1	1	2	2	–	–	1	–	1	2	1	12	2	4	1	2	–	70
107	22	1	51	1	5	9	3	2	1	1	–	1	2	–	26	10	11	6	1	–	71
64	8	2	22	1	2	13	2	–	1	–	–	–	1	1	19	10	11	6	2	–	72
28	4	–	11	4	–	3	1	–	–	–	–	1	–	–	7	1	–	–	–	–	73
79	2	–	23	3	3	16	2	2	1	2	–	2	–	–	14	7	7	4	–	–	74
38	1	–	19	3	–	2	1	–	–	1	–	2	1	–	8	4	5	2	–	–	75
40	2	–	19	–	1	1	2	1	1	–	–	–	2	–	10	1	4	1	1	1	76
17	2	–	4	3	–	–	4	–	–	–	–	–	1	–	7	3	2	1	2	–	77
49	17	–	7	–	2	–	–	1	2	1	–	1	–	–	10	2	5	–	2	–	78
104	11	–	18	4	2	2	6	1	3	–	–	3	4	1	16	7	14	–	9	1	79
212	34	2	51	10	3	20	13	1	6	4	–	4	19	5	44	13	25	6	7	–	80
30	3	–	5	2	–	3	3	–	–	–	–	1	1	–	7	1	1	–	1	1	81
119	9	3	45	7	3	8	5	–	–	4	–	2	4	2	33	14	6	5	2	–	82
42	5	2	10	2	1	2	3	–	–	–	–	–	1	–	13	2	2	1	–	–	83
77	4	1	35	5	2	6	2	–	–	4	–	2	3	2	20	12	4	4	2	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Robertson	25	–	–	–	3	1	1	–	–	–	–	1	–	13	11	1	–
02	Rockcastle	122	–	–	–	34	2	11	4	5	2	2	8	1	61	50	1	–
03	Rowan	134	–	–	–	22	9	6	–	2	1	–	4	3	72	51	–	–
04	Russell	149	1	–	–	26	10	6	1	1	2	1	5	4	90	73	–	–
05	Scott	176	–	–	2	32	9	8	3	2	2	3	5	3	92	56	–	–
06	Shelby	205	–	–	1	32	8	11	3	3	1	–	6	2	127	75	–	–
07	Simpson	157	–	–	1	29	7	10	4	3	–	–	5	2	83	62	–	3
08	Spencer	43	–	–	–	2	–	1	–	–	1	–	–	–	23	15	1	–
09	Taylor	185	–	–	3	31	6	12	4	1	2	1	5	9	96	67	1	–
10	Todd	120	–	–	3	15	4	1	1	1	–	2	6	2	64	47	1	–
11	Trigg	120	–	–	1	15	6	2	2	–	1	–	4	3	63	49	–	–
12	Trimble	60	–	–	1	10	1	1	–	3	–	–	5	4	25	15	1	1
13	Union	151	–	–	2	26	8	7	3	2	–	1	5	4	79	64	–	2
14	Warren	512	–	–	4	95	23	25	8	14	–	4	21	9	279	156	2	2
15	Bowling Green	326	–	–	3	59	15	15	6	8	–	2	13	4	180	99	1	2
16	Balance of county	186	–	–	1	36	8	10	2	6	–	2	8	5	99	57	1	–
17	Washington	109	–	–	–	21	4	7	3	4	–	–	3	1	72	48	1	–
18	Wayne	144	–	–	2	21	5	4	–	5	1	2	4	5	88	71	–	7
19	Webster	184	–	–	2	43	13	9	7	4	1	1	8	2	89	60	2	1
20	Whitley	333	1	–	2	56	14	19	4	10	1	2	6	7	189	146	2	1
21	Wolfe	70	–	–	–	14	3	4	2	1	1	–	3	–	26	23	–	–
22	Woodford	134	–	–	–	30	7	9	1	4	2	2	5	2	64	44	1	–
23	**Louisiana**	**34,581**	**67**	**7**	**347**	**6,439**	**1,573**	**1,730**	**464**	**701**	**228**	**255**	**1,488**	**858**	**17,165**	**12,614**	**143**	**183**
24	Urban places	16,913	41	6	170	3,235	776	841	251	341	118	117	791	464	8,283	6,152	76	94
25	Balance of area	17,668	26	1	177	3,204	797	889	213	360	110	138	697	394	8,882	6,462	67	89
26	Metropolitan parishes	18,504	44	5	181	3,528	834	925	278	375	137	125	854	493	9,032	6,852	83	102
27	Urban places	13,645	39	5	147	2,609	631	668	205	276	96	93	640	388	6,602	4,990	66	82
28	Balance of area	4,859	5	–	34	919	203	257	73	99	41	32	214	105	2,430	1,862	17	20
29	Nonmetropolitan parishes	16,077	23	2	166	2,911	739	805	186	326	91	130	634	365	8,133	5,762	60	81
30	Urban places	3,268	2	1	23	626	145	173	46	65	22	24	151	76	1,681	1,162	10	12
31	Balance of area	12,809	21	1	143	2,285	594	632	140	261	69	106	483	289	6,452	4,600	50	69
32	Acadia	519	2	–	4	108	30	31	3	14	–	7	23	8	245	161	1	–
33	Crowley	168	1	–	1	35	11	11	–	4	–	1	8	3	78	48	1	–
34	Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Balance of parish	351	1	–	3	73	19	20	3	10	–	6	15	5	167	113	–	–
36	Allen	224	–	–	2	35	9	12	4	3	–	2	5	7	108	78	–	2
37	Ascension	350	3	–	3	78	26	21	1	7	1	2	20	12	158	122	3	5
38	Assumption	148	–	–	4	23	9	6	1	4	–	–	3	3	73	48	–	–
39	Avoyelles	442	–	–	4	70	16	23	8	8	1	2	12	10	244	182	2	–
40	Beauregard	247	–	–	1	43	14	9	1	3	–	3	13	7	139	98	1	2
41	Bienville	192	–	–	3	44	7	6	4	12	2	3	10	5	103	68	2	1
42	Bossier	469	–	–	5	103	21	26	10	8	6	4	28	21	207	155	2	3
43	Bossier City	276	–	–	3	66	15	19	9	4	5	2	12	14	111	86	1	1
44	Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Balance of parish	193	–	–	2	37	6	7	1	4	1	2	16	7	96	69	1	2
46	Caddo	2,373	5	1	30	485	110	125	34	76	16	16	108	62	1,106	824	8	18
47	Shreveport, part	2,027	4	1	26	407	93	101	29	62	13	14	95	57	946	702	8	15
48	Shreveport, total	2,027	4	1	26	407	93	101	29	62	13	14	95	57	946	702	8	15
49	Balance of parish	346	1	–	4	78	17	24	5	14	3	2	13	5	160	122	1	3
50	Calcasieu	1,245	–	–	8	230	61	66	17	17	7	9	53	20	639	449	9	4
51	Lake Charles	656	–	–	3	126	28	36	11	9	5	6	31	11	348	234	5	2
52	Sulphur	141	–	–	1	23	5	9	2	3	1	–	3	3	75	57	2	–
53	Balance of parish	448	–	–	4	81	28	21	4	5	1	3	19	6	216	158	2	2
54	Caldwell	120	–	–	–	23	7	8	1	2	–	2	3	3	66	47	–	2
55	Cameron	56	–	–	–	11	3	2	1	1	–	–	4	–	27	19	1	–
56	Catahoula	127	–	–	1	22	5	6	3	1	3	1	3	2	73	37	–	–
57	Claiborne	246	–	–	3	42	13	9	3	6	1	4	6	–	141	94	1	–
58	Concordia	229	–	–	1	37	10	15	2	6	1	–	3	5	111	80	–	3
59	De Soto	297	–	–	–	49	17	8	3	9	–	3	9	6	160	83	2	–
60	East Baton Rouge	2,087	5	1	21	357	73	97	33	47	12	14	81	34	1,113	858	6	6
61	Baton Rouge	1,638	4	1	18	299	66	81	31	41	7	8	65	22	873	667	5	6
62	Balance of parish	449	1	–	3	58	7	16	2	6	5	6	16	12	240	191	1	–
63	East Carroll	150	–	–	3	27	13	5	2	2	–	2	3	7	64	40	–	2
64	East Feliciana	172	–	–	1	32	9	7	2	4	2	1	7	6	97	79	2	1
65	Evangeline	363	–	–	1	64	10	23	5	3	1	11	11	13	190	145	–	1
66	Franklin	285	–	–	4	59	18	16	3	8	3	1	10	4	146	93	–	1
67	Grant	191	1	–	2	35	6	11	3	7	–	4	4	2	115	80	–	–
68	Iberia	520	2	–	5	126	22	41	8	15	2	6	32	14	225	147	3	–
69	New Iberia	288	–	–	–	83	14	27	6	10	1	5	20	7	120	72	2	–
70	Balance of parish	232	2	–	5	43	8	14	2	5	1	1	12	7	105	75	1	–
71	Iberville	283	1	–	5	52	14	14	2	5	–	3	14	4	148	103	1	8
72	Jackson	182	–	–	–	25	8	5	–	2	2	2	6	5	105	51	–	1
73	Jefferson	2,711	2	–	21	550	116	158	51	47	23	21	134	62	1,296	999	9	8
74	Gretna	339	–	–	4	73	14	21	5	8	2	5	18	9	149	109	1	1
75	Harahan	72	–	–	1	17	3	3	–	2	1	1	7	1	37	29	–	1
76	Kenner	241	–	–	1	46	8	17	6	1	1	2	11	5	86	71	1	2
77	Westwego	133	–	–	1	27	5	9	3	2	1	2	5	3	60	44	1	–
78	Balance of parish	1,926	2	–	14	387	86	108	37	34	18	11	93	44	964	746	6	4
79	Jefferson Davis	299	–	–	3	63	15	13	7	9	2	1	16	11	135	95	–	1
80	Jennings	110	–	–	1	27	5	5	4	4	1	1	7	3	49	38	–	1
81	Balance of parish	189	–	–	2	36	10	8	3	5	1	–	9	8	86	57	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
9	1	–	2	–	–	1	1	–	–	–	–	–	1	–	5	1	1	1	–	–	01
40	9	–	6	–	5	8	1	–	–	–	–	–	1	1	7	3	3	–	2	–	02
36	15	–	18	1	2	5	1	–	2	–	–	2	2	1	8	5	9	1	–	1	03
69	3	1	15	–	1	2	2	–	–	–	–	–	1	1	11	5	1	1	–	–	04
54	1	–	32	3	1	6	2	–	1	–	–	–	1	2	15	5	13	1	–	–	05
73	2	–	46	5	1	7	4	2	–	1	–	3	2	–	7	9	3	4	1	–	06
55	4	–	14	2	5	6	5	1	4	1	–	1	–	1	9	7	3	4	1	–	07
14	–	–	8	–	–	4	–	–	1	1	–	–	3	–	4	1	4	–	–	–	08
60	7	–	25	–	4	11	2	1	1	1	–	1	4	2	12	6	1	2	2	–	09
40	6	1	15	–	1	3	2	–	–	2	–	1	–	2	14	5	3	4	–	–	10
44	5	–	12	1	1	9	–	–	1	2	–	1	–	–	13	5	5	–	2	–	11
13	1	–	5	3	2	5	2	–	1	–	–	1	2	–	4	–	2	3	–	–	12
56	6	–	12	2	1	2	–	–	1	–	–	1	6	2	14	3	8	2	1	–	13
132	20	7	93	17	6	17	6	3	4	–	–	3	7	5	44	13	11	7	5	–	14
80	16	6	59	13	3	10	3	2	4	–	–	2	3	4	30	6	9	5	2	–	15
52	4	1	34	4	3	7	3	1	–	–	–	1	4	1	14	7	2	2	3	–	16
44	3	1	18	3	2	1	1	–	–	–	–	1	1	–	5	2	3	1	–	–	17
54	10	–	15	1	1	2	2	–	–	1	–	1	1	–	12	4	1	2	1	1	18
51	6	–	21	5	3	7	3	1	–	2	–	1	1	–	19	6	3	4	1	–	19
113	30	–	33	2	8	7	2	–	3	2	–	–	3	2	31	11	11	1	4	1	20
21	2	–	3	–	–	4	–	1	–	–	–	–	2	–	7	8	4	2	1	1	21
41	2	–	15	3	2	5	2	–	2	–	–	1	2	–	15	6	2	1	2	–	22
10,994	1,294	109	3,425	584	433	989	388	98	416	247	15	268	683	356	2,932	988	1,314	434	539	31	23
5,287	695	64	1,625	255	187	470	198	42	259	124	10	133	354	141	1,519	349	571	203	329	12	24
5,707	599	45	1,800	329	246	519	190	56	157	123	5	135	329	215	1,413	639	743	231	210	19	25
5,895	772	67	1,662	226	225	481	211	48	280	144	9	158	357	149	1,663	440	661	254	348	18	26
4,245	597	51	1,247	161	153	345	164	34	224	110	7	113	273	114	1,273	271	469	170	278	10	27
1,650	175	16	415	65	72	136	47	14	56	34	2	45	84	35	390	169	192	84	70	8	28
5,099	522	42	1,763	358	208	508	177	50	136	103	6	110	326	207	1,269	548	653	180	191	13	29
1,042	98	13	378	94	34	125	34	8	35	14	3	20	81	27	246	78	102	33	51	2	30
4,057	424	29	1,385	264	174	383	143	42	101	89	3	90	245	180	1,023	470	551	147	140	11	31
147	13	2	55	21	6	18	2	2	5	4	–	2	16	2	43	18	28	10	2	–	32
44	3	1	17	10	2	7	–	1	2	1	–	1	3	2	14	8	10	1	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
103	10	1	38	11	4	11	2	1	3	3	–	1	13	–	29	10	18	9	2	–	35
66	10	–	19	6	5	3	3	1	2	–	–	1	5	2	30	10	11	2	2	–	36
103	11	1	26	3	6	9	2	–	4	4	–	–	3	2	31	14	15	10	2	–	37
45	3	–	18	5	2	5	1	1	1	–	–	3	4	1	13	7	5	1	3	–	38
170	10	–	37	17	8	14	5	4	4	1	–	4	9	1	38	17	10	3	4	–	39
85	10	2	33	4	2	11	4	2	–	–	–	1	3	–	14	8	10	1	2	1	40
57	8	–	23	5	7	5	1	–	1	1	–	1	1	2	5	12	5	–	3	–	41
141	9	2	36	8	6	17	6	2	7	7	–	3	7	3	29	15	17	8	12	–	42
78	6	–	19	6	–	9	6	1	5	2	–	3	7	3	20	7	10	5	4	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
63	3	2	17	2	6	8	–	1	2	5	–	–	–	–	9	8	7	3	8	–	45
692	106	16	219	14	33	67	27	6	23	22	–	19	45	35	244	47	73	41	35	–	46
587	92	13	191	13	27	53	25	5	20	18	–	15	41	29	217	37	59	37	30	–	47
587	92	13	191	13	27	53	25	5	20	18	–	15	41	29	217	37	59	37	30	–	48
105	14	3	28	1	6	14	2	1	3	4	–	4	4	6	27	10	14	4	5	–	49
377	59	2	132	30	26	34	23	6	15	9	–	9	23	6	108	44	35	19	16	–	50
196	31	2	81	16	15	13	10	3	10	3	1	7	9	5	59	13	20	8	7	–	51
51	4	–	12	4	2	4	4	–	3	3	–	1	2	–	8	8	3	2	1	–	52
130	24	–	39	10	9	17	9	3	2	3	–	1	12	1	41	23	12	9	8	–	53
40	5	–	15	2	2	3	1	1	–	2	–	–	1	1	10	5	4	–	–	–	54
17	1	–	7	–	1	2	1	2	–	–	–	1	1	1	2	3	4	–	1	–	55
31	6	–	29	6	1	4	–	–	1	1	–	1	2	1	11	4	2	–	2	–	56
86	7	3	37	2	5	8	4	1	2	4	–	1	3	1	20	2	7	3	4	–	57
68	9	1	25	3	3	7	2	–	1	–	–	2	5	29	9	8	7	1	3	1	58
69	12	1	60	7	9	13	2	1	–	2	–	1	5	3	29	9	14	–	3	–	59
787	59	10	195	24	26	48	18	2	22	13	1	25	54	12	160	64	61	39	31	6	60
610	46	7	161	19	19	38	12	2	17	9	–	22	42	10	121	47	45	29	22	5	61
177	13	3	34	5	7	10	6	–	5	4	1	3	12	2	39	17	16	10	9	1	62
35	3	2	17	4	1	9	–	–	1	4	–	1	5	2	7	3	10	2	5	–	63
69	7	–	14	1	3	2	1	–	–	–	–	2	1	–	15	8	3	1	3	–	64
126	18	2	33	6	4	10	5	1	1	4	–	2	9	1	25	15	16	5	1	–	65
84	8	–	48	–	5	13	7	1	1	–	–	3	4	4	15	6	12	4	2	–	66
54	26	1	25	7	2	4	4	–	–	–	–	2	1	–	9	6	4	3	2	1	67
124	20	4	50	20	4	18	5	2	4	4	–	3	11	3	46	12	23	7	8	1	68
60	10	1	32	13	2	10	3	1	–	3	–	1	5	1	26	6	13	4	5	–	69
64	10	3	18	7	2	8	2	1	4	1	1	2	6	2	20	6	10	3	3	1	70
86	8	–	27	8	10	7	–	1	3	2	–	2	2	2	32	6	9	5	2	–	71
46	4	1	46	6	1	8	3	1	2	–	–	2	2	1	12	4	12	1	1	–	72
897	85	5	226	34	32	58	21	7	51	14	2	33	47	16	217	80	126	58	43	7	73
91	16	–	33	3	4	6	2	2	9	1	–	5	7	1	30	14	12	5	10	–	74
23	5	–	7	–	1	2	1	–	2	–	1	–	2	1	2	3	–	2	–	–	75
65	3	1	11	1	2	7	2	1	10	3	–	4	4	1	18	10	32	9	7	1	76
37	6	–	13	2	1	2	–	1	2	1	–	3	1	1	11	6	8	2	3	1	77
681	55	4	162	28	24	47	16	3	28	9	1	21	33	12	156	47	74	40	23	5	78
80	14	–	30	6	4	14	8	1	1	1	–	–	7	7	23	6	14	2	3	–	79
31	6	–	9	1	1	8	3	1	–	–	–	–	3	3	7	1	3	–	1	–	80
49	8	–	21	5	3	6	5	–	1	1	–	–	4	4	16	5	11	2	2	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Louisiana—Con.																	
01	Lafayette	853	1	–	11	165	35	44	15	18	6	6	41	11	386	275	3	7
02	Lafayette	584	–	–	9	116	24	33	11	10	3	4	31	9	260	190	2	4
03	Balance of parish	269	1	–	2	49	11	11	4	8	3	2	10	2	126	85	1	3
04	Lafourche	485	–	–	3	91	15	31	6	10	5	8	16	18	231	169	4	5
05	Thibodaux	135	–	–	1	32	6	12	2	2	1	3	6	7	60	49	–	1
06	Balance of parish	350	–	–	2	59	9	19	4	8	4	5	10	11	171	120	4	4
07	La Salle	172	–	–	2	27	8	5	4	2	1	3	4	3	99	71	1	–
08	Lincoln	308	–	–	2	62	14	13	8	5	1	3	18	2	177	105	–	1
09	Ruston	164	–	–	1	27	9	4	2	1	1	–	10	1	101	58	–	1
10	Balance of parish	144	–	–	1	35	5	9	6	4	–	3	8	1	76	47	–	–
11	Livingston	330	–	–	6	44	10	13	4	5	2	3	7	7	162	127	1	–
12	Madison	179	1	–	1	33	7	14	1	5	2	1	3	3	82	65	1	–
13	Morehouse	360	–	–	1	48	11	10	3	4	1	2	17	14	184	119	1	9
14	Bastrop	187	–	–	1	27	5	6	2	4	–	–	10	10	103	72	1	5
15	Balance of parish	173	–	–	–	21	6	4	1	–	1	2	7	4	81	47	–	4
16	Natchitoches	363	–	–	4	53	17	17	2	8	3	–	6	6	208	125	1	–
17	Natchitoches	147	–	–	–	20	6	4	1	5	2	–	2	2	95	53	–	–
18	Balance of parish	216	–	–	4	33	11	13	1	3	1	–	4	4	113	72	1	–
19	Orleans, coext. with New Orleans city	6,573	30	3	76	1,258	336	295	84	118	45	41	339	235	3,122	2,363	34	40
20	Ouachita	1,115	1	–	4	179	39	55	15	22	12	10	26	23	608	507	3	13
21	Monroe	627	–	–	3	95	23	26	10	10	6	6	14	12	352	286	2	10
22	West Monroe	202	1	–	1	36	5	13	4	3	4	2	5	3	107	96	–	–
23	Balance of parish	286	–	–	–	48	11	16	1	9	2	2	7	8	149	125	1	3
24	Plaquemines	152	–	–	3	27	13	2	1	–	2	–	9	2	66	55	2	–
25	Pointe Coupee	243	1	–	1	45	10	8	2	9	3	3	10	7	114	90	1	–
26	Rapides	1,145	2	2	11	199	50	47	12	23	7	12	48	24	576	423	2	2
27	Alexandria	567	1	1	6	89	19	22	6	8	4	5	25	11	298	219	1	2
28	Balance of parish	578	1	1	5	110	31	25	6	15	3	7	23	13	278	204	1	–
29	Red River	120	–	–	–	15	4	1	2	3	–	–	5	7	56	45	–	1
30	Richland	232	1	–	5	41	11	15	–	3	2	2	8	4	130	92	–	3
31	Sabine	242	1	–	3	33	9	10	1	5	–	3	5	7	140	96	–	4
32	St. Bernard	450	–	–	3	96	23	21	7	13	6	1	25	10	216	167	3	3
33	St. Charles	219	–	–	5	41	4	27	2	4	–	2	2	3	99	80	4	1
34	St. Helena	81	–	–	–	15	5	5	2	–	1	–	2	3	38	31	1	1
35	St. James	180	–	–	2	39	16	6	4	6	1	1	5	5	79	61	1	1
36	St. John the Baptist	195	1	–	4	33	10	12	1	4	–	–	6	12	81	54	–	–
37	St. Landry	730	–	–	5	141	36	42	8	13	8	6	28	20	376	284	4	2
38	Eunice, part	116	–	–	–	23	5	8	3	2	1	–	4	6	59	48	–	–
39	Eunice, total	116	–	–	–	23	5	8	3	2	1	–	4	6	59	48	–	–
40	Opelousas	219	–	–	2	43	12	11	2	3	2	1	12	4	109	79	1	–
41	Balance of parish	395	–	–	3	75	19	23	3	8	5	5	12	10	208	157	3	2
42	St. Martin	281	1	–	6	48	15	12	2	1	3	4	11	5	138	103	2	4
43	St. Mary	423	–	–	7	98	20	24	7	10	4	4	29	9	202	155	2	–
44	Morgan City	120	–	–	1	26	4	8	3	3	2	2	4	2	64	44	–	–
45	Balance of parish	303	–	–	6	72	16	16	4	7	2	2	25	7	138	111	2	–
46	St. Tammany	628	–	–	2	105	20	38	12	9	4	3	19	15	339	255	6	–
47	Slidell	136	–	–	–	20	6	5	–	3	2	–	4	4	76	56	4	–
48	Balance of parish	492	–	–	2	85	14	33	12	6	2	3	15	11	263	199	2	–
49	Tangipahoa	797	2	–	14	114	24	19	12	8	3	2	46	7	410	294	3	1
50	Hammond	157	–	–	2	22	7	5	2	2	1	–	5	2	89	56	–	–
51	Balance of parish	640	2	–	12	92	17	14	10	6	2	2	41	5	321	238	3	1
52	Tensas	139	–	–	2	24	9	6	1	2	–	–	6	5	78	62	–	–
53	Terrebonne	599	–	–	8	120	30	37	5	9	5	6	28	11	292	209	4	1
54	Houma	311	–	–	3	61	13	20	3	3	1	4	17	7	159	113	2	–
55	Balance of parish	288	–	–	5	59	17	17	2	6	4	2	11	4	133	96	2	1
56	Union	221	–	–	4	46	15	10	4	6	2	–	9	1	122	86	–	–
57	Vermilion	451	1	–	4	105	25	38	9	10	6	–	17	11	208	158	2	–
58	Abbeville	161	–	–	1	35	9	12	4	2	2	–	6	3	66	48	–	–
59	Balance of parish	290	1	–	3	70	16	26	5	8	4	–	11	8	142	110	2	–
60	Vernon	280	–	–	3	29	7	12	1	1	–	1	7	6	120	86	–	1
61	Washington	503	1	–	3	86	14	32	7	13	2	1	17	10	274	201	1	1
62	Bogalusa	255	–	–	2	42	10	11	4	8	2	1	6	6	147	107	1	–
63	Balance of parish	248	1	–	1	44	4	21	3	5	–	–	11	4	127	94	–	1
64	Webster	453	1	–	5	86	23	20	2	10	2	2	27	4	245	171	1	5
65	Minden	163	–	–	1	34	10	7	2	4	1	1	9	2	84	58	1	2
66	Balance of parish	290	1	–	4	52	13	13	–	6	1	1	18	2	161	113	–	3
67	West Baton Rouge	149	–	–	1	24	7	5	1	7	1	1	2	5	80	58	–	6
68	West Carroll	143	–	–	–	33	9	8	1	8	1	–	6	1	65	42	2	–
69	West Feliciana	59	–	–	–	10	6	–	1	1	–	–	2	2	21	17	1	–
70	Winn	201	1	–	1	33	4	13	3	–	2	–	11	7	107	78	–	1
71	**Maine**	10,457	8	1	65	2,169	633	523	191	253	104	70	395	160	5,582	4,124	79	56
72	Urban places	3,348	4	–	20	692	206	185	54	62	37	22	126	56	1,846	1,373	27	26
73	Balance of area	7,109	4	1	45	1,477	427	338	137	191	67	48	269	104	3,736	2,751	52	30
74	Metropolitan counties	2,017	2	–	8	466	130	124	47	41	19	18	87	27	1,030	756	20	12
75	Urban places	1,184	2	–	3	279	84	74	24	23	10	8	56	16	633	456	11	7
76	Balance of area	833	–	–	5	187	46	50	23	18	9	10	31	11	397	300	9	5
77	Nonmetropolitan counties	8,440	6	1	57	1,703	503	399	144	212	85	52	308	133	4,552	3,368	59	44
78	Urban places	2,164	2	–	17	413	122	111	30	39	27	14	70	40	1,213	917	16	19
79	Balance of area	6,276	4	1	40	1,290	381	288	114	173	58	38	238	93	3,339	2,451	43	25

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
233	32	1	80	22	8	22	11	3	9	3	2	13	29	5	83	37	37	12	13	–	01
165	19	1	52	13	4	15	9	1	6	3	2	10	24	4	58	21	22	5	10	–	02
68	13	–	28	9	4	7	2	2	3	–	–	3	5	1	25	16	15	7	3	–	03
147	13	1	37	19	5	13	9	2	1	4	1	2	6	1	49	15	20	9	10	–	04
47	1	–	3	5	3	4	1	–	–	1	1	1	1	1	16	3	2	2	2	–	05
100	12	1	34	14	2	9	8	2	1	3	–	1	5	–	33	12	18	7	8	–	06
67	3	–	23	5	–	3	2	1	2	–	–	2	2	1	13	4	10	2	1	–	07
93	11	2	53	12	5	6	1	–	3	1	1	3	3	8	14	11	10	1	6	–	08
52	5	2	32	6	3	3	–	–	2	1	1	1	1	5	8	2	6	1	4	–	09
41	6	–	21	6	2	3	1	–	1	–	–	2	2	3	6	9	4	–	2	–	10
116	10	–	21	11	3	3	4	–	4	1	–	4	9	17	30	11	12	7	8	1	11
63	1	–	15	–	2	11	–	1	2	5	–	2	5	1	12	1	10	3	5	1	12
101	8	1	47	14	3	19	2	1	4	3	–	2	15	5	38	2	14	3	4	1	13
60	6	–	24	7	–	7	–	–	2	–	–	–	9	4	14	1	5	2	2	–	14
41	2	1	23	7	3	12	2	1	2	3	–	2	6	1	24	1	9	1	2	1	15
107	17	1	72	5	5	8	4	–	3	2	–	4	6	1	30	15	14	3	2	–	16
46	7	1	36	3	2	3	1	–	2	–	–	1	4	1	11	4	2	–	1	–	17
61	10	–	36	2	3	5	3	–	1	2	–	3	2	–	19	11	12	3	1	–	18
2,022	267	23	604	66	66	172	79	18	118	62	1	37	115	37	651	93	227	58	179	2	19
372	119	6	67	17	11	34	16	1	20	8	2	7	20	27	90	17	40	11	7	–	20
196	78	4	42	13	7	23	10	–	12	3	1	2	12	17	53	7	18	4	3	–	21
75	21	–	8	1	2	4	2	–	5	2	1	2	4	4	16	3	6	3	2	–	22
101	20	2	17	3	2	7	4	1	3	3	–	3	4	6	21	7	16	4	2	–	23
41	12	–	7	1	3	4	–	1	3	–	–	1	6	–	6	16	10	5	2	–	24
82	7	–	20	3	1	6	7	1	4	3	–	1	2	6	20	11	8	3	2	1	25
393	26	1	111	22	19	52	20	3	14	7	1	10	18	6	97	39	34	12	18	–	26
198	18	1	58	12	8	34	8	1	9	2	1	6	8	2	45	11	15	7	12	–	27
195	8	–	53	10	11	18	12	2	5	5	–	4	10	4	52	28	19	5	6	–	28
37	7	1	6	4	–	1	–	1	–	–	–	2	–	13	14	5	4	1	1	–	29
88	1	1	29	4	4	7	1	–	–	–	–	4	3	2	18	6	4	3	2	1	30
80	12	1	24	15	4	8	1	1	2	2	–	–	1	5	20	11	3	2	2	–	31
142	19	–	38	2	9	11	4	2	4	4	–	7	8	5	27	20	22	5	6	–	32
64	11	–	16	–	3	3	2	1	4	4	–	2	1	2	10	6	32	3	1	–	33
26	3	–	6	–	1	–	–	1	1	2	–	2	–	–	8	4	6	1	–	–	34
49	10	–	10	7	1	2	2	–	1	1	–	3	3	2	24	5	10	1	1	–	35
50	4	1	19	4	3	6	1	–	1	–	–	1	6	3	8	21	14	2	1	–	36
258	20	2	65	15	10	26	3	–	4	–	–	3	23	5	67	17	19	16	5	–	37
46	2	–	6	3	2	5	1	–	1	–	–	–	5	–	10	2	2	2	–	–	38
46	2	–	6	3	2	5	1	–	1	–	–	–	5	–	10	2	2	2	–	–	39
67	11	1	22	4	3	15	1	–	–	–	–	2	5	–	21	1	9	3	4	–	40
145	7	1	37	8	5	6	1	–	3	–	–	1	13	5	36	14	8	11	1	–	41
95	2	–	32	1	2	11	6	2	2	4	–	4	12	–	18	10	8	2	4	–	42
142	11	–	32	8	7	12	6	1	4	2	–	5	11	–	28	10	16	8	4	–	43
42	2	–	14	5	1	2	1	–	2	–	–	2	5	–	4	2	5	2	2	–	44
100	9	–	18	3	6	10	5	1	2	2	–	3	6	–	24	8	11	6	2	–	45
232	17	2	65	9	8	18	6	1	11	2	–	5	9	3	54	23	23	3	6	3	46
49	3	–	13	4	3	3	2	–	5	–	–	2	3	1	9	2	7	1	–	1	47
183	14	2	52	5	5	15	4	1	6	2	–	3	6	2	45	21	16	2	6	2	48
269	21	2	98	7	9	25	4	4	9	5	2	5	25	12	55	27	53	6	18	–	49
52	4	1	30	2	–	5	–	1	4	2	–	1	3	1	8	4	8	–	5	–	50
217	17	1	68	5	9	20	4	3	5	3	2	4	22	11	47	23	45	6	13	–	51
55	7	1	10	4	1	5	3	1	1	1	–	1	2	2	10	–	2	1	1	–	52
196	8	3	48	29	3	7	6	1	4	3	–	7	19	8	38	37	22	7	8	1	53
105	6	3	26	16	1	5	4	1	1	1	–	3	12	5	18	18	4	4	4	1	54
91	2	–	22	13	2	2	2	–	3	2	–	4	7	3	20	19	18	3	4	–	55
77	9	–	33	2	1	6	2	–	3	1	–	1	1	3	13	8	7	–	3	–	56
150	6	–	42	4	4	11	6	2	4	2	–	2	7	2	50	10	21	2	2	1	57
48	–	–	17	1	–	5	3	2	3	–	–	1	4	1	23	4	7	1	2	–	58
102	6	–	25	3	4	6	3	–	1	2	–	1	3	1	27	6	14	1	–	1	59
73	12	–	28	2	4	11	2	–	3	3	–	3	11	21	27	11	22	5	3	–	60
183	16	1	56	9	7	19	12	1	6	3	–	1	8	2	33	17	14	4	7	2	61
98	8	1	29	6	4	7	7	–	3	1	–	1	5	1	11	6	8	2	5	1	62
85	8	–	27	3	3	12	5	1	3	2	–	–	3	1	22	11	6	2	2	1	63
145	20	2	65	3	4	16	4	–	7	4	–	3	12	5	33	12	9	2	5	–	64
46	9	1	23	–	2	5	1	–	4	2	–	–	8	–	10	5	3	2	2	–	65
99	11	1	42	3	2	11	3	–	3	2	–	3	4	5	23	7	6	–	3	–	66
48	4	1	16	4	1	5	1	–	1	–	–	–	2	1	16	8	4	–	1	–	67
40	–	1	17	3	2	6	–	2	2	–	–	1	3	2	14	5	4	1	4	–	68
15	1	–	4	–	–	4	2	–	–	1	–	–	3	1	4	3	6	1	1	–	69
61	16	–	27	2	–	5	3	–	3	5	–	1	1	4	13	7	6	3	1	–	70
3,711	278	28	1,038	203	189	353	168	36	149	40	–	72	77	57	850	220	266	135	28	21	71
1,244	76	9	346	68	50	114	67	8	58	12	–	19	23	22	251	41	71	33	9	2	72
2,467	202	19	692	135	139	239	101	28	91	28	–	53	54	35	599	179	195	102	19	19	73
670	54	3	207	33	31	66	44	6	33	8	–	8	13	7	183	34	51	21	8	2	74
406	32	3	136	20	18	38	24	2	19	4	–	5	8	3	101	9	25	10	3	–	75
264	22	–	71	13	13	28	20	4	14	4	–	3	5	4	82	25	26	11	5	2	76
3,041	224	25	831	170	158	287	124	30	116	32	–	64	64	50	667	186	215	114	20	19	77
838	44	6	210	48	32	76	43	6	39	8	–	14	15	19	150	32	46	23	6	2	78
2,203	180	19	621	122	126	211	81	24	77	24	–	50	49	31	517	154	169	91	14	17	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maine—Con.																	
01	Androscoggin	1,004	1	–	10	203	64	52	8	21	15	8	35	16	572	455	5	4
02	Auburn	280	1	–	–	54	20	11	–	5	6	2	10	6	157	127	1	1
03	Lewiston	455	–	–	4	87	27	27	5	8	5	3	12	7	277	224	3	1
04	Balance of county	269	–	–	6	62	17	14	3	8	4	3	13	3	138	104	1	2
05	Aroostook	747	–	–	5	132	46	27	9	16	6	7	21	14	434	327	7	1
06	Caribou	82	–	–	–	13	2	4	1	1	–	1	4	–	47	40	–	–
07	Presque Isle	98	–	–	3	15	10	1	–	1	1	–	2	1	48	35	2	1
08	Balance of county	567	–	–	2	104	34	22	8	14	5	6	15	13	339	252	5	1
09	Cumberland	2,017	2	–	8	466	130	124	47	41	19	18	87	27	1,030	756	20	12
10	Portland	800	2	–	3	180	50	50	13	16	6	5	40	10	436	308	9	6
11	South Portland	233	–	–	–	60	18	13	9	5	4	1	10	–	127	94	1	–
12	Westbrook	151	–	–	–	39	16	11	2	2	–	2	6	6	70	54	1	1
13	Balance of county	833	–	–	5	187	46	50	23	18	9	10	31	11	397	300	9	5
14	Franklin	215	–	–	–	36	11	11	5	1	1	1	6	2	116	74	–	–
15	Hancock	451	1	–	2	95	29	19	5	13	6	2	21	4	246	179	3	–
16	Kennebec	970	–	–	5	206	55	43	27	28	14	6	33	23	533	392	10	3
17	Augusta	216	–	–	1	41	12	4	7	8	2	1	7	4	118	86	2	–
18	Waterville	199	–	–	3	50	13	14	5	2	5	2	9	7	108	75	2	–
19	Balance of county	555	–	–	1	115	30	25	15	18	7	3	17	12	307	231	6	3
20	Knox	376	1	–	2	79	22	15	5	20	4	1	12	5	209	144	5	1
21	Lincoln	313	–	–	2	72	17	21	7	8	4	1	14	2	163	127	3	–
22	Oxford	441	–	1	4	90	26	22	8	14	3	6	11	8	218	151	5	–
23	Penobscot	1,141	1	–	8	240	71	55	20	30	10	9	45	13	602	423	7	4
24	Bangor	335	–	–	3	61	16	21	7	5	2	3	7	5	176	123	3	2
25	Balance of county	806	1	–	5	179	55	34	13	25	8	6	38	8	426	300	4	2
26	Piscataquis	198	–	–	3	39	14	6	1	10	2	–	6	1	101	79	1	5
27	Sagadahoc	237	–	–	–	55	13	20	8	7	–	1	6	6	124	94	–	1
28	Somerset	437	–	–	3	89	21	18	13	9	4	3	21	12	215	163	2	2
29	Waldo	283	1	–	1	61	19	16	6	7	2	1	10	5	127	91	1	3
30	Washington	428	–	–	3	81	26	19	7	8	3	2	16	4	242	183	1	3
31	York	1,199	1	–	9	225	69	55	15	20	11	4	51	18	650	486	9	17
32	Biddeford	219	–	–	1	43	12	15	2	4	3	2	5	5	126	86	2	7
33	Saco	118	1	–	2	19	5	5	2	2	1	–	4	1	64	53	1	2
34	Sanford	162	–	–	–	30	5	9	1	3	2	–	10	4	92	68	–	6
35	Balance of county	700	–	–	6	133	47	26	10	11	5	2	32	8	368	279	6	2
36	**Maryland**	**32,644**	**53**	**8**	**274**	**7,230**	**1,872**	**1,890**	**642**	**788**	**300**	**232**	**1,506**	**682**	**16,059**	**12,663**	**223**	**147**
37	Urban places	13,502	31	6	132	2,913	773	784	234	321	93	85	623	298	6,542	5,175	80	65
38	Balance of area	19,142	22	2	142	4,317	1,099	1,106	408	467	207	147	883	384	9,517	7,488	143	82
39	Metropolitan counties	26,419	41	6	236	5,938	1,555	1,527	527	648	239	193	1,249	559	12,737	10,138	185	119
40	Urban places	11,972	28	6	126	2,587	695	695	207	282	76	76	556	276	5,669	4,515	72	60
41	Balance of area	14,447	13	–	110	3,351	860	832	320	366	163	117	693	283	7,068	5,623	113	59
42	Nonmetropolitan counties	6,225	12	2	38	1,292	317	363	115	140	61	39	257	123	3,322	2,525	38	28
43	Urban places	1,530	3	–	6	326	78	89	27	39	17	9	67	22	873	660	8	5
44	Balance of area	4,695	9	2	32	966	239	274	88	101	44	30	190	101	2,449	1,865	30	23
45	Allegany	933	2	–	3	188	44	59	18	19	6	5	37	18	571	462	5	2
46	Cumberland	398	2	–	1	85	19	22	12	8	2	3	19	7	251	204	2	1
47	Balance of county	535	–	–	2	103	25	37	6	11	4	2	18	11	320	258	3	1
48	Anne Arundel	2,069	3	1	15	495	133	136	40	47	26	7	106	42	981	771	12	8
49	Annapolis	321	–	1	1	88	27	23	8	10	3	1	16	10	148	109	1	1
50	Balance of county	1,748	3	–	14	407	106	113	32	37	23	6	90	32	833	662	11	7
51	Baltimore	5,123	3	–	58	1,205	291	325	126	132	59	39	233	98	2,627	2,177	37	23
52	Baltimore city	9,916	28	5	108	2,083	557	577	150	229	62	65	443	240	4,721	3,816	54	45
53	Calvert	224	–	–	2	50	14	17	7	2	2	2	6	5	101	56	1	2
54	Caroline	231	1	–	2	45	12	8	4	6	3	1	11	5	119	94	2	1
55	Carroll	621	–	–	3	121	26	30	9	13	8	9	26	19	330	271	9	–
56	Cecil	412	–	–	2	83	23	18	12	11	2	1	16	5	213	177	2	1
57	Charles	361	–	–	–	71	16	18	9	6	1	4	17	9	147	114	1	2
58	Dorchester	347	1	–	–	74	19	23	3	8	4	–	17	6	174	126	–	2
59	Cambridge	151	–	–	–	31	3	12	1	5	3	–	7	3	75	55	–	1
60	Balance of county	196	1	–	–	43	16	11	2	3	1	–	10	3	99	71	–	1
61	Frederick	740	1	–	7	156	38	45	12	15	9	8	29	17	403	316	6	4
62	Frederick	239	–	–	1	62	19	19	2	8	1	1	12	3	128	103	1	1
63	Balance of county	501	1	–	6	94	19	26	10	7	8	7	17	14	275	213	5	3
64	Garrett	258	–	–	2	43	10	9	3	4	5	2	10	8	153	123	4	4
65	Harford	822	1	–	4	174	37	44	20	22	9	9	33	11	424	345	7	–
66	Aberdeen	94	–	–	1	19	2	8	2	3	–	–	4	1	38	30	1	–
67	Balance of county	728	1	–	3	155	35	36	18	19	9	9	29	10	386	315	6	–
68	Howard	451	2	–	4	94	23	30	7	8	2	4	20	12	205	173	3	2
69	Kent	178	–	–	–	36	6	9	6	7	1	–	7	5	88	75	1	–
70	Montgomery	3,550	1	–	21	868	255	180	81	96	30	31	195	44	1,779	1,311	27	18
71	Rockville	459	–	–	4	99	27	25	10	9	2	4	22	4	237	171	6	2
72	Takoma Park, part	165	–	–	–	37	10	9	4	2	–	1	11	4	83	64	–	1
73	Takoma Park, total	224	–	–	1	53	15	12	5	5	2	1	13	6	110	84	–	3
74	Balance of county	2,926	1	–	17	732	218	146	67	85	28	26	162	36	1,459	1,076	21	15
75	Prince Georges	3,455	3	–	21	815	210	187	82	90	41	28	177	88	1,457	1,097	34	22
76	Bowie	139	–	–	1	38	8	6	6	5	–	–	13	1	64	48	–	–
77	College Park	141	–	–	1	43	10	5	6	6	–	2	14	1	55	36	1	1
78	Greenbelt	75	–	–	1	21	6	5	4	1	1	–	4	1	32	24	–	1
79	Hyattsville	431	–	–	5	104	34	22	10	12	4	2	20	9	197	139	7	6
80	Laurel	130	–	–	3	29	7	7	5	1	2	1	6	2	50	43	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
431	15	4	81	18	14	38	11	2	16	3	–	10	10	2	62	16	15	11	4	2	01
121	4	–	24	3	3	9	8	1	5	1	–	3	1	1	19	4	7	2	1	–	02
212	8	2	35	8	8	21	3	1	10	2	–	3	4	1	22	6	2	3	–	2	03
98	3	2	22	7	3	8	–	–	1	–	–	4	5	–	21	6	6	6	3	–	04
302	17	–	81	8	18	22	7	2	11	2	–	6	6	6	36	16	31	14	–	3	05
40	–	–	5	–	2	1	1	–	3	–	–	–	2	2	5	3	3	2	–	–	06
32	1	–	11	–	2	7	2	–	1	1	–	1	1	1	7	1	5	3	–	–	07
230	16	–	65	8	14	14	4	1	7	1	–	5	3	3	24	12	23	9	–	3	08
670	54	3	207	33	31	66	44	6	33	8	–	8	13	7	183	34	51	21	8	2	09
273	20	3	97	15	13	26	14	1	15	2	–	3	4	3	70	6	19	4	2	–	10
86	7	–	24	4	5	7	5	–	2	2	–	2	1	–	17	1	5	3	1	–	11
47	5	–	15	1	–	5	5	1	2	–	–	–	3	–	14	2	1	3	–	–	12
264	22	–	71	13	13	28	20	4	14	4	–	3	5	4	82	25	26	11	5	2	13
73	1	1	29	9	3	8	1	–	1	2	–	5	–	1	23	6	8	6	–	–	14
166	10	1	55	2	9	18	4	2	3	3	–	1	2	2	45	10	8	4	–	1	15
355	24	9	102	15	15	24	18	3	17	2	–	5	8	8	65	13	18	15	5	2	16
79	5	1	24	4	3	4	7	1	6	–	–	2	–	2	14	2	8	5	1	–	17
68	5	2	26	2	3	3	4	–	2	–	–	–	–	2	17	–	1	1	–	–	18
208	14	6	52	9	9	17	7	2	9	2	–	3	8	3	34	11	9	9	4	2	19
129	9	1	39	14	11	18	2	2	4	1	–	–	–	1	25	14	8	4	1	–	20
116	8	–	26	6	4	10	4	2	7	1	–	2	1	1	34	2	8	2	–	–	21
121	25	–	42	15	10	20	3	1	5	3	–	4	5	1	50	8	10	6	1	3	22
378	34	4	131	16	28	35	17	5	20	2	–	4	17	10	82	37	29	14	4	1	23
108	10	–	40	7	6	16	6	–	7	1	–	1	4	4	29	7	9	3	3	–	24
270	24	4	91	9	22	19	11	5	13	1	–	3	13	6	53	30	20	11	1	1	25
64	9	–	17	1	4	9	3	1	–	1	–	2	–	–	21	4	11	1	1	–	26
90	3	1	20	6	3	7	3	2	4	–	–	1	–	–	16	6	11	2	–	–	27
153	6	–	33	13	6	17	9	3	2	2	–	8	2	2	39	11	16	5	1	1	28
73	14	1	30	–	5	15	9	1	3	3	–	6	1	2	24	7	8	6	–	3	29
163	16	1	38	7	13	13	4	1	4	2	–	2	4	1	38	11	6	8	2	2	30
427	33	2	107	40	15	33	29	3	19	5	–	8	8	13	107	25	28	16	1	1	31
71	6	–	22	15	3	12	5	1	1	2	–	2	1	3	10	1	4	2	–	–	32
47	3	1	6	3	1	1	3	1	2	–	–	1	2	2	11	3	3	2	–	–	33
60	2	–	17	6	1	2	4	–	2	1	–	1	–	–	16	5	4	–	1	–	34
249	22	1	62	16	10	18	17	1	14	2	–	4	5	8	70	16	17	12	–	1	35
11,233	**1,060**	**80**	**2,403**	**434**	**479**	**830**	**300**	**79**	**608**	**182**	**2**	**241**	**521**	**288**	**2,731**	**704**	**863**	**476**	**352**	**161**	**36**
4,579	451	35	966	157	209	376	111	31	315	111	2	82	226	133	1,217	173	367	152	207	77	37
6,654	609	45	1,437	277	270	454	189	48	293	71	–	159	295	155	1,514	531	496	324	145	84	38
8,896	938	58	1,840	308	393	665	233	59	530	159	2	200	450	248	2,255	536	710	397	319	139	39
3,962	421	27	810	129	188	335	102	26	293	104	2	68	209	126	1,105	153	342	142	198	75	40
4,934	517	31	1,030	179	205	330	131	33	237	55	–	132	241	122	1,150	383	368	255	121	64	41
2,337	122	22	563	126	86	165	67	20	78	23	–	41	71	40	476	168	153	79	33	22	42
617	30	8	156	28	21	41	9	5	22	7	–	14	17	7	112	20	25	10	9	2	43
1,720	92	14	407	98	65	124	58	15	56	16	–	27	54	33	364	148	128	69	24	20	44
443	12	3	81	15	10	19	4	4	18	3	–	6	3	1	52	14	16	10	1	–	45
193	8	1	38	5	3	12	1	2	4	2	–	1	2	–	19	5	3	1	–	–	46
250	4	2	43	10	7	7	3	2	14	1	–	5	1	1	33	9	13	9	1	–	47
692	59	10	134	34	32	40	22	5	27	16	–	16	36	17	159	66	59	38	15	16	48
103	4	1	26	3	9	5	1	1	3	2	–	1	7	3	28	3	12	3	–	4	49
589	55	9	108	31	23	35	21	4	24	14	–	15	29	14	131	63	47	35	15	12	50
1,991	126	9	311	52	78	111	39	12	72	16	–	33	59	33	426	92	111	73	34	21	51
3,362	355	22	643	97	143	282	77	22	240	93	2	51	167	109	940	115	278	103	188	64	52
48	5	–	20	23	2	11	3	1	–	1	–	1	8	5	13	12	2	4	4	1	53
85	6	–	17	4	4	10	1	–	4	2	–	1	–	3	22	7	2	4	2	1	54
246	16	–	49	4	6	19	5	1	5	–	–	6	6	–	59	15	16	9	3	4	55
163	11	2	23	5	6	11	1	2	10	–	–	–	9	10	30	13	13	4	3	3	56
104	7	1	25	5	2	7	9	2	5	–	–	5	10	5	31	28	15	10	3	4	57
112	12	4	29	5	10	11	4	2	9	–	–	4	5	3	29	6	10	4	4	1	58
49	5	3	11	3	3	6	1	–	7	–	–	2	3	1	14	1	4	1	2	–	59
63	7	1	18	2	7	5	3	2	2	–	–	2	2	2	15	5	6	3	2	1	60
289	17	3	63	11	10	23	6	2	5	3	–	8	11	4	45	18	13	10	7	1	61
95	6	1	22	1	1	7	3	–	2	1	–	3	3	2	13	4	1	1	4	1	62
194	11	2	41	10	9	16	3	2	3	2	–	5	8	2	32	14	12	9	3	–	63
113	2	–	20	6	4	5	2	2	1	1	–	–	2	1	18	10	9	1	–	–	64
310	28	1	57	10	11	17	6	–	13	2	–	7	17	9	62	37	26	7	2	3	65
25	4	–	6	1	1	1	1	–	5	1	–	2	2	1	12	4	4	1	1	–	66
285	24	1	51	9	10	16	5	–	8	1	–	5	15	8	50	33	22	6	1	3	67
156	12	–	28	1	3	11	3	–	2	–	–	10	10	1	42	22	19	9	2	3	68
70	4	1	8	2	2	13	2	–	2	2	–	–	1	1	14	5	4	3	–	2	69
1,028	238	9	335	61	63	92	34	9	59	12	–	39	53	19	233	71	105	76	33	2	70
147	16	3	43	9	11	12	7	3	10	3	–	5	10	3	29	8	17	6	2	–	71
44	19	1	10	3	5	5	–	–	2	–	–	2	3	1	16	2	5	3	2	–	72
60	21	1	14	4	7	6	–	–	2	1	–	2	4	4	22	2	5	3	3	–	73
837	203	5	282	49	47	75	27	6	47	9	–	32	40	15	188	61	83	67	29	2	74
948	93	5	260	44	51	82	46	8	102	20	–	38	93	50	304	105	83	78	39	23	75
45	3	–	11	1	4	4	–	–	2	–	–	–	2	–	13	4	7	3	–	–	76
34	–	–	9	7	3	5	4	–	7	–	–	1	5	1	9	1	2	5	–	1	77
22	1	–	5	1	2	–	3	–	1	–	–	1	–	1	7	1	3	1	1	1	78
112	14	–	46	5	7	15	6	–	16	3	–	4	9	3	35	6	8	7	1	3	79
39	3	–	5	1	1	4	2	–	5	1	–	1	3	1	8	7	6	6	1	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maryland—Con.																	
	Prince Georges—Con.																	
01	New Carrollton	42	–	–	–	10	2	5	1	1	–	–	1	1	17	15	1	1
02	Takoma Park, part	59	–	–	1	16	5	3	1	3	2	–	2	2	27	20	–	2
03	Balance of county	2,438	3	–	9	554	138	134	49	61	32	23	117	71	1,015	772	24	11
04	Queen Annes	227	1	–	1	56	7	19	7	4	3	4	12	5	125	99	–	–
05	St. Marys	278	1	–	3	61	13	19	6	8	3	–	12	4	119	93	4	1
06	Somerset	233	1	–	4	49	10	15	6	6	1	3	8	5	127	79	–	2
07	Talbot	295	–	1	2	63	20	15	5	3	3	1	16	5	159	112	1	–
08	Washington	1,005	2	–	5	195	59	44	16	24	9	6	37	10	566	418	6	2
09	Hagerstown	463	1	–	2	94	30	17	8	11	6	4	18	5	273	197	3	–
10	Balance of county	542	1	–	3	101	29	27	8	13	3	2	19	5	293	221	3	2
11	Wicomico	600	2	1	5	121	26	40	7	19	9	2	18	15	316	238	5	4
12	Salisbury	279	–	–	2	54	7	19	4	7	5	1	11	4	146	101	2	2
13	Balance of county	321	2	1	3	67	19	21	3	12	4	1	7	11	170	137	3	2
14	Worcester	315	–	–	2	84	23	23	6	9	2	1	20	6	154	120	2	2
15	**Massachusetts**	**54,049**	**63**	**6**	**375**	**11,452**	**3,386**	**2,491**	**1,116**	**1,253**	**508**	**389**	**2,309**	**1,013**	**27,865**	**21,277**	**501**	**299**
16	Urban places	38,856	51	5	287	8,203	2,442	1,778	791	863	368	275	1,686	765	20,026	15,353	390	231
17	Balance of area	15,193	12	1	88	3,249	944	713	325	390	140	114	623	248	7,839	5,924	111	68
18	Metropolitan counties	51,770	61	6	370	10,960	3,238	2,379	1,081	1,201	481	370	2,210	974	26,684	20,428	481	285
19	Urban places	38,856	51	5	287	8,203	2,442	1,778	791	863	368	275	1,686	765	20,026	15,353	390	231
20	Balance of area	12,914	10	1	83	2,757	796	601	290	338	113	95	524	209	6,658	5,075	91	54
21	Nonmetropolitan counties	2,279	2	–	5	492	148	112	35	52	27	19	99	39	1,181	849	20	14
22	Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Balance of area	2,279	2	–	5	492	148	112	35	52	27	19	99	39	1,181	849	20	14
24	Barnstable	1,489	–	–	1	326	99	70	24	37	19	10	67	22	780	550	16	10
25	Berkshire	1,519	2	1	10	302	95	54	19	42	14	12	66	42	807	585	14	4
26	North Adams	197	1	1	1	32	8	7	1	4	4	1	7	9	114	80	1	1
27	Pittsfield	554	–	–	5	110	38	17	6	8	6	4	31	15	288	208	7	2
28	Balance of county	768	1	–	4	160	49	30	12	30	4	7	28	18	405	297	6	1
29	Bristol	4,485	2	–	20	978	323	213	105	109	43	24	161	132	2,447	1,901	29	39
30	Attleboro	267	–	–	1	55	16	14	5	4	4	1	11	2	153	122	4	–
31	Fall River	1,089	–	–	4	232	76	50	23	34	9	5	35	29	615	472	7	4
32	New Bedford	1,166	2	–	4	257	99	49	25	27	12	6	39	40	648	522	11	22
33	Somerset towns	143	–	–	1	29	8	10	4	3	1	1	2	3	72	58	1	–
34	Taunton	465	–	–	2	102	38	23	12	6	4	3	16	35	247	175	–	4
35	Balance of county	1,355	–	–	8	303	86	67	36	35	13	8	58	23	712	552	6	9
36	Dukes	116	–	–	–	28	3	11	3	2	1	1	7	3	56	40	2	–
37	Essex	6,370	1	–	51	1,371	399	297	143	127	59	59	287	108	3,370	2,466	42	36
38	Beverly	329	–	–	6	60	13	13	7	10	1	2	14	8	179	137	–	1
39	Danvers town	184	–	–	3	36	13	6	3	5	–	2	7	3	94	64	1	2
40	Gloucester	327	–	–	1	69	19	14	4	5	4	7	16	1	173	124	2	2
41	Haverhill	567	1	–	9	125	37	36	14	11	4	6	17	13	284	213	2	8
42	Lawrence	817	–	–	2	160	41	26	16	15	7	7	48	18	450	338	6	2
43	Lynn	988	–	–	5	208	56	59	17	19	14	5	38	12	551	411	10	3
44	Marblehead town	217	–	–	3	59	16	11	6	5	1	3	17	4	96	77	1	5
45	Methuen town	378	–	–	–	85	30	10	9	8	4	2	22	5	211	154	3	1
46	Newburyport	208	–	–	1	40	15	12	4	1	2	1	5	2	112	87	1	2
47	Peabody	343	–	–	4	72	19	20	11	3	2	3	14	7	184	118	3	2
48	Salem	453	–	–	5	109	36	21	11	10	5	7	19	10	220	151	4	3
49	Saugus town	206	–	–	3	47	12	11	6	5	3	–	10	4	112	86	–	1
50	Swampscott town	166	–	–	–	45	13	5	5	1	2	3	16	3	85	59	2	1
51	Balance of county	1,187	–	–	9	256	79	53	30	29	10	11	44	18	619	447	7	3
52	Franklin	606	1	–	4	122	39	28	8	10	7	8	22	12	311	238	1	4
53	Hampden	4,385	4	–	27	897	263	212	82	107	37	21	175	98	2,291	1,671	39	18
54	Chicopee	531	–	–	1	111	39	24	5	15	3	3	22	10	285	220	6	1
55	Holyoke	623	–	–	2	115	43	29	11	14	2	1	15	21	346	238	9	6
56	Longmeadow town	154	–	–	–	30	11	4	6	–	3	–	6	5	81	48	1	–
57	Springfield	1,731	3	–	14	365	91	87	31	44	16	13	83	36	905	628	14	5
58	Westfield	295	–	–	2	63	17	17	9	5	5	–	10	6	138	113	–	1
59	West Springfield town	236	1	–	1	41	14	8	3	4	4	–	8	5	130	105	3	2
60	Balance of county	815	–	–	7	172	48	43	17	25	4	4	31	15	406	319	6	3
61	Hampshire	944	1	1	7	218	62	56	18	29	9	6	38	30	462	338	4	10
62	Amherst town	84	–	–	1	22	6	6	3	2	1	–	4	2	32	23	1	2
63	Northampton	262	–	–	1	38	8	14	3	4	2	2	5	16	148	102	2	5
64	Balance of county	598	1	1	5	158	48	36	12	23	6	4	29	12	282	213	1	3
65	Middlesex	11,759	22	3	76	2,614	763	547	287	278	127	97	515	169	5,974	4,589	136	61
66	Arlington town	528	–	1	4	123	37	19	22	9	7	1	28	6	261	195	9	7
67	Belmont town	315	1	–	2	80	26	17	12	5	3	4	13	7	163	117	4	2
68	Billerica town	178	1	–	1	43	8	17	3	3	5	2	5	2	93	80	2	–
69	Burlington town	99	–	–	1	21	3	9	1	4	–	1	3	1	44	30	–	–
70	Cambridge	828	4	–	7	164	51	36	20	14	6	5	32	11	376	298	5	5
71	Chelmsford town	182	–	–	3	42	13	10	3	3	4	1	8	3	90	67	3	–
72	Everett	461	–	–	4	96	27	23	14	10	3	4	15	10	239	187	2	4
73	Framingham town	502	–	–	1	106	27	21	10	11	5	9	23	7	241	176	4	1
74	Lexington town	227	1	–	–	57	7	13	4	12	3	3	15	2	114	87	7	2
75	Lowell	1,036	–	–	3	200	65	43	19	22	10	4	37	19	553	433	6	6
76	Malden	618	1	1	7	129	37	26	9	14	9	1	33	6	348	267	8	4
77	Marlborough	240	–	–	3	58	21	8	8	5	4	1	11	2	118	89	2	–
78	Medford	661	2	–	5	147	43	39	8	15	4	4	34	9	361	280	11	1
79	Melrose	311	2	–	3	68	19	15	6	3	5	3	17	5	171	122	3	4
80	Natick town	240	2	–	1	59	18	12	5	7	4	3	10	3	119	96	4	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
13	–	–	2	–	–	1	1	–	2	–	–	–	–	–	2	2	–	4	1	1	01
16	2	–	4	1	2	1	–	–	–	1	–	–	1	3	6	–	–	–	1	–	02
667	70	5	178	28	32	52	30	8	69	15	–	31	73	41	224	84	57	52	34	16	03
93	6	1	23	1	1	4	–	–	2	1	–	–	2	–	13	5	7	1	1	3	04
84	4	–	18	4	4	4	6	1	3	1	–	1	9	2	28	13	12	4	2	4	05
69	8	–	36	5	7	5	3	–	2	1	–	1	2	5	16	5	6	1	–	–	06
100	11	3	32	10	2	9	6	2	4	2	–	1	1	1	24	4	6	3	1	1	07
400	10	4	102	23	19	28	11	2	10	3	–	8	4	3	93	16	33	14	1	1	08
190	4	2	51	14	9	13	2	2	5	2	–	5	2	1	36	6	10	3	–	1	09
210	6	2	51	9	10	15	9	–	5	1	–	3	2	2	57	10	23	11	1	–	10
218	11	1	60	9	8	7	8	2	6	3	–	4	9	4	56	13	13	8	5	2	11
90	7	1	34	5	5	3	2	1	4	2	–	3	7	3	30	4	7	4	3	–	12
128	4	–	26	4	3	4	6	1	2	1	–	1	2	1	26	9	6	4	2	2	13
109	7	1	29	3	1	9	2	–	7	–	–	1	4	2	22	12	5	2	2	1	14
19,162	**1,315**	**173**	**4,748**	**829**	**838**	**2,707**	**579**	**179**	**964**	**238**	**2**	**271**	**408**	**561**	**4,411**	**842**	**1,321**	**521**	**205**	**66**	**15**
13,753	979	117	3,356	605	595	2,017	411	129	716	178	2	180	275	420	3,198	478	953	336	172	54	16
5,409	336	56	1,392	224	243	690	168	50	248	60	–	91	133	141	1,213	364	368	185	33	12	17
18,399	1,263	163	4,517	778	798	2,600	550	174	926	232	2	259	398	530	4,210	797	1,277	492	202	66	18
13,753	979	117	3,356	605	595	2,017	411	129	716	178	2	180	275	420	3,198	478	953	336	172	54	19
4,646	284	46	1,161	173	203	583	139	45	210	54	–	79	123	110	1,012	319	324	156	30	12	20
763	52	10	231	51	40	107	29	5	38	6	–	12	10	31	201	45	44	29	3	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
763	52	10	231	51	40	107	29	5	38	6	–	12	10	31	201	45	44	29	3	–	23
486	38	5	158	40	27	58	21	4	27	4	–	9	5	17	139	23	30	22	1	–	24
539	28	7	161	23	31	69	15	4	28	14	–	8	13	7	117	31	30	17	2	–	25
78	–	1	23	5	5	4	2	2	6	1	–	2	2	2	16	1	1	–	–	–	26
184	15	4	54	11	11	30	5	–	11	8	–	2	8	2	41	12	12	5	–	–	27
277	13	2	84	7	15	35	8	2	11	5	–	4	3	3	60	18	17	12	2	–	28
1,770	63	18	421	54	53	144	43	7	70	17	–	21	32	42	331	75	75	39	9	1	29
114	4	–	25	3	3	9	1	–	2	–	–	–	2	2	28	4	5	2	1	–	30
447	14	5	109	18	11	23	9	1	15	4	–	5	7	20	84	13	19	6	3	–	31
475	14	5	91	15	15	42	13	3	23	5	–	7	9	5	80	5	14	8	1	–	32
57	–	1	12	–	1	3	3	–	4	–	–	1	–	1	10	7	5	4	–	–	33
162	9	2	57	3	10	9	5	–	6	2	–	2	5	1	29	8	9	3	–	–	34
515	22	5	127	15	13	58	12	3	20	6	–	6	9	13	100	38	23	16	4	1	35
37	1	–	12	2	2	6	4	–	3	–	–	–	–	1	8	2	3	2	–	–	36
2,239	149	20	632	154	98	263	64	21	101	21	1	31	37	57	531	78	180	55	22	7	37
128	8	2	29	6	5	10	1	–	5	2	–	2	–	1	35	4	10	6	–	–	38
57	4	1	16	11	2	13	1	–	–	2	–	1	2	1	22	2	3	–	–	1	39
113	7	1	38	4	6	7	4	2	1	2	–	1	3	1	49	3	7	–	2	1	40
184	19	3	52	9	7	19	3	–	9	–	–	6	5	26	38	7	18	2	2	–	41
312	18	2	87	16	7	39	10	1	23	3	1	4	3	3	52	7	26	9	4	2	42
382	16	3	99	22	16	37	10	4	13	3	–	4	3	9	75	15	26	6	6	1	43
67	4	–	11	7	1	10	3	1	2	–	–	1	–	–	17	2	16	3	–	–	44
142	8	1	36	11	9	16	3	3	3	2	–	1	4	–	31	4	8	2	–	–	45
80	4	–	15	9	1	9	3	1	4	2	–	1	–	2	19	3	5	3	1	–	46
97	16	1	36	19	10	14	5	1	7	–	–	1	3	1	30	2	10	1	1	–	47
125	19	2	49	11	7	9	8	2	7	1	–	2	4	4	48	1	15	6	2	–	48
84	1	–	22	2	2	4	2	–	5	–	–	1	1	–	16	2	7	2	–	–	49
50	6	–	22	2	2	10	3	–	1	1	–	–	2	–	11	2	1	1	1	–	50
418	19	4	120	25	23	66	8	6	21	3	–	6	7	9	88	24	28	14	3	2	51
222	11	5	51	8	9	40	4	1	6	2	–	3	4	13	48	19	9	5	2	–	52
1,528	86	16	478	60	66	209	43	9	73	16	–	20	30	63	354	66	121	42	18	4	53
205	8	3	47	8	7	32	7	1	6	2	–	5	3	1	45	2	15	4	–	1	54
213	10	1	83	9	15	27	7	1	12	4	–	3	5	6	47	2	18	3	3	1	55
44	3	1	24	4	4	8	2	–	1	1	–	–	–	2	16	1	4	2	1	–	56
574	35	9	226	20	22	75	16	3	31	6	–	8	15	17	127	29	54	17	9	1	57
106	6	–	19	4	2	13	3	–	2	3	–	2	2	20	25	5	6	4	1	–	58
100	–	–	15	6	4	13	4	2	2	–	–	–	1	4	19	6	5	1	1	–	59
286	24	2	64	9	12	41	4	2	19	–	–	2	4	13	75	21	19	11	3	1	60
285	39	5	94	13	12	42	15	1	14	5	–	7	7	6	66	15	27	16	1	3	61
17	3	–	6	1	2	7	–	–	1	–	–	1	1	–	13	1	–	3	–	–	62
86	9	2	35	6	3	11	5	1	2	1	–	1	–	3	19	2	9	4	–	1	63
182	27	3	53	6	7	24	10	–	11	4	–	5	6	3	34	12	18	9	1	2	64
4,122	270	30	1,024	149	182	645	120	48	241	51	–	63	76	135	952	168	262	101	29	10	65
171	8	2	50	3	11	31	8	–	14	4	–	4	1	7	44	3	14	3	–	–	66
103	8	1	30	6	9	16	2	1	3	3	–	1	–	3	17	2	11	3	–	–	67
77	1	–	8	3	2	8	2	1	2	1	–	1	2	1	7	7	3	2	1	–	68
30	–	–	8	3	3	5	1	–	4	–	–	2	–	1	13	3	1	1	–	1	69
274	14	2	59	5	12	52	11	5	25	8	–	6	6	19	86	9	22	13	4	–	70
62	2	–	14	3	6	9	3	–	5	–	–	–	2	–	15	4	3	3	–	–	71
172	9	3	42	3	4	31	3	3	4	2	–	4	5	7	35	4	9	2	1	2	72
160	11	3	54	4	4	39	7	3	13	–	–	2	3	4	45	10	10	9	2	–	73
68	10	–	18	4	5	20	1	–	2	–	–	–	1	3	12	6	5	2	1	–	74
408	13	1	84	27	8	54	16	7	38	5	–	6	10	5	78	9	25	4	4	–	75
239	16	1	54	14	12	24	5	4	12	1	–	5	–	9	47	4	9	4	2	–	76
82	5	3	20	2	4	12	1	–	6	1	–	–	2	1	25	5	2	3	1	–	77
259	9	4	52	12	13	25	7	4	7	5	–	3	5	9	50	10	8	3	1	–	78
105	10	1	37	4	7	16	4	1	2	1	–	1	1	6	18	4	7	–	1	–	79
86	3	–	20	1	2	13	1	–	8	–	–	2	1	1	17	6	5	1	1	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Massachusetts—Con.																	
	Middlesex—Con.																	
01	Newton	715	1	–	5	177	48	29	26	20	9	11	34	7	374	295	6	5
02	Reading town†	171	–	–	1	33	8	10	3	4	1	2	5	1	80	59	4	1
03	Somerville	839	2	–	3	172	65	27	16	18	4	3	39	7	427	341	11	5
04	Stoneham town†	189	–	–	1	40	16	6	6	3	3	–	6	–	113	89	4	–
05	Wakefield town†	224	–	–	1	56	17	9	4	7	6	2	11	4	116	88	3	2
06	Waltham	504	–	–	2	124	37	23	14	13	7	4	26	12	256	200	10	1
07	Watertown town†	355	–	1	3	101	29	21	14	12	5	4	16	8	168	114	4	1
08	Winchester town†	174	–	–	1	35	7	10	3	5	2	1	7	1	96	74	2	2
09	Woburn	285	–	–	3	64	13	15	8	12	2	5	9	6	136	93	3	1
10	Balance of county	1,877	5	–	11	419	121	89	49	47	16	19	78	30	917	712	19	4
11	Nantucket	68	1	–	–	16	7	3	–	3	–	–	3	2	34	21	1	–
12	Norfolk	5,400	5	–	39	1,232	367	243	120	148	47	47	260	91	2,728	2,044	67	30
13	Braintree town†	343	–	–	1	79	23	20	6	5	4	6	15	6	197	146	4	3
14	Brookline town†	659	–	–	9	157	55	23	15	23	3	8	30	5	346	286	9	3
15	Dedham town†	236	–	–	2	54	8	13	5	7	3	–	18	9	99	74	4	1
16	Holbrook town†	80	1	–	1	16	8	4	1	2	–	–	1	2	38	27	1	–
17	Milton town†	278	–	–	1	51	13	12	8	5	2	3	8	3	154	117	4	1
18	Needham town†	238	1	–	2	51	13	7	6	3	5	4	13	4	115	89	2	1
19	Norwood town†	300	–	–	3	66	19	11	6	8	6	3	13	8	143	99	4	1
20	Quincy	1,028	3	–	5	246	71	40	27	29	7	10	62	19	537	394	12	7
21	Randolph town†	224	–	–	1	54	14	12	1	6	–	1	20	4	117	93	4	–
22	Wellesley town†	200	–	–	1	40	9	6	2	10	2	–	11	2	109	85	4	1
23	Weymouth town†	485	–	–	3	108	40	23	10	12	5	1	17	7	251	179	3	4
24	Balance of county	1,329	–	–	10	310	94	72	33	38	10	11	52	22	622	455	16	8
25	Plymouth	3,143	5	–	24	636	183	156	48	70	30	23	126	57	1,655	1,309	21	16
26	Brockton	955	3	–	7	201	61	55	14	19	7	7	38	18	504	396	9	7
27	Rockland town†	126	–	–	1	29	4	9	2	3	–	–	11	1	63	49	1	1
28	Whitman town†	102	–	–	2	20	9	4	–	1	–	1	5	2	55	42	1	1
29	Balance of county	1,960	2	–	14	386	109	88	32	47	23	15	72	36	1,033	822	10	7
30	Suffolk	7,551	12	1	86	1,505	448	344	134	144	62	45	328	157	3,539	2,889	84	46
31	Boston	6,578	12	1	78	1,312	393	301	119	124	49	39	287	134	3,031	2,469	72	30
32	Chelsea	333	–	–	4	55	19	10	4	7	4	–	11	10	152	127	3	4
33	Revere	412	–	–	4	82	23	13	8	7	6	5	20	12	231	187	8	7
34	Winthrop town†	228	–	–	–	56	13	20	3	6	3	1	10	1	125	106	1	5
35	Worcester	6,214	7	–	30	1,207	335	257	125	147	53	36	254	90	3,411	2,636	45	25
36	Clinton town†	174	–	–	1	24	5	8	2	2	1	1	5	4	104	81	1	1
37	Fitchburg	440	1	–	1	89	21	14	10	11	4	2	27	8	223	170	2	1
38	Gardner	188	–	–	1	34	11	6	3	3	2	–	9	2	95	72	1	–
39	Leominster	248	–	–	1	66	13	14	7	8	4	2	18	7	128	110	1	–
40	Worcester	2,139	5	–	11	401	123	92	34	59	15	15	63	34	1,199	945	20	7
41	Balance of county	3,025	1	–	15	593	162	123	69	64	27	16	132	35	1,662	1,258	20	16
42	**Michigan**	75,862	103	11	480	14,893	3,874	3,558	1,287	1,798	707	604	3,065	1,720	39,193	29,273	487	408
43	Urban places	43,381	78	10	300	8,548	2,214	2,120	741	1,058	381	326	1,708	971	22,179	16,840	288	235
44	Balance of area	32,481	25	1	180	6,345	1,660	1,438	546	740	326	278	1,357	749	17,014	12,433	199	173
45	Metropolitan counties	54,546	82	8	377	10,868	2,786	2,664	970	1,314	497	431	2,206	1,170	27,755	21,028	367	278
46	Urban places	39,991	74	8	281	7,952	2,066	1,987	688	986	352	296	1,577	884	20,326	15,531	270	206
47	Balance of area	14,555	8	–	96	2,916	720	677	282	328	145	135	629	286	7,429	5,497	97	72
48	Nonmetropolitan counties	21,316	21	3	103	4,025	1,088	894	317	484	210	173	859	550	11,438	8,245	120	130
49	Urban places	3,390	4	2	19	596	148	133	53	72	29	30	131	87	1,853	1,309	18	29
50	Balance of area	17,926	17	1	84	3,429	940	761	264	412	181	143	728	463	9,585	6,936	102	101
51	Alcona	122	–	–	1	22	5	6	–	5	1	2	3	4	71	50	–	–
52	Alger	118	–	–	–	22	3	7	1	1	5	–	5	3	66	48	–	–
53	Allegan	618	1	1	2	125	34	28	14	15	4	2	28	17	322	240	7	2
54	Holland, part	15	–	–	–	5	2	1	–	–	–	–	2	–	9	8	–	–
55	Balance of county	603	1	1	2	120	32	27	14	15	4	2	26	17	313	232	7	2
56	Alpena	266	–	–	3	61	21	14	6	6	3	2	9	3	145	103	1	–
57	Alpena	140	–	–	1	31	13	5	3	2	3	1	4	1	76	51	–	–
58	Balance of county	126	–	–	2	30	8	9	3	4	–	1	5	2	69	52	1	–
59	Antrim	177	–	–	–	39	10	10	3	9	–	–	7	2	91	63	2	–
60	Arenac	144	–	–	1	31	6	12	1	2	1	–	9	3	68	50	1	–
61	Baraga	102	–	–	–	18	5	5	–	2	–	1	5	9	39	28	2	2
62	Barry	346	–	–	2	71	16	10	7	14	3	2	19	6	187	139	6	3
63	Bay	933	–	–	3	177	38	31	10	16	5	5	72	19	533	395	6	9
64	Bay City	499	–	–	1	93	18	18	4	8	2	1	42	12	303	229	4	3
65	Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Balance of county	434	–	–	2	84	20	13	6	8	3	4	30	7	230	166	2	6
67	Benzie	129	–	–	–	25	5	3	4	4	2	2	5	4	67	54	1	–
68	Berrien	1,518	–	1	10	265	59	72	17	38	19	10	50	38	822	608	8	6
69	Benton Harbor	191	–	–	4	26	3	7	2	5	3	–	6	4	100	70	–	–
70	Niles	158	–	1	3	25	4	6	2	2	3	4	4	4	80	60	–	1
71	St. Joseph	138	–	–	–	21	5	4	2	5	–	1	4	1	84	68	–	1
72	Balance of county	1,031	–	–	3	193	47	55	11	26	13	5	36	29	558	410	8	4
73	Branch	356	–	–	1	72	14	17	9	13	1	4	14	15	174	110	1	2
74	Calhoun	1,289	1	–	7	247	59	62	26	30	11	14	45	36	680	505	8	14
75	Albion	107	–	–	1	21	8	5	–	1	–	4	3	4	50	38	1	2
76	Battle Creek	528	–	–	1	95	19	23	9	15	3	5	21	15	294	221	3	8
77	Balance of county	654	1	–	5	131	32	34	17	14	8	5	21	17	336	246	4	4
78	Cass	393	–	–	2	79	15	17	6	14	2	8	17	3	207	148	3	1
79	Charlevoix	190	–	–	–	32	11	8	1	4	2	1	5	6	106	76	1	–
80	Cheboygan	205	–	–	3	38	12	9	–	4	2	4	7	4	110	84	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807 E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
261	23	2	58	7	12	36	5	3	8	2	–	–	–	10	54	10	14	6	2	1	01
50	4	1	11	6	3	11	1	–	3	2	–	–	1	1	21	7	7	1	1	–	02
298	27	1	69	5	11	54	6	4	16	8	–	3	3	20	72	5	26	6	3	2	03
68	17	–	19	3	2	11	2	–	3	1	–	–	–	1	13	2	1	1	–	–	04
68	15	1	21	2	4	11	2	1	4	1	–	–	2	2	16	2	3	3	–	1	05
177	12	–	48	3	5	20	3	–	13	1	–	–	1	7	41	7	11	3	1	1	06
99	10	–	41	7	6	22	2	2	11	–	–	–	1	1	27	2	3	–	–	–	07
68	2	–	15	2	5	12	2	–	1	–	–	–	–	2	11	4	7	2	–	–	08
82	7	–	31	6	6	15	2	1	9	–	–	–	3	4	28	4	6	3	1	–	09
655	34	4	161	14	26	98	23	8	28	6	–	19	26	11	160	39	50	23	2	2	10
18	2	–	10	1	2	3	–	–	2	–	–	–	–	–	6	1	2	–	–	–	11
1,801	146	22	485	85	92	290	63	18	82	20	–	28	37	81	422	90	122	37	8	7	12
135	4	2	37	6	6	11	3	1	2	2	–	3	2	5	17	2	11	–	1	–	13
234	40	3	44	6	7	32	2	1	11	2	–	2	–	12	53	8	12	4	1	2	14
64	5	–	18	6	1	12	5	–	4	1	–	3	1	9	20	8	5	4	–	–	15
22	4	–	9	1	1	3	2	1	1	–	–	1	1	–	7	2	1	2	1	–	16
106	6	–	31	2	4	16	7	2	6	2	–	1	1	1	23	4	4	2	–	–	17
77	9	–	17	2	7	13	5	1	4	2	–	1	2	6	17	1	10	3	–	–	18
88	6	1	29	6	8	26	1	1	5	2	–	1	1	4	25	5	7	2	–	–	19
355	20	9	94	21	19	53	13	4	20	2	–	2	6	11	77	8	16	3	1	2	20
84	5	–	17	3	4	12	3	–	2	–	–	2	3	–	17	2	5	2	–	–	21
74	6	1	15	4	4	15	–	1	3	1	–	2	–	5	13	2	5	1	–	–	22
167	5	2	54	6	10	23	5	1	8	3	–	3	4	4	35	10	14	4	1	1	23
395	36	4	120	22	21	74	17	5	16	3	–	7	16	24	118	38	32	10	3	2	24
1,177	95	7	260	33	46	121	30	12	60	18	–	30	37	34	218	76	89	33	6	2	25
336	44	3	78	10	17	38	5	5	23	2	–	8	9	16	70	12	19	11	2	2	26
43	4	–	13	1	–	6	–	–	–	–	–	4	2	1	7	6	5	1	–	–	27
35	5	–	6	2	5	7	2	–	–	–	–	2	–	–	5	1	6	–	–	–	28
763	42	4	163	20	24	70	23	7	37	16	–	16	26	17	136	57	59	21	4	–	29
2,502	257	16	441	89	104	513	84	26	168	49	1	27	73	59	742	94	216	79	93	27	30
2,154	213	13	380	81	88	457	78	22	149	42	1	25	66	47	661	83	194	72	87	26	31
104	16	1	16	2	6	24	2	3	10	3	–	1	6	4	37	3	12	2	4	1	32
153	19	1	30	5	8	20	3	–	8	2	–	1	1	2	26	6	9	4	1	–	33
91	9	1	15	1	2	12	1	1	1	2	–	–	–	6	18	2	1	1	1	–	34
2,436	130	22	521	118	114	304	73	28	89	21	–	24	56	46	477	104	155	73	14	5	35
74	5	1	16	3	3	11	2	–	2	–	–	–	2	1	12	3	4	4	–	–	36
159	8	–	33	14	6	20	4	1	7	3	–	1	10	6	39	10	11	6	–	–	37
64	7	–	16	1	6	16	6	1	5	–	–	1	3	1	15	1	5	2	–	–	38
104	5	–	12	2	4	7	6	2	2	–	–	–	2	1	21	–	2	1	1	1	39
880	38	3	175	43	33	133	21	12	26	7	–	8	13	20	149	18	55	20	5	2	40
1,155	67	18	269	55	62	117	34	12	47	11	–	14	26	17	241	72	78	40	8	2	41
26,568	1,810	242	7,365	1,210	1,103	2,112	1,049	264	1,488	296	14	574	1,030	518	5,730	1,982	1,918	1,186	1,098	203	42
15,368	949	125	4,084	543	587	1,192	525	146	1,031	184	7	305	624	265	3,407	871	966	657	953	162	43
11,200	861	117	3,281	667	516	920	524	118	457	112	7	269	406	253	2,323	1,111	952	529	145	41	44
19,186	1,197	155	5,059	739	774	1,471	679	187	1,186	224	8	423	807	353	4,202	1,360	1,298	895	1,013	180	45
14,210	845	113	3,682	466	534	1,090	473	131	968	176	6	280	577	248	3,138	798	880	614	930	157	46
4,976	352	42	1,377	273	240	381	206	56	218	48	2	143	230	105	1,064	562	418	281	83	23	47
7,382	613	87	2,306	471	329	641	370	77	302	72	6	151	223	165	1,528	622	620	291	85	23	48
1,158	104	12	402	77	53	102	52	15	63	8	1	25	47	17	269	73	86	43	23	5	49
6,224	509	75	1,904	394	276	539	318	62	239	64	5	126	176	148	1,259	549	534	248	62	18	50
46	4	–	19	–	2	2	4	–	–	–	–	1	1	1	12	1	1	1	–	–	51
46	2	–	12	4	2	1	2	1	3	–	–	1	2	–	10	5	2	–	–	–	52
216	15	1	59	10	12	18	14	3	4	7	–	10	2	15	41	17	13	5	–	1	53
8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	54
208	15	1	58	10	12	18	14	3	4	7	–	10	2	15	40	17	13	5	–	1	55
99	3	–	35	2	5	7	4	–	2	–	–	4	–	2	18	5	8	3	1	–	56
51	–	–	22	1	2	5	3	–	1	–	–	3	–	1	13	–	4	1	–	–	57
48	3	–	13	1	3	2	1	–	1	–	–	1	–	1	5	5	4	2	1	–	58
56	5	–	17	10	1	8	5	–	2	2	–	–	2	–	9	4	9	1	2	1	59
42	7	–	16	–	2	2	5	–	2	–	–	1	–	1	17	7	2	3	1	–	60
22	2	–	9	–	2	5	1	–	2	–	–	2	1	6	9	5	3	2	–	–	61
111	19	1	29	14	4	5	9	–	3	2	–	3	3	4	18	15	10	5	2	1	62
346	34	1	107	18	12	18	13	3	18	3	–	8	10	3	60	31	27	6	1	–	63
204	18	–	55	13	6	6	11	–	9	2	–	8	3	1	28	8	10	3	1	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65
142	16	1	52	5	6	12	2	3	9	1	–	–	7	2	32	23	17	3	–	–	66
49	4	2	9	1	1	6	5	–	2	–	–	–	2	1	5	5	5	2	–	–	67
555	39	2	156	32	24	30	28	11	19	1	–	11	23	11	124	30	53	21	20	–	68
65	5	–	22	5	3	5	2	1	3	–	–	1	7	2	16	4	8	1	7	–	69
50	9	–	14	2	4	1	5	1	2	1	–	1	1	1	16	3	10	1	2	–	70
63	4	–	14	1	1	3	2	2	–	–	–	–	–	1	16	3	2	1	2	–	71
377	21	2	106	24	16	21	19	7	14	–	–	9	15	7	76	20	33	18	9	–	72
97	10	5	39	14	6	8	11	1	4	–	–	3	2	2	37	8	13	4	1	–	73
446	37	4	131	23	17	34	22	7	22	5	1	8	17	9	98	42	22	15	15	1	74
33	2	–	9	2	1	7	4	2	1	–	–	1	2	–	6	3	1	2	1	1	75
190	20	2	59	9	3	10	8	2	11	3	1	5	8	3	41	8	7	8	8	–	76
223	15	2	63	12	13	17	10	3	10	2	–	2	7	6	51	31	14	5	6	–	77
129	15	1	37	7	14	8	5	2	6	1	–	1	2	8	31	19	10	8	1	–	78
68	7	1	18	8	3	9	3	–	3	1	–	1	1	–	13	5	6	4	–	–	79
74	7	–	16	5	5	5	4	–	5	1	–	4	–	–	14	5	7	3	1	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Chippewa	252	–	–	1	42	10	5	1	3	4	4	15	6	147	108	1	2
02	Sault Ste. Marie	145	–	–	1	22	7	2	1	–	1	1	10	5	86	65	1	1
03	Balance of county	107	–	–	–	20	3	3	–	3	3	3	5	1	61	43	–	1
04	Clare	239	–	–	1	43	8	11	3	4	3	2	12	2	171	149	1	–
05	Clinton	335	–	–	1	60	15	12	4	10	1	3	15	11	185	138	3	2
06	Lansing, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
07	Balance of county	333	–	–	1	60	15	12	4	10	1	3	15	11	183	136	3	2
08	Crawford	90	–	–	–	24	7	2	1	2	4	1	7	1	40	27	–	–
09	Delta	407	1	–	–	72	20	13	4	11	3	4	17	17	222	164	2	4
10	Escanaba	208	1	–	–	38	5	8	3	9	1	4	8	8	113	80	1	2
11	Balance of county	199	–	–	–	34	15	5	1	2	2	–	9	9	109	84	1	2
12	Dickinson	329	–	–	–	84	29	15	7	6	4	3	20	11	163	105	1	–
13	Eaton	537	–	–	5	104	28	20	9	13	4	7	23	6	281	199	3	5
14	Lansing, part	6	–	–	–	4	1	–	1	–	–	1	1	–	1	1	–	–
15	Balance of county	531	–	–	5	100	27	20	8	13	4	6	22	6	280	198	3	5
16	Emmet	223	1	–	1	35	13	9	3	4	1	1	4	4	119	81	–	1
17	Genesee	3,191	3	1	26	586	134	135	57	73	27	23	137	73	1,574	1,138	22	12
18	Flint	1,586	2	1	16	290	68	68	23	42	15	8	66	36	770	573	11	7
19	Balance of county	1,605	1	–	10	296	66	67	34	31	12	15	71	37	804	565	11	5
20	Gladwin	182	–	–	–	37	9	7	4	3	–	4	10	6	108	78	2	2
21	Gogebic	287	2	–	1	63	21	12	6	6	5	–	13	10	152	123	1	12
22	Grand Traverse	426	1	–	1	77	14	20	3	11	4	8	17	8	219	138	2	1
23	Traverse City	190	1	–	–	29	6	5	–	4	2	3	9	3	107	64	1	1
24	Balance of county	236	–	–	1	48	8	15	3	7	2	5	8	5	112	74	1	1
25	Gratiot	357	–	–	4	60	15	11	3	11	1	3	16	6	208	146	2	7
26	Hillsdale	378	1	–	3	72	20	18	3	11	3	4	13	12	193	141	–	2
27	Houghton	448	–	–	3	86	23	21	3	9	4	2	24	11	243	190	1	2
28	Huron	401	1	–	–	80	25	18	10	7	5	1	14	5	232	150	1	4
29	Ingham	1,640	2	–	16	299	82	73	22	35	8	12	67	38	808	609	10	13
30	East Lansing	134	1	–	1	26	9	6	–	3	–	–	8	1	71	57	–	–
31	Lansing, part	1,009	1	–	11	186	55	42	14	23	4	6	42	27	495	366	9	9
32	Lansing, total	1,017	1	–	11	190	56	42	15	23	4	7	43	27	498	369	9	9
33	Balance of county	497	–	–	4	87	18	25	8	9	4	6	17	10	242	186	1	4
34	Ionia	403	–	–	5	72	15	15	5	11	5	3	18	8	214	147	4	1
35	Iosco	254	–	–	–	43	11	11	3	3	3	1	11	2	146	110	2	2
36	Iron	214	–	–	1	43	13	9	3	7	2	–	9	4	124	76	–	–
37	Isabella	315	1	–	1	52	11	10	5	6	4	3	13	13	172	121	1	1
38	Mount Pleasant	108	–	–	1	17	5	3	1	3	–	–	5	4	61	41	–	–
39	Balance of county	207	1	–	–	35	6	7	4	3	4	3	8	9	111	80	1	1
40	Jackson	1,308	1	–	4	287	73	70	28	33	20	17	46	29	685	492	9	11
41	Jackson	523	1	–	1	112	26	31	12	13	3	5	22	8	293	211	3	5
42	Balance of county	785	–	–	3	175	47	39	16	20	17	12	24	21	392	281	6	6
43	Kalamazoo	1,415	3	–	4	296	58	67	24	42	20	12	73	38	735	539	10	4
44	Kalamazoo	669	1	–	2	111	19	27	9	15	6	6	29	19	370	275	5	1
45	Portage	140	1	–	–	39	8	8	6	4	3	2	8	4	63	46	–	–
46	Balance of county	606	1	–	2	146	31	32	9	23	11	4	36	15	302	218	5	3
47	Kalkaska	109	–	–	1	24	8	5	3	1	6	–	1	5	55	42	–	–
48	Kent	3,452	2	–	14	667	166	139	81	75	31	30	145	57	1,899	1,380	26	24
49	East Grand Rapids	78	–	–	–	18	3	4	2	2	1	1	5	1	39	28	–	2
50	Grand Rapids	1,969	2	–	6	362	85	75	51	42	18	20	71	28	1,109	806	13	12
51	Grandville	79	–	–	–	17	4	–	3	3	1	2	4	2	46	34	1	1
52	Kentwood	128	–	–	4	27	2	9	2	4	2	2	6	2	61	43	4	–
53	Walker	84	–	–	–	19	2	5	2	2	1	–	7	3	45	31	–	–
54	Wyoming	351	–	–	1	81	26	20	8	5	3	2	17	5	185	130	1	1
55	Balance of county	763	–	–	3	143	44	26	13	17	5	3	35	16	414	308	7	8
56	Keweenaw	38	–	–	–	3	–	1	–	–	–	–	2	1	24	18	–	–
57	Lake	117	–	–	–	14	3	3	1	–	2	1	4	12	58	45	–	–
58	Lapeer	474	–	–	5	74	14	28	7	7	4	4	10	16	246	189	2	–
59	Leelanau	111	–	–	1	24	7	6	2	3	–	–	6	2	53	40	–	–
60	Lenawee	739	1	–	5	142	36	36	18	15	7	4	26	25	372	254	4	3
61	Adrian	228	1	–	1	43	8	15	8	3	1	–	8	9	111	70	2	1
62	Balance of county	511	–	–	4	99	28	21	10	12	6	4	18	16	261	184	2	2
63	Livingston	527	–	–	5	108	27	20	9	13	8	6	25	13	267	205	4	3
64	Luce	71	–	–	–	14	3	1	1	4	–	–	5	4	33	22	–	–
65	Mackinac	112	–	–	–	28	6	7	2	5	1	–	7	4	60	43	–	1
66	Macomb	4,115	1	1	20	916	250	215	93	106	46	22	184	93	2,107	1,630	22	17
67	Center Line	91	–	–	–	23	4	3	2	4	3	1	6	1	48	39	–	–
68	East Detroit	379	1	–	3	78	19	19	3	13	7	1	16	9	215	155	–	–
69	Fraser	74	–	–	–	12	–	2	1	3	2	–	4	2	36	30	–	–
70	Mount Clemens	351	–	1	1	90	24	29	13	9	2	3	10	8	171	128	4	1
71	Roseville	353	–	–	3	75	22	14	7	9	6	1	16	9	181	132	1	1
72	St. Clair Shores	595	–	–	2	147	41	36	14	18	8	4	26	11	320	251	5	6
73	Sterling Heights	306	–	–	2	64	16	20	6	3	3	2	14	5	150	120	4	2
74	Warren	1,043	–	–	3	233	75	52	28	27	9	4	38	25	530	417	4	4
75	Balance of county	923	–	–	6	194	49	40	19	20	6	6	54	23	456	358	4	3
76	Manistee	267	1	–	–	44	18	7	3	4	1	2	9	7	153	82	3	–
77	Marquette	512	–	–	2	96	38	21	6	9	4	8	10	14	261	204	3	4
78	Marquette	162	–	–	2	22	11	5	2	1	–	1	2	3	92	68	1	2
79	Balance of county	350	–	–	–	74	27	16	4	8	4	7	8	11	169	136	2	2
80	Mason	277	1	–	4	49	13	9	4	9	2	1	11	9	148	124	–	–
81	Mecosta	266	1	–	2	41	10	12	3	2	2	2	10	8	153	122	3	–
82	Big Rapids	99	–	–	–	17	4	4	2	–	1	1	5	3	54	45	1	–
83	Balance of county	167	1	–	2	24	6	8	1	2	1	1	5	5	99	77	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807 E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
102	3	2	29	4	4	4	6	1	2	2	–	–	4	1	20	4	10	2	–	–	01
61	2	–	15	2	4	4	3	1	2	1	–	–	3	–	12	1	2	2	–	–	02
41	1	2	14	2	–	–	3	–	–	1	–	–	1	1	8	3	8	–	–	–	03
142	6	–	19	1	2	3	2	–	–	–	–	–	1	2	7	1	5	–	1	–	04
125	8	1	29	12	5	11	5	–	3	2	–	4	4	4	16	11	10	8	–	–	05
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	06
123	8	1	29	12	5	11	5	–	3	2	–	4	4	4	16	11	10	8	–	–	07
26	1	–	12	–	1	–	2	–	3	–	–	–	1	3	9	–	3	4	–	–	08
142	16	2	39	10	7	12	4	–	5	1	–	4	4	3	29	12	12	9	–	–	09
70	7	1	20	5	7	6	3	–	3	1	–	–	2	–	16	5	8	4	–	–	10
72	9	1	19	5	–	6	1	–	2	–	–	4	2	3	13	7	4	5	–	–	11
93	11	3	36	12	7	15	4	–	5	2	–	3	3	2	24	4	6	2	1	–	12
176	15	2	53	15	12	13	9	4	5	2	–	7	8	3	46	14	21	6	2	1	13
1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	14
175	15	2	53	15	12	13	9	4	5	2	–	7	7	3	46	14	21	6	2	1	15
76	4	3	28	3	4	7	4	–	3	1	–	1	2	2	14	11	14	3	–	1	16
1,026	78	8	331	55	42	93	47	13	82	8	–	25	66	17	264	110	92	62	40	9	17
518	37	4	144	26	23	49	21	8	48	4	–	8	37	12	132	36	45	33	31	7	18
508	41	4	187	29	19	44	26	5	34	4	–	17	29	5	132	74	47	29	9	2	19
72	2	–	22	5	3	4	4	–	3	–	1	3	–	–	9	3	2	2	–	–	20
103	7	3	16	5	5	12	2	–	3	–	–	–	2	2	21	4	9	3	–	1	21
127	8	1	56	14	10	17	5	3	6	1	–	1	4	4	39	15	12	12	–	1	22
61	2	1	29	8	5	6	2	–	4	–	–	1	3	1	17	5	5	5	–	1	23
66	6	–	27	6	5	11	3	3	2	1	–	–	1	3	22	10	7	7	–	–	24
124	13	1	53	4	4	17	2	–	1	2	1	3	5	2	25	10	5	5	–	1	25
123	16	1	40	5	6	12	12	–	2	2	–	2	6	1	30	11	7	9	3	–	26
180	7	2	43	3	5	17	8	–	8	2	–	2	3	3	33	7	12	7	2	1	27
136	9	4	59	11	8	10	5	3	12	–	–	1	3	1	22	14	6	4	2	–	28
545	41	2	142	32	23	65	25	4	24	7	–	22	38	13	143	54	42	25	13	2	29
57	–	–	11	2	1	4	2	–	1	–	–	2	2	3	12	2	3	3	–	–	30
323	25	1	91	19	18	43	13	3	19	6	–	13	24	6	82	31	27	13	7	2	31
326	25	1	91	19	18	43	13	3	19	6	–	13	25	6	82	31	27	13	7	2	32
165	16	1	40	11	4	18	10	1	4	1	–	7	12	4	49	21	12	9	6	–	33
125	17	–	53	9	5	16	3	3	5	2	1	5	3	2	32	13	12	5	–	2	34
100	6	1	24	6	5	9	7	–	4	–	–	2	3	2	18	7	8	–	1	2	35
72	4	–	37	7	4	7	4	–	3	1	–	–	–	–	15	4	3	5	–	–	36
109	10	2	42	5	2	7	9	–	5	1	–	7	7	1	16	11	7	5	–	–	37
38	3	1	16	3	–	3	2	–	4	–	–	1	1	1	9	–	2	2	–	–	38
71	7	1	26	2	2	4	7	–	1	1	–	6	6	–	7	11	5	3	–	–	39
452	20	3	130	35	25	26	17	7	14	1	–	10	21	10	106	44	17	22	6	1	40
193	10	2	61	10	9	8	6	4	8	1	–	4	6	4	43	11	4	6	2	1	41
259	10	1	69	25	16	18	11	3	6	–	–	6	15	6	63	33	13	16	4	–	42
486	39	4	125	35	32	45	14	1	21	6	–	13	19	11	114	31	33	23	5	3	43
248	21	1	63	19	12	23	7	–	10	2	–	7	10	4	56	12	17	14	2	2	44
43	3	–	12	3	2	2	1	–	3	1	–	3	2	1	12	5	1	1	–	1	45
195	15	3	50	13	18	20	6	1	8	3	–	3	7	6	46	14	15	8	3	–	46
39	3	1	9	1	2	2	2	–	–	–	–	2	3	1	7	3	–	2	2	–	47
1,238	92	15	348	93	63	98	42	12	52	11	1	34	40	26	261	80	100	41	11	4	48
26	–	1	5	2	3	4	2	–	2	–	–	1	1	–	8	1	1	–	–	–	49
722	59	6	216	51	30	56	26	6	32	8	1	15	20	17	156	32	56	22	11	4	50
30	2	–	6	3	3	1	–	1	1	–	–	1	1	–	3	1	3	2	–	–	51
38	1	3	8	7	–	4	–	–	–	–	–	1	2	3	14	5	5	–	–	–	52
30	1	–	6	4	4	–	–	1	–	–	–	–	1	–	10	3	2	–	–	–	53
119	9	1	40	5	9	7	7	1	5	–	–	4	3	3	25	8	10	6	–	–	54
273	20	4	67	21	14	26	7	3	12	3	–	12	12	3	45	30	23	11	–	–	55
18	–	–	6	–	–	3	2	–	1	–	–	–	–	–	2	1	1	–	–	–	56
41	4	–	13	–	–	13	–	1	2	–	–	1	–	1	8	2	2	2	1	–	57
176	11	1	44	5	7	14	8	3	6	4	–	5	10	3	41	19	12	5	1	2	58
39	1	–	8	3	2	5	3	1	3	–	–	2	2	–	5	5	5	–	–	–	59
211	36	4	79	22	13	27	9	2	5	4	–	6	9	7	65	20	23	15	2	–	60
54	13	2	24	8	7	7	1	1	2	2	–	2	2	2	29	3	6	5	1	–	61
157	23	2	55	14	6	20	8	1	3	2	–	4	7	5	36	17	17	10	1	–	62
179	19	4	42	10	6	20	11	–	7	3	–	4	9	2	36	20	13	7	2	–	63
20	2	–	5	6	–	4	1	–	1	1	–	–	2	2	2	4	3	–	–	–	64
39	3	–	12	3	2	1	1	2	2	–	–	–	1	–	7	2	1	3	–	–	65
1,460	131	14	367	51	45	103	52	17	89	14	–	29	55	16	270	126	89	87	25	5	66
36	3	–	7	1	1	2	3	–	2	1	–	1	2	–	7	–	–	1	–	–	67
139	16	3	48	4	5	5	2	1	9	–	–	2	4	1	27	6	7	5	4	–	68
28	2	–	5	1	–	7	2	–	3	–	–	4	1	1	3	1	2	–	–	–	69
115	8	1	35	5	2	9	5	2	8	1	–	1	9	1	23	7	7	5	2	–	70
122	8	2	35	6	6	9	4	2	12	2	–	2	6	1	21	10	8	5	2	1	71
224	16	1	55	7	6	18	6	4	4	2	–	–	3	1	43	9	11	9	3	2	72
102	12	1	22	6	1	10	5	–	10	1	–	1	4	1	20	16	5	12	–	–	73
377	32	3	91	7	12	23	10	4	26	4	–	7	5	2	70	39	25	24	11	2	74
317	34	3	69	14	12	20	15	4	15	3	–	11	21	8	56	38	24	26	3	–	75
76	3	3	50	16	2	7	6	–	3	1	–	1	3	–	23	5	9	3	1	–	76
189	8	1	47	1	8	16	6	4	14	–	1	5	9	4	25	22	24	9	–	–	77
64	1	–	21	–	3	8	2	–	–	–	–	2	3	1	10	8	2	2	–	–	78
125	7	1	26	1	5	8	4	4	9	–	1	3	6	3	15	14	22	7	–	–	79
113	11	–	17	3	4	6	1	1	8	–	–	–	1	–	26	11	4	6	2	–	80
95	24	1	23	1	6	12	5	1	2	–	–	–	1	1	22	4	7	6	–	–	81
29	15	–	8	–	1	5	1	–	1	–	–	–	–	1	8	3	5	1	–	–	82
66	9	1	15	1	5	7	4	1	1	–	–	–	1	–	14	1	2	5	–	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Menominee	302	1	–	–	54	23	7	6	8	2	3	5	8	178	114	1	1
02	Menominee	157	–	–	–	29	14	3	3	3	1	2	3	4	101	68	1	1
03	Balance of county	145	1	–	–	25	9	4	3	5	1	1	2	4	77	46	–	–
04	Midland	393	–	–	3	82	18	21	8	12	4	3	16	9	185	134	5	2
05	Midland, part	209	–	–	3	41	9	8	5	9	2	3	5	4	106	73	4	1
06	Midland, total	209	–	–	3	41	9	8	5	9	2	3	5	4	106	73	4	1
07	Balance of county	184	–	–	–	41	9	13	3	3	2	–	11	5	79	61	1	1
08	Missaukee	74	–	–	–	12	3	–	1	–	1	1	6	3	40	28	–	–
09	Monroe	879	1	–	6	149	36	43	15	11	3	9	32	19	455	330	4	1
10	Monroe	232	1	–	3	38	9	12	3	3	1	2	8	7	120	89	–	–
11	Balance of county	647	–	–	3	111	27	31	12	8	2	7	24	12	335	241	4	1
12	Montcalm	444	1	–	4	67	19	18	7	7	1	1	14	10	241	173	6	1
13	Montmorency	85	–	–	2	18	7	5	–	2	–	1	3	1	42	26	–	3
14	Muskegon	1,402	–	–	3	286	62	69	24	44	11	19	57	37	773	533	7	10
15	Muskegon	591	–	–	–	130	30	31	13	25	4	6	21	20	316	222	3	7
16	Muskegon Heights	147	–	–	1	38	4	10	2	8	2	4	8	1	75	49	–	1
17	Norton Shores	121	–	–	–	25	10	7	–	4	–	1	3	3	69	43	4	–
18	Balance of county	543	–	–	2	93	18	21	9	7	5	8	25	13	313	219	–	2
19	Newaygo	329	–	–	–	68	23	18	7	6	2	3	9	12	177	128	1	3
20	Oakland	6,712	3	1	45	1,493	387	356	140	170	62	76	302	129	3,403	2,569	55	26
21	Berkley	156	–	–	2	40	9	8	6	5	1	2	9	4	86	66	1	–
22	Beverly Hills	62	–	–	1	14	1	4	–	2	–	1	6	–	39	29	2	–
23	Birmingham	258	–	–	1	61	12	10	9	8	6	2	14	6	135	95	–	2
24	Clawson	112	–	–	–	22	12	3	2	–	1	–	4	2	58	47	2	1
25	Farmington	137	1	–	2	28	6	5	–	6	1	–	10	6	69	54	1	–
26	Ferndale	299	–	1	2	74	27	22	3	6	3	1	12	7	146	116	5	–
27	Hazel Park	203	–	–	–	47	12	15	3	7	–	5	5	3	109	83	–	3
28	Madison Heights	224	–	–	1	58	10	14	11	5	3	2	13	4	98	76	2	–
29	Oak Park	321	–	–	1	84	14	21	10	10	6	9	14	13	174	142	3	1
30	Pontiac	679	–	–	7	129	32	36	3	13	4	12	29	9	337	249	4	5
31	Royal Oak	594	–	–	4	140	39	30	15	21	3	7	25	18	315	230	5	1
32	Southfield	656	–	–	5	153	43	31	15	18	11	7	28	11	342	269	6	2
33	Troy	249	–	–	1	56	17	18	1	4	1	3	12	4	130	91	3	–
34	Balance of county	2,762	2	–	18	587	153	139	62	65	22	25	121	42	1,365	1,022	21	11
35	Oceana	215	–	–	–	37	8	9	4	–	2	–	14	4	120	89	1	1
36	Ogemaw	205	–	–	–	36	6	13	3	5	1	1	7	4	118	77	–	4
37	Ontonagon	117	–	–	1	28	12	8	–	1	–	–	7	4	62	48	–	2
38	Osceola	208	1	–	–	42	9	10	4	1	6	4	8	3	114	86	2	1
39	Oscoda	91	–	–	–	15	5	3	–	2	–	1	4	2	56	44	3	–
40	Otsego	95	–	–	–	18	5	–	1	4	1	1	6	6	46	39	–	–
41	Ottawa	914	1	–	4	198	50	43	26	21	5	17	36	14	470	327	10	2
42	Grand Haven	121	–	–	1	19	5	4	6	1	–	–	3	4	66	38	–	1
43	Holland, part	209	1	–	–	50	12	7	6	6	1	7	11	1	116	86	3	–
44	Holland, total	224	1	–	–	55	14	8	6	6	1	7	13	1	125	94	3	–
45	Balance of county	584	–	–	3	129	33	32	14	14	4	10	22	9	288	203	7	1
46	Presque Isle	169	–	–	–	33	17	2	2	5	–	2	5	1	91	68	–	2
47	Roscommon	192	–	–	–	54	16	6	4	1	4	1	22	7	95	67	2	1
48	Saginaw	1,834	3	–	9	311	62	80	33	39	15	11	71	43	1,003	711	11	11
49	Saginaw	882	1	–	5	135	31	39	15	14	6	3	27	24	493	352	6	5
50	Balance of county	952	2	–	4	176	31	41	18	25	9	8	44	19	510	359	5	6
51	St. Clair	1,254	1	1	4	229	53	48	21	27	19	11	50	36	685	496	6	8
52	Port Huron	427	1	1	1	81	18	20	8	8	7	–	20	10	230	150	2	5
53	Balance of county	827	–	–	3	148	35	28	13	19	12	11	30	26	455	346	4	3
54	St. Joseph	485	–	–	6	94	29	18	7	10	6	5	19	11	283	194	2	2
55	Sanilac	417	1	–	–	83	29	17	7	7	5	3	15	6	230	144	1	2
56	Schoolcraft	131	–	–	1	26	9	7	2	1	2	1	4	3	65	44	–	–
57	Shiawassee	515	1	–	4	87	24	15	7	9	3	3	26	10	283	187	3	5
58	Owosso	180	–	–	–	33	7	9	2	2	1	–	12	5	99	69	–	4
59	Balance of county	335	1	–	4	54	17	6	5	7	2	3	14	5	184	118	3	1
60	Tuscola	500	–	–	1	83	27	12	6	12	3	4	19	9	269	213	–	1
61	Van Buren	550	1	–	3	101	26	30	4	17	3	2	19	13	275	205	6	7
62	Washtenaw	1,284	2	–	16	273	75	63	25	40	16	11	43	31	626	446	12	8
63	Ann Arbor	485	1	–	2	100	23	18	14	19	5	5	16	11	236	153	5	4
64	Ypsilanti	208	1	–	2	40	10	13	3	4	–	2	8	7	94	70	1	1
65	Balance of county	591	–	–	12	133	42	32	8	17	11	4	19	13	296	223	6	3
66	Wayne	24,121	60	5	196	4,692	1,256	1,220	372	579	219	153	893	517	11,972	9,403	155	123
67	Allen Park	294	–	–	2	71	18	14	11	8	6	1	13	7	159	133	–	–
68	Dearborn	990	1	–	10	220	63	39	27	27	12	6	46	20	540	428	9	2
69	Dearborn Heights	491	–	–	2	114	36	34	5	9	2	3	25	5	252	202	6	2
70	Detroit	15,561	53	5	145	2,886	791	755	210	361	134	89	546	361	7,506	5,829	92	96
71	Ecorse	156	1	–	1	37	5	12	3	7	–	1	9	2	72	60	–	–
72	Garden City	205	1	–	–	49	13	17	6	4	1	1	7	4	99	77	2	–
73	Grosse Pointe Farms	131	–	–	–	30	9	4	1	4	1	2	9	1	85	59	1	1
74	Grosse Pointe Park	167	–	–	1	34	6	8	3	6	1	4	6	9	94	70	1	–
75	Grosse Pointe Woods	174	–	–	–	34	10	6	4	3	1	1	9	2	100	75	–	–
76	Hamtramck	385	1	–	2	74	27	18	3	7	4	3	12	11	217	175	2	2
77	Harper Woods	205	–	–	–	41	5	12	3	7	4	1	9	2	114	89	2	2
78	Highland Park	351	–	–	2	61	20	13	4	7	3	3	11	10	176	126	2	1
79	Inkster	263	–	–	–	62	23	18	2	7	1	1	10	6	103	83	1	1
80	Lincoln Park	436	–	–	1	99	19	34	7	14	2	4	19	9	227	185	1	3
81	Livonia	618	–	–	1	120	22	30	14	18	7	7	22	13	339	273	8	–
82	Melvindale	111	–	–	–	22	5	9	1	4	–	–	3	3	52	43	–	1
83	Plymouth	138	–	–	–	28	3	11	4	1	–	1	8	4	74	61	3	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
101	11	1	41	16	6	5	1	1	4	2	–	–	1	–	16	7	16	3	5	–	01
63	3	–	25	8	–	2	1	–	2	–	–	–	1	–	7	4	6	–	–	–	02
38	8	1	16	8	6	3	–	–	2	2	–	–	–	–	9	3	10	3	5	–	03
123	4	2	36	9	4	15	7	4	5	–	–	1	9	5	28	15	14	9	–	2	04
64	4	2	24	5	2	9	4	3	4	–	–	–	4	1	15	4	5	4	–	2	05
64	4	2	24	5	2	9	4	3	4	–	–	–	4	1	15	4	5	4	–	2	06
59	–	–	12	4	2	6	3	1	1	–	–	–	5	4	13	11	9	5	–	–	07
27	1	–	8	4	–	1	1	–	–	–	–	–	2	1	8	5	1	–	–	–	08
380	25	4	91	17	13	19	16	4	14	4	1	5	6	12	79	40	24	16	6	3	09
83	6	–	22	4	5	7	1	–	1	2	–	–	2	4	23	6	7	6	2	2	10
217	19	4	69	13	8	12	15	4	13	2	1	5	4	8	56	34	17	10	4	1	11
148	18	5	45	7	11	8	10	–	6	2	–	2	4	5	42	12	25	5	–	–	12
22	1	1	12	2	1	1	1	–	1	1	–	1	–	1	8	2	3	2	1	–	13
494	22	3	178	31	28	28	22	4	17	10	1	11	16	5	82	32	37	23	12	3	14
199	13	–	77	10	7	16	9	3	6	6	–	5	3	3	36	9	17	9	1	2	15
47	1	1	19	5	1	3	2	–	1	2	–	2	3	–	9	–	2	3	5	–	16
38	1	1	19	1	5	4	–	–	1	1	–	–	–	1	8	3	5	1	–	–	17
210	7	1	63	15	15	5	11	1	9	1	1	4	10	1	29	20	13	10	6	1	18
117	7	1	39	6	3	11	3	2	6	2	–	4	3	1	15	7	11	5	–	2	19
2,363	125	14	634	84	102	180	87	23	108	24	–	63	88	31	458	180	178	152	60	6	20
63	2	–	15	1	4	3	1	–	1	–	–	3	–	2	9	1	–	3	1	–	21
27	–	1	8	–	1	1	1	–	–	–	–	–	–	–	5	1	–	–	–	–	22
92	1	1	32	3	4	11	2	–	4	2	–	1	4	–	18	2	6	3	2	–	23
43	1	–	10	–	1	3	1	–	1	–	–	3	3	–	7	2	7	1	2	–	24
50	3	1	10	2	2	5	5	–	3	2	–	–	1	–	6	1	5	2	1	–	25
107	4	1	25	2	2	4	4	2	7	1	–	3	2	1	25	3	6	5	6	–	26
70	10	–	21	1	4	4	1	1	5	1	–	–	2	1	17	5	3	3	–	1	27
71	3	–	19	1	2	5	4	1	4	–	–	2	3	–	20	9	7	4	4	–	28
130	8	1	24	2	5	5	5	1	–	–	–	4	2	–	20	–	5	5	1	1	29
226	14	3	61	12	12	15	14	1	23	4	–	13	13	8	44	11	22	14	15	–	30
212	12	1	66	10	8	18	7	–	12	–	–	5	1	–	34	16	10	10	4	–	31
251	10	–	58	6	9	27	6	1	4	4	–	6	11	1	36	11	12	21	4	1	32
86	2	–	33	3	3	7	1	–	3	–	–	1	5	–	21	8	3	4	4	1	33
935	55	5	252	41	45	72	35	16	41	10	–	22	41	18	196	110	92	77	16	2	34
83	4	2	23	5	1	3	3	1	1	2	–	–	3	12	10	7	7	4	–	1	35
69	4	–	25	12	4	4	5	2	3	1	–	5	1	–	14	2	8	2	–	–	36
42	4	1	11	2	–	3	3	1	1	–	–	–	1	–	5	6	1	1	–	–	37
77	6	–	22	4	2	9	5	2	2	–	–	2	3	–	8	2	9	6	–	–	38
38	3	–	10	–	2	3	1	–	3	–	–	1	–	–	6	1	2	–	1	–	39
37	2	–	5	2	–	2	3	1	–	–	–	–	1	1	8	5	3	1	–	–	40
278	37	3	110	17	13	24	8	1	7	5	–	12	12	25	78	22	19	9	5	–	41
30	7	1	19	4	4	3	1	–	–	1	–	1	–	–	17	3	4	–	1	–	42
78	5	–	26	3	1	5	2	1	1	–	–	3	3	7	12	3	3	–	1	–	43
86	5	–	27	3	1	5	2	1	1	–	–	3	3	7	13	3	3	–	1	–	44
170	25	2	65	10	8	16	5	–	6	4	–	8	9	18	49	16	12	9	3	–	45
63	3	–	18	2	3	8	1	2	4	4	–	–	1	–	11	2	6	4	1	–	46
57	7	–	17	6	5	3	–	–	2	–	–	–	–	–	16	8	4	1	2	–	47
642	47	8	206	40	38	54	27	5	38	5	–	25	34	5	120	45	50	17	38	2	48
320	21	5	98	17	21	25	13	2	26	3	–	10	24	2	55	11	18	7	28	–	49
322	26	3	108	23	17	29	14	3	12	2	–	15	10	3	65	34	32	10	10	2	50
462	20	6	134	31	18	31	23	5	32	2	1	10	17	6	79	42	33	11	5	1	51
137	6	3	54	14	9	13	4	1	16	–	–	4	9	1	25	13	11	3	2	1	52
325	14	3	80	17	9	18	19	4	16	2	1	6	8	5	54	29	22	8	3	–	53
178	12	3	66	9	11	16	2	–	6	2	–	1	4	2	26	13	15	2	1	1	54
129	12	2	68	11	5	5	7	1	5	1	–	3	4	8	39	5	14	4	–	1	55
40	4	–	18	1	2	7	3	1	2	1	–	–	1	1	12	2	4	3	–	–	56
158	21	2	75	17	2	17	17	1	4	1	–	10	4	2	31	21	12	6	4	–	57
57	8	–	25	4	1	8	5	1	2	–	–	4	1	1	12	6	2	1	–	–	58
101	13	2	50	13	1	9	12	–	2	1	–	6	3	1	19	15	10	5	4	–	59
197	15	1	40	5	10	19	7	3	8	1	–	4	6	–	38	26	17	9	–	–	60
172	20	3	48	13	6	24	10	3	10	5	–	2	8	10	37	23	19	4	2	–	61
395	31	3	125	25	27	42	16	1	18	6	–	11	23	12	81	42	36	34	13	1	62
135	9	1	49	17	16	26	4	1	6	1	–	3	10	6	32	15	13	14	5	–	63
59	9	1	19	1	3	6	3	1	6	2	–	2	6	2	17	1	8	7	3	–	64
201	13	1	57	7	8	10	9	–	6	3	–	6	7	4	32	26	15	13	5	1	65
8,684	441	69	2,039	174	287	638	271	85	670	112	5	139	357	157	1,983	479	511	359	775	138	66
125	8	–	22	3	1	5	2	1	5	2	–	2	2	–	20	4	8	3	1	–	67
397	20	1	86	7	18	22	9	6	11	5	–	4	3	–	79	22	18	13	4	3	68
184	10	1	35	4	10	13	9	2	15	2	–	6	3	–	37	11	7	9	2	2	69
5,360	281	51	1,372	103	151	433	170	52	504	81	5	86	251	120	1,361	243	328	194	680	97	70
56	4	–	11	–	1	–	5	–	5	–	–	1	3	–	17	4	2	2	3	1	71
69	6	1	13	3	5	4	4	–	6	–	–	–	1	1	13	16	1	1	5	–	72
56	1	–	21	4	1	5	–	1	–	1	–	–	–	–	5	1	1	–	–	–	73
66	3	–	20	3	1	3	1	–	4	2	–	1	1	1	6	5	2	2	–	1	74
73	2	–	16	4	5	4	4	3	3	–	–	–	–	–	14	1	4	3	1	1	75
166	5	2	35	3	2	15	1	–	9	–	–	2	1	2	18	1	14	8	8	1	76
82	3	–	19	1	5	6	2	1	3	1	–	2	1	1	13	8	4	4	1	1	77
117	6	4	37	3	6	6	2	1	6	2	–	6	4	3	26	5	6	3	28	4	78
76	5	–	14	3	3	7	4	3	5	1	–	–	10	3	25	14	7	4	7	2	79
169	12	1	31	4	6	9	10	1	11	3	–	1	8	2	26	10	5	9	3	2	80
255	10	–	49	7	10	17	9	2	8	2	–	1	3	1	50	21	12	16	2	1	81
40	2	–	7	–	2	2	–	–	2	–	–	2	3	1	11	4	2	5	1	1	82
52	6	–	12	–	1	4	–	–	3	–	–	3	1	–	8	3	4	3	2	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
	Wayne—Con.																	
01	River Rouge	163	–	–	–	20	3	7	–	6	–	–	4	3	93	74	2	–
02	Riverview	95	–	–	3	21	6	5	1	3	2	1	3	2	47	39	1	–
03	Southgate	181	1	–	–	42	10	13	4	6	1	1	7	4	90	78	–	–
04	Taylor	365	–	–	4	90	23	28	6	9	5	4	15	8	162	133	2	1
05	Trenton	147	–	–	–	26	5	2	4	7	–	1	7	3	82	68	–	1
06	Wayne	179	–	–	5	35	8	14	2	2	1	1	7	1	74	61	3	2
07	Westland	409	–	–	3	78	19	21	7	8	3	5	15	7	215	172	2	1
08	Wyandotte	381	–	–	1	70	22	17	5	10	3	2	11	4	227	185	5	1
09	Balance of county	1,525	2	–	13	328	85	79	35	34	25	10	60	16	773	625	10	6
10	Wexford	221	–	–	–	39	12	12	2	6	1	2	4	5	118	80	1	–
11	**Minnesota**	32,796	27	3	198	6,399	1,941	1,234	547	835	326	284	1,232	507	17,085	12,203	277	142
12	Urban places	16,507	17	1	105	3,301	989	648	288	427	154	141	654	243	8,510	6,144	164	69
13	Balance of area	16,289	10	2	93	3,098	952	586	259	408	172	143	578	264	8,575	6,059	113	73
14	Metropolitan counties	16,221	16	1	112	3,300	979	664	279	428	153	144	653	248	8,109	5,892	161	71
15	Urban places	13,803	15	1	90	2,809	826	553	239	373	132	124	562	210	6,963	5,053	143	54
16	Balance of area	2,418	1	–	22	491	153	111	40	55	21	20	91	38	1,146	839	18	17
17	Nonmetropolitan counties	16,575	11	2	86	3,099	962	570	268	407	173	140	579	259	8,976	6,311	116	71
18	Urban places	2,704	2	–	15	492	163	95	49	54	22	17	92	33	1,547	1,091	21	15
19	Balance of area	13,871	9	2	71	2,607	799	475	219	353	151	123	487	226	7,429	5,220	95	56
20	Aitkin	172	–	–	–	31	9	9	5	2	1	–	5	4	95	60	1	1
21	Anoka	650	1	–	7	130	37	18	13	19	7	7	29	9	284	226	7	2
22	Anoka	106	–	–	–	19	5	3	3	3	–	1	4	1	58	47	2	–
23	Blaine, part	71	–	–	1	15	3	3	1	1	–	2	5	1	22	19	1	–
24	Blaine, total	72	–	–	1	15	3	3	1	1	–	2	5	1	23	20	1	–
25	Columbia Heights	135	1	–	–	30	9	5	3	3	2	–	8	1	67	49	2	–
26	Coon Rapids	84	–	–	3	18	6	3	2	4	1	1	1	2	25	22	1	2
27	Fridley	89	–	–	1	18	6	1	2	4	1	–	4	2	40	35	1	–
28	Balance of county	165	–	–	2	30	8	3	2	4	3	3	7	2	72	54	–	–
29	Becker	278	1	–	–	41	9	12	2	6	3	2	7	2	157	118	1	–
30	Beltrami	218	–	–	–	43	15	6	1	10	5	1	5	7	117	80	1	1
31	Bemidji	102	–	–	–	12	6	–	–	2	2	–	2	1	59	44	–	–
32	Balance of county	116	–	–	–	31	9	6	1	8	3	1	3	6	58	36	1	1
33	Benton	199	–	–	3	44	16	5	5	7	3	3	5	2	103	83	–	–
34	St. Cloud, part	40	–	–	1	13	4	1	4	1	–	1	2	–	18	14	–	–
35	Balance of county	159	–	–	2	31	12	4	1	6	3	2	3	2	85	69	–	–
36	Big Stone	93	–	–	–	21	6	3	3	2	–	2	5	–	46	33	–	–
37	Blue Earth	429	–	–	2	60	21	9	4	6	3	1	16	11	253	187	–	3
38	Mankato	234	–	–	2	31	12	6	1	–	1	1	10	4	143	112	–	3
39	Balance of county	195	–	–	–	29	9	3	3	6	2	–	6	7	110	75	–	–
40	Brown	287	–	–	1	52	15	5	7	11	1	1	12	4	155	104	–	1
41	New Ulm	144	–	–	1	27	8	2	3	9	1	–	4	2	78	56	–	1
42	Balance of county	143	–	–	–	25	7	3	4	2	–	1	8	2	77	48	–	–
43	Carlton	275	–	–	1	55	22	6	5	8	4	1	9	6	140	97	2	1
44	Carver	187	–	–	–	30	11	6	3	3	1	1	5	1	103	81	2	3
45	Cass	245	–	1	3	49	18	9	4	9	2	–	7	2	122	92	1	1
46	Chippewa	139	–	–	1	36	12	6	4	4	1	3	6	–	72	43	1	–
47	Chisago	212	–	–	2	28	10	5	1	3	2	1	6	5	125	86	1	1
48	Clay	317	–	–	4	63	17	11	5	11	4	3	12	4	168	104	5	4
49	Moorhead	180	–	–	2	33	5	7	2	8	3	1	7	2	96	57	3	–
50	Balance of county	137	–	–	2	30	12	4	3	3	1	2	5	2	72	47	2	4
51	Clearwater	108	–	–	1	19	6	7	1	2	2	–	1	2	56	31	1	1
52	Cook	40	–	–	–	7	4	1	–	–	1	1	–	1	22	16	–	1
53	Cottonwood	184	–	–	–	27	5	7	–	3	2	2	8	6	106	75	1	1
54	Crow Wing	461	–	–	1	81	25	20	10	6	–	1	19	6	266	174	3	–
55	Brainerd	161	–	–	–	25	9	6	4	1	–	1	4	–	100	61	1	–
56	Balance of county	300	–	–	1	56	16	14	6	5	–	–	15	6	166	113	2	–
57	Dakota	709	1	–	5	168	43	43	12	21	7	6	36	21	316	222	7	4
58	Burnsville	60	–	–	–	15	2	4	4	2	–	1	2	2	22	17	–	1
59	Hastings, part	91	–	–	–	15	6	2	2	3	–	–	2	1	41	30	–	–
60	Hastings, total	91	–	–	–	15	6	2	2	3	–	–	2	1	41	30	–	–
61	Inver Grove Heights	53	–	–	1	8	3	1	–	2	1	–	1	1	24	14	1	–
62	South St. Paul	153	1	–	–	37	10	6	2	5	3	2	9	10	69	48	1	1
63	West St. Paul	125	–	–	–	35	10	11	3	3	–	1	7	3	67	42	2	–
64	Balance of county	227	–	–	4	58	12	19	1	6	3	2	15	4	93	71	3	2
65	Dodge	115	–	–	–	29	9	8	2	4	2	–	4	3	65	43	–	1
66	Douglas	260	–	–	–	41	10	6	2	4	5	3	11	4	154	109	–	–
67	Faribault	242	1	–	–	36	13	7	3	3	3	3	4	1	153	106	1	3
68	Fillmore	252	–	–	1	51	24	8	5	6	–	–	8	3	127	88	3	–
69	Freeborn	308	–	–	1	58	16	16	6	6	2	4	8	3	174	137	2	3
70	Albert Lea	182	–	–	1	35	11	9	5	3	1	1	5	1	110	86	1	2
71	Balance of county	126	–	–	–	23	5	7	1	3	1	3	3	2	64	51	1	1
72	Goodhue	374	–	–	1	79	18	17	6	16	3	3	16	6	187	126	3	2
73	Red Wing	158	–	–	1	26	5	7	1	5	–	1	7	2	85	57	1	–
74	Balance of county	216	–	–	–	53	13	10	5	11	3	2	9	4	102	69	2	2
75	Grant	89	–	–	–	21	7	7	–	2	1	2	2	2	48	37	1	–
76	Hennepin	7,461	10	1	48	1,531	474	299	131	191	68	69	299	96	3,676	2,614	69	31
77	Bloomington	348	–	–	–	89	31	14	7	6	3	6	22	4	155	114	5	1
78	Brooklyn Center	134	1	–	2	32	9	3	5	3	1	1	10	1	69	52	2	–
79	Brooklyn Park	96	–	–	–	29	4	9	3	4	1	2	6	1	38	27	–	1
80	Crystal	131	–	–	3	26	8	7	4	2	1	1	3	1	61	47	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
69	3	–	14	–	5	5	2	–	5	1	–	–	5	2	14	2	2	5	4	–	01
37	1	–	5	2	1	3	1	–	–	–	–	–	1	–	7	5	2	2	1	–	02
74	4	–	8	–	4	6	6	–	3	1	–	1	1	3	9	6	2	4	–	2	03
121	9	1	22	2	4	6	2	2	7	2	–	3	7	4	22	16	12	13	2	3	04
63	4	–	12	–	2	4	2	–	2	–	–	–	2	–	8	11	4	3	–	–	05
55	1	–	9	1	3	6	1	1	9	–	–	3	6	1	17	5	5	7	2	1	06
162	7	1	32	2	8	8	3	3	7	2	–	1	10	2	36	11	8	10	3	2	07
172	7	1	34	1	6	4	4	1	8	1	–	3	5	1	30	5	8	4	4	1	08
588	21	5	103	14	26	41	18	5	29	3	–	11	25	9	111	45	43	31	11	11	09
75	4	1	24	7	6	13	5	–	–	–	–	–	1	1	24	6	7	2	–	–	10
10,835	**949**	**87**	**3,681**	**613**	**501**	**1,408**	**365**	**108**	**384**	**107**	**3**	**238**	**394**	**417**	**2,763**	**826**	**978**	**394**	**104**	**88**	11
5,470	441	48	1,763	303	252	663	176	56	237	48	1	114	217	275	1,464	263	474	217	68	57	12
5,365	508	39	1,918	310	249	745	189	52	147	59	2	124	177	142	1,299	563	504	177	36	31	13
5,248	412	48	1,634	287	248	647	178	57	245	48	1	123	212	292	1,435	322	496	236	74	69	14
4,511	345	40	1,410	250	210	558	146	48	206	44	1	98	169	261	1,248	217	405	195	62	57	15
737	67	8	224	37	38	89	32	9	39	4	–	25	43	31	187	105	91	41	12	12	16
5,587	537	39	2,047	326	253	761	187	51	139	59	2	115	182	125	1,328	504	482	158	30	19	17
959	96	8	353	53	42	105	30	8	31	4	–	16	48	14	216	46	69	22	6	–	18
4,628	441	31	1,694	273	211	656	157	43	108	55	2	99	134	111	1,112	458	413	136	24	19	19
56	2	1	26	6	2	12	1	1	2	1	–	–	–	–	8	9	7	1	–	–	20
194	23	1	43	5	9	23	6	1	13	2	–	11	25	8	51	22	28	16	12	1	21
41	4	–	9	1	1	9	–	–	3	–	–	1	2	–	7	1	2	2	1	–	22
16	2	1	2	–	–	3	–	–	–	–	–	1	5	1	5	5	6	2	4	–	23
17	2	1	2	–	–	3	–	–	–	–	–	1	5	1	5	5	6	2	4	–	24
41	6	–	14	2	2	6	–	–	4	1	–	–	4	1	13	2	3	2	–	–	25
19	–	–	3	–	–	2	1	–	–	–	–	2	5	4	8	5	3	5	1	–	26
30	4	–	3	–	2	–	3	–	–	–	–	1	2	2	10	2	5	2	–	1	27
47	7	–	12	2	4	3	2	1	6	1	–	6	7	–	8	7	9	3	6	–	28
115	2	–	33	3	3	23	2	–	3	–	–	4	3	–	27	10	3	2	–	–	29
71	7	–	31	2	4	12	–	–	4	2	–	3	1	2	12	7	3	2	2	1	30
43	1	–	15	–	–	10	–	–	3	1	–	–	1	–	8	2	2	1	2	–	31
28	6	–	16	2	4	2	–	–	1	1	–	3	–	2	4	5	1	1	–	1	32
77	6	–	15	4	1	6	3	–	1	–	–	1	8	1	11	9	2	5	–	–	33
14	–	–	3	1	–	–	–	–	1	–	–	–	2	1	2	1	–	1	–	–	34
63	6	–	12	3	1	6	3	–	–	–	–	1	6	–	9	8	2	4	–	–	35
31	2	1	9	1	2	5	–	–	1	–	–	1	1	–	10	2	5	1	–	–	36
176	8	–	59	2	5	23	4	–	3	–	–	3	11	3	21	10	18	4	3	–	37
105	4	–	29	1	1	11	3	–	1	–	–	2	9	–	12	5	9	2	–	–	38
71	4	–	30	1	4	12	1	–	2	–	–	1	2	3	9	5	9	2	3	–	39
84	19	1	37	7	6	15	5	–	3	1	–	4	8	4	19	8	3	5	–	–	40
47	8	1	15	1	5	5	3	–	2	–	–	1	4	1	14	1	1	4	–	–	41
37	11	–	22	6	1	10	2	–	1	1	–	3	4	3	5	7	2	1	–	–	42
90	4	1	32	4	6	13	5	1	1	2	–	–	–	3	27	7	11	3	–	–	43
74	2	–	15	6	1	12	1	–	3	–	–	–	5	2	15	8	5	2	–	–	44
76	14	–	25	1	4	15	2	–	6	3	–	2	–	1	27	5	4	1	1	1	45
40	2	1	17	9	2	–	3	1	2	1	–	–	1	1	11	7	3	–	–	–	46
73	11	–	33	6	–	11	3	–	1	1	–	2	4	–	14	9	7	–	–	–	47
90	5	3	47	8	6	14	5	1	2	1	–	4	1	–	23	10	15	1	–	1	48
49	5	1	30	3	5	10	3	–	1	1	–	3	–	–	16	4	8	1	–	–	49
41	–	2	17	5	1	4	2	1	1	–	–	1	1	–	7	6	7	–	–	1	50
28	1	–	21	1	3	2	1	–	1	2	–	3	1	1	15	1	1	2	–	–	51
15	1	–	5	–	1	2	–	–	–	1	–	–	1	2	2	1	1	–	–	–	52
65	8	–	19	9	3	12	1	–	2	1	–	–	2	–	13	6	7	–	1	–	53
160	11	2	74	3	13	24	4	1	6	1	–	3	1	3	37	14	10	3	–	–	54
55	5	–	35	1	3	6	2	–	3	–	–	–	1	2	14	2	6	–	–	–	55
105	6	2	39	2	10	18	2	1	3	1	–	3	–	1	23	12	4	3	–	–	56
183	28	3	68	12	11	13	12	3	10	2	–	10	9	5	59	30	22	15	3	5	57
15	1	–	3	2	–	2	–	2	1	–	–	2	–	–	2	5	4	3	–	–	58
23	7	–	6	2	3	4	2	–	3	–	–	–	2	–	12	5	3	2	–	1	59
23	7	–	6	2	3	4	2	–	3	–	–	–	2	–	12	5	3	2	–	1	60
13	–	–	9	1	–	3	–	–	1	–	–	1	–	–	7	1	3	1	1	1	61
41	5	–	16	3	2	2	2	–	2	1	–	1	2	–	12	4	5	3	2	–	62
35	5	1	18	2	4	–	1	–	2	–	–	1	–	1	10	1	2	1	–	1	63
56	10	2	16	2	2	2	7	1	1	1	–	5	5	4	16	14	5	5	–	2	64
40	2	–	19	2	1	2	1	–	–	–	–	–	–	–	7	2	5	1	–	–	65
98	11	–	38	3	4	12	1	1	2	–	1	–	1	3	25	6	7	2	–	–	66
95	7	1	41	2	3	6	1	–	4	2	–	1	–	–	18	9	8	1	–	–	67
78	7	–	34	1	4	15	2	2	1	–	–	3	1	1	23	12	7	3	1	–	68
104	28	1	26	5	5	7	4	1	4	–	–	2	6	8	23	9	5	2	1	–	69
65	18	1	16	3	4	3	1	1	3	–	–	–	3	4	13	3	2	1	1	–	70
39	10	–	10	2	1	4	3	–	1	–	–	2	3	4	10	6	3	1	–	–	71
105	16	–	44	11	6	16	8	2	3	–	–	2	5	1	35	14	11	–	3	1	72
51	5	–	17	8	3	11	4	1	2	–	–	–	2	–	14	7	2	–	1	–	73
54	11	–	27	3	3	5	4	1	1	–	–	2	3	1	21	7	9	–	2	1	74
35	1	–	8	1	2	–	1	–	–	1	–	–	–	–	11	3	–	1	–	1	75
2,363	151	21	802	123	116	292	74	23	121	26	1	57	76	200	689	119	230	126	36	29	76
102	6	–	32	5	4	6	5	–	7	–	–	5	4	6	34	11	12	7	2	1	77
49	1	–	13	–	4	3	1	–	2	–	–	2	2	1	5	6	4	3	–	–	78
26	–	–	9	1	1	1	1	–	2	–	–	3	4	3	6	3	1	1	2	1	79
43	2	1	11	1	1	2	1	–	2	1	–	2	4	1	16	4	3	2	1	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Minnesota—Con.																	
	Hennepin—Con.																	
01	Edina	317	1	–	1	87	31	15	8	8	4	2	19	7	149	105	1	–
02	Golden Valley	134	–	–	1	27	8	2	2	5	3	3	4	3	67	49	–	2
03	Hopkins	141	–	–	1	33	5	8	6	3	2	–	9	3	73	56	1	1
04	Minneapolis	4,609	6	1	30	871	267	168	70	121	39	33	173	54	2,308	1,627	46	13
05	Minnetonka	155	1	–	1	38	11	4	7	1	1	6	8	1	77	62	1	1
06	New Hope	79	–	–	–	15	6	5	–	2	–	1	1	1	39	28	1	–
07	Plymouth	77	–	–	2	24	4	9	1	4	1	2	3	2	29	21	2	–
08	Richfield	244	–	–	2	51	13	10	3	10	1	4	10	2	129	93	3	1
09	Robbinsdale	156	–	–	–	35	13	10	5	–	2	–	5	2	76	45	2	–
10	St. Louis Park	349	1	–	3	75	26	17	4	10	5	3	10	8	177	128	2	4
11	Balance of county	491	–	–	3	99	38	18	6	12	4	5	16	6	229	160	3	6
12	Houston	173	–	–	–	32	7	12	1	2	2	1	7	3	96	72	3	1
13	Hubbard	142	–	–	1	28	8	8	2	3	–	–	7	1	75	56	–	–
14	Isanti	175	–	–	1	30	9	6	3	4	2	2	4	2	89	53	–	–
15	Itasca	402	1	–	–	86	24	21	7	11	3	4	16	7	198	152	3	–
16	Jackson	152	–	–	1	34	12	1	6	10	2	–	3	9	75	40	1	–
17	Kanabec	103	1	–	–	17	8	5	1	1	1	–	1	1	55	32	–	–
18	Kandiyohi	282	–	–	1	49	22	6	3	6	2	3	7	5	157	97	1	1
19	Willmar	137	–	–	–	27	11	2	2	2	2	2	6	2	77	43	–	–
20	Balance of county	145	–	–	1	22	11	4	1	4	–	1	1	3	80	54	1	1
21	Kittson	80	–	–	–	16	6	4	–	1	–	1	4	1	46	36	1	–
22	Kaochiching	155	–	–	–	29	10	3	3	2	3	3	5	2	73	58	2	–
23	Lac qui Parle	135	–	–	–	32	13	4	2	2	2	2	7	–	84	59	–	–
24	Lake	105	–	–	1	19	6	2	3	2	2	1	3	2	53	33	3	–
25	Lake of the Woods	56	–	–	–	8	2	3	–	–	1	–	2	3	30	26	1	2
26	Le Sueur	234	–	–	2	38	6	4	7	9	3	2	7	5	134	90	4	1
27	Lincoln	92	–	–	1	20	7	3	3	3	2	–	2	2	47	31	1	1
28	Lyon	205	2	–	6	40	13	11	2	4	2	5	3	1	97	68	1	–
29	McLeod	286	–	–	3	72	22	8	6	9	7	4	16	2	148	92	2	1
30	Mahnomen	64	1	–	–	13	3	1	2	2	–	1	4	2	36	22	–	1
31	Marshall	135	–	–	1	22	7	3	1	2	1	1	7	1	72	43	2	1
32	Martin	238	–	–	1	55	13	8	7	9	6	5	7	3	127	92	4	2
33	Fairmont	120	–	–	1	33	8	5	4	7	3	3	3	–	62	45	1	2
34	Balance of county	118	–	–	–	22	5	3	3	2	3	2	4	3	65	47	3	–
35	Meeker	186	–	–	2	33	15	4	3	3	1	2	5	1	115	77	2	–
36	Mille Lacs	189	–	–	1	31	14	2	3	5	2	2	3	4	97	65	1	–
37	Morrison	299	–	–	4	56	13	9	4	9	2	3	16	1	162	103	–	1
38	Mower	410	3	–	1	67	19	10	11	10	1	3	13	3	232	173	1	2
39	Austin	274	2	–	1	42	10	7	9	5	1	2	8	3	166	123	1	1
40	Balance of county	136	1	–	–	25	9	3	2	5	–	1	5	–	66	50	–	1
41	Murray	109	–	–	2	11	1	3	–	3	1	1	2	4	55	39	–	–
42	Nicollet	195	–	–	1	42	9	8	1	6	3	2	13	3	103	70	2	–
43	Nobles	209	–	–	1	47	10	11	5	5	5	1	10	4	101	68	–	2
44	Norman	146	–	–	1	21	7	6	2	4	–	–	2	4	85	57	1	1
45	Olmsted	514	–	–	4	96	29	16	15	12	4	3	17	6	248	194	8	4
46	Rochester	410	–	–	3	82	23	13	14	10	3	3	16	6	190	149	7	4
47	Balance of county	104	–	–	1	14	6	3	1	2	1	–	1	–	58	45	1	–
48	Otter Tail	542	1	–	6	104	31	16	10	17	6	2	22	9	285	211	3	3
49	Fergus Falls	156	–	–	2	29	10	3	2	5	3	–	6	4	84	53	1	1
50	Balance of county	386	1	–	4	75	21	13	8	12	3	2	16	5	201	158	2	2
51	Pennington	137	–	–	–	30	8	2	1	4	1	1	13	4	67	39	3	–
52	Pine	200	–	–	2	34	11	7	5	5	1	–	5	3	99	73	4	1
53	Pipestone	175	–	–	1	38	8	5	4	6	2	2	11	3	87	67	–	–
54	Polk	373	–	–	2	55	14	11	4	9	3	2	12	5	220	140	2	3
55	Pope	166	–	–	–	28	12	4	–	4	3	1	4	–	98	69	–	–
56	Ramsey	3,811	2	–	28	778	219	166	61	109	33	36	154	54	2,013	1,503	40	20
57	Blaine, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
58	Maplewood	144	–	–	1	22	2	6	1	5	2	1	5	–	90	64	1	–
59	New Brighton	84	–	–	1	16	5	2	1	1	2	1	4	1	41	32	–	–
60	North St. Paul	59	–	–	2	17	7	4	–	2	1	–	3	2	25	18	–	–
61	Roseville	191	–	–	1	37	14	7	2	6	3	1	4	4	106	82	3	6
62	St. Paul	2,927	2	–	22	593	165	127	46	82	24	28	121	39	1,544	1,150	34	11
63	Shoreview	57	–	–	–	14	2	4	3	3	–	1	1	–	31	25	1	–
64	White Bear Lake, part	152	–	–	–	35	11	4	3	5	–	3	9	7	79	60	–	1
65	White Bear Lake, total	154	–	–	–	35	11	4	3	5	–	3	9	7	81	62	–	1
66	Balance of county	196	–	–	1	44	13	12	5	5	1	1	7	1	96	71	1	2
67	Red Lake	68	–	–	1	9	1	1	1	2	1	1	2	1	38	34	–	–
68	Redwood	210	–	–	–	39	12	7	3	3	2	4	8	3	125	83	–	–
69	Renville	248	–	–	1	52	14	9	4	8	1	4	12	5	142	102	–	1
70	Rice	403	–	–	1	79	25	17	9	9	5	1	13	5	222	155	3	1
71	Faribault	198	–	–	1	38	13	10	3	3	–	1	8	3	98	69	2	–
72	Northfield	116	–	–	–	16	3	3	1	2	3	–	4	1	85	62	1	–
73	Balance of county	89	–	–	–	25	9	4	5	4	2	–	1	1	39	24	–	1
74	Rock	98	–	–	1	23	5	5	–	4	2	1	6	3	49	35	1	–
75	Roseau	107	–	–	1	23	3	6	3	3	3	1	4	2	52	41	–	–
76	St. Louis	2,280	2	–	11	429	133	91	30	52	27	16	80	49	1,181	871	24	4
77	Duluth	1,144	1	–	3	218	69	42	15	30	9	9	44	21	615	454	12	2
78	Hibbing	210	–	–	–	36	6	10	2	3	10	–	5	5	116	80	3	–
79	Virginia	167	–	–	2	36	18	2	2	2	3	2	7	6	75	57	2	1
80	Balance of county	759	1	–	6	139	40	37	11	17	5	5	24	17	375	280	7	1
81	Scott	225	–	–	2	33	8	7	7	2	3	1	5	9	110	81	3	1
82	Sherburne	148	–	–	–	22	3	6	3	4	–	–	6	3	85	57	2	–
83	St. Cloud, part	23	–	–	–	4	–	–	2	1	–	–	1	–	14	10	–	–
84	Balance of county	125	–	–	–	18	3	6	1	3	–	–	5	3	71	47	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
101	3	3	35	1	5	10	6	3	4	1	–	3	1	1	20	2	11	10	1	–	01
45	2	–	15	3	1	8	1	1	1	1	–	1	2	1	7	3	4	3	1	2	02
52	3	–	14	2	1	3	1	1	2	–	–	3	3	2	9	4	2	1	–	1	03
1,463	105	16	511	82	72	198	46	14	80	17	1	27	39	160	451	59	144	64	24	15	04
55	5	–	10	3	2	8	–	–	1	–	–	2	2	–	11	3	5	5	–	–	05
24	3	–	9	1	1	9	–	–	2	–	–	1	–	–	7	–	4	–	1	–	06
18	1	–	7	–	1	2	2	–	2	–	–	–	2	3	7	–	2	–	–	–	07
88	1	–	26	5	4	12	3	–	2	–	–	2	2	4	17	1	7	6	–	2	08
38	5	–	21	4	6	7	2	–	2	–	–	1	2	2	20	3	5	1	–	1	09
119	3	–	41	4	4	10	1	3	3	2	–	2	1	4	30	7	10	9	1	2	10
140	11	–	48	11	10	13	4	1	9	1	–	4	9	12	49	19	14	13	3	3	11
63	5	–	19	1	4	9	–	1	2	–	–	2	2	2	12	6	4	2	–	–	12
42	14	–	13	2	4	10	3	–	1	–	–	1	1	1	11	1	6	2	–	–	13
46	7	1	28	3	4	17	4	1	1	–	–	1	1	1	11	5	7	3	–	1	14
141	8	–	33	6	7	18	5	2	5	–	–	4	5	1	36	11	13	8	1	1	15
34	5	–	32	1	2	3	1	1	1	–	–	1	1	–	15	5	4	2	–	–	16
30	2	1	18	–	4	3	–	–	2	1	–	1	1	1	5	9	4	1	1	–	17
88	7	–	42	9	9	13	4	2	–	3	–	2	4	1	32	3	3	3	–	–	18
39	4	–	27	5	2	7	1	–	–	1	–	1	2	–	15	1	2	1	–	–	19
49	3	–	15	4	7	6	3	2	–	2	–	1	2	1	17	2	1	2	–	–	20
32	3	–	10	–	–	4	1	–	–	1	–	–	1	–	6	1	2	–	–	–	21
53	2	–	12	1	2	7	1	–	–	2	–	–	1	1	16	2	18	–	–	2	22
59	–	–	22	2	1	6	–	–	–	1	–	–	1	–	3	5	–	2	–	–	23
26	4	–	13	1	6	3	1	1	1	–	–	–	1	2	10	5	3	1	2	–	24
23	–	–	3	–	1	1	1	–	–	1	–	–	1	–	2	2	5	2	–	–	25
77	8	–	32	6	6	9	3	–	2	1	–	1	2	3	19	5	6	4	–	–	26
27	2	–	13	2	1	6	2	–	1	2	–	–	1	–	7	–	2	1	–	–	27
61	6	–	26	2	1	13	5	1	–	–	–	3	1	2	14	9	8	2	–	1	28
84	5	1	38	16	1	9	2	2	1	–	–	4	–	4	27	6	3	3	–	–	29
17	4	–	10	1	3	2	–	1	–	–	–	1	–	–	1	2	3	2	–	–	30
37	3	–	24	4	1	8	2	–	1	–	–	3	1	–	9	6	8	1	–	–	31
80	6	1	29	4	1	6	6	1	4	–	–	1	2	2	20	5	4	1	–	–	32
41	1	1	12	4	–	3	2	–	2	–	–	1	2	1	9	1	3	–	–	–	33
39	5	–	17	–	1	3	4	1	2	–	–	–	–	1	11	4	1	1	–	–	34
64	11	1	29	6	2	2	4	1	–	2	–	1	–	2	17	1	4	2	–	–	35
63	1	–	29	–	3	9	1	1	–	2	1	1	1	1	24	4	7	4	–	–	36
97	5	–	50	6	3	11	–	1	4	1	–	1	–	–	30	7	15	5	–	1	37
131	39	–	52	3	4	18	2	2	4	1	–	3	3	–	41	12	13	5	–	–	38
95	26	–	37	2	4	8	–	1	4	–	–	1	2	–	25	5	10	4	–	–	39
36	13	–	15	1	–	10	2	1	–	1	–	2	1	–	16	7	3	1	–	–	40
37	2	–	13	2	1	8	1	2	–	–	–	1	3	1	9	7	4	1	–	–	41
63	5	3	24	4	2	9	1	1	2	1	–	1	4	–	14	6	4	3	–	–	42
61	5	1	23	5	4	12	7	–	1	–	–	2	3	–	16	7	5	2	1	–	43
51	4	–	20	1	7	6	2	–	3	1	–	–	–	1	12	6	1	2	1	–	44
156	26	2	34	9	9	19	9	2	7	3	–	2	8	11	63	13	18	5	–	–	45
115	23	2	24	7	8	16	6	2	7	3	–	2	7	10	52	8	12	4	–	–	46
41	3	–	10	2	1	3	3	–	–	–	–	–	1	1	11	5	6	1	–	–	47
197	8	1	55	9	9	22	3	–	3	3	–	2	4	2	54	15	25	4	–	–	48
50	1	–	24	3	4	4	–	–	2	–	–	1	2	–	15	2	9	2	–	–	49
147	7	1	31	6	5	18	3	–	1	3	–	1	2	2	39	13	16	2	–	–	50
34	2	–	18	7	3	12	3	–	–	–	–	2	1	1	11	3	3	–	–	–	51
60	8	1	20	3	2	15	4	–	2	1	–	–	1	1	18	6	9	–	5	–	52
49	18	–	16	3	1	19	2	1	–	–	–	1	–	–	16	4	3	1	–	–	53
130	5	2	54	18	6	14	3	1	3	2	–	4	–	–	27	15	14	4	1	3	54
67	2	1	20	5	3	2	3	–	2	–	–	–	4	4	14	4	6	1	–	–	55
1,328	115	12	365	86	47	145	27	13	47	11	–	20	55	43	334	54	99	38	20	30	56
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
53	10	–	18	7	1	5	2	1	2	–	–	–	2	2	9	3	2	2	–	1	58
29	3	–	7	–	2	–	–	–	1	–	–	–	–	1	11	2	7	3	–	–	59
17	1	–	6	1	–	1	–	–	–	–	–	–	3	–	4	–	3	1	–	1	60
67	6	–	17	5	2	4	1	1	3	–	–	1	4	1	20	2	3	1	–	3	61
1,022	83	10	276	70	38	120	23	9	40	9	–	16	39	33	266	35	73	27	18	19	62
24	–	–	4	–	2	–	–	1	–	–	–	1	4	–	2	4	–	–	–	–	63
55	4	1	16	–	2	6	1	1	–	1	–	–	1	–	10	4	4	1	1	1	64
56	5	1	16	–	2	6	1	1	–	1	–	–	1	–	10	4	4	1	1	1	65
60	8	1	21	3	–	9	1	–	1	–	–	2	2	6	12	4	7	4	1	5	66
26	8	–	2	1	1	4	1	–	–	–	–	–	–	1	6	3	3	–	–	–	67
73	10	1	37	2	3	9	2	–	–	1	–	–	–	4	13	4	9	1	–	–	68
94	7	1	30	4	5	8	5	1	3	3	–	–	2	1	12	5	5	2	–	1	69
143	8	1	53	10	3	10	3	2	4	2	–	5	9	3	31	12	11	3	1	–	70
61	6	–	25	3	1	8	2	1	4	1	–	4	7	–	20	4	4	3	–	–	71
59	2	1	16	5	1	2	–	1	–	1	–	–	–	3	2	2	2	–	1	–	72
23	–	–	12	2	1	–	1	–	–	–	–	1	2	–	9	6	5	–	–	–	73
32	2	–	11	2	1	4	–	–	–	–	–	–	2	1	8	3	2	1	–	–	74
38	3	1	8	–	2	3	2	1	–	–	–	1	–	2	9	6	4	1	–	–	75
790	53	2	229	41	38	118	41	13	41	3	–	15	22	24	185	49	66	26	3	2	76
414	26	1	118	23	19	53	22	7	17	2	–	8	8	10	96	19	30	13	1	–	77
75	2	1	27	5	4	15	4	–	5	–	–	–	2	5	13	2	4	3	–	–	78
51	3	1	10	4	3	9	5	2	2	–	–	2	3	2	12	3	5	2	–	1	79
250	22	1	74	9	12	41	10	4	17	1	–	5	9	7	64	25	27	8	2	1	80
70	7	1	19	5	4	11	3	–	1	–	–	4	5	2	19	13	6	5	1	1	81
51	4	–	23	3	2	9	3	–	4	–	–	4	1	1	3	4	6	3	–	–	82
10	–	–	1	2	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–	83
41	4	–	22	1	1	7	3	–	4	–	–	4	–	1	2	4	5	3	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Minnesota—Con.																	
01	Sibley	147	–	–	2	32	11	3	2	5	2	2	7	3	69	50	–	–
02	Stearns	662	–	1	1	138	48	29	15	13	7	6	20	10	333	260	6	3
03	St. Cloud, part	200	–	–	1	40	14	15	2	2	1	1	5	4	99	74	1	–
04	St. Cloud, total	263	–	–	2	57	18	16	8	4	1	2	8	4	131	98	1	–
05	Balance of county	462	–	1	–	98	34	14	13	11	6	5	15	6	234	186	5	3
06	Steele	246	–	–	1	39	18	4	6	5	–	2	4	1	145	105	4	1
07	Owatonna	158	–	–	1	23	13	4	3	1	–	1	1	1	100	76	4	1
08	Balance of county	88	–	–	–	16	5	–	3	4	–	1	3	–	45	29	–	–
09	Stevens	115	–	–	–	24	9	1	1	3	2	1	7	4	53	33	–	–
10	Swift	149	–	–	1	16	8	1	2	3	–	2	–	2	83	58	1	3
11	Todd	264	–	–	3	44	12	9	2	7	2	3	9	1	140	111	3	–
12	Traverse	55	–	–	–	12	7	1	–	1	1	1	1	1	26	20	–	1
13	Wabasha	212	–	–	1	45	14	11	2	7	4	–	7	6	111	75	1	–
14	Wadena	137	–	–	–	18	6	3	1	3	1	1	3	2	92	78	1	–
15	Waseca	165	–	–	1	34	8	6	2	5	3	1	9	1	95	71	–	2
16	Washington	479	–	–	5	105	27	20	12	13	3	4	26	9	223	158	1	2
17	Cottage Grove	33	–	–	1	9	2	2	–	–	–	2	3	–	13	11	–	–
18	Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Stillwater	105	–	–	1	19	1	3	1	7	–	–	7	3	57	34	–	–
20	White Bear Lake, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
21	Balance of county	339	–	–	3	77	24	15	11	6	3	2	16	6	151	111	1	2
22	Watonwan	147	–	–	1	32	6	9	1	6	1	5	4	2	83	59	1	–
23	Wilkin	85	–	–	1	7	2	2	–	1	1	–	1	1	48	29	–	1
24	Winona	439	–	–	2	100	34	24	6	10	5	2	19	7	239	153	9	8
25	Winona	301	–	–	2	71	26	15	3	5	4	2	16	5	169	106	7	4
26	Balance of county	138	–	–	–	29	8	9	3	5	1	–	3	2	70	47	2	4
27	Wright	367	–	–	4	70	29	10	4	3	4	6	14	3	204	149	6	–
28	Yellow Medicine	161	–	–	–	32	8	3	3	5	4	3	6	3	88	63	2	1
29	**Mississippi**	**23,168**	**52**	**–**	**231**	**3,724**	**918**	**943**	**260**	**481**	**144**	**165**	**813**	**375**	**11,108**	**7,674**	**73**	**117**
30	Urban places	6,959	18	–	71	1,125	277	293	89	129	43	47	247	118	3,162	2,139	26	34
31	Balance of area	16,209	34	–	160	2,599	641	650	171	352	101	118	566	257	7,946	5,535	47	83
32	Metropolitan counties	3,344	8	–	29	641	145	164	57	77	22	28	148	55	1,534	1,117	19	19
33	Urban places	2,136	5	–	23	424	98	114	36	48	12	19	97	41	959	689	12	12
34	Balance of area	1,208	3	–	6	217	47	50	21	29	10	9	51	14	575	428	7	7
35	Nonmetropolitan counties	19,824	44	–	202	3,083	773	779	203	404	122	137	665	320	9,574	6,557	54	98
36	Urban places	4,823	13	–	48	701	179	179	53	81	31	28	150	77	2,203	1,450	14	22
37	Balance of area	15,001	31	–	154	2,382	594	600	150	323	91	109	515	243	7,371	5,107	40	76
38	Adams	381	–	–	1	70	17	18	6	13	–	5	11	10	164	125	4	2
39	Natchez	248	–	–	–	50	14	12	4	7	–	3	10	6	104	71	2	1
40	Balance of county	133	–	–	1	20	3	6	2	6	–	2	1	4	60	54	2	1
41	Alcorn	301	1	–	–	49	11	9	1	8	1	2	17	4	154	120	–	–
42	Corinth	141	1	–	–	23	4	5	–	2	1	1	10	2	75	59	–	–
43	Balance of county	160	–	–	–	26	7	4	1	6	–	1	7	2	79	61	–	–
44	Amite	138	–	–	2	27	10	5	–	5	1	3	3	2	50	40	–	–
45	Attala	261	–	–	1	41	10	15	3	3	3	3	4	4	149	98	1	3
46	Benton	74	–	–	–	11	3	1	–	3	–	–	4	1	33	24	–	–
47	Bolivar	510	–	–	10	70	15	19	2	11	4	2	17	5	242	158	2	1
48	Cleveland	149	–	–	3	22	4	6	–	5	2	–	5	2	68	46	1	–
49	Balance of county	361	–	–	7	48	11	13	2	6	2	2	12	3	174	112	1	1
50	Calhoun	168	–	–	2	28	2	12	2	4	–	4	4	3	82	53	–	–
51	Carroll	101	–	–	3	16	2	3	2	4	–	1	4	–	51	38	–	1
52	Chickasaw	196	–	–	2	34	10	10	3	2	–	1	8	4	91	60	–	1
53	Choctaw	107	–	–	1	16	3	6	1	2	–	–	4	3	62	47	–	–
54	Claiborne	129	1	–	–	19	4	7	1	1	–	1	5	1	71	56	–	3
55	Clarke	192	–	–	–	39	11	6	1	7	4	1	9	1	95	61	–	–
56	Clay	211	–	–	3	34	7	9	3	4	1	4	6	2	104	80	–	1
57	Coahoma	461	4	–	7	60	13	12	3	8	6	1	17	9	172	110	1	4
58	Clarksdale	307	1	–	3	35	7	7	2	4	3	1	11	8	120	81	1	3
59	Balance of county	154	3	–	4	25	6	5	1	4	3	–	6	1	52	29	–	1
60	Copiah	323	1	–	3	63	14	20	2	8	2	2	15	2	152	106	–	–
61	Covington	175	2	–	3	22	4	8	3	4	–	–	3	2	92	53	–	–
62	De Soto	269	1	–	1	56	16	14	3	6	–	4	13	2	96	66	–	–
63	Forrest	644	4	–	7	89	19	21	9	11	3	4	22	10	296	204	1	1
64	Hattiesburg, part	406	2	–	4	55	15	13	6	8	–	3	10	4	193	126	1	–
65	Hattiesburg, total	406	2	–	4	55	15	13	6	8	–	3	10	4	193	126	1	–
66	Balance of county	238	2	–	3	34	4	8	3	3	3	1	12	6	103	78	–	1
67	Franklin	105	2	–	2	12	4	4	–	1	–	1	2	4	56	42	–	–
68	George	125	–	–	2	21	3	4	2	4	–	1	7	5	61	49	–	–
69	Greene	96	–	–	–	15	7	1	–	2	–	–	5	4	47	39	–	–
70	Grenada	214	1	–	3	35	6	9	5	4	3	2	6	2	107	72	1	–
71	Hancock	208	1	–	–	32	7	9	3	2	–	2	9	10	93	64	2	–
72	Harrison	1,154	2	–	10	229	50	53	25	29	7	6	59	21	557	427	4	6
73	Biloxi	339	1	–	5	58	12	11	6	8	–	2	19	12	158	129	–	–
74	Gulfport	367	1	–	3	83	17	24	9	7	2	2	22	7	173	119	2	2
75	Balance of county	448	–	–	2	88	21	18	10	14	5	2	18	2	226	179	2	4
76	Hinds	1,821	4	–	17	342	83	92	30	37	12	19	69	27	841	595	12	12
77	Jackson, part	1,429	3	–	15	283	69	79	21	33	10	15	56	22	628	441	10	10
78	Jackson, total	1,430	3	–	15	283	69	79	21	33	10	15	56	22	628	441	10	10
79	Balance of county	392	1	–	2	59	14	13	9	4	2	4	13	5	213	154	2	2
80	Holmes	312	–	–	1	39	11	6	2	7	–	4	9	7	159	92	1	5
81	Humphreys	151	–	–	1	26	9	5	–	4	2	1	5	3	65	57	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
38	12	–	14	3	2	6	–	1	–	–	–	2	2	10	10	5	3	1	1	–	01
233	18	2	49	18	4	22	6	1	6	2	–	11	20	7	54	23	23	2	2	–	02
69	4	1	17	4	3	7	3	1	2	–	–	3	8	1	21	4	5	1	–	–	03
93	4	1	21	7	4	9	3	1	3	–	–	3	11	2	24	5	6	2	–	–	04
164	14	1	32	14	1	15	3	–	4	2	–	8	12	6	33	19	18	1	2	–	05
95	5	–	31	5	4	9	6	2	–	–	–	1	6	2	19	4	5	5	1	–	06
67	4	–	19	1	4	6	5	1	–	–	–	1	2	–	9	2	4	2	1	–	07
28	1	–	12	4	–	3	1	1	–	–	–	–	4	2	10	2	1	3	–	–	08
30	3	1	18	–	1	9	1	–	2	–	–	1	–	1	10	7	2	–	1	1	09
46	8	–	20	4	1	14	3	–	–	3	–	–	2	3	8	5	7	1	–	1	10
102	6	–	18	9	2	24	4	–	–	–	–	1	3	3	29	7	7	–	–	1	11
17	2	–	6	–	–	3	2	–	1	–	–	1	–	–	4	–	2	3	–	–	12
59	15	–	23	10	3	6	1	–	1	2	–	2	5	–	13	7	9	3	–	–	13
75	2	–	11	2	1	4	2	2	2	–	–	–	1	–	10	1	3	–	–	–	14
63	6	1	18	3	2	8	1	1	–	–	–	1	1	1	11	5	2	2	1	–	15
144	11	4	46	3	12	23	4	1	4	–	–	4	16	1	31	25	18	9	–	1	16
11	–	–	2	–	–	1	–	–	–	–	–	–	3	–	3	–	–	2	–	1	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
30	4	1	18	–	4	8	1	–	–	–	–	2	4	–	8	–	2	–	–	–	19
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
102	6	3	26	3	8	14	3	1	4	–	–	2	9	1	20	25	16	7	–	–	21
57	1	1	19	3	1	4	1	–	3	–	–	–	1	2	7	4	6	1	–	–	22
28	–	–	16	1	2	8	3	1	1	1	–	1	2	–	8	2	1	–	–	–	23
125	11	4	60	12	10	17	5	2	3	–	–	2	1	2	28	17	8	6	–	–	24
88	7	3	45	9	6	12	4	1	2	–	–	1	–	1	22	4	7	–	–	–	25
37	4	1	15	3	4	5	1	1	1	–	–	1	1	1	6	13	1	6	–	–	26
128	15	1	40	6	8	11	2	2	2	1	–	3	6	9	30	10	6	3	–	1	27
54	6	2	20	1	2	7	1	1	2	–	–	–	2	2	16	4	3	–	–	–	28
6,449	1,035	113	2,793	279	249	670	241	71	219	154	7	166	458	1,805	1,832	690	802	216	305	42	29
1,779	300	37	847	71	68	215	74	28	86	48	2	59	167	533	631	173	249	77	108	15	30
4,670	735	76	1,946	208	181	455	167	43	133	106	5	107	291	1,272	1,201	517	553	139	197	27	31
919	160	14	326	40	37	96	39	9	52	18	3	40	63	95	312	95	129	45	71	10	32
569	96	11	219	23	17	65	32	8	38	10	1	23	45	24	223	52	78	34	43	8	33
350	64	3	107	17	20	31	7	1	14	8	2	17	18	71	89	43	51	11	28	2	34
5,530	875	99	2,467	239	212	574	202	62	167	136	4	126	395	1,710	1,520	595	673	171	234	32	35
1,210	204	26	628	48	51	150	42	20	48	38	1	36	122	509	408	121	171	43	65	7	36
4,320	671	73	1,839	191	161	424	160	42	119	98	3	90	273	1,201	1,112	474	502	128	169	25	37
111	8	2	31	3	3	20	5	2	2	4	1	4	4	16	35	13	16	4	9	1	38
67	1	2	29	1	1	14	2	2	1	2	1	2	4	9	21	10	11	1	8	–	39
44	7	–	2	2	2	6	3	–	1	2	–	2	–	7	14	3	5	3	1	1	40
96	24	2	28	3	1	19	5	–	2	–	1	1	2	9	29	8	9	3	3	2	41
43	16	–	15	–	1	7	2	–	1	–	–	–	1	3	13	2	5	3	2	1	42
53	8	2	13	3	–	12	3	–	1	–	1	1	1	6	16	6	4	–	1	1	43
35	5	–	9	–	1	4	–	1	2	–	–	1	1	20	13	9	3	–	2	1	44
78	16	2	43	4	2	5	3	2	2	2	–	–	3	18	13	7	6	2	3	–	45
22	2	–	7	1	1	3	–	–	–	–	–	–	–	18	2	–	2	3	1	–	46
124	31	3	66	4	11	13	2	2	1	6	–	5	16	52	34	19	20	2	10	1	47
39	6	–	17	2	3	3	2	–	1	1	–	4	4	17	10	5	5	–	3	–	48
85	25	3	49	2	8	10	–	2	1	5	–	1	12	35	24	14	15	2	7	1	49
50	3	–	25	–	4	1	3	–	–	–	–	1	2	11	19	2	11	1	2	–	50
35	2	3	9	–	1	1	2	–	2	1	–	1	–	7	5	4	6	1	–	1	51
53	6	–	29	–	2	5	–	1	–	1	–	1	8	27	11	3	5	2	1	–	52
43	4	–	12	–	3	2	1	–	3	–	–	1	–	1	9	3	1	3	–	1	53
41	12	–	9	6	–	7	2	1	1	–	–	–	3	8	8	2	4	1	–	–	54
51	10	–	29	1	4	6	–	–	1	4	–	–	4	16	13	7	2	2	2	–	55
65	14	–	19	2	3	6	2	–	–	2	–	3	6	13	15	9	7	–	5	–	56
91	14	5	46	5	6	10	1	–	2	1	–	2	18	96	44	7	20	1	6	1	57
67	10	3	32	1	3	7	–	–	1	1	–	2	15	60	32	4	14	1	3	–	58
24	4	2	14	4	3	3	1	–	1	–	–	–	3	36	12	3	6	–	3	1	59
91	15	–	41	3	2	13	2	1	4	5	1	1	6	25	22	6	12	2	2	–	60
49	4	–	34	4	1	3	–	–	–	–	–	1	3	19	13	9	5	–	1	–	61
57	9	1	25	–	4	7	3	–	3	1	1	4	3	44	17	14	11	3	2	–	62
185	17	6	67	9	10	29	9	1	8	3	–	6	20	66	46	13	21	5	8	3	63
116	9	3	50	6	8	13	1	1	4	2	–	1	15	48	28	9	14	3	6	3	64
116	9	3	50	6	8	13	1	1	4	2	–	1	15	48	28	9	14	3	6	3	65
69	8	3	17	3	2	16	8	–	4	1	–	5	5	18	18	4	7	2	2	–	66
36	6	2	8	3	1	2	1	–	–	2	–	2	–	6	7	4	3	2	–	–	67
36	13	–	10	2	–	1	1	–	1	–	–	2	2	2	15	4	7	–	1	–	68
38	1	–	5	3	–	4	3	–	1	–	–	–	5	–	6	2	8	1	–	–	69
66	5	2	33	–	–	4	–	2	–	2	–	2	1	30	9	5	6	2	1	2	70
54	8	–	20	7	2	10	1	–	3	1	–	1	1	21	17	5	8	1	2	1	71
314	103	9	100	11	10	26	16	4	24	3	1	11	26	30	81	27	44	19	23	–	72
106	23	1	24	3	1	8	8	2	9	1	–	3	12	5	28	3	15	8	3	–	73
74	41	6	40	4	4	9	6	2	5	1	–	1	5	8	24	9	16	7	7	–	74
134	39	2	36	4	5	9	2	–	10	1	1	7	9	17	29	15	13	4	13	–	75
524	47	5	201	19	21	62	20	5	26	11	1	25	34	14	200	50	70	23	41	8	76
389	32	4	155	16	12	48	18	4	24	8	1	19	28	10	171	40	47	19	33	8	77
389	32	4	155	16	12	48	18	4	24	8	1	19	28	11	171	40	47	19	33	8	78
135	15	1	46	3	9	14	2	1	2	3	–	6	6	4	29	10	23	4	8	–	79
66	20	1	59	5	2	8	5	2	1	2	–	2	4	30	23	15	10	2	1	1	80
49	7	–	5	3	–	1	4	–	–	–	–	2	3	8	17	4	13	–	4	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Issaquena	29	–	–	–	4	–	–	–	2	–	–	2	–	10	7	–	2
02	Itawamba	170	–	–	–	34	4	8	7	5	1	–	9	1	101	72	1	1
03	Jackson	640	3	–	6	106	20	36	8	10	8	1	23	6	276	212	3	1
04	Moss Point	129	–	–	4	20	5	6	2	1	2	1	3	1	44	39	1	1
05	Pascagoula	212	2	–	2	35	5	14	3	2	3	–	8	1	91	75	1	–
06	Balance of county	299	1	–	–	51	10	16	3	7	3	–	12	4	141	98	1	–
07	Jasper	167	–	–	1	24	9	4	1	3	1	–	6	–	92	61	–	–
08	Jefferson	109	–	–	1	22	9	5	1	2	1	–	4	2	57	44	–	–
09	Jefferson Davis	140	1	–	–	18	5	5	1	5	1	–	1	1	70	38	–	–
10	Jones	626	3	–	2	88	20	26	8	6	6	3	19	8	302	214	2	–
11	Laurel	288	1	–	1	35	9	7	1	3	3	1	11	6	137	98	1	–
12	Balance of county	338	2	–	1	53	11	19	7	3	3	2	8	2	165	116	1	1
13	Kemper	138	–	–	2	26	8	5	3	5	1	–	4	1	67	56	–	–
14	Lafayette	173	–	–	2	23	6	7	1	5	–	1	3	3	82	53	1	–
15	Oxford	48	–	–	–	8	3	1	1	2	–	1	–	1	27	19	1	–
16	Balance of county	125	–	–	2	15	3	6	–	3	–	–	3	2	55	34	–	–
17	Lamar	149	–	–	–	28	5	5	4	5	2	2	5	–	81	60	1	–
18	Hattiesburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Balance of county	149	–	–	–	28	5	5	4	5	2	2	5	–	81	60	1	–
20	Lauderdale	773	2	–	5	98	21	36	5	11	4	5	16	8	309	182	1	5
21	Meridian	545	2	–	3	74	14	27	4	9	3	3	14	7	218	127	1	3
22	Balance of county	228	–	–	2	24	7	9	1	2	1	2	2	1	91	55	–	2
23	Lawrence	147	–	–	3	24	5	10	3	1	–	–	5	2	69	47	–	1
24	Leake	216	–	–	–	31	8	7	3	5	1	2	5	5	122	85	–	5
25	Lee	493	–	–	6	82	24	24	5	8	4	2	15	3	271	198	–	4
26	Tupelo	199	–	–	1	34	10	10	3	4	2	1	4	1	94	66	–	2
27	Balance of county	294	–	–	5	48	14	14	2	4	2	1	11	2	177	132	–	2
28	Leflore	457	1	–	5	64	15	14	7	8	3	–	17	2	229	143	1	–
29	Greenwood	277	1	–	4	42	9	9	5	4	1	–	14	2	143	84	–	–
30	Balance of county	180	–	–	1	22	6	5	2	4	2	–	3	–	86	59	1	–
31	Lincoln	321	2	–	5	59	8	20	4	7	3	2	15	4	136	102	1	4
32	Brookhaven	136	1	–	3	16	3	5	1	2	–	2	3	2	69	50	1	2
33	Balance of county	185	1	–	2	43	5	15	3	5	3	–	12	2	67	52	–	2
34	Lowndes	422	3	–	4	61	15	15	4	7	2	2	16	9	169	113	2	2
35	Columbus	259	1	–	1	33	9	8	2	2	2	1	9	6	109	67	2	2
36	Balance of county	163	2	–	3	28	6	7	2	5	–	1	7	3	60	46	–	2
37	Madison	336	–	–	4	54	13	13	5	6	2	4	11	4	127	87	3	3
38	Canton	143	–	–	2	20	4	5	2	3	1	1	4	2	60	43	–	1
39	Balance of county	193	–	–	2	34	9	8	3	3	1	3	7	2	67	44	3	2
40	Marion	268	–	–	–	40	13	13	1	4	2	2	5	5	137	91	2	–
41	Marshall	261	–	–	6	45	10	9	5	6	3	2	10	4	112	73	–	2
42	Monroe	371	–	–	2	57	12	8	4	7	4	5	17	6	199	152	1	–
43	Montgomery	173	–	–	5	21	7	3	–	5	–	4	2	3	96	60	–	–
44	Neshoba	234	–	–	5	38	9	11	2	2	2	2	10	7	98	72	1	–
45	Newton	240	–	–	4	35	5	10	2	6	2	1	9	6	122	86	–	1
46	Noxubee	131	–	–	1	25	8	3	1	5	1	–	7	2	51	35	1	–
47	Oktibbeha	243	–	–	4	39	10	8	3	8	3	1	6	2	120	87	–	3
48	Starkville	105	–	–	2	19	6	4	1	3	2	–	3	–	55	43	–	–
49	Balance of county	138	–	–	2	20	4	4	2	5	1	1	3	2	65	44	–	3
50	Panola	316	1	–	5	38	8	10	1	8	–	1	10	6	186	118	–	7
51	Pearl River	279	1	–	5	48	7	20	2	2	2	4	11	4	117	70	1	–
52	Picayune	92	1	–	2	15	2	8	–	–	1	1	3	3	37	16	–	–
53	Balance of county	187	–	–	3	33	5	12	2	2	1	3	8	1	80	54	1	–
54	Perry	117	–	–	–	19	3	6	1	3	1	2	3	–	62	35	1	1
55	Pike	415	–	–	3	62	10	21	1	11	3	4	12	7	197	112	1	–
56	McComb	164	–	–	2	22	7	6	1	3	–	3	2	4	73	43	–	–
57	Balance of county	251	–	–	1	40	3	15	–	8	3	1	10	3	124	69	1	–
58	Pontotoc	213	–	–	2	33	13	6	2	4	–	2	6	1	121	82	3	–
59	Prentiss	236	–	–	2	31	7	7	2	5	1	1	8	1	121	76	–	2
60	Quitman	156	–	–	4	25	6	6	1	2	–	2	8	1	78	51	–	8
61	Rankin	369	2	–	2	70	12	19	2	11	3	3	20	7	136	95	3	1
62	Jackson, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
63	Balance of county	368	2	–	2	70	12	19	2	11	3	3	20	7	136	95	3	1
64	Scott	254	–	–	1	36	8	5	2	5	2	4	10	12	146	105	1	2
65	Sharkey	89	–	–	1	19	6	7	1	1	1	1	2	2	42	33	–	–
66	Simpson	232	2	–	2	39	9	11	2	4	2	1	10	6	118	87	1	–
67	Smith	142	1	–	3	21	9	4	2	1	–	–	5	1	71	52	–	1
68	Stone	88	–	–	1	13	4	6	–	1	–	–	2	3	48	35	–	–
69	Sunflower	365	2	–	–	58	24	11	2	10	1	3	7	7	204	147	2	2
70	Tallahatchie	238	–	–	2	31	8	11	1	2	2	1	6	1	119	85	–	1
71	Tate	193	1	–	3	29	7	7	1	5	–	2	7	6	103	74	1	2
72	Tippah	190	–	–	1	39	16	9	3	3	–	1	7	7	103	88	–	–
73	Tishomingo	161	–	–	3	37	7	6	3	3	4	2	12	5	69	43	–	–
74	Tunica	120	1	–	2	17	7	4	1	2	–	2	1	3	57	46	1	–
75	Union	229	–	–	1	40	13	9	1	8	1	3	5	5	108	79	1	2
76	Walthall	141	–	–	2	22	6	4	–	7	–	–	5	4	66	46	–	2
77	Warren	517	1	–	7	76	22	15	3	15	3	1	17	10	276	157	–	1
78	Vicksburg	356	–	–	4	48	18	8	3	8	2	1	8	7	194	110	–	1
79	Balance of county	161	1	–	3	28	4	7	–	7	1	–	9	3	82	47	–	–
80	Washington	721	–	–	9	116	40	19	11	13	5	3	25	11	339	208	2	3
81	Greenville	448	–	–	7	69	25	11	9	6	3	3	12	7	223	143	2	3
82	Balance of county	273	–	–	2	47	15	8	2	7	2	–	13	4	116	65	–	–
83	Wayne	185	1	–	–	27	8	4	4	1	1	1	8	4	98	68	1	1
84	Webster	131	–	–	5	23	6	6	1	1	1	2	6	–	71	44	1	–
85	Wilkinson	116	–	–	3	12	2	3	3	–	–	–	4	6	68	50	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
4	1	–	3	–	–	–	1	–	–	–	–	–	3	7	1	–	3	–	–	–	01
66	4	–	26	3	–	4	4	1	–	–	–	–	–	5	8	5	4	2	–	–	02
186	22	3	42	9	10	27	9	5	15	4	–	10	16	33	45	20	41	10	6	2	03
34	3	–	3	1	1	6	3	1	3	1	–	2	7	10	7	4	8	4	3	2	04
69	5	1	10	2	3	11	5	2	5	1	–	4	7	11	14	3	14	2	2	–	05
83	14	2	29	6	1	10	1	2	7	3	–	4	2	12	24	13	19	4	1	–	06
57	4	2	23	5	1	2	3	–	1	1	–	–	6	10	11	6	7	1	1	1	07
38	6	–	8	3	2	4	–	–	–	3	–	1	–	–	6	3	5	1	3	–	08
34	4	–	28	1	3	4	3	–	1	1	–	1	–	3	16	12	4	1	3	–	09
163	49	4	69	12	3	18	1	3	10	6	–	5	13	42	86	12	15	4	6	2	10
75	22	2	32	4	1	8	1	2	4	3	–	3	6	22	42	6	7	1	3	–	11
88	27	2	37	8	2	10	–	1	6	3	–	2	7	20	44	6	8	3	3	2	12
54	2	–	10	1	–	4	–	–	–	–	–	–	4	8	13	7	4	–	2	–	13
48	4	2	24	1	2	2	1	1	–	–	–	2	1	32	15	4	1	1	3	–	14
18	–	–	8	–	–	–	–	1	–	–	–	1	–	4	5	–	–	–	1	–	15
30	4	2	16	1	2	2	1	–	–	–	–	1	1	28	10	4	1	1	2	–	16
54	5	–	18	1	2	4	6	–	–	–	–	3	–	14	7	1	2	1	2	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
54	5	–	18	1	2	4	6	–	–	–	–	3	–	14	7	1	2	1	–	–	19
170	6	3	105	12	7	31	10	1	9	5	–	5	13	162	45	22	27	13	8	–	20
118	5	2	76	8	5	25	8	1	7	5	–	2	9	109	32	10	19	7	7	–	21
52	1	1	29	4	2	6	2	–	2	–	–	3	4	53	13	12	8	6	1	–	22
37	9	1	16	3	2	6	6	–	2	–	–	1	4	9	13	2	4	1	1	–	23
73	7	–	31	4	2	6	1	–	1	2	–	1	4	1	20	3	10	3	5	1	24
187	7	–	60	6	7	12	6	2	4	4	–	–	9	6	33	28	18	6	1	2	25
63	1	–	23	2	3	6	2	1	4	2	–	–	4	3	21	16	6	4	–	–	26
124	6	–	37	4	4	6	4	1	–	2	–	–	5	3	12	12	12	2	1	2	27
93	49	6	75	4	1	12	2	2	4	7	–	5	19	22	40	9	23	5	6	–	28
60	24	4	53	1	1	6	1	2	3	5	–	4	10	8	25	4	12	2	3	–	29
33	25	2	22	3	–	6	1	–	1	2	–	1	9	14	15	5	11	3	3	–	30
88	9	–	30	4	–	9	4	–	4	2	–	1	7	28	30	7	13	3	7	–	31
42	5	–	18	1	–	3	2	–	–	1	–	–	3	9	15	3	5	1	3	–	32
46	4	–	12	3	–	6	2	–	4	1	–	1	4	19	15	4	8	2	4	–	33
93	16	2	46	5	3	10	8	3	2	3	–	1	12	73	35	10	9	5	5	–	34
52	11	2	33	4	3	6	4	2	1	2	–	–	8	49	23	5	5	1	3	–	35
41	5	–	13	1	–	4	4	1	1	1	–	1	4	24	12	5	4	4	2	–	36
63	18	2	26	6	6	4	3	1	3	4	–	2	9	50	29	14	19	4	5	–	37
36	6	1	12	2	2	1	3	1	–	3	–	–	5	18	15	4	7	–	2	–	38
27	12	1	14	4	4	3	–	–	3	1	–	2	4	32	14	10	12	4	3	–	39
67	22	1	39	4	2	7	1	–	4	–	–	2	2	33	26	8	11	–	1	1	40
59	14	–	32	4	3	4	2	2	2	7	–	2	4	30	19	12	7	–	3	–	41
130	19	1	40	4	2	9	7	1	3	1	–	4	7	21	22	12	12	5	3	–	42
60	–	1	34	1	–	–	2	–	3	2	–	–	4	7	18	2	6	4	–	–	43
65	6	1	24	1	–	6	2	1	3	1	–	2	3	34	14	10	4	3	3	–	44
74	11	3	31	–	2	11	3	1	2	3	–	2	5	15	13	9	8	–	1	–	45
30	4	1	13	–	2	4	–	–	–	1	–	2	6	24	11	–	4	–	–	–	46
72	12	2	25	–	6	6	4	–	5	2	–	–	5	17	15	11	5	4	4	–	47
38	5	–	9	–	3	1	–	–	2	2	–	–	2	6	8	5	2	1	–	–	48
34	7	2	16	–	3	5	4	–	3	1	–	–	3	11	7	6	3	3	4	–	49
100	11	3	45	11	9	8	1	–	2	5	–	–	6	7	26	10	10	2	3	–	50
54	15	–	35	6	6	11	3	1	2	3	–	3	4	30	25	11	6	1	2	2	51
13	3	–	15	5	1	6	–	–	1	–	–	2	–	12	8	2	2	–	1	–	52
41	12	–	20	1	5	5	3	1	1	3	–	1	4	18	17	9	4	1	1	2	53
30	3	–	23	–	4	6	2	–	–	–	–	–	6	6	8	3	2	1	2	–	54
89	22	1	74	2	8	17	2	–	3	1	–	–	7	47	31	16	11	5	5	1	55
31	12	–	27	–	3	7	1	–	2	1	–	–	3	20	13	9	5	1	1	–	56
58	10	1	47	2	5	10	1	–	1	–	–	–	4	27	18	7	6	4	4	1	57
70	9	–	35	1	3	8	3	1	1	1	–	–	1	3	16	11	7	1	4	–	58
60	14	–	37	5	3	12	1	–	1	1	–	4	5	15	20	11	7	4	–	–	59
34	9	–	19	4	4	6	1	2	2	–	–	–	5	7	13	6	4	–	2	–	60
81	10	–	25	10	6	8	3	–	2	4	1	4	3	51	31	18	15	3	7	2	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	62
81	10	–	25	10	6	8	3	1	2	4	1	4	3	50	31	18	15	3	7	2	63
89	13	1	32	7	1	5	4	–	–	1	–	3	2	8	13	7	11	1	3	–	64
28	5	1	8	–	–	4	–	–	–	2	–	1	1	7	4	1	3	–	1	1	65
80	6	2	26	2	1	6	5	–	–	–	–	1	–	13	22	12	4	1	2	–	66
48	3	–	15	3	1	2	1	–	1	1	–	1	1	7	15	4	7	2	3	–	67
32	3	–	11	1	1	1	–	1	1	1	–	1	–	2	7	3	4	2	–	–	68
132	11	–	53	1	3	10	4	2	4	3	–	1	13	19	22	3	8	1	4	–	69
76	8	4	27	2	1	6	–	1	1	1	–	2	7	31	14	8	5	–	9	–	70
63	8	3	19	5	2	5	4	1	2	–	–	1	2	12	9	5	7	1	4	–	71
75	13	1	12	1	1	3	5	1	–	–	–	–	4	6	9	2	6	1	2	1	72
41	2	2	22	1	1	2	2	–	1	–	–	1	2	7	19	9	3	–	1	–	73
41	4	–	10	–	1	5	1	–	4	–	–	–	3	11	10	1	4	–	1	–	74
70	6	–	22	4	3	9	3	2	–	2	–	–	6	20	12	7	7	4	3	–	75
36	8	–	17	2	1	2	1	–	2	2	–	–	2	11	16	6	1	2	2	–	76
125	31	3	105	4	7	12	3	3	7	2	–	5	14	20	38	14	18	5	5	1	77
89	20	3	72	3	6	8	2	2	5	2	–	4	8	13	31	9	12	4	2	1	78
36	11	–	33	1	1	4	1	–	2	–	–	1	6	7	7	5	6	1	3	–	79
156	47	5	113	5	8	10	1	3	6	5	–	5	13	83	52	16	23	12	17	–	80
107	31	3	71	4	2	6	1	2	3	2	–	5	7	45	31	10	14	6	10	–	81
49	16	2	42	1	6	4	–	1	3	3	–	–	6	38	21	6	9	6	7	–	82
54	13	5	17	4	4	3	3	–	1	4	–	1	6	9	14	7	6	–	1	–	83
38	5	1	25	–	1	4	1	1	3	–	–	–	1	2	10	3	3	1	3	–	84
33	15	–	15	–	3	4	–	1	1	–	–	–	–	3	12	2	1	1	2	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Winston	222	–	–	5	35	11	7	–	6	3	2	6	4	135	91	2	2
02	Yalobusha	153	–	–	–	24	9	7	3	2	–	2	3	2	78	47	2	–
03	Yazoo	326	–	–	1	43	10	10	4	7	2	2	8	7	124	84	–	2
04	Yazoo City	171	–	–	–	26	6	7	3	3	–	1	6	5	69	44	–	2
05	Balance of county	155	–	–	1	17	4	3	1	4	2	1	2	2	55	40	–	–
06	**Missouri**	49,075	57	7	325	9,349	2,454	2,310	743	1,064	427	381	1,970	906	25,264	18,428	277	371
07	Urban places	23,809	31	3	178	4,719	1,264	1,190	376	539	215	180	955	474	12,040	8,778	151	155
08	Balance of area	25,266	26	4	147	4,630	1,190	1,120	367	525	212	201	1,015	432	13,224	9,650	126	216
09	Metropolitan counties	27,649	35	3	210	5,586	1,487	1,390	452	616	251	220	1,170	564	13,860	10,231	183	138
10	Urban places	20,525	30	3	161	4,092	1,094	1,024	335	456	186	159	838	425	10,299	7,547	127	118
11	Balance of area	7,124	5	–	49	1,494	393	366	117	160	65	61	332	139	3,561	2,684	56	20
12	Nonmetropolitan counties	21,426	22	4	115	3,763	967	920	291	448	176	161	800	342	11,404	8,197	94	233
13	Urban places	3,284	1	–	17	627	170	166	41	83	29	21	117	49	1,741	1,231	24	37
14	Balance of area	18,142	21	4	98	3,136	797	754	250	365	147	140	683	293	9,663	6,966	70	196
15	Adair	247	–	–	2	32	5	9	4	5	–	1	8	1	136	106	4	4
16	Kirksville	169	–	–	1	20	4	7	–	3	–	–	6	1	95	75	4	3
17	Balance of county	78	–	–	1	12	1	2	4	2	–	1	2	–	41	31	–	1
18	Andrew	118	–	–	1	20	7	4	3	3	1	–	2	2	76	60	–	2
19	Atchison	122	–	–	1	19	5	5	–	1	1	–	7	1	73	51	–	–
20	Audrain	308	–	–	2	60	18	10	7	9	4	1	11	4	157	96	1	4
21	Mexico	165	–	–	2	39	12	5	3	7	3	1	8	1	78	42	–	1
22	Balance of county	143	–	–	–	21	6	5	4	2	1	–	3	3	79	54	1	3
23	Barry	294	–	–	2	49	5	13	3	5	3	1	19	1	155	102	4	1
24	Barton	159	–	–	–	17	2	1	4	1	–	5	4	4	107	82	2	3
25	Bates	252	2	–	1	46	8	12	5	10	5	1	5	8	117	93	–	1
26	Benton	144	–	–	1	27	7	8	1	3	1	2	5	2	77	43	–	–
27	Bollinger	129	–	–	2	28	9	7	2	–	2	2	6	2	62	48	–	–
28	Boone	545	1	–	7	98	24	19	9	9	1	5	31	14	276	204	6	4
29	Columbia	347	1	–	4	62	15	12	6	2	–	4	23	9	172	123	1	3
30	Balance of county	198	–	–	3	36	9	7	3	7	1	1	8	5	104	81	5	1
31	Buchanan	1,118	1	–	1	213	49	51	15	26	10	11	51	23	618	434	10	12
32	St. Joseph	1,031	1	–	1	205	48	50	14	25	10	10	48	23	559	393	7	12
33	Balance of county	87	–	–	–	8	1	1	1	1	–	1	3	–	59	41	3	–
34	Butler	459	–	–	2	79	18	17	7	7	10	7	13	5	229	160	2	–
35	Poplar Bluff	258	–	–	1	47	12	11	3	6	5	4	6	2	136	97	2	–
36	Balance of county	201	–	–	1	32	6	6	4	1	5	3	7	3	93	63	–	–
37	Caldwell	113	–	–	–	16	3	2	1	2	1	1	6	4	59	42	–	–
38	Callaway	258	–	–	2	50	17	11	3	7	2	4	6	8	143	113	3	6
39	Fulton	110	–	–	–	24	9	5	1	4	1	1	3	2	68	55	1	4
40	Jefferson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Balance of county	148	–	–	2	26	8	6	2	3	1	3	3	6	75	58	2	2
42	Camden	209	–	–	1	44	9	7	1	8	5	2	12	2	106	75	2	4
43	Cape Girardeau	495	–	–	3	92	22	30	9	11	1	2	17	9	266	184	3	3
44	Cape Girardeau	293	–	–	1	57	16	19	7	5	1	1	8	8	159	104	2	2
45	Balance of county	202	–	–	2	35	6	11	2	6	–	1	9	1	107	80	1	1
46	Carroll	147	–	–	1	27	4	9	–	4	2	1	7	3	67	46	–	3
47	Carter	56	–	–	–	13	1	4	–	3	–	1	4	1	18	12	–	–
48	Cass	308	1	–	4	56	12	10	4	4	–	4	22	4	145	106	1	–
49	Cedar	184	–	–	–	31	9	5	1	2	–	3	11	–	118	62	–	2
50	Chariton	146	–	–	2	19	9	3	1	1	1	3	1	4	79	54	–	–
51	Christian	162	–	–	1	35	9	6	3	1	2	1	13	2	76	53	2	1
52	Clark	83	–	–	–	11	3	3	–	1	–	–	4	1	33	20	–	1
53	Clay	851	1	–	8	169	41	34	17	19	10	10	38	10	441	293	10	3
54	Gladstone	73	–	–	–	12	3	4	3	–	1	1	–	1	43	28	2	1
55	Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Kansas City, part	338	–	–	4	77	18	14	10	8	6	6	15	6	151	104	4	1
57	Liberty	124	1	–	2	21	5	1	–	4	–	1	10	–	75	51	1	–
58	Balance of county	316	–	–	2	59	15	15	4	7	3	2	13	3	172	110	3	1
59	Clinton	166	–	–	–	26	8	8	–	3	1	–	6	1	93	61	2	–
60	Cole	421	1	–	2	84	31	15	8	8	4	2	16	7	236	184	7	–
61	Jefferson City, part	320	1	–	1	68	28	13	6	7	3	1	10	6	177	139	6	–
62	Jefferson City, total	320	1	–	1	68	28	13	6	7	3	1	10	6	177	139	6	–
63	Balance of county	101	–	–	1	16	3	2	2	1	1	1	6	1	59	45	1	–
64	Cooper	184	–	–	3	39	12	6	3	11	1	–	6	3	103	75	–	–
65	Crawford	199	–	–	1	30	10	8	4	2	2	–	4	6	100	68	–	1
66	Dade	96	–	–	–	18	7	4	2	–	–	–	5	–	49	37	–	–
67	Dallas	159	–	–	–	35	5	13	2	5	3	1	6	–	82	52	–	9
68	Daviess	130	1	–	1	23	11	2	4	3	–	–	3	2	74	50	1	5
69	De Kalb	100	–	–	2	21	4	1	4	5	1	2	4	–	44	29	–	–
70	Dent	168	–	–	1	31	11	6	2	3	1	2	6	2	80	68	–	–
71	Douglas	97	–	–	1	20	9	6	1	1	–	–	3	2	51	34	2	2
72	Dunklin	398	–	–	3	79	16	29	7	6	2	5	14	10	191	157	2	3
73	Franklin	618	2	–	2	123	29	38	10	16	4	4	22	13	299	219	1	2
74	Gasconade	176	–	–	–	23	6	4	2	3	–	–	8	4	110	89	1	2
75	Gentry	150	–	–	–	24	7	4	–	7	3	2	1	–	86	65	–	–
76	Greene	1,567	1	1	10	282	83	69	22	30	10	8	60	14	812	544	8	8
77	Springfield	1,287	1	1	7	230	69	55	19	24	8	5	50	13	679	452	6	8
78	Balance of county	280	–	–	3	52	14	14	3	6	2	3	10	1	133	92	2	–
79	Grundy	213	–	–	3	35	9	11	2	3	3	–	7	6	119	91	1	18
80	Harrison	153	–	–	1	27	8	9	3	1	–	–	6	4	88	72	–	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
81	6	2	39	2	1	6	–	1	1	1	–	–	2	5	13	4	6	–	4	–	01
42	3	–	29	1	1	6	5	–	3	5	–	1	2	9	10	4	6	1	1	1	02
66	16	1	35	3	1	11	2	1	3	5	–	1	8	71	27	6	11	2	3	–	03
33	9	–	23	1	1	6	2	–	1	3	–	–	4	33	14	1	4	1	2	–	04
33	7	1	12	2	–	5	–	1	2	2	–	1	4	38	13	5	7	1	1	–	05
16,288	1,492	182	5,152	871	631	1,505	597	141	493	244	7	273	546	1,718	3,859	1,243	1,280	620	461	180	06
7,895	577	112	2,427	428	295	680	271	74	297	125	4	144	290	747	1,971	409	583	326	338	105	07
8,393	915	70	2,725	443	336	825	326	67	196	119	3	129	256	971	1,888	834	697	294	123	75	08
9,224	686	106	2,692	485	346	789	304	87	352	134	4	188	352	785	2,244	561	677	412	382	120	09
6,807	495	91	2,040	365	256	574	222	65	273	109	4	129	253	615	1,720	336	505	290	324	96	10
2,417	191	15	652	120	90	215	82	22	79	25	–	59	99	170	524	225	172	122	58	24	11
7,064	806	76	2,460	386	285	716	293	54	141	110	3	85	194	933	1,615	682	603	208	79	60	12
1,088	82	21	387	63	39	106	49	9	24	16	–	15	37	132	251	73	78	36	14	9	13
5,976	724	55	2,073	323	246	610	244	45	117	94	3	70	157	801	1,364	609	525	172	65	51	14
89	9	–	24	1	5	9	3	1	–	1	–	1	7	9	28	8	5	4	–	–	15
63	5	–	15	1	4	4	3	1	–	1	–	1	5	7	21	4	3	2	–	–	16
26	4	–	9	–	1	5	–	–	–	–	–	–	2	2	7	4	2	2	–	–	17
56	2	1	12	1	2	2	1	–	1	1	–	–	1	1	7	2	3	–	–	–	18
50	1	–	13	3	6	7	4	–	–	2	–	1	–	–	8	2	4	–	–	–	19
83	8	4	32	17	8	9	10	1	5	2	–	1	7	7	28	5	5	4	1	–	20
40	1	2	22	9	3	7	5	1	2	–	–	1	2	4	14	2	3	3	1	–	21
43	7	2	10	8	5	2	5	–	3	2	–	–	5	3	14	3	2	1	–	–	22
93	4	2	44	4	3	16	4	–	1	3	–	4	5	14	22	12	4	2	–	–	23
75	2	–	21	2	2	3	3	–	1	–	–	–	1	2	11	5	4	1	–	–	24
81	11	–	18	3	3	10	2	–	1	6	–	–	3	17	22	7	8	1	–	1	25
23	20	–	28	2	4	3	2	–	–	1	–	–	–	1	18	5	2	3	2	–	26
46	2	–	14	–	–	6	–	1	1	–	–	1	3	4	14	2	3	–	–	–	27
181	13	–	63	5	4	17	11	–	3	4	–	4	15	8	39	9	18	15	3	3	28
111	8	–	43	4	2	6	7	–	3	3	–	4	11	6	30	6	10	7	3	3	29
70	5	–	20	1	2	11	4	–	–	1	–	–	4	2	9	3	8	8	–	–	30
377	35	6	120	45	13	24	11	8	11	5	–	3	9	44	85	12	29	16	3	2	31
346	28	5	111	37	13	22	11	8	10	4	–	3	9	43	78	10	24	15	3	2	32
31	7	1	9	8	–	2	–	–	1	1	–	–	–	1	7	2	5	1	–	–	33
134	24	–	62	3	4	11	3	1	9	2	–	2	5	43	32	13	13	5	1	4	34
81	14	–	34	3	2	6	–	–	7	1	–	1	3	25	16	3	5	3	–	2	35
53	10	–	28	–	2	5	3	1	2	1	–	1	2	18	16	10	8	2	1	2	36
37	5	–	14	2	1	3	3	–	–	2	–	–	–	3	14	3	6	–	–	–	37
96	8	2	21	4	3	10	1	–	–	1	–	2	3	1	18	3	15	–	–	1	38
47	3	1	9	1	2	2	1	–	–	–	–	1	–	–	8	1	3	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
49	5	1	12	3	1	8	–	–	–	1	–	1	3	1	10	2	12	–	–	1	41
56	13	2	23	4	2	6	2	1	2	1	–	1	1	7	13	10	10	2	–	–	42
172	6	5	64	9	4	10	10	2	3	2	–	1	3	27	29	19	12	5	1	1	43
97	3	4	40	8	3	7	4	1	2	1	–	–	3	15	16	7	6	4	1	1	44
75	3	1	24	1	1	3	6	1	1	1	–	1	–	12	13	12	6	1	–	–	45
40	3	1	12	4	4	2	3	–	2	1	–	–	–	15	17	4	4	1	–	–	46
10	2	–	6	–	–	3	–	–	1	–	–	–	1	9	5	3	2	–	–	–	47
84	21	–	34	1	4	10	5	2	3	1	–	1	7	15	25	9	15	2	2	1	48
53	7	2	46	4	4	5	–	–	–	1	–	–	2	4	10	6	4	3	–	–	49
51	3	–	17	4	4	5	2	–	–	–	–	–	1	3	17	2	11	1	–	–	50
48	2	–	14	6	3	4	1	–	1	1	–	2	–	13	13	5	6	1	1	–	51
17	2	–	10	2	1	3	2	–	–	–	–	1	1	23	3	4	–	1	–	–	52
252	28	5	119	11	13	28	12	3	7	1	–	9	11	6	69	26	21	18	5	6	53
23	2	–	14	–	1	–	1	–	–	–	–	2	1	–	5	1	2	4	–	1	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	55
88	11	2	37	4	4	11	6	1	5	–	–	4	2	3	33	11	12	5	4	3	56
44	6	2	17	2	3	4	1	2	–	–	–	–	3	–	6	2	4	3	–	–	57
97	9	1	51	5	5	13	4	–	2	1	–	3	5	3	25	12	3	6	1	2	58
51	8	1	22	5	4	5	1	–	1	1	–	1	–	1	16	11	5	2	1	1	59
162	15	1	45	4	2	8	2	–	2	3	–	3	3	–	37	14	4	10	3	2	60
123	10	1	32	3	2	7	2	–	1	2	–	2	1	–	29	9	3	8	2	1	61
123	10	1	32	3	2	7	2	–	1	2	–	2	1	–	29	9	3	8	2	1	62
39	5	–	13	1	–	1	–	–	1	1	–	1	2	–	8	5	1	2	1	1	63
67	8	1	22	1	4	3	1	1	2	–	–	2	2	1	14	6	2	2	–	–	64
58	9	1	21	4	6	5	2	–	2	1	–	–	2	12	20	8	7	1	–	2	65
27	10	–	9	2	1	5	–	–	–	–	–	–	1	6	5	7	4	1	–	–	66
39	4	2	22	2	4	5	3	2	–	–	–	–	–	11	11	7	5	2	1	–	67
38	6	–	24	–	–	2	3	–	–	1	–	–	–	2	12	4	3	–	–	–	68
23	6	1	11	2	1	3	1	–	–	–	–	–	–	9	10	4	5	1	–	–	69
64	4	–	6	1	5	10	1	–	1	1	–	–	1	14	9	10	6	–	–	–	70
25	5	–	13	4	–	4	1	–	1	–	–	–	–	4	8	1	2	1	1	–	71
139	13	–	29	2	3	21	11	1	2	2	–	–	6	19	20	9	12	7	3	2	72
194	22	2	61	10	7	24	5	4	7	2	–	3	7	34	36	27	11	13	4	2	73
80	6	–	19	1	1	3	2	–	1	1	–	–	–	3	13	10	3	2	1	–	74
61	4	–	16	2	3	2	2	–	–	–	1	–	–	1	18	9	6	–	1	–	75
501	27	7	191	56	14	42	8	4	13	4	–	7	15	92	140	39	38	31	5	9	76
418	20	7	159	48	13	33	7	2	11	4	–	7	14	74	112	26	30	24	5	7	77
83	7	–	32	8	1	9	1	2	2	–	–	–	1	18	28	13	8	7	–	2	78
67	5	–	27	1	–	6	4	1	1	–	–	–	3	10	18	–	4	3	–	–	79
64	3	–	15	–	1	6	2	–	1	–	–	–	–	3	10	7	3	1	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	Henry	261	–	–	–	39	6	10	5	6	2	1	9	2	156	100	–	–
02	Hickory	92	–	–	–	18	2	4	1	4	–	1	6	–	40	28	–	1
03	Holt	101	–	–	–	14	3	5	–	2	1	–	3	–	58	48	1	–
04	Howard	154	–	1	1	23	8	3	4	2	–	2	4	2	86	62	–	–
05	Howell	311	1	–	1	50	12	14	4	9	1	2	8	4	164	121	1	1
06	Iron	116	–	–	–	21	5	8	2	1	1	3	1	–	63	47	–	–
07	Jackson	6,307	12	–	47	1,248	311	310	87	153	63	52	272	107	2,957	2,109	36	34
08	Grandview	97	–	–	–	16	2	5	–	1	3	1	4	4	44	36	1	2
09	Independence, part	870	–	–	7	191	42	47	16	27	9	14	36	9	439	334	9	1
10	Independence, total	870	–	–	7	191	42	47	16	27	9	14	36	9	439	334	9	1
11	Kansas City, part	4,649	11	–	36	898	236	221	58	113	43	31	196	81	2,124	1,489	21	31
12	Kansas City, total	5,041	11	–	41	986	258	238	69	122	50	37	212	87	2,296	1,609	25	32
13	Lee's Summit	227	–	–	1	44	10	10	3	3	5	3	10	3	125	89	1	–
14	Raytown	223	–	–	2	51	13	13	6	4	1	1	13	8	120	89	3	–
15	Balance of county	241	1	–	1	48	8	14	4	5	2	2	13	2	105	72	1	–
16	Jasper	997	1	–	8	204	50	59	13	29	6	11	36	10	486	346	2	19
17	Carthage	158	–	–	1	36	15	8	–	6	1	–	6	2	63	42	–	3
18	Joplin, part	491	–	–	4	94	15	29	8	13	2	7	20	4	251	173	2	13
19	Joplin, total	527	–	–	5	99	15	31	8	14	2	7	22	4	269	186	2	13
20	Balance of county	348	1	–	3	74	20	22	5	10	3	4	10	4	172	131	–	3
21	Jefferson	799	–	–	3	160	52	38	8	19	5	5	33	16	397	320	11	2
22	Johnson	242	–	–	5	29	7	6	4	3	2	1	6	4	146	108	2	2
23	Warrensburg	84	–	–	1	10	2	3	–	3	1	–	1	2	56	47	1	2
24	Balance of county	158	–	–	4	19	5	3	4	–	1	1	5	2	90	61	1	–
25	Knox	86	–	–	1	14	2	–	–	4	2	–	6	2	42	32	–	1
26	Laclede	278	–	–	1	54	16	12	2	3	5	6	10	5	142	109	–	2
27	Lafayette	350	–	–	4	62	14	20	6	7	1	2	12	5	192	131	4	2
28	Lawrence	331	3	–	1	63	16	14	6	3	–	5	19	6	171	133	1	2
29	Lewis	127	–	–	–	23	4	2	3	2	3	2	7	2	69	43	–	1
30	Lincoln	233	–	–	–	41	12	9	3	5	5	1	6	5	139	80	–	1
31	Linn	263	–	1	–	44	10	10	3	10	2	2	7	3	166	111	2	4
32	Livingston	201	–	–	–	36	9	8	1	6	3	–	9	4	112	77	1	2
33	McDonald	178	–	–	1	23	3	7	1	2	4	1	5	2	93	75	–	2
34	Macon	253	–	–	2	40	5	8	4	5	2	1	15	5	142	108	1	8
35	Madison	145	–	–	1	23	6	6	2	2	–	2	5	5	72	57	–	1
36	Maries	84	–	–	–	7	–	5	–	1	–	–	1	3	47	40	1	–
37	Marion	387	–	–	3	83	21	24	4	7	5	4	18	6	214	158	1	3
38	Hannibal, part	298	–	–	1	66	15	21	4	5	5	4	12	6	163	119	1	3
39	Hannibal, total	299	–	–	1	66	15	21	4	5	5	4	12	6	164	120	1	3
40	Balance of county	89	–	–	2	17	6	3	–	2	–	–	6	–	51	39	–	–
41	Mercer	79	1	–	2	14	5	1	2	3	–	1	2	2	44	34	–	3
42	Miller	205	–	–	–	31	8	5	2	2	–	1	13	3	106	71	–	–
43	Mississippi	199	–	–	1	30	3	4	3	7	3	2	8	5	100	72	–	3
44	Moniteau	142	1	–	–	27	7	6	3	3	2	1	5	5	82	56	2	–
45	Monroe	156	–	–	1	23	9	5	2	2	–	1	4	4	78	56	–	3
46	Montgomery	164	1	–	–	31	10	9	2	3	1	2	4	3	94	64	1	1
47	Morgan	177	–	–	–	51	16	11	1	8	6	–	9	4	82	55	–	–
48	New Madrid	277	1	–	–	47	11	19	4	3	1	2	7	3	134	102	2	–
49	Sikeston, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
50	Balance of county	275	1	–	–	47	11	19	4	3	1	2	7	3	133	102	2	–
51	Newton	395	1	–	1	68	19	14	9	5	3	2	16	8	178	122	1	–
52	Joplin, part	36	–	–	1	5	–	2	–	1	–	–	2	–	18	13	–	–
53	Balance of county	359	1	–	–	63	19	12	9	4	3	2	14	8	160	109	1	–
54	Nodaway	211	–	–	1	27	12	5	1	4	–	–	5	1	131	90	–	2
55	Oregon	149	–	–	1	29	5	7	–	4	2	–	11	–	83	73	–	–
56	Osage	120	–	–	2	27	6	7	5	1	–	2	6	–	63	48	–	–
57	Ozark	101	–	–	–	21	2	4	1	2	–	2	10	1	47	29	1	–
58	Pemiscot	371	2	–	3	51	15	10	3	7	2	3	11	7	218	152	2	–
59	Perry	167	–	–	2	29	10	7	–	3	1	4	4	2	103	85	–	1
60	Pettis	416	–	–	1	69	17	25	3	8	2	1	13	11	222	154	1	3
61	Sedalia	324	–	–	1	53	12	21	2	6	1	–	11	7	174	117	1	3
62	Balance of county	92	–	–	–	16	5	4	1	2	1	1	2	4	48	37	–	–
63	Phelps	346	1	–	3	58	13	18	6	3	5	2	11	5	177	143	2	7
64	Rolla	92	–	–	–	20	5	7	1	1	1	1	4	1	45	37	2	–
65	Balance of county	254	1	–	3	38	8	11	5	2	4	1	7	4	132	106	–	7
66	Pike	239	–	1	–	40	15	6	3	6	3	1	6	1	131	87	1	6
67	Platte	215	–	–	2	29	6	10	2	5	2	–	4	3	106	71	1	–
68	Kansas City, part	54	–	–	1	11	4	3	1	1	1	–	1	–	21	16	–	–
69	Balance of county	161	–	–	1	18	2	7	1	4	1	–	3	3	85	55	1	–
70	Polk	205	–	1	2	32	7	8	2	3	1	–	11	1	123	85	3	2
71	Pulaski	224	–	–	–	29	8	3	3	2	2	2	9	4	94	73	2	4
72	Putnam	99	–	–	–	15	1	2	1	3	2	1	5	3	59	34	–	4
73	Ralls	89	–	–	–	24	9	4	2	5	–	1	3	1	38	26	–	–
74	Hannibal, part	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
75	Balance of county	88	–	–	–	24	9	4	2	5	–	1	3	1	37	25	–	–
76	Randolph	326	–	–	4	68	12	16	6	12	4	1	17	4	157	105	–	2
77	Moberly	202	–	–	2	41	5	8	3	10	2	–	13	2	99	60	–	1
78	Balance of county	124	–	–	2	27	7	8	3	2	2	1	4	2	58	45	–	1
79	Ray	220	–	–	–	33	6	13	4	5	1	2	2	6	117	75	1	1
80	Reynolds	72	–	–	–	15	4	4	–	3	1	1	2	–	36	25	–	–
81	Ripley	170	1	–	–	31	8	8	3	5	1	2	4	6	75	58	3	–
82	St. Charles	670	1	–	3	129	38	20	11	15	8	5	32	8	329	255	3	–
83	St. Charles	303	–	–	1	56	23	11	4	4	1	2	11	1	157	115	2	–
84	Balance of county	367	1	–	2	73	15	9	7	11	7	3	21	7	172	140	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
82	18	–	45	9	2	1	3	2	1	–	–	1	–	10	31	2	6	4	2	1	01
24	3	–	11	1	–	6	–	–	–	–	–	–	–	8	12	2	4	–	1	1	02
39	8	–	8	1	1	6	2	–	–	–	–	2	–	–	9	6	2	–	1	–	03
51	11	–	16	7	1	8	1	1	1	–	–	1	–	3	10	5	9	–	–	1	04
108	11	1	31	5	6	9	4	1	2	–	–	3	–	4	18	21	12	8	5	3	05
44	3	–	13	2	1	4	4	–	–	2	–	1	–	1	6	4	2	3	–	1	06
1,849	190	21	645	85	97	176	70	12	85	39	1	53	–	87	318	547	121	174	115	105	33	07
29	4	–	4	2	2	2	–	–	1	1	–	1	–	1	6	7	5	3	5	–	1	08
295	29	3	87	6	9	26	16	2	12	3	–	11	–	14	21	55	14	24	19	4	3	09
295	29	3	87	6	9	26	16	2	12	3	–	11	–	14	21	55	14	24	19	4	3	10
1,297	140	17	476	68	74	129	45	10	67	33	–	32	–	63	279	427	87	128	73	99	26	11
1,400	152	19	516	73	79	142	52	12	73	33	1	37	–	67	284	463	102	141	79	105	29	12
81	7	–	32	1	3	8	4	–	1	–	–	2	–	1	3	22	4	4	4	–	1	13
79	7	–	22	5	4	4	3	–	1	1	–	1	–	1	5	10	2	7	7	–	–	14
68	3	1	24	3	5	7	2	–	3	1	–	6	–	7	4	26	9	8	7	2	2	15
300	25	5	110	14	11	40	16	2	8	7	–	5	–	13	57	71	20	32	10	5	2	16
35	4	2	13	5	1	6	8	1	–	–	–	1	–	3	6	19	2	4	2	2	2	17
148	10	3	63	6	6	21	6	–	4	4	–	2	–	5	33	30	9	20	3	1	–	18
160	11	3	67	6	7	21	6	–	4	4	–	2	–	6	37	32	11	22	3	2	–	19
117	11	–	34	3	4	13	2	1	4	3	–	2	–	5	18	22	9	8	5	2	–	20
284	23	–	55	12	10	26	11	3	7	3	–	12	–	14	12	59	33	21	9	10	3	21
90	14	–	23	11	4	4	3	1	3	2	–	2	–	2	4	16	12	2	6	1	–	22
40	4	–	4	5	–	2	2	–	–	1	–	–	–	1	–	6	1	–	1	–	–	23
50	10	–	19	6	4	2	1	–	3	1	–	2	–	1	4	10	11	2	5	1	–	24
26	5	–	9	–	1	2	3	–	–	1	–	1	–	–	1	10	4	4	–	–	1	25
99	8	1	25	3	4	6	1	–	3	–	–	–	–	7	14	23	10	8	4	–	–	26
105	20	2	37	11	11	8	6	2	1	5	–	–	–	6	10	25	7	8	3	1	5	27
113	17	1	27	5	5	9	1	–	3	6	–	–	–	2	26	21	11	4	1	3	–	28
37	5	–	23	–	3	7	3	–	1	1	–	1	–	–	2	7	5	5	–	1	–	29
74	5	2	44	9	4	3	2	–	3	–	–	–	–	2	4	18	5	6	3	1	–	30
90	15	–	43	4	8	5	–	1	1	–	–	2	–	–	4	22	5	8	–	–	1	31
67	7	–	31	1	3	9	3	2	1	–	–	1	–	2	1	14	1	12	3	–	–	32
40	33	1	15	–	2	9	4	–	3	–	–	–	–	–	11	17	9	2	4	–	–	33
90	9	–	28	4	2	4	3	–	2	1	–	–	–	4	2	27	11	7	3	–	–	34
52	4	–	14	–	1	5	2	–	–	–	–	–	–	2	18	8	2	5	1	2	1	35
37	2	–	7	–	–	3	–	–	–	–	–	–	–	2	4	10	3	2	3	–	–	36
147	7	2	40	8	6	16	8	2	4	1	–	4	–	2	10	22	5	3	2	2	–	37
111	4	2	30	8	4	13	5	2	4	1	–	4	–	1	8	18	–	3	2	1	–	38
112	4	2	30	8	4	13	5	2	4	1	–	4	–	1	8	18	–	3	2	1	–	39
36	3	–	10	–	2	3	3	–	–	–	–	–	–	1	2	4	5	–	–	1	–	40
27	4	–	9	1	–	3	1	–	–	–	1	1	–	–	1	6	1	2	–	–	–	41
67	4	–	26	5	4	6	2	1	2	–	–	1	–	6	9	23	5	8	2	–	1	42
63	6	2	21	1	4	4	4	1	1	1	–	1	–	2	13	16	9	9	1	–	2	43
50	4	–	19	2	5	4	2	–	1	1	–	1	–	–	1	9	2	5	1	–	–	44
49	4	–	15	6	1	14	1	1	1	1	–	–	–	–	8	10	4	8	2	–	–	45
56	6	2	16	11	1	8	4	2	2	–	–	2	–	–	–	7	4	6	–	–	–	46
51	4	1	22	3	1	6	3	2	5	–	–	1	–	–	–	11	2	5	2	4	1	47
93	7	–	25	3	4	9	4	2	3	2	–	2	–	4	33	15	6	9	1	2	–	48
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	49
93	7	–	25	2	4	9	4	2	3	2	–	2	–	4	32	15	6	9	1	2	–	50
106	15	–	42	10	4	11	6	1	5	1	–	1	–	5	41	37	18	10	2	1	–	51
12	1	–	4	–	1	–	–	–	–	–	–	–	–	1	4	2	2	2	–	1	–	52
94	14	–	38	10	3	11	6	1	5	1	–	1	–	4	37	35	16	8	2	–	–	53
83	5	2	32	4	3	8	3	1	1	4	–	–	–	–	–	19	3	10	2	–	–	54
66	7	–	6	2	2	7	2	–	1	1	–	–	–	1	4	8	9	1	1	–	1	55
39	9	–	10	3	2	5	–	–	–	4	–	–	–	–	1	7	3	7	–	–	1	56
26	2	–	15	1	2	2	–	1	3	–	–	–	–	1	8	9	3	2	2	1	–	57
104	46	2	57	5	2	6	4	1	1	4	1	1	–	4	10	25	13	13	2	5	–	58
83	1	–	13	3	2	4	1	–	–	1	–	3	–	3	2	9	5	1	1	–	1	59
138	12	2	55	7	4	16	6	–	3	4	–	–	–	2	3	38	23	12	3	1	2	60
104	9	2	47	5	3	13	4	–	3	3	–	–	–	2	2	31	16	11	1	1	2	61
34	3	–	8	2	1	3	2	–	–	1	–	–	–	–	1	7	7	1	2	–	–	62
122	12	1	26	4	3	10	5	1	3	3	–	3	–	3	13	33	15	8	4	1	1	63
32	3	1	5	–	2	–	–	–	–	–	–	1	–	1	5	10	6	2	1	–	–	64
90	9	–	21	4	1	10	5	1	3	3	–	2	–	2	8	23	9	6	3	–	1	65
64	16	1	27	13	3	6	6	1	1	–	–	2	–	–	12	16	5	8	6	2	1	66
64	6	–	25	6	4	8	4	1	3	1	–	2	–	6	14	13	14	5	2	2	–	67
15	1	–	3	1	1	2	1	1	1	–	–	1	–	2	2	3	4	1	1	2	–	68
49	5	–	22	5	3	6	3	–	2	1	–	1	–	4	12	10	10	4	1	–	–	69
73	7	–	31	5	2	3	5	–	1	–	–	1	–	1	8	9	9	3	4	1	1	70
59	8	1	17	–	3	9	2	–	1	–	–	2	–	10	26	17	15	8	2	3	1	71
29	1	–	19	5	1	5	–	2	1	2	–	–	–	1	–	9	–	2	–	1	–	72
21	5	–	9	3	–	5	4	1	1	–	–	–	–	1	1	3	2	4	3	–	1	73
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74
20	5	–	9	3	–	5	4	1	1	–	–	–	–	1	1	3	2	4	3	–	1	75
92	11	1	34	14	3	11	5	2	1	–	–	2	–	2	21	25	11	8	2	3	1	76
53	6	–	29	8	2	10	4	2	1	–	–	1	–	1	12	14	6	3	2	1	1	77
39	5	1	5	6	1	1	1	–	–	–	–	–	–	1	9	11	5	5	–	2	–	78
61	12	5	20	12	5	9	–	–	1	1	–	1	–	2	11	21	7	7	1	1	2	79
21	4	1	8	–	2	4	1	–	–	–	–	–	–	–	6	3	3	2	–	1	1	80
51	4	1	15	1	–	6	4	–	1	1	–	3	–	–	15	15	7	5	–	–	–	81
239	13	1	65	4	4	29	8	1	6	–	–	4	–	9	37	35	31	24	12	2	2	82
105	8	1	37	2	2	13	3	1	2	–	–	2	–	6	19	16	7	11	5	1	2	83
134	5	–	28	2	2	16	5	–	4	–	–	2	–	3	18	19	24	13	7	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	St. Clair	122	–	–	2	22	6	5	4	2	2	1	2	1	74	55	–	–
02	St. Francois	507	–	–	2	96	23	27	7	6	5	4	24	9	264	189	2	1
03	St. Louis	7,178	2	–	48	1,681	458	406	163	163	84	69	338	164	3,639	2,764	55	29
04	Ballwin	79	–	–	–	21	6	2	6	3	2	–	2	2	33	24	2	1
05	Bellefontaine Neighbors	161	–	–	–	32	8	14	–	4	–	1	5	2	95	78	3	2
06	Berkeley	86	–	–	–	21	6	3	4	2	1	–	5	2	37	28	–	–
07	Brentwood	78	–	–	–	16	4	3	2	1	1	3	2	2	41	31	1	–
08	Bridgeton	110	–	–	–	34	8	10	3	1	3	1	8	4	48	39	–	–
09	Clayton	184	–	–	–	46	9	9	11	4	5	–	8	5	102	68	1	–
10	Crestwood	95	–	–	2	19	3	7	1	1	3	1	3	1	50	39	–	–
11	Ferguson	206	–	–	1	50	8	14	8	2	2	1	15	1	106	77	1	–
12	Florissant	427	1	–	5	113	30	32	17	8	4	10	12	8	194	143	4	–
13	Hazelwood	85	–	–	–	14	4	3	2	1	1	1	2	3	47	39	1	1
14	Jennings	216	–	–	2	53	13	14	3	10	4	1	8	4	114	86	1	1
15	Kirkwood	276	–	–	–	62	14	18	5	7	3	2	13	4	150	107	4	–
16	Ladue	71	–	–	–	14	3	1	–	3	–	1	6	2	42	25	–	2
17	Maplewood	115	–	–	2	20	7	2	–	4	1	1	5	3	59	48	–	1
18	Overland	255	–	–	3	62	16	17	5	10	1	3	10	13	121	91	–	1
19	Richmond Heights	158	–	–	1	41	12	11	3	4	2	1	8	3	78	58	2	1
20	St. Ann	108	–	–	1	26	10	7	1	–	–	2	6	4	48	36	–	1
21	University City	467	1	–	3	111	42	15	13	12	6	2	21	13	245	192	7	3
22	Webster Groves	252	–	–	–	65	19	11	7	6	5	2	15	3	139	107	1	1
23	Balance of county	3,749	–	–	28	861	236	213	72	80	40	36	184	85	1,890	1,448	27	14
24	St. Louis city	7,473	13	2	75	1,398	384	385	104	157	54	47	267	188	3,841	2,912	41	44
25	Ste. Genevieve	136	1	–	1	29	13	5	4	1	2	–	4	6	65	52	2	1
26	Saline	317	–	–	–	52	17	14	1	5	1	–	14	7	191	133	1	–
27	Marshall	129	–	–	–	19	8	3	1	2	1	–	4	5	79	52	1	–
28	Balance of county	188	–	–	–	33	9	11	–	3	–	–	10	2	112	81	–	–
29	Schuyler	79	–	–	2	12	2	4	–	1	–	2	3	–	47	39	–	2
30	Scotland	82	–	–	–	13	4	5	1	1	–	–	2	2	48	34	–	–
31	Scott	361	–	–	2	70	25	12	6	11	4	3	9	7	189	133	2	5
32	Sikeston, part	152	–	–	–	28	12	4	2	4	2	1	3	–	78	58	1	2
33	Sikeston, total	154	–	–	–	28	12	4	2	4	2	1	3	–	79	58	1	2
34	Balance of county	209	–	–	2	42	13	8	4	7	2	2	6	7	111	75	1	3
35	Shannon	72	–	–	1	11	6	2	–	2	–	–	1	1	31	22	–	–
36	Shelby	136	–	–	1	13	1	7	3	2	–	–	–	–	83	56	–	23
37	Stoddard	300	1	–	1	61	17	14	3	9	3	1	14	6	142	111	1	4
38	Stone	132	–	–	–	26	5	8	–	3	–	–	10	–	64	45	–	1
39	Sullivan	129	–	–	1	31	10	5	3	2	1	3	7	2	64	51	1	3
40	Taney	212	1	–	–	38	9	7	1	4	1	1	15	2	121	79	1	1
41	Texas	267	–	–	2	42	9	16	1	3	1	–	12	3	156	124	–	9
42	Vernon	286	–	–	1	47	13	12	5	3	3	5	6	7	144	102	1	8
43	Warren	152	–	–	2	25	4	6	5	3	1	3	3	2	89	73	–	–
44	Washington	151	1	–	–	18	4	4	3	5	–	–	2	4	86	68	1	1
45	Wayne	141	–	–	–	29	9	3	–	6	1	1	9	2	65	48	–	–
46	Webster	170	–	–	1	20	3	7	3	3	1	–	3	1	101	66	–	–
47	Worth	52	–	–	1	11	3	–	2	3	–	–	3	2	33	22	–	–
48	Wright	218	–	–	–	36	11	10	1	3	–	1	10	3	115	73	4	–
49	**Montana**	6,741	9	–	36	1,181	313	263	107	152	65	53	228	98	3,107	2,188	50	19
50	Urban places	2,351	4	–	11	416	101	103	46	43	21	27	75	26	1,112	760	20	10
51	Balance of area	4,390	5	–	25	765	212	160	61	109	44	26	153	72	1,995	1,428	30	9
52	Metropolitan counties	1,399	1	–	9	258	67	64	22	25	16	17	47	19	644	423	13	3
53	Urban places	1,082	1	–	8	204	53	51	18	18	10	17	37	14	497	326	8	3
54	Balance of area	317	–	–	1	54	14	13	4	7	6	–	10	5	147	97	5	–
55	Nonmetropolitan counties	5,342	8	–	27	923	246	199	85	127	49	36	181	79	2,463	1,765	37	16
56	Urban places	1,269	3	–	3	212	48	52	28	25	11	10	38	12	615	434	12	7
57	Balance of area	4,073	5	–	24	711	198	147	57	102	38	26	143	67	1,848	1,331	25	9
58	Beaverhead	113	–	–	–	10	2	2	1	2	–	1	2	2	48	32	1	–
59	Big Horn	83	2	–	2	11	1	2	2	2	–	–	4	1	29	23	–	–
60	Blaine	71	–	–	1	7	1	1	2	2	1	–	–	1	40	27	1	–
61	Broadwater	37	–	–	–	13	4	4	–	1	–	1	3	–	17	14	–	1
62	Carbon	103	–	–	–	23	11	3	2	2	2	–	3	1	55	37	3	–
63	Carter	25	–	–	–	4	3	–	–	–	–	–	1	1	11	8	1	–
64	Cascade	652	1	–	5	115	34	36	6	9	2	8	20	9	304	203	4	1
65	Great Falls	537	1	–	4	97	26	32	6	6	2	8	17	7	261	173	3	1
66	Balance of county	115	–	–	1	18	8	4	–	3	–	–	3	2	43	30	1	–
67	Chouteau	54	–	–	–	10	1	1	1	2	1	–	4	–	30	24	–	–
68	Custer	146	–	–	–	26	5	6	2	7	3	1	2	–	75	55	–	–
69	Daniels	36	–	–	–	7	4	–	–	1	–	1	1	2	18	14	–	–
70	Dawson	75	–	–	–	10	3	1	–	2	–	2	2	1	37	24	–	–
71	Deer Lodge	161	–	–	1	31	14	4	3	4	1	1	4	1	81	61	–	2
72	Fallon	31	–	–	–	6	2	–	–	2	–	–	2	2	15	12	1	–
73	Fergus	175	–	–	–	26	7	–	4	3	3	2	7	3	76	50	2	1
74	Flathead	394	–	–	2	67	20	9	10	11	3	3	11	4	202	149	4	3
75	Kalispell	128	–	–	1	24	8	3	4	4	1	1	3	1	66	53	2	2
76	Balance of county	266	–	–	1	43	12	6	6	7	2	2	8	3	136	96	2	1
77	Gallatin	246	–	–	3	40	6	8	6	8	2	1	9	7	118	79	1	2
78	Bozeman	143	–	–	–	21	1	5	4	5	1	1	4	3	74	46	1	2
79	Balance of county	103	–	–	3	19	5	3	2	3	1	–	5	4	44	33	–	–
80	Garfield	24	–	–	–	4	–	1	–	–	–	2	1	1	7	5	–	–
81	Glacier	120	1	–	–	14	3	1	–	4	1	1	4	3	37	32	–	–
82	Golden Valley	13	–	–	–	1	–	1	–	–	–	–	–	–	6	5	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor-vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
45	10	–	15	1	3	–	1	–	2	–	–	–	–	1	12	3	3	1	1	–	01
178	8	1	56	13	5	29	6	–	3	4	–	1	2	28	30	14	11	3	5	–	02
2,539	141	24	623	127	101	173	78	21	80	24	–	52	78	88	546	149	148	122	57	28	03
19	2	–	8	1	–	4	–	–	2	–	–	2	1	2	9	1	–	4	–	–	04
67	6	–	15	2	–	5	1	–	2	–	–	1	–	–	12	2	6	2	–	1	05
27	1	1	6	–	2	4	1	–	4	–	–	4	1	1	6	2	2	2	–	2	06
28	2	–	7	1	2	3	1	–	1	–	–	1	–	–	8	3	2	–	–	–	07
39	–	–	7	–	2	1	2	–	–	–	–	1	1	–	9	5	–	5	–	–	08
66	1	1	24	6	3	2	2	–	1	1	–	–	–	2	12	3	5	1	1	1	09
37	2	1	6	3	1	1	–	–	1	–	–	–	–	4	8	5	1	2	–	–	10
67	9	2	22	3	2	5	2	–	2	–	–	–	2	2	17	2	5	5	3	2	11
130	9	–	35	4	12	11	4	1	5	1	–	3	10	2	31	14	11	8	2	3	12
36	1	–	6	1	1	1	1	–	–	–	–	–	1	2	8	4	2	2	–	–	13
79	5	–	24	–	4	1	2	–	2	3	–	2	–	1	19	5	1	4	2	1	14
101	2	–	28	9	6	4	3	1	4	1	–	2	4	2	22	4	7	4	1	1	15
23	–	–	13	2	2	1	1	–	2	–	–	–	–	–	3	3	–	2	1	–	16
47	–	–	8	–	3	2	2	1	–	–	–	–	–	5	14	2	3	1	1	–	17
85	5	1	19	8	2	7	3	–	3	–	–	4	2	4	18	5	5	4	–	1	18
53	2	1	13	4	2	4	2	–	–	1	–	2	–	3	14	1	3	4	1	–	19
34	1	1	10	1	–	5	2	–	2	–	–	2	1	4	6	1	1	4	1	–	20
176	6	5	34	10	4	15	3	4	3	2	–	2	3	3	33	4	8	5	6	3	21
102	3	1	22	7	2	6	4	1	–	1	–	–	1	–	17	2	10	2	–	1	22
1,323	84	10	316	65	51	91	42	11	48	14	–	31	47	51	280	83	76	61	38	12	23
2,660	167	40	691	123	75	232	81	28	127	50	3	38	94	117	650	91	173	57	184	31	24
49	–	–	10	–	3	4	1	–	1	–	–	1	2	5	7	7	3	2	–	1	25
126	6	2	43	7	6	11	3	1	1	2	–	1	5	–	20	8	6	5	3	1	26
49	2	2	23	–	2	4	1	–	–	2	–	–	3	–	6	2	4	2	2	–	27
77	4	–	20	7	4	7	2	1	1	–	–	1	2	–	14	6	2	3	1	1	28
31	6	–	8	–	–	2	2	–	–	–	–	–	1	–	4	4	4	1	–	–	29
33	1	–	9	4	1	4	1	–	–	1	–	–	1	–	7	1	3	1	–	–	30
117	9	1	47	1	7	10	7	–	4	1	–	1	8	15	22	9	11	3	1	1	31
52	3	1	17	–	2	4	4	–	–	–	–	–	5	10	11	3	6	2	1	–	32
52	3	1	17	1	2	4	4	–	–	–	–	–	5	11	11	3	6	2	1	–	33
65	6	–	30	1	5	6	3	–	4	1	–	1	3	5	11	6	5	1	–	1	34
20	2	–	8	1	–	2	4	–	–	–	–	1	1	–	9	9	–	1	1	–	35
32	1	3	20	3	1	6	3	1	–	–	–	1	–	7	11	2	7	1	–	–	36
93	13	–	28	3	–	14	3	1	1	2	–	3	2	28	21	4	7	1	–	2	37
40	4	–	14	3	2	1	1	1	1	1	–	–	1	16	12	2	4	1	–	1	38
32	15	1	9	1	2	7	–	1	–	–	–	–	–	2	9	1	9	2	–	–	39
68	9	–	32	9	1	4	1	1	2	–	–	–	2	18	13	1	3	4	–	1	40
112	3	1	28	–	3	8	5	1	2	2	–	–	3	6	11	11	9	4	2	–	41
80	13	–	38	2	2	16	4	2	1	3	–	–	3	18	15	11	9	4	1	–	42
68	5	–	15	–	1	2	4	–	–	–	–	–	1	6	9	6	2	2	–	1	43
62	4	1	13	3	1	7	3	–	–	1	–	–	2	5	13	7	3	–	–	1	44
42	6	–	15	1	1	10	1	–	–	1	–	–	1	9	13	4	4	1	1	–	45
65	1	1	26	4	4	6	3	–	–	1	–	–	–	–	14	17	4	2	–	–	46
22	–	–	6	3	2	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–	47
65	4	2	35	2	3	12	5	–	1	–	–	1	–	10	15	9	6	4	–	1	48
1,762	357	12	642	163	102	304	117	22	112	15	–	59	103	204	601	292	299	129	35	18	49
602	128	8	231	64	49	88	43	3	38	5	–	22	39	98	210	73	87	49	17	10	50
1,160	229	4	411	99	53	216	74	19	74	10	–	37	64	106	391	219	212	80	18	8	51
329	78	5	135	58	23	49	18	3	21	1	–	14	25	69	105	60	55	33	11	4	52
246	69	4	107	40	20	33	14	2	19	1	–	11	21	54	85	40	36	27	11	4	53
83	9	1	28	18	3	16	4	1	2	–	–	3	4	15	20	20	19	6	–	–	54
1,433	279	7	507	105	79	255	99	19	91	14	–	45	78	135	496	232	244	96	24	14	55
356	59	4	124	24	29	55	29	1	19	4	–	11	18	44	125	33	51	22	6	6	56
1,077	220	3	383	81	50	200	70	18	72	10	–	34	60	91	371	199	193	74	18	8	57
26	5	–	14	–	2	7	4	1	2	–	–	1	–	9	11	10	5	3	–	–	58
15	8	–	6	–	–	3	3	–	6	2	–	1	2	1	10	6	4	–	–	–	59
21	5	–	8	5	–	1	2	–	–	–	–	–	–	–	8	2	6	1	2	–	60
8	5	–	2	1	–	1	–	–	1	–	–	–	1	–	2	–	1	1	–	–	61
21	13	–	15	1	2	5	1	–	1	–	–	–	–	1	7	3	5	1	–	–	62
5	2	–	1	1	1	3	–	–	–	–	–	–	1	2	2	1	2	–	–	–	63
143	55	2	56	34	9	24	9	2	9	–	–	5	13	39	39	30	25	19	4	–	64
116	53	2	48	30	8	16	6	2	8	–	–	4	10	30	36	21	14	16	4	–	65
27	2	–	8	4	1	8	3	–	1	–	–	1	3	9	3	9	11	3	–	–	66
21	3	–	5	1	–	2	–	–	–	–	–	2	–	2	3	2	3	–	–	–	67
48	7	–	16	–	4	12	1	1	1	–	–	–	2	2	13	4	4	3	1	1	68
13	1	–	3	–	1	1	–	1	–	–	–	–	–	2	1	2	1	1	–	–	69
20	4	–	11	1	1	3	–	–	1	–	–	–	3	2	10	4	3	1	–	–	70
51	8	–	15	3	2	5	3	2	2	1	–	–	–	1	14	6	8	4	1	–	71
8	3	–	2	1	–	5	–	–	–	–	–	–	–	–	–	–	2	1	–	–	72
43	4	1	15	8	2	26	4	1	1	–	–	1	1	4	25	1	5	1	–	–	73
127	15	–	33	13	7	12	6	–	7	1	–	4	9	3	29	13	23	10	1	1	74
46	3	–	8	2	3	1	4	–	–	–	–	–	2	–	14	2	8	4	1	–	75
81	12	–	25	11	4	11	2	–	7	1	–	4	7	3	15	11	15	6	–	1	76
60	16	2	28	8	1	11	4	–	4	2	–	1	3	5	17	10	12	5	1	3	77
34	9	2	19	6	1	9	2	–	–	1	–	1	3	4	11	6	5	1	1	1	78
26	7	–	9	2	–	2	2	–	4	1	–	–	–	1	6	4	7	4	–	2	79
4	1	–	2	–	–	1	3	–	–	–	–	–	–	3	4	–	1	–	–	–	80
23	9	–	3	–	2	5	2	2	7	–	–	1	6	5	16	16	3	–	1	1	81
2	3	–	1	–	–	1	–	–	–	–	–	–	–	1	1	1	2	–	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Montana—Con.																	
01	Granite	26	–	–	–	3	–	1	–	1	–	–	1	1	11	10	1	–
02	Hill	140	–	–	2	21	4	6	3	3	–	1	4	5	61	50	–	–
03	Havre	95	–	–	–	15	3	5	2	2	–	–	3	4	42	35	–	–
04	Balance of county	45	–	–	2	6	1	1	1	1	–	1	1	1	19	15	–	–
05	Jefferson	55	–	–	1	13	6	4	1	1	1	–	1	1	15	13	–	–
06	Judith Basin	22	–	–	1	3	1	–	1	–	–	1	–	–	12	9	–	–
07	Lake	198	2	–	1	28	6	5	3	5	2	1	6	3	96	73	–	–
08	Lewis and Clark	339	1	–	2	59	14	17	8	4	3	2	11	3	151	115	3	–
09	Helena	243	1	–	2	44	8	11	6	3	3	2	11	1	110	83	2	–
10	Balance of county	96	–	–	–	15	6	6	2	1	–	–	–	2	41	32	1	–
11	Liberty	30	–	–	2	2	–	–	–	–	–	–	2	–	18	16	–	–
12	Lincoln	110	–	–	–	25	6	9	1	2	1	1	5	2	54	46	1	–
13	McCone	27	–	–	–	4	1	2	1	–	–	–	–	–	13	9	1	–
14	Madison	66	–	–	1	10	1	3	–	1	1	–	4	–	21	13	1	–
15	Meagher	24	–	–	–	6	1	3	1	–	–	–	1	1	8	5	–	–
16	Mineral	22	–	–	–	2	1	1	–	–	–	–	–	–	7	6	–	–
17	Missoula	464	1	–	2	94	28	23	10	8	4	5	16	5	205	132	4	3
18	Missoula	328	1	–	–	62	16	16	8	4	4	4	10	1	152	99	4	3
19	Balance of county	136	–	–	2	32	12	7	2	4	–	1	6	4	53	33	–	–
20	Musselshell	44	–	–	–	10	3	3	–	–	1	–	3	1	19	16	–	–
21	Park	147	–	–	1	27	5	6	1	6	3	1	5	3	72	46	2	2
22	Petroleum	10	–	–	–	5	–	3	–	2	–	–	–	–	1	1	–	–
23	Phillips	51	–	–	–	9	1	3	1	1	1	–	2	1	30	25	1	–
24	Pondera	61	–	–	–	8	1	5	–	1	–	–	1	–	25	17	1	–
25	Powder River	11	–	–	–	2	–	–	–	1	–	–	1	–	3	2	–	–
26	Powell	68	–	–	–	11	4	1	1	1	–	–	4	2	34	29	2	–
27	Prairie	20	–	–	–	5	1	–	–	1	–	–	3	–	11	9	–	–
28	Ravalli	182	–	–	–	39	14	8	4	4	1	1	7	3	93	67	–	–
29	Richland	106	–	–	1	25	8	3	3	4	2	–	5	1	47	30	1	–
30	Roosevelt	124	–	–	2	13	8	1	–	1	–	–	3	3	45	40	1	–
31	Rosebud	68	–	–	1	12	3	2	1	2	1	–	3	–	27	21	–	–
32	Sanders	90	–	–	–	20	4	5	1	3	2	–	5	1	32	21	1	–
33	Sheridan	60	–	–	–	15	4	3	–	3	–	2	3	–	21	14	1	–
34	Silver Bow	484	1	–	–	66	21	16	7	10	2	3	7	4	253	169	3	–
35	Butte	332	1	–	–	46	12	12	4	7	2	2	7	2	171	118	3	–
36	Balance of county	152	–	–	–	20	9	4	3	3	–	1	–	2	82	51	–	–
37	Stillwater	50	–	–	1	12	3	1	–	1	2	–	5	3	27	13	–	–
38	Sweet Grass	39	–	–	–	6	1	2	1	–	1	–	1	–	17	9	–	–
39	Teton	66	–	–	–	11	2	1	1	2	2	1	2	–	37	21	–	–
40	Toole	58	–	–	–	12	2	4	1	2	–	–	3	–	29	23	–	–
41	Treasure	12	–	–	–	3	–	1	–	–	1	–	1	–	4	3	–	–
42	Valley	113	–	–	–	24	3	12	1	3	–	1	4	3	43	32	–	–
43	Wheatland	34	–	–	–	3	1	1	–	–	1	–	–	3	13	6	–	–
44	Wibaux	14	–	–	–	5	1	–	1	1	–	–	2	–	6	3	–	–
45	Yellowstone	747	–	–	4	143	33	28	16	16	14	9	27	10	340	220	9	2
46	Billings	545	–	–	4	107	27	19	12	12	8	9	20	7	236	153	5	2
47	Balance of county	202	–	–	–	36	6	9	4	4	6	–	7	3	104	67	4	–
48	Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	**Nebraska**	14,547	13	1	84	2,639	788	533	235	332	127	128	496	237	7,694	5,485	98	148
50	Urban places	6,422	10	1	49	1,241	360	280	108	145	56	58	234	106	3,302	2,400	58	42
51	Balance of area	8,125	3	–	35	1,398	428	253	127	187	71	70	262	131	4,392	3,085	40	106
52	Metropolitan counties	5,046	8	1	39	1,016	294	246	94	118	37	42	185	72	2,561	1,844	41	36
53	Urban places	4,496	8	1	36	901	267	219	76	106	35	36	162	66	2,303	1,656	36	30
54	Balance of area	550	–	–	3	115	27	27	18	12	2	6	23	6	258	188	5	6
55	Nonmetropolitan counties	9,501	5	–	45	1,623	494	287	141	214	90	86	311	165	5,133	3,641	57	112
56	Urban places	1,926	2	–	13	340	93	61	32	39	21	22	72	40	999	744	22	12
57	Balance of area	7,575	3	–	32	1,283	401	226	109	175	69	64	239	125	4,134	2,897	35	100
58	Adams	357	–	–	2	58	11	8	7	10	3	3	16	8	218	147	4	–
59	Hastings	299	–	–	2	51	10	7	5	8	2	3	16	5	183	125	4	–
60	Balance of county	58	–	–	–	7	1	1	2	2	1	–	–	3	35	22	–	–
61	Antelope	95	–	–	–	15	6	1	2	3	–	–	3	1	63	41	–	–
62	Arthur	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
63	Banner	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
64	Blaine	8	–	–	–	–	–	–	–	–	–	–	–	1	6	4	–	–
65	Boone	79	–	–	–	17	4	4	2	4	1	2	–	1	37	23	–	–
66	Box Butte	135	–	–	1	18	1	7	2	2	1	1	4	2	77	53	–	–
67	Boyd	42	–	–	–	8	2	1	2	2	1	–	–	–	27	19	–	–
68	Brown	44	–	–	–	8	4	–	–	–	1	–	3	–	22	15	–	–
69	Buffalo	306	1	–	2	50	15	11	3	10	2	1	8	4	145	111	5	1
70	Kearney	178	1	–	2	28	9	4	3	6	2	1	3	2	82	68	5	1
71	Balance of county	128	–	–	–	22	6	7	–	4	–	–	5	2	63	43	–	–
72	Burt	127	–	–	–	14	5	2	1	1	–	1	4	2	74	51	–	1
73	Butler	110	–	–	–	27	9	3	1	2	4	1	7	2	47	39	–	–
74	Cass	188	–	–	1	34	10	6	4	2	4	1	7	3	114	72	2	6
75	Cedar	130	–	–	–	24	7	3	–	8	–	2	4	3	75	49	–	1
76	Chase	56	–	–	–	8	2	2	–	–	–	1	3	1	29	23	–	10
77	Cherry	72	–	–	–	10	3	–	3	1	–	–	3	1	41	31	–	4
78	Cheyenne	125	–	–	1	19	6	3	1	3	2	–	4	2	70	61	2	11
79	Clay	83	–	–	–	13	1	2	1	2	1	1	5	1	56	40	–	1
80	Colfax	113	–	–	–	20	7	1	2	5	–	1	4	1	58	44	1	–
81	Cuming	132	–	–	1	17	3	2	3	4	1	2	2	4	72	51	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
5	4	–	1	–	–	1	–	–	1	–	–	–	3	3	1	1	1	–	–	–	01
39	11	1	10	–	–	8	2	–	4	1	–	3	5	4	12	3	7	2	–	–	02
27	8	–	7	–	–	5	2	–	3	1	–	1	4	2	9	2	4	1	–	–	03
12	3	1	3	–	–	3	–	–	1	–	–	2	1	2	3	1	3	1	–	–	04
12	1	–	2	–	–	2	1	–	1	–	–	1	3	2	10	1	3	1	–	–	05
6	3	–	1	1	1	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	06
58	15	–	18	3	2	12	8	2	–	–	–	1	4	1	16	8	11	4	1	–	07
82	30	1	22	7	6	17	7	–	5	1	–	3	5	24	26	9	13	11	1	1	08
63	18	1	16	4	6	14	6	–	3	1	–	1	3	17	19	5	7	8	1	1	09
19	12	–	6	3	–	3	1	–	2	–	–	2	2	7	7	4	6	3	1	–	10
15	1	–	1	1	–	–	1	–	–	–	–	–	–	–	5	2	–	–	–	–	11
38	7	–	7	–	1	5	3	–	–	–	–	–	1	2	5	5	5	1	2	–	12
8	–	–	3	–	1	1	–	–	1	–	–	1	2	–	3	1	1	–	–	–	13
10	2	–	6	2	–	6	1	–	–	–	–	–	1	6	10	3	4	3	–	–	14
3	2	–	1	–	2	1	1	–	–	–	–	–	–	–	3	3	–	1	–	–	15
3	3	–	1	–	–	2	–	–	–	–	–	1	1	1	2	–	3	1	2	–	16
116	9	–	51	5	17	23	14	–	4	–	–	7	3	4	48	20	23	5	4	2	17
86	6	–	36	3	14	20	11	–	2	–	–	5	3	4	36	6	14	5	4	2	18
30	3	–	15	2	3	3	3	–	2	–	–	2	–	–	12	14	9	–	–	–	19
13	3	–	1	1	1	2	–	–	1	–	–	–	1	–	5	4	1	–	–	–	20
38	4	–	22	2	2	4	8	–	2	–	–	1	2	1	11	8	3	4	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	22
23	1	–	3	–	2	–	–	–	1	–	–	1	1	–	2	4	2	–	–	–	23
12	4	–	6	1	1	3	1	–	–	–	–	–	–	2	8	5	4	4	1	–	24
2	–	–	–	–	1	–	1	–	–	–	–	1	–	–	1	2	1	–	–	–	25
19	8	–	4	1	–	2	2	–	1	1	–	1	3	–	3	5	1	1	1	–	26
8	1	–	2	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–	27
55	12	–	23	2	1	8	2	1	1	–	–	2	–	–	13	8	6	5	–	1	28
24	5	–	13	3	1	3	1	–	2	1	–	1	–	3	9	4	5	2	–	–	29
34	5	–	5	–	–	5	–	3	7	2	–	1	2	2	19	8	7	2	2	1	30
19	2	–	4	1	1	9	–	1	3	–	–	2	–	–	4	7	1	1	–	–	31
16	4	–	8	1	2	1	–	–	3	–	–	1	4	6	9	9	3	1	–	–	32
13	–	–	6	1	–	3	2	–	1	–	–	–	1	–	8	3	5	1	–	–	33
142	24	1	58	17	8	13	7	2	12	1	–	4	4	22	49	17	18	6	2	3	34
100	15	1	38	9	5	6	4	1	11	1	–	3	3	17	36	12	13	3	–	2	35
42	9	–	20	8	3	7	3	1	1	–	–	1	1	5	13	5	5	3	2	1	36
12	1	–	10	3	1	2	–	–	–	–	–	–	–	–	2	1	2	–	–	–	37
7	2	–	8	–	–	6	1	–	–	–	–	–	–	–	1	4	2	2	–	–	38
20	1	1	12	2	1	3	–	1	1	–	–	–	1	1	5	–	3	3	–	–	39
21	2	–	6	–	–	1	–	–	1	–	–	1	–	1	6	4	3	–	–	–	40
3	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	3	–	–	–	41
32	–	–	6	4	1	5	3	–	5	1	–	1	1	1	11	1	10	3	1	–	42
6	–	–	4	3	–	–	–	–	1	–	–	–	3	3	7	–	1	–	–	–	43
3	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	44
186	23	3	79	24	14	25	9	1	12	1	–	9	12	30	66	30	30	14	7	4	45
130	16	2	59	10	12	17	8	–	11	1	–	7	11	24	49	19	22	11	7	4	46
56	7	1	20	14	2	8	1	1	1	–	–	2	1	6	17	11	8	3	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
4,798	**441**	**42**	**1,606**	**303**	**258**	**681**	**202**	**52**	**137**	**67**	**3**	**114**	**165**	**174**	**1,263**	**392**	**402**	**150**	**46**	**31**	49
2,132	168	17	676	108	101	268	94	24	73	30	1	59	79	67	562	141	199	71	30	15	50
2,666	273	25	930	195	157	413	108	28	64	37	2	55	86	107	701	251	203	79	16	16	51
1,614	153	12	530	96	79	185	78	21	59	25	–	54	70	42	442	121	149	61	28	14	52
1,459	131	10	484	84	69	160	70	20	56	24	–	43	62	37	395	98	129	49	26	12	53
155	22	2	46	12	10	25	8	1	3	1	–	11	8	5	47	23	20	12	2	2	54
3,184	288	30	1,076	207	179	496	124	31	78	42	3	60	95	132	821	271	253	89	18	17	55
673	37	7	192	24	32	108	24	4	17	6	1	16	17	30	167	43	70	22	4	3	56
2,511	251	23	884	183	147	388	100	27	61	36	2	44	78	102	654	228	183	67	14	14	57
140	3	–	58	6	7	6	5	–	3	–	–	6	1	1	30	8	9	2	–	–	58
120	1	–	50	4	4	6	4	–	3	–	–	5	–	1	26	5	7	1	–	–	59
20	2	–	8	2	3	–	1	–	–	–	–	1	1	–	4	3	2	1	–	–	60
39	2	1	13	6	2	2	2	–	–	–	–	1	2	1	4	1	3	–	–	–	61
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	62
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	63
4	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	64
19	4	–	10	1	3	5	–	–	1	–	–	–	–	1	8	4	5	–	–	–	65
50	3	–	18	3	3	4	2	1	1	–	–	1	3	2	13	6	4	–	–	–	66
18	1	–	6	1	1	–	–	–	–	–	–	1	–	–	4	1	–	1	–	–	67
14	1	–	7	–	–	5	–	–	–	–	–	–	1	–	4	2	1	1	–	–	68
95	10	1	23	3	7	31	3	1	2	8	–	1	4	–	32	8	7	6	1	–	69
56	6	1	9	1	3	24	2	–	–	1	–	–	2	–	21	4	4	4	1	–	70
39	4	–	14	2	4	7	1	1	2	7	–	1	2	–	11	4	3	2	–	–	71
47	3	–	16	5	2	11	3	–	1	1	–	–	2	–	12	2	4	1	–	–	72
37	2	–	7	–	1	6	–	1	1	–	–	1	3	–	12	6	4	–	–	–	73
61	3	–	32	4	6	6	3	–	1	–	–	1	4	–	11	4	4	–	–	2	74
41	7	1	14	11	–	5	1	–	–	–	–	–	4	–	7	6	3	2	–	–	75
10	3	1	2	–	3	3	2	–	1	–	–	1	–	2	2	3	3	1	–	–	76
26	1	–	9	–	1	4	1	–	1	–	–	1	–	1	4	3	4	–	–	1	77
45	3	–	8	1	–	4	3	–	3	–	–	1	–	1	12	3	5	1	–	–	78
33	6	–	13	3	–	1	2	–	–	–	–	1	–	1	8	–	–	1	–	–	79
36	7	–	9	1	4	9	1	2	2	–	–	–	–	4	10	3	2	–	–	–	80
47	2	–	18	–	3	9	2	–	1	–	–	–	1	3	19	–	1	2	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Custer	185	1	–	2	27	9	7	3	3	–	–	5	1	94	80	3	1
02	Dakota	115	–	–	–	26	6	5	5	2	1	1	6	2	55	37	–	1
03	Dawes	111	–	–	–	17	5	4	1	3	1	–	3	–	59	52	1	2
04	Dawson	222	–	–	1	41	13	8	4	10	1	1	4	2	122	89	1	3
05	Deuel	38	–	–	–	8	1	1	–	4	–	1	1	–	22	14	2	–
06	Dixon	74	–	–	1	18	7	4	2	2	1	–	2	4	36	24	–	–
07	Dodge	369	–	–	–	66	20	11	5	5	3	5	17	6	173	114	3	3
08	Fremont	259	–	–	–	48	16	7	2	5	3	5	10	3	116	75	–	3
09	Balance of county	110	–	–	–	18	4	4	3	–	–	–	7	3	57	39	3	–
10	Douglas	3,287	7	1	24	683	194	176	57	80	27	28	121	52	1,659	1,209	24	23
11	Omaha	3,140	7	1	24	646	184	170	51	77	26	23	115	50	1,593	1,157	22	22
12	Balance of county	147	–	–	–	37	10	6	6	3	1	5	6	2	66	52	2	1
13	Dundy	39	–	–	–	4	–	1	1	–	–	–	2	–	17	13	1	–
14	Fillmore	115	–	–	–	23	8	3	3	–	–	5	4	7	52	36	1	1
15	Franklin	75	–	–	–	5	1	1	1	–	1	1	–	1	45	29	1	1
16	Frontier	44	–	–	–	10	3	1	–	2	1	1	2	1	24	18	–	2
17	Furnas	111	–	–	–	14	5	–	2	1	–	2	4	1	68	47	–	–
18	Gage	300	–	–	4	67	18	13	4	11	7	3	11	5	150	116	–	4
19	Beatrice	162	–	–	1	26	8	4	3	3	3	1	4	5	82	65	–	4
20	Balance of county	138	–	–	3	41	10	9	1	8	4	2	7	–	68	51	–	–
21	Garden	34	–	–	–	7	3	1	1	1	–	–	1	–	22	21	–	2
22	Garfield	43	–	–	–	7	2	2	1	1	–	–	–	1	28	7	1	–
23	Gosper	19	–	–	–	1	1	–	–	–	–	–	–	–	9	4	–	–
24	Grant	7	–	–	–	1	–	–	–	–	–	–	1	–	3	2	–	–
25	Greeley	45	–	–	–	5	3	1	–	–	–	–	1	–	28	17	–	–
26	Hall	427	–	–	1	76	16	21	4	5	8	4	18	11	212	154	3	2
27	Grand Island	344	–	–	1	65	15	18	4	4	7	4	13	11	166	124	3	1
28	Balance of county	83	–	–	–	11	1	3	–	1	1	–	5	–	46	30	–	1
29	Hamilton	90	–	–	–	15	3	2	2	2	–	–	6	–	52	35	1	–
30	Harlan	57	–	–	–	9	1	2	1	1	–	–	3	1	33	21	–	–
31	Hayes	14	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	2
32	Hitchcock	58	–	–	–	7	4	2	1	–	–	–	1	–	24	18	–	1
33	Holt	143	–	–	2	21	5	4	3	5	1	1	2	–	73	53	–	–
34	Hooker	11	–	–	1	–	–	–	–	–	–	–	–	–	5	5	–	1
35	Howard	70	–	–	–	11	5	2	–	–	1	1	2	–	46	38	–	–
36	Jefferson	142	–	–	1	30	10	4	4	3	–	1	2	2	68	48	–	3
37	Johnson	71	–	–	–	13	6	1	–	1	–	1	8	1	48	23	–	1
38	Kearney	71	–	–	–	17	4	1	2	1	1	2	4	1	38	27	–	1
39	Keith	93	–	–	–	17	7	3	2	1	1	–	5	1	38	27	–	1
40	Keya Paha	9	–	–	–	1	–	1	–	–	–	–	3	–	51	39	–	1
41	Kimball	50	–	–	1	9	3	2	–	3	–	–	–	–	4	4	–	–
42	Knox	137	–	–	–	15	5	3	1	3	1	–	1	1	23	19	–	1
43	Lancaster	1,393	1	–	11	261	79	51	27	31	9	13	2	–	91	63	–	2
44	Lincoln	1,282	1	–	11	241	75	46	25	28	9	13	51	16	735	511	15	9
45	Balance of county	111	–	–	–	20	4	5	2	3	–	–	45	15	675	471	13	8
46	Lincoln	266	1	–	3	53	14	15	6	5	1	1	6	1	60	40	2	1
47	North Platte	189	1	–	3	35	9	10	6	3	1	–	11	8	124	99	3	3
48	Balance of county	77	–	–	–	18	5	5	–	2	–	1	6	6	90	71	2	–
49	Logan	12	–	–	–	3	2	1	–	–	–	–	5	2	34	28	1	3
50	Loup	9	–	–	–	3	1	1	–	–	–	–	–	–	7	5	–	–
51	McPherson	3	–	–	–	–	–	–	–	–	–	–	1	–	4	4	–	–
52	Madison	323	–	–	1	60	20	6	4	7	1	6	16	5	182	137	6	2
53	Norfolk	210	–	–	1	39	11	4	3	4	1	4	12	3	124	94	5	1
54	Balance of county	113	–	–	–	21	9	2	1	3	–	2	4	2	58	43	1	1
55	Merrick	79	–	–	–	11	5	1	1	2	–	–	2	3	46	31	–	–
56	Morrill	71	–	–	–	15	5	1	–	1	3	1	4	1	32	25	1	3
57	Nance	67	–	–	–	11	5	3	–	2	–	–	1	–	47	34	–	1
58	Nemaha	94	–	–	–	12	4	2	1	3	–	–	2	1	54	32	–	–
59	Nuckolls	92	–	–	–	15	4	5	2	–	1	–	3	5	45	33	–	–
60	Otoe	185	–	–	1	30	10	7	1	3	1	3	5	4	103	70	2	1
61	Pawnee	62	–	–	–	9	5	1	1	–	2	–	–	–	35	25	–	6
62	Perkins	31	–	–	2	4	1	–	–	1	1	–	1	3	18	13	–	1
63	Phelps	117	–	–	1	21	5	4	1	5	1	3	2	3	59	43	–	–
64	Pierce	97	–	–	–	17	8	1	2	2	–	1	3	4	53	38	–	–
65	Platte	221	–	–	1	40	13	9	5	2	2	5	4	2	122	91	1	1
66	Columbus	141	–	–	1	30	9	6	5	1	2	4	3	1	78	60	1	–
67	Balance of county	80	–	–	–	10	4	3	–	1	–	1	1	1	44	31	–	1
68	Polk	90	–	–	1	20	6	4	1	1	3	–	5	–	50	28	–	–
69	Red Willow	138	–	–	–	18	5	4	1	1	2	2	3	2	86	61	1	2
70	Richardson	189	–	–	–	31	12	8	3	3	–	–	5	1	121	82	2	2
71	Rock	44	–	–	1	11	2	3	–	3	–	1	2	–	22	13	–	–
72	Saline	177	1	–	3	40	12	7	5	5	2	2	7	5	87	58	1	–
73	Sarpy	251	–	–	4	46	15	14	5	5	–	–	7	2	112	87	2	3
74	Bellevue	74	–	–	1	14	8	3	–	1	–	–	2	1	35	28	1	–
75	Balance of county	177	–	–	3	32	7	11	5	4	–	–	5	1	77	59	1	3
76	Saunders	174	–	–	–	38	15	4	5	4	5	1	4	5	91	51	3	3
77	Scotts Bluff	340	–	–	3	50	16	6	5	11	3	1	8	8	177	131	3	3
78	Scottsbluff	144	–	–	2	18	6	1	1	5	–	–	5	4	78	62	2	2
79	Balance of county	196	–	–	1	32	10	5	4	6	3	1	3	4	99	69	1	1
80	Seward	134	–	–	2	15	4	2	1	1	3	1	3	1	67	45	1	–
81	Sheridan	111	–	–	–	17	7	1	2	3	1	–	3	1	58	50	–	–
82	Sherman	44	–	–	–	10	1	3	–	2	1	1	2	–	20	15	–	–
83	Sioux	14	–	–	–	2	–	–	1	–	–	–	1	–	9	8	–	–
84	Stanton	54	–	–	–	7	–	3	–	1	1	1	1	2	28	16	1	–
85	Thayer	115	–	–	1	21	8	6	–	2	–	2	3	3	65	46	–	10

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of morbidity in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
71	5	–	6	6	2	15	2	2	2	–	–	1	3	–	24	3	8	–	–	–	01
35	1	2	11	3	2	5	3	–	–	–	–	2	2	2	8	1	4	5	–	–	02
45	4	–	4	1	2	8	–	2	3	–	–	–	–	–	12	2	3	–	–	–	03
77	8	1	18	12	2	11	6	–	1	–	–	–	3	5	20	5	3	2	–	–	04
11	1	–	7	–	1	1	–	–	–	–	–	–	–	–	5	1	1	–	–	–	05
24	–	–	11	–	1	1	–	–	1	1	–	1	–	–	5	3	–	2	1	–	06
102	6	1	47	4	7	19	6	2	3	2	–	1	6	18	31	6	24	1	–	5	07
68	4	1	32	4	4	14	6	1	2	2	–	1	4	16	18	4	21	1	–	2	08
34	2	–	15	–	3	5	1	1	1	–	–	–	2	2	13	2	3	–	–	3	09
1,084	78	7	338	58	47	111	54	15	50	19	–	31	43	21	280	61	106	35	24	11	10
1,038	75	7	329	55	45	106	49	15	49	19	–	28	42	21	273	53	98	33	23	10	11
46	3	–	9	3	2	5	5	–	1	–	–	3	1	–	7	8	8	2	1	1	12
12	–	–	3	–	1	10	–	–	–	–	–	–	–	–	3	2	3	–	–	–	13
27	7	–	12	2	2	2	3	–	–	1	–	–	–	1	21	3	1	1	–	–	14
23	4	–	7	9	–	4	1	–	2	–	–	–	–	1	10	2	3	1	–	–	15
15	1	–	4	1	1	1	1	–	–	–	–	–	–	–	2	3	2	–	–	–	16
45	2	–	12	5	4	8	1	–	–	–	–	–	–	3	11	4	–	1	–	–	17
110	2	2	24	4	4	16	3	1	4	–	–	4	3	1	17	12	10	3	–	–	18
61	–	1	14	1	1	10	1	1	3	–	–	3	1	1	11	8	8	1	–	–	19
49	2	1	10	3	3	6	2	–	1	–	–	1	2	–	6	4	2	2	–	–	20
14	5	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	3	1	–	–	21
6	–	1	17	3	–	3	1	–	–	–	–	–	–	–	1	–	2	–	–	–	22
3	1	–	1	2	2	2	–	–	–	–	–	–	–	1	1	2	2	1	–	–	23
2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	24
12	5	–	10	–	1	–	–	–	1	–	–	–	1	3	2	1	4	–	–	–	25
132	17	3	37	11	7	24	6	1	3	9	1	6	3	8	43	9	7	6	–	1	26
107	13	3	28	6	5	23	5	1	3	3	1	3	1	7	36	5	7	5	–	1	27
25	4	–	9	5	2	1	1	–	–	6	–	3	2	1	7	4	–	1	–	–	28
32	2	1	12	3	1	5	–	1	–	–	1	1	–	–	7	3	3	–	2	–	29
17	4	–	10	–	2	7	1	–	1	–	–	–	–	–	2	–	1	1	–	–	30
5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	1	–	–	31
15	2	–	3	1	2	3	–	–	–	–	–	–	–	1	5	12	3	–	–	–	32
46	7	–	14	3	3	10	1	2	1	1	–	1	1	–	19	6	4	1	–	–	33
2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	1	–	–	–	34
36	2	1	6	1	–	1	1	–	1	–	–	–	1	–	3	2	3	–	–	1	35
42	3	2	15	3	–	9	4	1	–	–	–	2	1	8	12	1	2	–	1	–	36
21	1	–	23	2	–	1	–	1	1	–	–	–	–	–	3	2	–	1	–	–	37
25	1	1	6	3	1	3	1	–	–	–	–	1	–	–	6	1	2	1	–	–	38
35	3	1	7	1	3	2	2	–	–	–	–	1	2	1	6	5	3	2	1	–	39
4	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–	–	–	–	40
18	–	–	3	1	–	3	–	–	–	1	–	1	–	1	2	1	5	1	–	1	41
56	5	–	18	3	7	8	2	1	2	–	1	1	3	1	10	1	–	1	–	–	42
432	55	2	166	29	27	57	20	5	8	5	–	13	17	16	127	46	34	16	3	2	43
399	51	2	151	28	23	50	20	4	7	4	–	13	17	15	118	42	30	14	3	2	44
33	4	–	15	1	4	7	–	1	1	1	–	–	1	–	9	4	4	2	–	–	45
89	4	–	17	4	4	8	3	1	4	–	–	2	3	2	31	7	8	7	1	–	46
66	3	–	13	2	4	7	1	1	3	–	–	1	2	1	22	3	7	5	1	–	47
23	1	–	4	2	–	1	2	–	1	–	–	1	1	1	9	4	1	2	–	–	48
4	1	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	49
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	50
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	51
122	7	–	36	4	5	17	5	1	–	2	–	2	3	2	27	7	5	3	1	–	52
82	6	–	25	2	3	11	3	–	–	–	–	–	2	1	13	7	4	2	–	–	53
40	1	–	11	2	2	6	2	1	2	2	–	2	1	1	14	–	1	1	1	–	54
28	3	–	14	–	1	3	–	1	2	1	–	–	1	1	4	3	2	2	–	–	55
18	3	1	5	–	1	6	3	–	1	–	–	–	1	–	7	1	3	–	–	1	56
32	1	–	9	3	1	1	–	–	–	–	–	–	–	–	5	2	–	–	–	1	57
29	3	–	15	6	1	3	1	–	2	2	–	2	1	1	12	–	4	–	–	–	58
32	1	–	6	1	5	3	–	–	–	–	–	–	1	9	8	1	1	1	–	–	59
53	14	–	26	5	2	5	2	–	2	–	–	1	–	15	13	2	4	1	2	–	60
17	2	–	9	–	1	7	–	–	–	1	–	–	1	1	5	2	1	–	–	–	61
11	1	–	2	1	2	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	62
38	5	–	12	–	4	12	2	–	–	3	–	1	1	3	7	2	1	1	–	–	63
37	1	–	12	1	2	5	1	–	1	–	–	–	1	1	9	4	1	–	–	–	64
76	13	1	19	3	8	11	2	–	1	–	–	1	2	3	17	9	7	3	–	–	65
55	4	1	8	3	6	5	–	–	1	–	–	1	1	2	9	4	6	2	–	–	66
21	9	–	11	–	2	6	2	–	–	–	–	–	1	1	8	5	1	1	–	–	67
26	2	5	12	1	4	6	–	1	1	–	–	–	1	–	8	1	1	–	–	–	68
57	1	–	16	5	4	6	3	1	–	–	–	–	2	–	11	3	2	3	–	–	69
73	5	2	32	3	2	12	2	2	1	–	–	–	–	2	12	2	1	–	1	1	70
9	4	–	5	2	2	6	2	–	–	–	–	–	–	–	–	1	–	1	–	1	71
46	11	–	24	4	1	6	–	1	1	–	–	–	1	6	16	7	2	1	–	1	72
63	19	1	15	6	3	12	1	1	1	–	–	8	8	3	27	13	5	5	1	1	73
22	5	1	4	1	1	4	1	1	–	1	–	2	3	1	4	3	1	2	–	–	74
41	14	–	11	5	2	8	–	–	1	–	–	6	5	2	23	10	4	3	1	1	75
44	4	2	33	5	–	5	2	–	1	1	–	1	2	2	19	4	4	–	–	–	76
118	7	–	34	4	8	13	4	1	5	1	–	4	7	2	34	14	10	5	2	1	77
58	–	–	13	1	2	8	2	–	2	–	–	2	4	1	11	3	6	1	2	–	78
60	7	–	21	3	6	5	2	1	3	–	–	2	3	1	23	11	4	4	–	1	79
42	2	–	14	5	3	17	1	1	4	1	–	1	1	–	14	6	1	1	–	1	80
43	7	–	6	1	1	9	1	–	1	2	–	–	–	–	16	5	–	1	–	–	81
14	1	–	2	–	3	6	–	–	–	–	–	2	–	1	2	2	–	1	–	–	82
6	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	83
14	1	–	11	1	–	4	1	–	–	–	–	1	–	–	6	1	3	1	–	–	84
34	2	–	17	2	–	7	–	1	–	–	–	–	1	1	5	5	2	3	1	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Thomas	5	–	–	–	1	–	–	–	–	–	–	1	–	3	3	–	–
02	Thurston	96	1	–	–	12	5	3	1	1	–	–	2	1	49	37	–	1
03	Valley	80	–	–	1	11	2	–	1	2	–	3	3	2	51	32	–	–
04	Washington	159	–	–	–	33	15	5	4	4	–	1	4	4	82	57	–	–
05	Wayne	81	–	–	–	19	7	2	2	2	3	1	2	1	44	32	2	2
06	Webster	82	–	–	2	15	6	2	2	1	2	1	1	2	38	21	–	–
07	Wheeler	9	–	–	–	1	–	–	–	1	–	–	–	–	6	3	–	–
08	York	156	–	–	–	25	5	5	1	5	1	1	7	4	87	59	–	1
09	**Nevada**	4,578	11	–	31	913	218	269	77	114	46	34	155	67	2,006	1,474	47	12
10	Urban places	2,840	6	–	20	575	139	176	49	66	34	17	94	38	1,284	948	33	4
11	Balance of area	1,738	5	–	11	338	79	93	28	48	12	17	61	29	722	526	14	8
12	Metropolitan counties	3,584	8	–	24	729	173	228	59	90	41	25	113	53	1,601	1,175	37	5
13	Urban places	2,674	6	–	19	540	128	168	48	60	33	16	87	37	1,203	892	27	4
14	Balance of area	910	2	–	5	189	45	60	11	30	8	9	26	16	398	283	10	1
15	Nonmetropolitan counties	994	3	–	7	184	45	41	18	24	5	9	42	14	405	299	10	7
16	Urban places	166	–	–	1	35	11	8	1	6	1	1	7	1	81	56	6	–
17	Balance of area	828	3	–	6	149	34	33	17	18	4	8	35	13	324	243	4	7
18	Churchill	128	1	–	1	23	4	8	2	2	–	1	6	4	46	34	–	–
19	Clark	2,354	5	–	18	478	108	156	38	61	28	12	75	39	1,043	751	27	1
20	Henderson	105	–	–	–	20	3	9	–	4	–	2	2	1	51	31	–	–
21	Las Vegas	1,288	3	–	11	261	60	77	28	23	20	5	48	21	578	428	15	–
22	North Las Vegas	183	–	–	3	35	7	16	1	7	1	–	3	3	63	50	2	–
23	Balance of county	778	2	–	4	162	38	54	9	27	7	5	22	14	351	242	10	1
24	Douglas	81	–	–	–	20	7	4	1	1	1	2	4	–	28	23	1	1
25	Elko	160	–	–	–	18	5	1	2	1	2	–	7	–	70	44	1	–
26	Esmeralda	10	–	–	–	2	–	–	–	–	–	1	1	–	4	4	–	–
27	Eureka	9	–	–	–	–	–	–	–	–	–	–	–	–	6	5	–	–
28	Humboldt	74	–	–	1	12	3	4	1	–	–	1	3	1	29	22	–	1
29	Lander	16	–	–	–	3	2	–	–	1	–	–	–	–	10	10	1	–
30	Lincoln	33	–	–	1	8	–	2	1	4	–	–	1	–	10	9	–	1
31	Lyon	87	–	–	1	16	5	1	3	3	–	1	3	3	25	19	–	–
32	Mineral	50	1	–	–	15	4	3	2	2	1	–	3	–	16	15	–	1
33	Nye	40	–	–	2	7	–	2	4	1	–	–	–	2	16	8	–	–
34	Ormsby, coext. with Carson City	166	–	–	1	35	11	8	1	6	1	1	7	1	81	56	6	–
35	Pershing	35	–	–	–	7	2	3	–	–	–	–	2	–	18	13	–	3
36	Storey	10	–	–	–	4	1	1	–	1	–	–	1	–	3	2	–	–
37	Washoe	1,230	3	–	6	251	65	72	21	29	13	13	38	14	558	424	10	4
38	Reno	897	3	–	5	186	47	56	17	19	9	9	29	9	424	319	7	3
39	Sparks	201	–	–	–	38	11	10	2	7	3	–	5	3	87	64	3	1
40	Balance of county	132	–	–	1	27	7	6	2	3	1	4	4	2	47	41	–	–
41	White Pine	95	1	–	–	14	1	4	1	2	–	2	4	3	43	35	1	–
42	**New Hampshire**	7,417	12	–	37	1,542	392	373	141	199	76	70	291	156	3,746	2,704	49	35
43	Urban places	3,218	4	–	13	670	183	158	75	89	26	30	109	87	1,622	1,180	17	15
44	Balance of area	4,199	8	–	24	872	209	215	66	110	50	40	182	69	2,124	1,524	32	20
45	Metropolitan counties	2,268	3	–	16	478	139	108	42	67	20	19	83	50	1,082	739	17	10
46	Urban places	1,562	2	–	8	347	100	86	31	49	14	13	54	37	740	518	10	5
47	Balance of area	706	1	–	8	131	39	22	11	18	6	6	29	13	342	221	7	5
48	Nonmetropolitan counties	5,149	9	–	21	1,064	253	265	99	132	56	51	208	106	2,664	1,965	32	25
49	Urban places	1,656	2	–	5	323	83	72	44	40	12	17	55	50	882	662	7	10
50	Balance of area	3,493	7	–	16	741	170	193	55	92	44	34	153	56	1,782	1,303	25	15
51	Belknap	396	–	–	5	78	17	18	4	15	3	3	18	4	219	150	4	1
52	Laconia	185	–	–	1	41	13	9	2	5	–	1	11	4	99	63	3	1
53	Balance of county	211	–	–	4	37	4	9	2	10	3	2	7	–	120	87	1	–
54	Carroll	269	–	–	2	51	13	15	4	8	2	1	8	5	151	108	2	1
55	Cheshire	485	1	–	2	107	35	27	12	10	8	1	14	12	256	172	5	1
56	Keene	184	1	–	–	42	13	12	5	5	2	–	5	6	98	65	1	–
57	Balance of county	301	–	–	2	65	22	15	7	5	6	1	9	6	158	107	4	1
58	Coos	396	2	–	1	84	22	26	8	7	3	4	14	8	195	136	1	2
59	Berlin	161	–	–	–	31	10	8	4	2	1	2	4	5	74	56	–	1
60	Balance of county	235	2	–	1	53	12	18	4	5	2	2	10	3	121	80	1	1
61	Grafton	543	–	–	1	116	32	32	8	16	5	6	17	6	270	194	2	1
62	Hillsborough	2,268	3	–	16	478	139	108	42	67	20	19	83	50	1,082	739	17	10
63	Manchester	1,093	–	–	5	239	63	62	24	34	10	10	36	29	518	343	5	5
64	Nashua	469	2	–	3	108	37	24	7	15	4	3	18	8	222	175	5	–
65	Balance of county	706	1	–	8	131	39	22	11	18	6	6	29	13	342	221	7	5
66	Merrimack	860	1	–	2	156	30	28	24	22	9	11	32	24	451	332	4	2
67	Concord	344	–	–	2	64	13	12	13	6	3	5	12	9	187	134	1	1
68	Balance of county	516	1	–	–	92	17	16	11	16	6	6	20	15	264	198	3	1
69	Rockingham	1,227	4	–	5	281	65	68	21	28	19	13	67	18	609	468	9	10
70	Portsmouth	223	–	–	–	39	6	7	8	5	4	2	7	2	128	106	1	3
71	Balance of county	1,004	4	–	5	242	59	61	13	23	15	11	60	16	481	362	8	7
72	Strafford	653	1	–	2	130	27	33	10	17	5	6	32	23	345	283	2	5
73	Dover	199	1	–	–	41	8	8	4	7	1	3	10	8	97	89	–	–
74	Rochester	188	–	–	2	37	11	11	3	6	1	1	4	11	100	80	–	3
75	Balance of county	266	–	–	–	52	8	14	3	4	3	2	18	4	148	114	2	2
76	Sullivan	320	–	–	1	61	12	18	8	9	2	6	6	6	168	122	3	2
77	Claremont	172	–	–	–	28	9	5	5	4	–	3	2	5	99	69	1	1
78	Balance of county	148	–	–	1	33	3	13	3	5	2	3	4	1	69	53	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	01
33	3	–	10	–	2	3	–	–	3	–	–	–	3	1	8	9	2	1	3	–	02
30	2	–	10	7	2	1	1	–	–	–	–	–	–	–	6	1	4	2	–	–	03
56	1	–	18	2	5	6	3	–	–	–	–	1	–	2	15	5	5	3	–	–	04
27	1	–	9	2	1	5	2	1	–	–	–	–	–	1	3	1	4	–	–	–	05
17	4	–	15	2	–	3	1	–	–	4	–	2	2	3	6	–	3	1	–	–	06
3	–	–	2	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	07
51	7	1	18	6	3	4	1	–	2	–	–	1	2	2	13	8	6	1	–	–	08
1,310	105	5	420	43	64	107	86	20	159	13	2	33	77	37	393	185	186	163	75	14	09
853	58	3	271	24	38	61	56	12	108	9	–	19	48	15	229	115	99	91	49	6	10
457	47	2	149	19	26	46	30	8	51	4	2	14	29	22	164	70	87	72	26	8	11
1,060	73	3	352	22	49	66	63	15	132	9	1	21	58	22	304	138	138	127	67	8	12
807	54	3	255	17	36	57	52	12	107	8	1	17	45	15	220	105	93	85	48	5	13
253	19	–	97	5	13	9	11	3	25	1	1	4	13	7	84	33	45	42	19	3	14
250	32	2	68	21	15	41	23	5	27	4	1	12	19	15	89	47	48	36	8	6	15
46	4	–	16	7	2	4	4	–	1	1	–	2	3	–	9	10	6	6	1	1	16
204	28	2	52	14	13	37	19	5	26	3	1	10	16	15	80	37	42	30	7	5	17
30	4	–	8	1	3	5	9	–	6	–	–	1	3	2	6	6	8	6	–	1	18
670	53	3	244	15	30	35	39	10	87	6	1	13	39	18	185	99	98	83	51	7	19
30	1	–	17	–	3	–	5	–	4	–	–	1	2	1	8	3	3	6	–	–	20
384	29	2	126	10	12	24	21	7	56	4	–	5	22	8	96	59	51	34	23	4	21
42	6	1	10	–	2	5	3	–	6	1	–	3	5	2	13	11	9	7	14	–	22
214	17	–	91	5	13	6	10	3	21	1	1	4	10	7	68	26	35	36	14	3	23
18	3	–	3	1	1	3	–	–	–	1	–	1	3	2	6	4	9	3	–	1	24
31	12	1	14	5	6	12	–	1	2	1	–	–	1	2	28	9	6	7	2	1	25
4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	1	26
5	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	27
17	4	–	5	2	–	3	2	–	3	–	–	2	2	–	5	6	4	3	–	1	28
9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	29
7	1	–	1	–	–	–	–	1	1	1	1	1	1	2	3	1	2	–	–	–	30
17	2	1	3	–	2	4	4	–	8	–	–	1	3	5	8	2	4	2	1	–	31
13	1	–	1	–	–	–	1	1	2	–	–	–	1	–	4	1	4	2	2	–	32
7	1	–	6	1	1	4	1	1	1	–	–	–	–	2	1	2	1	–	–	–	33
46	4	–	16	7	2	4	4	–	1	1	–	2	3	–	9	10	6	6	1	1	34
10	–	–	3	2	–	1	–	–	1	–	–	–	–	–	4	1	2	–	1	–	35
2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	36
390	20	–	108	7	19	31	24	5	45	3	–	8	19	4	119	39	40	44	16	1	37
291	18	–	84	4	17	24	16	3	36	–	–	6	9	3	84	26	22	32	8	1	38
60	–	–	18	3	2	4	7	2	5	3	–	2	7	1	19	6	8	6	3	–	39
39	2	–	6	–	–	3	1	–	4	–	–	–	3	–	16	7	10	6	5	–	40
34	–	–	7	1	–	3	1	1	2	–	–	3	1	–	12	4	1	6	–	–	41
2,391	229	27	684	195	136	284	124	25	133	24	2	53	66	174	577	153	169	107	18	15	42
1,057	91	14	270	92	66	118	53	12	69	12	–	30	28	104	239	46	59	38	7	7	43
1,334	138	13	414	103	70	166	71	13	64	12	2	23	38	70	338	107	110	69	11	8	44
661	51	7	192	88	56	88	33	4	47	7	–	22	20	122	168	40	43	37	4	4	45
467	36	6	126	55	35	61	26	3	34	5	–	18	10	92	109	18	31	15	3	3	46
194	15	1	66	33	21	27	7	1	13	2	–	4	10	30	59	22	12	22	1	1	47
1,730	178	20	492	107	80	196	91	21	86	17	2	31	46	52	409	113	126	70	14	11	48
590	55	8	144	37	31	57	27	9	35	7	–	12	18	12	130	28	28	23	4	4	49
1,140	123	12	348	70	49	139	64	12	51	10	2	19	28	40	279	85	98	47	10	7	50
137	8	1	34	25	9	13	9	–	7	–	1	2	4	4	26	9	8	5	1	1	51
56	3	–	14	17	5	4	4	–	3	–	–	2	2	1	12	5	4	1	1	1	52
81	5	1	20	8	4	9	5	–	4	–	1	–	2	3	14	4	4	4	–	–	53
98	7	–	36	4	3	7	9	2	5	1	1	–	2	2	16	3	8	3	–	1	54
156	10	2	57	9	16	11	7	2	8	1	–	2	2	3	35	13	10	9	4	–	55
60	4	1	23	2	7	1	2	1	6	–	–	–	–	–	16	4	2	4	1	–	56
96	6	1	34	7	9	10	5	1	2	1	–	2	2	3	19	9	8	5	3	–	57
120	13	–	47	5	7	18	3	1	9	1	–	3	6	2	37	8	10	6	1	1	58
50	5	–	14	1	3	10	1	–	4	1	–	1	3	2	18	2	3	5	–	1	59
70	8	–	33	4	4	8	2	1	5	–	–	2	3	–	19	6	7	1	1	–	60
176	15	2	52	18	4	30	8	–	8	3	–	3	2	12	47	12	17	6	2	–	61
661	51	7	192	88	56	88	33	4	47	7	–	22	20	122	168	40	43	37	4	4	62
308	25	6	96	46	27	34	18	3	25	3	–	11	4	87	68	12	21	12	2	2	63
159	11	–	30	9	8	27	8	–	9	2	–	7	6	5	41	6	10	3	1	1	64
194	15	1	66	33	21	27	7	1	13	2	–	4	10	30	59	22	12	22	1	1	65
311	15	5	87	14	13	21	18	8	14	2	–	7	6	11	82	16	23	14	2	2	66
125	7	2	35	9	7	6	8	4	7	1	–	2	4	2	32	3	7	5	1	–	67
186	8	3	52	5	6	15	10	4	7	1	–	5	2	9	50	13	16	9	1	2	68
384	65	6	96	22	17	64	23	3	15	3	–	6	13	7	93	30	30	15	4	4	69
87	15	3	16	2	1	14	2	1	2	2	–	2	3	4	13	3	5	1	1	1	70
297	50	3	80	20	16	50	21	2	13	1	–	4	10	3	80	27	25	14	3	3	71
254	22	1	53	4	4	19	10	4	16	6	–	5	5	6	48	14	11	6	–	2	72
77	12	–	5	–	3	9	3	2	7	1	–	–	2	2	17	3	4	1	–	1	73
76	1	–	17	2	1	5	4	–	4	2	–	3	1	–	12	3	1	3	–	–	74
101	9	1	31	2	–	5	3	2	5	3	–	2	2	4	19	8	6	2	–	1	75
94	23	3	30	6	7	13	4	1	4	–	–	3	6	5	25	8	9	6	–	–	76
59	8	2	20	4	4	8	3	1	2	–	–	2	3	1	10	5	2	3	–	–	77
35	15	1	10	2	3	5	1	–	2	–	–	1	3	4	15	3	7	3	–	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**New Jersey**	65,382	108	9	411	14,465	4,312	3,401	1,429	1,676	655	491	2,501	1,282	34,882	27,589	612	320
02	Urban places	46,036	87	6	308	10,124	3,086	2,331	999	1,158	466	335	1,749	936	24,552	19,511	429	258
03	Balance of area	19,346	21	3	103	4,341	1,226	1,070	430	518	189	156	752	346	10,330	8,078	183	62
04	Metropolitan counties	49,470	91	8	328	10,720	3,230	2,478	1,073	1,234	482	349	1,874	974	26,488	21,150	491	262
05	Urban places	37,808	77	5	262	8,205	2,505	1,877	822	943	365	264	1,429	771	20,211	16,202	374	220
06	Balance of area	11,662	14	3	66	2,515	725	601	251	291	117	85	445	203	6,277	4,948	117	42
07	Nonmetropolitan counties	15,912	17	1	83	3,745	1,082	923	356	442	173	142	627	308	8,394	6,439	121	58
08	Urban places	8,228	10	1	46	1,919	581	454	177	215	101	71	320	165	4,341	3,309	55	38
09	Balance of area	7,684	7	–	37	1,826	501	469	179	227	72	71	307	143	4,053	3,130	66	20
10	Atlantic	2,461	6	–	14	478	160	102	38	55	27	12	84	33	1,438	1,185	21	5
11	Atlantic City	972	5	–	5	169	62	34	16	16	10	4	27	10	564	461	6	2
12	Hammonton	105	–	–	2	17	7	5	1	–	–	–	4	10	57	46	1	–
13	Margate City	139	–	–	1	31	11	7	4	2	1	1	5	2	91	81	4	–
14	Pleasantville	196	1	–	–	37	11	9	2	7	1	1	6	3	116	96	2	1
15	Ventnor City	182	–	–	1	34	8	5	1	5	4	1	10	–	115	97	1	1
16	Balance of county	867	–	–	5	190	61	42	14	25	11	5	32	8	495	404	7	1
17	Bergen	7,672	6	–	36	1,842	538	436	221	215	94	56	282	137	4,079	3,221	98	48
18	Bergenfield	231	–	–	2	52	15	10	10	6	7	3	1	3	121	95	5	2
19	Cliffside Park	261	1	–	–	60	18	19	5	6	3	3	6	4	147	122	3	1
20	Dumont	162	–	–	1	48	8	15	9	8	–	1	7	2	77	55	2	1
21	East Paterson	169	–	–	–	39	11	11	6	9	–	–	2	2	95	74	4	–
22	Englewood	257	1	–	–	59	30	13	3	5	2	–	6	5	119	91	–	3
23	Fair Lawn	312	–	–	–	76	23	15	15	4	2	2	15	5	169	135	8	2
24	Fairview	110	–	–	1	26	8	5	5	2	3	–	3	2	60	52	–	1
25	Fort Lee	303	1	–	1	74	20	17	9	7	8	3	10	6	150	116	3	3
26	Garfield	305	–	–	2	57	16	19	1	6	4	1	10	8	194	158	5	–
27	Glen Rock	95	–	–	1	26	5	7	5	3	–	1	5	1	56	43	–	–
28	Hackensack	418	–	–	7	106	30	24	11	13	9	5	14	5	212	162	4	2
29	Hasbrouck Heights	125	–	–	1	34	9	10	4	4	2	1	4	4	59	47	2	2
30	Hillsdale	50	–	–	–	12	1	3	–	–	–	2	6	1	22	17	1	–
31	Lodi	200	–	–	1	49	15	12	5	5	3	2	7	5	103	95	2	2
32	Lyndhurst township	210	–	–	–	46	13	16	3	5	2	–	7	5	130	95	5	3
33	Maywood	115	–	–	1	31	9	8	5	3	3	1	2	1	68	57	–	–
34	New Milford	159	–	–	1	38	12	9	5	3	2	2	5	2	82	62	2	2
35	North Arlington	162	1	–	–	41	11	7	4	2	2	1	14	4	81	61	1	–
36	Oakland	63	–	–	–	13	3	4	1	1	–	2	2	1	33	28	–	–
37	Palisades Park	130	–	–	1	34	8	9	3	3	1	1	9	5	61	52	–	–
38	Paramus	175	2	–	1	43	13	7	4	5	3	1	10	4	87	69	1	3
39	Ramsey	69	–	–	–	20	5	9	1	1	1	–	3	1	31	20	3	1
40	Ridgefield	124	–	–	–	27	6	5	4	4	2	–	6	2	73	60	–	–
41	Ridgefield Park	143	–	–	–	31	10	9	3	5	–	1	3	4	73	59	1	–
42	Ridgewood	199	–	–	–	47	9	7	7	4	4	5	11	–	106	74	2	1
43	River Edge	128	–	–	1	36	13	12	4	1	1	2	3	–	67	57	–	–
44	Rutherford	228	–	–	–	43	15	10	5	4	1	2	6	6	138	111	1	2
45	Saddle Brook township	127	–	–	–	31	13	6	3	3	1	2	3	3	67	47	–	–
46	Teaneck township	336	–	–	2	86	28	17	14	14	1	1	11	4	180	151	2	2
47	Tenafly	142	–	–	2	26	8	2	4	4	3	–	5	4	85	61	5	–
48	Waldwick	55	–	–	–	13	1	1	1	3	–	1	6	2	23	19	2	1
49	Wallington	136	–	–	–	37	16	6	3	5	1	1	5	8	72	57	1	–
50	Washington township	43	–	–	–	13	3	1	1	2	1	–	5	–	24	18	1	1
51	Westwood	114	–	–	1	25	6	7	4	2	2	–	4	–	60	46	2	–
52	Wyckoff township	93	–	–	1	20	8	5	–	3	1	–	3	2	57	46	–	3
53	Balance of county	1,723	–	–	8	423	119	99	54	60	19	9	63	26	897	709	30	10
54	Burlington	2,116	2	1	15	456	143	117	40	43	14	16	83	32	1,128	881	23	6
55	Burlington	117	–	–	1	24	8	4	1	5	–	1	5	–	67	52	2	–
56	Cinnaminson township	85	–	–	–	21	6	7	–	2	–	2	4	4	44	36	2	1
57	Maple Shade township	138	–	–	–	34	10	15	–	1	3	–	5	1	69	56	2	3
58	Mount Holly township	113	–	–	–	27	9	6	1	6	1	–	4	1	64	55	1	–
59	New Hanover township	8	–	–	–	1	–	–	–	–	–	–	1	–	5	4	–	–
60	Willingboro township	162	–	–	2	34	13	6	3	5	2	1	4	4	76	58	1	–
61	Balance of county	1,493	2	1	12	315	97	79	35	24	8	12	60	22	803	620	15	2
62	Camden	3,909	4	–	29	818	253	207	65	80	40	23	150	68	2,136	1,716	35	20
63	Audubon	123	–	–	–	29	9	5	2	7	1	–	5	–	70	53	–	–
64	Bellmawr	95	–	–	–	20	6	9	2	3	–	–	–	2	48	43	1	–
65	Camden	942	3	–	14	166	53	38	12	18	12	3	30	20	480	388	10	2
66	Cherry Hill township	365	–	–	3	93	24	27	8	5	4	2	23	4	203	163	1	3
67	Collingswood	232	–	–	2	49	21	7	6	4	1	1	9	5	136	106	2	2
68	Gloucester	167	–	–	1	39	14	10	3	3	1	2	6	4	89	69	3	–
69	Gloucester township	156	–	–	–	30	6	11	4	4	–	–	5	1	85	72	4	1
70	Haddonfield	154	–	–	2	34	13	5	2	5	4	1	4	–	92	66	–	2
71	Haddon township	128	–	–	3	28	11	4	–	4	1	5	3	1	72	58	4	2
72	Lindenwold	107	–	–	–	28	7	7	1	4	2	1	6	2	49	40	2	1
73	Pennsauken township	326	–	–	1	53	17	16	6	3	4	2	5	4	209	164	1	3
74	Runnemede	67	1	–	–	12	4	5	–	–	–	–	3	2	42	36	1	–
75	Balance of county	1,047	–	–	3	237	68	63	19	20	10	6	51	23	561	458	6	4
76	Cape May	1,102	2	–	5	205	63	48	10	30	8	7	39	19	677	517	8	7
77	Ocean City	236	–	–	2	46	16	8	2	7	3	1	9	6	143	108	3	4
78	Balance of county	866	2	–	3	159	47	40	8	23	5	6	30	13	534	409	5	3
79	Cumberland	1,211	3	–	12	214	61	48	16	27	10	11	41	23	715	593	11	5
80	Bridgeton	239	–	–	1	45	14	11	5	8	–	3	4	5	139	115	5	1
81	Millville	241	2	–	2	41	11	9	–	4	4	2	11	2	144	114	–	–
82	Vineland	211	–	–	3	48	12	11	5	5	–	2	13	3	114	97	2	–
83	Balance of county	520	1	–	6	80	24	17	6	10	6	4	13	13	318	267	4	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
25,451	1,206	180	5,552	728	833	1,818	647	252	1,247	303	17	380	775	728	4,634	1,052	1,329	549	395	99	01
17,984	840	119	3,901	471	550	1,272	457	185	925	213	15	261	572	578	3,294	608	910	336	322	75	02
7,467	366	61	1,651	257	283	546	190	67	322	90	2	119	203	150	1,340	444	419	213	73	24	03
19,441	956	135	4,087	516	600	1,391	490	195	955	216	16	277	606	651	3,465	756	1,017	402	346	78	04
14,876	732	93	3,123	357	436	1,057	369	155	754	166	15	206	482	538	2,681	477	761	261	293	62	05
4,565	224	42	964	159	164	334	121	40	201	50	1	71	124	113	784	279	256	141	53	16	06
6,010	250	45	1,465	212	233	427	157	57	292	87	1	103	169	77	1,169	296	312	147	49	21	07
3,108	108	26	778	114	114	215	88	30	171	47	–	55	90	40	613	131	149	75	29	13	08
2,902	142	19	687	98	119	212	69	27	121	40	1	48	79	37	556	165	163	72	20	8	09
1,120	39	4	200	16	33	73	17	13	42	11	2	11	16	12	158	48	54	16	11	8	10
439	14	1	87	2	13	38	5	8	23	6	1	7	9	7	63	11	26	4	7	4	11
44	1	–	11	–	–	–	–	–	1	–	–	1	1	–	3	10	1	1	1	–	12
77	–	–	9	–	1	3	–	–	2	–	–	–	–	–	6	–	2	–	–	1	13
90	3	1	14	2	3	5	3	1	2	1	1	–	2	–	15	1	5	2	1	–	14
92	3	1	12	1	4	5	4	1	2	1	–	–	1	–	11	2	2	–	–	3	15
378	18	1	67	11	12	22	5	3	12	3	–	3	3	5	60	24	18	9	2	–	16
2,981	94	17	658	74	109	229	86	37	127	28	1	34	54	116	525	129	112	64	19	11	17
84	4	–	21	1	4	8	2	2	3	–	–	–	1	4	22	4	4	3	–	–	18
114	4	–	21	1	3	2	5	2	5	–	–	1	2	1	14	8	8	1	–	–	19
51	1	–	20	1	1	9	2	1	2	1	–	1	1	3	11	1	1	1	–	–	20
69	1	–	14	1	6	4	3	2	2	1	–	1	1	1	13	3	1	–	–	1	21
85	3	–	21	5	2	12	2	3	7	2	1	3	2	5	20	6	5	2	3	–	22
122	3	1	29	2	2	12	1	2	5	2	–	1	3	5	26	2	3	–	–	–	23
50	1	–	7	1	–	5	2	–	1	–	–	–	3	–	8	–	2	–	–	–	24
105	5	1	24	6	3	10	5	2	6	–	–	1	2	9	18	7	4	2	2	3	25
151	2	–	34	2	–	7	2	–	6	1	–	–	3	5	16	1	1	–	2	–	26
42	1	–	10	2	1	4	–	–	2	–	–	–	–	2	3	–	–	–	–	–	27
149	7	1	35	8	6	10	5	4	7	2	–	2	4	9	25	8	5	5	1	1	28
41	2	–	11	–	1	2	1	1	3	1	–	1	–	1	9	1	3	3	–	1	29
16	–	–	5	–	–	1	–	–	1	–	–	–	–	1	8	4	–	–	–	–	30
88	3	–	6	2	3	4	4	2	2	2	–	2	1	4	17	2	3	2	–	–	31
85	2	–	32	–	3	6	–	–	8	–	–	1	–	1	7	2	2	1	–	1	32
55	2	–	8	1	2	3	1	–	2	–	–	–	–	–	3	3	–	1	–	1	33
56	2	–	15	2	3	6	3	3	2	–	–	–	–	3	7	4	3	4	1	–	34
60	–	–	18	1	1	3	–	2	2	2	–	2	–	2	14	4	2	2	–	–	35
28	–	–	5	–	–	1	2	–	3	1	–	3	–	1	2	3	–	–	–	–	36
50	2	–	8	1	–	3	2	–	4	1	–	–	3	1	10	2	2	2	–	–	37
64	1	–	14	1	3	7	1	1	4	1	–	–	1	5	10	4	2	2	–	–	38
16	–	–	7	2	2	1	2	–	2	–	–	–	3	2	5	2	–	–	–	–	39
60	–	1	10	–	2	4	2	–	1	1	–	–	–	2	5	2	2	3	–	–	40
55	3	–	9	2	3	3	1	1	2	1	–	1	–	4	11	4	7	–	–	–	41
69	2	1	22	2	7	14	3	–	3	2	–	–	2	8	8	1	1	4	–	–	42
55	2	–	8	1	1	4	–	2	3	–	–	2	1	2	9	–	1	–	–	–	43
104	4	–	23	1	3	8	4	1	3	–	–	–	–	1	16	3	2	2	–	1	44
46	1	–	14	1	5	–	–	–	2	–	–	2	–	1	10	8	2	–	–	–	45
141	6	1	20	3	5	10	1	1	2	–	–	2	5	2	26	3	7	3	2	–	46
54	2	1	16	3	4	6	2	1	1	1	–	–	–	2	9	3	–	–	–	–	47
16	–	–	4	–	–	1	2	2	1	–	–	–	–	1	7	1	2	–	–	–	48
56	–	1	14	–	–	3	1	–	3	–	–	–	–	1	6	3	1	1	–	–	49
14	2	–	3	1	2	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	50
43	1	–	10	1	3	4	1	–	–	–	–	–	3	–	13	4	3	–	–	–	51
42	1	–	9	2	–	–	2	–	1	–	–	–	–	–	4	3	2	1	–	–	52
645	24	9	131	19	29	49	22	4	26	7	–	8	13	26	132	22	31	19	8	2	53
798	54	7	181	36	23	58	15	8	36	6	–	18	29	11	164	58	48	13	15	3	54
49	1	–	12	2	1	4	–	2	1	–	–	2	–	–	6	4	5	–	1	–	55
26	7	–	6	2	–	2	–	–	1	1	–	1	–	1	8	1	1	–	–	–	56
45	6	1	10	1	1	5	3	–	3	–	–	2	2	–	12	1	5	–	1	–	57
51	3	–	6	–	3	2	–	–	2	–	–	–	1	–	10	2	3	–	–	–	58
4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	59
53	4	1	14	2	1	4	–	–	6	1	–	2	4	–	13	10	3	–	3	–	60
570	33	5	132	29	17	41	12	6	23	4	–	11	22	9	114	39	31	13	10	3	61
1,494	167	6	318	36	60	103	30	9	75	13	1	30	50	25	281	51	110	50	23	3	62
47	6	–	16	–	1	4	1	–	1	–	–	–	–	–	14	–	4	–	–	–	63
40	2	–	5	–	–	3	–	1	–	–	1	–	3	1	10	1	2	3	–	–	64
330	46	–	72	7	13	28	7	3	26	2	–	9	22	8	80	9	40	6	18	1	65
146	13	2	31	2	5	8	2	–	4	–	–	–	–	1	25	6	5	9	2	–	66
89	13	1	23	2	4	7	4	1	2	–	–	1	3	2	9	2	5	4	–	–	67
62	4	1	12	4	3	4	2	–	5	1	–	1	1	1	10	2	6	1	–	–	68
61	6	–	11	1	1	3	–	–	3	–	–	1	6	–	13	6	4	4	–	–	69
58	6	1	16	2	7	11	–	1	–	–	–	–	–	–	9	1	3	1	–	–	70
45	7	–	10	1	3	4	1	–	2	2	–	1	–	–	8	2	4	–	–	–	71
34	3	–	7	–	2	–	–	1	1	3	–	6	4	3	6	–	3	2	–	–	72
143	17	–	36	4	5	9	7	1	6	–	–	2	1	2	16	4	5	5	–	1	73
32	3	–	4	1	1	1	1	–	1	–	–	1	–	–	2	1	2	1	–	–	74
407	41	1	75	12	15	21	5	2	24	5	–	8	10	7	79	17	27	14	3	1	75
474	28	4	102	35	19	21	8	7	20	9	–	1	9	9	68	15	19	4	4	–	76
95	6	1	20	7	7	6	2	2	5	–	–	–	–	–	18	3	2	1	–	–	77
379	22	3	82	28	12	15	6	5	15	9	–	1	9	9	50	12	17	3	4	–	78
539	38	4	94	15	9	25	12	1	23	5	–	7	15	12	64	45	17	10	5	3	79
104	5	2	20	1	1	6	1	–	4	1	–	–	6	2	13	6	6	2	1	1	80
103	11	1	22	5	2	3	5	–	4	–	–	3	2	2	15	10	3	3	–	–	81
87	8	–	13	3	1	8	–	–	1	3	–	1	4	3	13	9	–	–	–	1	82
245	14	1	39	6	5	8	6	1	14	1	–	3	3	5	23	20	8	5	4	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Essex	8,681	26	1	64	1,849	545	416	209	230	80	55	314	195	4,454	3,552	76	54
02	Belleville	336	1	–	2	76	17	20	12	11	3	3	10	5	192	164	–	2
03	Bloomfield	518	1	–	2	140	47	26	22	14	7	1	23	12	268	202	8	2
04	Cedar Grove township	85	–	–	–	21	6	5	3	3	1	1	2	2	46	34	–	1
05	East Orange	568	1	–	4	127	38	26	11	20	8	4	20	16	277	213	2	4
06	Irvington	790	1	–	3	175	48	33	22	29	4	5	34	23	444	382	4	3
07	Livingston township	151	–	–	–	37	12	12	4	2	1	3	3	3	81	62	2	1
08	Maplewood township	245	–	–	2	53	14	11	9	5	2	1	11	4	142	110	2	1
09	Millburn township	176	–	–	–	47	17	6	4	5	1	–	14	2	101	81	1	–
10	Montclair	625	1	–	3	135	43	30	12	15	3	7	25	15	350	259	6	4
11	Newark	3,202	15	1	40	633	189	151	60	81	24	21	107	68	1,450	1,198	36	27
12	Nutley	307	1	–	–	64	12	20	8	8	4	2	10	5	186	141	5	2
13	Orange	401	2	–	–	82	18	23	12	8	4	3	14	11	218	166	3	3
14	South Orange	176	–	–	–	43	14	6	8	5	2	1	7	6	102	78	2	2
15	Verona	125	1	–	–	23	2	5	6	3	2	1	4	1	72	51	–	1
16	West Caldwell	86	–	–	–	18	3	5	1	3	2	–	4	1	48	36	1	–
17	West Orange	378	1	–	4	85	33	18	7	7	7	–	13	10	198	156	1	1
18	Balance of county	512	1	–	4	90	32	19	8	11	5	2	13	11	279	219	3	–
19	Gloucester	1,520	4	–	15	271	70	74	23	35	13	6	50	36	815	608	9	5
20	Glassboro	106	1	–	–	12	4	3	2	1	1	–	1	2	61	48	–	–
21	Pitman	107	–	–	3	14	4	2	–	2	1	–	5	1	68	49	–	1
22	Woodbury	159	–	–	1	31	10	8	1	3	1	2	6	3	76	57	1	2
23	Balance of county	1,148	3	–	11	214	52	61	20	29	10	4	38	30	610	454	8	2
24	Hudson	6,196	15	1	49	1,289	416	291	122	136	47	47	230	122	3,358	2,769	43	46
25	Bayonne	794	2	–	6	188	64	46	22	21	6	9	20	14	438	361	9	10
26	Harrison	131	–	–	2	27	12	6	1	3	3	1	1	3	68	49	2	1
27	Hoboken	377	2	–	1	66	24	14	4	10	2	1	11	9	215	176	3	2
28	Jersey City	2,680	6	1	25	527	172	129	41	53	16	18	98	50	1,403	1,157	13	23
29	Kearny	426	–	–	4	98	35	18	10	11	6	3	15	8	227	191	6	5
30	North Bergen township	527	1	–	3	107	30	19	17	11	4	5	21	11	311	264	4	3
31	Secaucus	115	–	–	–	27	9	7	2	1	2	1	5	4	65	52	–	–
32	Union City	523	2	–	3	101	25	26	7	11	3	3	26	15	297	247	3	1
33	Weehawken township	131	–	–	1	29	7	6	5	3	–	2	6	3	80	60	1	–
34	West New York	363	1	–	2	90	32	16	8	11	4	1	18	4	191	158	2	–
35	Balance of county	129	1	–	2	29	6	4	5	1	1	3	9	1	63	54	–	1
36	Hunterdon	635	–	–	1	133	40	36	13	16	5	4	19	11	329	273	3	2
37	Mercer	2,818	6	1	21	613	204	147	52	68	15	19	108	59	1,450	1,129	35	10
38	Ewing township	293	–	–	2	78	25	18	9	9	2	2	13	7	151	122	4	3
39	Hamilton township	709	2	–	6	154	51	39	16	14	6	3	25	14	398	307	15	1
40	Princeton	104	–	–	1	23	8	7	2	2	1	–	3	2	57	46	3	–
41	Trenton	1,172	3	1	10	233	79	58	17	31	2	8	38	30	558	433	6	5
42	Balance of county	540	1	–	2	125	41	25	8	12	4	6	29	6	286	221	7	1
43	Middlesex	4,064	3	–	26	1,002	311	232	104	106	46	35	168	88	2,084	1,658	30	18
44	Carteret	188	–	–	2	45	12	11	3	6	2	1	10	6	97	80	–	1
45	East Brunswick township	148	–	–	1	39	14	4	5	4	1	6	5	2	76	63	1	1
46	Edison township	171	–	–	2	46	14	9	9	7	3	–	4	3	76	57	1	2
47	Highland Park	121	–	–	1	35	13	2	7	7	1	1	4	1	63	47	1	–
48	Madison township	230	–	–	–	56	17	15	8	4	1	1	10	5	111	87	2	2
49	Metuchen	109	–	–	–	26	10	3	2	2	4	–	5	4	47	35	–	–
50	Middlesex	95	–	–	2	23	6	4	3	3	2	–	5	2	54	44	1	1
51	New Brunswick	346	1	–	5	62	23	12	3	10	5	2	7	8	178	144	3	1
52	Perth Amboy	428	–	–	1	95	36	22	6	6	4	3	18	6	246	183	–	3
53	Piscataway township	182	–	–	2	52	13	12	6	1	3	2	15	4	79	62	–	–
54	Sayreville	207	1	–	–	51	18	17	2	3	2	2	7	3	116	95	3	–
55	South Plainfield	141	–	–	–	36	8	8	4	7	–	1	8	5	58	48	1	1
56	South River	152	1	–	–	49	13	10	6	5	5	3	7	6	72	53	1	1
57	Woodbridge township	568	–	–	2	142	48	35	15	11	6	2	25	8	294	241	4	3
58	Balance of county	978	–	–	8	245	66	68	25	30	7	11	38	25	517	419	12	2
59	Monmouth	4,468	6	1	23	1,032	303	247	104	128	43	35	172	84	2,352	1,675	42	14
60	Asbury Park	327	1	–	–	64	23	17	8	5	1	2	8	8	172	114	1	5
61	Eatontown	70	–	–	–	12	1	4	1	1	1	–	4	1	34	24	–	–
62	Freehold	118	–	–	–	24	8	2	3	8	1	–	2	2	65	51	1	2
63	Hazlet township	155	–	–	1	39	5	16	2	7	1	–	8	3	83	62	1	–
64	Long Branch	325	2	–	5	74	16	18	6	18	3	–	13	5	158	120	1	–
65	Matawan township	96	–	–	–	20	9	5	1	3	–	1	1	3	45	35	1	–
66	Middletown township	417	–	1	3	101	35	26	7	5	4	5	19	10	211	140	8	2
67	Neptune township	353	–	–	4	63	22	13	5	10	3	6	4	4	221	150	1	2
68	Ocean township	165	–	–	1	41	12	9	9	3	3	1	4	–	84	62	1	–
69	Red Bank	212	–	–	–	52	14	11	6	5	3	2	11	6	121	80	4	1
70	Balance of county	2,230	3	–	9	542	158	126	56	63	23	18	98	42	1,158	837	23	2
71	Morris	2,572	–	3	16	584	154	146	64	75	26	17	102	51	1,321	1,028	27	11
72	Dover	150	–	–	1	27	6	4	1	4	3	1	8	7	77	59	1	–
73	Madison	140	–	–	1	35	10	8	3	5	2	–	7	3	75	60	–	2
74	Morristown	185	–	1	3	44	10	10	4	11	1	1	7	3	97	68	3	–
75	Parsippany–Troy Hills township	203	–	–	3	44	10	15	8	2	1	3	5	5	103	84	2	1
76	Pequannock township	78	–	–	–	22	3	5	4	2	2	3	3	–	37	26	–	–
77	Balance of county	1,816	–	2	8	412	115	104	44	51	17	9	72	33	932	731	21	8
78	Ocean	3,524	2	–	21	879	236	248	73	95	53	33	141	69	1,859	1,454	18	12
79	Brick township	435	1	–	1	112	31	34	10	11	8	1	17	6	223	173	3	1
80	Dover township	579	–	–	3	148	41	49	9	11	8	7	23	6	304	232	2	–
81	Lakewood township	535	–	–	4	134	37	31	10	10	12	7	27	11	297	226	1	3
82	Point Pleasant	243	–	–	–	43	12	6	2	10	2	2	9	7	150	123	2	–
83	Balance of county	1,732	1	–	13	442	115	128	42	53	23	16	65	39	885	700	10	8

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
3,240	182	25	719	62	96	236	86	28	188	49	6	61	155	113	657	100	209	57	135	12	01
159	3	1	18	4	5	4	1	2	9	2	–	4	5	3	18	5	4	1	2	–	02
184	8	1	55	5	5	27	7	2	9	–	–	2	7	2	28	1	6	1	2	1	03
32	1	–	10	1	1	2	–	–	1	–	–	–	–	1	9	–	3	–	–	–	04
196	11	1	55	3	5	27	5	1	6	5	–	1	13	5	51	5	13	1	10	1	05
361	14	3	50	3	6	21	7	1	16	1	–	3	5	4	63	6	7	4	6	–	06
57	2	–	16	1	2	1	1	2	2	–	–	–	1	1	12	5	4	1	–	–	07
103	4	2	24	3	3	9	1	1	3	1	–	3	1	–	19	3	3	–	–	–	08
78	2	–	16	1	3	4	3	–	2	–	–	–	–	1	10	2	3	1	–	–	09
240	9	5	66	6	14	14	3	3	8	2	–	4	13	3	36	6	6	9	14	–	10
1,030	105	6	202	15	29	81	24	12	96	29	5	37	92	75	274	36	118	22	89	5	11
133	1	–	37	3	5	8	1	–	2	–	–	–	–	5	22	5	3	3	1	1	12
153	7	2	45	1	4	7	9	–	5	4	–	1	5	7	31	5	10	–	3	1	13
74	–	–	20	1	3	4	4	–	2	1	–	–	1	1	10	1	–	1	–	–	14
49	1	2	16	1	2	–	4	1	5	–	–	–	4	–	9	1	3	–	1	–	15
35	–	–	10	2	–	3	3	–	1	–	–	–	2	–	3	4	1	–	2	–	16
149	5	–	32	8	2	7	3	2	4	3	–	5	4	1	31	2	11	5	1	1	17
207	9	2	47	4	7	17	10	2	17	1	1	1	2	4	31	13	17	5	4	2	18
566	28	7	132	48	20	50	15	6	29	10	–	7	28	30	97	40	36	18	13	–	19
46	2	1	6	5	1	7	1	1	2	–	–	–	1	2	7	4	3	–	2	–	20
45	3	–	15	4	–	5	–	1	–	–	–	1	–	2	3	3	4	1	1	–	21
53	1	–	10	6	3	6	5	1	5	1	–	–	1	2	18	–	6	–	3	–	22
422	22	6	101	33	16	32	9	3	22	9	–	6	26	24	69	33	23	17	7	–	23
2,558	122	16	476	52	45	139	68	25	160	25	2	35	72	115	436	43	125	53	48	16	24
333	9	–	64	6	7	15	3	2	25	7	–	2	7	15	50	5	11	3	1	–	25
43	3	1	14	3	1	1	2	–	7	–	–	–	1	1	10	2	6	1	–	–	26
158	13	3	33	1	2	8	5	1	18	1	–	3	4	4	23	6	6	1	2	2	27
1,053	68	8	197	24	17	67	31	13	58	9	1	19	46	69	222	11	72	14	30	6	28
174	6	1	29	4	2	9	5	1	13	1	–	1	2	7	24	6	8	6	3	3	29
250	7	–	38	3	6	6	5	4	8	4	–	4	4	4	35	5	5	6	1	3	30
50	2	1	10	1	1	1	2	1	1	–	–	1	–	3	5	–	1	2	1	1	31
235	8	1	41	4	4	21	9	–	12	1	1	1	5	3	28	3	5	8	7	1	32
59	–	–	17	2	1	–	1	–	4	–	–	–	1	2	6	1	1	1	1	–	33
153	3	1	25	4	3	8	3	3	7	2	–	2	1	6	26	2	5	9	1	–	34
50	3	–	8	–	1	3	2	–	7	–	–	2	1	1	7	2	5	2	1	–	35
258	10	1	37	6	12	36	6	3	8	2	–	2	2	6	54	16	19	7	–	–	36
1,054	30	9	239	43	30	73	30	8	55	13	1	10	35	77	209	41	71	20	20	5	37
108	7	1	23	–	5	5	2	1	4	–	–	1	5	7	18	3	6	1	1	2	38
287	4	1	69	14	7	18	3	1	16	1	–	–	4	14	51	8	13	4	1	1	39
43	–	–	7	2	2	2	2	1	1	1	–	1	–	1	5	2	3	2	–	–	40
405	17	4	90	20	11	33	14	3	32	7	1	5	21	40	103	15	37	7	17	2	41
211	2	3	50	7	5	15	9	3	2	4	–	3	5	15	32	13	12	6	1	–	42
1,549	61	8	310	59	49	108	32	15	80	17	1	27	45	22	310	69	76	34	17	8	43
78	1	–	12	3	2	2	1	2	3	–	–	1	3	1	20	–	4	1	–	–	44
59	2	1	8	3	1	3	–	–	1	–	–	2	2	1	12	3	2	2	2	–	45
53	1	–	12	3	4	2	1	1	6	1	–	4	5	–	15	5	3	–	1	–	46
45	1	–	14	1	1	2	1	–	–	2	–	–	–	1	11	–	2	2	–	–	47
78	5	1	18	4	1	7	7	2	5	–	–	2	2	2	18	5	4	4	–	–	48
34	1	1	10	–	1	5	–	–	4	–	–	2	1	–	13	4	2	–	–	1	49
40	2	–	5	1	4	1	–	–	4	1	–	2	–	–	4	1	–	–	1	–	50
137	3	1	24	8	1	7	1	1	11	4	–	–	5	3	35	5	10	3	5	2	51
175	5	1	50	7	5	12	1	2	6	2	–	1	8	6	25	5	8	1	1	2	52
56	6	–	11	3	3	9	1	–	6	–	–	–	2	–	15	6	3	2	–	1	53
89	3	–	14	7	–	5	2	2	6	1	–	–	–	1	13	4	1	–	1	–	54
44	2	–	8	1	1	4	2	–	2	–	–	1	1	–	17	5	6	3	1	–	55
49	2	–	17	1	1	4	2	1	–	2	–	1	3	–	6	1	1	1	2	–	56
226	8	1	39	8	5	20	6	1	13	1	–	4	10	4	40	7	8	7	1	–	57
386	19	2	68	9	19	25	7	3	13	3	1	7	3	3	66	18	22	8	2	2	58
1,551	68	15	515	68	79	133	58	14	80	34	–	22	58	12	327	71	90	48	15	8	59
104	4	3	43	4	8	16	2	–	8	5	–	3	5	1	28	1	7	4	1	1	60
24	–	1	7	2	–	3	1	–	3	–	–	1	1	–	10	1	2	1	–	–	61
47	1	–	11	2	1	4	2	–	1	3	–	–	2	1	6	4	3	1	–	–	62
59	2	–	17	3	1	5	4	–	2	1	–	–	1	–	13	2	1	–	–	–	63
116	3	–	27	5	6	9	4	–	6	5	–	1	3	2	32	4	6	6	1	2	64
33	1	–	9	1	–	2	3	–	6	–	–	–	1	1	10	1	2	1	1	–	65
122	8	–	57	8	6	10	4	2	10	4	–	3	3	–	26	7	16	4	1	1	66
145	2	2	50	7	12	13	4	–	7	–	–	1	3	1	19	7	4	1	1	–	67
58	3	–	15	3	4	5	2	3	1	1	–	1	1	–	12	4	6	3	–	–	68
73	2	1	32	8	–	3	4	2	5	1	–	–	–	–	10	–	4	4	–	–	69
770	42	8	247	25	41	63	28	7	31	14	–	12	38	6	161	40	39	23	10	4	70
956	34	8	219	26	40	100	33	12	37	12	–	21	37	10	174	65	56	31	6	3	71
56	2	–	15	1	2	7	3	3	2	1	–	5	1	–	9	4	2	–	1	–	72
57	1	1	13	–	1	7	1	1	–	–	–	–	2	–	12	1	1	–	1	–	73
64	1	–	18	5	6	6	2	–	1	1	–	–	3	2	14	2	6	–	–	–	74
78	3	1	14	2	2	4	2	–	3	–	–	1	5	–	19	6	6	–	2	–	75
25	1	1	9	–	1	2	3	–	1	–	–	–	4	1	6	1	–	1	–	–	76
676	26	5	150	18	28	74	22	8	30	10	–	15	22	7	114	51	41	30	2	3	77
1,375	49	11	321	24	49	70	37	13	67	17	–	30	26	19	256	68	55	28	6	2	78
164	5	4	34	3	9	7	8	1	8	4	–	6	4	1	30	9	5	6	3	–	79
221	9	2	61	2	7	16	3	1	13	2	–	9	2	5	39	12	10	6	–	–	80
218	4	1	57	3	10	7	6	4	6	2	–	4	5	3	40	4	5	–	2	1	81
121	–	–	23	2	2	4	8	1	7	2	–	–	1	1	10	2	6	1	–	–	82
651	31	4	146	14	21	36	12	6	33	7	–	11	14	9	137	41	29	15	1	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Passaic	4,234	10	–	21	918	265	192	103	107	51	30	170	82	2,346	1,866	41	16
02	Clifton	857	1	–	5	203	58	41	29	19	13	7	36	13	510	407	8	1
03	Hawthorne	214	–	–	–	47	12	11	5	6	2	3	8	1	130	96	1	1
04	Little Falls township†	112	–	–	1	20	7	3	1	–	1	–	8	1	67	47	1	–
05	Passaic	547	3	–	3	112	36	21	9	17	6	3	20	18	279	225	3	3
06	Paterson	1,419	5	–	7	298	90	64	33	35	15	10	51	31	744	598	16	6
07	Pompton Lakes	93	–	–	–	23	4	4	3	3	1	–	8	1	47	37	1	1
08	Ringwood	63	–	–	1	14	5	6	–	–	1	1	1	–	37	32	–	–
09	Totowa	94	–	–	1	22	5	3	2	2	3	–	7	4	52	44	3	1
10	Wayne township†	277	–	–	2	64	17	15	7	8	3	3	11	6	156	128	4	1
11	West Paterson	81	–	–	–	21	4	6	2	2	–	–	7	3	45	40	1	–
12	Balance of county	477	1	–	1	94	27	18	12	15	6	3	13	4	279	212	3	2
13	Salem	592	3	–	1	123	35	29	5	14	10	6	24	14	309	238	3	5
14	Somerset	1,363	3	–	7	313	87	69	29	39	12	20	57	28	702	553	10	3
15	Bound Brook	102	–	–	1	19	7	6	1	2	–	1	2	1	55	47	–	–
16	Bridgewater township†	171	1	–	1	45	13	8	4	7	1	3	9	3	89	67	–	–
17	Franklin township†	185	–	–	1	35	9	6	3	10	2	2	3	4	91	78	3	1
18	Manville	103	–	–	–	24	6	8	1	2	2	3	2	3	54	37	–	–
19	North Plainfield	156	1	–	1	44	16	8	3	4	3	2	8	6	78	63	1	1
20	Somerville	159	1	–	–	22	3	5	5	–	1	1	7	7	96	78	3	–
21	Balance of county	487	–	–	3	124	33	28	12	14	3	8	26	4	239	183	3	1
22	Sussex	756	1	–	–	181	42	43	23	28	6	8	31	9	391	309	10	2
23	Union	4,715	6	1	33	1,106	338	238	100	128	47	42	213	111	2,491	1,996	60	28
24	Berkeley Heights township†	63	–	–	–	12	3	1	1	–	1	–	6	–	32	26	1	–
25	Clark township†	126	–	–	–	35	10	6	3	7	3	1	5	2	64	51	1	–
26	Cranford township†	201	–	–	1	40	15	9	4	4	1	1	6	4	116	93	4	1
27	Elizabeth	1,152	2	–	12	268	88	64	15	29	10	8	54	31	599	487	9	11
28	Hillside township†	187	–	–	1	45	10	11	4	6	1	2	11	6	108	85	3	1
29	Linden	362	2	–	3	96	27	18	4	18	6	2	21	7	173	142	2	4
30	New Providence	69	–	–	–	10	6	1	1	–	–	–	2	1	43	33	2	1
31	Plainfield	432	–	–	2	76	20	17	9	11	3	1	15	10	214	168	7	2
32	Rahway	260	–	–	1	77	22	15	9	13	3	2	13	5	121	96	4	1
33	Roselle	206	–	–	3	41	16	8	3	6	1	1	6	5	123	101	4	–
34	Roselle Park	116	–	–	–	25	7	4	5	2	2	–	5	1	68	58	1	1
35	Scotch Plains township†	140	–	1	–	38	16	6	2	4	3	2	5	8	69	54	3	–
36	Springfield township†	161	1	–	–	42	12	7	7	3	1	2	10	2	91	75	6	1
37	Summit	198	–	–	3	40	13	8	5	5	2	–	7	2	115	83	1	3
38	Union township†	543	–	–	4	129	40	30	10	7	7	10	25	13	305	252	9	1
39	Westfield	220	–	–	2	57	13	13	9	6	1	3	12	9	103	76	1	1
40	Balance of county	279	1	–	1	75	20	20	9	7	2	7	10	5	147	116	2	–
41	Warren	773	–	–	2	159	48	35	15	21	8	9	23	11	448	368	9	3
42	Phillipsburg	254	–	–	–	51	20	14	3	9	–	–	5	4	150	123	1	1
43	Balance of county	519	–	–	2	108	28	21	12	12	8	9	18	7	298	245	8	2
44	**New Mexico**	8,224	34	2	87	1,430	396	315	101	189	59	66	304	150	2,875	1,998	55	26
45	Urban places	4,519	14	–	37	885	221	209	70	121	33	43	188	75	1,641	1,122	29	18
46	Balance of area	3,705	20	2	50	545	175	106	31	68	26	23	116	75	1,234	876	26	8
47	Metropolitan counties	2,331	9	–	27	466	126	101	37	65	20	20	97	35	808	550	18	7
48	Urban places	2,280	8	–	26	463	125	101	37	65	20	20	95	34	798	545	17	7
49	Balance of area	51	1	–	1	3	1	–	–	–	–	–	2	1	10	5	1	–
50	Nonmetropolitan counties	5,893	25	2	60	964	270	214	64	124	39	46	207	115	2,067	1,448	37	19
51	Urban places	2,239	6	–	11	422	96	108	33	56	13	23	93	41	843	577	12	11
52	Balance of area	3,654	19	2	49	542	174	106	31	68	26	23	114	74	1,224	871	25	8
53	Bernalillo	2,331	9	–	27	466	126	101	37	65	20	20	97	35	808	550	18	7
54	Albuquerque	2,280	8	–	26	463	125	101	37	65	20	20	95	34	798	545	17	7
55	Balance of county	51	1	–	1	3	1	–	–	–	–	–	2	1	10	5	1	–
56	Catron	17	–	–	–	1	1	–	–	–	–	–	–	–	5	4	–	–
57	Chaves	484	1	–	1	85	14	20	9	8	2	9	23	12	177	111	6	2
58	Roswell	417	1	–	–	74	10	18	9	6	1	8	22	9	152	95	6	1
59	Balance of county	67	–	–	1	11	4	2	–	2	1	1	1	3	25	16	–	1
60	Colfax	128	–	1	–	24	10	6	1	3	–	–	4	2	46	39	1	–
61	Curry	279	1	–	3	49	11	13	1	6	–	3	15	6	121	89	–	2
62	Clovis	231	1	–	3	42	9	11	1	5	–	3	13	5	98	71	–	2
63	Balance of county	48	–	–	–	7	2	2	–	1	–	–	2	1	23	18	–	–
64	De Baca	38	–	–	–	6	3	1	–	–	–	1	1	–	19	12	1	–
65	Dona Ana	414	2	–	4	91	30	19	3	17	4	4	14	12	131	90	2	4
66	Las Cruces	218	1	–	–	42	13	9	1	7	2	2	8	5	74	51	–	3
67	Balance of county	196	1	–	4	49	17	10	2	10	2	2	6	7	57	39	2	1
68	Eddy	371	2	–	3	73	19	20	4	12	2	4	12	7	154	110	–	1
69	Artesia	108	1	–	2	25	8	7	2	3	1	–	4	3	45	30	–	–
70	Carlsbad	224	1	–	1	41	10	11	2	7	1	4	6	4	94	67	–	1
71	Balance of county	39	–	–	–	7	1	2	–	2	–	–	2	–	15	13	–	–
72	Grant	179	2	–	4	23	6	4	4	1	1	2	5	4	70	53	–	–
73	Guadalupe	48	–	–	–	4	2	–	1	–	–	–	1	2	17	12	1	–
74	Harding	7	–	–	–	1	–	–	1	–	–	–	–	–	3	3	–	–
75	Hidalgo	65	–	–	3	7	1	1	–	2	–	1	2	4	15	5	–	–
76	Lea	375	1	–	4	70	20	25	2	8	2	2	11	6	147	108	2	3
77	Hobbs	206	–	–	–	38	12	17	–	4	–	1	4	4	77	52	1	2
78	Balance of county	169	1	–	4	32	8	8	2	4	2	1	7	2	70	56	1	1
79	Lincoln	68	–	–	–	7	–	3	–	1	1	2	–	–	32	28	1	–
80	Los Alamos	48	1	–	–	6	1	1	1	–	–	–	3	2	16	11	1	–
81	Luna	143	1	–	3	27	8	6	1	4	3	1	4	2	61	35	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–676)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,761	48	11	370	35	64	133	43	20	73	21	2	18	60	57	272	47	63	25	18	5	01
388	10	3	78	10	12	17	7	1	10	1	–	1	4	8	58	7	3	7	1	–	02
93	1	1	22	4	7	9	1	1	3	1	–	–	1	–	17	–	1	1	–	1	03
44	2	1	17	1	1	4	–	1	3	–	–	–	–	–	9	1	2	1	1	–	04
215	4	1	44	3	6	19	9	5	16	4	–	7	10	12	25	8	9	3	5	–	05
557	19	4	116	7	19	52	15	9	29	11	–	7	33	30	87	19	23	8	8	2	06
34	1	–	8	–	2	6	1	–	1	–	–	1	1	–	8	1	3	–	–	–	07
31	1	–	4	–	1	1	–	–	–	–	–	–	1	–	6	1	2	–	–	–	08
39	1	–	7	1	–	2	–	2	1	–	–	–	–	–	8	1	1	–	–	–	09
121	2	–	22	1	5	7	4	–	6	1	–	1	4	1	20	1	3	–	–	1	10
39	–	–	3	2	–	–	–	–	1	1	–	–	2	1	3	2	2	–	–	–	11
200	7	1	49	6	11	16	6	1	3	2	–	2	4	4	31	6	14	5	3	1	12
219	11	5	56	4	6	15	5	2	8	3	–	4	5	3	46	22	16	9	4	–	13
521	19	6	119	11	13	38	8	4	22	6	–	15	20	8	99	34	31	17	6	2	14
47	–	–	7	–	1	5	1	–	2	–	–	1	1	1	8	2	3	1	–	1	15
65	2	–	17	1	4	2	2	–	1	–	–	2	1	–	10	5	5	3	1	–	16
72	2	2	9	1	1	6	1	–	2	1	–	1	6	1	22	5	5	3	–	1	17
35	2	1	15	–	1	3	–	–	3	1	–	–	1	1	9	2	–	2	–	–	18
57	4	2	10	1	2	4	–	1	2	1	–	2	5	–	8	2	1	–	–	–	19
69	6	–	15	1	2	2	2	1	6	–	–	–	2	2	9	3	2	1	3	–	20
176	3	1	46	7	2	16	2	2	6	3	–	9	4	3	33	15	15	7	2	–	21
282	15	–	61	9	12	21	8	1	15	2	–	6	9	1	55	23	22	9	1	1	22
1,810	98	13	371	59	52	128	44	23	89	19	–	16	42	69	333	52	89	31	27	5	23
22	3	–	5	1	–	4	2	1	1	–	–	–	–	1	5	1	3	1	–	–	24
48	2	–	10	1	2	2	2	–	1	–	–	2	1	1	8	4	2	2	–	–	25
84	4	–	20	3	–	3	–	1	1	–	–	–	1	3	25	1	4	1	–	–	26
444	23	1	89	15	7	28	8	3	26	8	–	3	13	26	79	9	15	12	8	2	27
77	4	2	17	2	2	3	4	1	4	2	–	1	–	1	5	2	3	–	1	–	28
127	9	–	25	3	3	13	3	5	10	1	–	–	3	1	28	2	9	4	2	–	29
30	–	–	7	1	2	3	–	–	2	–	–	–	1	1	3	3	3	–	–	–	30
149	10	4	32	4	6	13	8	3	11	4	–	2	12	10	39	4	17	1	5	1	31
86	5	–	17	6	2	11	3	1	4	1	–	1	2	5	18	4	5	1	–	–	32
93	4	–	15	3	4	3	2	1	2	–	–	1	1	3	15	1	4	–	1	–	33
54	2	2	6	2	–	3	–	1	2	1	–	1	–	1	5	4	3	1	–	–	34
49	2	1	10	2	2	6	–	1	4	–	–	–	1	4	6	1	1	–	–	–	35
64	4	1	8	2	5	3	2	–	2	–	–	–	1	1	13	2	–	–	1	–	36
71	8	–	26	2	4	8	3	1	4	–	–	1	1	1	16	2	1	–	–	–	37
231	11	2	37	5	9	13	1	2	7	2	–	1	3	4	32	6	12	3	5	1	38
72	2	–	22	4	1	9	4	–	2	–	–	1	1	4	19	2	2	2	2	1	39
109	5	–	25	3	3	3	2	2	6	–	–	2	2	2	17	4	5	3	2	–	40
345	11	3	54	10	13	29	6	3	13	1	1	5	8	1	49	15	11	5	2	4	41
119	2	–	20	3	4	11	–	–	6	–	1	2	2	–	20	2	3	1	–	1	42
226	9	3	34	7	9	18	6	3	7	1	–	3	6	1	29	13	8	4	2	3	43
1,690	227	40	613	123	101	359	137	23	194	26	2	81	142	509	904	536	359	214	124	36	44
975	100	15	362	78	64	184	97	16	93	16	2	39	77	287	505	182	172	114	68	15	45
715	127	25	251	45	37	175	40	7	101	10	–	42	65	222	399	354	187	100	56	21	46
484	41	8	170	44	36	104	40	7	48	10	1	19	30	139	283	95	92	67	41	10	47
481	40	8	166	44	35	100	39	7	45	10	1	18	29	135	278	87	88	66	38	10	48
3	1	–	4	–	1	4	1	–	3	–	–	1	1	4	5	8	4	1	3	–	49
1,206	186	32	443	79	65	255	97	16	146	16	1	62	112	370	621	441	267	147	83	26	50
494	60	7	196	34	29	84	58	9	48	6	1	21	48	152	227	95	84	48	30	5	51
712	126	25	247	45	36	171	39	7	98	10	–	41	64	218	394	346	183	99	53	21	52
484	41	8	170	44	36	104	40	7	48	10	1	19	30	139	283	95	92	67	41	10	53
481	40	8	166	44	35	100	39	7	45	10	1	18	29	135	278	87	88	66	38	10	54
3	1	–	4	–	1	4	1	–	3	–	–	1	1	4	5	8	4	1	3	–	55
4	–	–	1	–	–	–	–	–	–	1	–	–	3	3	2	2	–	–	–	–	56
87	16	1	50	9	6	17	14	1	16	–	–	4	8	75	26	21	10	8	7	1	57
75	13	–	43	9	5	15	12	1	13	–	–	3	6	65	25	17	9	8	6	1	58
12	3	1	7	–	1	2	2	–	3	–	–	1	2	10	1	4	1	–	1	–	59
31	7	2	4	–	1	5	1	–	7	–	–	2	1	10	11	6	8	2	2	–	60
73	14	–	19	8	5	10	7	1	7	–	–	2	6	10	24	12	11	5	4	–	61
60	9	–	17	7	3	8	7	1	7	–	–	2	4	6	22	9	9	3	4	–	62
13	5	–	2	1	2	2	–	–	–	–	–	–	2	4	2	3	2	2	–	–	63
9	2	–	6	–	1	1	1	–	–	–	–	–	–	2	4	4	–	–	1	–	64
67	17	3	27	7	4	18	11	2	7	–	–	8	13	20	47	25	13	6	2	2	65
37	11	2	15	3	3	9	10	1	5	–	–	3	8	10	28	9	7	4	2	–	66
30	6	1	12	4	1	9	1	1	2	–	–	5	5	10	19	16	6	2	–	2	67
100	9	2	33	5	4	20	5	1	4	1	1	3	12	21	37	8	15	2	1	1	68
29	1	–	13	–	2	2	1	–	1	1	1	1	–	3	13	2	3	2	1	1	69
60	6	1	19	5	2	15	4	1	1	–	–	2	10	15	21	5	9	–	–	–	70
11	2	1	1	–	–	3	–	–	2	–	–	–	2	3	3	1	3	–	–	–	71
44	9	3	9	1	4	3	3	–	6	–	–	3	4	13	21	6	9	5	3	–	72
8	3	–	2	2	1	4	–	–	1	–	–	–	2	1	7	5	2	1	2	–	73
2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	74
5	–	1	9	–	–	7	3	–	–	–	–	1	2	3	9	6	4	1	–	–	75
92	11	–	35	4	–	18	8	1	3	1	–	5	12	17	31	17	14	11	8	1	76
44	5	–	23	2	–	10	6	1	3	1	–	4	10	12	15	7	7	6	5	–	77
48	6	–	12	2	–	8	2	–	–	–	–	1	2	5	16	10	7	5	3	1	78
26	1	–	4	–	–	5	–	–	1	–	–	1	1	9	5	–	4	1	1	1	79
9	1	1	2	1	1	4	–	–	–	–	–	–	–	2	5	7	3	1	–	1	80
33	2	1	24	–	1	5	2	–	4	–	–	1	4	10	10	6	4	2	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Mexico—Con.																	
01	McKinley	377	4	–	11	42	14	4	2	6	3	1	12	7	69	47	–	–
02	Gallup	122	1	–	1	19	6	3	1	2	–	1	6	1	41	26	–	–
03	Balance of county	255	3	–	10	23	8	1	1	4	3	–	6	6	28	21	–	–
04	Mora	36	1	–	–	4	2	–	1	–	–	–	1	1	11	9	–	1
05	Otero	240	1	–	1	38	6	14	3	4	2	1	8	1	88	67	3	1
06	Alamogordo	156	–	–	1	27	3	9	3	3	2	1	6	1	68	54	3	1
07	Balance of county	84	1	–	–	11	3	5	–	1	–	–	2	–	20	13	–	–
08	Quay	128	–	–	–	20	4	1	2	2	3	1	7	1	60	45	–	–
09	Rio Arriba	249	–	–	–	30	16	3	3	3	1	1	3	4	80	56	5	1
10	Roosevelt	131	–	–	–	15	4	4	2	–	1	–	4	2	61	49	–	1
11	Portales	93	–	–	–	11	3	2	2	–	1	–	3	2	42	32	–	1
12	Balance of county	38	–	–	–	4	1	2	–	–	–	–	1	–	19	17	–	–
13	Sandoval	213	–	–	7	26	11	3	1	4	–	1	6	6	66	46	1	–
14	San Juan	396	2	–	6	45	3	11	2	11	2	3	13	5	114	83	3	–
15	Farmington	145	–	–	2	27	1	6	2	8	2	1	7	2	51	36	1	–
16	Balance of county	251	2	–	4	18	2	5	–	3	–	2	6	3	63	47	2	–
17	San Miguel	193	2	1	–	38	18	4	2	2	–	3	9	3	56	38	3	–
18	Santa Fe	409	–	–	2	94	26	20	13	12	4	2	17	6	135	84	2	–
19	Santa Fe	319	–	–	1	76	21	15	10	11	3	2	14	5	101	63	1	–
20	Balance of county	90	–	–	1	18	5	5	3	1	1	–	3	1	34	21	1	–
21	Sierra	134	1	–	1	24	7	7	–	6	–	–	4	1	60	39	1	–
22	Socorro	104	–	–	–	17	5	4	1	2	1	–	4	3	39	27	–	1
23	Taos	171	–	–	4	38	15	8	2	3	3	–	7	4	60	39	2	1
24	Torrance	50	–	–	1	7	–	3	1	1	–	–	2	1	21	12	1	–
25	Union	59	1	–	–	4	–	–	1	1	–	1	1	3	28	21	–	–
26	Valencia	339	2	–	2	48	13	9	–	5	4	3	14	8	105	76	1	1
27	**New York**	172,554	304	18	1,085	36,379	10,970	8,132	3,659	4,123	1,677	1,319	6,499	3,474	89,214	71,084	1,330	774
28	Urban places	115,551	245	12	758	23,866	7,448	5,201	2,389	2,707	1,020	843	4,258	2,420	59,274	48,009	863	507
29	Balance of area	57,003	59	6	327	12,513	3,522	2,931	1,270	1,416	657	476	2,241	1,054	29,940	23,075	467	267
30	Metropolitan counties	147,547	275	13	971	31,366	9,568	6,923	3,204	3,483	1,429	1,130	5,629	2,972	75,714	60,817	1,127	637
31	Urban places	108,948	238	10	733	22,519	7,059	4,880	2,261	2,553	961	789	4,016	2,257	55,665	45,318	812	481
32	Balance of area	38,599	37	3	238	8,847	2,509	2,043	943	930	468	341	1,613	715	20,049	15,499	315	156
33	Nonmetropolitan counties	25,007	29	5	114	5,013	1,402	1,209	455	640	248	189	870	502	13,500	10,267	203	137
34	Urban places	6,603	7	2	25	1,347	389	321	128	154	59	54	242	163	3,609	2,691	51	26
35	Balance of area	18,404	22	3	89	3,666	1,013	888	327	486	189	135	628	339	9,891	7,576	152	111
36	Albany	2,961	3	–	20	601	187	146	69	54	22	17	106	58	1,633	1,285	27	11
37	Albany	1,427	3	–	8	245	78	64	28	23	7	5	40	25	815	639	9	5
38	Cohoes	263	–	–	2	55	15	12	8	5	3	–	12	6	142	122	6	2
39	Watervliet	164	–	–	2	39	17	12	4	3	–	1	2	7	80	65	1	–
40	Balance of county	1,107	–	–	8	262	77	58	29	23	12	11	52	20	596	459	11	4
41	Allegany	429	–	–	1	87	27	18	4	12	6	2	18	6	230	168	4	6
42	Broome	2,058	3	1	15	440	129	108	50	50	16	13	74	31	1,094	851	20	10
43	Binghamton	806	1	–	5	166	52	33	21	22	8	4	26	10	425	330	11	4
44	Endicott	220	1	–	1	55	11	17	4	7	1	3	12	6	113	81	1	1
45	Johnson City	231	–	–	1	51	13	18	7	4	–	1	8	3	129	101	2	–
46	Balance of county	801	1	1	8	168	53	40	18	17	7	5	28	12	427	339	6	5
47	Cattaraugus	877	1	–	5	185	51	41	21	27	8	6	31	16	495	361	7	6
48	Olean	263	–	–	1	55	12	13	10	7	2	–	11	4	156	117	2	1
49	Balance of county	614	1	–	4	130	39	28	11	20	6	6	20	12	339	244	5	5
50	Cayuga	810	–	–	3	158	41	37	9	23	9	8	31	21	445	318	5	3
51	Auburn	405	–	–	1	91	26	19	6	14	3	5	18	14	219	161	4	2
52	Balance of county	405	–	–	2	67	15	18	3	9	6	3	13	7	226	157	1	1
53	Chautauqua	1,568	–	–	7	277	76	58	30	36	11	14	52	45	888	667	15	5
54	Dunkirk	199	–	–	–	39	9	10	2	4	1	4	9	7	114	85	2	–
55	Fredonia	74	–	–	–	9	3	2	–	1	1	–	2	2	38	29	–	–
56	Jamestown	478	–	–	1	80	24	14	11	9	2	4	16	16	277	201	5	1
57	Balance of county	817	–	–	6	149	40	32	17	22	7	6	25	20	459	352	8	4
58	Chemung	934	–	–	4	208	59	53	18	30	8	6	34	6	492	359	6	2
59	Elmira	422	–	–	2	100	24	22	12	11	6	4	21	3	224	174	4	1
60	Balance of county	512	–	–	2	108	35	31	6	19	2	2	13	3	268	185	2	1
61	Chenango	491	–	–	2	92	27	17	12	13	4	4	15	9	259	216	5	2
62	Clinton	562	1	–	1	126	36	37	10	13	5	8	17	4	298	220	6	2
63	Plattsburgh	183	–	–	1	41	12	9	5	5	2	3	5	2	94	68	3	1
64	Balance of county	379	1	–	–	85	24	28	5	8	3	5	12	2	204	152	3	1
65	Columbia	665	–	–	1	128	33	35	9	15	7	7	22	10	386	290	6	2
66	Cortland	435	–	–	2	87	27	18	10	7	5	1	19	10	229	170	4	9
67	Cortland	213	–	–	1	49	14	10	6	3	4	1	11	7	112	82	1	4
68	Balance of county	222	–	–	1	38	13	8	4	4	1	–	8	3	117	88	3	5
69	Delaware	503	–	1	3	92	32	14	9	11	4	5	17	10	267	221	7	3
70	Dutchess	1,815	5	–	4	414	109	98	38	48	21	16	84	39	976	754	16	4
71	Beacon	125	–	–	–	21	8	5	1	1	3	–	3	4	76	62	1	1
72	Poughkeepsie	435	3	–	1	96	19	28	10	7	4	5	23	14	229	171	1	–
73	Balance of county	1,255	2	–	3	297	82	65	27	40	14	11	58	21	671	521	14	3
74	Erie	10,851	9	–	73	2,261	645	544	230	274	107	93	368	236	5,808	4,427	97	40
75	Buffalo	5,382	7	–	45	1,045	305	257	93	140	46	31	173	139	2,883	2,201	42	21
76	Depew	143	–	–	2	24	9	9	1	1	–	2	2	6	66	54	3	2
77	Hamburg	126	–	–	–	30	10	6	4	5	1	1	3	2	70	52	–	–
78	Kenmore	266	–	–	–	64	20	13	10	8	1	5	7	7	135	102	5	–
79	Lackawanna	287	–	–	1	68	18	15	8	8	4	2	13	10	140	103	5	1
80	Lancaster	124	–	–	–	27	5	4	5	6	2	–	5	–	68	55	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
41	6	–	16	2	4	19	1	1	13	1	–	7	3	13	56	67	32	19	10	2	01
24	2	–	11	2	2	5	1	1	2	1	–	2	–	4	10	15	7	9	2	–	02
17	4	–	5	–	2	14	–	–	11	–	–	5	3	9	46	52	25	10	8	2	03
5	3	–	2	–	–	5	–	–	1	–	–	–	–	4	3	3	2	–	1	–	04
59	4	–	14	2	5	5	2	2	9	2	–	4	7	6	31	19	11	9	4	–	05
46	4	–	8	1	5	4	1	1	3	1	–	2	5	2	19	9	7	3	2	–	06
13	–	–	6	1	–	1	1	1	6	1	–	2	2	4	12	10	4	6	2	–	07
41	4	–	8	4	3	4	1	1	2	–	–	1	2	5	16	5	5	3	1	1	08
42	8	–	21	3	–	13	–	–	10	–	–	2	4	13	34	27	15	8	7	2	09
45	3	2	9	1	–	4	7	2	–	–	–	–	2	10	17	2	5	3	1	–	10
30	1	2	7	1	–	3	6	2	–	–	–	–	2	5	13	1	4	1	1	–	11
15	2	–	2	–	–	1	1	–	–	–	–	–	–	5	4	1	1	2	–	–	12
37	8	2	13	2	3	9	–	–	4	–	–	–	–	26	26	24	7	9	2	1	13
67	13	4	24	1	2	16	10	–	10	1	–	5	6	23	36	64	34	7	10	2	14
33	2	–	12	1	2	3	5	–	5	–	–	1	–	6	16	10	10	2	4	1	15
34	11	4	12	–	–	13	5	–	5	1	–	4	6	17	20	54	24	5	6	1	16
32	3	–	9	6	3	7	2	1	11	–	–	–	5	10	24	13	12	5	3	–	17
71	11	3	37	5	6	13	6	–	12	4	–	2	4	27	50	18	18	12	3	3	18
56	6	2	28	3	5	10	5	–	8	2	–	1	3	24	45	11	12	10	3	2	19
15	5	1	9	2	1	3	1	–	4	2	–	1	1	3	5	7	6	2	–	1	20
35	3	1	13	5	2	6	3	2	3	2	–	1	1	6	12	8	2	–	–	1	21
20	6	1	6	3	2	3	–	–	–	2	–	3	–	4	14	7	3	5	2	2	22
31	5	1	17	1	2	8	1	–	4	–	–	4	3	–	11	19	7	4	3	1	23
10	1	–	7	–	2	2	–	–	1	1	–	–	–	1	9	1	3	1	–	1	24
16	5	–	3	2	2	11	–	–	1	–	–	–	2	1	5	1	1	1	–	–	25
64	10	4	19	5	1	13	9	1	9	–	–	3	5	25	36	38	13	15	4	3	26
65,746	3,234	489	13,558	1,841	2,242	6,568	1,967	723	3,864	873	31	980	2,102	1,734	12,958	2,310	3,421	1,676	1,900	973	27
44,503	2,136	306	8,451	1,121	1,387	4,767	1,138	492	3,020	644	27	635	1,507	1,103	8,883	1,066	2,060	1,048	1,727	859	28
21,243	1,098	183	5,107	720	855	1,801	829	231	844	229	4	345	595	631	4,075	1,244	1,361	628	173	114	29
56,318	2,735	385	11,212	1,498	1,802	5,739	1,544	608	3,521	758	30	817	1,853	1,604	11,054	1,738	2,791	1,391	1,841	947	30
42,000	2,025	265	7,782	1,026	1,274	4,520	1,034	468	2,917	618	27	590	1,445	1,068	8,389	972	1,930	989	1,707	852	31
14,318	710	120	3,430	472	528	1,219	510	140	604	140	3	227	408	536	2,665	766	861	402	134	95	32
9,428	499	104	2,346	343	440	829	423	115	343	115	1	163	249	130	1,904	572	630	285	59	26	33
2,503	111	41	669	95	113	247	104	24	103	26	–	45	62	35	494	94	130	59	20	7	34
6,925	388	63	1,677	248	327	582	319	91	240	89	1	118	187	95	1,410	478	500	226	39	19	35
1,177	70	4	244	42	58	117	33	8	47	13	–	15	18	22	228	41	68	23	12	1	36
593	32	2	120	21	33	65	13	5	17	6	–	8	10	12	124	15	38	8	9	1	37
110	4	–	15	2	3	8	5	1	10	2	–	1	4	–	16	2	6	3	–	–	38
62	2	–	8	1	6	4	2	1	5	–	–	1	2	–	15	3	2	1	–	–	39
412	32	2	101	18	16	40	13	1	15	5	–	5	2	10	73	21	22	11	3	–	40
145	13	3	45	9	5	12	8	2	1	2	–	3	4	2	39	13	10	7	2	–	41
791	30	8	170	31	34	91	34	14	36	5	–	12	30	12	144	25	36	24	5	6	42
304	11	1	70	15	9	35	16	8	20	2	–	3	10	6	64	4	15	9	3	4	43
76	3	3	19	3	7	11	3	2	3	1	–	1	3	1	13	1	2	3	–	–	44
95	4	2	20	4	2	7	5	–	4	–	–	–	5	1	13	2	6	4	–	–	45
316	12	2	61	9	16	38	10	4	9	2	–	8	12	4	54	18	13	8	2	2	46
337	11	2	102	18	12	21	21	6	5	6	–	3	8	1	54	20	22	5	2	1	47
111	3	1	33	3	2	10	6	1	1	1	–	1	2	–	11	7	4	2	1	–	48
226	8	1	69	15	10	11	15	5	4	5	–	2	6	1	43	13	18	3	1	1	49
302	8	8	93	11	15	31	9	1	9	7	–	7	14	2	69	11	13	7	1	2	50
154	1	6	41	4	7	16	3	–	2	3	–	3	4	1	34	4	6	2	1	1	51
148	7	2	52	7	8	15	6	1	7	4	–	4	10	1	35	7	7	5	–	1	52
611	36	8	158	24	31	43	31	6	28	5	–	5	12	15	118	31	39	16	2	–	53
79	4	1	21	6	1	5	6	–	3	1	–	1	1	–	14	3	4	1	–	–	54
28	1	–	7	1	1	2	4	1	2	–	–	1	1	–	11	3	–	–	–	–	55
186	9	3	58	3	12	13	7	1	12	2	–	–	4	7	36	5	11	4	2	–	56
318	22	4	72	14	17	23	14	4	11	2	–	3	6	8	57	20	24	11	–	–	57
347	4	4	104	6	19	42	22	3	9	5	–	6	9	4	75	18	19	9	1	2	58
166	3	1	41	1	7	17	8	3	4	2	–	2	3	3	37	8	3	1	–	2	59
181	1	3	63	5	12	25	14	–	5	3	–	4	6	1	38	10	16	8	1	–	60
201	8	1	25	7	10	20	10	5	2	2	–	1	2	7	38	18	15	8	–	1	61
201	11	2	56	11	9	21	9	3	6	–	–	2	13	5	34	20	14	5	–	–	62
59	5	2	17	5	2	9	2	2	2	–	–	1	5	2	12	7	1	2	–	–	63
142	6	–	39	6	7	12	7	1	4	–	–	1	8	3	22	13	13	3	–	–	64
266	16	2	77	5	12	26	10	4	7	6	–	4	6	4	44	9	12	5	2	1	65
150	7	3	44	8	4	19	1	1	8	1	–	2	2	5	33	13	9	10	3	–	66
75	2	2	21	6	1	9	–	1	6	1	–	1	1	1	14	4	3	2	1	–	67
75	5	1	23	2	3	10	1	–	2	–	–	1	1	4	19	9	6	8	2	–	68
185	26	4	30	–	12	18	9	3	8	3	–	5	2	4	39	17	15	6	–	1	69
699	35	4	165	25	28	46	24	9	30	11	–	14	15	9	104	49	45	13	6	2	70
54	6	–	10	4	–	–	1	–	4	1	–	1	1	3	9	2	1	1	–	–	71
161	9	3	40	3	12	16	8	1	7	1	–	4	9	2	25	5	6	4	3	1	72
484	20	1	115	18	16	30	15	8	19	9	–	9	5	4	70	42	38	8	3	1	73
4,067	223	34	1,020	161	166	298	173	40	208	40	–	52	143	99	843	136	219	93	61	59	74
2,012	126	20	495	79	88	149	82	24	109	23	–	28	84	56	439	38	108	36	53	34	75
48	1	–	12	–	–	7	5	–	2	1	–	–	3	1	17	1	4	2	1	1	76
50	2	1	15	1	1	4	1	–	3	–	–	–	–	1	8	3	2	1	–	1	77
94	3	1	26	3	3	10	5	–	7	–	–	–	3	–	23	3	6	2	1	–	78
93	4	1	24	4	8	10	5	2	5	1	–	3	6	6	25	1	2	–	–	2	79
55	–	–	8	3	2	1	–	–	1	2	–	1	3	1	11	2	6	1	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemolopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
	Erie—Con.																	
01	Tonawanda	237	–	–	1	48	10	8	4	8	5	3	10	5	137	100	3	1
02	Balance of county	4,286	2	–	24	955	268	232	105	98	48	49	155	67	2,309	1,760	39	15
03	Essex	440	3	–	4	78	21	27	5	8	3	4	10	15	253	195	4	2
04	Franklin	507	3	–	2	95	26	19	12	11	7	1	19	9	276	207	3	6
05	Fulton	612	1	1	3	119	33	30	9	19	10	4	14	13	332	247	5	1
06	Gloversville	252	1	1	1	46	10	13	3	8	5	2	5	8	148	97	3	1
07	Johnstown	123	–	–	1	20	6	2	3	4	–	–	5	3	61	45	1	–
08	Balance of county	237	–	–	1	53	17	15	3	7	5	2	4	2	123	105	1	–
09	Genesee	511	–	–	5	120	33	23	14	17	9	4	20	8	243	179	5	1
10	Batavia	189	–	–	1	45	13	10	6	7	1	2	6	4	89	66	2	–
11	Balance of county	322	–	–	4	75	20	13	8	10	8	2	14	4	154	113	3	1
12	Greene	441	1	–	5	86	23	22	8	14	2	3	14	5	256	207	2	3
13	Hamilton	59	–	–	–	11	3	3	1	–	–	–	4	2	34	25	–	–
14	Herkimer	707	2	–	2	125	39	28	11	9	7	7	24	18	417	297	8	11
15	Jefferson	982	1	–	9	179	49	53	16	26	6	9	20	23	550	398	5	2
16	Watertown	374	1	–	3	65	17	20	5	9	2	4	8	11	227	160	1	2
17	Balance of county	608	–	–	6	114	32	33	11	17	4	5	12	12	323	238	4	–
18	Lewis	213	–	–	–	31	11	8	1	6	–	2	3	3	142	104	2	2
19	Livingston	453	1	–	2	77	19	24	7	9	5	3	10	12	234	173	2	3
20	Madison	550	1	–	5	124	36	28	11	15	7	5	22	13	270	194	4	3
21	Oneida	119	–	–	1	23	7	7	–	3	–	3	3	1	66	48	2	–
22	Balance of county	431	1	–	4	101	29	21	11	12	7	2	19	12	204	146	2	3
23	Monroe	5,932	9	1	46	1,307	392	264	134	166	60	55	236	131	2,921	2,165	46	13
24	Rochester	3,179	7	1	28	621	193	136	55	81	29	26	101	74	1,577	1,178	28	8
25	Balance of county	2,753	2	–	18	686	199	128	79	85	31	29	135	57	1,344	987	18	5
26	Montgomery	649	–	–	1	130	46	23	15	13	5	7	21	26	344	256	7	3
27	Amsterdam	335	–	–	1	62	27	14	3	4	1	2	11	14	183	130	4	2
28	Balance of county	314	–	–	–	68	19	9	12	9	4	5	10	12	161	126	3	1
29	Nassau	11,651	5	1	71	2,766	792	603	313	303	145	97	513	165	6,224	4,996	95	45
30	East Rockaway	102	–	–	–	23	5	4	2	2	1	1	8	–	66	52	1	1
31	Floral Park	162	–	–	–	40	15	7	6	4	2	1	5	1	97	79	–	–
32	Freeport	366	–	–	1	63	15	16	9	4	3	3	13	4	198	149	4	2
33	Garden City	208	–	–	1	49	19	9	2	8	2	–	9	–	110	88	2	3
34	Glen Cove	224	–	–	2	49	19	7	3	9	5	–	6	7	123	91	2	–
35	Great Neck	111	–	–	–	28	10	5	2	4	1	2	4	1	57	47	–	–
36	Hempstead	380	–	–	3	84	24	21	13	10	4	1	11	8	196	161	2	2
37	Long Beach	702	1	–	1	106	44	14	8	13	4	6	17	7	448	333	–	1
38	Lynbrook	183	–	–	1	37	10	8	5	3	1	2	8	4	102	81	1	1
39	Malverne	77	–	–	1	21	10	6	3	1	–	1	–	–	40	33	–	–
40	Massapequa Park	124	–	–	1	24	2	7	5	2	2	–	6	4	68	55	2	–
41	Mineola	182	–	–	3	52	15	12	7	9	3	2	4	3	84	67	1	2
42	New Hyde Park	90	–	–	1	22	11	2	1	1	–	–	7	1	49	36	2	–
43	Rockville Centre	278	–	–	1	73	24	13	5	11	3	2	15	8	147	115	3	2
44	Valley Stream	350	–	–	–	81	24	19	9	9	1	4	15	6	202	161	1	2
45	Westbury	169	–	–	3	45	12	11	7	3	–	5	7	–	84	63	–	–
46	Balance of county	7,943	4	1	52	1,969	533	442	226	210	113	67	378	111	4,153	3,385	74	29
47	New York City	78,494	194	7	547	16,168	5,139	3,401	1,622	1,777	698	579	2,952	1,603	39,418	32,854	538	356
48	Bronx Borough, Bronx County	13,436	33	3	101	2,635	870	525	262	307	116	91	464	322	6,598	5,555	100	60
49	Brooklyn Borough, Kings County	23,920	67	1	188	4,705	1,471	1,036	470	526	196	175	831	494	12,208	10,342	143	125
50	Manhattan Borough, New York County	17,957	63	1	139	3,562	1,107	719	367	409	128	135	697	297	8,358	6,816	117	73
51	Queens Borough, Queens County	20,319	27	2	105	4,634	1,493	958	474	490	220	159	840	442	10,748	8,878	166	83
52	Richmond Borough, Richmond County	2,862	4	–	14	632	198	163	49	45	38	19	120	48	1,506	1,263	12	15
53	Niagara	2,220	1	–	13	463	129	107	45	59	21	24	78	39	1,236	928	23	8
54	Lockport	331	1	–	2	65	20	11	5	10	4	4	11	4	180	132	4	1
55	Niagara Falls	887	–	–	3	188	53	46	19	23	5	5	37	14	499	382	13	2
56	North Tonawanda	319	–	–	2	70	19	17	7	9	3	3	12	7	182	130	3	1
57	Balance of county	683	–	–	6	140	37	33	14	17	9	12	18	14	375	284	3	4
58	Oneida	2,529	–	1	16	503	148	105	58	64	27	20	81	47	1,422	1,068	23	14
59	Rome	409	–	–	2	70	20	19	6	12	2	2	9	10	240	179	–	1
60	Utica	1,037	–	–	8	228	63	46	31	25	13	8	42	22	582	434	12	7
61	Balance of county	1,083	–	1	6	205	65	40	21	27	12	10	30	15	600	455	11	6
62	Onondaga	4,032	7	–	25	874	243	225	82	92	41	39	152	52	2,090	1,503	47	23
63	Syracuse	2,138	5	–	12	422	128	100	38	48	17	15	76	32	1,161	821	27	19
64	Balance of county	1,894	2	–	13	452	115	125	44	44	24	24	76	20	929	682	20	4
65	Ontario	788	–	–	–	155	42	44	9	25	7	6	22	10	421	313	7	4
66	Canandaigua	130	–	–	–	22	7	7	3	1	–	1	3	2	69	48	–	–
67	Geneva	184	–	–	–	49	10	14	2	13	3	2	5	5	95	72	1	–
68	Balance of county	474	–	–	–	84	25	23	4	11	4	3	14	3	257	193	6	4
69	Orange	2,235	4	–	16	462	138	119	40	42	22	14	87	45	1,199	941	21	13
70	Middletown	302	–	–	–	74	23	19	7	6	1	3	15	4	164	129	–	4
71	Newburgh	344	1	–	5	71	26	23	4	4	3	–	11	5	183	153	4	–
72	Balance of county	1,589	3	–	11	317	89	77	29	32	18	11	61	36	852	659	17	9
73	Orleans	356	–	–	–	72	25	21	4	7	2	2	11	5	171	124	2	1
74	Oswego	949	5	–	8	166	46	43	15	25	5	6	26	20	516	380	16	5
75	Fulton	178	1	–	–	38	10	13	3	5	2	2	3	3	104	82	4	2
76	Oswego	239	1	–	3	32	10	7	4	6	–	–	5	8	132	99	4	–
77	Balance of county	532	3	–	5	96	26	23	8	14	3	4	18	9	280	199	8	3
78	Otsego	608	–	–	2	116	35	22	7	17	10	4	21	11	341	262	6	3
79	Oneonta	158	–	–	–	32	9	4	1	6	4	3	5	4	94	71	1	–
80	Balance of county	450	–	–	2	84	26	18	6	11	6	1	16	7	247	191	5	3
81	Putnam	480	3	–	–	121	27	33	12	22	5	4	18	10	231	182	8	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
91	5	1	25	5	6	4	7	1	–	2	–	–	–	3	22	1	2	3	–	1	01
1,624	82	10	415	66	58	113	68	13	81	11	–	20	44	31	298	87	89	48	6	20	02
179	10	2	41	7	8	11	5	–	8	2	–	1	3	1	42	1	11	2	–	–	03
184	14	5	43	10	11	21	12	3	4	1	–	2	2	–	50	11	9	5	1	1	04
226	15	3	64	14	4	22	18	3	10	5	–	5	10	3	36	9	18	3	1	–	05
90	3	2	36	11	2	7	7	1	5	–	–	2	4	–	12	2	4	2	1	–	06
41	3	–	12	3	1	8	4	1	3	1	–	1	–	–	13	2	5	–	–	–	07
95	9	1	16	–	1	7	7	1	2	4	–	2	6	3	11	5	9	1	–	–	08
163	10	1	50	5	8	27	8	1	7	1	–	2	7	1	46	20	10	4	–	1	09
62	2	1	17	1	4	10	3	1	2	1	–	2	4	–	13	7	4	2	–	1	10
101	8	–	33	4	4	17	5	–	5	–	–	–	3	1	33	13	6	2	–	–	11
196	6	–	42	5	2	12	7	2	5	1	–	2	2	1	27	10	10	8	–	1	12
25	–	1	5	2	1	2	1	–	1	–	–	1	1	–	4	–	–	2	–	–	13
262	16	1	96	18	5	25	16	4	8	2	–	5	8	–	44	12	14	4	–	1	14
378	13	4	104	13	31	27	13	6	10	2	–	2	8	1	84	29	25	11	2	–	15
151	6	1	46	6	14	11	2	2	4	2	–	–	2	1	27	6	6	2	2	–	16
227	7	3	58	7	17	16	11	4	6	–	–	2	6	–	57	23	19	9	–	–	17
95	5	–	28	6	4	3	–	3	3	–	–	2	1	–	13	2	8	–	2	–	18
158	10	–	36	17	8	43	15	–	5	2	–	2	8	2	23	9	11	2	2	3	19
178	9	2	64	5	5	13	6	1	13	–	–	2	9	1	51	22	9	6	3	1	20
44	2	1	17	–	–	4	–	–	3	–	–	–	3	–	13	2	2	1	–	–	21
134	7	1	47	5	5	9	6	1	10	–	–	2	6	1	38	20	7	5	3	1	22
1,956	150	13	565	98	80	284	88	22	90	29	2	39	67	27	498	88	138	96	32	17	23
1,065	77	7	291	58	43	166	53	13	55	14	1	23	46	15	298	36	81	38	25	7	24
891	73	6	274	40	37	118	35	9	35	15	1	16	21	12	200	52	57	58	7	10	25
241	5	7	69	8	4	29	10	5	7	3	–	3	5	2	45	10	19	9	1	–	26
123	1	4	43	3	3	14	7	3	6	2	–	2	2	–	27	3	6	3	–	–	27
118	4	3	26	5	1	15	3	2	1	1	–	1	3	2	18	7	13	6	1	–	28
4,704	152	39	927	98	164	365	97	39	193	53	1	41	109	210	757	169	209	104	41	31	29
50	–	1	12	1	–	2	–	1	2	1	–	–	–	–	3	–	1	2	1	–	30
76	3	1	11	1	5	5	2	–	3	–	–	–	–	–	12	–	2	–	–	–	31
137	6	–	37	4	8	12	4	–	8	1	–	1	8	14	31	6	8	4	3	–	32
82	1	–	13	2	7	8	3	–	8	1	–	–	–	5	16	3	3	1	–	–	33
88	1	1	22	7	2	8	1	–	4	1	–	–	5	4	6	2	11	–	1	–	34
45	2	–	7	–	3	4	–	–	–	1	–	–	1	3	9	1	2	4	–	–	35
152	5	1	24	2	8	12	2	–	8	2	–	1	8	7	24	4	6	5	6	4	36
327	5	5	93	5	12	26	8	3	13	2	–	2	4	13	36	5	14	4	3	6	37
78	1	1	15	1	4	7	3	–	7	–	–	1	1	1	12	3	4	–	–	–	38
32	1	1	5	1	–	3	–	–	2	1	–	–	–	1	6	–	1	1	–	–	39
53	–	1	10	1	1	2	3	–	5	–	–	–	1	1	9	3	–	3	–	–	40
61	3	–	10	3	4	7	2	–	2	2	–	1	1	2	8	4	7	4	–	–	41
31	3	–	7	5	1	1	–	–	1	–	–	–	–	2	10	–	3	–	–	–	42
105	5	1	25	1	5	9	4	–	3	–	–	–	1	5	20	2	3	1	1	–	43
153	5	1	32	3	5	8	3	–	3	4	–	2	4	5	20	5	2	5	–	–	44
60	3	–	15	2	4	8	–	–	2	2	–	1	1	3	11	2	3	2	2	–	45
3,174	108	25	589	59	95	243	62	35	122	35	1	32	74	144	524	129	139	68	24	21	46
30,554	1,406	146	5,006	609	803	3,461	618	351	2,292	491	24	441	1,103	800	6,016	666	1,274	716	1,545	759	47
5,112	283	13	820	59	151	655	127	49	380	99	3	78	219	126	1,026	111	217	142	379	133	48
9,671	403	45	1,398	205	218	1,014	182	118	609	174	12	148	453	346	1,800	243	329	135	474	220	49
6,265	361	42	1,112	198	190	816	124	86	810	85	5	100	196	204	1,627	141	312	252	496	283	50
8,322	307	41	1,489	129	211	849	156	87	450	114	4	101	185	112	1,340	136	387	166	169	105	51
1,184	52	5	187	18	33	127	29	11	43	19	–	14	50	12	223	35	29	21	27	18	52
862	35	16	237	20	35	69	38	9	52	5	–	8	21	13	132	45	37	22	7	10	53
122	5	3	36	3	6	12	8	4	10	1	–	2	2	2	21	8	3	3	1	2	54
361	6	8	92	4	13	30	13	3	25	1	–	2	10	4	55	10	17	7	3	3	55
119	7	1	43	5	3	7	6	1	8	1	–	2	3	3	17	1	4	3	1	1	56
260	17	4	66	8	13	20	11	1	9	2	–	2	6	4	39	26	13	9	2	4	57
991	40	12	272	39	31	75	50	8	35	10	–	8	22	12	173	58	55	23	8	3	58
171	7	2	49	3	7	17	4	–	7	1	–	1	5	3	28	7	9	4	1	–	59
402	13	5	119	14	10	27	19	3	15	6	–	4	10	3	66	16	17	7	3	1	60
418	20	5	104	22	14	31	27	5	13	3	–	3	7	6	79	35	29	12	4	2	61
1,198	235	11	448	73	55	172	44	14	60	18	–	20	54	40	325	77	94	50	11	5	62
644	131	10	253	48	29	95	22	7	36	10	–	9	25	23	178	23	51	17	6	4	63
554	104	1	195	25	26	77	22	7	24	8	–	11	29	17	147	54	43	33	5	1	64
283	19	4	74	13	17	24	14	3	18	4	–	6	7	6	66	24	19	10	1	–	65
43	5	–	14	3	4	9	3	–	3	–	–	1	1	–	12	1	7	–	–	–	66
67	4	3	16	4	–	2	2	–	7	1	–	1	1	1	15	1	4	–	–	–	67
173	10	1	44	6	13	13	9	3	8	3	–	4	5	5	39	22	8	10	1	–	68
859	48	10	181	18	49	49	31	12	44	10	–	29	23	17	147	51	46	32	15	3	69
118	7	1	23	4	7	12	2	–	3	1	–	6	2	1	18	2	7	6	–	–	70
135	14	1	21	2	6	3	3	2	3	3	–	8	6	7	24	5	7	3	5	–	71
606	27	8	137	12	36	34	26	10	38	6	–	15	15	9	105	44	32	23	10	3	72
115	6	–	39	5	3	22	5	5	9	1	–	4	–	3	29	15	10	4	1	–	73
339	20	5	90	24	17	43	28	3	12	2	–	7	9	7	70	25	17	7	2	2	74
73	3	–	13	5	4	6	7	–	1	–	–	2	–	–	9	1	3	2	–	1	75
89	6	2	21	6	4	19	6	1	8	–	–	–	3	1	18	2	2	2	–	1	76
177	11	3	56	13	9	18	15	2	3	2	–	5	6	6	43	22	12	3	2	–	77
239	14	2	60	6	11	24	11	3	2	4	–	4	3	5	43	14	21	4	–	–	78
68	2	2	16	3	2	5	1	2	–	1	–	–	2	3	6	1	7	–	–	–	79
171	12	–	44	3	9	19	10	1	2	3	–	4	1	2	37	13	14	4	–	–	80
169	5	2	37	3	7	15	3	–	10	3	–	3	3	1	46	10	14	5	–	2	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
01	Rensselaer	1,583	6	–	8	329	103	82	33	35	12	11	53	46	829	641	4	7
02	Rensselaer	137	1	–	–	31	9	10	3	3	–	1	5	5	70	55	–	1
03	Troy	808	4	–	4	158	59	33	16	15	8	1	26	26	425	323	3	5
04	Balance of county	638	1	–	4	140	35	39	14	17	4	9	22	15	334	263	1	2
05	Rockland	1,619	4	–	11	348	98	82	37	27	22	10	72	31	828	633	11	6
06	Spring Valley	165	–	–	–	37	11	5	3	4	4	2	8	1	87	60	2	–
07	Balance of county	1,454	4	–	11	311	87	77	34	23	18	8	64	30	741	573	9	6
08	St. Lawrence	1,083	–	–	2	196	58	37	24	30	6	6	35	27	593	458	7	19
09	Massena	130	–	–	–	24	12	4	3	3	–	–	2	2	82	58	2	1
10	Ogdensburg	155	–	–	–	21	6	2	4	1	2	2	4	5	88	62	–	1
11	Balance of county	798	–	–	2	151	40	31	17	26	4	4	29	20	423	338	5	17
12	Saratoga	1,093	–	–	7	258	65	68	21	20	16	10	58	19	549	406	5	3
13	Saratoga Springs	250	–	–	2	66	21	13	6	6	2	4	14	7	106	74	2	1
14	Balance of county	843	–	–	5	192	44	55	15	14	14	6	44	12	443	332	3	2
15	Schenectady	1,546	4	–	7	347	88	95	31	46	11	9	67	44	829	656	15	2
16	Schenectady	960	4	–	3	208	50	63	21	25	5	6	38	27	518	423	9	–
17	Balance of county	586	–	–	4	139	38	32	10	21	6	3	29	17	311	233	6	2
18	Schoharie	294	–	–	1	57	12	14	5	12	2	3	9	2	147	123	2	1
19	Schuyler	155	–	1	1	33	5	13	1	5	–	–	9	–	80	60	2	–
20	Seneca	314	1	1	–	64	17	18	3	9	4	4	9	7	166	126	2	4
21	Steuben	1,018	1	1	6	206	54	60	18	28	9	8	29	26	512	393	11	7
22	Corning	164	1	1	1	39	8	13	1	6	2	2	7	5	74	54	4	1
23	Hornell	182	–	–	1	42	21	8	2	5	–	–	6	3	100	79	1	–
24	Balance of county	672	–	–	4	125	25	39	15	17	7	6	16	18	338	260	6	6
25	Suffolk	8,818	10	–	43	2,011	580	483	220	209	102	57	360	220	4,510	3,557	71	38
26	Babylon	93	–	–	2	21	5	6	4	3	–	–	3	–	45	35	–	–
27	Lindenhurst	231	–	–	1	56	12	19	4	9	2	2	8	8	115	96	3	–
28	Patchogue	103	–	–	1	21	2	7	1	1	1	–	9	2	59	46	–	–
29	Balance of county	8,391	10	–	39	1,913	561	451	211	196	99	55	340	210	4,291	3,380	68	38
30	Sullivan	712	3	–	4	146	45	39	8	18	9	5	22	14	389	326	4	5
31	Tioga	387	–	–	1	83	21	22	6	9	7	3	15	5	202	159	–	4
32	Tompkins	508	–	–	2	102	24	27	12	8	3	4	24	11	261	195	5	–
33	Ithaca	211	–	–	–	45	7	12	6	5	1	3	11	5	105	80	3	–
34	Balance of county	297	–	–	2	57	17	15	6	3	2	1	13	6	156	115	2	–
35	Ulster	1,561	1	–	11	320	93	70	36	37	22	6	56	29	857	652	7	13
36	Kingston	375	–	–	2	72	22	16	8	8	4	1	13	7	211	158	1	3
37	Balance of county	1,186	1	–	9	248	71	54	28	29	18	5	43	22	646	494	6	10
38	Warren	519	–	–	2	91	31	24	5	7	5	1	18	13	262	204	2	2
39	Glens Falls	198	–	–	1	37	14	8	4	2	2	1	6	3	97	79	–	–
40	Balance of county	321	–	–	1	54	17	16	1	5	3	–	12	10	165	125	2	2
41	Washington	581	–	–	3	116	31	27	11	14	7	8	18	6	318	242	4	–
42	Wayne	724	3	–	8	127	38	39	8	9	4	6	23	17	377	282	2	4
43	Newark	107	1	–	–	20	12	2	2	2	–	–	2	–	59	47	1	2
44	Balance of county	617	2	–	8	107	26	37	6	7	4	6	21	17	318	235	1	2
45	Westchester	8,034	8	2	43	1,916	606	405	197	224	92	64	328	160	4,136	3,238	71	30
46	Dobbs Ferry	81	–	–	1	15	1	4	2	5	–	2	1	2	42	34	–	1
47	Mamaroneck	134	–	–	–	30	10	8	–	5	–	1	6	2	71	56	2	1
48	Mount Vernon	735	1	–	2	159	58	40	9	17	5	8	22	24	378	293	6	7
49	New Rochelle	749	1	–	2	167	54	33	23	25	10	1	21	15	400	299	6	5
50	Ossining	202	–	–	1	50	16	14	4	1	1	–	14	7	101	84	2	2
51	Peekskill	221	–	–	2	53	19	16	4	4	5	–	5	3	110	89	–	1
52	Port Chester	256	–	–	–	63	15	12	7	9	3	2	15	5	129	103	1	–
53	Rye	149	–	–	–	31	10	7	5	2	3	–	4	3	83	60	2	–
54	Scarsdale	146	–	–	–	39	5	5	5	6	4	2	12	6	73	61	3	–
55	Tarrytown	103	–	–	–	26	9	6	2	5	–	1	3	4	52	34	2	–
56	White Plains	545	–	1	3	135	34	37	18	11	8	7	20	11	264	200	6	2
57	Yonkers	2,059	4	1	14	494	163	108	48	63	17	14	81	41	1,063	891	18	4
58	Balance of county	2,654	2	–	18	654	212	115	70	71	36	26	124	37	1,370	1,034	23	7
59	Wyoming	398	–	–	2	77	19	16	12	9	5	2	14	9	196	140	–	2
60	Yates	250	–	–	–	48	8	12	1	8	2	3	14	2	132	88	1	–
61	**North Carolina**	**45,832**	**99**	**3**	**400**	**8,255**	**2,010**	**1,909**	**717**	**1,032**	**329**	**362**	**1,896**	**875**	**23,214**	**16,818**	**307**	**249**
62	Urban places	15,418	42	2	146	2,992	761	694	280	340	130	132	655	290	7,633	5,514	104	94
63	Balance of area	30,414	57	1	254	5,263	1,249	1,215	437	692	199	230	1,241	585	15,581	11,304	203	155
64	Metropolitan counties	15,508	28	2	149	3,003	738	698	281	330	116	129	711	267	7,471	5,389	126	69
65	Urban places	9,575	22	2	103	1,913	491	434	175	215	81	83	434	171	4,574	3,307	77	51
66	Balance of area	5,933	6	–	46	1,090	247	264	106	115	35	46	277	96	2,897	2,082	49	18
67	Nonmetropolitan counties	30,324	71	1	251	5,252	1,272	1,211	436	702	213	233	1,185	608	15,743	11,429	181	180
68	Urban places	5,843	20	–	43	1,079	270	260	105	125	49	49	221	119	3,059	2,207	27	43
69	Balance of area	24,481	51	1	208	4,173	1,002	951	331	577	164	184	964	489	12,684	9,222	154	137
70	Alamance	807	1	–	9	163	42	34	19	26	3	6	33	20	425	315	5	6
71	Burlington	329	1	–	1	70	15	16	5	13	1	3	17	10	169	127	2	2
72	Balance of county	478	–	–	8	93	27	18	14	13	2	3	16	10	256	188	3	4
73	Alexander	176	1	1	1	32	9	5	3	5	2	4	4	5	80	66	–	1
74	Alleghany	98	–	–	–	19	5	6	–	3	–	1	4	4	45	23	–	–
75	Anson	270	–	–	3	27	8	7	1	5	1	2	3	7	155	107	–	7
76	Ashe	231	–	–	2	33	9	4	6	3	–	4	7	7	132	94	2	2
77	Avery	145	–	–	1	20	3	3	2	3	1	–	8	2	78	63	3	1
78	Beaufort	453	2	–	2	79	19	18	4	12	3	1	22	15	224	151	1	2
79	Bertie	211	1	–	6	33	11	10	3	2	–	–	7	4	110	73	1	1
80	Bladen	251	–	–	4	33	7	4	2	6	3	1	10	6	125	74	1	–
81	Brunswick	257	–	–	4	46	9	11	1	10	–	1	14	6	113	90	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of morbidity in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
604	26	4	134	30	20	48	30	8	30	5	–	8	20	12	127	27	22	25	3	–	01
53	2	–	10	3	2	8	2	–	2	1	–	1	2	–	10	3	1	1	–	–	02
304	11	4	74	17	7	21	14	4	19	2	–	3	10	8	71	10	14	12	3	–	03
247	13	–	50	10	11	19	14	4	9	2	–	4	8	4	46	14	8	12	–	–	04
587	29	10	164	9	12	57	27	12	34	5	–	8	22	6	122	35	42	15	6	5	05
52	6	3	23	–	1	5	2	–	6	–	–	–	4	–	14	1	1	2	2	2	06
535	23	7	141	9	11	52	25	12	28	5	–	8	18	6	108	34	41	13	4	3	07
402	30	6	97	10	22	35	24	6	10	8	1	6	17	2	80	23	36	14	1	2	08
52	3	1	19	1	3	2	2	–	–	1	–	–	–	–	6	3	3	4	–	1	09
61	–	2	17	5	2	13	5	–	1	–	–	1	–	–	16	–	4	1	–	1	10
289	27	3	61	4	17	20	17	6	9	7	1	5	17	2	58	20	29	9	1	1	11
384	14	–	119	10	14	39	19	3	17	6	–	7	14	4	73	29	32	13	2	2	12
68	3	–	26	3	3	15	7	1	6	3	–	1	2	1	18	6	5	4	–	–	13
316	11	–	93	7	11	24	12	2	11	3	–	6	12	3	55	23	27	9	2	2	14
616	23	6	113	18	36	53	26	8	23	6	–	9	11	19	96	20	34	9	1	–	15
398	16	4	60	10	21	32	15	6	14	4	–	7	8	11	58	12	27	5	1	–	16
218	7	2	53	8	15	21	11	2	9	2	–	2	3	8	38	8	7	4	–	–	17
116	4	–	19	3	2	15	4	1	4	1	–	2	5	1	31	9	10	3	1	–	18
57	1	1	13	6	–	10	2	–	1	1	–	1	1	–	10	7	3	2	1	1	19
112	8	–	31	4	5	7	2	–	9	1	–	2	4	1	30	6	6	5	–	2	20
346	29	3	92	7	17	43	17	3	19	6	–	3	5	8	93	22	25	20	2	–	21
46	3	1	14	1	4	9	4	–	6	–	–	–	–	–	13	1	4	4	2	–	22
73	5	–	18	1	2	7	–	–	6	1	–	–	–	1	15	1	3	2	–	–	23
227	21	2	60	5	11	27	13	3	7	5	–	3	5	7	65	20	18	14	–	–	24
3,344	104	41	699	93	120	193	97	27	152	30	1	69	115	265	581	114	258	54	51	17	25
34	1	–	9	–	1	–	1	1	3	–	–	2	–	4	11	1	2	–	–	–	26
92	1	–	15	1	3	4	–	1	4	2	–	2	3	3	14	4	11	2	–	1	27
45	1	1	8	3	1	2	–	–	1	1	–	2	–	1	6	–	5	–	1	1	28
3,173	101	40	667	89	115	187	96	25	144	27	1	63	112	257	550	109	240	52	50	15	29
301	16	2	47	7	7	12	13	2	12	4	–	2	11	2	55	11	23	7	2	–	30
146	9	–	37	1	5	15	7	2	3	–	–	6	4	3	26	9	13	5	3	–	31
182	8	–	34	18	14	22	12	1	9	–	–	6	6	5	31	9	12	15	3	1	32
74	3	–	12	7	6	11	6	1	2	–	–	3	3	–	13	3	4	7	2	1	33
108	5	–	22	11	8	11	6	–	7	–	–	3	3	5	18	6	8	8	1	–	34
596	36	8	149	20	28	40	24	9	20	3	–	11	16	7	119	30	47	16	1	–	35
152	2	3	40	4	6	10	6	1	5	–	–	1	4	1	38	6	9	2	–	–	36
444	34	5	109	16	22	30	18	8	15	3	–	10	12	6	81	24	38	14	1	–	37
188	12	–	48	1	9	30	12	1	8	1	–	5	4	2	48	10	19	8	3	–	38
74	5	–	16	–	2	17	2	–	4	–	–	2	–	1	23	2	7	2	–	–	39
114	7	–	32	1	7	13	10	1	4	1	–	3	4	1	25	8	12	6	3	–	40
235	3	2	56	7	11	19	11	4	3	2	–	7	8	3	54	16	9	1	–	1	41
260	16	1	71	10	13	28	10	2	6	3	–	8	9	4	59	26	15	21	1	–	42
42	2	–	10	–	2	3	1	–	1	–	–	1	1	–	12	1	3	4	–	–	43
218	14	1	61	10	11	25	9	2	5	3	–	7	8	4	47	25	12	17	1	–	44
3,025	112	32	661	87	118	228	83	28	196	32	1	46	57	43	637	90	184	75	44	25	45
32	1	–	6	–	2	2	–	2	2	1	–	–	–	–	9	1	2	1	1	–	46
52	1	–	11	3	1	5	1	–	2	1	–	–	1	1	11	1	4	2	1	1	47
267	13	3	60	8	14	20	6	3	15	4	1	5	7	3	67	6	21	3	9	1	48
280	8	5	71	11	14	33	7	5	21	2	–	8	6	4	51	3	11	7	5	1	49
76	4	–	16	–	1	5	3	1	6	–	–	1	3	1	14	1	7	1	–	–	50
83	5	1	20	–	–	5	6	2	4	1	–	–	4	1	15	1	7	3	3	1	51
100	2	1	19	3	3	4	1	3	10	1	–	1	–	3	18	3	10	4	1	–	52
56	2	1	18	3	1	3	3	–	1	–	–	–	–	1	14	2	4	2	–	2	53
57	1	1	8	1	2	8	1	–	2	–	–	1	–	–	10	–	4	2	–	–	54
31	1	–	16	2	–	1	2	–	2	–	–	–	–	–	11	1	3	1	–	–	55
183	9	2	52	4	6	12	5	–	20	3	–	5	3	4	47	6	17	3	3	3	56
838	31	8	115	19	30	51	17	8	59	9	–	9	13	14	166	21	40	21	8	6	57
970	34	10	249	33	44	79	31	4	52	10	–	16	20	11	204	44	54	25	13	10	58
130	8	–	28	22	6	25	10	2	4	1	–	2	8	1	39	12	8	1	1	–	59
82	5	–	35	4	5	6	5	2	2	3	–	2	2	2	18	7	9	7	2	1	60
15,014	**1,248**	**203**	**5,033**	**577**	**583**	**1,361**	**500**	**149**	**673**	**254**	**13**	**377**	**733**	**509**	**3,864**	**1,566**	**1,569**	**677**	**678**	**63**	**61**
4,913	403	62	1,659	181	217	456	178	58	309	90	6	121	240	166	1,398	323	463	210	268	27	62
10,101	845	141	3,374	396	366	905	322	91	364	164	7	256	493	343	2,466	1,243	1,106	467	410	36	63
4,780	414	47	1,607	222	206	436	175	51	268	98	6	144	281	149	1,392	484	528	276	275	25	64
2,915	264	33	986	113	135	281	114	34	199	63	4	77	156	103	899	192	304	152	194	18	65
1,865	150	14	621	109	71	155	61	17	69	35	2	67	125	46	493	292	224	124	81	7	66
10,234	834	156	3,426	355	377	925	325	98	405	156	7	233	452	360	2,472	1,082	1,041	401	403	38	67
1,998	139	29	673	68	82	175	64	24	110	27	2	44	84	63	499	131	159	58	74	9	68
8,236	695	127	2,753	287	295	750	261	74	295	129	5	189	368	297	1,973	951	882	343	329	29	69
282	22	3	80	15	12	22	6	–	13	2	–	6	7	6	63	22	21	10	10	1	70
110	13	–	28	7	7	7	2	–	6	1	–	4	3	4	28	4	12	2	4	1	71
172	9	3	52	8	5	15	4	–	7	1	–	2	4	2	35	18	9	8	6	–	72
61	4	3	7	1	3	10	2	1	1	1	–	–	3	2	20	9	3	1	3	–	73
16	7	–	19	1	2	6	–	–	–	–	–	–	2	1	9	4	6	2	–	–	74
88	12	4	33	3	8	11	1	–	2	4	–	3	2	8	17	7	13	5	4	1	75
85	5	1	26	6	5	11	2	–	1	–	–	–	2	3	21	7	4	5	1	–	76
53	6	–	13	1	1	13	1	–	1	–	–	1	2	1	11	3	7	3	1	–	77
131	17	2	57	4	10	17	7	3	5	3	–	10	5	10	39	10	9	7	5	1	78
63	8	–	34	1	2	7	3	–	1	1	–	–	5	5	14	7	8	2	3	1	79
68	5	3	41	2	5	15	3	–	3	3	–	2	1	3	19	11	14	3	5	1	80
85	4	–	17	4	2	6	1	1	4	3	–	4	8	2	19	10	20	7	3	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemolopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Buncombe	1,574	3	–	6	305	69	68	32	35	15	12	74	19	779	525	14	9
02	Asheville	839	3	–	5	168	37	39	16	25	7	6	38	17	413	265	8	5
03	Balance of county	735	–	–	1	137	32	29	16	10	8	6	36	2	366	260	6	4
04	Burke	472	1	–	5	85	17	15	9	11	4	4	25	9	226	163	4	5
05	Hickory, part	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
06	Morganton	121	–	–	–	20	2	7	–	–	1	3	7	1	59	39	1	1
07	Balance of county	350	1	–	4	65	15	8	9	11	3	1	18	8	167	124	3	4
08	Cabarrus	701	–	–	4	137	33	28	7	19	4	9	37	12	386	289	1	2
09	Concord	223	–	–	1	51	13	13	3	8	–	2	12	2	117	92	1	2
10	Balance of county	478	–	–	3	86	20	15	4	11	4	7	25	10	269	197	–	–
11	Caldwell	464	1	–	2	73	17	21	11	4	4	3	13	15	242	181	4	1
12	Lenoir	136	1	–	–	23	5	5	1	2	2	3	2	69	57	–	–	–
13	Balance of county	328	–	–	2	50	12	16	6	3	2	1	10	13	173	124	4	1
14	Camden	60	–	–	–	15	6	2	2	2	–	–	3	3	24	17	–	–
15	Carteret	375	–	–	5	71	14	15	8	4	3	3	24	9	198	169	1	1
16	Caswell	154	–	–	–	24	5	3	1	3	1	2	9	1	88	52	1	–
17	Catawba	692	1	–	4	132	33	27	13	16	4	9	30	15	366	271	5	7
18	Hickory, part	240	1	–	3	48	13	7	6	7	–	4	11	4	135	100	–	3
19	Hickory, total	241	1	–	4	48	13	7	6	7	–	4	11	4	135	100	–	3
20	Balance of county	452	–	–	1	84	20	20	7	9	4	5	19	11	231	171	5	4
21	Chatham	275	–	–	3	46	13	9	6	8	3	2	5	6	146	100	1	1
22	Cherokee	162	1	–	–	27	8	6	–	4	2	2	5	5	85	68	1	1
23	Chowan	129	1	–	1	30	8	10	2	4	1	–	5	2	66	46	–	–
24	Clay	54	–	–	2	11	2	2	1	5	–	–	1	–	26	20	–	–
25	Cleveland	657	1	–	6	96	34	19	6	14	3	5	15	9	379	306	6	6
26	Shelby	169	1	–	–	25	8	2	1	5	3	2	4	3	98	73	1	2
27	Balance of county	488	–	–	6	71	26	17	5	9	–	3	11	6	281	233	5	4
28	Columbus	499	1	–	–	79	12	20	7	12	2	5	21	3	262	182	–	–
29	Craven	498	1	–	4	88	19	24	8	11	7	5	14	6	241	171	1	3
30	New Bern	204	–	–	2	32	7	10	3	2	3	2	5	2	116	78	1	–
31	Balance of county	294	1	–	2	56	12	14	5	9	4	3	9	4	125	93	–	3
32	Cumberland	1,183	3	–	14	215	58	61	19	24	7	10	36	18	467	342	14	4
33	Fayetteville	583	2	–	7	125	37	32	9	16	4	6	21	8	248	181	6	3
34	Balance of county	600	1	–	7	90	21	29	10	8	3	4	15	10	219	161	8	1
35	Currituck	102	–	–	1	22	3	5	1	4	–	1	8	1	56	41	–	–
36	Dare	92	1	–	1	25	6	6	1	5	1	–	6	1	42	34	1	–
37	Davidson	745	–	–	2	121	30	28	8	11	7	5	32	7	398	294	6	1
38	High Point, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Lexington	186	–	–	–	27	9	7	–	5	2	2	2	5	94	67	1	1
40	Thomasville	153	–	–	–	24	7	5	1	2	2	–	7	–	94	67	–	–
41	Balance of county	405	–	–	2	70	14	16	7	4	3	3	23	2	210	160	5	–
42	Davie	181	–	–	1	30	5	6	3	5	–	2	9	6	99	70	–	–
43	Duplin	362	–	–	1	57	11	12	6	7	2	3	16	6	188	131	1	2
44	Durham	1,234	2	1	15	254	56	64	28	17	6	20	63	16	566	413	9	7
45	Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Durham	993	1	1	12	195	43	49	21	11	6	13	52	14	451	326	7	6
47	Balance of county	241	1	–	3	59	13	15	7	6	–	7	11	2	115	87	2	1
48	Edgecombe	514	4	–	3	92	26	22	8	14	2	–	20	13	252	169	4	2
49	Rocky Mount, part	158	3	–	1	38	10	8	6	7	1	–	6	3	71	53	2	–
50	Balance of county	356	1	–	2	54	16	14	2	7	1	–	14	10	181	116	2	2
51	Forsyth	1,866	5	–	21	345	88	79	29	41	7	9	92	33	929	700	15	10
52	Winston–Salem	1,287	4	–	18	241	67	48	21	30	4	9	62	26	621	462	9	8
53	Balance of county	579	1	–	3	104	21	31	8	11	3	–	30	7	308	238	6	2
54	Franklin	279	1	–	5	45	9	9	5	4	2	2	14	5	154	112	1	2
55	Gaston	1,269	3	–	8	259	56	74	15	24	13	8	69	19	666	518	6	9
56	Gastonia	487	2	–	2	98	19	29	7	10	4	4	25	5	254	199	1	4
57	Balance of county	782	1	–	6	161	37	45	8	14	9	4	44	14	412	319	5	5
58	Gates	88	–	–	–	18	7	2	3	4	–	–	2	1	43	30	–	1
59	Graham	60	–	–	–	9	2	2	–	1	1	1	2	1	33	24	–	1
60	Granville	284	–	–	3	37	11	7	3	5	2	3	6	6	149	121	2	2
61	Greene	122	1	–	2	20	5	5	4	2	1	–	3	1	59	41	–	–
62	Guilford	2,404	–	–	22	471	113	103	44	61	21	19	110	41	1,206	869	17	12
63	Greensboro	1,229	–	–	15	255	72	58	31	32	10	8	44	22	593	437	7	6
64	High Point, part	601	–	–	3	111	23	22	8	16	5	8	29	10	324	238	3	4
65	High Point, total	604	–	–	3	111	23	22	8	16	5	8	29	10	325	239	3	4
66	Balance of county	574	–	–	4	105	18	23	5	13	6	3	37	9	289	194	7	2
67	Halifax	604	3	–	8	97	23	25	5	10	5	4	25	12	320	214	2	9
68	Roanoke Rapids	160	–	–	1	27	7	10	4	1	–	1	4	4	86	62	1	6
69	Balance of county	444	3	–	7	70	16	15	1	9	5	3	21	8	234	152	1	3
70	Harnett	508	–	–	3	72	26	18	6	8	1	1	12	15	274	211	1	6
71	Haywood	427	–	–	2	79	22	21	6	9	6	3	12	9	223	155	5	1
72	Henderson	559	1	–	1	106	25	22	8	22	3	3	23	8	274	185	8	1
73	Hertford	234	2	–	4	34	11	6	3	6	1	–	7	3	131	93	–	2
74	Hoke	123	–	–	3	19	2	6	1	5	–	3	2	4	55	29	–	–
75	Hyde	68	–	–	1	8	1	2	1	2	–	–	2	–	39	30	1	1
76	Iredell	658	–	–	7	118	32	27	11	18	4	3	23	15	330	249	2	1
77	Statesville	223	–	–	4	44	11	12	3	6	2	2	8	9	113	86	1	1
78	Balance of county	435	–	–	3	74	21	15	8	12	2	1	15	6	217	163	1	–
79	Jackson	194	–	–	2	30	6	7	3	8	–	–	6	4	107	90	1	1
80	Johnston	617	3	–	3	96	28	16	9	17	7	3	16	11	326	271	2	4
81	Jones	100	–	–	3	19	6	4	2	1	1	1	4	–	45	34	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of morbidity in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
476	26	6	186	40	22	57	26	2	26	6	–	12	23	19	137	36	66	30	21	1	01
235	17	3	117	17	11	33	14	1	18	4	–	3	9	15	69	11	26	13	17	–	02
241	9	3	69	23	11	24	12	1	8	2	–	9	14	4	68	25	40	17	4	1	03
146	8	4	46	7	6	21	4	4	5	–	–	2	7	3	53	21	15	8	3	–	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	05
35	2	3	15	2	–	9	1	1	1	–	–	–	3	–	16	5	3	1	1	–	06
111	6	1	31	5	6	12	3	3	4	–	–	2	4	3	37	16	12	7	2	–	07
265	21	–	88	2	7	26	7	3	9	4	–	2	6	3	48	15	19	7	10	3	08
82	7	–	24	–	1	12	2	–	3	2	–	–	2	1	14	2	7	1	4	2	09
183	14	–	64	2	6	14	5	3	6	2	–	2	4	2	34	13	12	6	6	1	10
172	4	3	46	4	8	16	7	1	2	3	–	2	11	3	34	23	18	7	3	1	11
57	–	–	9	–	3	5	–	–	–	–	–	1	6	2	14	5	3	3	1	1	12
115	4	3	37	4	5	11	7	1	2	3	–	1	5	1	20	18	15	4	2	–	13
15	2	–	7	–	–	3	1	–	–	–	–	–	1	1	6	4	1	–	1	–	14
162	5	–	23	1	5	10	3	1	5	4	–	2	10	2	27	6	15	4	3	–	15
49	2	2	26	5	3	3	2	–	2	2	–	–	2	3	13	5	4	–	5	–	16
241	18	1	72	15	7	17	9	1	13	1	–	9	9	11	46	25	21	5	6	1	17
89	8	1	27	6	1	7	5	–	7	–	–	2	1	1	13	6	6	–	1	–	18
89	8	1	27	6	1	7	5	–	7	–	–	2	1	1	13	6	6	–	1	–	19
152	10	–	45	9	6	10	4	1	6	1	–	7	8	10	33	19	15	5	5	1	20
89	9	2	33	5	6	7	5	2	3	1	–	–	2	3	27	9	6	7	2	–	21
62	4	1	12	1	3	7	4	–	3	3	–	1	1	–	12	3	7	3	–	–	22
41	5	2	15	1	2	3	1	–	3	1	–	–	1	1	17	–	2	–	–	–	23
18	2	–	4	1	1	4	2	1	1	–	–	1	–	–	3	–	1	1	–	–	24
275	19	4	58	4	7	19	8	–	7	2	–	6	17	6	40	29	16	8	7	1	25
64	6	1	19	2	3	4	4	–	5	–	–	1	1	3	12	3	4	2	3	–	26
211	13	3	39	2	4	15	4	–	2	2	–	5	16	3	28	26	12	6	4	1	27
142	40	–	71	6	3	11	5	2	5	2	–	5	12	10	31	27	23	5	14	2	28
160	7	1	53	6	10	13	5	–	8	2	–	2	13	12	38	28	23	8	5	1	29
72	5	–	28	5	5	9	2	–	3	–	–	–	3	3	15	7	5	2	3	–	30
88	2	1	25	1	5	4	3	–	5	2	–	2	10	9	23	21	18	6	2	1	31
308	16	5	97	10	13	24	6	4	28	6	3	13	54	18	109	88	46	24	39	4	32
164	8	3	50	6	8	11	2	1	16	3	2	8	28	6	60	15	18	6	15	2	33
144	8	2	47	4	5	13	4	3	12	3	1	5	26	12	49	73	28	18	24	2	34
37	4	1	11	1	2	8	1	–	–	–	–	–	–	2	4	3	3	1	–	–	35
30	3	1	7	–	–	3	1	–	1	–	–	–	2	1	5	4	4	–	1	–	36
266	21	2	80	10	12	21	12	3	7	3	–	6	14	5	65	38	28	11	4	–	37
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
64	1	–	22	1	4	6	3	–	3	2	–	–	–	1	18	14	9	2	2	–	39
63	4	–	21	1	5	2	3	2	2	–	–	1	4	–	13	3	2	2	1	–	40
139	16	2	37	8	3	12	6	1	2	1	–	5	10	4	34	21	17	7	1	–	41
65	5	2	20	2	5	8	1	–	4	2	–	–	1	2	14	6	5	1	1	–	42
123	5	–	49	4	2	5	4	2	8	1	–	2	4	4	41	18	12	3	7	1	43
352	45	2	113	17	21	46	15	4	22	12	–	7	19	12	128	20	36	29	28	2	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
278	35	2	89	16	18	41	14	2	20	11	–	5	13	11	109	12	32	22	25	2	46
74	10	–	24	1	3	5	1	2	2	1	–	2	6	1	19	8	4	7	3	–	47
154	9	3	67	8	5	14	4	2	15	4	–	3	5	7	44	19	25	3	5	–	48
49	2	–	15	3	–	4	1	–	8	2	–	2	–	–	11	5	6	1	2	–	49
105	7	3	52	5	5	10	3	2	7	2	–	1	5	7	33	14	19	2	3	–	50
610	65	7	182	11	29	56	14	6	40	12	1	18	29	14	159	56	60	38	25	5	51
396	49	7	127	7	18	42	11	5	30	11	1	10	22	12	112	32	38	26	22	3	52
214	16	–	55	4	11	14	3	1	10	1	–	8	7	2	47	24	22	12	3	2	53
104	5	2	37	1	2	8	3	1	5	3	1	3	2	3	23	10	3	2	2	–	54
474	29	4	119	14	11	28	16	4	18	9	–	12	21	12	106	28	32	10	17	1	55
182	12	1	39	8	7	11	5	2	9	3	–	7	12	4	46	4	12	3	7	1	56
292	17	3	80	6	4	17	11	2	9	6	–	5	9	8	60	24	20	7	10	–	57
24	5	1	10	1	1	8	–	1	–	–	–	–	–	–	12	3	1	1	–	–	58
22	1	–	6	1	2	3	1	–	–	–	–	–	–	2	4	3	3	–	1	–	59
112	5	3	22	1	2	7	2	1	1	–	–	–	5	7	36	5	13	4	8	–	60
36	5	3	14	–	1	5	–	1	–	1	–	2	4	2	9	8	3	1	3	–	61
768	72	8	257	34	38	61	39	11	29	15	–	23	34	16	224	61	81	36	31	3	62
386	38	3	122	10	21	33	25	6	15	8	–	11	17	6	117	31	42	18	13	2	63
212	19	2	65	10	9	14	8	4	10	–	–	5	8	7	54	6	16	6	14	1	64
213	19	2	65	10	9	15	8	4	10	–	–	5	8	7	54	6	16	6	15	1	65
170	15	3	70	14	8	14	6	1	4	7	–	7	9	3	53	24	23	12	4	–	66
192	11	3	79	15	9	22	3	1	17	–	–	5	13	7	47	20	15	8	6	–	67
53	2	1	19	1	3	6	–	–	6	–	–	–	3	–	15	5	3	4	–	–	68
139	9	2	60	14	6	16	3	1	11	–	–	5	10	7	32	15	12	4	6	–	69
191	13	3	52	4	4	10	6	2	13	–	–	2	5	7	40	25	15	10	9	–	70
142	7	–	58	4	6	18	5	3	9	4	–	1	4	1	43	6	15	4	1	–	71
168	8	4	62	8	15	23	10	1	4	1	–	2	9	3	51	19	29	12	4	1	72
77	14	–	33	2	3	9	–	–	4	2	1	1	2	3	16	10	9	–	3	–	73
24	5	–	24	2	–	7	2	–	2	–	–	–	2	2	8	7	3	2	7	–	74
27	2	–	7	2	–	2	1	–	–	1	–	–	3	1	2	3	3	1	3	–	75
232	14	7	60	6	8	29	8	3	9	2	–	10	11	5	59	10	20	10	9	3	76
80	4	4	18	1	4	12	3	3	1	–	–	3	3	–	15	2	5	1	3	2	77
152	10	3	42	5	4	17	5	–	8	2	–	7	8	5	44	8	15	9	6	1	78
86	3	–	13	2	2	8	2	1	4	–	–	2	2	–	12	8	7	1	4	–	79
241	24	2	46	2	5	11	7	–	4	2	1	8	5	5	62	24	32	8	9	–	80
32	2	–	10	1	–	3	3	–	1	–	–	–	2	–	9	7	4	2	2	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Lee	324	1	–	6	43	13	14	2	3	1	2	8	4	164	113	2	–
02	Sanford	154	1	–	4	27	10	9	–	1	1	–	6	2	81	56	–	–
03	Balance of county	170	–	–	2	16	3	5	2	2	–	2	2	2	83	57	2	–
04	Lenoir	544	3	–	10	102	23	26	10	11	5	4	23	12	265	177	2	3
05	Kinston	310	–	–	7	61	9	16	10	8	3	2	13	9	148	100	–	3
06	Balance of county	234	3	–	3	41	14	10	–	3	2	2	10	3	117	77	2	–
07	Lincoln	322	–	–	–	57	8	9	8	7	4	4	17	6	169	118	–	1
08	McDowell	264	–	–	2	47	11	14	3	9	2	–	8	8	123	90	–	–
09	Macon	199	1	–	–	36	6	11	7	3	1	1	7	1	113	87	2	3
10	Madison	167	–	–	1	22	6	5	1	6	–	–	4	1	100	71	–	3
11	Martin	245	1	–	7	44	8	12	2	5	3	1	13	3	128	91	2	3
12	Mecklenburg	2,704	6	–	29	540	150	129	51	54	30	21	105	51	1,277	947	27	12
13	Charlotte	2,201	5	–	24	455	124	107	41	49	27	17	90	40	1,023	764	24	11
14	Balance of county	503	1	–	5	85	26	22	10	5	3	4	15	11	254	183	3	1
15	Mitchell	154	–	–	–	39	11	8	4	5	1	2	8	–	83	58	2	–
16	Montgomery	214	–	–	5	32	7	5	6	6	2	–	6	3	119	90	2	1
17	Moore	451	–	–	4	75	16	21	7	7	3	6	15	3	254	161	6	4
18	Nash	595	2	–	6	91	19	20	6	11	5	3	27	8	311	230	7	3
19	Rocky Mount, part	232	1	–	1	37	11	10	2	2	3	1	8	5	126	89	3	1
20	Rocky Mount, total	390	4	–	2	75	21	18	8	9	4	1	14	8	197	142	5	1
21	Balance of county	363	1	–	5	54	8	10	4	9	2	2	19	3	185	141	4	2
22	New Hanover	808	4	–	4	143	40	36	8	10	8	2	39	15	396	277	2	2
23	Wilmington	524	4	–	2	97	26	26	4	8	6	2	25	12	251	174	2	2
24	Balance of county	284	–	–	2	46	14	10	4	2	2	–	14	3	145	103	–	–
25	Northampton	289	1	–	1	48	9	13	3	4	1	5	13	8	154	124	2	5
26	Onslow	422	1	–	10	62	10	14	6	9	3	2	18	6	156	111	3	–
27	Jacksonville	87	–	–	2	17	4	2	3	3	1	–	4	1	32	22	1	–
28	Balance of county	335	1	–	8	45	6	12	3	6	2	2	14	5	124	89	2	–
29	Orange	395	–	–	5	87	21	24	4	12	2	6	18	1	187	147	6	1
30	Chapel Hill, part	120	–	–	2	30	8	5	1	4	1	4	7	1	53	39	–	1
31	Chapel Hill, total	120	–	–	2	30	8	5	1	4	1	4	7	1	53	39	–	1
32	Balance of county	275	–	–	3	57	13	19	3	8	1	2	11	–	134	108	6	–
33	Pamlico	92	–	–	–	16	2	4	–	7	–	1	2	3	43	31	–	–
34	Pasquotank	303	–	–	3	58	10	12	7	8	6	1	14	2	160	116	4	–
35	Elizabeth City	205	–	–	2	34	6	7	3	3	3	–	12	2	112	78	2	–
36	Balance of county	98	–	–	1	24	4	5	4	5	3	1	2	–	48	38	2	–
37	Pender	205	1	–	3	47	10	12	2	7	1	3	12	1	109	71	1	1
38	Perquimans	109	–	–	1	25	7	5	1	2	1	1	8	2	57	39	2	1
39	Person	251	–	–	2	57	12	9	–	10	3	5	18	2	120	89	2	2
40	Pitt	664	4	–	10	128	28	31	13	15	8	7	26	11	335	268	4	8
41	Greenville	247	4	–	1	54	14	9	8	6	5	2	10	4	111	86	1	5
42	Balance of county	417	–	–	9	74	14	22	5	9	3	5	16	7	224	182	3	3
43	Polk	148	–	–	–	29	11	7	2	2	1	2	4	7	75	51	1	–
44	Randolph	645	–	–	3	129	33	28	14	10	4	8	32	12	344	229	5	5
45	Asheboro	135	–	–	–	32	10	9	1	4	1	1	6	1	79	54	2	2
46	High Point, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
47	Balance of county	508	–	–	3	97	23	19	13	6	3	7	26	11	264	174	5	3
48	Richmond	430	–	–	5	60	17	17	2	10	2	2	10	12	250	153	5	1
49	Robeson	836	2	–	7	128	30	33	8	26	7	3	21	25	416	265	5	2
50	Lumberton	189	–	–	1	28	8	8	4	2	2	–	4	7	101	68	–	–
51	Balance of county	647	2	–	6	100	22	25	4	24	5	3	17	18	315	197	5	2
52	Rockingham	752	–	–	4	128	33	34	15	14	4	5	23	17	381	281	6	2
53	Eden	182	–	–	–	30	9	9	3	2	1	2	4	2	108	77	–	–
54	Reidsville	176	–	–	–	35	10	5	5	3	2	2	8	5	91	64	2	1
55	Balance of county	394	–	–	4	63	14	20	7	9	1	1	11	10	182	140	4	1
56	Rowan	867	3	–	5	177	42	40	15	26	4	11	39	29	462	332	6	11
57	Salisbury	305	1	–	2	56	17	18	3	6	2	2	8	9	173	116	–	6
58	Balance of county	562	2	–	3	121	25	22	12	20	2	9	31	20	289	216	6	5
59	Rutherford	482	–	–	2	75	20	17	8	11	2	2	15	3	263	200	4	1
60	Sampson	454	4	–	4	78	21	14	12	12	–	3	16	8	228	173	4	1
61	Scotland	270	–	–	2	51	14	8	5	8	1	4	11	10	138	91	2	5
62	Stanly	442	3	–	3	70	17	12	6	9	8	3	15	10	247	160	4	1
63	Albemarle	121	1	–	1	17	6	2	2	1	2	–	4	1	65	39	2	1
64	Balance of county	321	2	–	2	53	11	10	4	8	6	3	11	9	182	121	2	1
65	Stokes	222	–	–	2	31	8	10	1	4	–	–	8	2	125	98	–	3
66	Surry	530	1	–	3	96	29	21	6	8	3	5	24	12	272	209	2	3
67	Swain	93	–	–	–	14	6	2	1	–	2	–	3	3	52	40	1	–
68	Transylvania	176	–	–	–	29	6	7	2	1	1	3	9	9	82	49	2	–
69	Tyrrell	64	–	–	–	7	2	1	1	1	1	–	1	1	39	24	–	–
70	Union	460	1	–	3	78	15	14	6	15	–	2	26	12	252	168	1	3
71	Monroe	109	–	–	1	13	3	–	2	3	–	–	5	1	66	45	1	1
72	Balance of county	351	1	–	2	65	12	14	4	12	–	2	21	11	186	123	–	2
73	Vance	357	1	–	4	56	10	16	–	6	3	5	16	14	186	134	2	3
74	Henderson	169	–	–	2	26	3	8	–	4	1	3	7	5	93	68	1	2
75	Balance of county	188	1	–	2	30	7	8	–	2	2	2	9	9	93	66	1	1
76	Wake	1,753	4	1	22	350	73	75	42	32	13	18	97	37	840	605	13	4
77	Raleigh	952	3	1	14	191	41	39	20	17	10	9	55	19	451	321	10	2
78	Balance of county	801	1	–	8	159	32	36	22	15	3	9	42	18	389	284	3	2
79	Warren	174	1	–	–	33	8	13	–	2	1	3	6	4	94	69	–	2
80	Washington	124	1	–	1	35	12	9	–	6	–	–	8	4	47	39	1	1
81	Watauga	178	–	–	1	32	3	8	2	7	4	1	7	2	95	70	1	1
82	Wayne	747	2	–	4	133	31	37	12	18	5	5	25	14	375	277	2	7
83	Goldsboro	326	1	–	2	64	19	17	8	7	–	3	10	10	163	126	1	1
84	Balance of county	421	1	–	2	69	12	20	4	11	5	2	15	4	212	151	1	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
106	5	2	42	3	4	12	7	1	4	1	–	1	7	3	28	17	12	8	5	–	01
54	2	1	20	2	2	4	2	1	1	–	–	1	5	1	11	8	1	3	1	–	02
52	3	1	22	1	2	8	5	–	3	1	–	–	2	2	17	9	11	5	4	–	03
157	15	2	72	6	8	15	3	3	5	3	1	4	5	7	43	15	27	8	13	–	04
85	12	1	39	2	6	5	2	3	4	1	–	2	4	6	29	4	14	4	7	–	05
72	3	1	33	4	2	10	1	–	1	2	1	2	1	1	14	11	13	4	6	–	06
112	5	4	41	4	2	8	–	1	3	–	–	6	6	7	20	11	16	8	4	–	07
79	11	1	26	4	2	14	7	1	3	1	–	1	5	4	25	12	6	3	1	1	08
79	3	1	17	3	5	8	5	1	–	1	–	1	1	–	17	3	6	4	–	1	09
64	4	–	26	2	1	3	3	2	1	1	–	1	2	–	11	5	8	2	4	–	10
83	3	2	30	2	3	8	2	–	–	2	–	3	1	4	15	5	11	5	6	–	11
846	62	12	262	25	31	88	24	14	50	21	1	26	41	24	251	76	79	34	67	5	12
682	47	11	206	16	26	68	18	12	48	18	1	20	37	18	210	50	63	24	62	5	13
164	15	1	56	9	5	20	6	2	2	3	–	6	4	6	41	26	16	10	5	–	14
51	5	–	22	–	3	4	1	–	1	1	–	–	–	1	19	1	1	2	1	–	15
85	2	3	17	2	7	7	2	1	1	2	–	3	1	1	16	5	10	1	5	1	16
140	11	6	70	12	5	7	10	–	7	6	–	4	3	6	32	17	18	2	3	–	17
212	8	3	68	2	8	19	–	2	12	5	–	7	9	9	55	15	21	15	8	–	18
81	4	1	31	1	4	6	–	–	5	1	–	1	5	1	28	1	8	4	2	–	19
130	6	1	46	4	4	10	1	–	13	3	–	3	5	1	39	6	14	5	4	–	20
131	4	2	37	1	4	13	–	2	7	4	–	6	4	8	27	14	13	11	6	–	21
256	17	3	90	17	9	17	9	–	21	5	–	9	16	10	79	23	33	11	11	2	22
160	10	2	59	12	4	8	6	–	16	2	–	6	8	9	55	12	19	6	9	2	23
96	7	1	31	5	5	9	3	–	5	3	–	3	8	1	24	11	14	5	2	–	24
114	3	–	24	4	2	5	–	–	10	3	–	1	6	3	28	8	6	2	5	–	25
95	13	2	33	4	6	5	4	1	13	1	–	15	23	10	33	49	19	6	8	–	26
19	2	–	7	2	1	2	1	–	3	–	–	3	3	1	10	6	4	–	2	–	27
76	11	2	26	2	5	3	3	1	10	1	–	12	20	9	23	43	15	6	6	–	28
120	20	–	31	5	4	14	4	1	4	2	–	–	7	2	35	10	17	14	5	–	29
33	5	–	11	2	1	6	1	1	1	1	–	–	1	1	7	1	4	7	3	–	30
33	5	–	11	2	1	6	1	1	1	1	–	–	1	1	7	1	4	7	3	–	31
87	15	–	20	3	3	8	3	–	3	1	–	–	6	1	28	9	13	7	2	–	32
30	1	–	9	2	1	4	–	–	1	–	–	1	1	–	10	3	7	1	2	–	33
107	5	–	35	6	3	12	3	1	3	3	1	2	4	2	23	8	9	5	4	–	34
74	2	–	28	3	3	9	2	1	2	3	–	1	3	1	13	8	6	3	3	–	35
33	3	–	7	3	–	3	1	–	1	–	1	1	1	1	10	–	3	2	1	–	36
68	1	1	31	2	4	1	2	1	4	1	–	1	3	2	9	6	11	1	2	–	37
35	1	–	14	1	3	2	1	–	–	–	–	1	–	–	10	8	2	–	–	–	38
80	5	1	27	2	1	5	3	1	2	–	–	2	6	6	26	12	6	4	2	1	39
232	24	2	57	5	3	10	4	3	8	2	1	6	12	11	62	17	21	10	8	1	40
73	7	2	19	2	2	5	3	2	5	1	1	5	2	3	28	3	7	5	3	–	41
159	17	–	38	3	1	5	1	1	3	1	–	1	10	8	34	14	14	5	5	1	42
45	5	–	20	2	2	12	3	1	–	–	–	–	1	–	14	3	1	1	1	–	43
207	12	1	101	8	5	8	10	3	7	1	–	8	9	8	39	25	15	8	15	1	44
48	4	–	24	–	1	1	2	–	1	–	–	–	–	3	9	1	5	–	–	1	45
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	46
158	8	1	77	8	4	7	8	3	6	1	–	8	9	5	30	24	10	8	14	–	47
138	9	7	77	6	7	8	2	–	3	4	–	4	7	3	38	11	15	2	5	1	48
241	17	3	118	17	13	18	6	3	8	5	–	6	17	12	63	46	39	13	20	2	49
64	4	1	26	3	3	7	4	–	4	–	–	1	–	1	16	7	8	1	3	–	50
177	13	2	92	14	10	11	2	3	4	5	–	5	17	11	47	39	31	12	17	2	51
254	19	2	77	8	13	33	10	4	14	4	1	6	12	11	65	24	18	13	5	2	52
74	3	1	24	3	3	7	2	–	4	1	1	–	1	3	15	2	3	2	1	–	53
53	8	–	24	–	3	11	5	3	3	1	–	2	2	2	8	6	3	–	1	–	54
127	8	1	29	5	7	15	3	1	7	2	–	6	9	6	42	16	12	11	3	2	55
296	19	5	101	12	12	19	4	2	12	2	–	5	6	13	72	22	19	7	8	–	56
102	8	2	46	3	6	4	1	–	5	1	–	2	4	7	30	3	4	1	2	–	57
194	11	3	55	9	6	15	3	2	7	1	–	3	2	6	42	19	15	6	6	–	58
176	19	1	57	4	1	22	7	2	2	5	–	2	8	4	41	26	12	5	3	–	59
161	7	2	46	3	4	18	1	1	4	5	–	4	5	3	38	19	21	6	6	1	60
77	7	4	38	4	1	3	5	–	6	1	–	1	4	2	18	12	9	3	3	2	61
150	5	5	77	2	3	15	4	3	3	2	–	3	1	6	36	9	15	8	4	–	62
36	1	3	21	1	1	4	1	2	1	1	–	1	–	4	11	3	5	2	1	–	63
114	4	2	56	1	2	11	3	1	2	1	–	2	1	2	25	6	10	6	3	–	64
83	12	–	20	4	3	10	4	–	1	2	–	1	2	1	14	13	11	4	3	–	65
195	9	–	53	5	5	16	4	1	5	–	–	10	4	5	42	20	17	11	9	2	66
36	3	–	7	4	1	3	2	–	1	–	–	1	2	2	5	3	3	1	1	–	67
45	2	1	20	7	5	5	3	1	3	–	–	1	4	6	17	3	7	4	2	–	68
21	3	–	9	3	3	3	2	–	–	–	–	1	1	–	4	4	2	–	–	–	69
140	24	–	54	26	4	8	3	–	5	2	–	8	9	3	33	22	11	7	2	1	70
35	8	–	17	4	–	2	–	–	3	–	–	4	2	1	9	3	2	2	–	–	71
105	16	–	37	22	4	6	3	–	2	2	–	4	7	2	24	19	9	5	2	1	72
120	9	6	42	4	–	10	1	1	11	4	–	–	3	5	29	10	12	5	5	–	73
62	3	4	19	2	–	5	–	1	6	1	–	–	2	2	15	3	5	2	1	–	74
58	6	2	23	2	–	5	1	–	5	3	–	–	1	3	14	7	7	3	4	–	75
547	41	3	189	18	25	46	21	5	28	13	1	11	29	20	153	53	59	34	25	1	76
285	24	–	99	13	18	22	13	2	21	5	–	5	11	14	88	18	39	22	13	–	77
262	17	3	90	5	7	24	8	3	7	8	1	6	18	6	65	35	20	12	12	1	78
62	5	–	22	1	2	3	3	–	4	2	–	3	4	1	10	4	7	1	–	–	79
27	10	–	7	1	–	3	2	1	1	–	–	–	5	4	10	3	4	1	2	–	80
64	4	1	21	–	3	4	5	1	–	–	–	2	–	1	16	12	1	2	4	–	81
252	16	4	87	6	1	17	6	2	17	8	–	8	21	13	54	24	22	11	16	–	82
118	6	1	32	3	1	8	1	–	9	5	–	5	6	5	26	6	6	1	8	–	83
134	10	3	55	3	–	9	5	2	8	3	–	3	15	8	28	18	16	10	8	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Wilkes	428	1	–	–	65	12	13	3	7	1	5	24	12	229	189	1	1
02	Wilson	577	4	–	4	100	26	18	11	14	3	7	21	12	294	203	7	5
03	Wilson	349	2	–	2	66	18	9	10	10	2	5	12	7	180	118	2	2
04	Balance of county	228	2	–	2	34	8	9	1	4	1	2	9	5	114	85	5	3
05	Yadkin	225	–	–	1	40	13	6	3	9	3	1	5	6	115	77	2	1
06	Yancey	135	1	–	1	30	11	5	3	1	–	2	8	1	60	40	1	1
07	**North Dakota**	5,516	7	–	33	980	321	169	88	138	65	39	160	94	2,849	2,073	36	26
08	Urban places	1,579	3	–	12	278	95	49	26	35	17	14	42	22	795	557	16	8
09	Balance of area	3,937	4	–	21	702	226	120	62	103	48	25	118	72	2,054	1,516	20	18
10	Metropolitan counties	585	1	–	7	92	30	19	8	11	7	7	10	3	304	196	6	3
11	Urban places	416	1	–	5	64	21	10	5	9	6	6	7	2	217	138	4	3
12	Balance of area	169	–	–	2	28	9	9	3	2	1	1	3	1	87	58	2	1
13	Nonmetropolitan counties	4,931	6	–	26	888	291	150	80	127	58	32	150	91	2,545	1,877	30	23
14	Urban places	1,163	2	–	7	214	74	39	21	26	11	8	35	20	578	419	12	5
15	Balance of area	3,768	4	–	19	674	217	111	59	101	47	24	115	71	1,967	1,458	18	18
16	Adams	38	–	–	–	4	1	2	–	–	–	–	1	–	19	18	2	–
17	Barnes	152	–	–	1	38	13	6	–	8	2	1	8	2	74	56	–	1
18	Benson	96	–	–	1	12	3	2	3	1	–	1	2	1	38	30	–	–
19	Billings	4	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
20	Bottineau	114	–	–	1	17	6	4	2	1	1	–	3	4	60	52	–	3
21	Bowman	44	–	–	–	4	2	–	2	–	–	–	–	3	23	14	–	–
22	Burke	53	–	–	–	12	6	2	2	2	–	–	–	2	25	17	–	–
23	Burleigh	282	2	–	1	62	17	11	7	6	4	4	13	4	132	101	4	–
24	Bismarck	235	2	–	1	52	13	10	7	4	4	4	10	3	109	80	4	–
25	Balance of county	47	–	–	–	10	4	1	–	2	–	–	3	1	23	21	–	–
26	Cass	585	1	–	7	92	30	19	8	11	7	7	10	3	304	196	6	3
27	Fargo	416	1	–	5	64	21	10	5	9	6	6	7	2	217	138	4	3
28	Balance of county	169	–	–	2	28	9	9	3	2	1	1	3	1	87	58	2	–
29	Cavalier	86	–	–	–	17	5	5	1	2	1	–	3	1	51	34	1	–
30	Dickey	82	–	–	1	17	9	1	–	4	2	–	1	2	47	38	–	–
31	Divide	56	–	–	–	12	2	1	4	1	2	–	2	1	27	22	1	–
32	Dunn	44	–	–	1	9	2	2	2	1	–	1	1	1	16	10	–	–
33	Eddy	49	–	–	1	8	5	1	–	1	–	1	–	–	21	18	–	–
34	Emmons	57	–	–	–	8	4	–	1	–	1	–	2	–	36	28	–	–
35	Foster	48	–	–	–	6	2	2	–	–	–	–	2	–	31	15	1	–
36	Golden Valley	22	–	–	–	3	–	–	–	2	1	–	–	1	14	11	–	–
37	Grand Forks	378	–	–	5	68	22	10	7	9	5	1	14	5	194	157	6	8
38	Grand Forks	243	–	–	4	45	15	8	5	8	1	–	8	3	117	91	4	3
39	Balance of county	135	–	–	1	23	7	2	2	1	4	1	6	2	77	66	2	5
40	Grant	49	–	–	–	11	2	2	2	3	1	1	–	–	29	19	–	–
41	Griggs	51	–	–	1	7	3	2	–	1	–	–	1	–	29	23	1	–
42	Heftinger	45	–	–	–	9	1	3	1	1	–	1	2	–	18	11	–	–
43	Kidder	35	–	–	1	3	1	1	–	1	–	–	–	–	24	15	–	–
44	La Moure	70	–	–	–	14	3	3	1	3	1	–	3	1	42	35	1	1
45	Logan	23	–	–	–	4	2	1	–	–	1	–	–	–	15	10	–	–
46	McHenry	86	–	–	–	16	8	3	–	1	–	–	4	1	44	32	–	–
47	McIntosh	51	–	–	1	8	5	1	–	1	1	–	–	–	30	24	1	–
48	McKenzie	57	1	–	–	16	2	2	2	3	2	2	3	2	24	15	–	1
49	McLean	131	–	–	1	22	11	5	–	1	–	–	5	2	74	60	1	1
50	Mercer	66	–	–	1	9	1	2	–	2	–	–	4	3	37	28	–	–
51	Morton	188	1	–	1	38	14	4	6	4	2	3	5	6	97	70	1	1
52	Mandan	95	–	–	–	20	7	3	2	2	–	1	5	2	55	38	–	–
53	Balance of county	93	1	–	1	18	7	1	4	2	2	2	–	4	42	32	1	1
54	Mountrail	107	–	–	–	16	7	3	1	1	–	1	3	3	56	39	–	–
55	Nelson	91	–	–	–	7	1	1	–	3	2	–	–	–	61	48	1	–
56	Oliver	16	–	–	–	1	–	–	1	–	–	–	–	–	10	8	–	–
57	Pembina	117	–	–	–	25	8	5	2	7	–	1	2	2	60	37	–	–
58	Pierce	72	–	–	–	12	2	1	–	4	1	1	3	4	38	28	–	–
59	Ramsey	130	–	–	1	29	9	4	3	3	2	1	7	–	68	48	–	–
60	Ransom	93	–	–	–	17	5	1	1	1	2	4	3	1	51	40	–	–
61	Renville	36	–	–	–	5	2	1	2	–	–	–	–	–	21	19	–	–
62	Richland	200	–	–	2	30	12	6	2	2	4	–	4	6	116	70	–	–
63	Rolette	116	1	–	1	19	6	3	4	2	3	–	1	1	44	36	–	1
64	Sargent	57	–	–	–	12	2	4	–	3	1	–	2	3	27	19	–	–
65	Sheridan	38	–	–	–	7	1	1	1	–	1	–	3	2	15	9	–	–
66	Sioux	42	1	–	–	4	1	1	–	–	1	–	1	2	12	8	–	–
67	Slope	3	–	–	–	1	–	1	–	–	–	–	–	–	2	2	–	–
68	Stark	177	–	–	2	33	16	3	1	2	2	–	9	4	96	66	2	2
69	Dickinson	110	–	–	–	19	9	1	1	2	2	–	4	2	56	35	1	1
70	Balance of county	67	–	–	2	14	7	2	–	–	–	–	5	2	40	31	1	1
71	Steele	31	–	–	–	5	1	1	–	–	1	1	1	–	18	12	–	–
72	Stutsman	196	–	–	1	30	11	6	2	6	2	–	3	9	110	84	2	–
73	Jamestown	127	–	–	1	18	8	5	–	4	1	–	–	6	72	54	1	–
74	Balance of county	69	–	–	–	12	3	1	2	2	1	–	3	3	38	30	1	–
75	Towner	53	–	–	–	13	4	1	2	6	–	–	–	–	29	24	1	–
76	Traill	108	–	–	–	17	4	3	2	3	–	1	4	–	57	36	–	–
77	Walsh	162	–	–	–	32	7	6	3	8	–	1	7	2	80	59	1	1
78	Ward	350	–	–	1	67	21	13	7	10	5	3	8	7	157	116	2	3
79	Minot	240	–	–	1	45	15	10	6	5	3	2	4	4	111	81	2	1
80	Balance of county	110	–	–	–	22	6	3	1	5	2	1	4	3	46	35	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–492)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
113	74	–	30	5	5	12	8	3	1	1	–	5	2	2	33	12	24	7	11	–	01
173	18	7	73	6	5	6	10	6	11	2	–	2	11	10	42	18	17	11	14	3	02
103	11	1	53	4	4	3	9	3	4	1	–	1	6	7	29	6	8	6	7	2	03
70	7	6	20	2	1	3	1	3	7	1	–	1	5	3	13	12	9	5	7	1	04
65	10	–	28	7	3	5	3	–	4	–	–	5	3	1	26	4	5	4	3	–	05
33	5	1	13	2	4	4	–	2	1	2	–	–	2	2	9	8	8	2	2	–	06
1,817	194	13	580	109	74	265	72	33	63	21	1	56	67	46	436	203	191	70	12	17	07
496	37	5	173	37	23	71	23	8	24	4	–	22	25	13	148	53	45	24	3	6	08
1,321	157	8	407	72	51	194	49	25	39	17	1	34	42	33	288	150	146	46	9	11	09
172	15	2	75	21	10	22	9	2	12	2	–	4	5	7	60	25	13	12	2	3	10
116	15	2	52	18	7	16	7	1	9	1	–	1	2	3	47	20	9	8	1	2	11
56	–	–	23	3	3	6	2	1	3	1	–	3	3	4	13	5	4	4	1	1	12
1,645	179	11	505	88	64	243	63	31	51	19	1	52	62	39	376	178	178	58	10	14	13
380	22	3	121	19	16	55	16	7	15	3	–	21	23	10	101	33	36	16	2	4	14
1,265	157	8	384	69	48	188	47	24	36	16	1	31	39	29	275	145	142	42	8	10	15
13	3	–	–	–	1	3	2	–	–	–	–	–	–	–	6	–	4	–	–	–	16
50	5	–	16	1	1	13	–	1	2	–	–	2	–	–	10	7	2	–	–	–	17
27	3	–	6	2	–	5	1	2	5	1	–	2	2	1	7	5	10	2	1	–	18
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	19
46	3	–	7	–	1	7	1	1	–	–	–	–	1	1	8	1	6	5	–	1	20
14	–	–	7	2	–	3	1	–	–	–	–	–	–	–	6	2	1	1	–	–	21
17	–	–	6	–	2	5	2	–	–	–	–	–	–	–	4	1	2	–	–	–	22
93	4	–	22	6	3	10	7	1	3	1	–	7	2	1	24	12	8	4	–	1	23
72	4	–	21	6	2	9	5	1	3	1	–	5	2	1	21	9	7	3	–	1	24
21	–	–	1	–	1	1	2	–	–	–	–	2	–	–	3	3	1	1	–	–	25
172	15	2	75	21	10	22	9	2	12	2	–	4	5	7	60	25	13	12	2	3	26
116	15	2	52	18	7	16	7	1	9	1	–	1	2	3	47	20	9	8	1	2	27
56	–	–	23	3	3	6	2	1	3	1	–	3	3	4	13	5	4	4	1	1	28
31	2	–	13	3	1	5	–	–	–	–	–	–	1	–	5	2	3	–	1	–	29
33	5	–	6	3	–	2	–	1	1	–	–	2	1	–	4	1	1	1	–	1	30
21	–	1	2	1	1	2	1	1	–	–	–	1	1	–	3	3	3	1	–	–	31
8	2	–	5	–	1	–	–	1	–	–	–	2	–	2	3	4	5	–	–	–	32
13	5	–	3	–	–	2	4	1	–	–	–	2	1	2	7	–	–	–	–	–	33
14	14	–	7	1	–	–	–	–	2	–	–	–	–	–	7	2	2	–	–	–	34
12	2	–	14	1	1	5	–	–	–	–	–	1	–	–	1	2	1	1	–	–	35
11	–	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	36
136	7	–	30	4	3	20	6	5	6	2	–	5	10	1	30	4	10	7	–	–	37
79	5	–	22	2	2	11	5	1	5	1	–	5	8	1	23	1	6	7	–	–	38
57	2	–	8	2	1	9	1	4	1	1	–	–	2	–	7	3	4	–	–	–	39
17	2	–	9	1	–	4	–	1	–	–	–	–	–	–	2	1	–	1	–	–	40
16	6	–	3	2	1	3	2	1	–	–	–	1	1	–	2	1	3	–	–	–	41
9	2	–	6	1	–	2	3	–	1	–	–	1	–	1	5	2	3	–	–	–	42
10	5	–	3	3	3	2	–	–	–	–	–	–	–	1	3	–	–	1	–	–	43
32	1	–	6	1	–	–	–	2	–	–	–	–	1	–	4	3	1	2	–	–	44
10	–	–	5	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	45
31	1	–	8	3	1	6	2	–	1	2	–	1	–	1	4	5	2	1	–	–	46
20	3	–	4	–	2	2	1	–	1	–	–	–	–	–	3	–	3	–	2	–	47
10	4	1	7	–	1	3	–	–	2	–	–	1	–	2	3	2	2	–	–	–	48
56	2	–	10	3	1	4	1	–	2	1	–	1	3	–	8	6	5	2	–	–	49
27	1	–	7	–	2	2	–	–	–	–	–	–	–	2	6	3	2	1	–	–	50
62	6	1	18	1	7	7	1	–	–	–	–	4	2	–	16	8	4	1	1	1	51
34	4	–	12	–	5	1	1	–	–	–	–	3	1	–	6	4	–	–	1	1	52
28	2	1	6	1	2	6	–	–	–	–	–	1	1	–	10	4	4	1	–	–	53
33	6	–	15	2	–	6	1	1	1	–	–	–	2	–	9	7	2	3	–	–	54
43	4	–	11	1	1	5	2	–	–	1	–	–	1	–	11	1	–	–	1	1	55
3	5	–	2	–	–	2	–	–	–	–	–	–	–	–	1	1	1	–	–	–	56
30	7	–	19	3	1	4	2	–	–	1	–	1	1	–	7	5	7	1	–	1	57
26	2	–	8	2	–	4	2	–	–	–	–	–	–	1	3	4	3	1	–	–	58
43	5	2	13	2	3	4	–	1	2	–	–	–	2	1	11	–	7	4	–	–	59
37	3	1	10	–	–	3	1	–	1	–	–	–	–	2	7	3	6	1	–	–	60
19	–	–	1	–	1	2	1	–	–	–	–	–	1	–	2	3	–	–	–	–	61
64	6	1	37	3	5	13	2	1	1	2	1	–	2	1	11	6	4	1	–	1	62
29	6	1	6	1	–	4	–	–	–	1	–	1	2	3	15	15	6	1	–	2	63
16	3	–	5	2	1	2	–	1	2	–	–	–	1	–	3	5	2	–	–	–	64
9	4	–	4	1	1	2	–	–	–	–	–	–	–	2	4	2	3	–	–	–	65
6	2	–	2	–	2	1	1	–	5	–	–	–	2	–	7	1	1	2	2	1	66
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67
61	1	–	23	5	2	7	–	2	3	–	–	3	5	1	9	3	7	2	–	–	68
33	–	–	17	3	1	6	–	2	3	–	–	2	4	–	7	2	6	1	–	–	69
28	1	–	6	2	1	1	–	–	–	–	–	1	1	1	2	1	1	1	–	–	70
7	5	–	5	1	–	3	3	–	–	–	–	–	–	1	–	–	1	–	–	–	71
78	4	–	19	6	1	19	–	1	–	1	–	2	1	1	9	4	5	3	–	–	72
51	2	–	15	2	1	16	–	1	–	1	–	1	–	–	6	1	3	1	–	–	73
27	2	–	4	4	–	3	–	–	–	–	–	1	1	1	3	3	2	2	–	–	74
20	3	–	4	–	1	2	1	–	–	1	–	1	–	–	3	2	1	–	–	–	75
30	6	–	16	4	1	12	3	2	2	–	–	1	1	–	4	6	2	1	–	–	76
49	8	–	17	3	1	14	–	2	2	–	–	2	–	–	13	4	10	1	–	–	77
102	9	2	29	8	2	10	5	2	5	3	–	5	11	10	34	19	8	4	1	1	78
73	5	2	22	4	2	6	5	2	4	–	–	3	6	8	25	12	6	2	–	–	79
29	4	–	7	4	–	4	–	–	1	3	–	2	5	2	9	7	2	2	1	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Dakota—Con.																	
01	Wells	95	–	–	–	18	5	2	–	5	3	–	3	3	56	42	–	–
02	Williams	184	–	–	–	33	14	4	3	2	1	2	7	–	90	64	1	–
03	Williston	113	–	–	–	15	7	2	–	1	–	1	4	–	58	40	–	–
04	Balance of county	71	–	–	–	18	7	2	3	1	1	1	3	–	32	24	1	–
05	**Ohio**	96,159	106	13	621	19,302	5,227	4,868	1,784	2,260	896	796	3,471	2,024	50,768	37,925	681	910
06	Urban places	59,416	80	9	382	11,972	3,252	3,075	1,148	1,360	517	468	2,152	1,254	31,145	23,236	423	643
07	Balance of area	36,743	26	4	239	7,330	1,975	1,793	636	900	379	328	1,319	770	19,623	14,689	258	267
08	Metropolitan counties	72,299	89	11	468	14,823	4,025	3,776	1,424	1,662	652	603	2,681	1,447	37,689	28,206	519	704
09	Urban places	51,858	73	8	328	10,564	2,894	2,713	1,025	1,176	442	412	1,902	1,074	26,957	20,184	368	567
10	Balance of area	20,441	16	3	140	4,259	1,131	1,063	399	486	210	191	779	373	10,732	8,022	151	137
11	Nonmetropolitan counties	23,860	17	2	153	4,479	1,202	1,092	360	598	244	193	790	577	13,079	9,719	162	206
12	Urban places	7,558	7	1	54	1,408	358	362	123	184	75	56	250	180	4,188	3,052	55	76
13	Balance of area	16,302	10	1	99	3,071	844	730	237	414	169	137	540	397	8,891	6,667	107	130
14	Adams	242	–	–	1	38	10	10	2	6	3	2	5	6	146	101	1	–
15	Allen	996	2	–	5	205	53	56	18	24	9	8	37	24	533	381	7	1
16	Lima	564	1	–	3	108	27	31	8	12	5	2	23	14	294	207	4	–
17	Balance of county	432	1	–	2	97	26	25	10	12	4	6	14	10	239	174	3	1
18	Ashland	375	–	–	2	66	21	16	6	8	2	2	11	10	207	156	2	–
19	Ashland	182	–	–	–	35	11	10	2	3	1	1	7	2	99	74	2	–
20	Balance of county	193	–	–	2	31	10	6	4	5	1	1	4	8	108	82	–	–
21	Ashtabula	1,001	–	–	12	207	58	42	17	36	10	11	33	19	507	391	7	3
22	Ashtabula	275	–	–	5	45	11	10	4	6	1	1	12	1	149	121	2	–
23	Conneaut	142	–	–	1	31	9	10	–	7	1	1	3	9	65	49	1	–
24	Balance of county	584	–	–	6	131	38	22	13	23	8	9	18	9	293	221	4	3
25	Athens	434	1	–	3	88	26	26	7	10	4	2	13	9	235	180	3	2
26	Athens	101	–	–	–	17	4	7	2	1	–	–	3	3	66	52	–	1
27	Balance of county	333	1	–	3	71	22	19	5	9	4	2	10	6	169	128	3	1
28	Auglaize	359	–	–	1	75	22	22	–	9	5	3	14	1	181	144	2	3
29	Belmont	962	1	–	7	179	50	43	17	23	11	5	30	19	513	391	6	5
30	Martins Ferry	148	–	–	–	20	4	4	4	2	2	1	3	3	93	82	–	1
31	Balance of county	814	1	–	7	159	46	39	13	21	9	4	27	16	420	309	6	4
32	Brown	310	–	–	3	52	16	14	6	7	1	–	8	4	173	144	–	1
33	Butler	1,786	–	1	11	384	97	111	34	37	19	16	70	21	956	728	11	23
34	Fairfield	106	–	–	1	23	6	5	5	3	–	–	4	1	53	42	1	2
35	Hamilton	597	–	–	1	126	31	39	15	10	5	7	19	7	326	247	4	11
36	Middletown	468	–	–	3	111	33	29	7	15	2	6	19	7	252	188	2	6
37	Oxford	44	–	–	–	6	3	2	–	–	–	–	1	1	30	23	1	2
38	Balance of county	571	–	1	6	118	24	36	7	9	12	3	27	5	295	228	3	2
39	Carroll	209	1	–	5	37	5	7	4	8	2	1	10	7	114	95	–	15
40	Champaign	302	1	–	3	55	11	15	5	7	3	3	11	3	169	113	2	2
41	Urbana	129	–	–	2	24	2	7	2	4	2	–	7	–	70	47	1	1
42	Balance of county	173	1	–	1	31	9	8	3	3	1	3	4	3	99	66	1	1
43	Clark	1,378	–	–	10	277	70	79	20	30	9	13	56	36	762	531	10	6
44	Springfield	898	–	–	9	183	50	47	16	21	6	10	33	29	484	350	7	6
45	Balance of county	480	–	–	1	94	20	32	4	9	3	3	23	7	278	181	3	–
46	Clermont	697	–	–	2	144	39	35	15	17	7	9	22	12	341	257	5	6
47	Clinton	294	–	–	2	59	19	11	10	8	5	–	6	9	160	115	1	–
48	Wilmington	104	–	–	2	17	5	2	4	2	2	–	2	2	63	42	1	–
49	Balance of county	190	–	–	–	42	14	9	6	6	3	–	4	7	97	73	–	–
50	Columbiana	1,223	1	–	5	225	53	59	22	22	15	6	48	28	716	534	11	7
51	East Liverpool	273	1	–	3	53	12	10	6	5	4	2	14	3	155	123	2	3
52	Salem	166	–	–	–	33	11	5	5	1	1	1	9	2	98	68	2	–
53	Balance of county	784	–	–	2	139	30	44	11	16	10	3	25	23	463	343	7	4
54	Coshocton	390	1	–	2	62	18	15	8	9	3	1	8	23	208	144	1	–
55	Coshocton	194	1	–	–	30	10	8	3	4	3	1	1	11	104	65	1	–
56	Balance of county	196	–	–	2	32	8	7	5	5	–	–	7	12	104	79	–	–
57	Crawford	496	–	–	5	95	25	26	9	9	8	3	15	13	261	184	4	4
58	Bucyrus	157	–	–	2	29	6	14	3	1	2	1	2	4	79	57	–	2
59	Galion	138	–	–	2	23	7	3	3	2	1	1	6	4	82	59	2	1
60	Balance of county	201	–	–	1	43	12	9	3	6	5	1	7	5	100	68	2	1
61	Cuyahoga	16,313	25	1	107	3,392	957	808	338	388	157	121	623	288	8,590	6,540	132	112
62	Bay Village	130	–	–	1	29	9	5	4	3	3	1	4	2	72	50	–	–
63	Bedford	132	–	–	–	39	12	6	5	2	1	1	12	1	61	50	1	–
64	Bedford Heights	78	–	–	–	17	4	4	2	1	–	1	5	2	28	23	2	–
65	Berea	125	–	–	–	23	4	4	5	2	1	1	6	5	76	53	1	–
66	Broadview Heights	70	–	–	1	22	9	2	2	2	2	1	4	1	35	25	–	1
67	Brooklyn	104	–	–	1	24	4	4	1	4	–	1	10	1	60	47	–	2
68	Brook Park	101	–	–	–	18	3	7	2	2	2	–	2	1	53	38	1	–
69	Cleveland	8,002	18	1	61	1,564	450	416	136	182	68	46	266	141	4,079	3,143	46	60
70	Cleveland Heights	656	1	–	5	124	40	19	13	12	8	8	24	8	375	258	9	5
71	East Cleveland	276	–	–	1	57	24	15	7	3	–	2	6	7	128	91	1	5
72	Euclid	667	–	–	6	147	35	34	20	17	9	5	27	9	367	284	2	3
73	Fairview Park	198	–	–	–	52	16	12	2	5	2	3	12	4	107	84	2	–
74	Garfield Heights	365	–	–	1	82	22	13	11	10	3	3	20	7	185	157	2	2
75	Lakewood	724	–	–	2	118	28	35	13	13	5	6	18	14	429	312	9	3
76	Lyndhurst	165	–	–	1	42	10	10	6	4	1	3	8	3	97	73	1	3
77	Maple Heights	289	–	–	4	65	22	10	8	6	6	3	10	2	157	125	5	4
78	Mayfield Heights	247	–	–	–	50	15	9	4	11	2	3	6	7	138	105	4	1
79	Middleburg Heights	86	–	–	–	20	8	5	1	–	–	2	4	1	47	30	–	–
80	North Olmstead	221	–	–	–	42	12	8	6	7	1	1	7	6	118	87	2	2
81	North Royalton	105	–	–	1	16	8	4	1	–	–	–	3	2	58	41	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
40	2	–	10	1	3	–	3	–	1	–	–	2	2	–	7	2	3	–	–	–	01
60	3	1	17	4	4	6	–	–	–	1	–	2	4	1	21	7	13	2	1	3	02
38	2	1	12	2	3	6	–	–	–	–	–	2	2	–	13	4	8	2	1	2	03
22	1	–	5	2	1	–	–	–	–	1	–	–	2	1	8	3	5	–	–	1	04
34,205	2,129	335	9,417	1,723	1,368	2,655	1,374	292	1,486	421	19	664	1,249	1,462	7,289	1,917	2,291	1,347	793	146	05
20,894	1,276	226	5,779	1,051	853	1,675	829	190	1,046	275	12	382	816	1,028	4,589	851	1,334	795	648	104	06
13,311	853	109	3,638	672	515	980	545	102	360	146	7	282	433	434	2,700	1,066	957	552	145	42	07
25,410	1,573	257	6,924	1,263	1,039	1,959	998	209	1,184	327	14	503	961	1,234	5,544	1,298	1,673	1,042	712	114	08
18,126	1,123	194	4,953	896	730	1,436	703	159	961	244	10	338	730	950	4,010	730	1,168	708	619	88	09
7,284	450	63	1,971	367	309	523	295	50	223	83	4	165	231	284	1,534	568	505	334	93	26	10
8,795	556	78	2,493	460	329	696	376	83	222	94	5	161	288	228	1,745	619	618	305	81	32	11
2,768	153	32	826	155	123	239	126	31	85	31	2	44	86	78	579	121	166	87	29	16	12
6,027	403	46	1,667	305	206	457	250	52	137	63	3	117	202	150	1,166	498	452	218	52	16	13
92	8	–	38	6	1	6	1	1	2	–	–	1	–	1	17	11	6	5	–	–	14
357	16	4	106	24	18	20	11	3	12	5	–	5	16	3	95	22	16	12	6	1	15
194	9	3	59	14	11	11	5	2	10	4	–	4	15	2	56	11	11	8	4	1	16
163	7	1	47	10	7	9	6	1	2	1	–	1	1	1	39	11	5	4	2	–	17
133	21	1	40	4	6	3	3	3	5	1	–	6	7	2	28	10	15	5	2	–	18
63	9	–	20	3	2	–	3	–	4	1	–	2	5	1	16	6	5	2	1	–	19
70	12	1	20	1	4	3	–	3	1	–	–	4	2	1	12	4	10	3	1	–	20
355	26	2	95	7	12	32	19	3	11	3	1	8	12	6	65	37	35	19	4	1	21
112	7	1	25	–	2	8	4	–	3	2	–	3	2	2	25	8	12	5	1	–	22
47	1	–	10	2	4	6	5	2	1	1	–	–	2	–	9	2	2	5	–	1	23
196	18	1	60	5	6	18	10	1	7	–	1	5	8	4	31	27	21	9	3	–	24
160	15	–	45	7	3	16	5	2	1	1	–	2	6	9	27	6	10	8	4	1	25
50	1	–	11	2	1	3	1	1	–	–	–	1	1	1	5	–	–	1	–	1	26
110	14	–	34	5	2	13	4	1	1	1	–	1	5	8	22	6	10	7	4	–	27
131	8	–	23	9	5	9	5	1	8	2	–	2	7	4	28	19	8	5	–	3	28
354	26	6	92	13	11	24	18	5	13	1	–	4	11	18	82	13	37	11	4	2	29
74	7	–	8	2	1	7	6	2	2	–	–	1	1	2	5	–	5	–	–	1	30
280	19	6	84	11	10	17	12	3	11	1	–	3	10	16	77	13	32	11	4	1	31
129	14	–	22	6	1	9	9	1	12	–	–	3	2	3	20	7	7	4	1	–	32
656	38	7	156	41	24	58	13	6	26	4	1	13	26	10	124	47	31	29	18	7	33
39	–	–	5	3	3	2	–	1	1	–	–	2	–	1	11	2	–	4	3	1	34
226	6	3	61	9	6	26	4	2	13	1	–	7	7	1	33	17	8	8	9	1	35
164	16	3	46	8	7	12	2	–	5	2	–	–	6	4	37	9	8	5	3	2	36
18	2	–	2	4	1	1	–	–	–	–	–	–	–	1	3	–	–	1	–	1	37
209	14	1	42	17	7	17	7	3	7	1	1	4	13	3	40	19	15	11	3	2	38
75	5	–	13	3	3	5	2	2	2	1	–	–	2	2	17	5	5	1	1	–	39
102	7	2	44	4	6	18	3	–	3	–	–	2	2	3	24	5	5	2	3	1	40
41	4	–	18	1	4	9	1	–	3	–	–	1	2	2	10	3	1	–	1	–	41
61	3	2	26	3	2	9	2	–	–	–	–	1	–	1	14	2	4	2	2	1	42
494	21	7	196	11	17	45	20	4	18	9	–	8	16	10	103	15	23	15	7	–	43
323	14	4	108	8	14	30	12	3	12	7	–	6	12	6	71	8	12	9	5	–	44
171	7	3	88	3	3	15	8	1	6	2	–	2	4	4	32	7	11	6	2	–	45
235	11	4	57	11	12	25	13	1	5	2	–	8	7	3	62	29	22	17	3	1	46
106	8	–	37	7	1	10	5	1	4	–	–	2	5	1	18	3	12	1	2	–	47
39	2	–	20	–	1	4	–	–	1	–	–	1	3	–	8	–	3	–	–	–	48
67	6	–	17	7	–	6	5	1	3	–	–	1	2	1	10	3	9	1	2	–	49
497	19	4	123	30	25	34	25	2	6	3	–	6	14	3	78	29	27	16	5	–	50
113	5	1	22	4	5	8	3	–	–	–	–	3	5	–	22	3	8	5	1	–	51
62	4	–	20	3	7	5	4	–	2	–	–	–	–	–	11	6	–	3	2	–	52
322	10	3	81	23	13	21	18	2	4	3	–	3	9	3	45	20	19	8	2	–	53
129	14	5	44	6	9	6	3	5	5	2	–	–	4	2	34	13	16	1	3	–	54
57	7	2	30	3	4	2	1	4	4	1	–	–	4	–	22	2	6	–	2	–	55
72	7	3	14	3	5	4	2	1	1	1	–	–	–	2	12	11	10	1	1	–	56
165	11	4	50	11	12	18	10	2	6	2	–	–	10	4	33	15	13	5	3	1	57
51	4	–	16	3	3	8	3	–	3	–	–	–	5	–	13	5	2	2	2	–	58
53	3	1	14	4	4	4	3	1	–	1	–	–	3	2	8	1	2	1	1	–	59
61	4	3	20	4	5	6	4	1	3	1	–	2	2	2	12	9	9	2	–	1	60
5,973	323	62	1,448	301	239	465	187	46	353	79	4	92	194	52	1,237	228	406	245	292	30	61
48	2	–	17	3	2	2	1	–	2	1	–	–	–	1	9	3	3	3	–	1	62
46	3	–	9	2	–	5	2	–	3	–	–	–	3	–	7	5	3	3	–	–	63
21	–	–	3	–	2	4	2	–	1	1	–	–	3	–	9	1	3	4	2	1	64
49	3	–	16	6	1	3	1	–	1	–	–	–	2	–	5	1	3	4	1	–	65
21	3	–	6	3	1	1	–	–	2	2	–	–	–	–	2	1	2	1	–	–	66
45	–	–	10	1	2	2	–	–	2	–	–	–	–	–	10	1	2	1	–	–	67
36	1	–	10	4	1	3	1	1	1	–	–	–	6	1	5	3	3	5	1	–	68
2,851	186	32	659	145	100	221	100	19	224	49	4	48	122	29	654	102	219	87	235	25	69
234	10	5	81	17	14	24	12	3	5	3	–	1	6	–	50	9	16	7	6	1	70
81	4	2	23	8	4	6	4	1	6	1	–	3	4	2	24	8	7	4	13	–	71
266	13	4	63	8	8	18	9	1	13	3	–	3	8	–	40	14	10	17	2	–	72
79	3	1	19	1	2	9	–	–	2	–	–	2	–	–	12	1	4	5	–	–	73
151	2	1	19	1	7	11	5	2	5	1	–	2	5	1	30	10	12	3	3	–	74
292	8	2	88	18	9	30	7	1	11	1	–	5	7	2	49	8	20	16	3	1	75
67	2	–	15	4	5	4	–	–	2	1	–	–	–	–	10	1	1	3	–	–	76
109	7	1	23	4	4	10	2	–	7	–	–	1	3	–	22	1	7	3	5	–	77
94	6	1	28	4	–	5	6	1	3	1	–	–	1	–	23	5	3	2	1	1	78
30	–	–	14	2	1	3	–	–	2	–	–	–	–	–	7	2	1	3	–	–	79
82	1	–	23	6	2	4	2	1	9	–	–	5	1	–	19	2	6	5	1	–	80
35	3	1	10	6	–	2	1	–	4	–	–	2	1	–	6	2	8	2	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
	Cuyahoga—Con.																	
01	Parma	831	1	–	9	204	49	55	16	27	11	5	41	29	452	357	12	2
02	Parma Heights	217	–	–	2	54	15	13	7	5	2	1	11	2	114	82	6	1
03	Rocky River	245	2	–	–	55	19	13	6	8	3	2	4	2	125	93	1	2
04	Seven Hills	117	–	–	–	28	7	5	5	5	2	–	4	1	59	40	1	2
05	Shaker Heights	320	–	–	–	70	14	9	12	9	5	4	17	–	187	137	4	1
06	Solon	69	–	–	–	20	1	5	5	3	1	1	4	–	36	32	1	2
07	South Euclid	301	1	–	1	76	29	11	6	7	1	3	19	7	163	125	2	3
08	Strongsville	101	–	–	1	25	7	8	1	3	1	–	5	1	43	34	–	–
09	University Heights	132	–	–	1	32	8	3	4	4	1	4	8	8	76	58	3	1
10	Warrensville Heights	101	1	–	–	17	2	10	2	2	–	–	1	2	50	36	1	1
11	Westlake	124	1	–	–	30	5	3	6	7	3	–	6	3	66	48	1	1
12	Balance of county	1,014	–	–	8	230	66	51	19	22	13	10	49	9	549	422	10	5
13	Darke	528	–	–	3	108	29	17	15	18	2	10	17	13	289	232	4	8
14	Greenville	198	–	–	–	33	7	6	8	7	–	2	3	3	117	90	1	5
15	Balance of county	330	–	–	3	75	22	11	7	11	2	8	14	10	172	142	3	3
16	Defiance	313	–	–	3	67	20	11	4	9	7	4	12	9	166	118	3	6
17	Defiance	141	–	–	1	30	8	5	3	4	3	2	5	5	79	53	1	4
18	Balance of county	172	–	–	2	37	12	6	1	5	4	2	7	4	87	65	2	2
19	Delaware	367	–	–	4	68	17	16	11	6	3	4	11	5	205	146	2	2
20	Delaware	146	–	–	–	27	6	4	5	4	2	2	4	4	79	61	1	1
21	Westerville, part	8	–	–	–	2	–	1	–	–	–	1	–	–	3	2	–	–
22	Balance of county	213	–	–	4	39	11	11	6	2	1	1	7	1	123	83	1	1
23	Erie	727	1	–	4	133	32	43	15	12	3	5	23	13	347	253	7	7
24	Sandusky	397	–	–	2	65	17	22	5	9	1	3	8	7	189	138	4	5
25	Balance of county	330	1	–	2	68	15	21	10	3	2	2	15	6	158	115	3	2
26	Fairfield	666	–	–	3	122	26	39	12	11	8	5	21	17	390	288	9	5
27	Lancaster	314	–	–	1	62	11	20	10	5	3	1	12	11	187	141	5	3
28	Balance of county	352	–	–	2	60	15	19	2	6	5	4	9	6	203	147	4	2
29	Fayette	286	–	–	–	49	15	11	6	9	1	2	5	9	168	105	1	–
30	Washington	172	–	–	–	26	8	7	3	5	–	1	2	7	106	62	1	–
31	Balance of county	114	–	–	–	23	7	4	3	4	1	1	3	2	62	43	–	–
32	Franklin	6,494	7	–	51	1,314	361	355	115	139	49	66	229	145	3,163	2,341	51	298
33	Bexley	109	–	–	1	28	9	4	2	4	1	2	6	4	55	44	–	1
34	Columbus	4,732	6	–	38	931	240	254	79	100	34	43	181	111	2,287	1,688	35	259
35	Gahanna	67	–	–	1	12	4	2	1	1	1	–	3	–	26	22	1	–
36	Grove City	107	–	–	2	22	7	5	4	2	1	1	2	5	52	33	1	1
37	Reynoldsburg, part	95	–	–	–	16	4	6	3	1	–	1	1	1	46	36	–	5
38	Reynoldsburg, total	97	–	–	–	17	4	6	4	1	–	1	1	1	47	36	–	5
39	Upper Arlington	261	–	–	3	69	22	17	6	5	3	4	12	1	133	100	2	4
40	Westerville, part	84	–	–	–	15	5	2	1	3	1	2	1	1	51	42	1	1
41	Westerville, total	92	–	–	–	17	5	3	1	3	1	3	1	1	54	44	1	1
42	Whitehall	123	–	–	–	24	5	9	2	2	2	1	3	1	60	47	1	1
43	Worthington	98	1	–	–	19	4	4	2	2	–	1	6	2	50	37	1	3
44	Balance of county	818	–	–	6	178	61	52	15	19	6	11	14	19	403	292	9	23
45	Fulton	289	–	–	2	46	10	12	1	4	2	5	12	9	164	120	2	1
46	Gallia	288	–	–	1	54	14	14	4	6	–	2	14	2	174	128	1	–
47	Geauga	415	1	–	1	73	18	18	3	14	2	5	13	9	218	153	5	2
48	Greene	701	1	–	2	175	52	38	18	13	9	10	35	11	336	228	5	2
49	Fairborn	156	–	–	1	36	8	12	4	2	2	3	5	2	71	46	–	1
50	Xenia	205	1	–	–	47	14	11	5	2	2	2	11	5	108	68	2	1
51	Balance of county	340	–	–	1	92	30	15	9	9	5	5	19	4	157	114	3	–
52	Guernsey	455	1	–	1	86	26	20	8	11	5	2	14	7	235	177	3	3
53	Cambridge	188	1	–	1	33	11	10	4	2	2	2	2	2	100	72	2	2
54	Balance of county	267	–	–	–	53	15	10	4	9	3	–	12	5	135	105	1	1
55	Hamilton	8,638	16	–	60	1,940	552	521	188	211	78	68	322	129	4,486	3,457	55	60
56	Cheviot	130	–	–	–	26	9	3	4	2	–	–	8	1	85	68	1	1
57	Cincinnati	5,472	14	–	40	1,177	341	333	100	126	51	40	186	78	2,810	2,181	32	36
58	Forest Park	38	–	–	–	9	2	3	1	–	–	1	2	2	19	12	–	–
59	North College Hill	118	–	–	–	24	3	7	7	2	–	1	4	1	70	52	1	–
60	Norwood	316	–	–	4	79	20	22	8	10	4	1	14	4	163	116	4	2
61	Reading	96	1	–	–	29	10	8	2	4	–	1	4	2	53	41	–	1
62	Sharonville	68	–	–	1	13	2	6	2	2	–	–	1	2	34	23	–	–
63	Balance of county	2,400	1	–	15	583	165	139	64	65	23	24	103	39	1,252	964	17	20
64	Hancock	548	–	–	2	99	27	27	4	14	3	7	17	10	303	225	1	7
65	Findlay	341	–	–	2	57	15	17	2	7	2	4	10	5	187	139	1	4
66	Fostoria, part	21	–	–	–	10	2	2	1	1	–	1	3	–	7	5	–	–
67	Balance of county	186	–	–	–	32	10	8	1	6	1	2	4	5	109	81	–	3
68	Hardin	316	–	–	2	65	13	18	4	6	7	3	14	2	183	136	2	4
69	Harrison	219	–	–	1	42	11	6	5	7	1	2	10	5	123	100	3	3
70	Henry	287	–	–	1	43	6	11	4	9	1	4	8	8	159	109	–	2
71	Highland	382	–	–	6	78	22	22	7	11	2	5	9	7	214	145	2	3
72	Hocking	208	–	–	3	39	17	6	4	4	3	2	3	7	98	80	1	1
73	Holmes	189	1	–	3	31	8	9	1	4	–	3	6	4	105	81	–	–
74	Huron	471	–	–	–	88	22	18	8	12	3	6	19	11	271	189	2	4
75	Norwalk	125	–	–	–	26	7	7	1	3	–	1	7	–	77	47	–	–
76	Balance of county	346	–	–	–	62	15	11	7	9	3	5	12	11	194	142	2	4
77	Jackson	332	1	–	–	56	13	22	1	4	4	1	11	7	187	146	4	–
78	Jefferson	1,054	3	–	5	205	53	58	21	26	8	10	29	38	576	444	4	10
79	Steubenville	420	2	–	2	90	23	20	11	12	5	4	15	13	226	173	2	5
80	Balance of county	634	1	–	3	115	30	38	10	14	3	6	14	25	350	271	2	5
81	Knox	465	–	–	3	83	22	21	7	11	4	2	16	7	264	188	3	3
82	Mount Vernon	183	–	–	1	32	9	8	2	4	1	–	8	2	109	80	–	3
83	Balance of county	280	–	–	2	51	13	13	5	7	3	2	8	5	155	108	3	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
329	14	1	60	16	18	18	5	2	13	1	–	7	6	4	41	6	17	12	4	–	01
71	4	–	22	6	4	3	3	–	6	–	–	–	2	–	18	1	7	5	–	–	02
84	6	–	20	7	5	12	2	2	4	–	–	–	2	–	28	4	3	4	–	–	03
36	1	–	15	2	2	3	1	3	2	1	–	2	–	1	5	2	4	5	–	–	04
123	9	4	31	5	10	10	2	1	4	4	–	1	–	1	24	2	6	6	2	–	05
28	1	–	3	–	1	3	–	1	1	1	–	–	–	–	5	1	1	–	–	–	06
119	1	2	31	4	1	8	1	1	3	1	–	2	1	1	20	4	4	5	2	–	07
33	1	–	4	–	5	1	1	1	1	1	–	2	1	1	9	2	3	5	4	–	08
55	–	1	13	2	3	5	1	1	2	1	–	2	–	–	7	–	–	–	–	–	09
32	2	1	9	–	4	2	–	–	2	–	–	2	5	1	8	5	3	1	1	–	10
43	3	–	14	2	2	2	–	–	4	–	–	1	1	1	8	–	3	4	1	–	11
383	24	4	90	14	19	31	17	4	8	5	–	3	5	6	71	21	22	20	5	–	12
213	7	–	41	13	3	20	5	4	5	–	–	6	1	1	45	14	9	5	–	–	13
83	1	–	16	10	1	11	2	–	4	–	–	2	–	–	18	2	4	2	–	–	14
130	6	–	25	3	2	9	3	4	1	–	–	4	1	1	27	12	5	3	–	–	15
101	8	3	37	2	6	5	8	–	1	2	–	1	7	2	25	15	1	1	–	–	16
43	5	2	21	1	2	1	3	–	1	–	–	–	2	1	14	3	–	1	–	–	17
58	3	1	16	1	4	4	5	–	–	2	–	1	5	1	11	12	1	–	–	–	18
134	8	1	42	12	4	13	3	1	7	–	–	4	3	6	23	8	6	10	1	–	19
57	2	–	15	2	1	4	1	–	6	–	–	1	1	3	12	2	2	3	1	–	20
2	–	–	1	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	21
75	6	1	26	10	3	9	1	1	–	–	–	3	2	3	10	6	4	7	–	–	22
226	13	6	54	20	14	24	10	3	8	5	1	7	12	52	66	13	16	9	3	–	23
122	7	3	30	12	6	13	8	2	7	3	1	5	6	34	36	9	6	4	1	–	24
104	6	3	24	8	8	11	2	1	1	2	1	2	6	18	30	4	10	5	2	–	25
256	18	–	80	13	9	12	7	2	9	5	1	4	7	6	45	13	10	7	2	4	26
126	7	–	34	8	4	4	4	–	6	2	1	1	2	1	20	2	4	1	1	4	27
130	11	–	46	5	5	8	3	2	3	3	–	3	5	5	25	11	6	6	1	–	28
97	7	3	47	11	2	9	4	–	4	1	–	1	3	1	18	8	4	6	1	–	29
56	5	3	33	7	1	7	3	–	2	–	–	1	–	1	10	3	3	3	–	–	30
41	2	–	14	4	1	2	1	–	2	1	–	–	3	–	8	5	1	3	1	–	31
1,798	194	31	600	90	101	174	105	14	94	27	1	41	112	398	501	68	132	102	39	6	32
39	4	–	10	–	1	1	1	–	2	2	–	–	–	3	10	–	–	2	–	–	33
1,253	141	21	433	72	73	132	79	8	74	19	1	32	90	307	371	44	99	69	29	6	34
20	1	–	4	–	–	1	4	–	2	1	–	–	4	9	2	1	3	1	–	–	35
28	3	–	17	–	2	5	2	–	–	–	–	1	1	4	10	–	2	1	–	–	36
27	4	–	8	–	2	1	3	–	2	1	–	1	1	6	8	3	1	5	–	–	37
27	4	–	9	–	2	1	3	–	2	1	–	1	1	6	8	3	1	5	–	–	38
89	5	1	23	4	5	10	5	2	3	–	–	1	–	9	13	2	2	5	3	–	39
36	4	2	5	–	2	2	–	–	–	1	1	–	2	2	4	1	2	2	–	–	40
38	4	2	6	–	2	2	1	–	1	1	1	–	2	2	5	1	2	2	–	–	41
43	2	1	10	1	1	3	2	1	2	–	–	1	2	7	8	1	6	3	2	–	42
27	6	2	7	3	1	1	2	–	1	–	–	–	–	6	7	3	2	1	3	–	43
236	24	4	83	10	14	18	7	3	8	3	–	5	12	45	68	13	15	13	2	–	44
112	5	2	32	6	4	7	3	1	1	2	–	3	5	–	15	20	8	2	1	–	45
122	5	–	41	2	3	4	4	–	1	1	–	2	5	4	13	9	11	2	1	–	46
138	8	–	48	6	11	17	1	1	4	–	–	7	2	5	35	19	14	6	1	1	47
210	11	3	85	10	10	17	11	3	4	2	–	10	12	17	48	24	11	13	3	1	48
43	2	1	14	6	4	4	2	–	2	–	–	4	3	7	9	5	3	6	–	1	49
59	6	1	35	3	1	3	6	–	–	1	–	1	7	3	14	3	2	4	–	–	50
108	3	1	36	1	5	10	3	3	2	1	–	5	2	7	25	16	6	3	3	–	51
160	11	2	36	7	13	14	6	2	5	1	–	4	9	1	46	10	12	13	1	1	52
66	2	1	19	3	5	4	5	2	4	–	–	2	4	–	14	2	7	5	1	1	53
94	9	1	17	4	8	10	1	–	1	1	–	2	5	1	32	8	5	8	–	–	54
3,203	139	22	771	107	129	232	102	25	151	44	5	74	100	23	694	103	227	118	83	26	55
64	2	–	13	2	2	2	2	–	–	–	–	2	–	–	8	–	–	2	–	2	56
2,016	97	11	483	65	70	164	66	20	115	30	3	45	71	16	474	58	153	64	62	12	57
11	1	–	5	1	1	–	–	–	1	–	–	1	–	–	3	2	1	–	–	–	58
49	2	–	13	–	5	3	1	–	2	1	–	–	–	1	10	–	3	1	1	–	59
104	6	2	35	3	7	9	7	1	2	–	–	4	1	2	19	3	7	4	3	4	60
39	1	–	8	3	1	1	–	2	–	–	–	–	–	–	5	–	1	2	–	–	61
21	2	1	9	–	1	4	–	–	–	1	–	–	1	–	5	–	2	3	1	1	62
899	28	8	205	33	42	49	26	2	31	12	2	22	27	4	170	40	60	42	16	7	63
203	14	1	62	10	5	33	13	1	3	1	–	2	3	2	36	11	15	10	3	1	64
129	5	1	38	6	3	27	8	–	2	1	–	1	1	1	24	3	10	10	1	1	65
5	–	–	1	1	–	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	66
69	9	–	23	3	2	6	4	1	1	–	–	1	2	1	10	8	5	–	1	–	67
125	5	–	34	7	6	5	4	1	3	1	–	3	5	–	25	7	8	2	–	–	68
84	10	3	13	5	2	6	1	–	1	1	–	–	4	–	19	5	8	2	1	–	69
97	10	–	42	5	3	10	7	–	3	1	–	4	5	3	20	13	4	5	1	–	70
131	9	1	52	14	2	19	4	–	–	2	–	1	3	4	32	1	6	5	–	–	71
71	7	1	14	3	–	6	3	–	2	1	–	1	5	11	16	4	7	4	1	–	72
79	2	–	17	5	2	7	1	–	2	–	–	4	4	2	11	5	7	2	–	–	73
170	13	1	58	14	9	15	8	1	5	2	–	2	6	4	30	13	10	4	1	–	74
43	4	–	21	6	3	6	2	–	2	1	–	–	2	–	5	1	2	1	–	–	75
127	9	1	37	8	6	9	6	1	3	1	–	2	4	4	25	12	8	3	1	–	76
136	6	1	34	4	2	14	8	1	3	–	–	2	5	2	24	4	9	7	2	–	77
393	37	1	105	12	14	24	24	4	20	5	–	7	9	4	88	9	24	6	3	–	78
150	16	1	46	4	2	10	10	2	9	2	–	3	5	1	30	1	10	2	2	–	79
243	21	–	59	8	12	14	14	2	11	3	–	4	4	3	58	8	14	4	1	–	80
171	11	2	63	6	5	33	3	–	2	2	–	2	4	3	29	7	10	8	1	2	81
73	4	1	24	2	2	15	2	–	1	1	–	1	2	–	6	3	5	1	1	2	82
98	7	1	39	4	3	18	1	–	2	1	–	1	2	3	23	4	5	7	–	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
01	Lake	1,384	1	–	8	277	73	66	34	37	9	9	49	25	683	495	8	6
02	Eastlake	126	–	–	1	19	4	5	2	4	–	–	4	–	58	48	–	2
03	Mentor	221	–	–	1	45	11	9	6	5	2	1	11	8	102	71	2	–
04	Painesville	178	–	–	1	27	9	7	3	3	1	1	3	5	99	65	3	1
05	Wickliffe	124	–	–	–	30	3	9	4	4	1	1	8	2	65	50	1	–
06	Willoughby	144	1	–	1	29	5	7	5	2	2	3	5	2	79	57	–	1
07	Willowick	123	–	–	–	30	12	7	2	3	–	1	4	2	62	44	–	–
08	Balance of county	468	–	–	4	97	29	22	12	16	2	2	14	6	218	160	2	2
09	Lawrence	562	3	–	4	84	25	16	9	11	7	3	13	16	326	255	3	–
10	Ironton	201	1	–	1	33	13	6	4	3	1	–	6	3	126	95	2	–
11	Balance of county	361	2	–	3	51	12	10	5	8	6	3	7	13	200	160	1	–
12	Licking	1,022	1	–	7	199	48	53	12	32	13	5	36	29	554	386	7	26
13	Newark	500	–	–	6	94	24	23	6	15	6	1	19	11	280	183	5	14
14	Reynoldsburg, part	2	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–
15	Balance of county	520	1	–	1	104	24	30	5	17	7	4	17	18	273	203	2	12
16	Logan	380	–	1	1	84	19	24	5	13	4	3	16	1	199	137	3	6
17	Bellefontaine	129	–	1	1	28	4	9	1	5	2	1	6	–	57	40	–	1
18	Balance of county	251	–	–	–	56	15	15	4	8	2	2	10	1	142	97	3	5
19	Lorain	1,970	1	–	16	386	102	97	43	41	15	8	80	61	925	716	7	9
20	Avon Lake	77	–	–	–	22	2	8	4	3	2	–	3	3	29	22	–	–
21	Elyria	488	1	–	5	88	14	21	8	15	2	3	25	15	234	182	3	1
22	Lorain	651	–	–	5	140	46	39	17	11	4	1	22	22	301	245	1	2
23	North Ridgeville	68	–	–	–	9	3	3	–	–	–	1	2	4	31	24	–	–
24	Balance of county	686	–	–	6	127	37	26	14	12	7	3	28	17	330	243	3	6
25	Lucas	4,726	3	–	26	942	228	254	108	102	38	46	166	121	2,524	1,874	28	14
26	Maumee	94	–	–	2	22	3	9	1	–	1	1	7	3	46	37	–	1
27	Oregon	162	–	–	1	29	9	5	3	3	1	1	7	4	85	63	–	1
28	Sylvania	102	–	–	–	18	3	2	5	2	2	–	4	–	61	47	1	–
29	Toledo	3,901	3	–	20	778	187	212	90	86	33	39	131	103	2,078	1,537	22	10
30	Balance of county	467	–	–	3	95	26	26	9	11	1	5	17	11	254	190	5	2
31	Madison	252	–	–	–	48	17	10	4	2	3	3	9	6	129	86	1	2
32	Mahoning	3,017	8	–	19	591	165	154	49	72	30	23	98	75	1,647	1,160	22	20
33	Alliance, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Campbell	119	–	–	1	29	12	5	3	6	–	1	2	2	62	38	2	2
35	Struthers	149	–	–	–	41	13	11	3	7	2	1	4	8	75	56	2	–
36	Youngstown, part	1,606	6	–	13	287	83	76	23	36	14	10	45	43	877	596	8	12
37	Youngstown, total	1,612	6	–	13	288	83	76	23	36	14	10	46	43	880	598	8	12
38	Balance of county	1,143	2	–	5	234	57	62	20	23	14	11	47	22	633	470	10	6
39	Marion	597	–	–	6	94	29	26	5	7	4	5	18	18	343	239	6	5
40	Marion	372	–	–	5	58	17	17	2	4	3	4	11	11	211	141	4	3
41	Balance of county	225	–	–	1	36	12	9	3	3	1	1	7	7	132	98	2	2
42	Medina	659	1	–	4	132	31	27	14	23	10	4	23	15	360	274	3	5
43	Brunswick	90	–	–	–	25	10	5	–	1	3	1	5	5	41	36	1	–
44	Medina	124	–	–	1	20	2	2	4	6	2	1	3	3	70	47	1	4
45	Wadsworth	138	1	–	–	24	3	7	4	3	1	1	5	3	76	57	–	–
46	Balance of county	307	–	–	3	63	16	13	6	13	4	1	10	4	173	134	1	1
47	Meigs	246	–	–	–	56	15	12	3	13	1	1	11	3	127	97	4	1
48	Mercer	343	–	–	1	57	15	12	5	8	6	3	8	9	190	138	1	2
49	Miami	771	–	–	3	147	39	43	13	15	6	11	20	29	428	340	3	3
50	Piqua	242	–	–	1	44	11	13	2	8	2	4	4	10	144	116	–	–
51	Troy	189	–	–	1	39	11	9	4	3	2	4	6	7	103	85	2	–
52	Balance of county	340	–	–	1	64	17	21	7	4	2	3	10	12	181	139	1	3
53	Monroe	166	–	–	1	31	6	6	3	4	1	4	7	2	93	66	2	2
54	Montgomery	4,785	3	2	32	957	262	279	87	96	43	29	161	82	2,459	1,869	34	25
55	Centerville	64	–	–	–	10	2	2	–	2	–	–	4	1	34	28	1	–
56	Dayton	2,416	1	1	18	444	131	124	36	47	20	10	76	52	1,229	958	14	17
57	Kettering	444	–	–	4	103	21	30	19	11	5	3	14	5	245	169	5	1
58	Miamisburg	112	–	–	2	21	4	6	2	5	–	–	4	1	56	40	–	1
59	Oakwood	114	–	–	–	24	9	8	3	–	–	–	4	1	68	54	4	–
60	Vandalia	64	–	–	–	10	3	2	1	–	–	1	3	–	46	36	1	–
61	West Carrollton	69	–	–	–	14	2	5	1	2	–	–	4	1	35	18	2	–
62	Balance of county	1,502	2	1	8	331	90	102	25	29	18	15	52	21	746	566	7	6
63	Morgan	117	–	–	–	23	5	8	1	2	1	–	6	3	70	65	–	–
64	Morrow	208	1	1	2	37	10	9	3	8	2	2	3	8	117	77	–	1
65	Muskingum	793	1	–	7	156	34	45	12	23	11	5	26	14	437	338	8	17
66	Zanesville	447	1	–	3	96	19	29	7	15	9	3	14	8	251	195	6	10
67	Balance of county	346	–	–	4	60	15	16	5	8	2	2	12	6	186	143	2	7
68	Noble	130	–	–	–	26	4	5	3	8	2	–	4	4	73	59	1	1
69	Ottawa	383	–	–	2	67	22	20	3	7	6	1	8	5	227	166	6	–
70	Paulding	183	–	–	3	30	9	5	2	2	3	3	6	7	87	67	1	–
71	Perry	309	1	–	1	55	15	15	3	5	5	4	8	3	199	156	2	2
72	Pickaway	309	1	–	1	69	13	14	3	13	4	4	18	6	159	99	2	10
73	Circleville	122	–	–	–	25	5	7	1	5	1	1	5	3	62	33	1	2
74	Balance of county	187	1	–	1	44	8	7	2	8	3	3	13	3	97	66	1	8
75	Pike	234	–	–	1	47	12	12	4	6	2	2	9	7	129	103	2	6
76	Portage	777	–	–	7	152	35	35	11	20	6	7	38	8	404	310	4	3
77	Kent	111	–	–	2	25	7	8	1	4	–	1	4	1	56	39	2	1
78	Ravenna	138	–	–	–	27	7	7	2	4	1	3	3	3	69	53	1	–
79	Balance of county	528	–	–	5	100	21	20	8	12	5	3	31	4	279	218	1	2
80	Preble	277	–	–	1	53	11	13	2	8	4	2	13	3	152	112	3	2
81	Putnam	283	–	–	3	61	15	15	8	3	3	5	12	6	148	105	–	1
82	Richland	1,116	1	1	6	230	60	56	18	22	9	17	48	28	579	394	9	8
83	Mansfield	651	1	1	1	125	34	26	10	8	6	10	31	18	342	226	6	6
84	Balance of county	465	–	–	5	105	26	30	8	14	3	7	17	10	237	168	3	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
447	34	4	146	20	18	53	32	4	22	10	–	21	10	34	87	39	29	31	14	4	01
44	2	1	7	–	2	2	7	1	3	–	–	5	–	5	11	3	4	4	3	–	02
63	6	2	23	2	4	15	3	2	4	–	–	7	–	8	11	6	6	3	–	–	03
58	3	–	29	4	1	6	7	1	3	1	–	2	2	3	6	5	4	3	2	1	04
48	1	–	13	2	–	6	1	–	–	1	–	–	2	3	9	–	1	3	–	1	05
50	6	1	17	3	1	2	3	–	3	1	–	1	3	4	8	1	1	4	1	–	06
37	7	–	11	4	3	4	1	–	2	3	–	–	–	3	9	1	2	1	2	–	07
147	9	–	46	5	7	18	10	–	7	4	–	6	2	8	33	23	11	13	6	2	08
236	16	6	49	9	7	12	10	2	4	4	–	2	6	4	38	16	14	11	4	2	09
87	6	3	19	6	3	4	4	–	1	1	–	–	2	–	13	2	4	2	4	–	10
149	10	3	30	3	4	8	6	2	3	3	–	2	4	4	25	14	10	9	–	2	11
322	31	3	130	14	21	18	20	4	14	4	–	9	12	13	83	18	23	10	4	–	12
150	14	3	75	12	7	7	9	2	8	1	–	7	1	6	45	5	13	2	3	–	13
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
172	17	–	54	2	14	11	11	2	6	3	–	2	11	7	38	13	10	8	1	–	15
118	10	1	48	4	9	14	6	3	3	3	–	2	2	5	37	5	8	4	–	2	16
34	5	–	13	2	2	5	4	2	1	1	–	1	–	3	18	1	5	–	–	1	17
84	5	1	35	2	7	9	2	1	2	2	–	1	2	2	19	4	3	4	–	1	18
650	50	5	158	28	18	60	33	3	31	34	–	16	34	40	165	57	52	32	22	2	19
21	1	–	6	–	1	1	2	–	4	–	–	–	–	2	7	3	1	2	–	1	20
165	13	1	42	6	3	17	6	2	6	6	–	5	8	9	53	11	8	7	6	1	21
218	24	1	45	6	4	19	8	1	10	12	–	3	15	14	49	19	20	4	9	–	22
24	–	–	4	2	1	1	2	–	2	–	–	2	–	1	7	6	3	–	–	–	23
222	12	3	61	14	9	22	15	–	9	16	–	6	11	14	49	18	20	19	7	–	24
1,749	83	25	478	84	63	105	79	24	85	16	2	31	62	26	357	93	98	82	43	7	25
32	4	–	7	1	1	3	2	–	2	–	–	2	–	1	5	2	3	1	–	–	26
60	2	–	14	2	6	4	3	–	5	–	–	1	4	1	15	5	2	3	–	–	27
45	1	–	9	5	–	1	1	1	1	–	–	1	1	1	10	1	2	3	–	–	28
1,441	64	22	403	69	47	91	65	23	70	16	1	24	50	20	291	71	81	68	41	7	29
171	12	3	45	7	9	6	8	–	7	–	1	3	7	3	36	14	10	7	2	–	30
78	5	–	38	2	3	11	5	–	1	–	–	2	5	2	21	11	7	3	1	–	31
1,056	62	11	359	80	37	77	47	9	51	9	–	14	34	12	221	39	83	42	38	1	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
31	3	–	17	4	3	2	–	1	1	–	–	–	–	1	10	–	5	2	3	–	34
52	2	1	12	4	2	3	3	–	2	–	–	1	–	1	7	–	5	1	2	–	35
542	34	7	215	38	21	43	21	6	31	6	–	5	23	7	124	20	44	19	30	1	36
544	34	7	216	38	21	43	21	6	31	6	–	5	24	7	124	20	44	19	31	1	37
431	23	3	115	34	11	29	23	2	17	3	–	8	11	3	80	19	29	20	3	–	38
218	10	3	82	11	8	14	9	1	4	2	–	4	13	1	38	17	19	11	2	1	39
130	4	3	57	3	7	9	5	1	4	1	–	3	12	1	23	8	12	6	2	–	40
88	6	–	25	8	1	5	4	–	–	1	–	1	1	–	15	9	7	5	–	1	41
239	27	2	60	15	9	17	12	2	6	3	–	6	13	5	40	16	15	9	2	1	42
30	5	–	3	2	–	2	–	–	2	1	–	2	2	–	6	1	2	1	–	–	43
34	8	–	15	4	4	3	3	1	–	–	–	2	3	–	6	7	1	2	2	–	44
54	3	–	14	2	3	4	5	1	1	1	–	–	3	1	6	2	6	3	–	1	45
121	11	2	28	7	2	8	4	–	3	1	–	2	5	4	22	6	6	3	–	–	46
82	10	–	20	8	2	5	4	–	3	1	–	3	3	4	15	9	9	3	1	–	47
127	8	3	40	4	5	7	4	1	2	2	–	2	8	1	34	9	10	6	–	–	48
297	37	3	56	20	9	18	11	–	5	3	–	3	15	5	49	25	21	8	1	–	49
104	12	1	22	3	2	5	8	–	2	–	–	–	5	1	12	2	7	1	–	–	50
75	8	–	12	3	3	2	–	–	3	1	–	1	3	1	18	3	5	2	–	–	51
118	17	2	22	14	4	11	3	–	–	2	–	2	7	3	19	20	9	5	1	–	52
61	1	–	20	5	2	3	2	–	1	1	–	2	1	–	22	5	–	2	–	–	53
1,720	90	13	447	62	68	115	60	11	72	21	–	44	80	67	445	94	98	69	71	3	54
27	–	–	4	1	1	–	1	–	1	–	–	1	4	2	5	1	2	2	–	–	55
873	54	8	205	27	31	68	34	7	47	11	–	19	47	35	233	36	53	31	50	–	56
157	6	1	57	10	8	6	2	–	5	1	–	3	8	7	35	5	10	4	1	–	57
38	1	–	11	2	3	4	1	–	2	–	–	2	1	1	11	3	3	1	3	–	58
47	3	–	9	3	2	3	2	1	1	1	–	–	–	2	6	1	2	1	1	–	59
34	1	–	9	–	1	1	–	–	–	–	–	1	–	–	2	2	–	1	1	–	60
15	1	1	13	1	2	2	2	–	1	1	–	–	–	1	4	4	1	2	1	–	61
529	24	3	139	18	20	31	18	3	15	7	–	18	20	19	149	42	27	27	14	3	62
60	5	–	5	–	–	–	6	–	1	–	–	1	–	3	5	–	4	–	–	1	63
73	3	–	26	14	–	5	2	–	2	3	–	2	1	–	13	6	6	2	–	–	64
303	10	4	63	20	12	26	22	4	7	3	1	–	3	5	58	12	24	10	3	–	65
176	3	2	38	11	5	15	10	2	1	3	–	–	2	4	31	5	9	3	3	–	66
127	7	2	25	9	7	11	12	2	6	–	1	–	1	1	27	7	15	7	–	–	67
53	4	1	12	1	–	4	1	1	–	–	–	–	2	1	8	–	7	3	–	–	68
150	10	–	46	10	5	6	5	1	3	–	–	1	3	3	32	8	9	8	–	3	69
60	6	–	13	7	–	8	4	1	–	1	–	–	4	3	18	9	5	2	1	–	70
146	6	2	35	5	1	–	8	–	2	2	–	1	–	2	15	10	5	4	1	–	71
84	3	1	48	7	4	4	6	2	1	–	–	4	2	6	29	7	7	4	–	1	72
29	1	1	19	7	2	2	2	–	1	–	–	3	1	2	15	1	3	1	–	1	73
55	2	–	29	–	2	2	4	2	–	–	–	1	1	4	14	6	4	3	–	–	74
90	5	1	19	4	2	7	3	–	3	2	–	1	4	2	11	6	7	2	2	–	75
284	19	2	71	10	11	21	14	5	10	2	–	8	12	14	53	28	23	10	6	–	76
34	2	2	13	1	1	2	1	–	1	–	–	–	1	2	6	3	4	3	4	–	77
51	1	–	10	1	5	8	5	1	3	1	–	–	1	3	10	4	1	1	1	–	78
199	16	–	48	8	5	11	8	4	6	1	–	8	10	9	37	21	18	6	1	–	79
104	3	–	26	10	4	7	4	–	1	2	–	3	4	1	25	11	5	3	1	1	80
95	9	2	31	6	4	8	3	–	2	1	–	1	5	–	14	17	13	1	–	–	81
360	17	1	139	32	13	20	18	7	18	3	–	5	15	47	69	19	25	12	10	3	82
205	9	1	88	19	8	16	8	4	13	1	–	3	10	26	36	10	17	7	10	2	83
155	8	–	51	13	5	4	10	3	5	2	–	2	5	21	33	9	8	5	–	1	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
01	Ross	592	–	–	2	106	27	19	12	17	6	3	22	18	316	240	4	1
02	Chillicothe	302	–	–	1	59	13	10	10	10	3	2	11	8	165	125	4	1
03	Balance of county	290	–	–	1	47	14	9	2	7	3	1	11	10	151	115	–	–
04	Sandusky	554	1	–	5	93	25	19	4	13	7	5	20	10	297	235	3	4
05	Fremont	213	1	–	4	31	10	5	2	4	2	3	5	6	113	95	1	2
06	Balance of county	341	–	–	1	62	15	14	2	9	5	2	15	4	184	140	2	2
07	Scioto	940	–	–	6	190	53	40	16	23	14	9	35	31	497	384	4	8
08	Portsmouth	438	–	–	2	95	30	17	7	13	8	6	14	12	233	172	2	4
09	Balance of county	502	–	–	4	95	23	23	9	10	6	3	21	19	264	212	2	4
10	Seneca	561	–	–	1	112	34	30	8	14	5	2	19	24	311	262	2	3
11	Fostoria, part	135	–	–	–	32	9	4	1	10	2	1	5	7	74	53	–	1
12	Fostoria, total	162	–	–	–	46	11	7	2	13	2	2	9	7	81	58	–	1
13	Tiffin	222	–	–	–	40	7	18	3	2	1	1	8	8	134	122	–	2
14	Balance of county	204	–	–	1	40	18	8	4	2	2	–	6	9	103	87	2	–
15	Shelby	317	1	–	1	67	19	18	4	12	1	4	9	8	167	123	–	1
16	Sidney	168	1	–	1	28	7	8	1	7	1	2	2	4	96	72	–	1
17	Balance of county	149	–	–	–	39	12	10	3	5	–	2	7	4	71	51	–	–
18	Stark	3,474	6	1	25	696	186	183	66	71	37	24	129	93	1,856	1,401	29	24
19	Alliance, part	280	1	–	1	59	16	16	3	10	3	3	8	8	151	106	1	1
20	Alliance, total	280	1	–	1	59	16	16	3	10	3	3	8	8	151	106	1	1
21	Canton	1,301	2	1	3	247	62	78	17	31	8	6	45	38	691	510	11	8
22	Massillon	403	–	–	3	88	26	24	7	7	4	2	18	14	208	164	–	4
23	North Canton	96	–	–	–	23	8	4	4	1	1	1	4	1	54	38	2	–
24	Balance of county	1,394	3	–	18	279	74	61	35	22	21	12	54	32	752	583	15	11
25	Summit	4,792	3	4	29	978	290	215	96	110	33	45	189	90	2,404	1,740	43	29
26	Akron	2,768	3	4	19	565	175	135	46	58	20	24	107	55	1,368	986	28	22
27	Barberton	343	–	–	1	65	23	11	6	10	1	3	11	7	182	141	1	1
28	Cuyahoga Falls	385	–	–	–	80	27	15	11	9	1	4	13	6	212	150	4	1
29	Norton	65	–	–	–	16	5	1	3	1	1	1	4	–	32	18	–	1
30	Stow	118	–	–	1	21	5	5	2	2	1	1	5	2	49	30	–	–
31	Tallmadge	88	–	–	1	26	5	3	2	4	1	1	10	2	35	31	–	1
32	Balance of county	1,025	–	–	7	205	50	45	26	26	8	11	39	18	526	384	10	3
33	Trumbull	2,045	2	–	12	391	93	100	32	45	22	14	85	26	1,133	880	15	7
34	Girard	128	–	–	1	27	1	8	1	3	2	1	11	3	69	45	–	–
35	Niles	250	–	–	–	48	11	15	4	–	2	3	13	3	146	123	2	1
36	Warren	714	1	–	6	134	34	29	14	14	8	4	31	8	392	302	4	3
37	Youngstown, part	6	–	–	–	1	–	–	–	–	–	–	1	–	3	2	–	–
38	Balance of county	947	1	–	5	181	47	48	13	28	10	6	29	12	523	408	9	3
39	Tuscarawas	856	1	–	7	163	45	32	10	23	15	6	32	37	443	342	11	3
40	Dover	126	–	–	3	22	6	3	–	–	4	2	7	7	66	44	1	–
41	New Philadelphia	189	1	–	2	43	10	13	4	4	3	1	8	5	99	79	3	–
42	Balance of county	541	–	–	2	98	29	16	6	19	8	3	17	25	278	219	7	3
43	Union	227	–	–	3	38	7	8	4	5	4	2	8	5	130	91	–	3
44	Van Wert	287	–	–	3	61	23	13	4	8	3	3	7	8	156	103	4	1
45	Van Wert	136	–	–	1	33	11	7	3	4	2	2	4	3	70	50	–	–
46	Balance of county	151	–	–	2	28	12	6	1	4	1	1	3	5	86	53	4	1
47	Vinton	100	–	–	2	21	8	3	3	3	–	2	2	1	53	35	1	–
48	Warren	540	–	–	3	111	24	33	9	16	3	5	21	7	288	206	4	4
49	Franklin	82	–	–	–	14	4	6	2	1	–	1	–	–	49	35	–	–
50	Balance of county	458	–	–	3	97	20	27	7	15	3	4	21	7	239	171	4	4
51	Washington	529	1	–	5	108	40	27	8	14	2	3	14	15	293	211	3	6
52	Marietta	193	–	–	–	32	9	9	3	5	–	1	5	6	118	81	–	3
53	Balance of county	336	1	–	5	76	31	18	5	9	2	2	9	9	175	130	3	3
54	Wayne	683	–	–	3	118	29	24	11	19	4	7	24	14	386	275	4	1
55	Wooster	181	–	–	1	38	10	7	2	7	1	2	9	4	102	66	–	–
56	Balance of county	502	–	–	2	80	19	17	9	12	3	5	15	10	284	209	4	1
57	Williams	299	–	–	2	63	19	15	4	10	3	3	9	11	160	122	–	4
58	Wood	724	–	1	1	149	31	25	20	21	9	9	34	11	379	276	5	6
59	Bowling Green	94	–	–	–	23	4	6	4	2	2	2	3	–	46	32	1	1
60	Fostoria, part	6	–	–	–	4	–	1	–	2	–	–	1	–	–	–	–	–
61	Balance of county	624	–	1	1	122	27	18	16	17	7	7	30	11	333	244	4	5
62	Wyandot	237	–	–	2	42	19	5	2	4	2	2	8	5	135	98	4	7
63	**Oklahoma**	27,129	54	1	229	5,102	1,259	1,369	394	557	231	215	1,077	410	13,882	9,956	130	162
64	Urban places	13,037	30	1	102	2,544	618	693	209	262	120	112	530	180	6,526	4,617	71	63
65	Balance of area	14,092	24	–	127	2,558	641	676	185	295	111	103	547	230	7,356	5,339	59	99
66	Metropolitan counties	11,131	26	1	97	2,191	525	601	179	240	87	92	467	153	5,411	3,898	60	50
67	Urban places	8,875	22	1	71	1,768	426	484	146	188	71	82	371	118	4,307	3,085	52	37
68	Balance of area	2,256	4	–	26	423	99	117	33	52	16	10	96	35	1,104	813	8	13
69	Nonmetropolitan counties	15,998	28	–	132	2,911	734	768	215	317	144	123	610	257	8,471	6,058	70	112
70	Urban places	4,162	8	–	31	776	192	209	63	74	49	30	159	62	2,219	1,532	19	26
71	Balance of area	11,836	20	–	101	2,135	542	559	152	243	95	93	451	195	6,252	4,526	51	86
72	Adair	158	2	–	2	23	5	8	1	1	1	1	6	6	69	41	2	–
73	Alfalfa	134	–	–	1	20	10	2	3	1	–	1	3	3	80	54	–	–
74	Atoka	143	–	–	1	22	3	9	1	1	2	1	5	2	78	65	1	–
75	Beaver	50	–	–	–	14	5	1	1	3	1	–	3	–	23	18	–	–
76	Beckham	230	–	–	–	47	10	8	4	5	7	3	10	6	106	80	–	4
77	Blaine	180	1	–	–	29	6	6	2	5	3	–	7	–	83	67	2	1
78	Bryan	336	2	–	2	61	15	20	9	6	1	1	9	5	191	128	1	–
79	Durant	159	–	–	1	30	9	6	7	2	1	–	5	3	93	60	–	–
80	Balance of county	177	2	–	1	31	6	14	2	4	–	1	4	2	98	68	1	–
81	Caddo	344	–	–	4	57	16	16	6	5	3	4	7	14	156	114	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–676)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
225	10	1	53	16	6	23	7	1	11	1	–	3	9	16	47	11	15	4	1	1	01
116	4	1	26	10	3	12	5	1	6	–	–	–	4	10	21	1	6	2	–	1	02
109	6	–	27	6	3	11	2	–	5	1	–	3	5	6	26	10	9	2	1	–	03
217	11	4	37	5	16	13	8	2	7	2	–	7	5	3	52	25	13	7	2	2	04
87	5	1	9	2	6	6	4	–	3	1	–	3	2	–	20	8	6	3	1	1	05
130	6	3	28	3	10	7	4	2	4	1	–	4	3	3	32	17	7	4	1	1	06
349	23	3	82	17	11	27	16	7	7	7	–	5	10	4	68	19	29	10	4	3	07
157	9	1	43	8	9	13	9	5	3	3	–	–	4	1	35	6	12	2	1	2	08
192	14	2	39	9	2	14	7	2	4	4	–	5	6	3	33	13	17	8	3	1	09
249	8	2	37	6	4	15	8	5	4	2	–	8	6	5	31	15	7	7	–	–	10
51	1	2	14	4	1	–	2	1	1	–	–	–	2	1	7	5	1	2	–	–	11
56	1	2	15	5	1	–	3	1	1	–	–	–	2	1	9	5	2	2	1	1	12
115	5	–	10	1	1	7	2	2	2	1	–	3	2	3	10	4	2	2	–	–	13
83	2	–	13	1	2	8	4	2	1	1	–	5	2	1	14	6	4	3	–	–	14
115	7	1	27	10	6	10	4	1	3	2	–	1	5	1	23	11	9	3	–	–	15
67	4	1	12	7	4	4	2	–	2	2	–	1	2	–	11	5	6	3	–	–	16
48	3	–	15	3	2	6	2	1	1	–	–	–	3	1	12	6	3	–	–	–	17
1,272	76	10	336	59	50	113	48	6	40	10	–	23	44	17	266	81	91	42	16	–	18
99	5	2	31	9	3	8	7	–	2	2	–	–	3	1	27	5	5	–	–	–	19
99	5	2	31	9	3	8	7	–	2	2	–	–	3	1	27	5	5	–	–	–	20
459	32	5	129	28	19	41	14	2	18	4	–	6	19	6	119	25	38	18	9	–	21
154	6	1	40	1	2	10	9	1	4	1	–	4	4	1	27	13	8	4	4	–	22
34	2	–	10	5	1	1	1	–	4	–	–	–	1	–	6	2	2	1	–	–	23
526	31	2	126	16	25	53	17	3	12	3	–	13	17	9	87	36	38	19	3	–	24
1,534	134	13	470	105	76	109	56	11	74	23	–	29	66	389	350	55	60	52	5	5	25
872	64	9	273	57	43	72	31	8	43	16	–	12	44	243	200	23	34	21	4	3	26
131	8	–	28	8	5	5	3	1	8	1	–	2	6	23	27	3	2	6	–	1	27
131	14	1	40	10	11	10	2	2	6	1	–	5	2	21	29	4	1	4	–	–	28
14	3	–	10	3	1	–	–	–	–	–	–	1	–	3	5	4	2	2	–	–	29
27	3	1	14	3	1	3	2	–	3	–	–	1	5	17	8	2	–	4	–	–	30
28	2	–	4	–	–	–	2	–	2	1	–	1	–	8	8	–	–	2	–	–	31
331	40	2	101	24	15	19	16	–	12	4	–	7	9	74	73	19	21	13	1	1	32
807	51	5	174	40	34	61	34	5	35	6	–	13	35	9	140	55	44	27	12	5	33
44	1	1	17	4	2	7	3	–	4	1	–	–	–	1	9	2	1	–	–	–	34
113	7	–	16	2	5	10	3	1	4	1	–	1	2	1	18	4	2	4	2	–	35
279	16	2	69	10	9	25	13	2	15	3	–	1	19	5	40	15	21	6	4	4	36
2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	37
369	27	2	71	24	18	19	15	2	12	1	–	11	13	2	73	34	20	17	5	1	38
314	14	–	72	9	20	21	19	5	7	6	–	3	6	4	71	19	26	14	4	–	39
42	1	–	14	4	4	5	–	1	2	1	–	1	1	–	12	2	2	1	–	–	40
74	2	–	16	–	4	1	5	2	1	1	–	–	1	1	17	4	2	5	–	–	41
198	11	–	42	5	12	15	14	2	4	4	–	2	5	3	42	13	22	8	4	–	42
86	2	–	29	10	–	2	5	2	3	–	–	1	4	–	17	11	3	2	1	–	43
89	9	2	34	15	2	8	6	–	2	–	1	2	3	2	21	8	5	1	–	–	44
46	4	1	13	5	1	2	5	–	2	–	1	2	3	1	10	–	3	–	–	–	45
43	5	1	21	10	1	6	1	–	–	–	–	–	–	1	11	8	2	1	–	–	46
32	2	–	16	–	2	2	2	–	–	1	–	–	3	3	7	1	4	–	–	–	47
188	10	3	61	6	12	11	8	3	3	1	–	2	7	4	42	22	14	9	3	2	48
34	1	2	10	–	2	2	–	1	–	–	–	–	2	–	9	3	1	1	–	–	49
154	9	1	51	6	10	9	8	2	3	1	–	2	5	4	33	19	13	8	3	2	50
186	16	3	61	14	4	14	4	–	8	2	–	3	5	1	40	11	9	7	2	1	51
72	6	2	25	7	3	5	2	–	1	1	–	–	1	1	16	1	3	3	2	1	52
114	10	1	36	7	1	9	2	–	7	1	–	3	4	–	24	10	6	4	–	–	53
260	10	2	85	15	9	18	10	2	2	1	1	14	9	6	45	18	24	7	2	3	54
63	3	–	30	3	3	5	1	–	1	1	1	1	2	1	15	2	5	1	–	–	55
197	7	2	55	12	6	13	9	2	1	–	–	13	7	5	30	16	19	6	2	3	56
112	6	–	35	1	2	6	1	2	1	3	–	2	–	1	14	17	12	2	2	–	57
254	11	1	75	17	10	26	9	2	15	1	–	3	6	3	41	31	27	13	4	2	58
29	1	–	10	3	1	5	2	–	1	–	–	–	–	2	7	1	5	2	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	60
225	10	1	65	14	9	21	7	2	14	1	–	3	6	1	34	30	21	11	4	1	61
81	6	–	31	1	5	8	2	1	–	–	–	3	1	1	16	4	10	6	1	–	62
8,755	**909**	**89**	**3,000**	**443**	**394**	**986**	**310**	**77**	**358**	**131**	**9**	**155**	**349**	**412**	**2,361**	**871**	**818**	**351**	**218**	**45**	**63**
4,102	381	42	1,472	201	194	407	158	41	192	68	7	84	222	198	1,175	367	384	200	128	23	64
4,653	528	47	1,528	242	200	579	152	36	166	63	2	71	127	214	1,186	504	434	151	90	22	65
3,449	339	32	1,165	143	173	341	132	28	169	43	7	80	203	196	1,025	355	333	188	133	19	66
2,741	255	23	948	118	133	258	109	21	148	38	6	70	171	151	819	253	267	153	108	16	67
708	84	9	217	25	40	83	23	7	21	5	1	10	32	45	206	102	66	35	25	3	68
5,306	570	57	1,835	300	221	645	178	49	189	88	2	75	146	216	1,336	516	485	163	85	26	69
1,361	126	19	524	83	61	149	49	20	44	30	1	14	51	47	356	114	117	47	20	7	70
3,945	444	38	1,311	217	160	496	129	29	145	58	1	61	95	169	980	402	368	116	65	19	71
33	6	1	24	1	2	14	–	1	2	1	–	3	3	2	11	8	6	3	2	–	72
50	4	1	14	9	2	3	1	–	1	–	–	1	1	1	13	6	2	1	–	–	73
56	8	1	10	–	2	4	5	–	5	–	–	–	1	2	14	4	4	1	–	–	74
16	2	–	4	–	1	–	2	–	–	–	–	–	–	–	3	5	3	–	–	–	75
68	8	–	17	8	1	13	5	–	3	2	–	–	3	16	16	–	10	3	–	–	76
59	5	–	10	3	3	14	–	–	12	1	–	1	4	2	21	4	6	2	–	–	77
116	11	–	46	7	10	4	2	1	7	5	–	2	4	2	18	7	11	6	4	2	78
53	7	–	24	3	6	4	2	–	3	2	–	–	3	2	6	3	3	2	1	1	79
63	4	–	22	4	4	–	–	1	4	3	–	2	1	–	12	4	8	4	3	1	80
105	7	1	36	2	3	18	8	1	12	1	–	1	5	6	32	13	11	3	1	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Canadian	301	–	–	4	46	14	11	8	4	–	3	6	6	162	121	–	2
02	El Reno	167	–	–	2	21	4	7	4	–	–	2	4	3	96	74	–	1
03	Oklahoma City, part	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
04	Balance of county	133	–	–	2	24	10	4	4	–	–	1	1	3	66	47	–	1
05	Carter	538	1	–	4	87	12	29	6	9	9	4	18	9	290	192	3	6
06	Ardmore	358	1	–	2	59	8	19	5	6	7	–	14	8	194	132	3	3
07	Balance of county	180	–	–	2	28	4	10	1	3	2	4	4	1	96	60	–	3
08	Cherokee	261	2	–	4	49	16	15	2	6	3	–	7	2	115	82	1	–
09	Choctaw	234	1	–	–	42	12	10	2	4	–	2	12	6	135	109	1	5
10	Cimarron	31	–	–	–	6	3	–	2	–	–	1	–	1	17	12	–	–
11	Cleveland	545	1	–	5	97	28	24	9	12	1	5	18	11	272	195	1	2
12	Moore	98	1	–	3	21	6	6	2	3	1	1	2	–	34	31	–	1
13	Norman	331	–	–	1	57	19	11	3	7	–	4	13	8	178	121	–	1
14	Oklahoma City, part	12	–	–	–	3	–	1	2	–	–	–	–	–	7	4	–	–
15	Balance of county	104	–	–	1	16	3	6	2	2	–	–	3	3	53	39	1	–
16	Coal	75	–	–	1	12	5	2	1	–	–	–	4	1	41	34	–	1
17	Comanche	669	3	–	8	115	36	31	7	5	5	6	25	11	276	193	4	3
18	Lawton	499	2	–	5	86	26	24	6	4	5	6	15	9	203	140	4	2
19	Balance of county	170	1	–	3	29	10	7	1	1	–	–	10	2	73	53	–	1
20	Cotton	86	–	–	–	25	6	8	1	3	–	–	7	–	50	34	–	2
21	Craig	182	–	–	–	34	7	9	4	5	5	2	2	5	101	60	–	1
22	Creek	539	2	–	2	107	25	37	6	5	6	4	24	12	272	208	2	2
23	Sapulpa	227	1	–	–	41	6	15	2	2	1	3	12	6	127	92	1	2
24	Balance of county	312	1	–	2	66	19	22	4	3	5	1	12	6	145	116	1	–
25	Custer	267	1	–	1	37	6	2	4	10	3	5	7	9	151	113	2	3
26	Delaware	262	1	–	3	41	10	13	2	3	2	1	10	6	152	118	2	1
27	Dewey	75	–	–	–	19	4	4	2	4	–	1	4	–	33	21	–	1
28	Ellis	76	–	–	–	19	3	6	3	3	1	1	2	1	41	26	–	–
29	Garfield	608	–	–	3	113	34	29	6	9	8	1	26	9	315	231	4	7
30	Enid	501	–	–	3	97	31	23	6	7	8	1	21	5	261	192	3	7
31	Balance of county	107	–	–	–	16	3	6	–	2	–	–	5	4	54	39	1	–
32	Garvin	325	–	–	3	67	14	24	4	10	3	4	8	3	167	118	2	1
33	Grady	359	–	–	3	72	19	21	6	4	3	2	17	4	199	115	4	1
34	Chickasha	220	–	–	2	41	12	11	3	3	3	1	8	3	128	72	2	–
35	Balance of county	139	–	–	1	31	7	10	3	1	–	1	9	1	71	43	2	1
36	Grant	81	–	–	–	21	4	8	1	2	–	1	5	–	45	32	–	1
37	Greer	148	–	–	2	31	7	9	1	2	–	1	8	3	66	43	–	–
38	Harmon	83	–	–	–	7	2	3	–	1	–	–	1	–	68	59	–	1
39	Harper	51	–	–	–	7	1	2	–	1	2	–	1	1	25	18	–	–
40	Haskell	147	–	–	–	32	9	9	1	4	2	2	5	3	76	56	2	2
41	Hughes	203	–	–	2	44	12	11	4	5	1	3	8	5	99	68	1	–
42	Jackson	271	1	–	1	54	13	17	5	8	2	–	9	4	131	77	–	4
43	Altus	173	–	–	–	31	7	12	4	3	1	–	4	3	81	46	–	3
44	Balance of county	98	1	–	1	23	6	5	1	5	1	–	5	1	50	31	–	1
45	Jefferson	116	1	–	1	13	5	6	–	–	1	–	1	1	85	66	–	1
46	Johnston	132	–	–	1	17	5	5	–	2	–	1	4	3	82	71	1	–
47	Kay	581	–	–	3	124	32	31	7	12	7	6	29	11	308	226	3	–
48	Ponca City	292	–	–	1	73	24	18	4	4	5	3	15	6	149	105	2	–
49	Balance of county	289	–	–	2	51	8	13	3	8	2	3	14	5	159	121	1	–
50	Kingfisher	152	–	–	–	28	8	12	–	2	–	2	4	2	76	52	–	–
51	Kiowa	175	–	–	1	26	6	3	3	3	1	2	8	2	111	78	2	3
52	Latimer	113	1	–	3	22	10	3	–	4	1	–	4	2	60	43	–	–
53	Le Flore	421	–	–	6	78	16	24	3	10	1	3	21	7	230	164	1	2
54	Lincoln	238	–	–	3	38	8	12	3	8	2	–	5	5	130	100	–	6
55	Logan	303	–	–	2	41	15	11	2	3	–	2	8	6	166	125	1	–
56	Love	86	–	–	1	17	8	3	1	1	–	1	3	1	39	30	–	–
57	McClain	174	–	–	3	30	8	10	1	2	–	1	8	–	93	59	–	2
58	Oklahoma City, part	2	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–
59	Balance of county	172	–	–	3	29	8	10	1	1	–	1	8	–	92	58	–	2
60	McCurtain	379	2	–	5	52	20	5	6	7	2	–	12	2	187	134	1	1
61	McIntosh	186	–	–	7	31	6	3	4	3	4	1	10	4	96	70	–	1
62	Major	94	–	–	1	12	4	3	3	2	–	–	–	3	54	35	1	–
63	Marshall	134	–	–	1	20	6	6	2	1	–	1	4	6	78	66	1	3
64	Mayes	329	1	–	4	63	17	20	1	6	2	3	14	3	173	115	2	1
65	Murray	185	–	–	1	39	12	7	3	6	2	1	8	7	102	69	–	1
66	Muskogee	775	1	–	5	143	44	35	7	15	8	5	29	4	419	311	3	6
67	Muskogee	549	–	–	2	104	26	26	7	12	8	4	21	3	308	232	2	1
68	Balance of county	226	1	–	3	39	18	9	–	3	–	1	8	1	111	79	1	5
69	Noble	128	–	–	1	29	1	7	4	7	3	1	6	3	61	47	–	2
70	Nowata	126	–	–	1	19	5	9	1	1	–	–	3	2	80	52	1	–
71	Okfuskee	153	–	–	3	24	6	3	–	6	1	2	6	3	91	70	–	2
72	Oklahoma	4,645	10	–	37	960	224	255	79	109	43	44	206	60	2,227	1,609	24	26
73	Bethany	126	–	–	3	20	5	3	2	2	3	2	3	1	71	53	2	1
74	Del City	141	1	–	1	44	9	12	2	7	1	2	11	–	53	44	–	1
75	Edmond	156	–	–	–	28	6	8	4	3	–	–	7	3	73	52	–	2
76	Midwest City	292	1	–	1	67	15	16	5	7	3	3	18	2	131	94	1	2
77	Oklahoma City, part	3,646	8	–	29	745	176	204	63	77	34	35	156	49	1,763	1,263	20	15
78	Oklahoma City, total	3,661	8	–	29	750	176	205	65	78	34	35	157	49	1,771	1,268	20	15
79	The Village	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
80	Balance of county	280	–	–	3	56	13	12	3	13	2	2	11	5	134	101	1	5
81	Okmulgee	490	1	–	8	105	25	23	14	13	5	5	20	6	266	215	–	6
82	Okmulgee	230	1	–	3	47	10	10	8	4	1	5	9	3	121	93	–	1
83	Balance of county	260	–	–	5	58	15	13	6	9	4	–	11	3	145	122	–	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
105	14	1	32	3	5	13	–	1	7	1	–	–	3	5	34	4	6	3	5	1	01
65	8	1	16	2	3	8	–	1	5	1	–	–	1	3	18	3	2	–	2	1	02
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	03
40	6	–	16	1	2	5	–	–	2	–	–	–	2	2	16	1	4	3	3	–	04
156	27	–	76	15	7	17	6	2	10	6	–	3	3	10	50	14	17	4	2	3	05
104	22	–	48	9	5	10	5	1	6	5	–	2	2	5	31	11	11	2	1	2	06
52	5	–	28	6	2	7	1	1	4	1	–	1	1	5	19	3	6	2	1	1	07
74	7	–	29	1	3	12	2	–	4	2	–	2	3	6	26	17	11	3	1	–	08
92	11	1	17	5	3	7	2	1	5	1	–	4	1	1	11	3	10	2	2	–	09
8	4	–	3	1	1	1	–	–	–	–	–	–	1	–	1	4	–	–	–	–	10
179	13	–	69	4	4	25	5	4	7	3	1	4	8	9	32	31	15	10	4	1	11
27	3	–	3	–	–	2	2	1	3	2	–	2	3	2	6	15	–	–	1	–	12
111	9	–	53	2	2	17	1	1	2	1	–	1	3	3	24	10	12	9	3	–	13
4	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	14
37	1	–	12	1	1	6	2	2	2	–	1	1	2	4	1	6	3	1	–	–	15
31	2	1	5	–	1	–	–	–	1	1	–	–	–	–	10	4	–	1	1	1	16
171	15	4	64	7	8	16	10	–	13	3	–	10	26	23	71	31	20	14	18	1	17
124	10	3	48	7	5	12	9	–	12	2	–	10	23	20	56	13	13	9	14	1	18
47	5	1	16	–	3	4	1	–	1	1	–	–	3	3	15	18	7	5	4	–	19
30	2	–	15	1	–	3	–	–	–	–	–	–	–	–	5	3	–	–	–	–	20
55	4	–	36	2	3	9	3	–	–	–	–	–	3	2	16	5	3	1	–	–	21
188	16	3	48	4	9	15	8	1	5	1	–	1	4	9	53	18	17	4	7	1	22
86	3	–	30	1	4	4	4	–	4	1	–	1	1	3	15	4	9	1	5	1	23
102	13	3	18	3	5	11	4	1	1	1	–	–	3	6	38	14	8	3	2	–	24
95	13	2	30	4	2	15	6	–	2	–	–	1	5	20	8	5	1	2	1	1	25
101	14	–	24	7	3	6	4	1	1	–	–	4	4	7	11	14	6	1	–	–	26
17	3	–	9	2	1	7	–	–	2	1	–	–	–	1	6	2	2	1	1	–	27
24	2	–	13	1	1	4	1	1	1	–	–	–	–	–	3	2	2	1	–	–	28
201	19	–	64	9	11	27	8	6	5	2	–	1	9	12	54	20	11	8	4	1	29
164	18	–	52	8	9	19	7	5	4	1	–	1	9	12	42	14	10	7	3	1	30
37	1	–	12	1	2	8	1	1	1	1	–	–	–	–	12	6	1	1	1	–	31
104	11	–	35	8	6	17	2	–	2	1	–	2	2	6	30	8	12	1	2	–	32
101	9	4	47	26	7	19	1	2	–	–	–	–	–	6	26	12	9	3	2	1	33
65	5	1	31	19	5	13	–	1	–	–	–	–	–	2	16	6	4	3	1	–	34
36	4	3	16	7	2	6	1	1	–	–	–	–	–	4	10	6	5	1	1	1	35
22	9	–	11	2	–	3	1	–	–	–	–	–	–	1	5	2	3	–	–	–	36
38	5	–	17	3	3	19	1	–	2	–	–	–	1	1	15	2	4	1	–	–	37
52	6	–	8	1	–	2	–	–	–	–	–	–	1	1	1	2	1	–	–	–	38
15	3	–	3	2	2	2	–	–	–	1	–	–	1	1	5	3	4	1	–	–	39
40	12	–	20	–	–	6	–	–	2	–	–	–	3	5	15	3	5	1	–	1	40
64	3	–	27	1	3	11	1	1	4	–	–	2	4	11	3	11	4	–	–	1	41
62	11	1	49	2	2	8	2	–	2	1	–	2	6	3	26	11	13	2	3	1	42
39	4	1	32	1	1	7	2	–	1	1	–	2	5	2	17	8	9	1	2	1	43
23	7	–	17	1	1	1	–	–	1	–	–	–	1	1	9	3	4	1	1	–	44
60	5	–	14	3	2	–	2	–	2	–	–	1	1	–	6	1	2	–	–	–	45
69	1	–	11	–	–	3	4	–	1	–	–	–	–	–	10	6	4	–	1	–	46
206	17	3	63	10	6	19	10	3	6	3	–	2	3	1	38	26	18	5	1	1	47
94	9	2	31	7	4	4	5	2	2	2	–	1	3	–	22	12	7	2	–	1	48
112	8	1	32	3	2	15	5	1	4	1	–	1	–	1	16	14	11	3	–	–	49
48	4	–	16	4	4	9	–	1	2	–	–	–	1	4	13	7	8	1	–	–	50
65	8	1	24	4	4	5	1	1	–	1	–	1	1	1	14	3	4	2	2	–	51
36	7	–	11	2	4	5	1	–	–	–	–	–	–	–	10	6	2	1	–	–	52
139	22	1	46	9	10	14	4	–	3	–	–	2	6	9	33	12	14	–	3	–	53
78	16	1	24	2	3	9	7	–	1	1	–	1	–	1	23	10	8	1	–	–	54
120	4	3	32	1	5	25	1	–	4	1	–	1	1	2	28	10	11	3	–	2	55
29	1	–	7	1	1	10	1	–	–	2	–	–	–	–	10	1	2	2	–	–	56
53	4	3	22	8	1	6	3	–	2	–	–	–	3	14	10	2	5	1	2	–	57
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58
52	4	3	22	8	1	6	3	–	2	–	–	–	3	14	10	2	5	1	2	–	59
112	20	1	35	13	4	16	3	1	6	3	–	3	8	6	43	14	18	2	7	1	60
62	7	–	22	1	3	5	1	1	–	3	–	4	–	4	17	9	2	1	1	–	61
33	1	1	13	3	2	7	–	–	–	1	–	2	–	1	9	1	2	1	–	–	62
60	2	–	10	2	–	3	1	1	5	1	–	1	1	1	5	1	5	3	1	–	63
103	9	–	48	5	5	9	6	–	5	2	–	2	4	2	24	16	13	1	–	1	64
51	17	–	17	13	3	6	1	1	2	1	–	–	–	2	11	3	5	3	–	1	65
285	17	5	86	5	12	26	8	1	12	9	–	4	10	8	65	23	20	9	8	–	66
216	13	2	62	5	7	17	6	1	10	7	–	3	3	6	45	11	12	7	4	–	67
69	4	3	24	–	5	9	2	–	2	2	–	1	7	2	20	12	8	2	4	–	68
34	11	1	12	2	–	2	1	–	–	4	1	1	1	2	11	5	4	2	1	–	69
43	8	1	24	–	3	3	1	–	–	–	–	–	3	2	10	1	5	3	–	–	70
63	5	1	15	1	4	8	–	–	3	2	–	–	3	2	11	3	1	1	1	–	71
1,404	155	13	455	76	74	131	47	8	67	18	4	34	76	92	439	135	145	90	54	11	72
46	4	–	15	2	1	2	2	2	–	–	–	–	2	1	11	3	4	4	–	–	73
36	7	–	7	2	–	4	–	–	2	1	–	–	3	6	17	2	2	1	4	–	74
45	5	–	17	3	1	6	5	1	1	1	–	–	3	4	11	10	6	3	–	1	75
73	18	1	25	7	4	12	5	–	2	3	–	4	6	3	25	12	7	7	3	1	76
1,120	108	10	367	60	63	101	35	5	59	12	4	29	59	69	350	95	118	67	42	7	77
1,125	108	10	368	61	64	101	35	5	59	12	4	29	59	69	351	95	118	67	42	8	78
1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	79
83	12	2	24	2	5	6	1	–	3	1	–	1	3	8	25	13	7	8	5	2	80
201	8	1	39	4	7	17	1	5	4	1	–	–	4	2	34	13	12	5	5	1	81
86	6	1	21	3	3	12	–	1	2	–	–	–	3	–	18	6	8	2	3	–	82
115	2	–	18	1	4	5	1	4	2	1	–	–	1	2	16	7	4	3	2	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Osage	294	1	–	1	61	13	17	6	5	5	1	14	3	132	102	1	
02	Bartlesville, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
03	Tulsa, part	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
04	Balance of county	289	1	–	1	61	13	17	6	5	5	1	14	3	130	100	1	
05	Ottawa	392	5	–	3	73	14	21	8	8	4	1	17	7	207	137	1	5
06	Miami	184	2	–	1	34	9	9	5	5	1	1	4	3	99	64	–	3
07	Balance of county	208	3	–	2	39	5	12	3	3	3	–	13	4	108	73	1	2
08	Pawnee	159	–	–	1	33	8	10	3	2	2	1	7	2	82	55	–	3
09	Payne	404	–	–	5	70	17	17	3	10	2	5	16	5	224	159	5	1
10	Stillwater	181	–	–	2	31	8	7	–	6	2	3	5	3	104	65	1	1
11	Balance of county	223	–	–	3	39	9	10	3	4	–	2	11	2	120	94	4	1
12	Pittsburg	484	–	–	5	87	20	28	8	6	4	9	12	4	246	173	4	2
13	McAlester	243	–	–	2	36	8	12	2	2	3	4	5	–	130	95	2	1
14	Balance of county	241	–	–	3	51	12	16	6	4	1	5	7	4	116	78	2	1
15	Pontotoc	363	1	–	4	54	14	16	4	1	2	3	14	8	187	130	2	
16	Ada	232	1	–	3	33	8	9	2	1	2	2	9	7	116	81	1	
17	Balance of county	131	–	–	1	21	6	7	2	–	–	1	5	1	71	49	1	
18	Pottawatomie	574	1	–	5	122	31	34	8	19	5	1	24	14	305	199	2	6
19	Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Shawnee	326	1	–	2	70	14	23	3	9	3	1	17	10	185	123	–	5
21	Balance of county	248	–	–	3	52	17	11	5	10	2	–	7	4	120	76	2	1
22	Pushmataha	143	–	–	1	27	5	10	1	1	–	3	7	1	76	41	–	2
23	Roger Mills	50	–	–	–	11	3	1	–	1	2	1	3	–	27	19	1	–
24	Rogers	296	–	–	2	60	14	14	5	9	1	3	14	4	150	108	–	–
25	Seminole	347	–	–	3	70	20	21	3	3	3	2	18	7	194	153	–	4
26	Sequoyah	250	–	–	3	49	10	12	5	6	3	1	12	3	124	91	1	3
27	Stephens	442	–	–	4	79	15	20	5	6	4	5	24	4	232	169	3	2
28	Duncan	226	–	–	4	34	6	7	3	1	1	3	13	1	116	82	2	1
29	Balance of county	216	–	–	–	45	9	13	2	5	3	2	11	3	116	87	1	1
30	Texas	139	–	–	1	26	6	7	4	3	–	–	6	3	56	41	–	–
31	Tillman	166	–	–	1	28	8	4	4	2	2	5	3	3	94	64	2	1
32	Tulsa	3,467	9	1	31	678	159	190	56	84	23	25	141	40	1,716	1,215	26	10
33	Broken Arrow	120	–	–	–	17	1	8	2	–	1	1	4	–	66	41	2	–
34	Sand Springs	119	–	–	1	24	2	10	3	–	1	2	6	2	61	42	–	–
35	Tulsa, part	2,931	8	1	25	593	151	159	46	76	21	21	119	35	1,440	1,030	22	9
36	Tulsa, total	2,935	8	1	25	593	151	159	46	76	21	21	119	35	1,442	1,032	22	9
37	Balance of county	297	1	–	5	44	5	13	5	8	–	1	12	3	149	102	2	1
38	Wagoner	221	–	–	1	40	4	19	–	4	2	–	11	4	103	76	2	2
39	Washington	416	2	–	3	79	16	21	7	12	5	4	14	5	206	142	3	2
40	Bartlesville, part	286	2	–	3	55	12	17	4	8	3	2	9	4	133	89	1	1
41	Bartlesville, total	287	2	–	3	55	12	17	4	8	3	2	9	4	133	89	1	1
42	Balance of county	130	–	–	–	24	4	4	3	4	2	2	5	1	73	53	2	1
43	Washita	127	–	–	–	23	9	2	2	4	3	–	3	1	73	52	–	–
44	Woods	124	–	–	1	14	2	1	2	–	1	–	8	–	72	61	–	2
45	Woodward	164	–	–	1	30	8	4	2	2	1	1	12	1	77	60	1	1
46	**Oregon**	20,486	22	1	108	3,994	976	1,033	360	475	173	181	796	289	10,364	7,293	158	84
47	Urban places	9,443	8	–	35	1,819	454	434	179	207	73	86	386	117	4,875	3,388	78	34
48	Balance of area	11,043	14	1	73	2,175	522	599	181	268	100	95	410	172	5,489	3,905	80	50
49	Metropolitan counties	12,310	14	–	59	2,379	576	603	221	291	94	110	484	152	6,381	4,470	99	51
50	Urban places	7,092	7	–	26	1,406	346	332	136	165	57	68	302	74	3,664	2,551	63	20
51	Balance of area	5,218	7	–	33	973	230	271	85	126	37	42	182	78	2,717	1,919	36	31
52	Nonmetropolitan counties	8,176	8	1	49	1,615	400	430	139	184	79	71	312	137	3,983	2,823	59	33
53	Urban places	2,351	1	–	9	413	108	102	43	42	16	18	84	43	1,211	837	15	14
54	Balance of area	5,825	7	1	40	1,202	292	328	96	142	63	53	228	94	2,772	1,986	44	19
55	Baker	184	–	–	–	31	7	8	3	2	2	2	7	–	102	86	4	1
56	Benton	300	–	–	1	50	11	11	5	7	5	4	7	5	162	111	2	
57	Albany, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
58	Corvallis	171	–	–	–	22	4	2	2	5	2	2	5	4	105	70	1	
59	Balance of county	128	–	–	1	28	7	9	3	2	3	2	2	1	56	40	1	
60	Clackamas	1,564	1	–	4	304	74	81	29	37	10	15	58	23	830	603	14	16
61	Lake Oswego, part	113	–	–	1	30	8	5	2	5	–	4	6	2	50	37	2	
62	Lake Oswego, total	116	–	–	1	30	8	5	2	5	–	4	6	2	53	40	2	
63	Milwaukee, part	184	–	–	–	44	14	8	4	4	4	1	9	1	84	61	1	2
64	Milwaukee, total	184	–	–	–	44	14	8	4	4	4	1	9	1	84	61	1	2
65	Portland, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
66	Balance of county	1,265	1	–	3	230	52	68	23	28	6	10	43	20	695	504	11	14
67	Clatsop	347	–	–	2	87	16	29	6	17	4	2	13	5	174	112	–	1
68	Astoria	135	–	–	2	26	7	7	2	3	1	1	5	3	61	40	–	1
69	Balance of county	212	–	–	–	61	9	22	4	14	3	1	8	2	113	72	–	–
70	Columbia	269	–	1	–	57	15	16	3	4	3	6	10	4	122	94	4	–
71	Coos	548	1	–	2	125	36	32	16	11	2	2	26	7	262	187	1	1
72	Coos Bay	160	–	–	2	40	12	13	4	2	–	–	9	2	69	45	1	1
73	Balance of county	388	1	–	–	85	24	19	12	9	2	2	17	5	193	142	–	–
74	Crook	112	1	–	2	18	3	2	1	2	1	–	9	2	52	35	1	1
75	Curry	163	–	–	1	36	7	14	–	6	1	2	6	2	67	50	–	–
76	Deschutes	353	1	–	2	61	12	13	15	2	1	1	17	8	171	115	7	1
77	Bend	159	–	–	1	24	1	4	5	1	1	1	11	5	71	50	3	1
78	Balance of county	194	1	–	1	37	11	9	10	1	–	–	6	3	100	65	4	1
79	Douglas	700	2	–	5	131	27	38	10	17	5	10	24	20	330	233	4	3
80	Roseburg	225	–	–	1	37	7	12	5	4	1	3	5	8	121	87	2	–
81	Balance of county	475	2	–	4	94	20	26	5	13	4	7	19	12	209	146	2	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
91	10	–	22	3	5	9	4	1	3	1	–	–	3	5	37	15	12	4	1	1	01
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	02
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	03
90	9	–	22	3	5	8	4	1	3	1	–	–	3	5	35	15	12	4	1	1	04
113	18	3	53	7	7	8	4	2	4	2	–	–	2	5	41	5	12	7	4	1	05
54	7	3	27	4	1	4	2	–	2	2	–	–	1	3	20	–	5	5	1	–	06
59	11	–	26	3	6	4	2	2	2	–	–	–	1	2	21	5	7	2	3	1	07
49	3	–	14	11	2	4	3	1	2	1	–	–	2	1	14	6	4	1	2	–	08
144	9	3	54	1	7	10	5	–	1	1	–	–	3	10	2	40	6	12	7	3	09
61	3	2	33	–	4	4	4	1	–	–	–	–	2	7	1	16	1	4	1	–	10
83	6	1	21	1	3	6	1	–	1	1	–	–	1	3	1	24	5	8	6	3	11
160	7	4	60	6	3	17	4	3	11	7	–	–	1	2	5	59	11	13	6	3	12
89	3	3	27	2	3	8	1	1	5	2	–	–	1	2	3	32	8	7	4	1	13
71	4	1	33	4	–	9	3	2	6	5	–	–	–	–	2	27	3	6	2	2	14
122	6	–	50	3	4	19	3	1	4	2	–	–	1	8	2	34	16	14	4	1	15
75	5	–	29	3	3	15	1	1	3	2	–	–	–	5	1	19	12	9	3	1	16
47	1	–	21	–	1	4	2	–	1	–	–	–	1	3	1	15	4	5	1	–	17
178	13	4	78	14	10	19	8	2	4	3	–	–	3	6	35	20	15	6	5	1	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
111	7	2	48	8	4	9	3	1	3	3	–	–	1	2	17	6	10	2	1	–	20
67	6	2	30	6	6	10	5	1	1	–	–	–	2	4	18	14	5	4	4	1	21
37	2	–	34	1	–	3	2	–	2	1	–	–	1	4	1	7	9	3	3	2	22
18	–	–	5	3	–	4	1	–	–	–	–	–	–	1	1	–	2	2	1	–	23
96	12	1	34	2	5	12	2	–	2	1	–	–	2	2	6	32	11	4	5	1	24
136	13	1	29	5	6	11	4	–	2	1	–	–	4	2	1	29	11	6	1	–	25
83	4	1	22	6	4	17	–	2	3	–	–	–	–	2	5	16	9	8	4	5	26
138	26	3	47	10	3	21	11	2	–	2	–	–	3	6	2	36	16	19	5	–	27
69	10	1	29	3	1	12	6	2	–	2	–	–	–	4	2	17	8	13	5	–	28
69	16	2	18	7	2	9	5	–	–	–	–	–	3	2	–	19	8	6	–	–	29
34	7	2	11	2	–	7	4	–	3	–	–	–	–	1	6	7	9	11	5	1	30
59	2	–	21	4	5	7	1	–	3	1	–	–	–	2	18	3	4	–	–	–	31
1,089	90	9	407	31	54	101	54	11	61	16	2	29	1	75	39	310	100	96	59	36	32
34	5	–	20	2	3	8	1	–	1	–	–	–	–	2	–	14	5	4	1	–	33
37	5	–	19	–	–	1	1	–	1	1	–	–	–	5	3	10	4	2	2	1	34
931	68	8	327	29	46	80	44	10	56	14	2	23	60	33	259	77	87	49	33	2	35
932	69	8	327	29	46	81	44	10	56	14	2	23	60	33	260	77	87	49	33	2	36
87	12	1	41	–	5	12	8	1	3	1	–	6	8	3	27	14	3	7	2	–	37
58	14	1	21	1	4	5	3	1	1	3	–	2	1	2	28	11	9	3	3	1	38
125	12	1	43	13	7	12	5	5	3	1	1	1	4	8	53	14	8	2	2	2	39
80	7	1	30	8	5	11	5	4	2	1	1	1	4	6	38	8	5	1	1	1	40
80	7	1	30	8	5	11	5	4	2	1	1	1	4	6	39	8	5	1	1	1	41
45	5	–	13	5	2	1	–	1	1	–	–	–	–	2	15	6	3	1	1	1	42
47	5	–	14	7	–	2	–	–	3	1	–	1	–	3	9	3	5	3	–	–	43
46	13	–	10	–	1	15	2	–	2	–	–	–	1	4	5	3	3	2	–	–	44
50	8	–	13	3	1	11	1	–	2	–	–	–	5	4	12	10	8	–	2	–	45
6,611	440	41	2,251	458	321	808	323	60	341	62	1	145	176	328	1,636	636	665	349	97	89	46
3,083	193	23	1,075	244	145	370	151	27	199	41	1	60	68	154	767	220	276	144	54	57	47
3,528	247	18	1,176	214	176	430	172	33	142	21	–	85	108	174	869	416	389	205	43	32	48
4,040	280	23	1,404	293	191	465	204	36	230	37	1	77	103	218	929	302	384	205	62	72	49
2,316	152	18	803	186	106	255	124	19	164	30	1	39	49	127	559	133	213	106	45	51	50
1,724	128	5	601	107	85	210	80	17	66	7	–	38	54	91	370	169	171	99	17	21	51
2,571	160	18	847	165	130	335	119	24	111	25	–	68	73	110	707	334	281	144	35	17	52
767	41	5	272	58	39	115	27	8	35	11	–	21	19	27	208	87	63	38	9	6	53
1,804	119	13	575	107	91	220	92	16	76	14	–	47	54	83	499	247	218	106	26	11	54
78	3	–	11	5	–	6	–	–	2	–	–	3	–	3	22	6	3	2	4	–	55
105	4	–	39	7	5	8	2	–	1	4	–	4	5	4	27	16	6	5	–	–	56
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	57
66	3	–	26	4	5	6	1	–	1	2	–	2	3	–	14	7	3	1	–	–	58
38	1	–	13	3	–	2	1	–	–	2	–	2	2	4	13	9	3	4	–	–	59
528	45	1	174	33	19	74	18	9	17	2	–	9	22	21	107	52	40	19	8	4	60
32	3	–	11	2	–	3	2	1	1	–	–	–	1	3	12	4	2	–	–	1	61
35	3	–	11	2	–	3	2	1	1	–	–	–	1	3	12	4	2	–	–	1	62
58	–	–	18	3	2	9	3	2	2	1	–	2	5	3	14	2	6	3	3	–	63
58	–	–	18	3	2	9	3	2	2	1	–	2	5	3	14	2	6	3	3	–	64
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	65
438	41	1	145	28	17	62	12	6	14	1	–	7	16	15	81	46	32	16	5	3	66
102	9	1	54	5	2	15	3	–	10	–	–	1	1	1	27	10	6	3	2	–	67
37	2	–	17	3	1	8	–	–	6	–	–	–	1	1	19	4	2	1	1	–	68
65	7	1	37	2	1	7	3	–	4	–	–	1	–	–	8	6	4	2	1	–	69
81	9	–	22	1	5	11	2	2	5	2	–	2	3	2	26	13	13	3	–	1	70
174	11	3	57	9	6	26	17	4	8	–	–	1	4	5	43	17	16	9	1	–	71
42	1	2	16	5	1	11	4	–	3	–	–	1	1	3	11	5	5	3	–	–	72
132	10	1	41	4	5	15	13	4	5	–	–	–	3	2	32	12	11	6	1	–	73
32	1	1	9	5	2	6	4	–	3	–	–	2	1	2	11	5	4	1	–	–	74
47	3	–	11	4	2	2	2	–	1	–	–	4	7	2	24	7	10	5	1	–	75
100	7	–	40	8	8	14	6	–	3	1	–	2	1	7	31	12	12	11	2	–	76
45	2	–	16	3	2	9	3	–	2	1	–	2	6	4	18	5	4	7	2	–	77
55	5	–	24	5	6	5	3	–	4	–	–	2	6	3	13	7	8	4	–	–	78
219	7	2	72	12	11	26	12	1	17	–	–	5	5	5	50	35	31	23	2	–	79
83	2	1	27	1	5	10	4	–	6	–	–	1	1	1	14	8	8	5	–	–	80
136	5	1	45	11	6	16	8	1	11	–	–	4	4	4	36	27	23	18	2	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oregon—Con.																	
01	Gilliam	24	–	–	–	5	1	2	1	–	–	–	1	–	13	9	–	–
02	Grant	72	–	–	–	12	4	3	–	2	2	–	1	–	31	23	–	–
03	Harney	70	–	–	2	18	6	4	1	1	–	3	3	3	27	19	–	1
04	Hood River	138	–	–	–	28	8	3	1	5	2	1	8	1	68	46	1	1
05	Jackson	1,008	1	–	8	205	53	55	16	21	10	9	41	11	503	377	4	9
06	Ashland	118	–	–	–	22	5	3	–	4	2	1	7	1	51	29	–	–
07	Medford	405	1	–	1	77	20	22	8	4	2	4	17	4	235	185	–	6
08	Balance of county	485	–	–	7	106	28	30	8	13	6	4	17	6	217	163	4	3
09	Jefferson	81	–	–	–	12	6	4	2	–	–	–	–	2	37	25	1	–
10	Josephine	483	–	–	2	91	27	22	10	7	7	3	15	1	256	171	1	–
11	Grants Pass	180	–	–	–	32	12	7	4	3	3	1	2	–	103	61	–	–
12	Balance of county	303	–	–	2	59	15	15	6	4	4	2	13	1	153	110	1	–
13	Klamath	452	–	–	1	82	19	24	8	9	4	3	15	10	216	148	5	1
14	Klamath Falls	181	–	–	–	34	9	9	4	6	–	1	5	3	89	64	2	1
15	Balance of county	271	–	–	1	48	10	15	4	3	4	2	10	7	127	84	3	–
16	Lake	62	–	–	2	9	4	2	1	–	–	–	2	–	29	22	1	–
17	Lane	1,732	–	–	9	345	84	79	34	38	20	18	72	16	886	599	11	6
18	Eugene	735	–	–	5	159	36	36	15	14	8	11	39	5	375	246	4	1
19	Springfield	255	–	–	–	49	16	14	3	5	2	–	9	3	131	96	2	–
20	Balance of county	742	–	–	4	137	32	29	16	19	10	7	24	8	380	257	5	5
21	Lincoln	324	1	–	1	77	16	19	3	13	4	5	17	5	160	105	5	1
22	Linn	620	–	–	4	119	27	39	9	14	6	5	19	12	306	221	3	4
23	Albany, part	203	–	–	1	26	4	7	4	3	1	1	6	4	104	73	1	2
24	Albany, total	204	–	–	1	26	4	7	4	3	1	1	6	4	105	74	1	2
25	Balance of county	417	–	–	3	93	23	32	5	11	5	4	13	8	202	148	2	2
26	Malheur	202	–	–	3	41	14	10	4	5	1	2	5	5	89	60	1	–
27	Marion	1,596	1	–	6	283	65	58	27	44	12	18	59	30	871	619	14	3
28	Salem, part	832	1	–	4	149	33	26	15	23	7	11	34	15	449	311	10	1
29	Salem, total	918	1	–	7	160	35	28	17	25	7	11	37	17	500	349	11	3
30	Balance of county	764	–	–	2	134	32	32	12	21	5	7	25	15	422	308	4	2
31	Morrow	56	–	–	–	9	2	2	1	4	–	–	–	1	23	13	–	–
32	Multnomah	5,885	9	–	31	1,131	271	304	107	135	42	45	227	62	3,029	2,103	48	18
33	Lake Oswego, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
34	Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Portland, part	4,547	6	–	13	892	215	229	87	107	33	39	182	42	2,360	1,642	41	13
36	Portland, total	4,561	6	–	13	893	215	230	87	107	33	39	182	42	2,369	1,649	41	13
37	Balance of county	1,336	3	–	18	239	56	75	20	28	9	6	45	20	667	459	7	5
38	Polk	320	–	–	5	50	11	12	3	9	1	3	11	7	180	127	2	3
39	Salem, part	86	–	–	3	11	2	2	2	2	–	–	3	2	51	38	1	2
40	Balance of county	234	–	–	2	39	9	10	1	7	1	3	8	5	129	89	1	1
41	Sherman	22	–	–	–	4	1	–	1	–	–	–	2	–	13	11	–	–
42	Tillamook	209	–	–	1	43	8	16	1	3	3	2	10	1	113	88	–	–
43	Umatilla	474	1	–	2	93	22	24	10	10	9	–	18	14	220	158	4	3
44	Pendleton	149	–	–	–	26	10	7	1	2	1	–	5	2	67	44	2	1
45	Balance of county	325	1	–	2	67	12	17	9	8	8	–	13	12	153	114	2	2
46	Union	171	–	–	1	38	8	10	5	5	1	3	6	2	77	63	4	–
47	Wallowa	88	–	–	1	10	3	–	–	3	–	2	2	3	44	34	–	–
48	Wasco	186	–	–	3	39	11	11	4	5	1	2	5	4	86	63	3	2
49	City of the Dalles	132	–	–	1	29	10	6	4	4	1	2	2	3	65	46	2	–
50	Balance of county	54	–	–	2	10	1	5	–	1	–	–	3	1	21	17	1	2
51	Washington	1,213	3	–	4	266	71	69	21	28	9	11	57	14	585	419	10	5
52	Beaverton	157	–	–	–	36	13	6	5	–	1	1	10	2	72	46	1	1
53	Hillsboro	166	–	–	–	35	9	5	3	5	2	1	10	2	80	64	1	–
54	Lake Oswego, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
55	Portland, part	12	–	–	–	1	–	1	–	–	–	–	–	–	8	6	–	–
56	Balance of county	877	3	–	4	194	49	57	13	23	6	9	37	10	424	302	8	4
57	Wheeler	16	–	–	–	2	1	–	–	–	–	–	1	–	10	8	–	–
58	Yamhill	442	–	–	3	82	25	17	2	9	5	2	22	9	220	136	3	3
59	McMinnville	132	–	–	–	18	7	3	–	1	1	1	5	4	69	42	1	2
60	Balance of county	310	–	–	3	64	18	14	2	8	4	1	17	5	151	94	2	1
61	**Pennsylvania**	**121,095**	**184**	**12**	**858**	**24,025**	**6,834**	**5,480**	**2,185**	**2,680**	**1,081**	**876**	**4,969**	**2,315**	**64,339**	**49,733**	**962**	**655**
62	Urban places	63,081	123	9	536	12,854	3,706	3,054	1,139	1,401	562	429	2,563	1,127	32,145	24,844	493	326
63	Balance of area	58,014	61	3	322	11,171	3,128	2,346	1,046	1,279	519	447	2,406	1,188	32,194	24,889	469	329
64	Metropolitan counties	94,661	147	12	710	19,255	5,463	4,396	1,777	2,102	860	675	3,982	1,778	49,342	38,251	790	506
65	Urban places	57,974	114	9	508	11,882	3,403	2,838	1,055	1,292	520	398	2,376	1,019	29,251	22,630	461	293
66	Balance of area	36,687	33	3	202	7,373	2,060	1,558	722	810	340	277	1,606	759	20,091	15,621	329	213
67	Nonmetropolitan counties	26,434	37	–	148	4,770	1,371	1,004	408	578	221	201	987	537	14,997	11,482	172	149
68	Urban places	5,107	9	–	28	972	303	216	84	109	42	31	187	108	2,894	2,214	32	33
69	Balance of area	21,327	28	–	120	3,798	1,068	788	324	469	179	170	800	429	12,103	9,268	140	116
70	Adams	539	–	–	5	99	19	19	12	17	3	5	24	15	309	227	6	4
71	Allegheny	16,477	19	1	123	3,529	961	839	317	409	148	133	722	318	8,961	6,962	138	84
72	Baldwin	184	–	–	–	46	12	12	9	3	2	1	7	3	91	64	2	2
73	Bellevue	148	–	–	1	35	6	6	3	4	–	2	14	1	86	63	2	3
74	Bethel Park	204	–	–	1	57	11	15	5	8	2	3	13	2	114	89	–	–
75	Brentwood	132	–	–	1	32	12	7	4	2	2	–	5	2	72	50	2	–
76	Carnegie	131	–	–	1	26	9	8	1	5	1	1	1	4	70	47	–	–
77	Castle Shannon	95	–	–	1	22	5	8	1	1	1	–	6	2	48	40	3	1
78	Clairton	148	–	–	1	34	12	7	1	5	1	4	4	5	79	57	1	–
79	Dormont	133	–	–	3	26	5	10	2	5	2	–	2	4	80	63	–	1
80	Duquesne	159	–	–	–	35	9	8	1	6	1	2	8	2	87	70	–	1
81	Harrison township†	159	–	–	1	38	9	12	–	3	1	3	10	2	92	66	–	–
82	McKees Rocks	152	1	–	1	33	11	7	1	5	2	–	7	2	86	68	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807 E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
8	1	–	3	–	1	2	–	–	–	1	–	–	–	–	1	2	–	–	–	–	01
23	–	–	6	1	1	11	1	–	–	1	–	1	–	4	8	1	1	1	–	1	02
15	3	1	7	–	–	5	–	–	1	–	–	1	1	3	4	1	2	1	1	–	03
38	6	–	12	2	8	2	2	–	–	1	–	–	–	3	16	7	7	1	1	1	04
339	25	3	92	15	16	44	13	5	10	2	–	5	6	16	79	40	37	16	3	4	05
26	3	–	17	3	2	8	1	4	3	–	–	–	1	–	7	7	9	1	1	2	06
168	11	1	35	7	7	15	–	1	4	2	–	2	1	8	28	9	11	4	1	1	07
145	11	2	40	5	7	21	12	–	3	–	–	3	4	8	44	24	17	11	1	1	08
23	1	–	10	–	2	2	1	–	3	–	–	2	1	1	8	5	3	3	1	–	09
163	7	2	52	22	9	13	3	4	8	2	–	2	4	2	36	25	23	8	3	–	10
59	2	–	22	13	7	6	1	2	1	1	–	–	1	1	15	8	6	3	–	–	11
104	5	2	30	9	2	7	2	2	7	1	–	2	3	1	21	17	17	5	3	–	12
133	9	–	43	16	9	18	8	2	10	3	–	4	7	4	37	20	15	9	6	–	13
57	4	–	18	5	2	8	3	–	2	2	–	3	3	3	18	6	4	2	1	–	14
76	5	–	25	11	7	10	5	2	8	1	–	1	4	1	19	14	11	7	5	–	15
20	1	–	4	–	3	2	–	–	–	–	–	1	1	1	9	3	2	2	1	–	16
549	33	2	215	39	31	56	50	4	21	1	–	17	21	15	136	53	60	31	8	3	17
229	12	2	90	23	14	26	24	1	4	1	–	6	7	4	67	13	18	15	4	1	18
88	6	–	29	5	1	7	11	–	6	–	–	1	6	3	15	8	10	4	1	–	19
232	15	–	96	11	16	23	15	3	11	–	–	10	8	8	54	32	32	12	3	2	20
89	10	–	45	7	3	7	5	1	4	1	–	2	1	5	32	4	10	6	2	–	21
200	14	1	70	7	7	29	14	–	4	1	–	10	6	7	56	28	12	10	1	1	22
63	7	1	26	3	1	14	5	–	3	–	–	7	3	2	23	8	–	2	1	–	23
64	7	1	26	3	1	14	5	–	3	–	–	7	3	2	23	8	–	2	1	–	24
137	7	–	44	4	6	15	9	–	1	1	–	3	3	5	33	20	12	8	–	1	25
54	5	1	22	3	3	4	–	1	1	1	–	3	1	5	21	13	9	5	–	–	26
577	25	2	165	56	29	54	23	3	15	8	–	9	13	54	101	39	44	36	3	3	27
289	11	1	87	36	14	33	12	2	12	7	–	5	5	22	55	14	22	21	2	2	28
323	12	1	95	39	16	35	14	2	13	7	–	6	5	23	60	18	24	21	3	2	29
288	14	1	78	20	15	21	11	1	3	1	–	4	8	32	46	25	22	15	1	1	30
12	1	–	5	4	1	4	1	–	1	1	–	1	1	1	5	3	3	1	–	1	31
1,899	138	16	684	135	91	219	90	17	152	24	1	28	35	98	470	120	192	83	38	56	32
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
1,482	106	15	527	105	71	158	66	12	132	20	1	20	22	82	364	75	144	57	34	47	35
1,487	108	15	529	105	71	158	67	12	133	20	1	20	22	82	364	76	145	57	34	47	36
415	32	1	157	30	20	61	24	5	20	4	–	8	13	16	106	45	48	26	4	9	37
113	9	–	40	9	4	9	8	–	4	–	–	3	–	4	24	9	10	4	2	1	38
34	1	–	8	3	2	2	2	–	1	–	–	1	–	1	5	4	2	–	1	–	39
79	8	–	32	6	2	7	6	–	3	–	–	2	–	3	19	5	8	4	1	1	40
11	–	–	2	–	–	1	1	–	1	–	–	–	–	–	2	–	–	–	–	–	41
82	6	2	17	3	3	11	3	–	2	–	–	3	2	6	14	8	1	1	–	–	42
147	4	–	49	7	6	30	5	1	7	1	–	3	9	3	39	16	20	7	1	2	43
39	2	–	17	3	3	13	1	–	3	1	–	1	2	1	17	5	5	3	1	1	44
108	2	–	32	4	3	17	4	1	4	–	–	2	7	2	22	11	15	4	–	1	45
56	3	–	8	2	4	5	3	1	2	–	–	2	3	3	19	4	8	2	1	–	46
30	4	–	5	2	3	7	2	–	–	–	–	1	–	1	6	4	6	3	–	–	47
58	–	–	14	6	3	4	3	–	2	–	–	1	1	3	17	7	8	5	–	3	48
44	–	–	12	5	2	2	2	–	1	–	–	–	1	2	13	5	2	5	–	1	49
14	–	–	2	1	1	2	1	–	1	–	–	1	–	1	4	2	6	–	–	2	50
374	30	2	126	21	17	53	15	3	21	2	–	11	12	26	91	29	38	32	3	5	51
40	4	–	18	6	2	5	1	–	3	1	–	3	3	5	17	4	3	2	–	–	52
56	7	–	13	3	–	12	2	1	2	–	–	1	–	4	10	8	5	4	–	–	53
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54
5	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	55
272	18	2	93	12	15	36	12	2	15	1	–	7	9	17	64	16	29	26	3	5	56
8	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	57
124	6	1	64	12	7	20	6	2	5	3	–	4	2	11	36	21	11	2	1	4	58
37	2	–	23	3	1	5	2	1	–	2	–	2	–	1	11	10	4	1	1	1	59
87	4	1	41	9	6	15	4	1	5	1	–	2	2	10	25	11	7	1	–	3	60
44,561	**3,555**	**287**	**10,666**	**1,940**	**1,713**	**3,388**	**1,182**	**356**	**1,704**	**611**	**20**	**611**	**1,272**	**2,912**	**10,140**	**2,071**	**2,706**	**1,365**	**743**	**281**	**61**
22,099	1,926	137	5,421	875	868	1,862	545	183	1,038	359	12	276	684	2,463	5,249	810	1,302	697	595	212	62
22,462	1,629	150	5,245	1,065	845	1,526	637	173	666	252	8	335	588	449	4,891	1,261	1,404	668	148	69	63
34,266	2,689	218	8,143	1,387	1,343	2,649	858	275	1,444	461	17	453	1,025	2,772	7,971	1,447	2,034	1,078	670	263	64
20,114	1,762	119	4,929	776	797	1,710	476	167	979	313	12	254	645	2,435	4,852	740	1,179	650	572	207	65
14,152	927	99	3,214	611	546	939	382	108	465	148	5	199	380	337	3,119	707	855	428	98	56	66
10,295	866	69	2,523	553	370	739	324	81	260	150	3	158	247	140	2,169	624	672	287	73	18	67
1,985	164	18	492	99	71	152	69	16	59	46	–	22	39	28	397	70	123	47	23	5	68
8,310	702	51	2,031	454	299	587	255	65	201	104	3	136	208	112	1,772	554	549	240	50	13	69
208	9	2	44	24	12	13	8	1	3	2	–	2	3	2	36	16	14	5	6	–	70
6,328	412	52	1,490	220	237	492	157	41	311	83	2	69	150	68	1,326	205	301	172	92	57	71
57	3	–	21	1	5	4	1	–	8	1	–	1	3	–	13	4	7	2	–	–	72
54	4	–	15	3	5	2	3	–	4	1	–	–	–	–	8	2	5	–	–	–	73
81	8	–	19	–	6	3	–	–	1	1	–	–	2	1	8	4	4	3	1	2	74
46	2	–	20	1	1	1	1	–	5	1	–	1	–	1	10	1	2	1	–	1	75
43	4	1	13	4	5	2	1	–	3	–	–	–	3	–	15	2	3	1	–	–	76
34	2	–	5	1	2	2	3	1	2	–	–	–	–	1	6	2	1	2	2	–	77
51	5	–	17	4	1	2	3	1	4	2	–	–	–	–	13	–	2	1	–	1	78
58	4	–	14	3	–	4	–	–	–	1	–	–	–	–	9	2	1	3	–	–	79
66	3	–	16	–	1	5	1	–	4	1	–	–	2	–	13	1	3	1	1	3	80
63	3	–	20	4	2	3	–	–	–	–	–	–	–	2	12	3	3	3	–	–	81
61	4	–	12	1	5	3	1	–	7	–	–	–	–	1	9	2	2	1	2	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
	Allegheny—Con.																	
01	McKeesport	501	–	–	3	96	26	27	8	10	4	3	18	12	289	230	4	1
02	Monroeville	172	1	–	–	36	11	11	4	1	1	–	8	5	93	75	1	2
03	Mount Lebanon township†	360	–	–	2	81	16	20	14	9	2	6	14	4	213	157	2	1
04	Munhall	185	–	–	–	35	12	9	2	3	3	1	5	5	113	89	–	1
05	North Braddock	139	–	–	–	24	7	6	2	4	–	–	5	4	81	67	1	1
06	North Versailles township†	85	–	–	–	18	2	5	3	1	2	–	5	2	52	41	1	–
07	Penn Hills township†	409	1	–	3	102	27	23	6	14	3	5	24	8	209	170	3	3
08	Pittsburgh	6,404	12	1	64	1,369	374	323	127	170	57	50	268	135	3,375	2,620	54	31
09	Pleasant Hills	55	–	–	1	13	4	2	3	–	2	–	2	–	29	22	–	–
10	Plum	108	–	–	–	26	7	6	4	4	–	3	2	3	51	39	–	1
11	Ross township†	254	–	–	1	50	17	14	9	2	1	2	5	6	149	112	4	3
12	Scott township†	243	–	–	1	56	15	18	2	10	3	1	7	1	139	118	–	2
13	Shaler township†	262	1	–	3	60	16	12	3	7	3	5	14	3	128	94	3	–
14	Stowe township†	106	–	–	1	22	6	6	1	4	–	3	2	1	65	49	2	–
15	Swissvale	169	–	–	1	38	14	4	4	3	1	1	11	2	87	64	3	1
16	Upper St. Clair township†	74	–	–	1	26	7	7	–	5	–	–	7	1	27	20	–	–
17	West Mifflin	235	–	–	–	55	18	10	5	4	1	4	13	4	128	109	3	–
18	Whitehall	136	–	–	1	25	6	6	2	4	–	–	7	3	83	56	–	1
19	Wilkinsburg	352	–	–	3	69	20	14	8	8	6	2	11	2	203	145	3	4
20	Balance of county	4,583	3	–	27	944	255	216	82	99	44	31	217	88	2,542	2,008	42	23
21	Armstrong	768	–	–	3	158	42	39	21	15	5	2	34	11	459	354	3	5
22	Beaver	2,017	1	–	12	429	124	108	38	44	22	15	78	41	1,135	890	20	21
23	Aliquippa	239	–	–	3	46	12	15	3	5	3	1	7	6	136	114	4	1
24	Ambridge	155	–	–	2	35	10	13	3	1	3	1	4	2	86	69	2	2
25	Beaver Falls	172	–	–	1	40	11	9	3	5	2	3	7	2	103	86	1	4
26	Ellwood City, part	8	–	–	–	2	–	–	–	1	–	–	1	–	4	2	–	–
27	Balance of county	1,443	1	–	6	306	91	71	29	32	14	10	59	31	806	619	13	14
28	Bedford	414	1	–	1	65	16	11	6	13	1	1	17	6	250	191	2	3
29	Berks	3,069	6	–	15	613	192	137	65	61	28	21	109	57	1,764	1,328	32	21
30	Reading	1,196	3	–	7	230	71	57	25	23	10	6	38	20	697	519	10	12
31	Balance of county	1,873	3	–	8	383	121	80	40	38	18	15	71	37	1,067	809	22	9
32	Blair	1,622	5	2	6	310	89	65	24	45	9	14	64	33	913	691	13	8
33	Altoona	842	2	1	2	160	44	30	16	20	6	8	36	15	467	353	9	4
34	Balance of county	780	3	1	4	150	45	35	8	25	3	6	28	18	446	338	4	4
35	Bradford	625	–	–	4	101	23	22	7	15	4	6	24	4	357	231	3	4
36	Bucks	3,109	1	–	30	619	160	126	68	53	30	32	150	49	1,597	1,208	24	4
37	Bensalem township†	223	–	–	3	38	10	3	5	3	1	2	14	2	112	81	–	–
38	Bristol	132	–	–	2	24	5	5	4	3	2	1	4	3	69	55	1	–
39	Bristol township†	317	–	–	6	73	17	20	6	6	4	1	19	4	139	108	3	–
40	Falls township†	140	–	–	1	40	6	10	4	6	–	–	14	2	61	45	1	–
41	Lower Southampton township†	89	–	–	–	23	10	5	2	–	1	2	3	1	54	39	–	–
42	Middletown township†	146	–	–	1	23	5	2	3	2	2	3	6	8	73	60	–	–
43	Morrisville	81	–	–	–	19	5	7	1	3	1	–	2	1	38	32	1	–
44	Upper Southampton township†	52	–	–	–	9	1	1	1	1	–	3	2	–	31	25	–	–
45	Warminster township†	169	–	–	3	37	13	12	1	1	–	2	8	2	82	64	1	1
46	Balance of county	1,760	1	–	14	333	88	61	41	28	19	18	78	26	938	699	17	3
47	Butler	1,198	–	–	9	207	66	42	16	23	7	10	43	22	685	532	7	5
48	Butler	239	–	–	1	44	19	7	3	5	1	1	8	4	136	103	1	1
49	Balance of county	959	–	–	8	163	47	35	13	18	6	9	35	18	549	429	6	4
50	Cambria	2,043	2	–	11	369	101	74	32	43	19	18	82	58	1,110	860	20	8
51	Johnstown	701	2	–	2	143	41	33	10	15	5	5	34	16	392	296	6	1
52	Balance of county	1,342	–	–	9	226	60	41	22	28	14	13	48	42	718	564	14	7
53	Cameron	67	–	–	–	18	1	5	3	1	1	–	7	1	31	20	–	–
54	Carbon	673	–	–	6	133	40	24	9	16	6	6	32	20	374	291	1	2
55	Centre	654	1	–	5	115	35	27	6	9	4	8	26	10	381	298	6	4
56	State College	112	–	–	2	23	7	6	3	2	–	–	5	–	54	38	–	–
57	Balance of county	542	1	–	3	92	28	21	3	7	4	8	21	10	327	260	6	4
58	Chester	2,259	2	–	22	459	134	95	49	45	18	18	100	45	1,139	874	17	13
59	Coatesville	162	–	–	4	39	14	10	4	4	2	2	3	4	87	62	3	3
60	Phoenixville	163	–	–	2	27	4	2	2	3	3	2	11	1	89	63	–	4
61	West Chester	234	–	–	3	49	21	8	4	5	1	–	10	4	119	92	2	2
62	Balance of county	1,700	2	–	13	344	95	75	39	33	12	14	76	36	844	657	12	4
63	Clarion	380	1	–	4	55	16	6	8	8	1	3	13	4	225	170	2	6
64	Clearfield	898	–	–	5	150	38	38	10	22	5	5	32	20	524	393	9	1
65	Du Bois	102	–	–	2	19	7	5	1	2	–	1	3	1	60	51	–	–
66	Balance of county	796	–	–	3	131	31	33	9	20	5	4	29	19	464	342	9	1
67	Clinton	422	1	–	2	82	21	15	12	11	4	3	16	13	253	199	3	2
68	Lock Haven	161	1	–	–	23	7	2	4	4	2	–	4	6	104	83	1	–
69	Balance of county	261	–	–	2	59	14	13	8	7	2	3	12	7	149	116	2	2
70	Columbia	624	–	–	1	105	31	17	14	17	6	3	17	19	398	294	4	7
71	Berwick	161	–	–	1	33	11	6	4	2	2	1	7	9	94	70	2	–
72	Bloomsburg	124	–	–	–	14	4	2	2	3	1	–	2	3	92	63	2	2
73	Balance of county	339	–	–	–	58	16	9	8	12	3	2	8	7	212	161	–	5
74	Crawford	909	–	–	5	179	43	45	16	25	13	6	31	16	494	373	6	6
75	Meadville	212	–	–	1	43	10	9	4	3	4	2	11	4	111	75	3	–
76	Balance of county	697	–	–	4	136	33	36	12	22	9	4	20	12	383	298	3	6
77	Cumberland	1,199	–	–	9	274	72	64	29	37	9	13	50	21	640	489	18	3
78	Carlisle	170	–	–	1	41	15	9	3	5	1	1	7	3	92	64	2	–
79	Balance of county	1,029	–	–	8	233	57	55	26	32	8	12	43	18	548	425	16	3
80	Dauphin	2,420	5	–	19	487	136	126	30	49	23	21	102	53	1,317	1,000	30	8
81	Harrisburg	916	2	–	9	176	52	49	8	24	6	5	32	26	488	364	11	2
82	Lower Paxton township†	187	2	–	1	34	6	9	1	2	3	3	10	5	107	78	3	1
83	Balance of county	1,317	1	–	9	277	78	68	21	23	14	13	60	22	722	558	16	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
211	14	3	45	7	4	12	4	2	15	1	–	3	4	–	39	5	10	3	2	1	01
69	3	–	15	1	2	4	–	–	2	1	–	–	1	–	13	7	3	4	–	–	02
143	11	2	33	17	4	12	2	–	9	–	–	3	2	–	20	2	3	5	2	–	03
81	7	–	17	4	3	7	1	–	2	1	–	–	1	–	14	1	4	1	–	–	04
64	1	–	10	1	3	6	2	–	5	1	–	1	1	–	8	1	2	2	1	–	05
39	1	–	10	1	–	1	–	–	–	–	–	1	1	–	3	5	1	–	–	–	06
153	11	–	31	3	5	12	2	1	8	–	–	2	7	–	31	8	6	8	1	–	07
2,360	175	23	560	86	86	205	52	19	119	45	2	24	60	44	560	62	107	63	60	26	08
22	–	–	4	1	2	2	–	–	1	–	–	–	2	–	5	–	1	1	–	–	09
37	1	1	8	1	2	3	2	–	1	–	–	2	2	1	9	2	6	1	–	1	10
99	6	3	30	1	3	5	2	–	3	1	–	1	2	1	20	2	3	4	3	1	11
108	8	–	16	2	3	11	1	1	2	–	–	1	4	1	16	3	6	–	–	–	12
86	5	–	24	4	6	13	3	1	3	2	–	1	3	2	19	7	4	6	1	2	13
44	3	–	12	2	2	2	–	–	2	–	–	1	2	–	6	1	1	1	–	1	14
59	1	–	18	3	2	5	4	1	7	–	–	1	1	–	17	2	2	1	–	1	15
20	–	–	5	–	2	1	–	–	3	–	–	1	1	–	3	5	1	4	–	1	16
97	9	–	14	2	3	3	–	–	1	3	–	2	4	–	24	7	2	1	1	–	17
53	2	–	23	1	3	2	1	1	4	–	–	1	2	–	11	1	–	1	–	–	18
133	5	1	41	10	6	9	7	1	5	1	–	1	4	2	28	3	6	5	1	2	19
1,836	107	18	402	51	63	146	60	11	80	19	–	22	40	9	364	58	100	43	14	13	20
317	29	1	79	21	4	14	9	2	12	1	–	2	8	5	48	14	14	7	–	1	21
795	54	4	176	35	30	43	20	7	31	10	–	9	15	12	130	37	58	22	2	3	22
99	10	1	15	3	3	7	1	2	3	1	–	1	1	1	9	8	8	2	2	2	23
60	5	–	13	3	1	2	1	1	3	3	–	–	–	–	13	3	2	1	–	–	24
78	3	–	15	2	–	5	1	1	1	–	–	1	–	–	9	2	5	1	–	–	25
1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	26
557	35	3	131	27	26	29	17	3	24	6	–	6	14	11	97	24	43	18	–	1	27
178	8	–	41	13	5	12	8	1	3	1	–	4	2	2	31	14	8	2	2	1	28
1,225	50	12	293	73	58	89	34	10	36	13	–	18	22	10	207	48	68	47	9	3	29
472	25	3	126	26	23	37	11	4	17	4	–	8	10	6	88	14	16	16	7	1	30
753	25	9	167	47	35	52	23	6	19	9	–	10	12	4	119	34	52	31	2	2	31
641	29	15	159	30	18	34	25	10	16	7	–	8	14	9	138	32	33	20	7	–	32
324	16	9	81	13	11	14	15	7	9	6	–	5	9	8	80	11	14	13	4	–	33
317	13	6	78	17	7	20	10	3	7	1	–	3	5	1	58	21	19	7	3	–	34
179	45	2	61	56	7	24	5	3	4	3	–	6	10	6	44	21	18	12	1	2	35
1,074	106	8	281	49	51	77	24	2	32	16	–	14	45	135	237	72	77	61	18	3	36
72	9	–	22	5	4	3	2	1	4	3	–	–	2	12	13	5	8	6	8	1	37
49	5	–	11	1	2	2	1	–	3	–	–	1	1	9	7	4	2	4	–	–	38
91	14	–	25	2	4	6	–	–	2	–	–	3	5	22	28	16	6	5	2	–	39
38	6	2	8	1	5	–	1	–	1	1	–	1	2	9	10	4	3	4	–	–	40
36	3	–	10	3	2	1	–	–	1	1	–	–	1	1	4	1	1	–	–	–	41
53	7	–	10	2	1	1	2	–	–	–	–	1	1	9	16	2	2	5	2	–	42
26	5	–	2	4	–	3	1	–	4	2	–	–	3	3	6	1	–	–	–	–	43
23	2	–	3	1	2	–	–	–	–	1	–	–	3	1	2	–	1	4	–	–	44
56	6	–	14	2	2	8	2	–	–	1	–	–	1	4	15	5	6	3	–	–	45
630	49	6	176	28	29	53	15	1	17	7	–	8	26	65	136	34	48	30	6	2	46
477	43	5	109	23	16	44	10	3	9	4	–	15	12	5	91	28	33	17	4	–	47
94	7	1	22	5	5	9	2	1	1	1	–	4	1	–	19	6	9	1	–	–	48
383	36	4	87	18	11	35	8	2	8	3	–	11	11	5	72	22	24	16	4	–	49
784	48	4	176	45	25	51	24	4	34	6	–	6	24	15	205	36	57	26	5	–	50
276	13	–	71	16	9	16	8	1	8	2	–	2	12	7	56	10	14	7	3	–	51
508	35	4	105	29	16	35	16	3	26	4	–	4	12	8	149	26	43	19	2	–	52
18	2	–	10	–	1	5	–	–	1	–	–	1	–	–	6	2	1	1	–	–	53
274	14	1	53	19	10	12	7	3	7	2	–	2	3	8	60	9	17	9	1	–	54
268	20	2	61	13	7	19	6	1	8	3	–	13	8	2	39	13	19	9	–	2	55
36	2	–	9	5	2	5	1	–	–	2	–	3	2	1	6	2	4	6	–	1	56
232	18	2	52	8	5	14	5	1	8	1	–	10	6	1	33	11	15	3	–	1	57
788	56	6	184	44	31	79	15	7	35	7	–	11	34	33	186	69	63	25	17	11	58
54	2	1	19	2	3	4	–	–	–	–	–	4	3	2	8	5	3	1	1	–	59
58	1	–	19	6	1	4	–	1	3	–	–	3	3	4	14	7	2	2	1	–	60
85	3	1	18	5	3	13	1	1	2	2	–	–	3	5	16	4	6	1	3	2	61
591	50	4	128	31	24	58	14	5	30	5	–	8	24	22	148	53	52	21	12	9	62
151	11	–	40	5	10	7	8	2	1	6	–	4	5	–	26	21	7	3	1	–	63
346	37	6	101	14	10	22	6	5	14	1	–	3	7	2	70	28	24	13	4	–	64
37	14	1	6	1	1	1	–	–	1	–	–	–	2	–	7	2	7	–	–	–	65
309	23	5	95	13	9	21	6	5	13	1	–	3	5	2	63	26	17	13	4	–	66
179	15	–	35	12	7	5	4	–	4	2	–	1	3	2	27	9	7	6	1	–	67
78	4	–	12	7	2	2	1	–	3	2	–	–	2	–	11	1	2	3	–	–	68
101	11	–	23	5	5	3	3	–	1	–	–	1	1	2	16	8	5	3	1	–	69
258	25	4	73	20	7	8	4	1	3	1	–	–	5	1	48	13	12	5	–	–	70
62	6	1	15	5	3	1	1	–	1	–	–	–	2	1	13	1	4	–	–	–	71
57	2	3	19	7	–	2	–	–	–	–	–	–	–	–	12	–	1	–	–	–	72
139	17	–	39	8	4	5	3	1	2	1	–	–	3	–	23	12	7	5	–	–	73
343	18	2	87	16	16	32	19	3	12	3	–	6	17	7	65	18	26	5	2	–	74
70	2	–	29	5	2	7	4	1	4	1	–	–	2	2	16	6	8	1	1	–	75
273	16	2	58	11	14	25	15	2	8	2	–	6	15	5	49	12	18	4	1	–	76
432	36	3	119	12	17	45	9	3	6	4	1	16	11	3	87	25	24	17	3	1	77
58	4	1	21	3	3	8	2	–	1	2	–	–	1	1	12	1	3	2	–	–	78
374	32	2	98	9	14	37	7	3	5	2	1	16	10	2	75	24	21	15	3	1	79
885	77	5	232	40	40	74	23	6	25	15	–	16	35	15	210	41	41	22	13	3	80
326	25	2	94	13	15	24	7	–	12	10	–	5	19	5	82	21	18	4	8	–	81
65	9	–	20	4	5	5	4	–	2	2	–	4	2	–	11	2	3	1	2	–	82
494	43	3	118	23	20	45	12	6	11	3	–	7	14	10	117	18	20	17	3	3	83

Table 7–9. Deaths From 34 Selected Causes: United States; Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Delaware	5,703	9	1	34	1,271	313	313	138	134	63	43	267	84	2,957	2,315	35	19
02	Aston township	104	–	–	1	26	4	10	3	1	–	3	5	3	55	40	1	–
03	Chester	625	6	1	7	126	38	33	10	23	3	5	14	13	259	217	4	1
04	Collingdale	114	–	–	–	37	11	16	5	–	2	1	2	1	55	45	–	2
05	Darby	149	–	–	–	28	7	6	2	–	2	2	9	2	90	74	2	–
06	Darby township	38	–	–	1	8	3	3	–	–	–	–	2	–	13	12	–	–
07	Haverford township	494	–	–	3	121	27	30	20	11	5	4	24	5	259	200	5	2
08	Lansdowne	166	–	–	–	28	7	5	3	2	2	1	8	4	104	81	2	1
09	Marple township	193	–	–	1	34	7	5	8	4	1	1	8	1	128	102	3	1
10	Nether Providence township	91	1	–	–	26	7	7	5	3	–	1	3	–	48	38	–	1
11	Radnor township	171	–	–	–	30	9	7	–	5	4	–	5	2	93	64	2	–
12	Ridley township	208	–	–	–	40	14	8	2	4	4	–	8	4	116	85	–	–
13	Springfield township	216	–	–	2	48	14	12	6	3	2	–	11	1	115	70	1	–
14	Upper Chichester township	58	–	–	–	10	3	1	–	2	–	2	2	–	27	23	–	–
15	Upper Darby township	990	2	–	3	232	53	64	23	19	14	7	52	17	508	402	5	4
16	Yeadon	107	–	–	3	23	5	7	2	4	2	–	3	–	58	41	2	1
17	Balance of county	1,979	–	–	13	454	104	99	49	53	22	16	111	31	1,029	821	8	6
18	Elk	352	–	–	–	69	21	15	5	13	3	1	11	9	217	164	3	1
19	Erie	2,557	3	–	12	507	154	138	46	47	18	17	87	31	1,435	1,074	21	12
20	Erie	1,340	3	–	8	266	71	73	27	27	11	12	45	14	761	570	14	7
21	Millcreek township	320	–	–	–	70	24	21	5	6	3	1	10	2	185	137	3	1
22	Balance of county	897	–	–	4	171	59	44	14	14	4	4	32	15	489	367	4	4
23	Fayette	1,992	5	–	13	386	98	88	24	49	16	24	87	39	1,146	937	12	7
24	Connellsville	167	1	–	2	31	9	5	6	4	2	1	4	2	93	74	–	1
25	Uniontown	324	1	–	2	66	17	21	3	7	2	3	13	2	200	161	4	1
26	Balance of county	1,501	3	–	9	289	72	62	15	38	12	20	70	35	853	702	8	5
27	Forest	56	–	–	–	8	2	1	1	–	1	2	1	2	32	28	–	–
28	Franklin	964	6	–	5	194	60	43	16	25	8	14	28	17	513	408	6	4
29	Chambersburg	211	–	–	–	51	20	13	4	6	–	3	5	5	111	86	1	2
30	Waynesboro	107	1	–	–	22	8	4	1	4	1	2	2	–	60	48	1	1
31	Balance of county	646	5	–	5	121	32	26	11	15	7	9	21	12	342	274	4	1
32	Fulton	93	–	–	1	11	3	1	2	3	–	–	2	5	56	38	1	2
33	Greene	465	–	–	9	77	15	21	3	12	3	5	18	9	282	239	1	–
34	Huntingdon	394	2	–	1	64	9	9	5	9	5	5	22	5	223	175	3	4
35	Indiana	750	3	–	3	128	39	23	9	16	7	5	29	12	434	334	8	6
36	Indiana	100	1	–	–	14	1	4	3	1	1	1	3	1	65	49	–	–
37	Balance of county	650	2	–	3	114	38	19	6	15	6	4	26	11	369	285	8	6
38	Jefferson	553	–	–	2	95	28	22	5	10	5	4	21	9	349	272	2	6
39	Juniata	160	–	–	2	25	7	4	3	4	–	–	7	–	105	75	–	1
40	Lackawanna	2,906	4	–	12	538	187	105	55	66	27	7	91	86	1,621	1,288	32	39
41	Carbondale	150	–	–	–	31	11	5	4	5	1	1	4	4	87	79	3	1
42	Dunmore	201	–	–	2	37	13	11	3	2	1	1	6	4	116	89	5	3
43	Scranton	1,428	2	–	7	278	101	57	25	34	12	4	45	44	802	627	17	16
44	Balance of county	1,127	2	–	3	192	62	32	23	25	13	1	36	34	616	493	7	19
45	Lancaster	2,932	1	–	10	586	166	121	53	59	18	19	150	70	1,651	1,250	36	18
46	Columbia	148	–	–	–	28	10	2	3	5	1	3	4	5	84	66	–	–
47	Lancaster	693	–	–	4	133	37	36	6	15	4	4	31	16	376	268	10	4
48	Lancaster township	120	–	–	–	15	1	5	2	2	–	–	5	4	79	60	2	1
49	Balance of county	1,971	1	–	6	410	118	78	42	37	13	12	110	45	1,112	856	24	13
50	Lawrence	1,134	–	–	5	209	59	54	21	19	9	8	39	23	656	489	5	9
51	Ellwood City, part	122	–	–	–	25	9	5	4	1	–	1	5	–	71	56	1	–
52	Ellwood City, total	130	–	–	–	27	9	5	4	2	–	1	6	–	75	58	1	–
53	New Castle	490	–	–	2	90	24	27	5	7	5	5	17	12	281	212	1	5
54	Balance of county	522	–	–	3	94	26	22	12	11	4	2	17	11	304	221	3	4
55	Lebanon	933	–	–	3	168	53	40	13	18	12	2	30	30	557	459	8	4
56	Lebanon	276	–	–	1	59	19	16	2	6	4	1	11	7	154	126	–	–
57	Balance of county	657	–	–	2	109	34	24	11	12	8	1	19	23	403	333	8	4
58	Lehigh	2,572	2	1	22	535	159	111	55	54	23	16	117	46	1,489	1,167	29	11
59	Allentown	1,293	–	1	9	272	90	55	21	28	11	9	58	22	734	592	15	6
60	Bethlehem, part	214	–	–	3	42	10	9	8	5	2	–	8	6	119	94	5	1
61	Emmaus	103	–	–	1	23	6	6	5	2	–	–	4	–	68	52	1	–
62	Balance of county	962	2	–	9	198	53	41	21	19	10	7	47	18	568	429	8	4
63	Luzerne	4,297	14	–	18	788	256	139	85	85	28	33	162	95	2,318	1,890	33	32
64	Hazleton	416	2	–	1	79	26	14	7	7	5	5	15	4	217	175	3	1
65	Kingston	204	1	–	–	33	12	7	4	–	1	3	6	1	141	113	–	4
66	Nanticoke	172	–	–	1	25	11	4	3	5	–	–	2	1	88	76	–	–
67	Pittston	138	–	–	–	29	10	3	2	3	–	–	11	3	69	56	1	3
68	Wilkes–Barre	814	2	–	3	152	48	31	17	19	5	5	27	20	466	389	5	4
69	Balance of county	2,553	9	–	13	470	149	80	52	51	17	20	101	66	1,337	1,081	24	20
70	Lycoming	1,247	3	–	7	259	95	43	31	28	13	6	43	22	707	570	14	4
71	Williamsport	461	2	–	3	93	35	13	12	10	4	1	18	8	265	213	5	4
72	Balance of county	786	1	–	4	166	60	30	19	18	9	5	25	14	442	357	9	–
73	McKean	594	1	–	2	87	30	17	12	12	3	3	10	7	348	243	1	3
74	Bradford	189	1	–	1	26	10	4	4	3	–	1	4	2	117	94	–	1
75	Balance of county	405	–	–	1	61	20	13	8	9	3	2	6	5	231	149	1	2
76	Mercer	1,296	–	–	12	245	66	63	17	29	10	11	49	25	687	535	7	12
77	Farrell	136	–	–	1	28	5	10	3	4	1	–	5	7	64	53	–	1
78	Sharon	257	–	–	1	51	17	16	1	5	1	1	10	6	130	91	3	5
79	Balance of county	903	–	–	10	166	44	37	13	20	8	10	34	12	493	391	4	6
80	Mifflin	447	1	–	2	82	22	13	12	14	6	2	13	7	250	191	3	1
81	Lewistown	145	–	–	2	29	10	3	3	4	2	–	7	3	78	61	1	–
82	Balance of county	302	1	–	–	53	12	10	9	10	4	2	6	4	172	130	2	1
83	Monroe	640	–	–	4	112	28	27	11	16	5	5	20	12	344	245	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,134	127	7	460	74	101	148	58	23	88	13	2	22	68	157	457	73	86	76	39	37	01
34	5	–	9	3	3	–	1	–	1	–	–	–	2	4	4	3	–	2	1	1	02
199	13	1	31	4	6	20	4	1	12	1	1	4	10	24	87	6	16	5	11	11	03
40	3	–	9	–	1	1	–	–	2	1	–	–	3	–	7	2	1	2	1	1	04
69	3	1	13	2	–	3	–	1	2	1	–	–	1	2	15	–	2	2	1	–	05
12	–	–	1	–	–	1	–	–	1	1	–	–	1	2	3	4	1	1	–	–	06
181	12	2	37	9	11	17	5	2	9	–	–	1	3	10	32	5	5	11	3	3	07
77	1	–	19	–	4	3	4	1	2	1	–	1	2	4	5	4	3	–	–	–	08
96	2	–	12	4	10	4	–	–	4	–	–	2	1	2	13	1	1	2	–	–	09
35	2	–	10	–	–	3	–	1	1	–	–	–	2	2	4	–	1	2	–	1	10
57	5	–	17	7	5	6	2	1	6	1	–	2	3	11	13	8	1	3	–	2	11
81	4	–	22	4	5	3	4	–	5	1	–	–	1	1	14	1	3	4	1	–	12
67	2	–	29	6	10	5	3	1	2	–	–	2	1	4	22	4	2	2	2	–	13
21	2	–	4	–	–	2	1	–	–	–	–	–	1	2	8	2	1	2	–	2	14
371	22	1	87	8	10	33	10	5	12	3	–	2	8	22	87	14	11	13	4	4	15
38	–	–	12	2	3	5	2	1	1	–	–	1	1	1	6	–	3	1	1	–	16
756	51	2	148	25	33	42	22	9	28	4	1	8	31	65	137	19	36	24	14	12	17
155	5	3	40	3	7	3	2	1	3	3	–	4	7	3	14	7	9	6	1	–	18
953	88	4	256	57	44	72	27	7	34	9	–	14	42	13	203	50	54	28	15	1	19
509	40	1	145	23	22	42	14	5	20	5	–	8	24	4	95	17	30	13	11	–	20
122	11	2	37	6	3	5	3	–	4	2	–	1	3	1	28	7	5	3	1	–	21
322	37	1	74	28	19	25	10	2	10	2	–	5	15	8	80	26	19	12	3	1	22
818	100	3	177	16	13	45	26	1	17	14	1	11	12	14	152	32	59	16	2	1	23
59	14	–	15	3	1	5	4	–	1	2	–	1	–	4	10	6	4	–	1	–	24
132	24	2	33	1	3	4	2	–	6	3	–	1	2	–	28	2	5	–	–	–	25
627	62	1	129	12	9	36	20	1	10	9	1	9	10	10	114	24	50	16	1	1	26
27	1	–	2	1	1	1	–	–	–	–	–	–	2	–	11	–	–	–	–	–	27
377	21	4	72	12	17	37	15	4	7	7	–	7	14	4	64	28	23	13	5	1	28
77	6	3	13	3	6	11	5	2	1	1	–	–	2	1	10	2	6	1	2	–	29
43	3	–	9	–	3	4	1	–	–	2	–	–	2	–	7	3	1	4	–	–	30
257	12	1	50	9	8	22	9	2	6	4	–	7	10	3	47	23	16	8	3	1	31
34	1	2	8	6	2	4	–	1	1	–	–	1	3	1	3	1	4	–	1	–	32
223	15	–	32	6	5	14	5	1	5	1	–	3	3	2	27	8	12	5	2	–	33
162	6	2	31	11	4	8	6	–	3	2	–	4	4	3	38	10	12	7	1	1	34
301	19	–	79	13	8	14	5	2	5	3	–	5	13	2	66	16	28	7	3	1	35
46	3	–	15	1	–	2	–	–	1	1	–	–	1	–	10	1	1	2	–	–	36
255	16	–	64	12	8	12	5	2	4	2	–	5	12	2	56	15	27	5	3	1	37
241	23	–	56	12	9	11	2	1	7	1	–	1	2	2	41	12	12	5	1	–	38
68	6	–	24	3	3	2	2	1	–	3	–	1	1	–	5	6	4	3	–	–	39
1,141	76	6	251	42	34	52	52	7	48	11	–	14	26	75	258	30	52	14	5	1	40
72	3	–	5	2	1	4	4	–	4	1	–	–	2	1	7	1	3	1	–	–	41
78	3	–	15	8	4	3	3	–	3	1	–	3	1	2	19	–	7	–	–	–	42
558	36	4	131	20	20	28	22	4	26	2	–	2	8	50	105	13	21	9	4	1	43
423	34	2	100	12	9	17	23	3	15	7	–	9	15	22	127	16	21	4	1	–	44
1,100	96	7	274	69	51	85	26	2	32	12	1	22	33	15	226	61	69	24	5	1	45
64	2	–	13	4	1	9	1	–	4	2	–	–	1	1	8	–	2	1	2	–	46
226	28	1	75	16	16	33	14	1	9	–	–	5	7	5	55	14	19	2	–	–	47
51	6	–	11	4	4	3	2	1	1	–	–	2	2	–	10	–	1	–	–	–	48
759	60	6	175	45	30	40	9	–	18	10	1	15	23	9	153	47	47	21	3	1	49
439	36	3	125	22	17	28	15	3	15	27	1	8	5	8	73	22	21	13	2	–	50
51	4	1	11	2	1	1	2	–	1	3	–	–	2	4	7	1	3	2	–	–	51
52	5	1	13	2	1	1	2	–	1	3	–	–	2	4	9	1	3	2	–	–	52
196	10	–	54	7	8	15	9	1	7	11	–	3	1	3	41	4	8	1	1	–	53
192	22	2	60	13	8	12	4	2	7	13	1	5	2	1	25	17	10	10	1	–	54
423	24	3	74	6	15	26	5	2	2	1	–	5	2	1	64	21	23	8	4	3	55
118	8	1	22	1	4	8	1	–	1	–	–	3	2	1	22	5	4	3	3	2	56
305	16	2	52	5	11	18	4	2	1	1	–	2	3	5	42	16	19	5	1	1	57
1,086	41	7	250	41	24	65	19	2	34	9	–	14	19	6	177	35	54	34	3	6	58
546	25	1	119	11	11	35	11	1	21	7	–	9	10	3	96	12	25	19	1	5	59
87	1	–	16	6	3	10	1	–	4	1	–	1	3	1	16	3	3	–	1	–	60
51	–	1	10	2	3	–	–	–	1	–	–	1	–	–	3	3	3	1	–	–	61
402	15	5	105	22	7	20	7	1	8	1	–	4	6	2	62	17	23	14	1	1	62
1,727	98	6	302	58	62	74	37	12	65	18	1	12	27	17	623	61	77	34	3	3	63
166	5	–	31	4	7	16	4	1	6	3	–	2	3	–	64	5	6	3	–	–	64
98	11	1	19	4	4	3	1	–	4	–	–	1	1	2	12	–	1	–	–	–	65
74	2	–	6	1	5	3	1	1	2	2	–	–	–	1	46	1	–	3	–	–	66
48	4	–	8	2	3	–	–	1	3	1	–	1	–	–	23	4	2	1	1	–	67
370	10	1	56	14	6	11	4	1	13	3	–	2	3	4	92	11	17	9	–	1	68
971	66	4	182	33	37	41	27	8	37	9	1	6	20	10	386	40	51	18	2	2	69
512	40	2	93	16	26	34	22	4	7	5	–	2	16	2	77	29	28	15	8	–	70
187	17	1	34	8	9	14	12	2	2	1	–	–	7	1	29	6	5	7	4	–	71
325	23	1	59	8	17	20	10	2	5	4	–	2	9	1	48	23	23	8	4	–	72
225	14	3	53	40	9	12	13	3	7	7	–	3	3	4	55	17	17	5	3	–	73
89	4	2	17	3	1	6	5	2	4	3	–	1	–	1	11	–	6	2	1	–	74
136	10	1	36	37	8	6	8	1	3	4	–	2	3	3	44	17	11	3	2	–	75
496	20	–	118	16	18	45	24	4	19	11	–	10	8	7	112	27	35	13	12	–	76
50	2	–	10	1	–	5	2	–	3	4	–	–	1	1	9	2	5	–	4	–	77
81	2	–	28	5	6	9	4	2	5	3	–	4	3	2	26	–	4	3	4	–	78
365	16	–	80	10	12	31	18	2	11	4	–	6	4	4	77	25	26	10	4	–	79
177	10	1	50	3	5	14	5	–	2	1	–	5	8	5	46	5	9	3	2	–	80
58	2	1	14	2	–	5	1	–	–	–	–	–	2	–	18	2	3	1	1	–	81
119	8	–	36	1	5	9	4	–	2	1	–	5	6	5	28	3	6	2	1	–	82
217	24	1	84	6	8	30	3	4	11	2	–	1	9	1	60	18	15	13	1	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Montgomery	5,705	5	–	40	1,222	368	263	115	135	50	39	252	92	3,048	2,360	43	17
02	Abington township†	529	1	–	3	122	35	24	11	20	5	2	25	6	289	219	2	1
03	Cheltenham township†	369	–	–	1	82	25	14	7	7	4	4	21	15	203	159	3	2
04	Conshohocken	110	–	–	–	28	12	6	–	2	–	2	6	3	56	50	1	–
05	East Norriton township†	86	–	–	–	12	4	1	3	1	1	–	2	1	43	33	1	–
06	Lansdale	190	–	–	1	30	9	7	3	2	–	–	9	2	105	74	–	–
07	Lower Merion township†	543	–	–	6	121	36	25	17	10	3	3	27	5	292	219	4	–
08	Lower Moreland township†	62	–	–	–	22	6	4	2	2	–	–	8	1	30	19	–	1
09	Norristown	462	2	–	7	99	32	34	9	10	1	–	13	11	216	177	2	–
10	Plymouth township†	98	–	–	2	23	3	7	2	2	2	–	7	2	45	41	2	–
11	Pottstown	279	–	–	2	55	17	12	6	11	2	1	6	5	154	123	1	3
12	Springfield township†	214	–	–	1	53	23	11	5	4	4	1	5	–	119	96	–	–
13	Upper Moreland township†	146	–	–	–	33	10	8	1	4	–	2	8	2	75	58	5	–
14	West Norriton township†	73	–	–	–	15	4	4	1	–	1	–	5	–	50	40	1	–
15	Balance of county	2,544	2	–	17	527	152	106	48	60	27	24	110	39	1,371	1,052	21	10
16	Montour	178	–	–	2	33	8	4	4	4	5	2	6	2	97	74	4	1
17	Northampton	2,123	4	2	11	403	118	91	48	33	22	8	83	40	1,227	952	17	9
18	Bethlehem, part	638	1	1	6	124	35	31	13	8	9	4	24	16	363	280	5	3
19	Bethlehem, total	852	1	1	9	166	45	40	21	13	11	4	32	22	482	374	10	4
20	Easton	331	3	–	3	48	17	10	6	4	2	–	9	2	198	151	2	2
21	Balance of county	1,154	–	1	2	231	66	50	29	21	11	4	50	22	666	521	10	4
22	Northumberland	1,248	3	–	2	221	69	38	18	29	12	10	45	29	701	525	11	4
23	Shamokin	191	–	–	1	43	12	6	3	9	3	2	8	6	93	67	2	1
24	Sunbury	177	1	–	–	34	10	6	2	6	2	–	8	2	99	73	1	2
25	Balance of county	880	2	–	1	144	47	26	13	14	7	8	29	21	509	385	8	1
26	Perry	309	–	–	2	60	16	15	8	7	2	2	10	9	178	136	2	3
27	Philadelphia, coext. with Philadelphia city	21,127	57	4	247	4,159	1,208	1,014	338	440	194	125	840	355	9,222	7,140	145	109
28	Pike	191	1	–	1	44	12	12	2	3	1	1	13	1	102	78	1	–
29	Potter	200	1	–	4	33	11	11	1	2	4	–	4	1	108	85	1	1
30	Schuylkill	2,175	3	–	14	359	115	65	25	39	14	14	87	69	1,119	870	8	16
31	Pottsville	266	–	–	2	36	12	7	4	4	–	2	7	11	144	114	1	4
32	Balance of county	1,909	3	–	12	323	103	58	21	35	14	12	80	58	975	756	7	12
33	Snyder	239	–	–	1	39	13	7	4	3	2	3	7	8	144	114	2	–
34	Somerset	841	–	1	2	134	38	17	13	24	2	3	37	18	495	384	10	31
35	Sullivan	64	–	–	1	8	2	1	–	2	2	–	1	–	36	23	–	1
36	Susquehanna	414	–	–	1	70	26	14	3	9	4	2	12	9	228	191	2	4
37	Tioga	371	–	–	2	53	14	13	4	8	1	5	8	11	216	161	1	1
38	Union	293	–	–	–	37	8	3	3	7	2	1	13	5	178	118	1	4
39	Venango	660	1	–	4	128	36	33	6	11	7	5	30	11	357	245	8	4
40	Oil City	182	–	–	3	37	9	14	1	3	–	2	8	3	105	72	1	1
41	Balance of county	478	1	–	1	91	27	19	5	8	7	3	22	8	252	173	7	3
42	Warren	513	1	–	1	103	31	17	9	8	5	5	28	8	271	208	4	1
43	Warren	195	–	–	–	38	11	5	2	4	4	–	12	4	113	81	1	1
44	Balance of county	318	1	–	1	65	20	12	7	4	1	5	16	4	158	127	3	–
45	Washington	2,313	1	–	9	482	129	107	41	54	27	19	105	43	1,258	948	14	5
46	Canonsburg	124	–	–	–	31	5	5	5	2	1	1	12	1	70	57	1	–
47	Washington	285	–	–	1	63	13	20	4	8	2	3	13	1	145	106	3	2
48	Balance of county	1,904	1	–	8	388	111	82	32	44	24	15	80	41	1,043	785	10	3
49	Wayne	370	1	–	–	82	28	16	7	8	3	4	16	7	197	146	6	3
50	Westmoreland	3,567	3	–	17	738	194	176	62	79	37	26	164	69	2,046	1,572	29	11
51	Greensburg	235	–	–	1	47	12	15	3	3	3	–	11	3	144	103	1	–
52	Hempfield township†	260	–	–	1	56	10	14	4	5	3	2	18	4	145	118	4	–
53	Jeannette	168	–	–	1	39	8	11	3	7	1	1	8	5	91	78	2	–
54	Latrobe	149	–	–	2	25	10	3	4	1	1	–	6	2	90	64	2	–
55	Lower Burrell	97	1	–	–	20	5	5	4	2	–	1	3	1	52	41	1	1
56	Monessen	196	1	–	–	39	9	7	3	6	1	1	12	3	118	82	–	1
57	New Kensington	236	–	–	2	48	18	7	4	7	4	2	6	2	132	102	1	–
58	North Huntingdon township†	190	–	–	1	42	15	8	2	5	1	2	9	2	95	74	–	–
59	Balance of county	2,036	1	–	9	422	107	106	35	43	23	17	91	47	1,179	910	18	9
60	Wyoming	230	1	–	–	43	17	9	7	2	–	1	7	6	134	87	2	3
61	York	2,541	3	–	21	574	143	119	53	73	36	26	124	41	1,284	1,055	24	12
62	Hanover	175	–	–	4	46	6	8	4	8	5	1	14	4	90	72	2	2
63	Spring Garden township†	125	–	–	1	32	12	6	1	4	1	2	6	–	68	60	–	–
64	York	611	2	–	6	145	35	32	15	13	11	10	29	5	286	232	3	3
65	Balance of county	1,630	1	–	10	351	90	73	33	48	19	13	75	32	840	691	19	7
66	**Rhode Island**	**9,200**	**11**	–	**61**	**2,111**	**660**	**480**	**202**	**249**	**104**	**75**	**341**	**212**	**4,916**	**3,857**	**84**	**35**
67	Urban places	7,305	9	–	53	1,661	517	377	160	196	79	56	276	163	3,928	3,069	65	28
68	Balance of area	1,895	2	–	8	450	143	103	42	53	25	19	65	49	988	788	19	7
69	Metropolitan counties	7,881	10	–	58	1,821	564	423	176	209	92	59	298	186	4,220	3,313	68	35
70	Urban places	6,758	9	–	51	1,554	490	352	149	180	74	49	260	158	3,630	2,835	58	28
71	Balance of area	1,123	1	–	7	267	74	71	27	29	18	10	38	28	590	478	10	7
72	Nonmetropolitan counties	1,319	1	–	3	290	96	57	26	40	12	16	43	26	696	544	16	–
73	Urban places	547	–	–	2	107	27	25	11	16	5	7	16	5	298	234	7	–
74	Balance of area	772	1	–	1	183	69	32	15	24	7	9	27	21	398	310	9	–
75	Bristol	413	–	–	2	103	36	19	10	13	4	2	19	5	201	152	4	2
76	Barrington	123	–	–	1	36	11	8	5	5	–	1	6	1	57	42	3	1
77	Bristol	161	–	–	–	39	15	9	1	2	2	1	9	2	84	68	1	1
78	Warren	121	–	–	1	28	10	2	4	6	2	–	4	2	57	40	–	–
79	Balance of county	8	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–
80	Kent	1,275	1	–	8	307	86	80	34	32	19	4	52	27	700	561	11	6
81	Warwick	754	–	–	7	168	56	45	19	15	6	2	25	10	425	333	6	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,154	146	14	530	67	77	171	56	16	83	27	1	30	57	87	441	105	123	81	13	7	01
200	16	–	58	5	7	11	4	1	3	3	–	2	4	8	44	7	11	7	2	1	02
144	10	2	32	4	6	12	4	–	3	1	–	1	4	3	24	7	3	4	1	1	03
36	13	–	5	–	1	5	–	–	5	–	–	–	1	–	7	2	3	–	–	–	04
31	1	–	9	1	–	1	3	1	4	1	–	1	2	1	5	7	3	1	–	–	05
71	3	–	23	4	4	10	2	–	1	–	–	1	3	3	18	4	5	8	–	–	06
204	11	–	54	8	11	22	4	–	10	1	–	1	–	7	45	6	11	10	1	1	07
18	–	–	9	1	1	–	1	–	–	1	–	–	–	1	5	–	1	–	–	–	08
165	10	2	30	3	4	14	4	1	11	1	1	6	12	19	30	5	8	10	4	1	09
35	4	–	3	1	–	7	1	–	4	2	–	–	1	–	7	1	2	1	–	–	10
111	8	1	25	2	3	5	1	2	7	1	–	1	1	5	23	3	8	4	2	–	11
88	8	1	16	3	3	10	1	1	2	2	–	–	1	–	16	–	4	4	–	–	12
49	4	–	14	3	–	4	2	–	2	–	–	–	2	4	17	1	2	2	–	–	13
37	2	–	5	3	2	1	–	–	1	–	–	–	2	–	2	–	2	–	–	–	14
965	56	8	247	29	35	69	29	10	30	14	–	18	26	36	198	62	60	30	3	3	15
64	5	1	14	4	4	6	1	1	1	–	–	2	4	–	13	3	5	7	1	–	16
891	35	3	187	48	37	44	17	5	34	12	–	14	21	23	167	43	36	15	3	2	17
260	12	1	55	18	9	14	9	1	13	1	–	4	4	12	42	9	12	5	–	1	18
347	13	1	71	24	12	24	10	1	17	2	–	5	7	13	58	12	15	5	1	1	19
142	5	1	25	15	6	10	3	–	7	3	–	1	4	1	34	8	5	1	–	–	20
489	18	1	107	15	22	20	5	4	14	8	–	9	13	10	91	26	19	9	3	1	21
477	33	2	124	23	27	35	21	7	14	9	–	4	5	5	137	22	25	7	1	1	22
61	3	–	19	3	4	7	3	2	5	2	–	1	–	1	19	4	3	–	–	1	23
63	7	–	13	9	4	9	2	2	1	–	–	–	–	–	18	2	6	1	–	–	24
353	23	2	92	11	19	19	16	3	8	7	–	3	5	4	100	16	16	6	–	–	25
125	6	–	35	4	3	11	4	1	4	1	–	1	1	–	23	6	2	6	1	–	26
6,056	830	33	1,601	201	247	689	132	70	363	140	7	91	278	2,020	1,850	205	512	230	379	117	27
65	12	3	14	2	5	9	4	–	4	1	–	1	–	1	10	5	3	3	–	1	28
77	6	–	18	1	4	12	2	–	2	1	–	3	1	1	12	10	8	1	–	–	29
742	104	7	181	42	19	49	21	7	29	11	1	10	17	15	326	49	57	17	2	–	30
98	11	–	22	7	1	6	3	–	7	3	–	1	2	2	28	7	7	6	1	–	31
644	93	7	159	35	18	43	18	7	22	8	1	9	15	13	298	42	50	11	1	–	32
98	14	1	25	3	1	7	3	–	–	–	–	1	2	1	21	9	1	2	–	–	33
323	20	3	76	13	19	18	8	4	10	7	–	3	11	3	86	18	12	11	–	–	34
20	2	–	11	2	–	1	1	1	1	–	–	–	2	–	7	3	1	2	–	–	35
172	13	–	32	3	2	5	10	2	5	–	–	1	5	4	38	13	17	6	–	–	36
156	3	–	40	4	11	8	5	–	4	1	–	2	4	1	28	18	11	6	1	–	37
106	7	–	49	6	5	13	2	2	1	2	–	–	5	1	23	12	7	–	5	–	38
221	12	2	83	14	13	29	9	4	6	5	–	3	8	3	57	13	12	9	–	1	39
65	5	1	25	3	4	6	2	1	3	1	–	–	1	1	10	3	3	2	–	1	40
156	7	1	58	11	9	23	7	3	3	4	–	3	7	2	47	10	9	7	–	–	41
192	11	–	48	8	7	26	10	1	5	1	–	1	6	2	34	9	24	8	–	2	42
77	2	–	26	5	1	8	2	–	1	–	–	–	–	2	10	2	14	1	–	–	43
115	9	–	22	3	6	18	8	1	4	1	–	1	6	–	24	7	10	7	–	2	44
863	66	2	223	48	37	64	22	11	35	13	–	14	24	10	192	36	64	24	10	1	45
49	7	–	8	1	4	5	1	–	–	–	–	–	1	–	9	3	2	–	1	–	46
98	3	–	30	3	6	9	3	–	9	2	–	2	8	–	25	3	10	3	1	–	47
716	56	2	185	44	27	50	18	11	26	11	–	12	15	10	158	30	52	21	8	1	48
124	13	3	34	11	3	8	9	1	2	4	–	2	1	5	22	10	15	4	–	–	49
1,432	100	9	351	68	46	74	29	10	59	14	1	22	34	32	228	63	80	34	10	4	50
95	7	2	26	8	5	3	–	1	5	1	–	1	3	3	13	1	6	2	1	–	51
107	7	–	20	5	2	2	2	–	3	1	–	1	1	3	17	10	8	4	1	1	52
73	3	–	12	–	1	3	3	–	3	1	–	–	1	3	11	3	2	2	–	–	53
59	3	–	21	3	2	5	–	1	4	–	–	1	1	2	7	6	1	2	–	–	54
36	3	–	9	1	1	4	1	–	1	–	1	1	1	1	5	3	2	3	–	–	55
65	16	–	27	7	2	10	1	1	4	–	–	1	–	1	9	1	3	3	1	–	56
95	6	–	22	4	4	7	1	2	8	1	–	2	–	1	20	2	5	1	1	1	57
71	3	1	16	4	–	2	8	1	4	1	–	–	4	1	15	8	4	2	–	–	58
831	52	6	198	36	29	38	13	4	27	9	–	15	23	17	131	29	49	15	6	2	59
70	12	–	14	29	4	4	–	1	2	–	–	1	3	1	16	12	6	–	–	–	60
949	70	6	161	22	40	80	22	12	21	12	1	11	26	8	240	67	60	44	12	2	61
65	3	2	12	–	4	6	1	–	–	–	–	–	2	–	14	5	3	–	–	–	62
57	3	–	6	2	–	5	1	1	1	–	–	1	–	–	9	–	2	4	–	–	63
207	19	2	40	4	8	14	5	4	9	5	–	2	8	1	67	12	20	9	10	1	64
620	45	2	103	16	28	55	15	7	11	7	1	8	16	7	150	50	35	31	2	1	65
3,617	121	37	746	135	141	216	87	33	149	41	2	56	81	20	745	144	162	111	27	15	66
2,879	97	29	605	110	115	174	70	27	117	32	1	38	67	15	612	97	123	78	27	13	67
738	24	8	141	25	26	42	17	6	32	9	1	18	14	5	133	47	39	33	–	2	68
3,103	107	33	632	120	122	177	76	26	122	40	2	46	60	14	642	120	137	87	25	12	69
2,657	92	25	560	105	105	157	64	25	103	32	1	37	55	13	558	90	114	70	25	12	70
446	15	8	72	15	17	20	12	1	19	8	1	9	5	1	84	30	23	17	–	–	71
514	14	4	114	15	19	39	11	7	27	1	–	10	21	6	103	24	25	24	2	3	72
222	5	4	45	5	10	17	6	2	14	–	–	1	12	2	54	7	9	8	2	1	73
292	9	3	69	10	9	22	5	5	13	1	–	9	9	4	49	17	16	16	–	2	74
136	10	2	30	8	9	14	4	–	6	–	–	6	1	2	42	9	9	7	1	1	75
35	3	2	7	2	4	4	–	–	1	–	–	3	1	1	8	3	3	3	1	–	76
63	3	–	9	4	3	6	1	–	3	–	–	3	–	–	16	3	3	1	–	–	77
36	4	–	13	2	2	3	3	–	2	–	–	–	–	1	17	1	2	3	–	1	78
2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	79
535	9	7	94	16	22	28	17	3	22	2	–	5	4	1	81	21	25	21	1	1	80
319	5	3	62	13	14	20	9	2	16	1	–	4	2	–	51	12	14	11	1	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Rhode Island—Con.																	
	Kent—Con.																	
01	West Warwick townt	242	–	–	–	66	15	15	6	9	9	–	12	10	137	113	2	2
02	Balance of county	279	1	–	1	73	15	20	9	8	4	2	15	7	138	115	3	1
03	Newport	649	–	–	1	141	42	30	15	16	5	7	26	4	349	266	6	–
04	Middletown townt	119	–	–	–	24	2	3	3	6	4	1	5	–	62	50	–	–
05	Newport	288	–	–	1	57	18	16	5	4	1	3	10	2	162	122	3	–
06	Balance of county	242	–	–	–	60	22	11	7	6	–	3	11	2	125	94	3	–
07	Providence	6,193	9	–	48	1,411	442	324	132	164	69	53	227	154	3,319	2,600	53	27
08	Central Falls	217	1	–	3	59	16	17	3	7	1	2	13	3	119	97	1	–
09	Cranston	736	1	–	8	176	53	38	19	26	8	7	25	24	386	302	10	2
10	Cumberland townt	193	–	–	1	43	13	10	4	8	2	1	5	4	115	85	1	1
11	East Providence	524	–	–	3	139	42	29	18	17	4	3	26	13	269	210	7	1
12	North Providence townt	215	1	–	2	60	16	16	5	5	5	3	10	4	110	87	2	1
13	Pawtucket	902	1	–	4	196	55	41	16	26	14	8	36	23	530	414	8	7
14	Providence	2,046	4	–	18	440	156	102	38	43	17	15	69	52	1,058	809	15	8
15	Woonsocket	524	1	–	3	104	32	20	11	11	4	6	20	10	283	235	2	1
16	Balance of county	836	–	–	6	194	59	51	18	21	14	8	23	21	449	361	7	6
17	Washington	670	1	–	2	149	54	27	11	24	7	9	17	22	347	278	10	–
18	North Kingstown townt	140	–	–	1	26	7	6	3	6	–	3	1	3	74	62	4	–
19	Balance of county	530	1	–	1	123	47	21	8	18	7	6	16	19	273	216	6	–
20	**South Carolina**	**23,680**	**63**	**1**	**213**	**3,957**	**923**	**1,012**	**325**	**530**	**172**	**146**	**849**	**475**	**11,766**	**8,397**	**131**	**141**
21	Urban places	5,858	18	1	53	1,039	240	256	80	156	47	44	216	116	2,944	2,111	42	36
22	Balance of area	17,822	45	–	160	2,918	683	756	245	374	125	102	633	359	8,822	6,286	89	105
23	Metropolitan counties	8,088	13	1	71	1,502	340	418	117	196	66	50	315	131	4,100	3,016	44	33
24	Urban places	3,098	9	1	32	580	137	160	40	80	29	23	111	57	1,583	1,168	19	14
25	Balance of area	4,990	4	–	39	922	203	258	77	116	37	27	204	74	2,517	1,848	25	19
26	Nonmetropolitan counties	15,592	50	–	142	2,455	583	594	208	334	106	96	534	344	7,666	5,381	87	108
27	Urban places	2,760	9	–	21	459	103	96	40	76	18	21	105	59	1,361	943	23	22
28	Balance of area	12,832	41	–	121	1,996	480	498	168	258	88	75	429	285	6,305	4,438	64	86
29	Abbeville	196	–	–	4	25	4	4	4	6	1	2	4	–	97	68	–	5
30	Aiken	825	–	–	4	145	30	44	8	24	–	3	36	17	410	296	3	4
31	Aiken	177	–	–	1	39	9	13	1	9	–	–	7	5	83	54	–	1
32	North Augusta	94	–	–	–	15	3	6	1	1	–	–	4	2	50	38	1	–
33	Balance of county	554	–	–	3	91	18	25	6	14	–	3	25	10	277	204	2	3
34	Allendale	117	–	–	1	21	5	7	2	1	1	–	5	1	61	38	1	1
35	Anderson	1,116	1	–	13	184	47	39	14	25	7	6	46	19	526	369	8	6
36	Anderson	347	–	–	4	58	14	9	5	7	4	4	15	8	151	105	3	3
37	Balance of county	769	1	–	9	126	33	30	9	18	3	2	31	11	375	264	5	3
38	Bamberg	164	–	–	3	24	3	8	6	3	1	1	2	2	94	58	–	1
39	Barnwell	168	1	–	–	29	5	8	1	5	4	2	4	2	83	61	–	–
40	Beaufort	344	–	–	6	53	16	17	3	5	–	3	9	10	129	88	1	2
41	Berkeley	426	2	–	4	69	14	23	6	10	3	–	13	4	196	148	2	1
42	Calhoun	127	1	–	2	16	4	3	3	2	–	1	3	1	73	55	–	–
43	Charleston	1,792	4	–	22	357	88	97	25	50	19	9	69	29	862	649	14	12
44	Charleston	794	3	–	10	142	41	27	10	25	6	3	30	11	400	302	6	5
45	Balance of county	998	1	–	12	215	47	70	15	25	13	6	39	18	462	347	8	7
46	Cherokee	369	–	–	3	55	11	11	4	11	3	1	14	12	200	141	1	4
47	Gaffney	149	–	–	2	27	4	5	3	6	1	1	7	3	82	52	1	–
48	Balance of county	220	–	–	1	28	7	6	1	5	2	–	7	9	118	89	–	4
49	Chester	303	–	–	2	43	8	11	3	8	3	3	7	4	166	109	–	2
50	Chesterfield	373	1	–	6	59	10	9	5	11	5	2	17	9	176	133	3	3
51	Clarendon	217	2	–	2	24	6	2	2	8	1	1	4	6	110	79	1	2
52	Colleton	325	–	–	4	53	13	14	5	6	1	3	11	14	150	102	–	1
53	Darlington	544	4	–	6	90	21	23	14	9	4	1	18	7	261	185	2	2
54	Dillon	271	3	–	5	27	7	5	2	2	3	1	7	8	110	77	2	1
55	Dorchester	276	2	–	4	46	12	10	–	5	4	2	13	6	131	94	1	–
56	Edgefield	151	–	–	1	20	7	4	–	3	1	2	3	–	88	62	1	3
57	Fairfield	219	1	–	3	27	7	5	3	3	2	1	6	7	127	89	1	2
58	Florence	957	8	–	9	155	39	36	10	25	3	7	35	27	498	393	5	6
59	Florence	357	1	–	4	52	10	12	3	8	2	4	13	10	205	167	4	3
60	Balance of county	600	7	–	5	103	29	24	7	17	1	3	22	17	293	226	1	3
61	Georgetown	319	3	–	3	45	11	17	–	4	4	4	5	10	151	106	1	10
62	Georgetown	124	1	–	2	13	2	5	–	2	1	2	1	3	63	43	–	7
63	Balance of county	195	2	–	1	32	9	12	–	2	3	2	4	7	88	63	1	3
64	Greenville	2,119	3	–	16	414	92	105	37	52	19	17	92	35	1,092	758	13	6
65	Greenville	740	3	–	8	142	31	37	11	19	10	9	25	13	375	267	5	5
66	Greer, part	104	–	–	1	20	6	6	–	3	–	1	4	2	61	45	–	–
67	Greer, total	136	–	–	1	23	7	6	–	4	–	1	5	2	79	58	–	–
68	Balance of county	1,275	–	–	7	252	55	62	26	30	9	7	63	20	656	446	8	1
69	Greenwood	514	1	–	4	86	17	21	15	12	–	–	21	10	285	182	4	1
70	Greenwood	253	–	–	2	38	9	7	6	7	–	–	9	5	140	88	3	1
71	Balance of county	261	1	–	2	48	8	14	9	5	–	–	12	5	145	94	1	–
72	Hampton	194	–	–	1	30	8	11	–	2	–	3	6	4	97	69	4	3
73	Horry	703	–	–	2	111	19	33	9	8	6	6	30	11	319	232	1	4
74	Jasper	133	3	–	2	27	7	7	–	5	2	–	6	5	57	40	2	3
75	Kershaw	360	–	–	1	68	15	21	2	7	4	3	16	10	169	119	2	4
76	Lancaster	375	–	–	3	70	9	22	7	5	1	4	22	9	185	140	1	2
77	Laurens	528	2	–	5	83	18	25	6	11	5	2	16	13	262	188	2	4
78	Laurens	132	1	–	1	20	2	3	1	2	3	1	8	4	72	51	2	–
79	Balance of county	396	1	–	4	63	16	22	5	9	2	1	8	9	190	137	–	4
80	Lee	175	2	–	3	24	7	5	3	2	2	1	4	7	97	73	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
107	2	1	16	1	6	2	4	1	2	–	–	1	2	–	8	2	5	3	–	–	01
109	2	3	16	2	2	6	4	–	4	1	–	1	–	1	22	7	6	7	–	–	02
255	5	4	62	6	11	18	7	4	19	–	–	4	15	3	53	6	11	11	2	1	03
49	1	1	9	–	2	3	2	–	5	–	–	1	6	–	9	2	2	2	1	–	04
118	1	3	27	4	6	9	3	2	6	–	–	–	5	2	28	3	3	4	1	–	05
88	3	–	26	2	3	6	2	2	8	–	–	3	4	1	16	1	6	5	–	1	06
2,432	88	24	508	96	91	135	55	23	94	38	2	35	55	11	519	90	103	59	23	10	07
95	1	–	16	5	1	2	–	–	3	1	–	1	1	1	15	1	2	4	–	1	08
282	8	4	59	12	9	21	9	4	8	7	1	3	2	–	57	8	12	7	2	–	09
81	2	1	25	3	1	1	–	2	1	1	–	2	1	1	11	2	4	4	–	–	10
193	9	2	42	8	7	14	5	2	11	–	–	4	2	–	44	8	6	3	1	–	11
83	1	–	18	4	1	4	1	–	4	–	–	1	3	2	17	1	3	2	–	–	12
388	11	2	81	19	14	17	7	3	13	4	–	4	1	1	72	8	11	5	1	1	13
749	37	7	183	25	34	49	14	10	32	16	–	9	34	4	189	36	38	18	18	7	14
226	6	3	29	7	9	14	11	1	7	2	–	3	6	2	53	5	11	6	1	1	15
335	13	5	55	13	15	13	8	1	15	7	1	8	5	–	61	21	16	10	–	–	16
259	9	–	52	9	8	21	4	3	8	1	–	6	6	3	50	18	14	13	–	2	17
55	3	–	9	1	2	5	1	–	3	–	–	1	1	–	17	2	4	2	–	1	18
204	6	–	43	8	6	16	3	3	5	1	–	6	5	3	33	16	10	11	–	1	19
7,121	1,004	88	2,731	234	316	675	259	73	299	161	10	196	486	814	1,948	809	813	275	335	52	20
1,817	216	20	678	53	82	180	68	21	102	36	4	45	102	181	506	115	181	59	79	8	21
5,304	788	68	2,053	181	234	495	191	52	197	125	6	151	384	633	1,442	694	632	216	256	44	22
2,631	308	20	886	59	119	212	94	25	123	45	1	84	138	112	653	269	282	111	111	10	23
1,027	108	8	332	24	51	92	36	11	63	21	1	29	40	39	267	52	104	35	43	3	24
1,604	200	12	554	35	68	120	58	14	60	24	–	55	98	73	386	217	178	76	68	7	25
4,490	696	68	1,845	175	197	463	165	48	176	116	9	112	348	702	1,295	540	531	164	224	42	26
790	108	12	346	29	31	88	32	10	39	15	3	16	62	142	239	63	77	24	36	5	27
3,700	588	56	1,499	146	166	375	133	38	137	101	6	96	286	560	1,056	477	454	140	188	37	28
59	4	–	23	2	4	5	3	1	4	1	–	–	9	16	14	9	6	2	–	–	29
267	22	3	94	8	9	23	9	1	7	3	–	8	13	39	55	36	29	13	12	1	30
51	2	1	25	1	2	4	2	–	1	2	–	2	2	16	11	3	5	–	–	1	31
36	1	–	8	2	2	3	1	–	1	–	–	4	2	3	6	2	3	2	–	–	32
180	19	2	61	5	5	16	6	1	5	1	–	2	9	20	38	31	21	11	12	–	33
27	9	–	19	3	1	3	1	–	–	3	–	2	3	–	10	3	4	–	4	–	34
296	59	4	122	10	21	54	9	5	13	6	2	6	12	70	105	43	28	11	4	5	35
77	22	1	40	2	3	19	1	1	4	1	–	1	5	28	43	10	11	–	2	–	36
219	37	3	82	8	18	35	8	4	9	5	2	5	7	42	62	33	17	11	2	5	37
54	3	3	32	–	1	2	–	–	2	–	–	1	2	1	15	6	6	4	2	–	38
55	6	–	20	2	–	4	–	–	1	1	–	2	4	3	15	2	11	3	6	1	39
69	16	2	33	3	3	12	4	1	3	5	–	6	11	11	21	27	25	12	8	–	40
132	13	1	41	3	3	4	5	1	8	5	–	4	12	7	21	34	34	10	6	–	41
54	1	–	17	–	1	3	–	–	1	1	–	2	3	3	9	3	5	–	2	2	42
575	48	2	175	12	24	49	13	3	32	11	–	15	49	22	152	55	69	24	23	1	43
271	20	1	77	5	15	28	8	1	17	6	–	5	16	5	71	13	34	9	15	–	44
304	28	1	98	7	9	21	5	2	15	5	–	10	33	17	81	42	35	15	8	1	45
126	10	1	49	5	4	7	9	1	4	4	–	2	9	4	34	5	13	4	3	–	46
47	4	–	24	3	3	–	4	–	3	2	–	1	4	1	14	1	2	2	1	–	47
79	6	1	25	2	1	7	5	1	1	2	–	1	5	3	20	4	11	2	2	–	48
82	25	2	39	12	4	14	8	2	6	2	–	–	7	3	19	9	10	2	6	–	49
112	15	3	34	2	4	5	3	–	2	3	–	1	13	14	36	13	15	5	9	3	50
62	14	–	26	1	4	8	2	–	2	4	–	4	5	5	22	7	10	2	2	–	51
88	13	–	39	3	6	12	3	1	4	4	–	–	4	23	22	8	17	1	4	1	52
151	30	5	61	4	6	10	5	2	11	1	1	8	13	15	47	24	25	3	10	1	53
69	5	1	28	3	1	9	2	–	3	7	–	3	7	38	24	8	6	3	7	1	54
85	8	3	24	4	6	11	–	–	3	1	–	3	6	8	26	17	3	3	5	1	55
55	3	–	23	1	2	7	–	–	–	1	–	1	4	4	12	4	4	3	2	–	56
68	18	–	30	7	1	5	2	1	2	–	–	–	7	6	11	14	4	1	1	–	57
338	44	8	86	3	8	23	10	2	16	10	2	4	25	5	74	33	34	5	11	6	58
141	19	5	30	2	1	6	2	1	8	4	2	1	7	1	27	7	12	3	2	2	59
197	25	3	56	1	7	17	8	1	8	6	–	3	18	4	47	26	22	2	9	4	60
75	20	2	34	4	5	13	5	–	2	5	–	5	13	10	17	12	13	3	8	1	61
32	4	1	14	2	3	7	2	–	1	2	–	2	8	2	3	2	7	2	4	–	62
43	16	1	20	2	2	6	3	–	1	3	–	3	5	8	14	10	6	1	4	1	63
669	70	1	268	20	45	54	19	8	30	13	1	21	36	15	198	55	55	26	25	3	64
224	33	1	92	5	10	18	4	2	18	9	1	9	13	2	71	12	21	10	9	–	65
43	2	–	10	2	4	–	1	–	1	1	–	–	2	1	7	1	6	–	–	–	66
51	7	1	14	2	4	–	1	1	4	1	–	–	2	2	10	3	6	–	1	–	67
402	35	–	166	13	31	36	14	6	11	3	–	12	21	12	120	42	28	16	16	3	68
167	10	–	86	8	9	12	6	–	5	4	–	4	12	1	47	14	8	8	6	1	69
75	9	–	47	3	2	8	3	–	5	1	–	2	6	1	24	7	6	–	5	–	70
92	1	–	39	5	7	4	3	–	–	3	–	2	6	–	23	7	2	8	1	1	71
56	6	–	25	2	1	6	4	–	2	1	–	–	5	3	22	10	7	1	1	–	72
154	73	–	74	3	10	22	7	3	11	4	–	5	21	67	38	26	29	3	20	4	73
31	4	–	15	–	2	5	2	–	1	–	–	–	4	2	11	6	6	2	–	–	74
92	21	4	36	6	4	7	6	–	4	2	1	1	1	20	34	17	14	3	2	–	75
128	9	1	34	7	3	13	4	3	1	5	–	3	5	3	36	13	14	5	2	1	76
168	14	–	63	7	4	27	2	1	5	4	–	3	16	5	61	12	16	3	8	–	77
45	4	–	18	1	2	9	–	–	–	1	–	–	5	1	9	3	3	1	2	–	78
123	10	–	45	6	2	18	2	1	5	3	–	3	11	4	52	9	13	2	6	–	79
68	3	2	17	3	2	3	2	–	2	1	1	3	6	3	13	5	1	1	1	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Carolina—Con.																	
01	Lexington	745	1	–	9	123	24	33	14	19	6	6	21	12	411	325	1	4
02	McCormick	75	–	–	2	15	5	1	–	2	–	2	5	1	38	28	1	–
03	Marion	354	1	–	3	39	12	6	4	7	2	1	7	12	163	104	2	3
04	Marlboro	310	2	–	6	43	14	7	2	7	1	1	11	12	149	94	1	3
05	Newberry	324	1	–	4	50	14	12	7	7	2	2	6	7	172	120	2	1
06	Oconee	401	–	–	1	71	18	16	8	7	4	5	13	12	216	172	2	2
07	Orangeburg	755	1	–	5	122	30	27	12	20	3	3	27	21	394	257	6	8
08	Orangeburg	174	1	–	2	41	12	9	4	6	1	1	8	5	83	63	1	2
09	Balance of county	581	–	–	3	81	18	18	8	14	2	2	19	16	311	194	5	6
10	Pickens	494	–	–	1	81	20	22	6	3	5	–	25	7	280	206	2	–
11	Easley	93	–	–	–	12	1	4	1	1	2	–	3	1	56	43	–	–
12	Balance of county	401	–	–	1	69	19	18	5	2	3	–	22	6	224	163	2	–
13	Richland	1,687	3	1	15	313	72	94	21	38	14	15	59	27	849	634	9	6
14	Columbia	1,096	3	1	12	210	46	67	16	22	11	10	38	23	558	419	7	3
15	Balance of county	591	–	–	3	103	26	27	5	16	3	5	21	4	291	215	2	3
16	Saluda	150	–	–	–	28	4	6	4	7	1	–	6	5	80	51	3	–
17	Spartanburg	1,643	7	–	10	250	62	46	26	35	14	9	58	25	756	517	10	7
18	Greer, part	32	–	–	–	3	1	–	–	1	–	–	1	–	18	13	–	–
19	Spartanburg	491	4	–	2	81	16	12	10	16	4	5	18	9	225	149	3	5
20	Balance of county	1,120	3	–	8	166	45	34	16	18	10	4	39	16	513	355	7	2
21	Sumter	600	1	–	6	84	22	21	10	10	6	–	15	8	217	161	5	5
22	Sumter	242	1	–	2	32	12	7	3	4	2	–	4	2	94	70	2	–
23	Balance of county	358	–	–	4	52	10	14	7	6	4	–	11	6	123	91	3	5
24	Union	297	2	–	1	59	11	18	–	14	–	1	15	7	172	123	–	1
25	Union	113	–	–	–	26	4	8	–	7	–	1	6	3	57	41	–	1
26	Balance of county	184	2	–	1	33	7	10	–	7	–	–	9	4	115	82	–	–
27	Williamsburg	348	–	–	3	62	21	14	3	5	3	5	11	5	190	144	3	4
28	York	797	–	–	3	137	34	42	9	19	2	5	26	15	417	260	8	–
29	Rock Hill	346	–	–	–	68	17	19	5	10	–	2	15	7	171	101	4	–
30	Balance of county	451	–	–	3	69	17	23	4	9	2	3	11	8	246	159	4	–
31	**South Dakota**	6,742	9	–	32	1,243	355	247	109	161	72	70	229	102	3,468	2,516	34	36
32	Urban places	1,960	–	–	10	378	107	90	34	34	22	14	77	24	1,022	712	9	11
33	Balance of area	4,782	9	–	22	865	248	157	75	127	50	56	152	78	2,446	1,804	25	25
34	Metropolitan counties	829	–	–	4	170	39	43	18	22	10	9	29	6	427	291	4	3
35	Urban places	679	–	–	4	142	33	37	18	12	10	7	25	4	339	231	4	3
36	Balance of area	150	–	–	–	28	6	6	–	10	–	2	4	2	88	60	–	–
37	Nonmetropolitan counties	5,913	9	–	28	1,073	316	204	91	139	62	61	200	96	3,041	2,225	30	33
38	Urban places	1,281	–	–	6	236	74	53	16	22	12	7	52	20	683	481	5	8
39	Balance of area	4,632	9	–	22	837	242	151	75	117	50	54	148	76	2,358	1,744	25	25
40	Aurora	43	–	–	–	8	4	1	1	–	1	–	1	1	22	16	–	–
41	Beadle	212	–	–	–	46	15	10	3	5	4	2	7	3	118	63	2	3
42	Huron	162	–	–	–	33	9	8	3	4	3	2	4	3	91	51	1	3
43	Balance of county	50	–	–	–	13	6	2	–	1	1	–	3	–	27	12	1	–
44	Bennett	27	–	–	–	2	–	–	–	1	–	1	–	–	14	10	–	2
45	Bon Homme	91	–	–	–	19	5	2	1	1	4	2	4	4	45	28	–	–
46	Brookings	147	–	–	2	33	10	8	1	3	3	1	7	1	84	64	2	1
47	Brookings	86	–	–	1	17	4	6	1	2	1	–	3	–	52	40	1	1
48	Balance of county	61	–	–	1	16	6	2	–	1	2	1	4	1	32	24	1	–
49	Brown	329	–	–	1	69	24	12	7	7	8	2	9	2	182	133	2	1
50	Aberdeen	222	–	–	1	49	20	5	4	7	3	2	8	2	120	87	1	1
51	Balance of county	107	–	–	–	20	4	7	3	–	5	–	1	–	62	46	1	–
52	Brule	70	–	–	1	9	–	2	3	2	1	–	1	–	43	30	1	2
53	Buffalo	24	–	–	–	1	1	–	–	–	–	–	–	3	13	9	1	–
54	Butte	76	–	–	–	18	3	4	2	2	1	–	6	–	36	25	1	1
55	Campbell	32	–	–	–	6	2	2	1	1	–	–	–	–	18	17	–	–
56	Charles Mix	128	–	–	1	17	4	3	–	3	–	2	5	2	70	50	–	4
57	Clark	73	–	–	–	11	2	4	1	2	–	–	2	2	36	29	–	–
58	Clay	106	–	–	1	16	6	2	–	2	–	3	3	5	53	43	–	1
59	Codington	215	–	–	1	38	15	3	4	3	2	–	11	3	116	100	2	2
60	Watertown	170	–	–	–	33	13	3	4	1	1	–	11	1	92	80	–	2
61	Balance of county	45	–	–	1	5	2	–	–	2	1	–	–	2	24	20	2	–
62	Corson	55	–	–	1	8	2	1	1	1	1	–	2	2	15	11	1	–
63	Custer	60	–	–	1	5	1	1	1	–	1	–	1	3	33	24	–	–
64	Davison	203	–	–	–	27	7	4	–	2	–	3	11	4	126	88	1	1
65	Mitchell	175	–	–	–	22	6	4	–	1	–	2	9	4	112	76	–	1
66	Balance of county	28	–	–	–	5	1	–	–	1	–	1	2	–	14	12	1	–
67	Day	114	–	–	–	19	8	2	1	4	1	1	2	4	59	51	2	–
68	Deuel	86	–	–	–	12	3	2	1	2	–	1	3	1	55	40	–	–
69	Dewey	54	–	–	–	7	2	1	1	1	1	1	–	–	22	16	–	–
70	Douglas	45	–	–	–	12	4	1	–	4	–	1	2	1	24	19	–	–
71	Edmunds	51	–	–	–	7	3	1	–	–	–	2	1	–	33	13	1	–
72	Fall River	114	–	–	–	20	6	5	1	3	1	–	4	5	54	42	–	–
73	Faulk	37	–	–	–	5	–	2	–	–	–	1	2	–	21	18	–	1
74	Grant	121	–	–	–	25	7	4	5	3	1	2	3	1	64	53	–	–
75	Gregory	91	–	–	–	11	4	4	–	1	–	1	1	1	55	46	–	2
76	Haakon	21	–	–	–	4	2	–	–	–	–	1	1	1	10	9	–	–
77	Hamlin	85	–	–	–	18	6	3	–	2	–	4	3	–	36	26	1	–
78	Hand	67	–	–	–	9	–	1	1	–	1	–	6	–	40	20	–	–
79	Hanson	39	–	–	2	6	2	1	–	2	–	–	1	2	24	16	–	–
80	Harding	15	–	–	–	3	2	–	–	1	–	–	–	–	8	6	1	–
81	Hughes	105	–	–	–	21	7	3	3	3	1	1	3	1	45	30	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
247	73	3	76	–	7	19	13	1	10	2	–	9	2	4	56	33	21	12	7	–	01
18	9	–	8	1	1	1	1	–	–	1	–	–	2	2	6	3	1	2	–	–	02
60	39	4	51	2	2	6	1	1	8	1	–	3	13	34	32	9	22	3	3	–	03
83	7	–	44	5	6	7	1	2	6	3	–	1	6	5	42	10	5	1	8	1	04
104	13	2	39	6	5	9	3	2	2	4	1	4	1	13	22	14	9	4	1	1	05
146	22	–	36	1	7	12	8	1	5	2	–	4	10	3	19	11	13	8	5	–	06
210	33	6	121	3	7	17	3	2	7	8	–	3	21	30	56	17	24	10	12	2	07
54	6	1	18	–	1	1	–	–	2	2	–	–	6	4	10	3	8	2	4	–	08
156	27	5	103	3	6	16	3	2	5	6	–	3	15	26	46	14	16	8	8	2	09
188	16	2	63	3	6	18	11	3	6	1	–	5	9	6	25	18	15	3	4	1	10
38	5	1	9	1	2	4	2	–	1	–	–	1	1	–	5	5	2	1	1	1	11
150	11	1	54	2	4	14	9	3	5	1	–	4	8	6	20	13	13	2	3	–	12
553	66	8	169	13	25	45	24	8	30	10	–	22	17	19	146	38	59	23	34	4	13
364	45	4	111	8	16	35	18	8	24	3	–	8	4	12	96	16	33	13	18	1	14
189	21	4	58	5	9	10	6	–	6	7	–	14	13	7	50	22	26	10	16	3	15
46	2	1	23	1	4	7	4	–	2	1	–	2	1	–	12	–	2	3	3	–	16
415	85	3	195	17	24	55	20	9	19	7	1	10	25	127	163	49	57	20	27	6	17
8	5	1	4	–	–	–	–	1	3	–	–	–	–	1	3	2	–	–	1	–	18
121	20	1	61	5	9	21	6	2	6	1	1	2	10	36	48	10	12	5	7	3	19
286	60	1	130	12	15	34	14	6	10	6	–	8	15	90	112	37	45	15	19	3	20
137	14	2	42	7	5	17	8	2	2	5	–	4	15	118	41	27	24	7	11	3	21
63	5	–	20	2	2	5	5	2	1	1	–	1	6	52	18	8	8	3	1	–	22
74	9	2	22	5	3	12	3	–	1	4	–	3	9	66	23	19	16	4	10	3	23
119	3	3	39	4	3	5	–	2	3	–	–	1	4	13	17	5	2	–	4	–	24
39	1	1	14	1	–	2	–	1	1	–	–	1	–	7	8	4	1	–	2	–	25
80	2	2	25	3	3	3	–	1	2	–	–	–	4	6	9	1	1	–	2	–	26
127	10	2	34	2	8	7	–	–	2	2	–	3	8	2	23	22	13	2	4	–	27
236	16	4	124	21	8	18	17	4	10	2	–	8	15	12	67	23	25	11	12	1	28
88	9	1	56	8	5	10	9	2	5	–	–	5	5	8	32	6	7	6	5	–	29
148	7	3	68	13	3	8	8	2	5	2	–	3	10	4	35	17	18	5	7	1	30
2,205	241	26	721	109	96	302	109	21	82	21	–	54	101	80	558	238	213	76	27	6	31
635	57	12	226	34	38	74	30	10	25	8	–	18	40	11	169	57	56	25	3	–	32
1,570	184	14	495	75	58	228	79	11	57	13	–	36	61	69	389	181	157	51	24	6	33
270	14	3	109	15	9	35	13	3	12	1	–	8	17	2	68	23	29	10	1	–	34
213	11	3	84	12	9	28	11	2	11	1	–	7	17	2	58	19	23	10	1	–	35
57	3	–	25	3	–	7	2	1	1	–	–	1	–	–	10	4	6	–	–	–	36
1,935	227	23	612	94	87	267	96	18	70	20	–	46	84	78	490	215	184	66	26	6	37
422	46	9	142	22	29	46	19	8	14	7	–	11	23	9	111	38	33	15	2	–	38
1,513	181	14	470	72	58	221	77	10	56	13	–	35	61	69	379	177	151	51	24	6	39
13	3	–	5	1	–	–	–	1	–	–	–	–	2	5	4	–	–	–	–	–	40
56	2	5	38	2	10	6	4	2	1	3	–	1	1	2	14	3	5	2	1	–	41
45	2	5	24	2	9	4	2	2	1	3	–	1	1	1	12	2	3	2	1	–	42
11	–	–	14	–	1	2	2	–	–	–	–	–	–	1	2	1	2	–	–	–	43
7	1	–	4	–	–	1	–	–	1	–	–	–	1	1	2	1	4	1	–	–	44
23	5	–	11	3	3	7	2	–	1	–	–	1	1	1	7	1	2	–	–	–	45
59	2	1	17	–	2	9	–	1	1	–	–	–	1	–	10	4	1	–	–	–	46
37	1	–	10	–	2	4	–	1	1	–	–	–	1	–	8	1	–	–	–	–	47
22	1	1	7	–	–	5	–	–	–	–	–	–	–	–	2	3	1	–	–	–	48
109	21	1	38	5	5	11	4	1	6	1	–	4	4	7	22	12	1	2	–	–	49
70	15	1	27	1	4	8	3	1	4	1	–	3	1	4	15	7	1	2	–	–	50
39	6	–	11	4	1	3	1	–	2	–	–	1	3	3	7	5	–	–	–	–	51
27	–	–	9	2	2	–	–	–	1	–	–	1	1	2	5	4	1	1	1	–	52
7	1	–	4	–	–	4	–	–	–	–	–	–	1	–	1	1	–	–	–	–	53
17	6	–	8	2	1	6	–	–	–	1	–	–	1	2	6	3	2	1	–	–	54
15	2	–	–	–	1	–	–	–	–	–	–	–	–	2	2	2	1	1	–	–	55
40	6	1	17	–	2	9	2	–	2	1	–	–	1	4	10	2	5	1	1	–	56
28	1	–	6	–	1	1	2	–	2	–	–	1	–	–	10	1	5	2	–	–	57
37	5	–	10	–	–	8	1	–	3	–	–	1	–	2	9	5	2	–	–	–	58
80	16	–	7	7	2	4	7	1	3	1	–	1	1	–	22	5	12	–	–	–	59
65	13	–	4	6	2	1	6	1	3	1	–	1	1	–	18	3	9	–	–	–	60
15	3	–	3	1	–	3	1	–	–	–	–	–	–	–	4	2	3	–	–	–	61
7	3	–	3	–	1	7	–	–	7	1	–	1	3	2	1	3	3	1	–	–	62
20	4	2	3	1	3	5	2	–	–	1	–	–	–	–	4	3	2	1	–	–	63
79	7	2	29	6	1	6	5	1	–	–	–	1	5	2	17	4	3	2	–	–	64
71	4	2	28	5	1	5	2	1	–	–	–	–	3	2	16	3	3	2	–	–	65
8	3	–	1	1	–	1	3	–	–	–	–	1	2	–	1	1	–	–	–	–	66
42	7	1	6	–	1	6	1	–	2	1	–	1	1	1	10	4	5	–	–	–	67
40	–	1	11	2	1	2	1	–	–	1	–	–	1	–	6	3	2	2	–	–	68
13	3	–	4	1	1	3	2	1	1	–	–	–	–	2	5	8	2	–	–	1	69
13	6	–	5	–	–	2	–	–	–	–	–	–	–	1	2	1	1	1	–	–	70
12	–	–	19	–	1	–	1	–	–	1	–	–	–	1	3	1	1	1	1	–	71
38	4	1	8	1	2	7	–	–	1	1	–	1	6	7	8	–	3	2	–	–	72
16	1	–	2	–	1	4	–	–	–	1	–	–	–	–	2	1	1	2	–	–	73
48	5	–	10	1	–	7	–	–	–	–	–	1	2	1	10	4	5	1	–	–	74
44	–	–	8	1	–	2	–	–	1	–	–	–	–	1	10	6	3	–	1	–	75
9	–	–	1	–	–	–	1	–	1	–	–	–	–	–	3	–	1	–	–	–	76
21	4	–	5	2	3	4	–	1	1	–	–	–	2	–	10	2	5	2	–	–	77
19	1	–	16	4	–	3	1	–	–	–	–	1	–	–	5	3	4	1	–	–	78
14	2	1	3	4	–	1	–	–	–	–	–	–	–	–	4	–	–	–	–	–	79
4	1	–	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	80
24	5	1	10	1	3	8	2	–	–	–	–	3	1	–	11	5	6	1	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Dakota—Con.																	
01	Hutchinson	138	–	–	–	26	7	4	2	5	1	1	6	3	81	57	–	–
02	Hyde	25	–	–	–	5	1	2	–	1	–	–	1	1	15	12	–	–
03	Jackson	14	–	–	–	–	–	–	–	–	–	–	–	–	10	8	–	–
04	Jerauld	54	–	–	–	9	3	3	–	2	–	1	–	1	30	24	–	–
05	Jones	13	–	–	–	2	–	–	–	–	–	1	1	–	7	5	–	–
06	Kingsbury	90	–	–	1	18	6	4	2	3	1	–	2	2	47	36	–	4
07	Lake	101	–	–	–	21	6	6	1	4	–	1	3	–	54	34	–	–
08	Lawrence	163	–	–	1	32	7	11	5	5	2	1	1	4	84	62	1	–
09	Lincoln	149	–	–	1	29	5	4	4	2	2	2	10	3	83	59	2	1
10	Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Balance of county	149	–	–	1	29	5	4	4	2	2	2	10	3	83	59	2	1
12	Lyman	46	–	–	–	9	4	1	–	1	1	–	2	–	15	8	–	–
13	McCook	96	–	–	–	21	7	3	2	4	–	1	4	1	51	30	1	1
14	McPherson	47	–	–	–	7	1	3	–	1	–	–	2	1	33	26	1	–
15	Marshall	88	–	–	–	13	5	2	–	1	1	1	3	1	54	42	–	–
16	Meade	119	–	–	–	14	6	4	2	–	1	–	1	–	65	48	–	–
17	Mellette	36	–	–	–	3	1	1	1	–	–	–	–	1	17	12	–	–
18	Miner	46	–	–	–	17	5	2	2	2	–	2	4	1	15	14	–	–
19	Minnehaha	829	–	–	4	170	39	43	18	22	10	9	29	6	427	291	4	3
20	Sioux Falls, part	679	–	–	4	142	33	37	18	12	10	7	25	4	339	231	4	3
21	Sioux Falls, total	679	–	–	4	142	33	37	18	12	10	7	25	4	339	231	4	3
22	Balance of county	150	–	–	–	28	6	6	–	10	–	2	4	2	88	60	–	–
23	Moody	78	–	–	–	19	5	6	1	3	–	2	2	–	48	39	–	–
24	Pennington	446	–	–	5	82	21	26	5	9	4	–	17	11	190	132	1	–
25	Rapid City	341	–	–	4	56	14	20	2	4	3	–	13	9	151	106	1	–
26	Balance of county	105	–	–	1	26	7	6	3	5	1	–	4	2	39	26	–	–
27	Perkins	43	–	–	–	10	2	2	1	1	2	1	1	–	22	18	2	1
28	Potter	33	–	–	–	8	3	–	1	1	1	–	2	–	15	10	–	–
29	Roberts	118	–	–	1	23	9	2	2	4	1	3	2	5	59	48	–	–
30	Sanborn	39	1	–	–	8	3	2	–	1	–	1	1	–	20	15	–	–
31	Shannon	104	4	–	1	7	1	–	3	–	1	1	1	2	22	16	–	–
32	Spink	119	–	–	2	25	6	3	3	6	–	1	6	–	66	46	1	1
33	Stanley	23	–	–	–	7	3	1	–	–	2	–	1	1	5	4	–	–
34	Sully	21	–	–	–	4	–	–	1	1	1	–	1	–	10	9	–	–
35	Todd	84	3	–	–	10	6	–	–	1	1	2	–	1	16	13	2	–
36	Tripp	81	1	–	2	13	2	2	1	1	2	1	4	–	36	29	2	–
37	Turner	127	–	–	–	22	9	2	3	1	3	2	2	–	70	51	–	1
38	Union	122	–	–	–	34	8	6	5	9	–	1	5	3	59	46	–	1
39	Walworth	97	–	–	2	23	4	4	1	4	2	1	7	–	56	49	–	–
40	Washabaugh	10	–	–	1	1	–	–	1	–	–	–	–	–	5	5	–	–
41	Yankton	182	–	–	–	35	12	8	3	4	1	2	5	2	97	65	1	–
42	Yankton	125	–	–	–	26	8	7	2	3	1	1	4	1	65	41	1	–
43	Balance of county	57	–	–	–	9	4	1	1	1	–	1	1	1	32	24	–	–
44	Ziebach	25	–	–	–	4	1	1	–	1	–	–	1	–	10	8	–	–
45	**Tennessee**	38,970	93	3	282	7,202	1,769	1,890	563	843	270	293	1,574	541	20,400	14,406	198	151
46	Urban places	18,811	41	3	154	3,692	928	974	307	421	118	132	812	261	9,650	6,744	109	70
47	Balance of area	20,159	52	–	128	3,510	841	916	256	422	152	161	762	280	10,750	7,662	89	81
48	Metropolitan counties	17,603	38	3	146	3,523	864	940	293	406	114	144	762	247	8,767	6,188	108	65
49	Urban places	14,628	25	3	124	2,926	727	770	243	349	93	110	634	205	7,374	5,215	90	53
50	Balance of area	2,975	13	–	22	597	137	170	50	57	21	34	128	42	1,393	973	18	12
51	Nonmetropolitan counties	21,367	55	–	136	3,679	905	950	270	437	156	149	812	294	11,633	8,218	90	86
52	Urban places	4,183	16	–	30	766	201	204	64	72	25	22	178	56	2,276	1,529	19	17
53	Balance of area	17,184	39	–	106	2,913	704	746	206	365	131	127	634	238	9,357	6,689	71	69
54	Anderson	524	2	–	–	117	29	36	7	9	5	4	27	7	207	146	2	1
55	Oak Ridge, part	192	–	–	–	50	10	18	4	4	3	–	11	1	73	52	1	–
56	Oak Ridge, total	195	–	–	–	51	10	19	4	4	3	–	11	1	74	53	1	–
57	Balance of county	332	2	–	–	67	19	18	3	5	2	4	16	6	134	94	1	1
58	Bedford	291	2	–	1	58	13	23	1	7	3	1	10	6	161	126	1	2
59	Shelbyville	158	1	–	1	40	9	16	1	3	3	–	8	3	82	63	–	2
60	Balance of county	133	1	–	–	18	4	7	–	4	–	1	2	3	79	63	1	–
61	Benton	148	–	–	–	23	10	3	–	2	–	1	7	1	85	66	–	3
62	Bledsoe	84	–	–	1	12	5	–	1	2	1	2	1	–	49	32	2	–
63	Blount	590	3	–	3	122	36	24	7	14	7	6	28	4	295	194	2	4
64	Maryville	172	–	–	2	30	13	1	1	3	2	2	8	1	103	61	–	–
65	Balance of county	418	3	–	1	92	23	23	6	11	5	4	20	3	192	133	2	4
66	Bradley	465	2	–	2	82	22	21	5	4	3	4	23	6	245	156	3	1
67	Cleveland	289	2	–	1	54	18	14	5	2	1	2	12	3	147	91	1	–
68	Balance of county	176	–	–	1	28	4	7	–	2	2	2	11	3	98	65	2	1
69	Campbell	344	2	–	2	64	18	19	4	5	3	–	15	5	169	131	1	–
70	Cannon	128	–	–	1	25	2	9	3	2	3	3	3	3	72	53	–	–
71	Carroll	304	–	–	2	43	7	13	7	4	2	3	7	8	189	144	–	6
72	Carter	441	2	–	2	66	19	16	6	7	3	2	13	5	230	158	2	–
73	Elizabethton	150	2	–	–	21	4	7	1	3	1	–	5	1	81	51	1	–
74	Balance of county	291	–	–	2	45	15	9	5	4	2	2	8	4	149	107	1	–
75	Cheatham	126	–	–	–	26	5	6	3	3	1	2	6	1	63	56	1	–
76	Chester	122	–	–	–	19	5	5	–	1	–	1	7	4	79	52	1	–
77	Claiborne	232	–	–	–	36	6	17	1	2	4	1	5	4	126	92	2	–
78	Clay	70	1	–	–	8	2	1	2	1	–	–	2	1	35	21	–	–
79	Cocke	283	1	–	–	44	14	12	2	5	3	–	8	6	159	102	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
52	5	–	21	3	–	2	1	–	–	–	–	–	1	–	11	6	7	–	–	–	01
12	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	02
8	–	–	1	–	1	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	03
23	1	–	4	1	1	3	1	–	–	–	–	–	–	–	6	1	3	–	–	–	04
1	4	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	05
31	1	–	5	3	3	3	6	–	1	–	–	–	2	–	8	2	–	–	–	–	06
28	6	–	16	2	2	5	3	–	1	–	–	–	1	–	9	5	2	–	–	–	07
55	6	–	15	6	1	4	3	1	1	–	–	2	3	–	9	4	8	4	2	1	08
53	3	2	16	3	3	5	3	2	2	1	–	1	–	1	12	4	2	–	–	–	09
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
53	3	2	16	3	3	5	3	2	2	1	–	1	–	1	12	4	2	–	–	–	11
3	5	–	5	1	1	5	–	–	2	–	–	–	–	–	6	5	2	1	1	–	12
28	1	–	15	4	2	6	3	–	1	–	–	–	–	–	5	3	4	1	–	–	13
24	1	–	7	–	–	–	–	–	2	–	–	1	–	–	3	–	–	–	–	–	14
37	5	–	10	–	2	5	–	–	–	1	–	–	–	–	8	5	1	–	–	–	15
44	4	1	11	4	1	3	6	1	–	–	–	2	2	4	13	2	3	4	–	–	16
10	2	–	3	1	1	3	–	–	1	–	–	1	–	4	2	1	1	–	2	–	17
10	4	–	1	–	–	5	–	–	–	–	–	1	–	1	4	2	–	–	–	–	18
270	14	3	109	15	9	35	13	3	12	1	–	8	17	2	68	23	29	10	1	–	19
213	11	3	84	12	9	28	11	2	11	1	–	7	17	2	58	19	23	10	1	–	20
213	11	3	84	12	9	28	11	2	11	1	–	7	17	2	58	19	23	10	1	–	21
57	3	–	25	3	–	7	2	1	1	–	–	1	–	–	10	4	6	–	–	–	22
39	–	–	4	2	3	1	–	–	–	–	–	–	–	–	5	5	–	–	–	–	23
120	11	–	43	6	9	17	9	2	4	2	–	8	21	1	34	27	18	11	3	1	24
96	9	–	34	3	8	15	4	2	4	2	–	6	16	1	29	20	14	7	1	–	25
24	2	–	9	3	1	2	5	–	–	–	–	2	5	–	5	7	4	4	2	1	26
15	–	–	3	1	–	4	1	–	–	–	–	1	–	–	5	–	–	–	–	–	27
9	1	–	5	–	–	1	–	–	–	–	–	–	–	1	7	1	–	–	–	–	28
45	3	–	10	–	1	4	1	–	1	–	–	1	1	1	7	7	3	3	1	–	29
15	–	–	4	1	–	2	1	–	–	–	–	1	–	–	3	3	–	–	–	–	30
12	4	–	6	–	–	7	1	–	5	–	–	4	6	4	18	8	6	–	7	2	31
44	–	–	19	–	1	5	2	1	4	1	–	–	1	–	5	3	2	2	–	–	32
3	1	–	1	–	–	–	–	–	2	–	–	–	2	–	3	–	3	–	–	–	33
9	–	–	1	–	–	1	–	–	–	–	–	–	1	–	3	1	1	–	–	–	34
9	2	–	3	–	–	5	1	1	3	–	–	–	3	9	7	12	9	2	2	–	35
24	3	–	6	–	1	8	–	–	2	1	–	2	–	2	10	3	1	–	–	–	36
47	3	1	14	3	1	7	3	1	2	–	–	1	–	1	14	1	4	1	–	–	37
33	12	1	11	–	1	6	4	–	1	–	–	–	1	–	7	1	4	1	1	–	38
40	9	–	5	2	–	2	1	–	–	–	–	–	1	–	5	3	2	2	–	–	39
4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	40
60	4	1	22	5	4	12	4	–	1	–	–	–	3	1	18	3	3	3	–	–	41
38	2	1	15	5	3	9	2	–	1	–	–	–	–	1	13	2	3	2	–	–	42
22	2	–	7	–	1	3	2	–	–	–	–	–	3	–	5	1	–	1	–	–	43
7	1	–	1	–	1	1	–	–	–	–	–	–	–	–	3	2	2	2	1	–	44
13,104	**953**	**134**	**4,840**	**557**	**463**	**1,238**	**468**	**127**	**385**	**197**	**7**	**221**	**525**	**765**	**3,073**	**1,164**	**1,115**	**556**	**491**	**117**	**45**
6,151	414	64	2,365	254	223	561	224	65	206	107	5	102	244	387	1,580	417	491	263	313	45	46
6,953	539	70	2,475	303	240	677	244	62	179	90	2	119	281	378	1,493	747	624	293	178	72	47
5,620	395	62	2,084	228	205	523	210	54	188	99	4	99	236	459	1,483	466	471	244	306	37	48
4,742	330	50	1,758	183	168	412	172	52	160	82	4	80	190	336	1,273	324	377	203	276	30	49
878	65	12	326	45	37	111	38	2	28	17	–	19	46	123	210	142	94	41	30	7	50
7,484	558	72	2,756	329	258	715	258	73	197	98	3	122	289	306	1,590	698	644	312	185	80	51
1,409	84	14	607	71	55	149	52	13	46	25	1	22	54	51	307	93	114	60	37	15	52
6,075	474	58	2,149	258	203	566	206	60	151	73	2	100	235	255	1,283	605	530	252	148	65	53
130	13	1	51	7	2	16	9	2	8	2	–	6	7	50	42	17	15	9	4	4	54
47	4	–	19	1	1	6	3	2	4	–	–	4	2	17	17	3	4	3	1	2	55
48	4	–	19	1	1	6	3	2	4	–	–	4	2	17	17	4	4	3	1	2	56
83	9	1	32	6	1	10	6	–	4	2	–	2	5	33	25	14	11	6	3	2	57
116	7	2	25	2	6	12	5	–	2	2	–	1	3	2	15	5	12	2	2	–	58
59	2	–	15	–	4	8	3	–	–	1	–	–	–	1	5	2	7	2	2	–	59
57	5	2	10	2	2	4	2	–	2	1	–	1	3	1	10	3	5	–	–	–	60
62	1	–	16	–	3	3	2	–	–	1	–	1	2	1	18	7	2	3	–	–	61
29	1	–	15	1	1	5	1	–	1	1	–	2	1	–	5	5	–	–	1	–	62
182	6	3	75	14	9	23	8	3	5	4	–	4	13	4	41	24	24	3	6	1	63
58	3	2	32	3	5	8	–	2	3	1	–	1	2	2	8	5	2	1	1	–	64
124	3	1	43	11	4	15	8	1	2	3	–	3	11	2	33	19	22	2	5	1	65
135	17	1	70	10	8	10	5	2	7	4	–	2	14	12	26	18	13	8	7	–	66
79	11	1	45	4	6	7	1	1	4	3	–	1	9	8	19	10	8	5	6	–	67
56	6	–	25	6	2	3	4	1	3	1	–	1	5	4	7	8	5	3	1	–	68
122	8	4	29	2	3	14	4	2	4	2	–	3	1	10	29	12	8	5	7	1	69
48	5	–	19	–	–	2	–	–	–	1	–	–	1	1	9	6	3	2	2	–	70
129	9	3	36	5	1	7	2	–	1	–	–	1	1	1	28	10	6	3	–	2	71
145	11	–	65	5	2	16	10	2	8	5	–	5	5	7	41	10	15	7	3	2	72
47	3	–	26	3	1	8	3	1	5	3	–	1	–	2	14	4	1	2	1	–	73
98	8	–	39	2	1	8	7	1	3	2	–	4	5	5	27	6	14	5	2	2	74
52	3	–	7	–	–	3	1	1	1	1	–	1	2	–	7	12	5	1	1	–	75
49	2	5	18	3	1	3	1	–	2	–	–	–	2	–	5	4	2	1	–	–	76
86	4	–	30	2	2	18	3	2	–	–	–	1	3	2	12	7	9	2	3	4	77
19	2	1	9	–	4	4	1	–	1	–	–	–	–	–	6	3	5	2	1	2	78
90	11	7	36	10	4	9	2	–	3	3	–	4	3	3	20	7	7	5	4	3	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Coffee	279	1	–	3	50	12	8	10	6	4	1	9	3	151	107	–	–
02	Tullahoma, part	104	1	–	2	22	5	1	7	4	1	1	3	3	49	37	–	–
03	Tullahoma, total	108	1	–	2	23	5	1	7	4	1	1	4	3	51	38	–	–
04	Balance of county	175	–	–	1	28	7	7	3	2	3	–	6	–	102	70	–	–
05	Crockett	176	–	–	1	33	11	7	1	4	2	1	7	3	99	63	–	1
06	Cumberland	252	1	–	3	55	10	13	3	9	4	1	15	1	120	85	2	–
07	Davidson, coext. with Nashville city	3,890	6	–	32	755	178	209	75	103	18	32	140	62	1,990	1,477	18	22
08	Decatur	119	–	–	–	17	6	2	–	2	–	4	3	–	70	57	–	–
09	De Kalb	125	1	–	2	18	3	6	1	2	1	2	3	2	73	55	–	1
10	Dickson	256	–	–	1	47	10	11	5	6	2	2	11	2	132	100	1	–
11	Dyer	360	–	–	4	61	19	15	–	5	4	2	16	5	193	128	2	–
12	Dyersburg	195	–	–	3	34	11	7	–	3	1	2	10	2	96	59	2	–
13	Balance of county	165	–	–	1	27	8	8	–	2	3	–	6	3	97	69	–	–
14	Fayette	223	–	–	4	35	11	8	5	5	–	1	5	4	98	67	–	–
15	Fentress	111	1	–	–	14	3	5	1	–	–	–	5	3	59	38	1	–
16	Franklin	290	–	–	–	52	15	8	2	10	1	3	13	4	146	105	1	2
17	Tullahoma, part	4	–	–	–	1	–	–	–	–	–	–	1	–	2	1	–	–
18	Balance of county	286	–	–	–	51	15	8	2	10	1	3	12	4	144	104	1	2
19	Gibson:	611	–	–	2	107	27	31	9	11	4	3	22	11	364	270	3	6
20	Humboldt	117	–	–	–	25	7	6	2	–	2	1	7	1	65	46	–	–
21	Balance of county	494	–	–	2	82	20	25	7	11	2	2	15	10	299	224	3	6
22	Giles	254	2	–	2	39	12	10	5	1	5	2	4	1	159	113	–	2
23	Grainger	134	1	–	1	18	5	5	1	2	–	2	3	2	63	41	–	–
24	Greene	442	2	–	4	72	17	25	6	6	–	1	17	13	251	193	2	5
25	Greeneville	125	–	–	1	18	4	6	3	2	–	–	3	5	79	63	–	4
26	Balance of county	317	2	–	3	54	13	19	3	4	–	1	14	8	172	130	2	1
27	Grundy	145	–	–	2	16	4	1	1	5	1	–	4	2	81	58	–	–
28	Hamblen	350	3	–	3	51	16	9	3	2	2	2	17	2	182	110	–	–
29	Morristown	177	1	–	–	26	9	3	1	1	1	1	10	1	97	56	–	–
30	Balance of county	173	2	–	3	25	7	6	2	1	1	1	7	1	85	54	–	–
31	Hamilton	2,546	6	1	14	528	138	138	41	69	18	18	106	41	1,329	955	14	6
32	Chattanooga	1,791	6	1	8	366	98	90	29	51	9	12	77	25	937	668	7	2
33	East Ridge	154	–	–	1	35	11	9	2	5	2	–	6	4	86	66	1	1
34	Red Bank	108	–	–	1	23	4	7	1	3	1	–	7	1	55	38	–	–
35	Balance of county	493	–	–	4	104	25	32	9	10	6	6	16	11	251	183	6	3
36	Hancock	91	1	–	–	7	2	3	–	–	–	–	2	2	62	42	1	1
37	Hardeman	244	–	–	3	42	11	7	6	7	2	2	7	1	123	93	–	–
38	Hardin	197	–	–	1	34	6	11	3	3	1	1	9	–	112	82	1	–
39	Hawkins	318	1	–	1	56	17	15	4	7	3	1	9	3	171	138	1	8
40	Kingsport, part	2	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
41	Balance of county	316	1	–	1	55	16	15	4	7	3	1	9	3	170	138	1	8
42	Haywood	231	2	–	2	32	6	8	2	5	1	–	10	3	138	100	3	4
43	Henderson	216	–	–	1	38	12	12	3	5	–	–	6	1	117	71	–	–
44	Henry	321	–	–	1	55	12	19	4	10	1	–	9	5	180	111	2	–
45	Hickman	123	–	–	–	18	7	2	1	1	–	1	6	1	66	52	1	–
46	Houston	63	–	–	–	15	3	3	1	1	1	3	3	3	24	15	–	–
47	Humphreys	139	–	–	1	26	8	9	–	1	1	–	7	2	68	52	–	–
48	Jackson	90	–	–	–	19	3	7	3	2	2	–	2	–	59	47	–	–
49	Jefferson	255	–	–	2	36	5	6	3	7	1	2	12	7	137	78	–	2
50	Johnson	114	1	–	1	15	3	5	2	–	1	–	4	1	59	42	1	1
51	Knox	2,665	7	–	12	554	125	149	52	63	25	20	120	35	1,125	743	20	9
52	Knoxville	1,860	3	–	6	392	87	106	34	48	21	13	83	24	776	510	16	7
53	Balance of county	805	4	–	6	162	38	43	18	15	4	7	37	11	349	233	4	2
54	Lake	91	–	–	–	18	4	3	1	3	2	1	4	1	47	31	–	–
55	Lauderdale	253	1	–	3	41	10	12	2	6	2	5	4	10	125	94	–	4
56	Lawrence	305	–	–	2	62	19	17	6	6	–	3	11	1	172	131	4	1
57	Lewis	81	–	–	1	19	3	8	2	2	1	–	3	1	37	27	1	–
58	Lincoln	240	–	–	2	53	12	13	6	5	1	2	14	3	109	73	2	1
59	Loudon	279	1	–	1	50	14	9	3	6	4	3	11	1	161	118	–	2
60	McMinn	346	2	–	2	56	12	16	4	6	3	1	14	7	177	108	–	–
61	Athens	114	1	–	1	15	4	5	–	1	–	–	5	2	64	37	–	–
62	Balance of county	232	1	–	1	41	8	11	4	5	3	1	9	5	113	71	–	–
63	McNairy	219	–	–	2	32	9	7	7	1	1	–	7	1	123	98	1	–
64	Macon	170	2	–	1	28	8	9	–	3	–	2	6	1	100	77	–	–
65	Madison	768	–	–	4	140	37	36	12	14	2	6	33	8	450	279	6	4
66	Jackson	541	–	–	2	95	26	24	9	8	1	3	24	5	324	204	6	3
67	Balance of county	227	–	–	2	45	11	12	3	6	1	3	9	3	126	75	–	1
68	Marion	228	–	–	–	49	16	13	2	4	3	3	8	1	119	88	1	–
69	Marshall	197	–	–	1	38	9	13	1	4	4	1	6	2	100	74	–	3
70	Maury	476	–	–	2	99	22	23	5	16	4	5	24	4	259	178	1	–
71	Columbia	240	–	–	2	56	13	11	4	8	2	5	13	2	126	87	–	–
72	Balance of county	236	–	–	–	43	9	12	1	8	2	–	11	2	133	91	1	–
73	Meigs	65	–	–	–	11	1	3	–	1	2	1	3	2	36	27	–	–
74	Monroe	244	2	–	2	32	8	8	–	6	1	1	8	4	131	99	1	2
75	Montgomery	481	–	–	6	100	24	25	9	15	3	1	23	5	233	171	2	1
76	Clarksville	287	–	–	4	63	17	17	6	6	2	1	14	3	131	96	2	1
77	Balance of county	194	–	–	2	37	7	8	3	9	1	–	9	2	102	75	–	1
78	Moore	33	1	–	–	4	1	–	–	–	1	–	2	3	16	8	–	–
79	Morgan	139	–	–	2	25	2	5	4	6	1	1	6	1	74	49	2	2
80	Obion	375	–	–	3	63	13	18	6	10	3	2	11	3	224	155	–	2
81	Union City	121	–	–	2	18	3	7	3	2	–	–	3	1	61	45	–	–
82	Balance of county	254	–	–	1	45	10	11	3	8	3	2	8	2	163	110	–	2
83	Overton	190	–	–	1	33	7	10	–	8	–	2	6	3	102	86	1	–
84	Perry	104	–	–	2	19	5	7	–	2	1	2	2	–	54	44	2	–
85	Pickett	35	–	–	–	5	3	–	–	–	–	1	1	1	17	13	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
99	8	–	39	3	2	10	2	1	6	4		2	1	4	19	8	5	6	–	3	01
33	4	–	10	1	1	2	1	1	4	2		2	–	–	5	3	3	2	–	–	02
34	4	–	11	1	1	3	1	1	4	2		2	–	–	5	3	3	2	–	2	03
66	4	–	29	2	1	8	1	–	2	2		–	1	4	14	5	2	4	–	1	04
59	3	1	25	4	6	3	3	–	–	1		–	1	1	16	3	3	2	–	–	05
78	5	–	25	5	5	18	5	–	1	1		3	1	1	19	6	4	4	3	1	06
1,355	82	13	405	47	48	98	68	14	44	21		18	50	19	371	86	101	54	80	21	07
55	2	–	10	3	–	8	2	–	3	1		1	2	–	6	2	1	4	1	1	08
51	3	–	17	–	1	5	1	–	–	1		1	3	3	10	1	3	1	–	–	09
93	6	1	30	1	–	6	6	1	3	–		2	3	2	21	14	11	4	–	1	10
111	15	–	57	3	5	12	–	1	–	–		3	7	13	36	10	7	6	1	1	11
52	5	–	33	2	2	7	–	1	–	–		2	6	10	21	4	4	3	1	1	12
59	10	–	24	1	3	5	–	–	–	–		1	1	3	15	6	3	3	–	–	13
62	5	1	25	2	3	7	1	–	3	3		5	1	14	16	14	12	6	–	–	14
35	2	1	18	–	2	7	–	–	–	–		1	4	–	7	6	3	3	–	–	15
92	10	–	33	4	4	17	5	1	1	3		2	6	5	22	9	10	4	3	–	16
1	–	–	1	–	–	1	–	–	–	–		–	–	–	–	–	–	–	–	–	17
91	10	–	32	4	4	16	5	1	1	3		2	6	5	22	9	10	4	3	–	18
252	9	1	74	10	9	23	2	1	2	3		–	5	4	52	13	11	3	7	1	19
45	1	–	18	1	–	3	1	–	1	1		–	2	2	10	3	–	1	2	–	20
207	8	1	56	9	9	20	1	1	1	2		–	3	2	42	10	11	2	5	1	21
92	19	–	35	6	5	7	1	1	2	1		1	4	1	19	1	6	3	2	2	22
40	1	1	20	1	–	8	–	–	1	–		1	1	12	12	6	6	–	–	2	23
178	8	2	46	5	5	11	7	2	6	1		1	1	1	35	14	10	5	4	2	24
56	3	2	12	1	1	–	–	1	2	1		–	–	–	10	3	2	1	2	–	25
122	5	–	34	4	4	11	7	1	4	–		1	1	1	25	11	8	4	2	2	26
51	7	–	17	4	2	5	5	1	3	–		4	2	2	7	7	2	3	2	1	27
109	1	–	64	4	4	9	4	1	4	–		2	10	3	35	14	14	9	3	1	28
55	1	–	35	3	3	7	3	–	2	–		–	3	2	18	4	7	4	2	–	29
54	–	–	29	1	1	2	1	1	2	–		2	7	1	17	10	7	5	1	1	30
863	72	10	296	42	26	77	30	9	34	19		14	37	15	179	74	70	28	40	1	31
605	54	7	213	29	20	54	24	8	22	14		10	31	13	124	39	51	21	37	–	32
63	1	–	14	4	2	2	2	–	3	–		–	–	–	11	4	5	1	–	–	33
34	4	–	14	3	–	3	2	–	2	2		–	–	–	11	4	2	2	–	–	34
161	13	3	55	6	4	18	2	1	7	3		4	6	2	33	27	12	4	3	1	35
38	2	–	20	–	–	–	–	–	1	–		1	–	–	5	4	5	1	1	1	36
76	17	–	27	2	1	6	2	2	–	2		–	3	2	22	13	14	2	5	2	37
70	11	–	28	2	–	7	2	1	1	2		1	1	–	17	9	8	–	1	–	38
126	3	–	27	3	3	12	7	2	2	2		–	8	4	22	9	10	6	1	1	39
–	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	40
126	3	–	26	3	3	12	7	2	2	2		–	8	4	22	9	10	6	1	1	41
84	9	–	31	5	2	8	3	–	–	4		1	6	5	14	5	1	3	4	–	42
64	7	1	39	3	3	4	–	2	1	–		–	4	2	18	7	12	6	1	2	43
99	10	1	59	5	4	9	5	2	3	1		2	4	3	26	7	8	4	5	1	44
43	8	–	14	–	–	4	2	–	1	–		–	2	–	16	5	5	2	1	–	45
13	2	–	6	1	2	–	–	–	–	1		–	–	–	12	6	2	–	–	–	46
44	8	–	13	–	3	9	5	1	1	–		–	4	–	11	–	8	1	–	2	47
45	2	–	11	1	–	1	2	–	1	1		1	1	1	3	–	2	–	–	–	48
69	7	–	51	7	1	5	3	–	1	–		3	1	8	28	7	9	6	–	2	49
35	5	–	17	–	–	3	–	1	2	1		–	2	–	7	8	9	2	1	1	50
673	41	5	312	30	35	68	31	5	28	9	1	9	27	326	201	77	67	46	35	2	51
459	28	4	223	19	20	49	16	5	23	7	1	5	15	243	147	38	53	28	28	1	52
214	13	1	89	11	15	19	15	–	5	2	–	4	12	83	54	39	14	18	7	1	53
27	4	–	15	1	–	1	–	–	–	–	–	–	–	2	12	3	2	3	2	–	54
81	9	1	23	2	5	12	1	2	2	–	–	–	5	8	23	8	9	2	1	–	55
102	24	–	34	5	2	10	3	3	4	–	–	–	5	1	17	7	9	5	1	–	56
25	1	–	9	–	1	2	1	–	1	–	–	–	6	1	9	1	1	1	–	–	57
62	8	2	27	4	3	15	3	1	1	–	–	2	4	11	22	7	3	2	2	–	58
108	8	2	26	11	4	7	3	1	2	–	–	–	9	2	22	6	9	3	1	–	59
98	10	2	55	7	5	13	2	2	7	3	–	2	6	3	32	11	13	4	4	–	60
33	4	–	20	5	2	6	1	–	2	1	–	–	1	2	8	3	3	2	2	–	61
65	6	2	35	2	3	7	1	2	5	2	–	2	5	1	24	8	10	2	2	–	62
96	1	–	21	2	2	4	3	–	2	1	–	2	2	1	20	9	11	5	1	–	63
73	4	–	18	1	4	4	2	–	2	–	–	–	2	1	9	6	5	3	4	–	64
261	8	3	141	20	7	24	10	2	6	3	–	5	9	6	51	12	18	8	11	1	65
188	7	3	95	16	6	17	6	1	4	3	–	4	6	6	37	5	12	6	7	1	66
73	1	–	46	4	1	7	4	1	2	–	–	1	3	–	14	7	6	2	4	–	67
80	7	1	29	1	–	9	3	–	2	3	–	–	4	1	15	9	9	2	1	1	68
67	4	2	19	2	3	8	4	2	3	–	–	2	1	3	17	4	3	6	2	1	69
162	15	1	70	3	7	14	4	4	5	4	–	2	2	5	39	15	9	1	6	2	70
79	8	1	33	2	3	3	3	3	2	4	–	1	1	–	21	7	4	–	3	2	71
83	7	–	37	1	4	11	1	1	3	–	–	1	1	5	18	8	5	1	3	–	72
24	3	–	8	1	–	1	–	–	–	–	–	–	2	1	5	4	1	–	2	–	73
89	7	1	22	6	3	4	2	1	1	–	–	1	1	11	23	19	3	5	2	–	74
159	9	3	45	8	6	12	7	1	1	5	1	6	11	7	40	13	21	5	4	3	75
92	2	2	25	4	4	9	4	1	1	2	1	4	8	6	21	4	16	3	3	3	76
67	7	1	20	4	2	3	3	–	–	3	–	2	3	1	19	9	5	2	1	–	77
8	–	–	6	2	–	3	1	–	–	–	–	–	–	1	–	1	–	2	1	–	78
39	6	–	16	5	4	3	2	–	2	–	–	1	–	6	10	4	5	3	–	1	79
149	4	4	53	6	6	10	4	1	5	–	–	–	3	2	19	15	11	8	2	2	80
45	–	1	13	2	–	6	1	–	3	–	–	–	1	–	14	2	6	4	–	2	81
104	4	3	40	4	6	4	3	1	2	–	–	–	2	2	5	13	5	4	2	–	82
85	–	–	13	2	1	–	2	2	–	–	–	1	5	4	18	4	6	2	1	3	83
35	7	–	8	1	1	5	–	2	3	–	–	–	1	7	5	3	1	1	–	1	84
12	–	–	3	–	1	–	–	–	–	–	–	–	–	3	5	1	1	1	–	1	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Polk	123	–	–	–	23	3	7	1	4	–	2	6	–	70	46	1	–
02	Putnam	353	–	–	–	59	10	15	8	6	1	–	19	4	201	133	4	–
03	Cookeville	128	–	–	–	20	7	3	4	1	–	–	5	2	75	44	1	–
04	Balance of county	225	–	–	–	39	3	12	4	5	1	–	14	2	126	89	3	–
05	Rhea	173	–	–	1	35	9	5	4	6	3	–	8	4	89	59	–	–
06	Roane	405	1	–	4	64	15	18	4	12	2	1	12	6	229	174	2	1
07	Oak Ridge, part	3	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–
08	Balance of county	402	1	–	4	63	15	17	4	12	2	1	12	6	228	173	2	1
09	Robertson	368	2	–	1	62	11	17	3	9	1	6	15	10	208	142	3	3
10	Rutherford	553	2	–	4	107	25	23	12	13	3	6	25	6	292	193	4	3
11	Murfreesboro	269	2	–	3	49	9	16	6	8	1	1	8	1	149	94	2	2
12	Balance of county	284	–	–	1	58	16	7	6	5	2	5	17	5	143	99	2	1
13	Scott	183	–	–	–	33	9	5	3	5	1	3	7	3	91	79	2	–
14	Sequatchie	55	–	–	–	11	2	3	–	3	–	1	2	–	25	19	–	–
15	Sevier	276	–	–	1	45	10	12	2	2	3	3	13	7	145	112	–	–
16	Shelby	6,493	12	2	79	1,290	322	337	99	131	36	54	311	88	3,335	2,317	46	20
17	Memphis	6,105	10	2	69	1,220	314	311	94	125	35	49	292	84	3,148	2,189	46	20
18	Millington	56	–	–	2	9	–	5	2	–	–	–	2	1	30	22	–	–
19	Balance of county	332	2	–	8	61	8	21	3	6	1	5	17	3	157	106	–	–
20	Smith	155	–	–	–	22	3	4	2	1	1	3	8	–	104	76	–	–
21	Stewart	82	–	–	1	11	1	5	3	2	–	–	–	1	43	30	–	–
22	Sullivan	1,089	4	–	5	192	45	64	14	16	8	5	40	11	615	459	6	3
23	Bristol[4]	249	–	–	1	45	11	16	2	3	2	2	9	3	153	116	1	2
24	Kingsport, part	358	3	–	3	67	19	25	4	4	3	2	10	6	185	133	2	1
25	Kingsport, total	360	3	–	3	68	20	25	4	4	3	2	10	6	186	133	2	1
26	Balance of county	482	1	–	1	80	15	23	8	9	3	1	21	2	277	210	3	–
27	Sumner	526	2	–	3	94	20	27	10	11	3	6	17	8	270	206	3	2
28	Gallatin	161	–	–	2	24	7	6	1	4	1	2	3	2	83	67	–	–
29	Balance of county	365	2	–	1	70	13	21	9	7	2	4	14	6	187	139	3	2
30	Tipton	352	–	–	6	59	22	15	2	5	3	2	10	4	201	135	2	2
31	Trousdale	54	–	–	–	9	4	1	2	–	–	–	2	3	22	19	–	–
32	Unicoi	157	–	–	3	28	9	2	3	3	1	2	8	2	93	69	–	1
33	Union	82	–	–	–	17	5	5	–	1	2	3	1	–	37	27	–	–
34	Van Buren	49	–	–	–	7	3	1	–	2	–	–	1	1	23	17	–	1
35	Warren	269	1	–	4	37	12	7	–	6	3	3	6	7	140	104	–	1
36	McMinnville	113	–	–	2	15	5	4	–	3	1	–	2	3	67	54	–	1
37	Balance of county	156	1	–	2	22	7	3	–	3	2	3	4	4	73	50	–	–
38	Washington	757	5	–	4	134	32	25	8	20	5	2	42	11	408	256	5	2
39	Johnson City	439	3	–	2	80	19	15	6	10	3	1	26	9	241	151	1	2
40	Balance of county	318	2	–	2	54	13	10	2	10	2	1	16	2	167	105	4	–
41	Wayne	127	2	–	–	19	4	3	1	3	1	3	4	1	52	42	–	–
42	Weakley	321	–	–	3	57	10	15	3	8	4	3	14	11	176	115	–	2
43	White	190	1	–	1	34	5	11	1	7	2	1	7	–	113	72	–	–
44	Williamson	308	1	–	5	53	13	16	4	9	3	–	8	2	171	110	–	–
45	Wilson	369	–	–	3	63	16	20	2	6	2	4	13	2	216	150	3	1
46	Lebanon	139	–	–	1	22	5	8	–	3	1	–	5	–	93	65	1	1
47	Balance of county	230	–	–	2	41	11	12	2	3	1	4	8	2	123	85	2	–
48	**Texas**	**100,760**	**188**	**13**	**960**	**18,963**	**4,737**	**5,043**	**1,486**	**2,212**	**762**	**809**	**3,914**	**1,818**	**47,940**	**34,023**	**423**	**510**
49	Urban places	61,908	131	10	620	11,845	2,951	3,123	1,006	1,364	491	523	2,387	1,130	29,078	20,595	309	298
50	Balance of area	38,852	57	3	340	7,118	1,786	1,920	480	848	271	286	1,527	688	18,862	13,428	114	212
51	Metropolitan counties	66,203	136	7	691	12,835	3,175	3,503	1,081	1,398	514	549	2,615	1,198	30,578	21,857	344	295
52	Urban places	53,884	114	7	561	10,415	2,602	2,770	904	1,160	429	461	2,089	998	25,148	17,849	291	249
53	Balance of area	12,319	22	–	130	2,420	573	733	177	238	85	88	526	200	5,430	4,008	53	46
54	Nonmetropolitan counties	34,557	52	6	269	6,128	1,562	1,540	405	814	248	260	1,299	620	17,362	12,166	79	215
55	Urban places	8,024	17	3	59	1,430	349	353	102	204	62	62	298	132	3,930	2,746	18	49
56	Balance of area	26,533	35	3	210	4,698	1,213	1,187	303	610	186	198	1,001	488	13,432	9,420	61	166
57	Anderson	420	–	–	–	65	11	20	6	14	3	5	6	7	239	183	1	2
58	Palestine	229	–	–	–	42	6	12	5	11	2	3	3	3	126	97	1	–
59	Balance of county	191	–	–	–	23	5	8	1	3	1	2	3	4	113	86	–	2
60	Andrews	83	–	–	–	15	1	7	2	3	1	–	1	1	31	29	–	–
61	Angelina	562	–	–	1	88	24	25	2	12	2	4	19	7	243	149	1	–
62	Lufkin	293	–	–	–	50	12	15	2	8	2	3	8	2	137	81	–	–
63	Balance of county	269	–	–	1	38	12	10	–	4	–	1	11	5	106	68	1	–
64	Aransas	112	–	–	–	22	4	6	–	4	–	–	8	1	58	44	1	–
65	Archer	48	–	–	–	7	1	2	–	–	–	–	4	–	26	20	–	–
66	Armstrong	32	–	–	–	7	–	2	1	2	–	–	2	–	19	11	–	–
67	Atascosa	218	–	–	2	44	11	14	3	1	–	1	14	5	102	68	1	1
68	Austin	208	1	–	3	40	12	6	1	9	2	1	9	4	99	73	1	4
69	Bailey	65	–	–	–	12	–	4	–	3	–	1	4	1	29	19	–	–
70	Bandera	76	–	–	–	15	6	2	–	2	1	–	4	–	32	25	–	–
71	Bastrop	264	–	–	1	59	23	11	3	11	1	–	10	–	122	99	–	5
72	Baylor	85	–	–	1	18	9	3	1	2	1	1	1	1	45	30	–	–
73	Bee	173	1	–	–	23	6	5	3	3	1	–	5	6	86	51	–	–
74	Beeville	109	1	–	–	17	5	3	3	3	1	–	2	4	55	28	–	–
75	Balance of county	64	–	–	–	6	1	2	–	–	–	–	3	2	31	23	–	–
76	Bell	997	–	–	10	164	37	37	13	16	9	8	44	8	404	303	2	2
77	Killeen	194	–	–	1	33	13	9	1	3	–	–	7	1	67	44	–	1
78	Temple	431	–	–	4	81	11	20	8	7	6	6	23	7	198	161	–	1
79	Balance of county	372	–	–	5	50	13	8	4	6	3	2	14	–	139	98	2	–
80	Bexar	6,341	20	1	94	1,252	308	310	108	149	47	67	263	151	2,915	2,116	39	36
81	San Antonio	5,553	18	1	83	1,098	273	274	91	129	44	58	229	137	2,551	1,846	33	34
82	Balance of county	788	2	–	11	154	35	36	17	20	3	9	34	14	364	270	6	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
43	2	–	18	4	2	3	–	2	2	1	–	1	–	–	6	4	6	2	3	–	01
123	6	–	54	9	5	12	2	–	4	5	–	1	10	4	23	7	12	3	5	1	02
39	4	–	23	5	3	6	1	–	1	1	–	1	3	–	9	4	2	1	2	–	03
84	2	–	31	4	2	6	1	–	3	4	–	–	7	4	14	3	10	2	3	1	04
57	2	1	17	7	5	4	2	–	–	2	–	3	2	2	10	11	5	2	1	–	05
163	8	3	41	6	5	11	3	–	–	1	–	1	4	10	31	11	10	7	5	2	06
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	07
162	8	3	41	6	5	11	3	–	5	1	–	1	4	10	31	10	10	7	5	2	08
125	11	2	47	11	6	13	5	5	4	1	–	2	3	–	26	9	9	3	4	1	09
177	9	–	87	8	4	12	15	1	7	1	1	2	6	3	42	21	21	7	3	–	10
85	5	–	48	5	2	7	8	–	3	1	–	–	3	1	22	9	9	2	–	–	11
92	4	–	39	3	2	5	7	1	4	–	1	2	3	2	20	12	12	5	3	–	12
73	4	1	7	2	2	2	7	–	3	1	1	5	3	2	7	7	11	2	–	5	13
19	–	–	5	–	1	–	1	–	–	2	–	–	1	2	6	3	1	–	3	–	14
112	–	–	26	3	4	7	2	–	2	–	–	1	1	4	14	17	17	10	2	1	15
2,104	147	28	834	79	77	196	60	21	58	41	3	46	92	40	590	152	166	92	127	3	16
1,986	137	24	793	76	66	175	55	21	56	37	3	41	89	38	558	134	153	87	122	3	17
19	3	–	7	–	1	3	1	–	–	–	–	–	–	1	4	4	–	1	–	–	18
99	7	4	34	3	10	18	4	–	2	4	–	5	3	1	28	14	13	4	5	–	19
75	1	–	18	8	2	8	–	–	2	–	–	–	2	1	3	4	5	3	–	1	20
30	–	–	12	1	–	5	–	–	2	–	–	–	–	2	9	4	2	–	2	–	21
434	16	4	119	12	21	48	12	2	16	7	–	9	13	1	67	30	28	22	4	3	22
110	3	3	28	2	4	10	5	1	3	–	–	1	1	1	13	3	4	5	–	–	23
126	4	–	38	6	8	14	2	–	6	2	–	2	4	–	23	9	15	12	3	2	24
126	4	–	39	6	8	14	2	–	6	2	–	2	4	–	23	9	15	12	3	2	25
198	9	1	53	4	9	24	5	1	7	5	–	6	8	–	31	18	9	5	1	1	26
192	9	1	53	7	3	30	3	–	6	2	–	1	6	5	35	26	21	5	4	5	27
64	3	–	14	1	1	11	1	–	2	–	–	–	1	3	12	5	5	3	4	3	28
128	6	1	39	6	2	19	2	–	4	2	–	1	5	2	23	21	16	2	–	2	29
124	7	–	57	8	1	12	6	–	1	–	–	–	3	7	24	11	13	3	2	–	30
16	3	–	2	1	–	1	2	–	–	–	–	–	1	1	8	–	4	3	–	–	31
65	3	–	19	3	2	5	–	–	1	1	–	–	3	–	15	4	2	–	–	–	32
23	4	–	8	–	2	4	2	1	–	–	–	–	1	6	5	2	3	1	3	–	33
16	–	–	5	–	1	3	1	–	1	–	–	–	–	3	2	4	–	2	2	–	34
86	17	2	29	2	3	11	6	–	1	–	–	–	7	9	12	13	8	8	4	1	35
46	7	–	12	1	–	4	2	–	1	–	–	–	–	4	6	5	2	1	1	1	36
40	10	2	17	1	3	7	4	–	1	–	–	–	7	5	6	8	6	7	3	–	37
228	21	2	131	12	7	40	12	3	7	1	–	4	7	13	56	22	17	9	3	1	38
138	10	1	76	8	5	24	7	2	3	–	–	3	6	6	31	8	9	4	–	1	39
90	11	1	55	4	2	16	5	1	4	1	–	1	1	7	25	14	8	5	3	–	40
37	5	–	8	1	1	6	2	–	1	–	–	2	1	2	14	8	6	5	4	2	41
101	12	1	47	7	6	1	6	1	4	2	–	2	7	9	20	5	12	4	1	–	42
70	2	–	33	5	3	4	2	1	–	–	–	–	3	4	8	11	6	–	2	–	43
100	10	1	52	5	3	9	3	1	6	2	–	3	3	–	15	14	8	7	3	2	44
121	25	1	58	2	5	15	1	–	5	1	–	1	4	–	24	10	7	7	10	–	45
52	11	–	24	–	4	3	–	–	1	–	–	1	–	–	10	2	1	2	3	–	46
69	14	1	34	2	1	12	1	–	4	1	–	–	4	–	14	8	6	5	7	–	47
27,963	**5,127**	**315**	**10,691**	**1,685**	**1,226**	**3,610**	**1,484**	**253**	**1,408**	**459**	**34**	**874**	**1,751**	**3,168**	**8,203**	**3,201**	**3,227**	**1,492**	**1,622**	**92**	48
17,395	2,593	198	6,451	1,075	759	2,160	909	162	1,058	274	21	599	1,170	1,466	5,176	1,815	1,972	1,005	1,238	69	49
10,568	2,534	117	4,240	610	467	1,450	575	91	350	185	13	275	581	1,702	3,027	1,386	1,255	487	384	23	50
18,396	2,822	195	6,623	1,104	799	2,269	976	164	1,115	297	21	680	1,251	1,538	5,556	2,128	2,215	1,155	1,322	71	51
15,184	2,125	170	5,515	946	668	1,835	789	142	982	237	17	544	1,024	1,060	4,544	1,590	1,764	918	1,136	59	52
3,212	697	25	1,108	158	131	434	187	22	133	60	4	136	227	478	1,012	538	451	237	186	12	53
9,567	2,305	120	4,068	581	427	1,341	508	89	293	162	13	194	500	1,630	2,647	1,073	1,012	337	300	21	54
2,211	468	28	936	129	91	325	120	20	76	37	4	55	146	406	632	225	208	87	102	10	55
7,356	1,837	92	3,132	452	336	1,016	388	69	217	125	9	139	354	1,224	2,015	848	804	250	198	11	56
166	14	3	48	1	4	5	5	5	1	2	–	1	6	32	20	11	16	1	3	1	57
92	4	1	27	1	–	4	3	3	1	1	–	1	3	19	12	4	4	1	2	–	58
74	10	2	21	–	4	1	2	2	–	1	–	–	3	13	8	7	12	–	1	1	59
12	17	–	2	–	–	5	1	–	1	1	–	–	4	3	7	7	5	1	1	–	60
119	29	1	83	4	6	18	10	1	10	1	–	5	13	49	51	26	25	5	8	1	61
69	12	–	49	2	5	9	5	1	5	1	–	3	9	24	19	11	10	2	5	–	62
50	17	1	34	2	1	9	5	–	5	–	–	2	4	25	32	15	15	3	3	1	63
38	5	–	11	–	3	6	2	–	3	2	–	1	1	1	9	5	1	–	–	–	64
18	2	–	3	2	1	2	1	–	–	–	–	–	1	1	4	1	2	3	–	–	65
9	2	–	3	3	2	–	2	–	–	–	–	–	–	–	2	1	1	–	–	–	66
57	9	1	22	8	3	11	2	–	2	–	–	5	6	5	14	6	5	7	2	–	67
50	18	1	18	4	3	12	7	–	2	–	–	1	1	19	10	2	5	–	2	–	68
15	4	–	9	–	1	3	1	–	1	–	–	–	2	2	7	1	5	–	1	–	69
18	7	–	4	1	2	8	1	–	1	–	–	–	–	6	8	3	1	1	–	–	70
69	25	–	16	5	2	10	1	–	5	–	–	–	5	6	27	7	14	5	2	–	71
26	4	–	14	1	–	1	3	–	1	–	–	–	–	1	5	2	7	–	–	–	72
37	14	–	32	1	2	7	3	–	1	–	2	2	1	6	13	10	6	3	3	–	73
20	8	–	26	–	1	4	1	–	1	–	1	1	1	4	9	3	2	2	3	–	74
17	6	–	6	1	1	3	2	–	–	–	1	1	–	2	4	7	4	1	–	–	75
181	118	3	74	14	10	43	7	–	7	4	1	11	37	81	80	64	40	22	12	2	76
32	11	1	16	3	3	10	1	–	1	1	1	5	20	14	12	11	7	4	4	1	77
85	75	–	26	7	4	16	3	–	4	1	–	2	4	39	40	8	9	9	6	–	78
64	32	2	32	4	3	17	3	–	2	2	–	4	13	28	28	45	24	9	2	1	79
1,793	248	21	605	110	63	228	76	18	121	29	4	68	81	109	559	203	168	98	141	5	80
1,563	216	17	536	95	57	201	62	18	109	23	4	56	71	101	483	163	154	81	135	4	81
230	32	4	69	15	6	27	14		12	6	–	12	10	8	76	40	14	17	6	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Blanco	62	–	–	–	12	4	1	2	2	–	–	3	–	34	29	–	–
02	Borden	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
03	Bosque	168	–	–	–	19	5	4	2	4	1	–	3	2	108	70	–	–
04	Bowie	760	2	–	7	148	30	50	9	19	6	8	26	10	380	270	2	–
05	Texarkana[5]	381	1	–	4	64	16	17	3	10	2	4	12	6	201	133	1	–
06	Balance of county	379	1	–	3	84	14	33	6	9	4	4	14	4	179	137	1	–
07	Brazoria	789	–	–	6	168	40	53	18	12	7	7	31	13	319	236	1	2
08	Alvin	102	–	–	2	21	7	7	1	2	–	–	4	1	44	32	–	–
09	Freeport	111	–	–	1	22	5	4	5	–	–	2	6	1	38	32	–	–
10	Lake Jackson	55	–	–	1	12	4	2	–	–	2	–	4	–	22	12	–	–
11	Balance of county	521	–	–	2	113	24	40	12	10	5	5	17	11	215	160	1	2
12	Brazos	439	–	–	7	84	15	24	9	9	1	3	23	8	200	129	2	1
13	Bryan	333	–	–	4	66	15	19	6	6	–	2	18	6	147	94	2	1
14	College Station	60	–	–	3	13	–	4	2	1	1	1	4	1	30	19	–	–
15	Balance of county	46	–	–	–	5	–	1	1	2	–	–	1	1	23	16	–	–
16	Brewster	67	–	–	–	10	3	1	1	1	1	–	3	–	35	25	–	1
17	Briscoe	37	–	–	–	5	1	–	–	1	–	1	2	–	23	14	–	–
18	Brooks	77	–	–	–	16	4	1	2	2	1	1	5	3	32	24	1	–
19	Brown	390	–	–	–	53	6	20	3	4	3	2	15	8	234	172	–	2
20	Brownwood	264	–	–	–	42	5	16	3	3	2	1	12	6	158	119	–	1
21	Balance of county	126	–	–	–	11	1	4	–	1	1	1	3	2	76	53	–	1
22	Burleson	165	–	–	5	30	10	6	3	2	–	–	9	–	77	52	–	2
23	Burnet	162	–	–	–	43	13	13	4	4	–	1	8	2	66	47	–	–
24	Caldwell	210	1	–	2	33	10	10	3	1	2	2	5	8	118	86	–	13
25	Calhoun	140	–	–	–	31	11	10	2	–	2	1	5	5	68	55	–	–
26	Port Lavaca	79	–	–	–	19	9	6	1	–	1	–	2	2	40	32	–	–
27	Balance of county	61	–	–	–	12	2	4	1	–	1	1	3	3	28	23	–	–
28	Callahan	124	–	–	3	19	4	8	–	1	–	2	4	3	72	58	–	1
29	Cameron	1,296	6	–	16	236	72	52	12	30	6	7	57	42	550	422	6	1
30	Brownsville	487	2	–	4	79	22	17	5	15	2	3	15	18	196	148	2	–
31	Harlingen	328	–	–	3	73	15	22	3	6	1	3	23	4	157	124	–	1
32	San Benito	132	1	–	2	26	11	5	1	2	2	–	5	7	58	45	–	–
33	Balance of county	349	3	–	7	58	24	8	3	7	1	1	14	13	139	105	4	–
34	Camp	144	–	–	2	27	10	4	1	9	–	1	2	1	75	42	–	3
35	Carson	45	–	–	–	8	2	4	–	–	1	–	1	–	18	13	–	2
36	Cass	294	–	–	5	49	7	18	–	12	2	2	8	3	151	103	–	–
37	Castro	68	–	–	–	10	3	3	3	–	–	–	1	–	34	18	1	–
38	Chambers	110	–	–	1	19	8	7	–	–	–	–	4	2	47	37	–	–
39	Cherokee	421	1	–	9	71	15	14	6	11	1	4	20	5	205	126	–	1
40	Childress	103	–	–	1	22	3	6	2	2	–	–	9	2	46	35	–	1
41	Clay	93	–	–	–	17	1	4	–	1	3	3	5	1	47	29	–	–
42	Cochran	50	–	–	–	7	2	–	2	1	–	–	2	1	15	12	–	–
43	Coke	37	–	–	1	9	1	2	–	1	–	2	3	–	15	8	1	–
44	Coleman	175	–	–	–	36	11	13	1	5	1	2	3	2	103	74	–	–
45	Collin	608	1	–	1	93	22	23	3	18	4	4	19	11	323	222	3	–
46	McKinney	181	–	–	–	20	3	7	1	3	1	1	4	3	110	72	–	–
47	Plano	117	1	–	–	23	5	3	2	7	–	–	6	2	43	24	–	–
48	Richardson, part	4	–	–	–	–	–	–	–	–	–	–	–	–	4	3	1	–
49	Balance of county	306	–	–	1	50	14	13	–	8	3	3	9	6	166	123	2	–
50	Collingsworth	71	–	–	1	5	1	1	–	1	–	1	1	–	52	25	–	–
51	Colorado	227	–	–	4	37	8	7	2	7	3	1	9	11	126	82	1	–
52	Comal	315	2	–	3	67	15	16	5	6	2	4	19	8	172	123	1	5
53	New Braunfels	232	2	–	1	46	14	12	3	3	1	2	11	7	130	92	–	5
54	Balance of county	83	–	–	2	21	1	4	2	3	1	2	8	1	42	31	1	–
55	Comanche	195	–	–	3	26	8	5	2	3	–	–	8	5	101	54	–	–
56	Concho	45	–	–	–	4	2	1	–	1	–	–	–	1	24	16	–	–
57	Cooke	284	–	–	2	46	12	7	4	9	2	1	11	6	157	103	1	1
58	Gainesville	194	–	–	1	31	8	5	4	6	1	–	7	4	111	71	1	1
59	Balance of county	90	–	–	1	15	4	2	–	3	1	1	4	2	46	32	–	–
60	Coryell	235	–	–	–	41	13	3	3	10	2	2	8	5	117	84	1	–
61	Copperas Cove	46	–	–	–	10	2	–	1	4	1	1	1	–	13	13	–	–
62	Balance of county	189	–	–	–	31	11	3	2	6	1	1	7	5	104	71	1	–
63	Cottle	39	–	–	–	8	1	4	1	–	–	–	2	4	21	20	–	–
64	Crane	24	1	–	1	3	–	1	–	1	–	–	1	–	13	8	–	–
65	Crockett	32	–	–	–	6	1	2	–	–	–	1	2	–	10	7	–	–
66	Crosby	76	1	–	–	13	3	1	3	4	–	1	1	1	42	30	–	1
67	Culberson	20	–	–	–	3	1	2	–	–	–	–	–	1	9	7	–	–
68	Dallam	78	–	–	–	6	4	1	–	–	1	–	–	–	41	34	–	–
69	Dallas	9,669	22	3	81	1,851	441	512	173	194	62	88	381	140	4,622	3,328	50	37
70	Balch Springs	68	–	–	–	16	4	7	–	–	1	1	3	1	28	21	–	–
71	Carrollton, part	92	–	–	–	18	2	6	4	2	–	–	4	1	36	30	1	–
72	Carrollton, total	95	–	–	1	19	2	7	4	2	–	–	4	1	37	30	1	–
73	Dallas	6,888	15	3	63	1,279	325	349	121	124	47	62	251	94	3,340	2,431	37	30
74	Duncanville	91	–	–	1	20	4	4	3	2	2	–	5	1	47	34	–	1
75	Farmers Branch	102	–	–	–	25	4	9	3	5	–	1	3	5	42	24	–	–
76	Garland	469	1	–	6	74	19	19	3	7	1	6	19	12	220	159	5	2
77	Grand Prairie, part	291	1	–	2	58	10	15	3	13	2	3	12	4	140	89	2	2
78	Grand Prairie, total	318	1	–	2	65	10	18	3	13	2	4	15	4	148	94	3	2
79	Highland Park	124	–	–	1	33	5	7	4	3	1	1	12	1	60	43	1	–
80	Irving	444	–	–	5	92	11	31	10	10	–	3	27	8	192	132	1	1
81	Lancaster	116	–	–	–	17	2	5	2	1	–	3	4	1	66	51	–	–
82	Mesquite	262	1	–	1	55	7	21	6	6	1	3	11	6	107	81	–	–
83	Richardson, part	187	–	–	1	46	15	7	8	5	2	1	8	4	79	52	1	–
84	Richardson, total	191	–	–	1	46	15	7	8	5	2	1	8	4	83	55	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
27	2	–	5	–	–	1	1	–	–	–	–	–	1	1	6	2	4	–	–	–	01
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	02
56	14	–	28	8	2	7	4	–	1	2	–	–	–	3	13	3	4	1	1	–	03
159	109	1	98	4	7	17	14	1	9	4	–	2	9	42	48	22	33	7	5	–	04
81	51	1	60	3	4	8	9	–	8	2	–	2	5	23	23	10	11	4	2	–	05
78	58	–	38	1	3	9	5	1	1	2	–	2	4	19	25	12	22	3	3	–	06
179	54	3	63	9	8	22	15	–	7	–	–	14	20	33	66	48	31	17	9	1	07
22	10	2	6	2	2	6	2	–	–	–	–	1	3	2	12	4	–	3	1	–	08
26	6	–	3	1	2	2	4	–	2	–	–	2	5	6	11	6	7	1	3	–	09
11	1	–	6	2	2	–	–	–	–	–	–	2	3	4	4	5	–	2	–	–	10
120	37	1	48	4	2	14	9	–	5	–	–	9	9	21	39	33	24	11	5	1	11
115	11	3	51	12	5	13	4	–	5	2	–	7	9	29	28	14	17	10	2	–	12
84	7	1	39	9	4	12	4	–	4	2	–	7	5	25	17	12	12	8	2	–	13
15	4	–	8	3	–	–	–	–	–	–	–	–	2	2	3	2	4	–	–	–	14
16	–	2	4	–	1	1	–	–	1	–	–	–	2	2	8	–	1	2	–	–	15
21	3	–	9	1	–	3	1	–	2	–	–	–	–	3	6	–	4	2	1	–	16
8	6	–	7	2	–	1	1	–	–	–	–	–	–	5	–	–	–	1	–	1	17
18	5	–	7	–	1	2	–	1	2	1	–	–	2	4	4	4	4	1	1	–	18
155	15	1	52	6	3	16	10	–	4	1	–	–	6	2	28	15	8	5	–	–	19
109	9	1	34	4	–	11	4	–	3	1	–	–	4	2	20	8	3	2	–	–	20
46	6	–	18	2	3	5	6	–	1	–	–	–	2	–	8	7	5	3	–	–	21
45	5	1	18	4	2	6	2	–	2	1	–	–	1	19	13	4	3	2	–	–	22
38	9	–	15	2	2	5	2	–	1	–	–	2	1	18	13	2	5	2	–	–	23
63	10	–	24	6	2	5	1	–	–	2	–	–	3	9	15	6	3	1	2	–	24
51	4	1	10	2	–	8	3	1	2	1	–	–	2	–	7	4	4	3	1	–	25
28	4	1	5	2	–	5	–	–	1	1	–	–	1	–	6	1	2	–	1	–	26
23	–	–	5	–	–	3	3	1	1	–	–	–	1	–	1	3	2	3	–	–	27
42	15	–	11	–	3	3	–	–	–	1	–	–	4	3	12	2	–	1	–	1	28
330	85	3	90	16	19	29	15	1	19	4	–	18	34	93	114	51	44	17	7	–	29
142	4	3	40	2	3	11	5	–	10	1	–	8	16	57	41	13	17	4	5	–	30
79	44	–	18	7	8	8	3	1	3	–	–	3	7	13	31	11	8	3	–	–	31
36	9	–	8	2	3	5	3	–	1	–	–	3	5	5	7	2	5	2	–	–	32
73	28	–	24	5	5	5	4	–	5	3	–	4	6	18	35	25	14	8	2	–	33
33	6	3	26	2	2	7	1	–	1	–	–	1	4	9	10	3	2	–	2	–	34
9	2	–	4	–	1	4	2	–	–	–	–	1	1	3	4	–	4	–	–	–	35
82	21	1	36	3	8	12	1	1	1	1	–	1	3	11	34	9	10	2	1	–	36
15	2	–	13	1	2	6	2	–	1	–	–	1	3	3	3	1	1	2	1	–	37
25	12	–	7	3	–	3	–	–	1	4	–	1	4	3	7	10	4	1	3	–	38
101	24	1	62	5	11	16	6	–	3	2	–	3	6	27	38	8	11	7	3	–	39
33	1	1	8	1	1	5	4	–	2	–	–	1	–	1	14	3	1	1	–	–	40
26	3	–	16	1	1	1	–	–	–	3	–	1	1	7	9	1	4	1	–	–	41
10	2	–	2	–	1	4	5	–	–	1	–	–	1	6	6	2	2	–	–	–	42
4	3	–	6	1	–	1	–	–	1	1	–	–	–	3	3	2	1	–	–	–	43
58	16	1	22	3	3	11	–	1	–	1	–	1	–	–	14	2	3	–	1	–	44
199	20	1	70	17	13	22	7	1	4	2	–	5	14	7	49	31	19	10	7	1	45
67	5	1	23	8	6	6	2	–	2	–	–	1	3	3	20	3	5	2	1	–	46
22	2	–	16	1	2	5	1	–	–	1	–	2	5	2	9	12	5	3	3	–	47
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
108	13	–	30	8	5	11	4	1	2	1	–	2	6	2	20	16	9	5	3	1	49
23	2	–	25	1	1	1	–	–	–	–	–	–	2	–	4	–	3	2	1	–	50
64	17	1	39	3	1	7	6	1	–	–	–	4	3	4	11	7	4	1	1	–	51
90	27	1	35	11	2	14	2	1	1	1	–	5	5	1	18	4	5	4	2	–	52
71	16	1	25	11	1	10	2	–	1	–	–	4	3	1	15	3	4	2	1	–	53
19	11	–	10	–	1	4	–	1	1	–	–	1	2	–	3	1	1	2	1	–	54
44	10	2	35	10	–	4	7	4	1	2	–	–	3	4	26	4	4	–	1	–	55
13	3	–	7	–	1	3	1	–	–	2	–	–	–	1	7	1	–	1	–	–	56
81	20	1	47	3	3	20	2	1	2	–	1	1	1	4	19	4	9	7	3	–	57
56	13	1	36	2	1	13	2	–	1	–	–	1	–	2	15	3	4	4	2	–	58
25	7	–	11	1	2	7	–	–	1	–	1	–	1	2	4	1	5	3	1	–	59
55	28	1	27	4	1	10	5	1	1	–	–	3	4	5	21	3	13	4	2	–	60
10	3	–	–	–	–	–	–	–	1	–	–	2	4	2	4	–	6	3	1	–	61
45	25	1	27	4	1	10	5	1	–	–	–	1	–	3	17	3	7	1	1	–	62
20	–	–	1	–	–	1	1	–	–	–	–	–	–	1	2	–	1	–	–	–	63
8	–	–	5	–	–	–	1	–	–	–	–	–	–	1	1	2	1	–	–	–	64
6	1	–	1	2	–	3	–	–	3	–	–	–	–	3	5	1	–	–	1	–	65
20	9	–	9	–	3	3	3	1	1	–	–	–	1	1	5	–	2	1	1	–	66
6	1	–	–	1	1	–	–	–	–	–	–	–	3	–	1	1	1	–	1	–	67
25	9	1	2	–	4	4	2	–	–	1	–	1	4	–	9	2	7	1	–	–	68
3,042	199	26	985	162	121	308	127	27	154	41	–	94	195	182	809	274	310	165	256	8	69
20	1	1	3	1	2	–	–	–	–	1	–	–	1	6	4	7	3	–	1	–	70
24	5	–	5	1	–	2	1	1	–	–	–	–	2	–	11	5	8	5	2	–	71
24	5	–	5	2	–	2	1	1	–	–	–	–	2	–	11	5	8	5	2	–	72
2,224	140	15	706	102	86	244	90	21	121	28	–	61	137	117	561	164	224	100	221	5	73
31	2	–	11	2	–	1	1	–	2	–	–	1	2	3	8	–	1	2	1	–	74
20	4	2	11	3	2	3	–	2	1	–	–	–	2	3	10	2	3	4	–	–	75
139	13	3	42	6	10	7	5	–	8	4	–	9	13	10	38	31	12	10	9	–	76
84	1	–	29	17	5	7	5	–	3	3	–	3	5	4	25	9	10	7	4	1	77
88	1	–	31	18	5	8	6	–	4	3	–	3	5	5	28	9	11	9	5	2	78
42	–	1	15	1	–	5	–	–	1	1	–	–	–	2	11	–	4	4	1	–	79
122	8	1	44	12	3	9	5	2	6	1	–	11	14	15	35	21	13	12	3	–	80
45	6	–	14	1	–	1	3	–	1	–	–	–	3	2	12	4	2	1	3	–	81
77	4	–	20	4	2	6	4	–	3	1	–	4	4	9	26	11	8	9	6	1	82
47	4	1	18	3	5	5	6	–	1	–	–	3	6	3	15	9	5	4	–	–	83
49	4	1	19	3	5	5	6	–	–	–	–	3	6	3	15	9	5	4	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Dallas—Con.																	
01	University Park	192	2	–	–	42	14	8	2	5	4	1	8	–	102	57	1	1
02	Balance of county	343	2	–	1	76	19	24	4	11	1	3	14	2	163	124	1	–
03	Dawson	160	1	–	2	28	4	6	3	6	2	2	5	1	73	49	–	–
04	Lamesa	125	1	–	–	23	3	5	3	3	2	2	5	–	63	45	–	–
05	Balance of county	35	–	–	2	5	1	1	–	3	–	–	–	1	10	4	–	–
06	Deaf Smith	114	–	–	1	15	3	4	1	1	1	–	5	3	44	31	–	–
07	Hereford	92	–	–	–	12	2	3	1	1	1	–	4	3	34	25	–	–
08	Balance of county	22	–	–	1	3	1	1	–	–	–	–	1	–	10	6	–	–
09	Delta	114	–	–	1	20	5	7	1	2	1	1	3	2	64	40	–	–
10	Denton	616	–	–	7	120	35	31	7	10	6	6	25	9	265	196	3	2
11	Carrollton, part	3	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–
12	Denton	266	–	–	2	51	12	12	5	4	3	4	11	6	130	94	1	1
13	Balance of county	347	–	–	4	68	23	18	2	6	3	2	14	3	134	102	2	3
14	De Witt	271	–	–	–	37	14	7	1	3	3	–	9	6	145	102	1	2
15	Dickens	54	–	–	1	11	3	2	1	2	–	–	2	2	23	17	–	–
16	Dimmit	80	2	–	2	15	6	4	–	–	–	2	3	3	31	20	–	2
17	Donley	41	–	–	–	5	–	–	2	1	–	–	2	1	30	16	–	–
18	Duval	116	–	–	–	14	2	3	1	1	–	–	7	3	58	44	1	–
19	Eastland	360	1	–	3	54	14	13	4	9	3	3	8	8	224	145	–	2
20	Ector	684	2	–	4	148	36	44	9	14	3	13	29	8	226	156	4	4
21	Odessa	618	2	–	4	137	34	40	9	13	3	12	26	7	205	138	4	4
22	Balance of county	66	–	–	–	11	2	4	–	1	–	1	3	1	21	18	–	–
23	Edwards	19	–	–	1	5	2	–	–	1	–	–	2	–	8	4	–	–
24	Ellis	544	1	–	8	92	33	14	3	9	2	1	30	8	222	160	2	1
25	Ennis	134	–	–	5	21	8	2	1	2	–	1	7	3	54	38	–	–
26	Waxahachie	157	1	–	–	28	16	5	1	3	–	–	3	–	69	45	1	–
27	Balance of county	253	–	–	3	43	9	7	1	4	2	–	20	5	99	77	1	1
28	El Paso	2,339	6	–	34	434	123	83	45	53	21	16	93	63	943	652	14	23
29	El Paso	2,179	5	–	28	413	118	74	44	51	20	16	90	58	885	611	14	19
30	Balance of county	160	1	–	6	21	5	9	1	2	1	–	3	5	58	41	–	4
31	Erath	238	–	–	–	48	16	11	3	3	–	2	13	6	119	94	–	–
32	Falls	284	1	–	2	47	10	15	3	7	2	–	10	2	162	115	–	1
33	Fannin	323	–	–	1	44	11	15	3	4	–	2	9	10	164	126	–	2
34	Fayette	279	1	–	1	42	14	7	2	6	3	–	10	5	159	97	–	1
35	Fisher	86	–	–	1	7	1	1	1	–	–	1	3	1	51	40	1	2
36	Floyd	120	–	–	1	21	6	4	3	4	1	–	3	1	73	47	1	1
37	Foard	34	–	–	–	6	–	1	1	2	–	1	1	–	19	14	–	–
38	Fort Bend	432	–	–	5	81	19	19	10	4	4	5	20	9	180	125	2	–
39	Houston, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Rosenburg	105	–	–	–	21	10	2	2	–	–	2	5	3	43	28	–	–
41	Balance of county	325	–	–	5	60	9	17	8	4	4	3	15	6	137	97	2	–
42	Franklin	97	–	–	–	19	3	7	2	3	–	–	4	1	62	39	1	–
43	Freestone	209	–	–	1	33	6	9	3	8	1	2	4	1	119	103	–	2
44	Frio	82	–	–	1	11	2	–	1	–	4	–	4	1	50	37	–	–
45	Gaines	72	–	–	2	10	4	1	1	2	1	–	1	3	30	24	–	–
46	Galveston	1,545	6	–	22	337	90	100	27	34	11	13	62	34	684	528	6	8
47	Galveston	733	5	–	12	148	37	37	16	19	5	4	30	15	340	262	3	4
48	La Marque	121	–	–	1	35	11	9	5	3	1	1	5	2	48	36	–	–
49	League City	37	–	–	–	8	3	4	–	–	–	1	–	–	13	11	1	–
50	Texas City	279	1	–	5	68	18	21	4	9	3	4	9	3	124	99	2	2
51	Balance of county	375	–	–	4	78	21	29	2	3	2	3	18	14	159	120	2	2
52	Garza	43	–	–	1	7	1	3	–	2	–	–	1	1	21	16	1	–
53	Gillespie	166	–	–	1	28	8	7	2	5	–	1	5	3	105	77	–	1
54	Glasscock	15	–	–	–	3	–	–	1	1	–	–	1	1	7	4	–	–
55	Goliad	71	–	–	2	13	5	5	1	1	–	1	–	3	40	32	–	1
56	Gonzales	195	2	–	1	33	5	6	6	3	2	2	9	1	103	85	1	5
57	Gray	280	–	–	2	46	11	8	4	5	2	3	13	9	145	115	1	5
58	Pampa	214	–	–	2	35	7	8	2	4	1	3	10	6	112	88	1	4
59	Balance of county	66	–	–	–	11	4	–	2	1	1	–	3	3	33	27	–	1
60	Grayson	975	–	1	4	184	46	55	13	21	12	10	27	14	518	366	–	–
61	Denison	318	–	1	–	58	13	20	5	8	2	2	8	5	185	127	–	–
62	Sherman	304	–	–	1	58	16	14	4	6	5	6	7	7	165	122	–	–
63	Balance of county	353	–	–	3	68	17	21	4	7	5	2	12	2	168	117	–	–
64	Gregg	851	4	–	8	163	37	56	9	18	7	7	29	19	384	258	1	4
65	Longview	461	2	–	5	91	23	29	7	13	1	2	16	15	210	141	–	3
66	Balance of county	390	2	–	3	72	14	27	2	5	6	5	13	4	174	117	1	1
67	Grimes	182	–	–	2	26	7	8	2	4	–	1	4	10	92	66	–	–
68	Guadalupe	373	1	–	4	75	17	14	6	9	8	5	16	11	186	140	2	2
69	Seguin	208	1	–	2	42	9	7	2	7	6	4	7	6	101	81	–	1
70	Balance of county	165	–	–	2	33	8	7	4	2	2	1	9	5	85	59	2	1
71	Hale	313	1	1	3	44	12	7	6	8	1	3	7	2	133	89	1	1
72	Plainview	199	1	1	1	32	10	5	5	4	1	3	4	–	86	60	1	1
73	Balance of county	114	–	–	2	12	2	2	1	4	–	–	3	2	47	29	–	–
74	Hall	81	–	–	2	11	4	1	1	–	–	1	4	1	54	40	1	–
75	Hamilton	146	–	–	–	32	12	7	2	6	–	–	5	1	73	52	–	–
76	Hansford	32	–	–	–	5	2	2	–	–	1	–	–	–	20	13	–	–
77	Hardeman	103	–	–	–	21	4	7	1	3	–	1	5	6	53	40	–	–
78	Hardin	304	–	–	1	56	16	19	4	6	2	2	7	2	134	100	1	2
79	Harris	13,436	23	–	182	2,660	648	791	231	301	97	115	477	202	5,938	4,307	74	41
80	Baytown	360	–	–	11	66	13	22	6	12	3	4	6	5	174	125	1	–
81	Bellaire	127	1	–	2	29	9	8	3	4	–	3	2	4	66	46	–	2
82	Deer Park	74	–	–	2	14	3	4	1	2	–	1	3	–	32	24	–	–
83	Galena Park	61	–	–	–	16	1	8	–	2	–	–	5	–	23	20	–	–
84	Houston, part	10,610	18	–	133	2,094	522	607	189	232	80	90	374	161	4,713	3,394	60	34

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
53	2	1	35	5	4	8	1		4			1	1	4	16	2	4	5			01
114	9	1	32	4	2	10	6	1	3	2		1	5	4	37	9	13	2	5	1	02
41	8		19	4	1	3	9		1	1			4	4	13	6	9	1	4		03
38	7		15	3		3	8		1				3	2	8	5	4		3		04
3	1		4	1	1		1						1	2	5	1	5	1	1		05
28	3		9		4		1		2				2	1	18	13	4				06
23	2		7		2	6	1		2				2		16	11	4				07
5	1		2		2								2	1	2	2					08
34	4	2	17	4	1	3	1		2	2				8	7	2	2				09
154	35		48	10	11	18	12	3	2	3		7	7	38	65	16	28	7	8	1	10
–	–		–	1	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	11
79	13		25	5	6	6	6		1	1		2	2	8	31	3	9	2	5	1	12
75	22		23	4	5	12	6	3	1	2		5	5	30	34	13	19	5	3		13
78	21		34	5	4	16	4	1	1	1		2	3	5	30	5	10	3	2		14
12	5		5	–	1	8	1						1	2	3	1	1				15
14	4	1	10	–	–	6	1	1	1	1			3	2	5	3	1		3		16
11	5	–	12	1	1	1	–		1						1	1	–	–	–		17
33	10	–	11	2	1	2	1	–	3	1			1	2	9	5	2	1	4	1	18
111	32	–	66	9	4	16	4		–	2				3	5	27	4	7	2	–	19
113	35	1	52	5	12	27	24	2	14	–		13	18	64	39	33	38	11	12	1	20
96	34	1	49	5	12	25	23	1	13			12	15	62	31	28	32	10	10	1	21
17	1	–	3	–	–	2	1	1	1			1	3	2	8	5	6	1	2	–	22
3	1		4			2									2						23
132	25	1	51	6	4	27	9	–	5	4		4	7	67	40	22	12	8	8		24
32	6	–	13	1	2	7	2			2		2	–	17	6	3	7	1	4		25
33	11	–	19	3	2	10	1		4	2			2	17	14	6	2	3	–		26
67	8	1	19	2	–	10	6		1	2		2	5	33	20	13	3	4	4		27
521	94	17	205	32	37	88	29	8	56	19	3	44	61	29	243	97	101	46	35		28
493	85	16	194	31	33	81	28	8	53	18	2	40	54	27	229	81	95	43	31		29
28	9	1	11	1	4	7	1		3	1	1	4	7	2	14	16	6	3	4		30
68	26	1	18	4	2	18	4		2	4		2	3	5	12	9	3	3	–		31
94	20	–	40	7	–	18	4		2				1	7	25	8	1	2	2		32
104	20	1	31	2	4	15	9	1	4	3		1	3	24	24	8	8	4	–		33
67	29	3	51	7	1	8	–	1	1	–		1	5	10	29	5	9	2	–		34
31	6	1	5	3	2	7	2	1	–	–		1	–	6	5	1	3	–	–		35
37	8	–	21	3	2	4	4	1					1	3	6	1	4	–	–		36
11	3	–	5	–	–	1	–	–	–	–			1	–	3	4	–	–	–		37
84	39	–	47	2	6	8	4	–	13	3	1	6	12	17	42	20	18	5	8		38
–	–	–	–	–	–	–	–	–	–	–			1	–	–	1	–	–	–		39
20	8	–	12	–	3	2	3	–	6	1		1	2	–	12	5	3	2	1		40
64	31	–	35	2	3	6	1	–	7	2	1	5	9	17	30	14	15	3	7		41
37	1	–	20	2	1	3	1		3					–	2	2	3	–	1		42
86	15	–	12	2	2	7	1	2	1	–		2	–	14	14	5	3	4	2		43
30	7	–	8	5	–	–	–	1	1	–		1	1	2	6	3	4	–	–		44
18	6	–	4	1	1	4	4	2	1	–		1	3	1	5	1	4	1	–		45
465	49	4	126	11	15	47	17	–	26	13		9	30	17	139	41	56	31	29	7	46
230	25	4	59	7	8	25	7	–	14	7		4	8	6	78	11	25	10	13	5	47
35	1	–	11	1	–	5	1	–	2	1			2	4	5	4	4	3	4	–	48
10	–	–	2	–	–	–	1	–	1	1			1	1	3	3	2	2	–	–	49
87	10	–	21	1	3	10	3	–	3	2		1	6	–	26	7	8	7	4	1	50
103	13	–	33	2	4	7	5	–	6	2		3	13	6	27	16	17	9	8	1	51
13	2	–	5	–	–	6	–	–	2	1			1	1	2	–	–	–	–	–	52
63	13	–	20	6	2	4	2	–	–	–		1	2	–	12	–	6	2	–	–	53
4	–	–	3	–	–	–	–	–	–	–		1	2	–	–	1	–	–	–	–	54
26	5	–	6	–	2	3	–	–	1	–		–	1	1	3	4	–	–	–	–	55
70	9	3	12	1	2	5	4	1	–	–		–	1	19	18	3	3	–	1	–	56
93	16	2	20	5	3	16	3	–	3	2		1	5	7	24	6	7	3	1	–	57
71	12	2	15	5	2	11	3	–	3	1		1	5	6	18	4	5	1	1	–	58
22	4	–	5	–	1	5	–	–	–	1		–	–	1	6	2	2	2	–	–	59
323	43	1	121	13	17	40	8	3	12	2		2	5	56	70	19	22	11	3	1	60
105	22	–	45	6	7	7	5	–	5	–		1	1	17	20	5	4	2	1	1	61
117	5	1	35	5	2	14	1	3	5	1		1	3	9	20	3	8	5	–	–	62
101	16	–	41	2	8	19	2	–	2	1		–	1	30	30	11	10	4	2	–	63
214	39	6	102	8	10	28	7	3	14	7		1	13	60	63	27	28	10	12	–	64
113	25	5	55	4	5	7	3	1	3	4		1	8	32	39	11	17	5	7	–	65
101	14	1	47	4	5	21	4	2	11	3		–	5	28	24	16	11	5	5	–	66
58	8	1	18	5	2	4	2	–	2	1		1	–	7	19	8	4	2	1	–	67
116	20	–	33	8	5	9	2	–	8	1	1	1	5	18	29	3	10	6	3	–	68
70	10	–	11	7	2	4	2	–	3	1	–	1	4	10	20	1	6	3	1	–	69
46	10	–	22	1	3	5	–	–	5	–	1	–	1	8	9	2	4	3	2	–	70
77	10	1	36	1	6	16	8	1	2	1	–	7	5	31	29	8	12	4	5	–	71
56	2	1	19	1	5	12	6	1	2	1	–	2	1	23	15	6	2	4	3	–	72
21	8	–	17	–	1	4	2	–	–	–	–	5	4	8	14	2	10	–	2	–	73
35	4	–	12	–	2	–	–	1	–	–	–	–	2	1	6	1	1	–	1	–	74
39	13	–	17	3	1	6	1	–	–	–	–	–	1	7	21	1	1	1	1	–	75
13	–	1	6	–	–	1	–	–	–	–	–	–	1	1	2	1	–	–	–	–	76
36	4	–	12	–	1	6	4	–	–	1	1	–	–	1	7	–	2	–	–	–	77
82	15	–	23	8	3	12	2	1	1	2	–	3	8	31	29	13	3	5	1	–	78
3,815	377	47	1,240	184	160	416	180	30	307	59	6	150	322	122	1,118	476	502	316	414	13	79
111	13	1	39	2	7	11	6	–	5	1	–	1	10	–	31	18	3	8	10	–	80
40	4	1	13	2	4	7	–	–	2	2	–	–	1	–	6	2	2	3	–	–	81
24	–	–	7	–	1	2	1	–	1	–	–	–	2	–	6	2	3	6	1	–	82
18	2	–	2	–	1	5	2	–	2	–	–	–	–	2	7	1	3	–	–	–	83
2,990	310	42	996	161	120	337	144	24	265	47	4	110	251	99	907	339	383	227	343	11	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Harris—Con.																	
01	Houston, total	10,612	18	–	133	2,094	522	607	189	232	80	90	374	161	4,713	3,394	60	34
02	Pasadena	574	–	–	8	126	32	47	7	13	3	5	19	11	234	173	2	2
03	South Houston	73	–	–	–	12	3	3	1	–	–	1	4	3	39	30	–	–
04	West University Place	55	1	–	–	7	–	2	2	2	–	–	1	–	37	30	1	–
05	Balance of county	1,502	3	–	26	296	65	90	22	34	11	11	63	18	620	465	10	3
06	Harrison	526	2	–	3	106	27	20	9	22	8	1	19	9	261	173	3	4
07	Marshall	290	1	–	3	61	15	10	4	14	4	1	13	7	145	89	2	3
08	Balance of county	236	1	–	–	45	12	10	5	8	4	–	6	2	116	84	1	1
09	Hartley	24	–	–	–	8	3	2	2	–	1	–	–	–	6	4	–	–
10	Haskell	128	–	–	–	21	6	5	–	2	3	–	5	2	76	27	–	–
11	Hays	210	–	–	1	36	16	7	1	3	2	2	5	–	114	88	–	1
12	San Marcos	113	–	–	1	13	8	1	1	1	–	1	1	–	65	49	–	1
13	Balance of county	97	–	–	–	23	8	6	–	2	2	1	4	–	49	39	–	–
14	Hemphill	41	–	–	–	7	1	1	2	–	–	–	3	1	22	12	–	–
15	Henderson	392	–	–	3	79	22	22	4	10	3	5	13	5	163	126	1	3
16	Hidalgo	1,404	4	1	19	243	78	51	14	25	7	14	54	60	585	417	5	6
17	Edinburg	148	1	–	–	20	5	9	1	1	–	1	3	8	80	60	1	2
18	McAllen	319	–	–	2	58	17	6	5	8	4	4	14	14	149	111	1	1
19	Mission	105	–	–	2	16	5	7	–	–	–	–	4	4	40	28	–	–
20	Pharr	120	1	1	2	21	11	2	2	1	2	–	3	7	39	28	1	1
21	Weslaco	138	–	–	3	26	10	5	–	2	–	3	6	3	55	40	–	–
22	Balance of county	574	2	–	10	102	30	22	6	13	1	6	24	24	222	150	2	3
23	Hill	386	1	–	5	63	13	16	9	10	3	2	10	4	208	142	1	–
24	Hockley	146	1	–	1	35	9	6	7	6	–	4	3	1	52	39	–	1
25	Levelland	94	1	–	–	22	8	3	2	5	–	3	1	–	35	28	–	–
26	Balance of county	52	–	–	1	13	1	3	5	1	–	1	2	1	17	11	–	1
27	Hood	121	–	–	1	27	4	8	4	2	–	1	8	3	61	48	–	–
28	Hopkins	279	–	1	3	41	5	9	2	9	2	4	10	3	145	96	3	3
29	Sulphur Springs	160	–	1	1	23	3	4	1	7	1	2	5	1	88	58	–	2
30	Balance of county	119	–	–	2	18	2	5	1	2	1	2	5	2	57	38	–	1
31	Houston	250	–	–	1	43	9	9	6	7	–	3	9	8	125	87	–	4
32	Howard	361	1	–	4	68	14	18	3	13	4	–	16	–	143	101	–	1
33	Big Spring	277	1	–	3	54	11	15	2	10	3	–	13	–	110	78	–	1
34	Balance of county	84	–	–	1	14	3	3	1	3	1	–	3	–	33	23	–	–
35	Hudspeth	15	–	–	–	3	1	1	–	–	–	–	1	2	2	–	–	–
36	Hunt	522	–	–	6	100	24	23	5	12	8	3	25	7	263	191	–	2
37	Greenville	254	–	–	5	52	10	15	3	6	4	2	12	5	115	75	–	–
38	Balance of county	268	–	–	1	48	14	8	2	6	4	1	13	2	148	116	–	2
39	Hutchinson	249	–	–	3	51	6	16	6	8	4	3	8	1	130	94	1	1
40	Borger	170	–	–	3	34	5	11	4	5	2	–	7	1	90	66	–	1
41	Balance of county	79	–	–	–	17	1	5	2	3	2	3	1	–	40	28	1	1
42	Irion	9	–	–	–	1	–	1	–	–	–	–	–	–	6	4	–	–
43	Jack	90	–	–	1	17	8	5	–	1	1	1	1	2	48	31	1	1
44	Jackson	132	–	1	3	24	6	5	1	1	2	–	9	4	60	40	–	2
45	Jasper	279	–	–	2	58	17	17	3	11	–	1	9	9	136	100	–	1
46	Jeff Davis	16	–	–	–	6	–	1	1	–	2	–	2	–	7	7	–	–
47	Jefferson	2,325	3	1	17	493	119	130	54	51	26	19	94	48	1,150	827	10	21
48	Beaumont	1,194	3	1	8	234	48	73	22	25	13	8	45	19	627	455	8	17
49	Groves	126	–	–	–	34	7	6	7	5	1	4	4	3	55	38	1	1
50	Nederland	108	–	–	2	28	4	12	3	–	4	–	5	1	46	34	–	–
51	Port Arthur	648	–	–	6	128	44	24	10	14	5	4	27	21	299	212	1	2
52	Port Neches	93	–	–	1	16	4	2	5	2	–	–	3	2	48	32	–	–
53	Balance of county	156	–	–	–	53	12	13	7	5	3	3	10	2	75	56	–	1
54	Jim Hogg	38	–	–	1	8	2	1	–	2	1	–	2	–	19	15	–	–
55	Jim Wells	234	–	–	3	41	6	8	3	6	3	4	11	6	116	81	1	1
56	Alice	150	–	–	2	21	2	4	1	4	1	2	7	4	77	50	–	1
57	Balance of county	84	–	–	1	20	4	4	2	2	2	2	4	2	39	31	1	–
58	Johnson	551	–	–	1	96	27	31	5	4	2	1	26	18	304	205	5	3
59	Cleburne	263	–	–	–	46	12	13	4	3	–	1	13	12	151	103	3	3
60	Fort Worth, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–
61	Balance of county	285	–	–	1	50	15	18	1	1	2	–	13	6	151	100	1	–
62	Jones	249	–	–	2	43	7	15	5	7	1	–	8	2	110	88	1	1
63	Abilene, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
64	Balance of county	247	–	–	2	43	7	15	5	7	1	–	8	2	109	87	–	1
65	Karnes	162	1	–	1	29	7	9	3	3	–	1	6	5	88	55	1	1
66	Kaufman	411	–	–	3	75	20	23	8	10	3	1	10	9	198	139	1	–
67	Terrell	176	–	–	1	25	5	7	3	4	1	1	4	4	98	67	–	–
68	Balance of county	235	–	–	2	50	15	16	5	6	2	–	6	5	100	72	1	–
69	Kendall	94	–	–	1	21	9	4	1	–	2	–	5	2	44	32	–	1
70	Kenedy	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
71	Kent	20	–	–	–	5	1	2	–	–	–	–	2	–	9	7	–	–
72	Kerr	327	4	–	2	64	12	21	1	14	4	2	10	2	164	108	1	1
73	Kerrville	236	1	–	2	41	7	13	1	10	3	2	5	1	119	76	1	1
74	Balance of county	91	3	–	–	23	5	8	–	4	1	–	5	1	45	32	–	–
75	Kimble	44	–	–	–	7	3	2	1	1	–	–	–	1	23	15	1	–
76	King	3	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
77	Kinney	21	–	–	–	2	1	–	–	–	–	–	1	–	9	9	–	–
78	Kleberg	181	–	1	1	29	7	10	2	4	1	2	3	5	89	60	2	1
79	Kingsville	156	–	1	1	25	7	10	–	3	1	2	2	5	74	50	1	1
80	Balance of county	25	–	–	–	4	–	–	2	1	–	–	1	–	15	10	1	–
81	Knox	80	–	–	–	14	5	7	–	1	1	–	–	3	44	31	–	–
82	Lamar	536	–	–	1	110	22	28	9	9	7	6	29	3	272	183	1	9
83	Paris	365	–	–	1	66	16	18	3	3	3	5	18	2	192	131	1	6
84	Balance of county	171	–	–	–	44	6	10	6	6	4	1	11	1	80	52	–	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,990	310	42	996	161	120	337	144	24	265	47	4	110	252	99	907	340	383	227	343	11	01
156	13	–	50	5	6	14	5	3	10	1	1	14	7	7	35	29	40	17	11	1	02
26	4	–	6	2	1	1	–	–	2	–	–	–	2	–	4	3	1	2	4	–	03
29	–	–	6	1	–	1	–	–	–	–	–	1	–	1	3	1	2	1	–	–	04
421	31	3	121	11	20	38	22	3	20	8	1	22	49	13	119	81	65	52	45	1	05
132	34	3	71	6	8	20	8	–	3	3	–	4	8	13	41	16	13	9	8	1	06
71	13	1	48	3	4	12	4	–	1	1	–	1	5	3	22	8	5	2	8	1	07
61	21	2	23	3	4	8	4	–	–	2	–	3	3	10	19	8	8	7	–	–	08
3	1	–	1	1	–	2	–	–	2	–	–	–	–	–	3	1	2	–	–	–	09
23	4	–	42	3	4	4	1	–	–	–	–	1	–	2	11	5	3	2	–	–	10
71	16	2	22	1	1	8	1	1	4	1	–	3	4	2	16	7	11	–	1	–	11
44	4	1	14	1	–	2	–	–	3	1	–	3	3	2	9	6	4	–	1	–	12
27	12	1	8	–	1	6	1	1	1	–	–	–	1	–	7	1	7	–	–	–	13
11	1	–	10	–	–	3	1	–	–	–	–	1	1	–	3	1	1	–	–	–	14
103	19	–	27	7	3	17	8	1	2	5	–	1	4	53	30	6	9	3	3	–	15
330	76	1	132	24	11	64	12	2	26	6	–	19	32	81	121	58	43	15	12	1	16
41	16	–	14	4	2	2	–	1	2	–	–	–	2	8	16	3	1	1	3	–	17
87	23	–	31	5	2	13	3	–	5	2	–	3	5	20	23	6	9	4	3	–	18
25	3	–	9	2	1	1	1	–	–	–	–	2	2	14	8	2	8	2	3	–	19
19	7	–	6	4	1	5	–	1	3	1	–	1	4	12	12	6	3	1	–	–	20
39	1	–	11	3	1	13	–	–	5	2	–	2	2	–	19	3	3	1	1	–	21
119	26	1	61	6	4	30	8	–	11	1	–	11	17	27	43	38	19	6	2	1	22
90	51	3	36	25	2	20	8	–	5	2	1	–	4	5	36	8	9	3	4	–	23
30	8	–	11	2	–	12	1	–	1	–	–	–	3	16	9	3	10	1	–	–	24
24	4	–	6	1	–	8	1	–	1	–	–	–	1	11	7	–	6	1	–	–	25
6	4	–	5	1	–	4	–	–	–	–	–	–	2	5	2	3	4	–	–	–	26
34	14	–	11	1	1	6	1	–	1	1	–	–	–	2	6	9	2	1	–	–	27
79	14	–	40	8	1	11	3	–	1	1	–	2	7	12	21	12	7	4	5	–	28
48	8	–	24	5	1	6	1	–	1	1	–	1	6	6	11	8	3	1	1	–	29
31	6	–	16	3	–	5	2	–	–	–	–	1	1	6	10	4	4	3	4	–	30
71	12	1	31	3	3	11	7	–	–	2	–	–	1	24	10	6	10	1	1	–	31
82	18	–	33	5	4	22	7	3	7	1	–	2	10	41	23	6	13	3	5	2	32
63	14	–	25	3	4	15	6	2	6	1	–	2	7	30	18	3	12	2	5	–	33
19	4	–	8	2	–	7	1	1	1	–	–	–	3	11	5	3	1	1	–	2	34
–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	3	1	1	1	1	–	35
164	25	2	60	3	7	15	2	–	3	2	–	7	5	31	45	11	10	6	6	3	36
64	11	2	32	2	4	11	1	–	2	1	–	4	4	15	24	2	4	2	4	3	37
100	14	–	28	1	3	4	1	–	1	1	–	3	1	16	21	9	6	4	2	–	38
74	18	1	25	6	4	11	10	–	2	1	–	2	2	3	13	9	7	3	1	–	39
52	14	1	15	4	4	8	8	–	1	1	–	1	1	3	8	4	4	2	1	–	40
22	4	–	10	2	–	3	2	–	1	–	–	1	1	–	5	5	3	1	–	–	41
2	2	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	42
22	7	–	12	4	1	4	2	1	–	–	–	1	1	1	6	4	2	–	–	–	43
31	7	–	14	2	4	5	2	–	1	2	–	–	3	8	9	3	5	2	–	–	44
80	19	2	29	3	2	8	3	1	–	3	–	–	4	17	22	8	2	5	1	–	45
5	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	46
669	127	10	255	42	16	63	46	10	33	19	–	18	41	17	160	61	69	37	37	2	47
359	71	7	127	27	11	34	28	6	21	9	–	11	18	10	70	25	38	12	20	–	48
32	4	1	11	3	2	1	3	–	3	2	–	–	1	1	10	5	2	5	–	1	49
32	2	–	12	–	–	4	2	–	2	2	–	–	3	3	6	3	2	2	2	–	50
175	34	2	76	8	1	19	9	3	7	4	–	7	18	3	61	21	14	15	13	–	51
27	5	–	13	2	1	3	2	–	–	–	–	–	1	–	6	5	6	1	1	1	52
44	11	–	16	2	1	2	2	1	–	2	–	–	–	–	7	2	7	2	1	–	53
13	2	–	2	1	1	–	–	–	1	–	–	1	–	5	2	1	–	–	–	–	54
71	8	–	27	6	2	3	9	1	3	1	–	2	4	8	17	9	3	1	7	–	55
43	6	–	21	4	2	3	7	1	2	–	–	–	4	4	11	4	2	1	7	–	56
28	2	–	6	2	–	2	–	–	1	1	–	2	–	4	6	5	1	–	–	–	57
178	19	2	76	14	7	22	13	2	4	2	–	2	4	6	38	12	14	7	5	1	58
86	11	–	36	10	2	7	4	2	2	1	–	1	1	3	17	4	7	4	–	1	59
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	60
91	8	2	40	4	5	15	8	–	2	1	–	1	3	3	21	8	7	3	5	–	61
72	15	–	18	–	4	5	3	–	4	5	–	–	6	26	26	7	8	–	2	–	62
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	63
71	15	–	18	–	4	5	3	–	4	5	–	–	6	26	26	6	8	–	2	–	64
46	8	1	28	2	2	7	–	–	1	2	–	–	4	4	8	2	7	1	2	–	65
113	25	1	47	9	2	15	7	–	1	1	–	1	2	21	42	16	8	7	5	–	66
49	18	–	26	4	1	10	1	–	–	–	–	1	1	9	14	7	3	2	–	–	67
64	7	1	21	5	1	5	6	–	1	1	–	–	1	12	28	9	5	5	5	–	68
28	3	–	7	1	4	4	–	–	1	–	–	1	2	1	8	4	2	3	–	–	69
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
5	2	–	1	–	1	1	–	–	–	–	–	–	–	2	1	–	1	1	–	–	71
84	22	3	34	13	6	12	5	3	6	3	–	2	2	1	33	8	10	1	5	–	72
60	14	1	27	11	4	11	5	2	4	2	–	2	2	–	27	5	7	–	5	–	73
24	8	2	7	2	2	1	–	1	2	1	–	–	–	1	6	3	3	1	–	–	74
13	1	–	5	1	2	1	3	–	1	–	–	–	–	1	3	2	1	2	–	–	75
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	76
4	5	–	–	–	–	2	–	–	–	–	–	1	1	1	2	1	2	1	–	–	77
41	16	–	21	5	3	2	1	–	2	1	–	1	3	17	16	9	2	1	1	–	78
34	14	–	16	5	3	2	1	–	2	1	–	1	2	16	15	8	2	–	–	–	79
7	2	–	5	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	80
29	2	–	9	1	3	2	2	1	1	–	–	–	2	1	5	3	1	1	–	–	81
140	33	2	66	16	5	27	4	1	1	2	–	3	5	46	31	7	14	1	7	1	82
102	22	–	45	12	4	20	3	1	1	–	–	2	4	35	21	3	8	–	5	1	83
38	11	2	21	4	1	7	1	–	–	2	–	1	1	11	10	4	6	1	2	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–202, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Lamb	184	–	–	1	32	6	7	2	7	1	–	9	4	86	70	1	1
02	Lampasas	125	–	1	–	19	5	6	–	2	–	1	5	2	77	37	–	1
03	La Salle	49	–	–	–	11	5	1	–	1	–	1	3	2	23	16	1	1
04	Lavaca	283	–	–	1	45	14	9	3	7	2	2	8	4	146	97	–	–
05	Lee	107	–	–	–	19	5	7	–	2	1	–	4	–	67	49	–	2
06	Leon	140	–	–	2	19	3	5	–	3	2	1	5	2	63	51	–	–
07	Liberty	403	1	–	3	78	21	22	8	5	4	2	16	4	160	114	–	4
08	Limestone	242	1	–	1	49	12	13	2	8	2	2	10	7	127	97	1	9
09	Lipscomb	35	–	–	–	5	3	1	–	–	–	–	1	1	21	13	–	–
10	Live Oak	63	–	–	–	9	3	1	2	1	–	–	2	1	36	20	–	1
11	Llano	136	–	–	–	30	4	14	–	1	2	1	8	2	69	53	–	1
12	Loving	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
13	Lubbock	1,276	2	–	13	202	54	39	18	23	12	15	41	26	623	456	9	5
14	Lubbock	1,076	2	–	10	170	45	33	14	18	11	14	35	21	523	382	8	3
15	Balance of county	200	–	–	3	32	9	6	4	5	1	1	6	5	100	74	1	2
16	Lynn	86	–	–	1	19	3	5	–	1	2	2	6	–	37	25	2	1
17	McCulloch	163	–	–	1	33	8	12	–	5	–	1	7	3	80	63	–	1
18	McLennan	1,639	–	–	8	283	68	81	17	24	16	9	68	23	870	623	11	7
19	Waco	1,175	–	–	5	210	47	58	11	21	14	8	51	18	633	436	9	6
20	Balance of county	464	–	–	3	73	21	23	6	3	2	1	17	5	237	187	2	1
21	McMullen	9	–	–	–	4	–	–	–	2	–	–	2	1	4	4	–	–
22	Madison	97	–	–	1	20	6	7	3	–	1	2	1	2	52	37	–	1
23	Marion	126	–	–	–	22	8	3	2	4	–	2	3	2	52	37	–	3
24	Martin	38	–	–	–	7	3	2	–	–	–	1	1	–	17	14	–	1
25	Mason	60	–	–	1	10	3	2	1	–	–	–	4	–	38	28	–	–
26	Matagorda	302	–	–	2	47	15	12	2	7	2	–	9	2	169	133	2	7
27	Bay City	155	–	–	1	28	12	9	1	3	–	–	3	2	79	61	2	6
28	Balance of county	147	–	–	1	19	3	3	1	4	2	–	6	–	90	72	–	1
29	Maverick	121	1	–	–	23	5	2	2	7	–	2	5	4	48	34	–	–
30	Eagle Pass	101	1	–	–	18	3	1	2	6	–	1	5	4	45	32	–	–
31	Balance of county	20	–	–	–	5	2	1	–	1	–	1	–	–	3	2	–	–
32	Medina	189	1	–	1	39	10	13	1	5	–	3	7	2	96	68	1	2
33	Menard	45	–	–	–	9	3	2	–	1	–	–	3	2	24	15	–	–
34	Midland	468	–	–	4	83	22	26	7	9	2	2	15	7	190	142	3	1
35	Midland	444	–	–	4	78	21	23	6	9	2	2	15	7	184	136	3	1
36	Balance of county	24	–	–	–	5	1	3	1	–	–	–	–	–	6	6	–	–
37	Milam	309	–	–	2	49	18	11	2	3	2	1	12	7	172	134	–	–
38	Mills	84	–	–	1	20	4	2	2	3	1	1	7	–	50	37	–	–
39	Mitchell	115	–	–	1	14	2	4	2	4	–	1	1	1	51	36	–	–
40	Montague	254	–	–	3	43	12	9	4	3	2	3	10	3	159	105	1	2
41	Montgomery	608	–	–	10	140	28	51	4	11	6	3	37	8	212	149	4	2
42	Conroe	175	–	–	4	30	8	12	1	3	2	–	4	5	75	55	2	2
43	Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	Balance of county	433	–	–	6	110	20	39	3	8	4	3	33	3	137	94	2	–
45	Moore	99	–	–	1	16	5	4	2	1	2	–	2	3	47	31	–	3
46	Morris	144	–	–	–	36	8	9	3	4	2	5	5	4	78	62	1	–
47	Motley	32	–	–	–	10	2	4	1	1	–	–	2	2	15	9	1	–
48	Nacogdoches	392	1	–	1	60	15	13	1	11	4	2	14	3	216	146	2	2
49	Nacogdoches	195	–	–	1	31	9	7	1	5	3	–	6	2	108	68	–	1
50	Balance of county	197	1	–	–	29	6	6	–	6	1	2	8	1	108	78	2	1
51	Navarro	489	–	–	5	74	21	12	8	10	4	1	18	6	258	169	–	7
52	Corsicana	306	–	–	1	43	16	5	5	4	1	–	12	3	158	102	–	3
53	Balance of county	183	–	–	4	31	5	7	3	6	3	1	6	3	100	67	–	4
54	Newton	78	–	–	1	11	5	3	–	1	–	–	2	3	37	30	1	–
55	Nolan	237	–	–	4	40	5	10	3	5	2	1	14	5	111	72	–	1
56	Sweetwater	184	–	–	3	32	3	7	3	5	2	1	11	3	81	53	–	1
57	Balance of county	53	–	–	1	8	2	3	–	–	–	–	3	2	30	19	–	–
58	Nueces	1,802	7	–	17	360	95	95	29	41	11	15	74	41	803	612	8	10
59	Corpus Christi	1,530	4	–	13	310	85	84	23	40	11	9	58	37	683	526	8	10
60	Robstown	121	1	–	3	27	5	7	4	1	–	2	8	2	45	30	–	–
61	Balance of county	151	2	–	1	23	5	4	2	–	–	4	8	2	75	56	–	–
62	Ochiltree	67	–	–	–	12	3	3	1	–	–	1	4	2	39	30	1	–
63	Oldham	12	–	–	–	3	1	1	–	–	–	–	1	1	4	2	–	–
64	Orange	493	–	–	5	108	32	39	3	7	2	5	20	8	185	140	–	1
65	Orange	205	–	–	1	48	14	19	3	2	–	3	7	7	74	52	–	1
66	Balance of county	288	–	–	4	60	18	20	–	5	2	2	13	1	111	88	–	–
67	Palo Pinto	315	–	–	3	63	9	19	6	6	3	2	18	3	129	79	–	2
68	Mineral Wells, part	206	–	–	3	36	5	9	6	4	2	1	9	2	84	46	–	1
69	Mineral Wells, total	207	–	–	3	36	5	9	6	4	2	1	9	2	85	46	–	1
70	Balance of county	109	–	–	–	27	4	10	–	2	1	1	9	1	45	33	–	1
71	Panola	230	–	–	–	38	8	8	1	9	2	3	7	4	139	85	1	–
72	Parker	298	1	–	2	51	17	10	6	7	–	2	9	8	152	114	1	–
73	Mineral Wells, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
74	Weatherford	154	1	–	1	28	11	5	2	3	–	–	7	6	83	66	–	–
75	Balance of county	143	–	–	1	23	6	5	4	4	–	2	2	2	68	48	1	–
76	Parmer	73	–	–	–	12	4	4	1	–	–	–	3	3	32	24	–	–
77	Pecos	97	1	–	1	9	1	3	–	1	2	–	2	–	45	39	1	–
78	Polk	231	–	–	4	35	7	14	–	3	1	1	9	7	120	71	–	9
79	Potter	962	–	–	5	169	43	30	16	29	8	9	34	13	504	365	9	2
80	Amarillo, part	940	–	–	5	164	41	29	16	29	8	8	33	13	495	358	9	2
81	Amarillo, total	1,210	–	–	7	218	53	47	23	33	10	9	43	15	630	464	11	2
82	Balance of county	22	–	–	–	5	2	1	–	–	–	1	1	–	9	7	–	–
83	Presidio	43	–	–	–	5	2	–	1	–	1	–	1	1	20	13	–	–
84	Rains	63	–	–	–	6	1	1	–	1	–	1	2	3	36	23	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 402)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
58	10	–	12	1	3	9	2	–	1	–	–	–	4	11	20	4	4	4	2	–	01
26	10	–	31	5	4	–	–	–	1	–	–	4	1	1	8	2	6	2	1	–	02
11	4	–	4	3	–	1	1	1	1	–	–	1	2	1	3	1	2	–	–	–	03
75	22	–	36	7	6	12	2	2	3	1	–	1	2	27	22	6	9	–	–	–	04
31	16	–	15	1	2	2	1	–	1	–	–	–	–	4	7	4	2	–	–	–	05
44	7	–	10	2	–	7	1	–	3	–	–	–	2	13	12	4	8	1	3	–	06
85	25	1	30	12	3	24	5	1	3	1	–	3	4	49	21	19	7	12	8	–	07
70	17	1	19	4	6	9	5	–	3	2	1	–	2	9	12	5	7	1	1	–	08
12	1	–	8	–	–	1	1	–	–	–	–	–	–	3	3	–	–	–	–	–	09
18	2	–	16	–	–	1	5	–	–	1	–	–	–	3	2	–	3	1	1	–	10
47	5	1	10	2	3	9	2	–	2	1	–	1	1	1	11	–	5	1	1	–	11
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
294	148	3	129	13	22	68	22	4	14	4	2	10	30	18	103	25	53	30	27	–	13
251	120	2	106	13	20	58	21	3	13	3	2	9	25	16	87	20	46	24	23	–	14
43	28	1	23	–	2	10	1	1	1	1	–	1	5	2	16	5	7	6	4	–	15
16	6	2	9	–	1	6	5	–	–	1	–	–	2	5	8	2	–	–	–	–	16
46	16	–	14	1	2	7	7	1	1	–	–	–	1	2	18	5	3	1	–	–	17
408	197	4	188	35	20	68	28	3	22	14	–	6	25	26	146	27	57	14	19	–	18
286	135	3	151	27	16	45	20	3	13	11	–	2	21	16	95	18	41	11	13	–	19
122	62	1	37	8	4	23	8	–	9	3	–	4	4	10	51	9	16	3	6	–	20
3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
30	6	–	12	1	2	1	–	–	–	–	–	–	2	5	8	2	3	–	1	–	22
23	11	1	11	1	2	4	–	–	3	1	–	1	–	17	11	4	6	–	3	–	23
12	1	–	3	–	–	–	1	–	–	–	–	–	–	–	4	2	5	1	1	–	24
16	12	–	9	1	–	1	1	–	–	–	–	–	–	1	5	3	–	–	–	–	25
79	45	–	33	1	2	3	4	–	4	1	–	1	6	3	27	16	8	2	7	–	26
35	18	–	17	1	–	1	3	–	2	1	–	1	4	2	13	8	5	1	4	–	27
44	27	–	16	–	2	2	1	–	2	–	–	–	2	1	14	8	3	1	3	–	28
28	6	1	9	1	3	5	2	–	–	1	–	1	1	7	8	5	8	2	4	1	29
26	6	1	8	1	3	4	1	–	–	–	–	1	1	7	6	4	5	1	3	–	30
2	–	–	1	–	–	1	1	–	–	1	–	–	–	–	2	1	3	1	1	1	31
50	15	1	15	10	2	4	1	1	4	2	–	3	1	3	14	9	3	3	2	–	32
9	6	–	7	2	–	–	2	–	–	1	–	–	–	1	3	–	2	1	–	–	33
93	45	1	36	6	5	30	10	2	7	2	1	3	6	7	45	33	24	3	10	1	34
91	41	1	36	6	5	28	9	2	7	1	1	3	6	7	41	30	24	3	8	1	35
2	4	–	–	–	–	2	1	–	–	1	–	–	–	–	4	3	–	–	2	–	36
103	31	1	29	6	2	14	2	1	5	1	–	–	4	4	20	9	15	3	1	–	37
35	2	1	7	4	1	4	–	1	–	–	–	–	–	2	5	–	1	–	–	–	38
32	4	–	12	3	–	2	3	–	–	1	–	–	3	11	16	5	3	4	–	–	39
84	18	–	48	3	3	11	4	–	–	–	–	1	–	6	11	7	5	1	–	–	40
99	44	1	53	3	6	15	8	–	6	–	–	4	7	69	45	34	24	14	12	–	41
39	12	1	15	1	3	6	2	–	1	–	–	3	3	18	17	6	4	1	3	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
60	32	–	38	2	3	9	6	–	5	–	–	4	4	51	28	28	20	13	9	–	44
17	11	–	13	2	1	3	2	1	–	–	–	2	2	2	9	6	4	1	–	–	45
50	11	1	10	2	3	7	2	1	–	1	–	3	2	–	3	3	3	1	–	–	46
8	–	–	4	1	1	1	–	–	–	–	–	–	–	1	–	1	1	–	1	–	47
107	35	–	57	4	9	11	6	1	3	1	–	1	4	9	30	19	16	3	6	1	48
47	20	–	32	2	6	6	3	1	3	–	–	1	1	–	18	5	9	3	2	1	49
60	15	–	25	2	3	5	3	–	–	1	–	–	3	9	12	14	7	–	4	–	50
134	28	4	76	4	5	12	4	2	5	1	–	3	4	44	42	11	12	1	4	1	51
87	12	2	48	2	4	8	3	1	3	1	–	2	3	30	30	6	9	1	3	1	52
47	16	2	28	2	1	4	1	1	2	–	–	1	1	14	12	5	3	–	1	–	53
22	7	–	6	1	–	4	–	1	1	–	–	–	2	8	4	4	1	1	–	–	54
56	15	–	35	4	–	13	2	2	1	2	–	1	3	14	25	2	6	2	3	–	55
45	7	–	26	2	–	12	1	2	–	2	–	1	2	12	22	1	4	2	3	–	56
11	8	–	9	2	–	1	1	–	1	–	–	–	1	2	3	1	2	–	–	–	57
541	53	4	149	15	23	75	31	4	27	10	–	24	43	8	188	58	49	24	28	5	58
465	43	4	119	13	21	61	30	2	22	7	–	20	37	8	158	49	38	23	23	5	59
25	5	–	12	2	1	11	1	2	3	2	–	–	1	–	11	4	4	1	3	–	60
51	5	–	18	–	1	3	–	–	2	1	–	4	5	–	19	5	7	–	2	–	61
24	5	–	7	–	2	3	1	1	1	–	–	2	–	–	1	1	3	–	1	–	62
1	1	–	2	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	63
105	34	4	27	4	10	14	6	–	1	1	–	4	6	71	35	17	16	9	7	–	64
39	12	2	16	1	3	4	3	–	1	1	–	1	3	33	10	4	8	4	3	–	65
66	22	2	11	3	7	10	3	–	–	–	–	3	3	38	25	13	8	5	4	–	66
67	10	–	43	3	4	36	2	3	3	4	–	–	–	26	25	5	5	6	2	–	67
39	6	–	33	1	4	28	2	2	2	3	–	–	–	15	17	3	3	5	1	–	68
39	6	–	34	1	4	28	2	2	2	3	–	–	–	15	17	3	3	5	1	–	69
28	4	–	10	2	–	8	–	1	1	1	–	–	–	11	8	2	2	1	1	–	70
79	5	–	45	7	2	3	7	–	3	–	–	–	3	8	14	3	5	–	3	–	71
94	19	2	24	8	4	9	7	–	3	1	–	–	3	5	22	11	14	6	1	2	72
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	73
56	10	1	9	5	2	5	3	–	1	1	–	–	–	1	12	3	5	2	1	1	74
38	9	1	14	3	2	4	4	–	2	–	–	–	3	4	10	8	9	4	–	1	75
23	1	–	6	2	–	3	1	1	1	–	–	–	2	1	9	2	6	–	–	–	76
33	5	–	5	1	–	11	2	1	3	–	–	–	3	3	6	6	3	–	3	–	77
39	23	5	35	2	7	5	2	–	–	1	–	–	6	16	13	3	12	3	3	1	78
328	26	3	100	18	18	34	24	2	11	3	–	11	19	7	66	29	33	16	15	1	79
321	26	3	98	18	18	32	24	2	11	3	–	11	19	7	63	28	32	16	14	1	80
415	36	3	122	21	20	46	25	3	17	3	1	16	22	8	85	36	41	21	15	1	81
7	–	–	2	–	–	2	–	–	–	–	–	–	–	–	3	1	1	–	1	–	82
9	4	–	4	2	1	4	1	–	–	–	–	1	–	2	3	–	4	1	1	–	83
22	1	–	9	3	1	2	–	–	–	–	–	–	3	6	5	–	2	–	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Randall	347	–	–	2	70	14	24	9	4	4	3	12	4	172	140	3	–
02	Amarillo, part	270	–	–	2	54	12	18	7	4	2	1	10	2	135	106	2	–
03	Balance of county	77	–	–	–	16	2	6	2	–	2	2	2	2	37	34	1	–
04	Reagan	19	–	–	–	7	4	1	–	–	–	–	2	–	10	9	–	–
05	Real	27	–	–	–	5	1	2	–	–	1	–	1	2	11	9	–	–
06	Red River	197	–	–	2	30	6	10	1	5	1	2	5	5	100	59	1	–
07	Reeves	119	2	–	1	21	8	4	–	3	1	–	5	2	57	51	2	–
08	Pecos	99	1	–	1	16	5	4	–	2	1	–	4	2	46	41	2	–
09	Balance of county	20	1	–	–	5	3	–	–	1	–	–	1	–	11	10	–	–
10	Refugio	101	–	–	1	21	8	5	1	–	–	1	6	1	37	23	–	–
11	Roberts	15	–	–	–	3	–	1	–	–	–	2	–	1	8	6	–	–
12	Robertson	201	–	–	1	32	11	8	2	5	–	3	3	8	104	61	1	2
13	Rockwall	98	–	–	–	21	1	5	1	3	–	1	10	1	51	39	1	–
14	Runnels	166	–	–	–	32	10	4	1	7	–	3	7	6	86	46	1	3
15	Rusk	495	–	–	2	89	15	19	6	15	5	8	21	5	249	180	–	3
16	Henderson	133	–	–	–	18	2	3	1	3	1	4	4	2	75	55	–	–
17	Balance of county	362	–	–	2	71	13	16	5	12	4	4	17	3	174	125	–	3
18	Sabine	118	–	–	1	19	5	4	–	2	1	1	6	2	66	50	–	1
19	San Augustine	123	–	–	1	20	5	7	1	3	1	2	1	5	69	48	–	2
20	San Jacinto	84	–	–	1	20	6	5	2	2	1	1	3	2	36	22	–	1
21	San Patricio	379	2	–	4	75	17	21	4	6	3	5	19	11	158	121	–	1
22	San Saba	83	–	–	–	15	7	4	–	1	1	1	1	–	50	34	–	–
23	Schleicher	33	–	–	–	4	–	1	1	–	1	–	1	–	24	17	–	–
24	Scurry	177	1	–	2	27	7	8	2	4	1	1	4	1	79	52	–	–
25	Snyder	128	1	–	2	21	5	6	1	3	1	1	4	1	50	31	–	–
26	Balance of county	49	–	–	–	6	2	2	1	1	–	–	–	–	29	21	–	–
27	Shackelford	42	–	–	–	10	3	3	1	–	–	–	3	–	21	14	–	–
28	Shelby	313	1	–	3	50	12	7	1	11	2	6	11	5	163	115	–	1
29	Sherman	35	–	–	–	4	1	–	2	–	–	–	1	–	17	13	–	1
30	Smith	1,013	4	–	4	211	46	72	17	23	10	8	35	14	534	405	7	5
31	Tyler	593	3	–	1	119	29	44	8	12	4	4	18	11	322	247	5	3
32	Balance of county	420	1	–	3	92	17	28	9	11	6	4	17	3	212	158	2	2
33	Somervell	46	–	–	1	8	4	2	1	–	–	–	1	–	20	13	–	–
34	Starr	139	–	–	1	29	10	4	2	3	1	–	9	3	38	26	–	1
35	Stephens	158	–	–	1	31	8	11	3	4	1	–	4	1	79	48	1	–
36	Sterling	14	–	–	–	3	1	2	–	–	–	–	–	1	6	3	1	–
37	Stonewall	35	–	–	–	12	3	5	–	1	–	–	3	–	10	8	1	–
38	Sutton	35	–	–	–	7	2	2	–	1	–	–	2	1	17	7	–	–
39	Swisher	111	–	1	1	24	9	5	–	5	1	–	4	3	50	27	1	–
40	Tarrant	5,629	9	–	54	1,113	262	313	94	124	45	38	237	80	2,768	1,850	31	38
41	Arlington	585	–	–	4	108	27	28	7	12	5	4	25	2	284	184	2	2
42	Bedford	48	–	–	–	13	3	5	1	1	1	–	2	1	20	15	–	–
43	Euless	75	–	–	2	18	5	5	–	2	1	1	4	–	31	22	–	–
44	Fort Worth, part	3,579	7	–	39	709	170	183	63	86	29	25	153	64	1,783	1,176	24	31
45	Fort Worth, total	3,582	7	–	39	709	170	183	63	86	29	25	153	64	1,785	1,178	25	31
46	Grand Prairie, part	27	–	–	–	7	–	3	–	–	–	1	3	–	8	5	1	–
47	Haltom City	201	–	–	2	42	8	14	3	5	3	3	6	2	97	66	3	–
48	Hurst	129	–	–	1	20	4	7	4	1	–	1	3	1	68	50	–	–
49	North Richland Hills	84	–	–	–	13	3	4	–	–	2	–	4	–	51	32	–	–
50	White Settlement	92	1	–	1	15	2	1	3	3	2	–	4	1	46	34	–	–
51	Balance of county	809	1	–	5	168	40	63	13	14	2	3	33	9	380	266	1	5
52	Taylor	871	4	–	6	153	30	40	16	20	12	4	31	16	435	285	5	9
53	Abilene, part	744	4	–	2	137	30	33	15	17	10	4	28	15	367	237	4	3
54	Abilene, total	746	4	–	2	137	30	33	15	17	10	4	28	15	368	238	4	3
55	Balance of county	127	–	–	4	16	–	7	1	3	2	–	3	1	68	48	1	6
56	Terrell	10	–	–	2	1	1	–	–	–	–	–	–	–	3	3	–	–
57	Terry	117	–	–	1	18	1	5	2	2	4	–	4	3	57	42	–	–
58	Throckmorton	31	–	–	–	5	1	1	–	–	–	–	3	1	19	14	–	–
59	Titus	242	–	–	1	38	8	14	3	8	2	2	1	8	137	98	–	2
60	Tom Green	782	3	–	3	159	34	53	15	16	11	2	28	8	422	258	6	–
61	San Angelo	703	2	–	3	143	31	47	13	14	10	2	26	8	381	226	6	–
62	Balance of county	79	1	–	–	16	3	6	2	2	1	–	2	–	41	32	–	–
63	Travis	2,075	2	–	18	403	94	104	33	41	23	12	96	23	936	616	12	5
64	Austin	1,782	2	–	18	338	77	81	28	34	23	11	84	22	805	521	8	4
65	Balance of county	293	–	–	–	65	17	23	5	7	–	1	12	1	131	95	4	1
66	Trinity	122	–	–	2	19	8	4	–	2	1	–	4	2	60	49	1	–
67	Tyler	191	1	–	2	35	5	12	3	3	2	2	8	–	92	59	–	–
68	Upshur	312	1	–	2	62	12	15	3	10	1	5	16	10	162	101	–	–
69	Upton	38	–	–	–	5	–	1	–	1	–	–	3	3	14	13	–	–
70	Uvalde	182	1	–	1	28	5	9	1	3	–	2	8	6	82	60	2	2
71	Uvalde	119	1	–	1	17	3	5	1	2	–	1	5	3	55	42	2	2
72	Balance of county	63	–	–	–	11	2	4	–	1	–	1	3	3	27	18	–	–
73	Val Verde	209	1	–	3	39	13	9	–	5	3	3	6	7	100	75	–	–
74	Del Rio	192	1	–	3	39	13	9	–	5	3	3	6	7	94	70	–	–
75	Balance of county	17	–	–	–	–	–	–	–	–	–	–	–	–	6	5	–	–
76	Van Zandt	375	–	–	5	72	17	23	3	7	3	1	18	2	188	155	–	6
77	Victoria	438	–	–	4	90	32	22	5	12	2	2	15	6	221	162	2	–
78	Victoria	336	–	–	3	70	25	17	3	10	1	2	12	5	160	120	2	–
79	Balance of county	102	–	–	1	20	7	5	2	2	1	–	3	1	61	42	–	–
80	Walker	211	–	–	1	47	11	10	4	11	4	–	7	3	112	79	–	2
81	Huntsville	117	–	–	1	24	6	4	3	5	2	–	4	2	64	38	–	2
82	Balance of county	94	–	–	–	23	5	6	1	6	2	–	3	1	48	41	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
125	12	–	27	3	2	16	4	1	7	1	1	5	3	1	30	10	13	6	1	–	01
94	10	–	24	3	2	14	1	1	6	1	1	5	3	1	22	8	9	5	1	–	02
31	2	–	3	1	–	2	3	–	1	1	–	–	–	–	8	2	4	1	–	–	03
8	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	04
7	2	–	–	–	2	1	1	–	–	–	–	–	–	–	4	–	1	1	–	–	05
51	7	–	35	1	5	11	1	1	1	–	–	–	–	24	15	2	4	–	1	–	06
34	15	–	5	1	–	3	2	–	–	–	–	1	3	4	5	11	2	4	–	–	07
27	12	–	4	1	–	1	2	–	–	–	–	1	3	4	4	11	2	4	–	–	08
7	3	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	09
16	7	–	9	5	–	1	1	–	2	–	–	1	1	10	10	7	3	2	3	–	10
5	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	11
46	12	3	22	16	2	8	4	2	1	–	–	2	1	8	11	7	11	–	1	–	12
21	17	–	9	2	1	3	–	1	1	–	–	1	–	5	5	4	3	2	–	–	13
36	6	1	36	1	2	5	3	1	–	2	–	3	–	4	12	6	6	–	–	–	14
161	16	3	53	6	7	17	6	–	4	5	–	1	9	34	37	15	11	6	5	–	15
50	5	1	15	3	1	5	3	–	1	2	–	1	3	11	5	–	3	4	–	–	16
111	11	2	38	3	6	12	3	–	3	3	–	–	6	23	32	15	8	2	5	–	17
46	3	–	14	1	1	3	–	1	1	1	–	–	1	2	8	7	4	1	1	–	18
41	5	–	16	2	3	2	1	–	–	–	–	–	1	2	13	4	3	1	1	–	19
16	5	–	11	1	2	5	2	–	2	–	–	–	–	4	8	1	2	–	1	–	20
105	15	1	28	4	4	12	11	1	5	3	–	7	12	12	28	16	14	2	4	2	21
23	11	–	15	–	1	5	1	1	1	–	–	1	–	1	4	–	2	1	1	–	22
16	1	–	5	1	1	1	–	–	–	–	–	–	–	1	–	–	1	1	1	–	23
41	11	–	21	5	1	10	8	–	2	1	–	–	2	4	25	10	3	1	1	–	24
24	7	–	16	2	1	8	7	–	1	1	–	–	–	4	19	9	3	1	–	–	25
17	4	–	5	3	–	2	1	–	1	–	–	–	2	–	6	1	–	–	1	–	26
10	4	–	7	–	–	3	1	–	–	–	–	–	1	1	4	–	1	–	–	–	27
91	23	1	40	2	5	10	3	1	1	2	–	2	2	8	26	14	16	3	3	–	28
9	3	–	4	–	–	3	–	–	2	–	–	–	4	1	1	–	2	–	1	–	29
305	88	1	100	20	8	31	12	–	4	4	1	3	15	11	85	22	27	17	14	–	30
191	48	1	59	10	5	14	9	–	2	2	1	1	9	9	43	10	15	13	9	–	31
114	40	–	41	10	3	17	3	–	2	2	–	2	6	2	42	12	12	4	5	–	32
10	3	–	5	–	2	3	–	–	–	1	–	–	–	1	5	–	5	1	1	–	33
23	2	–	8	3	1	4	2	–	2	1	–	2	4	22	11	10	7	–	3	–	34
33	14	–	28	3	–	10	4	–	4	–	–	–	3	4	13	1	6	1	–	–	35
2	1	–	3	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	36
3	4	–	2	–	–	–	2	–	–	–	–	–	–	2	5	1	3	–	–	–	37
5	2	–	9	–	1	2	–	–	–	–	–	–	2	1	1	3	1	–	–	–	38
24	2	–	22	1	–	4	1	–	–	–	–	3	4	5	6	2	4	1	1	–	39
1,625	156	13	714	128	63	199	97	19	99	20	1	60	83	34	497	137	150	85	108	16	40
171	9	1	69	23	7	22	9	1	8	3	1	7	15	1	52	21	16	16	12	3	41
12	3	–	4	–	1	2	–	–	–	–	–	–	1	–	4	–	1	3	3	–	42
20	2	–	7	–	2	1	2	–	–	–	–	1	3	–	7	4	1	4	1	–	43
1,017	104	11	475	77	44	118	59	14	74	12	–	28	44	23	325	72	95	35	69	9	44
1,018	104	11	475	77	44	118	60	14	74	12	–	28	44	23	325	72	95	35	69	9	45
4	–	–	2	1	–	1	1	–	1	–	–	–	–	1	3	–	1	2	1	1	46
60	3	–	26	4	1	5	6	1	2	–	–	4	5	1	13	7	8	5	1	–	47
43	7	–	15	2	1	4	4	–	3	1	–	5	4	1	10	2	–	3	2	–	48
27	5	–	14	3	2	2	1	–	1	–	–	1	2	–	6	3	2	2	–	–	49
30	4	1	8	2	1	2	2	–	–	1	–	1	1	2	14	2	–	1	2	–	50
241	19	–	94	16	4	42	13	3	10	3	–	13	8	5	63	26	26	14	17	3	51
208	63	1	121	19	9	33	21	3	6	8	–	8	14	17	65	33	26	9	13	1	52
174	56	1	107	16	6	28	16	2	6	7	–	7	11	15	58	31	21	5	11	1	53
175	56	1	107	16	6	28	16	2	6	7	–	7	11	15	58	32	21	5	11	1	54
34	7	–	14	3	3	5	5	1	–	1	–	1	3	2	7	2	5	4	2	–	55
3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	56
38	4	–	10	1	4	4	–	–	–	–	–	2	5	3	8	6	7	1	2	–	57
12	2	–	3	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	58
67	29	1	31	4	3	5	2	–	–	1	–	1	1	3	21	8	8	1	7	–	59
232	20	2	139	15	8	25	25	1	10	3	–	6	4	7	56	11	27	9	3	–	60
202	18	2	130	15	8	21	23	1	10	3	–	5	4	6	50	11	22	7	3	–	61
30	2	–	9	–	–	4	2	–	–	–	–	1	–	1	6	–	5	2	–	–	62
483	116	7	199	88	26	68	20	6	38	4	–	27	37	80	169	83	85	45	31	–	63
414	95	5	183	74	22	61	16	5	37	3	–	21	31	67	157	70	70	33	26	–	64
69	21	2	16	14	4	7	4	1	1	1	–	6	6	13	12	13	15	12	5	–	65
41	7	–	8	1	2	2	1	–	1	–	–	–	2	8	9	8	7	–	1	–	66
38	21	2	23	1	7	5	3	1	1	2	–	1	6	10	15	9	6	2	–	–	67
59	42	–	52	4	5	9	2	1	4	1	–	1	7	14	16	11	6	2	1	–	68
12	1	–	–	1	–	1	1	–	–	–	–	–	3	1	4	2	2	–	1	–	69
47	9	1	12	6	3	5	6	1	2	–	–	2	2	17	8	13	5	2	1	–	70
32	6	–	9	3	1	4	3	1	2	–	–	1	2	11	5	7	4	1	1	–	71
15	3	1	3	3	2	1	3	–	–	–	–	1	–	6	3	6	1	1	–	–	72
61	14	2	22	–	1	9	4	–	4	–	1	1	8	5	9	8	6	3	1	–	73
58	12	2	21	–	1	8	3	–	4	–	1	1	6	4	8	7	3	2	1	–	74
3	2	–	1	–	–	1	1	–	–	–	–	–	2	1	1	1	3	1	–	–	75
116	33	–	29	2	2	12	9	1	2	5	–	1	1	35	14	11	7	7	3	–	76
145	15	1	45	7	6	6	6	–	1	1	–	4	8	4	39	21	14	7	6	–	77
108	10	1	31	4	4	5	4	–	1	1	–	3	8	4	35	16	10	6	5	–	78
37	5	–	14	3	2	1	2	–	–	–	–	1	–	–	4	5	4	1	1	–	79
70	7	–	24	5	4	13	1	–	–	2	–	–	2	3	13	8	2	1	2	1	80
34	2	–	17	5	4	7	1	–	–	2	–	–	1	1	6	4	1	1	1	1	81
36	5	–	7	–	–	6	–	–	–	–	–	–	1	2	7	4	1	–	1	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–135)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Waller	151	1	–	–	25	6	10	–	1	1	1	6	5	75	55	2	2
02	Ward	114	–	–	3	25	7	8	–	1	2	–	7	7	40	32	1	–
03	Washington	296	–	–	2	62	31	8	7	6	1	1	8	4	158	107	–	2
04	Webb	579	4	–	5	115	34	14	9	11	5	7	35	23	240	173	1	5
05	Laredo	562	4	–	5	113	34	13	9	10	5	7	35	23	234	168	1	5
06	Balance of county	17	–	–	–	2	–	1	–	1	–	–	–	–	6	5	–	–
07	Wharton	408	1	–	4	70	19	17	5	10	1	2	16	12	185	129	1	5
08	Wheeler	88	–	–	–	15	5	3	1	4	–	1	1	1	44	31	–	–
09	Wichita	945	1	–	6	172	53	47	12	18	4	6	32	18	471	320	5	7
10	Wichita Falls	733	1	–	5	132	43	35	7	15	4	5	23	15	373	252	4	7
11	Balance of county	212	–	–	1	40	10	12	5	3	–	1	9	3	98	68	1	–
12	Wilbarger	202	–	–	1	43	12	13	2	4	–	3	9	2	113	88	1	–
13	Vernon	171	–	–	1	33	9	10	2	3	–	2	7	2	97	74	1	–
14	Balance of county	31	–	–	–	10	3	3	–	1	–	1	2	–	16	14	–	–
15	Willacy	130	–	–	2	19	5	3	–	1	–	6	4	2	64	55	–	–
16	Williamson	459	1	–	7	89	21	19	6	11	5	4	23	4	256	168	–	2
17	Wilson	115	–	–	1	29	8	11	1	3	–	–	6	4	54	40	–	–
18	Winkler	84	1	–	1	12	4	4	1	–	–	–	3	6	35	26	1	–
19	Wise	242	–	–	2	40	6	15	6	5	–	3	5	2	134	99	3	–
20	Wood	311	2	–	3	65	18	14	1	8	1	3	20	6	150	95	–	–
21	Yoakum	46	–	–	–	11	4	1	–	3	–	–	3	–	13	8	–	–
22	Young	236	–	–	4	53	13	13	3	11	4	1	8	8	102	69	–	–
23	Zapata	45	–	–	1	8	1	1	2	2	–	–	2	1	24	20	–	–
24	Zavala	68	1	–	2	14	5	4	2	1	–	–	2	–	21	15	–	–
25	**Utah**	7,482	8	–	58	1,231	312	204	112	178	49	65	311	149	3,437	2,519	88	36
26	Urban places	3,797	4	–	27	641	166	113	65	84	24	34	155	63	1,808	1,314	57	18
27	Balance of area	3,685	4	–	31	590	146	91	47	94	25	31	156	86	1,629	1,205	31	18
28	Metropolitan counties	5,468	6	–	40	932	220	160	91	131	34	55	241	109	2,454	1,812	67	22
29	Urban places	3,485	4	–	25	594	151	108	60	80	22	34	139	55	1,644	1,199	51	16
30	Balance of area	1,983	2	–	15	338	69	52	31	51	12	21	102	54	810	613	16	6
31	Nonmetropolitan counties	2,014	2	–	18	299	92	44	21	47	15	10	70	40	983	707	21	14
32	Urban places	312	–	–	2	47	15	5	5	4	2	–	16	8	164	115	6	2
33	Balance of area	1,702	2	–	16	252	77	39	16	43	13	10	54	32	819	592	15	12
34	Beaver	40	–	–	–	8	1	2	–	2	–	2	1	1	23	17	–	1
35	Box Elder	198	–	–	2	34	13	2	1	7	1	–	10	6	95	70	3	2
36	Brigham City	90	–	–	–	21	8	1	1	3	1	–	7	2	44	36	1	2
37	Balance of county	108	–	–	2	13	5	1	–	4	–	–	3	4	51	34	2	–
38	Cache	293	–	–	3	35	10	2	7	3	2	–	11	7	172	107	5	5
39	Logan	146	–	–	2	19	6	1	4	1	1	–	6	4	80	45	5	–
40	Balance of county	147	–	–	1	16	4	1	3	2	1	–	5	3	92	62	–	5
41	Carbon	167	–	–	1	26	12	5	1	2	–	1	5	2	81	72	2	–
42	Daggett	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
43	Davis	456	–	–	1	82	9	16	8	14	4	6	25	10	198	159	2	–
44	Bountiful	134	–	–	–	26	3	4	1	6	–	3	9	1	66	54	–	–
45	Clearfield	56	–	–	–	12	2	2	–	3	1	1	3	2	24	21	–	–
46	Layton	74	–	–	–	16	2	4	2	2	–	1	5	1	33	24	1	–
47	Balance of county	192	–	–	1	28	2	6	5	3	3	1	8	6	75	60	1	–
48	Duchesne	59	–	–	1	8	3	1	–	1	1	–	2	–	26	20	–	–
49	Emery	57	–	–	–	7	1	1	–	–	2	1	2	–	29	18	–	–
50	Garfield	22	–	–	1	1	–	–	–	1	–	–	–	–	14	9	–	2
51	Grand	51	–	–	–	11	3	4	1	2	–	–	1	–	17	12	–	2
52	Iron	94	–	–	1	18	5	4	1	4	1	–	3	1	39	28	–	–
53	Juab	45	–	–	–	9	3	–	–	3	–	1	2	2	27	14	–	–
54	Kane	26	–	–	1	5	1	3	–	–	–	–	1	2	9	7	–	–
55	Millard	79	–	–	–	14	6	2	–	1	1	–	4	1	33	25	–	–
56	Morgan	23	–	–	–	3	1	1	1	–	–	–	–	1	10	7	–	–
57	Piute	13	–	–	–	2	–	1	–	–	–	–	1	1	7	4	–	–
58	Rich	21	–	–	–	1	–	–	–	–	–	–	1	–	13	9	–	1
59	Salt Lake	3,184	2	–	20	548	129	95	58	68	19	36	143	65	1,438	1,056	42	18
60	Murray	127	–	–	–	23	8	4	2	1	–	2	6	2	67	49	1	1
61	Salt Lake City	1,857	1	–	11	306	72	59	37	37	12	17	72	31	898	653	35	12
62	Balance of county	1,200	1	–	9	219	49	32	19	30	7	17	65	32	473	354	6	5
63	San Juan	75	2	–	4	8	2	2	–	1	–	1	2	1	8	5	1	–
64	Sanpete	125	–	–	–	20	5	3	–	5	2	1	4	4	73	53	2	–
65	Sevier	113	–	–	–	12	2	2	4	2	–	–	2	3	65	43	3	–
66	Summit	48	–	–	–	5	3	–	–	1	–	–	1	2	22	14	1	–
67	Tooele	128	–	–	1	13	1	4	1	1	–	–	6	4	64	53	–	–
68	Tooele	76	–	–	–	7	1	3	–	–	–	–	3	2	40	34	–	–
69	Balance of county	52	–	–	1	6	–	1	1	1	–	–	3	2	24	19	–	–
70	Uintah	94	–	–	–	14	5	2	1	1	1	–	4	1	37	30	1	–
71	Utah	903	1	–	11	152	36	25	10	26	3	7	45	22	405	286	8	1
72	Orem	147	–	–	3	28	8	5	3	2	–	2	8	2	61	38	–	–
73	Provo	306	–	–	4	51	14	7	4	9	1	3	13	6	148	106	4	–
74	Balance of county	450	1	–	4	73	14	13	3	15	2	2	24	14	196	142	4	1
75	Wasatch	52	–	–	1	9	3	1	1	1	1	1	1	–	25	19	1	–
76	Washington	174	–	–	2	32	10	1	2	9	2	2	6	1	84	66	1	1
77	Wayne	15	–	–	–	4	2	1	–	–	1	–	–	–	9	4	1	–
78	Weber	925	3	–	8	150	46	24	15	23	8	6	28	12	413	311	15	3
79	Ogden	715	2	–	7	118	37	21	8	19	6	4	23	8	325	236	7	3
80	Roy	69	1	–	–	14	5	2	3	1	2	1	–	2	22	18	3	–
81	Balance of county	141	–	–	1	18	4	1	4	3	–	1	5	2	66	57	5	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
35	16	3	13	2	2	4	4	–	–	1	–	1	4	13	11	2	5	–	–	–	01
17	14	1	5	–	2	3	3	–	–	–	–	1	3	3	11	4	4	2	1	–	02
93	12	2	45	1	3	4	5	1	2	–	–	2	–	13	18	14	3	5	3	–	03
143	24	6	44	11	6	17	10	1	13	–	–	6	15	38	46	11	24	5	4	2	04
139	23	6	44	11	5	17	9	1	13	–	–	5	14	36	45	11	21	5	4	2	05
4	1	–	–	–	1	–	1	–	–	–	–	1	1	2	1	–	3	–	–	–	06
106	17	1	48	4	3	23	4	1	5	3	–	3	7	26	25	23	11	1	4	–	07
27	4	–	11	2	–	6	1	1	2	1	–	–	2	3	5	2	3	1	1	–	08
276	32	–	114	16	21	47	17	7	11	–	–	8	13	3	77	34	30	19	10	1	09
217	24	–	91	13	17	30	10	5	11	–	–	7	10	1	64	24	22	13	9	1	10
59	8	–	23	3	4	17	7	2	–	–	–	1	3	2	13	10	8	6	1	–	11
76	11	–	23	1	1	4	2	1	1	–	–	1	5	5	13	3	3	3	1	–	12
65	8	–	21	1	1	4	2	1	1	1	–	1	5	5	11	1	2	3	1	–	13
11	3	–	2	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	14
46	9	–	3	4	2	5	2	–	3	–	–	2	5	3	10	8	5	–	–	–	15
153	13	2	68	12	6	15	7	1	2	3	–	4	4	3	35	13	12	1	2	–	16
36	4	–	12	–	2	2	4	–	2	–	–	2	–	3	10	3	1	–	–	–	17
18	7	–	8	1	–	1	1	1	1	–	–	–	1	3	9	6	2	2	2	–	18
83	13	–	30	3	2	4	1	–	2	–	–	2	3	13	16	16	1	4	2	–	19
68	27	1	48	4	2	4	1	1	3	–	–	–	1	20	32	10	5	5	3	–	20
7	1	1	3	1	–	–	–	1	1	–	–	–	3	3	7	2	2	1	2	–	21
49	20	3	23	5	2	15	7	–	1	–	–	3	–	8	19	1	8	1	6	–	22
7	13	–	3	–	1	–	–	–	–	–	–	1	–	2	3	3	1	1	–	–	23
10	5	–	4	1	1	4	2	–	2	–	–	–	2	4	10	1	2	–	3	–	24
2,129	266	14	668	119	117	252	114	27	93	36	7	120	196	161	782	286	289	160	59	17	25
1,108	131	9	355	58	72	141	48	16	47	20	2	43	85	65	406	115	134	85	38	9	26
1,021	135	5	313	61	45	111	66	11	46	16	5	77	111	96	376	171	155	75	21	8	27
1,531	192	11	461	84	86	182	89	22	68	30	6	86	145	118	595	200	199	130	43	14	28
1,015	117	8	322	51	64	129	45	15	44	20	2	38	80	61	380	106	122	78	34	9	29
516	75	3	139	33	22	53	44	7	24	10	4	48	65	57	215	94	77	52	9	5	30
598	74	3	207	35	31	70	25	5	25	6	1	34	51	43	187	86	90	30	16	3	31
93	14	1	33	7	8	12	3	1	3	–	–	5	5	4	26	9	12	7	4	–	32
505	60	2	174	28	23	58	22	4	22	6	1	29	46	39	161	77	78	23	12	3	33
15	1	–	6	–	–	1	–	–	1	1	–	–	–	–	2	–	2	1	–	–	34
55	10	–	18	5	2	9	2	1	1	–	–	4	8	–	18	10	3	4	1	–	35
25	8	–	5	2	1	2	1	–	–	–	–	1	1	–	10	5	1	1	1	–	36
30	2	–	13	3	1	7	1	1	1	–	–	3	7	–	8	5	2	3	–	–	37
90	7	1	51	5	8	9	3	1	2	–	–	4	8	5	23	4	13	3	1	–	38
37	3	1	25	3	6	9	1	1	–	–	–	1	2	3	13	1	7	2	1	–	39
53	4	–	26	2	2	–	2	–	2	–	–	3	6	2	10	3	6	1	–	–	40
68	2	–	8	1	–	6	1	–	1	1	–	2	5	2	15	11	7	4	2	–	41
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	42
135	22	–	29	4	6	11	7	2	1	2	–	8	17	11	52	20	18	14	1	1	43
48	6	–	12	–	–	4	–	–	1	–	–	–	5	2	16	4	2	6	–	1	44
16	5	–	2	–	1	–	–	–	1	–	–	3	–	1	6	2	4	1	–	–	45
19	4	–	6	2	1	3	2	–	1	–	–	1	2	2	6	3	3	–	1	–	46
52	7	–	9	2	4	4	5	–	1	–	2	4	10	6	24	11	9	7	–	–	47
20	–	–	4	–	2	–	1	–	1	–	–	2	4	4	4	3	5	–	–	–	48
15	3	–	6	3	2	–	1	–	1	–	–	1	–	1	8	1	5	1	1	1	49
6	1	–	3	1	1	1	–	–	–	–	–	–	1	–	–	1	–	3	–	–	50
7	3	1	4	–	1	1	2	–	–	–	–	–	1	2	8	2	6	–	1	–	51
26	2	1	9	1	–	3	3	1	1	–	–	2	4	2	6	5	6	1	1	–	52
13	1	–	6	5	2	1	1	–	–	–	–	1	–	–	2	1	1	–	–	–	53
6	1	–	1	–	1	–	–	–	–	–	–	1	–	1	5	1	1	–	–	–	54
22	3	1	6	1	–	5	2	–	–	–	–	–	1	–	15	4	4	–	–	–	55
6	1	–	2	1	–	1	–	–	–	–	–	–	3	–	1	2	2	–	–	–	56
2	2	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	57
8	–	–	3	–	1	1	–	–	–	1	–	–	–	–	3	–	2	–	–	–	58
891	105	8	277	43	54	111	51	12	39	18	2	42	81	55	359	119	103	86	25	8	59
43	4	1	11	2	4	3	1	1	1	–	–	1	1	1	14	5	–	6	1	–	60
548	58	4	177	24	40	77	25	8	22	12	–	13	35	29	214	54	58	43	17	3	61
300	43	3	89	17	10	31	25	3	16	6	2	28	45	25	131	60	45	37	7	5	62
3	1	–	2	–	1	6	–	–	3	1	–	3	3	8	11	11	5	1	–	–	63
40	11	–	16	3	1	3	2	–	–	–	–	1	–	4	11	1	3	2	1	–	64
36	4	–	16	3	3	8	1	1	2	–	–	1	2	1	11	2	3	–	1	–	65
13	–	–	5	–	3	2	1	–	2	–	1	–	1	1	6	2	1	–	2	–	66
48	5	–	7	3	1	1	2	–	5	–	–	4	2	1	6	6	11	5	3	–	67
31	3	–	3	2	1	1	1	–	3	–	–	3	2	1	3	3	4	4	2	–	68
17	2	–	4	1	–	–	1	–	2	–	–	1	–	–	3	3	7	1	1	–	69
26	3	–	6	–	1	2	2	1	4	1	–	1	2	4	8	8	5	1	2	1	70
239	38	2	71	30	16	28	21	4	9	6	1	23	25	31	80	38	34	3	7	2	71
34	4	–	13	7	3	3	4	1	3	3	1	2	6	3	13	7	4	1	1	1	72
88	14	2	25	9	6	11	5	1	1	–	–	7	14	7	22	11	13	–	4	1	73
117	20	–	33	14	7	14	12	2	5	3	–	14	5	21	45	20	17	2	2	–	74
15	3	–	5	–	1	4	–	–	1	–	–	2	1	–	6	1	1	1	–	–	75
55	9	–	15	3	–	5	1	1	–	–	–	4	5	7	18	9	3	2	–	–	76
2	1	–	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	77
266	27	1	84	7	10	32	10	6	18	5	1	13	22	21	104	23	44	27	10	3	78
205	21	1	74	6	8	24	7	4	13	3	1	10	17	15	80	16	32	20	10	3	79
14	1	–	2	1	1	4	1	–	2	1	–	1	–	1	9	4	6	1	–	–	80
47	5	–	8	–	1	4	2	2	3	1	–	2	5	5	15	3	6	6	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Vermont**	4,269	6	1	29	889	181	187	70	125	44	41	161	69	2,206	1,653	26	24
02	Urban places	702	–	–	4	123	25	33	11	14	5	3	32	11	382	278	5	9
03	Balance of area	3,567	6	1	25	686	156	154	59	111	39	38	129	58	1,824	1,375	21	15
04	Nonmetropolitan counties	4,269	6	1	29	809	181	187	70	125	44	41	161	69	2,206	1,653	26	24
05	Urban places	702	–	–	4	123	25	33	11	14	5	3	32	11	382	278	5	9
06	Balance of area	3,567	6	1	25	686	156	154	59	111	39	38	129	58	1,824	1,375	21	15
07	Addison	220	–	–	1	42	12	10	3	10	–	4	3	2	116	89	1	2
08	Bennington	329	–	–	3	57	13	12	6	10	2	3	11	2	170	135	4	1
09	Caledonia	284	1	–	–	48	6	13	5	9	1	–	14	10	131	92	–	1
10	Chittenden	727	2	–	7	153	23	40	11	25	11	5	38	9	338	267	5	2
11	Burlington	320	–	–	3	63	10	19	1	7	5	–	21	3	155	117	1	2
12	Balance of county	407	2	–	4	90	13	21	10	18	6	5	17	6	183	150	4	–
13	Essex	55	–	–	2	10	3	–	1	1	1	–	4	–	20	14	–	–
14	Franklin	328	1	1	2	58	17	12	2	9	3	3	12	2	185	143	2	–
15	Grand Isle	39	–	–	–	3	–	–	–	2	–	–	1	1	25	21	–	–
16	Lamoille	113	–	–	–	26	9	7	2	4	–	1	3	2	62	51	1	–
17	Orange	181	–	–	–	39	9	9	1	4	5	3	8	4	97	69	–	1
18	Orleans	203	–	–	3	41	11	10	2	4	5	1	8	2	92	68	1	–
19	Rutland	564	–	–	4	93	26	19	11	12	2	5	18	16	312	231	4	2
20	Rutland	249	–	–	1	36	9	7	6	6	–	1	7	5	146	104	3	1
21	Balance of county	315	–	–	3	57	17	12	5	6	2	4	11	11	166	127	1	1
22	Washington	480	2	–	1	97	20	24	15	8	4	7	19	9	256	186	1	11
23	Barre	133	–	–	–	24	6	7	4	1	–	2	4	3	81	57	1	6
24	Balance of county	347	2	–	1	73	14	17	11	7	4	5	15	6	175	129	–	5
25	Windham	335	–	–	3	56	12	15	5	13	2	2	7	2	193	139	2	2
26	Windsor	411	–	–	3	86	20	16	6	14	8	7	15	8	209	148	5	2
27	**Virginia**	40,133	77	7	346	7,551	1,836	1,970	682	861	319	282	1,601	621	20,151	14,913	208	244
28	Urban places	17,406	42	5	172	3,427	842	888	338	376	134	124	725	245	8,618	6,363	85	135
29	Balance of area	22,727	35	2	174	4,124	994	1,082	344	485	185	158	876	376	11,533	8,550	123	109
30	Metropolitan counties	21,207	41	4	196	4,313	1,071	1,116	418	470	175	156	907	305	10,326	7,705	105	155
31	Urban places	14,862	36	3	152	2,990	735	777	298	327	125	103	625	207	7,283	5,428	71	122
32	Balance of area	6,345	5	1	44	1,323	336	339	120	143	50	53	282	98	3,043	2,277	34	33
33	Nonmetropolitan counties	18,926	36	3	150	3,238	765	854	264	391	144	126	694	316	9,825	7,208	103	89
34	Urban places	2,544	6	2	20	437	107	111	40	49	9	21	100	38	1,335	935	14	13
35	Balance of area	16,382	30	1	130	2,801	658	743	224	342	135	105	594	278	8,490	6,273	89	76
36	Accomack	411	3	–	2	81	18	25	3	14	4	4	13	5	223	168	2	2
37	Albemarle	290	–	–	5	55	12	13	6	7	2	1	14	4	126	96	–	1
38	Alleghany	106	–	–	–	15	7	–	1	2	–	2	3	–	53	39	–	–
39	Amelia	100	–	–	1	19	4	3	–	5	2	–	5	–	41	24	–	–
40	Amherst	251	–	–	–	46	12	9	–	6	3	5	11	6	144	99	1	1
41	Appomattox	115	–	–	1	11	2	5	–	2	1	–	1	1	70	50	–	–
42	Arlington†	1,117	3	1	8	264	69	51	33	30	14	8	59	18	555	415	6	3
43	Augusta	419	1	–	4	67	18	15	7	6	2	1	18	2	218	145	2	3
44	Bath	62	–	–	2	13	3	5	1	1	1	–	2	1	29	25	–	–
45	Bedford	263	1	–	3	36	6	13	4	3	–	–	10	2	141	97	2	1
46	Bland	59	–	–	–	6	2	3	–	1	–	–	–	–	35	24	–	1
47	Botetourt	153	–	–	1	22	3	7	1	6	–	1	4	3	83	54	2	–
48	Brunswick	179	–	–	3	23	3	8	3	4	–	2	3	4	101	79	4	2
49	Buchanan	264	–	–	2	36	4	8	3	7	2	4	8	4	148	115	1	1
50	Buckingham	135	1	–	3	20	6	5	2	–	–	1	6	–	70	51	–	2
51	Campbell	273	–	–	2	48	11	17	3	6	1	3	7	3	144	106	1	–
52	Caroline	153	1	–	3	32	8	9	2	3	1	2	7	3	66	45	1	–
53	Carroll	223	–	–	1	29	5	6	3	4	2	–	9	3	125	87	3	–
54	Charles City	47	–	–	1	6	4	2	–	–	–	–	–	–	16	11	–	–
55	Charlotte	139	1	1	–	26	7	9	1	3	–	2	4	4	66	43	1	1
56	Chesterfield	538	–	–	6	115	25	35	13	11	4	4	23	6	243	182	3	4
57	Clarke	80	–	–	1	17	6	3	2	2	1	1	2	4	37	27	–	–
58	Craig	24	–	–	–	5	1	–	1	1	–	–	2	–	11	6	–	–
59	Culpeper	223	–	–	2	31	6	4	1	1	5	2	12	5	116	91	1	1
60	Cumberland	79	1	–	1	10	2	1	–	4	1	–	2	1	38	28	1	1
61	Dickenson	185	–	–	1	27	2	7	1	6	3	5	3	2	88	66	1	–
62	Dinwiddie	169	1	1	2	25	7	7	1	3	–	4	3	6	81	52	2	1
63	Essex	94	–	–	2	23	5	9	2	2	1	–	4	3	43	35	–	–
64	Fairfax	1,990	1	–	19	464	117	94	50	49	28	11	115	29	916	683	11	7
65	Vienna	70	–	–	1	18	3	6	2	5	–	–	2	–	25	15	–	–
66	Balance of county	1,920	1	–	18	446	114	88	48	44	28	11	113	29	891	668	11	7
67	Fauquier	296	–	–	3	48	10	15	5	8	1	–	9	3	140	95	3	2
68	Floyd	110	–	–	–	18	6	2	3	2	–	–	5	3	59	42	–	–
69	Fluvanna	80	–	–	2	19	7	2	2	2	2	1	3	–	39	29	1	–
70	Franklin	246	–	–	5	33	6	7	4	5	2	1	8	6	120	77	1	–
71	Frederick	206	–	–	3	34	9	10	1	4	2	1	7	3	111	82	2	–
72	Giles	193	–	–	–	40	8	15	4	2	2	3	6	6	100	88	2	2
73	Gloucester	160	–	–	1	36	9	12	2	6	1	1	5	1	67	54	3	2
74	Goochland	76	–	–	–	7	2	1	–	–	–	–	4	–	38	28	–	2
75	Grayson	176	1	–	1	32	7	9	3	5	1	1	6	2	95	65	1	–
76	Greene	55	–	–	1	9	4	1	1	–	–	1	2	1	28	25	2	–
77	Greensville	95	–	–	3	14	2	6	–	2	–	–	4	2	46	36	1	–
78	Halifax	330	–	–	3	56	13	12	4	8	4	3	12	2	162	127	4	3
79	Hanover	347	–	–	–	78	22	20	10	6	3	2	15	5	163	117	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,490	113	16	350	110	77	169	56	18	57	16	3	23	44	41	404	92	129	74	18	5	01
247	17	6	63	21	14	27	14	2	18	4	–	2	9	6	60	13	17	8	2	–	02
1,243	96	10	287	89	63	142	42	16	39	12	3	21	35	35	344	79	112	66	16	5	03
1,490	113	16	350	110	77	169	56	18	57	16	3	23	44	41	404	92	129	74	18	5	04
247	17	6	63	21	14	27	14	2	18	4	–	2	9	6	60	13	17	8	2	–	05
1,243	96	10	287	89	63	142	42	16	39	12	3	21	35	35	344	79	112	66	16	5	06
82	4	–	15	7	5	9	1	1	1	1	1	2	1	2	22	7	6	4	1	–	07
125	5	–	22	3	10	13	2	3	5	1	–	3	3	1	32	12	7	10	4	1	08
73	18	–	29	4	6	12	2	1	2	2	–	–	1	17	35	4	9	7	2	–	09
238	22	–	50	9	12	34	5	–	19	2	–	3	10	4	80	17	24	16	3	1	10
104	10	–	28	4	6	16	3	–	12	1	–	1	3	4	35	6	9	5	1	–	11
134	12	–	22	5	6	18	2	–	7	1	–	2	7	–	45	11	15	11	2	1	12
13	1	–	6	–	–	3	3	1	1	–	–	1	–	1	7	1	4	1	–	–	13
131	10	–	21	19	2	18	4	1	4	2	1	4	6	3	21	1	5	8	–	1	14
18	3	–	2	1	1	1	–	–	–	–	–	–	–	–	6	1	1	–	1	–	15
46	4	–	5	5	1	1	1	–	3	1	–	1	1	–	9	1	4	2	–	–	16
62	6	–	22	3	3	6	2	–	1	–	–	1	–	2	15	6	5	3	–	–	17
61	6	1	19	1	3	16	3	–	1	1	–	1	3	–	22	5	7	4	1	1	18
218	7	3	49	20	9	23	6	4	8	2	–	1	5	3	51	11	19	5	1	–	19
98	2	2	23	11	6	10	5	–	5	1	–	1	3	2	19	7	5	3	–	–	20
120	5	1	26	9	3	13	1	4	3	1	–	–	2	1	32	4	14	2	1	–	21
165	9	9	40	14	7	9	13	2	7	3	–	4	7	2	41	6	15	4	1	1	22
45	5	4	12	6	2	1	6	2	1	2	–	–	3	–	6	–	3	–	1	–	23
120	4	5	28	8	5	8	7	–	6	1	–	4	4	2	35	6	12	4	–	1	24
127	8	3	26	16	9	14	6	4	2	–	–	1	2	–	28	13	8	1	2	–	25
131	10	–	44	8	9	10	8	1	3	1	1	2	5	6	35	7	15	9	2	–	26
13,260	1,201	112	3,965	584	577	1,398	442	147	630	167	7	322	583	465	3,473	1,041	1,388	799	492	26	27
5,541	602	46	1,728	239	242	604	185	76	334	72	3	140	265	213	1,575	300	567	300	252	11	28
7,719	599	66	2,237	345	335	794	257	71	296	95	4	182	318	252	1,898	741	821	499	240	15	29
6,764	681	47	2,007	267	300	664	210	81	402	93	4	188	359	240	1,895	468	678	428	298	14	30
4,707	528	37	1,426	188	204	507	148	65	288	65	3	125	246	177	1,355	241	485	250	227	9	31
2,057	153	10	581	79	96	157	62	16	114	28	1	63	113	63	540	227	193	178	71	5	32
6,496	520	65	1,958	317	277	734	232	66	228	74	3	134	224	225	1,578	573	710	371	194	12	33
834	74	9	302	51	38	97	37	11	46	7	–	15	19	36	220	59	82	50	25	2	34
5,662	446	56	1,656	266	239	637	195	55	182	67	3	119	205	189	1,358	514	628	321	169	10	35
154	10	1	38	7	9	5	7	–	5	1	1	2	2	9	35	2	14	6	8	–	36
82	13	–	21	3	6	8	4	1	3	3	–	2	1	5	32	9	16	12	4	–	37
35	4	–	12	–	2	6	1	1	3	–	–	1	–	2	9	3	5	6	1	–	38
19	5	1	8	7	1	6	–	–	1	2	–	–	2	1	13	5	8	–	1	–	39
92	5	–	39	–	6	8	2	–	5	1	–	3	1	2	13	10	4	4	2	–	40
47	3	1	16	2	1	6	3	1	2	–	–	3	1	1	8	2	4	2	–	–	41
383	23	2	108	13	17	29	12	5	25	3	–	6	13	6	88	20	27	29	4	1	42
129	11	–	58	9	6	18	10	–	6	–	–	4	3	4	49	12	13	7	1	–	43
24	1	–	2	–	2	5	–	–	–	–	–	–	2	1	7	1	1	–	–	–	44
87	7	–	32	9	3	10	9	–	5	2	–	3	4	6	12	5	12	10	2	–	45
21	2	–	7	–	4	4	1	1	–	–	–	–	4	3	4	–	1	–	–	–	46
46	6	–	27	1	1	9	1	2	2	–	–	1	–	2	13	3	5	3	3	–	47
66	7	–	14	4	4	3	2	–	1	2	–	1	3	1	17	6	6	4	2	–	48
108	5	–	29	3	1	13	–	–	–	1	–	1	3	2	18	11	17	5	3	–	49
43	6	–	14	5	–	6	2	1	1	1	–	–	5	1	11	5	6	1	1	–	50
99	6	–	33	2	3	8	1	–	5	3	–	4	2	2	26	7	4	10	4	–	51
40	4	1	14	3	3	6	–	1	2	–	–	1	2	3	13	13	5	1	1	–	52
77	7	–	29	4	5	5	1	1	1	1	–	3	–	4	23	4	14	6	2	–	53
11	–	–	4	–	1	3	–	–	–	–	–	3	1	2	5	1	2	5	2	54	
38	3	–	18	4	1	8	3	–	–	–	–	2	2	2	9	3	7	2	3	–	55
166	9	1	51	4	5	9	9	1	7	2	–	10	8	3	51	20	20	19	8	1	56
22	5	–	9	–	1	4	2	–	4	–	–	–	1	–	2	–	6	2	–	–	57
5	1	–	3	2	–	–	1	–	–	–	–	–	–	–	4	–	–	2	1	–	58
77	12	–	17	5	3	12	1	1	2	–	–	1	5	2	18	9	12	4	2	–	59
25	1	–	7	2	1	7	1	1	–	–	–	–	1	1	9	2	5	1	–	–	60
63	2	–	19	1	2	11	3	1	3	–	–	2	3	3	19	6	11	4	1	–	61
45	4	2	25	–	2	4	1	–	2	2	–	–	–	1	15	8	8	6	6	–	62
29	6	–	6	–	2	4	1	–	1	1	–	–	1	1	11	2	–	–	1	–	63
615	50	2	166	28	37	45	17	4	44	7	–	14	33	18	150	68	67	68	23	3	64
15	–	–	7	1	2	2	–	1	1	1	–	1	1	1	7	4	5	2	–	–	65
600	50	2	159	27	35	43	17	3	43	6	–	13	32	17	143	64	62	66	23	3	66
86	4	–	30	9	6	19	4	1	5	1	–	2	2	6	21	15	14	11	1	–	67
42	–	–	16	–	1	4	1	–	1	1	–	2	2	2	8	3	4	2	–	–	68
21	7	–	9	1	–	2	2	–	1	1	–	–	1	–	4	2	3	2	2	–	69
72	4	–	26	14	3	6	1	–	5	2	–	3	2	4	26	8	15	6	4	–	70
74	6	–	23	2	4	9	4	–	4	1	–	–	3	1	11	7	8	6	1	–	71
79	5	–	9	2	1	8	1	–	5	–	–	1	2	–	15	2	10	3	–	–	72
48	1	4	8	–	1	6	3	–	1	2	–	1	–	4	16	10	4	5	3	–	73
24	2	–	8	1	1	3	–	–	1	1	–	–	–	1	8	4	6	6	1	–	74
59	5	–	24	4	2	4	2	–	1	1	–	1	2	–	21	7	3	2	1	–	75
21	2	–	3	–	–	3	–	–	–	–	–	–	1	–	–	2	2	2	6	–	76
34	1	1	7	2	–	4	–	–	1	3	–	1	2	1	14	–	2	–	1	1	77
114	6	2	29	–	4	16	3	1	9	3	–	1	6	3	28	13	13	9	2	–	78
105	9	1	39	4	2	11	5	–	7	–	–	4	6	5	36	13	7	4	4	–	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Virginia—Con.																	
01	Henrico	1,249	2	–	11	259	60	79	25	29	7	8	51	9	633	478	3	11
02	Henry	375	–	–	3	67	19	10	13	3	6	2	14	5	191	131	–	1
03	Highland	28	–	–	–	5	–	3	–	1	–	1	–	2	15	9	–	–
04	Isle of Wight	174	–	–	–	38	7	10	2	6	2	–	11	4	99	71	–	–
05	James City	109	–	–	1	25	8	5	3	1	2	1	5	3	50	39	1	1
06	King and Queen	62	–	–	1	12	3	2	1	1	–	–	5	1	33	29	–	2
07	King George	79	–	–	2	11	1	7	–	1	–	–	2	–	41	28	–	–
08	King William	80	–	–	–	13	3	5	–	1	1	1	2	1	37	26	–	1
09	Lancaster	126	–	–	1	29	7	11	2	3	1	2	3	3	64	46	1	1
10	Lee	311	–	–	1	58	11	20	3	5	3	1	15	6	178	144	3	1
11	Loudoun	331	–	–	1	68	19	16	5	15	1	–	12	9	156	115	3	3
12	Louisa	182	–	–	3	38	7	5	4	8	1	3	10	2	88	59	2	2
13	Lunenburg	142	–	–	1	21	7	4	3	2	1	1	3	2	83	59	2	1
14	Madison	104	–	–	1	17	7	2	2	2	1	–	3	2	50	33	1	–
15	Mathews	110	–	–	–	25	7	5	3	4	2	–	4	4	57	43	–	–
16	Mecklenburg	306	1	–	2	44	9	14	3	6	–	1	11	4	175	135	1	1
17	Middlesex	98	–	–	–	18	2	3	2	5	–	1	5	–	48	34	–	–
18	Montgomery	384	–	–	2	55	18	12	4	5	2	3	11	10	194	154	4	–
19	Nansemond[4]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Nelson	163	–	–	–	29	7	6	3	5	2	–	6	–	91	72	–	1
21	New Kent	52	–	–	2	13	4	2	2	1	–	–	4	2	20	15	–	–
22	Northampton	183	–	–	1	35	7	14	2	4	2	2	4	5	93	52	–	–
23	Northumberland	136	–	–	1	29	4	9	2	4	2	1	7	3	71	56	1	–
24	Nottoway	177	1	–	2	30	7	8	3	6	–	3	3	3	88	63	–	1
25	Orange	198	1	–	2	39	16	7	1	6	2	1	6	5	92	59	–	–
26	Page	150	1	–	1	20	5	4	1	3	–	1	6	2	90	82	–	1
27	Patrick	141	–	–	–	34	10	9	3	3	1	–	8	1	73	45	–	–
28	Pittsylvania	551	1	–	4	89	26	19	8	6	10	3	17	6	305	217	3	5
29	Powhatan	64	–	–	1	16	3	5	4	1	–	1	2	2	25	16	1	2
30	Prince Edward	147	2	–	–	22	7	4	1	2	1	2	5	3	79	53	–	3
31	Prince George	92	–	–	–	18	7	6	1	1	–	–	3	–	47	36	1	–
32	Prince William	531	1	–	2	98	24	29	6	10	1	5	23	12	217	173	3	2
33	Pulaski	313	–	–	–	48	9	8	3	5	2	3	18	7	165	120	1	–
34	Pulaski	53	–	–	–	8	1	–	1	2	–	–	4	–	29	18	–	–
35	Balance of county	260	–	–	–	40	8	8	2	3	2	3	14	7	136	102	1	–
36	Rappahannock	61	–	–	–	10	3	3	1	1	–	–	2	1	33	27	1	1
37	Richmond	81	2	–	–	22	5	11	1	2	–	–	3	1	34	25	–	1
38	Roanoke	457	–	–	2	75	23	18	6	6	1	8	13	8	237	181	2	1
39	Rockbridge	153	–	–	–	26	8	9	2	3	1	–	3	2	81	65	2	2
40	Rockingham	388	1	–	3	60	13	10	9	8	3	4	13	10	221	173	3	–
41	Russell	224	–	–	1	31	9	4	2	5	2	1	8	4	124	86	1	–
42	Scott	244	1	–	5	48	13	13	4	1	3	2	12	3	136	97	3	–
43	Shenandoah	302	–	–	1	45	7	10	4	9	5	2	8	4	180	145	–	2
44	Smyth	346	–	–	1	54	9	20	5	7	2	2	9	12	192	156	2	7
45	Southampton	163	–	–	–	26	3	5	1	3	2	2	10	2	93	65	1	–
46	Spotsylvania	180	–	–	1	29	7	11	1	3	2	1	4	–	107	82	1	2
47	Stafford	192	–	–	2	33	5	12	4	5	1	3	3	4	85	71	–	1
48	Surry	66	–	–	–	9	2	1	–	4	1	–	1	1	37	27	–	–
49	Sussex	139	2	–	1	22	4	9	1	1	1	–	6	2	79	53	1	2
50	Tazewell	487	3	–	2	89	24	27	5	9	3	1	20	10	222	167	3	–
51	Warren	186	–	–	2	34	6	18	1	5	1	1	2	3	102	92	2	3
52	Washington	390	1	–	–	62	12	22	3	6	3	2	14	7	220	151	2	–
53	Westmoreland	172	–	–	1	40	13	9	6	–	5	2	5	1	83	65	–	–
54	Wise	426	–	–	2	74	18	15	6	9	3	1	22	9	212	164	3	–
55	Wythe	251	–	–	–	39	11	8	3	3	3	1	10	5	129	96	1	–
56	York	187	–	–	–	47	12	15	2	6	1	3	8	5	87	70	3	1
	Independent Cities[7]																	
57	Alexandria	813	–	1	5	168	51	34	15	19	1	11	37	13	393	289	5	5
58	Bedford	116	–	–	–	15	4	6	–	1	–	1	3	1	66	46	1	–
59	Bristol[8]	226	–	–	–	43	12	8	4	5	–	3	11	4	138	96	1	–
60	Buena Vista	68	–	–	2	5	–	1	1	1	–	–	2	2	41	31	–	–
61	Charlottesville	378	–	2	6	67	16	21	4	5	–	3	18	4	204	141	–	1
62	Chesapeake	711	–	–	8	138	42	34	16	6	5	7	28	9	345	267	2	7
63	Clifton Forge	77	–	–	1	20	3	4	2	4	2	1	4	3	30	20	–	–
64	Colonial Heights	113	–	–	1	21	7	5	2	2	2	–	3	1	66	53	–	1
65	Covington	118	–	–	–	20	9	5	–	2	–	1	3	2	54	39	3	–
66	Danville	529	3	–	4	98	29	21	11	9	2	4	22	11	261	177	–	–
67	Emporia	65	–	–	1	12	2	1	2	2	–	–	5	–	32	25	–	–
68	Fairfax	94	–	–	2	22	4	4	3	3	2	–	6	2	47	32	1	–
69	Falls Church	111	–	–	–	28	5	5	4	3	–	3	8	1	47	38	2	1
70	Franklin	67	–	–	2	11	3	3	–	2	1	–	2	2	39	37	–	–
71	Fredericksburg	189	1	–	6	28	5	6	–	5	1	1	10	–	100	76	2	3
72	Galax	59	–	–	–	8	2	1	1	–	–	–	4	2	33	24	–	–
73	Hampton	798	6	–	9	148	31	47	10	14	9	3	34	13	365	305	2	9
74	Harrisonburg	151	1	–	–	22	6	5	2	–	2	2	5	4	90	63	2	1
75	Hopewell	202	1	–	3	41	9	10	3	3	5	1	10	2	106	80	2	–
76	Lexington	56	–	–	–	8	2	3	–	1	–	1	1	1	32	23	–	–
77	Lynchburg	733	–	–	4	143	33	38	9	16	5	11	31	6	386	275	4	2
78	Martinsville	193	–	–	–	30	5	8	4	5	1	1	6	2	97	70	2	3
79	Newport News	1,029	4	–	16	203	46	60	23	23	8	7	36	16	464	360	1	5
80	Norfolk	2,447	6	–	29	461	113	129	37	49	19	15	99	27	1,252	943	9	19
81	Norton	62	1	–	–	14	2	5	1	1	1	–	4	2	25	23	–	–
82	Petersburg	442	1	–	2	76	19	21	10	6	3	3	14	7	233	154	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
425	39	3	113	19	20	36	13	4	18	5	–	10	20	11	119	34	31	25	9	–	01
117	13	5	36	14	5	14	6	1	2	–	1	3	5	6	25	16	15	9	6	–	02
8	1	–	6	–	–	–	2	–	–	–	–	–	–	–	3	1	–	–	–	–	03
63	8	–	24	3	1	5	2	–	1	–	–	–	–	3	7	7	4	1	2	–	04
34	3	–	9	2	–	8	1	–	1	–	–	–	–	–	7	6	–	4	2	–	05
21	6	–	3	1	–	–	–	2	1	–	–	–	–	–	3	3	3	2	–	–	06
27	1	–	11	1	1	5	1	–	–	–	–	1	–	2	6	6	2	1	–	–	07
24	1	–	8	2	1	4	–	–	–	–	–	–	–	–	11	3	8	2	1	–	08
40	4	1	14	2	1	4	2	–	–	–	–	1	2	–	10	3	2	–	4	–	09
135	5	2	23	6	3	9	3	3	1	1	–	2	5	1	20	9	8	2	4	–	10
105	4	1	32	5	3	5	3	2	5	1	–	4	6	8	29	13	11	8	3	–	11
50	5	–	26	3	–	4	–	–	1	–	–	–	1	1	17	10	5	7	4	–	12
52	4	–	17	4	3	2	1	–	2	–	–	1	2	2	11	3	8	1	2	–	13
30	2	–	15	1	1	3	–	1	1	1	–	–	1	–	14	7	3	2	1	–	14
39	4	4	9	1	–	3	–	–	3	1	–	–	1	1	9	2	3	1	–	–	15
123	10	2	25	4	9	11	2	–	5	1	–	2	6	2	28	7	12	1	3	–	16
32	2	1	8	–	5	7	3	–	3	–	–	1	1	1	8	3	2	3	–	–	17
141	9	3	26	3	8	11	3	1	4	1	–	3	12	2	31	19	15	18	3	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
65	6	–	18	1	–	9	1	1	1	1	–	–	2	–	17	2	7	2	1	–	20
15	–	1	3	1	–	1	1	–	1	–	–	–	–	–	3	7	–	1	–	–	21
45	7	4	27	2	8	4	4	–	2	–	–	–	4	4	12	2	11	3	2	1	22
55	–	–	15	–	–	5	2	–	–	1	–	–	1	–	14	4	4	1	–	–	23
49	13	–	20	3	2	8	2	1	–	–	–	3	1	1	16	6	10	5	–	–	24
53	6	1	26	2	4	16	1	1	–	1	–	1	1	4	17	5	7	5	1	–	25
75	6	–	4	2	2	1	3	1	2	–	–	1	1	2	11	6	4	4	–	–	26
38	7	1	25	1	1	6	–	–	2	1	–	4	3	–	6	4	6	1	–	–	27
194	15	2	72	11	3	15	11	–	4	3	–	7	12	5	36	17	17	11	8	–	28
11	2	–	8	–	1	2	1	–	–	–	–	2	–	–	5	4	4	1	1	–	29
44	6	–	14	10	2	7	2	2	2	1	–	3	1	1	10	4	7	1	–	–	30
34	1	–	9	1	1	1	1	–	2	–	–	2	4	–	9	3	2	–	2	–	31
158	10	1	29	5	10	16	1	2	10	4	1	9	25	7	53	29	15	22	7	–	32
111	8	1	34	5	5	6	5	3	2	–	–	3	9	5	25	11	14	5	5	–	33
16	2	–	10	1	–	1	1	–	–	–	–	1	–	–	6	1	3	1	2	–	34
95	6	1	24	4	5	5	4	3	2	–	–	2	9	5	19	10	11	4	3	–	35
24	1	–	6	–	–	4	–	–	2	2	–	–	1	1	2	1	3	–	1	–	36
23	1	2	6	1	–	1	1	–	1	–	–	1	–	1	8	2	3	3	1	–	37
172	6	–	42	10	4	13	6	4	9	2	–	3	8	7	34	16	20	12	1	–	38
53	8	1	11	3	1	5	1	–	4	1	–	3	1	1	13	5	6	4	–	–	39
161	9	–	36	5	7	10	2	3	5	4	–	2	1	8	25	10	12	6	4	1	40
81	4	–	33	2	3	10	1	–	4	2	–	2	4	1	18	6	7	5	3	1	41
94	–	–	21	12	6	9	4	–	2	1	–	2	1	–	15	7	4	4	2	–	42
131	12	–	26	3	6	12	3	1	1	1	–	–	–	1	25	4	14	7	3	–	43
139	8	1	21	5	9	14	8	1	4	1	–	3	3	2	26	12	10	3	–	–	44
60	4	–	24	2	2	4	–	–	3	–	–	1	1	–	16	9	3	3	2	–	45
77	2	–	18	3	4	7	–	2	–	–	–	2	5	2	10	8	4	–	2	1	46
66	4	1	11	2	–	6	2	1	3	1	–	2	1	4	17	12	11	6	2	–	47
23	4	1	9	–	1	2	–	–	1	–	–	–	1	1	6	4	2	1	–	1	48
46	4	1	24	–	1	2	–	2	2	–	–	1	1	1	14	7	3	–	–	–	49
153	11	–	48	1	6	20	9	3	6	2	–	3	10	19	46	9	20	7	7	–	50
81	6	–	10	–	–	3	2	1	1	–	–	2	1	5	17	6	6	–	1	–	51
144	5	2	55	4	8	15	6	2	5	1	–	3	1	4	27	13	11	9	3	–	52
63	2	3	11	1	3	10	4	1	3	–	–	1	–	4	14	2	5	2	1	–	53
155	6	–	33	3	12	17	5	2	2	1	–	3	3	1	48	12	18	11	4	1	54
90	5	2	24	5	2	10	2	1	2	–	1	4	4	3	20	11	13	5	2	–	55
56	10	–	10	2	5	3	3	–	1	2	–	1	2	–	12	10	9	2	2	1	56
235	44	–	76	18	10	31	11	2	21	3	–	10	19	8	64	9	26	16	13	–	57
43	2	1	11	5	3	18	–	1	–	1	–	–	–	–	8	–	6	–	–	–	58
93	2	2	28	7	5	6	3	1	–	2	–	1	1	2	9	5	5	6	–	–	59
28	3	–	6	1	3	2	–	–	–	–	–	–	–	–	10	–	2	1	3	–	60
118	22	1	43	10	9	12	2	1	8	–	–	2	2	2	37	6	14	7	2	–	61
231	27	4	62	7	5	28	6	2	15	3	–	4	17	16	56	13	26	12	13	–	62
19	1	–	9	1	–	6	2	–	1	–	–	–	–	–	5	5	2	1	1	–	63
43	9	–	12	–	1	7	–	1	2	1	–	–	–	–	6	–	5	1	–	1	64
31	5	3	11	1	1	5	1	1	1	–	–	1	2	6	16	1	4	4	–	–	65
162	15	1	69	10	4	19	9	3	15	2	–	4	6	9	43	12	18	6	6	–	66
23	2	–	6	1	–	–	–	1	–	–	–	–	2	1	10	2	2	1	1	–	67
28	2	–	9	1	5	–	–	–	–	–	–	2	–	–	4	8	5	1	1	–	68
30	5	–	6	2	1	2	1	1	3	1	–	–	1	2	14	4	3	2	1	–	69
33	4	1	–	1	–	1	–	–	3	–	–	1	–	–	4	1	1	1	1	–	70
68	3	1	18	3	2	11	1	–	2	–	–	2	4	2	14	4	8	3	3	–	71
23	1	–	6	3	–	3	1	–	–	–	–	–	–	–	6	1	4	1	–	–	72
262	32	1	43	6	10	35	7	7	13	3	2	11	16	11	74	16	24	22	16	1	73
57	3	1	19	6	1	2	1	–	2	–	–	–	–	–	17	2	7	2	–	–	74
72	6	–	22	–	4	9	2	–	2	1	–	2	1	1	20	1	3	2	5	–	75
20	3	–	4	2	3	2	–	–	–	–	–	1	1	1	7	1	1	1	–	–	76
255	14	–	97	3	11	21	11	6	11	1	–	8	9	6	76	10	25	6	4	–	77
59	6	–	20	5	2	9	1	–	6	–	–	1	4	8	19	4	5	4	3	–	78
327	27	–	85	5	14	44	5	4	18	5	1	12	26	13	107	17	29	24	21	–	79
804	111	5	246	28	30	81	17	12	42	13	–	26	42	39	205	41	80	36	36	2	80
21	2	–	2	–	–	4	–	–	3	–	–	–	3	–	3	1	2	2	–	–	81
141	10	1	63	6	9	13	7	3	5	2	–	4	12	1	39	6	17	7	6	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Virginia—Con.																	
	Independent Cities—Con.																	
01	Portsmouth	1,076	2	–	9	254	52	65	26	31	9	9	62	16	512	396	2	35
02	Radford	89	1	–	–	18	4	4	5	1	1	1	2	2	36	26	–	–
03	Richmond	2,733	11	1	33	523	127	142	60	64	23	11	96	39	1,379	1,024	17	23
04	Roanoke	1,185	1	–	5	206	55	54	17	30	6	3	41	21	581	399	10	5
05	Salem	218	–	–	3	32	4	9	1	6	3	–	9	7	105	74	–	2
06	South Boston	90	–	–	–	16	3	4	3	1	–	–	5	3	40	30	–	1
07	Staunton	254	–	–	2	42	5	16	5	6	–	1	9	3	124	82	1	5
08	Suffolk	481	2	–	9	96	24	29	4	15	3	3	18	11	238	165	–	3
09	Virginia Beach	970	1	–	14	244	65	63	27	17	11	11	50	9	422	309	6	3
10	Waynesboro	122	–	–	2	19	6	4	2	1	1	1	4	2	71	49	1	–
11	Williamsburg	72	–	–	–	15	4	4	1	4	–	–	2	2	29	16	–	–
12	Winchester	242	–	–	–	42	9	13	2	8	1	3	6	4	131	98	2	–
13	**Washington**	**30,327**	**38**	**2**	**168**	**6,121**	**1,527**	**1,550**	**600**	**739**	**271**	**274**	**1,160**	**485**	**15,158**	**10,898**	**258**	**146**
14	Urban places	16,577	27	1	99	3,317	836	832	332	379	149	161	628	279	8,423	5,976	144	92
15	Balance of area	13,750	11	1	69	2,804	691	718	268	360	122	113	532	206	6,735	4,922	114	54
16	Metropolitan counties	18,916	27	–	108	3,894	963	986	416	437	166	168	758	273	9,470	6,786	160	94
17	Urban places	12,404	24	–	76	2,509	622	632	264	277	103	118	493	192	6,302	4,478	106	67
18	Balance of area	6,512	3	–	32	1,385	341	354	152	160	63	50	265	81	3,168	2,308	54	27
19	Nonmetropolitan counties	11,411	11	2	60	2,227	564	564	184	302	105	106	402	212	5,688	4,112	98	52
20	Urban places	4,173	3	1	23	808	214	200	68	102	46	43	135	87	2,121	1,498	38	25
21	Balance of area	7,238	8	1	37	1,419	350	364	116	200	59	63	267	125	3,567	2,614	60	27
22	Adams	109	–	–	–	21	6	5	–	4	2	1	3	–	50	28	–	–
23	Asotin	177	–	–	2	36	7	10	5	5	1	2	6	4	92	66	2	2
24	Benton	497	–	–	1	96	20	26	11	17	1	8	13	11	239	167	6	1
25	Kennewick	189	–	–	1	39	13	8	3	8	1	3	3	5	87	56	–	–
26	Richland	165	–	–	–	23	3	9	4	4	–	2	1	5	87	64	6	–
27	Balance of county	143	–	–	–	34	4	9	4	5	–	3	9	1	65	47	–	1
28	Chelan	447	2	–	–	101	23	26	10	10	4	5	23	6	225	146	7	–
29	Wenatchee	243	1	–	–	60	12	16	6	8	2	3	13	4	118	76	2	–
30	Balance of county	204	1	–	–	41	11	10	4	2	2	2	10	2	107	70	5	–
31	Clallam	446	1	–	1	85	21	26	9	10	7	1	11	4	221	158	3	1
32	Port Angeles	179	–	–	1	37	6	12	7	4	3	–	5	1	92	57	2	–
33	Balance of county	267	1	–	–	48	15	14	2	6	4	1	6	3	129	101	1	1
34	Clark	1,172	2	–	1	228	45	66	29	23	13	9	43	8	622	471	8	10
35	Vancouver	540	2	–	–	91	21	29	11	3	3	4	20	6	305	222	3	4
36	Balance of county	632	–	–	1	137	24	37	18	20	10	5	23	2	317	249	5	6
37	Columbia	58	–	–	–	12	3	4	1	1	–	2	1	3	31	27	–	1
38	Cowlitz	613	1	–	7	127	31	33	11	21	7	9	15	15	322	244	7	1
39	Kelso	127	–	–	2	29	9	8	1	3	2	2	4	2	70	55	–	1
40	Longview	271	1	–	1	55	13	15	4	9	2	4	8	7	148	109	4	–
41	Balance of county	215	–	–	4	43	9	10	6	9	3	3	3	6	104	80	3	–
42	Douglas	140	–	–	–	32	4	11	2	5	–	4	6	–	79	53	3	–
43	Ferry	35	–	–	–	6	1	1	1	–	1	–	2	–	11	9	–	–
44	Franklin	241	–	–	2	29	6	5	2	7	–	2	7	4	112	77	1	–
45	Pasco	189	–	–	2	24	5	5	1	6	–	1	6	3	93	68	1	–
46	Balance of county	52	–	–	–	5	1	–	1	1	–	1	1	1	19	9	–	–
47	Garfield	29	–	–	–	6	1	1	1	2	–	–	1	–	17	14	–	1
48	Grant	323	–	–	2	61	16	10	8	7	2	3	15	9	141	103	–	3
49	Moses Lake	80	–	–	–	9	2	–	3	–	–	1	3	5	28	21	–	1
50	Balance of county	243	–	–	2	52	14	10	5	7	2	2	12	4	113	82	–	2
51	Grays Harbor	649	–	1	1	121	38	22	12	18	6	3	22	14	336	254	4	4
52	Aberdeen	232	–	1	–	39	15	5	3	5	3	–	8	7	118	87	1	2
53	Hoquiam	112	–	–	–	20	4	4	3	3	1	1	4	1	57	39	–	1
54	Balance of county	305	–	–	1	62	19	13	6	10	2	2	10	6	161	128	3	1
55	Island	255	–	–	–	54	13	10	9	11	1	1	9	1	119	90	3	–
56	Jefferson	130	–	–	1	30	8	6	4	5	–	–	7	5	63	53	1	–
57	King	9,457	18	–	61	1,994	508	508	206	217	79	87	389	155	4,673	3,397	75	38
58	Auburn	192	–	–	–	31	7	7	1	6	1	2	7	5	111	78	3	1
59	Bellevue	359	–	–	1	106	24	21	14	14	2	3	28	6	162	112	1	–
60	Kent	142	–	–	2	32	7	12	2	1	2	2	6	2	71	51	1	–
61	Kirkland	162	–	–	1	37	9	13	4	5	1	1	4	4	74	55	–	–
62	Mercer Island city	93	–	–	–	19	5	4	1	2	–	1	6	3	45	35	1	–
63	Redmond	89	–	–	–	24	8	8	4	–	–	1	3	1	35	19	–	–
64	Renton	268	1	–	3	52	13	14	7	5	1	2	10	6	132	105	1	1
65	Seattle	5,617	14	–	42	1,147	294	275	122	131	50	57	218	91	2,814	2,034	50	24
66	Balance of county	2,535	3	–	12	546	141	154	51	53	22	18	107	37	1,229	908	18	12
67	Kitsap	969	–	–	8	214	56	67	14	17	12	3	45	14	489	389	7	8
68	Bremerton	363	–	–	4	70	20	17	7	6	4	–	16	2	189	146	2	3
69	Balance of county	606	–	–	4	144	36	50	7	11	8	3	29	12	300	243	5	5
70	Kittitas	209	–	–	1	34	8	7	4	3	1	2	9	2	117	77	1	1
71	Ellensburg	95	–	–	1	16	5	4	1	1	–	1	4	–	55	36	1	–
72	Balance of county	114	–	–	–	18	3	3	3	2	1	1	5	2	62	41	–	1
73	Klickitat	130	–	–	1	22	9	3	–	6	–	1	3	1	55	33	4	2
74	Lewis	544	1	–	3	72	17	16	6	10	7	4	12	23	281	206	6	2
75	Centralia	184	1	–	1	27	7	3	2	3	5	3	4	10	93	70	2	2
76	Balance of county	360	–	–	2	45	10	13	4	7	2	1	8	13	188	136	4	–
77	Lincoln	111	–	–	1	23	6	2	2	6	2	–	5	2	53	38	5	–
78	Mason	245	1	–	–	57	12	17	4	8	3	4	9	1	116	90	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
309	50	8	91	6	11	37	17	4	18	5	–	7	19	19	93	4	27	7	26	–	01
25	1	–	8	1	1	7	2	–	2	–	–	–	–	1	9	5	2	2	2	–	02
882	102	11	269	36	39	92	24	8	61	13	–	10	35	20	273	34	91	35	49	2	03
353	31	3	133	31	15	41	15	6	30	7	–	7	5	22	128	9	56	24	21	–	04
67	5	–	22	1	8	9	6	–	4	1	–	1	6	1	23	9	8	2	1	–	05
28	1	–	10	–	–	7	2	–	2	–	–	–	3	2	8	1	6	–	–	–	06
71	5	–	32	3	7	13	5	1	4	–	–	1	–	4	25	12	7	7	3	1	07
150	12	2	52	10	9	14	7	1	3	1	–	9	11	3	41	4	13	7	10	1	08
270	30	2	75	24	12	26	7	3	17	2	–	14	24	11	78	36	28	22	10	2	09
45	3	–	17	2	3	4	2	1	2	1	–	1	–	1	10	1	3	1	1	–	10
13	3	–	11	–	2	7	2	–	3	–	–	1	–	2	3	1	3	3	1	–	11
89	7	–	27	3	3	8	9	3	4	2	–	1	–	1	15	6	6	7	3	–	12
9,578	916	86	3,095	570	509	1,241	451	108	491	99	3	219	337	250	2,497	848	996	535	180	100	13
5,271	469	61	1,770	324	292	690	251	58	308	56	1	103	173	111	1,383	345	515	273	104	60	14
4,307	447	25	1,325	246	217	551	200	50	183	43	2	116	164	139	1,114	503	481	262	76	40	15
6,029	503	58	1,898	411	317	768	285	69	336	70	2	120	201	147	1,563	407	626	362	128	60	16
3,958	347	45	1,302	265	212	529	185	46	247	45	1	62	116	74	1,057	210	390	217	80	42	17
2,071	156	13	596	146	105	239	100	23	89	25	1	58	85	73	506	197	236	145	48	18	18
3,549	413	28	1,197	159	192	473	166	39	155	29	1	99	136	103	934	441	370	173	52	40	19
1,313	122	16	468	59	80	161	66	12	61	11	–	41	57	37	326	135	125	56	24	18	20
2,236	291	12	729	100	112	312	100	27	94	18	1	58	79	66	608	306	245	117	28	22	21
24	4	–	18	2	2	4	3	1	–	–	–	–	2	2	6	10	7	3	–	–	22
61	1	–	22	2	2	5	1	2	1	–	–	1	–	3	14	4	8	4	–	–	23
152	8	2	49	4	17	11	10	3	9	2	–	8	3	2	39	31	10	12	8	2	24
55	1	2	25	1	3	1	4	1	3	1	–	–	1	2	14	19	2	5	3	1	25
54	4	–	14	1	8	2	2	1	4	1	–	5	1	–	17	6	2	6	3	–	26
43	3	–	10	2	6	8	4	1	2	–	–	3	1	–	8	6	6	1	2	1	27
135	4	1	60	7	11	14	9	1	6	–	–	2	5	–	40	14	11	9	2	–	28
71	3	1	30	6	5	5	3	1	3	–	–	1	5	–	23	6	6	6	1	–	29
64	1	–	30	1	6	9	6	–	3	–	–	1	–	–	17	8	5	3	1	–	30
141	13	4	51	4	4	26	9	1	5	–	–	5	3	8	36	16	15	2	2	6	31
51	4	3	29	–	3	8	3	1	3	–	–	3	2	3	16	2	3	–	2	2	32
90	9	1	22	4	1	18	6	–	2	–	–	2	1	5	20	14	12	2	–	4	33
437	16	3	98	31	19	35	26	7	24	3	–	6	13	8	87	32	38	21	7	4	34
206	9	3	53	16	11	20	12	5	12	1	–	1	7	–	43	8	15	7	2	3	35
231	7	–	45	15	8	15	14	2	12	2	–	5	6	8	44	24	23	14	5	1	36
23	3	–	3	–	1	4	–	–	–	–	–	–	–	–	5	3	–	–	–	–	37
219	17	4	56	6	12	12	12	1	9	–	–	7	10	5	48	12	16	6	2	1	38
51	3	1	9	2	3	2	1	–	1	–	–	1	–	1	6	5	3	2	1	1	39
98	7	3	29	2	5	8	6	–	2	–	–	2	8	2	22	–	7	2	–	–	40
70	7	–	18	2	4	2	5	1	6	–	–	4	2	2	20	7	6	2	1	–	41
49	1	1	16	4	5	4	3	–	–	–	–	2	–	1	10	4	3	2	–	–	42
9	–	–	1	–	1	–	1	–	–	–	–	3	–	1	4	1	6	1	–	1	43
71	5	–	28	3	4	7	7	1	2	–	–	2	9	4	14	25	15	2	3	3	44
62	5	–	20	2	3	4	6	1	2	–	–	2	5	3	10	16	11	1	3	3	45
9	–	–	8	1	1	3	1	–	–	–	–	–	4	1	4	9	4	1	–	–	46
9	4	–	2	1	–	2	1	–	–	–	–	–	–	–	2	–	1	–	–	–	47
86	14	–	27	5	6	9	5	1	10	3	–	5	3	–	27	23	17	6	1	–	48
18	2	–	5	1	1	3	1	–	4	1	–	3	3	–	7	10	4	2	–	–	49
68	12	–	22	4	5	6	4	1	6	2	–	2	–	–	20	13	13	4	1	–	50
230	16	–	63	8	11	16	4	1	13	2	–	3	14	5	57	15	31	12	1	2	51
80	4	–	24	2	5	4	–	–	6	2	–	2	5	2	25	4	12	2	1	2	52
36	2	–	12	3	3	4	1	1	1	–	–	–	4	1	14	2	3	3	–	–	53
114	10	–	27	3	3	8	3	–	6	–	–	1	5	2	18	9	16	7	–	–	54
75	12	1	20	1	7	15	3	–	1	1	–	2	6	2	20	12	9	7	2	1	55
46	6	–	8	–	2	4	5	–	2	–	–	–	6	1	8	8	–	3	–	–	56
3,034	250	26	942	155	153	458	129	29	182	29	1	46	96	60	777	175	295	181	65	33	57
68	6	2	25	3	3	4	1	1	3	1	–	2	3	3	11	5	7	2	2	–	58
99	12	1	36	5	8	20	2	1	–	1	–	2	4	1	23	8	15	7	–	–	59
46	4	–	15	2	3	1	2	–	–	–	–	1	2	–	13	6	5	4	1	–	60
51	4	1	10	6	2	14	4	–	3	–	–	1	3	–	12	2	1	5	–	1	61
32	2	–	7	3	–	4	2	1	2	–	–	–	–	1	6	2	5	2	–	1	62
17	2	–	13	2	1	4	–	–	2	–	–	2	2	–	10	2	1	5	–	1	63
94	9	–	18	5	4	16	1	–	3	1	–	1	9	1	19	7	10	4	2	–	64
1,809	151	17	585	86	92	274	82	18	140	17	1	16	39	32	487	78	167	89	45	24	65
818	60	5	233	43	40	121	35	8	29	9	–	21	34	22	196	65	84	63	15	6	66
318	56	1	77	5	17	41	6	3	18	1	–	7	11	4	78	22	34	11	4	4	67
123	18	–	32	–	11	20	4	1	9	–	–	3	4	1	31	7	12	4	1	1	68
195	38	1	45	5	6	21	2	2	9	1	–	4	7	3	47	15	22	7	3	3	69
66	9	1	32	4	3	14	1	1	3	–	–	1	1	2	19	8	4	1	–	–	70
32	3	–	14	3	2	7	–	1	–	–	–	1	–	1	6	3	3	1	–	–	71
34	6	1	18	1	1	7	1	–	3	–	–	–	1	1	13	5	1	–	–	–	72
27	–	–	14	3	5	8	1	1	2	–	–	–	8	–	13	11	4	2	–	1	73
166	32	1	61	7	6	28	9	2	9	3	–	5	7	6	48	22	18	5	2	–	74
51	15	–	20	2	1	15	5	1	3	2	–	2	1	2	13	3	3	1	1	–	75
115	17	1	41	5	5	13	4	1	6	1	–	3	6	4	35	19	15	4	1	–	76
29	4	–	10	5	–	5	1	1	1	–	–	1	2	2	8	6	4	1	–	–	77
76	14	–	21	–	5	5	5	1	3	1	–	1	2	2	25	12	5	5	3	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Washington—Con.																	
01	Okanogan	306	–	–	1	58	7	17	4	12	3	5	10	3	137	99	1	1
02	Pacific	212	–	1	2	35	10	9	3	2	2	1	8	6	111	82	–	2
03	Pend Oreille	80	1	–	–	19	5	8	1	2	–	–	3	2	35	26	–	–
04	Pierce	3,424	–	–	12	716	161	182	72	88	35	28	150	43	1,754	1,254	23	12
05	Puyallup	179	–	–	1	39	8	10	5	5	1	2	8	3	97	66	2	1
06	Tacoma	1,726	–	–	5	352	80	91	33	40	19	14	75	24	913	638	13	9
07	Balance of county	1,519	–	–	6	325	73	81	34	43	15	12	67	16	744	550	8	2
08	San Juan	65	–	–	–	14	4	1	2	3	–	–	4	1	34	21	1	1
09	Skagit	540	–	–	4	112	41	31	5	4	6	5	20	12	279	219	2	1
10	Skamania	47	–	–	–	9	1	4	1	2	–	1	–	2	25	17	–	–
11	Snohomish	1,966	1	–	11	392	112	99	36	44	13	19	69	23	1,003	699	21	14
12	Edmonds	238	–	–	1	52	10	14	3	11	–	6	8	3	113	87	1	1
13	Everett	575	1	–	4	106	25	30	9	14	4	5	19	9	319	217	7	6
14	Lynnwood	119	–	–	–	32	10	8	2	2	–	–	10	1	47	30	1	1
15	Mountlake Terrace	65	–	–	–	10	4	3	–	–	2	–	1	1	32	19	1	–
16	Balance of county	969	–	–	6	192	63	44	22	17	7	8	31	9	492	346	11	6
17	Spokane	2,897	6	–	23	664	137	131	73	65	26	25	107	44	1,418	965	33	20
18	Spokane	2,040	6	–	16	379	97	93	46	38	17	18	70	27	1,032	710	21	19
19	Balance of county	857	–	–	7	185	40	38	27	27	9	7	37	17	386	255	12	1
20	Stevens	179	1	–	3	34	10	12	2	3	–	1	6	3	74	45	1	–
21	Thurston	745	1	–	3	148	30	39	7	24	5	13	30	19	388	287	4	6
22	Olympia	293	–	–	–	59	12	13	4	11	–	5	14	10	150	105	3	3
23	Balance of county	452	1	–	3	89	18	26	3	13	5	8	16	9	238	182	1	3
24	Wahkiakum	21	–	–	–	1	1	–	–	–	–	–	–	–	15	15	–	–
25	Walla Walla	467	–	–	3	99	19	24	8	11	13	4	20	11	230	141	4	1
26	Walla Walla	302	–	–	2	64	11	16	4	6	12	3	12	4	154	104	2	–
27	Balance of county	165	–	–	1	35	8	8	4	5	1	1	8	7	76	37	2	1
28	Whatcom	816	–	–	5	166	54	36	15	24	7	7	23	9	434	311	5	4
29	Bellingham	455	–	–	2	96	35	22	7	11	5	7	9	7	244	174	3	3
30	Balance of county	361	–	–	3	70	19	14	8	13	2	–	14	2	190	137	2	1
31	Whitman	204	–	–	1	32	9	5	4	6	1	–	7	3	98	68	–	–
32	Pullman	50	–	–	1	8	3	2	–	1	–	–	2	–	24	20	–	–
33	Balance of county	154	–	–	–	24	6	3	4	5	1	–	5	3	74	48	–	–
34	Yakima	1,372	2	–	7	261	67	70	16	36	11	14	47	22	659	459	20	10
35	Yakima	644	–	–	5	133	39	41	8	13	6	7	19	14	314	211	9	9
36	Balance of county	728	2	–	2	128	28	29	8	23	5	7	28	8	345	248	11	1
37	**West Virginia**	19,690	38	–	119	3,469	896	899	263	391	157	120	743	320	10,258	7,852	103	85
38	Urban places	5,739	15	–	35	1,086	288	283	100	111	43	38	223	100	3,077	2,377	38	26
39	Balance of area	13,951	23	–	84	2,383	608	616	163	280	114	82	520	220	7,181	5,475	65	59
40	Metropolitan counties	5,844	13	–	35	1,110	279	287	87	114	56	39	248	88	3,087	2,446	41	22
41	Urban places	3,309	10	–	21	631	155	172	58	60	31	21	134	57	1,787	1,403	24	17
42	Balance of area	2,535	3	–	14	479	124	115	29	54	25	18	114	31	1,300	1,043	17	5
43	Nonmetropolitan counties	13,846	25	–	84	2,359	617	612	176	277	101	81	495	232	7,171	5,406	62	63
44	Urban places	2,430	5	–	14	455	133	111	42	51	12	17	89	43	1,290	974	14	9
45	Balance of area	11,416	20	–	70	1,904	484	501	134	226	89	64	406	189	5,881	4,432	48	54
46	Barbour	185	–	–	1	40	11	8	1	3	2	2	13	1	88	54	–	1
47	Berkeley	418	1	–	1	77	24	22	9	5	1	2	14	4	234	169	2	2
48	Martinsburg	244	–	–	–	45	17	10	5	1	1	1	10	1	140	98	1	–
49	Balance of county	174	1	–	1	32	7	12	4	4	–	1	4	3	94	71	1	2
50	Boone	315	1	–	–	58	8	26	3	7	3	2	9	2	151	105	1	–
51	Braxton	159	1	–	1	24	6	6	–	6	1	2	3	1	76	59	5	–
52	Brooke	265	–	–	3	56	16	15	3	8	3	2	9	3	149	109	7	1
53	Weirton, part	38	–	–	–	9	1	4	–	–	1	2	1	2	19	18	1	–
54	Balance of county	227	–	–	3	47	15	11	3	8	2	–	8	1	130	91	6	1
55	Cabell	1,287	1	–	5	261	60	74	20	24	13	12	58	16	685	531	8	7
56	Huntington, part	935	1	–	3	179	39	52	16	17	8	7	40	12	516	390	6	7
57	Huntington, total	984	1	–	3	191	43	54	17	19	9	7	42	12	536	405	6	7
58	Balance of county	352	–	–	2	82	21	22	4	7	5	5	18	4	169	141	2	–
59	Calhoun	95	–	–	–	14	5	6	–	1	1	–	1	1	44	34	–	–
60	Clay	127	–	–	2	13	–	3	–	3	1	1	5	–	44	35	–	–
61	Doddridge	74	–	–	–	14	4	2	1	4	1	–	2	–	44	33	–	1
62	Fayette	660	–	–	4	116	27	30	9	11	7	4	28	14	330	263	2	7
63	Gilmer	80	–	–	2	13	4	3	–	3	–	1	2	1	46	31	–	–
64	Grant	95	–	–	1	17	8	2	1	2	1	–	3	2	53	40	–	1
65	Greenbrier	387	–	–	4	72	15	14	6	15	4	5	13	6	208	142	–	4
66	Hampshire	142	–	–	1	22	3	9	1	4	1	–	4	4	82	68	–	–
67	Hancock	366	–	–	3	84	21	15	11	7	2	5	23	7	196	154	1	2
68	Weirton, part	209	–	–	2	53	13	13	8	3	1	2	13	4	110	84	–	2
69	Weirton, total	247	–	–	2	62	14	17	8	3	2	4	14	6	129	102	1	2
70	Balance of county	157	–	–	1	31	8	2	3	4	1	3	10	3	86	70	1	–
71	Hardy	103	–	–	1	15	4	4	–	3	–	1	3	3	59	43	1	2
72	Harrison	945	2	–	2	188	49	51	10	19	9	6	44	17	504	392	5	1
73	Clarksburg	371	1	–	–	76	19	23	4	9	2	3	16	10	198	156	3	1
74	Balance of county	574	1	–	2	112	30	28	6	10	7	3	28	7	306	236	2	–
75	Jackson	175	–	–	1	24	6	5	2	5	–	2	4	3	106	70	1	–
76	Jefferson	236	–	–	3	43	11	12	4	2	–	2	12	2	127	94	1	–
77	Kanawha	2,374	9	–	19	438	105	114	26	49	24	8	112	29	1,231	1,025	13	11
78	Charleston	940	5	–	8	165	40	39	12	16	9	3	46	18	494	411	4	6
79	St. Albans	147	1	–	2	30	7	12	2	3	1	1	4	1	81	63	1	1
80	South Charleston	171	–	–	2	33	10	9	2	4	2	–	6	2	91	78	3	–
81	Balance of county	1,116	3	–	7	210	48	54	10	26	12	4	56	8	565	473	5	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E81.0–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
83	14	–	31	5	2	8	6	2	11	1	–	4	4	6	21	22	13	6	1	2	01
53	27	1	20	5	3	9	4	1	3	–	–	1	–	–	20	9	6	1	–	3	02
25	1	–	5	1	3	3	5	–	–	–	–	1	–	1	8	2	2	1	–	–	03
1,146	73	8	359	79	54	94	41	9	51	17	1	36	43	23	252	78	150	65	31	8	04
60	3	–	21	6	4	3	1	–	1	2	–	1	6	–	14	2	6	2	1	–	05
582	34	6	209	37	23	57	25	5	30	9	–	17	17	7	123	27	70	31	12	2	06
504	36	2	129	36	27	34	15	4	20	6	1	18	20	16	115	49	74	32	18	6	07
15	4	–	10	3	–	3	1	–	–	–	–	–	1	1	6	1	3	1	–	–	08
198	19	1	41	8	10	18	6	1	10	2	–	6	1	5	47	14	14	6	2	1	09
17	–	–	7	–	1	–	1	–	–	–	–	2	–	–	4	1	2	1	–	–	10
608	56	8	202	52	42	68	33	10	30	8	–	16	21	29	162	48	59	38	7	7	11
81	4	3	15	3	5	7	3	4	3	–	–	2	1	2	32	2	7	4	2	–	12
187	17	3	62	23	14	14	10	–	6	1	–	2	2	8	50	10	14	13	2	4	13
23	5	1	13	2	1	4	3	1	1	–	–	3	4	2	8	6	3	4	–	–	14
17	1	–	10	2	1	4	–	–	2	1	–	–	1	3	2	1	3	3	1	1	15
300	29	1	102	22	21	39	17	5	18	6	–	9	13	14	70	29	32	14	2	2	16
804	108	13	297	94	49	113	56	14	49	13	–	16	28	27	285	74	84	57	18	8	17
586	84	8	210	64	40	83	37	10	39	11	–	11	16	14	204	44	61	35	10	5	18
218	24	5	87	30	9	30	19	4	10	2	–	5	12	13	81	30	23	22	8	3	19
41	3	–	19	6	4	15	1	1	–	3	–	–	5	1	14	7	10	3	1	3	20
238	39	2	73	13	13	31	4	1	6	1	–	8	6	9	64	20	22	11	3	–	21
87	12	–	33	4	8	17	2	–	3	1	–	4	2	2	22	7	9	4	1	–	22
151	27	2	40	9	5	14	2	1	3	–	–	4	4	7	42	13	13	7	2	–	23
9	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	24
113	23	1	72	6	10	29	2	1	3	1	–	1	3	6	38	16	10	13	–	1	25
85	17	1	35	5	9	18	2	1	3	–	–	1	3	5	22	10	6	6	–	1	26
28	6	–	37	1	1	11	–	–	–	1	–	–	–	1	16	6	4	7	–	–	27
286	16	4	94	20	5	32	12	3	11	4	1	6	7	5	56	23	22	14	4	2	28
157	11	2	50	16	2	12	7	1	7	2	–	3	4	4	32	9	17	5	1	2	29
129	5	2	44	4	3	20	5	2	4	2	1	3	3	1	24	14	5	9	3	–	30
62	6	–	24	3	3	20	3	1	–	1	–	3	2	2	25	3	7	3	–	–	31
17	3	–	4	–	–	5	1	–	–	–	–	2	1	1	3	1	2	1	–	–	32
45	3	–	20	3	3	15	2	1	–	1	–	1	1	1	22	2	5	2	–	–	33
397	32	3	162	18	17	71	25	7	17	3	–	12	22	17	108	62	40	19	11	7	34
185	8	3	83	9	8	26	18	1	7	1	–	6	8	7	43	25	20	5	6	5	35
212	24	–	79	9	9	45	7	6	10	2	–	6	14	10	65	37	20	14	5	2	36
7,045	**619**	**68**	**1,782**	**278**	**278**	**601**	**280**	**61**	**266**	**74**	**3**	**131**	**264**	**648**	**1,723**	**492**	**562**	**182**	**129**	**70**	**37**
2,160	153	23	522	77	78	168	81	16	94	23	2	33	65	122	499	93	140	41	34	15	38
4,885	466	45	1,260	201	200	433	199	45	172	51	1	98	199	526	1,224	399	422	141	95	55	39
2,226	157	13	487	62	79	162	80	11	96	30	–	46	74	140	492	122	150	61	33	14	40
1,276	86	6	294	37	47	92	46	7	61	16	–	22	41	55	280	56	72	31	19	5	41
950	71	7	193	25	32	70	34	4	35	14	–	24	33	85	212	66	78	30	14	9	42
4,819	462	55	1,295	216	199	439	200	50	170	44	3	85	190	508	1,231	370	412	121	96	56	43
884	67	17	228	40	31	76	35	9	33	7	2	11	24	67	219	37	68	10	15	10	44
3,935	395	38	1,067	176	168	363	165	41	137	37	1	74	166	441	1,012	333	344	111	81	46	45
50	3	1	30	1	2	15	4	1	4	–	–	–	2	5	17	1	3	2	–	1	46
158	7	1	41	20	3	5	4	–	8	–	–	5	9	2	31	17	15	3	2	–	47
93	4	1	29	10	2	3	3	–	4	–	–	2	5	1	21	7	8	2	2	–	48
65	3	–	12	10	1	2	1	–	4	–	–	3	4	1	10	10	7	1	–	–	49
89	15	1	27	12	6	7	5	–	3	–	–	3	8	28	27	12	7	2	1	–	50
42	12	1	12	3	1	2	–	1	1	–	–	1	–	19	14	10	6	2	–	–	51
93	8	1	32	3	4	8	4	–	3	2	–	2	3	–	21	6	2	1	2	–	52
13	4	–	–	1	–	–	2	–	–	–	–	–	2	–	1	2	–	1	–	–	53
80	4	1	32	2	4	8	2	–	3	2	–	2	1	–	20	4	2	–	2	–	54
496	20	1	123	10	20	34	16	–	17	5	–	18	15	10	122	26	32	14	9	1	55
365	12	1	100	9	16	24	13	–	16	2	–	8	7	7	88	15	24	10	9	1	56
379	13	1	104	10	16	25	14	–	17	2	–	8	7	9	96	16	26	10	9	2	57
131	8	–	23	1	4	10	3	–	1	3	–	10	8	3	34	11	8	4	–	–	58
29	5	1	5	1	3	6	–	–	4	1	–	1	3	3	10	3	2	–	2	1	59
33	2	–	5	1	3	6	–	–	1	–	–	1	4	31	3	10	7	2	3	–	60
29	3	–	9	–	2	4	1	–	–	1	–	1	1	1	3	2	1	1	–	–	61
228	26	3	57	2	5	31	9	1	8	–	1	3	4	28	63	15	19	5	8	1	62
22	9	–	13	1	1	2	–	–	–	–	–	–	–	–	8	1	5	2	–	–	63
38	1	–	8	1	4	4	–	–	1	2	–	–	–	1	6	2	4	–	2	–	64
125	13	5	47	8	6	8	8	2	8	1	–	–	5	8	31	13	5	5	3	–	65
53	15	–	11	2	1	–	1	–	–	1	–	2	–	3	15	7	4	–	–	–	66
145	6	1	27	8	6	9	4	–	3	3	–	–	7	4	25	5	7	3	3	3	67
80	2	–	15	8	3	6	1	–	1	2	–	–	7	2	10	3	3	2	2	1	68
93	6	–	15	9	3	6	3	–	1	2	–	–	9	2	11	5	3	3	2	1	69
65	4	1	12	–	3	3	3	–	2	1	–	–	–	2	15	2	4	1	1	2	70
38	2	–	13	–	3	5	–	1	2	–	–	2	1	–	6	2	6	–	–	–	71
364	22	7	77	15	13	21	8	4	11	5	1	7	10	27	78	15	27	12	1	5	72
145	7	4	26	7	5	7	3	2	4	2	1	3	1	8	35	4	12	1	1	2	73
219	15	3	51	8	8	14	5	2	7	3	–	4	9	19	43	11	15	11	–	3	74
64	5	5	23	6	2	6	1	–	2	2	–	2	1	1	12	7	6	–	–	1	75
87	6	1	26	–	6	2	5	1	3	–	–	1	5	4	22	10	4	2	1	1	76
920	81	10	153	16	27	64	32	6	48	12	–	17	38	80	179	58	66	28	16	4	77
369	32	4	64	4	11	27	11	3	26	5	–	7	10	34	72	18	23	9	5	–	78
56	5	1	13	2	2	5	1	–	3	1	–	2	3	2	8	7	1	–	–	–	79
67	8	–	10	–	3	3	4	1	2	1	–	1	6	4	14	2	2	2	1	–	80
428	36	5	66	10	11	29	16	2	17	6	–	7	19	40	85	31	40	17	10	4	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	West Virginia—Con.																	
01	Lewis	225	–	–	–	43	10	12	4	4	1	1	11	3	123	81	–	1
02	Lincoln	231	1	–	2	33	10	8	1	6	1	2	5	7	115	95	3	1
03	Logan	536	2	–	4	94	23	30	6	17	3	3	12	9	174	136	2	1
04	McDowell	569	3	–	4	82	26	16	7	9	3	2	19	13	263	221	3	3
05	Marion	814	1	–	5	155	43	41	13	21	5	3	29	11	455	346	6	2
06	Fairmont	389	–	–	4	85	25	23	10	11	1	2	13	5	212	168	3	–
07	Balance of county	425	1	–	1	70	18	18	3	10	4	1	16	6	243	178	3	2
08	Marshall	415	–	–	1	62	18	16	4	6	3	7	8	14	232	189	2	1
09	Moundsville	168	–	–	1	31	9	8	3	4	1	4	2	7	92	74	1	1
10	Balance of county	247	–	–	–	31	9	8	1	2	2	3	6	7	140	115	1	–
11	Mason	261	1	–	3	38	9	12	3	1	3	–	10	7	145	108	–	5
12	Mercer	747	3	–	4	117	29	30	13	9	4	5	27	7	346	247	–	1
13	Bluefield[9]	266	2	–	1	42	13	9	4	6	–	3	7	3	118	80	–	–
14	Balance of county	481	1	–	3	75	16	21	9	3	4	2	20	4	228	167	–	1
15	Mineral	216	–	–	2	39	13	7	4	4	3	2	6	1	130	109	3	–
16	Mingo	384	1	–	2	62	20	19	5	7	2	2	7	9	192	151	2	–
17	Monongalia	516	–	–	6	77	21	21	8	9	3	1	14	13	282	204	2	–
18	Morgantown	216	–	–	1	36	10	8	6	5	–	–	7	5	113	81	1	–
19	Balance of county	300	–	–	5	41	11	13	2	4	3	1	7	8	169	123	1	–
20	Monroe	131	–	–	–	23	5	5	1	1	1	2	8	–	73	53	–	–
21	Morgan	102	–	–	1	18	7	2	3	3	1	–	2	1	58	41	–	–
22	Nicholas	242	–	–	–	41	15	8	1	2	2	–	13	5	121	83	2	1
23	Ohio	771	3	–	3	141	38	38	17	12	7	3	26	13	425	311	10	–
24	Wheeling	652	3	–	3	119	32	33	14	11	7	2	20	11	364	270	8	–
25	Balance of county	119	–	–	–	22	6	5	3	1	–	1	6	2	61	41	2	–
26	Pendleton	102	–	–	–	12	3	1	2	1	1	–	4	2	67	52	–	–
27	Pleasants	75	–	–	–	13	3	1	1	1	2	1	4	–	42	33	–	2
28	Pocahontas	127	–	–	–	19	4	4	1	3	–	1	6	1	61	53	1	2
29	Preston	280	1	–	2	53	17	8	5	7	2	1	13	6	140	116	1	–
30	Putnam	249	–	–	–	46	7	14	3	5	3	–	14	3	133	114	1	–
31	Raleigh	901	3	–	3	134	32	37	12	16	7	2	28	22	463	386	7	–
32	Beckley	313	1	–	1	48	13	10	4	8	3	1	9	7	170	144	3	–
33	Balance of county	588	2	–	2	86	19	27	8	8	4	1	19	15	293	242	4	–
34	Randolph	282	1	–	3	51	7	18	3	5	3	2	13	3	162	93	–	4
35	Ritchie	123	–	–	–	30	8	8	4	3	1	2	4	2	70	58	–	1
36	Roane	205	–	–	1	28	10	9	2	4	3	–	–	1	115	66	–	1
37	Summers	188	–	–	2	36	9	12	1	–	1	1	12	1	101	80	–	2
38	Taylor	199	–	–	1	24	7	7	1	3	–	–	6	3	108	82	–	1
39	Tucker	107	–	–	1	17	6	3	1	1	1	1	4	3	59	45	2	3
40	Tyler	109	–	–	1	16	4	5	3	2	–	–	2	2	59	34	–	1
41	Upshur	193	–	–	3	28	10	7	2	5	–	2	2	2	113	87	–	–
42	Wayne	366	–	–	1	68	21	15	6	8	4	2	12	6	169	127	–	–
43	Huntington, part	49	–	–	–	12	4	2	1	2	1	–	2	–	20	15	–	–
44	Balance of county	317	–	–	1	56	17	13	5	6	3	2	10	6	149	112	–	–
45	Webster	140	–	–	1	21	8	5	–	5	1	1	1	4	75	60	1	–
46	Wetzel	230	–	–	1	47	9	11	5	7	3	–	12	6	111	83	2	–
47	Wirt	63	–	–	–	9	1	2	–	1	–	–	5	1	42	33	–	–
48	Wood	836	1	–	7	159	44	35	13	14	8	12	33	15	452	326	5	12
49	Parkersburg	545	1	–	6	105	30	23	8	9	5	6	24	11	295	213	3	5
50	Vienna	86	–	–	1	18	6	5	1	2	–	1	3	1	44	34	–	3
51	Balance of county	205	–	–	–	36	8	7	4	3	3	5	6	3	113	79	2	4
52	Wyoming	267	2	–	1	44	12	11	1	8	1	2	9	8	125	98	1	–
53	**Wisconsin**	**40,158**	**41**	**6**	**202**	**7,856**	**2,371**	**1,481**	**748**	**944**	**409**	**341**	**1,562**	**698**	**21,799**	**16,173**	**288**	**220**
54	Urban places	20,351	25	3	105	4,127	1,192	824	449	483	229	153	797	346	10,966	8,056	155	105
55	Balance of area	19,807	16	3	97	3,729	1,179	657	299	461	180	188	765	352	10,833	8,117	133	115
56	Metropolitan counties	20,766	25	2	105	4,249	1,233	869	446	487	209	165	840	371	11,006	8,144	161	109
57	Urban places	16,099	23	2	88	3,316	948	696	369	373	165	120	645	283	8,522	6,301	128	82
58	Balance of area	4,667	2	–	17	933	285	173	77	114	44	45	195	88	2,484	1,843	33	27
59	Nonmetropolitan counties	19,392	16	4	97	3,607	1,138	612	302	457	200	176	722	327	10,793	8,029	127	111
60	Urban places	4,252	2	1	17	811	244	128	80	110	64	33	152	63	2,444	1,755	27	23
61	Balance of area	15,140	14	3	80	2,796	894	484	222	347	136	143	570	264	8,349	6,274	100	88
62	Adams	154	–	–	1	38	12	9	–	2	4	2	9	5	88	65	1	1
63	Ashland	252	–	–	1	41	14	11	7	2	4	1	2	6	124	98	2	2
64	Barron	396	–	1	–	79	22	11	13	11	3	3	16	11	220	163	5	–
65	Bayfield	145	1	–	2	25	6	4	3	5	2	1	4	3	74	60	1	–
66	Brown	1,236	2	–	1	248	78	41	29	22	19	14	45	18	658	455	8	7
67	De Pere	82	–	–	–	18	5	3	4	4	–	–	2	–	37	25	1	1
68	Green Bay	852	2	–	1	176	61	29	20	14	15	8	29	15	462	313	3	4
69	Balance of county	302	–	–	–	54	12	9	5	4	4	6	14	3	159	117	4	2
70	Buffalo	154	–	–	–	33	12	3	6	3	–	2	7	1	80	58	–	–
71	Burnett	132	–	–	–	17	6	2	2	3	1	–	3	4	78	60	1	–
72	Calumet	193	–	–	–	36	13	5	4	6	1	2	5	4	114	86	2	1
73	Appleton, part	9	–	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–
74	Balance of county	184	–	–	–	36	13	5	4	6	1	2	5	4	108	81	1	1
75	Chippewa	450	1	–	3	68	22	13	4	15	1	3	10	6	270	204	2	3
76	Chippewa Falls	134	–	–	1	23	6	7	–	4	1	–	5	3	83	65	–	1
77	Eau Claire, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
78	Balance of county	316	1	–	2	45	16	6	4	11	–	3	5	3	187	139	2	2
79	Clark	324	–	–	2	56	18	6	7	7	2	4	12	4	176	136	1	–
80	Columbia	459	1	–	3	86	26	17	6	10	3	7	17	4	243	188	2	1
81	Crawford	169	–	–	1	31	6	6	1	4	5	–	9	2	93	69	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
66	14	–	37	4	1	4	4	1	2	–	–	–	5	2	23	4	7	4	–	–	01
84	7	–	16	3	1	7	6	2	–	–	–	–	1	15	19	7	8	1	4	1	02
118	15	–	28	6	4	15	11	2	10	2	–	1	15	91	56	16	19	3	8	4	03
192	23	–	33	1	8	19	13	3	9	4	–	1	10	5	78	12	31	2	10	4	04
321	17	–	68	22	19	26	7	2	13	2	–	3	9	12	62	16	24	4	6	1	05
155	10	–	28	9	7	9	4	1	7	1	–	1	3	6	32	6	9	1	3	–	06
166	7	–	40	13	12	17	3	1	6	1	–	2	6	6	30	10	15	3	3	1	07
174	12	–	29	5	9	15	7	1	7	2	–	2	4	4	37	10	9	7	–	1	08
66	6	–	13	2	3	5	2	–	1	–	–	–	2	1	18	3	2	3	–	–	09
108	6	–	16	3	6	10	5	1	6	2	–	2	2	3	19	7	7	4	–	1	10
95	8	1	29	5	2	5	6	2	2	–	–	–	4	3	19	6	11	3	5	1	11
208	38	7	69	11	12	28	12	3	9	3	–	6	9	74	77	18	21	5	4	1	12
71	9	4	27	2	5	9	7	2	4	–	–	–	2	43	20	5	5	1	2	–	13
137	29	3	42	9	7	19	5	1	5	3	–	6	7	31	57	13	16	4	2	1	14
103	3	–	10	3	8	9	3	1	1	–	–	2	3	–	9	5	5	3	2	1	15
137	12	–	33	5	3	9	12	–	5	1	–	1	11	11	39	4	17	3	3	2	16
179	23	1	63	7	7	17	7	3	7	2	–	6	2	13	47	5	14	8	5	2	17
70	10	–	29	2	1	7	5	2	5	2	–	1	1	3	24	2	4	1	3	1	18
109	13	1	34	5	6	10	2	1	2	–	–	5	1	10	23	3	10	7	2	1	19
48	5	–	16	3	1	6	3	–	1	1	–	1	–	5	14	2	2	–	–	–	20
32	9	–	11	1	5	2	1	–	–	–	–	1	–	4	8	3	4	1	–	–	21
70	10	–	34	1	3	9	2	–	3	1	–	1	7	11	23	8	6	3	–	1	22
283	18	–	89	13	12	24	13	3	14	6	–	5	5	4	76	6	20	6	2	2	23
246	16	–	75	10	9	21	11	3	11	6	–	4	4	3	61	5	15	4	2	2	24
37	2	–	14	3	3	3	2	–	3	–	–	1	1	1	15	1	5	2	–	–	25
51	1	–	10	4	1	2	–	1	1	–	–	1	1	–	4	7	2	–	2	–	26
31	–	–	5	1	3	5	2	–	1	1	–	–	2	–	7	1	–	1	–	–	27
45	5	1	4	2	1	5	2	–	1	1	–	3	1	12	11	4	2	4	–	–	28
103	12	1	18	1	4	9	2	2	1	1	–	4	6	6	22	15	4	5	–	1	29
109	4	2	15	–	2	5	6	–	1	1	–	2	3	3	20	9	10	3	3	1	30
360	19	–	60	6	11	30	21	4	15	3	–	6	16	10	107	22	16	6	9	11	31
136	5	–	23	2	1	15	8	–	3	2	–	1	1	–	36	2	7	3	3	5	32
224	14	–	37	4	10	15	13	4	12	1	–	5	15	10	71	20	9	3	6	6	33
87	2	2	47	18	2	4	3	3	2	–	–	1	1	11	18	6	7	1	2	3	34
54	3	1	6	3	2	5	1	1	2	–	–	1	–	–	6	2	2	–	1	–	35
62	3	1	43	2	3	11	2	–	2	–	–	–	1	6	24	4	9	–	1	–	36
71	7	–	20	–	1	5	1	1	2	–	–	1	3	12	11	4	2	4	1	1	37
70	11	–	20	4	2	8	–	1	–	1	–	2	1	11	26	7	4	1	1	–	38
37	3	–	7	4	3	2	2	1	1	1	–	1	1	–	9	8	1	–	–	–	39
32	1	–	22	–	3	8	4	–	2	–	–	1	1	5	7	–	4	–	–	–	40
81	6	–	20	5	1	8	4	–	2	1	–	1	–	2	13	5	6	4	–	1	41
115	12	–	34	7	1	8	4	1	4	–	–	2	2	38	32	11	14	2	1	3	42
14	1	–	4	1	–	1	1	–	1	–	–	–	–	2	8	1	2	–	–	1	43
101	11	–	30	6	1	7	3	1	3	–	–	2	2	36	24	10	12	2	1	2	44
55	4	–	13	2	–	11	1	–	2	–	–	1	1	2	10	4	1	3	1	2	45
74	7	1	18	2	7	6	3	–	4	–	–	2	1	10	18	10	5	5	–	1	46
27	6	–	4	2	3	1	1	1	–	–	–	1	–	–	5	–	2	–	–	–	47
280	29	11	92	12	11	31	9	2	7	1	1	3	16	10	67	15	32	2	4	2	48
185	20	6	61	6	9	25	4	2	5	–	1	2	11	5	44	6	19	1	1	1	49
29	2	2	5	2	1	1	1	–	1	–	–	1	–	1	7	5	4	–	–	1	50
66	7	3	26	4	1	5	4	–	1	1	–	–	5	4	16	4	9	1	3	–	51
88	9	–	20	3	4	3	3	3	6	2	–	–	6	1	26	14	13	4	1	5	52
14,334	**1,331**	**120**	**4,169**	**727**	**610**	**1,314**	**489**	**132**	**532**	**116**	**6**	**270**	**402**	**365**	**3,140**	**945**	**1,053**	**598**	**152**	**42**	53
7,261	535	74	2,140	377	319	663	252	70	329	48	1	151	206	160	1,617	342	468	326	110	36	54
7,073	796	46	2,029	350	291	651	237	62	203	68	5	119	196	205	1,523	603	585	272	42	6	55
7,299	575	72	2,108	352	330	634	258	68	338	44	2	158	216	166	1,643	445	534	354	109	39	56
5,661	430	59	1,639	268	255	507	193	56	290	37	1	130	161	130	1,295	268	383	278	101	35	57
1,638	145	13	469	84	75	127	65	12	48	7	1	28	55	36	348	177	151	76	8	4	58
7,035	756	48	2,061	375	280	680	231	64	194	72	4	112	186	199	1,497	500	519	244	43	3	59
1,600	105	15	501	109	64	156	59	14	39	11	–	21	45	30	322	74	85	48	9	1	60
5,435	651	33	1,560	266	216	524	172	50	155	61	4	91	141	169	1,175	426	434	196	34	2	61
55	8	–	19	–	4	4	1	–	1	–	–	–	–	2	6	3	3	1	1	–	62
85	9	1	20	1	4	6	6	–	4	–	–	2	–	9	28	10	9	4	2	–	63
136	22	1	49	4	3	16	2	1	5	–	–	6	4	2	28	12	8	1	–	–	64
49	10	–	11	–	3	7	2	–	4	2	–	–	–	2	12	2	4	4	1	–	65
330	110	5	139	36	23	24	23	3	17	3	–	7	20	17	111	26	30	24	4	–	66
16	7	1	10	1	–	1	3	–	3	–	–	1	2	2	10	3	2	–	–	–	67
230	76	4	102	28	15	19	13	2	13	2	–	5	11	13	68	15	12	20	3	–	68
84	27	–	27	7	8	4	7	1	1	1	–	1	7	2	33	8	16	4	1	–	69
54	4	1	12	4	5	14	1	1	2	2	–	1	–	–	13	2	3	1	–	–	70
54	5	–	14	2	2	2	4	–	1	–	–	2	1	1	9	6	6	1	–	–	71
79	4	–	20	2	6	3	2	–	2	–	–	2	1	1	12	13	3	–	–	–	72
3	1	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	73
76	3	–	19	2	6	3	2	–	1	–	–	1	1	1	11	13	3	–	–	–	74
184	15	–	55	3	8	10	7	1	3	3	–	4	8	1	24	14	23	4	–	–	75
59	5	–	17	1	–	2	3	–	–	1	–	1	2	1	9	1	4	–	–	–	76
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	77
125	10	–	38	2	8	8	4	1	3	2	–	3	6	–	15	13	19	4	–	–	78
122	13	–	25	7	8	17	7	–	1	–	–	2	4	6	27	11	5	6	–	–	79
173	12	1	37	9	8	16	8	1	5	1	–	1	5	6	39	16	14	9	1	–	80
50	17	1	21	1	1	8	2	2	–	1	–	–	1	5	12	5	6	–	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Dane	1,873	–	–	9	357	96	70	39	43	23	21	65	33	976	692	18	11
02	Madison	1,069	–	–	6	211	51	44	26	30	14	13	33	16	537	370	13	7
03	Monona	60	–	–	–	16	3	6	3	1	–	1	2	–	32	23	–	–
04	Balance of county	744	–	–	3	130	42	20	10	12	9	7	30	17	407	299	5	4
05	Dodge	671	–	–	5	123	45	27	11	15	4	3	18	13	360	267	4	4
06	Beaver Dam	153	–	–	–	30	10	6	3	6	1	1	3	2	88	59	2	2
07	Watertown, part	58	–	–	–	7	4	–	1	1	–	–	1	2	38	23	–	1
08	Balance of county	460	–	–	5	86	31	21	7	8	3	2	14	9	234	185	2	1
09	Door	228	–	–	–	42	13	9	1	5	2	–	12	5	121	87	2	1
10	Douglas	511	–	–	3	114	36	27	13	9	7	3	19	12	266	214	4	7
11	Superior	380	–	–	3	81	29	19	11	3	5	1	13	8	205	165	2	5
12	Balance of county	131	–	–	–	33	7	8	2	6	2	2	6	4	61	49	2	2
13	Dunn	291	–	–	–	63	16	8	7	6	2	5	19	2	144	114	2	1
14	Menomonie	117	–	–	–	24	4	5	5	2	1	1	6	1	54	40	–	–
15	Balance of county	174	–	–	–	39	12	3	2	4	1	4	13	1	90	74	2	1
16	Eau Claire	599	–	–	3	118	29	22	12	16	9	7	23	4	348	282	2	3
17	Eau Claire, part	418	–	–	2	89	21	16	11	14	7	5	15	3	249	199	1	1
18	Eau Claire, total	418	–	–	2	89	21	16	11	14	7	5	15	3	249	199	1	1
19	Balance of county	181	–	–	1	29	8	6	1	2	2	2	8	1	99	83	1	2
20	Florence	54	–	–	–	10	3	–	1	1	2	–	3	2	33	23	2	–
21	Fond du Lac	771	1	–	2	164	61	21	20	16	12	11	23	14	407	301	6	–
22	Fond du Lac	381	1	–	–	83	33	9	8	9	8	3	13	7	213	151	4	–
23	Balance of county	390	–	–	2	81	28	12	12	7	4	8	10	7	194	150	2	–
24	Forest	92	–	1	1	20	4	8	–	3	1	2	2	2	45	33	1	–
25	Grant	489	–	–	2	90	23	14	5	14	6	9	19	3	267	179	3	1
26	Green	282	–	–	2	48	15	9	3	7	4	2	8	3	171	122	3	7
27	Green Lake	190	–	–	–	42	14	10	3	4	2	3	6	5	108	78	1	1
28	Iowa	222	–	–	1	38	9	3	4	9	3	3	7	2	125	91	–	1
29	Iron	102	–	–	1	14	2	2	2	4	1	–	3	2	54	45	1	3
30	Jackson	163	1	–	2	35	6	12	1	8	2	1	5	–	77	59	2	–
31	Jefferson	585	–	–	3	107	30	22	7	13	4	6	25	13	343	250	3	1
32	Watertown, part	124	–	–	–	24	6	3	3	3	1	2	6	2	74	41	–	–
33	Watertown, total	182	–	–	–	31	10	3	4	4	1	2	7	4	112	64	–	1
34	Whitewater, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Balance of county	460	–	–	3	83	24	19	4	10	3	4	19	11	269	209	3	1
36	Juneau	224	–	–	2	49	17	12	2	8	–	2	8	6	112	90	2	3
37	Kenosha	1,010	1	–	5	224	67	42	17	33	15	7	43	21	549	430	4	3
38	Kenosha	729	1	–	4	166	45	34	12	24	13	4	34	15	386	302	4	3
39	Balance of county	281	–	–	1	58	22	8	5	9	2	3	9	6	163	128	–	–
40	Kewaunee	174	–	–	–	36	9	5	3	4	3	3	9	2	86	67	2	3
41	La Crosse	742	–	–	9	164	43	34	21	16	6	8	36	20	357	254	5	2
42	La Crosse	539	–	–	7	121	35	25	12	11	4	6	28	12	260	179	3	2
43	Balance of county	203	–	–	2	43	8	9	9	5	2	2	8	8	97	75	2	–
44	Lafayette	172	–	–	–	28	6	4	3	3	2	3	7	4	111	75	1	2
45	Langlade	184	–	–	–	39	11	9	1	6	–	1	11	1	83	61	2	–
46	Lincoln	265	–	–	–	51	25	7	4	5	3	2	5	8	155	118	2	2
47	Manitowoc	736	2	–	1	135	49	19	8	17	8	5	29	16	429	324	3	–
48	Manitowoc	376	–	–	–	70	25	11	6	7	1	4	16	6	230	175	3	–
49	Two Rivers	123	–	–	–	26	7	1	1	5	4	1	7	5	74	56	–	–
50	Balance of county	237	2	–	1	39	17	7	1	5	3	–	6	5	125	93	–	–
51	Marathon	803	–	–	7	149	49	22	11	24	6	9	28	8	461	344	5	17
52	Marshfield, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
53	Wausau	366	–	–	2	61	17	12	5	8	4	2	13	5	224	167	1	10
54	Balance of county	436	–	–	5	88	32	10	6	16	2	7	15	3	236	177	4	7
55	Marinette	447	–	–	2	78	21	12	9	11	4	1	20	13	247	172	2	2
56	Marinette	176	–	–	–	27	11	2	3	4	3	–	4	7	100	68	–	2
57	Balance of county	271	–	–	2	51	10	10	6	7	1	1	16	6	147	104	2	–
58	Marquette	127	1	–	2	24	12	6	1	4	–	–	1	3	65	50	1	–
59	Menominee	30	1	–	1	1	1	–	–	–	–	–	–	–	12	10	–	–
60	Milwaukee	9,435	15	1	55	1,968	569	437	216	202	86	74	384	179	4,988	3,737	81	46
61	Brown Deer	60	–	–	–	15	3	5	1	2	–	–	4	1	27	19	1	1
62	Cudahy	129	–	–	2	25	3	7	6	2	1	–	6	1	76	58	2	–
63	Franklin	63	–	–	–	14	1	2	4	2	2	–	3	1	28	17	–	1
64	Glendale	168	–	–	–	30	9	7	4	3	1	2	4	4	96	72	3	1
65	Greendale	60	–	–	–	22	5	5	6	1	–	–	5	2	25	16	1	–
66	Greenfield	175	–	–	3	39	10	9	3	7	–	4	6	4	97	75	1	1
67	Milwaukee, part	6,667	10	1	44	1,355	394	317	141	136	58	54	255	138	3,466	2,598	57	29
68	Milwaukee, total	6,667	10	1	44	1,355	394	317	141	136	58	54	255	138	3,466	2,598	57	29
69	Oak Creek	88	–	–	–	16	3	3	2	–	2	2	4	3	41	33	–	2
70	St. Francis	82	–	–	–	18	2	2	3	2	5	–	4	2	46	35	–	1
71	Shorewood	168	–	–	2	41	7	7	10	4	2	2	9	3	93	71	–	3
72	South Milwaukee	164	2	–	1	39	12	7	5	4	2	1	8	3	82	68	2	1
73	Wauwatosa	609	–	–	2	135	53	16	13	15	8	3	27	7	357	261	5	3
74	West Allis	692	–	–	–	151	42	35	13	20	5	5	31	6	385	285	6	1
75	Whitefish Bay	106	3	–	–	22	9	2	3	2	–	–	6	–	58	39	1	–
76	Balance of county	204	–	–	1	46	16	13	2	2	–	1	12	4	111	90	2	2
77	Monroe	310	–	–	1	55	19	7	6	4	3	–	16	5	179	128	1	–
78	Oconto	321	–	–	2	45	15	3	3	3	3	3	15	9	199	142	1	2
79	Oneida	290	2	–	4	61	19	6	6	6	6	5	13	7	148	106	1	2
80	Outagamie	886	3	–	3	160	34	40	14	22	12	4	34	9	507	367	7	2
81	Appleton, part	436	2	–	2	87	20	22	8	15	5	2	15	6	258	186	5	1
82	Appleton, total	445	2	–	2	87	20	22	8	15	5	2	15	6	264	191	6	1
83	Kaukauna	106	–	–	–	16	3	4	3	2	1	–	3	–	62	45	1	–
84	Balance of county	344	1	–	1	57	11	14	3	5	6	2	16	3	187	136	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
604	59	7	212	42	23	80	22	4	28	1	–	11	23	18	143	61	53	47	7	–	01
314	36	3	126	24	14	52	17	1	15	–	–	6	11	8	93	34	28	28	6	–	02
21	2	–	7	–	2	–	1	–	3	–	–	–	–	–	1	1	3	3	–	–	03
269	21	4	79	18	7	28	4	3	10	1	–	5	12	10	49	26	22	16	1	–	04
244	15	1	72	13	7	31	4	2	5	4	–	3	10	6	62	16	16	8	3	–	05
54	1	–	24	3	2	7	1	–	3	1	–	–	1	2	11	2	1	2	2	–	06
20	2	–	11	3	1	1	–	–	–	–	–	–	2	–	4	1	1	2	–	–	07
170	12	1	37	7	4	23	3	2	2	3	–	3	7	4	47	13	14	4	1	–	08
65	19	1	29	2	2	6	1	1	–	1	–	2	2	8	21	6	5	7	–	–	09
194	9	–	32	6	14	10	12	2	5	2	–	1	12	14	28	11	11	5	2	1	10
152	6	–	26	3	11	5	8	–	4	1	–	1	11	12	22	7	9	3	–	–	11
42	3	–	6	3	3	5	4	2	1	1	–	–	1	2	6	4	2	2	2	1	12
101	10	3	22	3	2	14	–	4	4	2	–	–	3	2	30	9	11	3	–	–	13
38	2	2	9	1	2	11	–	1	–	1	–	–	2	1	14	3	4	1	–	–	14
63	8	1	13	2	–	3	–	3	4	1	–	–	1	1	16	6	7	2	–	–	15
269	8	2	51	5	8	15	7	3	5	1	–	1	3	5	39	20	16	10	1	–	16
191	6	2	36	5	7	7	5	1	4	1	–	1	1	3	22	11	12	6	1	–	17
191	6	2	36	5	7	7	5	–	4	1	–	1	1	3	22	11	12	6	1	–	18
78	2	–	15	–	1	8	2	2	1	–	–	–	2	2	17	9	4	4	–	–	19
18	3	1	7	1	1	1	1	–	1	–	–	1	1	1	2	1	–	–	–	–	20
271	24	1	65	26	14	26	7	1	3	1	–	5	12	7	66	27	18	9	1	–	21
136	11	–	41	12	9	13	2	1	1	–	–	2	3	6	31	9	7	2	–	–	22
135	13	1	24	14	5	13	5	–	2	1	–	3	9	1	35	18	11	7	1	–	23
26	6	–	8	2	2	4	–	2	2	1	–	1	1	1	8	1	2	–	–	–	24
163	12	1	64	16	7	24	7	1	2	2	–	4	8	2	38	15	17	5	1	1	25
109	3	1	41	3	4	10	–	1	2	2	–	–	2	1	18	5	11	5	1	–	26
74	2	–	21	5	4	3	4	–	1	1	–	–	–	2	20	3	1	–	–	–	27
81	9	1	24	8	1	11	5	1	2	1	–	–	1	1	19	5	5	4	1	–	28
39	2	1	6	1	1	7	1	–	2	–	–	1	–	1	9	3	3	4	–	–	29
54	3	–	13	3	2	10	2	2	2	–	–	–	–	3	16	3	5	5	–	–	30
225	21	2	65	15	11	11	6	–	6	–	–	1	2	11	37	16	19	8	2	–	31
35	6	1	21	5	6	1	3	–	1	–	–	–	–	3	6	5	5	–	–	–	32
55	8	1	32	8	7	2	3	–	1	–	–	–	2	3	10	6	6	2	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	34
190	15	1	44	10	5	10	3	–	5	–	–	1	2	8	30	11	14	8	2	–	35
66	19	–	18	2	2	9	2	–	3	2	–	–	2	1	22	2	10	2	–	–	36
413	10	8	83	12	16	37	12	3	10	1	–	7	2	3	44	41	31	14	5	–	37
291	4	5	58	9	12	33	8	3	6	1	–	7	2	1	32	24	24	11	5	–	38
122	6	3	25	3	4	4	4	–	4	–	–	–	–	2	12	17	7	3	–	–	39
56	6	–	12	2	5	7	–	–	–	1	–	1	2	12	11	5	5	6	–	–	40
219	28	4	77	9	13	21	10	–	5	4	–	3	9	7	82	14	21	13	3	–	41
150	24	3	60	8	10	16	7	–	3	4	–	3	3	7	60	9	13	12	2	–	42
69	4	1	17	1	3	5	3	–	2	–	–	–	6	–	22	5	8	1	1	–	43
71	1	2	26	5	3	4	1	–	–	–	–	1	1	2	10	4	5	1	–	–	44
44	15	–	17	1	4	11	3	–	6	1	–	2	4	–	12	10	6	5	1	–	45
103	11	–	28	6	3	5	2	1	3	2	–	1	2	3	17	6	7	2	–	–	46
315	6	4	76	16	9	17	9	2	7	3	–	4	10	3	57	14	16	11	–	–	47
167	5	2	40	8	5	10	4	1	2	1	–	1	2	–	32	3	9	5	–	–	48
56	–	2	15	–	1	1	1	–	1	1	–	–	1	–	9	–	2	2	–	–	49
92	1	–	21	8	3	6	4	1	4	1	–	3	7	3	16	11	5	4	–	–	50
274	48	2	89	18	8	25	3	5	10	3	–	7	9	5	60	25	18	8	–	–	51
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
134	22	–	41	12	4	14	2	2	1	1	–	3	3	1	33	5	7	2	–	–	53
140	26	2	47	6	4	11	1	3	9	2	–	4	6	4	27	20	11	6	–	–	54
159	9	3	51	15	6	14	6	1	3	2	–	2	1	4	49	11	9	5	–	–	55
61	5	2	24	5	1	7	4	–	1	–	–	1	1	2	21	1	3	1	–	–	56
98	4	1	27	10	5	7	2	1	2	2	–	1	–	2	28	10	6	4	–	–	57
41	8	2	11	1	1	4	1	–	4	–	–	–	1	2	13	2	2	3	–	–	58
8	2	–	1	1	–	–	–	–	–	–	–	1	–	2	4	3	1	–	4	–	59
3,426	184	33	941	136	141	286	90	43	208	22	1	71	92	66	769	108	218	156	67	32	60
13	4	–	5	2	1	2	–	–	2	1	–	–	–	–	6	2	1	2	–	1	61
54	2	–	12	2	4	3	–	2	1	–	–	–	1	1	7	1	2	4	3	–	62
13	3	–	8	2	1	–	–	–	1	1	–	1	1	1	8	1	2	3	1	–	63
67	1	1	15	5	3	11	–	2	–	–	–	2	1	1	14	–	4	3	–	–	64
15	–	–	6	–	3	2	–	–	1	1	–	1	–	–	3	2	–	1	–	–	65
64	9	–	14	6	2	1	2	–	1	–	–	1	2	3	15	1	2	4	–	–	66
2,397	115	23	662	86	97	195	64	30	162	16	1	56	68	49	583	75	168	105	55	26	67
2,397	115	23	662	86	97	195	64	30	162	16	1	56	68	49	583	75	168	105	55	26	68
27	4	–	7	–	1	3	2	1	–	–	–	1	2	1	11	1	4	2	–	–	69
33	1	–	4	3	4	–	2	–	3	–	–	–	–	–	4	3	3	1	–	–	70
66	2	1	13	5	3	6	1	–	4	–	–	1	–	–	9	–	4	1	3	–	71
61	4	–	10	2	2	8	–	1	3	–	–	–	3	–	13	2	4	1	1	1	72
234	19	4	76	9	7	18	4	2	6	3	–	4	4	4	41	6	7	8	–	1	73
266	12	2	76	10	12	24	13	3	18	–	–	3	6	5	41	11	11	10	4	1	74
36	2	1	17	1	–	5	–	1	1	–	–	–	2	1	5	2	1	3	–	2	75
80	6	1	16	3	1	8	2	1	5	–	–	1	2	–	9	1	5	8	–	–	76
115	12	1	41	5	4	11	3	1	3	3	–	2	3	–	23	7	11	3	–	–	77
106	33	–	45	7	5	7	5	1	2	2	–	4	2	1	24	7	6	4	1	–	78
58	45	–	34	7	1	10	2	1	7	2	–	1	4	4	21	8	6	2	–	–	79
340	18	2	112	12	14	19	13	2	7	–	–	7	15	4	68	21	33	14	–	1	80
174	6	1	57	8	6	13	3	–	5	–	–	2	4	–	31	9	7	7	–	–	81
177	7	1	58	8	6	13	3	–	6	–	–	3	4	–	32	9	7	7	–	–	82
42	2	1	11	1	4	2	4	–	1	–	–	2	2	1	8	1	5	2	–	–	83
124	10	–	44	3	4	4	6	2	1	–	–	3	9	3	29	11	21	5	–	1	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Ozaukee	372	–	–	2	91	31	17	8	8	4	4	19	8	180	126	2	2
02	Mequon	81	–	–	–	20	4	3	2	2	1	2	6	2	41	31	1	1
03	Balance of county	291	–	–	2	71	27	14	6	6	3	2	13	6	139	95	1	1
04	Pepin	71	–	–	–	7	3	–	–	1	–	1	2	1	46	29	–	–
05	Pierce	242	–	–	1	42	13	11	3	7	2	–	6	2	130	101	1	2
06	Polk	328	–	–	4	57	22	7	6	7	–	3	12	7	197	151	9	1
07	Portage	392	1	1	4	76	32	11	7	9	4	2	11	1	210	173	1	–
08	Stevens Point	176	1	–	–	34	7	7	6	4	4	1	5	1	105	87	–	–
09	Balance of county	216	–	1	4	42	25	4	1	5	–	1	6	–	105	86	1	–
10	Price	187	–	–	1	40	10	8	3	6	3	–	10	3	100	69	–	1
11	Racine	1,374	2	–	8	255	70	53	24	37	9	9	53	19	731	532	11	8
12	Racine	843	1	–	6	148	40	25	18	23	6	3	33	9	456	333	7	6
13	Balance of county	531	1	–	2	107	30	28	6	14	3	6	20	10	275	199	4	2
14	Richland	173	–	–	1	31	11	6	–	8	1	–	5	7	99	74	2	–
15	Rock	1,187	1	–	7	197	52	35	22	27	17	8	36	13	664	468	12	9
16	Beloit	338	–	–	6	58	13	9	6	10	7	3	10	1	190	129	2	–
17	Janesville	388	–	–	–	66	20	10	8	9	6	1	12	4	203	131	3	1
18	Balance of county	461	1	–	1	73	19	16	8	8	4	4	14	8	271	208	7	8
19	Rusk	149	–	–	1	27	9	5	1	3	–	2	7	2	83	63	–	2
20	St. Croix	337	–	–	1	60	19	11	4	8	4	4	10	6	186	117	3	–
21	Sauk	403	1	–	2	81	24	17	6	11	1	4	18	7	222	164	1	1
22	Sawyer	149	–	–	–	31	10	9	3	3	1	–	5	2	76	62	–	2
23	Shawano	403	–	–	–	77	21	11	8	9	5	8	15	10	223	166	2	2
24	Sheboygan	929	1	–	7	177	54	26	15	23	17	10	32	18	534	369	10	13
25	Sheboygan	521	–	–	6	107	29	18	8	17	12	4	19	8	292	192	9	3
26	Balance of county	408	1	–	1	70	25	8	7	6	5	6	13	10	242	177	1	10
27	Taylor	162	–	–	–	28	10	5	–	5	1	1	6	2	91	67	–	4
28	Trempealeau	303	–	–	2	55	25	6	5	3	2	2	12	6	159	135	2	–
29	Vernon	265	–	–	2	47	14	6	4	11	2	2	8	7	153	119	4	–
30	Vilas	162	–	–	–	36	12	8	2	1	5	1	7	–	86	64	1	1
31	Walworth	653	–	–	5	111	31	21	9	10	3	6	31	19	376	294	4	5
32	Whitewater, part	63	–	–	–	5	2	–	–	2	–	–	1	4	40	32	–	1
33	Whitewater, total	64	–	–	–	5	2	–	–	2	–	–	1	4	40	32	–	1
34	Balance of county	590	–	–	5	106	29	21	9	8	3	6	30	15	336	262	4	4
35	Washburn	155	–	–	–	36	12	7	2	4	4	1	6	1	84	62	–	1
36	Washington	505	–	–	2	98	36	17	11	7	3	2	22	13	286	197	5	5
37	Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	West Bend	137	–	–	1	26	9	7	1	3	1	–	5	1	80	56	1	–
39	Balance of county	368	–	–	1	72	27	10	10	4	2	2	17	12	206	141	4	5
40	Waukesha	1,592	2	1	7	331	92	55	35	51	14	15	69	21	811	617	10	7
41	Brookfield	182	–	–	2	48	14	7	4	7	1	2	13	1	90	62	–	–
42	Menomonee Falls	145	–	–	–	26	4	8	5	2	–	–	7	2	79	62	1	1
43	Muskego	24	–	–	–	6	–	1	–	–	–	–	5	–	10	9	–	–
44	New Berlin	129	1	–	–	28	7	2	4	6	1	2	6	5	61	52	–	1
45	Waukesha	305	1	1	2	60	15	12	11	8	3	2	9	4	145	112	3	–
46	Balance of county	807	–	–	3	163	52	25	11	28	9	9	29	9	426	320	6	5
47	Waupaca	528	1	–	–	97	32	19	6	8	4	7	21	8	314	242	–	–
48	Waushara	188	–	–	2	29	10	4	2	1	1	–	11	3	114	96	1	1
49	Winnebago	1,037	–	–	1	203	68	31	15	31	10	2	46	14	583	437	4	8
50	Menasha	119	–	–	–	25	11	3	–	3	1	1	6	2	66	48	–	–
51	Neenah	176	–	–	–	33	7	5	4	5	3	–	9	2	94	68	1	1
52	Oshkosh	465	–	–	–	82	32	13	7	10	5	–	15	8	278	208	2	5
53	Balance of county	277	–	–	1	63	18	10	4	13	1	1	16	2	145	113	1	2
54	Wood	569	–	1	–	126	45	18	11	14	6	5	27	4	310	225	4	1
55	Marshfield, part	149	–	–	–	36	12	9	2	2	1	3	7	2	74	54	2	–
56	Marshfield, total	150	–	–	–	36	12	9	2	2	1	3	7	2	75	54	2	–
57	Wisconsin Rapids	189	–	1	–	41	17	3	4	3	3	2	9	–	112	86	–	1
58	Balance of county	231	–	–	–	49	16	6	5	9	2	–	11	2	124	85	2	–
59	**Wyoming**	3,160	1	–	21	493	121	127	41	57	24	26	97	41	1,483	1,107	20	10
60	Urban places	1,243	–	–	6	208	50	54	26	25	11	9	33	10	610	478	14	4
61	Balance of area	1,917	1	–	15	285	71	73	15	32	13	17	64	31	873	629	6	6
62	Nonmetropolitan counties	3,160	1	–	21	493	121	127	41	57	24	26	97	41	1,483	1,107	20	10
63	Urban places	1,243	–	–	6	208	50	54	26	25	11	9	33	10	610	478	14	4
64	Balance of area	1,917	1	–	15	285	71	73	15	32	13	17	64	31	873	629	6	6
65	Albany	160	–	–	1	28	6	7	2	3	1	3	6	2	80	58	3	3
66	Laramie	136	–	–	1	23	6	6	2	2	1	2	4	2	70	52	3	1
67	Balance of county	24	–	–	–	5	–	1	–	1	–	1	2	–	10	6	–	2
68	Big Horn	105	1	–	–	12	4	4	1	1	–	1	1	–	57	48	–	–
69	Campbell	79	–	–	1	9	3	2	–	3	–	1	–	3	28	24	–	–
70	Carbon	140	–	–	1	23	5	3	2	7	2	–	4	3	56	33	–	–
71	Converse	86	–	–	–	15	2	3	1	1	1	3	4	–	33	24	–	–
72	Crook	41	–	–	2	4	1	2	–	–	–	–	1	–	24	17	–	1
73	Fremont	249	–	–	4	42	6	13	4	3	2	4	10	4	92	62	1	1
74	Goshen	121	–	–	–	19	3	6	2	3	–	–	5	6	66	50	–	1
75	Hot Springs	78	–	–	1	13	4	4	1	–	–	1	3	1	40	33	–	–
76	Johnson	72	–	–	–	11	4	3	1	–	–	2	1	1	35	22	–	–
77	Laramie	481	–	–	–	97	24	23	8	13	5	3	21	5	218	176	7	1
78	Cheyenne	396	–	–	–	82	19	20	8	11	4	3	17	5	181	148	7	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
115	7	–	41	9	4	13	7	–	4	2	–	3	2	5	30	9	7	9	–	–	01
25	4	–	7	3	–	2	1	–	1	1	–	–	–	1	7	2	1	2	–	–	02
90	3	–	34	6	4	11	6	–	3	1	–	3	2	4	23	7	6	7	–	–	03
23	6	2	13	2	–	7	1	–	–	–	–	2	–	–	4	–	1	2	–	–	04
88	10	1	22	–	6	10	3	–	1	1	–	3	5	4	25	6	6	–	3	–	05
127	14	–	38	6	2	6	2	1	3	2	–	1	2	1	23	9	9	4	–	–	06
162	10	2	23	5	7	8	3	–	6	1	–	5	11	3	31	13	16	1	1	–	07
82	5	2	7	4	5	1	2	–	4	–	–	1	5	1	13	5	2	1	–	–	08
80	5	–	16	1	2	7	1	–	2	1	–	4	6	2	18	8	14	–	1	–	09
59	9	2	24	3	2	6	2	1	3	1	–	1	–	12	11	2	2	2	–	–	10
431	82	4	148	23	24	46	28	4	17	2	–	16	11	15	109	41	43	13	13	1	11
268	52	2	96	12	13	31	18	2	12	1	–	9	7	10	70	14	30	7	12	–	12
163	30	2	52	11	11	15	10	2	5	1	–	7	4	5	39	27	13	6	1	1	13
67	5	–	21	1	3	5	2	1	–	–	–	1	–	–	15	3	4	2	2	–	14
403	44	1	155	26	14	61	24	7	10	2	–	9	20	6	86	27	30	19	4	–	15
123	4	–	44	12	5	17	12	2	3	–	–	2	5	2	22	7	7	2	2	–	16
113	14	–	57	11	4	25	5	1	4	2	–	3	10	3	33	9	9	9	2	–	17
167	26	1	54	3	5	19	7	4	3	–	–	4	5	1	31	11	14	8	–	–	18
52	9	–	17	1	2	4	1	–	–	–	–	3	1	1	13	7	3	2	1	–	19
106	8	–	56	6	7	19	5	3	4	2	–	2	4	3	23	4	8	7	–	–	20
149	13	–	44	9	5	8	10	–	2	1	1	2	1	4	26	9	20	5	1	–	21
52	8	–	10	1	3	4	4	–	4	–	–	–	1	3	9	2	8	2	3	–	22
144	18	–	38	13	6	13	5	2	7	1	–	1	3	1	31	11	14	3	1	–	23
320	26	2	127	22	14	39	15	3	12	4	–	3	7	4	64	15	15	8	2	1	24
169	11	2	75	16	7	25	9	3	7	1	–	3	3	4	33	5	7	5	2	1	25
151	15	–	52	6	7	14	6	–	5	3	–	4	–	–	31	10	8	3	–	–	26
59	4	–	14	8	2	5	1	–	1	2	–	1	2	4	15	6	1	3	–	–	27
113	20	–	16	2	6	11	1	2	3	1	–	3	6	5	26	10	9	1	2	–	28
111	4	–	22	7	5	9	5	2	1	–	–	–	1	2	13	5	12	6	–	–	29
49	13	–	17	2	3	8	2	1	5	–	–	–	–	1	13	6	2	2	–	–	30
266	19	4	60	8	10	16	9	3	7	1	–	4	1	2	63	17	10	8	1	–	31
30	1	–	8	–	–	5	2	–	1	–	–	–	–	–	4	1	–	1	–	–	32
30	1	–	8	–	–	5	2	–	1	–	–	–	–	–	5	1	–	1	–	–	33
236	18	4	52	8	10	11	7	3	6	1	–	4	1	2	59	16	10	7	1	–	34
54	7	–	19	2	1	4	1	–	2	–	1	1	3	4	6	6	5	–	1	–	35
167	20	2	62	15	10	8	9	2	6	1	–	4	6	–	38	16	12	4	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
49	6	1	18	2	3	2	3	2	1	1	–	2	1	–	12	2	2	1	–	–	38
118	14	1	44	13	7	6	6	–	5	–	–	2	5	–	26	14	10	3	–	–	39
578	22	3	147	21	23	56	17	3	19	2	1	20	15	8	136	60	43	35	2	2	40
58	4	–	20	4	4	5	–	–	1	–	–	3	3	1	13	7	5	3	–	–	41
58	2	1	13	2	1	5	2	–	1	–	–	4	–	1	11	8	3	2	1	–	42
7	2	–	–	1	–	1	2	–	–	–	–	–	1	–	3	–	1	–	–	–	43
50	1	1	5	1	2	4	2	–	4	–	–	3	2	–	9	4	2	3	1	–	44
107	2	1	25	4	3	14	6	2	3	1	–	5	3	1	33	9	5	9	–	1	45
298	11	–	84	9	13	27	5	1	10	1	1	5	6	5	67	32	27	18	–	1	46
217	25	–	54	11	7	14	5	–	4	5	–	2	3	8	40	10	12	5	–	–	47
88	6	–	14	–	4	4	1	–	2	–	–	2	1	1	15	5	7	2	–	–	48
403	22	4	94	29	19	31	13	2	10	4	–	6	8	8	73	24	29	20	6	2	49
44	4	1	11	3	3	1	2	1	2	1	–	1	–	1	8	4	2	3	–	–	50
64	2	–	19	3	4	7	–	1	3	–	–	2	2	3	17	3	5	3	1	–	51
192	9	2	42	18	8	16	5	–	5	2	–	3	6	2	26	5	11	11	3	2	52
103	7	1	22	5	4	7	6	–	–	1	–	–	–	2	22	12	11	3	2	–	53
209	11	–	57	20	8	22	7	2	6	2	1	3	5	6	39	12	13	9	–	1	54
51	1	–	12	5	3	6	–	1	4	–	–	–	–	1	14	5	2	4	–	–	55
51	1	–	13	5	3	6	–	1	4	–	–	–	–	1	14	5	2	4	–	–	56
81	4	–	18	6	2	3	4	1	2	1	–	3	4	–	10	1	3	3	–	–	57
77	6	–	27	9	3	13	3	–	–	1	1	–	1	5	15	6	8	2	–	1	58
975	**102**	**9**	**254**	**58**	**55**	**139**	**46**	**11**	**53**	**10**	**1**	**20**	**56**	**44**	**282**	**196**	**155**	**69**	**23**	**16**	**59**
419	41	1	92	20	19	52	21	3	21	4	–	12	15	12	127	47	51	27	9	8	60
556	61	8	162	38	36	87	25	8	32	6	1	8	41	32	155	149	104	42	14	8	61
975	102	9	254	58	55	139	46	11	53	10	1	20	56	44	282	196	155	69	23	16	62
419	41	1	92	20	19	52	21	3	21	4	–	12	15	12	127	47	51	27	9	8	63
556	61	8	162	38	36	87	25	8	32	6	1	8	41	32	155	149	104	42	14	8	64
48	4	–	16	4	2	4	3	–	4	–	–	–	2	1	19	7	4	2	2	1	65
45	3	–	13	4	1	4	3	–	3	–	–	–	1	–	16	6	3	2	2	–	66
3	1	–	3	–	1	–	–	–	1	–	–	–	1	1	3	1	1	–	–	1	67
42	6	1	7	1	–	6	–	1	1	–	–	–	2	2	8	7	6	2	–	–	68
21	3	–	3	1	–	2	–	–	2	–	–	–	3	3	3	12	7	6	–	–	69
31	2	2	12	5	4	3	1	3	3	1	–	–	3	6	10	9	7	7	2	2	70
22	2	1	6	–	2	4	2	–	1	–	–	–	2	4	5	11	6	2	1	–	71
14	2	–	3	2	2	2	1	–	1	–	–	–	–	–	4	–	2	1	–	–	72
52	8	–	12	14	4	15	2	–	9	1	–	2	3	3	22	27	15	5	3	–	73
47	2	–	15	1	–	1	1	1	–	1	–	–	4	2	12	4	2	–	1	1	74
32	1	–	6	–	1	5	–	–	4	–	–	–	1	1	2	2	6	2	–	–	75
20	2	–	10	1	2	6	1	–	–	–	–	–	3	–	8	3	2	1	1	–	76
159	9	–	26	6	10	22	5	–	8	1	–	7	7	2	39	27	24	12	2	5	77
133	8	–	22	5	6	19	4	–	8	–	–	6	5	2	31	19	20	9	2	3	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wyoming—Con.																	
	Laramie—Con.																	
01	Balance of county	85	–	–	–	15	5	3	–	2	1	–	4	–	37	28	–	1
02	Lincoln	77	–	–	–	9	1	3	2	–	1	–	2	2	37	22	3	–
03	Natrona	463	–	–	2	73	20	22	8	8	7	3	5	4	216	167	2	–
04	Casper	368	–	–	2	62	14	19	8	7	6	3	5	2	173	137	1	–
05	Balance of county	95	–	–	–	11	6	3	–	1	1	–	–	2	43	30	1	–
06	Niobrara	41	–	–	1	4	2	–	–	1	–	–	1	–	22	16	–	–
07	Park	151	–	–	1	20	7	4	1	2	3	–	3	1	87	62	1	–
08	Platte	66	–	–	1	10	2	1	–	–	–	1	6	1	38	24	–	–
09	Sheridan	237	–	–	2	39	8	11	6	5	–	1	8	–	122	83	2	1
10	Sheridan	182	–	–	2	29	5	8	6	4	–	1	5	–	100	65	2	1
11	Balance of county	55	–	–	–	10	3	3	–	1	–	–	3	–	22	18	–	–
12	Sublette	15	–	–	–	2	1	1	–	–	–	–	–	1	11	6	–	–
13	Sweetwater	244	–	–	1	21	9	3	2	1	1	1	4	3	122	105	1	2
14	Rock Springs	161	–	–	1	12	6	1	2	1	–	–	2	1	86	76	1	2
15	Balance of county	83	–	–	–	9	3	2	–	–	1	1	2	2	36	29	–	–
16	Teton	34	–	–	–	6	1	1	–	–	–	2	2	–	11	9	–	–
17	Uinta	77	–	–	2	10	3	2	–	2	–	–	3	2	31	25	–	–
18	Washakie	80	–	–	1	16	4	4	–	2	–	–	6	1	31	21	–	–
19	Weston	63	–	–	–	10	1	5	–	2	1	–	1	1	26	20	–	–

†Classified as urban under special rule; see Technical Appendix.
[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4] Includes data for Bristol, Tenn., only.
[5] Includes data for Texarkana, Tex., only.
[6] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[7] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8] Includes data for Bristol, Va., only.
[9] Includes data for Bluefield, W. Va., only.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1976–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
26	1	–	4	1	4	3	1	–	–	1	–	1	2	–	8	8	4	3	–	2	01
17	2	–	12	2	1	2	3	–	–	–	–	1	3	1	4	8	4	–	1	–	02
146	19	1	34	7	7	23	11	2	3	2	–	4	9	5	52	20	20	10	4	3	03
121	15	–	25	7	4	13	8	2	2	2	–	4	7	2	48	9	18	8	4	2	04
25	4	1	9	–	3	10	3	–	1	–	–	–	2	3	4	11	2	2	–	1	05
15	1	–	4	2	–	–	–	–	–	–	–	–	1	–	8	2	2	–	1	–	06
57	4	2	17	2	4	6	3	–	–	–	–	–	3	1	11	8	5	4	1	–	07
22	2	–	12	–	2	3	–	–	1	–	–	–	–	–	5	1	5	1	–	–	08
65	15	1	27	5	6	14	2	1	3	2	1	2	–	8	23	6	3	6	3	–	09
50	12	1	24	4	6	10	2	1	3	1	–	–	–	6	18	4	1	4	1	–	10
15	3	–	3	1	–	4	–	–	–	1	1	2	–	2	5	2	2	2	2	–	11
4	2	–	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
97	5	1	11	1	4	8	5	–	6	1	–	3	6	3	18	22	18	4	–	3	13
70	3	–	8	–	2	6	4	–	5	1	–	2	2	2	14	9	9	4	–	3	14
27	2	1	3	1	2	2	1	–	1	–	–	1	4	1	4	13	9	–	–	–	15
7	2	–	1	–	1	–	–	–	1	–	–	1	–	–	4	4	3	3	–	1	16
20	5	–	4	2	–	2	3	1	2	–	–	–	1	–	13	4	4	1	1	–	17
17	4	–	6	1	3	7	1	–	1	–	–	–	2	–	5	8	5	–	–	–	18
20	–	–	5	1	–	3	2	2	1	1	–	–	1	–	7	4	5	–	–	–	19

Section 8.
Guam, Puerto Rico, and Virgin Islands (U.S.)

Table		Page
8-1.	Deaths and death rates: Guam, Puerto Rico, and Virgin Islands, 1940-76	8-3
8-2.	Deaths by month and sex for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1976	8-3
8-3.	Deaths from 69 selected causes, by 10-year age groups and sex: Guam, 1976	8-4
8-4.	Deaths from 69 selected causes, by 10-year age groups and sex: Puerto Rico, 1976	8-8
8-5.	Deaths from 69 selected causes, by 10-year age groups, color, and sex: Virgin Islands, 1976	8-12
8-6.	Deaths from motor vehicle accidents, by person injured and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1976	8-17
8-7.	Deaths from nontransport accidents, by place of accident and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1976	8-17
8-8.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1976	8-18
8-9.	Total, infant, and neonatal deaths for Virgin Islands and specified urban place and Guam; and by color for Virgin Islands and specified urban place: 1976	8-18
8-10.	Deaths under 1 year and under 28 days, by month, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1976	8-19
8-11.	Deaths under 1 year, by age and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1976	8-19
8-12.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1976	8-20

NOTES

Occurence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix, and St. John and St. Thomas Islands. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race and color

Deaths are not shown by color for Puerto Rico and Guam; they are classified as white and all other for the Virgin Islands.

Fetal deaths

Fetal deaths for Puerto Rico are being published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 6 in Part A of Volume II, *Vital Statistics of the United States, 1976*—discusses other factors concerning these mortality statistics.

Table 8–1. Deaths and Death Rates: Guam, Puerto Rico, and Virgin Islands, 1940–76

[Rates per 1,000 population in each area]

Year	Guam		Puerto Rico		Virgin Islands	
	Number	Rate	Number	Rate	Number	Rate
1976	446	4.8	19,286	6.0	447	4.7
1975	427	4.3	17,805	5.8	477	5.0
1974	423	4.4	18,948	6.3	462	5.2
1973	416	4.2	19,479	6.6	459	5.6
1972	409	4.5	19,011	6.7	—	—
1971	338	3.9	17,499	6.3	498	7.0
1970	338	4.0	17,830	6.6	441	7.1
1969	421	4.1	17,667	6.4	477	8.5
1968	356	3.6	17,481	6.4	474	8.5
1967	340	3.7	16,677	6.2	373	6.7
1966	327	4.1	16,891	6.3	387	7.8
1965	336	4.4	17,686	6.7	416	9.6
1964	363	5.3	18,566	7.2	343	8.4
1963	344	5.0	17,350	6.9	383	9.6
1962	315	4.7	16,548	6.7	321	9.2
1961	265	4.1	16,364	6.8	326	9.5
1960	351	5.3	15,791	6.7	332	10.3
1959	265	4.2	15,818	6.8	320	10.3
1958	254	3.8	16,074	7.0	340	11.3
1957	277	4.2	15,978	7.1	324	11.0
1956	246	3.6	16,566	7.4	354	12.5
1955	292	4.3	16,221	7.2	311	11.3
1954	291	4.3	16,783	7.6	301	11.1
1953	390	5.7	17,972	8.2	279	10.4
1952	278	4.4	20,480	9.2	346	12.4
1951	196	3.1	22,374	10.0	375	13.5
1950	230	3.9	21,895	9.9	374	14.0
1949	—	—	23,389	10.6	362	13.6
1948	—	—	26,209	12.0	340	12.6
1947	—	—	25,407	11.8	394	14.5
1946	—	—	27,517	12.9	408	15.1
1945	—	—	28,837	13.7	401	15.0
1944	—	—	29,795	14.4	402	14.8
1943	—	—	29,019	14.3	389	14.2
1942	—	—	32,220	16.2	483	18.5
1941	—	—	35,492	18.3	468	18.1
1940	—	—	34,468	18.4	553	22.2

Table 8–2. Deaths by Month and Sex for Guam, Puerto Rico, Virgin Islands; and by Color for Virgin Islands: 1976

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Guam	446	32	37	32	31	32	74	24	32	34	45	39	34
Male	284	21	25	19	19	21	39	18	25	17	29	27	24
Female	162	11	12	13	12	11	35	6	7	17	16	12	10
Puerto Rico	19,286	1,641	1,646	2,165	1,669	1,620	1,534	1,591	1,514	1,469	1,544	1,562	1,331
Male	11,204	1,000	965	1,195	972	915	887	884	865	846	930	960	785
Female	8,082	641	681	970	697	705	647	707	649	623	614	602	546
Virgin Islands	447	35	44	55	45	43	23	35	34	32	38	34	29
Male	239	20	28	26	17	26	15	17	14	21	22	17	16
Female	208	15	16	29	28	17	8	18	20	11	16	17	13
White	71	8	6	8	5	11	–	7	4	11	5	3	3
Male	39	5	4	5	2	6	–	4	1	7	3	1	1
Female	32	3	2	3	3	5	–	3	3	4	2	2	2
All other	376	27	38	47	40	32	23	28	30	21	33	31	26
Male	200	15	24	21	15	20	15	13	13	14	19	16	15
Female	176	12	14	26	25	12	8	15	17	7	14	15	11

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1976

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	446	55	5	5	29	21	29	54	64	77	41	21	45
Male	284	30	5	3	29	20	21	39	41	47	20	10	19
Female	162	25	–	2	–	1	8	15	23	30	21	11	26
Bacillary dysentery and amebiasis 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases 008,009	3	2	–	–	–	–	–	1	–	–	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	2	2	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, all forms 010-019	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system 010-012	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, other forms 013-019	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough 033	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever 034	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections 036	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia 038	2	1	–	–	–	–	1	–	–	–	–	–	–
Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis 040-043	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles 055	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae 090-097	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases Remainder of 000-136	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-209	37	–	–	–	1	–	3	5	7	16	4	1	–
Male	26	–	–	–	1	–	1	4	5	12	3	–	–
Female	11	–	–	–	–	–	2	1	2	4	1	1	–
Malignant neoplasms of buccal cavity and pharynx 140-149	2	–	–	–	–	–	–	–	–	2	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of digestive organs and peritoneum 150-159	12	–	–	–	1	–	1	1	4	2	3	–	–
Male	10	–	–	–	1	–	1	1	3	1	3	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Malignant neoplasms of respiratory system 160-163	10	–	–	–	–	–	–	2	1	7	–	–	–
Male	9	–	–	–	–	–	–	2	1	6	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasm of breast 174	4	–	–	–	–	–	2	1	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4	–	–	–	–	–	2	1	1	–	–	–	–
Malignant neoplasms of genital organs 180-187	3	–	–	–	–	–	–	–	–	2	1	–	–
Male	2	–	–	–	–	–	–	–	–	2	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of urinary organs 188-189	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of all other and unspecified sites 170-173,190-199	4	–	–	–	–	–	–	–	1	2	–	1	–
Male	3	–	–	–	–	–	–	–	1	2	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Leukemia 204-207	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other neoplasms of lymphatic and hematopoietic tissues 200-203,208,209	1	–	–	–	–	–	–	1	–	–	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature 210-239	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus—250	17	–	–	–	–	–	–	2	4	6	4	1	–
Male	6	–	–	–	–	–	–	2	1	2	1	–	–
Female	11	–	–	–	–	–	–	–	3	4	3	1	–
Avitaminoses and other nutritional deficiencies—260-269	3	–	–	–	–	–	–	–	–	1	–	2	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	2	–	–	–	–	–	–	–	–	1	–	1	–
Anemias—280-285	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis—320	2	1	–	–	–	–	–	–	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	1	–	–	–	–	–	–	–	1	–	–	–
Major cardiovascular diseases—390-448	117	–	1	1	2	4	5	19	26	31	19	9	–
Male	69	–	1	–	2	3	3	12	14	22	8	4	–
Female	48	–	–	1	–	1	2	7	12	9	11	5	–
Diseases of heart—390-398,402,404,410-429	92	–	1	1	2	4	4	16	21	23	12	8	–
Male	56	–	1	–	2	3	3	11	11	15	6	4	–
Female	36	–	–	1	–	1	1	5	10	8	6	4	–
Active rheumatic fever and chronic rheumatic heart disease—390-398	8	–	–	1	2	3	–	1	–	–	–	1	–
Male	4	–	–	–	2	2	–	–	–	–	–	–	–
Female	4	–	–	1	–	1	–	1	–	–	–	1	–
Hypertensive heart disease—402	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease—404	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease—410-413	75	–	–	–	–	1	4	14	18	20	11	7	–
Male	45	–	–	–	–	1	3	10	9	12	6	4	–
Female	30	–	–	–	–	–	1	4	9	8	5	3	–
Acute myocardial infarction—410	30	–	–	–	–	1	3	4	8	11	1	2	–
Male	19	–	–	–	–	1	2	4	6	6	–	–	–
Female	11	–	–	–	–	–	1	–	2	5	1	2	–
Other acute and subacute forms of ischemic heart disease—411	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic ischemic heart disease—412	44	–	–	–	–	–	1	10	10	8	10	5	–
Male	25	–	–	–	–	–	1	6	3	5	6	4	–
Female	19	–	–	–	–	–	–	4	7	3	4	1	–
Angina pectoris—413	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	1	–	1	–	–	–	–	–	–	–	–	–	–
Male	1	–	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease—420-423,425-427,429	7	–	–	–	–	–	–	1	3	2	1	–	–
Male	5	–	–	–	–	–	–	1	2	2	–	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Hypertension—400,401,403	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases—430-438	19	–	–	–	–	–	1	3	3	5	6	1	–
Male	8	–	–	–	–	–	–	1	1	4	2	–	–
Female	11	–	–	–	–	–	1	2	2	1	4	1	–
Cerebral hemorrhage—431	6	–	–	–	–	–	–	2	1	1	1	1	–
Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	4	–	–	–	–	–	–	2	–	–	1	1	–
Cerebral thrombosis—433	6	–	–	–	–	–	–	–	1	2	3	–	–
Male	4	–	–	–	–	–	–	–	–	2	2	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Cerebral embolism—434	1	–	–	–	–	–	–	–	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other cerebrovascular diseases—430,432,435-438	6	–	–	–	–	–	1	1	–	2	2	–	–
Male	2	–	–	–	–	–	–	1	–	1	–	–	–
Female	4	–	–	–	–	–	1	–	–	1	2	–	–
Arteriosclerosis—440	2	–	–	–	–	–	–	–	–	1	1	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Other diseases of arteries, arterioles, and capillaries—441-448	4	–	–	–	–	–	–	–	2	2	–	–	–
Male	4	–	–	–	–	–	–	–	2	2	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis—466	2	–	–	–	–	–	–	1	–	1	–	–	–
Male	2	–	–	–	–	–	–	1	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia 470-474,480-486	25	5	–	–	2	2	1	2	1	6	3	3	–
Male	17	3	–	–	2	2	1	2	1	3	2	1	–
Female	8	2	–	–	–	–	–	–	–	3	1	2	–
Influenza 470-474	2	–	–	–	1	1	–	–	–	–	–	–	–
Male	2	–	–	–	1	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia 480-486	23	5	–	–	1	1	1	2	1	6	3	3	–
Male	15	3	–	–	1	1	1	2	1	3	2	1	–
Female	8	2	–	–	–	–	–	–	–	3	1	2	–
Bronchitis, emphysema, and asthma 490-493	5	–	–	–	–	–	–	1	2	1	–	1	–
Male	4	–	–	–	–	–	–	–	2	1	–	1	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Chronic and unqualified bronchitis 490,491	2	–	–	–	–	–	–	1	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Emphysema 492	2	–	–	–	–	–	–	–	1	1	–	–	–
Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma 493	1	–	–	–	–	–	–	–	1	–	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Peptic ulcer 531-533	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis 540-543	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia and intestinal obstruction 550-553,560	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cirrhosis of liver 571	13	–	–	–	–	–	2	6	3	1	–	1	–
Male	11	–	–	–	–	–	2	5	3	–	–	1	–
Female	2	–	–	–	–	–	–	1	–	1	–	–	–
Cholelithiasis, cholecystitis and cholangitis 574,575	2	–	–	–	–	–	–	–	–	–	2	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	–	2	–	–
Nephritis and nephrosis 580-584	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis and nephrotic syndrome 580,581	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic and unqualified nephritis and renal sclerosis 582-584	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney 590	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate 600	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium 630-678	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Abortions 640-645	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium 630-639,650-678	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies 740-759	19	15	2	1	–	1	–	–	–	–	–	–	–
Male	17	13	2	1	–	1	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	–	–	–	–	–	–	–
Certain causes of mortality in early infancy 760-769.2,769.4-772,774-778	28	28	–	–	–	–	–	–	–	–	–	–	–
Male	12	12	–	–	–	–	–	–	–	–	–	–	–
Female	16	16	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions 764-768,772,776	24	24	–	–	–	–	–	–	–	–	–	–	–
Male	10	10	–	–	–	–	–	–	–	–	–	–	–
Female	14	14	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy Remainder of 760-778	4	4	–	–	–	–	–	–	–	–	–	–	–
Male	2	2	–	–	–	–	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	–	–	–	–	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex		Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Symptoms and ill-defined conditions	780-796	2	1	–	–	–	–	–	–	–	–	1	–	–
Male		2	1	–	–	–	–	–	–	–	–	1	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases	Residual	53	2	1	–	–	–	3	14	14	11	6	2	–
Male		32	1	1	–	–	–	2	9	9	6	3	1	–
Female		21	1	–	–	–	–	1	5	5	5	3	1	–
Accidents	E800-E949	94	–	–	2	16	9	11	2	7	–	1	1	45
Male		65	–	–	2	16	9	9	2	6	–	1	1	19
Female		29	–	–	–	–	–	2	–	1	–	–	–	26
Motor vehicle accidents	E810-E823	25	–	–	2	6	8	7	–	2	–	–	–	–
Male		24	–	–	2	6	8	7	–	1	–	–	–	–
Female		1	–	–	–	–	–	–	–	1	–	–	–	–
All other accidents	E800-E807, E825-E949	69	–	–	–	10	1	4	2	5	–	1	1	45
Male		41	–	–	–	10	1	2	2	5	–	1	1	19
Female		28	–	–	–	–	–	2	–	–	–	–	–	26
Suicide	E950-E959	3	–	–	–	1	1	1	–	–	–	–	–	–
Male		2	–	–	–	1	1	–	–	–	–	–	–	–
Female		1	–	–	–	–	–	1	–	–	–	–	–	–
Homicide	E960-E978	11	–	1	1	3	4	1	1	–	–	–	–	–
Male		10	–	1	–	3	4	1	1	–	–	–	–	–
Female		1	–	–	1	–	–	–	–	–	–	–	–	–
Other external causes	E980-E999	5	–	–	–	4	–	1	–	–	–	–	–	–
Male		5	–	–	–	4	–	1	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1976

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	19,286	1,437	162	223	562	671	798	1,427	2,578	3,695	3,776	3,885	72
Male	11,204	817	89	147	445	487	558	943	1,654	2,199	2,032	1,770	63
Female	8,082	620	73	76	117	184	240	484	924	1,496	1,744	2,115	9
Bacillary dysentery and amebiasis 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases 008,009	92	42	10	2	3	2	–	–	2	10	9	12	–
Male	50	22	7	2	2	–	–	–	2	6	5	4	–
Female	42	20	3	–	1	2	–	–	–	4	4	8	–
Tuberculosis, all forms 010-019	162	–	–	–	1	6	16	21	32	39	29	14	4
Male	97	–	–	–	1	3	8	14	21	27	15	4	4
Female	65	–	–	–	–	3	8	7	11	12	14	10	–
Tuberculosis of respiratory system 010-012	153	–	–	–	–	5	16	21	29	38	27	13	4
Male	92	–	–	–	–	2	8	14	19	27	14	4	4
Female	61	–	–	–	–	3	8	7	10	11	13	9	–
Tuberculosis, other forms 013-019	9	–	–	–	1	1	–	–	3	1	2	1	–
Male	5	–	–	–	1	1	–	–	2	–	1	–	–
Female	4	–	–	–	–	–	–	–	1	1	1	1	–
Whooping cough 033	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever 034	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections 036	4	2	1	–	1	–	–	–	–	–	–	–	–
Male	3	2	–	–	1	–	–	–	–	–	–	–	–
Female	1	–	1	–	–	–	–	–	–	–	–	–	–
Septicemia 038	140	75	3	–	3	3	2	4	10	13	16	11	–
Male	78	40	2	–	2	1	2	2	5	7	12	5	–
Female	62	35	1	–	1	2	–	2	5	6	4	6	–
Acute poliomyelitis 040-043	1	–	1	–	–	–	–	–	–	–	–	–	–
Male	1	–	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles 055	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae 090-097	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases Remainder of 000-136	54	12	2	–	1	3	3	4	4	11	8	6	–
Male	26	6	–	–	1	1	3	1	3	7	3	1	–
Female	28	6	2	–	–	2	–	3	1	4	5	5	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-209	2,704	1	15	18	31	54	113	294	569	743	557	308	1
Male	1,597	–	10	9	19	26	52	163	328	459	344	186	1
Female	1,107	1	5	9	12	28	61	131	241	284	213	122	–
Malignant neoplasms of buccal cavity and pharynx 140-149	152	–	–	–	–	1	3	25	36	47	25	15	–
Male	116	–	–	–	–	–	3	22	29	33	19	10	–
Female	36	–	–	–	–	1	–	3	7	14	6	5	–
Malignant neoplasms of digestive organs and peritoneum 150-159	1,028	1	–	–	4	9	31	104	220	300	235	124	–
Male	639	–	–	–	2	3	16	66	145	184	153	70	–
Female	389	1	–	–	2	6	15	38	75	116	82	54	–
Malignant neoplasms of respiratory system 160-163	371	–	1	–	1	3	16	40	99	114	63	34	–
Male	266	–	1	–	1	3	10	31	72	79	44	25	–
Female	105	–	–	–	–	–	6	9	27	35	19	9	–
Malignant neoplasm of breast 174	128	–	–	–	–	7	10	30	32	28	13	8	–
Male	2	–	–	–	–	–	–	2	–	–	–	–	–
Female	126	–	–	–	–	7	10	28	32	28	13	8	–
Malignant neoplasms of genital organs 180-187	382	–	–	2	2	5	15	32	62	101	102	61	–
Male	204	–	–	–	1	2	–	4	15	67	68	47	–
Female	178	–	–	2	1	3	15	28	47	34	34	14	–
Malignant neoplasms of urinary organs 188,189	63	–	–	–	1	1	2	4	8	20	16	11	–
Male	41	–	–	–	–	–	1	4	4	15	10	7	–
Female	22	–	–	–	1	1	1	–	4	5	6	4	–
Malignant neoplasms of all other and unspecified sites 170-173,190-199	343	–	4	3	8	8	18	35	77	88	66	35	1
Male	193	–	3	1	6	4	11	18	44	54	35	16	1
Female	150	–	1	2	2	4	7	17	33	34	31	19	–
Leukemia 204-207	125	–	7	9	13	12	11	10	17	19	15	12	–
Male	66	–	4	5	7	8	5	4	9	12	6	6	–
Female	59	–	3	4	6	4	6	6	8	7	9	6	–
Other neoplasms of lymphatic and hematopoietic tissues 200-203,208,209	112	–	3	4	2	8	7	14	18	26	22	8	–
Male	70	–	2	3	2	6	6	12	10	15	9	5	–
Female	42	–	1	1	–	2	1	2	8	11	13	3	–
Benign neoplasms and neoplasms of unspecified nature 210-239	80	2	–	8	7	8	2	10	16	9	13	5	–
Male	39	2	–	4	4	4	–	4	7	6	5	3	–
Female	41	–	–	4	3	4	2	6	9	3	8	2	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus—250	758	–	–	–	4	2	17	45	132	210	213	135	–
Male	308	–	–	–	–	2	9	24	57	89	86	41	–
Female	450	–	–	–	4	–	8	21	75	121	127	94	–
Avitaminoses and other nutritional deficiencies—260-269	79	5	–	1	–	4	1	1	8	9	16	34	–
Male	42	2	–	1	–	2	1	1	6	6	8	15	–
Female	37	3	–	–	–	2	–	–	2	3	8	19	–
Anemias—280-285	123	2	2	2	4	6	4	7	10	20	31	35	–
Male	65	2	–	2	2	2	2	3	7	14	16	15	–
Female	58	–	2	–	2	4	2	4	3	6	15	20	–
Meningitis—320	51	26	2	5	1	2	–	5	2	4	2	1	1
Male	25	10	–	4	1	1	–	3	1	3	1	–	1
Female	26	16	2	1	–	1	–	2	1	1	1	1	–
Major cardiovascular diseases—390-448	7,798	12	4	11	21	69	147	419	990	1,760	2,023	2,326	16
Male	4,188	10	2	9	15	46	100	276	627	1,035	1,036	1,020	12
Female	3,610	2	2	2	6	23	47	143	363	725	987	1,306	4
Diseases of heart—390-398,402,404,410-429	5,389	6	4	5	14	48	104	328	749	1,305	1,371	1,441	14
Male	2,992	5	2	5	10	34	76	224	479	782	721	642	12
Female	2,397	1	2	–	4	14	28	104	270	523	650	799	2
Active rheumatic fever and chronic rheumatic heart disease—390-398	61	–	–	–	1	11	14	10	9	6	7	3	–
Male	27	–	–	–	1	4	8	3	2	4	4	1	–
Female	34	–	–	–	–	7	6	7	7	2	3	2	–
Hypertensive heart disease—402	365	1	–	–	1	2	10	33	65	87	76	89	1
Male	192	1	–	–	1	2	7	17	31	49	33	50	1
Female	173	–	–	–	–	–	3	16	34	38	43	39	–
Hypertensive heart and renal disease—404	6	–	–	–	–	–	1	–	1	–	2	2	–
Male	3	–	–	–	–	–	1	–	1	–	1	–	–
Female	3	–	–	–	–	–	–	–	–	–	1	2	–
Ischemic heart disease—410-413	4,156	–	–	–	3	15	63	241	581	1,030	1,100	1,113	10
Male	2,326	–	–	–	1	13	48	175	396	617	576	492	8
Female	1,830	–	–	–	2	2	15	66	185	413	524	621	2
Acute myocardial infarction—410	2,170	–	–	–	–	9	47	195	393	635	506	380	5
Male	1,325	–	–	–	–	8	36	146	280	403	272	176	4
Female	845	–	–	–	–	1	11	49	113	232	234	204	1
Other acute and subacute forms of ischemic heart disease—411	31	–	–	–	1	–	3	2	6	6	9	4	–
Male	15	–	–	–	–	–	1	2	3	4	2	3	–
Female	16	–	–	–	1	–	2	–	3	2	7	1	–
Chronic ischemic heart disease—412	1,950	–	–	–	2	6	13	44	182	389	583	726	5
Male	985	–	–	–	1	5	11	27	113	210	302	312	4
Female	965	–	–	–	1	1	2	17	69	179	281	414	1
Angina pectoris—413	5	–	–	–	–	–	–	–	–	–	2	3	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	4	–	–	–	–	–	–	–	–	–	2	2	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	229	–	1	–	3	7	3	13	34	51	47	68	2
Male	127	–	–	–	3	4	2	8	20	34	29	25	2
Female	102	–	1	–	–	3	1	5	14	17	18	43	–
All other forms of heart disease—420-423,425-427,429	572	5	3	5	6	13	13	31	59	131	139	166	1
Male	317	4	2	5	4	11	10	21	29	78	78	74	1
Female	255	1	1	–	2	2	3	10	30	53	61	92	–
Hypertension—400,401,403	64	–	–	1	–	2	1	5	9	12	18	16	–
Male	34	–	–	1	–	1	1	3	4	8	9	7	–
Female	30	–	–	–	–	1	–	2	5	4	9	9	–
Cerebrovascular diseases—430-438	1,668	3	–	4	5	19	33	75	186	327	467	547	2
Male	831	3	–	2	4	11	17	41	112	182	223	236	–
Female	837	–	–	2	1	8	16	34	74	145	244	311	2
Cerebral hemorrhage—431	403	1	–	1	2	9	17	33	70	87	88	95	–
Male	219	1	–	1	2	4	10	18	44	49	41	49	–
Female	184	–	–	–	–	5	7	15	26	38	47	46	–
Cerebral thrombosis—433	355	–	–	–	1	–	4	12	35	72	116	114	1
Male	176	–	–	–	1	–	–	8	19	39	53	56	–
Female	179	–	–	–	–	–	4	4	16	33	63	58	1
Cerebral embolism—434	13	–	–	–	–	–	1	–	3	4	4	1	–
Male	6	–	–	–	–	–	1	–	1	1	3	–	–
Female	7	–	–	–	–	–	–	–	2	3	1	1	–
All other cerebrovascular diseases—430,432,435-438	897	2	–	3	2	10	11	30	78	164	259	337	1
Male	430	2	–	1	1	7	6	15	48	93	126	131	–
Female	467	–	–	2	1	3	5	15	30	71	133	206	1
Arteriosclerosis—440	469	–	–	–	–	–	2	3	17	63	118	266	–
Male	201	–	–	–	–	–	1	2	10	33	50	105	–
Female	268	–	–	–	–	–	1	1	7	30	68	161	–
Other diseases of arteries, arterioles, and capillaries—441-448	208	3	–	1	2	–	7	8	29	53	49	56	–
Male	130	2	–	1	1	–	5	6	22	30	33	30	–
Female	78	1	–	–	1	–	2	2	7	23	16	26	–
Acute bronchitis and bronchiolitis—466	6	–	–	–	–	–	–	1	–	1	1	3	–
Male	2	–	–	–	–	–	–	–	–	1	–	1	–
Female	4	–	–	–	–	–	–	1	–	–	1	2	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia—470-474,480-486	1,287	132	24	24	27	32	31	50	128	175	267	387	10
Male	689	74	11	12	19	23	14	29	82	97	148	172	8
Female	598	58	13	12	8	9	17	21	46	78	119	215	2
Influenza—470-474	101	–	1	–	1	2	2	1	11	10	31	42	–
Male	42	–	–	–	–	1	–	1	2	4	16	18	–
Female	59	–	1	–	1	1	2	–	9	6	15	24	–
Pneumonia—480-486	1,186	132	23	24	26	30	29	49	117	165	236	345	10
Male	647	74	11	12	19	22	14	28	80	93	132	154	8
Female	539	58	12	12	7	8	15	21	37	72	104	191	2
Bronchitis, emphysema, and asthma—490-493	310	2	5	1	1	3	13	22	49	57	82	75	–
Male	158	2	3	–	–	1	5	10	31	25	43	38	–
Female	152	–	2	1	1	2	8	12	18	32	39	37	–
Chronic and unqualified bronchitis—490,491	68	2	2	–	–	–	3	2	8	14	17	20	–
Male	37	2	–	–	–	–	1	1	6	5	12	10	–
Female	31	–	2	–	–	–	2	1	2	9	5	10	–
Emphysema—492	139	–	–	–	–	–	2	7	20	26	50	34	–
Male	74	–	–	–	–	–	2	3	14	13	28	16	–
Female	65	–	–	–	–	–	–	4	6	13	24	18	–
Asthma—493	103	–	3	1	1	3	8	13	21	17	15	21	–
Male	47	–	3	–	–	1	2	6	11	7	5	12	–
Female	56	–	–	1	1	2	6	7	10	10	10	9	–
Peptic ulcer—531-533	69	–	1	–	–	2	3	7	9	23	12	12	–
Male	47	–	–	–	–	2	2	3	7	18	7	8	–
Female	22	–	1	–	–	–	1	4	2	5	5	4	–
Appendicitis—540-543	16	–	1	1	1	1	4	–	1	5	1	1	–
Male	9	–	1	1	–	1	3	–	–	2	1	–	–
Female	7	–	–	–	1	–	1	–	1	3	–	1	–
Hernia and intestinal obstruction—550-553,560	72	12	3	–	–	2	3	2	8	16	12	14	–
Male	37	7	2	–	–	1	2	2	5	8	6	4	–
Female	35	5	1	–	–	1	1	–	3	8	6	10	–
Cirrhosis of liver—571	688	1	–	–	1	30	76	149	202	130	67	22	10
Male	546	–	–	–	1	21	65	133	160	94	47	15	10
Female	142	1	–	–	–	9	11	16	42	36	20	7	–
Cholelithiasis, cholecystitis and cholangitis—574,575	16	–	–	–	–	–	1	3	2	2	6	2	–
Male	6	–	–	–	–	–	–	2	–	–	3	1	–
Female	10	–	–	–	–	–	1	1	2	2	3	1	–
Nephritis and nephrosis—580-584	112	–	1	1	4	11	9	10	19	25	13	19	–
Male	64	–	1	–	2	7	6	5	14	13	5	11	–
Female	48	–	–	1	2	4	3	5	5	12	8	8	–
Acute nephritis and nephrotic syndrome—580,581	22	–	–	–	1	–	4	1	3	5	4	4	–
Male	14	–	–	–	1	–	3	–	2	3	1	4	–
Female	8	–	–	–	–	–	1	1	1	2	3	–	–
Chronic and unqualified nephritis and renal sclerosis—582-584	90	–	1	1	3	11	5	9	16	20	9	15	–
Male	50	–	1	–	1	7	3	5	12	10	4	7	–
Female	40	–	–	1	2	4	2	4	4	10	5	8	–
Infections of kidney—590	34	–	–	1	–	1	1	2	5	7	7	10	–
Male	16	–	–	1	–	–	–	2	3	2	4	4	–
Female	18	–	–	–	–	1	1	–	2	5	3	6	–
Hyperplasia of prostate—600	14	–	–	–	–	–	–	–	1	2	2	9	–
Male	14	–	–	–	–	–	–	–	1	2	2	9	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium—630-678	10	–	–	–	3	7	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	10	–	–	–	3	7	–	–	–	–	–	–	–
Abortions—640-645	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	10	–	–	–	3	7	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	10	–	–	–	3	7	–	–	–	–	–	–	–
Congenital anomalies—740-759	260	209	21	11	1	5	4	1	2	2	3	1	–
Male	130	100	14	7	–	4	3	–	–	–	2	–	–
Female	130	109	7	4	1	1	1	1	2	2	1	1	–
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	781	781	–	–	–	–	–	–	–	–	–	–	–
Male	472	472	–	–	–	–	–	–	–	–	–	–	–
Female	309	309	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	487	487	–	–	–	–	–	–	–	–	–	–	–
Male	302	302	–	–	–	–	–	–	–	–	–	–	–
Female	185	185	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy—Remainder of 760-778	294	294	–	–	–	–	–	–	–	–	–	–	–
Male	170	170	–	–	–	–	–	–	–	–	–	–	–
Female	124	124	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions—780-796	419	38	7	4	8	17	10	21	20	51	74	161	8
Male	222	18	3	–	5	12	7	14	8	33	39	75	8
Female	197	20	4	4	3	5	3	7	12	18	35	86	–

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All other diseases — Residual	1,390	57	20	32	62	83	94	151	197	244	228	219	3
Male	830	34	9	16	39	57	58	86	136	149	134	109	3
Female	560	23	11	16	23	26	36	65	61	95	94	110	–
Accidents — E800-E949	1,036	24	35	91	195	136	121	118	98	82	72	59	5
Male	810	13	20	71	167	115	105	96	89	57	48	25	4
Female	226	11	15	20	28	21	16	22	9	25	24	34	1
Motor vehicle accidents — E810-E823	459	1	17	38	95	70	55	61	57	36	19	5	5
Male	366	1	10	27	78	59	47	49	52	22	13	4	4
Female	93	–	7	11	17	11	8	12	5	14	6	1	1
All other accidents — E800-E807,E825-E949	577	23	18	53	100	66	66	57	41	46	53	54	–
Male	444	12	10	44	89	56	58	47	37	35	35	21	–
Female	133	11	8	9	11	10	8	10	4	11	18	33	–
Suicide — E950-E959	224	–	–	2	41	49	41	30	26	24	8	3	–
Male	186	–	–	2	36	38	35	25	19	20	8	3	–
Female	38	–	–	–	5	11	6	5	7	4	–	–	–
Homicide — E960-E978	374	1	–	2	119	109	63	35	26	14	2	–	3
Male	342	–	–	1	111	98	60	32	25	12	2	–	1
Female	32	1	–	1	8	11	3	3	1	2	–	–	2
Other external causes — E980-E999	121	–	4	6	22	24	19	15	10	7	2	1	11
Male	104	–	3	5	17	19	16	13	10	7	2	1	11
Female	17	–	1	1	5	5	3	2	–	–	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1976

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	447	68	4	5	12	17	40	42	60	74	69	56	–
White — Male	39	5	–	–	–	2	5	4	7	10	5	1	–
White — Female	32	3	–	–	–	1	2	5	8	6	5	2	–
All other — Male	200	34	1	2	7	9	22	20	29	33	26	17	–
All other — Female	176	26	3	3	5	5	11	13	16	25	33	36	–
Bacillary dysentery and amebiasis — 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases — 008,009	3	1	–	–	–	–	1	–	–	–	–	1	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other — Female	2	–	–	–	–	–	1	–	–	–	–	1	–
Tuberculosis, all forms — 010-019	3	–	–	–	–	–	1	–	1	1	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other — Male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other — Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of respiratory system — 010-012	3	–	–	–	–	–	1	–	1	1	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other — Male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other — Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis, other forms — 013-019	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough — 033	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever — 034	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections — 036	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia — 038	3	–	–	–	–	–	–	1	–	2	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other — Female	2	–	–	–	–	–	–	1	–	1	–	–	–
Acute poliomyelitis — 040-043	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles — 055	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae — 090-097	1	–	–	–	–	–	–	–	1	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases — Remainder of 000-136	3	–	–	–	–	–	1	–	1	–	1	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other — Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues — 140-209	53	–	1	–	1	2	3	7	17	10	10	2	–
White — Male	7	–	–	–	–	–	–	1	3	2	1	–	–
White — Female	5	–	–	–	–	–	–	1	3	1	–	–	–
All other — Male	25	–	–	–	1	–	1	1	8	6	7	1	–
All other — Female	16	–	1	–	–	2	2	4	3	1	2	1	–
Malignant neoplasms of buccal cavity and pharynx — 140-149	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum — 150-159	20	–	–	–	1	–	–	2	8	5	4	–	–
White — Male	1	–	–	–	–	–	–	–	1	–	–	–	–
White — Female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other — Male	12	–	–	–	1	–	–	–	4	4	3	–	–
All other — Female	6	–	–	–	–	–	–	1	3	1	1	–	–

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Malignant neoplasms—Con.													
Malignant neoplasms of respiratory system 160-163	9	–	–	–	–	–	–	1	4	3	1	–	–
White—Male	3	–	–	–	–	–	–	1	–	1	1	–	–
White—Female	2	–	–	–	–	–	–	–	1	1	–	–	–
All other—Male	4	–	–	–	–	–	–	–	3	1	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast 174	4	–	–	–	–	–	1	2	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	3	–	–	–	–	–	1	2	–	–	–	–	–
Malignant neoplasms of genital organs 180-187	8	–	–	–	–	1	2	2	–	–	2	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	5	–	–	–	–	–	1	1	–	–	2	1	–
All other—Female	3	–	–	–	–	1	1	1	–	–	–	–	–
Malignant neoplasms of urinary organs 188,189	3	–	–	–	–	–	–	–	–	2	1	–	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of all other and unspecified sites 170-173,190-199	7	–	–	–	–	1	–	–	3	–	2	1	–
White—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
White—Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Male	3	–	–	–	–	–	–	–	1	–	2	–	–
All other—Female	2	–	–	–	–	1	–	–	–	–	–	1	–
Leukemia 204-207	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other neoplasms of lymphatic and hematopoietic tissues 200-203,208,209	2	–	1	–	–	–	–	–	1	–	–	–	–
White—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	1	–	1	–	–	–	–	–	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature 210-239	1	–	–	–	–	–	–	–	–	1	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus 250	11	–	–	–	–	–	1	1	2	2	4	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	6	–	–	–	–	–	1	–	2	1	1	1	–
All other—Female	5	–	–	–	–	–	–	1	–	1	3	–	–
Avitaminoses and other nutritional deficiencies 260-269	2	–	–	1	1	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	2	–	–	1	1	–	–	–	–	–	–	–	–
Anemias 280-285	3	1	–	–	–	–	–	–	–	1	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Female	2	1	–	–	–	–	–	–	–	–	–	1	–
Meningitis 320	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases 390-448	178	–	–	–	1	2	8	10	23	46	45	43	–
White—Male	13	–	–	–	–	–	1	1	2	5	3	1	–
White—Female	11	–	–	–	–	–	–	1	2	2	4	2	–
All other—Male	67	–	–	–	–	2	5	4	9	19	16	12	–
All other—Female	87	–	–	–	1	–	2	4	10	20	22	28	–
Diseases of heart 390-398,402,404,410-429	137	–	–	–	1	1	7	6	19	34	37	32	–
White—Male	11	–	–	–	–	–	1	1	2	3	3	1	–
White—Female	9	–	–	–	–	–	–	–	2	2	3	2	–
All other—Male	48	–	–	–	–	1	5	3	5	12	13	9	–
All other—Female	69	–	–	–	1	–	1	2	10	17	18	20	–
Active rheumatic fever and chronic rheumatic heart disease 390-398	3	–	–	–	–	–	2	–	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other—Female	2	–	–	–	–	–	1	–	1	–	–	–	–
Hypertensive heart disease 402	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Major cardiovascular diseases—Con.													
Diseases of heart—Con.													
Hypertensive heart and renal disease—404	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease—410-413	130	–	–	–	–	1	3	6	18	33	37	32	–
White—Male	11	–	–	–	–	–	1	1	2	3	3	1	–
Female	9	–	–	–	–	–	–	–	2	2	3	2	–
All other—Male	44	–	–	–	–	1	2	3	5	11	13	9	–
Female	66	–	–	–	–	–	–	2	9	17	18	20	–
Acute myocardial infarction—410	36	–	–	–	–	1	3	4	7	8	12	1	–
White—Male	6	–	–	–	–	–	1	1	–	2	2	–	–
Female	3	–	–	–	–	–	–	–	2	–	1	–	–
All other—Male	16	–	–	–	–	1	2	2	2	2	7	–	–
Female	11	–	–	–	–	–	–	1	3	4	2	1	–
Other acute and subacute forms of ischemic heart disease—411	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic ischemic heart disease—412	94	–	–	–	–	–	–	2	11	25	25	31	–
White—Male	5	–	–	–	–	–	–	–	2	1	1	1	–
Female	6	–	–	–	–	–	–	–	–	2	2	2	–
All other—Male	28	–	–	–	–	–	–	1	3	9	6	9	–
Female	55	–	–	–	–	–	–	1	6	13	16	19	–
Angina pectoris—413	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease—420-423,425-427,429	4	–	–	–	1	–	2	–	–	1	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	–	–	–	–	–	2	–	–	1	–	–	–
Female	1	–	–	–	1	–	–	–	–	–	–	–	–
Hypertension—400,401,403	3	–	–	–	–	–	–	2	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	–	–	–	–	1	1	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Cerebrovascular diseases—430-438	30	–	–	–	–	1	1	2	3	10	8	5	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	2	–	–	–	–	–	–	1	–	–	1	–	–
All other—Male	15	–	–	–	–	1	–	–	3	6	3	2	–
Female	12	–	–	–	–	–	1	1	–	3	4	3	–
Cerebral hemorrhage—431	5	–	–	–	–	–	1	–	–	4	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	–	–	–	–	–	–	2	–	–	–
Female	3	–	–	–	–	–	1	–	–	2	–	–	–
Cerebral thrombosis—433	3	–	–	–	–	–	–	–	1	2	–	–	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism—434	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other cerebrovascular diseases—430,432,435-438	22	–	–	–	–	1	–	2	2	4	8	5	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	1	–	–	1	–	–
All other—Male	11	–	–	–	–	1	–	–	2	3	3	2	–
Female	9	–	–	–	–	–	–	1	–	1	4	3	–
Arteriosclerosis—440	6	–	–	–	–	–	–	–	–	1	–	5	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	4	–	–	–	–	–	–	–	–	–	–	4	–
Other diseases of arteries, arterioles, and capillaries—441-448	2	–	–	–	–	–	–	–	–	1	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Acute bronchitis and bronchiolitis 466	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza and pneumonia 470-474,480-486	14	1	–	–	–	1	1	1	2	1	5	2	–
White—Male	2	–	–	–	–	1	–	1	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	6	1	–	–	–	–	–	–	2	1	2	–	–
All other—Female	6	–	–	–	–	–	1	–	–	–	3	2	–
Influenza 470-474	4	–	–	–	–	–	–	–	1	–	2	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Female	3	–	–	–	–	–	–	–	–	–	2	1	–
Pneumonia 480-486	10	1	–	–	–	1	1	1	1	1	3	1	–
White—Male	2	–	–	–	–	1	–	1	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	5	1	–	–	–	–	–	–	1	1	2	–	–
All other—Female	3	–	–	–	–	–	1	–	–	–	1	1	–
Bronchitis, emphysema, and asthma 490-493	4	1	–	–	–	1	–	1	–	–	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other—Female	2	1	–	–	–	1	–	–	–	–	–	–	–
Chronic and unqualified bronchitis 490,491	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema 492	3	1	–	–	–	–	–	1	–	–	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other—Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Asthma 493	1	–	–	–	–	1	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Peptic ulcer 531-533	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis 540-543	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia and intestinal obstruction 550-553,560	3	–	–	–	–	–	–	1	–	–	1	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other—Female	2	–	–	–	–	–	–	1	–	–	1	–	–
Cirrhosis of liver 571	21	–	1	–	–	1	3	11	4	1	–	–	–
White—Male	3	–	–	–	–	–	1	1	–	1	–	–	–
White—Female	2	–	–	–	–	–	1	1	–	–	–	–	–
All other—Male	10	–	–	–	–	1	–	7	2	–	–	–	–
All other—Female	6	–	1	–	–	–	1	2	2	–	–	–	–
Cholelithiasis, cholecystitis and cholangitis 574,575	2	–	–	–	–	–	1	1	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	–	–	–	1	1	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and nephrosis 580-584	3	–	–	–	–	–	1	2	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	–	–	–	–	–	1	2	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis and nephrotic syndrome 580,581	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic and unqualified nephritis and renal sclerosis 582-584	3	–	–	–	–	–	1	2	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	–	–	–	–	–	1	2	–	–	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney 590	1	–	–	–	–	–	–	–	–	1	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1976—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hyperplasia of prostate—600	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium—630-678	1	–	–	–	–	1	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Abortions—640-645	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	1	–	–	–	–	1	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Congenital anomalies—740-759	9	8	–	–	–	–	–	–	1	–	–	–	–
White—Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	5	4	–	–	–	–	–	–	1	–	–	–	–
Female	3	3	–	–	–	–	–	–	–	–	–	–	–
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	49	49	–	–	–	–	–	–	–	–	–	–	–
White—Male	4	4	–	–	–	–	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other—Male	26	26	–	–	–	–	–	–	–	–	–	–	–
Female	17	17	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	17	17	–	–	–	–	–	–	–	–	–	–	–
White—Male	2	2	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other—Male	8	8	–	–	–	–	–	–	–	–	–	–	–
Female	6	6	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy—Remainder of 760-778	32	32	–	–	–	–	–	–	–	–	–	–	–
White—Male	2	2	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other—Male	18	18	–	–	–	–	–	–	–	–	–	–	–
Female	11	11	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions—780-796	6	3	–	–	–	–	1	–	2	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	2	–	–	–	–
All other—Male	2	1	–	–	–	–	1	–	–	–	–	–	–
Female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other diseases—Residual	19	2	–	1	–	–	5	2	2	4	1	2	–
White—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Male	10	1	–	–	–	–	3	2	1	2	–	1	–
Female	7	1	–	1	–	–	2	–	1	1	1	1	–
Accidents—E800-E949	37	2	2	3	8	6	5	2	2	3	2	2	–
White—Male	3	–	–	–	–	1	–	–	–	1	1	–	–
Female	5	1	–	–	–	1	–	–	–	2	1	–	–
All other—Male	20	–	1	2	6	4	3	2	2	–	–	–	–
Female	9	1	1	1	2	–	2	–	–	–	–	2	–
Motor vehicle accidents—E810-E823	8	–	1	1	3	–	2	1	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	4	–	–	1	2	–	–	1	–	–	–	–	–
Female	4	–	1	–	1	–	2	–	–	–	–	–	–
All other accidents—E800-E807,E825-E949	29	2	1	2	5	6	3	1	2	3	2	2	–
White—Male	3	–	–	–	–	1	–	–	–	1	1	–	–
Female	5	1	–	–	–	1	–	–	–	2	1	–	–
All other—Male	16	–	1	1	4	4	3	1	2	–	–	–	–
Female	5	1	–	1	1	–	–	–	–	–	–	2	–
Suicide—E950-E959	4	–	–	–	–	–	2	1	1	–	–	–	–
White—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	–	–	–	–	–	1	1	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Homicide—E960-E978	13	–	–	–	1	3	6	1	1	1	–	–	–
White—Male	4	–	–	–	–	–	2	–	1	1	–	–	–
Female	2	–	–	–	–	–	1	1	–	–	–	–	–
All other—Male	5	–	–	–	–	2	3	–	–	–	–	–	–
Female	2	–	–	–	1	1	–	–	–	–	–	–	–
Other external causes—E980-E999	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–6. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1976

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal or occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Guam	25	4	3	–	–	–	–	–	5	–	13
Male	24	4	3	–	–	–	–	–	4	–	13
Female	1	–	–	–	–	–	–	–	1	–	–
Puerto Rico	459	80	45	5	–	–	–	4	175	–	150
Male	366	77	31	5	–	–	–	3	129	–	121
Female	93	3	14	–	–	–	–	1	46	–	29
Virgin Islands	8	–	–	–	–	–	–	–	–	–	8
White — Male	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–
All other — Male	4	–	–	–	–	–	–	–	–	–	4
Female	4	–	–	–	–	–	–	–	–	–	4

Table 8–7. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1976

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after place of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (0)	Farm[2] (1)	Mine and quarry (2)	Industrial place (3)	Place for recreation or sport (4)	Street and highway (5)	Public building (6)	Resident institution (7)	Other specified places (8)	Place not specified (9)
Guam	20	4	–	–	–	1	2	4	–	8	1
Male	18	4	–	–	–	1	2	2	–	8	1
Female	2	–	–	–	–	–	–	2	–	–	–
Puerto Rico	541	101	2	–	10	3	19	14	4	109	279
Male	418	65	2	–	10	2	17	14	–	103	205
Female	123	36	–	–	–	1	2	–	4	6	74
Virgin Islands	25	5	–	–	–	1	–	–	–	4	15
White — Male	3	1	–	–	–	–	–	–	–	1	1
Female	2	1	–	–	–	–	–	–	–	–	1
All other — Male	15	2	–	–	–	1	–	–	–	3	9
Female	5	1	–	–	–	–	–	–	–	–	4

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 8–8. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1976

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	19,385	19,286	1,437	1,133	978
Adjuntas	59	116	12	10	3
Aguada	109	170	11	9	10
Aguadilla	244	350	31	20	19
Aguas Buenas	62	117	15	13	7
Aibonito	119	128	10	8	4
Añasco	66	151	14	6	4
Arecibo	1,195	663	24	20	31
Arroyo	100	133	9	7	9
Barceloneta	110	200	12	10	11
Barranquitas	61	104	12	7	9
Bayamón	1,066	976	86	66	34
Cabo Rojo	138	221	5	5	4
Caguas	880	656	60	54	38
Camuy	83	164	10	6	13
Carolina	289	613	36	30	33
Cataño	94	202	12	8	11
Cayey	190	256	21	14	8
Ceiba	41	73	11	10	3
Ciales	51	93	6	4	7
Cidra	68	141	21	17	12
Coamo	116	192	9	6	16
Comerío	70	109	6	4	10
Corozal	73	161	13	13	8
Culebra	3	8	1	1	1
Dorado	72	117	12	10	6
Fajardo	459	184	18	13	13
Guánica	65	119	12	10	7
Guayama	255	317	19	14	20
Guayanilla	53	110	11	9	10
Guaynabo	148	359	25	20	12
Gurabo	63	131	14	13	7
Hatillo	78	167	5	5	12
Hormigueros	44	85	8	7	–
Humacao	377	284	21	18	13
Isabela	137	223	9	8	9
Jayuya	56	101	11	9	8
Juana Díaz	95	236	24	18	26
Juncos	92	187	19	16	3
Lajas	59	126	10	10	9
Lares	146	202	11	8	11
Las Marías	31	52	2	2	–
Las Piedras	72	129	7	6	11
Loíza	109	229	23	18	17
Luquillo	36	74	6	4	4
Manatí	124	226	11	10	17
Maricao	25	51	6	3	3
Maunabo	43	63	4	2	4
Mayaguez	1,430	724	35	29	20
Moca	77	160	13	11	4
Morovis	66	109	8	6	6
Naguabo	80	157	15	11	8
Naranjito	72	117	16	10	5
Orocovis	67	113	11	9	6
Patillas	52	111	14	10	9
Peñuelas	57	124	13	11	7
Ponce	2,204	1,263	115	92	70
Quebradillas	69	117	3	2	7
Rincon	49	87	4	4	4
Río Grande	79	165	10	6	16
Sabana Grande	53	119	8	7	4
Salinas	109	189	24	16	8
San Germán	283	213	8	5	8
San Juan	5,458	3,447	224	182	103
San Lorenzo	116	193	13	9	16
San Sebastián	147	240	12	8	6
Santa Isabel	68	129	18	16	10
Toa Alta	61	117	13	10	6
Toa Baja	107	244	24	21	20
Trujillo Alto	70	172	20	17	11
Utuado	143	220	12	10	20
Vega Alta	70	135	7	5	9
Vega Baja	147	249	18	14	17
Vieques	51	61	4	3	4
Villalba	58	110	15	10	16
Yabucoa	104	189	9	8	17
Yauco	112	243	16	10	14

Table 8–9. Total, Infant, and Neonatal Deaths for Virgin Islands and Specified Urban Place and Guam; and by Color for Virgin Islands and Specified Urban Place: 1976

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1970]

Area and color	Total deaths by place of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Virgin Islands	513	447	68	59
White	121	71	8	7
All other	392	376	60	52
St. Croix Island	249	242	34	27
White	42	37	2	2
All other	207	205	32	25
St. John and St. Thomas Islands	264	205	34	32
White	79	34	6	5
All other	185	171	28	27
Charlotte Amalie (St. Thomas Island)	—	144	33	32
White	—	14	5	5
All other	—	130	28	27
Balance of area	—	52	1	–
White	—	20	1	–
All other	—	32	–	–
Guam	457	446	55	39

Table 8–10. Deaths Under 1 Year and Under 28 Days, by Month, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1976

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GUAM													
Under 1 year	55	6	4	3	5	7	5	7	4	6	3	3	2
Under 28 days	39	5	3	2	3	5	4	6	1	3	2	3	2
PUERTO RICO													
Under 1 year	1,437	124	112	117	113	134	119	138	114	121	125	120	100
Under 28 days	1,133	91	81	88	89	114	99	117	99	95	100	92	68
VIRGIN ISLANDS													
Under 1 year	68	5	3	8	8	1	8	9	4	7	8	4	3
White	8	–	1	–	1	–	–	3	–	3	–	–	–
All other	60	5	2	8	7	1	8	6	4	4	8	4	3
Under 28 days	59	4	3	6	7	1	8	8	3	7	6	3	3
White	7	–	1	–	–	–	–	3	–	3	–	–	–
All other	52	4	2	6	7	1	8	5	3	4	6	3	3

Table 8–11. Deaths Under 1 Year, by Age and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1976

Area	Guam			Puerto Rico			Virgin Islands								
							Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	55	30	25	1,437	817	620	68	39	29	8	5	3	60	34	26
Under 28 days	39	22	17	1,133	650	483	59	36	23	7	5	2	52	31	21
Under 7 days	37	20	17	967	564	403	53	31	22	7	5	2	46	26	20
Under 1 hour	6	4	2	140	69	71	6	2	4	2	1	1	4	1	3
1-23 hours	22	11	11	375	227	148	19	12	7	2	2	–	17	10	7
1 day	2	1	1	167	97	70	10	7	3	2	2	–	8	5	3
2 days	6	3	3	120	78	42	9	4	5	–	–	–	9	4	5
3 days	1	1	–	65	35	30	5	4	1	–	–	–	5	4	1
4 days	–	–	–	40	18	22	2	–	2	1	–	1	1	–	1
5 days	–	–	–	35	22	13	1	1	–	–	–	–	1	1	–
6 days	–	–	–	25	18	7	1	1	–	–	–	–	1	1	–
7-13 days	–	–	–	87	46	41	3	2	1	–	–	–	3	2	1
14-20 days	1	1	–	51	28	23	2	2	–	–	–	–	2	2	–
21-27 days	1	1	–	28	12	16	1	1	–	–	–	–	1	1	–
28-59 days (1 month)	2	–	2	115	61	54	2	1	1	–	–	–	2	1	1
2 months	5	2	3	51	26	25	2	1	1	–	–	–	2	1	1
3 months	4	2	2	31	21	10	1	–	1	–	–	–	1	–	1
4 months	–	–	–	18	10	8	1	–	1	–	–	–	1	–	1
5 months	2	1	1	17	11	6	–	–	–	–	–	–	–	–	–
6 months	1	1	–	10	3	7	–	–	–	–	–	–	–	–	–
7 months	1	1	–	16	6	10	2	–	2	1	–	1	1	–	1
8 months	–	–	–	13	8	5	–	–	–	–	–	–	–	–	–
9 months	1	1	–	8	4	4	–	–	–	–	–	–	–	–	–
10 months	–	–	–	15	10	5	1	1	–	–	–	–	1	1	–
11 months	–	–	–	10	7	3	–	–	–	–	–	–	–	–	–

Table 8–12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1976

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Guam			Puerto Rico			Virgin Islands				
	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days		28 days to 11 months	
								White	All other	White	All other
All causes	55	39	16	1,437	1,133	304	68	7	52	1	8
Diarrheal diseases 009	2	–	2	42	11	31	1	–	1	–	–
Whooping cough 033	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections 036	–	–	–	2	1	1	–	–	–	–	–
Tetanus 037	–	–	–	–	–	–	–	–	–	–	–
Septicemia 038	1	1	–	75	46	29	–	–	–	–	–
Viral diseases 040-079	–	–	–	1	–	1	–	–	–	–	–
Congenital syphilis 090	–	–	–	1	–	1	–	–	–	–	–
Other infective and parasitic diseases Remainder of 000-136	–	–	–	11	3	8	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-209	–	–	–	1	–	1	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature 210-239	–	–	–	2	–	2	–	–	–	–	–
Diseases of thymus gland 254	–	–	–	4	–	4	–	–	–	–	–
Cystic fibrosis 273.0	–	–	–	1	1	–	–	–	–	–	–
Diseases of the blood and blood-forming organs 280-289	–	–	–	5	1	4	1	–	–	–	1
Meningitis 320	1	–	1	26	9	17	–	–	–	–	–
Other diseases of nervous system and sense organs 321-389	2	–	2	12	1	11	1	–	–	–	1
Acute upper respiratory infections 460-465	–	–	–	–	–	–	–	–	–	–	–
Bronchitis and bronchiolitis 466,490,491	–	–	–	2	2	–	–	–	–	–	–
Influenza and pneumonia 470-474,480-486	5	2	3	132	74	58	1	–	–	–	1
Influenza 470-474	–	–	–	–	–	–	–	–	–	–	–
Pneumonia 480-486	5	2	3	132	74	58	1	–	–	–	1
Other chronic interstitial pneumonia 517	–	–	–	–	–	–	–	–	–	–	–
All other diseases of respiratory system 492,493,500-516,518,519	–	–	–	10	4	6	1	–	–	–	1
Hernia and intestinal obstruction 550-553,560	–	–	–	12	9	3	–	–	–	–	–
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin 535,561,563	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system 520-534,536,537,540-543,562,564-577	–	–	–	18	8	10	1	–	–	–	1
Congenital anomalies 740-759	15	9	6	209	143	66	8	1	5	–	2
Anencephalus 740	2	2	–	18	18	–	1	–	1	–	–
Spina bifida 741	–	–	–	21	11	10	–	–	–	–	–
Congenital hydrocephalus 742	–	–	–	7	6	1	–	–	–	–	–
Other congenital anomalies of central nervous system and eye 743,744	1	–	1	4	3	1	–	–	–	–	–
Congenital anomalies of heart 746	6	2	4	74	41	33	3	–	2	–	1
Other congenital anomalies of circulatory system 747	1	1	–	11	8	3	1	–	1	–	–
Congenital anomalies of respiratory system 748	–	–	–	8	7	1	–	–	–	–	–
Congenital anomalies of digestive system 749-751	1	1	–	15	6	9	1	–	1	–	–
Congenital anomalies of genitourinary system 752,753	1	–	1	2	2	–	–	–	–	–	–
Congenital anomalies of musculoskeletal system 754-756	–	–	–	7	3	4	–	–	–	–	–
Down's disease 759.3	–	–	–	7	6	1	–	–	–	–	–
Other congenital syndromes affecting multiple systems 759.0-759.2,759.4-759.9	3	3	–	28	25	3	2	1	–	–	1
Other and unspecified congenital anomalies 745,757,758	–	–	–	7	7	–	–	–	–	–	–
Certain causes of mortality in early infancy 760-769.2,769.4-772,774-778	28	27	1	781	775	6	49	6	43	–	–
Chronic circulatory and genitourinary diseases in mother 760	–	–	–	–	–	–	–	–	–	–	–
Other maternal conditions unrelated to pregnancy 761	–	–	–	3	3	–	–	–	–	–	–
Syphilis 761.0	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus 761.1	–	–	–	2	2	–	–	–	–	–	–
Rubella 761.3	–	–	–	–	–	–	–	–	–	–	–
All other maternal conditions unrelated to pregnancy 761.2,761.4-761.7,761.9	–	–	–	1	1	–	–	–	–	–	–
Toxemia of pregnancy 762	–	–	–	2	2	–	–	–	–	–	–
Maternal antepartum and intrapartum infection 763	–	–	–	4	4	–	–	–	–	–	–
Difficult labor 764-768	–	–	–	12	11	1	3	–	3	–	–
With mention of birth injury (.0-.3)	–	–	–	5	5	–	1	–	1	–	–
Without mention of birth injury (.4,.9)	–	–	–	7	6	1	2	–	2	–	–
All other complications of pregnancy and childbirth 769.0-769.2,769.4,769.5,769.9	1	1	–	49	49	–	2	–	2	–	–
Conditions of placenta 770	–	–	–	14	14	–	–	–	–	–	–
Conditions of umbilical cord 771	–	–	–	3	3	–	2	–	2	–	–
Birth injury without mention of cause 772	3	3	–	99	99	–	–	–	–	–	–
Hemolytic disease of newborn 774,775	1	1	–	11	11	–	1	–	1	–	–
Hyaline membrane disease 776.1	6	6	–	160	158	2	1	–	1	–	–
Respiratory distress syndrome 776.2	4	3	1	94	93	1	3	–	3	–	–
Asphyxia of newborn, unspecified 776.9	9	9	–	104	104	–	9	3	6	–	–
All other anoxic and hypoxic conditions not elsewhere classifiable 776.0,776.3,776.4	2	2	–	18	18	–	1	–	1	–	–
Immaturity, unqualified 777	2	2	–	117	117	–	10	–	10	–	–
Postmaturity 778.1	–	–	–	–	–	–	–	–	–	–	–
Hemorrhagic disease of newborn 778.2	–	–	–	25	25	–	–	–	–	–	–
All other conditions of newborn 778.0,778.3,778.9	–	–	–	66	64	2	17	3	14	–	–
Symptoms and ill-defined conditions 780-796	1	–	1	38	28	10	3	–	3	–	–
Accidents E800-E949	–	–	–	24	–	24	2	–	–	1	1
Inhalation or ingestion of food or other object causing obstruction or suffocation E911,E912	–	–	–	14	–	14	–	–	–	–	–
Accidental mechanical suffocation E913	–	–	–	5	–	5	–	–	–	–	–
Other accidental causes E800-E910,E914-E949	–	–	–	5	–	5	2	–	–	1	1
Homicide E960-E978	–	–	–	1	–	1	–	–	–	–	–
All other causes Residual	–	–	–	27	17	10	–	–	–	–	–

☆ U.S. GOVERNMENT PRINTING OFFICE : 1979—O-300-421