



**Frequency Distribution for Alcohol Use Section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004**

Had at least 12 alcohol drinks/1 yr?				
ALD100	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	407	8.10	407	8.10
1 : Yes	3138	62.42	3545	70.52
2 : No	1481	29.46	5026	99.98
9 : Don't know	1	0.02	5027	100.00



Frequency Distribution for Alcohol Use section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004

Had at least 12 alcohol drinks/lifetime?				
ALQ110	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3545	70.52	3545	70.52
1 : Yes	758	15.08	4303	85.60
2 : No	721	14.34	5024	99.94
9 : Don't know	3	0.06	5027	100.00



Frequency Distribution for Alcohol Use section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004

How often drink alcohol over past 12 mos				
ALQ120Q	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	1131	22.50	1131	22.50
0 to 365	3894	77.46	5025	99.96
999 : Don't know	2	0.04	5027	100.00



Frequency Distribution for Alcohol Use section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004

# days drink alcohol per wk, mo, yr				
ALQ120U	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2048	40.74	2048	40.74
1 : Week	1231	24.49	3279	65.23
2 : Month	717	14.26	3996	79.49
3 : Year	1031	20.51	5027	100.00



Frequency Distribution for Alcohol Use section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004

Avg # alcoholic drinks/day -past 12 mos				
ALQ130	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2046	40.70	2046	40.70
1	1109	22.06	3155	62.76
2	815	16.21	3970	78.97
3	382	7.60	4352	86.57
4	207	4.12	4559	90.69
5	118	2.35	4677	93.04
6	152	3.02	4829	96.06
7	25	0.50	4854	96.56
8	43	0.86	4897	97.41
9	5	0.10	4902	97.51
10	35	0.70	4937	98.21
11	2	0.04	4939	98.25
12	55	1.09	4994	99.34
14	2	0.04	4996	99.38
15	8	0.16	5004	99.54
16	3	0.06	5007	99.60
18	3	0.06	5010	99.66
20	8	0.16	5018	99.82
24	3	0.06	5021	99.88
30	1	0.02	5022	99.90
44	1	0.02	5023	99.92
99 : Don't know	4	0.08	5027	100.00



Frequency Distribution for Alcohol Use section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004

#days have 5 or more drinks/past 12 mos				
ALQ140Q	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	2046	40.70	2046	40.70
0 to 365	2976	59.20	5022	99.90
999 : Don't know	5	0.10	5027	100.00



Frequency Distribution for Alcohol Use section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004

# days per week, month, year?				
ALQ140U	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3909	77.76	3909	77.76
1 : Week	229	4.56	4138	82.32
2 : Month	151	3.00	4289	85.32
3 : Year	738	14.68	5027	100.00



Frequency Distribution for Alcohol Use section of the MEC CAPI Questionnaire
(ALQ_B.XPT)
May 2004

Ever have 5 or more drinks every day?				
ALQ150	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	1131	22.50	1131	22.50
1 : Yes	614	12.21	1745	34.71
2 : No	3281	65.27	5026	99.98
9 : Don't know	1	0.02	5027	100.00