



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever been told you have asthma				
MCQ010	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	1	0.01	1	0.01
1 : Yes	1288	12.30	1289	12.31
2 : No	9172	87.60	10461	99.91
9 : Don't know	9	0.09	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

Age when first had asthma				
MCQ025	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9182	87.70	9182	87.70
1 to 87	1272	12.15	10454	99.85
99999 : Don't know	16	0.15	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Still have asthma				
MCQ035	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9182	87.70	9182	87.70
1 : Yes	793	7.57	9975	95.27
2 : No	474	4.53	10449	99.80
9 : Don't know	21	0.20	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Had asthma attack in past year				
MCQ040	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9677	92.43	9677	92.43
1 : Yes	436	4.16	10113	96.59
2 : No	355	3.39	10468	99.98
9 : Don't know	2	0.02	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

Emergency care visit for asthma/past yr				
MCQ050	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10034	95.84	10034	95.84
1 : Yes	153	1.46	10187	97.30
2 : No	282	2.69	10469	99.99
9 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Taking treatment for anemia/past 3 mos				
MCQ053	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	1	0.01	1	0.01
1 : Yes	261	2.49	262	2.50
2 : No	10203	97.45	10465	99.95
9 : Don't know	5	0.05	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Told have attention deficit disorder?				
MCQ060	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6338	60.53	6338	60.53
1 : Yes	276	2.64	6614	63.17
2 : No	3846	36.73	10460	99.90
9 : Don't know	10	0.10	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Doctor ever said you were overweight				
MCQ080	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5754	54.96	5754	54.96
1 : Yes	441	4.21	6195	59.17
2 : No	4269	40.77	10464	99.94
9 : Don't know	6	0.06	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you have learning disability				
MCQ083	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7562	72.23	7562	72.23
1 : Yes	312	2.98	7874	75.21
2 : No	2591	24.75	10465	99.95
9 : Don't know	5	0.05	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

Ever receive blood transfusion				
MCQ092	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	1330	12.70	1330	12.70
1 : Yes	770	7.35	2100	20.06
2 : No	8262	78.91	10362	98.97
9 : Don't know	108	1.03	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Year receive blood transfusion				
MCQ093	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9700	92.65	9700	92.65
1924 to 2002	750	7.16	10450	99.81
999999 : Don't know	20	0.19	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever tested for lead poisoning				
MCQ114	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9143	87.33	9143	87.33
1 : Yes	432	4.13	9575	91.45
2 : No	815	7.78	10390	99.24
7 : Refused	2	0.02	10392	99.26
9 : Don't know	78	0.74	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

How long since lead poisoning test				
MCQ117Q	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10038	95.87	10038	95.87
1	167	1.60	10205	97.47
2	70	0.67	10275	98.14
3	34	0.32	10309	98.46
4	31	0.30	10340	98.76
5	13	0.12	10353	98.88
6	57	0.54	10410	99.43
7	10	0.10	10420	99.52
8	12	0.11	10432	99.64
9	7	0.07	10439	99.70
10	3	0.03	10442	99.73
11	3	0.03	10445	99.76
12	4	0.04	10449	99.80
13	1	0.01	10450	99.81
15	1	0.01	10451	99.82
16	1	0.01	10452	99.83
18	4	0.04	10456	99.87
20	2	0.02	10458	99.89
30	1	0.01	10459	99.89
33	2	0.02	10461	99.91
99999 : Don't know	9	0.09	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Months or years				
MCQ117U	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10047	95.96	10047	95.96
1 : Months	220	2.10	10267	98.06
2 : Years	203	1.94	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Had hay fever in past year				
MCQ120A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5412	51.69	5412	51.69
1 : Yes	493	4.71	5905	56.40
2 : No	4541	43.37	10446	99.77
9 : Don't know	24	0.23	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Had 3 or more ear infections/past year				
MCQ120B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6636	63.38	6636	63.38
1 : Yes	284	2.71	6920	66.09
2 : No	3546	33.87	10466	99.96
9 : Don't know	4	0.04	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Had frequent/severe headaches/past yr				
MCQ120C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6338	60.53	6338	60.53
1 : Yes	831	7.94	7169	68.47
2 : No	3299	31.51	10468	99.98
9 : Don't know	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Stuttering/Stammering in past year				
MCQ120D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7562	72.23	7562	72.23
1 : Yes	142	1.36	7704	73.58
2 : No	2766	26.42	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Trouble seeing even with glass/contacts				
MCQ140	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	343	3.28	343	3.28
1 : Yes	1473	14.07	1816	17.34
2 : No	8641	82.53	10457	99.88
7 : Refused	1	0.01	10458	99.89
9 : Don't know	12	0.11	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Menstrual periods started yet?				
MCD147	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10079	96.27	10079	96.27
1 : Yes	44	0.42	10123	96.69
2 : No	346	3.30	10469	99.99
9 : Don't know	1	0.01	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

School days missed from injury/illness				
MCQ150G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6741	64.38	6741	64.38
1 : Enter number	3434	32.80	10175	97.18
2 : Did not go to school	289	2.76	10464	99.94
9 : Don't know	6	0.06	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

# school days missed from injury/illness				
MCQ150Q	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7036	67.20	7036	67.20
0	1110	10.60	8146	77.80
1	394	3.76	8540	81.57
2	489	4.67	9029	86.24
3	380	3.63	9409	89.87
4	203	1.94	9612	91.81
5	288	2.75	9900	94.56
6	108	1.03	10008	95.59
7	66	0.63	10074	96.22
8	50	0.48	10124	96.70
9	15	0.14	10139	96.84
10	109	1.04	10248	97.88
11	8	0.08	10256	97.96
12	36	0.34	10292	98.30
13	6	0.06	10298	98.36
14	24	0.23	10322	98.59
15	41	0.39	10363	98.98
16	1	0.01	10364	98.99
17	5	0.05	10369	99.04
18	6	0.06	10375	99.09
19	2	0.02	10377	99.11
20	30	0.29	10407	99.40
21	3	0.03	10410	99.43
22	2	0.02	10412	99.45
24	3	0.03	10415	99.47
25	7	0.07	10422	99.54
26	1	0.01	10423	99.55
28	1	0.01	10424	99.56
30	19	0.18	10443	99.74
35	3	0.03	10446	99.77
37	1	0.01	10447	99.78
38	1	0.01	10448	99.79
40	4	0.04	10452	99.83
45	4	0.04	10456	99.87
60	4	0.04	10460	99.90
70	1	0.01	10461	99.91
85	1	0.01	10462	99.92
99	1	0.01	10463	99.93



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

# school days missed from injury/illness				
MCQ150Q	Frequency	Percent	Cumulative Frequency	Cumulative Percent
120	2	0.02	10465	99.95
177	1	0.01	10466	99.96
210	1	0.01	10467	99.97
99999 : Don't know	3	0.03	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Doctor ever said you had arthritis				
MCQ160A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5059	48.32	5059	48.32
1 : Yes	1331	12.71	6390	61.03
2 : No	4074	38.91	10464	99.94
9 : Don't know	6	0.06	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told had congestive heart failure				
MCQ160B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	187	1.79	5247	50.11
2 : No	5200	49.67	10447	99.78
7 : Refused	1	0.01	10448	99.79
9 : Don't know	22	0.21	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had coronary heart disease				
MCQ160C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	240	2.29	5300	50.62
2 : No	5131	49.01	10431	99.63
7 : Refused	1	0.01	10432	99.64
9 : Don't know	38	0.36	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had angina/angina pectoris				
MCQ160D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	199	1.90	5259	50.23
2 : No	5180	49.47	10439	99.70
9 : Don't know	31	0.30	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had heart attack				
MCQ160E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	258	2.46	5318	50.79
2 : No	5141	49.10	10459	99.89
9 : Don't know	11	0.11	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had a stroke				
MCQ160F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	204	1.95	5264	50.28
2 : No	5197	49.64	10461	99.91
9 : Don't know	9	0.09	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had emphysema				
MCQ160G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	96	0.92	5156	49.25
2 : No	5307	50.69	10463	99.93
9 : Don't know	7	0.07	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Doctor said you were overweight				
MCQ160J	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	1488	14.21	6548	62.54
2 : No	3919	37.43	10467	99.97
9 : Don't know	3	0.03	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had chronic bronchitis				
MCQ160K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	291	2.78	5351	51.11
2 : No	5103	48.74	10454	99.85
9 : Don't know	16	0.15	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had any liver condition				
MCQ160L	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	158	1.51	5218	49.84
2 : No	5241	50.06	10459	99.89
9 : Don't know	11	0.11	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had a thyroid problem				
MCD160M	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	434	4.15	5494	52.47
2 : No	4963	47.40	10457	99.88
9 : Don't know	13	0.12	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Do you still have chronic bronchitis				
MCQ170K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10179	97.22	10179	97.22
1 : Yes	129	1.23	10308	98.45
2 : No	154	1.47	10462	99.92
9 : Don't know	8	0.08	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Do you still have a liver condition				
MCQ170L	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10312	98.49	10312	98.49
1 : Yes	62	0.59	10374	99.08
2 : No	82	0.78	10456	99.87
9 : Don't know	14	0.13	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Do you still have a thyroid problem				
MCD170M	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10036	95.85	10036	95.85
1 : Yes	282	2.69	10318	98.55
2 : No	136	1.30	10454	99.85
9 : Don't know	16	0.15	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had arthritis				
MCQ180A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9139	87.29	9139	87.29
1 to 90	1300	12.42	10439	99.70
99999 : Don't know	31	0.30	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had heart failure				
MCQ180B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10283	98.21	10283	98.21
2 to 92	177	1.69	10460	99.90
99999 : Don't know	10	0.10	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told had coronary heart disease				
MCQ180C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10230	97.71	10230	97.71
4 to 96	236	2.25	10466	99.96
99999 : Don't know	4	0.04	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had angina pectoris				
MCQ180D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10271	98.10	10271	98.10
0 to 90	195	1.86	10466	99.96
99999 : Don't know	4	0.04	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had heart attack				
MCQ180E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10212	97.54	10212	97.54
18 to 91	249	2.38	10461	99.91
99999 : Don't know	9	0.09	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had a stroke				
MCQ180F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10266	98.05	10266	98.05
3 to 95	203	1.94	10469	99.99
99999 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had emphysema				
MCQ180G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10374	99.08	10374	99.08
9	1	0.01	10375	99.09
21	1	0.01	10376	99.10
23	1	0.01	10377	99.11
25	1	0.01	10378	99.12
30	2	0.02	10380	99.14
33	1	0.01	10381	99.15
35	1	0.01	10382	99.16
38	1	0.01	10383	99.17
40	3	0.03	10386	99.20
44	2	0.02	10388	99.22
45	2	0.02	10390	99.24
46	2	0.02	10392	99.26
47	4	0.04	10396	99.29
50	8	0.08	10404	99.37
51	1	0.01	10405	99.38
52	3	0.03	10408	99.41
53	1	0.01	10409	99.42
54	3	0.03	10412	99.45
56	3	0.03	10415	99.47
57	1	0.01	10416	99.48
58	1	0.01	10417	99.49
59	3	0.03	10420	99.52
60	7	0.07	10427	99.59
62	1	0.01	10428	99.60
63	1	0.01	10429	99.61
64	2	0.02	10431	99.63
65	6	0.06	10437	99.68
66	5	0.05	10442	99.73
67	1	0.01	10443	99.74
69	1	0.01	10444	99.75
70	7	0.07	10451	99.82
71	1	0.01	10452	99.83
72	1	0.01	10453	99.84
73	2	0.02	10455	99.86
75	1	0.01	10456	99.87
76	3	0.03	10459	99.89
78	1	0.01	10460	99.90



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had emphysema				
MCQ180G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
79	1	0.01	10461	99.91
80	3	0.03	10464	99.94
82	1	0.01	10465	99.95
83	2	0.02	10467	99.97
88	1	0.01	10468	99.98
98	1	0.01	10469	99.99
99999 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had chronic bronchitis				
MCQ180K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10179	97.22	10179	97.22
0 to 88	280	2.67	10459	99.89
99999 : Don't know	11	0.11	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had a liver condition				
MCQ180L	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10312	98.49	10312	98.49
0 to 80	155	1.48	10467	99.97
99999 : Don't know	3	0.03	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when told you had a thyroid problem				
MCD180M	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10036	95.85	10036	95.85
1 to 96	426	4.07	10462	99.92
99999 : Don't know	8	0.08	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Which type of arthritis				
MCQ190	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9140	87.30	9140	87.30
1 : Rheumatoid arthritis	282	2.69	9422	89.99
2 : Osteoarthritis	392	3.74	9814	93.73
3 : Other	142	1.36	9956	95.09
7 : Refused	5	0.05	9961	95.14
9 : Don't know	509	4.86	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Ever told you had cancer or malignancy				
MCQ220	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	520	4.97	5580	53.30
2 : No	4883	46.64	10463	99.93
9 : Don't know	7	0.07	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

What kind of cancer				
MCQ230A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9950	95.03	9950	95.03
10 : Bladder	11	0.11	9961	95.14
11 : Blood	1	0.01	9962	95.15
12 : Bone	9	0.09	9971	95.23
13 : Brain	3	0.03	9974	95.26
14 : Breast	70	0.67	10044	95.93
15 : Cervix (cervical)	32	0.31	10076	96.24
16 : Colon	35	0.33	10111	96.57
17 : Esophagus (esophageal)	1	0.01	10112	96.58
19 : Kidney	11	0.11	10123	96.69
20 : Larynx/ windpipe	5	0.05	10128	96.73
21 : Leukemia	1	0.01	10129	96.74
22 : Liver	3	0.03	10132	96.77
23 : Lung	18	0.17	10150	96.94
24 : Lymphoma/Hodgkin's disease	9	0.09	10159	97.03
25 : Melanoma	19	0.18	10178	97.21
26 : Mouth/tongue/lip	2	0.02	10180	97.23
28 : Ovary (ovarian)	8	0.08	10188	97.31
30 : Prostate	77	0.74	10265	98.04
31 : Rectum (rectal)	6	0.06	10271	98.10
32 : Skin (non-melanoma)	89	0.85	10360	98.95
33 : Skin (don't know what kind)	44	0.42	10404	99.37
34 : Soft tissue (muscle or fat)	2	0.02	10406	99.39
35 : Stomach	4	0.04	10410	99.43
36 : Testis (testicular)	4	0.04	10414	99.47
37 : Thyroid	7	0.07	10421	99.53
38 : Uterus (uterine)	24	0.23	10445	99.76
39 : Other	24	0.23	10469	99.99
99 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

What kind of cancer				
MCQ230B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10414	99.47	10414	99.47
10 : Bladder	3	0.03	10417	99.49
14 : Breast	3	0.03	10420	99.52
15 : Cervix (cervical)	2	0.02	10422	99.54
16 : Colon	6	0.06	10428	99.60
19 : Kidney	2	0.02	10430	99.62
21 : Leukemia	1	0.01	10431	99.63
23 : Lung	4	0.04	10435	99.67
25 : Melanoma	1	0.01	10436	99.68
29 : Pancreas (pancreatic)	1	0.01	10437	99.68
30 : Prostate	9	0.09	10446	99.77
32 : Skin (non-melanoma)	3	0.03	10449	99.80
33 : Skin (don't know what kind)	5	0.05	10454	99.85
34 : Soft tissue (muscle or fat)	1	0.01	10455	99.86
35 : Stomach	1	0.01	10456	99.87
37 : Thyroid	1	0.01	10457	99.88
38 : Uterus (uterine)	5	0.05	10462	99.92
39 : Other	8	0.08	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

What kind of cancer				
MCQ230C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10466	99.96	10466	99.96
14 : Breast	1	0.01	10467	99.97
20 : Larynx/ windpipe	1	0.01	10468	99.98
33 : Skin (don't know what kind)	1	0.01	10469	99.99
39 : Other	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

What kind of cancer				
MCQ230D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10470	100.00	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when bladder cancer first diagnosed				
MCQ240A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10456	99.87	10456	99.87
10	1	0.01	10457	99.88
36	1	0.01	10458	99.89
38	1	0.01	10459	99.89
55	1	0.01	10460	99.90
58	1	0.01	10461	99.91
59	1	0.01	10462	99.92
65	3	0.03	10465	99.95
72	2	0.02	10467	99.97
78	1	0.01	10468	99.98
79	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when blood cancer first diagnosed				
MCQ240B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10469	99.99	10469	99.99
57	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when bone cancer first diagnosed				
MCQ240C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10461	99.91	10461	99.91
4	1	0.01	10462	99.92
19	1	0.01	10463	99.93
20	1	0.01	10464	99.94
40	1	0.01	10465	99.95
43	1	0.01	10466	99.96
60	1	0.01	10467	99.97
67	1	0.01	10468	99.98
72	1	0.01	10469	99.99
79	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when brain cancer first diagnosed				
MCQ240D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10467	99.97	10467	99.97
35	1	0.01	10468	99.98
53	1	0.01	10469	99.99
65	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when breast cancer first diagnosed				
MCQ240E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10396	99.29	10396	99.29
16	1	0.01	10397	99.30
27	1	0.01	10398	99.31
31	1	0.01	10399	99.32
32	1	0.01	10400	99.33
37	1	0.01	10401	99.34
38	1	0.01	10402	99.35
40	1	0.01	10403	99.36
41	2	0.02	10405	99.38
42	4	0.04	10409	99.42
43	1	0.01	10410	99.43
44	3	0.03	10413	99.46
46	1	0.01	10414	99.47
48	3	0.03	10417	99.49
50	3	0.03	10420	99.52
52	1	0.01	10421	99.53
53	1	0.01	10422	99.54
54	2	0.02	10424	99.56
57	3	0.03	10427	99.59
58	6	0.06	10433	99.65
59	1	0.01	10434	99.66
60	2	0.02	10436	99.68
61	1	0.01	10437	99.68
62	3	0.03	10440	99.71
64	2	0.02	10442	99.73
65	5	0.05	10447	99.78
66	1	0.01	10448	99.79
67	3	0.03	10451	99.82
68	1	0.01	10452	99.83
69	1	0.01	10453	99.84
70	3	0.03	10456	99.87
72	1	0.01	10457	99.88
73	1	0.01	10458	99.89
74	1	0.01	10459	99.89
75	3	0.03	10462	99.92
76	2	0.02	10464	99.94
77	1	0.01	10465	99.95
78	1	0.01	10466	99.96



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when breast cancer first diagnosed				
MCQ240E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
87	1	0.01	10467	99.97
88	1	0.01	10468	99.98
99999 : Don't know	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when cervical cancer first diagnosed				
MCQ240F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10436	99.68	10436	99.68
4	1	0.01	10437	99.68
17	1	0.01	10438	99.69
18	1	0.01	10439	99.70
19	2	0.02	10441	99.72
21	1	0.01	10442	99.73
22	3	0.03	10445	99.76
23	1	0.01	10446	99.77
24	3	0.03	10449	99.80
25	1	0.01	10450	99.81
26	1	0.01	10451	99.82
27	1	0.01	10452	99.83
28	1	0.01	10453	99.84
30	2	0.02	10455	99.86
33	1	0.01	10456	99.87
34	1	0.01	10457	99.88
35	1	0.01	10458	99.89
38	2	0.02	10460	99.90
42	2	0.02	10462	99.92
45	1	0.01	10463	99.93
46	1	0.01	10464	99.94
48	1	0.01	10465	99.95
52	1	0.01	10466	99.96
54	1	0.01	10467	99.97
60	1	0.01	10468	99.98
61	1	0.01	10469	99.99
73	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when colon cancer first diagnosed				
MCQ240G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10429	99.61	10429	99.61
33	1	0.01	10430	99.62
36	1	0.01	10431	99.63
39	1	0.01	10432	99.64
42	1	0.01	10433	99.65
43	1	0.01	10434	99.66
45	1	0.01	10435	99.67
48	1	0.01	10436	99.68
50	1	0.01	10437	99.68
52	3	0.03	10440	99.71
53	1	0.01	10441	99.72
54	1	0.01	10442	99.73
57	1	0.01	10443	99.74
61	2	0.02	10445	99.76
62	1	0.01	10446	99.77
63	1	0.01	10447	99.78
64	1	0.01	10448	99.79
65	1	0.01	10449	99.80
66	1	0.01	10450	99.81
67	3	0.03	10453	99.84
69	1	0.01	10454	99.85
70	1	0.01	10455	99.86
71	2	0.02	10457	99.88
72	1	0.01	10458	99.89
73	2	0.02	10460	99.90
75	1	0.01	10461	99.91
76	2	0.02	10463	99.93
77	1	0.01	10464	99.94
80	1	0.01	10465	99.95
81	2	0.02	10467	99.97
84	2	0.02	10469	99.99
86	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age esophageal cancer first diagnosed				
MCQ240H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10469	99.99	10469	99.99
55	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age gallbladder cancer first diagnosed				
MCQ240I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10470	100.00	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when kidney cancer first diagnosed				
MCQ240J	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10457	99.88	10457	99.88
26	1	0.01	10458	99.89
40	1	0.01	10459	99.89
48	1	0.01	10460	99.90
60	1	0.01	10461	99.91
65	1	0.01	10462	99.92
68	2	0.02	10464	99.94
71	1	0.01	10465	99.95
80	2	0.02	10467	99.97
81	1	0.01	10468	99.98
83	1	0.01	10469	99.99
87	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age larynx/windpipe cancer diagnosed				
MCQ240K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10464	99.94	10464	99.94
19	1	0.01	10465	99.95
45	2	0.02	10467	99.97
55	1	0.01	10468	99.98
73	1	0.01	10469	99.99
75	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when leukemia first diagnosed				
MCQ240L	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10468	99.98	10468	99.98
28	1	0.01	10469	99.99
68	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when liver cancer first diagnosed				
MCQ240M	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10467	99.97	10467	99.97
45	1	0.01	10468	99.98
51	1	0.01	10469	99.99
77	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when lung cancer first diagnosed				
MCQ240N	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10448	99.79	10448	99.79
12	1	0.01	10449	99.80
18	1	0.01	10450	99.81
22	1	0.01	10451	99.82
31	1	0.01	10452	99.83
42	1	0.01	10453	99.84
58	1	0.01	10454	99.85
60	1	0.01	10455	99.86
63	3	0.03	10458	99.89
64	1	0.01	10459	99.89
65	2	0.02	10461	99.91
68	2	0.02	10463	99.93
70	2	0.02	10465	99.95
72	2	0.02	10467	99.97
80	1	0.01	10468	99.98
85	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age lymphoma/Hodgkin's diagnosed				
MCQ2400	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10461	99.91	10461	99.91
13	1	0.01	10462	99.92
20	2	0.02	10464	99.94
29	1	0.01	10465	99.95
49	1	0.01	10466	99.96
51	1	0.01	10467	99.97
66	1	0.01	10468	99.98
76	1	0.01	10469	99.99
79	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when melanoma first diagnosed				
MCQ240P	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10450	99.81	10450	99.81
39	1	0.01	10451	99.82
49	2	0.02	10453	99.84
55	3	0.03	10456	99.87
56	1	0.01	10457	99.88
58	1	0.01	10458	99.89
59	1	0.01	10459	99.89
65	1	0.01	10460	99.90
66	1	0.01	10461	99.91
67	1	0.01	10462	99.92
69	1	0.01	10463	99.93
72	1	0.01	10464	99.94
76	2	0.02	10466	99.96
77	1	0.01	10467	99.97
82	1	0.01	10468	99.98
85	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age mouth\tongue\lip cancer diagnosed				
MCQ240Q	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10468	99.98	10468	99.98
53	1	0.01	10469	99.99
54	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age nervous system cancer diagnosed				
MCQ240R	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10470	100.00	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when ovarian cancer first diagnosed				
MCQ240S	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10462	99.92	10462	99.92
34	1	0.01	10463	99.93
35	1	0.01	10464	99.94
42	1	0.01	10465	99.95
47	1	0.01	10466	99.96
48	1	0.01	10467	99.97
49	1	0.01	10468	99.98
54	1	0.01	10469	99.99
70	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age pancreatic cancer first diagnosed				
MCQ240T	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10469	99.99	10469	99.99
40	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age prostate cancer first diagnosed				
MCQ240U	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10384	99.18	10384	99.18
39	1	0.01	10385	99.19
55	1	0.01	10386	99.20
56	1	0.01	10387	99.21
57	1	0.01	10388	99.22
58	1	0.01	10389	99.23
59	2	0.02	10391	99.25
60	3	0.03	10394	99.27
61	3	0.03	10397	99.30
62	4	0.04	10401	99.34
63	2	0.02	10403	99.36
64	5	0.05	10408	99.41
65	6	0.06	10414	99.47
66	1	0.01	10415	99.47
67	2	0.02	10417	99.49
68	6	0.06	10423	99.55
69	1	0.01	10424	99.56
70	6	0.06	10430	99.62
71	3	0.03	10433	99.65
72	2	0.02	10435	99.67
73	3	0.03	10438	99.69
74	6	0.06	10444	99.75
75	4	0.04	10448	99.79
76	2	0.02	10450	99.81
77	3	0.03	10453	99.84
78	1	0.01	10454	99.85
79	1	0.01	10455	99.86
80	1	0.01	10456	99.87
81	3	0.03	10459	99.89
82	3	0.03	10462	99.92
83	1	0.01	10463	99.93
84	1	0.01	10464	99.94
86	2	0.02	10466	99.96
87	2	0.02	10468	99.98
99999 : Don't know	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when rectal cancer first diagnosed				
MCQ240V	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10464	99.94	10464	99.94
43	1	0.01	10465	99.95
55	1	0.01	10466	99.96
59	1	0.01	10467	99.97
69	1	0.01	10468	99.98
74	1	0.01	10469	99.99
81	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age non-melanoma skin cancer diagnosed				
MCQ240W	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10378	99.12	10378	99.12
20 to 88	91	0.87	10469	99.99
99999 : Don't know	1	0.01	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

Age unknown skin cancer first diagnosed				
MCQ240X	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10420	99.52	10420	99.52
4	1	0.01	10421	99.53
29	1	0.01	10422	99.54
32	2	0.02	10424	99.56
37	1	0.01	10425	99.57
40	1	0.01	10426	99.58
43	2	0.02	10428	99.60
45	2	0.02	10430	99.62
50	2	0.02	10432	99.64
53	1	0.01	10433	99.65
55	2	0.02	10435	99.67
56	2	0.02	10437	99.68
59	1	0.01	10438	99.69
60	4	0.04	10442	99.73
61	2	0.02	10444	99.75
62	4	0.04	10448	99.79
65	1	0.01	10449	99.80
67	1	0.01	10450	99.81
73	1	0.01	10451	99.82
74	2	0.02	10453	99.84
75	2	0.02	10455	99.86
76	1	0.01	10456	99.87
77	2	0.02	10458	99.89
79	2	0.02	10460	99.90
80	2	0.02	10462	99.92
81	2	0.02	10464	99.94
86	1	0.01	10465	99.95
87	1	0.01	10466	99.96
88	1	0.01	10467	99.97
89	1	0.01	10468	99.98
99999 : Don't know	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age soft tissue cancer first diagnosed				
MCQ240Y	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10467	99.97	10467	99.97
37	1	0.01	10468	99.98
48	1	0.01	10469	99.99
52	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age stomach cancer first diagnosed				
MCQ240Z	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10465	99.95	10465	99.95
47	1	0.01	10466	99.96
68	2	0.02	10468	99.98
77	1	0.01	10469	99.99
82	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age testicular cancer first diagnosed				
MCQ240AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10466	99.96	10466	99.96
31	1	0.01	10467	99.97
32	1	0.01	10468	99.98
36	1	0.01	10469	99.99
38	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when thyroid cancer first diagnosed				
MCQ240BB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10462	99.92	10462	99.92
19	1	0.01	10463	99.93
25	2	0.02	10465	99.95
48	1	0.01	10466	99.96
51	1	0.01	10467	99.97
53	1	0.01	10468	99.98
55	1	0.01	10469	99.99
68	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age when uterine cancer first diagnosed				
MCQ240CC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10441	99.72	10441	99.72
0	1	0.01	10442	99.73
17	2	0.02	10444	99.75
20	1	0.01	10445	99.76
26	1	0.01	10446	99.77
28	1	0.01	10447	99.78
32	2	0.02	10449	99.80
33	1	0.01	10450	99.81
34	1	0.01	10451	99.82
36	1	0.01	10452	99.83
40	1	0.01	10453	99.84
42	1	0.01	10454	99.85
43	2	0.02	10456	99.87
48	3	0.03	10459	99.89
50	1	0.01	10460	99.90
51	1	0.01	10461	99.91
54	2	0.02	10463	99.93
56	1	0.01	10464	99.94
58	1	0.01	10465	99.95
60	1	0.01	10466	99.96
65	1	0.01	10467	99.97
73	1	0.01	10468	99.98
76	1	0.01	10469	99.99
99999 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Age other type of cancer first diagnosed				
MCQ240DD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10437	99.68	10437	99.68
10	1	0.01	10438	99.69
13	1	0.01	10439	99.70
31	1	0.01	10440	99.71
34	1	0.01	10441	99.72
39	1	0.01	10442	99.73
42	1	0.01	10443	99.74
44	1	0.01	10444	99.75
46	1	0.01	10445	99.76
47	1	0.01	10446	99.77
50	3	0.03	10449	99.80
51	1	0.01	10450	99.81
52	1	0.01	10451	99.82
55	1	0.01	10452	99.83
56	1	0.01	10453	99.84
58	1	0.01	10454	99.85
59	1	0.01	10455	99.86
60	1	0.01	10456	99.87
65	2	0.02	10458	99.89
67	1	0.01	10459	99.89
68	2	0.02	10461	99.91
70	2	0.02	10463	99.93
72	1	0.01	10464	99.94
73	1	0.01	10465	99.95
78	1	0.01	10466	99.96
81	2	0.02	10468	99.98
82	1	0.01	10469	99.99
83	1	0.01	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

Work days missed for illness/maternity				
MCQ245A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	3837	36.65	3837	36.65
1 : Enter number	4006	38.26	7843	74.91
2 : Does not work	2622	25.04	10465	99.95
9 : Don't know	5	0.05	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

# of workdays missed				
MCQ245B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6464	61.74	6464	61.74
0 to 365	4004	38.24	10468	99.98
99999 : Don't know	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relatives have diabetes				
MCQ250A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	2608	24.91	7668	73.24
2 : No	2674	25.54	10342	98.78
7 : Refused	1	0.01	10343	98.79
9 : Don't know	127	1.21	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relatives have Alzheimer's				
MCQ250B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	590	5.64	5650	53.96
2 : No	4715	45.03	10365	99.00
7 : Refused	1	0.01	10366	99.01
9 : Don't know	104	0.99	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relatives have asthma				
MCQ250C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	1135	10.84	6195	59.17
2 : No	4147	39.61	10342	98.78
7 : Refused	1	0.01	10343	98.79
9 : Don't know	127	1.21	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relatives have osteoporosis				
MCQ250E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	665	6.35	5725	54.68
2 : No	4527	43.24	10252	97.92
7 : Refused	1	0.01	10253	97.93
9 : Don't know	217	2.07	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relatives w/hypertension/stroke				
MCQ250F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	1541	14.72	6601	63.05
2 : No	3576	34.15	10177	97.20
7 : Refused	4	0.04	10181	97.24
9 : Don't know	289	2.76	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relatives have angina				
MCQ250G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	627	5.99	5687	54.32
2 : No	4578	43.72	10265	98.04
7 : Refused	3	0.03	10268	98.07
9 : Don't know	202	1.93	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-mother				
MCQ260AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9619	91.87	9619	91.87
1 : Mother	844	8.06	10463	99.93
99 : Don't know	7	0.07	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-father				
MCQ260AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9880	94.36	9880	94.36
2 : Father	590	5.64	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-mother's mother				
MCQ260AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10024	95.74	10024	95.74
3 : Mother's mother	446	4.26	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-mother's father				
MCQ260AD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10242	97.82	10242	97.82
4 : Mother's father	228	2.18	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-father's mother				
MCQ260AE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10191	97.34	10191	97.34
5 : Father's mother	279	2.66	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-father's father				
MCQ260AF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10302	98.40	10302	98.40
6 : Father's father	168	1.60	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-brother				
MCQ260AG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10085	96.32	10085	96.32
7 : Brother	385	3.68	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-sister				
MCQ260AH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10033	95.83	10033	95.83
8 : Sister	437	4.17	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-diabetes-other				
MCQ260AI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9850	94.08	9850	94.08
9 : Other	620	5.92	10470	100.00



**Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004**

Blood relative-Alzheimer's-mother				
MCQ260BA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10353	98.88	10353	98.88
1 : Mother	116	1.11	10469	99.99
99 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-father				
MCQ260BB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10397	99.30	10397	99.30
2 : Father	73	0.70	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-mom's mother				
MCQ260BC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10360	98.95	10360	98.95
3 : Mother's mother	110	1.05	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-mom's father				
MCQ260BD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10410	99.43	10410	99.43
4 : Mother's father	60	0.57	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-dad's mother				
MCQ260BE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10388	99.22	10388	99.22
5 : Father's mother	82	0.78	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-dad's father				
MCQ260BF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10432	99.64	10432	99.64
6 : Father's father	38	0.36	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-brother				
MCQ260BG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10443	99.74	10443	99.74
7 : Brother	27	0.26	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-sister				
MCQ260BH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10443	99.74	10443	99.74
8 : Sister	27	0.26	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-Alzheimer's-other				
MCQ260BI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10352	98.87	10352	98.87
9 : Other	118	1.13	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-mother				
MCQ260CA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10201	97.43	10201	97.43
1 : Mother	266	2.54	10467	99.97
99 : Don't know	3	0.03	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-father				
MCQ260CB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10310	98.47	10310	98.47
2 : Father	160	1.53	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-mother's mother				
MCQ260CC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10401	99.34	10401	99.34
3 : Mother's mother	69	0.66	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-mother's father				
MCQ260CD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10435	99.67	10435	99.67
4 : Mother's father	35	0.33	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-father's mother				
MCQ260CE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10432	99.64	10432	99.64
5 : Father's mother	38	0.36	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-father's father				
MCQ260CF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10435	99.67	10435	99.67
6 : Father's father	35	0.33	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-brother				
MCQ260CG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10235	97.76	10235	97.76
7 : Brother	235	2.24	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-sister				
MCQ260CH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10212	97.54	10212	97.54
8 : Sister	258	2.46	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-asthma-other				
MCQ260C1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10134	96.79	10134	96.79
9 : Other	336	3.21	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-mother				
MCQ260EA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10147	96.91	10147	96.91
1 : Mother	322	3.08	10469	99.99
99 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-father				
MCQ260EB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10441	99.72	10441	99.72
2 : Father	29	0.28	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-mom's mother				
MCQ260EC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10323	98.60	10323	98.60
3 : Mother's mother	147	1.40	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-mom's father				
MCQ260ED	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10462	99.92	10462	99.92
4 : Mother's father	8	0.08	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-dad's mother				
MCQ260EE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10415	99.47	10415	99.47
5 : Father's mother	55	0.53	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-dad's father				
MCQ260EF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10466	99.96	10466	99.96
6 : Father's father	4	0.04	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-brother				
MCQ260EG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10457	99.88	10457	99.88
7 : Brother	13	0.12	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-sister				
MCQ260EH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10376	99.10	10376	99.10
8 : Sister	94	0.90	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-osteoporosis-other				
MCQ260EI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10404	99.37	10404	99.37
9 : Other	66	0.63	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-mother				
MCQ260FA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9784	93.45	9784	93.45
1 : Mother	684	6.53	10468	99.98
99 : Don't know	2	0.02	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-father				
MCQ260FB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9948	95.01	9948	95.01
2 : Father	522	4.99	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-mom's mother				
MCQ260FC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10291	98.29	10291	98.29
3 : Mother's mother	179	1.71	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-mom's father				
MCQ260FD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10369	99.04	10369	99.04
4 : Mother's father	101	0.96	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-dad's mother				
MCQ260FE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10403	99.36	10403	99.36
5 : Father's mother	67	0.64	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-dad's father				
MCQ260FF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10404	99.37	10404	99.37
6 : Father's father	66	0.63	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-brother				
MCQ260FG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10276	98.15	10276	98.15
7 : Brother	194	1.85	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-sister				
MCQ260FH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10275	98.14	10275	98.14
8 : Sister	195	1.86	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-hypertension-other				
MCQ260FI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10324	98.61	10324	98.61
9 : Other	146	1.39	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-mother				
MCQ260GA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10346	98.82	10346	98.82
1 : Mother	123	1.17	10469	99.99
99 : Don't know	1	0.01	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-father				
MCQ260GB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10244	97.84	10244	97.84
2 : Father	226	2.16	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-mom's mother				
MCQ260GC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10440	99.71	10440	99.71
3 : Mother's mother	30	0.29	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-mom's father				
MCQ260GD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10418	99.50	10418	99.50
4 : Mother's father	52	0.50	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-dad's mother				
MCQ260GE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10451	99.82	10451	99.82
5 : Father's mother	19	0.18	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-dad's father				
MCQ260GF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10424	99.56	10424	99.56
6 : Father's father	46	0.44	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-brother				
MCQ260GG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10382	99.16	10382	99.16
7 : Brother	88	0.84	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-sister				
MCQ260GH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10443	99.74	10443	99.74
8 : Sister	27	0.26	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Blood relative-heart attack-other				
MCQ260G1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10375	99.09	10375	99.09
9 : Other	95	0.91	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Your mother ever fracture hip				
MCQ270	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5060	48.33	5060	48.33
1 : Yes	305	2.91	5365	51.24
2 : No	4946	47.24	10311	98.48
7 : Refused	2	0.02	10313	98.50
9 : Don't know	157	1.50	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Mother's age when fractured hip				
MCQ280	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10164	97.08	10164	97.08
1 to 100	292	2.79	10456	99.87
99999 : Don't know	14	0.13	10470	100.00



Frequency Distribution for Medical Conditions Section of the SP Questionnaire
(MCQ_B.XPT)
May 2004

Mother under/over 50 when fracture hip				
MCQ290	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10457	99.88	10457	99.88
1 : Under 50 years old, or	4	0.04	10461	99.91
2 : 50 years old or older?	8	0.08	10469	99.99
9 : Don't know	1	0.01	10470	100.00