



May 2004

Frequencies of Phlebotomy fasting questionnaire (PH)

Coffee or tea with cream or sugar?				
PHQ020	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	449	4.52	449	4.52
1 : Yes	123	1.24	572	5.76
2 : No	9357	94.24	9929	100.00



May 2004

Frequencies of Phlebotomy fasting questionnaire (PH)

Alcohol, such as beer, wine, or liquor?				
PHQ030	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	449	4.52	449	4.52
1 : Yes	38	0.38	487	4.90
2 : No	9442	95.10	9929	100.00



May 2004

Frequencies of Phlebotomy fasting questionnaire (PH)

Gum, mints, lozenges or cough drops				
PHQ040	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	449	4.52	449	4.52
1 : Yes	309	3.11	758	7.63
2 : No	9171	92.37	9929	100.00



May 2004

Frequencies of Phlebotomy fasting questionnaire (PH)

Antacids, laxatives, or anti-diarrheals?				
PHQ050	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	449	4.52	449	4.52
1 : Yes	39	0.39	488	4.91
2 : No	9441	95.09	9929	100.00



May 2004

Frequencies of Phlebotomy fasting questionnaire (PH)

Dietary supplements?				
PHQ060	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	449	4.52	449	4.52
1 : Yes	102	1.03	551	5.55
2 : No	9378	94.45	9929	100.00



May 2004

Frequencies of Phlebotomy fasting questionnaire (PH)

Total length of "food fast," hours				
PHAFSTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	449	4.52	449	4.52
0	492	4.96	941	9.48
1	469	4.72	1410	14.20
2	579	5.83	1989	20.03
3	451	4.54	2440	24.57
4	254	2.56	2694	27.13
5	231	2.33	2925	29.46
6	1041	10.48	3966	39.94
7	691	6.96	4657	46.90
8	378	3.81	5035	50.71
9	269	2.71	5304	53.42
10	526	5.30	5830	58.72
11	649	6.54	6479	65.25
12	712	7.17	7191	72.42
13	681	6.86	7872	79.28
14	538	5.42	8410	84.70
15	428	4.31	8838	89.01
16	330	3.32	9168	92.34
17	219	2.21	9387	94.54
18	166	1.67	9553	96.21
19	112	1.13	9665	97.34
20	97	0.98	9762	98.32
21	46	0.46	9808	98.78
22	33	0.33	9841	99.11
23	15	0.15	9856	99.26
24	12	0.12	9868	99.39
25	6	0.06	9874	99.45
26	9	0.09	9883	99.54
27	9	0.09	9892	99.63
28	5	0.05	9897	99.68
29	2	0.02	9899	99.70
30	1	0.01	9900	99.71
31	3	0.03	9903	99.74
32	1	0.01	9904	99.75
33	3	0.03	9907	99.78
34	3	0.03	9910	99.81
35	1	0.01	9911	99.82
36	3	0.03	9914	99.85



May 2004

Frequencies of Phlebotomy fasting questionnaire (PH)

Total length of "food fast," hours				
PHAFSTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
37	1	0.01	9915	99.86
38	2	0.02	9917	99.88
39	2	0.02	9919	99.90
40	2	0.02	9921	99.92
48	1	0.01	9922	99.93
49	2	0.02	9924	99.95
50	2	0.02	9926	99.97
63	1	0.01	9927	99.98
69	1	0.01	9928	99.99
86	1	0.01	9929	100.00



May 2004

Frequencies of Phlebotomy fasting questionnaire  
(PH)

Total length of "food fast," minutes				
PHAFSTMN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	449	4.52	449	4.52
0 to 59	9480	95.48	9929	100.00