



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Ever tried cigarette smoking				
SMQ620	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5680	71.92	5680	71.92
1 : Yes	1019	12.90	6699	84.82
2 : No	1196	15.14	7895	99.96
7 : Refused	3	0.04	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Age first smoked whole cigarette				
SMD630	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6879	87.10	6879	87.10
6	9	0.11	6888	87.21
7	5	0.06	6893	87.28
8	6	0.08	6899	87.35
9	17	0.22	6916	87.57
10	37	0.47	6953	88.03
11	37	0.47	6990	88.50
12	84	1.06	7074	89.57
13	96	1.22	7170	90.78
14	90	1.14	7260	91.92
15	103	1.30	7363	93.23
16	64	0.81	7427	94.04
17	49	0.62	7476	94.66
18	29	0.37	7505	95.02
19	6	0.08	7511	95.10
55 : Never smoked a whole cigarette	386	4.89	7897	99.99
77 : Refused	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# days smoked cigarettes in past month				
SMQ640	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7266	92.00	7266	92.00
0	284	3.60	7550	95.59
1	36	0.46	7586	96.05
2	25	0.32	7611	96.37
3	25	0.32	7636	96.68
4	7	0.09	7643	96.77
5	26	0.33	7669	97.10
6	8	0.10	7677	97.20
7	8	0.10	7685	97.30
8	3	0.04	7688	97.34
9	4	0.05	7692	97.39
10	15	0.19	7707	97.58
11	1	0.01	7708	97.59
12	3	0.04	7711	97.63
13	1	0.01	7712	97.64
14	3	0.04	7715	97.68
15	13	0.16	7728	97.85
16	1	0.01	7729	97.86
19	1	0.01	7730	97.87
20	20	0.25	7750	98.13
21	2	0.03	7752	98.15
22	2	0.03	7754	98.18
23	2	0.03	7756	98.20
25	9	0.11	7765	98.32
26	1	0.01	7766	98.33
27	1	0.01	7767	98.34
28	7	0.09	7774	98.43
29	3	0.04	7777	98.47
30	119	1.51	7896	99.97
77 : Refused	1	0.01	7897	99.99
99 : Don't Know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# cigarettes per day during past month				
SMQ650	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7552	95.62	7552	95.62
1	94	1.19	7646	96.81
2	64	0.81	7710	97.62
3	42	0.53	7752	98.15
4	11	0.14	7763	98.29
5	30	0.38	7793	98.67
6	6	0.08	7799	98.75
7	12	0.15	7811	98.90
8	15	0.19	7826	99.09
9	3	0.04	7829	99.13
10	22	0.28	7851	99.40
11	1	0.01	7852	99.42
12	5	0.06	7857	99.48
13	1	0.01	7858	99.49
14	1	0.01	7859	99.51
15	11	0.14	7870	99.65
16	1	0.01	7871	99.66
18	2	0.03	7873	99.68
20	19	0.24	7892	99.92
22	1	0.01	7893	99.94
25	2	0.03	7895	99.96
30	1	0.01	7896	99.97
35	2	0.03	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

How soon after waking do you smoke				
SMQ077	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7552	95.62	7552	95.62
1 : Within 5 minutes,	46	0.58	7598	96.20
2 : From 6 to 30 minutes,	58	0.73	7656	96.94
3 : From more than 30 minutes to one hour, or	35	0.44	7691	97.38
4 : More than one hour?	188	2.38	7879	99.76
7 : Refused	6	0.08	7885	99.84
9 : Don't know	13	0.16	7898	100.00



**Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004**

Brands of cigarettes smoked/past mo				
SMQ660	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7552	95.62	7552	95.62
1 : Marlboro	175	2.22	7727	97.83
2 : Camel	31	0.39	7758	98.23
3 : Newport	111	1.41	7869	99.63
4 : Kool	5	0.06	7874	99.70
5 : Winston	2	0.03	7876	99.72
6 : Benson and hedges	4	0.05	7880	99.77
8 : Some other brand	17	0.22	7897	99.99
99 : Don't know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Menthol or non-menthol BensonHedges				
SMQ664B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7894	99.95	7894	99.95
1 : Menthol	4	0.05	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Menthol or non-menthol Camels				
SMQ664C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7867	99.61	7867	99.61
1 : Menthol	2	0.03	7869	99.63
2 : Non-menthol	29	0.37	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Menthol or non-menthol Marlboro				
SMQ664M	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7723	97.78	7723	97.78
1 : Menthol	39	0.49	7762	98.28
2 : Non-menthol	134	1.70	7896	99.97
9 : Don't know	2	0.03	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Menthol or non-menthol other brand				
SMQ664O	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7880	99.77	7880	99.77
1 : Menthol	7	0.09	7887	99.86
2 : Non-menthol	10	0.13	7897	99.99
9 : Don't know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Menthol or non-menthol Winston				
SMQ664W	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7896	99.97	7896	99.97
1 : Menthol	1	0.01	7897	99.99
2 : Non-menthol	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite BensonHedges				
SMQ666B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7894	99.95	7894	99.95
1 : Regulars	1	0.01	7895	99.96
2 : Lights	3	0.04	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite Camels				
SMQ666C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7867	99.61	7867	99.61
1 : Regulars	10	0.13	7877	99.73
2 : Lights	20	0.25	7897	99.99
3 : Ultralights	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite Kools				
SMQ666K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7893	99.94	7893	99.94
1 : Regulars	2	0.03	7895	99.96
2 : Lights	3	0.04	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite Marlboro				
SMQ666M	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7723	97.78	7723	97.78
1 : Regulars	93	1.18	7816	98.96
2 : Lights	69	0.87	7885	99.84
3 : Ultralights	13	0.16	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite Newport				
SMQ666N	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7787	98.59	7787	98.59
1 : Regulars	100	1.27	7887	99.86
2 : Lights	8	0.10	7895	99.96
3 : Ultralights	1	0.01	7896	99.97
9 : Don't know	2	0.03	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite other brand				
SMQ666O	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7880	99.77	7880	99.77
1 : Regular	11	0.14	7891	99.91
2 : Light	6	0.08	7897	99.99
7 : Refused	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite Salem				
SMQ666S	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7898	100.00	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Regular, light or ultralite Winston				
SMQ666W	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7896	99.97	7896	99.97
2 : Lights	1	0.01	7897	99.99
3 : Ultralights	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Tried to quit smoking				
SMQ670	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7267	92.01	7267	92.01
1 : Yes	361	4.57	7628	96.58
2 : No	255	3.23	7883	99.81
7 : Refused	3	0.04	7886	99.85
9 : Don't know	12	0.15	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Used tobacco/nicotine last 5 days?				
SMQ680	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	1060	13.42	1060	13.42
1 : Yes	1484	18.79	2544	32.21
2 : No	5352	67.76	7896	99.97
7 : Refused	2	0.03	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Used last 5 days - Cigarettes				
SMQ690A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6602	83.59	6602	83.59
1 : Cigarettes	1296	16.41	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Used last 5 days - Pipes				
SMQ690B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7884	99.82	7884	99.82
2 : Pipes	14	0.18	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Used last 5 days - Cigars				
SMQ690C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7764	98.30	7764	98.30
3 : Cigars	134	1.70	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Used last 5 days - Chewing tobacco				
SMQ690D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7849	99.38	7849	99.38
4 : Chewing tobacco	49	0.62	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Used last 5 days - Snuff				
SMQ690E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7841	99.28	7841	99.28
5 : Snuff	57	0.72	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Used last 5 days - Patch, gum, other				
SMQ690F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7881	99.78	7881	99.78
6 : Nicotine patches, gum, or other nicotine product	17	0.22	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# days smoked cigarettes last 5 days				
SMQ710	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6602	83.59	6602	83.59
1	102	1.29	6704	84.88
2	81	1.03	6785	85.91
3	72	0.91	6857	86.82
4	315	3.99	7172	90.81
5	725	9.18	7897	99.99
9 : Don't know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# cigarettes smoked per day				
SMQ720	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6602	83.59	6602	83.59
1	118	1.49	6720	85.08
2	93	1.18	6813	86.26
3	87	1.10	6900	87.36
4	61	0.77	6961	88.14
5	110	1.39	7071	89.53
6	48	0.61	7119	90.14
7	39	0.49	7158	90.63
8	36	0.46	7194	91.09
9	11	0.14	7205	91.23
10	181	2.29	7386	93.52
11	5	0.06	7391	93.58
12	21	0.27	7412	93.85
13	7	0.09	7419	93.94
14	5	0.06	7424	94.00
15	95	1.20	7519	95.20
16	2	0.03	7521	95.23
17	5	0.06	7526	95.29
18	7	0.09	7533	95.38
19	2	0.03	7535	95.40
20	257	3.25	7792	98.66
21	2	0.03	7794	98.68
23	2	0.03	7796	98.71
25	23	0.29	7819	99.00
28	1	0.01	7820	99.01
30	40	0.51	7860	99.52
31	1	0.01	7861	99.53
35	5	0.06	7866	99.59
40	23	0.29	7889	99.89
45	1	0.01	7890	99.90
50	3	0.04	7893	99.94
60	4	0.05	7897	99.99
99 : Don't know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

When did SP smoke last cigarette?				
SMQ725	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6602	83.59	6602	83.59
1 : Today	719	9.10	7321	92.69
2 : Yesterday	458	5.80	7779	98.49
3 : 3 to 5 days ago	117	1.48	7896	99.97
9 : Don't know	2	0.03	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# days smoked pipe over last 5 days				
SMQ740	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7884	99.82	7884	99.82
1	4	0.05	7888	99.87
2	3	0.04	7891	99.91
3	1	0.01	7892	99.92
4	1	0.01	7893	99.94
5	5	0.06	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# pipes smoked per day - last 5 days				
SMQ750	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7884	99.82	7884	99.82
1	7	0.09	7891	99.91
2	3	0.04	7894	99.95
3	1	0.01	7895	99.96
9	1	0.01	7896	99.97
15	1	0.01	7897	99.99
16	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

When did SP smoke last pipe?				
SMQ755	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7884	99.82	7884	99.82
1 : Today	5	0.06	7889	99.89
2 : Yesterday	3	0.04	7892	99.92
3 : 3 to 5 days ago	5	0.06	7897	99.99
9 : Don't know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# days smoked cigars over last 5 days				
SMQ770	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7764	98.30	7764	98.30
1	60	0.76	7824	99.06
2	26	0.33	7850	99.39
3	11	0.14	7861	99.53
4	17	0.22	7878	99.75
5	20	0.25	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# cigars smoked per day - last 5 days				
SMQ780	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7764	98.30	7764	98.30
1	86	1.09	7850	99.39
2	25	0.32	7875	99.71
3	8	0.10	7883	99.81
4	4	0.05	7887	99.86
5	2	0.03	7889	99.89
6	1	0.01	7890	99.90
9	2	0.03	7892	99.92
10	1	0.01	7893	99.94
12	1	0.01	7894	99.95
15	1	0.01	7895	99.96
20	3	0.04	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

When did SP smoke last cigar?				
SMQ785	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7764	98.30	7764	98.30
1 : Today	19	0.24	7783	98.54
2 : Yesterday	56	0.71	7839	99.25
3 : 3 to 5 days ago	57	0.72	7896	99.97
7 : Refused	1	0.01	7897	99.99
9 : Don't know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

#days used chewing tobacco -last 5 days				
SMQ800	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7849	99.38	7849	99.38
1	5	0.06	7854	99.44
2	7	0.09	7861	99.53
3	7	0.09	7868	99.62
4	11	0.14	7879	99.76
5	19	0.24	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

When did SP last use chewing tobacco?				
SMQ815	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7849	99.38	7849	99.38
1 : Today	18	0.23	7867	99.61
2 : Yesterday	19	0.24	7886	99.85
3 : 3 to 5 days ago	11	0.14	7897	99.99
9 : Don't know	1	0.01	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# days used snuff over last 5 days				
SMQ817	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7841	99.28	7841	99.28
1	12	0.15	7853	99.43
2	4	0.05	7857	99.48
3	3	0.04	7860	99.52
4	9	0.11	7869	99.63
5	29	0.37	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

When last used snuff				
SMQ819	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7841	99.28	7841	99.28
1 : Today	23	0.29	7864	99.57
2 : Yesterday	26	0.33	7890	99.90
3 : 3 to 5 days ago	8	0.10	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

# days used nicotine stop smoking aids?				
SMQ830	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7881	99.78	7881	99.78
1	5	0.06	7886	99.85
3	5	0.06	7891	99.91
4	3	0.04	7894	99.95
5	4	0.05	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Last time used nicotine stop smoking aid				
SMQ840	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7881	99.78	7881	99.78
1 : Today	5	0.06	7886	99.85
2 : Yesterday	8	0.10	7894	99.95
3 : 3 to 5 days ago	4	0.05	7898	100.00



Smoking and Tobacco Use Section of the MEC CAPI and A-CASI Questionnaire
(SMQMEC_B.XPT)
July 2004

Questionnaire Mode Flag				
SMAQUEX	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : A-CASI B(12 Yrs.-19 Yrs.)	2487	31.49	2487	31.49
2 : MEC CAPI B(20 Yrs.-150 Yrs)	5411	68.51	7898	100.00