NHANES 2001-2002 Questionnaire Variable List July 2004

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------|---------|--|
| 1 | ACQ_B | Acculturation | SEQN | Respondent sequence number |
| 2 | ACQ_B | Acculturation | ACD010A | English usually spoken at home |
| 3 | ACQ_B | Acculturation | ACD010B | Spanish usually spoken at home |
| 4 | ACQ_B | Acculturation | ACD010C | Other language(s) usually spoken at home |
| 5 | ACQ_B | Acculturation | ACQ020 | Language(s) read and spoken |
| 6 | ACQ_B | Acculturation | ACQ030 | Language(s) used as child |
| 7 | ACQ_B | Acculturation | ACD040 | Language(s) usually spoken at home |
| 8 | ACQ_B | Acculturation | ACQ050 | Language(s) usually used to think |
| 9 | ACQ_B | Acculturation | ACQ060 | Language(s) usually used with friends |
| 10 | ACQ_B | Acculturation | ACD070 | Father's country of birth |
| 11 | ACQ_B | Acculturation | ACD080 | Mother's country of birth |
| 12 | ALQ_B | Alcohol | SEQN | Respondent sequence number |
| 13 | ALQ_B | Alcohol | ALD100 | Had at least 12 alcohol drinks/1 yr? |
| 14 | ALQ_B | Alcohol | ALQ110 | Had at least 12 alcohol drinks/lifetime? |
| 15 | ALQ_B | Alcohol | ALQ120Q | How often drink alcohol over past 12 mos |
| 16 | ALQ_B | Alcohol | ALQ120U | # days drink alcohol per wk, mo, yr |
| 17 | ALQ_B | Alcohol | ALQ130 | Avg # alcoholic drinks/day -past 12 mos |
| 18 | ALQ_B | Alcohol | ALQ140Q | #days have 5 or more drinks/past 12 mos |
| 19 | ALQ_B | Alcohol | ALQ140U | # days per week, month, year? |
| 20 | ALQ_B | Alcohol | ALQ150 | Ever have 5 or more drinks every day? |
| 21 | AUQ_B | Audiometry | SEQN | Respondent sequence number |
| 22 | AUQ_B | Audiometry | AUQ130 | General condition of hearing |
| 23 | AUQ_B | Audiometry | AUQ140 | When was hearing last tested |
| 24 | AUQ_B | Audiometry | AUQ150 | Ever worn a hearing aid |
| 25 | AUQ_B | Audiometry | AUQ160 | Now wearing a hearing aid |
| 26 | AUQ_B | Audiometry | AUQ170 | Worn hearing aid in past 12 months |
| 27 | AUQ_B | Audiometry | AUQ180 | How often wear hearing aid in past year |
| 28 | AUQ_B | Audiometry | AUQ190 | Ears ringing, roaring, buzzing past year |
| 29 | AUQ_B | Audiometry | AUQ200 | How often ringing, roaring, buzzing |
| 30 | AUQ_B | Audiometry | AUQ210 | Firearm noise exposure outside work |
| 31 | AUQ_B | Audiometry | AUQ220 | Use ear protection around firearm noise |
| 32 | AUQ_B | Audiometry | AUQ230 | Loud noise exposure outside work |
| 33 | AUQ_B | Audiometry | AUQ240 | Use ear protection around loud noise |
| 34 | BAQ_B | Balance | SEQN | Respondent sequence number |
| 35 | BAQ_B | Balance | BAQ010 | Dizzy/balance/falling problems/past yr |
| 36 | BAQ_B | Balance | BAQ020A | Dizziness problems in past year |
| 37 | BAQ_B | Balance | BAQ020B | Balance problems in past year |
| 38 | BAQ_B | Balance | BAQ020C | Falling problems in past year |
| 39 | BAQ_B | Balance | BAQ030A | How long did dizziness last |
| 40 | BAQ_B | Balance | BAQ030B | How long did balance problem last |
| 41 | BAQ_B | Balance | BAQ040 | Get dizzy when turn over in bed |
| 42 | BAQ_B | Balance | BAQ060A | Off balance due to cold or flu |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------|---------|--|
| 43 | BAQ_B | Balance | BAQ060B | Off balance due to injury or accident |
| 44 | BAQ_B | Balance | BAQ060C | Off balance due to drugs or medicine |
| 45 | BAQ_B | Balance | BAQ060D | Off balance due to aging |
| 46 | BAQ_B | Balance | BAQ060E | Off balance due to surgery |
| 47 | BAQ_B | Balance | BAQ060F | Off balance due to hearing problem |
| 48 | BAQ_B | Balance | BAQ060G | Off balance due to vision problem |
| 49 | BAQ_B | Balance | BAQ060H | Nothing related to balance problem |
| 50 | BAQ_B | Balance | BAQ070 | Received treatment for dizziness/balance |
| 51 | BAQ_B | Balance | BAQ075 | How long ago were you treated |
| 52 | BAQ_B | Balance | BAQ080A | Did treatment involve medication |
| 53 | BAQ_B | Balance | BAQ080B | Did treatment involve surgery to ear |
| 54 | BAQ_B | Balance | BAQ080C | Did treatment involve other type surgery |
| 55 | BAQ_B | Balance | BAQ080D | Did treatment involve exercises |
| 56 | BAQ_B | Balance | BAQ090 | Treatment affect on dizziness/balance |
| 57 | BAQ_B | Balance | BAQ100 | Blood relative dizziness/balance problem |
| 58 | BPQ_B | Blood Pressure | SEQN | Respondent sequence number |
| 59 | BPQ_B | Blood Pressure | BPQ010 | Last blood pressure reading by doctor |
| 60 | BPQ_B | Blood Pressure | BPQ020 | Ever told you had high blood pressure |
| 61 | BPQ_B | Blood Pressure | BPQ030 | Told had high blood pressure - 2+ times |
| 62 | BPQ_B | Blood Pressure | BPQ040A | Taking prescription for hypertension |
| 63 | BPQ_B | Blood Pressure | BPQ040B | Told to control weight for hypertension |
| 64 | BPQ_B | Blood Pressure | BPQ040C | Told to reduce sodium for hypertension |
| 65 | BPQ_B | Blood Pressure | BPQ040D | Told to exercise more for hypertension |
| 66 | BPQ_B | Blood Pressure | BPQ040E | Told to reduce alcohol for hypertension |
| 67 | BPQ_B | Blood Pressure | BPQ040F | Told to do other things for hypertension |
| 68 | BPQ_B | Blood Pressure | BPQ043A | Told to stop smoking for hypertension |
| 69 | BPQ_B | Blood Pressure | BPQ043B | Told to increase potassium for hyprtnsn |
| 70 | BPQ_B | Blood Pressure | BPQ043C | Told of other diet changes for hyprtnsn |
| 71 | BPQ_B | Blood Pressure | BPQ043D | Told to do other things for hyprtnsn |
| 72 | BPQ_B | Blood Pressure | BPQ050A | Now taking prescribed medicine |
| 73 | BPQ_B | Blood Pressure | BPQ050B | Now controlling weight |
| 74 | BPQ_B | Blood Pressure | BPQ050C | Now reducing salt/sodium |
| 75 | BPQ_B | Blood Pressure | BPQ050D | Now exercising more |
| 76 | BPQ_B | Blood Pressure | BPQ050E | Now reducing alcohol consumption |
| 77 | BPQ_B | Blood Pressure | BPQ060 | Ever had blood cholesterol checked |
| 78 | BPQ_B | Blood Pressure | BPQ070 | When blood cholesterol last checked |
| 79 | BPQ_B | Blood Pressure | BPQ080 | Doctor told you - high cholesterol level |
| 80 | BPQ_B | Blood Pressure | BPQ090A | Told to eat less fat for cholesterol |
| 81 | BPQ_B | Blood Pressure | BPQ090B | Told to reduce weight for cholesterol |
| 82 | BPQ_B | Blood Pressure | BPQ090C | Told to exercise more for cholesterol |
| 83 | BPQ_B | Blood Pressure | BPQ090D | Told to take prescriptn for cholesterol |
| 84 | BPQ_B | Blood Pressure | BPQ100A | Now eating fewer high fat foods |
| 85 | BPQ_B | Blood Pressure | BPQ100B | Now controlling weight |
| 86 | BPQ_B | Blood Pressure | BPQ100C | Now increasing exercise |
| 87 | BPQ_B | Blood Pressure | BPQ100D | Now taking prescribed medicine |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------------|---------|--|
| 88 | BPQ_B | Blood Pressure | BPD110A | Eating fewer high fat foods on own |
| 89 | BPQ_B | Blood Pressure | BPD110B | Controlling weight on own |
| 90 | BPQ_B | Blood Pressure | BPD110C | Increasing exercise on own |
| 91 | BPQ_B | Blood Pressure | BPD120 | Eating fewer high fat foods on own |
| 92 | BPQ_B | Blood Pressure | BPD130 | Controlling weight on own |
| 93 | BPQ_B | Blood Pressure | BPD140 | Increasing exercise on own |
| 94 | CDQ_B | Cardiovascular Disease | SEQN | Respondent sequence number |
| 95 | CDQ_B | Cardiovascular Disease | CDQ001 | SP ever had pain or discomfort in chest |
| 96 | CDQ_B | Cardiovascular Disease | CDQ002 | SP get it walking uphill or in a hurry |
| 97 | CDQ_B | Cardiovascular Disease | CDQ003 | During an ordinary pace on level ground |
| 98 | CDQ_B | Cardiovascular Disease | CDQ004 | If so does SP continue or slow down |
| 99 | CDQ_B | Cardiovascular Disease | CDQ005 | Does standing relieve pain/discomfort |
| 100 | CDQ_B | Cardiovascular Disease | CDQ006 | How soon is the pain relieved |
| 101 | CDQ_B | Cardiovascular Disease | CDQ009A | Pain in right arm |
| 102 | CDQ_B | Cardiovascular Disease | CDQ009B | Pain in right chest |
| 103 | CDQ_B | Cardiovascular Disease | CDQ009C | Pain in neck |
| 104 | CDQ_B | Cardiovascular Disease | CDQ009D | Pain in upper sternum |
| 105 | CDQ_B | Cardiovascular Disease | CDQ009E | Pain in lower sternum |
| 106 | CDQ_B | Cardiovascular Disease | CDQ009F | Pain in left chest |
| 107 | CDQ_B | Cardiovascular Disease | CDQ009G | Pain in left arm |
| 108 | CDQ_B | Cardiovascular Disease | CDQ009H | Pain in epigastric area |
| 109 | CDQ_B | Cardiovascular Disease | CDQ008 | Severe pain in chest more than half hour |
| 110 | CDQ_B | Cardiovascular Disease | CDQ010 | Shortness of breath on stairs/inclines |
| 111 | DBQ_B | Diet Behavior and Nutrition | SEQN | Respondent sequence number |
| 112 | DBQ_B | Diet Behavior and Nutrition | DBQ010 | Ever breastfed or fed breastmilk |
| 113 | DBQ_B | Diet Behavior and Nutrition | DBD020 | Age started eating other foods(days) |
| 114 | DBQ_B | Diet Behavior and Nutrition | DBD030 | Age stopped breastfeeding(days) |
| 115 | DBQ_B | Diet Behavior and Nutrition | DBD040 | Age first fed formula daily(days) |
| 116 | DBQ_B | Diet Behavior and Nutrition | DBD050 | Age stopped receiving formula(days) |
| 117 | DBQ_B | Diet Behavior and Nutrition | DBD060 | Age first fed milk daily basis(days) |
| 118 | DBQ_B | Diet Behavior and Nutrition | DBD071A | Type of milk first fed - whole milk |
| 119 | DBQ_B | Diet Behavior and Nutrition | DBD071B | Type of milk first fed - 2% milk |
| 120 | DBQ_B | Diet Behavior and Nutrition | DBD071C | Type of milk first fed - 1% milk |
| 121 | DBQ_B | Diet Behavior and Nutrition | DBD071D | Type of milk first fed - skim/nonfat |
| 122 | DBQ_B | Diet Behavior and Nutrition | DBD071U | Type of milk first fed - other |
| 123 | DBQ_B | Diet Behavior and Nutrition | DBD080 | Age started eating solid foods(days) |
| 124 | DBQ_B | Diet Behavior and Nutrition | DBD090 | # of times/week eat restaurant food |
| 125 | DBQ_B | Diet Behavior and Nutrition | DBD102 | # Times/month eat dark green vegetables |
| 126 | DBQ_B | Diet Behavior and Nutrition | DBD103 | #Times/month eat cooked dried beans/peas |
| 127 | DBQ_B | Diet Behavior and Nutrition | DBD196 | Past 30 day milk product consumption |
| 128 | DBQ_B | Diet Behavior and Nutrition | DBD221A | You drink whole or regular milk |
| 129 | DBQ_B | Diet Behavior and Nutrition | DBD221B | You drink 2% fat milk |
| 130 | DBQ_B | Diet Behavior and Nutrition | DBD221C | You drink 1% fat milk |
| 131 | DBQ_B | Diet Behavior and Nutrition | DBD221D | You drink skim, nonfat or .5% milk |
| 132 | DBQ_B | Diet Behavior and Nutrition | DBD221U | You drink another type of milk |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------------|----------|--|
| 133 | DBQ_B | Diet Behavior and Nutrition | DBD229 | Regular milk drinker |
| 134 | DBQ_B | Diet Behavior and Nutrition | DBD235AE | How often drank milk age 5-12 |
| 135 | DBQ_B | Diet Behavior and Nutrition | DBD235BE | How often drank milk age 13-17 |
| 136 | DBQ_B | Diet Behavior and Nutrition | DBD235CE | How often drank milk age 18-35 |
| 137 | DBQ_B | Diet Behavior and Nutrition | DBD301 | Community/Government meals delivered |
| 138 | DBQ_B | Diet Behavior and Nutrition | DBQ330 | Eat meals at Community/Senior center |
| 139 | DBQ_B | Diet Behavior and Nutrition | DBQ360 | Attend kindergarten thru high school |
| 140 | DBQ_B | Diet Behavior and Nutrition | DBQ370 | School serves school lunches |
| 141 | DBQ_B | Diet Behavior and Nutrition | DBD381 | # of times/week get school lunch |
| 142 | DBQ_B | Diet Behavior and Nutrition | DBQ390 | School lunch free, reduced or full price |
| 143 | DBQ_B | Diet Behavior and Nutrition | DBQ400 | School serve complete breakfast each day |
| 144 | DBQ_B | Diet Behavior and Nutrition | DBD411 | # of times/week get school breakfast |
| 145 | DBQ_B | Diet Behavior and Nutrition | DBD421 | School breakfast free/reduced/full price |
| 146 | DEQ_B | Dermatology | SEQN | Respondent sequence number |
| 147 | DEQ_B | Dermatology | DED011 | # moles at least 1/4 inch in diameter |
| 148 | DEQ_B | Dermatology | DED021 | Natural hair color at age 18 |
| 149 | DEQ_B | Dermatology | DED031 | Skin reaction to sun after non-exposure |
| 150 | DEQ_B | Dermatology | DED041 | Ever told by doctor you had melanoma |
| 151 | DEQ_B | Dermatology | DED051 | Close blood relative have melanoma |
| 152 | DEQ_B | Dermatology | DED061 | Dermatitis, eczema, rash in past year |
| 153 | DEQ_B | Dermatology | DED071 | Have dermatitis, eczema, rash now |
| 154 | DEQ_B | Dermatology | DED082A | Hands affected by skin condition |
| 155 | DEQ_B | Dermatology | DED082B | Arms affected by skin condition |
| 156 | DEQ_B | Dermatology | DED082C | Head, face or neck skin affected |
| 157 | DEQ_B | Dermatology | DED082D | Torso affected by skin condition |
| 158 | DEQ_B | Dermatology | DED082E | Legs affected by skin condition |
| 159 | DEQ_B | Dermatology | DED082F | Shoulder affected by skin condition |
| 160 | DEQ_B | Dermatology | DED082G | Groin affected by skin condition |
| 161 | DEQ_B | Dermatology | DED082H | Buttocks affected by skin condition |
| 162 | DEQ_B | Dermatology | DED082I | Feet affected by skin condition |
| 163 | DEQ_B | Dermatology | DED082J | Other area affected by skin condition |
| 164 | DIQ_B | Diabetes | SEQN | Respondent sequence number |
| 165 | DIQ_B | Diabetes | DIQ010 | Doctor told you have diabetes |
| 166 | DIQ_B | Diabetes | DID040G | Age when first told you had diabetes |
| 167 | DIQ_B | Diabetes | DID040Q | Number of years of age |
| 168 | DIQ_B | Diabetes | DIQ050 | Taking insulin now |
| 169 | DIQ_B | Diabetes | DID060G | How long taking insulin |
| 170 | DIQ_B | Diabetes | DID060Q | Number of mos/yrs taking insulin |
| 171 | DIQ_B | Diabetes | DIQ060U | Unit of measure (month/year) |
| 172 | DIQ_B | Diabetes | DIQ070 | Take diabetic pills to lower blood sugar |
| 173 | DIQ_B | Diabetes | DIQ080 | Diabetes affected eyes/had retinopathy |
| 174 | DIQ_B | Diabetes | DIQ090 | Ulcer/sore not healed within 4 weeks |
| 175 | DIQ_B | Diabetes | DIQ100 | Numbness in hands/feet-past 3 mos |
| 176 | DIQ_B | Diabetes | DIQ110 | Numbness in hands, feet or both |
| 177 | DIQ_B | Diabetes | DIQ120 | Pain/tingling in hands/feet - past 3 mos |

| Item # | Data File | Component | Item ID | Label |
|------------|----------------|---|------------------|---|
| 178 | DIQ_B | Diabetes | DIQ130 | Pain/tingling in hands,feet or both |
| 179 | DIQ_B | Diabetes | DIQ140 | Pain in either leg while walking |
| 180 | DIQ_B | Diabetes | DIQ150 | Pain in calf or calves |
| 181 | DUQ_B | Drug Use | SEQN | Respondent sequence number |
| 182 | DUQ_B | Drug Use | DUQ100 | Ever used cocaine or other street drug |
| 183 | DUQ_B | Drug Use | DUQ110 | #days used street drugs over past year |
| 184 | DUQ_B | Drug Use | DUQ120 | Ever used a needle to take street drugs |
| 185 | DUQ_B | Drug Use | DUQ130 | #days used needle for street drugs/year |
| 186 | ECQ_B | Early Childhood | SEQN | Respondent sequence number |
| 187 | ECQ_B | Early Childhood | ECD010 | Mother's age when born |
| 188 | ECQ_B | Early Childhood | ECQ020 | Mother smoked when pregnant |
| 189 | ECQ_B | Early Childhood | ECQ020 | Mother quit smoking while pregnant |
| 190 | ECQ_B | Early Childhood | ECQ030 ECQ040 | Mother quit smoking while pregnant (mo) |
| | | • | | |
| 191 | ECQ_B | Early Childhood | ECQ060 | Receive newborn care at health facility |
| 192 | ECQ_B | Early Childhood | ECD070A | Weight at birth, pounds |
| 193 | ECQ_B | Early Childhood | ECD070B | Weight at birth, ounces |
| 194 | ECQ_B | Early Childhood | ECQ080 | Weight more/less than 5.5 lbs |
| 195 | ECQ_B | Early Childhood | ECQ090 | Weight more/less than 9.0 lbs |
| 196 | ECQ_B | Early Childhood | ECQ100 | Ever attend day care or preschool |
| 197 | ECQ_B | Early Childhood | ECQ110 | Now attend day care or preschool |
| 198 | ECQ_B | Early Childhood | FSQ121 | Now attend headstart |
| 199 | HIQ_B | Health Insurance | SEQN | Respondent sequence number |
| 200 | HIQ_B | Health Insurance | HID010 | Covered by health insurance |
| 201 | HIQ_B | Health Insurance | HID030A | Covered by private insurance |
| 202 | HIQ_B | Health Insurance | HID030B | Covered by Medicare |
| 203 | HIQ_B | Health Insurance | HID030C | Covered by Medicaid/CHIP |
| 204 | HIQ_B | Health Insurance | HID030D | Covered by other government insurance |
| 205 | HIQ_B | Health Insurance | HID030E | Covered by single service plan |
| 206 | HIQ_B | Health Insurance | HID040 | Dental coverage included |
| 207 | HIQ_B | Health Insurance | HIQ210 | Time when no insurance in past year? |
| 208 | HOQ_B | Housing Characteristics | SEQN | Respondent sequence number |
| 209 | HOQ_B | Housing Characteristics | HOD010 HOD030 | Type of home How many apartments in building |
| 210 211 | HOQ_B HOQ_B | Housing Characteristics Housing Characteristics | HOD030 | When was home built |
| 211 | HOQ_B | Housing Characteristics | HOD040 HOD050 | Number of rooms in home |
| 213 | HOQ_B | Housing Characteristics | HOD060 | How many years family lived in home |
| 214 | HOQ_B | Housing Characteristics | HOQ065 | Home owned, bought, rented, other |
| 215 | HOQ_B | Housing Characteristics | HOQ003 | Source of tap water |
| 216 | HOQ_B | Housing Characteristics | HOQ080 | Water treatment devices used or not |
| 217 | HOQ_B | Housing Characteristics | HOD140 | Home painted in last 12 months |
| 218 | HOQ_B | Housing Characteristics | HOD150 | Old paint scraped when home painted? |
| 219 | HOQ_B | Housing Characteristics | HOD160 | Paint peeling, flaking, chipping inside |
| 220 | HOQ_B | Housing Characteristics | HOD170 | Inside peeling area plus 22x26 |
| 221 | HOQ_B | Housing Characteristics | HOD180 | Number of rooms 22x26 peeling |
| 222 | HOQ_B | Housing Characteristics | HOD190 | Outside paint peeling/flaking/chipping |
| 223 | HOQ_B | Housing Characteristics | HOD210 | Outside peeling larger than door? |
| 224 | HOQ_B | Housing Characteristics | HOD220 | Window, cabinet or wall renovation |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------|---------|--|
| 225 | HSQ_B | Current Health Status | SEQN | Respondent sequence number |
| 226 | HSQ_B | Current Health Status | HSD010 | General health condition |
| 227 | HSQ_B | Current Health Status | HSQ470 | no. of days physical health was not good |
| 228 | HSQ_B | Current Health Status | HSQ480 | no. of days mental health was not good |
| 229 | HSQ_B | Current Health Status | HSQ490 | inactive days due to phys./mental hlth |
| 230 | HSQ_B | Current Health Status | HSQ500 | SP recent health - over past 4 weeks |
| 231 | HSQ_B | Current Health Status | HSQ510 | SP have stomach or intestinal illness? |
| 232 | HSQ_B | Current Health Status | HSQ520 | SP have flu, pneumonia, ear infection? |
| 233 | HSQ_B | Current Health Status | HSD570 | SP donated blood in past 12 months? |
| 234 | HSQ_B | Current Health Status | HSQ580 | How long ago was last blood donation? |
| 235 | HSQ_B | Current Health Status | HSQ590 | Blood ever tested for HIV virus? |
| 236 | HSQ_B | Current Health Status | HSAQUEX | Source of Health Status Data |
| 237 | HUQ_B | Hospital Utilization | SEQN | Respondent sequence number |
| 238 | HUQ_B | Hospital Utilization | HUQ010 | General health condition |
| 239 | HUQ_B | Hospital Utilization | HUQ020 | Health now compared with 1 year ago |
| 240 | HUQ_B | Hospital Utilization | HUQ030 | Routine place to go for healthcare |
| 241 | HUQ_B | Hospital Utilization | HUQ040 | Type place most often go for healthcare |
| 242 | HUQ_B | Hospital Utilization | HUQ050 | #time receive healthcare over past year |
| 243 | HUQ_B | Hospital Utilization | HUQ060 | How long since last healthcare visit |
| 244 | HUQ_B | Hospital Utilization | HUD070 | Overnight hospital patient in last year |
| 245 | HUQ_B | Hospital Utilization | HUQ080 | #Times overnite hospital patient/last yr |
| 246 | HUQ_B | Hospital Utilization | HUQ082 | In long term care facility last 12 month |
| 247 | HUQ_B | Hospital Utilization | HUQ084 | Total # of days in long term facility |
| 248 | HUQ_B | Hospital Utilization | HUQ086 | Non SP HH member in care fac overnight |
| 249 | HUQ_B | Hospital Utilization | HUQ088A | Acute care facility |
| 250 | HUQ_B | Hospital Utilization | HUQ088B | Long term care facility |
| 251 | HUQ_B | Hospital Utilization | HUQ088C | Rehabilitation facility |
| 252 | HUQ_B | Hospital Utilization | HUQ090 | Seen mental health professional /past yr |
| 253 | IMQ_B | Immunization | SEQN | Respondent sequence number |
| 254 | IMQ_B | Immunization | IMQ010 | Received hepatitis A vaccine series |
| 255 | IMQ_B | Immunization | IMQ020 | Received hepatitis B 3 dose series |
| 256 | IMQ_B | Immunization | IMQ030 | Had pneumonia vaccination |
| 257 | MCQ_B | Medical Conditions | SEQN | Respondent sequence number |
| 258 | MCQ_B | Medical Conditions | MCQ010 | Ever been told you have asthma |
| 259 | MCQ_B | Medical Conditions | MCQ025 | Age when first had asthma |
| 260 | MCQ_B | Medical Conditions | MCQ035 | Still have asthma |
| 261 | MCQ_B | Medical Conditions | MCQ040 | Had asthma attack in past year |
| 262 | MCQ_B | Medical Conditions | MCQ050 | Emergency care visit for asthma/past yr |
| 263 | MCQ_B | Medical Conditions | MCQ053 | Taking treatment for anemia/past 3 mos |
| 264 | MCQ_B | Medical Conditions | MCQ060 | Told have attention deficit disorder? |
| 265 | MCQ_B | Medical Conditions | MCQ080 | Doctor ever said you were overweight |
| 266 | MCQ_B | Medical Conditions | MCQ083 | Ever told you have learning disability |
| 267 | MCQ_B | Medical Conditions | MCQ092 | Ever receive blood transfusion |
| 268 | MCQ_B | Medical Conditions | MCQ093 | Year receive blood transfusion |
| 269 | MCQ_B | Medical Conditions | MCQ114 | Ever tested for lead poisoning |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|---------|--|
| 270 | MCQ_B | Medical Conditions | MCQ117Q | How long since lead poisoning test |
| 271 | MCQ_B | Medical Conditions | MCQ117U | Months or years |
| 272 | MCQ_B | Medical Conditions | MCQ120A | Had hay fever in past year |
| 273 | MCQ_B | Medical Conditions | MCQ120B | Had 3 or more ear infections/past year |
| 274 | MCQ_B | Medical Conditions | MCQ120C | Had frequent/severe headaches/past yr |
| 275 | MCQ_B | Medical Conditions | MCQ120D | Stuttering/Stammering in past year |
| 276 | MCQ_B | Medical Conditions | MCQ140 | Trouble seeing even with glass/contacts |
| 277 | MCQ_B | Medical Conditions | MCD147 | Menstrual periods started yet? |
| 278 | MCQ_B | Medical Conditions | MCQ150G | School days missed from injury/illness |
| 279 | MCQ_B | Medical Conditions | MCQ150Q | # school days missed from injury/illness |
| 280 | MCQ_B | Medical Conditions | MCQ160A | Doctor ever said you had arthritis |
| 281 | MCQ_B | Medical Conditions | MCQ160B | Ever told had congestive heart failure |
| 282 | MCQ_B | Medical Conditions | MCQ160C | Ever told you had coronary heart disease |
| 283 | MCQ_B | Medical Conditions | MCQ160D | Ever told you had angina/angina pectoris |
| 284 | MCQ_B | Medical Conditions | MCQ160E | Ever told you had heart attack |
| 285 | MCQ_B | Medical Conditions | MCQ160F | Ever told you had a stroke |
| 286 | MCQ_B | Medical Conditions | MCQ160G | Ever told you had emphysema |
| 287 | MCQ_B | Medical Conditions | MCQ160J | Doctor said you were overweight |
| 288 | MCQ_B | Medical Conditions | MCQ160K | Ever told you had chronic bronchitis |
| 289 | MCQ_B | Medical Conditions | MCQ160L | Ever told you had any liver condition |
| 290 | MCQ_B | Medical Conditions | MCD160M | Ever told you had a thyroid problem |
| 291 | MCQ_B | Medical Conditions | MCQ170K | Do you still have chronic bronchitis |
| 292 | MCQ_B | Medical Conditions | MCQ170L | Do you still have a liver condition |
| 293 | MCQ_B | Medical Conditions | MCD170M | Do you still have a thyroid problem |
| 294 | MCQ_B | Medical Conditions | MCQ180A | Age when told you had arthritis |
| 295 | MCQ_B | Medical Conditions | MCQ180B | Age when told you had heart failure |
| 296 | MCQ_B | Medical Conditions | MCQ180C | Age when told had coronary heart disease |
| 297 | MCQ_B | Medical Conditions | MCQ180D | Age when told you had angina pectoris |
| 298 | MCQ_B | Medical Conditions | MCQ180E | Age when told you had heart attack |
| 299 | MCQ_B | Medical Conditions | MCQ180F | Age when told you had a stroke |
| 300 | MCQ_B | Medical Conditions | MCQ180G | Age when told you had emphysema |
| 301 | MCQ_B | Medical Conditions | MCQ180K | Age when told you had chronic bronchitis |
| 302 | MCQ_B | Medical Conditions | MCQ180L | Age when told you had a liver condition |
| 303 | MCQ_B | Medical Conditions | MCD180M | Age when told you had a thyroid problem |
| 304 | MCQ_B | Medical Conditions | MCQ190 | Which type of arthritis |
| 305 | MCQ_B | Medical Conditions | MCQ220 | Ever told you had cancer or malignancy |
| 306 | MCQ_B | Medical Conditions | MCQ230A | What kind of cancer |
| 307 | MCQ_B | Medical Conditions | MCQ230B | What kind of cancer |
| 308 | MCQ_B | Medical Conditions | MCQ230C | What kind of cancer |
| 309 | MCQ_B | Medical Conditions | MCQ230D | What kind of cancer |
| 310 | MCQ_B | Medical Conditions | MCQ240A | Age when bladder cancer first diagnosed |
| 311 | MCQ_B | Medical Conditions | MCQ240B | Age when blood cancer first diagnosed |
| 312 | MCQ_B | Medical Conditions | MCQ240C | Age when bone cancer first diagnosed |
| 313 | MCQ_B | Medical Conditions | MCQ240D | Age when brain cancer first diagnosed |
| 314 | MCQ_B | Medical Conditions | MCQ240E | Age when breast cancer first diagnosed |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|--|
| 315 | MCQ_B | Medical Conditions | MCQ240F | Age when cervical cancer first diagnosed |
| 316 | MCQ_B | Medical Conditions | MCQ240G | Age when colon cancer first diagnosed |
| 317 | MCQ_B | Medical Conditions | MCQ240H | Age esophageal cancer first diagnosed |
| 318 | MCQ_B | Medical Conditions | MCQ240I | Age gallbladder cancer first diagnosed |
| 319 | MCQ_B | Medical Conditions | MCQ240J | Age when kidney cancer first diagnosed |
| 320 | MCQ_B | Medical Conditions | MCQ240K | Age larynx/windpipe cancer diagnosed |
| 321 | MCQ_B | Medical Conditions | MCQ240L | Age when leukemia first diagnosed |
| 322 | MCQ_B | Medical Conditions | MCQ240M | Age when liver cancer first diagnosed |
| 323 | MCQ_B | Medical Conditions | MCQ240N | Age when lung cancer first diagnosed |
| 324 | MCQ_B | Medical Conditions | MCQ240O | Age lymphoma/Hodgkin's diagnosed |
| 325 | MCQ_B | Medical Conditions | MCQ240P | Age when melanoma first diagnosed |
| 326 | MCQ_B | Medical Conditions | MCQ240Q | Age mouth\tongue\lip cancer diagnosed |
| 327 | MCQ_B | Medical Conditions | MCQ240R | Age nervous system cancer diagnosed |
| 328 | MCQ_B | Medical Conditions | MCQ240S | Age when ovarian cancer first diagnosed |
| 329 | MCQ_B | Medical Conditions | MCQ240T | Age pancreatic cancer first diagnosed |
| 330 | MCQ_B | Medical Conditions | MCQ240U | Age prostate cancer first diagnosed |
| 331 | MCQ_B | Medical Conditions | MCQ240V | Age when rectal cancer first diagnosed |
| 332 | MCQ_B | Medical Conditions | MCQ240W | Age non-melanoma skin cancer diagnosed |
| 333 | MCQ_B | Medical Conditions | MCQ240X | Age unknown skin cancer first diagnosed |
| 334 | MCQ_B | Medical Conditions | MCQ240Y | Age soft tissue cancer first diagnosed |
| 335 | MCQ_B | Medical Conditions | MCQ240Z | Age stomach cancer first diagnosed |
| 336 | MCQ_B | Medical Conditions | MCQ240AA | Age testicular cancer first diagnosed |
| 337 | MCQ_B | Medical Conditions | MCQ240BB | Age when thyroid cancer first diagnosed |
| 338 | MCQ_B | Medical Conditions | MCQ240CC | Age when uterine cancer first diagnosed |
| 339 | MCQ_B | Medical Conditions | MCQ240DD | Age other type of cancer first diagnosed |
| 340 | MCQ_B | Medical Conditions | MCQ245A | Work days missed for illness/maternity |
| 341 | MCQ_B | Medical Conditions | MCQ245B | # of workdays missed |
| 342 | MCQ_B | Medical Conditions | MCQ250A | Blood relatives have diabetes |
| 343 | MCQ_B | Medical Conditions | MCQ250B | Blood relatives have Alzheimer's |
| 344 | MCQ_B | Medical Conditions | MCQ250C | Blood relatives have asthma |
| 345 | MCQ_B | Medical Conditions | MCQ250E | Blood relatives have osteoporosis |
| 346 | MCQ_B | Medical Conditions | MCQ250F | Blood relatives w/hypertension/stroke |
| 347 | MCQ_B | Medical Conditions | MCQ250G | Blood relatives have angina |
| 348 | MCQ_B | Medical Conditions | MCQ260AA | Blood relative-diabetes-mother |
| 349 | MCQ_B | Medical Conditions | MCQ260AB | Blood relative-diabetes-father |
| 350 | MCQ_B | Medical Conditions | MCQ260AC | Blood relative-diabetes-mother's mother |
| 351 | MCQ_B | Medical Conditions | MCQ260AD | Blood relative-diabetes-mother's father |
| 352 | MCQ_B | Medical Conditions | MCQ260AE | Blood relative-diabetes-father's mother |
| 353 | MCQ_B | Medical Conditions | MCQ260AF | Blood relative-diabetes-father's father |
| 354 | MCQ_B | Medical Conditions | MCQ260AG | Blood relative-diabetes-brother |
| 355 | MCQ_B | Medical Conditions | MCQ260AH | Blood relative-diabetes-sister |
| 356 | MCQ_B | Medical Conditions | MCQ260AI | Blood relative-diabetes-other |
| 357 | MCQ_B | Medical Conditions | MCQ260BA | Blood relative-Alzheimer's-mother |
| 358 | MCQ_B | Medical Conditions | MCQ260BB | Blood relative-Alzheimer's-father |
| 359 | MCQ_B | Medical Conditions | MCQ260BC | Blood relative-Alzheimer's-mom's mother |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|--|
| 360 | MCQ_B | Medical Conditions | MCQ260BD | Blood relative-Alzheimer's-mom's father |
| 361 | MCQ_B | Medical Conditions | MCQ260BE | Blood relative-Alzheimer's-dad's mother |
| 362 | MCQ_B | Medical Conditions | MCQ260BF | Blood relative-Alzheimer's-dad's father |
| 363 | MCQ_B | Medical Conditions | MCQ260BG | Blood relative-Alzheimer's-brother |
| 364 | MCQ_B | Medical Conditions | MCQ260BH | Blood relative-Alzheimer's-sister |
| 365 | MCQ_B | Medical Conditions | MCQ260BI | Blood relative-Alzheimer's-other |
| 366 | MCQ_B | Medical Conditions | MCQ260CA | Blood relative-asthma-mother |
| 367 | MCQ_B | Medical Conditions | MCQ260CB | Blood relative-asthma-father |
| 368 | MCQ_B | Medical Conditions | MCQ260CC | Blood relative-asthma-mother's mother |
| 369 | MCQ_B | Medical Conditions | MCQ260CD | Blood relative-asthma-mother's father |
| 370 | MCQ_B | Medical Conditions | MCQ260CE | Blood relative-asthma-father's mother |
| 371 | MCQ_B | Medical Conditions | MCQ260CF | Blood relative-asthma-father's father |
| 372 | MCQ_B | Medical Conditions | MCQ260CG | Blood relative-asthma-brother |
| 373 | MCQ_B | Medical Conditions | MCQ260CH | Blood relative-asthma-sister |
| 374 | MCQ_B | Medical Conditions | MCQ260CI | Blood relative-asthma-other |
| 375 | MCQ_B | Medical Conditions | MCQ260EA | Blood relative-osteoporosis-mother |
| 376 | MCQ_B | Medical Conditions | MCQ260EB | Blood relative-osteoporosis-father |
| 377 | MCQ_B | Medical Conditions | MCQ260EC | Blood relative-osteoporosis-mom's mother |
| 378 | MCQ_B | Medical Conditions | MCQ260ED | Blood relative-osteoporosis-mom's father |
| 379 | MCQ_B | Medical Conditions | MCQ260EE | Blood relative-osteoporosis-dad's mother |
| 380 | MCQ_B | Medical Conditions | MCQ260EF | Blood relative-osteoporosis-dad's father |
| 381 | MCQ_B | Medical Conditions | MCQ260EG | Blood relative-osteoporosis-brother |
| 382 | MCQ_B | Medical Conditions | MCQ260EH | Blood relative-osteoporosis-sister |
| 383 | MCQ_B | Medical Conditions | MCQ260EI | Blood relative-osteoporosis-other |
| 384 | MCQ_B | Medical Conditions | MCQ260FA | Blood relative-hypertension-mother |
| 385 | MCQ_B | Medical Conditions | MCQ260FB | Blood relative-hypertension-father |
| 386 | MCQ_B | Medical Conditions | MCQ260FC | Blood relative-hypertension-mom's mother |
| 387 | MCQ_B | Medical Conditions | MCQ260FD | Blood relative-hypertension-mom's father |
| 388 | MCQ_B | Medical Conditions | MCQ260FE | Blood relative-hypertension-dad's mother |
| 389 | MCQ_B | Medical Conditions | MCQ260FF | Blood relative-hypertension-dad's father |
| 390 | MCQ_B | Medical Conditions | MCQ260FG | Blood relative-hypertension-brother |
| 391 | MCQ_B | Medical Conditions | MCQ260FH | Blood relative-hypertension-sister |
| 392 | MCQ_B | Medical Conditions | MCQ260FI | Blood relative-hypertension-other |
| 393 | MCQ_B | Medical Conditions | MCQ260GA | Blood relative-heart attack-mother |
| 394 | MCQ_B | Medical Conditions | MCQ260GB | Blood relative-heart attack-father |
| 395 | MCQ_B | Medical Conditions | MCQ260GC | Blood relative-heart attack-mom's mother |
| 396 | MCQ_B | Medical Conditions | MCQ260GD | Blood relative-heart attack-mom's father |
| 397 | MCQ_B | Medical Conditions | MCQ260GE | Blood relative-heart attack-dad's mother |
| 398 | MCQ_B | Medical Conditions | MCQ260GF | Blood relative-heart attack-dad's father |
| 399 | MCQ_B | Medical Conditions | MCQ260GG | Blood relative-heart attack-brother |
| 400 | MCQ_B | Medical Conditions | MCQ260GH | Blood relative-heart attack-sister |
| 401 | MCQ_B | Medical Conditions | MCQ260GI | Blood relative-heart attack-other |
| 402 | MCQ_B | Medical Conditions | MCQ270 | Your mother ever fracture hip |
| 403 | MCQ_B | Medical Conditions | MCQ280 | Mother's age when fractured hip |
| 404 | MCQ_B | Medical Conditions | MCQ290 | Mother under/over 50 when fracture hip |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|---------|--|
| 405 | MPQ_B | Miscellaneous Pain | SEQN | Respondent sequence number |
| 406 | MPQ_B | Miscellaneous Pain | MPQ010 | Joint pain/aching/stiffness in past year |
| 407 | MPQ_B | Miscellaneous Pain | MPQ020 | Symptoms present for most of month? |
| 408 | MPQ_B | Miscellaneous Pain | MPQ030 | Symptoms begin only because of injury |
| 409 | MPQ_B | Miscellaneous Pain | MPD040 | #wks have joint pain symptoms |
| 410 | MPQ_B | Miscellaneous Pain | MPD050A | Right shoulder affected |
| 411 | MPQ_B | Miscellaneous Pain | MPD050B | Left shoulder affected |
| 412 | MPQ_B | Miscellaneous Pain | MPD050C | Right elbow affected |
| 413 | MPQ_B | Miscellaneous Pain | MPD050D | Left elbow affected |
| 414 | MPQ_B | Miscellaneous Pain | MPD050E | Right hip affected |
| 415 | MPQ_B | Miscellaneous Pain | MPD050F | Left hip attected |
| 416 | MPQ_B | Miscellaneous Pain | MPD050G | Right wrist affected |
| 417 | MPQ_B | Miscellaneous Pain | MPD050H | Left wrist affected |
| 418 | MPQ_B | Miscellaneous Pain | MPD050I | Right knee affected |
| 419 | MPQ_B | Miscellaneous Pain | MPD050J | Left knee affected |
| 420 | MPQ_B | Miscellaneous Pain | MPD050K | Right ankle affected |
| 421 | MPQ_B | Miscellaneous Pain | MPD050L | Left ankle affected |
| 422 | MPQ_B | Miscellaneous Pain | MPD050M | Right toes affected |
| 423 | MPQ_B | Miscellaneous Pain | MPD050N | Left toes affected |
| 424 | MPQ_B | Miscellaneous Pain | MPD050O | Right fingers/thumb affected |
| 425 | MPQ_B | Miscellaneous Pain | MPD050P | Left fingers/thumb affected |
| 426 | MPQ_B | Miscellaneous Pain | MPQ060 | Neck pain over last three months |
| 427 | MPQ_B | Miscellaneous Pain | MPQ070 | Low back pain |
| 428 | MPQ_B | Miscellaneous Pain | MPQ080 | Pain down either leg below knee |
| 429 | MPQ_B | Miscellaneous Pain | MPQ090 | Severe headaches or migraines |
| 430 | MPQ_B | Miscellaneous Pain | MPQ100 | Pain problem lasting more than 24 hrs |
| 431 | MPQ_B | Miscellaneous Pain | MPQ110 | How long experience this pain |
| 432 | MPQ_B | Miscellaneous Pain | MPQ120A | Head affected |
| 433 | MPQ_B | Miscellaneous Pain | MPQ120B | Face/dental affected |
| 434 | MPQ_B | Miscellaneous Pain | MPQ120C | Right shoulder/girdle affected |
| 435 | MPQ_B | Miscellaneous Pain | MPQ120D | Left shoulder/girdle affected |
| 436 | MPQ_B | Miscellaneous Pain | MPQ120E | Right upper arm affected |
| 437 | MPQ_B | Miscellaneous Pain | MPQ120F | Left upper arm affected |
| 438 | MPQ_B | Miscellaneous Pain | MPQ120G | Right mid-arm affected |
| 439 | MPQ_B | Miscellaneous Pain | MPQ120H | Left mid-arm affected |
| 440 | MPQ_B | Miscellaneous Pain | MPQ120I | Right lower arm affected |
| 441 | MPQ_B | Miscellaneous Pain | MPQ120J | Left lower arm affected |
| 442 | MPQ_B | Miscellaneous Pain | MPQ120K | Right upper back affected |
| 443 | MPQ_B | Miscellaneous Pain | MPQ120L | Left upper back affected |
| 444 | MPQ_B | Miscellaneous Pain | MPQ120M | Right lower back affected |
| 445 | MPQ_B | Miscellaneous Pain | MPQ120N | Left lower back affected |
| 446 | MPQ_B | Miscellaneous Pain | MPQ120O | Right buttock affected |
| 447 | MPQ_B | Miscellaneous Pain | MPQ120P | Left buttock affected |
| 448 | MPQ_B | Miscellaneous Pain | MPQ120Q | Right upper leg affected |
| 449 | MPQ_B | Miscellaneous Pain | MPQ120R | Left upper leg affected |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---|----------|--|
| 450 | MPQ_B | Miscellaneous Pain | MPQ120S | Right mid-leg affected |
| 451 | MPQ_B | Miscellaneous Pain | MPQ120T | Left mid-leg affected |
| 452 | MPQ_B | Miscellaneous Pain | MPQ120U | Right lower leg affected |
| 453 | MPQ_B | Miscellaneous Pain | MPQ120V | Left lower leg affected |
| 454 | MPQ_B | Miscellaneous Pain | MPQ120W | Neck affected |
| 455 | MPQ_B | Miscellaneous Pain | MPQ120X | Sternum affected |
| 456 | MPQ_B | Miscellaneous Pain | MPQ120Y | Right chest affected |
| 457 | MPQ_B | Miscellaneous Pain | MPQ120Z | Left chest affected |
| 458 | MPQ_B | Miscellaneous Pain | MPQ120AA | Abdomen affected |
| 459 | MPQ_B | Miscellaneous Pain | MPQ120AB | Spine affected |
| 460 | MPQ_B | Miscellaneous Pain | MPQ120AC | Right hand affected |
| 461 | MPQ_B | Miscellaneous Pain | MPQ120AD | Left hand affected |
| 462 | MPQ_B | Miscellaneous Pain | MPQ120AE | Right foot affected |
| 463 | MPQ_B | Miscellaneous Pain | MPQ120AF | Left foot affected |
| 464 | PAQ_B | Physical Activity | SEQN | Respondent sequence number |
| 465 | PAQ_B | Physical Activity | PAD020 | Walked or bicycled over past 30 days |
| 466 | PAQ_B | Physical Activity | PAQ050Q | # times walked or bicycled |
| 467 | PAQ_B | Physical Activity | PAQ050U | Unit of measure (day/week/month) |
| 468 | PAQ_B | Physical Activity | PAD080 | How long per day (minutes) |
| 469 | PAQ_B | Physical Activity | PAQ100 | Tasks around home/yard past 30 days |
| 470 | PAQ_B | Physical Activity | PAD120 | # of times past 30 days |
| 471 | PAQ_B | Physical Activity | PAD160 | How long each time (minutes) |
| 472 | PAQ_B | Physical Activity | PAQ180 | Avg level of physical activity each day |
| 473 | PAQ_B | Physical Activity | PAD200 | Vigorous activity over past 30 days |
| 474 | PAQ_B | Physical Activity | PAD320 | Moderate activity over past 30 days |
| 475 | PAQ_B | Physical Activity | PAD440 | Muscle strengthening activities |
| 476 | PAQ_B | Physical Activity | PAD460 | Number of times past 30 days |
| 477 | PAQ_B | Physical Activity | PAD480 | Daily hours of TV, video or computer use |
| 478 | PAQ_B | Physical Activity | PAQ500 | Activity comparison last mo - last yr |
| 479 | PAQ_B | Physical Activity | PAQ520 | Compare activity w/others same age |
| 480 | PAQ_B | Physical Activity | PAQ540 | Compare activity with 10 years ago |
| 481 | PAQ_B | Physical Activity | PAQ560 | # time/week you play or exercise hard |
| 482 | PAQ_B | Physical Activity | PAD590 | # hours watch TV or videos past 30 days |
| 483 | PAQ_B | Physical Activity | PAD600 | # of hours use computer past 30 days |
| 484 | PAQ_B | Physical Activity | PAAQUEX | Questionnaire source flag for weighting |
| 485 | PAQIAF_B | Physical Activity Individual Activity File | SEQN | Respondent sequence number |
| 486 | PAQIAF_B | Physical Activity Individual Activity File | PADACTIV | Leisure time activity |
| 487 | PAQIAF_B | Physical Activity Individual Activity File | PADLEVEL | Activity level |
| 488 | PAQIAF_B | Physical Activity Individual Activity File | PADTIMES | # of times did activity in past 30 days |
| 489 | PAQIAF_B | Physical Activity Individual Activity File | PADDURAT | Average duration of activity (minutes) |
| 490 | PAQIAF_B | Physical Activity Individual Activity File | PADMETS | MET score for activity |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---|---------|--|
| 491 | PAQIAF_B | Physical Activity Individual Activity File | PAAQUEX | Questionnaire source flag for weighting |
| 492 | PFQ_B | Physical Functioning | SEQN | Respondent sequence number |
| 493 | PFQ_B | Physical Functioning | PFQ010 | Physical, mental, emotional limitations |
| 494 | PFQ_B | Physical Functioning | PFQ015 | Able to take part in most type of play |
| 495 | PFQ_B | Physical Functioning | PFQ020 | Crawl, walk, run, play limitations |
| 496 | PFQ_B | Physical Functioning | PFQ030 | Long term impairment/health problem |
| 497 | PFQ_B | Physical Functioning | PFD040 | Receive Special Ed or Early Intervention |
| 498 | PFQ_B | Physical Functioning | PFQ048 | Limitations keeping you from working |
| 499 | PFQ_B | Physical Functioning | PFQ050 | Limited in amount of work you can do |
| 500 | PFQ_B | Physical Functioning | PFQ055 | Need special equipment to walk |
| 501 | PFQ_B | Physical Functioning | PFQ056 | Experience confusion/memory problems |
| 502 | PFQ_B | Physical Functioning | PFQ059 | Physical, mental, emotional limitations |
| 503 | PFQ_B | Physical Functioning | PFQ060A | Managing money difficulty |
| 504 | PFQ_B | Physical Functioning | PFQ060B | Walking for a quarter mile difficulty |
| 505 | PFQ_B | Physical Functioning | PFQ060C | Walking up ten steps difficulty |
| 506 | PFQ_B | Physical Functioning | PFQ060D | Stooping, crouching, kneeling difficulty |
| 507 | PFQ_B | Physical Functioning | PFQ060E | Lifting or carrying difficulty |
| 508 | PFQ_B | Physical Functioning | PFQ060F | House chore difficulty |
| 509 | PFQ_B | Physical Functioning | PFQ060G | Preparing meals difficulty |
| 510 | PFQ_B | Physical Functioning | PFQ060H | Walking between rooms on same floor |
| 511 | PFQ_B | Physical Functioning | PFQ060I | Standingup from armless chair difficulty |
| 512 | PFQ_B | Physical Functioning | PFQ060J | Getting in and out of bed difficulty |
| 513 | PFQ_B | Physical Functioning | PFQ060K | Using fork, knife, drinking from cup |
| 514 | PFQ_B | Physical Functioning | PFQ060L | Dressing yourself difficulty |
| 515 | PFQ_B | Physical Functioning | PFQ060M | Standing for long periods difficulty |
| 516 | PFQ_B | Physical Functioning | PFQ060N | Sitting for long periods difficulty |
| 517 | PFQ_B | Physical Functioning | PFQ060O | Reaching up over head difficulty |
| 518 | PFQ_B | Physical Functioning | PFQ060P | Grasp/holding small objects difficulty |
| 519 | PFQ_B | Physical Functioning | PFQ060Q | Going out to movies, events difficulty |
| 520 | PFQ_B | Physical Functioning | PFQ060R | Attending social event difficulty |
| 521 | PFQ_B | Physical Functioning | PFQ060S | Leisure activity at home difficulty |
| 522 | PFQ_B | Physical Functioning | PFD067A | Health problems causing difficulty |
| 523 | PFQ_B | Physical Functioning | PFD067B | Health problems causing difficulty |
| 524 | PFQ_B | Physical Functioning | PFD067C | Health problems causing difficulty |
| 525 | PFQ_B | Physical Functioning | PFD067D | Health problems causing difficulty |
| 526 | PFQ_B | Physical Functioning | PFD067E | Health problems causing difficulty |
| 527 | PFQ_B | Physical Functioning | PFD069A | Arthritis or rheumatism probl, days |
| 528 | PFQ_B | Physical Functioning | PFD069B | Back or neck problems, days |
| 529 | PFQ_B | Physical Functioning | PFD069C | Cancer condition, days |
| 530 | PFQ_B | Physical Functioning | PFD069D | Depression/anxiety/emotional probl, days |
| 531 | PFQ_B | Physical Functioning | PFD069E | Other development problems, days |
| 532 | PFQ_B | Physical Functioning | PFD069F | Diabetes condition, days |
| 533 | PFQ_B | Physical Functioning | PFD069G | Fractures/bone/joint injury probl, days |
| 534 | PFQ_B | Physical Functioning | PFD069H | Hearing problems, days |
| 535 | PFQ_B | Physical Functioning | PFD069I | Heart problems, days |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------------|------------------|---|
| 536 | PFQ_B | Physical Functioning | PFD069J | Hypertension or high blood pressure,days |
| 537 | PFQ_B | Physical Functioning | PFD069K | Lung or breathing problems, days |
| 538 | PFQ_B | Physical Functioning | PFD069L | Mental retardation condition, days |
| 539 | PFQ_B | Physical Functioning | PFD069M | Other injury problems, days |
| 540 | PFQ_B | Physical Functioning | PFD069N | Senility condition, days |
| 541 | PFQ_B | Physical Functioning | PFD069O | Stroke problems, days |
| 542 | PFQ_B | Physical Functioning | PFD069P | Vision problems, days |
| 543 | PFQ_B | Physical Functioning | PFD069Q | Weight problems, days |
| 544 | PFQ_B | Physical Functioning | PFD069R | Other impairment problems, days |
| 545 | PFQ_B | Physical Functioning | PFQ090 | Require special healthcare equipment |
| 546 | PUQ_B | Pesticide Use | SEQN | Respondent sequence number |
| 547 | PUQ_B | Pesticide Use | PUD010 | Pest control in home in past month? |
| 548 | PUQ_B | Pesticide Use | PUD010 PUD020 | Rooms treated for pests? |
| 549 | PUQ_B | Pesticide Use | PUD020 PUD021 | Foundation/outside of building treated? |
| 550 | PUQ_B | Pesticide Use | PUD021 | Non-professional treated home? |
| 551 | PUQ_B | Pesticide Use | PUD031 | · |
| 552 | PUQ_B | Pesticide Use | PUD032 PUD033 | # treatments in home by non-professional Professional treated home? |
| 553 | PUQ_B | Pesticide Use | PUD033 | # treatments in home by professional |
| 554 | PUQ_B | Pesticide Use | PUD034 PUD040 | Home have private yard? |
| 555 | PUQ_B | Pesticide Use | PUD040 PUD060 | Pest control in yard in past month? |
| 556 | PUQ_B | Pesticide Use | PUD071 | Non-professional treated yard? |
| 557 | PUQ_B | Pesticide Use | PUD071 | # treatments in yard by non-professional |
| 558 | PUQ_B | Pesticide Use | PUD072 | Professional treated yard? |
| 559 | PUQ_B | Pesticide Use | PUD074 | # treatments in yard by professional |
| 560 | RHQ_B | Reproductive Health | SEQN | Respondent sequence number |
| 561 | RHQ_B | Reproductive Health | RHQ010 | Age when first menstrual period occurred |
| 562 | RHQ_B | Reproductive Health | RHQ020 | Age range at first menstrual period |
| 563 | RHQ_B | Reproductive Health | RHQ030 | Had regular periods in past 12 months |
| 564 | RHQ_B | Reproductive Health | RHQ040 | Reason not having regular periods |
| 565 | RHQ_B | Reproductive Health | RHQ050 | When did SP have last period? |
| 566 | RHQ_B | Reproductive Health | RHQ060 | Age at last menstrual period |
| 567 | RHQ_B | Reproductive Health | RHQ070 | Age range at last menstrual period |
| 568 | RHQ_B | Reproductive Health | RHD080 | Days since last period |
| 569 | RHQ_B | Reproductive Health | RHQ090 | Menstrual cycle regularity/last 5 years |
| 570 | RHQ_B | Reproductive Health | RHQ100 | Menstrual bleeding rate/last 5 years |
| 571 | RHQ_B | Reproductive Health | RHQ110 | Hot flashes, night sweats/last 6 mos? |
| 572 | RHQ_B | Reproductive Health | RHD120 | Monthly frequency of hot flashes |
| 573 | RHQ_B | Reproductive Health | RHD130 | Ever been pregnant? |
| 574 | RHQ_B | Reproductive Health | RHQ141 | Think that you are pregnant now? |
| 575 | RHQ_B | Reproductive Health | RHQ151 | What month of pregnancy are you in? |
| 576 | RHQ_B | Reproductive Health | RHQ160 | How many times have been pregnant? |
| 577 | RHQ_B | Reproductive Health | RHD170 | # pregnancies resulting in live births |
| 578 | RHQ_B | Reproductive Health | RHQ180 | Age at first live birth |
| 579 | RHQ_B | Reproductive Health | RHQ190 | Age at last live birth |
| 580 | RHQ_B | Reproductive Health | RHQ200 | Now breastfeeding a child? |
| 581 | RHQ_B | Reproductive Health | RHQ210 | Breastfed any of your children? |
| 582 | RHQ_B | Reproductive Health | RHD230 | # of children breastfed at least 1 month |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------|---------|--|
| 583 | RHQ_B | Reproductive Health | RHQ240A | Reason not breastfed - job/schedule |
| 584 | RHQ_B | Reproductive Health | RHQ240B | Reason not breastfed - mother's phys/med |
| 585 | RHQ_B | Reproductive Health | RHQ240C | Reason not breastfed - child's phys/med |
| 586 | RHQ_B | Reproductive Health | RHQ240D | Reason not breastfed - preferred bottle |
| 587 | RHQ_B | Reproductive Health | RHQ240E | Reason not breastfed - didn't know how |
| 588 | RHQ_B | Reproductive Health | RHQ240F | Reason not breastfed - other |
| 589 | RHQ_B | Reproductive Health | RHQ250 | Any child weight <5.5 lbs at birth? |
| 590 | RHQ_B | Reproductive Health | RHQ260 | # children weighing <5.5 lbs at birth? |
| 591 | RHQ_B | Reproductive Health | RHD270 | Number of children born preterm |
| 592 | RHQ_B | Reproductive Health | RHD280 | Had a hysterectomy? |
| 593 | RHQ_B | Reproductive Health | RHQ290 | Age when had hysterectomy |
| 594 | RHQ_B | Reproductive Health | RHQ300 | Had at least one ovary removed? |
| 595 | RHQ_B | Reproductive Health | RHQ310 | Were both ovaries removed or only one? |
| 596 | RHQ_B | Reproductive Health | RHQ320 | Both ovaries removed at same time? |
| 597 | RHQ_B | Reproductive Health | RHQ330 | Age when first/both ovaries removed |
| 598 | RHQ_B | Reproductive Health | RHQ340 | Age when second ovary removed |
| 599 | RHQ_B | Reproductive Health | RHD350 | Fallopian tubes ever cut/tied/removed |
| 600 | RHQ_B | Reproductive Health | RHQ360 | Told by doctor had endometriosis? |
| 601 | RHQ_B | Reproductive Health | RHQ370 | Age when first told had endometriosis |
| 602 | RHQ_B | Reproductive Health | RHQ380 | Told by doctor had uterine fibroids? |
| 603 | RHQ_B | Reproductive Health | RHQ390 | Age when first told had uterine fibroids |
| 604 | RHQ_B | Reproductive Health | RHQ420 | Ever taken birth control pills? |
| 605 | RHQ_B | Reproductive Health | RHQ430 | Age when started taking birth pills |
| 606 | RHQ_B | Reproductive Health | RHD440 | Taking birth control pills now? |
| 607 | RHQ_B | Reproductive Health | RHQ450 | Age when stopped taking birth pills |
| 608 | RHQ_B | Reproductive Health | RHQ460Q | How long taking birth control pills |
| 609 | RHQ_B | Reproductive Health | RHQ460U | Unit of measure: months, years |
| 610 | RHQ_B | Reproductive Health | RHD470 | Brand name of contraceptives |
| 611 | RHQ_B | Reproductive Health | RHQ510 | Used DepoProvera or injectables? |
| 612 | RHQ_B | Reproductive Health | RHQ520 | Now use DepoProvera or injectables? |
| 613 | RHQ_B | Reproductive Health | RHQ540 | Ever use female hormones? |
| 614 | RHQ_B | Reproductive Health | RHQ541A | Hormone pills used |
| 615 | RHQ_B | Reproductive Health | RHQ541B | Hormone patches used |
| 616 | RHQ_B | Reproductive Health | RHQ541C | Hormone cream/suppository/injection used |
| 617 | RHQ_B | Reproductive Health | RHQ550 | Having periods when start hormones |
| 618 | RHQ_B | Reproductive Health | RHQ551A | Used estr/progest for menopause |
| 619 | RHQ_B | Reproductive Health | RHQ551B | Used estr/progest for emotions |
| 620 | RHQ_B | Reproductive Health | RHQ551C | Used estr/progest for hysterct/oophorect |
| 621 | RHQ_B | Reproductive Health | RHQ551D | Used estr/progest for osteoporosis |
| 622 | RHQ_B | Reproductive Health | RHQ551E | Used estr/progest for cardiovascular dis |
| 623 | RHQ_B | Reproductive Health | RHQ551F | Used estr/progest for irregular periods |
| 624 | RHQ_B | Reproductive Health | RHQ551G | Used estr/progest for other reasons |
| 625 | RHQ_B | Reproductive Health | RHQ554 | Use hormone pills w/estrogen only |
| 626 | RHQ_B | Reproductive Health | RHQ556 | Age started estrogen-only pills |
| 627 | RHQ_B | Reproductive Health | RHQ558 | Taking estrogen only pills now? |
| 628 | RHQ_B | Reproductive Health | RHQ560Q | How long taking estrogen only pills |
| 629 | RHQ_B | Reproductive Health | RHQ560U | Unit of measure: months, years |
| 630 | RHQ_B | Reproductive Health | RHQ562 | Used hormone pills w/progestin only |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------|---------|--|
| 631 | RHQ_B | Reproductive Health | RHQ564 | Age started progestin only pills |
| 632 | RHQ_B | Reproductive Health | RHQ566 | Taking progestin only pills now? |
| 633 | RHQ_B | Reproductive Health | RHQ568Q | How long taking progestin only pills |
| 634 | RHQ_B | Reproductive Health | RHQ568U | Unit of measure: months, years |
| 635 | RHQ_B | Reproductive Health | RHQ570 | Used estrogen/progestin combo pills |
| 636 | RHQ_B | Reproductive Health | RHQ572 | Age started estrogen/progestin pills |
| 637 | RHQ_B | Reproductive Health | RHQ574 | Taking estrogen/progestin now? |
| 638 | RHQ_B | Reproductive Health | RHQ576Q | How long taking estrogen/progestin |
| 639 | RHQ_B | Reproductive Health | RHQ576U | Unit of measure: months, years |
| 640 | RHQ_B | Reproductive Health | RHQ580 | Used estrogen-only patches? |
| 641 | RHQ_B | Reproductive Health | RHQ582 | Age started estrogen-only patches |
| 642 | RHQ_B | Reproductive Health | RHQ584 | Using estrogen-only patches now? |
| 643 | RHQ_B | Reproductive Health | RHQ586Q | How long using estrogen only patch |
| 644 | RHQ_B | Reproductive Health | RHQ586U | Unit of measure: months, years |
| 645 | RHQ_B | Reproductive Health | RHQ596 | Used estrogen/progestin combo patch |
| 646 | RHQ_B | Reproductive Health | RHQ598 | Age started estrogen/progestin patch |
| 647 | RHQ_B | Reproductive Health | RHQ600 | Use estrogen/progestin patch now? |
| 648 | RHQ_B | Reproductive Health | RHQ602Q | How long use estrogen/progestin patch |
| 649 | RHQ_B | Reproductive Health | RHQ602U | Unit of measure: months, years |
| 650 | RHQ_B | Reproductive Health | RHQ700 | Used fem hygiene product in past month? |
| 651 | RHQ_B | Reproductive Health | RHQ710A | Used tampons in past month? |
| 652 | RHQ_B | Reproductive Health | RHQ710B | Used sanitary napkins in past month? |
| 653 | RHQ_B | Reproductive Health | RHQ710C | Used vaginal douches in past month? |
| 654 | RHQ_B | Reproductive Health | RHQ710D | Used feminine spray in past month? |
| 655 | RHQ_B | Reproductive Health | RHQ710E | Used feminine powder in past month? |
| 656 | RHQ_B | Reproductive Health | RHQ710F | Used feminine wipes/towlettes past month |
| 657 | RHQ_B | Reproductive Health | RHQ710G | Used other fem hygiene products past mon |
| 658 | RHQ_B | Reproductive Health | RHQ720 | Did SP douche in past 6 months? |
| 659 | RHQ_B | Reproductive Health | RHQ730 | Frequency SP douched in past 6 months |
| 660 | RHQ_B | Reproductive Health | RHQ740 | Vaginal problems during past month |
| 661 | RHQ_B | Reproductive Health | RHQ750A | Problem with vaginal itching |
| 662 | RHQ_B | Reproductive Health | RHQ750B | Problem with vaginal odor |
| 663 | RHQ_B | Reproductive Health | RHQ750C | Problem with vaginal discharge |
| 664 | SMQ_B | Smoking & Tobacco Use | SEQN | Respondent sequence number |
| 665 | SMQ_B | Smoking & Tobacco Use | SMQ020 | Smoked at least 100 cigarettes in life |
| 666 | SMQ_B | Smoking & Tobacco Use | SMD030 | Age started smoking cigarets regularly |
| 667 | SMQ_B | Smoking & Tobacco Use | SMQ040 | Do you now smoke cigarettes |
| 668 | SMQ_B | Smoking & Tobacco Use | SMQ050Q | How long since quit smoking cigarettes |
| 669 | SMQ_B | Smoking & Tobacco Use | SMQ050U | Unit of measure (day/week/month/year) |
| 670 | SMQ_B | Smoking & Tobacco Use | SMD055 | Age last smoked cigarettes regularly |
| 671 | SMQ_B | Smoking & Tobacco Use | SMD057 | # cigarettes smoked per day when quit |
| 672 | SMQ_B | Smoking & Tobacco Use | SMD070 | # cigarettes smoked per day now |
| 673 | SMQ_B | Smoking & Tobacco Use | SMD075 | How many years smoked this amount |
| 674 | SMQ_B | Smoking & Tobacco Use | SMQ077 | How soon after waking do you smoke |
| 675 | SMQ_B | Smoking & Tobacco Use | SMD080 | # days smoked cigs during past 30 days |
| 676 | SMQ_B | Smoking & Tobacco Use | SMD090 | Avg # cigarettes/day during past 30 days |
| 677 | SMQ_B | Smoking & Tobacco Use | SMQ120 | Smoked a pipe at least 20 times in life |
| 678 | SMQ_B | Smoking & Tobacco Use | SMD130 | Age started pipe smoking regularly |

| Item # | Data File | Component | Item ID | Label |
|--------|---------------|-----------------------------|---------|--|
| 679 | SMQ_B | Smoking & Tobacco Use | SMQ140 | Do you now smoke a pipe |
| 680 | SMQ_B | Smoking & Tobacco Use | SMQ143 | # pipefuls of tobacco smoked per day |
| 681 | SMQ_B | Smoking & Tobacco Use | SMQ145 | # years smoked this amount of pipes |
| 682 | SMQ_B | Smoking & Tobacco Use | SMQ150 | Smoked cigars at least 20 times in life |
| 683 | SMQ_B | Smoking & Tobacco Use | SMD160 | Age started cigar smoking regularly |
| 684 | SMQ_B | Smoking & Tobacco Use | SMQ170 | Do you now smoke cigars |
| 685 | SMQ_B | Smoking & Tobacco Use | SMQ173 | # cigars smokes per day |
| 686 | SMQ_B | Smoking & Tobacco Use | SMQ175 | # years smoked this amount of cigars |
| 687 | SMQ_B | Smoking & Tobacco Use | SMQ180 | Used snuff at least 20 times in life |
| 688 | SMQ_B | Smoking & Tobacco Use | SMD190 | Age started using snuff regularly |
| 689 | SMQ_B | Smoking & Tobacco Use | SMQ200 | Do you now use snuff |
| 690 | SMQ_B | Smoking & Tobacco Use | SMD203 | # snuff pinches/dips/rubs per day |
| 691 | SMQ_B | Smoking & Tobacco Use | SMQ205 | # years used this amount of snuff |
| 692 | SMQ_B | Smoking & Tobacco Use | SMQ210 | Used chewing tobacco 20 times in life |
| 693 | SMQ_B | Smoking & Tobacco Use | SMD220 | Age started chewing tobacco regularly |
| 694 | SMQ_B | Smoking & Tobacco Use | SMQ230 | Do you now use chewing tobacco |
| 695 | SMQ_B | Smoking & Tobacco Use | SMD233 | # chewing plugs/wads/chaws per day |
| 696 | SMQ_B | Smoking & Tobacco Use | SMD235 | # years used this chewing tobacco amount |
| 697 | SMQFAM_B | Family Smoking | SEQN | Respondent sequence number |
| 698 | SMQFAM_B | Family Smoking | SMD410 | Does anyone smoke in the home |
| 699 | SMQFAM_B | Family Smoking | SMD415 | Total number of smokers in home |
| 700 | SMQFAM_B | Family Smoking | SMD415A | Total # of cigarette smokers in home |
| 701 | SMQFAM_B | Family Smoking | SMD415B | Total # of cigar smokers in home |
| 702 | SMQFAM_B | Family Smoking | SMD415C | Total # of pipe smokers in home |
| 703 | SMQFAM_B | Family Smoking | SMD430 | Total # cigarettes smoked in home |
| 704 | SMQFAM_B | Family Smoking | SMD440 | Total # cigars smoked in home |
| 705 | SMQFAM_B | Family Smoking | SMD450 | Total # pipes smoked in home |
| 706 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SEQN | Respondent sequence number |
| 707 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ620 | Ever tried cigarette smoking |
| 708 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMD630 | Age first smoked whole cigarette |
| 709 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ640 | # days smoked cigarettes in past month |
| 710 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ650 | # cigarettes per day during past month |
| 711 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ077 | How soon after waking do you smoke |
| 712 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ660 | Brands of cigarettes smoked/past mo |
| 713 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ664B | Menthol or non-menthol BensonHedges |
| 714 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ664C | Menthol or non-menthol Camels |
| 715 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ664M | Menthol or non-menthol Marlboro |
| 716 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ664O | Menthol or non-menthol other brand |
| 717 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ664W | Menthol or non-menthol Winston |
| 718 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666B | Regular, light or ultralite BensonHedges |
| 719 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666C | Regular, light or ultralite Camels |
| 720 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666K | Regular, light or ultralite Kools |
| 721 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666M | Regular, light or ultralite Marlboro |
| 722 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666N | Regular, light or ultralite Newport |
| 723 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666O | Regular, light or ultralite other brand |
| 724 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666S | Regular, light or ultralite Salem |
| 725 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ666W | Regular, light or ultralite Winston |
| 123 | OIVIQIVIL'U_D | omoning a robacco ose (MEC) | | Negular, light of ultraffic Willston |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------------|---------|--|
| 726 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ670 | Tried to quit smoking |
| 727 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ680 | Used tobacco/nicotine last 5 days? |
| 728 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ690A | Used last 5 days - Cigarettes |
| 729 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ690B | Used last 5 days - Pipes |
| 730 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ690C | Used last 5 days - Cigars |
| 731 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ690D | Used last 5 days - Chewing tobacco |
| 732 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ690E | Used last 5 days - Snuff |
| 733 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ690F | Used last 5 days - Patch, gum, other |
| 734 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ710 | # days smoked cigarettes last 5 days |
| 735 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ720 | # cigarettes smoked per day |
| 736 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ725 | When did SP smoke last cigarette? |
| 737 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ740 | # days smoked pipe over last 5 days |
| 738 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ750 | # pipes smoked per day - last 5 days |
| 739 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ755 | When did SP smoke last pipe? |
| 740 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ770 | # days smoked cigars over last 5 days |
| 741 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ780 | # cigars smoked per day - last 5 days |
| 742 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ785 | When did SP smoke last cigar? |
| 743 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ800 | #days used chewing tobacco -last 5 days |
| 744 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ815 | When did SP last use chewing tobacco? |
| 745 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ817 | # days used snuff over last 5 days |
| 746 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ819 | When last used snuff |
| 747 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ830 | # days used nicotine stop smoking aids? |
| 748 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMQ840 | Last time used nicotine stop smoking aid |
| 749 | SMQMEC_B | Smoking & Tobacco Use (MEC) | SMAQUEX | Questionnaire Mode Flag |
| 750 | SSQ_B | Social Support | SSD021H | Co-workers give most emotional support |
| 751 | SSQ_B | Social Support | SSD021I | Church members give emotional support |
| 752 | SSQ_B | Social Support | SSD021J | Club members give most emotional support |
| 753 | SSQ_B | Social Support | SSD021K | Professionl gives most emotional support |
| 754 | SSQ_B | Social Support | SSD021L | Friends give most emotional support |
| 755 | SSQ_B | Social Support | SSD021M | Others give most emotional support |
| 756 | SSQ_B | Social Support | SSD021N | No one gives emotional support |
| 757 | SSQ_B | Social Support | SSD031 | Needed more support in past year |
| 758 | SSQ_B | Social Support | SSD041 | How much more support needed |
| 759 | SSQ_B | Social Support | SSD051 | Anyone to help with financial support |
| 760 | SSQ_B | Social Support | SSD061 | Number of close friends |
| 761 | SXQ_B | Sexual Behavior | SEQN | Respondent sequence number |
| 762 | SXQ_B | Sexual Behavior | SXQ020 | Ever had sexual intercourse |
| 763 | SXQ_B | Sexual Behavior | SXD030 | Age when first had sexual intercourse |
| 764 | SXQ_B | Sexual Behavior | SXQ100 | #men sex intercourse partners/life |
| 765 | SXQ_B | Sexual Behavior | SXQ120 | #men sex intercourse partners/year |
| 766 | SXQ_B | Sexual Behavior | SXQ130 | #women sex intercourse partners/life |
| 767 | SXQ_B | Sexual Behavior | SXQ150 | #women sex intercourse partners/year |
| 768 | SXQ_B | Sexual Behavior | SXQ170 | #women sex intercourse partners/life |
| 769 | SXQ_B | Sexual Behavior | SXQ190 | #women sex intercourse partners/year |
| 770 | SXQ_B | Sexual Behavior | SXQ200 | #men sex intercourse partners/lifetime |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------|---------|--|
| 771 | SXQ_B | Sexual Behavior | SXQ220 | #men sex intercourse partners/year |
| 772 | SXQ_B | Sexual Behavior | SXD240 | #sexual intercourse partners/past mo |
| 773 | SXQ_B | Sexual Behavior | SXQ250 | #times had sex WITHOUT condom/past mo |
| 774 | SXQ_B | Sexual Behavior | SXQ260 | Doctor ever told you had genital herpes |
| 775 | SXQ_B | Sexual Behavior | SXQ265 | Doctor ever told you had genital warts |
| 776 | SXQ_B | Sexual Behavior | SXQ270 | Doctor ever told you had gonorrhea |
| 777 | SXQ_B | Sexual Behavior | SXQ272 | Doctor ever told you had chlamydia |
| 778 | SXQ_B | Sexual Behavior | SXQ280 | Are you circumcised or uncircumcised |
| 779 | SXQ_B | Sexual Behavior | SXQ292 | How you describe your sexual orientation |
| 780 | SXQ_B | Sexual Behavior | SXQ294 | How you describe your sexual orientation |
| 781 | WHQ_B | Weight History | SEQN | Respondent sequence number |
| 782 | WHQ_B | Weight History | WHD010 | Current Self-reported height (inches) |
| 783 | WHQ_B | Weight History | WHD020 | Current Self-reported weight (pounds) |
| 784 | WHQ_B | Weight History | WHQ030 | How do you consider your weight |
| 785 | WHQ_B | Weight History | WHQ040 | Like to weigh more, less or same |
| 786 | WHQ_B | Weight History | WHD050 | Self-reported weight-1 yr ago (pounds) |
| 787 | WHQ_B | Weight History | WHQ060 | Weight change intentional |
| 788 | WHQ_B | Weight History | WHQ070 | Tried to lose weight in past year |
| 789 | WHQ_B | Weight History | WHD080A | Ate less food |
| 790 | WHQ_B | Weight History | WHD080B | Switched to foods with lower calories |
| 791 | WHQ_B | Weight History | WHD080C | Ate less fat |
| 792 | WHQ_B | Weight History | WHD080D | Exercised |
| 793 | WHQ_B | Weight History | WHD080E | Skipped meals |
| 794 | WHQ_B | Weight History | WHD080F | Ate diet foods or products |
| 795 | WHQ_B | Weight History | WHD080G | Used a liquid diet formula |
| 796 | WHQ_B | Weight History | WHD080H | Joined a weight loss program |
| 797 | WHQ_B | Weight History | WHD080I | Took prescription diet pills |
| 798 | WHQ_B | Weight History | WHD080J | Took non-prescription diet pills |
| 799 | WHQ_B | Weight History | WHD080K | Took laxatives or vomited |
| 800 | WHQ_B | Weight History | WHD080L | Other |
| 801 | WHQ_B | Weight History | WHD080M | Drank a lot of water |
| 802 | WHQ_B | Weight History | WHD080N | Followed a special diet |
| 803 | WHQ_B | Weight History | WHQ090 | Tried not to gain weight in past year |
| 804 | WHQ_B | Weight History | WHD100A | Ate less food |
| 805 | WHQ_B | Weight History | WHD100B | Switched to foods with lower calories |
| 806 | WHQ_B | Weight History | WHD100C | Ate less fat |
| 807 | WHQ_B | Weight History | WHD100D | Exercised |
| 808 | WHQ_B | Weight History | WHD100E | Skipped meals |
| 809 | WHQ_B | Weight History | WHD100F | Ate diet foods or products |
| 810 | WHQ_B | Weight History | WHD100G | Used a liquid diet formula |
| 811 | WHQ_B | Weight History | WHD100H | Joined a weight loss program |
| 812 | WHQ_B | Weight History | WHD100I | Took prescription diet pills |
| 813 | WHQ_B | Weight History | WHD100J | Took non-prescription diet pills |
| 814 | WHQ_B | Weight History | WHD100K | Took laxatives or vomited |
| 815 | WHQ_B | Weight History | WHD100L | Other |

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------|---------|--|
| 816 | WHQ_B | Weight History | WHD100M | Drank a lot of water |
| 817 | WHQ_B | Weight History | WHD100N | Followed a special diet |
| 818 | WHQ_B | Weight History | WHD110 | Self-reported weight-10 yrs ago (pounds) |
| 819 | WHQ_B | Weight History | WHD120 | Self-reported weight - age 25 (pounds) |
| 820 | WHQ_B | Weight History | WHD130 | Self-reported height - age 25 (inches) |
| 821 | WHQ_B | Weight History | WHD140 | Self-reported greatest weight(pounds) |
| 822 | WHQ_B | Weight History | WHQ150 | Age when heaviest weight |