

**Current Smokeless Tobacco Use Among Male Adults
Aged 18 and Older—1995–1996**

Rank	State	Prevalence (Percentage)
1	District of Columbia	0.2
2	Rhode Island	0.3
3	Hawaii	0.5
3	Massachusetts	0.5
5	New Jersey	0.7
6	Connecticut	0.9
6	New York	0.9
8	California	1.4
9	New Hampshire	1.6
10	Delaware	1.7
10	Maryland	1.7
12	Illinois	1.9
13	Florida	2.1
14	Maine	2.4
14	Nevada	2.4
16	Michigan	2.8
17	Vermont	2.9
18	Arizona	3.3
19	Wisconsin	3.7
20	South Carolina	3.8
20	Utah	3.8
22	Pennsylvania	3.9
23	Indiana	4.0
24	Ohio	4.1
25	Missouri	4.2
26	Washington	4.3
27	Nebraska	4.6
27	Virginia	4.6
29	Minnesota	4.7
30	Colorado	4.9
31	Iowa	5.1
32	Alaska	5.5
33	Texas	5.6
34	New Mexico	5.7
34	Oregon	5.7
36	Georgia	6.2
37	North Carolina	6.4
38	South Dakota	6.6
39	Idaho	6.8
40	Louisiana	7.1
41	Alabama	7.3
42	North Dakota	7.7
43	Kentucky	7.9
44	Kansas	8.0
45	Mississippi	8.2
45	Tennessee	8.2
47	Oklahoma	8.6
48	Arkansas	10.4
49	Montana	12.1
50	Wyoming	12.8
51	West Virginia	15.6
	United States	3.8

Source: Current Population Survey (CPS), 1995–1996