


Number of New Hampshire youth projected to die prematurely from their smoking: 23,777

Adult Tobacco Use in New Hampshire

Current Cigarette Smoking Among Adults Aged 18 and Older, 1999



Youth Tobacco Use

GRADES 6-8		GRADES 9-12	
Current Cigarette Smoking	Current Any Tobacco Use	Current Cigarette Smoking	Current Any Tobacco Use
National 9.2%*	12.8%*	28.5%*	34.8%*
NH 12.0%†	15.2%†	36.0%**	Data are not available
Boys 11.1%†	16.0%†	32.0%**	
Girls 12.8%†	14.2%†	39.9%**	

Current Cigarette Smoking = smoked cigarettes on ≥1 of the 30 days preceding the survey.
 Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on ≥1 of the 30 days preceding the survey.
 *Source: National Youth Tobacco Survey, 1999.
 †Source: New Hampshire Youth Tobacco Survey, 2000.
 **Source: New Hampshire Youth Risk Behavior Survey, 1995.


Health Impact and Costs

AVERAGE ANNUAL DEATHS RELATED TO SMOKING, 1990-1994		AVERAGE ANNUAL YEARS OF POTENTIAL LIFE LOST,* 1990-1994	MEDICAL COSTS RELATED TO SMOKING, 1993	
Overall	1,777	23,416 years or an average of 13.2 years for each death due to smoking. *Calculated to life expectancy	Ambulatory	\$68,000,000
Men	1,113		Hospital	\$99,400,000
Women	664		Nursing Home†	\$75,210,000
Death Rate	361/100,000		Drug	\$17,380,000
Rank	33 (No. 1 is lowest death rate)		Other	\$42,460,000
			Total	\$302,450,000

Smoking-attributable Medicaid expenditures, New Hampshire, fiscal year 1993: \$94,531,000

†Preliminary estimates

Lung Cancer Death Rate*



*1997 deaths per 100,000 population, adjusted to the 1970 total U.S. population.



Scheduled 2001 settlement payment to New Hampshire: \$46,107,008.63

Tobacco Control Funding, 2001

At 37% of the CDC Best Practices recommended lower estimate funding level, New Hampshire ranks 26th (No. 1 is the highest) for tobacco control funding. New Hampshire ranks 33rd (No. 1 is the lowest death rate) for average annual deaths related to smoking.

<i>FUNDING SOURCE</i>	<i>FY01 AMOUNT</i>	<i>FUNDING CYCLE</i>
State Appropriation—Settlement (Tobacco Only)	\$3,000,000	7/00–6/01
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$3,000,000	
Federal—CDC Office on Smoking and Health	\$991,588	6/00–5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$74,657	10/00–9/01
Non-Government Source—RWJF/AMA	n/a	
Subtotal: Federal/National Sources	\$1,066,245	
Total	\$4,066,245	
Per Capita Funding	\$3.29	

Funding as a Percentage of CDC Best Practices Recommendations

	<i>RECOMMENDED FOR TOTAL PROGRAM ANNUAL COST</i>	<i>RECOMMENDED PER CAPITA FUNDING LEVEL</i>	<i>PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS</i>
Lower Estimate	\$10,888,000	\$9.28	37%
Upper Estimate	\$24,766,000	\$21.12	16%

Excise Tax

Cigarette tax per pack	52¢
Rank = 17 (No. 1 is highest tax)	
Number of packages of cigarettes sold and taxed, per capita, 1999	171.7
Rank = 51 (No. 1 is lowest cigarette sales)	
Federal and state taxes as a percentage of retail price	24.2%
Annual gross tax revenue from cigarettes	\$72,034,018
Smokeless tobacco tax21.6% of wholesale sales price