
#### **Health Impacts**


#### Smoking-Attributable Deaths, YOUTH PROJECTED Smoking-Attributable Deaths. 1999 TO DIE FROM SMOKING, 1999 1999-2000 DISEASE-SPECIFIC 139,484 Overall 10,271 State Lung Cancer 101.6/100,000 Overall Men All States Projected Death 6,238 90.2/100,000 4,033 Women State CHD\* 79.7/100,000 9,770/100,000 Řate 345.3/100,000 Projected All Death Rate All States 59.7/100,000 All States 295.5/100,000 State COPD<sup>†</sup> 78.9/100.000 **Š**tates 8,830/100,000 All States 59.7/100,000

\*Coronary heart disease; <sup>†</sup>chronic obstructive pulmonary disease.

### Adult Cigarette Use, 2000



# Environmental Tobacco Smoke, 1998-99



### Youth Tobacco Use


GRADES 6–8			GRADES 9–12	
Current C		Current Any	Current Cigarette	Current Any
Smol		Tobacco Use	Smoking	Tobacco Use
National*	11.0%	15.1%	28.0%	34.5%
MO	14.9%†	19.5% <sup>†</sup>	32.8% <sup>††</sup>	39.0% <sup>††</sup>
Boys	13.7%†	n/a	35.6% <sup>††</sup>	44.0% <sup>††</sup>
Girls	16.3%†	n/a	30.1% <sup>††</sup>	33.9% <sup>††</sup>

Current Cigarette Smoking = smoked cigarettes on  $\geq 1$  of the 30 days preceding the survey.

Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on  $\geq 1$  of the 30 days preceding the survey. Sources: \*National Youth Tobacco Survey, 2000; <sup>†</sup>Missouri Youth Tobacco Survey, 1999; <sup>††</sup>Missouri Youth Risk Behavior Survey, 1999.

### **Disparities Among Adult Population Groups, 2000\***

\*Calculations for racial/ethnic groups are based on combined 1999 and 2000 data.



Percent of Population Groups Who Smoke

#### **Economic Impacts and Investments**

Missouri is investing 72% of CDC's *Best Practices* lower estimated recommended funding and 26% of the upper estimated recommended funding. Missouri spent \$307 per capita on smoking-attributable direct medical expenditures. In 1998, about 14% (\$415,000,000 or \$565.59 per recipient) of all Medicaid expenditures were spent on smoking-related illnesses and diseases.

# Smoking-AttributableSmoking-AttributableDirect Medical Expenditures, 1998Productivity Costs, 1999

Hospital \$452,000,000 Annu   Nursing Home \$466,000,000 Annu   Prescription Drugs \$133,000,000 Annu   Other \$110,000,000 Annual Total \$1,668,000,000   Annual Per Capita \$307 \$307 \$307	ual Per Capita \$397
--	----------------------

# **State Revenue from Tobacco Sales and Settlement**

Tobacco settlement revenue received in 2001 Gross cigarette tax revenue collected in 2000 Cigarette tax per pack was \$0.17 in 2001 Cigarette sales were 113.8 packs per capita in 2	\$142,110,326 \$107,169,000
---	--------------------------------

#### **Investment in Tobacco Control**

Funding Source	FY02 Amount	FUNDING CYCLE
State Appropriation—Settlement (Tobacco Only)*	\$22,176,700	7/01-6/02
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$22,176,700	
Federal—CDC Office on Smoking and Health	\$1,166,052	6/01-5/02
Federal—SAMHSA	\$0	
Non-Government Source—American Legacy Foundation	\$0	
Non-Government Source—RWJF/AMA	\$200,000	6/01-5/02
Subtotal: Federal/National Sources	\$1,366,052	
FY02 Total Investment in Tobacco Control	\$23,542,752	
CDC Best Practices Recommended Annual Total (Lower 1	\$32,767,000	
CDC Best Practices Recommended Annual Total (Upper I	\$91,359,000	
FY02 Per Capita Investment in Tobacco Control	\$4.17	

\*Due to a budget shortfall, \$3,500,000 of this money is withheld.