
#### **Health Impacts**


#### Smoking-Attributable Deaths, YOUTH PROJECTED Smoking-Attributable Deaths. 1999 TO DIE FROM SMOKING, 1999 1999-2000 DISEASE-SPECIFIC 82.2/100,000 Overall Overall 729 State Lung Cancer 12,974 Men 434 All States Projected Death 90.2/100,000 Women 295 State CHD\* 50.3/100,000 10,067/100,000 Řate 318.6/100,000 Projected All Death Rate All States 59.7/100,000 All States 295.5/100,000 State COPD<sup>†</sup> 114.2/100.000 **Š**tates 8,830/100,000 All States 59.7/100,000

\*Coronary heart disease; <sup>†</sup>chronic obstructive pulmonary disease.

## Adult Cigarette Use, 2000



# Environmental Tobacco Smoke, 1998-99



## Youth Tobacco Use


GRADES 6–8			GRADES 9–12	
Current C		Current Any	Current Cigarette	Current Any
Smol		Tobacco Use	Smoking	Tobacco Use
National <sup>*</sup>	$11.0\% \\ 14.8\%^{\dagger} \\ 15.6\%^{\dagger} \\ 13.4\%^{\dagger}$	15.1%	28.0%	34.5%
WY		21.7%†	35.2% <sup>††</sup>	43.9% <sup>††</sup>
Boys		25.8%†	34.6% <sup>††</sup>	49.6% <sup>††</sup>
Girls		16.9%†	35.9% <sup>††</sup>	38.0% <sup>††</sup>

Current Cigarette Smoking = smoked cigarettes on  $\geq 1$  of the 30 days preceding the survey.

Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on  $\geq 1$  of the 30 days preceding the survey. Sources: \*National Youth Tobacco Survey, 2000; <sup>†</sup>Wyoming Youth Tobacco Survey, 2000; <sup>†</sup>Wyoming Youth Risk Behavior Survey, 1999.

## **Disparities Among Adult Population Groups, 2000\***

\*Calculations for racial/ethnic groups are based on combined 1999 and 2000 data.



Percent of Population Groups Who Smoke



# **Economic Impacts and Investments**

Wyoming is investing 28% of CDC's *Best Practices* lower estimated recommended funding and 14% of the upper estimated recommended funding. Wyoming spent \$221 per capita on smoking-attributable direct medical expenditures. In 1998, about 14% (\$29,000,000 or \$626.16 per recipient) of all Medicaid expenditures were spent on smoking-related illnesses and diseases.

Smoking-Attributable Direct Medical Expend	itures, 1998	Smoking-Attributable Productivity Costs, 1999	
Ambulatory Hospital Nursing Home Prescription Drugs Other Annual Total Annual Per Capita	\$33,000,000 \$29,000,000 \$26,000,000 \$10,000,000 \$8,000,000 \$106,000,000 \$221	Annual Total Annual Per Capita	\$136,000,000 \$284

# State Revenue from Tobacco Sales and Settlement

|--|

#### **Investment in Tobacco Control**

FUNDING SOURCE	FY02 Amount	FUNDING CYCLE
State Appropriation—Settlement (Tobacco Only)	\$900,000	7/01-6/02
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$900,000	
Federal—CDC Office on Smoking and Health	\$973,302	6/01-5/02
Federal—SAMHSA	\$0	
Non-Government Source—American Legacy Foundation	\$0	
Non-Government Source—RWJF/AMA	\$200,000	6/01-5/02
Subtotal: Federal/National Sources	\$1,173,302	
FY02 Total Investment in Tobacco Control CDC <i>Best Practices</i> Recommended Annual Total (Lower I	\$2,073,302 \$7,381,000	
CDC Best Practices Recommended Annual Total (Upper H	\$14,397,000	
FY02 Per Capita Investment in Tobacco Control	\$4.16	