

State Injury Profile for Mississippi

The CDC State Injury Profiles

Gathering and sharing reliable data about the broad range of public health problems is among the many ways the Centers for Disease Control and Prevention protect the safety and health of Americans.

Policy makers and health care workers need access to the best, most current data available so they can make informed decisions about where to allocate limited resources to prevent diseases and injuries. Yet, many people find statistics difficult to understand and interpret. This State Injury Profile offers an easier way to look at statistics. Through maps and graphs, the Profile clearly shows how this state compares with others in the nation and what injury problems are most pressing.

CDC's National Center for Injury Prevention and Control gathers data about a broad range of intentional and unintentional injuries or what many people call 'violence' and 'accidents.' Injuries affect everyone. Injury is the leading cause of death for all Americans ages one to 34, and injury remains one of the leading causes of death, no matter how long someone may live.

Maps and graphs in this State Injury Profile show this state's death rates from in falls, poisoning, drowning, suffocation, fires and burns, suicide, homicide, traumatic brain injury and injuries related to firearms. The graphics show how this state compares with others and with mortality rates in the United States as a whole. You will also find a table showing the Ten Leading Causes of Death for the United States and for this state. **New this year** is a county-by-county map showing locations with higher death rates for each type of injury.

In addition to injury data, you'll also find a list of all CDC-funded injury prevention and research programs in this state for 2001.

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention
National Center for Injury Prevention and Control

To learn more

After you page through the State Injury Profile, if you want to know more, CDC has made it easy for you to find additional information about any injury and public health. Simply visit www.cdc.gov/ncipc. Or call the CDC National Center for Injury Prevention and Control, Office of Planning, Evaluation and Legislation at 1-770-488-4936.

These other resources offered or funded by the CDC may also interest you:

General information about injury in America

Customized data reports, www.cdc.gov/ncipc/wisqars

Consumer facts and tip sheets, www.cdc.gov/ncipc/safeusa or call the SafeUSA hotline toll free at 1-800-252-7751.

Intentional Injury

National Resource Center on Domestic Violence, 1-800-537-2238

National Sexual Violence Resource Center, www.nsvrc.org, or call 1-877-739-3895

National Violence Against Women Prevention Research Center, www.violenceagainstwomen.org, or call 1-843-792-2945

National Youth Violence Prevention Resource Center, www.safeyouth.org, or call 1-866-SAFEYOUTH (723-3968)

Violence Against Women Electronic Network (VAWnet), www.vawnet.org, or call 1-800-537-2238

Unintentional Injury

National Program for Playground Safety, www.uni.edu/playground, or call 1-800-554-PLAY (7529)

National Resource Center on Aging and Injury, www.olderadultinjury.org, or call 1-619-594-0986

State Injury Profile for Mississippi 1989-1998

SAFER·HEALTHIER·PEOPLE™

United States

10 Leading Causes of Deaths by Age Group: 1996-1998

Rank	Age Groups										Total
	<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65+	
1	Congenital Anomalies 18,771	Unintentional Injuries 6,087	Unintentional Injuries 4,666	Unintentional Injuries 5,392	Unintentional Injuries 40,525	Unintentional Injuries 37,468	Malignant Neoplasms 51,170	Malignant Neoplasms 135,803	Malignant Neoplasms 260,166	Heart Disease 1,824,785	Heart Disease 2,185,194
2	Short Gestation 11,928	Congenital Anomalies 1,791	Malignant Neoplasms 1,557	Malignant Neoplasms 1,514	Homicide 18,200	Suicide 16,898	Unintentional Injuries 43,925	Heart Disease 105,367	Heart Disease 198,361	Malignant Neoplasms 1,150,087	Malignant Neoplasms 1,620,642
3	SIDS 8,863	Malignant Neoplasms 1,227	Congenital Anomalies 662	Suicide 918	Suicide 12,679	Homicide 15,068	Heart Disease 40,037	Unintentional Injuries 31,208	Bronchitis Emphysema Asthma 30,317	Cerebro-vascular 419,998	Cerebro-vascular 478,181
4	Respiratory Distress Synd. 3,958	Homicide 1,194	Homicide 523	Homicide 908	Malignant Neoplasms 4,976	HIV 14,953	HIV 26,456	Cerebro-vascular 17,196	Cerebro-vascular 29,005	Bronchitis Emphysema Asthma 283,777	Bronchitis Emphysema Asthma 327,640
5	Maternal Complications 3,836	Heart Disease 643	Heart Disease 413	Congenital Anomalies 613	Heart Disease 3,124	Malignant Neoplasms 13,837	Suicide 20,308	Liver Disease 16,797	Diabetes 25,504	Pneumonia & Influenza 235,529	Unintentional Injuries 288,427
6	Placenta Cord Membranes 2,870	Pneumonia & Influenza 494	Pneumonia & Influenza 218	Heart Disease 560	Congenital Anomalies 1,252	Heart Disease 9,843	Homicide 11,138	Suicide 14,916	Unintentional Injuries 21,316	Diabetes 142,639	Pneumonia & Influenza 262,047
7	Perinatal Infections 2,348	Septicemia 245	HIV 194	Bronchitis Emphysema Asthma 287	HIV 883	Cerebro-vascular 2,068	Liver Disease 10,518	Diabetes 12,979	Liver Disease 15,844	Unintentional Injuries 95,191	Diabetes 189,154
8	Unintentional Injuries 2,323	HIV 233	Bronchitis Emphysema Asthma 159	Pneumonia & Influenza 180	Bronchitis Emphysema Asthma 677	Diabetes 1,903	Cerebro-vascular 8,159	HIV 12,892	Pneumonia & Influenza 11,228	Alzheimer's Disease 65,647	Suicide 92,013
9	Pneumonia & Influenza 1,358	Perinatal Period 210	Benign Neoplasms 134	Cerebro-vascular 140	Pneumonia & Influenza 638	Pneumonia & Influenza 1,633	Diabetes 5,622	Bronchitis Emphysema Asthma 8,467	Suicide 8,834	Nephritis 65,296	Nephritis 75,817
10	Intrauterine Hypoxia 1,341	Benign Neoplasms 188	Cerebro-vascular 102	HIV 139	Cerebro-vascular 533	Liver Disease 1,592	Pneumonia & Influenza 4,255	Pneumonia & Influenza 6,493	Septicemia 5,704	Septicemia 54,428	Liver Disease 75,414

United States Total Number of Injury Deaths

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
Unintentional Injury	288,427	65.6%
Intentional	151,102	34.4%
Total (1996-1998)	439,529	100.0%

Average Number of Injury Deaths per Year
In the United States = **146,510**

Mississippi

10 Leading Causes of Deaths by Age Group: 1996-1998

Rank	Age Groups										Total
	<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65+	
1	Congenital Anomalies 274	Unintentional Injuries 129	Unintentional Injuries 101	Unintentional Injuries 115	Unintentional Injuries 870	Unintentional Injuries 653	Heart Disease 761	Heart Disease 1,769	Heart Disease 3,156	Heart Disease 22,788	Heart Disease 28,779
2	Short Gestation 192	Homicide 19	Malignant Neoplasms 15	Suicide 16	Homicide 318	Homicide 252	Unintentional Injuries 684	Malignant Neoplasms 1,619	Malignant Neoplasms 3,128	Malignant Neoplasms 11,886	Malignant Neoplasms 17,564
3	SIDS 161	Congenital Anomalies 17	Heart Disease 11	Homicide 16	Suicide 159	Suicide 184	Malignant Neoplasms 662	Unintentional Injuries 472	Cerebro-vascular 462	Cerebro-vascular 4,387	Cerebro-vascular 5,382
4	Respiratory Distress Synd. 65	Heart Disease 9	Congenital Anomalies 6	Malignant Neoplasms 15	Malignant Neoplasms 70	Heart Disease 177	Homicide 238	Cerebro-vascular 319	Bronchitis Emphysema Asthma 398	Bronchitis Emphysema Asthma 2,691	Unintentional Injuries 4,813
5	Unintentional Injuries 45	Malignant Neoplasms 9	Homicide 6	Congenital Anomalies 12	Heart Disease 60	HIV 165	HIV 220	Liver Disease 190	Unintentional Injuries 352	Pneumonia & Influenza 2,549	Bronchitis Emphysema Asthma 3,259
6	Perinatal Infections 35	Pneumonia & Influenza 9	HIV 5	Heart Disease 12	HIV 23	Malignant Neoplasms 155	Suicide 204	Diabetes 148	Diabetes 278	Unintentional Injuries 1,389	Pneumonia & Influenza 2,995
7	Pneumonia & Influenza 35	Benign Neoplasms 5	Anemias 3	Bronchitis Emphysema Asthma 6	Pneumonia & Influenza 15	Cerebro-vascular 37	Cerebro-vascular 141	Suicide 146	Pneumonia & Influenza 199	Diabetes 1,215	Diabetes 1,744
8	Maternal Complications 28	Septicemia 4	Bronchitis Emphysema Asthma 3	Pneumonia & Influenza 6	Cerebro-vascular 14	Pneumonia & Influenza 32	Liver Disease 114	Homicide 113	Liver Disease 154	Nephritis 955	Nephritis 1,158
9	Placenta Cord Membranes 26	Cerebro-vascular 3	Pneumonia & Influenza 3	Anemias 3	Congenital Anomalies 14	Diabetes 25	Diabetes 72	Pneumonia & Influenza 105	Nephritis 104	Septicemia 628	Homicide 1,121
10	2 Tied	Meningitis 3	Cerebro-vascular 2	Cerebro-vascular 3	Bronchitis Emphysema Asthma 12	Congenital Anomalies 21	Pneumonia & Influenza 42	Bronchitis Emphysema Asthma 104	Suicide 95	Alzheimer's Disease 534	Suicide 978

Mississippi Total Number of Injury Deaths

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
Unintentional Injury	4,813	69.6%
Intentional Injury	2,099	30.4%
Total (1996-1998)	6,912	100.0%

Average Number of Injury Deaths per Year
In Mississippi = **2,304**

1996-1998 Leading Causes of Death

Unintentional Injury

United States Unintentional Injury

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
MV Traffic	127,053	44.1%
Fall	35,745	12.4%
Poisoning	30,474	10.6%
Suffocation	13,325	4.6%
Drowning	12,416	4.3%
Fire/Burn	10,809	3.7%
Other Causes	<u>58,605</u>	<u>20.3%</u>
	288,427	100.0%

Mississippi Only Unintentional Injury

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
MV Traffic	2,662	55.3%
Fall	440	9.1%
Fire/Burn	319	6.6%
Suffocation	259	5.4%
Drowning	234	4.9%
Other Causes	<u>899</u>	<u>18.7%</u>
	4,813	100.0%

Intentional Injury

United States Suicide

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
Firearm	53,156	57.8%
Suffocation	16,469	17.9%
Poisoning	15,280	16.6%
Other Causes	<u>7,108</u>	<u>7.7%</u>
	92,013	100.0%

Mississippi Only Suicide

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
Firearm	758	77.5%
Poisoning	100	10.2%
Suffocation	79	8.1%
Other Causes	<u>41</u>	<u>4.2%</u>
	978	100.0%

United States Homicide and Legal Intervention

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
Firearm	39,951	67.6%
Cut/Pierce	6,955	11.8%
Suffocation	2,147	3.6%
Other Causes	<u>10,036</u>	<u>17.0%</u>
	59,089	100.0%


Mississippi Only Homicide and Legal Intervention

<u>Cause</u>	<u>Deaths</u>	<u>Percent</u>
Firearm	779	69.5%
Cut/Pierce	147	13.1%
Suffocation	27	2.4%
Other Causes	<u>168</u>	<u>15.0%</u>
	1,121	100.0%


Unintentional Motor Vehicle, Traffic-Related Death Rates United States, 1996-1998




United States and Mississippi 1989-1998



Unintentional Fall Death Rates United States, 1996-1998




United States and Mississippi 1989-1998




Unintentional Poisoning Death Rates United States, 1996-1998




United States and Mississippi 1989-1998




Unintentional Suffocation Death Rates United States, 1996-1998




United States and Mississippi 1989-1998




Unintentional Drowning Death Rates United States, 1996-1998




United States and Mississippi 1989-1998



Unintentional Fire and Burn-Related Death Rates United States, 1996-1998




United States and Mississippi 1989-1998




Suicide Death Rates United States, 1996-1998




United States and Mississippi 1989-1998




Homicide Death Rates United States, 1996-1998




United States and Mississippi 1989-1998



Traumatic Brain Injury-Related Death Rates* United States, 1996-1998




United States and Mississippi 1989-1998




— United States — Mississippi

* Includes unintentional and intentional deaths from motor vehicles, firearms, falls, and other causes (of determined and undetermined intent).

Firearm-Related Death Rates United States, 1996-1998




United States and Mississippi 1989-1998



— United States — Mississippi

* Includes deaths from firearm suicide, firearm homicide, unintentional firearm-related deaths, and firearm-related deaths of undetermined intent.

Mississippi 1989-1998




Motor Vehicle

847 Deaths/Year

U.S. 16.4

MS 31.7

Excess Deaths/Year **408**




Homicides

405 Deaths/Year

U.S. 8.7

MS 15.2

Excess Deaths/Year **170**




Falls

115 Deaths/Year

U.S. 4.3

MS 4.7

Excess Deaths/Year **11**




Suicides

320 Deaths/Year

U.S. 12.0

MS 12.4

Excess Deaths/Year **10**




Fires/Burns

115 Deaths/Year

U.S. 1.6

MS 4.5

Excess Deaths/Year **75**




Firearms

586 Deaths/Year

U.S. 13.7

MS 22.1

Excess Deaths/Year **221**




Drownings

82 Deaths/Year

U.S. 1.7

MS 3.0

Excess Deaths/Year **36**




Traumatic Brain Injury

669 Deaths/Year

U.S. 18.5

MS 25.1

Excess Deaths/Year **176**



Poisonings

47 Deaths/Year

U.S. 3.2

MS 1.9

Legend



At or above the 90th NATIONAL percentile



At or above the 75th but less than the 90th NATIONAL percentile

CDC-Funded Injury Control Projects

SAFER·HEALTHIER·PEOPLE™

CDC-Funded Injury Control Projects in MISSISSIPPI

CDC's National Center for Injury Prevention and Control (NCIPC) funds two programs in Mississippi to build the state's ability to keep its citizens safe.

Unintentional Injury

Prevention of Fire-Related Injuries

In-home social worker programs, perinatal high-risk management teams, early intervention program staff, and local health department environmentalists will identify homes in need of smoke alarms and install alarms in these homes in order to reduce deaths and disabilities related to residential fires in Mississippi. They will also educate residents about fire safety during home visits and at senior centers. (*Mississippi State Department of Health*)

Intentional Injury

Rape Prevention and Education

A nationwide grant program providing resources to states for rape prevention and education programs conducted by rape crisis centers, State sexual assault coalitions, and other public and private nonprofit entities for:

- 1) educational seminars;
- 2) operation of hotlines;
- 3) training programs for professionals;
- 4) preparation of informational material;
- 5) education and training programs for students and campus personnel designed to reduce the incidence of sexual assault at colleges and universities;
- 6) education and training to increase awareness about drugs to facilitate rapes or sexual assaults; and
- 7) other efforts to increase awareness about, or to help prevent, sexual assault, including efforts to increase awareness in underserved communities and awareness among individuals with disabilities.

(*Mississippi State Department of Health*)

Notes

Notes

Notes