Table 35 (page 1 of 4). Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001

| <u> </u> | | | | | | | | | | | |
|--|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|--|
| Sex, race, Hispanic origin, and age | 1950¹ | 1960¹ | 1970 | 1980 | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 | |
| All persons | Deaths per 100,000 resident population | | | | | | | | | | |
| All ages, age adjusted ² All ages, crude | 1,446.0 | 1,339.2 | 1,222.6 | 1,039.1 | 938.7 | 909.8 | 870.6 | 875.6 | 869.0 | 854.5 | |
| | 963.8 | 954.7 | 945.3 | 878.3 | 863.8 | 868.3 | 847.3 | 857.0 | 854.0 | 848.5 | |
| Under 1 year. 1–4 years. 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years 85 years and over | 3,299.2 | 2,696.4 | 2,142.4 | 1,288.3 | 971.9 | 780.3 | 754.0 | 736.0 | 736.7 | 683.4 | |
| | 139.4 | 109.1 | 84.5 | 63.9 | 46.8 | 40.4 | 34.1 | 34.2 | 32.4 | 33.3 | |
| | 60.1 | 46.6 | 41.3 | 30.6 | 24.0 | 22.2 | 19.3 | 18.6 | 18.0 | 17.3 | |
| | 128.1 | 106.3 | 127.7 | 115.4 | 99.2 | 93.4 | 80.6 | 79.3 | 79.9 | 80.7 | |
| | 178.7 | 146.4 | 157.4 | 135.5 | 139.2 | 137.3 | 104.3 | 102.2 | 101.4 | 105.2 | |
| | 358.7 | 299.4 | 314.5 | 227.9 | 223.2 | 239.4 | 198.6 | 198.0 | 198.9 | 203.6 | |
| | 853.9 | 756.0 | 730.0 | 584.0 | 473.4 | 454.3 | 415.8 | 418.2 | 425.6 | 428.9 | |
| | 1,901.0 | 1,735.1 | 1,658.8 | 1,346.3 | 1,196.9 | 1,104.7 | 1,015.7 | 1,005.0 | 992.2 | 964.6 | |
| | 4,104.3 | 3,822.1 | 3,582.7 | 2,994.9 | 2,648.6 | 2,549.0 | 2,471.6 | 2,457.3 | 2,399.1 | 2,353.3 | |
| | 9,331.1 | 8,745.2 | 8,004.4 | 6,692.6 | 6,007.2 | 5,811.3 | 5,672.8 | 5,714.5 | 5,666.5 | 5,582.4 | |
| | 20,196.9 | 19,857.5 | 16,344.9 | 15,980.3 | 15,327.4 | 15,248.6 | 15,190.8 | 15,554.6 | 15,524.4 | 15,112.8 | |
| Male | | | | | | | | | | | |
| All ages, age adjusted ² All ages, crude | 1,674.2 | 1,609.0 | 1,542.1 | 1,348.1 | 1,202.8 | 1,143.9 | 1,069.4 | 1,067.0 | 1,053.8 | 1,029.1 | |
| | 1,106.1 | 1,104.5 | 1,090.3 | 976.9 | 918.4 | 900.8 | 856.4 | 859.2 | 853.0 | 846.4 | |
| Under 1 year. 1–4 years 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years 85 years and over | 3,728.0 | 3,059.3 | 2,410.0 | 1,428.5 | 1,082.8 | 856.3 | 818.6 | 805.0 | 806.5 | 749.8 | |
| | 151.7 | 119.5 | 93.2 | 72.6 | 52.4 | 44.5 | 37.1 | 37.9 | 35.9 | 37.0 | |
| | 70.9 | 55.7 | 50.5 | 36.7 | 28.5 | 26.4 | 22.7 | 21.5 | 20.9 | 19.8 | |
| | 167.9 | 152.1 | 188.5 | 172.3 | 147.4 | 137.4 | 116.7 | 113.1 | 114.9 | 117.0 | |
| | 216.5 | 187.9 | 215.3 | 196.1 | 204.3 | 198.0 | 142.6 | 139.7 | 138.6 | 143.7 | |
| | 428.8 | 372.8 | 402.6 | 299.2 | 310.4 | 331.0 | 257.0 | 254.9 | 255.2 | 259.6 | |
| | 1,067.1 | 992.2 | 958.5 | 767.3 | 610.3 | 589.9 | 531.0 | 533.1 | 542.8 | 545.1 | |
| | 2,395.3 | 2,309.5 | 2,282.7 | 1,815.1 | 1,553.4 | 1,400.7 | 1,271.5 | 1,252.0 | 1,230.7 | 1,192.7 | |
| | 4,931.4 | 4,914.4 | 4,873.8 | 4,105.2 | 3,491.5 | 3,263.8 | 3,112.1 | 3,073.7 | 2,979.6 | 2,911.5 | |
| | 10,426.0 | 10,178.4 | 10,010.2 | 8,816.7 | 7,888.6 | 7,399.6 | 7,095.5 | 7,083.3 | 6,972.6 | 6,833.0 | |
| | 21,636.0 | 21,186.3 | 17,821.5 | 18,801.1 | 18,056.6 | 17,861.0 | 17,357.2 | 17,597.2 | 17,501.4 | 16,744.8 | |
| Female | | | | | | | | | | | |
| All ages, age adjusted ² All ages, crude | 1,236.0 | 1,105.3 | 971.4 | 817.9 | 750.9 | 739.4 | 724.7 | 734.0 | 731.4 | 721.8 | |
| | 823.5 | 809.2 | 807.8 | 785.3 | 812.0 | 837.2 | 838.5 | 854.9 | 855.0 | 850.4 | |
| Under 1 year. 1–4 years 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years 85 years and over | 2,854.6 | 2,321.3 | 1,863.7 | 1,141.7 | 855.7 | 700.5 | 686.0 | 663.6 | 663.4 | 613.9 | |
| | 126.7 | 98.4 | 75.4 | 54.7 | 41.0 | 36.0 | 31.0 | 30.3 | 28.7 | 29.5 | |
| | 48.9 | 37.3 | 31.8 | 24.2 | 19.3 | 17.9 | 15.8 | 15.6 | 15.0 | 14.6 | |
| | 89.1 | 61.3 | 68.1 | 57.5 | 49.0 | 47.3 | 42.7 | 43.7 | 43.1 | 42.6 | |
| | 142.7 | 106.6 | 101.6 | 75.9 | 74.2 | 76.1 | 65.6 | 64.1 | 63.5 | 66.0 | |
| | 290.3 | 229.4 | 231.1 | 159.3 | 137.9 | 149.3 | 140.9 | 141.8 | 143.2 | 148.2 | |
| | 641.5 | 526.7 | 517.2 | 412.9 | 342.7 | 324.1 | 304.9 | 307.6 | 312.5 | 316.8 | |
| | 1,404.8 | 1,196.4 | 1,098.9 | 934.3 | 878.8 | 835.2 | 780.6 | 777.6 | 772.2 | 754.0 | |
| | 3,333.2 | 2,871.8 | 2,579.7 | 2,144.7 | 1,991.2 | 1,975.8 | 1,950.2 | 1,952.3 | 1,921.2 | 1,890.8 | |
| | 8,399.6 | 7,633.1 | 6,677.6 | 5,440.1 | 4,883.1 | 4,818.6 | 4,755.6 | 4,825.4 | 4,814.7 | 4,760.5 | |
| | 19,194.7 | 19,008.4 | 15,518.0 | 14,746.9 | 14,274.3 | 14,242.3 | 14,329.9 | 14,731.3 | 14,719.2 | 14,429.9 | |
| White male ³ | | | | | | | | | | | |
| All ages, age adjusted ² All ages, crude | 1,642.5 | 1,586.0 | 1,513.7 | 1,317.6 | 1,165.9 | 1,107.5 | 1,042.0 | 1,040.0 | 1,029.4 | 1,006.1 | |
| | 1,089.5 | 1,098.5 | 1,086.7 | 983.3 | 930.9 | 921.0 | 887.3 | 892.1 | 887.8 | 881.9 | |
| Under 1 year. 1–4 years. 5–14 years. 15–24 years. 25–34 years. 35–44 years. 45–54 years. 55–64 years. 65–74 years. 75–84 years. 85 years and over. | 3,400.5 | 2,694.1 | 2,113.2 | 1,230.3 | 896.1 | 720.7 | 678.3 | 667.0 | 667.6 | 627.6 | |
| | 135.5 | 104.9 | 83.6 | 66.1 | 45.9 | 39.0 | 32.6 | 33.9 | 32.6 | 34.2 | |
| | 67.2 | 52.7 | 48.0 | 35.0 | 26.4 | 24.3 | 20.7 | 19.7 | 19.8 | 18.4 | |
| | 152.4 | 143.7 | 170.8 | 167.0 | 131.3 | 120.1 | 105.7 | 102.8 | 105.8 | 108.0 | |
| | 185.3 | 163.2 | 176.6 | 171.3 | 176.1 | 171.9 | 125.8 | 125.4 | 124.1 | 130.3 | |
| | 380.9 | 332.6 | 343.5 | 257.4 | 268.2 | 286.8 | 232.1 | 230.8 | 233.6 | 239.7 | |
| | 984.5 | 932.2 | 882.9 | 698.9 | 548.7 | 528.3 | 481.3 | 484.6 | 496.9 | 501.3 | |
| | 2,304.4 | 2,225.2 | 2,202.6 | 1,728.5 | 1,467.2 | 1,319.3 | 1,196.5 | 1,179.7 | 1,163.3 | 1,127.5 | |
| | 4,864.9 | 4,848.4 | 4,810.1 | 4,035.7 | 3,397.7 | 3,173.3 | 3,041.8 | 2,998.7 | 2,905.7 | 2,842.3 | |
| | 10,526.3 | 10,299.6 | 10,098.8 | 8,829.8 | 7,844.9 | 7,347.3 | 7,053.4 | 7,040.1 | 6,933.1 | 6,799.7 | |
| | 22,116.3 | 21,750.0 | 18,551.7 | 19,097.3 | 18,268.3 | 18,050.7 | 17,534.2 | 17,752.9 | 17,716.4 | 16,935.4 | |

See footnotes at end of table.

Table 35 (page 2 of 4). Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001

| Sex, race, Hispanic origin, and age | 1950¹ | 1960¹ | 1970 | 1980 | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 |
|--|---|---|---|---|--|--|--|--|--|--|
| Black or African American male ³ | | | | Deaths _I | per 100,000 | resident po | opulation | | | |
| All ages, age adjusted ² All ages, crude | 1,909.1 1,257.7 | 1,811.1 1,181.7 | 1,873.9 1,186.6 | 1,697.8 1,034.1 | 1,644.5 1,008.0 | 1,585.7 960.2 | 1,430.5 848.2 | 1,432.6 847.4 | 1,403.5 834.1 | 1,375.0 823.9 |
| Under 1 year. 1–4 years ⁴ 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years ⁵ 85 years and over | 1,412.6 95.1 289.7 503.5 878.1 1,905.0 3,773.2 5,310.3 10,101.9 | 5,306.8 208.5 75.1 212.0 402.5 762.0 1,624.8 3,316.4 5,798.7 8,605.1 14,844.8 | 4,298.9 150.5 67.1 320.6 559.5 956.6 1,777.5 3,256.9 5,803.2 9,454.9 12,222.3 | 2,586.7 110.5 47.4 209.1 407.3 689.8 1,479.9 2,873.0 5,131.1 9,231.6 16,098.8 | 2,112.4 85.8 41.2 252.2 430.8 699.6 1,261.0 2,618.4 4,946.1 9,129.5 16,954.9 | 1,664.7 73.1 38.5 246.6 407.4 716.8 1,238.9 2,382.0 4,707.8 8,862.0 17,016.0 | 1,629.3 62.6 33.2 193.5 272.5 478.9 1,037.7 2,182.0 4,337.6 8,526.7 16,700.2 | 1,592.8 59.0 32.0 184.6 258.6 469.2 1,030.7 2,145.6 4,352.3 8,559.1 17,304.5 | 1,567.6 54.5 28.2 181.4 261.0 453.0 1,017.7 2,080.1 4,253.5 8,486.0 16,791.0 | 1,426.4 53.2 27.7 180.7 259.2 445.0 996.1 2,025.3 4,166.6 8,355.9 16,439.9 |
| American Indian or Alaska Native male ³ | | | | | | | | | | |
| All ages, age adjusted ² All ages, crude | | | | 1,111.5 597.1 | 916.2 476.4 | 932.0 459.4 | 943.9 441.9 | 925.9 431.8 | 841.5 415.6 | 798.9 424.2 |
| Under 1 year. 1–4 years 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 65–64 years | | | | 1,598.1 82.7 43.7 311.1 360.6 556.8 871.3 1,547.5 2,968.4 | 1,056.6 77.4 33.4 219.8 256.1 365.4 619.9 1,211.3 2,461.7 | 696.0 73.3 27.0 182.1 263.6 377.4 601.0 1,276.0 2,660.8 | 883.9 52.5 24.5 143.0 208.5 314.2 555.1 1,200.0 2,687.1 | 721.8 46.6 18.8 154.2 189.6 296.5 554.8 1,122.4 2,786.2 | 700.2 44.9 20.2 136.2 179.1 295.2 520.0 1,090.4 2,478.3 | 720.2 47.6 25.2 142.9 180.0 311.4 536.9 1,053.4 2,393.5 |
| 75–84 years | | | | 5,607.0 12,635.2 | 5,389.2 11,243.9 | 5,787.7 10,604.7 | 5,828.4 13,391.2 | 6,157.2 11,769.3 | 5,351.2 10,725.8 | 4,775.3 9,758.0 |
| All ages, age adjusted ² All ages, crude | | | | 786.5 375.3 | 716.4 334.3 | 693.4 341.4 | 646.9 335.4 | 641.2 333.2 | 624.2 332.9 | 597.4 335.0 |
| Under 1 years. 1–4 years. 5–14 years 15–24 years. 25–34 years. 35–44 years. 45–54 years. 55–64 years. 65–74 years. 75–84 years. 85 years and over. | | | | 816.5 50.9 23.4 80.8 83.5 128.3 342.3 881.1 2,236.1 5,389.5 13,753.6 | 605.3 45.0 20.7 76.0 79.6 130.8 287.1 789.1 2,041.4 5,008.6 12,446.3 | 468.3 28.0 19.6 73.0 75.4 124.9 273.0 714.2 1,894.8 4,729.9 13,252.0 | 444.0 18.9 18.3 53.4 65.8 105.2 265.1 676.7 1,745.9 4,466.3 12,462.8 | 451.0 28.9 13.5 51.6 57.3 108.2 240.1 661.0 1,689.5 4,457.0 12,732.5 | 529.4 23.3 12.9 55.2 55.0 104.9 249.7 642.4 1,661.0 4,328.2 12,125.3 | 438.8 23.5 13.6 59.2 62.4 108.2 253.6 625.5 1,556.0 4,168.9 11,308.9 |
| Hispanic or Latino male ^{3,6} All ages, age adjusted ² | | | | | 886.4 | 897.6 | 833.6 | 830.5 | 818.1 | 802.5 |
| All ages, crude Under 1 year. 1–4 years 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 75–84 years | | | | | 411.6 921.8 53.8 26.0 159.3 234.0 341.8 533.9 1,123.7 2,368.2 5,369.1 | 391.6 684.6 39.3 24.6 147.3 196.7 333.6 528.5 1,076.9 2,429.3 5,557.4 | 336.0 662.1 32.0 18.8 109.9 121.5 217.7 440.8 980.9 2,432.6 5,362.8 | 332.6 623.4 32.9 17.8 104.1 120.6 215.1 444.4 974.8 2,368.9 5,379.2 | 331.3 637.1 31.5 17.9 107.7 120.2 211.0 439.0 965.7 2,287.9 5,395.3 | 332.9 624.4 33.8 16.6 111.5 118.0 208.5 443.9 923.9 2,242.6 5,258.0 |

See footnotes at end of table.

Table 35 (page 3 of 4). Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001

| Sex, race, Hispanic origin, and age | 1950¹ | 1960¹ | 1970 | 1980 | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 |
|--|--|---|---|---|---|---|---|---|---|---|
| White, not Hispanic or Latino male ⁶ | | | | Deaths p | per 100,000 | resident po | opulation | | | |
| All ages, age adjusted ² All ages, crude | | | | | 1,170.9 985.9 | 1,105.6 984.8 | 1,046.7 969.2 | 1,045.5 979.6 | 1,035.4 978.5 | 1,012.8 975.6 |
| Under 1 year | | | | | 865.4 43.8 | 703.8 37.8 | 662.3 32.2 | 658.1 33.4 | 658.7 32.4 | 611.6 33.7 |
| 5–14 years | | | | | 25.7 | 23.5 | 20.8 | 19.9 | 20.0 | 18.6 |
| 5–24 years | | | | | 123.4 | 111.5 | 102.9 | 100.8 | 103.5 | 105.1 |
| 25–34 years | | | | | 165.3 | 163.5 | 124.4 | 124.5 | 123.0 | 131.5 |
| 5–44 years | | | | | 257.1 544.5 | 276.5 520.7 | 231.0 480.2 | 230.0 483.7 | 233.9 497.7 | 241.6 502.6 |
| 5–64 years | | | | | 1,479.7 | 1,322.7 | 1,204.5 | 1,187.4 | 1,170.9 | 1,136.3 |
| 5–74 years | | | | | 3,434.5 | 3,188.5 | 3,062.6 | 3,023.2 | 2,930.5 | 2,869.4 |
| 5–84 years | | | | | 7,920.4 | 7,367.4 | 7,098.1 | 7,088.0 | 6,977.8 | 6,851.5 |
| 5 years and over | | | | | 18,505.4 | 18,132.6 | 17,649.2 | 17,871.2 | 17,853.2 | 17,055.3 |
| White female ³ | | | | | | | | | | |
| All ages, age adjusted ² | 1,198.0 803.3 | 1,074.4 800.9 | 944.0 812.6 | 796.1 806.1 | 728.8 846.9 | 718.7 883.2 | 707.3 891.6 | 716.6 910.4 | 715.3 912.3 | 706.7 907.9 |
| Jnder 1 year. -4 years 5-14 years 5-24 years 5-34 years 55-44 years 55-54 years 55-64 years 55-74 years 75-84 years | 2,566.8 112.2 45.1 71.5 112.8 235.8 546.4 1,293.8 3,242.8 8,481.5 19,679.5 | 2,007.7 85.2 34.7 54.9 85.0 191.1 458.8 1,078.9 2,779.3 7,696.6 19,477.7 | 1,614.6 66.1 29.9 61.6 84.1 193.3 462.9 1,014.9 2,470.7 6,698.7 15,980.2 | 962.5 49.3 22.9 55.5 65.4 138.2 372.7 876.2 2,066.6 5,401.7 14,979.6 | 690.0 36.1 17.9 45.9 61.5 117.4 309.3 822.7 1,923.5 4,839.1 14,400.6 | 574.4 31.3 16.5 43.7 62.9 125.5 291.9 783.4 1,913.2 4,775.3 14,405.8 | 570.5 27.6 14.7 40.6 56.5 122.0 274.8 733.0 1,893.1 4,721.8 14,498.9 | 542.0 27.5 14.6 41.5 56.2 123.2 277.9 731.0 1,893.9 4,787.8 14,900.6 | 550.5 25.5 14.1 41.1 55.1 125.7 281.4 730.9 1,868.3 4,785.3 14,890.7 | 511.5 27.1 13.9 40.8 58.6 131.0 286.8 712.2 1,840.2 4,738.5 14,597.6 |
| Black or African American female ³ | | | | | | | | | | |
| All ages, age adjusted ² All ages, crude | 1,545.5 1,002.0 | 1,369.7 905.0 | 1,228.7 829.2 | 1,033.3 733.3 | 975.1 747.9 | 955.9 743.2 | 921.6 722.6 | 933.6 734.3 | 927.6 733.0 | 912.5 727.7 |
| Under 1 year. 1–4 years ⁴ 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years 85 years and over | 1,139.3 72.8 213.1 393.3 758.1 1,576.4 3,089.4 4,000.2 8,347.0 | 4,162.2 173.3 53.8 107.5 273.2 568.5 1,177.0 2,510.9 4,064.2 6,730.0 13,052.6 | 3,368.8 129.4 43.8 111.9 231.0 533.0 1,043.9 1,986.2 3,860.9 6,691.5 10,706.6 | 2,123.7 84.4 30.5 70.5 150.0 323.9 768.2 1,561.0 3,057.4 6,212.1 12,367.2 | 1,735.5 67.6 27.5 68.7 159.5 298.6 639.4 1,452.6 2,865.7 5,688.3 13,309.5 | 1,399.9 59.5 25.4 68.9 162.8 324.9 612.1 1,354.3 2,837.5 5,671.9 13,073.3 | 1,321.9 48.8 21.5 56.7 125.7 281.9 572.5 1,279.8 2,744.2 5,601.0 13,252.2 | 1,317.4 46.1 20.9 58.6 117.6 279.4 569.8 1,262.7 2,751.5 5,742.4 13,805.9 | 1,279.8 45.3 20.0 58.3 121.8 271.9 588.3 1,227.2 2,689.6 5,696.5 13,941.3 | 1,176.3 41.7 18.7 54.9 117.9 278.0 579.1 1,215.5 2,616.1 5,591.6 13,849.9 |
| American Indian or Alaska Native female ³ | | | | | | | | | | |
| All ages, age adjusted ² All ages, crude | | | | 662.4 380.1 | 561.8 330.4 | 643.9 360.1 | 640.5 354.2 | 668.2 367.1 | 604.5 346.1 | 594.0 360.2 |
| Jnder 1 year | | | | 1,352.6 | 688.7 | 780.6 | 743.8 | 682.6 | 492.2 | 577.5 |
| –4 years | | | | 87.5 | 37.8 | 54.4 | 43.8 | 34.2 | 39.8 | 48.5 |
| –14 years | | | | 33.5 | 25.5 | 20.0 | 16.2 | 17.6 | 17.7 | 18.6 |
| 5–24 years | | | | 90.3 | 69.0 | 60.4 | 57.5 | 59.6 | 58.9 | 59.6 |
| 5–34 years | | | | 178.5 286.0 | 102.3 156.4 | 106.3 171.9 | 103.9 160.4 | 106.9 168.9 | 84.8 171.9 | 81.4 172.6 |
| 5–44 years | | | | 286.0 491.4 | 380.9 | 349.1 | 326.8 | 298.7 | 284.9 | 334.3 |
| 5–64 years | | | | 837.1 | 805.9 | 876.2 | 781.6 | 852.3 | 772.1 | 749.4 |
| 5–74 years | | | | 1,765.5 | 1,679.4 | 1,935.6 | 1,938.1 | 2,015.8 | 1,899.8 | 1,801.7 |
| '5-84 years | | | | 3,612.9 | 3,073.2 | 4,067.6 | 4,000.8 | 4,266.5 | 3,850.0 | 3,839.7 |
| 35 years and over | | | | 8,567.4 | 8,201.1 | 9,201.8 | 10,165.3 | 10,639.6 | 9,118.2 | 8,492.0 |
| | | | | | | | | | | |

See footnotes at end of table.

Table 35 (page 4 of 4). Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001

| Sex, race, Hispanic origin, and age | 1950¹ | 1960 ¹ | 1970 | 1980 | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 |
|---|-------|-------------------|------|----------------|----------------|------------------|----------------|----------------|----------------|------------------|
| Asian or Pacific Islander female ³ | | | | D | eaths per 10 | 0,000 reside | nt population | l | | |
| All ages, age adjusted ² All ages, crude | | | | 425.9 222.5 | 469.3 234.3 | 446.7 250.4 | 426.7 254.9 | 427.5 262.5 | 416.8 262.3 | 412.0 274.4 |
| Under 1 year | | | | 755.8 | 518.2 | 396.6 | 436.6 | 425.3 | 434.3 | 385.0 |
| 1–4 years | | | | 35.4 | 32.0 | 24.9 | 21.3 | 20.9 | 20.0 | 21.1 |
| 5–14 years | | | | 21.5 | 13.0 | 15.4 | 12.8 | 11.9 | 11.7 | 10.8 |
| 15–24 years | | | | 32.3 | 28.8 | 31.1 | 26.2 | 26.1 | 22.4 | 26.6 |
| 25–34 years | | | | 45.4 89.7 | 37.5 69.9 | 35.6 66.2 | 31.3 60.4 | 29.5 59.0 | 27.6 65.6 | 32.9 61.9 |
| 35–44 years | | | | 214.1 | 182.7 | 184.1 | 153.7 | 164.4 | 155.5 | 158.5 |
| 55–64 years | | | | 440.8 | 483.4 | 457.7 | 397.8 | 408.7 | 390.9 | 379.9 |
| 65–74 years | | | | 1.027.7 | 1.089.2 | 1,037.8 | 1.062.7 | 1,070.8 | 996.4 | 1.059.9 |
| 75–84 years | | | | 2,833.6 | 3,127.9 | 3,089.9 | 2,892.0 | 2,930.8 | 2,882.4 | 2,814.4 |
| 85 years and over | | | | 7,923.3 | 10,254.0 | 9,406.1 | 9,325.2 | 9,126.7 | 9,052.2 | 8,706.2 |
| ' | | | | | | | | | | |
| All ages, age adjusted ² | | | | | 537.1 285.4 | 546.1 281.9 | 536.9 270.0 | 555.9 277.2 | 546.0 274.6 | 544.2 279.0 |
| | | | | | 746.6 | 572.0 | 559.0 | 542.3 | 553.6 | 518.9 |
| Under 1 year | | | | | 42.1 | 33.1 | 26.7 | 28.7 | 27.5 | 27.2 |
| 5–14 years | | | | | 17.3 | 15.0 | 13.1 | 13.3 | 13.4 | 12.7 |
| 15–24 years | | | | | 40.6 | 37.5 | 31.2 | 32.9 | 31.7 | 33.7 |
| 25–34 years | | | | | 62.9 | 58.6 | 45.0 | 44.9 | 43.4 | 45.2 |
| 35–44 years | | | | | 109.3 | 118.9 | 94.9 | 97.4 | 100.5 | 97.0 |
| 45–54 years | | | | | 253.3 | 238.8 | 225.2 | 224.9 | 223.8 | 226.7 |
| 55–64 years | | | | | 607.5 | 602.3 | 563.5 | 555.8 | 548.4 | 543.0 |
| 65–74 years | | | | | 1,453.8 | 1,457.2 | 1,465.5 | 1,448.8 | 1,423.2 | 1,408.0 |
| 75–84 years | | | | | 3,351.3 | 3,506.4 | 3,530.2 | 3,675.7 | 3,624.5 | 3,589.8 |
| 85 years and over | | | | | 10,098.7 | 10,540.5 | 10,662.6 | 11,547.3 | 11,202.8 | 11,300.5 |
| White, non-Hispanic or Latino female ⁶ | | | | | | | | | | |
| All ages, age adjusted ² | | | | | 734.6 | 721.1 | 712.8 | 722.3 | 721.5 | 713.5 |
| All ages, crude | | | | | 903.6 | 951.7 | 976.5 | 1,001.3 | 1,007.3 | 1,006.1 |
| Under 1 year | | | | | 655.3 | 553.9 | 556.7 | 524.6 | 530.9 | 496.4 |
| 1–4 years | | | | | 34.0 | 30.3 | 27.4 | 26.7 | 24.4 | 26.3 |
| 5–14 years | | | | | 17.6 | 16.4 | 14.8 | 14.7 | 13.9 | 13.9 |
| 15–24 years | | | | | 46.0 | 44.0 | 42.0 | 42.9 | 42.6 | 41.9 |
| 25–34 years | | | | | 60.6 | 62.2 | 57.9 | 57.8 | 56.8 | 60.9 |
| 35–44 years | | | | | 116.8 | 124.1 | 124.3 | 125.6 | 128.1 | 134.9 |
| 45–54 years | | | | | 312.1 834.5 | 293.0 | 277.4 742.5 | 281.0 741.6 | 285.0 742.1 | 291.0 |
| 55–64 years | | | | | 1.940.2 | 789.8 1,925.9 | 1.910.9 | 1,915.1 | 1,891.0 | 723.5 1.864.1 |
| 75–84 years | | | | | 4,887.3 | 4,794.9 | 4,753.6 | 4,817.7 | 4,819.3 | 4,777.3 |
| 85 years and over | | | | | 14,533.1 | 14,450.9 | 14,576.7 | 14,967.5 | 14,971.7 | 14,670.6 |
| | | | | | , | , | 7 | 7 | , | , |

^{- - -} Data not available.

NOTES: Population estimates used to compute rates for 1991–2000 differ from those used previously. Starting with *Health, United States, 2003*, rates for 1991–99 were revised using intercensal population estimates based on Census 2000. Rates for 2000 were revised based on Census 2000 counts. Rates for 2001 were computed using 2000-based postcensal estimates. See Appendix I, Population Census and Population Estimates. Data for additional years are available. See Appendix III.

SOURCES: Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System; Grove RD, Hetzel AM. Vital statistics rates in the United States, 1940–60. Washington: U.S. Government Printing Office, 1968; numerator data from National Vital Statistics System, annual mortality files; denominator data from national population estimates for race groups from table 1 and unpublished Hispanic population estimates for 1985–96 prepared by the Housing and Household Economic Statistics Division, U.S. Bureau of the Census; additional mortality tables are available at

www.cdc.gov/nchs/datawh/statab/unpubd/mortabs.htm; Arias E, Anderson RN, Kung HC, Murphy SL, Kochanek KD. Deaths: Final data for 2001. National vital statistics reports. Vol 52 no 3. Hyattsville, Maryland: National Center for Health Statistics. 2003.

¹Includes deaths of persons who were not residents of the 50 States and the District of Columbia.

²Age-adjusted rates are calculated using the year 2000 standard population starting with *Health, United States, 2001*. See Appendix II, Age adjustment.

³The race groups, white, black, Asian or Pacific Islander, and American Indian or Alaska Native, include persons of Hispanic and non-Hispanic origin. Persons of Hispanic origin may be of any race. Death rates for the American Indian or Alaska Native and Asian or Pacific Islander populations are known to be underestimated. See Appendix II, Race, for a discussion of sources of bias in death rates by race and Hispanic origin.

⁴In 1950 rate is for the age group under 5 years.

⁵In 1950 rate is for the age group 75 years and over.

⁶Prior to 1997, excludes data from States lacking an Hispanic-origin item on the death certificate. See Appendix I, Hispanic origin.