



2003-2004



Message from the Commissioner



"At GSA we not only provide our customers quality products and services, we also enable their environmental compliance."

The General Services Administration's Federal Supply Service (FSS) performs the important mission of supplying best value products and services to federal customers throughout the world. We place an emphasis on providing our federal customers the opportunity to obtain the solutions they need in a way that meets their environmental goals. These goals include minimizing waste, conserving natural resources, and reducing/preventing pollution.

This is the ninth edition of the Environmental Products and Services Guide (EPSG). We have taken a number of steps over the years to identify the environmentally oriented products and services that we make available in our supply system. The EPSG continues to be designed mainly for electronic dissemination, thereby saving a considerable amount of paper and money; however, hard copies are available for customers who do not have access to the Internet. The EPSG is a major source of information about the thousands of products we offer that have recycled or biobased content, conserve energy and/or water, or contain reduced pollutants, and it also provides information about the environmental services we offer.

We also have an environmental website (www.gsa.gov/enviro) that contains not only environmental product and service information but also applicable laws, Executive orders, and other relevant regulations—as well as links to other agency sites and various environmental organizations. Our online systems, the GSA Global Supply website (www.GSAglobalsupply.gsa.gov) and GSA Advantage![®] (www.GSAadvantage.gsa.gov), incorporate a number of special icons to assist customers in finding environmentally oriented items.

At GSA we not only provide our customers quality products and services, we also enable their environmental compliance.

Donna D. Bennett Commissioner

Federal Supply Service

Introduction

Welcome to the ninth edition of the Environmental Products and Services Guide (EPSG)—the best source of information on all the environmentally oriented products and services that are available from GSA's Federal Supply Service.

A detachable **Standard Form 344** (Multiuse Standard Requisitioning/Issue System Document) is provided in the back of the publication for customers unable to access the Internet.

Our environmental website www.gsa.gov/enviro also affords an opportunity to transition from a selected item to the GSA Global Supply website, GSA *Advantage!*®, or to the Schedules e-Library.

The Appendix, which begins on page 150, contains some helpful information and a couple of interesting articles on Affirmative Procurement and Energy-Efficient Purchasing.

The hard-copy version of this edition is printed with soy ink on 100% recycled paper (made without chlorine), including 30% post-consumer recovered material. See the inside back cover for information concerning the recycling of this publication.











Table of Contents

ORDERING INFORMATION &

GSA ENVIRONMENTAL SERVICES &

SOLVENT & AQUEOUS RECYCLING *

ENERGY SERVICES &

GSA ENVIRONMENTAL PRODUCTS &

OFFICE EQUIPMENT TECHNOLOGIES &

OFFICE SUPPLIES &

FACILITY MANAGEMENT &

PAPER & LABELS 🐉

FURNISHINGS &

PRODUCTS & SERVICES

MAILING & PACKING SUPPLIES &

FURNITURE & FURNISHINGS &

- 11 Computer Products
- 12 Visual Communication
- 13 Calendars, Personal Organizers and Portfolios
- 14 Office Essentials
- 19 Binding and Filing
- 31 Forms

6

7

- 40 Office Equipment Technologies
- 41 Office Imaging and Document Solutions
- 42 Facility Management Systems
- 42 Commercial Equipment
- 43 Lighting Technologies
- 47 Water-Saving Technologies
- 48 Computer Paper
- 51 Copier and Printer Paper
- 55 Pads and Writing Paper
- 58 Graph Paper
- 59 Carbon and Transfer Paper
- 60 Adding Machine Paper
- 61 Specialty Papers and Labels
- 63 Specialty and Printing Paper
- 64 Art Paper
- 65 Addressing, Mailing and Documentation
- 67 Envelopes
- 71 Shipping Boxes and Containers
- 79 Packing Material
- 81 Appliances
- 83 Mats and Matting
- 85 Office Furniture
- 87 Furniture Services
- 88 Household and Quarters Furniture
- 89 Lighting Fixtures, Lamps and Accessories
- 90 Floor Coverings
- 92 Window Treatments
- 93 Home Electronics
- 94 Miscellaneous Furnishings







APPLIANCES &

- Residential Appliances
- Residential Equipment
- Commercial Appliances
- Office and Household Appliances

HOUSEWARES & CLEANING &

- 100 Paper Products
- Soaps 103
- 104 Cleaning Supplies
- Recycling Collection Containers and Systems
- Cleaning Products
- 109 Cleaning and Cleaning Equipment
- 110 Trash Bags
- Kitchen and Breakroom Supplies

INDUSTRIAL PRODUCTS &

- 115 Aerospace Products
- Paints/Coatings 118
- Paint Accessories 118
- 119 Architectural Products
- Industrial Maintenance Products
- Miscellaneous Metal Parts Products
- 126 Additional and Related Products
- 133 Protective
- 135 Sealants

139

150

154

157

162

173

BUILDING MATERIALS §

ENERGY & POWER DISTRIBUTION § **PRODUCTS**

- Distribution Systems
- Commercial/Industrial Technologies
- 141 Solar Technologies
- **SAFETY PRODUCTS** &
 - **AUTOMOTIVE ***
 - OUTDOORS 🐉
- HARDWARE & ADHESIVES &
 - **APPENDIX** *
- ORDERING PROCEDURES FOR PRODUCTS &
 - ALPHABETICAL INDEX 😤
 - **NSN INDEX** *
 - STANDARD FORM 344 😤

- 142 Automotive Safety
- Automotive Products
- Outdoor Equipment
- Hardware







Ordering Information



Ordering from GSA is Easy!

Your various ordering options—GSA Global Supply, GSA *Advantage!*®, and Schedule Programs—are described below. Please note that by ordering products and services through GSA, via the methods described here, agencies are able to avoid the significant costs associated with having to do their own contracting.

Shop Any Way You Like:

Federal Supply Schedule Program Items

Schedules F. LIBRARY

Products available on Federal Supply Schedules may be acquired by sending delivery orders directly to the contractors listed on the individual schedules, or they can be ordered through GSA Advantage!®. Schedule information can be accessed via the Internet by clicking on "Schedules e-Library" which also is located at www.gsaelibrary.gsa.gov.

For environmental products and services, the GSA/FSS Environmental Homepage at www.gsa.gov/enviro affords the opportunity to link directly to GSA Advantage!® and to specific schedules. For environmental schedule items, customers are advised to review contractor literature and contact the contractor directly to obtain complete information and certification of environmental marketing claims.



Online (24 Hours)

www. GSA global supply. gsa. gov

The organization you've known as "GSA Stock" or the "Customer Supply Center" has a new name: GSA Global Supply.

Along with the name change, we've made numerous improvements to serve you better. But the one thing that hasn't changed is our mission. Our job is still to make your job easier. That means quickly and smoothly moving the supplies you need to the place you need them. When you order from GSA Global Supply, you can count on our support—from order placement through delivery and billing.

The GSA Global Supply website gives you access to the items in this catalog and to tens of thousands of additional office products and tools, as well as maintenance/repair/operating (MRO) supplies. You can use your GSA SmartPay® purchase card or arrange direct billing with your agency's Activity Address Code. Select the items you want and order from your desk.

Telephone

1-800-525-8027 DSN 465-1416

Call our toll-free number to place your order. We are open from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

Fax Orders (24 Hours)

1-800-856-7057

You will receive a confirmation of your order with a tracking number for your files. Use the handy order form at the back of the catalog.

Still Available: GSA Advantage!®

www.gsaAdvantage.gov

For those who like GSA Advantage!®, or want to comparison-shop with Schedule vendors from time to time, never fear: GSA Advantage!® will continue to display all GSA items and will accept your orders. We are not replacing GSA Advantage!® with the GSA Global Supply website, just providing you with a choice.

FEDSTRIP/MILSTRIP

We continue to support orders routed from the Defense Automatic Addressing System (DAAS). We're also happy to accept your Standard Form 344 or DD 1348 by mail at:

GSA Global Supply (7FLIS) Room 6A06 819 Taylor Street Fort Worth, TX 76102

We Deliver to Your Desk

For most items, your order will be shipped by a small package service. A common carrier will be used for larger shipments for delivery to your receiving area. After placing your order, it will be shipped within 24 hours. Delivery is normally made within two to seven working days. A copy of the shipping record will accompany your order. Use this to verify quantities and prices of items received. As noted below, arrangements will differ for Direct Delivery items.

Direct Delivery

As you page through this catalog, you will see items that are identified with a Direct Delivery icon DD. Based on our analysis of the marketplace and customers' requests, we have arranged with commercial partners to make these products available to you through our convenient ordering options. As you consider adding these items to your order, remember the following about our DD inventory:

- 1. All items will be shipped to you directly from our vendor partners.
- 2. Unlike most orders, DD items will not ship within 24 hours and may take longer to reach your location.
- Some DD items require minimum orders. Please call 1-800-525-8027 for details.
- Freight charges may be applied to DD items. You can verify with our call center staff whether any freight charge is applicable for your order.

In all cases, GSA Global Supply will accept your order and handle the billing. Even if a vendor ships an item to you, it will appear on your credit card statement or billing as a GSA item. If there is ever a problem with any of these items, the issue can be easily resolved by calling us at 1-800-525-8027.

Billing Reminder

GSA Global Supply does not bill customers until the product has been shipped. For most items, the product ships the same or next day and the customer's account is billed. For some of the DD items noted above, shipping will take longer. Please note that we will not bill your account until we are confident that the item has been shipped to you.



Pricing

Prices are subject to change. Please confirm prices when placing your order. The best source for current pricing is www.GSAglobalsupply.gsa.gov.

Questions

If you have questions or need additional information about ordering the products in this catalog, call us at 1-800-525-8027 or e-mail us at GSAglobalsupply@gsa.gov.

JWOD/UNICOR:

We work with National Industries for the Blind and NISH under the Javits-Wagner-O'Day Program and with UNICOR Federal Prison Industries to provide you the top-quality supplies you expect. As important as meeting your mandatory source requirements, purchasing the JWOD and UNICOR products we distribute helps strengthen our society in ways we invite you to know:

JWOD

The JWOD Program is a socioeconomic procurement program that provides employment to over 36,000 Americans who are blind or have other severe disabilities. The program meets its employment mission by orchestrating government purchases of products and services provided by nonprofit agencies employing individuals with severe disabilities across the country. National Industries for the Blind and NISH (serving people with a range of disabilities) are the central nonprofit agencies that assist the

over 600 local nonprofits that participate in the program. By providing quality products and services on time at fair market prices, National Industries for the Blind and NISH have established their reputations as quality suppliers to their federal customers.

UNICOR

It is the mission of Federal Prison Industries (FPI): to employ and provide skills training to the greatest practicable number of inmates confined within the Federal Bureau of Prisons; contribute to the safety and security of our nation's correctional facilities by keeping inmates constructively occupied; produce market-price quality goods for sale to the Federal Government; operate in a self-sustaining manner; minimize FPI's impact on private business and labor. This program currently provides employment to over 21,000 inmates.

To locate and order the quality products provided by these programs, look for the JWOD and UNICOR identifiers throughout this catalog.

For more information about these partnerships, contact:

National Industries for the Blind

1-800-433-2304 (703) 998-0770 www.nib.org

NISH

(703) 560-6800 www.nish.org

UNICOR

1-800-827-3168 www.unicor.gov

GSA Environmental Services



The Environmental Services Schedule 899 provides federal agencies access to the full range of contract support for:

- Planning and Documentation
- Compliance
- Environmental/ Occupational Training
- Waste Management
- Reclamation, Recycling and Disposal
- Remote Advisory
- Geographic Information Systems (GIS)
- Remediation
- New Services



The Environmental Services Multiple Award Schedule 899 provides a faster, more cost efficient means for

agencies to meet their environmental requirements by streamlining the contracting process. The Schedule provides the federal community with a wide range of environmental services which include:

Environmental Planning Services and Documentation

Covers your needs for environmental compliance through Environmental Impact Statements or Assessments under the National Environmental Policy Act. Provides qualified experts for your study and evaluation needs as they pertain to Endangered Species, Wetlands, and other Natural Resource Management Plans as well as Archeological, Historical and other Cultural Resource Management Plans. New this year is Homeland Security vulnerability assessments.

Environmental Compliance Services

Helps meet agency needs in Environmental Compliance Audits, Compliance Management Planning, Pollution-Prevention Surveys, and ISO 14000 Environmental Management Systems (EMS).

Environmental/Occupational Training Services

Provides the agency with both conventional and customized courses to meet requirements, including software-based interactive training, collection, analysis of comments, regulatory and economic analysis, feasibility analysis, exposure and risk assessment analysis, and much more!

Waste Management and Software

If you need analysis of various options for your waste management solutions, through this service your agency has access to industry experts that can perform various required activities such as data collection, analysis of comments, regulatory and economic analysis, feasibility analysis, exposure and risk assessment analysis, and more!

Reclamation, Recycling and Disposal Services

Establish and operate waste management or recycling program. Disposal of electronic equipment (i.e., computers, CRTs, batteries, chemicals, and biological materials).

Remote Advisory Services

Readily meet your requirements should you need access to telephonic assistance with hazardous material spills, poison, MSDS and other related services.

Geographic Information Services (GIS)

Contractors provide operations, services, advice and/or guidance covering items such as environmental mapping and cartography, migration pattern analysis, pollution analysis mapping, and mapping for emergency preparedness planning.

Remediation Services

With this service, agencies can go from environmental assessments to hazardous site cleanup under one task order.

Contractors are available for such requirements as biological and chemical testing including: remedial actions; ordnance removal and support; preparation, characterization, field investigation, conservation and closure of site.

How to Reach Us:

Should you have any questions, we encourage you to visit our website at www.gsa.gov/mgmtservices.

We can also be reached by phone at 1-800-241-7246 (RAIN) or E-mail us at environmental@gsa.gov.

Solvent & Aqueous Recycling



Introduction of New Services

Any new services in the future that bring forward

technologies useful to the federal community are covered under this service.

The purpose of these services is to help your agency meet the challenge of continually changing environmental demands. Schedule 073—Food Service, Hospitality, Cleaning Equipment, and Supplies, Chemicals and Services—provides on-site maintenance services for solvent and aqueous recycling equipment, as well as replacement and disposal of contaminated solvent, sludge and residue. The schedule provides the means to comply with all applicable federal, state, local and municipal laws, codes, ordinances and regulations, with minimal risks. These services include:

Servicing Contractor-Owned Parts Washers

Placement of parts cleaning equipment, cleaning and removal of contaminated solvent and sludge, replenishment with clean recycled solvent, and performing all maintenance repairs.

Servicing Government-Owned Parts Washers

Removal of contaminated solvent and replenishment with recycled solvent, cleaning and site removal of sludge and residue.

Solvent Replenishment Service

Cleaning and transfer of accumulated sludge into holding dispensers.

Replenishment with new solvent.

No waste removal from site is performed with this service.

Aqueous Replenishment Service

Cleaning and transfer of accumulated sludge into holding dispensers, replenishment with new aqueous cleaner. No waste removal is performed with this service.

Servicing Aqueous Contractor-Owned Equipment

Placement of cleaning equipment, initial aqueous cleaning solution, site removal of contaminants, cleaning and regular maintenance of the machine.

Servicing Aqueous Government-Owned Equipment

Removal of contaminated aqueous cleaner and replenishment with new cleaner.
Removal of contaminants from user site.

How to reach us:

For your ordering convenience, you may fax or e-mail your order (24 hours a day) to:

Fax: (817) 978-2605

E-mail: rp&c.gpc@gsa. gov

These items are also available on GSA *Advantage!*®—our online shopping service—at the following website: www.gsaAdvantage.gsa.gov



Energy Services





Federal Supply Schedule 871 II – Energy Services

No matter what your energy source is, we can help you get it—and manage it—efficiently.

Products include procurement of electricity, natural gas, and renewable energy.

Services include Energy management such as energy audits, program support, studies, planning, analysis and building commissioning.

Relevant Special Item Numbers:

871-200 Energy Management Program Support:

Energy planning and strategies, energy choice analysis, risk management, metering services, bill and management oversight, preparing statements of work.

871-201 Energy Audit Services:

Energy audits, resource efficiency management, use of alternative energy sources, building commissioning services.

871-203 Managing the Procurement and Use of Natural Gas and Renewable Energy:

Supplying natural gas in deregulated markets.
Emergency power sources.

871-204 Managing the Procurement and Use of Electricity and Renewable Energy:

Supplying electricity in deregulated markets.
Emergency power sources.

871-299 Introduction of New Services Energy Star® Products Available? No Schedules e-Library? Yes GSA Advantage!®? Yes GSA Advantage! Special Ordering Instructions: Order directly from contractors Point of Contact:

1-800-241-RAIN (7246)

E-mail: energy@gsa.gov

GSA Environmental Products



ith respect to the products contained in the Environmental Products and Services Guide (EPSG), there are thousands of items that have recycled content, conserve energy and/or water, or have reduced pollutants to help address environmental concerns relative to minimizing waste, conserving natural resources, and preventing pollution.

It is GSA's policy to offer products that fully comply with all environmental regulations. Changes in requirements imposed subsequent to publication will be complied with and reflected in the products received.

The organization of the products part of the EPSG is along commodity lines and, where applicable, multiple methods of supply are shown together.

For example, if there are paper products and other office supplies available on Federal Supply Schedule, as well as from GSA Global Supply, both of these sources will be depicted in the same area. As in previous editions, environmental notations are provided for all of the listings to convey specific attributes. For example, items with recycled content are so identified along with the percentage and kind of recycled content, as shown below:



50% Recovered Material, Including 10% Post-Consumer Material

Item descriptions in the EPSG are brief, by design, since the purpose is to provide sufficient information to generate management and employee awareness of environmental products and services that are similar to supplies currently being used in day-to-day operations. Although enough information is available to place orders, customers desiring more details are referred to the original documents which contain the products, such as the GSA Global Supply Catalog or Federal Supply Schedules.

Icon Key

The following is a list of icons used in this publication and the information each icon represents:



Comprehensive Procurement Guideline Compliant. EPA-designated items required to have specific amounts/percentages of recycled content.



Industry- recognized EPA and DOE trademark label for certain items that meet specific energy-effiency criteria



Items with recycled content, other than EPA CPG items.



Items meeting DOE Federal Energy Management Program (FEMP) energy-efficiency criteria other than Energy Star®.



Items with other environmental attributes, such as lead free, low VOC, etc.



Material Safety Data Sheet is available



Biobased: Items that have, at least, some partial content that consists of biological, plant, animal, marine, or forestry material.



Items currently under contract and shipped directly from vendors.



CA certified to meet or exceed applicable air admissions standards established by the California South Coast Air Quality Management District



Key information to help buying decisions



Items with biodegradable packing materials, as required by U.S. Navy's Plastics Removal in Marine Environment program



Contact us for more information





t is GSA's policy to offer products that fully comply with all environmental regulations.

GSA Global Supply offers hundreds of items that have recycled content, conserve energy and/or water, or have reduced pollutants to help address environmental concerns relative to minimizing waste, conserving natural resources, and preventing pollution.

***COMPUTER PRODUCTS**

Recycled 3-1/2"Disks



Green disks are high-quality 3-1/2" disks that have been collected from environmentally aware software companies and recycled for resale. Double-sided, high-density disks have been written to only once in a high-speed disk duplicator and are formatted for IBM and other 1.44 MB systems.

3 100% Postconsumer Material Recovered

Material

7045-01-392-6514 SX(contains 10 EA) \$3.52

Toner Cartridge (Remanufactured)

Fully remanufactured toner cartridge.



For use in HP Laser Jet II, IID, III and IIID Printers.

1) 24-month maximum shelf life (not extendable) 3. Remanufactured and Recycled

For use in Laser Jet Series III si, 4si and 4si mx Printers.

 24-month maximum shelf life (not extendable)
 Remanufactured and Recycled

7510-01-368-4626 EA \$55.13



Air Duster

This dust blaster delivers a concentrated blast of air that removes dust from office and computer equipment...without damaging sensitive parts or electronics. The 100% ozone-safe office duster is trigger-operated with a spray nozzle. Dispenses pure, moisture-free inert gas that removes microscopic contaminants, lint, and dust. Comes in a disposable can.

CFC-Free Item

7930-01-411-9794	MSDS	EcoDuster P/N 105598-1	Size: 8 oz.	BX(contains 6 EA)	\$41.86
7930-01-398-2473	MSDS		Size: 10 oz.	BX(contains 6 EA)	\$45.48
7930-01-406-4055	MSDS	EcoDuster P/N 105599-1	Size: 12 oz.	BX(contains 6 EA)	\$59.95

GSA has been serving the federal marketplace exclusively for more than 50 years!

The products in this guide are environmentally oriented items.
These items may have recycled or biobased content, conserve energy and/or water, or contain reduced pollutants.

VISUAL COMMUNICATION

Award Plaque



Use pre-assembled, brushed-edge plaque with an $8-1/2 \times 11$ " certificate. Has non-glare pocket cover, mailer and blank "Certificate of Appreciation".

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

9905-01-357-9986	CPG	Oak	Size: 11-1/4 x 13-3/4"	EA	\$9.18			
• Contains 100% Recovered Material , Which Includes 55% Postconsumer Material								
9905-01-357-9985	<u>CPG</u>	Walnut	Size: 11-1/4 x 13-3/4"	EA	\$9.18			

It is GSA policy to offer products that fully comply with all applicable environmental regulations and Executive orders.

Insta-Plaque



Do-it-yourself award maker instantly assembles to present and protect awards, letters, documents, licenses, photographs and diplomas with clear acrylic cover. Reusable plaque includes a blank certificate for inscription. Finished plaque holds $8-1/2 \times 11^{\circ}$ documents.

© Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

9905-01-357-9983	<u>CPG</u>	Oak	Size: 10-1/2 x 13"	EA \$12.85
9905-01-357-9984	<u>CPG</u>	Walnut	Size: 10-1/2 x 13"	EA \$12.85

Plaque



Certificate holder plaque has a clear plastic cover and four pre-drilled holes with tacks for hanging.

Mercury Wood Products Inc., P/N MWP3.

© Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

Mercury Wood Products Inc., P/N MWP2.

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

Mercury Wood Products Inc., P/N MWP1.

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

9905-01-408-2270 Walnut Finish Size: 10-1/2 x 13" EA \$11.56

CALENDARS, PERSONAL ORGANIZERS AND PORTFOLIOS

Desk Calendar Stand





Metal or plastic base features removable arch-shaped wires for use with loose-leaf, flip-style calendars. Features non-marking protective shoes.

A. For use with $3 \times 3-5/8$ " regular-style refill.

3 25% Postconsumer Recycled Plastic

7520-00-139-4341	JWOD	Beige	Size: 4 x 6-1/2"	EA	\$2.24
7520-00-162-6153	JWOD	Gray	Size: 4 x 6-1/2"	EA	\$2.24

B. For use with $3-5/8 \times 5-7/8$ " executive-style refill.

3 25% Postconsumer Recycled Plastic

7520-00-162-6156 JWOD Gray	Size: 6-1/8 x 7-5/8"	EA	\$2.47
----------------------------	----------------------	----	--------

Use with $3-3/4 \times 5-7/8$ " executive-style refill.

25% Postconsumer Recycled Plastic

7520-00-139-4277 JWOD Beige Size: 6-7	/8 x 7-5/8" EA \$2.48
---------------------------------------	-----------------------

Pocket Appointment Book Binder



Handy, pocket-size binder includes a rubber-bonded cover with a simulated leather finish. Six-ring binder features a 1" capacity and includes two black fly leaves.

© Contains 25% Recovered Material , Which Includes 20% Postconsumer Material

7510-0	0-285-1765	JWOD Black	Size: 6-1/2 x 5-1/2"	EA	\$2.00

Writing Portfolio



Side-opening notebook includes space for a writing pad on one side; the other side features a pocket for loose papers. The stiff vinyl plastic cover boasts a simulated leather-grain finish.

Holds a letter-size pad, 8-1/2 x 11" (not included).

Contains 80% Postconsumer Material Paperboard, Contains 25% Recovered Material Plastic

7510-00-145-0296	CPG	JWOD Black	Size: 9-1/2 x 12-1/8"	FΑ	\$2.03
1310-00-143-0230		O VV OD DIACK	3126. 3-1/2 x 12-1/0		Ψ2.00

Calendar Pad



Loose-leaf style calendar pad includes blank space for memoranda. Includes all 12 months (January through December) with each page showing a week at a time. Refill for flip-a-week desk calendar holder. Current year is provided.

30% Postconsumer Material

7510-01-459-0407	Size: 7 x 5-5/8"	EA	\$5.98



Comprehensive Procurement Guideline (CPGM) compliant

This symbol identifies products that have been certified to meet or exceed the U.S. Environmental Protection Agency Recovered Material Advisory Notice (RMAN) standard for recovered materials as specified in the Resource Conservation and Recovery Act Section 6002 Comprehensive Procurement Guideline.

***Office Essentials**

Recycled Retractable Pen

SKILCRAFT recycled retractable ballpoint pen with strong carbide ball; writes over 2,500 feet. Pen cap made from 100% post-consumer plastic and barrel made from 50% post-consumer plastic.



(18-month maximum shelf life (extendable) (100% Postconsumer Material Recovered Material Contains 100% Recovered Material

7520-01-386-1618	CPG	SKILCRAFT	JWOD	Black Ink	Fine Point	DZ \$3.45
7520-01-386-1604	<u>CPG</u>	SKILCRAFT	JWOD	Black Ink	Medium Point	DZ \$3.45

Pencil Cup



Two-compartment pencil cup allows you to keep your pens and pencils separate and handy.

3 25% Postconsumer Recycled Plastic

7520-01-412-5318 **EA** \$2.30

Rubberized Woodcased Pencil

No. 2, mediumpoint black lead pencil features rubberized coated barrel for improved writing comfort.

3 Recycled



7510-01-425-6766	SKILCRAFT	JWOD	DZ \$4.82

General-Purpose Adhesive



General-purpose, "white" glue for bonding porous and semi-porous materials. Generally used for bonding lightweight fabrics, paper, light woods, and bookbinding. A-A-1270, formerly MMM-A-180.

① 18-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8040-00-754-2483 MSDS BT(contains 8 OZ) \$2.42

Pencil



100% recycled pencil has bonded lead for extra point strength and smooth writing capability. Includes eraser.

💲 100% Postconsumer Material Recovered Material

7510-01-357-8952 Black Hardness: No. 2 (Medium) DZ \$1.17

Visit our newly updated and completely renovated Environmental Programs website at

www.gsa.gov/enviro







Self-Stick Notes

Indispensable self-stick notes for office use. Adhesive on back allows each sheet to be attached to almost any surface and removed without leaving a mark. Each pad contains 100 sheets.

A. Unruled sheets.

12-month maximum shelf life (extendable) Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-116-7866	<u>CPG</u>	SKILCRAFT	JWOD	Yellow	Size: 1-1/2 x 2"	DZ	\$2.74
7530-01-207-4356	<u>CPG</u>	SKILCRAFT	JWOD	Yellow	Size: 2 x 3"	DZ	\$6.12
7530-01-116-7867	CPG	SKILCRAFT	JWOD	Yellow	Size: 3 x 3"	DZ	\$8.07

12-month maximum shelf life (extendable) Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-116-7865	CPG	SKILCRAFT	JWOD	Yellow	Size: 3 x 5"	DZ	\$10.37
7000-01-110-7000		ONIECNALI	0 11 0 0	TCHOW	OIZC. O X O		Ψ10.01

Contains two pads each of pastel pink and green, and one pad each of blue and yellow.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-456-2249	SKILCRAFT	JWOD	Assorted	Size: 3 x 3"	PG(contains 6 EA)	\$3.62
7530-01-456-0683	SKILCRAFT	JWOD	Assorted	Size: 3 x 5"	PG(contains 6 EA)	\$6.28

Notes are fanfolded.

🐧 12-month maximum shelf life (extendable) 💲 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Notes are unruled. Package contains two pads each of neon bright lemon and pink, and one each of lime and melon.

🕦 12-month maximum shelf life (extendable) 👶 Contains 100% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-418-1281 SKILCRAFT JWOD Assorted Size: 3 x 3" PG(contains 6 EA)	\$5.82	
---	--------	--

Notes are ruled.

Package contains a total of six pads: two each of neon lemon and pink, and one each of lime and melon.

🕠 12-month maximum shelf life (extendable) 💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-418-1420	<u>CPG</u>	SKILCRAFT	JWOD	Assorted	Size: 3 x 5"	PG(contains 6 EA)	\$7.39

Package contains a total of six pads: two each of lemon, pink and lime.

12-month maximum shelf life (extendable) Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-418-1212	CPG	SKILCRAFT	JWOD	Assorted	Size: 4 x 6"	PG(contains 6 EA)	\$8.94
------------------	-----	-----------	------	----------	--------------	-------------------	--------

Contains two pads each of pastel pink and green, and one pad each of blue and yellow.

👶 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

75	30-01-456-0684	SKILCRAFT	JWOD	Assorted	Size: 4 x 6"	PG(contains 6 EA)	\$10.01
10	00-01-400-0004	OINIECINAL I	0 1100	A3301100	0120. 4 x 0	I O(contains o LA)	Ψ10.01

Memo Sheets

- B. Convenient memo sheets are pre-cut to fit into memo holders. Unruled sheets have a 16-lb. basis weight.
 - 💲 Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-285-5836	<u>CPG</u>	JWOD	White	Size: 3 x 5"	PG(contains 500 SH)	\$1.43	
------------------	------------	------	-------	--------------	---------------------	--------	--

Self-Stick Note Tray

C. Convenient desktop organizer holds an ample supply of useful self-stick notes and other office accessories. Made of attractive, high-impact plastic. Holds a 1-1/2 x 2" pad and a 3 x 3" or 3 x 5" pad of notes. Features a weighted, nonslip bottom.

👶 25% Postconsumer Recycled Plastic

7520-01-166-0878	SKILCRAFT	JWOD	Black	Size: 4-7/8 x 5-1/2"	EA	\$6.06
7520-01-207-4351	SKILCRAFT	JWOD	Putty	Size: 4-7/8 x 5-1/2"	EA	\$6.06

GSA holds frequent training and informational sessions about its products and services. Check our website at fss.gsa.gov/events to find out when the next seminar will take place.





Repositionable tape serves as a flag for securely marking a place in a book, magazine, or newspaper. Half the tape is clear; the other half is brightly colored, making it perfect for color-coding. Each dispenser contains 50 flags.

(12-month maximum shelf life (extendable) Contains 55% Recovered Material, Which Includes 55% Postconsumer Material

7510-01-315-2021	<u>CPG</u>	3M P/N 680-2	Blue	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.79
7510-01-315-2020	CPG		Green	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.79
7510-01-315-2023	<u>CPG</u>	3M P/N 680-4	Orange	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.79
7510-01-315-2019	<u>CPG</u>	3M P/N 380-1	Red	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.79
7510-01-315-2022	<u>CPG</u>		White	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.79
7510-01-315-2024	<u>CPG</u>	3M P/N 380-5	Yellow	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.79

Contains 55% Recovered Material, Which Includes 55% Postconsumer Material

7510-01-399-1152	<u>CPG</u>	3M P/N 680-22	Bright Green	Size: 1 x 1.7"	PG(contains 50 EA)	\$1.61
7510-01-315-8654	<u>CPG</u>		Purple	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.61

Dispenser with 3-pack.

💲 Contains 50% Recovered Material , Which Includes 50% Postconsumer Material

7520-01-392-5299 @ Blue	Pod and "Sign Horo"	Cizo: 1 v 1 7"	DC(contains 50 EA)	ΦE 00



Removable, yet secure repositionable tape serves as a flag that is certain to draw attention. Preprinted messages help organize, route and mark any variety of paperwork.

Reads: "INITIAL HERE."

Contains 55% Recovered Material, Which Includes 55% Postconsumer Material

7510-01-410-7012	<u>cre</u>	Size: 1 x 1.7"	PG(contains 50 EA)	\$1.86
Reads "NOTE."				
7510-01-389-2257	CPG	Size: 1 x 1.7"	PG(contains 50 SH)	\$1.86

Removable, yet secure repositionable index is just like post-it flags in a 2" wide version with a larger writing surface. This larger writing area accommodates notes and instructions. Color bars above and below writing area for color coding. A dispenser contains 50 flags.

Contains 55% Recovered Material, Which Includes 55% Postconsumer Material

7510-01-396-8308	3M P/N 689-9	Rlua Strina	Size: 2 x 1.7"	FΔ	\$2.10
1010-01-000-0000	01V1 1 /1V 002-2	Dide Ottipe	0120. 2 x 1.1	L/\	Ψ2.10

Desk Tray Organizer



Plastic frame distributor desk rack has 8 compartments. 16" depth.

25% Postconsumer Recycled Plastic

7520-01-413-5060 Black EA \$6.94

Drawer Organizer



This convenient organizer keeps desk drawers tidy. It holds postable notes, flags, tape and an array of other office products.

50% Postconsumer Recycled Plastic

7520-01-362-8656 Black Width: 11-3/4"; Height: 1-1/4" EA \$23.19

Desk Tray



Sturdy plastic tray is self-stacking to conserve desk space.

For letter-size documents. 8-1/2" w x 1-1/2" d x 11"1.

3 25% Postconsumer Recycled Plastic

7520-01-094-4308	JWOD	Beige	PG(contains 2 EA) \$3.93
7520-01-094-4307	JWOD	Black	PG(contains 2 EA) \$3.93

Side-loading tray affords easy access.

👶 25% Postconsumer Recycled Plastic

7520-01-316-2855 Smoke EA \$2.85

For legal-size documents.

3 25% Postconsumer Recycled Plastic

7520-01-094-4310	JWOD	Beige	PG(contains 2 EA) \$9.90
7520-01-094-4309	JWOD	Black	PG(contains 2 EA) \$9.95

File Sorter



Help keep work areas orderly. Six roomy compartments individually sleeved organize file folders, binders, catalogs and much more.

1 Quick Shipment Available 3 25% Postconsumer Recycled Plastic

Vertical File



Plastic file can be used on top of letter-size stacking trays or separately.

👶 25% Postconsumer Recycled Plastic

7520-01-316-2172 Black 12-3/4"w x 8-3/4"d x 8-1/4"h EA \$10.16

Buy environmentally oriented products.

Desk Pad

Standard office-size desk pad holder is constructed with a non-warping paperboard backing and imitation leather corners.



30% Postconsumer Material

7520-00-224-7238 JWOD Brown Size: 19-1/4 x 24-1/4" EA \$3.08

Desk Pad Paper

Plain-finish blotting paper is handy for jotting down notes. Slips into desk pad holder and has a 100-lb basis weight.





Contains 30% Recovered Material, Which Includes 30% Postconsumer

7530-00-559-4340	Chocolate Brown	Size: 24 x 38"	BX(contains 125 SH) \$109.38
7530-00-285-5840	Moss Green	Size: 24 x 38"	BX(contains 125 SH) \$109.38

Recyclable Paper Collection Container



Save money and recycle paper easily with this functional container. The container itself is made of recycled paper and is embossed with the GSA logo and recycling instructions.

Central container. 19-15/16" w x 12-7/8" d x 31-13/16" h.


Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-01-347-7544 🥨 Oyster White EA \$4.36

Desktop container. 5-1/4" w x 8-1/2" d x 11-1/4" h.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Index Card



Ruled on one side, this card is perfect for writing and filing organized (line-by-line) information in the office. Made of wood-pulp card stock

© Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-247-0310	CPG	JWOD	Buff	Size: 3 x 5"	HD	\$0.92
7530-00-247-0318	<u>CPG</u>	JWOD	White	Size: 3 x 5"	HD	\$1.26
7530-00-264-3723	CPG	JWOD	White	Size: 4 x 6"	HD	\$1.18
7530-00-247-0311	CPG	JWOD	Buff	Size: 5 x 8"	HD	\$1.99
7530-00-243-9437	CPG	JWOD	White	Size: 5 x 8"	HD	\$1.81



This versatile, unruled card has a multitude of uses in the office. Made of wood-pulp card stock.

© Contains 50% Recovered Material, Which Includes 30% Postconsumer Material


7530-00-238-4316	CPG	JWOD	Blue	Size: 3 x 5"	HD	\$0.92
7530-00-244-7453	<u>CPG</u>	JWOD	Green	Size: 3 x 5"	HD	\$0.92
7530-00-244-7456	<u>CPG</u>	JWOD	Salmon	Size: 3 x 5"	HD	\$0.92
7530-00-247-0325			White	Size: 3 x 5"	HD	\$0.46
7530-00-238-4319	<u>CPG</u>	JWOD	Blue	Size: 5 x 8"	HD	\$1.99
7530-00-243-9436	<u>CPG</u>	JWOD	White	Size: 5 x 8"	HD	\$1.81

GSA Global Supply is your reliable government source for office supplies and commercial cleaning products.

***BINDING AND FILING**







Three-Ring Binder (Side Opening)

A. General-use, loose-leaf binder features side-opening styling.

Has a clear, plastic overlay cover front and spine and back cover, to allow insertion of cover paper material, etc. Accommodates $11\,x\,8-1/2$ " sheets.

3 Recycled

B. General-use, loose-leaf binder opens from right-hand side.

Features a flexible clothbound cover.

Accommodates 5-1/2 x 8-1/2" sheets.

30% Postconsumer Material

7510-00-187-6486	Black	Capacity: 1"	EA	\$3.21
Accommodates 6 x 9-1/2" sheets.				
7510-00-187-6488	Black	Capacity: 1"	EA	\$2.69
30% Recovered Material				
7510-00-187-6496	Black	Capacity: 2"	EA	\$3.06
Accommodates 8-1/2 x 11" sheets.				
7510-00-187-6489	Black	Capacity: 1"	EA	\$2.19

Features a stiff clothbound cover. Accommodates 8-1/2 x 11" sheets.

30% Postconsumer Material

7510-00-281-6180	Black	Capacity: 1"	EA	\$1.88
Binder has metal hinges.				
7510-00-579-2751	Black	Capacity: 2"	EA	\$3.72

Features a flexible plastic cover. Accommodates $8-1/2 \times 11$ " sheets.

25% Postconsumer Material

Features a stiff plastic cover. Accommodates 8-1/2 x 11" sheets.

3 25% Postconsumer Material

7510-01-278-4131	CPG	JWOD	Black	Capacity: 1"	EA	\$2.34
7510-00-782-2663	<u>CPG</u>	JWOD	Gray	Capacity: 1"	EA	\$3.27
7510-01-278-4130	<u>CPG</u>		Black	Capacity: 2"	EA	\$3.41
7510-01-278-4129	<u>CPG</u>	JWOD	Black	Capacity: 3"	EA	\$3.75

Binder has horizontal pocket inside the front cover.

3 25% Postconsumer Material

7510-00-409-8646	<u>CPG</u>	JWOD	Blue	Capacity: 1"	EA	\$3.24
7510-00-409-8647	<u>CPG</u>	JWOD	Red	Capacity: 1"	EA	\$3.24

Features a vinyl cover with a clear front and rear panel for inserts. Accommodates $8-1/2 \times 11^{\circ}$ sheets.

30% Postconsumer Material

7510-01-203-4708	<u>CPG</u>	JWOD	White	Capacity: 1"	EA	\$2.95
7510-01-203-8814	<u>CPG</u>		White	Capacity: 2"	EA	\$2.50

Recycle used paper.

Three-Ring Binder (End Opening)

C. Binder features end-opening styling and a clothbound cover.

Accommodates 11 x 8-1/2" sheets.

Cover is stiff.

30% Postconsumer Material

7510-00-149-0604	<u>CPG</u>	Black	Capacity: 2"	EA	\$3.87

Accommodates 14 x 8-1/2" sheets. Stiff cover.

30% Postconsumer Material

7510-00-281-6179	<u>CPG</u>	Black	Capacity: 1"	EA	\$3.92
7510-00-149-0603	CPG	Black	Capacity: 2"	EA	\$3.87



Slant "D" Binder

A. Slant D-ring binder features clear pockets on the front cover and spine. Also includes a 5" straight pocket on the inside cover. Contains a minimum of 25% post-consumer material.

Capacity: 2-1/2". For 8-1/2 x 11" sheets.

Loose-Leaf Binder

B. Organize your notes or other paperwork while helping to save the environment. These three-ring binders are made from a minimum of 30% post-consumer material.

Capacity: 1". For 8-1/2 x 11" sheets.

👶 30% Postconsumer Material

7510-01-390-0706 Dark Blue EA \$1.34

Catalog/Manual Binder

 $\textbf{\textit{C}}.\;$ Loose-leaf catalog and manual binder has a center-lock closure with lift ring. Accommodates 11 x 8-1/2" sheets.

Clothbound stiff cover has a plastic title window on the spine. Consists of two telescoping post-and-sleeve closures with an extra post in center. Outside posts and sleeves are spaced 7" apart.

Binder has a 2" capacity expandable to 3-1/2".

Contains 80% Postconsumer Material Paperboard

7510-00-889-3519	Black	EA	\$8.02
------------------	-------	----	--------

Filing Binder

D. For filing miscellaneous papers when using a protective folder is not necessary. Consists of a single sheet of extra-heavyweight (11-point) kraft stock with prong fasteners spaced 2-3/4" apart at the top. Features square corners and a 1-1/2" capacity.

😘 30% Postconsumer Material

7510-00-285-2567 Size: 8-1/2 x 11" HD \$18.01

Computer Paper Binder

E. Designed for use with all marginally punched printouts, continuous or broken.

Top-loading, outside-locking binder features flexible nylon post and mechanical piano-style hinge closures. Heavy-duty binder features a stiff cloth cover and has an 8" capacity.

💲 Contains 80% Postconsumer Material Paperboard , Contains 25% Recovered Material Plastic

Three-Ring Binder Divider Sheet

F. Ledger-stock divider without tabs is three-hole punched for use in three-ring binders, catalogs, books and journals.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

GSA: Serving the Armed Forces community and the federal marketplace around the world...for more than 50 years!


Three-Ring Binder Index Sheet



Wonderful for at-a-glance convenience, these convenient alphabetical index sheets are punched for filing in three-ring binders. Self-tabs are printed and plastic-coated for durability during repeated handling. Made of 64-lb. index paper stock. Reinforced binding edges possess rounded corners to prevent bending of edges. (The binding side measurement is listed first.)

Has 2-3/4" center-to-center hole spacing.

30% Postconsumer Material Contains 30% Recovered Material, Which Includes 30% Postconsumer Material



Has 3-1/2" center-to-center hole spacing.

7530-00-160-8477

30% Postconsumer Material Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-160-8476	CPG	JWOD	Buff	Size: 9-1/2 x 6"	SE	\$1.59
Has 4-1/4" center-	-to-ce	nter hole	spacing	;		

JWOD Buff



Index sheet features 1/5-cut, blank self-tabs in all positions. Sheet is punched for filing in three-ring binders. Made of 64-lb. index paper stock.

Size: 11x 8-1/2" SE

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Legal Divider



Law firms make good use of this divider to add organization and enhance the appearance of briefs, presentations, mortgage closings and general reports. Made of heavy-duty white ledger stock with boldly printed black characters on sturdy tabs, this item meets almost every legal need. Available in letter size featuring numerical side tab titles. Each set comes with a separate table of contents index sheet.

Contains tab titles 26 through 50.

Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-407-2248	Celludex White Size: 8-1/2 x 11"	SF.	\$2.25
1000-01-401-2240	Celludex Wille Size, 6-1/2 x 11	J.	Ø2.20

Clipboard



Plastic base clipboard features 4" metal, wire spring clip.

👶 100% Recycled Plastic

7520-01-439-3391	JWOD	Blue	Size: 9 x 12"	EA	\$4.81
7520-01-439-3404	JWOD	Camouflage	Size: 9 x 12"	EA	\$8.30
7520-01-386-3670	JWOD	Red	Size: 9 x 12"	EA	\$4.64

GSA Global Supply—

Your Reliable Government Source.

Classification Folder



Daily projects are superbly organized with these durable file folders. Heavyduty folder fits easily in a drawer for convenient storage. Made of 217-lb. stock and features a plain, folded bottom.

This 1/3-cut kraft paperboard folder expands to 3/4" and includes straight-cut self-tabs.

Fasteners not included.

30% Postconsumer Material

7530-00-222-3443	CPG	JWOD	Letter Size	HD	\$14.67
∴ Contains 50% Material	Recov	ered Materio	al , Which Includes 30% Postcon	nsumer	
7530-00-222-3444	<u>CPG</u>	JWOD	Legal Size	HD	\$19.08

A 1-1/2" prong fastener is located on the inside top edge of rear cover. Compressor not included.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-926-8978	<u>CPG</u>	JWOD	Letter Size	HD	\$45.28
7530-00-926-8980	<u>CPG</u>	JWOD	Legal Size	HD	\$52.65



Heavy-duty binder-holder conveniently folds to form a three-section folder. Files easily in a drawer. Made of 217-lb pressboard stock. A prong fastener is located on inside top of each side section.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-707-8406	CPG	JWOD	Rad	Letter Size	EA \$0.44
1330-00-101-0400	<u>C1 </u>	3 44 0 0	Neu	Letter Size	LA 90.44

For detailed projects, this sturdy, heavy-duty binder holder is the efficient answer. Files easily in a drawer. Made of 370-lb. pressboard, with a cloth-gusset bottom.



Includes a straight-cut self-tab and expands to 1". Compressor not included.

One 1-1/2" prong fastener on the inside back cover keeps materials together.

30% Postconsumer Material Contains 30% Recovered Material

7530-00-926-8981	CPG	JWOD	Green	Letter Size	HD	\$51.41
7530-00-926-8982	CPG	JWOD	Green	Legal Size	HD	\$69.27

Two 1-1/2" prong fasteners on the inside front and back covers keep all materials in order.

30% Postconsumer Material Contains 30% Recovered Material

7530-00-043-1194	<u>CPG</u>	JWOD	Green	Letter Size	HD	\$61.53
------------------	------------	------	-------	-------------	----	---------

Has a straight-cut self-tab and expands to 1". Fastener not included.

30% Postconsumer Material

Features two 217-lb. kraft inner dividers with 1/3-cut self-tabs. Six two-prong fasteners are located at the top on inside of covers and on both sides of inner dividers.

Expands to 2".

30% Postconsumer Material Contains 30% Recovered Material



Organize daily projects. Heavy-duty straight cut folder files easily in a drawer. Made of 370-lb. stock, with a plain, folded bottom.



On the inside fold edge of rear cover each folder has a 1-1/2" prong fastener; compressor not included. Red pressboard folder expands to 1".

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

On the inside top edge of rear cover each folder has a 1-1/2" prong fastener; compressor not included. Red pressboard folder expands to 1".

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-634-1785	JWOD	Letter Size	EA	\$0.56
------------------	------	-------------	----	--------

Close the loop. Buy recycled products.

File Folder



Secures materials with fasteners located at opposite ends of the flap. Folder has a selftab on the right two-thirds of the folder. Made of kraft stock. Has a 217-lb. basis weight.

30% Postconsumer Material

7530-00-811-7169 Light Brown Letter Size HD \$32.74

Colored File Folder



Straight-cut folder with reinforced top is made of extra heavyweight, 11-point stock.
Expands to 3/4".

Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-364-9502	<u>CPG</u>	Blue	Letter Size	BX(contains	100 EA)	\$9.89
7530-01-364-9503	<u>CPG</u>	Brown	Letter Size	BX(contains	100 EA)	\$9.89
7530-01-364-9504	<u>CPG</u>	Gray	Letter Size	BX(contains	100 EA)	\$10.24
7530-01-364-9505	<u>CPG</u>	Green	Letter Size	BX(contains	100 EA)	\$9.89
7530-01-203-1493	<u>CPG</u>	Lavender	Letter Size	BX(contains	100 EA)	\$8.23
7530-01-364-9506	<u>CPG</u>	Orange	Letter Size	BX(contains	100 EA)	\$9.89
7530-01-364-9482	CPG	Pink	Letter Size	BX(contains	100 EA)	\$9.89
7530-01-364-9483	<u>CPG</u>	Purple	Letter Size	BX(contains	100 EA)	\$8.48
7530-01-364-9484	<u>CPG</u>	Red	Letter Size	BX(contains	100 EA)	\$9.89
7530-01-364-9485	CPG	White	Letter Size	BX(contains	100 EA)	\$9.89
7530-01-364-9486	<u>CPG</u>	Yellow	Letter Size	BX(contains	100 EA)	\$8.48

Manila File Folder

For detailed projects, this sturdy standardduty file folder is the answer. Files easily in a drawer. Has a 147-lb. basis weight.

Has a straight-cut selftab and expands to 1" fastener not included.



30% Postconsumer Material

Drawer File Folder

Standard manila file folder expands to 3/4". This light-duty folder is made of 133-lb. nonreinforced manila stock, with a plain, folded bottom.



Features self-tabs in all positions. Fasteners not included.

1/2 cut

🛟 30% Postconsumer Material

7530-00-281-5945	JWOD	Manila	Letter Size	HD	\$9.79
7530-00-281-5960	JWOD	Manila	Legal Size	HD	\$9.79

1/3 cut.

30% Postconsumer Material

7530-00-282-2507	<u>CPG</u>	JWOD	Manila	Letter Size	HD	\$7.03
7530-00-282-2508	<u>CPG</u>	JWOD	Manila	Legal Size	HD	\$9.79

1/5 cut.

😘 30% Postconsumer Material

7530-00-281-5941	<u>CPG</u>	JWOD	Manila	Letter Size	HD	\$9.79
7520 00 001 5040	CPG	IWOD	Manila	Logal Sizo	Пυ	¢0.70

Each folder features straight-cut self-tabs.

Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-291-0098	JWOD	Manila	Letter Size	HD	\$6.69
7530-00-285-1732	JWOD	Manila	Legal Size	HD	\$8.61

Keep it organized!

Choose from our wide selection of folder colors and styles.

Medium-duty kraft folders keep file drawers perfectly organized. Made of 147-lb. kraft stock, with a plain, folded bottom.

Each general-purpose folder has reinforced straight-cut self-tabs that are marked to show 1/3-cut locations.

© Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Each folder is reinforced and expands to 3/4".

Has 1/2-cut self-tabs in both positions.

30% Postconsumer Material

Each folder features 1/3-cut self-tabs in all positions.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Each folder features 1/5-cut self tabs in all positions.

Contains 50% Recovered Material, Which Includes 20% Postconsumer

Each general-purpose folder has reinforced straight-cut self-tabs that are marked to show 1/3-cut locations.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Each folder includes a 1-1/2"-long prong fastener on the top of the inside back cover. Features straight-cut self tabs that are marked to show 1/3-cut locations. Compressor not included.

💲 30% Postconsumer Material Contains 30% Recovered Material

Keep your file drawers in order with this heavy-duty folder that expands to 3/4". Made of 217-lb kraft stock, with a plain, folded bottom; fasteners not included. Features convenient, clear plastic tabs with inserts.

Has 1/3-cut PVC tabs in all positions.

30% Postconsumer Material

Has 1/3-cut, angular-shaped self-tabs in the first position.

30% Postconsumer Material

GSA supports recycling.



This extra-heavy-duty folder keeps thicker materials stored confidently. Made of 370-lb. pressboard stock, with a cloth-gusset bottom. Folder expands to 1". Fasteners not included.

Each folder includes a convenient clear plastic tab with insert.

Each folder features 1/3-cut tabs in all positions.

3 20% Postconsumer Material Contains 50% Recovered Material

Each folder has a durable metal tab with insert.

Has 1/3-cut, rectangular-shaped self-tabs in all positions.

30% Postconsumer Material

Each folder includes a convenient clear plastic tab with insert.

Has 1/5-cut tabs in all positions.

30% Postconsumer Material

7530-00-286-6925	CPG	JWOD	Light Green	Letter Size	HD	\$56.03
7530-00-286-6926	CPG	JWOD	Light Green	Legal Size	HD	\$65.14

Has 1/3-cut self-tabs in all positions.

30% Postconsumer Material

7530-00-286-8570	<u>CPG</u>	JWOD	Light Green	Letter Size	HD	\$49.46
7530-00-286-8571	CPG	JWOD	Light Green	Legal Size	HD	\$56.66

Has 1/5 cut self-tabs in all positions.

30% Postconsumer Material

7530-00-286-7286	<u>CPG</u>	JWOD	Light Green	Letter Size	HD	\$49.11
7530-00-286-7287	CPG	JWOD	Light Green	Legal Size	HD	\$58.71

Inner File Folder

Lightweight inner folder is ideal for providing additional filing options when used with follow-up file folders. Made of 133-lb. stock, with a plain, folded bottom. Files easily in a drawer. Tabs are 2-3/4".



Back leaf has a prong fastener with 1-1/2" prongs located on the left edge. A compressor is not included.

1/4 cut tabs are in the first position only; expands to 1".

30% Postconsumer Material Contains 30% Recovered Material

Folder does not have fasteners. Has 1/4-cut, nonreinforced self-tabs in the first position only; expands to 1".

30% Postconsumer Material

Shelf File Folder

A. Economizes on space and keeps records at your fingertips. Medium-duty shelf file folder is made of 147 lb reinforced kraft stock, with a plain, folded bottom. Folder has reinforced, straight-cut self-tabs and expands to 3/4".

30% Postconsumer Material Contains 30% Recovered Material

B. Has a 1-1/2" prong fastener on the inside top edge of the back cover; compressor not included.

30% Postconsumer Material Contains 30% Recovered Material

C. Heavy-duty shelf file folder keeps records secure. Made of 217 lb kraft stock, with a plain, folded bottom. Has straight-cut self-tabs and expands to 3/4". Has a 1-1/2" prong fastener on the inside top edge of the back cover; compressor not included.

30% Postconsumer Material Contains 30% Recovered Material

D. Extra-heavy-duty shelf file folder is made of 370 lb pressboard, with a cloth-gusset bottom. Expands to 1" and has a 1-1/2" prong fastener at the top edge of the back cover; compressor not included.

Has straight-cut self-tabs.

30% Postconsumer Material Contains 30% Recovered Material

7530-00-926-8983	<u>CPG</u>	JWOD	Green	Letter Size	HD	\$52.86
7530-00-926-8984	<u>CPG</u>	JWOD	Green	Legal Size	HD	\$72.29

Hanging File Folder

E. This high-quality paperboard file folder is ideal for general office use and fits most filing systems. Includes insertable plastic tabs for easy and convenient labeling. Expands to 2".

With 1/3-cut tabs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-357-6854	<u>CPG</u>	JWOD	Green Legal Size	BX(contains 25 EA) \$7.87			
Contains 50% Recovered Material , Which Includes 20% Postconsumer Material							
7530-01-446-0908	CPG	Pendaflex P/N 4153X2	Green Legal Size	BX(contains 25 FA) \$21.91			

Features 1/5-cut tabs.

👶 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material


7530-01-364-9499	CPG	JWOD	Blue	Letter Size	BX(contains 25 EA) \$7.87
7530-01-364-9498	<u>CPG</u>	JWOD	Green	Letter Size	BX(contains 25 EA) \$7.87
7530-01-364-9500	<u>CPG</u>	JWOD	Red	Letter Size	BX(contains 25 EA) \$7.87
7530-01-364-9501	<u>CPG</u>	JWOD	Yellow	Letter Size	BX(contains 25 EA) \$7.87
7530-01-357-6856	<u>CPG</u>	JWOD	Blue	Legal Size	BX(contains 25 EA) \$7.87
7530-01-357-6855	<u>CPG</u>	JWOD	Green	Legal Size	BX(contains 25 EA) \$7.87
7530-01-357-6857	<u>CPG</u>	JWOD	Red	Legal Size	BX(contains 25 EA) \$7.87
7530-01-364-9495	<u>CPG</u>	JWOD	Yellow	Legal Size	BX(contains 25 EA) \$7.87


Quality paperboard file folder for general office use fits most filing systems. Tabs are not included.


💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-364-9496	CPG	JWOD	Green	Letter Size	BX(contains 25 EA) \$7.87
7530-01-364-9487	CPG	JWOD	Green	Legal Size	BX(contains 25 EA) \$7.87

GSA Global Supply—Committed to quality, value and service.











Products that contain post-consumer materials are beneficial to the environment. If post-consumer materials were not recovered or reused, they would end up in a landfill

end up in a landfill or other disposal site, further aggravating existing disposal problems.

Hanging Expandable File



Hangs alongside your hanging folders in a file drawer. Use to presort documents for later filing as a tickler or hot file for current projects. Nine filing sections with preprinted A-Z tabs. Ten pressure-sensitive blank labels for customized headings. Gussets are Tyvek-reinforced at the top. Contains at least 10% post-consumer waste.

30% Postconsumer Material Recovered Material

7520-01-434-0038

Esselte P/N 59225

Blue

Letter Size

EA \$7.28

Document File Box



Ready-reference, drop-front file stores pending letter-size documents. File has a hinged front that opens to 90° and a hinged cover that opens to 180°. Covered with heavy paper, this item has reinforced corners, leather pull on back and has brightly finished latch fasteners on front and cover. Box contains permanent, alphabetically tabbed partitions.

30% Postconsumer Material

7520-00-281-5932

11"w x 11-3/4"l x 2-3/4"h

EA \$12.61



Have instant access to active and retired IRS records with this two-piece open-shelf filing box. Made of 200-lb. test corrugated board. Order each piece (lid and body) separately.

IRS file box for letter-size records.

 $Body\ component.$

30% Postconsumer Material

7520-00-665-0657

13-1/8"w x 8-7/8"d x 12-1/4"h

BD(contains 25 EA) \$14.14

File Folder Label

White, pressure-sensitive file folder label features a colored stripe for easy indexing. With simple peel-off/press-on application. Fan-folded every eight labels, one across.



1 18-month maximum shelf life (extendable) 30% Postconsumer Material

7530-00-577-4368	JWOD	Light Blue	Size: 3-1/2 x 5/8"	PG(contains 248 EA)	\$0.61
7530-00-577-4369	JWOD	Green	Size: 3-1/2 x 5/8"	PG(contains 248 EA)	\$0.61
7530-00-577-4370	JWOD	Orange	Size: 3-1/2 x 5/8"	PG(contains 248 EA)	\$0.61
7530-00-577-4371	JWOD	Dark Red	Size: 3-1/2 x 5/8"	PG(contains 248 EA)	\$0.61
7530-00-577-4372	JWOD	Yellow	Size: 3-1/2 x 5/8"	PG(contains 248 EA)	\$0.61
7530-00-577-4376	JWOD	No Stripe	Size: 3-1/2 x 5/8"	PG(contains 248 EA)	\$0.61

File Guide Card



Blank guide card made of green pressboard is ideal for individual drawer filing systems. Pressboard tab extends 1/2" above the long edge of the card. Does not have a lower projection.

Features 1/3-cut tabs in the second position.

💲 Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-988-6516 🕮 JWOD	Letter Size	HD \$13.01
-------------------------	-------------	------------

Features 1/3-cut tabs in the first or third position.

💲 Contains 50% Recovered Material , Which Includes 20% Postconsumer Material

7530-00-988-6515	JWOD	Letter Size	HD	\$13.01
7530-00-988-6520	JWOD	Legal Size	HD	\$15.67

Has 1/5-cut tabs in the first or fifth position.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-988-6517 🕮 JWOD	Letter Size	HD \$13.01
-------------------------	-------------	------------

It is GSA's policy to offer products that fully comply with all applicable environmental regulations and Executive orders.



Calendared pressboard guide card separates and categorizes items with white, perforated strip-tab labels.

Drawer guide card has black, angled metal tabs on the long side of card, without lower projection. Tab has a full-width window.

Has 1/3-cut tabs in the first position.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-988-6541	<u>CPG</u>	JWOD	Letter Size	HD	\$33.63
7530-00-988-6549	CPG	JWOD	Legal Size	HD	\$36.03

File Guide Card Set



Guide card set, made of manila board, is perfect for light-duty use and is conveniently collated. Uncoated manila tabs extend 3/8" above the long edge of the card. (Cards do not have a lower projection.)

Has 1/3-cut tabs.

Tabs are blank.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-261-3801	<u>CPG</u>	JWOD	Buff	Size: 3 x 5"	HD	\$3.42
7530-00-861-1263	<u>CPG</u>	JWOD	Buff	Size: 3-1/4 x 7-3/8"	HD	\$5.13
7530-00-261-3818	CPG	JWOD	Buff	Size: 5 x 8"	HD	\$5.83

Features 1/5-cut tabs.

Preprinted and alphabetically arranged in 25 divisions, from A to Z.

30% Postconsumer Material

7530-00-249-5969	CPG	JWOD	Buff	Size: 3 x 5"	SE	\$1.36
7530-00-261-3813	CPG	JWOD	Buff	Size: 5 x 8"	SE	\$1.99

Preprinted with numbers 1 through 30/31 for daily indexing.

30% Postconsumer Material

7530-00-861-1272	<u>CPG</u>	JWOD	Buff	Size: 5 x 8"	SE	\$2.97
------------------	------------	------	------	--------------	----	--------

Tabs are blank.

30% Postconsumer Material

7530-00-261-3804	<u>CPG</u>	JWOD	Buff	Size: 3 x 5"	HD	\$3.42
7530-00-261-3819	<u>CPG</u>	JWOD	Buff	Size: 5 x 8"	HD	\$5.83

Guide card set is made of durable pressboard, intended for heavy-duty use, and conveniently collated. Uncoated pressboard tabs extend 1/2" above the long edge of the card. (Does not have a lower projection.)



Has 1/3-cut tabs.

Tabs are blank.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-082-2635 WOD Green	Size: 9-1/2 x 14-3/4" HD \$	16.75
-----------------------------------	-----------------------------	-------

Features 1/5-cut tabs.

Tahs are blank.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-989-0684	<u>CPG</u>	JWOD	Letter Size	HD	\$14.71
------------------	------------	------	-------------	----	---------

Preprinted and alphabetically arranged in 25 divisions, from A to Z.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-989-0698	<u>CPG</u>	JWOD Gray	Letter Size	SE	\$4.16
7530-00-989-0697	CPG	JWOD Grav	Legal Size	SE	\$4 94

Double-Pocket Report Cover



Double-pocket presentation portfolio handily accommodates supporting materials, including samples, forms or reference materials. Made of coated, leather-grained paper stock. Cover measures $11-1/2 \times 9-1/2$ ", and each pocket (5" deep, 9-1/2" wide) has a 3/8" capacity for $8-1/2 \times 11$ " paper.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7510-00-584-2490	JWOD Light Blue	BX(contains 25 EA)	\$7.19
7510-00-584-2489	JWOD Dark Blue	BX(contains 25 EA)	\$7.19
7510-00-584-2491	JWOD Gray	BX(contains 25 EA)	\$7.19
7510-00-584-2492	JWOD Tan	BX(contains 25 EA)	\$7.19

GSA supports recycling.

In response to your specific requests, we are constantly adding new items to our shelves and catalogs.

BX(contains 25 EA) \$47.78

Report Cover

A. Two-piece pressboard binder features a brown cloth hinge. Includes metal prong fasteners and a compressor.

Bottom end opening; clip located on top.

Has a 3" capacity.

3 25% Postconsumer Material

7510-00-281-4309	JWOD	Red	Size: 8-1/2 x 11"	BX(contains 25 EA)	\$43.08
7510-00-281-4314	JWOD	Red	Size: 8-1/2 x 14"	BX(contains 25 EA)	\$46.35
7510-00-281-4310	JWOD	Red	Size: 11 x 17"	BX(contains 25 EA)	\$61.96

Side opening (clip on left side).

Has a 3" capacity.

3 25% Postconsumer Material

7510-00-582-4201	JWOD	Red	Size: 11 x 8-1/2"	BX(contains 25 EA)	\$49.05
Has a 6" capacity. ∴ 25% Postconsu	mer Materia	?			

Red Size:11 x 8-1/2"

B. Two-piece pressboard binder features a brown cloth hinge.

JWOD

Capacity: 6".

7510-00-281-4313

🛟 25% Postconsumer Material

7510-00-286-7794	JWOD	Red	Size: 8-1/2 x 11"	BX(contains 25 EA)	\$31.10

 $\it c.$ SKILCRAFT Embossed-grained coated paper stock presentation cover with label panel. Three double-prong metal fasteners. Holds 8-1/2 x 11" paper. Maximum capacity: 3/8".

3 20% Postconsumer Material

	7510-00-582-5399	CPG	PRIME	JWOD	Gray	BX(contains 25 EA)	\$15.54
Contains 50% Recovered Material , Which Includes 20% Postconsumer Material							
	7510-00-582-5400	CPG		JWOD	Tan	BX(contains 25 EA)	\$15.54

Pocket Folder

D. Records are easily accessed in this accordion-type folder. Made of two-ply heavy stock, this folder is reinforced with side gussets at least half the height of the pocket. (Without flap or tie.)

Expanded capacity: 7/8".

30% Postconsumer Material

7530-00-285-2915	JWOD	Red	Letter Size	EA	\$0.98		
Expanded capacity: 1-3/4". With two gussets.							
7530-00-285-2913	JWOD	Red	Letter Size	EA	\$1.34		
7530-00-285-2914	JWOD	Red	Legal Size	EA	\$1.05		

Expands to 3-1/2" capacity. With four gussets.

🗘 Contains 50% Recovered Material , Which Includes 20% Postconsumer Material

7530-00-285-2917	CPG	Letter Size	BX(contains 25 EA)	\$14.80
7530-00-285-2916	<u>CPG</u>	Legal Size	BX(contains 25 EA)	\$16.48











Filing options increase with a bellows-type pocket folder. Each compartment is indexed for filing ease. Covered with leather-patterned paper. (Frame not included.)

Provides daily filing with pockets numbered 1 through 31. Does not have closing flaps.

30% Postconsumer

Material Recovered Material

7520-00-286-1723 JWOD Size: 9-1/2 x 11-3/4" EA \$12.68

Provides alphabetical indexing from A to Z with 21 pockets. Folder expands to 15".

Does not have closing flaps.

30% Postconsumer Material Recovered Material

7520-00-286-1722 JWOD Size: 9-1/2 x 11-3/4" EA \$9.30

Has closing flap.

30% Postconsumer Material Recovered Material

7520-00-833-7343 JWOD Size: 9-1/2 x 11-3/4" EA \$9.67

File Organizer



Work Organizer File includes indexed tabs with bellow compartments and flap. Indexes are marked 1 to 31 for daily filing.

30% Postconsumer Material Recovered Material

7520-01-437-6369 JWOD Length: 15" EA \$12.09

For the most current information and pricing, visit us online at www.GSAglobalsupply.gsa.gov.

Charge Out Folder



Charge out folder tracks the status of a project. Folder has a dual purpose: as an out guide or as a holding folder until file is complete. Each folder has a ruled space on the front for writing charge out data. Made of standardduty, 147-lb manila stock, with a plain, folded bottom. Letter-size folder has a 1/5-cut, center-position self-tab printed with "OUT".

© Contains 50% Recovered Material , Which Includes 20% Postconsumer Material

Book File

This book-style, alphabetical file is excellent for an array secretarial and stenographic applications. The vinyl file accommodates very large filing and sorting tasks. Expands to 20" thick.



30% Postconsumer Material Recovered Material Contains 80% Recovered Material, Which Includes 80% Postconsumer Material

Contains 31 indexed sections (for daily use) and expands to 30" thick.

30% Postconsumer Material Recovered Material

7520-00-286-1724 JWOD Size: 9-1/2 x 11-3/4" EA \$10.93

Contains 20 or more indexed alphabetical sections (some letters are combined) and expands to 20" thick.

30% Postconsumer Material Recovered Material Contains 80% Recovered Material, Which Includes 80% Postconsumer Material

Wallet Folder



This reliable expanding wallet folder includes a flap for keeping important documents safe. Full-height, clothreinforced gusset and sturdy two-ply construction provide extra protection. Flap is scored for easy folding.

Secured with an elastic loop tie.

© Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-268-3993	<u>CPG</u>	JWOD	Red	Size: 9-1/2 x 11-3/4"	EA	\$1.44

Secured with a cloth tape tie.

Expands to 3-1/2". Features four gusset folds.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-268-3994	CPG	Red	Size: 9-1/2 x 14-3/4"	EA	\$1.81
7530-00-281-4847	CPG	Red	Size: 10 x 15"	EA	\$1.73

Work Organizer File

Work Organizer File includes indexed tabs with bellow compartments, flap and band.

Indexes are marked 1 to 31 for daily filing.

5 30% Postconsumer Material Recovered Material

7520-01-437-6364 JWOD Width: 15" EA	\$12.29
Indexes are marked A to Z for alphabetic filing. 30% Postconsumer Material Recovered Material	
7520-01-437-6365 JWOD Width: 15" E	\$9.78

Comprehensive Procurement Guideline (CPGM) compliant



This symbol identifies products that have been certified to meet or exceed the U.S. Environmental Protection Agency Recovered Material Advisory Notice (RMAN) standard for recovered materials as specified in the Resource Conservation and Recovery Act Section 6002 Comprehensive Procurement Guideline.

³FORMS

7540-00-634-4264 (III) UNICOR

Optional Form



Size: 5 x 3"

OF 11: Reference Request-Federal Records Center.

Consists of a three-part set.

30% Postconsumer Material

7540-00-682-6423 (INICOR

OF 16: Sales Slip-Sale of Government Personal Property.

Of 10. baies only baie of Government reisonal riope

Consists of a four-part set. Serially numbered.

 ♠ 30% Postconsumer Material

 7540-00-753-4941
 ♠ Size: 5 x 8"
 HD \$8.02

Size: 8-1/2 x 11"


HD \$8.19

OF 23: Charge-Out Record.


🛟 20% Postconsumer Material

D For questions concerning forms, please call (817) 978-2508 or 978-8680


HD \$1.14















It is GSA's policy to offer products that fully comply with all applicable environmental regulations and Executive orders.





OFFICE EQUIPMENT TECHNOLOGIES

Computers, Monitors, Printers, Fax Machines, Multifunctional Devices and Scanners

The Federal Supply Services' Information Technology (IT) Acquisition Center is a leader in embracing the age of technology! The center currently has over 2,800 vendors under contract with more than 500,000 products and services available. These IT products are some of our fastest-moving, highest-volume items available under the Multiple Award Schedule program. We've got the IT products you need to help keep your office systems running efficiently.

To assist our customers' efforts in complying with various environmental laws and Executive orders relating to energy efficiency, our Schedule contractors are required to identify their Energy Star® office equipment.

FSS offers an array of environmental products and services. Visit our Environmental Programs website at www.gsa.gov/enviro.

The Environmental Protection Agency estimates that the typical American business with 100 computers, 10 laser printers and three copiers spends more than \$4,700 each year to power its equipment. If the equipment were Energy Star® and the powerdown features enabled, energy use would be cut in half. Available IT-type equipment includes: computers; monitors; printers; scanners; multifunction devices. A "typical" Energy Star® computer has the ability to "power down" automatically, after a predetermined period of inactivity, to 30 watts or less when not in use. This computer equipment may actually last longer than a conventional computer product without the ability to power down, because the Energy Star®-compliant computer spends a large portion of time in its low-power sleep mode. Energy Star® IT products also generate less heat than nonconforming products. Upgrading your existing equipment to Energy Star®-compliant equipment contributes to a cooler and more comfortable work space and reduces air-conditioning costs

Relevant Special Item numbers:

FSC Group 35, 36 and 70

NO SPECIAL ORDERING INSTRUCTIONS

Point of Contact: Darlena McKnew • (703) 305-5592, Fax (703) 308-1445 • darlena.mcknew@gsa.gov









OFFICE IMAGING AND DOCUMENT SOLUTIONS

Copiers

This group of energy-efficient products includes analog and digital photocopiers with single- or full-color imaging, available in desktop and console configurations. Digital equipment includes both stand-alone and multi-functional photocopiers. Volumes range from under 1,000 to more than 450,000 copies per month for the heavy user. Flexibility comes with a variety of document- and paper-handling capabilities—including document enlargement/reduction, document feeding, duplexing,

stapling, punching and collating. And now, the digital multi-functional photocopiers have connectivity to individual workstations or networks, including fully integrated capabilities for copying, printing, scanning to print/file and facsimile, or modular expansion capabilities that will permit upgrades from stand-alone to multi-functional.

NO SPECIAL ORDERING INSTRUCTIONS

Point of Contact: Lana Gilbert • (703) 305-7140, Fax (703) 308-3658 • lana.gilbert@gsa.gov









FACILITY MANAGEMENT SYSTEMS

Maintain control over your facility, and use energy in the most efficient way with network interface for complete control of building energy-use functions offered in this Schedule. Use our expertise for long-term solutions.

Relevant Special Item Numbers:

246-42-1, 2 & 3

Facility Management Systems (Energy and Security Functions)

It's important to know that when ordering from this schedule, installation, maintenance and training are available. To fund your purchase, alternative financing is available through performance contracting.

Contact GSA for details

COMMERCIAL EQUIPMENT

SIN 246-42-2

ELECTRIC-POWERED WATER CHILLERS

Commercial Centrifugal and Rotary Screw Water Chiller Packages, 100- to 2,000-ton capacity, use EPA SNAP-approved (Significant New Alternatives Policy) refrigerants. Chillers meet Department of Energy requirements for energy efficiency.

Contact GSA for details

Note: The Department of Energy's Federal Energy Management Program (FEMP) established a recommended minimum energy efficiency level that federal buyers should consider when purchasing items under this product grouping. Visit the FEMP website at http://www.eere.energy.gov/femp/procurement to learn more about their efficiency recommendations.

Point of Contact: Harry Henson • (817) 978-8684, Fax (817) 978-2776 • harry.henson@gsa.gov



Federal Supply Schedules 56, 71 I and 72 II

TWO SIMPLE WAYS TO IDENTIFY AND PURCHASE ENERGY-EFFICIENT PRODUCTS

LIGHTING TECHNOLOGIES

LAMPS AND TASK LIGHTING

Illuminate your life in an energy-saving way! Once you try it, you'll see how easy a small change makes a big difference.

Many of the torchieres and lamps on Schedule 72 II are hardwired to exclusively use Energy Star®-compliant Compact

Fluorescent Light (CFL) bulbs which are 80% more efficient than incandescent light bulbs. Most other lamps on Schedule 72 II can be modified to use energy efficient CFL's.

Relevant Schedule 72 II Special Item Number:

722-01 Lamps/Shades

Includes floor lamps, table lamps and wall lamps (including electrical sconces), track lighting, and replacement lamp shades.
All lamps include an appropriate shade.

COMPACT FLUORESCENT LAMPS

FSS offers an array of environmental products and services. Visit our Environmental Programs website at www.gsa.gov/enviro to find out what we have to choose from. Energy Star® Products are available.

Special Ordering Instructions:Replacement bulbs

should be ordered
from sources under
Federal Supply
Schedule 56.
In addition to the
lamps available under
Schedule 72 II, much of
the task lighting available
for use with the systems furniture
under Schedule 71 I utilizes
fluorescent lighting which is
more energy-efficient than
incandescent lighting.

Points of Contact
• 7FXB (817) 978-8631 • sandy.tatum

For Schedule 56: Sandy Tatum • 7FXB (817) 978-8631 • sandy.tatum@gsa.gov For Schedule 72 II: Patricia Longo • 3FNG (215) 446-5021 • patricia.longo@gsa.gov









LIGHTING TECHNOLOGIES

COMPACT FLUORESCENT LIGHT BULBS AND ELECTRIC LAMPS

Brighten your environment with light bulbs and compact fluorescent bulbs. Standard bulbs are 4-watts to 360-watts in a variety of formats—krypton, halogen, reflector floods and spots, decorative lamps, and high-intensity discharge.

Fluorescent bulbs/lamps include cool white/green, black and white, gold and quads. Speciality bulbs are also available.

Relevant Special Item Numbers:

206-13 Energy-Efficient and/or Environmentally Friendly Light Bulbs

Order directly from contractors

Point of Contact:

Sandy Tatum • (817) 978-8631, Fax (817) 978-2776 • sandy.tatum@gsa.gov









GSA is your portable power source.

We offer portable generators available through Schedule 61 V. For additional information, call (817) 978-8631.

QUALITY SOLUTIONS FOR A VARIETY OF PRODUCTS AND SERVICES FEDERAL SUPPLY CLASS 62

LIGHTING TECHNOLOGIES

LIGHTING SENSOR SYSTEMS

These systems control lights based on detection of motion or sound. Along with standard systems, there are enhanced systems available for warehouse and industrial applications. A photocell is built-in which allows the user to set the light level at which motion detection will turn lights on. This feature also allows lights to be deactivated during daylight hours.

Relevant Special Item Numbers:

206-8 Lighting Sensor Systems: systems which operate as switches to turn lights on and off.

LIGHTING BALLASTS



Products include Energy-Saving Lighting Ballasts, Electromagnetic for Linear Fluorescent Lamps (T8-T12), encapsulated, weatherproof, Electronic, Rapid start. Low/High Frequency also available.

Relevant Special Item Numbers:

206-9 Energy-Saving Lighting Ballasts

Order directly from contractors

Note: No Energy Star® products available. The Department of Energy's Federal Energy Management Program (FEMP) established a recommended minimum energy efficiency level that federal buyers should consider when purchasing items under this product grouping. Visit the FEMP website at http://www.eere.energy.gov/femp/procurement to learn more about their efficiency recommendations.

"FEMP's Product Energy Efficiency Recommendations provide agencies with an excellent screening resource to help in their energy-efficient purchasing decisions."

-Beth Shearer, FEMP's Director

INDUSTRIAL HID LUMINARIES EF



Control your lighting as you see fit! These Industrial HID luminaires provide multiple socket positions to accommodate different lamps and provide narrow or wide light distribution. Choose from metal halide (MH) lamps and high-pressure sodium (HPS) lamps. Capacitive switching with special HID ballasts can provide bi-level lighting control for use with occupancy sensors in warehouses, garages, or other areas with intermittent occupancy.

Relevant Special Item Numbers:

206-11 High-Pressure Sodium and Metal High Lighting Fixtures

Order directly from contractors

Note: No Energy Star® products available. The Department of Energy's Federal Energy Management Program (FEMP) established a recommended minimum energy efficiency level that federal buyers should consider when purchasing items under this product grouping. Visit the FEMP website at http://www.eere.energy.gov/femp/procurement to learn more about their efficiency recommendations.

We facilitate the federal acquisition of environmentally oriented products and services.

Point of Contact: Sandy Tatum • (817) 978-8631, Fax (817) 978-2776 • sandy.tatum@gsa.gov





QUALITY SOLUTIONS FOR A VARIETY OF PRODUCTS AND SERVICES FEDERAL SUPPLY CLASS 99

LIGHTING TECHNOLOGIES

ELECTRICALLY OPERATED EXIT SIGNS

Standard, square exit sign illuminating a safe path to building exit(s).

Relevant Special Item Numbers:

366-14 Electrically Operated or Self-Illuminated Emergency Exit Signs



Order directly from contractors

Point of Contact: Cheryl Allen • (817) 978-2044, Fax (817) 978-2776 • cheryl.allen@gsa.gov

Schedules F- LIBRARY





S.N.A.P.

The U.S. Environmental Protection Agency Significant New Alternatives Policy (SNAP) identifies suitable alternatives to Class I and Class II ozone depleting substances. More information is available online at http://www.epa.gov/spdpublc/index.html.





WATER-SAVING TECHNOLOGIES

PLUMBING EQUIPMENT E



Saving water in the bathroom is an easy place to start! We have a wide variety of products to outfit nearly any plumbing need. Our water-saving devices include waterless urinals, low-flow shower heads and faucets. Make an impact with significant water reduction results with simple, standard plumbing hookups.

Relevant Special Item Numbers:

563-25

Lavatories, Bathtubs, Water Closets, Urinals, Showers, Fountains, Basins, Faucets and Components. These are offered in conjunction with Plumbing and Bathroom Fixtures, including Toilet Seat Cover Dispensers, Soap Dispensers and Drain Traps.

Order directly from contractors

Note: No Energy Star® products available. The Department of Energy's Federal Energy Management Program (FEMP) established a recommended minimum energy efficiency level that Federal buyers should consider when purchasing items under this product grouping. Visit the FEMP website at www.eere.energy.gov/femp/procurement to learn more about their efficiency recommendations. This applies to faucets and shower heads only.

Point of Contact: Sandy Tatum • (817) 978-8631, Fax (817) 978-2776 • sandy.tatum@gsa.gov





***COMPUTER PAPER**



Single-Part Computer Paper

A. Single-part continuous form paper has a 20-lb basis weight.

💲 Contains 20% Recovered Material, Which Includes 20% Postconsumer Material

7530-01-413-0730 White Size: 14-7/8 x 11" BX(contains 2700 SH) \$34.3

B. Continuous, flat-fold computer paper is intended for use in a variety of printers (including Autodin) and features holes punched on both margins for a smooth sprocket feed. Paper set measures $9-1/2 \times 11$ ".

Paper is carbonless, with vertical margin perforations located 1/2" from the left and right sides of each sheet.

Has a 20-lb. basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

530-00-800-0996 🕮 JWOD White Single-part BX(contains 2500 SH) 💲



C. Continuous, flat-fold computer paper features holes punched on both margins for smooth sprocket feed.

Has a 20-lb. basis weight. Horizontal green shaded areas are printed 1/2" wide and 1/2" apart. There is a vertical margin perforation on the left side of each sheet only.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

Has a 20-lb. basis weight. Has three horizontal lines per inch, with the third line printed darker. Four holes are punched along the top and bottom of each sheet for convenient filing

👶 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Has a 20-lb. basis weight. Has three horizontal lines per inch, with the third line printed darker.

Does not have vertical margin perforations.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Has a 20-lb. basis weight.

Paper features vertical margin perforations 1/2" from the left and right sides. Horizontal tear line perforations are provided every 3-2/3".

Ontains 30% Recovered Material, Which Includes 30% Postconsumer Material

For a wider array of GSA products, visit GSAglobalsupply.gsa.gov.

GSA Global Supply serves more than 300,000 federal customers!

Multi-Part Computer Paper

D. Continuous, flat-fold computer paper is intended for use in a variety of printers (including Autodin) and features holes punched on both margins for a smooth sprocket feed. Paper set measures $9-1/2 \times 11$ ".

Carbonless, chemically coated set is crimp fastened and features vertical margin perforations located 1/2" from the left and right sides of each sheet.


Has a 12- to 15-lb. basis weight.

36-month maximum shelf life (extendable) Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-144-9600	<u>CPG</u>	White	Two-part Sets	BX(contains 1500 EA)	\$31.10		
1) 24-month maximum shelf life (not extendable) 5 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material							
7530-00-144-9601	CPG	White	Three-part Sets	BX(contains 950 EA)	\$31.85		
7530-00-144-9602	<u>CPG</u>	White	Four-part Sets	BX(contains 700 EA)	\$32.01		

Five- and six-part sets are not recommended for use in dot matrix printers. Has a 12- to 15-lb. basis weight.

(i) 36-month maximum shelf life (extendable) (ii) Contains 30% Recovered Material, Which Includes 30% Postconsumer Material



Tabulating Paper

E. One-part tabulating machine paper has holes punched on the left and right sides of the sheets for tractor-feed printers. Sheets have 1/2" green bars.

Has a 20-lb. basis weight.

Contains 50% Recovered Material, Which Includes 50% Postconsumer Material

7530-01-350-5979	Size: 14-7/8 x 11"	BX(contains 2700 SH)	\$36.13
------------------	--------------------	----------------------	---------


Carbon-Interleaved Computer Paper

 $\boldsymbol{\mathcal{F}}$. Continuous, flat-fold computer paper is carbon-interleaved and features holes punched on both margins for smooth sprocket feed.

Horizontal green shaded areas are printed 1/2" wide and 1/2" apart. Has a 15-lb. basis weight.

A vertical margin perforation is located on the left side of each sheet only. Paper set measures 14-7/8 x 8-1/2".


Contains 30% Recovered Material, Which Includes 30% Postconsumer Material



Horizontal green shaded areas are printed 1/2" wide and 1/2" apart.

A vertical margin perforation is located on the left side of each sheet only. Paper set measures 14-7/8 x 8-1/2".

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material



Has a 15-lb. basis weight. Does not have 1/4" holes punched for filing.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material


7530-00-145-0415	CPG	White	Two-part Sets	BX(contains 1500 EA)	\$57.67
7530-00-145-0416	CPG	White	Three-part Sets	BX(contains 950 EA)	\$63.48
7530-00-145-0417	CPG	White	Four-part Sets	BX(contains 700 EA)	\$66.48
7530-00-145-0418	CPG	White	Five-part Sets	BX(contains 550 EA)	\$54.76







F



A. This continuous, flat-fold, multi-part, carbon-interleaved computer paper functions great in a variety of printers (Autodin included). Features holes punched on both margins for smooth sprocket feed. Crimp-fastened set features vertical margin perforations 1/2" from the left and right sides of each sheet. Paper is not lined. Paper set measures 9-1/2 x 11".

Has a 15-lb. basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-144-9606	CPG	White	Two-part Sets	BX(contains 1500 EA)	\$39.00
7530-00-144-9618	CPG	White	Three-part Sets	BX(contains 950 EA)	\$40.30

Carbonless Transfer Computer Paper

 $\emph{B.}$ This continuous, flat-fold, carbonless, chemically coated set produces copies from impact-type printers. Paper set measures 14-7/8 x 11".

Has a 12- to 15-lb. basis weight.

O 24-month maximum shelf life (not extendable) Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-185-6751	<u>CPG</u>	White	Two-part Sets	BX(contains 1500 EA)	\$44.75
7530-00-185-6752	<u>CPG</u>	White	Three-part Sets	BX(contains 950 EA)	\$45.57
7530-00-185-6754	<u>CPG</u>	White	Four-part Sets	BX(contains 700 EA)	\$50.29
7530-00-185-6757	CPG	White	Five-part Sets	BX(contains 550 EA)	\$54.09

C. Carbonless, continuous, multicopy set produces black images on copies. Horizontal tear line perforations are provided every 8-1/2". The three-part paper has a basis weight of 12- to 15-lbs.

24-month maximum shelf life (not extendable) Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-338-0625	47.29
------------------	-------

D. Continuous, single-part fanfold computer paper is self-imaging and carbonless. Has a 17-lb. basis weight. Does not have margin perforations.

Ontains 30% Recovered Material, Which Includes 30%
 Postconsumer Material

7530-01-106-4725 White Size: 9-3/8 x 11" BX(contains 3000 EA) \$115.52

The products in this guide are environmentally oriented items. These items may have recycled or biobased content, conserve energy and/or water, or contain reduced pollutants.

SCOPIER ANDPRINTER PAPER

100% Post-Consumer Paper



100% Post-consumer materials. This product meets the need for an environmentally friendly paper, while delivering reliable, high quality performance. With 84 brightness, it is excellent paper for daily use in copiers and printers. This paper is processed chlorine free (PCF) without additional bleaching. Both paper and packaging are recyclable with general office waste. Product is 20lb basis weight, white. Price indicated reflects a box of 5,000 sheets. Any photos shown of this product are representative only -brand shipped may vary.

5 100% Postconsumer Material

7530-01-503-8441	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$47.85
7530-01-503-8449	Size: 8-1/2 x 14"	BX(contains 5000 SH)	\$67.78
7530-01-503-8453	Size: 11 x 17"	BX(contains 5000 SH)	\$49.99
3-hole punched.			
7530-01-503-8445	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$54.12

Copier Paper



Dual-purpose recycled paper which can be used in high-speed dry toner copiers and on offset duplicating equipment. 20-lb. basis weight.

Sheets are not hole punched.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-335-2623	<u>CPG</u>		White	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$26.85
7530-01-454-8006	CPG	XEROX P/N 3R6296	White	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$33.26
7530-01-334-7817	<u>CPG</u>		White	Size: 8-1/2 x 14"	BX(contains 10 RM)	\$33.66




Long-grain, 20-lb. basis weight paper is suitable for use in Savin liquid process copiers. 84 brightness.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-200-2207	JWOD	White	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$62.87
7530-01-200-2206	JWOD	White	Size: 8-1/2 x 14"	BX(contains 10 RM)	\$80.49

It is GSA's policy to offer products that fully comply with all applicable environmental regulations and Executive orders.





A. This quality dual-purpose paper can be used in high-speed dry toner copiers and on offset duplicating equipment. Has a 20-lb. basis weight

Sheets are not hole punched.

💲 Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-146-3361	CPG	JWOD	Blue	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$61.37
7530-01-148-1766	<u>CPG</u>	JWOD	Buff	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$61.37
7530-01-156-4689	<u>CPG</u>	JWOD	Goldenrod	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$61.37
7530-01-147-6812	<u>CPG</u>	JWOD	Green	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$61.37
7530-01-150-0334	<u>CPG</u>	JWOD	Pink	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$61.37
7530-01-085-5225	<u>CPG</u>	JWOD	White	Size: 11 x 17"	BX(contains 5 RM)	\$55.90

Contains 30% Recovered Material, Which Includes 50% Postconsumer Material

Sheets are three-hole punched.

💲 Contains 50% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-033-8891	CPG		White	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$27.78
7530-01-156-9775	<u>CPG</u>	JWOD	Blue	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$65.43

 $\emph{B.}$ Dual-purpose paper is for use in high-speed dry toner copiers and offset duplicating equipment. Measures 8-1/2 x 11".

Sheets are two-hole punched on 8-1/2" side.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-256-9181

Watermarked Copier Paper

C. High-quality, sulfite-watermarked, dual-purpose paper ensures maximum reliability and copy quality. (One ream contains 500 sheets.)

Suitable for dry toner equipment.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-200-2203	<u>CPG</u>	JWOD	White	Size: 8-1/2 x 11"	BX(contains 10 RM)	\$67.81

Number-one grade paper is for use in dry toner equipment.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

	7530-01-200-2204	CPG	JWOD	White	Size: 8-1/2 x 14"	BX(contains 10 RM)	\$88.14
--	------------------	-----	------	-------	-------------------	--------------------	---------

Bond Paper

D. Opaque paper for dual-sided laser, high-speed offset, letterpress printing, writing, and high-speed copying.

25% rag bond paper.

Watermarked. Features a 16-lb. basis weight.

3 Contains 50% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-290-0599	CPG	JWOD	White	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$72.40
7530-00-290-0600	<u>CPG</u>	JWOD	White	Size: 8-1/2 x 14"	BX(contains 5000 SH)	\$100.00

Has a 20-lb. basis weight.

🛟 Contains 50% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-616-7284	CPG	JWOD	\A/bita	Circ. 9 1/0 v 11"	PV(contains E000 CH)	\$70 E0
1000-00-010-1284	<u>CI U</u>	JWUD	vvnite	Size: 8-1/2 x 11	BX(contains 5000 SH)	\$19.09

White bond paper has a 20-lb. basis weight. A-A-2804.

☼ Contains 50% Recovered Material, Which Includes 30% Postconsumer Material Total Chlorine-Free Process


	7530-01-364-9488	<u>CPG</u>	JWOD	White	Size: 8-1/2 x 11"	BX(contains 5000 EA)	\$62.42
--	------------------	------------	------	-------	-------------------	----------------------	---------


100% wood pulp paper has a 20-lb. basis weight.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-290-0617	<u>CPG</u>	JWOD	White	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$61.88
7530-00-290-0618	<u>CPG</u>	JWOD	White	Size: 8-1/2 x 14"	BX(contains 5000 SH)	\$81.15







E. Bond writing paper is suitable for both offset and letterpress printing.

Paper has a 20-lb. basis weight.

💲 Contains 50% Recovered Material , Which Includes 20% Postconsumer Material

7530-01-077-5386	JWOD	Blue	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$63.13
7530-01-071-9792	JWOD	Buff	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$63.13
7530-00-509-8632	JWOD	Green	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$63.13
7530-01-071-9794	JWOD	Pink	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$63.13
7530-01-071-9795	JWOD	Salmon	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$63.13
7530-01-078-5649	JWOD	White	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$63.13
7530-01-077-5387	JWOD	Yellow	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$63.13

F. This archive quality 20-lb. basis weight paper is for use in high-speed photocopiers, laser printers, plain-paper telefacsimile or impact-type computer printers.

Meets JCP 060. (Has greater opacity than 7530-01-398-2656.)

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-398-26	652 🕮	White	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$44.95
					T

G. This archive quality 25% rag bond is ideal for reproducing stationery, forms, legal documents or ledger sheets. Also copies pen and pencil documents. It provides above-average performance for two-sided copying and its erasing quality is high.

Meets JCP G40 as well as the recovered and postconsumer materials percentages cited in EO 13101.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

/53U-U1-398-2050 M VVIITE SIZE: 8-1/2 X TI BX (CONTAINS TO RIVI)	\$50.27	BX(contains 10 RM)	Size: 8-1/2 x 11"	White	7530-01-398-2656	
--	---------	--------------------	-------------------	-------	------------------	--

Cover Paper

H. Durable, vellum-finished paper serves as an attractive cover for protecting documents, manuscripts, programs and periodicals. Ideal for use with staples and various binding machines, this sturdy, long-grain paper has a 50-lb. basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

9310-01-083-5210	Canary	Size: 8-1/2 x 11"	BX(contains 2500 SH)	\$120.94
			·	φ120.94
9310-01-083-5214	Dutch Blue	Size: 8-1/2 x 11"	BX(contains 2500 SH)	\$122.83
9310-01-083-5216	Green	Size: 8-1/2 x 11"	BX(contains 2500 SH)	\$122.67
9310-01-101-3832	Peach Tan	Size: 8-1/2 x 11"	BX(contains 2500 SH)	\$122.96
9310-01-083-5211	Vermilion Red	Size: 8-1/2 x 11"	BX(contains 2500 SH)	\$122.63
9310-01-083-5212	White	Size: 8-1/2 x 11"	BX(contains 2500 SH)	\$81.95

Mimeograph Paper

L. Long-grain paper produces sharp, clear and legible copies. May be used for two-sided copying. Basis weight is 20 lb. Ream contains 500 sheets.

A good wood-pulp paper for general use.

💲 Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7350-00-251-7125 WOD WITTE SIZE. 6-1/2 x 14 BA(COITERITS 3000 SH) \$04.65	7530-00-231-7125	JWOD	White	Size: 8-1/2 x 14"	BX(contains 5000 SH)	\$64.85
---	------------------	------	-------	-------------------	----------------------	---------

Bleached wood-pulp paper offers good durability.

💲 Contains 50% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-074-1832	<u>CPG</u>	JWOD	White	Size: 8-1/2 x 11"	BX(contains 5000 SH)	\$54.19

25% rag stock offers enhanced appearance and durability.

💲 Contains 50% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-285-3073	Size: 8-1/2 x 11" BX(contains 5000 SH)	\$76.24
------------------	--	---------













As you page through this catalog, you will see items that are identified with a Direct Delivery icon DD. Based on our analysis of the marketplace and customers' requests, we have arranged with commercial partners to make these products available to you through the convenient ordering options. As you consider adding these items to your order, remember this about our DD inventory:

- 1. All **D** items will be shipped to you directly from our vendor partners, not from a GSA warehouse;
- 2. Unlike most GSA Global Supply orders, DD items will not ship within 24 hours and may take longer to reach your location.
- 3. Some D items require minimum orders. For details, please call customer service at 1-800-525-8027.
- 4. Freight charges may be applied to **D** items. You can verify with our customer service staff whether any freight charge is applicable for your order.

In all cases, GSA Global Supply will accept your order and handle the billing. Even if a vendor ships an item to you, it will appear on your credit card statement or billing as a GSA item. If there is ever a problem with any of these items, you can resolve that issue easily by calling our customer service staff at 1-800-525-8027.

Index Paper

This sturdy paper stock is the right choice for generating posters or index cards. Has a 110-lb. basis weight.

Chemical wood-pulp paper.

Measures 8-1/2 x 11.

💲 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

9310-00-982-0492	DD	Blue	BX(contains 2000 SH)	\$78.75
9310-00-955-0218	DD	Green	BX(contains 2000 SH)	\$68.47
9310-00-982-0491	DD	Pink	BX(contains 2000 SH)	\$80.91
9310-00-042-3867	DD	Salmon	BX(contains 2000 SH)	\$77.97
9310-00-955-0217	DD	White	BX(contains 2000 SH)	\$70.88
9310-00-042-5758	DD	Yellow	BX(contains 2000 SH)	\$80.91

Measures $17-1/2 \times 22-1/2$.

💍 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

9310-01-074-9408	DD	White	BX(contains 1000 SH)	\$147.47
3010-01-074-3400		VVIIILE	DA(Contains 1000 SII)	φ141.41

Measures 22-1/2 x 28-1/2.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

9310-00-160-7832	DD	Buff	BX(contains 500 SH)	\$153.70
9310-00-223-0370	DD	Green	BX(contains 500 SH)	\$153.70
9310-00-223-0372	DD	Salmon	BX(contains 500 SH)	\$153.70
9310-00-160-7834	DD	White	BX(contains 500 SH)	\$153.70
9310-00-223-0373	DD	Yellow	BX(contains 500 SH)	\$115.54

Measures 22-1/2 x 35".

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

9310-00-752-9076	DD	Buff	BX(contains 500 SH) \$126.27
9310-00-752-9080	DD	Green	BX(contains 500 SH) \$126.27
9310-00-752-9081	DD	Pink	BX(contains 500 SH) \$126.27
9310-00-752-9082	DD	Salmon	BX(contains 500 SH) \$126.27

Measures 25-1/2 x 30-1/2".

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

9310-00-160-7831	DD	Blue	BX(contains 500 SH) \$123.89
9310-00-160-7833	DD	Buff	BX(contains 500 SH) \$153.70
9310-00-223-0375	DD	Green	BX(contains 500 SH) \$123.89
9310-00-160-7835	DD	White	BX(contains 500 SH) \$123.89

*PADS AND WRITING PAPER

Writing Pad

A. A must for meetings and presentations. Precision faint-ruled paper with pinhole perforations has a basis weight of 16 lb. Chipboard back acts as a clipboard.

Ontains 30% Recovered Material, Which Includes 30% Postconsumer Material

B. Upgraded pad features a leatherette-stitched tape top and perforated sheets. The binding strip material is artificial leather stamped with "SKILCRAFT" and the recycled logo. Both paper and backing contain recycled material. Each pad contains 50 sheets.

💲 Contains 50% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-372-3107	JWOD	White	Size: 5 x 8"	DZ	\$8.66
7530-01-372-3108	JWOD	White	Size: 8-1/2 x 11-3/4"	DZ	\$14.09
7530-01-372-3109	JWOD	White	Size: 8-1/2 x 14"	DZ	\$15.47

C. Quality writing pad with gray, linen top is wide-ruled with letter-trim perforation at top and has a durable chipboard backing. Each pad contains 50 sheets.

💲 Contains 50% Recovered Material , Which Includes 20% Postconsumer Material

7530-01-447-1355	JWOD	White	Size: 5 x 8"	DZ	\$6.30
7530-01-447-1353	JWOD	White	Size: 8-1/2 x 11"	DZ	\$11.64
7530-01-447-1356	JWOD	White	Size: 8-1/2 x 14"	DZ	\$13.07

D. Versatile memorandum pad is great for a multitude of uses. Pad is bound at the top and contains 100 sheets of 16-lb. basis weight, bleached paper.

Sheets are ruled on both sides with blue lines that are spaced 5/16" apart.

💲 Contains 50% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-124-5660	JWOD	White	Size: 8-1/2 x 11"	DZ	\$13.14
7530-01-124-7632	JWOD	Yellow	Size: 8-1/2 x 14"	DZ	\$16.84

This is a Navy pack item.

💲 Contains 50% Recovered Material, Which Includes 30% Postconsumer Material


7530-01-131-0091	<u>CPG</u>	JWOD	White	Size: 8-1/2 x 11"	BX(contains 6 DZ)	\$72.08
------------------	------------	------	-------	-------------------	-------------------	---------

Sheets are unruled.


Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-285-3090	JWOD	White	Size: 3 x 5"	PG(contains 24 EA)	\$5.47
7530-00-239-8479	JWOD	White	Size: 5 x 8"	DZ	\$6.90
7530-01-131-1889	JWOD	White	Size: 8-1/2 x 11"	DZ	\$12.62

Need something new?
Comments? Questions?
E-mail us at
GSAglobalsupply@gsa.gov.







Telephone Message Pad



This spiral-bound message pad features perforated edges and creates a carbonless copy. Each form measures $2-5/8 \times 6-1/4$ ". Four forms per page.

Book includes 200 message forms in all.

💲 30% Postconsumer Material Contains 30% Recovered Material

7510-01-357-6829	JWOD	Page Size: 7 x 11"	EA	\$3.87
Book includes 400	O	rms in all. Contains 30% Recovered Mater	rial	
7510-01-357-6830	JWOD	Page Size: 7 x 11"	EA	\$5.79

Ruled Loose-Leaf Paper



Horizontally ruled bond filler paper for use in loose-leaf binders. This familiar paper features faint blue lines on each sheet. (The binding side measurement is listed first.)

Paper is punched for three-ring binder use. Has a 16-lb. basis weight.

Holes are spaced 2-3/4" apart, and lines are spaced 1/4" apart.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Holes are spaced 3-1/2" apart, and lines are spaced 1/4" apart.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Paper is punched for use in three-ring binders.

Holes are spaced 4-1/4" apart and are reinforced with clear mylar. Lines are spaced 1/4" apart.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Horizontally and vertically ruled bond filler paper is punched for threering binder use. Made of bleached wood pulp. Quadrille ruled; holes are spaced 4-1/4" apart. The binding side measurement is shown first. Has a 16-lb. basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Memorandum Book

This versatile book features a flexible cover with rounded corners and white sulfite writing paper. Does not include an index; pages are not numbered.



Cover is made of artificial leather with stitching detail. Contains 144 pages.

Opens at the side.

Contains 50% Recovered Material, Which Includes 30% Postconsumer

© Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Opens at the side.

Contains 30% Recovered Material, Which Includes 30% Postconsumer

Cover is made of pyroxylin-coated kraft stock. Contains 80 pages.

We're open
7:30 a.m. to 8 p.m.
(Eastern Time)
to take your
orders by phone.



Accounting Pad

Accounting or analysis recording pad for cash books, cost-data records, stock records, earnings and expense records. Columns are vertical. The binding side measurement is shown first.

Unpunched pad is bound at the top and ruled on one side. Does not include name spaces.

Includes seven columns.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-073-1164 UNICOR Green Size: 8-1/2 x 14" PD(contains 50 SH) \$2.50

Unpunched pad is bound at the top and ruled on one side. Includes name spaces, numbered columns and numbered lines.

Includes six columns.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-253-2537 UNICOR Green Size: 8-1/2 x 14" PD(contains 50 SH) \$2.54

Includes ten columns.

30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-290-3909 UNICOR White Size: 14 x 8-1/2" PD(contains 50 SH) \$3.05

Includes twelve columns.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-247-3700 UNICOR Buff or Yellow Size: 8-1/2 x 14" PD(contains 50 SH) \$2.54

Includes thirteen columns.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-223-7958 W UNICOR Buff or Yellow Size: 17 x 11" PD(contains 50 SH) \$4.84

Seven-hole-punched pad is bound on the left and ruled on both sides.

Includes four numbered columns with name spaces and numbered lines.

3 Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-290-3897 W UNICOR Buff or Yellow Size: 8-1/2 x 11" PD(contains 50 SH) \$2.54

Includes six numbered columns with name spaces and numbered lines.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-290-3894 (IIII) UNICOR Buff Size: 8-1/2 x 11" PD(contains 50 SH) \$2.54

Easel Pad

This paper pad comes in handy in a variety of situations, including lectures, demonstrations, training sessions and conferences. Useful with crayons, graphite, pencils, or quick-drying markers for quick note-taking, as well as creating charts, sketches, and outlines. For easel or wall use, the pad is perforated at the top for easy tear-off and features two holes, spaced 17-1/2" apart for mounting. Boasts a sturdy cardboard backing.

Paper is unruled. (Pen and eraser are supplied.)

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-619-8880 JWOD White Size: 27 x 34" PD(contains 50 SH) \$9.50

Paper is ruled.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

Visit our newly updated and completely renovated Environmental Programs webpage at www.gsa.gov/enviro.





Graph Paper

A. Precision cross-sectioned drawing paper is useful for a variety of graphing and plotting purposes.

This 50% rag bond paper is intended for general use and has a 24-lb. basis weight.

Green lines are spaced 10×10 to the inch, with every fifth line printed darker. Each sheet features a 10×7 " printed area.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-286-6918 UNICOR White Size: 11 x 8-1/2" PG(contains 100 EA) \$7.28

Green lines are spaced 10×10 to the inch, with every 10th line printed darker. Each sheet features a 10×7 " printed area.

🛟 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-286-6915 W UNICOR White Size: 11 x 8-1/2" PG(contains 100 EA) \$8.64

Green lines are spaced 10×10 to the inch, with every 10th line printed darker. A 20"-wide printed area extends the length of the paper roll.

3 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

100% bleached wood-pulp paper has a 16-lb basis weight and is intended for nonpermanent records.

Blue lines are spaced 4×4 to the inch on both sides of the paper. Each sheet features an $8-1/2 \times 12$ " printed area and is perforated along the top edge for easy tearing from the pad.

3 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-582-4196 UNICOR Yellow Size: 8-1/2 x 12" PD(contains 60 SH) \$3.83

Blue lines are spaced 4×4 to the inch on both sides of the paper. Each sheet features an $8-1/2 \times 14$ " printed area.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Ledger Graph Paper

B. Cross-sectioned ledger paper serves a variety of accounting and bookkeeping uses. This 100% wood-pulp paper has a 24-lb. basis weight.

Blue lines are spaced 10×10 to the inch on one side of the paper, with every 10th line printed darker. Each sheet features an $8 \times 10^{\circ}$ printed area.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

***CARBON AND TRANSFER PAPER**

Carbon Paper



Specially designed for use with manual and electric typewriters and can be used up to 12 times. Normal typewriter impressions will carry through as many as 12 carbon/manifold paper sets. Corners are cut for easy removal, and the carbon will not smudge or slip.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-244-4073	CPG		Black	Size: 8-1/2 x 5"	HD	\$1.59
7530-00-244-4035	CPG	JWOD	Black	Size: 8-1/2 x 11-1/2"	HD	\$5.18

Ideal for making copies of writings and drawings! Durable, curl-resistant paper is carbonized on one side and intended for pencil use. Each sheet can be used several times.




❖ Contains 50% Recovered Material , Which Includes 0% Postconsumer Material

7530-00-782-3994	CPG	Black Size: 6 x 8"	HD \$1.59
7530-00-782-3996	<u>CPG</u>	Black Size: 6-1/2 x 10"	HD \$3.19
7530-01-071-9769	CPG	Black Size: 8-1/2 x 11"	HD \$1.91

Manifold Carbon Set

Manifold carbon set saves time. Tissue sheet is attached to one time black carbon. A projecting 3/8" edge allows for the convenient removal of all carbons simultaneously. Up to six copies can



be made at one time. (If more copies are desired, use lightweight carbon paper.) Manifold set measures 8-1/2 x 11".

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-072-2539	CPG	Blue	BX(contains 500 EA)	\$16.32
7530-00-401-6910	CPG	White	BX(contains 500 SH)	\$36.04
7530-01-072-2538	CPG	Yellow	BX(contains 500 EA)	\$25.99

Carbonless Transfer Paper



Multi-part form sets may be easily created with this versatile, carbonless transfer paper. Can be printed on letterpress or offset printers. Stock has a 14- to 18-lb. basis weight.

Long grain wood pulp.

7530-00-145-0174	<u>CPG</u>	White	Size: 8-1/2 x 11"	RM	\$9.34	
------------------	------------	-------	-------------------	----	--------	--

The products in this guide are environmentally oriented items. These items may have recycled or biobased content, conserve energy and/or water, or contain reduced pollutants.

***ADDING MACHINE PAPER**

Adding Machine Tape

Designed for use with computing machines, including electronic printing calculators. Warning signal indicates end of tape roll. Has a 16-lb. basis weight and a 3/8"-diameter spindle hole.

Made of fibrous cellulosic material. The roll features a 3-1/2" maximum outside diameter.

30% Postconsumer Material

7530-00-222-3455	<u>CPG</u>	JWOD	White	Width: 2-1/4"	RO(contains 165 FT)	\$0.51
7530-00-238-8352	CPG	JWOD	White	Width: 3"	RO(contains 165 FT)	\$0.68

Made of ground wood paper stock. The roll features a 3-1/2" maximum outside diameter.

30% Postconsumer Material

7530-00-286-9054	\$0.58
------------------	--------



Carbonless Adding Machine Tape

Makes clean original and duplicate copies without carbon. This adding machine and calculator tape features a convenient warning stripe near the end of each roll.

Two-part chemical transfer tape is 100% chemical wood stock with a 12- to 16-lb basis weight. Roll features a 3-1/2" maximum outside diameter and a 3/8"-diameter spindle hole.

Machine ribbon is required for two part chemical transfer tape.

36-month maximum shelf life (extendable) Contains 30% Recovered Material, Which Includes 30% Postconsumer Material


7530-00-784-6143	CPG	White	Width: 2-1/4"	RO(contains 112 FT)	\$1.11
24-month maxim Postconsumer Materi	5 5	(extendable) 👶 Cont	tains 30% Recovered	l Material , Which Includes 30%	
7530-01-257-4122	CPG	White	Width: 3"	RO(contains 112 FT)	\$1.04



We now offer a wider range of products than ever before. Check out our expanded inventory at www.GSAglobalsupply.gsa.gov.

SPECIALTY PAPERS AND LABELS







Fanfold Teletype Paper

A. Fanfold paper is for use with low-speed teletypewriter equipment.

Single-part, continuous paper is marginally punched on both sides for smooth sprocket feed. Basis weight is 40-lb.

Has 1/2" vertical margin perforations on the left side only.

👶 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-823-8040 Size: 8-1/2 x 11" BX(contains 4000 SH) \$35.26

Continuous paper is marginally punched on both sides for smooth sprocket feed.

Two-part paper has vertical margin perforations 1/2" from the left side only.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material White

Single-part paper features 8-1/2" folds and vertical margin perforations 1/2" from the left and right sides. Basis weight is 15 lb.

Size: 8-1/2 x 5-1/2" BX(contains 1500 EA)

30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-150-0369 White Size: 8-1/2 x 12" BX(contains 3000 EA)

Three-part paper has vertical margin perforations 1/2" from the left side only. Interleaved carbons may be separated from forms in one motion. Crimped on the left edge margin with red warning on left edge.

👶 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-286-7768 White Size: 8-1/2 x 5-1/2" BX(contains 1900 EA)

Teletype Paper

7530-00-264-3703

B. Friction-feed paper is for use with teletypewriters and teleprinters. A printed warning signal is located near the end of the roll, which has a 5" outside diameter and a fiber core with a 1" inside diameter. Paper measures 8-7/16" wide.

Bleached wood paper. Roll features single-part paper.

💲 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-142-9037 S JWOD White Width: 8-7/16" RO(contains 325 FT) \$5.08

GSA Global Supply offers tens of thousands of office products, tools, and maintenance/repair/operations supplies. For the most complete listing, visit www.GSAglobalsupply.gsa.gov.

Specialty and Printing Paper

All vendors listed on this page may be found on the GSA *Advantage!*® e-Library. Each vendor provides comprehensive procurement guideline-compliant goods and services. This listing is a representative sample of the offerings contained in GSA schedule contracts.

Schedule 75 XI

Blaisdell & Songey, Inc. 1519 E 14th Street San Leandro, CA 94577-4806 (510) 483-3600

Contract Number: GS-14F-0025K

HOLE-PUNCHED XEROGRAPHIC PAPER 🚾

Schedule 75 XI

Bunch Bey Corporation 🛟

5650 B 2nd St. NE Washington, DC 20011 (202) 636-3568 BumbleB@erols.com

Contract Number: GS-15F-0020J

OFFICE PAPERS, SUPPLIES AND SERVICES; NEW TECHNOLOGY PRODUCTS

Schedule 75 ID Schedule 75 IIA

P & Stu Enterprises, Inc.

1977 N. Olden Avenue Ext. Trenton, NJ 08618-2112 (609) 883-4706 pstuenterprises@excite.com http://www.myaia.com/pstu

Contract Number: GS-15F-0009M (Schedule 75 ID) Contract Number: GS-14F-0021M (Schedule 75 IIA)

30% TO 100% RECYCLED CHLORINE-FREE PROCESSED PAPERS

Schedule 75 XI

Save-The-Trees, Inc.

275 Engle Street, #F4
Englewood, NJ 07631-2413
(201) 330-1353
info@save-the-trees.com
http://info@save-the-trees.com
Contract Number: GS-15F-0019K

CHLORINE-FREE PRINTING AND WRITING PAPER ©

Schedule 75 XI

Graphic Paper New York

31 Windsor Place Central Islip, NY 11722 (800) 840-4555 x 195 http://www.pcw100.com

Contract Number: GS-15F-0016J

RECYCLED INDEX PAPERS @G

Schedule 75 XI

Paper Corp 🛟

Unisource Worldwide, Inc.

161 Avenue of the Americas New York, NY 10013 (212) 337-5521 RayD111@mindspring.com

Contract Number: GS-15F-1110H

ENGINEERING PAPERS, VELLUM SHEETS AND ROLLS

Schedule 71 D Schedule 75 XI

Continental Imaging Products

2750 W. 5th Avenue Denver, CO 80204-4805 (303) 935-8565 kstrawser@milanoinc.com http://www.milanoinc.com

Contract Number: GS-15F-0550G (Schedule 71 D) Contract Number: GS-15F-9525C (Schedule 75 XI)

ENVIRONMENTALLY RESPONSIBLE OFFICE, PRINTING AND BUSINESS PRODUCTS

Schedule 75 IIA

Dolphin Blue, Inc. 1402 Corinth Street, Ste. 217 Dallas, TX 75215 1-800-932-7715 Thomas@Dolphinblue.com http://www.dolphinblue.com

Contract Number: GS-14F-0050

***ART PAPER**

Construction Paper



This heavyweight paper is perfect for art projects, crafts, and mounting. The eggshell finish is free from gloss or glare. Sheets features a 72-lb. basis weight.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-285-2879	<u>CPG</u>	Light Blue	Size: 9 x 12"	HD	\$2.84
7530-00-285-2887	<u>CPG</u>	Green	Size: 9 x 12"	HD	\$2.84
7530-00-285-2896	<u>CPG</u>	Orange	Size: 9 x 12"	HD	\$2.84
7530-00-285-2901	<u>CPG</u>	Red	Size: 9 x 12"	HD	\$2.84
7530-00-285-2902	<u>CPG</u>	Violet	Size: 9 x 12"	HD	\$2.84
7530-00-285-2905	<u>CPG</u>	White	Size: 9 x 12"	HD	\$2.84
7530-00-285-2906	CPG	Yellow	Size: 9 x 12"	HD	\$2.84

Drawing Paper

Detail paper is for pencil, ink and watercolor work.

Made of 100% rag stock with a smooth finish on both sides. For permanent records and ink drawings subject to severe and frequent handling.



Paper has a 50-lb. basis weight. TYI CLI STYA.

Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-985-7259

Stencil Board



Board is oiled for ink-resistance and can be used with ordinary stencil ink or paint. Apply paint or ink with a brush, spray gun or roller. Gives a clean cut on a stencil machine or stamp. Resists fuzzing when used repeatedly. Made of long-grain stock.

Lightweight (47- to 60-lb. basis weight), moderate-wear resistance paper with a thickness of 0.010 to 0.012".

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

|--|

Heavyweight (70- to 92-lb. basis weight), high-wear resistance paper with a thickness range of 0.013 to 0.018".

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

9310-00-160-7853	<u>CPG</u>	Size: 8 x 24"	HD	\$14.94
9310-00-160-7858	CPG	Size: 24 x 36"	HD	\$60.44

In response to your specific requests, we are constantly adding new items to our shelves and catalogs.

*ADDRESSING, MAILING AND DOCUMENTATION

Address Label

A. Pressure-sensitive, non-removable label features rounded corners and no border. This rectangular label adheres to envelopes, packages and most surfaces, making it terrific for general-purpose identification.

18-month maximum shelf life (extendable) Contains 20% Recovered Material, Which Includes 20% Postconsumer Material



B. White label adheres to most surfaces by simply peeling off backing and pressing on. Large enough to accommodate six lines of print. Nonremovable label measures $3-1/2 \times 1-1/8$ ". Fanfolded every eight labels; one across.

18-month maximum shelf life (extendable) Contains 20% Recovered Material, Which Includes 20% Postconsumer Material

7530-00-982-0064	CPG	JWOD	Blue Stripe	PG(contains 248 EA)	\$0.90
7530-00-982-0062	CPG	JWOD	Red Stripe	PG(contains 248 EA)	\$0.90
7530-00-982-0066	CPG	JWOD	Solid White	PG(contains 248 EA)	\$0.90

Addressograph Label

 \boldsymbol{c} . Rectangular, fanfolded labels sport rounded corners and are for use in Addressograph machines requiring a 1/8 x 5/8" feed slot on horizontal slit between labels. Backing sheet is 3-1/2" wide; perforated for easy separation. Pressure-sensitive labels are nonremovable and can be used in high and low temperature extremes. Will adhere to paper, cardboard, wood, glass and metal.

🕦 18-month maximum shelf life (extendable) 🗳 30% Postconsumer Material

7530-00-054-1575	Size: 3-1/4 x 2" BX(contains 5000 EA) \$28.45
------------------	---

Postage Meter Tape

D. Gummed postage meter tape provides a convenient red mark that alerts users when roll is nearing its end. Made of kraft or bleached wood-pulp paper.


For use on Pitney Bowes 4000 and Singer-Frieden 9010 meters. Outside diameter measures 5-1/8".

O 24-month maximum shelf life (extendable) Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

For use on Pitney Bowes 5400 and 6200 meters. Outside diameter: 2-1/2".

24-month maximum shelf life (extendable) Contains 50% Recovered Material , Which Includes 20% Postconsumer Material









For a wider array of GSA products, visit www.GSAglobalsupply.gsa.gov.







Packing List Envelope

Protects inventory control documents from rain, grease and dirt during storage and handling. Waterresistant envelope is made of transparent, polyethylene film with self-adhering adhesive-coated back.

A. This product does not include a legend.

👶 25% Postconsumer Material

8105-00-756-2710	<u>CPG</u>	Transparent	Size: 3-11/16 x 7-1/2"	MX \$19.56

B. Reads:" Material release/receipt documents enclosed."

3 25% Postconsumer Material

|--|

This envelope protects packing list and shipping documents from rain, grease, and dirt during transport and storage. Water-resistant envelope reads: "Packing List Enclosed."

C. Transparent, polyethylene film envelope sports a self-adhesive backing that readily adheres to the surface of the package.

🛟 25% Postconsumer Material

8105-00-857-2247	CPG	Bright Orange	Size: 4-3/4 x 7"	HD	\$2.33
8105-00-139-1276	CPG	Bright Orange	Size: 8-1/2 x 5"	HD	\$2.88
8105-00-985-7221	CPG	Bright Orange	Size: 9-1/2 x 8"	HD	\$5.04



Return Materials Document Envelope

D. Flexible, vinyl plastic envelope is colorless and features heat-sealed seams and a plastic zipper. Inside dimensions are 8-1/4" long and 5-1/2" wide; 0.006" thick. Reads: "Return Materials Document Envelope NSN 8105-00-334-4120".

25% Postconsumer Material

8105-00-334-4120	CPG	Size: 9-3/4 x 5-3/4"	HD	\$30.00



Merchandise returns?

Call 1-800-525-8027. We're open 7:30 a.m. to 8 p.m. (Eastern Time).


***ENVELOPES**

Shipping Bag

E. Cushioned paper shipping sacks are made of kraft paper, are water-resistant and feature a pressureseal adhesive flap closure that is protected by a liner.

Preprinted with "From" and "To," followed by three lines for addressing. (Dimensions shown below are outside minimum.)

Each sack contains 30% postconsumer material for paper and 100% postconsumer material for cushioning. Features the recycled logo printed on the back, as well as bar coding.



F. Water-resistant envelope protects publications, small parts, and other articles during mailing and handling. Made of double-walled kraft paper and features a flat bottom. Opens on one short side. Ideal for packaging items that weigh up to 10 lbs.

Cushioned envelope features a padding of macerated paper and an easy-opening tear strip on back. Opening can be glued, stapled, or taped closed.

Sacks are preprinted with "From" followed by three lines and "To" followed by four lines with "Zip + Four" for addressing. Each sack contains 30% post-consumer material for paper and 100% post-consumer material for cushioning. Displays the recycled logo on the back.


8105-01-434-3504	<u>CPG</u>	Size: 8-1/2 x 12"	PG(contains 50 EA)	\$11.53
8105-01-434-3490	CPG	Size: 14-1/2 x 20"	PG(contains 50 EA)	\$23.33

Cushioned envelope has closed-cell plastic bubble film liner and a self-stick, adhesive-coated sealing flap. Envelope is lightweight. Size and minimum inside dimensions shown.

Load capacity is 13 oz. (360g).


8105-00-117-9886

30% Postconsumer Material



Size: 7 (14 x 17-3/4")





PG(contains 100 EA) \$39.23

Cushioned envelope features a padding of macerated paper. Provided with a self-adhesive coated sealing flap. Bags are preprinted with "From" and "To," followed by three lines for addressing. (Dimensions shown below are minimum inside.)

Contains a minimum of 30% Postconsumer Material for Paper and 100% Postconsumer Material for Cushioning.

30% Postconsumer Material

8105-00-290-0340	<u>CPG</u>	Size: 6 x 10"	BX(contains 250 EA)	\$35.64
8105-00-290-0342	<u>CPG</u>	Size: 7-1/4 x 12"	HD	\$20.69
8105-00-290-0343	<u>CPG</u>	Size: 8-1/2 x 12"	HD	\$16.11
8105-00-281-1168	<u>CPG</u>	Size: 9-1/2 x 14-1/2"	HD	\$18.72
8105-00-281-1436	<u>CPG</u>	Size: 10-1/2 x 16"	HD	\$20.36
8105-00-281-1167	<u>CPG</u>	Size: 12-1/2 x 19"	BX(contains 50 EA)	\$15.36
8105-00-281-1169	CPG	Size: 14-1/2 x 20"	BX(contains 50 EA)	\$18.01

Uncushioned envelope is reinforced with glass fiber. It is lightweight, durable, and puncture- and tear-resistant. Fold-over end flap may be glued, taped, or stapled. (Dimensions shown are the minimum inside measurements.)

30% Postconsumer Material

8105-00-145-0446 Size: 14-1/4 x 20" BX(contains 250 EA) \$68.05

Cushioned Envelope



Offers cushioned protection for contents. Single-faced, corrugated fiberboard envelope is square cut and has 1-1/2" sealing flap closure.

Size 1.

Size 3.

8105-00-959-2561 Size: 11 x 16-1/2" BX(contains 200 EA) \$101.70

Size 4.

30% Postconsumer Material

30% Postconsumer Material

30% Postconsumer Material

8105-00-959-2562 Size: 14-3/4 x 20-1/2" HD \$122.83



Comprehensive Procurement Guideline (CPGM) compliant


This symbol identifies products that have been certified to meet or exceed the U.S. Environmental Protection Agency Recovered Material Advisory Notice (RMAN) standard for recovered materials as specified in the Resource Conservation and Recovery Act Section 6002 Comprehensive Procurement Guideline.

Preprinted Envelope

Includes a gummed flap that is cut high to keep water-activated adhesive from damaging contents.

Reads: "The United States of America-Official Business." Use with a diplomatic note. Opens from the side and is printed in blue ink.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material



Reads: "The United States of America-Official Business." Does not have penalty statement, indicia or eagle insignia. Opens from the side.

Includes a window and is printed in blue ink.

3 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Does not include a window and is printed in blue ink.

30% Recovered Material, Which Includes 30% Postconsumer Material

Does not include a window and is printed in black ink.

30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-130-3283	CPG	Light Brown or Kraft	Size: 9-1/2 x 12"	BX(contains 500 EA)	\$25.54
7530-00-130-3282	<u>CPG</u>	Light Brown	Size: 10 x 15"	BX(contains 500 EA)	\$64.33

Reads: "Official Business. Penalty for Private Use \$300."

Side-opening envelope is made of unbleached sulfate pulp paper with a basis weight of 20 lbs.

👶 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Side-opening envelope is made of bleached white paper with a basis weight of 20 lbs.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-767-5709 White Size: 4-1/8 x 9-1/2" BX(contains 500 EA) \$11.42

Side-opening envelope is made of unbleached sulfate pulp paper with a basis weight of 28 lbs.

👶 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-00-767-5756	<u>CPG</u>	Light Brown or Kraft Size: 10 x	15" BX(contains 500 EA)	\$61.76
7530-00-767-5825	<u>CPG</u>	Light Brown or Kraft Size: 11 x	13" BX(contains 500 EA)	\$49.54
7530-00-767-5758	CPG	Light Brown or Kraft Size: 12 x	16" BX(contains 500 EA)	\$139.14

Reads: "Department of State, USA, Washington, DC 20520." Top center reads: "An Equal Opportunity Employer." Statements appear in black ink on this side-opening envelope made of unbleached sulfate pulp paper. Includes penalty statement.

RESTRICTED ORDERING FOR USE BY STATE DEPARTMENT CUSTOMERS ONLY.


Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-009-2562	CPG	Light Brown or Kraft	Size: 6-1/16 x 10-1/2"	BX(contains 500 EA)	\$27.08
7530-01-009-2563	CPG	Light Brown or Kraft	Size: 10 x 15"	BX(contains 500 FA)	\$127.94

Reads: "Department of State, USA, Washington, DC 20520." Includes a penalty statement. Opens from the side and is printed in blue ink.

RESTRICTED ORDERING FOR USE BY STATE DEPARTMENT CUSTOMERS ONLY.


🗘 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material




Reads: "Department of State, USA, Washington, DC 20520. Official Business-Penalty for Private Use \$300" in the upper left-hand corner. Reads: "An Equal Opportunity Employer" at the top center. For use with Phillipsburg Inserter. Printed in black ink.

RESTRICTED ORDERING FOR USE BY STATE DEPARTMENT CUSTOMERS ONLY.

Contains 10% Recovered Material, Which Includes 10% Postconsumer Material







Unprinted Envelope

A. Features a gummed flap that is cut high to prevent water-activated adhesive from touching contents. Does not include penalty statement or indicia.

Side-opening envelope is constructed of unbleached sulfate pulp paper.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-198-5876	<u>CPG</u>	Light Brown or Kraft	Size: 4-1/8 x 9-1/2"	BX(contains 500 EA)	\$7.08
7530-00-935-7081	<u>CPG</u>	Light Brown or Kraft	Size: 9-1/2 x 4-1/2"	BX(contains 500 EA)	\$10.93
7530-00-577-4849		Light Brown or Kraft	Size: 9-1/2 x 12-1/2"	BX(contains 500 EA)	\$24.22
7530-00-242-1218	<u>CPG</u>	Light Brown or Kraft	Size: 10 x 15"	BX(contains 500 EA)	\$40.40
7530-00-926-9000	CPG	Light Brown or Kraft	Size: 11 x 13"	BX(contains 500 EA)	\$66.77
7530-00-286-6963	<u>CPG</u>	Light Brown or Kraft	Size: 12 x 16"	BX(contains 500 EA)	\$97.37
7530-01-152-5119	CPG	Light Brown or Kraft	Size: 12-3/4 x 9"	BX(contains 500 EA)	\$42.09

Side-opening envelope is constructed of bleached white paper with a 20-lb basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-198-5873	<u>CPG</u>	White	Size: 3-7/8 x 8-7/8"	BX(contains 500 EA)	\$6.77
7530-01-152-5122	<u>CPG</u>	White	Size: 4-5/16 x 8-11/16"	BX(contains 500 EA)	\$9.89

End-opening envelope is made of unbleached sulfate pulp paper. Ideal for storing or transporting coins, keys, index cards and other small items that could be misplaced easily.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-286-6937	CPG	Light Brown or Kraft	Size: 4-1/4 x 2-1/2"	BX(contains 500 EA)	\$8.13
7530-00-286-6935	<u>CPG</u>	Light Brown or Kraft	Size: 5-7/8 x 3-3/4"	BX(contains 500 EA)	\$12.01

Bleached white paper with a 20-lb. basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-286-6970	eeg W	Vhite	Size: 4-1/8 x 9-1/2"	BX(contains 500 EA)	\$6.67
------------------	-------	-------	----------------------	---------------------	--------

B. Heavy-duty envelope has a metal clasp for extra security and a gummed flap.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

7530-01-316-6584	Kraft	Size: 9 x 12"	BX(contains 100 EA)	\$6.83
7530-01-316-6585	Kraft	Size: 10 x 13"	BX(contains 100 FA)	\$7.54

B

www.GSAglobalsupply.gsa.gov. Order now!

CD and Disk Mailer

Heavy-duty, antistatic mailer has an adhesive closure.

Holds up to four 5-1/4" CDs or disks.

Contains 40% Postconsumer Material for fiberboard and 80% Postconsumer Material for paperboard.

OPostconsumer Material

8115-01-262-9613 PG(contains 12 EA) \$10.60

Disk Mailer

This fiberboard or paperboard mailer with static-protective lining is preprinted with warnings against bending, moisture, and magnetic fields and with "From" and "To" followed by three blank lines for easy addressing. Adhesive closure.

Holds one to five 3-1/2" disks.

Contains 40% post-consumer material for fiberboard or 80% post-consumer material for paperboard.

Postconsumer Material

8105-01-317-2448 Size: 4 x 5" BX(contains 25 EA) \$10.93

X-ray Envelope

X-ray films can be safely mailed in this heavyduty envelope. Reads: "X-ray Film, Do Not Bend or Fold." Includes two chipboard inserts (14-1/2 x 17-1/2") to protect films. Made of 32-lb. basis weight kraft paper and features a 2-1/4" flap.

Uses a gummed flap. Does not include a preprinted indicia.



\$50% Recovered Material , Which Includes 20% Postconsumer Material

*SHIPPING BOXES AND CONTAINERS


Corrugated Box

This corrugated, fiberboard box is designed for domestic and overseas consolidated shipment of aircraft parts, general supplies and equipment. Weather-resistant box comes unassembled, requiring only minimal construction. Maximum weight of box and contents is 280 lbs.

Features triple-wall construction.

Half-slotted box comes with a cover (transporter).

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material



This corrugated, fiberboard shipping box features overlapped, glued joints or butted, taped joints. (Dimensions shown below are inside dimensions in order of length, width and depth.)

Single-walled box falls into the domestic service class and is not weather-resistant.

Regular-slotted box has a bursting strength of 125 p.s.i. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 20 lbs.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

8115-00-576-8428	CPG	Size: 4 x 4 x 6"	BD(contains 25 EA)	\$8.77
8115-00-179-0565	CPG	Size: 6 x 6 x 6"	BD(contains 25 EA)	\$4.70
8115-00-179-0566	CPG	Size: 6 x 6 x 10"	BD(contains 25 EA)	\$8.76
8115-00-290-5494	CPG	Size: 8 x 5 x 4-1/2"	BD(contains 25 EA)	\$10.18
8115-00-179-0568	<u>CPG</u>	Size: 8 x 8 x 8"	BD(contains 25 EA)	\$10.23

Regular-slotted box boasts a bursting strength of 200 p.s.i. Features four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 65 lbs.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

(conin					
8115-00-290-3364	DD	CPG	Size: 6 x 5 x 7"	BD(contains 25 EA)	\$7.92
8115-00-782-3940	DD	CPG	Size: 7-1/2 x 7 x 3-3/8"	BD(contains 25 EA)	\$9.97
8115-00-290-3365	DD	CPG	Size: 8 x 4 x 4"	BD(contains 25 EA)	\$7.96
8115-00-290-3367	DD	CPG	Size: 8 x 6 x 7"	BD(contains 25 EA)	\$8.51
8115-00-290-3369	DD	CPG	Size: 10 x 6 x 8"	BD(contains 25 EA)	\$9.38
8115-00-179-0570	DD	CPG	Size: 10 x 8 x 6"	BD(contains 25 EA)	\$9.40
8115-00-179-0571		CPG	Size: 10 x 10 x 6"	BD(contains 25 EA)	\$15.98
8115-00-190-4870	DD	<u>CPG</u>	Size: 11-1/4 x 8-3/4 x 2"	BD(contains 25 EA)	\$13.52
8115-00-861-1574	DD	CPG	Size: 11-1/4 x 8-3/4 x 4"	BD(contains 25 EA)	\$11.86
8115-00-782-3932	DD	CPG	Size: 11 x 11 x 6-1/2"	BD(contains 25 EA)	\$18.49
8115-00-179-0575	DD	CPG	Size: 12 x 10 x 8"	BD(contains 25 EA)	\$15.43
8115-00-290-3370	DD	CPG	Size: 12 x 12 x 12"	BD(contains 25 EA)	\$15.61
8115-00-290-3371	DD	CPG	Size: 13 x 7 x 10-1/2"	BD(contains 25 EA)	\$12.40
8115-00-290-3373	DD	CPG	Size: 13-1/2 x 12 x 8-1/2"	BD(contains 25 EA)	\$18.02
8115-00-290-3376	DD	CPG	Size: 14 x 14 x 8"	BD(contains 25 EA)	\$19.97
8115-00-290-3380	DD	CPG	Size: 15 x 15 x 28"	BD(contains 15 EA)	\$21.44
8115-00-290-3384	DD	CPG	Size: 17-1/2 x 14-1/2 x 8-1/2"	BD(contains 25 EA)	\$21.86
8115-00-290-3386	DD	CPG	Size: 18 x 15 x 5-1/2"	BD(contains 25 EA)	\$19.59
8115-00-290-3387	DD	CPG	Size: 18 x 18 x 18"	BD(contains 15 EA)	\$25.48
8115-00-290-3394	DD	CPG	Size: 25 x 20 x 5"	BD(contains 15 EA)	\$29.13

(continued on next page)



GSA holds frequent training and informational sessions abou its products and services. Check our website at fss.gsa.gov/events to find out when the next seminar will take place.

Mailing and Packing Supplies ★ Shipping Boxes and Containers

(continued from previous page)

Regular-slotted box features four flaps on top and on bottom (outer flaps meet when closed). Boasts a bursting strength of 275 p.s.i. Style RSC. Maximum weight of box and contents is 95 lbs.

3 Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-079-8447	CPG	Size: 4-3/8 x 4-3/8 x 4-3/8"	BD(contains 25 EA)	\$10.17
8115-00-079-9015	CPG	Size: 7 x 5 x 40"	BD(contains 25 EA)	\$29.76
8115-00-079-8693	CPG CPG	Size: 8 x 8 x 16"	BD(contains 25 EA)	\$16.07
8115-00-079-8459	CPG CPG	Size: 9 x 9 x 9"	BD(contains 25 EA)	\$13.56
8115-00-079-8677	CPG CPG	Size: 12 x 9 x 6"	BD(contains 25 EA)	\$13.65
8115-00-079-8679	CPG CPG	Size: 12 x 12 x 4"	BD(contains 25 EA)	\$18.74
8115-00-079-8680	CPG CPG	Size: 12 x 12 x 12"	BD(contains 25 EA)	\$25.87
8115-00-079-8681	<u>CPG</u>	Size: 14 x 12 x 6"	BD(contains 25 EA)	\$21.11
8115-00-079-8682	CPG CPG	Size: 14 x 14 x 10"	BD(contains 15 EA)	\$16.70
8115-00-179-0578	CPG CPG	Size: 16 x 10 x 8"	BD(contains 25 EA)	\$15.67
8115-00-079-8697	CPG CPG	Size: 16-1/2 x 12 x 10"	BD(contains 25 EA)	\$25.27
8115-00-079-8745	CPG CPG	Size: 16 x 16 x 16"	BD(contains 15 EA)	\$17.29
8115-00-782-3936	CPG CPG	Size: 17 x 13-1/2 x 12"	BD(contains 25 EA)	\$33.70
8115-00-079-8788	CPG CPG	Size: 18 x 15 x 11"	BD(contains 15 EA)	\$24.44
8115-00-179-0579	CPG CPG	Size: 18 x 12 x 10"	BD(contains 25 EA)	\$30.55
8115-00-179-0580	CPG CPG	Size: 18 x 14 x 18"	BD(contains 25 EA)	\$42.54
8115-00-079-8823	CPG CPG	Size: 20 x 20 x 20"	BD(contains 15 EA)	\$41.76
8115-00-079-8825	<u>CPG</u>	Size: 24 x 12-1/2 x 10"	BD(contains 15 EA)	\$19.09
8115-00-179-0547	<u>CPG</u>	Size: 24 x 12 x 24"	BD(contains 15 EA)	\$27.64
8115-00-782-3935	CPG CPG	Size: 25 x 20 x 10"	BD(contains 15 EA)	\$43.38
8115-00-079-8989	<u>CPG</u>	Size: 32 x 15 x 15"	BD(contains 15 EA)	\$22.74

Special full-flap, slotted box has a bursting strength of 350 psi. Outer flaps overlap the full length of the box; inner flaps meet in the center. Style SFF. Maximum weight of box and contents is 120 lbs.

💲 Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-179-0550 D Size: 23-1/2 x 15 x 15" BD(contains 15 EA) \$55	53.32
--	-------

Slotted box with overlap and liner has a bursting strength of 350 psi. Outer flaps partially overlap; with short inner flaps. Style OSC-L. Maximum weight of box and contents is 120 lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-682-6820	<u>CPG</u>	Size: 23-1/2 x 15 x 15"	BD(contains 15 EA)	\$46.98
------------------	------------	-------------------------	--------------------	---------

Single-walled weather-resistant box.

Regular-slotted box has a bursting strength of 175 psi. With four flaps on top and on bottom. Outer flaps meet when closed; with short inner flaps. Style RSC. Maximum weight of box and contents is 50 lb.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

8115-00-183-9503 D G JWOD Size: 6 x 6 x 6" BD(contains 25 EA) \$40.36

Visit our newly updated and completely renovated
Environmental Programs webpage at www.qsa.qov/enviro

Regular-slotted box has a bursting strength of 275 p.s.i. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lbs.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-183-9501	CPG	JWOD	Size: 8 x 8 x 6"	BD(contains 25 EA)	\$47.45
8115-00-183-9498	<u>CPG</u>	JWOD	Size: 8 x 8 x 8"	BD(contains 25 EA)	\$43.53
8115-00-190-4950	<u>CPG</u>	JWOD	Size: 9 x 6 x 6"	BD(contains 25 EA)	\$43.53
8115-00-183-9497	<u>CPG</u>	JWOD	Size: 10 x 8 x 6"	BD(contains 25 EA)	\$44.56
8115-00-183-9494	<u>CPG</u>	JWOD	Size: 10 x 10 x 8"	BD(contains 25 EA)	\$51.96
8115-01-011-3617	<u>CPG</u>		Size: 11-1/4 x 8-3/4 x 3"	BD(contains 25 EA)	\$17.10
8115-01-011-3621	<u>CPG</u>		Size: 11-1/4 x 8-3/4 x 6"	BD(contains 25 EA)	\$21.60
8115-01-011-3620	<u>CPG</u>		Size: 11-1/4 x 8-3/4 x 7"	BD(contains 25 EA)	\$21.28
8115-01-017-6054	<u>CPG</u>		Size: 11-1/4 x 8-3/4 x 10"	BD(contains 25 EA)	\$31.92
8115-01-011-3619	CPG		Size: 11-1/4 x 8-3/4 x 12"	BD(contains 25 EA)	\$21.86
8115-01-012-5003	CPG		Size: 11-3/4 x 8-3/4 x 4"	BD(contains 25 EA)	\$26.83
8115-00-183-9493	<u>CPG</u>	JWOD	Size: 12 x 8 x 8"	BD(contains 25 EA)	\$52.41
8115-01-011-3629	<u>CPG</u>		Size: 12 x 9 x 3"	BD(contains 25 EA)	\$19.44
8115-01-011-3628	<u>CPG</u>		Size: 12 x 9 x 4"	BD(contains 25 EA)	\$21.20
8115-01-011-3627	<u>CPG</u>		Size: 12 x 9 x 5"	BD(contains 25 EA)	\$17.49
8115-01-011-3626	CPG		Size: 12 x 9 x 6"	BD(contains 25 EA)	\$26.89
8115-01-012-5004	CPG		Size: 12 x 9 x 10"	BD(contains 25 EA)	\$25.88
8115-01-011-3618	<u>CPG</u>		Size: 18-1/2 x 12-1/2 x 10-1/2"	BD(contains 25 EA)	\$36.54

Regular-slotted box has a bursting strength of 400 p.s.i. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lbs.

💲 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

Contains 30% Recovered Material, which Includes 30% Postconsumer Material						
8115-00-190-4959	DD	CPG	JWOD	Size: 10 x 10 x 10"	BD(contains 25 EA)	\$59.37
8115-00-190-4969	DD	<u>CPG</u>	JWOD	Size: 11-1/4 x 8-3/4 x 18"	BD(contains 15 EA)	\$58.83
8115-00-417-9378	DD	<u>CPG</u>	JWOD	Size: 12 x 12 x 8"	BD(contains 25 EA)	\$60.42
8115-00-183-9490	DD	<u>CPG</u>	JWOD	Size: 12 x 12 x 10"	BD(contains 25 EA)	\$86.43
8115-00-418-4653	DD	<u>CPG</u>	JWOD	Size: 12 x 12 x 16"	BD(contains 25 EA)	\$99.17
8115-00-418-4656	DD	<u>CPG</u>	JWOD	Size: 12 x 12 x 20"	BD(contains 25 EA)	\$98.91
8115-00-183-9488	DD	<u>CPG</u>	JWOD	Size: 14 x 12 x 8"	BD(contains 25 EA)	\$74.95
8115-00-183-9489	DD	CPG	JWOD	Size: 14 x 14 x 12"	BD(contains 25 EA)	\$89.87
8115-00-417-9320	DD	CPG	JWOD	Size: 14 x 14 x 18"	BD(contains 25 EA)	\$100.79
8115-00-417-9318	DD	CPG	JWOD	Size: 15 x 15 x 10"	BD(contains 25 EA)	\$89.32
8115-00-176-8064	DD	CPG	JWOD	Size: 16 x 12 x 12"	BD(contains 25 EA)	\$81.88
8115-00-183-9484	DD	CPG	JWOD	Size: 16 x 14 x 12"	BD(contains 25 EA)	\$92.52
8115-00-451-7853	DD	CPG	JWOD	Size: 16 x 16 x 12"	BD(contains 25 EA)	\$113.03
8115-00-190-5007	DD	<u>CPG</u>	JWOD	Size: 18 x 15 x 10"	BD(contains 25 EA)	\$100.43
8115-00-417-9292	DD	<u>CPG</u>	JWOD	Size: 18 x 15 x 15"	BD(contains 15 EA)	\$75.05
8115-00-183-9482	DD	<u>CPG</u>	JWOD	Size: 18 x 18 x 12"	BD(contains 15 EA)	\$84.52
8115-00-428-4185	DD	<u>CPG</u>	JWOD	Size: 18 x 18 x 18"	BD(contains 15 EA)	\$91.18
8115-00-514-2409	DD	<u>CPG</u>	JWOD	Size: 18-3/4 x 12-1/4 x 12"	BD(contains 15 EA)	\$59.88
8115-00-190-5012	DD	<u>CPG</u>	JWOD	Size: 20 x 8 x 9"	BD(contains 15 EA)	\$44.87
8115-00-275-5777	DD	<u>CPG</u>	JWOD	Size: 20 x 16 x 16"	BD(contains 15 EA)	\$80.52
8115-00-201-1123	DD	<u>CPG</u>	JWOD	Size: 20 x 20 x 3-1/2"	BD(contains 15 EA)	\$92.11
8115-00-428-4183	DD	<u>CPG</u>	JWOD	Size: 20 x 20 x 12"	BD(contains 15 EA)	\$90.54
8115-00-417-9236	DD	<u>CPG</u>	JWOD	Size: 24 x 20 x 16"	BD(contains 15 EA)	\$113.92
8115-00-428-4158	DD	<u>CPG</u>	JWOD	Size: 20 x 20 x 20"	BD(contains 10 EA)	\$83.12
8115-00-598-5807	DD	<u>CPG</u>	JWOD	Size: 21 x 21 x 20-1/2"	BD(contains 15 EA)	\$146.96
8115-00-428-4124		<u>CPG</u>		Size: 24 x 24 x 10"	BD(contains 10 EA)	\$34.80
8115-00-174-2354	DD	<u>CPG</u>	JWOD	Size: 24 x 24 x 12"	BD(contains 15 EA)	\$125.88
8115-00-417-9416	DD	<u>CPG</u>	JWOD	Size: 24 x 24 x 24"	BD(contains 3 EA)	\$46.48
8115-00-579-9155	DD	<u>CPG</u>	JWOD	Size: 25 x 21 x 15-1/4"	BD(contains 10 EA)	\$99.79
8115-00-656-0912	DD	CPG	JWOD	Size: 27 x 21-1/2 x 18-3/4"	BD(contains 9 EA)	\$93.69
8115-00-579-9156	DD	<u>CPG</u>	JWOD	Size: 29-1/2 x 19-1/2 x 19-1/4"	BD(contains 10 EA)	\$89.23
8115-00-190-5017	DD	CPG	JWOD	Size: 30 x 12 x 6"	BD(contains 15 EA)	\$66.64
8115-00-190-5018	DD	CPG	JWOD	Size: 30 x 17 x 12"	BD(contains 10 EA)	\$67.79
8115-00-190-5020	DD	CPG	JWOD	Size: 36 x 14 x 14"	BD(contains 10 EA)	\$81.63
8115-01-010-4654	DD	<u>CPG</u>		Size: 40 x 20 x 12"	EA	\$7.18
					/ / 1	1

(continued on next page)



As you page through this catalog, you will see items that are identified with a Direct Delivery icon DD. Based on our analysis of the marketplace and customers' requests, we have arranged with commercial partners to make these products available to you through the convenient ordering options. As you consider adding these items to your order, remember this about our DD inventory:

- 1. All DD items will be shipped to you directly from our vendor partners, not from a GSA warehouse;
- 2. Unlike most GSA Global Supply orders, DD items will not ship within 24 hours and may take longer to reach your location.
- 3. Some DD items require minimum orders. For details, please call customer service at 1-800-525-8027.
- 4. Freight charges may be applied to **DD** items. You can verify with our customer service staff whether any freight charge is applicable for your order.

In all cases, GSA Global Supply will accept your order and handle the billing. Even if a vendor ships an item to you, it will appear on your credit card statement or billing as a GSA item. If there is ever a problem with any of these items, you can resolve that issue easily by calling our customer service staff at 1-800-525-8027.


Mailing and Packing Supplies ★ Shipping Boxes and Containers

(continued from previous page)

Double-walled, regular-slotted box is domestic. Features four flaps on top and bottom; outer flaps meet when closed. Style RSC.

Boasts a bursting strength of 600 psi. Maximum weight of box and contents is 180 lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material





This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. With a minimum puncture of 1,100 in-oz. per inch. Maximum weight of box and contents is 280 lbs.

Regular-slotted box. Style RSC.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-616-9150 🔟 🕮	Size: 21 x 19 x 14-3/4"	BD(contains 4 EA) \$32.26
8115-00-579-8406 🔟 🕮	Size: 22 x 22 x 11"	BD(contains 4 EA) \$34.63
8115-00-579-8407 🔟 🕮	Size: 23 x 23 x 23"	BD(contains 3 EA) \$35.67
8115-00-616-9151 🔟 🕮	Size: 24 x 24 x 14-3/4"	BD(contains 3 EA) \$29.22
8115-00-616-9147 🔟 🕮	Size: 27 x 19 x 14-3/4"	BD(contains 4 EA) \$36.40
8115-00-935-5907 🔟 🕮	Size: 29 x 31-3/4 x 35-1/4"	EA \$31.19
8115-00-993-2791 🔟 🍱	Size: 30 x 30 x 30"	BD(contains 3 EA) \$69.45
8115-00-579-8461 🔟 🍱	Size: 38 x 14 x 20"	BD(contains 3 EA) \$27.18
8115-00-993-2790 🔟 🕮	Size: 40 x 28 x 28"	BD(contains 3 EA) \$58.21
8115-00-559-9998 🔟 🕮	Size: 43 x 22 x 34"	BD(contains 2 EA) \$31.97
8115-00-935-5906 🔟 🕮	Size: 43 x 31-3/4 x 35-1/4"	EA \$30.57
8115-00-616-9154 🔟 🕮	Size: 43-1/2 x 18-1/2 x 13"	BD(contains 3 EA) \$32.63
8115-00-559-5516 🔟 🕮	Size: 45 x 14 x 22"	BD(contains 3 EA) \$26.48
8115-00-559-9999 🔟 🚾	Size: 45 x 22 x 22"	BD(contains 2 EA) \$30.32
8115-00-559-9996 🔟 🕮	Size: 46 x 46 x 22"	EA \$35.24
8115-00-935-6510 🔟 🚾	Size: 58 x 43 x 35-1/4"	EA \$35.37
8115-00-935-5904 🔟 🚾	Size: 86 x 31-3/4 x 35-1/4"	EA \$52.69

Half-regular-slotted box has short top flaps and a cover.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-782-16	95 DD 🚾	Size: 48 x 40 x 28-1/4"	EA \$25.65
----------------	----------------	-------------------------	------------

Half-regular-slotted box has short top flaps and a cover. Side of box reads: "REUSABLE CONTAINER RETURN TO:".

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-926-4886	Size: 46-7/8 x 38-7/8 x 26"	EA	\$28.69
8115-00-926-4887	Size: 46-7/8 x 38-7/8 x 36"	EA	\$27.41
8115-00-926-4888	Size: 46-7/8 x 38-7/8 x 42"	EA	\$31.94
8115-00-953-0276	Size: 47-1/2 x 39-1/2 x 35-1/2"	EA	\$42.36
8115-00-935-1140	Size: 48 x 40 x 36"	EA	\$29.08

Half-regular-slotted box has short top flaps and a cover. The following special markings are printed on the side: Box, Modular Intermodal Container System, NSN, Series 2, Size B, Do Not Use Without Pallet.

© Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-142-9594 D G Size: 46-7/8 x 38-7/8 x 15-13/16" EA \$25.43

Use this weather-resistant corrugated fiberboard box for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength.

Regular-slotted box. Style RSC.

© Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-774-6562 DD Size: 48 x 40 x 36" EA \$31.22

Specially designed for use as an exterior overseas shipping container, this corrugated, fiberboard box with single-wall construction is weather-resistant. Comes folded flat.

Center, special-slotted box has a bursting strength of 400 p.s.i. Style CSSC. Maximum weight of box and contents is 140 lb.

© Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-190-5015 D US JWOD Size: BD(contains 7 EA) \$77.77

Full-telescope box has a bursting strength of 400 p.s.i. Style FTC.

Features interior cushioning to better protect contents. Maximum weight of box and contents is 140 lbs.

30% Postconsumer Material

This corrugated, fiberboard box is designed for domestic and overseas consolidated shipment of aircraft parts, general supplies and equipment. Weather-resistant box comes unassembled, requiring only minimal construction. Maximum weight of box and contents is 280 lbs.

Features triple-wall construction.

Half-slotted box comes with a cover (transporter).

Contains 40% Recovered Material, Which Includes 40% Postconsumer

8115-00-901-6435 D Size: 47-1/2 x 39-1/2 x 28" EA \$21.30

Sleeve has a double cover.


© Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-901-6434 D Size: 47-1/2 x 39-1/2 x 28" EA \$25.47

Weather-resistant, corrugated, fiberboard box is designed for use as an exterior shipping container or as an insert in cargo transporters such as CONEX, SEAVAN or MILVAN. Does not include pallets.

Features double-wall construction and is regular slotted. Maximum weight of box and contents is 260 lbs.

Contains 40% Recovered Material, Which Includes 40% Postconsumer



Features triple-wall construction and is half slotted. Maximum weight of box and contents is 280 lbs.

Dimensions are for the outside.

💲 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-753-4691	Size: 58 x 32 x 28-1/4"	EA	\$23.82
------------------	-------------------------	----	---------

Corrugated box's exterior is white with a printed recycled logo. Larger flaps include printed sections, each with four lines, for addressing the package. Fiberboard container has a bursting strength of 200 p.s.i.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

8115-01-357-9995	<u>CPG</u>	Green Print on White	Size: 18 x 12-1/2 x 3"	BD(contains \$9 15 EA)	.59
8115-01-357-9996	<u>CPG</u>	Red Print on White	Size: 8 x 8 x 8"	BD(contains \$2 15 EA)	.23
8115-01-357-9997	<u>CPG</u>		Size: 15" x 12" x 10"	BD(contains \$10 15 EA)	.73
8115-01-364-9492	CPG		Size: 20 x 14 x 10"	BD(contains \$10 15 EA)	.19

For use as an exterior shipping container, this weather-resistant box of corrugated fiberboard features double-wall construction. Comes folded flat. Regular-slotted box has a bursting strength of 600 p.s.i. Style RSC. Maximum weight of box and contents: 180 lbs.

🛟 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

8115-00-360-2858 D C Size: 48 x 40 x 36" EA \$27.6
--

Shipping Box



Corrugated box's exterior is white with a printed recycled logo. Larger flaps include printed sections, each with four lines, for addressing the package. Fiberboard container has a bursting strength of 200 p.s.i.

Contains 40% Recovered Material, Which Includes 40% Postconsumer

8115-01-386-2238	<u>CPG</u>	White	Size:	BD(contains \$32.06
			20 x 20 x 20"	15 EA)

Corrugated, fiberboard box features double-wall construction and high strength. It is weather resistant and comes folded flat. Dimensions in order of length, width and depth.

Half-slotted box.

💲 Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-926-4895	<u>CPG</u>	White	Size:	EA \$22.79
			46.875 x 38.875 x 26"	

Corrugated Fiberboard Sheet



Boxes for overseas shipping can be fabricated with this weather-resistant, corrugated fiberboard sheet.

Single-walled sheet consists of two faces of linerboard and filler.

Sheet has 39 to 45 or 47 to 53 flutes per linear foot and a bursting strength of 275 p.s.i dry and 100 p.s.i wet.

💲 Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8135-00-281-4121 🔟 🚾 Natural Size: 36 x 120"

Sheet has 39 to 45 or 47 to 53 flutes per linear foot and a bursting strength of 400 p.s.i dry and 150 p.s.i wet.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

8135-00-132-9067	CPG	Natural	Size: 48 x 96"	SH	\$4.25
8135-00-281-4115	<u>CPG</u>	Natural	Size: 60 x 96"	SH	\$4.57
8135-00-281-4118	CPG	Natural	Size: 72 x 120"	SH	\$5.90

Sheet has 39 to 53 flutes per linear foot and a bursting strength of 400 p.s.i dry and 150 p.s.i wet.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

8135-00-013-8961 🔟 💴 Natural Size: 48 x 120" \$4.44

Sheet has 47 to 53 flutes per linear foot and a bursting strength of 400 p.s.i dry and 150 p.s.i wet.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

8135-00-240-8224 🔟 🕮

Natural Size: 58 x 110" Triple-walled sheet consists of four faces of linerboard and three layers of

filler. Sheet has a bursting strength of 1100 p.s.i.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

8135-00-926-4908 🔟 🚾 Natural Size: 75 x 120" SH \$18.92

GSA: Serving the Armed Forces community and the federal marketplace around the world...for more than 50 years!

\$6.49

Fiberboard Box



The perfect box for preserving, handling, shipping and storing serviceable and repairable items. This corrugated, fiberboard container includes interior cushioning and is weather-resistant and reusable.

Folded, convoluted pack accommodates generally flat items such as circuit boards, electronic modules and tubes. Modified triple-slide style. Maximum weight of box and contents is 95 lbs.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-787-2142	<u>CPG</u>	JWOD	Size: 6 x 5 x 2-1/2"	EA	\$3.31
8115-00-787-2147	<u>CPG</u>	JWOD	Size: 6 x 5 x 3-1/2"	EA	\$5.76
8115-00-101-7647	<u>CPG</u>	JWOD	Size: 9 x 6 x 2-1/2"	EA	\$4.80
8115-00-101-7638	<u>CPG</u>	JWOD	Size: 9 x 6 x 3-1/2"	EA	\$5.02
8115-01-057-1244	<u>CPG</u>	JWOD	Size: 10 x 10 x 3-1/2"	EA	\$8.51
8115-00-787-2146	<u>CPG</u>	JWOD	Size: 12 x 8 x 2-1/2"	EA	\$6.54
8115-00-787-2148	<u>CPG</u>	JWOD	Size: 12 x 8 x 3-1/2"	EA	\$11.55
8115-01-057-1245	<u>CPG</u>	JWOD	Size: 16 x 16 x 3-1/2"	EA	\$16.95
8115-01-019-4085	<u>CPG</u>	JWOD	Size: 18 x 12 x 2-1/2"	EA	\$10.52
8115-01-019-4084	<u>CPG</u>	JWOD	Size: 18 x 12 x 3-1/2"	EA	\$12.07
8115-01-093-3730	<u>CPG</u>	JWOD	Size: 24 x 16 x 3-1/2"	EA	\$19.91

Telescoping encapsulated packs accommodate black-box type items, such as receiver-transmitters, amplifiers, power supply units and electronic indicators. Full-telescope style. Maximum weight of box and contents is 140 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer

Material

8115-00-550-3558	<u>CPG</u>	JWOD	Size: 24 x 14 x 14"	EA	\$63.68
8115-00-550-3574	<u>CPG</u>	JWOD	Size: 25 x 14 x 14"	EA	\$93.44
8115-01-094-6520	<u>CPG</u>		Size: 30 x 27 x 14"	EA	\$64.59

© Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-516-0251	<u>CPG</u>	JWOD	Size: 20 x 14 x 9"	EA	\$36.35
8115-01-015-1312	<u>CPG</u>		Size: 24 x 18 x 16"	EA	\$47.42
8115-01-015-1313	<u>CPG</u>	JWOD	Size: 26 x 9 x 9"	EA	\$18.40
8115-00-516-0242	<u>CPG</u>	JWOD	Size: 30 x 16 x 14"	EA	\$48.47
8115-01-015-1315			Size: 32 x 18 x 16"	EA	\$45.27
8115-01-015-1314	CPG	JWOD	Size: 34 x 24 x 18"	EA	\$75.82

Vertical star pack holds meters, gauges, instruments and similar items. Maximum weight of box and contents is 140 lbs.

Dimensions shown are inside dimensions in order of length, width, and depth.

30% Postconsumer Material

8115-00-192-1604	<u>CPG</u>	JWOD	Size: 8 x 8 x 12"	EA	\$16.14
8115-00-192-1605	<u>CPG</u>	JWOD	Size: 10 x 10 x 12"	EA	\$21.82
8115-00-134-3656	<u>CPG</u>	JWOD	Size: 14 x 14 x 16"	EA	\$43.73

© Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

0113-00-132-1003 E 0 WOD 3126.0 X 0 X 10 EA \$	8	15-00-192-1603	CPG	JWOD	Size: 6 x 6 x 10"	EA	\$6.23
--	---	----------------	-----	------	-------------------	----	--------

Horizontal star pack is designed for electrical-electronic items with a small cross-section relative to length, such as control generators and amplifiers. Double-cover container boasts a bursting strength of 400 psi. Maximum weight of box and contents is 140 lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-01-010-8956	<u>CPG</u>	JWOD	Size: 20 x 14 x 14"	EA	\$41.96
8115-01-006-7257	<u>CPG</u>	JWOD	Size: 22 x 16 x 16"	EA	\$54.68

It is GSA's policy to offer products that fully comply with all applicable environmental regulations and Executive orders.



Special-Use Box

Each corrugated, fiberboard box features lapped joints secured by wire stitching. Meets or exceeds National Archives and Records Administration standards.

Exclusively for use for retiring, storing and shipping non-current paper and magnetic tape records to the Federal Archives and Records Center.

This lock-bottom box includes hand holes and boasts a bursting strength of 275 p.s.i. Maximum weight of box and contents is 95 lbs.

5 40% Postconsumer Material

8115-00-117-8249 JWOD For Paper Files; Size: BD(contains 25 EA) \$50.23 White Exterior 14-3/4 x 12 x 9-1/2"

Regular-slotted box has a bursting strength of 200 p.s.i. Maximum weight of box and contents is 65 lb.

💲 Contains 40% Recovered Material , Which Includes 40% Postconsumer Material

GSA Global Supply—Committed to quality, value and service.

Fire Equipment Repack Box

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 275 p.s.i. and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.

A. Use for repacking fusees ASTM D5118. (NFES #1580)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-01-219-5749 Size: 14-1/2 x12 x 5-3/4" BD(contains 10 EA) \$179.18

B. Use for repacking canteens. Type CF. (NFES #2006)

© Contains 25% Recovered Material, Which Includes 25% Postconsumer Material
Convenient for repacking wildfire equipment, the double-walled box has a bursting strength
of 350 p.s.i. and falls into the domestic class. Grade: 350. Regular-slotted box. Style RSC.

8115-00-139-0722 Size: 23 x 19 x 10" BD(contains 10 EA) \$29.27

C. Useful for repacking firefighter's sleeping bags. (NFES #0513)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-01-290-9543	<u>CPG</u>	Size: 36-1/2 x 24-1/2 x 17"	BD(contains 10 EA)	\$42.26

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 p.s.i. and falls into the domestic class. Cover: Grade 350. Type CF. Half-slotted box with cover. Style HSCC.

Use for repacking coffee pots. (NFES #0500)

💲 Contains 25% Recovered Material , Which Includes 25% Postconsumer Material

8115-00-139-0652	CPG	Size: 22 x 22 x 36"	BD(contains 10 EA)	\$98.67

Use for repacking Pulaski tools. (NFES #0338)

💲 Contains 25% Recovered Material , Which Includes 25% Postconsumer Material

8115-00-139-0673	CPG	Size: 37-1/2 x 18-1/2 x 8"	BD(contains 10 EA)	\$59.47

Use for repacking fire line combination tool. (NFES #0384)

3 Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-01-307-2951	<u>CPG</u>	Size: 46 x 11 x 8"	BD(contains 10 EA)	\$56.31
------------------	------------	--------------------	--------------------	---------

Use for repacking firefighting shovels. (NFES #0337)

💲 Contains 25% Recovered Material , Which Includes 25% Postconsumer Material

8115-00-139-0689	CPG	Size: 55 x 12-1/2 x 11-3/4"	BD(contains 10 EA)	\$60.21
0113-00-133-0003	<u> </u>	312e. 33 x 12-1/2 x 11-3/4	DD(contains to LA)	Ψ00.21

Use for repacking McLeod tools. (NFES #0305)

💲 Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-00-139-0690	CPG	Size: 56 x 20 x 11"	BD(contains 10 EA)	\$85.91
------------------	-----	---------------------	--------------------	---------

Use for repacking 50 sleeping pads (75 x 23"). (NFES #0134)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-01-381-6529	CPG	Size: 76 x 22-1/2 x 20-1/	ייטי פר	(contains 10 EA) \$144.00
8110-01-381-0029	<u>CI O</u>	Size: 70 x 22-1/2 x 20-1/	2 50	(contains in EA	.) \$144.90


Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.


D. Use for repacking general-purpose sleeping bags. (NFES #0644)

3 Contains 25% Recovered Material, Which Includes 25% Postconsumer Material


	8115-00-139-0691	<u>CPG</u>	Size: 33 x 16 x 22"	BD(contains 10 EA)	\$47.55
--	------------------	------------	---------------------	--------------------	---------

(continued on next page)









Mailing and Packing Supplies ★ Shipping Boxes and Containers

(continued from previous page)

Use as a general-purpose repack carton. (NFES #0353)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-00-139-0706 Size: 39 x 13 x 13" BD(contains 10 EA) \$41.96

Use for repacking firefighting water pumps. (NFES #0643)

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-00-139-0749 Size: 41 x 15 x 19" BD(contains 10 EA) \$45.10

Use for repacking chain saw kits. (NFES #0645)

Provided with handhold cut-outs.

💲 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-01-504-1463 42 x 13-1/2 x 14" BD(contains 10 EA) \$37.21



Weather-resistant, single-walled box has a bursting strength of 400 p.s.i. Regular-slotted box. Style RSC.

Use for repacking firefighter's shirts. (NFES #2007)

© Contains 30% Recovered Material, Which Includes 25% Postconsumer Material

8115-00-292-0123 JWOD Size: 24 x 16 x 16" BD(contains 5 EA) \$23.26

Use for repacking firefighter's jeans. (NFES #2030)

© Contains 25% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-183-9481 JWOD Size: 24 x 16 x 12" BD(contains 15 EA) \$47.53



For repacking Backpack Pump Outfit NSN 4320-00-289-8912. Style RSC.

Has a bursting strength of 125 p.s.i.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-664-0058 D Size: 8 x 4 x 24" BD(contains 15 EA) \$10.81

For packing six Backpack Pump Outfits. Has a bursting strength of 275 p.s.i.

© Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-079-8879 D Size: 24 x 17 x 13" BD(contains 15 EA) \$27.17

Mailing Tube



Untreated chipboard mailing tube is ideal for the shipment and storage of maps, blueprints, and drawings.

The tube includes a tight-fitting, telescoping cover with metal ends and spiral-wound construction.

80% Postconsumer Material

8110-00-244-7435	CPG	JWOD	Length: 24"; Diameter: 2"	EA	\$1.58
8110-00-298-2046	CPG	JWOD	Length: 30"; Diameter: 5-3/8"	EA	\$8.79
8110-00-291-0345	CPG	JWOD	Length: 36"; Diameter: 2"	BX (contains 10 EA)	\$22.38
8110-00-271-1508	CPG	JWOD	Length: 39"; Diameter: 4"	EA	\$4.65
8110-00-725-1471	CPG	JWOD	Length: 40"; Diameter: 6"	EA	\$9.28
8110-00-291-0346	CPG	JWOD	Length: 42"; Diameter: 2"	BX (contains 10 EA)	\$25.83
8110-00-291-0347	CPG	JWOD	Length: 42"; Diameter: 3"	EA	\$3.41
8110-00-291-0348	CPG	JWOD	Length: 42"; Diameter: 4-1/2"	EA	\$6.88
8110-00-271-1509	CPG	JWOD	Length: 43"; Diameter: 4"	EA	\$4.86

The products in this guide are environmentally oriented items. These items may have recycled or biobased content, conserve energy and/or water, or contain reduced pollutants.

PACKING MATERIAL

Chipboard



This plain, uncoated cardboard is excellent as backing for writing tablets, pads, pictures and mirrors and as a stiffening device for mailed photographs and publications.

Thickness: 0.040".

Contains 100% Recovered Material, Which Includes 80% Postconsumer Material

8135-00-782-3948	<u>CPG</u>	JWOD	Size:	BX(contains 634 SH)	\$49.09
			8-1/2 x 11"		

Cushioning Material



Packaging cushioning material (bubble wrap) comes in roll form and measures 9' long and 16" wide. The material is between 1/8 to 1/4" thick. Includes the recycled logo on each individual plastic bag containing the packaged roll.

Contains 30% Recovered Material, Which Includes 15% Postconsumer Material

8135-01-381-6525	Width: 16";	PG(contains 12 EA)	\$20.55
	Length: 9 ft.		

Kraft Paper

General-purpose kraft No. 2 paper is used for general wrapping applications. This product is untreated and unbleached.

Paper roll has a 9" diameter.

Paper's basis weight: 30 lbs.

Ontains 30% Recovered Material, Which Includes 30% Postconsumer Material

8135-00-160-7752	CPG	JWOD	Natural	Width: 30"	RO(contains 1636 FT) \$46.79
💍 Contains 1009	% Recov	ered Materiai	. Which Incl	ludes 40% Postconsumer M	aterial
8135-00-160-7753	<u>CPG</u>	JWOD	Natural	Width: 36"	RO(contains 1636 FT) \$50.73

Paper's basis weight: 40 lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8135-00-160-7757	<u>CPG</u>	JWOD	Natural	Width: 24"	RO(contains 1228 FT) \$30.36
8135-00-160-7758	CPG	JWOD	Natural	Width: 30"	RO(contains 1228 FT) \$43.27
8135-00-160-7762	<u>CPG</u>	JWOD	Natural	Width: 48"	RO(contains 1228 FT) \$64.57

Paper's basis weight: 50 lbs.

Contains 25% Recovered Material, Which Includes 5% Postconsumer Material

8135-00-290-3407	<u>CPG</u>	JWOD	Natural	Width: 24"	RO(contains 980 FT) \$32.00
8135-00-160-7764	<u>CPG</u>	JWOD	Natural	Width: 36"	RO(contains 980 FT) \$46.79

Paper's basis weight: 60 lbs.

💲 Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8135-00-160-7766	CPG	JWOD	Natural	Width: 24"	RO(contains 820 FT) \$32.26
8135-00-160-7768	<u>CPG</u>	JWOD	Natural	Width: 36"	RO(contains 820 FT) \$48.20
8135-00-160-7769	CPG	JWOD	Natural	Width: 48"	RO(contains 820 FT) \$63.06

Paper's basis weight: 70 lbs.

💲 Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8135-00-160-7771	<u>CPG</u>	JWOD	Natural	Width: 36"	RO(contains 700 FT) \$43.41
					(continued on next page)



PRIME

Products
displaying this
symbol contain
biodegradable
packing materials
as required by the
U.S. Navy's Plastics
Removal in Marine
Environment
Program.

Mailing and Packing Supplies ★ Packing Material

(continued from previous page)

Paper's basis weight: 80 lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8135-00-160-7776	<u>CPG</u>	JWOD	Natural	Width: 36"	RO(contains 615 FT) \$43.91
8135-00-160-7778	<u>CPG</u>	JWOD	Natural	Width: 48"	RO(contains 615 FT) \$59.56

Unbleached and fire-resistant, this general-purpose paper is designed for use as a wrapping in situations where a chemically neutral or vaporproof barrier is not required. (Not for use with food.)

Paper roll has a 9" diameter.

Paper's basis weight: 40 lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8135-00-160-7759	CPG	JWOD	Natural	Width: 36"	RO(contains 1228 FT)	\$46.63			
Paper's basis weight: 50 lbs.									
🛟 Contains 25% Recovered Material , Which Includes 5% Postconsumer Material									

Natural

Width: 24"

RO(contains 300 YD) \$48.91

Paper's basis weight: 60 lbs.

8135-00-973-1835

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

PRIME JWOD

8135-00-966-2533	CPG	JWOD Natural	Width: 48"	RO(contains 300 YD) \$106.50

Paper roll has a 9" diameter. Kraft No. 2 paper is treated.

Paper's basis weight: 60 lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8135-00-966-2532	JWOD Natural	Width: 36"	RO(contains 300 YD) \$81.31
------------------	--------------	------------	-----------------------------

Paperboard

Single-faced, corrugated paperboard is useful as inner packing and outer wrapping of parcel post shipments and packages. It protects against breakage, abrasion, tearing, dirt, dust and foreign matter.

Heavy-duty wrapping features a flexible inner cushion that ensures maximum resilience and easy folding. Includes a strong outer kraft covering. (Backing sheet is required.)

👶 Contains 80% Recovered Material , Which Includes 80% Postconsumer Material

8135-00-242-5610	<u>cre</u>	Width: 36"	RO(contains 250 FT) \$43.10
8135-00-290-3400	<u>CPG</u>	Width: 48"	RO(contains 250 FT) \$51.37

Packing Material

ECOLOGICALLY SAFE PACKING MATERIAL

Schedule 81 I B

American Excelsior Co.

850 Ave H E Arlington TX, 76011 (817) 640-1555

Loose-fill packing material has an Ecofoam starch base and is made from 95% cornstarch and 5% polyvinyl alcohol. Material will decompose when exposed to water.

INFLATABLE PACKAGING SYSTEMS

Schedule 81 I B

Inflatable Packaging, Inc.

P.O. Box 40 Newtown, CT 06470 (203) 426-2900 http://www.airpackaging.com

Contract: GS-14F-1222H

Offers a variety of reusable, inflatable packaging products as well as one-piece foldable cushioning modules.

***APPLIANCES**


Gas Water Heater



Gas-fired water heater is designed for residential

Operates on natural gas.

Capacity: 40 gallons; Height: 63"; Diameter: 21".



4520-00-585-2986 DD EA \$223.13

GSA Global Supply:

- Global delivery
- Largest supplier of JWOD products
- Easy ordering options

Electric Water Heater



Electric water heater is ideal for residential use. Features double heating units and operates on 230/240V, AC 60-Hz.

Tabletop model has regular power input. The lower and upper heating units have 1,000w each.

Capacity: 40 gallons; Height: 36-1/2"; Diameter: 25".

Energy-Efficient Item

4520-00-727-7134 DD EA \$416.58

Tabletop model has speed-heater power input. Lower and upper heating units have 4,500 watts each.

Capacity: 40 gallons; Height: 36"; Diameter: 24".

Energy-Efficient Item

4520-00-033-4287 DD EA \$487.31

Round tank has speed-heater power input. Lower and upper heating units have 4,500 watts each.

Capacity: 40 gallons; Height: 46-1/2"; Diameter: 22-1/2".

Energy-Efficient Item

Energy-Efficient Item

4520-00-033-4284 DD EA \$184.11

Round tank has regular power input. Lower heating unit has 750 watts and the upper heating unit has 1,250 watts.

Capacity: 40 gallons; Height: 46-1/2"; Diameter: 22-1/2".

nergy-Efficient Item

4520-00-585-2989 DD EA \$202.50

GSA Global
Supply accepts the
GSA SmartPay®
purchase card
or direct billing
through your
AAC/DODAAC.

Office Water Cooler



Fresh water at your fingertips. Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to normal, pressurized water supply pipe. Water cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on 110 to 120 volts AC, 60-Hz power. Meets UL and industry standards. Certified lead free by the manufacturer.

Freestanding unit.

Produces 9-1/2 gallons per hour draw off capacity.

Lead-Free Item According to ASTM/EPA Test Methods

4110-00-203-2706 12"w x 12"d x 40"h EA \$365.01



Freestanding unit.

Produces 9-1/2 gallons per hour draw off capacity.

Lead-Free Item According to ASTM/EPA Test Methods

4110-00-255-8760 12"w x 12"d x 41-1/2"h EA \$267.90

For attaching to walls.

Produces 4.8 gallons per hour draw off capacity.

Lead-Free Item According to ASTM/EPA Test Methods

4110-00-782-5125 19"w x 19"d x 33"h EA \$312.72

This barrier-free unit uses a single valve to control flow of water so that it may be consumed directly from fountain without glasses or cups with pushbar front operation. Water is mechanically cooled to 50 degrees F. Unit complies with Americans With Disabilities Act when properly installed and is lead-free. The dispenser uses bubbler-type pressure. Compressor runs on 115V, 60-Hz, single-phase power.



For attaching to walls.

Produces 6 gallons per hour draw off capacity.

Lead-Free Item According to ASTM/EPA Test Methods

4110-01-280-0178 19"w x 19"d x 21-1/2"h EA \$303.15



Water cooler quenches your thirst with electronically cooled water and features a self-closing faucet. A five-gallon inverted glass bottle, NSN 8125-00-132-9566 (not included), supplies water by the force of gravity. Freestanding unit has an air-cooled condenser. Freon coolant is required. Use only when pressure-type dispensers are impractical. 0.95 gallon per hour minimum of chilled 50° F drinking water at ARI rating conditions. It comes with a receptacle for waste water so no drain line is required. Operates on 110 to 120 volts AC, 60-Hz power and has a three-wire cord. Meets UL and industry standards. Certified lead free by the manufacturer.

Lead-Free Item According to ASTM/EPA Test Methods

4110-00-203-0565 25"w x 25"d x 38-1/2"h EA \$176.25

GSA Global Supply is your reliable government source for office supplies, equipment, and commercial cleaning products.

MATS AND MATTING

Insulating Floor Matting (Dielectric)

A. This synthetic rubber or vinyl matting is excellent as a safety measure to protect against accidental exposure to electrical charges (up to 3000V). The fire-resistant mat covers floors around electrical equipment and circuits. Back side features a roughened or imprinted surface accidental exposure to electrical charges not exceeding 3000V. MIL-DTL-15562.

This solid-color, runner-type matting is designed for use in single strips in front of workbenches, switchboards and electrical panels.

Has a nonslip, raised diamond surface.


7220-01-057-1897	CPG	Gray	Width: 36"; Thickness: 3/16"	RO(contains 25 YD)	\$255.38	
7220-01-056-1944	<u>CPG</u>	Green	Width: 36"; Thickness: 3/16"	RO(contains 25 YD)	\$275.92	
Has a smooth surface.						
7220-00-267-4630	<u>CPG</u>	Blue	Width: 36"; Thickness: 1/8"	RO(contains 25 YD)	\$201.11	



B. Rubber or vinyl matting features a textured surface to drain away moisture and minimize slipping. For use on stairs or as a floor covering in hospitals, ships, laboratories, and buildings. Resistant to fungal growth.

385%, Which Includes 10% Postconsumer Material

7220-00-634-0216	\$11.09
7220-00-753-2981	\$37.44
7220-00-965-4769	\$132.55
7220-00-753-2982	\$42.87
7220-00-254-4240	\$107.63





Standing Floor Mat (Anti-Fatigue)

For people who are on their feet for long periods of time, this mat relieves fatigue from vibrations and standing. With a smooth, uni-cellular foam base bonded to a solid rubber or plastic covering.

MIL-M-910. Thickness: 1/2".



7220-00-292-2096	CPG	Black	Width: 30"; Depth: 36"	EA	\$26.19

Shower Mat



Use in shipboard shower stalls. Rubber or plastic mat has a ribbed, nonslip surface. Asbestos-free mat is perforated for drainage, with a 19 to 76mm-wide (3/4 to 3"-wide) unperforated border. Minimum 1.25mm (3/16") thick.

385%, Which Includes 10% Postconsumer Material

7220-00-634-1601	CPG PRIME	Light Gray	Size: 20 x 20"	EA	\$20.20

Doormat

Useful in entryways to remove dirt from shoes. Made from recycled tires, this quality mat will not damage or mar floors. This



reversible mat features corrosion-resistant cross-wires which make it flexible and easy to roll for storage.

Thickness: 1/2".

💲 100% Postconsumer Material

7220-00-238-8852	JWOD	Black	Width: 29"; Depth: 18"	EA	\$27.89
7220-00-224-6486	JWOD	Black	Width: 50"; Depth: 24"	EA	\$59.79

GSA serves more than 300,000 federal customers!



To show our commitment to the environment, the National Furniture Center has teamed with our environmentally conscious business partners to help you buy, save and build green. Visit the NFC homepage at www.gsa.gov/furniture.









Office Furniture

BUY, SAVE AND BUILD GREEN WITH THE NATIONAL FURNITURE CENTER AND OUR VENDOR PARTNERS

The National Furniture Center provides more green furniture and furnishings on GSA contract than you may think. Our vendors, all best-known names in the industry, have put their innovative corporate resources to work to provide quality, environmentally sensitive products from floor to ceiling. The NFC is constantly on the lookout to provide products that enable our customers to BUY, SAVE and BUILD GREEN. Visit the NFC's "What's GREEN" web page at www.gsa.gov/furniture for updates on products and services added to contract after publication of this guide.

Contracting Officer: (703) 305-5894

Danko/Division of Persing Enterprises, Inc.

c/o Marvin J. Perry & Associates, Inc. 4101 Howard Avenue Kensington, MD 20895

Chairs, wood frame, woven seat & back are made from surplus automotive seat belt material. (Schedule 71 I)



Phone: (301) 564-1112 Fax: (301) 564-1076 Web Page: www.peterdanko.com Contract: GS-29F-0158C

Contracting Officer: (703) 305-7824

Berco Industries, Inc.

1120 Montrose Avenue St. Louis, MO 63104-1828

"10" training table surfaces are naturally renewable ingredient linoleum; available as option on other lines; recyclable aluminum table legs. (Schedule 71 I)

Phone: (314) 772-4700 E-mail: kate@bercoinc.com Web Page: www.bercoinc.com Contract: GS-28F-1121C,

GS-28F-1133C



Contracting Officer: (703) 305-3643

Maharam Fabric Corporation 🛟

45 Rasons Court Hauppauge, NY 11788-4238

Upholstery and panel fabrics which minimize environmental impacts, i.e. Greenguard air quality certified; post-consumer/post-industrial recycled content;



manufacturing process certified to ISO 14001 environmental management standards and American Textile Manufacturers Institute (ATMI) E3 Encouraging Environmental Excellence) practices.

Phone: 1-800-645-3943 E-mail: aphillips@maharam.com Web Page: www.maharam.com Contract: GS-28F-0016J

Contracting Officer: (703) 308-3643

Momentum Group 17801 Fitch Street

Irvine, CA 92614



Upholstery fabrics: EverGreen Collection is created from Interface's Terratex brand

recycled (post-consumer and post-industrial content) polyester. (Schedule 71 I)

Contact: Dee Hodges, Director of GSA Sales

Phone: 1-800-366-6839, ext. 834 Fax: (949) 833-9233

Web Page:

www.momentumtextiles.com Contract: GS-28F-0020K

Contracting Officer: (703) 305-5894 (freestanding panels, movable walls) (703) 305-9220 (systems furniture workstations)

Nello Walls Systems, Inc. 825 Patuxent Range Road Jessup, MD 20784-9310

Movable, reusable wall systems, freestanding panels and systems furniture workstation panels with option to cover in fabric made from recycled soda bottles (PET).

Contact: Ron Anderson, Bill Villiers

Phone: (900) 628-2128 Fax: (410) 579-1746 Contract: GS-29F-5227A (Freestanding panels, Movable Walls) GS-29F-0247G

(Systems furniture workstations)

Contracting Officer: (703) 305-5342

Steelcase, Inc. 🛟

P.O. Box 1967 Grand Rapids, MI 49501-1967 "Leap" desk chair cushioning made from post-consumer recycled PET; tackable workstation surfaces made recycled wastepaper fibers; "Play It Again Sam" fabric collection options by DesignTex are 100% recycled plastic soda bottles (PET); particleboard components for work surfaces contain postconsumer waste and are SFI (Sustainable Forestry Initiative) Certified; steel furniture components contain postconsumer steel. (GSA Evergreen Award Winner)

(Schedule 71 I)

Contact: Susan Plaia Phone: (202) 962-6774 Fax: (202) 371-1483 Web Page: www.steelcase.com Contract: GS-28F-8032H

Contracting Officer: (703) 305-5057

ATD-American Co. 🛟

(Highpoint Furniture Industries)
135 Greenwood Avenue
Wyncote, PA 19095
All seating (executive ergonomic,
conference, stacking, lounge)
available with post-consumer
recycled content (recycled plastic
bottles) upholstery fabric option.

Contact: Yvonne Zaslow Phone: (301) 838-0323 Fax: (301) 838-0316 Web Page: atdgsa.com

HAG, Inc. 🛟

(Schedule 71 I)

108 Landmark Dr. Greensboro, NC 27409

Conventio, Capisco, H03 and H05 seating series contain used car bumpers and household waste; with biodegradable, compostable upholstery fabric option. (Schedule 71 I)

Contact: David Smith, VP, Government Sales Phone: 1-800-334-4839

Fax: (336) 668-7331 E-mail: david@hag-group.com Web Page: www.haginc.com Contract: GS-29F-0274H

Hag, Inc.



Office Furniture

BUY, SAVE AND BUILD GREEN WITH THE NATIONAL FURNITURE CENTER AND OUR VENDOR PARTNERS



Contracting Officer: (703) 305-7222

"Bulldog" chair has structural arm supports made of PETRA, a resin made from recycled plastic soda bottles; VOC-free glues used to fasten foam to chair shell. Fifty percent of structural plastic for the "Parachute" chair is derived from recycled materials.
Foundation, Frequency and

Freehand furniture panel fabrics are made of 100% recycled polyester derived from soda bottles. "Currents" workstation privacy screens are made from wheatboard, a lightweight, biobased moisture-resistant material containing no formaldehyde. (Schedule 71 I)

Contact: Steve Robinson and any of the Government sales team

Phone: (202) 973-0400 Fax: (202) 973-0468 Web Page: www.knoll.com Contract: GS-28F-8029H

Contracting Officer: (703) 305-6625

Herman Miller, Inc. 855 E. Main Avenue Zeeland, MI 49464-1366

Etho-Space and Arrio office furniture product lines use post-consumer recycled cardboard in tackboard substrate. Fabric for wall systems (Crackle, Mezzotint and Thatch) made from 100% recycled soda bottles; seating upholstery option of naturally renewable wool fabric.

(GSA Evergreen Award Winner) (Schedule 71 I)

Contact: Mike Kratt Phone: (877) 464-4681 Contract: GS-28F-8049

Allsteel

2210 Second Avenue Muscatine, IA 52761-5257 #19 chair manufactured with postconsumer recycled aluminum, powder-coat finish. Manufacturer offers end-of-useful-life takeback program. (Schedule 71 I)

Contact: Bill Phelan, Government Accounts Phone: 1-800-248-2025 Fax: (563) 262-4443

E-mail:

phelanb@allsteeloffice.com Contract: GS-28F-0010J

Watson and Associates, Inc.

12517 Miller Road NE Bainbridge Island, WA 98110-4261

Fabrics for privacy screens and acoustical panels are recycled polyester reclaimed from plastic bottles; metal surfaces are powder coated; wood fiber substrate desktop material is from FSC (Forest Stewardship Council) certified suppliers.

Contact: Mike Hanson

Phone: (360) 394-1300, ext. 219

Phone: (206) 842-4756

E-mail: `´´

mhanson@watsonfurniture.com

Web Page:

www.watsondesking.com Contract: GS-29F-0109G

REMANUFACTURED OFFICE FURNITURE

Contracting Officer: (703) 305-5057

Open Plan Systems 🛟

4299 Carolina Avenue, Bldg. C Richmond, VA 23222

Remanufactured Systems Office Furniture Workstations (including recycled fabric option).

Contact: David Green Phone: (804) 228-5600 or

1-800-728-0781 Fax: (804) 228-5656 Contract: GS-29F-0013J



The National Furniture Center featured "buy green" and "buy biobased" initiatives in its "GSA's Gone Green" booth at the June 2002 NEOCON in Chicago, IL. NEOCON is the largest commercial furniture trade show in the United States.

Furniture Services

KEEP YOUR FURNITURE INVESTMENT LOOKING GREAT WITH ENVIRONMENTALLY FRIENDLY SERVICES FOR FURNITURE AND FURNISHINGS





Suppliers perform a wide variety of services to extend the useful life of furniture and furnishings (carpet and draperies), thus keeping them out of the landfill, such as restoring, repairing, renovating, reupholstering and cleaning—onsite or at the supplier's facility—using nontoxic, odorless refinishing and cleaning solutions. Cleaning processes help agencies not only reduce replacement costs but also improve indoor air quality by removing significant allergenic pollutants.

Save thousands of dollars in furniture replacement costs and transform worn furniture and furnishings into like-new condition—and at the same time, conserve our planet's resources. Our service providers stand ready to provide advice and recommendations tailored to your specific needs.

ENVIRONMENTALLY FRIENDLY FURNITURE AND FURNISHINGS SERVICES

Contracting Officer: (703) 305-5839

Commercial Marketing Associates, Inc.

16021 Industrial Drive, Suite 7 Gaithersburg, MD 20877-1411

Carpet appearance retention program and cleaning of furniture, upholstery, panel and vinyl and fabric wall covering using environmentally friendly methods; and furniture paint refinishing. (Schedule 71 II K, SIN 712-6, Assets Maintenance)

Phone: (301) 975-9700 Fax: (301) 975-9721 Web Page: www.cma-gsa.com Contract: GS-29F-0009L

Dupont Commercial Flooring System

175 Townpark Drive, NW Kennesaw, GA 30144-5801

Through Carpet Reclamation Program takes up old carpet for recycling; DuPont provides written guarantee that old carpet is not landfilled. Also, carpet maintenance program keeps carpet looking new, thus extending its useful life (Schedule 71 II K, SIN 712-6, Assets Maintenance).

Contact: Jack Donnelly Phone: (703) 742-9000 Fax: (703) 742-8390 Web Page:

http://flooring.dupont.com Contract: GS-29F-0010M

Furniture Medic

c/o Commercial Housing Solutions 1330 Calle Goya Oceanside, CA 92056

Furniture restoration and repair.

Contact: Ignacio Soria Phone: (760) 726-6767 Fax: (760) 726-8237 Contract: GS-27F-0019J

GBS Group

13745 Omega Road Dallas, TX 75244

Professionally planned maintenance program for all textile products using environmentally safe patented products; IICRC certified service technicians. (Schedule 71 II K, SIN 712-6, Assets Maintenance)

Phone: (877) 231-1673 Web Page: www.gbsgroup.com Contract: GS-29F-0012L

The Leather Medic of Washington, DC

9925 Markham Street Silver Spring, MD 20901

Specializes in partial and complete refurbishment/ refinishing of leather and vinyl upholstered furniture, to include touch up, stain removal, and repair of cuts and abrasions. (Schedule 71 II K, SIN 712-6, Assets Maintenance)

Phone: (301) 869-6770 Fax: (301) 592-0619 Contract: GS-29F-0020L

NEX Systems

235 Frank West Circle Stockton, CA 95206

Uses a biodegradable organic solution to clean carpets and furniture, which contains no chemicals and creates no environmental waste. (Schedule 71 II K, SIN 712-6, Assets Maintenance)

Phone: 1-800-982-0602 Fax: (209) 982-0624

Web Page: www.nexsystems.com Contract: GS-29F-0010L

Perers Enterprises, Inc.

Dba American Business Interiors 2015 Waverly Place Melbourne, FL 32901

Refurbishment and preventive maintenance program including upholstery cleaning, replacing pneumatic lifts in office seating, caster replacement, drawer and lock repair, wood finish touchup and upholstery rework (Schedule 71 II K, SIN 712-6, Assets Maintenance).

Contact: Tara Braden/Carol Tucker Phone: (321) 723-5003, ext. 20 Fax: (321) 984-4221 Web Page: www.abinteriors.com

The Refinishing Touch

9350 Industrial Trace Alpharetta, GA 30004 Furniture refinishing/ reupholstery/repair in place which extends the useful life of furniture. Environmentally safe, nontoxic, odorless refinishing materials. (GSA Evergreen Award Winner) (Schedule 71 II K, SIN 712-6, Assets Maintenance)

Contact: Mario Insenga Phone: 1-800-523-9448 Fax: (770) 475-4782

Web Page:

www.therefinishingtouch.com Contract: GS-29F-0002M

Workspace Development

5601 6th Ave S Seattle, WA 98108

Helps clients manage their furniture and facility needs. Existing furniture is refurbished (painted, as appropriate; repaired; cleaned; reupholstered) to extend its life; options are provided for furniture disposal including salvage and donation (Schedule 71 II K, SIN 712-6, Assets Maintenance).

Contact: J. Rospond Phone: (206) 768-8000

Web Page:

http://www.bankandoffice.com Contract: GS-29F-0024M

Contracting Officer: (703) 305-5894

Rentacrate, Inc. 65 Railroad Avenue Ridgefield, NJ 07657

Rental program for office furniture moves featuring reusable



plastic crates (totes) made from 100% recyclable plastic.
Alternative to one-time-use corrugated fiberboard boxes, this complete moving system eliminates cardboard waste.
Broken, damaged or retired crates are returned to the factory and recycled into new crates (Schedule 71 I).

Phone: (201) 941-4200 Fax: (201) 941-4222 Web Page: www.rentacrate.com Contract: GS-28F-0039M

Household and Quarters Furniture

Contracting Officer: (703) 305-6016

Ecologic, Inc. 43 1140 Elizabeth Avenue

1140 Elizabeth Avenue Waukegan, IL 60085

Loft systems made from recycled materials, i.e., high-density polyethylene resins from plastic milk containers. Furniture tops are made from recycled newspaper and biobased resin. (Schedule 71 II)

Contact: Stephen Lee Phone: 1-800-899-8004 Fax: (847) 244-5977 Web Page: www.ecoloft.com Contract: GS-27F-0405G


Gatto, Inc. 🛟

c/o Government Sales Associates P.O. Box 1507 Glodenrod, FL 32733-1057

Aluminum tables, chairs, chaise lounges, rockers, benches, bakers racks, mirrors, serving carts, stools, made from recycled aluminum. (Schedule 71 II)

Contact: Gene Lisa Phone: 1-800-226-2640 Fax: (407) 679-1567 Contract: GS-27F-0408G

KLN Steel Products Company



Dormitory and quarters furniture manufactured with post-consumer content steel, using no VOC (volatile organic compound) emitting, environmentally friendly powder coat paint process. (Schedule 71 II)

Contact: Judy Rigoletti
Phone: (210) 227-4747, ext. 1010
or 1-800-624-9101
Fax: (210) 227-4047
Web Page: www.klnsteel.com
Contract: GS-27F-2013B
(SIN 71-203)
GS-27F-2014B (SIN 71-204)

Polly Wood 👶

c/o Government Sales Associates P.O. Box 1507 Goldenrod, FL 32377-1057

Casual Furniture: Adirondack chairs, ottomans, umbrella tables and chairs, benches, rockers, outdoor dining tables and chairs, etc., made from plastic milk containers (high-density post-consumer polyethylene resins). (Schedule 71 II)

Contact: Gene Lisa Phone: 1-800-226-2640 Fax: (407) 679-1567 Contract: GS-27F-0408G


Contracting Officer: (703) 305-6634

Dehler Manufacturing

5801 Dickens Avenue Chicago, IL 60639-4030 Steel furniture lines manufactured with postconsumer content recycled steel; powder coat finish. (Schedule 71 II)

1-800-367-6705 Fax: (773) 637-5042 E-mail: barry@dehlermfg.com Contract: GS-27F-2030B

Phone: (773) 637-1666,



Lighting Fixtures, Lamps and Accessories

ALL VENDORS ON THIS PAGE OFFER ENERGY-EFFICIENT LIGHTING PRODUCTS

Did you know?

Fluorescent lamps, certified allies of EPA's "Green Lights" program, produce the same light output, use one-third the energy, and last 10 times longer than incandescent bulbs. Use fluorescent bulbs and save energy and money.

TASK LIGHTING WITH OCCUPANCY SENSORS

Contracting Officer (703) 305-7627

Garcy/SLD

209 Kirby Road Portland, TN 37148

Phone: (615) 325-9252 Contract: GS-27F-3034D

Task lighting with T-8, 265 mA triphosphor lamps, electronic ballasts and occupancy sensors to reduce consumption of electricity.

LIGHTING

Contracting Officer (215) 446-5021

Household/office lamps that accept energy-efficient compact fluorescent lighting (CFL's). (Schedule 72-II)

A Weatherization Co. (AWXCO)

P.O. Box 5181 St. Joseph, MO 64505

Phone: (816) 393-9090 Fax: (816) 390-9185 Contract: GS-03F-8007H

Adjustable Fixture

3726 N. Booth Street Milwaukee, WI 53212-1698

Phone: 1-800-558-2628 Fax: (414) 964-2944

Web Page: www.adjustablefixture.com

Contract: GS-27F-2048B

Capitol Furniture (Emess Contract Lighting)

5225 NW 33rd Avenue Ft. Lauderdale, FL 33309-6302

Phone: (954) 485-5000 Fax: (954) 485-0407 Web Page: www.capfurn.com Contract: GS-27F-5047C

Nolarec Industries

P.O. Box 1065 Aberdeen, NC 28315

Phone: (910) 944-7187 Fax: (910) 944-7189 Contract: GS-27F-2065B

Schumaker Lighting Inc.

5605 W. Hemlock Street Milwaukee, WI 53223

Phone: (414) 760-3377 Fax: (414) 760-3380 Contract: GS-03F-7063G

Stellar Business Enterprises

dba Stellar Lighting Design 309 W. Figueroa Street Santa Barbara, CA 93101

(Energy-efficient, flame retardant and recyclable lighting)

Phone: (805) 966-7536 Fax: (805) 966-3685

Web Page: www.Stellarlight.com Contract: GS-03F-7062G

Waldmann Lighting Co. Inc.

9 Century Drive Wheeling, IL 60090-6051

Phone: (847) 520-1060 Fax: (847) 520-1236

Web Page: www.waldmannlighting.com

Contract: GS-03F-0020K

LAMPS AND ACCESSORIES

Energy-efficient lamps (including compact fluorescent light bulbs), ballasts, and lighting sensor systems are available on Schedule 56—Buildings and Building Materials/Industrial Services and Supplies, Class 62.

Contact: Pam Shelton Phone: (817) 978-8385 Contact: Sandy Tatum Phone: (817) 978-8631

The Energy-Efficient Lighting Catalog with comprehensive information on energy-efficient lighting products is available from the Defense Supply Center Philadelphia (DSCP) at 1-800-DLA-BULB, or visit their homepage at http://www.dscp.dla.mil/gi/general/lightcat.htm.

Floor Coverings

CARPETS, RUGS, TILES AND **CUSHIONS, MATS AND** MATTING, AND RESILIENT **FLOORING**

Schedule 72 I A

Low-VOC, low-odor installation adhesives which help to alleviate indoor air quality problems are available from most carpet vendors under Schedule 72 I A.

Dupont Antron carpet fiber has received an EPP (Environmentally Preferable Product) certification from Scientific Certification Systems (SCS), an independent third-party certifier for environmental claims. Carpet products from suppliers listed in this publication, as well as in GSA Schedules e-Library under Schedule 72 I A, made with Dupont Antron fiber have an additional environmental attribute for your purchase consideration. For more information about EPP, visit www.epa.gov/opptintr/epp. For more information on Dupont Antron, call 1-800-4DUPONT or visit antron.dupont.com.

BUY BIOBASED

In May 2002, the President signed the Farm Bill which promotes the purchase of biobased products. Special Item Number (SIN) 31-601, Schedule 72 I A for flooring covers recycled content and biobased products. To fill this requirement, several manufacturers are in the process of adding carpets with biobased content cushion backings to their schedule contracts in the near future. Customers are encouraged to check Schedules e-Library for suppliers listed under the above SIN when looking for the most current biobased and recycled content flooring product information.

Lees Carpet

Division of Burlington Industries, Inc., P.O. Box 26027

Greensboro, NC 27420-6027

Performance backed carpet contains a naturally renewable biobased ingredient as well as post-consumer recycled content.

Contact: David Stinson Phone: (703) 818-8703 Contract: GS-27F-8455A

Did you know that using recycled content carpet as well as carpet reuse and recycling programs help keep millions of pounds of carpet per year out of the nation's landfills?

RECYCLED/REUSED CARPET Contracting Officer: (703) 305-5213

Milliken Carpets

c/o CMA P.O. Box 7946

Gaithersburg, MD 20898-7946

Carpet recycling program takes back most used carpet tile, cleans, sanitizes and rejuvenates and overprints a new pattern for reuse. Inventory program available using 100% post-consumer content; free takeup and removal of old carpet tile with minimum yardage requirements. (GSA Evergreen Award

Winner) (Schedule 72 I A)

Contact: Don Kauffman Phone: (301) 975-9700 Fax: (301) 975-9721 Contract: GS-27F-0502H

RECYCLED CONTENT CARPET

Contracting Officer: (703) 305-5213

Carpet Resources Inc.

1078 Great Passage Boulevard Great Falls, VA 22066-1628

Carpet with fiber containing post-consumer recycled material (Schedule 72 I A)

Phone: (703) 757-7605

Web Page: www.carpetresources.com

Contract: GS-27F-0504H

Collins & Aikman Corporation

P.O. Box 1447

Dalton, GA 30722-1447

Carpet with post-consumer recycled content backing. Also on contract is C&A's program which takes back old carpet for recycling. (GSA Evergreen Award Winner)

(Schedule 72 I A)

Contact: Dobbin Callahan

Phone: (706) 259-9711 or 1-800-241-4080

Fax: (706) 259-2192 Contract: GS-27F-8453A

Commercial Carpets of America

430 S. Pickett Street

Alexandria, VA 22304-4706

Carpet with fiber containing post-consumer recycled material, biobased rubber flooring and biobased linoleum flooring made from 100% natural, renewable sources (not 2002 Farm Bill compliant—nondomestic source).

(Schedule 72 I A) Phone: (703) 370-0000 Contract: GS-27F-0053A

Continental Flooring Company

5111 N. Scottsdale Road Scottsdale, AZ 85250-7075

Carpet with fiber containing post-consumer recycled material (Schedule 72 I A)

Phone: 1-800-825-1221 Web Page: www.cfc4u.com Contract: GS-27F-0004M

Government Sales Associates **©**



(Image Carpets) P.O. Box 1507

Goldenrod, FL 32733-1057

Carpet with fiber made from post-consumer recycled soda bottles. EPA Designated Comprehensive Procurement Guideline Item. (Schedule 72 I A)

Contact: Eugene Lisa Phone: 1-800-226-2640 Fax: (407) 679-1567 Contract: GS-27F-0018J

Interface Flooring Systems, Inc.

P.O. Box 1503 Orchard Hill Road LaGrange, GA 30241

Carpet with post-consumer recycled content backing (GSA Evergreen Award Winner) (Schedule 72 I A)

Contact: Wendell Hadden Phone: 1-800-336-0225 Contract: GS-27F-0002A

Mohawk Carpet Corp.

Commercial Carpet Division 500 Town Park Lane Kennesaw, GA 30144 Contact: Bob Brown

Phone: 1-800-554-6637 ext. 55778 or

(678) 355-5778 Fax: (678) 355-5812 Contract: GS-27F-8440A

Fiber contains post-consumer recycled

material. (Schedule 72 I A)

Shaw Industries, Inc.

P.O. Box 429 Cartersville, GA 30120 1-800-424-7429, Mailbox 7040

Contact: Jeff Manley Phone: (706) 275-3471 or 1-800-720-7429, ext. 3471 Fax: (706) 275-3358 Contract: GS-27F-0034A

Fiber contains post-consumer recycled

material.

Talisman Mills Inc. 6000 Executive Dr Meguon, WI 53092

Phone: 1-800-482-5466 or (262) 242-6183

Fax: (262) 242-6751 Contract: GS-00F-0006A

Fiber is made from 100% post-consumer recycled plastic soft drink containers (Envirelon 40). Dozens of colors and custom patterns are available. EPA Designated Comprehensive Procurement Guideline Item.

(Schedule 72 I A)

Floor Coverings

RECYCLED CONTENT VINYL COMPOSITION FLOORING

Contracting Officer: (703) 305-5213

Ceiling & Floor Restorations, Inc.

(Mannington)

1244 Waples Mill Road, Suite J1

Fairfax, VA 22030

Vinyl composition floor tile with recycled

content. (Schedule 72 I A) Contact: Brian Plombon

Phone: (703) 273-5666 or

(703) 273-5777 Contract: GS-27F-3045D

CARPET CUSHION

Contracting Officer: (703) 305-5213

oamex 🐴 🏾

c/o Marvin J. Perry & Associates, Inc. 4101 Howard Avenue Kensington, MD 20895

Synthetic fiber carpet cushion made from post-industrial waste (trim) from the carpet industry. EPA designated Comprehensive Procurement Guideline Item.

(Schedule 72 I A)

Contact: Malcolm Wilson

Phone: (301) 564-1112 or

1-888-564-5476 Fax: (301) 564-1076 Contract: GS-27F-8450A

RECYCLED CONTENT MATS AND MATTING

Contracting Officer: (703) 305-5213

The Matworks

Division of Janitex Rug Service Corp.

11900 Old Baltimore Pike Beltsville, MD 20705

Industrial grade floor tiles made from abraded used rubber tires. (Schedule 72 I A)

Phone: (301) 595-4607 Fax: (301) 595-0740 Contract: GS-27F-5055C

U.S. Mat & Rubber Co., Inc. 🛟

c/o Promark, Inc. 5344 Woodbury Woods Place Fairfax, VA 22032-3729

Industrial grade floor tiles made from abraded used rubber tires. (Schedule 72 I A)

Phone: (703) 250-6700 Fax: (703) 250-2678 Contract: GS-27F-5028C

FLOOR COVERINGS

Contracting Officer: (703) 305-5213

BMK Stoddard

Represented by American Drapemasters

5565 N. Elston Avenue, Suite 1 Chicago, IL 60630-2400

Woven patterned and solid color carpets manufactured with "naturally renewable" wool fiber. (Schedule 72 I A)

Contact: Tom Chapman Phone: (773) 774-2400 Fax: (773) 774-2099 Web Page: www.admintl.com Contract: GS-27F-0010K

Brintons/U.S. Axminster, Inc.

P.O. Box 877 1856 Artistry Lane Greenville, MI 38702-0877

Woven patterned carpets manufactured with

"naturally renewable" wool fiber.

(Schedule 72 I A) Phone: (601) 332-1581 Fax: (601) 332-1594 Contract: GS-27F-3056D

Dupont Flooring Systems 🛟

22960 Shaw Road Sterling, VA 20166

SelecTile, a 24-inch square interlocking, recycled content, hard surface tile made with post consumer carpet; installed free-lay with no wet adhesives. Also, carpet with recycled content. (Schedule 72 I A)

Contact: Jack Donnelly Phone: (410) 742-9000 Fax: (703) 742-8390 Contract: GS-27F-0005K

Window Treatments



Contracting Officer: (215) 446-5021

Beautiful Blinds, Inc.

804 Northwest Drive Silver Spring, MD 20901

Energy-saving window shading systems.

(Schedule 72 II)

Phone: (301) 608-9090 or 1-800-608-9030 Contract: GS-03F-6007D

Mechoshade

c/o Arndt & Arndt 20 Courthouse Square, Suite 211 Rockville, MD 20850-2301

Energy-saving window shading systems.

(Schedule 72 II)

Phone: (301) 294-1155 Fax: (301) 294-3174

Web Page: www.mechoshade.com

Contract: GS-03F-0008J

Shalimar Fabrics

678 Hart Street Brooklyn, NY 11211

Energy-saving window shading systems.
(Schedule 72 II)

Phone: (718) 919-8300 Fax: (718) 452-8109 Contract: GS-03F-5117C

Skyline Mills

9691-A Gerwig Lane Columbia, MD 21046

Window treatments energy-saving Safety drapes. (Schedule 72 II)

Phone: (410) 309-4300 Fax: (410) 309-9445

E-mail: craigs@skylinemills.com

Thomas W. Raftery, Inc.

1055 Broad Street Hartford, CT 06106

Insulating, energy-saving drapery system.

Phone: 1-800-243-2887 Fax: (860) 278-9873 E-mail: gary@twraftery.com

Web Page:

www.thomaswraftery.com

VIMCO Shading Systems

dba Contract Shading Systems 11520 Sun Shade Lane Ashland, VA 23005

Energy-saving window shading system.

(Schedule 72 II)

Phone: (804) 752-3300 Fax: (804) 752-3366 Web Page: www.vimco.com Contract: GS-03F-8001H

Window Covering Specialists

dba Romanzia 655 County Road A Chetek, WI 54728-9383

Energy-saving window shading systems.
(Schedule 72 II)

Contact: John Holsinger Phone: 1-800-338-7201 Web Page: www.romanzia.com Contract: GS-03F-5104C

Contracting Officer: (703) 308-3643

Ultraglas, Inc.

9186 Independence Avenue Chatsworth, CA 91311

Manufacturer of GSA
Evergreen Award plaques
(see www.gsa.gov/furniture).
Also, panels for office and
restaurant facility applications
made with recycled glass (upon
request, can be created from
100% recycled glass).

Contact: Jane A. Skeeter Phone: 1-800-777-2332 or (818) 772-7744 Fax: (818) 772-8231

Contract: GS-28F-0007J

award information, please visit our Schedules e-Library at www.gsaelibrary.gsa.gov

For the latest schedules contract

92

Federal Supply Schedule 58 I



HOME ELECTRONICS

Television

For either residential or commercial televisions, tune in to this Schedule. All standard sizes ranging from 13" to projection, including HDTV. Choose your features—consoles, wall-mounted, mono and stereo, and plasma monitors.

Relevant Special Item Numbers:

219-3 Televisions

219-4 Televisions (Hospital, Hotel/Motel)

Home Video Equipment

Whether you pop a tape in a VCR, or slip a disc into a DVD player, our video equipment selection brings the show on the road to you. VCRs include two- and four-head, HI FI, with remote. S-Video and IFR output available.

Relevant Special Item Numbers:

219-9 VCRs and DVD players
219-10 TV/VCR combination units

Home Audio Equipment

Music makes the world go around, and here is your ticket to ride. We have a wide range of options for making sure your new audio system always hits the right note. Includes stereo systems (receivers, CD players, turntables, cassette players). Speaker choices include wall-mounted, bookshelf and sub-woofers. Build your home theater system to your desired audio level.

Relevant Special Item Numbers:

219-11 Audio components (audio racks, shelf systems, home theater systems, CD players, turntables, cassette players).

ORDER DIRECTLY FROM CONTRACTORS LISTED IN SCHEDULES E-LIBRARY AT WWW.GSAELIBRARY.GSA.GOV

Point of Contact: James Concannon • (215) 446-5020, Fax (215) 446-5112 • james.concannon@gsa.gov







Miscellaneous Furnishings

TROPHIES, AWARDS, PLAQUES AND PROMOTIONAL MATERIALS

Schedule 78, Sports, Promotional, Outdoor, Recreation, Trophies and Signs (Sports)

Plaques made from recycled material, promotional materials made from and/or that promote the use of recycled materials.

WALL COVERING

Schedule 56, Buildings and Building Materials/Industrial Services and Supplies, Class 56

Design Materials, Inc. 💍

Phone: 1-800-654-6451 Contract: GS-07F-7506C

Wall covering made from natural (sisal)

fibers.

PARK AND RECREATIONAL EQUIPMENT

Schedule 78, Sports, Promotional, Outdoor, Recreational, Trophies and Signs (Sports)

Products with recycled/recovered material including park furniture, bike racks, playground equipment and surfaces.



Federal Supply Schedule 51 V

HOUSEHOLD AND RESIDENTIAL APPLIANCES

RESIDENTIAL APPLIANCES

GSA provides name-brand appliances that are environmentally friendly and meet federal requirements. This product group includes (but is not limited to) energy-efficient refrigerators/ freezers, washers, dryers, microwaves, ranges, water coolers, drinking water dispensers, air purifiers, circulating and ceiling fans, air coolers, combination appliances, dishwashers and window, wall and ceiling air conditioners.



Relevant Special Item Numbers:

639-001 Domestic commercially available products and accessories from appliances vendors.

639-002 Export commercially available products and accessories.

639-003 Services.

Ancillary services such as, but not limited to, extended warranty, installation and removal of replaced products, leasing, rental and trade-ins.

639-99 Introduction of New Products/Services.

A new or improved product is a product offered anytime that has the potential to provide more economical or efficient means for federal agencies to accomplish their mission. It may be a product existing in the commercial market, which is being developed, improved or not yet introduced to the Federal Government. It also may perform a new task or procedure not currently available under any GSA contract.

NO SPECIAL ORDERING INSTRUCTIONS

Point of Contact: Hardware Superstore Customer Service • (816) 926-6760 • hssmarketing@gsa.gov







Federal Supply Schedule 56

QUALITY SOLUTIONS FOR A VARIETY OF PRODUCTS AND SERVICES FEDERAL SUPPLY CLASS 56

RESIDENTIAL EQUIPMENT

ELECTRIC & GAS WATER HEATERS

Don't get into hot water without a unit from this Schedule. Includes both Industrial and Commercial/Residential product lines. Features include 30- to 52-gallon sizes, double heating units, glass-lined, round and steel tanks.

Relevant Special Item Numbers:

563-28

Electric and Gas Water Heaters.

ORDER DIRECTLY FROM CONTRACTORS



Point of Contact: Sandy Tatum • (817) 978-8631, Fax (817) 978-2776 • sandy.tatum@gsa.gov

Schedules F- LIBRARY





The products
presented in
this guide are
environmentally
oriented items.
These items
may contain
recycled materials,
be reformulated
to be less
ozone-depleting,
be lead-free, or
be energy- or
water-efficient.

Multiple Award Schedules (MAS)

Multiple Award Schedules (MAS) are contract vehicles or tools in which GSA negotiates awards for commercially available products with multiple vendors. Federal buying agencies (GSA's customers) can shop from the contracts, making the vendor and product selection that best meets their needs and pay by credit card. Please visit our Schedules e-Library at www.gsaelibrary.gsa.gov.

Federal Supply Schedule 73

QUALITY SOLUTIONS FOR A VARIETY OF PRODUCTS AND SERVICES FEDERAL SUPPLY CLASS 73

COMMERCIAL APPLIANCES

ICE MAKING MACHINES E



Chill out with our ice-making machines. It's cooler to buy them from Schedule 73. Perfect for high volume institutional applications or lower volume individual applications.

Relevant Special Item Numbers:

302-49 Ice Making Machines.

Visit our Environmental Programs website at www.gsa.gov/enviro to find out what we have to choose from.

ORDER DIRECTLY FROM CONTRACTORS

Note: No Energy Star® products available. The Department of Energy's Federal Energy Management Program (FEMP) established a recommended minimum energy efficiency level that Federal buyers should consider when purchasing items under this product grouping. Visit the FEMP website at http://www.eere.energy.gov/femp/procurement to learn more about their efficiency recommendations.



Point of Contact: Helen Carter • (817) 978-8660, Fax (817) 978-2776 • helen.carter@gsa.gov

Schedules F. LIBRARY



GSA publications, including copies of the Federal Supply Schedules, are available at no cost from the GSA Centralized Mailing List in Fort Worth, TX at (817) 334-5215.

Federal Supply Schedule 51 V



GSA'S MULTIPLE AWARD SCHEDULE OFFERS:

- Competitive Pricing
- Flexibility to Negotiate Discounts
- Direct Ordering from the Contractor
- Establish Your Own Blanket Purchase Agreements
- Broader Product Line from Brand-Name Manufacturers
- Commercial Warranties
- Payment with the GSA SmartPay® purchase card
- Greater Access to Energy Star Appliances

Relevant Special Item Numbers:

639-001 Domestic commercially available products and accessories from appliances vendors.

639-002 Export commercially available products and accessories.

639-99 Introduction of New Products/Services.

A new or improved product is a product offered anytime that has the potential to provide more economical or efficient means for federal agencies to accomplish their mission. It may be a product existing in the commercial market, which is being developed, improved or not yet introduced to the Federal Government. It also may perform a new task or procedure not currently available under any GSA contract.

To place an order: Order directly from the contractor by calling the contractor's point of contact listed.

For more information, contact the HSS's Custome Service Office at (816) 926-6760; DSN 465-6960. For the most recent contractor listing, visit the Schedules e-Library at www.gsaelibrary.gsa.gov.

Visit the Hardware Superstore at www.qsa.qov/superstore.

Order via the Internet on GSA's online ordering system GSA Advantage!® at www.gsaAdvantage.gsa.gov.

Fax your FEDSTRIP/MILSTRIP requisition, or your Model Number/Part Number requisition (for orders without National Stock Numbers) to GSA at (816) 926-7971 or DSN 465-7971.

Absocold Corporation GS-21F-0087H s/b FOB Origin

DOMESTIC & EXPORT – Absocold, Whirlpool Compact and standard refrigerator/freezers, combination appliances and

(765) 935-7501 Fax: (765) 935-3450 Tim McCullum

accessories

Access Distributors, Inc. GS-21F-0001H s/b FOB Origin

DOMESTIC – Amana, Danby, Sharp Compact and standard refrigerators/freezers, freezers, microwaves, ranges, washers, dryers, air conditioners, misc. appliances and accessories

(508) 520-0111 Fax: (508) 520-8618 Arthur Pitts Action Aire, Inc GS-21F-0097H s/b FOB Origin

DOMESTIC - Action Aire,
Triangle, Lasko
Pedestal and wall mount

Pedestal and wall mount fans (732) 969-9494 Fax: (732) 541-5121 Allen Walters

Adapt, Inc. GS-21F-0003K s/b FOB Origin

DOMESTIC - AirRover Portable air conditioners (540) 622-2635 Fax: (540) 622-2634 Tina Behnke

AEG-Hausgerate GMBH GS-21F-0002K s/b F0B

Destination (In Germany)
EXPORT TO GERMANY ONLY –
Zanussi

Refrigerators, freezers, dishwashers, washers, dryers and ranges

Thomas Leonhardi Germany 011-49-69-67807156 Fax: 011-49-69-66780 Air Rover, Inc. GS-21F-0090H s/b FOB Destination

DOMESTIC – **Air Rover** Portable air conditioners and accessories

(903) 877-3430, ext. 105 1-800-858-6287 Fax: (903) 877-2793 Jack Stiles

Alliance Laundry Systems

GS-21F-0007J o/b FOB Destination

DOMESTIC & EXPORT – **Speedqueen**Washers, dryers and accessories

(920) 748-3121 Fax: (920) 748-1720 Bill Brooks Allied Contract, Inc. GS-21F-0094H s/b FOB Origin

DOMESTIC & EXPORT – **GE**, Summit, ACI, Avanti, Origo, Crosley

Compact and standard refrigerator/freezers, microwaves, washers, dryers, laundry centers, ranges, air conditioners, dishwashers and accessories

(918) 556-1241 1-800-656-5814 Fax: (918) 556-1245 Bob Yeatts

Aquacell Technologies GS-21F-0008L s/b F0B Destination

10410 Trademark St. Rancho Cucamonga, CA 917305826

(909) 987-0456 ext. 28 1-800-326-5222 Fax: (909) 987-6306 Website: www.aquacell.com E-mail: dccaquacell@aol.com Darren Clark

Business Size and Minority Enterprise Indicators:

"s" for small business; "o" for other than small business enterprises; "b" for other than minority business enterprises;

[&]quot;w" for woman-owned business; "d" for disadvantaged business; "v" for veteran-owned business; "8a" for 8(a) small business.

Atlas Sales and Rentals, Inc. GS-21F-0001N s/b (510) 713-3313 Bernie Jamero

Austin Air Systems, LTD. GS-21F-0005L s/b FOB Origin

DOMESTIC - Austin Healthmate **Appliances**

(716) 856-3700 ext 249 Fax: (716) 856-6023 Mike Demon

Capitol Furniture

Distributing Co. GS-21F-0001K s/b FOB Origin

DOMESTIC & EXPORT -GE, Whirlpool

Microwaves, washers, dryers, laundry centers, ranges, air conditioners, dishwashers and accessories

(954) 485-5000 Fax: (954) 485-0407 Bob Steiman

Unit 9 & 10 Ladfordfields **Industrial Park** Seighford, Stafford UK ST189QE 01-78-528-1919 Fax: 01-78-528-1920 Website: www.dartstone.co.uk E-mail: sales@dartstone.co.uk **Neil Viggers**

DQ Blockhouse, Inc.

GS-21F-0002N s/b F0B Destination

3285 Farmtrail Road York, PA 17402

(717) 764-5555 Fax: (717) 767-6315 Website: www.blockhouse.com E-mail: sperko@blockhouse.com Stephen Perko

Elmbrook Corporate Services GS-21F-0007L s/b FOB Origin

DOMESTIC & EXPORT -Whirlpool Appliances

Fax: (214) 689-6180 Marilyn Montbriand

Envirotech Systems, Worldwide, Inc. GS-21F-0002M s/h

FOB Destination

DOMESTIC - Tankless Water Heaters

(480) 609-7575 Fax: (480) 609-7353 Website: www.tankless.com Email:

stevecavanaugh@tankless.com Steve Cavanaugh

Friedrich AC

GS-21F-0002H s/b **FOB Destination**

DOMESTIC & EXPORT - Friedrich Air conditioners and accessories

1-800-541-6645 (210) 357-4400, ext. 669 Fax: (210) 357-4483 Ronald Kóehler

Glenco Distributing

GS-21F-0006J s/b F0B Destination

DOMESTIC - Whirlpool, Frigidaire, Samsung Refrigerators/Freezers,

microwaves, ranges, washers, dryers, laundry centers and dishwashers

(303) 394-4888 Fax: (303) 394-2317 Craig Davis

Global Water Aquacell

GS-06F-0017L s/b F0B Destination

DOMESTIC - Water Cooler/ Dispenser with filter

(909) 987-0456 1-800-326-5222 Fax: (909) 987-6306 Wendy Morgade

Hunter Fan Company GS-21F-0003M s/b

FOB Destination

DOMESTIC - Ceiling fans (901) 248-2401 Fax: (901) 248-2473 Website: www.hunterfan.com

E-mail: dknapp@interfaceinc.com David Knapp or Rich Newman

Intirion Corporation

GS-21F-0091H s/b F0B Destination

DOMESTIC - Microfridge, Maytag

Compact and standard refrigerators/freezers, freezers, microwaves, combination appliances and accessories. household size commercial washers, dryers, laundry centers and stacked dryers

(301) 798-0030 Fax: (301) 798-0031 Paula Preston

J&M Associates

GS-21F-0095H s/b F0B Destination

DOMESTIC - Air Temp/Fedders, Haier, Emerson/Fedders

Compact and standard refrigerator/freezers, ranges, washers, dryers, dishwashers, air conditioners, accessories and services

1-800-692-5147 Fax: (309) 444-5136 Jon Miller

Manhattan Electric Industries GS-LF-0001L s/b

FOB Destination

DOMESTIC & EXPORT - Amana, EG, Whirlpool, Aeg, Sauter, De-dietrich, Ariete, Black & Decker, De'longhi, Kenwood, Magimix, Barclay

Refrigerator/Freezer (Export), Washer/Dryer Household, Dishwasher, Range Gas/Electric, Hoods, Built-in Oven/Walloven, Cooktop And Other Small **Appliances**

(718) 649-9120 Fax: (718) 649-9121 Yohanan Berlinerbraw

Natural Choice Corp.

GS-21F-0004L s/b FOB Origin DOMESTIC - Natural Choice

Water Coolers (815) 547-7726 Fax: (815) 547-7727 George Knoll

Phoenix Manufacturing

GS-21F-0004M s/b FOB Origin

DOMESTIC - Evaporative Air coolers

(602) 437-1034 Fax: (602) 437-4833 Website: www.evapcool.com Email: scott_robins@phxmfg.com Scott Robins

Sears Contract Sales

GS-21F-0003J o/b F0B Destination

DOMESTIC - Kenmore

Compact and standard refrigerator/freezers, freezers, microwaves, ranges, washers, dryers and laundry centers

1-800-366-3970 Fax: 1-800-669-3719 Barbara Williams

Siemens Electrogerate

GS-21F-0002J o/b FOB Destination

EXPORT ONLY - Siemens Compact and standard refrigerators/freezers, ranges, washers, dryers, laundry centers and accessories

(540) 678-1234 Fax: (540) 368-0136 Bill Britz (In Germany) Rosi Conrad 011-49-6371-6774 011-49-6371-7781

Silver Wolf Enterprises

GS-21F-0003N s/h/8a FOB Destination

DOMESTIC - Water Coolers

(406) 357-3161 Fax: (406) 357-4152 Website: www.silverwolfenterprises.com

E-mail: john@silverwolfenterprises.com

John Gilbert

Spot Cooler's, Inc. GS-21F-0004K s/b F0B Destination

DOMESTIC - Denso, Aqua Breeze, Oceanaire, Port-A-Cool, QuietAire Cooling

Portable air conditioners, accessories and rental services, evaporative air coolers and accessories, domestic fans and accessories

1-800-367-8675 Fax: 1-888-750-5082 Paul Olson

Spot Cooling Systems, Inc. GS-21F-0001M s/b F0B Destination

1420 Century Drive, Ste 800 Carrollton, TX 75006

(972) 242-0007 Fax: (972) 242-0378 Website: www.extracooler.com E-mail: sales@extracooler.com Barry Williamson

Stokley's Services, Inc.

GS-21F-21F-0006L s/b F0B Destination

DOMESTIC - Hardware Store, Cold Air Products

(757) 857-7247 Fax: (757) 853-7796 Jim/Constance Shortt

Topp Construction Services GS-21F-0093H s/b FOB Origin

DOMESTIC - Movincool. Mobilcool, Mestek

Portable air conditioning units and accessories

(610) 459-5515 Fax: (610) 459-3822 Ann Collins

The Topping Group

GS-21F-0002L s/b F0B Destination

DOMESTIC - RollinKool Portable Air Conditioners

(410) 825-2346 Fax: (410) 825-7219 Tom Topping

WB Brawley Company GS-21F-0005J s/b FOB Origin

DOMESTIC & EXPORT - Danby, WC Wood Co.

Refrigerators, microwaves (910) 452-2195 Fax: (910) 452-0599 Bruce Brawley

*PAPER PRODUCTS



Paper Towels

A. Heavyweight paper towels are designed for use in bathroom dispensers.

Single-fold towels may be used in a variety of dispensers. Minimum surface area: 99 sq. in.; Fold depth: 5-1/2".

For use with Paper Towel Dispenser NSN 4510-00-224-8549.

1 60-month maximum shelf life (extendable) 40% Postconsumer Material

8540-00-262-7178				Width: 9-1/4" BX(contains		\$22.00
1 60-month ma Postconsumer M		5 5 .	ctendable) 👶 Conto	ains 100% Recover	red Material , Which Includes 90%	
8540-01-359-0798	<u>CPG</u>	JWOD	Unbleached	Width: 9-1/4"	BX(contains 4000 EA)	\$43.05

Single-fold towels come in a waterproof package. (Navy Pack.) Minimum surface area: 99 sq. in.; Fold depth: 5-1/2".

For use with Paper Towel Dispenser NSN 4510-00-224-8549.

60-month maximum shelf life (extendable) Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8540-01-055-6134	<u>CPG</u>	JWOD	Width: 9-1/4"	BX(contains 4400 EA)	\$42.57

Wide, multi-fold towels. Fold depth: 3-1/8".

For use with Paper Towel Dispenser NSN 4510-00-224-8549.

60-month maximum shelf life (extendable) Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

 $C-fold\ towels\ have\ a\ 4"-deep\ fold.\ For\ use\ with\ Paper\ Towel\ Dispenser\ NSN\ 4510-00-585-6305.$

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

B. Absorbent paper towels for kitchen use. Perforated sheets in roll form on a paperboard core. (NFES #0240)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

C. Disposable wiping cloth has a rough surface for cleaning, polishing, and wiping surfaces that are wet, dry, or oily. (Not intended for use on transparent plastic).

With a 11-lb. basis weight, this towel absorbs up to 275% of its weight in water and up to 150% of its weight in oil.

👶 30% Postconsumer Material

7920-00-543-6492 JWOD White or Natural 245 sq. in. BX(contains 2520 EA) \$35.65

The unit of issue is a box that contains 16,800 towels, (60 dispensers packages that contains 280 towels per dispenser).

30% Postconsumer Material

7920-00-721-8884 JWOD White or Natural 4-1/2 x 8" BX(contains 16800 EA) \$58.39

Approximately 280 medium-sized towels come in a 6 x 6" dispenser package.

👶 30% Postconsumer Material

7920-00-682-6710 JWOD White or Natural 120 sq. in. BX(contains 5040 EA) \$36.6

This towel absorbs up to 450% of its weight in water and up to 275% of its weight in oil. Embossed or creped to facilitate wiping utility.

Box of 900 towels (18 packages of 50 towels each).

30% Postconsumer Material

7920-00-823-6931 JWOD White or Natural Width: 11.4"; 172 sq. in. BX(contains 900 EA) \$29.86





Toilet Paper

D. Single-ply restroom tissue comes in uncompressed rolls. Consists of perforated sheets wound around a core. Individually wrapped. (NFES #0142)

Basis weight: 11 lbs.

Ontains 30% Recovered Material, Which Includes 30% Postconsumer Material

8540-00-530-3770 JWOD White Length: 4,500" per roll BX(contains 96 EA) \$47.10

E. Comes in compressed rolls. Single-ply toilet tissue consists of unperforated single sheets wound around a core. Packaged in waterproof containers for use by the Navy and the U.S. Forest Service.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Two-ply toilet tissue comes in uncompressed rolls. Consists of perforated sheets wrapped around a core. Individually wrapped.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Toilet Seat Cover

F. Disposable tissue paper cover has a tear-out center. Quarter-folded to 7" wide and 10" long for use in Toilet Seat Cover Dispenser NSN 4510-01-327-9405.

💲 Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8540-00-965-5790 White Size: 14-3/4 x 17-1/4" PG(contains 200 EA) \$2.11

Facial Tissue

G. Soft, absorbent tissue comes in folded, two-ply sheets and is creped. Comes in a standard dispenser box.

Package contains six boxes of 200 tissues each.

Basis weight is approximately 19 lbs.

Contains 10% Recovered Material, Which Includes 10% Postconsumer Material

Package contains 12 boxes of 100 tissues each.

Basis weight is approximately 19 lbs.

💲 Contains 10% Recovered Material, Which Includes 10% Postconsumer Material

 PAPER TOILET SEAT COVERS

For a wider array of GSA products, visit us at GSAglobalsupply.gsa.gov.





101





Table Napkins

Standard paper napkin is ideal for general table or hospital use.

Dinner-size napkin is folded eight times and comes in three-ply, embossed paper. Each pack contains 200 napkins.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8540-00-276-7570 JWOD White Unfolded: 272 sq. in. BX(contains 2000 EA) \$77.58

Senior dispenser, single-ply napkin. Folded to fit Table Napkin Dispenser NSN 7350-00-205-0928.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

This is a Navy pack item.

30% Postconsumer Material

Two-ply napkin is folded eight times.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Quarter-folded, single-ply napkin.

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

30% Postconsumer Material

8540-00-276-7569 JWOD White Unfolded: 149 sq. in. BX(contains 6000 EA) \$44.88

Junior dispenser, single-ply napkin. Folded to fit table napkin dispenser. For use with Table Napkin Dispenser NSN 7350-00-205-0928.

🗘 Contains 30% Recovered Material , Which Includes 30% Postconsumer Material

*SOAPS



Liquid Hand Soap

Zep Delight liquid hand soap for general cleaning has bouquet fragrance. Can be used in all liquid soap dispensers and central dispensing systems. No dilution necessary.

(1) 24-month maximum shelf life (extendable) Nontoxic Item

8520-01-432-2618 MSDS National Service Industries Inc. P/N 091424 Light Red

Simple Green Hand Cleaner

Heavy-duty hand-cleaning gel removes grease, grime and dirt from hands. Non-toxic cleaner contains lanolin to moisturize and protect. Safe for skin.

Nontoxic Item

8520-01-370-4284 Simple Green Tube Size: BX(contains 12 EA) \$30.00 P/N 42675 6-3/4 oz.

One-gallon squeeze bottle with pump.

Montoxic Item

8520-01-370-2162 Simple Green Bottle Size: BX(contains 4 GL) \$58.07 P/N 42128 1 gal.





Dishwashing Detergent

Solid Power is a concentrated detergent that is enzyme activated and chlorinated-defoamed. Attacks and dissolves food soils, detarnishes silver and eliminates stainless steel haze. Will not separate, clog or cake. Do not place directly into dishwasher or use for hand washing. (FOR USE WITH ECOLAB TENSAR 90 POWER ACTIVATOR DETERGENT DISPENSER).

(1) 36-month maximum shelf life (extendable) Nontoxic Item

7930-01-152-7072 MSDS Ecolab Inc. P/N 10371 BX(contains 6 EA) \$91.07

Multiple Award Schedules (MAS) are contract vehicles through which GSA negotiates awards for commercially available products and services with multiple vendors. Federal buying agencies (GSA's customers) can shop from the contracts, making the vendor and product selections that best meet their needs...and conveniently pay by credit card. Please visit our Schedules e-Library at www.gsaelibrary.gsa.gov.

***CLEANING SUPPLIES**

Air Freshener

This odor-neutralizing spray counteracts offensive odors in hospitals, sick rooms, lavatories, kennels, aircrafts, or any public building. Ideal for institutional and industrial use. Leaves a mild, pleasant odor. Contains no formaldehyde.

Concentrated water-miscible liquid can be diluted with water for use in space sprays and scrub water. To be mixed one ounce per gallon for economical use. Non-flammable and biodegradable.

1 24-month maximum shelf life (extendable) Montoxic Item

6840-01-037-1416 MSDS GL \$10.52

Biodegradable Cleaner and Degreaser

Ready-to-use, all-purpose alkaline liquid detergent is formulated for cleaning walls, woodwork, linoleum, molding, ceramic tile, porcelain, blinds, stainless steel and more. Easy-to-use cleaner sprays on and wipes off.



Comes in a spray-pump dispenser.

48-month maximum shelf life (extendable) Nontoxic Item;

Biobased

7930-00-926-5280 MSDS JWOD Bottle Size: BX(contains 48 EA) \$62.99 1 pt.

36-month maximum shelf life (extendable) Nontoxic Item;

Biohased

7930-00-357-7386 MSDS JWOD Bottle Size: BT(contains 22 OZ) \$1.48 22 oz.

Useful for refilling dispensers.

36-month maximum shelf life (extendable) Nontoxic Item;

Biobased

7930-00-068-1669 MSDS JWOD CO(contains 0.5 GL) \$2.76 7930-00-177-5243 MSDS JWOD GL \$3.87

Klean-E-Z is a water based all-purpose cleaner that can be safely used to clean many surfaces in homes, automobiles, office and industry. No rinsing needed. This mildly lime scented cleaner is phosphate free and 100% biodegradable.

Concentrate. When diluted with water, this lime scented concentrate makes a wide variety of products for cleaning everything from the kitchen to the industry shop.

24-month maximum shelf life (extendable) Montoxic Item;
 Biobased

7930-01-380-8348 MSDS Klean-E-Z BX(contains 12 EA) \$78.00

Simple Green Cleaner/Degreaser



Formulated to provide a safer alternative to hazardous chemicals and solvents, Simple Green is a concentrated biodegradable cleaner/degreaser. A cost-effective way to remove oil, lubricants, grease and grime from almost any washable surface. Authorized by the USDA for use in federally inspected meat and poultry plants. Replaces ozone-depleting substances and is listed on the EPA National Contingency Plan as a surface washing agent. Non-toxic, non-flammable.

Nontoxic Item; NESHAPS compliant

7930-01-342-5316	MSDS	CN(contains 5 GL)	\$40.37
7930-01-306-8369	MSDS	BX(contains 6 EA, EA has 1 GL)	\$53.75
7930-01-342-5315	MSDS	BX(contains 12 EA, EA has 24 OZ)	\$51.89

Degreaser



Grez-Off ready-to-use cuts heavy grease and soil quickly on engines, mowers, garden, farm and recreational equipment, shop machinery, condenser coils and tools. Contains no petroleum solvents, phosphates or acids, and is non-flammable. Grez-Off is biodegradable.

Spray Nine Corp. P/N 22732.

Biodegradable per EPA/OECD test methods

7930-01-383-7926 MSDS Bottle Size: 32 oz. BX(contains 12 EA) \$55.54

All-Purpose Cleaner

All-purpose, heavy-duty cleaner/degreaser/deodorizer. A natural degreaser containing organic solvents derived from orange and citrus coupled with positive emulsion cleaners to create a cleaning product with unequaled ability. It contains no petroleum solvents and has no flash back vapors when sprayed on surfaces. Formulated for easy removal of grease, oil, ink, coffee, blood, pet stains and other tough soils from any washable surface.

24-month maximum shelf life (extendable) Nontoxic Item;

Biobased

7930-01-398-0885 DR(contains 55 GL) \$293.29

Disinfectant-Cleaner



"Spray Nine" is an EPA registered, industrial strength cleaner and disinfectant. It quickly cuts greasy, grimy soils and kills HIV-1 (AIDS virus) in just 30 seconds! This powerful, multi-purpose spray is perfect for cleaning, degreasing and disinfecting a wide variety of hard surfaces. Also destroys bacterial odors. Non-flammable, ready to use, and harmless to most hard surfaces. USDA authorized.

Spray Nine Corp. P/N 26824.

7930-01-177-0795 MSDS Bottle Size: 24 oz. BX(contains 12 EA) \$39.62

Spray Nine Corp. P/N 26825.

7930-01-393-6747 MSDS Bottle Size: 25 oz. BX(contains 12 EA) \$43.38

Spray Nine Corp. P/N 26801.

7930-01-346-5283 MSDS GL \$12.25

Pledge



Lemon-scented Pledge effectively protects wood furniture and other surfaces. Picks up dust, shines, and polishes all in one step! The "dust block" formula leaves no polish or waxy buildup and adds a like-new sheen to cabinets, paneling, baseboards, vinyl, and leather, as well as all fine wood furniture. Aerosol.

7930-01-381-3491 MSDS Can Size: 18 oz. BX(contains 6 EA) \$34.63

GSA has been serving the federal marketplace exclusively for more than 50 years!

Cleaning Cloth



Disposable, non-woven cleaning cloth.

Pop-up, six-ply scrim wipers are excellent for use in hospitals, kitchens, maintenance shops, and other areas requiring highly absorbent wipers.

🛟 40% Postconsumer Material



These heavy-duty, non-woven wiping cloths feature soft, absorbent cellulose layers sandwiched between layers of non-interlaced rayon fibers. Both the base material and the reinforcement fibers decompose in landfills and salt water, making them environment-friendly. Also, because the fibers are not interlaced, they will not pose a hazard to wildlife before decomposing. Base cloth is made from recycled material.

40% Postconsumer Material

7920-01-370-1364	PRIME JWOD	Size: 9-1/2 x 20"	BX(contains 400 EA) \$22.15
7920-01-370-1365	PRIME JWOD	Size: 9-1/2 x 22-1/2"	BX(contains 400 EA) \$25.45

Wiping Cloth



Three-ply, song, lightweight and non-scratching. Soft and absorbent paper towels are intended for use on clear plastic aircraft canopies but will absorb water and oil in many uses. Each pop-up dispenser package contains 90 towels, unit-of-issue box contains 15 dispenser packages (1,350 total towels).

30% Postconsumer Material

7920-00-965-1709 RME JWOD White Size: BX(contains 1350 EA) \$46.42 15-1/4 x 16-3/4"

The products in this guide are environmentally oriented items. These items may have recycled or biobased content, conserve energy and/or water, or contain reduced pollutants.



Economical, environmentally friendly alternative to Terry Cloth Machinery Wiping Towels. The cloth is a low-lint, highly absorbent, soft, marine degradable 100 percent hydroentangled white rayon. It comes 250 linear yards on a 3" inside diameter core roll in widths shown below. Wrapped in kraft paper and packed in a fiberboard box.

Biobased				
7920-01-463-4653	JWOD	Width: 18"	RO(contains 250 YD)	\$193.91
7920-01-463-4652	JWOD	Width: 36"	RO(contains 250 YD)	\$316.91

GSA: Serving the Armed Forces community and the federal marketplace around the world... for more than 50 years!




Soft and absorbent, this sanitized rag wipes machinery and equipment surfaces clean of water, grease and oil. Cloth contains cotton fiber mixed with synthetic fabrics. Measures at least 9" wide and 200 sq. in. (The 50-lb. bale is compressed to less than 3-1/2 cu. ft.)

For heavy-duty wiping, rag (3 to 12 oz./sq. yd.) is made from mixed color remnants, mill ends, and reclaimed fabrics. Mixed colors.

For general-purpose wiping, lightweight rag (2 to 7 oz./sq. yd.) is made from mixed color remnants, mill ends and reclaimed fabrics. Mixed Colors.

For use where a higher-quality wiping rag is required, this lightweight rag is made from sheets, shirts, pillowcases and similar materials. (2 to 7 oz./sq. yd.). (NFES #0565)

 Supply. On Demand.



Guaranteed Compliance ■ Largest Supplier of JWOD Products ■ AAC & GSA SmartPay® Accepted

The organization you knew as "GSA stock" or the "Customer Supply Center" has a new name – GSA Global Supply – and a renewed commitment to excellence. Experience fast and flexible ordering, a better billing process and quicker shipments. Count on different payment options and guaranteed compliance with federal regulations. And, we're adding new products all the time. This means you will get the supplies you need, at the right price, where you need them. Experience the true power of "Supply. On Demand." Call us at 1-800-525-8027 or visit us online at www.GSAglobalsupply.gsa.gov.



Recycling Collection Containers and Systems

RECYCLING AND SPECIALTY WASTE RECEPTACLES

Federal Supply Schedule 73, Class 72

Relevant Special Item **Numbers:**

384-2 Office Recycling Containers and Work Receptacles

384-4 **Outdoor Recycling** Containers and Waste Receptacles Receptacles are for personal use and for use in common work areas. Carts and large community containers and accessories can also be used.

The following contractors offer recycling containers and specialty waste receptacles. Those marked with an asterisk (*) also contain recycled materials in their composition.

DRUM CRUSHERS

Federal Supply Schedule 56 **Special Item Number** 253-40

Contact: Helen Carter Phone: (817) 978-8660 Fax: (817) 978-2776 E-mail:

helen.carter@gsa.gov

Cleaning Products

ULTRASONIC WEAPON **CLEANER**

Schedule 84, Quality Solutions for a Variety of Products and Services Class 84 **Contracting Officer:** (817) 978-8377

Police Products Corporation

540 Ravine Court Wyckoff, NJ 07482 (201) 447-2900

CLEANING MACHINES AND SMALL PARTS WASHERS

Federal Supply Schedule 56, Special Item Number 253-49 Class 49

Automatic cleaning machines and/or small parts washers with recirculating solution systems reduce hazardous waste.

Alkota Cleaning Systems

Phone: (605) 934-2222 Contract: GS-07F-0302N

American Bio-Clean Corp.

Phone: (800) 883-1458 Contract: GS-07F-0414J

Better Engineering Mfg.,

Phone: (800) 229-3380 Contract: GS-07F-5778A

Carolina Equip. & Supply Co., Inc.

Phone: (843) 760-3000 Contract: GS-07F-0132J

ChemFree Corp.

Phone: (770) 564-5580 Contract: GS-07F-9501G

CleanTech Environmental **Products**

Phone: (626) 960-4248 Contract: GS-07F-0387K

Cuda Corp.

Phone: (906) 482-1600 Contract: GS-07F-9493G

E & K Sales

Phone: (562) 623-9115 Contract: GS-07F-0289N

The Hotsy Corporation

Phone: (303) 792-5200 Contract: GS-07F-5077A

JRI Industries

Phone: (417) 866-8855 Contract: GS-07F-0074M

Kleer-Flo Industries

Phone: (952) 934-2555 Contract: GS-07F-0309K

L & R Mfg. Co.

Phone: (201) 991-5330 Contract: GS-07F-9558G

Landa, Inc.

Phone: (800) 984-2612 Contract: GS-07F-7598C

Orison Marketing

Phone: (972) 242-0129 Contract: GS-07F-0079K

Simple Green

Phone: (800) 228-0709 Contract: GS-07F-0100J

Techniblast

Phone: (800) 247-6542 Contract: GS-07F-7805C

Wechem

Phone: (504) 773-1152 Contract: GS-07F-0368N

Zep Manufacturing

Phone: (404) 603-7633 Contract: GS-07F-9528G

CLEANING EQUIPMENT. JANITORIAL SUPPLIES. CLEANING CHEMICALS. AND SORBENTS

Schedule 73, Class 79

Biodegradable cleaners and degreasers, nonphenolic and nonpetroleum cleaning products.

Alfa Kleen Chemical Co.

Phone: (714) 524-2530 Contract: GS07F-0062J

American Cleaning Solutions, Inc.

Phone: (253) 942-8086 Contract: GS07F-0134J

Arrowak Mfg. and Dist. Inc.

Phone: (803) 754-5168 Contract: GS07F-0178K

Biosystems, Inc.

Phone: (970) 224-4605 Contract: GS07F-0126H

The Butcher Company

Phone: (800) 795-9550 Contract: GS07F-0083K

Caljen Sales Company

Phone: (310) 547-2977 Contract: GS07F-0088H

Chemstar Holding Inc. Phone: (314) 995-1519

Contract: GS07F-0401K

Champion Chemical Company

Phone: (800) 621-7868 Contract: GS07F-0073J

DiversevLever Institutional US

Phone: (800) 767-7090 Contract: GS07F-0284K

Dynamold Solvents, Inc.

Phone: (817) 355-0862 Contract: GS07F-0140J

Elsco International

Phone: (619) 696-6609 Contract: GS07F-0411J

Enhanced Chemicals Corp.

Phone: (407) 678-8733 Contract: GS07F-0308K

Fessenmeier Enterprises LLC

Phone: (800) 748-9597 Contract: GS07F-0075K

Flore-Chemie, GMBH

(02 61) 889 -2250 Contract: GS07F 0122J

Geerpres, Inc.

Phone: (231) 773-3211 Contract: GS07F-0320K

Golden Products, Inc.

Phone: (440) 248-3463 Contract: GS07F-0146K

Golz Enterprises, Inc.

Phone: (914) 342-5209 Contract: GS07F-0177K

Henkel-Ecolab GMBH

Phone.

(011 49) 0211-9893-438 Contract: GS07F-0278K Hillyard Industries, Inc.

Phone: (816) 233-1321

Contract: GS07F-0188K

Knight Marketing Corporation

Phone: (518) 762-4591 Contract: GS10F-8867H

(continued on next page)

Cleaning Products (continued from previous page)

K-Tool Corp. of Michigan

Phone: (248) 669-5000 Contract: GS07F-0304K

Maintex, Inc.

Phone: (858) 513-8286 Contract: GS07F-0044K

Morning Star Industries, Inc.

Phone: (800) 440-5305 Contract: GS07F-0298K

PCI of America

Phone: (800) 222-1455 Contract: GS07F-0131H

Penetone Corporation

Phone: (800) 631-1652 Contract: GS07F-0159J

Quick 'n Brite, Inc.

Phone: (425) 778-8285 Contract: GS07F-0076K

Rite Kem, Inc.

Phone: (662) 840-6060 Contract: GS-07F-0283J

Robby Vapor Systems, Inc.

Phone: (954) 974-3434 Contract: GS07F-0311K

SC Johnson **Professional**

Phone: (800) 992-3867 Contract: GS07F-0254K

Selig Chemical Industries

Phone: (404) 691-9220 Contract: GS07F-0128H

Shadow Lake, Inc.

Phone: (203) 778-0881 Contract: GS07F-0113H

Singerman Laboratories

Phone: (412) 798-0447 Contract: GS07F-0398J

SOQ Environmental Technology

Phone: (480) 966-2892 Contract: GS07F-0009K

Spartan Chemical Co. Inc.

Phone: (800) 537-8990 Contract: GS07F-0194J

State Industrial **Products**

Phone: (216) 931-7574 Contract: GS07F-0295K

Sun Brite Corporation Phone: (208) 342-8842

Contract: GS07F-0157J

Sunshine Makers, Inc.

Phone: (562) 795-6030 Contract: GS07F-0065J

Theochem

Laboratories

Phone: (813) 237-6463 Contract: GS07F-0172J

Western Chemical International, Inc.

Phone: (480) 990-9487 Contract: GS07F-0142K

Cleaning and Cleaning Equipment

BLAST EQUIPMENT/ MEDIA

Schedule 56, **Buildings** and **Building Materials/ Industrial Services** and Supplies, Class 49

Baking Soda Blast Media is nontoxic, nonhazardous and water soluble. Approved for use in FDA regulated facilities.

PRESSURE CLEANERS



Cleaning equipment used to remove dirt and grime without the use of chemicals.

Allied Ind. Dist. Inc.

Phone: (605) 624-2685 Contract: GS-07F-3859A

Amerivap Sys. Inc.

Phone: (800) 763-7687 Contract: GS-07F-0204L

BDF Industrial

Phone: (856) 963-1600 Contract: GS-07F-0160K **Cam Spray**

Phone: (515) 648-5011 Contract: GS-07F-9486G

Carolina Equipment & Supply Co., Inc.

Phone: (843) 760-3000 Contract: GS-07F-0132J

Dirt Killer Pressure Washers, Inc.

Phone: (410) 363-9890 Contract: GS-07F-9519G

Energy Equip. & Supply

Phone: (307) 234-7999 Contract: GS-07F-5108A The Hotsy Corp.

Phone: (303) 792-5200 Contract: GS-07F-5077A

Hydro Engineering,

Phone: (800) 247-8424 Contract: GS-07F-3849A

Landa, Inc.

Phone: (800) 984-2612 Contract: GS-07F-7598C

Mi-T-M Corp.

Phone: (319) 556-7484 Contract: GS-07F-3947A

PDQ Precision, Inc.

Power Scrub It, Inc.

Phone: (516) 997-2500 Contract: GS-07F-9554G

Riveer Co.

Phone: (616) 637-1997 Contract: GS-07F-9480G Sioux Steam Cleaner Corp.

Phone: (888) 763-8833 Contract:

GS-07F-0076H **Pressure Island**

Phone: (650) 780-7900 Contract: GS-07F-9988H

Phone: (858) 581-6370 Contract: GS-07F-5805A

The Defense Logistics Agency (DLA) also offers environmental products. For details, call 1-800-345-6333, or visit their homepage at

http://www.dscr.dla.mil/environmental.htm.

TRASH BAGS



Trash Bag

A. This heavy-duty, plastic bag is useful when extra strength is needed. Premium-quality bag features good puncture- and tear-resistance and handles dry or wet/dry loads. Includes closure ties.

The 20- to 30-gallon size has a 75-lb. load capacity.

3 25% Postconsumer Material

8105-01-183-9767 Size: 30 x 36" BX(contains 250 EA) Each 33-gallon bag has a 75-lb. load capacity. 3 25% Postconsumer Material 8105-01-183-9769 WOD Size: 33 x 39" BX(contains 125 EA) The 34-gallon size boasts a 75-lb. load capacity. 3 25% Postconsumer Material 8105-01-150-6256 S JWOD Size: 32 x 44" BX(contains 125 EA) Each 57-gallon bag has a 75-lb. load capacity. 3 25% Postconsumer Material 8105-01-183-9764 Dark Brown Size: 36 x 58" BX(contains 100 EA) \$22.15 Each 71-gallon bag has a 75-lb. load capacity. 3 25% Postconsumer Material 8105-00-759-0794 Size: 38 x 65" BX(contains 50 EA) \$14.77 The 125-gallon size has a 75-lb. load capacity. 25% Postconsumer Material

B. Medium-duty, plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears, this bag can handle a mix of dry and wet loads. (Does not come with closure ties.)

Size: 69 x 57"

BX(contains 100 EA)

BX(contains 125 EA)

Each 10-gallon bag has a 15-lb. load capacity.

25% Postconsumer Material

25% Postconsumer Material

8105-00-726-5607

8105-00-145-0163

8105-01-195-8730	JWOD	Clear	Size: 24 x 23"	BX(contains 250 EA)	\$11.50		
The 10-gallon size has a 25% Postconsumer N.		l capacity.					
8105-00-200-0195		Clear	Size: 24 x 24"	BX(contains 100 EA)	\$7.09		
The 12-gallon size has a 50-lb. load capacity. © 25% Postconsumer Material							
8105-00-299-8532		Clear	Size: 20 x 40"	BX(contains 100 EA)	\$10.37		
Each 33-gallon bag has a 50-lb. load capacity. (NFES #0021) \$\cdot 25\% Postconsumer Material\$							
8105-01-183-9768	JWOD	Clear	Size: 33 x 39"	BX(contains 125 EA)	\$19.61		
Each 58-gallon bag has a 50-lb. load capacity.							

Size: 40 x 48"

Clear





Less expensive than a premium-quality bag, this economy-quality bag may split open if punctured by a sharp object.

Heavy-duty bag is designed for cafeteria or mess hall garbage. Does not have closure ties.

The 33-gallon size has a 75-lb. load capacity.

3 25% Postconsumer Material

8105-01-174-0941	<u>CPG</u>	Natural	Size: 33 x 39"	BX(contains 250 EA)	\$19.26
8105-01-175-5532	CPG	Natural	Size: 33 x 40"	BX(contains 250 EA)	\$20.02

The 36-gallon size has a 75-lb. load capacity.

3 25% Postconsumer Material

8105-01-221-3236	CPG	Natural	Size:	BX(contains 250 EA)	\$23.29

The 47-gallon size has a 75-lb. load capacity.

25% Postconsumer Material

8105-01-221-3238	CPG	Natural	Size:	BX(contains 200 EA)	\$21.45
			37 x 45"		

The 58-gallon size has a 75-lb. load capacity.

3 25% Postconsumer Material

8105-01-221-3237	<u>CPG</u>	Natural		BX(contains 250 EA)	\$29.07
			40 x 48''		

The 59-gallon size has a 75-lb. load capacity.

👶 25% Postconsumer Material

8105-01-221-3239	<u>CPG</u>	Natural	Size: 36 x 60"	BX(contains 200 EA)	\$25.44
			30 X 00		

Medium-duty bag is designed for cafeteria or mess hall garbage. Does not have closure ties.

The 33-gallon size has a 50-lb. load capacity.

3 25% Postconsumer Material

33 x 39"	8	
----------	---	--

Light-duty bag is suitable for office trash. Has closure ties.

The 7-gallon size has a 15-lb. load capacity.

🛟 25% Postconsumer Material

8105-00-330-7264	<u>CPG</u>	Clear	Size:	BX(contains 500 EA)	\$9.47
			20 x 22"		

Light-duty bag is suitable for office trash. Does not have closure ties.

The 7-gallon size has a 15-lb. load capacity.

3 25% Postconsumer Material

8105-01-221-3233 Natural Size: BX(contains 2000 EA) \$39.48

The 10-gallon size has a 15-lb. load capacity.

3 25% Postconsumer Material

8105-01-175-5533 Natural Size: BX(contains 1000 EA) \$17.26

The 11-gallon size has a 20-lb. load capacity.

3 25% Postconsumer Material

8105-01-174-0944 Natural Size: BX(contains 500 EA) \$8.94

The 11-gallon size has a 25-lb. load capacity.

3 25% Postconsumer Material

8105-01-174-0945 Matural Size: BX(contains 500 EA) \$11.56

The 14-gallon size has a 15-lb. load capacity.

3 25% Postconsumer Material

8105-01-221-3234	<u>CPG</u>	Natural	Size:	BX(contains 1000 EA)	\$21.68
			24 x 33"		

The 33-gallon size has a 25-lb. load capacity.

3 25% Postconsumer Material

8105-01-174-0943	<u>CPG</u>	Natural	Size:	BX(contains 500 EA)	\$29.00
			33 x 39"		

The 37-gallon size has a 25-lb. load capacity.

3 25% Postconsumer Material

Burn Bag



Entire surface of self-opening bag is printed with 1/4" red and white stripes, separated by blank spaces. Includes the following imprinted message "Burn, Paper Only, Classified Waste."

Bag No. 1/4 (1746 cu. in. capacity)

Contains 20% Recovered Material, Which Includes 20% Postconsumer

Recycle used paper.



The products in this guide are environmentally oriented items. These items may have recycled or biobased content, conserve energy and/or water, or contain reduced pollutants.

Housewares and Cleaning ★ Trash Bags

Recycled Plastic Bag

Trash bags are made of recycled plastic that would otherwise deplete increasingly rare landfill space.

Medium-duty bag has a 7- to 10-gallon capacity and is 1.0 mil thick.

💲 Contains 100% Recovered Material , Which Includes 30% Postconsumer Material

8105-01-386-2289 DI Size: 24 x 24" BX(contains 250 EA) \$21.89

Medium-duty bag has a 20- to 30-gallon capacity and is 1.3 mil thick.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

8105-01-386-2290 DS Size: 30 x 39" BX(contains 100 EA) \$21.57

Medium-duty bag has a 33-gallon capacity and is 1.3 mil thick.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

8105-01-386-2312 DS Size: 33 x 40" BX(contains 100 EA) \$21.91



Heavy-duty bag has a 33-gallon capacity and is 1.5 mil thick.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

8105-01-386-2323 DS Size: 33 x 40" BX(contains 100 EA) \$27.79

Heavy-duty bag has a 40- to 45-gallon capacity and is 1.5 mils thick.

💲 Contains 100% Recovered Material , Which Includes 30% Postconsumer Material

Heavy-duty bag has a 55- to 60-gallon capacity and is 1.5 mils thick.

💲 Contains 100% Recovered Material , Which Includes 30% Postconsumer Material

Heavy-duty bag has a 56-gallon capacity and is 1.5 mil thick.

💲 Contains 100% Recovered Material , Which Includes 30% Postconsumer Material

8105-01-386-2362 D Size: 43 x 49" BX(contains 100 EA) \$40.31

Heavy-duty bag has a 60-gallon capacity and is 1.5 mils thick.

3 Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Heavy-duty bag has a 65-gallon capacity and is 1.5 mils thick.

3 Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

*KITCHEN AND BREAKROOM SUPPLIES Blookie Page

Freezer Wrap

This plastic-coated kraft paper acts as freezer wrap for food.

5% Postconsumer Material

8135-00-584-2698 DE White Width: 20" RO(contains 1000 FT) \$60.78

Waxed Paper



Suitable for wrapping bread, this self-sealing paper is waxed on both sides.

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

For wrapping food, this dry-waxed paper is made of chemical wood.

Each roll is 9 to 10" in diameter.

Contains 5% Recovered Material , Which Includes 5% Postconsumer Material

8135-00-171-1552 White Width: 18" RO(contains 1000 YD) \$124.25

Plastic Bag



Flat, polyethylene bag is for general-purpose uses. Bag includes a reusable interlocking seal closure.

3 25% Postconsumer Material

8105-00-837-7753	<u>CPG</u>	JWOD	Size: 4 x 4"	MX \$13.09
8105-00-837-7754	<u>CPG</u>	JWOD	Size: 6 x 6"	MX \$24.79
8105-00-837-7755	<u>CPG</u>	JWOD	Size: 8 x 8"	MX \$38.43
8105-00-837-7756	<u>CPG</u>	JWOD	Size: 10 x 10"	BX(contains 500 EA) \$30.16
8105-00-837-7757	<u>CPG</u>	JWOD	Size: 12 x 12"	BX(contains 500 EA) \$36.21



Light-duty plastic bag is designed to hold up to 25-lbs. Looped twisted wire closures included.

© Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

GSA supports recycling.

Foam Cup

Disposable, molded polystyrene foam cup is round and smooth, with a rounded edge and tapered sides for stacking. Tall-style cup without handle is for hot or cold liquids. Provides extra insulation for comfortable holding of contents up to 200° F.



CFC-Free Item

7350-00-721-9003	JWOD	Capacity: 6 oz.	BX(contains 1000 EA) \$13.73
7350-00-082-5741	JWOD	Capacity: 8 oz.	BX(contains 1000 EA) \$17.59
7350-00-926-1661	JWOD	Capacity: 10 oz.	BX(contains 1000 EA) \$19.74
7350-00-145-6126	JWOD	Capacity: 16 oz.	BX(contains 500 EA) \$17.79

Paper Tableware



Round, disposable paper cup is tapered to stack easily. It is odorless and leakproof and has a rolled edge. Meets FDA requirements.

Biodegradable, compostable and recyclable cup is made of 100% paper and uses no plastic packaging/packing materials. Tall-style cup without handle is for hot liquids. Uncoated. Suitable for Navy shipboard use. White with dolphin design.

No Hazardous Waste

7350-01-359-9524 PME JWOD Capacity: 9 oz. BX(contains 1000 EA) \$50.56





A. Popular-weight, self-opening paper bag is for normal use for commissaries and shops. Excellent for carrying various items, including groceries.

No. 1/2 bag has a capacity of 29 cu. in.

(Dimensions are approximate.)

8105-00-281-1156 Natural Size: 3 x 1-3/4 x 5-7/8" BE(contains 10000 EA) \$111.78

No. 2 bag has a capacity of 81 cu. in.

(Dimensions are approximate.)

8105-00-281-1158 Natural Size: 4-1/4 x 2-3/8 x 8-1/8" BE(contains 6000 EA) \$71.27

No. 5 bag has a capacity of 187 cu. in.

(Dimensions are approximate.)

8105-00-281-1163 Natural Size: 5-1/2 x 3-3/8 x 10-3/4" BE(contains 3000 EA) \$53.68

No. 8 bag has a capacity of 298 cu. in.

(Dimensions are approximate.)

8105-00-281-1425 Natural Size: 6-1/4 x 3-3/4 x 12-3/4" BE(contains 2000 EA) \$47.08

No. 12 bag has a capacity of 424 cu. in.

8105-00-271-1485 Natural Size: 7 x 4-1/2 x 13-7/8" BE(contains 1000 EA) \$31.79

No. 20 bag has a capacity of 686 cu. in.

(Dimensions are approximate.)

8105-00-286-7308 Natural Size: 8-1/8 x 6 x 14-3/8" BE(contains 1000 EA) \$31.97

No. 25 bag has a capacity of 763 cu. in.

(Dimensions are approximate.)

8105-00-281-1429 Natural Size: 8-1/4 x 5-1/4 x 17-7/8" BE(contains 1000 EA) \$47.38

1/8 barrel bag has a capacity of 954 cu. in.

8105-00-579-9161 Natural Size: 9-3/4 x 6-1/4 x 16-3/8" BE(contains 500 EA) \$24.55

1/4 barrel bag has a capacity of 1746 cu. in.

(Dimensions are approximate.)

8105-00-543-7169 Natural Size: 11 x 7 x 23-1/4" BE(contains 250 EA) \$50.03

B. Heavyweight, self-opening paper bag is perfect for heavy items such as milk jugs and foods in glass jars. No. 116 bag has a capacity of 1,358 cu. in.

(Dimensions are approximate.)

8105-00-022-1319 Natural Size: 12 x 7 x 17" BE(contains 400 EA) \$29.74



Shopping Bag

C. Heavy-duty shopping bag accommodates multiple packages and features two twisted-paper handles for easy carrying. Made of 65-lb. kraft paper, this bag is designed for repeated use.

8105-00-857-2250 Natural Size: 17 x 13 x 7" BD(contains 250 EA) \$67.96

Has a tight-fitting, plastic lid.

CFC-Free Item

7350-00-914-5089	JWOD	Capacity: 8 oz.	BX(contains 1000 EA)	\$28.27
7350-00-914-5088	JWOD	Capacity: 10 oz.	BX(contains 1000 EA)	\$31.57

*AEROSPACE PRODUCTS

Aircraft Coating

Specially formulated for use on aircraft. Resistant to oils, hydraulic fluids, weather, humidity, heat, and solvents. Two-part, polyurethane kit requires no thinner. Suitable for electrostatic spray methods. Dries to touch in four hours; dries hard in 12 hours.



Conforms to MIL-PRF-85285C, Type I, Maximum VOC: 420 g/L.

Dries to a flat finish.

© 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-285-3554	MSDS	CA	Black 37038	Volume: 2 qt.	KT \$25.20
8010-01-397-3983	MSDS	CA	Black 37038	Volume: 2 gal.	KT \$83.48
8010-01-285-2495	MSDS	CA	Blue Gray 35237	Volume: 2 qt.	KT \$25.59
8010-01-305-5551	MSDS	CA	Gray 36118	Volume: 2 gal.	KT \$90.33
8010-01-397-3978	MSDS	CA	Gray 36118	Volume: 2 gal.	KT \$89.78
8010-01-345-6535	MSDS	CA	Gray 36173	Volume: 2 gal.	KT \$87.02
8010-01-353-6550	MSDS	CA	Gray 36176	Volume: 2 gal.	KT \$93.71
8010-01-329-6752	MSDS	CA	Gray 36231	Volume: 2 gal.	KT \$90.96
8010-01-353-6551	MSDS	CA	Gray 36251	Volume: 2 gal.	KT \$91.35
8010-01-344-3218	MSDS	CA	Gray 36270	Volume: 2 gal.	KT \$91.35
8010-01-265-9152	MSDS	CA	Gray 36320	Volume: 2 gal.	KT \$92.93
8010-01-265-9151	MSDS	CA	Gray 36375	Volume: 2 gal.	KT \$89.37
8010-01-265-9149	MSDS	CA	Aircraft Gray 36495	Volume: 2 gal.	KT \$96.08
8010-01-378-6514	IMSDS	CA	Red 31136	Volume: 2 gal.	KT \$90.93

Dries to a semi-gloss finish.

© 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-368-7760	DD MSDS CA	Blue 25177	Volume: 2 gal.	KT \$81.55
8010-01-368-7897	DD MSDS CA	Blue 25414	Volume 2 gal.	KT \$61.49
8010-01-322-8864	DD MSDS CA	Gray 26118	Volume: 2 qt.	KT \$19.72
8010-01-285-2489	DD MSDS CA	Gray 26231	Volume: 2 gal.	KT \$61.42
8010-01-265-9128	DD MSDS CA	Gray 26373	Volume: 2 gal.	KT \$82.50
8010-01-380-2455	DD MSDS CA	Gray 26622	Volume: 2 qt.	KT \$16.12
8010-01-327-9981	MSDS CA	Green 24052	Volume: 2 qt.	KT \$23.63
8010-01-305-5555	MSDS CA	Green 24052	Volume: 2 gal.	KT \$85.52
8010-01-380-1728	DD MSDS CA	White 27886	Volume: 2 qt.	KT \$21.80

Dries to a full gloss finish.

① 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-285-3047	DD MSDS CA	Black 17038	Volume: 1 pt.	KT \$9.28
8010-01-285-3048	MSDS CA	Black 17038	Volume: 2 qt.	KT \$22.05
8010-01-285-3033	MSDS CA	Black 17038	Volume: 2 gal.	KT \$103.95
8010-01-329-6754	DD MSDS CA	Blue 15044	Volume: 1 pt.	KT \$9.74
8010-01-329-6304	DD MSDS CA	Blue 15044	Volume: 2 qt.	KT \$15.08
8010-01-329-8709	MSDS CA	Blue 15044	Volume: 2 gal.	KT \$83.08
8010-01-397-3942	MSDS CA	Blue 15045	Volume: 2 gal.	KT \$84.11
8010-01-380-2440	DD MSDS CA	Blue 15050	Volume: 2 qt.	KT \$17.40
8010-01-380-2336	DD MSDS CA	Blue 15050	Volume: 2 gal.	KT \$71.22
8010-01-285-3043	DD MSDS CA	Blue 15180	Volume: 2 qt.	KT \$17.40
8010-01-285-3044	DD MSDS CA	Blue 15180	Volume: 2 gal.	KT \$18.10
8010-01-380-3302	DD MSDS CA	Gold 17043	Volume 2 qt.	KT \$27.26
8010-01-329-6302	DD MSDS CA	Gray 16081	Volume 2 qt.	KT \$17.98
8010-01-265-9145	MSDS CA	Gray 36375	Volume: 2 qt.	KT \$25.20
8010-01-285-3046	DD MSDS CA	Gray 16440	Volume: 2 qt.	KT \$15.72
8010-01-265-9142	DD MSDS CA	Gray 16440	Volume: 2 gal.	KT \$60.61
8010-01-336-3033	MSDS CA	Gray 16473	Volume: 2 qt.	KT \$22.05
8010-01-336-3032	MSDS CA	Gray 16473	Volume: 2 gal.	KT \$81.90
8010-01-285-2487	DD MSDS CA	Gray 16515	Volume: 2 qt.	KT \$18.00
8010-01-285-3040	DD MSDS CA	Green 14187	Volume: 2 qt.	KT \$19.72
8010-01-285-3041	DD MSDS CA	Green 14187	Volume: 2 gal.	KT \$73.37
8010-01-285-3037	DD MSDS CA	Orange-Yellow 13538	Volume: 1 pt.	KT \$10.44
8010-01-285-3038	MSDS CA	Orange-Yellow 13538	Volume: 2 qt.	KT \$32.29
8010-01-265-9153	MSDS CA	Orange-Yellow 13538	Volume: 2 gal.	KT \$120.25
8010-01-285-3032	DD MSDS CA	Red 11136	Volume: 1 pt.	KT \$9.28
8010-01-265-9154	MSDS CA	Red 11136	Volume: 2 qt.	KT \$27.17
8010-01-265-9139	MSDS CA	Red 11136	Volume: 2 gal.	KT \$104.74
8010-01-285-3035	MSDS CA	White 17925	Volume: 2 qt.	KT \$21.26
8010-01-265-9143	MSDS CA	White 17925	Volume: 2 gal.	KT \$83.08

For a wider array of GSA products, visit

www.GSAglobalsupply.gsa.gov.

Industrial Products ★ Aerospace Products

MSDS

Material Safety Data Sheets are available for products displaying this symbol. Call 1-866-588-7659.

Aircraft Sealing Compound



Ready-to-use aircraft sealant is for sealing and gasketing aircraft access panel doors and other gasketing applications. Pre-formed, gray, odorless, PFTE tape is easily removed and requires no curing. There are no health hazards or special requirements for waste disposal and it maintains a long shelf life. Tape is in accordance with SAE specification AMS 3255.

Class 1: Continuous, ribbed. 1" wide with 25mm width adhesive.

1 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/ EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8030-01-368-7208 MSDS W.L. Gore P/N GUA-1017-1

RO(contains 100 FT) \$1173.35

Class 2: Continuous, non-ribbed. Color: Gray.

Furnished as a roll 0.25" wide and 100 ft. long. Adhesive width: full.

Lead-Free Item According to ASTM/EPA Test Methods; No Hazardous Waste; Nontoxic Item

8030-01-368-7207 MSDS W.L. Gore P/N GUA-1003-1

RO(contains 100 FT) \$527.28

Lacquer



Aircraft touch up lacquer is a protective coating on exterior metal surfaces. Resists diester lubricating oil, it also resists weather, heat, water and hydrocarbons. Use only over an epoxy-polyamide type primer such as MIL-P-23377. Also use as an insignia and marking lacquer over freshly applied epoxy-polyamide topcoat, MIL-C-22750. A thin cross-coat of MIL-P-23377 is necessary over a polyurethane topcoat before application of the acrylic lacquer. VOC-85%. May contain MEK. Dries hard in 40 minutes. MIL-L-81352 superseded by MIL-PRF-81352.

Dries to a flat finish.

Typical VOC 85%.

1 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/ EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-00-935-7079 MSDS JWOD Black 37038 \$4.25

Dries to a full gloss finish.

1 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/ EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-00-935-7075 MSD	JWOD	Dark Gray 16081	PT	\$13.55
8010-00-935-7064 MSD	JWOD	Red 11136	PT	\$4.80

Apply with spray equipment. Typical VOC 645 g/L.

1 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/ EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-00-935-7062 MSDS		Red 11136	GL	\$56.86
8010-00-935-6609 MSDS	JWOD	White 17875	PT	\$4.50

Industrial Products ★ Aerospace Products

This nitrocellulose and alkyd resin-based lacquer can be used on primed metal surfaces as a camouflage finish. Not to be used on bare metal or for hot spray. Withstands water, hydrocarbons and weather. Will not blister or lift when recoated. For metal surfaces pretreated with recommended primer or other coatings. TT-L-20 superseded by CID A-A-3164.

Dries to a flat finish. Apply by spray or brush. Typical VOC 530 g/L.

8010-00-664-7651	MSDS	Black 37038	GL	\$25.37
8010-00-515-1568	MSDS	Gray 36231	GL	\$38.75

This cellulose nitrate-based, durable, protective coating can be used on exterior metal surfaces, such as aircraft. Not for use on bare metal. Water-resistant coating with a Maximum VOC content of 420 g/L. (Formerly A-A-3165.)

Dries to a full gloss finish.

© 24-month maximum shelf life (extendable) Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Benzene-Free Item According to ASTM/EPA Test Methods

8010-00-634-7320 DD MSD:	Red 11136	GL \$35.38
--------------------------	-----------	------------

Nonslip Walkway Compound

Designed for use on aircraft wing walks to provide a safe, non-slip surface during access/egress. Dries hard in 30 minutes. Resists aircraft lubricants, hydraulic fluids, hydrocarbon fuels and deicing fluids.

Maximum VOC: 420 g/L, CID: A-A 59166.

Type II. Rough compound contains grit.


8010-00-641-0427

8010-00-641-0426

8010-00-141-7842

8010-00-141-7838

Olive Drab 34088



GSA supports recycling.



District and D

California South Coast Air Quality Management District Compliant

This symbol indicates that a product has been certified to meet or exceed applicable air emissions standards established by the California South Coast Air Quality Management District.





Mineral spirits are for thinning paints, primers, enamels and varnishes. May also be used as a solvent and as a carrier for alkyd and other resin concentrates in odorless paint. Typical VOC 100%. A-A-2904.

Type I. Regular mineral spirits.

8010-00-242-2089	MSDS	Clear	GL	\$9.45
8010-00-558-7026	MSDS	Clear	CN(contains 5 GL)	\$40.79

For easier application, thinner reduces aircraft coatings to required viscosity. Typical VOC 100%. MIL-T-81772.

Type I. For reducing polyurethane aircraft coatings.

8010-00-181-8080	MSDS	GL \$16.54
8010-00-181-8079	MSDS	CN(contains 5 GL) \$74.81

Type II. For reducing epoxy-polyamide coatings and primers.

© 36-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Mercury-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods

8010-01-200-2637	MSDS	GL \$16.07
8010-01-212-1704	MSDS	CN(contains 5 GL) \$72.45

Type III. For reducing lacquer, acrylic and alkyd coatings and primers.

36-month maximum shelf life (extendable)
 CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods
 Methods

8010-01-165-6760	MSDS	GL	\$19.64
------------------	------	----	---------

Mineral spirits are for thinning paints, primers, enamels and varnishes. May also be used as a solvent and as a carrier for alkyd and other resin concentrates in odorless paint. Typical VOC 100%. A-A-2904.

Type III. Low-odor mineral spirits.

O 36-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; ODS-Free Item; Mercury-Free Item According to ASTM/EPA Test Methods

		0.1	0.1	***
8010-00-837-7969	MSD2	Clear	GL	\$10.24

Paints/Coatings

STAINS, VARNISHES, SEALERS, SHELLACS, LACQUERS AND REMOVERS

A detailed program guide is available from the GSA Centralized Mailing List Service. You may request a copy by e-mailing cmls@qsa.qov.

Contains commercially available product lines used in architectural and furniture applications. Includes environmentally sensitive products.

Refer to the Federal Supply Schedules by number to find out more about the vendors offering these environmentally oriented products. Use the schedule number to request copies of a particular schedule by e-mailing cmls@gsa.gov.

LATEX PAINT Schedule 80 VI A

Covers latex paints, primers and pigments for interior and exterior architectural use. Three gloss levels with applicable primers are available in Federal Standard 595B colors. Fifteen different local and national suppliers have contracted with GSA to place their paints on the schedule. These products are water-based, lead- and chromate-free, and meet architectural VOC limits of a maximum of 250 g/l.

Paint Accessories

SORBENTS - MARINE AND NONMARINE

Quality Solutions for a Variety of Products and Services, Federal Supply Schedule 73.

Special Item Numbers:

375-351

375-352

375-353

Covers a wide range of materials used in cleanup of hazardous or toxic substances such as:

NONMARINE USAGE

- Nonhazardous and nontoxic organic spills (oils, hydraulic fluids, petroleum products, etc.).
- Hazardous and toxic organic spills.

MARINE SPILLS, NONWATER-SOLUBLE

Various types of sorbent material are covered on contract in the form of pillows, pads, booms, drum covers, mats, rolls, sheets, sweeps, socks, spill kits and particulate. Recycled cellulose fiber, polypropylene, peat moss and polymer technology are some of the types of sorbent products on contract. Many are deemed "Environmentally Friendly Products."

*ARCHITECTURAL PRODUCTS

Exterior Oil Paint

This one-coat exterior paint is intended for use on properly primed or previously painted wood, sealed concrete, or primed metal surfaces. Dries to the touch in eight hours and dries hard in 48 hours. Can be applied by spray or brush. MPI (Master Painters Institute) reference: #8 (flat); #9 (gloss); #94 (semi-gloss). (Replaces A-A-3067.)

Dries to a flat finish. Maximum VOC: 250 g/L.

24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-01-396-6783	MSDS	Beige 30450	GL	\$21.59
8010-01-294-9914	MSDS	Brown 30108	GL	\$13.60
8010-01-396-6784	MSDS	Gray 36463	GL	\$14.22
8010-01-294-7135	MSDS	Sand 33617	GL	\$15.13
8010-01-294-7776	MSDS	Sand 33617	CN(contains 5 GL)	\$74.63
8010-01-294-7778	MSDS	Olive Drab 34088	GL	\$25.57

Dries to a semi-gloss finish. Maximum VOC: 250 g/L.

24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-00-169-4673	MSDS	Blue 25352	GL	\$15.79
8010-01-396-6777	MSDS	Brown 20040	GL	\$22.04
8010-01-366-5835	MSDS	Brown 20100	GL	\$18.52
8010-01-295-0239	MSDS	Brown 20095	GL	\$16.12
8010-01-396-6778	MSDS	Green 24108	GL	\$22.04
8010-01-397-3988	MSDS	Green 24190	GL	\$19.66
8010-01-418-5410	MSDS	Sand 20475	GL	\$19.88
8010-01-380-0343	MSDS	Tan 20372	GL	\$21.88
8010-01-396-6781	MSDS	White 27769	GL	\$23.00
8010-01-294-8785	MSDS	Orange 22276	GL	\$30.04
8010-00-598-7267	MSDS	White 27778	GL	\$18.40
8010-01-368-7785	MSDS	White 27875	CN(contains 5 GL)	\$66.67
8010-01-368-7784	MSDS	White 27875	GL	\$13.53
8010-01-418-5412	MSDS	White 27880	GL	\$20.65
8010-01-418-5413	MSDS	White 27925	GL	\$20.65

Visit our newly updated and completely renovated Environmental Programs website at www.gsa.gov/enviro.

Dries to a gloss finish. Maximum VOC: 340 g/L.

8010-01-418-5450	MSDS	Brown 10059	GL	\$21.26
8010-00-597-7848	MSDS	Brown 10371	CN(contains 5 GL)	\$109.93
8010-01-418-5408	MSDS	Gray 16187	GL	\$12.67
8010-01-368-7789	MSDS	Gray 16376	GL	\$15.08
8010-00-584-3331	MSDS	Gray 16492	GL	\$14.05
8010-00-584-3329	MSDS	Green 14516	GL	\$21.23
8010-01-380-0357	MSDS	lvory 17855	GL	\$23.07
8010-01-396-6775	MSDS	Red 11086	GL	\$18.44
8010-01-368-7782	MSDS	White 17875	GL	\$11.25
8010-01-368-7783	MSDS	White 17875	CN(contains 5 GL)	\$107.18
8010-01-380-0332	MSDS	White 17886	CN(contains 5 GL)	\$92.48
8010-01-418-5411	MSDS	White 17925	GL	\$11.25
8010-01-418-5449	MSDS	Yellow 13415	GL	\$18.86
8010-00-664-7074	MSDS	Yellow 13594	GL	\$21.51
8010-01-368-7788	MSDS	Yellow 13711	GL	\$26.55

Remanufactured Latex Paint

This recycled latex paint contains a minimum of 20% unused, reprocessed returned paint. For use on interior or exterior wall board, concrete, stucco, masonry and wood. New wood should be primed prior to application. Color numbers listed below are the approximate color of the paint. Can be applied in temperatures above 50° F by brush, roller, or spray. Maximum VOC: 200 g/L. (CID A-A-3185).

Type III, Class 1. Dries to a flat finish. Contains a minimum of 30% volume solids

© 24-month maximum shelf life (extendable) © 20% Postconsumer Material Remanufactured and Recycled CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Benzene-Free Item According to ASTM/EPA Test Methods

8010-01-433-4820	MSDS CPG	White 37886	GL	\$9.36
8010-01-380-2351	MSDS CPG	Beige 33617	CN(contains 5 GL) \$	\$39.13
8010-01-380-2421	MSDS CPG	Sand 33690	CN(contains 5 GL) \$	\$32.19
8010-01-433-4813	MSDS CPG	Dark Gray 36081	GL	\$6.76
8010-01-433-4819	MSDS CPG	Beige 37769	GL	\$6.54

© 24-month maximum shelf life (extendable) © 20% 50% Postconsumer Material Remanufactured and Recycled CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Benzene-Free Item According to ASTM/EPA Test Methods

8010-01-380-3293 MSDS	White, approx. 37886	CN(contains 5 GL) \$39.13
8010-01-380-2367 MSDS	Gray, approx. 36081	CN(contains 5 GL) \$32.19

Type III, Class 3. Dries to a semi-gloss finish. A minimum of 30% volume solids.

© 24-month maximum shelf life (extendable) © 20% Postconsumer Material Remanufactured and Recycled CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Benzene-Free Item According to ASTM/EPA Test Methods

8010-01-433-4818	MSDSCPG	Beige 27769	GL \$10.35
8010-01-380-2400	MSDSCPG	Beige 27769	CN(contains 5 GL) \$51.77
8010-01-433-4808	MSDSCPG	Blue 35526	GL \$7.82
8010-01-433-4828	MSDSCPG	Dark Brown 20140	GL \$9.86
8010-01-380-2363	MSDSCPG	Dark Brown 20140	CN(contains 5 GL) \$42.59
8010-01-433-4812	MSDSCPG	Gray 26134	GL \$10.40
8010-01-433-4816	MSDS	Dark Gray 26081	GL \$9.81
8010-01-433-4810	MSDSCPG	Green 24491	GL \$9.69
8010-01-433-4823	MSDSCPG	Sand 23690	GL \$8.52
8010-01-433-4809	MSDS	Sand 33690	GL \$7.82
8010-01-433-4826	MSDSCPG	Tan 20372	GL \$10.35

8010-01-380-2447 MSDS @ Red/Brown 20100 CN(contains 5 GL) \$51.77

Interior Wall Paint





Flat latex based paint for interior walls and ceilings. May be applied to previously painted wood, plaster or drywall surfaces. Maximum VOC 250 g/L. MPI (Master Painters Institute) reference #138-flat. (Replaces TT-P-002119)

© 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods

8010-00-045-3478	MSDS	JWOD White 37778	GL	\$15.88
8010-00-463-7063	MSDS	JWOD White 37778	CN(contains 5 GL)	\$72.39
8010-00-598-5733	MSDS	JWOD White 37875	GL	\$15.94
8010-00-598-5730	MSDS	JWOD White 37875	CN(contains 5 GL)	\$71.55

Interior Oil Paint

For use as a decorative coating on interior walls and ceilings, this readymixed paint has a heavy consistency and good sealing properties. On porous surfaces, this non-penetrating paint provides a uniform finish without the use of special primers or sealers. Washable, high-hiding paint dries to the touch in two hours and dries hard to a flat finish in seven hours. Can be applied by spray, brush or roller. Typical VOC: 420 g/L. Master Painter's Institute reference: #138 (flat). Replaces TT-P-47G.


(1) 24-month maximum shelf life (extendable) Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-00-584-3147	MSDS	Green 34516	GL \$15.58
8010-00-584-3140	MSDS	Orange 32648	CN(contains 5 GL) \$71.72

Interior Washable Enamel

This odorless alkyd-based semi-gloss enamel is intended for use on walls and woodwork where washability is required, such as hospitals, kitchens, laundries, and bathrooms.

A-A-50574 or MPI reference: #47 (semi-gloss, interior).





8010-01-441-5934	MSDS	White 27875	GL	\$14.50
8010-01-441-5927	MSDS	Candlelight White 27778	GL	\$29.83

Easy ordering, fast delivery... call 1-800-525-8027 today!

*INDUSTRIAL MAINTENANCE PRODUCTS

Aerosol Enamel



Fast-drying, general-purpose interior and exterior enamel is perfect for coating small objects and areas. For use on metal, wood, plaster, masonry, stone, glass, leather, fiber, and previously painted surfaces. Packaged in an aerosol can that sprays easily without sputtering, using moderate finger pressure. User should shake by hand for one minute before using. Complies with the Volatile Organic Compound requirements of California Code of Regulations. A-A-2787.

Type I. Solvent-thinned enamel. VOC: 60%

© 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods

8010-01-363-3375	DD MSDS CA	JWOD	Gray 36081	BX(contains 12 EA)	\$64.12
8010-01-363-3373	MSDS CA	JWOD	Gray 36251	PT	\$7.39
8010-01-332-3744	DD MSDS CA	JWOD	Green 34558	BX(contains 12 EA)	\$64.12

Aerosol Primer



General-purpose primer is designed for interior and exterior use on metal, wood and plastic surfaces. It is water resistant. Dries to the touch in 10 minutes and dries hard to a semi-gloss finish in two hours. Contains a flammable substance. Comes in an aerosol can that sprays no CFCs or vinyl chloride. Container cap is approximate color of contents. Typical VOC 85%. (formerly A-A-1551).

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; ODS-Free Item; Mercury-Free Item According to ASTM/EPA Test Methods

8010-00-616-9181	MSDS	JWOD Light Grav 26440	PT	\$3.32

Aerosol Primer for Metal

Use this general-purpose interior- and exterior-use primer on metal surfaces. It has a ferric oxide pigment base and is water and salt spray resistant and lead-free. Dries to the touch in 30 minutes and dries hard to a flat finish in two hours. Contains a flammable substance. Comes in an aerosol can that sprays easily. Propellant contains no CFCs or vinyl chloride. Container cap is approximate color of contents.

Typical VOC 85%.(formerly A-A-1552).

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods

8010-00-067-5434	MSDS	JWOD Dull Red 30109	PT	\$3.20
------------------	------	---------------------	----	--------

Wall Primer

Water-resistant primer is for exterior use as an undercoat on previously unpainted wood surfaces during two-coat painting. May also be used as a first coat in repainting weathered wood surfaces. Should not be used as a finish coat. Dries to the touch in four hours and dries hard in 18 hours. Apply by spray or brush. Typical VOC 250 g/L. Master Painters Institute (MPI) Standard 5-Alt Alkyd, Standard 7-Oil Alkyd. (Formerly TT-P-25)

① 24-month maximum shelf life (extendable) Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-00-282-9414 DD MSDS	White 27875	GL	\$13.53
8010-00-165-8566 DD MSDS	White 27875	CN(contains 5 GL)	\$73.08

Latex Paint



Acrylic latex paint is designed for exterior use on concrete, masonry, stucco and wood. Durable and long-lasting, this non-toxic paint dries to the touch in 10 minutes and dries hard to a flat finish in two hours. Applied by spray, brush or roller. (New wood must be prepared with oil-based primer before use.) Maximum VOC: 250 g/L. Master Painters Institute (MPI) reference: #10 (flat). (Formerly TT-P-19D.)

8010-00-418-4669	MSDS	Beige 31643	CN(contains 5 GL)	\$62.20
8010-00-823-7964	MSDS	JWOD Black 37038	GL	\$17.48
8010-00-418-4667	MSDS	Gray 36492	CN(contains 5 GL)	\$63.60
8010-00-055-5183	MSDS	Gray 36595	GL	\$13.71
8010-00-055-5100	MSDS	JWOD Ivory 37855	GL	\$19.86
8010-00-823-7962	MSDS	JWOD White 37875	GL	\$19.61
8010-00-419-8541	MSDS	JWOD White 37875	CN(contains 5 GL)	\$89.08
8010-00-418-4668	MSDS	Yellow 33727	CN(contains 5 GL)	\$91.85

MISCELLANEOUS METAL PARTS PRODUCTS

Alkyd Enamel



Alkyd enamel is designed for use on primed interior wood and metal surfaces and is highly effective on smooth, exterior metal. Also great for finishing or refinishing automobiles and construction equipment. Resists weather, water and hydrocarbons. Dries to the touch in two hours and dries hard in eight hours. Master Painters Institute (MPI) reference #49 (flat) (Not to be used for painting houses or interior plastered walls.)

Dries to a flat finish.

Applied by spray or brush. Maximum VOC: 420 g/L.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-00-664-7656	DD MSDS	Black 37038	CN(contains 5 GL)	\$154.61
8010-00-598-5465	DD MSDS	Brown 30117	GL	\$14.99
8010-00-597-7841	DD MSDS	Brown 30279	GL	\$23.25
8010-00-526-1612	DD MSDS	Green 34052	GL	\$28.94
8010-00-598-5458	DD MSDS	Green 34127	GL	\$15.20
8010-00-597-7858	DD MSDS	Green 34424	GL	\$15.52

Aerosol. Typical VOC: 85%.

© 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-00-616-9143	MSDS	JWOD Black 37038	PT	\$3.06
8010-00-348-7715	MSDS	JWOD Gray-Brown 30372	PT	\$2.95

A 340-gram-per-liter (maximum)/2.8-pound -per-gallon (maximum) volatile organic content (VOC) complying paint. The paint is a light gray equipment enamel (Navy Formula No. 111) for shipboard use as a topcoat on equipment, machinery, furniture, and electrical equipment, such as switchboard installations. This product may be used wherever VOC air pollution regulations apply. The light gray equipment enamel covered by this specification is an air-dry, solvent-based coating for use in all interior dry areas, including applications covered by reactor plant painting schedules. MIL-DTL-15090.

24-month maximum shelf life (extendable) Low-VOC Item;
NESHAPs compliant

8010-01-441-5907	Gray 26307	QT \$7.13	
------------------	------------	-----------	--

Acrylic Enamel

An acrylic enamel, house paint that is intended for use on exterior primed metal, concrete, masonry and wood. This waterborne product may also be used for interior application and in areas where air pollution regulations limit the use of solvent-based coatings. Provides a durable long-lasting coating when applied over properly prepared surfaces and is characterized by excellent gloss retention. Maximum VOC 250 g/L. MPI reference #53-flat, interior; #52-Eggshell, interior; #54-Semigloss, interior; #114-gloss, interior; #10-flat, exterior; #11- Semi-gloss, exterior; #119-gloss, exterior (replaces TT-E-2784A).

Dries to a semi-gloss finish.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-01-333-7766	DD MSDS	Black 27038	GL \$12.98
8010-01-371-9190	DD MSDS	Ivory 27778	GL \$13.15
8010-01-381-0136	DD MSDS	Light Green 24664	PT \$7.32
8010-01-333-7764	DD MSDS	Olive Drab 24084	GL \$13.84
8010-01-333-7762	DD MSDS	White 27875	GL \$13.03
8010-01-380-3288	DD MSDS	White 27880	CN(contains 5 GL) \$62.95
8010-01-380-3299	DD MSDS	White 27925	CN(contains 5 GL) \$57.86

Dries to a full gloss finish.

8010-01-333-9826	DD MSDS	Black 17038	QT \$5.68
8010-01-336-0529	DD MSDS	Black 17038	GL \$15.03
8010-01-333-9819	DD MSDS	Blue 15050	GL \$15.20
8010-01-333-9821	DD MSDS	Blue 15123	GL \$14.92
8010-01-333-9448	DD MSDS	Brown 10080	GL \$15.34
8010-01-336-0525	DD MSDS	Gray 16251	GL \$16.93
8010-01-435-2136	DD MSDS	Ivory 27778	CN(contains 5 GL) \$62.95
8010-01-333-9446	DD MSDS	Olive Green 14064	GL \$14.96
8010-01-333-9811	DD MSDS	Int'l Orange 12197	GL \$21.63
8010-01-333-9823	DD MSDS	Purple 17142	GL \$21.63
8010-01-333-9814	DD MSDS	Red 11105	QT \$12.37
8010-01-333-9813	DD MSDS	Red 11105	GL \$20.92
8010-01-435-2128	DD MSDS	Sierra-Brown 10219	GL \$15.69
8010-01-418-5419	DD MSDS	White 17773	GL \$14.99
8010-01-333-9449	DD MSDS	White 17875	GL \$14.60
8010-01-333-9830	DD MSDS	Yellow 13538	QT \$5.68
8010-01-333-9450	DD MSDS	Yellow 13538	GL \$20.92
8010-01-334-3000	DD MSDS	Yellow 13655	GL \$21.63

Ammunition Enamel



Synthetic alkyd enamel is a finishing coat for phosphated or primed metal surfaces and ammunition components. Do not use on automotive equipment. Resistant to water, salt spray and weather; not resistant to hydrocarbons. May contain lead. Dries to the touch in six minutes and dries hard to a flat finish in 10 minutes. Aerosol spray.

Typical VOC: 85%.

8010-00-910-8154	MSDS	JWOD	Black 37038	PT	\$2.98
8010-01-167-1139	MSDS	JWOD	Gray 36375	PT	\$3.02
8010-00-848-9272	MSDS	JWOD	Olive Drab 34088	PT	\$3.04

Boot Topping Paint



Use boot-topping paint on wooden or properly prepared steel boats. Protects the area between light and full-load waterlines from combined effects of water and weather. Alkyd resinphenolic varnish base is lead free. Dries to the touch in two hours and dries hard to a semigloss finish in five hours. Applied by spray, brush or roller. Typical VOC: 390 g/L. Navy Formula 3.

12-month maximum shelf life (extendable) CFC-Free Item; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-00-286-9080	MSDS	Black 27038	CN(contains 5 GL)	\$96.86

Shop any way you like...

■ Online (24 hours): www.GSAglobalsupply.gsa.gov

■ Phone: 1-800-525-8027

■ Fax: 1-800-856-7057

Epoxy Ship Paint

Epoxy-polyamide finish coat protects bilges, tanks, exterior underwater hulls and other components of a ship. The hard, durable and chemically resistant coating is appropriate for sandblasted steel, aluminum or fiberglass surfaces. Resistant to water immersion and solvents.



Nonporous. Dries to a semigloss finish. Apply by spray or brush. Kit consists of equal quantities of components A and B. MIL-DTL-24441.

Type III. Three coat system. Maximum VOC: 340 g/L; 2.8 lbs/gal.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

8010-01-350-4744	MSDS	Dark Gray-Ro=1.8	Part A: 1 gal.; Part B: 1 gal.	KT	\$51.75
8010-01-350-4743	MSDS	White 27886	Part A: 1 gal.; Part B: 1 gal.	KT	\$70.62
8010-01-350-4742	MSDS	Green 24272	Part A: 1 gal.; Part B: 1 gal.	KT	\$57.76
8010-01-350-4741	MSDS	Haze Gray 26270	Part A: 1 gal.; Part B: 1 gal.	KT	\$58.26
8010-01-350-4745	MSDS	Red 20152	Part A: 1 gal.; Part B: 1 gal.	KT	\$68.32

Navy formula 150, primer.

© 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

8010-01-302-3608 MSDS	Green 24272	Part A: 5 gal.; Part B: 5 gal.	KT	\$267.15
8010-01-347-0916 MSDS	Green 24272	Part A: 1 qt.; Part B: 1 qt.	KT	\$17.18

Navy formula 151.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

8010-01-302-6838	MSDS	Haze Gray 26270	Part A: 5 gal.;	KT \$270.46
			Part B: 5 gal.	

Navy formula 152.

8010-01-302-3606	MSDS	White 27886	Part A: 5 gal.;	KT \$332.12
			Part B: 5 gal.	

Navy formula 153.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

8010-01-302-3604	MSDS	Dark GrayRo=1.8	Part A: 5 gal.;	KT	\$275.63	
			Part B: 5 gal.			

Navy formula 154.

• 24-month maximum shelf life (extendable) CFG-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

• ASTM/EPA Test Methods

• ASTM/EPA Test Metho

8010-01-302-3605	MSDS	Dark Gray-R3.6	Part A: 5 gal.;	KT	\$276.26
			Part B: 5 gal.		

Navy formula 156.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

8010-01-302-3607	MSDS	Red 20152	Part A: 5 gal.; Part B: 5 gal.	KT	\$319.96

Marine Coating



This silicone alkyd copolymer (solvent-based) enamel is intended for use on primed, smooth metal, fiberglass, wood and plastic/composite surfaces. Highly weather-resistant enamel has excellent color and gloss retention, good drying, freedom from aftertack, and good flexibility. For brush, roller or spray application. Maximum VOC: 340 g/L (2.8 lbs/gl.). Conforms to MIL-PRF-24635.

Type II, Class 1. Dries to a high-gloss finish (85% minimum).

© 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Benzene-Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-350-5239	DD MSDS	Black 17038	GL \$34.96
8010-01-344-6695	DD MSDS	Black 17038	CN(contains 5 GL) \$174.45
8010-01-360-9304	DD MSDS	Blue 15182	GL \$37.06
8010-01-360-8068	DD MSDS	Blue-Gray 16099	GL \$31.51
8010-01-360-9307	DD MSDS	Buff 10371	GL \$36.47
8010-01-374-8955	DD MSDS	Gray 16076	CN(contains 5 GL) \$260.50
8010-01-374-8954	DD MSDS	Gray 16099	CN(contains 5 GL) \$149.49
8010-01-368-7793	DD MSDS	Gray 16307	GL \$37.06
8010-01-344-6704	DD MSDS	Gray 16307	CN(contains 5 GL) \$161.59
8010-01-360-9306	DD MSDS	Orange 12197	GL \$48.72
8010-01-360-9305	DD MSDS	Orange-Red 12199	GL \$48.72
8010-01-349-9006	DD MSDS	Red 11105	CN(contains 5 GL) \$229.78
8010-01-360-8067	DD MSDS	White 17875	GL \$31.51
8010-01-344-6699	DD MSDS	White 17875	CN(contains 5 GL) \$147.02
8010-01-349-9005	DD MSDS	Yellow 13538	CN(contains 5 GL) \$243.60

Type II, Class 2. Dries to a medium-gloss finish (45 to 60%).

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Benzene-Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-344-5320	MSDS	Black 27038	GL	\$41.17
8010-01-344-6701	MSDS	Black 27038	CN(contains 5 GL)	\$207.21
8010-01-365-8832	DD MSDS	Brown 20056	GL	\$43.50
8010-01-382-1896	DD MSDS	Brown 20117	GL	\$35.96
8010-01-344-5312	MSDS	Brown 20109	GL	\$38.41
8010-01-344-6700	MSDS	Brown 20109	CN(contains 5 GL)	\$186.42
8010-01-344-5314	MSDS	Gray 26008	GL	\$33.99
8010-01-350-4727	MSDS	Gray 26008	CN(contains 5 GL)	\$134.44
8010-01-344-5317	MSDS	Gray 26307	GL	\$35.97
8010-01-353-9055	MSDS	Gray 26307	CN(contains 5 GL)	\$174.46
8010-01-344-6702	MSDS	Gray 26231	CN(contains 5 GL)	\$215.08
8010-01-356-2941	DD MSDS	Gray 26231	GL	\$32.74
8010-01-344-5321	MSDS	White 27875	GL	\$36.05
8010-01-344-5322	MSDS	White 27875	CN(contains 5 GL)	\$135.80
8010-01-344-6690	DD MSDS	White 27886	CN(contains 5 GL)	\$154.43
8010-01-382-1810	DD MSDS	White 27886	GL	\$32.18
8010-01-344-6691	DD MSDS	Yellow 23578	CN(contains 5 GL)	\$192.68
8010-01-365-8834	DD MSDS	Yellow 23695	GL	\$42.00

Dries to a low-gloss finish (15 to 30). Type II, Class 3.

8010-01-356-2938	DD MSDS	Black 37038	GL	\$29.65
8010-01-344-6703	MSDS	Black 37038	CN(contains 5 GL)	\$197.90
8010-01-382-1864	DD MSDS	Gray 36270	GL	\$49.24
8010-01-344-6696	DD MSDS	Gray 36270	CN(contains 5 GL)	\$244.80
8010-01-344-5313	DD MSDS	Green 34097	GL	\$30.42

Metal Primer



Use this iron oxide-alkyd resin primer alone or with enamel or lacquer on ferrous and nonferrous chemically pretreated metals. Do not use around marine areas. Dries to the touch in 10 minutes and dries hard in 45 minutes. Applied by spray. Typical VOC: 420 g/L. (Formerly TT-P-664) SSPC-25 (Society for Protective Coatings).

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-00-292-1127	MSDS	Red	GL	\$30.32
8010-00-161-7275	MSDS	Red or Brown	CN(contains 5 GL)	\$149.23

Didn't find an item you want?

We can help! Call 1-800-525-8027.

Metal Primer and Surfacer



Use this cellulose nitrate primer as a surfacing coat over primed steel (e.g., metal desks, automotive equipment and similar metal surfaces) before applying a gloss enamel or lacquer topcoat. Obliterates scratches or slight surface imperfections. Has satisfactory wet and dry sanding characteristics; resists water and hydrocarbons. Dries through to a flat finish in 10 minutes. Apply by spray. Typical VOC: 720 g/L. (formerlyTT-P-662).

8010-00-687-8191 MSDS

Blue-Gray 36231

SL \$31.07

Rust-Inhibiting Coating



Use as a rust-inhibiting primer coating over rusty steel surfaces after all loose rust, scale or other debris is removed. Good for areas where only a minimum of surface preparation can be completed. Use topcoat with compatible alkyd based paint. Maximum VOC: 350 g/L (formerly TT-C-530).

8010-00-852-8013 MSDS

Red

SL \$29.78

Rust-Inhibiting Enamel



Rust-inhibiting paint cleans and treats metals such as sheet metal, ammunition containers, landing mats, pipeline equipment, gasoline drums, vehicles, certain rail equipment and Marine Corps tactical and combat equipment. Contains lead. Water, weather, hydrocarbon and salt spray resistant. Dries to a semigloss finish. MIL-E-11195.

Type II. Dries to the touch in three hours, dries hard in 72 hours.

Aerosol spray can. Typical VOC: 85%.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods

8010-00-598-5936 MSDS JWOD Olive Drab 24084 PT \$3.12

It is GSA's policy to offer products that fully comply with all applicable environmental regulations and Executive orders.

*ADDITIONAL AND RELATED PRODUCTS

Dropcloth



Disposable dropcloths made from white 100% recycled heavy weight absorbent paper laminated to polyethylene plastic. The paper absorbs liquids and the plastic provides a moisture barrier for general protection of floors, carpets and furniture from paint, plaster and texturing drippings and from dust.

Drapable narrow dropcloths particularly suited for use in hallways.

3 100% Recycled

8340-01-444-3652 JWOD Size: PG(contains 2 EA) \$2.43

Rectangular dropcloth designed for use in rooms.

🛟 100% Recycled

8340-01-444-3653 JWOD Size: 9 x 12 ft. EA \$2.43

Epoxy Repair Kit



Use this kit to repair M149 trailer tanks. Kit contains steel wire and fiberglass reinforcing material, 250-ml polyester body filler, 750-ml epoxy resin, polyurethane foam, silica, white pigment and accessories.

8010-01-060-7176 MSDS KT \$93.16

Fluorescent Lacquer

Fast-drying, general-purpose interior and exterior lacquer provides a fluorescent finish for bright daytime visibility on small objects or areas. Use on metal, wood, plaster, masonry, stone, glass, leather, fiber and previously painted surfaces. For maximum visibility apply over a white, fast-drying, lacquer-resistant primer. Stays flexible and resists oils, moisture and tarnish. Dries to the touch in 15 minutes and dries hard in two hours. Comes in an aerosol can. Propellant contains no chlorofluorocarbons or vinyl chloride. Typical VOC: 85%.



① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-00-958-8148 MSDS JWOD Orange 38903 PT \$3.78

MSDS

Material Safety
Data Sheets are
available for
products displaying this
symbol. Call
1-866-588-7659.

In response to your specific requests, we are constantly adding new items to our shelves and catalogs.

Fire-Retardant Enamel



This fire-retardant enamel is designed for use on primed or painted metal bulkheads. The chlorinated alkyd resin enamel forms a dry, rust-resistant film that will not burn. It retards combustion, but will not prevent burning of base material. Dries to the touch in two hours; dries hard (to a semi-gloss finish) in six hours. Applied by spray or brush. May be used with hot spray equipment. Maximum VOC: 340 g/L. TPD-24607.

• 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

8010-01-344-5087	DD MSDS	Blue 24516	GL \$36.24
8010-01-344-5106	DD MSDS	Blue 25526	CN(contains 5 GL) \$181.17
8010-01-344-5094	DD MSDS	Gray 26493	GL \$36.24
8010-01-344-5105	DD MSDS	Gray 26493	CN(contains 5 GL) \$181.17
8010-01-344-5092	DD MSDS	Gray 26496	GL \$36.24
8010-01-344-5103	DD MSDS	Gray 26496	CN(contains 5 GL) \$181.17
8010-01-344-5090	MSDS	Green 24585	GL \$38.19
8010-01-344-5101	MSDS	Green 24585	CN(contains 5 GL) \$153.17
8010-01-344-5086	DD MSDS	Rosewood 22519	GL \$36.24
8010-01-344-5085	DD MSDS	Sand 22563	GL \$36.24
8010-01-344-5096	DD MSDS	Sand 22563	CN(contains 5 GL) \$181.17
8010-01-344-5089	MSDS	White 27880	GL \$38.19
8010-01-344-5100	MSDS	White 27880	CN(contains 5 GL) \$136.16
8010-01-344-5088	DD MSDS	Yellow 23697	GL \$36.24
8010-01-344-5099	DD MSDS	Yellow 23697	CN(contains 5 GL) \$181.17
8010-01-344-5093	DD MSDS	Yellow-Gray 26400	GL \$36.24

Heat-Resistant Paint

For use on heated steel surfaces such as superheated steam lines, rocket launchers, boiler castings, drums and heaters. This aluminum paint resists water, hydrocarbons, salt spray and weather. Dries to the touch in one hour and is hard in three hours. Applied by brush or spray; may be baked. Withstands continuous temperatures up to 1200° F. (Formerly TT-P-28) MPI Intended Use Standard #22.



Withstands temperatures up to 1200° F. Typical VOC: 500 g/L.

① 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Benzene-Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-00-664-7468	MSDS	Aluminum	QT	\$18.29
8010-00-815-2692	MSDS	Aluminum	GL	\$38.32
8010-00-857-1938	MSDS	Aluminum	CN(contains 5 GL)	\$264.02

Type I - VOC not to exceed 420 grams per liter (g/L). TPD 1000A.

8010-01-344-5119	MSDS	Aluminum	GL	\$47.09
8010-01-344-5120	MSDS	Aluminum	CN(contains 5 GL)	\$227.59

Paint has a ceramic-silicone resin base and is intended for exterior use on prepared surfaces subject to temperatures up to 1400° F. Also ideal for use on mufflers, manifolds, and stacks, this paint provides excellent protection against corrosion and chemical attack. Resistant to water, weather, and 100 hours of salt spray. Can be applied by brush or spray; also may be baked. Dries to a flat finish. Maximum VOC: 420 g/L. MIL-P-14105.



① 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-235-4165	DD MSDS CA	Black 37030	QT	\$38.42
8010-01-235-2695	DD MSDS CA	Brown 30051	GL	\$108.00
8010-01-235-2693	DD MSDS CA	Green 34094	QT	\$45.65
8010-01-235-4166	MSDS CA	Black 37030	GL	\$123.45
8010-01-235-4164	MSDS CA	Green 34094	GL	\$129.43
8010-00-616-4009	MSDS CA	Olive Drab 34088	GL	\$131.28

Masonry Paint



Use on concrete and masonry floors and walls subject to dampness. Not for exterior use or exposure to sunlight. Has good resistance to water, chemicals, mineral oils and grease, as well as to abrasion and scrubbing. Dries to the touch in 45 minutes and dries hard to a gloss finish in three hours. Apply by brush (Formerly A-A-3121; TT-P-91).

© 24-month maximum shelf life (extendable) CFG-Free Item;
Cbromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item
According to ASTM/EPA Test Methods; ODS-Free Item; Mercury-Free Item
According to ASTM/EPA Test Methods

8010-00-297-2102	MSDS	Gray 16187	CN(contains 5 GL)	\$143.80
8010-00-597-8198	MSDS	Grav 16376	CN(contains 5 GL)	\$143.80

Nonflaming Fire-Protective Coating



This paint is formulated for use in situations that require a coating that will not become actively involved in a fire or contribute to fire propagation. Whenever possible, coating should be applied over a surface that has been degreased, sandblasted and primed to promote adhesion. This coating is suitable for general use on interior ship surfaces. It is resistant to water and hydrocarbons. Maximum VOC: 250 g/L. MIL-PRF-24596 (formerly DOD-C-24596).

Type I: Non-intumescing, non-flaming; Class 1: Surface ship, general usage; Application A = steel, and Application B = aluminum.

8010-01-208-7777 MSDS CA White 27880 CN(contains 5 GL) \$238.06

Low VOC Aerosol Primer



Designed for use on pretreated-metal surfaces. Use alone or with a topcoat of enamel or lacquer. Resistant to corrosion, weather, water, hydrocarbons and salt spray. Comes in an aerosol can that sprays easily. Hand shake for one minute before using. Primer contains no halogenated solvents or propellants. Container cap is approximate color of contents. Typical VOC: 60%.

© 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8010-01-368-2632	MSDS	JWOD	Green 34082	PT	\$5.17
8010-01-368-2633	MSDS	JWOD	Yellow 33637	PT	\$5.37

Paint Remover

Nonflammable, nonabrasive and noncorrosive remover contains organic solvents and evaporation retardants. Easily flushes loosened paint and solvent from magnesium, highstrength steel alloy and aluminum surfaces. Leaves no residue. Apply by brush, mop or nonatomizing spray. (MIL-R-81294 is inactive for new design and is no longer used except for replacement purposes).



Type I, Class 1. Phenolic remover is chromate inhibited. Designed to remove epoxy (MIL-P-23377) primers topcoated with either polyurethane (MIL-C-83286) or epoxy (MIL-P-22750] paints from high-altitude aircraft. Local waste treatment regulations and facilities should be investigated prior to use.

• 12-month maximum shelf life (extendable) CFC-Free Item; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAPs compliant

Output

Description:

12-month maximum shelf life (extendable)

13-month maximum shelf life (extendable)

14-month maximum shelf life (extendable)

15-month maximum shelf life (extendable)

16-month maximum shelf life (

8010-00-142-9273	MSDS	PT	\$11.80
8010-00-181-7568	MSDS	GL	\$14.95
8010-00-926-1488	DD MSDS	CN(contains 5 GL)	\$74.63
8010-00-926-1489	MSDS	DR(contains 55 GL)	\$455.18

Paint remover with organic solvent loosens coatings for scrape-off removal. Use indoors and outdoors on finished wood and metal surfaces. Contains paintable fire retardant. Removes air-dried, single-coat films of oleoresinous and alkyd coatings. (Formerly TT-R-251)

Type III. Nonflammable remover. Solvent cleaning of surfaces prior to refinishing not required. Typical VOC: 140 g/L.

Class B. Use on vertical surfaces.

(12-month maximum shelf life (extendable) CFC-Free Item; Lead-Free Item According to ASTM/EPA Test Methods

8010-00-160-5800	MSDS	GL \$23.55
------------------	------	------------

Soybean oil-based; capable of removing aviation and anti-fouling marine paints; single application removes multiple coats without the need to sand; virtually no odor; cleans up easily with water; contains biobased material and is 100% biodegradable.

Biobased

8010-01-502-7343	MSDS	Franmar Chemical P/N MSQT	QT	\$15.16
8010-01-502-7344	MSDS	Franmar Chemical P/N MS1G	GL	\$55.96
8010-01-502-7345	MSDS	Franmar Chemical P/N MS2G	CN (contains 2.5 GL)	\$130.36
8010-01-502-7346	MSDS	Franmar Chemical P/N MS5G	CN (contains 5 GL)	\$239.96
8010-01-502-7347	MSDS	Franmar Chemical P/N MSDR	DR (contains 55 GL)	\$2418.04

Soybean oil-based general-purpose gel paint remover. Capable of removing all types of paints, urethanes and enamels, including both oil and water based coatings, lead based paint, varnishes and urethanes. A single application removes multiple coats without sanding; virtually no odor; cleans up easily with water; contains biobased material and is 100% biodegradable.

Biobased ...

8010-01-502-9353	MSDS	Franmar Chemical P/N SGQT	QT	\$13.56
8010-01-502-9354	MSDS	Franmar Chemical P/N SG1G	GL	\$39.96
8010-01-502-9355	MSDS	Franmar Chemical P/N SG2G	CN (contains 2.5 GL)	\$87.96
8010-01-502-9356	MSDS	Franmar Chemical P/N SG5G	CN (contains 5 GL)	\$159.96
8010-01-502-9357	MSDS	Franmar Chemical P/N SGDR	DR (contains 55 GL)	\$1537.80

Soybean oil-based general-purpose cleaner; capable of quickly and safely removing grease, tar, paint, permanent marker and tape residue from any hard surface; contains biobased material and is 100% biodegradable.

8010-01-502-9363 Franmar Chemical \$10.36 P/N ICQT 8010-01-502-9364 Franmar Chemical \$27.96 P/N IC1G 8010-01-502-9365 Franmar Chemical CN \$119.96 P/N IC5G (contains 5 GL) 8010-01-502-9366 Franmar Chemical DR \$1097.80 P/N ICDR (contains 55 GL)

Thinner



For thinning cellulose nitrate-based lacquers and dopes to facilitate spraying. Also for use in brush conditioner. Thinner has an acetate-alcohol-naphtha-ketone formulation and contains a flammable substance. Typical VOC 100%. A-A-857.

1 36-month maximum shelf life (extendable)

CFG-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Mercury-Free Item According to ASTM/EPA Test Methods

8010-00-160-5787	MSDS	GL	\$12.17
8010-00-160-5788	MSDS	CN(contains 5 GL)	\$48.12

Paint Thinner



For thinning synthetic alkyd paints. Does not contain benzene, ethylbenzene, chlorinated solvents, or any other Hazardous Air Pollutants. Commercial Item Description A-A-3007.

1 36-month maximum shelf life (extendable)

**CFG-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Benzene-Free Item According to ASTM/EPA Test Methods

8010-01-441-5940	MSDS	GL	\$10.16
8010-01-441-5941	MSDS	CN(contains 5 GL)	\$44.10

GSA Global Supply—

Your Reliable Government Source.

Phosphorescent Paint

Complete kit provides phosphorescent paint that glows in the dark after exposure to radiant energy. Ideal for luminescent marking of interior surfaces only. Provides high initial brightness and a short, 60 minute afterglow. Kit consists of 1 qt. of white alkyd primer, 1 qt. of satin finish clear varnish, 1 qt. of yellow-green phosphorescent paint,



and 1 qt. of ordorless mineral spirits thinner.

① 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; ODS-Free Item; Mercury-Free Item According to ASTM/EPA Test Methods

8010-00-664-0019	MSDS	Yellow-Green	KT	\$170.89
------------------	------	--------------	----	----------

Polyurethane Coating



Use on ground support and weapons systems. Coating is resistant to oils, hydraulic fluids, weather, humidity, heat and solvents. Kit consists of a container of pigmented polyester resin component, a container of clear aliphatic isocyanate resin curing agent and, if necessary, a container of thinner. MIL-T-81772 Type I thinner required for thinning or reducing. Compounds are provided in proper proportions to equal total quantity of kit. Suitable for electrostatic spray. Dries to the touch in three hours and dries hard in eight hours. Easily stripped with MIL-R-81294 Type I Class 1 paint remover. Maximum VOC 340 g/L. Conforms to MIL-PRF-85285C, Type II.

Dries to a semi-gloss finish.

① 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-330-3435 MSDS CA Green 24052 Volume: 2 gal. KT \$99.23

Dries to a full gloss finish.

① 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-293-0789	MSDS CA	White 17925	Volume: 2 qt.	KT	\$25.20
8010-01-293-6182	MSDS CA	White 17925	Volume: 2 gal.	KT	\$98.44

Polyurethane Unicoat



Unicoat is a self-priming polyurethane topcoat for exterior use on aircraft, weapons systems and other surfaces. Use in lieu of standard primer/topcoat systems. Promotes protection of metallic and polymeric substrates. Suitable for both electrostatic and nonelectrostatic applications. Maximum VOC: 420 g/L. TT-P-2756A; QPL-TT-P-2756-1

Dries to a flat finish.

① 24-month maximum shelf life (extendable) Chromate-Free Item

According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/
EPA Test Methods; Low-VOC Item; Cadmium Free According to ASTM/
U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/
EPA Test Methods; NESHAPs compliant

80	10-01-354-0961	MSDS	CA	Blue-Gray 35237	Volume: 2 qt.	KT	\$36.46
80	10-01-353-4947	MSDS	CA	Gray 36173	Volume: 2 gal.	KT	\$136.63
80	10-01-344-3222	MSDS	CA	Gray 36118	Volume: 2 gal.	KT	\$132.14
80	10-01-354-0963	MSDS	CA	Gray 36320	Volume: 2 qt.	KT	\$37.01
80	10-01-340-8716	MSDS	CA	Gray 36320	Volume: 2 gal.	KT	\$137.66
80	10-01-354-0964	MSDS	CA	Gray 36375	Volume: 2 qt.	KT	\$38.51
80	10-01-340-8717	MSDS	CA	Gray 36375	Volume: 2 gal.	KT	\$141.75

Dries to a full gloss finish.

① 24-month maximum shelf life (extendable) Chromate-Free Item
According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/
EPA Test Methods; Low-VOC Item; Cadmium Free According to ASTM/
U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/
EPA Test Methods; NESHAPs compliant

8010-01-354-0966	MSDS CA	Untinted White 17925	Volume: 2 qt.	KT	\$34.65
8010-01-343-1395	MSDS CA	Untinted White 17925	Volume: 2 gal.	KT	\$129.31
8010-01-362-3201	MSDS CA	Green 14052	Volume: 2 gal.	KT	\$128.36

Solvent-Based Obliterating Compound



Obliterate markings or mismarkings on metal, wood, fiberboard, plastic, fiber and glass with this rubberbased adhesive. For exterior use. Dries in 10 minutes and does not smear or smudge. Coating provides a kraft paper-colored undercoating for stenciling or remarking of shipping containers. Comes in an aerosol can that sprays easily without sputtering, using moderate finger pressure. Propellant contains no chlorofluorocarbons or vinyl chloride.

Typical VOC: 85% (formerly A-A-1801).

8010-00-582-4743 MSDS JWOD Natural Kraft 30277 PT \$3.70

Spar Varnish

For outdoor use, lead-free spar-type varnish with a phenolic-resin base acts as a protective coating on wood, metal and doped fabric. Also use as a vehicle for aluminum paint and as an aluminized sealing compound in the repair of riveted aluminum alloy tanks. Resistant to hot water, hydrocarbons and alkali, varnish dries to the touch in three hours and dries hard in eight hours. Apply by brush or spray; may be baked. Master Painters Institute (MPI) #28. (Formerly A-A-1800)



Type 1, Class 1, Typical VOC less than 450 g/l.

1) 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods

8010-00-597-7856 MSDS Clear GL \$23.55

It is GSA's policy to offer products that fully comply with all applicable environmental regulations and Executive orders.

GSA Global Supply's hours of operation are from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

Traffic Paint



Ready-mixed traffic paint for use on concrete, bituminous, brick or stone surfaces of parking lots. Adheres well. Water and abrasion resistant. Add glass beads to reflectorize paint stripes. Dries to a flat finish. Applied by brush or use conventional traffic line striping equipment. Maximum VOC: 250 g/L. Master Painters Institute (MPI) Standard 32. (Formerly TT-P-115F).

Fast drying. Dries to the touch in five minutes.

12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-00-900-2940 MSDS	White 37925	CN(contains 5 GL)	\$70.32
8010-00-900-3650 MSDS	Yellow 33538	CN(contains 5 GL)	\$76.15

Slow drying. Dries to the touch in 30 minutes.

(12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-00-900-2938	MSDS	White 37925	CN(contains 5 GL)	\$67.10
8010-00-900-3648	MSDS	Yellow 33538	CN(contains 5 GL)	\$71.05



Ready-mixed water- and abrasion-resistant parking lot paint is designed for use on concrete, bituminous, brick, or stone surfaces of parking lots. Limited by US EPA VOC regulations to parking lot marking only. Adheres well, and glass beads can be added to make paint stripes reflectorized. Dries to a flat finish. For brush or traffic marking equipment application. Typical VOC 400 g/L. A-A-2886.

Type I: Normal weather conditions.

① 12-month maximum shelf life (extendable) CFC-Free Item;
Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item
According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item
According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item
According to ASTM/EPA Test Methods

8010-00-990-1542	MSDS	Black 37038	CN(contains 5 GL)	\$64.89
8010-00-082-2599	MSDS	White 37925	CN(contains 5 GL)	\$64.81
8010-00-082-2598	MSDS	Yellow 33538	CN(contains 5 GL)	\$68.12

This 100% acrylic waterborne paint covers two types of low-VOC, ready-mixed paint. Suitable for application on airfield, streets, roads, highways and other trafficbearing surfaces such as Portland cement concrete, bituminous cement concrete, asphalt, tar and previously painted areas of those surfaces. Use paint alone to bind reflective beads conforming to TT-B-1325 or as an obliterating paint for remarking. Maximum



VOC 150 g/L. Conforms to specification TT-P-1952D.

Type I: Normal weather conditions.

© 12-month maximum shelf life (extendable) CFG-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods

8010-01-359-9242 MSDS	CA	Black 37038	CN(contains 5 GL)	\$68.67
8010-01-017-1512 MSDS	CA	White 37925	CN(contains 5 GL)	\$70.72

8010-01-019-1776 MSDS 🚾 🤼 Yellow 33538 CN(contains 5 GL) \$75.44

Reflectorized paint marks parking lot pavements and safety zones. Contains a low index of refraction glass beads at a ratio of 5 lb per gallon. Extra beads may be added if desired. Premixed paint has an oil base and is resistant to water and abrasions. Not intended for marking airfield runways. Dries to a flat finish in 40 minutes. For spray application. Typical VOC: 460 g/L. A-A-2886 (replaces TT-P-87).



Type III - Premixed reflectorized, Standard dry.

8010-00-664-7047 MSDS Yellow 33538 CN(contains 5 GL) \$71.66

MSDS

Material Safety Data Sheets are available for products displaying this symbol. Call 1-866-588-7659.

Water-Reducible Epoxy Primer



Use this water-reducible, corrosion-inhibiting, epoxy primer on clean, chemically pretreated metal surfaces where exposure to lead or chromate pigments is not permitted. Compatible with chemical agent-resistant aliphatic polyurethane topcoats. Intended for spray applications. Maximum VOC: 340 g/L. MIL-P-53030A.

A kit consisting of 710 ml (3/4 qt.) of Component A and 236 ml (1/2 pt.) of Component B.

8010-01-193-0519 MSDS CA Gray KT \$28.35

A kit consisting of 2.84 liters (3/4 gal.) of Component A and 946 ml (1 qt.) of Component B.

8010-01-193-0520 MSDS Gray KT \$94.50

A kit consisting of 11.4 liters (3 gal.) of Component A and 3.78 liters (1 gal.) of Component B.

8010-01-193-0521 MSDS CA Gray KT \$404.78

Zinc Molybdate Primer

Alkyd-type zinc-molybdate formula is a corrosive inhibiting primer on metal surfaces, particularly in marine environments. Apply by brush or spray. Suitable as an after-blast or after-pickling primer for plating and as an undercoat for alkyd enamels.

Maximum VOC: 340 g/L. Conforms to Federal Specification TT-P-645B.

12-month maximum shelf life
(extendable) CFC-Free Item;
Chromate-Free Item According to ASTM/
EPA Test Methods; Lead-Free Item
According to ASTM/EPA Test Methods;
Low-VOC Item; Hexavalent-Chromium
Free Item According to ASTM/EPA Test Methods; NESHAPs compliant



8010-01-285-1329 MSDS A Yellow 33793 GL \$37.72 8010-01-285-1328 MSDS A Yellow 33793 CN(contains 5 GL) \$173.49

Want another copy of this catalog?
E-mail us at cmls@gsa.gov.

*PROTECTIVE

Corrosion-Inhibiting Primer



Zinc chromate-alkyd resin primer pretreats aircraft metal surfaces to protect against moisture and extreme temperatures. Resists moisture, immersion, hydrocarbons, salt spray and weather. Use rust-preventive primer alone or with a topcoat of enamel or lacquer. Dries hard in 15 minutes. TT-P-1757.

Type I - Volatile content consists of non-photochemically reactive solvents. Class C - Chromate based corrosion-inhibitors.

\$44.21

8010-00-582-5318 MSDS	Gre	en 34151	GL	\$42.24
1 24-month maximum shelf lij Item According to ASTM/EPA		CFC-Free In	tem; Lead-l	Free

Yellow

Type II - VOC 340 g/L or less. Class C - chromate based corrosion inhibitors. Aerosol pint cans.

24-month maximum shelf life (extendable) CFC-Free Item; Lead-Free
 Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free
 Item

8010-00-899-8825	MSDS	JWOD	Green 34151	PT	\$3.70
8010-00-297-0593	MSDS	JWOD	Yellow	PT	\$3.56



8010-00-515-2208 MSDS

California South Coast Air Quality Management District Compliant

This symbol indicates that a product has been certified to meet or exceed applicable air emissions standards established by the California South Coast Air Quality Management District.

Corrosion-Inhibiting Epoxy Primer

Use fast-drying, two-component epoxy primer on ferrous and nonferrous metals, plastic, wood, concrete, plaster, leather and textile surfaces. Primer is a corrosion inhibitor; resistant to water, hydrocarbons and 337 hours of salt spray, and chemical agent resistant. Use with polyurethane and epoxy topcoat systems such as MIL-C-85285 and MIL-C-22750. It is light gray in color, no darker than color number 26622. Dries to the touch in 15 minutes and dries hard in four hours. For spray application. Conforms to MIL-P-53022B.



Type I. Typical VOC: 540 g/L. Meets Rule 102 of the South coast air quality Management District, as containing non-photochemically reactive solvents.

① 12-month maximum shelf life (extendable) CFG-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods

8010-01-187-9820	MSDS	Gray 26622	Part A: 4 gal.; Part B: 1 gal.	KT \$108.36
8010-01-193-0516	MSDS	Gray	Part A: 1 qt.; Part B: 1/2 pt.	KT \$12.52
8010-01-193-0517	MSDS	Gray	Part A: 1 gal.; Part B: 1 qt.	KT \$29.99

Type II. Maximum VOC: 420 g/L.

8010-01-309-0328	MSDS	Gray 26622 Volume: 1-1/4 gal.	KT	\$30.84
8010-01-309-0329	MSDS	Gray 26622 Volume: 1-1/4 qt.	KT	\$12.92

This two-component epoxy primer kit is for application to aircraft, ground support equipment, combat equipment, and vehicles. It is chemical-, solvent-, lubricating oil-, and hydraulic fluid-resistant. Lusterless finish. A corrosion-resistant coating, it can withstand 2,000 hours of salt spray testing. It can easily be stripped off with MIL-R-81294 Type I removers. Normally used as a primer on aluminum and aluminum/graphite-epoxy and top-coated with Chemical Agent Resistant Coatings (CARC). Material is tack-free in five hours and dries hard within eight hours. Maximum VOC: 340 g/L. MIL-PRF-23377

Type I: Standard Pigments; Class C: Strontium chromate-base corrosion inhibitors

• 12-month maximum shelf life (extendable) CFC-Free Item; Lead-Free
Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item;
NESHAPs compliant

Type II. Low Infrared Reflective pigments, Class C - Strontium chromate base corrosion inhibitors. For use where low infrared reflectance is required.

12-month maximum shelf life (extendable) CFC-Free Item; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; NESHAPs compliant

8010-01-417-1215 DD MSDS CA Green Volume: 1 gal. KT \$28.83

Corrosion-Preventive Compound



For use on nonmoving parts not requiring lubricated surfaces, this compound prevents corrosion and displaces water on metal surfaces. Do not use around liquid oxygen fittings. Material leaves a solid film coating on parts. Low VOC, but contains flammable solvents. MIL-C-85054.

Type I- Pressurized spray container; Class 134A- Hydrofluorocarbon propellant.

1 24-month maximum shelf life (extendable) CFC-Free Item; Low-VOC Item

8030-01-347-0979 MSDS JWOD Blue CN(contains 14 OZ)

Type I- Pressurized spray container; Class CO2-Carbon dioxide

propellant.

① 24-month maximum shelf life (extendable)

CFC-Free Item; Low-VOC Item

8030-01-347-0980 MSDS JWOD Blue CN(contains 14 OZ) \$11.03

Type II - Bulk form.

① 24-month maximum shelf life (extendable)

CFC-Free Item; Low-VOC Item

8030-01-347-0981 MSDS JWOD Blue QT \$23.76 8030-01-347-0982 MSDS JWOD Blue CN(contains 5 GL) \$477.08

Rain Erosion-Resistant Coating Kit



For exterior use on plastic-laminated parts of high-speed aircraft and missiles. Protects against rain erosion in flight and also resists water, fuel and weather. Apply by spray or brush; strips easily. Kits include one gallon of coating with required amounts of catalyst, primer, activator and thinner. Flammable coating. Typical VOC 509 g/L. (formerly MIL-C-83445 S/S BY SAE-AMS-C-83445)

Class 1: Thermally reflective, urethane coating not for use on radomes and other plastic parts that require protection against static electricity. Dries to the touch in 10 hours.

12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-01-132-2976 MSDS White KT \$212.63



SEALANTS

CARC Polyurethane Coating

This two-component chemical agent resistant coating is ideal for use as a finishing coat on military combat equipment. The coating is resistant to water, weather, hydrocarbons and acids and is easily decontaminated after exposure to liquid chemical agents. Component A is a polymer resin; Component B is an aliphatic isocyanate curing agent. (Mixing ratio is four parts of Component A to one part of Component B.) Dries to the touch in 30 minutes and dries hard (to a flat finish) in three hours. To be applied over epoxy primer by spray or brush. MIL-C-46168 with QPL.

Type II. Typical VOC: 570~g/L. Non-photochemically reactive solvent blend.

© 12-month maximum shelf life (extendable) Chromate-Free Item According to ASTM/EPA Test
Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Hexavalent-Chromium
Free Item According to ASTM/EPA Test Methods

8010-01-146-2649	D	MSDS	CA	Air Gray 36231	Total Volume: 1.25 gal.	KT	\$57.25
8010-01-170-7583	D	MSDS	CA	Air Gray 36231	Total Volume: 1.25 qt.	KT	\$21.79
8010-01-144-9873	D	MSDS	CA	Aircraft Red 31136	Total Volume: 1.25 gal.	KT	\$102.09
8010-01-144-9884	D	MSDS	CA	Aircraft Red 31136	Total Volume: 1.25 qt.	KT	\$40.60
8010-01-131-6254		MSDS		Black 37030	Volume: 1-1/4 gal.	KT	\$30.03
8010-01-131-6261		MSDS		Black 37030	Volume: 5 gal.	KT	\$158.21
8010-01-144-9886	D	MSDS	CA	Black 37031	Total Volume: 1.25 qt.	KT	\$18.12
8010-01-146-2646		MSDS		Black 37038	Volume: 1-1/4 gal.	KT	\$58.20
8010-01-160-6746	D	MSDS	CA	Brown 30051	Total Volume: 5 gal.	KT	\$262.45
8010-01-141-2415	D	MSDS	CA	Earth Yellow 33245	Total Volume: 1.25 qt.	KT	\$29.16
8010-01-130-3345	D	MSDS	CA	Field Drab 33105	Total Volume: 2 gal.	KT	\$108.69
8010-01-141-2420	D	MSDS	CA	Green 34031	Total Volume: 1.25 qt.	KT	\$16.43
8010-01-131-6255		MSDS		Green 34031	Volume: 1-1/4 gal.	KT	\$70.88
8010-01-162-5578		MSDS	CA	Green 383, 34094	Total Volume 1.25 qt.	KT	\$58.20
8010-01-160-6742		MSDS		Green 383, 34094	Volume: 5 gal.	KT	\$211.84
8010-01-146-2650	D	MSDS	CA	Olive Drab 34088	Total Volume: 1.25 qt.	KT	\$16.70
8010-01-055-2319	D	MSDS	CA	Olive Drab 34088	Total Volume: 1.25 gal.	KT	\$39.38
8010-01-144-9875	D	MSDS	CA	Olive Drab 34088	Total Volume: 5 gal.	KT	\$172.38
8010-01-247-8885	D	MSDS	CA	Orange-Yellow 33538	Total Volume: 1.25 qt.	KT	\$60.96
8010-01-235-8059	D	MSDS	CA	Orange-Yellow 33538	Total Volume: 1.25 gal.	KT	\$213.73
8010-01-131-6259	D	MSDS	CA	Sand 33303	Total Volume: 5 gal.	KT	\$301.02
8010-01-130-3347		MSDS		Sand 33303	Volume: 1-1/4 gal.	KT	\$53.79
8010-01-260-0910	D	MSDS	CA	Tan 33446	Total Volume: 1.25 qt.	KT	\$27.26
8010-01-260-0908		MSDS		Tan 33446	Volume: 5 gal.	KT	\$161.91
8010-01-144-9883	D	MSDS	CA	White 37875	Total Volume: 1.25 qt.	KT	\$11.04
8010-01-144-9872	D	MSDS	CA	White 37875	Total Volume: 1.25 gal.	KT	\$43.21
8010-01-144-9877	D	MSDS	CA	White 37875	Total Volume: 5 gal.	KT	\$177.02





Products that contain materials are beneficial to the materials were not recovered or in a landfill or other disposal aggravating existing disposal problems.

Industrial Products ★ Sealants

(continued from previous page)

Type IV. Maximum VOC: 420 g/L.

8010-01-316-2219 DD MSDS CA	Aircraft Green 34031	Part A: 1 GL; Part B: 1 QT	KT	\$53.19
8010-01-316-2221 DD MSDS CA	Aircraft Green 34031	Part A: 1 QT; Part B: 1/2 PT	KT	\$15.95
8010-01-260-0913 DD MSDS CA	Black 37030	Total Volume: 1.25 qt.	KT	\$22.69
8010-01-340-7060 DD MSDS CA	Black 37038	Part A: 1 GL; Part B: 1 QT	KT	\$51.19
8010-01-340-5175 DD MSDS CA	Black 37038	Part A: 1 QT; Part B: 1/2 PT	KT	\$14.42

8010-01-260-0916 DD MSDS CA	Brown 30051	Total Volume: 1.25 gal.	KT	\$74.68
8010-01-260-7482 DD MSDS CA	Brown 30051	Part A: 1 OT: Part B: 1/2 PT	KT	\$24.85

8010-01-316-2220 DD MSDS CA	Aircraft Green 34031	Part A: 4 GL; Part B: 1 GL	KT	\$215.47
8010-01-260-0914 DD MSDS CA	Black 37030	Total Volume: 1.25 gal.	KT	\$78.08
8010-01-260-0912 DD MSDS CA	Green 34094	Total Volume: 5 gal.	KT	\$277.73
8010-01-306-9681 DD MSDS CA	Tan 33446	Part A: 1 QT; Part B: 1/2 PT	KT	\$46.40

Single-Component CARC Polyurethane Coating



Use this single-component, chemical agent resistant, polyurethane coating (CARC) as a finishing coat on military combat equipment. Easily decontaminated after exposure to liquid chemical agents, coating also is resistant to water, weather, hydrocarbons and acids. Dries to the touch in 30 minutes and dries hard to a flat finish in three hours. Apply over epoxy primers by spray or brush. Maximum VOC: 420 g/L. Conforms to MIL-C-53039.

① 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods

8010-01-229-7540	MSDS CA	Black 37030	QT	\$11.96
8010-01-229-7541	MSDS CA	Black 37030	GL	\$39.38
8010-01-229-7542	MSDS CA	Black 37030	CN(contains 5 GL)	\$196.74
8010-01-229-7543	MSDS CA	Brown 383, 30051	QT	\$14.18
8010-01-229-7544	MSDS CA	Brown 383, 30051	GL	\$47.88
8010-01-229-7545	MSDS CA	Brown 383, 30051	CN(contains 5 GL)	\$230.21
8010-01-229-7546	MSDS CA	Green 383, 34094	QT	\$14.70
8010-01-229-9561	MSDS CA	Green 383, 34094	GL	\$50.40
8010-01-229-7547	MSDS CA	Green 383, 34094	CN(contains 5 GL)	\$244.46
8010-01-246-0717	DD MSDS CA	Green 34031	QT	\$64.99
8010-01-246-0718	DD MSDS CA	Green 34031	GL	\$90.28
8010-01-246-0719	DD MSDS CA	Green 34031	CN(contains 5 GL)	\$452.86
8010-01-234-2934	MSDS CA	Sand 33303	QT	\$14.27
8010-01-234-2935	MSDS CA	Sand 33303	GL	\$48.83
8010-01-234-2936	MSDS CA	Sand 33303	CN(contains 5 GL)	\$221.31
8010-01-276-3638	MSDS CA	Tan 686A, 33446	QT	\$12.45
8010-01-276-3639	MSDS CA	Tan 686A, 33446	GL	\$41.90
8010-01-276-3640	MSDS CA	Tan 686, 33446	CN(contains 5 GL)	\$199.62

Epoxy Polyamide Coating



A two-component, epoxy-based chemical agent resistant coating (CARC), in accordance with Military Specification MIL-PRF-22750. Coating is water-, weather-, solvent-, hydraulic fluid- and oil-resistant. Frequently used as a topcoat on aircraft and ground support equipment. Components are packaged in separate containers. Maximum VOC: 340 g/L.

10 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; NESHAPs compliant

8010-01-419-1145	MSDS CA	Blue 35237	Volume: 1.89 liters (4 pt.)	KT	\$26.84
8010-01-419-1152	MSDS CA	Gray 36375	Volume: 1.89 liters (4 pt.)	KT	\$26.71
8010-01-419-1163	MSDS CA	Gray 16440	Volume: 1.89 liters (4 pt.)	KT	\$43.60
8010-01-419-1155	MSDS CA	Gray 36320	Volume: 1.89 liters (4 pt.)	KT	\$25.40
8010-01-419-1166	MSDS CA	Gray 16081	Volume: 3.78 liters (1 gal.)	KT	\$43.00
8010-01-419-1147	MSDS CA	Green 24533	Volume: 3.78 liters (1 gal.)	KT	\$102.53
8010-01-419-1153	MSDS CA	White 17925	Volume: 1.89 liters (4 pt.)	KT	\$20.87
8010-01-419-1164	MSDS CA	White 17925	Volume: 3.78 liters (1 gal.)	KT	\$36.70

Floor and Deck Coating



For use on wood and concrete porches, decks and floors. Varnish-based coating resists water and abrasions; not for use on damp basement floors. For first coat on wood floors, use 2/3 quart of boiled linseed oil and 1/3 quart of turpentine to each gallon. For concrete floors, use 2/3 quart of spar varnish and 1/3 quart of turpentine to each gallon. Dries to the touch in four hours and dries hard to a high gloss finish in 16 hours. Applied by brush. Typical VOC: 460 g/L. Master Painters Institute (MPI) #27. (Formerly TT-E-487)

1 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-00-527-0216	MSDS	Gray 16187	GL	\$15.51
8010-00-527-0217	MSDS	Gray 16187	CN(contains 5 GL)	\$73.63



This symbol identifies products with environmental attributes, such as conserving water or being lead-free, low-VOC, or ozone-safe.

Refrigerant-Sealing Compound

Use chlorinated resin sealant as a vapor barrier coating for insulated refrigerant and chilled water lines. MIL-C-19565 Type II-Fire and water resistant vapor barrier coating for indoor use only.

1 12-month maximum shelf life (extendable) MESHAPs compliant

8030-00-174-2588 MSDS GL \$37.

High-Temperature Sealing Compound



Use this high-temperature compound in threaded and fixed mechanical joints in equipment powered by steam or gas at temperatures up to 950° F and pressures of 1200 psi. Viscous liquid is based on a phenolic or cresylic synthetic resin. MIL-S-15204 Type A-Liquid form for joints and threads.

① 12-month maximum shelf life (extendable) CFC-Free Item; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8030-00-246-0931 MSDS TU(contains 5 OZ) \$46.57

Sanding Sealer



A lacquer-type sealer for use on wood furniture. Flammable sealer may be used with stain, washcoat, filler and suitable lacquer finish coats. Sands to a smooth, uniform film. Dries in 20 minutes. For spray application. VOC content not to exceed 550 g/L. (formerly A-A-1572).

© 24-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; ODS-Free Item

8010-00-663-2673 MSDS GL \$30.08

"Comprehensive Procurement Guideline (CPG)
compliant" signifies that a product has been
certified to meet or exceed the U.S. Environmental
Protection Agency's Recovered Material Advisory
Notice (RMAN) standard for recovered materials
as specified in the Resource Conservation
and Recovery Act Section 6002
Comprehensive Procurement Guideline.

Federal Supply Schedule 56



BUILDING MATERIALS

Windows

If that hole in the wall needs filling, select from our array of windows. You'll see the light more clearly from now on. Choose from single- or double-paned, storm windows for residential and commercial applications. High-security windows also available.

Relevant Special Item Number:

563-24 Windows (Residential and Commercial)

Solar Window Film

Relevant Special Item Number:

563-15

Solar Window Film, Transparent Film with pressuresensitive adhesive or equivalent for glass applications, used to reduce solar heat gain, interior heat loss, ultraviolet light and glare.

Roofing Materials

We'll help you nail down the right choice for your overhead. And because of the total solution approach, you'll get a square deal on all your roofing materials needs, including shingles and roofing felt. Includes single- or multi-ply membrane systems and hot or cold applications (including shingles, roofing felt, asphalt and tar).

Relevant Special Item Number:

563-4 Roofing Materials, Products and Services

SPECIAL ORDERING INSTRUCTIONS

Point of Contact: Sandy Tatum • (817) 978-8631, Fax (817) 978-2776 • sandy.tatum@gsa.gov

Federal Supply Schedule 56



DISTRIBUTION SYSTEMS

POWER DISTRIBUTION EQUIPMENT

We've got all the parts and pieces you need to distribute power more efficiently—including panel boards, switchboards, load centers, metering and analyzers to display harmonic data and voltage profiles.

Relevant Special Item Numbers:

383-3	Load Banks
412-10	DC Regulated Power Supply
412-11	AC Regulated Power Supply
412-15	Power Distribution Units
412-16	Frequency Converters
412-17	Switch Gear
412-18	Panel Boards

POWER SYSTEMS ENGINEERING SUPPORT

We'll help you carry the load! With help from this Schedule, you'll be the one in charge of all your power systems. Includes power system program management; engineering and support, installation/start-up, preventive maintenance, emergency services, switchgear/controls modernization, and systems integration.

Relevant Special Item Numbers:

412-52 Power Systems Engineering Support

Use instructions for services at hourly rates in the schedule. Installation, maintenance, and training available. Contact GSA for details.

COMMERCIAL/INDUSTRIAL TECHNOLOGIES

GENERATORS

Energy when you need it, where you need it—that's what you get with our generators and generator transfer switches on Schedule 56. Use our purchasing power for your uninterrupted power needs. Installation, maintenance and training are available. Includes spark-ignited, diesel, and marine generators. Complete line of accessories available including air cleaners, circuit breakers, and chargers.

Relevant Special Item Numbers:

383-1	Portable Generators (Less than 6KW)
383-2	Portable Generators (Greater than 6KW)
383-4	Generator Transfer Switches

DISTRIBUTION TRANSFORMERS

Make your Low- and Medium-Voltage Distribution Transformers energy-compliant by purchasing from this Schedule. Convert electricity from high voltages necessary for transmission to usable voltages for all applications. And, as part of our Total Solutions, we can help with the installation, maintenance, and training, too!

Relevant Special Item Numbers:

412-19 Transformers

Order directly from contractors

Note: Energy Star[®] products available. Low voltage distribution transformers only; medium voltage distribution transformers covered under the Department of Energy's Federal Energy Management (FEMP) efficiency recommendations. Visit http://www.eere.energy.gov/femp/procurement (the FEMP website) for details.


Point of Contact: Sandy Tatum • (817) 978-8631, Fax (817) 978-2776 • sandy.tatum@gsa.gov







Federal Supply Schedule 56



SOLAR TECHNOLOGIES

SOLAR POWER SYSTEMS

The power of the sun is harnessed with our Solar Power Systems, Solar Outdoor Lighting, Solar Water Pumps, Solar Water Heaters and Solar Window Film. If you need to heat things up, you won't need an extension cord for these systems. If you want to keep it cool, search Schedule 56 for your place in the shade. We've got portable solar electric systems for parks and forests (user-free stations, water-pumping, and emergency power). Solar roof-top systems include photovoltaic modules, trace inverters, and mounting/wiring kits. Facility lighting systems include modules, inverters, mounting and occupancy sensors. Solar pumps and controllers include submersible pumps for use in irrigation, livestock watering and ponds.

Relevant Special Item Numbers:

- **206-3** Solar Energy Systems. Includes all types of solar energy products, such as pre-packaged PV systems, solar outdoor lighting, solar water pumping and solar water heaters.
- **206-4** Fluorescent Lighting Fixtures and Accessories. Including Diffusers, Louvers, Recessed or Flush Mounted Electric fixtures, with or without reflectors.
- **206-5** Fluorescent Lighting Reflectors. Includes retrofit kits for existing fixtures.
- **206-9** Energy-Saving Lighting Ballasts.
- **206-13** Energy Efficient and/or environmentally friendly lamps/light bulbs.

Order directly from contractors

Point of Contact: Sandy Tatum • (817) 978-8631, Fax (817) 978-2776 • sandy.tatum@gsa.gov





***AUTOMOTIVE SAFETY**



"No Trespassing" Sign

Non-reflectorized sign includes a red, white and blue shield on a cream background. Reads: "U.S. PROPERTY - NO TRESPASSING."

© Contains 80% Recovered Material, Which Includes 80% Postconsumer Material

9905-00-559-2971 Size: 11-7/16 x 13-1/2" EA \$8.40

Regulatory Sign

Regulatory signs help keep roads safe. Made of aluminum, all signs comply with U.S. Department of Transportation specifications for standard highway signs. Features standard, engineer-grade reflectivity.

Reads: "STOP" in white on a red background.

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material





Traffic Cone

Plastic or rubber cone is ideal for marking roadwork, helping to prevent accidents. Square-base cones can used for marking line painting or serves as an emergency blockade.

Contains 50% Recovered Material

9905-00-424-9829	<u>CPG</u>	Red-Orange	Height: 18"	BX(contains 10 EA)	\$48.61
9905-00-527-4997	CPG	Red-Orange	Height: 28"	BX(contains 5 EA)	\$42.73

Identification Plate

Flip-type aluminum plate, (Placard). Inscription can be flipped to a blank page, (Explosives 1.1, 1.2, 1.3, 1.4, 1.5, or 1.6 as required).

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

9905-01-371-5231 EA \$20.15



Automotive Products

ALTERNATIVE FUEL VEHICLES 👶



Contact: Denise Banks—(703) 308-4576

DRIVE GREEN with GSA Automotive's Alternative Fuel Vehicles Program. GSA offers a variety of alternative-fueled sedans, pickup trucks, vans, medium-duty trucks, buses and specialty vehicles with standard features and a choice of equipment options you would expect to get from conventional, fueled vehicles.

The AFVs offered by GSA Automotive include:

- Flexible fuel (FFVs)—have only one fuel tank that is designed to operate on alcohol, gasoline, or any combination of both.
- Bi-fuel—have two fuel systems, giving the driver the ability to run on either alternative or conventional fuel.
- Dedicated—run on one fuel only
- Electric (a dedicated vehicle type)—do not have engines

Specific fuel types and emission ratings offered by GSA Automotive are cited in the table below. To find out what fuel

types are available for the current model year, visit GSA Automotive's website at www.gsa.gov/automotive or visit Automotive's online ordering system at www.autochoice.gsa.gov. You can select and configure AFVs from a special vehicle selection screen and then place your order online.

Environmental Attribute: The Energy Policy Act and Executive Order 13149 (Greening the Government through Federal Fleet and Transportation Efficiency), which supersedes Executive Order 13031, requires federal agencies to acquire alternative fuel vehicles. Federal agencies are to reduce significantly their vehicular petroleum use within five years. By using alternative fuel, emissions are reduced and energy security is obtained from reduced import petroleum usage. The Department of Energy pays up to 50% of the incremental costs not to exceed \$10,000 per acquisition for electric vehicles. For more information, please contact the Department of Energy at (208) 526-6787.

	Fuel Types		Federal Emissions Ratings
CNG	Dedicated compressed natural gas only	TIER 1	Current minimum federal emission standard
CNG2	Bi-Fuel, compressed natural gas or gasoline	TLEV	Transitional low-emission vehicle
E85	Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to 100% gasoline	LEV	Low-emission vehicle
*HEV	Hybrid electric, electric motor and gasoline	ILEV	Inherently low-emission vehicle
LNG2	Liquid natural gas "bi-fuel"	NLEV	National low-emission vehicle
LPG	Dedicated liquid propane gas only	ULEV	Ultra-low-emission vehicle
LPG2	Bi-Fuel—liquid propane gas or gasoline	SLEV	Super-ultra-low emission vehicle

^{*}HEVs are not considered AFVs under the Energy Policy Act as of the date of this publication.

AUTOMOTIVE FUEL ECONOMY



In accordance with the Code of Federal Regulations (CFR) 101-38.104, "executive agencies must meet the fleet average fuel economy objectives set forth for the appropriate year" for the acquisition of fuel- efficient passenger automobiles and light trucks. Under GSA's Federal Fleet program, executive agencies shall report by vehicle class, the actual number of vehicle leases and purchases of passenger automobiles and light trucks. GSA maintains a master record of the miles-per-gallon (MPG) ratings acquired by each agency during the fiscal year, which enables GSA to determine the total fleet average fuel economy achieved by executive agencies and provides management assistance to agencies to ensure that federal acquisitions meet the same levels of fuel consumption that the manufacturers are required to meet in their annual sales. Vehicle classification and MPG requirements may be found in GSA Automotive's Federal Vehicle Standards.

Environmental Attribute: The reduction of fuel consumption saves resources and reduces the effect of exhaust emissions on the atmosphere.

CFC-FREE VEHICLE AIR CONDITIONING



All auto, truck and bus manufacturers have made the change to a new air conditioning refrigerant (R134a) that is an acceptable substitute for the CFC refrigerant that has ozone-depleting potential.

Environmental Attribute: Conventional CFC refrigerants are considered to be a cause of stratospheric ozone loss.



RETREAD TIRES



Schedule 26 I

Contact: Customer CARE-(703) 308-CARS

Retread tires program available under contract, covers light trucks, medium trucks, and buses. This schedule includes cap with installation on a government-furnished casing that meets commercial and government safety standards. When purchasing tires, federal agencies are required to comply with EPA guidelines and Executive Order 13101, Part 4, Section 402 (c), which mandates the purchase of environmentally preferable products where practicable.

Environmental Attribute: After passing inspection for retreadability, a used tire casing has a new tread applied and is returned to service rather than being discarded as waste. The energy and raw materials used to make the tire casing portion of the tire itself, which is the majority of the tire's construction, are conserved.

PARTS WASHERS (AUTOMOTIVE USE)

Schedule 56—Buildings, Building Materials, Industrial Supplies and Services, Class 49

Automotive parts washers with recirculating solution systems reduce hazardous waste. See contractors listed under "Cleaning Machines and Small Parts Washers" in the Housewares and Cleaning section, page 106.

SOLVENT-RECYCLING SERVICE



All the work is done for you. A washing service uses a closedloop system that services your parts washer, providing clean solvent and taking away the dirty solvent for recycling. This includes obtaining all necessary licenses, permits, and compliance with federal, state, local and municipal laws, codes and regulations pertaining to recycling.

REFRIGERANT RECLAMATION SYSTEMS (AUTOMOTIVE USE)

Schedule 56—Buildings, Building Materials, Industrial Supplies and Services, Class 49

Offers motor vehicle and miscellaneous maintenance and specialized repair shop equipment.

WORK STEP 👶 (AUTOMOTIVE USE)

Schedule 56—Buildings, Building Materials, Industrial Supplies and Services, Class 49

Utility plastic step platform made from 50% recycled material.

RECYCLING SYSTEMS



Schedule 56—Buildings, Building Materials, Industrial Supplies and Services

Miscellaneous reclamation, recovery and recycling equipment; automotive and non-automotive refrigerant recovery systems; auto/truck filter crushers.

ELECTRIC UTILITY VEHICLES



Schedule 78-Sports, Promotional, Outdoor, Recreational, Trophies and Signs (Sports)

FIRE-FIGHTING AND WASTE DISPOSAL VEHICLES

Schedule 23 V

Contact: Customer CARE—(703) 308-CARS

GSA Automotive's Firetrucks program covers a wide variety for structural, crash, hazardous materials, rescue and wildfire applications. Our trash collection and recycling equipment program includes a wide variety of vehicles and trailers for collection and disposal of refuse, recycled, liquid and hazardous waste. Customers may contact vendors to obtain details of the models offered to determine suitability for their application. Orders may be placed directly with the vendor or by GSA Automotive.

Environmental Attribute: Many federal facilities are facing increasing environmental requirements that require these types of special-purpose vehicles.

For more information on GSA Automotive's environmental products, contact our Customer CARE line on (703) 308-CARS. You may also visit our website at: www.gsa.gov/automotive for additional information.

***OUTDOOR EQUIPMENT**

Garden Hose

A. Commercial-grade, rubber/vinyl-reinforced 5/8" diameter garden hose. Kink-resistant hose includes brass couplings, a protective collar at faucet end, and an abrasion-resistant gray cover. Burst strength is 500 p.s.i. with a minimum four-ply construction.

3 65% Postconsumer Material

4720-01-447-8759	<u>CPG</u>	LG(contains 50 FT)	\$17.65
4720-01-447-8757	<u>CPG</u>	LG(contains 100 FT)	\$28.70

Drinking System

B. The PakTeen hydration system is a 1.5-liter, fully insulated stand-alone hydration unit for easy drink delivery. Features: reservoir with wide-opening exterior fill port; closed cell insulation; drinking tube with insulated cover; positive shut-off "hydro-lock" valve; integrated MOLLE attachment system; and D-ring attachment points. System designed to fit inside a pack or lash onto web harness outside of a pack.

System includes reservoir capable of holding 50 oz. (1.5 liters) of water. When empty, complete system weighs 0.5 lb. Length: 12"; Width: 7"; Depth: 1".

For replacement reservoir, see CamelBak part number 90201.

Mater-Conserving Item

8465-01-396-9921	CamelBak Products, Inc. P/N 76050	Black	EA	\$27.93
0400-01-090-9921	Callielbak Floudcis, Ilic. F/N 10050	Diack	LA	φ21.90

The ThermoBak 2L hydration system is a 2-liter back-mounted system for easy drink delivery. Features: exterior filling port with ergonomic handle; detachable drinking tube with insulated cover and positive shut-off "hydro-lock" valve; adjustable, quick-release shoulder straps; abrasion-resistant 1000 denier Cordura nylon shell; zippered reservoir compartment; ventilated mesh back panel.

 $\it C.$ System is capable of holding 70 oz. (2 liters) of water. When empty, complete system weighs 0.92 lbs. Length: 18"; Width: 8"; Depth: 1".

ThermoBak 2L Black. For replacement reservoir use 8465-01-396-9927

Water-Conserving Item

9465 01 206 0017	CamalRak Products Inc. D/N 71000	Black Bosorvoir Canacity, 70 oz	¢24 01

D. System is capable of holding 70 oz. (2 liters) of water. When empty, complete system weighs 0.92 lbs. Length: 18"; Width: 8"; Depth: 1".

ThermoBak 2L For replacement reservoir, see NSN 8465-01-396-9927

Mater-Conserving Item

		8465-01-396-9918	CamelBak Products, Inc. P/N 71050	Desert Camouflage	EA	\$36.31
--	--	------------------	-----------------------------------	-------------------	----	---------














storage space. When empty, complete system weighs 1.81 lbs. empty. Length: 18-1/2"; Width: 10"; Depth: 5".

M.U.L.E. Black. For replacement reservoir, see NSN 8465-01-396-9928.

Water-Conserving Item

8465-01-396-9919 CamelBak Products, Inc. P/N 72000 Black EA \$75.41

B. M.U.L.E. Woodland Camo. For replacement reservoir use 8465-01-396-9928.

Mater-Conserving Item

EA \$76.81 8465-01-396-9920 CamelBak Products Inc. P/N 72050 Woodland Reservoir Capacity: Camouflage 100-oz

C. M.U.L.E. Desert Camo. For replacement reservoir use 8465-01-396-9928.

Water-Conserving Item



D. CamelBak H.A.W.G. is a 3-liter back-mounted system for hands-free drink delivery. Features: approximately 18 liters of storage; dual antenna ports; 100-oz. (3 liters). Omega reservoir with wide-opening fill port; independent suspension harness; air director ventilated back panel; sternum strap, removable waist belt; compression straps.

System includes reservoir capable of holding 100 oz. (3 liters) of water has 1,100 cubic inches of cargo storage space. When empty, complete system weighs 2.6 lbs. Length: 19"; Width: 12"; Depth: 6".

For replacement reservoir, see NSN 8465-01-396-9928.

Water-Conserving Item

8465-01-396-9922 CamelBak Products, Inc. P/N 73000 Black \$89.38



Drinking System Reservoir

Replacement reservoir, long-neck screw-cap water reservoir for back-mounted human hydration drinking system. FDA-approved polyurethane reservoir with leak proof screw top closure and black Big Bite Valve. Large enough for ice cubes and designed to collapse flat, to ensure slosh-free draining and to maintain a balanced pack; odor-free; taste-free; resistant to mildew.

E. Replacement reservoir for 8465-01-396-9919, 8465-01-396-9920, 8465-01-396-9922, and 8465-01-396-9926.

Mater-Conserving Item

8465-01-396-9928 CamelBak Products, Inc. P/N 90221 Gray Reservoir Capacity: EΑ \$17.46 100-oz.

Replacement reservoir for NSNs 8465-01-396-9917 and 8465-01-396-9918.

Water-Conserving Item

CamelBak Products, Inc. P/N 90211 Gray 8465-01-396-9927 EA \$16.76 Reservoir Capacity:





***HARDWARE**

Drip Pan

Superflex drip pans are made of the finest corded rubber for maximum strength and durability. This special grade of rubber is crack-proof, freeze-proof and crush-proof.

Capacity: 3 gallon. Size: 17-1/2" L x 17-1/2" W x 4-3/4" H.

3 Recycled

4940-01-490-2455 D.K. Enterprises Inc. PN 48511 EA \$9.99

Capacity: 6-1/2 gallon. Size: 18" L x 18-1/2" W x 8" H.

3 Recycled

4940-01-490-2463 D.K. Enterprises Inc.P/N 48512 EA \$21.25

Capacity: 15 gallon. Size: 26-1/4"L x 26-1/4" W x 10-1/2" H. DK Enterprise Inc.

3 Recycled

4940-01-490-2470 D.K. Enterprises Inc. P/N 48513 EA \$24.04

Superflex drip pans are made of the finest corded rubber for maximum strength and durability. This special grade of rubber is crack-proof, freeze-proof and crush-proof. Includes a 6 foot chain for attaching pan to equipment and loss prevention.

Capacity: 3 gallon. Size: 17-1/2"L x 17-1/2"W x 4-3/4"H.

3 Recycled

4940-01-504-5270 D.K. Enterprises Inc. P/N 101019 EA \$13.58

Capacity: 6-1/2 gallon. Size: 18" L x 18-1/2" W x 8" H.

3 Recyclea

4940-01-504-5273 D.K. Enterprises Inc. P/N 101020 EA \$23.91

Capacity: 15 gallon. Size: 26-1/4"L x 26-1/4" W x 10-1/2" H.

3 Recycled

4940-01-505-0680 D.K. Enterprises Inc. P/N 48554 EA \$28.73

Fluorescent Lamp Ballast



Energy-saving, brick-type, two-lamp ballast accommodates two 40w lamps. Rapid-start, built-in type is thermally actuated and has automatic reset. Input wattage: 87 (nominal), 90 (maximum). Class P, 60 Hz.

110 to 125V.

6250-00-892-5249

Conforms to National Appliance Energy

6250-00-892-5248 2-5/8 x 3-5/16 x 9-5/8" EA \$11.24

250 to 290V.

***Conforms to National Appliance Energy

2-5/8 x 3-5/16 x 9-5/8"

EA \$11.24

Hardware Bag



Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

8105-00-849-9843 4-3/4 x 2-3/4 x 7-7/8" (No. 3) BE(contains 2000 EA) \$33.18

***ADHESIVES**

General-Purpose Adhesive

General-purpose adhesive for bonding synthetic rubber, metal, glass, and some plastic. Oil, gasoline and aromatic fuel resistant. Used in helicopter blade repairs.

12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8040-00-433-4065 MSDS 3M P/N 776 Amber QT \$36.56



For fast-setting, general bonding, and for use on Pratt & Whitney turbofan engines. Loctite/Dexter-Hysol EPK 608, Hardman Epoweld 8173, or 3M 3501 Clear.

1 24-month maximum shelf life (extendable) CFC-Free Item;
Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item;
No Hazarday Waste: Nontonic Item

No Hazardous Waste; Nontoxic Item

8040-00-092-2816 MSDS Clear Weight: BX(contains \$107.15

Use for bonding leather, rubber, plastics and metal. For bonding rubber gaskets to air conditioners, and in guidance sections and capsule assemblies for astronautic applications.



3-1/2 grams

100 EA)

12-month maximum shelf life (extendable) CFC-Free Item;
Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item;
No Hazardous Waste; Nontoxic Item

8040-00-390-7959 MSDS 3M P/N 847 Red-Brown QT \$24.2

An aircraft structural grade, thixotropic paste, epoxy adhesive bonds metal, plastic, rubber, glass and wood. It is resistant to salt water, humidity, deicing fluid, hydraulic oils, JP-4 fuel and hydrocarbon fluids. Cures at room temperature and has excellent high-temperature performance and sag resistance. Two-part kit consists of base resin and curing agent. Refrigerated storage required.



① 12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

Quick-drying, polychloroprene-based adhesive bonds neoprene, reclaim, SB-R and butyl rubber gaskets and other items to most substrates. Has a medium bonding range. Water, oil and grease resistant. Apply by brush.



8040-01-068-2423 MSDS 3M P/N 2141 QT \$24.84



A two-part epoxy for general-purpose bonding, sealing and repairing of metal, wood, rubber and plastics.

Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8040-00-777-0631 MSDS Loctite/Dexter-Hysol Off-White \$6.28



A two-part, epoxy-based, adhesive, sealing, or molding compound for general or structural purpose. Can be sanded, filed, or machined when cured. Bonds to steel, iron, aluminum, glass (not pyrex), concrete, ceramics, porcelain, tile, marble, wood and thermoset plastics. MMM-A-1754.

Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8040-00-738-6429	MSDS	Gray	KT	\$5.20
8040-00-944-7292	MSDS	Grav	KT	\$3.36



Use for bonding leather, rubber, plastics and metal. For bonding rubber gaskets to air conditioners, and in guidance sections and capsule assemblies for astronautic applications.

12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8040-01-033-7507 MSDS 3M P/N 847 TU(contains 5 OZ) \$7.07 General purpose, "white" glue for bonding porous and semi-porous materials. Generally used for bonding lightweight fabrics, paper, light woods, and bookbinding. A-A-1270, formerly MMM-A-180.



1 18-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8040-00-754-2483 MSDS BT(contains 8 OZ) \$2.42

Weatherstrip Adhesive



Use for automotive weatherstripping, vinyl trim headliners and side panels. Adheres to painted surfaces, metals, rubber, glass, wood and plastics.

12-month maximum shelf life (extendable) CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item

8040-00-109-2481 MSDS 3M 8001 TU(contains 5 OZ) \$5.41

Adhesive Remover

Soybean oil-based adhesiver remover; capable of removing asbestos, carpet, and ceramic tile mastics in one hour; odorless; leaves no residue; cleans up with water; contains biobased material and is 100% biodegradable. Not for use on wood surfaces.

Riohased 8040-01-502-9360 MSDS Franmar Chemical P/N M11G

GL \$14.36 8040-01-502-9361 MSDS Franmar Chemical CN(contains 5 GL) \$55.96 P/N M15G 8040-01-502-9362 MSDS Franmar Chemical DR(contains 55 GL) \$525.80 P/N M1DR

Material Safety Data Sheets provide special instructions for handling items declared **HAZMAT** (Hazardous Materials). Call 1-866-588-7659 to request specific MSDS information.

Appendix

Environmental Programs Website – www.gsa.gov/enviro

In keeping with the Internet trend, FSS developed a website expressly for its Environmental Programs that contains a wealth of environmentally oriented information. The primary information relative to products and services is categorized as follows:

- 3 Alternative Fuel Vehicles (AFVs)
- Biobased
- Comprehensive Procurement Guideline (CPG) Compliant and Other Recycled Products
- Energy Star® and Other Energy-Efficient Products
- 🧚 Environmental Services
- Re-utilization of Personal Property (Excess and Sales Programs)
- Safer Paints, Cleaning and Other Chemical Products
- Other "Environmental" Products and Services

By clicking on a product name, customers can move from the Environmental Programs website to the GSA Global Supply website (www.GSAglobalsupply.gsa.gov), the FSS Schedules e-Library website (www.gsaelibrary.gsa.gov) or the GSA Advantage® website (www.gsaAdvantage.gov) to get vendor/product information and make a purchase. Efforts are underway to further improve these transitions.

In addition, the website contains applicable laws and Executive orders and relevant cites in regulations, such as the Federal Acquisition Regulations, as well as links to other agency sites and information on various environmental organizations.

Regulatory Influences

The range of the kinds of products and services listed in the Environmental Products and Services Guide (EPSG) has been greatly influenced by, and in some cases is a direct result of, the various public laws and regulations that have been enacted over the years aimed at minimizing waste, conserving energy and preventing pollution. The Resource Conservation and Recovery Act (RCRA), the National Energy Policy Act (NEPA) and the Clean Air Act are a few of the more notable ones.

A number of Executive orders also have been issued with the same intent. Executive Order 13101, which replaced Executive Order 12873, was signed and became effective on September 14, 1998, and is titled "Greening the Government through Waste Prevention, Recycling and Federal Acquisition."

As part of its continuing program to promote the use of recovered materials, the Environmental Protection Agency (EPA) through its Comprehensive Procurement Guideline (CPG) and Recovered Materials Advisory Notice (RMAN) initiatives has identified eight categories with over 50 CPG items that are or can be made with recovered materials. Federal agencies are required to develop Affirmative Procurement Programs (APP) for these CPG items, and report their purchases. Another nine items have been proposed by EPA, however, as noted earlier in the

EPSG, changes in requirements (such as the approval of additional items or amount of recycled content) that are imposed subsequent to the publication of the EPSG will be complied with by GSA and reflected in the products received. Other revised/replacement Executive orders have been signed and released. Executive Order 13123 was signed into effect on June 3, 1999. Its title is "Greening the Government through Efficient Energy Management" and it replaces significant portions of previous Executive Orders 12902 and 12845.

Section 9002 of Title IX of the 2002 Farm Bill established a program of preferred procurement of biobased products by federal agencies. This, in effect, is a resurgence of the initiative/requirement initially introduced in Executive Order 13101.

In the transportation area, The Energy Policy Act and Executive Order 13149 which replaces Executive Order 13031, require federal agencies to acquire alternative fuel vehicles.

Executive Order 13221 titled "Energy Efficient Standby Power Devices" was signed on July 31, 2001.

Environmental purchasing requirements also are outlined in the Federal Acquisition Regulation (FAR) Part 23 and in the Defense Aquisition Regulation (DFAR) Part 223.



FSS Implements Its Affirmative Procurement Plan (APP) For Central Office Associates

In July 2001, the Federal Supply Service (FSS) Central Office released its Affirmative Procurement Plan (APP). The APP directs all Central Office associates to purchase Comprehensive Procurement Guideline (CPG) compliant products when they are commercially available. CPG compliant products are products that meet or exceed the Environmental Protection Agency designated recycled-content range. There are five key components to the APP: a preference plan; a promotional plan; procedures for estimation, certification, and verification; procedures for annual review and reporting; coordination responsibilities. The APP also requires FSS Central Office associates to purchase biobased products when the United States Department of Agriculture publishes a product list for federal buyers.

FSS has made it easier for FSS associates and other federal buyers to locate

CPG-compliant products, as well as a variety of other environmental products and services, in its supply offerings. The very popular

Environmental Products
and Services Guide (EPSG) is an excellent
source for locating CPG-compliant
products that are offered by FSS. The
EPSG contains over 1,100 CPGcompliant products. The vast majority of
these products are frequently used office

supplies; such as copier paper and binders.

Each CPG-compliant product has a

CPG-designated icon symbol to distinguish it from the other environmental products and services listed in the EPSG.

The FSS Environmental Programs website (www.gsa.gov/enviro) is another excellent source for locating CPG compliant products in the FSS Supply System. This website contains extensive information about the CPG-compliant products offered by GSA, in addition to the laws, Executive orders, and regulations affecting federal purchasing of environmental products and services. When you visit this website, you will find electronic versions of the current EPSG—located in the Publications section and the APP-located on the CPG and Other Recycled Products offering page. In addition, you will be able to visit either the Schedules e-Library website (www.gsaelibrary.gsa.gov), to view the list of vendors that we currently have on Schedule, or visit GSA Advantage® (www.gsaAdvantage.gsa.gov) or the GSA Global Supply website (www.GSAglobalsupply.gsa.gov) to purchase CPG-compliant products and other environmental products by clicking on the product name of your choosing.

These online purchasing systems are excellent sources for locating CPG-compliant items. There is a designated CPG icon symbol that appears next to those products that are CPG compliant. This symbol is one of 15 environmental symbols used. With a click of the mouse, you can purchase the CPG-compliant product and other environmental products of your choice.

Remember, GSA can assist you in meeting your environmental purchasing requirements. Think green and buy green products and services from GSA!



Energy-Efficient Purchasing in the Federal Government

Each year, the Federal Government spends an estimated \$10 to 20 billion to purchase energy related products. This equipment is responsible for the roughly \$3.5 billion in annual energy bills for federal facilities.

In 1992, the Congress passed major legislation, the Energy Policy Act (EPACT), which provides federal agencies with a comprehensive approach to reducing energy consumption and costs. The EPACT addresses an array of energy issues that have had a significant impact on the gas, electric, and coal industries. The EPACT implemented energy efficiency standards for buildings and industrial and residential products. The EPACT encourages an increased use of renewable energy sources, alternative fuels, alternative fuel vehicles, and electric vehicles, in addition to developing the infrastructure and support systems. The EPACT also became the catalyst for the passage of several federal regulations on energyefficient product purchasing.

A few years after the enactment of the EPACT, Congress amended the Federal Acquisition Regulation (FAR), Subpart 23.2 – Energy Conservation, and Subpart 23.7 – Contracting for Environmentally Preferable and Energy-Efficient Products and Services, to broaden its definition of an energy-efficient product and to include

Appendix (continued)

requirements for energy services (Subpart 23.7). FAR Subpart 23.703 states that agencies must "...implement cost-effective contracting preference programs favoring the acquisition of environmentally preferable and energy-efficient products and services."

The White House has issued several Executive orders on energy-efficient product purchasing since the passage of the EPACT. In June 1999, President Clinton signed Executive Order 13123, Greening the Government through Efficient Energy Management, which extended and replaced a previous Executive order that he signed in 1994 (Executive Order 12902 -Energy Efficiency and Water Conservation at Federal Facilities). Executive Order 13123 requires agencies to purchase Energy Star® products, or energy-efficient products not covered by the Energy Star® program that are in the upper 25% of energy efficiency as designated by the Federal Energy Management Program (FEMP). More recently, President Bush signed Executive Order 13221, Energy Efficient Standby Power Devices, in July 2001. Executive Order 13221 calls for federal agencies to purchase products that use minimal standby power when such products are commercially available.

Two Simple Ways to Identify and Purchase Energy-Efficient Products

The Environmental Protection Agency (EPA) and the Department of Energy (DOE) have developed two simple ways to help federal buyers identify energy-efficient products. The first is the Energy Star® program, and the second is the FEMP Efficient Product Recommendations.

The Energy Star® program is the easiest

way to help buyers identify energy-efficient products. EPA and DOE have partnered to promote the specification and procurement of energy-efficient products. To make energy-efficient products easily identifiable, EPA and DOE award the Energy Star® label to energy-consuming products that meet EPA/DOE efficiency specifications. Manufacturers are encouraged to market Energy Star® products to buyers by placing the Energy Star® label on each compliant product. The energy efficiency specifications are the result of discussions between EPA and DOE and participating manufacturers and retailers. These specifications also represent the top tier of the market for energy efficiency (typically the top 25% of efficient products). To make certain that the label consistently represents the most efficient products available in the market, the specifications are periodically reviewed.

Manufacturers certify their products as Energy Star® compliant using standard industry test methods. EPA and DOE reserve the right to randomly test products and take appropriate actions in case of noncompliance. Manufacturers agree to use the Energy Star® label correctly in identifying their products.

To receive more information on the Energy Star® program, you can either visit the Energy Star® website at www.energystar.gov or call the Energy Star® label hotline at 1-888-ENERGYSTAR.

The second way for buyers to identify energy-efficient products isto follow the FEMP Product Energy Efficiency Recommendations. FEMP distributes its efficiency recommendations to federal procurement officials, product specifiers, and facility and energy managers to provide them with important information on how to purchase energy-efficient products. The

recommendations, typically two pages, help federal buyers determine which products qualify among the top 25% of efficiency and identify the federal supply sources that offer these products, including GSA. Buyers will also find a cost-effectiveness example to help them compare annual and life-cycle energy cost savings with the added purchase price—if any—of an efficient product.

FEMP has published a total of 45 recommendations for energy-efficient commercial and residential products. The product types covered by the FEMP recommendations include several covered by the Energy Star® program. The FEMP Product Efficiency Recommendations are available to you on the Internet at www.eere.energy.gov/femp/procurement. As an added benefit to you, FEMP also has posted interactive cost calculator tools on this website to allow purchasers to calculate and compare lifetime energy costs. You can obtain a printed loose-leaf binder that contains the FEMP efficiency recommendations, titled Buying Energy Efficient Products, by calling 1-800-DOE-EREC.

To implement Executive Order 13221, Energy Efficient Standby Power Devices, FEMP has developed low-standby purchasing recommendations for more than 10 types of office equipment and consumer contracts. For details, visit the FEMP website at www.eere.energy.gov/femp/procurement/standby_power.html. FEMP works with manufacturers to identify products that meet the low standby requirements; a list is available online at http://oahu.lbl.gov/.



Make GSA Your First Stop for Locating and Purchasing Energy Star® Products and Other Energy-Efficient Products

GSA has partnered with EPA and DOE to offer federal buyers a variety of Energy Star® products and other energy-efficient products. We offer the energy-efficient products listed below. The product names that have an asterisk (*) next to them indicate that we have Energy Star® compliant products available for purchase. We recommend that customers specifically request schedule vendors to identify Energy Star®-compliant products and/or other energy-efficient products that they offer to federal buyers under contract. You can view a list of schedule vendors for any of the products below by visiting our Schedules e-Library website at www.gsaelibrary.gsa.gov. GSA plans to add energy-efficient standby power devices in support of Executive Order 13221.

Commercial Appliances

Ice Making Machines

(Schedule 73 SIN 302 56)

Commercial Equipment

Water-Cooled Chillers (BOA)

Commercial/Industrial Technologies

Low Voltage Transformers* (Schedule 56 SIN 412 2)

Medium Voltage Transformers (Schedule 56 SIN 412 2)

Construction Products

Residential Windows* (Schedule 56 SIN 563 24)

Roof Products* (Schedule 56 SIN 563 4)

Distribution Systems

Power Distribution Equipment (Schedule 56 SIN 412 21)

Energy Management Services (Schedule 871 II)

Energy Audit Services (Schedule 871 II SIN 871 201)

Energy Management Program Support (Schedule 871 II SIN 871 200)

Managing the Procurement and Use of Electricity (Schedule 871 II SIN 871 205)

Managing the Procurement and Use of Natural Gas (Schedule 871 II SIN 871 203)

Supply Electricity (in deregulated markets) (Schedule 871 II SIN 871 204)

Facility Management Systems

Systems Capable of Both Security and Energy Management Functions (Schedule 84 SIN 246 42 2)

Home Electronics

DVD Players* (Schedule 58 I SIN 219 9)

Home Audio Equipment* (Schedule 58 I SIN 219 11)

Televisions* (Schedule 58 I SIN 219 3)

TV/VCR Combination Unit* (Schedule 58 I SIN 219 10)

VCRs* (Schedule 58 I SIN 219 9)

Lighting Technologies

Compact Fluorescent Light Bulbs* (Schedule 56 SIN 206 13)

Compact Fluorescent Torchieres (Schedule 72 II SIN 722 01)

Exit Signs* (Schedule 078 SIN 366 11)

Fluorescent Ballasts (Schedule 56 SIN 206 9)

Fluorescent Luminaries (Schedule 56 SIN 206 4)

Fluorescent Tube Lamps (Schedule 56 206 4)

Industrial HID Luminaries (Schedule 56 206 11)

Lighting Sensor Systems (Schedule 84 SIN 246 42 2)

Residential Lighting Fixtures* (Schedule 56 SIN 206 11)

Office Equipment Technologies

Computers* (Schedule 70 SIN 132 8)

Copiers* (Schedule 36 SIN 51 100)

Facssimile (Fax) Machines* (Schedule 70 SIN 132 8)

Monitors* (Schedule 70 SIN 132 8)

Multifunctional Devices* (Schedule 70 SIN 132 8)

Printers* (Schedule 70 SIN 132 8)

Scanners* (Schedule 70 SIN 132 8)

Residential Appliances

Clothes Washers* (Schedule 51 V SIN 639 001)

Dishwashers* (Schedule 51 V SIN 639 001)

Refrigerators*

(Schedule 51 V SIN 639 001)

Room Air Conditioners*

(Schedule 51 V SIN 639 001)

^{*} Energy Star®-compliant products available for purchase.

Ordering Procedures for Products

Residential Equipment

Electric Water Heaters* (Schedule 56 SIN 563 28)

Gas Water Heaters*
(Schedule 56 SIN 563 28)

Solar Technologies

Pre-packaged PV Systems (Schedule 56 SIN 206 3)

Solar Outdoor Lighting (Schedule 56 SIN 206 3)

Solar Water Pumping System (Schedule 56 SIN 206 3)

Solar Water Heater (Schedule 56 SIN 206 3)

Solar Window Film (Schedule 56 SIN 563 15)

Water Saving Technologies

Faucets (Schedule 56 SIN 563 25)

Showerheads (Schedule 56 SIN 563 25)

Toilets (Schedule 56 SIN 563 25)

Urinals (Schedule 56 SIN 563 25)

Miscellaneous

Ceiling Fans*
(Schedule 51 V SIN 639 001)

Window Shades (Schedule 72 II SIN 722 02)

Orders under the micropurchase threshold:

Place order directly with contractor for the item that best meets your needs.

Orders over the micropurchase threshold:

- To ensure a "Best Value" determination is made, as required by FAR8.404:
- Review the GSA Advantage!® online electronic ordering system.
- Review at least three schedule pricelists.
- Select the Best Value (Consider price, plus administrative costs.
- Place order directly with contractor

When determining what is a "best value," you may consider the following:

- Special features of the supply/ service are required but not provided by a comparable supply/service
- Trade-in considerations
- Probable life of the item selected compared to that of a comparable item
- Warranty considerations
- Maintenance availability
- Past performance
- Environmental and energy efficiency considerations
- Place order directly with contractor

Documentation:

Minimum documentation is generally all that is required. Additional documentation is necessary when requirement is defined to a particular brand name and only for orders exceeding the micropurchase threshold.

Orders exceeding the maximum order threshold:

(Note: This dollar figure will vary from contract to contract.)

FAR 8.404(b)(3) provides new guidelines for orders exceeding the maximum order threshold:

In addition to following the ordering procedures for orders above the micropurchase threshold, ordering offices shall:

- Review additional schedule contractors' catalogs/price lists or use the "GSA *Advantage!*®" online shopping service;
- *Based upon the initial evaluation, seek price reductions from the schedule contractor(s) appearing to provide the best value (considering price and other factors);
- After price reductions have been sought, place the order with the schedule contractor that provides the best value and results in the lowest overall cost alternative; see 8.404(a). If further price reductions are not offered, an order may still be placed, if the ordering office determines that it is appropriate.

REMEMBER!

If you are placing an order with a Multiple Award Schedule contractor (especially if you're using the government-wide commercial purchase card), please let contractors know you are a federal customer, and ask the contractor for the GSA Contract number and contract price. Be sure to cite the contract number on your purchasing documents.

^{*} Energy Star®-compliant products available for purchase.

Federal Supply Schedules:

When using schedules, be sure to follow these easy ordering procedures for services:

Ordering Procedures for Services (Requiring a Statement of Work)

FAR 8.402 contemplates that GSA may occasionally find it necessary to establish special ordering procedures for individual Federal Supply Schedules or for some Special Item Numbers (SINs) within a Schedule. GSA has established special ordering procedures for services that require a Statement of Work. These special ordering procedures take precedence over the procedures in FAR 8.404 2, B through 2, C.

GSA has determined that the prices for services contained in the contractor's price list applicable to this Schedule are fair and reasonable. However, the ordering office using this contract is responsible for considering the level of effort and mix of labor proposed to perform a specific task being ordered and for making a determination that the total firm-fixed price or ceiling price is fair and reasonable.

1. When ordering services, ordering offices shall—

A. Prepare a Request (Request for Quote or other communication tool):

i. A statement of work (a performance-based statement of work is preferred) that outlines, at a minimum, the work to be performed, location of work, period of performance, deliverable schedule, applicable standards, acceptance criteria, and any special requirements (i.e., security

clearances, travel, special knowledge, etc.) should be prepared.

ii. The request should include the statement of work and request the contractors to submit either a firmfixed price or a ceiling price to provide the services outlined in the statement of work. A firm-fixed price order shall be requested, unless the ordering office makes a determination that it is not possible at the time of placing the order to estimate accurately the extent or duration of the work or to anticipate cost with any reasonable degree of confidence. When such a determination is made, a labor hour or time-and-materials proposal may be requested. The firm-fixed price shall be based on the prices in the schedule contract and shall consider the mix of labor categories and level of effort required to perform the services described in the statement of work. The firm-fixed price of the order should also include any travel costs or other direct charges related to performance of the services ordered, unless the order provides for reimbursement of travel costs at the rates provided in the Federal Travel or Joint Travel Regulations. A ceiling price must be established for laborhour and time-and-materials orders.

iii. The request may ask the contractors, if necessary or appropriate, to submit a project plan for performing the task, and information on the contractor's experience and/or past performance performing similar tasks.

iv. The request shall notify the contractors what basis will be used

for selecting the contractor to receive the order. The notice shall include the basis for determining whether the contractors are technically qualified and provide an explanation regarding the intended use of any experience and/or past performance information in determining technical qualification of responses.

B. Transmit the Request to Contractors:

i. Based upon an initial evaluation of catalogs and price lists, the ordering office should identify the contractors that appear to offer the best value (considering the scope of services offered, pricing and other factors such as contractors' locations, as appropriate).

ii. The request should be provided to three contractors if the proposed order is estimated to exceed the micropurchase threshold, but not exceed the maximum order threshold. For proposed orders exceeding the maximum order threshold, the request should be provided to additional contractors that offer services that will meet the agency's needs. Ordering offices should strive to minimize the contractors' costs associated with responding to requests for quotes for specific orders. Requests should be tailored to the minimum level necessary for adequate evaluation and selection for order placement. Oral presentations should be considered, when possible.

C. Evaluate Responses and Select the Contractor to Receive the Order:

After responses have been evaluated against the factors identified in the
(continued on next page)

Ordering Procedures for Products

continued from previous page,

request, the order should be placed with the schedule contractor that represents the best value. (See FAR 8.404)

2. The establishment of Federal Supply Schedule Blanket Purchase Agreements (BPAs) for recurring services is permitted when the procedures outlined herein are followed. All BPAs for services must define the services that may be ordered under the BPA, along with delivery or performance timeframes, billing procedures, etc. The potential volume of orders under BPAs, regardless of the size of individual orders, may offer the ordering office the opportunity to secure volume discounts. When establishing BPAs ordering offices shall—

A. Inform contractors in the request (based on the agency's requirement) if a single BPA or multiple BPAs will be established, and indicate the basis that will be used for selecting the contractors to be awarded the BPAs.

- i. SINGLE BPA: Generally, a single BPA should be established when the ordering office can define the tasks to be ordered under the BPA and establish a firm-fixed price or ceiling price for individual tasks or services to be ordered. When this occurs, authorized users may place the order directly under the established BPA when the need for service arises. The schedule contractor that represents the best value should be awarded the BPA. (See FAR 8.404)
- ii. MULTIPLE BPAs: When the ordering office determines multiple BPAs are needed to meet its requirements, the ordering office should determine which contractors

can meet any technical qualifications before establishing the BPAs. When multiple BPAs are established, the authorized users must follow the procedures in 1, B (on previous page) and then place the order with the Schedule contractor that represents the best value.

- B. Review BPAs Periodically: such reviews shall be conducted at least annually. The purpose of the review is to determine whether the BPA still represents the best value. (See FAR 8.404)
- 3. The ordering office should give preference to small business concerns when two or more contractors can provide the services at the same firm-fixed price or ceiling price.
- 4. When the ordering office's requirement involves both products as well as executive, administrative and/or professional, services, the ordering office should total the prices for the products and the firm-fixed price for the services and select the contractor that represents the best value. (See FAR 8.404)
- 5. The ordering office, at a minimum, should document orders by identifying the contractor from which the services were purchased, the services purchased, and the amount paid. If other than a firm-fixed price order is placed, such documentation should include the basis for the determination to use a labor-hour or time-and-materials order. For agency requirements in excess of the micropurchase threshold, the order file should document the evaluation of Schedule contractors' quotes that formed the basis for the selection of the contractor that received the order and the rationale for any trade-offs made in making the selection.

Basic Ordering Agreement (BOA) and Multiple Award Task and Delivery Order Contract (MACS):

Ordering procedures for BOAS and MACs are contained in each program and are available on the program website or by calling the appropriate program point of contact.



A	C
Accounting Pad	Calendar Pad
Acrylic Enamel	Calendar Stand, Desk
Adding Machine Tape	Carbon-Interleaved Computer Paper4
Adding Machine Tape (Carbonless) 60	Carbon Paper59
Address Label	Carbon Set, Manifold59
Addressograph Label	Carbonless Adding Machine Tape
Adhesive, General-Purpose	Carbonless Transfer Computer Paper
Adhesive Remover	Carbonless Transfer Paper
Adhesive, Weatherstrip	CARC Polyurethane Coating
Aerosol Enamel	Card, File Guide2
Aerosol Primer	Card, Index18
Aerosol Primer for Metal121	Card Set, File Guide
Aerosol Primer, Low VOC	Cartridge, Toner (Remanufactured)1
Air Duster	Catalog/Manual Binder
Air Freshener	CD and Disk Mailer
Aircraft Coating	Charge Out Folder
Aircraft Sealing Compound	Chipboard
Alkyd Enamel	Classification Folder
All-Purpose Cleaner	Cleaner, All-Purpose
Ammunition Enamel	Cleaner/Degreaser (Biodegradable) 10-
Appointment Book Binder, Pocket	Cleaner/Degreaser (Simple Green)
Award Plaque	Cleaner-Disinfectant
	Cleaner, Hand (Simple Green)
В	Cleaning Cloth
•	Clipboard
Bag, Burn111	Cloth, Cleaning
Bag, Grocery	Cloth, Wiping
Bag, Hardware	Coating, Aircraft
Bag, Plastic	Coating, Epoxy Polyamide
Bag, Plastic (Recycled)112	Coating, Fire-Protective (Nonflaming)
Bag, Shipping67	Coating, Floor and Deck
Bag, Shopping	Coating, Marine
Bag, Trash	Coating, Polyurethane
Ballast, Lamp (Fluorescent)	Coating, Polyurethane (CARC)
Binder, Catalog/Manual	Coating, Polyurethane (Single-Component CARC)13
Binder, Computer Paper	Coating, Rust-Inhibiting
Binder, Filing	Collection Container, Recyclable Paper
Binder, Loose-Leaf	Colored File Folder
Binder, Pocket Appointment Book	Compound, Corrosion-Preventive
Binder, Slant "D"	Compound, Obliterating (Solvent-Based)
Binder, Three-Ring (End Opening)	Compound, Refrigerant-Sealing
Binder, Three-Ring (Side Opening)	Compound, Sealing (Aircraft)
Biodegradable Cleaner and Degreaser	Compound, Sealing (High-Temperature)
Board, Stencil	Compound, Walkway (Nonslip)
Bond Paper	Computer Paper Binder
Book File	Computer Paper, Carbon-Interleaved
Book, Memorandum	Computer Paper, Carbonless Transfer
Boot Topping Paint	Computer Paper, Multi-Part
Box, Corrugated	Computer Paper, Single-Part4
Box, Fiberboard	Cone, Traffic
Box, File (Document)	Construction Paper64
Box, Repack (Fire Equipment)	Container, Recyclable Paper Collection
Box, Shipping	Continuous-Feed Label
Box, Special-Use	

Alphabetical Index

Cooler, Water (Office)	Enamel, Ammunition	
Copier Paper51	Enamel, Fire-Retardant	
Copier Paper (Watermarked)	Enamel, Rust-Inhibiting	
Corrosion-Inhibiting Epoxy Primer	Enamel, Washable (Interior)	
Corrosion-Inhibiting Primer	Envelope, Cushioned	
Corrosion-Preventive Compound	Envelope, Packing List 6	
Corrugated Box	Envelope, Preprinted 6	
Corrugated Fiberboard Sheet	Envelope, Return Materials Document 6	6
Cover Paper	Envelope, Unprinted	0
Cover, Report	Envelope, X-ray	0
Cover, Report (Double-Pocket)	Epoxy Polyamide Coating	7
Cover, Toilet Seat	Epoxy Primer (Corrosion-Inhibiting)	3
Cup, Foam	Epoxy Primer (Water-Reducible)	2
Cup, Pencil14	Epoxy Repair Kit	6
Cushioned Envelope	Epoxy Ship Paint	23
Cushioning Material79	Expandable File, Hanging	
	Exterior Oil Paint	
_		
D	_	
	F	
Deck and Floor Coating	D : 177:	
Degreaser	Facial Tissue	
Degreaser/Cleaner (Biodegradable)	Fanfold Teletype Paper	
Degreaser/Cleaner (Simple Green)	Fiberboard Box	
Desk Calendar Stand	Fiberboard Sheet, Corrugated	
Desk Pad	File, Book	
Desk Pad Paper	File Box, Document	
Desk Tray	File, Expandable (Hanging)	
Desk Tray Organizer	File Folder	
Detergent, Dishwashing	File Folder, Colored	.3
Dielectric Insulating Floor Matting	File Folder, Drawer	
Dishwashing Detergent	File Folder, Hanging	
Disinfectant-Cleaner	File Folder, Inner	
Disk/CD Mailer	File Folder Label	
Disk Mailer 70	File Folder, Manila	
Disk, 3-1/2" (Recycled)	File Folder, Shelf	
Divider, Legal21	File Guide Card	
Divider Sheet, Three-Ring Binder	File Guide Card Set	8
Document File Box	File Organizer	
Doormat	File Sorter	.7
Double-Pocket Report Cover	File, Vertical	
Drawer File Folder	File, Work Organizer	
Drawer Organizer	Filing Binder 2	
Drawing Paper	Fire Equipment Repack Box	
Drinking System	Fire-Protective Coating, Nonflaming	
Drinking System Reservoir	Fire-Retardant Enamel	
Drip Pan	Flag, Tape (Repositionable)	6
Dropcloth	Floor and Deck Coating	
Duster, Air	Floor Mat, Standing (Anti-Fatigue) 8	
	Floor Matting, Insulating (Dielectric) 8	3
E	Floor Matting, Ribbed 8	3
_	Fluorescent Lacquer	
Easel Pad	Fluorescent Lamp Ballast14	-7
Electric Water Heater	Foam Cup	
	Folder, Charge Out	
Enamel, Acrylic	Folder, Classification	
Enamel, Allard	Folder, File	
Enamel, Alkyd	Folder, File (Colored)	

Folder, File (Drawer)	
Folder, File (Hanging)	L
Folder, File (Inner)	
Folder, File (Manila)	Label, Address
Folder, File (Shelf)	Label, Addressograph65
Folder Label, File	Label, File Folder
Folder, Pocket	Lacquer116
Folder, Wallet	Lacquer, Fluorescent
Form, Optional	Lamp Ballast, Fluorescent
Form, Printed	Latex Paint
Form, Standard	Latex Paint, Remanufactured119
Freezer Wrap	Ledger Graph Paper58
Freshener, Air	Legal Divider
Furniture Polish (Pledge)	Liquid Hand Soap
Turinture Tonsii (Treage)	Loose-Leaf Binder
	Loose-Leaf Paper, Ruled
G	Low VOC Aerosol Primer
u	
Garden Hose	
Gas Water Heater	M
General-Purpose Adhesive	
Graph Paper	Mailer, CD and Disk
Graph Paper, Ledger	Mailer, Disk
Grocery Bag	Mailing Tube
Guide Card, File	Manifold Carbon Set
Guide Card Set, File	Manila File Folder
Suide Card Set, The	Manual/Catalog Binder
	Marine Coating
H	Masonry Paint
"	Mat, Floor (Standing/Anti-Fatigue)
Hand Cleaner (Simple Green)	Mat, Shower
Hand Soap, Liquid	Material, Cushioning
Hanging Expandable File	Matting, Floor (Insulating, Dielectric)
Hanging File Folder	Matting, Floor (Ribbed)
Hardware Bag	Memo Sheet
Heater, Water (Electric)	Memorandum Book56
Heater, Water (Gas)	Message Pad, Telephone
Heat-Resistant Paint	Metal Primer
High-Temperature Sealing Compound	Metal Primer and Surfacer
Hose, Garden	Mimeograph Paper53
,	Multi-Part Computer Paper49
	1 1
I	
	N
Identification Plate	
Index Card	Napkin, Table
Index Paper	"No Trespassing" Sign
Index Sheet, Three-Ring Binder	Nonflaming Fire-Protective Coating
Inner File Folder	Nonslip Walkway Compound
Insta-Plaque	Note, Self-Stick
Insulating Floor Matting, Dielectric 83	
Interior Oil Paint	0
Interior Wall Paint	0
Interior Washable Enamel	
Kraft Paper79	Obliterating Compound, Solvent-Based
	Office Water Cooler
	Oil Paint, Exterior
	Oil Paint, Interior
	100% Post-Consumer Paper51

Alphabetical Index

Optional Form31	Paperboard	
Organizer, Desk Tray	Pen, Retractable (Recycled)	14
Organizer, Drawer	Pencil	14
Organizer, File	Pencil Cup	14
Organizer File, Work	Pencil, Rubberized Woodcased	
8	Phosphorescent Paint	
	Plaque	
P	Plaque, Award	
•	Plaque (Insta-Plaque)	
Packing List Envelope		
Pad, Accounting	Plastic Bag	
Pad, Calendar	Plastic Bag, Recycled	
	Plate, Identification	
Pad, Desk	Pledge	
Pad, Easel	Pocket Appointment Book Binder	
Pad, Message (Telephone)	Pocket Folder	
Pad Paper, Desk	Polish, Furniture (Pledge)	105
Pad, Writing	Polyamide Coating, Epoxy	137
Paint, Boot Topping123	Polyurethane Coating	
Paint, Epoxy (Ship)	Polyurethane Coating (CARC)	
Paint, Heat-Resistant	Polyurethane Coating (Single-Component CARC)	
Paint, Latex121	Polyurethane Unicoat.	
Paint, Latex (Remanufactured)119	Portfolio, Writing	
Paint, Masonry		
Paint, Oil (Exterior)	Postage Meter Tape	
Paint, Oil (Interior)	Post-Consumer Paper, 100%	
	Preprinted Envelope	
Paint, Phosphorescent	Primer, Aerosol	
Paint Remover	Primer, Aerosol (for Metal)	
Paint Thinner	Primer, Aerosol (Low VOC)	128
Paint, Traffic	Primer and Surfacer, Metal	125
Paint Wall (Interior)	D: C : I 1:1:.:	122
Paint, Wall (Interior)	Primer, Corrosion-Inhibiting	133
Pan, Drip147		
	Primer, Epoxy (Corrosion-Inhibiting)	133
Pan, Drip147	Primer, Epoxy (Corrosion-Inhibiting)	133 132
Pan, Drip	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible).	133 132 124
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall	133 132 124 121
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate	133 132 124 121 132
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall	133 132 124 121 132
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate	133 132 124 121 132
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form	133 132 124 121 132
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate	133 132 124 121 132
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form	133 132 124 121 132 39
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form. R Rain Erosion-Resistant Coating Kit	133 132 124 121 132 39
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Cover 53	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form. R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container.	133 132 124 121 132 39
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Cover 53 Paper, Desk Pad 18	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2").	133 132 124 121 132 39 134 18
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Cover 53 Paper, Desk Pad 18 Paper, Drawing 64	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form. R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag	133 132 124 121 132 39 134 18 11
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Cover 53 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen.	133 132 124 121 132 39 134 18 11 112 14
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound.	133 132 124 121 132 39 134 18 11 112 14 138
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen.	133 132 124 121 132 39 134 18 11 112 14 138
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound.	133 132 124 121 132 39 134 18 11 112 14 138 142
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign	133 132 124 121 132 39 134 18 11 112 14 138 142 119
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Cover 53 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Loose-Leaf (Ruled) 56	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive	133 132 124 121 132 39 134 18 11 112 14 138 142 1119
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Cover 53 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Mimeograph 53	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form. R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint 128,	133 132 124 121 132 39 134 18 11 112 149 1149 1129
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form. R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen. Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint 128, Repack Box, Fire Equipment.	133 132 124 121 132 39 134 18 11 112 14 138 142 119 129 77
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Loose-Leaf (Ruled) 56 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51 Paper Tableware 113	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint Repack Box, Fire Equipment. Repair Kit, Epoxy	133 132 124 121 132 39 134 18 11 112 142 119 129 77 126
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Loose-Leaf (Ruled) 56 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51 Paper Tableware 113 Paper, Tabulating 49	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint Repair Kit, Epoxy Report Cover	133 132 124 121 132 39 134 18 11 112 149 119 129 77 126 29
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Loose-Leaf (Ruled) 56 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51 Paper Tableware 113 Paper, Teletype 62	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint Repair Kit, Epoxy Report Cover Report Cover, Double-Pocket	133 132 124 121 132 39 134 18 11 112 149 119 129 77 126 29 28
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Copier (Single-Part) 48 Paper, Copier (Watermarked) 52 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51 Paper Tableware 113 Paper, Tabulating 49 Paper, Teletype 62 Paper, Teletype (Fanfold) 62	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible) Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint Repair Kit, Epoxy Report Cover Report Cover, Double-Pocket Repositionable Tape Flag.	133 132 124 121 132 39 134 18 11 112 149 1149 129 28 16
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51 Paper, Tableware 113 Paper, Tabletype 62 Paper, Teletype (Fanfold) 62 Paper, Toilet 101	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint Repair Kit, Epoxy Report Cover Report Cover Report Cover, Double-Pocket Repositionable Tape Flag. Reservoir, Drinking System	133 132 124 121 132 39 134 18 11 112 149 149 129 28 16 146
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Cover 53 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Loose-Leaf (Ruled) 56 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51 Paper Tableware 113 Paper, Teletype 62 Paper, Teletype (Fanfold) 62 Paper, Toilet 101 Paper Towel 100	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form. R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen. Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint Repair Kit, Epoxy Report Cover Report Cover, Double-Pocket Repositionable Tape Flag. Reservoir, Drinking System Retractable Pen, Recycled	133 132 124 121 132 39 134 18 11 112 149 149 129 77 126 29 16 146 146
Pan, Drip 147 Paper, Bond 52 Paper, Carbon 59 Paper, Carbonless Transfer 59 Paper, Computer (Carbon-Interleaved) 49 Paper, Computer (Carbonless Transfer) 50 Paper, Computer (Multi-Part) 49 Paper, Computer (Single-Part) 48 Paper, Construction 64 Paper, Copier 51 Paper, Copier (Watermarked) 52 Paper, Desk Pad 18 Paper, Drawing 64 Paper, Drawing 64 Paper, Graph 58 Paper, Graph (Ledger) 58 Paper, Index 54 Paper, Kraft 79 Paper, Mimeograph 53 Paper, Post-Consumer (100%) 51 Paper, Tableware 113 Paper, Tabletype 62 Paper, Teletype (Fanfold) 62 Paper, Toilet 101	Primer, Epoxy (Corrosion-Inhibiting). Primer, Epoxy (Water-Reducible). Primer, Metal. Primer, Wall Primer, Zinc Molybdate Printed Form R Rain Erosion-Resistant Coating Kit Recyclable Paper Collection Container Recycled Disk (3-1/2"). Recycled Plastic Bag Recycled Retractable Pen Refrigerant-Sealing Compound. Regulatory Sign Remanufactured Latex Paint Remover, Adhesive Remover, Paint Repair Kit, Epoxy Report Cover Report Cover Report Cover, Double-Pocket Repositionable Tape Flag. Reservoir, Drinking System	133 132 124 121 132 39 134 18 11 112 149 129 77 126 29 28 16 146 146 146

Rubberized Woodcased Pencil	Three-Ring Binder Index Sheet
Ruled Loose-Leaf Paper	Three-Ring Binder (Side Opening)
Rust-Inhibiting Coating	Tissue, Facial
Rust-Inhibiting Enamel	Toilet Paper
Rust Inhibiting Litanici	Toilet Seat Cover
S	Toner Cartridge (Remanufactured)
	Towel, Paper
Sanding Scalar 120	Tracing Paper
Sanding Sealer	Traffic Cone
Sealer, Sanding	Traffic Paint
Sealing Compound, Aircraft	Trash Bag110
Sealing Compound, High-Temperature	Tray, Desk
Seat Cover, Toilet	Tray, Desk (Organizer)
Self-Stick Note	Tray, Self-Stick Note
Self-Stick Note Tray	Tube, Mailing78
Sheet, Corrugated Fiberboard	
Sheet, Memo	**
Shelf File Folder	U
Ship Paint, Epoxy	
Shipping Bag	Unicoat, Polyurethane
Shipping Box	Unprinted Envelope
Shopping Bag114	
Shower Mat	17
Sign, "No Trespassing"	V
Sign, Regulatory	
Simple Green Cleaner/Degreaser	Varnish, Spar
Simple Green Hand Cleaner	Vertical File
Single-Component CARC Polyurethane Coating 136	
Single-Part Computer Paper	W
Slant "D" Binder	VV
Soap, Hand (Liquid)	W-11 C 1 N1'
Solvent-Based Obliterating Compound	Walkway Compound, Nonslip
Sorter, File	Wall Paint, Interior
Spar Varnish	Wall Primer
Special-Use Box	Wallet Folder
Stand, Desk Calendar	Washable Enamel, Interior
Standard Form	Water Cooler, Office
Standing Floor Mat (Anti-Fatigue) 83	Water Heater, Electric
Stencil Board	Water Heater, Gas
Surfacer and Primer, Metal	Watermarked Copier Paper
	Water-Reducible Epoxy Primer
_	Waxed Paper
T	Weatherstrip Adhesive
TI 11 N 11	Wiping Cloth
Table Napkin	Work Organizer File
Tableware, Paper	Wrap, Freezer
Tabulating Paper	Writing Pad
Tape, Adding Machine	Witting 1 officials
Tape, Adding Machine (Carbonless)	
Tape Flag, Repositionable	X
Tape, Postage Meter	, and the second
Telephone Message Pad	X-ray Envelope70
Teletype Paper	——————————————————————————————————————
Teletype Paper, Fanfold	
Thinner	Z
Thinner, Paint	_
3-1/2" Disk, Recycled	Zinc Molybdate Primer
Three-Ring Binder Divider Sheet	•
Three-Ring Binder (End Opening)	

01 4770	01 7000	7510-00-582-420129
Class 4110	Class 7220	7510-00-582-539929
4110-00-203-056582	7220-00-224-648683	7510-00-582-540029
4110-00-203-2706	7220-00-238-885283	7510-00-584-248928
4110-00-255-876082	7220-00-254-424083	7510-00-584-249028
4110-00-782-512582	7220-00-267-463083	7510-00-584-249128
4110-01-280-017882	7220-00-292-209683	7510-00-584-249228
	7220-00-634-021683	7510-00-735-073220
Class 4520	7220-00-634-160183	7510-00-782-266319
Class 4520	7220-00-753-298183	7510-00-889-351920
4520-00-033-428381	7220-00-753-298283	7510-00-984-578719
4520-00-033-4284	7220-00-965-476983	7510-01-203-470819
4520-00-033-428781	7220-01-056-194483	7510-01-203-881419
4520-00-585-2986	7220-01-057-189783	7510-01-278-412919
4520-00-585-2989		7510-01-278-413019
4520-00-727-7134	Class 7350	7510-01-278-413119
	Class 7550	7510-01-315-201916
Class 4720	7350-00-082-5741113	7510-01-315-202016
Class 47 20	7350-00-145-6126113	7510-01-315-202116
4720-01-447-8757145	7350-00-721-9003113	7510-01-315-202216
4720-01-447-8759145	7350-00-914-5088114	7510-01-315-202316
	7350-00-914-5089114	7510-01-315-202416
Class 4940	7350-00-926-1661113	7510-01-315-865416
O1033 4740	7350-01-359-9524113	7510-01-357-682956
4940-01-490-2455147		7510-01-357-683056
		/310-01-33/-0830
4940-01-490-2463147	Class 7510	7510-01-357-895214
4940-01-490-2470147	Class 7510	
	Class 7510 7510-00-145-029613	7510-01-357-895214
4940-01-490-2470147		7510-01-357-8952
4940-01-490-2470147 4940-01-504-5270147	7510-00-145-0296	7510-01-357-8952
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147	7510-00-145-0296	7510-01-357-8952 .14 7510-01-368-4626 .11 7510-01-368-4628 .11 7510-01-384-8673 .20
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147	7510-00-145-0296	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147	7510-00-145-0296	7510-01-357-8952 .14 7510-01-368-4626 .11 7510-01-368-4628 .11 7510-01-384-8673 .20 7510-01-389-2257 .16 7510-01-390-0706 .20
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19	7510-01-357-8952 .14 7510-01-368-4626 .11 7510-01-368-4628 .11 7510-01-384-8673 .20 7510-01-389-2257 .16 7510-01-390-0706 .20 7510-01-396-8308 .16 7510-01-399-1152 .16
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16 7510-01-399-1152 16 7510-01-407-0471 19 7510-01-410-7012 16
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147 Class 6840	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4310 29	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4310 29 7510-00-281-4314 29 7510-00-281-6179 19	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147 Class 6840	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4313 29 7510-00-281-4314 29	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16 7510-01-399-1152 16 7510-01-407-0471 19 7510-01-425-6766 14 7510-01-459-0407 13
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147 Class 6840	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4310 29 7510-00-281-4314 29 7510-00-281-6179 19 7510-00-281-6180 19 7510-00-285-1765 13	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16 7510-01-399-1152 16 7510-01-407-0471 19 7510-01-410-7012 16 7510-01-425-6766 14 7510-01-459-0407 13 Class 7520
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147 Class 6840 Class 7045	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4310 29 7510-00-281-4314 29 7510-00-281-6179 19 7510-00-281-6180 19 7510-00-285-1765 13 7510-00-285-2567 20	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16 7510-01-399-1152 16 7510-01-407-0471 19 7510-01-425-6766 14 7510-01-459-0407 13 Class 7520 7520-00-139-4277 13 7520-00-139-4341 13
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147 Class 6840 6840-01-037-1416. 104	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4313 29 7510-00-281-4314 29 7510-00-281-6179 19 7510-00-281-6180 19 7510-00-285-1765 13 7510-00-285-2567 20 7510-00-286-7794 29	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16 7510-01-399-1152 16 7510-01-407-0471 19 7510-01-410-7012 16 7510-01-425-6766 14 7510-01-459-0407 13 Class 7520 7520-00-139-4277 13 7520-00-139-4341 13 7520-00-162-6153 13
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147 Class 6840 Class 7045	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4310 29 7510-00-281-4314 29 7510-00-281-6179 19 7510-00-285-1765 13 7510-00-286-7794 29 7510-00-409-8646 19	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16 7510-01-399-1152 16 7510-01-407-0471 19 7510-01-410-7012 16 7510-01-425-6766 14 7510-01-459-0407 13 Class 7520 7520-00-139-4277 13 7520-00-139-4341 13 7520-00-162-6153 13 7520-00-162-6156 13
4940-01-490-2470. 147 4940-01-504-5270. 147 4940-01-504-5273. 147 4940-01-505-0680. 147 Class 6250 6250-00-892-5248. 147 6250-00-892-5249. 147 Class 6840 Class 7045	7510-00-145-0296 13 7510-00-149-0603 19 7510-00-149-0604 19 7510-00-187-6486 19 7510-00-187-6488 19 7510-00-187-6489 19 7510-00-187-6496 19 7510-00-281-4309 29 7510-00-281-4313 29 7510-00-281-4314 29 7510-00-281-6179 19 7510-00-281-6180 19 7510-00-285-1765 13 7510-00-285-2567 20 7510-00-286-7794 29	7510-01-357-8952 14 7510-01-368-4626 11 7510-01-368-4628 11 7510-01-384-8673 20 7510-01-389-2257 16 7510-01-390-0706 20 7510-01-396-8308 16 7510-01-399-1152 16 7510-01-407-0471 19 7510-01-410-7012 16 7510-01-425-6766 14 7510-01-459-0407 13 Class 7520 7520-00-139-4277 13 7520-00-139-4341 13 7520-00-162-6153 13

7520-00-286-172230	7530-00-144-960449	7530-00-261-380128
7520-00-286-172330	7530-00-144-960650	7530-00-261-380428
7520-00-286-172430	7530-00-144-961850	7530-00-261-3813 28
7520-00-286-172530	7530-00-145-017459	7530-00-261-381828
7520-00-286-172630	7530-00-145-041448	7530-00-261-381928
7520-00-665-065726	7530-00-145-041549	7530-00-264-3703 62
7520-00-833-734330	7530-00-145-041649	7530-00-264-3723
7520-01-094-430717	7530-00-145-041749	7530-00-268-3993
7520-01-094-430817	7530-00-145-041849	7530-00-268-3994
7520-01-094-430917	7530-00-160-847521	7530-00-273-9845
7520-01-094-431017	7530-00-160-847621	7530-00-273-984624
7520-01-166-0878	7530-00-160-847721	7530-00-274-549456
7520-01-207-4351	7530-00-185-675150	7530-00-281-484731
7520-01-316-217217	7530-00-185-675250	7530-00-281-590724
7520-01-316-285517	7530-00-185-675450	7530-00-281-590824
7520-01-362-865617	7530-00-185-675750	7530-00-281-593824
7520-01-364-408517	7530-00-198-587370	7530-00-281-5939
7520-01-386-160414	7530-00-198-587670	7530-00-281-5940
7520-01-386-161814	7530-00-200-430824	7530-00-281-5941
7520-01-386-367021	7530-00-222-007856	7530-00-281-5942
7520-01-392-529916	7530-00-222-344322	7530-00-281-5945
7520-01-412-531814	7530-00-222-344422	7530-00-281-595924
7520-01-413-506017	7530-00-222-345560	7530-00-281-5960
7520-01-434-0038	7530-00-223-795857	7530-00-281-596130
7520-01-437-636431	7530-00-231-712553	7530-00-281-5968
7520-01-437-636531	7530-00-235-403361	7530-00-282-250723
7520-01-437-636930	7530-00-236-930561	7530-00-282-2508
7520-01-439-339121	7530-00-238-431618	7530-00-285-1732
7520-01-439-340421	7530-00-238-431918	7530-00-285-2879
	7530-00-238-835260	7530-00-285-288764
Class 7530	7530-00-239-847955	7530-00-285-289664
Class 7550	7530-00-242-121870	7530-00-285-290164
7530-00-043-119422	7530-00-243-943618	7530-00-285-2902
7530-00-054-157565	7530-00-243-943718	7530-00-285-2905
7530-00-073-116457	7530-00-244-403559	7530-00-285-290664
7530-00-082-263528	7530-00-244-407359	7530-00-285-2913
7530-00-082-266161	7530-00-244-745318	7530-00-285-291429
7530-00-130-328069	7530-00-244-745618	7530-00-285-2915
7530-00-130-328169	7530-00-247-031018	7530-00-285-291629
7530-00-130-328269	7530-00-247-031118	7530-00-285-2917
7530-00-130-328369	7530-00-247-031818	7530-00-285-2922
7530-00-130-328469	7530-00-247-032518	7530-00-285-3073 53
7530-00-142-903762	7530-00-247-370057	7530-00-285-3090
7530-00-144-9600	7530-00-249-484748	7530-00-285-583615
7530-00-144-9601	7530-00-249-596928	7530-00-285-5840
7530-00-144-9602	7530-00-253-253757	7530-00-286-433656

7530-00-286-433856	7530-00-616-728452	7530-00-988-651727
7530-00-286-433956	7530-00-619-888057	7530-00-988-652027
7530-00-286-691558	7530-00-634-178522	7530-00-988-654128
7530-00-286-691858	7530-00-634-502858	7530-00-988-654928
7530-00-286-691958	7530-00-663-003124	7530-00-989-068428
7530-00-286-692324	7530-00-707-840622	7530-00-989-069728
7530-00-286-692424	7530-00-731-536348	7530-00-989-069828
7530-00-286-692524	7530-00-767-570969	7530-00-990-888422
7530-00-286-692624	7530-00-767-572969	7530-01-009-256269
7530-00-286-692970	7530-00-767-575669	7530-01-009-256369
7530-00-286-693570	7530-00-767-575869	7530-01-009-256569
7530-00-286-693770	7530-00-767-582569	7530-01-010-770069
7530-00-286-696370	7530-00-781-621665	7530-01-028-710549
7530-00-286-697070	7530-00-782-399459	7530-01-030-142049
7530-00-286-697824	7530-00-782-399659	7530-01-033-889152
7530-00-286-698420	7530-00-784-614360	7530-01-060-751156
7530-00-286-725324	7530-00-800-0996	7530-01-071-976959
7530-00-286-728624	7530-00-811-7169	7530-01-071-979253
7530-00-286-728724	7530-00-823-804062	7530-01-071-979453
7530-00-286-776862	7530-00-838-9129	7530-01-071-979553
7530-00-286-857024	7530-00-861-126328	7530-01-072-253859
7530-00-286-857124	7530-00-861-127228	7530-01-072-253959
7530-00-286-9054	7530-00-881-295725	7530-01-074-183253
7530-00-290-059952	7530-00-889-355524	7530-01-077-538653
7530-00-290-060052	7530-00-912-392465	7530-01-077-538753
7530-00-290-061752	7530-00-912-392565	7530-01-078-564953
7530-00-290-061852	7530-00-926-897425	7530-01-085-522552
7530-00-290-200922	7530-00-926-897822	7530-01-106-472550
7530-00-290-389457	7530-00-926-897925	7530-01-116-786515
7530-00-290-389757	7530-00-926-898022	7530-01-116-7866
7530-00-290-390957	7530-00-926-898122	7530-01-116-786715
7530-00-291-009823	7530-00-926-898222	7530-01-124-566055
7530-00-401-691059	7530-00-926-898325	7530-01-124-763255
7530-00-509-863253	7530-00-926-898425	7530-01-131-009155
7530-00-558-115358	7530-00-926-900070	7530-01-131-188955
7530-00-559-4340	7530-00-935-708170	7530-01-146-336152
7530-00-559-451224	7530-00-935-973839	7530-01-147-681152
7530-00-559-983656	7530-00-959-444121	7530-01-147-681252
7530-00-577-436827	7530-00-982-006265	7530-01-148-176652
7530-00-577-436927	7530-00-982-006465	7530-01-150-033452
7530-00-577-437027	7530-00-982-006665	7530-01-150-036962
7530-00-577-437127	7530-00-985-700922	7530-01-152-511970
7530-00-577-437227	7530-00-985-701223	7530-01-152-512270
7530-00-577-437627	7530-00-985-725964	7530-01-156-468952
7530-00-577-484970	7530-00-988-651527	7530-01-156-977552
7530-00-582-419658	7530-00-988-651627	7530-01-200-220352

7530-01-200-220452	7530-01-418-128115	7540-00-634-403634
7530-01-200-220651	7530-01-418-142015	7540-00-634-403734
7530-01-200-220751	7530-01-446-090825	7540-00-634-403834
7530-01-203-149323	7530-01-447-135355	7540-00-634-404134
7530-01-207-4356	7530-01-447-135555	7540-00-634-4045
7530-01-256-918152	7530-01-447-135655	7540-00-634-4046
7530-01-257-412260	7530-01-454-800651	7540-00-634-4083
7530-01-316-658470	7530-01-456-0683	7540-00-634-4093
7530-01-316-658570	7530-01-456-0684	7540-00-634-4101
7530-01-334-781751	7530-01-456-2249	7540-00-634-4121
7530-01-335-262351	7530-01-503-844151	7540-00-634-4122
7530-01-338-062550	7530-01-503-844551	7540-00-634-4127
7530-01-350-5979	7530-01-503-844951	7540-00-634-4128
7530-01-352-6616	7530-01-503-845351	7540-00-634-4156
7530-01-356-672855	7300 01 300 0 130 1 1 1 1 1 1 1 1 1 1 1 1	7540-00-634-4159
7530-01-357-685425		7540-00-634-4160
7530-01-357-685525	Class 7540	7540-00-634-4162
7530-01-357-685625	7540-00-082-244732	7540-00-634-4176
7530-01-357-685725	7540-00-117-842432	7540-00-634-4177
7530-01-364-9482	7540-00-118-100835	7540-00-634-4179
7530-01-364-9483	7540-00-137-632132	7540-00-634-4180
7530-01-364-9484	7540-00-138-913732	7540-00-634-4206
7530-01-364-9485	7540-00-139-005332	7540-00-634-4249
7530-01-364-9486	7540-00-139-483432	7540-00-634-4250
7530-01-364-9487	7540-00-139-483532	7540-00-634-425137
7530-01-364-948852	7540-00-142-943437	7540-00-634-425237
7530-01-364-949525	7540-00-149-093932	7540-00-634-425338
7530-01-364-949625	7540-00-181-802537	7540-00-634-4254
7530-01-364-949825	7540-00-181-8344	7540-00-634-4255
7530-01-364-949925	7540-00-181-8351	7540-00-634-4260
7530-01-364-950025	7540-00-181-8354	7540-00-634-4264
7530-01-364-950125	7540-00-181-8355	7540-00-634-427636
7530-01-364-950223	7540-00-181-8358	7540-00-634-431933
7530-01-364-950323	7540-00-181-836236	7540-00-634-4340
7530-01-364-950423	7540-00-181-836834	7540-00-634-435637
7530-01-364-950523	7540-00-222-344234	7540-00-634-435737
7530-01-364-950623	7540-00-222-346732	7540-00-634-5053
7530-01-372-310755	7540-00-222-346832	7540-00-682-6423
7530-01-372-310855	7540-00-577-5881	7540-00-753-4941
7530-01-372-310955	7540-00-634-396433	7540-00-823-7952
7530-01-398-265253	7540-00-634-397233	7540-00-823-8130
7530-01-398-265653	7540-00-634-399933	7540-00-823-8131
7530-01-398-266157	7540-00-634-401534	7540-00-926-4735
7530-01-407-224821	7540-00-634-401833	7540-00-926-8972
7530-01-413-073048	7540-00-634-402734	7540-00-935-5862
7530-01-418-1212	7540-00-634-403534	7540-00-965-2379

7540-00-985-7038	7540-01-283-8661	
7540-00-985-711337	7540-01-283-866239	Class 7930
7540-01-008-390035	7540-01-317-7366	7930-00-068-1669104
7540-01-008-390135	7540-01-317-736733	7930-00-177-5243104
7540-01-028-284835	7540-01-317-736832	7930-00-357-7386104
7540-01-044-551535	7540-01-317-737132	7930-00-926-5280104
7540-01-058-022235	7540-01-317-737234	7930-01-152-7072103
7540-01-058-022437	7540-01-333-623734	7930-01-177-0795105
7540-01-070-844435	7540-01-333-6238	7930-01-306-8369104
7540-01-099-344635	7540-01-333-623934	7930-01-342-5315104
7540-01-119-5628	7540-01-351-9169	7930-01-342-5316104
7540-01-120-060732	7540-01-351-917733	7930-01-346-5283105
7540-01-120-406232	7540-01-351-917833	7930-01-380-8348104
7540-01-121-882532	7540-01-368-777533	7930-01-381-3491105
7540-01-124-763332	7540-01-368-777834	7930-01-383-7925104
7540-01-152-8068	7540-01-385-7215	7930-01-393-6747105
7540-01-152-8080	7540-01-385-7427	7930-01-398-0885104
7540-01-165-7295	7540-01-385-744039	7930-01-398-247311
7540-01-209-4939	7540-01-466-9084	7930-01-406-405511
7540-01-213-7899	7540-01-475-0707	7930-01-411-979411
7540-01-213-7900	7540-01-475-0708	
7540-01-213-7901	7540-01-475-4306	Class 8010
7540-01-213-7902	7540-01-475-4307	
7540-01-213-7903	7540-01-479-9728	8010-00-045-3478
7540-01-214-5372	7540-01-479-972937	8010-00-055-5100121
7540-01-214-5372		8010-00-055-5100
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121
7540-01-214-5372 36 7540-01-218-4384 35 7540-01-231-4280 38 7540-01-231-5585 38	7540-01-479-972937	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131
7540-01-214-5372 36 7540-01-218-4384 35 7540-01-231-4280 38 7540-01-231-5585 38 7540-01-231-5586 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117
7540-01-214-5372 36 7540-01-218-4384 35 7540-01-231-4280 38 7540-01-231-5585 38 7540-01-231-5586 38 7540-01-231-5587 38 7540-01-231-6227 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128
7540-01-214-5372 36 7540-01-218-4384 35 7540-01-231-4280 38 7540-01-231-5585 38 7540-01-231-5586 38 7540-01-231-5587 38 7540-01-231-6227 38 7540-01-231-6228 38 7540-01-232-1234 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-246-9252. 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-160-5800 128
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-246-9252. 38 7540-01-247-0006. 38	7540-01-479-9729	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-160-5800 128 8010-00-161-7275 124
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-247-0006. 38 7540-01-249-5573. 38	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 100 7920-00-965-1709 105	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-161-7275 124 8010-00-165-8566 121
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-247-0006. 38 7540-01-249-5573. 38 7540-01-249-5576. 38	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 100 7920-00-965-1709 105 7920-01-370-1364 105	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-161-7275 124 8010-00-169-4673 119
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-247-0006. 38 7540-01-249-5573. 38 7540-01-249-5576. 38 7540-01-249-5577. 38	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 100 7920-00-965-1709 105 7920-01-370-1364 105 7920-01-370-1365 105	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-082-2599 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-161-7275 124 8010-00-165-8566 121 8010-00-169-4673 119 8010-00-181-7568 128
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-247-0006. 38 7540-01-249-5573. 38 7540-01-249-5576. 38 7540-01-249-5577. 38 7540-01-255-3670. 39	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 100 7920-01-370-1364 105 7920-01-370-1365 105 7920-01-454-5879 105	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-160-5800 128 8010-00-165-8566 121 8010-00-169-4673 119 8010-00-181-7568 128 8010-00-181-8079 118
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-247-0006. 38 7540-01-249-5573. 38 7540-01-249-5576. 38 7540-01-249-5577. 38 7540-01-255-3670. 39 7540-01-268-4828. 34	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 105 7920-01-370-1364 105 7920-01-370-1365 105 7920-01-454-5879 105 7920-01-463-4652 106	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-161-7275 124 8010-00-165-8566 121 8010-00-181-7568 128 8010-00-181-8079 118 8010-00-181-8080 118
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-246-9252. 38 7540-01-249-5573. 38 7540-01-249-5576. 38 7540-01-249-5577. 38 7540-01-255-3670. 39 7540-01-268-4828. 34 7540-01-269-3384. 34	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 105 7920-01-370-1364 105 7920-01-370-1365 105 7920-01-454-5879 105 7920-01-463-4652 106	$\begin{array}{c} 8010\text{-}00\text{-}055\text{-}5100 & 121 \\ 8010\text{-}00\text{-}055\text{-}5183 & 121 \\ 8010\text{-}00\text{-}067\text{-}5434 & 121 \\ 8010\text{-}00\text{-}082\text{-}2598 & 131 \\ 8010\text{-}00\text{-}082\text{-}2599 & 131 \\ 8010\text{-}00\text{-}141\text{-}7838 & 117 \\ 8010\text{-}00\text{-}141\text{-}7842 & 117 \\ 8010\text{-}00\text{-}142\text{-}9273 & 128 \\ 8010\text{-}00\text{-}160\text{-}5787 & 129 \\ 8010\text{-}00\text{-}160\text{-}5788 & 129 \\ 8010\text{-}00\text{-}160\text{-}5800 & 128 \\ 8010\text{-}00\text{-}165\text{-}8566 & 121 \\ 8010\text{-}00\text{-}165\text{-}8566 & 121 \\ 8010\text{-}00\text{-}181\text{-}7568 & 128 \\ 8010\text{-}00\text{-}181\text{-}7568 & 128 \\ 8010\text{-}00\text{-}181\text{-}8079 & 118 \\ 8010\text{-}00\text{-}181\text{-}8080 & 118 \\ 8010\text{-}00\text{-}242\text{-}2089 & 118 \\ \end{array}$
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-247-0006. 38 7540-01-249-5573. 38 7540-01-249-5576. 38 7540-01-249-5577. 38 7540-01-255-3670. 39 7540-01-268-4828. 34 7540-01-269-3384. 34 7540-01-274-9925. 39	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 105 7920-01-370-1364 105 7920-01-370-1365 105 7920-01-454-5879 105 7920-01-463-4652 106	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-165-8500 128 8010-00-165-8566 121 8010-00-189-4673 119 8010-00-181-8079 118 8010-00-181-8080 118 8010-00-242-2089 118 8010-00-282-9414 121
7540-01-214-5372. 36 7540-01-218-4384. 35 7540-01-231-4280. 38 7540-01-231-5585. 38 7540-01-231-5586. 38 7540-01-231-5587. 38 7540-01-231-6227. 38 7540-01-231-6228. 38 7540-01-232-1234. 38 7540-01-246-9251. 38 7540-01-246-9252. 38 7540-01-249-5573. 38 7540-01-249-5576. 38 7540-01-249-5576. 38 7540-01-255-3670. 39 7540-01-268-4828. 34 7540-01-274-9925. 39 7540-01-279-6310. 39	7540-01-479-9729 37 7540-01-500-4881 34 Class 7920 7920-00-148-9666 106 7920-00-205-1711 106 7920-00-205-3570 106 7920-00-543-6492 100 7920-00-682-6710 100 7920-00-721-8884 100 7920-00-823-6931 105 7920-01-370-1364 105 7920-01-370-1365 105 7920-01-454-5879 105 7920-01-463-4652 106	8010-00-055-5100 121 8010-00-055-5183 121 8010-00-067-5434 121 8010-00-082-2598 131 8010-00-141-7838 117 8010-00-141-7842 117 8010-00-142-9273 128 8010-00-160-5787 129 8010-00-160-5788 129 8010-00-160-5800 128 8010-00-165-8566 121 8010-00-169-4673 119 8010-00-181-7568 128 8010-00-181-8080 118 8010-00-242-2089 118 8010-00-282-9414 121 8010-00-286-9080 123

8010-00-297-2102128	8010-00-823-7964121	8010-01-165-6760
8010-00-348-7715122	8010-00-837-7969118	8010-01-167-1139
8010-00-418-4667121	8010-00-848-9272123	8010-01-170-7583
8010-00-418-4668	8010-00-852-8013125	8010-01-187-9820
8010-00-418-4669121	8010-00-857-1938127	8010-01-193-0516
8010-00-419-8541121	8010-00-899-8825	8010-01-193-0517
8010-00-463-7063120	8010-00-900-2938131	8010-01-193-0519
8010-00-515-1568117	8010-00-900-2940	8010-01-193-0520
8010-00-515-2208	8010-00-900-3648131	8010-01-193-0521
8010-00-526-1612122	8010-00-900-3650	8010-01-200-2637
8010-00-527-0216	8010-00-910-8154123	8010-01-208-7777
8010-00-527-0217	8010-00-926-1488128	8010-01-212-1704
8010-00-558-7026118	8010-00-926-1489128	8010-01-229-7540
8010-00-582-4743130	8010-00-935-6609116	8010-01-229-7541
8010-00-582-5318133	8010-00-935-7062116	8010-01-229-7542
8010-00-584-3140120	8010-00-935-7064116	8010-01-229-7543
8010-00-584-3147120	8010-00-935-7075116	8010-01-229-7544
8010-00-584-3329119	8010-00-935-7079116	8010-01-229-7545
8010-00-584-3331	8010-00-958-8148126	8010-01-229-7546
8010-00-597-7841122	8010-00-990-1542131	8010-01-229-7547
8010-00-597-7848119	8010-01-017-1512131	8010-01-229-9561
8010-00-597-7856130	8010-01-019-1776131	8010-01-234-2934
8010-00-597-7858122	8010-01-055-2319135	8010-01-234-2935
8010-00-597-8198128	8010-01-060-7176126	8010-01-234-2936
8010-00-598-5458122	8010-01-130-3345	8010-01-235-2693
8010-00-598-5465122	8010-01-130-3347135	8010-01-235-2695
8010-00-598-5730120	8010-01-131-6254135	8010-01-235-4164
8010-00-598-5733120	8010-01-131-6255135	8010-01-235-4165
8010-00-598-5936125	8010-01-131-6259135	8010-01-235-4166
8010-00-598-7267119	8010-01-131-6261	8010-01-235-8059
8010-00-616-4009	8010-01-132-2976134	8010-01-246-0717
8010-00-616-9143122	8010-01-141-2415135	8010-01-246-0718
8010-00-616-9181121	8010-01-141-2420135	8010-01-246-0719
8010-00-634-7320117	8010-01-144-9872135	8010-01-247-8885
8010-00-641-0426	8010-01-144-9873135	8010-01-260-0908
8010-00-641-0427117	8010-01-144-9875	8010-01-260-0910
8010-00-663-2673	8010-01-144-9877135	8010-01-260-0912
8010-00-664-0019129	8010-01-144-9883	8010-01-260-0913
8010-00-664-7047	8010-01-144-9884	8010-01-260-0914
8010-00-664-7074119	8010-01-144-9886	8010-01-260-0916
8010-00-664-7468127	8010-01-146-2646	8010-01-260-7482
8010-00-664-7651117	8010-01-146-2649135	8010-01-265-9128115
8010-00-664-7656	8010-01-146-2650	8010-01-265-9139115
8010-00-687-8191125	8010-01-160-6742135	8010-01-265-9142115
8010-00-815-2692127	8010-01-160-6746	8010-01-265-9143
8010-00-823-7962121	8010-01-162-5578135	8010-01-265-9145
0010 00 020 1702121	0010 01 102 3370	0010 01 203 /113

8010-01-265-9149115	8010-01-316-2220136	8010-01-344-5094127
8010-01-265-9151115	8010-01-316-2221	8010-01-344-5096
8010-01-265-9152115	8010-01-322-8864115	8010-01-344-5099127
8010-01-265-9153115	8010-01-327-9981115	8010-01-344-5100127
8010-01-265-9154115	8010-01-329-6302115	8010-01-344-5101127
8010-01-276-3638	8010-01-329-6304115	8010-01-344-5103127
8010-01-276-3639	8010-01-329-6752115	8010-01-344-5105
8010-01-276-3640	8010-01-329-6754115	8010-01-344-5106
8010-01-285-1328132	8010-01-329-8709115	8010-01-344-5119127
8010-01-285-1329	8010-01-330-3435129	8010-01-344-5120127
8010-01-285-2487115	8010-01-332-3744121	8010-01-344-5312124
8010-01-285-2489115	8010-01-333-7762122	8010-01-344-5313124
8010-01-285-2495115	8010-01-333-7764122	8010-01-344-5314124
8010-01-285-3032115	8010-01-333-7766122	8010-01-344-5317124
8010-01-285-3033115	8010-01-333-9446122	8010-01-344-5320124
8010-01-285-3035	8010-01-333-9448122	8010-01-344-5321124
8010-01-285-3037	8010-01-333-9449122	8010-01-344-5322124
8010-01-285-3038	8010-01-333-9450	8010-01-344-6690
8010-01-285-3040	8010-01-333-9430	8010-01-344-6691
8010-01-285-3041	8010-01-333-9813	8010-01-344-6695
8010-01-285-3043	8010-01-333-9814	8010-01-344-6696124
8010-01-285-3044	8010-01-333-9819122	8010-01-344-6699
8010-01-285-3044	8010-01-333-9821122	8010-01-344-6700124
8010-01-285-3047	8010-01-333-9823122	8010-01-344-6701124
8010-01-285-3048	8010-01-333-9826	8010-01-344-6702124
8010-01-285-3554	8010-01-333-9820	8010-01-344-6703124
8010-01-283-3334	8010-01-333-7630	8010-01-344-6704124
8010-01-293-6182	8010-01-334-3000	8010-01-345-6535
8010-01-294-7135119	8010-01-336-0529	8010-01-343-0333
8010-01-294-7133	8010-01-336-3032	8010-01-347-0916
8010-01-294-7778	8010-01-336-3032115	8010-01-349-9006124
8010-01-294-7778	8010-01-330-3033	8010-01-350-4727124
8010-01-294-9914	8010-01-340-7060	8010-01-350-4727
8010-01-294-9914	8010-01-340-8716	8010-01-350-4741
8010-01-293-0239	8010-01-340-8717130	8010-01-350-4742
8010-01-302-3605	8010-01-340-8717	8010-01-350-4743
8010-01-302-3606	8010-01-344-3218115	8010-01-350-4744
8010-01-302-3607	8010-01-344-3222	8010-01-350-5239124
8010-01-302-3608	8010-01-344-5085127	8010-01-350-3239124
8010-01-302-6838	8010-01-344-5086127	8010-01-353-4547
8010-01-305-5551	8010-01-344-5087	8010-01-353-6551
8010-01-305-5555	8010-01-344-5088	8010-01-353-6551
8010-01-306-9681	8010-01-344-5088	8010-01-353-9055124
8010-01-306-9681	8010-01-344-5089	8010-01-354-0961
8010-01-309-0329	8010-01-344-5090	8010-01-354-0963130
	8010-01-344-5092	8010-01-354-0964130 8010-01-354-0966130
8010-01-316-2219	ou10-01-344-5093	8010-01-354-0966

8010-01-356-2938	124	8010-01-381-0136.	122	8010-01-441-5927	120
8010-01-356-2941	124	8010-01-382-1810.	124	8010-01-441-5934	120
8010-01-359-9242	131	8010-01-382-1864.	124	8010-01-441-5940	129
8010-01-360-8067	124	8010-01-382-1896.	124	8010-01-441-5941	129
8010-01-360-8068	124	8010-01-396-6775.	119	8010-01-502-7343	128
8010-01-360-9304	124	8010-01-396-6777.	119	8010-01-502-7344	128
8010-01-360-9305	124	8010-01-396-6778.	119	8010-01-502-7355	128
8010-01-360-9306	124	8010-01-396-6781.	119	8010-01-502-7356	128
8010-01-360-9307	124	8010-01-396-6783.	119	8010-01-502-7357	128
8010-01-362-3201	130	8010-01-396-6784.	119	8010-01-502-9353	128
8010-01-363-3373	121	8010-01-397-3942.	115	8010-01-502-9354	128
8010-01-363-3375	121	8010-01-397-3978.	115	8010-01-502-9355	128
8010-01-365-8832		8010-01-397-3983.		8010-01-502-9356	128
8010-01-365-8834	124	8010-01-397-3988.	119	8010-01-502-9357	128
8010-01-366-5835	119	8010-01-416-6556.	133	8010-01-502-9363	129
8010-01-368-2632	128	8010-01-417-1215.	133	8010-01-502-9364	129
8010-01-368-2633	128	8010-01-418-5408.	119	8010-01-502-9365	129
8010-01-368-7760	115	8010-01-418-5410.	119	8010-01-502-9366	129
8010-01-368-7782	119	8010-01-418-5411.	119		
8010-01-368-7783	119	8010-01-418-5412.	119	Class 803	0
8010-01-368-7784	119	8010-01-418-5413.	119	0000 00 454 0500	120
8010-01-368-7785	119	8010-01-418-5419.	122	8030-00-174-2588	
8010-01-368-7788	119	8010-01-418-5449.	119	8030-00-246-0931	
8010-01-368-7789	119	8010-01-418-5450.	119	8030-01-347-0979	
8010-01-368-7793	124	8010-01-419-1145.	137	8030-01-347-0980	
8010-01-368-7897	115	8010-01-419-1147.	137	8030-01-347-0981	
8010-01-371-9190	122	8010-01-419-1152.	137	8030-01-347-0982	
8010-01-374-8954	124	8010-01-419-1153.	137	8030-01-368-7207	
8010-01-374-8955	124	8010-01-419-1155.	137	8030-01-368-7208	116
8010-01-378-6514	115	8010-01-419-1163.	137	01 004	0
8010-01-380-0332	119	8010-01-419-1164.	137	Class 804	U
8010-01-380-0343	119	8010-01-419-1166.	137	8040-00-092-2816	148
8010-01-380-0357	119	8010-01-433-4808.	120	8040-00-109-2481	149
8010-01-380-1728	115	8010-01-433-4809.	120	8040-00-111-6522	148
8010-01-380-2336	115	8010-01-433-4810.	120	8040-00-390-7959	148
8010-01-380-2351	119	8010-01-433-4812 .	120	8040-00-433-4065	148
8010-01-380-2363	120	8010-01-433-4813 .	119	8040-00-738-6429	149
8010-01-380-2367	119	8010-01-433-4816 .	120	8040-00-754-2483	14, 149
8010-01-380-2400	120	8010-01-433-4818.	120	8040-00-777-0631	149
8010-01-380-2421	119	8010-01-433-4819 .	119	8040-00-944-7292	149
8010-01-380-2440	115	8010-01-433-4820 .	119	8040-01-033-7507	149
8010-01-380-2447	120	8010-01-433-4823 .	120	8040-01-068-2423	148
8010-01-380-2455	115	8010-01-433-4826.	120	8040-01-502-9360	149
8010-01-380-3288	122	8010-01-433-4828.	120	8040-01-502-9361	149
8010-01-380-3293	119	8010-01-435-2128.	122	8040-01-502-9362	149
8010-01-380-3299	122	8010-01-435-2136.	122		
8010-01-380-3302	115	8010-01-441-5907.	122		

Class 8105	8105-00-857-2247	8110-00-291-0345
8105-00-022-1319114	8105-00-959-255968	8110-00-291-034778
8105-00-117-9860		8110-00-291-034878
8105-00-117-9866		8110-00-298-204678
8105-00-117-986967		8110-00-725-147178
8105-00-117-987067	8105-00-985-722166	
8105-00-117-987267	8105-00-989-2376113	Class 8115
8105-00-117-987967	8105-01-150-6256110	Class 0115
8105-00-117-988167	8105-01-174-0941111	8115-00-079-844772
8105-00-117-988667	8105-01-174-0942111	8115-00-079-845972
8105-00-139-1276	8105-01-174-0943111	8115-00-079-867772
8105-00-145-0163110		8115-00-079-867972
8105-00-145-044668	8105-01-174-0945111	8115-00-079-868072
8105-00-200-0195110	8105-01-175-5532111	8115-00-079-868172
8105-00-224-848566	8105-01-175-5533111	8115-00-079-868272
8105-00-262-7363111	8105-01-183-9764110	8115-00-079-869372
8105-00-271-1485114	8105-01-183-9767110	8115-00-079-869772
8105-00-281-1156114		8115-00-079-874572
8105-00-281-1158114	8105-01-183-9769110	8115-00-079-878872
8105-00-281-1163114		8115-00-079-882372
8105-00-281-116768	8105-01-221-3233111	8115-00-079-882572
8105-00-281-116868		8115-00-079-887978
8105-00-281-116968		8115-00-079-898972
8105-00-281-1425114		8115-00-079-901572
8105-00-281-1429114		8115-00-101-763876
8105-00-281-1436		8115-00-101-7647
8105-00-286-7308114		8115-00-117-8249
8105-00-290-0340		8115-00-117-833876
8105-00-290-0342		8115-00-134-3656
8105-00-290-0343		8115-00-139-065277
8105-00-299-8532110		8115-00-139-067377
8105-00-330-7264111		8115-00-139-068977
8105-00-334-4120		8115-00-139-0690
8105-00-543-7169114		8115-00-139-0691
8105-00-579-8451111		8115-00-139-070678
8105-00-579-9161114	040# 04 007 040	8115-00-139-0722
8105-00-726-5607110		8115-00-139-0749
8105-00-756-2710		8115-00-142-9594
8105-00-759-0794		8115-00-174-2354
8105-00-837-7753		8115-00-176-806473 8115-00-179-054772
8105-00-837-7754	CIG22 OTTO	8115-00-179-0547
8105-00-837-7755		8115-00-179-0565
8105-00-837-7756	0440 00 054 4500	8115-00-179-056671
8105-00-837-7757		8115-00-179-056871
8105-00-849-9843147	0110-00-2/1-1507	0113-00-177-030011

8115-00-179-0570	71	8115-00-292-0123	78	8115-00-787-214676
8115-00-179-0571		8115-00-360-2858		8115-00-787-2147
8115-00-179-0575		8115-00-417-9236		8115-00-787-2147
8115-00-179-0578		8115-00-417-9292		8115-00-861-157471
8115-00-179-0579		8115-00-417-9318		8115-00-901-642871
8115-00-179-0580		8115-00-417-9320		8115-00-901-643474
8115-00-183-9481		8115-00-417-9378		8115-00-901-6435
8115-00-183-9482		8115-00-417-9416		8115-00-926-4886
8115-00-183-9484		8115-00-418-4653		8115-00-926-488774
8115-00-183-9488	73	8115-00-418-4656		8115-00-926-4888
8115-00-183-9489		8115-00-428-4124		8115-00-926-4895
8115-00-183-9490	73	8115-00-428-4158	73	8115-00-935-1140
8115-00-183-9493	73	8115-00-428-4183	73	8115-00-935-5896
8115-00-183-9494	73	8115-00-428-4185	73	8115-00-935-590474
8115-00-183-9497	73	8115-00-451-7853	73	8115-00-935-5906
8115-00-183-9498	73	8115-00-514-2409	73	8115-00-935-590774
8115-00-183-9501	73	8115-00-516-0242	76	8115-00-935-6510
8115-00-183-9503	72	8115-00-516-0251	76	8115-00-953-0276
8115-00-190-4870	71	8115-00-519-1825	74	8115-00-993-2790
8115-00-190-4950	73	8115-00-550-3558	76	8115-00-993-2791
8115-00-190-4959		8115-00-550-3574		8115-01-006-725776
8115-00-190-4969	73	8115-00-559-5516	74	8115-01-010-4654
8115-00-190-5007		8115-00-559-9996		8115-01-010-8956
8115-00-190-5012		8115-00-559-9998		8115-01-011-3617
8115-00-190-5015		8115-00-559-9999		8115-01-011-3618
8115-00-190-5017		8115-00-576-8428		8115-01-011-361973
8115-00-190-5018		8115-00-579-8406		8115-01-011-362073
8115-00-190-5020		8115-00-579-8407		8115-01-011-3621
8115-00-190-3020		8115-00-579-8461		8115-01-011-3626
	76	8115-00-579-8461	73	
				0113 01 011 3027
8115-00-192-1605	-	8115-00-579-9156		8115-01-011-3628
8115-00-201-1123		8115-00-598-5807		8115-01-011-3629
8115-00-275-5777		8115-00-616-9147		8115-01-012-5003
8115-00-290-3364		8115-00-616-9150		8115-01-012-5004
8115-00-290-3365		8115-00-616-9151		8115-01-015-131276
8115-00-290-3367		8115-00-616-9154		8115-01-015-1313
8115-00-290-3369		8115-00-656-0912		8115-01-015-1314
8115-00-290-3370	71	8115-00-664-0058	78	8115-01-015-1315
8115-00-290-3371	71	8115-00-682-6820	72	8115-01-015-499474
8115-00-290-3373	71	8115-00-753-4691		8115-01-017-6054
8115-00-290-3376		8115-00-774-6562	74	8115-01-019-4084
8115-00-290-3380	71	8115-00-782-1695	74	8115-01-019-4085
8115-00-290-3384	71	8115-00-782-3932	71	8115-01-057-1244
8115-00-290-3386	71	8115-00-782-3935	72	8115-01-057-1245
8115-00-290-3387	71	8115-00-782-3936	72	8115-01-093-3730
8115-00-290-3394	71	8115-00-782-3940	71	8115-01-094-6520
8115-00-290-5494	71	8115-00-787-2142	76	8115-01-219-5749

8115-01-262-961370	Class 0240	Class 9310				
8115-01-290-954377	Class 8340	Class 9310				
8115-01-307-295177	8340-01-444-3652126	9310-00-042-386754				
8115-01-347-754318	8340-01-444-3653126	9310-00-042-575854				
8115-01-347-7544		9310-00-160-783154				
8115-01-357-9995	01 04/5	9310-00-160-783254				
8115-01-357-9996	Class 8465	9310-00-160-783354				
8115-01-357-9997	8465-01-396-9917145	9310-00-160-783454				
8115-01-364-949275	8465-01-396-9918145	9310-00-160-783554				
8115-01-381-652977	8465-01-396-9919146	9310-00-160-785364				
8115-01-386-2238	8465-01-396-9920146	9310-00-160-785864				
8115-01-504-146378	8465-01-396-9921145	9310-00-223-037054				
	8465-01-396-9922146	9310-00-223-037254				
Class 8135	8465-01-396-9926146	9310-00-223-037354				
Class 6133	8465-01-396-9927146	9310-00-223-037554				
8135-00-013-896175	8465-01-396-9928146	9310-00-282-250164				
8135-00-132-906775		9310-00-752-907654				
8135-00-160-775279	Class 8520	9310-00-752-908054				
8135-00-160-775379	Class 0520	9310-00-752-908154				
8135-00-160-775779	8520-01-370-2162103	9310-00-752-908254				
8135-00-160-775879	8520-01-370-4284103	9310-00-955-021754				
8135-00-160-775980	8520-01-432-2618103	9310-00-955-021854				
8135-00-160-776279		9310-00-982-049154				
8135-00-160-776479						
8133-00-160-7764	Class 8540	9310-00-982-049254				
8135-00-160-776679	Class 8540	9310-00-982-049254 9310-01-074-940854				
	Class 8540 8540-00-262-7178100					
8135-00-160-7766	8540-00-262-7178100 8540-00-276-7569102	9310-01-074-940854				
8135-00-160-7766. .79 8135-00-160-7768. .79 8135-00-160-7769. .79 8135-00-160-7771. .79	8540-00-262-7178	9310-01-074-9408				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102	9310-01-074-9408 .54 9310-01-083-5210 .53 9310-01-083-5211 .53				
8135-00-160-7766. .79 8135-00-160-7768. .79 8135-00-160-7769. .79 8135-00-160-7771. .79 8135-00-160-7776. .80 8135-00-160-7778. .80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75 8135-00-281-4118. 75	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-793-5425 101	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-4121. 75	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-793-5425 101 8540-00-965-4691 102	9310-01-074-9408				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75 8135-00-281-4121. 75 8135-00-281-9086. 113	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-00-965-5790 101	9310-01-074-9408				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-9086. 113 8135-00-290-3400. 80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-00-965-5790 101 8540-01-055-6094 101	9310-01-074-9408				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-4121. 75 8135-00-281-9086. 113 8135-00-290-3400. 80 8135-00-290-3407. 79	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-00-965-5790 101 8540-01-055-6094 101 8540-01-055-6134 100	9310-01-074-9408				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. .75 8135-00-242-5610. 80 8135-00-281-4115. .75 8135-00-281-4118. .75 8135-00-281-9086. .113 8135-00-290-3400. .80 8135-00-290-3407. .79 8135-00-584-2698. .113	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-00-965-5790 101 8540-01-055-6094 101 8540-01-055-6134 100 8540-01-056-2897 102	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53 Class 9905 9905-00-424-9829 142 9905-00-527-4997 142 9905-00-721-8734 142 9905-01-357-9983 12 9905-01-357-9984 12				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-4121. 75 8135-00-290-3400. 80 8135-00-290-3407. 79 8135-00-782-3948. 79	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-01-055-6094 101 8540-01-055-6134 100 8540-01-056-2897 102 8540-01-169-9010 100	9310-01-074-9408				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. .75 8135-00-242-5610. 80 8135-00-281-4115. .75 8135-00-281-4118. .75 8135-00-281-9086. .113 8135-00-290-3400. .80 8135-00-290-3407. .79 8135-00-782-3948. .79 8135-00-926-4908. .75	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-01-055-6094 101 8540-01-055-6134 100 8540-01-056-2897 102 8540-01-169-9010 100 8540-01-350-6418 102	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53 Class 9905 9905-00-424-9829 142 9905-00-527-4997 142 9905-00-721-8734 142 9905-01-357-9983 12 9905-01-357-9985 12 9905-01-357-9986 12				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-4121. 75 8135-00-290-3400. 80 8135-00-290-3407. 79 8135-00-782-3948. 79 8135-00-926-4908. 75 8135-00-966-2532. 80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-01-055-6094 101 8540-01-055-6134 100 8540-01-056-2897 102 8540-01-350-6418 102 8540-01-359-0798 100	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53 Class 9905 9905-00-424-9829 142 9905-00-527-4997 142 9905-00-721-8734 142 9905-01-357-9983 12 9905-01-357-9984 12 9905-01-357-9986 12 9905-01-371-5231 142				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-9086. 113 8135-00-290-3400. 80 8135-00-290-3407. 79 8135-00-782-3948. 79 8135-00-926-4908. 75 8135-00-966-2532. 80 8135-00-966-2533. 80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-01-055-6094 101 8540-01-055-6134 100 8540-01-056-2897 102 8540-01-169-9010 100 8540-01-350-6418 102	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53 Class 9905 9905-00-424-9829 142 9905-00-527-4997 142 9905-00-559-2971 142 9905-01-357-9983 12 9905-01-357-9984 12 9905-01-357-9986 12 9905-01-371-5231 142 9905-01-408-2270 12				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-9086. 113 8135-00-290-3400. 80 8135-00-290-3407. 79 8135-00-782-3948. 79 8135-00-926-4908. 75 8135-00-966-2532. 80 8135-00-973-1835. 80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-01-055-6094 101 8540-01-055-6134 100 8540-01-056-2897 102 8540-01-350-6418 102 8540-01-359-0798 100	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53 Class 9905 9905-00-424-9829 142 9905-00-559-2971 142 9905-00-721-8734 142 9905-01-357-9983 12 9905-01-357-9984 12 9905-01-357-9986 12 9905-01-371-5231 142 9905-01-408-2270 12 9905-01-408-6049 12				
8135-00-160-7766. 79 8135-00-160-7768. 79 8135-00-160-7769. 79 8135-00-160-7771. 79 8135-00-160-7776. 80 8135-00-160-7778. 80 8135-00-171-1552. 113 8135-00-240-8224. 75 8135-00-242-5610. 80 8135-00-281-4115. 75 8135-00-281-4118. 75 8135-00-281-9086. 113 8135-00-290-3400. 80 8135-00-290-3407. 79 8135-00-782-3948. 79 8135-00-926-4908. 75 8135-00-966-2532. 80 8135-00-966-2533. 80	8540-00-262-7178 100 8540-00-276-7569 102 8540-00-276-7570 102 8540-00-279-7777 102 8540-00-281-8360 101 8540-00-285-7001 102 8540-00-291-0389 100 8540-00-291-0392 100 8540-00-530-3770 101 8540-00-965-4691 102 8540-01-055-6094 101 8540-01-055-6134 100 8540-01-056-2897 102 8540-01-350-6418 102 8540-01-359-0798 100	9310-01-074-9408 54 9310-01-083-5210 53 9310-01-083-5211 53 9310-01-083-5212 53 9310-01-083-5214 53 9310-01-083-5216 53 9310-01-101-3832 53 Class 9905 9905-00-424-9829 142 9905-00-527-4997 142 9905-00-559-2971 142 9905-01-357-9983 12 9905-01-357-9984 12 9905-01-357-9986 12 9905-01-371-5231 142 9905-01-408-2270 12				

NO	SIGNATURE (If required)		TELEPHONE NUMBER		NOTE: Entries in shaded blocks may be in either the FIXED (F)	VAKIABLE (V) sections - NEVEK in both.	23. REMARKS															NSN 7540-00-965-2379 STANDARD FORM 344 (REV. 2-93) Prescribed by GSA, FPMR (41 CFR) 101-26.2
	SIG	-64	<u> </u>				99-69															7540-0
	20. 21. REG'D PRI- DELIVERY	61 62-64			22.	PROJECT ADVICE																NSN
ATION	20. T PP	60-61			19V.		57-59															
NTIFIC	18F. 19. 2 DISTRI- BUTION PROJECT	52-26			8V.	DISTRI- BUTION	54-56	_	_			_	_	_	_	_	_	_	_	_	_	
IT IDE	DISTRI- SUTION	4-56			16V. 18V.	SIG	51															
	10F. SIG	51 52-5				SUPPLEMENTARY ADDRESS	45-50															DOCUMEN
	14-15F. SUPPLEMENTARY ADDRESS	45-50		REQUISITION DATA		SERIAL SUP	40-43															SYSTEM
	14-15F SU			SITIO	12.																	SSUE
	13.DEM	4 4		REGUI		QUANTITY	25-29															NG/I
	MBER 11. DA	36-39			7. 8.		3-24															TION
	ENT NU					6. UNIT ADD- OF T'N'L ISSUE	21-2223-24															SUISI
	DOCUMENT NUMBER May 9-10 REQUISITIONER 11. DATE	7 30-35				NIIN	12-20															MULTIUSE STANDARD REQUISITIONING/ISSUE SYSTEM DOCUMENT
	2. 3. ROUTING DEN.	4-6 7			STOCK NUMBER	_	1															USE STA
	1. DOC. IDEN.	1-3				4. FSC	8-11															MULT

Make a Vital Contribution to our Environment by Purchasing Environmentally Oriented Products and Services!

GSA's supply and procurement programs can help you get the environmentally oriented products and services you need.

See pages 4 and 5 for ordering information.

Note About the Environmental Products and Services Guide (EPSG)

Because of the size of the EPSG, we must use adhesive binding versus the stapling method we have used in previous editions.

A number of options were explored including the use of "water soluble" adhesive; however, we have been advised that the technology has not been developed to the point where it can be used to bind publications.

Impact on Recyclability

Unfortunately, because of the aforementioned issue, this edition of the EPSG *cannot* be included in the following category of the Federal Recycling Program:

· Grade 1—High Grade: sorted white bond

The entire publication, including the cover, can be recycled under the Federal Recycling Program Categories:

- Grade 2—Mixed Paper: colored paper, file stock, books and magazines
- Grade 6—Commercial Office Mix: all paper, cardboard, and newspaper generated in an office. (Grade 6 is found in the Federal "All Paper" Recycling Program).

By definition, the EPSG has not been eligible and will continue to be ineligible for inclusion in:

- Grade 3—Newspaper
- Grade 4—Old Corrugated Containers (OCC Cardboard)
- Grade 5—Telephone Directories

How To Order

- 1 Automated/online ordering options:
 - GSA Global Supply—www.GSAglobalsupply.gsa.gov GSA *Advantage!*°—www.gsaAdvantage.gsa.gov
- 2 Ordering by Mail, Fax or Phone:

Mail, fax or phone your FEDSTRIP/MILSTRIP requisitions (Standard Form 344 or DD Form 1348). See ordering instructions, pages 4 and 5.

3 Questions:

If you have questions or need additional information about the products in the EPSG, call 1-800-525-8027, or send an e-mail to gsaglobalsupply@gsa.gov.

If you have general questions or need additional information about the environmental programs of GSA/FSS, call (703) 305-6936, or send an e-mail to roger.waldron@gsa.gov.

U.S. General Services Administration Centralized Mailing List Service Warehouse 9, South Dock 501 W. Felix Street Fort Worth, TX 76115

Official Business Penalty for Private Use \$300

www.gsa.gov 2003 – 2004 5-3-00074 PRESORTED STANDARD POSTAGE & FEES PAID GSA Permit No. G-30





EPSG FAX ORDER FORM

Date _

Custor	mer Name		Telephone Number							
Ship T	o Address		Fax Number							
					Optional Docum	ent Number	(14 digits)			
								(0.11		
					Signature of App	proving/Ora	ering Official (Optional)		
If Pa	ying With Credit Card	d			Activity Ad	dress Co	ode			
Credit	Card Number				Activity Address	Code				
Expira	tion Date				Access Code					
Rem	narks:									
	you accept a backorde do not place backorders for			☐ Yes	□ No	Fá	ax your	order 24 f	nours a day!	
	Item Number (last 7 digits of NSN)	Quantity	Item Description				U/I	Unit Price	Extended Price	
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
								Extended Price Total	ıl - page 2	
Fa	x to 1-800-8	56-705	5 7 Tha	ank you	for your	ordei	r!	Estimated Total Co	ost	
	order will be confirmed by			,	,			Reset Form Info		
For	GSA Use Only									
Store	<u> </u>	Ticket No	umber		Lines	Total		Fax Back (Date/Ti	me/Initials)	

Page 2 - EPSG FAX ORDER FORM

	Item Number (last 7 digits of NSN)	Quantity	Item Description	U/I	Unit Price	Extended Price
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						