Second National Health and Nutrition Examination Survey (NHANES II), 1976-80

NHANES II ELECTROCARDIOGRAPHY DATA FILE DOCUMENTATION

Series 11, No. 2A

April 1998

Table of Contents

NHANES II Electrocardiography Data		
General Information		
Data File Index		
Data File Item Descriptions, Codes,	Counts, and Notes	
D 6		

ELECTROCARDIOGRAM EXAMINATION NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEYS (NHANES) I, II, & III

These data files are dedicated to the memory of Daniel D. Savage, M.D., Ph.D.

Daniel D. Savage (1944-1990) was born in Memphis, Tennessee. He attended the University of Wisconsin in Madison, and between 1965 and 1972 he received four degrees from that institution, including a Bachelor of Science degree in Chemistry, a Master of Science degree in Physiology, a Ph.D. in Physiology and an M.D. degree. During a life that was too short, Dr. Savage made major contributions to the field of cardiovascular medicine as an epidemiologist, researcher, and author. Perhaps his most important scientific contributions were the establishment and conduct of the Minority Framingham Study, and the establishment of left ventricular hypertrophy as an independent risk factor for sudden cardiac death. Dr. Savage has been described by his colleagues as a man of ideas, an innovator, scholar, and scientist who fervently served his community. His challenge to students was to "set your standards high, sacrifice to achieve your goals, and don't stop until you've done your best."

The data presented in this file consist of information about standard 12-lead resting electrocardiogram(ECG) recorded on men and women in the mobile examination center (MEC)during NHANES II. NHANES is a series of cross-sectional, national noninstitutionalized representative surveys conducted by the National Center for Health Statistics of the Centers for Disease Control and Prevention. Table 1 represents the following information: years the surveys were conducted; the eligibility age of the examinee receiving the exam; and equipment used.

Table 1. General information

Survey	Survey years	Age	Equipment used
I	1971-1975	25-74	Beckman Digicorder* Marquette** Marquette** MAC 12
II	1976-1981	25-74	
III	1988-1994	40 and over	

<sup>\*</sup>Beckman Instruments, Inc. Fullerton California

NHANES I ECG data quality and data processing procedures were substantially different from those used for NHANES II and NHANES III. NHANES I ECGs, recorded with Beckman Digicorders, were available as single channel data, 2.5 seconds per lead and sampled at 500 samples per second. In 1970-1975 when the survey was conducted, ECG acquisition technology was still in an early phase of development, and ECG data quality was in general poor. This made automated ECG processing difficult. The initial attempts to process NHANES I ECGs with an automated ECG program (ECAN-E, U.S. Public Health Service) from these single channel data did not produce stable ECG wave measurements, and a semiautomated procedure was later developed in an attempt to remedy the problem. This process involved the display of each ECG lead on a large screen of a Tektronix terminal, and an operator used cursors to identify the onsets and offsets of P, QRS and T waves of the complex selected for analysis. These ECG segments were then processed by the Dalhousie Novacode ECG program (Rautaharju et al, 1990).

The single channel ECG data of relatively poor quality imposes certain limitations on the validity of NHANES I ECG reports, particularly concerning ECG codes which rely on P wave detection and measurements. Arrhythmias were not coded. However, ECGs with no P waves identified by the program were checked visually for the presence of a trial fibrillation.

The QRS amplitude measurements in NHANES I were obtained with a reasonable degree of confidence although at times the gain control and calibration could not be ascertained with adequate reliability. ST-T measurements were more difficult because of drift problems, and although the program had algorithms with higher order terms for non-linear drift correction, these were difficult

<sup>\*\*</sup>Marquette Medical Systems, Inc. Milwaukee, Wisconsin,

to apply because of the short record length (2.5 records).

NHANES II 12-lead ECG data were recorded in 4 lead groups sequenced 3 leads at a time for 5 seconds (I, II, III, aVR, aVL, aVF, V1, V2, V3 and V4, V5, V6), and NHANES III ECGs with 8 independent components of the 12 standard leads simultaneously. For both surveys, the ECG data were sampled at 250 samples per second per channel. The availability of multiple simultaneous ECG leads for analysis greatly improved the precision and accuracy of ECG amplitude and interval measurements compared to the single channel procedure applied on NHANES I ECG data.

The key features of the Novacode ECG program are described elsewhere (Rautaharju et al, 1990). The program was designed to handle both the resting and exercise ECGs and it relies on the use of selective averaging to derive a representative P-QRS-T complex for analysis of wave durations and amplitudes.

The data are presented as three separate files, one for each survey. However, we named all the variables the same. The variable ECPSNUM is the variable showing the survey number. Eight fill values "Blank but applicable," were used to represent certain conditions or responses in which a respondent was eligible to receive the ECG but did not because of refusal, lack of time, lack of staff, loss of data, language barrier, unreliability, or the computer program not able to code the data.

Because we administered this test in the examination center, MEC examination weights (WTPFEX) must be used for data analysis. Besides the MEC weights, each file contains the following additional variables: respondent identification number (SEQN); race-ethnicity (DMARETHN); sex (HSSEX); age at interview (HSAGEIR); pseudo-PSU (SDPPSU); and pseudo-stratum (SDPSTRA). Tables 2a, 2b, and 3 presents additional information available from NHANES I and II. These data sets are available on tape and can be obtained from the National Technical Information Service (NTIS), Computer Products Office, 5285 Port Royal Road, Springfield, Virginia 22161 (703) 487-4807.

Table 2a. NHANES I PUBLIC USE DATA SETS

TAPE NAME/NUMBER	ORDER NUMBER
Anthropometry, goniometry, skeletal age, bone density, and cortical thickness, ages 1-74 years (4111)	PB-295908
Arthritis, ages 25- 74 years (4121)	PB-296018
Audiometric test (air, bone, speech reception), ages 25- 74 years (4241)	PB-297337
Biochemistry, serology, hematology, peripheral blood slide, and urinary findings, ages 25-74	PB-297344

years (4800)	
Dental, ages 1-74 years (4235)	PB-296023
Dermatology, ages 1-74 years (4151)	PB80-130255
Dietary frequency and adequacy, ages 1-74 years (4701)	PB-295906
General well-being and the CES-D depression scale developed by the National Institute of Mental Health, ages 25-74 years (4171)	PB-296020

Table 2b. NHANES I PUBLIC USE DATA SETS

TAPE NAME/NUMBER	ORDER NUMBER
Health care needs, general medical history, sample person supplement, and respiratory and cardiovascular supplements, ages 25-74 years (4091)	PB-296029
Medical examination, ages 1-74 years (4233)	   PB-296035 
Medical history questionnaire, ages 12-74 years (4081)	   PB-296073 
Model gram and nutrient composition (4702-4703)	PB-296027
Near and distant vision, ages 25-74 years (4163)	PB-295910
Ophthalmology, ages 1-74 years (4161)	   PB-296033 
Pulmonary diffusion, TB, chest x ray planimetry, heart size, and lung and heart pathology,	PB87-126009

ages 25-74 years   (4251)	
Spirometry-best   trials only, ages   25-74 years (4250)	PB80-145931
   24-hour recall   consumption intake,   ages 1-74 years   (4704)	PB-297339

Table 3. NHANES II PUBLIC USE DATA SETS

able 3. MIANES II FOD.	LIC OSE DATA SETS
TAPE NAME/NUMBER	ORDER NUMBER
Anthropometric data, ages 6 months 74 years (5301)	PB82-191917
Behavior questionnaire, ages 25-74 years (5317)	PB90-501578
Chest x ray examination ages 25-74 years (5252)	PB89-136667
Health History supplement, ages 12-74 years (5305)	PB83-256537
Hematology and biochemistry, ages 6 months-74 years (5411) Version 2	PB90-500943
Medical History, ages 12 -74 years (5020)	PB83-154815
Model gram and nutrient composition (5702-5703)	PB82-142613
Physician's examination, ages 6 months-74 years (5302)	PB86-242930
Total nutrient intake, food frequency, and other related dietary data, ages 6 months-74 years (5701)	PB82-168261
Allergy Skin	PB86-121613

Testing, Ages 6-74,   (5309)	
24-hour recall specific food item, ages 6 months-74 years (5704)	PB82-142639

Two aspects of NHANES surveys should be taken into account when conducting any analyses: the sample weights and the complex survey design. Therefore it is very important that the analyst refers to Landis et al. (1982) and NHANES III Analytic and Reporting Guidelines (U.S. DHHS, 1996b) before attempting to analyze the data.

A detailed description of the ECG procedure can be found in the plan and operation of the respective survey, NHANES I (U.S. DHEW, 1973), NHANES II (U.S. DHHS, 1980), and NHANES III (U.S. DHHS, 1996).

A bibliography of NHANES journal articles citing data from 1980 through 1996 and additional NHANES data can be obtained from the Data Dissemination Branch, NCHS at:

Data Dissemination Branch National Center for Health Statistics Room 1018 6525 Belcrest Road Hyattsville, Maryland 20782

Phone: (301)436-8500

URL:http://www.cdc.gov/nchswww

NHANES II Electrocardiography Data File Index

Description		Positions
DEMOGRAPHIC DATA		
Sample person identification number  NHANES II Survey (1976-80)  Sex  Race  Age at interview (Screener) in years  Pseudo-PSU  Pseudo-stratum  MEC-examined sample final weight	ECPSNUM HSSEX DMARACER HSAGEIR SDPPSU SDPSTRA	1-5 6 7 8 9-10 11 12-13 14-18
INTRODUCTORY INFORMATION		
Technician number (not reported)  Number of leads  Chest half-width (mm) (not reported)  Chest half-depth (mm) (not reported)	ECPLEADS ECPWIDTH	19 20-21 22 23

Major ECG abnormalities  Minor ECG abnormalities  Probable myocardial infarction (MI)  Possible MI  Probable left ventricular hypertrophy  Possible LVH by MC	ECPG1       24         ECPG2       25         ECPG3       26         ECPG4       27         ECPG5       28         ECPG6       29
MINNESOTA CODES	
MC 1 Leadgroup L(I, aVL, V6)  MC 1 Leadgroup F(II, III, aVF)  MC 1 Leadgroup V(V1-V5)  MC 4 Leadgroup L  MC 4 Leadgroup F  MC 4 Leadgroup V  MC 5 Leadgroup L  MC 5 Leadgroup F  MC 5 Leadgroup F  MC 5 Leadgroup F  MC 9.2 Leadgroup F  MC 9.2 Leadgroup F  MC 9.2 Leadgroup V	ECPV1 34-35 ECPL4 36-37 ECPF4 38-39 ECPV4 40-41 ECPL5 42 ECPF5 43 ECPV5 44 ECPL9 45 ECPF9 46

	Variable	
Description		Positions
MC 2 (QRS axis code)	ECPMC2	48-49
MC 3 (High-amplitude R waves)		50-51
MC 6 (A-V conduction)	ECPMC6	52-53
MC 7 (Ventricular conduction)	ECPMC7	54
MC 9.1 (Low-amplitude QRS)		55
MC 9.3 (High-amplitude P)		56
MC 9.4 (QRS transition zone)	ECPMC94	57
MC 9.5 (High-amplitude T)	ECPMC95	58
CARDIAC/INFARCTION INJURY SCORE		
Cardiac infarction score (12-lead by 10)	ECPCITS	59-61
Probable infarction/injury		62
Possible infarction/injury		63
Consider infarction/injury		64
LEFT VENTRICULAR MASS		
ECG estimate of LV mass	ECPLVM	65-67
ECG estimate of LV mass index		68-70
Probable LVH		71
HEART RATE, BASIC ECG INTERVALS, AND MEAN AXIS	DATA	
Heart rate (beats per minute)	ECPRATE	72-74
PR interval (msec)	ECPPR	75-77
QRS interval (msec)		78-80
QT interval (msec)	·-	81-83
P axis, frontal plane (degrees)	ECPAXIS1	84-87
QRS axis, frontal plane (degrees)	ECPAXIS2	88-91

T axis, frontal plane (degrees)		92-95 96
ECG WAVE MEASUREMENTS		
P amplitude, positive phase, lead II(uV)	ECPP1	97-99

NHANES II Electrocardiography Data File Index

Description	Variable Name	Positions
P duration, lead II (msec)	ECPP2	100-102
P amplitude, positive phase, lead V1(uV)	ECPP3	103-105
P amplitude, negative phase, lead V1(uV)	ECPP4	106-109
Q or QS amplitude, lead I (uV)	ECPQA1	110-113
Q or QS amplitude, lead II (uV)	ECPQA2	114-117
Q or QS amplitude, lead III (uV)	ECPQA3	118-121
Q or QS amplitude, lead aVL (uV)	ECPQA4	122-125
Q or QS amplitude, lead AVF (uV)	ECPQA5	126-129
Q or QS amplitude, lead V1 (uV)	ECPQA6	130-133
Q or QS amplitude, lead V2 (uV)	ECPQA7	134-137
Q or QS amplitude, lead V3 (uV)	ECPQA8	138-141
Q or QS amplitude, lead V4 (uV)	ECPQA9	142-145
Q or QS amplitude, lead V5 (uV)	ECPQA10	146-149
Q or QS amplitude, lead V6 (uV)	ECPQA11	150-153
Q or QS duration, lead I (msec)	ECPOD1	154-156
Q or QS duration, lead II (msec)	ECPQD2	157-159
Q or QS duration, lead III (msec)	ECPQD3	160-162
O or OS duration, lead aVL (msec)	ECPQD4	163-165
Q or QS duration, lead aVF (msec)	ECPOD5	166-168
Q or QS duration, lead V1 (msec)	ECPQD6	169-171
Q or QS duration, lead V2 (msec)	ECPQD7	172-174
Q or QS duration, lead V3 (msec)	ECPQD8	175-177
Q or QS duration, lead V4 (msec)	ECPQD9	178-180
Q or QS duration, lead V5 (msec)	ECPQD10	181-183
Q or QS duration, lead V6 (msec)	ECPQD11	184-186
R amplitude, lead I (uV)	ECPRA1	187-190
R amplitude, lead II (uV)	ECPRA2	191-194
R amplitude, lead III (uV)	ECPRA3	195-198
R amplitude, lead aVR (uV)	ECPRA4	199-202
R amplitude, lead aVL (uV)	ECPRA5	203-206
R amplitude, lead aVF (uV)	ECPRA6	207-210
R amplitude, lead V1 (uV)	ECPRA7	211-214
R amplitude, lead V2 (uV)	ECPRA8	215-218
R amplitude, lead V3 (uV)	ECPRA9	219-222
R amplitude, lead V4 (uV)	ECPRA10	223-226
R amplitude, lead V5 (uV)	ECPRA11	227-230
R amplitude, lead V6 (uV)	ECPRA12	231-234
R duration, lead I (msec)	ECPRD1	235-237
R duration, lead II (msec)	ECPRD2	238-240
R duration, lead III (msec)	ECPRD3	241-243

NHANES II Electrocardiography Data File Index

	Variable	
Description	Name	Positions
R duration, lead aVR (msec)	ECPRD4	244-246
R duration, lead aVL (msec)	ECPRD5	247-249
R duration, lead aVF (msec)	ECPRD6	250-252
R duration, lead V1 (msec)	ECPRD7	253-255
R duration, lead V2 (msec)	ECPRD8	256-258
R duration, lead V3 (msec)	ECPRD9	259-261
R duration, lead V4 (msec)	ECPRD10	262-264
R duration, lead V5 (msec)	ECPRD11	265-267
R duration, lead V6 (msec)	ECPRD12	268-270
S amplitude, lead I (uV)	ECPSA1	271-274
S amplitude, lead II (uV)	ECPSA2	275-278
S amplitude, lead III (uV)	ECPSA3	279-282
S amplitude, lead aVR (uV)	ECPSA4	283-286
S amplitude, lead aVL (uV)	ECPSA5	287-290
S amplitude, lead aVF (uV)	ECPSA6	291-294
S amplitude, lead V1 (uV)	ECPSA7	295-298
S amplitude, lead V2 (uV)	ECPSA8	299-302
S amplitude, lead V3 (uV)	ECPSA9	303-306
S amplitude, lead V4 (uV)	ECPSA10	307-310
S amplitude, lead V5 (uV)	ECPSA11	311-314
S amplitude, lead V6 (uV)	ECPSA12	315-318
S duration, lead I (msec)	ECPSD1	319-321
S duration, lead II (msec)	ECPSD2	322-324
S duration, lead III (msec)	ECPSD3	325-327
S duration, lead aVR (msec)	ECPSD4	328-330
S duration, lead aVL (msec)	ECPSD5	331-333
S duration, lead aVF (msec)	ECPSD6	334-336
S duration, lead V1 (msec)	ECPSD7	337-339
S duration, lead V2 (msec)	ECPSD8	340-342
S duration, lead V3 (msec)	ECPSD9	343-345
S duration, lead V4 (msec)	ECPSD10	346-348
S duration, lead V5 (msec)	ECPSD11	349-351
S duration, lead V6 (msec)	ECPSD12	352-354
R' amplitude, lead I (uV)	ECPRPA1	355-358
R' amplitude, lead II (uV)	ECPRPA2	359-362
R' amplitude, lead III (uV)	ECPRPA3	363-366
R' amplitude, lead aVR (uV)	ECPRPA4	367-370
R' amplitude, lead aVL (uV)	ECPRPA5	371-374
R' amplitude, lead aVF (uV)	ECPRPA6	375-378
R' amplitude, lead V1 (uV)	ECPRPA7	379-382

NHANES II Electrocardiography Data File Index

Description	Variable Name	Positions
R' amplitude, lead V2 (uV)	ECPRPA8	383-386
R' amplitude, lead V3 (uV)	ECPRPA9	387-390
R' amplitude, lead V4 (uV)	ECPRPA10	391-394
R' amplitude, lead V5 (uV)	ECPRPA11	395-398
R' amplitude, lead V6 (uV)	ECPRPA12	399-402
Jamplitude lead T (uV)	ЕСРЛ1	403-406

J amplitude, lead II (uV)	ECPJ2	407-410
J amplitude, lead III (uV)	ECPJ3	411-414
J amplitude, lead aVR (uV)	ECPJ4	415-418
J amplitude, lead aVL (uV)	ECPJ5	419-422
J amplitude, lead aVF (uV)	ECPJ6	423-426
J amplitude, lead V1 (uV)	ECPJ7	427-430
J amplitude, lead V2 (uV)	ECPJ8	431-434
J amplitude, lead V3 (uV)	ECPJ9	435-438
J amplitude, lead V4 (uV)	ECPJ10	439-442
J amplitude, lead V5 (uV)	ECPJ11	443-446
J amplitude, lead V6 (uV)	ECPJ12	447-450
Negative T amplitude, lead I (uV)	ECPNTA1	451-455
Negative T amplitude, lead II (uV)	ECPNTA2	456-459
Negative T amplitude, lead III (uV)	ECPNTA3	460-463
Negative T amplitude, lead aVR (uV)	ECPNTA4	464-467
Negative T amplitude, lead aVL (uV)	ECPNTA5	468-471
Negative T amplitude, lead aVF (uV)	ECPNTA6	472-475
Negative T amplitude, lead V1 (uV)	ECPNTA7	476-479
Negative T amplitude, lead V2 (uV)	ECPNTA8	480-484
Negative T amplitude, lead V3 (uV)	ECPNTA9	485-489
Negative T amplitude, lead V4 (uV)	ECPNTA10	490-494
Negative T amplitude, lead V5 (uV)	ECPNTA11	495-499
Negative T amplitude, lead V6 (uV)	ECPNTA12	500-504
Positive T amplitude, lead I (uV)	ECPPTA1	505-508
Positive T amplitude, lead II (uV)	ECPPTA2	509-512
Positive T amplitude, lead III (uV)	ECPPTA3	513-516
Positive T amplitude, lead aVR (uV)	ECPPTA4	517-520
Positive T amplitude, lead aVL (uV)	ECPPTA5	521-524
Positive T amplitude, lead aVF (uV)	ECPPTA6	525-528
Positive T amplitude, lead V1 (uV)	ECPPTA7	529-532
Positive T amplitude, lead V2 (uV)	ECPPTA8	533-536
Positive T amplitude, lead V3 (uV)	ECPPTA9	537-540
Positive T amplitude, lead V4 (uV)	ECPPTA10	541-544
Positive T amplitude, lead V5 (uV)	ECPPTA11	545-548
NHANES II Electrocardiography Dat	a File Index	
	 Variable	
Dogarintion	Mama I	)ogitiong

	Variable	
Description	Name	Positions
Positive T amplitude lead V6 (uV)	ЕСРРТ№12	549-552

FILENAME=NH2ECG		VERSION 1.0	N=9,219
		DEMOGRAPHIC DATA	
Positions SAS name	Counts	Item description and code	Notes

1-5 Sample person identification number SEQN 9219 00187-27796

6 ECPSNUM	9219	NHANES II Survey (1976-80) 2 NHANES II
7 HSSEX	4361 4858	
8 DMARACER	8039 1010 170	
9-10 HSAGEIR	9219	Age at interview (Screener) in years 25-74
11 SDPPSU	9219	Pseudo-PSU 1-2
12-13 SDPSTRA	9219	Pseudo-stratum 01-32
14-18 WTPFEX	9219	MEC-examined sample final weight 02000-79634

NHANES II Electrocardiography Data File

		INTRODUCTORY INFORMATION	
SAS name	Counts	Item description and code	Notes
19 ECPTECH1	9219	Technician number (not reported in NHANES II) Blank	
20-21 ECPLEADS		06 09 10	
22 ECPWIDTH	9219	Chest half-width (mm) (not reported in NHANES II) Blank	
23 ECPDEPTH	9219	Chest half-depth (mm) (not reported in NHANES II) Blank	
24 ECPG1	7786 1431	Major ECG abnormalities  0 Absent  1 Present	See note

	2	8	Blank but applicable	
25 ECPG2	7103 2114 2	Minor 0 1 8	ECG abnormalities Absent Present Blank but applicable	See note
26 ECPG3	9167 50 2	Proba 0 1 8	able myocardial infarction (MI) Absent Present Blank but applicable	See note

		INTRODUCTORY INFORMATION	
Positions SAS name		Item description and code	Notes
27 ECPG4	8980 237 2	Possible MI 0 Absent 1 Present 8 Blank but applicable	See note
28 ECPG5	9061 156 2	Probable left ventricular hypertrophy (LVH) by Minnesota Code (MC)  O Absent  Present  Blank but applicable	See note
29 ECPG6	8402 815 2	Possible LVH by MC  O Absent  Present  Blank but applicable	See note

			MINNESOTA	CODES	
Positions SAS name	Counts		escription d code		Notes
30-31 ECPL1	8738 28 3 11 5 13 12 409	MC 1 00 11 13 21 22 31 33 88	1.0.0 1.1.1 1.1.3 1.2.1 1.2.2 1.3.1 1.3.3	L(I, aVL, V6) t applicable	

```
32-33
                     MC 1 Leadgroup F(II, III, aVF)
              8495
ECPF1
                      00
                            1.0.0
                         1.1.1 \\ 1.1.4
                 6
                     11
                13
                    14
                 1
                    15
                           1.1.5
                 31
                     21
                           1.2.1
                         1.2.1
1.2.2
1.2.3
                 5
                     22
                 21
                    23
                 23
                     24
                           1.2.4
                          1.2.5
                 3
                     25
                 75
                    26
                           1.2.6
                 19
                           1.3.1
                    31
                 77
                    34
                           1.3.4
               3 35 1.3.5
28 36 1.3.6
419 88 Blank but applicable
```

MINNESOTA CODES \_\_\_\_\_\_ Positions Item description SAS name Counts and code -----34-35 MC 1 Leadgroup V(V1-V5) ECPV1 8611 00 1.0.0 11 1.1.1 12 1.1.2 16 1.1.6 17 1.1.7 21 1.2.1 22 1.2.2 27 1.2.7 21 14 33 11 6 2 23 1.2.8 1.3.1 68 28 31 3 75 32 1.3.2 88 Blank but applicable 352 36-37 MC 4 Leadgroup L 8445 ECPL4 00 4.0.0 3 11 4.1.1 4.1.2 40 12 164 20 4.2.0 148 30 4.3.0 19 40 4.4.0 Blank but applicable 400 88 38-39 MC 4 Leadgroup F 4.0.0 ECPF4 8630 00 1 11 4.1.1 13 12 4.1.2 108 20 4.2.0 45 30 4.3.0 9 40 4.4.0

Blank but applicable

413

88

		MINNESOTA CODES	
SAS name	Counts	Item description and code	Notes
40-41 ECPV4	8559 5 43 164 67 28 353	MC 4 Leadgroup V 00 4.0.0 11 4.1.1 12 4.1.2 20 4.2.0 30 4.3.0 40 4.4.0 88 Blank but applical	ble
42 ECPL5	7831 7 246 576 174 385	MC 5 Leadgroup L 0 5.0 1 5.1 2 5.2 3 5.3 4 5.4 8 Blank but applical	ble
43 ECPF5	8373 1 137 272 28 408	MC 5 Leadgroup F 0 5.0 1 5.1 2 5.2 3 5.3 4 5.4 8 Blank but applical	ble
44 ECPV5	8107 15 303 294 151 349	MC 5 Leadgroup V 0 5.0 1 5.1 2 5.2 3 5.3 4 5.4 8 Blank but applical	ble

NHANES II Electrocardiography Data File

		MINNESOTA	CODES	
Positions SAS name	Counts	Item description and code		Notes
45 ECPL9	8778 32	MC 9.2 Leadgro	up L	

	409	8 Blank but applicable	
46 ECPF9	8782 17 420	MC 9.2 Leadgroup F 0 9.2.0 2 9.2.2 8 Blank but applicable	
47 ECPV9	8691 174 354	MC 9.2 Leadgroup V 0 9.2.0 2 9.2.2 8 Blank but applicable	
48-49 ECPMC2	747	MC 2 (QRS axis code) 00	See note
50-51 ECPMC3	7784 395 47 151 15 68 310 449	MC 3 (High-amplitude R waves) 00	

NHANES II Electrocardiography Data File

			MINNE	SOTA CODES	
D					
Positions SAS name			descrip	tion	Notes
JAS IIallie					Noces
52-53		MC	6 (A-V	conduction)	
ECPMC6	8489	00	6.0		
	131	30	6.3		
	4	40	6.4		
	140	50	6.5		
	455	88	Blan	k but applicable	
54		MC	7 (Vent:	ricular conduction)	
ECPMC7	7651		7.0	,	
	29		7.1		
	159	2	7.2		
	310	3	7.3		
	250	4	7.4		
	385	5	7.5		
	22		7.6		
	413	8	Blan	k but applicable	

55 ECPMC91	8732 83 404	MC 9.1 (Low-amplitude QRS) 0 9.1.0 1 9.1.1 8 Blank but applicable
56 ECPMC93	8786 80 353	MC 9.3 (High-amplitude P) 0 9.3.0 3 9.3.3 8 Blank but applicable
57 ECPMC94	3751 4131 1335 2	MC 9.4 (QRS transition zone) 0 9.4.0 1 9.4.1 2 9.4.2 8 Blank but applicable

NHANES II Electrocardiography Data File

		MINNE	SOTA CODES	
Positions SAS name	Counts	Item descrip		Notes
58 ECPMC95	8618 137 464	0 9.5. 5 9.5.	•	

NHANES II Electrocardiography Data File

	CA	ARDIAC/INFARCTION INJURY SCORE	
Positions SAS name		tem description and code	Notes
59-61 ECPCIIS		Cardiac infarction/injury score for 12-lead ECG multiplied by 10 000-488 888 Blank but applicable	See note
62 ECPCIIS2	8318 440 461	1 Present	See note
63 ECPCIIS3	8394 364 461	1 Present	See note
64		Consider infarction/injury	See note

ECPCIIS4	8067	0	Absent
	691	1	Present
	461	8	Blank but applicable

		LEFT VENTRICU	LAR MASS	
Positions SAS name		Item description and code		Notes
65-67 ECPLVM		ECG estimate of 059-336 888 Blank but		See note
68-70 ECPLVMI	8767 452			See note
71 ECPLVM3	8073 694 452	Probable LVH 0 Absent 1 Present 8 Blank but	applicable	See note

NHANES II Electrocardiography Data File

	HEART RATE,	BASIC ECG INTERVALS, AND MEAN AXIS DATA	
		Item description and code	Notes
72-74 ECPRATE			
75-77 ECPPR	8902	PR interval (msec) 095-348 888 Blank but applicable	
78-80 ECPQRS	8949	QRS interval (msec) 059-183 888 Blank but applicable	
81-83 ECPQT	8845	QT interval (msec) 254-545 888 Blank but applicable	
84-87 ECPAXIS	L 8837	P axis, frontal plane (degrees) -178-0158 8888 Blank but applicable	

88-91 ECPAXIS2	8856 363	QRS axis, frontal plane (degrees) -179-0180 8888 Blank but applicable
92-95 ECPAXIS3	8837	T axis, frontal plane (degrees) -179-0180
	382	8888 Blank but applicable

NHANES II Electrocardiography Data File

HEART RATE, BASIC ECG INTERVALS, AND MEAN AXIS DATA Item description Positions SAS name Counts and code \_\_\_\_\_\_ Rhythm code See note ECPBEAT 8658 Sinus rhythm 2 Atrial fibrillation/flutter 22 3 Pacemaker 2 363 4 Ventricular ectopic complexes 12 5 1 6 Wandering atrial pacemaker 12 Supraventricular tachycardia 7 Supraventricular ectopic complexes 137 Other rhythm abnormality 24 9

		ECG WAVE MEASUREMENTS	
Positions SAS name		Item description and code	Notes
97-99 ECPP1		P amplitude, positive phase, lead II (microvolt (uV)) 000-491 888 Blank but applicable	
100-102 ECPP2	8862	P duration, lead II (msec) 000-176 888 Blank but applicable	
103-105 ECPP3	8885	P amplitude, positive phase, lead V1 (uV) 000-252 888 Blank but applicable	
106-109 ECPP4	8886 333	P amplitude, negative phase, lead V1 (uV) -343-0000 8888 Blank but applicable	

110-113 ECPQA1	8855 364	Q or QS amplitude, lead I (uV) 0000-1019 8888 Blank but applicable
114-117 ECPQA2	8862 357	Q or QS amplitude, lead II (uV) 0000-1366 8888 Blank but applicable
118-121 ECPQA3	8833 386	Q or QS amplitude, lead III (uV) 0000-1891 8888 Blank but applicable
122-125 ECPQA4	8866 353	Q or QS amplitude, lead aVL (uV) 0000-1303 8888 Blank but applicable


		ECG WAVE MEASUREMENTS	
SAS name	Counts	Item description and code	Notes
126-129 ECPQA5		Q or QS amplitude, lead AVF (uV) 0000-1605 8888 Blank but applicable	
130-133 ECPQA6	8886	Q or QS amplitude, lead V1 (uV) 0000-2900 8888 Blank but applicable	
134-137 ECPQA7		Q or QS amplitude, lead V2 (uV) 0000-3293 8888 Blank but applicable	
138-141 ECPQA8	8893	Q or QS amplitude, lead V3 (uV) 0000-3353 8888 Blank but applicable	
142-145 ECPQA9		Q or QS amplitude, lead V4 (uV) 0000-3238 8888 Blank but applicable	
146-149 ECPQA10		Q or QS amplitude, lead V5 (uV) 0000-2400 8888 Blank but applicable	
150-153 ECPQA11		Q or QS amplitude, lead V6 (uV) 0000-0667 8888 Blank but applicable	
154-156 ECPQD1		Q or QS duration, lead I (msec) 000-128 888 Blank but applicable	
157-159		Q or QS duration, lead II (msec)	

ECPQD2 8862 000-154 357 888 Blank but applicable

NHANES II Electrocardiography Data File

\_\_\_\_\_\_ ECG WAVE MEASUREMENTS Positions Item description SAS name Counts and code Q or QS duration, lead III (msec) 160-162 ECPQD3 8833 000-186 386 888 Blank but applicable Q or QS duration, lead aVL (msec) 163-165 000-154 ECPQD4 8866 353 888 Blank but applicable 166-168 Q or QS duration, lead aVF (msec) ECPQD5 8873 000-150 346 888 Blank but applicable 169-171 Q or QS duration, lead V1 (msec) 000-148 ECPQD6 8886 333 888 Blank but applicable 172-174 Q or QS duration, lead V2 (msec) 8891 000-194 ECPQD7 328 888 Blank but applicable 175-177 Q or QS duration, lead V3 (msec) ECPQD8 8893 000-180 326 888 Blank but applicable 178-180 Q or QS duration, lead V4 (msec) 8893 000-110 ECPQD9 888 326 Blank but applicable 181-183 Q or QS duration, lead V5 (msec) ECPQD10 8892 000-116 327 888 Blank but applicable Q or QS duration, lead V6 (msec) 184-186 ECPQD11 8897 000-122

NHANES II Electrocardiography Data File

888 Blank but applicable

		ECG WAVE	MEASUREMENTS	
Positions		Item descript	ion	
SAS name	<del>_</del>			Notes

322

_			
	187-190 ECPRA1	8855 364	R amplitude, lead I (uV) 0000-2519 8888 Blank but applicable
	191-194 ECPRA2	8862 357	R amplitude, lead II (uV) 0000-2622 8888 Blank but applicable
	195-198 ECPRA3	8833 386	R amplitude, lead III (uV) 0000-2503 8888 Blank but applicable
	199-202 ECPRA4	8872 347	
	203-206 ECPRA5	8866 353	R amplitude, lead aVL (uV) 0000-2432 8888 Blank but applicable
	207-210 ECPRA6	8873 346	R amplitude, lead aVF (uV) 0000-2388 8888 Blank but applicable
	211-214 ECPRA7	8886 333	R amplitude, lead V1 (uV) 0000-2599 8888 Blank but applicable
	215-218 ECPRA8	8891 328	R amplitude, lead V2 (uV) 0000-3023 8888 Blank but applicable
	219-222 ECPRA9	8893 326	R amplitude, lead V3 (uV) 0000-3293 8888 Blank but applicable

NHANES II Electrocardiography Data File

		ECG WAVE MEASUREMENTS	
Positions SAS name	Counts	Item description and code	Notes
223-226 ECPRA10	8893 326		
227-230 ECPRA11	8892 327	R amplitude, lead V5 (uV) 0000-3684 8888 Blank but applicable	
231-234 ECPRA12	8897 322	R amplitude, lead V6 (uV) 0000-3518 8888 Blank but applicable	

235-237 ECPRD1	8855 364	000-178	<pre>lead I (msec) but applicable</pre>
238-240 ECPRD2	8862 357	000-178	<pre>lead II (msec) but applicable</pre>
241-243 ECPRD3	8833 386	000-170	<pre>lead III (msec) but applicable</pre>
244-246 ECPRD4	8872 347	000-152	<pre>lead aVR (msec) but applicable</pre>
247-249 ECPRD5	8866 353	000-184	<pre>lead aVL (msec) but applicable</pre>
250-252 ECPRD6	8873 346	000-168	<pre>lead aVF (msec) but applicable</pre>

NHANES II Electrocardiography Data File

		ECG WAVE 1	MEASUREMENTS	
		Item descript: and code	Lon	Notes
	8886	-	lead V1 (msec)	
	333	888 Blank	but applicable	
256-258 ECPRD8	8891		lead V2 (msec)	
	328	888 Blank	but applicable	
259-261 ECPRD9		R duration, 000-174	lead V3 (msec)	
	326	888 Blank	but applicable	
262-264 ECPRD10	8893	·	lead V4 (msec)	
	326	888 Blank	but applicable	
265-267 ECPRD11	8892		lead V5 (msec)	
	327	888 Blank	but applicable	
268-270 ECPRD12	8897	•	lead V6 (msec)	
	322	888 Blank	but applicable	

271-274 ECPSA1	8855 364	S amplitude, lead I (uV) 0000-2388 8888 Blank but applicable
275-278 ECPSA2	8862 357	S amplitude, lead II (uV) 0000-2181 8888 Blank but applicable
279-282 ECPSA3	8833 386	S amplitude, lead III (uV) 0000-2707 8888 Blank but applicable

		ECG WAVE MEASUREMENTS	
C7 C	C	Item description and code	Notes
	8872 347	0000-2108	
287-290 ECPSA5	8866 353	0000-2360	
291-294 ECPSA6	8873 346		
295-298 ECPSA7	8886 333		
299-302 ECPSA8	8891	S amplitude, lead V2 (uV) 0000-2990 8888 Blank but applicable	
303-306 ECPSA9	8893 326		
307-310 ECPSA10	8893 326	S amplitude, lead V4 (uV) 0000-2998 8888 Blank but applicable	
311-314 ECPSA11	8892 327		
315-318 ECPSA12	8897	S amplitude, lead V6 (uV) 0000-2262 8888 Blank but applicable	

		ECG WAVE N	MEASUREMENTS	
Positions SAS name	]	Item descripti and code	lon	Notes
319-321 ECPSD1	8855	000-126	<pre>lead I (msec) but applicable</pre>	
322-324 ECPSD2	8862 357	000-144	<pre>lead II (msec) but applicable</pre>	
325-327 ECPSD3		000-156	<pre>lead III (msec) but applicable</pre>	
328-330 ECPSD4	8872 347	000-128	<pre>lead aVR (msec) but applicable</pre>	
331-333 ECPSD5		000-134	<pre>lead aVL (msec) but applicable</pre>	
334-336 ECPSD6	8873 346	000-170	<pre>lead aVF (msec) but applicable</pre>	
337-339 ECPSD7	8886 333	000-138	<pre>lead V1 (msec) but applicable</pre>	
340-342 ECPSD8	8891 328	000-144	<pre>lead V2 (msec) but applicable</pre>	
343-345 ECPSD9		000-144	<pre>lead V3 (msec) but applicable</pre>	

		ECG WAVE MEASUREMENTS	
		ECG WAVE MEASUREMENTS	
Positions SAS name	Counts	Item description and code	Notes
346-348 ECPSD10	8893	S duration, lead V4 (msec	2)

	326	888 Blank but applicable
349-351 ECPSD11	8892 327	S duration, lead V5 (msec) 000-138 888 Blank but applicable
352-354 ECPSD12	8897 322	S duration, lead V6 (msec) 000-130 888 Blank but applicable
355-358 ECPRPA1	8855 364	R' amplitude, lead I (uV) 0000-2110 8888 Blank but applicable
359-362 ECPRPA2	8862 357	R' amplitude, lead II (uV) 0000-1919 8888 Blank but applicable
363-366 ECPRPA3	8833 386	R' amplitude, lead III (uV) 0000-2434 8888 Blank but applicable
367-370 ECPRPA4	8872 347	R' amplitude, lead aVR (uV) 0000-2049 8888 Blank but applicable
371-374 ECPRPA5	8866 353	R' amplitude, lead aVL (uV) 0000-1773 8888 Blank but applicable
375-378 ECPRPA6	8873 346	R' amplitude, lead aVF (uV) 0000-1713 8888 Blank but applicable

NHANES II Electrocardiography Data File

		ECG WAVE MEASUREMENTS	
Positions SAS name		tem description and code	Notes
	8886 333	<del>-</del>	
383-386 ECPRPA8	8891	R' amplitude, lead V2 (uV) 0000-1641 8888 Blank but applicable	
387-390 ECPRPA9	8893	R' amplitude, lead V3 (uV) 0000-1606 8888 Blank but applicable	
391-394 ECPRPA10	8893	R' amplitude, lead V4 (uV) 0000-3313 8888 Blank but applicable	

395-398 ECPRPA11	8892 327	R' amplitude, lead V5 (uV) 0000-3337 8888 Blank but applicable
399-402 ECPRPA12	8897 322	R' amplitude, lead V6 (uV) 0000-3201 8888 Blank but applicable
403-406 ECPJ1	8855 364	J amplitude, lead I (uV) -597-0133 8888 Blank but applicable
407-410 ECPJ2	8862 357	J amplitude, lead II (uV) -350-0212 8888 Blank but applicable
411-414 ECPJ3	8833 386	J amplitude, lead III (uV) -321-0390 8888 Blank but applicable

NHANES II Electrocardiography Data File

ECG WAVE MEASUREMENTS			
Positions SAS name	Counts	Item description and code	Notes
ECPJ4		-779-0295	
	347	8888 Blank but applicable	
419-422		J amplitude, lead aVL (uV)	
ECPJ5	8866	-281-0218	
	353	8888 Blank but applicable	
423-426		J amplitude, lead aVF (uV)	
ECPJ6		-188-0440	
20100	346		
427-430		J amplitude, lead V1 (uV)	
ECPJ7		-109-0279	
HCI 0 /	333		
421 424		71	
431-434		J amplitude, lead V2 (uV) -297-0500	
ECPJ8	328		
	320	oooo blank but applicable	
435-438		J amplitude, lead V3 (uV)	
ECPJ9	8893	-347-1558	
	326	8888 Blank but applicable	
439-442		J amplitude, lead V4 (uV)	
ECPJ10		-502-0291	
	226	0000 Dlank but appliable	

326 8888 Blank but applicable

443-446		J amplitude, lead V5 (uV)
ECPJ11	8892	-280-0326
	327	8888 Blank but applicable
447-450		J amplitude, lead V6 (uV)
ECPJ12	8897	-271-0276
	322	8888 Blank but applicable

ECG WAVE MEASUREMENTS

ECG WAVE MEASUREMENTS			
Positions SAS name	Counts	Item description and code	Notes
451-455 ECPNTA1		Negative T amplitude, lead I (uV) -2326-00000 88888 Blank but applicable	
456-459 ECPNTA2		Negative T amplitude, lead II (uV) -523-0000 8888 Blank but applicable	
460-463 ECPNTA3	8833 386		
464-467 ECPNTA4	8872 347	Negative T amplitude, lead aVR (uV) -629-0000 8888 Blank but applicable	
468-471 ECPNTA5	8866 353		
472-475 ECPNTA6	8873 346		
476-479 ECPNTA7	8886 333	Negative T amplitude, lead V1 (uV) -684-0000 8888 Blank but applicable	
480-484 ECPNTA8	8891 328		
485-489 ECPNTA9	8893 326	Negative T amplitude, lead V3 (uV) -1782-00000 88888 Blank but applicable	

NHANES II Electrocardiography Data File

-----

ECG	WAVE	MEASUREMENTS	
ى كى نىد	WAVE	MERSONEMENTS	

Positions SAS name	Counts	Item description and code	Notes
490-494	8893	Negative T amplitude, lead V4 (uV) -1616-00000 88888 Blank but applicable	
495-499 ECPNTA11			
500-504 ECPNTA12		-1793-00000	
505-508 ECPPTA1	8855	Positive T amplitude, lead I (uV) 0000-0715 8888 Blank but applicable	
509-512 ECPPTA2		Positive T amplitude, lead II (uV) 0000-0824 8888 Blank but applicable	
513-516 ECPPTA3		0000-0652	
517-520 ECPPTA4		Positive T amplitude, lead aVR (uV) 0000-0605 8888 Blank but applicable	
521-524 ECPPTA5	8866 353		
525-528 ECPPTA6		Positive T amplitude, lead aVF (uV) 0000-0884 8888 Blank but applicable	

NHANES II Electrocardiography Data File

		ECG WAVE ME	ASUREMENTS	
Positions SAS name	Counts	Item description and code	n 	Notes
529-532 ECPPTA7	8886 333	Positive T am 0000-1128 8888 Blank b	plitude, lead Vi ut applicable	l (uV)
533-536 ECPPTA8	8891	Positive T amy	plitude, lead V2	2 (uV)

	328	8888 Blank but applicable
537-540 ECPPTA9	8893 326	Positive T amplitude, lead V3 (uV) 0000-2119 8888 Blank but applicable
541-544 ECPPTA10	8893 326	Positive T amplitude, lead V4 (uV) 0000-1903 8888 Blank but applicable
545-548 ECPPTA11	8892 327	Positive T amplitude, lead V5 (uV) 0000-1606 8888 Blank but applicable
549-552 ECPPTA12	8897 322	Positive T amplitude, lead V6 (uV) 0000-1408 8888 Blank but applicable

Notes

ECPWIDTH: Chest half-width(mm)

Two anthropometric measurements related to the chest dimensions and chest electrode locations were obtained in NHANES III using an electrode locator (Heartsquare) used to position the V4 electrode at a 45 degree angle between the midsternal line and the left midaxillary line (location of V6) (Rautaharju et al, 1976). The half-width of the chest is the distance (cm) from the midsternal line to the left lateral chest wall at the level of V6. The half-depth of the chest is the distance from the frontal plane at lower sternum to the frontal plane which transsects the thorax at the level of the midaxillary levels. Both of these measurements were obtained to the nearest 0.5 cm and reported as three digit numbers without a decimal (mm) for NHANES III only.

ECPDEPTH: Chest half-depth (mm)

See note for ECPWIDTH.

ECPG1: Major ECG abnormalities

Minnesota Code Comments

Major Q, QS waves	1.1 or 1.2 except 1.2.8	Highest code in any leadgroup
ST depression	4.1 or 4.2	
Negative T waves	5.1 or 5.2	
Complete AV block	6.1	Coded visually, not coded in NHANES I
WPW pattern	6.4	
Artificial pacemaker	6.8	Coded visually, not coded in NHANES I
Ventricular conduction defect	7.1 or 7.2 or 7.	. 4
Atrial fibrillation /flutter	8.3	Coded visually
ST elevation	9.2	

ECPG2: Minor ECG abnormalities

Minnesota Code Comments

Minor Q waves

High R waves

3.1 or 3.3

Any 3.1 or 3.3 code

Minor ST codes

Minor T wave codes

Prolonged PR interval

RR' in V1 or V2

Left anterior fascicular

block

1.2.8 or 1.3

Any 3.1 or 3.3 code

6.3

7.3 or 7.5

1.4

7.7

ECPG3: Probable myocardial infarction by the Minnesota Code

Major Q/QS waves (Code 1.1.1 through 1.1.7), or Moderate Q/QS waves with ST depression or T wave inversion (Code 1.2.1 through 1.2.7 and code 4.1, 4.2, 5.1 or 5.2)

ECPG4: Possible myocardial infarction by the Minnesota Code

Moderate Q/QS waves without ST depression or T wave inversion (Code 1.2.1 through 1.2.7 without Code 4.1, 4.2, 5.1 and 5.2), or minor Q/QS waves with ST depression or T wave inversion (Code 1.2.8 or 1.3.1 through 1.3.6 and Code 4.1, 4.2, 5.1 or 5.2)

ECPG5: Probable LVH by the Minnesota Code

Code 3.1 with code 5.1 or 5.2 or 5.3

ECPG6: Possible LVH by the Minnesota Code

Code 3.1 without code 5.1 and 5.2 and 5.3, OR Any code 3.3

ECPMC2 MC 2 (QRS axis code)

The algorithm used for QRS axis determination provides a more accurate estimation of the mean frontal plane axis than the approximation used in Minnesota Code 2 according to the conventional visual measurement.

The algorithm used for the QRS axis determination is also used for P and T axis calculation.

Values of QRS integrals (net QRS 'areas', A) determined from the six limb leads are used for the mean frontal plane QRS axis calculation.

Three separate axis angle (ANG) values are calculated from three pairs of limb leads. The lead vectors of these three pairs of leads are assumed to be orthogonal according to the Einthoven's equilateral triangle approximation, and the relative strength of the lead vectors of leads aVR, aVL and aVF are assumed to be 3/2 times the lead vector strengths of leads I, II and III. Consequently, the augmented unipolar limb leads are scaled by factor 1.16 in these pairwise calculations of the three angles ANG(1), ANG(2) and ANG(3).

```
ANG(1) = ARCTG (1.16 \times A(aVF), A(I)),

ANG(2) = ARCTG (A(II), 1.16 \times A(aVF)),

ANG(3) = ARCTG (1.16 \times A(aVR), A(III)) + 120
```

In case the three values are reasonably consistent, the final mean frontal plane axis is taken as the mean value of these three separate angle

determinations. Several inconsistency checks are performed, and if abnormally large discrepancies are found, the angle is termed 'undetermined'.

QRS axis values are used to identify abnormal axis deviations, with the following categories for the QRS axis code (code 2):

2.0.0 from 0 to 90 degrees Normal QRS axis 2.1.1 from -29 to -1 degrees Borderline left axis deviation (LAD) 2.1.2 from -89 to -30 degrees LAD 2.2.1 from 91 to 119 degrees Borderline right axis deviation (RAD) 2.2.2 from 120 to 150 degrees RAD 3.3 from 149 to 90 degrees Extreme axis deviation 2.4 Indeterminate ORS axis

ECPCIIS, ECPCIIS2, ECPCIIS3, ECPCIIS4: Cardiac Infarction/Injury Score for 12 lead ECG multiplied by 10

This ECG coding scheme was developed as a measure of the likelihood of myocardial infarction on a continuous scale. The following thresholds for the score define the likelihood of infarction in a decreasing order:

Probable infarction CIIS >= 20
Possible infarction 15 <= CIIS < 20
Consider infarction 10 <= CIIS < 15

These thresholds correspond to the estimated specificity levels of 98%, 95% and 90% (Rautaharju et al., 1981.).

ECPCIIS2: Infarction/Injury probable

See note for ECPCIIS.

ECPCIIS3: Infarction/Injury possible

See note for ECPCIIS.

ECPCIIS4: Consider Infarction/Injury probable

See note for ECPCIIS.

ECPLVM, ECPLVMI, ECPLVM3: Estimate LV Mass and LV Mass Index

Coefficients for the regression equation used for ECG estimation of left ventricular mass (LVM) and left ventricular mass index (LVMI) (Rautaharju et al, 1990).

White and Black Men

Variables	LVM	LVMI
R amplitude in V5 (æV)	0.0217	0.0100
Q or S amplitude in V1 (æV)*	0.0338	0.0203
Q or S amplitude in III (æV)*	0.0600	0.0287
Negative T amplitude in V6 (æV)	0.3158	0.1819
Positive T amplitude in aVR (æV)	-0.2958	-0.1482
QRS duration (msec.)	1.8204	1.0485
Intercept	-58.5098	-36.4290

Variables	LVM	LVMI
R amplitude on aVL (æV) R amplitude in V5 (æV) Q or S amplitude in V5 (æV)* Q or S amplitude in I (æV)* Positive T amplitude in V1 (æV) Negative T amplitude in aVF (æV) Positive T amplitude in V6 (æV) Intercept	0.0320 0.0233 0.0693 -0.1545 0.1122  -0.1236 134.7722	 0.0178 0.0528 -0.1128 0.1075 0.1701 -0.0939 88.4357
1110010000	131.7722	30.1337

Black Women

Variables	LVM	LVMI
R amplitude in aVL (æV)		0.0216
R amplitude in I (æV) (R amplitude in V6 +	0.0498	
S amplitude in V2) (æV)	0.0235	0.0184
R amplitude in V1	-0.0507	
R amplitude in V2 (æV)		-0.0143
Q or S amplitude in V6 (æV)*	-0.0980	-0.0693
Negative T amplitude in aVL (æV)		0.199
Negative T amplitude in I (æV)	0.5225	
QRS duration (msec.)	1.8478	0.7460
Intercept	-90.7136	-22.3064

<sup>\*</sup> whichever is larger

The following limits for LVMI are taken to indicate the presence of probable left ventricular hypertrophy to correspond upper normal limits for echocardiographic LVMI by the conventions of the American Society for Echocardiography (Levy et al. 1987). These LVH criteria have been evaluated recently in an independent study population (Rautaharju et al, 1996).

Males> 150 g/m2 Females> 120 g/m2

ECPLVMI: ECG estimate LV Mass Index

See note for ECPLVM.

ECPLVM3: Probable LVH

See note for ECPLVM.

ECPAXIS2: QRS axis, frontal plane (degrees)

See note for ECPMC2

ECPBEAT: Rhythm Code

Arrhythmias were not coded in NHANES I except that ECGs with no P waves detected or with P wave detection uncertain were coded visually for the presence of atrial fibrillation. Arrhythmic codes were determined visually by a senior electrocardiographer (PMR) for NHANES II and III. Note that the history of atrial fibrillation was an exclusion criterion for ECG recording in NHANES III. Pacemaker enhancement circuits were not used in ECG recorders of any of these surveys which makes coding uncertain.

#### References

Blackburn H, Keys A, Simonson E, Rautaharju PM and Punsar S. The electrocardiogram in population studies: A classification system. Circulation 1960;21:1160-1175.

Levy D, Savage DD, Garrison RJ, Anderson KM, Kannel WB, Castelli WP. Echocardiographic criteria for left ventricular hypertrophy: The Framingham Heart Study. Am J Cardiol 1987;59:956-60.

National Center for Health Statistics. Ingram DD, Makuc DM. Statistical issues in analyzing the NHANES I epidemiologic followup study. Vital and Health Statistics, Series 2, Number 92. DHHS Pub. No. (PHS) 94-1395. Public Health Service. Washington. U.S. Government Printing Office. May., 1994.

National Center for Health Statistics. Landis JR, Lepkowski JM, Eklund SA, Stehouwer SA. A statistical Methodology for Analyzing Data from a Complex Survey: The First National Health and Nutrition Examination Survey. Vital and Health Statistics. Series 2, No. 92. DHHS Pub. No. (PHS) 82-1366. Public Health Service. Washington. U.S. Government Printing Office. Sept., 1982.

National Center for Health Statistics. Miller HW: Plan and Operation of the Health and Nutrition Examination Survey, United States 1971-73. Vital and Health Statistics. Series 1, Nos 10a and 10b. DHEW Pub. No. (Stat.) 73-1310. Health Services and Mental Health Administration, Washington. DC. U.S. Government Printing Office. Feb 1973.

National Center for Health Statistics. Engel A, Murphy RS, Maurer K, Collins E. Plan and Operation of the HANES I Augmentation Survey of Adults 25-74 Years, United States, 1974-75. Vital and Health Statistics. Series 1, No 14. DHEW Pub. No. (PHS) 78-1314. Public Health Service. Washington. U.S., Government Printing Office, June 1978.

Plan and Operation of the Second National Health and Nutrition Examination Survey. 1976-1980. Vital and Health Statistics. Series 1, No. 15. DHEW Pub. No. (PHS) 81-1317. Public Health Services, Washington. DC. U.S. Government Printing Office.

Prineas RJ, Crow RS and Blackburn H. The Minnesota Code Manual of Electrocardiographic findings. Standards and Procedures for Measurement and Classification. John Wright. PSG Inc. Boston, Bristol, London, 1982

Rautaharju PM, Wolf HK, Eifler WL, Blackburn H. A simple procedure for positioning precordial ECG and VCG electrodes using an electrode locator. Journal of Electrocardiology 1976;9:35-40.

Rautaharju PM, Warren J, Jain U, Wolf HK and Nielsen CL. Cardiac infarction injury score: An electrocardiographic coding scheme for ischemic heart disease. Circulation 1981;64:249-256.

Rautaharju PM, LaCroix AZ, Savage DD, Haynes S, Madans JH, Wolf HK, Hadden W, Keller J, Cornoni-Huntly J. Electrocardiographic estimate of left ventricular mass vs. radiographic cardiac size and the risk of cardiovascular disease mortality in the epidemiologic follow-up study of the First National Health and Nutrition Examination Survey. Am J Cardiol 1988;62:59-68.

Rautaharju PM, MacInnis PJ, Warren JW, Wolf HK, Rykers PM, Calhoun HP. Methodology of ECG Interpretation in the Dalhousie Program: NOVACODE ECG classification procedures for clinical trials and population health surveys. Methods of Information in Medicine 1990;29:362-74.

Rautaharju PM, Manolio TA, Siscovick D, Zhou SH, Gardin LM, Furberg CD, Borhahi NO, Newman A. Classification accuracy of electrocardiographic criteria for left ventricurlar hypertrophy in normal weight and overweight older adults: The Cardiovascular Health Study. Annals Noninvasive Electrocardiology 1996;1:121-32.

Rowland M, Parsons V, Makuc D. Simplified design structures for NHANES I variance estimation. Proceeding American Statistical Association, 1988:773-76.

U.S. Department of Health and Human Services (DHHS). National Center for Health Statistics. Third National Health and Nutrition Examination Survey, 1988-94, Plan and Operations Procedures Manuals (CD-ROM). Hyattsville, Md.: Centers for Disease Control and Prevention, 1996. Available from National Technical Information Service (NTIS), Springfield, Va. Acrobat .PDF format; includes access software: Adobe Systems Inc. Acrobat Reader 2.0).