



# **Health Indicator Maps**

# All cause death rates among females all ages by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.


## Heart disease death rates among females all ages by State, 1999 – 2001



NOTE: Includes rheumatic disease, hypertensive heart and renal diseases, ischemic heart disease, pulmonary heart disease and diseases of pulmonary circulation, and other forms of heart disease.

SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.


# Coronary heart disease death rates among females all ages by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.




## All cancer death rates among females all ages by State, 1999 – 2001




SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

## Breast cancer death rates among females all ages by State, 1999 – 2001




SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

# Colorectal cancer death rates among females all ages by State, 1999 – 2001




SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

## Lung cancer death rates among females all ages by State, 1999 – 2001




SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

## Stroke death rates among females all ages by State, 1999 – 2001




SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

# Chronic lower respiratory disease death rates among females aged 45 and older by State, 1999 – 2001




SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

# Diabetes-related death rates among females all ages by State, 1999 – 2001



NOTE: Diabetes mellitus as the underlying or multiple cause of death. Excludes neonatal diabetes and diabetes complicating pregnancy, childbirth or the puerperium.  
 SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*.  
<http://www.cdc.gov/nchs/healthywomen.htm>.


## Influenza and pneumonia death rates among females all ages by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.




## Unintentional injury death rates among females all ages by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.


# Suicide rates among females all ages by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Mortality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.


## Diagnosed high blood pressure

### Percentages of women aged 18 and older with diagnosed high blood pressure by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>


# Percentages of women aged 20 and older who are obese by State, 2000 – 2002



NOTE: Respondents with Body Mass Index (BMI) greater than or equal to 30.0 kg/m<sup>2</sup> are considered obese. BMI is calculated by dividing weight in kilograms by height in meters squared (kg/m<sup>2</sup>).  
 SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>


## No leisure-time physical activity

# Percentages of women aged 20 and older who report no leisure-time physical activity by State, 2000 – 2002



NOTE: Respondents who answered "no" to the question "during the past month, did you participate in any physical activities or exercises?" are defined as reporting no leisure-time physical activity.  
SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>


# Percentages of women aged 18 and older who report binge drinking by State, 1999 – 2001



NOTE: Respondents defined as binge drinkers had 5 or more drinks on at least one occasion in the last month.  
 SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>

# Smoking currently


## Percentages of women aged 18 and older who currently smoke by State, 2000 – 2002



NOTE: Respondents defined as current smokers smoke everyday or some days.

SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>

# Percentages of mothers all ages who did not use tobacco during pregnancy by State, 1999 – 2001




SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Natality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

**No smoking during pregnancy**




# Percentages of women aged 18 and older who eat at least 5 fruits and vegetables per day by State, 2000 – 2002



SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>


# Percentages of women aged 18 and older who have had their blood cholesterol checked within the last 5 years by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>


# Mammogram

## Percentages of women aged 40 and older who have had a mammogram within the last 2 years by State, 2000 – 2002



SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>

## Percentages of women aged 18 and older who have had a Pap smear within the last 3 years by State, 2000 – 2002




SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>

Pap smear


## Blood stool test

### Percentages of women aged 50 and older who have had a blood stool test within the last 2 years by State, 1999 – 2001



SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>

## Percentages of women aged 18 and older who have had a routine check-up within the last 2 years by State, 1998 – 2000




SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>

**Routine check-ups**

## Early & adequate prenatal care


# Percentages of mothers all ages who received early and adequate prenatal care by State, 1999 – 2001



NOTE: Early and adequate prenatal care is a measure that combines the month prenatal care began and total number of prenatal care visits adjusted for length of pregnancy.

SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics. Vital Statistics of the United States: Natality data as presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>.

## Percentages of women aged 18 – 64 who have health insurance coverage by State, 2000 – 2002



NOTE: Includes health insurance, prepaid plans such as HMOs, or government plans such as Medicare.

SOURCE: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. Behavioral Risk Factor Surveillance System. As presented in *Healthy Women: State Trends in Health and Mortality*. <http://www.cdc.gov/nchs/healthywomen.htm>