

Additional Requirements for Dump Body Trucks; Regular Cab, 4x2 and 4x4

This vehicle shall have the payload, size, and capacity specified, equipped with a transmission mounted PTO/hydraulic pump for powering hoist operating a heavy-duty dump body. Dump body capacity shall be measured by the water level method. Unless otherwise specified, the over all body width shall be 235 (92) to 244 (96) cm (in). Body sides and front head shall be not less than 12 gage (2.7 mm (0.1046 in)) carbon steel. The front and rear height from the floor shall be at least 15 cm (6 in) higher than the sides. The floor, a minimum 10 gage (3.4 mm (0.1345 in)) carbon steel, shall be one piece, or two or more pieces if seam(s) are fully welded. The interior of the body shell and side reinforcements shall have continuous welds, if welded. The rub rail may be welded with 50 percent intermittent welds. Full length, channel formed rub rails of minimum width to cover the rear tires, shall be provided. All horizontal bracing of side walls and tail gate as well as rub rails shall have the top surfaces sloped to prevent accumulation of residue. Body cross-members shall be minimum 8 cm (3 in) channel on maximum 46 cm (18 in) centers. Not less than two side braces per side, equally spaced, shall be provided in addition to the front and rear corner post. Each side braces shall be constructed of 12-gage (2.7 mm (0.1046 in.) steel, continuously formed to provide triangular or box section which provides continuous bracing of the body side walls from top rail to bottom rub rail. Side pockets/rails shall have drain holes, and provisions at each end for insertion of sideboards. The tailgate shall have

spreader chains and key-holes for adjustments on each side. A lower tailgate latch operable by a control at the left front corner of the body operable by the driver from his seated position shall be furnished. Unless otherwise specified, the hoist shall be the supplier's hydraulic with reinforced under-structure unit applicable for the body, having a minimum lifting capacity rating of 2727 kg (6,000 lb) in accordance with the National Truck Equipment Association Hoist Classification chart. The hydraulic system shall be provided with a pressure relief valve to protect against overloading of the hoisting mechanism at 125% of rated capacity. Hoist shall lift the body to a minimum angle of 45 degrees; controls shall be located in the cab. Hydraulic lines and hoses shall be secured in a protected position, and shall not hang below the chassis frame. A mechanical body lock permanently affixed to the body/frame shall be furnished to hold the body in the up position. Rear wheels shall be provided with mud flaps at the rear. Spare tire/wheel assembly shall be securely attached to inside of body; a carrier is not required. A cab protector of the same material as the dump body shall be furnished, capable of providing protection to at least 50% of the cab roof area over its entire width.

For trucks with 11,000-12,500 GVWR, only OEM box-off (box delete) chassis and cab shall be furnished.

Rear axles shall be a minimum of 92 inches wide.

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR

The dump body vehicle specified shall utilize a current model year 2 door regular cab chassis as defined by Standard Item 74A. The vehicle shall meet all requirements listed for dump body trucks. The equipment listed below shall be the minimum furnished on this vehicle.

Dump body Length Min, M (IN):	2.4 (96)
Dump Body Width Min, M (IN):	2.1 (84)
Dump Body Capacity Min, M3 (YD3):	1.5 (2)
Cab to Axle, cm (in):	152 (60)

Item # 154

GSA COMPONENTS	GSA. MIN. REQ.	ENGLAND FORD	CARTER CHEVROLET AGENCY, INC.
BODY/CHASSIS		F350	C3500
MFG. MODEL CODE		F36	CC36003
PAYLOAD min. kg. (lbs.)	1565 (3450)	5395	4150
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	13000	11400
CAB TO AXLE cm. (in.)	152 (60)	60	60
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 /6.8	10/6.8	8/8.1
HORSEPOWER (min)	330	350	330
TORQUE (ft.-lb.)	450	455	450
COOLING SYSTEM	HDA	comply	comply
ENGINE ACCESSORY OPTIONS			
ENGINE HOUR METER	Req	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4-speed
POWER TAKE OFF OPENING	Req	comply	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.1
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	151 (40)	40	50
EXTERIOR			
EXTRA WIDE MIRRORS, CAMPER TYPE	Req	comply	comply
DOORS AND WINDOWS			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Vinyl	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	AM/FM w/ Clock	AM/FM w/Clock
SEATS			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	Req	40/20/40	40/20/40
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR

Item # 154

GSA COMPONENTS	GSA. MIN. REQ.	ENGLAND FORD	CARTER CHEVROLET AGENCY, INC.
SAFETY (CONTINUED)		F350	C3500
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	16 w/dual rear	17	16
TIRES	LT215/R/AS	LT245/R/AS	LT215/R/AS
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply
VENDOR BODY WARRANTY	1 yr / 12000 miles	comply	3yr/36,000 mi

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR

Item # 154 - OPTIONAL EQUIPMENT

		ENGLAND FORD F350	CARTER CHEVROLET AGENCY, INC. C3500
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Stand Alone 10/6.8,350,455	Stand Alone 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,570	Package 8/6.6,310,590
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	Package
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
NAX	NARROW TRACK, REAR AXLE	N/A	Stand Alone
ELECTRICAL			
A14	ALTERNATOR 145 AMP	N/A	Package
SU4	OEM Upfitter Switches, 4	Standard	N/A
EXTERIOR			
SP	SKID PLATE	N/A	N/A
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
DOORS AND WINDOWS			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
CU	CLOTH UPHOLSTERY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
SEATS			
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Stand Alone	Stand Alone
TD	DELETE SPARE TIRE ASSEMBLY	Stand Alone	Stand Alone
TT	TRACTION TREAD--REAR TIRES ONLY	Package	Stand Alone
TOWING			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
VENDOR INSTALLED BODY OPTIONS			
BC	BODY COVER	Stand Alone	Stand Alone
DDS	DROP SIDE, DUMP BODY	Stand Alone	Stand Alone
J560	SAE J560 TRACTOR-TRAILER ELECTRICAL	Stand Alone	Stand Alone
MBG	FRONT BRUSH GUARD	Stand Alone	Stand Alone

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR

Item # 154 - OPTIONAL EQUIPMENT

VENDOR INSTALLED BODY OPTIONS		ENGLAND FORD F350	CARTER CHEVROLET AGENCY, INC. C3500
MEW	WINCH,ELECTRIC	Stand Alone	Stand Alone
RH4V	DRAW BAR RECIEVER CLASS IV	Stand Alone	Stand Alone
DELIVERY			
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	N/A	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	N/A	N/A
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

The dump body vehicle specified shall utilize a current model year 2 door regular cab chassis as defined by Standard Item 74B. The vehicle shall meet all requirements listed for dump body trucks. The equipment listed below shall be the minimum furnished on this vehicle.

Dump body Length Min, M (IN):	3.0 (120)
Dump Body Width Min, M (IN):	2.1 (84)
Dump Body Capacity Min, M3 (YD3):	2.3 (3)
Cab to Axle, cm (in):	213 (84)

Item # 154B

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD	CARTER CHEVROLET AGENCY, INC.
BODY/CHASSIS		F450	C4500
MFG. MODEL CODE		F46	CC4C042
PAYLOAD min. kg. (lbs.)	2767 (6100)	7157	6650
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	6351 (14001) / 7257 (16000)	16,000	16,000
CAB TO AXLE cm. (in.)	213 (84)	84	84
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.8	10/6.8	8/8.1
HORSEPOWER (min)	310	350	325
TORQUE (ft.-lb.)	425	455	450
COOLING SYSTEM	HDA	comply	comply
ENGINE ACCESSORY OPTIONS			
ENGINE HOUR METER	Req	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5-speed
POWER TAKE OFF OPENING	Req	comply	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.88	4.88
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	150
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	151 (40)	40	40
EXTERIOR			
EXTRA WIDE MIRRORS, CAMPER TYPE	Req	comply	comply
DOORS AND WINDOWS			
DOORS	2	2	2
KEYED DOOR LOCKS	Req	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Vinyl	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	AM/FM w/ Clock	AM/FM w/Clock
SEATS			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	Req	40/20/40	split bucket- no recline
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

Item # 154B

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD	CARTER CHEVROLET AGENCY, INC.
SUSPENSION		F450	C4500
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	19.5 w/dual rear	19.5	19.5
TIRES	commercial 225/R/AS	commercial 225/R/AS	commercial 225/R/AS
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	2 year unlimited
VENDOR BODY WARRANTY	1 yr / 12000 miles	comply	3yr/36,000 mi

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

Item # 154B - OPTIONAL EQUIPMENT

BODY/CHASSIS		NORTHSIDE FORD F450	CARTER CHEVROLET AGENCY, INC. C4500
WR	INCREASE GVWR	N/A	Stand Alone
ENGINES			
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,570	Package 8/6.6,300,520
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
ELECTRICAL			
DALT	DUAL ALTERNATORS,OEM	Stand Alone	Stand Alone
SU4	OEM Upfitter Switches, 4	Standard	N/A
EXTERIOR			
SP	SKID PLATE	N/A	N/A
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
DOORS AND WINDOWS			
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
CU	CLOTH UPHOLSTERY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	Package	N/A
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
SEATS			
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Standard
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Stand Alone	Stand Alone
TT	TRACTION TREAD--REAR TIRES ONLY	Stand Alone	Stand Alone
TOWING			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
VENDOR INSTALLED BODY OPTIONS			
BC	BODY COVER	Stand Alone	Stand Alone
DDS	DROP SIDE, DUMP BODY	Stand Alone	Stand Alone
MBG	FRONT BRUSH GUARD	Stand Alone	Stand Alone
MEW	WINCH,ELECTRIC	Package	Stand Alone
RBV	RUNNING BOARDS	Stand Alone	Stand Alone
RH4V	DRAW BAR RECIEVER CLASS IV	Stand Alone	Stand Alone

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

Item # 154B - OPTIONAL EQUIPMENT

		NORTHSIDE FORD	CARTER CHEVROLET AGENCY, INC.
		F450	C4500
DELIVERY			
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	N/A	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	N/A	N/A
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

The dump body vehicle specified shall utilize a current model year 2 door regular cab chassis as defined by Standard Item 74D. The vehicle shall meet all requirements listed for dump body trucks. The equipment listed below shall be the minimum furnished on this vehicle.

Dump body Length Min, M (IN):	3.0 (120)
Dump Body Width Min, M (IN):	2.1 (84)
Dump Body Capacity Min, M3 (YD3):	2.3 (3)
Cab to Axle, cm (in):	213 (84)

Item # 154H

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD	CARTER CHEVROLET AGENCY, INC.
BODY/CHASSIS		F550	C5500
MFG. MODEL CODE		F56	CC5C042
PAYLOAD min. kg. (lbs.)	3720 (8200)	9097	9370
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	7258 (16001) / 8845 (19500)	18000	18,000
CAB TO AXLE			
CAB TO AXLE LENGTH 213 CM (84 IN) FOR 11 - 12 FT BODIES		84	84
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.8	10/6.8	8/8.1
HORSEPOWER (min)	310	350	325
TORQUE (ft.-lb.)	425	455	450
COOLING SYSTEM	HDA	comply	comply
ENGINE ACCESSORY OPTIONS			
ENGINE HOUR METER	Req	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed
POWER TAKE OFF OPENING	Req	comply	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.88	4.78
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	150
BATTERY min. (CCA)	650	650	770
FUEL			
FUEL CAPACITY min. Liters (gals.)	151 (40)	40	40
EXTERIOR			
EXTRA WIDE MIRRORS, CAMPER TYPE	Min.	comply	comply
DOORS AND WINDOWS			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Vinyl	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	AM/FM w/ Clock	AM/FM W Clock
SEATS			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	Req	40/20/40	split bucket- no recline
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

Item # 154H

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD	CARTER CHEVROLET AGENCY, INC.
SAFETY (CONTINUED)		F550	C5500
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER TIRES	19.5 w/dual rear commercial 225/R/AS	19.5 commercial 225/R/AS	19.5 commercial 225/R/AS
WARRANTY			
MFG STANDARD WARRANTY VENDOR BODY WARRANTY	3 yr/36,000 mile bumper to bumper 1 yr / 12000 miles	comply comply	2 year unlimited 3yr/36,000 mi

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

Item # 154H - OPTIONAL EQUIPMENT

BODY/CHASSIS		NORTHSIDE FORD F550	CARTER CHEVROLET AGENCY, INC. C5500
WR	INCREASE GVWR	N/A	Stand Alone
ENGINES			
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,570	Package 8/6.6,300,520
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
ELECTRICAL			
DALT	DUAL ALTERNATORS,OEM	Stand Alone	Stand Alone
SU4	OEM Upfitter Switches, 4	Standard	N/A
EXTERIOR			
SP	SKID PLATE	N/A	N/A
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
DOORS AND WINDOWS			
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	N/A
CU	CLOTH UPHOLSTERY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	Package	N/A
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
SEATS			
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	N/A
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Stand Alone	Stand Alone
TT	TRACTION TREAD--REAR TIRES ONLY	Stand Alone	Stand Alone
TOWING			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
VENDOR INSTALLED BODY OPTIONS			
BC	BODY COVER	Stand Alone	Stand Alone
BUAV	BACK-UP ALARM	Stand Alone	Stand Alone
DDS	DROP SIDE, DUMP BODY	Stand Alone	Stand Alone
J560	SAE J560 TRACTOR-TRAILER ELECTRICAL	Stand Alone	Stand Alone
MBG	FRONT BRUSH GUARD	Stand Alone	Stand Alone
MEW	WINCH,ELECTRIC	Package	Stand Alone

TABLE 24 - CONTINUED

4 X 2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

Item # 154H - OPTIONAL EQUIPMENT

VENDOR INSTALLED BODY OPTIONS		NORTHSIDE FORD F550	CARTER CHEVROLET AGENCY, INC. C5500
RH4V	DRAW BAR RECIEVER CLASS IV	Stand Alone	Stand Alone
DELIVERY			
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	N/A	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	N/A	N/A
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR

The dump body vehicle specified shall utilize a current model year 2 door regular cab chassis as defined by Standard Item 79A. The vehicle shall meet all requirements listed for dump body trucks. The equipment listed below shall be the minimum furnished on this vehicle.

Dump body Length Min, M (IN):	2.4 (96)
Dump Body Width Min, M (IN):	2.1 (84)
Dump Body Capacity Min, M3 (YD3):	1.5 (2)
Cab to Axle, cm (in):	152 (60)

Item # 159

GSA COMPONENTS	GSA. MIN. REQ.	ENGLAND FORD	CARTER CHEVROLET AGENCY, INC.
BODY/CHASSIS		F350	K3500
MFG. MODEL CODE		F37	CK36003
PAYLOAD min. kg. (lbs.)	1656 (3650)	4865	4475
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	13000	12,000
CAB TO AXLE cm. (in.)	152 (60)	60	60
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.8	10 / 6.8	8 / 8.1
HORSEPOWER (min)	330	350	330
TORQUE (ft.-lb.)	450	455	450
COOLING SYSTEM	HDA	comply	comply
ENGINE ACCESSORY OPTIONS			
ENGINE HOUR METER	Req	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 Speed
TRANSFER CASE	2 - Speed	2 speed	2 Speed
POWER TAKE OFF OPENING	Req	comply	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.1
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	151 (40)	40	50
EXTERIOR			
EXTRA WIDE MIRRORS, CAMPER TYPE		comply	comply
SKID PLATE	Req	not available	comply
DOORS AND WINDOWS			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Vinyl	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	AM/FM w/ Clock	AM/FM w Clock
SEATS			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	Req	40/20/40	40/20/40
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req Req	comply comply	comply comply

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR

Item # 159

GSA COMPONENTS	GSA. MIN. REQ.	ENGLAND FORD	CARTER CHEVROLET AGENCY, INC.
SAFETY (CONTINUED)		F350	K3500
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS	OEM std	automatic	automatic
WHEEL DIAMETER	16 w/dual rear	17	16
TIRES	LT215/R/AT	LT245/R/AT	LT 215/R/00
TOWING			
FRONT TOW HOOKS	Min.	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply
VENDOR BODY WARRANTY	1 yr / 12000 miles	comply	3yr/36,000 mi

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR

Item # 159 - OPTIONAL EQUIPMENT

		ENGLAND FORD F350	CARTER CHEVROLET AGENCY, INC. K3500
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	Stand Alone
	Eng-Cyl/HP/Torque	10/6.8,350,455	8/8.1,330,450
YD	DIESEL ENGINE	Package	Package
	Eng-Cyl/HP/Torque	8/6.0,325,570	8/6.6,310,590
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	Package
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
NAX	NARROW TRACK, REAR AXLE	N/A	Stand Alone
ELECTRICAL			
A14	ALTERNATOR 145 AMP	N/A	Stand Alone
SU4	OEM Upfitter Switches, 4	Standard	N/A
EXTERIOR			
SZ	SNOWFLOW PREP PACKAGE	Stand Alone	Package
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
DOORS AND WINDOWS			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
CU	CLOTH UPHOLSTERY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
SEATS			
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Stand Alone	Stand Alone
TOWING			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
VENDOR INSTALLED BODY OPTIONS			
BC	BODY COVER	Stand Alone	Stand Alone
BUAV	BACK-UP ALARM	Stand Alone	Stand Alone
DDS	DROP SIDE, DUMP BODY	Stand Alone	Stand Alone
MBG	FRONT BRUSH GUARD	Stand Alone	Stand Alone
MEW	WINCH,ELECTRIC	Stand Alone	Stand Alone
MPS	SNOWFLOW, REVERSIBLE	Stand Alone	Stand Alone

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR

Item # 159 - OPTIONAL EQUIPMENT

VENDOR INSTALLED BODY OPTIONS		ENGLAND FORD F350	CARTER CHEVROLET AGENCY, INC. K3500
RBV	RUNNING BOARDS	Stand Alone	Stand Alone
RH4V	DRAW BAR RECIEVER CLASS IV	Stand Alone	Stand Alone
DELIVERY			
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	N/A	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	N/A	N/A
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

The dump body vehicle specified shall utilize a current model year 2 door regular cab chassis as defined by Standard Item 79B. The vehicle shall meet all requirements listed for dump body trucks. The equipment listed below shall be the minimum furnished on this vehicle.

Dump body Length Min, M (IN):	3.0 (120)
Dump Body Width Min, M (IN):	2.1 (84)
Dump Body Capacity Min, M3 (YD3):	2.3 (3)
Cab to Axle, cm (in):	213 (84)

Item # 159A

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD F450	CHEVROLET K4500
BODY/CHASSIS			
MFG. MODEL CODE		F47	CC4C044
PAYLOAD min. kg. (lbs.)	2631 (5800)	6887	6050
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	6351 (14001) / 7257 (16000)	16000	17,500*
CAB TO AXLE cm. (in.)	213 (84)	84	84
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 6.8	10/6.8	8/ 8.1
HORSEPOWER (min)	310	350	325
TORQUE (ft.-lb.)	425	455	450
COOLING SYSTEM	HDA	comply	comply
ENGINE ACCESSORY OPTIONS			
ENGINE HOUR METER	Req	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 Speed
TRANSFER CASE	2 - Speed	2 speed	2 Speed
POWER TAKE OFF OPENING	Req	comply	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.88	4.63
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	150
BATTERY min. (CCA)	650	650	770
FUEL			
FUEL CAPACITY min. Liters (gals.)	151 (40)	40	40
EXTERIOR			
EXTRA WIDE MIRRORS, CAMPER TYPE	Min	comply	comply
SKID PLATE	Req	not available	comply
DOORS AND WINDOWS			
DOORS	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Vinyl	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	AM/FM w/ Clock	AM/FM w Clock
SEATS			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	Req	40/20/40	split bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

Item # 159A

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD F450	CHEVROLET K4500
SAFETY (CONTINUED)			
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS	OEM std Manual	manual	automatic
WHEEL DIAMETER	19.5 w/dual rear	19.5	19.5
TIRES	commercial 225/R/AS-F/TT-R	commercial 225/R/AS-F/TT-R	245/R/AS
TOWING			
FRONT TOW HOOKS	Min.	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	2 year unlimited

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

Item # 159A - OPTIONAL EQUIPMENT

		NORTHSIDE FORD F450	CHEVROLET K4500
ENGINES			
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,570	Stand Alone 8/6.6,300,520
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
ELECTRICAL			
DALT	DUAL ALTERNATORS,OEM	Stand Alone	Stand Alone
SU4	OEM Upfitter Switches, 4	Standard	N/A
EXTERIOR			
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
DOORS AND WINDOWS			
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	N/A
CU	CLOTH UPHOLSTERY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	Package	N/A
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
SEATS			
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	N/A
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Stand Alone	Stand Alone
TOWING			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
VENDOR INSTALLED BODY OPTIONS			
BC	BODY COVER	Stand Alone	Stand Alone
BUAV	BACK-UP ALARM	Stand Alone	Stand Alone
DDS	DROP SIDE, DUMP BODY	Stand Alone	Stand Alone
MBG	FRONT BRUSH GUARD	Stand Alone	Stand Alone
MEW	WINCH,ELECTRIC	Package	Stand Alone
MPS	SNOWPLOW, REVERSIBLE	Stand Alone	Stand Alone
RBV	RUNNING BOARDS	Stand Alone	Stand Alone
RH4V	DRAW BAR RECIEVER CLASS IV	Stand Alone	Stand Alone
DELIVERY			
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR

Item # 159A - OPTIONAL EQUIPMENT

DELIVERY (CONTINUED)		NORTHSIDE FORD F450	CHEVROLET K4500
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	N/A	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	N/A	N/A
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

The dump body vehicle specified shall utilize a current model year 2 door regular cab chassis as defined by Standard Item 79F. The vehicle shall meet all requirements listed for dump body trucks. The equipment listed below shall be the minimum furnished on this vehicle.

Dump body Length Min, M (IN):	3.0 (120)
Dump Body Width Min, M (IN):	2.1 (84)
Dump Body Capacity Min, M3 (YD3):	2.3 (3)
Cab to Axle, cm (in):	213 (84)

Item # 159H

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD F550	CHEVROLET K5500
BODY/CHASSIS			
MFG. MODEL CODE		F57	C5C044
PAYLOAD min. kg. (lbs.)	3720 (8200)	8797	8170
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	7258 (16001) / 8845 (19500)	18000	19,500
CAB TO AXLE cm. (in.)	213 (84)	84	84
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	10 / 6.8	10/6.8	8/ 8.1
HORSEPOWER (min)	310	350	325
TORQUE (ft.-lb.)	425	455	450
COOLING SYSTEM	HDA	comply	comply
ENGINE ACCESSORY OPTIONS			
ENGINE HOUR METER	Req	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 Speed
TRANSFER CASE	2 - Speed	2 speed	2 Speed
POWER TAKE OFF OPENING	Req	comply	comply
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.88	4.63
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	150
BATTERY min. (CCA)	650	650	770
FUEL			
FUEL CAPACITY min. Liters (gals.)	151 (40)	40	40
EXTERIOR			
EXTRA WIDE MIRRORS, CAMPER TYPE	Min.	comply	comply
SKID PLATE	Req	not available	comply
DOORS AND WINDOWS			
DOORS	2	2	2
KEYED DOOR LOCKS	Req	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Vinyl	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	AM/FM w/ Clock	AM/FM w Clock
SEATS			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	Req	40/20/40	split bucket

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

Item # 159H

GSA COMPONENTS	GSA. MIN. REQ.	NORTHSIDE FORD F550	CHEVROLET K5500
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	OEM std Manual 19.5 w/dual rear commercial 225/R/AS-F/TT-R	manual 19.5 commercial 225/R/AS-F/TT-R	automatic 19.5 245/R/AS
TOWING			
FRONT TOW HOOKS	Min.	comply	comply
WARRANTY			
MFG STANDARD WARRANTY VENDOR BODY WARRANTY	3 yr/36,000 mile bumper to bumper 1 yr / 12000 miles	comply comply	2 year unlimited 3yr/36,000 mi

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

Item # 159H - OPTIONAL EQUIPMENT

		NORTHSIDE FORD F550	CHEVROLET K5500
ENGINES			
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,570	Package 8/6.6,300,520
ENGINE ACCESSORY OPTIONS			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
ELECTRICAL			
DALT	DUAL ALTERNATORS,OEM	Stand Alone	Stand Alone
SU4	OEM Upfitter Switches, 4	Standard	N/A
EXTERIOR			
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Stand Alone
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
DOORS AND WINDOWS			
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	N/A
CU	CLOTH UPHOLSTERY	Stand Alone	Stand Alone
FLOOR			
CM	CARPETED FLOOR COVERING	Package	N/A
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
SEATS			
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	N/A
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Stand Alone	Stand Alone
TOWING			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
VENDOR INSTALLED BODY OPTIONS			
BC	BODY COVER	Stand Alone	Stand Alone
BUAV	BACK-UP ALARM	Stand Alone	Stand Alone
DDS	DROP SIDE, DUMP BODY	Stand Alone	Stand Alone
J560	SAE J560 TRACTOR-TRAILER ELECTRICAL	Stand Alone	Stand Alone
MBG	FRONT BRUSH GUARD	Stand Alone	Stand Alone
MEW	WINCH,ELECTRIC	Package	Stand Alone
MPS	SNOWPLOW, REVERSIBLE	Stand Alone	Stand Alone
RBV	RUNNING BOARDS	Stand Alone	Stand Alone
RH4V	DRAW BAR RECIEVER CLASS IV	Stand Alone	Stand Alone

TABLE 24 - CONTINUED

4 X 4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR

Item # 159H - OPTIONAL EQUIPMENT

		NORTHSIDE FORD	CHEVROLET
		F550	K5500
DELIVERY			
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	N/A	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	N/A	N/A
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Stand Alone

S=Standard SA=Stand Alone PKG=Package (includes, requires or excludes other options) NA=Not Available

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK