

# TABLE 9

## 4 X 2 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

### Item # 60

GSA COMPONENTS	GSA. MIN. REQ.	FORD RANGER	GM COLORADO
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		R10	CS15403
PAYLOAD min. kg. (lbs.)	544 (1200)	1200	1600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	4380	4850
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.7 (5.8) / 1.9 (6.4)	6	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	4 / 2.3	4/2.3	4/2.8
HORSEPOWER (min)	135	143	175
TORQUE (ft.-lb.)	153	154	185
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	95	95	100
BATTERY min. (CCA)	540	540	690
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	60 (16)	17	19
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	AM/FM w/Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	15	15	15
TIRES	P205/R/AS	P225/R/AS	P205/R/AS

# TABLE 9 - CONTINUED

## 4 X 2 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

### Item # 60

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD RANGER</b>	<b>GM COLORADO</b>
<b>TOWING</b>			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 9 - CONTINUED

### 4 X 2 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

#### Item # 60 - OPTIONAL EQUIPMENT

		FORD	GM
		RANGER	COLORADO
<b>ENGINES</b>			
E2	UPGRADED 5/6 CYLINDER ENGINE Eng-Cyl/HP/Torque	Stand Alone 6/3.0,148,185	Stand Alone 5/3.5,220,225
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	N/A	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>EXTERIOR</b>			
BL	BED LINER	Stand Alone	Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Package
<b>INTERIOR</b>			
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	N/A
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Stand Alone
<b>SAFETY</b>			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	N/A
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 9 - CONTINUED

### 4 X 2 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

#### Item # 61

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
BODY/CHASSIS		RANGER	COLORADO
MFG. MODEL CODE		R10 - 99U	CS15403
PAYLOAD min. kg. (lbs.)	590 (1300)	1555	1550
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	4700	4850
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.8 (6.0)	6	6
BODY STYLE	Smooth side	comply	comply
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	5 / 3.0	6/3.0	5/3.5
HORSEPOWER (min)	148	148	220
TORQUE (ft.-lb.)	185	185	225
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	95	95	100
BATTERY min. (CCA)	525	540	690
FUEL			
FUEL CAPACITY min. Liters (gals.)	64 (17)	17	19
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
DOORS	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	AM/FM w/Clock	am/fm w clock
SEATS			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	Req	comply	comply
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply

# TABLE 9 - CONTINUED

## 4 X 2 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

### Item # 61

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD RANGER</b>	<b>GM COLORADO</b>
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	15	15	15
TIRES	P205/R/AS	P225/R/AS	205/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/ RH1 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 9 - CONTINUED

### 4 X 2 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

#### Item # 61 - OPTIONAL EQUIPMENT

		<b>FORD</b>	<b>GM</b>
		<b>RANGER</b>	<b>COLORADO</b>
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>EXTERIOR</b>			
BL	BED LINER	Stand Alone	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Package
<b>INTERIOR</b>			
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	N/A
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Stand Alone
<b>SAFETY</b>			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	N/A
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 9 - CONTINUED

### 4 X 4 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

A compact size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed space between wheel housings on the floor. The cab shall have 2 doors.

#### Item # 66

GSA COMPONENTS	GSA. MIN. REQ.	FORD RANGER	GM COLORADO
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		R11	CT15403
PAYLOAD min. kg. (lbs.)	590 (1300)	1445	1300
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	5040	5150
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.8 (6)	6	6
BODY STYLE	Smooth side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	5/3.5	6/3.0	5/3.5
HORSEPOWER (min)	148	148	200
TORQUE (ft.-lb.)	185	185	225
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 SPEED
TRANSFER CASE	2 - Speed	2 speed	2 SPEED
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	Rear	rear	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	3.42
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	95	95	100
BATTERY min. (CCA)	540	540	690
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	64 (17)	17	19
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	2	comply
KEYED DOOR LOCKS	Min.	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	cloth	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	AM/FM w/Clock/CD	AM/FM W CLOCK
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT			

## TABLE 9 - CONTINUED

### 4 X 4 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

#### Item # 66

GSA COMPONENTS	GSA. MIN. REQ.	FORD RANGER	GM COLORADO
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	OEM std 15 P225/R/AT	automatic 15 P235/R/AT	automatic 15 P225/75R 00
<b>TOWING</b>			
REAR BUMPER	Step type w/ RH1 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 9 - CONTINUED

### 4 X 4 PICKUP, COMPACT, REGULAR CAB, MIN 4200 LBS GVWR

#### Item # 66 - OPTIONAL EQUIPMENT

		FORD RANGER	GM COLORADO
<b>ENGINES</b>			
E1	OEM APPLICABLE 4 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Stand Alone 4/2.8,175,185
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Stand Alone
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Standard
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>EXTERIOR</b>			
BL	BED LINER	Stand Alone	N/A
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Package
<b>INTERIOR</b>			
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	N/A
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Standard	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SAFETY</b>			
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
<b>TIRES AND WHEELS</b>			
AS	ALL SEASON TIRES	N/A	Stand Alone
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	N/A	Stand Alone
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	N/A
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

# TABLE 10

## 4 X 2 PICKUP, COMPACT, EXTENDED CAB, MIN 4200 LBS GVWR

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum or 114cm (45in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 4 doors and 2 windows per side. A rear seating arrangement in the cab for a minimum of two (2) passengers shall be provided.

### Item # 60C

GSA COMPONENTS	GSA. MIN. REQ.	GM
<b>BODY/CHASSIS</b>		<b>COLORADO</b>
MFG. MODEL CODE		CS15653
PAYLOAD min. kg. (lbs.)	567 (1250)	1500
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	5000
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.7 (5.9) / 1.8 (6.0)	6
BODY STYLE	Smooth side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	4 / 2.8	4/2.8
HORSEPOWER (min)	175	175
TORQUE (ft.-lb.)	185	185
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
<b>DRIVE AXLE</b>		
TOWING/MOUNTAIN RATIO	Req	3.73
PRIMARY DRIVE AXLE	Rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	100	100
BATTERY min. (CCA)	690	690
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	72 (19)	19
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS	Min.	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
UPHOLSTERY	Cloth	comply
<b>FLOOR</b>		
FLOOR COVERING	Carpet	comply
<b>RADIO</b>		
AM/FM RADIO WITH COMPACT DISC PLAYER	Req	comply
<b>SEATS</b>		
SEATING CAPACITY min.	5	5
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	15	15
TIRES	P205/R/AS	P205/R/AS
<b>TOWING</b>		
REAR BUMPER	Step type w/ RH2 provisions	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

# TABLE 10 - CONTINUED

## 4 X 2 PICKUP, COMPACT, EXTENDED CAB, MIN 4200 LBS GVWR

### Item # 60C - OPTIONAL EQUIPMENT

<b>ENGINE ACCESSORY OPTIONS</b>		<b>GM COLORADO</b>
OLS	Oil Life System	Standard
EH	ENGINE BLOCK HEATER	Stand Alone
<b>TRANSMISSION</b>		
T5	5 SPEED MANUAL TRANSMISSION	Stand Alone
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
<b>DOORS AND WINDOWS</b>		
RKE	REMOTE KEYLESS ENTRY	Package
PWL	POWER WINDOWS & DOOR LOCKS	Package
<b>INTERIOR</b>		
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone
SK	METRIC ODOMETER	Stand Alone
<b>FLOOR</b>		
RF	VINYL FLOOR COVERING	Stand Alone
<b>SAFETY</b>		
SIAB	SIDE IMPACT AIR BAGS	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

## TABLE 10 - CONTINUED

### 4 X 2 PICKUP, COMPACT, EXTENDED CAB, MIN 4200 LBS GVWR

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum or 114cm (45in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 4 doors and 4 windows per side. A rear seating arrangement in the cab for a minimum of two (2) passengers shall be provided.

#### Item # 61C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER DAKOTA</b>	<b>FORD RANGER</b>	<b>GM COLORADO</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		ND1H33	R44	CS15653
PAYLOAD min. kg. (lbs.)	544 (1200)	1700	1200	1450
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	6010	4760	5000
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.8 (6)	6.5	6	6
BODY STYLE	Smooth side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	5 / 3.5	6/3.7	6/4.0	5/3.5
HORSEPOWER (min)	207	210	207	220
TORQUE (ft.-lb.)	225	235	238	225
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	5 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	Rear	rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.55	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	95	136	95	100
BATTERY min. (CCA)	540	750	540	690
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	72 (19)	22	19.5	19
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	2	4	4
KEYED DOOR LOCKS	Min.	left only	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	Req	comply	comply	comply
POWER STEERING	Req	comply	comply	comply
UPHOLSTERY	Cloth	COMPLY	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Carpeting	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	5 minimum	5	5	5
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	15	16	15	15
TIRES	P205/R/AS	P255/R/AS	P225/R/AS	P205/R/AS
<b>TOWING</b>				
REAR BUMPER	Step type w/ RH1 provisions	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

## TABLE 10 - CONTINUED

### 4 X 2 PICKUP, COMPACT, EXTENDED CAB, MIN 4200 LBS GVWR

#### Item # 61C - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		DAKOTA	RANGER	COLORADO
<b>ENGINES</b>				
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Package 8/4.7,230,290	N/A	N/A
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Stand Alone
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	Stand Alone	Stand Alone
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	N/A	Standard
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	Stand Alone	N/A
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Package	Package	Stand Alone
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Standard	Package	Stand Alone
<b>INTERIOR</b>				
CRTS	CRUISE CONTROL AND TILT STEERING	N/A	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
RF	VINYL FLOOR COVERING	N/A	N/A	Stand Alone
<b>RADIO</b>				
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	N/A	Standard	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone	Stand Alone
<b>SAFETY</b>				
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A	Stand Alone
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Stand Alone	N/A
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available



## TABLE 10 - CONTINUED

### 4 X 4 PICKUP, COMPACT, EXTENDED CAB, MIN 4200 LBS GVWR

A compact size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114cm (45in) unobstructed space between wheel housings on the floor. The cab shall have a minimum of 2 doors and 2 windows per side. A rear seating arrangement in the cab for a minimum of two (2) passengers shall be provided.

#### Item # 66C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER DAKOTA</b>	<b>FORD RANGER</b>	<b>GM COLORADO</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		ND5H33	R45	CT15653
PAYLOAD min. kg. (lbs.)	567 (1250)	1500	1345	1250
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	6010	5180	5300
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.8 (6)	6.5	6	6
BODY STYLE	Smooth side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	5 / 3.5	6/3.7	6/4.0	5/3.5
HORSEPOWER (min)	200	210	207	200
TORQUE (ft.-lb.)	225	235	238	225
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	Rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	4.1	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	95	136	95	100
BATTERY min. (CCA)	540	750	540	690
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	72 (19)	22	19.5	19
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	3
KEYED DOOR LOCKS	Min.	left only	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	Req	comply	comply	comply
POWER STEERING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Carpet	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/Clock	AM/FM/CD	AM/FM/CD w/ Clock	AM/FM w/Clock
<b>SEATS</b>				
SEATING CAPACITY min.	5	5	5	5
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply	comply comply comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	OEM std	automatic	automatic	automatic
WHEEL DIAMETER	15	16	16	15
TIRES	P235/R/AT	P245/R/00	P255/R/AT	P235/R/00
<b>TOWING</b>				
FRONT TOW HOOKS	Req	comply	comply	comply
REAR BUMPER	Step type w/ RH1 provisions	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 10 - CONTINUED

## 4 X 4 PICKUP, COMPACT, EXTENDED CAB, MIN 4200 LBS GVWR

### Item # 66C - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		DAKOTA	RANGER	COLORADO
<b>ENGINES</b>				
E1	OEM APPLICABLE 4 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A	N/A	Stand Alone
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Package 8/4.7,230,290	N/A	Stand Alone
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	Stand Alone	Stand Alone
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A	Stand Alone
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone	Standard
D7	TOWING/MOUNTAIN RATIO	Package	N/A	Stand Alone
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	Stand Alone	N/A
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Standard	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	N/A	Package	Package
<b>INTERIOR</b>				
CRTS	CRUISE CONTROL AND TILT STEERING	Standard	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
<b>RADIO</b>				
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Standard	Standard	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone	Stand Alone
<b>TIRES AND WHEELS</b>				
AS	ALL SEASON TIRES	N/A	N/A	Stand Alone
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Stand Alone	N/A
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Standard
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

# TABLE 11

## 4 X 2 PICKUP, COMPACT, CREW CAB, MIN 4200 LBS GVWR

A compact size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed floor space between the wheel housings. The cab shall have 4 doors, each with a window. Rear seat arrangement for a minimum of three (3) passengers shall be provided.

### Item # 61E

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
BODY/CHASSIS		DAKOTA	SPORT TRAC	COLORADO CREW CAB
MFG. MODEL CODE		ND1H84	U67	CS15643
PAYLOAD min. kg. (lbs.)	1350	1640	1,614	1350
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	6010	5,660	5000
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.5 (5.0) min	5.5	5	5
BODY STYLE	Smooth side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	5 / 3.5	6/3.7	6/4.0	5/3.5
HORSEPOWER (min)	210	210	210	220
TORQUE (ft.-lb.)	225	235	240	225
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	5-speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	Rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	100	136	130	100
BATTERY min. (CCA)	650	750	650	690
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	72 (19)	22	22.5	19
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
REMOTE KEYLESS ENTRY	Min.	comply	comply	comply
DOORS	4	4	4	4
KEYED DOOR LOCKS		left only	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear	front and rear
<b>INTERIOR</b>				
CRUISE CONTROL AND TILT STEERING	Min.	comply	comply	comply
AIR CONDITIONING	Req	comply	comply	comply
POWER STEERING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Cloth	comply	vinyl	comply
<b>RADIO</b>				
RADIO	AM/FM w/Clock/CD	comply	am/fm-cass/CD/clock	AM/FM Stereo w CD
<b>SEATS</b>				
SEATING CAPACITY min.	5	comply	5	6
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	15	16	16	15
TIRES	P225/R/AS	P255/R/AS	P235/R/ AS	P225/R/AS
<b>TOWING</b>				
REAR BUMPER	Step type w/ RH1 provisions	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 11 - CONTINUED

## 4 X 2 PICKUP, COMPACT, CREW CAB, MIN 4200 LBS GVWR

### Item # 61E - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		DAKOTA	SPORT TRAC	COLORADO CREW CAB
<b>ENGINES</b>				
E1	OEM APPLICABLE 4 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A 0,0,0	N/A	Stand Alone 4/2.8,175,185
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Package 8/4.7,230,290	N/A	Stand Alone 4/2.8,175,185
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	N/A	Standard	N/A
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone	Stand Alone
<b>EXTERIOR</b>				
BL	BED LINER	Package	Stand Alone	N/A
CBE	CARGO BED EXTENDER	N/A	Stand Alone	N/A
TCH	TONNEAU COVER	N/A	Stand Alone	N/A
<b>DOORS AND WINDOWS</b>				
SRG	SLIDING REAR WINDOW	Package	Stand Alone	N/A
<b>INTERIOR</b>				
AC2	AUX. REAR AIR CONDITIONING	N/A	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone	N/A
<b>FLOOR</b>				
RF	VINYL FLOOR COVERING	N/A	Standard	N/A
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Standard	Stand Alone
<b>SAFETY</b>				
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A	Stand Alone
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

# TABLE 11 - CONTINUED

## 4 X 4 PICKUP, COMPACT, CREW CAB, MIN 4200 LBS GVWR

A compact size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed and tailgate with stays, providing a maximum of 114 cm (45 in) unobstructed floor space between the wheel housings. The cab shall have 4 doors, each with a window. Rear seat arrangement for a minimum of three (3) passengers shall be provided.

### Item # 67E

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
<b>BODY/CHASSIS</b>		<b>DAKOTA</b>	<b>SPORT TRAC</b>	<b>COLORADO</b>
MFG. MODEL CODE		ND5H84	U77	CT15643
PAYLOAD min. kg. (lbs.)	635 (1400)	1440	1,440	1400
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1905 (4200) / 2812 (6200)	6010	5,840	5300
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.5 (5.0)	5.5	5	5
BODY STYLE	Smooth side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	5 / 3.5	6/3.7	6/4.0	5/3.5
HORSEPOWER (min)	210	210	210	220
TORQUE (ft.-lb.)	225	235	240	225
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	Rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	100	136	130	100
BATTERY min. (CCA)	650	750	650	690
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	72 (19)	22	22.5	19.5
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
REMOTE KEYLESS ENTRY	Req	comply	comply	Comply
DOORS	4	4	4	4
KEYED DOOR LOCKS		left only	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear	front and rear
<b>INTERIOR</b>				
CRUISE CONTROL AND TILT STEERING	Min.	comply	comply	comply
AIR CONDITIONING	Req	comply	comply	comply
POWER STEERING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Cloth	comply	vinyl	comply
<b>RADIO</b>				
RADIO	AM/FM w/Clock/CD	AM/FM/CD	am/fm/cass/cd/clock	AM/FM CD
<b>SEATS</b>				
SEATING CAPACITY min.	5	6	5	6
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply	comply comply comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	OEM std	automatic	automatic	automatic
WHEEL DIAMETER	16	16	16	16
TIRES	P255/R/AT	P245/R/00	P255/R/ AT	P235/R/00
<b>TOWING</b>				
REAR BUMPER	Step type w/ RH2 provisions	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 11 - CONTINUED

## 4 X 4 PICKUP, COMPACT, CREW CAB, MIN 4200 LBS GVWR

### Item # 67E - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		DAKOTA	SPORT TRAC	COLORADO
<b>ENGINES</b>				
E1	OEM APPLICABLE 4 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A	N/A	Stand Alone 4/2.8,175,185
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Package 8/4.7,230,290	N/A	Stand Alone 4/2.8,175,185
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	N/A	Standard	N/A
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Stand Alone
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A	N/A
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone	Standard
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	Stand Alone	N/A
CBE	CARGO BED EXTENDER	N/A	Stand Alone	N/A
TCH	TONNEAU COVER	N/A	Stand Alone	N/A
<b>DOORS AND WINDOWS</b>				
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	N/A
<b>INTERIOR</b>				
AC2	AUX. REAR AIR CONDITIONING	N/A	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone	N/A
<b>FLOOR</b>				
RF	VINYL FLOOR COVERING	N/A	Standard	N/A
<b>TOWING</b>				
FTH	FRONT TOW HOOKS	Package	N/A	Stand Alone
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	N/A	N/A
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone
<b>S=Standard</b>		<b>SA=Stand Alone</b>		<b>PKG=Package (includes, requires or excludes other options)</b>
				<b>NA=Not Available</b>

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 12

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 6050 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 41

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>RAM 1500</b>	<b>F150</b>	<b>C1500</b>
MFG. MODEL CODE		DR1L62	F12	CC15903
PAYLOAD min. kg. (lbs.)	799 (1761)	1761	1850	2000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2743 (6050) / 2970 (6550)	6550	6650	6400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min.	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 3.7	6/3.7	6/4.2	6/4.3
HORSEPOWER (min)	195	215	202	195
TORQUE (ft.-lb.)	235	235	260	260
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	Rear	rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular/Mfg. std.	3.55	3.55	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	540	700	540	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	35.7	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	4	2
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply

## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 6050 LBS GVWR

#### Item # 41

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM 1500</b>	<b>FORD F150</b>	<b>GM C1500</b>
<b>SAFETY (CONTINUED)</b>				
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16	17	17	17
TIRES	P235/R/AS	P245/R/AS	P235/R/AS	P255/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 6050 LBS GVWR

#### Item # 41 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER RAM 1500	FORD F150	GM C1500
<b>BODY/CHASSIS</b>				
L6	SHORT BED PICKUP BODY	Package	Stand Alone	Stand Alone
<b>ENGINES</b>				
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Package 8/4.7,235,295	Package 8/4.6,231,293	Stand Alone 8/4.8,285,295
E4	UPGRADED ADDITIONAL POWER 8 CYLINDE Eng-Cyl/HP/Torque	Package 8/5.7,345,375	Package 8/5.4,300,365	Package 8/5.3,295,330
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	Package	N/A	Package
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	Standard	N/A	Standard
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	Stand Alone	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A	N/A
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Package
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RB	RUNNING BOARDS	N/A	Stand Alone	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	N/A	Stand Alone
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Package	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Package	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Stand Alone
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	N/A	N/A	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Stand Alone	Stand Alone
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SIAB	SIDE IMPACT AIR BAGS	Stand Alone	N/A	N/A
SRO	OEM Reverse Obstacle Sensor	N/A	Package	N/A
<b>TIRES AND WHEELS</b>				
TT	TRACTION TREAD--REAR TIRES ONLY	N/A	Package	N/A
<b>TOWING</b>				
CTBP	OEM Trailer Brake Controller Pre-Wi	Standard	Package	N/A

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 6050 LBS GVWR

#### Item # 41 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
<b>RECEIVER HITCH</b>		<b>RAM 1500</b>	<b>F150</b>	<b>C1500</b>
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Package
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Package
<b>DELIVERY</b>				
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

**S=Standard      SA=Stand Alone      PKG=Package (includes, requires or excludes other options)      NA=Not Available**

## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SZ,EXT CAB, MIN 6000 LBS GVWR, HYBRID ELECTRIC

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 41H

GSA COMPONENTS	GSA. MIN. REQ.	GM
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CC15753
PAYLOAD min. kg. (lbs.)	447 (985)	985
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3401 (7500)	6200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.0 (6.5) min	6.5
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.3
HORSEPOWER (min)	285	285
TORQUE (ft.-lb.)	325	325
COOLING SYSTEM	HDA	comply
<b>ENGINE ACCESSORY OPTIONS</b>		
Oil Life System	Req	comply
ENGINE HOUR METER	Req	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
<b>DRIVE AXLE</b>		
TOWING/MOUNTAIN RATIO	Req	comply
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	98 (26)	26
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
REMOTE KEYLESS ENTRY	Req	comply
DOORS	4	4
KEYED DOOR LOCKS	Req	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
POWER WINDOWS & DOOR LOCKS	Req	front and rear
<b>INTERIOR</b>		
CRUISE CONTROL AND TILT STEERING	REQ	comply
AIR CONDITIONING	REQ	comply
POWER STEERING	REQ	comply
CLOTH UPHOLSTERY	Req	comply
<b>FLOOR</b>		
CARPETED FLOOR COVERING	Req	comply
<b>SEATS</b>		
RECLINING BUCKET/CAPTAINS CHAIRS	Req	comply
SEATING CAPACITY min.	5	5

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SZ,EXT CAB, MIN 6000 LBS GVWR, HYBRID ELECTRIC

### Item # 41H

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>GM C1500</b>
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER TIRES	16 P235/R/AS	16 P235/R/AS
<b>TOWING</b>		
REAR BUMPER	Step Type w/ RH2 provision	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SZ,EXT CAB, MIN 6000 LBS GVWR, HYBRID ELECTRIC

### Item # 41H - OPTIONAL EQUIPMENT

		GM
<b>ALTERNATIVE FUEL ENGINES</b>		<b>C1500</b>
HEV	HYBRID ELECTRIC VEHICLE	Standard
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
<b>EXTERIOR</b>		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
<b>LIGHTS AND LIGHTING</b>		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone
<b>SAFETY</b>		
BUA	BACK-UP ALARM	Stand Alone
<b>RECEIVER HITCH</b>		
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 7700 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 42

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM SILVERADO C2500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F12 - A	CC25903 HD
PAYLOAD min. kg. (lbs.)	1315 (2900)	3000	3150
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3493 (7700) / 3855 (8500)	8200	8500
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.8 (6) min.	8	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	280	300	280
TORQUE (ft.-lb.)	335	365	335
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
TOWING/MOUNTAIN RATIO		comply	comply
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular/Mfg. std.	4.1	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	102 (27)	35.7	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	4	2
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
UPHOLSTERY	Cloth	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/ Clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 7700 LBS GVWR

### Item # 42

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM SILVERADO C2500</b>
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER TIRES	16 LT245/R/AS	17 LT245/R/AS	16 LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 7700 LBS GVWR

### Item # 42 - OPTIONAL EQUIPMENT

		FORD F150	GM SILVERADO C2500
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Stand Alone
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Standard
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	N/A	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Standard
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	N/A	Stand Alone
RB	RUNNING BOARDS	Stand Alone	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	N/A	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Package	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	N/A	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 8000 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 44

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM C2500HD</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DH2L62	F20	CC25903 HD
PAYLOAD min. kg. (lbs.)	2930	3376	2930	4300
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	8650	8800	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	345	300	300
TORQUE (ft.-lb.)	350	375	358	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>				
ENGINE HOUR METER	Req	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed	4 SPEED
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	REAR
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73	4.1
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	650	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock	AM/FM W CLOCK
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40

## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 8000 LBS GVWR

#### Item # 44

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM C2500HD</b>
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
SUSPENSION/SHOCKS	SUSPENSION HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16	17	17	16
TIRES	LT235/R/AS	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 8000 LBS GVWR

### Item # 44 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		RAM PICKUP 2500	F250	C2500HD
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Stand Alone	Stand Alone
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	N/A, N/A, N/A Package 6/5.9, 325, 600	10/6.8, 350, 455 Package 8/6.0, 325, 570	8/8.1, 330, 450 Package 8/6.6, 310, 590
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Package
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Package	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Stand Alone
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone	N/A
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone	Stand Alone
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Package	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Stand Alone
<b>INTERIOR</b>				
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Package	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Stand Alone	Stand Alone
BF	SOLID BENCH FRONT SEAT	N/A	Stand Alone	N/A
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone	N/A
<b>TIRES AND WHEELS</b>				
AT	ALL TERRAIN TIRES	N/A	Stand Alone	Stand Alone
<b>TOWING</b>				
CTB	OEM Trailer Brake Controller	N/A	Stand Alone	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Stand Alone
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 9201 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 44B

GSA COMPONENTS	GSA. MIN. REQ.	FORD F350
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		F30
PAYLOAD min. kg. (lbs.)	1848 (4074)	4235
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4174 (9201) / 4535 (10000)	10100
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min	8
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4
HORSEPOWER (min)	260	300
TORQUE (ft.-lb.)	350	358
COOLING SYSTEM	HDA	comply
<b>ENGINE ACCESSORY OPTIONS</b>		
ENGINE HOUR METER	Req	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	5 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	130
BATTERY min. (CCA)	600	650
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	128 (34)	38
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
DOORS	2	2
KEYED DOOR LOCKS	Req	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/ washer	comply
<b>INTERIOR</b>		
AIR CONDITIONING	REQ	comply
POWER STEERING	REQ	comply
CLOTH UPHOLSTERY	Req	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>RADIO</b>		
RADIO	AM/FM w/ Clock	AM/FM w/ Clock
<b>SEATS</b>		
SEATING CAPACITY min.	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 9201 LBS GVWR

### Item # 44B

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16	18
TIRES	Lt245/R/AS	LT275/R/AS
<b>TOWING</b>		
REAR BUMPER	Step Type w/ RH2 provision	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 9201 LBS GVWR

### Item # 44B - OPTIONAL EQUIPMENT

		FORD
		F350
<b>ENGINES</b>		
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	10/6.8,350,455 Package 8/6.0,325,570
<b>ENGINE ACCESSORY OPTIONS</b>		
EH	ENGINE BLOCK HEATER	Stand Alone
<b>TRANSMISSION</b>		
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone
PT	POWER TAKE OFF OPENING	Package
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Package
D7	TOWING/MOUNTAIN RATIO	Package
<b>ELECTRICAL</b>		
SU4	OEM Upfitter Switches, 4	Stand Alone
<b>EXTERIOR</b>		
RB	RUNNINGBOARDS	Stand Alone
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
<b>DOORS AND WINDOWS</b>		
SRG	SLIDING REAR WINDOW	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone
<b>LIGHTS AND LIGHTING</b>		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Package
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone
SK	METRIC ODOMETER	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
<b>FLOOR</b>		
CM	CARPETED FLOOR COVERING	Package
<b>RADIO</b>		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone
BF	SOLID BENCH FRONT SEAT	Stand Alone
<b>SAFETY</b>		
SRO	OEM Reverse Obstacle Sensor	Stand Alone
<b>TIRES AND WHEELS</b>		
AT	ALL TERRAIN TIRES	Stand Alone
<b>TOWING</b>		
CTB	OEM Trailer Brake Controller	Stand Alone
<b>RECEIVER HITCH</b>		
RH3	OEM DRAW BAR RECEIVER CLASS III	Package
RH4	OEM DRAW BAR RECEIVER CLASS IV	Package
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 12 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 10,001 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 44A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		DH3L62	F32
PAYLOAD min. kg. (lbs.)	2348 (5176)	5176	5635
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	11,000	11800
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4
HORSEPOWER (min)	260	330	300
TORQUE (ft.-lb.)	350	375	358
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	Req	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	130	136	130
BATTERY min. (CCA)	650	750	650
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	132 (35)	35	38
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 10,001 LBS GVWR

### Item # 44A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER TIRES	16 w/dual rear LT235/R/AS	17 LT235/R/AS	17 LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH1 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 12 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, REGULAR CAB, MIN 10,001 LBS GVWR

### Item # 44A - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD
		RAM PICKUP 3500	F350
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Stand Alone
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	N/A,N/A,N/A Package 6/5.9,325,600	10/6.8,350,455 Package 8/6.0,325,570
<b>ENGINE ACCESSORY OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone
PT	POWER TAKE OFF OPENING	Package	Package
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Standard	Package
D7	TOWING/MOUNTAIN RATIO	Standard	Package
<b>ELECTRICAL</b>			
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone
<b>EXTERIOR</b>			
BL	BED LINER	Stand Alone	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	Package
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Stand Alone	Package
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Stand Alone
<b>SAFETY</b>			
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	N/A	Stand Alone
<b>TOWING</b>			
CTB	OEM Trailer Brake Controller	Standard	Stand Alone
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 6000 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 46

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>FORD F150</b>	<b>GM SILVERADO K1500</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR6L62	F14	CK15903
PAYLOAD min. kg. (lbs.)	635 (1399)	1440	1625	1850
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3401 (7500)	6550	6950	6400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 4.2	8/4.7	8/4.6	6/4.3
HORSEPOWER (min)	190	235	231	190
TORQUE (ft.-lb.)	252	300	293	260
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
TRANSFER CASE	2-Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular /Mfg. std.	3.92	3.55	3.73
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	540	700	540	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	35.7	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	4	2
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 6000 LBS GVWR

#### Item # 46

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>FORD F150</b>	<b>GM SILVERADO K1500</b>
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 min.	17	17	17
TIRES	P 245/R/AT	LT245/R/AT	P255/R/AT	P265/R/00
<b>TOWING</b>				
FRONT TOW HOOKS	Req	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 6000 LBS GVWR

### Item # 46 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
BODY/CHASSIS		RAM PICKUP 1500	F150	SILVERADO K1500
L6	SHORT BED PICKUP BODY	Package	Stand Alone	Stand Alone
<b>ENGINES</b>				
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A	Stand Alone	Stand Alone
E4	UPGRADED ADDITIONAL POWER 8 CYLINDE Eng-Cyl/HP/Torque	n/a,n/a,n/a Package 8/5.7,345,375	8/5.4,300,365 N/A N/A,N/A,N/A	8/4.8,285,295 Package 8/5.3,295,330
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	Package	N/A	Stand Alone
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	Standard	N/A	Standard
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A	N/A
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Standard	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Standard	Stand Alone	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Stand Alone
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	N/A	Stand Alone
RB	RUNNING BOARDS	N/A	Stand Alone	N/A
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Package	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Package	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Standard	Package	Stand Alone
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Stand Alone	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	N/A	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Package	Stand Alone
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Package	N/A
<b>TIRES AND WHEELS</b>				
LT	LIGHT TRUCK TIRES	Package	N/A	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	N/A	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Stand Alone	Stand Alone
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 6000 LBS GVWR

### Item # 46 - OPTIONAL EQUIPMENT

MISCELLANEOUS		DAIMLERCHRYSLER RAM PICKUP 1500	FORD F150	GM SILVERADO K1500
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SZ, EXT CAB, MIN 6250 LBS GVWR, HYBRID ELECTRIC

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 46H

GSA COMPONENTS	GSA. MIN. REQ.	GM
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CK15753
PAYLOAD min. kg. (lbs.)	544/1200	1200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2834 (6250) / 3401 (7500)	6400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.0 (6.5)	6.5
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.3
HORSEPOWER (min)	285	295
TORQUE (ft.-lb.)	325	330
COOLING SYSTEM	HDA	comply
<b>ENGINE ACCESSORY OPTIONS</b>		
Oil Life System	Req	comply
ENGINE HOUR METER	Req	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	comply
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	98 (26)	26
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Sail mount foldaway	comply
SKID PLATE	Req	comply
<b>DOORS AND WINDOWS</b>		
REMOTE KEYLESS ENTRY	Req	comply
DOORS	4	4
KEYED DOOR LOCKS	Req	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/ washer	comply
POWER WINDOWS & DOOR LOCKS	Req	front and rear
<b>INTERIOR</b>		
CRUISE CONTROL AND TILT STEERING	Req	comply
AIR CONDITIONING	Req	comply
CLOTH UPHOLSTERY	Req	comply
<b>FLOOR</b>		
CARPETED FLOOR COVERING	Req	comply

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SZ, EXT CAB, MIN 6250 LBS GVWR, HYBRID ELECTRIC

### Item # 46H

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>GM</b>
<b>SEATS</b>		<b>K1500</b>
RECLINING BUCKET/CAPTAINS CHAIRS	Req	comply
SEATING CAPACITY min.	5	5
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	16	16
TIRES	LT245R/00	LT245/R/00
<b>TOWING</b>		
FRONT TOW HOOKS	Req	comply
REAR BUMPER	Step Type w/ RH2 provision	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SZ, EXT CAB, MIN 6250 LBS GVWR, HYBRID ELECTRIC

#### Item # 46H - OPTIONAL EQUIPMENT

		<b>GM K1500</b>
<b>ALTERNATIVE FUEL ENGINES</b>		
HEV	HYBRID ELECTRIC VEHICLE	Standard
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
<b>EXTERIOR</b>		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
<b>SAFETY</b>		
BUA	BACK-UP ALARM	Stand Alone
<b>RECEIVER HITCH</b>		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 7700 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 47

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150	GM SILVERADO K2500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F14 - A	CK25903 HD
PAYLOAD min. kg. (lbs.)	1177 (2596)	2610	3000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3492 (7700) / 3855 (8500)	8200	8500
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.8 (6)	8	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	280	300	280
TORQUE (ft.-lb.)	335	365	335
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2-Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	129 (34)	35.7	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	4	2
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/ Clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 7700 LBS GVWR

### Item # 47

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM SILVERADO K2500</b>
<b>SAFETY (CONTINUED)</b>			
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	17	16
TIRES	LT245/R/AT	LT245/R/AS	LT245/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Req	comply	comply
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 7700 LBS GVWR

#### Item # 47 - OPTIONAL EQUIPMENT

		FORD F150	GM SILVERADO K2500
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Stand Alone
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Standard
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	N/A	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	N/A
<b>EXTERIOR</b>			
RB	RUNNING BOARDS	Stand Alone	N/A
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	N/A	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Package	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 8000 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 49

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 2500	FORD F250	GM K2500 HD
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DH7L62	F21	CK25903 HD
PAYLOAD min. kg. (lbs.)	1211 (2670)	2916	2670	3750
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	8650	9000	9200
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	345	300	300
TORQUE (ft.-lb.)	350	375	358	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>				
ENGINE HOUR METER	Req	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73	4.1
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	650	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock	AM/FM stereo w clock
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 8000 LBS GVWR

#### Item # 49

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM K2500 HD</b>
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 min.	17	17	16
TIRES	LT235/R/AT	LT245/R/00	LT245/R/AT	LT245/R/00
<b>TOWING</b>				
FRONT TOW HOOKS	Req	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 8000 LBS GVWR

### Item # 49 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		2500	F250	K2500HD
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Stand Alone 10/6.8,350,455	Stand Alone 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 6/5.9,325,600	Package 8/6.0,325,570	Package 8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
PT	POWER TAKE OFF OPENING	Package	Package	Package
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Package
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Package	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Package
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone	N/A
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RB	RUNNING BOARDS	N/A	Stand Alone	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone	Stand Alone
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Package	Stand Alone
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Package	Package	Stand Alone
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Standard
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Package	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
BF	SOLID BENCH FRONT SEAT	N/A	Stand Alone	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Stand Alone	Stand Alone
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone	N/A
<b>SUSPENSION</b>				
EMP	ENHANCED MOBILITY PACKAGE	N/A	N/A	Package
<b>TIRES AND WHEELS</b>				
TT	TRACTION TREAD--REAR TIRES ONLY	N/A	N/A	N/A

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 8000 LBS GVWR

#### Item # 49 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		2500	F250	K2500HD
<b>TOWING</b>				
CTB	OEM Trailer Brake Controller	N/A	Stand Alone	N/A
CTBP	OEM Trailer Brake Controller Pre-Wi	Standard	Stand Alone	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Package
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Package
<b>MILITARY USE ONLY</b>				
ELFS	FOLD UP TROOP SEATS, REQUIRES MCTL	N/A	N/A	Package
FPUC	FIBERGLASS PICKUP CAP, REQUIRES MCT	N/A	N/A	Package
MCTL	MILITARY PACKAGE	N/A	N/A	Stand Alone
<b>DELIVERY</b>				
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone



## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 9201 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 49B

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
<b>BODY/CHASSIS</b>		<b>F350</b>	<b>K3500</b>
MFG. MODEL CODE		F31	CK35903
PAYLOAD min. kg. (lbs.)	1760 (3879)	4080	4175
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4174 (9201) / 4535 (10000)	10500	9900
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	300	300
TORQUE (ft.-lb.)	350	358	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	Req	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/ Clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 9201 LBS GVWR

### Item # 49B

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	Mfg. std. 16 LT245/R/AT	automatic 18 LT275/R/AT	automatic 16 LT265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS REAR BUMPER	Min. Step Type w/ RH2 provision	comply comply	comply comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 9201 LBS GVWR

### Item # 49B - OPTIONAL EQUIPMENT

		FORD	GM
		F350	K3500
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	Stand Alone
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	10/6.8,350,455 Package 8/6.0,325,570	8/8.1,330,450 Stand Alone 8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	N/A
PT	POWER TAKE OFF OPENING	Package	Package
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Standard
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Stand Alone
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Package
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TOWING</b>			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Package	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 10,001 LBS GVWR

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides without steps or indentations that reduce cargo volume (except dual wheel vehicles or those equipped with wide tires, where extensions to fenders or flares may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 49A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>RAM PICKUP 3500</b>	<b>F350</b>	<b>K3500</b>
MFG. MODEL CODE		DH8L62	F33	CK35903
PAYLOAD min. kg. (lbs.)	2218 (4889)	5188	5290	5650
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	11,500	12000	11400
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	330	300	300
TORQUE (ft.-lb.)	350	375	358	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>				
ENGINE HOUR METER	Req	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	4.1	4.1
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	650	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40

## TABLE 12 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 10,001 LBS GVWR

#### Item # 49A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 w/dual rear	17	17	16
TIRES	LT215/R/AT	LT235/R/ 0/0	LT245/R/AT	LT215/85R/00
<b>TOWING</b>				
FRONT TOW HOOKS	Req	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 12 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, REGULAR CAB, MIN 10,001 LBS GVWR

### Item # 49A - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		RAM PICKUP 3500	F350	K3500
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Stand Alone	Stand Alone
	Eng-Cyl/HP/Torque	N/A,N/A,N/A	10/6.8,350,455	8/8.1,330,450
YD	DIESEL ENGINE	Package	Package	Package
	Eng-Cyl/HP/Torque	6/5.9,325,600	8/6.0,325,570	8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Package
PT	POWER TAKE OFF OPENING	Package	Package	Package
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Standard	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Standard	Package	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Stand Alone
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone	N/A
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone	Stand Alone
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Stand Alone	Stand Alone
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Standard	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Stand Alone
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Package	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Stand Alone	Stand Alone
BF	SOLID BENCH FRONT SEAT	N/A	Stand Alone	N/A
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone	N/A
<b>TOWING</b>				
CTB	OEM Trailer Brake Controller	N/A	Stand Alone	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Stand Alone
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



**TABLE 13****4 X 2 PICKUP, FULL SIZE, EXTENDED CAB,  
MIN 6000 LBS GVWR**

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

**Item # 41C**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>GM SILVERADO C1500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		DR1L42	CC15953
PAYLOAD min. kg. (lbs.)	650 (1434)	1471	1700
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3401 (7500)	6650	6400
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8.0) min	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.7	8/4.8
HORSEPOWER (min)	231	235	285
TORQUE (ft.-lb.)	285	295	295
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.42
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	136	105
BATTERY min. (CCA)	540	700	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm w/clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 6000 LBS GVWR

### Item # 41C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>GM SILVERADO C1500</b>
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	17
TIRES	P235/R/AS	P245/R/AS	P265/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH1 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 6000 LBS GVWR

### Item # 41C - OPTIONAL EQUIPMENT

<b>BODY/CHASSIS</b>		<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>GM SILVERADO C1500</b>
L6	SHORT BED PICKUP BODY	Package	Stand Alone
<b>ENGINES</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Package 8/5.7,345,375	Package 8/5.3,295,330
<b>ALTERNATIVE FUEL ENGINES</b>			
E85	ETHANOL FLEXIBLE FUEL	Package	Package
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS EH EHM	Oil Life System ENGINE BLOCK HEATER ENGINE HOUR METER	N/A Stand Alone Standard	Standard Stand Alone Standard
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A
<b>DRIVE AXLE</b>			
D3 D7	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Stand Alone Stand Alone	Stand Alone Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Stand Alone
<b>EXTERIOR</b>			
BL RM	BED LINER EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone Stand Alone	N/A Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE SRG PWL	REMOTE KEYLESS ENTRY SLIDING REAR WINDOW POWER WINDOWS & DOOR LOCKS	Package Stand Alone Package	Package Stand Alone Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP CRTS SK VU	ADJUSTABLE OPERATING PEDALS CRUISE CONTROL AND TILT STEERING METRIC ODOMETER VINYL UPHOLSTERY, FRONT AND REAR	Package Stand Alone Stand Alone Stand Alone	N/A Stand Alone Stand Alone Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS RAD	AM/FM RADIO WITH CASSETTE PLAYER AM/FM RADIO WITH COMPACT DISC PLAYER	Standard Stand Alone	Stand Alone Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Stand Alone
<b>SAFETY</b>			
BUA SIAB	BACK-UP ALARM SIDE IMPACT AIR BAGS	N/A Stand Alone	Stand Alone N/A
<b>RECEIVER HITCH</b>			
RH3 RH4	OEM DRAW BAR RECEIVER CLASS III OEM DRAW BAR RECEIVER CLASS IV	Standard Standard	Stand Alone Stand Alone
<b>DELIVERY</b>			
CNS DDRG DDRH DDRP 1611	CONSIGNEE DELIVERY (NO DEALER PREP) DEALER DELIVERY GUAM DEALER DELIVERY HAWAII DEALER DELIVERY PUERTO RICO OEM EXPORT DOCUMENT FEE	Stand Alone Stand Alone Stand Alone Stand Alone Stand Alone	Stand Alone N/A Stand Alone Stand Alone Stand Alone
<b>MISCELLANEOUS</b>			
MIL PSM PSME	DATA PLATES OR DD250 PARTS AND SERVICE MANUALS PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone Stand Alone Stand Alone	Stand Alone Stand Alone Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 13 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 7700 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 42C

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150	GM SILVERADO C2500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X12 - A	CC25953 HD
PAYLOAD min. kg. (lbs.)	1202 (2650)	2690	3000 lbs
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3492 (7700) / 3855 (8500)	8200	8500
PICKUP BED, LOAD LENGTH min. m. (ft.)	6	8	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	280	300	280
TORQUE (ft.-lb.)	335	365	335
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
TOWING/MOUNTAIN RATIO	Req	comply	comply
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	102 (27)	35.7	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/ Clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 7700 LBS GVWR

### Item # 42C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM SILVERADO C2500</b>
<b>SAFETY (CONTINUED)</b>			
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 7700 LBS GVWR

### Item # 42C - OPTIONAL EQUIPMENT

		FORD F150	GM SILVERADO C2500
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Stand Alone
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Standard
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	N/A	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	N/A	Stand Alone
RB	RUNNING BOARDS	Stand Alone	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Package	N/A
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	N/A	Stand Alone
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 13 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 44C

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
<b>BODY/CHASSIS</b>		<b>RAM PICKUP 2500</b>	<b>F250</b>	<b>C2500HD</b>
MFG. MODEL CODE		DH2L42	X20	CC25953 HD
PAYLOAD min. kg. (lbs.)	1325 (2921)	3176	3020	3600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	8800	9200	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	345	300	300
TORQUE (ft.-lb.)	350	375	358	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>				
ENGINE HOUR METER	Req	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed	4 SPEED
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	REAR
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73	4.1
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	650	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	Req	comply	comply	comply
POWER STEERING	Req	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock	AM/FM W CLOCK
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	Req	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply

## TABLE 13 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

#### Item # 44C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM C2500HD</b>
<b>SAFETY (CONTINUED)</b>				
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16	17	17	16
TIRES	LT235/R/AS	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

### Item # 44C - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		RAM PICKUP 2500	F250	C2500HD
<b>BODY/CHASSIS</b>				
L6	SHORT BED PICKUP BODY	Package	Stand Alone	Stand Alone
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Stand Alone	Stand Alone
	Eng-Cyl/HP/Torque	N/A,N/A,N/A	10/6.8 ,350,455	8/8.1,330,450
YD	DIESEL ENGINE	Package	Package	Package
	Eng-Cyl/HP/Torque	6/5.9,325,600	8/6.0,325,570	8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Package
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Package	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Stand Alone
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone	N/A
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone	Stand Alone
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>				
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Stand Alone
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Package	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Package	Stand Alone
BF	SOLID BENCH FRONT SEAT	N/A	Stand Alone	N/A
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone	N/A
<b>TIRES AND WHEELS</b>				
AT	ALL TERRAIN TIRES	N/A	Stand Alone	Stand Alone
<b>TOWING</b>				
CTB	OEM Trailer Brake Controller	Standard	Stand Alone	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Stand Alone

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

### Item # 44C - OPTIONAL EQUIPMENT

<b>DELIVERY</b>		<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM C2500HD</b>
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

**S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available**

## TABLE 13 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 9201 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 44E

GSA COMPONENTS	GSA. MIN. REQ.	FORD F350
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		X30
PAYLOAD min. kg. (lbs.)	1633 (3600)	4280
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4174 (9201) / 4535 (10000)	10400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4
HORSEPOWER (min)	260	300
TORQUE (ft.-lb.)	350	358
COOLING SYSTEM	HDA	comply
<b>ENGINE ACCESSORY OPTIONS</b>		
ENGINE HOUR METER	Req	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	5 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	130
BATTERY min. (CCA)	600	650
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	128 (34)	38
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS	Min.	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
CLOTH UPHOLSTERY	Req	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>RADIO</b>		
RADIO	AM/FM w/ Clock	AM/FM w/ Clock
<b>SEATS</b>		
SEATING CAPACITY min.	6	6
SPLIT FRONT BENCH SEAT	Req	40/20/40
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 9201 LBS GVWR

### Item # 44E

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD</b>
<b>SUSPENSION</b>		<b>F350</b>
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16	18
TIRES	LT245/R/AS	LT275/R/AS
<b>TOWING</b>		
REAR BUMPER	Step Type w/ RH2 provision	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 9201 LBS GVWR

### Item # 44E - OPTIONAL EQUIPMENT

		FORD F350
<b>BODY/CHASSIS</b>		
L6	SHORT BED PICKUP BODY	Stand Alone
<b>ENGINES</b>		
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	10/6.8,350,455 Package 8/6.0,325,570
<b>ENGINE ACCESSORY OPTIONS</b>		
EH	ENGINE BLOCK HEATER	Stand Alone
<b>TRANSMISSION</b>		
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone
<b>DRIVE AXLE</b>		
D3 D7	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Package Package
<b>ELECTRICAL</b>		
SU4	OEM Upfitter Switches, 4	Stand Alone
<b>EXTERIOR</b>		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
<b>DOORS AND WINDOWS</b>		
SRG PWL	SLIDING REAR WINDOW POWER WINDOWS & DOOR LOCKS	Stand Alone Stand Alone
<b>LIGHTS AND LIGHTING</b>		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone
<b>INTERIOR</b>		
AP CRTS DA SK VU	ADJUSTABLE OPERATING PEDALS CRUISE CONTROL AND TILT STEERING DELETE AIR CONDITIONING METRIC ODOMETER VINYL UPHOLSTERY, FRONT AND REAR	Package Stand Alone Stand Alone Stand Alone Stand Alone
<b>FLOOR</b>		
CM	CARPETED FLOOR COVERING	Package
<b>RADIO</b>		
RACS RAD	AM/FM RADIO WITH CASSETTE PLAYER AM/FM RADIO WITH COMPACT DISC PLAYER	Package Package
<b>SEATS</b>		
RS BF	RECLINING BUCKET/CAPTAINS CHAIRS SOLID BENCH FRONT SEAT	Package Stand Alone
<b>SAFETY</b>		
SRO	OEM Reverse Obstacle Sensor	Stand Alone
<b>TIRES AND WHEELS</b>		
AT	ALL TERRAIN TIRES	Stand Alone
<b>TOWING</b>		
CTB	OEM Trailer Brake Controller	Stand Alone
<b>RECEIVER HITCH</b>		
RH3 RH4	OEM DRAW BAR RECEIVER CLASS III OEM DRAW BAR RECEIVER CLASS IV	Package Package
<b>DELIVERY</b>		
CNS DDRG DDRH DDRP 1611	CONSIGNEE DELIVERY (NO DEALER PREP) DEALER DELIVERY GUAM DEALER DELIVERY HAWAII DEALER DELIVERY PUERTO RICO OEM EXPORT DOCUMENT FEE	Stand Alone Stand Alone Stand Alone Stand Alone Stand Alone
<b>MISCELLANEOUS</b>		
MIL PSM PSME	DATA PLATES OR DD250 PARTS AND SERVICE MANUALS PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone Stand Alone Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 13 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 44D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 3500	FORD F350	GM C3500
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR3L42	X32	CC35953
PAYLOAD min. kg. (lbs.)	2180 (4806)	4806	5720	5200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	11,000	12200	11400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	330	300	300
TORQUE (ft.-lb.)	350	375	358	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>				
ENGINE HOUR METER	REQ	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. req.	4.1	4.1	4.1
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	650	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speedw/washers	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	AM/FM w/ Clock	am/fm w/clock
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40

## TABLE 13 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

#### Item # 44D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 3500	FORD F350	GM C3500
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16 w/dual rear	17	17	16
TIRES	LT215/R/AS w/Dual rear	LT235/R/AS	LT245/R/AS	LT215/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

### Item # 44D - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		RAM PICKUP 3500	F350	C3500
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Stand Alone 10/6.8,350,455	Stand Alone 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 6/5.9,325,600	Package 8/6.0,325,570	Package 8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Package
PT	POWER TAKE OFF OPENING	Package	Stand Alone	Package
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Standard	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Standard	Package	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Stand Alone
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone	N/A
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone	Stand Alone
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>				
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Stand Alone
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Package	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Package	Stand Alone
BF	SOLID BENCH FRONT SEAT	N/A	Stand Alone	N/A
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone	N/A
<b>TIRES AND WHEELS</b>				
AT	ALL TERRAIN TIRES	N/A	Stand Alone	Stand Alone
<b>TOWING</b>				
CTB	OEM Trailer Brake Controller	Standard	Stand Alone	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Stand Alone

# TABLE 13 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

### Item # 44D - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
DELIVERY		RAM PICKUP 3500	F350	C3500
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 6250 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 46C

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	GM
BODY/CHASSIS		RAM PICKUP 1500	SILVERADO K1500
MFG. MODEL CODE		DR6L42	CK15953
PAYLOAD min. kg. (lbs.)	537 (1184)	1328	1300
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2834 (6250) / 3401 (7500)	6800	6400
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.7	8/4.8
HORSEPOWER (min)	231	235	285
TORQUE (ft.-lb.)	285	300	295
COOLING SYSTEM	HDA	comply	comply
ENGINE ACCESSORY OPTIONS			
ENGINE HOUR METER	REQ	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.92	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	105	136	105
BATTERY min. (CCA)	540	700	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	34
EXTERIOR			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
DOORS AND WINDOWS			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/ washer	comply	comply
INTERIOR			
AIR CONDITIONING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
RADIO			
RADIO	AM/FM w/Clock	am/fm cassette w/clock	AM/FM w/Clock
SEATS			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 6250 LBS GVWR

### Item # 46C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>GM SILVERADO K1500</b>
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS WHEEL DIAMETER TIRES	Mfg. std. 16 P-245R/AT	automatic 17 P265/R/00	automatic 17 P265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS REAR BUMPER	Req Step Type w/ RH1 provision	comply comply	comply comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 6250 LBS GVWR

### Item # 46C - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	GM
		RAM PICKUP 1500	SILVERADO K1500
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Package	Stand Alone
<b>ENGINES</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Package 8/5.7,345,375	Package 8/5.3,295,330
<b>ALTERNATIVE FUEL ENGINES</b>			
E85	ETHANOL FLEXIBLE FUEL	Package	Package
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS EH	Oil Life System ENGINE BLOCK HEATER	N/A Stand Alone	Standard Stand Alone
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Package	N/A
<b>DRIVE AXLE</b>			
D3 D7	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Standard Standard	Stand Alone Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Stand Alone
<b>EXTERIOR</b>			
BL RM RB	BED LINER EXTRA WIDE MIRRORS, CAMPER TYPE RUNNING BOARDS	Stand Alone Stand Alone N/A	N/A Stand Alone N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE SRG PWL	REMOTE KEYLESS ENTRY SLIDING REAR WINDOW POWER WINDOWS & DOOR LOCKS	Package Stand Alone Package	Package Stand Alone Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP CRTS SK VU	ADJUSTABLE OPERATING PEDALS CRUISE CONTROL AND TILT STEERING METRIC ODOMETER VINYL UPHOLSTERY, FRONT AND REAR	Package Stand Alone Stand Alone Stand Alone	N/A Stand Alone Stand Alone Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS RAD	AM/FM RADIO WITH CASSETTE PLAYER AM/FM RADIO WITH COMPACT DISC PLAYER	Standard Stand Alone	Stand Alone Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
<b>TIRES AND WHEELS</b>			
LT	LIGHT TRUCK TIRES	Package	N/A
<b>RECEIVER HITCH</b>			
RH3 RH4	OEM DRAW BAR RECEIVER CLASS III OEM DRAW BAR RECEIVER CLASS IV	Standard Standard	Stand Alone Stand Alone
<b>DELIVERY</b>			
CNS DDRG DDRH DDRP 1611	CONSIGNEE DELIVERY (NO DEALER PREP) DEALER DELIVERY GUAM DEALER DELIVERY HAWAII DEALER DELIVERY PUERTO RICO OEM EXPORT DOCUMENT FEE	Stand Alone Stand Alone Stand Alone Stand Alone Stand Alone	Stand Alone N/A Stand Alone Stand Alone Stand Alone
<b>MISCELLANEOUS</b>			
PSM PSME	PARTS AND SERVICE MANUALS PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone Stand Alone	Stand Alone Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 7700 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 47C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM SILVERADO K2500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X14 - A	CK25953 HD
PAYLOAD min. kg. (lbs.)	1002 (2210)	2210	2700
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3,492 (7,700) / 3900 (8600)	8200	8500
PICKUP BED, LOAD LENGTH min. m. (ft.)	6	8	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	300	300	300
TORQUE (ft.-lb.)	360	365	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
TOWING/MOUNTAIN RATIO	Req	comply	comply
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	129 (34)	35.7	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/ washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	AM/FM w/Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 7700 LBS GVWR

### Item # 47C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM SILVERADO K2500</b>
<b>SAFETY (CONTINUED)</b>			
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	17	16
TIRES	LT245R/AT	LT245R/AS	LT245/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Req	comply	comply
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 7700 LBS GVWR

### Item # 47C - OPTIONAL EQUIPMENT

		FORD F150	GM SILVERADO K2500
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Stand Alone
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Standard
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	N/A	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	N/A	Stand Alone
RB	RUNNING BOARDS	Stand Alone	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Package	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 49C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM K2500 HD</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DH7L42	X21	CK25953 HD
PAYLOAD min. kg. (lbs.)	1171 (2582)	2720	2680	3500
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	8800	9400	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8 / 5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	345	300	300
TORQUE (ft.-lb.)	350	375	358	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>				
ENGINE HOUR METER	REQ	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73	4.1
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	650	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	129 (34)	34	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/ washer	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/Clock	am/fm cassette w/clock	AM/FM w/Clock	AM/FM w/Clock
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

#### Item # 49C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM K2500 HD</b>
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16	17	17	16
TIRES	LT235R/AT	LT245/R/00	LT245/R/AT	LT245/R/00
<b>TOWING</b>				
FRONT TOW HOOKS	Req	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

#### Item # 49C - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER RAM PICKUP 2500	FORD F250	GM K2500 HD
<b>BODY/CHASSIS</b>				
L6	SHORT BED PICKUP BODY	Package	Stand Alone	Stand Alone
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Stand Alone 10/6.8,350,455	Stand Alone 8/1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 6/5.9,325,600	Package 8/6.0,325,570	Package 8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Package
PT	POWER TAKE OFF OPENING	Package	Package	Stand Alone
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Package	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Package
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone	N/A
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone	Stand Alone
RB	RUNNING BOARDS	N/A	Stand Alone	N/A
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Stand Alone	Package
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Package	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	N/A	Stand Alone	Stand Alone
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Package	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Package	Stand Alone
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone	N/A
<b>SUSPENSION</b>				
EMP	ENHANCED MOBILITY PACKAGE	Package	N/A	Package
<b>TOWING</b>				
CTB	OEM Trailer Brake Controller	Standard	Stand Alone	N/A

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 8000 LBS GVWR

#### Item # 49C - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER RAM PICKUP 2500	FORD F250	GM K2500 HD
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Stand Alone
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

**S=Standard      SA=Stand Alone      PKG=Package (includes, requires or excludes other options)      NA=Not Available**



## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 9201 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 49E

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X31	CK35953
PAYLOAD min. kg. (lbs.)	1588 (3500)	4110	3700
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4174 (9201) / 4535 (10000)	10800	9900
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	300	300
TORQUE (ft.-lb.)	350	358	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	REQ	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/ washe	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 9201 LBS GVWR

### Item # 49E

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
		comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	18	16
TIRES	LT245R/AT	LT275/R/AT	LT265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 9201 LBS GVWR

#### Item # 49E - OPTIONAL EQUIPMENT

		<b>FORD</b>	<b>GM</b>
		<b>F350</b>	<b>K3500</b>
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Stand Alone	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Stand Alone 10/6.8,350,455	Stand Alone 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,570	Stand Alone 8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	N/A
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Standard
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Package
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Package	Stand Alone
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TOWING</b>			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Package	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 9201 LBS GVWR

### Item # 49E - OPTIONAL EQUIPMENT

<b>DELIVERY (CONTINUED)</b>		<b>FORD F350</b>	<b>GM K3500</b>
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 49D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
<b>BODY/CHASSIS</b>		<b>RAM PICKUP 3500</b>	<b>F350</b>	<b>K3500</b>
MFG. MODEL CODE		DH8L42	X33	CK35953
PAYLOAD min. kg. (lbs.)	2082 (4590)	4826	5390	5000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	11,500	12400	11400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	330	300	300
TORQUE (ft.-lb.)	350	375	358	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>				
ENGINE HOUR METER	REQ	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	4.1	4.1
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	650	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	129 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/ washer	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY		comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/Clock	am/fm cassette w/clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply

## TABLE 13 - CONTINUED

### 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

#### Item # 49D

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>SAFETY (CONTINUED)</b>				
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 w/dual rear	17	17	16
TIRES	LT215/R/AT	LT235/R/00	LT245/R/AT	LT215/85R/00
<b>TOWING</b>				
FRONT TOW HOOKS	Req	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

### Item # 49D - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER	FORD	GM
		RAM PICKUP 3500	F350	K3500
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Stand Alone 10/6.8,350,455	Stand Alone 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 6/5.9,325,600	Package 8/6.0,325,570	Package 8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	N/A	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Stand Alone	Package
PT	POWER TAKE OFF OPENING	Package	Package	Package
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Standard	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Standard	Package	Stand Alone
<b>ELECTRICAL</b>				
A14	ALTERNATOR 145 AMP	N/A	N/A	Package
SU4	OEM Upfitter Switches, 4	N/A	Stand Alone	N/A
<b>EXTERIOR</b>				
BL	BED LINER	Stand Alone	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone	Stand Alone
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Stand Alone	Package
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Package	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone	Stand Alone
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Package	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Package	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone	Stand Alone
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Stand Alone	Package	Stand Alone
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Standard	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Package	Stand Alone
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Package	Stand Alone
BF	SOLID BENCH FRONT SEAT	N/A	Stand Alone	N/A
<b>SAFETY</b>				
BUA	BACK-UP ALARM	N/A	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	N/A	Stand Alone	N/A
<b>TOWING</b>				
CTB	OEM Trailer Brake Controller	N/A	Stand Alone	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Standard	Package	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Standard	Package	Stand Alone

# TABLE 13 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, EXTENDED CAB, MIN 10,001 LBS GVWR

### Item # 49D - OPTIONAL EQUIPMENT

<b>DELIVERY</b>		<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>	<b>GM K3500</b>
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

**S=Standard      SA=Stand Alone      PKG=Package (includes, requires or excludes other options)      NA=Not Available**



**TABLE 14****4 X 2 PICKUP, FULL SIZE, CREW CAB,  
MIN 6000 LBS GVWR**

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors, each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

**Item # 50**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM C1500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W12	CC15543
PAYLOAD min. kg. (lbs.)	680 (1500)	1530	1850
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3084 (6800)	6800	6800
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.6 (5.5)	5.5	5.8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.6	8/5.3
HORSEPOWER (min)	231	231	295
TORQUE (ft.-lb.)	293	293	330
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	94 (25)	30	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
<b>INTERIOR</b>			
CRUISE CONTROL AND TILT STEERING	Min.	comply	comply
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	carpet	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock/CD	am/fm/cd w/ clock	am/fm stereo w cd
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 6000 LBS GVWR

### Item # 50

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM C1500</b>
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	P235/R/AS	P255/R/AS	P255/70R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 6000 LBS GVWR

### Item # 50 - OPTIONAL EQUIPMENT

		FORD	GM
		F150	C1500
<b>ENGINES</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Standard 8/5.3,295,330
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	N/A	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	N/A
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	N/A	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	N/A
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 6800 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 51

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150	GM AVALANCHE
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W12 - A	CC15936
PAYLOAD min. kg. (lbs.)	635 (1400)	1690	1400 lbs
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3084 (6800) / 3401 (7500)	7050	6800
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.4 (4.5)	5.5	4.5
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.4	8/5.3
HORSEPOWER (min)	285	300	295
TORQUE (ft.-lb.)	325	365	330
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	113 (30)	30	31
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	comply	4
KEYED DOOR LOCKS	Min.	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	cloth
<b>FLOOR</b>			
FLOOR COVERING	Carpet	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock/CD	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	P255/R/AS	P255/R/AS	P265/R/AS

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 6800 LBS GVWR

### Item # 51

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM AVALANCHE</b>
<b>TOWING</b>			
REAR BUMPER	Step type w/RH4 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 14 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 6800 LBS GVWR

#### Item # 51 - OPTIONAL EQUIPMENT

		<b>FORD F150</b>	<b>GM AVALANCHE</b>
<b>ALTERNATIVE FUEL ENGINES</b>			
E85	ETHANOL FLEXIBLE FUEL	N/A	Standard
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	Stand Alone	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
<b>SAFETY</b>			
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	Stand Alone	Standard
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

**S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available**

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 8000 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 4 doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 51C

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
<b>BODY/CHASSIS</b>		<b>F250</b>	<b>C2500</b>
MFG. MODEL CODE		W20	CC15743
PAYLOAD min. kg. (lbs.)	1278 (2818)	2920	3130
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	9200	8600
PICKUP BED, LOAD LENGTH min. m. (ft.)	2 (6.5)	6.75	6.5
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	300	300
TORQUE (ft.-lb.)	350	358	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	REQ	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	29	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left only
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	AM/FM w/Clock	am/fm w/clock cd
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 8000 LBS GVWR

### Item # 51C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F250</b>	<b>GM C2500</b>
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	LT235/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 8000 LBS GVWR

### Item # 51C - OPTIONAL EQUIPMENT

		FORD	GM
		F250	C2500
<b>BODY/CHASSIS</b>			
LB	PICKUP LONG BED	Stand Alone	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	N/A
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	6.8L,350,455 Package 8/6.0,325,570	N/A
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	N/A
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	N/A
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Standard
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Standard
DA	DELETE AIR CONDITIONING	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	N/A
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Standard
<b>SAFETY</b>			
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Stand Alone	Stand Alone
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	Standard	Stand Alone
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 52

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
<b>BODY/CHASSIS</b>		<b>F250</b>	<b>C2500 HD</b>
MFG. MODEL CODE		W20 - 8FT	CC25943 HD
PAYLOAD min. kg. (lbs.)	1361 (3000)	3020	3300
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4174 (9201) / 4535 (10000)	9400	9200
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/ 6.0
HORSEPOWER (min)	260	300	300
TORQUE (ft.-lb.)	350	358	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	REQ	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	AM/FM w/Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/single rear	17	16

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

### Item # 52

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F250</b>	<b>GM C2500 HD</b>
<b>TIRES AND WHEELS (CONTINUED)</b>			
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

### Item # 52 - OPTIONAL EQUIPMENT

		FORD	GM
		F250	C2500 HD
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Stand Alone	Stand Alone
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	Stand Alone
	Eng-Cyl/HP/Torque	10/6.8,350,455	8/8.1,330,450
YD	DIESEL ENGINE	Package	Package
	Eng-Cyl/HP/Torque	8/6.0 ,325,570	8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	Package
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Package
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Stand Alone	Stand Alone
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	Standard	Stand Alone
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

### Item # 52 - OPTIONAL EQUIPMENT

<b>DELIVERY (CONTINUED)</b>		<b>FORD F250</b>	<b>GM C2500 HD</b>
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available



# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 54

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM C3500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W32	CC35943
PAYLOAD min. kg. (lbs.)	2185 (4818)	5720	5200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	12600	11400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	10/6.8	8/6.0
HORSEPOWER (min)	300	350	300
TORQUE (ft.-lb.)	360	455	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	REQ	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	38	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM /FM w/Clock	AM/FM w/ Clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/dual rear	17	16
TIRES	Lt215/R/AS	LT245/R/AS	LT215/R/AS

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

### Item # 54

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM C3500</b>
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 14 - CONTINUED

### 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

#### Item # 54 - OPTIONAL EQUIPMENT

		<b>FORD</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>F350</b>	<b>C3500</b>
L6	SHORT BED PICKUP BODY	Stand Alone	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Stand Alone
	Eng-Cyl/HP/Torque	N/A,N/A,N/A	8/8.1,330,450
YD	DIESEL ENGINE	Package	Package
	Eng-Cyl/HP/Torque	8/6.0,325,570	8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Package
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Package
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Stand Alone	Stand Alone
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	Standard	Stand Alone
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone

# TABLE 14 - CONTINUED

## 4 X 2 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

### Item # 54 - OPTIONAL EQUIPMENT

		<b>FORD</b>	<b>GM</b>
		<b>F350</b>	<b>C3500</b>
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

**S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available**

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 6700 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm(48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 55

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150	GM K1500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W14	CK15543
PAYLOAD min. kg. (lbs.)	590 (1300)	1300	1700
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3038 (6700) / 3175 (7000)	6900	7000
PICKUP BED, LOAD LENGTH min. m.(ft.)	2 (5.5)	5.5	5.8
BODY STYLE	Smooth side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.6	8/5.3
HORSEPOWER (min)	231	231	270
TORQUE (ft.-lb.)	285	293	285
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	30	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
<b>INTERIOR</b>			
CRUISE CONTROL AND TILT STEERING	Min.	comply	comply
AIR CONDITIONING	Req.	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	carpet	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock/CD	am/fm/cd w/ clock	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 6700 LBS GVWR

### Item # 55

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM K1500</b>
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	17	17	17
TIRES	P255/R/AT	LT255/R/AT	P265/70R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 6700 LBS GVWR

### Item # 55 - OPTIONAL EQUIPMENT

		FORD F150	GM K1500
<b>ENGINES</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Standard 8/5.3,295,330
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	N/A	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Standard	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
<b>SAFETY</b>			
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TIRES AND WHEELS</b>			
AS	ALL SEASON TIRES	N/A	Stand Alone
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	N/A	Stand Alone
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 7000 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 56

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150	GM AVALANCHE
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W14 - A	CK15936
PAYLOAD min. kg. (lbs.)	611 (1348)	1480	1400
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3174 (7000) / 3854 (8500)	7200	7000
PICKUP BED, LOAD LENGTH min. m. (ft.)	1.4 (4.5)	5.5	4.5
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.4	8/5.3
HORSEPOWER (min)	285	300	295
TORQUE (ft.-lb.)	325	365	330
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	117 (31)	30	31
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
<b>INTERIOR</b>			
CRUISE CONTROL AND TILT STEERING	Min.	comply	comply
AIR CONDITIONING	Req	comply	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Carpet	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock/CD	AM/FM w/Clock/CD	am/fm w/clock cd
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 7000 LBS GVWR

### Item # 56

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150</b>	<b>GM AVALANCHE</b>
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	17	16
TIRES	P255/R/AT	P255/R/AT	P265/R/AS
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH4 provisions	comply	comply
RECEIVER HITCH			
OEM DRAW BAR RECEIVER CLASS IV	Req	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 7000 LBS GVWR

### Item # 56 - OPTIONAL EQUIPMENT

		FORD F150	GM AVALANCHE
<b>ALTERNATIVE FUEL ENGINES</b>			
E85	ETHANOL FLEXIBLE FUEL	N/A	Standard
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
EHM	ENGINE HOUR METER	Stand Alone	Standard
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Standard
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
<b>EXTERIOR</b>			
SP	SKID PLATE	Stand Alone	Package
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
<b>SAFETY</b>			
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
SIAB	SIDE IMPACT AIR BAGS	N/A	Stand Alone
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Standard	Package
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 8000 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 56C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F250</b>	<b>GM K2500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W21	CK25743
PAYLOAD min. kg. (lbs.)	1040 (2292)	2575	2800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	9400	8600
PICKUP BED, LOAD LENGTH min. m. (ft.)	2 (6.5)	6.75	6.5
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	300	300
TORQUE (ft.-lb.)	350	358	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	REQ	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	29	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	REQ	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM /FM w/Clock	AM /FM w/Clock	AM/FM w/Clock/CD
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 8000 LBS GVWR

### Item # 56C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F250</b>	<b>GM K2500</b>
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	17	16
TIRES	LT235/R/AT	LT245/R/AT	LT245/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 8000 LBS GVWR

### Item # 56C - OPTIONAL EQUIPMENT

		FORD	GM
BODY/CHASSIS		F250	K2500
LB	PICKUP LONG BED	Stand Alone	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	N/A
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	10/6.8,350,455 Package 8/6.0,325,570	N/A
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	N/A
<b>DRIVE AXLE</b>			
D3 D7	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Package Package	Stand Alone Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	N/A
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM SZ	EXTRA WIDE MIRRORS, CAMPER TYPE SNOWFLOW PREP PACKAGE	Stand Alone Stand Alone	Stand Alone N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Standard
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
<b>INTERIOR</b>			
AP CRTS DA SK VU	ADJUSTABLE OPERATING PEDALS CRUISE CONTROL AND TILT STEERING DELETE AIR CONDITIONING METRIC ODOMETER VINYL UPHOLSTERY, FRONT AND REAR	Package Stand Alone Stand Alone Stand Alone Stand Alone	N/A Standard N/A Stand Alone N/A
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS RAD	AM/FM RADIO WITH CASSETTE PLAYER AM/FM RADIO WITH COMPACT DISC PLAYER	Package Package	Stand Alone Standard
<b>SEATS</b>			
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
<b>SAFETY</b>			
BUA SRO	BACK-UP ALARM OEM Reverse Obstacle Sensor	N/A Stand Alone	N/A N/A
<b>TOWING</b>			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS DDRG DDRH DDRP 1611	CONSIGNEE DELIVERY (NO DEALER PREP) DEALER DELIVERY GUAM DEALER DELIVERY HAWAII DEALER DELIVERY PUERTO RICO OEM EXPORT DOCUMENT FEE	Stand Alone Stand Alone Stand Alone Stand Alone Stand Alone	Stand Alone N/A Stand Alone Stand Alone Stand Alone
<b>MISCELLANEOUS</b>			
MIL PSM PSME	DATA PLATES OR DD250 PARTS AND SERVICE MANUALS PARTS AND SERVICE MANUALS -- ELECTR	Stand Alone Stand Alone Stand Alone	Stand Alone Stand Alone Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 57

GSA COMPONENTS	GSA. MIN. REQ.	GM
<b>BODY/CHASSIS</b>		<b>K2500 HD</b>
MFG. MODEL CODE		CK25943
PAYLOAD min. kg. (lbs.)	1406 (3100)	3200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4174 (9201) / 4535 (10000)	9200
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8)	8
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	8/6.0
HORSEPOWER (min)	300	300
TORQUE (ft.-lb.)	360	360
COOLING SYSTEM	HDA	comply
<b>ENGINE ACCESSORY OPTIONS</b>		
Oil Life System	Req	comply
ENGINE HOUR METER	Req	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	98 (26)	26
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Sail mount foldaway	comply
SKID PLATE	Req	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS	Min.	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
POWER STEERING	Req	comply
CLOTH UPHOLSTERY	Req	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>RADIO</b>		
AM/FM RADIO WITH COMPACT DISC PLAYER	Req	comply
<b>SEATS</b>		
SEATING CAPACITY min.	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

### Item # 57

	GSA. MIN. REQ.	GM K2500 HD
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	w/single rear	16
TIRES	LT245/R/AT	LT245/R/00
<b>TOWING</b>		
FRONT TOW HOOKS	Min.	comply
REAR BUMPER	Step type w/RH2 provisions	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

### Item # 57 - OPTIONAL EQUIPMENT

		GM
<b>BODY/CHASSIS</b>		<b>K2500 HD</b>
L6	SHORT BED PICKUP BODY	Stand Alone
<b>ENGINES</b>		
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone
	Eng-Cyl/HP/Torque	8/8.1,330,450
YD	DIESEL ENGINE	Package
	Eng-Cyl/HP/Torque	8/6.6,310,590
<b>ALTERNATIVE FUEL ENGINES</b>		
CNG2	DUAL FUEL (CNG AND GASOLINE)	Package
<b>ENGINE ACCESSORY OPTIONS</b>		
EH	ENGINE BLOCK HEATER	Stand Alone
<b>TRANSMISSION</b>		
T5	5 SPEED MANUAL TRANSMISSION	Package
T6	6-SPEED MANUAL TRANSMISSION	Package
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone
<b>ELECTRICAL</b>		
A14	ALTERNATOR 145 AMP	Package
<b>EXTERIOR</b>		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone
SZ	SNOWPLOW PREP PACKAGE	Package
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
<b>DOORS AND WINDOWS</b>		
RKE	REMOTE KEYLESS ENTRY	Package
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone
<b>LIGHTS AND LIGHTING</b>		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone
<b>INTERIOR</b>		
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone
SK	METRIC ODOMETER	Stand Alone
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone
<b>FLOOR</b>		
CM	CARPETED FLOOR COVERING	Stand Alone
<b>RADIO</b>		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone
<b>SAFETY</b>		
BUA	BACK-UP ALARM	Stand Alone
<b>SUSPENSION</b>		
EMP	ENHANCED MOBILITY PACKAGE	Stand Alone
<b>RECEIVER HITCH</b>		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone
<b>MILITARY USE ONLY</b>		
FPUC	FIBERGLASS PICKUP CAP, REQUIRES MCT	Package
ELFS	FOLD UP TROOP SEATS, REQUIRES MCTL	Package
MCTL	MILITARY PACKAGE	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 9201 LBS GVWR

### Item # 57 - OPTIONAL EQUIPMENT

<b>DELIVERY (CONTINUED)</b>		<b>GM</b>
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
<b>MISCELLANEOUS</b>		<b>K2500 HD</b>
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 9900 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 57A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W31	CK35943
PAYLOAD min. kg. (lbs.)	1406 (3100)	4110	3500
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4490 (9900) / (11000)	11000	9900
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	300	300
TORQUE (ft.-lb.)	350	358	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	Req	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	129 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
VINYL UPHOSTERY, REAR SEATS ONLY	Req	comply	comply
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM /FM w/Clock	AM/FM w/ Clock	AM/FM w clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ REQ REQ	comply comply comply	comply comply comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 9900 LBS GVWR

### Item # 57A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	w/single rear	18	16
TIRES	LT245/R/AT	LT275/R/AT	LT265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 9900 LBS GVWR

### Item # 57A - OPTIONAL EQUIPMENT

		FORD	GM
		F350	K3500
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Stand Alone	N/A
<b>ENGINES</b>			
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Package 8/6.0,325,570	Stand Alone 8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Stand Alone	N/A
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Standard
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Package
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Package
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
SRG	SLIDING REAR WINDOW	Stand Alone	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	N/A
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TOWING</b>			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

### Item # 59A

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
<b>BODY/CHASSIS</b>		<b>F350</b>	<b>K3500</b>
MFG. MODEL CODE		W33	CK35943
PAYLOAD min. kg. (lbs.)	1993 (4393)	5190	5000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4536 (10001) / 6350 (14000)	12600	11400 lbs
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 6.0	10/6.8	8/6.0
HORSEPOWER (min)	300	350	300
TORQUE (ft.-lb.)	360	455	360
COOLING SYSTEM	HDA	comply	comply
<b>ENGINE ACCESSORY OPTIONS</b>			
ENGINE HOUR METER	Req	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.1	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS	Min.	left and right	left and right
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
CLOTH UPHOLSTERY	Req	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM /FM w/Clock	AM/FM w/ Clock	Am/FM w clock
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	Req	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

### Item # 59A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16 w/dual rear	17	16
TIRES	LT215/R/AT	LT245/R/AT	LT215/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

### Item # 59A - OPTIONAL EQUIPMENT

		FORD	GM
		F350	K3500
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Stand Alone	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Stand Alone
	Eng-Cyl/HP/Torque	N/A,N/A,N/A	8/8.1,330,450
YD	DIESEL ENGINE	Package	Package
	Eng-Cyl/HP/Torque	8/6.0 ,325,570	8/6.6,310,590
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Package
T6	6-SPEED MANUAL TRANSMISSION	Package	Package
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Package	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Package	Stand Alone
<b>ELECTRICAL</b>			
A14	ALTERNATOR 145 AMP	N/A	Package
SU4	OEM Upfitter Switches, 4	Stand Alone	N/A
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Stand Alone	Stand Alone
SZ	SNOWPLOW PREP PACKAGE	Stand Alone	Package
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Package	Package
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone	Stand Alone
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Stand Alone
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Package	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
DA	DELETE AIR CONDITIONING	Stand Alone	N/A
SK	METRIC ODOMETER	Stand Alone	Stand Alone
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Package	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Package	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Package	Stand Alone
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Stand Alone	Stand Alone
BF	SOLID BENCH FRONT SEAT	Stand Alone	N/A
<b>SAFETY</b>			
BUA	BACK-UP ALARM	N/A	Stand Alone
SRO	OEM Reverse Obstacle Sensor	Stand Alone	N/A
<b>TOWING</b>			
CTB	OEM Trailer Brake Controller	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone

# TABLE 14 - CONTINUED

## 4 X 4 PICKUP, FULL SIZE, CREW CAB, MIN 10,001 LBS GVWR

### Item # 59A - OPTIONAL EQUIPMENT

		<b>FORD</b>	<b>GM</b>
<b>DELIVERY (CONTINUED)</b>		<b>F350</b>	<b>K3500</b>
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**