

# **Alternatives to Traditional Transportation Fuels 1996**

**December 1997**

**Energy Information Administration**  
Office of Coal, Nuclear, Electric and Alternate Fuels  
U.S. Department of Energy  
Washington, DC 20585

This report was prepared by the Energy Information Administration, the independent statistical and analytical agency within the U.S. Department of Energy. The information contained herein should be attributed to the Energy Information Administration and should not be construed as advocating or reflecting any policy position of the Department of Energy or of any other organization.

## Contacts

This report was prepared by the Energy Information Administration (EIA), Office of Coal, Nuclear, Electric and Alternate Fuels. General information about this document may be obtained from the National Energy Information Center (202/586-8800). Further information about the report may be obtained from Fred Mayes (202/426-1166), Chief of the Renewable Energy Branch. Questions

concerning alternative-fueled vehicles in use and fuel consumption may be referred to Mary Joyce (202/426-1168) or Jorge Luna-Camara (202/426-1170). Questions concerning the EIA-886 survey, "Alternative Fuels Vehicle Suppliers Annual Report," may be directed to Chris Buckner (202/426-1167).

# Contents

	Page
Overview .....	1
<b>1. Introduction</b> .....	<b>7</b>
<b>2. Alternative-Fueled Vehicles in Use</b> .....	<b>9</b>
Trends in Alternative-Fueled Vehicles, by Fuel Type .....	9
Regional Distribution of AFV's .....	10
Alternative-Fueled Vehicles by Vehicle Type .....	14
Alternative-Fueled Vehicles by Ownership .....	14
<b>3. Alternative and Replacement Fuel Consumption</b> .....	<b>19</b>
Alternative Fuels .....	19
Oxygenates .....	24
Biodiesel and Hydrogen .....	25
<b>4. Alternative-Fueled Vehicles Made Available</b> .....	<b>27</b>
Onroad AFV's Made Available in 1996 .....	27
Nonroad AFV's Made Available in 1996 .....	30
Outlook—AFV's Expected to be Made Available in 1997 .....	30
<b>Appendices</b>	
A. Estimation Methods and Data Quality .....	33
B. U.S. Census Region Map .....	41
C. Alternative-Fueled Vehicle Suppliers .....	45
D. Alternative-Fueled Vehicles Made Available in 1995, Revised .....	59
<b>Glossary</b> .....	<b>63</b>

## Tables

Page

1. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, by Fuel, 1992-1998 . . . . .	9
2. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, by Fuel and Census Region, 1996-1998 . . . . .	11
3. Estimated Number of Alternative-Fueled Vehicles in Use, by State, 1996-1998 . . . . .	12
4. Estimated Number of Alternative-Fueled Vehicles in Use, by State and Fuel Type, 1996 . . . . .	13
5. Number of Alternative-Fueled Refueling Sites by State and Fuel Type, 1996 . . . . .	15
6. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, by Fuel and Weight Category, 1994, 1996, and 1998 . . . . .	16
7. Estimated Number of Alternative-Fueled Vehicles in Use by U.S. Private Entities, by Fuel and Weight Category, 1994, 1996, and 1998 . . . . .	16
8. Estimated Number of Alternative-Fueled Vehicles in Use by State and Local Governments, by Fuel and Weight Category, 1994, 1996, and 1998 . . . . .	17
9. Estimated Number of Alternative-Fueled Vehicles in Use by the U.S. Federal Government, by Fuel and Weight Category, 1994, 1996, and 1998 . . . . .	18
10. Estimated Consumption of Vehicle Fuels in the United States, 1992-1998 . . . . .	20
11. Estimated Share of Alternative Transportation Fuel Consumption, by Region, 1996-1998 . . . . .	21
12. Estimated Consumption of Alternative Transportation Fuels in the United States, by Fuel and Vehicle Weight, 1994, 1996, and 1998 . . . . .	22
13. Estimated Consumption of Alternative Transportation Fuels in the United States, by Vehicle Ownership, 1994, 1996, and 1998 . . . . .	23
14. Number of Onroad Alternative-Fueled Vehicles Made Available, by Fuel Type and Vehicle Configuration, 1996 . . . . .	28
15. Number of Nonroad Alternative-Fueled Vehicles Made Available in 1996, and Planned to Made Available in 1997, by Fuel Type . . . . .	29
16. Number of Onroad Alternative-Fueled Vehicles Made Available, by Fuel Type, 1994-1996 . . . . .	29
17. Number of Onroad Alternative-Fueled Vehicles Planned to be Made Available, by Fuel Type and Vehicle Configuration, in 1997 . . . . .	31
A1. Typical Conventional Vehicle Characteristics . . . . .	38
A2. Original and Adjusted Lower Heating Values of Conventional and Replacement Fuels . . . . .	39
C1. Alternative-Fueled Vehicle Suppliers . . . . .	47
D1. Number of Onroad Alternative-Fueled Vehicles Made Available, by Fuel Type and Vehicle Configuration in 1995-Revised . . . . .	61
D2. Number of Nonroad Alternative-Fueled Vehicles Made Available in 1995, by Fuel Type-Revised . . . . .	62

## Figures

1. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, 1992-1998 . . . . .	1
2. States with the Largest Number of Alternative-Fueled Vehicles in Use, 1996 . . . . .	1
3. Estimated Shares of Alternative-Fueled Vehicles in Use in the United States by Fuel Type, 1992-1996 . . . . .	2
4. Alternative-Fueled Vehicle Types in Use by Ownership Classification, 1996 . . . . .	2
5. Estimated Consumption of Vehicle Fuels in the United States by Fuel Type, 1992-1998 . . . . .	3
6. Estimated Consumption of Oxygenates and Alternative Fuels in the United States by Fuel Type, 1992-1998 . . . . .	3
7. Census Region Shares of Estimated Total U.S. Consumption of Alternative Fuels by Fuel Type, 1996 . . . . .	4
8. Estimated Consumption of Alternative Fuels in the United States by Vehicle Type, 1994, 1996, and 1998 . . . . .	4
9. Onroad Alternative-Fueled Vehicles Made Available in the United States by Fuel Type, 1996 . . . . .	5
10. Onroad Alternative-Fueled Vehicles Made Available in the United States by Fuel Type and Vehicle Configuration, 1996 . . . . .	5
11. Implied ATF Consumption per Vehicle, 1996 . . . . .	22
B1. U.S. Census Region Map . . . . .	43


# Overview



*This report presents data on U.S. alternative-fueled vehicles (AFV's). The alternative transportation fuels (ATF's) considered are compressed natural gas (CNG), liquefied natural gas (LNG), liquefied petroleum gas (LPG—i.e., propane), methanol and ethanol blends (e.g., M85, E85), electricity, and neat biodiesel.*

## Alternative-Fueled Vehicles in Use


**Figure 1. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, 1992-1998**



- More than 352,000 AFV's were in use in the United States in 1996, a 40-percent increase since 1992.
- Another 50,000 AFV's are expected to be in use in the United States by the end of 1998.

Source: Table 1, page 9.

**Figure 2. States with the Largest Number of Alternative-Fueled Vehicles in Use, 1996**




- In 1996, 10 States had more than 10,000 AFV's in use.
- More than one-fourth of the AFV's in use are in California and Texas.

Source: Table 3, page 12.

## Alternative-Fueled Vehicles in Use


**Figure 3. Estimated Shares of Alternative-Fueled Vehicles in Use in the United States by Fuel Type, 1992-1996**



- Three-fourths of the AFV's in use in 1996 were designed to operate on liquefied petroleum gas (LPG), primarily propane.
- Of the non-LPG AFV's in use in 1996, two-thirds were fueled by natural gas—primarily by compressed natural gas (CNG) and a smaller number by liquefied natural gas (LNG).

Source: Table 1, page 9.

**Figure 4. Alternative-Fueled Vehicle Types in Use by Ownership Classification, 1996**




- More than two-thirds of the AFV's in use in the United States in 1996 were privately owned.
- More than 80 percent of privately owned AFV's are light-duty vehicles fueled with LPG.
- Nearly all federally owned AFV's are light-duty non-LPG vehicles.

Source: Tables 7-9, pages 16-18.

## Consumption of Alternative and Replacement Fuels

**Figure 5. Estimated Consumption of Vehicle Fuels in the United States by Fuel Type, 1992-1998**




Although traditional fuels continue to dominate U.S. vehicle fuel use, consumption of alternative and replacement fuels (including oxygenates) is growing rapidly.

From 1992 to 1996, consumption of alternative and replacement fuels (measured in gasoline-equivalent gallons) increased by 76 percent.

From 1996 to 1998, consumption of replacement and alternative fuels is expected to increase by about 9 percent.

Source: Table 10, page 20.

**Figure 6. Estimated Consumption of Oxygenates and Alternative Fuels in the United States by Fuel Type, 1992-1998**



Consumption of the oxygenates methyl tertiary butyl ether (MTBE) and ethanol in gasoline blends accounted for more than 90 percent of the total use of alternative and replacement fuels in 1996.


Continued rapid growth is expected for consumption of alternative fuels.

Note: Total oxygenates are the sum of MTBE and ethanol in gasoline blends.

Source: Table 10, page 20.

## Consumption of Alternative and Replacement Fuels

**Figure 7. Census Region Shares of Estimated Total U.S. Consumption of Alternative Fuels by Fuel Type, 1996**




Of the four U.S. Census regions, the South—which includes the State of Texas—was the largest consumer of alternative fuels in 1996.

Consumption shares for individual alternative fuel types vary among the regions, with the West using the most M85 and electricity and the South using the most LNG.

Source: Table 11, page 21.

**Figure 8. Estimated Consumption of Alternative Fuels in the United States by Vehicle Type, 1994, 1996, and 1998**



U.S. consumption of alternative fuels is expected to grow by more than 45 million gasoline-equivalent gallons between 1996 and 1998, compared with an increase of about 16 million gallons from 1994 to 1996.







The fastest growth in alternative fuel consumption from 1994 to 1998 is expected for heavy-duty non-LPG vehicles.

Source: Table 12, page 22.



## Alternative-Fueled Vehicles Made Available


**Figure 9. Onroad Alternative-Fueled Vehicles Made Available in the United States by Fuel Type, 1996**

 Automobiles	LPG	CNG	M85	E85	Electric			
	1,158	2,764	2,011	3,273	370			
 Passenger Vans	LPG	CNG			Electric			
	238	599			2			
 Cargo Vans/ Pickups	LPG	CNG	LNG		Electric			
	2,221	4,083	33		84			
 Other Trucks	LPG	CNG	LNG		Electric			
	3,506	2,054	29		62			
 Buses	LPG	CNG	LNG	M100	Electric	Other		
	564	1,125	12	60	146	5		
 Other On-Road Vehicles	LPG	CNG			Electric			
	28	9			29			
<b>Total = 24,465</b>	<b>LPG</b>	<b>CNG</b>	<b>LNG</b>	<b>M85</b>	<b>M100</b>	<b>E85</b>	<b>Electric</b>	<b>Other</b>
	<b>7,715</b>	<b>10,634</b>	<b>74</b>	<b>2,011</b>	<b>60</b>	<b>3,273</b>	<b>693</b>	<b>5</b>

- An estimated total of 24,465 onroad alternative-fueled vehicles were made available in the United States during 1996.
- About 40 percent of the onroad AFV's made available were automobiles, and nearly half were cargo vans, pickups, or other trucks.
- More than half the onroad AFV's made available in 1996 were natural gas or alcohol-fueled vehicles. More than 30 percent were LPG vehicles.

Source: Table 14, page 28.

**Figure 10. Onroad Alternative-Fueled Vehicles Made Available in the United States by Fuel Type and Vehicle Configuration, 1996**



- Only about one-third of the onroad AFV's made available during 1996 were dedicated (single-fueled) vehicles.
- All the M85- and E85-fueled vehicles made available were nondedicated—configured to use either alternative or conventional fuels.

Source: Table 14, page 28.

# 1. Introduction

Interest in the alternative transportation fuels (ATF's)<sup>1</sup> has increased in recent years due to the drives for cleaner air and less dependence upon foreign oil. This report, *Alternatives to Traditional Transportation Fuels 1996*, provides information on ATF's, as well as the vehicles that consume them.

This report has its roots in Section 503 of the Energy Policy Act of 1992 (EPACT), which directs the Energy Information Administration (EIA) to provide the U.S. Department of Energy (DOE) and the Congress with the following information on alternative-fueled vehicles (AFV's)<sup>2</sup> and ATF's:

- The number, type, and geographic distribution of AFV's in use (Chapter 2)
- The consumption of ATF's and "replacement fuels"<sup>3</sup> (Chapter 3)
- The number and type of AFV's "made available" (Chapter 4).

Section 503 further specifies that information about these subjects is to be provided annually for the "current" and "following" years; i.e., the most recent historical year and an outlook for the next year. Since EPACT was passed in response to concerns about energy security (occasioned by the 1991 Persian Gulf conflict), its focus is on energy efficiency and improving domestic energy supplies. Clean air data and issues related to transportation fuels (except for requiring DOE to report on the greenhouse gas

emissions resulting from ATF consumption) are addressed in the Clean Air Act Amendments of 1990 and are not discussed in this report.

In addition to the information described above, this report includes:

- A discussion of the methodology used to develop the estimates, including a discussion of the survey Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report" (Appendix A)
- A map defining geographic regions used (Appendix B)
- A list of AFV suppliers (Appendix C)
- Revised AFV "made available" information for the calendar year 1995 (Appendix D).

The ATF's considered in this report are compressed natural gas (CNG), liquefied natural gas (LNG), liquefied petroleum gas (LPG, i.e. propane), methanol, ethanol, electricity, and neat biodiesel.<sup>4</sup> Vehicles consuming these fuels may either be "new" AFV's or existing vehicles with converted fuel systems.

This report is EIA's fourth annual report on alternative transportation fuels. EIA produced its first report on AFV's and ATF's in 1994.<sup>5</sup> It contains extensive background material on ATF and AFV characteristics, legislation, and industry-related information, as well as

<sup>1</sup> Section 301 of EPACT defines "alternative fuels" as: methanol, denatured ethanol, and other alcohols; mixtures containing 85 percent or more (or such other percentage, but not less than 70 percent, as determined by the Secretary of Energy, by rule, to provide for requirements relating to cold start, safety, or vehicle functions) by volume of methanol, denatured ethanol, and other alcohols with gasoline or other fuels; natural gas; liquefied petroleum gas; hydrogen; coal-derived liquid fuels; fuels (other than alcohol) derived from biological materials; electricity (including electricity from solar energy); and any other fuel the Secretary determines, by rule, is substantially not petroleum and would yield substantial energy security benefits and substantial environmental benefits.

<sup>2</sup> An alternative-fueled vehicle is defined as a vehicle either designed and manufactured by an original equipment manufacturer or a converted vehicle designed to operate in either dual-fuel, flexible-fuel, bi-fuel, or dedicated modes on fuels other than gasoline or diesel. This does not include a conventional vehicle that is limited to operation on blended or reformulated gasoline.

<sup>3</sup> EPACT defines replacement fuels as the portion of any motor fuel that is methanol, ethanol, or other alcohols, natural gas, liquefied petroleum gas, hydrogen, coal-derived liquid fuels, fuels (other than alcohol) derived from biological materials, electricity (including electricity from solar energy), ethers, or any other fuel the Secretary of Energy determines, by rule, is substantially not petroleum and would yield substantial energy security benefits and substantial environmental benefits.

<sup>4</sup> Data for biodiesel are not included in this report. However, a discussion is presented in Chapter 3.

<sup>5</sup> Energy Information Administration, *Alternatives to Traditional Transportation Fuels: An Overview*, DOE/EIA-0585(0) (Washington, DC, June 1994).

some early estimates of AFV inventories and ATF consumption. Subsequently, EIA has published a data report updating AFV and ATF information annually.<sup>6 7 8</sup>

EIA derives its information from a wide variety of sources. EIA conducts a survey<sup>9</sup> to determine the number and type of AFV's made available in the current year and expected

to be made available in the following year. Industry information and government data are used to estimate the AFV population and ATF consumption. Finally, the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, provides EIA with information, both to develop estimates and to report on AFV and ATF progress in the Federal sector.

*Hybrid vehicles now under development may recharge their batteries at PV power stations such as this one at the University of South Florida. This electric-vehicle recharging station in South Florida is powered by a grid-connected PV array mounted on the roof. When no vehicles need recharging, power from the modules is transferred to the utility line. This is the first PV-powered recharging station in the country.*

<sup>6</sup> Energy Information Administration, *Alternatives to Traditional Transportation Fuels 1993*, DOE/EIA-0585(93) (Washington, DC, January 1995).

<sup>7</sup> Energy Information Administration, *Alternatives to Traditional Transportation Fuels 1994, Volume 1*, DOE/EIA-0585/1(94) (Washington, DC, February 1996).

<sup>8</sup> Energy Information Administration, *Alternatives to Traditional Transportation Fuels 1995*, DOE/EIA-0585(95) (Washington, DC, December 1996).

<sup>9</sup> Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

## 2. Alternative-Fueled Vehicles In Use

The number of alternative-fueled vehicles (AFV's) in use in the United States is expected to reach nearly 403,000 by the end of 1998 (Table 1). The total includes AFV's produced by original equipment manufacturers (OEM's) as well as AFV's made by converting vehicles that were originally designed to operate on gasoline or diesel fuel. The number of AFV's in use is growing at a slightly slower pace than in earlier years. It is expected to increase at an average annual rate of 6.9 percent from 1996 to 1998, compared to 8.8 percent from 1992 to 1996.

The number of AFV's in use at the end of 1996 is a little lower than estimated a year ago. The lower number reflects slower than expected growth for some types of vehicles, but also results from the use of some newly available data sources which are believed to provide better estimates. Except for compressed natural gas (CNG) vehicles, there have been no significant changes in the methods used to estimate the number of AFV's in use.

In this report, the number of CNG vehicles in use is derived from the EIA-886 survey (see Chapter 4). In previous years, CNG vehicle estimates were based on

independent surveys of natural gas utilities. For more information on estimating methods and data quality, see Appendix A.

### Trends in Alternative-Fueled Vehicles, by Fuel Type

From 1996 to 1998, ethanol vehicles are expected to increase an average of 51 percent per year, faster than vehicles designed for any other type of alternative fuel. Methanol and liquefied petroleum gas (LPG) vehicles, increasing at average rates of about 3 percent per year, will grow more slowly than other AFV's.

LPG vehicles continue to account for the largest number, although they have declined to 75 percent of all AFV's in 1996, from 88 percent in 1992. By 1998, LPG vehicles are expected to comprise just 69 percent of the AFV's in use in the United States. Meanwhile, the share of vehicles designed to operate on CNG is expected to grow from 9 percent of all AFV's in 1992 to 21 percent in 1998. In

**Table 1. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, by Fuel, 1992-1998**

Fuel	1992	1993	1994	1995	1996	1997	1998
Liquefied Petroleum Gases (LPG) <sup>a</sup> . . . . .	221,000	269,000	264,000	259,000	263,000	271,000	279,000
Compressed Natural Gas (CNG) . . . . .	23,191	32,714	41,227	50,218	60,144	73,773	85,122
Liquefied Natural Gas (LNG) . . . . .	90	299	484	603	663	965	1,136
Methanol, 85 Percent <sup>b</sup> (M85) . . . . .	4,850	10,263	15,484	18,319	20,265	20,656	21,370
Methanol, Neat (M100) . . . . .	404	414	415	386	172	172	172
Ethanol, 85 Percent <sup>b</sup> (E85) . . . . .	172	441	605	1,527	4,536	9,389	10,872
Ethanol, 95 Percent <sup>b</sup> (E95) . . . . .	38	27	33	136	361	357	357
Electricity . . . . .	1,607	1,690	2,224	2,860	3,280	4,040	4,761
Non-LPG Subtotal . . . . .	30,352	45,848	60,472	74,049	89,421	109,352	123,790
<b>Total . . . . .</b>	<b>251,352</b>	<b>314,848</b>	<b>324,472</b>	<b>333,049</b>	<b>352,421</b>	<b>380,352</b>	<b>402,790</b>

<sup>a</sup> Values are rounded to thousands. Accordingly, these estimates are not equal to the sum of Federal fleet data (for which exact counts are available) and non-Federal fleet estimates (rounded to thousands).

<sup>b</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

<sup>c</sup>Does not include recently announced plans of some major automakers to make available large numbers of vehicles capable of operating on E85 fuel in the near future.

Notes: Estimates for 1996 have been revised. Estimates for 1997, which were based on company plans or projections, have been revised. Estimates for 1998, in italics, are based on plans or projections and may be revised.

Sources: **1992-1995:** Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, July 1996) and U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy. **1996-1998:** Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels and U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy.

absolute number, CNG vehicles will increase more than AFV's of any other fuel type. By 1998, methanol vehicles are expected to make up 5 percent of all AFV's, an increase from 2 percent in 1992. However, most of the growth in methanol vehicles had occurred by 1996. Rapid increases in the number of E85 ( a mixture of 85 percent ethanol and 15 percent gasoline) vehicles have raised the share of ethanol vehicles from less than 0.1 percent in 1992 to 2.8 percent of all AFV's in 1998. From 1996 to 1998, the number of electric vehicles is expected to increase at about the same rate as in earlier years; by 1998, electric vehicles will make up just over 1 percent of AFV's.

Each year, more and more AFV's are being provided by OEM's. In 1997, several types of AFV's, including both light- and heavy-duty vehicles of various fuel types, are available from OEM's. During the year, several of the OEM's made announcements about new offerings of AFV's that they expect to make available in the near future. Both Ford Motor Company and Chrysler Corporation announced that they intend to produce large numbers of flexible-fuel vehicles (mostly minivans and pickup trucks) that are capable of operating on E85 and/or gasoline. These AFV's have not been included in EIA estimates, due to uncertainties about timing and about their distributions by region and ownership, but estimates from both manufacturers indicate that these vehicles alone could more than double the number of AFV's in use in the next 4 or 5 years. It should be noted, however, that most of these vehicles are expected to operate on gasoline, rather than E85.<sup>10</sup>

Another factor which may affect AFV trends, by fuel type, is zero-emission vehicles (ZEV) mandates in some States, which would essentially require sales of electric vehicles. Although California has delayed its ZEV mandates until 2003, a recent court ruling upheld New York's right to implement ZEV requirements beginning this year. The New York mandate would require that 2 percent of the vehicles sold in the State, beginning in model year 1998, be ZEV's. Auto manufacturers have appealed the ruling, arguing that, among other things, there will not be enough demand for the electric vehicles they are required to sell, but a ruling on the appeal is not expected before February of 1998.<sup>11</sup>

Also, in 1997, the Federal tax rates on propane, methanol, and liquefied natural gas (LNG) used as a vehicle fuel were lowered. The new taxes were scheduled to take

effect in October 1997. Particularly for LNG and LPG vehicles, this could suggest growing numbers of AFV's in the near future.

## Regional Distribution of AFV's

As in previous years, the largest numbers of AFV's are located in the South, followed by the West, the Midwest, and the Northeast (Table 2). (Census regions are defined in Appendix B.) However, between 1996 and 1998, the most rapid growth in the number of AFV's is expected to occur in the Midwest, where growth in ethanol and natural gas vehicles is expected to be strong. In that region, AFV's are expected to increase by 16 percent from 1996 to 1998, compared to nationwide growth of 14 percent. The South is expected to experience the slowest growth, 13 percent.

The States with the largest numbers of AFV's are California, Texas, Illinois, Oklahoma, and Ohio (Table 3). In 1996, 42 percent of the AFV's in the United States were located in those five States. Five additional States are estimated to have more than 10,000 AFV's in use in 1996: Michigan, Pennsylvania, New York, Florida, and Georgia. The estimated numbers of AFV's in some States have been revised since last year's report due to new source data or the new CNG methodology. The numbers of AFV's in Arizona, Indiana, Kansas, Kentucky, Mississippi, New Mexico, New York, North Carolina, South Dakota, Virginia, and Wisconsin are somewhat lower than was estimated last year. On the other hand, estimates of AFV's in Oklahoma have been revised upward significantly due to new source information.

Estimates of AFV's in use, by fuel type, for each of the 50 States are presented in the 1996 report for the first time (Table 4). These estimates should not be viewed as enumerations of the different types of AFV's in each State, but rather as "best estimates". For the largest fuel types, LPG and CNG, national totals were distributed to the States according to distributions of related sources. For others, the national total was aggregated from the best estimates for each State.

Other indicators of regional AFV development are the designation of new Clean Cities and the addition of alternative-fueled refueling sites. As of September 1997, five metropolitan areas were designated as Clean Cities,

<sup>10</sup> For more information about OEM offerings, see the "Resource Guides" that are available from the Alternative Fuels Data Center (Web site: [www.afdc.doe.gov](http://www.afdc.doe.gov)).

<sup>11</sup> *Automotive News* (Detroit, MI, September 29, 1997), p. 8.

**Table 2. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, by Fuel and Census Region, 1996-1998**

Fuel	1996					1997					1998				
	North-east	South	Mid-west	West	Total	North-east	South	Mid-west	West	Total	North-east	South	Mid-west	West	Total
Liquefied Petroleum Gases (LPG) <sup>a</sup> ..	28,000	103,000	73,000	59,000	<b>263,000</b>	29,000	106,000	75,000	61,000	<b>271,000</b>	<i>29,000</i>	<i>110,000</i>	<i>77,000</i>	<i>63,000</i>	<b><i>279,000</i></b>
Compressed Natural Gas (CNG) . . . .	9,935	18,312	10,054	21,843	<b>60,144</b>	12,258	22,441	12,722	26,352	<b>73,773</b>	<i>14,311</i>	<i>26,365</i>	<i>14,757</i>	<i>29,689</i>	<b><i>85,122</i></b>
Liquefied Natural Gas (LNG) . . . . .	0	478	14	171	<b>663</b>	10	611	22	322	<b>965</b>	<i>10</i>	<i>755</i>	<i>29</i>	<i>342</i>	<b><i>1,136</i></b>
Methanol, 85 Percent <sup>b</sup> (M85) . . . . .	1,241	1,844	1,401	15,779	<b>20,265</b>	1,223	1,827	1,381	16,225	<b>20,656</b>	<i>1,285</i>	<i>1,837</i>	<i>1,398</i>	<i>16,850</i>	<b><i>21,370</i></b>
Methanol, Neat (M100) . . . . .	20	3	0	149	<b>172</b>	20	3	0	149	<b>172</b>	<i>20</i>	<i>3</i>	<i>0</i>	<i>149</i>	<b><i>172</i></b>
Ethanol, 85 Percent <sup>b</sup> (E85) . . . . .	5	329	4,035	167	<b>4,536</b>	7	1,011	7,925	446	<b>9,389</b>	<i>7</i>	<i>1,032</i>	<i>9,308</i>	<i>525</i>	<b><i>10,872</i></b>
Ethanol, 95 Percent <sup>b</sup> (E95) . . . . .	0	0	28	333	<b>361</b>	0	0	24	333	<b>357</b>	<i>0</i>	<i>0</i>	<i>24</i>	<i>333</i>	<b><i>357</i></b>
Electricity . . . . .	408	431	391	2,050	<b>3,280</b>	429	609	439	2,563	<b>4,040</b>	<i>473</i>	<i>659</i>	<i>463</i>	<i>3,166</i>	<b><i>4,761</i></b>
<b>Total . . . . .</b>	<b>39,609</b>	<b>124,397</b>	<b>88,923</b>	<b>99,492</b>	<b>352,421</b>	<b>42,947</b>	<b>132,502</b>	<b>97,513</b>	<b>107,390</b>	<b>380,352</b>	<b><i>45,106</i></b>	<b><i>140,651</i></b>	<b><i>102,979</i></b>	<b><i>114,054</i></b>	<b><i>402,790</i></b>

<sup>a</sup>Values are rounded to thousands.

<sup>b</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

Notes: Estimates for 1996 have been revised. Estimates for 1997, which were based on company plans or projections, have been revised. Estimates for 1998, in italics, are based on plans or projections and may be revised.

Source: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

**Table 3. Estimated Number of Alternative-Fueled Vehicles In Use, by State, 1996-1998**

	1996	1997	1998
Alabama	3,362	3,555	<i>3,687</i>
Alaska	158	161	<i>166</i>
Arizona	4,979	5,231	<i>5,561</i>
Arkansas	1,754	1,980	<i>2,222</i>
California	58,667	62,651	<i>66,359</i>
Colorado	7,398	8,298	<i>8,721</i>
Connecticut	2,172	2,253	<i>2,362</i>
Delaware	533	552	<i>580</i>
District of Columbia	1,242	1,342	<i>1,414</i>
Florida	10,214	10,840	<i>11,283</i>
Georgia	10,047	10,569	<i>11,184</i>
Hawaii	526	590	<i>644</i>
Idaho	1,794	1,971	<i>2,038</i>
Illinois	18,391	19,695	<i>20,551</i>
Indiana	7,684	8,660	<i>9,263</i>
Iowa	5,525	6,421	<i>6,661</i>
Kansas	3,291	3,464	<i>3,598</i>
Kentucky	3,384	3,799	<i>3,870</i>
Louisiana	4,364	4,664	<i>4,818</i>
Maine	590	609	<i>626</i>
Maryland	4,516	4,657	<i>4,905</i>
Massachusetts	4,003	4,163	<i>4,345</i>
Michigan	15,305	16,675	<i>17,750</i>
Minnesota	2,596	3,074	<i>3,294</i>
Mississippi	4,452	4,610	<i>4,751</i>
Missouri	4,566	5,469	<i>6,678</i>
Montana	1,492	1,724	<i>1,799</i>
Nebraska	2,853	3,374	<i>3,463</i>
Nevada	2,542	3,040	<i>3,524</i>
New Hampshire	354	371	<i>382</i>
New Jersey	5,285	5,582	<i>5,839</i>
New Mexico	3,701	4,054	<i>4,221</i>
New York	12,682	14,252	<i>15,325</i>
North Carolina	7,939	8,239	<i>8,493</i>
North Dakota	1,176	1,266	<i>1,322</i>
Ohio	17,160	18,356	<i>19,095</i>
Oklahoma	17,631	18,563	<i>19,199</i>
Oregon	6,550	6,875	<i>7,106</i>
Pennsylvania	13,307	14,273	<i>15,588</i>
Rhode Island	670	734	<i>763</i>
South Carolina	4,405	4,629	<i>4,775</i>
South Dakota	922	1,049	<i>1,094</i>
Tennessee	7,812	8,273	<i>8,541</i>
Texas	36,384	39,251	<i>42,634</i>
Utah	3,875	4,395	<i>4,964</i>
Vermont	310	319	<i>327</i>
Virginia	4,981	5,566	<i>5,853</i>
Washington	7,262	7,598	<i>7,920</i>
West Virginia	1,635	1,812	<i>1,982</i>
Wisconsin	8,971	9,733	<i>10,141</i>
Wyoming	1,009	1,071	<i>1,109</i>
<b>U.S. Total</b>	<b>352,421</b>	<b>380,352</b>	<b>402,790</b>

Note: Estimates for 1996 and 1997 have been revised. Estimates for 1997 are preliminary and those for 1998, in italics, are based on plans or projections. Estimates for historical years may be revised in future reports if new information becomes available.

Source: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

**Table 4. Estimated Number of Alternative-Fueled Vehicles In Use, by State and Fuel Type, 1996**

	Liquefied Petroleum Gases	Natural Gas	Methanol	Ethanol	Electricity	Total
Alabama	2,887	456	0	0	19	3,362
Alaska	131	23	0	0	4	158
Arizona	2,807	2,005	10	0	157	4,979
Arkansas	1,301	448	0	1	4	1,754
California	31,258	11,075	14,660	348	1,326	58,667
Colorado	4,184	2,608	271	97	238	7,398
Connecticut	1,439	698	14	0	21	2,172
Delaware	261	241	30	0	1	533
District of Columbia	30	619	471	59	63	1,242
Florida	8,233	1,928	0	3	50	10,214
Georgia	7,748	2,118	135	0	46	10,047
Hawaii	443	0	13	0	70	526
Idaho	1,499	294	0	0	1	1,794
Illinois	15,896	1,360	254	862	19	18,391
Indiana	5,786	1,566	0	276	56	7,684
Iowa	4,753	248	42	481	1	5,525
Kansas	3,126	48	41	73	3	3,291
Kentucky	2,590	599	0	192	3	3,384
Louisiana	3,398	831	135	0	0	4,364
Maine	586	0	0	0	4	590
Maryland	2,671	1,272	538	26	9	4,516
Massachusetts	2,768	841	279	0	115	4,003
Michigan	13,365	1,180	316	214	230	15,305
Minnesota	1,801	385	0	401	9	2,596
Mississippi	4,356	93	0	0	3	4,452
Missouri	2,960	544	397	659	6	4,566
Montana	1,167	321	0	3	1	1,492
Nebraska	2,271	265	0	314	3	2,853
Nevada	1,063	1,456	3	0	20	2,542
New Hampshire	320	10	1	4	19	354
New Jersey	3,798	1,338	57	0	92	5,285
New Mexico	3,047	642	0	0	12	3,701
New York	7,672	4,519	445	1	45	12,682
North Carolina	7,795	122	0	9	13	7,939
North Dakota	731	422	0	14	9	1,176
Ohio	14,219	2,549	204	163	25	17,160
Oklahoma	16,012	1,555	2	3	59	17,631
Oregon	6,115	205	193	5	32	6,550
Pennsylvania	10,447	2,325	465	0	70	13,307
Rhode Island	469	196	0	0	5	670
South Carolina	4,293	93	0	1	18	4,405
South Dakota	808	49	2	63	0	922
Tennessee	7,461	317	0	3	31	7,812
Texas	30,024	5,759	530	4	67	36,384
Utah	1,786	2,006	5	47	31	3,875
Vermont	265	8	0	0	37	310
Virginia	3,556	1,351	3	28	43	4,981
Washington	5,004	1,327	773	0	158	7,262
West Virginia	642	988	3	0	2	1,635
Wisconsin	6,801	1,452	145	543	30	8,971
Wyoming	957	52	0	0	0	1,009
<b>U.S. Total</b>	<b>263,000</b>	<b>60,807</b>	<b>20,437</b>	<b>4,897</b>	<b>3,280</b>	<b>352,421</b>

Notes: Natural gas includes compressed natural gas (CNG) and liquefied natural gas (LNG). Methanol includes M85 and M100. Ethanol includes E85 and E95. Data for 1996 has been revised.

Source: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternative Fuels.



raising the total number of Clean Cities to 57.<sup>12</sup> Of those added in 1997, two were in the Midwest, two in the South, and one in the Northeast. Four cities in California, two in Texas, and one each in Louisiana, Florida, and New York were “nearing designation” in September 1997. The growth of an AFV infrastructure, as measured by the number of available alternative-fueled refueling sites, continues. Of the currently known sites, about 40 percent are located in the South, about 25 percent in each of the Midwest and West, and 10 percent in the Northeast (Table 5).

## Alternative-Fueled Vehicles by Vehicle Type

From 1996 to 1998, the number of heavy-duty AFV's in use is expected to increase just slightly faster than light-duty AFV's (an average rate of 7.4 percent compared to 6.8 percent for light-duty AFV's) (Table 6). In total, light-duty AFV's will remain at about 82 percent of all AFV's during the period. For certain fuel types, however, somewhat significant shifts away from light-duty AFV's appear to be occurring. In 1992, just 10 percent of CNG vehicles and 1 percent of electric vehicles in-use were heavy-duty vehicles.<sup>13</sup> By 1998, 19 percent of onroad CNG vehicles and 4 percent of onroad electric vehicles are expected to be heavy-duty vehicles. EIA-886 data indicate these trends are likely to continue. Twenty-six percent of the onroad CNG vehicles and 27 percent of the onroad electric vehicles made available in 1996 were heavy-duty vehicles. Shifts toward heavier duty vehicles can have a significant impact on alternative fuel usage because those vehicles tend to consume much higher quantities of fuel.

Transit buses are one type of heavy-duty vehicle that have seen much AFV activity. In 1996, one out of every five new transit buses on order was an alternative-fuel-capable bus.<sup>14</sup> Using newly available data from the American Public Transit Association (APTA) and the Federal Transit Administration (FTA), the Energy Information Administration has identified 2,628 alternative-fueled transit buses in use in 1996. That number is expected to increase to 4,421 in 1998. Just over three-fourths of the alternative-fueled transit buses in use in

1996 were designed to operate on natural gas. Transit buses also operated on methanol, ethanol, propane, and electricity. Alternative-fueled transit buses operated in 38 States. Forty percent were located in California and another 42 percent were located in the States of Texas, New York, Georgia, Ohio and Washington combined. On average, alternative-fuel transit buses traveled over 30,000 miles annually, similar to their non-AFV counterparts. Only electric transit buses operated significantly fewer miles per year, averaging between 7 and 8 thousand miles per year.

## Alternative-Fueled Vehicles by Ownership

The majority of LPG vehicles in use (about 80 percent) are privately owned.<sup>15</sup> By contrast, only about 45 percent of the non-LPG AFV's were privately owned in 1996 (Table 7). The remaining publicly-owned AFV's were split fairly evenly between State and local (28 percent) and Federal (26 percent) governments. The picture is expected to change a little by 1998, when it is estimated that 50 percent of the non-LPG AFV's in use may be privately owned, 31 percent State and locally owned (Table 8), and 19 percent Federally owned (Table 9). Two factors are probably most responsible for the shift. First, Federal government AFV's are being resold to the private and State and local sectors. Second, mandates requiring State and fuel provider fleets to acquire AFV's took effect in model year 1997.

AFV mandates for local (municipal) and private fleets other than fuel providers' fleets are currently pending. According to the Energy Policy Act of 1992 (EPACT), municipal and private fleet operators will have to acquire increasing percentages of AFV's, similar to State and fuel provider fleets, if the Secretary of Energy determines it is necessary in order to meet the motor fuel replacement goals of the law. In order for those mandates to begin in model year 1999 (the “early” schedule proposed by EPACT), a rulemaking had to be completed by December 1996. A rulemaking was not promulgated in 1996. Analytical work to determine the necessity of the mandates using a later schedule is currently underway, and the

<sup>12</sup> The clean Cities program is a voluntary program sponsored by the U.S. Department of Energy (DOE) to promote the use of AFV's. Cities achieve clean cities designation after developing a memorandum of understanding between AFV stakeholders and the DOE. For more information, see the Clean Cities web site - [www.cities.doe.gov](http://www.cities.doe.gov).

<sup>13</sup> Energy Information Administration, *Alternatives To Traditional Transportation Fuels 1994, Volume 1*, DOE/EIA-0585/1(94) (Washington, DC, February 1996).

<sup>14</sup> National Renewable Energy Laboratory, *Alternative Fuel Transit Buses, Final Results from the National Renewable Energy Laboratory Vehicle Evaluation Program* (Golden, CO, October 1996).

<sup>15</sup> The ownership classifications of LPG vehicles estimated to be in use prior to 1995 have been changed. More recent estimates for 1995 to 1997 indicate that a lower percentage of LPG vehicles are privately owned, and a higher percentage owned by State and local governments, than was reported when these numbers were published two years ago. The differing percentages are believed to result from improved data sources that better identify ownership, rather than from any switching of vehicles between categories, so these revisions were carried back to earlier years.

**Table 5. Number of Alternative-Fueled Refueling Sites by State and Fuel Type, 1996**

State	Methanol (M85)	Compressed Natural Gas (CNG)	Ethanol (E85)	Liquefied Petroleum Gas (LPG)	Electricity	Liquefied Natural Gas (LNG)	Total
Alabama		17		114		2	133
Alaska		1		9			10
Arizona	1	31		71	40	3	146
Arkansas		9		156			165
California	66	203		219	197	18	703
Colorado	2	45	1	48		3	99
Connecticut		22		18	1		41
Delaware		6		6			12
District of Columbia	1	8	1		2		12
Florida	3	60		222	4		289
Georgia	1	89		80		3	173
Hawaii					3		3
Idaho		7	1	20	1	1	30
Illinois	2	24	14	163			203
Indiana		47	2	125	1	3	178
Iowa		5	10	107	1		123
Kansas		18	2	38		1	59
Kentucky		13	3	35			51
Louisiana		21		44		2	67
Maine				12			12
Maryland	2	31		21		3	57
Massachusetts		18		42	4		64
Michigan	2	39	3	187	10	2	243
Minnesota		17	11	125		2	155
Mississippi		3		75			78
Missouri		11	3	83			97
Montana		13		48		1	62
Nebraska		11	6	47		1	66
Nevada		13		20			33
New Hampshire		1		31	1		33
New Jersey		24		37			61
New Mexico		18		46		1	65
New York	18	59		100	5		182
North Carolina		11		72	1		84
North Dakota		5	1	17			23
Ohio	2	70		98	1	1	172
Oklahoma		56		56			112
Oregon		9		21		1	31
Pennsylvania	1	61		141	1	1	205
Rhode Island		3		6			9
South Carolina		3		67	1		71
South Dakota		5	10	30			45
Tennessee	2	7		95	2		106
Texas		92		862		15	969
Utah		67		23		1	91
Vermont		1		40	9		50
Virginia		30		51	18	3	102
Washington	2	32		69	6	1	110
West Virginia	1	42		21	1		65
Wisconsin		29	3	190			222
Wyoming		19		47		2	68
<b>U.S. Total</b>	<b>106</b>	<b>1,426</b>	<b>71</b>	<b>4,255</b>	<b>310</b>	<b>71</b>	<b>6,240</b>

Source: U.S. Department of Energy, National Renewable Energy Laboratory, Alternative Fuels Data Center Database (Extracted October 6, 1997).

**Table 6. Estimated Number of Alternative-Fueled Vehicles in Use in the United States, by Fuel and Weight Category, 1994, 1996, and 1998**

Fuel	1994			1996			1998		
	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total
Liquefied Petroleum Gases (LPG) <sup>a</sup> . . . . .	212,000	52,000	<b>264,000</b>	210,000	53,000	<b>263,000</b>	<i>223,000</i>	<i>56,000</i>	<i>279,000</i>
Compressed Natural Gas (CNG) . . . . .	35,970	5,257	<b>41,227</b>	50,270	9,874	<b>60,144</b>	<i>68,734</i>	<i>16,388</i>	<i>85,122</i>
Liquefied Natural Gas (LNG) . . . . .	94	390	<b>484</b>	127	536	<b>663</b>	<i>267</i>	<i>869</i>	<i>1,136</i>
Methanol, 85 Percent <sup>b</sup> (M85) . . . . .	15,376	108	<b>15,484</b>	20,259	6	<b>20,265</b>	<i>21,364</i>	<i>6</i>	<i>21,370</i>
Methanol, Neat (M100) . . . . .	0	415	<b>415</b>	0	172	<b>172</b>	<i>0</i>	<i>172</i>	<i>172</i>
Ethanol, 85 Percent <sup>b</sup> (E85) . . . . .	605	0	<b>605</b>	4,536	0	<b>4,536</b>	<i>10,872</i>	<i>0</i>	<i>10,872</i>
Ethanol, 95 Percent <sup>b</sup> (E95) . . . . .	2	31	<b>33</b>	0	361	<b>361</b>	<i>0</i>	<i>357</i>	<i>357</i>
Electricity . . . . .	2,163	61	<b>2,224</b>	3,126	154	<b>3,280</b>	<i>4,562</i>	<i>199</i>	<i>4,761</i>
Non-LPG Subtotal . . . . .	54,210	6,262	<b>60,472</b>	78,318	11,103	<b>89,421</b>	<i>105,799</i>	<i>17,991</i>	<i>123,790</i>
<b>Total . . . . .</b>	<b>266,210</b>	<b>58,262</b>	<b>324,472</b>	<b>288,318</b>	<b>64,103</b>	<b>352,421</b>	<b>328,799</b>	<b>73,991</b>	<b>402,790</b>

<sup>a</sup>Values are rounded to thousands.

<sup>b</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

Note: Weight classes are based on Environmental Protection Agency definitions: light duty is less than or equal to 8500 pounds gross vehicle weight; heavy duty is greater than 8,500 pounds gross vehicle weight. Estimates for historical years may be revised in future reports if new information becomes available. Estimates for 1998, in italics, are based on plans or projections. Data for 1994 and 1996 have been revised.

Sources: **1994:** Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, August 1995) and Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels. **1996 and 1998:** Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

**Table 7. Estimated Number of Alternative-Fueled Vehicles in Use by U.S. Private Entities, by Fuel and Weight Category, 1994, 1996, and 1998**

Fuel	1994			1996			1998		
	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total
Liquefied Petroleum Gases (LPG) <sup>a</sup> . . . . .	169,000	42,000	<b>211,000</b>	167,000	43,000	<b>210,000</b>	<i>178,000</i>	<i>45,000</i>	<i>223,000</i>
Compressed Natural Gas (CNG) . . . . .	21,496	2,935	<b>24,431</b>	25,020	5,485	<b>30,505</b>	<i>37,755</i>	<i>9,104</i>	<i>46,859</i>
Liquefied Natural Gas (LNG) . . . . .	27	12	<b>39</b>	10	77	<b>87</b>	<i>12</i>	<i>136</i>	<i>148</i>
Methanol, 85 Percent <sup>b</sup> (M85) . . . . .	3,675	0	<b>3,675</b>	6,633	0	<b>6,633</b>	<i>9,302</i>	<i>0</i>	<i>9,302</i>
Methanol, Neat (M100) . . . . .	0	1	<b>1</b>	0	0	<b>0</b>	<i>0</i>	<i>0</i>	<i>0</i>
Ethanol, 85 Percent <sup>b</sup> (E85) . . . . .	58	0	<b>58</b>	793	0	<b>793</b>	<i>1,906</i>	<i>0</i>	<i>1,906</i>
Ethanol, 95 Percent <sup>b</sup> (E95) . . . . .	1	5	<b>6</b>	0	4	<b>4</b>	<i>0</i>	<i>0</i>	<i>0</i>
Electricity . . . . .	2,047	8	<b>2,055</b>	2,451	32	<b>2,483</b>	<i>3,398</i>	<i>42</i>	<i>3,440</i>
Non-LPG Subtotal . . . . .	27,304	2,961	<b>30,265</b>	34,907	5,598	<b>40,505</b>	<i>52,373</i>	<i>9,282</i>	<i>61,655</i>
<b>Total . . . . .</b>	<b>196,304</b>	<b>44,961</b>	<b>241,265</b>	<b>201,907</b>	<b>48,598</b>	<b>250,505</b>	<b>230,373</b>	<b>54,282</b>	<b>284,655</b>

<sup>a</sup>Values are rounded to thousands.

<sup>b</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

Note: Weight classes are based on Environmental Protection Agency definitions: light duty is less than or equal to 8500 pounds gross vehicle weight; heavy duty is greater than 8,500 pounds gross vehicle weight. Estimates for historical years may be revised in future reports if new information becomes available. Estimates for 1996 have been revised. Estimates for 1998, in italics, are based on plans or projections.

Sources: **1994:** Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, August 1995) and Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels. **1996 and 1998:** Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

**Table 8. Estimated Number of Alternative-Fueled Vehicles in Use by State and Local Governments, by Fuel and Weight Category, 1994, 1996, and 1998**

Fuel	1994			1996			1998		
	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total
Liquefied Petroleum Gases (LPG) <sup>a</sup> . . . . .	43,000	10,000	<b>53,000</b>	43,000	10,000	<b>53,000</b>	<i>45,000</i>	<i>11,000</i>	<i>56,000</i>
Compressed Natural Gas (CNG) . . . . .	7,452	2,322	<b>9,774</b>	11,305	4,389	<b>15,694</b>	<i>16,823</i>	<i>7,284</i>	<i>24,107</i>
Liquefied Natural Gas (LNG) . . . . .	32	378	<b>410</b>	45	453	<b>498</b>	<i>74</i>	<i>727</i>	<i>801</i>
Methanol, 85 Percent <sup>b</sup> (M85) . . . . .	2,410	108	<b>2,518</b>	5,958	6	<b>5,964</b>	<i>7,329</i>	<i>6</i>	<i>7,335</i>
Methanol, Neat (M100) . . . . .	0	414	<b>414</b>	0	172	<b>172</b>	<i>0</i>	<i>172</i>	<i>172</i>
Ethanol, 85 Percent <sup>b</sup> (E85) . . . . .	408	0	<b>408</b>	1,995	0	<b>1,995</b>	<i>4,830</i>	<i>0</i>	<i>4,830</i>
Ethanol, 95 Percent <sup>b</sup> (E95) . . . . .	1	26	<b>27</b>	0	357	<b>357</b>	<i>0</i>	<i>357</i>	<i>357</i>
Electricity . . . . .	14	53	<b>67</b>	487	113	<b>600</b>	<i>764</i>	<i>148</i>	<i>912</i>
Non-LPG Subtotal . . . . .	10,317	3,301	<b>13,618</b>	19,790	5,490	<b>25,280</b>	<i>29,820</i>	<i>8,694</i>	<i>38,514</i>
<b>Total . . . . .</b>	<b>53,317</b>	<b>13,301</b>	<b>66,618</b>	<b>62,790</b>	<b>15,490</b>	<b>78,280</b>	<b>74,820</b>	<b>19,694</b>	<b>94,514</b>

<sup>a</sup>Values are rounded to thousands.

<sup>b</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

Note: Weight classes are based on Environmental Protection Agency definitions: light duty is less than or equal to 8500 pounds gross vehicle weight; heavy duty is greater than 8,500 pounds gross vehicle weight. Estimates for historical years may be revised in future reports if new information becomes available. Estimates for 1996 have been revised. Estimates for 1998, in italics, are based on plans or projections.

Sources: **1994**: Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, August 1995) and Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels. **1996 and 1998**: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

Department of Energy (DOE) is scheduled to publish an advanced notice of proposed rulemaking on April 1, 1998.

The responsibilities of Federal agencies with regard to AFV's were clarified in December 1996 when the President signed Executive Order 13031. The order states that "each Federal agency shall develop and implement aggressive plans to fulfill the alternative-fueled vehicle acquisition requirements" of EPACT. In general, EPACT requires that in fiscal years 1996, 1997, 1998, 1999 and thereafter, 25, 33, 50, and 75 percent, respectively, of the covered light-duty vehicles acquired by the Federal government must be AFV's. The Executive Order also states that each Federal agency must file an annual report detailing its compliance with the requirements, that agencies may receive extra credits for acquiring dedicated electric, medium-duty and heavy-duty AFV's, and that agencies should use alternative fuels in their AFV's to the extent practicable. The estimates in Table 9 are based on the results of this new reporting system. Adjustments have been made to account for retirements of AFV's and AFV credits. The credits were converted to represent actual vehicle numbers for this report.

Even though the Federal Government acquired about 6,000 AFV's in fiscal year 1996, which amounted to 23 percent of its covered light-duty vehicle acquisitions (2 percent short of the EPACT requirement),<sup>16</sup> the number of Federal AFV's in use has not grown significantly because the Federal government has begun to retire AFV's. The Federal government usually retires sedans from its fleet 3 years after their acquisition, and light-duty trucks and vans after 6 years. Retirements, particularly of earlier methanol and CNG vehicles are reflected in this year's report. More retirements are expected in 1997 and 1998, so despite expected increases in acquisitions, the number of AFV's in the Federal fleet is expected to remain fairly stable. Most of the retired Federal AFV's, however, were resold to the private or State and local sectors, so that the national population of AFV's did not diminish with retirements of Federal AFV's.

In 1992, CNG and methanol vehicles made up 99 percent of the Federal AFV fleet.<sup>17</sup> In 1998, vehicles designed for these two fuels are expected to account for 79 percent of the fleet, with ethanol and electric vehicles accounting for most of the remainder. Chrysler Corporation recently

<sup>16</sup> U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy.

<sup>17</sup> Energy Information Administration, *Alternatives To Traditional Transportation Fuels 1994, Volume 1*, DOE/EIA-0585/1(94) (Washington, DC, February 1996).

**Table 9. Estimated Number of Alternative-Fueled Vehicles in Use by the U.S. Federal Government, by Fuel and Weight Category, 1994, 1996, and 1998**

Fuel	1994			1996			1998		
	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total
Liquefied Petroleum Gases (LPG) . . . . .	33	2	<b>35</b>	193	2	<b>195</b>	<i>380</i>	<i>2</i>	<b><i>382</i></b>
Compressed Natural Gas (CNG) . . . . .	7,022	0	<b>7,022</b>	13,945	0	<b>13,945</b>	<i>14,156</i>	<i>0</i>	<b><i>14,156</i></b>
Liquefied Natural Gas (LNG) . . . . .	35	0	<b>35</b>	72	6	<b>78</b>	<i>181</i>	<i>6</i>	<b><i>187</i></b>
Methanol, 85 Percent <sup>b</sup> (M85) . . . . .	9,291	0	<b>9,291</b>	7,668	0	<b>7,668</b>	<i>4,733</i>	<i>0</i>	<b><i>4,733</i></b>
Methanol, Neat (M100) . . . . .	0	0	<b>0</b>	0	0	<b>0</b>	<i>0</i>	<i>0</i>	<b><i>0</i></b>
Ethanol, 85 Percent <sup>b</sup> (E85) . . . . .	139	0	<b>139</b>	1,748	0	<b>1,748</b>	<i>4,136</i>	<i>0</i>	<b><i>4,136</i></b>
Ethanol, 95 Percent <sup>b</sup> (E95) . . . . .	0	0	<b>0</b>	0	0	<b>0</b>	<i>0</i>	<i>0</i>	<b><i>0</i></b>
Electricity . . . . .	102	0	<b>102</b>	188	9	<b>197</b>	<i>400</i>	<i>9</i>	<b><i>409</i></b>
Non-LPG Subtotal . . . . .	16,589	0	<b>16,589</b>	23,621	15	<b>23,636</b>	<i>23,606</i>	<i>15</i>	<b><i>23,621</i></b>
<b>Total . . . . .</b>	<b>16,622</b>	<b>2</b>	<b>16,624</b>	<b>23,814</b>	<b>17</b>	<b>23,831</b>	<b><i>23,986</i></b>	<b><i>17</i></b>	<b><i>24,003</i></b>

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

Notes: Weight classes are based on Environmental Protection Agency definitions: light duty is less than or equal to 8,500 pounds gross vehicle weight; heavy duty is greater than 8,500 pounds gross vehicle weight. Estimates for historical years may be revised in future reports if new information becomes available. Estimates for 1996 have been revised. Estimates for 1998, in italics, are based on plans or projections.

Source: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels. Derived from Federal vehicle acquisitions data from U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, supplemented with data from individual Federal agencies.

announced that it would offer flexible-fuel minivans with E85 capability at no additional cost to its Federal fleet customers beginning in Model year 1998. In addition, Executive Order 13031 states that the DOE will no longer provide funding to Federal agencies for the incremental cost of AFV's, except for electric vehicles. For fiscal year

1998, the DOE has received budgeted funds to assist Federal agencies with up to 50 percent of the incremental cost of purchasing electric vehicles. These two factors, along with continued retirements of older AFV's, could substantially change the composition of the Federal AFV fleet in the future.

### 3. Alternative and Replacement Fuel Consumption

Rapid growth in the blending of oxygenates (alcohols and ethers) with gasoline caused consumption of alternative and replacement fuels to grow much faster than consumption of traditional vehicular fuels during the first half of the 1990's.<sup>18</sup> Blending of oxygenates increased greatly after the Clean Air Act Amendments of 1990 established requirements for the use of oxygenated and reformulated gasoline in a number of large metropolitan areas. Although oxygenate consumption has leveled off somewhat since the reformulated gasoline mandates took effect in 1995, consumption of alternative and replacement fuels continues to increase faster than consumption of traditional transportation fuels.

From 1992 to 1996, alternative and replacement fuel consumption (measured in gasoline-equivalent gallons) increased 76 percent (15.2 percent annualized rate), while consumption of traditional highway fuels increased just 10 percent. From 1996 to 1998, consumption of alternative and replacement fuels is expected to increase 9 percent (4.3 percent annualized rate), compared to a 4 percent increase for traditional fuels. As a result of their faster growth rates, alternative and replacement fuels now comprise 2.5 percent of onroad transportation fuel, compared with 1.6 percent in 1992. Their share is expected to reach 2.6 percent in 1998.

Although oxygenates account for more than 90 percent of alternative and replacement fuels and are the main factors in growth trends, they are growing only about half as fast as alternative transportation fuels (ATF's).<sup>19</sup> From 1996 to 1998, consumption of ATF's is expected to increase 15 percent while oxygenate consumption is expected to increase 8 percent. The ATF's alone accounted for 0.17 percent of onroad fuel consumption in 1992 and 0.20 percent in 1996; ATF's are expected to account for 0.22 percent in 1998.

#### Alternative Fuels

Alternative-fueled consumption, by fuel type (Table 10), is estimated from the numbers of AFV's in use (see

Chapter 2). Total ATF consumption is based on underlying estimates of average vehicle miles traveled (VMT), miles per gallon (mpg) of fuel consumed, the mix of dedicated and non-dedicated vehicles, and the percentage of ATF used in non-dedicated vehicles. A more detailed explanation of the estimation methodology is provided in Appendix A.

In this report, estimates of E95 and M85 consumption for 1995 have been revised, even though there is no corresponding revision in the number of AFV's. In the case of E95, performance data from E95 vehicles were found to be different enough from previous VMT and mpg estimates to warrant revision. The new data were obtained from the Federal Transit Administration and from the heavy-duty demonstration program database at the Alternative Fuels Data Center (AFDC).<sup>20</sup> The new sources indicated higher levels of fuel consumption per vehicle than previously estimated for 1995 and beyond. In the case of M85, 1995 consumption was revised downward and lower levels carried forward through 1998. This revision applies to Federal consumption only, which was recalculated using lower VMT estimates that are more appropriate than those used in *Alternatives to Traditional Transportation Fuels 1995* for Federal government vehicles.

Other differences between consumption estimates reported last year and those shown in this report are mostly due to changing AFV estimates. Consumption of E85 in 1996 and 1997 is higher than reported last year because of the higher estimated number of E85 vehicles in use. Estimated CNG consumption is lower for those years because of reduced vehicle estimates. In some cases, new information obtained this year was used to refine the estimates of VMT, mpg, the mix of dedicated and non-dedicated vehicles, or the percentage use of ATF's in non-dedicated vehicles. The new data applied mostly to transit buses, and to CNG and LPG vehicles. The new source data did cause some small revisions.

In general, alternative-fueled consumption increases at about the same rate as the number of AFV's. Over time, however, changes in the composition of the vehicle stock

<sup>18</sup> In this report, the term "alternative and replacement fuels" refers to all alternative fuels, as defined in Section 301 of the Energy Policy Act of 1992 (EPACT), plus oxygenates or other qualified fuels that are blended with traditional fuels in smaller amounts than is required to meet the criteria for an alternative fuel. Traditional vehicular fuels are gasoline and diesel fuel.

<sup>19</sup> Alternative transportation fuels are defined by Section 301 of EPACT. See Chapter 1 for the EPACT definition.

<sup>20</sup> Federal Transit Administration, "1995 National Transit Database, June 1997." The AFDC database can be accessed at [www.afdc.doe.gov](http://www.afdc.doe.gov).

**Table 10. Estimated Consumption of Vehicle Fuels in the United States, 1992-1998**  
(Thousand Gasoline-Equivalent Gallons)

Fuel	1992	1993	1994	1995	1996	1997	1998
<b>Alternative Fuels</b>							
Liquefied Petroleum Gases (LPG) . . . . .	208,142	264,655	248,467	232,701	239,158	244,612	<i>252,981</i>
Compressed Natural Gas (CNG) . . . . .	16,823	21,603	24,160	35,162	46,923	63,258	<i>74,998</i>
Liquefied Natural Gas (LNG) . . . . .	585	1,901	2,345	2,759	3,247	4,567	<i>5,090</i>
Methanol, 85 Percent <sup>a</sup> (M85) . . . . .	1,069	1,593	2,340	R2,887	3,390	3,625	<i>3,832</i>
Methanol, Neat (M100) . . . . .	2,547	3,166	3,190	2,150	347	347	<i>347</i>
Ethanol, 85 Percent <sup>a</sup> (E85) . . . . .	21	48	80	190	694	1,416	<i>1,614</i>
Ethanol, 95 Percent <sup>a</sup> (E95) . . . . .	85	80	140	R995	2,699	2,628	<i>2,628</i>
Electricity . . . . .	359	288	430	663	773	936	<i>1,067</i>
<b>Subtotal</b> . . . . .	<b>229,631</b>	<b>293,334</b>	<b>281,152</b>	<b>R277,507</b>	<b>297,231</b>	<b>321,389</b>	<b><i>342,557</i></b>
<b>Oxygenates</b>							
Methyl Tertiary Butyl Ether (MTBE) <sup>b</sup> . . . . .	1,175,000	2,069,200	2,018,800	R2,691,200	2,749,700	2,923,700	<i>2,840,800</i>
Ethanol in Gasohol . . . . .	701,000	760,000	845,900	910,700	660,200	787,800	<i>852,500</i>
<b>Total Alternative and Replacement Fuels</b> . . . . .	<b>2,105,631</b>	<b>3,122,534</b>	<b>3,145,852</b>	<b>3,879,407</b>	<b>3,707,131</b>	<b>4,032,889</b>	<b><i>4,035,857</i></b>
<b>Traditional Fuels</b>							
Gasoline <sup>c</sup> . . . . .	110,135,000	111,323,000	113,144,000	115,943,000	117,783,000	119,232,000	<i>121,614,000</i>
Diesel . . . . .	23,866,000	24,296,630	R27,293,370	R28,555,040	30,101,430	30,776,920	<i>31,758,340</i>
<b>Total Fuel Consumption<sup>d</sup></b> . . . . .	<b>134,230,631</b>	<b>135,912,964</b>	<b>140,718,522</b>	<b>144,775,547</b>	<b>148,181,661</b>	<b>150,330,309</b>	<b><i>153,714,897</i></b>

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline. Consumption data include the gasoline portion of the fuel.

<sup>b</sup>Includes a very small amount of other ethers, primarily Tertiary Amyl Methyl Ether (TAME) and Ethyl Tertiary Butyl Ether (ETBE).

<sup>c</sup>Gasoline consumption includes ethanol in gasohol and MTBE.

<sup>d</sup>Total fuel consumption is the sum of alternative fuel, gasoline, and diesel consumption. Oxygenate consumption is included in gasoline consumption.

R = Revised

Notes: Fuel quantities are expressed in a common base unit of gasoline-equivalent gallons to allow comparisons of different fuel types. Gasoline-equivalent gallons do not represent gasoline displacement. Gasoline equivalent is computed by dividing the lower heating value of the alternative fuel by the lower heating value of gasoline and multiplying this result by the alternative fuel consumption value. Lower heating value refers to the Btu content per unit of fuel excluding the heat produced by condensation of water vapor in the fuel. Totals may not equal sum of components due to independent rounding. Estimates for 1994-1997 have been revised. Estimates for 1997 are preliminary and those for 1998, in italics, are based on plans or projections. Estimates for historical years may be revised in future reports if new information becomes available.

Sources: **1992-1996 Oxygenate Consumption:** Energy Information Administration, *Petroleum Supply Monthly*. **1992-1996 Traditional Fuel Consumption:** Energy Information Administration, *Petroleum Supply Annual, Volume 1* (June 1997). Highway use of gasoline was estimated as 97.1 percent of consumption, based on data in the *Transportation Energy Data Book: Edition 16*, prepared by Oak Ridge National Laboratory for the U.S. Department of Energy (July 1996). Diesel consumption was adjusted for highway use by multiplying by .521 derived from Energy Information Administration, *Fuel Oil and Kerosene Sales 1994*. **1997-1998 Oxygenate and Traditional Fuel Consumption:** Energy Information Administration, *Short Term Energy Outlook*, September 1997. **1992-1995 Alternative Fuel Consumption:** Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, July 1996). **1996-1998 Alternative Fuel Consumption:** Energy Information Administration, Office of Coal, Nuclear, Electric and Alternate Fuels.

or in the proportions of ATF used in non-dedicated AFV's could cause the growth rates to differ. Increasing percentages of heavy-duty or dedicated AFV's in the total stock would most likely cause ATF consumption to increase faster than AFV's. On the other hand, factors such as higher ATF prices, decreased ATF availability, or poor vehicle performance, that would persuade drivers of non-dedicated vehicles to use less ATF, would likely cause consumption to increase more slowly than the number of AFV's.

From 1996 to 1998, ATF consumption is expected to grow slightly faster than the number of AFV's, 15 percent compared to 14 percent. The difference is mostly

attributable to CNG. CNG consumption is expected to increase 60 percent during the period while CNG vehicles increase 42 percent. The shift toward heavy-duty CNG vehicles (which are expected to increase from 16 percent to 19 percent of CNG vehicles) appears to account for the discrepancy in growth rates. In particular, a large increase in CNG transit buses, which have the highest VMT of all CNG vehicles, accounts for much of the difference.

The regional distribution of ATF consumption closely follows the distribution of AFV's. Consumption is lowest in the Northeast, which accounted for 11 percent of ATF consumption in 1996, and highest in the South, which accounted for 37 percent (Table 11). Differences in the

**Table 11. Estimated Share of Alternative Transportation Fuel Consumption, by Region, 1996-1998**  
(Percent)

Fuel	1996				1997				1998			
	North-east	South	Mid-west	West	North-east	South	Mid-west	West	North-east	South	Mid-west	West
Liquefied Petroleum Gases (LPG) . . . . .	11	39	28	22	11	39	28	23	<i>10</i>	<i>39</i>	<i>28</i>	<i>23</i>
Compressed Natural Gas (CNG) . . . . .	16	28	15	41	19	27	16	38	<i>19</i>	<i>28</i>	<i>15</i>	<i>37</i>
Liquefied Natural Gas (LNG) . . . . .	0	82	2	17	1	77	2	21	<i>1</i>	<i>78</i>	<i>2</i>	<i>20</i>
Methanol, 85 Percent <sup>a</sup> (M85) . . . . .	4	6	5	85	5	7	6	82	<i>4</i>	<i>6</i>	<i>5</i>	<i>84</i>
Methanol, Neat (M100) . . . . .	42	7	0	51	42	7	0	51	<i>42</i>	<i>7</i>	<i>0</i>	<i>51</i>
Ethanol, 85 Percent <sup>a</sup> (E85) . . . . .	*	6	90	3	*	10	85	5	<i>*</i>	<i>9</i>	<i>86</i>	<i>5</i>
Ethanol, 95 Percent <sup>a</sup> (E95) . . . . .	0	0	8	92	0	0	6	94	<i>0</i>	<i>0</i>	<i>6</i>	<i>94</i>
Electricity . . . . .	13	19	10	57	12	22	10	55	<i>12</i>	<i>20</i>	<i>9</i>	<i>59</i>
<b>Total . . . . .</b>	<b>11</b>	<b>37</b>	<b>25</b>	<b>27</b>	<b>12</b>	<b>36</b>	<b>25</b>	<b>27</b>	<b><i>12</i></b>	<b><i>37</i></b>	<b><i>24</i></b>	<b><i>27</i></b>

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline. Consumption data include the gasoline portion of the fuel.

\* Less than 0.5 percent rounded to 0.

Note: Estimates for 1996 and 1997 have been revised. Estimates for 1997 are preliminary and those for 1998, in italics, are based on plans or projections. Estimates for historical years may be revised in future reports if new information becomes available.

Source: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

mix of vehicle types by region are apparent for some fuels. For example, while 78 percent of the M85 vehicles in 1996 were located in the West, 85 percent of M85 consumption occurred there. This reflects the larger proportion of heavy-duty M85 vehicles, particularly transit buses, in the West. Overall, no major regional shifts are expected to take place between 1996 and 1998. The Northeast and Midwest are expected to gain slightly larger shares of CNG consumption, while the South's share is expected to decline. LNG consumption is expected to grow slightly more in the West between 1996 and 1998, primarily due to new LNG vehicle programs in California that began in late 1996 and early 1997. The Midwest will continue to be the largest region for ethanol consumption, but the West and South regions are expected to see small gains.

A changing mix of heavy- and light-duty AFV's appears to have the most influence on the growth rate of ATF consumption. Because of their much larger per vehicle fuel consumption, heavy-duty vehicles play a large role in ATF consumption. In 1996, heavy-duty vehicles comprised 18 percent of total AFV's, yet consumption by heavy-duty vehicles accounted for 55 percent of total ATF consumption. This effect is particularly noticeable for ethanol consumption (Table 12). E95 vehicles, which are all heavy-duty vehicles, are estimated to consume more ATF than light-duty E85 vehicles, even though E85 vehicles greatly outnumber E95 vehicles.

The effect of heavy-duty vehicles is also illustrated in Figure 11. The implied consumption of ATF per vehicle is derived by dividing fuel consumption (Table 10) by the number of vehicles (Table 1) in each fuel group. The fuel types with the largest percentages of heavy-duty vehicles

have the largest ATF consumption per vehicle. Of the heavy-duty AFV's, transit buses and the heaviest trucks (over 26,000 pounds) consume the most fuel. School buses and what are sometimes referred to as medium-duty trucks (8,500-26,000 pounds) travel fewer miles and consume less fuel. The types of heavy-duty vehicles, therefore, accounts for the differences in per vehicle fuel consumption of those groups with large percentages of heavy-duty vehicles.

The changing distribution of AFV's by ownership has a small impact on fuel consumption growth, primarily because government vehicles tend to operate fewer miles than private sector vehicles. The relative distribution of ATF consumption by type of owner is similar to the distribution of AFV's (Table 13). In 1996, the Federal Government accounted for 2 percent of ATF consumption and 7 percent of AFV's. State and local governments accounted for 17 percent of consumption and operated 22 percent of the AFV's. Private entities accounted for 81 percent of consumption while operating 71 percent of the AFV's. A small shift in consumption by ownership group will occur as the Federal sector continues to retire its older AFV's. By 1998, the Federal government's share of AFV consumption is expected to be just under 2 percent while the private sector share will be 78 percent. The State and local government sector, however, is expected to increase its share to 20 percent of ATF consumption.

In the future, consumption of ATF's in the United States will respond to changes in the AFV inventory, but not always to the same degree. A potentially large increase in AFV's, expected to occur when the large numbers of flexible-fuel E85 vehicles that have been announced are



**Table 12. Estimated Consumption of Alternative Transportation Fuels in the United States, by Fuel and Vehicle Weight, 1994, 1996, and 1998**  
(Thousand Gasoline-Equivalent Gallons)

Fuel	1994			1996			1998		
	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total	Light Duty	Heavy Duty	Total
Liquefied Petroleum Gases (LPG) . . . . .	110,936	137,531	<b>248,467</b>	104,934	134,224	<b>239,158</b>	111,662	141,319	<b>252,981</b>
Compressed Natural Gas (CNG) . . . . .	15,490	8,670	<b>24,160</b>	24,462	22,461	<b>46,923</b>	34,584	40,414	<b>74,998</b>
Liquefied Natural Gas (LNG) . . . . .	25	2,320	<b>2,345</b>	56	3,191	<b>3,247</b>	114	4,976	<b>5,090</b>
Methanol, 85 Percent <sup>a</sup> (M85) . . . . .	2,290	50	<b>2,340</b>	3,385	5	<b>3,390</b>	3,827	5	<b>3,832</b>
Methanol, Neat (M100) . . . . .	0	3,190	<b>3,190</b>	0	347	<b>347</b>	0	347	<b>347</b>
Ethanol, 85 Percent <sup>a</sup> (E85) . . . . .	80	0	<b>80</b>	694	0	<b>694</b>	1,614	0	<b>1,614</b>
Ethanol, 95 Percent <sup>a</sup> (E95) . . . . .	*	140	<b>140</b>	0	2,699	<b>2,699</b>	0	2,628	<b>2,628</b>
Electricity . . . . .	280	150	<b>430</b>	495	278	<b>773</b>	711	356	<b>1,067</b>
<b>Total . . . . .</b>	<b>129,101</b>	<b>152,051</b>	<b>281,152</b>	<b>134,026</b>	<b>163,205</b>	<b>297,231</b>	<b>152,512</b>	<b>190,045</b>	<b>342,557</b>


<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline. Consumption data include the gasoline portion of the fuel.

\* Less than 0.5 thousand gasoline-equivalent gallons.

Notes: Fuel quantities are expressed in a common base unit of gasoline-equivalent gallons to allow comparisons of different fuel types. Gasoline-equivalent gallons do not represent gasoline displacement. Gasoline equivalent is computed by dividing the lower heating value of the alternative fuel by the lower heating value of gasoline and multiplying this result by the alternative fuel consumption value. Lower heating value refers to the Btu content per unit of fuel excluding the heat produced by condensation of water vapor in the fuel. Totals may not equal sum of components due to independent rounding. Estimates for historical years may be revised in future reports if new information becomes available. Estimates for 1996 have been revised. Estimates for 1998, in italics, are based on plans or projections.

Sources: **1994:** Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels, and Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, August 1995). **1996 and 1998:** Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

**Figure 11. Implied ATF Consumption per Vehicle, 1996**



Source: Tables 1, 7, and 10.

**Table 13. Estimated Consumption of Alternative Transportation Fuels in the United States, by Vehicle Ownership, 1994, 1996, and 1998**  
(Thousand Gasoline-Equivalent Gallons)

Fuel	1994				1996				1998			
	Federal	State and Local	Private	Total	Federal	State and Local	Private	Total	Federal	State and Local	Private	Total
Liquefied Petroleum Gases (LPG) . . . . .	17	26,547	221,903	<b>248,467</b>	58	25,366	213,734	<b>239,158</b>	<i>111</i>	<i>27,393</i>	<i>225,477</i>	<b><i>252,981</i></b>
Compressed Natural Gas (CNG) . . . . .	1,990	8,060	14,110	<b>24,160</b>	4,572	18,449	23,902	<b>46,923</b>	<i>4,642</i>	<i>33,154</i>	<i>37,202</i>	<b><i>74,998</i></b>
Liquefied Natural Gas (LNG) . . . . .	7	2,289	49	<b>2,345</b>	88	2,735	424	<b>3,247</b>	<i>135</i>	<i>4,256</i>	<i>699</i>	<b><i>5,090</i></b>
Methanol, 85 Percent <sup>a</sup> (M85) . . . . .	1,090	330	920	<b>2,340</b>	950	744	1,696	<b>3,390</b>	<i>586</i>	<i>913</i>	<i>2,333</i>	<b><i>3,832</i></b>
Methanol, Neat (M100) . . . . .	0	3,190	*	<b>3,190</b>	0	347	0	<b>347</b>	<i>0</i>	<i>347</i>	<i>0</i>	<b><i>347</i></b>
Ethanol, 85 Percent <sup>a</sup> (E85) . . . . .	20	50	10	<b>80</b>	217	284	193	<b>694</b>	<i>513</i>	<i>636</i>	<i>465</i>	<b><i>1,614</i></b>
Ethanol, 95 Percent <sup>a</sup> (E95) . . . . .	0	130	10	<b>140</b>	0	2,628	71	<b>2,699</b>	<i>0</i>	<i>2,628</i>	<i>0</i>	<b><i>2,628</i></b>
Electricity . . . . .	8	142	280	<b>430</b>	38	248	487	<b>773</b>	<i>61</i>	<i>336</i>	<i>670</i>	<b><i>1,067</i></b>
<b>Total . . . . .</b>	<b>3,132</b>	<b>40,738</b>	<b>237,282</b>	<b>281,152</b>	<b>5,923</b>	<b>50,801</b>	<b>240,507</b>	<b>297,231</b>	<b><i>6,048</i></b>	<b><i>69,663</i></b>	<b><i>266,846</i></b>	<b><i>342,557</i></b>

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline. Consumption data include the gasoline portion of the fuel.

\* Less than 0.5 thousand gasoline-equivalent gallons.

Notes: Fuel quantities are expressed in a common base unit of gasoline-equivalent gallons to allow comparisons of different fuel types. Gasoline-equivalent gallons do not represent gasoline displacement. Gasoline equivalent is computed by dividing the lower heating value of the alternative fuel by the lower heating value of gasoline and multiplying this result by the alternative fuel consumption value. Lower heating value refers to the Btu content per unit of fuel excluding the heat produced by condensation of water vapor in the fuel. Totals may not equal sum of components due to independent rounding. Estimates for historical years may be revised in future reports if new information becomes available. Estimates for 1998, in italics, are based on plans or projections. Data for 1994 and 1996 have been revised.

Sources: **1994**: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels, and Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, August 1995). **1996 and 1998**: Energy Information Administration, Office of Coal, Nuclear, Electric, and Alternate Fuels.

*Jack B. Kelley, Inc. Kenworth T800B LNG truck hauling acid with MC 312 trailer.*

made available, is not expected to result in equivalent increases in ATF consumption. If electric vehicles gain market share as a result of ZEV mandates, ATF consumption would tend to grow more slowly, because electric vehicles travel fewer miles and consume less fuel than other types of AFV's. New tax structures for some alternative fuels could cause increases in their use.

## Oxygenates

Oxygenate consumption (on a gasoline-equivalent-gallon basis) increased 82 percent from 1992 to 1996 and is expected to increase another 8 percent from 1996 to 1998. The largest year-to-year increases occurred between 1992 and 1993, when oxygenated gasoline requirements were instituted and from 1994 to 1995, when reformulated gasoline (RFG) requirements went into effect. Since 1995, oxygenate consumption has leveled off somewhat, as requirements for oxygenated gasoline were eliminated or reduced in several cities and few areas elected to opt in to the RFG program.

Since the introduction of RFG mandates, the proportion of oxygenates in the U.S. gasoline supply has increased greatly. In 1992, oxygenates comprised 1.7 percent, on a gasoline-equivalent-gallon basis, of the gasoline consumed. By 1995, oxygenates accounted for 3.1 percent of gasoline supplied. In 1996, oxygenate consumption declined 5.0 percent as high corn prices drove up the price of ethanol and discouraged ethanol blending. Oxygenate consumption rebounded in 1997 and is expected to increase again in 1998. By 1998, oxygenates are expected to account for about the same share of gasoline as in 1995 (3.0 percent).

MTBE continues to be the largest oxygenate in use, followed by ethanol. A very small amount of other alcohols and ethers are in use. Between 1992 and 1995, the ratio of MTBE consumption to total oxygenate consumption has ranged between 63 percent and 75 percent. In 1996, MTBE accounted for 81 percent of oxygenates consumed. By 1998, it is expected to decline to 77 percent.

## Biodiesel and Hydrogen

The data in this report focus on the most developed ATF's and replacement fuels. However, there are several other alternative or replacement fuels in various stages of development. Biodiesel fuel, for instance, saw increased testing and demonstration, particularly in heavy-duty and farm applications in 1996 and 1997. Biodiesel is usually made from soybean or rapeseed oil and is most often mixed with diesel fuel in a ratio of 20 percent biodiesel to 80 percent diesel fuel (B20). As a neat fuel (100 percent

biodiesel, also known as B100), biodiesel was designated an alternative fuel in 1996. B20 has not been designated as an alternative fuel under EPACT, but the biodiesel portion of B20 is considered a replacement fuel, like the oxygenates. A petition has been filed with the Department of Energy (DOE) to define B20 as an alternative fuel. The petition is currently being reviewed.

Hydrogen is another ATF under development. It has been used in a few test vehicles, but is more widely considered as a potential fuel in fuel cell applications. Much research on fuel cells is currently ongoing.

*These light-weight high-strength compressed natural gas storage tanks are similar to those needed for compressed hydrogen.*

## 4. Alternative-Fueled Vehicles Made Available


Information in this chapter on alternative-fueled vehicles (AFV's) made available is based on EIA's 1996 "Alternative Fuel Vehicle Suppliers' Annual Report," Form EIA-886. The nationwide survey of 1,389 AFV suppliers was conducted during early 1997, with a 100 percent response rate. Three hundred and four new respondents were canvassed in 1997. Since last year's survey was conducted, 49 companies merged and 51 companies are no longer in the AFV business. Overall, in excess of 300 companies surveyed last year were determined to be "out of scope" to the survey, because they did not expect to supply AFV's.

In summary, 51 original equipment manufacturers (OEM's) and 319 aftermarket conversion companies supplied a total of 92,185 AFV's (24,465 onroad AFV's and 67,720 nonroad AFV's) in 1996 (Tables 14 and 15). Information for AFV's made available in 1995 has been revised since last year's issue of this report. The revised data are shown in Appendix D.

### Onroad AFV's Made Available in 1996

For 1996, onroad vehicles made up 27 percent of the total AFV's made available, or 24,465 vehicles (Table 14). CNG vehicles accounted for more than two-fifths of onroad AFV's made available in 1996. LPG vehicles accounted for one-third, while alcohol vehicles (M85, M100 and E85) comprised more than one-fifth of total onroad AFV's made available. In examining the AFV's by vehicle configuration,<sup>21</sup> bi-fueled CNG and LPG vehicles accounted for more than 40 percent of onroad vehicles in 1996. By weight class, light-duty vehicles (i.e., gross vehicle weight under 8,500 pounds) accounted for nearly 70 percent, with heavy-duty vehicles providing the balance. Three-fifths of onroad AFV's made available were "nondedicated" vehicles (i.e., capable of operating on more than one fuel), while the remainder were dedicated (single fuel) vehicles.

<sup>21</sup> "Vehicle configuration" denotes the fuel use capabilities of the vehicle: e.g., dedicated (single fuel), dual-fueled, bi-fueled, etc. See Glossary for definitions of each vehicle configuration type.



### Compressed Natural Gas (CNG) Vehicles

In 1996, 10,634 onroad CNG vehicles were made available. Bi-fueled automobiles, cargo vans, pickups, and other trucks were responsible for nearly 70 percent of the CNG total. CNG vehicles provided by OEM's comprised more than one-fourth of total CNG onroad vehicles made available, and 12 percent of total onroad AFV's made available. Aftermarket vehicle converters were responsible for more than 50 percent of CNG onroad vehicles made available in 1996 and 30 percent of all onroad AFV's made available.

**Table 14. Number of Onroad Alternative-Fueled Vehicles Made Available, by Fuel Type and Vehicle Configuration, 1996**

Fuel Type	Automobiles	Passenger Vans	Cargo Vans/ Pickups	Other Trucks	Buses	Other Onroad Vehicles	Total
Liquefied Petroleum Gas (LPG) . . . . .	1,158	238	2,221	3,506	564	28	7,715
Dedicated . . . . .	390	70	524	3,294	480	18	4,776
Nondedicated . . . . .	768	168	1,697	212	84	10	2,939
Compressed Natural Gas (CNG) . . . . .	2,764	599	4,083	2,054	1,125	9	10,634
Dedicated . . . . .	411	357	600	179	926	9	2,482
Nondedicated . . . . .	2,353	242	3,483	1,875	199	0	8,152
Liquefied Natural Gas (LNG) . . . . .	0	0	33	29	12	0	74
Dedicated . . . . .	0	0	0	26	12	0	38
Nondedicated . . . . .	0	0	33	3	0	0	36
Methanol, 85 percent <sup>a</sup> (M85) . . . . .	2,011	0	0	0	0	0	2,011
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	2,011	0	0	0	0	0	2,011
Methanol, Neat (M100) . . . . .	0	0	0	0	60	0	60
Dedicated . . . . .	0	0	0	0	60	0	60
Nondedicated . . . . .	0	0	0	0	0	0	0
Ethanol, 85 percent <sup>a</sup> (E85) . . . . .	3,273	0	0	0	0	0	3,273
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	3,273	0	0	0	0	0	3,273
Ethanol, 95 percent <sup>a</sup> (E95) . . . . .	0	0	0	0	0	0	0
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	0	0	0	0	0	0	0
Electricity . . . . .	370	2	84	62	146	29	693
Nonhybrid . . . . .	369	2	83	62	144	29	689
Hybrid . . . . .	1	0	1	0	2	0	4
Other <sup>b</sup> . . . . .	0	0	0	0	5	0	5
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	0	0	0	0	5	0	5
<b>Total . . . . .</b>	<b>9,576</b>	<b>839</b>	<b>6,421</b>	<b>5,651</b>	<b>1,912</b>	<b>66</b>	<b>24,465</b>
Dedicated and Nonhybrid . . . . .	1,170	429	1,207	3,561	1,622	56	8,045
Nondedicated and Hybrid . . . . .	8,406	410	5,214	2,090	290	10	16,420

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

<sup>b</sup>Includes hydrogen, neat biodiesel, and other alternative fuels.

Notes: • Vehicles made available are vehicles that are completed and made available for delivery to dealers or users in a given year. • Dedicated vehicles and nonhybrid electric vehicles are designed to operate exclusively on one alternative fuel. • Nondedicated vehicles and hybrid electric vehicles are configured to operate on more than one fuel, usually an alternative fuel and gasoline or diesel fuel. • Data are based on survey responses as of August 31, 1997. Data for 1996 have been revised.

Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

**Table 15. Number of Nonroad Alternative-Fueled Vehicles Made Available in 1996, and Planned to be Made Available in 1997, by Fuel Type**

Fuel Type	1996	1997
Liquefied Petroleum Gas (LPG) . . .	34,559	31,212
Compressed Natural Gas (CNG) . .	497	382
Liquefied Natural Gas (LNG) . . . . .	4	0
Methanol, 85 percent <sup>a</sup> (M85) . . . . .	0	0
Methanol, Neat (M100) . . . . .	0	0
Ethanol, 85 percent <sup>a</sup> (E85) . . . . .	0	0
Ethanol, 95 percent <sup>a</sup> (E95) . . . . .	0	0
Electricity . . . . .	32,660	36,523
Other <sup>b</sup> . . . . .	0	0
<b>Total . . . . .</b>	<b>67,720</b>	<b>68,117</b>

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

<sup>b</sup>Includes hydrogen, neat biodiesel, and other alternative fuels.

Notes: • Nonroad vehicles are vehicles designed for offroad operation and used for industrial or commercial purposes. They include forklifts, agricultural and construction vehicles, and others. • Vehicles made available are vehicles that are completed and made available for delivery to dealers or users in a given year. • Data are based on survey responses as of August 31, 1997. • Data for 1996 has been revised.

Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

Between 1995 and 1996, the number of CNG vehicles made available increased by more than 300 vehicles. Automobiles increased by nearly 800 vehicles, other trucks by more than 1,300, and buses by several hundred vehicles. Fewer CNG vans (decrease of 1,500) and other onroad vehicles were made available in 1996 than 1995. Although the number of CNG vehicles made available appeared to have increased substantially (51 percent) between 1994 and 1996 (Table 16), this increase is largely the result of improved survey coverage in 1995.

### Liquefied Petroleum Gas (LPG) Vehicles

LPG vehicles accounted for over 30 percent of onroad AFV's made available in 1996. OEMs provided 21 percent of these LPG vehicles and 7 percent of all onroad AFV's made available. Conversions were responsible for over 70 percent of LPG's onroad vehicle total and 25 percent of the total for onroad AFV's made available. LPG's bi-fueled vehicles accounted for 34 percent of the LPG onroad total, with bi-fueled cargo vans and pickups alone accounting for 21 percent. Between 1995 and 1996, total LPG vehicles made available increased by more than 600. Automobiles increased by 375 vehicles, and buses by nearly 400 vehicles. In contrast, cargo vans, pickups, and other onroad vehicles declined by more than 400 vehicles.

### Alcohol-fueled Vehicles

The number of ethanol- and methanol-fueled vehicles made available rose sharply between 1995 and 1996. In

**Table 16. Number of Onroad Alternative-Fueled Vehicles Made Available, by Fuel Type, 1994-1996**

Fuel Type	1994	1995	1996
Liquefied Petroleum Gas (LPG) . . . . .	7,041	7,080	7,715
Compressed Natural Gas (CNG) . . . . .	7,048	10,292	10,634
Liquefied Natural Gas (LNG) . . . . .	96	85	74
Methanol, 85 percent <sup>a</sup> (M85) . . . . .	W	1,335	2,011
Methanol, Neat (M100) . . . . .	0	0	60
Ethanol, 85 percent <sup>a</sup> (E85) . . . . .	0	430	3,273
Ethanol, 95 percent <sup>a</sup> (E95) . . . . .	0	0	0
Electricity . . . . .	636	553	693
Other <sup>b</sup> . . . . .	W	8	5
<b>Total . . . . .</b>	<b>22,463</b>	<b>19,783</b>	<b>24,465</b>

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

<sup>b</sup>Includes hydrogen, biodiesel, and other alternative fuels.

Notes: • Vehicles made available are vehicles that are completed and made available for delivery to dealers or users in a given year. • Dedicated vehicles and nonhybrid electric vehicles are designed to operate exclusively on one alternative fuel. • Nondedicated vehicles and hybrid electric vehicles are configured to operate on more than one fuel, usually an alternative fuel and gasoline or diesel fuel. • Data are based on survey responses as of August 31, 1997. Data for 1995 and 1996 have been revised.

Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

particular, the number of E85 vehicles made available increased from 430 to nearly 3,300.

The information collected on Form EIA-886 regarding AFV's made available in 1996 does not indicate any E95 vehicles were made available. However, information provided in Chapter 2 on AFV inventories suggests that there were a number of new E95 buses placed in service during 1996. The explanation for this anomaly is that the Los Angeles Metropolitan Transit Authority converted several of its transit buses from methanol to ethanol. This conversion was not reported on the Form EIA-886.

### Nonroad AFV's Made Available in 1996

In 1996, 67,720 nonroad AFV's were made available (Table 15), or 73 percent of total AFV's made available. Dedicated LPG vehicles accounted for just over half of nonroad AFV's, while battery-powered vehicles represented 48 percent of total nonroad AFV's. OEM's provided nearly all (99 percent) nonroad AFV's made available in 1996. By vehicle type, forklifts and industrial vehicles accounted for more than 90 percent of nonroad AFV's.

### Outlook—AFV's Expected to be Made Available in 1997


The total number of AFV's planned to be made available in 1997 is 201,207. Two-thirds of these AFV's are expected to be onroad vehicles (Table 17). Nonroad AFV's are expected to account for the balance, around 68,000 vehicles.

The surge in AFV's planned to be made available is due to announced OEM plans to produce one or more whole vehicle lines (e.g., certain minivans) as E85 vehicles.

Between 1996 and 1997, the remaining onroad AFV's have the following outlook: CNG vehicles made available are

expected to increase by 37 percent; LPG vehicles made available by 60 percent; and electric vehicles made available by almost 600 percent. Light-duty vehicles will account for 94 percent of the planned to be made available onroad AFV's in 1997.

**Number of Alternative-Fueled Buses Made Available in 1994-1996, and Planned to be Made Available in 1997, by Bus Type**



Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicles Suppliers' Annual Report."

Between 1994 and 1995, alternative-fueled school buses increased by 40 percent, transit buses increased by 33 percent, and intercity buses increased by more than 1,400 percent.

Between 1995 and 1996, alternative-fueled school buses increased by 160 percent, transit buses increased by 22 percent, and intercity buses increased by 85 percent. Projections for 1997 show decreases in school and intercity buses of 20 percent and 65 percent, respectively. However, transit buses, which have been increasing by more than 150 vehicles per year, are expected to continue increasing by more than 30 percent in 1997.



**Table 17. Number of Onroad Alternative-Fueled Vehicles Planned to be Made Available, by Fuel Type and Vehicle Configuration, in 1997**

Fuel Type	Automobiles	Passenger Vans	Cargo Vans/ Pickups	Other Trucks	Buses	Other Onroad Vehicles	Total
Propane. ....	2,492	W	4,434	3,775	W	0	12,368
Dedicated .....	102	W	W	W	W	0	3,549
Nondedicated .....	2,390	W	W	W	W	0	8,819
Compressed Natural Gas (CNG) ...	4,090	1,303	6,883	1,044	1,219	59	14,598
Dedicated .....	W	W	W	246	1,019	W	4,663
Nondedicated .....	W	W	W	798	200	W	9,935
Liquefied Natural Gas (LNG) .....	0	0	W	W	W	0	234
Dedicated .....	0	0	0	W	W	0	W
Nondedicated .....	0	0	W	W	0	0	W
Methanol, 85 percent <sup>a</sup> (M85) .....	W	0	0	0	0	0	W
Dedicated .....	0	0	0	0	0	0	0
Nondedicated .....	W	0	0	0	0	0	W
Methanol, Neat (M100) .....	0	0	0	0	0	0	0
Dedicated .....	0	0	0	0	0	0	0
Nondedicated .....	0	0	0	0	0	0	0
Ethanol, 85 percent <sup>a</sup> (E85) .....	W	0	0	0	0	0	W
Dedicated .....	0	0	0	0	0	0	0
Nondedicated .....	W	0	0	0	0	0	W
Ethanol, 95 percent <sup>a</sup> (E95) .....	0	0	0	0	0	0	0
Dedicated .....	0	0	0	0	0	0	0
Nondedicated .....	0	0	0	0	0	0	0
Electricity .....	2,870	W	1,436	W	W	W	4,835
Nonhybrid .....	W	W	W	W	W	W	4,803
Hybrid .....	W	0	W	0	W	0	32
Other <sup>b</sup> .....	W	0	W	0	11	0	25
Dedicated .....	W	0	W	0	W	0	W
Nondedicated .....	0	0	0	0	W	0	W
<b>Total</b> .....	<b>17,493</b>	<b>W</b>	<b>12,771</b>	<b>5,134</b>	<b>1,991</b>	<b>W</b>	<b>133,090</b>
Dedicated and Nonhybrid .....	3,681	W	3,413	3,470	1,196	W	13,108
Nondedicated and Hybrid .....	13,812	W	9,358	1,664	795	W	119,982

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

<sup>b</sup>Includes hydrogen, neat biodiesel, and other alternative fuels.

W = Withheld to avoid disclosure of individual company data.

Notes: ● Vehicles made available are vehicles that are completed and made available for delivery to dealers or users in a given year. ● Dedicated vehicles and nonhybrid electric vehicles are designed to operate exclusively on one alternative fuel. ● Nondedicated vehicles and hybrid electric vehicles are configured to operate on more than one fuel, usually an alternative fuel and gasoline or diesel fuel. ● Data are based on survey responses as of August 31, 1997.

Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

*Alternative-Fueled Bus in Nebraska.*

Appendix A

## **Estimation Methods and Data Quality**

## Appendix A

# Estimation Methods and Data Quality

Estimation methods and data quality issues for alternative-fueled vehicle (AFV) inventories (Chapter 2) and alternative and replacement fuel consumption (Chapter 3) are presented in this appendix. This appendix also includes an explanation of the EIA-886 survey, which was used to collect data on alternative-fueled vehicles made available (Chapter 4). *Alternatives to Traditional Transportation Fuels 1996* focuses on historical data for 1996 and projected or planned data for 1997 and 1998. For the most part, data for 1992 through 1995 are from *Alternatives to Traditional Transportation Fuels 1995* and *Alternatives to Traditional Transportation Fuels 1994–Volume 1*. Any revisions to those data are explained in this report.

### Alternative-Fueled Vehicle Inventory

The methods employed to estimate the number of AFV's in use (AFV inventories) vary by vehicle ownership category (Federal government, State and local government, or private) and by fuel type. In general, the best estimates for each vehicle category were made after an extensive search of available data sources. These sources included: State agencies, particularly State energy offices; the U.S. Department of Energy's (DOE's) Clean Cities program surveys and database; DOE's Alternative Fuels Data Center Web (AFDC) site and database; contacts with AFV associations such as the Natural Gas Vehicle Coalition and the Ethanol Vehicle Coalition; databases of the Federal Transit Administration (FTA) and American Public Transit Association (APTA); World Wide Web sites of various AFV stakeholders (e.g., State of California, Northeast Alternative Vehicle Consortium, San Diego Gas and Electric), and numerous pieces of industry literature. Publications providing information included:

- *AFDC Update*, a newsletter prepared for the U.S. Department of Energy, Alternative Fuels Data Center, by the National Renewable Energy Laboratory (NREL), (Golden, CO, Quarterly).
- *Alternative Fuels in Trucking*, a newsletter prepared by the Trucking Research Institute in cooperation

with the U.S. Department of Energy, (Alexandria, VA, Quarterly).

- *Clean Cities Drive*, a newsletter prepared for the U.S. Department of Energy Clean Cities Program by the National Renewable Energy Laboratory (NREL), (Golden, CO, Quarterly).
- *Federal Alternative Motor Fuels Programs Fifth Annual Report to Congress*, U.S. Department of Energy, Office of Transportation Technologies, (September 1996).
- *LNG Express Project Survey*, Vol VI, No. 4, Zeus Development Corporation, (Houston, TX, Fourth Quarter 1996).
- *Natural Gas Fuels*, RP Publishing, Inc., (Denver, CO, September 1996).
- *State Energy Data Report 1995* (DOE/EIA-0214(95)) Energy Information Administration, (Washington, DC, July 1997).
- *Transportation Energy Data Book: Edition 16*, a published report prepared for the U.S. Department of Energy, Office of Transportation Technologies, by Oak Ridge National Laboratory, (Oak Ridge, TN, July 1996).
- *1996 Transit Vehicle Data Book*, American Public Transit Association (Washington, DC, July 1996).

### Federal

The number of Federal AFV's in use or planned to be in use from 1996 to 1998 was estimated as accumulated vehicle acquisitions less retirements. Vehicle acquisitions data were obtained from the U.S. Department of Energy's (DOE's) Office of Energy Efficiency and Renewable Energy. Those data were based largely on Federal agency reports filed in compliance with Executive Order 13031 and reports on purchases or conversions of AFV's from

the U.S. General Services Administration (GSA). Vehicle acquisition data were adjusted to account for extra credits allotted to dedicated electric, medium- and heavy-duty AFV's by Executive Order 13031. For this report, the credits were converted to represent actual vehicle numbers. Federal vehicle retirements were estimated using information supplied by the Office of Energy Efficiency and Renewable Energy and GSA. The geographic and weight class distributions of Federal AFV's were estimated from information obtained over the last two years through contacts with the Federal agencies that operate AFV's.

### **State and Local Government Fleets and Privately Owned AFV's**

**Liquefied Petroleum Gas (LPG) Vehicles.** The U.S. total of LPG vehicles in use in 1996 was estimated from State-level data. For 15 States, LPG vehicles were enumerated from data reported by State energy offices or other reasonably accurate sources. For the remaining States, the numbers of LPG vehicles in use were imputed. To impute the vehicle counts, an estimate of average fuel consumption (gallons of LPG per vehicle) was calculated from the 15 enumerable States using estimates of LPG consumption in onroad transportation engines, as reported in the *State Energy Data Report 1995*. A State's total LPG consumption was then divided by the implied average consumption per vehicle to estimate the number of LPG vehicles in the State.

It is worth noting that the States for which reasonably accurate vehicle counts can be estimated directly changes from year to year, as different States introduce or discontinue decal programs or annual inspection and registration requirements. The number of enumerable States has declined by one since last year's report.

It is also important to note that the quality of data on LPG usage as an onroad engine fuel varies from State to State. States with pump-based fuel taxes tend to have more accurate estimates than States with decals in lieu of pump-based taxes. On the other hand, States with lax or nonexistent annual inspection programs tend to have more misreporting of fuel use regardless of decals or pump-based taxes. The implied usage of fuel per vehicle per year varies widely (by nearly a factor of 10) from State to State. Other data on sales of tanks for use in onroad vehicles confirm the inconsistencies (on average) for reported fuel usage and vehicle counts.

Data limitations also create uncertainty in identifying the weight and ownership classifications of LPG vehicles.

Only a few States can supply unambiguous decal counts by weight class. No two States use the same definition of weight classes. States with a strong LPG vehicle infrastructure have much higher percentages of light-duty vehicles than those where LPG is used mostly for non-vehicular applications. Similar variations exist for the ownership by State and local governments and private entities. The estimated fractions used in this report (20 percent heavy-duty and 20 percent State and local) are approximate figures drawn from a limited sample of widely divergent State inputs.

Estimates of LPG vehicles expected to be in use in 1997 and 1998 were derived from survey information collected by DOE's Clean Cities program. The survey, conducted in late 1996 and early 1997, collected a variety of information about AFV's and AFV plans from the designated Clean Cities. However, the response was not very complete. The responding Clean Cities anticipated about a three percent increase in the next two years for LPG vehicles.

Although very careful enumeration and imputation generates a fleet count of roughly 263,000 in 1996, the actual count could be as high as 300,000 to 350,000. The known data limitations, the inconsistencies between tank sales and decal sales, and the widespread acknowledgment of misreporting and under reporting of vehicles and fuels suggest that the values reported in this document are minimum values.

**Compressed Natural Gas (CNG) Vehicles.** The estimation method for CNG vehicles in use represented the only major methodological change from earlier *Alternatives to Traditional Transportation Fuels* reports. For prior reports, private, independent annual surveys of natural gas suppliers and owners of CNG refueling stations provided data on CNG vehicles in use. For this report, however, the number of AFV's made available in 1996 and planned to be made available in 1997, less an estimate of vehicle retirements, was added to the base year 1995 estimate. The AFV Vehicle Suppliers Survey (EIA-886) was the source of data for AFV's made available and planned to be made available. Retirement rates were assumed to be the same as conventional vehicles of the same type. Scrapage and survival rates were obtained from the *Transportation Energy Data Book*.

The U.S. totals derived in this manner were distributed to ownership and geographic categories by combining information from a number of sources. Those sources included the Clean Cities survey (see LPG section), a survey of natural gas companies conducted by *Natural Gas*

*Fuels*,<sup>22</sup> State agencies or energy offices, APTA and FTA (for information on transit buses), the Natural Gas Vehicle Coalition (for information on school buses), and various other sources. These sources, particularly the Clean Cities survey, were also used to estimate the number of CNG vehicles expected to be in use in 1998.

**Liquefied Natural Gas (LNG) Vehicles.** A large portion of the LNG vehicles in use are transit buses. Data for LNG transit buses were obtained from the APTA and FTA publications noted above. Other LNG vehicles were identified from industry literature, such as *LNG Express* and *Natural Gas Fuels*, and from contacts with organizations that are actively involved in LNG programs such as the National Renewable Energy Laboratory (NREL). NREL has sponsored and kept data on some LNG demonstration programs.

**Alcohol-fueled Vehicles.** Vehicle counts for each State were compiled from the Clean Cities survey, transit bus data, State energy offices, and alcohol vehicle associations (ethanol only), vehicle demonstration programs, and manufacturers and converters of vehicles and engines.

Almost all the methanol vehicles in use currently are OEM vehicles operated in California. Data for annual acquisitions of light-duty, OEM, methanol vehicles in California were obtained from the California Energy Commission (CEC). CEC data are based on vehicle sales by model year. These data were adjusted for retirements using conventional vehicle retirement rates. Counts of light-duty methanol-fueled vehicles for all other States were derived from State energy office contacts and/or Clean Cities data. Heavy-duty methanol vehicles are predominantly school buses. Data on methanol school buses was obtained from the California Energy Commission and other sources.

Heavy-duty ethanol vehicles were identified individually from transit bus data or from AFDC demonstration programs. Light-duty ethanol vehicles in use were estimated from State contacts and the Clean Cities survey. The numbers of ethanol vehicles in use were adjusted, where necessary, to reflect new vehicles made available and information from the Ethanol Vehicle Coalition.

**Electric Vehicles.** The numbers of light-duty electric vehicles in use was estimated from telephone contacts with State offices, the Clean Cities survey and database, and industry literature. They were adjusted, where appropriate, to reflect new vehicles made available. Data

on electric transit buses was obtained from APTA and FTA. Electric school buses were identified from information provided by the CEC, the Electric Transit Vehicle Institute, and industry literature.

Some degree of uncertainty is associated with electric vehicle estimates because of differences in the definitions of an onroad electric vehicle. To eliminate some of this uncertainty, the definition of electric vehicles has been restricted for this report. For example, prototypes, large golf carts, school-based kit vehicles, unconfirmed hobbyist vehicles, and nonhighway vehicles were excluded from the electric vehicle definition.

## **Alternative Transportation Fuel Consumption**

Alternative transportation fuel (ATF) consumption was calculated using the following steps:

### **1. Alternative-Fueled Vehicles Categorization**

Alternative-fueled vehicles in a given year were categorized according to fuel type; vehicle type (auto, light-duty truck, heavy-duty truck, school bus, or transit bus), and; ownership (private, State and local government, or Federal government). Light-duty vehicles were segmented further into three broad fleet types: rental and service vehicles; private passenger and carpool vehicles; and government pool vehicles. Heavy-duty trucks, as defined by EPACT, were segmented into medium- and heavy-duty categories.

### **2. Vehicle Miles Traveled (VMT) by Alternative-Fueled Vehicle Classification and Fleet Type**

The annual average VMT values for conventional fleets were assigned to each vehicle classification. The conventional fleet characteristics used in the estimation process are listed in Table A1. The annual VMT values of conventional vehicles shown in Table A1 were revised downward to reflect the less intensive use of AFV's when compared to conventional vehicles. Factors that reduce AFV utilization relative to conventional vehicles include the following:

- More frequent refueling because of lower heat content of alternative fuels

<sup>22</sup> "Natural Gas Vehicle Programs of the Top 150 North American Utility Companies," *Natural Gas Fuels*, RP Publishing, Inc. (Denver, CO, September 1996), p. 24.

**Table A1. Typical Conventional Vehicle Characteristics**

Vehicle Classification/Fleet Type	Vehicle Weight (pounds)	Annual Vehicle Miles Traveled	Miles per Gallon
Automobile/Private Rental and Service . . . . .	0-8,500	24,600	24
Automobile/Passenger Vehicles and Car Pools . . .	0-8,500	12,000	24
Automobile/Government Pool . . . . .	0-8,500	8,000	24
Light-Duty Truck . . . . .	0-8,500	16,400	16
Medium-Duty Truck . . . . .	8,501-14,000	16,400	8
Heavy-Duty Truck . . . . .	14,001-26,000	16,400	6
School Bus . . . . .	All	8,000	8
Transit Bus . . . . .	All	33,200	4

Source: Science Applications International Corporation, "Alternative Transportation Fuels and Vehicles Data Development," unpublished final report prepared for the Energy Information Administration (McLean, VA, July 1996).

- Range restrictions because of limited fuel availability
- Higher maintenance needs and increased incidence of mechanical failures
- Operator perceptions (when choice is available, fleet and vehicle operators may drive conventional vehicles more often than AFV's because of their perceptions of safety, cost, environmental impact, vehicle performance, and refueling ease, regardless of whether these perceptions are correct).

Conventional VMT estimates for transit buses and other heavy-duty AFV's were replaced by VMT estimates for AFV's, where appropriate. Transit bus data were obtained from the Federal Transit Administration's 1995 National Transit Database. Estimates derived from the report *Describing Current and Potential Markets for Alternative-Fuel Vehicles*<sup>23</sup> were used to adjust VMT's of LPG and CNG vehicles, where applicable. Also, the AFDC's database was used to adjust VMT's for heavy-duty ethanol vehicles.

### 3. Adjustments for Bi-, Dual-, and Flexible-Fuel Vehicles

Vehicles were classified according to whether they were dedicated vehicles (fueled exclusively by replacement fuels) or non-dedicated (bi-, dual-, and flexible-fuel AFV's which consume proportions of alternative and traditional fuels). To obtain the net amount of alternative fuel used by non-dedicated vehicles, their VMT values were divided by their adjusted consumption proportions of

alternative versus traditional fuels. These proportions are a function of the following:

- *Replacement Fuel Availability*: The percentage of traditional fuel used because no replacement fuel is available at the time of refueling.
- *Operator's Fuel Choice*: The percentage use of replacement fuel that results from the vehicle operator's fuel choice when available. Choice is affected by perceptions of safety, cost, environmental impact, vehicle performance and refueling ease, and by familiarity with the fuel.

### 4. Alternative Fuel Efficiencies in Miles per Gallon (mpg)

The efficiencies in miles per gallon of gasoline were determined for all vehicle categories. Those efficiencies were then converted to mpg of alternative fuel in native units. The native units used are gallons (M85, M100, E85, E95, LPG, and LNG), therms (CNG), and kWh (electricity). For some heavy-duty vehicles, gasoline efficiencies were replaced by native unit efficiencies from the sources described in Step 2.

For several AFV types, the effective total fuel cycle of ATF consumption per miles of travel is higher than commonly thought. Consumption of ATF's is almost always estimated by assuming that Btu equivalent amounts of ATF and traditional fuel produce the same VMT. This assumption is not strictly accurate because of venting of fuel vapor during refueling and maintenance, leakage of

<sup>23</sup> Energy Information Administration, *Describing Current and Potential Markets for Alternative-Fueled Vehicles*, DOE/EIA-0604 (Washington, DC, March 1996).

gaseous fuels from fuel lines and storage cylinders, engine efficiency differences, and vehicle weight differences. Although natural gas utilities, transit bus facilities, fleet owners, and related industry members are not generally able to isolate and quantify these factors, the net effect is lower miles per Btu for most AFV's than for conventional

vehicles. The mpg values were adjusted to account for higher effective fuel consumption for LNG-, CNG- and electric vehicles. For these AFV's, the miles per Btu ratio was lowered by decreasing the nominal heating values per native unit of fuel (Table A2).

**Table A2. Original and Adjusted Lower Heating Values of Conventional and Replacement Fuels**  
(Thousand Btu per Native Unit of Fuel)

Fuel Type	Original Heating Value per Native Unit of Fuel <sup>a</sup> (thousand Btu)	Added Fuel Loss (percent)	Adjusted Heating Value per Native Unit of Fuel (thousand Btu)
Methanol .....	57.00/Gallon	0.01	57.00/Gallon
Ethanol .....	76.00/Gallon	0.01	76.00/Gallon
Liquefied Petroleum Gases (LPG) .....	84.00/Gallon	0.00	84.00/Gallon
Compressed Natural Gas (CNG) .....	93.00/Therm	0.50	92.54/Therm
Electricity .....	3.41/kWh	2.00	3.34/kWh
Liquefied Natural Gas (LNG) .....	68.00/Gallon	2.00	66.64/Gallon
Diesel .....	128.00/Gallon	0.00	128.00/Gallon
Gasoline .....	115.00/Gallon	0.00	115.00/Gallon

<sup>a</sup>Lower heating value.

Source: Science Applications International Corporation, emissions model prepared for the Energy Information Administration, (McLean, VA, updated 1994).

### 5. Conversion to Replacement and Alternative-Fueled Consumption in Native Units

The net adjusted annual VMT for alternative-fueled vehicles were then divided by miles per unit of alternative fuel. The result was alternative-fueled consumption by AFV's.

### 6. Conversion to Gasoline-Equivalent Gallons

Fuel consumption in terms of gasoline-equivalent gallons was computed by dividing the adjusted lower heating value of the alternative fuel (thousands of Btu per native unit of fuel) by the lower heating value of gasoline and multiplying this result by the alternative-fueled consumption value (from step 5.)

### Oxygenate Consumption

The consumption of ethanol and MTBE from 1992 through the first quarter of 1997 was estimated from production, net imports, and stock change data obtained from Petroleum Supply Monthly (DOE/EIA-0109). Petroleum Supply Monthly compiles data from the Monthly Petroleum Supply Reporting System, a series of surveys

that collect data from refiners, importers, and transporters of crude oil and petroleum products. Oxygenate data are also collected on the Form EIA-819M, "Monthly Oxygenate Telephone Report." Oxygenate consumption is calculated as production plus net imports less stock change. For the remainder of 1997 and for 1998, consumption is derived from unpublished data prepared in support of the *Short Term Energy Outlook, Third Quarter 1997*, DOE/EIA-0202 (97/3Q).

### Form EIA-886 Survey

#### Background

The EIA-886 survey was implemented in 1995 to collect information about alternative-fueled vehicles (AFV's) made available. Section 503(b)(2) of the Energy Policy Act of 1992 (EPACT) requires that the suppliers of AFV's annually report to the DOE the number, type and geographic distribution of AFV's that each supplier "made available" in the previous calendar year and plans to "make available" in the following calendar year. Data provided is destined for use in the United States (including the 50 states and the District of Columbia). A primary goal of the EPACT is to encourage the transportation sector of the United States to increase its use of domestically produced alternative transportation fuels in order to reduce the importing of petroleum.



## **Collection Methods**

Survey data are collected annually to satisfy public requests for information on AFV's and to provide Congress with a measure of the extent to which the objectives of the EPACT are being achieved. It is mandatory for each respondent to submit completed forms to EIA within the specified time allotted. The Form EIA-886 must be submitted no later than 30 calendar days after initial mailout. Telephone follow-up calls to nonrespondents begin the day after the established due date in order to collect all outstanding data. Late submissions and resubmissions are processed when received.

## **Data Processing**

As the EIA-886 forms are received, they are logged into a Survey Control File (FOXPRO data entry), which maintains status information for each respondent. The data are reviewed manually and then entered into the computer files. They are then processed through an edit program which detects missing data, inconsistencies, outlying values that affect published estimates, and data significantly different from previous data reported by the company. Data that fail the edits are resolved through telephone calls to the data reporters, and corrections and verifications are entered onto the computer files. Statistical reports, including publication tables, are then generated using only acceptable and verified data.

## **Respondent Frame**

To identify the appropriate respondents, the EIA compiled lists of OEM's and converters after researching many types of sources (i.e., trade groups that represent vehicle manufacturers and operators, organizations that promote alternative-fueled vehicles, public documents, institutions that train vehicle converters, etc.) The set of respondents is intended to include all suppliers of AFV's.

## **Reliability of Data**

Nonsampling errors can be attributed to (1) inability to obtain complete information from all respondents in the

survey (i.e., nonresponse); (2) new respondents—those that participated in the current survey year only; (3) nonrespondents—those that were identified in previous surveys who did not respond; (4) response errors; (5) definitional difficulties; (6) mistakes in coding and recording data obtained, and (7) out-of-scope respondents—those that were identified as not supplying alternative-fueled vehicles.

Precautionary steps were taken in all phases of the frame development and data collection, processing, and tabulation process, in an effort to minimize nonsampling errors. In addition, the close cooperative consultation between EIA and the survey respondents and data users result in a more accurate information gathering and reporting process.

## **Nondisclosure**

The data contained in this publication are subject to statistical nondisclosure procedures. The objective of the disclosure-avoidance procedures, as stated in the EIA Standard 88-05-06, Subject: "Nondisclosure of Company Identifiable Data in Aggregate Cells," is to ensure that confidential, company-identified data are not disclosed in tables where company specific responses may be proprietary and prohibited from public disclosure by 18 U.S.C. 1905. Statistics representing data aggregated from fewer than three companies or that are dominated by input from one or two companies are withheld. EIA identifies cells that are sensitive according to these criteria by applying a statistical formula to the data contained in each cell to determine if a few companies "dominate" the cell. If a cell is sensitive, the data in that cell are suppressed and a "W" is placed in the publication cell. Also, since many tables include rows or columns totals, some nonsensitive data cells have been suppressed to prevent the reader from calculating the suppressed numbers by simply subtracting the published numbers from the total.


Appendix B

## **U.S. Census Region Map**

## Appendix B

# U.S. Census Region Map

Figure B1. U.S. Census Region Map



Source: U.S. Department of Commerce, Bureau of the Census

Appendix C

## **Alternative-Fueled Vehicle Suppliers**

**Table C1. Alternative-Fueled Vehicle Suppliers**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
<b>ALABAMA</b>					
Birmingham Jefferson CTA	Birmingham	L.A. Moss	(205) 521-0144	CONVERTER	HD/ ALCOHOL
Diesel Equipment/Auto Air	Birmingham	Pat McKim	(205) 251-4384	CONVERTER	HD/ ALCOHOL
Jasper Engines & Transmission	Jasper	Ed Zoglman	(812) 482-1041	CONVERTER	HD/CNG
O'Gwynn, Inc.	Montgomery	Benny J. McDaniel	(334) 264-2243	CONVERTER	HD/ ALCOHOL
Precision Sales & Service, Inc	Birmingham	Buddy Gamel	(205) 591-2266	CONVERTER	HD/ CNG
<b>ARKANSAS</b>					
AZ Technologies, Inc.	Hardy	Les Adam	(501) 856-3732	OEM	LD/ ALCOHOL
BOTCO, Inc.	Little Rock	Steve Lipton	(501) 375-6778	CONVERTER	HD/ ALCOHOL
Cabot Propane Co., Inc.	Cabot	Tommy Coates	(501) 843-1217	CONVERTER	HD/ FLEX
Fricks Butane Gas	Texarkana	Clay Fricks	(501) 774-5892	CONVERTER	HD/CNG
Matthews Propane Gas Co.	Dumas	James Matthews	(501) 382-4353	CONVERTER	HD/CNG
Southern LP Gas	DeQueen	Ray Still	(501) 642-2234	CONVERTER	HD/ FLEX
<b>ARIZONA</b>					
AMFAB	Phoenix	Phil Terry	(602) 243-5833	CONVERTER	HD/ELECTRIC
Gas Development Resources, Inc.	Phoenix	J. C. O'Connor	(602) 861-3040	CONVERTER	MD/CNG
Naumann Hobbs	Phoenix	Ken Settle	(602) 437-1331	CONVERTER	HD/ ALCOHOL
North American Fleet Services	Phoenix	Nathan Learner	(602) 254-4366	CONVERTER	HD/ ALCOHOL
<b>BRITISH COLUMBIA</b>					
Ballard Power Systems	Burnaby	Paul Lancaster	(604) 454-0900		MD/ELECTRIC
Canadian Electric Vehicles Ltd	Lantzville	Randy Holmquest	(250) 390-3364	CONVERTER	HD/CNG
Zutter Electric Vehicles	Bowen Island	Daniel Zutter	(604) 947-0798	OEM	HD/ LNG
<b>CALIFORNIA</b>					
A-1 Auto Electric	Fresno	Mark Gilio	(209) 485-4427	CONVERTER	LD/ ALCOHOL
A-Z Bus Sales, Inc.	Colton	Judy Rieke	(909) 781-7188	DEALER/OTHER	ALCOHOL
AC Propulsion, Inc.	San Dimas	Tom Gage	(909) 592-5399	OEM	MD/CNG
APS Systems	Oxnard	Ed Atelian	(805) 984-0300	OEM	MD/CNG
Allied Propane Service, Inc.	Richmond	Philip Teaderman	(510) 237-7077	CONVERTER	HD/CNG
Alternate Fuel Technologies, Inc.	Huntington Beach	Bruce Eikelberger	(714) 842-3017	CONVERTER	LD CNG
American Gas & Tech./U.S. NGVs	San Jose	Ray Tate	(408) 292-6487	CONVERTER	LD/2CNG
American Honda Motor Co., Inc.	Torrance	Steve Ellis	(310) 783-3987	OEM	HD/ALCOHOL
Big H Inc	El Cajon	Howard Hawkins	(619) 449-6263	CONVERTER	HD/CNG
Bus Manufacturing USA	McClellan AFB	Robert Davis	(916) 925-6680	OEM	MD/LPG

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
CE-CERT	Riverside	Mitch Boretz	(909) 781-5785		
California Electric Auto. Co.	Lakeside	Ronald Larrea	(619) 443-3017	CONVERTER	MD/CNG
California Electric Cars, Inc.	Seaside	Thomas Brooks	(408) 899-2012	OEM	HD/LNG
City of Palm Desert	Palm Desert	Tom Bassler	(619) 776-6450		
Envirotech Equipment Company	Valencia	Toni Lennon	(818) 373-0285	CONVERTER	HD/OTHER
Eyeball Engineering	Riverside	Eric Luebben	(909) 682-8686	CONVERTER	HD/LNG
Gillig Corporation	Hayward	Charles Koske	(510) 785-1500	OEM	LD/ALCOHOL
Goremotive Industries, Inc.	Tarzana	Arthur Sweet	(818) 757-7072		CNG
Homestead Enterprises	Albion	Stephen Heckerroth	(707) 937-0338	OEM	MD/CNG
Kamps Propane, Inc.	Van Nuys	Scott Hayes	(818) 989-7559	CONVERTER	HD/FLEX
Mike's Autocare	San Mateo	Mike Slominski	(415) 343-8801	CONVERTER	HD/CNG
Mutual Liquid Gas & Equip. Co.	Gardena	M. Steven Moore	(310) 515-0553	CONVERTER	HD/CNG
National Auto Center	Rancho Cordova	Rick Yakesh	(916) 985-3618	CONVERTER	LD/CNG
Power System Associates, LLC	Los Angeles	Kevin Campbell	(310) 463-6033	OEM	LD/ALCOHOL
Pro Electric Vehicles	Penn Valley	Craig McCann	(916) 432-5244	CONVERTER	HD/CNG
SW Div. Naval Facilities Eng.	San Diego	Chau Vu	(619) 532-3974	CONVERTER	HD/ALCOHOL
SWAN Group	Burbank	Bob Rintz	(818) 565-5505	DEALER/OTHER	LNG
San Francisco St. Univ. Trans.	San Francisco	Patricia Tolar	(415) 338-2744	OEM	
Specialty Vehicle Mfctng Co.	Downey	Don Duffy	(310) 904-3434	OEM/OTHER	LNG
Teeco Products Co., Inc.	Sacramento	Gary L. Lane	(916) 688-3535	CONVERTER	HD/CNG
Toyota Motor Sales USA, Inc.	Torrance	Mark Amstock	(310) 618-4484	OEM	HD/LNG
U.S. Electricar, Inc.	Torrence	Carl Perry	(310) 527-3848	OEM	HD/LNG
Valley Detroit Diesel Allison	Mira Loma	Chuck Milam	(909) 681-9283	CONVERTER	ELECTRIC
Volt Age, Inc.	Gardena	Robert Hadden	(310) 532-4536	CONVERTER	HD/CNG
Western Propane Service	Santa Maria	Steve Brown	(805) 922-8017	CONVERTER	HD/FLEX
Zap Power Systems	Sebastopol	Alex Campbell	(707) 824-4150	CONVERTER	CNG
<b>COLORADO</b>					
Glaser Gas, Inc.	Calhan	Dave Glaser	(719) 596-4765	CONVERTER	HD/FLEX
J-W Operating Company	Wray	Andrew R. Weaver	(970) 332-3151	CONVERTER	HD/ALCOHOL
Kaylor Energy Products	Boulder Creek	Ron Kaylor	(408) 338-2200	OEM	HD/LNG
Natural Fuels Corp.	Denver	Paul Nelson	(303) 322-4600	CONVERTER	HD/ALCOHOL
Neoplan USA Corporation	Lamar	Joyce Surprise	(719) 336-3256	OEM/OTHER	ALCOHOL
Quality Propane Thermogas	Denver	Charley Breternitz	(303) 287-9700	CONVERTER	HD/FLEX
Unique Mobility, Inc.	Golden	Kevin Barnes	(303) 278-2002	CONVERTER	MD/ELECTRIC

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
<b>CONNECTICUT</b>					
Capuano GMC	Torrington	Roger Hackbarth	(860) 496-2323	CONVERTER	HD/ALCOHOL
Grasmere Sunoco	Fairfield	Jerry Kozera	(203) 255-0328	CONVERTER	HD/FLEX
Hocon Gas, Inc.	Norwalk	David Gable	(203) 853-1500	CONVERTER	HD/FLEX
<b>DISTRICT OF COLUMBIA</b>					
Nissan North America	Washington	Michinori Hachiya	(202) 466-5284	OEM	HD/LNG
<b>FLORIDA</b>					
EVRIDER	Sarasota	Larry Meadows	(941) 351-6443	OEM	LNG
Future Fuels, Inc.	Jacksonville	Rex Howe/Fred Clark	(904) 739-9132	CONVERTER/ BUSES	ALCOHOL
Krutsinger Services, Inc.	Tampa	Steven M. Krutsinger	(813) 621-4484	CONVERTER	HD/CNG
Live Oak Gas Co., Inc.	Live Oak	David Chandler	(904) 362-2424	CONVERTER	HD/CNG
Motor Fuelers, Inc.	Clearwater	Barry J. Tilmann	(813) 572-9762	CONVERTER	HD/CNG
OCLI, Inc.	Miami	Ken Green	(305) 651-2220	CONVERTER	LD/CNG
Palm Beach County Fleet Mgmt.	West Palm Beach	Doug Weichman	(561) 233-4550	CONVERTER	HD/ALCOHOL
Pinellas Suncoast Transit Co.	Clearwater	Michael J. Siebel	(813) 530-9921		
Sarasota Cty Sheriffs Office	Osprey	Steven W Meadows	(941) 486-2363	CONVERTER	HD/FLEX
Suburban Propane LP SE Carb.	Sarasota	Wayne Moore	(941) 755-3761	CONVERTER	HD/FLEX
Tri-County Gas, Inc.	Stewart	James Julian	(561) 283-0272	CONVERTER	HD/FLEX
Western Natural Gas Co.	Jacksonville	George Pompilius	(904) 387-351	CONVERTER	HD/FLEX
<b>GEORGIA</b>					
Blue Bird Corporation	Fort Valley	Bruce Miles	(912) 822-6646	OEM	LD/ALCOHOL
Electronic Fuel Control, Inc.	Forest Park	Jeffrey Davis	(404) 765-0131	CONVERTER	LD/CNG
REVI	Alpharetta	David Lowe	(770) 664-6559	OEM	LN G
<b>HAWAII</b>					
The Gas Company	Honolulu	Brad Saito	(808) 594-5584	CONVERTER	HD/CNG
<b>IOWA</b>					
Fosseen Mfg & Development, Ltd.	Radcliffe	Dwayne Fosseen	(515) 899-2115	CONVERTER	MD/CNG
MidAmerican Energy Company	Sioux City	Douglas Burkett	(712) 277-7738	CONVERTER	HD/ALCOHOL
Siouxland Propane	Ireton	Greg Vreeman	(712) 278-2362	CONVERTER	HD/FLEX
<b>IDAHO</b>					
LMITCO Lockheed ID Tech. Co.	Idaho Falls	Kevin B. Brown	(208) 526-2075	CONVERTER	LD/ALCOHOL
<b>ILLINOIS</b>					
Cady Oil Co.	Peoria Heights	Steven T. Cady	(309) 688-1264	CONVERTER	HD/ALCOHOL

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
Country Gas Co.	Crystal Lake	Terrance E. Price	(630) 584-0138	CONVERTER	HD/FLEX
Dual Fuel Systems	Naperville	John Schwab	(630) 305-7770	CONVERTER	HD/ALCOHOL
Elgin Sweeper Company	Elgin	Jeroen Lens	(847) 741-5370	OEM	ALCOHOL
Green Fuels, Inc.	Chicago	William Brinkman	(219) 689-3762	CONVERTER	LD/ALCOHOL
Institute of Gas Technology	Des Plaines	Christopher Blasek	(847) 768-0552	CONVERTER	LD/ALCOHOL
Soleq Corporation	Chicago	S. Ohba	(773) 792-3811	CONVERTER	HD/LNG
Synchro-Start Products, Inc.	Niles	Sales Department	(847) 967-7730		HD/CNG
Transportation Systems, Inc.	Bensenville	Paul J. Valentino	(630) 787-0170	CONVERTER	HD/ELECTRIC
<b>INDIANA</b>					
Franger Gas Co., Inc.	Elkhart	Bob Scott	(219) 264-2118	CONVERTER	HD/FLEX
Goshen Coach-Div. Warrick Ind.	Elkhart	K. Allen McFerren	(219) 264-7511	CONVERTER/ OTHER	ALCOHOL
H & H Sales Co., Inc.	Huntertown	John L. Hawkins	(219) 637-3177	CONVERTER	FLEX
KKP Inc. dba Greene Auto	Indianapolis	Kenny Pearson	(317) 786-6253	CONVERTER	HD/ALCOHOL
Lubs Technologies, Inc.	Indianapolis	Doug Lubs	(317) 353-8241	CONVERTER	ALCOHOL
Northern Indiana Public Svc Co	Gary	Don Young	(219) 938-7591	CONVERTER	HD/ALCOHOL
<b>KANSAS</b>					
Fueltec United	South Hutchinson	Steve Hornbuckle	(316) 663-6300	CONVERTER	HD/FLEX
Mid Continent LP Service, Inc.	Great Bend	Dick Dougherty/Chris Schneider	(316) 793-3573	CONVERTER	FLEX
<b>KENTUCKY</b>					
Automotive Inc.	Owensboro	Steve Roberts or Mark Coomes	(502) 926-9731	CONVERTER	HD/CNG
Clark Material Handling Co.	Lexington	Jim Kauppi	(606) 288-1823	OEM	ALCOHOL
<b>LOUISIANA</b>					
Five Fuels Conversion & Dealer	Shreveport	Fred Hurlbutt	(800) 259-7569	CONVERTER	HD/ALCOHOL
<b>MASSACHUSETTS</b>					
Dudley Automotive Service	Arlington	Eddie Farrell	(617) 646-8473	CONVERTER	HD/ALCOHOL
E. Osteramn Gas Service, Inc.	Northbridge	David J. Rudge	(508) 234-4371	CONVERTER	HD/CNG
Electric Vehicles of America	Maynard	Bob Batson	(508) 897-9393	CONVERTER	HD/LNG
Solectria Corporation	Wilmington	Karl Thidemann	(508) 658-2231	CONVERTER	HD/LNG
Tecogen Division, Thermo Power	Waltham	Fred Becker	(617) 622-1059	CONVERTER	HD/ALCOHOL
<b>MANITOBA</b>					
New Flyer Industries Ltd	Winnipeg	Rick Zebinski	(204) 224-6378	OEM	LD/ALCOHOL

See notes at end of table.



**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
<b>MARYLAND</b>					
Atlantic Transportation Equip.	Beltsville	Tom Niswander	(301) 210-5100	DEALER	LD/ ALCOHOL
Baltimore Gas & Electric Co.	Baltimore	Leslie Stephenson, Sr	(410) 597-7601	CONVERTER	HD/ ALCOHOL
<b>MICHIGAN</b>					
Advanced Fuel Tech., Inc.	Midland	Gary Shepherd	(517) 835-8613	CONVERTER	HD/CNG
Beacon Power Systems, Inc.	Troy	Joann Blakenship	810-589-7888	CONVERTER	HD/ALCOHOL
Chrysler Corporation	Auburn Hills	Fred Maloney	(810) 576-5472	OEM BUSES	ALCOHOL
Ford Motor Company	Dearborn	Hotline, AFV Product Line	(800) ALT-FUEL	OEM BUSES	ALCOHOL
General Coach America	Brown City	Brad Buchanan	(810) 346-3485	OEM/OTHER	ALCOHOL
General Motors Corporation	Detroit	Dr. Gerald J. Barnes	(313) 556-7723	OEM	HD/ALCOHOL
MSX International	Detroit	Ford EV Division	(313) 922-0050	CONVERTER	HD/FLEX
Modern Engineering	Dearborn	Robert Childs	(313) 317-9675	CONVERTER	HD/FLEX
Northwest Propane, Inc.	Holly	Bruce Barget	(810) 666-2111	CONVERTER	HD/FLEX
Southeastern Michigan Gas Co.	Port Huron	Charles F. Lambert	(810) 987-7900	CONVERTER	HD/ALCOHOL
Spartan Motors	Charlotte	John Gaedert	(517) 543-6400	CONVERTER	
Starghill Alternative Energy	Detroit	Walter Starghill, Sr.	(313) 933-4141	CONVERTER	LD/LPG
Thermal Power Corporation	Sterling Heights	Mark Corlee	(810) 264-1200		LD/LPG
Trans 2 Corporation	Livonia	James M. Thomas	(313) 513-2800	OEM	LNG
Volkswagen of America, Inc.	Auburn Hills	Stuart Johnson	(810) 340-4708	OEM BUSES	ALCOHOL
<b>MINNESOTA</b>					
Acme Alternate Fuel Systems, Inc.	Mankato	Dale Hudson	(507) 345-4000	CONVERTER	HD/CNG
Carburetion & Turbo Systems	Shakopee	David Leivestad	(612) 445-3910	CONVERTER	LD/CNG
Circle Pines Utilities	Circle Pines	James Keinath	(612) 784-5898		
Minnegasco, A Norman Energy Co.	Minneapolis	Steve Graning	(612) 861-8697	CONVERTER	HD/ALCOHOL
Propane Gas Products	Minneapolis	Hartley Medin	(612) 529-9276	CONVERTER	HD/FLEX
<b>MISSOURI</b>					
All Star Gas (field services)	Lebanon	Bob Schall	(417) 532-3103	CONVERTER	HD/FLEX
Coots Carburetion & Service Ctr.	Lathrop	Harold Coots	(816) 528-4505	CONVERTER	HD/FLEX
GASCO	Eldon	Ed Simmons	(573) 392-4275	CONVERTER	HD/CNG
Tiger Tractor Corporation, The	Lee's Summit	Doug Falky	(816) 525-3900	OEM	FLEX
<b>MISSISSIPPI</b>					
Graeber Brothers, Inc.	Clarksdale	Skip Graeber	(601) 624-4326	CONVERTER	HD/FLEX

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
Moulden Supply Co., Inc.	Jackson	Robert Titcomb	(601) 922-4611	CONVERTER	HD/CNG
Scott Petroleum	Greenwood	Donna Callaway	(601) 254-9024	CONVERTER	HD/FLEX
<b>MONTANA</b>					
Farr Automotive Specialists	Bozeman	Francis Farr	(406) 587-8781	CONVERTER	HD/ALCOHOL
Quality Automotive Service	Butte	Carl M. Popovich	(406) 723-9213	CONVERTER	HD/ALCOHOL
The Montana Power Company	Butte	John O'Donnell	(406) 497-2392	CONVERTER	MD
Willard's Garage	Billings	Willard Myers	(406) 259-1472	CONVERTER	HD/ALCOHOL
<b>NORTH CAROLINA</b>					
Apache LP Trucks	Goldsboro	Tim Carrere	(800) 326-8950	CONVERTER	HD/FLEX
Athey Products Corporation	Wake Forest	Jennifer Jones	(919) 556-5171	OEM	ALCOHOL
Carolina Natural Gas Vehicles	Huntersville	Larry B. Lane	(704) 875-2034	CONVERTER	HD/ALCOHOL
Clean Energy Enterprises	Raleigh	Gene A. Ratchford	(919) 501-2510	CONVERTER	HD/ALCOHOL
Piedmont Natural Gas Co., Inc.	Charlotte	Greg Johnson	(704) 364-3120	CONVERTER	HD/ALCOHOL
Thomas Built Buses, Inc.	High Point	Ron Dillard	(910) 889-4871	OEM / OTHER	ALCOHOL
<b>NEBRASKA</b>					
Marv's L P Gas, Inc.	Kimball	Jerry Knutsen	(308) 235-2991	CONVERTER	HD/FLEX
Midlands Rental & Machinery	Omaha	Jim Hammel	(402) 734-1260	CONVERTER	HD/CNG
Ransomes America Corp.	Lincoln	Marvin B. Jaques	(402) 474-8417	OEM	HD/CNG
<b>NEW JERSEY</b>					
Ace Gas Co.	Toms River	Brian N. Clayton	(908) 349-1586	CONVERTER	HD/CNG
Air & Gas Technologies	Cliffwood Beach	Vince Tomaso	(908) 566-7227	CONVERTER	HD/ALCOHOL
Atlantic Detroit Diesel Allison	Lodi	Timothy E. Meade	(201) 489-5800		ELECTRIC
CXA Fuel Systems	Middlesex	Paul Jacobsen	(908) 271-9440		HD/CNG
Jamie's Auto Service	South Hampton	Jamie Giberson	(609) 859-3737	CONVERTER	
New Jersey Natural Gas Co.	Wall	William E. Wells	(908) 938-8030	CONVERTER	ALCOHOL
North Jersey Alter Fuel Sys.	Andover	Ed Hefter	(201) 383-3450	CONVERTER	LD/ELECTRIC
Paul D. Vickery & Co., Inc.	Summit	Robert Herzog	(908) 273-9322	CONVERTER	HD/ALCOHOL
Pro Energy Corporation	Tinton Falls	Ron Cassell	(908) 747-3795	CONVERTER	HD/CNG
Suburban Propane	Whippany	Wally Euart	(201) 503-9518	CONVERTER	HD/FLEX
Volvo Cars of North America	Rockleigh	William Shapiro	(201) 767-4772	OEM	HD/ALCOHOL
Welsh Technologies	River Edge	Jonathan W. Welsh	(201) 489-3465	CONVERTER	MD/CNG
<b>NEW MEXICO</b>					
Energy Conversion Corporation	Bloomfield	Calvin B. Hildebrand	(505) 438-9192	CONVERTER	LD/ELECTRIC
National Propane	Clovis	Kevin Wilkerson	(505) 763-3613	CONVERTER	HD/FLEX
Nova BUS, Inc.	Roswell	Bruce Bell	(505) 347-7287	OEM	LD/ALCOHOL

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
Pub. Srv. Co. of New Mexico	Albuquerque	Doug Taylor	(505) 241-4401	CONVERTER	HD/ALCOHOL
Rust Tractor Company	Albuquerque	Don Balestrieri	(505) 345-8411	CONVERTER	FLEX
Stewart & Stevenson Power, Inc.	Farmington	Dale Stevens	(505) 325-5017	CONVERTER	HD/CNG
<b>NEVADA</b>					
A-55 Limited Partnership	Reno	Dick Cooper	(702) 826-8300	CONVERTER	MD
City of Las Vegas	Las Vegas	Dan Hyde	(702) 229-6971	CONVERTER	HD/ELECTRIC
The Car Doctor, Inc.	Las Vegas	Jan Monaghan	(702) 732-0112	CONVERTER	HD/CNG
Yellow, Checker, Star Cab Co.	Las Vegas	Jack Owens	(702) 873-8012	CONVERTER	HD/FLEX
<b>NEW YORK</b>					
4 Wheel Driveline Systems	Staten Island	Jay Losey	(718) 447-3038	CONVERTER	HD/CNG
Alternative Fuels Technologies	Jamaica	Michael DiGonis	(718) 529-0300	CONVERTER	LD/CNG
Aurora Technology Corp.	East Aurora	Jose Ruiz	(716) 655-4681	CONVERTER	CNG
Command Bus Lines	Brooklyn	Edward Talbot	(718) 272-0900		
Electric Launch Company	Highland	C. G. Houghton	(914) 691-3777	OEM	LPG
Empire Associates	Staten Island	Robert Turan	(718) 720-5198	CONVERTER	HD/ALCOHOL
Glenn's Sales and Service	Shortsville	Glenn Salisbury	(716) 289-4298	CONVERTER	HD/ALCOHOL
Matthews Buses, Inc.	Ballston Spa	Mike Marlin	(518) 584-2400	OEM	
NYSEG NGV Technology Center	Endicott	Bob Stiles	(607) 762-4019	CONVERTER	HD/CNG
Northeast Energy Equipment	Bellport	Frank Dupointe	(516) 286-5600	CONVERTER	HD/ALCOHOL
Orion Bus Industries, Inc.	Oriskany	John Riet	(315) 768-8101	OEM/OTHER	ALCOHOL
Thompson & Johnson Equip. Co.	East Syracuse	David Schneckenburger	(315) 437-2881	CONVERTER	CNG
<b>OHIO</b>					
Alternative Fuels Equipment	Cleveland	Les Ashby	(216) 232-4111	CONVERTER	HD/ALCOHOL
B & M Compressor Co., Inc.	Cleveland	Timothy R. Boyle	(216) 881-9494		MD
Daewoo	Warren Heights	Michael J. Lavelle	(216) 595-1212	OEM	LNG
Elwell-Parker Electric Company	Cleveland	Curtis Roupe	(216) 881-6200	OEM	HD/LNG
Greater Cleveland Regional Transit Authority	Cleveland	Ronald J. Tober	(216) 566-5218	OTHER	ALCOHOL
NESC, Williams, Inc.	Zanesville	Earl Biederman	(216) 662-0225	CONVERTER	HD/CNG
Northwestern College	Lima	Ronald E. Roeder	(419) 998-3160	CONVERTER	HD/ALCOHOL
Thor Industries, Inc.	Jackson Center	Walter Bennett	(937) 596-6849	OEM/OTHER	ALCOHOL
Universal Coach Parts, Inc.	Delaware	Raymond Miles	(614) 362-2607	OEM/OTHER	ALCOHOL
<b>OKLAHOMA</b>					
Briscoe's LP Gas Service, Inc.	Mustang	Ronnie Blurton	(405) 376-2407	CONVERTER	HD/FLEX

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
Crane Carrier Company	Tulsa	Leon Warner	(918) 832-7320	OEM	ALCOHOL
DRV Energy, Inc.	Oklahoma City	Sheri Vanhooser	(405) 670-9099	CONVERTER	HD/ALCOHOL
McClures Fuel Service, Inc.	Konawa	George Winters	(405) 925-3256	CONVERTER	HD/FLEX
Sales Equipment Co.	Oklahoma City	Chris Link	(405) 634-2426	CONVERTER	HD/FLEX
Tom Gorman Co., Inc.	Tulsa	Jim Smart	(918) 835-8408	CONVERTER	ALCOHOL
<b>ONTARIO</b>					
Fiba Canning	Scarborough	Michael Canning	(416) 299-1142	CONVERTER	HD/ALCOHOL
G.W. Anglin's Manufacturing	Windsor	Mike Weekes	(519) 737-1241	CONVERTER	HD/ALCOHOL
GFI Control Systems, Inc.	Kitchener	Jordan Rothwell	(519) 576-4270	CONVERTER	HD/ALCOHOL
MSJ Automotive Serive, Ltd.	Windsor	John Sawatsky	(519) 972-7448	CONVERTER	HD/ELECTRIC
<b>OREGON</b>					
Crater Lake Motors, Inc.	Medford	Kent Cutting	(541) 770-3600	DEALER	
Decker's Radiator	Portland	Bob Szymczak	(503) 238-1248	CONVERTER	HD/ALCOHOL
E-Car	Portland	Gerhard Wagner	(503) 254-7612	CONVERTER	HD/LNG
E-MOTION Electric Vehicles	McMinnville	Lon Gillas	(503) 434-4332	CONVERTER	HD/CNG
Lektro, Inc.	Warrenton	Eric W. Paulson	(800) 535-8767	OEM	
NEV Corporation	Eugene	Carl Watkins	(541) 682-5939	OEM	HD/LNG
Portland Public Schools	Portland	Ray Splinter	(503) 916-6901	CONVERTER/ OTHER	FLEX
Propane Services, Inc.	Shawnee	Tom Atwood	(405) 275-3740	CONVERTER	HD/FLEX
Western Bus Sales, Inc.	Clackamas	Marlan Rohlena	(503) 655-8101	DEALER/OTHER	ALCOHOL
<b>PENNSYLVANIA</b>					
CNG Srvcs of Pittsburgh, Inc.	Pittsburgh	Robert E. Petsinger	(412) 372-5568	CONVERTER	LD/CNG
Champagne Alternate Fuel System	Lansdale	Douglas Marino	(215) 361-1304	CONVERTER	LD/ALCOHOL
Checkeye LPG Carburetion, Inc.	Springdale	Lyle Checkeye	(412) 274-8778	CONVERTER	HD/CNG
IEV	Spring House	Jim Smith	(215) 646-8686	CONVERTER	HD/LNG
Mack Trucks, Inc.	Allentown	Steve Ginter	(610) 709-3259	OEM	LD
Penn Fuel Gas, Inc.	Oxford	George Plummer	(610) 932-6559	CONVERTER	FLEX
Torchiana Automotive	West Chester	Joseph H. Torchiana	(610) 431-4564	CONVERTER	HD/ALCOHOL
<b>RHODE ISLAND</b>					
Alternate Energy Corporation	Johnston	Tom Aubee	(401) 351-1232	CONVERTER	LD/CNG
<b>SOUTH CAROLINA</b>					
Baker Material Handling Corp.	Summerville	Mark Roessler	(803) 875-8319	OEM	LNG
Suburban Propane Group	Sumter	Belva White	(803) 775-2334	CONVERTER	HD/FLEX

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
<b>SOUTH DAKOTA</b>					
Gales Gas Service	Pierre	Jack Nafus	(605) 224-5518	CONVERTER	HD/FLEX
Lemmon Propane, Inc.	Lemmon	Ron Dauwen	(605) 374-5412	CONVERTER	HD/FLEX
<b>TENNESSEE</b>					
Advanced Vehicle Systems, Inc.	Chattanooga	Joe Ferguson	(423) 821-3146	OEM/OTHER	LNG
Southern Meter Service	Hohenwald	David Riley	(615) 796-3733	CONVERTER	HD/CNG
United Cities Propane Gas	Franklin	Anthony Slayden	(615) 591-6200		MD
<b>TEXAS</b>					
Ackerly Oil Co. dba Trio Fuels	Big Spring	Clark Dunnam	(915) 267-9434	CONVERTER	HD/CNG
Alternative Dual Fuels, Inc.	Gerogetown	Robert Lynch	(972) 392-1949		LD/CNG
Alternative Fuel Systems Auto.	Round Rock	Mike Stone	(512) 218-4147		
B & B Fuel Co., Inc.	Seminole	C. R. Bruce	(915) 758-3221	CONVERTER	HD/FLEX
BMS	Pearland	Ronnie Yard	(281) 482-7007	CONVERTER	HD/FLEX
Barbour Brothers, Inc.	Tulia	B. R. Barbour	(806) 995-3366	CONVERTER	HD/FLEX
Benson Repair Service, Inc.	Sonora	Frederick C. Benson	(915) 387-2966	CONVERTER	HD/ALCOHOL
Birdsong Automotive	Beaumont	Tracy Birdsong	(409) 842-2822	CONVERTER	HD/ELECTRIC
Boyd's Equipment, Inc.	Amarillo	Gordon Gabert	(806) 372-5981	CONVERTER	HD/FLEX
C. Clark Propane, Inc.	Pampa	Mark Clark	(806) 665-4018	CONVERTER	HD/FLEX
Chadwell & Son Gas Co., Inc.	Springtown	Kenneth Chadwell	(817) 523-4443	CONVERTER	HD/FLEX
Crittenden Propane	Bonham	Jim Crittenden	(903) 583-4212	CONVERTER	HD/FLEX
Eagle-Picher Industries	Lubbock	Virgil Post	(806) 767-4383	OEM	FLEX
Everhart Exxon	Corpus Cristi	Wade Thomas	(512) 854-9433	CONVERTER	
ExproFuels	San Antonio	Frank Alderman	(800) 831-9532	CONVERTER	HD/ALCOHOL
Fletcher Service Co.	Eagle Pass	Douglas J. Fletcher	(210) 773-2816	CONVERTER	HD/CNG
Frank's Fuels, Inc.	Odessa	Charlie Stubbs	(915) 332-0829	CONVERTER	HD/FLEX
Green's Blue Flame Gas Co., Inc.	Houston	Joe Green	(713) 462-5414	CONVERTER	HD/CNG
Haigood & Campbell	Archer City	Ward Campbell	(817) 574-2521	CONVERTER	HD/FLEX
Hall Propane Co.	Port Lavaca	Sharon Hall	(512) 552-5587	CONVERTER	FLEX
Hino Gas	Harlingen	Yolanda Robles	(210) 423-9178	CONVERTER	LD/LPG
Independent Oil Co. dba Dixie	Hillsboro	Lynn B. Gray	(817) 582-5359	CONVERTER	HD/FLEX
J & L Propane, Inc.	Krum	Raymond Johnson	(817) 482-3225	CONVERTER	HD/FLEX
J.V. Equipment Co., Inc.	Edinburg	Don Drewry	(210) 383-0777	CONVERTER	FLEX
Kerrville Butane Co.	Ingram	Ricky Jones	(210) 367-5989	CONVERTER	HD/FLEX
M & M Propane, Inc.	Donna	Troy McMillan	(210) 464-3522	CONVERTER	HD/CNG

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
Midtex LP Gas	Midlothian	Rodney Jenkins	(972) 723-3900	CONVERTER	HD/FLEX
Mission Gas Company	San Antonio	Ted Terry	(210) 633-0721	CONVERTER	HD/FLEX
Nichols LP Gas Service, Inc.	Clifton	Tom Nichols	(817) 675-8001	CONVERTER	HD/FLEX
Panhandle Forklift Corporation	Amarillo	David K. Wing	(806) 622-1183	OEM	CNG
Peterbilt Motors Company	Denton	Jim Zito	(817) 566-4084	OEM	LD
Petty Butane Co.	Vernon	Scott English	(817) 552-7092	CONVERTER	HD/FLEX
Pinnacle CNG	Midland	Drew Diggins	(915) 686-5989	CONVERTER	HD/ALCOHOL
Propane Systems of Texas, Inc.	Fort Worth	Craig Cartwright	(817) 831-6139	CONVERTER	HD/FLEX
Ranch Butane, Inc.	Corpus Christi	Janier Ramirez	(512) 855-7231	CONVERTER	HD/FLEX
Reliable Gas Co.	Tyler	David Guthrie	(903) 882-6106	CONVERTER	HD/FLEX
Servigas	El Paso	David Chavez	(915) 833-2961	CONVERTER	HD/FLEX
Southwest Butane Co.	Big Lake	John Daugherty	(915) 884-2185	CONVERTER	HD/FLEX
ToyotaLift of Houston	Houston	David Novark	(713) 675-7000	DEALER	
TranStar Technologies, L.C.	Dallas	Terry Anglin	(214) 761-0143	CONVERTER	LD/ALCOHOL
Triangle Corporation	Gainesville	James Gailey	(817) 665-8341	CONVERTER	FLEX
Tyler Fuel Injection Service,	Tyler	Jim Florey	(903) 593-3351	CONVERTER	HD/ALCOHOL
Vinyard Engine System, Inc.	San Antonio	Shannon Vinyard	(210) 520-7924	CONVERTER	LD/ALCOHOL
Wallace Envmt. Testing Lab, Inc.	Houston	Les Weaver	(713) 956-7705	CONVERTER	MD
Wiedebush & Company	Muleshoe	Jeri Wiedebush	(806) 272-4281	CONVERTER	FLEX
Williams Automotive Service	Fort Stockton	Mike Williams	(915) 336-2341	CONVERTER	HD/CNG
Wylie LP Gas, Inc.	Petersburg	Jerry Bright	(806) 667-3591	CONVERTER	HD/FLEX
Young County Butane Co.	Graham	Curtis Bruce	(817) 549-3535	CONVERTER	
Zeigler LP Systems, Inc.	Livingston	Bob Zeigler	(409) 327-2225	CONVERTER	HD/CNG
<b>UTAH</b>					
Environmental Conversions, Inc.	Ogden	Jerry Williamson	(801) 629-0999	CONVERTER	HD/LPG
Questar Regulated Services	Salt Lake City	Terry Keddington	(801) 324-3673	CONVERTER	HD/ALCOHOL
Smith Detroit Diesel/Allison	Salt Lake City	Roland Smith	(801) 262-2631		HD/ELECTRIC
<b>VIRGINIA</b>					
Alternate Fuels Technologies	Woodbridge	Jerry F. Morton	(703) 491-2691	CONVERTER	HD/CNG
Charlotte America	Bluefield	Joe Hart	(540) 326-1510	OEM	LNG
Commonwealth Propane, Inc.	Richmond	Byron Roberts	(804) 327-1325	CONVERTER	HD/FLEX
Enginuity	Virginia Beach	Tom R. Pritchard	(757) 481-7374	CONVERTER	HD/CNG
G&M Service Center, Inc.	Lorton	Mike Kalcheff	(703) 550-1467	CONVERTER	LD/CNG

See notes at end of table.

**Table C1. Alternative-Fueled Vehicle Suppliers (Continued)**

State and Company Name	City	Contact	Phone	Operation Type	Vehicle Fuel Type
Green Mountain Propane Gas Co.	Richmond	Jeff Fortune	(802) 434-6200		MD
Norman's Automotive Srvc., Inc.	Springfield	Norman Canfield	(703) 451-9222	CONVERTER	HD/CNG
<b>VERMONT</b>					
Savage's Auto Care	North Hyde Park	John Savage	(802) 635-9733	CONVERTER	HD/FLEX
Vermont Electric Car Co.	Middlesex	Hilton Dier III	(802) 223-6652	CONVERTER	HD/LNG
<b>WASHINGTON</b>					
Energy Conversions, Inc.	Tacoma	Paul D. Jeusen	(206) 922-6670		LD/NG
Gabriel Marine	Port Ludlow	Burton Gabriel	(360) 437-2136	OEM	HD/CNG
Northwest Propane Sales, Inc.	Lynden	Steve Vanderyacht	(360) 354-4471	CONVERTER	HD/CNG
<b>WISCONSIN</b>					
Krueger's Auto Tech Center	Cedarburg	Kevin Krueger	(414) 375-4555	CONVERTER	HD/ALCOHOL
Wisconsin Electric	Milwaukee	Gary Evans	(414) 221-3553		MD
Wisconsin Industrial Truck Co.	Milwaukee	Doug Wilson	(414) 466-9900	CONVERTER	HD/CNG
<b>WEST VIRGINIA</b>					
Automotive Research Technology	Morgantown	Jody Stirewalt	(304) 291-2925	CONVERTER	HD/CNG
Kleenair Systems, Inc.	Martinsburg	James M. Seibert	(304) 267-6441	CONVERTER	LD/CNG
NAPA Autocare Center	Huntington	Larry Moore	(304) 525-3040	CONVERTER	HD/ALCOHOL
<b>WYOMING</b>					
Farmers Co-op Assn.	Gillette	Gary Hoffman	(307) 682-4468	CONVERTER	HD/CNG

CNG = Compressed natural gas.

HD = Heavy duty.

LD = Light duty.

LNG = Liquefied natural gas.

LPG = Liquefied petroleum gas.

MD = Medium duty.

NA = Not applicable.

NG = Natural Gas.

OEM = Original Equipment Manufacturer.

Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

Appendix D

**Alternative-Fueled Vehicles  
Made Available in 1995,  
Revised**



**Table D1. Number of Onroad Alternative-Fueled Vehicles Made Available, by Fuel Type and Vehicle Configuration in 1995–Revised**

Fuel Type	Automobiles	Passenger Vans	Cargo Vans/ Pickups	Other Trucks	Buses	Other Onroad Vehicles	Total
Liquefied Petroleum Gas (LPG) . . . . .	783	209	2,661	W	165	W	7,080
Dedicated . . . . .	207	50	608	W	56	W	3,908
Nondedicated . . . . .	576	159	2,053	W	109	W	3,172
Compressed Natural Gas (CNG) . . . . .	1,966	W	5,439	742	W	W	10,292
Dedicated . . . . .	136	W	W	27	404	W	1,508
Nondedicated . . . . .	1,830	370	W	715	W	W	8,784
Liquefied Natural Gas (LNG) . . . . .	0	0	W	W	W	0	85
Dedicated . . . . .	0	0	W	W	W	0	14
Nondedicated . . . . .	0	0	W	W	W	0	71
Methanol, 85 percent <sup>a</sup> (M85) . . . . .	1,335	0	0	0	0	0	1,335
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	1,335	0	0	0	0	0	1,335
Methanol, Neat (M100) . . . . .	0	0	0	0	0	0	0
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	0	0	0	0	0	0	0
Ethanol, 85 percent <sup>a</sup> (E85) . . . . .	430	0	0	0	0	0	430
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	430	0	0	0	0	0	430
Ethanol, 95 percent <sup>a</sup> (E95) . . . . .	0	0	0	0	0	0	0
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	0	0	0	0	0	0	0
Electricity . . . . .	75	W	69	W	W	W	553
Nonhybrid . . . . .	W	W	64	0	W	W	542
Hybrid . . . . .	W	W	5	W	W	W	11
Other <sup>b</sup> . . . . .	0	0	0	0	8	W	8
Dedicated . . . . .	0	0	0	0	0	0	0
Nondedicated . . . . .	0	0	0	0	8	W	8
<b>Total . . . . .</b>	<b>4,589</b>	<b>955</b>	<b>8,218</b>	<b>3,965</b>	<b>1,150</b>	<b>906</b>	<b>19,783</b>
Dedicated and Nonhybrid . . . . .	416	425	1,229	2,973	711	218	5,972
Nondedicated and Hybrid . . . . .	4,173	530	6,989	992	439	688	13,811

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

<sup>b</sup>Includes hydrogen, biodiesel, and other alternative fuels.

W = Withheld to avoid disclosure of individual company data.

Notes: • Vehicles made available are vehicles that are completed and made available for delivery to dealers or users in a given year. • Dedicated vehicles and nonhybrid electric vehicles are designed to operate exclusively on one alternative fuel. • Nondedicated vehicles and hybrid electric vehicles are configured to operate on more than one fuel, usually an alternative fuel and gasoline or diesel fuel. • Data are based on survey responses as of August 31, 1997.

Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

**Table D2. Number of Nonroad Alternative-Fueled Vehicles Made Available in 1995, by Fuel Type—Revised**

<b>Fuel Type</b>	<b>1995</b>
Liquefied Petroleum Gas (LPG) .....	W
Compressed Natural Gas (CNG) .....	384
Liquefied Natural Gas (LNG) .....	W
Methanol, 85 percent <sup>a</sup> (M85) .....	0
Methanol, Neat (M100) .....	0
Ethanol, 85 percent <sup>a</sup> (E85) .....	0
Ethanol, 95 percent <sup>a</sup> (E95) .....	0
Electricity .....	W
Other <sup>b</sup> .....	0
<b>Total .....</b>	<b>81,245</b>

<sup>a</sup>The remaining portion of 85-percent methanol and both ethanol fuels is gasoline.

<sup>b</sup>Includes hydrogen, biodiesel, and other alternative fuels.

W = Withheld to avoid disclosure of individual company data.

Notes: • Nonroad vehicles are vehicles designed for offroad operation and used for industrial or commercial purposes. They include forklifts, agricultural and construction vehicles, and others.

• Vehicles made available are vehicles that are completed and made available for delivery to dealers or users in a given year. • Data are based on survey responses as of August 31, 1997.

Source: Energy Information Administration, Form EIA-886, "Alternative Fuel Vehicle Suppliers' Annual Report."

# Glossary

**Aftermarket Conversion:** A standard, conventionally fueled, factory-produced vehicle to which equipment has been added that enables the vehicle to operate on an alternative fuel.

**Alcohols ( $\text{CH}_3\text{-(CH}_2\text{)}_n\text{-OH}$ ):** The family name of a group of organic chemical compounds composed of carbon, hydrogen, and oxygen. The series of molecules vary in chain length and are composed of a hydrocarbon, plus a hydroxyl group (for example, methanol, ethanol, and tertiary butyl alcohol).

**Aldehydes:** One of several families of compounds formed as products of incomplete combustion in engines using gasoline, methanol, ethanol, propane, or natural gas as fuels. As a general rule of thumb, the presence of methanol or methyl ethers in the fuel will lead to formaldehyde as the primary aldehyde in the exhaust, while ethanol or ethyl ethers will lead to acetaldehyde as the primary aldehyde in the exhaust. In both cases, other aldehydes are present, but in much smaller quantities. Formaldehyde and acetaldehyde are toxic and possibly carcinogenic.

**Alternative Fuel:** As defined pursuant to the EPACT, methanol, denatured ethanol, and other alcohols, separately or in mixtures of 85 percent by volume or more (or other percentage not less than 70 as determined by DOE rule) with gasoline or other fuels, CNG, LNG, LPG, hydrogen, coal-derived liquid fuels, fuels other than alcohols derived from biological materials, electricity, or any other fuel determined to be substantially not petroleum and yielding substantial energy security benefits and substantial environmental benefits.

**Alternative-Fueled Vehicle (AFV):** A vehicle either designed and manufactured by an original equipment manufacturer or a converted vehicle designed to operate in either dual-fuel, flexible-fuel, or dedicated modes on fuels other than gasoline or diesel. This does not include a conventional vehicle that is limited to operation on blended or reformulated gasoline fuels.

**Alternative-Fueled Vehicle Converter:** An organization (including companies, government agencies, and utilities), or an individual who performs conversions involving alternative-fueled vehicles. An AFV converter can convert (1) conventionally fueled vehicles to AFV's, (2)

AFV's to conventionally fueled vehicles, or (3) AFV's to another alternative fuel.

**Barrel:** A volumetric unit of measure for crude oil and petroleum products equivalent to 42 U.S. gallons.

**Bi-Fuel Vehicle:** A vehicle with two separate fuel systems designed to run on either an alternative fuel or conventional fuel using only one fuel at a time.

**Biodiesel:** Any liquid biofuel suitable as a diesel fuel substitute or diesel fuel additive or extender. A diesel substitute made from transesterification of oils of vegetables such as soybeans, rapeseed, or sunflowers (end product known as methyl ester) or from animal tallow (end product known as methyl tallowate). Biodiesel can also be made by transesterification of hydrocarbons produced by the Fisher-Tropsch process from agricultural byproducts such as rice hulls.

**British Thermal Unit (Btu):** A standard unit for measuring the quantity of heat energy equal to the quantity of heat required to raise the temperature of 1 pound of water by 1 degree Fahrenheit.

**California Air Resources Board (CARB):** A State regulatory agency charged with regulating the air quality in California. Air quality regulations established by the Board and often stricter than those set by the Federal Government.

**Carbon Cycle:** All reservoirs and fluxes of carbon; usually thought of as a series of the four main reservoirs of carbon interconnected by pathways of exchange. The four reservoirs, regions of the Earth in which carbon behaves in a systematic manner, are the atmosphere, terrestrial biosphere (usually includes freshwater systems), oceans, and sediments (includes fossil fuels). Each of these global reservoirs may be subdivided into smaller pools ranging in size from individual communities or ecosystems to the total of all living organisms (biota). Carbon exchanges from reservoir to reservoir by various chemical, physical, geological, and biological processes.

**Carbon Dioxide ( $\text{CO}_2$ ):** A colorless, odorless, non-poisonous gas that is a normal part of the ambient air. Carbon dioxide is a product of fossil fuel combustion.

Although CO<sub>2</sub> does not directly impair human health, it is a greenhouse gas that traps the earth's heat and contributes to the potential for global warming.

**Carbon Monoxide (CO):** A colorless, odorless gas slightly lighter than air. It is poisonous if inhaled, in that it combines with blood hemoglobin to prevent oxygen transfer. It is produced by the incomplete combustion of fossil fuels with a limited oxygen supply (as in automobiles). It is a major component of urban air pollution, which can be reduced by the blending of an oxygen-bearing compound such as alcohols and ethers into hydrocarbon fuels.

**Chlorofluorocarbons (CFC's):** A family of inert, nontoxic, and easily liquified chemicals used in refrigeration, air conditioning, packaging, and insulation, or as solvents or aerosol propellants. Because they are not destroyed in the lower atmosphere, they drift into the upper atmosphere where their chlorine components destroy ozone.

**Clean Alternative Fuel:** Any fuel (including methanol, ethanol, or other alcohols (including any mixture thereof containing 85 percent or more by volume of such alcohol with gasoline or other fuels), reformulated gasoline, diesel, natural gas, liquefied petroleum gases, and hydrogen) or power source (including electricity) used in a clean fuel vehicle that complies with the standards and requirements of the Clean Air Act Amendments of 1990.

**Compressed Natural Gas (CNG):** Natural gas compressed to a volume and density that is practical as a portable fuel supply (even when compressed, natural gas is not a liquid).

**Carbon Monoxide Nonattainment Area:** Areas with carbon monoxide design values of 9.5 parts per million or more (generally based on data for 1988 and 1989).

**Converted Vehicle:** A vehicle originally designed to operate on gasoline that has been modified or altered to operate on an alternative fuel.

**Criteria Pollutant:** A pollutant determined to be hazardous to human health and regulated under the Environmental Protection Agency's National Ambient Air Quality Standards. The 1970 amendments to the Clean Air Act require the Environmental Protection Agency to describe the health and welfare impacts of a pollutant as the criteria for inclusion in the regulatory regime.

**Dedicated Vehicle:** A vehicle designed to operate solely on one alternative fuel.

**Diesel Fuel:** A complex mixture of hydrocarbons with a boiling range between approximately 350 and 650

degrees Fahrenheit. Diesel fuel (simply referred to as "diesel") is composed primarily of paraffins and naphthenic compounds that auto-ignite from the heat of compression in a diesel engine. Diesel is used mainly by heavy-duty road vehicles, construction equipment, locomotives, and by marine and stationary engines.

**Dual-Fuel Vehicle:** A vehicle designed to operate on a combination of alternative fuel, such as CNG or LPG, and conventional fuel, such as gasoline or diesel. These vehicles have two separate fuel systems which inject both fuels simultaneously into the engine combustion chamber.

**E85:** A fuel containing a mixture of 85 percent ethanol and 15 percent gasoline.

**E95A:** A fuel containing a mixture of 95 percent ethanol and 5 percent gasoline.

**Energy Efficiency:** The inverse of energy intensiveness: the ratio of energy outputs from a process to the energy inputs (for example, miles traveled per gallon of fuel).

**Environmental Protection Agency (EPA):** A government agency, established in 1970. Its responsibilities include the regulation of fuels and fuel additives.

**Ethyl Tertiary Butyl Ether (ETBE), (CH<sub>3</sub>)<sub>3</sub>COC<sub>2</sub>H<sub>5</sub>:** A colorless, flammable, oxygenated hydrocarbon blend stock formed by the catalytic etherification of isobutylene with ethanol.

**Ethanol (C<sub>2</sub>H<sub>5</sub>OH):** Otherwise known as ethyl alcohol, alcohol, or grain-spirit. A clear, colorless, flammable oxygenated hydrocarbon with a boiling point of 78.5 degrees Celsius in the anhydrous state. However, it forms a binary azeotrope with water, with a boiling point of 78.15 degrees Celsius at a composition of 95.57 percent by weight ethanol. It is used in the United States as a gasoline octane enhancer and oxygenate (10 percent concentration). Ethanol can also be used in high concentrations in vehicles optimized for its use.

**Ether:** The family name applied to a group of organic chemical compounds composed of carbon, hydrogen, and oxygen, and which are characterized by an oxygen atom attached to two carbon atoms (for example, methyl tertiary butyl ether).

**Flexible-Fuel Vehicle:** A vehicle with the ability to operate on alternative fuels (such as M85 or E85), 100 percent traditional fuels, or a mixture of alternative fuel and traditional fuels.

**Global Warming:** The theoretical escalation of global temperatures caused by the greenhouse effect.

**Greenhouse Effect:** A popular term used to describe the roles of water vapor, carbon dioxide, and other trace gases in keeping the Earth's surface warmer than it would be otherwise. These radiatively active gases are relatively transparent to incoming shortwave radiation, but are relatively opaque to outgoing long wave radiation. The latter radiation, which would otherwise escape to space, is trapped by these gases within the lower levels of the atmosphere. The subsequent reradiation of some of the energy back to the Earth maintains the surface at temperatures higher than they would be if the gases were absent.

**Greenhouse Gases:** Those gases, such as water vapor, carbon dioxide, tropospheric ozone, nitrous oxide, and methane, that are transparent to solar radiation but opaque to long wave radiation. Their action is similar to that of increased humidity in a greenhouse.

**Gross Vehicle Weight Rating:** The weight of the empty vehicle plus the maximum anticipated load weight.

**Heavy-Duty Vehicles:** Pursuant to the EPACT, trucks and buses having a gross vehicle weight rating of 8,500 pounds or more.

**Hydrogen (H<sub>2</sub>):** The lightest of all gases, the element (hydrogen) occurs chiefly in combination with oxygen in water. It also exists in acids, bases, alcohols, petroleum, and other hydrocarbons.

**Light- Duty Vehicles:** Automobiles and trucks having a gross vehicle weight rating of less than 8,500 pounds.

**Liquefied Natural Gas (LNG):** Natural gas that has been refrigerated to temperatures at which it exists in a liquid state.

**Liquefied Petroleum Gases (LPG):** Propane, propylene, normal butane, butylene, isobutane, and isobutylene produced at refineries or natural gas processing plants (includes plants that fractionate raw natural gas plant liquids).

**Lower Heating Value (LHV):** The Btu content per unit of fuel excluding the heat from the condensation of water vapor in the fuel.

**M85:** A fuel containing a mixture of 85 percent methanol and 15 percent gasoline.

**M100:** 100 percent (neat) methanol.

**Methane (CH<sub>4</sub>):** The simplest of the hydrocarbons and the chief constituent of natural gas. Methane, a gas at normal

temperatures and pressures, boils at -263 degrees Fahrenheit.

**Methanol (CH<sub>3</sub>OH):** A colorless liquid with essentially no odor and very little taste. The simplest alcohol, it boils at 64.7 degrees Celsius. It is miscible with water and most organic liquids (including gasoline) and is extremely flammable, burning with a nearly invisible blue flame. Methanol is produced commercially by the catalyzed reaction of hydrogen and carbon monoxide. It was formerly derived from the destructive distillation of wood, which caused it to be known as wood alcohol.

**Methyl Tertiary Butyl Ether (MTBE), (CH<sub>3</sub>)<sub>3</sub>COCH<sub>3</sub>:** A colorless, flammable, liquid oxygenated hydrocarbon that contains 18.15 percent oxygen and has a boiling point of 55.2 degrees Celsius. It is a fuel oxygenate produced by reacting methanol with isobutylene.

**Midwest Census Region:** This U.S. Census Bureau region includes the following States: Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin.

**Mcf:** Million cubic feet.

**Motor Gasoline Blending of Oxygenates:** Blending of gasoline and oxygenates under the Environmental Protection Agency's "Substantially Similar" Interpretive Rule (56 FR [February 11, 1991]).

**Natural Gas:** A mixture of hydrocarbon compounds and small quantities of various nonhydrocarbons existing in the gaseous phase or in solution with crude oil in natural underground reservoirs at reservoir conditions. The primary constituent compound is CH<sub>4</sub>. Gas coming from wells also can contain significant amounts of ethane, propane, butanes, and pentanes, and widely varying amounts of carbon dioxide and nitrogen. Pipeline-quality natural gas has had most, but not all natural gas liquids and other contaminants removed. On board a vehicle, it is stored under high pressure at 2,500 to 3,600 pounds per square inch (psi). A gallon of natural gas at 2,000 psi contains about 20,000 Btu; at 3,600 psi, a gallon contains about 30,000 Btu.

**Neat Alcohol Fuels:** Straight alcohol (not blended with gasoline) that may be either in the form of ethanol or methanol. Ethanol, as a neat alcohol fuel, does not need to be at 200 proof; therefore, it is often used at 180 to 190 proof (90 to 95 percent). Most methanol fuels are not strictly "neat," since 5 to 10 percent gasoline is usually blended in to improve its operational efficiency.

**Nitrogen Oxides (NO<sub>x</sub>):** Air-polluting gases contained in automobile emissions, which are regulated by the

Environmental Protection Agency. They comprise colorless nitrous oxide (N<sub>2</sub>O) (otherwise known as dinitrogen monoxide, or as the anaesthetic “laughing gas”), colorless nitric oxide (NO), and the reddish-brown-colored nitrogen dioxide (NO<sub>2</sub>). Nitric oxide is very unstable, and on exposure to air it is readily converted to nitrogen dioxide, which has an irritating odor and is very poisonous. Nitrogen dioxide contributes to the brownish layer in the atmospheric pollution over some metropolitan areas. Other nitrogen oxides of less significance are nitrogen tetroxide (N<sub>2</sub>O<sub>4</sub>) and nitrogen pentoxide (N<sub>2</sub>O<sub>5</sub>). Nitrogen oxides are sometimes collectively referred to as “NO<sub>x</sub>” where “x” represents any proportion of oxygen to nitrogen.

**Nonattainment Area:** A region that exceeds minimum acceptable National Ambient Air Quality Standards (NAAQS) for one or more criteria pollutants, in high population density areas, in accordance with the U.S. Census Bureau population statistics. Such regions (areas) are required to seek modifications to their State Implementation Plans, setting forth a reasonable timetable using means (approved by the Environmental Protection Agency) to achieve attainment of NAAQS by a certain date. Under the Clean Air Act, if a nonattainment area fails to attain NAAQS, the Environmental Protection Agency may superimpose a Federal Implementation Plan with stricter requirements or impose fines, construction bans, or cutoffs in Federal grant revenues until the area achieves applicable NAAQS.

**Northeast Census Region:** This U.S. Census Bureau region includes the following States: Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont.

**Original Equipment Manufacturers (OEM's):** Vehicle manufacturers that provide the original design and materials for assembly and manufacture of their product. They are directly responsible for manufacturing and modifying vehicles, making the vehicles commercially available, and providing a warranty for the finished product.

**Oxygenated Fuel:** Any fuel substance containing oxygen (includes oxygen-bearing compounds such as ethanol and methanol). Oxygenated fuel tends to give a more complete combustion of its carbon into carbon dioxide (rather than monoxide), thereby reducing air pollution from exhaust emissions.

**Oxygenated Gasoline:** Gasoline with an oxygen content of 1.8 percent or higher, by weight, that has been formulated for use in motor vehicles.

**Ozone (O<sub>3</sub>):** An oxygen molecule with 3 oxygen atoms that occurs as a blue, harmful, pungent-smelling gas at room temperature. The stratospheric ozone layer, which is a concentration of ozone molecules located at 6 to 30 miles above sea level, is in a state of dynamic equilibrium. Ultraviolet radiation forms the ozone from oxygen, but can also reduce the ozone back to oxygen. The process absorbs most of the ultraviolet radiation from the sun, shielding life from the harmful effects of radiation. Tropospheric ozone is normally present at the ground level in low concentrations. In cities where high levels of air pollutants are present, the action of the sun's ultraviolet light can, through a complex series of reactions, produce a harmful concentration of ozone in the air. The resulting air pollution is known as photochemical smog. Certain air pollutants (e.g., chlorofluorocarbons) can drift up into the atmosphere and damage the balance between ozone production and destruction, resulting in a reduced concentration of ozone in the layer.

**Ozone Precursor:** A chemical compound (such as nitrogen oxides, methane, nonmethane hydrocarbons and hydroxyl radicals) that, in the presence of solar radiation, reacts with other chemical compounds to form ozone.

**Petroleum:** A generic term applied to oil and oil products in all forms (such as crude oil, lease condensate, unfinished oil, refined petroleum products, natural gas plant liquids, and finished petroleum products).

**Propane (C<sub>3</sub>H<sub>8</sub>):** A normally gaseous straight-chain hydrocarbon, it is a colorless paraffinic gas that boils at a temperature of -43.67 degrees Fahrenheit. It is extracted from natural gas or refinery gas streams.

**Reformulated Gasoline (RFG):** Gasoline whose composition has been changed (from that of gasolines sold in 1990) to 1) include oxygenates, 2) reduce the content of olefins and aromatics and volatile components, and 3) reduce the content of heavy hydrocarbons to meet performance specifications for ozone-forming tendency and for release of toxic substances (benzene, formaldehyde, acetaldehyde, 1,3-butadiene, and polycyclic organic matter) into the air from both evaporation and tailpipe emissions.

**Replacement Fuel:** The portion of any motor fuel that is methanol, ethanol, or other alcohols, natural gas, liquefied petroleum gases, hydrogen, coal derived liquid fuels, electricity (including electricity from solar energy), ethers, or any other fuel the Secretary of Energy determines, by rule, is substantially not petroleum and would yield substantial energy security benefits and substantial environmental benefits.

**South Census Region:** This U.S. Census Bureau region consists of the following States: Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, and West Virginia.

**Tax Incentives:** In general, a means of employing the tax code to stimulate investment in or development of a socially desirable economic objective without the direct expenditure from the budget of a given unit of government. Such incentives can take the form of tax exemptions or credits.

**Tertiary Amyl Methyl Ether (TAME)  $(\text{CH}_3)_2(\text{C}_2\text{H}_5)\text{-COCH}_3$ :** An oxygenate blend stock formed by the catalytic etherification of isoamylene with methanol.

**West Census Region:** This U.S. Census Bureau region consists of the following States: Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming.